

List 6. List 6. Criteria used for calculating the original coal resources of the Lares coal field.

1. Qualifying coal beds:

minimum thickness: 30 cm

maximum ash: 89 percent

(dry basis)

2. Bed thickness categories:

30-75 cm (0.30-0.75 m)

75-150 cm (0.75-1.50 m)

150-300 cm (1.50-3.00 m)

3. Overburden thickness category:

0-30 m

30-150 m

greater than 150 m

4. Reliability categories in km from point of observation:

measured <0.2 km

indicated 0.2-0.4 km

inferred 0.4-1.2 km

5. Coal density:

1,290,000 tonnes per km m