

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

ANALYSES OF ROCK SAMPLES FROM THE
KETCHIKAN QUADRANGLE, SOUTHEASTERN ALASKA

By R. D. Koch and R. L. Elliott

OPEN-FILE REPORT 78-156-A

This report is preliminary and has not been
edited or reviewed for conformity with
Geological Survey standards and nomencla-
ture

Menlo Park, California

1978

Table of Contents

	Page
Introduction -----	1
Geologic studies in the Ketchikan area -----	2
Sampling -----	3
Sample preparation and analytical procedures -----	3
Geochemical data -----	4
Analytical values -----	5
Precision -----	7
Statistical summary -----	8
Bias and variability affecting interpretation -----	10
Acknowledgments -----	11
References cited -----	13

Illustrations

Plate I. Map showing rock sample locations.

Tables

Table 1. Lower determination limits and units for analyses-	6
2. Qualification codes -----	5
3. Class intervals of the six-step scale -----	7
4. Rock name and mineral modifier codes -----	17
5. Statistical summary -----	19
6. Analytical data for rock geochemical samples ----	56

Analyses of rock samples from
Ketchikan quadrangle, southeastern Alaska

by

R. D. Koch and R. L. Elliott

Introduction

A reconnaissance geochemical sampling program was conducted between 1975 and 1977 in the Ketchikan and Prince Rupert 1:250,000-scale quadrangles, southeastern Alaska. This study was done to assist in a mineral resource evaluation of the area as part of the Alaska Mineral Resource Assessment Program (AMRAP). This report contains the analytical data for 1,591 rock samples collected in the Ketchikan quadrangle during this and previous U.S. Geological Survey mapping projects between 1968 and 1977. These samples comprise all of the normal rock geochemical samples collected during the U.S. Geological Survey geological mapping investigations within the Ketchikan quadrangle through 1977. A brief statistical summary of the analytical data is included in this report.

Analytical data from stream-sediment geochemical sampling within the Ketchikan quadrangle and from all geochemical sampling in the Prince Rupert quadrangle directly south of the Ketchikan quadrangle, are contained in two companion reports (Koch and Elliott, 1978a, 1978b). Geochemical data from the southern portion of the Bradfield Canal quadrangle (directly north of the Ketchikan quadrangle) are reported in Koch and others (1976a). Analytical data from rock samples collected by U.S. Bureau of Mines' engineers during the Granite Fiords Wilderness

Study (Berg and others, 1977a) were included in a previous work (Koch and others, 1976b). Data from all of the normal U.S. Geological Survey rock and stream-sediment geochemical samples collected in the Ketchikan and Prince Rupert quadrangles are available on magnetic computer tape (Koch, Van Trump, and McDaniel, 1978).

Geologic studies in the Ketchikan area

The western half of the Ketchikan quadrangle is underlain by a broad belt of regionally metamorphosed Paleozoic and Mesozoic sedimentary and volcanic rocks which grade from greenschist to amphibolite facies. These rocks are intruded by numerous granitic stocks of Cretaceous to Miocene age. Granitic and amphibolite-grade regionally metamorphosed rocks of the Coast Range metamorphic-plutonic complex occur throughout the eastern and northern portions of the quadrangle.

The earliest comprehensive discussions of the geology of the Ketchikan area are contained in reports by Wright and Wright (1908) and Buddington and Chapin (1929). Buddington (1929) also described the Hyder mining district located near the Canadian border 120 km northeast of Ketchikan. Other discussions of the geology of this area include a report by Hutchison (1970) on the Coast Range metamorphic-plutonic complex in the Prince Rupert region of British Columbia and a summary of the Coast Range metamorphic-plutonic complex by Roddick and Hutchison (1974).

Recent geologic investigations by the U.S. Geological Survey in the Ketchikan quadrangle began in 1966 with mapping on Annette Island (Berg, 1972). Mapping began on Gravina Island in 1967 (Berg, 1973; Berg, Jones,

and Richter, 1972) and in the Hyder area in 1968 (Smith, 1977). Reconnaissance mapping in the Nakat Bay-Boca de Quadra area was carried out in 1969 and 1970 (Smith, 1973). A mineral resource evaluation of the Granite Fiords Wilderness Study area east of east Behm Canal was conducted in 1972 and 1973 (Berg and others, 1977a). Field studies continued as part of the AMRAP program from 1975 to 1977 (Berg, Elliott, and Koch, 1976; Elliott, Smith, and Hudson, 1976; Berg and others, 1977b). Reconnaissance mapping of the Ketchikan and Prince Rupert quadrangles has been completed and a geologic map at a scale of 1:250,000 has been published (Berg and others, 1978).

Sampling

Standard procedures were followed in collection, preparation, and analysis of rock geochemical samples. The samples are primarily grab samples chosen to provide data on background values for a lithologic unit. The majority of these samples are representative of the dominant lithologies at the sample site. A lesser number of samples were collected from minor lithologies, known mineralized occurrences, or outcrops that are conspicuously iron-stained or contain visible metallic minerals.

Sample preparation and analytical procedures

Samples were crushed, a split was pulverized and a split of this material analyzed. Analyses were performed by the Branch of Exploration Research of the U.S. Geological Survey for up to 30 elements by the six-step semiquantitative emission spectrographic method (Grimes and Marranzino, 1968), and for gold, copper, lead and zinc by atomic

absorption spectrophotometry (Ward and others, 1969). Samples collected in 1972 and 1973 were analyzed for mercury by a flameless atomic absorption mercury-vapor detection technique (Vaughn and McCarthy, 1964). Some analyses were not performed on all samples. The semiquantitative spectrographic analyses were performed by J. E. Abrams, E. F. Cooley, K. J. Curry, G. W. Day, C. L. Forn, R. T. Hopkins, R. C. Karlson, J. W. McNamera, and D. F. Siems. The atomic absorption analyses were done by R. B. Carten, J. A. Criswell, D. E. Detra, J. D. Hoffman, R. W. Leinz, A. L. Meier, R. L. Miller, D. G. Murrey, R. M. O'Leary, J. A. Roybal, R. F. Sanzalone, A. J. Toevs, and W. W. Vaughn.

Geochemical data

Locations of rock sample sites are identified by station numbers on plate 1. The analytical data for the samples are given in table 6 and are identified by station number with a letter appended to the station number to distinguish different samples from the same station. Some samples were re-analyzed as part of a test of analytical variance. These sample numbers appear twice in table 6 along with data for both analyses.

Each sample has been assigned a rock type and is labeled in table 6 with a rock name code consisting of a two-letter rock-name symbol which may be followed by one or more two-letter mineral-modifier symbols. An explanation of these rock-name and mineral-modifier codes is listed in table 4 (p. 17).

Analytical Values

Analytical results are reported as percent of the sample (for spectrographic analyses of Fe, Mg, Ca, and Ti) and as parts per million (ppm) for all other analyses. The minimum limits of determination and the units used for each analysis are listed in table 1 (p. 6).

A single-letter symbol is used by USGS analysts to indicate that no analysis was performed for an element or that the analytical result is outside the limits of determinability. These symbols (commonly called "qualification codes") are used in the statistical summary but some are represented differently in the data table. An explanation of both forms is listed in table 2. The code T does not appear in these data.

Table 2.--Qualification codes.

<u>Qualification code</u>	<u>Form in table 6</u>	<u>Explanation</u>
B	--	No analytical data for this analysis.
N	N	Nothing detected by analysis.
L	<	Element detected but below listed value (lower limit of determinability).
G	>	Element detected in amount greater than listed value (upper limit of determinability).
H	(value = 0)	Interference - no valid data.
T		Trace

Because the original computer printout is used in the tables, element symbols are in capital letters; for example, the symbol for iron, Fe, is shown as FE, magnesium, Mg, is shown as MG, and so on. In the

Table 1. Lower determination limits and units for analyses performed from 1968 through 1977. S - indicates spectrographic analysis, AA - indicates atomic absorption analysis and INST - indicates flameless atomic absorption mercury-vapor analysis. The units used to report values for each analytical procedure are listed after the determination limit.

S-Fe----- .05%	S-Cd-----20 ppm	S-Sr-----100 ppm
S-Mg----- .02%	S-Co----- 5 ppm	S-V----- 10 ppm
S-Ca----- .05%	S-Cr ^{3/} -----10 ppm	S-W----- 50 ppm
S-Ti ^{1/} ----- .002%	S-Cu----- 5 ppm	S-Y----- 10 ppm
S-Mn----- 10 ppm	S-La-----20 ppm	S-Zn-----200 ppm
S-Ag----- .5 ppm	S-Mo----- 5 ppm	S-Zr----- 10 ppm
S-As-----200 ppm	S-Nb ^{4/} -----20 ppm	AA-Au ^{5/} ----- .05 ppm
S-Au----- 10 ppm	S-Ni ----- 5 ppm	AA-Cu----- 5 ppm
S-B----- 10 ppm	S-Pb-----10 ppm	AA-Pb----- 5 ppm
S-Ba ^{2/} ----- 20 ppm	S-Sb-----100 ppm	AA-Zn----- 5 ppm
S-Be----- 1 ppm	S-Sc----- 5 ppm	INST-Hg ^{6/} ----- .02 ppm
S-Bi----- 10 ppm	S-Sn-----10 ppm	

^{1/} .001% in 1968.

^{2/} 5 ppm in 1968.

^{3/} 5 ppm prior to 1970.

^{4/} 10 ppm prior to 1975.

^{5/} .02 ppm prior to 1972.

^{6/} .01 ppm prior to 1972.

tables, the prefix S stands for spectrographic analysis, AA for atomic absorption and INST for flameless atomic absorption mercury-vapor analysis.

Results from semiquantitative emission spectrographic analyses (also referred to as six-step spectrographic analyses) are reported as the midpoints of geometric class intervals. Midpoints of the class intervals and the associated class interval boundaries are listed in table 3. Reported values may be an integral power of 10 times one of the listed class interval midpoints.

Table 3. Class intervals of the six-step scale.

<u>Class Interval Midpoint</u>	<u>Class Interval Limits</u>	
1.0	0.83	1.2
1.5	1.2	1.8
2.0	1.8	2.6
3.0	2.6	3.8
5.0	3.8	5.6
7.0	5.6	8.3
10.0	8.3	12.0

Precision

Tests have been performed to determine the analytical precision of the six-step semiquantitative spectrographic technique used by the Branch of Exploration Research (Motooka and Grimes, 1976). These tests indicate that the frequency with which values from repeated analyses of the same sample will fall within the class interval containing the "true" value (as measured by the mean of a series of analytical runs),

plus or minus one and two adjoining intervals is approximately 83 percent and 96 percent, respectively. For example, if a value is reported as 3.0, the probability is .83 that a repeated analysis would be reported as 2.0, 3.0, or 5.0. This study found analytical variance to be consistent for a variety of geologic materials and to show no appreciable difference between elements or concentration ranges except near the limits of determinability. Another experiment (Johnson and others, 1977) suggests that analytical precision varies appreciably between elements. Analyses by the atomic absorption methods are not reported on the six-step scale; they are more sensitive and more precise than spectrographic analyses.

Statistical summary

The analytical data were processed by a computer program known as GEOSUM and the program's output is presented in table 5. For samples which have been re-analyzed, the values listed second in the data table have been arbitrarily omitted from the statistical summary to reduce bias. The GEOSUM program is designed to summarize and tabulate geochemical data--primarily from semiquantitative spectrographic analyses. All distributions are treated in terms of the six-step class intervals described above and thus the atomic absorption data are regrouped to fit into these intervals. The program output consists of: (a) a frequency distribution table, histogram, summary of qualified values, range of values and geometric mean and deviation for each element, and (b) a statistical summary for all elements, which includes geometric means and geometric deviations.

The histograms are on a logarithmic scale and are computed using the class intervals of the six-step semiquantitative scale. The histogram bars are composed of X's; each X represents approximately 1 percent of the total number of samples analyzed for that element. Decimal numbers are printed by the computer as powers of 10, for example:

7.0e-01	means	7.0×10^{-1}	or	0.7
7.0e+00	means	7.0×10^0	or	7.0
7.0e+01	means	7.0×10^1	or	70.0
7.0e+02	means	7.0×10^2	or	700.0

The frequency distribution tables, histograms, and statistics for each element were derived using only data values within the range of analytical determination which have been used since 1975. Between 1968 and 1975, the lower limits of determinability were raised for atomic absorption analysis of Au and Hg and for spectrographic analysis of Ti, Ba, Cr, and Nb. Unqualified values less than the current determinability limits and all values qualified with N, L, G, or H were ignored in these computations. The resulting frequency tables and statistics are biased and the histograms incomplete.

The summary at the end of table 5 shows which elements have qualified values, as well as the number of values having each type of qualification. The summary also presents a recomputed geometric and geometric deviation using a method devised by A. J. Cohen for treating censored distributions. If an element has no qualified data values, the mean and geometric deviation will be the same in both this summary and on the page within the table for the particular element. For elements with qualified data, the estimates of mean and geometric deviation

tion are unbiased in a strict sense only where the data are derived from a log-normal parent population, but experiments have shown that large departures from this requirement do not usually invalidate the results. Acceptance and use of the estimates, however, are the responsibility of the user.

The geometric mean is the antilogarithm of the arithmetic mean of the logarithms of the analyses. It is not an estimate of geochemical abundance but of "central tendency" (or characteristic value) for a frequency distribution that is approximately symmetrical on a logarithmic scale. The geometric mean is useful for characterizing many geochemical distributions. The geometric deviation is the antilogarithm of the standard deviation of the logarithms of the analyses.

For further discussion of geometric mean and geometric deviation and of Cohen's method for censored distributions, see Miesch (1963, 1967).

Bias and variability affecting interpretation

In reviewing the data in table 6 and the statistical summary in table 5, several sources of bias and variability in the data must be considered. Factors including time limitations, weather, snow and vegetative cover, outcrop exposure, and availability of helicopter landing sites prevented uniform sampling in all areas. Uneven sample density also resulted from more concentrated sampling of some areas which show evidence of mineralization such as iron-staining or visible metallic minerals. This practice has biased the data slightly in favor of samples containing values above true background levels. The

requirement of truly random sampling--that all potential samples have an equal likelihood of being selected--is not met. In addition, the rock samples were collected from a large area, where lithologic units of various origins or rock types may comprise several dissimilar geochemical populations. No attempt has been made here to group samples on the basis of geological or geochemical affinity. The summary of the values thus provides only a general indication of the trends that may be present.

Variability of any value is influenced by many factors, including the difficulty of obtaining representative samples of inhomogeneous media, variation in sample preparation, and variability inherent in the analytical techniques. It is likely with any large data-set that errors have occurred in recording, key-punching and editing the data which have gone undetected. Therefore, high values for a single element or a single site should be considered questionable indicators of bedrock mineralization.

Acknowledgments

We wish to thank several U.S. Geological Survey colleagues for their considerable cooperation and assistance. George Van Trump, Jr., provided invaluable aid by resolving computer-programming problems. Steven K. McDanal and Christine M. McDougal helped locate and collect computer data-files from previous projects and with entry of data into the computer. Michael F. Diggles worked tirelessly proofing enormous lists and cluttered maps. We also wish to thank Kenneth Eicher of TEMSCO Helicopters who was most generous with his time and advice; and

volunteered logistical assistance which greatly aided our field efforts. The skillful flying of TEMSCO pilot, Barry Roberts, allowed us to sample this particularly inaccessible terrain.

References cited

- Berg, H. C., 1972, Geologic map of Annette Island, Alaska: U.S. Geol. Survey Misc. Geol. Inv. Map I-684, scale 1:63,360, 8 p.
- _____, 1973, Geology of Gravina Island, Alaska: U.S. Geol. Survey Bull. 1373, 41 p.
- Berg, H. C., Elliott, R. L., and Koch, R. D., 1976, Progress report on geology and mineral resources of the Ketchikan quadrangle, in Cobb, E. H., ed., The U.S. Geological Survey in Alaska; accomplishments during 1975: U.S. Geol. Survey Circ. 733, p. 62-64.
- Berg, H. C., Elliott, R. L., Smith, J. G., and Koch, R. D., 1978, Geologic map of the Ketchikan and Prince Rupert quadrangles, Alaska: U.S. Geol. Survey open-file rept. 78-73A, 1 sheet, scale 1:250,000.
- Berg, H. C., Elliott, R. L., Smith, J. G., Pitman, T. L., and Kimball, A. L., 1977b, Mineral resources of the Granite Fiords Wilderness Study Area, Alaska: U.S. Geol. Survey Bull. 1403, 151 p.
- Berg, H. C., Jones, D. L., and Richter, D. H., 1972, Gravina-Nutzotin belt--tectonic significance of an Upper Mesozoic sedimentary and volcanic sequence in southern and southeastern Alaska, in Geological Survey Research 1972: U.S. Geol. Survey Prof. Paper 800-A, p. D1-D24.
- Berg, H. C., Smith, J. G., Elliott, R. L., and Koch, R. D., 1977b, Structural elements of Insular Belt and Coast Range plutonic complex near Ketchikan, Alaska; a progress report, in Blean, K. M., ed., The U.S. Geological Survey in Alaska; accomplishments during 1976: U.S. Geol. Survey Circ. 751-B, p. B76-B79.

- Buddington, A. F., 1929, Geology of Hyder and vicinity, southeastern Alaska: U.S. Geol. Survey Bull. 807, 124 p.
- Buddington, A. F., and Chapin, T., 1929, Geology and mineral deposits of southeastern Alaska: U.S. Geol. Survey Bull. 800, 398 p.
- Elliott, R. L., Smith, J. G., and Hudson, Travis, 1976, Upper Tertiary high-level plutons of the Smeaton Bay area, southeastern Alaska: U.S. Geol. Survey open-file rept. 76-507, 15 p.
- Grimes, D. J., and Marranzino, A. P., 1968, Direct-current arc and alternating-current spark emission spectrographic field methods for the semiquantitative analysis of geologic materials: U.S. Geol. Survey Circ. 591, 6 p.
- Hutchison, W. W., 1970, Metamorphic framework and plutonic styles in the Prince Rupert region of the Central Coast Mountains, British Columbia: Canadian Jour. Earth Sci., v. 7, p. 376-405.
- Johnson, B. R., Forn, C. L., Hoffman, J. D., Brew, D. A., and Nutt, C. J., 1977, Geochemical sampling of stream sediments, Tracy Arm, southeastern Alaska, in Blean, K. M., ed., The U.S. Geological Survey in Alaska, 1976: U.S. Geol. Survey Circ. 751-B, p. B80-B82.
- Koch, R. D., and Elliott, R. L., 1978a, Analyses of rock and stream sediment samples from the Prince Rupert quadrangle, southeastern Alaska: U.S. Geol. Survey open-file rept. 78-156B, 98 p.
- 1978b, Analyses of stream-sediment samples from the Ketchikan quadrangle, southeastern Alaska: U.S. Geol. Survey open-file rept. 78-156C, 214 p.

- Koch, R. D., Elliott, R. L., Berg, H. C., and Smith, J. G., 1976a, Analyses of rock and stream-sediment samples from the Bradfield Canal quadrangle, southeastern Alaska: U.S. Geol. Survey open-file rept. 75-486, 136 p.
- ____ 1976b, Analyses of rock and stream-sediment samples from the Ketchikan quadrangle, southeastern Alaska: U.S. Geol. Survey open-file rept. 76-427, 252 p.
- Koch, R. D., Van Trump, George, Jr., and McDaniel, S. K., 1978, Magnetic tape containing analytical data for rock and stream-sediment samples from Ketchikan and Prince Rupert quadrangles, southeastern Alaska: U.S. Geol. Survey Rept., 8 p., computer tape [Available from the Natl. Tech. Inf. Service, U.S. Dept. Commerce, Springfield, VA, NTIS PB-276-777].
- Motooka, J. M., and Grimes, D. J., 1976, Analytical precision of one-sixth order semiquantitative spectrographic analysis: U.S. Geol. Survey Circ. 738, 25 p.
- Miesch, A. T., 1963, Distribution of elements in Colorado Plateau uranium deposits--a preliminary report: U.S. Geol. Survey Bull. 1147-E, 57 p.
- ____ 1967, Methods of computation for estimating geochemical abundance: U.S. Geol. Survey Prof. Paper 574-B, 15 p.
- Roddick, J. A., and Hutchison, W. W., 1974, Setting of the Coast Plutonic Complex, British Columbia: Pacific Geology, v. 8, p. 91-108.
- Smith, J. G., 1973, A Tertiary lamprophyre dike province in southeastern Alaska: Canadian Jour. Earth Sci., v. 10, p. 408-420.

- Smith, J. G., 1977, Geology of the Ketchikan D-1 and Bradfield Canal A-1 quadrangles, Alaska: U.S. Geol. Survey Bull. 1425, 49 p.
- Vaughn, W. W., and McCarthy, J. H., 1964, An instrumental technique for the determination of submicrogram concentrations of mercury in soil, rock and gas: U.S. Geol. Survey Prof. Paper 501-D, p. D123-D127.
- Ward, F. N., Nakagawa, H. M., Harms, T. F., and Van Sickle, G. H., 1969, Atomic-absorption methods of analysis useful in geochemical exploration: U.S. Geol. Survey Bull. 1289, 45 p.
- Wright, F. E., and Wright, C. W., 1908, The Ketchikan and Wrangell mining districts, Alaska: U.S. Geol. Survey Bull. 347, 210 p.

Table 4. Rock Name and Mineral Modifier Codes

<u>Plutonic Rocks</u>	
GR - Granite	
QM - Quartz Monzonite	
GD - Granodiorite (including trondhjemite)	
QD - Quartz Diorite	
GB - Gabbro	
DI - Diorite	
UM - Ultramafic	
<u>Metamorphic Rocks</u>	
AM - Amphibolite	
FV - Felsic Metavolcanics	
GG - Granitic Gneiss	
GS - Greenschist (mainly chlorite or chlorite-actinolite schist and phyllite)	
MB - Marble	
MG - Migmatite	
MS - Metasediments (locally tuffaceous, including slate, argillite, gray phyllite)	
MU - Undivided metamorphic rock	
MV - Intermediate or mafic metavolcanics	
PN - Paragneiss or schist	
QF - Quartzofeldspathic schist or gneiss	
<u>Veins</u>	
VQ - Quartz vein, pod, lens ...	
VN - Vein other than quartz	
<u>Dikes and Sills</u>	
DG - Granitic	
DF - Felsic (not including DG, DP, DQ)	
DQ - Quartz Porphyritic	
DP - Pegmatitic	
DM - Mafic or intermediate composition	
DL - Lamprophyre	
<u>Other</u>	
BS - Basalt	
FZ - Fault, shear, gouge or breccia	
<u>Mineral Modifiers</u>	
BA - Barite	
CP - Chalcopyrite	
GN - Galena	
HM - Hematite	
MG - Magnetite	
MO - Molybdenite	
PY - Pyrite	
SL - Sphalerite	

TITLE

KETCHIKAN QUAD. ROCK GEOCHEM

S-AU CONTAINS NO VALID DATA POINTS. THEREFORE THIS VARIABLE WILL BE SKIPPED.

THE FREQUENCY DISTRIBUTIONS AND HISTOGRAMS ON THE FOLLOWING PAGES ARE ON LOGARITHMIC SCALES, AND EMPLOY THE SAME CLASS INTERVALS AS USED IN REPORTING 6-STEP SEMIQUANTITATIVE SPECTROGRAPHIC ANALYSES. IMPORTANT NOTE-- THE STATISTICS GIVEN BELOW THE HISTOGRAMS ARE DERIVED ONLY FROM DATA VALUES WITHIN THE RANGES OF ANALYTICAL DETERMINATION, AND ARE, THEREFORE, BIASED IF DATA VALUES QUALIFIED WITH N, L, G, T, OR H CODES ARE PRESENT. SEE LATER SECTION OF OUTPUT FOR STATISTICAL ESTIMATES THAT ARE UNBIASED IN THIS REGARD. THE GEOMETRIC MEAN IS AN ESTIMATE OF "CENTRAL TENDENCY," OR OF A CHARACTERISTIC VALUE, OF A FREQUENCY DISTRIBUTION THAT IS APPROXIMATELY SYMMETRICAL ON A LOG SCALE, AND IS THEREFORE USEFUL FOR CHARACTERIZING MANY GEOCHEMICAL DISTRIBUTIONS. THE GEOMETRIC MEAN IS NOT AN ESTIMATE OF GEOCHEMICAL ABUNDANCE AND IS OF NO VALUE IN ESTIMATING RESERVES OR TOTAL AMOUNTS OF ELEMENTS PRESENT.

THE CUMULATIVE FREQUENCY PERCENTS GIVEN BELOW SHOULD BE PLOTTED AGAINST THE "LOWER" LIMITS TO GIVE THE LEPELTIER-TYPE CUMULATIVE CURVE.

TITLE
KETCHIKAN QUAD. ROCK GEOCHEM

FREQUENCY TABLE FOR COLUMN 1 (S-FEX)

LIMITS		FREQ	FREQ CUM	PERCENT FREQ	PERCENT FREQ CUM
LOWER	UPPER				
3.8e-02	5.6e-02	0	0	0.00	99.85
5.6e-02	8.3e-02	2	2	0.15	99.85
8.3e-02	1.2e-01	2	4	0.15	99.70
1.2e-01	1.8e-01	6	10	0.46	99.54
1.8e-01	2.6e-01	10	20	0.76	99.09
2.6e-01	3.8e-01	12	32	0.91	98.33
3.8e-01	5.6e-01	21	53	1.60	97.41
5.6e-01	8.3e-01	12	65	0.91	95.82
8.3e-01	1.2e+00	37	102	2.81	94.90
1.2e+00	1.8e+00	116	218	8.82	92.09
1.8e+00	2.6e+00	127	345	9.66	83.27
2.6e+00	3.8e+00	335	680	25.48	73.61
3.8e+00	5.6e+00	237	917	18.02	48.14
5.6e+00	8.3e+00	164	1081	12.47	30.11
8.3e+00	1.2e+01	98	1179	7.45	17.64
1.2e+01	1.8e+01	83	1262	6.31	10.19
1.8e+01	2.6e+01	36	1298	2.74	3.88

20

HISTOGRAM FOR COLUMN 1 (S-FEX)

```

2.0e-01 x
3.0e-01 x
5.0e-01 xx
7.0e-01 x
1.0e+00 xxx
1.5e+00 xxxxxxxxx
2.0e+00 xxxxxxxxxx
3.0e+00 xxxxxxxxxxxxxxxxxxxxxxx
5.0e+00 xxxxxxxxxxxxxxxxxxxxxxx
7.0e+00 xxxxxxxxxxxxxxx
1.0e+01 xxxxxxxx
1.5e+01 xxxxxx
2.0e+01 xxx

```

N	L	H	B	T	G	ANALYTICAL VALUES
2	0	0	282	0	15	1298
0.15	0.00			0.00	1.14	

MAXIMUM = 2.00000e+01
 MINIMUM = 7.00000e-02
 GEOMETRIC MEAN = 3.68020e+00
 GEOMETRIC DEVIATION = 2.47827e+00

TITLE
KETCHIKAN QUAD. ROCK GEOCHEM

FREQUENCY TABLE FOR COLUMN 2 (S-MG%)

LIMITS		FREQ	FREQ CUM	PERCENT FREQ	PERCENT FREQ CUM
LOWER	UPPER				
1.8e-02	2.6e-02	9	9	0.68	99.77
2.6e-02	3.8e-02	13	22	0.99	99.09
3.8e-02	5.6e-02	10	32	0.76	98.10
5.6e-02	8.3e-02	7	39	0.53	97.34
8.3e-02	1.2e-01	18	57	1.37	96.81
1.2e-01	1.8e-01	31	88	2.36	95.44
1.8e-01	2.6e-01	46	134	3.50	93.08
2.6e-01	3.8e-01	46	180	3.50	89.58
3.8e-01	5.6e-01	95	275	7.22	86.08
5.6e-01	8.3e-01	149	424	11.33	78.86
8.3e-01	1.2e+00	199	623	15.13	67.53
1.2e+00	1.8e+00	259	882	19.70	52.40
1.8e+00	2.6e+00	199	1081	15.13	32.70
2.6e+00	3.8e+00	154	1235	11.71	17.57
3.8e+00	5.6e+00	58	1293	4.41	5.86
5.6e+00	8.3e+00	14	1307	1.06	1.44
8.3e+00	1.2e+01	5	1312	0.38	0.38

HISTOGRAM FOR COLUMN 2 (S-MG%)

2.0e-02	X
3.0e-02	X
5.0e-02	X
7.0e-02	X
1.0e-01	X
1.5e-01	XX
2.0e-01	XXX
3.0e-01	XXX
5.0e-01	XXXXXX
7.0e-01	XXXXXXXXXX
1.0e+00	XXXXXXXXXXXXXX
1.5e+00	XXXXXXXXXXXXXXXXXX
2.0e+00	XXXXXXXXXXXXXXXXXX
3.0e+00	XXXXXXXXXXXXXX
5.0e+00	XXXX
7.0e+00	X
1.0e+01	

N	L	H	B	T	G	ANALYTICAL VALUES
0	3	0	282	0	0	1312
0.00	0.23			0.00	0.00	

MAXIMUM = 1.00000e+01
MINIMUM = 2.00000e-02
GEOMETRIC MEAN = 1.05176e+00
GEOMETRIC DEVIATION = 2.85699e+00

TITLE
KETCHIKAN QUAD. ROCK GEOCHEM

FREQUENCY TABLE FOR COLUMN 3 (S-CAX)

LIMITS		FREQ	FREQ CUM	PERCENT FREQ	PERCENT FREQ CUM
LOWER	UPPER				
3.8e-02	5.6e-02	16	16	1.22	99.09
5.6e-02	8.3e-02	11	27	0.84	97.87
8.3e-02	1.2e-01	19	46	1.44	97.03
1.2e-01	1.8e-01	19	65	1.44	95.59
1.8e-01	2.6e-01	38	103	2.89	94.14
2.6e-01	3.8e-01	43	146	3.27	91.25
3.8e-01	5.6e-01	61	207	4.64	87.98
5.6e-01	8.3e-01	85	292	6.46	83.35
8.3e-01	1.2e+00	102	394	7.76	76.88
1.2e+00	1.8e+00	231	625	17.57	69.13
1.8e+00	2.6e+00	200	825	15.21	51.56
2.6e+00	3.8e+00	240	1065	18.25	36.35
3.8e+00	5.6e+00	128	1193	9.73	18.10
5.6e+00	8.3e+00	58	1251	4.41	8.37
8.3e+00	1.2e+01	32	1283	2.43	3.95
1.2e+01	1.8e+01	8	1291	0.61	1.52
1.8e+01	2.6e+01	8	1299	0.61	0.91

22

HISTOGRAM FOR COLUMN 3 (S-CAX)

5.0e-02	X
7.0e-02	X
1.0e-01	X
1.5e-01	X
2.0e-01	XXX
3.0e-01	XXX
5.0e-01	XXXXX
7.0e-01	XXXXXX
1.0e+00	XXXXXXXXX
1.5e+00	XXXXXXXXXXXXXX
2.0e+00	XXXXXXXXXXXXXX
3.0e+00	XXXXXXXXXXXXXX
5.0e+00	XXXXXXXXXXXXXX
7.0e+00	XXXXX
1.0e+01	XX
1.5e+01	X
2.0e+01	X

N	L	H	B	T	G	ANALYTICAL VALUES
0	12	0	282	0	4	1299
0.00	0.91			0.00	0.30	

MAXIMUM = 2.00000e+01
 MINIMUM = 5.00000e-02
 GEOMETRIC MEAN = 1.57689e+00
 GEOMETRIC DEVIATION = 3.03193e+00

TITLE
KETCHIKAN QUAD. ROCK GEOCHEM

FREQUENCY TABLE FOR COLUMN 4 (S-TIX)

LIMITS		FREQ	FREQ CUM	PERCENT FREQ	PERCENT FREQ CUM
LOWER	UPPER				
1.8e-03	2.6e-03	0	0	0.00	100.00
2.6e-03	3.8e-03	0	0	0.00	100.00
3.8e-03	5.6e-03	1	1	0.07	100.00
5.6e-03	8.3e-03	1	2	0.07	99.93
8.3e-03	1.2e-02	4	6	0.28	99.86
1.2e-02	1.8e-02	12	18	0.85	99.57
1.8e-02	2.6e-02	12	30	0.85	98.72
2.6e-02	3.8e-02	25	55	1.78	97.87
3.8e-02	5.6e-02	26	81	1.85	96.09
5.6e-02	8.3e-02	17	98	1.21	94.24
8.3e-02	1.2e-01	59	157	4.19	93.03
1.2e-01	1.8e-01	123	280	8.74	88.84
1.8e-01	2.6e-01	248	528	17.63	80.10
2.6e-01	3.8e-01	417	945	29.64	62.47
3.8e-01	5.6e-01	292	1237	20.75	32.84
5.6e-01	8.3e-01	128	1365	9.10	12.08
8.3e-01	1.2e+00	34	1399	2.42	2.99

23

HISTOGRAM FOR COLUMN 4 (S-TIX)

1.5e-02	X
2.0e-02	X
3.0e-02	XX
5.0e-02	XX
7.0e-02	X
1.0e-01	XXXX
1.5e-01	XXXXXXXXXX
2.0e-01	XXXXXXXXXXXXXXXXXXXX
3.0e-01	XXXXXXXXXXXXXXXXXXXXXXXXXXXX
5.0e-01	XXXXXXXXXXXXXXXXXXXXXXXXXXXX
7.0e-01	XXXXXXXXXXXX
1.0e+00	XX

N	L	H	B	T	G	ANALYTICAL VALUES
0	0	0	190	0	8	1399
0.00	0.00			0.00	0.57	

MAXIMUM = 1.00000e+00
 MINIMUM = 5.00000e-03
 GEOMETRIC MEAN = 2.65507e-01
 GEOMETRIC DEVIATION = 2.22328e+00

TITLE
KETCHIKAN QUAD. ROCK GEOCHEM

FREQUENCY TABLE FOR COLUMN 5 (S-MN)

LIMITS		FREQ	FREQ CUM	PERCENT FREQ	PERCENT FREQ CUM
LOWER	UPPER				
8.3e+00	1.2e+01	1	1	0.08	99.92
1.2e+01	1.8e+01	0	1	0.00	99.85
1.8e+01	2.6e+01	2	3	0.15	99.85
2.6e+01	3.8e+01	3	6	0.23	99.70
3.8e+01	5.6e+01	9	15	0.68	99.47
5.6e+01	8.3e+01	10	25	0.76	98.78
8.3e+01	1.2e+02	31	56	2.36	98.02
1.2e+02	1.8e+02	42	98	3.19	95.67
1.8e+02	2.6e+02	76	174	5.78	92.47
2.6e+02	3.8e+02	171	345	13.00	86.69
3.8e+02	5.6e+02	167	512	12.70	73.69
5.6e+02	8.3e+02	230	742	17.49	60.99
8.3e+02	1.2e+03	257	999	19.54	43.50
1.2e+03	1.8e+03	204	1203	15.51	23.95
1.8e+03	2.6e+03	51	1254	3.88	8.44
2.6e+03	3.8e+03	20	1274	1.52	4.56
3.8e+03	5.6e+03	23	1297	1.75	3.04

24

HISTOGRAM FOR COLUMN 5 (S-MN)

5.0e+01	X
7.0e+01	X
1.0e+02	XX
1.5e+02	XXX
2.0e+02	XXXXXX
3.0e+02	XXXXXXXXXXXXXX
5.0e+02	XXXXXXXXXXXXXX
7.0e+02	XXXXXXXXXXXXXX
1.0e+03	XXXXXXXXXXXXXX
1.5e+03	XXXXXXXXXXXXXX
2.0e+03	XXXX
3.0e+03	XX
5.0e+03	XX

N	L	H	B	T	ANALYTICAL VALUES
0	1	0	282	0	17
0.00	0.08			0.00	1297
					1.29

MAXIMUM = 5.00000e+03
 MINIMUM = 1.00000e+01
 GEOMETRIC MEAN = 6.41169e+02
 GEOMETRIC DEVIATION = 2.40228e+00

TITLE
KETCHIKAN QUAD. ROCK GEOCHEM

FREQUENCY TABLE FOR COLUMN 6 (S-AG)

LIMITS		FREQ	FREQ CUM	PERCENT FREQ	PERCENT CUM
LOWER	UPPER				
3.8e-01	5.6e-01	26	26	1.63	7.14
5.6e-01	8.3e-01	8	34	0.50	5.51
8.3e-01	1.2e+00	20	54	1.25	5.01
1.2e+00	1.8e+00	20	74	1.25	3.76
1.8e+00	2.6e+00	10	84	0.63	2.50
2.6e+00	3.8e+00	12	96	0.75	1.88
3.8e+00	5.6e+00	3	99	0.19	1.13
5.6e+00	8.3e+00	3	102	0.19	0.94
8.3e+00	1.2e+01	5	107	0.31	0.75
1.2e+01	1.8e+01	2	109	0.13	0.44
1.8e+01	2.6e+01	0	109	0.00	0.31
2.6e+01	3.8e+01	2	111	0.13	0.31
3.8e+01	5.6e+01	0	111	0.00	0.19
5.6e+01	8.3e+01	2	113	0.13	0.19

HISTOGRAM FOR COLUMN 6 (S-AG)

5.0e-01 XX
7.0e-01 X
1.0e+00 X
1.5e+00 X
2.0e+00 X
3.0e+00 X
5.0e+00
7.0e+00
1.0e+01
1.5e+01
2.0e+01
3.0e+01
5.0e+01
7.0e+01

N	L	H	B	T	G	ANALYTICAL VALUES
1429	54	0	0	0	1	113
89.48	3.38			0.00	0.06	

MAXIMUM = 7.00010e+01
MINIMUM = 5.00000e-01
GEOMETRIC MEAN = 1.55992e+00
GEOMETRIC DEVIATION = 2.97698e+00

TITLE
KETCHIKAN QUAD. ROCK GEOCHEM

FREQUENCY TABLE FOR COLUMN 7 (S-AS)

LIMITS		FREQ	FREQ CUM	PERCENT FREQ	PERCENT FREQ CUM
LOWER - UPPER					
1.8e+02 - 2.6e+02		1	1	0.06	0.31
2.6e+02 - 3.8e+02		0	1	0.00	0.25
3.8e+02 - 5.6e+02		2	3	0.13	0.25
5.6e+02 - 8.3e+02		1	4	0.06	0.13

HISTOGRAM FOR COLUMN 7 (S-AS)

ANALYTICAL VALUES		T	G
N	L	H	B
1582	10	0	0
99.06	0.63	0.00	0.06

MAXIMUM = 7.00010e+02
MINIMUM = 2.00010e+02
GEOMETRIC MEAN = 4.32538e+02
GEOMETRIC DEVIATION = 1.71277e+00

TITLE
KETCHIKAN QUAD. ROCK GEOCHEM

FREQUENCY TABLE FOR COLUMN 9 (S-B)

LIMITS	FREQ	CUM	PERCENT FREQ	PERCENT FREQ CUM
LOWER - UPPER				
8.3e+00 - 1.2e+01	255	255	19.44	31.33
1.2e+01 - 1.8e+01	44	299	3.35	11.89
1.8e+01 - 2.6e+01	43	342	3.28	8.54
2.6e+01 - 3.8e+01	12	354	0.91	5.26
3.8e+01 - 5.6e+01	29	383	2.21	4.34
5.6e+01 - 8.3e+01	10	393	0.76	2.13
8.3e+01 - 1.2e+02	9	402	0.69	1.37
1.2e+02 - 1.8e+02	4	406	0.30	0.69
1.8e+02 - 2.6e+02	3	409	0.23	0.38
2.6e+02 - 3.8e+02	1	410	0.08	0.15
3.8e+02 - 5.6e+02	1	411	0.08	0.08

HISTOGRAM FOR COLUMN 9 (S-B)

```

1.0e+01 XXXXXXXXXXXXXXXXXXXXXXXX
1.5e+01 XXX
2.0e+01 XXX
3.0e+01 X
5.0e+01 XX
7.0e+01 X
1.0e+02 X
1.5e+02
2.0e+02
3.0e+02
5.0e+02

```

N	L	H	B	T	G	ANALYTICAL VALUES
209	692	0	285	0	0	411
15.93	52.74			0.00	0.00	

MAXIMUM = 5.00000e+02
 MINIMUM = 1.00000e+01
 GEOMETRIC MEAN = 1.53014e+01
 GEOMETRIC DEVIATION = 2.05203e+00

A470 Table 5.-- STATISTICAL SUMMARY -- continued

TITLE
KETCHIKAN QUAD. ROCK GEOCHEM

FREQUENCY TABLE FOR COLUMN 10 (S-BA)

LIMITS LOWER - UPPER	FREQ	FREQ CUM	PERCENT FREQ	PERCENT FREQ CUM
1.8e+01 - 2.6e+01	21	21	1.60	99.24
2.6e+01 - 3.8e+01	10	31	0.76	97.64
3.8e+01 - 5.6e+01	19	50	1.45	96.88
5.6e+01 - 8.3e+01	18	68	1.37	95.43
8.3e+01 - 1.2e+02	29	97	2.21	94.05
1.2e+02 - 1.8e+02	30	127	2.29	91.84
1.8e+02 - 2.6e+02	51	178	3.89	89.56
2.6e+02 - 3.8e+02	99	277	7.55	85.67
3.8e+02 - 5.6e+02	93	370	7.09	78.13
5.6e+02 - 8.3e+02	210	580	16.01	71.04
8.3e+02 - 1.2e+03	203	783	15.47	55.03
1.2e+03 - 1.8e+03	329	1112	25.08	39.56
1.8e+03 - 2.6e+03	110	1222	8.38	14.48
2.6e+03 - 3.8e+03	53	1275	4.04	6.10
3.8e+03 - 5.6e+03	17	1292	1.30	2.06

HISTOGRAM FOR COLUMN 10 (S-BA)

```

2.0e+01 XX
3.0e+01 X
5.0e+01 X
7.0e+01 X
1.0e+02 XX
1.5e+02 XX
2.0e+02 XXXX
3.0e+02 XXXXXXXX
5.0e+02 XXXXXXXX
7.0e+02 XXXXXXXXXXXXXXXX
1.0e+03 XXXXXXXXXXXXXXXX
1.5e+03 XXXXXXXXXXXXXXXX
2.0e+03 XXXXXXXX
3.0e+03 XXXX
5.0e+03 X

```

N	L	H	B	ANALYTICAL VALUES		
				T	G	1292
1	9	0	285	0	10	0.76
0.08	0.69			0.00		

MAXIMUM = 5.00000e+03
 MINIMUM = 2.00000e+01
 GEOMETRIC MEAN = 7.38835e+02
 GEOMETRIC DEVIATION = 2.88314e+00

TITLE
KETCHIKAN QUAD. ROCK GEOCHEM

FREQUENCY TABLE FOR COLUMN 11 (S-BE)

LIMITS		FREQ	FREQ	PERCENT	PERCENT
LOWER	UPPER		CUM	FREQ	FREQ CUM
8.3e-01	1.2e+00	548	548	34.31	57.61
1.2e+00	1.8e+00	147	695	9.20	23.29
1.8e+00	2.6e+00	127	822	7.95	14.09
2.6e+00	3.8e+00	71	893	4.45	6.14
3.8e+00	5.6e+00	17	910	1.06	1.69
5.6e+00	8.3e+00	4	914	0.25	0.63
8.3e+00	1.2e+01	4	918	0.25	0.38
1.2e+01	1.8e+01	0	918	0.00	0.13
1.8e+01	2.6e+01	2	920	0.13	0.13

HISTOGRAM FOR COLUMN 11 (S-BE)

```

1.0e+00 XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
1.5e+00 XXXXXXXXXX
2.0e+00 XXXXXXXXXX
3.0e+00 XXXX
5.0e+00 X
7.0e+00
1.0e+01
1.5e+01
2.0e+01

```

N	L	H	B	T	G	ANALYTICAL VALUES 920
143	534	0	0	0	0	
8.95	33.44			0.00	0.00	

MAXIMUM = 2.00000e+01
 MINIMUM = 1.00000e+00
 GEOMETRIC MEAN = 1.34983e+00
 GEOMETRIC DEVIATION = 1.56894e+00

TITLE
KETCHIKAN QUAD. ROCK GEOCHEM

FREQUENCY TABLE FOR COLUMN 12 (S-BI)

LIMITS		FREQ	FREQ CUM	PERCENT FREQ	PERCENT FREQ CUM
LOWER	UPPER				
8.3e+00	1.2e+01	4	4	0.28	0.57
1.2e+01	1.8e+01	0	4	0.00	0.57
1.8e+01	2.6e+01	3	7	0.21	0.78
2.6e+01	3.8e+01	0	7	0.00	0.78
3.8e+01	5.6e+01	0	7	0.00	0.78
5.6e+01	8.3e+01	0	7	0.00	0.78
8.3e+01	1.2e+02	1	8	0.07	0.85

HISTOGRAM FOR COLUMN 12 (S-BI)

N	L	H	B	T	G	ANALYTICAL VALUES
1393	6	0	190	0	0	8
99.00	0.43			0.00	0.00	

MAXIMUM = 1.00010e+02
MINIMUM = 1.00000e+01
GEOMETRIC MEAN = 1.72938e+01
GEOMETRIC DEVIATION = 2.19834e+00

TITLE
KETCHIKAN QUAD. ROCK GEOCHEM

FREQUENCY TABLE FOR COLUMN 13 (S-CD)

LIMITS		FREQ	FREQ CUM	PERCENT FREQ	PERCENT FREQ CUM
LOWER	UPPER				
1.8e+01	2.6e+01	0	0	0.00	0.43
2.6e+01	3.8e+01	1	1	0.07	0.43
3.8e+01	5.6e+01	0	1	0.00	0.36
5.6e+01	8.3e+01	1	2	0.07	0.36
8.3e+01	1.2e+02	0	2	0.00	0.28
1.2e+02	1.8e+02	1	3	0.07	0.28
1.8e+02	2.6e+02	0	3	0.00	0.21
2.6e+02	3.8e+02	0	3	0.00	0.21
3.8e+02	5.6e+02	2	5	0.14	0.21

HISTOGRAM FOR COLUMN 13 (S-CD)

N	L	H	B	T	G	ANALYTICAL VALUES
1401	0	0	190	0	1	5
99.57	0.00			0.00	0.07	

MAXIMUM = 5.00000e+02
MINIMUM = 3.00000e+01
GEOMETRIC MEAN = 1.51097e+02
GEOMETRIC DEVIATION = 3.42761e+00

TITLE
KETCHIKAN QUAD. ROCK GEOCHEM

FREQUENCY TABLE FOR COLUMN 14 (S-CO)

LIMITS	FREQ	FREQ CUM	PERCENT FREQ	PERCENT FREQ CUM
LOWER - UPPER				
3.8e+00 - 5.6e+00	104	104	6.51	73.45
5.6e+00 - 8.3e+00	134	238	8.39	66.94
8.3e+00 - 1.2e+01	212	450	13.27	58.55
1.2e+01 - 1.8e+01	166	616	10.39	45.27
1.8e+01 - 2.6e+01	227	843	14.21	34.88
2.6e+01 - 3.8e+01	167	1010	10.46	20.66
3.8e+01 - 5.6e+01	86	1096	5.39	10.21
5.6e+01 - 8.3e+01	41	1137	2.57	4.82
8.3e+01 - 1.2e+02	20	1157	1.25	2.25
1.2e+02 - 1.8e+02	10	1167	0.63	1.00
1.8e+02 - 2.6e+02	3	1170	0.19	0.38
2.6e+02 - 3.8e+02	0	1170	0.00	0.19
3.8e+02 - 5.6e+02	2	1172	0.13	0.19
5.6e+02 - 8.3e+02	0	1172	0.00	0.06
8.3e+02 - 1.2e+03	0	1172	0.00	0.06
1.2e+03 - 1.8e+03	0	1172	0.00	0.06
1.8e+03 - 2.6e+03	1	1173	0.06	0.06

HISTOGRAM FOR COLUMN 14 (S-CO)

```

5.0e+00 xxxxxx
7.0e+00 xxxxxxxx
1.0e+01 xxxxxxxxxx
1.5e+01 xxxxxxxxxx
2.0e+01 xxxxxxxxxx
3.0e+01 xxxxxxxxxx
5.0e+01 xxxxxx
7.0e+01 xxx
1.0e+02 x
1.5e+02 x
2.0e+02
3.0e+02
5.0e+02
7.0e+02
1.0e+03
1.5e+03
2.0e+03

```

N	L	H	B	T	G	ANALYTICAL VALUES
199	225	0	0	0	0	1173
12.46	14.09			0.00	0.00	

MAXIMUM = 2.00010e+03
 MINIMUM = 5.00000e+00
 GEOMETRIC MEAN = 1.67021e+01
 GEOMETRIC DEVIATION = 2.21274e+00

TITLE
KETCHIKAN QUAD. ROCK GEOCHEM

FREQUENCY TABLE FOR COLUMN 15 (S-CR)

LIMITS		FREQ	FREQ CUM	PERCENT FREQ	PERCENT FREQ CUM
LOWER	UPPER				
8.3e+00	1.2e+01	116	116	7.26	68.07
1.2e+01	1.8e+01	103	219	6.45	60.80
1.8e+01	2.6e+01	114	333	7.14	54.35
2.6e+01	3.8e+01	123	456	7.70	47.21
3.8e+01	5.6e+01	112	568	7.01	39.51
5.6e+01	8.3e+01	152	720	9.52	32.50
8.3e+01	1.2e+02	122	842	7.64	22.98
1.2e+02	1.8e+02	109	951	6.83	15.34
1.8e+02	2.6e+02	55	1006	3.44	8.52
2.6e+02	3.8e+02	36	1042	2.25	5.07
3.8e+02	5.6e+02	20	1062	1.25	2.82
5.6e+02	8.3e+02	11	1073	0.69	1.57
8.3e+02	1.2e+03	2	1075	0.13	0.88
1.2e+03	1.8e+03	3	1078	0.19	0.75
1.8e+03	2.6e+03	1	1079	0.06	0.56
2.6e+03	3.8e+03	3	1082	0.19	0.50

HISTOGRAM FOR COLUMN 15 (S-CR)

1.0e+01 XXXXXXXX
1.5e+01 XXXXXX
2.0e+01 XXXXXXXX
3.0e+01 XXXXXXXX
5.0e+01 XXXXXXXX
7.0e+01 XXXXXXXX
1.0e+02 XXXXXXXX
1.5e+02 XXXXXXXX
2.0e+02 XXX
3.0e+02 XX
5.0e+02 X
7.0e+02 X
1.0e+03
1.5e+03
2.0e+03
3.0e+03

N	L	H	B	T	G	ANALYTICAL VALUES
313	197	0	0	0	0	1087
19.60	12.34			0.00	0.00	

MAXIMUM = 3.00010e+03
MINIMUM = 5.00000e+00
GEOMETRIC MEAN = 5.07100e+01
GEOMETRIC DEVIATION = 3.01921e+00

A470 Table 5.-- STATISTICAL SUMMARY -- continued

TITLE
KEITCHIKAN QUAD. ROCK GEOCHEM

FREQUENCY TABLE FOR COLUMN 16 (S-CU)

LIMITS		FREQ	FREQ CUM	PERCENT FREQ	PERCENT FREQ CUM
LOWER - UPPER					
3.8e+00 - 5.6e+00	70	70	4.38	88.92	
5.6e+00 - 8.3e+00	81	151	5.07	84.53	
8.3e+00 - 1.2e+01	136	287	8.52	79.46	
1.2e+01 - 1.8e+01	105	392	6.57	70.95	
1.8e+01 - 2.6e+01	160	552	10.02	64.37	
2.6e+01 - 3.8e+01	321	873	20.10	54.35	
3.8e+01 - 5.6e+01	157	1030	9.83	34.25	
5.6e+01 - 8.3e+01	123	1153	7.70	24.42	
8.3e+01 - 1.2e+02	86	1239	5.39	16.72	
1.2e+02 - 1.8e+02	87	1326	5.45	11.33	
1.8e+02 - 2.6e+02	38	1364	2.38	5.89	
2.6e+02 - 3.8e+02	13	1377	0.81	3.51	
3.8e+02 - 5.6e+02	11	1388	0.69	2.69	
5.6e+02 - 8.3e+02	8	1396	0.50	2.00	
8.3e+02 - 1.2e+03	4	1400	0.25	1.50	
1.2e+03 - 1.8e+03	2	1402	0.13	1.25	
1.8e+03 - 2.6e+03	6	1408	0.38	1.13	
2.6e+03 - 3.8e+03	2	1410	0.13	0.75	
3.8e+03 - 5.6e+03	0	1410	0.00	0.63	
5.6e+03 - 8.3e+03	0	1410	0.00	0.63	
8.3e+03 - 1.2e+04	3	1413	0.19	0.63	
1.2e+04 - 1.8e+04	0	1413	0.00	0.44	
1.8e+04 - 2.6e+04	4	1417	0.25	0.44	

HISTOGRAM FOR COLUMN 16 (S-CU)

```

5.0e+00 XXXX
7.0e+00 XXXXX
1.0e+01 XXXXXXXXX
1.5e+01 XXXXXXX
2.0e+01 XXXXXXXXXX
3.0e+01 XXXXXXXXXXXXXXXXXXXXXXXX
5.0e+01 XXXXXXXXXXXXXXXX
7.0e+01 XXXXXXXXX
1.0e+02 XXXXX
1.5e+02 XXXXX
2.0e+02 XX
3.0e+02 X
5.0e+02 X
7.0e+02 X
1.0e+03
1.5e+03
2.0e+03
3.0e+03
5.0e+03
7.0e+03
1.0e+04
1.5e+04
2.0e+04

```

N 48
3.01
L 129
8.08
H 0
T 0
0.00
G 3
0.19
ANALYTICAL
VALUES
1417

MAXIMUM = 2.00010e+04
MINIMUM = 5.00000e+00
GEOMETRIC MEAN = 3.34797e+01
GEOMETRIC DEVIATION = 3.25275e+00

TITLE
KETCHIKAN QUAD. ROCK GEOCHEM

FREQUENCY TABLE FOR COLUMN 17 (S-LA)		LIMITS		FREQ		PERCENT		PERCENT	
		LOWER	UPPER	FREQ	CUM	FREQ	CUM	FREQ	CUM
1.8e+01	-	2.6e+01		173	173	10.83		65.44	
2.6e+01	-	3.8e+01		196	369	12.27		54.60	
3.8e+01	-	5.6e+01		488	857	30.56		42.33	
5.6e+01	-	8.3e+01		109	966	6.83		11.77	
8.3e+01	-	1.2e+02		36	1002	2.25		4.95	
1.2e+02	-	1.8e+02		27	1029	1.69		2.69	
1.8e+02	-	2.6e+02		9	1038	0.56		1.00	
2.6e+02	-	3.8e+02		5	1043	0.31		0.44	
3.8e+02	-	5.6e+02		1	1044	0.06		0.13	
5.6e+02	-	8.3e+02		1	1045	0.06		0.06	

HISTOGRAM FOR COLUMN 17 (S-LA)	
2.0e+01	XXXXXXXXXXXX
3.0e+01	XXXXXXXXXXXX
5.0e+01	XXXXXXXXXXXX
7.0e+01	XXXXXXXXXXXX
1.0e+02	XX
1.5e+02	XX
2.0e+02	X
3.0e+02	
5.0e+02	
7.0e+02	

ANALYTICAL		VALUES	
N	L	H	T
323	229	0	0
20.23	14.34	0	0.00
			0.00

MAXIMUM = 7.00010e+02
 MINIMUM = 2.00000e+01
 GEOMETRIC MEAN = 4.36905e+01
 GEOMETRIC DEVIATION = 1.68657e+00

A470 Table 5.-- STATISTICAL SUMMARY -- continued

TITLE
KETCHIKAN QUAD. ROCK GEOCHEM

FREQUENCY TABLE FOR COLUMN 18 (S-MO)

LIMITS		FREQ	FREQ	PERCENT	PERCENT
LOWER	- UPPER		CUM	FREQ	FREQ CUM
3.8e+00	- 5.6e+00	46	46	2.88	12.02
5.6e+00	- 8.3e+00	25	71	1.57	9.14
8.3e+00	- 1.2e+01	26	97	1.63	7.58
1.2e+01	- 1.8e+01	21	118	1.31	5.95
1.8e+01	- 2.6e+01	26	144	1.63	4.63
2.6e+01	- 3.8e+01	15	159	0.94	3.01
3.8e+01	- 5.6e+01	7	166	0.44	2.07
5.6e+01	- 8.3e+01	6	172	0.38	1.63
8.3e+01	- 1.2e+02	7	179	0.44	1.25
1.2e+02	- 1.8e+02	5	184	0.31	0.81
1.8e+02	- 2.6e+02	2	186	0.13	0.50
2.6e+02	- 3.8e+02	1	187	0.06	0.38
3.8e+02	- 5.6e+02	1	188	0.06	0.31
5.6e+02	- 8.3e+02	1	189	0.06	0.25
8.3e+02	- 1.2e+03	3	192	0.19	0.19

HISTOGRAM FOR COLUMN 18 (S-MO)

5.0e+00 XXX
7.0e+00 XX
1.0e+01 XX
1.5e+01 X
2.0e+01 XX
3.0e+01 X
5.0e+01
7.0e+01
1.0e+02
1.5e+02
2.0e+02
3.0e+02
5.0e+02
7.0e+02
1.0e+03

N	L	H	B	T	G	ANALYTICAL VALUES
1271	134	0	0	0	0	192
79.59	8.39			0.00	0.00	

MAXIMUM = 1.00000e+03
MINIMUM = 5.00000e+00
GEOMETRIC MEAN = 1.56655e+01
GEOMETRIC DEVIATION = 3.22427e+00

TITLE
KETCHIKAN QUAD. ROCK GEOCHEM

FREQUENCY TABLE FOR COLUMN 19 (S-NB)			
LIMITS		FREQ	PERCENT
LOWER	UPPER	FREQ	PERCENT
1.8e+01 -	2.6e+01	41	2.57
2.6e+01 -	3.8e+01	5	0.31
3.8e+01 -	5.6e+01	13	0.81
5.6e+01 -	8.3e+01	0	0.00
8.3e+01 -	1.2e+02	1	0.06
1.2e+02 -	1.8e+02	2	0.13
		62	21.54

HISTOGRAM FOR COLUMN 19 (S-NB)

2.0e+01 xxx
3.0e+01
5.0e+01 x
7.0e+01
1.0e+02
1.5e+02

N	L	H	B	T	G	ANALYTICAL VALUES
409	784	0	0	0	0	404
25.61	49.09			0.00	0.00	

MAXIMUM = 1.50010e+02
MINIMUM = 1.00000e+01
GEOMETRIC MEAN = 1.20195e+01
GEOMETRIC DEVIATION = 1.51921e+00

TITLE
KETCHIKAN QUAD. ROCK GEOCHEM

FREQUENCY TABLE FOR COLUMN 20 (S-NI)

LIMITS		FREQ	FREQ CUM	PERCENT FREQ	PERCENT FREQ CUM
LOWER	UPPER				
3.8e+00	5.6e+00	209	209	13.09	69.13
5.6e+00	8.3e+00	107	316	6.70	56.04
8.3e+00	1.2e+01	126	442	7.89	49.34
1.2e+01	1.8e+01	126	568	7.89	41.45
1.8e+01	2.6e+01	113	681	7.08	33.56
2.6e+01	3.8e+01	146	827	9.14	26.49
3.8e+01	5.6e+01	100	927	6.26	17.35
5.6e+01	8.3e+01	96	1023	6.01	11.08
8.3e+01	1.2e+02	42	1065	2.63	5.07
1.2e+02	1.8e+02	28	1093	1.75	2.44
1.8e+02	2.6e+02	7	1100	0.44	0.69
2.6e+02	3.8e+02	2	1102	0.13	0.25
3.8e+02	5.6e+02	1	1103	0.06	0.13
5.6e+02	8.3e+02	1	1104	0.06	0.06

HISTOGRAM FOR COLUMN 20 (S-NI)

```

5.0e+00 XXXXXXXXXXXXXXXX
7.0e+00 XXXXXXXX
1.0e+01 XXXXXXXXXXXX
1.5e+01 XXXXXXXXX
2.0e+01 XXXXXXXXX
3.0e+01 XXXXXXXXXXXX
5.0e+01 XXXXXX
7.0e+01 XXXXXX
1.0e+02 XXX
1.5e+02 XX
2.0e+02
3.0e+02
5.0e+02
7.0e+02

```

N	L	H	B	T	G	ANALYTICAL VALUES
50	443	0	0	0	0	1104
3.13	27.74			0.00	0.00	

MAXIMUM = 7.00010e+02
 MINIMUM = 5.00000e+00
 GEOMETRIC MEAN = 1.82313e+01
 GEOMETRIC DEVIATION = 2.76014e+00

TITLE
KETCHIKAN QUAD. ROCK GEOCHEM

FREQUENCY TABLE FOR COLUMN 21 (S-PB)

LIMITS LOWER - UPPER	FREQ	FREQ CUM	PERCENT FREQ	PERCENT FREQ CUM
8.3e+00 - 1.2e+01	278	278	17.41	82.97
1.2e+01 - 1.8e+01	247	525	15.47	65.56
1.8e+01 - 2.6e+01	415	940	25.99	50.09
2.6e+01 - 3.8e+01	233	1173	14.59	24.11
3.8e+01 - 5.6e+01	83	1256	5.20	9.52
5.6e+01 - 8.3e+01	31	1287	1.94	4.32
8.3e+01 - 1.2e+02	14	1301	0.88	2.38
1.2e+02 - 1.8e+02	8	1309	0.50	1.50
1.8e+02 - 2.6e+02	1	1310	0.06	1.00
2.6e+02 - 3.8e+02	4	1314	0.25	0.94
3.8e+02 - 5.6e+02	2	1316	0.13	0.69
5.6e+02 - 8.3e+02	2	1318	0.13	0.56
8.3e+02 - 1.2e+03	1	1319	0.06	0.44
1.2e+03 - 1.8e+03	2	1321	0.13	0.38
1.8e+03 - 2.6e+03	1	1322	0.06	0.25
2.6e+03 - 3.8e+03	1	1323	0.06	0.19
3.8e+03 - 5.6e+03	0	1323	0.00	0.13
5.6e+03 - 8.3e+03	0	1323	0.00	0.13
8.3e+03 - 1.2e+04	0	1323	0.00	0.13
1.2e+04 - 1.8e+04	1	1324	0.06	0.13

HISTOGRAM FOR COLUMN 21 (S-PB)

```

1.0e+01 XXXXXXXXXXXXXXXXXXXX
1.5e+01 XXXXXXXXXXXXXXXXXXXX
2.0e+01 XXXXXXXXXXXXXXXXXXXX
3.0e+01 XXXXXXXXXXXXXXXXXXXX
5.0e+01 XXXXXXXXXXXXXXXXXXXX
7.0e+01 XX
1.0e+02 X
1.5e+02 X
2.0e+02
3.0e+02
5.0e+02
7.0e+02
1.0e+03
1.5e+03
2.0e+03
3.0e+03
5.0e+03
7.0e+03
1.0e+04
1.5e+04

```

N 115
7.20 157 9.83
L H B T G
ANALYTICAL
VALUES
1324
0.00 0.06

MAXIMUM = 1.50010e+04
MINIMUM = 1.00000e+01
GEOMETRIC MEAN = 2.06095e+01
GEOMETRIC DEVIATION = 1.96269e+00

TITLE
KETCHIKAN QUAD. ROCK GEOCHEM

FREQUENCY TABLE FOR COLUMN 22 (S-SB)

LIMITS		FREQ	FREQ CUM	PERCENT FREQ	PERCENT FREQ CUM
LOWER	UPPER				
8.3e+01	1.2e+02	0	0	0.00	0.19
1.2e+02	1.8e+02	0	0	0.00	0.19
1.8e+02	2.6e+02	1	1	0.06	0.19
2.6e+02	3.8e+02	0	1	0.00	0.13
3.8e+02	5.6e+02	0	1	0.00	0.13
5.6e+02	8.3e+02	0	1	0.00	0.13
8.3e+02	1.2e+03	1	2	0.06	0.13
1.2e+03	1.8e+03	0	2	0.00	0.06
1.8e+03	2.6e+03	0	2	0.00	0.06
2.6e+03	3.8e+03	0	2	0.00	0.06
3.8e+03	5.6e+03	0	2	0.00	0.06
5.6e+03	8.3e+03	0	2	0.00	0.06
8.3e+03	1.2e+04	1	3	0.06	0.06

HISTOGRAM FOR COLUMN 22 (S-SB)

N	L	H	B	T	G	ANALYTICAL VALUES
1593	1	0	0	0	0	3
99.75	0.06			0.00	0.00	

MAXIMUM = 1.00010e+04
MINIMUM = 2.00010e+02
GEOMETRIC MEAN = 1.25998e+03
GEOMETRIC DEVIATION = 7.14383e+00

TITLE
KETCHIKAN QUAD. ROCK GEOCHEM

FREQUENCY TABLE FOR COLUMN 23 (S-SC)

LIMITS		FREQ		PERCENT		PERCENT	
LOWER	UPPER	FREQ	CUM	FREQ	CUM	FREQ	CUM
3.8e+00	5.6e+00	150	150	11.43		86.89	
5.6e+00	8.3e+00	127	277	9.68		75.46	
8.3e+00	1.2e+01	173	450	13.19		65.78	
1.2e+01	1.8e+01	258	708	19.66		52.59	
1.8e+01	2.6e+01	213	921	16.23		32.93	
2.6e+01	3.8e+01	160	1081	12.20		16.69	
3.8e+01	5.6e+01	43	1124	3.28		4.50	
5.6e+01	8.3e+01	11	1135	0.84		1.22	
8.3e+01	1.2e+02	4	1139	0.30		0.38	

HISTOGRAM FOR COLUMN 23 (S-SC)

5.0e+00 XXXXXXXXXXXX
7.0e+00 XXXXXXXXXXXX
1.0e+01 XXXXXXXXXXXX
1.5e+01 XXXXXXXXXXXX
2.0e+01 XXXXXXXXXXXX
3.0e+01 XXXXXXXXXXXX
5.0e+01 XXX
7.0e+01 X
1.0e+02

N	L	H	B	T	G	ANALYTICAL VALUES
97	75	0	285	0	1	1139
7.39	5.72			0.00	0.08	

MAXIMUM = 1.00010e+02
MINIMUM = 5.00000e+00
GEOMETRIC MEAN = 1.39430e+01
GEOMETRIC DEVIATION = 1.90737e+00

TITLE
KETCHIKAN QUAD. ROCK GEOCHEM

FREQUENCY TABLE FOR COLUMN 24 (S-SN)

LIMITS		FREQ	FREQ CUM	PERCENT FREQ	PERCENT FREQ CUM
LOWER	UPPER				
8.3e+00	1.2e+01	10	10	0.63	0.94
1.2e+01	1.8e+01	2	12	0.13	0.31
1.8e+01	2.6e+01	1	13	0.06	0.19
2.6e+01	3.8e+01	0	13	0.00	0.13
3.8e+01	5.6e+01	0	13	0.00	0.13
5.6e+01	8.3e+01	1	14	0.06	0.13
8.3e+01	1.2e+02	0	14	0.00	0.06
1.2e+02	1.8e+02	1	15	0.06	0.06

HISTOGRAM FOR COLUMN 24 (S-SN)

1.0e+01 X
1.5e+01
2.0e+01
3.0e+01
5.0e+01
7.0e+01
1.0e+02
1.5e+02

N	L	H	B	T	G	ANALYTICAL VALUES
1566	16	0	0	0	0	15
98.06	1.00			0.00	0.00	

MAXIMUM = 1.50010e+02
MINIMUM = 1.00000e+01
GEOMETRIC MEAN = 1.50765e+01
GEOMETRIC DEVIATION = 2.26931e+00

TITLE
KETCHIKAN QUAD. ROCK GEOCHEM

FREQUENCY TABLE FOR COLUMN 25 (S-SR)

LIMITS		FREQ	FREQ CUM	PERCENT FREQ	PERCENT FREQ CUM
LOWER	UPPER				
8.3e+01	1.2e+02	46	46	3.51	92.76
1.2e+02	1.8e+02	74	120	5.64	89.25
1.8e+02	2.6e+02	145	265	11.05	83.61
2.6e+02	3.8e+02	215	480	16.39	72.56
3.8e+02	5.6e+02	202	682	15.40	56.17
5.6e+02	8.3e+02	293	975	22.33	40.78
8.3e+02	1.2e+03	138	1113	10.52	18.45
1.2e+03	1.8e+03	89	1202	6.78	7.93
1.8e+03	2.6e+03	9	1211	0.69	1.14
2.6e+03	3.8e+03	2	1213	0.15	0.46
3.8e+03	5.6e+03	1	1214	0.08	0.30

HISTOGRAM FOR COLUMN 25 (S-SR)

1.0e+02 XXXX
1.5e+02 XXXXXX
2.0e+02 XXXXXXXXXXXX
3.0e+02 XXXXXXXXXXXXXXXX
5.0e+02 XXXXXXXXXXXXXXXX
7.0e+02 XXXXXXXXXXXXXXXX
1.0e+03 XXXXXXXXXXXX
1.5e+03 XXXXXXXX
2.0e+03 X
3.0e+03
5.0e+03

ANALYTICAL		T	G
N	VALUES		
36	59	0	3
2.74	4.50	0.00	0.23

MAXIMUM = 5.00000e+03
MINIMUM = 1.00010e+02
GEOMETRIC MEAN = 4.62208e+02
GEOMETRIC DEVIATION = 2.05894e+00

A470 Table 5.-- STATISTICAL SUMMARY -- continued

TITLE
KETCHIKAN QUAD. ROCK GEOCHEM

FREQUENCY TABLE FOR COLUMN 26 (S-V)

LIMITS		FREQ		PERCENT		PERCENT	
LOWER	UPPER	FREQ	CUM	FREQ	CUM	FREQ	CUM
8.3e+00	1.2e+01	46	46	2.88	2.88	97.06	97.06
1.2e+01	1.8e+01	29	75	1.82	1.82	94.18	94.18
1.8e+01	2.6e+01	48	123	3.01	3.01	92.36	92.36
2.6e+01	3.8e+01	96	219	6.01	6.01	89.36	89.36
3.8e+01	5.6e+01	116	335	7.26	7.26	83.34	83.34
5.6e+01	8.3e+01	183	518	11.46	11.46	76.08	76.08
8.3e+01	1.2e+02	178	696	11.15	11.15	64.62	64.62
1.2e+02	1.8e+02	296	992	18.53	18.53	53.48	53.48
1.8e+02	2.6e+02	249	1241	15.59	15.59	34.94	34.94
2.6e+02	3.8e+02	187	1428	11.71	11.71	19.35	19.35
3.8e+02	5.6e+02	74	1502	4.63	4.63	7.64	7.64
5.6e+02	8.3e+02	24	1526	1.50	1.50	3.01	3.01
8.3e+02	1.2e+03	13	1539	0.81	0.81	1.50	1.50
1.2e+03	1.8e+03	7	1546	0.44	0.44	0.69	0.69
1.8e+03	2.6e+03	2	1548	0.13	0.13	0.25	0.25
2.6e+03	3.8e+03	1	1549	0.06	0.06	0.13	0.13
3.8e+03	5.6e+03	0	1549	0.00	0.00	0.06	0.06
5.6e+03	8.3e+03	0	1549	0.00	0.00	0.06	0.06
8.3e+03	1.2e+04	1	1550	0.06	0.06	0.06	0.06

HISTOGRAM FOR COLUMN 26 (S-V)

1.0e+01	XXX
1.5e+01	XX
2.0e+01	XXX
3.0e+01	XXXXXX
5.0e+01	XXXXXXX
7.0e+01	XXXXXXXXXX
1.0e+02	XXXXXXXXXX
1.5e+02	XXXXXXXXXXXXXXXXXX
2.0e+02	XXXXXXXXXXXXXXXXXX
3.0e+02	XXXXXXXXXXXXXXXXXX
5.0e+02	XXXXX
7.0e+02	XX
1.0e+03	X
1.5e+03	
2.0e+03	
3.0e+03	
5.0e+03	
7.0e+03	
1.0e+04	

ANALYTICAL
VALUES
1550
T
0
0.00
B
0
0
G
0
0.00
MAXIMUM = 1.00010e+04
MINIMUM = 1.00000e+01
GEOMETRIC MEAN = 1.15798e+02
GEOMETRIC DEVIATION = 2.67971e+00

A470 Table 5.-- STATISTICAL SUMMARY -- continued

TITLE
KETCHIKAN QUAD. ROCK GEOCHEM

FREQUENCY TABLE FOR COLUMN 27 (S-W)

LIMITS		FREQ	FREQ CUM	PERCENT FREQ	PERCENT FREQ CUM
LOWER - UPPER					
3.8e+01 -	5.6e+01	10	10	0.63	0.88
5.6e+01 -	8.3e+01	2	12	0.13	0.25
8.3e+01 -	1.2e+02	2	14	0.13	0.13

HISTOGRAM FOR COLUMN 27 (S-W)

5.0e+01 x
7.0e+01
1.0e+02

N	L	H	B	T	G	ANALYTICAL VALUES
1564	19	0	0	0	0	14
97.93	1.19			0.00	0.00	

MAXIMUM = 1.00010e+02
MINIMUM = 5.00000e+01
GEOMETRIC MEAN = 5.79238e+01
GEOMETRIC DEVIATION = 1.29806e+00

TITLE
KETCHIKAN QUAD. ROCK GEOCHEM

FREQUENCY TABLE FOR COLUMN 28 (S-Y)

LIMITS		FREQ	FREQ CUM	PERCENT FREQ	PERCENT FREQ CUM
LOWER	UPPER				
8.3e+00	1.2e+01	246	246	15.40	83.47
1.2e+01	1.8e+01	258	504	16.16	68.07
1.8e+01	2.6e+01	406	910	25.42	51.91
2.6e+01	3.8e+01	262	1172	16.41	26.49
3.8e+01	5.6e+01	103	1275	6.45	10.08
5.6e+01	8.3e+01	40	1315	2.50	3.63
8.3e+01	1.2e+02	14	1329	0.88	1.13
1.2e+02	1.8e+02	2	1331	0.13	0.25
1.8e+02	2.6e+02	1	1332	0.06	0.13
2.6e+02	3.8e+02	0	1332	0.00	0.06
3.8e+02	5.6e+02	0	1332	0.00	0.06
5.6e+02	8.3e+02	1	1333	0.06	0.06

HISTOGRAM FOR COLUMN 28 (S-Y)

```

1.0e+01 XXXXXXXXXXXXXXXX
1.5e+01 XXXXXXXXXXXXXXXX
2.0e+01 XXXXXXXXXXXXXXXX
3.0e+01 XXXXXXXXXXXXXXXX
5.0e+01 XXXXXXX
7.0e+01 XXX
1.0e+02 X
1.5e+02
2.0e+02
3.0e+02
5.0e+02
7.0e+02

```

N	L	H	B	T	G	ANALYTICAL VALUES
142	122	0	0	0	0	1333
8.89	7.64			0.00	0.00	

MAXIMUM = 7.00010e+02
 MINIMUM = 1.00000e+01
 GEOMETRIC MEAN = 2.05849e+01
 GEOMETRIC DEVIATION = 1.72159e+00

TITLE
KETCHIKAN QUAD. ROCK GEOCHEM

FREQUENCY TABLE FOR COLUMN 29 (S-ZN)

LIMITS		FREQ	FREQ CUM	PERCENT FREQ	PERCENT CUM
LOWER	UPPER				
1.8e+02	2.6e+02	39	39	2.44	6.39
2.6e+02	3.8e+02	26	65	1.63	3.94
3.8e+02	5.6e+02	14	79	0.88	2.32
5.6e+02	8.3e+02	3	82	0.19	1.44
8.3e+02	1.2e+03	6	88	0.38	1.25
1.2e+03	1.8e+03	5	93	0.31	0.88
1.8e+03	2.6e+03	1	94	0.06	0.56
2.6e+03	3.8e+03	1	95	0.06	0.50
3.8e+03	5.6e+03	0	95	0.00	0.44
5.6e+03	8.3e+03	4	99	0.25	0.44

HISTOGRAM FOR COLUMN 29 (S-ZN)

2.0e+02 XX
3.0e+02 XX
5.0e+02 X
7.0e+02
1.0e+03
1.5e+03
2.0e+03
3.0e+03
5.0e+03
7.0e+03

N	L	H	B	T	G	ANALYTICAL VALUES
1376	119	0	0	0	3	99
86.16	7.45			0.00	0.19	

MAXIMUM = 7.00000e+03
MINIMUM = 2.00010e+02
GEOMETRIC MEAN = 3.89917e+02
GEOMETRIC DEVIATION = 2.40754e+00

A470 Table 5.-- STATISTICAL SUMMARY -- continued

TITLE
KETCHIKAN QUAD. ROCK GEOCHEM

FREQUENCY TABLE FOR COLUMN 30 (S-ZR)

LIMITS		FREQ	FREQ	PERCENT	PERCENT
LOWER	UPPER		CUM	FREQ	FREQ CUM
8.3e+00	1.2e+01	20	20	1.52	96.04
1.2e+01	1.8e+01	1	21	0.08	94.51
1.8e+01	2.6e+01	44	65	3.35	94.44
2.6e+01	3.8e+01	60	125	4.57	91.08
3.8e+01	5.6e+01	125	250	9.53	86.51
5.6e+01	8.3e+01	273	523	20.81	76.98
8.3e+01	1.2e+02	227	750	17.30	56.17
1.2e+02	1.8e+02	217	967	16.54	38.87
1.8e+02	2.6e+02	131	1098	9.98	22.33
2.6e+02	3.8e+02	115	1213	8.77	12.35
3.8e+02	5.6e+02	28	1241	2.13	3.58
5.6e+02	8.3e+02	15	1256	1.14	1.45
8.3e+02	1.2e+03	1	1257	0.08	0.30

HISTOGRAM FOR COLUMN 30 (S-ZR)

```

1.0e+01 XX
1.5e+01
2.0e+01 XXX
3.0e+01 XXXXX
5.0e+01 XXXXXXXXXXXX
7.0e+01 XXXXXXXXXXXXXXXXXXXX
1.0e+02 XXXXXXXXXXXXXXXXXXXX
1.5e+02 XXXXXXXXXXXXXXXXXXXX
2.0e+02 XXXXXXXXXXXXX
3.0e+02 XXXXXXXXXXXX
5.0e+02 XX
7.0e+02 X
1.0e+03

```

N	L	H	B	T	G	ANALYTICAL VALUES
28	24	0	285	0	3	1257
2.13	1.83			0.00	0.23	

MAXIMUM = 1.00000e+03
 MINIMUM = 1.00000e+01
 GEOMETRIC MEAN = 1.00535e+02
 GEOMETRIC DEVIATION = 2.19623e+00

TITLE
KETCHIKAN QUAD. ROCK GEOCHEM

FREQUENCY TABLE FOR COLUMN 31 (AA-AU-P)

LIMITS		FREQ	FREQ CUM	PERCENT FREQ	PERCENT FREQ CUM
LOWER	UPPER				
3.8e-02	5.6e-02	19	19	1.19	4.01
5.6e-02	8.3e-02	1	20	0.06	2.82
8.3e-02	1.2e-01	26	46	1.63	2.76
1.2e-01	1.8e-01	7	53	0.44	1.13
1.8e-01	2.6e-01	1	54	0.06	0.69
2.6e-01	3.8e-01	1	55	0.06	0.63
3.8e-01	5.6e-01	1	56	0.06	0.56
5.6e-01	8.3e-01	1	57	0.06	0.50
8.3e-01	1.2e+00	0	57	0.00	0.44
1.2e+00	1.8e+00	1	58	0.06	0.44
1.8e+00	2.6e+00	0	58	0.00	0.38
2.6e+00	3.8e+00	3	61	0.19	0.38
3.8e+00	5.6e+00	0	61	0.00	0.19
5.6e+00	8.3e+00	1	62	0.06	0.19
8.3e+00	1.2e+01	1	63	0.06	0.13

HISTOGRAM FOR COLUMN 31 (AA-AU-P)

5.0e-02 X
7.0e-02
1.0e-01 XX
1.5e-01
2.0e-01
3.0e-01
5.0e-01
7.0e-01
1.0e+00
1.5e+00
2.0e+00
3.0e+00
5.0e+00
7.0e+00
1.0e+01

N	L	H	B	T	G	ANALYTICAL VALUES
1417	114	0	2	0	0	64
88.84	7.15			0.00	0.00	

MAXIMUM = 9.00000e+00
MINIMUM = 2.00000e-02
GEOMETRIC MEAN = 1.25578e-01
GEOMETRIC DEVIATION = 3.48498e+00

TITLE
KETCHIKAN QUAD. ROCK GEOCHEM

FREQUENCY TABLE FOR COLUMN 32 (AA-CU-P)

LIMITS		FREQ	CUM	PERCENT	FREQ	CUM	PERCENT
LOWER	UPPER						
3.8e+00	5.6e+00	236	236	20.52			
5.6e+00	8.3e+00	0	236	0.00			80.78
8.3e+00	1.2e+01	162	398	14.09			60.26
1.2e+01	1.8e+01	117	515	10.17			60.26
1.8e+01	2.6e+01	142	657	12.35			46.17
2.6e+01	3.8e+01	64	721	5.57			36.00
3.8e+01	5.6e+01	92	813	8.00			23.65
5.6e+01	8.3e+01	52	865	4.52			18.09
8.3e+01	1.2e+02	35	900	3.04			10.09
1.2e+02	1.8e+02	13	913	1.13			5.57
1.8e+02	2.6e+02	6	919	0.52			2.52
2.6e+02	3.8e+02	3	922	0.26			1.39
3.8e+02	5.6e+02	4	926	0.35			0.87
5.6e+02	8.3e+02	2	928	0.17			0.61
8.3e+02	1.2e+03	1	929	0.09			0.26
							0.09

HISTOGRAM FOR COLUMN 32 (AA-CU-P)

```

5.0e+00 XXXXXXXXXXXXXXXXXXXX
7.0e+00
1.0e+01 XXXXXXXXXXXXXXXXXXXX
1.5e+01 XXXXXXXXXXXXXXXXXXXX
2.0e+01 XXXXXXXXXXXXXXXXXXXX
3.0e+01 XXXXXX
5.0e+01 XXXXXXXXXXXX
7.0e+01 XXXXX
1.0e+02 XXX
1.5e+02 X
2.0e+02 X
3.0e+02
5.0e+02
7.0e+02
1.0e+03

```

N	L	H	B	T	G	ANALYTICAL VALUES
41	180	0	447	0	0	929
3.57	15.65			0.00	0.00	0.00

MAXIMUM = 1.20010e+03
 MINIMUM = 5.00000e+00
 GEOMETRIC MEAN = 1.68607e+01
 GEOMETRIC DEVIATION = 2.76044e+00

TITLE
KETCHIKAN QUAD. ROCK GEOCHEM

FREQUENCY TABLE FOR COLUMN 33 (AA-PB-P)

LIMITS		FREQ		PERCENT		PERCENT	
LOWER	UPPER	FREQ	CUM	FREQ	CUM	FREQ	CUM
3.8e+00	5.6e+00	464	464	40.38		75.46	
5.6e+00	8.3e+00	0	464	0.00		35.07	
8.3e+00	1.2e+01	294	758	25.59		35.07	
1.2e+01	1.8e+01	64	822	5.57		9.49	
1.8e+01	2.6e+01	21	843	1.83		3.92	
2.6e+01	3.8e+01	14	857	1.22		2.09	
3.8e+01	5.6e+01	3	860	0.26		0.87	
5.6e+01	8.3e+01	1	861	0.09		0.61	
8.3e+01	1.2e+02	2	863	0.17		0.52	
1.2e+02	1.8e+02	0	863	0.00		0.35	
1.8e+02	2.6e+02	2	865	0.17		0.35	
2.6e+02	3.8e+02	0	865	0.00		0.17	
3.8e+02	5.6e+02	2	867	0.17		0.17	

HISTOGRAM FOR COLUMN 33 (AA-PB-P)

```

5.0e+00 xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx
7.0e+00
1.0e+01 xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx
1.5e+01 xxxxxx
2.0e+01 xx
3.0e+01 x
5.0e+01
7.0e+01
1.0e+02
1.5e+02
2.0e+02
3.0e+02
5.0e+02

```

ANALYTICAL		VALUES	
N	L	H	G
29	253	1	0
2.52	22.02	447	867
		0.00	0.00

MAXIMUM = 4.50000e+02
 MINIMUM = 5.00000e+00
 GEOMETRIC MEAN = 7.59899e+00
 GEOMETRIC DEVIATION = 1.74548e+00

TITLE
KETCHIKAN QUAD. ROCK GEOCHEM

FREQUENCY TABLE FOR COLUMN 34 (AA-ZN-P)

LIMITS		FREQ	FREQ CUM	PERCENT FREQ	PERCENT FREQ CUM
LOWER	UPPER				
3.8e+00	5.6e+00	58	58	4.04	98.95
5.6e+00	8.3e+00	0	58	0.00	94.91
8.3e+00	1.2e+01	85	143	5.92	94.91
1.2e+01	1.8e+01	89	232	6.20	88.99
1.8e+01	2.6e+01	200	432	13.94	82.79
2.6e+01	3.8e+01	184	616	12.82	68.85
3.8e+01	5.6e+01	331	947	23.07	56.03
5.6e+01	8.3e+01	254	1201	17.70	32.96
8.3e+01	1.2e+02	146	1347	10.17	15.26
1.2e+02	1.8e+02	37	1384	2.58	5.09
1.8e+02	2.6e+02	15	1399	1.05	2.51
2.6e+02	3.8e+02	12	1411	0.84	1.46
3.8e+02	5.6e+02	3	1414	0.21	0.63
5.6e+02	8.3e+02	3	1417	0.21	0.42
8.3e+02	1.2e+03	0	1417	0.00	0.21
1.2e+03	1.8e+03	2	1419	0.14	0.21
1.8e+03	2.6e+03	0	1419	0.00	0.07
2.6e+03	3.8e+03	0	1419	0.00	0.07
3.8e+03	5.6e+03	0	1419	0.00	0.07
5.6e+03	8.3e+03	1	1420	0.07	0.07

HISTOGRAM FOR COLUMN 34 (AA-ZN-P)

```

5.0e+00 xxxx
7.0e+00
1.0e+01 xxxxxx
1.5e+01 xxxxxx
2.0e+01 xxxxxxxxxxxxxx
3.0e+01 xxxxxxxxxxxxxx
5.0e+01 xxxxxxxxxxxxxxxxxxxxxx
7.0e+01 xxxxxxxxxxxxxxxxxxxxxx
1.0e+02 xxxxxxxxxxxxxx
1.5e+02 xxx
2.0e+02 x
3.0e+02 x
5.0e+02
7.0e+02
1.0e+03
1.5e+03
2.0e+03
3.0e+03
5.0e+03
7.0e+03

```

N	L	H	B	T	G	ANALYTICAL VALUES
2	13	0	162	0	0	1420
0.14	0.91			0.00	0.00	

MAXIMUM = 6.30000e+03
 MINIMUM = 5.00000e+00
 GEOMETRIC MEAN = 3.85865e+01
 GEOMETRIC DEVIATION = 2.34083e+00

TITLE
KEITCHIKAN QUAD. ROCK GEOCHEM

FREQUENCY TABLE FOR COLUMN 35 (INST-HG)

LIMITS		FREQ	FREQ CUM	PERCENT FREQ	PERCENT FREQ CUM
LOWER	UPPER				
1.8e-02	2.6e-02	153	153	19.82	58.81
2.6e-02	3.8e-02	14	167	1.81	38.99
3.8e-02	5.6e-02	94	261	12.18	37.18
5.6e-02	8.3e-02	112	373	14.51	25.00
8.3e-02	1.2e-01	34	407	4.40	10.49
1.2e-01	1.8e-01	12	419	1.55	6.09
1.8e-01	2.6e-01	18	437	2.33	4.53
2.6e-01	3.8e-01	6	443	0.78	2.20
3.8e-01	5.6e-01	1	444	0.13	1.42
5.6e-01	8.3e-01	1	445	0.13	1.30
8.3e-01	1.2e+00	0	445	0.00	1.17
1.2e+00	1.8e+00	0	445	0.00	1.17
1.8e+00	2.6e+00	0	445	0.00	1.17
2.6e+00	3.8e+00	1	446	0.13	1.17

HISTOGRAM FOR COLUMN 35 (INST-HG)

```

2.0e-02 XXXXXXXXXXXXXXXXXXXX
3.0e-02 XX
5.0e-02 XXXXXXXXXXXXXXXX
7.0e-02 XXXXXXXXXXXXXXXX
1.0e-01 XXXX
1.5e-01 XX
2.0e-01 XX
3.0e-01 X
5.0e-01
7.0e-01
1.0e+00
1.5e+00
2.0e+00
3.0e+00

```

N	L	H	B	T	G	ANALYTICAL VALUES
249	69	0	825	0	0	454
32.25	8.94			0.00	0.00	0.00

MAXIMUM = 3.00000e+00
 MINIMUM = 1.00000e-02
 GEOMETRIC MEAN = 4.35805e-02
 GEOMETRIC DEVIATION = 2.19193e+00

TITLE
KETCHIKAN QUAD. ROCK GEOCHEM

IN THE COMPUTATIONS PERFORMED TO PRODUCE THE FOLLOWING TABLE OF GEOMETRIC MEANS AND DEVIATIONS, ALL ELEMENTS ARE IGNORED WHERE ONE OR MORE OF THE UNQUALIFIED DATA VALUES IS LESS THAN THE ANALYTICAL LIMIT OF DETECTION SPECIFIED ON INPUT OR WHERE ANY DATA VALUES ARE QUALIFIED WITH THE G (GREATER THAN) CODE. DATA VALUES QUALIFIED WITH B OR H ARE NOT USED IN THE COMPUTATIONS. WHERE NONE OF THE DATA VALUES FOR AN ELEMENT ARE QUALIFIED THE MEAN AND DEVIATION SHOULD BE THE SAME AS THOSE GIVEN IN THE PRECEDING SECTION. WHERE DATA ARE QUALIFIED WITH THE CODES N, L, OR T, THE ESTIMATES OF GEOMETRIC MEAN AND DEVIATION ARE BASED ON A METHOD BY A. J. COHEN FOR TREATING CENSORED DISTRIBUTIONS. THE APPLICATION OF THIS METHOD TO GEOCHEMICAL PROBLEMS IS DESCRIBED IN USGS PROFESSIONAL PAPER 574-B. THE ESTIMATES ARE UNBIASED IN A STRICT SENSE ONLY WHERE THE DATA ARE DERIVED FROM A LOGNORMAL PARENT POPULATION.

ELEMENT	N	L	H	B	T	G	ANALYTICAL VALUES
S-FEX	2	0	0	282	0	15	1298
S-MGX	0	3	0	282	0	0	1312
S-CAX	0	12	0	282	0	4	1299
S-TIX	0	0	0	190	0	8	1399
S-MN	0	1	0	282	0	17	1297
S-AG	1429	54	0	0	0	1	113
S-AS	1582	10	0	0	0	1	4
S-B	209	692	0	285	0	0	411
S-BA	1	9	0	285	0	10	1292
S-BE	143	534	0	0	0	0	920
S-BI	1393	6	0	190	0	0	8
S-CO	1401	0	0	190	0	1	5
S-CO	199	225	0	0	0	0	1173
S-CR	313	197	0	0	0	0	1087
S-CU	48	129	0	0	0	3	1417
S-LA	323	229	0	0	0	0	1045
S-MO	1271	134	0	0	0	0	192
S-NB	409	784	0	0	0	0	404
S-NI	50	443	0	0	0	0	1104
S-PB	115	157	0	0	0	1	1324
S-SB	1593	1	0	0	0	0	3
S-SC	97	75	0	285	0	1	1139
S-SN	1566	16	0	0	0	0	15
S-SR	36	59	0	285	0	3	1214
S-V	2	45	0	0	0	0	1550
S-W	1564	19	0	0	0	0	14
S-Y	142	122	0	0	0	0	1333
S-ZN	1376	119	0	0	0	3	99
S-ZR	28	24	0	285	0	3	1257
AA-AU-P	1417	114	0	2	0	0	64
AA-CU-P	41	180	0	447	0	0	929
AA-PB-P	29	253	1	447	0	0	867
AA-ZN-P	2	13	0	162	0	0	1420
INST-HG	249	69	0	825	0	0	454

Table 5.-- STATISTICAL SUMMARY -- continued

ELEMENT	GEOMETRIC MEAN	GEOMETRIC DEVIATION	REMARKS
S-FEX	75950047	*****	15 GREATER THAN VALUES. NO COMPUTATIONS.
S-MGX	1.041506	2.91	3 NOT DETECTED, LESS THAN, OR TRACE VALUES. 1312 REPORTED VALUES.
S-CAX	*****	*****	4 GREATER THAN VALUES. NO COMPUTATIONS.
S-TIX	*****	*****	8 GREATER THAN VALUES. NO COMPUTATIONS.
S-MN	*****	*****	17 GREATER THAN VALUES. NO COMPUTATIONS.
S-AG	*****	*****	1 GREATER THAN VALUES. NO COMPUTATIONS.
S-AS	*****	*****	1 GREATER THAN VALUES. NO COMPUTATIONS.
S-B	4.534263	3.08	901 NOT DETECTED, LESS THAN, OR TRACE VALUES. 411 REPORTED VALUES.
S-BA	*****	*****	10 GREATER THAN VALUES. NO COMPUTATIONS.
S-BE	0.893959	1.89	677 NOT DETECTED, LESS THAN, OR TRACE VALUES. 920 REPORTED VALUES.
S-BI	17.369298	2.19	1399 NOT DETECTED, LESS THAN, OR TRACE VALUES. 8 REPORTED VALUES.
S-CD	*****	*****	1 GREATER THAN VALUES. NO COMPUTATIONS.
S-CO	9.357561	3.38	424 NOT DETECTED, LESS THAN, OR TRACE VALUES. 1173 REPORTED VALUES.
S-CR	*****	*****	5 VALUES LESS THAN SPECIFIED LIMIT OF DETECTION. NO COMPUTATIONS.
S-CU	*****	*****	3 GREATER THAN VALUES. NO COMPUTATIONS.
S-LA	26.447195	2.34	552 NOT DETECTED, LESS THAN, OR TRACE VALUES. 1045 REPORTED VALUES.
S-MO	15.671003	3.22	1405 NOT DETECTED, LESS THAN, OR TRACE VALUES. 192 REPORTED VALUES.
S-NB	*****	*****	342 VALUES LESS THAN SPECIFIED LIMIT OF DETECTION. NO COMPUTATIONS.
S-NI	8.402309	4.47	493 NOT DETECTED, LESS THAN, OR TRACE VALUES. 1104 REPORTED VALUES.
S-PB	*****	*****	1 GREATER THAN VALUES. NO COMPUTATIONS.
S-SB	0.000000	*****	1594 NOT DETECTED, LESS THAN, OR TRACE VALUES. 3 REPORTED VALUES.
S-SC	*****	*****	1 GREATER THAN VALUES. NO COMPUTATIONS.
S-SN	15.108668	2.27	1582 NOT DETECTED, LESS THAN, OR TRACE VALUES. 15 REPORTED VALUES.
S-SR	*****	*****	3 GREATER THAN VALUES. NO COMPUTATIONS.
S-V	105.980173	3.00	47 NOT DETECTED, LESS THAN, OR TRACE VALUES. 1550 REPORTED VALUES.
S-W	58.014771	1.30	1583 NOT DETECTED, LESS THAN, OR TRACE VALUES. 14 REPORTED VALUES.
S-Y	16.658313	2.01	264 NOT DETECTED, LESS THAN, OR TRACE VALUES. 1333 REPORTED VALUES.
S-ZN	*****	*****	3 GREATER THAN VALUES. NO COMPUTATIONS.
S-ZR	*****	*****	3 GREATER THAN VALUES. NO COMPUTATIONS.
AA-AU-P	*****	*****	2 VALUES LESS THAN SPECIFIED LIMIT OF DETECTION. NO COMPUTATIONS.
AA-CU-P	11.033381	3.63	221 NOT DETECTED, LESS THAN, OR TRACE VALUES. 929 REPORTED VALUES.
AA-PB-P	5.768410	2.03	282 NOT DETECTED, LESS THAN, OR TRACE VALUES. 867 REPORTED VALUES.
AA-ZN-P	37.557706	2.43	15 NOT DETECTED, LESS THAN, OR TRACE VALUES. 1420 REPORTED VALUES.
INST-HG	*****	*****	8 VALUES LESS THAN SPECIFIED LIMIT OF DETECTION. NO COMPUTATIONS.

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES

SAMPLE	LATITUDE	LONGITUDE	ROCK & MINERAL CODES	S-FEX	S-MGX	S-CAK	S-TIX	S-MN	S-AG
68BG752	55 9 44	131 43 54	FI-BA, PY, CP, HM	1.50	.10	.10	.050	100	N
68BG752A	55 9 44	131 43 54	FI	7.00	1.00	.10	.150	200	N
68BG753	55 9 50	131 43 45	FI	20.00	1.00	.50	.150	>5,000	N
68BG754	55 10 9	131 43 19	(FZ)	5.00	10.00	15.00	.100	2,000	N
68BG756A	55 11 20	131 43 40	(FZ)	5.00	7.00	20.00	.050	2,000	N
68BG758	55 11 15	131 43 45	VQ-PY, CP	20.00	1.50	.20	.100	300	1.5
68BG761	55 11 39	131 42 34	FV-BA	10.00	.50	.20	.200	150	N
68CK02S	55 59 38	130 3 56	GD	10.00	3.00	7.00	.300	1,500	N
68CK03S	55 59 48	130 4 11	VN	20.00	3.00	10.00	.200	2,000	N
68CK23A	55 59 38	130 2 38	VQ-CP, GN, PY, SL	3.00	.07	.07	.030	300	>5,000.0
68CK23B	55 59 38	130 2 38	GD	N	2.00	1.50	.500	1,500	30.0
68CK25	55 59 38	130 2 38	GD-PY	3.00	.15	2.00	.150	700	15.0
68CK27	55 59 38	130 2 38	GD-PY	7.00	3.00	3.00	.500	1,000	7.0
68CK28	55 59 38	130 2 38	DG-PY	7.00	2.00	3.00	.300	700	3.0
68CK30	55 59 38	130 2 38	GS-PY	5.00	3.00	2.00	.300	1,000	1.5
68CK31	55 59 38	130 2 38	GD-PY	N	2.00	2.00	.500	1,000	1.0
68CK32A	55 59 38	130 2 38	MS-MO	7.00	3.00	2.00	.500	700	1.5
68CK32B	55 59 38	130 2 38	DL	7.00	3.00	2.00	.700	1,000	1.0
68CK32H	55 59 38	130 2 38	MS-PY	5.00	2.00	2.00	.500	700	N
68CK33	55 59 16	130 2 57	GR-MO	1.50	.70	1.50	.150	300	3.0
68CK34AH	55 59 16	130 2 57	MS-CP, GN, MO, PY	15.00	3.00	2.00	.700	3,000	30.0
68CK34BH	55 59 16	130 2 57	DG	20.00	3.00	3.00	1.000	2,000	<.5
68CK34CH	55 59 16	130 2 57	QD	15.00	5.00	5.00	.700	1,500	<.5
68CK34DH	55 59 16	130 2 57	MS	15.00	2.00	1.50	.700	3,000	N
68CK34S	55 59 16	130 2 57	GR	1.00	.50	.70	.050	150	2.0
68CK35S	55 59 16	130 2 57	GD	7.00	3.00	2.00	.200	1,500	1.0
68CK53SA	55 58 14	130 0 44	MS	20.00	5.00	10.00	.700	3,000	<.5
68CK53SB	55 58 14	130 0 44	MS-PY	15.00	3.00	15.00	.300	5,000	N
68CK54SA	55 58 14	130 0 34	MS	>20.00	2.00	10.00	.150	>5,000	5.0
68CK54SB	55 58 14	130 0 34	MS	>20.00	5.00	10.00	1.000	5,000	<.5
68CK56SA	55 58 5	130 0 50	PYRRHOTITE	20.00	1.50	15.00	1.000	5,000	<.5
68CK56SB	55 58 5	130 0 50	MS	10.00	1.50	7.00	.700	3,000	<.5
68CK56SC	55 58 5	130 0 50	MU	>20.00	3.00	20.00	.500	5,000	N
68CK57S	55 57 56	130 1 5	MS-PY	15.00	3.00	7.00	1.000	3,000	N
68CK58S	55 58 2	130 1 15	MS-PY	15.00	3.00	10.00	1.000	3,000	N
68CK59S	55 57 57	130 0 50	MS-PY	15.00	5.00	10.00	1.000	3,000	<.5
68CK61S	55 57 51	130 0 47	DF	3.00	.07	1.00	.150	300	N
68CK63S	55 57 32	130 0 48	GD	3.00	1.50	3.00	.300	700	N
68DN020	55 58 10	130 6 50	DM	5.00	1.50	3.00	.200	700	N
68DN022	55 58 32	130 9 11	GD	3.00	1.00	3.00	.300	700	N
68SJ129B	55 58 49	130 10 24	GR	1.50	1.50	.70	.070	300	N
69BG107	55 10 5	131 44 25	FI-BA, CP	15.00	.50	.10	.050	>5,000	.7
69BG108	55 10 24	131 44 35	FI-BA, CP	20.00	1.00	.20	.150	>5,000	N
69BG108A	55 10 24	131 44 35	FI-BA, CP	20.00	1.00	.50	.010	>5,000	N
69BG110A	55 10 5	131 46 50	FV-CP	15.00	.20	.05	.010	>5,000	1.0

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES

SAMPLE	S-AS	S-AU	S-B	S-BA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PB
68BG752	N	N	10	>5,000	<1.0	N	N	20	10	2,000	100	7	N	7	N
68BG752A	N	N	15	1,000	1.0	N	N	50	10	1,000	100	N	N	10	N
68BG753	N	N	10	1,500	1.5	N	N	150	10	10	N	5	N	50	N
68BG754	N	N	10	200	1.0	N	N	15	50	5	N	N	N	5	N
68BG756A	N	N	N	2,000	1.0	N	N	15	20	15	N	N	N	<5	10
68BG758	N	<10	<10	200	1.0	N	N	30	50	>20,000	150	N	N	30	10
68BG761	N	N	70	>5,000	5.0	N	N	10	15	50	30	N	20	5	20
68CK025	<200	N	15	2,000	<1.0	N	N	15	10	20	<20	N	<10	5	15
68CK035	N	N	15	700	N	N	N	10	7	15	<20	30	<10	<5	50
68CK23A	<200	<10	<10	30	N	N	>500	15	7	2,000	20	N	<10	<5	>20,000
68CK23B	N	N	70	1,500	1.5	N	70	15	10	70	20	N	10	7	1,500
68CK25	<200	N	N	2,000	2.0	N	N	20	10	200	20	15	<10	7	150
68CK27	N	N	<10	2,000	<1.0	N	N	15	70	70	20	10	<10	30	150
68CK28	<200	N	10	5,000	3.0	N	N	30	7	300	20	N	15	20	70
68CK30	N	N	30	3,000	1.5	N	N	15	50	10	20	N	10	30	20
68CK31	N	N	10	1,500	1.5	N	N	15	10	15	<20	N	10	10	30
68CK32A	N	N	15	3,000	1.5	N	N	20	15	100	<20	200	10	20	70
68CK32B	N	N	10	5,000	1.5	N	N	15	30	20	<20	N	15	20	30
68CK32H	<200	N	<10	1,500	1.5	N	N	10	150	100	30	7	10	30	30
68CK33	<200	N	N	5,000	N	N	N	10	7	100	N	700	<10	7	300
68CK34AH	N	N	<10	1,500	<1.0	N	150	20	50	1,000	<20	<5	<10	70	3,000
68CK34BH	N	N	N	2,000	<1.0	N	N	15	70	70	<20	N	<10	7	<10
68CK34CH	N	N	15	1,500	<1.0	N	N	20	70	150	<20	<5	10	30	<10
68CK34DH	N	N	10	5,000	1.5	N	N	10	10	200	<20	N	10	<5	300
68CK34S	<200	N	N	2,000	1.5	N	N	7	10	70	30	15	<10	7	30
68CK35S	N	N	<10	3,000	1.0	N	N	15	30	150	20	20	<10	20	15
68CK53SA	N	N	15	1,500	N	N	N	15	15	50	<20	7	<10	10	10
68CK53SB	<200	N	20	300	N	N	N	10	15	70	<20	N	10	10	10
68CK54SA	<200	N	30	150	N	100	N	200	30	2,000	<20	N	15	20	<10
68CK54SB	N	N	10	3,000	<1.0	N	N	30	20	200	<20	15	15	15	N
68CK56SA	N	N	20	500	1.0	N	N	15	30	150	<20	<5	15	10	70
68CK56SB	N	N	15	700	<1.0	N	N	7	15	70	<20	<5	10	5	<10
68CK56SC	N	N	15	50	N	<10	N	10	30	50	<20	N	15	10	15
68CK57S	N	N	<10	1,500	N	N	N	15	15	150	<20	5	10	10	15
68CK58S	N	N	10	1,500	N	N	N	10	10	70	20	N	10	7	<10
68CK59S	N	N	10	700	<1.0	N	N	7	10	150	<20	N	10	5	10
68CK61S	N	N	15	20	1.5	N	N	N	<5	15	<20	N	10	<5	20
68CK63S	<200	N	N	1,500	1.0	N	N	7	10	15	30	<5	10	7	15
68DN020	N	N	N	1,500	<1.0	N	N	15	70	15	<20	N	10	30	10
68DN022	N	N	N	2,000	1.0	N	N	7	15	10	70	N	10	<5	10
68SJ129B	N	N	N	1,500	1.5	N	N	N	5	5	20	N	10	<5	30
69BG107	N	N	<10	>5,000	<1.0	N	N	20	50	10,000	N	N	N	20	N
69BG108	N	N	<10	>5,000	1.5	N	N	20	20	20,000	N	N	N	20	N
69BG108A	N	N	N	>5,000	1.0	N	N	15	10	500	N	N	N	10	10
69BG110A	N	N	N	500	1.0	20	N	50	10	10,000	N	20	N	7	50

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES

SAMPLE	S-SB	S-SC	S-SN	S-SR	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
68BG752	N	<5	N	1,000	30	N	<10	N	N	N	--	--	--	.10
68BG752A	N	5	N	100	70	<50	10	N	100	N	--	--	--	.02
68BG753	N	5	N	300	50	50	<10	N	50	N	--	--	--	.05
68BG754	N	5	N	200	30	<50	10	N	10	N	--	--	--	.02
68BG756A	N	5	N	300	20	N	10	N	N	N	--	--	--	.02
68BG758	N	50	N	100	70	<50	15	N	10	3.00	--	--	--	.07
68BG761	N	5	N	500	70	N	100	200	200	<.05	--	--	--	.02
68CK02S	N	15	N	300	300	<50	20	N	100	<.02	--	--	--	--
68CK03S	N	15	N	1,000	200	N	30	N	100	<.02	--	--	--	--
68CK23A	10,000	<5	N	500	15	<50	<10	>10,000	<10	2.90	--	--	--	--
68CK23B	<100	20	N	150	200	<50	30	1,500	200	<.02	--	--	--	--
68CK25	N	10	N	700	150	N	15	300	100	.08	--	--	--	--
68CK27	N	20	N	700	150	N	15	<200	100	.04	--	--	--	--
68CK28	N	15	N	1,000	200	N	20	<200	70	<.02	--	--	--	--
68CK30	N	15	N	300	150	N	20	<200	70	<.02	--	--	--	--
68CK31	N	15	N	700	150	N	20	<200	70	<.02	--	--	--	--
68CK32A	N	20	N	700	150	N	30	N	70	<.02	--	--	--	--
68CK32B	N	15	N	700	150	N	15	N	200	<.02	--	--	--	--
68CK32H	N	20	N	500	150	N	30	1,500	100	<.02	--	--	--	--
68CK33	N	N	<10	700	30	<50	<10	N	70	.02	--	--	--	--
68CK34AH	N	20	N	300	300	N	10	7,000	70	<.02	--	--	--	--
68CK34BH	N	50	N	700	500	N	20	<200	200	<.02	--	--	--	--
68CK34CH	N	50	N	700	300	N	20	<200	70	<.02	--	--	--	--
68CK34DH	N	5	N	700	500	N	15	<200	150	<.02	--	--	--	--
68CK34S	N	N	N	700	30	<50	<10	N	70	<.02	--	--	--	--
68CK35S	N	15	N	300	150	N	15	N	70	<.02	--	--	--	--
68CK53SA	N	15	N	1,000	500	N	30	N	200	<.02	--	--	--	--
68CK53SB	N	15	N	1,000	150	N	20	<200	50	<.02	--	--	--	--
68CK54SA	N	7	N	<100	100	<50	30	200	<10	9.00	--	--	--	--
68CK54SB	N	30	N	1,500	300	N	30	<200	200	.10	--	--	--	--
68CK56SA	N	20	N	3,000	300	N	10	<200	200	<.02	--	--	--	--
68CK56SB	N	10	N	300	200	N	20	<200	200	<.02	--	--	--	--
68CK56SC	N	15	N	1,500	300	N	50	<200	70	<.02	--	--	--	--
68CK57S	N	15	N	1,000	300	N	30	<200	150	<.02	--	--	--	--
68CK58S	N	15	N	1,500	300	N	20	<200	300	<.02	--	--	--	--
68CK59S	N	15	N	2,000	500	N	<10	<200	200	<.02	--	--	--	--
68CK61S	N	<5	N	<100	15	N	10	N	<10	<.02	--	--	--	--
68CK63S	N	15	N	700	100	<50	15	<200	50	<.02	--	--	--	--
68DN020	N	15	N	500	150	N	15	N	70	<.02	--	--	--	--
68DN022	N	10	N	500	100	N	20	N	70	<.02	--	--	--	--
68SJ129B	N	<5	N	300	30	N	<10	N	70	<.02	--	--	--	--
69BG107	N	7	N	500	70	N	<10	N	N	<.05	--	--	--	.07
69BG108	N	7	N	300	70	N	10	N	10	.50	--	--	--	.02
69BG108A	N	<5	N	>5,000	10	N	10	N	N	<.05	--	--	--	.02
69BG110A	N	<5	N	N	10	N	15	N	N	.05	--	--	--	.06

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES--continued

SAMPLE	LATITUDE	LONGITUDE	ROCK & MINERAL CODES	S-FEX	S-MGZ	S-CAZ	S-TIZ	S-MN	S-AG
69BG113	55 17 12	131 51 29	FI-CP	3.00	1.50	1.50	.200	700	N
69BG113A	55 17 12	131 51 29	FV	7.00	5.00	1.50	.500	1,000	N
69BG14A	55 15 15	131 45 11	MV-PY	7.00	3.00	7.00	.200	2,000	N
69BG15A	55 10 40	131 43 10	VN-HM	>20.00	1.50	.05	.300	200	N
69BG16A	55 10 45	131 43 19	MV-HM,CP	>20.00	3.00	.20	.700	1,500	N
69BG18A	55 11 2	131 43 28	VQ-HM,PY,CP	15.00	.15	.05	.150	200	N
69BG18B	55 11 2	131 43 28	VN-HM,PY,CP	>20.00	1.00	.20	.300	>5,000	N
69BG19	55 11 20	131 43 40	VN-HM	10.00	3.00	7.00	.100	1,500	N
69BG21	55 11 25	131 43 40	VN-HM,PY,CP	20.00	1.00	.10	.030	300	N
69BG22	55 11 27	131 43 27	FV-HM,PY	20.00	2.00	2.00	.015	2,000	N
69BG470	55 9 39	131 43 54	MU-HM,PY,CP	7.00	.20	.20	.070	100	N
69BG482	55 22 54	131 51 20	MU-CP,PY	3.00	.15	.70	.150	300	5.0
69BG494	55 22 50	131 52 24	FV-PY	7.00	2.00	7.00	.500	5,000	2.0
69BG500	55 22 35	131 52 45	MV-HM	>20.00	1.00	15.00	.200	2,000	N
69BG513	55 9 51	131 47 4	MS-HM,BA,PY,CP	>20.00	1.00	.20	.030	>5,000	N
69BG516A	55 9 15	131 47 4	MU-HM	2.00	.70	.70	.150	1,000	N
69BG517A	55 9 20	131 47 4	MS-HM	5.00	1.50	3.00	.300	1,000	N
69BG521	55 9 34	131 47 20	MS-BA,HM	15.00	5.00	10.00	.010	>5,000	N
69BG541A	55 9 34	131 47 30	MS-HM,BA,PY,CP	20.00	5.00	10.00	.050	>5,000	1.5
69BG541B	55 9 34	131 47 30	MS-HM,BA	10.00	5.00	20.00	.020	>5,000	N
69BG555	55 10 45	131 48 10	MS-HM,BA	20.00	.20	.10	.200	150	.5
69BG559	55 11 8	131 48 16	MS-HM,BA	7.00	5.00	20.00	.300	>5,000	N
69BG560	55 11 9	131 48 17	MS-HM,BA	10.00	5.00	7.00	.500	>5,000	N
69BG573A	55 21 20	131 51 15	MU-HM	10.00	1.50	3.00	.500	1,000	N
69BG576	55 21 5	131 51 24	FV-HM	7.00	1.50	5.00	.500	3,000	N
69BG579B	55 20 59	131 51 50	MU-HM	15.00	1.50	5.00	.700	3,000	N
69BG586D	55 16 29	131 50 54	MU	15.00	5.00	7.00	.300	5,000	N
69BG587B	55 16 5	131 50 39	FV-HM,BA	15.00	3.00	10.00	.200	5,000	N
69BG589A	55 15 55	131 50 35	MS	7.00	2.00	5.00	.500	1,500	N
69BG592	55 15 50	131 50 35	MS	20.00	.05	<.05	.100	100	1.0
69BG612A	55 25 35	131 50 59	MV-PY	10.00	3.00	7.00	.500	5,000	N
69BG620	55 11 44	131 49 40	DM-HM,BA	10.00	5.00	10.00	.300	5,000	.5
69BG624A	55 11 49	131 49 29	DM-BA,GN,PY	10.00	2.00	5.00	.200	5,000	70.0
69BG624B	55 11 49	131 49 29	DM-BA,PY	15.00	3.00	5.00	>1.000	>5,000	70.0
69BG628	55 12 5	131 49 40	MS-PY	>20.00	3.00	5.00	.100	500	N
69BG655	55 10 19	131 47 35	FV-HM	10.00	.03	.05	.005	200	N
69BG677	55 15 5	131 40 19	MS-PY	15.00	3.00	5.00	1.000	2,000	N
69BG677V	55 15 5	131 40 19	VQ	1.50	.10	1.00	.030	300	.5
69BG716	55 23 39	131 46 35	MV-PY	7.00	.20	.20	.300	50	.5
69BG720	55 23 14	131 46 0	MV-PY	10.00	2.00	2.00	.300	2,000	N
69BG720A	55 23 14	131 46 0	VQ-PY	3.00	.70	5.00	.150	5,000	N
69BG751A	55 17 21	131 36 56	VQ-PY	5.00	1.00	20.00	.100	5,000	N
69BG754	55 17 13	131 36 50	VQ-PY,GN,SL,CP	2.00	.30	>20.00	.030	>5,000	.5
69BG756	55 17 13	131 37 10	MV-PY	15.00	5.00	10.00	.500	2,000	N
69BG756A	55 17 13	131 37 10	MS-PY	15.00	5.00	10.00	.500	2,000	N

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	S-AS	S-AU	S-B	S-BA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PB
69BG113	N	<10	2,000	N	N	50	20	2,000	N	N	10	N	N	10	N
69BG113A	N	10	3,000	2.0	N	70	150	10	150	N	5	N	10	20	10
69BG414A	N	<10	30	N	N	50	30	200	N	N	15	N	N	15	N
69BG415A	N	<10	30	1.0	N	15	200	200	N	N	5	N	N	150	N
69BG416A	N	<10	30	1.0	N	70	700	700	N	N	N	N	N	300	N
69BG418A	N	N	200	1.0	N	70	30	700	100	5	N	20	N	20	N
69BG418B	N	N	100	<1.0	N	50	100	2,000	N	10	N	20	N	20	N
69BG419	N	10	50	<1.0	N	50	10	5	20	N	7	10	N	7	10
69BG421	N	N	70	2.0	N	30	20	700	N	10	N	15	N	15	N
69BG422	N	N	50	<1.0	N	20	<10	30	N	N	5	N	N	5	N
69BG470	N	10	70	1.5	10	5	<10	>20,000	70	7	5	N	N	5	N
69BG482	N	20	300	<1.0	N	10	20	20,000	N	10	7	N	10	7	N
69BG494	N	50	300	<1.0	N	15	<10	20	20	N	5	N	N	5	150
69BG500	N	10	30	<1.0	N	10	15	30	20	N	5	N	N	5	50
69BG513	N	20	5,000	N	N	50	20	100	N	N	20	N	N	10	20
69BG516A	N	10	1,000	<1.0	N	20	<10	20	N	N	10	N	N	10	N
69BG517A	N	15	700	1.0	N	50	20	7	N	N	20	N	N	20	N
69BG521	N	N	>5,000	N	N	20	<10	500	N	N	<5	N	N	<5	N
69BG541A	N	<10	>5,000	N	N	70	15	3,000	N	10	30	N	N	30	20
69BG541B	N	N	500	N	N	7	<10	30	N	N	<5	N	N	<5	N
69BG555	N	20	2,000	1.5	N	10	20	70	N	30	20	N	N	20	100
69BG559	N	10	700	<1.0	N	50	<10	7	N	10	20	N	N	20	150
69BG560	N	30	300	1.0	N	30	N	20	N	7	N	10	N	10	2,000
69BG573A	N	50	300	1.0	N	50	100	30	70	N	20	N	<10	20	10
69BG576	N	30	1,500	1.0	N	30	10	30	100	N	5	N	N	5	20
69BG579B	N	30	150	N	N	50	20	5	N	N	50	N	N	50	15
69BG586D	N	10	70	N	N	20	20	5	N	N	10	N	N	10	10
69BG587B	N	10	300	<1.0	N	50	20	20	20	5	N	5	N	10	N
69BG589A	N	30	500	<1.0	N	20	30	20	20	N	20	N	N	20	N
69BG592	N	<10	70	N	N	20	20	20	20	50	20	N	N	20	20
69BG612A	N	20	500	<1.0	N	30	15	200	20	5	10	N	N	10	10
69BG620	N	10	1,500	<1.0	N	20	300	200	N	N	N	N	N	50	100
69BG624A	N	<10	>5,000	<1.0	N	100	50	200	200	N	70	N	N	70	15,000
69BG624B	N	20	5,000	N	N	200	150	700	N	N	150	N	N	150	1,000
69BG628	N	10	70	N	N	30	15	20	20	20	N	70	N	20	100
69BG655	N	10	30	5.0	N	N	10	15	10	15	N	N	N	5	N
69BG677	N	70	1,500	<1.0	N	50	30	70	70	70	N	N	N	20	10
69BG677V	N	15	150	<1.0	N	N	N	1,000	N	1,000	N	N	N	5	5
69BG716	N	500	200	<1.0	N	20	N	1,000	20	200	N	N	N	5	N
69BG720	N	70	200	N	N	50	10	200	N	200	N	N	N	5	30
69BG720A	N	20	100	N	N	15	15	200	20	200	N	N	N	5	N
69BG751A	N	15	200	N	N	15	10	200	200	200	N	N	N	5	N
69BG754	N	N	30	N	N	7	N	70	N	70	N	N	N	<5	1,500
69BG756	N	N	50	N	N	50	70	200	70	200	N	5	N	20	N
69BG756A	N	N	50	N	N	50	200	150	200	150	N	5	N	50	N

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	S-SB	S-SC	S-SN	S-SR	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
698G113	N	5	N	150	100	N	<10	N	100	<.05	--	--	--	.05
698G113A	N	10	N	500	200	50	30	N	200	<.05	--	--	--	.09
698G414A	N	20	N	100	200	<50	15	N	20	.05	--	--	--	.01
698G415A	N	30	N	N	200	N	30	N	20	<.05	--	--	--	.02
698G416A	N	50	N	<100	200	N	20	N	50	<.05	--	--	--	.04
698G418A	N	<5	N	<100	70	50	15	N	10	.05	--	--	--	.06
698G418B	N	30	N	<100	150	N	20	N	20	.05	--	--	--	.06
698G419	N	5	N	300	70	N	100	N	150	.05	--	--	--	.06
698G421	N	20	N	<100	70	50	<10	N	N	.15	--	--	--	.02
698G422	N	10	N	<100	30	N	15	N	N	.10	--	--	--	.09
698G470	N	<5	N	<100	50	N	10	N	10	.10	--	--	--	.07
698G482	N	<5	N	<100	50	N	<10	N	50	.10	--	--	--	<.01
698G494	N	20	N	100	500	N	10	200	50	.10	--	--	--	<.01
698G500	200	10	N	150	200	100	50	N	50	.15	--	--	--	.02
698G513	N	5	N	100	30	N	10	500	10	.10	--	--	--	.03
698G516A	N	5	N	150	30	N	<10	N	70	.10	--	--	--	<.01
698G517A	N	15	N	150	150	N	15	N	150	.10	--	--	--	.04
698G521	N	N	N	>5,000	10	N	<10	N	N	--	--	--	--	.01
698G541A	N	5	N	5,000	50	50	10	200	N	--	--	--	--	.04
698G541B	N	<5	N	300	15	N	10	N	N	.10	--	--	--	.02
698G555	N	10	N	200	100	<50	<10	N	50	.05	--	--	--	.02
698G559	N	30	N	1,000	20	50	50	1,000	1,000	.05	--	--	--	.03
698G560	N	50	N	500	70	N	70	3,000	100	.05	--	--	--	.02
698G573A	N	20	N	150	200	50	50	N	150	.10	--	--	--	.02
698G576	N	10	N	1,000	200	N	50	N	150	.10	--	--	--	.02
698G579B	N	50	N	200	500	N	50	N	70	.10	--	--	--	.02
698G586D	N	20	N	200	200	N	20	N	10	.10	--	--	--	.02
698G587B	N	10	N	300	70	N	50	N	100	.10	--	--	--	.02
698G589A	N	15	N	200	200	N	20	N	100	.10	--	--	--	.02
698G592	N	5	N	100	70	N	30	N	150	.15	--	--	--	.05
698G612A	N	30	N	1,000	500	N	30	N	70	.10	--	--	--	.02
698G620	N	50	N	300	200	N	15	1,000	10	.15	--	--	--	.05
698G624A	N	70	N	500	500	N	15	>10,000	20	.10	--	--	--	3,000
698G624B	N	30	N	100	500	N	20	>10,000	30	.15	--	--	--	.30
698G628	N	5	N	100	30	N	N	300	N	.10	--	--	--	.05
698G655	N	N	N	<100	10	N	30	N	N	.15	--	--	--	.02
698G677	N	20	N	2,000	500	N	70	N	200	.15	--	--	--	.01
698G677V	N	<5	N	<100	10	N	N	N	N	.10	--	--	--	<.01
698G716	N	15	N	300	200	<50	10	N	100	.10	--	--	--	.01
698G720	N	20	N	500	200	<50	15	N	70	<.05	--	--	--	.02
698G720A	N	10	N	100	70	<50	30	N	15	<.05	--	--	--	.02
698G751A	N	10	N	300	100	N	N	N	N	<.05	--	--	--	.02
698G754	N	5	N	500	20	N	10	2,000	N	N	--	--	--	.04
698G756	N	50	N	1,000	500	100	20	N	20	<.05	--	--	--	.02
698G756A	N	70	N	1,000	500	N	20	N	50	<.05	--	--	--	.02

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	LATITUDE	LONGITUDE	ROCK & MINERAL CODES	S-FEZ	S-MGX	S-CAZ	S-TIX	S-MN	S-AG
69BG758	55 17 11	131 37 22	VQ-PY	1.00	.30	>20.00	.030	5,000	N
69BG797	55 11 44	131 47 9	MV	20.00	.30	<.05	.050	500	N
69BG798	55 12 29	131 48 5	VQ	1.50	.50	.10	.020	100	N
69S204B	55 4 17	130 43 10	PN	10.00	1.00	1.00	.500	1,500	<.5
69S210B	55 4 29	130 46 32	PN	5.00	2.00	1.50	.300	500	N
69S217B	55 4 27	130 42 30	PN	7.00	2.00	2.00	.700	1,000	N
69S221B	55 6 32	130 42 50	PN	7.00	1.50	3.00	.300	500	<.5
69S233B	55 8 21	130 32 52	GG	3.00	.70	1.50	.300	300	N
69S236B	55 7 35	130 42 11	GG	15.00	3.00	3.00	.700	1,000	N
69S248B	55 11 45	130 36 38	GG	10.00	2.00	5.00	.500	1,000	<.5
69S251B	55 14 0	130 33 29	DI	15.00	2.00	3.00	.500	1,500	N
69S255B	55 8 52	130 42 42	VN	1.50	.70	1.50	.150	200	N
69S257B	55 7 58	130 43 27	PN	2.00	1.50	20.00	.200	700	1.0
69S257C	55 7 58	130 43 27	PN	3.00	1.50	1.50	.300	500	1.0
69S258B	55 7 50	130 43 58	PN	7.00	1.50	1.50	.500	1,500	<.5
69S260B	55 6 53	130 44 30	PN	3.00	1.50	7.00	.500	2,000	.5
69S270B	55 7 53	130 48 17	PN	5.00	2.00	3.00	.500	1,000	.7
69S270C	55 7 53	130 48 17	AM	10.00	3.00	7.00	.300	1,000	N
69S276B	55 17 56	130 30 20	GG-PY	10.00	1.50	2.00	.700	1,500	<.5
69S289C	55 8 3	130 50 12	QF	7.00	1.00	1.00	.500	500	N
69S290B	55 7 56	130 50 50	PN	5.00	1.00	1.00	.700	150	<.5
69S295E	55 6 35	130 53 17	PN	3.00	1.00	1.00	.300	300	10.0
69S296B	55 6 20	130 53 48	PN-PY	7.00	1.00	1.50	.700	700	<.5
69S298C	55 5 57	130 55 8	PN	3.00	.70	.70	.300	200	N
69S300C	55 5 31	130 56 50	PN-PY	7.00	1.50	.70	.700	700	N
69S304D	55 5 20	130 59 54	PN	2.00	1.00	.50	.150	300	N
69S308B	55 4 32	130 48 17	AM	10.00	3.00	5.00	.500	1,500	N
69S312C	55 7 5	130 49 44	PN-PY	15.00	3.00	7.00	1.000	1,500	N
69S315B	55 6 50	130 51 17	DP	20.00	5.00	1.00	.700	1,500	<.5
69S321C	55 4 59	130 54 55	PN	7.00	1.50	1.00	.500	200	<.5
69S327E	55 7 0	131 2 18	GS	5.00	1.50	1.00	.200	700	N
69S330C	55 6 47	131 2 41	GS-PY	1.50	1.50	.70	.150	300	N
69S347B	55 1 35	130 41 36	PN	3.00	1.50	1.50	.300	700	N
70BG007	55 10 19	131 45 44	MU-BA,HM	20.00	.10	<.05	.020	>5,000	N
70BG009A	55 10 29	131 46 0	FV	1.00	.10	.15	.100	100	N
70BG010	55 10 35	131 45 50	FV	3.00	.50	.15	.150	100	N
70BG014	55 11 25	131 44 39	FV-HM	20.00	.20	<.05	.100	300	N
70BG024	55 11 35	131 43 9	FV-HM,SL,CP	>20.00	.70	<.05	.050	200	N
70BG038	55 19 19	131 51 55	MU-HM	3.00	.30	2.00	.300	700	N
70BG044	55 17 14	131 51 29	MU-HM,CP	15.00	3.00	3.00	.500	1,500	N
70BG079	55 20 44	131 45 55	MV-PY	10.00	3.00	3.00	.500	1,500	N
70BG212	55 22 0	131 47 14	VQ-MV	15.00	3.00	7.00	.500	2,000	N
70BG213	55 22 14	131 46 40	VQ	10.00	2.00	7.00	.200	1,500	N
70BG246A	55 17 39	131 50 14	FV-PY	7.00	1.00	.05	.300	100	.5
70BG255	55 18 10	131 50 4	MU	10.00	1.50	.20	.030	200	N

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES--continued

SAMPLE	S-AS	S-AU	S-B	S-BA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PB
69BG758	N	N	N	50	N	N	N	15	N	5	20	N	N	N	N
69BG797	N	N	15	200	3.0	N	N	N	<10	10	N	N	50	<5	20
69BG798	N	N	10	150	1.0	N	N	100	N	100	30	N	10	<5	N
69S204B	N	N	15	1,500	1.0	N	N	50	70	70	50	5	15	150	<10
69S210B	N	N	N	300	N	N	N	30	100	50	N	<5	10	70	<10
69S217B	N	N	15	1,000	1.0	N	N	30	70	15	20	<5	15	30	<10
69S221B	N	N	15	1,000	1.0	N	N	30	70	70	50	<5	15	70	30
69S233B	N	N	<10	1,500	<1.0	N	N	<5	10	5	20	N	<10	10	15
69S236B	N	N	10	1,000	<1.0	N	N	30	30	30	20	<5	10	30	10
69S248B	N	N	<10	1,500	1.0	N	N	30	10	30	30	<5	10	15	<10
69S251B	N	N	10	1,500	1.0	N	N	30	20	20	20	<5	10	15	N
69S2550	N	N	N	300	1.0	N	N	<5	15	7	<20	N	<10	15	15
69S257B	N	N	<10	1,000	<1.0	N	N	<5	150	30	50	N	<20	50	20
69S257C	N	N	N	1,500	<1.0	N	N	15	150	100	N	<5	10	50	15
69S258B	N	N	N	700	1.5	N	N	20	70	30	20	<5	10	100	<10
69S260B	N	N	15	200	<1.0	N	N	20	70	50	<20	5	10	150	N
69S270B	N	N	10	1,500	<1.0	N	N	30	150	150	N	5	10	150	<10
69S270C	N	N	N	<20	N	N	N	50	300	50	N	N	10	100	N
69S276B	N	N	<10	1,500	1.0	N	N	30	15	150	20	5	10	15	15
69S289C	N	N	10	700	N	N	N	20	30	70	N	7	10	30	N
69S290D	N	N	10	500	1.0	N	N	30	70	70	<20	<5	10	50	10
69S295E	N	N	<10	1,500	N	20	N	50	70	150	N	<5	<10	70	700
69S296D	N	N	<10	1,500	1.0	N	N	50	30	30	<20	5	10	30	N
69S298C	N	N	15	300	1.0	N	N	15	70	5	<20	N	15	30	N
69S300C	N	N	10	300	1.5	N	N	30	70	100	<20	5	15	50	20
69S304D	N	N	N	700	<1.0	N	N	<5	<5	50	N	N	<10	5	N
69S308B	N	N	15	700	<1.0	N	N	70	100	20	N	<5	10	70	10
69S312C	N	N	15	700	<1.0	N	N	30	300	100	30	<5	10	100	15
69S315B	N	N	10	100	<1.0	N	N	50	30	100	<20	<5	10	30	<10
69S321C	N	N	50	1,500	1.5	N	N	30	70	100	<20	5	10	50	<10
69S327E	N	N	15	500	<1.0	N	N	30	30	150	<20	<5	10	50	10
69S330C	N	N	<10	150	<1.0	N	N	10	20	5	N	N	<10	30	<10
69S347B	N	N	<10	1,000	1.0	N	N	10	20	10	N	N	<10	15	15
70BG007	N	N	N	>5,000	<1.0	N	N	15	20	100	N	N	N	15	N
70BG009A	N	N	10	300	2.0	N	N	N	N	5	70	N	20	<5	N
70BG010	N	N	20	200	2.0	N	N	N	15	5	30	N	20	<5	10
70BG014	N	N	20	150	3.0	N	N	N	<10	10	N	N	50	<5	15
70BG024	N	N	N	20	7.0	N	N	10	10	500	N	10	N	<5	10
70BG038	N	N	<10	50	<1.0	N	N	5	N	15	100	N	10	<5	N
70BG044	N	N	15	2,000	1.0	N	N	30	100	30	200	N	20	30	10
70BG079	N	N	50	300	<1.0	N	N	30	10	70	N	N	N	5	10
70BG212	N	N	<10	100	N	N	N	50	30	150	N	N	N	15	10
70BG213	N	N	<10	100	N	N	N	50	N	20	N	N	N	<5	N
70BG246A	N	N	200	2,000	2.0	N	N	20	N	50	200	N	20	<5	50
70BG255	N	N	N	100	N	N	N	30	15	5	N	N	N	50	N

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	S-SB	S-SC	S-SN	S-SR	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
69B6758	N	N	N	700	20	N	15	N	N	N	--	--	--	.02
69B6797	N	5	N	<100	10	50	100	700	300	.10	--	--	--	.02
69B6798	N	N	N	100	10	N	20	N	300	.05	--	--	--	.01
69S2048	N	15	N	200	150	N	50	<200	70	<.02	--	--	--	--
69S2108	N	20	N	200	150	N	15	N	70	<.02	--	--	--	--
69S2178	N	15	N	500	150	N	20	<200	200	<.02	--	--	--	--
69S2218	N	15	N	300	150	N	20	N	70	<.02	--	--	--	--
69S2338	N	5	N	500	50	N	10	N	70	<.02	--	--	--	--
69S2368	N	30	N	700	300	N	30	<200	70	<.02	--	--	--	--
69S2488	N	20	N	700	200	N	20	<200	50	<.02	--	--	--	--
69S2518	N	20	N	700	200	N	20	<200	30	<.02	--	--	--	--
69S2550	N	5	N	300	30	N	10	N	30	<.02	--	--	--	--
69S2578	N	5	N	2,000	200	N	30	N	50	N	35	30	80	--
69S257C	N	15	N	150	150	N	10	<200	70	<.02	--	--	--	--
69S2588	N	20	N	200	150	N	30	200	150	<.02	--	--	--	--
69S2608	N	15	N	700	200	N	30	300	70	<.02	--	--	--	--
69S2708	N	30	N	300	500	N	30	300	70	<.02	--	--	--	--
69S270C	N	30	N	100	200	N	15	N	<10	<.02	--	--	--	--
69S2768	N	30	N	500	200	N	30	<200	150	<.02	--	--	--	--
69S289C	N	15	N	150	200	N	20	N	70	<.02	--	--	--	--
69S2900	N	30	N	200	200	N	15	<200	100	<.02	--	--	--	--
69S295E	N	15	N	<100	100	N	10	<200	50	<.02	--	--	--	--
69S2960	N	30	N	300	200	N	30	<200	100	<.02	--	--	--	--
69S298C	N	7	N	200	70	N	10	N	150	<.02	--	--	--	--
69S300C	N	20	N	150	200	N	15	<200	100	<.02	--	--	--	--
69S3040	N	7	N	200	30	N	15	N	70	<.02	--	--	--	--
69S3088	N	30	N	300	300	N	15	<200	50	<.02	--	--	--	--
69S312C	N	30	N	300	300	N	30	<200	70	<.02	--	--	--	--
69S3158	N	30	N	200	500	N	20	200	<10	<.02	--	--	--	--
69S321C	N	30	N	300	500	N	15	1,500	70	<.02	--	--	--	--
69S327E	N	10	N	150	150	N	15	200	70	<.02	--	--	--	--
69S330C	N	5	N	<100	30	N	10	<200	70	<.02	--	--	--	--
69S347B	N	7	N	500	150	N	15	200	70	<.02	--	--	--	--
70B6007	N	15	N	>5,000	200	N	100	N	N	<.05	--	--	--	.01
70B6009A	N	5	N	<100	10	N	70	N	700	<.05	--	--	--	.02
70B6010	N	5	N	100	20	N	70	N	500	<.05	--	--	--	.05
70B6014	N	7	N	N	10	70	100	700	500	<.05	--	--	--	.02
70B6024	N	5	N	<100	50	N	10	1,000	N	<.05	--	--	--	.04
70B6038	N	5	N	300	100	70	20	N	300	<.05	--	--	--	.04
70B6044	N	15	N	500	300	N	50	N	300	<.05	--	--	--	.02
70B6079	N	30	N	300	500	N	20	N	70	<.05	--	--	--	.10
70B6212	N	50	N	500	500	N	15	N	30	<.05	--	--	--	.01
70B6213	N	20	N	700	300	N	10	N	20	<.05	--	--	--	.02
70B6246A	N	<5	N	100	100	N	50	N	500	<.05	--	--	--	.04
70B6255	N	<5	N	100	50	N	<10	N	N	<.05	--	--	--	<.01

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES--continued

SAMPLE	LATITUDE	LONGITUDE	ROCK & MINERAL CODES	S-FEZ	S-MGZ	S-CAZ	S-TIZ	S-MN	S-AG
70BG281	55 11 12	131 48 5	FV-HM	7.00	5.00	10.00	.050	5,000	N
70BG306	55 15 50	131 49 50	FV-CP,HM,PY (FZ)	20.00	.20	.05	.070	5,000	1.5
70BG319	55 19 5	131 38 14	MV-PY	7.00	2.00	7.00	.300	5,000	N
70BG355A	55 11 15	131 43 45	DM-HM,CP,PY (FZ)	>20.00	.70	.50	.050	150	10.0
70BG355B	55 11 15	131 43 45	DM-HM,CP,PY (FZ)	7.00	.30	.05	.050	150	3.0
70S005	55 33 28	131 21 11	PN	3.00	1.50	.70	.300	300	.7
70S016	55 30 17	131 19 49	PN-CPY	7.00	1.50	.70	.500	200	<.5
70S025	55 17 32	130 48 51	AM	15.00	7.00	5.00	.300	2,000	N
70S026	55 17 48	130 47 25	GN-PY,PR	3.00	1.50	3.00	.300	700	3.0
70S029	55 18 2	130 44 49	GN-PY	5.00	.70	.20	.300	200	1.5
70S047	55 15 41	130 58 20	PN-PY	7.00	1.50	1.50	.300	700	<.5
70S052	55 14 11	131 0 56	HU	10.00	5.00	10.00	.300	1,500	<.5
70S061	55 11 26	131 5 21	VQ	10.00	3.00	7.00	.300	1,000	<.5
70S244	55 11 44	131 0 5	PN	10.00	3.00	3.00	1.000	1,000	N
70S252	55 17 31	131 3 25	AM	3.00	7.00	20.00	.300	3,000	N
70S266	55 26 18	130 53 29	AM-PY	15.00	7.00	15.00	.500	3,000	N
70S278	55 28 20	130 53 48	AM-PY	15.00	5.00	7.00	>1.000	3,000	N
70S284	55 32 17	130 52 10	PN-PY	15.00	3.00	15.00	.700	3,000	N
70S285B	55 32 39	130 51 51	HB	7.00	1.50	15.00	.200	2,000	N
70S287	55 32 38	130 50 25	MG	15.00	3.00	5.00	.100	1,000	N
70S290A	55 32 8	130 47 56	QD	5.00	1.50	1.50	.300	500	N
70S293	55 33 11	130 50 44	PN	3.00	.70	.70	.300	300	N
70S309	55 28 31	130 59 35	PN-PY	7.00	3.00	7.00	.300	1,000	N
70S311	55 30 2	130 59 30	PN-PY	7.00	3.00	7.00	.500	200	N
70S346	55 47 31	131 33 3	PN-PY	10.00	3.00	2.00	.700	700	N
70S358	55 48 37	131 42 15	PN	15.00	3.00	3.00	1.000	>5,000	N
70S367	55 50 5	131 34 37	PN-PY	7.00	3.00	7.00	1.000	1,500	N
70S371	55 46 15	131 35 57	PN-PY	7.00	2.00	1.50	.500	700	<.5
70S380	55 40 27	131 31 41	PN	7.00	1.50	1.50	.300	1,500	<.5
70S383	55 41 5	131 34 14	GD	20.00	1.50	3.00	>1.000	700	1.5
70S400	55 41 57	131 41 59	PN-PY	3.00	1.50	.30	.300	700	.5
70S932	55 2 48	130 58 9	PN	7.00	1.50	.50	.700	700	N
72B002B	55 44 8	130 45 51	PN-PY	3.00	1.00	.07	.500	500	N
72B005C	55 43 18	130 47 3	HU	2.00	.50	3.00	.300	700	N
72B007	55 43 17	130 48 37	PN	3.00	1.50	.70	.200	300	N
72B011	55 43 9	130 49 49	PN	3.00	.70	1.00	.300	1,500	N
72B012A	55 43 6	130 51 6	DP	.30	.15	1.00	.030	70	N
72B012B	55 42 47	130 52 9	QD	5.00	2.00	3.00	.500	1,000	N
72B013	55 42 47	130 52 4	PN	3.00	1.50	2.00	.300	500	1.5
72B015	55 42 11	130 53 17	PN-PY	5.00	2.00	7.00	.300	1,500	<.5
72B016A	55 50 27	130 50 3	PN-PY	5.00	1.50	1.50	.300	700	N
72B021	55 49 27	130 47 54	PN	1.50	.70	2.00	.200	700	N
72B027	55 54 19	130 49 54	PN	3.00	1.50	1.50	.500	700	N
72B034	55 48 33	130 39 33	PN	2.00	.50	.30	.200	500	N
72B036	55 49 0	130 32 44	GD	2.00	.70	2.00	.200	500	N

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	S-AS	S-AU	S-B	S-BA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PB
70BG281	N	N	N	150	<1.0	N	N	20	20	20	N	N	N	30	N
70BG306	N	N	N	20	1.0	N	N	150	20	20,000	20	N	N	20	N
70BG319	N	N	N	300	N	N	N	20	<10	50	N	N	N	15	N
70BG355A	N	N	N	20	N	N	N	70	20	>20,000	N	N	N	100	N
70BG355B	200	N	<10	30	3.0	20	N	100	15	10,000	30	10	N	70	10
70S005	N	N	50	1,000	1.0	N	N	15	70	100	N	10	<10	30	15
70S016	N	N	70	700	<1.0	N	N	15	100	70	N	<5	10	30	10
70S025	N	N	10	150	N	N	N	100	700	200	N	5	10	150	<10
70S026	N	N	<10	1,000	1.0	N	N	15	70	150	<20	7	<10	100	15
70S029	N	N	30	700	1.5	N	N	10	100	70	<20	<5	<10	50	30
70S047	N	N	15	5,000	<1.0	N	N	15	20	70	30	<5	10	15	10
70S052	N	N	15	1,500	N	N	N	50	300	200	N	5	10	150	15
70S061	N	N	70	300	<1.0	N	N	30	200	150	N	<5	<10	150	10
70S244	N	N	30	300	1.0	N	N	15	150	70	<20	<5	15	30	20
70S252	N	N	N	150	N	N	N	7	70	30	N	<5	10	30	150
70S266	N	N	10	300	<1.0	N	N	30	30	200	N	<5	15	15	20
70S278	N	N	10	70	N	N	N	30	30	150	N	<5	15	10	15
70S284	N	N	15	300	1.5	N	N	30	150	150	30	<5	15	70	20
70S285B	N	N	<10	150	<1.0	N	N	20	70	30	30	N	<20	30	100
70S287	N	N	<10	70	<1.0	N	N	50	30	50	20	5	<20	15	<10
70S290A	N	N	<10	500	<1.0	N	N	15	20	5	70	N	<20	7	20
70S293	N	N	<10	300	<1.0	N	N	15	30	10	50	5	<20	30	15
70S309	N	N	15	3,000	<1.0	N	N	30	150	200	N	<5	10	70	15
70S311	N	N	N	1,500	1.0	N	N	7	70	100	20	<5	10	50	10
70S346	N	N	10	700	1.0	N	N	20	150	200	N	10	10	70	50
70S358	N	N	70	1,000	1.0	N	N	30	150	150	<20	5	15	70	30
70S367	N	N	30	500	1.0	N	N	<5	70	70	N	<5	10	15	20
70S371	N	N	15	700	<1.0	N	N	15	100	100	N	30	10	70	30
70S380	N	N	20	700	<1.0	N	N	15	20	100	N	7	10	15	15
70S383	N	N	10	700	N	N	N	<5	70	700	20	50	15	<5	50
70S400	N	N	15	500	1.0	N	N	N	30	70	N	5	10	10	15
70S932	N	N	20	700	<1.0	N	N	50	100	100	20	N	10	50	20
72B002B	N	N	<10	1,500	<1.0	N	N	10	150	70	50	N	10	50	30
72B005C	N	N	<10	300	1.5	N	N	N	<10	20	<20	N	<10	<5	N
72B007	N	N	<10	700	<1.0	N	N	7	30	70	30	N	<20	20	20
72B011	N	N	N	1,500	<1.0	N	N	7	30	30	N	N	<10	15	70
72B012A	N	N	<10	1,500	1.0	N	N	N	N	10	N	N	N	<5	20
72B012B	N	N	<10	700	1.0	N	N	10	70	20	<20	N	10	15	20
72B013	N	N	<10	1,500	1.0	N	N	10	100	500	N	5	10	70	20
72B015	N	N	50	300	2.0	N	N	7	70	100	20	<5	10	30	30
72B016A	N	N	<10	300	1.0	N	N	5	15	30	<20	N	<20	<5	15
72B021	N	N	N	1,500	1.0	N	N	N	10	50	<20	N	<10	<5	15
72B027	N	N	<10	1,500	1.0	N	N	5	100	50	30	<5	15	15	20
72B034	N	N	<10	1,500	<1.0	N	N	<5	70	30	N	N	10	10	<10
72B036	N	N	<10	1,500	1.0	N	N	5	<10	7	30	N	<10	<5	20

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES--continued

SAMPLE	S-SB	S-SC	S-SN	S-SR	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
70BG281	N	5	N	1,000	200	50	<10	N	10	<.05	--	--	--	.02
70BG306	N	5	N	N	150	<50	30	N	70	<.05	--	--	--	.05
70BG319	N	20	N	700	200	<50	20	N	30	<.05	--	--	--	.01
70BG355A	N	7	150	N	70	N	10	N	N	.05	--	--	--	.02
70BG355B	N	7	20	N	50	N	30	N	N	.10	--	--	--	.04
70S005	N	15	N	150	300	N	15	200	100	<.02	--	--	--	--
70S016	N	30	N	300	300	N	15	N	150	<.02	--	--	--	--
70S025	N	100	N	100	500	N	30	200	20	<.02	--	--	--	--
70S026	N	15	N	500	300	N	20	300	150	<.02	--	--	--	--
70S029	N	15	N	<100	300	N	15	<200	70	<.02	--	--	--	--
70S047	N	10	N	700	300	N	20	<200	500	<.02	--	--	--	--
70S052	N	50	N	150	500	N	15	N	70	<.02	--	--	--	--
70S061	N	30	N	700	300	N	20	<200	20	<.02	--	--	--	--
70S244	N	30	N	300	500	N	30	N	200	<.02	--	--	--	--
70S252	N	20	N	700	70	N	30	N	30	<.02	--	--	--	--
70S266	N	30	N	700	500	N	20	N	150	<.02	--	--	--	--
70S278	N	50	N	300	500	N	30	<200	100	<.02	--	--	--	--
70S284	N	20	N	300	200	N	20	N	200	<.02	--	--	--	--
70S285B	N	10	N	700	70	N	20	<200	70	N	65	180	80	.11
70S287	N	30	N	700	300	N	20	N	20	N	50	5	20	.06
70S290A	N	7	N	700	100	N	10	N	150	N	5	5	40	.08
70S293	N	7	N	300	70	N	10	N	200	N	10	<5	20	.07
70S309	N	30	N	300	300	N	15	N	70	<.02	--	--	--	--
70S311	N	30	N	500	300	N	30	500	150	<.02	--	--	--	--
70S346	N	30	N	700	300	N	15	<200	150	<.02	--	--	--	--
70S358	N	30	N	500	300	N	30	<200	200	<.02	--	--	--	--
70S367	N	20	N	300	300	N	20	200	150	<.02	--	--	--	--
70S371	N	15	N	700	700	N	15	300	150	<.02	--	--	--	--
70S380	N	15	N	300	200	N	20	N	150	<.02	--	--	--	--
70S383	N	20	N	700	300	N	50	N	300	<.02	--	--	--	--
70S400	N	15	N	150	200	N	10	N	70	<.02	--	--	--	--
70S932	N	20	N	150	150	N	20	N	300	<.02	--	--	--	--
72B002B	N	15	N	150	70	N	20	N	300	N	70	15	60	.10
72B005C	N	7	N	700	70	N	15	N	100	N	10	10	10	.06
72B007	N	15	N	150	100	N	15	N	70	N	80	10	40	<.02
72B011	N	10	N	300	70	N	15	N	200	N	15	15	85	.08
72B012A	N	N	N	300	15	N	N	N	50	N	<5	5	15	.06
72B012B	N	20	N	700	200	N	15	N	300	N	5	10	45	.06
72B013	N	15	N	200	150	N	30	N	70	N	280	20	25	.02
72B015	N	15	N	500	150	N	30	N	70	N	70	20	45	.06
72B016A	N	10	N	500	70	N	10	N	100	N	30	5	30	<.02
72B021	N	7	N	300	150	N	15	N	70	N	55	10	25	.02
72B027	N	15	N	300	150	N	15	N	200	N	25	15	80	.02
72B034	N	7	N	150	150	N	15	N	300	N	15	10	35	.02
72B036	N	7	N	700	70	N	10	N	100	N	<5	10	40	.08

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	LATITUDE	LONGITUDE	ROCK & MINERAL CODES	S-FEX	S-MGX	S-CAZ	S-TIX	S-MN	S-AG
728038	55 47 39	130 30 48	GD	5.00	1.00	2.00	.300	300	N
728054	55 59 7	130 46 1	QM	.30	.20	.70	.030	300	N
728070	55 54 2	130 42 15	QM	.70	.15	1.50	.100	200	N
728072	55 56 53	130 41 49	GG	1.50	.50	1.50	.200	500	N
728073	55 57 20	130 40 45	PN	1.50	.70	2.00	.200	700	N
728087	55 45 56	130 52 9	QD	5.00	1.50	3.00	.500	700	N
728088	55 48 19	130 51 38	PN	1.50	.70	1.50	.200	200	N
728110	55 47 34	130 51 7	VQ	1.50	.30	.10	.200	150	N
728113	55 47 45	130 50 44	VQ	.07	.02	<.05	.030	50	N
728114	55 47 52	130 50 48	VQ	7.00	.70	.15	.300	300	N
728118	55 55 18	130 26 27	GD	1.50	.20	.50	.100	300	N
728155	55 31 35	130 46 40	BA	10.00	1.50	5.00	1.000	1,500	N
728202	55 33 11	130 44 45	GD	3.00	.15	3.00	.300	1,000	N
728234	55 38 9	130 44 21	QD	7.00	1.50	2.00	.300	1,000	N
728235	55 38 2	130 45 23	QD	3.00	1.00	1.50	.200	500	N
728236	55 38 12	130 46 31	PN	5.00	1.00	1.50	.300	300	N
728237	55 38 39	130 47 30	GD	3.00	.70	1.50	.200	700	N
728238	55 39 23	130 50 40	QD	5.00	1.50	2.00	.300	1,000	N
728239	55 38 12	130 49 27	PN	7.00	1.50	2.00	.500	1,500	N
728241	55 37 15	130 50 21	GD	3.00	.70	1.50	.200	300	N
728242	55 36 47	130 49 54	QD	10.00	1.50	2.00	.300	1,000	N
728243A	55 36 8	130 49 41	PN	7.00	2.00	3.00	.300	700	N
728244	55 35 50	130 51 2	QD	10.00	2.00	3.00	.500	1,000	N
728245	55 35 3	130 50 3	GD	3.00	1.00	1.50	.200	300	N
728246	55 34 17	130 50 7	VQ	.07	.03	<.05	.030	20	N
728247	55 36 33	130 48 21	GD	5.00	1.50	1.50	.300	700	N
728248	55 36 32	130 46 11	QD	7.00	1.50	2.00	.300	700	N
728249	55 36 37	130 44 27	GD	7.00	2.00	2.00	.300	1,000	N
728250	55 34 14	130 43 5	QD	7.00	1.50	2.00	.300	700	N
728251	55 32 54	130 42 34	QD	10.00	3.00	3.00	.500	1,000	N
728252	55 32 11	130 42 39	GD	5.00	1.50	1.50	.300	700	N
728253	55 30 20	130 42 7	QD	7.00	2.00	3.00	.500	1,000	N
728254	55 28 54	130 43 29	QM	5.00	1.50	1.50	.300	1,000	N
728255	55 30 12	130 40 37	PN	7.00	1.50	1.50	.300	2,000	N
728256	55 28 54	130 46 24	QD	5.00	1.50	2.00	.300	700	N
728257	55 32 40	130 33 57	GD	3.00	1.50	1.50	.300	700	N
728267	55 33 28	130 48 56	QV	.15	.50	.70	.150	150	N
728269	55 33 59	130 48 47	PN-PY	7.00	1.50	1.50	.300	700	N
728273	55 34 31	130 46 42	GD	3.00	1.00	1.50	.200	500	N
728275	55 34 51	130 45 38	GD	5.00	2.00	5.00	.500	1,000	N
728278	55 36 2	130 43 35	QD	5.00	1.50	1.50	.300	700	N
728280	55 35 58	130 42 38	PN-PY	3.00	1.00	2.00	.300	300	N
728286	55 44 56	130 25 55	GD	3.00	.70	1.50	.200	700	N
728297	55 39 2	130 31 24	QD	3.00	2.00	3.00	.500	1,500	N
728298A	55 39 51	130 29 35	PN	5.00	3.00	7.00	.700	5,000	3.0

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	S-AS	S-AU	S-B	S-BA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PB
728038	N	N	<10	1,000	<1.0	N	N	<5	10	10	30	N	<20	5	20
728054	N	N	N	1,500	<1.0	N	N	N	N	30	N	N	<10	<5	30
728070	N	N	N	2,000	<1.0	N	N	N	N	30	N	N	N	<5	10
728072	N	N	N	2,000	1.0	N	N	<5	N	30	<20	N	<10	<5	20
728073	N	N	N	1,500	1.0	N	N	<5	N	30	<20	N	<10	<5	15
728087	N	N	<10	1,500	<1.0	N	N	10	15	30	<20	N	10	7	30
728088	N	N	N	700	1.0	N	N	<5	<10	20	N	N	<10	7	50
728110	N	N	<10	700	N	N	N	7	30	20	N	N	<10	15	30
728113	N	N	<10	200	<1.0	N	N	N	N	10	N	N	N	<5	N
728114	N	N	<10	300	1.5	N	N	<5	70	100	70	<5	10	7	15
728118	N	N	N	1,500	1.0	N	N	N	N	15	N	N	N	<5	30
728155	N	N	<10	1,500	<1.0	N	N	15	10	20	50	7	20	<5	<10
728202	N	N	<10	1,500	1.0	N	N	5	15	30	<20	N	10	<5	20
728234	N	N	<10	700	1.0	N	N	15	20	15	30	N	<20	5	30
728235	N	N	<10	700	1.0	N	N	5	15	7	30	N	<20	<5	20
728236	N	N	<10	5,000	<1.0	N	N	5	10	10	50	N	<20	5	30
728237	N	N	<10	1,500	<1.0	N	N	<5	<10	10	30	N	<20	<5	10
728238	N	N	<10	1,000	1.0	N	N	15	30	15	<20	N	<20	10	20
728239	N	N	<10	1,500	<1.0	N	N	15	30	30	<20	N	<20	10	20
728241	N	N	<10	1,000	<1.0	N	N	<5	N	5	<20	N	<20	<5	15
728242	N	N	<10	300	<1.0	N	N	15	15	20	30	N	<20	<5	15
728243A	N	N	<10	500	<1.0	N	N	20	30	15	<20	15	<20	15	15
728244	N	N	<10	1,000	<1.0	N	N	20	20	30	<20	N	<20	5	20
728245	N	N	<10	3,000	<1.0	N	N	7	15	15	20	N	<20	<5	20
728246	N	N	N	100	N	N	N	N	<10	20	N	N	N	N	N
728247	N	N	<10	1,500	<1.0	N	N	30	15	15	<20	N	<20	5	10
728248	N	N	<10	500	1.0	N	N	10	30	15	20	N	<20	7	15
728249	N	N	<10	700	1.0	N	N	10	15	7	<20	N	<20	5	20
728250	N	N	<10	500	<1.0	N	N	15	20	15	<20	N	<20	7	15
728251	N	N	<10	1,000	<1.0	N	N	20	30	15	N	N	<20	10	15
728252	N	N	<10	500	<1.0	N	N	10	10	20	30	N	<20	<5	20
728253	N	N	<10	700	<1.0	N	N	15	15	30	<20	N	<20	5	20
728254	N	N	<10	1,000	1.0	N	N	10	10	10	30	N	<20	5	20
728255	N	N	<10	700	1.5	N	N	10	70	20	70	<5	<20	30	20
728256	N	N	<10	700	<1.0	N	N	15	30	10	30	N	<20	10	30
728257	N	N	N	1,500	<1.0	N	N	7	<10	7	N	N	<20	5	20
728267	N	N	N	200	<1.0	N	N	20	10	30	N	N	<10	5	N
728269	N	N	<10	700	1.0	N	N	<5	30	150	100	5	10	<5	150
728273	N	N	N	1,000	<1.0	N	N	7	<10	7	N	N	<20	10	20
728275	N	N	<10	1,500	1.0	N	N	15	15	30	<20	N	10	<5	20
728278	N	N	N	1,000	<1.0	N	N	7	10	15	20	N	<20	7	15
728280	N	N	10	1,500	<1.0	N	N	15	70	70	70	N	10	70	20
728286	N	N	<10	1,500	<1.0	N	N	<5	N	7	30	N	<20	<5	20
728297	N	N	N	1,000	<1.0	N	N	7	<10	20	N	N	<20	<5	50
728298A	N	N	<10	700	<1.0	N	N	10	10	70	<20	N	10	10	50

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	S-SB	S-SC	S-SN	S-SR	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
728038	N	10	N	700	70	N	10	N	50	N	5	5	50	N
728054	N	<5	N	300	<10	N	<10	N	50	N	<5	10	15	.06
728070	N	N	N	500	30	N	N	N	20	N	5	<5	15	.03
728072	N	7	N	700	50	N	15	N	200	N	5	5	40	.04
728073	N	7	N	700	50	N	15	N	70	N	<5	<5	20	.10
728087	N	20	N	700	150	N	30	N	300	N	15	5	35	.08
728088	N	5	N	300	30	N	N	N	150	N	5	10	25	.06
728110	N	7	N	300	30	N	150	N	50	N	5	<5	10	.08
728113	N	N	N	N	10	N	N	N	<10	N	5	<5	<5	.10
728114	N	15	N	N	70	N	15	N	100	N	35	10	40	.06
728118	N	N	N	700	30	N	N	N	70	N	5	5	35	.08
728155	N	30	N	700	150	N	30	N	300	N	15	10	80	.10
728202	N	15	N	1,000	150	N	20	N	150	N	<5	<5	25	.02
728234	N	15	N	500	150	N	15	N	50	N	5	5	40	.02
728235	N	7	N	500	70	N	10	N	70	N	5	5	40	.02
728236	N	10	N	1,000	150	N	10	N	70	N	<5	5	20	N
728237	N	7	N	500	70	N	15	N	100	N	15	<5	5	<.02
728238	N	10	N	700	150	N	15	N	70	N	<5	<5	5	<.02
728239	N	15	N	700	150	N	20	N	150	N	20	5	40	.03
728241	N	5	N	700	50	N	10	N	200	N	5	5	60	.02
728242	N	10	N	700	100	N	15	N	100	N	5	5	70	<.02
728243A	N	15	N	700	150	N	15	N	70	N	10	5	30	.03
728244	N	15	N	700	150	N	15	N	50	N	10	5	40	.02
728245	N	5	N	700	70	N	<10	N	150	N	5	5	40	.05
728246	N	N	N	N	10	N	N	N	20	N	<5	N	N	.28
728247	N	10	N	700	100	N	15	N	100	N	10	5	40	.03
728248	N	20	N	500	150	N	15	N	150	N	5	5	25	.04
728249	N	15	N	500	100	N	15	N	150	N	5	5	20	.05
728250	N	15	N	700	100	N	15	N	50	N	20	5	25	.02
728251	N	20	N	700	150	N	15	N	70	N	10	5	50	N
728252	N	15	N	500	100	N	15	N	100	N	25	<5	30	.02
728253	N	15	N	700	150	N	15	N	20	N	35	5	40	.02
728254	N	15	N	500	150	N	15	N	70	N	15	<5	30	.04
728255	N	15	N	300	150	N	30	N	150	N	40	10	60	.03
728256	N	10	N	700	100	N	15	N	70	N	10	5	50	.02
728257	N	7	N	700	70	N	10	N	70	N	5	5	60	.03
728267	N	N	N	200	50	N	N	N	50	N	20	N	15	.18
728269	N	20	N	500	150	N	20	N	300	N	65	10	65	.16
728273	N	7	N	700	70	N	15	N	50	N	5	5	40	.02
728275	N	20	N	1,000	150	N	20	N	70	N	15	5	40	.24
728278	N	7	N	700	70	N	<10	N	30	N	15	5	35	.02
728280	N	7	N	<100	200	N	20	N	150	N	65	N	70	.12
728286	N	7	N	500	70	N	15	N	500	N	5	5	70	.03
728297	N	7	N	1,000	150	N	15	N	100	N	20	10	180	.03
728298A	N	20	N	300	300	N	50	N	100	N	30	10	110	.16

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	LATITUDE	LONGITUDE	ROCK & MINERAL CODES	S-FEZ	S-MGZ	S-CAZ	S-TIZ	S-MN	S-AG
728298B	55 39 51	130 29 35	QD	5.00	2.00	3.00	.700	1,500	1.5
728298C	55 39 51	130 29 35	PN-PY	5.00	1.00	7.00	.700	1,500	2.0
728298D	55 39 51	130 29 35	PN-PY	3.00	.70	1.50	.300	1,000	3.0
728299	55 41 5	130 26 9	GD	2.00	.70	1.50	.300	300	N
728307	55 38 30	130 53 38	BA	15.00	3.00	7.00	>1.000	1,500	N
728314	55 30 33	130 36 12	PN	7.00	2.00	3.00	.500	1,500	N
728315	55 42 21	130 28 8	PN	5.00	1.50	3.00	.300	1,500	N
728316	55 47 53	130 21 59	QM	1.50	.20	1.50	.150	300	N
728317	55 38 14	130 32 36	GG	7.00	1.50	2.00	.300	1,000	N
728318	55 37 0	130 36 2	PN	7.00	2.00	2.00	.700	1,000	N
728319	55 35 3	130 34 32	GD	5.00	1.50	3.00	.300	700	N
728321	55 34 5	130 38 23	GD	1.50	.50	3.00	.200	300	N
728322	55 37 19	130 36 30	VQ	.50	.10	.10	.070	50	N
728324	55 29 45	130 37 45	PN-PY	15.00	1.50	1.50	.700	700	N
728325	55 34 5	130 36 7	QD	7.00	1.50	3.00	.300	700	N
728326	55 36 59	130 39 33	PN	3.00	.70	.10	.300	200	N
728327	55 38 2	130 34 17	PN	10.00	1.50	2.00	.700	700	N
728328	55 38 21	130 31 28	GD	7.00	1.50	5.00	.500	700	N
728329	55 39 2	130 28 38	QM	1.50	.20	1.50	.150	300	N
728330	55 39 2	130 25 35	PN	10.00	3.00	.30	.700	2,000	N
728331	55 39 11	130 24 42	GD	2.00	.50	1.50	.100	500	N
728332	55 41 22	130 26 59	GD	3.00	1.00	2.00	.200	1,500	N
728341	55 41 5	130 46 9	GD	3.00	.70	2.00	.300	1,000	N
728343B	55 40 46	130 49 47	PN	10.00	2.00	3.00	.700	1,500	N
728346	55 39 42	130 41 26	PN	7.00	1.00	1.00	.500	300	N
728347	55 40 47	130 41 18	GD	3.00	.70	1.50	.300	200	N
728349	55 41 34	130 40 47	PN	15.00	3.00	.20	1.000	300	N
728350	55 41 52	130 37 46	PN	3.00	.50	1.50	.300	300	<.5
728351	55 42 47	130 29 4	QM	5.00	1.50	2.00	.300	300	N
728352A	55 44 17	130 25 22	QM	7.00	1.50	3.00	.300	1,500	N
728354	55 43 54	130 32 7	GD	5.00	1.50	3.00	.300	1,000	N
728356	55 43 2	130 37 14	PN	2.00	1.00	1.50	.300	300	N
728357	55 44 17	130 41 21	PN	5.00	1.00	1.50	.200	300	N
728359	55 48 38	130 48 33	GD	2.00	.70	1.50	.300	300	N
728360	55 47 12	130 51 5	GG	5.00	.70	.70	.300	500	N
728361	55 44 47	130 53 48	PN	7.00	2.00	3.00	.700	1,000	N
728362	55 44 35	130 49 1	GD	5.00	2.00	3.00	.300	700	N
728363	55 46 47	130 48 1	PN	5.00	1.50	.20	.500	700	N
728370	55 47 8	130 42 11	PN	10.00	3.00	7.00	.500	1,500	.5
728372	55 49 41	130 45 38	PN	7.00	1.00	1.50	.700	300	.5
728373	55 50 23	130 47 35	GG	.50	.10	.70	.050	150	N
728374	55 51 15	130 49 9	PN	2.00	1.50	5.00	.150	700	N
728375A	55 51 38	130 48 43	PN-PY	7.00	2.00	2.00	.500	700	<.5
728375B	55 51 38	130 48 43	PN	15.00	3.00	1.50	.500	700	1.0
728377	55 53 17	130 47 48	PN	2.00	.70	.70	.200	200	N

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	S-AS	S-AU	S-B	S-BA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PB
72B298B	N	N	<10	700	1.0	N	N	5	15	150	<20	N	10	7	30
72B298C	N	N	<10	300	1.0	N	N	7	30	50	30	7	10	7	30
72B298D	N	N	<10	1,500	<1.0	N	N	<5	N	30	N	N	10	<5	100
72B299	N	N	<10	1,500	1.0	N	N	<5	N	30	N	N	<10	5	20
72B307	N	N	<10	1,000	1.0	N	N	30	20	70	50	<5	15	15	N
72B314	N	N	<10	700	<1.0	N	N	20	15	30	30	<5	<20	7	20
72B315	N	N	<10	2,000	<1.0	N	N	15	N	10	20	N	<20	5	20
72B316	N	N	<10	3,000	1.5	N	N	N	N	50	N	N	<10	<5	30
72B317	N	N	<10	700	<1.0	N	N	15	15	15	30	N	<20	5	15
72B318	N	N	<10	700	1.0	N	N	10	30	30	30	<5	10	5	30
72B319	N	N	<10	700	<1.0	N	N	15	10	7	20	N	<20	5	20
72B321	N	N	N	1,500	1.0	N	N	N	<10	20	<20	N	<10	5	15
72B322	N	N	N	150	N	N	N	N	N	30	N	N	<10	<5	N
72B324	N	N	<10	1,500	1.0	N	N	5	150	150	20	<5	10	15	30
72B325	N	N	<10	700	<1.0	N	N	10	<10	7	20	N	<20	5	15
72B326	N	N	<10	300	N	N	N	<5	30	7	50	N	<20	30	<10
72B327	N	N	<10	1,500	1.0	N	N	20	150	500	70	<5	10	50	10
72B328	N	N	<10	1,500	1.0	N	N	15	<10	50	30	N	10	5	20
72B329	N	N	N	1,500	1.5	N	N	N	<10	30	N	N	10	<5	50
72B330	N	N	<10	1,000	<1.0	N	N	20	200	70	300	<5	15	50	20
72B331	N	N	<10	1,500	<1.0	N	N	7	<10	10	<20	N	<20	5	30
72B332	N	N	<10	1,500	<1.0	N	N	7	N	20	20	N	<20	5	20
72B341	N	N	<10	2,000	1.0	N	N	<5	15	30	<20	N	<10	5	<10
72B343B	N	N	<10	1,000	<1.0	N	N	15	N	15	20	N	<20	<5	20
72B346	N	N	<10	500	<1.0	N	N	15	70	20	150	N	<20	30	15
72B347	N	N	<10	1,500	<1.0	N	N	10	N	7	70	N	<20	<5	30
72B349	N	N	<10	1,500	N	N	N	7	300	150	150	<5	10	20	15
72B350	N	N	<10	1,000	<1.0	N	N	<5	70	70	<20	N	<10	5	15
72B351	N	N	<10	1,500	<1.0	N	N	10	10	5	50	N	<20	5	15
72B352A	N	N	<10	1,000	1.5	N	N	10	N	20	20	N	<20	<5	20
72B354	N	N	<10	1,500	1.0	N	N	10	N	7	30	N	<20	5	30
72B356	N	N	<10	1,500	<1.0	N	N	<5	70	50	50	N	<10	15	20
72B357	N	N	<10	300	1.0	N	N	7	70	15	50	<5	<20	15	20
72B359	N	N	<10	1,500	1.0	N	N	N	N	30	30	<5	10	<5	20
72B360	N	N	<10	700	2.0	N	N	N	70	30	50	N	10	5	15
72B361	N	N	<10	1,000	1.0	N	N	20	10	30	70	N	10	5	30
72B362	N	N	<10	1,000	1.0	N	N	10	15	30	70	N	<10	7	20
72B363	N	N	<10	1,500	2.0	N	N	5	100	50	50	<5	10	15	N
72B370	N	N	<10	500	N	N	N	15	20	150	<20	<5	10	10	30
72B372	N	N	<10	1,000	1.0	N	N	<5	150	100	70	5	10	15	50
72B373	N	N	N	1,500	<1.0	N	N	N	N	30	70	N	N	<5	30
72B374	N	N	<10	300	2.0	N	N	<5	70	30	70	N	<10	20	15
72B375A	N	N	<10	3,000	<1.0	N	N	15	150	100	50	7	10	30	20
72B375B	N	N	<10	700	<1.0	N	N	30	70	1,500	N	7	10	30	20
72B377	N	N	<10	2,000	<1.0	N	N	N	30	30	<20	N	<10	15	50

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES--continued

SAMPLE	S-SB	S-SC	S-SN	S-SR	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
72B298B	N	15	N	500	300	N	30	<200	70	.05	40	10	130	.04
72B298C	N	15	N	700	200	N	70	N	20	.05	30	10	20	.02
72B298D	N	5	N	150	150	N	10	N	100	<.05	10	10	40	.22
72B299	N	N	N	500	50	N	N	N	150	N	5	<5	35	.30
72B307	N	30	N	700	200	N	70	<200	150	N	15	10	70	.35
72B314	N	20	N	1,000	150	N	15	N	150	N	40	5	40	.02
72B315	N	10	N	1,000	100	N	15	N	70	N	10	<5	10	<.02
72B316	N	N	N	500	30	N	N	N	70	N	20	<5	20	.16
72B317	N	10	N	700	100	N	10	N	70	N	10	5	45	<.02
72B318	N	30	N	150	200	N	30	<200	150	N	15	10	70	.06
72B319	N	10	N	700	100	N	15	N	50	N	5	5	50	<.02
72B321	N	N	N	1,000	30	N	N	N	70	N	5	<5	30	.02
72B322	N	N	N	N	15	N	N	N	500	N	10	5	5	.12
72B324	N	30	N	300	200	N	30	N	300	N	65	15	80	.10
72B325	N	10	N	700	150	N	15	N	70	N	5	5	40	.03
72B326	N	7	N	100	70	N	15	N	200	N	<5	5	20	.03
72B327	N	15	N	150	150	N	20	N	500	N	170	15	30	.08
72B328	N	15	N	1,000	150	N	20	N	70	N	20	10	40	.08
72B329	N	N	N	300	15	N	10	N	200	N	5	5	20	.16
72B330	N	50	N	<100	200	N	100	N	300	N	35	20	100	.24
72B331	N	5	N	500	30	N	10	N	30	N	5	<5	20	.04
72B332	N	7	N	700	70	N	15	N	70	N	20	<5	10	.07
72B341	N	10	N	700	150	N	20	N	200	N	<5	10	15	.02
72B343B	N	10	N	700	150	N	15	N	<10	N	15	5	40	.06
72B346	N	10	N	300	70	N	10	N	300	N	30	5	30	.08
72B347	N	5	N	700	50	N	<10	N	100	N	10	5	50	.07
72B349	N	30	N	100	300	N	20	N	700	N	35	10	65	N
72B350	N	10	N	200	150	N	10	N	200	N	40	5	30	N
72B351	N	7	N	700	100	N	15	N	150	N	5	5	40	.06
72B352A	N	15	N	700	100	N	20	N	30	N	30	5	50	.05
72B354	N	10	N	700	100	N	15	N	50	N	5	<5	40	.06
72B356	N	7	N	300	70	N	10	N	300	N	25	5	70	N
72B357	N	10	N	300	70	N	15	N	200	N	15	10	75	.05
72B359	N	15	N	150	30	N	20	N	200	N	10	<5	20	N
72B360	N	15	N	<100	70	N	15	N	300	N	10	5	35	N
72B361	N	20	N	500	200	N	20	N	300	N	5	5	100	N
72B362	N	15	N	1,000	150	N	10	N	70	N	20	5	50	N
72B363	N	20	N	<100	200	N	50	N	200	N	25	5	40	N
72B370	N	30	N	300	300	N	20	N	70	N	90	5	20	N
72B372	N	20	N	<100	500	N	30	N	300	N	60	10	90	N
72B373	N	N	N	200	15	N	<10	N	50	N	5	5	15	N
72B374	N	15	N	300	70	N	30	N	200	N	5	5	30	N
72B375A	N	20	N	500	300	N	30	N	70	N	70	10	130	N
72B375B	N	30	N	200	200	N	<10	N	70	N	370	15	110	N
72B377	N	7	N	300	50	N	10	N	70	N	10	10	35	N

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	LATITUDE	LONGITUDE	ROCK & MINERAL CODES	S-FEX	S-MGX	S-CAZ	S-TIX	S-MN	S-AG
72B378	55 52 14	130 47 11	GG	10.00	2.00	1.50	.500	300	2.0
72B378A	55 52 14	130 47 11	GG-PY	7.00	1.50	.20	.200	1,000	1.5
72B380	55 51 38	130 48 43	MB	5.00	3.00	10.00	.300	2,000	N
72B380A	55 51 38	130 48 43	VQ	2.00	.70	.07	.700	300	N
72B380B	55 51 38	130 48 43	PN-PY	7.00	2.00	1.00	.700	1,000	N
72B381	55 50 26	130 40 26	GG-PY,MA	5.00	1.00	7.00	.700	2,000	N
72B381B	55 50 26	130 40 26	GG	1.50	1.00	2.00	.200	700	<.5
72B382	55 45 20	130 23 26	GD	2.00	.70	2.00	.200	1,000	N
72B383	55 46 59	130 22 27	QM	2.00	.50	1.50	.200	1,000	N
72B385	55 47 44	130 24 44	GG	2.00	.70	1.50	.200	1,000	N
72B386	55 46 37	130 26 35	GD	5.00	1.50	3.00	.500	1,500	N
72B387	55 45 38	130 29 16	QM	5.00	2.00	3.00	.300	1,000	N
72B388	55 46 14	130 30 14	GD	3.00	1.00	1.50	.150	700	N
72B389	55 45 53	130 32 58	GG	5.00	3.00	3.00	.700	1,000	N
72B390	55 46 27	130 35 30	GG	5.00	2.00	3.00	.500	1,000	N
72B391	55 48 35	130 36 29	QM	5.00	1.50	3.00	.500	1,500	N
72B392	55 47 36	130 37 23	DP	.15	.03	1.50	.015	70	N
72B393	55 46 6	130 37 38	PN-PY	3.00	2.00	2.00	.500	1,000	1.5
72B393A	55 46 6	130 37 38	PN-PY	10.00	2.00	3.00	.700	1,500	2.0
72B393B	55 46 6	130 37 38	PN-PY	5.00	3.00	2.00	.700	1,000	.7
72B394	55 45 42	130 38 14	PN	7.00	1.50	2.00	.700	700	N
72B395	55 48 29	130 29 35	GD	5.00	5.00	5.00	.500	1,500	N
72B396	55 49 13	130 27 17	GD	5.00	2.00	5.00	.500	1,000	N
72B397	55 50 30	130 25 23	PN	7.00	3.00	3.00	.500	1,500	N
72B398	55 51 19	130 25 10	VN	5.00	2.00	2.00	.500	700	N
72B399	55 51 47	130 25 32	QM	3.00	1.50	3.00	.500	700	N
72B400	55 52 47	130 23 57	VN	3.00	1.50	1.50	.300	700	N
72B401	55 52 54	130 22 46	VQ	3.00	.70	1.50	.300	500	N
72B402	55 51 43	130 28 11	GG	2.00	.70	1.50	.300	500	N
72B403	55 51 26	130 29 58	VQ	.15	.03	.20	.015	70	N
72B404	55 52 35	130 30 42	GD	1.50	.50	1.50	.150	500	N
72B405	55 53 40	130 31 47	QM	3.00	.70	2.00	.300	1,000	N
72B406	55 51 51	130 34 28	QM	5.00	1.50	1.00	.300	300	N
72B407	55 51 46	130 34 22	GG-PY	3.00	1.50	3.00	.300	1,000	.5
72B408	55 50 14	130 33 6	DP	.20	.05	.50	.030	150	N
72B410	55 46 1	130 39 23	PN	5.00	1.50	3.00	.200	1,500	N
72B412	55 49 41	130 40 15	QM	3.00	.70	1.50	.200	300	N
72B413A	55 48 33	130 43 35	PN	7.00	3.00	7.00	.300	1,500	N
72B413B	55 48 33	130 43 35	DP	1.50	.20	.30	.015	200	N
72B414	55 49 46	130 44 5	VQ	3.00	1.50	1.50	.300	700	.7
72B415	55 50 40	130 46 41	MB	.70	.70	5.00	.150	300	N
72B416	55 55 18	130 27 20	GD	3.00	1.00	2.00	.500	700	N
72B417	55 57 23	130 28 10	GD	5.00	1.50	3.00	.500	1,000	N
72B418	55 52 6	130 37 53	GG	3.00	1.00	2.00	.300	500	N
72B419	55 53 7	130 37 33	PN	7.00	1.50	2.00	.700	1,500	N

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES--continued

SAMPLE	S-AS	S-AU	S-B	S-BA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PB
728378	N	N	<10	700	<1.0	N	N	10	100	700	50	5	10	50	20
728378A	N	N	<10	1,500	<1.0	N	N	N	<10	500	30	<5	10	<5	50
728380	N	N	<10	100	2.0	N	N	20	70	30	50	N	10	70	N
728380A	N	N	<10	150	N	N	N	7	70	50	30	N	10	15	N
728380B	N	N	<10	700	<1.0	N	N	20	200	70	<20	N	10	50	30
728381	N	N	<10	300	1.5	N	N	7	<10	150	50	10	10	5	20
728381B	N	N	<10	500	1.5	N	N	<5	N	30	<20	N	<10	<5	700
728382	N	N	<10	1,500	1.5	N	N	N	N	30	<20	N	<10	<5	15
728383	N	N	<10	700	1.0	N	N	5	N	50	N	N	10	<5	30
728385	N	N	<10	300	<1.0	N	N	<5	10	20	<20	N	<10	<5	N
728386	N	N	<10	1,500	1.0	N	N	7	<10	50	100	N	<10	<5	30
728387	N	N	<10	1,500	<1.0	N	N	7	15	30	<20	5	<10	<5	20
728388	N	N	<10	1,500	<1.0	N	N	7	<10	7	N	N	<20	7	20
728389	N	N	<10	1,500	<1.0	N	N	10	15	50	<20	5	<10	5	15
728390	N	N	<10	1,500	1.0	N	N	10	15	30	70	N	10	7	20
728391	N	N	<10	2,000	1.0	N	N	7	<10	30	50	N	10	N	15
728392	N	N	N	3,000	1.0	N	N	N	N	30	N	N	N	N	30
728393	N	N	<10	1,500	1.0	N	N	5	100	150	<20	N	10	15	N
728393A	N	N	<10	1,500	1.0	N	N	50	100	300	50	N	10	100	20
728393B	N	N	<10	1,500	1.0	N	N	5	100	100	<20	N	<10	30	15
728394	N	N	<10	3,000	<1.0	N	N	5	<10	50	50	N	10	<5	20
728395	N	N	<10	1,500	<1.0	N	N	7	15	50	N	N	10	5	20
728396	N	N	<10	3,000	1.0	N	N	5	15	30	30	N	10	5	20
728397	N	N	<10	700	1.5	N	N	7	N	70	30	N	10	<5	20
728398	N	N	<10	2,000	<1.0	N	N	5	10	30	N	N	10	<5	20
728399	N	N	<10	3,000	1.0	N	N	<5	10	30	30	N	<10	5	30
728400	N	N	<10	1,500	1.0	N	N	7	10	20	20	N	<10	<5	150
728401	N	N	<10	700	<1.0	N	N	5	15	30	<20	N	<10	5	15
728402	N	N	<10	300	1.0	N	N	<5	N	30	<20	N	<10	<5	15
728403	N	N	N	300	<1.0	N	N	N	N	30	N	N	N	<5	N
728404	N	N	<10	1,000	1.0	N	N	N	N	30	<20	N	<10	<5	10
728405	N	N	<10	150	1.0	N	N	N	20	30	<20	N	<10	7	<10
728406	N	N	<10	700	1.0	N	N	<5	10	200	30	N	10	7	15
728407	N	N	<10	300	1.5	N	N	5	100	70	<20	300	<10	5	10
728408	N	N	N	300	1.0	N	N	N	N	30	N	N	<10	<5	N
728410	N	N	<10	300	1.5	N	N	7	70	70	30	10	10	15	15
728412	N	N	<10	1,500	1.0	N	N	30	10	50	50	N	<10	5	30
728413A	N	N	<10	500	1.5	N	N	30	500	20	20	N	10	70	20
728413B	N	N	<10	3,000	N	N	N	N	10	70	N	N	<10	15	50
728414	N	N	<10	1,500	1.5	N	N	10	70	200	150	7	10	20	70
728415	N	N	N	70	<1.0	N	N	<5	15	15	N	N	N	7	N
728416	N	N	<10	1,500	1.0	N	N	7	10	30	150	N	10	<5	30
728417	N	N	<10	1,500	1.5	N	N	20	<10	70	N	N	10	7	30
728418	N	N	<10	300	1.5	N	N	7	70	30	200	N	10	15	20
728419	N	N	<10	700	1.0	N	N	15	N	30	300	N	15	<5	15

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	S-SB	S-SC	S-SN	S-SR	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
728378	N	30	N	<100	300	N	30	N	300	N	110	10	100	N
728378A	N	10	N	N	15	N	20	1,000	700	N	120	5	450	N
728380	N	20	N	200	100	N	20	N	100	N	5	15	5	N
728380A	N	7	N	N	150	N	<10	N	>1,000	N	5	<5	10	N
728380B	N	30	N	150	200	N	15	N	300	N	20	5	30	N
728381	N	20	N	1,500	200	N	70	N	700	.05	110	10	40	.04
728381B	N	5	N	700	70	N	10	N	50	N	25	450	140	.14
728382	N	7	N	500	70	N	10	N	50	N	<5	<5	20	.02
728383	N	5	N	300	70	N	20	N	100	N	30	<5	20	.02
728385	N	15	N	500	70	N	15	N	30	N	<5	5	40	N
728386	N	15	N	1,000	150	N	15	N	300	N	<5	5	20	.02
728387	N	20	N	1,500	150	N	20	N	300	N	5	5	40	.06
728388	N	5	N	500	70	N	N	N	70	N	5	<5	40	.07
728389	N	15	N	1,000	200	N	10	N	200	N	<5	10	65	N
728390	N	20	N	1,000	200	N	15	N	200	N	<5	5	50	N
728391	N	15	N	1,000	200	N	20	N	700	N	N	<5	30	.04
728392	N	N	N	700	10	N	N	N	N	N	<5	5	10	.02
728393	N	15	N	1,000	300	N	15	N	70	N	45	5	40	N
728393A	N	20	N	500	300	N	50	N	70	N	100	10	20	N
728393B	N	15	N	1,000	300	N	30	N	100	N	45	5	50	.04
728394	N	7	N	1,000	150	N	20	N	700	N	5	<5	40	N
728395	N	20	N	N	N	N	N	N	50	N	20	5	55	.12
728396	N	20	N	1,500	150	N	20	N	150	N	<5	15	50	.08
728397	N	20	N	700	200	N	20	300	70	N	40	5	120	N
728398	N	10	N	1,500	150	N	10	N	300	N	5	5	75	N
728399	N	10	N	N	N	N	N	N	500	N	<5	5	55	N
728400	N	7	N	700	100	N	10	N	70	N	<5	450	60	.06
728401	N	7	N	500	150	N	N	N	200	N	<5	15	50	.02
728402	N	5	N	300	70	N	<10	N	150	N	15	10	100	.02
728403	N	N	N	<100	<10	N	N	N	20	N	<5	N	<5	N
728404	N	5	N	300	50	N	10	N	70	N	30	N	25	.02
728405	N	7	N	300	100	<50	15	N	300	N	10	N	25	.04
728406	N	7	N	200	150	N	30	N	>1,000	N	10	5	40	N
728407	N	10	N	500	200	N	15	N	70	N	250	5	25	N
728408	N	N	N	150	<10	N	N	N	50	N	N	N	<5	N
728410	N	30	N	N	N	N	N	N	70	N	30	5	55	.04
728412	N	5	N	N	300	N	50	N	100	N	10	5	55	.06
728413A	N	70	N	300	N	N	N	N	70	N	<5	30	60	N
728413B	N	7	N	200	15	N	N	N	N	N	35	N	15	.02
728414	N	15	N	150	200	N	50	<200	150	N	170	15	200	.02
728415	N	N	N	<100	15	N	N	N	20	N	5	5	10	N
728416	N	15	N	1,500	150	N	15	N	300	N	<5	<5	60	.02
728417	N	15	N	1,000	150	N	10	N	70	N	15	5	70	N
728418	N	15	N	200	100	N	20	N	70	N	20	10	40	.02
728419	N	30	N	300	200	N	30	<200	70	N	25	5	70	N

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	LATITUDE	LONGITUDE	ROCK & MINERAL CODES	S-FEZ	S-MGZ	S-CAZ	S-TIZ	S-MN	S-AG
72B420	55 53 48	130 36 48	PN	3.00	2.00	1.50	.300	700	N
72B421	55 53 50	130 34 55	GG	3.00	2.00	3.00	.300	1,500	N
72B422	55 54 25	130 33 32	GD	1.50	.50	1.50	.200	300	N
72B423	55 54 56	130 32 11	QM	3.00	1.50	2.00	.500	1,000	N
72B424	55 55 53	130 30 56	GD	7.00	2.00	5.00	.700	1,000	N
72B425	55 57 29	130 31 23	QM	1.50	.20	1.50	.200	300	N
72B426	55 57 53	130 30 47	GD	1.00	.20	1.00	.150	300	N
72B427	55 58 27	130 30 21	QM	1.50	.30	1.50	.150	500	N
72B428	55 58 58	130 29 3	QM	2.00	.70	1.50	.700	700	N
72B429	55 53 14	130 35 18	QM	1.50	.30	.70	.150	200	N
72B430	55 52 45	130 36 32	QM	1.50	.15	1.00	.070	150	N
72B431	55 52 11	130 40 40	PN	5.00	2.00	.70	.700	2,000	N
72B433	55 54 19	130 41 12	GG	2.00	.70	2.00	.200	1,000	N
72B435	55 56 57	130 39 56	QM	10.00	1.50	1.00	.700	1,500	N
72B436	55 57 38	130 49 32	PN	2.00	.70	1.50	.300	300	N
72B437	55 58 18	130 51 6	GG	3.00	1.00	1.50	.500	500	N
72B438A	55 58 40	130 51 12	QM-MO	2.00	.70	1.00	.300	200	N
72B438B	55 58 40	130 51 12	DP	1.00	.50	1.50	.020	300	N
72B438C	55 58 40	130 51 12	PN	5.00	3.00	7.00	.700	1,000	1.0
72B438D	55 58 40	130 51 12	QM	3.00	.70	1.50	.500	300	N
72B438E	55 58 40	130 51 12	GG	5.00	1.50	5.00	.500	1,000	<.5
72B438F	55 58 40	130 51 12	DG-MO,AS	3.00	1.50	3.00	.300	1,000	N
72B438G	55 58 40	130 51 12	QM	3.00	1.50	7.00	.300	1,500	N
72B439	55 58 18	130 51 10	PN	5.00	2.00	3.00	.700	1,000	N
72B439A	55 58 18	130 51 10	QM-PY	1.50	.03	.30	.020	100	<.5
72B439B	55 58 18	130 51 10	PN	2.00	1.00	1.50	.500	700	N
72B441A	55 59 38	130 51 20	QM	7.00	3.00	5.00	.700	1,500	N
72B441B	55 59 38	130 51 20	PN	.30	<.02	.15	.015	500	N
72B441C	55 59 38	130 51 20	QF-PY	5.00	.70	3.00	.700	1,500	.5
72B441D	55 59 38	130 51 20	PN	3.00	.70	1.50	.300	700	<.5
72B455	55 55 29	131 4 35	QD	5.00	2.00	5.00	.500	1,000	N
72B456	55 55 18	131 3 41	QD	5.00	2.00	5.00	.500	1,000	N
72B457	55 56 25	131 1 18	GD	3.00	1.50	2.00	.300	700	N
72B458	55 55 47	130 59 21	VQ	7.00	1.50	.15	.700	700	N
72B459	55 54 47	130 57 28	VQ	1.50	.70	<.05	.150	500	N
72B460	55 53 30	130 56 7	DG	1.50	.15	.10	.200	70	N
72B461	55 52 59	130 57 51	PN	3.00	1.00	3.00	.500	1,000	N
72B462	55 54 6	130 59 9	PN	5.00	1.50	.15	.500	1,500	N
72B463	55 55 14	131 1 2	PN	7.00	2.00	3.00	.700	700	N
72B464	55 53 9	131 2 14	GG	1.50	.30	.50	.150	500	N
72B465	55 53 31	131 1 1	PN	7.00	3.00	5.00	.700	1,500	N
72B465A	55 53 31	131 1 1	GD	5.00	1.50	3.00	.500	700	N
72B466	55 54 15	131 0 11	QF	1.50	.50	5.00	.200	2,000	N
72B467	55 52 45	130 58 28	GD	5.00	2.00	3.00	.500	700	N
72B468	55 51 33	130 58 45	QD	5.00	2.00	7.00	.300	700	N

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	S-AS	S-AU	S-B	S-BA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PB
72B420	N	N	<10	3,000	<1.0	N	N	15	150	30	N	N	10	70	20
72B421	N	N	<10	1,000	1.5	N	N	10	15	70	20	N	10	7	15
72B422	N	N	<10	300	1.5	N	N	<5	15	30	N	N	<10	10	20
72B423	N	N	<10	2,000	<1.0	N	N	10	10	30	20	N	10	5	20
72B424	N	N	<10	3,000	1.0	N	N	20	20	50	200	<5	10	10	15
72B425	N	N	<10	3,000	<1.0	N	N	N	N	30	50	N	<10	<5	30
72B426	N	N	<10	3,000	<1.0	N	N	N	<10	50	N	N	<10	5	30
72B427	N	N	N	1,500	1.5	N	N	N	N	70	N	N	<10	<5	30
72B428	N	N	<10	1,500	1.0	N	N	N	<10	70	70	N	10	<5	30
72B429	N	N	<10	2,000	<1.0	N	N	N	<10	20	30	N	<10	<5	20
72B430	N	N	<10	1,500	<1.0	N	N	N	N	70	<20	N	<10	<5	30
72B431	N	N	<10	1,000	<1.0	N	N	15	150	30	300	N	10	50	30
72B433	N	N	<10	2,000	<1.0	N	N	N	<10	70	N	N	<10	<5	20
72B435	N	N	<10	1,500	<1.0	N	N	10	100	50	70	N	10	20	50
72B436	N	N	<10	2,000	<1.0	N	N	<5	<10	30	70	N	<10	<5	30
72B437	N	N	<10	700	1.0	N	N	10	30	70	150	<5	10	20	30
72B438A	N	N	<10	3,000	<1.0	N	N	N	N	30	30	<5	<10	<5	30
72B438B	N	N	<10	3,000	<1.0	N	N	N	N	70	<20	N	N	10	30
72B438C	N	N	<10	1,500	1.0	N	N	20	150	150	70	50	20	100	15
72B438D	N	N	<10	3,000	<1.0	N	N	<5	N	50	N	<5	10	<5	30
72B438E	N	N	<10	1,000	1.0	N	N	15	10	150	30	15	10	15	30
72B438F	N	N	<10	3,000	1.0	N	N	<5	30	70	N	N	<10	15	50
72B438G	N	N	<10	700	1.5	N	N	10	150	150	<20	30	<10	150	10
72B439	N	N	<10	1,500	<1.0	N	N	15	15	70	20	<5	10	15	N
72B439A	N	N	N	3,000	<1.0	N	N	<5	N	150	<20	N	N	N	70
72B439B	N	N	<10	1,500	<1.0	N	N	<5	20	100	<20	N	<10	15	N
72B441A	N	N	<10	1,500	<1.0	N	N	20	70	70	20	N	<10	30	20
72B441B	N	N	50	150	7.0	N	N	N	N	30	N	N	N	<5	30
72B441C	N	N	<10	500	<1.0	N	N	10	N	150	<20	N	<10	<5	15
72B441D	N	N	<10	1,500	<1.0	N	N	<5	N	50	<20	N	<10	<5	30
72B455	N	N	<10	700	<1.0	N	N	15	10	100	20	N	10	5	20
72B456	N	N	<10	1,000	1.0	N	N	10	20	30	<20	N	10	5	20
72B457	N	N	<10	1,500	1.5	N	N	7	30	50	30	N	<10	15	30
72B458	N	N	<10	1,500	N	N	N	10	150	70	30	<5	10	70	30
72B459	N	N	<10	1,500	<1.0	N	N	<5	30	10	30	N	<10	15	N
72B460	N	N	<10	300	N	N	N	N	15	30	<20	N	<10	<5	N
72B461	N	N	<10	700	<1.0	N	N	7	70	30	20	N	10	20	10
72B462	N	N	<10	1,500	<1.0	N	N	20	150	30	70	N	10	30	50
72B463	N	N	<10	1,500	<1.0	N	N	10	200	50	100	5	10	20	20
72B464	N	N	N	3,000	1.0	N	N	N	N	30	20	5	<10	<5	30
72B465	N	N	<10	2,000	<1.0	N	N	30	<10	50	20	<5	10	<5	20
72B465A	N	N	<10	1,500	<1.0	N	N	15	30	30	<20	N	10	10	20
72B466	N	N	<10	150	1.0	N	N	10	70	20	100	N	10	15	<10
72B467	N	N	<10	3,000	<1.0	N	N	15	15	15	N	N	10	7	20
72B468	N	N	<10	700	<1.0	N	N	20	15	30	N	N	<10	5	30

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	S-SB	S-SC	S-SN	S-SR	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
728420	N	15	N	500	70	N	10	N	150	N	5	5	40	N
728421	N	15	N	700	200	N	50	N	100	N	40	5	40	.08
728422	N	N	N	200	50	N	15	N	700	N	5	5	35	N
728423	N	15	N	1,500	150	N	20	N	200	N	N	5	60	.06
728424	N	30	N	1,500	300	N	30	N	500	N	<5	10	60	N
728425	N	N	N	500	30	N	15	N	300	N	N	<5	25	.04
728426	N	N	N	700	30	N	N	N	70	N	N	<5	40	N
728427	N	<5	N	700	30	N	N	N	150	N	5	200	60	.04
728428	N	<5	N	1,000	70	N	20	N	500	N	10	5	100	.06
728429	N	N	N	700	50	N	N	N	70	N	5	N	25	<.02
728430	N	N	N	300	30	N	N	N	70	N	5	N	15	N
728431	N	20	N	200	150	N	70	<200	200	N	5	15	85	.02
728433	N	7	N	1,000	70	N	15	N	70	N	5	N	10	N
728435	N	30	N	N	N	N	N	N	300	N	20	5	55	N
728436	N	N	N	700	50	N	10	N	700	N	N	N	25	N
728437	N	15	N	300	100	N	20	N	500	N	15	10	50	.02
728438A	N	<5	N	700	70	N	N	N	500	N	5	10	40	N
728438B	N	15	N	300	30	N	N	N	30	N	5	5	15	N
728438C	N	30	N	700	500	N	100	N	300	N	65	5	20	N
728438D	N	7	N	700	100	N	N	N	500	N	5	10	60	N
728438E	N	20	N	700	200	N	70	N	100	N	90	5	20	N
728438F	N	15	N	700	150	N	10	N	200	N	20	15	35	N
728438G	N	15	N	700	1,000	N	50	300	70	N	40	10	200	N
728439	N	30	N	500	300	N	30	N	200	N	15	5	40	N
728439A	N	N	N	150	10	N	20	N	300	N	35	5	15	N
728439B	N	7	N	200	50	N	15	N	500	N	<5	<5	30	.04
728441A	N	30	N	500	300	N	30	N	50	N	40	15	90	N
728441B	N	N	N	N	10	N	30	N	30	N	20	10	20	.06
728441C	N	15	N	300	300	N	15	N	200	N	35	5	140	<.02
728441D	N	10	N	300	150	N	<10	N	70	N	20	10	70	N
728455	N	20	N	700	200	N	20	N	20	N	35	<5	30	.06
728456	N	20	N	1,000	150	N	15	N	100	N	10	<5	40	.02
728457	N	10	N	1,000	150	N	10	N	70	N	30	<5	40	.02
728458	N	15	N	150	150	N	10	N	500	N	25	<5	30	.04
728459	N	5	N	<100	70	N	N	N	50	N	5	<5	20	N
728460	N	<5	N	<100	50	N	N	N	300	N	5	<5	10	.02
728461	N	10	N	100	70	N	15	N	200	N	20	5	15	.04
728462	N	15	N	200	150	N	30	N	150	N	20	5	45	.02
728463	N	15	N	700	200	N	10	N	300	N	40	5	40	N
728464	N	7	N	200	15	N	15	N	300	N	5	<5	20	.04
728465	N	20	N	700	150	N	20	N	300	N	10	<5	25	N
728465A	N	15	N	500	150	N	20	N	100	N	15	<5	20	.02
728466	N	5	N	300	70	N	20	N	300	N	5	<5	5	N
728467	N	20	N	1,000	150	N	10	N	70	N	15	<5	30	.04
728468	N	20	N	1,500	150	N	15	N	<10	N	15	<5	20	N

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	LATITUDE	LONGITUDE	ROCK & MINERAL CODES	S-FEX	S-MGX	S-CAZ	S-TIX	S-MN	S-AG
72B469	55 50 34	130 58 15	PN	5.00	2.00	3.00	.500	1,000	N
72B470	55 51 34	131 0 20	QD	7.00	3.00	5.00	.700	1,000	N
72B470A	55 51 34	131 0 20	AM	10.00	7.00	7.00	.500	2,000	N
72B471	55 50 9	130 57 20	QD	5.00	2.00	3.00	.500	1,000	N
72B472	55 49 18	130 57 34	GD	1.50	.20	1.00	.150	700	N
72B473	55 48 45	130 58 33	GG	5.00	2.00	5.00	.500	1,000	N
72B485	55 59 35	130 54 21	QM	1.50	.30	1.00	.300	300	N
72B486	55 59 16	130 55 0	GD	10.00	5.00	5.00	.700	1,000	N
72B486A	55 59 16	130 55 0	GG	5.00	3.00	10.00	.300	1,000	N
72B487	55 58 6	130 56 12	GG	2.00	7.00	.20	.200	300	N
72B488	55 56 49	130 57 12	PN	3.00	1.50	2.00	.300	700	N
72B489	55 55 50	130 56 22	VQ	3.00	1.00	.70	.300	300	N
72B489A	55 55 50	130 56 22	DP	7.00	2.00	.50	.500	1,500	N
72B490	55 56 0	130 55 18	GG	7.00	5.00	3.00	.700	700	N
72B491	55 57 6	130 54 14	PN	7.00	2.00	5.00	.700	700	N
72B492	55 56 26	130 52 5	PN	1.50	.30	2.00	.300	300	N
72B493	55 56 30	130 50 52	GD	7.00	3.00	3.00	.500	1,000	N
72B494	55 55 28	130 54 8	GD	3.00	1.00	2.00	.200	700	N
72B495	55 55 36	130 50 17	VQ	5.00	2.00	2.00	.700	1,000	N
72B496	55 54 15	130 52 5	GD	7.00	3.00	2.00	.700	700	N
72B497	55 55 11	130 51 29	DP	.50	.10	.05	.150	50	N
72B498	55 54 26	130 53 44	QM	1.50	.70	2.00	.150	200	N
72B499	55 54 28	130 56 0	VQ	3.00	.70	1.50	.300	1,500	N
72B500	55 53 26	130 51 8	GD	3.00	1.50	2.00	.300	1,000	N
72B501	55 52 35	130 52 14	GD	1.00	.30	1.00	.150	150	N
72B502	55 51 15	130 54 10	VQ	5.00	1.00	2.00	.700	700	N
72B503	55 50 54	130 55 31	GG	7.00	3.00	7.00	.500	1,500	N
72B504	55 52 0	130 56 8	GD	3.00	1.50	3.00	.300	700	N
72B505	55 51 21	130 54 48	GD	3.00	2.00	3.00	.500	1,000	N
72B518	55 59 48	130 50 7	PN	1.50	.50	.20	.200	300	N
72B519	55 58 46	130 49 18	PN	5.00	2.00	7.00	.300	1,000	N
72B521	55 58 54	130 47 14	VQ	.15	<.02	.30	.015	30	N
72B522	55 56 56	130 49 8	PN	3.00	1.00	.70	.500	300	N
72B523	55 57 47	130 51 10	PN	5.00	2.00	1.50	.300	1,000	N
72B524	55 59 2	130 51 56	GG	5.00	2.00	3.00	.300	1,000	N
72B525	55 59 50	130 53 9	GD	5.00	2.00	3.00	.300	700	N
72B526	55 58 32	130 51 53	VQ	1.50	.15	.20	.070	150	N
72B527	55 58 53	130 42 17	QM	2.00	.20	1.00	.500	300	N
72B528	55 57 24	130 43 37	PN	1.50	.70	1.00	.200	300	N
72B529	55 56 35	130 44 52	GG	3.00	1.00	3.00	.300	700	N
72B530	55 55 17	130 44 8	PN	5.00	2.00	3.00	.500	700	N
72B531	55 55 56	130 44 58	DP	3.00	.20	.20	.200	1,500	N
72B531A	55 55 56	130 44 58	PN	10.00	1.50	.50	.500	200	.7
72B532	55 55 58	130 45 57	PN	2.00	.15	5.00	.300	500	N
72B533	55 56 9	130 46 50	PN	3.00	.70	1.00	.300	700	N

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES--continued

SAMPLE	S-AS	S-AU	S-B	S-BA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PB
728469	N	N	<10	1,500	<1.0	N	N	15	N	30	50	N	10	5	20
728470	N	N	<10	1,000	<1.0	N	N	30	20	30	<20	N	10	10	20
728470A	N	N	<10	300	<1.0	N	N	30	700	70	<20	<5	10	70	15
728471	N	N	<10	1,500	1.0	N	N	15	30	30	<20	N	10	7	30
728472	N	N	N	1,500	<1.0	N	N	N	N	30	<20	N	<10	<5	30
728473	N	N	<10	1,500	1.0	N	N	7	N	30	<20	N	10	5	20
728485	N	N	N	1,500	1.5	N	N	N	N	30	50	N	<10	<5	30
728486	N	N	<10	1,500	<1.0	N	N	20	70	50	50	<5	10	7	30
728486A	N	N	10	300	<1.0	N	N	7	200	70	<20	15	<10	100	N
728487	N	N	<10	1,500	2.0	N	N	5	70	30	50	N	<10	15	30
728488	N	N	<10	700	1.0	N	N	7	70	50	30	N	<10	20	30
728489	N	N	<10	700	<1.0	N	N	7	70	50	N	N	10	15	10
728489A	N	N	<10	2,000	<1.0	N	N	10	N	30	700	N	10	15	70
728490	N	N	<10	1,500	2.0	N	N	10	150	70	30	<5	10	70	30
728491	N	N	<10	1,500	2.0	N	N	10	150	30	30	<5	10	100	30
728492	N	N	N	70	<1.0	N	N	N	50	20	20	N	<10	10	N
728493	N	N	<10	1,500	1.0	N	N	15	30	30	<20	N	<10	7	30
728494	N	N	<10	3,000	1.0	N	N	5	15	30	<20	N	<10	<5	50
728495	N	N	<10	200	<1.0	N	N	20	150	70	<20	N	10	150	15
728496	N	N	<10	1,500	<1.0	N	N	15	150	50	N	N	10	50	20
728497	N	N	N	100	N	N	N	N	<10	30	N	N	<10	N	N
728498	N	N	N	1,500	<1.0	N	N	N	<10	30	<20	N	<10	<5	30
728499	N	N	<10	300	<1.0	N	N	5	100	70	N	N	10	15	20
728500	N	N	<10	1,500	1.0	N	N	7	30	20	<20	N	10	7	30
728501	N	N	N	3,000	<1.0	N	N	N	<10	20	N	N	<10	N	30
728502	N	N	<10	700	1.5	N	N	10	150	20	150	N	10	50	70
728503	N	N	<10	1,000	<1.0	N	N	30	<10	70	<20	<5	10	7	20
728504	N	N	<10	1,500	1.0	N	N	10	20	30	30	N	10	5	30
728505	N	N	<10	1,500	1.0	N	N	10	30	30	30	<5	10	7	20
728518	N	N	<10	200	<1.0	N	N	<5	50	30	50	N	<10	15	N
728519	N	N	<10	100	1.0	N	N	<5	30	70	<20	N	10	7	<10
728521	N	N	N	200	<1.0	N	N	N	<10	15	N	N	N	<5	N
728522	N	N	<10	500	<1.0	N	N	7	100	20	<20	N	15	15	30
728523	N	N	<10	500	1.5	N	N	10	150	30	<30	<5	10	20	20
728524	N	N	<10	700	<1.0	N	N	10	10	50	N	N	10	7	30
728525	N	N	<10	700	<1.0	N	N	10	30	20	<20	N	10	7	20
728526	N	N	N	200	1.0	N	N	N	<10	20	150	N	<10	7	N
728527	N	N	N	3,000	<1.0	N	N	N	N	30	30	N	10	N	20
728528	N	N	N	2,000	1.0	N	N	<5	30	30	N	N	10	15	30
728529	N	N	<10	1,500	1.0	N	N	<5	<10	30	30	N	10	<5	20
728530	N	N	<10	1,000	1.5	N	N	15	70	70	30	<5	10	15	30
728531	N	N	<10	300	<1.0	N	N	5	50	30	<20	N	10	30	15
728531A	N	N	<10	1,000	<1.0	N	N	20	150	200	N	<5	10	30	30
728532	N	N	<10	700	1.0	N	N	7	150	30	N	N	<10	15	30
728533	N	N	<10	300	<1.0	N	N	5	70	30	500	N	10	15	30

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES--continued

SAMPLE	S-SB	S-SC	S-SN	S-SR	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
728469	N	15	N	700	150	N	15	N	150	N	15	<5	30	N
728470	N	30	N	700	300	N	15	N	70	N	20	<5	30	N
728470A	N	50	N	500	200	N	30	N	30	N	40	<5	10	.02
728471	N	20	N	500	150	N	20	N	300	N	10	<5	15	N
728472	N	N	N	300	15	N	15	N	200	N	<5	<5	5	.06
728473	N	30	N	1,000	150	N	20	N	70	N	10	5	60	N
728485	N	N	N	300	30	N	N	N	150	N	5	<5	25	N
728486	N	30	N	700	200	N	30	N	70	N	10	<5	30	.02
728486A	N	15	N	700	300	N	20	N	70	N	20	<5	5	N
728487	N	10	N	100	70	N	N	N	700	N	5	<5	25	N
728488	N	15	N	700	100	N	15	N	300	N	40	<5	40	.04
728489	N	15	N	200	150	N	N	N	700	N	5	<5	10	N
728489A	N	15	N	N	N	N	N	N	200	N	<5	5	55	.02
728490	N	7	N	200	200	N	70	N	200	N	35	10	85	.02
728491	N	15	N	300	100	N	15	N	500	N	15	<5	15	N
728492	N	7	N	200	50	N	10	N	100	N	5	5	5	N
728493	N	30	N	700	150	N	30	N	100	N	10	5	35	.16
728494	N	10	N	1,500	150	N	10	N	100	N	5	<5	25	<.02
728495	N	15	N	150	150	N	15	N	70	N	25	<5	20	.02
728496	N	10	N	1,000	150	N	N	N	70	N	25	<5	40	N
728497	N	N	N	N	15	N	N	N	20	N	<5	<5	<5	N
728498	N	N	N	700	30	N	N	N	70	N	10	<5	25	N
728499	N	20	N	200	70	N	15	N	500	N	15	<5	15	N
728500	N	10	N	1,500	100	N	15	N	100	N	<5	<5	40	.02
728501	N	N	N	700	30	N	N	N	70	N	<5	<5	20	N
728502	N	15	N	700	100	N	70	N	300	N	5	5	30	N
728503	N	30	N	700	300	N	30	N	200	N	35	<5	20	N
728504	N	15	N	1,000	150	N	15	N	300	N	10	<5	40	.02
728505	N	20	N	1,000	200	N	15	N	20	N	20	5	40	N
728518	N	7	N	<100	50	N	10	N	100	N	35	5	30	N
728519	N	20	N	150	150	N	20	N	50	N	45	<5	15	N
728521	N	N	N	<100	10	N	N	N	70	N	<5	<5	<5	N
728522	N	15	N	150	100	N	N	N	300	N	10	<5	30	.02
728523	N	15	N	200	200	N	15	N	70	N	15	5	50	N
728524	N	15	N	700	150	N	10	N	70	N	35	5	50	N
728525	N	30	N	500	150	N	15	N	50	N	<5	<5	25	N
728526	N	N	N	<100	20	N	N	N	30	N	5	<5	10	N
728527	N	5	N	N	N	N	N	N	300	N	5	<5	55	N
728528	N	7	N	300	30	N	10	N	70	N	5	<5	15	N
728529	N	10	N	700	70	N	20	N	300	N	<5	<5	30	.02
728530	N	15	N	700	20	N	30	N	50	N	25	5	40	N
728531	N	30	N	<100	70	N	70	N	700	N	5	10	25	N
728531A	N	20	N	300	150	N	70	N	500	N	150	15	60	N
728532	N	10	N	500	100	N	10	N	70	N	10	5	20	N
728533	N	15	N	200	70	N	30	N	300	N	5	5	30	N

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES--continued

SAMPLE	LATITUDE	LONGITUDE	ROCK & MINERAL CODES	S-FEZ	S-MGZ	S-CAZ	S-TIX	S-MN	S-AG
728539	55 57 47	130 45 11	GD	1.50	.70	3.00	.200	300	N
728540	55 56 52	130 47 7	VQ	1.50	.50	.30	.300	300	N
728541	55 53 44	130 43 47	VQ	.10	.03	.70	.015	70	N
728542	55 54 29	130 43 31	PN	3.00	1.00	3.00	.300	1,000	N
728543	55 57 42	130 42 15	GD	3.00	.70	3.00	.300	1,000	N
728544	55 58 19	130 39 10	PN	15.00	1.50	7.00	.700	1,500	N
728545	55 57 24	130 38 27	PN	3.00	1.50	2.00	.500	1,000	N
728546	55 55 59	130 38 27	PN	7.00	7.00	5.00	.700	1,500	N
728547	55 55 28	130 38 11	PN	5.00	3.00	3.00	.700	1,000	N
728548	55 54 33	130 37 0	GD	3.00	2.00	3.00	.500	1,000	N
728549	55 53 59	130 39 2	QM	1.00	.05	.30	.100	200	N
728550	55 53 13	130 40 17	PN	3.00	1.50	2.00	1.000	500	N
728550A	55 53 13	130 40 17	DP	.30	.07	.30	.020	150	N
728551	55 52 47	130 41 0	PN	.50	.10	<.05	.150	70	N
728552	55 52 51	130 41 56	PN	7.00	1.50	.30	.500	1,000	N
728553	55 54 56	130 40 53	PN	1.50	.70	1.00	.200	300	N
728554	55 54 33	130 40 26	PN	7.00	2.00	3.00	1.000	1,500	N
728555	55 50 50	130 40 11	PN	3.00	1.50	7.00	.300	2,000	N
728556	55 55 22	130 21 20	GD	3.00	1.00	1.50	.300	700	N
728557	55 56 45	130 23 2	QM	2.00	.50	1.50	.300	500	N
728557A	55 56 45	130 23 2	VQ	.20	.03	<.05	.007	50	N
728558	55 59 8	130 26 17	QM	3.00	.70	1.50	.300	700	N
728559	55 59 44	130 22 59	GD	3.00	.70	1.50	.300	500	N
728560	55 58 47	130 25 56	PN	5.00	1.50	2.00	.300	1,000	N
728561	55 57 57	130 25 6	QM	3.00	.70	2.00	.200	700	N
728562	55 56 39	130 24 20	HG	3.00	.70	1.50	.200	300	N
728563	55 56 2	130 26 26	GD	3.00	.50	1.50	.300	500	N
728564	55 55 32	130 23 11	VN	3.00	.70	5.00	.200	700	N
728565	55 54 38	130 21 39	GD	3.00	.70	1.50	.200	700	N
728566	55 55 45	130 31 23	QM	3.00	.70	2.00	.500	700	N
728567	55 54 19	130 36 6	DP	.15	.03	.07	.015	100	N
728568	55 55 53	130 34 13	QM	3.00	.50	1.50	.200	300	N
728569	55 56 0	130 32 17	PN	7.00	2.00	5.00	.500	1,000	N
728570	55 57 20	130 32 35	QM	1.50	.30	1.00	.150	300	N
728571	55 58 47	130 32 44	QM	3.00	.50	.70	.200	500	N
728572	55 58 32	130 33 30	QM	1.50	.30	.50	.150	300	N
728573	55 58 0	130 34 33	QM	3.00	.50	1.50	.300	300	N
728574	55 57 16	130 34 54	PN	3.00	2.00	2.00	.200	1,500	N
728575	55 59 40	130 33 23	QM	3.00	.50	1.50	.500	300	N
728576	55 59 39	130 28 50	PN	5.00	.70	2.00	.300	700	N
728577	55 58 35	130 36 7	PN	3.00	.70	3.00	.300	500	N
728577A	55 58 35	130 36 7	DG	3.00	.70	.50	.300	500	N
728578	55 50 54	130 52 54	PN	2.00	.50	.20	.200	500	N
728593	55 59 56	130 19 0	MS	7.00	3.00	3.00	.500	1,000	N
72C010	55 41 21	130 29 29	MU	7.00	2.00	.50	.500	2,000	N

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	S-AS	S-AU	S-B	S-BA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PB
72B539	N	N	<10	300	1.5	N	N	N	N	50	150	N	<10	<5	20
72B540	N	N	<10	200	N	N	N	N	100	20	<20	N	<10	15	N
72B541	N	N	N	70	<1.0	N	N	N	N	15	N	7	N	<5	N
72B542	N	N	<10	1,500	1.0	N	N	5	15	20	70	N	10	<5	20
72B543	N	N	<10	1,500	<1.0	N	N	<5	N	15	20	N	<10	<5	20
72B544	N	N	<10	1,500	1.5	N	N	7	20	50	30	5	100	<5	20
72B545	N	N	<10	700	<1.0	N	N	7	15	20	<20	N	<10	<5	20
72B546	N	N	<10	300	1.5	N	N	30	100	30	30	<5	10	70	15
72B547	N	N	<10	700	1.0	N	N	15	20	50	30	N	10	10	15
72B548	N	N	<10	1,500	1.0	N	N	10	30	15	<20	N	10	10	20
72B549	N	N	N	30	<1.0	N	N	N	N	15	<20	N	N	<5	50
72B550	N	N	<10	700	<1.0	N	N	7	30	7	N	N	<10	15	N
72B550A	N	N	N	70	1.5	N	N	N	N	<5	N	N	N	<5	70
72B551	N	N	N	3,000	N	N	N	N	<10	<5	N	15	10	N	15
72B552	N	N	<10	1,000	N	N	N	10	150	15	100	<5	10	20	70
72B553	N	N	N	1,500	<1.0	N	N	<5	15	<5	N	N	<10	10	15
72B554	N	N	<10	1,000	1.0	N	N	30	30	30	30	<5	10	15	15
72B555	N	N	<10	150	2.0	N	N	N	30	7	N	7	<10	10	30
72B556	N	N	<10	700	1.0	N	N	7	15	7	70	N	10	<5	15
72B557	N	N	<10	1,000	1.0	N	N	N	N	10	30	N	<10	<5	20
72B557A	N	N	N	50	N	N	N	N	N	7	N	70	N	5	N
72B558	N	N	<10	1,000	1.5	N	N	<5	N	7	30	N	<10	<5	15
72B559	N	N	N	500	1.5	N	N	<5	N	15	200	N	10	<5	20
72B560	N	N	<10	300	1.0	N	N	15	15	7	N	N	10	5	15
72B561	N	N	<10	1,500	<1.0	N	N	N	N	7	<20	N	10	<5	20
72B562	N	N	<10	200	<1.0	N	N	<5	10	7	N	N	<10	<5	10
72B563	N	N	N	1,500	1.0	N	N	N	N	7	30	N	10	<5	20
72B564	N	N	<10	1,000	1.0	N	N	<5	10	10	<20	N	10	<5	30
72B565	N	N	<10	1,000	<1.0	N	N	N	10	7	N	N	<10	<5	30
72B566	N	N	<10	1,500	<1.0	N	N	7	10	7	<20	N	10	5	15
72B567	N	N	N	150	N	N	N	N	<10	7	N	N	N	5	15
72B568	N	N	N	1,500	<1.0	N	N	N	N	10	<20	N	<10	<5	20
72B569	N	N	<10	150	<1.0	N	N	30	N	15	N	N	10	<5	15
72B570	N	N	N	1,500	<1.0	N	N	N	N	7	150	N	<10	<5	15
72B571	N	N	N	1,500	<1.0	N	N	N	N	7	30	N	10	<5	20
72B572	N	N	N	1,500	<1.0	N	N	N	N	7	N	N	<10	<5	15
72B573	N	N	N	1,500	1.0	N	N	N	N	10	70	N	10	N	15
72B574	N	N	<10	150	1.5	N	N	10	150	7	N	N	10	30	15
72B575	N	N	N	2,000	<1.0	N	N	N	N	10	150	N	10	N	15
72B576	N	N	<10	1,500	1.0	N	N	5	<10	15	<20	N	10	<5	50
72B577	N	N	N	700	<1.0	N	N	<5	70	15	<20	7	10	50	10
72B577A	N	N	N	1,500	N	N	N	N	N	15	150	N	<10	10	20
72B578	N	N	<10	1,000	N	N	N	N	30	15	30	N	<10	7	20
72B593	N	N	<10	1,000	<1.0	N	N	15	50	50	<20	N	10	15	70
72C010	N	N	<10	3,000	N	N	N	15	150	50	70	<5	10	30	30

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES--continued

SAMPLE	S-SB	S-SC	S-SN	S-SR	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
728539	N	<5	N	700	50	N	20	N	300	N	10	5	15	.06
728540	N	<5	N	<100	50	N	<10	N	70	N	<5	<5	10	N
728541	N	N	N	<100	15	N	N	N	300	N	<5	<5	N	N
728542	N	10	N	700	70	N	15	N	300	N	<5	5	40	N
728543	N	7	N	700	70	N	30	N	20	N	5	<5	20	.02
728544	N	20	N					N	300	N	55	5	20	<.02
728545	N	10	N	700	150	N	10	N	150	N	5	5	40	.02
728546	N	30	N	300	300	N	50	N	70	N	15	5	60	N
728547	N	20	N	700	300	N	30	N	70	N	15	5	60	N
728548	N	15	N	700	150	N	30	N	70	N	5	5	50	N
728549	N	N	N	<100	10	N	15	N	70	N	<5	<5	5	N
728550	N	15	N	200	100	N	30	N	300	N	5	5	40	.06
728550A	N	N	N	N	10	N	<10	N	N	N	<5	5	5	.02
728551	N	<5	N	300	70	N	N	N	300	N	<5	5	<5	N
728552	N	15	N	150	150	N	20	N	200	N	20	20	130	N
728553	N	<5	N					N	70	N	5	10	55	.06
728554	N	30	N					N	200	N	30	5	55	N
728555	N	15	N	700	150	N	20	300	50	N	25	10	110	N
728556	N	10	N	700	100	N	20	N	70	N	5	10	60	.04
728557	N	N	N					N	200	N	5	<5	55	<.02
728557A	N	N	N	<100	10	N	N	N	N	N	<5	<5	<5	.04
728558	N	7	N	700	70	N	N	N	150	N	5	<5	70	.02
728559	N	5	N	700	50	N	<10	N	300	N	<5	5	110	.06
728560	N	20	N	700	150	N	<10	N	70	N	<5	5	90	<.02
728561	N	7	N	700	70	N	<10	N	150	N	10	<5	80	.06
728562	N	7	N	500	70	N	<10	N	70	N	5	5	50	.02
728563	N	5	N	700	50	N	10	N	200	N	5	5	75	<.02
728564	N	10	N	700	150	N	<10	N	70	N	5	10	75	<.02
728565	N	7	N	700	100	N	<10	N	100	N	5	5	50	<.02
728566	N	7	N	1,000	150	N	<10	N	150	N	5	5	40	.04
728567	N	N	N	100	10	N	N	N	N	N	<5	<5	5	<.02
728568	N	N	N	700	70	N	N	N	100	N	<5	<5	50	.08
728569	N	30	N					N	70	N	<5	5	55	.04
728570	N	N	N	500	30	N	10	N	150	N	<5	5	30	<.02
728571	N	5	N					N	150	N	5	10	55	<.02
728572	N	N	N	500	30	N	N	N	70	N	5	10	40	<.02
728573	N	N	N	700	70	N	15	N	300	N	5	5	90	.08
728574	N	15	N	300	150	N	10	N	70	N	<5	5	35	<.02
728575	N	5	N	700	70	N	10	N	300	N	10	5	90	.06
728576	N	10	N					N	150	N	<5	10	55	<.02
728577	N	15	N	200	150	N	10	N	150	N	25	10	120	.06
728577A	N	5	N	200	50	N	<10	N	200	N	10	15	130	.08
728578	N	10	N	150	50	N	<10	N	500	N	10	5	35	.04
728593	N	20	N	700	300	N	20	N	50	N	70	15	40	<.02
72C010	N	30	N	300	150	N	50	N	200	N	15	15	50	.20

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES--continued

SAMPLE	LATITUDE	LONGITUDE	ROCK & MINERAL CODES	S-FEX	S-MGX	S-CAZ	S-TIZ	S-MN	S-AG
72C021	55 30 20	130 49 24	GG	5.00	1.50	1.50	.300	700	N
72C023	55 30 15	130 45 48	GD	3.00	1.00	1.50	.300	700	N
72C024	55 28 23	130 45 51	GG	7.00	3.00	5.00	.700	1,000	N
72C025	55 38 47	130 37 41	MU-PY	7.00	.15	.15	.150	150	N
72C026	55 28 4	130 44 0	GG	7.00	3.00	5.00	.700	1,000	N
72C027	55 28 55	130 42 21	GG	5.00	1.50	2.00	.300	700	N
72C028	55 28 53	130 41 4	PN	5.00	1.00	.50	.300	500	N
72C029	55 29 57	130 38 39	GG	3.00	1.00	2.00	.500	500	N
72C031	55 32 59	130 37 38	GG	10.00	3.00	5.00	1.000	1,500	N
72C034	55 38 54	130 33 6	GG	1.50	.70	1.50	.150	200	N
72C035	55 40 26	130 33 56	PN	3.00	1.00	.70	.300	1,000	N
72C036	55 39 57	130 30 30	GG	7.00	3.00	5.00	.500	1,000	N
72C037	55 39 35	130 23 59	GG	7.00	2.00	3.00	.700	1,500	N
72C038	55 41 34	130 25 15	PN	3.00	.70	1.50	.500	300	N
72C039	55 41 53	130 28 56	GG	3.00	1.00	3.00	.300	1,500	N
72C070	55 42 38	130 46 18	GD	3.00	2.00	3.00	.500	1,000	N
72C071	55 41 21	130 47 27	GD	3.00	1.50	2.00	.300	1,500	N
72C072	55 42 21	130 50 8	GD	3.00	2.00	3.00	.700	700	N
72C073	55 40 10	130 47 7	QM	3.00	1.00	3.00	.500	1,500	N
72C074	55 39 3	130 44 36	GD	3.00	1.00	2.00	.500	1,000	N
72C075	55 39 11	130 40 47	PN	7.00	2.00	2.00	.700	1,500	N
72C076	55 40 10	130 39 43	GG	5.00	3.00	3.00	.500	1,000	N
72C077	55 41 30	130 39 39	PN	3.00	1.50	1.50	.500	300	N
72C078	55 42 6	130 36 14	PN	10.00	3.00	1.00	1.000	1,500	N
72C079	55 43 23	130 28 19	GG	3.00	1.00	1.50	.300	500	N
72C079A	55 43 23	130 28 19	GG	7.00	1.00	3.00	.500	700	1.5
72C080	55 44 30	130 30 46	QM	1.50	1.30	1.00	.200	300	N
72C081	55 43 6	130 32 54	PN-PY	2.00	1.00	1.00	.300	300	.5
72C081A	55 43 6	130 32 54	PN-PY	3.00	1.00	.70	.300	300	N
72C081B	55 43 6	130 32 54	PN-PY	3.00	1.50	2.00	.300	700	<.5
72C081C	55 43 6	130 32 54	PN-PY	3.00	1.50	2.00	.500	700	N
72C082	55 42 44	130 38 9	PN	3.00	.70	1.00	.200	150	1.5
72C083	55 43 27	130 38 47	PN	2.00	.70	1.50	.150	200	N
72C084	55 43 56	130 42 51	PN	3.00	1.00	.70	.500	300	N
72C085	55 48 50	130 51 2	PN	1.50	.50	.15	.200	300	N
72C086	55 47 48	130 47 35	PN	5.00	1.50	1.50	.500	300	N
72C087	55 46 23	130 52 14	GD	3.00	1.50	2.00	.300	1,000	N
72C088	55 45 38	130 52 36	GD	1.50	.50	1.00	.150	300	N
72C089	55 44 17	130 50 22	GD	7.00	2.00	3.00	.300	1,500	N
72C090	55 45 2	130 47 32	PN	10.00	2.00	.07	1.000	300	N
72C091	55 48 42	130 56 52	QD	5.00	5.00	7.00	.030	1,500	N
72C093	55 48 29	130 57 17	PN	3.00	1.50	2.00	.300	700	<.5
72C095	55 48 6	130 58 28	GG	7.00	3.00	3.00	.500	1,000	N
72C096	55 47 57	130 59 3	GG	7.00	2.00	3.00	.500	1,000	N
72C097	55 48 12	130 59 44	GG	7.00	3.00	3.00	.500	1,000	N

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	S-AS	S-AU	S-B	S-BA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PB
72C021	N	<10	700	1.0	N	N	N	7	10	5	30	N	<20	5	20
72C023	N	<10	1,000	1.0	N	N	N	<5	N	10	30	N	<20	<5	20
72C024	N	<10	1,500	1.0	N	N	N	20	70	50	30	<5	10	10	30
72C025	N	<10	200	N	N	N	N	70	20	500	70	<5	10	7	N
72C026	N	<10	700	1.5	N	N	N	20	30	70	150	<5	10	7	15
72C027	N	<10	300	1.0	N	N	N	7	10	7	30	N	<20	5	15
72C028	N	<10	1,500	<1.0	N	N	N	<5	100	100	20	N	10	15	50
72C029	N	<10	2,000	<1.0	N	N	N	7	15	20	20	N	<10	<5	30
72C031	N	<10	2,000	1.0	N	N	N	20	15	70	70	<5	15	7	<10
72C034	N	N	300	1.0	N	N	N	N	<10	50	30	N	<10	<5	N
72C035	N	<10	2,000	<1.0	N	N	N	5	100	50	<20	N	10	10	70
72C036	N	<10	1,500	1.5	N	N	N	20	15	50	50	<5	10	15	20
72C037	N	<10	1,500	1.5	N	N	N	10	15	30	20	<5	10	7	30
72C038	N	<10	1,000	<1.0	N	N	N	7	70	30	50	N	10	15	30
72C039	N	<10	1,500	1.0	N	N	N	5	N	30	20	N	10	<5	20
72C070	N	<10	1,500	1.0	N	N	N	7	15	30	<20	N	10	<5	15
72C071	N	<10	2,000	1.0	N	N	N	5	10	50	50	N	10	<5	20
72C072	N	<10	1,500	1.0	N	N	N	10	70	70	70	N	10	15	30
72C073	N	<10	2,000	1.0	N	N	N	<5	<10	30	20	N	10	<5	15
72C074	N	<10	1,500	1.0	N	N	N	5	20	70	20	N	10	10	15
72C075	N	<10	1,500	<1.0	N	N	N	10	N	70	30	N	10	7	15
72C076	N	<10	1,000	1.5	N	N	N	15	150	50	30	N	10	70	20
72C077	N	<10	1,000	<1.0	N	N	N	7	100	100	30	N	10	15	N
72C078	N	<10	700	N	N	N	N	20	N	100	30	N	15	<5	20
72C079	N	N	1,500	1.0	N	N	N	<5	N	30	<20	N	10	<5	15
72C079A	N	<10	2,000	1.0	N	N	N	15	30	500	30	15	10	50	30
72C080	N	N	3,000	<1.0	N	N	N	N	N	30	N	N	N	N	30
72C081	N	<10	3,000	<1.0	N	N	N	10	70	150	N	N	<10	50	15
72C081A	N	<10	2,000	<1.0	N	N	N	10	50	70	<20	N	<10	30	15
72C081B	N	<10	2,000	1.0	N	N	N	10	150	200	30	150	10	70	<10
72C081C	N	<10	300	1.0	N	N	N	15	70	100	70	<5	10	50	10
72C082	N	<10	700	<1.0	N	N	N	30	70	300	300	15	10	200	20
72C083	N	<10	700	<1.0	N	N	N	<5	30	70	30	N	10	10	15
72C084	N	<10	1,500	<1.0	N	N	N	10	70	30	<20	N	10	15	10
72C085	N	<10	1,500	1.0	N	N	N	5	30	30	300	N	<10	15	15
72C086	N	<10	700	1.0	N	N	N	5	30	70	N	<5	10	15	20
72C087	N	<10	700	1.0	N	N	N	10	15	30	N	N	10	5	20
72C088	N	<10	2,000	<1.0	N	N	N	N	10	20	N	N	<10	5	15
72C089	N	<10	2,000	1.0	N	N	N	15	50	30	<20	N	10	15	20
72C090	N	<10	1,500	N	N	N	N	30	200	10	70	<5	15	70	50
72C091	N	10	70	1.0	N	N	N	7	<10	20	N	N	<10	7	10
72C093	N	<10	1,500	1.0	N	N	N	15	20	150	20	<5	10	7	30
72C095	N	<10	1,500	<1.0	N	N	N	10	70	30	70	<5	10	5	10
72C096	N	<10	700	1.0	N	N	N	10	70	30	30	<5	10	7	15
72C097	N	<10	1,500	<1.0	N	N	N	10	70	50	50	N	10	10	20

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	S-SB	S-SC	S-SN	S-SR	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
72C021	N	15	N	500	100	N	15	N	70	N	10	5	30	.02
72C023	N	10	N	500	70	N	15	N	150	N	15	<5	30	<.02
72C024	N	30	N	1,500	200	N	20	N	300	N	15	10	45	.06
72C025	N	N	N	<100	300	N	10	N	300	N	350	10	30	.20
72C026	N	30	N	1,500	300	N	30	N	70	N	20	10	35	.35
72C027	N	10	N	700	100	N	15	<200	150	N	10	5	40	<.02
72C028	N	10	N	100	70	N	15	N	200	N	30	10	35	.12
72C029	N	5	N	1,500	150	N	N	N	700	N	5	5	50	.20
72C031	N	20	N	1,500	300	N	30	200	70	N	25	10	70	.26
72C034	N	15	N	200	30	N	10	N	30	N	15	5	15	.08
72C035	N	15	N	300	100	N	30	N	100	1.30	25	10	90	.16
72C036	N	20	N	700	200	N	50	N	300	N	15	10	50	.18
72C037	N	15	N	1,000	200	N	70	<200	300	N	<5	10	90	.06
72C038	N	7	N	200	70	N	<10	N	>1,000	N	<5	5	35	.20
72C039	N	15	N	500	150	N	30	N	300	N	<5	<5	25	.04
72C070	N	15	N	700	150	N	15	N	150	N	10	5	60	.10
72C071	N	7	N	700	150	N	30	N	200	N	15	N	30	N
72C072	N	15	N	700	150	N	15	N	100	N	20	<5	25	N
72C073	N	7	N	1,000	150	N	20	N	100	N	5	N	10	.02
72C074	N	15	N	700	200	N	30	N	200	N	15	N	10	N
72C075	N	15	N	300	200	N	20	N	150	N	35	10	100	N
72C076	N	20	N	1,000	150	N	20	N	300	N	5	5	35	N
72C077	N	15	N	200	150	N	15	N	200	N	40	5	40	N
72C078	N	30	N	150	300	N	20	200	200	N	5	5	120	.02
72C079	N	5	N	500	70	N	<10	N	300	N	10	<5	35	N
72C079A	N	5	N	500	70	N	30	N	70	N	230	5	25	N
72C080	N	N	N	300	30	N	N	N	300	N	<5	<5	20	.02
72C081	N	15	N	300	200	N	10	N	150	N	160	5	80	N
72C081A	N	15	N	300	150	N	<10	N	100	N	35	<5	65	.04
72C081B	N	15	N	150	700	N	70	N	200	N	50	<5	35	.10
72C081C	N	15	N	300	150	N	20	N	300	N	40	<5	60	.08
72C082	N	7	N	100	300	N	70	<200	300	N	50	<5	100	.02
72C083	N	10	N	300	70	N	15	N	300	N	20	<5	40	N
72C084	N	15	N	300	150	N	N	<200	700	N	20	5	90	.02
72C085	N	5	N	<100	50	N	70	N	500	N	10	5	15	N
72C086	N	5	N	700	150	N	10	N	200	N	55	10	75	N
72C087	N	15	N	700	30	N	<10	N	200	N	20	10	100	N
72C088	N	N	N	700	200	N	30	200	100	N	5	5	20	N
72C089	N	15	N	700	200	N	30	<200	70	N	<5	<5	10	.02
72C090	N	20	N	150	150	N	<10	<200	200	N	<5	10	40	N
72C091	N	7	N	150	50	N	20	N	N	N	<5	<5	5	N
72C093	N	15	N	300	150	N	10	N	300	N	100	10	100	.02
72C095	N	30	N	700	200	N	30	<200	500	N	<5	<5	35	N
72C096	N	20	N	700	200	N	20	<200	150	N	10	<5	15	N
72C097	N	30	N	700	200	N	30	N	70	N	5	5	60	N

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	LATITUDE	LONGITUDE	ROCK & MINERAL CODES	S-FEX	S-MGX	S-CAZ	S-TIX	S-MN	S-AG
72C098	55 48 20	130 59 56	GG	7.00	2.00	3.00	.700	1,500	N
72C099	55 48 48	131 0 29	GD	5.00	1.50	3.00	.500	1,000	N
72C100	55 49 14	131 0 52	GG	7.00	2.00	3.00	.700	1,000	N
72C102	55 49 46	131 1 18	PN-PY	10.00	3.00	5.00	.700	1,500	.5
72C103	55 46 5	130 23 12	QM	3.00	.70	2.00	.300	700	N
72C104	55 48 17	130 22 38	QM	3.00	.70	1.50	.300	1,000	N
72C105	55 48 16	130 24 26	QM	.30	.05	.20	.070	150	N
72C106	55 47 14	130 25 54	QM	1.50	.30	1.00	.300	300	N
72C107	55 46 6	130 27 29	QM	.50	.02	.30	.030	100	N
72C108	55 45 20	130 30 14	GG	7.00	2.00	3.00	.500	1,500	N
72C109	55 46 24	130 32 5	GD	3.00	1.50	3.00	.500	700	N
72C110	55 47 0	130 34 9	GD	3.00	1.50	3.00	.700	700	N
72C111	55 47 35	130 34 29	GD	5.00	1.50	3.00	.500	700	N
72C112	55 47 57	130 33 43	GD	3.00	1.50	3.00	.500	700	N
72C113	55 48 6	130 37 18	QM	2.00	.20	.70	.150	300	N
72C114	55 48 32	130 38 14	QM	1.50	.70	1.50	.200	500	N
72C115	55 49 38	130 29 48	PN	5.00	2.00	1.00	.500	300	<.5
72C116	55 48 52	130 31 0	GD	7.00	3.00	3.00	.700	1,500	N
72C117	55 47 47	130 29 39	GD	3.00	1.50	3.00	.500	700	N
72C118	55 49 42	130 27 48	VN	3.00	1.50	2.00	.300	700	N
72C119	55 51 6	130 28 33	QM	1.50	.50	1.50	.200	300	N
72C120	55 51 30	130 26 53	MG-PY	3.00	1.00	3.00	.300	700	N
72C121	55 53 53	130 24 2	GD	3.00	.70	1.50	.300	500	N
72C122	55 53 53	130 21 2	GD	3.00	1.50	3.00	.700	1,000	N
72C123	55 52 24	130 27 46	GG	3.00	1.50	3.00	.300	700	N
72C124	55 53 31	130 29 14	GD	3.00	1.50	3.00	.500	1,000	N
72C125	55 52 51	130 32 25	QM	7.00	2.00	3.00	.700	1,500	N
72C126	55 52 56	130 33 29	QM	1.50	.70	1.50	.150	300	N
72C127	55 51 25	130 36 11	QM	3.00	.70	1.50	.300	700	N
72C128	55 51 3	130 33 33	QM	5.00	1.00	3.00	.300	1,500	N
72C129	55 51 21	130 30 44	QM	2.00	.70	1.50	.150	700	N
72C130	55 46 45	130 39 44	PN	5.00	3.00	1.50	.500	1,000	<.5
72C130A	55 46 45	130 39 44	VQ	1.50	.03	.30	.030	20	N
72C131	55 49 54	130 39 33	PN	7.00	3.00	2.00	.700	1,000	1.5
72C132	55 50 30	130 41 13	GG	7.00	1.50	1.50	.700	1,000	N
72C133	55 49 14	130 43 42	PN	10.00	1.00	.15	.300	2,000	N
72C134	55 51 3	130 43 26	GG	.70	.07	.70	.030	700	N
72C135	55 54 24	130 26 35	QM	3.00	1.00	1.50	.500	700	N
72C136	55 56 12	130 28 9	GG	10.00	5.00	3.00	.700	1,500	N
72C137	55 58 2	130 27 6	QM	1.00	.15	.50	.150	200	N
72E005A	55 44 20	130 46 53	QD	7.00	1.50	2.00	.200	700	N
72E006A	55 43 51	130 47 41	GD	3.00	1.00	1.50	.150	700	N
72E008A	55 43 53	130 49 31	GD	5.00	1.00	1.50	.200	300	N
72E011A	55 43 41	130 51 38	PN	3.00	1.50	1.00	.150	700	3.0
72E014A	55 43 14	130 52 19	PN	7.00	1.50	1.50	.300	300	<.5

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	S-AS	S-AU	S-B	S-BA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PB
72C098	N	N	<10	1,500	<1.0	N	N	10	70	30	<20	N	10	7	15
72C099	N	N	<10	1,500	1.0	N	N	7	70	30	100	<5	10	7	10
72C100	N	N	<10	1,500	<1.0	N	N	10	70	10	N	N	10	10	<10
72C102	N	N	<10	1,500	N	N	N	30	15	200	N	<5	10	7	15
72C103	N	N	<10	1,500	1.0	N	N	7	N	30	<20	N	10	<5	20
72C104	N	N	<10	3,000	1.5	N	N	<5	N	30	20	N	N	<5	20
72C105	N	N	<10	200	<1.0	N	N	N	N	30	30	N	<10	<5	30
72C106	N	N	N	2,000	<1.0	N	N	<5	N	20	50	N	N	<5	20
72C107	N	N	<10	700	<1.0	N	N	N	N	30	30	N	10	<5	20
72C108	N	N	N	1,000	1.5	N	N	15	20	30	<20	<5	10	15	20
72C109	N	N	<10	1,500	1.0	N	N	10	15	50	50	<5	10	7	20
72C110	N	N	<10	1,500	1.0	N	N	7	10	30	50	N	10	<5	15
72C111	N	N	<10	1,500	1.0	N	N	7	15	20	30	N	10	<5	20
72C112	N	N	<10	1,500	1.0	N	N	7	10	30	30	<5	10	<5	20
72C113	N	N	<10	2,000	<1.0	N	N	N	<10	30	70	N	<10	<5	70
72C114	N	N	<10	700	1.5	N	N	<5	N	30	30	N	<10	<5	20
72C115	N	N	<10	700	<1.0	N	N	20	300	150	<20	5	10	150	20
72C116	N	N	<10	700	1.0	N	N	7	15	50	<20	<5	10	10	50
72C117	N	N	<10	1,500	1.0	N	N	7	15	30	30	N	10	<5	30
72C118	N	N	<10	1,500	1.0	N	N	10	15	30	20	N	10	7	30
72C119	N	N	N	1,500	1.0	N	N	N	N	30	20	N	10	5	20
72C120	N	N	<10	700	1.5	N	N	7	20	70	<20	N	10	15	15
72C121	N	N	<10	2,000	1.0	N	N	<5	15	50	50	N	10	5	30
72C122	N	N	<10	1,500	1.0	N	N	15	30	30	150	N	10	10	30
72C123	N	N	<10	700	1.0	N	N	10	10	30	N	N	10	5	15
72C124	N	N	<10	3,000	1.0	N	N	7	15	70	70	N	10	7	20
72C125	N	N	<10	700	1.5	N	N	20	<10	70	<20	N	10	15	20
72C126	N	N	N	1,500	1.0	N	N	5	20	70	30	N	<10	7	20
72C127	N	N	<10	2,000	1.0	N	N	N	N	70	N	N	10	5	50
72C128	N	N	<10	2,000	1.0	N	N	10	<10	50	<20	N	10	<5	20
72C129	N	N	<10	2,000	<1.0	N	N	<5	N	30	<20	N	<10	<5	30
72C130	N	N	<10	1,500	1.5	N	N	7	150	150	70	<5	10	15	70
72C130A	N	N	<10	150	N	N	N	N	<10	30	N	N	<10	7	N
72C131	N	N	<10	2,000	<1.0	N	N	15	150	100	N	<5	10	20	30
72C132	N	N	<10	1,500	1.0	N	N	20	<10	30	50	<5	10	7	20
72C133	N	N	<10	1,500	N	N	N	<5	20	30	<20	<5	10	5	N
72C134	N	N	N	2,000	<1.0	N	N	N	N	30	N	N	<10	<5	30
72C135	N	N	<10	2,000	1.0	N	N	7	15	70	30	N	10	<5	30
72C136	N	N	<10	2,000	<1.0	N	N	30	50	70	N	<5	10	20	20
72C137	N	N	N	1,500	1.0	N	N	N	N	50	N	N	<10	<5	30
72E005A	N	N	<10	500	<1.0	N	N	20	20	10	50	N	<20	7	15
72E006A	N	N	<10	700	1.0	N	N	7	<10	30	30	N	<20	5	50
72E008A	N	N	<10	1,500	<1.0	N	N	<5	N	15	<20	N	<20	<5	20
72E011A	N	N	<10	1,500	1.0	N	N	5	70	100	N	N	<20	50	30
72E014A	N	N	<10	700	<1.0	N	N	20	20	200	N	5	<20	30	20

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES--continued

SAMPLE	S-SB	S-SC	S-SN	S-SR	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
72C098	N	30	N	700	200	N	30	<200	150	N	5	<5	60	N
72C099	N	30	N	500	200	N	30	<200	200	N	10	5	40	N
72C100	N	30	N	700	200	N	20	<200	30	N	<5	<5	30	.04
72C102	N	70	N	300	300	N	20	N	20	N	130	<5	35	N
72C103	N	10	N	300	100	N	30	N	300	N	5	<5	15	<.02
72C104	N	7	N	500	100	N	15	N	150	N	<5	<5	15	N
72C105	N	N	N	100	10	N	N	N	70	N	<5	<5	5	N
72C106	N	N	N	700	30	N	N	N	300	N	<5	<5	40	N
72C107	N	N	N	200	15	N	N	N	70	N	<5	<5	5	N
72C108	N	30	N	500	200	N	30	N	100	N	5	5	50	N
72C109	N	20	N	1,000	200	N	20	N	200	N	<5	5	50	N
72C110	N	20	N	1,500	150	N	20	N	300	N	<5	5	60	N
72C111	N	15	N	1,500	150	N	15	N	300	N	<5	5	45	.04
72C112	N	20	N	N	N	N	N	N	500	N	<5	5	55	.02
72C113	N	N	N	500	30	N	<10	N	300	N	<5	<5	35	N
72C114	N	N	N	700	70	N	N	N	150	N	<5	<5	50	N
72C115	N	30	N	150	200	N	30	N	100	N	75	10	80	.02
72C116	N	30	N	1,000	300	N	20	N	300	N	<5	20	80	N
72C117	N	15	N	700	150	N	15	N	500	N	<5	N	80	N
72C118	N	15	N	700	150	N	10	N	100	N	<5	5	80	.02
72C119	N	N	N	700	50	N	10	N	300	N	<5	5	70	N
72C120	N	20	N	1,500	150	N	15	N	100	N	25	5	30	.02
72C121	N	7	N	1,000	100	N	15	N	200	N	<5	5	65	N
72C122	N	20	N	700	200	N	30	N	70	N	10	5	60	.02
72C123	N	10	N	1,000	150	N	10	N	300	N	N	5	80	.02
72C124	N	15	N	1,500	150	N	15	N	100	N	<5	5	80	N
72C125	N	30	N	300	200	N	70	N	100	N	25	<5	50	N
72C126	N	<5	N	N	N	N	N	N	150	N	55	5	50	N
72C127	N	15	N	500	150	N	30	N	150	N	<5	<5	15	N
72C128	N	15	N	700	150	N	20	N	200	N	N	<5	20	N
72C129	N	5	N	300	70	N	<10	N	150	N	N	10	25	.04
72C130	N	15	N	150	200	N	50	N	300	N	45	10	110	.18
72C130A	N	N	N	<100	15	N	N	N	<10	N	30	5	15	N
72C131	N	20	N	500	300	N	<10	<200	70	N	45	15	160	N
72C132	N	15	N	700	150	N	10	N	200	N	15	5	90	N
72C133	N	20	N	<100	30	N	50	N	200	N	10	<5	70	.04
72C134	N	N	N	500	15	N	N	N	20	N	15	<5	15	.02
72C135	N	15	N	1,000	150	N	10	N	300	N	N	5	70	.06
72C136	N	30	N	1,500	300	N	15	N	100	N	25	10	80	N
72C137	N	N	N	300	15	N	<10	N	100	N	<5	<5	45	N
72E005A	N	15	N	500	70	N	10	N	70	N	20	50	50	.02
72E006A	N	7	N	500	50	N	<10	N	70	N	20	35	50	.02
72E008A	N	5	N	700	70	N	<10	N	150	N	10	10	45	.02
72E011A	N	7	N	700	100	N	10	N	70	N	110	30	80	<.02
72E014A	N	15	N	200	70	N	20	N	150	N	130	35	75	.02

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	LATITUDE	LONGITUDE	ROCK & MINERAL CODES	S-FEX	S-MGX	S-CAX	S-TIX	S-MN	S-AG
72E017B	55 42 47	130 53 31	QD	7.00	2.00	3.00	.300	700	N
72E022A	55 43 31	130 50 38	QD	5.00	1.50	2.00	.200	500	N
72E026	55 47 21	130 43 46	GD	1.50	.70	1.50	.200	300	N
72E036A	55 53 50	130 46 44	PN	5.00	3.00	7.00	.300	1,000	N
72E040A	55 49 56	130 36 30	PN	7.00	2.00	2.00	.300	1,500	N
72E055	55 59 47	130 43 11	GD	3.00	.50	2.00	.150	700	N
72E067	55 57 14	130 41 43	GD	2.00	.70	3.00	.200	700	N
72E070	55 56 20	130 35 34	QM	1.50	.15	.70	.150	300	N
72E079A	55 47 52	130 56 16	MG	10.00	3.00	3.00	.300	1,000	N
72E087	55 45 5	130 49 40	GD	3.00	1.00	3.00	.300	1,000	N
72E103	55 54 48	130 31 37	QD	3.00	3.00	5.00	.300	1,000	N
72E106A	55 47 32	130 54 6	GD	2.00	.50	1.00	.070	150	.7
72E108A	55 46 47	130 53 57	QM	5.00	1.00	1.50	.300	700	N
72E123A	55 33 8	130 40 17	PN	3.00	.50	.05	.150	300	N
72E124	55 33 34	130 40 17	PN	3.00	.70	1.50	.300	300	N
72E127	55 34 36	130 40 42	PN	10.00	.30	1.50	.500	1,500	N
72E129	55 35 39	130 41 13	DP	1.50	.50	1.50	.200	300	N
72E130	55 35 43	130 41 11	MB	1.50	.70	>20.00	.150	1,000	N
72E133A	55 36 21	130 41 29	GG	3.00	.50	1.00	.070	200	N
72E136A	55 37 14	130 41 40	MG	3.00	.50	1.50	.150	200	N
72E138A	55 37 59	130 41 29	PN	3.00	2.00	3.00	.200	500	N
72E140A	55 39 43	130 42 55	MG	3.00	.70	1.50	.150	300	N
72E143	55 41 21	130 51 19	QD	3.00	2.00	5.00	.500	1,000	N
72E145A	55 35 43	130 47 48	GD	3.00	1.00	1.50	.150	300	N
72E148A	55 31 19	130 50 17	PN	3.00	.50	1.50	.150	300	N
72E149A	55 31 22	130 36 15	GD	3.00	.70	1.50	.200	300	N
72E155A	55 38 12	130 39 38	DI	7.00	2.00	3.00	.300	700	N
72E156A	55 38 41	130 38 40	MB	10.00	2.00	3.00	.300	700	N
72E158A	55 38 57	130 39 32	PN	7.00	2.00	5.00	.300	500	N
72E159A	55 38 30	130 40 0	PN	.70	2.00	2.00	.200	700	N
72E164A	55 37 28	130 42 21	PN	3.00	.50	.10	.150	300	N
72E167A	55 39 41	130 53 48	PN	5.00	1.50	2.00	.200	500	N
72E168B	55 39 6	130 53 44	PN	3.00	.70	1.50	.150	300	N
72E171	55 37 9	130 52 51	MP-PY	1.50	.70	20.00	.150	500	N
72E173A	55 36 11	130 52 45	QF	2.00	.50	.30	.300	200	N
72E174	55 35 34	130 52 36	PN	5.00	1.50	1.00	.500	1,000	N
72E175A	55 33 53	130 52 23	PN	7.00	1.50	2.00	.300	1,000	N
72E176A	55 37 54	130 36 47	PN	1.50	.70	1.00	.150	200	N
72E177A	55 31 59	130 49 29	PN	5.00	1.00	1.50	.200	300	N
72E178A	55 30 57	130 49 37	GD	5.00	1.50	1.50	.300	700	N
72E180A	55 31 14	130 44 27	GD	5.00	1.50	1.50	.200	700	N
72E181A	55 27 46	130 45 32	GD	7.00	1.50	2.00	.300	700	N
72E184A	55 29 35	130 40 22	PN	7.00	1.50	.70	.500	700	N
72E186A	55 32 35	130 36 52	PN	3.00	.70	.70	.200	200	N
72E187A	55 34 59	130 37 10	PN	7.00	1.50	.07	.700	1,000	N

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES--continued

SAMPLE	S-AS	S-AU	S-B	S-BA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PB
72E017B	N	N	<10	700	<1.0	N	N	20	30	30	<20	N	<20	7	10
72E022A	N	N	<10	1,000	<1.0	N	N	15	30	20	30	N	<20	10	30
72E026	N	N	N	1,500	1.0	N	N	<5	10	<5	<20	N	<10	7	20
72E036A	N	N	<10	1,500	<1.0	N	N	15	100	15	<20	N	<20	30	30
72E040A	N	N	<10	700	1.0	N	N	20	30	5	20	N	<20	15	10
72E055	N	N	N	3,000	1.0	N	N	N	N	20	N	N	<10	<5	30
72E067	N	N	<10	700	1.5	N	N	<5	15	30	<20	N	<10	5	10
72E070	N	N	N	1,500	1.5	N	N	N	N	30	N	N	<10	<5	30
72E079A	N	N	<10	300	<1.0	N	N	20	200	30	<20	N	<20	50	15
72E087	N	N	<10	1,500	1.0	N	N	5	15	15	<20	N	10	5	20
72E103	N	N	<10	1,500	1.5	N	N	10	30	20	<20	N	10	7	20
72E106A	N	N	<10	2,000	<1.0	N	N	<5	<10	300	N	15	<20	5	15
72E108A	N	N	<10	700	1.0	N	N	7	10	20	20	<5	<20	5	15
72E123A	N	N	<10	700	<1.0	N	N	5	30	20	100	N	<20	15	30
72E124	N	N	<10	700	<1.0	N	N	10	100	100	70	<5	10	15	20
72E127	N	N	10	700	1.0	N	N	30	150	70	70	<5	10	100	30
72E129	N	N	<10	1,500	3.0	N	N	<5	N	30	N	N	<10	<5	50
72E130	N	N	10	300	<1.0	N	N	N	70	20	N	N	<10	<5	15
72E133A	N	N	<10	700	1.0	N	N	5	<10	15	30	N	<20	<5	20
72E136A	N	N	<10	700	1.5	N	N	<5	<10	10	70	N	<20	<5	20
72E138A	N	N	15	300	1.5	N	N	10	50	20	30	N	<20	30	15
72E140A	N	N	<10	500	<1.0	N	N	5	N	5	30	N	<20	<5	15
72E143	N	N	<10	1,000	1.0	N	N	10	15	30	N	N	10	7	15
72E145A	N	N	<10	2,000	<1.0	N	N	5	15	7	<20	N	<20	<5	20
72E148A	N	N	<10	1,500	<1.0	N	N	<5	N	5	50	N	<20	<5	10
72E149A	N	N	<10	3,000	<1.0	N	N	5	<10	15	100	N	<20	<5	20
72E155A	N	N	<10	300	<1.0	N	N	20	<10	30	50	N	<20	7	15
72E156A	N	N	<10	300	<1.0	N	N	20	<10	30	30	N	<20	7	15
72E158A	N	N	<10	700	1.5	N	N	20	100	20	50	N	<20	50	15
72E159A	N	N	<10	300	1.5	N	N	20	200	70	20	N	<20	50	<10
72E164A	N	N	<10	700	N	N	N	5	20	15	70	N	<20	10	50
72E167A	N	N	<10	300	<1.0	N	N	5	<10	7	<20	N	<20	<5	<10
72E168B	N	N	<10	500	<1.0	N	N	<5	<10	7	N	N	<20	<5	10
72E171	N	N	<10	300	<1.0	N	N	N	70	20	<20	N	<10	15	30
72E173A	N	N	<10	300	<1.0	N	N	5	30	30	20	N	<20	15	<10
72E174	N	N	<10	700	1.0	N	N	20	100	50	70	N	10	30	30
72E175A	N	N	<10	300	<1.0	N	N	10	10	15	20	N	<20	<5	10
72E176A	N	N	<10	1,000	<1.0	N	N	N	N	10	<20	N	<20	<5	30
72E177A	N	N	<10	700	<1.0	N	N	7	<10	7	150	N	<20	<5	15
72E178A	N	N	<10	1,000	1.0	N	N	7	10	15	<20	N	<20	<5	15
72E180A	N	N	<10	1,500	<1.0	N	N	5	30	50	N	N	<20	7	20
72E181A	N	N	<10	700	<1.0	N	N	15	30	20	30	N	<20	7	15
72E184A	N	N	<10	1,500	1.5	N	N	5	70	20	50	N	<20	10	N
72E186A	N	N	<10	1,000	<1.0	N	N	<5	20	30	70	N	<20	5	20
72E187A	N	N	<10	500	<1.0	N	N	20	150	20	70	N	<20	30	15

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	S-SB	S-SC	S-SN	S-SR	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
72E017B	N	15	N	700	100	N	15	N	30	N	20	10	40	N
72E022A	N	10	N	500	70	N	15	N	70	N	15	15	40	N
72E026	N	5	N	700	70	N	N	N	100	N	<5	5	15	.10
72E036A	N	20	N	1,000	200	N	20	N	30	N	25	25	30	N
72E040A	N	20	N	300	150	N	20	N	150	N	10	20	85	N
72E055	N	7	N	700	30	N	<10	N	70	N	5	5	30	.06
72E067	N	15	N	500	70	N	15	N	70	N	5	<5	35	.50
72E070	N	N	N	300	15	N	10	N	70	N	15	<5	30	.10
72E079A	N	30	N	500	150	N	20	N	70	N	20	15	50	<.02
72E087	N	10	N	1,000	150	N	20	N	150	N	10	<5	20	.12
72E103	N	20	N					N	70	N	5	10	55	.06
72E106A	N	5	N	700	30	N	<10	N	30	N	600	5	15	<.02
72E108A	N	10	N	500	70	N	20	N	100	N	25	5	10	N
72E123A	N	5	N	150	50	N	<10	N	70	N	30	10	35	N
72E124	N	15	N	300	100	N	15	N	700	N	15	5	20	.08
72E127	N	30	N	200	200	N	30	N	150	N	40	15	85	.08
72E129	N	5	N	300	30	N	N	N	30	N	5	10	35	.12
72E130	N	5	N	700	50	N	10	N	30	N	15	45	10	.10
72E133A	N	5	N	300	30	N	15	N	150	N	20	10	30	<.02
72E136A	N	5	N	300	30	N	15	N	70	N	20	10	35	<.02
72E138A	N	15	N	150	70	N	20	N	200	N	25	10	40	.02
72E140A	N	10	N	150	50	N	20	N	150	N	15	5	20	<.02
72E143	N	20	N	700	150	N	20	N	50	N	5	5	40	.04
72E145A	N	7	N	700	70	N	15	N	70	N	15	5	50	<.02
72E148A	N	7	N	300	30	N	10	N	150	N	15	5	25	N
72E149A	N	5	N	700	30	N	<10	N	200	N	5	5	50	N
72E155A	N	15	N	700	150	N	20	N	100	N	45	10	40	.03
72E156A	N	15	N	700	150	N	20	N	20	N	15	70	10	.02
72E158A	N	15	N	150	100	N	30	N	150	N	30	30	70	.02
72E159A	N	20	N	300	100	N	20	N	100	N	50	15	70	<.02
72E164A	N	7	N	100	30	N	10	N	200	N	10	5	40	<.02
72E167A	N	7	N	1,500	70	N	10	N	100	N	10	5	15	.02
72E168B	N	5	N	700	30	N	<10	N	100	N	10	10	35	<.02
72E171	N	7	N	1,500	30	N	20	N	50	N	25	35	10	.02
72E173A	N	7	N	150	50	N	10	N	150	N	15	15	20	<.02
72E174	N	15	N	200	100	N	20	N	300	N	15	15	50	.14
72E175A	N	15	N	500	100	N	15	N	100	N	20	10	40	.04
72E176A	N	5	N	300	30	N	<10	N	150	N	15	5	25	N
72E177A	N	5	N	700	50	N	<10	N	150	N	15	5	45	<.02
72E178A	N	10	N	300	70	N	15	N	70	N	15	5	35	.02
72E180A	N	10	N	700	70	N	10	N	70	N	45	5	25	.02
72E181A	N	15	N	700	100	N	15	N	70	N	30	10	65	<.02
72E184A	N	10	N	150	150	N	10	N	150	N	50	10	65	<.02
72E186A	N	5	N	300	50	N	<10	N	150	N	25	5	30	N
72E187A	N	20	N	150	150	N	30	N	150	N	35	15	100	<.02

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES--continued

SAMPLE	LATITUDE	LONGITUDE	ROCK & MINERAL CODES	S-FEX	S-MGX	S-CAZ	S-TIX	S-MN	S-AG
72E189A	55 39 47	130 33 34	PN	3.00	.70	.70	.150	150	N
72E190A	55 40 56	130 30 57	PN	5.00	1.00	.30	.200	300	N
72E191	55 38 23	130 26 49	QD	7.00	2.00	3.00	.700	1,000	N
72E192A	55 40 9	130 22 58	GD	5.00	1.00	1.50	.200	300	<.5
72E193A	55 40 36	130 27 7	GD	5.00	1.00	2.00	.150	1,000	N
72E194B	55 41 17	130 28 4	GD	3.00	1.50	3.00	.200	700	N
72E195A	55 42 7	130 46 18	GD	3.00	1.00	1.50	.100	1,000	N
72E196	55 41 48	130 48 34	GD	3.00	.70	1.50	.300	1,500	N
72E197A	55 41 45	130 51 47	QD	3.00	1.00	1.50	.300	300	N
72E198A	55 41 29	130 52 36	PN	5.00	1.50	3.00	.300	300	N
72E199	55 38 23	130 52 13	QD	5.00	3.00	3.00	.300	1,000	N
72E200A	55 38 38	130 42 57	PN	7.00	1.50	.05	.700	1,000	N
72E201	55 43 56	130 36 10	PN	1.50	.15	1.50	.200	500	N
72E202A	55 44 25	130 26 38	QM	1.50	.50	1.00	.100	300	N
72E203	55 44 3	130 24 20	GG	3.00	.70	1.50	.300	700	N
72E204A	55 44 14	130 31 6	QM	3.00	1.50	1.50	.150	700	N
72E205A	55 43 19	130 33 20	PN	1.50	.70	.70	.150	300	N
72E207A	55 43 18	130 40 44	PN	10.00	2.00	.70	.700	700	N
72E208A	55 44 16	130 43 54	PN	1.50	.70	.30	1.000	150	N
72E210	55 47 56	130 49 20	PN	5.00	1.00	.07	.300	700	N
72E211	55 46 5	130 53 50	QD	7.00	3.00	5.00	.500	1,500	N
72E212A	55 43 41	130 52 58	GD	5.00	1.50	1.50	.300	500	N
72E213	55 44 35	130 49 41	GD	1.50	.70	1.50	.300	700	N
72E214	55 42 47	130 52 9	QD	5.00	1.50	2.00	.700	700	N
72E216	55 43 22	130 54 21	MU	7.00	2.00	7.00	1.000	1,000	<.5
72E218A	55 44 17	130 55 19	PN	5.00	1.50	1.50	.300	500	N
72E221B	55 44 54	130 55 59	PN	3.00	1.50	1.50	.200	500	<.5
72E222A	55 45 38	130 56 35	PN	1.50	.50	1.00	.100	200	N
72E227	55 51 53	131 3 16	PN	5.00	2.00	3.00	.500	1,500	N
72E229	55 53 9	131 4 27	GG	5.00	2.00	3.00	.500	1,500	N
72E232A	55 46 37	130 57 47	GG	5.00	1.50	2.00	.300	1,000	N
72E233	55 49 11	130 29 50	GD	5.00	2.00	3.00	.500	1,000	N
72E234	55 48 24	130 28 5	GD	7.00	3.00	5.00	.700	1,500	N
72E235	55 49 59	130 26 44	QM	1.50	.20	.70	.150	300	N
72E236	55 50 36	130 27 2	QM	3.00	.50	1.50	.300	300	N
72E238	55 53 3	130 25 28	GD	5.00	1.50	3.00	.300	700	N
72E239	55 53 32	130 23 23	QM	2.00	.70	1.50	.200	300	N
72E240	55 53 3	130 27 17	GD	3.00	1.50	3.00	.500	700	N
72E243	55 52 0	130 33 45	QM	.70	.20	.70	.150	200	N
72E245	55 50 39	130 34 41	QM	3.00	.70	2.00	.500	1,500	N
72E247A	55 46 58	130 37 27	AM	5.00	2.00	3.00	.300	1,500	N
72E250	55 48 37	130 42 21	PN	3.00	1.00	.30	.300	700	N
72E252A	55 51 26	130 45 17	PN	1.50	.30	.70	.100	150	N
72E255	55 57 46	130 28 56	GD	2.00	.70	1.50	.200	1,000	N
72E311	55 55 1	131 5 12	GG	1.50	.50	2.00	.200	300	N

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	S-AS	S-AU	S-B	S-BA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PB
72E189A	N	N	<10	300	<1.0	N	N	<5	30	30	20	<5	<20	7	<10
72E190A	N	N	<10	500	<1.0	N	N	7	50	30	20	N	<20	30	<10
72E191	N	N	<10	1,500	1.0	N	N	10	15	30	20	N	10	5	20
72E192A	N	N	<10	1,000	<1.0	N	N	5	<10	7	<20	N	<20	<5	10
72E193A	N	N	<10	2,000	<1.0	N	N	10	N	70	20	N	<20	<5	30
72E194B	N	N	<10	1,000	1.0	N	N	N	150	50	20	15	<20	10	N
72E195A	N	N	<10	1,500	<1.0	N	N	<5	<10	20	20	N	<20	<5	20
72E196	N	N	<10	1,500	<1.0	N	N	<5	10	30	30	N	<10	<5	15
72E197A	N	N	<10	700	<1.0	N	N	7	<10	15	20	N	<20	<5	10
72E198A	N	N	<10	300	1.5	N	N	15	70	20	30	N	<20	30	15
72E199	N	N	<10	1,000	<1.0	N	N	10	15	100	N	N	<10	10	15
72E200A	N	N	<10	200	<1.0	N	N	15	70	20	<20	N	<20	30	<10
72E201	N	N	<10	2,000	1.0	N	N	N	N	10	70	N	10	<5	20
72E202A	N	N	<10	1,000	<1.0	N	N	N	N	10	30	N	<20	<5	15
72E203	N	N	<10	1,500	1.0	N	N	N	N	30	30	N	10	<5	20
72E204A	N	N	<10	1,500	<1.0	N	N	5	N	7	<20	N	<20	<5	10
72E205A	N	N	<10	200	<1.0	N	N	<5	15	10	N	N	<20	7	N
72E207A	N	N	<10	1,500	N	N	N	30	150	30	70	<5	<20	30	30
72E208A	N	N	<10	700	<1.0	N	N	N	10	5	N	N	<20	5	10
72E210	N	N	<10	1,000	1.5	N	N	7	150	70	150	<5	10	10	30
72E211	N	N	<10	700	<1.0	N	N	30	50	50	N	<5	10	15	20
72E212A	N	N	<10	700	1.0	N	N	10	15	15	30	N	<20	7	20
72E213	N	N	<10	1,500	1.0	N	N	N	N	30	30	N	10	<5	30
72E214	N	N	<10	1,500	1.0	N	N	15	100	30	30	20	10	15	20
72E216	N	N	<10	500	<1.0	N	N	30	300	150	50	<5	15	70	20
72E218A	N	N	<10	1,000	1.0	N	N	7	10	7	50	N	<20	<5	20
72E221B	N	N	<10	700	1.0	N	N	10	50	100	<20	<5	<20	30	15
72E222A	N	N	<10	1,000	<1.0	N	N	N	N	7	N	N	<20	<5	20
72E227	N	N	<10	1,000	<1.0	N	N	7	15	30	<20	<5	10	7	20
72E229	N	N	<10	1,500	<1.0	N	N	10	100	50	20	<5	10	15	20
72E232A	N	N	<10	500	<1.0	N	N	<5	20	7	<20	N	<20	<5	15
72E233	N	N	<10	1,500	1.0	N	N	15	15	30	20	N	10	7	20
72E234	N	N	<10	1,000	1.0	N	N	15	30	30	50	N	10	7	20
72E235	N	N	N	1,500	1.5	N	N	N	N	20	<20	N	<10	<5	30
72E236	N	N	<10	3,000	1.0	N	N	N	<10	30	50	N	15	<5	20
72E238	N	N	<10	1,500	1.0	N	N	7	15	30	30	N	10	5	15
72E239	N	N	<10	2,000	1.0	N	N	N	<10	30	150	N	<10	<5	30
72E240	N	N	<10	1,500	1.0	N	N	7	15	30	50	N	10	<5	10
72E243	N	N	<10	1,500	<1.0	N	N	N	N	30	N	N	<10	<5	30
72E245	N	N	<10	2,000	1.0	N	N	5	<10	70	70	N	10	5	20
72E247A	N	N	<10	700	<1.0	N	N	10	150	20	N	<5	<20	30	20
72E250	N	N	<10	1,500	N	N	N	7	100	50	N	N	10	15	50
72E252A	N	N	<10	700	<1.0	N	N	<5	N	5	70	N	<20	7	20
72E255	N	N	<10	1,500	1.5	N	N	<5	N	30	<20	N	10	<5	15
72E311	N	N	<10	2,000	<1.0	N	N	<5	<10	30	<20	N	<10	<5	15

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES--continued

SAMPLE	S-SB	S-SC	S-SN	S-SR	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
72E189A	N	5	N					N	150	N	80	5	55	<.02
72E190A	N	10	N	150	70	N	15	N	70	N	75	10	130	<.02
72E191	N	15	N	1,500	200	N	15	N	200	N	10	10	80	.02
72E192A	N	7	N	700	70	N	10	N	50	N	10	5	75	<.02
72E193A	N	7	N	700	70	N	15	N	30	N	80	5	35	<.02
72E194B	N	10	N	300	700	N	30	200	150	N	60	5	45	N
72E195A	N	5	N	700	70	N	10	N	70	N	10	<5	10	N
72E196	N	7	N	500	100	N	15	N	150	N	<5	<5	20	N
72E197A	N	5	N	700	70	N	<10	N	70	N	15	5	30	N
72E198A	N	10	N	150	70	N	15	N	150	N	30	20	50	.02
72E199	N	10	N	700	150	N	<10	N	70	N	10	<5	30	.04
72E200A	N	20	N	<100	100	N	30	N	300	N	25	10	50	<.02
72E201	N	<5	N	300	30	N	15	N	300	N	<5	<5	20	.02
72E202A	N	5	N	300	30	N	<10	N	50	N	10	10	35	<.02
72E203	N	<5	N	300	70	N	20	N	300	N	<5	<5	25	.06
72E204A	N	7	N	700	100	N	15	N	50	N	15	5	20	.02
72E205A	N	7	N	150	50	N	N	N	70	N	25	5	30	<.02
72E207A	N	15	N					00	150	N	65	15	55	.18
72E208A	N	5	N	150	20	N	N	N	70	N	20	5	20	.03
72E210	N	15	N					N	300	N	30	5	55	N
72E211	N	30	N	1,000	200	N	30	N	70	N	15	5	50	N
72E212A	N	10	N	500	100	N	15	N	100	N	35	10	40	.07
72E213	N	7	N	700	70	N	20	N	200	N	<5	<5	10	.02
72E214	N	15	N	500	150	N	15	N	70	N	20	<5	30	N
72E216	N	20	N	700	200	N	50	N	200	N	100	5	30	.04
72E218A	N	10	N	700	70	N	10	N	100	N	25	10	60	.07
72E221B	N	10	N	300	150	N	15	<200	100	N	100	5	140	.08
72E222A	N	5	N	500	30	N	N	N	50	N	25	5	50	.02
72E227	N	20	N	300	200	N	30	<200	300	N	5	5	60	.02
72E229	N	20	N	500	200	N	30	N	100	N	5	5	45	.02
72E232A	N	10	N	500	70	N	20	<200	70	N	25	5	60	.06
72E233	N	20	N	1,000	200	N	20	N	200	N	N	5	70	N
72E234	N	30	N	1,000	300	N	20	N	150	N	<5	5	70	.06
72E235	N	N	N	300	30	N	<10	N	150	N	<5	<5	65	N
72E236	N	<5	N					N	500	N	<5	10	55	N
72E238	N	20	N	1,000	150	N	10	N	150	N	<5	5	50	.02
72E239	N	5	N	700	70	N	N	N	150	N	N	5	45	N
72E240	N	20	N	1,500	150	N	15	N	200	N	<5	5	60	.04
72E243	N	N	N	300	30	N	N	N	200	N	<5	<5	15	.02
72E245	N	10	N	500	150	N	30	N	500	N	20	<5	35	N
72E247A	N	15	N					00	50	N	55	10	15	.02
72E250	N	15	N	200	100	N	<10	N	300	N	5	5	30	.06
72E252A	N	5	N	500	30	N	<10	N	150	N	10	5	30	.02
72E255	N	15	N	300	70	N	15	N	30	N	5	5	20	.02
72E311	N	<5	N	1,000	70	N	<10	N	150	N	5	<5	25	.06

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES--continued

SAMPLE	LATITUDE	LONGITUDE	ROCK & MINERAL CODES	S-FEZ	S-MGZ	S-CAZ	S-TIZ	S-MN	S-AG
72E312	55 54 41	131 4 5	QD	5.00	2.00	5.00	.500	1,000	N
72E313	55 56 7	131 2 57	GD	5.00	1.50	3.00	.300	1,000	N
72E314	55 56 2	131 0 26	PN	5.00	1.50	.20	.300	300	N
72E315	55 55 5	130 58 24	PN	7.00	2.00	.15	.500	1,500	N
72E316	55 54 2	130 56 39	PN	5.00	2.00	.30	.300	1,500	N
72E317	55 52 46	130 56 13	PN	7.00	1.50	.07	.500	1,500	N
72E318	55 54 6	130 57 37	PN	10.00	3.00	.30	.700	2,000	N
72E319	55 54 35	130 58 54	PN	3.00	1.00	.05	.500	1,500	N
72E320	55 54 37	131 0 26	PN	3.00	.70	.30	.300	500	N
72E321	55 53 50	130 59 40	PN	3.00	1.00	.30	.500	500	N
72E322	55 53 2	130 59 26	QD	7.00	2.00	7.00	.500	1,500	N
72E323	55 52 9	130 59 17	QD	7.00	2.00	7.00	.700	1,000	N
72E324	55 51 59	131 1 54	QD	3.00	1.50	3.00	.200	1,000	N
72E325	55 52 19	131 0 53	GG	5.00	2.00	3.00	.700	700	N
72E326	55 51 11	131 1 5	PN	7.00	2.00	5.00	.500	1,000	N
72E327	55 50 21	130 59 35	PN	2.00	1.00	3.00	.200	700	N
72E339	55 58 33	130 55 27	PN	5.00	2.00	5.00	.500	1,000	N
72E340	55 57 26	130 56 41	PN	10.00	3.00	2.00	1.000	1,000	N
72E341	55 56 20	130 57 19	PN	2.00	.70	2.00	.200	500	N
72E342	55 55 23	130 56 35	QD	3.00	3.00	3.00	.200	1,000	N
72E343	55 56 27	130 54 24	PN	3.00	1.50	.70	.500	1,500	N
72E344	55 56 21	130 53 22	GG	3.00	2.00	2.00	.300	700	N
72E345	55 55 50	130 53 49	GG	3.00	1.50	1.50	.300	700	N
72E346	55 55 9	130 52 36	GG	2.00	.70	2.00	.200	500	N
72E347	55 55 8	130 49 27	QD	7.00	3.00	5.00	.500	1,000	N
72E348	55 54 29	130 52 40	QD	3.00	2.00	3.00	.300	1,000	N
72E349	55 54 10	130 54 56	GD	3.00	2.00	2.00	.300	1,000	N
72E350	55 54 51	130 56 34	PN	2.00	1.50	1.50	.150	300	N
72E351	55 52 47	130 53 3	GD	3.00	1.50	3.00	.300	1,000	N
72E352	55 50 38	130 54 24	QD	3.00	1.50	3.00	.300	700	N
72E353	55 51 24	130 55 54	QD	3.00	1.50	3.00	.300	1,000	N
72E354	55 52 15	130 55 27	PN	3.00	.50	.20	.200	500	N
72E355	55 49 13	130 59 12	GG	3.00	1.00	2.00	.300	700	N
72E360	55 40 36	130 53 57	PN	5.00	2.00	3.00	.500	700	N
72E361	55 40 36	130 53 57	DL	5.00	5.00	5.00	.700	1,000	N
72E362	55 40 36	130 53 57	DG	1.50	.70	3.00	.150	150	N
72E372	55 59 53	130 48 57	GD	1.50	3.00	2.00	.200	700	N
72E373	55 59 21	130 49 27	PN	5.00	1.50	.10	.700	1,500	N
72E374	55 58 41	130 48 35	PN	5.00	2.00	1.00	.500	1,500	N
72E375	55 58 2	130 49 55	PN	1.50	.50	.30	.200	300	N
72E376	55 58 20	130 47 56	PN	2.00	.70	.70	.300	300	N
72E377	55 58 14	130 49 15	PN	2.00	.70	.30	.200	300	N
72E378	55 57 47	130 51 47	PN	3.00	1.00	1.50	.300	500	N
72E379	55 58 18	130 50 26	PN	7.00	2.00	1.50	.500	1,000	N
72E380	55 59 35	130 41 34	QD	3.00	2.00	3.00	.300	700	N

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	S-AS	S-AU	S-B	S-BA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PB
72E312	N	N	<10	1,500	<1.0	N	N	15	15	50	<20	N	10	7	20
72E313	N	N	<10	1,500	1.5	N	N	10	50	20	30	N	10	15	20
72E314	N	N	<10	>5,000	N	N	N	7	150	30	<20	5	10	20	15
72E315	N	N	<10	1,500	N	N	N	30	100	30	<20	N	10	70	20
72E316	N	N	<10	2,000	3.0	N	N	N	70	150	30	20	10	30	20
72E317	N	N	<10	1,000	<1.0	N	N	7	70	30	50	N	10	15	30
72E318	N	N	<10	1,500	<1.0	N	N	30	200	70	150	<5	10	50	50
72E319	N	N	<10	1,500	<1.0	N	N	5	150	30	50	N	10	10	150
72E320	N	N	<10	1,500	<1.0	N	N	<5	70	30	50	N	10	15	30
72E321	N	N	<10	1,500	N	N	N	10	70	30	30	N	10	30	30
72E322	N	N	<10	1,500	1.0	N	N	15	20	150	20	N	10	7	30
72E323	N	N	<10	500	<1.0	N	N	10	<10	30	<20	<5	<10	5	30
72E324	N	N	<10	700	<1.0	N	N	7	<10	30	N	N	<10	<5	20
72E325	N	N	<10	1,500	1.0	N	N	10	100	50	<20	10	10	20	30
72E326	N	N	<10	700	<1.0	N	N	10	30	30	<20	N	10	5	20
72E327	N	N	<10	700	<1.0	N	N	5	<10	20	N	N	<10	<5	20
72E339	N	N	<10	1,000	1.0	N	N	10	50	30	<20	N	<10	15	30
72E340	N	N	<10	1,000	1.5	N	N	20	150	70	100	<5	10	70	30
72E341	N	N	<10	300	1.0	N	N	N	30	30	20	N	<10	<5	30
72E342	N	N	<10	1,000	1.0	N	N	7	150	20	<20	N	<10	70	15
72E343	N	N	<10	1,000	1.0	N	N	7	70	50	50	N	<10	20	30
72E344	N	N	<10	700	1.0	N	N	7	70	50	20	N	<10	30	20
72E345	N	N	<10	500	<1.0	N	N	5	<10	15	<20	N	<10	<5	15
72E346	N	N	<10	700	<1.0	N	N	<5	N	15	20	N	N	<5	15
72E347	N	N	<10	700	<1.0	N	N	20	30	30	<20	N	<10	15	15
72E348	N	N	<10	500	1.0	N	N	15	70	50	N	N	<10	15	20
72E349	N	N	<10	700	<1.0	N	N	10	100	30	N	N	<10	20	20
72E350	N	N	<10	300	1.5	N	N	7	150	15	70	<5	<10	30	20
72E351	N	N	<10	1,500	<1.0	N	N	5	<10	30	<20	N	<10	<5	15
72E352	N	N	<10	500	<1.0	N	N	7	15	30	<20	N	<10	<5	15
72E353	N	N	<10	700	<1.0	N	N	10	10	30	<20	N	<10	5	15
72E354	N	N	10	500	<1.0	N	N	N	50	30	20	N	<10	5	10
72E355	N	N	<10	700	<1.0	N	N	<5	30	30	<20	N	<10	<5	10
72E360	N	N	<10	200	<1.0	N	N	10	30	30	N	N	<10	<5	15
72E361	N	N	<10	300	<1.0	N	N	30	500	15	20	N	<10	150	10
72E362	N	N	N	300	<1.0	N	N	N	N	15	N	N	N	<5	10
72E372	N	N	N	700	1.0	N	N	N	N	15	30	N	<10	N	10
72E373	N	N	<10	300	<1.0	N	N	20	100	30	100	N	10	50	20
72E374	N	N	<10	200	<1.0	N	N	20	100	30	70	N	10	50	20
72E375	N	N	N	500	<1.0	N	N	5	30	15	<20	N	<10	10	20
72E376	N	N	<10	1,000	<1.0	N	N	<5	30	30	30	N	10	15	30
72E377	N	N	<10	700	<1.0	N	N	5	50	30	30	N	10	15	30
72E378	N	N	<10	500	1.5	N	N	7	70	30	<20	N	10	15	20
72E379	N	N	<10	700	<1.0	N	N	15	15	50	N	N	10	10	15
72E380	N	N	<10	700	<1.0	N	N	10	20	20	<20	N	<10	7	15

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	S-SB	S-SC	S-SN	S-SR	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
72E312	N	20	N	700	150	N	20	N	70	N	20	<5	45	.02
72E313	N	15	N	1,500	150	N	30	N	500	N	<5	<5	10	N
72E314	N	15	N					N	300	N	5	<5	55	.10
72E315	N	30	N	150	150	N	20	N	150	N	5	5	30	N
72E316	N	15	N	<100	300	N	20	<200	200	N	35	10	140	.06
72E317	N	20	N	<100	100	N	20	N	300	N	15	<5	30	.04
72E318	N	20	N	150	200	N	20	N	300	N	20	<5	25	N
72E319	N	30	N	<100	150	N	30	N	200	N	20	10	45	N
72E320	N	15	N	200	100	N	30	N	100	N	15	<5	25	.70
72E321	N	15	N	150	100	N	15	N	150	N	5	<5	15	N
72E322	N	30	N	1,000	200	N	20	<200	70	N	20	<5	30	.02
72E323	N	30	N	1,500	150	N	30	N	70	N	10	<5	25	.02
72E324	N	10	N	500	150	N	10	N	70	N	<5	<5	25	.04
72E325	N	10	N	500	200	N	10	N	300	N	20	5	65	N
72E326	N	20	N	500	150	N	20	N	200	N	5	<5	30	N
72E327	N	10	N	300	100	N	10	N	30	N	<5	<5	35	N
72E339	N	20	N	300	150	N	20	N	150	N	5	5	30	.04
72E340	N	30	N	300	200	N	30	N	700	N	35	5	70	.02
72E341	N	<5	N	500	70	N	10	N	70	N	10	<5	30	.02
72E342	N	15	N	700	100	N	10	N	70	N	5	<5	20	N
72E343	N	15	N					N	300	N	5	5	55	N
72E344	N	15	N	100	150	N	30	N	150	N	25	10	90	N
72E345	N	15	N	150	70	N	10	N	200	N	10	5	60	N
72E346	N	15	N	300	30	N	20	N	300	N	10	<5	35	N
72E347	N	20	N	700	200	N	20	N	150	N	5	5	50	N
72E348	N	15	N	700	200	N	15	N	70	N	40	<5	25	N
72E349	N	15	N	300	150	N	10	N	70	N	15	<5	20	N
72E350	N	10	N	300	70	N	30	N	150	N	<5	<5	40	.02
72E351	N	10	N	700	100	N	20	N	70	N	5	<5	15	N
72E352	N	15	N	500	100	N	15	N	100	N	10	<5	30	.02
72E353	N	15	N	500	150	N	15	N	70	N	20	<5	20	.04
72E354	N	10	N	100	70	N	<10	N	300	N	<5	<5	20	.06
72E355	N	15	N	300	100	N	15	N	70	N	<5	<5	50	.04
72E360	N	20	N	1,500	150	N	20	<200	150	N	15	<5	15	N
72E361	N	30	N	1,000	200	N	15	N	100	N	5	5	35	N
72E362	N	<5	N	1,500	30	N	10	N	200	N	<5	<5	20	.02
72E372	N	7	N	500	30	N	15	N	100	N	10	10	65	N
72E373	N	20	N	<100	150	N	20	N	100	N	40	10	90	N
72E374	N	20	N	150	150	N	20	N	70	N	20	5	50	N
72E375	N	7	N	150	50	N	10	N	100	<.05	5	<5	20	N
72E376	N	7	N	300	70	N	10	N	300	.10	5	10	50	N
72E377	N	7	N	150	70	N	15	N	200	.05	15	<5	30	N
72E378	N	10	N	300	100	N	15	N	300	.35	15	5	35	N
72E379	N	20	N	300	200	N	20	N	70	N	80	<5	40	.06
72E380	N	10	N	1,000	150	N	10	N	<10	N	25	<5	30	N

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES--continued

SAMPLE	LATITUDE	LONGITUDE	ROCK & MINERAL CODES	S-FEX	S-MGX	S-CAZ	S-TIX	S-MN	S-AG
72E381	55 58 0	130 43 1	GD	1.50	.50	1.50	.200	500	N
72E382	55 56 53	130 43 49	GD	3.00	1.00	2.00	.300	700	N
72E383	55 56 44	130 45 50	PN	2.00	.50	.15	.300	300	N
72E384	55 59 57	130 41 26	QM	1.50	.15	.50	.100	300	N
72E390	55 58 9	130 44 5	GD	3.00	.70	3.00	.300	700	N
72E391	55 54 10	130 43 45	GG	1.00	.30	.70	.150	200	N
72E392	55 56 18	130 42 56	GG	7.00	1.50	3.00	.500	1,500	N
72E393	55 57 47	130 38 27	QM	.50	<.02	.50	.015	30	N
72E394	55 56 40	130 38 39	QM	1.50	.50	1.50	.300	500	N
72E395	55 56 12	130 37 31	GD	3.00	1.50	2.00	.500	700	N
72E396	55 55 5	130 37 38	GD	3.00	1.00	1.50	.300	500	N
72E397	55 54 6	130 37 45	GD	3.00	1.00	2.00	.300	300	N
72E398	55 53 30	130 39 11	GD	5.00	1.50	3.00	.300	1,000	N
72E399	55 52 32	130 38 45	GD	.70	.10	.30	.100	150	N
72E400	55 53 49	130 41 20	PN	3.00	1.50	3.00	.500	1,000	N
72E401	55 55 44	130 39 24	QM	5.00	1.00	2.00	.300	700	N
72E402	55 56 22	130 39 47	GG	2.00	.70	1.00	.300	700	N
72E403	55 50 38	130 38 57	GD	5.00	2.00	5.00	.500	1,500	N
72E404	55 47 7	130 56 57	QD	5.00	1.50	3.00	.500	1,000	N
72E405	55 46 17	130 56 0	QD	7.00	2.00	5.00	.500	1,000	N
72E406	55 45 15	130 54 42	AM	5.00	3.00	7.00	.700	1,500	N
72E407	55 45 38	130 53 47	GD	1.50	.50	1.50	.200	300	N
72E408	55 48 42	130 54 38	GD	2.00	.70	2.00	.200	1,000	N
72E409	55 54 16	130 20 3	GD	3.00	1.00	2.00	.200	700	N
72E410	55 56 18	130 22 6	QM	3.00	.50	1.00	.200	700	N
72E411	55 57 52	130 23 44	QM	3.00	.30	1.50	.300	300	N
72E412	55 59 34	130 24 21	QM	2.00	.30	1.00	.200	300	N
72E413	55 59 39	130 25 28	QM	1.00	.15	.50	.200	150	N
72E414	55 58 19	130 26 35	QM	3.00	.50	1.50	.300	500	N
72E415	55 56 57	130 25 1	QM	.70	.10	.70	.100	70	N
72E416	55 56 30	130 25 14	QM	2.00	.50	1.50	.300	300	N
72E417	55 55 28	130 25 10	GD	5.00	1.50	3.00	.500	700	N
72E418	55 55 4	130 22 44	GD	3.00	1.00	3.00	.300	700	N
72E419	55 57 1	130 31 36	GD	3.00	.70	3.00	.300	700	N
72E420	55 54 59	130 35 0	QM	1.50	.30	1.50	.150	150	N
72E421	55 55 20	130 33 2	QM	.30	.03	.30	.030	70	N
72E422	55 56 48	130 32 35	QM	3.00	.70	2.00	.300	700	N
72E423	55 58 10	130 31 38	QM	1.50	.15	1.00	.050	200	N
72E424	55 59 34	130 30 39	QM	.70	.15	.50	.070	150	N
72E425	55 59 35	130 29 44	QM	5.00	.70	1.50	.700	700	N
72E426	55 59 18	130 33 8	QM	3.00	.70	1.50	.200	700	N
72S001	55 44 48	130 46 5	PN-PY	3.00	1.50	2.00	.300	1,000	N
72S003	55 45 25	130 43 31	GD	3.00	.70	1.50	.100	500	N
72S007B	55 45 8	130 42 23	QD	3.00	.70	1.50	.150	300	N
72S009	55 44 52	130 44 30	PN-PY	7.00	2.00	3.00	.300	700	.5

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	S-AS	S-AU	S-B	S-BA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PB
72E381	N	N	N	1,500	<1.0	N	N	<5	N	20	<20	N	<10	N	20
72E382	N	N	<10	1,000	1.0	N	N	5	<10	30	<20	N	10	5	20
72E383	N	N	<10	300	N	N	N	7	50	20	<20	N	10	15	15
72E384	N	N	<10	1,500	1.0	N	N	N	N	15	200	N	<10	N	30
72E390	N	N	<10	1,000	1.0	N	N	<5	N	20	30	N	10	N	20
72E391	N	N	N	1,500	<1.0	N	N	N	N	7	<20	N	<10	N	30
72E392	N	N	<10	1,000	1.0	N	N	7	<10	30	<20	<5	10	5	20
72E393	N	N	N	700	<1.0	N	N	N	N	7	N	N	N	<5	30
72E394	N	N	<10	1,500	1.0	N	N	<5	N	20	<20	N	<10	<5	20
72E395	N	N	<10	3,000	1.0	N	N	7	15	15	30	N	10	5	20
72E396	N	N	<10	2,000	<1.0	N	N	5	10	15	<20	N	10	7	30
72E397	N	N	<10	1,500	1.0	N	N	5	30	30	N	N	<10	15	30
72E398	N	N	<10	1,500	1.0	N	N	10	<10	70	<20	N	<10	5	15
72E399	N	N	N	500	<1.0	N	N	N	N	15	<20	N	<10	<5	15
72E400	N	N	<10	1,500	1.5	N	N	5	15	50	20	5	N	7	20
72E401	N	N	<10	1,500	1.0	N	N	5	<10	70	20	<5	10	5	20
72E402	N	N	<10	1,500	<1.0	N	N	<5	70	30	<20	N	10	15	15
72E403	N	N	<10	700	1.0	N	N	15	150	20	<20	N	<10	50	30
72E404	N	N	<10	1,000	<1.0	N	N	7	20	30	<20	N	10	<5	15
72E405	N	N	<10	700	<1.0	N	N	5	30	20	N	<5	10	5	15
72E406	N	N	<10	70	<1.0	N	N	15	30	15	N	<5	10	20	<10
72E407	N	N	N	1,500	1.0	N	N	<5	N	15	<20	N	10	<5	30
72E408	N	N	N	2,000	<1.0	N	N	<5	N	30	<20	N	<10	<5	10
72E409	N	N	N	700	<1.0	N	N	5	15	10	20	N	<10	7	20
72E410	N	N	N	700	<1.0	N	N	<5	<10	7	20	N	<10	<5	20
72E411	N	N	N	1,000	<1.0	N	N	<5	N	10	70	N	10	<5	15
72E412	N	N	N	700	1.0	N	N	N	N	7	20	N	<10	<5	15
72E413	N	N	N	1,000	<1.0	N	N	N	N	10	30	N	<10	<5	15
72E414	N	N	N	1,000	1.0	N	N	<5	<10	7	100	N	10	5	10
72E415	N	N	N	1,500	<1.0	N	N	N	N	7	N	N	N	<5	15
72E416	N	N	N	700	1.0	N	N	N	<10	10	30	N	<10	<5	10
72E417	N	N	<10	700	1.5	N	N	15	15	7	20	N	10	7	10
72E418	N	N	<10	1,000	1.0	N	N	7	10	15	20	N	10	5	20
72E419	N	N	N	1,000	1.0	N	N	N	N	10	<20	N	<10	N	15
72E420	N	N	N	1,500	<1.0	N	N	N	N	7	70	N	<10	<5	15
72E421	N	N	N	200	<1.0	N	N	N	N	7	N	N	N	<5	15
72E422	N	N	<10	700	1.5	N	N	<5	N	10	30	N	15	<5	15
72E423	N	N	N	700	1.0	N	N	N	N	7	<20	N	<10	<5	15
72E424	N	N	N	700	1.0	N	N	N	N	10	N	N	<10	<5	15
72E425	N	N	<10	700	1.0	N	N	7	<10	10	150	N	10	<5	15
72E426	N	N	<10	700	1.5	N	N	N	<10	10	20	N	10	<5	15
72S001	N	N	10	1,500	1.5	N	N	10	100	50	30	N	15	50	10
72S003	N	N	<10	1,000	<1.0	N	N	5	10	7	<20	N	<20	5	20
72S007B	N	N	<10	300	<1.0	N	N	5	10	10	<20	N	<20	5	20
72S009	N	N	<10	300	1.0	N	N	20	70	150	30	<5	<20	30	30

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	S-SB	S-SC	S-SN	S-SR	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
72E381	N	5	N	700	50	N	10	N	100	N	15	<5	30	.02
72E382	N	15	N	700	70	N	20	N	100	N	<5	<5	50	.08
72E383	N	10	N	<100	70	N	15	N	300	N	<5	<5	30	N
72E384	N	N	N	300	15	N	15	N	300	N	<5	<5	30	N
72E390	N	15	N	700	70	N	15	N	150	N	<5	<5	20	N
72E391	N	N	N	300	20	N	<10	N	500	.05	<5	<5	20	N
72E392	N	20	N	700	200	N	30	<200	150	N	5	<5	40	N
72E393	N	N	N	300	15	N	N	N	30	N	<5	<5	<5	N
72E394	N	7	N	700	50	N	15	N	100	N	10	<5	25	.04
72E395	N	15	N	1,500	150	N	20	N	150	N	5	5	45	N
72E396	N	10	N	1,000	100	N	10	N	70	N	<5	10	50	.02
72E397	N	7	N	1,500	150	N	10	N	150	N	10	5	40	N
72E398	N	N	N	700	150	N	20	N	100	N	<5	<5	10	N
72E399	N	10	N	100	15	N	N	N	100	N	<5	<5	15	N
72E400	N	7	N	700	100	N	20	N	500	N	10	5	45	.02
72E401	N	30	N					N	300	N	55	5	45	.02
72E402	N	20	N	500	70	N	15	N	70	N	15	5	50	N
72E403	N	30	N	300	150	N	20	N	100	.05	<5	<5	40	N
72E404	N	30	N	500	150	N	15	<200	70	N	5	<5	30	N
72E405	N	<5	N	700	200	N	20	<200	50	N	5	<5	30	.04
72E406	N	10	N	300	300	N	20	N	70	N	10	<5	5	.06
72E407	N	15	N	500	50	N	<10	N	100	N	5	<5	15	.02
72E408	N	<5	N	500	70	N	15	N	70	N	70	<5	10	N
72E409	N	15	N	700	100	N	10	N	200	N	5	10	75	.20
72E410	N	N	N	700	30	N	N	N	100	N	5	5	110	.16
72E411	N	N	N	700	70	N	10	N	300	N	5	5	75	<.02
72E412	N	N	N	700	30	N	<10	N	200	N	5	5	70	<.02
72E413	N	N	N	500	20	N	<10	N	70	N	5	10	60	<.02
72E414	N	N	N	700	70	N	<10	N	100	N	5	5	70	.04
72E415	N	N	N	700	15	N	N	N	150	N	<5	5	25	<.02
72E416	N	7	N	700	50	N	15	N	150	N	5	<5	70	<.02
72E417	N	20	N	700	200	N	20	N	70	N	5	10	90	.06
72E418	N	15	N	700	150	N	15	N	150	N	5	5	50	<.02
72E419	N	5	N	500	100	N	10	N	<10	N	<5	<5	25	<.02
72E420	N	N	N	700	50	N	<10	N	150	N	10	<5	30	<.02
72E421	N	N	N	150	10	N	N	N	<10	N	10	<5	10	<.02
72E422	N	15	N	500	100	N	30	N	<10	N	<5	<5	35	.16
72E423	N	N	N	500	30	N	N	N	70	N	<5	<5	35	.04
72E424	N	N	N	300	15	N	<10	N	70	N	10	5	35	.06
72E425	N	7	N	700	150	N	20	N	300	N	10	5	140	<.02
72E426	N	7	N	300	50	N	30	N	100	N	<5	5	40	.06
72S001	N	10	N	300	70	N	15	N	300	N	25	10	35	.02
72S003	N	7	N	700	70	N	<10	N	50	N	10	<5	40	.06
72S007B	N	5	N	700	50	N	<10	N	100	N	10	<5	30	.10
72S009	N	20	N	150	150	N	30	<200	150	N	110	15	150	.09

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES--continued

SAMPLE	LATITUDE	LONGITUDE	ROCK & MINERAL CODES	S-FEX	S-MGX	S-CAZ	S-TIX	S-MN	S-AG
72S012	55 42 25	130 52 59	QD	3.00	1.50	2.00	.300	500	N
72S013	55 42 11	130 53 40	PN	2.00	.70	.70	.300	1,500	N
72S015	55 41 17	130 54 7	PN	2.00	1.50	1.50	.300	1,000	N
72S017	55 43 14	130 44 47	PN	3.00	.70	.50	.200	150	N
72S018	55 42 29	130 42 15	PN-PY	15.00	2.00	2.00	>1.000	1,000	N
72S023A	55 40 59	130 43 23	QD	10.00	3.00	3.00	.700	1,500	N
72S025	55 40 40	130 46 50	QM	7.00	2.00	3.00	.300	1,500	N
72S026	55 41 5	130 48 29	GD	2.00	.70	2.00	.200	700	N
72S029	55 46 49	130 44 44	PN	7.00	1.50	2.00	.200	700	N
72S032	55 49 36	130 51 32	PN	1.50	.30	.15	.200	300	N
72S033	55 53 53	130 51 21	QD	1.50	.70	1.50	.150	700	N
72S035	55 53 13	130 49 11	PN	3.00	2.00	3.00	.300	1,000	N
72S040	55 51 39	130 42 2	GD	5.00	.70	1.50	.300	500	1.0
72S042	55 49 4	130 35 2	GD	3.00	1.50	3.00	.300	500	N
72S058	55 55 50	130 41 12	PN	5.00	1.50	3.00	.300	1,000	N
72S061	55 49 26	130 55 53	GG	7.00	3.00	5.00	.300	1,000	N
72S062	55 49 13	130 56 21	GG	5.00	3.00	3.00	.500	1,000	N
72S063	55 48 46	130 56 44	AM	7.00	3.00	5.00	.300	1,000	N
72S083	55 53 29	130 32 50	PN	1.50	.70	1.50	.200	300	N
72S084	55 47 35	130 52 6	QD	7.00	3.00	5.00	.500	1,500	N
72S085	55 46 14	130 50 8	QD	7.00	1.50	3.00	.300	1,000	N
72S086	55 44 57	130 51 20	QD	3.00	1.50	3.00	.300	700	N
72S087	55 44 30	130 52 0	GD	7.00	1.50	1.50	.200	1,500	N
72S088	55 54 6	130 21 37	GD	3.00	1.00	1.50	.300	700	N
72S101	55 33 14	130 40 36	PN	5.00	1.50	.15	.200	5,000	<.5
72S102	55 33 56	130 40 55	QD	7.00	1.50	2.00	.500	700	N
72S103	55 34 31	130 41 21	PN	3.00	1.00	1.50	.500	300	N
72S104	55 35 16	130 41 48	PN	3.00	1.50	.70	.200	300	N
72S106	55 35 39	130 43 6	QD	10.00	3.00	2.00	.500	1,000	<.5
72S107	55 35 0	130 44 31	GD	7.00	1.50	2.00	.300	700	N
72S108	55 34 28	130 44 56	QD	7.00	1.50	2.00	.500	1,000	N
72S109	55 34 5	130 46 6	GD	7.00	1.50	2.00	.300	700	N
72S110	55 33 48	130 47 30	GG	5.00	1.00	1.50	.200	500	N
72S112	55 32 58	130 47 9	AM	5.00	3.00	7.00	.300	1,500	.7
72S113	55 32 17	130 46 41	HG	5.00	2.00	1.50	.300	700	N
72S114	55 39 34	130 45 3	GD	5.00	1.50	3.00	.700	1,500	N
72S115	55 39 3	130 49 22	GD	3.00	.70	1.50	.100	300	N
72S116	55 38 7	130 51 34	QD	5.00	3.00	5.00	.700	1,000	N
72S118	55 32 57	130 46 2	GD	5.00	1.00	2.00	.150	700	N
72S119	55 30 38	130 47 30	QD	7.00	2.00	5.00	.500	1,000	N
72S121	55 31 15	130 39 14	QD	3.00	1.50	3.00	.300	700	N
72S122	55 33 15	130 36 41	QD	3.00	.70	3.00	.300	1,000	N
73B001A	55 54 3	131 6 21	PN	3.00	2.00	1.50	.500	500	N
73B001B	55 54 3	131 6 21	AM	3.00	2.00	5.00	.500	1,500	N
73B002A	55 54 32	131 6 53	PN-PY	1.50	.70	1.50	.200	500	N

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES--continued

SAMPLE	S-AS	S-AU	S-B	S-BA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PB
72S012	N	N	<10	1,500	<1.0	N	N	7	30	15	N	N	<10	7	<10
72S013	N	N	N	300	<1.0	N	N	7	70	10	30	N	<10	15	20
72S015	N	N	<10	700	1.0	N	N	<5	10	150	<20	N	<10	5	100
72S017	N	N	<10	700	<1.0	N	N	5	30	10	20	N	<20	15	30
72S018	N	N	<10	500	1.0	N	N	50	N	150	30	7	<20	30	20
72S023A	N	N	<10	1,000	<1.0	N	N	30	30	30	20	<5	<20	10	20
72S025	N	N	<10	2,000	<1.0	N	N	20	30	7	30	N	<20	7	30
72S026	N	N	<10	1,500	1.5	N	N	<5	15	10	<20	N	<10	5	10
72S029	N	N	<10	300	1.0	N	N	20	30	30	N	N	<20	15	20
72S032	N	N	<10	300	<1.0	N	N	N	30	20	<20	N	<10	5	<10
72S033	N	N	N	1,500	1.0	N	N	N	<10	15	<20	N	<10	<5	15
72S035	N	N	<10	500	1.0	N	N	10	20	30	<20	N	10	15	15
72S040	N	N	<10	2,000	1.0	N	N	7	10	700	<20	30	10	15	70
72S042	N	N	<10	1,500	1.0	N	N	7	10	20	<20	N	10	<5	15
72S058	N	N	<10	1,500	1.5	N	N	5	70	30	200	N	10	5	30
72S061	N	N	<10	700	<1.0	N	N	20	300	50	20	N	10	70	10
72S062	N	N	<10	1,500	1.0	N	N	15	15	70	N	N	10	7	20
72S063	N	N	<10	3,000	<1.0	N	N	30	200	50	N	N	10	100	30
72S083	N	N	<10	2,000	<1.0	N	N	5	<10	20	N	N	<10	7	70
72S084	N	N	<10	1,500	1.5	N	N	20	15	30	70	<5	10	<5	20
72S085	N	N	<10	700	1.0	N	N	20	30	20	N	<5	<20	7	30
72S086	N	N	<10	1,500	1.5	N	N	7	10	50	<20	N	<10	<5	30
72S087	N	N	<10	1,000	<1.0	N	N	10	15	30	N	<5	<20	7	15
72S088	N	N	<10	1,500	1.0	N	N	5	15	20	<20	N	<10	<5	30
72S101	N	N	<10	700	<1.0	N	N	10	30	15	<20	N	<20	15	N
72S102	N	N	<10	1,500	1.0	N	N	10	<10	5	70	<5	<20	5	15
72S103	N	N	<10	1,500	<1.0	N	N	7	70	70	N	<5	10	30	N
72S104	N	N	<10	3,000	1.0	N	N	10	70	70	50	5	<20	30	15
72S106	N	N	<10	700	<1.0	N	N	30	30	20	<20	<5	<20	15	30
72S107	N	N	<10	700	1.0	N	N	7	30	10	N	N	<20	7	20
72S108	N	N	<10	700	<1.0	N	N	20	10	15	N	<5	<20	7	15
72S109	N	N	<10	1,500	<1.0	N	N	7	15	10	<20	N	<20	7	20
72S110	N	N	<10	1,000	<1.0	N	N	7	30	7	50	N	<20	15	20
72S112	N	N	<10	700	<1.0	N	N	20	300	200	<20	150	10	50	20
72S113	N	N	<10	500	<1.0	N	N	20	30	10	20	N	<20	20	15
72S114	N	N	<10	1,500	1.0	N	N	7	30	30	<20	N	10	10	20
72S115	N	N	<10	3,000	<1.0	N	N	<5	10	5	20	N	<20	7	30
72S116	N	N	<10	700	1.0	N	N	15	150	50	N	N	10	20	20
72S118	N	N	<10	1,500	<1.0	N	N	7	<10	7	20	N	<20	5	20
72S119	N	N	<10	1,500	1.0	N	N	20	70	20	20	N	10	15	20
72S121	N	N	<10	2,000	1.0	N	N	7	70	50	<20	N	10	20	20
72S122	N	N	<10	2,000	1.0	N	N	7	N	150	<20	N	<10	<5	30
73B001A	N	N	<10	1,000	1.0	N	N	15	200	30	50	20	<20	50	10
73B001B	N	N	N	1,000	1.0	N	N	30	100	7	50	N	N	20	10
73B002A	N	N	N	700	1.0	N	N	7	10	10	N	N	N	10	<10

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	S-SB	S-SC	S-SN	S-SR	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
72S012	N	10	N	500	150	N	N	N	50	N	5	10	60	.22
72S013	N	10	N	<100	70	N	20	N	200	N	10	10	60	.16
72S015	N	10	N	300	100	N	10	300	150	N	140	30	160	.12
72S017	N	7	N	150	50	N	N	N	200	N	10	5	25	.10
72S018	N	15	N	500	70	N	30	<200	200	N	160	10	120	.08
72S023A	N	20	N	700	150	N	15	<200	100	N	20	10	60	.09
72S025	N	15	N	700	150	N	20	N	70	N	5	<5	20	.08
72S026	N	5	N	500	70	N	15	N	100	N	<5	5	20	.06
72S029	N	15	N	N	30	N	<10	N	150	N	55	5	50	.10
72S032	N	<5	N	N	30	N	<10	N	300	N	5	10	20	.08
72S033	N	7	N	500	70	N	<10	N	70	N	5	10	30	.02
72S035	N	15	N	700	150	N	15	N	50	N	15	15	50	.04
72S040	N	7	N	300	150	N	20	300	70	N	500	20	250	.04
72S042	N	10	N	N	100	N	N	N	300	N	<5	10	55	.02
72S058	N	15	N	700	100	N	30	N	100	N	15	5	40	.04
72S061	N	30	N	300	150	N	15	N	150	N	25	15	60	.02
72S062	N	30	N	700	150	N	30	N	30	N	25	10	60	.08
72S063	N	30	N	700	150	N	20	N	150	N	25	5	20	.10
72S083	N	5	N	700	30	N	N	N	100	N	5	5	35	.12
72S084	N	30	N	1,000	200	N	30	N	300	N	10	10	50	.06
72S085	N	20	N	700	150	N	15	N	70	N	20	10	350	.09
72S086	N	15	N	700	100	N	10	N	100	N	15	10	45	.08
72S087	N	10	N	700	100	N	15	N	50	N	35	<5	10	.06
72S088	N	15	N	N	100	N	N	N	200	N	5	5	55	.06
72S101	N	15	N	100	100	N	30	N	100	N	20	5	40	.05
72S102	N	15	N	700	150	N	15	N	150	N	5	5	40	.04
72S103	N	5	N	300	150	N	N	N	200	N	30	5	30	.08
72S104	N	7	N	300	200	N	15	300	150	N	70	10	140	.03
72S106	N	20	N	700	200	N	20	N	50	N	20	5	40	.05
72S107	N	15	N	700	100	N	15	N	70	N	10	<5	20	.04
72S108	N	15	N	700	150	N	15	N	30	N	10	5	40	.06
72S109	N	7	N	700	100	N	15	N	150	N	5	<5	40	.05
72S110	N	7	N	700	100	N	15	N	50	N	5	5	35	.08
72S112	N	30	N	300	200	N	30	N	70	N	160	<5	10	.30
72S113	N	15	N	300	150	N	15	N	100	N	15	10	70	.04
72S114	N	15	N	1,500	200	N	20	N	100	N	10	N	10	.26
72S115	N	5	N	700	70	N	15	N	70	N	<5	<5	20	.06
72S116	N	30	N	700	200	N	20	N	300	N	25	5	50	.10
72S118	N	7	N	700	70	N	15	N	100	N	<5	<5	15	.08
72S119	N	30	N	1,000	200	N	20	N	300	N	15	10	60	.22
72S121	N	15	N	1,000	150	N	20	N	70	N	15	<5	20	.06
72S122	N	10	N	700	150	N	15	N	300	N	75	<5	30	.22
73B001A	N	15	N	150	150	N	20	N	100	N	50	10	95	.04
73B001B	N	20	N	500	200	N	20	N	50	N	15	5	60	<.02
73B002A	N	7	N	700	100	N	15	N	150	N	45	5	110	.06

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	LATITUDE	LONGITUDE	ROCK & MINERAL CODES	S-FEX	S-MGX	S-CAZ	S-TIX	S-MN	S-AG
738002B	55 54 32	131 6 53	DP	.50	.10	.50	.030	100	N
738003A	55 54 56	131 7 31	PN-PY	3.00	3.00	5.00	.300	1,500	N
738003B	55 54 56	131 7 31	DL	3.00	2.00	2.00	.700	1,000	N
738004C	55 55 6	131 7 37	DP	.30	.15	.70	.030	100	N
738005A	55 55 23	131 8 7	AM-PY	3.00	2.00	1.00	.300	1,000	N
738006A	55 56 3	131 8 53	PN-PY	2.00	1.00	3.00	.200	500	<.5
738011A	55 56 43	131 7 26	GD	2.00	1.00	1.50	.300	700	N
738012A	55 56 16	131 8 29	QD	3.00	1.50	1.50	.200	1,000	N
738015A	55 56 26	131 7 38	GG	2.00	.50	1.00	.300	200	N
738019A	55 55 47	131 8 17	PN	3.00	2.00	2.00	.500	1,000	N
738023A	55 57 11	131 10 55	PN	3.00	1.50	1.50	.300	700	<.5
738023B	55 57 11	131 10 55	DP	.70	.20	1.50	.070	150	N
738026A	55 57 42	131 11 3	DQ	--	--	--	--	--	N
738026A	55 57 42	131 11 3	DQ	.50	.03	.10	.050	700	N
738038A	55 58 53	131 12 42	QM	1.00	.50	.50	.150	500	N
738039A	55 44 53	130 57 2	AM	2.00	2.00	1.50	.500	300	N
738041A	55 35 17	130 56 0	PN	1.00	.15	.70	.030	100	.5
738041B	55 35 17	130 56 0	AM	3.00	3.00	2.00	.150	500	N
738041C	55 35 17	130 56 0	PN	.30	.15	.50	.030	30	N
738042A	55 35 13	130 56 52	PN	1.50	.50	.50	.150	150	N
738073A	55 57 16	130 58 0	PN	1.50	.70	1.00	.200	200	N
738074A	55 58 36	130 56 58	PN	3.00	2.00	2.00	.200	700	N
738075A	55 59 43	130 55 41	PN	3.00	1.50	1.00	.300	500	<.5
738075B	55 59 43	130 55 41	QD	2.00	2.00	1.50	.500	700	N
738075C	55 59 43	130 55 41	PN	.70	.50	.30	.100	150	N
738079A	55 59 39	131 1 35	GD	3.00	1.50	2.00	.200	700	N
738080A	55 58 53	131 4 5	GD	2.00	.50	1.50	.150	150	N
738081A	55 59 17	131 4 42	GD	2.00	.70	1.50	.200	500	N
738082A	55 55 47	131 5 41	GD	3.00	1.50	1.50	.300	500	N
738083A	55 56 59	131 0 50	GD	2.00	1.00	1.50	.200	500	N
738084A	55 59 23	130 58 26	QM	.50	.10	.50	.050	100	N
738085A	55 57 48	131 1 5	QM	2.00	.70	1.50	.150	500	N
738086A	55 57 55	131 4 18	QM	2.00	1.00	1.50	.200	500	N
738087A	55 57 2	131 5 34	GD	1.00	.30	.50	.100	150	N
738088A	55 55 32	131 7 15	PN	3.00	1.00	1.50	.200	500	N
738088B	55 55 32	131 7 15	PN	.70	.20	.50	.050	100	<.5
738089A	55 57 8	131 9 6	GD	3.00	1.00	1.50	.200	700	N
738090A	55 58 15	131 7 44	GD	5.00	1.50	1.50	.500	1,000	N
738091A	55 59 39	131 5 45	GD	3.00	1.50	2.00	.200	700	N
738092A	55 59 57	131 6 55	GD	3.00	1.00	1.50	.200	700	N
738093A	55 59 31	131 11 25	QM	1.50	.30	.30	.150	700	N
738095A	55 25 18	130 42 44	GD	3.00	1.50	3.00	.200	1,500	N
738096A	55 25 53	130 44 26	GB	5.00	2.00	3.00	.500	1,500	N
738097A	55 26 22	130 43 50	GB	5.00	3.00	3.00	.500	1,500	N
738098A	55 27 2	130 43 17	GB	5.00	5.00	5.00	.500	1,000	N

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES--continued

SAMPLE	S-AS	S-AU	S-B	S-BA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PB
738002B	N	N	N	2,000	<1.0	N	N	N	N	7	N	10	N	<5	50
738003A	N	N	N	700	<1.0	N	N	30	700	30	N	N	N	50	10
738003B	N	N	N	700	1.0	N	N	30	150	50	50	N	<20	30	10
738004C	N	N	N	1,000	1.0	N	N	N	N	20	N	N	N	<5	70
738005A	N	N	N	500	1.0	N	N	20	150	5	N	N	N	20	10
738006A	N	N	<10	1,000	1.0	N	N	10	50	100	20	20	N	30	<10
738011A	N	N	N	1,500	1.0	N	N	5	15	5	20	N	N	<5	15
738012A	N	N	<10	1,000	1.0	N	N	15	20	10	20	N	<20	5	10
738015A	N	N	N	1,000	1.0	N	N	5	15	5	20	N	N	<5	10
738019A	N	N	N	300	1.0	N	N	20	70	10	20	N	<20	15	10
738023A	N	N	N	1,000	1.0	N	N	15	150	50	N	N	<20	30	<10
738023B	N	N	N	300	1.5	N	N	5	10	10	50	N	N	5	15
738026A	N	N	<10	<20	3.0	N	N	<5	<10	<5	<20	N	N	<5	70
738026A	N	N	N	20	2.0	N	N	N	N	<5	30	N	30	<5	30
738038A	N	N	N	1,000	1.5	N	N	N	<10	10	30	N	<20	<5	20
738039A	N	N	N	150	1.0	N	N	15	50	70	30	N	N	10	<10
738041A	N	N	N	300	1.0	N	N	15	N	200	N	N	N	<5	10
738041B	N	N	N	50	<1.0	N	N	20	1,500	20	N	N	N	150	<10
738041C	N	N	N	300	<1.0	N	N	N	N	10	N	N	N	<5	10
738042A	N	N	N	700	<1.0	N	N	5	50	7	20	N	<20	10	<10
738073A	N	N	N	1,000	1.5	N	N	N	10	10	30	N	<20	<5	30
738074A	N	N	<10	700	1.0	N	N	10	10	10	20	N	N	5	10
738075A	N	N	N	2,000	1.0	N	N	10	N	15	30	7	<20	<5	15
738075B	N	N	N	700	1.5	N	N	20	20	10	20	N	20	10	<10
738075C	N	N	N	1,500	1.0	N	N	N	N	10	30	N	N	<5	15
738079A	N	N	N	500	1.0	N	N	15	30	10	20	5	N	10	10
738080A	N	N	<10	500	1.0	<10	N	5	N	20	<20	N	N	<5	10
738081A	N	N	N	1,000	1.0	N	N	5	N	10	20	N	<20	<5	10
738082A	N	N	N	1,500	1.0	N	N	15	15	15	<20	N	<20	10	10
738083A	N	N	N	1,500	1.0	N	N	10	30	20	20	N	<20	10	10
738084A	N	N	N	500	1.0	N	N	N	N	5	70	N	<20	<5	10
738085A	N	N	N	1,500	1.0	N	N	7	N	<5	20	5	N	5	10
738086A	N	N	N	700	1.5	N	N	7	20	10	30	N	N	10	<10
738087A	N	N	<10	1,500	1.0	10	N	N	10	30	20	N	<20	<5	20
738088A	N	N	N	1,500	1.5	N	N	7	50	30	20	7	<20	20	10
738088B	N	N	N	3,000	1.0	10	N	N	N	30	20	N	N	5	20
738089A	N	N	N	1,500	1.0	N	N	7	10	50	50	N	N	5	20
738090A	N	N	N	1,500	1.5	N	N	10	30	30	70	N	<20	15	10
738091A	N	N	N	1,500	1.0	N	N	7	10	15	N	N	N	<5	10
738092A	N	N	N	1,500	1.0	N	N	7	10	20	N	N	N	5	15
738093A	N	N	N	300	2.0	N	N	N	N	10	30	N	20	<5	20
738095A	N	N	N	700	1.5	N	N	7	50	20	20	N	<20	30	<10
738096A	N	N	N	700	1.0	N	N	20	100	50	30	N	N	30	<10
738097A	N	N	N	700	1.0	N	N	30	50	50	20	N	N	50	10
738098A	N	N	N	300	1.0	N	N	50	70	50	20	N	N	150	<10

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES--continued

SAMPLE	S-SB	S-SC	S-SN	S-SR	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
738002B	N	N	N	500	<10	N	N	N	30	N	5	<5	5	.06
738003A	N	30	N					N	30	N	35	<5	55	.06
738003B	N	20	N					N	100	N	50	5	55	.08
738004C	N	<5	N	150	<10	N	<10	N	70	N	25	5	5	.06
738005A	N	20	N	200	150	N	15	N	70	N	15	5	45	.06
738006A	N	10	N	200	200	N	20	<200	70	N	80	<5	130	.02
738011A	N	7	N	500	70	N	10	N	100	N	5	<5	35	.02
738012A	N	15	N					N	150	N	15	10	55	.02
738015A	N	5	N	500	70	N	<10	N	70	N	10	5	15	.02
738019A	N	15	N	500	150	N	15	N	100	N	20	5	25	.08
738023A	N	15	N	300	150	N	20	<200	70	N	60	10	130	.14
738023B	N	<5	N	500	20	N	N	N	50	N	15	<5	25	.04
738026A	N	<5	N	N	<10	N	20	N	50	--	--	--	--	--
738026A	N	<5	<10	N	<10	N	20	N	70	N	5	<5	35	.08
738038A	N	<5	<10	200	20	N	10	N	100	N	5	<5	30	.04
738039A	N	20	N	200	150	N	20	<200	100	N	90	10	35	.08
738041A	N	N	N	200	10	N	N	N	70	N	400	5	25	N
738041B	N	30	N	100	150	N	15	N	50	N	15	<5	5	.04
738041C	N	N	N	700	10	N	N	N	70	N	<5	<5	20	.04
738042A	N	10	N	100	100	N	15	N	100	N	15	5	45	.02
738073A	N	10	N	500	30	N	10	N	100	N	25	5	70	.04
738074A	N	15	N					N	20	N	20	30	55	.02
738075A	N	10	N	200	70	N	15	N	100	N	30	10	90	.06
738075B	N	20	N					N	20	N	10	10	55	.06
738075C	N	<5	N	150	15	N	10	N	200	N	10	5	20	.04
738079A	N	15	N	500	100	N	20	N	100	N	20	10	60	.02
738080A	N	<5	N	700	70	N	N	N	200	N	15	10	40	.06
738081A	N	5	N	300	50	N	20	N	150	N	10	5	40	.06
738082A	N	10	N	500	100	N	15	N	100	N	15	10	65	.06
738083A	N	10	N	500	70	N	15	N	100	N	15	10	35	.04
738084A	N	<5	N	150	10	N	10	N	150	N	10	<5	10	.06
738085A	N	7	N	500	50	N	15	N	100	N	10	<5	20	.04
738086A	N	10	N	700	70	N	20	N	100	N	10	5	50	.04
738087A	N	<5	N	500	30	N	<10	N	50	N	5	5	25	.02
738088A	N	10	N	500	150	N	20	N	150	N	40	10	95	.04
738088B	N	N	N	300	10	N	<10	N	100	N	10	5	25	.02
738089A	N	5	N					N	10	N	<5	5	55	N
738090A	N	10	N	1,000	100	N	30	N	300	N	10	<5	40	N
738091A	N	10	N	500	100	N	10	N	50	N	<5	5	40	<.02
738092A	N	7	N	1,000	50	N	<10	N	50	N	5	<5	45	N
738093A	N	5	<10	100	10	N	10	N	200	N	5	5	60	N
738095A	N	10	N	100	50	N	15	N	300	N	30	<5	30	N
738096A	N	20	N	1,000	200	N	20	N	50	N	10	N	15	N
738097A	N	20	N	1,500	200	N	10	N	100	N	25	N	10	N
738098A	N	30	N	1,000	150	N	15	N	30	N	25	10	10	.04

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	LATITUDE	LONGITUDE	ROCK & MINERAL CODES	S-FEZ	S-MGZ	S-CAZ	S-TIZ	S-MN	S-AG
738099B	55 25 38	130 43 20	VQ	3.00	1.50	1.50	.500	1,000	N
738100A	55 24 26	130 44 12	QD	5.00	3.00	2.00	.300	1,000	N
738101A	55 25 28	130 45 11	VQ	3.00	1.00	1.50	.200	700	N
738102A	55 25 17	130 45 59	PN	3.00	2.00	1.50	.300	1,000	N
738103A	55 26 52	130 46 5	VQ	1.00	.30	.20	.150	150	N
738104A	55 56 31	130 20 52	QM	--	--	--	--	--	N
738104A	55 56 31	130 20 52	QM	2.00	.70	1.50	.200	300	N
738105A	55 53 8	130 20 0	GD	3.00	1.50	2.00	.300	500	N
738105A	55 53 8	130 20 0	GD	--	--	--	--	--	N
738106A	55 51 50	130 23 27	GD	7.00	3.00	3.00	.500	1,000	N
738106A	55 51 50	130 23 27	GD	--	--	--	--	--	N
738107A	55 51 7	130 24 8	GD	--	--	--	--	--	N
738107A	55 51 7	130 24 8	GD	3.00	2.00	1.50	.200	1,000	N
738108A	55 49 9	130 22 2	GD	--	--	--	--	--	N
738108A	55 49 9	130 22 2	GD	3.00	1.50	1.50	.200	500	N
738109A	55 49 58	130 21 20	QM	3.00	1.00	1.50	.300	300	N
738109A	55 49 58	130 21 20	QM	--	--	--	--	--	N
738110A	55 45 53	130 20 35	QM	2.00	.50	1.00	.150	500	N
738111A	55 45 3	130 22 45	GD	2.00	.70	1.50	.150	700	N
738111A	55 45 3	130 22 45	GD	--	--	--	--	--	N
738111B	55 45 3	130 22 45	DP	--	--	--	--	--	N
738111B	55 45 3	130 22 45	DP	.50	.15	1.00	.050	100	N
738136A	55 27 16	131 28 36	GS-PY	>20.00	1.50	.50	.700	200	N
738140B	55 27 48	131 28 9	MS	1.00	.20	7.00	.070	1,500	N
738158A	55 26 40	131 29 8	FV	15.00	5.00	7.00	.700	1,000	N
73E014A	55 59 58	131 16 2	GG	3.00	.70	1.00	.200	1,000	N
73E015A	55 59 58	131 16 50	AM	5.00	2.00	2.00	.500	1,000	N
73E016A	55 59 48	131 17 2	AM	5.00	1.50	2.00	.300	1,000	N
73E017A	55 59 38	131 17 43	QM	1.50	.30	.30	.150	200	N
73E018A	55 59 43	131 17 41	AM	3.00	1.50	1.50	.300	1,000	N
73E019A	55 59 29	131 18 30	DI	3.00	2.00	2.00	.300	700	N
73E077A	55 58 6	130 58 4	PN	3.00	2.00	.70	.300	500	N
73E078A	55 58 59	130 57 21	GD	3.00	2.00	1.50	.300	500	N
73E083A	55 59 8	131 2 12	GD	2.00	1.00	1.50	.200	500	N
73E084A	55 58 29	131 5 25	GD	2.00	.70	1.50	.150	300	N
73E084B	55 58 29	131 5 25	DF	.50	.07	<.05	.030	200	N
73E085A	55 56 38	131 3 33	GD	1.50	.70	1.00	.150	300	N
73E086A	55 56 56	130 58 28	PN	2.00	.70	.50	.200	1,000	N
73E087A	55 59 29	131 0 11	QD	3.00	2.00	1.50	.300	700	N
73E088A	55 58 22	131 3 6	GD	2.00	1.00	1.00	.200	500	N
73E089A	55 56 30	131 5 58	GD	1.50	.50	1.00	.150	500	N
73E090A	55 57 56	131 8 48	GD	2.00	.50	1.00	.150	200	N
73E091A	55 58 54	131 6 42	GD	2.00	.70	1.50	.200	200	N
73E093A	55 59 8	131 8 48	GD	2.00	.50	1.00	.150	300	N
73E104	55 55 37	130 20 17	QM	2.00	1.00	1.50	.200	500	N

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	S-AS	S-AU	S-B	S-BA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PB
73B099B	N	N	N	700	1.0	N	N	15	50	50	30	N	20	30	10
73B100A	N	N	N	1,000	1.0	N	N	15	20	20	30	N	N	5	10
73B101A	N	N	N	700	1.0	N	N	7	20	30	20	N	<20	10	<10
73B102A	N	N	N	200	1.5	N	N	15	100	30	20	N	<20	50	<10
73B103A	N	N	N	1,000	<1.0	N	N	N	10	70	20	N	N	5	<10
73B104A	N	N	10	1,000	2.0	N	N	10	<10	<5	30	N	<20	5	50
73B104A	N	N	<10	1,500	2.0	<10	N	5	10	30	100	N	20	<5	70
73B105A	N	N	N	1,500	1.5	N	N	7	15	10	20	N	N	5	30
73B105A	N	N	10	1,500	1.0	N	N	20	<10	5	50	N	<20	5	50
73B106A	N	N	N	1,500	1.0	N	N	20	50	30	30	N	<20	10	15
73B106A	N	N	10	1,000	1.0	N	N	30	<10	5	50	N	<20	5	20
73B107A	N	N	<10	2,000	1.0	N	N	10	100	<5	50	N	<20	20	30
73B107A	N	N	N	3,000	1.0	N	N	10	150	20	20	N	N	30	20
73B108A	N	N	<10	1,500	1.0	N	N	<5	<10	<5	50	N	<20	<5	20
73B108A	N	N	N	2,000	1.0	N	N	5	<10	20	20	N	<20	<5	50
73B109A	N	N	N	3,000	1.0	N	N	5	N	20	70	N	<20	<5	30
73B109A	N	N	<10	1,500	<1.0	N	N	<5	<10	<5	70	N	<20	<5	20
73B110A	N	N	N	1,500	1.5	<10	N	N	N	15	20	15	<20	<5	15
73B111A	N	N	N	3,000	1.0	N	N	N	N	50	20	N	N	<5	20
73B111A	N	N	<10	2,000	<1.0	N	N	<5	<10	<5	50	N	<20	<5	20
73B111B	N	N	<10	2,000	1.0	N	N	<5	<10	<5	30	N	<20	<5	20
73B111B	N	N	N	3,000	<1.0	N	N	N	N	7	N	N	N	<5	15
73B136A	N	N	20	1,000	1.5	N	N	70	200	70	50	N	<20	150	20
73B140B	N	N	10	50	N	N	N	<5	20	10	50	N	<20	<5	N
73B158A	N	N	20	1,000	<1.0	N	N	70	700	150	70	N	<20	200	30
73E014A	N	N	N	700	<1.0	N	N	20	70	30	<20	N	N	50	10
73E015A	N	N	N	700	1.0	N	N	30	30	20	70	N	N	20	15
73E016A	N	N	N	1,000	1.0	N	N	15	10	7	50	N	<20	<5	10
73E017A	N	N	N	500	1.5	N	N	N	N	10	50	100	20	<5	15
73E018A	N	N	N	500	1.0	N	N	20	100	50	70	7	<20	30	10
73E019A	N	N	N	500	1.5	N	N	15	70	20	20	30	N	5	10
73E077A	N	N	N	1,000	1.0	N	N	20	200	15	100	N	<20	50	15
73E078A	N	N	N	1,500	1.0	N	N	15	30	10	20	N	<20	7	10
73E083A	N	N	N	1,000	1.0	N	N	10	20	15	20	N	<20	5	<10
73E084A	N	N	<10	500	3.0	N	N	7	<10	20	20	N	N	<5	10
73E084B	N	N	N	N	2.0	N	N	N	N	10	20	N	20	<5	30
73E085A	N	N	N	1,500	1.0	N	N	7	N	5	50	N	<20	5	15
73E086A	N	N	N	300	<1.0	N	N	7	30	15	50	N	<20	10	10
73E087A	N	N	N	700	1.0	N	N	15	15	10	30	N	<20	7	10
73E088A	N	N	N	1,500	1.0	N	N	10	15	5	30	N	<20	7	10
73E089A	N	N	N	1,500	1.5	N	N	5	10	5	20	5	<20	5	20
73E090A	N	N	N	2,000	1.0	N	N	5	N	30	30	N	N	<5	15
73E091A	N	N	N	2,000	1.0	N	N	<5	10	15	20	N	N	<5	10
73E093A	N	N	N	1,500	1.0	N	N	5	N	7	20	N	N	5	15
73E104	N	N	N	1,000	1.0	N	N	5	10	30	20	N	<20	<5	50

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES--continued

SAMPLE	S-SB	S-SC	S-SN	S-SR	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
738099B	N	15	N	500	150	N	20	N	70	N	25	5	45	N
738100A	N	20	N	1,000	150	N	15	N	70	N	15	10	60	.02
738101A	N	10	N	150	70	N	10	N	100	N	25	10	65	N
738102A	N	15	N	<100	100	N	10	N	100	N	20	25	80	<.02
738103A	N	<5	N	100	30	N	N	N	10	N	15	5	15	N
738104A	N	5	20	500	30	N	<10	N	100	--	--	--	--	--
738104A	N	5	70					N	150	N	5	15	55	.02
738105A	N	10	15	700	100	N	10	N	100	N	5	10	60	N
738105A	N	15	N	1,500	100	N	10	N	150	--	--	--	--	--
738106A	N	20	15					N	150	N	5	15	55	N
738106A	N	15	N	1,500	200	N	20	N	50	--	--	--	--	--
738107A	N	15	N	700	70	N	15	N	30	--	--	--	--	--
738107A	N	15	10	700	100	N	10	N	70	N	5	5	25	N
738108A	N	5	N	700	50	N	10	N	150	--	--	--	--	--
738108A	N	7	10	700	100	N	10	N	30	N	<5	10	30	N
738109A	N	5	10	1,000	70	N	15	N	200	N	5	5	70	N
738109A	N	5	N	1,000	50	N	10	N	150	--	--	--	--	--
738110A	N	<5	<10	500	30	N	10	N	50	N	10	5	30	N
738111A	N	5	10	500	50	N	10	N	70	N	<5	5	25	N
738111A	N	5	N	500	50	N	10	N	150	--	--	--	--	--
738111B	N	<5	N	700	<10	N	<10	N	<10	--	--	--	--	--
738111B	N	N	10	500	10	N	N	N	30	N	<5	5	5	N
738136A	N	20	N	200	200	N	30	N	200	N	5	15	35	.12
738140B	N	5	N	700	20	N	20	N	<10	N	5	15	10	N
738158A	N	30	N	200	200	N	30	N	200	N	10	25	40	.02
73E014A	N	15	N	200	100	N	20	N	150	N	50	<5	85	.04
73E015A	N	20	N	300	200	N	20	N	100	N	60	5	40	.08
73E016A	N	15	N	500	150	N	30	N	50	N	15	5	40	.10
73E017A	N	<5	N	150	15	N	10	N	150	N	10	<5	20	.06
73E018A	N	20	N	300	200	N	20	N	150	N	70	<5	60	.20
73E019A	N	20	N	500	200	N	15	N	100	N	25	<5	65	.04
73E077A	N	20	N	150	100	N	30	N	150	N	50	15	40	.06
73E078A	N	15	N	500	150	N	20	N	100	N	10	10	70	.04
73E083A	N	10	N	500	100	N	10	N	70	N	40	<5	25	.04
73E084A	N	7	N	500	70	N	10	N	70	N	10	10	70	.04
73E084B	N	5	N	N	<10	N	20	N	70	N	5	15	20	.06
73E085A	N	7	N	500	50	N	10	N	70	N	10	<5	35	.04
73E086A	N	15	N	150	70	N	30	N	150	N	20	5	85	.02
73E087A	N	20	N	300	150	N	20	N	20	N	15	5	60	.04
73E088A	N	7	N	500	70	N	10	N	50	N	10	5	60	.04
73E089A	N	7	N	300	30	N	10	N	100	N	10	<5	75	.04
73E090A	N	<5	<10	500	30	N	N	N	150	N	<5	N	30	N
73E091A	N	5	N	700	30	N	N	N	150	N	<5	<5	30	N
73E093A	N	<5	N	500	20	N	N	N	50	N	<5	<5	40	N
73E104	N	5	10	700	70	N	10	N	70	N	5	5	45	N

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	LATITUDE	LONGITUDE	ROCK & MINERAL CODES	S-FEX	S-MGX	S-CAZ	S-TIX	S-MN	S-AG
73E104	55 55 37	130 20 17	QM	--	--	--	--	--	N
73E105	55 52 8	130 21 33	GD	3.00	1.00	1.50	.300	500	N
73E105	55 52 8	130 21 33	GD	--	--	--	--	--	N
73E106	55 51 30	130 21 20	GD	3.00	1.50	1.50	.300	700	N
73E107	55 50 57	130 23 7	GD	3.00	1.50	1.50	.300	1,000	N
73E108	55 49 59	130 24 14	GD	3.00	2.00	2.00	.300	1,000	N
73E109	55 48 55	130 23 27	GD	3.00	2.00	3.00	.300	1,000	N
73E110	55 47 48	130 20 50	GD	3.00	1.00	1.50	.200	1,000	N
73E110	55 47 48	130 20 50	GD	--	--	--	--	--	N
73E111	55 45 16	130 20 13	GD	3.00	1.50	1.50	.200	1,000	N
73E112	55 47 3	130 21 39	GD	5.00	1.50	3.00	.500	1,000	N
73E113	55 58 0	130 19 23	QM	2.00	.70	1.00	.200	500	N
73E114	55 58 49	130 19 18	QM	2.00	.70	1.00	.200	500	N
73E115	55 59 35	130 17 53	QM	3.00	1.50	1.50	.200	700	N
73E117	55 59 49	130 14 44	QM	1.50	.30	.70	.200	500	N
73S043	55 26 40	130 43 29	GD	2.00	3.00	2.00	.100	700	N
75B6123C	55 29 53	131 58 56	MS	--	--	--	--	--	N
75B6124A	55 29 53	131 58 9	MS	--	--	--	--	--	N
75B6125A	55 30 47	131 57 47	PYRITE	--	--	--	--	--	N
75B6125B	55 30 47	131 57 47	MS	--	--	--	--	--	2.0
75B6129A	55 35 25	131 57 10	VQ-PY	--	--	--	--	--	N
75B6136B	55 35 57	131 56 44	MV-PY	--	--	--	--	--	N
75B6143A	55 31 58	131 49 35	QD-PY	--	--	--	--	--	N
75B6148A	55 31 40	131 49 31	MS	--	--	--	--	--	N
75B6148B	55 31 40	131 49 31	MS	--	--	--	--	--	N
75B6149A	55 31 27	131 49 27	MS-PY	--	--	--	--	--	N
75B6154A	55 29 21	131 49 40	QD-PY	--	--	--	--	--	N
75B6158A	55 30 7	131 47 13	MS	--	--	--	--	--	N
75B6159A	55 30 24	131 46 40	FV-PY	--	--	--	--	--	N
75B6160A	55 31 10	131 46 0	MS-PY	--	--	--	--	--	N
75B6170B	55 33 47	131 42 11	MS-PY	--	--	--	--	--	N
75B6181A	55 34 22	131 39 20	MS	--	--	--	--	--	N
75B6182B	55 40 23	131 49 11	DG-PY	--	--	--	--	--	N
75B6183C	55 39 52	131 49 19	FV	--	--	--	--	--	N
75B6189B	55 37 26	131 52 59	MS	--	--	--	--	--	N
75B6202A	55 19 35	131 31 0	MS-PY	--	--	--	--	--	N
75B6204A	55 19 58	131 30 21	MS-PY	--	--	--	--	--	N
75B6205A	55 20 44	131 29 25	GD	--	--	--	--	--	N
75B6207A	55 21 38	131 28 22	MS-PY	--	--	--	--	--	N
75B6208A	55 22 8	131 28 8	MS	--	--	--	--	--	N
75B6209A	55 23 9	131 28 1	MS-PY	--	--	--	--	--	N
75B6209B	55 23 9	131 28 1	DG-PY	--	--	--	--	--	N
75B6209C	55 23 9	131 28 1	VQ-PY	--	--	--	--	--	N
75B6209D	55 23 9	131 28 1	DG-PY	--	--	--	--	--	N
75B6210A	55 23 4	131 28 1	MS-PY	--	--	--	--	--	N

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	S-AS	S-AU	S-B	S-BA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PB
73E104	N	N	10	700	1.0	N	N	<5	<10	<5	30	N	<20	<5	20
73E105	N	N	N	1,500	1.0	N	N	7	10	20	20	N	N	<5	30
73E105	N	N	<10	1,500	1.0	N	N	10	<10	<5	50	N	<20	10	20
73E106	N	N	N	1,500	<1.0	N	N	10	15	20	20	N	N	5	20
73E107	N	N	N	2,000	1.0	N	N	5	10	50	20	N	N	<5	20
73E108	N	N	N	2,000	1.0	N	N	10	10	20	30	N	<20	5	15
73E109	N	N	<10	1,000	1.5	N	N	10	15	15	50	N	<20	5	15
73E110	N	N	N	2,000	1.0	N	N	5	<10	30	20	N	N	<5	20
73E110	N	N	<10	1,500	1.0	N	N	<5	<10	10	50	<5	<20	<5	10
73E111	N	N	N	2,000	1.0	N	N	7	<10	30	20	N	<20	<5	50
73E112	N	N	N	3,000	1.0	N	N	10	15	50	70	N	20	5	20
73E113	N	N	N	2,000	1.0	N	N	N	<10	7	20	N	<20	<5	20
73E114	N	N	N	3,000	2.0	<10	N	N	<10	20	100	N	20	<5	30
73E115	N	N	<10	2,000	1.5	10	N	7	15	50	20	N	<20	7	50
73E117	N	N	N	1,500	2.0	N	N	N	N	15	20	N	20	<5	30
73S043	N	N	N	150	<1.0	N	N	30	300	5	N	5	N	70	<10
758G123C	N	--	--	--	1.0	--	--	30	300	20	N	N	N	70	10
758G124A	N	--	--	--	N	--	--	10	50	<5	N	N	N	50	N
758G125A	N	--	--	--	N	--	--	30	300	30	N	N	N	70	10
758G125B	>10,000	--	--	--	N	--	--	30	N	10	N	N	N	70	30
758G129A	N	--	--	--	N	--	--	15	N	50	N	N	N	10	N
758G136B	N	--	--	--	N	--	--	30	30	300	N	N	N	10	20
758G143A	N	--	--	--	N	--	--	10	15	70	N	N	N	15	10
758G148A	N	--	--	--	N	--	--	30	150	50	N	N	N	70	20
758G148B	N	--	--	--	1.0	--	--	20	100	30	N	N	N	30	15
758G149A	N	--	--	--	1.0	--	--	15	70	50	N	N	N	30	10
758G154A	N	--	--	--	1.0	--	--	7	N	20	N	30	N	5	10
758G158A	N	--	--	--	2.0	--	--	20	50	30	N	N	N	50	15
758G159A	N	--	--	--	1.0	--	--	15	N	30	N	N	N	10	10
758G160A	N	--	--	--	1.0	--	--	15	100	30	N	15	N	20	15
758G170B	N	--	--	--	N	--	--	15	70	50	N	N	N	30	10
758G181A	N	--	--	--	N	--	--	30	10	30	N	N	N	70	10
758G182B	N	--	--	--	N	--	--	10	20	10	N	N	N	15	15
758G183C	N	--	--	--	N	--	--	30	70	50	N	N	N	30	10
758G189B	N	--	--	--	N	--	--	30	300	150	N	N	N	70	10
758G202A	N	--	--	--	1.0	--	--	30	100	100	N	N	N	70	20
758G204A	N	--	--	--	N	--	--	50	300	150	N	N	N	70	15
758G205A	N	--	--	--	N	--	--	30	150	30	N	N	N	30	10
758G207A	N	--	--	--	N	--	--	15	20	30	N	N	N	50	20
758G208A	N	--	--	--	1.0	--	--	5	30	50	N	50	N	70	N
758G209A	N	--	--	--	1.0	--	--	15	50	50	N	7	N	70	N
758G209B	N	--	--	--	1.0	--	--	5	N	10	N	N	N	10	N
758G209C	N	--	--	--	N	--	--	5	N	<5	N	N	N	10	N
758G209D	N	--	--	--	1.0	--	--	5	N	20	N	N	N	5	10
758G210A	N	--	--	--	N	--	--	5	10	30	N	10	N	50	10

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES--continued

SAMPLE	S-SB	S-SC	S-SN	S-SR	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
73E104	N	5	N	700	50	N	<10	N	50	--	--	--	--	--
73E105	N	7	10	1,000	100	N	10	N	150	N	<5	5	40	N
73E105	N	7	N	1,500	100	N	10	N	50	--	--	--	--	--
73E106	N	10	<10	700	100	N	10	N	150	N	<5	5	50	N
73E107	N	10	<10	700	100	N	15	N	30	N	<5	5	35	N
73E108	N	10	<10					N	150	N	5	5	55	N
73E109	N	20	<10					N	150	N	<5	5	55	<.02
73E110	N	7	10	700	100	N	10	N	50	N	10	<5	20	N
73E110	N	5	N	700	100	N	10	N	70	--	--	--	--	--
73E111	N	10	<10	300	100	N	10	N	70	N	5	<5	20	N
73E112	N	10	N	1,500	200	N	20	N	500	N	10	5	110	<.02
73E113	N	5	10	1,000	70	N	10	N	200	N	<5	5	50	N
73E114	N	5	<10	1,000	50	N	15	N	100	N	<5	10	50	N
73E115	N	10	10	1,000	100	N	10	N	100	N	5	5	40	N
73E117	N	<5	<10	300	20	N	20	N	150	N	<5	5	30	N
73S043	N	15	N	300	30	N	10	N	30	N	10	15	60	.04
75BG123C	N	--	N	--	200	N	N	N	--	N	--	--	75	--
75BG124A	N	--	N	--	70	N	N	N	--	N	--	--	25	--
75BG125A	N	--	N	--	150	N	20	N	--	N	--	--	65	--
75BG125B	1,000	--	N	--	20	N	N	N	--	7.50	--	--	5	--
75BG129A	N	--	N	--	70	N	N	N	--	.10	--	--	35	--
75BG136B	N	--	N	--	300	N	15	N	--	.60	--	--	160	--
75BG143A	N	--	N	--	70	N	N	N	--	N	--	--	30	--
75BG148A	N	--	N	--	300	N	20	N	--	N	--	--	95	--
75BG148B	N	--	N	--	200	N	20	N	--	N	--	--	80	--
75BG149A	N	--	N	--	150	N	15	N	--	N	--	--	60	--
75BG154A	N	--	N	--	100	N	15	N	--	N	--	--	95	--
75BG158A	N	--	N	--	150	N	20	200	--	N	--	--	95	--
75BG159A	N	--	N	--	150	N	20	N	--	N	--	--	75	--
75BG160A	N	--	N	--	200	N	20	N	--	N	--	--	70	--
75BG170B	N	--	N	--	300	N	20	N	--	N	--	--	80	--
75BG181A	N	--	N	--	100	N	20	N	--	N	--	--	65	--
75BG182B	N	--	N	--	50	N	N	N	--	N	--	--	20	--
75BG183C	N	--	N	--	500	N	100	200	--	N	--	--	90	--
75BG189B	N	--	N	--	200	N	20	N	--	N	--	--	85	--
75BG202A	N	--	N	--	200	N	20	200	--	N	--	--	130	--
75BG204A	N	--	N	--	500	N	N	200	--	N	--	--	35	--
75BG205A	N	--	N	--	150	N	10	N	--	N	--	--	25	--
75BG207A	N	--	N	--	300	N	20	300	--	N	--	--	200	--
75BG208A	N	--	N	--	2,000	N	N	1,500	--	N	--	--	1,400	--
75BG209A	N	--	N	--	500	N	N	300	--	N	--	--	420	--
75BG209B	N	--	N	--	100	N	N	N	--	N	--	--	40	--
75BG209C	N	--	N	--	30	N	N	N	--	N	--	--	15	--
75BG209D	N	--	N	--	100	N	N	N	--	N	--	--	40	--
75BG210A	N	--	N	--	500	N	N	300	--	N	--	--	390	--

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	LATITUDE	LONGITUDE	ROCK & MINERAL CODES	S-FEZ	S-MGZ	S-CAZ	S-TIZ	S-MN	S-AG
758G2108	55 23 4	131 28 1	DG-PY	--	--	--	--	--	1.0
758G211A	55 23 34	131 28 18	QD	--	--	--	--	--	N
758G211B	55 23 34	131 28 18	MS-PY	--	--	--	--	--	N
758G214A	55 24 32	131 29 2	MB	--	--	--	--	--	N
758G215A	55 24 46	131 29 21	MS-PY	--	--	--	--	--	N
758G218A	55 25 41	131 30 29	MS-PY	--	--	--	--	--	N
758G218D	55 25 41	131 30 29	MS-PY	--	--	--	.100	--	.5
758G219A	55 26 8	131 30 29	MS-PY	--	--	--	.300	--	N
758G219B	55 26 8	131 30 29	QF-PY	--	--	--	.200	--	N
758G221D	55 27 3	131 31 20	MS-PY	--	--	--	.100	--	1.0
758G229A	55 29 17	131 30 16	QV-PY	--	--	--	.300	--	.5
758G240A	55 30 17	131 28 18	DF-PY	--	--	--	.150	--	N
758G248A	55 18 7	131 28 31	MS	--	--	--	.300	--	N
758G248B	55 18 7	131 28 31	GD	--	--	--	.070	--	N
758G249A	55 18 23	131 28 5	MS-PY	--	--	--	.300	--	.5
758G250A	55 19 0	131 27 29	GD	--	--	--	.200	--	N
758G252A	55 19 27	131 25 50	MS-PY	--	--	--	.300	--	1.0
758G252B	55 19 27	131 25 50	MS	--	--	--	.300	--	2.0
758G255A	55 20 17	131 23 48	MS	--	--	--	.300	--	N
758G256A	55 20 35	131 22 54	MS	--	--	--	.300	--	N
758G257A	55 20 44	131 22 54	MS-PY	--	--	--	.300	--	N
758G258A	55 21 2	131 22 58	MB	--	--	--	.020	--	N
758G264A	55 22 24	131 19 50	MS	--	--	--	.300	--	N
758G265A	55 22 51	131 19 19	VQ	--	--	--	.100	--	N
758G266A	55 23 23	131 19 29	MS	--	--	--	.300	--	N
758G267A	55 24 6	131 18 47	GS	--	--	--	.300	--	N
758G268A	55 24 24	131 19 19	MS	--	--	--	.300	--	N
758G269A	55 24 42	131 19 14	GD	--	--	--	.200	--	N
758G270A	55 25 5	131 18 56	MV	--	--	--	1.000	--	N
758G272A	55 25 0	131 17 54	QD	--	--	--	.500	--	N
758G273A	55 25 27	131 17 29	MS	--	--	--	.500	--	N
758G275A	55 25 53	131 17 16	MS	--	--	--	.300	--	N
758G277A	55 27 20	131 17 26	GD	--	--	--	.300	--	N
758G277B	55 27 20	131 17 26	GD	--	--	--	.200	--	N
758G279A	55 28 23	131 17 39	AM	--	--	--	.700	--	N
758G281A	55 29 2	131 18 1	MV	--	--	--	.500	--	N
758G281B	55 29 2	131 18 1	DG	--	--	--	.200	--	N
758G284A	55 30 12	131 18 29	QH	--	--	--	.100	--	N
758G285A	55 30 51	131 18 38	MS-PY	--	--	--	.700	--	N
758G288A	55 32 9	131 19 50	MS	--	--	--	.300	--	N
758G289A	55 32 35	131 20 4	QF-PY	--	--	--	.200	--	N
758G291A	55 33 55	131 20 7	MB-PY	--	--	--	.070	--	N
758G293B	55 34 24	131 20 16	MS-PY	--	--	--	.200	--	15.0
758G296A	55 35 21	131 20 44	QF	--	--	--	.150	--	N
758G296B	55 35 21	131 20 44	AM	--	--	--	1.000	--	1.0

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	S-AS	S-AU	S-B	S-BA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PB
758G210B	N	--	--	--	N	--	--	30	20	150	50	N	N	30	20
758G211A	N	--	--	--	2.0	--	--	5	N	10	N	N	N	5	20
758G211B	N	--	--	--	1.0	--	--	15	70	50	N	150	N	150	10
758G214A	N	--	--	--	N	--	--	5	20	N	N	5	N	30	10
758G215A	N	--	--	--	N	--	--	15	50	50	N	N	N	100	20
758G218A	N	--	--	--	2.0	--	--	15	150	30	N	N	50	50	30
758G218D	N	--	--	--	1.0	N	30	10	30	50	N	N	N	30	20
758G219A	N	--	--	--	3.0	N	N	10	150	30	70	N	20	70	10
758G219B	N	--	--	--	N	N	N	50	2,000	20	N	N	N	100	50
758G221D	700	--	--	--	2.0	N	N	30	70	50	30	70	N	150	50
758G229A	N	--	--	--	3.0	N	N	10	70	50	30	15	N	30	20
758G240A	N	--	--	--	3.0	N	N	15	50	30	N	N	20	20	10
758G248A	N	--	--	--	3.0	N	N	30	200	20	50	N	20	70	10
758G248B	N	--	--	--	2.0	N	N	10	10	<5	N	N	N	5	20
758G249A	N	--	--	--	3.0	N	N	30	150	50	20	N	N	70	20
758G250A	N	--	--	--	3.0	N	N	10	10	<5	N	N	20	5	10
758G252A	N	--	--	--	3.0	N	N	30	50	70	70	N	20	30	20
758G252B	N	--	--	--	3.0	N	N	15	30	50	70	10	20	20	20
758G255A	N	--	--	--	2.0	N	N	20	50	30	N	N	N	10	10
758G256A	N	--	--	--	2.0	N	N	30	50	70	N	N	N	70	20
758G257A	N	--	--	--	3.0	N	N	30	50	70	20	100	N	50	30
758G258A	N	--	--	--	N	N	N	N	10	<5	N	N	N	5	30
758G264A	N	--	--	--	3.0	N	N	15	50	50	20	N	N	30	<10
758G265A	N	--	--	--	1.0	N	N	10	20	20	N	N	N	15	<10
758G266A	N	--	--	--	3.0	N	N	15	70	30	N	N	N	30	10
758G267A	N	--	--	--	1.0	N	N	70	1,000	70	N	N	N	150	<10
758G268A	N	--	--	--	3.0	N	N	30	70	50	20	N	N	30	10
758G269A	N	--	--	--	3.0	N	N	20	50	10	20	N	N	10	15
758G270A	N	--	--	--	2.0	N	N	70	150	100	N	N	N	70	<10
758G272A	N	--	--	--	1.0	N	N	50	300	30	N	N	20	30	10
758G273A	N	--	--	--	3.0	N	N	30	150	70	20	N	N	70	10
758G275A	N	--	--	--	2.0	N	N	15	70	30	30	N	N	20	10
758G277A	N	--	--	--	2.0	N	N	5	10	N	20	N	N	5	15
758G277B	N	--	--	--	3.0	N	N	5	N	5	N	N	N	5	20
758G279A	N	--	--	--	1.0	N	N	50	200	50	N	N	N	50	10
758G281A	N	--	--	--	1.0	N	N	50	70	100	20	N	N	30	15
758G281B	N	--	--	--	2.0	N	N	5	N	20	20	N	N	5	15
758G284A	N	--	--	--	2.0	N	N	5	N	<5	N	N	N	5	20
758G285A	N	--	--	--	2.0	N	N	30	20	30	N	N	N	10	10
758G288A	N	--	--	--	3.0	N	N	20	20	30	30	N	N	10	20
758G289A	N	--	--	--	1.0	N	N	20	30	30	N	N	N	30	10
758G291A	N	--	--	--	N	N	N	N	50	7	N	N	N	50	15
758G293B	N	--	--	--	N	N	N	50	300	70	N	N	N	70	30
758G296A	N	--	--	--	2.0	N	N	10	50	15	20	N	N	20	10
758G296B	N	--	--	--	3.0	N	N	70	300	150	N	N	N	100	30

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES--continued

SAMPLE	S-SB	S-SC	S-SN	S-SR	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
758G210B	N	--	N	--	500	N	20	N	--	N	--	--	65	--
758G211A	N	--	N	--	70	N	N	N	--	N	--	--	25	--
758G211B	N	--	N	--	500	N	30	1,500	--	N	--	--	720	--
758G214A	N	--	N	--	200	N	10	200	--	<.05	--	--	25	--
758G215A	N	--	N	--	200	N	20	200	--	N	--	--	110	--
758G218A	N	--	N	--	300	N	30	200	--	N	--	--	150	--
758G218D	N	--	N	--	50	N	N	7,000	--	N	--	--	6,300	--
758G219A	N	--	N	--	200	N	30	N	--	N	--	--	80	--
758G219B	N	--	N	--	150	N	15	N	--	N	--	--	45	--
758G221D	N	--	N	--	300	N	700	N	--	N	--	--	65	--
758G229A	N	--	N	--	200	N	70	N	--	N	--	--	140	--
758G240A	N	--	N	--	70	N	N	N	--	N	--	--	45	--
758G248A	N	--	N	--	200	N	30	N	--	N	--	--	5	--
758G248B	N	--	N	--	20	N	N	N	--	N	--	--	25	--
758G249A	N	--	N	--		N		N	--	N	--	--	55	--
758G250A	N	--	N	--	30	N	15	N	--	N	--	--	45	--
758G252A	N	--	N	--	200	N	30	N	--	N	--	--	85	--
758G252B	N	--	N	--	150	N	30	500	--	N	--	--	200	--
758G255A	N	--	N	--	150	N	20	N	--	N	--	--	45	--
758G256A	N	--	N	--	200	N	30	N	--	N	--	--	75	--
758G257A	N	--	N	--	300	N	30	200	--	N	--	--	130	--
758G258A	N	--	N	--	10	N	20	N	--	N	--	--	15	--
758G264A	N	--	N	--	100	N	20	N	--	N	--	--	90	--
758G265A	N	--	N	--	50	N	10	N	--	N	--	--	30	--
758G266A	N	--	N	--	150	N	20	N	--	N	--	--	100	--
758G267A	N	--	N	--	200	N	20	N	--	N	--	--	20	--
758G268A	N	--	N	--	150	N	20	N	--	N	--	--	95	--
758G269A	N	--	N	--	100	N	20	N	--	N	--	--	100	--
758G270A	N	--	N	--	300	N	30	N	--	N	--	--	10	--
758G272A	N	--	N	--	300	N	50	N	--	N	--	--	10	--
758G273A	N	--	N	--	200	N	30	200	--	N	--	--	170	--
758G275A	N	--	N	--	150	N	20	N	--	N	--	--	40	--
758G277A	N	--	N	--	70	N	N	N	--	N	--	--	60	--
758G277B	N	--	N	--	50	N	N	N	--	N	--	--	90	--
758G279A	N	--	N	--	200	N	30	N	--	N	--	--	15	--
758G281A	N	--	N	--	200	N	30	N	--	N	--	--	35	--
758G281B	N	--	N	--	20	N	N	N	--	N	--	--	90	--
758G284A	N	--	N	--	10	N	N	N	--	N	--	--	100	--
758G285A	N	--	N	--	300	N	50	N	--	N	--	--	85	--
758G288A	N	--	N	--	150	N	50	N	--	N	--	--	85	--
758G289A	N	--	N	--	200	N	30	300	--	N	--	--	380	--
758G291A	N	--	N	--	100	N	20	N	--	N	--	--	50	--
758G293B	N	--	N	--	300	N	20	N	--	N	--	--	25	--
758G296A	N	--	N	--	70	N	20	N	--	N	--	--	35	--
758G296B	N	--	N	--	200	N	30	N	--	N	--	--	15	--

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES--continued

SAMPLE	LATITUDE	LONGITUDE	ROCK & MINERAL CODES	S-FEX	S-MGX	S-CAX	S-TIX	S-MN	S-AG
75BG300A	55 36 24	131 21 17	MS	--	--	--	.150	--	N
75BG303A	55 37 44	131 21 15	AM	--	--	--	.500	--	N
75BG303B	55 37 44	131 21 15	QM	--	--	--	.100	--	N
75BG305A	55 38 18	131 21 59	MS	--	--	--	.200	--	N
75BG307A	55 17 39	131 28 8	HV	--	--	--	--	--	N
75BG308A	55 17 14	131 27 50	MS	--	--	--	--	--	N
75BG308B	55 17 14	131 27 50	QM	--	--	--	--	--	N
75BG311B	55 16 37	131 27 10	QF	--	--	--	--	--	N
75BG321A	55 16 5	131 22 31	FV	--	--	--	--	--	N
75BG322A	55 16 22	131 22 9	MS	--	--	--	--	--	N
75BG324A	55 20 26	131 15 34	GS	--	--	--	--	--	N
75BG324B	55 20 26	131 15 34	DG	--	--	--	--	--	N
75BG324C	55 20 26	131 15 34	MS-PY	--	--	--	--	--	2.0
75BG329A	55 21 11	131 16 27	GB	--	--	--	--	--	N
75BG333A	55 22 6	131 16 58	MS-PY	--	--	--	--	--	N
75BG335A	55 17 35	131 16 50	MS	--	--	--	--	--	N
75BG335C	55 17 35	131 16 50	DG-PY	--	--	--	--	--	N
75BG337A	55 18 20	131 16 23	GD	--	--	--	--	--	N
75BG338C	55 19 0	131 16 0	DF	--	--	--	--	--	N
75BG339A	55 19 6	131 15 26	DF	--	--	--	--	--	N
75BG341A	55 19 47	131 15 7	GD	--	--	--	--	--	N
75BG341B	55 19 47	131 15 7	GG	--	--	--	--	--	N
75BG341C	55 19 47	131 15 7	QF	--	--	--	--	--	N
75BG342A	55 19 58	131 15 7	QF-PY	--	--	--	--	--	N
75BG343A	55 20 3	131 15 17	MS-PY	--	--	--	--	--	N
75BG344A	55 21 7	131 15 10	MS	--	--	--	--	--	N
75BG344B	55 21 7	131 15 10	VQ	--	--	--	--	--	N
75BG345A	55 21 50	131 15 25	MS	--	--	--	--	--	N
75BG346A	55 22 10	131 16 47	BA	--	--	--	--	--	N
75BG348A	55 23 8	131 15 47	MS	--	--	--	--	--	N
75BG348B	55 23 8	131 15 47	VQ	--	--	--	--	--	N
75BG348C	55 23 8	131 15 47	QF-PY	--	--	--	--	--	N
75BG348D	55 23 8	131 15 47	QV-PY	--	--	--	--	--	N
75BG348E	55 23 8	131 15 47	-PY	--	--	--	--	--	10.0
75BG349A	55 23 12	131 15 32	MS-PY	--	--	--	--	--	N
75BG350A	55 23 31	131 15 29	MS-PY	--	--	--	--	--	N
75BG351A	55 23 48	131 15 11	MS	--	--	--	--	--	N
75BG352A	55 23 39	131 15 0	QF	--	--	--	--	--	N
75BG352B	55 23 39	131 15 0	QF-PY	--	--	--	--	--	N
75BG354A	55 22 58	131 14 30	MS-PY	--	--	--	--	--	N
75BG359A	55 15 5	131 22 59	MS	--	--	--	--	--	N
75BG364C	55 15 17	131 25 18	MS	--	--	--	--	--	N
75BG365A	55 15 32	131 25 54	FV	--	--	--	--	--	N
75BG366C	55 15 50	131 26 31	MS	--	--	--	--	--	N
75BG367A	55 18 29	131 34 8	MS	5.00	1.00	1.00	.200	300	.5

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	S-AS	S-AU	S-B	S-BA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PB
758G300A	N	--	--	--	2.0	N	N	10	10	10	N	N	N	20	10
758G303A	N	--	--	--	1.0	N	N	30	70	7	N	N	N	30	10
758G303B	N	--	--	--	2.0	N	N	5	N	N	N	N	N	5	20
758G305A	N	--	--	--	2.0	N	N	10	50	7	N	N	N	30	10
758G307A	N	--	--	--	2.0	--	--	50	200	100	30	N	N	70	N
758G308A	N	--	--	--	2.0	--	--	20	300	50	70	N	20	100	15
758G308B	N	--	--	--	<1.0	--	--	N	30	7	30	N	N	N	30
758G311B	N	--	--	--	2.0	--	--	15	50	30	70	N	N	10	15
758G321A	N	--	--	--	3.0	--	--	10	100	100	50	N	N	20	20
758G322A	N	--	--	--	1.5	--	--	20	200	150	50	N	N	70	<10
758G324A	N	--	--	--	2.0	--	--	20	50	10	50	N	N	7	15
758G324B	N	--	--	--	1.5	--	--	10	50	30	50	N	N	N	20
758G324C	N	--	--	--	2.0	--	--	10	70	20	70	20	N	20	30
758G329A	N	--	--	--	1.5	--	--	50	200	20	20	N	N	100	N
758G333A	N	--	--	--	2.0	--	--	20	150	50	50	N	N	30	20
758G335A	N	--	--	--	2.0	--	--	N	N	100	50	N	N	N	70
758G335C	N	--	--	--	<1.0	--	--	N	50	7	100	N	N	N	15
758G337A	N	--	--	--	2.0	--	--	7	N	N	50	N	N	N	15
758G338C	N	--	--	--	2.0	--	--	7	50	N	70	N	N	N	20
758G339A	N	--	--	--	3.0	--	--	N	N	N	50	N	N	N	15
758G341A	N	--	--	--	2.0	--	--	7	50	150	70	N	N	10	15
758G341B	N	--	--	--	2.0	--	--	70	N	150	20	N	20	10	N
758G341C	N	--	--	--	7.0	--	--	N	N	15	30	N	N	N	30
758G342A	N	--	--	--	3.0	--	--	N	N	10	30	N	N	N	15
758G343A	N	--	--	--	1.5	--	--	50	100	100	50	N	N	70	N
758G344A	N	--	--	--	2.0	--	--	20	100	150	30	N	20	30	15
758G344B	N	--	--	--	<1.0	--	--	N	30	7	50	N	N	5	30
758G345A	N	--	--	--	1.5	--	--	20	150	50	30	20	N	50	10
758G346A	N	--	--	--	1.0	--	--	70	200	70	30	N	N	100	N
758G348A	N	--	--	--	2.0	--	--	50	100	100	30	N	N	70	30
758G348B	N	--	--	--	N	--	--	N	30	15	50	N	N	20	N
758G348C	N	--	--	--	3.0	--	--	20	100	150	30	30	N	70	20
758G348D	N	--	--	--	1.0	--	--	15	50	30	50	N	N	20	15
758G348E	500	--	--	--	N	--	--	2,000	70	70	<20	N	N	100	15
758G349A	N	--	--	--	2.0	--	--	50	70	100	50	N	N	20	15
758G350A	N	--	--	--	<1.0	--	--	30	100	70	50	N	N	50	10
758G351A	N	--	--	--	1.5	--	--	20	150	150	50	N	N	70	15
758G352A	N	--	--	--	<1.0	--	--	20	N	50	N	20	N	30	N
758G352B	N	--	--	--	3.0	--	--	50	N	50	30	N	N	5	30
758G354A	N	--	--	--	3.0	--	--	20	100	30	50	N	N	30	20
758G359A	N	--	--	--	3.0	--	--	50	200	300	70	N	N	700	50
758G364C	N	--	--	--	1.5	--	--	100	70	200	50	100	N	100	70
758G365A	N	--	--	--	3.0	--	--	20	200	70	50	7	N	30	70
758G366C	N	--	--	--	2.0	--	--	50	150	200	30	150	N	70	70
758G367A	N	N	15	1,000	<1.0	N	N	10	20	30	50	15	<20	50	100

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES--continued

SAMPLE	S-SB	S-SC	S-SN	S-SR	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
7586300A	N	--	N	--	70	N	N	N	--	N	--	--	60	--
7586303A	N	--	N	--	200	N	30	N	--	N	--	--	10	--
7586303B	N	--	N	--	30	N	N	N	--	N	--	--	45	--
7586305A	N	--	N	--	100	N	20	N	--	N	--	--	70	--
7586307A	N	--	N	--	150	N	50	N	--	N	--	--	20	--
7586308A	N	--	N	--	200	N	30	N	--	N	--	--	10	--
7586308B	N	--	N	--	20	N	N	N	--	N	--	--	5	--
7586311B	N	--	N	--	150	N	50	N	--	N	--	--	10	--
7586321A	N	--	N	--	300	N	30	N	--	N	--	--	5	--
7586322A	N	--	N	--	100	N	50	N	--	N	--	--	20	--
7586324A	N	--	N	--	300	N	50	N	--	N	--	--	25	--
7586324B	N	--	N	--	100	N	20	<200	--	N	--	--	75	--
7586324C	N	--	N	--		N		N	--	N	--	--	55	--
7586329A	N	--	N	--	200	N	30	N	--	N	--	--	10	--
7586333A	N	--	N	--	300	N	50	<200	--	N	--	--	65	--
7586335A	N	--	N	--	200	N	20	<200	--	N	--	--	45	--
7586335C	N	--	N	--	20	N	50	N	--	N	--	--	20	--
7586337A	N	--	N	--	70	N	<10	N	--	N	--	--	40	--
7586338C	N	--	N	--	30	N	30	N	--	N	--	--	35	--
7586339A	N	--	N	--	20	N	20	N	--	N	--	--	10	--
7586341A	N	--	N	--	50	N	30	N	--	N	--	--	15	--
7586341B	N	--	N	--	300	N	30	N	--	N	--	--	5	--
7586341C	N	--	N	--	20	N	50	N	--	N	--	--	10	--
7586342A	N	--	N	--	20	N	20	N	--	N	--	--	40	--
7586343A	N	--	N	--	700	N	30	<200	--	N	--	--	10	--
7586344A	N	--	N	--	30	N	10	N	--	N	--	--	55	--
7586344B	N	--	N	--		N		N	--	N	--	--	15	--
7586345A	N	--	N	--	500	N	50	<200	--	N	--	--	55	--
7586346A	N	--	N	--	500	N	20	<200	--	N	--	--	70	--
7586348A	N	--	N	--		N			--	N	--	--	210	--
7586348B	N	--	N	--	30	N	N	N	--	N	--	--	20	--
7586348C	N	--	N	--	200	N	30	N	--	N	--	--	60	--
7586348D	N	--	N	--	30	N	15	N	--	N	--	--	25	--
7586348E	N	--	N	--	50	N	N	<200	--	.10	--	--	140	--
7586349A	N	--	N	--	300	N	70	<200	--	N	--	--	110	--
7586350A	N	--	N	--	500	N	30	N	--	<.05	--	--	35	--
7586351A	N	--	N	--	700	N	20	200	--	N	--	--	180	--
7586352A	N	--	N	--	50	N	N	N	--	N	--	--	20	--
7586352B	N	--	N	--	500	N	100	200	--	N	--	--	120	--
7586354A	N	--	N	--	300	N	20	N	--	N	--	--	65	--
7586359A	N	--	N	--	500	50	50	500	--	.20	--	--	170	--
7586364C	N	--	N	--	700	N	50	N	--	N	--	--	25	--
7586365A	N	--	N	--	700	N	20	N	--	N	--	--	90	--
7586366C	N	--	N	--	700	N	50	<200	--	N	--	--	60	--
7586367A	N	15	N	200	300	N	20	500	70	N	50	30	340	--

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	LATITUDE	LONGITUDE	ROCK & MINERAL CODES	S-FEX	S-MGX	S-CAX	S-TIX	S-MN	S-AG
75BW109B	55 30 48	130 19 20	PN	--	--	--	--	--	N
75BW121A	55 18 52	130 44 57	PN	2.00	1.00	.10	.200	100	1.5
75BW121B	55 18 52	130 44 57	PN	2.00	1.50	2.00	.200	100	.5
75BW122A	55 18 47	130 46 14	PN	5.00	1.50	3.00	.200	700	.5
75BW187B	55 26 30	130 54 44	PN	--	--	--	--	--	N
75BW191B	55 20 41	130 58 19	PN-PY	--	--	--	--	--	N
75BW191D	55 20 41	130 58 19	PN-PY	--	--	--	--	--	1.0
75BW192C	55 24 15	130 32 52	GD	--	--	--	--	--	N
75BW193B	55 25 31	130 29 14	QD	--	--	--	--	--	N
75BW193D	55 25 31	130 29 14	DQ	--	--	--	--	--	N
75BW194A	55 23 31	130 27 33	QD	--	--	--	--	--	N
75BW195A	55 22 4	130 29 39	DQ	--	--	--	--	--	N
75BW196A	55 21 26	130 31 36	QD	--	--	--	--	--	N
75BW202A	55 17 21	130 26 9	PN	--	--	--	--	--	N
75ER048A	55 44 35	131 50 12	MS-PY	--	--	--	--	--	N
75ER259B	55 22 18	130 58 38	QF-PY	--	--	--	--	--	3.0
75ER261A	55 24 55	130 31 24	PN	--	--	--	--	--	N
75ER261B	55 24 55	130 31 24	DQ	--	--	--	--	--	N
75ER262A	55 26 4	130 28 58	QD	--	--	--	--	--	N
75ER262B	55 26 4	130 28 58	DL	--	--	--	--	--	N
75ER264A	55 22 40	130 30 1	GR	.50	.07	.30	.100	500	N
75ER315A	55 22 51	130 28 8	GR	1.50	.20	.70	.300	1,000	N
75ER316A	55 22 56	130 29 0	GR	1.00	.15	.50	.200	1,000	N
75ER317A	55 24 57	130 29 11	GR-MO	2.00	.15	.07	.100	100	<.5
75RC031A	55 32 27	131 47 54	GD-PY	--	--	--	--	--	N
75RC032C	55 31 47	131 46 9	PN	--	--	--	--	--	N
75RC034A	55 31 27	131 45 32	PN-CP, PY	--	--	--	--	--	10.0
75RC038B	55 33 28	131 40 9	DG	--	--	--	--	--	N
75RC048A	55 21 29	131 26 48	QM-PY	--	--	--	--	--	N
75RC048B	55 21 29	131 26 48	MS-PY	--	--	--	--	--	N
75RC052A	55 24 21	131 27 29	HV	7.00	2.00	1.00	.700	1,000	N
75RC052B	55 24 21	131 27 29	HV	7.00	2.00	1.00	.500	1,000	N
75RC055B	55 27 48	131 30 16	GS-PY	--	--	--	.300	--	N
75RC056B	55 28 54	131 28 45	QF-PY	--	--	--	1.000	--	N
75RC057A	55 29 41	131 27 51	MS-	--	--	--	.300	--	N
75RC061A	55 20 36	131 27 29	QD-PY	--	--	--	1.000	--	N
75RC062A	55 20 49	131 25 10	QM	--	--	--	.200	--	N
75RC063A	55 22 0	131 24 11	MS-PY	--	--	--	.200	--	.5
75RC065A	55 23 20	131 22 55	GS	--	--	--	1.000	--	N
75RC067A	55 24 20	131 20 44	GS-PY	--	--	--	.700	--	N
75RC067B	55 24 20	131 20 44	GS-PY	--	--	--	.500	--	N
75RC068A	55 25 4	131 20 0	HV-	5.00	2.00	2.00	.780	300	N
75RC069A	55 25 50	131 19 27	MS-PY	--	--	--	.300	--	N
75RC069B	55 25 11	131 19 58	MS-PY	--	--	--	.300	--	.5
75RC070A	55 27 7	131 19 2	MS-PY	--	--	--	.200	--	N

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	S-AS	S-AU	S-B	S-BA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PB
75BW109B	N	--	--	--	2.0	--	--	10	50	30	50	N	N	N	<10
75BW121A	N	N	<10	500	1.0	N	N	<5	50	100	50	<5	<20	70	20
75BW121B	N	N	<10	700	2.0	N	N	<5	200	20	70	20	<20	70	10
75BW122A	N	N	50	200	1.0	N	N	10	100	30	50	15	<20	70	20
75BW187B	N	--	--	--	1.5	--	--	20	70	100	30	N	N	7	15
75BW191B	N	--	--	--	1.5	--	--	30	100	150	30	N	N	70	30
75BW191D	N	--	--	--	<1.0	--	--	5	150	150	70	100	N	200	N
75BW192C	N	--	--	--	2.0	--	--	N	N	30	70	N	N	N	20
75BW193B	N	--	--	--	2.0	--	--	30	N	7	30	N	N	7	30
75BW193D	N	--	--	--	2.0	--	--	N	N	N	70	N	N	N	20
75BW194A	N	--	--	--	2.0	--	--	5	N	15	70	N	N	N	15
75BW195A	N	--	--	--	5.0	--	--	N	N	N	70	100	50	N	50
75BW196A	N	--	--	--	1.5	--	--	10	50	70	70	N	N	5	30
75BW202A	N	--	--	--	5.0	--	--	20	200	100	150	N	20	70	20
75ER048A	N	--	--	--	2.0	--	--	N	150	15	50	10	N	N	15
75ER259B	N	--	--	--	2.0	--	--	30	100	50	50	N	N	N	20
75ER261A	N	--	--	--	2.0	--	--	20	300	7	200	N	20	70	70
75ER261B	N	--	--	--	5.0	--	--	N	N	N	150	N	20	N	70
75ER262A	N	--	--	--	2.0	--	--	100	200	20	70	N	20	30	15
75ER262B	N	--	--	--	5.0	--	--	N	N	20	150	N	30	N	30
75ER264A	N	N	<10	50	3.0	N	N	<5	<10	<5	50	N	20	<5	50
75ER315A	N	N	<10	1,000	2.0	N	N	<5	<10	<5	50	N	20	<5	50
75ER316A	N	N	<10	300	3.0	N	N	<5	<10	<5	200	N	30	<5	50
75ER317A	N	N	<10	700	1.5	N	N	<5	<10	5	50	20	<20	<5	50
75RC031A	N	--	--	--	N	--	--	10	N	10	N	N	N	5	10
75RC032C	N	--	--	--	N	--	--	20	70	30	20	N	N	50	10
75RC034A	N	--	--	--	N	--	--	500	10	20,000	50	20	N	15	20
75RC038B	N	--	--	--	2.0	--	--	15	20	30	N	N	N	15	30
75RC048A	N	--	--	--	1.0	--	--	5	N	20	N	N	N	5	10
75RC048B	N	--	--	--	N	--	--	5	30	30	N	30	N	100	<10
75RC052A	N	--	--	--	3.0	N	N	150	500	100	N	N	N	70	10
75RC052B	N	--	--	--	2.0	N	N	100	200	150	N	N	N	70	10
75RC055B	N	--	--	--	N	N	N	15	50	70	N	N	N	50	10
75RC056B	N	--	--	--	2.0	N	N	30	50	30	N	N	N	30	10
75RC057A	N	--	--	--	2.0	N	N	30	100	50	N	N	N	30	10
75RC061A	N	--	--	--	3.0	N	N	30	70	50	N	N	30	30	10
75RC062A	N	--	--	--	2.0	N	N	N	20	10	N	N	N	5	20
75RC063A	N	--	--	--	3.0	N	N	N	150	15	N	N	20	50	10
75RC065A	N	--	--	--	3.0	N	N	70	500	15	70	N	150	150	10
75RC067A	N	--	--	--	1.0	N	N	50	70	30	N	N	N	30	10
75RC067B	N	--	--	--	1.0	N	N	30	70	30	N	N	N	30	<10
75RC068A	N	--	--	--	2.0	N	N	30	200	<5	N	N	N	70	10
75RC069A	N	--	--	--	3.0	N	N	30	100	50	30	N	N	30	<10
75RC069B	N	--	--	--	1.0	N	N	70	100	30	N	N	N	100	20
75RC070A	N	--	--	--	3.0	N	N	20	50	30	N	N	N	30	15

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES--continued

SAMPLE	S-SB	S-SC	S-SN	S-SR	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
75BW109B	N	--	N	--	200	N	20	N	--	N	--	--	35	--
75BW121A	N	5	N	<100	100	N	<10	<200	100	N	200	45	80	--
75BW121B	N	10	N	100	1,000	N	100	<200	150	N	35	25	110	--
75BW122A	N	20	N	300	200	N	30	500	100	N	25	25	95	--
75BW187B	N	--	N	--	500	N	30	N	--	N	--	--	10	--
75BW191B	N	--	N	--	1,500	N	30	N	--	N	--	--	30	--
75BW191D	N	--	N	--	10,000	N	50	7,000	--	N	--	--	1,500	--
75BW192C	N	--	N	--	200	N	20	N	--	N	--	--	20	--
75BW193B	N	--	N	--	1,000	N	50	N	--	N	--	--	50	--
75BW193D	N	--	N	--	30	N	20	N	--	N	--	--	20	--
75BW194A	N	--	N	--	300	N	20	N	--	N	--	--	50	--
75BW195A	N	--	N	--	10	N	20	N	--	N	--	--	5	--
75BW196A	N	--	N	--	300	N	<10	N	--	N	--	--	15	--
75BW202A	N	--	N	--	300	N	50	N	--	N	--	--	50	--
75ER048A	N	--	N	--	1,500	N	30	N	--	N	--	--	10	--
75ER259B	N	--	N	--	1,000	N	50	1,000	--	N	--	--	25	--
75ER261A	N	--	N	--	500	N	50	N	--	N	--	--	45	--
75ER261B	N	--	N	--	50	N	30	N	--	N	--	--	10	--
75ER262A	N	--	N	--	1,500	N	100	N	--	N	--	--	60	--
75ER262B	N	--	N	--	--	N	--	N	--	N	--	--	55	--
75ER264A	N	<5	N	200	<10	N	10	N	50	N	5	25	10	--
75ER315A	N	<5	N	100	10	N	<10	N	150	N	<5	5	25	--
75ER316A	N	<5	N	150	<10	N	20	N	150	N	<5	10	30	--
75ER317A	N	<5	N	--	15	N	10	N	100	N	10	35	20	--
75RC031A	N	--	N	--	150	N	20	N	--	N	--	--	80	--
75RC032C	N	--	N	--	200	N	70	N	--	N	--	--	110	--
75RC034A	N	--	N	--	150	N	15	N	--	N	--	--	45	--
75RC038B	N	--	N	--	150	N	30	N	--	N	--	--	100	--
75RC048A	N	--	N	--	50	N	N	200	--	N	--	--	110	--
75RC048B	N	--	N	--	1,000	N	30	700	--	N	--	--	680	--
75RC052A	N	--	N	--	300	N	30	N	--	N	--	--	35	--
75RC052B	N	--	N	--	300	N	30	N	--	N	--	--	65	--
75RC055B	N	--	N	--	70	N	20	500	--	N	--	--	260	--
75RC056B	N	--	N	--	300	N	70	N	--	N	--	--	85	--
75RC057A	N	--	N	--	--	N	--	N	--	N	--	--	55	--
75RC061A	N	--	N	--	300	N	30	N	--	N	--	--	45	--
75RC062A	N	--	N	--	70	N	N	N	--	N	--	--	45	--
75RC063A	N	--	N	--	700	N	15	N	--	N	--	--	10	--
75RC065A	N	--	N	--	200	N	30	N	--	N	--	--	40	--
75RC067A	N	--	N	--	300	N	50	N	--	N	--	--	35	--
75RC067B	N	--	N	--	300	N	30	N	--	N	--	--	35	--
75RC068A	N	--	N	--	100	N	50	N	--	N	--	--	20	--
75RC069A	N	--	N	--	150	N	30	N	--	N	--	--	70	--
75RC069B	N	--	N	--	50	N	30	N	--	N	--	--	15	--
75RC070A	N	--	N	--	150	N	30	N	--	N	--	--	40	--

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	LATITUDE	LONGITUDE	ROCK & MINERAL CODES	S-FEZ	S-MGZ	S-CAZ	S-TIX	S-MN	S-AG
75RC070B	55 27 7	131 19 2	MB-PY	--	--	--	.050	--	N
75RC070C	55 27 7	131 19 2	MS-PY	--	--	--	.500	--	N
75RC071B	55 28 9	131 19 31	MS	--	--	--	.300	--	N
75RC071C	55 28 9	131 19 31	QF	--	--	--	.100	--	N
75RC072A	55 30 2	131 19 37	GD	--	--	--	.200	--	N
75RC073A	55 31 37	131 20 26	PN-PY	--	--	--	.300	--	N
75RC073B	55 31 37	131 20 26	GS-PY	--	--	--	.500	--	N
75RC074A	55 33 17	131 21 11	MS-PY	--	--	--	.100	--	N
75RC075A	55 35 9	131 21 47	MS-PY	--	--	--	.300	--	N
75RC075B	55 35 9	131 21 47	GS-PY	--	--	--	.300	--	N
75RC076A	55 37 5	131 22 1	PN	--	--	--	.200	--	.5
75RC077A	55 16 35	131 17 54	GD	--	--	--	--	--	N
75RC078A	55 16 17	131 19 50	GD	--	--	--	--	--	N
75RC080A	55 16 11	131 20 9	QF	--	--	--	--	--	N
75RC081A	55 15 38	131 21 15	PN	--	--	--	--	--	N
75RC082A	55 17 50	131 20 30	MS-PY	--	--	--	--	--	7.0
75RC083A	55 13 55	131 7 44	MB	--	--	--	--	--	N
75RC083B	55 13 55	131 7 44	UM	--	--	--	--	--	N
75RC083C	55 13 55	131 7 44	DI	--	--	--	--	--	N
75RC084B	55 11 36	131 10 29	GD	--	--	--	--	--	N
75RC085A	55 14 56	131 18 46	GD	--	--	--	--	--	N
75RC086A	55 15 33	131 16 32	GD	--	--	--	--	--	N
75RC087A	55 16 55	131 14 44	MS	--	--	--	--	--	N
75RC087E	55 16 55	131 14 44	MB	--	--	--	--	--	N
75RC088B	55 18 38	131 13 23	MS	--	--	--	--	--	N
75RC089A	55 20 27	131 12 38	PN	--	--	--	--	--	N
75RC090A	55 21 48	131 11 30	GS	--	--	--	--	--	N
75RC091A	55 23 30	131 11 48	QF-PY	--	--	--	--	--	N
75RC091B	55 23 30	131 11 48	GS	--	--	--	--	--	N
75RC092A	55 14 54	131 26 17	MS	--	--	--	--	--	1.5
75RC093A	55 15 51	131 27 21	MS-PY	--	--	--	--	--	N
75RC093B	55 15 51	131 27 21	QF	--	--	--	--	--	3.0
75RC093E	55 15 51	131 27 21	MS	--	--	--	--	--	N
75RC094A	55 22 14	131 11 30	MS	--	--	--	--	--	1.5
75RC094B	55 22 14	131 11 30	QF-PY	--	--	--	--	--	3.0
75RC096A	55 12 20	131 15 20	QF-PY	--	--	--	--	--	N
75RC097A	55 13 18	131 16 4	PN	--	--	--	--	--	N
75RC098A	55 14 30	131 19 17	PN	--	--	--	--	--	N
75RC099A	55 27 21	131 30 5	DF-PY	--	--	--	.200	--	N
75RK023D	55 30 7	131 58 41	MV	--	--	--	--	--	N
75RK027D	55 39 15	131 59 52	VQ	--	--	--	--	--	N
75RK030B	55 38 22	131 57 56	VQ	--	--	--	--	--	N
75RK035C	55 31 32	131 45 10	QF-CP, PY	--	--	--	--	--	N
75RK037A	55 33 2	131 41 39	MS-PY	--	--	--	--	--	N
75RK037C	55 33 2	131 41 39	MS	--	--	--	--	--	N

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	S-AS	S-AU	S-B	S-BA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PB
75RC070B	N	--	--	--	N	N	N	N	10	30	N	N	N	<5	15
75RC070C	N	--	--	--	3.0	N	N	30	50	70	20	N	150	70	<10
75RC071B	N	--	--	--	N	N	N	30	300	30	N	N	N	70	<10
75RC071C	N	--	--	--	2.0	N	N	10	N	5	N	N	N	5	10
75RC072A	N	--	--	--	3.0	N	N	10	15	10	20	N	N	5	20
75RC073A	N	--	--	--	3.0	N	N	20	50	5	70	N	N	15	10
75RC073B	N	--	--	--	1.0	N	N	30	50	50	30	N	N	30	10
75RC074A	N	--	--	--	1.0	N	N	10	20	30	N	N	N	10	10
75RC075A	N	--	--	--	3.0	N	N	30	70	70	30	N	N	50	30
75RC075B	N	--	--	--	N	N	N	70	150	70	N	N	N	70	N
75RC076A	N	--	--	--	2.0	N	N	5	50	50	N	N	N	30	10
75RC077A	N	--	--	--	2.0	--	--	10	N	5	50	N	N	5	15
75RC078A	N	--	--	--	2.0	--	--	150	N	N	30	N	N	5	20
75RC080A	N	--	--	--	1.0	--	--	N	N	7	30	N	N	70	15
75RC081A	N	--	--	--	3.0	--	--	30	300	100	100	N	N	150	50
75RC082A	N	--	--	--	3.0	--	--	N	300	1,500	100	N	N	7	500
75RC083A	N	--	--	--	N	--	--	N	N	20	50	N	N	N	20
75RC083B	N	--	--	--	N	--	--	150	700	100	N	N	N	100	N
75RC083C	N	--	--	--	1.0	--	--	20	N	30	30	N	N	10	10
75RC084B	N	--	--	--	3.0	--	--	30	150	30	150	N	20	70	20
75RC085A	N	--	--	--	2.0	--	--	30	N	10	100	N	N	10	15
75RC086A	N	--	--	--	2.0	--	--	20	N	10	100	N	N	7	15
75RC087A	N	--	--	--	2.0	--	--	20	100	50	30	N	N	20	15
75RC087E	N	--	--	--	<1.0	--	--	15	200	15	30	N	N	70	10
75RC088B	N	--	--	--	1.5	--	--	100	700	150	100	N	20	300	<10
75RC089A	N	--	--	--	2.0	--	--	30	200	30	50	N	N	50	15
75RC090A	N	--	--	--	1.5	--	--	50	50	20	20	N	N	10	N
75RC091A	N	--	--	--	1.0	--	--	30	200	70	30	N	N	50	10
75RC091B	N	--	--	--	1.5	--	--	150	300	500	20	N	N	100	N
75RC092A	N	--	--	--	1.5	--	--	30	50	150	50	70	N	100	30
75RC093A	N	--	--	--	2.0	--	--	20	100	70	30	N	N	50	30
75RC093B	N	--	--	--	1.5	--	--	30	150	200	20	30	N	70	30
75RC093E	N	--	--	--	1.0	--	--	50	150	150	30	N	N	70	15
75RC094A	N	--	--	--	1.5	--	--	30	150	200	50	N	N	70	30
75RC094B	N	--	--	--	1.5	--	--	150	50	30	20	N	N	70	300
75RC096A	N	--	--	--	2.0	--	--	30	50	50	30	N	N	20	30
75RC097A	N	--	--	--	3.0	--	--	20	500	70	30	N	N	70	20
75RC098A	N	--	--	--	5.0	--	--	70	500	150	30	N	N	100	10
75RC099A	N	--	--	--	2.0	N	N	15	30	30	N	N	N	5	10
75RK023D	N	--	--	--	1.0	--	--	30	200	50	N	N	N	70	10
75RK027D	N	--	--	--	N	--	--	10	50	5	N	N	N	20	10
75RK030B	N	--	--	--	N	--	--	10	N	50	N	N	N	10	10
75RK035C	N	--	--	--	1.0	--	--	30	150	300	N	5	N	30	10
75RK037A	N	--	--	--	N	--	--	20	70	50	20	N	N	30	10
75RK037C	N	--	--	--	N	--	--	30	10	30	N	20	N	20	10

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	S-SB	S-SC	S-SN	S-SR	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
75RC070B	N	--	N	--	20	N	15	N	--	N	--	--	60	--
75RC070C	N	--	N	--	200	N	20	N	--	N	--	--	30	--
75RC071B	N	--	N	--	150	N	15	N	--	N	--	--	10	--
75RC071C	N	--	N	--				N	--	N	--	--	55	--
75RC072A	N	--	N	--	100	N	15	N	--	N	--	--	75	--
75RC073A	N	--	N	--	100	N	50	N	--	N	--	--	70	--
75RC073B	N	--	N	--				N	--	N	--	--	55	--
75RC074A	N	--	N	--	150	N	20	N	--	N	--	--	180	--
75RC075A	N	--	N	--	150	N	50	N	--	N	--	--	110	--
75RC075B	N	--	N	--	500	N	30	N	--	N	--	--	15	--
75RC076A	N	--	N	--	100	N	20	500	--	N	--	--	300	--
75RC077A	N	--	N	--				N	--	N	--	--	55	--
75RC078A	N	--	N	--				N	--	N	--	--	55	--
75RC080A	N	--	N	--	20	N	20	<200	--	N	--	--	110	--
75RC081A	N	--	N	--	700	N	30	300	--	N	--	--	130	--
75RC082A	N	--	N	--	1,000	N	30	N	--	N	--	--	35	--
75RC083A	N	--	N	--	20	N	20	N	--	N	--	--	15	--
75RC083B	N	--	N	--	1,000	N	70	N	--	N	--	--	30	--
75RC083C	N	--	N	--	300	N	20	N	--	N	--	--	25	--
75RC084B	N	--	N	--	150	N	50	N	--	N	--	--	50	--
75RC085A	N	--	N	--	500	N	50	N	--	N	--	--	40	--
75RC086A	N	--	N	--	500	N	50	N	--	N	--	--	45	--
75RC087A	N	--	N	--				N	--	N	--	--	55	--
75RC087E	N	--	N	--	200	N	30	N	--	N	--	--	20	--
75RC088B	N	--	N	--	300	N	50	N	--	N	--	--	40	--
75RC089A	N	--	N	--	200	N	50	<200	--	N	--	--	80	--
75RC090A	N	--	N	--	500	N	200	N	--	N	--	--	20	--
75RC091A	N	--	N	--	500	N	30	N	--	N	--	--	70	--
75RC091B	N	--	N	--	300	N	70	N	--	N	--	--	25	--
75RC092A	N	--	N	--	500	N	50	N	--	N	--	--	45	--
75RC093A	N	--	N	--	500	N	30	300	--	N	--	--	100	--
75RC093B	N	--	N	--	1,000	N	70	N	--	N	--	--	70	--
75RC093E	N	--	N	--	500	N	50	300	--	N	--	--	130	--
75RC094A	N	--	N	--	700	N	70	N	--	N	--	--	20	--
75RC094B	N	--	N	--	300	N	70	200	--	3.20	--	--	95	--
75RC096A	N	--	N	--	300	N	30	N	--	N	--	--	50	--
75RC097A	N	--	N	--	700	N	50	300	--	N	--	--	120	--
75RC098A	N	--	N	--	1,000	N	50	N	--	N	--	--	50	--
75RC099A	N	--	N	--	150	N	20	N	--	N	--	--	95	--
75RK023D	N	--	N	--	200	N	15	<200	--	N	--	--	70	--
75RK027D	N	--	N	--	70	N	N	N	--	N	--	--	10	--
75RK030B	N	--	N	--	20	N	N	N	--	N	--	--	<5	--
75RK035C	N	--	N	--	300	N	20	N	--	N	--	--	20	--
75RK037A	N	--	N	--	150	N	30	N	--	N	--	--	75	--
75RK037C	N	--	N	--				N	--	N	--	--	55	--

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	LATITUDE	LONGITUDE	ROCK & MINERAL CODES	S-FEZ	S-MGZ	S-CAZ	S-TIZ	S-MN	S-AG
75RK044A	55 37 19	131 53 31	MS-PY	--	--	--	--	--	3.0
75RK047A	55 19 36	131 28 59	QM-PY	--	--	--	.200	--	N
75RK062A	55 20 17	131 26 49	GD-PY	--	--	--	1.000	--	N
75RK064A	55 22 24	131 24 28	MS-PY	--	--	--	.300	--	N
75RK064B	55 22 24	131 24 28	DF-PY	--	--	--	.500	--	.5
75RK066A	55 23 45	131 22 0	MS-PY	--	--	--	.700	--	N
75RK066B	55 23 45	131 22 0	MV	--	--	--	.700	--	N
75RK066C	55 23 45	131 22 0	MB-PY	--	--	--	.200	--	N
75RK068A	55 25 0	131 20 4	MV	--	--	--	.700	--	N
75RK068B	55 25 0	131 20 4	MV-PY	--	--	--	.700	--	N
75RK069A	55 25 13	131 19 59	MS-PY	--	--	--	>1.000	--	N
75RK069B	55 25 13	131 19 59	MS-PY	--	--	--	.300	--	N
75RK070B	55 26 30	131 19 10	DF	--	--	--	.150	--	N
75RK071A	55 27 7	131 18 29	AM-PY	--	--	--	.500	--	N
75RK071B	55 27 7	131 18 29	VQ-PY	--	--	--	.200	--	1.0
75RK071D	55 27 7	131 18 29	QD-PY	--	--	--	.200	--	N
75RK072A	55 29 21	131 19 59	MS	--	--	--	.700	--	N
75RK072B	55 29 21	131 19 59	QM	--	--	--	.200	--	N
75RK073A	55 31 0	131 20 11	MS	--	--	--	.500	--	N
75RK073B	55 31 0	131 20 11	QM	--	--	--	.200	--	N
75RK074A	55 32 27	131 20 57	MS	--	--	--	.100	--	N
75RK074B	55 32 27	131 20 57	DG-PY	--	--	--	.100	--	N
75RK075B	55 34 23	131 21 29	MS	--	--	--	.300	--	N
75RK076A	55 36 7	131 21 56	MS-PY	--	--	--	.300	--	N
75RK076B	55 36 7	131 21 56	GD	--	--	--	.300	--	N
75RK077A	55 37 55	131 22 5	PN-PY	--	--	--	.200	--	N
75RK078A	55 16 13	131 19 9	QM-PY	--	--	--	--	--	N
75RK078B	55 16 13	131 19 9	PN	--	--	--	--	--	N
75RK079A	55 16 2	131 19 50	MU-PY	--	--	--	--	--	N
75RK079B	55 16 2	131 19 50	MU-PY	--	--	--	--	--	N
75RK080A	55 16 22	131 20 20	QM	--	--	--	--	--	N
75RK081B	55 15 55	131 20 14	MV	--	--	--	--	--	N
75RK082A	55 16 9	131 21 56	QF-PY	--	--	--	--	--	N
75RK082B	55 16 9	131 21 56	PN	--	--	--	--	--	N
75RK083A	55 13 59	131 6 7	PN	--	--	--	--	--	N
75RK083B	55 13 59	131 6 7	MV	--	--	--	--	--	N
75RK084A	55 12 39	131 8 41	MS	--	--	--	--	--	1.5
75RK084B	55 12 39	131 8 41	GD	--	--	--	--	--	N
75RK085A	55 12 15	131 14 53	MB	--	--	--	--	--	N
75RK085B	55 12 15	131 14 53	QF	--	--	--	--	--	N
75RK086B	55 13 31	131 16 31	GD	--	--	--	--	--	N
75RK086C	55 13 31	131 16 31	MS	--	--	--	--	--	N
75RK087A	55 16 22	131 15 32	QD	--	--	--	--	--	N
75RK088A	55 18 1	131 13 38	MV	--	--	--	--	--	N
75RK088C	55 18 1	131 13 38	MS-PY	--	--	--	--	--	N

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES--continued

SAMPLE	S-AS	S-AU	S-B	S-BA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PB
75RK044A	500	--	--	--	N	--	--	150	50	15	N	N	N	70	30
75RK047A	N	--	--	--	1.0	N	N	5	10	<5	N	N	N	5	10
75RK062A	N	--	--	--	3.0	N	N	30	10	30	50	N	N	5	10
75RK064A	N	--	--	--	3.0	N	N	20	50	30	20	30	N	30	30
75RK064B	N	--	--	--	1.0	N	N	100	700	100	N	N	N	150	30
75RK066A	N	--	--	--	3.0	N	N	30	10	70	70	20	N	20	15
75RK066B	N	--	--	--	2.0	N	N	50	300	5	N	N	N	50	10
75RK066C	N	--	--	--	1.0	N	N	20	70	50	N	N	N	30	<10
75RK068A	N	--	--	--	1.0	N	N	50	70	5	N	N	N	50	<10
75RK068B	N	--	--	--	1.0	N	N	70	70	70	N	7	N	50	10
75RK069A	N	--	--	--	2.0	N	N	30	70	30	N	N	N	20	<10
75RK069B	N	--	--	--	2.0	N	N	15	100	30	N	5	N	30	<10
75RK070B	N	--	--	--	3.0	N	N	5	10	10	20	N	N	5	10
75RK071A	N	--	--	--	1.0	N	N	20	150	30	N	N	N	30	<10
75RK071B	N	--	--	--	N	N	N	500	30	30	N	N	N	30	20
75RK0710	N	--	--	--	1.0	N	N	20	20	15	N	N	N	5	10
75RK072A	N	--	--	--	1.0	N	N	50	30	10	N	N	N	30	10
75RK072B	N	--	--	--	2.0	N	N	5	10	<5	20	N	N	5	10
75RK073A	N	--	--	--	3.0	N	N	20	10	<5	20	N	N	5	15
75RK073B	N	--	--	--	3.0	N	N	10	10	10	N	N	N	5	10
75RK074A	N	--	--	--	2.0	N	N	N	20	10	N	N	N	5	N
75RK074B	N	--	--	--	2.0	N	N	N	10	5	N	N	N	<5	10
75RK075B	N	--	--	--	2.0	N	N	10	100	30	N	N	N	30	10
75RK076A	N	--	--	--	1.0	N	N	10	100	50	N	15	N	20	10
75RK076B	N	--	--	--	1.0	N	N	5	20	5	70	N	N	5	10
75RK077A	N	--	--	--	1.0	N	N	30	70	50	20	N	N	70	30
75RK078A	N	--	--	--	3.0	--	--	15	N	<5	30	N	N	5	20
75RK078B	N	--	--	--	1.5	--	--	10	100	100	30	N	N	10	15
75RK079A	N	--	--	--	N	--	--	30	N	100	20	N	N	15	N
75RK079B	N	--	--	--	<1.0	--	--	150	N	100	<20	N	N	15	10
75RK080A	N	--	--	--	1.5	--	--	10	N	N	30	N	N	5	15
75RK081B	N	--	--	--	<1.0	--	--	20	N	20	30	N	N	10	N
75RK082A	N	--	--	--	1.5	--	--	20	30	700	20	N	N	7	30
75RK082B	N	--	--	--	1.5	--	--	10	N	20	50	N	N	<5	15
75RK083A	N	--	--	--	2.0	--	--	20	N	<5	50	N	N	5	N
75RK083B	N	--	--	--	<1.0	--	--	50	50	70	N	N	N	30	200
75RK084A	N	--	--	--	1.0	--	--	30	200	300	30	50	N	100	15
75RK084B	N	--	--	--	2.0	--	--	15	N	<5	50	N	N	<5	10
75RK085A	N	--	--	--	1.0	--	--	15	100	10	20	N	N	30	50
75RK085B	N	--	--	--	1.5	--	--	N	50	5	50	N	N	7	15
75RK086B	N	--	--	--	<1.0	--	--	15	150	N	50	N	N	70	15
75RK086C	N	--	--	--	2.0	--	--	30	300	100	50	N	N	200	30
75RK087A	N	--	--	--	<1.0	--	--	20	N	10	50	N	N	5	10
75RK088A	N	--	--	--	2.0	--	--	50	300	30	50	N	N	150	10
75RK088C	N	--	--	--	2.0	--	--	30	50	20	30	70	N	50	15

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	S-SB	S-SC	S-SN	S-SR	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
75RK044A	N	--	N	--	50	N	30	N	--	.10	--	--	25	--
75RK047A	N	--	N	--	50	N	N	N	--	N	--	--	50	--
75RK062A	N	--	N	--	300	N	30	N	--	N	--	--	50	--
75RK064A	N	--	N	--	200	N	30	200	--	N	--	--	140	--
75RK064B	N	--	N	--	200	N	30	500	--	N	--	--	370	--
75RK066A	N	--	N	--	300	N	70	300	--	N	--	--	110	--
75RK066B	N	--	N	--	300	N	30	N	--	N	--	--	25	--
75RK066C	N	--	N	--	70	N	10	N	--	N	--	--	10	--
75RK068A	N	--	N	--	300	N	30	N	--	N	--	--	10	--
75RK068B	N	--	N	--				N	--	N	--	--	55	--
75RK069A	N	--	N	--	500	N	70	N	--	N	--	--	60	--
75RK069B	N	--	N	--	150	N	20	N	--	N	--	--	90	--
75RK070B	N	--	N	--	50	N	N	N	--	N	--	--	75	--
75RK071A	N	--	N	--	700	N	30	N	--	N	--	--	15	--
75RK071B	N	--	N	--	200	N	20	N	--	N	--	--	60	--
75RK071D	N	--	N	--				N	--	N	--	--	55	--
75RK072A	N	--	N	--	300	N	50	N	--	N	--	--	15	--
75RK072B	N	--	N	--	70	N	20	N	--	N	--	--	65	--
75RK073A	N	--	N	--	100	N	15	N	--	N	--	--	100	--
75RK073B	N	--	N	--				N	--	N	--	--	95	--
75RK074A	N	--	N	--	1,000	N	15	N	--	N	--	--	60	--
75RK074B	N	--	N	--	50	N	N	N	--	N	--	--	65	--
75RK075B	N	--	N	--	150	N	30	N	--	N	--	--	85	--
75RK076A	N	--	N	--	150	N	30	N	--	N	--	--	85	--
75RK076B	N	--	N	--	50	N	10	N	--	N	--	--	140	--
75RK077A	N	--	N	--	150	N	20	N	--	N	--	--	100	--
75RK078A	N	--	N	--				N	--	N	--	--	55	--
75RK078B	N	--	N	--	70	N	30	N	--	N	--	--	65	--
75RK079A	N	--	N	--	300	N	30	N	--	N	--	--	10	--
75RK079B	N	--	N	--	200	N	20	N	--	N	--	--	65	--
75RK080A	N	--	N	--	70	N	30	N	--	N	--	--	60	--
75RK081B	N	--	N	--	700	N	30	N	--	N	--	--	15	--
75RK082A	N	--	N	--	200	N	30	N	--	N	--	--	20	--
75RK082B	N	--	N	--	150	N	30	N	--	N	--	--	40	--
75RK083A	N	--	N	--	100	N	100	N	--	N	--	--	30	--
75RK083B	N	--	N	--	500	N	30	1,000	--	N	--	--	240	--
75RK084A	N	--	N	--	1,500	N	30	7,000	--	N	--	--	310	--
75RK084B	N	--	N	--	200	N	30	N	--	N	--	--	45	--
75RK085A	N	--	N	--	50	N	20	N	--	N	--	--	30	--
75RK085B	N	--	N	--	50	N	<10	N	--	N	--	--	20	--
75RK086B	N	--	N	--	300	N	30	N	--	N	--	--	65	--
75RK086C	N	--	N	--	700	N	30	<200	--	N	--	--	20	--
75RK087A	N	--	N	--	300	N	30	N	--	N	--	--	20	--
75RK088A	N	--	N	--	150	N	20	N	--	N	--	--	30	--
75RK088C	N	--	N	--	200	N	20	N	--	N	--	--	35	--

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES--continued

SAMPLE	LATITUDE	LONGITUDE	ROCK & MINERAL CODES	S-FEX	S-MG%	S-CAZ	S-TIX	S-MN	S-AG
75RK088D	55 18 1	131 13 38	HB-PY	--	--	--	--	--	N
75RK088E	55 18 1	131 13 38	DG-PY	--	--	--	--	--	N
75RK089A	55 19 14	131 13 19	HB	--	--	--	--	--	N
75RK089B	55 19 14	131 13 19	HU	--	--	--	--	--	N
75RK089C	55 19 14	131 13 19	BA	--	--	--	--	--	N
75RK090A	55 21 11	131 11 56	MS	--	--	--	--	--	N
75RK091A	55 22 44	131 11 47	HU-PY	--	--	--	--	--	N
75RK091B	55 22 44	131 11 47	VQ-PY	--	--	--	--	--	1.5
75RK092A	55 14 18	131 25 17	QM-PY	--	--	--	--	--	N
75RK092B	55 14 18	131 25 17	MS-PY	--	--	--	--	--	N
75RK093A	55 15 24	131 26 44	FV	--	--	--	--	--	N
75RK093C	55 15 24	131 26 44	MS-PY	--	--	--	--	--	N
75RK097A	55 12 6	131 9 56	MS	--	--	--	--	--	N
75RK098A	55 11 58	131 9 11	UM-PY	--	--	--	--	--	N
75RK100A	55 13 9	131 8 43	UM-PY	--	--	--	--	--	N
75RK101A	55 13 56	131 6 28	MS-PY	--	--	--	--	--	5.0
75RK101B	55 13 56	131 6 28	HB-PY	--	--	--	--	--	1.0
75RK102B	55 14 29	131 5 48	MS-PY	--	--	--	--	--	1.0
75RK105A	55 16 6	131 27 34	HU	--	--	--	--	--	N
75RR088B	55 38 29	130 21 5	PN-PY	--	--	--	--	--	N
75RR104C	55 28 28	130 31 36	PN	--	--	--	--	--	2.0
75RR108B	55 18 51	130 42 39	GD	.50	.05	.15	.100	1,500	N
75RR117A	55 18 47	130 45 3	GD	5.00	2.00	.30	.500	200	N
75RR188B	55 23 26	130 33 32	GD	--	--	--	--	--	N
75RR189B	55 24 10	130 30 20	PN	--	--	--	--	--	N
75RR189D	55 24 10	130 30 20	DQ	--	--	--	--	--	N
75RR190B	55 25 29	130 28 11	DQ	--	--	--	--	--	N
75RR190D	55 25 29	130 28 11	DL	--	--	--	--	--	N
75RR191B	55 24 12	130 27 15	PN-PY	--	--	--	--	--	N
75RR191C	55 24 12	130 27 15	GD-PY	--	--	--	--	--	N
75RR191D	55 24 12	130 27 15	GD	--	--	--	--	--	3.0
75RR192A	55 23 12	130 26 48	PN	--	--	--	--	--	N
75RR192B	55 23 12	130 26 48	DQ	--	--	--	--	--	N
75RR193A	55 23 27	130 31 14	DQ-PY	--	--	--	--	--	N
75RR193B	55 23 27	130 31 14	DL	--	--	--	--	--	N
75RR194A	55 22 1	130 28 19	GG	--	--	--	--	--	N
75RR194B	55 22 1	130 28 19	DG	--	--	--	--	--	N
75RR201A	55 26 3	130 27 17	QM	--	--	--	--	--	N
75RR206A	55 23 18	130 24 47	QD-PY	--	--	--	--	--	N
75SJ508A	55 10 55	130 59 44	GD-PY	--	--	--	--	--	N
75SJ509A	55 10 41	131 0 11	GD-PY	--	--	--	--	--	N
76AH186A	55 23 7	130 30 5	QV	2.00	.20	.07	.100	1,000	<.5
76AH186B	55 23 7	130 30 5	GR	1.50	.20	.30	.100	300	N
76AH188B	55 23 36	130 28 51	GR	1.50	.20	.50	.100	100	N
76AH189A	55 23 47	130 28 51	AM-PY	>20.00	5.00	7.00	>1,000	3,000	N

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES--continued

SAMPLE	S-AS	S-AU	S-B	S-BA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PB
75RK088D	N	--	--	--	N	--	--	N	50	15	30	N	N	30	50
75RK088E	N	--	--	--	2.0	--	--	N	N	10	20	N	N	<5	30
75RK089A	N	--	--	--	N	--	--	N	N	30	20	N	N	N	N
75RK089B	N	--	--	--	<1.0	--	--	50	50	5	<20	N	N	50	10
75RK089C	N	--	--	--	N	--	--	50	200	50	<20	N	N	100	N
75RK090A	N	--	--	--	1.0	--	--	20	200	70	30	N	N	70	20
75RK091A	N	--	--	--	N	--	--	30	N	30	20	N	N	10	<10
75RK091B	N	--	--	--	N	--	--	200	N	300	N	N	N	70	N
75RK092A	N	--	--	--	N	--	--	15	N	10	N	N	N	<5	15
75RK092B	N	--	--	--	1.0	--	--	20	100	150	30	15	N	50	20
75RK093A	N	--	--	--	<1.0	--	--	30	30	300	<20	20	N	50	20
75RK093C	N	--	--	--	<1.0	--	--	20	50	100	30	30	N	70	15
75RK097A	N	--	--	--	2.0	--	--	20	300	70	50	N	N	150	15
75RK098A	N	--	--	--	N	--	--	100	50	50	N	N	N	30	N
75RK100A	N	--	--	--	N	--	--	100	70	50	N	N	N	50	N
75RK101A	N	--	--	--	2.0	--	--	50	150	300	<20	20	N	70	30
75RK101B	N	--	--	--	1.5	--	--	15	150	50	50	15	N	70	30
75RK102B	N	--	--	--	1.5	--	--	30	150	100	50	50	N	100	70
75RK105A	N	--	--	--	1.5	--	--	30	150	100	50	10	N	30	15
75RR088B	N	--	--	--	1.5	--	--	N	N	30	30	20	N	15	20
75RR104C	N	--	--	--	1.5	--	--	N	150	100	50	100	N	10	20
75RR108B	N	N	<10	<20	20.0	N	N	<5	<10	<5	100	N	50	<5	50
75RR117A	N	N	<10	700	1.0	N	N	20	100	5	50	7	<20	20	50
75RR188B	N	--	--	--	2.0	--	--	N	50	20	50	N	N	15	20
75RR189B	N	--	--	--	1.5	--	--	N	N	N	50	N	N	N	50
75RR189D	N	--	--	--	10.0	--	--	N	N	N	30	N	50	N	50
75RR190B	N	--	--	--	3.0	--	--	N	N	N	30	N	N	N	50
75RR190D	N	--	--	--	2.0	--	--	50	500	50	50	N	N	100	15
75RR191B	N	--	--	--	2.0	--	--	N	50	20	150	N	N	10	30
75RR191C	N	--	--	--	3.0	--	--	N	100	10	50	N	N	5	30
75RR191D	N	--	--	--	3.0	--	--	N	N	15	50	N	N	N	300
75RR192A	N	--	--	--	3.0	--	--	N	100	15	100	N	N	7	20
75RR192B	N	--	--	--	10.0	--	--	N	N	7	50	N	50	N	30
75RR193A	N	--	--	--	10.0	--	--	N	N	N	70	N	50	N	70
75RR193B	N	--	--	--	2.0	--	--	10	50	20	70	N	N	30	15
75RR194A	N	--	--	--	2.0	--	--	7	N	5	50	N	N	N	20
75RR194B	N	--	--	--	1.0	--	--	N	N	N	50	N	N	N	70
75RR201A	N	--	--	--	3.0	--	--	N	N	10	50	N	N	N	20
75RR206A	N	--	--	--	2.0	--	--	20	50	5	70	N	N	20	15
75SJ508A	N	--	--	--	1.5	--	--	N	N	10	50	N	N	N	10
75SJ509A	N	--	--	--	2.0	--	--	7	N	7	50	N	N	N	15
76AH186A	N	N	<10	100	2.0	N	N	10	<10	30	50	200	20	<5	500
76AH186B	N	N	<10	70	3.0	N	N	10	<10	5	50	10	20	<5	50
76AH188B	N	N	<10	700	2.0	N	N	10	<10	<5	50	70	<20	<5	30
76AH189A	N	N	20	1,500	<1.0	N	N	100	100	200	50	<5	<20	30	10

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES--continued

SAMPLE	S-SB	S-SC	S-SN	S-SR	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
75RK088D	N	--	N	--	200	N	20	<200	--	N	--	--	140	--
75RK088E	N	--	N	--	70	N	N	N	--	N	--	--	35	--
75RK089A	N	--	N	--	30	N	N	N	--	N	--	--	20	--
75RK089B	N	--	N	--	1,500	N	70	N	--	N	--	--	25	--
75RK089C	N	--	N	--	500	N	50	N	--	N	--	--	75	--
75RK090A	N	--	N	--	700	N	30	N	--	N	--	--	160	--
75RK091A	N	--	N	--	700	N	30	N	--	N	--	--	30	--
75RK091B	N	--	N	--	50	N	N	N	--	N	--	--	40	--
75RK092A	N	--	N	--	150	N	10	N	--	N	--	--	45	--
75RK092B	N	--	N	--	700	N	30	500	--	N	--	--	280	--
75RK093A	N	--	N	--	700	N	50	N	--	N	--	--	130	--
75RK093C	N	--	N	--	700	N	50	500	--	N	--	--	300	--
75RK097A	N	--	N	--	500	N	50	N	--	N	--	--	15	--
75RK098A	N	--	N	--	1,500	N	20	N	--	N	--	--	20	--
75RK100A	N	--	N	--	1,500	N	20	N	--	N	--	--	15	--
75RK101A	N	--	N	--	500	N	50	300	--	N	--	--	220	--
75RK101B	N	--	N	--	150	N	50	<200	--	N	--	--	120	--
75RK102B	N	--	N	--	700	N	50	<200	--	N	--	--	150	--
75RK105A	N	--	N	--	300	N	50	N	--	N	--	--	70	--
75RR088B	N	--	N	--	500	N	30	200	--	N	--	--	100	--
75RR104C	N	--	N	--	2,000	N	20	N	--	N	--	--	20	--
75RR108B	N	5	N	N	<10	N	30	N	100	N	<5	25	25	--
75RR117A	N	20	N	500	150	N	10	200	150	N	10	35	150	--
75RR188B	N	--	N	--	150	N	20	N	--	N	--	--	20	--
75RR189B	N	--	N	--	50	N	30	N	--	N	--	--	15	--
75RR189D	N	--	N	--	<10	N	30	N	--	N	--	--	20	--
75RR190B	N	--	N	--	N	N	30	N	--	N	--	--	15	--
75RR190D	N	--	N	--	1,000	N	50	N	--	N	--	--	40	--
75RR191B	N	--	N	--	300	N	20	N	--	N	--	--	35	--
75RR191C	N	--	N	--	500	N	30	N	--	N	--	--	5	--
75RR191D	N	--	N	--	500	N	30	N	--	N	--	--	15	--
75RR192A	N	--	N	--	100	N	10	<200	--	N	--	--	60	--
75RR192B	N	--	N	--	<10	N	20	N	--	N	--	--	20	--
75RR193A	N	--	N	--	N	N	30	N	--	N	--	--	15	--
75RR193B	N	--	N	--	150	N	20	N	--	N	--	--	35	--
75RR194A	N	--	N	--	200	N	10	N	--	N	--	--	30	--
75RR194B	N	--	N	--	<10	N	<10	N	--	N	--	--	5	--
75RR201A	N	--	N	--	150	N	30	N	--	N	--	--	20	--
75RR206A	N	--	N	--	700	N	30	N	--	N	--	--	10	--
75SJ508A	N	--	N	--	300	N	20	N	--	N	--	--	30	--
75SJ509A	N	--	N	--	500	N	30	N	--	N	--	--	30	--
76AH186A	N	5	N	N	<10	N	10	N	100	N	20	120	45	--
76AH186B	N	5	N	N	<10	N	15	N	150	N	15	10	10	--
76AH188B	N	5	N	<100	<10	N	15	N	100	N	15	5	5	--
76AH189A	N	70	N	1,000	1,000	N	50	200	100	N	120	10	65	--

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	LATITUDE	LONGITUDE	ROCK & MINERAL CODES	S-FEX	S-MGX	S-CAZ	S-TIX	S-MN	S-AG
			(FZ)						
76AH189B	55 23 47	130 28 51	GR-PY	2.00	.50	1.50	.200	200	N
76AH209	55 24 38	130 28 50	GR-MO	2.00	.30	.20	.200	50	N
76BG002A	55 19 4	131 31 11	GS-PY	15.00	3.00	1.50	.300	500	N
76BG003A	55 18 33	131 31 23	GS-PY	15.00	3.00	5.00	.300	2,000	N
76BG004A	55 18 50	131 31 13	GS-PY	10.00	3.00	5.00	.300	1,500	N
76BG008B	55 28 18	131 36 30	GD	5.00	1.00	3.00	.200	1,500	N
76BG024A	55 2 4	131 14 17	UM-PY,CPY	15.00	10.00	15.00	.200	1,500	N
76BG045A	55 21 1	131 19 15	GS	15.00	5.00	1.50	.700	1,500	N
76BG046A	55 20 30	131 19 28	GS	15.00	5.00	5.00	.700	1,500	N
76BG054A	55 20 38	131 11 3	GS	20.00	7.00	5.00	.300	1,500	N
76BG055A	55 19 51	131 11 11	PN	15.00	3.00	.50	.500	1,500	N
76BG056A	55 17 44	131 11 17	PN	15.00	3.00	.50	.500	500	N
76BG057A	55 18 45	131 8 2	PN	15.00	3.00	.30	.700	300	N
76BG058A	55 19 2	131 9 2	VQ	2.00	.70	.30	.150	500	N
76BG059A	55 18 15	131 6 37	UM	15.00	7.00	7.00	.150	1,500	N
76BG061A	55 17 27	131 9 55	GS	20.00	7.00	7.00	.500	1,500	N
76BG062A	55 15 6	131 10 33	PN	10.00	2.00	3.00	.500	500	N
76BG063A	55 13 26	131 11 21	QF-PY	15.00	5.00	2.00	.500	700	N
76BG064A	55 15 3	131 12 47	PN	10.00	2.00	2.00	.300	1,500	N
76BG065A	55 15 24	131 12 20	GD	10.00	2.00	7.00	.300	1,500	N
76BG066A	55 16 11	131 14 35	GD	15.00	2.00	5.00	.500	1,500	N
76BG067B	55 15 38	131 13 45	PN	15.00	2.00	10.00	.500	5,000	N
76BG068A	55 17 57	131 20 29	GD	5.00	1.00	5.00	.200	1,000	N
76BG068B	55 17 57	131 20 29	DF	2.00	.70	2.00	.200	200	N
76BG069A	55 16 18	131 20 48	GD	5.00	1.50	3.00	.200	700	N
76BG070A	55 17 20	131 19 28	GD	5.00	1.00	5.00	.200	1,000	N
76BG071A	55 19 37	131 17 20	UM	15.00	10.00	10.00	.300	1,500	N
76BG072B	55 20 4	131 22 45	VQ	.30	.20	.10	.030	10	N
76BG073A	55 19 8	131 23 8	GD	5.00	1.00	2.00	.300	1,000	N
76BG074B	55 18 38	131 23 29	QM	2.00	.50	1.50	.150	700	N
76BG075A	55 17 25	131 23 8	GD	7.00	1.50	5.00	.500	1,500	N
76BG075B	55 17 25	131 23 8	GD	10.00	2.00	7.00	.500	1,500	N
76BG077A	55 18 15	131 24 20	GD	10.00	2.00	5.00	.500	1,500	N
76BG078A	55 19 5	131 25 37	GD	10.00	1.50	5.00	.300	1,500	N
76BG079A	55 21 51	131 31 22	GD	3.00	.50	.70	.150	500	N
76BG080A	55 22 8	131 30 24	PN	5.00	1.00	.20	.500	200	N
76BG081A	55 23 43	131 29 48	PN	5.00	1.50	.05	.500	70	N
76BG082A	55 23 48	131 32 39	PN	3.00	1.00	.70	.500	200	N
76BG082B	55 23 48	131 32 39	VQ	5.00	.50	.50	.300	70	N
76BG083A	55 24 35	131 32 49	PN	3.00	1.00	.20	.500	200	N
76BG083B	55 24 35	131 32 49	VQ	3.00	1.00	.30	.300	100	N
76BG084A	55 27 11	131 33 19	GS	15.00	3.00	2.00	.500	1,500	N
76BG085A	55 25 54	131 34 0	PN	15.00	3.00	3.00	.500	1,500	N
76BG087A	55 23 12	131 40 18	QD	10.00	3.00	5.00	.300	1,000	N
76BG088A	55 25 38	131 45 0	PN	10.00	2.00	1.50	.500	300	N

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	S-AS	S-AU	S-B	S-BA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PB
76AH189B	N	N	<10	1,500	3.0	N	N	15	<10	70	50	50	<20	5	50
76AH209	N	N	<10	1,500	2.0	N	N	10	<10	5	50	1,000	<20	5	50
76BG002A	N	N	10	500	<1.0	N	N	50	70	200	50	N	<20	20	<10
76BG003A	N	N	10	500	<1.0	N	N	50	70	150	50	N	<20	20	50
76BG004A	N	N	10	500	<1.0	N	N	50	100	200	50	N	<20	20	20
76BG008B	N	N	10	1,500	<1.0	N	N	10	20	30	50	N	<20	5	100
76BG024A	N	N	10	<20	<1.0	N	N	70	3,000	500	50	N	<20	150	<10
76BG045A	N	N	15	2,000	<1.0	N	N	50	150	100	50	N	<20	30	<10
76BG046A	N	N	10	200	<1.0	N	N	70	500	30	50	N	<20	50	20
76BG054A	N	N	10	150	<1.0	N	N	70	300	30	50	N	<20	50	<10
76BG055A	N	N	50	1,000	<1.0	N	N	50	100	150	50	N	<20	70	20
76BG056A	N	N	50	700	<1.0	N	N	20	150	30	50	N	<20	20	20
76BG057A	N	N	50	100	<1.0	N	N	20	150	50	50	N	<20	30	20
76BG058A	N	N	15	200	<1.0	N	N	10	20	<5	50	N	<20	<5	<10
76BG059A	N	N	10	20	<1.0	N	N	100	200	20	50	N	<20	200	<10
76BG061A	N	N	10	20	<1.0	N	N	70	500	70	50	N	<20	70	10
76BG062A	N	N	10	700	<1.0	N	N	10	100	50	50	N	<20	10	20
76BG063A	N	N	10	700	<1.0	N	N	<5	100	100	50	N	<20	<5	20
76BG064A	N	N	10	1,000	<1.0	N	N	20	100	30	50	N	<20	30	20
76BG065A	N	N	10	200	<1.0	N	N	20	10	5	70	N	<20	<5	20
76BG066A	N	N	10	500	<1.0	N	N	20	20	30	50	N	<20	5	20
76BG067B	N	N	10	70	<1.0	N	N	20	150	30	50	N	<20	20	10
76BG068A	N	N	<10	1,500	<1.0	N	N	<5	<10	<5	30	N	<20	<5	20
76BG068B	N	N	<10	1,000	<1.0	N	N	<5	<10	<5	30	N	<20	<5	20
76BG069A	N	N	<10	700	<1.0	N	N	<5	<10	<5	30	N	<20	<5	10
76BG070A	N	N	10	700	<1.0	N	N	10	<10	<5	50	N	<20	<5	10
76BG071A	N	N	10	20	<1.0	N	N	70	3,000	50	50	N	<20	150	<10
76BG072B	N	N	<10	20	<1.0	N	N	<5	<10	<5	50	N	<20	<5	<10
76BG073A	N	N	<10	500	<1.0	N	N	10	<10	<5	50	N	<20	<5	10
76BG074B	N	N	<10	1,500	<1.0	N	N	<5	<10	10	50	N	<20	<5	20
76BG075A	N	N	<10	200	<1.0	N	N	15	<10	<5	50	N	<20	<5	<10
76BG075B	N	N	10	200	<1.0	N	N	20	<10	<5	50	N	<20	5	<10
76BG077A	N	N	10	500	<1.0	N	N	20	<10	<5	150	N	<20	<5	10
76BG078A	N	N	<10	500	<1.0	N	N	10	<10	7	50	N	<20	<5	20
76BG079A	N	N	<10	1,000	<1.0	N	N	<5	<10	<5	50	N	<20	<5	50
76BG080A	N	N	50	2,000	<1.0	N	N	20	150	50	70	10	<20	100	50
76BG081A	N	N	20	2,000	<1.0	N	N	20	200	100	70	<5	<20	100	30
76BG082A	N	N	300	2,000	<1.0	N	N	15	150	50	50	10	<20	100	30
76BG082B	N	N	20	2,000	<1.0	N	N	15	20	30	50	<5	<20	<5	50
76BG083A	N	N	150	2,000	<1.0	N	N	10	100	50	50	10	<20	50	50
76BG083B	N	N	100	1,500	<1.0	N	N	10	100	50	50	N	<20	30	50
76BG084A	N	N	10	300	<1.0	N	N	30	100	<5	50	N	<20	30	20
76BG085A	N	N	10	1,500	<1.0	N	N	20	100	150	50	N	<20	20	20
76BG087A	N	N	<10	300	<1.0	N	N	20	70	<5	50	N	<20	7	20
76BG088A	N	N	10	300	<1.0	N	N	15	100	15	30	N	<20	50	20

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	S-SB	S-SC	S-SN	S-SR	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
76AH189B	N	5	N	1,000	50	N	10	N	150	N	40	10	15	--
76AH209	N	5	N	200	50	N	10	N	150	N	15	10	5	--
76BG002A	N	20	N	100	300	N	20	N	100	N	130	10	10	--
76BG003A	N	20	N	1,500	300	N	30	200	150	N	45	10	200	--
76BG004A	N	20	N	500	200	N	20	N	100	N	120	10	45	--
76BG008B	N	10	N	1,500	100	N	20	N	100	N	10	10	95	--
76BG024A	N	100	N	100	300	N	10	N	10	N	500	10	5	--
76BG045A	N	70	N	300	300	N	30	N	100	N	40	5	25	--
76BG046A	N	50	N	500	300	N	50	N	200	N	15	5	35	--
76BG054A	N	70	N	100	500	N	30	N	50	N	25	5	10	--
76BG055A	N	30	N	200	300	N	30	N	150	N	85	10	70	--
76BG056A	N	30	N	200	300	N	30	N	150	N	15	10	60	--
76BG057A	N	30	N	150	300	N	15	<200	150	N	45	10	50	--
76BG058A	N	10	N	100	70	N	15	N	100	N	5	5	15	--
76BG059A	N	30	N	100	200	N	15	N	30	N	15	5	10	--
76BG061A	N	70	N	100	300	N	50	N	150	N	35	5	10	--
76BG062A	N	30	N	700	200	N	50	N	200	N	25	10	15	--
76BG063A	N	30	N	150	200	N	10	N	30	N	70	10	10	--
76BG064A	N	20	N	700	200	N	20	N	150	N	20	10	45	--
76BG065A	N	30	N	1,500	200	N	50	N	150	N	5	5	40	--
76BG066A	N	20	N	1,500	200	N	30	N	100	N	25	5	40	--
76BG067B	N	30	N	500	300	N	50	<200	150	N	25	5	10	--
76BG068A	N	7	N	1,500	70	N	20	N	100	N	5	5	30	--
76BG068B	N	<5	N	1,500	50	N	<10	N	100	N	5	<5	30	--
76BG069A	N	5	N	1,500	100	N	10	N	150	N	<5	5	45	--
76BG070A	N	7	N	1,000	100	N	10	N	50	N	5	5	40	--
76BG071A	N	100	N	200	200	N	10	N	10	N	70	5	10	--
76BG072B	N	<5	N	N	10	N	<10	N	<10	N	<5	5	5	--
76BG073A	N	7	N	1,000	100	N	15	N	150	N	5	5	50	--
76BG074B	N	5	N	1,500	30	N	10	N	150	N	15	5	25	--
76BG075A	N	15	N	1,500	150	N	20	N	50	N	<5	5	15	--
76BG075B	N	15	N	1,500	200	N	20	N	150	N	<5	5	35	--
76BG077A	N	15	N	1,500	150	N	20	N	200	N	<5	5	35	--
76BG078A	N	10	N	1,500	100	N	20	N	150	N	10	5	30	--
76BG079A	N	5	N	200	20	N	10	N	150	N	5	5	45	--
76BG080A	N	30	N	200	700	N	70	N	200	N	35	5	60	--
76BG081A	N	30	N					00	200	N	55	10	280	--
76BG082A	N	20	N					N	200	N	25	5	55	--
76BG082B	N	20	N	300	300	N	50	N	200	N	25	15	25	--
76BG083A	N	20	N	200	500	N	100	N	200	N	25	10	35	--
76BG083B	N	15	N	300	300	N	15	N	150	N	40	15	80	--
76BG084A	N	20	N	300	300	N	20	N	100	N	10	10	40	--
76BG085A	N	30	N	500	300	N	30	N	150	N	85	10	35	--
76BG087A	N	15	N	500	150	N	20	N	300	N	10	5	25	--
76BG088A	N	15	N	500	200	N	20	N	150	N	15	5	30	--

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES--continued

SAMPLE	LATITUDE	LONGITUDE	ROCK & MINERAL CODES	S-FEX	S-MGX	S-CAZ	S-TIX	S-MN	S-AG
768G089A	55 27 7	131 41 11	GD	10.00	1.50	5.00	.300	1,500	N
768G090A	55 27 56	131 40 9	GD	7.00	1.50	5.00	.200	1,500	N
768G091A	55 29 3	131 39 20	DG	2.00	.50	2.00	.100	500	N
768G092A	55 29 2	131 37 0	PN	10.00	2.00	1.00	.700	1,000	N
768G093A	55 31 49	131 40 20	PN	5.00	1.50	1.00	.300	1,500	N
768G094A	55 30 38	131 41 40	UM	>20.00	5.00	3.00	.500	1,500	N
768G095A	55 29 8	131 42 38	GD	3.00	1.00	3.00	.200	1,500	N
768G096A	55 28 5	131 43 29	GD	5.00	1.00	2.00	.200	1,500	N
768G097A	55 5 56	131 10 53	QF	5.00	1.50	3.00	.200	1,500	N
768G097B	55 5 56	131 10 53	QF	3.00	1.00	3.00	.200	1,500	N
768G098A	55 5 17	131 10 40	PN	20.00	3.00	3.00	.300	1,500	N
768G099A	55 4 41	131 11 5	GS	5.00	1.00	3.00	.200	1,500	N
768G099B	55 4 41	131 11 5	DG	7.00	3.00	2.00	.200	1,500	N
768G099C	55 4 41	131 11 5	DG	1.50	.50	1.50	.100	200	N
768G100A	55 4 0	131 11 35	PN	15.00	3.00	1.50	.500	1,000	N
768G101A	55 3 20	131 11 23	PN	15.00	3.00	3.00	.500	1,000	N
768G103A	55 44 2	131 22 0	PN	5.00	5.00	7.00	.200	1,500	N
768G104A	55 42 50	131 23 49	GD	3.00	1.00	2.00	.200	700	N
768G105A	55 40 31	131 23 23	GD	3.00	1.00	2.00	.200	700	N
768G106A	55 40 37	131 25 17	AM	15.00	5.00	2.00	.500	1,500	N
768G106B	55 40 37	131 25 17	PN	3.00	.30	.70	.200	100	N
768G107A	55 41 8	131 26 9	GD	5.00	1.50	3.00	.300	1,500	N
768G108A	55 42 53	131 29 39	PN	5.00	1.00	1.50	.300	1,500	N
768G109A	55 42 51	131 31 45	GS	15.00	5.00	5.00	.300	200	N
768G109B	55 42 51	131 31 45	PN	15.00	1.50	2.00	.500	700	N
768G110A	55 42 5	131 32 27	GS	3.00	5.00	5.00	.200	1,500	N
768G111A	55 42 7	131 35 2	GS	15.00	5.00	5.00	.500	1,500	N
768G113A	55 41 8	131 30 32	PN	3.00	.50	.70	.200	3,000	N
768G114A	55 40 41	131 28 37	GD	15.00	2.00	5.00	.300	1,500	N
768G115A	55 39 38	131 30 34	PN	2.00	1.00	.70	.300	1,000	N
768G116A	55 38 44	131 26 8	GD	5.00	1.00	1.00	.300	500	N
768G117A	55 38 12	131 25 36	GS	15.00	3.00	5.00	.500	1,500	N
768G118A	55 37 24	131 24 42	GS	5.00	3.00	10.00	.300	2,000	N
768G118B	55 37 24	131 24 42	PN	3.00	.70	7.00	.300	700	N
768G119A	55 37 31	131 25 38	GD	1.50	.30	1.50	.150	500	N
768G120A	55 36 33	131 27 42	GS	15.00	5.00	5.00	.500	5,000	N
768G121A	55 34 46	131 27 51	AM	5.00	1.50	.70	.300	500	1.0
768G122A	55 34 35	131 26 49	PN	5.00	1.50	.70	.500	500	N
768G123A	55 36 38	131 23 39	AM	10.00	3.00	5.00	.700	300	N
768G124A	55 39 11	131 23 14	GD	5.00	1.00	2.00	.300	700	N
768G125A	55 39 6	131 24 11	GD	3.00	.70	2.00	.300	700	N
76CH011A	55 3 56	131 14 18	QF-PY	15.00	2.00	2.00	.300	100	N
76ER430A	55 23 31	130 31 27	GR	1.00	.20	.30	.100	1,000	N
76ER431B	55 21 32	130 30 11	DQ	1.00	.20	.30	.100	300	N
76ER443A	55 4 9	130 35 34	GD	10.00	2.00	2.00	.500	1,500	N

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	S-AS	S-AU	S-B	S-BA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PB
76BG089A	N	N	<10	1,000	<1.0	N	N	10	<10	<5	50	N	<20	<5	20
76BG090A	N	N	<10	1,500	<1.0	N	N	<5	<10	<5	50	N	<20	<5	20
76BG091A	N	N	<10	1,500	<1.0	N	N	<5	<10	<5	50	N	<20	<5	10
76BG092A	N	N	20	1,000	<1.0	N	N	20	100	100	50	N	<20	20	20
76BG093A	N	N	100	20	<1.0	N	N	10	30	50	50	N	<20	15	20
76BG094A	N	N	10	20	<1.0	N	N	70	70	100	30	N	<20	20	<10
76BG095A	N	N	<10	1,000	<1.0	N	N	<5	<10	10	50	N	<20	<5	20
76BG096A	N	N	<10	1,000	<1.0	N	N	<5	<10	10	50	N	<20	<5	20
76BG097A	N	N	<10	500	<1.0	N	N	<5	<10	20	50	N	<20	<5	20
76BG097B	N	N	<10	500	<1.0	N	N	<5	<10	15	50	N	<20	<5	<10
76BG098A	N	N	10	300	<1.0	N	N	30	30	30	30	N	<20	15	<10
76BG099A	N	N	<10	1,000	<1.0	N	N	<5	<10	10	30	N	<20	<5	10
76BG099B	N	N	<10	500	<1.0	N	N	15	30	30	30	N	<20	20	<10
76BG099C	N	N	<10	300	<1.0	N	N	<5	<10	10	30	N	<20	<5	<10
76BG100A	N	N	10	20	<1.0	N	N	30	10	150	30	N	<20	<5	<10
76BG101A	N	N	10	70	<1.0	N	N	50	<10	150	30	N	<20	5	<10
76BG103A	N	N	<10	20	<1.0	N	N	30	150	<5	50	N	<20	20	10
76BG104A	N	N	<10	1,500	<1.0	N	N	<5	<10	<5	50	N	<20	<5	20
76BG105A	N	N	<10	1,500	<1.0	N	N	<5	<10	<5	50	N	<20	<5	30
76BG106A	N	N	10	200	<1.0	N	N	70	100	20	30	N	<20	50	<10
76BG106B	N	N	10	1,000	<1.0	N	N	<5	<10	20	50	<5	<20	<5	10
76BG107A	N	N	<10	1,000	<1.0	N	N	10	70	7	50	N	<20	<5	20
76BG108A	N	N	20	1,000	<1.0	N	N	10	150	30	50	20	<20	15	30
76BG109A	N	N	10	200	<1.0	N	N	70	1,000	<5	30	N	<20	100	<10
76BG109B	N	N	10	1,000	<1.0	N	N	20	50	150	30	N	<20	20	<10
76BG110A	N	N	<10	70	<1.0	N	N	20	10	30	30	N	<20	15	<10
76BG111A	N	N	10	50	<1.0	N	N	70	500	20	30	N	<20	50	20
76BG113A	N	N	70	1,000	1.0	N	N	20	70	15	50	N	<20	5	20
76BG114A	N	N	10	700	1.0	N	N	30	150	10	50	N	<20	7	20
76BG115A	N	N	30	1,000	1.0	N	N	15	30	20	50	N	<20	<5	10
76BG116A	N	N	10	1,000	<1.0	N	N	7	<10	<5	50	N	<20	<5	30
76BG117A	N	N	<10	20	<1.0	N	N	50	500	100	30	N	<20	50	<10
76BG118A	N	N	<10	100	<1.0	N	N	30	50	150	30	N	<20	20	<10
76BG118B	N	N	<10	<20	1.5	N	N	10	20	30	50	N	<20	10	20
76BG119A	N	N	<10	1,500	1.0	N	N	5	<10	<5	50	N	<20	<5	30
76BG120A	N	N	10	<20	<1.0	N	N	50	200	20	30	N	<20	<5	10
76BG121A	N	N	<10	1,500	<1.0	N	N	20	150	5	30	20	<20	<5	20
76BG122A	N	N	50	700	<1.0	N	N	20	70	30	50	N	<20	30	20
76BG123A	N	N	10	<20	<1.0	N	N	50	150	100	30	N	<20	50	<10
76BG124A	N	N	<10	1,500	N	N	N	7	<10	<5	50	N	<20	<5	30
76BG125A	N	N	<10	1,500	1.0	N	N	7	<10	<5	50	N	<20	<5	30
76CH011A	N	N	<10	300	<1.0	N	N	20	<10	200	30	N	<20	<5	<10
76ER430A	N	N	10	70	5.0	N	N	<5	N	<5	30	N	50	5	70
76ER431B	N	N	10	1,000	20.0	N	N	<5	N	<5	30	N	<20	5	50
76ER443A	N	N	10	1,500	1.0	N	N	20	<10	<5	50	N	<20	20	20

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES--continued

SAMPLE	S-SB	S-SC	S-SN	S-SR	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
76BG089A	N	15	N	1,500	150	N	20	N	150	N	10	5	45	--
76BG090A	N	10	N	1,500	100	N	20	N	100	N	10	5	60	--
76BG091A	N	5	N	1,000	50	N	10	N	50	N	10	5	5	--
76BG092A	N	20	N	200	200	N	20	N	150	N	50	10	60	--
76BG093A	N	10	N	300	100	N	20	N	100	N	35	5	45	--
76BG094A	N	100	N	200	500	N	N	N	20	N	40	5	15	--
76BG095A	N	5	N			N	N	N	50	N	15	5	55	--
76BG096A	N	5	N	1,500	70	N	10	N	100	N	15	5	65	--
76BG097A	N	10	N	1,500	150	N	15	N	70	N	20	10	35	--
76BG097B	N	7	N	100	100	N	15	N	70	N	30	10	25	--
76BG098A	N	30	N	200	200	N	15	N	70	N	45	5	15	--
76BG099A	N	5	N	1,500	100	N	10	N	50	N	15	5	45	--
76BG099B	N	15	N	500	100	N	10	N	10	N	40	10	35	--
76BG099C	N	5	N	100	30	N	N	N	20	N	15	5	25	--
76BG100A	N	30	N	200	300	N	20	N	100	N	120	10	40	--
76BG101A	N	30	N	500	300	N	20	N	100	N	130	5	15	--
76BG103A	N	30	N	300	100	N	20	N	30	N	10	5	5	--
76BG104A	N	7	N			N	N	N	100	N	10	5	55	--
76BG105A	N	5	N	700	50	N	10	N	100	N	10	5	80	--
76BG106A	N	50	N	200	300	N	50	N	100	N	15	5	5	--
76BG106B	N	10	N	N	150	N	15	N	150	N	20	5	5	--
76BG107A	N	20	N	1,500	150	N	20	N	70	N	10	10	80	--
76BG108A	N	20	N	500	150	N	20	N	100	N	25	5	45	--
76BG109A	N	50	N	200	300	N	20	N	70	N	10	5	10	--
76BG109B	N	20	N	150	300	N	20	N	150	N	60	10	25	--
76BG110A	N	20	N	200	200	N	20	N	20	N	40	5	5	--
76BG111A	N	50	N	300	300	N	30	N	70	N	20	5	5	--
76BG113A	N	15	N	300	150	N	15	N	150	N	15	<5	30	--
76BG114A	N	20	N	1,500	300	N	30	N	150	N	15	<5	70	--
76BG115A	N	10	N	200	200	N	20	N	150	N	20	5	40	--
76BG116A	N	5	N	1,500	70	N	<10	N	150	N	10	5	85	--
76BG117A	N	50	N			N	N	N	50	N	55	<5	<5	--
76BG118A	N	30	N	500	200	N	20	N	50	N	100	<5	<5	--
76BG118B	N	10	N	<100	150	N	70	N	300	N	25	5	35	--
76BG119A	N	5	N	700	50	N	<10	N	50	N	10	<5	45	--
76BG120A	N	50	N	200	300	N	30	N	70	N	15	5	5	--
76BG121A	N	20	N	200	500	N	15	N	150	N	15	5	5	--
76BG122A	N	15	N	300	200	N	15	N	150	N	35	5	50	--
76BG123A	N	50	N	300	300	N	30	N	70	N	130	<5	<5	--
76BG124A	N	10	N	1,500	50	N	10	N	100	N	10	5	70	--
76BG125A	N	7	N	1,500	50	N	15	N	200	N	10	5	90	--
76CH011A	N	20	N	300	200	N	20	N	70	N	200	5	25	--
76ER430A	N	5	N	<100	<10	N	50	N	100	N	15	15	20	--
76ER431B	N	5	N	200	10	N	10	N	100	N	10	5	10	--
76ER443A	N	20	N	1,500	200	N	30	N	150	N	10	5	50	--

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	LATITUDE	LONGITUDE	ROCK & MINERAL CODES	S-FEX	S-MGX	S-CAZ	S-TIX	S-MN	S-AG
76ER444A	55 3 56	130 30 42	GD	7.00	1.50	2.00	.200	1,000	N
76ER445A	55 2 59	130 30 59	QM	3.00	1.00	2.00	.300	700	N
76ER446A	55 4 58	130 29 17	GD	5.00	1.00	2.00	.300	500	N
76ER447A	55 3 34	130 24 5	GD	7.00	2.00	5.00	.300	1,500	N
76ER448A	55 2 0	130 24 59	GD	15.00	3.00	1.50	.700	1,000	N
76ER449A	55 1 23	130 27 50	GD	15.00	3.00	7.00	.700	1,500	N
76ER453A	55 0 6	130 23 30	PN	15.00	5.00	1.00	.500	700	N
76ER471A	55 20 13	131 34 54	MS	20.00	3.00	.70	.700	700	N
76ER472A	55 21 6	131 34 59	MS	15.00	3.00	5.00	.500	1,500	N
76ER473A	55 22 23	131 33 51	QD	20.00	10.00	10.00	.500	2,000	N
76ER474A	55 24 50	131 34 38	MS	20.00	3.00	2.00	.500	1,500	N
76ER474A	55 24 50	131 34 38	MS	--	--	--	--	--	N
76ER475A	55 23 34	131 33 56	GD	20.00	7.00	10.00	.300	1,500	N
76ER476A	55 24 30	131 38 11	GD	20.00	5.00	5.00	.700	1,500	N
76ER477A	55 23 53	131 38 21	QM	5.00	1.50	2.00	.300	1,000	N
76ER478A	55 22 59	131 34 56	QD	20.00	5.00	10.00	.500	1,500	N
76ER479A	55 22 11	131 39 6	DI	10.00	3.00	10.00	.700	1,000	N
76ER480A	55 22 50	131 39 16	QD	15.00	5.00	10.00	1.000	2,000	N
76ER505A	55 35 38	131 35 43	MS	15.00	5.00	1.50	.700	1,500	N
76RK016A	55 25 59	131 40 9	QF	15.00	3.00	1.00	.500	1,000	N
76RK017A	55 26 35	131 40 18	MS	15.00	3.00	5.00	.500	3,000	N
76RK018A	55 26 57	131 39 52	QF	15.00	3.00	10.00	.500	2,000	N
76RK021A	55 28 0	131 37 59	QF	15.00	3.00	2.00	.300	500	N
76RK021C	55 28 0	131 37 59	GS-PY	15.00	3.00	7.00	.500	1,500	N
76RK021C	55 28 0	131 37 59	GS-PY	--	--	--	--	--	N
76RK021D	55 28 0	131 37 59	GR-PY	7.00	1.00	5.00	.200	1,000	N
76RK022A	55 27 56	131 37 19	MS-PY	15.00	3.00	1.50	.700	1,000	N
76RK031A	55 22 18	130 28 59	GR-PY	1.00	.15	.30	.100	500	N
76RK033A	55 23 27	130 30 30	GR	1.00	.10	.30	.100	700	N
76RK035A	55 21 39	130 30 10	GR	1.00	.15	.20	.150	200	N
76RK047A	55 6 14	130 34 54	GD	1.50	.30	.70	.150	500	N
76RK048A	55 3 1	130 32 8	GD	1.50	.30	1.50	.150	200	N
76RK049A	55 4 20	130 29 3	GD	10.00	1.50	5.00	.300	1,500	N
76RK050A	55 5 14	130 27 46	GD	15.00	1.00	7.00	.300	2,000	N
76RK051A	55 2 44	130 27 44	GD	7.00	1.50	7.00	.300	1,500	N
76RK052A	55 1 10	130 26 8	GD	15.00	3.00	5.00	.700	1,500	N
76RK053A	55 0 43	130 30 38	GD	10.00	2.00	2.00	.500	2,000	N
76RK098A	55 2 13	130 53 16	QF	3.00	1.00	.70	.300	700	N
76RK102A	55 21 43	131 17 8	GS	20.00	7.00	2.00	1.000	1,500	N
76RK105A	55 20 31	131 15 42	MS	20.00	7.00	10.00	1.000	1,500	N
76RK105B	55 20 31	131 15 42	MS	15.00	10.00	3.00	.700	1,000	N
76RK106A	55 21 15	131 15 19	MS	20.00	5.00	1.50	.500	1,000	N
76RK122A	55 18 21	131 13 28	MB	10.00	2.00	>20.00	.150	5,000	N
76RK138A	55 15 50	131 23 57	QF	3.00	1.00	1.00	.300	2,000	N
76RK143A	55 18 15	131 28 2	GD	3.00	.70	2.00	.200	700	N

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES--continued

SAMPLE	S-AS	S-AU	S-B	S-BA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PB
76ER444A	N	N	10	5,000	<1.0	N	N	<5	<10	150	50	N	<20	5	50
76ER445A	N	N	10	3,000	1.0	N	N	<5	<10	15	50	N	<20	5	30
76ER446A	N	N	10	5,000	<1.0	N	N	<5	<10	150	50	5	<20	5	50
76ER447A	N	N	10	1,500	1.0	N	N	20	<10	150	50	N	<20	5	20
76ER448A	N	N	<10	2,000	<1.0	N	N	20	200	30	50	N	<20	50	30
76ER449A	N	N	<10	1,000	1.0	N	N	30	30	15	50	N	<20	20	20
76ER453A	N	N	<10	1,500	1.0	N	N	30	500	200	50	N	<20	150	20
76ER471A	N	N	100	1,500	<1.0	N	N	50	500	150	50	N	<20	150	10
76ER472A	N	N	10	1,500	1.0	N	N	30	150	30	50	N	<20	50	10
76ER473A	N	N	10	300	<1.0	N	N	70	700	30	50	N	<20	50	<10
76ER474A	N	N	10	100	<1.0	N	N	20	20	50	50	20	<20	10	10
76ER474A	N	N	10	50	N	N	N	20	20	30	30	<5	<20	<5	N
76ER475A	N	N	10	500	<1.0	N	N	70	700	30	50	<5	<20	100	10
76ER476A	N	N	10	1,500	1.0	N	N	50	100	30	70	N	<20	20	20
76ER477A	N	N	10	1,500	1.0	N	N	15	20	10	70	N	<20	15	70
76ER478A	N	N	10	200	<1.0	N	N	70	500	30	50	N	<20	30	<10
76ER479A	N	N	10	200	<1.0	N	N	30	50	20	50	N	<20	10	<10
76ER480A	N	N	10	700	<1.0	N	N	30	70	30	50	N	<20	20	20
76ER505A	N	N	50	1,500	<1.0	N	N	30	150	100	50	<5	<20	70	20
76RK016A	N	N	20	700	<1.0	N	N	20	200	150	50	N	<20	30	20
76RK017A	N	N	20	700	<1.0	N	N	50	50	150	50	N	<20	20	20
76RK018A	N	N	20	1,000	<1.0	N	N	30	20	200	50	N	<20	10	20
76RK021A	N	N	10	700	<1.0	N	N	30	50	30	50	10	<20	15	<10
76RK021C	N	N	10	700	1.0	N	N	70	20	2,000	50	N	<20	10	<10
76RK021C	N	N	<10	500	<1.0	N	N	50	<10	1,000	50	N	<20	<5	N
76RK021D	N	N	10	2,000	1.0	N	N	10	<10	30	70	N	<20	<5	30
76RK022A	N	N	50	1,000	1.0	N	N	50	150	100	50	N	<20	70	20
76RK031A	N	N	<10	150	<1.0	N	N	<5	<10	5	50	N	50	<5	50
76RK033A	N	N	<10	150	5.0	N	N	<5	<10	<5	50	N	20	<5	70
76RK035A	N	N	<10	200	5.0	N	N	<5	<10	<5	50	15	50	<5	100
76RK047A	N	N	<10	1,500	5.0	N	N	<5	<10	<5	50	N	<20	<5	100
76RK048A	N	N	<10	5,000	1.0	N	N	<5	<10	<5	50	N	<20	<5	20
76RK049A	N	N	<10	5,000	1.0	N	N	20	<10	150	50	N	<20	<5	20
76RK050A	N	N	10	500	<1.0	N	N	20	<10	<5	50	N	<20	<5	20
76RK051A	N	N	<10	1,500	<1.0	N	N	20	30	<5	50	N	<20	20	20
76RK052A	N	N	10	2,000	1.0	N	N	30	50	100	50	N	<20	30	20
76RK053A	N	N	<10	5,000	1.0	N	N	20	20	100	70	N	<20	<5	50
76RK098A	N	N	10	1,500	1.0	N	N	10	50	15	50	N	<20	<5	20
76RK102A	N	N	10	100	<1.0	N	N	70	100	30	50	N	<20	30	<10
76RK105A	N	N	10	5,000	<1.0	N	N	100	1,500	200	100	N	<20	500	30
76RK105B	N	N	<10	700	<1.0	N	N	70	1,500	30	50	N	<20	200	<10
76RK106A	N	N	30	1,500	<1.0	N	N	30	200	150	50	<5	<20	50	20
76RK122A	N	N	<10	500	<1.0	N	N	10	70	<5	50	N	<20	15	20
76RK138A	N	N	10	2,000	<1.0	N	N	15	<10	15	50	N	<20	20	30
76RK143A	N	N	<10	1,500	1.0	N	N	10	<10	10	50	N	<20	5	20

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES--continued

SAMPLE	S-SB	S-SC	S-SN	S-SR	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
76ER444A	N	5	N	700	100	N	10	N	150	N	60	5	35	--
76ER445A	N	5	N	1,500	70	N	<10	N	150	N	15	5	50	--
76ER446A	N	5	N	1,500	100	N	<10	N	100	N	45	5	30	--
76ER447A	N	10	N	1,500	150	N	15	N	150	N	20	5	10	--
76ER448A	N	30	N	1,000	300	N	10	N	100	N	25	10	75	--
76ER449A	N	30	N	1,500	200	N	50	N	200	N	20	10	40	--
76ER453A	N	30	N	200	300	N	50	N	200	N	90	15	150	--
76ER471A	N	30	N	200	300	N	50	N	200	N	40	15	100	--
76ER472A	N	30	N	300	300	N	50	N	150	N	35	10	25	--
76ER473A	N	50	N	700	300	N	10	N	50	N	20	10	30	--
76ER474A	N	30	N	300	300	N	30	N	100	N	35	5	10	--
76ER474A	N	20	N	200	200	N	15	N	70	--	--	--	--	--
76ER475A	N	30	N	1,000	300	N	20	N	20	N	30	5	5	--
76ER476A	N	30	N	1,500	300	N	30	N	300	N	25	10	60	--
76ER477A	N	7	N	300	70	N	20	N	300	N	10	5	35	--
76ER478A	N	50	N	1,500	300	N	15	N	50	N	20	10	10	--
76ER479A	N	20	N	1,000	300	N	10	N	20	N	20	5	20	--
76ER480A	N	30	N	1,500	300	N	50	N	200	N	15	5	25	--
76ER505A	N	30	N	300	300	N	50	N	200	N	50	10	20	--
76RK016A	N	30	N	700	500	N	50	N	300	N	50	10	25	--
76RK017A	N	20	N	700	500	N	20	N	150	N	80	10	45	--
76RK018A	N	10	N	1,000	300	N	20	N	150	N	85	15	50	--
76RK021A	N	10	N	1,000	300	N	20	N	150	N	10	10	30	--
76RK021C	N	20	N	2,000	300	N	30	N	150	N	720	10	60	--
76RK021C	N	20	N	150	200	N	15	N	100	--	--	--	--	--
76RK021D	N	5	N	2,000	20	N	<10	N	200	N	10	5	45	--
76RK022A	N	30	N	500	500	N	30	N	150	N	30	10	60	--
76RK031A	N	5	N	N	<10	N	20	N	200	N	5	10	10	--
76RK033A	N	<5	N	N	<10	N	10	N	200	N	<5	10	15	--
76RK035A	N	<5	N	N	<10	N	20	N	200	N	<5	10	10	--
76RK047A	N	<5	N	200	10	N	15	N	100	N	<5	5	10	--
76RK048A	N	<5	N	1,000	10	N	<10	N	100	N	5	5	15	--
76RK049A	N	10	N	1,000	150	N	20	N	150	N	60	5	15	--
76RK050A	N	20	N	3,000	500	N	70	N	200	N	N	5	10	--
76RK051A	N	20	N	1,500	200	N	20	N	30	N	5	5	30	--
76RK052A	N	20	N	2,000	200	N	30	N	150	N	25	10	50	--
76RK053A	N	20	N	1,000	150	N	30	N	150	N	70	5	75	--
76RK098A	N	20	N	200	100	N	20	N	150	N	5	<5	10	--
76RK102A	N	70	N	200	1,000	N	70	<200	200	N	15	5	60	--
76RK105A	N	50	N	1,000	300	N	30	N	200	N	70	20	75	--
76RK105B	N	50	N					N	50	N	55	5	15	--
76RK106A	N	30	N	500	300	N	30	N	150	N	50	10	50	--
76RK122A	N	20	N	700	30	N	10	N	20	N	5	30	10	--
76RK138A	N	10	N	700	150	N	<10	N	150	N	10	10	20	--
76RK143A	N	5	N	1,500	70	N	<10	N	100	N	5	<5	50	--

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES--continued

SAMPLE	LATITUDE	LONGITUDE	ROCK & MINERAL CODES	S-FEX	S-MGX	S-CAX	S-TIX	S-MN	S-AG
76RK144A	55 19 14	131 26 50	GD	3.00	1.00	5.00	.200	1,500	N
76RK152A	55 24 3	131 18 33	MS-PY	--	--	--	--	--	N
76RK152A	55 24 3	131 18 33	MS-PY	7.00	1.50	1.00	.300	700	N
76RK153A	55 25 19	131 17 27	GD	7.00	1.50	3.00	.300	1,000	N
76RK164A	55 19 5	131 33 17	GS	>20.00	5.00	10.00	.500	2,000	N
76RK165A	55 20 36	131 35 50	MS	20.00	3.00	5.00	.700	2,000	N
76RK166A	55 21 37	131 34 32	QM	10.00	3.00	3.00	.700	1,000	N
76RK167A	55 23 8	131 33 56	QM	5.00	1.50	2.00	.300	500	N
76RK168A	55 23 52	131 34 26	GD	10.00	5.00	10.00	.500	1,500	N
76RK169A	55 24 33	131 36 39	GD	--	--	--	--	--	N
76RK169A	55 24 33	131 36 39	GD	20.00	3.00	5.00	1.000	1,500	N
76RK170A	55 25 32	131 38 2	GD	20.00	5.00	7.00	1.000	1,500	N
76RK171A	55 23 8	131 36 21	GD	3.00	1.00	2.00	.200	500	N
76RK172A	55 22 14	131 36 25	GD	2.00	.50	1.00	.150	300	N
76RK173A	55 22 23	131 39 12	QM	15.00	2.00	3.00	>1.000	1,500	N
76RK176A	55 31 32	131 45 33	QF-PY	10.00	2.00	2.00	.300	700	N
76RK176A	55 31 32	131 45 33		--	--	--	--	--	N
76SJ564A	55 23 44	130 28 55	DQ	2.00	.30	.50	.200	500	7.0
76SJ565C	55 23 52	130 28 40	DM	3.00	.70	.70	.500	500	N
76SJ568A	55 22 59	130 29 16	QM	1.50	.20	.30	.100	700	N
76SJ568B	55 22 59	130 29 16	GR	1.50	.20	.30	.150	500	N
76SJ568D	55 22 59	130 29 16	DQ	1.00	.10	.30	.100	700	N
76SJ569A	55 23 22	130 29 32	PN	10.00	2.00	2.00	1.000	1,000	N
76SJ570A	55 23 25	130 29 27	PN	10.00	1.50	3.00	.500	1,000	N
76SJ570B	55 23 25	130 29 27	DQ	1.50	.15	.50	.100	1,000	N
76SJ571A	55 23 25	130 29 8	DF	20.00	5.00	10.00	.700	2,000	N
76SJ571B	55 23 25	130 29 8	DQ	1.00	.02	.30	.100	500	N
76SJ572A	55 23 26	130 28 44	GG-PY	10.00	2.00	3.00	.500	1,500	N
76SJ573A	55 23 30	130 28 17	PN	5.00	1.00	2.00	.300	700	<.5
76SJ573B	55 23 30	130 28 17	DF	20.00	.30	.10	.150	150	N
76SJ573C	55 23 30	130 28 17	DM	10.00	5.00	5.00	1.000	1,500	<.5
76SJ575A	55 6 25	130 32 34	PN	10.00	2.00	5.00	.500	2,000	N
76SJ576A	55 2 11	130 31 28	GD	2.00	.70	1.50	.150	300	N
76SJ578A	55 4 54	130 27 28	PN	15.00	5.00	1.00	.700	1,000	N
76SJ581A	55 2 11	130 27 10	GD	10.00	5.00	3.00	.500	1,000	N
76SJ581B	55 2 11	130 27 10	PN	15.00	2.00	.70	.500	700	N
76SJ582A	55 0 6	130 26 25	PN	10.00	2.00	2.00	.500	1,500	N
76SJ607A	55 3 8	130 49 40	PN	3.00	.20	.50	.300	500	N
76SJ609A	55 20 4	131 10 40	PN	3.00	1.00	.20	.300	100	N
76SJ611A	55 17 35	131 8 4	PN	15.00	5.00	1.50	.300	1,500	N
76SJ612A	55 16 13	131 7 42	PN	10.00	3.00	5.00	.500	1,500	N
76SJ613A	55 15 48	131 10 10	QD	10.00	5.00	5.00	.500	1,500	N
76SJ614A	55 14 2	131 10 36	GD	10.00	2.00	5.00	.300	1,500	N
76SJ616A	55 15 57	131 12 46	GD	10.00	1.50	5.00	.300	1,500	N
76SJ617A	55 15 2	131 14 20	QD	10.00	2.00	5.00	.300	1,500	N

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	S-AS	S-AU	S-B	S-BA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PB
76RK144A	N	10	1,000	1.0	N	N	N	10	<10	<5	50	N	<20	10	20
76RK152A	N	10	1,000	<1.0	N	N	N	20	20	100	30	20	<20	70	10
76RK152A	N	10	1,500	1.0	N	N	N	20	20	100	50	20	<20	70	10
76RK153A	N	10	1,000	1.0	N	N	N	20	20	10	50	N	<20	10	20
76RK164A	N	10	500	<1.0	N	N	N	100	500	150	50	N	<20	100	<10
76RK165A	N	10	20	<1.0	N	N	N	70	100	20	50	N	<20	50	20
76RK166A	N	10	1,500	1.0	N	N	N	30	70	20	50	N	<20	10	20
76RK167A	N	10	1,000	1.5	N	N	N	20	20	<5	50	N	<20	15	20
76RK168A	N	10	500	<1.0	N	N	N	50	100	7	50	<5	<20	15	20
76RK169A	N	<10	200	N	N	N	N	30	50	<5	30	5	<20	10	N
76RK169A	N	10	1,000	1.0	N	N	N	50	70	30	50	20	<20	20	<10
76RK170A	N	20	700	<1.0	N	N	N	70	100	50	50	N	<20	50	<10
76RK171A	N	20	1,500	1.0	N	N	N	10	<10	<5	70	N	<20	10	50
76RK172A	N	10	1,500	1.0	N	N	N	10	<10	<5	50	N	<20	5	50
76RK173A	N	10	1,000	1.0	N	N	N	50	20	20	50	5	<20	10	20
76RK176A	N	10	1,500	1.0	N	N	N	30	20	3,000	50	30	<20	10	10
76RK176A	N	10	700	<1.0	N	N	N	20	20	1,500	50	20	<20	10	10
76SJ564A	N	<10	1,000	2.0	N	N	N	<5	<10	15	50	<5	<20	5	30
76SJ565C	N	<10	2,000	2.0	N	N	N	<5	<10	30	70	1,000	<20	10	20
76SJ568A	N	<10	500	2.0	N	N	N	<5	20	5	70	N	20	5	100
76SJ568B	N	<10	500	3.0	N	N	N	<5	<10	<5	70	N	<20	10	50
76SJ568D	N	<10	1,000	2.0	N	N	N	<5	<10	<5	50	N	<20	5	50
76SJ569A	N	<10	1,500	1.0	N	N	N	20	30	20	100	N	<20	15	30
76SJ570A	N	<10	2,000	1.0	N	N	N	20	20	15	50	N	<20	10	30
76SJ570B	N	<10	20	5.0	N	N	N	<5	<10	<5	<20	N	30	5	100
76SJ571A	N	<10	1,000	<1.0	N	N	N	70	50	150	50	N	<20	20	<10
76SJ571B	N	<10	2,000	7.0	N	N	N	<5	<10	<5	50	N	50	5	50
76SJ572A	N	<10	5,000	<1.0	N	N	N	20	<10	30	50	20	<20	10	30
76SJ573A	N	<10	2,000	2.0	N	N	N	10	50	30	70	1,000	<20	10	30
76SJ573B	N	<10	2,000	2.0	N	N	N	<5	<10	30	70	500	<20	15	<10
76SJ573C	N	<10	2,000	1.0	N	N	N	50	200	200	100	N	<20	150	10
76SJ575A	N	15	1,500	1.0	N	N	N	10	30	50	50	N	<20	<5	20
76SJ576A	N	10	3,000	1.0	N	N	N	<5	<10	<5	50	N	<20	<5	30
76SJ578A	N	10	2,000	1.0	N	N	N	20	500	100	50	N	<20	70	30
76SJ581A	N	10	500	1.0	N	N	N	20	70	20	50	N	<20	20	50
76SJ581B	N	10	500	1.0	N	N	N	10	200	150	50	N	<20	50	<10
76SJ582A	N	<10	3,000	1.0	N	N	N	20	<10	10	50	N	<20	5	50
76SJ607A	N	<10	1,500	2.0	N	N	N	<5	<10	<5	100	N	<20	<5	20
76SJ609A	N	50	1,500	1.0	N	N	N	<5	50	10	50	N	<20	<5	<10
76SJ611A	N	20	1,000	1.0	N	N	N	30	100	100	50	N	<20	30	50
76SJ612A	N	10	200	1.0	N	N	N	30	20	30	50	N	<20	5	10
76SJ613A	N	10	700	1.0	N	N	N	20	<10	7	50	N	<20	<5	10
76SJ614A	N	10	1,500	1.0	N	N	N	15	<10	<5	50	N	<20	<5	20
76SJ616A	N	10	500	1.0	N	N	N	15	<10	<5	50	N	<20	<5	20
76SJ617A	N	10	500	1.0	N	N	N	15	<10	<5	50	N	<20	<5	20

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	S-SB	S-SC	S-SN	S-SR	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
76RK144A	N	5	N	1,500	70	N	<10	N	100	N	5	<5	50	--
76RK152A	N	10	N	200	300	N	20	300	100	--	--	--	--	--
76RK152A	N	15	N	200	500	N	20	N	100	N	50	10	340	--
76RK153A	N	15	N	1,000	150	N	20	N	150	N	10	10	65	--
76RK164A	N	50	N			N		N	100	N	55	5	25	--
76RK165A	N	50	N	1,500	500	N	20	N	200	N	10	5	51	--
76RK166A	N	30	N			N		N	200	N	15	10	55	--
76RK167A	N	7	N	1,000	70	N	10	N	150	N	5	5	25	--
76RK168A	N	30	N	1,500	300	N	15	N	70	N	5	<5	5	--
76RK169A	N	20	N	1,000	300	N	15	N	30	--	--	--	--	--
76RK169A	N	30	N	1,000	300	N	30	N	300	N	10	10	40	--
76RK170A	N	30	N	1,500	200	N	10	N	100	N	20	10	25	--
76RK171A	N	5	N	500	50	N	10	N	200	N	5	5	30	--
76RK172A	N	<5	N	500	30	N	10	N	150	N	5	10	30	--
76RK173A	N	30	N	500	300	N	50	N	300	N	10	5	25	--
76RK176A	N	15	N	1,500	200	N	20	N	150	N	1,200	5	15	--
76RK176A	N	7	N	1,000	200	N	15	N	70	--	--	--	--	--
76SJ564A	N	5	N	200	10	N	10	N	200	N	25	5	20	--
76SJ565C	N	7	N	500	50	N	10	N	300	N	20	5	20	--
76SJ568A	N	5	N	<100	10	N	15	N	100	N	5	10	20	--
76SJ568B	N	5	N	200	<10	N	<10	N	150	N	15	10	15	--
76SJ568D	N	5	N	200	<10	N	20	N	100	N	15	15	15	--
76SJ569A	N	20	N	700	200	N	20	N	300	N	20	10	20	--
76SJ570A	N	20	N	500	150	N	20	N	150	N	15	5	40	--
76SJ570B	N	5	N	N	<10	N	20	N	150	N	15	5	15	--
76SJ571A	N	50	N	1,500	500	N	30	N	50	N	70	5	25	--
76SJ571B	N	5	N	<100	<10	N	50	N	150	N	15	10	5	--
76SJ572A	N	15	N	1,000	200	N	20	N	50	N	25	5	15	--
76SJ573A	N	5	N	700	100	N	10	N	200	N	30	10	30	--
76SJ573B	N	<5	N	<100	150	N	10	N	150	N	25	5	5	--
76SJ573C	N	30	N	1,000	300	N	30	N	200	N	100	5	20	--
76SJ575A	N	30	N			N	<10	N	100	N	50	5	55	--
76SJ576A	N	<5	N	700	20	N		N	100	N	5	5	30	--
76SJ578A	N	30	N					00	150	N	55	10	95	--
76SJ581A	N	20	N					N	150	N	10	5	55	--
76SJ581B	N	20	N	200	200	N	20	<200	150	N	70	10	110	--
76SJ582A	N	20	N	1,500	200	N	20	N	100	N	5	10	65	--
76SJ607A	N	10	N	200	<10	N	150	N	<10	N	<5	5	60	--
76SJ609A	N	10	N	200	300	N	20	N	10	N	10	5	30	--
76SJ611A	N	20	N	500	300	N	20	N	150	N	60	10	90	--
76SJ612A	N	20	N	1,000	300	N	20	N	30	N	30	5	15	--
76SJ613A	N	20	N	1,000	300	N	20	N	10	N	5	5	40	--
76SJ614A	N	20	N	1,500	150	N	20	N	<10	N	<5	5	45	--
76SJ616A	N	10	N					N	<10	N	<5	5	55	--
76SJ617A	N	15	N	1,000	150	N	20	N	<10	N	5	5	30	--

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES--continued

SAMPLE	LATITUDE	LONGITUDE	ROCK & MINERAL CODES	S-FEX	S-MGX	S-CAX	S-TIX	S-MN	S-AG
76SJ620A	55 17 30	131 18 1	GD	5.00	1.50	3.00	.200	1,000	N
76SJ623A	55 19 45	131 23 16	PN	5.00	1.00	2.00	.300	500	1.0
76SJ624A	55 18 11	131 22 20	QD	5.00	1.50	5.00	.300	1,500	N
76SJ625A	55 16 41	131 23 43	GD	5.00	1.50	5.00	.300	1,500	N
76SJ626A	55 17 48	131 24 55	QD	5.00	1.00	5.00	.300	1,500	N
76SJ630D	55 23 43	131 31 15	PN	3.00	1.00	.20	.300	300	N
76SJ631A	55 25 14	131 33 29	PN	10.00	3.00	1.50	.500	700	N
76SJ637A	55 26 30	131 33 52	PN	15.00	3.00	1.00	.700	700	N
76SJ638A	55 23 17	131 38 23	GD	10.00	2.00	3.00	.500	1,000	N
76SJ639A	55 23 9	131 42 17	PN	15.00	5.00	2.00	.700	1,000	N
76SJ641A	55 28 33	131 39 11	GD	7.00	1.00	5.00	.300	1,500	N
76SJ642A	55 29 40	131 38 44	GD	7.00	1.50	5.00	.300	1,500	N
76SJ643A	55 29 50	131 36 20	GD	2.00	.30	2.00	.150	700	N
76SJ646A	55 43 29	131 23 3	PN	5.00	1.50	1.50	.500	300	N
76SJ647A	55 41 34	131 23 40	PN	2.00	.50	.15	.200	100	N
76SJ648C	55 40 11	131 26 7	GS	10.00	2.00	5.00	.500	1,000	N
76SJ649A	55 41 48	131 28 13	PN	2.00	.50	.50	.200	200	<.5
76SJ650A	55 42 17	131 31 50	PN	10.00	1.50	.50	.300	500	<.5
76SJ652A	55 41 53	131 31 10	PN	10.00	2.00	2.00	.500	3,000	N
76SJ654A	55 38 18	131 27 50	GD	10.00	1.50	3.00	.300	1,000	N
76SJ655A	55 37 59	131 24 39	GS	15.00	7.00	5.00	.500	2,000	N
76SJ657A	55 35 36	131 27 11	PN	10.00	3.00	1.00	.500	1,000	<.5
76SJ658A	55 35 32	131 23 39	GS	3.00	5.00	10.00	.200	2,000	N
76SJ659A	55 37 54	131 23 38	GD	5.00	1.50	5.00	.500	1,000	N
77BG006A	55 40 19	131 53 17	PN	5.00	1.50	1.00	.500	500	N
77BG007A	55 41 3	131 51 51	PN	3.00	1.00	2.00	.300	500	<.5
77BG031B	55 58 45	131 42 11	GD	.10	.02	.20	.010	<10	N
77BG035B	55 56 39	131 42 47	QD	3.00	1.00	1.00	.300	500	N
77BG064A	55 57 51	131 24 20	DQ	.30	.10	.20	.050	300	10.0
77BG065A	55 57 42	131 24 19	DM	5.00	1.00	1.50	.500	500	N
77BG110B	55 46 18	131 14 48	PN	.50	.50	1.00	.150	150	N
77BG117B	55 42 30	131 15 1	PN	2.00	1.50	3.00	.200	500	<.5
77BG129B	55 36 34	131 13 33	DF	5.00	1.00	1.50	.200	200	N
77BG136C	55 36 24	131 10 35	AM	5.00	2.00	3.00	.300	1,500	N
77BG142A	55 20 47	131 38 3	QF	3.00	1.00	.70	.300	200	N
77BG142B	55 20 47	131 38 3	QF	5.00	2.00	1.50	.200	300	N
77BG143A	55 21 42	131 17 11	V0	7.00	1.50	5.00	.300	1,500	N
77DM203A	55 59 41	131 25 18	DF	1.00	.70	1.00	.200	300	N
77DM204A	55 59 57	131 26 34	DF	.50	.10	<.05	.050	50	N
77DM642A	55 20 44	130 35 53	DQ	.30	.03	.07	.100	1,500	N
77DM868A	55 22 53	130 31 18	GR	.15	.02	.15	.070	1,000	N
77ER503A	55 41 17	131 59 0	GD	3.00	1.00	3.00	.300	500	N
77ER529A	55 54 32	131 46 23	QD	2.00	1.00	2.00	.300	500	N
77ER590A	55 41 59	131 5 49	PG	3.00	1.00	1.00	.300	1,000	N
77ER610A	55 35 11	131 12 29	GD	1.00	.15	3.00	.100	200	N

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	S-AU	S-B	S-BA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PB
76SJ620A	N	<10	700	1.0	N	N	10	<10	<5	50	N	<20	<5	15
76SJ623A	N	10	700	1.0	N	N	10	30	50	50	50	<20	20	15
76SJ624A	N	<10	700	1.0	N	N	10	<10	<5	50	N	<20	<5	<10
76SJ625A	N	10	500	1.0	N	N	15	<10	<5	50	N	<20	<5	20
76SJ626A	N	<10	700	1.0	N	N	10	<10	<5	50	N	<20	<5	<10
76SJ630D	N	50	700	1.0	N	N	30	50	100	50	N	<20	20	20
76SJ631A	N	10	1,500	1.0	N	N	30	50	50	50	N	<20	20	20
76SJ637A	N	20	1,500	1.0	N	N	50	150	150	50	N	<20	30	30
76SJ638A	N	15	1,000	1.0	N	N	20	100	<5	50	N	<20	15	20
76SJ639A	N	10	1,500	N	N	N	50	200	150	50	N	<20	70	20
76SJ641A	N	10	2,000	1.0	N	N	10	<10	<5	50	N	<20	5	20
76SJ642A	N	10	2,000	1.0	N	N	10	<10	<5	50	N	<20	5	20
76SJ643A	N	<10	1,500	1.0	N	N	<5	<10	<5	50	N	<20	<5	20
76SJ646A	N	50	2,000	1.0	N	N	20	100	70	50	N	<20	20	20
76SJ647A	N	10	2,000	1.0	N	N	<5	50	10	50	N	<20	5	<10
76SJ648C	N	<10	100	1.0	N	N	20	70	20	50	N	<20	10	<10
76SJ649A	N	10	1,000	<1.0	N	N	10	70	20	50	N	<20	10	<10
76SJ650A	N	20	2,000	N	N	N	20	100	100	50	N	<20	50	<10
76SJ652A	N	70	2,000	N	N	N	20	70	150	100	N	<20	30	20
76SJ654A	N	<10	200	N	N	N	10	50	10	50	N	<20	7	50
76SJ655A	N	<10	3,000	N	N	N	70	500	100	50	N	<20	100	<10
76SJ657A	N	50	5,000	N	N	N	30	100	150	50	N	<20	70	20
76SJ658A	N	<10	200	<1.0	N	N	20	70	150	50	N	<20	20	<10
76SJ659A	N	10	2,000	N	N	N	10	<10	<5	70	N	<20	5	30
77BG006A	N	20	500	1.0	N	N	30	150	15	50	N	<20	20	20
77BG007A	N	10	500	1.0	N	N	20	100	30	50	20	<20	50	15
77BG031B	N	10	3,000	<1.0	N	N	N	N	N	<20	N	N	<5	50
77BG035B	N	10	1,500	1.0	N	N	10	20	<5	50	N	<20	<5	10
77BG064A	N	10	50	1.5	N	N	N	N	<5	50	N	<20	<5	15
77BG065A	N	10	1,000	1.0	N	N	50	100	20	50	N	<20	20	50
77BG110B	N	10	500	1.5	N	N	N	N	10	50	N	<20	<5	20
77BG117B	N	10	<20	N	N	N	<5	300	10	50	N	<20	<5	10
77BG129B	N	10	700	1.5	N	N	<5	50	50	50	150	<20	50	20
77BG136C	N	10	100	<1.0	N	N	15	<10	150	50	<5	<20	5	15
77BG142A	N	100	500	1.5	N	N	20	N	100	50	N	<20	<5	20
77BG142B	N	10	150	<1.0	N	N	20	<10	300	50	N	<20	10	10
77BG143A	N	10	300	<1.0	N	N	50	N	100	50	N	<20	50	10
77DM203A	N	10	2,000	1.0	N	N	<5	N	<5	50	N	<20	<5	30
77DM204A	N	10	700	1.0	N	N	<5	N	N	50	100	<20	<5	10
77DM642A	N	N	100	5.0	<10	N	7	<10	<5	<20	N	50	<5	100
77DM868A	N	N	50	10.0	N	N	7	<10	<5	<20	N	20	<5	70
77ER503A	N	10	1,000	1.0	N	N	<5	20	5	50	N	<20	<5	10
77ER529A	N	10	1,000	1.0	N	N	<5	50	5	50	N	<20	<5	10
77ER590A	N	<10	1,000	2.0	N	N	10	N	15	50	N	<20	<5	20
77ER610A	N	<10	1,500	1.0	N	N	<5	N	N	<20	N	<20	<5	20

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES--continued

SAMPLE	S-SB	S-SC	S-SN	S-SR	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
76SJ620A	N	15	N	1,000	100	N	10	N	<10	N	<5	5	50	--
76SJ623A	N	10	N					N	50	N	55	10	25	--
76SJ624A	N	15	N	1,000	100	N	10	N	<10	N	<5	5	50	--
76SJ625A	N	10	N	1,000	100	N	10	N	<10	N	5	5	65	--
76SJ626A	N	10	N					N	<10	N	<5	5	55	--
76SJ630D	N	7	N					00	70	N	55	10	340	--
76SJ631A	N	20	N	300	200	N	20	N	50	N	40	10	90	--
76SJ637A	N	30	N	300	200	N	20	N	150	N	90	10	120	--
76SJ638A	N	20	N	500	150	N	20	N	100	N	5	5	35	--
76SJ639A	N	30	N					N	150	N	55	10	100	--
76SJ641A	N	10	N	1,500	100	N	20	N	100	N	5	5	95	--
76SJ642A	N	10	N	2,000	100	N	20	N	150	N	5	10	75	--
76SJ643A	N	<5	N	2,000	30	N	<10	N	100	N	<5	5	25	--
76SJ646A	N	20	N	700	200	N	15	N	150	N	50	5	50	--
76SJ647A	N	10	N	200	500	N	10	N	100	N	10	<5	10	--
76SJ648C	N	30	N	200	300	N	30	N	100	N	20	5	10	--
76SJ649A	N	15	N	200	200	N	20	N	100	N	20	5	10	--
76SJ650A	N	20	N	200	200	N	30	N	150	N	50	10	90	--
76SJ652A	N	30	N	300	200	N	100	N	200	N	95	10	100	--
76SJ654A	N	10	N	1,500	100	N	20	N	150	N	5	5	80	--
76SJ655A	N	50	N	200	300	N	50	N	70	N	50	5	5	--
76SJ657A	N	20	N	200	200	N	50	200	150	N	95	10	230	--
76SJ658A	N	20	N	300	100	N	20	<200	30	N	60	<5	5	--
76SJ659A	N	10	N	2,000	70	N	20	N	150	N	5	5	85	--
77BG006A	N	50	N	500	300	N	20	N	100	N	20	10	85	--
77BG007A	N	30	N	500	200	N	20	<200	100	N	60	10	100	--
77BG031B	N	N	N	500	<10	N	N	N	N	N	<5	5	10	--
77BG035B	N	20	N	300	200	N	20	N	150	N	<5	10	30	--
77BG064A	N	N	N	N	<10	N	10	N	70	N	N	35	15	--
77BG065A	N	20	N	700	200	N	20	N	200	N	10	20	95	--
77BG110B	N	N	N	1,000	<10	N	N	N	100	N	20	5	60	--
77BG117B	N	30	N	200	200	N	10	N	50	N	10	5	<5	--
77BG129B	N	10	N	500	300	N	20	N	200	N	30	15	70	--
77BG136C	N	20	N	500	200	N	20	300	50	N	100	5	10	--
77BG142A	N	15	N	500	200	N	30	N	70	N	140	15	30	--
77BG142B	N	15	N	500	200	N	20	N	30	N	40	5	40	--
77BG143A	N	10	N	500	100	N	20	N	20	N	90	10	75	--
77DM203A	N	5	N	500	20	N	10	N	200	N	N	20	60	--
77DM204A	N	N	N	<100	<10	N	<10	N	70	N	N	10	5	--
77DM642A	N	5	<10	N	<10	N	30	N	70	N	<5	25	40	--
77DM868A	N	<5	<10	N	<10	N	10	N	50	N	<5	5	30	--
77ER503A	N	10	N	1,500	150	N	20	<200	200	N	10	10	90	--
77ER529A	N	15	N	500	150	N	15	N	200	N	5	10	60	--
77ER590A	N	10	N	300	70	N	20	N	100	N	10	5	70	--
77ER610A	N	5	N	700	15	N	<10	N	70	N	<5	N	50	--

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES--continued

SAMPLE	LATITUDE	LONGITUDE	ROCK & MINERAL CODES	S-FEX	S-MGX	S-CAX	S-TIX	S-MN	S-AG
77ER611A	55 32 27	131 32 0	GS	3.00	.70	1.00	.300	200	N
77ER612A	55 31 9	131 28 35	MS	5.00	2.00	1.50	.300	500	N
77ER659A	55 33 30	131 32 9	GD	1.50	.20	1.50	.100	300	N
77ER660A	55 38 12	131 35 41	QM	.20	.05	.70	.020	200	N
77ER676A	55 48 41	131 31 0	GD	2.00	.30	1.50	.200	700	N
77ER677A	55 45 25	131 26 27	MS	1.50	.50	.15	.200	300	2.0
77ER679A	55 49 2	131 21 11	MS	3.00	1.00	1.00	.300	700	N
77ER680A	55 45 14	131 35 8	GD	1.50	.50	1.00	.200	300	N
77ER681A	55 44 30	131 34 9	GD	1.50	.30	1.50	.150	500	N
77ER681B	55 44 30	131 34 9	GD	1.50	.20	1.00	.150	300	N
77ER683A	55 44 53	131 39 11	GD	3.00	1.00	2.00	.200	1,000	N
77ER689A	55 46 31	131 30 47	DI	5.00	3.00	7.00	.300	1,500	N
77ER690A	55 45 23	131 24 8	PG	2.00	.70	.50	.300	300	N
77ER692A	55 47 59	131 26 52	GD	2.00	1.00	3.00	.200	1,000	N
77ER694A	55 49 14	131 36 1	MS	3.00	.70	.50	.200	5,000	N
77ER695A	55 45 1	131 36 21	DI	5.00	3.00	10.00	.500	2,000	N
77ER700A	55 45 42	131 22 0	AM	7.00	3.00	10.00	.500	2,000	N
77ER701A	55 46 36	131 19 54	GD	2.00	.30	1.00	.200	300	N
77ER703A	55 24 30	131 13 5	GS	7.00	3.00	5.00	.300	1,500	N
77RK600B	55 59 36	131 17 45	GR-MO, PY	1.50	.20	.70	.300	700	<.5
77RK620A	55 55 5	131 55 28	GD	2.00	1.00	3.00	.500	500	N
77RK622A	55 59 35	131 55 23	GD	3.00	1.00	3.00	.500	500	N
77RK626A	55 59 14	131 41 25	GD	3.00	1.00	3.00	.500	300	N
77RK631A	55 57 20	131 42 10	GD	3.00	1.00	3.00	.500	500	N
77RK638A	55 58 29	131 39 14	GD	3.00	1.00	3.00	.500	300	N
77RK642A	55 58 42	131 35 29	GD	3.00	1.00	3.00	.500	300	N
77RK643A	55 56 18	131 33 57	QD	3.00	1.00	3.00	.500	500	N
77RK645A	55 58 45	131 26 47	QD	3.00	1.00	3.00	.500	500	N
77RK646A	55 58 47	131 22 51	DF	2.00	.70	.70	.500	200	N
77RK647A	55 58 54	131 20 32	QD	3.00	1.00	3.00	.500	500	N
77RK650A	55 52 23	131 38 39	QD	3.00	1.00	3.00	.500	500	N
77RK653A	55 52 5	131 29 21	GD	2.00	.70	2.00	.300	300	N
77RK661A	55 58 31	131 24 1	PN	3.00	1.00	3.00	.500	500	N
77RK661B	55 58 31	131 24 1	DM	5.00	3.00	5.00	.700	500	N
77RK663B	55 58 1	131 22 37	DQ	2.00	.50	2.00	.300	200	N
77RK666A	55 59 32	131 18 5	GR	1.00	.20	.50	.200	150	N
77RK668A	55 56 3	131 18 33	QD	5.00	2.00	3.00	.700	700	N
77RK669A	55 53 2	131 10 54	QD	3.00	1.50	3.00	.500	500	N
77RK670A	55 55 0	131 17 29	QD	3.00	1.50	3.00	.500	500	N
77RK671A	55 56 15	131 16 54	QD	5.00	1.50	3.00	.500	500	N
77RK674A	55 50 23	131 7 0	PN	5.00	2.00	3.00	.700	1,000	N
77RK675A	55 51 37	131 10 5	PN	3.00	1.00	1.00	.500	700	N
77RK676A	55 51 51	131 11 35	GD	5.00	1.50	3.00	.500	700	N
77RK678A	55 54 17	131 15 15	GD	3.00	1.00	3.00	.500	500	N
77RK680A	55 51 56	131 14 48	GD	5.00	1.50	3.00	.500	500	N

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	S-AS	S-AU	S-B	S-BA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PB
77ER611A	N	100	1,000	1.0	N	N	N	10	50	30	50	N	<20	20	10
77ER612A	N	150	1,000	1.0	N	N	N	10	200	150	50	N	<20	20	15
77ER659A	N	<10	2,000	2.0	N	N	N	<5	N	<5	<20	N	<20	<5	20
77ER660A	N	<10	1,000	2.0	N	N	N	<5	N	N	<20	N	<20	<5	20
77ER676A	N	<10	1,500	2.0	N	N	N	10	N	70	50	N	<20	<5	10
77ER677A	N	150	2,000	<1.0	N	N	N	<5	100	30	50	15	<20	<5	10
77ER679A	N	<10	1,000	1.0	N	N	N	10	100	<5	50	N	<20	20	10
77ER680A	N	10	2,000	1.0	N	N	N	<5	N	<5	50	N	<20	<5	20
77ER681A	N	<10	1,500	1.0	N	N	N	<5	N	<5	50	N	<20	<5	15
77ER681B	N	<10	2,000	1.5	N	N	N	<5	N	N	50	N	<20	<5	20
77ER683A	N	10	1,500	1.0	N	N	N	<5	N	20	50	N	<20	<5	15
77ER689A	N	<10	150	<1.0	N	N	N	30	200	20	50	N	<20	100	<10
77ER690A	N	200	2,000	1.0	N	N	N	<5	100	20	50	N	<20	5	10
77ER692A	N	10	1,500	1.0	N	N	N	<5	50	<5	50	N	<20	5	10
77ER694A	N	10	1,500	1.0	N	N	N	15	50	7	50	N	<20	20	10
77ER695A	N	10	100	<1.0	N	N	N	30	30	20	50	N	<20	30	<10
77ER700A	N	10	20	<1.0	N	N	N	20	150	20	50	N	<20	20	10
77ER701A	N	<10	1,500	1.0	N	N	N	<5	N	<5	50	N	<20	<5	20
77ER703A	N	10	150	<1.0	N	N	N	30	500	50	50	N	<20	70	<10
77RK600B	N	<10	700	5.0	N	N	N	7	<10	7	50	30	<20	<5	70
77RK620A	N	10	700	1.0	N	N	N	20	150	15	50	N	<20	10	20
77RK622A	N	15	700	1.0	N	N	N	20	70	<5	50	N	<20	5	30
77RK626A	N	10	700	1.0	N	N	N	20	20	<5	70	N	<20	5	20
77RK631A	N	10	700	1.0	N	N	N	20	20	10	50	N	<20	5	20
77RK638A	N	10	700	1.0	N	N	N	20	20	<5	50	N	<20	5	20
77RK642A	N	10	500	1.0	N	N	N	20	10	10	50	N	<20	5	15
77RK643A	N	10	700	1.0	N	N	N	20	20	7	50	N	<20	5	20
77RK645A	N	15	1,000	1.0	N	N	N	15	50	5	50	N	<20	5	20
77RK646A	N	10	1,500	1.0	N	N	N	15	<10	10	50	N	<20	5	20
77RK647A	N	10	1,000	1.0	N	N	N	20	50	<5	50	N	<20	5	20
77RK650A	N	20	1,000	1.0	N	N	N	20	70	<5	50	N	<20	5	20
77RK653A	N	10	1,000	1.0	N	N	N	10	<10	<5	50	N	<20	<5	30
77RK661A	N	15	300	1.0	N	N	N	30	300	30	50	N	<20	100	20
77RK661B	N	10	500	1.0	N	N	N	70	300	50	50	N	<20	50	20
77RK663B	N	10	1,000	1.0	N	N	N	10	N	<5	50	N	<20	<5	20
77RK666A	N	10	500	1.0	N	N	N	<5	N	5	50	N	<20	<5	30
77RK668A	N	10	1,000	1.0	N	N	N	20	150	15	50	N	<20	10	20
77RK669A	N	10	1,000	1.0	N	N	N	20	70	5	50	N	<20	5	20
77RK670A	N	10	700	1.0	N	N	N	20	70	5	50	N	<20	5	20
77RK671A	N	15	1,000	1.0	N	N	N	30	150	10	50	N	<20	5	20
77RK674A	N	10	300	1.0	N	N	N	50	150	70	50	N	<20	30	10
77RK675A	N	10	1,000	1.0	N	N	N	15	200	30	50	N	<20	20	20
77RK676A	N	10	700	1.0	N	N	N	20	100	5	50	N	<20	5	15
77RK678A	N	10	700	1.5	N	N	N	20	50	5	50	N	<20	5	20
77RK680A	N	15	1,000	1.0	N	N	N	30	100	10	50	N	<20	5	30

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES--continued

SAMPLE	S-SB	S-SC	S-SN	S-SR	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
77ER611A	N	20	N	500	200	N	20	N	70	N	30	<5	60	--
77ER612A	N	20	N	300	200	N	30	N	100	N	80	5	85	--
77ER659A	N	5	N	1,000	20	N	N	N	70	N	N	N	65	--
77ER660A	N	N	N	700	<10	N	N	N	20	N	N	<5	20	--
77ER676A	N	7	N	1,000	30	N	20	N	100	N	40	5	90	--
77ER677A	N	15	N	200	500	N	10	N	150	N	25	5	45	--
77ER679A	N	15	N	700	200	N	20	N	100	N	5	10	60	--
77ER680A	N	<5	N	700	30	N	<10	N	50	N	5	10	110	--
77ER681A	N	5	N	700	70	N	10	N	50	N	10	5	85	--
77ER681B	N	<5	N	700	10	N	N	N	70	N	<5	5	120	--
77ER683A	N	7	N	1,000	70	N	20	N	100	N	10	10	90	--
77ER689A	N	30	N	200	200	N	30	N	50	N	15	5	5	--
77ER690A	N	15	N	300	200	N	15	N	100	N	15	10	75	--
77ER692A	N	10	N	500	70	N	15	N	50	N	5	5	75	--
77ER694A	N	10	N	200	100	N	20	N	100	N	15	10	70	--
77ER695A	N	50	N	200	300	N	30	N	50	N	10	<5	5	--
77ER700A	N	50	N	500	300	N	30	N	50	N	15	5	5	--
77ER701A	N	5	N	500	20	N	<10	N	50	N	5	5	90	--
77ER703A	N	30	N	200	150	N	20	N	30	N	35	5	20	--
77RK600B	N	<5	N	300	15	N	20	N	100	N	<5	5	30	--
77RK620A	N	20	N	700	150	N	20	N	100	N	15	10	100	--
77RK622A	N	20	N	700	150	N	20	N	70	N	5	10	65	--
77RK626A	N	15	N	1,000	100	N	10	N	70	N	<5	5	60	--
77RK631A	N	15	N	700	150	N	10	N	70	N	5	5	65	--
77RK638A	N	20	N	1,000	100	N	10	N	100	N	N	5	70	--
77RK642A	N	15	N	700	150	N	10	N	100	N	5	5	75	--
77RK643A	N	20	N	700	150	N	15	N	100	N	5	10	75	--
77RK645A	N	20	N	700	200	N	10	N	70	N	5	15	85	--
77RK646A	N	10	N	N	N	N	N	N	150	N	5	15	55	--
77RK647A	N	20	N	700	150	N	15	N	50	N	<5	10	75	--
77RK650A	N	20	N	700	150	N	15	N	100	N	5	10	70	--
77RK653A	N	10	N	700	100	N	<10	N	100	N	<5	10	70	--
77RK661A	N	20	N	500	150	N	15	N	100	N	30	10	40	--
77RK661B	N	50	N	1,000	200	N	15	N	70	N	35	15	80	--
77RK663B	N	7	N	700	100	N	10	N	100	N	N	15	50	--
77RK666A	N	<5	N	300	30	N	10	N	70	N	N	5	20	--
77RK668A	N	30	N	700	20	N	20	N	70	N	10	10	90	--
77RK669A	N	30	N	700	20	N	20	N	70	N	5	10	80	--
77RK670A	N	20	N	700	20	N	20	N	100	N	5	10	75	--
77RK671A	N	30	N	700	20	N	15	N	70	N	N	10	70	--
77RK674A	N	50	N	N	N	N	N	N	70	N	55	15	85	--
77RK675A	N	20	N	300	20	N	20	N	100	N	25	10	110	--
77RK676A	N	30	N	500	20	N	20	N	150	N	N	10	90	--
77RK678A	N	20	N	700	200	N	20	N	50	N	N	10	80	--
77RK680A	N	30	N	700	200	N	20	N	200	N	10	10	65	--

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	LATITUDE	LONGITUDE	ROCK & MINERAL CODES	S-FEX	S-MGX	S-CAZ	S-TIX	S-MN	S-AG
77RK681A	55 52 45	131 17 9	GD	3.00	1.50	3.00	.500	500	N
77RK682A	55 55 0	131 20 26	GD	3.00	1.50	3.00	.500	500	N
77RK684A	55 51 23	131 17 36	GD	3.00	1.50	3.00	.500	500	N
77RK685A	55 49 50	131 17 13	GD	5.00	1.50	2.00	.500	500	N
77RK686A	55 38 12	130 56 47	AM	5.00	3.00	3.00	.500	700	N
77RK687A	55 49 14	131 18 57	QM	3.00	.70	2.00	.300	300	N
77RK690A	55 48 29	131 7 49	PN	5.00	2.00	5.00	.700	1,000	N
77RK691A	55 47 3	131 7 59	PN	5.00	2.00	3.00	.700	1,000	N
77RK693A	55 46 23	131 8 8	PN	5.00	2.00	3.00	.500	500	N
77RK695A	55 46 38	131 11 2	PN	7.00	2.00	5.00	.500	1,000	N
77RK697A	55 40 44	131 15 47	AM	7.00	3.00	5.00	.500	1,000	N
77RK699A	55 39 34	131 18 3	GD	2.00	1.00	3.00	.300	200	N
77RK701B	55 38 0	131 17 44	AM	10.00	3.00	5.00	.500	700	N
77RK702A	55 39 11	131 15 51	GD	1.50	.50	2.00	.200	200	N
77RK704A	55 40 18	131 11 12	PN	3.00	.50	2.00	.300	500	N
77RK705A	55 41 16	131 8 8	PN	5.00	1.00	5.00	.700	1,000	N
77RK707A	55 43 53	131 7 40	PN	10.00	2.00	5.00	.500	1,500	N
77RK710A	55 41 35	130 59 48	PN	3.00	1.00	1.00	.500	500	N
77RK711A	55 35 57	131 7 14	GD	.50	.20	.70	.030	150	N
77RK714A	55 32 22	131 30 39	MS	3.00	.50	.70	.300	2,000	N
77RK718A	55 33 15	131 32 59	QM	1.50	.30	.70	.100	300	N
77RK719A	55 34 51	131 0 28	GD	1.00	.20	.50	.050	200	N
77RK720A	55 33 34	131 0 30	PN	3.00	2.00	2.00	.200	1,000	N
77RK721A	55 33 5	131 2 27	QM	.50	.15	.70	.050	150	N
77RK723A	55 31 36	130 59 40	GD	2.00	1.00	1.00	.150	700	N
77RK726A	55 29 9	131 8 2	QF	1.50	1.00	.50	.100	500	N
77RK728A	55 27 23	131 7 9	GD	2.00	1.00	1.50	.200	500	N
77RK729A	55 27 30	131 6 8	GD	2.00	1.00	2.00	.150	500	N
77RK731A	55 30 10	131 9 20	QF	5.00	2.00	.70	.300	500	N
77RK736A	55 31 0	131 9 33	PN	2.00	1.00	.70	.200	500	N
77RK737A	55 31 14	131 9 42	GD	2.00	.50	2.00	.200	500	N
77RK738A	55 31 54	131 10 33	GD	3.00	.70	2.00	.150	1,000	N
77RK739A	55 31 42	131 9 34	GS	3.00	1.50	5.00	.150	1,000	N
77RK740A	55 31 23	131 9 2	QF	5.00	1.50	5.00	.150	300	N
77RK742A	55 30 24	131 9 11	GD	1.50	.50	1.50	.100	300	N
77RK743A	55 34 15	131 4 46	GD	2.00	.50	2.00	.150	1,000	N
77RK744A	55 33 56	131 6 48	GD	.70	.15	.70	.050	150	N
77RK747A	55 28 9	131 3 26	GR	.50	.10	.50	.020	150	N
77RK749A	55 26 2	131 5 44	MS	2.00	1.50	.70	.200	300	N
77RK753A	55 26 30	131 9 24	QF	5.00	1.50	2.00	.300	1,500	N
77RK754A	55 26 0	131 8 3	GR	1.50	.20	1.00	.050	200	N
77RK755A	55 29 26	131 1 44	GD	.20	.07	.50	.015	100	N
77RK756A	55 28 59	131 4 27	GD	.20	.05	.50	.015	50	N
77RK759A	55 29 3	131 9 10	GD	1.50	.50	1.50	.150	300	N
77RK760A	55 35 48	131 4 59	GD	3.00	.50	2.00	.200	1,500	N

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES--continued

SAMPLE	S-AS	S-AU	S-B	S-BA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PB
77RK681A	N	N	10	1,000	1.0	N	N	20	70	<5	50	N	<20	<5	20
77RK682A	N	N	10	1,000	1.0	N	N	20	70	5	50	N	<20	<5	20
77RK684A	N	N	15	1,000	1.0	N	N	20	100	10	50	N	<20	<5	20
77RK685A	N	N	10	1,500	1.0	N	N	30	100	10	50	N	<20	5	30
77RK686A	N	N	10	500	1.0	N	N	70	70	5	50	N	<20	20	15
77RK687A	N	N	10	1,000	1.0	N	N	10	100	20	50	N	<20	5	30
77RK690A	N	N	10	200	<1.0	N	N	50	200	20	50	N	<20	15	10
77RK691A	N	N	10	500	<1.0	N	N	50	20	50	50	N	<20	10	10
77RK693A	N	N	10	500	1.0	N	N	50	300	5	50	N	<20	50	20
77RK695A	N	N	10	200	<1.0	N	N	50	20	5	50	N	<20	15	10
77RK697A	N	N	10	300	<1.0	N	N	100	300	30	50	N	<20	100	10
77RK699A	N	N	10	1,000	1.0	N	N	10	20	N	50	N	<20	<5	20
77RK701B	N	N	10	100	<1.0	N	N	100	300	20	50	N	<20	100	<10
77RK702A	N	N	10	1,500	1.0	N	N	<5	<10	N	50	N	<20	<5	20
77RK704A	N	N	10	200	<1.0	N	N	10	<10	30	50	N	<20	<5	10
77RK705A	N	N	10	200	1.0	N	N	30	10	<5	50	N	<20	15	30
77RK707A	N	N	10	300	<1.0	N	N	100	100	70	50	N	<20	20	50
77RK710A	N	N	10	500	1.0	N	N	<5	<10	10	50	N	<20	<5	30
77RK711A	N	N	<10	1,000	1.0	N	N	<5	N	<5	<20	N	N	<5	30
77RK714A	N	N	20	700	1.5	N	N	10	30	100	50	N	<20	15	20
77RK718A	N	N	30	2,000	2.0	N	N	N	N	<5	<20	N	<20	<5	10
77RK719A	N	N	<10	1,000	2.0	N	N	N	100	70	50	N	<20	<5	10
77RK720A	N	N	<10	1,000	<1.0	N	N	20	<10	<5	50	N	<20	30	10
77RK721A	N	N	<10	700	1.0	N	N	N	N	N	<20	N	N	<5	10
77RK723A	N	N	<10	200	1.0	N	N	10	N	10	<20	7	<20	<5	10
77RK726A	N	N	10	500	<1.0	N	N	N	N	<5	50	N	<20	<5	10
77RK728A	N	N	10	1,000	2.0	N	N	<5	N	10	50	N	<20	<5	10
77RK729A	N	N	<10	500	1.0	N	N	<5	N	10	50	N	<20	<5	20
77RK731A	N	N	<10	1,000	1.0	N	N	20	50	70	50	N	<20	30	20
77RK736A	N	N	<10	500	<1.0	N	N	10	N	<5	50	N	<20	<5	20
77RK737A	N	N	<10	700	1.0	N	N	<5	N	10	50	N	<20	<5	20
77RK738A	N	N	10	700	1.0	N	N	<5	N	<5	50	N	<20	<5	20
77RK739A	N	N	10	50	1.0	N	N	20	N	50	50	N	<20	10	10
77RK740A	N	N	10	1,000	<1.0	N	N	20	150	20	50	N	<20	20	50
77RK742A	N	N	<10	1,500	<1.0	N	N	N	N	N	50	N	<20	<5	30
77RK743A	N	N	<10	1,000	1.0	N	N	N	N	<5	50	N	<20	<5	20
77RK744A	N	N	<10	2,000	1.0	N	N	N	N	N	<20	N	N	<5	20
77RK747A	N	N	<10	1,500	1.0	N	N	N	N	N	<20	N	N	<5	30
77RK749A	N	N	15	700	1.0	N	N	20	100	70	50	N	<20	30	10
77RK753A	N	N	20	700	<1.0	N	N	30	20	70	50	N	<20	<5	30
77RK754A	N	N	10	1,000	1.0	N	N	<5	N	<5	50	N	N	<5	20
77RK755A	N	N	<10	700	2.0	N	N	<5	N	<5	<20	N	N	<5	10
77RK756A	N	N	<10	500	<1.0	N	N	<5	N	N	<20	N	N	<5	10
77RK759A	N	N	<10	1,000	1.0	N	N	<5	N	<5	50	N	<20	<5	10
77RK760A	N	N	<10	1,000	1.0	N	N	<5	N	10	50	N	<20	<5	20

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	S-SB	S-SC	S-SN	S-SR	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
77RK681A	N	20	N	700	200	N	10	<200	50	N	5	15	75	--
77RK682A	N	20	N	700	200	N	20	N	70	N	5	10	65	--
77RK684A	N	30	N	700	150	N	20	N	100	N	5	10	65	--
77RK685A	N	30	N	700	150	N	20	N	100	N	5	10	65	--
77RK686A	N	50	N	300	200	N	10	<200	30	N	10	10	40	--
77RK687A	N	15	N	700	150	N	<10	N	150	N	15	15	85	--
77RK690A	N	50	N	200	300	N	30	N	70	N	20	5	5	--
77RK691A	N	50	N	500	200	N	30	N	70	N	50	10	40	--
77RK693A	N	50	N	300	200	N	20	N	100	N	5	15	60	--
77RK695A	N	30	N	500	300	N	20	N	50	N	5	10	25	--
77RK697A	N	70	N	200	300	N	20	N	50	N	30	10	10	--
77RK699A	N	5	N	1,000	50	N	<10	N	100	N	N	15	120	--
77RK701B	N	>100	N	300	500	N	30	N	70	N	5	10	95	--
77RK702A	N	5	N	1,000	50	N	<10	N	70	N	N	5	50	--
77RK704A	N	20	N	200	50	N	30	N	100	N	50	5	50	--
77RK705A	N	30	N	500	200	N	30	N	70	N	N	5	65	--
77RK707A	N	50	N	300	300	N	20	N	30	N	70	5	70	--
77RK710A	N	15	N	300	30	N	30	N	300	N	10	10	110	--
77RK711A	N	N	N	500	10	N	N	N	20	N	<5	<5	30	--
77RK714A	N	15	N	300	150	N	30	200	150	N	65	5	140	--
77RK718A	N	N	N	700	30	N	N	N	30	N	<5	10	60	--
77RK719A	N	N	N	500	10	N	N	N	30	N	<5	N	25	--
77RK720A	N	15	N	300	70	N	20	N	50	N	N	10	80	--
77RK721A	N	N	N	500	10	N	N	N	20	N	N	<5	20	--
77RK723A	N	10	N	200	50	N	15	N	50	N	5	<5	35	--
77RK726A	N	7	N	200	<10	N	30	N	200	N	5	<5	50	--
77RK728A	N	7	N	700	70	N	10	<200	100	N	10	5	260	--
77RK729A	N	10	N	1,000	70	N	10	N	70	N	10	5	65	--
77RK731A	N	20	N	300	150	N	20	<200	70	N	50	5	70	--
77RK736A	N	15	N	200	50	N	30	N	70	N	<5	5	45	--
77RK737A	N	7	N	700	50	N	10	N	100	N	5	5	80	--
77RK738A	N	10	N	700	50	N	20	N	10	N	<5	5	75	--
77RK739A	N	20	N	300	100	N	10	N	10	N	60	<5	5	--
77RK740A	N	30	N	300	100	N	20	200	30	N	15	<5	35	--
77RK742A	N	5	N	700	50	N	<10	N	70	N	5	<5	110	--
77RK743A	N	7	N	700	50	N	20	N	70	N	<5	<5	95	--
77RK744A	N	N	N	500	10	N	N	N	20	N	N	<5	80	--
77RK747A	N	N	N	300	<10	N	N	N	30	N	N	<5	25	--
77RK749A	N	15	N	300	100	N	20	<200	50	N	50	5	75	--
77RK753A	N	20	N	500	150	N	30	N	50	N	50	5	35	--
77RK754A	N	<5	N	700	30	N	N	N	30	N	<5	<5	35	--
77RK755A	N	N	N	300	<10	N	N	N	70	N	5	N	5	--
77RK756A	N	N	N	500	<10	N	N	N	20	N	N	N	5	--
77RK759A	N	5	N	1,000	50	N	<10	N	70	N	<5	<5	90	--
77RK760A	N	10	N	1,000	70	N	20	N	70	N	5	5	85	--

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	LATITUDE	LONGITUDE	ROCK & MINERAL CODES	S-FEZ	S-MGX	S-CAZ	S-TIX	S-MN	S-AG
77RK761A	55 35 26	131 2 56	AM	7.00	2.00	3.00	.200	1,500	N
77RK763A	55 32 53	131 7 23	GD	3.00	.70	2.00	.200	1,000	N
77RK764A	55 32 0	131 7 5	MS	3.00	1.00	1.00	.200	700	N
77RK766A	55 31 56	131 12 20	MS	10.00	1.00	1.50	.300	3,000	N
77RK768A	55 29 53	131 11 25	GS	7.00	2.00	1.50	.300	1,500	N
77RK769A	55 28 59	131 14 4	MS	5.00	2.00	.70	.300	1,000	N
77RK770A	55 32 52	131 15 0	MS	3.00	1.00	.50	.300	2,000	N
77RK771A	55 33 10	131 18 34	MS	3.00	1.50	.50	.300	700	N
77RK772A	55 31 40	131 16 9	MS	5.00	1.50	.50	.500	700	N
77RK774A	55 30 17	131 13 5	MS	3.00	1.00	.50	.300	150	N
77RK775A	55 28 37	131 11 29	MS	3.00	.20	.05	.300	150	N
77RK777A	55 27 8	131 7 38	MU	5.00	1.50	.50	.300	500	N
77RK779A	55 26 12	131 2 58	GU	1.50	.20	.50	.100	200	N
77RK780A	55 25 14	131 6 48	GD	1.00	.20	.15	.070	300	N
77RK781A	55 23 39	131 5 35	MS	7.00	1.00	3.00	.500	2,000	N
77RK782A	55 23 8	131 5 11	GS	7.00	3.00	3.00	.300	1,500	N
77RK783A	55 22 0	131 8 23	GS	5.00	3.00	5.00	.300	2,000	N
77RK786A	55 25 27	131 12 53	MS	3.00	2.00	.20	.300	700	N
77RK787A	55 24 24	131 9 6	GD	1.50	.50	1.50	.150	500	N
77RK788A	55 25 4	131 8 47	GD	1.50	.30	2.00	.150	500	N
77RK789A	55 24 6	131 7 24	GD	1.50	.30	.70	.150	1,000	N
77RK790A	55 20 22	131 7 5	GS	5.00	2.00	3.00	.300	1,500	N
77RK791A	55 19 18	131 6 56	MS	5.00	.50	1.00	.200	300	N
77RK792A	55 20 14	131 5 38	GS	7.00	3.00	5.00	.500	3,000	N
77RK793A	55 22 23	131 2 53	AM	7.00	2.00	3.00	.300	3,000	N
77RK794A	55 20 21	131 3 29	QF	2.00	.50	1.00	.150	300	N
77RK795A	55 16 55	131 4 46	QF	7.00	1.00	3.00	.700	1,000	N
77RK796A	55 15 24	131 8 21	GS	7.00	3.00	5.00	.500	1,500	N
77RK797A	55 13 55	131 14 4	GD	3.00	.70	3.00	.200	1,000	N
77RK798A	55 15 1	131 15 20	GD	3.00	1.00	3.00	.300	1,000	N
77RK800A	55 31 24	131 26 21	MS	5.00	1.50	1.00	.300	1,000	N
77RK801A	55 32 34	131 25 59	GD	3.00	1.00	3.00	.300	1,000	N
77RK802A	55 31 50	131 23 20	MS	7.00	2.00	.50	.300	1,000	N
77RK803A	55 33 20	131 22 59	GD	2.00	.50	2.00	.150	700	N
77RK804A	55 33 5	131 25 59	GD	2.00	.50	1.50	.150	500	N
77RK805A	55 34 27	131 22 41	MS	3.00	1.00	1.50	.300	700	N
77RK806A	55 33 56	131 27 38	MS	3.00	1.00	.50	.200	3,000	N
77RK807B	55 30 37	131 32 4	MU	1.50	.50	2.00	.300	300	N
77RK808A	55 29 27	131 33 29	MS	2.00	1.00	.05	.300	200	N
77RK810A	55 32 9	131 37 26	MS	5.00	1.50	.20	.300	700	N
77RK811A	55 33 2	131 36 19	MS	2.00	.50	.05	.300	100	N
77RK813A	55 33 5	131 34 29	MS	3.00	.70	.15	.300	200	N
77RK814A	55 35 18	131 33 20	MS	3.00	1.00	.50	.300	1,000	N
77RK816A	55 39 33	131 41 7	GD	3.00	1.00	2.00	.300	1,000	N
77RK817A	55 39 38	131 38 35	GD	2.00	.70	2.00	.200	1,000	N

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	S-AS	S-AU	S-B	S-BA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PB
77RK761A	N	N	10	300	N	N	N	30	N	30	<20	N	<20	10	10
77RK763A	N	N	<10	1,000	1.0	N	N	<5	N	15	50	N	<20	<5	20
77RK764A	N	N	<10	300	1.0	N	N	10	20	<5	50	N	<20	10	10
77RK766A	N	N	20	1,500	1.0	N	N	20	20	50	100	N	<20	<5	10
77RK768A	N	N	10	150	N	N	N	30	<10	100	50	N	<20	<5	10
77RK769A	N	N	10	700	<1.0	N	N	20	150	50	50	N	<20	50	20
77RK770A	N	N	50	1,500	1.5	N	N	15	100	100	50	20	<20	70	10
77RK771A	N	N	20	2,000	<1.0	N	N	15	100	100	50	N	<20	30	10
77RK772A	N	N	10	700	1.0	N	N	15	30	20	70	N	<20	20	15
77RK774A	N	N	50	1,500	1.0	N	N	<5	200	70	50	10	<20	<5	20
77RK775A	N	N	<10	1,000	1.5	N	N	<5	<10	15	70	N	<20	<5	50
77RK777A	N	N	20	1,000	<1.0	N	N	15	50	20	50	N	<20	<5	15
77RK779A	N	N	<10	100	1.0	N	N	<5	N	20	50	N	<20	<5	10
77RK780A	N	N	<10	700	1.0	N	N	<5	N	<5	50	N	<20	<5	15
77RK781A	N	N	10	1,000	1.0	N	N	20	N	30	50	10	<20	<5	20
77RK782A	N	N	10	50	<1.0	N	N	50	500	20	50	N	<20	100	<10
77RK783A	N	N	10	100	N	N	N	30	200	30	50	N	<20	30	<10
77RK786A	N	N	200	2,000	1.0	N	N	10	<10	30	70	N	<20	15	<10
77RK787A	N	N	<10	1,000	1.0	N	N	<5	<10	10	50	N	<20	<5	15
77RK788A	N	N	<10	700	1.0	N	N	<5	N	<5	50	N	<20	<5	20
77RK789A	N	N	<10	1,500	2.0	N	N	<5	N	5	50	N	<20	<5	30
77RK790A	N	N	10	2,000	<1.0	N	N	30	70	10	50	N	<20	<5	<10
77RK791A	N	N	100	1,000	<1.0	N	N	<5	100	20	50	N	<20	<5	20
77RK792A	N	N	20	100	N	N	N	30	300	50	50	N	<20	30	<10
77RK793A	N	N	20	50	N	N	N	20	N	30	50	N	<20	<5	<10
77RK794A	N	N	<10	150	1.0	N	N	<5	N	<5	50	N	<20	<5	<10
77RK795A	N	N	20	20	<1.0	N	N	20	N	<5	50	N	<20	<5	<10
77RK796A	N	N	20	20	<1.0	N	N	30	100	20	50	N	<20	30	<10
77RK797A	N	N	10	700	1.0	N	N	10	20	<5	50	N	<20	<5	<10
77RK798A	N	N	10	700	1.5	N	N	10	30	15	50	N	<20	10	15
77RK800A	N	N	10	1,500	1.0	N	N	20	70	30	50	N	<20	20	20
77RK801A	N	N	<10	1,500	1.0	N	N	<5	N	<5	50	N	<20	<5	20
77RK802A	N	N	10	1,000	<1.0	N	N	20	<10	20	70	N	<20	<5	10
77RK803A	N	N	<10	1,000	<1.0	N	N	<5	N	5	50	N	<20	<5	10
77RK804A	N	N	<10	1,000	<1.0	N	N	<5	N	5	50	N	<20	<5	15
77RK805A	N	N	50	700	1.0	N	N	20	70	70	70	N	<20	20	15
77RK806A	N	N	50	1,500	<1.0	N	N	15	70	15	50	N	<20	20	10
77RK807B	N	N	<10	1,000	<1.0	N	N	10	70	30	50	<5	<20	20	<10
77RK808A	N	N	50	1,500	<1.0	N	N	10	70	50	50	<5	<20	30	<10
77RK810A	N	N	100	700	<1.0	N	N	15	100	30	50	N	<20	30	10
77RK811A	N	N	20	300	<1.0	N	N	<5	100	7	50	<5	<20	<5	<10
77RK813A	N	N	150	1,000	<1.0	N	N	<5	100	20	50	N	<20	<5	10
77RK814A	N	N	20	1,000	2.0	N	N	30	100	70	50	N	<20	50	10
77RK816A	N	N	<10	1,000	1.0	N	N	<5	<10	<5	50	N	<20	<5	<10
77RK817A	N	N	<10	1,500	1.0	N	N	<5	<10	10	50	N	<20	<5	20

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	S-SB	S-SC	S-SN	S-SR	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
77RK761A	N	20	N	300	200	N	20	N	20	N	25	<5	20	--
77RK763A	N	10	N	700	70	N	15	N	70	N	10	5	70	--
77RK764A	N	10	N	200	50	N	30	N	70	N	<5	<5	50	--
77RK766A	N	15	N	300	100	N	30	N	100	N	50	5	80	--
77RK768A	N	30	N	200	200	N	30	N	30	N	85	5	45	--
77RK769A	N	15	N	300	150	N	20	N	100	N	35	10	90	--
77RK770A	N	15	N	300	200	N	20	N	70	N	70	5	140	--
77RK771A	N	15	N	200	200	N	20	<200	50	N	75	5	90	--
77RK772A	N	15	N	300	70	N	50	N	150	N	10	10	80	--
77RK774A	N	15	N	300	200	N	20	N	70	N	40	5	60	--
77RK775A	N	15	N	150	50	N	50	N	200	N	10	30	70	--
77RK777A	N	20	N	200	200	N	30	N	70	N	20	10	50	--
77RK779A	N	10	N	200	20	N	50	N	50	N	20	5	10	--
77RK780A	N	<5	N	1,000	20	N	10	N	50	N	5	<5	15	--
77RK781A	N	30	N	300	200	N	70	<200	200	N	15	10	120	--
77RK782A	N	30	N	200	200	N	30	N	100	N	10	5	20	--
77RK783A	N	30	N	200	200	N	30	N	50	N	25	<5	5	--
77RK786A	N	20	N	200	70	N	50	N	200	N	25	10	100	--
77RK787A	N	5	N	1,000	50	N	10	N	100	N	5	5	65	--
77RK788A	N	5	N	1,000	50	N	10	N	100	N	<5	<5	75	--
77RK789A	N	5	N	300	50	N	<10	N	30	N	5	10	90	--
77RK790A	N	30	N	300	300	N	30	N	50	N	10	5	10	--
77RK791A	N	20	N	200	200	N	20	N	100	N	30	5	40	--
77RK792A	N	30	N	200	300	N	50	N	70	N	80	N	20	--
77RK793A	N	50	N	200	300	N	50	N	20	N	40	<5	20	--
77RK794A	N	15	N	200	20	N	30	N	70	N	<5	N	5	--
77RK795A	N	30	N	300	300	N	50	N	150	N	5	<5	10	--
77RK796A	N	30	N	200	300	N	30	N	70	N	20	N	15	--
77RK797A	N	10	N	1,500	100	N	20	N	100	N	<5	<5	50	--
77RK798A	N	15	N	1,000	100	N	20	N	100	N	10	5	45	--
77RK800A	N	20	N	500	200	N	20	N	100	N	45	10	80	--
77RK801A	N	5	N	1,000	50	N	10	N	70	N	5	5	100	--
77RK802A	N	15	N	300	100	N	20	N	50	N	20	10	80	--
77RK803A	N	5	N	1,000	50	N	10	N	70	N	5	<5	95	--
77RK804A	N	5	N	1,000	50	N	<10	N	50	N	5	5	50	--
77RK805A	N	15	N	300	150	N	50	N	100	N	110	10	100	--
77RK806A	N	15	N	200	100	N	20	N	100	N	10	5	45	--
77RK807B	N	10	N	1,000	100	N	10	N	70	N	35	N	45	--
77RK808A	N	10	N	200	300	N	20	<200	70	N	40	5	140	--
77RK810A	N	15	N	200	150	N	20	N	150	N	25	10	95	--
77RK811A	N	10	N	200	100	N	10	N	70	N	10	<5	20	--
77RK813A	N	20	N	500	150	N	10	N	100	N	20	5	40	--
77RK814A	N	20	N	300	200	N	30	N	150	N	80	5	90	--
77RK816A	N	15	N	1,000	100	N	20	N	100	N	5	10	95	--
77RK817A	N	7	N	1,000	50	N	10	N	30	N	10	10	65	--

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	LATITUDE	LONGITUDE	ROCK & MINERAL CODES	S-FEX	S-MGZ	S-CAZ	S-TIX	S-MN	S-AG
77RK818B	55 39 38	131 38 35	MU	7.00	3.00	5.00	.500	2,000	N
77RK819A	55 37 51	131 39 56	MS	5.00	1.50	.70	.300	1,500	N
77RK820A	55 36 19	131 36 23	MS	5.00	1.50	.70	.300	2,000	N
77RK821A	55 36 38	131 34 10	MS	5.00	1.50	.70	.500	1,000	N
77RK822A	55 36 6	131 31 46	MS	5.00	1.50	.70	.300	1,500	N
77RK823A	55 36 5	131 30 47	MS	2.00	.50	.05	.200	2,000	N
77RK824A	55 37 50	131 30 5	GS	5.00	3.00	3.00	.500	1,500	N
77RK825A	55 36 24	131 39 50	MS	10.00	2.00	.70	.200	1,000	N
77RK826A	55 37 10	131 42 11	MS	5.00	2.00	1.50	.300	1,500	N
77RK829A	55 23 29	131 25 0	QF	5.00	1.00	.50	.300	300	N
77RK830A	55 25 32	131 17 26	MS	5.00	2.00	.50	.300	300	N
77RK834A	55 35 44	131 15 12	QM	1.00	.20	2.00	.150	300	N
77RK835A	55 35 57	131 14 49	QM	1.00	.20	1.50	.200	200	N
77RK836A	55 36 42	131 14 21	GD	3.00	.70	3.00	.200	1,000	N
77RK837A	55 37 9	131 15 6	GD	2.00	.50	2.00	.200	500	N
77RK838A	55 25 50	131 21 59	GS	10.00	2.00	5.00	.500	2,000	N
77RK839A	55 27 10	131 20 20	MS	5.00	2.00	.50	.300	500	N
77RK840A	55 22 22	131 32 18	QD	3.00	2.00	5.00	.500	700	N
77RK841A	55 22 15	131 35 9	DI	5.00	5.00	7.00	.300	1,000	N
77RK845A	55 23 31	130 25 9	QD	3.00	1.50	2.00	.200	1,500	N
77RK845B	55 23 31	130 25 9	DQ	.50	.03	.20	.100	200	N
77RK845C	55 23 31	130 25 9	DL	2.00	1.00	1.00	.200	500	N
77RK847A	55 25 17	130 26 59	PG	3.00	1.00	1.00	.300	1,000	N
77RK847B	55 25 17	130 26 59	DL	3.00	3.00	3.00	.300	1,000	N
77RK848A	55 25 9	130 27 6	QD	3.00	1.00	2.00	.300	1,000	N
77RK848B	55 25 9	130 27 6	DQ	.50	.02	.20	.050	100	N
77RK848C	55 25 9	130 27 6	DL	3.00	1.50	2.00	.300	700	N
77RK849A	55 24 47	130 27 56	DQ	.20	.02	.10	.030	500	N
77RK851A	55 22 59	130 30 44	GR	.20	.02	.10	.020	300	N
77RK852A	55 22 32	130 31 47	GR	.20	.02	.10	.020	300	N
77RK852B	55 22 32	130 31 47	DM	5.00	2.00	3.00	.500	1,500	N
77RK853A	55 22 36	130 32 38	GR	.50	.10	.20	.070	700	N
77RK856A	55 22 35	130 35 3	DM	3.00	2.00	2.00	.300	700	N
77RK866A	55 16 44	131 24 30	GD	2.00	.50	2.00	.200	500	N
77RK867A	55 17 4	131 24 42	GB	5.00	2.00	5.00	.300	1,500	N
77RM008A	55 53 41	131 43 20	GD	3.00	1.50	3.00	.500	500	N
77RM012A	55 56 49	131 37 36	GD	5.00	1.50	3.00	.500	500	N
77RM019B	55 58 4	131 21 11	GD	2.00	.70	1.00	.300	200	N
77RM020B	55 59 8	131 18 45	DF	.20	.05	.30	.020	50	N
77RM020C	55 59 8	131 18 45	DQ	1.00	.30	.70	.150	200	N
77RM021A	55 57 48	131 18 32	GD	5.00	2.00	3.00	.500	500	N
77RM025A	55 57 35	131 11 13	QM	1.00	.20	.70	.200	300	N
77RM032A	55 41 59	130 58 6	PN	5.00	1.50	3.00	.500	500	N
77RM050A	55 35 39	131 5 59	GR	.30	.15	1.00	.050	100	N
77RM061A	55 38 41	131 2 21	GR	.20	.05	.50	.015	100	N

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	S-AS	S-AU	S-B	S-BA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-MB	S-NI	S-PB
77RK818B	N	N	20	700	<1.0	N	N	50	150	200	50	N	<20	50	<10
77RK819A	N	N	10	700	1.0	N	N	20	100	100	50	N	<20	30	10
77RK820A	N	N	10	700	1.0	N	N	20	100	50	50	N	<20	30	15
77RK821A	N	N	100	1,000	1.0	N	N	20	70	50	50	N	<20	20	15
77RK822A	N	N	50	1,000	1.0	N	N	20	70	300	50	N	<20	20	15
77RK823A	N	N	100	1,000	1.0	N	N	<5	70	20	50	N	<20	<5	<10
77RK824A	N	N	10	100	<1.0	N	N	30	200	50	50	N	<20	30	<10
77RK825A	N	N	50	700	1.0	N	N	20	150	100	50	N	<20	30	20
77RK826A	N	N	10	500	1.0	N	N	20	50	20	50	N	<20	30	<10
77RK829A	N	N	50	1,500	<1.0	N	N	20	50	150	50	N	<20	30	<10
77RK830A	N	N	10	200	<1.0	N	N	20	70	100	50	N	<20	50	100
77RK834A	N	N	<10	700	1.0	N	N	<5	N	N	50	N	<20	<5	50
77RK835A	N	N	<10	1,500	1.0	N	N	<5	N	N	50	N	<20	<5	50
77RK836A	N	N	<10	1,000	1.0	N	N	<5	N	N	50	N	<20	<5	20
77RK837A	N	N	<10	1,000	1.0	N	N	<5	N	N	100	N	<20	<5	10
77RK838A	N	N	15	100	<1.0	N	N	50	20	150	50	N	<20	50	<10
77RK839A	N	N	50	1,000	1.0	N	N	20	20	30	70	N	<20	20	15
77RK840A	N	N	10	200	<1.0	N	N	20	100	10	50	N	<20	<5	<10
77RK841A	N	N	10	100	<1.0	N	N	30	700	20	50	N	<20	20	<10
77RK845A	N	N	10	5,000	3.0	N	N	10	N	5	50	N	<20	<5	30
77RK845B	N	N	<10	100	3.0	N	N	<5	N	<5	100	N	20	<5	20
77RK845C	N	N	<10	1,000	3.0	N	N	<5	N	N	50	N	<20	<5	10
77RK847A	N	N	<10	1,000	3.0	N	N	15	N	100	50	N	<20	10	10
77RK847B	N	N	<10	1,000	3.0	N	N	20	150	20	70	N	<20	50	10
77RK848A	N	N	<10	2,000	2.0	N	N	15	N	10	50	N	<20	<5	20
77RK848B	N	N	<10	500	2.0	N	N	<5	N	5	50	N	<20	<5	10
77RK848C	N	N	<10	1,500	1.0	N	N	15	50	<5	50	N	<20	15	10
77RK849A	N	N	<10	20	3.0	N	N	<5	N	N	50	N	<20	<5	30
77RK851A	N	N	<10	50	5.0	N	N	<5	N	N	50	N	<20	<5	30
77RK852A	N	N	<10	20	3.0	N	N	<5	N	N	50	N	<20	<5	30
77RK852B	N	N	10	700	<1.0	N	N	30	200	70	50	N	<20	50	<10
77RK853A	N	N	<10	200	5.0	N	N	<5	N	N	150	N	<20	<5	30
77RK856A	N	N	<10	1,000	1.0	N	N	20	100	50	100	N	<20	50	20
77RK866A	N	N	<10	500	1.0	N	N	<5	N	10	50	N	<20	<5	<10
77RK867A	N	N	10	200	<1.0	N	N	20	N	20	50	N	<20	<5	<10
77RM008A	N	N	15	1,000	1.0	N	N	20	100	10	50	N	<20	5	20
77RM012A	N	N	10	1,000	1.0	N	N	20	50	<5	50	N	<20	5	20
77RM019B	N	N	10	1,000	1.0	N	N	10	20	<5	50	N	<20	<5	20
77RM020B	N	N	10	1,000	1.0	N	N	<5	N	<5	<20	<5	N	<5	30
77RM020C	N	N	10	1,000	1.0	N	N	<5	N	N	<20	N	<20	<5	20
77RM021A	N	N	10	1,000	1.0	N	N	20	100	10	50	N	<20	5	10
77RM025A	N	N	10	700	1.5	N	N	<5	N	50	50	N	<20	<5	30
77RM032A	N	N	10	500	1.0	N	N	70	100	50	50	N	<20	20	20
77RM050A	N	N	10	700	1.0	N	N	N	N	N	<20	N	N	<5	20
77RM061A	N	N	10	2,000	<1.0	N	N	N	N	N	<20	N	N	<5	30

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	S-SB	S-SC	S-SN	S-SR	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
77RK818B	N	50	N	300	300	N	50	N	100	N	100	10	20	--
77RK819A	N	20	N	300	200	N	20	N	50	N	70	10	70	--
77RK820A	N	20	N	300	200	N	20	N	50	N	35	10	80	--
77RK821A	N	20	N	300	200	N	20	N	100	N	60	10	85	--
77RK822A	N	15	N	300	100	N	20	N	50	N	210	15	85	--
77RK823A	N	15	N	200	150	N	10	N	70	N	15	5	30	--
77RK824A	N	30	N	300	300	N	50	N	100	N	10	5	5	--
77RK825A	N	20	N	300	200	N	20	N	50	N	90	15	95	--
77RK826A	N	15	N	300	150	N	20	N	50	N	10	15	60	--
77RK829A	N	20	N	200	200	N	20	N	70	N	120	15	50	--
77RK830A	N	20	N	300	200	N	20	N	50	N	95	25	65	--
77RK834A	N	5	N	1,000	30	N	<10	N	50	N	<5	10	90	--
77RK835A	N	5	N	1,000	20	N	<10	N	30	N	<5	10	80	--
77RK836A	N	5	N	1,000	50	N	10	N	100	N	<5	10	75	--
77RK837A	N	5	N	1,000	50	N	15	N	30	N	<5	10	80	--
77RK838A	N	30	N	300	300	N	50	N	100	N	95	5	15	--
77RK839A	N	20	N	200	150	N	20	N	150	N	45	10	80	--
77RK840A	N	20	N	700	300	N	10	N	10	N	10	10	15	--
77RK841A	N	20	N	700	100	N	<10	N	<10	N	15	15	35	--
77RK845A	N	10	N	1,000	100	N	10	N	20	N	5	10	25	--
77RK845B	N	7	N	100	<10	N	30	N	70	N	5	10	10	--
77RK845C	N	10	N	500	70	N	20	N	150	N	<5	10	25	--
77RK847A	N	10	N	500	100	N	10	N	50	N	60	10	85	--
77RK847B	N	15	N	1,500	100	N	20	N	30	N	10	10	40	--
77RK848A	N	10	N	1,000	100	N	20	N	50	N	5	10	50	--
77RK848B	N	<5	N	300	<10	N	15	N	100	N	10	5	15	--
77RK848C	N	10	N	1,000	100	N	20	N	100	N	5	10	110	--
77RK849A	N	<5	N	N	<10	N	20	N	70	N	<5	5	5	--
77RK851A	N	<5	N	N	<10	N	20	N	70	N	<5	5	20	--
77RK852A	N	<5	N	N	<10	N	10	N	20	N	<5	10	15	--
77RK852B	N	20	N	700	100	N	20	N	70	N	40	15	60	--
77RK853A	N	5	N	N	<10	N	20	N	70	N	<5	10	25	--
77RK856A	N	10	N	1,500	100	N	15	N	70	N	40	15	60	--
77RK866A	N	5	N	1,000	50	N	10	N	30	N	15	10	60	--
77RK867A	N	15	N	1,000	150	N	15	N	30	N	10	10	15	--
77RM008A	N	20	N	500	200	N	20	<200	150	N	5	15	90	--
77RM012A	N	20	N	500	200	N	20	N	70	N	5	10	75	--
77RM019B	N	7	N	500	70	N	15	N	150	N	N	20	50	--
77RM020B	N	N	N	300	<10	N	<10	N	70	N	N	5	15	--
77RM020C	N	<5	N	N	N	N	N	N	100	N	N	15	55	--
77RM021A	N	30	N	700	200	N	15	<200	100	N	10	10	65	--
77RM025A	N	<5	N	200	20	N	10	N	150	N	N	10	45	--
77RM032A	N	30	N	N	10	N	N	N	70	N	55	10	50	--
77RM050A	N	N	N	1,000	10	N	N	N	70	N	N	5	25	--
77RM061A	N	N	N	700	<10	N	N	N	30	N	N	5	15	--

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES--continued

SAMPLE	LATITUDE	LONGITUDE	ROCK & MINERAL CODES	S-FEX	S-MGX	S-CAZ	S-TIX	S-MN	S-AG
77RM078A	55 29 17	131 5 48	PN	5.00	1.00	1.00	.200	1,000	N
77RM079A	55 28 36	131 6 44	AM	10.00	3.00	3.00	.300	1,500	N
77RM081A	55 28 22	131 7 18	MB	1.50	.20	.20	.150	100	N
77RM091A	55 25 33	131 14 3	GD	5.00	1.00	3.00	.300	1,000	N
77RM098A	55 21 15	131 3 11	QF	5.00	3.00	5.00	.100	1,000	N
77RM103A	55 17 18	131 12 38	GD	3.00	1.00	3.00	.300	1,000	N
77RM117A	55 40 47	131 37 15	PN	3.00	1.50	.70	.300	300	N
77RM125A	55 51 20	131 35 26	QD	5.00	2.00	3.00	.300	1,500	N
77RM128A	55 52 15	131 41 40	QD	3.00	1.50	2.00	.300	1,000	N
77RM134A	55 51 28	131 39 34	GD	3.00	1.50	2.00	.300	1,000	N
77RM138A	55 54 3	131 38 7	QD	5.00	1.50	3.00	.300	1,000	N
77RM141A	55 54 2	131 36 52	QD	2.00	.70	2.00	.200	500	N
77RM144A	55 45 20	131 39 7	AM	5.00	3.00	3.00	.500	2,000	N
77RM145A	55 44 34	131 41 38	GD	5.00	1.00	2.00	.200	1,000	N
77RM148A	55 45 16	131 27 56	PN	2.00	1.00	.20	.200	700	N
77RM154A	55 36 38	131 12 38	GD	3.00	1.00	3.00	.300	1,000	N
77RM155A	55 25 14	131 22 22	GS	5.00	5.00	5.00	.500	1,500	N
77RM156A	55 26 40	131 21 34	PN	3.00	2.00	1.00	.200	1,000	N
77RM159A	55 23 17	131 32 13	QD	5.00	5.00	5.00	.500	1,500	N
77RM159C	55 23 17	131 32 13	DQ	1.00	.05	.30	.050	200	N
77RM160A	55 22 38	131 30 47	QD	2.00	3.00	5.00	.200	500	N
77SJ675A	55 46 50	131 14 2	PN	1.50	1.00	1.00	.200	500	N
77SJ676A	55 45 11	131 14 32	PN	1.50	1.00	.70	.200	700	N
77SJ680A	55 42 39	131 16 9	AM	7.00	3.00	5.00	.500	1,000	N
77SJ681A	55 43 23	131 11 12	QM	1.00	.30	2.00	.200	200	N
77SJ684A	55 42 56	131 12 20	QM	1.00	.30	1.00	.150	200	N
77SJ686A	55 41 16	131 11 44	AM	10.00	1.50	3.00	.500	1,000	N
77SJ687A	55 41 40	131 14 26	MS	1.50	1.00	.70	.200	300	<.5
77SJ689A	55 40 47	131 17 17	MS	2.00	1.00	.70	.500	200	1.5
77SJ693A	55 38 26	131 16 18	GS	7.00	5.00	3.00	.500	700	N
77SJ695A	55 39 51	131 11 31	PN	3.00	.50	1.00	.200	500	N
77SJ697A	55 41 52	131 9 7	PN	3.00	.70	2.00	.200	300	N
77SJ698A	55 42 55	131 8 44	PN	2.00	.30	1.00	.200	500	N
77SJ901A	55 42 14	131 0 23	PG	3.00	1.00	1.00	.500	300	N
77SJ901C	55 42 14	131 0 23	PG	1.00	.50	.70	.300	200	N
77SJ904A	55 25 41	131 7 14	GS	5.00	3.00	2.00	.500	1,000	N
77SJ908A	55 28 47	131 23 31	GD	2.00	1.00	2.00	.200	700	N
77SJ912A	55 36 12	131 1 4	PG	5.00	1.50	3.00	.200	1,500	N
77SJ957A	55 45 56	131 33 48	QF	3.00	1.00	.50	.200	500	N

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES--continued

SAMPLE	S-AS	S-AU	S-B	S-BA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PB
77RM078A	N	N	10	1,500	1.5	N	N	15	20	100	50	N	<20	10	10
77RM079A	N	N	10	200	<1.0	N	N	50	100	500	50	N	<20	50	10
77RM081A	N	N	10	1,000	<1.0	N	N	<5	20	30	50	30	<20	30	10
77RM091A	N	N	10	700	1.0	N	N	15	N	10	50	N	<20	10	10
77RM098A	N	N	10	<20	N	N	N	30	500	<5	50	N	<20	70	10
77RM103A	N	N	10	700	1.0	N	N	10	N	N	70	N	<20	10	10
77RM117A	N	N	50	1,500	2.0	N	N	10	50	50	50	10	<20	50	10
77RM125A	N	N	20	1,500	1.0	N	N	10	50	10	50	N	<20	<5	10
77RM128A	N	N	10	1,500	1.0	N	N	<5	30	<5	50	N	<20	<5	10
77RM134A	N	N	10	1,000	1.0	N	N	10	70	10	50	N	<20	10	15
77RM138A	N	N	10	1,500	1.0	N	N	<5	70	10	50	N	<20	<5	<10
77RM141A	N	N	<10	1,500	1.0	N	N	<5	N	<5	50	N	<20	<5	20
77RM144A	N	N	10	100	<1.0	N	N	15	20	70	50	N	<20	<5	<10
77RM145A	N	N	<10	1,500	<1.0	N	N	<5	N	10	50	N	<20	<5	20
77RM148A	N	N	10	1,500	1.0	N	N	<5	N	20	50	N	<20	10	<10
77RM154A	N	N	<10	1,500	1.0	N	N	<5	20	N	50	N	<20	<5	10
77RM155A	N	N	10	100	N	N	N	50	200	150	50	N	<20	70	<10
77RM156A	N	N	<10	1,500	1.0	N	N	20	150	50	50	N	<20	20	<10
77RM159A	N	N	10	500	<1.0	N	N	30	150	20	50	N	<20	10	<10
77RM159C	N	N	<10	300	5.0	N	N	<5	N	<5	<20	N	<20	7	<10
77RM160A	N	N	<10	300	<1.0	N	N	20	200	10	50	N	<20	10	10
77SJ675A	N	N	10	500	1.0	N	N	<5	N	N	50	N	<20	<5	10
77SJ676A	N	N	10	300	1.0	N	N	<5	N	5	50	N	<20	<5	50
77SJ680A	N	N	10	50	N	N	N	100	200	20	50	N	<20	100	<10
77SJ681A	N	N	10	1,000	1.0	N	N	<5	N	<5	50	N	<20	<5	30
77SJ684A	N	N	10	1,000	1.0	N	N	<5	N	N	50	N	<20	<5	20
77SJ686A	N	N	10	30	<1.0	N	N	100	20	10	50	N	<20	30	<10
77SJ687A	N	N	15	2,000	3.0	N	N	10	100	20	50	10	<20	30	<10
77SJ689A	N	N	20	1,500	2.0	N	N	<5	100	50	50	20	<20	10	15
77SJ693A	N	N	10	<20	<1.0	N	N	150	3,000	10	50	N	<20	200	10
77SJ695A	N	N	10	200	<1.0	N	N	<5	<10	15	50	N	<20	<5	10
77SJ697A	N	N	10	300	<1.0	N	N	<5	50	10	50	N	<20	<5	10
77SJ698A	N	N	10	200	<1.0	N	N	<5	N	<5	50	N	<20	<5	<10
77SJ901A	N	N	<10	1,000	1.0	N	N	20	50	100	50	N	<20	50	10
77SJ901C	N	N	<10	1,000	1.0	N	N	<5	20	30	50	N	<20	<5	<10
77SJ904A	N	N	<10	300	<1.0	N	N	30	300	70	50	N	<20	70	<10
77SJ908A	N	N	<10	1,000	1.0	N	N	<5	N	<5	50	N	<20	<5	15
77SJ912A	N	N	10	500	N	N	N	20	N	50	50	N	<20	<5	10
77SJ957A	N	N	10	1,500	1.0	N	N	15	50	150	50	N	<20	30	10

TABLE 6. ANALYTICAL DATA FOR ROCK GEOCHEMICAL SAMPLES---continued

SAMPLE	S-SB	S-SC	S-SN	S-SR	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
77RM078A	N	15	N	500	100	N	20	N	50	N	40	5	20	--
77RM079A	N	30	N	200	300	N	20	N	50	N	420	5	15	--
77RM081A	N	10	N	200	300	N	15	300	70	N	20	<5	280	--
77RM091A	N	10	N	1,000	150	N	20	N	70	N	5	5	50	--
77RM098A	N	20	N	200	150	N	10	N	10	N	5	<5	5	--
77RM103A	N	10	N	1,000	150	N	20	N	100	N	5	10	45	--
77RM117A	N	20	N	300	300	N	30	500	100	N	80	10	620	--
77RM125A	N	20	N					N	100	N	5	10	55	--
77RM128A	N	15	N	500	100	N	30	N	50	N	5	10	75	--
77RM134A	N	15	N	500	100	N	20	N	50	N	10	10	60	--
77RM138A	N	15	N	500	70	N	20	N	20	N	5	5	50	--
77RM141A	N	7	N	500	50	N	10	N	50	N	5	5	35	--
77RM144A	N	50	N	300	300	N	30	N	70	N	25	5	10	--
77RM145A	N	7	N	1,000	50	N	10	N	70	N	5	5	60	--
77RM148A	N	15	N	200	70	N	10	N	100	N	15	5	50	--
77RM154A	N	10	N	1,000	70	N	20	N	50	N	<5	5	80	--
77RM155A	N	30	N	200	300	N	30	N	50	N	120	5	15	--
77RM156A	N	15	N	200	150	N	20	N	30	N	35	10	50	--
77RM159A	N	20	N	500	150	N	10	N	20	N	10	5	30	--
77RM159C	N	<5	N	100	<10	N	20	N	100	N	5	10	15	--
77RM160A	N	10	N	500	70	N	10	N	20	N	5	15	15	--
77SJ675A	N	7	N	300	10	N	20	N	200	N	N	10	65	--
77SJ676A	N	15	N	200	10	N	20	<200	150	N	N	10	100	--
77SJ680A	N	70	N	200	300	N	20	N	70	N	15	10	20	--
77SJ681A	N	5	N	500	20	N	<10	<200	150	N	<5	10	85	--
77SJ684A	N	<5	N	500	10	N	<10	N	70	N	<5	5	85	--
77SJ686A	N	50	N	<100	500	N	20	<200	70	N	5	10	10	--
77SJ687A	N	15	N	200	300	N	10	N	100	N	25	10	40	--
77SJ689A	N	30	N					N	100	N	40	10	55	--
77SJ693A	N	50	N	N	200	N	10	N	50	N	5	10	25	--
77SJ695A	N	20	N	<100	30	N	20	N	200	N	5	10	60	--
77SJ697A	N	20	N	<100	70	N	10	N	100	N	10	5	45	--
77SJ698A	N	20	N	200	20	N	10	N	150	N	N	10	40	--
77SJ901A	N	15	N	500	150	N	20	N	100	N	85	5	85	--
77SJ901C	N	10	N	300	150	N	15	N	100	N	60	90	85	--
77SJ904A	N	20	N	300	150	N	20	N	50	N	200	10	20	--
77SJ908A	N	10	N	1,000	70	N	15	N	50	N	60	15	35	--
77SJ912A	N	20	N					N	30	N	55	10	80	--
77SJ957A	N	10	N	200	100	N	20	N	50	N	10	5	35	--