

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

TRACE-ELEMENT DATA FOR ROCK SAMPLES FROM THE BRADFIELD CANAL
QUADRANGLE, SOUTHEASTERN ALASKA

By

R. D. Koch, and R. L. Elliott
345 Middlefield Road
Menlo Park, California 94025

and

R. M. O'Leary and D. A. Risoli
5946 McIntyre Street
Golden, Colorado 80401

Open-File Report 80-910A

This report is preliminary and has
not been reviewed for conformity with
Geological Survey editorial standards
and stratigraphic nomenclature

1980

CONTENTS

	Page
Introduction-----	1
Other sources of data-----	1
Geologic setting and studies in the Bradfield Canal area-----	2
Sampling-----	3
Sample preparation and analytical procedures-----	3
Geochemical data-----	4
Rock-name code-----	5
Analytical values-----	5
Precision-----	9
Statistical summary-----	10
Bias and variability affecting interpretation-----	12
Acknowledgments-----	13
References-----	14
Appendix A:	
Part I Rock-name code-----	18
Part II Rock-name modifiers-----	22

ILLUSTRATIONS

- Plate 1. Locations of rock sample sites in the Bradfield Canal quadrangle

TABLES

Table 1. Determination limits and units for analyses-----	6
2. Qualification codes-----	8
3. Class intervals of the six-step scale-----	8
4. Statistical summary-----	23
5. Analytical data for rock geochemical samples-----	71

TRACE ELEMENT DATA FOR ROCK SAMPLES FROM THE
BRADFIELD CANAL QUADRANGLE, SOUTHEASTERN ALASKA

by

R. D. Koch, R. L. Elliott, R. M. O'Leary, and D. A. Risoli

INTRODUCTION

A reconnaissance geochemical sampling program was conducted during 1978 and 1979 in the Bradfield Canal 1:250,000-scale quadrangle, southeastern Alaska. The sampling was done to assist with evaluation of mineral resources in the area as part of the Alaska Mineral Resource Assessment Program (AMRAP). This report contains the analytical data for 2784 rock samples collected in the study area between 1968 and 1979 during this and previous U.S. Geological Survey mapping projects. These samples comprise all of the rock geochemical samples collected by the U.S. Geological Survey during geological mapping investigations within the Bradfield Canal quadrangle during the period 1968 to 1979. A brief statistical summary of these analytical data is included in this report.

OTHER SOURCES OF DATA

The analytical data from stream-sediment and stream-sediment heavy-mineral concentrate geochemical samples collected within the Bradfield Canal quadrangle are contained in two companion reports (Koch and others, 1980a, b). Geochemical data from rock samples collected by U.S. Bureau of Mines engineers at selected prospects in the Bradfield Canal quadrangle are reported

in Koch and others (1976). Analytical data from rock and stream-sediment samples collected in the Ketchikan and Prince Rupert quadrangles, south of the Bradfield Canal quadrangle, are contained in several earlier reports (Koch and Elliott 1978a, b, c). Data from U.S. Geological Survey rock and stream-sediment geochemical samples collected in the Ketchikan and Prince Rupert quadrangles and from rock, stream-sediment, and heavy-mineral concentrate samples from the Bradfield Canal quadrangle are available on magnetic computer tapes (Koch, Van Trump, and McDaniel, 1978; Koch, O'Leary, and Risoli, 1980).

GEOLOGIC SETTING AND STUDIES IN THE BRADFIELD CANAL AREA

The United States portion of the Bradfield Canal quadrangle area is underlain predominantly by amphibolite-facies schists and gneisses and Cretaceous and Eocene granitic plutons of the Coast Range batholithic complex. A Triassic or older body of granodiorite lies at the extreme eastern end of the quadrangle and an alkali-granite stock of probable Miocene age is exposed at Cone Mountain in the northwest. A segment of the Coast Range megalineament (Brew and Ford, 1978), a major structural and topographic feature more than 500 km long, runs diagonally across the southwestern portion of the map area from Nelson Glacier through the areas near Eagle Bay and Eagle Lake. East of this zone, isolated roof pendants of paragneiss and schist lie amid nearly continuous orthogneisses, spectacular migmatites, and granitic plutons with compositions ranging from diorite and quartz diorite to quartz monzonite (adamellite). Farther east, along the Canadian boundary, are roof pendants of lower grade metasedimentary, metavolcanic, and carbonate rocks. West of the megalineament, granitic rocks occur as discontinuous bodies within schist and paragneiss.

The earliest comprehensive discussion of the geology of the Bradfield Canal area are contained in reports by Wright and Wright (1908) and Buddington and Chapin (1929). Buddington (1929) also described the Hyder mining district located near the Canadian border 120 km northeast of the town of Ketchikan. Recent geologic investigations by the U.S. Geological Survey in the Bradfield Canal quadrangle began in 1968 with mapping in the Hyder area (Smith, 1977). A mineral resource evaluation of the Granite Fiords Wilderness Study area, which included a large portion of the eastern part of the Bradfield Canal quadrangle, was conducted in 1972 and 1973 (Berg and others, 1977). Field studies continued as part of the AMRAP program in 1978 and 1979. Other discussions of Coast Range geology include reports by Hutchison (1970), Roddick and Hutchison (1974), Brew and others (1976), and Brew and others (1977).

SAMPLING

Standard procedures were followed during collection of the rock geochemical samples. The samples are primarily grab samples chosen to provide data on background values for a lithologic unit. The majority of these samples are representative of the dominant lithologies at the sample site. A smaller number of samples were collected from minor lithologies, known mineralized occurrences, or outcrops that are conspicuously iron-stained or contain visible metallic minerals.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Samples were prepared and analyzed by members of the Branch of Exploration Research (BOER) of the U.S. Geological Survey. Samples were crushed, a split was ground to -150 mesh in a grinder with ceramic plates, and

a split of this material analyzed for up to 31 elements by a rapid six-step semiquantitative emission spectrographic method (Myers and others, 1961; Grimes and Marranzino, 1968), and for gold, copper, lead, and zinc by atomic absorption spectrophotometry (Ward and others, 1969). Samples collected in 1972 and 1973 were analyzed for mercury by a flameless atomic absorption mercury-vapor detection technique (Vaughn and McCarthy, 1964). Some analyses were not performed on all samples. The semiquantitative spectrographic analyses of samples collected before 1978 were performed by J. E. Abrams, K. J. Curry, J. M. Motooka, J. Reynolds and D. F. Siems. The atomic absorption analyses for these samples were done by R. B. Carten, J. G. Frisken, R. W. Leinz, A. L. Meier, R. L. Miller, D. G. Murrey, M. S. Rickard, A. J. Toevs, R. Vaughn, and W. W. Vaughn. For samples collected in 1978 and 1979, the spectrographic analyses were performed by D. A. Risoli and the atomic absorption analyses by R. M. O'Leary. Sample preparitors for 1978 and 1979 were D. W. Galland, A. L. Gruzensky, J. O. Hampton, J. T. Hurrell, D. L. Huston, R. M. O'Leary, D. A. Risoli, D. L. Spiesman, Jr., and H. W. Wong.

GEOCHEMICAL DATA

Locations of rock samples sites are identified by 6 or 7 character station numbers on plate 1. The analytical data for the samples are given in table 5 (p. 71) and are identified by a sample number which consists of the station number, with a letter appended to the station number to distinguish different samples from the same station. The numbering of samples collected in 1968, 1972, and 1973 varied slightly from standard practice. Analyses are also identified in table 5 by a 6 or 7 character laboratory number; often called the "Tag Number". Locations are indicated in that table by latitude

and longitude coordinates as degrees, minutes, and seconds. A small number of samples were re-analyzed as part of a test of analytical variance. These sample numbers appear twice in table 5 along with data for both analyses.

Rock-Name Code

In table 5, samples are labelled with a 2 or 3 character symbol indicating the rock type sampled. These symbols were assigned in the field when the samples were collected and have not been updated based on modal or petrographic examination. The code consists of 2 letters which represent a rock name (see appendix A, Part I). For some rocks, a third letter is appended as a modifier (see appendix A, Part II). Granitic rock names are assigned according to a system modified from Bateman and others, 1963. An explanation of each of these rock-name symbols is listed in appendix A.

Analytical Values

Analytical results are reported as percent of the sample (for spectrographic analyses of Fe, Mg, Ca, and Ti) and as parts per million (ppm) for all other analyses. The distribution of values for some of the determinations is truncated at one or both ends by the limits of determinability for that analytical procedure. The limits of determination and the units used for each analysis are listed in table 1.

A single-letter symbol is used to indicate that no analysis was performed for an element or that the analytical result is outside the limits of determinability. These symbols (commonly called "qualification codes") are used in the statistical summary but some are represented differently in table 5 (p. 71). An explanation of both forms is listed in table 2. The qualifier "T" does not appear in the data reported here.

Table 1.--Determination limits and units for analyses performed from 1968 through 1979
 [S, indicates spectrographic analysis, AA, indicates atomic absorption analysis, and INST,
 indicates flameless atomic absorptin mercury-vapor analysis. The units used to report
 values for each analytical procedure are listed after the upper determination limit.]

Analysis	Limits		Analysis	Limits		Analysis	Limits	
	Lower	Upper		Lower	Upper		Lower	Upper
S-Fe	0.05	20 per- cent	S-Cd	20	500 ppm	S-Sr	100	5,000 ppm
S-Mg	.02	10 per- cent	S-Co	5	2,000 ppm	S-Th ⁴	100	2,000 ppm
S-Ca	.05	20 per- cent	S-Cr ¹	10	5,000 ppm	S-V	10	10,000 ppm
S-Ti	.002	1 per- cent	S-Cu	5	20,000 ppm	S-W	50	10,000 ppm
S-Mn	10	5,000 ppm	S-La	20	1,000 ppm	S-Y	10	2,000 ppm
S-Ag	.5	5,000 ppm	S-Mo	5	2,000 ppm	S-Zn	200	10,000 ppm
S-As	200	10,000 ppm	S-Nb ²	20	2,000 ppm	S-Zr	10	1,000 ppm
S-Au	10	500 ppm	S-Ni	5	5,000 ppm	AA-Au ⁵	.05	-- ppm
S-B	10	2,000 ppm	S-Pb	10	20,000 ppm	AA-Cu ⁶	5	-- ppm
S-Ba	20	5,000 ppm	S-Sb	100	10,000 ppm	AA-Pb ⁶	5	-- ppm
S-Be	1	1,000 ppm	S-Sc ³	5	100 ppm	AA-Zn ⁶	5	-- ppm
S-Bi	10	1,000 ppm	S-Sn	10	1,000 ppm	INST-Hg ⁷	.02	-- ppm

¹Limits 5-5000 ppm prior to 1970.

²Limits 10-2000 ppm prior to 1975.

³Limits 5-1000 ppm for samples analyzed in BOER's Anchorage lab instead of in the Denver lab.

⁴No S-Th determinations before 1978.

⁵Lower limit 0.02 ppm prior to 1970.

⁶No determinations before 1972.

⁷Determined only in 1972 and 1973.

Because the original computer printout is used in tables 4 and 5, element symbols are in capital letters; for example, the symbol for iron, Fe, is shown as FE, magnesium, Mg, is shown as MG, and so on. In the tables, the prefix S stands for spectrographic analysis, AA for atomic absorption, and INST for flameless atomic absorption mercury-vapor analysis.

Results from semiquantitative emission spectrographic analyses (also referred to as six-step spectrographic analyses) are reported as the approximate midpoints of class intervals with 6 intervals per order of magnitude. These class intervals are not evenly spaced when plotted on an arithmetic scale. The values of successive interval boundaries and the widths (sizes) of successive class intervals increase geometrically, with each succeeding interval boundary and interval width being greater than the last by a factor of the 6th root of 10 (about 1.4678). These class intervals have a constant width when the data and the interval boundary values are transformed to logarithms (Miesch, 1967, p. B3-B4).

Use of geometrically-scaled class intervals is appropriate because of characteristics of both the analytical techniques and of the common distribution of elements in geologic materials. Analytical variance tends to be proportional to the amount of a constituent present, and tends to be constant for the logarithms of the analytical data (Miesch, 1976, p. 58). Variability at sample localities also follows this pattern with the amount of variance at a locality often being proportional to the mean of raw sample values for that site and variance tending to be constant when the logarithms of the values are used (Miesch, 1976, p. 58).

Table 2.--Qualification Codes

Qualification code	Form in table 5	Explanation
B	--	Blank, no data
N	N	Nothing detected by analysis.
L	<	Element detected but below listed value (lower limit of determinability).
G	>	Element detected in amount greater than listed value (upper limit of determinability).
H	(value = 0).	Interference - no valid data.
T		Trace (Not used for any of the analytical data included in this report.)

The spectrographic reporting values and the associated class interval limits and widths are listed in table 3. The values used to report element concentrations are integral powers of 10 times one of the listed six-step reporting values.

Table 3.--Class intervals of the six-step scale

Six-step reporting value (approximate C. I. midpoint)	Approximate Class interval limites		Approximate Class interval width
1.0	0.825	1.21	0.385
1.5	1.21	1.78	.57
2.0	1.78	2.61	.83
3.0	2.61	3.83	1.22
5.0	3.83	5.62	1.79
7.0	5.62	8.25	2.63
10.0	8.25	12.1	3.85

Precision

Tests have been performed to determine the analytical precision of the six-step semiquantitative spectrographic technique used by the Branch of Exploration Research (Motooka and Grimes, 1976). These tests indicate that, on the average, the frequency with which values from repeated analyses of the same sample will fall within the class interval containing the "true" value (as measured by the mean of a series of analytical runs), plus or minus one and two consecutive reporting intervals is approximately 83 percent and 96 percent, respectively. For example, if a value is reported as 3.0, the probability is 0.83 that a second analysis of that sample would be reported as 2.0, 3.0, or 5.0. The Motooka and Grimes study found analytical variance, (reported as a number of steps on the six-step scale), to be consistent for a variety of geologic materials and to show no appreciable difference among most elements or concentration ranges; except near the limits of determinability where "precision of the analysis is greatly diminished" (Motooka and Grimes, 1976, p. 2).

A stream-sediment sampling experiment was conducted by Johnson and others (1980) within the Coast Range 180 km north of Bradfield Canal; in similar terrane to that of our study area. They determined the amount of variability attributable to analytical procedures and to variation in sample spacing. For spectrographic data from that area, which does not contain detected mineral enrichment, analytical variance ranged from 22 percent (Ni) to 88 percent (Ti, Mn, V) of the total variance. At the 95 percent confidence level, only four spectrographically determined elements had analytical variance greater than the two step average variation found by Motooka and Grimes; Ti (3 steps), Cu (3 steps), La (3.5 steps), and Zr (2.5 steps). This study suggests that for data with a very narrow range of values (approaching the level of

analytical variance for that element), the analytical component of total variance will be responsible for a significant portion of the observed fluctuations but that for data with a relatively broad range of values, analytical variability should have only minor effect. These conclusions regarding analytical precision should be generally applicable to data from rock samples as well.

Data from analyses by the atomic absorption methods are not reported on the six-step scale. They are more sensitive and considered more precise than spectrographic analyses. Johnson and others determined analytical variance for atomic absorption analyses of Cu, Pb, and Zn to be equivalent to approximately 1.0, 1.5, and 0.5 steps of the six-step scale respectively, at the 95 percent confidence level (Johnson and others, 1980, table 3, last column).

STATISTICAL SUMMARY

The analytical data were processed using a computer to produce the statistical summary presented in table 4. All distributions are treated in terms of the six-step class intervals described above and thus the atomic absorption data are regrouped into these intervals for the summary. The program output consists of: a frequency distribution table, histogram, summary of qualified values, range of values, and arithmetic and geometric means and deviations for each element. Table 4 entries are identified in an explanation at the beginning of that table.

The histograms in table 4 have a quasi-logarithmic analytical value scale because they use the class intervals of the six-step semiquantitative scale. Between 1968 and 1975, the lower limits of determinability were raised for atomic absorption analysis of Au and for spectrographic analysis of Cr and Nb (see table 1). Unqualified values less than the current determinability

limits are included in the frequency tables and histograms. All values qualified with N, L, G, or H were omitted from the histograms. The resulting statistics are biased and the histograms incomplete.

The summary at the end of table 4 presents estimates of geometric means and geometric deviations recomputed using a method devised by A. J. Cohen for treating censored distributions (Cohen, 1959, 1961; Miesch, 1967). If an element has no qualified data values, the geometric mean and geometric deviation will be the same in both this summary and on the page within the table for the particular element. Cohen's method is applicable to distributions truncated on either the high or low end but, because low end truncations (left censored distributions) are much more common in geochemical problems, the computer program used here was designed only to handle them. If some values are coded "G", the estimates by Cohen's method will not be made for that element. The estimates of geometric mean and geometric deviation are unbiased in a strict sense only where the values used to compute them are derived from a normally-distributed parent population, but it has been shown that the method gives satisfactory results whenever the data are symmetrical about a single mode (Miesch, 1967, p. B5).

The geometric mean of N values is the Nth root of their product and can be computed as the antilogarithm of the arithmetic mean of the logarithms of the analyses. It is not an estimate of geochemical abundance but of "central tendency" (or characteristic value) for a frequency distribution which follows the exponential or "natural growth" law and is thus symmetrical on a logarithmic scale. The geometric mean has a more stable value than the arithmetic mean because it is not influenced as strongly by data at the extremes of the distribution. The geometric deviation can be computed as the antilogarithm of the standard deviation of the logarithms of the analyses.

The geometric mean and geometric deviation are useful for characterizing many geochemical distributions, which are often more nearly log-normal than normally distributed. Histograms of the data contained in this report are more nearly symmetrical on a logarithmic scale than when plotted with a linear scale. Cumulative frequency plots of the data values and of their logarithms also demonstrate that these data are distributed in an approximately exponential fashion. While the geometric mean is the best estimate or predictor of values for individuals within a log-normal population, it is not an estimate of geochemical abundance. It can not be used to predict the amounts of elements present as the arithmetic mean can (Miesch, 1963, 1967). For further discussion of geometric mean and geometric deviation see Kenny, (1952) and Miesch (1963, 1967, and 1976).

BIAS AND VARIABILITY AFFECTING INTERPRETATION

In reviewing the data in table 5 and the statistical summary in table 4, several sources of bias and variability in the data must be considered. Factors including time limitations, weather, snow and vegetative cover, outcrop exposure, and availability of helicopter landing sites prevented uniform sampling in all areas. Uneven sample density also resulted from more concentrated sampling of some areas near evidence of mineralization such as iron-staining or visible metallic minerals. This practice has biased the data slightly in favor of samples containing values above background levels. The requirement of truly random sampling--that all potential samples have an equal likelihood of being selected--is not strictly met. In addition, the rock samples were collected from a large area, where lithologic units of various origins or rock types may comprise several dissimilar geochemical

populations. The samples are not grouped on the basis of geological or geochemical affinity. The summary of values thus provides only a general indication of the trends that may be present.

Variability of results may be influenced by many factors, including the difficulty of obtaining representative samples of inhomogeneous media, variation in sample preparation, and variability inherent in the analytical techniques. It is likely with any large data-set that errors have occurred in recording, key-punching, and editing the data and that some have remained undetected. Because of these factors, high values for a single element or a single site should be considered questionable indicators of bedrock mineralization.

ACKNOWLEDGMENTS

We wish to thank several U.S. Geological Survey colleagues for their considerable cooperation and assistance. George Van Trump, Jr., provided valuable aid by resolving computer-programming problems. Steven K. McDanal and Christine M. McDougal managed entry of the data into computer data-files. Samples were collected by a number of geologists including: H. C. Berg, D. A. Brew, A. L. Clark, J. E. Decker, M. F. Diggles, George Dunne, R. L. Elliott, J. D. Gallinatti, Mel Herdrick, S. M. Karl, R. D. Koch, M. L. Miller-Hoare, R. P. Morrell, J. G. Smith, and R. A. Sonnevil. We also wish to thank Kenneth Eicher of TEMSCO Helicopters, Ketchikan, who was most generous with his time and advice; and volunteered logistical assistance which greatly aided our field efforts. The skillful flying of helicopter pilots Barry Roberts, Richard Rossiter, and Ed Svec allowed us to sample this particularly rugged and inaccessible terrain and helped maintain some of our peace of mind.

REFERENCES

- Bateman, P. C., Clark, L. D., Huber, N. K., Moore, J. G., and Rinehart, C. D., 1963, The Sierra Nevada Batholith--A synthesis of recent work across the central part: U.S. Geological Survey, Professional Paper 414-D, p. D13-D14.
- Berg, H. C., Elliott, R. L., Smith, J. G., Pitman, T. L., and Kimball, A. L., 1977, Mineral resources of the Granite Fiords Wilderness Study Area, Alaska: U.S. Geological Survey Bulletin 1403, 151 p.
- Brew, D. A., and Ford, A. B., 1978, Megalineament in southeastern Alaska marks southwest edge of Coast Range batholithic complex: Canadian Journal of Earth Sciences, v. 15, no. 11, p. 1763-1772.
- Brew, H. C., Ford, A. B., Grybeck, Donald, Johnson, B. R., and Nutt, C. J., 1976, Key foliated quartz diorite sill along southwest side of Coast Range complex, northern southeastern Alaska, in Cobb, E. H., ed., The United States Geological Survey in Alaska: Accomplishments during 1975: U.S. Geological Survey Circular 733, p. 60.
- Brew, D. A., Grybeck, Donald, Johnson, B. R., Jachens, R. C., Nutt, C. J., Barnes, D. F., Kimball, A. L., Still, J. C., and Rataj, J. L., 1977, Mineral resources of the Tracy Arm-Fords Terror Wilderness study area and vicinity, Alaska: U.S. Geological Survey Open-File Report 77-649, 282 p.
- Buddington, A. F., 1929, Geology of Hyder and vicinity, southeastern Alaska: U.S. Geological Survey Bulletin 807, 124 p.
- Buddington, A. F., and Chapin, T., 1929, Geology and mineral deposits of southeastern Alaska: U.S. Geological Survey Bulletin 800, 398 p.
- Cohen, A. C., 1959, Simplified estimators for the normal distribution when samples are singly censored or truncated: Technometrics, v. 1, no. 3, p. 217-237.

- Cohen, A. C., 1961, Tables for maximum likelihood estimates; singly truncated and singly censored samples: *Technometrics*, v. 3, no. 4, p. 535-541.
- Grimes, D. J., and Marranzino, A. P., 1968, Direct-current arc and alternating-current spark emission spectrographic field methods for the semiquantitative analysis of geologic materials: U.S. Geological Survey Circular 591, 6 p.
- Hutchison, W. W., 1970, Metamorphic framework and plutonic styles in the Prince Rupert region of the Central Coast Mountains, British Columbia: *Canadian Journal of Earth Science*, v. 7, p. 376-405.
- Johnson, B. R., Forn, C. L., Hoffman, J. D., Brew, D. A., and Nutt, C. J., 1980, Efficient Stream-Sediment Sampling Design: An Experiment at Tracy Arm, Alaska, U.S. Geological Survey Professional Paper 1129 p E1-E9.
- Kenny, J. F., 1952, *Mathematics of Statistics Part I* (2nd ed.): New York, D. Van Nostrand Company, p. 52-55.
- Koch, R. D., and Elliott, R. L., 1978a, Analyses of rock samples from the Ketchikan quadrangle, southeastern Alaska: U.S. Geological Survey Open-File Report 78-156A, 163 p.
- , 1978b, Analyses of rock and stream sediment samples from the Prince Rupert quadrangle, southeastern Alaska: U.S. Geological Survey Open-File Report 78-156B, 98 p.
- , 1978c, Analyses of stream-sediment samples from the Ketchikan quadrangle, southeastern Alaska: U.S. Geological Survey Open-File Report 78-156C, 214 p.
- Koch, R. D., Elliott, R. L., Berg, H. C., and Smith, J. G., 1976, Analyses of rock and stream-sediment samples from the Bradfield Canal quadrangle, southeastern Alaska: U.S. Geological Survey Open-File Report 76-486, 136 p.

- Koch, R. D., Elliott, R. L., O'Leary, R. M., and Risoli, D. A., 1980a,
Trace element data for stream-sediment samples from the Bradfield Canal
quadrangle, southeastern Alaska: U.S. Geological Survey Open-File Report
80-910B, 172 p.
- , 1980b, Trace element data for stream-sediment heavy mineral concentrate
samples from the Bradfield Canal quadrangle, southeastern Alaska: U.S.
Geological Survey Open-File Report 80-910C, 68 p.
- Koch, R. D., O'Leary, R. M., and Risoli, D. A., 1980, Magnetic tape containing
trace element data for rock, stream-sediment, and stream-sediment heavy-
mineral concentrate samples from the Bradfield Canal quadrangle,
southeastern Alaska: Menlo Park, Calif., U.S. Geological Survey Report,
23 p., computer tape. [Available from the U.S. Department of Commerce,
National Technical Information Service, Springfield, VA. 22151, as report
USGS-GD-80-004.]
- Koch, R. D., Van Trump, George, Jr., and McDanal, S. K., 1978, Magnetic tape
containing analytical data for rock and stream-sediment samples from
Ketchikan and Prince Rupert quadrangles, southeastern Alaska: Menlo Park,
Calif., U.S. Geological Survey Report, 8 p., computer tape. [Available
from the U.S. Department of Commerce, National Technical Information
Service, Springfield, VA 22151, as report NTIS PB-276-777.]
- Motooka, J. M., and Grimes, D. J., 1976, Analytical precision of one-sixth
order semiquantitative spectrographic analysis: U.S. Geological Survey
Circular 738, 25 p.
- Miesch, A. T., 1963, Distribution of elements in Colorado Plateau uranium
deposits--a preliminary report: U.S. Geological Survey Bulletin 1147-E,
57 p.
- , 1967, Methods of computation for estimating geochemical abundance:
U.S. Geological Survey Professional Paper 574-B, 15 p.

- , 1976, Sampling designs for geochemical sampling--syllabus for a short course: U.S. Geological Survey Open-File Report 76-772, 140 p.
- Myers, A. T., Havens, R. G., and Dunton, P. J., 1961, A spectrochemical method for the semiquantitative analysis of rocks, minerals, and ores: U.S. Geological Survey Bulletin 1084-I, p. 207-229.
- Roddick, J. A., and Hutchinson, W. W., 1974, Setting of the Coast Plutonic Complex, British Columbia: Pacific Geology, v. 8, p. 91-108.
- Smith, J. G., 1977, Geology of the Ketchikan D-1 and Bradfield Canal A-1 quadrangles, Alaska: U.S. Geological Survey Bulletin 1425, 49 p.
- Vaughn, W. W., and McCarthy, J. H., 1964, An instrumental technique for the determination of submicrogram concentrations of mercury in soil, rock and gas: U.S. Geological Survey Professional Paper; 501-D, p. D123-D127.
- Ward, F. N., Nakagawa, H. M., Harms, T. F., and Van Sickle, G. H., 1969, Atomic-absorption methods of analysis useful in geochemical exploration: U.S. Geological Survey Bulletin 1289, 45 p.
- Wright, F. E., and Wright, C. W., 1908, The Ketchikan and Wrangell mining districts, Alaska: U.S. Geological Survey Bulletin 347, 210 p.

APPENDIX A


ROCK NAME CODE

Part I of this appendix contains 2-character rock-name symbols used during fieldwork in the Bradfield Canal quadrangle to indicate lithology of the samples in collected. Symbols actually present in the data are preceded by an asterisk (*). Part II of this table contains letters which are sometimes appended to rock-name symbols as modifiers.

Part I
Rock-Name symbols

IGNEOUS ROCK
Plutonic rocks

- *AF - Alkali-feldspar granite (Alkali granite)
- *AL - Alaskite
- *AP - Aplite (only sugary-textured granitic rocks)
- *DI - Diorite
- *GB - Gabbro
- *GD - Granodiorite
- *GR - Granite
- MO - Monzonite
- NO - Norite
- *PG - Pegmatite
- *QD - Quartz diorite (Tonalite)
- QG - Quartz gabbro
- *QM - Quartz monzonite (Adamellite)
- *SD - Syenodiorite
- *SY - Syenite
- TJ - Trondhjemite



Granitic rocks classified according to a scheme modified after Bateman and others, 1963.

Plutonic rocks - ultramafic

- DN - Dunite
- HB - Hornblendite
- PD - Peridotite
- *PX - Pyroxenite
- *UM - Ultramafic

Appendix A--Continued

Part I
Rock-name symbols

IGNEOUS ROCKS--Continued

Volcanic rocks

- *AN - Andesite
- *BA - Basalt
- *DA - Dacite
- *FE - Felsite
- KE - Keratophyre
- *LA - Lamphrophyre
- LT - Latite
- OB - Obsidian - probably rhyolitic composition
- QL - Quartz latite
- *RD - Rhyodacite
- *RH - Rhyolite
- TA - Trachyandesite
- *VG - Volcanic glass - composition other than rhyolitic

- AG - Agglomerate
- BP - Broken pillow breccia
- PB - Pillow breccia
- PL - Pillow lava (solidified)
- *TU - Tuff
- *VB - Volcanic breccia

Dike and sill rocks

- *DF - Felsic (not including DQ) dike rock
- *DM - Mafic or intermediate dike rock
- *DQ - Felsic, quartz porphyritic dike rock

Veins

- *VQ - Quartz vein, pod, lens
- *VN - Vein other than quartz

METAMORPHIC ROCKS

- *AM - Amphibolite
- *CS - Calc-silicate rock
- GA - Granulite
- Granitic Gneisses identified compositionally by plutonic rock codes with modifying suffix "G"
- *GN - Gneiss (undifferentiated)
- *GM - Gneiss, mafic or amphibolitic (usually over 40 percent mafic)

Appendix A--Continued

Part I
Rock-name symbols

METAMORPHIC ROCKS--Continued

- *GP - Gneiss, paka or pelitic (pelitic characterized by biotite, garnet, (sillimanite))
- *GQ - Gneiss, quartzofeldspathic (mafics, usually biotite under 5 percent-- generally not distinctly layered)
- *GE - Greenstone
- *GF - Granofels
- *GS - Greenschists
- *HF - Hornfels
- *MB - Marble
- *PH - Phyllite
- PS - Phyllitic metasediment (mainly gray phyllite)
- *PV - Phyllitic metavolcanic (mainly green phyllite)
- *QZ - Quartzite
- *SC - Schist
- *SI - Semischist
- *SK - Skarn
- SL - Slate
- SP - Serpentinite

- FV - Felsic meta volcanic rock
- *MS - Metasedimentary rock (undivided - mainly low grade metapelite, locally tuffaceous)
- *MU - Metamorphic undivided
- *MV - Metavolcanic rock (undivided - mainly low grade intermediate to mafic composition)

Migmatites

- *MG - Migmatite
- *BG - Banded gneiss
- *AA - Angular agmatite
- *EA - Elongate agmatite
- RA - Rounded agmatite
- *IG - Irregularly banded gneiss
- *NE - Nebulite
- *SG - Schlieren gneiss
- SW - Stockwork
- VG - Veined gneiss

Appendix A--Continued

Part I
Rock-name symbols

Cataclastic Rocks

*BR - Breccia
CC - Cataclasite
*MY - Mylonite
*PN - Phyllonite

SEDIMENTARY ROCKS

AK - Arkose
*AR - Argillite
CH - Chert
CL - Clay/claystone
*CO - Conglomerate
DO - Dolomite
*GS - Graywacke
*LS - Limestone
*SS - Sandstone
SH - Shale
*ST - Siltstone

APPENDIX A -- Part II

Part II rock-name modifiers. Letters used as a third character to modify some rock name symbols.

Part II Rock-name modifiers

Modifiers used mainly for medium-grained, "plutonic-looking rocks"

- L - Lineated
 - F - Foliated
 - N - Gneissic (a gneissic igneous rock, probably orthogneiss, characterized by large-scale uniformity)
 - G - Gneiss (a metamorphic rock with granitic texture and composition but characterized by large-scale gneissic inhomogeneity)
 - D - Dike
-

Modifiers used mainly for schists and para-gneisses

- B - Biotite is dominant mafic mineral
 - H - Hornblende is dominant mafic mineral
 - Q - Rock is quartzo-feldspathic
 - W - White mica is dominant mineral other than quartz and feldspar
-

Other modifier letters

- I - Inclusion (within an igneous host)
 - M - Specified original rock type has been metamorphosed
-

Examples of rock-name symbols used with modifiers

- SC Schist
 - SCB Schist, biotite is dominant mica

 - GD Granodiorite
 - GDF Granodiorite, foliated
 - GDD Granodiorite dike

 - AM Amphibolite
 - AMI Amphibolite inclusion
-

Table 4.--Statistical summary of data from rock samples

1 - EXPLANATION OF TABLE HEADINGS AND ABBREVIATIONS

2

3 - VALUE = the data value

4 - NO. = number of occurrences of this value

5 - % = NO. as percent of total number of data values (ANAL)

6 - CUM = number unqualified records at & below this value

7 - CUM % -

8 - (col 1)= unqual values at or below this value, as % of ANAL

9 - (col 2)= unqual values above this value, as % of ANAL

10 - TOT CUM = number of values (N,L,T + unqual) at or below this value

11 - TOT CUM % -

12 - (col 1)= values not B,H,OTHER at or below this value, as % of ANAL

13 - (col 2)= values not B,H,OTHER above this value, as % of ANAL

14 -----

15 - B - value = no. values qualified with 'B' (= no data)

16 - - percent = % of all records read (READ)

17 - T - value = no. values qualified with 'T' (= trace)

18 - - percent = % of all values not B,H, or OTHER (ANAL)

19 - H - value = no. values qualified with 'H' (= interference)

20 - - percent = % of all values not B,H, or OTHER (ANAL)

21 - N - value = no. values qualified with 'N' (= not detected)

22 - - percent = % of all values not B,H, or OTHER (ANAL)

23 - L - value = no. values qualified with 'L' (= less than)

24 - - percent = % of all values not B,H, or OTHER (ANAL)

25 - G - value = no. values qualified with 'G' (= greater than)

26 - - percent = % of all values not B,H, or OTHER (ANAL)

27 - OTHER = no. qualified values not equal B,T,H,N,L,G

28 - - percent = % of all records read (READ)

29 - UNQUAL = no. unqualified data values

30 - ANAL = total no. valid data values (= unqualified + N,L,T,G)

31 - READ = no. input records read

32 -----

33 - MIN = minimum unqualified value

34 - MAX = maximum unqualified value

35 - AMEAN = arithmetic mean of unqualified values

36 - SD = standard deviation of unqualified values

37 - GMEAN = geometric mean of unqualified values

38 - GD = geometric deviation of unqualified values

39 - VALUES = no. of data values used to compute the above statistics.

40 - Note: geometric mean & deviation cannot be computed

41 - for a variable if one or more values are zero.

42

43 - RECOMPUTATION OF STATISTICS FOR QUALIFIED DATA

44

45 - If any data values are qualified with codes N, L, T, or G, then

46 - MIN, MAX, AMEAN, SD, GMEAN, and GD are recomputed after setting

47 - all values with N, L, or T codes equal to 1/2 the lowest qualified

48 - value and setting values with the code G equal to twice the

49 - highest qualified value. These estimates are usually good when

50 - the % of qualified values is small; becoming increasingly poor

51 - as that percentage increases.

Table 4.--Statistical summary of data from rock samples--Continued

COLUMN ID.: S-FE%


	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %		
1	0.050	3	0.11	3	0.1	99.9	12	0.4	99.6
2	0.070	1	0.04	4	0.1	99.9	13	0.5	99.5
3	0.100	3	0.11	7	0.3	99.7	16	0.6	99.4
4	0.150	4	0.14	11	0.4	99.6	20	0.7	99.3
5	0.200	11	0.40	22	0.8	99.2	31	1.1	98.9
6	0.300	14	0.50	36	1.3	98.7	45	1.6	98.4
7	0.500	66	2.37	102	3.7	96.3	111	4.0	96.0
8	0.700	71	2.55	173	6.2	93.8	182	6.5	93.5
9	1.000	138	4.96	311	11.2	88.8	320	11.5	88.5
10	1.500	217	7.80	528	19.0	81.0	537	19.3	80.7
11	2.000	351	12.61	879	31.6	68.4	888	31.7	68.1
12	3.000	435	15.63	1314	47.2	52.8	1323	47.5	52.5
13	5.000	589	21.16	1903	68.4	31.6	1912	68.7	31.3
14	7.000	273	9.81	2176	78.2	21.3	2185	78.5	21.5
15	10.000	369	13.26	2545	91.4	8.6	2554	91.8	8.2
16	15.000	201	7.22	2746	98.7	1.3	2755	99.0	1.0
17	20.000	19	0.68	2765	99.4	0.6	2774	99.7	0.3

P	T	H	N	L	G	OTHER	UNQUAL	ANAL	READ	VALUES
1	0	0	9	0	9	0	2765	2783	2784	VALUES
0.0	0.0	0.0	0.3	0.0	0.3	0.0				PERCENT

MIN	MAX	AMEAN	SD	GMEAN	GD	VALUES
0.050	20.00	5.245	4.16	3.687	2.51	2765
0.025	40.00	5.340	4.60	3.656	2.64	2783

Table 4.--Statistical summary of data from rock samples--Continued

COLUMN ID: S-FE%



Each increment (each X or I plotted) = 0.500 %

Table 4.--Statistical summary of data from rock samples--Continued

COLUMN ID.: S-MG%


	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %
1	0.020	19	0.68	19	0.7	33	1.2
2	0.030	20	0.72	39	1.4	53	1.9
3	0.050	33	1.19	72	2.6	86	3.1
4	0.070	48	1.72	120	4.3	134	4.8
5	0.100	70	2.52	190	6.8	204	7.3
6	0.150	96	3.45	286	10.3	300	10.8
7	0.200	89	3.20	375	13.5	389	14.0
8	0.300	122	4.38	497	17.9	511	18.4
9	0.500	192	6.90	689	24.8	703	25.3
10	0.700	223	8.01	912	32.8	926	33.3
11	1.000	259	9.31	1171	42.1	1185	42.6
12	1.500	322	11.57	1493	53.6	1507	54.2
13	2.000	545	19.58	2038	73.2	2052	73.7
14	3.000	439	15.77	2477	89.0	2491	89.5
15	5.000	196	7.04	2673	96.0	2687	96.6
16	7.000	79	2.84	2752	98.9	2766	99.4
17	10.000	13	0.47	2765	99.4	2779	99.9

B	T	H	N	L	G	OTHER	UNQUAL	ANAL	READ	VALUES
1	0	0	0	14	4	0	2765	2783	2784	PERCENT
0.0	0.0	0.0	0.0	0.5	0.1	0.0				

MIN	MAX	AMEAN	SD	GMEAN	GD	VALUES
0.020	10.00	1.861	1.68	1.104	3.39	2765
0.010	20.00	1.878	1.81	1.082	3.54	2783

Table 4.--Statistical summary of data from rock samples--Continued

COLUMN ID: S-MG%



Each increment (each X or I plotted) = 0.500 %

Table 4.--Statistical summary of data from rock samples--Continued

COLUMN ID.: S-CA%


	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %
1	0.050	22	0.79	22	0.8	54	1.9
2	0.070	23	0.83	45	1.6	77	2.3
3	0.100	15	0.54	60	2.2	92	3.3
4	0.150	29	1.04	89	3.2	121	4.3
5	0.200	30	1.08	119	4.3	151	5.4
6	0.300	34	1.22	153	5.5	185	6.6
7	0.500	101	3.63	254	9.1	286	10.3
8	0.700	176	6.32	430	15.5	462	16.6
9	1.000	266	9.56	696	25.0	728	26.2
10	1.500	423	15.20	1119	40.2	1151	41.4
11	2.000	532	19.12	1651	59.3	1683	60.5
12	3.000	557	20.01	2208	79.3	2240	80.5
13	5.000	365	13.12	2573	92.5	2605	93.6
14	7.000	95	3.41	2668	95.9	2700	97.0
15	10.000	49	1.76	2717	97.6	2749	98.8
16	15.000	6	0.22	2723	97.8	2755	99.0
17	20.000	19	0.68	2742	98.5	2774	99.7

B	T	H	N	L	S	OTHER	UNQUAL	ANAL	READ	VALUES
1	0	0	0	32	9	0	2742	2783	2784	VALUES
0.0	0.0	0.0	0.0	1.1	0.3	0.0				PERCENT

MIN	MAX	AMEAN	SD	GMEAN	GD	VALUES
0.050	20.00	2.656	2.47	1.840	2.60	2742
0.025	40.00	2.747	3.26	1.769	2.91	2783

Table 4.--Statistical summary of data from rock samples--Continued

COLUMN ID: S-CA%



Each increment (each x or l plotted) = 0.500 %

Table 4.--Statistical summary of data from rock samples--Continued


COLUMN ID.: S-TI%

	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %		
1	0.003	1	0.04	1	0.0	100.0	7	0.3	99.7
2	0.005	3	0.11	4	0.1	99.9	10	0.4	99.6
3	0.007	2	0.07	6	0.2	99.8	12	0.4	99.6
4	0.010	3	0.11	9	0.3	99.7	15	0.5	99.5
5	0.015	14	0.50	23	0.8	99.2	29	1.0	99.0
6	0.020	20	0.72	43	1.5	98.5	49	1.8	98.2
7	0.030	39	1.40	82	2.9	97.1	88	3.2	96.8
8	0.050	46	1.65	128	4.6	95.4	134	4.8	95.2
9	0.070	73	2.62	201	7.2	92.8	207	7.4	92.6
10	0.100	162	5.82	363	13.0	87.0	369	13.3	86.7
11	0.150	215	7.73	578	20.8	79.2	584	21.0	79.0
12	0.200	309	11.10	887	31.9	68.1	893	32.1	67.9
13	0.300	489	17.57	1376	49.4	50.6	1382	49.7	50.3
14	0.500	622	22.35	1998	71.8	28.2	2004	72.0	28.0
15	0.700	388	13.94	2386	85.7	14.3	2392	86.0	14.0
16	1.000	274	9.85	2660	95.6	4.4	2666	95.8	4.2

B	T	H	N	L	G	OTHER	UNQUAL	ANAL	READ	VALUES
1	0	0	1	5	117	0	2660	2783	2784	VALUES
0.0	0.0	0.0	0.0	0.2	4.2	0.0				PERCENT
MIN	MAX	AMEAN	SD	GMEAN	GD	VALUES				
0.003	1.00	0.422	0.28	0.313	2.43	2660				
0.001	2.00	0.488	0.42	0.334	2.67	2783				

Table 4.--Statistical summary of data from rock samples--Continued

COLUMN ID: S-TI%



Each increment (each X or I plotted) = 0.500 %

Table 4.--Statistical summary of data from rock samples--Continued

COLUMN ID.: S-MN


	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %
1	10.000	4	0.14	4	0.1	12	0.4
2	15.000	4	0.14	8	0.3	16	0.6
3	20.000	5	0.18	13	0.5	21	0.8
4	30.000	8	0.29	21	0.8	29	1.0
5	50.000	18	0.65	39	1.4	47	1.7
6	70.000	29	1.04	68	2.4	76	2.7
7	100.000	48	1.72	116	4.2	124	4.5
8	150.000	95	3.41	211	7.6	219	7.9
9	200.000	145	5.21	356	12.8	364	13.1
10	300.000	252	9.05	608	21.8	616	22.1
11	500.000	383	13.94	996	35.8	1004	36.1
12	700.000	555	19.94	1551	55.7	1559	56.0
13	1000.000	753	27.06	2304	82.8	2312	83.1
14	1500.000	293	10.53	2597	93.3	2605	93.6
15	2000.000	114	4.10	2711	97.4	2719	97.7
16	3000.000	43	1.55	2754	99.0	2762	99.2
17	5000.000	16	0.57	2770	99.5	2778	99.8

P	T	H	N	L	G	OTHER	UNQUAL	ANAL	READ	VALUES
1	0	0	1	7	5	0	2770	2783	2784	
0.0	0.0	0.0	0.0	0.3	0.2	0.0				PERCENT

MIN	MAX	A MEAN	SD	GMEAN	GD	VALUES
10.000	5000.00	844.412	624.64	639.708	2.31	2770
5.000	10000.00	858.448	735.42	633.972	2.41	2783

Table 4.--Statistical summary of data from rock samples--Continued

COLUMN ID: S-MN



Each increment (each x or l plotted) = 0.500 %

Table 4.--Statistical summary of data from rock samples--Continued

COLUMN ID.: S-AG


	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %	
1	0.500	78	2.80	78	2.8	2693	96.7	3.3
2	0.700	19	0.68	97	3.5	2712	97.4	2.6
3	1.000	21	0.75	118	4.2	2733	98.2	1.8
4	1.500	17	0.61	135	4.8	2750	98.3	1.2
5	2.000	8	0.29	143	5.1	2758	99.1	0.9
6	3.000	5	0.18	148	5.3	2763	99.2	0.8
7	5.000	1	0.04	149	5.4	2764	99.3	0.7
8	7.000	5	0.18	154	5.5	2769	99.5	0.5
9	10.000	2	0.07	156	5.6	2771	99.5	0.5
10	15.000	3	0.11	159	5.7	2774	99.6	0.4
11	20.000	1	0.04	160	5.7	2775	99.7	0.3
12	30.000	3	0.11	163	5.9	2778	99.3	0.2
13	50.000	1	0.04	164	5.9	2779	99.3	0.2
14	70.000	2	0.07	166	6.0	2781	99.9	0.1
15	150.000	1	0.04	167	6.0	2782	99.9	0.1
16	200.000	1	0.04	168	6.0	2783	100.0	0.0
17	300.000	1	0.04	169	6.1	2784	100.0	0.0

B	T	H	N	L	G	OTHER	UNQUAL	ANAL	READ	VALUES
0	0	0	2410	205	0	0	169	2784	2784	
0.0	0.0	0.0	86.6	7.4	0.0	0.0				PERCENT

MIN	MAX	AMEAN	SD	GMEAN	GD	VALUES
0.500	300.00	7.011	30.95	1.144	3.67	169
0.250	300.00	0.560	7.77	0.274	1.62	2784

Table 4.--Statistical summary of data from rock samples--Continued

COLUMN ID: S-AG



Each increment (each x or l plotted) = 0.100 %

Table 4.--Statistical summary of data from rock samples--Continued

COLUMN ID.: S-AS

	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %
1	700.000	1	0.04	1	0.0	100.0	2782
2	1500.000	1	0.04	2	0.1	99.9	2783
	310000.000	1	0.04	3	0.1	99.9	2784

B	T	H	N	L	G	OTHER	UNQUAL	ANAL	READ	VALUES
0	0	0	2769	12	0	0	3	2784	2784	VALUES
0.0	0.0	0.0	99.5	0.4	0.0	0.0				PERCENT

MIN	MAX	AMEAN	SD	GMEAN	GD	VALUES
700.000	10000.00	4066.667	5153.96	2189.760	3.93	3
100.000	10000.00	104.274	189.82	100.333	1.11	2784




Table 4.--Statistical summary of data from rock samples--Continued

COLUMN ID.: S-AU

	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %		
1	15.000	1	0.04	1	0.0	100.0	2783	100.0	0.0
2	30.000	1	0.04	2	0.1	99.9	2784	100.0	0.0

B	T	H	N	L	S	OTHER	UNQUAL	ANAL	READ	VALUES
0	0	0	2782	0	0	0	2	2784	2784	PERCENT
0.0	0.0	0.0	99.9	0.0	0.0	0.0				

MIN	MAX	AMEAN	SD	GMEAN	GD	VALUES
15.000	30.00	22.500	10.61	21.213	1.63	2
5.000	30.00	5.013	0.51	5.005	1.04	2784




Table 4.--Statistical summary of data from rock samples--Continued

COLUMN ID.: S-B

	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %		
1	10.000	206	7.40	206	7.4	92.6	2637	94.7	5.3
2	15.000	40	1.44	246	8.8	91.2	2677	96.2	3.8
3	20.000	35	1.26	281	10.1	89.9	2712	97.4	2.6
4	30.000	33	1.19	314	11.3	88.7	2745	98.6	1.4
5	50.000	9	0.32	323	11.6	88.4	2754	98.9	1.1
6	70.000	13	0.47	336	12.1	87.9	2767	99.4	0.6
7	100.000	9	0.32	345	12.4	87.6	2776	99.7	0.3
8	150.000	2	0.07	347	12.5	87.5	2778	99.8	0.2
9	200.000	4	0.14	351	12.6	87.4	2782	99.9	0.1
10	500.000	2	0.07	353	12.7	87.3	2784	100.0	0.0

B	T	H	N	L	G	OTHER	UNQUAL	ANAL	READ	VALUES
0	0	0	1133	1298	0	0	353	2784	2784	
0.0	0.0	0.0	40.7	46.6	0.0	0.0				PERCENT

MIN	MAX	A MEAN	SD	GMEAN	GD	VALUES
10.000	500.00	24.674	45.84	15.844	2.08	353
5.000	500.00	7.495	17.57	5.787	1.59	2784





Table 4.--Statistical summary of data from rock samples--Continued

COLUMN ID.: S-BA

	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %
1	20.000	13	0.47	13	0.5	68	2.4
2	30.000	10	0.36	23	0.8	78	2.8
3	50.000	23	0.83	46	1.7	101	3.5
4	70.000	14	0.50	60	2.2	115	4.1
5	100.000	53	1.90	113	4.1	168	6.0
6	150.000	54	1.94	167	6.0	222	8.0
7	200.000	76	2.73	243	8.7	298	10.7
8	300.000	117	4.20	360	12.9	415	14.9
9	500.000	150	5.39	510	18.3	565	20.3
10	700.000	260	9.34	770	27.7	825	29.6
11	1000.000	402	14.44	1172	42.1	1227	44.1
12	1500.000	609	21.88	1781	64.0	1836	65.9
13	2000.000	456	16.38	2237	80.4	2292	82.3
14	3000.000	246	8.84	2483	89.2	2538	91.2
15	5000.000	149	5.35	2632	94.5	2687	96.5

B	T	H	N	L	G	OTHER	UNQUAL	ANAL	READ	VALUES
0	0	0	39	16	97	0	2632	2784	2784	VALUES
0.0	0.0	0.0	1.4	0.6	3.5	0.0				PERCENT

MIN	MAX	AMEAN	SD	GMEAN	GD	VALUES
20.000	5000.00	1532.633	1158.83	1077.574	2.68	2632
10.000	10000.00	1797.572	1934.96	1061.711	3.44	2784



Each increment (each X or I plotted) = 0.500 %


Table 4.--Statistical summary of data from rock samples--Continued

COLUMN ID.: S-BE

	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %		
1	1.000	1242	44.61	1242	44.6	55.4	2089	75.0	25.0
2	1.500	371	13.33	1613	57.9	42.1	2460	88.4	11.6
3	2.000	184	6.61	1797	64.5	35.5	2644	95.0	5.0
4	3.000	55	1.98	1852	66.5	33.5	2699	96.9	3.1
5	5.000	34	1.22	1886	67.7	32.3	2733	98.2	1.8
6	7.000	24	0.86	1910	68.6	31.4	2757	99.0	1.0
7	10.000	9	0.32	1919	68.9	31.1	2766	99.4	0.6
8	15.000	7	0.25	1926	69.2	30.8	2773	99.6	0.4
9	20.000	6	0.22	1932	69.4	30.6	2779	99.8	0.2
10	30.000	4	0.14	1936	69.5	30.5	2783	100.0	0.0
11	50.000	1	0.04	1937	69.6	30.4	2784	100.0	0.0

R	T	H	N	L	G	OTHER	UNQUAL	ANAL	READ	VALUES
0	0	0	75	772	0	0	1937	2784	2784	VALUES
0.0	0.0	0.0	2.7	27.7	0.0	0.0				PERCENT

MIN	MAX	AMEAN	SD	GMEAN	GD	VALUES
1.000	50.00	1.629	2.40	1.305	1.64	1937
0.500	50.00	1.285	2.07	0.974	1.83	2784



Each increment (each x or l plotted) = 1.000 %

Table 4.--Statistical summary of data from rock samples--Continued

COLUMN ID.: S-BI

	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %	
1	10.000	2	0.07	2	0.1	99.9	2779	99.8
2	15.000	2	0.07	4	0.1	99.9	2781	99.9
3	20.000	1	0.04	5	0.2	99.8	2782	99.9
4	50.000	1	0.04	6	0.2	99.8	2783	100.0
5	70.000	1	0.04	7	0.3	99.7	2784	100.0

B	T	H	N	L	G	OTHER	UNQUAL	ANAL	READ	VALUES
0	0	0	2763	14	0	0	7	2784	2784	VALUES
0.0	0.0	0.0	99.2	0.5	0.0	0.0				PERCENT

MIN	MAX	AMEAN	SD	GMEAN	GD	VALUES
10.000	70.00	27.143	23.43	20.601	2.15	7
5.000	70.00	5.056	1.55	5.018	1.08	2784




Table 4.--Statistical summary of data from rock samples--Continued

COLUMN ID.: S-CD

	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %
1	50.000	1	0.04	1	0.0 100.0	2784	100.0 0.0

B	T	H	N	L	G	OTHER	UNQUAL	ANAL	READ	VALUES
0	0	0	2781	2	0	0	1	2784	2784	VALUES
0.0	0.0	0.0	99.9	0.1	0.0	0.0				PERCENT

MIN	MAX	AMEAN	SD	GMEAN	GD	VALUES
50.000	50.00	50.000	0.00	50.000	*****	1
10.000	50.00	10.014	0.76	10.006	1.03	2784




Table 4.--Statistical summary of data from rock samples--Continued

COLUMN ID.: S-CO

	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %		
1	5.000	371	13.33	371	13.3	86.7	1024	36.8	63.2
2	7.000	332	11.93	703	25.3	74.7	1356	48.7	51.3
3	10.000	415	14.91	1118	40.2	59.8	1771	63.6	36.4
4	15.000	292	10.49	1410	50.6	49.4	2063	74.1	25.9
5	20.000	306	10.99	1716	61.6	38.4	2369	85.1	14.9
6	30.000	198	7.11	1914	68.8	31.2	2567	92.2	7.8
7	50.000	151	5.42	2065	74.2	25.8	2718	97.6	2.4
8	70.000	44	1.58	2109	75.8	24.2	2762	99.2	0.8
9	100.000	18	0.65	2127	76.4	23.6	2780	99.9	0.1
10	150.000	2	0.07	2129	76.5	23.5	2782	99.9	0.1
11	200.000	1	0.04	2130	76.5	23.5	2783	100.0	0.0
12	1000.000	1	0.04	2131	76.5	23.5	2784	100.0	0.0

B	T	H	N	L	G	OTHER	UNQUAL	ANAL	READ	VALUES
0.0	0.0	0.0	392	261	0	0	2131	2784	2784	PERCENT
			14.1	9.4	0.0	0.0				

MIN	MAX	AMEAN	SD	GMEAN	GD	VALUES
5.000	1000.00	18.160	27.31	12.978	2.12	2131
2.500	1000.00	14.487	24.80	8.820	2.61	2784




Table 4.--Statistical summary of data from rock samples--Continued

COLUMN ID.: S-CR


	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %	
1	5.000	2	0.07	2	0.1	995	35.7	64.3
2	7.000	1	0.04	3	0.1	996	35.8	64.2
3	10.000	368	13.22	371	13.3	1364	49.0	51.0
4	15.000	231	8.30	602	21.6	1595	57.3	42.7
5	20.000	337	12.10	939	33.7	1932	69.4	30.6
6	30.000	202	7.26	1141	41.0	2134	76.7	23.3
7	50.000	174	6.25	1315	47.2	2308	82.9	17.1
8	70.000	138	4.96	1453	52.2	2446	87.9	12.1
9	100.000	112	4.02	1565	56.2	2558	91.9	8.1
10	150.000	73	2.62	1638	58.8	2631	94.5	5.5
11	200.000	50	1.80	1688	60.6	2681	96.3	3.7
12	300.000	37	1.33	1725	62.0	2718	97.6	2.4
13	500.000	22	0.79	1747	62.8	2740	98.4	1.6
14	700.000	23	0.83	1770	63.6	2763	99.2	0.8
15	1000.000	8	0.29	1778	63.9	2771	99.5	0.5
16	1500.000	6	0.22	1784	64.1	2777	99.7	0.3
17	2000.000	3	0.11	1787	64.2	2780	99.9	0.1
18	3000.000	1	0.04	1788	64.2	2781	99.9	0.1

B	T	H	N	L	G	OTHER	UNQUAL	ANAL	READ	VALUES
0	0	0	324	669	3	0	1788	2784	2784	
0.0	0.0	0.0	11.6	24.0	0.1	0.0				PERCENT

MIN	MAX	AMEAN	SD	GMEAN	GD	VALUES
5.000	3000.00	75.320	181.30	32.356	2.99	1788
2.500	10000.00	60.041	359.09	13.062	4.59	2784

Table 4.--Statistical summary of data from rock samples--Continued

COLUMN ID: S-CR



Each increment (each x or l plotted) = 0.500 %

Table 4.--Statistical summary of data from rock samples--Continued

COLUMN ID.: S-CU

	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %
1	5.000	330	11.85	330	11.9	1408	50.6 49.4
2	7.000	195	7.00	525	18.9	1603	57.6 42.4
3	10.000	196	7.04	721	25.9	1799	64.6 35.4
4	15.000	151	5.42	872	31.3	1950	70.0 30.0
5	20.000	163	5.85	1035	37.2	2113	75.9 24.1
6	30.000	163	5.85	1198	43.0	2276	81.8 18.2
7	50.000	155	5.57	1353	48.6	2431	87.3 12.7
8	70.000	102	3.66	1455	52.3	2533	91.0 9.0
9	100.000	93	3.34	1548	55.6	2626	94.3 5.7
10	150.000	59	2.12	1607	57.7	2685	96.4 3.6
11	200.000	46	1.65	1653	59.4	2731	98.1 1.9
12	300.000	21	0.75	1674	60.1	2752	98.9 1.1
13	500.000	13	0.47	1687	60.6	2765	99.3 0.7
14	700.000	4	0.14	1691	60.7	2769	99.5 0.5
15	1000.000	4	0.14	1695	60.9	2773	99.6 0.4
16	1500.000	4	0.14	1699	61.0	2777	99.7 0.3
17	2000.000	2	0.07	1701	61.1	2779	99.8 0.2
18	3000.000	1	0.04	1702	61.1	2780	99.9 0.1
19	5000.000	1	0.04	1703	61.2	2781	99.9 0.1
20	7000.000	1	0.04	1704	61.2	2782	99.9 0.1
21	10000.000	1	0.04	1705	61.2	2783	100.0 0.0
22	15000.000	1	0.04	1706	61.3	2784	100.0 0.0

B	T	H	N	L	G	OTHER	UNQUAL	ANAL	READ	VALUES
0	0	0	308	770	0	0	1706	2784	2784	VALUES
0.0	0.0	0.0	11.1	27.7	0.0	0.0				PERCENT

MIN	MAX	AMEAN	SD	GMEAN	GD	VALUES
5.000	15000.00	74.578	503.29	20.633	3.51	1706
2.500	15000.00	46.668	395.50	9.112	4.15	2784

Table 4.--Statistical summary of data from rock samples--Continued

COLUMN ID: S-CU




Table 4.--Statistical summary of data from rock samples--Continued

COLUMN ID.: S-M0

	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %	
1	5.000	45	1.62	45	1.6	98.4	2646	95.7
2	7.000	32	1.15	77	2.8	97.2	2678	96.2
3	10.000	29	1.04	106	3.8	96.2	2707	97.2
4	15.000	23	0.83	129	4.6	95.4	2730	98.1
5	20.000	18	0.65	147	5.3	94.7	2748	98.7
6	30.000	16	0.57	163	5.9	94.1	2764	99.3
7	50.000	8	0.29	171	6.1	93.9	2772	99.6
8	70.000	5	0.18	176	6.3	93.7	2777	99.7
9	100.000	3	0.11	179	6.4	93.6	2780	99.9
10	150.000	2	0.07	181	6.5	93.5	2782	99.9
11	1500.000	1	0.04	182	6.5	93.5	2783	100.0

B	T	H	N	L	G	OTHER	UNQUAL	ANAL	READ	VALUES
0	0	0	2529	72	1	0	182	2784	2784	PERCENT
0.0	0.0	0.0	90.8	2.6	0.0	0.0				

MIN	MAX	A MEAN	SD	G MEAN	GD	VALUES
5.000	1500.00	26.231	112.15	12.235	2.45	182
2.500	4000.00	5.487	81.17	2.781	1.61	2784





Table 4.--Statistical summary of data from rock samples--Continued

COLUMN ID.: S-NB

	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %		
1	10.000	136	4.89	136	4.9	95.1	2616	94.0	6.0
2	15.000	4	0.14	140	5.0	95.0	2620	94.1	5.9
3	20.000	70	2.51	210	7.5	92.5	2690	96.6	3.4
4	30.000	34	1.22	244	8.8	91.2	2724	97.8	2.2
5	50.000	30	1.08	274	9.8	90.2	2754	98.9	1.1
6	70.000	13	0.47	287	10.3	89.7	2767	99.4	0.6
7	100.000	15	0.54	302	10.8	89.2	2782	99.9	0.1
8	150.000	2	0.07	304	10.9	89.1	2784	100.0	0.0

B	T	H	N	L	G	OTHER	UNQUAL	ANAL	READ	VALUES
0	0	0	1892	588	0	0	304	2784	2784	VALUES
0.0	0.0	0.0	68.0	21.1	0.0	0.0				PERCENT

MIN	MAX	AMEAN	SD	GMEAN	GD	VALUES
10.000	150.00	26.480	25.28	19.373	2.08	304
5.000	150.00	7.346	10.70	5.797	1.63	2784



Each increment (each X or I plotted) = 0.100 %

Table 4.--Statistical summary of data from rock samples--Continued

COLUMN ID.: S-NI

	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %		
1	5.000	760	27.30	760	27.3	72.7	1557	55.9	44.1
2	7.000	209	7.51	969	34.8	65.2	1766	63.4	36.6
3	10.000	244	8.76	1213	43.6	56.4	2010	72.2	27.8
4	15.000	153	5.50	1366	49.1	50.9	2163	77.7	22.3
5	20.000	161	5.78	1527	54.8	45.2	2324	83.5	16.5
6	30.000	133	4.78	1660	59.6	40.4	2457	88.3	11.7
7	50.000	114	4.09	1774	63.7	36.3	2571	92.3	7.7
8	70.000	81	2.91	1855	66.6	33.4	2652	95.3	4.7
9	100.000	52	1.87	1907	68.5	31.5	2704	97.1	2.9
10	150.000	40	1.44	1947	69.9	30.1	2744	98.6	1.4
11	200.000	20	0.72	1967	70.7	29.3	2764	99.3	0.7
12	300.000	10	0.36	1977	71.0	29.0	2774	99.6	0.4
13	500.000	3	0.11	1980	71.1	28.9	2777	99.7	0.3
14	700.000	1	0.04	1981	71.2	28.8	2778	99.8	0.2
15	1500.000	1	0.04	1982	71.2	28.8	2779	99.8	0.2
16	2000.000	2	0.07	1984	71.3	28.7	2781	99.9	0.1
17	3000.000	1	0.04	1985	71.3	28.7	2782	99.9	0.1
18	5000.000	2	0.07	1987	71.4	28.6	2784	100.0	0.0

B	T	H	N	L	G	OTHER	UNQUAL	ANAL	READ	VALUES
0	0	0	251	546	0	0	1987	2784	2784	
0.0	0.0	0.0	9.0	19.6	0.0	0.0				VALUES PERCENT

MIN	MAX	AMEAN	SD	GMEAN	GD	VALUES
5.000	5000.00	33.960	190.76	12.424	2.92	1987
2.500	5000.00	24.953	161.78	7.851	3.19	2784

Table 4.--Statistical summary of data from rock samples--Continued

COLUMN ID: S-NI




Table 4.--Statistical summary of data from rock samples--Continued

COLUMN ID.: S-PB

	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %
1	10.000	492	17.67	492	17.7	82.3	740
2	15.000	615	22.09	1107	39.8	60.2	1355
3	20.000	638	22.92	1745	62.7	37.3	1993
4	30.000	453	16.27	2198	79.0	21.0	2446
5	50.000	221	7.94	2419	86.9	13.1	2667
6	70.000	85	3.05	2504	89.9	10.1	2752
7	100.000	16	0.57	2520	90.5	9.5	2768
8	150.000	5	0.18	2525	90.7	9.3	2773
9	200.000	2	0.07	2527	90.8	9.2	2775
10	1000.000	1	0.04	2528	90.8	9.2	2776
11	1500.000	3	0.11	2531	90.9	9.1	2779
12	7000.000	1	0.04	2532	90.9	9.1	2780
	1320000.000	1	0.04	2533	91.0	9.0	2781

B	T	H	N	L	G	OTHER	UNQUAL	ANAL	READ	VALUES
0	0	0	76	172	3	0	2533	2784	2784	VALUES
0.0	0.0	0.0	2.7	6.2	0.1	0.0				PERCENT

MIN	MAX	AMEAN	SD	GMEAN	GD	VALUES
10.000	20000.00	36.615	424.16	20.357	1.82	2533
5.000	40000.00	76.862	1372.50	18.111	2.10	2784




Table 4.--Statistical summary of data from rock samples--Continued

COLUMN ID.: S-SB

	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %	
1	150.000	1	0.04	1	0.0	100.0	2783	100.0 0.0
2	500.000	1	0.04	2	0.1	99.9	2784	100.0 0.0

B	T	H	N	L	G	OTHER	UNQUAL	ANAL	READ	VALUES
0	0	0	2779	3	0	0	2	2784	2784	VALUES
0.0	0.0	0.0	99.8	0.1	0.0	0.0				PERCENT

MIN	MAX	AMEAN	SD	GMEAN	GD	VALUES
150.000	500.00	325.000	247.49	273.861	2.34	2
50.000	500.00	50.198	8.74	50.061	1.05	2784




Table 4.--Statistical summary of data from rock samples--Continued

COLUMN ID.: S-SC

	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %
1	5.000	209	7.51	209	7.5	915	32.9 67.1
2	7.000	158	5.68	367	13.2	1073	38.5 61.5
3	10.000	355	12.75	722	25.9	1428	51.3 48.7
4	15.000	461	16.56	1183	42.5	1889	67.9 32.1
5	20.000	470	16.88	1653	59.4	2359	84.7 15.3
6	30.000	254	9.12	1907	68.5	2613	93.9 6.1
7	50.000	113	4.06	2020	72.6	2726	97.9 2.1
8	70.000	50	1.80	2070	74.4	2776	99.7 0.3
9	100.000	6	0.22	2076	74.6	2782	99.9 0.1
10	150.000	2	0.07	2078	74.6	2784	100.0 0.0

B	T	H	N	L	G	OTHER	UNQUAL	ANAL	READ	VALUES
0.0	0.0	0.0	365	341	0	0	2078	2784	2784	PERCENT

MIN	MAX	AMEAN	SD	GMEAN	GD	VALUES
5.000	150.00	19.098	14.61	15.338	1.92	2078
2.500	150.00	14.889	14.54	9.683	2.63	2784




Table 4.--Statistical summary of data from rock samples--Continued

COLUMN ID.: S-SN

	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %
1	10.000	28	1.01	28	1.0	2727	98.0
2	15.000	23	0.83	51	1.8	2750	98.3
3	20.000	23	0.83	74	2.7	2773	99.6
4	30.000	7	0.25	81	2.9	2780	99.9
5	50.000	3	0.11	84	3.0	2783	100.0
6	150.000	1	0.04	85	3.1	2784	100.0

B	T	H	N	L	G	OTHER	UNQUAL	ANAL	READ	VALUES
0.0	0.0	0.0	2691	8	0	0	85	2784	2784	PERCENT

MIN	MAX	AMEAN	SD	GMEAN	GD	VALUES
10.000	150.00	18.765	16.74	16.103	1.61	85
5.000	150.00	5.420	3.75	5.182	1.24	2784




Table 4.--Statistical summary of data from rock samples--Continued

COLUMN ID.: S-TH

NO UNQUALIFIED VALUES FOUND

B	T	H	N	L	G	OTHER	UNQUAL	ANAL	READ	VALUES PERCENT
345	0	0	2431	8	0	0	0	2439	2784	
12.4	0.0	0.0	99.7	0.3	0.0	0.0				


Table 4.--Statistical summary of data from rock samples--Continued

COLUMN ID.: S-V

	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %
1	10.000	60	2.16	60	2.2	186	6.7
2	15.000	46	1.65	106	3.8	232	8.3
3	20.000	87	3.13	193	6.9	319	11.5
4	30.000	132	4.74	325	11.7	451	16.2
5	50.000	196	7.04	521	18.7	647	23.2
6	70.000	213	7.65	734	26.4	860	30.9
7	100.000	303	10.88	1037	37.2	1163	41.8
8	150.000	374	13.43	1411	50.7	1537	55.2
9	200.000	512	18.39	1923	69.1	2049	73.5
10	300.000	359	12.90	2282	82.0	2408	86.5
11	500.000	250	8.98	2532	90.9	2658	95.5
12	700.000	74	2.66	2606	93.6	2732	98.1
13	1000.000	29	1.04	2635	94.6	2761	99.2
14	1500.000	12	0.43	2647	95.1	2773	99.6
15	2000.000	11	0.40	2658	95.5	2784	100.0

B	T	H	N	L	G	OTHER	UNQUAL	ANAL	READ	VALUES
0	0	0	91	35	0	0	2658	2784	2784	VALUES
0.0	0.0	0.0	3.3	1.3	0.0	0.0				PERCENT

MIN	MAX	AMEAN	SD	GMEAN	GD	VALUES
10.000	2000.00	215.952	230.15	137.338	2.77	2658
5.000	2000.00	206.404	229.12	118.215	3.36	2784



Each increment (each X or I plotted) = 0.500 %

Table 4.--Statistical summary of data from rock samples--Continued

COLUMN ID.: S-W

	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %	
1	50.000	1	0.04	1	0.0	100.0	2783	100.0 0.0
2	500.000	1	0.04	2	0.1	99.9	2784	100.0 0.0

B	T	H	N	L	G	OTHER	UNQUAL	ANAL	READ	VALUES
0	0	0	2773	9	0	0	2	2784	2784	
0.0	0.0	0.0	99.6	0.3	0.0	0.0				PERCENT

MIN	MAX	AMEAN	SD	GMEAN	GD	VALUES
50.000	500.00	275.000	318.20	158.114	5.09	2
25.000	500.00	25.180	9.01	25.033	1.06	2784




Table 4.--Statistical summary of data from rock samples--Continued

COLUMN ID.: S-Y

	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %		
1	10.000	383	13.76	383	13.8	86.2	910	32.7	57.3
2	15.000	345	12.39	728	26.1	73.9	1255	45.1	54.9
3	20.000	698	25.07	1426	51.2	48.8	1953	70.2	29.8
4	30.000	513	18.43	1939	69.6	30.4	2466	88.6	11.4
5	50.000	212	7.61	2151	77.3	22.7	2678	96.2	3.8
6	70.000	59	2.12	2210	79.4	20.6	2737	98.3	1.7
7	100.000	28	1.01	2238	80.4	19.6	2765	99.3	0.7
8	150.000	7	0.25	2245	80.6	19.4	2772	99.6	0.4
9	200.000	8	0.29	2253	80.9	19.1	2780	99.9	0.1
10	300.000	3	0.11	2256	81.0	19.0	2783	100.0	0.0
11	500.000	1	0.04	2257	81.1	18.9	2784	100.0	0.0

B	T	H	N	L	G	OTHER	UNQUAL	ANAL	READ	VALUES
0.0	0.0	0.0	10.7	8.2	3.0	0.0	2257	2784	2784	PERCENT

MIN	MAX	AMEAN	SD	GMEAN	GD	VALUES
10.000	500.00	26.555	24.57	21.857	1.76	2257
5.000	500.00	22.475	23.68	16.532	2.16	2784




Table 4.--Statistical summary of data from rock samples--Continued

COLUMN ID.: S-ZN

	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %	
1	200.000	39	1.40	39	1.4	98.6	2745	98.6 1.4
2	300.000	21	0.75	60	2.2	97.8	2766	99.4 0.6
3	500.000	9	0.32	69	2.5	97.5	2775	99.7 0.3
4	700.000	5	0.18	74	2.7	97.3	2780	99.9 0.1
5	1000.000	2	0.07	76	2.7	97.3	2782	99.9 0.1
6	2000.000	1	0.04	77	2.8	97.2	2783	100.0 0.0
7	3000.000	1	0.04	78	2.8	97.2	2784	100.0 0.0

B	T	H	N	L	G	OTHER	UNQUAL	ANAL	READ	VALUES
0	0	0	1681	1025	0	0	78	2784	2784	VALUES
0.0	0.0	0.0	60.4	36.8	0.0	0.0				PERCENT

MIN	MAX	AMEAN	SD	GMEAN	GD	VALUES
200.000	3000.00	373.077	399.57	298.574	1.75	78
100.000	3000.00	107.651	80.30	103.112	1.23	2784




Table 4.--Statistical summary of data from rock samples--Continued

COLUMN ID.: S-ZR

	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %
1	10.000	40	1.44	40	1.4	98.6	107
2	15.000	28	1.01	68	2.4	97.6	135
3	20.000	102	3.66	170	6.1	93.9	237
4	30.000	146	5.24	316	11.4	88.6	383
5	50.000	364	13.07	680	24.4	75.6	747
6	70.000	538	19.32	1218	43.8	56.3	1285
7	100.000	657	23.60	1875	67.3	32.7	1942
8	150.000	405	14.55	2280	81.9	18.1	2347
9	200.000	235	8.44	2515	90.3	9.7	2582
10	300.000	124	4.45	2639	94.8	5.2	2706
11	500.000	33	1.19	2672	96.0	4.0	2739
12	700.000	10	0.36	2682	96.3	3.7	2749
13	1000.000	14	0.50	2696	96.8	3.2	2763

B	T	H	N	L	G	OTHER	UNQUAL	ANAL	READ	VALUES
0	0	0	35	32	21	0	2696	2784	2784	
0.0	0.0	0.0	1.3	1.1	0.8	0.0				PERCENT

MIN	MAX	AMEAN	SD	GMEAN	GD	VALUES
10.000	1000.00	115.449	107.58	87.460	2.11	2696
5.000	2000.00	127.006	195.36	83.590	2.46	2784




Table 4.--Statistical summary of data from rock samples--Continued

COLUMN ID.: AA-AU-P

	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %
1	0.020	1	0.04	1	0.0	2757	99.1
2	0.050	2	0.07	3	0.1	2759	99.1
3	0.100	8	0.29	11	0.4	2767	99.4
4	0.150	3	0.11	14	0.5	2770	99.5
5	0.200	2	0.07	16	0.6	2772	99.6
6	0.500	1	0.04	17	0.6	2773	99.6
7	0.700	1	0.04	18	0.6	2774	99.7
8	1.000	1	0.04	19	0.7	2775	99.7
9	1.500	1	0.04	20	0.7	2776	99.7
10	2.000	1	0.04	21	0.8	2777	99.8
11	3.000	1	0.04	22	0.8	2778	99.8
12	5.000	1	0.04	23	0.8	2779	99.9
13	7.000	1	0.04	24	0.9	2780	99.9
14	15.000	2	0.07	26	0.9	2782	100.0
15	20.000	1	0.04	27	1.0	2783	100.0

B	T	H	N	L	G	OTHER	UNQUAL	ANAL	READ	VALUES
1	0	0	2642	114	0	0	27	2783	2784	27
0.0	0.0	0.0	94.9	4.1	0.0	0.0				PERCENT

MIN	MAX	AMEAN	SD	GMEAN	GD	VALUES
0.020	20.00	2.684	5.36	0.409	7.29	27
0.010	20.00	0.036	0.58	0.010	1.51	2783




Table 4.--Statistical summary of data from rock samples--Continued

COLUMN ID.: AA-CU-P

	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %		
1	5.000	515	18.77	515	18.8	81.2	1460	53.2	46.8
2	10.000	363	13.23	878	32.0	68.0	1823	66.4	33.6
3	15.000	184	6.71	1062	38.7	61.3	2007	73.1	26.9
4	20.000	216	7.87	1278	46.6	53.4	2223	81.0	19.0
5	30.000	123	4.48	1401	51.1	48.9	2346	85.5	14.5
6	50.000	137	4.99	1538	56.0	44.0	2483	90.5	9.5
7	70.000	91	3.32	1629	59.4	40.6	2574	93.8	6.2
8	100.000	103	3.75	1732	63.1	36.9	2677	97.6	2.4
9	150.000	23	0.84	1755	64.0	36.0	2700	98.4	1.6
10	200.000	19	0.69	1774	64.7	35.3	2719	99.1	0.9
11	300.000	10	0.36	1784	65.0	35.0	2729	99.5	0.5
12	500.000	5	0.18	1789	65.2	34.8	2734	99.6	0.4
13	700.000	1	0.04	1790	65.2	34.8	2735	99.7	0.3
14	1000.000	2	0.07	1792	65.3	34.7	2737	99.7	0.3
15	1500.000	1	0.04	1793	65.3	34.7	2738	99.8	0.2
16	2000.000	2	0.07	1795	65.4	34.6	2740	99.9	0.1
17	5000.000	1	0.04	1796	65.5	34.5	2741	99.9	0.1
18	7000.000	1	0.04	1797	65.5	34.5	2742	99.9	0.1
19	10000.000	1	0.04	1798	65.5	34.5	2743	100.0	0.0
20	15000.000	1	0.04	1799	65.6	34.4	2744	100.0	0.0

B	T	H	N	L	G	OTHER	UNQUAL	ANAL	READ	VALUES
40	0	0	108	837	0	0	1799	2744	2784	
1.4	0.0	0.0	3.9	30.5	0.0	0.0				PERCENT

MIN	MAX	A MEAN	SD	G MEAN	GD	VALUES
5.000	15000.00	54.722	478.62	16.183	3.03	1799
2.500	15000.00	36.737	388.30	8.506	3.54	2744

Table 4.--Statistical summary of data from rock samples--Continued

COLUMN ID: AA-CU-P




Table 4.--Statistical summary of data from rock samples--Continued

COLUMN ID.: AA-PB-P

	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %		
1	5.000	877	32.16	877	32.2	67.8	1238	45.4	54.6
2	10.000	932	34.18	1809	66.3	33.7	2170	79.6	20.4
3	15.000	296	10.85	2105	77.2	22.8	2466	90.4	9.6
4	20.000	185	6.78	2290	84.0	16.0	2651	97.2	2.8
5	30.000	50	1.83	2340	85.8	14.2	2701	99.0	1.0
6	50.000	16	0.59	2356	86.4	13.6	2717	99.6	0.4
7	70.000	3	0.11	2359	86.5	13.5	2720	99.7	0.3
8	100.000	6	0.22	2365	86.7	13.3	2726	100.0	0.0
9	1000.000	1	0.04	2366	86.8	13.2	2727	100.0	0.0

P	T	H	N	L	G	OTHER	UNQUAL	ANAL	READ	VALUES
40	0	17	18	343	0	0	2366	2727	2784	
1.4	0.0	0.6	0.7	12.6	0.0	0.0				PERCENT

MIN	MAX	AMEAN	SD	GMEAN	GD	VALUES
5.000	1000.00	10.970	21.87	8.979	1.72	2366
0.000	1000.00	9.518	20.70	16.757	*****	2727




Table 4.--Statistical summary of data from rock samples--Continued

COLUMN ID.: AA-ZN-P

	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %
1	5.000	57	2.08	57	2.1	79	2.9
2	10.000	135	4.92	192	7.0	214	7.8
3	15.000	104	3.79	296	10.8	318	11.6
4	20.000	323	11.78	619	22.6	641	23.4
5	30.000	354	12.91	973	35.5	995	36.3
6	50.000	777	28.33	1750	63.8	1772	64.6
7	70.000	682	24.86	2432	88.7	2454	89.5
8	100.000	220	8.02	2652	96.7	2674	97.5
9	150.000	40	1.46	2692	98.1	2714	98.9
10	200.000	16	0.58	2708	98.7	2730	99.5
11	300.000	5	0.18	2713	98.9	2735	99.7
12	500.000	4	0.15	2717	99.1	2739	99.9
13	700.000	1	0.04	2718	99.1	2740	99.9
14	1000.000	2	0.07	2720	99.2	2742	100.0
15	1500.000	1	0.04	2721	99.2	2743	100.0

B	T	H	N	L	G	OTHER	UNQUAL	ANAL	READ	VALUES
40	0	1	0	22	0	0	2721	2743	2784	VALUES
1.4	0.0	0.0	0.0	0.8	0.0	0.0				PERCENT

MIN	MAX	AMEAN	SD	GMEAN	GD	VALUES
5.000	1500.00	53.570	53.86	42.034	2.06	2721
2.500	1500.00	53.161	53.84	41.093	2.14	2743





Table 4.--Statistical summary of data from rock samples--Continued

COLUMN ID.: INST-HG

	VALUE	NO.	%	CUM.	CUM. %	TOT CUM	TOT CUM %
1	0.020	76	25.25	76	25.2	74.8	218
2	0.050	38	12.62	114	37.9	62.1	256
3	0.070	37	12.29	151	50.2	49.8	293
4	0.100	5	1.66	156	51.8	48.2	298
5	0.150	1	0.33	157	52.2	47.8	299
6	0.200	1	0.33	158	52.5	47.5	300
7	0.500	1	0.33	159	52.8	47.2	301

B	T	H	N	L	G	OTHER	UNQUAL	ANAL	READ	VALUES
2483	0	0	75	67	0	0	159	301	2784	VALUES
89.2	0.0	0.0	24.9	22.3	0.0	0.0				PERCENT

MIN	MAX	AMEAN	SD	GMEAN	GD	VALUES
0.020	0.50	0.046	0.05	0.037	1.89	159
0.010	0.50	0.029	0.04	0.020	2.22	301



Each increment (each x or l plotted) = 0.500 %

Table 4.--Statistical summary of data from rock samples--Continued

[Estimates recomputed by the method of Cohen]

ELEMENT	GEOMETRIC MEAN	GEOMETRIC DEVIATION	REMARKS
S-FEX	*****	*****	9 GREATER THAN VALUES. NO COMPUTATIONS.
S-MGX	*****	*****	4 GREATER THAN VALUES. NO COMPUTATIONS.
S-CAX	*****	*****	9 GREATER THAN VALUES. NO COMPUTATIONS.
S-TIX	*****	*****	117 GREATER THAN VALUES. NO COMPUTATIONS.
S-MN	*****	*****	5 GREATER THAN VALUES. NO COMPUTATIONS.
S-AG	0.00527	15.69	2615 NOT DETECTED, LESS THAN, OR TRACE VALUES. 169 REPORTED VALUES.
S-AS	0.000000	*****	2781 NOT DETECTED, LESS THAN, OR TRACE VALUES. 3 REPORTED VALUES.
S-AU	0.000194	28.38	2782 NOT DETECTED, LESS THAN, OR TRACE VALUES. 2 REPORTED VALUES.
S-B	15.8	2.08	2431 NOT DETECTED, LESS THAN, OR TRACE VALUES. 353 REPORTED VALUES.
S-BA	*****	*****	97 GREATER THAN VALUES. NO COMPUTATIONS.
S-BE	0.999	1.83	847 NOT DETECTED, LESS THAN, OR TRACE VALUES. 1937 REPORTED VALUES.
S-BI	0.00166	20.80	2777 NOT DETECTED, LESS THAN, OR TRACE VALUES. 7 REPORTED VALUES.
S-CO	8.466	2.84	653 NOT DETECTED, LESS THAN, OR TRACE VALUES. 2131 REPORTED VALUES.
S-CR	*****	*****	3 VALUES LESS THAN SPECIFIED LIMIT OF DETECTION. NO COMPUTATIONS.
S-CU	6.43	6.56	1078 NOT DETECTED, LESS THAN, OR TRACE VALUES. 1706 REPORTED VALUES.
S-LA	21.9	2.44	1100 NOT DETECTED, LESS THAN, OR TRACE VALUES. 1684 REPORTED VALUES.
S-MO	*****	*****	1 GREATER THAN VALUE. NO COMPUTATIONS.
S-NB	*****	*****	140 VALUES LESS THAN SPECIFIED LIMIT OF DETECTION. NO COMPUTATIONS.
S-NI	6.86	3.89	797 NOT DETECTED, LESS THAN, OR TRACE VALUES. 1987 REPORTED VALUES.
S-PB	*****	*****	3 GREATER THAN VALUES. NO COMPUTATIONS.
S-SB	0.000086	75.36	2782 NOT DETECTED, LESS THAN, OR TRACE VALUES. 2 REPORTED VALUES.
S-SC	9.29	2.88	706 NOT DETECTED, LESS THAN, OR TRACE VALUES. 2078 REPORTED VALUES.
S-SN	0.372	5.24	2699 NOT DETECTED, LESS THAN, OR TRACE VALUES. 85 REPORTED VALUES.
S-SR	*****	*****	2 GREATER THAN VALUES. NO COMPUTATIONS.
S-V	119.	3.34	126 NOT DETECTED, LESS THAN, OR TRACE VALUES. 2658 REPORTED VALUES.
S-W	0.000001	*****	2782 NOT DETECTED, LESS THAN, OR TRACE VALUES. 2 REPORTED VALUES.
S-Y	16.8	2.14	527 NOT DETECTED, LESS THAN, OR TRACE VALUES. 2257 REPORTED VALUES.
S-ZN	12.1	4.08	2706 NOT DETECTED, LESS THAN, OR TRACE VALUES. 78 REPORTED VALUES.
S-ZR	*****	*****	21 GREATER THAN VALUES. NO COMPUTATIONS.
AA-AU-P	*****	*****	2 VALUES LESS THAN SPECIFIED LIMIT OF DETECTION. NO COMPUTATIONS.
AA-CU-P	6.86	4.86	945 NOT DETECTED, LESS THAN, OR TRACE VALUES. 1799 REPORTED VALUES.
AA-PB-P	7.70	1.94	361 NOT DETECTED, LESS THAN, OR TRACE VALUES. 2366 REPORTED VALUES.
AA-ZN-P	40.9	2.08	22 NOT DETECTED, LESS THAN, OR TRACE VALUES. 2721 REPORTED VALUES.
INST-HG	0.0180	2.45	142 NOT DETECTED, LESS THAN, OR TRACE VALUES. 159 REPORTED VALUES.

Table 5.--Analytical data for rock geochemical samples

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	RK-TYPE	S-FEX	S-MGX	S-CAZ	S-TIX	S-MN	S-AG	S-AS	S-AU	S-B
68CK04S	ACI203	56 0 4	130 4 13	DM	10.00	3.00	7.00	.500	700	N	N	N	<10
68CK05SA	ACI204	56 0 12	130 4 12	VN	>20.00	<.02	<.05	<.002	150	30.0	<200	N	100
68CK05SB	ACI205	56 0 12	130 4 12	SC	15.00	.30	5.00	.050	700	70.0	<200	15	15
68CK05SC	ACI206	56 0 12	130 4 12	VQ	>20.00	.07	.05	.020	200	200.0	<200	30	150
68CK05SD	ACI207	56 0 12	130 4 12	VQ	>20.00	<.02	<.05	<.002	100	30.0	<200	N	70
68CK05SE	ACI208	56 0 12	130 4 12	GD	15.00	5.00	3.00	.700	1,000	N	<200	N	10
68CK07H	ACI279	56 2 47	130 17 24	QD	7.00	3.00	3.00	.700	5,000	<.5	N	N	20
68CK18BH	ACI288	56 2 0	130 18 20	SC	15.00	3.00	3.00	.500	1,500	N	N	N	<10
68CK20RH	ACI289	56 0 29	130 21 41	QM	3.00	.15	.50	.300	700	N	N	N	<10
68CK28H	ACI290	56 4 23	130 17 3	GD	10.00	5.00	10.00	.700	2,000	N	N	N	10
68CK29RH	ACI291	56 2 22	130 17 41	HF	10.00	2.00	10.00	.300	3,000	N	N	N	<10
68CK39H	ACI299	56 4 56	130 11 11	HF	20.00	5.00	5.00	1.000	3,000	N	N	N	<10
68CK44S	ACI255	56 2 52	130 5 21	GD	5.00	1.50	1.00	.200	500	1.5	<200	N	30
68CK45S	ACI256	56 4 42	130 5 42	GD	7.00	2.00	2.00	.300	1,000	<.5	N	N	10
68CK46S	ACI257	56 4 50	130 3 41	DI	20.00	5.00	10.00	.500	2,000	N	N	N	15
68CK47S	ACI258	56 3 37	130 3 52	GD	5.00	2.00	1.50	.500	700	<.5	<200	N	30
68CK48S	ACI259	56 4 24	130 3 42	GD	15.00	3.00	5.00	.700	2,000	N	<200	N	20
68CK49S	ACI260	56 2 48	130 3 12	DI	15.00	3.00	10.00	1.000	2,000	N	N	N	15
68CK50S	ACI261	56 2 24	130 3 12	PN	15.00	5.00	3.00	1.000	3,000	1.5	<200	N	15
68CK52S	ACI262	56 2 2	130 4 9	GD	2.00	.15	.07	.100	150	N	<200	N	N
68DN027	ACI311	56 1 48	130 6 39	GDD	3.00	1.50	1.50	.150	700	N	N	N	<10
68DN039	ACI232	56 0 18	130 3 3	VN	3.00	.30	.10	.150	300	30.0	N	N	30
68DN040	ACI233	56 0 18	130 3 3	VN	N	1.00	.07	.200	700	150.0	N	N	30
68DN041	ACI234	56 0 13	130 3 3	VN	15.00	1.00	.15	.200	300	300.0	N	N	30
68DN042	ACI235	56 0 18	130 3 3	VN	10.00	3.00	2.00	.700	1,000	1.0	N	N	10
68DN057	ACI292	56 1 50	130 18 46	AR	3.00	2.00	7.00	.300	1,500	N	N	N	N
68SJ055B	ACI283	56 3 55	130 4 9	GD	3.00	1.00	1.50	.150	500	<.5	<200	N	N
68SJ062	ACI234	56 4 15	130 3 27	VQ	20.00	1.50	3.00	.150	700	<.5	1,500	N	50
68SJ133C	ACI285	56 4 29	130 8 4	GD	10.00	2.00	3.00	.500	2,000	N	N	N	<10
68SJ136	ACI304	56 5 34	130 15 31	MS	5.00	1.50	3.00	.300	700	<.5	N	N	30
68SJ138	ACI286	56 5 22	130 15 37	HF	20.00	5.00	5.00	.700	2,000	<.5	N	N	<10
68SJ139B	ACI287	56 5 13	130 16 15	HF	3.00	1.50	1.50	.300	300	<.5	<200	N	N
68SJ150A	ACI265	56 0 40	130 2 5	GDF	>20.00	5.00	2.00	1.000	1,500	7.0	700	N	20
68SJ150B	ACI266	56 0 40	130 2 5	VN	>20.00	3.00	.50	.700	700	15.0	10,000	N	30
68SJ161	ACI305	56 1 48	130 15 4	HF	3.00	1.50	2.00	.150	700	N	N	N	N
68SJ164B	ACI306	56 5 20	130 17 50	HF	3.00	2.00	1.50	.150	300	.7	N	N	N
68SJ173B	ACI307	56 0 37	130 19 48	HF	5.00	2.00	5.00	.200	700	.7	N	N	<10
68SJ180C	ACI308	56 4 12	130 13 59	HF	7.00	2.00	2.00	.300	700	.5	N	N	<10
68SJ211	AGL001	56 1 1	130 0 37	GW	7.00	.70	.30	.300	300	<.5	N	N	30
72B065	80T392	56 1 35	130 42 51	GN	3.00	2.00	3.00	.500	1,500	N	N	N	<10
72B094	80T409	56 2 50	130 30 2	GD	3.00	.70	3.00	.150	1,000	N	N	N	<10
72B098	80T410	56 2 3	130 33 19	GD	2.00	.50	1.00	.150	300	N	N	N	<10
72B440	80T959	56 1 19	130 51 26	QM	.20	.07	1.50	.015	100	N	N	N	N
72B443A	80T960	56 0 19	130 51 26	PGD	1.50	.30	.50	.300	150	N	N	N	<10
72B442A	80A099	56 9 41	130 31 52	APD	1.50	.20	.50	.150	300	N	N	N	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-BA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-N3	S-VI	S-PB	S-S3	S-SC	S-SN
68CK04S	2,000	1.0	N	N	15	30	20	30	N	<10	7	50	N	15	N
68CK05SA	<20	N	N	N	10	15	700	<20	30	<10	<5	7,000	<100	<5	N
68CK05SB	3,000	N	N	N	10	15	500	20	15	10	<5	20,000	N	<5	N
68CK05SC	300	N	N	N	15	15	700	<20	70	<10	<5	1,000	<100	<5	N
68CK05SD	<20	N	N	N	10	10	150	<20	30	<10	<5	1,500	N	<5	N
68CK05SE	2,000	<1.0	N	N	10	15	70	<20	<5	<10	5	50	N	15	N
68CK07H	1,000	<1.0	N	N	5	15	50	30	N	10	7	15	N	15	N
68CK18RH	3,000	1.0	N	N	15	15	300	<20	N	<10	30	10	N	10	N
68CK20BH	1,500	<1.0	N	N	N	<5	70	70	N	<10	<5	30	N	<5	N
68CK28H	200	1.0	N	N	20	700	30	100	<5	10	70	20	N	20	N
68CK29BH	1,000	1.0	N	N	15	150	200	20	30	10	100	<10	N	N	N
68CK39H	2,000	<1.0	10	N	20	50	200	<20	N	<10	50	<10	N	30	N
68CK44S	2,000	1.0	N	N	15	10	500	20	N	10	7	15	N	15	N
68CK45S	3,000	1.0	N	N	10	10	30	20	N	10	7	30	N	10	N
68CK46S	1,500	1.5	N	N	50	300	200	<20	5	10	50	<10	N	50	N
68CK47S	2,000	1.5	N	N	15	15	150	20	N	10	7	10	N	15	N
68CK48S	3,000	1.5	N	N	20	15	200	30	N	10	30	<10	N	20	N
68CK49S	1,000	1.5	N	N	15	50	50	50	N	15	50	15	N	20	N
68CK50S	1,500	1.0	N	N	50	70	300	<20	N	15	70	20	N	15	N
68CK52S	1,500	1.0	N	N	7	N	15	<20	N	10	7	15	N	<5	N
68DN027	3,000	1.0	N	N	7	5	7	20	N	10	<5	<10	N	7	N
68DN039	>5,000	1.5	N	N	10	15	150	<20	150	<10	7	>20,000	<100	7	N
68DN040	>5,000	1.5	N	N	<5	10	200	20	<5	<10	<5	>20,000	150	15	N
68DN041	>5,000	1.5	N	N	15	20	3,000	<20	<5	10	15	>20,000	500	15	N
68DN042	3,000	1.0	N	N	20	70	200	20	<5	10	30	1,500	N	20	N
68DN057	1,500	<1.0	N	N	7	70	70	<20	<5	<10	70	15	N	7	N
68SJ055B	5,000	2.0	N	N	7	7	50	30	<5	10	5	15	N	7	N
68SJ052	300	1.0	N	N	1,000	30	2,000	<20	30	10	100	10	N	20	N
68SJ133C	5,000	1.0	N	N	10	5	300	20	N	10	<5	10	N	10	N
68SJ136	1,500	1.0	N	N	15	70	100	20	5	10	30	30	N	15	N
68SJ138	5,000	<1.0	N	N	15	70	200	<20	N	10	20	15	N	30	N
68SJ139R	1,500	1.0	N	N	7	30	50	<20	7	10	20	<10	N	15	N
68SJ150A	1,500	N	20	N	50	70	1,000	<20	7	<10	70	150	N	30	N
68SJ150B	1,500	N	N	N	100	70	1,500	<20	10	10	70	200	N	30	N
68SJ161	1,500	1.0	N	N	7	30	100	<20	N	<10	10	<10	N	10	N
68SJ1643	1,500	1.0	N	N	10	50	100	20	<5	10	30	30	N	7	N
68SJ173B	1,500	<1.0	N	N	15	100	100	20	15	10	70	70	N	15	N
68SJ180C	1,500	<1.0	N	N	15	70	150	<20	<5	10	20	15	N	15	N
68SJ211	1,500	<1.0	N	N	7	20	70	<20	<5	<10	<5	20	N	15	N
72B065	700	1.5	N	N	10	100	30	20	N	10	30	10	N	20	N
72B094	3,000	1.0	N	N	<5	15	30	70	N	10	5	70	N	7	N
72B09R	2,000	1.0	N	N	N	<10	20	30	N	<10	<5	30	N	N	N
72B443	1,500	1.0	N	N	N	N	70	N	N	N	<5	30	N	N	N
72B440A	200	<1.0	N	N	7	<10	150	N	N	<10	50	N	N	N	N
72B442A	1,500	1.0	N	N	N	15	100	N	N	10	5	50	N	N	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-SR	S-TH	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
68CK04S	<100	--	200	N	20	<200	150	<.02	--	--	--	--
68CK05SA	500	--	15	<50	<10	<200	<10	4.40	--	--	--	--
68CK05S9	<100	--	20	500	<10	N	<10	7.80	--	--	--	--
68CK05SC	<100	--	15	<50	<10	N	30	20.00	--	--	--	--
68CK05SD	500	--	10	N	<10	N	20	2.30	--	--	--	--
68CK05SE	700	--	300	N	15	N	70	.10	--	--	--	--
68CK07H	700	--	300	N	20	<200	200	<.02	--	--	--	--
68CK18BH	1,000	--	200	N	10	N	50	<.02	--	--	--	--
68CK20BH	100	--	10	N	<10	N	200	<.02	--	--	--	--
68CK28H	1,500	--	150	N	30	<200	70	<.02	--	--	--	--
68CK29BH	500	--	300	N	30	<200	150	<.02	--	--	--	--
68CK39H	700	--	500	N	20	<200	70	<.02	--	--	--	--
68CK44S	300	--	150	N	15	N	70	.20	--	--	--	--
68CK45S	500	--	150	N	15	<200	150	.10	--	--	--	--
68CK45S	1,000	--	300	N	15	<200	50	<.02	--	--	--	--
68CK47S	300	--	150	N	15	<200	50	<.02	--	--	--	--
68CK48S	700	--	500	N	15	<200	50	<.02	--	--	--	--
68CK49S	1,500	--	300	N	20	<200	500	<.02	--	--	--	--
68CK50S	500	--	500	<50	20	<200	70	<.02	--	--	--	--
68CK52S	100	--	30	<50	<10	<200	70	<.02	--	--	--	--
68DN027	500	--	100	N	15	N	70	<.02	--	--	--	--
68DN039	1,500	--	150	<50	10	500	20	16.00	--	--	--	--
68DN040	5,000	--	150	N	15	300	20	1.20	--	--	--	--
68DN041	300	--	150	N	15	500	70	17.30	--	--	--	--
68DN042	500	--	150	N	20	<200	100	<.02	--	--	--	--
68DN067	300	--	150	N	15	<200	70	<.02	--	--	--	--
68SJ055B	1,000	--	150	N	15	N	70	<.02	--	--	--	--
68SJ062	300	--	150	N	20	<200	<10	.04	--	--	--	--
68SJ133C	700	--	150	N	15	<200	300	<.02	--	--	--	--
68SJ136	700	--	150	N	20	200	70	<.02	--	--	--	--
68SJ138	1,000	--	500	N	20	<200	70	<.02	--	--	--	--
68SJ139B	300	--	150	N	15	<200	70	<.02	--	--	--	--
68SJ150A	<100	--	500	N	15	<200	<10	.60	--	--	--	--
68SJ150B	<100	--	300	N	10	<200	<10	3.40	--	--	--	--
68SJ161	500	--	150	N	10	<200	30	<.02	--	--	--	--
68SJ1649	300	--	150	N	10	200	70	<.02	--	--	--	--
68SJ1739	300	--	200	N	20	300	70	<.02	--	--	--	--
68SJ180C	500	--	150	N	20	N	70	<.02	--	--	--	--
68SJ211	150	--	100	N	15	N	70	.02	--	--	--	--
72R065	300	--	150	N	50	N	150	N	<5	10	65	.06
72R094	1,500	--	100	N	30	N	100	N	15	5	10	.06
72R093	700	--	50	N	15	N	300	N	10	5	30	.08
72R440	500	--	100	N	N	N	70	N	<5	5	10	N
72B440A	100	--	100	N	N	N	<10	N	100	5	25	N
72B442A	150	--	30	N	20	N	100	N	110	15	30	<.02

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	RK-TYPE	S-FEZ	S-MGZ	S-CAZ	S-TIZ	S-MN	S-AG	S-AS	S-AU	S-B
728442B	8GA100	56 9 41	130 31 52	HF	15.00	5.00	7.00	1.000	1,500	N	N	N	<10
728442C	8GA101	56 9 41	130 31 52	VN	15.00	3.00	7.00	>1.000	2,000	1.5	N	N	<10
728442D	8GA102	56 9 41	130 31 52	PGD	1.00	.15	1.50	.150	150	N	N	N	N
728443	8GA103	56 5 59	130 29 50	GD	5.00	2.00	3.00	.500	1,000	N	N	N	<10
728444	8GA104	56 5 2	130 36 11	GD	2.00	.70	2.00	.200	1,000	N	N	N	<10
728445	8GA105	56 10 4	130 37 0	QM	1.00	.15	.30	.070	300	N	N	N	N
728446	8GA106	56 10 2	130 36 27	QM	1.50	.20	.70	.150	300	N	N	N	N
728446A	8GA107	56 10 2	130 36 27	QM	.70	<.02	.50	.003	1,000	N	N	N	N
728451	8GA108	56 4 32	130 45 12	QM	1.50	.15	1.00	.100	300	N	N	N	N
728474	8GA554	56 9 0	130 43 23	QM	.70	.10	.30	.070	200	N	N	N	N
728474A	8GA555	56 9 0	130 43 23	GN	10.00	3.00	5.00	.700	1,500	N	N	N	<10
728475A	8GA556	56 8 29	130 44 44	QM	2.00	.50	1.50	.200	200	N	N	N	N
728475B	8GA557	56 8 29	130 44 44	GD	3.00	2.00	5.00	.500	1,000	N	N	N	N
728476	8GA558	56 8 2	130 44 55	GD	5.00	2.00	5.00	.700	1,000	N	N	N	N
728477	8GA559	56 7 0	130 45 45	QMG	3.00	.70	1.50	.300	1,000	N	N	N	N
728478	8GA560	56 5 49	130 45 43	QM	2.00	.20	1.50	.200	700	N	N	N	<10
728479	8GA561	56 4 45	130 45 48	QMG	7.00	2.00	3.00	.500	1,000	N	N	N	<10
728480	8GA562	56 3 45	130 45 42	GP	2.00	1.50	2.00	.200	700	N	N	N	<10
728481	8GA563	56 2 54	130 47 35	GD	7.00	2.00	3.00	.700	1,500	N	N	N	<10
728482	8GA564	56 1 59	130 48 22	QM	1.50	.50	1.00	.300	300	N	N	N	N
728483	8GA565	56 1 27	130 51 13	G0G	7.00	1.50	2.00	.700	700	N	N	N	<10
728484	8GA566	56 0 35	130 53 2	GN	1.00	.15	1.50	.150	300	N	N	N	N
728505	8GA625	56 3 33	130 43 21	GD	3.00	1.50	2.00	.300	700	N	N	N	<10
728507	8GA626	56 5 41	130 41 17	QMG	3.00	1.00	3.00	.300	700	N	N	N	<10
728508	8GA627	56 8 4	130 42 43	QM	3.00	.70	1.00	.200	300	N	N	N	<10
728509	8GA628	56 6 41	130 43 40	QM	.70	.15	1.00	.300	300	N	N	N	N
728510	8GA629	56 6 23	130 41 49	QM	1.50	.10	1.50	.200	150	N	N	N	<10
728511	8GA630	56 7 9	130 42 4	QM	1.50	.50	1.50	.200	300	N	N	N	<10
728511A	8GA631	56 7 9	130 42 4	GN	3.00	1.00	2.00	.300	700	N	N	N	<10
728512	8GA632	56 5 48	130 43 26	QM	.70	.15	1.50	.070	150	N	N	N	<10
728513	8GA633	56 4 17	130 43 43	QM	.50	.15	1.00	.030	200	N	N	N	N
728514	8GA634	56 2 16	130 44 50	VQ	.10	.02	.15	.015	50	N	N	N	N
728515	8GA635	56 0 30	130 45 59	GN	1.50	.70	1.50	.200	500	N	N	N	<10
728516	8GA636	56 0 45	130 48 17	PGD	1.50	1.00	5.00	.500	500	N	N	N	<10
728516R	8GA507	56 0 45	130 48 17	PG	3.00	1.50	5.00	.500	700	N	N	N	<10
728517	8GA637	56 0 4	130 50 20	GN	10.00	2.00	.70	.500	2,000	N	N	N	<10
728534	8GA699	56 0 32	130 40 57	GN	10.00	.70	1.00	.300	700	N	N	N	<10
728535	8GA700	56 1 53	130 39 40	GD	1.50	.50	.70	.200	300	N	N	N	<10
728536	8GA701	56 3 10	130 38 56	GD	2.00	1.00	2.00	.500	700	N	N	N	<10
728536A	8GA702	56 3 10	130 38 56	GP	7.00	3.00	5.00	.300	1,000	N	N	N	<10
728537	8GA703	56 3 50	130 40 19	GD	1.50	.50	1.00	.150	300	N	N	N	N
728538	8GA704	56 2 9	130 41 24	GN	5.00	3.00	2.00	.500	1,500	N	N	N	<10
728579	8GA840	56 0 39	130 33 17	QM	3.00	.70	1.50	.300	500	N	N	N	N
728579A	8GA841	56 0 39	130 33 17	PGD	N	<.02	<.05	.005	10	N	N	N	N
728580	8GA842	56 0 42	130 28 34	QM	3.00	.70	1.50	.500	700	N	N	N	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-RA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PB	S-SB	S-SC	S-SM
72B442R	200	N	N	N	30	15	70	N	<5	<10	50	15	N	50	N
72B442C	150	<1.0	N	N	30	15	700	<20	<5	<10	30	N	N	50	N
72B442D	300	3.0	N	N	<5	<10	10	50	15	<10	5	20	N	N	N
72B443	1,500	<1.0	N	N	7	30	5	30	N	10	5	15	N	15	N
72B444	3,000	1.0	N	N	N	15	<5	70	N	<10	<5	50	N	<5	N
72B445	1,500	<1.0	N	N	N	N	7	<20	N	<10	<5	30	N	N	N
72B445	1,000	1.0	N	N	N	N	<5	30	N	<10	<5	30	N	N	N
72B446A	300	1.0	N	N	N	N	5	N	N	N	<5	30	N	N	N
72B451	>5,000	<1.0	N	N	N	N	<5	N	N	<10	<5	70	N	N	N
72B474	300	<1.0	N	N	N	70	5	N	N	<10	<5	30	N	N	N
72B474A	1,500	<1.0	N	N	10	70	30	<20	N	10	<5	30	N	30	N
72B475A	>5,000	<1.0	N	N	N	15	20	N	N	<10	<5	30	N	N	N
72B475R	1,500	1.0	N	N	10	70	30	20	N	10	10	30	N	20	N
72B476	1,500	1.0	N	N	10	15	30	<20	N	10	5	20	N	20	N
72B477	2,000	1.0	N	N	N	N	20	N	N	10	<5	50	N	5	N
72B478	500	1.0	N	N	N	N	30	30	N	<10	<5	70	N	N	N
72B479	1,500	1.0	N	N	15	<10	30	20	N	10	5	50	N	15	N
72B490	1,500	1.5	N	N	<5	70	15	30	N	<10	20	20	N	15	N
72B481	1,500	1.0	N	N	15	15	30	30	N	10	7	20	N	30	N
72B482	>5,000	<1.0	N	N	N	N	30	30	N	<10	<5	50	N	N	N
72B483	1,000	<1.0	N	N	7	<10	50	50	<5	10	5	20	N	15	N
72B484	200	1.0	N	N	N	30	50	N	30	<10	15	N	N	N	N
72B505	300	1.0	N	N	7	N	30	<20	N	<10	N	15	N	15	N
72B507	1,000	1.0	N	N	7	<10	30	<20	N	10	N	30	N	15	N
72B508	1,500	1.0	N	N	N	N	15	<20	N	<10	<5	20	N	5	N
72B509	2,000	1.0	N	N	N	N	20	70	N	30	N	50	N	<5	N
72B510	1,500	<1.0	N	N	N	N	15	150	N	10	N	30	N	N	N
72B511	1,500	<1.0	N	N	N	N	30	20	N	<10	N	20	N	N	N
72B511A	1,000	1.0	N	N	7	N	20	20	N	10	<5	20	N	15	N
72B512	1,500	1.0	N	N	N	N	30	30	N	N	<5	30	N	N	N
72B513	1,500	<1.0	N	N	N	N	10	N	N	N	N	30	N	N	N
72B514	30	1.0	N	N	N	N	15	N	N	N	N	N	N	N	N
72B515	3,000	<1.0	N	N	5	N	20	<20	N	<10	<5	30	N	5	N
72B515	1,500	1.5	N	N	5	50	20	20	5	10	15	20	N	7	N
72B515R	2,000	1.5	N	N	7	150	<5	30	N	10	20	30	N	10	N
72B517	700	N	N	N	20	200	30	70	<5	10	30	30	N	50	N
72B534	3,000	<1.0	N	N	N	<10	50	N	<5	15	<5	50	N	5	N
72B535	3,000	1.0	N	N	N	N	30	<20	N	<10	<5	30	N	5	N
72B535	3,000	<1.0	N	N	20	N	30	20	N	<10	<5	20	N	5	N
72B536A	1,000	1.0	N	N	7	30	70	N	<5	10	7	20	N	30	N
72B537	1,500	<1.0	N	N	N	N	20	N	N	<10	<5	20	N	N	N
72B538	1,000	<1.0	N	N	7	30	30	<20	30	10	20	15	N	20	N
72B579	1,500	<1.0	N	N	N	N	10	<20	N	<10	N	15	N	5	N
72B579A	30	N	N	N	N	N	5	N	N	N	<5	N	N	N	N
72B580	1,500	1.0	N	N	N	N	15	30	N	10	<5	15	N	7	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-SR	S-TH	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
72R42B	300	--	700	N	30	N	100	N	80	<5	10	.02
72R42C	150	--	700	N	30	N	150	N	420	5	45	.04
72R42D	300	--	30	N	10	N	100	V	10	5	5	.02
72R443	700	--	150	N	20	N	70	N	5	5	70	.02
72R444	1,500	--	100	N	10	N	100	V	<5	5	10	.02
72R445	200	--	15	N	N	N	70	N	<5	10	30	.06
72R445	150	--	15	V	10	N	100	N	<5	5	25	.24
72R445A	<100	--	15	N	30	N	100	N	10	<5	5	.06
72R451	1,500	--	15	V	N	N	70	N	<5	5	10	.02
72R474	<100	--	15	N	N	N	20	V	10	<5	10	N
72B474A	1,000	--	200	N	15	N	200	N	15	<5	30	N
72B475A	1,500	--	70	N	N	N	70	N	<5	<5	20	.02
72B475B	1,000	--	150	N	20	N	70	N	15	5	60	N
72R476	1,500	--	150	N	20	N	200	N	25	5	50	N
72B477	700	--	70	N	10	N	200	V	10	5	100	N
72R478	1,500	--	70	N	15	N	200	N	5	<5	25	N
72B479	1,000	--	200	N	15	N	100	N	5	5	60	N
72B480	300	--	150	N	20	N	70	N	5	<5	30	.02
72B481	1,000	--	200	N	30	N	300	N	5	5	75	N
72B482	1,500	--	50	N	N	N	300	N	5	<5	45	.02
72B483	500	--	100	N	15	N	500	V	15	<5	40	N
72B484	300	--	150	N	20	N	30	V	15	<5	5	V
72B505	700	--	150	N	15	N	150	N	15	5	80	.02
72B507	2,000	--	150	V	15	N	300	N	20	<5	20	N
72B508	700	--	70	V	N	N	50	.15	<5	<5	40	N
72B509	1,500	--	30	N	70	N	100	N	<5	<5	30	N
72B510	1,000	--	50	N	50	N	100	V	5	<5	30	.02
72B511	700	--	50	N	10	N	200	N	<5	<5	50	N
72B511A	700	--	150	N	10	N	150	N	5	<5	70	N
72B512	1,500	--	20	V	N	N	50	N	<5	<5	30	.04
72B513	1,500	--	15	N	N	N	70	V	<5	<5	20	N
72B514	<100	--	10	N	N	N	<10	N	<5	<5	10	.02
72B515	1,000	--	70	N	10	N	70	N	10	<5	40	.04
72B515	1,500	--	50	V	15	N	200	N	<5	5	30	.02
72B515R	1,500	--	100	V	20	N	70	N	<5	20	50	N
72B517	150	--	150	N	70	N	300	N	20	5	60	.02
72B534	700	--	300	N	15	N	70	V	30	5	5	.02
72B535	700	--	30	N	<10	N	150	N	5	<5	30	V
72B535	1,500	--	70	N	10	N	300	V	10	5	80	N
72B535A	700	--	500	V	10	N	70	N	80	<5	10	N
72B537	500	--	30	N	N	N	70	N	<5	<5	30	.02
72B538	300	--	150	N	15	N	70	N	55	5	80	N
72B572	700	--	50	N	N	N	200	V	5	10	100	.02
72B572A	1	--	10	N	N	N	<10	N	<5	<5	5	<.02
72B587	700	--	70	N	10	V	300	N	5	<5	100	<.02

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	LAH NO.	LATITUDE	LONGITUDE	RK-TYPE	S-FEZ	S-MGZ	S-CAZ	S-TIX	S-MN	S-AG	S-AS	S-AU	S-B
72B580A	BGAR43	56 0 42	130 28 34	PGD	2.00	.50	1.50	.200	300	N	N	N	N
72B580B	BGAR44	56 0 42	130 28 34	APD	1.50	.15	.30	.150	500	N	N	N	N
72B581	BGAR45	56 0 59	130 25 42	PH	7.00	3.00	1.50	.500	700	N	N	N	<10
72B581A	BGAR46	56 0 59	130 25 42	APD	.30	.15	.50	.030	150	N	N	N	N
72B581B	BGAR47	56 0 59	130 25 42	VQ	1.50	.70	1.00	.200	500	N	N	N	N
72B582	BGAR48	56 0 43	130 24 16	QM	1.50	.30	1.50	.300	500	N	N	V	V
72B583	BGAR49	56 1 1	130 24 32	HF	10.00	1.50	1.50	1.000	1,500	N	N	N	<10
72B583A	BGAR50	56 1 1	130 24 32	APD	1.50	.30	.70	.150	700	N	N	N	N
72B583B	BGAR51	56 1 1	130 24 32	VQ	7.00	1.00	.70	.300	700	N	N	N	<10
72B583C	BGAR52	56 1 1	130 24 32	HF	15.00	2.00	.30	1.000	2,000	15.0	N	N	<10
72B584	BGAR53	56 1 34	130 22 51	HF	10.00	10.00	7.00	.300	1,500	N	N	N	<10
72B584A	BGAR54	56 1 34	130 22 51	CS	7.00	7.00	5.00	.500	1,000	N	N	N	<10
72B584B	BGAR55	56 1 34	130 22 51	AP	1.50	.50	1.50	.150	200	N	N	N	N
72B585	BGAR56	56 2 44	130 21 12	HF	10.00	2.00	7.00	.500	1,500	N	N	N	<10
72B587	BGAR57	56 2 24	130 23 0	HF	10.00	3.00	5.00	.500	1,000	N	N	N	<10
72B587R	BGAR727	56 2 24	130 23 0	HF	10.00	3.00	5.00	.300	1,500	N	N	N	<10
72B588	BGAR58	56 1 21	130 28 23	HF	3.00	.70	2.00	.300	700	N	N	N	<10
72B588A	BGAR59	56 1 21	130 28 23	APD	2.00	.70	1.50	.150	700	N	N	N	N
72B589	BGAR73	56 0 28	130 20 3	HF	10.00	5.00	7.00	.500	1,000	.7	N	N	<10
72B589A	BGAR74	56 0 28	130 20 3	QMD	2.00	.70	1.50	.150	700	1.5	N	N	N
72B589B	BGAR75	56 0 28	130 20 3	HF	10.00	3.00	7.00	.500	1,500	N	N	N	<10
72B589R	BGAR728	56 0 28	130 20 3	HF	7.00	3.00	7.00	.300	1,500	.7	N	N	<10
72B590	BGAR76	56 1 19	130 33 52	QM	1.50	.15	.50	.070	150	N	N	N	N
72B590A	BGAR77	56 1 19	130 33 52	SK	10.00	3.00	10.00	.500	1,500	N	N	N	<10
72B591	BGAR78	56 0 59	130 29 51	QM	3.00	.70	1.50	.300	500	N	N	N	N
72B592	BGAR79	56 1 14	130 19 17	HF	5.00	2.00	3.00	.500	1,000	N	N	N	<10
72B594	BGAR81	56 9 19	130 41 9	QM	3.00	.70	1.50	.300	500	N	N	V	<10
72B595	BGAR82	56 10 4	130 39 9	GP	3.00	.70	1.50	.300	700	N	N	N	<10
72B595A	BGAR83	56 10 4	130 39 9	PGD	.15	.03	.15	.015	50	N	N	N	N
72B595	BGAR84	56 11 27	130 37 56	GOG	5.00	3.00	5.00	.700	1,500	N	N	N	<10
72B597	BGAR85	56 12 28	130 36 20	GD	5.00	1.00	2.00	.300	700	N	N	N	<10
72B598	BGAR86	56 11 49	130 35 24	QM	3.00	.70	1.50	.300	1,500	N	N	N	<10
72B599	BGAR87	56 11 25	130 36 14	GP	7.00	2.00	1.50	.500	1,500	N	N	N	<10
72B600	BGAR88	56 10 47	130 36 0	GP	7.00	1.50	1.50	.500	1,000	N	N	N	<10
72B601	BGAR89	56 9 28	130 37 58	GN	15.00	5.00	7.00	.700	1,500	.7	N	N	<10
72B601B	BGAR90	56 9 28	130 37 58	VN	15.00	1.50	10.00	.500	5,000	70.0	N	N	<10
72B602	BGAR91	56 8 4	130 38 41	QM	1.50	.30	1.00	.150	300	.7	N	N	N
72B603	BGAR92	56 6 27	130 35 48	QM	1.50	.70	1.50	.150	300	N	N	N	V
72B604	BGAR93	56 7 57	130 35 51	RD	2.00	.30	1.00	.150	500	N	N	N	N
72B604A	BGAR94	56 7 57	130 35 51	GN	15.00	7.00	7.00	>1.000	1,500	N	N	N	<10
72B604B	BGAR95	56 7 57	130 35 51	VQ	1.50	.50	1.50	.030	300	<.5	N	N	N
72B605	BGAR96	56 9 23	130 35 5	GD	3.00	1.50	3.00	.700	700	N	N	N	N
72B605A	BGAR97	56 9 23	130 35 5	AM	10.00	7.00	10.00	1.000	2,000	N	N	N	<10
72B605B	BGAR98	56 9 23	130 35 5	GN	7.00	1.50	2.00	.700	700	N	N	N	<10
72B605D	BGAR99	56 9 23	130 35 5	VQ	3.00	.70	2.00	.150	700	1.0	N	N	<10

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-BA	S-9E	S-RI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PB	S-SB	S-SC	S-SN
72B58DA	2,000	1.5	N	N	N	N	7	N	N	<10	<5	15	N	<5	N
72B58DB	700	1.0	N	N	N	10	10	N	N	10	<5	50	N	N	N
72B58E	700	1.0	N	20	300	50	10	N	7	N	100	<10	N	20	N
72B58IA	150	2.0	N	N	N	10	10	N	<5	N	N	50	N	N	N
72B58IB	150	<1.0	N	N	50	20	20	N	20	N	30	<10	N	7	N
72B58J	1,000	1.0	N	N	N	30	30	N	N	10	<5	20	N	<5	N
72B58K	1,000	1.5	N	30	N	150	150	N	5	N	N	30	N	30	N
72B58L	500	2.0	N	N	N	15	15	N	N	10	N	30	N	N	N
72B58M	200	<1.0	N	<5	N	150	150	N	<5	10	<5	15	N	15	N
72B58N	150	1.5	15	N	<5	200	200	20	5	10	N	70	N	20	N
72B58O	700	<1.0	N	70	1,500	20	20	N	<5	10	300	15	N	50	N
72B58P	1,500	<1.0	N	N	70	15	15	N	N	N	70	15	N	30	N
72B58Q	1,500	1.0	N	30	N	10	10	N	N	<10	<5	10	N	10	N
72B58R	1,000	1.5	N	<10	N	10	10	N	N	<10	N	30	N	7	N
72B58S	1,000	<1.0	N	30	100	200	200	N	<5	10	15	30	N	30	N
72B58T	700	1.5	N	N	10	50	50	<20	N	10	<5	30	N	7	N
72B58U	1,500	<1.0	N	N	30	30	100	N	<5	<10	15	30	N	50	N
72B58V	1,500	1.0	N	30	N	10	50	N	N	10	<5	30	N	10	N
72B58W	700	<1.0	N	N	30	100	150	N	<5	<10	50	15	N	50	N
72B58X	1,500	<1.0	N	5	100	70	70	N	<5	<10	10	50	N	30	N
72B58Y	1,000	<1.0	N	30	N	7	7	20	N	<10	<5	15	N	N	N
72B58Z	300	<1.0	N	30	70	10	10	70	<5	10	15	15	N	20	N
72B59A	1,500	1.0	N	N	10	30	30	30	N	<10	<5	15	N	N	N
72B59B	1,500	1.0	N	N	15	30	50	<20	N	10	20	15	N	15	N
72B59C	2,000	1.0	N	N	<5	20	20	70	N	10	<5	30	N	N	N
72B59D	700	1.5	N	5	N	15	15	30	<5	10	10	20	N	10	N
72B59E	200	<1.0	N	N	N	5	5	N	N	N	<5	30	N	N	N
72B59F	150	2.0	N	N	15	70	15	<20	N	10	70	20	N	15	N
72B59G	2,000	1.0	N	N	<5	N	15	150	N	10	<5	30	N	15	N
72B59H	2,000	1.5	N	N	N	15	15	30	N	10	N	30	N	<5	N
72B59I	1,500	1.0	N	N	50	50	20	<20	N	10	20	30	N	20	N
72B59J	2,000	<1.0	N	10	15	20	20	<20	N	10	15	15	N	20	N
72B60A	150	1.0	N	N	30	30	15	N	5	10	70	70	N	30	N
72B60B	30	1.0	70	N	10	15	15	N	70	10	15	1,500	N	20	N
72B60C	1,500	<1.0	N	N	N	15	15	30	N	<10	<5	30	N	N	N
72B60D	1,500	<1.0	N	N	N	7	7	30	N	<10	<5	15	N	N	N
72B60E	1,500	1.5	N	N	N	7	7	30	N	<10	<5	15	N	N	N
72B60F	700	N	N	N	100	30	30	N	<5	10	70	10	N	50	N
72B60G	<20	<1.0	N	N	<5	N	50	N	N	<10	7	N	N	N	N
72B60H	1,500	1.5	N	N	<5	15	20	<20	N	<10	<5	15	N	10	N
72B60I	500	<1.0	N	N	30	200	50	N	<5	<10	100	20	N	50	N
72B60J	700	<1.0	N	N	10	30	50	N	N	<10	15	15	N	20	N
72B60K	700	1.5	15	N	<5	100	100	<20	20	<10	<5	20	N	10	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-SR	S-TH	S-V	S-W	S-Y	S-ZV	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
72R587A	700	--	30	N	<10	N	100	N	<5	5	50	.10
72R590B	200	--	15	N	<10	N	70	N	<5	15	35	<.02
72R591	300	--	200	N	20	N	150	V	60	10	120	<.02
72R591A	<100	--	10	N	N	N	70	V	<5	5	15	.04
72R581B	100	--	70	N	N	N	50	N	20	5	10	<.02
72R582	700	--	30	N	N	N	200	N	<5	<5	60	.02
72R593	100	--	200	N	50	<200	150	N	150	15	180	.02
72R593A	200	--	30	N	N	N	50	N	5	10	75	.06
72R593B	<100	--	150	N	70	N	30	N	110	10	90	<.02
72R593C	<100	--	150	<50	70	N	150	N	140	35	100	<.02
72R584	150	--	200	N	15	N	30	N	<5	5	25	.08
72R584A	500	--	300	V	20	N	30	N	5	10	30	.04
72R584B	700	--	30	N	N	N	100	N	25	10	15	.02
72R586	700	--	300	N	20	N	70	N	60	5	60	<.02
72R587	1,000	--	300	N	20	N	50	N	60	10	40	<.02
72R587R	1,500	--	300	N	15	N	30	N	95	10	60	.06
72R588	500	--	150	V	10	N	70	N	<5	5	45	.04
72R589A	300	--	50	N	<10	N	70	N	<5	5	25	.02
72R589	700	--	300	N	20	N	70	V	270	10	60	.04
72R589A	300	--	70	N	10	N	70	V	50	10	10	<.02
72R589B	1,000	--	300	N	15	N	50	N	110	5	30	<.02
72R589R	1,500	--	300	N	15	N	50	N	140	15	40	.06
72R590	300	--	30	N	N	N	200	N	5	5	20	.02
72R590A	500	--	300	N	30	<200	70	V	10	10	80	.08
72R591	700	--	50	N	10	N	150	N	5	5	80	.02
72R592	700	--	200	N	20	N	70	V	85	15	100	.04
72R594	700	--	70	N	10	N	300	N	5	5	55	.02
72R595	150	--	100	N	20	N	150	N	10	10	60	.06
72R595A	<100	--	10	N	N	N	70	N	5	5	10	<.02
72R596	200	--	200	N	30	N	70	N	5	5	30	<.02
72R597	700	--	100	N	20	N	150	V	15	5	60	<.02
72R598	700	--	70	N	20	N	200	V	5	5	70	<.02
72R599	200	--	200	N	15	<200	100	N	85	10	130	<.02
72R600	700	--	150	N	30	<200	150	N	30	10	70	<.02
72R601	300	--	300	N	30	<200	70	N	35	60	180	<.02
72R601B	1,500	--	300	N	15	<200	70	V	15	1,000	450	.02
72R602	500	--	20	N	N	N	300	N	5	5	30	<.02
72R603	700	--	20	N	N	N	70	N	5	5	50	<.02
72R604	300	--	20	V	<10	N	200	N	<5	15	40	<.02
72R604A	150	--	300	N	30	N	150	N	60	5	10	<.02
72R604B	<100	--	30	V	N	N	<10	N	120	5	10	<.02
72R605	700	--	100	N	10	N	500	N	15	5	80	.55
72R605A	500	--	300	N	15	N	70	N	45	10	20	.06
72R605B	300	--	200	N	15	N	100	N	15	5	70	.02
72R605D	150	--	150	N	10	N	50	N	80	<5	10	.02

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	LAR NO.	LATITUDE	LONGITUDE	RK-TYPE	S-FEZ	S-MGZ	S-CAX	S-TIX	S-MN	S-AG	S-AS	S-AU	S-B
72R615R	9GA729	56 9 23	130 35 5	GD	3.00	1.00	3.00	.500	500	N	N	N	<10
72R615	9GA733	56 10 27	130 34 27	QM	2.90	.70	1.50	.300	300	N	N	N	N
72R607	9GA734	56 11 14	130 33 36	G DG	3.00	1.50	3.00	.500	700	N	N	N	<10
72R608	9GA735	56 12 27	130 32 50	QM	3.00	1.00	2.00	.500	300	N	N	N	<10
72R609A	9GA736	56 12 27	130 32 50	DID	5.00	3.00	3.00	1.000	500	.7	N	N	<10
72R609	9GA737	56 12 57	130 32 29	GD	3.00	1.50	3.00	.500	700	N	N	N	<10
72R610	9GA738	56 14 51	130 32 17	GD	2.00	1.00	2.00	.300	500	.5	N	N	<10
72R611	9GA739	56 13 16	130 29 46	GD	5.00	2.00	3.00	.300	1,000	N	N	N	<10
72R612A	9GA740	56 12 50	130 31 6	AM	10.00	1.50	3.00	1.000	1,500	N	N	N	<10
72R613	9GA741	56 14 2	130 30 15	GD	3.00	1.50	3.00	.300	1,000	N	N	N	<10
72R614	9GA742	56 13 34	130 27 31	VQ	3.00	1.00	2.00	.200	1,000	N	N	N	<10
72R615	9GA743	56 7 45	130 34 58	QM	.50	.03	.20	.030	500	N	N	N	N
72R617	9GA948	56 6 24	130 31 3	GD	7.00	3.00	3.00	.500	1,000	N	N	N	<10
72R618A	9GA949	56 7 43	130 32 31	AND	5.00	1.00	1.50	.500	700	N	N	N	N
72R619	9GA950	56 9 5	130 31 30	DI	10.00	3.00	3.00	.700	1,000	N	N	N	N
72R620	9GA951	56 9 39	130 30 31	GD	3.00	.70	1.50	.500	300	N	N	N	N
72R621	9GA952	56 10 31	130 28 38	QM	1.50	.70	1.50	.200	500	N	N	N	N
72R622	9GA953	56 10 25	130 26 20	SCB	10.00	2.00	5.00	.700	1,000	N	N	N	<10
72R623	9GA954	56 11 54	130 27 22	APD	.50	.02	.70	.015	300	N	N	N	<10
72R623R	9GD006	56 11 54	130 27 22	QM	1.00	.07	1.00	.030	70	1.5	N	N	N
72R625	9GA955	56 4 20	130 37 56	GP	7.00	1.00	1.50	.500	700	N	N	N	N
72R625A	9GA956	56 4 20	130 37 56	GN	7.00	1.50	3.00	.500	1,000	N	N	N	<10
72R626	9GA957	56 3 20	130 31 2	QM	2.00	.70	2.00	.200	1,000	N	N	N	N
72R627	9GA958	56 4 23	130 20 48	PH	3.00	1.00	5.00	.200	1,000	N	N	N	N
72R628	9GA959	56 4 42	130 20 26	PH	5.00	1.00	.70	.300	1,000	N	N	N	<10
72R629	9GA960	56 5 31	130 20 19	PN	7.00	3.00	7.00	.700	1,000	N	N	N	10
72R630	9GA961	56 4 45	130 22 59	PH	10.00	5.00	7.00	.500	2,000	N	N	N	<10
72R631	9GA962	56 3 54	130 24 42	QM	1.50	.20	1.00	.200	500	N	N	N	N
72R632	9GA963	56 4 43	130 24 43	QM	.50	.03	.20	.030	700	N	N	N	N
72R633	9GA964	56 5 19	130 23 44	QM	.70	.07	.20	.030	1,000	N	N	N	N
72R634	9GD007	56 9 22	130 25 55	GD	7.00	1.50	3.00	.700	700	N	N	N	<10
72R635	9GD008	56 9 13	130 29 29	GDF	7.00	1.50	3.00	.700	700	N	N	N	<10
72R636	9GD009	56 8 11	130 29 31	GD	5.00	1.50	2.00	.700	700	N	N	N	<10
72R637	9GD010	56 7 18	130 30 57	GD	5.00	1.50	3.00	.500	700	N	N	N	<10
72R638	9GD011	56 6 47	130 31 30	QM	5.00	1.00	2.00	.300	700	N	N	N	<10
72R639	9GD012	56 6 40	130 28 16	GD	7.00	3.00	2.00	.500	1,000	N	N	N	<10
72R640	9GD013	56 8 2	130 27 23	GD	7.00	2.00	3.00	1.000	1,000	N	N	N	<10
72R641	9GD014	56 7 45	130 23 17	QM	3.00	3.00	2.00	.500	700	N	N	N	<10
72R642	9GD015	56 4 53	130 25 42	QM	.70	.15	.15	.030	1,500	N	N	N	N
72R643	9GD016	56 5 21	130 25 52	QM	1.50	.15	.70	.150	700	N	N	N	N
72R644	9GD017	56 5 40	130 25 53	QM	.70	.15	.20	.150	700	N	N	N	N
72R645	9GD018	56 3 37	130 34 53	QM	5.00	.70	1.50	.700	500	N	N	N	<10
72R646	9GD019	56 3 31	130 35 49	OMN	2.00	.70	1.50	.200	700	N	N	N	N
72R647	9GD020	56 3 40	130 33 10	QM	3.00	.70	1.50	.200	1,000	N	N	N	<10
72R648	9GD021	56 5 1	130 31 35	QM	3.00	.20	1.00	.200	300	N	N	N	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-RA	S-BE	S-91	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-N3	S-NI	S-P3	S-S3	S-SC	S-SN
72R675R	1,500	1.0	N	N	5	20	30	20	N	<10	5	30	N	10	N
72R675	2,000	1.0	N	N	N	<10	20	30	N	<10	N	30	N	5	N
72R677	1,500	1.0	N	N	7	50	30	20	N	<10	15	30	N	15	N
72R678	2,000	1.0	N	N	5	15	30	20	N	<10	<5	30	N	10	N
72R678A	2,000	1.0	N	N	15	150	30	50	N	<10	30	20	N	15	N
72R679	2,000	1.0	N	N	7	30	30	70	N	<10	7	30	N	10	N
72R679	1,500	1.5	N	N	<5	10	30	<20	N	<10	<5	30	N	7	N
72R679	2,000	<1.0	N	N	7	30	20	50	N	<10	<5	50	N	15	N
72R679	500	1.0	N	N	30	30	300	<20	10	10	50	20	N	30	N
72R679	2,000	<1.0	N	N	5	15	30	<20	N	10	<5	30	N	10	N
72R679	2,000	1.0	N	N	<5	<10	100	N	N	<10	10	10	N	15	N
72R679	150	1.0	N	N	N	N	30	N	N	<10	<5	50	N	N	N
72R679	1,500	1.0	N	N	15	30	<5	20	N	10	5	30	N	20	N
72R679A	1,000	1.0	N	N	10	30	<5	70	N	10	15	15	N	15	N
72R679	1,000	1.5	N	N	30	150	<5	70	N	10	70	15	N	30	N
72R620	2,000	<1.0	N	N	<5	15	N	20	N	10	<5	15	N	<5	N
72R621	1,000	1.5	N	N	<10	<10	<5	20	N	<10	<5	15	N	<5	N
72R622	70	<1.0	N	N	30	10	30	<20	N	10	50	10	N	20	N
72R623	150	1.0	N	N	N	N	<5	N	15	N	N	15	N	N	N
72R623R	200	2.0	N	N	N	N	50	N	100	N	5	15	N	N	N
72R625	1,500	<1.0	N	N	<5	30	<5	N	N	10	15	20	N	15	N
72R625A	1,500	<1.0	N	N	15	N	N	30	N	10	N	15	N	15	N
72R626	5,000	1.5	N	N	N	<10	<5	30	N	<10	<5	70	N	5	N
72R627	3,000	1.5	N	N	5	20	<5	20	N	<10	15	<10	N	15	N
72R628	1,500	2.0	N	N	7	10	20	<20	N	<10	5	70	N	15	N
72R629	500	<1.0	N	N	20	70	30	<20	N	10	20	15	N	70	N
72R630	700	<1.0	N	N	30	50	15	N	N	10	20	15	N	50	N
72R631	1,000	<1.0	N	N	N	N	N	30	N	N	N	15	N	N	N
72R632	50	3.0	N	N	N	N	<5	N	N	<10	N	20	N	N	N
72R633	70	2.0	N	N	N	N	N	N	N	50	N	20	N	N	N
72R634	1,500	1.0	N	N	30	30	5	70	N	10	15	20	N	15	N
72R635	1,500	1.0	N	N	15	15	5	70	N	10	7	20	N	15	N
72R635	1,000	1.0	N	N	15	30	<5	30	N	10	10	20	N	15	N
72R637	1,500	1.0	N	N	7	10	<5	30	N	10	5	30	N	10	N
72R638	1,000	1.0	N	N	5	15	<5	20	N	10	7	15	N	10	N
72R639	1,000	<1.0	N	N	20	50	<5	N	N	<10	10	15	N	15	N
72R640	1,500	1.0	N	N	20	15	5	50	N	10	15	15	N	20	N
72R641	1,500	2.0	N	N	<5	15	<5	30	N	10	5	15	N	10	N
72R642	70	2.0	N	N	N	N	N	20	N	N	N	10	N	N	N
72R643	700	3.0	N	N	N	N	<5	30	N	10	N	50	N	N	N
72R644	500	2.0	N	N	N	N	<5	<20	N	15	N	30	N	N	N
72R645	1,500	1.5	N	N	30	<10	<5	50	N	10	<5	15	N	N	N
72R646	2,000	1.5	N	N	N	N	7	20	N	<10	N	30	N	N	N
72R647	2,000	1.0	N	N	N	10	<5	<20	N	<10	10	70	N	N	N
72R648	1,500	<1.0	N	N	N	N	<5	20	N	<10	<5	15	N	N	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-SR	S-TH	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
72R605R	1,000	--	100	N	15	N	200	N	15	10	60	.02
72R606	500	--	70	N	10	N	200	N	5	5	80	N
72R607	700	--	150	N	15	N	200	N	15	10	100	N
72R608	1,000	--	100	N	10	N	200	N	5	10	55	.02
72R608A	1,500	--	150	V	20	N	300	N	5	5	40	.02
72R609	1,000	--	150	N	15	N	70	N	15	10	90	N
72R610	700	--	70	N	10	N	70	N	5	10	65	N
72R611	700	--	150	N	15	N	300	N	<5	10	50	N
72R612A	300	--	150	N	20	N	300	N	150	10	20	.02
72R613	1,000	--	100	N	10	N	100	N	<5	10	40	.02
72R614	500	--	150	N	20	N	70	N	65	5	40	.06
72R615	N	--	15	N	10	N	50	N	5	10	10	.02
72R617	700	--	150	N	15	N	150	N	15	10	110	<.02
72R618A	700	--	150	N	15	N	200	N	25	10	85	.04
72R619	700	--	200	N	N	N	200	N	20	10	65	.06
72R620	700	--	70	N	N	N	300	N	5	5	50	.02
72R621	700	--	50	N	20	N	70	N	10	5	45	.04
72R622	300	--	300	N	15	N	70	N	150	5	15	.06
72R623	150	--	15	N	15	N	150	N	25	<5	<5	<.02
72R623R	300	--	20	N	15	N	70	N	100	<5	5	<.02
72R625	500	--	200	V	15	N	100	N	15	10	75	.06
72R625A	700	--	150	N	30	N	100	N	5	5	40	.04
72R626	1,500	--	50	N	10	N	200	N	5	5	10	.02
72R627	700	--	150	N	10	N	70	N	25	10	5	<.02
72R628	700	--	150	N	10	N	70	N	70	25	90	.02
72R629	1,500	--	300	N	20	N	70	N	150	15	50	.04
72R630	1,000	--	300	N	20	N	50	N	55	10	60	<.02
72R631	300	--	30	N	<10	N	100	N	5	<5	30	<.02
72R632	N	--	15	N	15	N	150	V	10	10	15	.02
72R633	N	--	15	N	30	N	70	N	5	10	60	.02
72R634	700	--	150	N	15	N	70	N	20	<5	60	<.02
72R635	700	--	150	N	15	N	300	N	15	<5	45	<.02
72R635	700	--	150	N	20	N	200	N	10	<5	40	<.02
72R637	700	--	150	N	15	N	200	N	5	<5	40	<.02
72R638	700	--	150	N	15	N	150	V	5	<5	50	.04
72R639	700	--	150	N	15	N	70	N	15	<5	60	.02
72R640	700	--	150	N	30	N	150	N	25	<5	40	<.02
72R641	700	--	150	N	10	N	200	N	5	<5	40	<.02
72R642	N	--	15	N	10	N	<10	N	<5	<5	15	<.02
72R643	300	--	20	N	10	N	150	N	<5	5	40	.04
72R644	<100	--	15	N	20	V	100	N	<5	<5	40	.02
72R645	700	--	70	N	<50	N	1,000	N	<5	<5	45	.02
72R645	1,000	--	70	N	10	N	150	N	30	5	20	.04
72R647	1,000	--	100	N	10	N	200	N	10	5	30	<.02
72R648	500	--	50	N	<10	N	100	V	<5	<5	30	.06

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	RK-TYPE	S-FEZ	S-MGZ	S-CAZ	S-TIX	S-MN	S-AG	S-AS	S-AU	S-B
72E271	BGA109	56 8 45	130 37 46	QM	1.00	<.02	.20	.015	700	N	N	N	N
72E328	BGA590	56 9 12	130 42 31	QM	1.50	3.00	1.50	.150	500	N	N	N	N
72E329	BGA591	56 8 51	130 45 13	GD	7.00	3.00	3.00	.500	1,500	N	N	N	<10
72E330	BGA592	56 7 15	130 44 54	QM	.50	.03	.30	.050	300	N	N	N	N
72E331	BGA593	56 6 14	130 44 58	QM	1.50	.15	1.50	.050	300	N	N	N	N
72E332	BGA594	56 5 21	130 45 29	QM	1.50	.20	1.50	.300	700	N	N	N	N
72E333	BGA595	56 4 32	130 46 41	GD	.70	.30	1.50	.070	500	N	N	N	N
72E334	BGA596	56 3 13	130 46 48	GD	10.00	3.00	5.00	1.000	1,500	N	N	N	<10
72E334R	BGA616	56 3 13	130 46 48	GD	5.00	2.00	3.00	.300	1,000	N	N	N	<10
72E335	BGA597	56 2 29	130 48 25	QM	3.00	1.00	3.00	.700	300	N	N	N	<10
72E335	BGA598	56 1 42	130 49 45	QM	1.50	.30	1.00	.150	300	N	N	N	N
72E337	BGA599	56 0 52	130 51 54	GD	7.00	2.00	5.00	.700	1,500	N	N	N	<10
72E338	BGA600	56 0 5	130 54 22	QM	1.50	.50	1.50	.150	500	N	N	N	N
72E364	BGA654	56 4 51	130 41 56	GD	7.00	3.00	5.00	.700	1,500	N	N	N	<10
72E365	BGA655	56 6 20	130 40 34	QM	1.50	.15	1.50	.150	300	N	N	N	N
72E365R	BGA504	56 6 20	130 40 34	QM	1.50	.20	1.50	.150	300	N	N	N	N
72E365	BGA656	56 6 37	130 42 42	QM	1.50	.15	1.00	.100	300	N	N	N	N
72E367	BGA657	56 4 58	130 43 21	QM	1.00	.10	.70	.100	300	N	N	N	N
72E368	BGA658	56 2 55	130 45 45	GD	7.00	2.00	3.00	.700	1,000	N	N	N	<10
72E369	BGA659	56 1 37	130 45 40	QM	1.50	.15	.70	.150	200	N	N	N	N
72E370	BGA660	56 1 21	130 48 34	GD	3.00	1.00	1.50	.300	500	N	N	N	<10
72E371	BGA661	56 0 44	130 49 13	GD	5.00	1.50	3.00	.500	700	N	N	N	<10
72E385	BGA675	56 1 17	130 40 32	QM	.50	.05	.30	.030	200	N	N	N	<10
72E386	BGA676	56 2 33	130 39 33	GD	1.50	.50	.50	.200	200	N	N	N	<10
72E387	BGA677	56 4 10	130 38 52	GD	2.00	.70	1.50	.500	300	N	N	N	N
72E387R	BGA505	56 4 10	130 38 52	GD	7.00	1.50	2.00	.700	700	N	N	N	<10
72E398	BGA678	56 2 54	130 40 48	QM	1.50	.15	.30	.150	200	N	N	N	N
72E389	BGA679	56 0 41	130 42 6	QM	.70	.30	1.00	.150	500	N	N	N	N
72E427	BGA860	56 1 2	130 32 23	QM	3.00	.50	1.50	.200	500	N	N	N	<10
72E428	BGA861	56 0 15	130 30 47	QM	3.00	.50	1.50	.300	700	N	N	N	<10
72E429	BGA862	56 0 28	130 27 33	QM	2.00	.70	1.50	.200	500	N	N	N	N
72E430	BGA863	56 0 5	130 25 48	QM	5.00	.70	2.00	.700	500	N	N	N	N
72E431	BGA864	56 0 10	130 23 33	QM	1.50	.30	1.50	.150	150	N	N	N	N
72E432	BGA865	56 0 45	130 22 33	HF	3.00	1.50	10.00	.300	1,500	N	N	N	N
72E433	BGA866	56 2 5	130 21 4	AN	5.00	1.50	3.00	.500	700	N	N	N	<10
72E434	BGA867	56 2 33	130 21 51	SC	7.00	2.00	2.00	.300	700	N	N	N	<10
72E435	BGA868	56 2 57	130 22 22	AN	7.00	1.50	2.00	.500	700	N	N	N	<10
72E436	BGA869	56 1 35	130 24 30	PH	5.00	2.00	1.50	.300	300	N	N	N	30
72E437	BGA870	56 1 16	130 21 25	HF	3.00	1.50	3.00	.500	700	N	N	N	<10
72E438	BGA871	56 1 5	130 35 2	QM	1.50	.50	2.00	.150	150	N	N	N	N
72E439	BGA872	56 1 32	130 31 40	QM	1.50	.50	.50	.200	300	N	N	N	N
72E440	BGA744	56 8 37	130 39 53	QM	1.50	.50	1.00	.200	300	N	N	N	N
72E441	BGA745	56 2 12	130 39 44	QM	1.00	.15	.70	.100	300	N	N	N	N
72E442	BGA746	56 10 51	130 38 26	GD	2.00	1.00	3.00	.300	700	N	N	N	<10
72E442R	BGA946	56 10 51	130 38 26	GD	5.00	.70	2.00	.300	700	N	N	N	<10

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-RA	S-BE	S-HI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PB	S-SB	S-SC	S-SN
72E271	2.0	2.0	N	N	N	N	<5	N	N	<10	<5	50	N	N	N
72E328	3,000	1.0	N	N	N	<10	30	N	N	<10	<5	70	N	N	N
72E329	1,500	1.0	N	N	10	70	50	<20	<5	10	10	20	N	20	N
72E330	300	1.0	N	N	N	N	20	20	N	<10	<5	70	N	N	N
72E331	5,000	1.0	N	N	N	N	30	N	N	<10	<5	70	N	N	N
72E332	5,000	1.0	N	N	N	N	20	50	N	10	<5	70	N	N	N
72E333	3,000	1.0	N	N	N	N	50	N	N	<10	<5	70	N	N	N
72E334	1,000	1.0	N	N	30	100	30	<20	<5	10	15	20	N	30	N
72E334R	500	1.0	N	N	10	30	30	20	N	10	5	20	N	20	N
72E335	2,000	1.0	N	N	<5	<10	30	20	N	<10	<5	30	N	5	N
72E336	5,000	1.0	N	N	N	N	50	N	N	<10	<5	30	N	N	N
72E337	1,500	1.5	N	N	7	<10	70	50	<5	10	<5	30	N	20	N
72E338	5,000	1.0	N	N	N	N	30	<20	N	<10	<5	30	N	N	N
72E364	1,500	1.5	N	N	20	50	30	20	<5	10	10	30	N	30	N
72E365	3,000	1.0	N	N	N	<10	30	N	N	<10	<5	30	N	N	N
72E365R	2,000	<1.0	N	N	N	N	<5	<20	N	<10	N	30	N	N	N
72E366	2,000	1.0	N	N	N	N	10	N	N	<10	<5	50	N	N	N
72E367	3,000	<1.0	N	N	N	N	10	N	N	<10	N	30	N	N	N
72E368	1,500	<1.0	N	N	15	30	20	N	N	10	7	15	N	30	N
72E369	2,000	<1.0	N	N	N	N	30	N	N	<10	<5	30	N	N	N
72E370	700	1.0	N	N	5	N	70	N	N	10	5	15	N	7	N
72E371	700	<1.0	N	N	10	<10	70	N	N	10	<5	15	N	15	N
72E385	200	2.0	N	N	N	N	30	N	N	<10	N	30	N	N	N
72E385	1,000	<1.0	N	N	N	N	20	150	N	<10	<5	20	N	N	N
72E387	1,500	<1.0	N	N	N	N	20	70	N	10	N	15	N	7	N
72E387R	5,000	<1.0	N	N	10	<10	70	100	N	10	<5	30	N	7	N
72E388	2,000	<1.0	N	N	N	N	30	20	N	<10	N	20	N	N	N
72E389	1,500	1.0	N	N	N	N	15	<20	N	<10	N	30	N	<5	N
72E427	2,000	1.0	N	N	N	N	10	70	N	<10	N	15	N	<5	N
72E428	1,500	1.0	N	N	N	N	15	30	N	<10	N	15	N	<5	N
72E429	1,500	1.5	N	N	N	N	20	<20	N	<10	N	20	N	<5	N
72E430	3,000	<1.0	N	N	5	<10	20	70	N	10	5	30	N	7	N
72E431	1,500	1.0	N	N	N	N	7	30	N	N	<5	15	N	N	N
72E432	70	<1.0	N	N	7	100	7	30	N	10	70	N	N	15	N
72E433	1,500	<1.0	N	N	7	10	7	30	N	10	5	20	N	15	N
72E434	1,500	<1.0	N	N	30	70	15	<20	N	10	20	10	N	30	N
72E435	1,500	<1.0	N	N	15	15	20	30	N	10	5	30	N	15	N
72E436	700	<1.0	N	N	20	150	30	<20	<5	10	150	10	N	15	N
72E437	1,000	1.0	N	N	5	70	15	30	<5	10	50	<10	N	15	N
72E438	500	1.0	N	N	<5	N	15	N	N	<10	7	10	N	N	N
72E439	1,500	<1.0	N	N	N	N	10	N	N	<10	<5	15	N	N	N
72E440	3,000	<1.0	N	N	N	N	30	<20	N	10	<5	30	N	N	N
72E441	1,500	1.0	N	N	N	N	20	<20	N	<10	<5	30	N	N	N
72E442	2,000	1.0	N	N	N	<10	50	30	N	<10	<5	30	N	7	N
72E442R	1,000	<1.0	N	N	<5	N	<5	50	N	<10	N	20	N	7	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-SR	S-TH	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
72E271	N	--	15	N	N	N	50	N	<5	20	5	.02
72E328	1,500	--	20	N	10	N	200	N	5	<5	25	N
72E329	1,000	--	200	N	15	N	70	N	20	5	35	N
72E330	<100	--	10	N	N	N	30	N	<5	5	25	N
72E331	2,000	--	30	N	N	N	70	N	<5	5	25	N
72E332	1,500	--	70	N	70	N	150	N	5	5	30	.02
72E333	1,500	--	10	N	N	N	50	N	<5	5	20	N
72E334	1,000	--	300	N	50	N	300	N	10	5	50	N
72E334R	700	--	150	N	20	N	70	N	10	<5	40	.04
72E335	1,500	--	70	N	N	N	300	N	5	5	45	N
72E336	700	--	30	N	N	N	100	N	<5	<5	10	N
72E337	1,000	--	150	N	30	N	300	N	<5	<5	35	N
72E338	500	--	30	N	N	N	300	N	<5	<5	35	N
72E364	700	--	200	N	70	N	100	N	<5	5	50	N
72E365	1,500	--	30	N	N	N	100	N	10	<5	30	N
72E365R	1,500	--	30	N	10	N	300	N	5	5	40	.02
72E366	1,500	--	30	N	<10	N	70	N	<5	5	40	.04
72E367	1,500	--	30	N	10	N	70	N	<5	<5	10	.02
72E368	700	--	200	N	20	N	150	N	5	<5	65	N
72E369	500	--	30	N	N	N	200	N	<5	<5	25	N
72E370	300	--	100	N	10	N	70	N	100	5	50	N
72E371	500	--	150	N	15	N	50	N	100	5	40	N
72E385	100	--	10	N	N	N	70	N	<5	<5	20	N
72E386	300	--	70	N	10	N	50	N	<5	<5	30	.04
72E387	1,000	--	30	N	20	N	150	N	25	5	75	.02
72E387R	1,500	--	200	N	20	N	300	N	5	5	75	N
72E388	300	--	50	N	N	N	200	N	15	<5	25	.04
72E389	1,000	--	20	N	10	N	150	N	<5	<5	20	N
72E427	700	--	50	N	<10	N	150	N	5	5	60	.12
72E428	700	--	70	N	10	N	200	N	5	5	100	.04
72E429	700	--	50	N	<10	N	200	N	5	<5	80	.08
72E430	1,000	--	100	N	10	N	200	N	5	5	80	<.02
72E431	700	--	30	N	N	N	70	N	<5	<5	55	.02
72E432	300	--	200	N	30	N	150	N	10	10	5	.02
72E433	700	--	150	N	15	N	150	N	<5	10	65	<.02
72E434	700	--	300	N	20	N	70	N	5	10	80	<.02
72E435	700	--	150	N	15	N	200	N	5	10	70	.02
72E436	300	--	200	N	20	N	70	N	70	5	170	.12
72E437	500	--	200	N	30	N	150	N	15	<5	<5	.08
72E438	700	--	30	N	<10	N	300	N	10	<5	20	.06
72E439	500	--	30	N	N	N	200	N	5	10	90	.02
72E440	1,000	--	30	N	<10	N	150	N	<5	10	45	N
72E441	500	--	20	N	N	N	70	N	<5	10	20	N
72E442	1,500	--	70	N	10	N	200	N	10	10	60	.02
72E442R	700	--	150	N	N	N	150	N	15	5	65	.02

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	RK-TYPE	S-FEZ	S-MGX	S-CAZ	S-TIX	S-MN	S-AG	S-AS	S-AU	S-B
72E443	BGA747	56 12 8	130 36 38	SC	5.00	1.50	1.50	.500	1,500	N	N	N	<10
72E444	BGA748	56 13 13	130 36 23	GD	3.00	1.00	2.00	.300	700	N	N	N	<10
72E445	BGA749	56 10 44	130 36 47	GD	2.00	.70	2.00	.200	300	N	N	N	N
72E446	BGA750	56 10 2	130 36 26	SC	5.00	1.00	1.50	.500	1,000	N	N	N	<10
72E447	BGA751	56 9 44	130 37 7	SC	3.00	1.00	2.00	.300	700	N	N	N	<10
72E448	BGA752	56 7 6	130 37 53	QM	5.00	.70	2.00	.500	500	N	N	N	<10
72E449	BGA753	56 7 8	130 36 15	SC	10.00	2.00	7.00	.700	1,500	N	N	N	<10
72E450	BGA754	56 8 55	130 35 27	SC	5.00	2.00	5.00	.500	1,000	N	N	N	<10
72E451	BGA755	56 9 55	130 34 52	GD	3.00	1.00	2.00	.300	300	N	N	N	N
72E452	BGA756	56 10 53	130 34 14	GD	5.00	2.00	3.00	.700	700	N	N	N	<10
72E453	BGA757	56 11 29	130 33 0	GD	3.00	1.00	2.00	.300	300	N	N	N	<10
72E454	BGA758	56 12 2	130 31 46	GD	5.00	1.00	3.00	.300	500	N	N	N	<10
72E455	BGA759	56 14 3	130 31 28	QM	5.00	1.50	3.00	.300	700	N	N	N	<10
72E456	BGA760	56 14 35	130 27 54	GD	3.00	1.50	3.00	.300	700	N	N	N	<10
72E457	BGA761	56 12 48	130 29 30	SC	7.00	1.00	.70	.500	1,000	N	N	N	<10
72E458	BGA762	56 12 25	130 29 35	GR	1.50	.15	1.50	.150	300	N	N	N	N
72E458R	BGA947	56 12 25	130 29 35	GR	.70	.07	.70	.030	150	N	N	N	N
72E459	BGA763	56 12 31	130 28 0	SC	5.00	1.00	.70	.500	700	N	N	N	<10
72E460	BGA764	56 11 13	130 27 58	QM	.70	.05	.15	.030	300	N	N	N	N
72E461	BGA765	56 9 29	130 33 56	GD	7.00	3.00	5.00	.500	1,000	N	N	N	<10
72E462	BGA935	56 6 8	130 28 3	QM	7.00	2.00	5.00	.500	1,000	N	N	N	<10
72E463	BGA936	56 6 36	130 33 34	QM	1.00	.20	.70	.150	200	N	N	N	N
72E464	BGA937	56 8 11	130 32 15	GD	1.50	.30	1.50	.200	300	N	N	N	N
72E465	BGA938	56 8 43	130 30 55	GD	1.50	.30	.70	.200	200	N	N	N	N
72E466	BGA939	56 10 17	130 29 43	GD	2.00	.70	1.50	.300	300	N	N	N	N
72E467	BGA940	56 9 59	130 28 47	GD	2.00	.70	1.50	.200	300	N	N	N	N
72E468	BGA941	56 11 19	130 26 20	SC	7.00	1.50	1.50	.500	1,000	N	N	N	10
72E469	BGA942	56 5 34	130 34 36	QM	3.00	.70	1.50	.300	300	N	N	N	N
72E470	BGA943	56 4 58	130 36 53	QM	.70	.15	1.00	.100	200	N	N	N	N
72E471	BGA944	56 4 19	130 37 9	QM	1.50	.20	1.50	.150	500	N	N	N	N
72E472	BGA945	56 2 59	130 32 31	GD	.70	.15	1.00	.100	200	N	N	N	N
72E473	BGA965	56 7 15	130 25 19	GD	2.00	1.00	1.50	.300	500	N	N	N	N
72E474	BGA966	56 3 0	130 36 16	GP	5.00	.70	1.50	.500	700	N	N	N	<10
72E475	BGA967	56 3 5	130 35 4	GD	3.00	.70	2.00	.200	700	N	N	N	N
72E476	BGA968	56 3 27	130 34 10	QM	3.00	.70	2.00	.300	1,000	N	N	N	N
72E477	BGA969	56 4 39	130 33 59	QM	2.00	.30	1.50	.150	200	N	N	N	N
72E478	BGA970	56 4 23	130 33 20	QM	3.00	.70	1.50	.300	700	N	N	N	N
72E479	BGA971	56 4 18	130 32 28	QM	2.00	.70	1.50	.300	500	N	N	N	N
72E480	BGA972	56 3 50	130 31 21	GD	5.00	3.00	3.00	.500	1,000	N	N	N	<10
72E481	BGA973	56 4 19	130 30 12	QM	2.00	.20	1.00	.200	300	N	N	N	N
72E482	BGA974	56 4 44	130 30 2	QM	1.00	.20	.70	.150	300	N	N	N	N
72E482R	BGA988	56 4 44	130 30 2	QM	1.50	.15	.70	.150	300	N	N	N	N
72E483	BGA975	56 4 30	130 28 36	QM	1.50	.20	.70	.150	300	N	N	N	N
72E484	BGA976	56 4 50	130 27 55	QM	2.00	.20	.70	.200	700	N	N	N	N
72E485	BGA977	56 4 25	130 28 1	QM	1.00	.15	.70	.150	700	N	N	N	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-BA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-N3	S-NI	S-P3	S-S3	S-SC	S-SN
72E443	1,500	<1.0	N	N	15	50	50	<20	N	10	20	20	N	20	N
72E444	1,500	1.0	N	N	5	<10	15	20	N	10	<5	30	N	10	N
72E445	2,000	1.0	N	N	N	N	15	<20	N	<10	<5	30	N	N	N
72E446	1,000	1.0	N	N	10	15	50	<20	N	<10	10	20	N	20	N
72E447	1,500	<1.0	N	N	7	10	30	<20	N	<10	5	10	N	15	N
72E448	2,000	<1.0	N	N	<5	N	30	N	N	10	<5	30	N	7	N
72E449	200	<1.0	N	N	30	30	70	<20	N	10	20	15	N	30	N
72E450	300	<1.0	N	N	15	70	70	<20	N	10	15	10	N	20	N
72E451	1,500	1.0	N	N	5	15	30	<20	N	10	5	30	N	7	N
72E452	2,000	1.0	N	N	10	30	30	30	N	10	15	30	N	15	N
72E453	1,500	1.0	N	N	5	15	30	30	N	<10	5	30	N	7	N
72E454	1,500	1.0	N	N	5	<10	30	30	N	10	5	50	N	7	N
72E455	1,500	1.0	N	N	7	15	20	30	N	10	5	30	N	10	N
72E456	1,500	1.0	N	N	5	10	20	20	N	10	<5	30	N	7	N
72E457	1,500	<1.0	N	N	5	10	30	<20	N	<10	10	20	N	15	N
72E458	1,500	<1.0	N	N	N	N	30	N	N	<10	<5	50	N	N	N
72E458R	700	1.5	N	N	N	N	<5	N	N	N	N	30	N	N	N
72E459	700	<1.0	N	N	<5	15	20	N	10	10	5	N	N	15	N
72E460	1,000	1.5	N	N	N	N	30	N	N	<10	<5	30	N	N	N
72E461	1,500	1.0	N	N	15	70	30	30	N	10	15	30	N	30	N
72E462	1,500	1.0	N	N	15	30	10	<20	N	10	15	70	N	20	N
72E463	1,000	1.0	N	N	N	N	<5	N	N	N	<5	70	N	N	N
72E464	1,500	1.5	N	N	N	N	<5	20	N	N	<5	50	N	N	N
72E465	1,500	1.0	N	N	N	<10	<5	30	N	N	<5	70	N	N	N
72E466	1,000	1.5	N	N	N	10	<5	30	N	N	<5	50	N	5	N
72E467	1,500	1.5	N	N	N	<10	<5	20	N	N	<5	70	N	N	N
72E468	700	<1.0	N	N	15	20	7	<20	N	<10	15	30	N	20	N
72E469	3,000	<1.0	N	N	N	N	<5	50	N	<10	N	50	N	N	N
72E470	2,000	<1.0	N	N	N	N	<5	30	N	N	<5	70	N	N	N
72E471	3,000	<1.0	N	N	N	N	<5	<20	N	<10	<5	70	N	N	N
72E472	1,500	<1.0	N	N	N	N	<5	<20	N	N	N	30	N	N	N
72E473	1,500	<1.0	N	N	<5	10	N	20	N	<10	<5	15	N	7	N
72E474	1,500	1.5	N	N	15	20	15	20	N	10	15	15	N	15	N
72E475	3,000	<1.0	N	N	N	15	5	N	N	<10	5	70	N	7	N
72E476	3,000	1.0	N	N	N	<10	<5	150	N	10	<5	50	N	5	N
72E477	3,000	<1.0	N	N	N	N	<5	N	N	N	<5	30	N	N	N
72E478	2,000	<1.0	N	N	N	<10	<5	20	N	<10	N	15	N	<5	N
72E479	2,000	<1.0	N	N	N	N	<5	<20	N	N	<5	15	N	N	N
72E480	1,500	<1.0	N	N	15	15	<5	30	N	<10	5	20	N	15	N
72E481	1,500	<1.0	N	N	N	N	<5	100	N	<10	<5	15	N	N	N
72E482	1,000	<1.0	N	N	N	N	<5	70	N	<10	N	15	N	N	N
72E482R	1,000	<1.0	N	N	N	<10	<5	50	N	<10	<5	15	N	N	N
72E483	700	<1.0	N	N	N	<10	<5	N	N	<10	N	15	N	N	N
72E484	700	3.0	N	N	N	<10	<5	20	N	<10	<5	30	N	N	N
72E485	700	1.0	N	N	N	<10	<5	50	N	<10	<5	30	N	N	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-SR	S-TH	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
72E443	300	--	150	N	50	N	200	N	70	10	100	.02
72E444	700	--	70	N	20	N	100	V	5	10	60	N
72E445	1,000	--	50	N	10	N	150	N	5	<5	65	N
72E446	200	--	150	N	50	N	150	V	55	25	65	N
72E447	500	--	150	N	15	N	100	N	15	15	45	N
72E448	1,000	--	70	N	10	N	300	N	10	10	55	.08
72E449	300	--	200	N	30	N	100	N	50	5	30	.02
72E450	700	--	200	N	20	N	70	N	90	15	20	N
72E451	700	--	70	N	<10	N	200	N	5	<5	40	.04
72E452	1,500	--	150	N	10	N	300	V	5	<5	45	.02
72E453	700	--	70	V	<10	N	100	N	5	10	45	.06
72E454	1,500	--	70	V	<10	N	200	N	20	10	80	.06
72E455	700	--	150	N	10	N	200	N	<5	5	50	.02
72E456	1,000	--	100	N	15	N	300	N	<5	5	40	N
72E457	150	--	100	N	20	N	200	N	10	10	80	N
72E458	1,500	--	20	N	N	N	100	N	5	5	20	N
72E458R	700	--	10	N	30	N	70	N	15	5	10	.04
72E459	100	--	150	N	15	N	150	N	10	<5	70	N
72E460	N	--	15	N	N	N	100	N	<5	<5	20	.02
72E461	1,500	--	200	N	15	N	150	N	10	5	50	N
72E462	700	--	150	N	20	N	150	N	40	10	60	.08
72E463	300	--	15	N	N	N	70	N	20	5	30	.04
72E464	700	--	30	V	N	N	150	N	20	5	60	.04
72E465	300	--	30	N	N	N	150	N	15	5	45	.02
72E466	700	--	50	N	N	N	150	N	25	5	60	N
72E467	700	--	50	N	N	N	150	V	10	5	30	.02
72E468	150	--	150	N	30	N	150	N	30	10	80	.02
72E469	700	--	30	V	10	N	100	N	10	5	60	.02
72E470	700	--	20	N	N	N	100	N	10	5	25	.10
72E471	1,000	--	30	N	N	N	150	N	10	5	25	.04
72E472	700	--	15	N	10	N	70	V	10	5	10	.02
72E473	500	--	50	N	10	N	70	N	5	5	40	N
72E474	300	--	150	N	30	N	150	N	60	10	70	<.02
72E475	1,500	--	100	N	<10	N	100	N	25	5	15	<.02
72E475	2,000	--	150	N	30	N	150	N	15	5	15	.04
72E477	700	--	30	N	10	N	70	N	10	5	60	.02
72E478	700	--	70	N	10	N	500	V	10	5	80	<.02
72E479	700	--	30	N	<10	N	300	N	5	5	40	<.02
72E480	700	--	150	N	30	N	150	N	10	5	60	.02
72E481	500	--	30	N	20	N	150	N	10	5	45	<.02
72E482	300	--	20	N	<10	N	70	V	5	5	30	<.02
72E482R	300	--	20	N	10	N	100	V	<5	<5	40	<.02
72E483	300	--	20	N	<10	N	70	V	5	5	35	<.02
72E484	200	--	30	N	20	N	200	V	<5	5	70	.02
72E485	200	--	15	N	15	N	70	N	<5	5	35	<.02

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	LA-3 NO.	LATITUDE	LONGITUDE	RK-TYPE	S-FEZ	S-MGZ	S-CAZ	S-TIZ	S-MN	S-AG	S-AS	S-AU	S-B
72E486	9GA978	56 3 56	133 28 46	QM	5.00	2.00	2.00	.300	1,000	N	N	N	N
72E487	9GA979	56 8 28	133 25 11	QM	3.00	.70	1.50	.500	700	N	N	N	<10
72E488	9GA980	56 5 44	133 22 16	AR	3.00	1.50	1.50	.300	700	<.5	N	N	<10
72E489B	9GA981	56 5 44	133 22 16	AR	10.00	3.00	10.00	.700	1,500	N	N	N	<10
72E489	9GA982	56 3 42	133 25 56	QM	1.50	.15	.30	.150	200	N	N	N	N
72E490	9GA983	56 0 53	133 39 1	QM	2.00	.50	1.00	.300	300	N	N	N	N
72E491	9GA984	56 0 9	133 38 30	GD	3.00	.70	1.00	.300	500	N	N	N	N
72E492	9GA985	56 1 25	133 37 48	GD	3.00	.70	1.50	.300	700	N	N	N	N
72E493	9GA986	56 2 47	133 35 1	QM	3.00	.70	1.50	.300	500	N	N	N	N
72E494	9GA987	56 3 23	133 27 9	QM	3.00	.70	1.50	.300	700	N	N	N	N
72E495	9GA989	56 8 39	133 27 42	GD	1.50	.20	.70	.150	150	N	N	V	V
72E495R	9GD022	56 8 39	133 27 42	GD	1.00	.20	.70	.150	150	N	N	N	N
72E495	9GA990	56 9 23	133 28 5	GD	5.00	1.50	3.00	.700	700	N	N	N	<10
72E497	9GA991	56 8 17	133 28 41	GD	7.00	3.00	1.50	.700	700	N	N	N	<10
72E497R	9GD023	56 8 17	133 28 41	GD	7.00	2.00	2.00	.700	1,000	N	N	N	<10
72E498	9GA992	56 7 35	133 30 20	GD	3.00	1.50	2.00	.300	700	N	N	N	<10
72E499	9GA993	56 5 43	133 32 25	GD	5.00	1.50	3.00	.300	700	N	N	N	<10
72E500	9GA994	56 6 44	133 29 4	GD	7.00	3.00	3.00	.500	1,000	N	N	N	<10
72E501	9GA995	56 7 6	133 27 37	GD	3.00	1.00	2.00	.500	700	N	N	N	<10
72E502	9GA996	56 8 13	133 26 6	GD	7.00	3.00	3.00	1,000	700	N	N	N	<10
72E503	9GA997	56 7 44	133 20 50	QM	3.00	.70	1.50	.300	700	N	N	N	<10
72E504	9GA998	56 5 54	133 25 8	QM	1.50	.10	.30	.100	3,000	N	N	N	N
72E505	9GA999	56 3 59	133 27 6	QM	1.50	.15	.50	.150	700	N	N	N	N
72E505	9GD001	56 5 13	133 22 29	SC	10.00	3.00	3.00	.700	1,000	N	N	N	<10
72E507	9GD002	56 2 3	133 37 30	QM	7.00	1.50	1.50	.500	700	N	N	N	<10
72E508	9GD003	56 3 39	133 36 53	GN	5.00	1.50	1.50	.300	1,000	N	N	N	<10
72E509	9GD004	56 4 3	133 35 1	QM	2.00	.50	2.00	.200	700	N	N	N	<10
72E510	9GD005	56 4 55	133 32 47	QM	3.00	.70	2.00	.150	1,000	N	N	N	<10
72S054	9DT399	56 1 19	133 43 41	GD	2.00	.70	2.00	.200	700	N	N	N	<10
72S075	9DT407	56 4 19	133 21 49	MY	7.00	2.00	5.00	.500	1,500	N	N	N	<10
72S076	9DT408	56 3 2	133 27 3	GD	2.00	.70	2.00	.100	1,000	N	N	N	<10
72S083	9DT412	56 0 1	133 35 54	GD	.70	.15	1.00	.100	150	N	N	N	N
73H076A	LAG082	56 0 13	133 57 17	GD	2.00	1.50	1.50	.200	500	N	N	N	N
73H077A	LAG083	56 0 26	133 59 43	GD	1.50	.50	1.50	.100	200	N	N	N	N
73H078A	LAG084	56 0 27	131 2 6	GN	2.00	.70	1.50	.150	300	.5	N	N	N
73H078B	LAG085	56 0 27	131 2 6	GD	1.50	.70	1.50	.200	200	N	N	N	N
73H094A	LAG189	56 1 12	131 5 50	GD	2.00	1.00	1.50	.200	300	N	N	N	N
73F002A	LAG018	56 7 15	131 14 20	GD	3.00	1.50	2.00	.300	1,000	N	N	N	N
73F003A	LAG019	56 0 27	131 13 20	GD	3.00	1.50	2.00	.300	700	N	N	N	N
73E004A	LAG020	56 0 53	131 12 41	GN	3.00	1.50	2.00	.300	700	<.5	N	N	N
73F005A	LAG021	56 1 13	131 11 49	GN	3.00	1.00	1.50	.300	700	N	N	N	N
73E005A	LAG022	56 1 45	131 11 28	GD	2.00	1.00	1.50	.200	1,500	N	N	N	N
73E006A	LAG023	56 1 45	131 11 28	AP	.70	.07	.50	.020	100	N	N	N	N
73E007A	LAG024	56 1 42	131 10 49	GD	2.00	1.00	1.50	.150	700	N	N	N	N
73E008A	LAG025	56 1 55	131 10 40	GD	2.00	.70	1.50	.150	500	N	N	N	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLF	S-BA	S-BE	S-RI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-AB	S-S3	S-SC	S-SN
72E486	1.500	<1.0	N	N	7	15	<5	20	N	<10	<5	15	N	10	N
72E487	1.500	1.0	N	N	<5	15	<5	50	N	10	5	20	N	10	N
72E488	1.500	<1.0	N	N	7	50	20	<20	N	<10	70	<10	N	10	N
72E488B	30	N	N	N	10	70	50	N	N	10	50	N	N	15	N
72E489	500	1.0	N	N	N	N	N	N	N	V	N	20	N	<5	N
72E490	1.500	1.5	N	N	N	N	N	70	N	N	N	15	N	<5	N
72E491	2.000	1.0	N	N	N	15	<5	300	20	<10	N	15	N	<5	N
72E492	2.000	1.0	N	N	N	<10	<5	150	N	10	N	20	N	<5	N
72E493	1.500	1.0	N	N	N	<10	<5	30	N	<10	V	15	N	<5	N
72E494	1.500	<1.0	N	N	N	N	<5	N	N	<10	N	15	N	<5	N
72E495	1.500	1.5	N	N	N	N	<5	50	N	<10	<5	20	N	N	N
72E495R	1.500	1.5	N	N	N	N	<5	50	N	<10	N	30	N	N	N
72E496	1.000	1.5	N	N	15	30	15	30	N	10	20	10	N	15	N
72E497	1.000	1.5	N	N	30	100	5	20	N	10	50	15	N	20	N
72E497R	1.000	1.5	N	N	20	100	5	30	N	10	50	15	N	20	N
72E498	1.500	1.5	N	N	5	10	<5	<20	N	10	<5	20	N	10	N
72E499	1.000	1.0	N	N	5	15	<5	<20	N	10	<5	15	N	10	N
72E500	1.000	<1.0	N	N	20	20	5	20	N	10	5	15	N	15	N
72E501	1.000	1.5	N	N	<5	15	<5	70	N	10	5	15	N	10	N
72E502	1.500	1.5	N	N	30	20	10	150	N	10	30	15	N	15	N
72E503	1.500	1.5	N	N	N	10	<5	70	N	<10	7	20	N	7	N
72E504	50	2.0	N	N	N	<10	<5	<20	N	70	5	30	N	10	N
72E505	700	1.5	N	N	N	N	<5	20	N	<10	<5	20	N	10	N
72E506	1.000	<1.0	N	N	30	100	7	<20	N	10	50	<10	N	30	N
72E507	3.000	<1.0	N	N	5	<10	<5	50	N	<10	5	20	N	7	N
72E508	1.500	2.0	N	N	<5	<10	<5	30	N	<10	5	50	N	7	N
72E509	2.000	1.5	N	N	N	<10	<5	<20	N	<10	5	50	N	<5	N
>5.000		1.0	N	N	N	<10	<5	30	N	<10	5	50	N	5	N
72S054	1.500	1.0	N	N	<5	N	30	N	N	<10	<5	20	N	5	N
72S075	200	<1.0	N	N	7	30	30	N	N	10	5	15	N	20	N
72S076	3.000	1.5	N	N	<5	<10	30	100	N	10	<5	150	N	5	N
72S080	2.000	1.0	N	N	N	N	15	N	N	<10	5	15	N	N	N
73B075A	1.500	1.0	N	N	10	20	15	100	N	<20	10	15	N	10	N
73B077A	1.500	1.5	N	N	5	N	15	20	N	N	<5	15	N	5	N
73B078A	1.000	1.5	N	N	7	20	50	30	10	N	10	20	N	7	N
73B078B	700	1.5	<10	N	5	20	50	20	N	N	10	15	N	<5	N
73B094A	1.500	1.5	N	N	5	10	20	30	N	N	5	10	N	5	N
73E002A	700	<1.0	N	N	15	20	15	20	N	<20	5	10	N	15	N
73E003A	700	1.0	N	N	10	20	15	20	N	N	5	10	N	15	N
73E004A	700	1.0	N	V	20	30	100	30	30	N	10	15	N	15	N
73E005A	500	1.0	N	N	10	15	30	20	N	N	10	10	N	15	N
73E006A	700	1.5	N	N	7	<10	15	20	N	<20	<5	10	N	7	N
73E006B	1.500	<1.0	N	N	N	N	7	N	N	N	<5	15	N	N	N
73E007A	1.500	1.0	N	N	5	N	7	20	N	N	<5	10	N	7	N
73E008A	1.500	1.0	N	N	5	<10	5	20	N	N	<5	10	N	7	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-SR	S-TH	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
72E486	700	--	150	N	15	N	150	V	5	5	60	.04
72E487	700	--	70	N	10	N	200	N	10	5	60	<.02
72E488	200	--	150	N	15	N	100	N	55	5	60	.04
72E489A	700	--	150	N	15	N	70	N	110	5	30	.08
72E489	150	--	15	V	<10	N	70	N	5	5	30	<.02
72E490	700	--	50	N	<10	N	200	N	5	5	60	<.02
72E491	500	--	100	N	10	N	700	V	15	5	55	.02
72E492	700	--	70	N	15	N	300	N	15	5	70	.04
72E493	700	--	50	N	<10	N	150	N	10	5	60	.02
72E494	500	--	70	N	<10	N	70	N	10	5	40	<.02
72E495	300	--	20	N	10	N	200	N	5	<5	10	<.02
72E495R	300	--	30	N	10	N	150	V	10	5	10	<.02
72E496	700	--	150	N	10	N	200	N	55	<5	40	.04
72E497	500	--	150	N	15	N	300	N	20	5	90	<.02
72E497R	500	--	200	N	15	N	150	N	20	10	70	<.02
72E498	700	--	100	N	10	N	100	N	10	<5	60	.02
72E499	700	--	150	N	15	N	100	N	10	5	35	<.02
72E500	700	--	150	N	30	N	100	N	25	<5	30	<.02
72E501	700	--	100	N	20	N	100	N	5	<5	30	.06
72E502	700	--	150	V	30	N	300	N	30	5	40	.02
72E503	500	--	70	N	15	N	200	N	5	5	45	.04
72E504	<100	--	15	N	50	N	70	N	5	10	55	<.02
72E505	200	--	15	N	<10	N	100	N	5	5	30	<.02
72E506	700	--	300	N	30	N	70	N	40	<5	40	.04
72E507	700	--	100	N	<10	N	150	N	10	<5	45	<.02
72E508	700	--	100	N	20	N	300	N	10	5	50	<.02
72E509	2,000	--	50	N	20	N	150	N	<5	<5	15	<.02
72E510	3,000	--	100	N	15	N	70	N	5	<5	15	<.02
72S054	700	--	50	N	10	N	70	N	5	5	35	.14
72S075	700	--	150	N	30	N	100	N	15	10	25	.06
72S076	1,500	--	100	N	15	N	200	N	15	15	5	.02
72S080	700	--	15	N	N	N	70	N	10	5	30	.06
73R076A	700	--	70	N	20	N	50	N	10	5	50	.02
73R077A	500	--	50	N	10	N	50	N	20	5	25	.04
73R078A	500	--	50	N	10	N	100	N	50	5	80	.02
73R078B	500	--	50	N	<10	N	70	N	25	5	55	.04
73R094A	700	--	30	N	<10	N	30	N	<5	5	40	N
73E002A	500	--	100	N	15	N	100	N	25	<5	40	.08
73E003A	500	--	100	N	15	N	15	V	15	5	50	N
73E004A	700	--	100	N	15	N	100	N	120	10	90	.04
73E005A	500	--	100	N	20	N	100	N	55	10	65	.04
73E006A	500	--	70	N	20	N	70	N	5	5	25	.02
73E006B	200	--	10	N	N	N	70	N	5	5	5	.08
73E007A	300	--	50	N	15	N	100	V	5	<5	20	.06
73E008A	300	--	50	N	15	N	100	N	5	5	25	.10

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	RK-TYPE	S-FEZ	S-M5Z	S-CAX	S-TIX	S-MN	S-AG	S-AS	S-AU	S-B
73E009A	LAG026	56 2 1	131 10 15	GD	2.00	1.50	1.00	.200	500	N	N	N	N
73E010A	LAG027	56 2 8	131 9 19	GD	2.00	1.00	1.50	.200	700	N	N	N	N
73E011A	LAG028	56 2 35	131 9 48	AM	3.00	3.00	3.00	.300	1,500	N	N	N	N
73E012A	LAG029	56 0 10	131 15 14	GD	1.50	.70	1.00	.200	300	N	N	N	N
73E013A	LAG030	56 0 8	131 15 27	GD	2.00	1.00	1.00	.200	500	N	N	N	N
73E020A	LAG037	56 0 20	131 10 6	MB	2.00	3.00	15.00	.100	700	N	N	N	N
73E021A	LAG038	56 0 26	131 10 13	GN	3.00	1.50	1.50	.500	1,000	N	N	N	N
73E022A	LAG039	56 0 19	131 10 43	GD	3.00	.70	1.50	.200	700	N	N	N	N
73E079A	LAG055	56 0 24	130 55 56	GD	2.00	1.00	1.50	.200	500	N	N	N	N
73E080A	LAG067	56 0 43	130 58 42	GD	2.00	1.50	1.50	.200	500	N	N	N	N
73E081A	LAG068	56 0 15	131 1 5	GD	2.00	1.00	1.50	.200	500	N	N	N	N
73E082A	LAG069	56 0 55	131 2 45	GD	2.00	1.00	1.50	.150	500	N	N	N	N
73E092A	LAG181	56 0 22	131 6 3	GD	3.00	.70	1.00	.300	500	N	N	N	N
73E094A	LAG183	56 0 32	131 7 50	GD	3.00	.70	1.00	.150	500	N	N	N	N
73E115	LAG300A	56 0 31	130 18 23	QM	--	--	--	--	--	N	N	N	<10
73E116	LAG300	56 0 31	130 18 23	QM	2.00	.50	.70	.200	500	N	N	N	N
73E118	LAG302	56 0 15	130 13 43	QM	1.00	.20	.50	.070	200	N	N	N	N
73E119	LAG303	56 0 14	130 14 57	SC	2.00	1.50	1.50	.300	300	N	N	N	N
73E120	LAG304	56 1 38	130 16 46	GW	7.00	3.00	5.00	.500	1,500	N	N	N	<10
73E121	LAG305	56 2 5	130 15 42	SC	5.00	3.00	3.00	.300	1,000	N	N	N	<10
73E122	LAG306	56 3 47	130 16 5	GW	7.00	3.00	3.00	.500	1,000	N	N	N	<10
73E123	LAG307	56 4 21	130 15 11	SC	5.00	2.00	3.00	.500	1,500	N	N	N	<10
73E124	LAG308	56 4 48	130 16 49	PH	3.00	1.50	1.50	.300	700	N	N	N	<10
73E125	LAG309	56 4 47	130 18 36	PH	3.00	2.00	3.00	.300	1,000	N	N	N	<10
73E126	LAG310	56 3 55	130 19 5	GD	3.00	2.00	2.00	.300	1,000	N	N	N	<10
73E127	LAG311	56 2 2	130 20 5	SC	5.00	2.00	2.00	.500	1,000	N	N	N	N
77RK601A	CCJ565	56 6 8	130 35 28	GRD	.50	.10	.50	.150	500	N	N	N	N
77RK601B	CCJ566	56 6 8	130 35 28	GRD	.50	.10	.50	.150	700	N	N	N	N
77RK601C	CCJ567	56 6 8	130 35 28	GRD	1.00	.15	.70	.200	700	N	N	N	N
77RK601D	CCJ568	56 5 3	130 35 28	GRD	.50	.10	.50	.150	500	N	N	N	N
78DM101A	CDG833	56 10 23	131 36 28	GD	5.00	2.00	1.50	.500	700	N	N	N	<10
78DM102A	CDG868	56 11 5	131 35 9	GD	2.00	.50	1.50	.300	500	N	N	N	N
78DM104A	CDG939	56 19 42	131 37 11	GD	2.00	.70	1.00	.200	500	N	N	N	N
78DM104C	CDG897	56 19 42	131 37 11	GD	1.00	.20	.50	.050	700	N	N	N	N
78DM105B	CDG934	56 20 2	131 38 0	GD	5.00	1.50	1.00	.300	500	N	N	N	N
78DM106A	CDG816	56 22 35	131 32 11	GD	3.00	1.00	2.00	.500	500	N	N	N	N
78DM107B	CDG820	56 22 2	131 31 32	GP	2.00	.50	1.50	.150	300	N	N	N	N
78DM109A	CDG878	56 22 33	131 29 38	GMF	7.00	2.00	2.00	.300	1,500	N	N	N	<10
78DM111A	CDG728	56 19 13	131 28 12	GD	.50	.05	.50	.050	70	N	N	N	N
78DM112A	CDG743	56 19 41	131 27 20	GD	1.00	.30	.70	.300	300	N	N	N	N
78DM114A	CDG752	56 20 12	131 26 18	GP	3.00	1.50	2.00	.300	500	N	N	N	<10
78FP101A	CDG795	56 29 45	131 47 35	GMF	2.00	.30	3.00	.150	300	N	N	N	N
78ER101B	CDG935	56 29 45	131 47 35	GDG	7.00	2.00	3.00	.700	1,000	N	N	N	<10
78ER102A	CDG768	56 30 44	131 49 28	GMF	1.50	.50	1.50	.150	200	N	N	N	N
78ER103A	CDG956	56 31 17	131 51 24	QM	1.00	.50	1.00	.150	500	N	N	N	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-BA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-N3	S-NI	S-PB	S-SB	S-SC	S-SN
73E009A	1,500	1.0	N	N	7	50	5	20	N	N	20	10	N	7	N
73E010A	1,000	1.0	N	N	5	10	5	20	N	N	<5	10	N	7	N
73E011A	150	1.0	N	N	20	300	10	<20	N	N	50	<10	N	20	N
73E012A	1,000	1.0	N	N	5	10	5	30	N	N	5	15	N	5	N
73E013A	1,000	1.5	N	N	7	10	10	20	N	N	5	15	N	10	N
73E020A	20	N	N	N	7	100	<5	N	N	N	5	10	N	10	N
73E021A	700	1.0	N	N	15	30	30	N	N	N	7	<10	N	30	N
73E022A	700	1.0	N	N	7	N	<5	20	N	N	<5	10	N	10	N
73E079A	500	1.5	N	N	7	10	7	50	N	<20	<5	10	N	10	N
73E090A	700	1.0	N	N	10	15	<5	20	N	N	5	10	N	15	N
73E081A	1,500	1.0	N	N	10	10	5	20	N	N	<5	15	N	10	N
73E082A	700	1.5	N	N	10	20	15	20	N	<20	10	10	N	10	N
73E092A	5,000	1.0	N	N	5	N	10	70	N	<20	<5	30	N	5	N
73E094A	3,000	1.0	N	N	5	10	15	<20	N	N	<5	15	N	5	N
73E115	1,500	1.0	N	N	<5	<10	<5	50	N	<20	<5	20	N	<5	N
73E116	1,500	1.0	10	N	5	N	50	100	N	20	<5	50	N	5	10
73E118	1,500	2.0	N	N	N	N	5	20	N	<20	<5	30	N	<5	N
73E119	1,500	1.0	N	N	7	150	100	N	N	N	50	<10	N	15	N
73E120	1,500	<1.0	N	N	30	150	70	20	N	N	30	10	N	30	N
73E121	1,000	<1.0	N	N	30	1,000	50	20	N	N	150	50	N	20	N
73E122	1,500	<1.0	N	N	30	700	30	20	N	N	100	<10	N	30	N
73E123	3,000	<1.0	N	N	30	50	70	20	N	<20	20	15	N	30	N
73E124	3,000	1.0	N	N	7	10	15	20	N	N	<5	<10	N	10	N
73E125	3,000	1.0	N	N	15	100	100	20	15	<20	30	15	N	15	N
73E126	2,000	1.0	N	N	10	20	50	30	N	<20	5	20	N	15	N
73E127	3,000	<1.0	N	N	20	50	70	20	N	N	20	10	N	30	N
77RK601A	300	2.0	N	N	<5	<10	<5	<20	N	N	<5	50	N	<5	N
77RK601B	500	2.0	N	N	<5	<10	<5	<20	N	N	<5	50	N	<5	N
77RK601C	700	2.0	N	N	<5	<10	<5	<20	N	N	<5	50	N	<5	N
77RK601D	500	2.0	N	N	<5	<10	7	<20	N	N	<5	50	N	<5	N
78DM101A	2,000	<1.0	N	N	50	70	150	50	7	N	50	10	N	30	N
78DM102A	>5,000	1.0	N	N	5	<10	N	N	N	N	N	20	N	<5	N
78DM104A	2,000	<1.0	N	N	5	N	<5	50	N	N	N	20	N	<5	N
78DM104C	1,500	1.0	N	N	N	<10	<5	<20	N	N	N	50	N	<5	N
78DM105B	1,000	N	N	N	15	100	10	20	N	N	20	30	N	7	N
78DM106A	1,500	1.0	N	N	7	N	<5	150	N	<20	<5	10	N	5	N
78DM107A	5,000	1.0	N	N	<5	<10	N	100	N	N	N	20	N	<5	N
78DM109A	2,000	1.5	N	N	20	10	30	50	N	N	5	15	N	15	N
78DM111A	2,000	N	N	N	N	N	N	N	N	N	N	30	N	N	N
78DM112A	2,000	1.0	N	N	N	<10	N	50	N	N	N	20	N	<5	N
78DM114A	3,000	1.0	N	N	10	50	20	N	N	N	15	20	N	10	N
78ER101A	3,000	1.0	N	N	<5	N	<5	30	N	N	N	15	N	<5	N
78ER101B	1,500	<1.0	N	N	30	20	30	50	N	N	20	10	N	15	N
78ER102A	5,000	1.0	N	N	<5	<10	N	20	N	N	N	20	N	<5	N
78ERT03A	1,000	2.0	N	N	N	N	N	30	N	<20	N	50	N	<5	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-SR	S-TH	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
73E009A	500	--	70	N	15	N	100	N	10	<5	35	.02
73E010A	300	--	70	N	20	N	150	N	10	<5	25	.02
73E011A	300	--	200	N	20	N	50	V	35	5	20	.06
73E012A	500	--	50	N	<10	N	100	N	5	5	40	.02
73E013A	500	--	70	N	10	N	50	N	5	<5	45	.06
73E020A	300	--	50	N	20	N	50	N	10	30	25	.04
73E021A	500	--	150	N	30	N	150	N	50	5	90	.02
73E022A	500	--	70	N	15	N	150	V	5	<5	50	.06
73E079A	500	--	70	N	20	N	150	N	5	5	70	.04
73E080A	500	--	70	N	15	N	30	N	10	10	65	.08
73E081A	500	--	70	N	10	N	70	N	10	10	70	.06
73E082A	300	--	70	N	15	N	30	N	35	5	35	.06
73E092A	500	--	30	N	10	N	1,000	N	5	<5	40	<.02
73E094A	1,000	--	50	N	10	N	70	N	20	15	20	N
73E116	300	--	20	N	10	N	50	--	--	--	--	--
73E115	500	--	30	V	15	N	150	N	<5	5	45	N
73E118	200	--	10	N	10	N	50	N	<5	5	10	N
73E119	300	--	150	N	20	N	100	N	70	5	50	N
73E120	2,000	--	500	N	20	N	70	N	65	10	75	V
73E121	500	--	200	N	20	N	100	N	55	55	120	V
73E122	700	--	500	N	20	N	70	N	35	5	35	N
73E123	1,000	--	500	N	20	N	70	N	55	15	65	N
73E124	700	--	100	N	15	N	150	N	<5	5	35	N
73E125	700	--	300	N	20	N	70	N	100	10	10	N
73E126	1,000	--	150	N	15	N	100	V	10	15	55	N
73E127	1,000	--	300	N	20	N	70	N	90	10	60	N
77RK601A	200	--	10	N	<10	N	200	N	<5	5	20	--
77RK601B	200	--	10	N	<10	N	30	N	<5	5	20	--
77RK601C	200	--	15	N	<10	N	200	N	<5	5	20	--
77RK601D	200	--	10	N	<10	N	70	N	<5	5	20	--
78DM106A	300	N	1,300	N	30	N	100	N	95	10	300	--
78DM102A	1,000	N	70	N	<10	N	100	N	<5	10	20	--
78DM104A	500	N	100	V	15	N	100	N	<5	5	45	--
78DM104C	300	N	N	N	<10	N	70	N	10	10	55	--
78DM105B	200	N	150	N	10	N	200	V	10	10	55	--
78DM106A	1,000	N	100	N	10	N	70	N	<5	10	45	--
78DM107H	1,500	N	50	V	10	N	100	N	N	<5	15	--
78DM109A	700	N	500	V	50	N	<200	N	20	10	45	--
78DM111A	300	V	10	N	N	N	15	V	N	<5	5	--
78DM112A	300	V	50	N	N	N	150	V	N	5	30	--
78DM114A	1,000	N	200	V	10	N	50	N	20	5	40	--
78ER101A	2,000	N	70	N	<10	N	100	N	5	5	40	--
73ER101B	1,500	N	500	N	20	N	100	N	25	10	55	--
74ER102A	2,000	V	50	V	N	N	70	N	<5	<5	35	--
78ER105A	200	N	30	N	10	N	70	N	<5	<5	40	--

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	RK-TYPE	S-FEZ	S-MGZ	S-CAZ	S-TIZ	S-MN	S-AG	S-AS	S-AU	S-B
79FR104A	CD6872	56 32 42	131 52 5	GD	7.00	3.00	5.00	.500	1,000	N	N	N	<10
79FR105A	CD6919	56 33 23	131 52 22	GM	1.50	.50	.70	.100	300	N	N	N	N
79ER105B	CD6703	56 33 23	131 52 22	GD	5.00	2.00	5.00	.500	1,000	N	N	N	<10
79FR106A	CD6746	56 21 40	131 36 56	GD	5.00	2.00	5.00	.500	1,000	N	N	N	<10
79ER107A	CD6870	56 19 42	131 35 25	QDF	5.00	3.00	5.00	.500	1,500	N	N	N	<10
78ER108A	CD5698	56 21 42	131 34 22	GD	1.00	.20	1.00	.100	300	N	N	N	N
78ER109A	CD6738	56 18 11	131 34 21	QMF	5.00	2.00	5.00	.500	1,000	N	N	N	<10
78ER110A	CD6893	56 14 28	131 47 55	GP	7.00	2.00	3.00	.200	1,000	N	N	V	<10
78ER111A	CD6823	56 15 50	131 47 0	GP	7.00	3.00	3.00	.700	2,000	N	N	N	<10
79ER112A	CD6840	56 21 55	131 50 21	GP	7.00	7.00	5.00	.300	1,000	N	N	N	<10
79ER113A	CD6821	56 23 35	131 53 10	GP	10.00	5.00	3.00	>1.000	2,000	N	N	N	<10
78ER114A	CD6769	56 24 45	131 50 58	GD	5.00	3.00	3.00	.500	1,000	N	N	N	<10
79ER114B	CD6942	56 24 45	131 50 58	BA	10.00	3.00	2.00	1.000	1,500	N	N	N	<10
78ER115A	CD6834	56 22 35	131 48 59	QMF	1.50	.70	1.00	.200	500	N	N	N	N
79ER116A	CD6843	56 21 44	131 45 49	GDN	3.00	1.50	3.00	.300	700	N	N	N	<10
78ER117A	CD6849	56 23 2	131 46 20	QDF	5.00	2.00	5.00	.500	1,000	N	N	N	<10
79ER118A	CD6923	56 23 44	131 46 32	GD	3.00	.70	1.00	.150	700	N	N	N	<10
79ER119A	CD6857	56 24 0	131 45 13	GP	7.00	3.00	.50	>1.000	2,000	N	N	N	<10
79ER120A	CD6971	56 24 50	131 43 6	QDF	2.00	.50	3.00	.200	300	N	N	N	<10
79ER121A	CD6830	56 26 4	131 32 12	GD	5.00	3.00	7.00	.500	1,000	N	N	N	<10
79ER122A	CD6980	56 24 31	131 32 18	GM	2.00	.50	1.50	.150	500	N	N	N	N
78ER123A	CD6832	56 23 15	131 28 58	QMF	1.00	.20	1.00	.100	200	N	N	N	N
79ER124A	CD6922	56 22 43	131 28 17	QMF	1.00	.50	1.00	.100	300	N	N	N	N
78ER125A	CD6858	56 22 47	131 32 15	QMN	3.00	1.00	5.00	.300	1,000	N	N	N	N
79ER126A	CD6933	56 20 45	131 31 58	GD	7.00	2.00	3.00	.500	1,000	N	N	N	<10
78ER127A	CD6719	56 20 8	131 29 29	QMN	1.00	.20	.50	.100	200	N	N	N	N
79ER128A	CD6739	56 24 19	131 39 36	QMN	2.00	.50	1.50	.300	500	N	N	N	N
78ER129A	CD6797	56 25 48	131 41 14	GM	1.00	.20	1.50	.100	200	N	N	N	N
78ER130A	CD6826	56 27 28	131 41 35	GD	3.00	2.00	5.00	.500	1,000	N	N	N	<10
78ER131A	CD6736	56 25 19	131 36 48	GM	1.50	.30	3.00	.200	500	N	N	N	N
79ER132A	CD6847	56 25 55	131 33 20	GD	5.00	2.00	5.00	.500	1,000	N	N	N	<10
79ER133A	CD6697	56 28 5	131 38 39	GD	5.00	1.50	5.00	.500	700	N	N	N	<10
79ER134A	CD6924	56 29 44	131 37 42	GD	5.00	1.50	2.00	.300	1,000	N	N	N	<10
78ER135A	CD6906	56 28 10	131 34 50	GD	7.00	2.00	3.00	.500	1,000	N	N	N	<10
79ER136A	CD6738	56 9 1	131 40 43	GP	7.00	3.00	1.00	1.000	2,000	N	N	N	<10
78ER137A	CD6871	56 5 30	131 41 16	GD	5.00	2.00	3.00	.300	1,000	N	N	N	<10
78ER138A	CD6839	56 3 50	131 40 24	GD	3.00	1.50	5.00	.500	700	N	N	N	<10
79ER139A	CD6961	56 2 31	131 44 15	GD	5.00	1.50	2.00	.300	700	N	N	N	<10
79ER140A	CD6762	56 1 37	131 46 57	GD	3.00	1.50	3.00	.300	1,000	N	N	N	<10
79ER141A	CD6807	56 1 42	131 51 19	GD	5.00	1.50	5.00	.500	700	N	N	N	<10
79FR142A	CD6748	56 5 5	131 56 44	GD	5.00	1.50	3.00	.300	1,000	N	N	N	<10
79ER143A	CD6859	56 7 50	131 56 17	GD	5.00	2.00	5.00	.500	1,000	N	N	N	<10
79ER144A	CD6860	56 9 30	131 55 20	GD	3.00	1.00	3.00	.200	700	N	V	N	N
79FR145A	CD6815	56 31 52	131 44 1	AF	1.50	.02	.07	.050	200	N	N	N	N
79FR146A	CD6767	56 32 55	131 44 36	GD	2.00	.30	1.50	.150	500	N	N	N	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-BA	S-BE	S-NI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-M3	S-NI	S-P3	S-S3	S-SC	S-SN
78ER1174A	1,500	1.0	N	N	20	15	7	20	N	N	5	15	N	15	N
78ER1175A	1,500	<1.0	N	N	N	N	N	20	N	N	N	50	N	N	N
78ER1050B	1,500	1.5	N	N	20	10	5	30	N	<20	5	15	N	15	N
78ER106A	1,500	1.0	N	N	20	20	5	20	N	N	<5	10	N	15	N
78ER107A	1,000	1.0	N	N	20	10	<5	50	N	N	5	15	N	15	N
78ER108A	1,500	1.5	N	N	N	N	N	20	N	N	N	20	N	<5	N
78ER109A	1,000	1.5	N	N	20	15	N	20	N	N	5	15	N	15	N
78ER110A	100	<1.0	N	N	30	150	100	<20	N	N	30	10	N	30	N
78ER111A	1,500	<1.0	N	N	10	20	100	70	10	N	10	10	N	20	N
78ER112A	700	<1.0	N	N	30	700	150	<20	N	N	50	15	N	30	N
78ER113A	<20	<1.0	N	N	30	N	100	<20	N	N	<5	<10	N	7	N
78ER114A	1,500	1.0	N	N	20	30	7	20	N	N	7	10	N	15	N
78ER114B	700	1.0	N	N	50	150	30	20	N	<20	50	<10	N	20	N
78ER115A	>5,000	<1.0	N	N	<5	10	<5	N	N	N	4	20	N	5	N
78ER116A	2,000	1.0	N	N	10	10	<5	30	N	N	<5	10	N	10	N
78ER117A	1,000	1.0	N	N	15	20	<5	20	N	N	<5	10	N	15	N
78ER118A	300	1.5	N	N	N	N	15	N	N	<20	N	15	N	10	N
78ER119A	1,500	2.0	N	N	20	200	100	200	N	20	50	20	N	30	N
78ER120A	5,000	<1.0	N	N	10	N	<5	20	N	N	N	15	N	5	N
78ER121A	2,000	1.0	N	N	20	10	<5	20	N	N	<5	15	N	15	N
78ER122A	5,000	1.5	N	N	5	N	7	20	N	N	N	30	N	<5	N
78ER123A	5,000	1.0	N	N	N	N	<5	N	N	N	N	20	N	<5	N
78ER124A	3,000	1.0	N	N	N	N	5	70	N	N	N	20	N	<5	N
78ER125A	2,000	1.0	N	N	10	<10	10	20	N	N	<5	10	N	10	N
78ER126A	1,000	1.0	N	N	20	20	7	20	N	N	5	10	N	20	N
78ER127A	1,500	1.0	N	N	N	N	N	<20	N	<20	N	30	N	<5	N
78ER128A	2,000	1.5	N	N	5	N	5	30	N	<20	<5	10	N	<5	N
78ER129A	3,000	1.0	N	N	N	N	<5	<20	N	N	N	15	N	<5	N
78ER130A	200	1.0	N	N	20	<10	<5	20	N	<20	<5	15	N	15	N
78ER131A	>5,000	1.0	N	N	<5	N	5	<20	N	N	N	15	N	<5	N
78ER132A	2,000	1.0	N	N	15	10	<5	<20	N	N	<5	15	N	15	N
78ER133A	3,000	1.0	N	N	10	<10	10	30	N	N	<5	15	N	10	N
78ER134A	1,500	1.0	N	N	10	10	10	N	N	N	<5	20	N	10	N
78ER135A	2,000	1.0	N	N	15	15	7	20	N	N	<5	50	N	10	N
78ER136A	1,000	N	N	N	30	150	70	<20	N	<20	30	10	N	30	N
78ER137A	1,500	1.0	N	N	15	30	5	30	N	N	5	15	N	10	N
78ER138A	1,000	1.5	N	N	10	15	7	20	N	N	5	10	N	10	N
78ER139A	1,000	1.0	N	N	<5	N	5	20	N	N	N	15	N	7	N
78ER140A	1,500	1.0	N	N	15	20	5	70	N	N	<5	15	N	10	N
78ER141A	1,000	1.0	N	N	10	20	7	70	N	N	5	15	N	10	N
78ER142A	1,000	1.0	N	N	10	20	5	20	N	N	<5	10	N	10	N
78ER143A	1,000	1.0	N	N	10	20	<5	70	N	N	<5	15	N	10	N
78ER144A	1,500	1.0	N	N	5	10	<5	N	N	N	N	15	N	10	N
78ER145A	N	7.0	N	N	N	N	N	100	<5	70	4	20	N	N	15
78ER146A	5,000	1.5	N	N	N	N	<5	200	N	N	4	30	N	<5	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-SR	S-TH	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
78ER104A	1,500	N	300	N	20	<200	100	V	10	10	55	--
78ER105A	500	N	50	N	N	N	100	N	<5	5	30	--
78ER105R	1,000	N	200	N	20	N	50	N	<5	5	65	--
78ER106A	700	N	200	N	20	<200	150	N	5	10	45	--
78ER107A	1,000	N	300	N	30	<200	20	<.05	5	10	40	--
78ER109A	500	V	10	N	<10	<200	70	<.05	N	<5	45	--
78ER109A	1,000	N	200	N	20	<200	150	N	<5	5	55	--
78ER110A	500	N	300	N	30	N	100	N	5	75	10	--
78ER111A	200	N	200	N	50	200	300	N	45	20	130	--
78ER112A	500	V	300	N	20	N	50	V	100	20	50	--
78ER113A	100	N	300	N	50	300	30	N	35	5	25	--
78ER114A	500	N	200	N	20	<200	100	N	10	10	70	--
78ER114B	300	N	300	N	30	N	150	N	25	20	60	--
78ER115A	2,000	N	150	V	<10	N	30	N	N	N	20	--
78ER116A	1,000	N	150	N	20	N	30	N	<5	5	30	--
78ER117A	1,000	N	200	N	20	<200	150	N	<5	5	40	--
78ER118A	200	N	<10	N	50	N	200	N	5	5	60	--
78ER119A	150	N	200	N	100	<200	200	N	40	15	70	--
78ER120A	700	N	100	N	<10	N	50	N	<5	10	50	--
78ER121A	1,500	N	300	N	15	<200	150	N	N	5	60	--
78ER122A	2,000	N	70	N	20	N	150	N	10	<5	20	--
78ER123A	2,000	N	20	N	N	N	70	V	N	<5	20	--
78ER124A	2,000	N	50	N	10	N	150	N	<5	<5	20	--
78ER125A	1,000	N	100	N	20	N	150	N	10	N	25	--
78ER126A	1,000	N	300	N	20	N	10	N	10	10	45	--
78ER127A	150	N	10	N	<10	N	70	<.05	N	5	30	--
78ER128A	500	N	50	N	10	N	70	V	<5	5	35	--
78ER129A	2,000	N	50	N	<10	N	100	V	<5	<5	30	--
78ER130A	1,500	N	200	N	15	<200	150	N	N	10	65	--
78ER131A	2,000	N	50	N	<10	N	100	N	5	<5	30	--
78ER132A	1,500	N	200	N	15	<200	150	N	<5	5	45	--
78ER133A	1,500	N	150	N	20	N	70	<.05	10	5	45	--
78ER134A	1,000	N	150	N	20	N	100	V	10	10	50	--
78ER135A	1,500	N	200	N	30	<200	150	N	5	5	60	--
78ER136A	500	N	500	N	30	<200	150	N	35	15	100	--
78ER137A	1,000	N	200	N	20	<200	100	N	5	10	65	--
78ER138A	1,000	V	100	N	10	<200	100	N	10	10	70	--
78ER139A	1,000	N	150	N	15	<200	100	N	<5	<5	40	--
78ER140A	1,000	N	150	N	20	<200	150	N	5	<5	50	--
78ER141A	1,000	N	150	N	15	<200	70	<.05	10	10	55	--
78ER142A	700	N	150	N	20	<200	200	N	5	5	55	--
78ER143A	1,000	N	150	N	20	<200	70	N	<5	10	75	--
78ER144A	700	N	100	N	20	N	50	N	<5	<5	50	--
78ER145A	N	N	N	N	70	<200	300	N	<5	15	100	--
78ER146A	1,500	N	70	N	10	N	70	V	<5	5	15	--

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	LAR NO.	LATITUDE	LONGITUDE	RK-TYPE	S-FE%	S-MG%	S-CA%	S-TI%	S-MN	S-AG	S-AS	S-AU	S-B
79ER1463	CDG926	56 32 55	131 44 36	DD	1.00	.07	.10	.100	3,000	N	N	N	N
78ER146C	CDG837	56 32 55	131 44 36	AF	1.50	.10	.10	.100	200	N	N	N	N
79ER146D	CDG704	56 32 55	131 44 36	GR	1.50	.07	.15	.100	150	N	N	N	N
78ER147A	CDG900	56 35 4	131 43 16	QM	3.00	1.00	1.50	.200	1,000	N	N	N	<10
78ER147B	CDG993	56 35 4	131 43 16	DD	2.00	.30	.05	.200	200	N	N	N	N
78ER148A	CDG835	56 32 34	131 41 49	AF	1.50	.07	.05	.100	300	<.5	N	N	N
78ER148B	CDG817	56 32 34	131 41 48	GR	1.50	.05	.15	.070	200	N	N	N	N
78ER148D	CDG811	56 32 34	131 41 48	FE	1.00	.05	<.05	.070	50	N	N	N	N
78ER148E	CDG909	56 32 34	131 41 48	FE	7.00	.10	1.50	1.000	500	N	N	N	<10
78ER148F	CDG993	56 32 34	131 41 48	FE	7.00	.30	3.00	1.000	2,000	N	N	N	<10
79ER148G	CDG973	56 32 34	131 41 48	DD	5.00	.05	.05	.200	1,000	N	N	N	<10
78ER149A	CDG794	56 8 30	131 37 56	GD	7.00	5.00	2.00	.500	1,000	N	N	N	<10
79ER150A	CDG895	56 6 42	131 34 8	QDF	3.00	2.00	2.00	.200	1,000	N	N	N	<10
79ER151A	CDG784	56 4 24	131 31 38	QDF	5.00	3.00	5.00	.500	1,500	N	N	N	<10
78ER152A	CDG720	56 1 59	131 31 31	QDF	5.00	2.00	5.00	.500	1,000	N	N	N	<10
78ER153A	CDG952	56 1 3	131 29 9	QDF	7.00	2.00	5.00	.500	1,000	N	N	N	<10
78ER154A	CDG758	56 2 18	131 33 29	QDF	5.00	2.00	5.00	.300	1,500	N	N	N	<10
78ER155A	CDG756	56 2 54	131 34 13	DD	5.00	2.00	3.00	.300	1,000	N	N	N	<10
78ER156A	CDG979	56 4 57	131 38 4	DD	3.00	1.00	3.00	.200	500	N	N	N	N
78ER157A	CDG800	56 6 56	131 38 37	QDN	5.00	2.00	5.00	.300	1,500	N	N	N	<10
78ER158A	CDG766	56 6 37	131 36 9	QDF	5.00	3.00	3.00	.300	1,000	N	N	N	<10
78ER159A	CDG692	56 4 42	131 24 42	QDN	5.00	2.00	5.00	.500	700	N	N	N	<10
78ER160A	CDG805	56 5 24	131 27 53	QDF	5.00	2.00	7.00	.500	700	N	N	N	<10
78ER161A	CDG777	56 7 18	131 29 8	GDF	3.00	1.00	2.00	.200	1,000	N	N	N	N
78ER162A	CDG882	56 8 52	131 28 42	QDN	2.00	.70	1.00	.200	500	N	N	N	N
78ER163A	CDG844	56 18 15	131 32 50	QDF	5.00	2.00	5.00	.500	1,000	N	N	N	<10
78ER164A	CDG778	56 10 2	131 30 56	GD	3.00	.70	2.00	.200	700	N	N	N	<10
78ER165A	CDG711	56 10 2	131 29 19	GP	7.00	2.00	1.00	.100	700	N	N	N	15
78ER166A	CDG763	56 8 37	131 25 48	QMF	3.00	1.00	1.50	.300	700	N	N	N	<10
78ER167A	CDG899	56 8 35	131 22 52	QM	1.00	.03	.30	.030	200	N	N	N	N
78ER167B	CDG750	56 8 36	131 22 52	GM	7.00	2.00	5.00	.300	1,500	N	N	N	<10
78ER168A	CDG813	56 9 59	131 49 20	GD	2.00	.70	1.50	.200	700	N	N	N	<10
78ER169A	CDG975	56 7 44	131 50 19	GD	5.00	1.00	3.00	.500	700	N	N	N	10
78ER170A	CDG693	56 4 50	131 48 46	GD	2.00	.70	3.00	.200	500	N	N	N	N
78ER171A	CDG912	56 2 52	131 55 22	DD	3.00	1.50	2.00	.200	700	N	N	N	<10
78ER172A	CDG891	56 15 2	131 54 15	GDF	5.00	1.00	2.00	.200	700	N	N	N	<10
78ER173A	CDG732	56 18 34	131 53 43	GD	2.00	.70	3.00	.150	500	N	N	N	N
78ER174A	CDG695	56 21 2	131 56 21	GD	2.00	.50	5.00	.200	300	N	N	N	N
78RK001A	CDH577	56 30 33	131 47 38	GDD	1.50	.30	1.50	.150	300	N	N	N	N
78RK001H	CDH010	56 30 33	131 47 38	DD	7.00	5.00	7.00	.700	2,000	N	N	N	<10
78RK002A	CDH027	56 30 14	131 51 16	GDF	2.00	.50	.70	.150	200	N	N	N	N
78RK002H	CDH517	56 31 14	131 51 16	RDD	2.00	.02	<.05	.100	100	N	N	N	N
78RK003A	CDH403	56 31 3	131 53 11	QDN	7.00	1.50	2.00	.300	1,000	N	N	N	<10
78RK004A	CDH653	56 31 2	131 55 13	QDF	5.00	2.00	5.00	.500	1,000	N	N	N	<10
78RK005A	CDH432	56 31 1	131 54 30	QDF	5.00	2.00	3.00	.300	1,000	N	N	N	<10

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-RA	S-BE	S-RI	S-CD	S-CC	S-CR	S-CU	S-LA	S-MO	S-W3	S-NI	S-PB	S-SB	S-SC	S-SN
78ER146R	500	5.0	N	N	N	N	N	50	N	30	N	20	N	N	N
78ER146C	100	5.0	N	N	N	<5	<5	100	5	50	N	20	N	N	15
78ER146D	1,000	5.0	N	N	N	<5	<5	100	5	20	N	20	N	<5	20
78ER147A	5,000	2.0	N	10	<10	N	N	20	N	N	<5	20	V	5	N
78ER147R	300	5.0	N	5	<10	5	5	30	N	50	<5	30	N	5	N
78ER148A	1,000	7.0	N	N	N	5	5	100	5	70	N	70	N	N	20
78ER1483	50	5.0	N	N	N	<5	<5	100	<5	50	N	20	N	N	10
78ER148D	N	7.0	N	N	N	N	N	<20	N	150	N	N	N	N	N
78ER148E	1,000	3.0	N	10	N	<5	<5	150	<5	30	N	70	V	15	N
78ER148F	>5,000	<1.0	N	20	N	<5	<5	100	N	30	N	20	N	20	N
78ER148G	50	10.0	N	N	N	5	5	200	N	70	N	70	N	N	20
78ER149A	500	1.0	N	20	700	50	50	30	N	<20	150	10	N	20	N
78ER150A	5,000	1.0	N	10	150	7	7	N	<5	N	10	30	N	20	N
78ER151A	1,500	1.0	N	15	100	5	5	20	N	N	5	15	N	20	N
78ER152A	1,500	1.0	N	15	50	5	5	20	N	N	<5	15	V	20	N
78ER153A	1,000	1.0	N	10	70	5	5	N	<5	N	5	15	N	20	N
78ER154A	1,500	1.0	N	10	50	5	5	20	N	N	<5	15	N	20	N
78ER155A	1,500	1.0	N	10	50	5	5	30	N	N	<5	15	N	20	N
78ER156A	3,000	1.0	N	5	20	N	N	30	N	N	<5	20	N	10	N
78ER157A	1,500	1.0	N	15	70	5	5	30	N	N	5	15	N	20	N
78ER158A	700	1.5	N	15	50	5	5	30	N	N	5	10	N	20	N
78ER159A	1,000	<1.0	N	30	30	<5	<5	50	N	N	15	15	N	15	N
78ER160A	1,500	1.0	N	20	20	10	10	100	N	N	10	15	N	15	N
78ER161A	1,500	2.0	N	5	20	<5	<5	20	N	<20	5	15	N	5	N
78ER162A	3,000	1.0	N	<5	N	N	5	300	N	N	N	20	N	<5	N
78ER163A	1,000	1.0	N	15	15	5	5	20	N	N	<5	10	N	15	N
78ER164A	700	1.5	N	7	10	<5	<5	100	<5	N	<5	15	N	7	N
78ER165A	2,000	<1.0	N	50	1,500	100	100	20	N	<20	300	N	N	30	N
78ER166A	2,000	2.0	N	10	10	100	100	50	N	<20	5	15	N	10	N
78ER167A	150	1.5	N	N	N	5	5	<20	N	N	N	20	N	N	N
78ER1679	500	1.0	N	20	15	100	100	20	N	N	10	10	N	20	N
78ER168A	1,500	1.0	N	5	10	N	N	20	N	N	<5	10	N	5	N
78ER169A	1,000	1.0	N	7	<10	<5	<5	20	N	<20	<5	15	N	10	N
78ER170A	3,000	1.0	N	5	10	N	N	N	N	N	<5	15	N	5	N
78ER171A	1,500	1.0	N	10	20	5	5	N	N	N	<5	10	N	10	N
78ER172A	2,000	1.0	N	5	50	N	N	20	N	N	<5	20	N	10	N
78ER173A	1,500	1.0	N	5	<10	N	N	20	N	N	<5	15	N	5	N
78ER174A	1,500	1.5	N	<5	10	5	5	20	N	N	5	20	N	5	N
78RK001A	3,000	1.0	N	<5	N	V	5	20	N	N	N	50	N	<5	N
78RK001B	1,000	<1.0	N	30	20	20	20	30	N	<20	10	50	N	30	N
78RK002A	3,000	1.5	N	5	<10	N	N	<20	N	N	N	20	N	<5	N
78RK0023	N	10.0	N	N	N	5	5	20	5	100	<5	50	N	N	15
78RK003A	1,500	1.0	N	20	10	7	7	30	N	N	<5	15	N	10	N
78RK004A	1,500	1.0	N	20	20	5	5	<20	N	<20	5	10	N	20	N
78RK005A	1,500	1.0	N	20	20	<5	<5	N	N	N	5	10	N	15	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-SR	S-TH	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-MG
78ER146B	<100	N	<10	N	50	N	150	N	N	15	40	--
78ER146C	N	N	N	N	50	N	200	N	N	15	30	--
78ER146D	N	N	N	N	50	N	150	N	N	10	30	--
78ER147A	2,000	N	150	N	20	N	100	N	N	5	35	--
78ER147B	100	N	50	N	70	N	200	N	5	25	75	--
78ER148A	N	N	N	N	70	N	200	N	N	30	100	--
78ER148B	N	N	N	N	100	N	200	N	<5	25	55	--
78ER148D	N	N	N	N	100	N	700	N	N	5	5	--
78ER148E	700	N	10	N	100	200	700	N	5	40	190	--
78ER148F	500	N	10	N	100	<200	300	N	5	20	180	--
78ER148G	N	N	N	N	200	200	>1,000	N	<5	<5	5	--
78ER149A	300	N	300	N	30	<200	50	N	45	10	55	--
78ER150A	700	N	200	N	20	<200	100	N	35	<5	140	--
78ER151A	1,000	N	300	N	30	<200	150	<.05	10	10	70	--
78ER152A	700	N	200	N	20	<200	100	N	5	10	60	--
78ER153A	700	N	200	N	20	<200	50	N	5	10	50	--
78ER154A	700	N	200	N	20	N	100	N	5	10	65	--
78ER155A	700	N	200	N	20	N	50	N	10	5	50	--
78ER156A	700	N	100	N	15	N	50	N	<5	5	45	--
78ER157A	700	N	200	N	20	<200	100	<.05	10	5	65	--
78ER158A	700	N	200	N	20	<200	100	N	5	10	55	--
78ER159A	500	N	200	N	20	N	100	N	<5	<5	35	--
78ER160A	1,000	N	150	N	20	N	100	<.05	15	10	35	--
78ER161A	1,000	N	70	N	<10	N	200	N	<5	5	35	--
78ER162A	500	<100	30	N	30	N	300	<.05	5	5	60	--
78ER163A	1,000	N	200	N	20	<200	70	N	5	5	40	--
78ER164A	300	N	70	N	20	N	200	N	<5	5	25	--
78ER165A	200	N	300	N	30	200	100	N	30	10	25	--
78ER166A	300	N	100	N	50	N	100	N	10	N	30	--
78ER167A	100	N	N	N	10	N	20	N	N	5	40	--
78ER167B	1,000	N	500	N	20	N	50	N	70	<5	25	--
78ER168A	500	N	70	N	<10	N	70	N	5	5	40	--
78ER169A	1,000	N	100	N	20	N	150	N	<5	5	60	--
78ER170A	1,000	N	70	N	<10	N	70	N	<5	<5	45	--
78ER171A	1,000	N	150	N	20	N	100	N	5	5	45	--
78ER172A	1,000	N	100	N	20	<200	150	N	N	5	55	--
78ER173A	700	N	50	N	<10	<200	100	N	<5	10	100	--
78ER174A	700	N	30	N	<10	N	70	<.05	5	<5	85	--
78RK001A	1,500	N	70	N	10	N	70	N	5	20	45	--
78RK001B	1,500	N	500	N	20	<200	20	N	25	40	110	--
78RK002A	700	N	70	N	<10	N	100	N	<5	<5	40	--
78RK002B	N	N	N	N	150	300	>1,000	N	<5	40	140	--
78RK003A	1,500	N	200	N	15	<200	100	N	<5	5	75	--
78RK004A	1,000	N	200	N	20	<200	50	N	5	10	55	--
78RK005A	1,000	N	200	N	20	<200	150	N	<5	5	50	--

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	RK-TYPE	S-FEX	S-WGZ	S-CAZ	S-TIX	S-MN	S-AG	S-AS	S-AU	S-B
78RK016A	CDH559	56 20 53	131 39 18	SCB	10.00	5.00	5.00	>1.000	1,500	N	N	N	<10
78RK016C	CDH654	56 20 53	131 39 18	CS	2.00	1.00	10.00	.200	700	N	N	N	N
78RK017A	CDH601	56 20 7	131 36 4	GDF	3.00	1.00	2.00	.300	700	N	N	N	<10
78RK017B	CDH407	56 20 7	131 36 1	GF	10.00	3.00	3.00	.500	1,500	N	N	N	<10
78RK017C	CDH506	56 20 7	131 36 1	CS	3.00	1.00	5.00	.300	700	<.5	N	N	<10
78RK018A	CDH537	56 20 49	131 34 35	QDF	5.00	2.00	2.00	.500	1,000	N	N	N	<10
78RK018B	CDH464	56 20 49	131 34 35	QM	1.00	.30	1.50	.100	200	N	N	N	N
78RK018C	CDH645	56 20 42	131 34 35	QD	5.00	2.00	5.00	.500	1,000	N	N	N	<10
78RK019A	CDH447	56 19 55	131 35 58	GDG	3.00	1.00	1.50	.200	500	N	N	N	N
78RK019B	CDH505	56 18 55	131 35 58	GF	7.00	3.00	5.00	.700	1,500	N	N	N	<10
78RK010A	CDH633	56 17 53	131 37 32	GP	3.00	1.50	2.00	.300	700	N	N	N	<10
78RK010B	CDH481	56 17 53	131 37 32	SCB	5.00	7.00	7.00	.500	1,500	N	N	N	<10
78RK011A	CDH496	56 14 20	131 36 51	GDF	3.00	1.50	3.00	.200	700	N	N	N	N
78RK012A	CDH401	56 14 30	131 36 3	GP	3.00	1.00	1.50	.150	700	N	N	N	<10
78RK013A	CDH431	56 18 35	131 44 52	SCB	5.00	2.00	1.00	.500	1,000	N	N	N	<10
78RK013B	CDH624	56 18 36	131 44 52	GDG	5.00	1.00	2.00	.500	500	N	N	N	<10
78RK014A	CDH615	56 19 45	131 46 41	GP	5.00	1.50	3.00	.300	1,000	N	N	N	<10
78RK014B	CDH459	56 19 45	131 46 41	GF	2.00	.70	1.00	.200	300	N	N	N	N
78RK015A	CDH630	56 14 5	131 49 11	GDF	3.00	.70	2.00	.200	500	N	N	N	<10
78RK016A	CDH424	56 14 26	131 46 11	GP	3.00	.70	1.00	.100	5,000	N	N	N	10
78RK017A	CDH421	56 16 56	131 49 21	GDF	3.00	1.00	2.00	.200	1,000	N	N	N	N
78RK017B	CDH657	56 16 56	131 49 21	GP	5.00	1.50	3.00	.300	1,500	N	N	N	<10
78RK018A	CDH499	56 21 9	131 49 15	SCB	5.00	2.00	5.00	.700	700	N	N	N	<10
78RK018B	CDH466	56 21 9	131 49 15	AM	10.00	5.00	5.00	.300	1,500	N	N	N	<10
78RK019A	CDH510	56 22 51	131 52 20	SCB	2.00	.50	1.00	.300	500	N	N	N	N
78RK019B	CDH571	56 22 51	131 52 20	AM	10.00	5.00	7.00	.700	1,000	N	N	N	<10
78RK019C	CDH478	56 22 51	131 52 20	GN	7.00	2.00	7.00	.700	2,000	N	N	N	<10
78RK020A	CDH637	56 25 33	131 52 6	QDF	5.00	2.00	5.00	.500	1,000	N	N	N	<10
78RK021A	CDH555	56 23 4	131 50 0	GDF	2.00	.50	2.00	.200	1,000	N	N	N	N
78RK022A	CDH548	56 23 19	131 49 0	QDG	3.00	3.00	5.00	.300	1,500	N	N	N	<10
78RK022B	CDH629	56 23 19	131 49 0	ALD	1.00	.10	.50	.070	150	N	N	N	N
78RK023A	CDH596	56 24 9	131 49 1	GDF	5.00	2.00	3.00	.300	1,000	N	N	N	<10
78RK024A	CDH409	56 23 32	131 47 44	GDN	5.00	2.00	2.00	.300	1,000	N	N	N	<10
78RK025A	CDH579	56 24 14	131 40 54	SCB	5.00	5.00	5.00	>1.000	1,000	N	N	N	<10
78RK026A	CDH443	56 21 54	131 42 9	GDF	3.00	1.50	1.50	.200	700	N	N	N	N
78RK027A	CDH608	56 24 44	131 27 13	GDN	1.50	.20	.70	.100	300	N	N	N	N
78RK027B	CDH647	56 24 44	131 27 13	LAD	7.00	3.00	7.00	1.000	1,000	N	N	N	<10
78RK028A	CDH538	56 25 2	131 30 15	GDN	1.50	.30	.70	.150	300	N	N	N	N
78RK029A	CDH019	56 23 4	131 35 47	GDN	2.00	.50	5.00	.200	300	N	N	N	N
78RK029B	CDH017	56 23 4	131 35 47	QDI	5.00	3.00	7.00	1.000	1,500	N	N	N	<10
78RK030A	CDH038	56 20 4	131 31 36	QDF	3.00	2.00	5.00	.300	700	N	N	N	<10
78RK031A	CDH049	56 20 40	131 28 7	RG	5.00	1.50	3.00	.300	700	<.5	N	N	<10
78RK031B	CDH024	56 20 40	131 28 7	SK	10.00	1.50	20.00	.300	3,000	N	N	N	<10
78RK031C	CDH034	56 20 40	131 28 7	SK	5.00	1.00	20.00	.200	2,000	N	N	N	<10
78RK032A	CDH050	56 25 11	131 39 19	GDN	2.00	.30	3.00	.200	200	N	N	N	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-BA	S-BF	S-BI	S-CO	S-CO	S-CR	S-CU	S-LA	S-MO	S-N9	S-VI	S-PB	S-S3	S-SC	S-SN
78RK006A	57	1.5	N	N	50	<10	10	30	N	30	30	10	N	20	N
78RK006C	1,000	2.0	N	N	10	70	N	20	N	<20	20	N	N	10	N
78RK007A	2,000	1.5	N	N	10	<10	50	70	N	<20	<5	20	N	10	N
78RK0079	1,500	<1.0	N	N	50	<10	100	20	N	N	5	15	N	20	N
78RK007C	1,000	1.5	N	N	15	700	500	20	50	<20	150	<10	V	15	N
78RK008A	1,000	1.0	N	N	20	20	5	<20	N	<20	5	10	N	20	N
78RK008B	1,500	1.0	N	N	N	N	<5	20	N	N	N	50	N	<5	N
78RK008C	1,500	1.0	N	N	30	50	5	30	N	N	10	10	N	20	N
78RK009A	3,000	1.0	N	N	7	10	<5	150	N	N	<5	20	N	7	N
78RK009B	1,500	<1.0	N	N	30	N	50	30	N	<20	5	10	N	15	N
78RK010A	500	1.0	N	N	10	30	50	N	N	N	7	N	N	15	N
78RK010B	500	N	N	N	30	150	50	<20	N	N	20	10	N	30	N
78RK011A	2,000	1.5	N	N	10	50	10	<20	N	<20	7	15	N	10	N
78RK012A	1,000	1.5	V	N	15	30	<5	70	N	<20	5	20	N	10	N
78RK013A	1,000	1.0	N	N	10	10	20	100	<5	<20	5	10	N	15	N
78RK013B	1,500	2.0	N	N	10	<10	70	70	30	30	<5	15	N	10	N
78RK014A	2,000	1.0	N	N	15	<10	10	70	N	N	<5	50	V	15	N
78RK014B	5,000	<1.0	N	N	N	N	15	20	N	N	N	20	N	<5	N
78RK015A	1,500	1.0	N	N	5	15	<5	70	N	N	5	15	N	10	N
78RK016A	700	1.0	N	N	10	50	10	N	N	N	15	15	N	10	N
78RK017A	2,000	<1.0	N	N	5	10	5	50	N	N	<5	20	V	5	N
78RK017B	1,500	3.0	N	N	10	10	20	70	<5	20	5	20	N	7	N
78RK018A	1,000	1.0	N	N	10	30	5	100	10	<20	<5	10	N	15	N
78RK018B	100	N	N	N	70	700	100	N	N	N	150	<10	N	50	N
78RK019A	1,500	2.0	N	N	7	<10	<5	70	N	V	N	15	N	7	N
78RK019B	2,000	1.5	N	N	30	10	<5	50	N	N	15	15	V	30	N
78RK019C	100	1.0	N	N	30	100	100	20	N	N	30	10	N	50	N
78RK020A	1,500	1.0	N	N	20	30	20	20	N	N	10	10	N	15	N
78RK021A	5,000	1.0	N	N	5	<10	N	20	N	<20	N	15	N	<5	N
78RK022A	1,000	2.0	N	N	20	20	150	20	N	N	5	10	N	20	N
78RK022B	1,000	1.0	N	N	N	N	<5	20	N	20	N	50	N	<5	N
78RK023A	1,500	1.0	N	N	20	20	7	20	N	N	5	15	V	15	N
78RK024A	1,000	1.0	N	N	15	20	N	50	N	N	5	15	N	15	N
78RK025A	100	<1.0	N	V	20	200	20	N	N	N	70	<10	N	30	N
78RK026A	1,500	2.0	N	N	10	20	20	70	N	<20	5	50	N	5	N
78RK027A	2,000	1.5	N	N	N	<10	5	N	N	N	<5	30	N	<5	N
78RK0279	1,500	<1.0	N	N	20	<10	7	50	N	N	<5	10	N	20	N
78RK028A	5,000	1.0	N	N	<5	V	<5	<20	N	N	N	20	N	<5	N
78RK029A	200	1.5	N	N	5	N	N	<20	N	N	V	10	N	<5	N
78RK029B	1,000	<1.0	N	V	15	<10	20	20	N	N	V	15	N	10	N
78RK030A	1,500	1.0	N	V	10	10	<5	70	N	N	<5	20	N	20	M
78RK031A	2,000	1.0	N	V	7	30	50	30	20	N	5	15	N	10	M
78RK031B	N	N	N	N	15	100	N	20	20	N	20	<10	N	20	15
78RK031C	N	1.0	N	N	10	70	N	30	<5	<20	10	N	N	10	N
78RK032A	2,000	1.0	N	N	<5	N	7	30	N	N	V	20	N	5	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-SR	S-TH	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
78RK006A	500	N	500	N	70	<200	200	V	20	10	20	--
78RK006C	1,000	N	70	N	15	N	150	N	5	15	10	--
78RK007A	700	N	100	N	20	<200	50	N	10	5	55	--
78RK007B	1,500	V	200	N	20	<200	100	N	55	10	65	--
78RK007C	300	V	500	N	50	300	150	V	520	<5	30	--
78RK008A	1,000	N	200	N	20	<200	70	N	10	10	60	--
78RK008B	1,000	N	<10	N	<10	N	100	N	5	<5	20	--
78RK008C	1,000	V	200	V	20	<200	150	N	10	10	55	--
78RK009A	500	N	100	N	20	N	150	N	5	5	40	--
78RK009B	1,000	V	200	N	20	<200	200	V	20	15	75	--
78RK010A	300	N	150	N	20	N	150	N	65	5	40	--
78RK010B	700	N	300	N	30	<200	20	N	25	15	35	--
78RK011A	1,000	N	100	N	15	N	100	N	15	5	25	--
78RK012A	500	N	100	N	20	<200	150	N	<5	10	40	--
78RK013A	300	N	100	N	20	<200	200	N	15	10	65	--
78RK013B	1,000	V	100	N	20	<200	200	<.05	20	10	80	--
78RK014A	700	N	100	N	50	<200	100	N	10	10	40	--
78RK014B	500	N	70	N	10	N	500	<.05	20	5	20	--
78RK015A	1,000	N	70	N	15	200	70	<.05	<5	5	110	--
78RK016A	200	N	100	N	30	<200	200	N	15	10	75	--
78RK017A	700	N	70	N	10	<200	100	N	<5	10	90	--
78RK017B	700	N	100	N	30	<200	100	V	20	10	90	--
78RK018A	1,000	N	150	N	20	200	300	N	5	10	110	--
78RK018B	100	N	500	N	20	<200	10	<.05	95	<5	5	--
78RK019A	500	N	70	N	20	<200	100	N	<5	10	55	--
78RK019B	300	V	700	V	30	<200	70	V	<5	15	65	--
78RK019C	500	N	300	N	50	N	70	<.05	65	10	25	--
78RK020A	700	N	200	N	20	<200	100	N	25	10	75	--
78RK021A	1,500	N	150	N	20	<200	70	N	10	N	15	--
78RK022A	700	N	300	N	20	<200	100	N	80	5	25	--
78RK022B	200	N	20	N	20	N	50	<.05	5	5	20	--
78RK023A	700	N	150	N	20	<200	50	N	10	5	60	--
78RK024A	1,000	N	150	N	20	<200	70	N	<5	5	40	--
78RK025A	150	N	300	N	30	<200	70	N	25	5	20	--
78RK026A	1,000	N	100	N	20	N	150	<.05	15	5	95	--
78RK027A	1,000	V	30	V	N	N	70	N	<5	5	30	--
78RK027B	1,500	V	200	N	30	<200	150	V	15	10	80	--
78RK028A	2,000	N	50	N	<10	N	100	N	5	<5	30	--
78RK029A	1,000	N	70	N	N	N	200	N	<5	<5	35	--
78RK029B	1,500	N	300	N	20	N	100	N	15	10	65	--
78RK030A	1,000	V	150	N	30	N	100	N	<5	10	55	--
78RK031A	1,000	V	300	N	20	N	150	N	35	<5	35	--
78RK031B	100	N	150	50	70	N	70	N	<5	10	40	--
78RK031C	200	N	150	N	50	N	50	N	<5	10	20	--
78RK032A	3,000	N	70	N	<10	N	100	N	10	N	30	--

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	RK-TYPE	S-FEZ	S-MGZ	S-CAX	S-TIX	S-MN	S-AG	S-AS	S-AU	S-B
78RK0323	CDH051	56 25 11	131 39 19	GM	7.00	10.00	7.00	.500	1,500	N	N	N	<10
78RK032C	CDH045	56 25 11	131 39 19	GM	5.00	3.00	5.00	.500	1,500	N	N	N	<10
78RK033A	CDH015	56 27 45	131 42 39	GDF	2.00	.50	1.50	.300	700	N	N	N	N
78RK034A	CDH038	56 25 18	131 37 48	GDF	2.00	.50	3.00	.200	700	N	N	N	N
78RK0349	CDH028	56 25 18	131 37 48	GMI	7.00	5.00	7.00	.500	1,500	N	N	N	<10
78RK035A	CDH020	56 26 54	131 33 56	GDL	3.00	.70	5.00	.300	700	N	N	N	N
78RK036A	CDH032	56 29 27	131 41 55	GDF	5.00	2.00	5.00	.300	1,000	N	N	N	<10
78RK036B	CDH012	56 29 27	131 41 55	BAD	10.00	5.00	7.00	>1.000	1,500	N	N	N	<10
78RK037A	CDH037	56 28 37	131 35 52	GDF	5.00	2.00	5.00	.300	1,000	N	N	N	<10
78RK0379	CDH046	56 28 37	131 35 52	BAD	7.00	7.00	5.00	>1.000	1,000	N	N	N	<10
78RK037C	CDH047	56 28 37	131 35 52	AND	3.00	1.00	3.00	.300	500	N	N	N	<10
78RK038A	CDH035	56 32 21	131 25 30	GD	2.00	.70	2.00	.200	500	N	N	N	<10
78RK039A	CDH471	56 32 15	131 27 11	GDF	3.00	1.00	2.00	.300	1,000	N	N	N	<10
78RK040A	CDH039	56 31 9	131 24 23	GDF	3.00	1.00	3.00	.300	700	N	N	N	<10
78RK041A	CDH048	56 29 37	131 24 21	GD	3.00	1.50	5.00	.500	700	N	N	N	<10
78RK0419	CDH591	56 29 37	131 24 21	GDD	1.50	.30	1.00	.150	500	N	N	N	N
78RK042A	CDH026	56 31 28	131 28 22	GDF	2.00	.30	1.50	.200	500	N	N	N	N
78RK043A	CDH041	56 30 9	131 32 10	QDF	5.00	2.00	5.00	.300	1,000	N	N	N	<10
78RK044A	CDH387	56 29 43	131 27 27	GDM	3.00	1.00	1.50	.300	700	N	N	N	<10
78RK045A	CDH476	56 27 44	131 23 5	GDF	5.00	2.00	1.50	.500	1,000	N	N	N	<10
78RK046A	CDH638	56 28 53	131 28 35	GDF	3.00	1.00	3.00	.500	700	N	N	N	<10
78RK047A	CDH590	56 28 17	131 30 53	GDF	5.00	1.50	3.00	.300	700	N	N	N	<10
78RK048A	CDH605	56 27 13	131 28 39	GDF	5.00	2.00	3.00	.500	700	N	N	N	<10
78RK049A	CDH627	56 9 45	131 44 35	GF	2.00	1.00	1.00	.300	1,500	N	N	N	N
78RK049B	CDH435	56 9 45	131 44 35	SCB	5.00	3.00	1.50	.500	1,000	N	N	N	<10
78RK050A	CDH446	56 8 9	131 45 16	GDF	5.00	1.50	2.00	.300	1,000	N	N	N	<10
78RK051A	CDH384	56 8 35	131 46 31	GDF	5.00	1.50	2.00	.200	1,000	N	N	N	<10
78RK052A	CDH404	56 9 4	131 45 52	SCB	5.00	1.50	.50	.200	300	N	N	N	<10
78RK053A	CDH603	56 8 31	131 48 0	GDF	3.00	1.00	2.00	.300	500	N	N	N	N
78RK054A	CDH521	56 6 39	131 44 29	GDF	3.00	1.00	3.00	.500	700	N	N	N	N
78RK055A	CDH411	56 7 24	131 40 45	GDF	5.00	2.00	2.00	.200	1,000	N	N	N	<10
78RK056A	CDH390	56 4 36	131 40 43	GDF	5.00	1.50	2.00	.200	700	N	N	N	<10
78RK057A	CDH461	56 3 1	131 41 29	GDF	3.00	1.00	3.00	.200	500	N	N	N	N
78RK058A	CDH618	56 3 38	131 45 24	GDL	5.00	1.50	5.00	.300	1,000	N	N	N	N
78RK059A	CDH450	56 1 0	131 46 20	GDL	3.00	1.00	2.00	.300	700	N	N	N	<10
78RK060A	CDH380	56 1 29	131 53 55	GDF	5.00	.50	.70	.200	500	N	N	N	<10
78RK061A	CDH560	56 5 50	131 56 6	GDF	5.00	1.50	5.00	.500	1,000	N	N	N	<10
78RK062A	CDH545	56 8 43	131 56 52	GDF	3.00	1.50	5.00	.300	700	N	N	N	<10
78RK063A	CDH392	56 28 55	131 20 49	QZ	2.00	.20	1.00	.150	1,000	N	N	N	50
78RK064B	CDH522	56 28 15	131 20 50	SCB	7.00	2.00	5.00	>1.000	1,000	<.5	N	N	<10
78RK065A	CDH378	56 27 4	131 22 21	QM	2.00	.70	1.00	.100	1,000	N	N	N	N
78RK065B	CDH558	56 27 4	131 22 21	SCB	7.00	3.00	2.00	.700	1,000	N	N	N	<10
78RK065C	CDH503	56 27 4	131 22 21	GDD	5.00	2.00	7.00	.500	1,500	N	N	N	<10
78RK066A	CDG790	56 24 23	131 21 11	QMF	2.00	.30	1.50	.100	700	N	N	N	N
78RK066B	CDG879	56 24 23	131 21 11	GDD	7.00	2.00	3.00	.300	1,000	N	N	N	<10

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-BA	S-3E	S-PJ	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PB	S-S3	S-SC	S-SN
789K0129	2,000	<1.0	N	N	30	300	<5	50	N	N	150	10	N	30	N
789K0130	2,000	<1.0	N	N	20	20	<5	<20	N	N	5	15	N	20	N
789K0131	5,000	1.0	N	N	<5	100	5	100	N	<20	N	20	N	<5	N
789K0132	3,000	<1.0	N	N	30	20	<5	<20	N	N	5	10	N	<5	N
789K0133	1,500	<1.0	N	N	5	5	<5	<20	N	<20	5	20	N	30	N
789K0134	3,000	1.0	N	N	5	N	<5	20	N	<20	N	20	N	7	N
789K0135	1,000	1.0	N	N	10	<10	10	50	N	<20	<5	15	N	10	N
789K0136	500	<1.0	N	N	50	150	100	20	N	<20	30	<10	N	50	N
789K0137	1,500	1.0	N	N	10	<10	<5	20	N	<20	N	20	N	10	N
789K0138	300	<1.0	N	N	30	150	100	<20	N	<20	50	<10	N	30	N
789K0139	2,000	1.0	N	N	7	N	<5	30	N	<20	N	15	N	5	N
789K0140	2,000	1.0	N	N	7	N	N	20	N	N	N	20	N	5	N
789K0141	2,000	1.0	N	N	10	N	10	30	N	N	N	20	N	10	N
789K0142	3,000	1.0	N	N	5	<10	5	20	N	<20	<5	20	N	5	N
789K0143	2,000	1.0	N	N	10	<10	50	20	N	<20	<5	20	N	10	N
789K0144	1,500	1.0	N	N	10	10	N	<20	N	<20	<5	20	N	10	N
789K0145	2,000	1.0	N	N	<5	N	7	30	N	N	N	50	N	<5	N
789K0146	3,000	1.0	N	N	<5	N	N	70	N	N	N	20	N	<5	N
789K0147	1,500	1.0	N	N	20	<10	15	20	N	N	<5	20	N	10	N
789K0148	2,000	<1.0	N	N	15	10	N	50	N	<20	<5	15	N	20	N
789K0149	500	1.5	N	N	7	300	10	20	N	N	10	10	N	10	N
789K0150	700	1.0	N	N	15	70	70	20	5	N	15	15	N	20	N
789K0151	1,500	1.0	N	N	10	<10	<5	50	N	<20	N	15	N	7	N
789K0152	1,500	<1.0	N	N	10	<10	10	30	N	N	<5	20	N	10	N
789K0153	1,500	1.0	N	N	10	100	10	<20	N	N	20	<10	N	10	N
789K0154	1,500	1.0	N	N	10	20	<5	20	N	N	<5	15	N	10	N
789K0155	1,000	1.5	N	N	10	10	<5	<20	N	N	<5	15	N	7	N
789K0156	700	1.0	N	N	10	50	<5	20	N	N	5	10	N	20	N
789K0157	1,000	1.0	N	N	10	20	5	70	N	N	5	10	N	10	N
789K0158	1,500	1.0	N	N	5	10	<5	50	N	N	5	20	N	5	N
789K0159	1,500	1.0	N	N	10	10	<5	<20	N	N	<5	15	N	10	N
789K0160	1,500	1.0	N	N	5	20	10	30	N	N	<5	15	N	10	N
789K0161	1,500	2.0	N	N	5	N	<5	50	N	<20	N	15	N	10	N
789K0162	1,000	1.0	N	N	10	20	5	<20	N	N	5	15	N	15	N
789K0163	1,500	1.0	N	N	10	20	5	<20	N	N	<5	10	N	15	N
789K0164	5,000	1.0	N	N	5	20	7	<20	N	N	10	N	N	10	N
789K0165	1,500	1.0	N	N	50	1,500	150	50	<5	50	200	<10	N	20	10
789K0166	2,000	1.0	N	N	N	N	N	30	N	N	N	20	N	<5	N
789K0167	1,000	<1.0	N	N	20	15	200	20	N	N	5	<10	N	30	N
789K0168	1,500	1.0	N	N	20	10	20	30	N	<20	<5	20	N	20	N
789K0169	>5,000	1.0	N	N	N	N	<5	50	N	N	N	20	N	<5	N
789K0170	2,000	1.0	N	N	20	N	15	<20	N	N	N	15	N	15	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-SR	S-TII	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
79RK0324	1,000	N	300	N	20	N	20	N	<5	<5	45	--
79RK032C	1,500	N	200	V	20	N	50	N	15	5	50	--
79RK033A	1,500	V	50	V	15	N	150	V	<5	<5	55	--
79RK0334	2,000	N	70	N	10	N	150	V	5	5	25	--
79RK034R	1,000	N	500	N	30	<200	20	N	<5	5	40	--
79RK035A	1,000	N	100	N	20	N	200	N	<5	5	35	--
79RK035A	1,500	N	200	N	15	N	150	N	10	10	65	--
79RK036R	500	N	500	N	50	N	100	N	45	20	75	--
79RK037A	1,500	N	200	V	20	N	100	N	<5	10	60	--
79RK037B	500	N	300	N	30	N	100	V	55	15	25	--
79RK037C	1,000	N	100	N	15	N	150	N	5	5	65	--
79RK039A	1,500	N	150	N	20	N	150	N	<5	5	50	--
79RK040A	1,500	N	150	N	15	N	150	N	15	<5	45	--
79RK041A	1,000	N	150	N	15	N	150	V	35	5	55	--
79RK041B	500	N	50	N	10	N	70	N	5	5	45	--
79RK042A	1,000	N	70	N	10	N	100	N	<5	<5	60	--
79RK043A	1,500	N	150	N	20	N	100	N	15	10	60	--
79RK044A	1,000	N	150	N	20	<200	100	V	<5	5	45	--
79RK045A	1,000	N	150	N	20	<200	150	<.05	<5	5	70	--
79RK046A	1,500	N	150	N	15	<200	150	N	5	5	65	--
79RK047A	1,000	N	150	N	20	N	70	N	10	5	60	--
79RK048A	1,500	N	200	N	20	<200	100	N	<5	5	65	--
79RK049A	500	N	100	N	20	N	100	<.05	15	10	70	--
79RK049B	300	N	200	N	30	<200	100	V	35	15	120	--
79RK050A	1,000	N	150	N	20	<200	100	V	5	<5	50	--
79RK051A	1,000	N	100	N	10	<200	100	N	5	10	60	--
79RK052A	300	N	150	N	15	<200	70	N	10	10	70	--
79RK053A	700	N	100	N	15	<200	100	N	<5	5	75	--
79RK054A	1,000	N	100	N	10	N	100	N	5	10	60	--
79RK055A	700	N	150	N	20	<200	100	V	<5	10	80	--
79RK056A	1,000	N	100	N	15	<200	50	N	5	10	60	--
79RK057A	1,500	N	100	N	10	N	100	<.05	5	5	35	--
79RK058A	1,000	N	100	N	20	<200	70	N	<5	5	65	--
79RK059A	1,000	N	100	V	20	<200	150	<.05	5	<5	45	--
79RK060A	300	N	30	N	30	N	200	N	<5	10	25	--
79RK061A	1,000	N	150	N	20	<200	70	<.05	10	10	60	--
79RK062A	700	N	150	N	20	<200	100	N	15	10	65	--
79RK063A	200	N	70	N	20	N	150	N	5	10	20	--
79RK064B	200	N	300	N	20	<200	150	N	70	25	50	--
79RK065A	2,000	N	50	N	10	N	100	V	<5	5	25	--
79RK065B	300	V	500	N	30	N	70	V	120	15	60	--
79RK065C	1,500	N	200	N	30	N	150	V	15	10	45	--
79RK066A	2,000	N	70	N	10	N	150	N	<5	<5	25	--
79RK066B	3,000	N	300	N	30	N	150	<.05	10	10	60	--

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	RK-TYPE	S-FEX	S-MG%	S-CA%	S-TIX	S-MN	S-AG	S-AS	S-AU	S-B
79RK056F	CDG853	56 24 23	131 21 11	GDD	2.00	.70	2.00	.500	500	N	N	N	N
79RK057A	CDG715	56 25 13	131 23 48	QMF	2.00	.50	3.00	.200	500	N	N	N	N
73RK059A	CDG981	56 24 24	131 24 33	QMF	1.50	.30	2.00	.100	300	N	N	N	N
79RK069A	CDG904	56 23 47	131 20 19	SCR	7.00	2.00	1.50	.500	1,500	.5	N	N	<10
78RK069B	CDG927	56 23 47	131 20 19	AM	10.00	3.00	5.00	>1.000	1,000	N	N	N	<10
79RK070A	CDG856	56 28 13	131 18 32	QZ	3.00	2.00	1.00	.700	200	N	N	N	<10
78RK070B	CDG827	56 28 13	131 18 32	AM	7.00	7.00	10.00	>1.000	1,500	<.5	N	N	<10
78RK071A	CDG914	56 27 55	131 11 30	DI	10.00	3.00	5.00	.500	1,000	N	N	N	<10
78RK072A	CDG896	56 18 32	131 31 18	QDF	5.00	2.00	2.00	.300	1,000	N	N	N	<10
78RK072B	CDG716	56 18 32	131 31 18	QMD	1.00	.20	1.00	.070	100	N	N	N	N
78RK073A	CDG772	56 18 0	131 28 30	GDD	1.50	.30	.70	.200	200	N	N	N	N
78RK073B	CDG729	56 18 0	131 28 30	AM	10.00	5.00	7.00	.700	2,000	N	N	N	<10
79RK073E	CDG949	56 19 0	131 28 30	GDN	3.00	1.00	1.50	.300	500	N	N	N	N
78RK074A	CDG742	56 17 14	131 29 0	QMN	1.00	.20	.50	.100	200	N	N	N	N
79RK0743	CDG941	56 17 14	131 29 0	SK	10.00	.07	10.00	.300	1,000	N	N	N	<10
78RK075A	CDG798	56 17 17	131 27 14	GDN	2.00	.50	.70	.300	300	N	N	N	N
78RK076A	CDG712	56 15 22	130 50 49	BA	10.00	5.00	7.00	>1.000	1,000	N	N	N	<10
79RK077A	CDG861	56 49 48	131 57 45	QM	1.50	.30	1.50	.150	300	N	N	N	N
78RK078A	CDG963	56 48 29	131 58 59	GD	3.00	1.00	1.50	.200	700	N	N	N	<10
78RK079A	CDG733	56 48 59	131 56 14	GD	2.00	.70	2.00	.200	700	N	N	N	N
79RK080A	CDG759	56 49 0	131 53 53	GDF	2.00	.70	2.00	.200	700	N	N	N	N
78RK081A	CDG985	56 48 22	131 52 17	GD	2.00	.50	3.00	.300	500	N	N	N	N
78RK082A	CDG989	56 46 49	131 53 56	GD	2.00	.30	3.00	.300	500	N	N	N	N
78RK083A	CDG841	56 45 59	131 54 27	QDF	3.00	1.00	3.00	.300	1,000	N	N	N	<10
78RK084A	CDG953	56 44 46	131 59 5	SCB	5.00	2.00	.50	.300	500	N	N	N	<10
78RK084B	CDG875	56 44 46	131 59 5	SCH	7.00	2.00	3.00	.500	1,500	N	N	N	<10
79RK084C	CDG740	56 44 45	131 59 5	SCB	5.00	2.00	.50	.500	500	N	N	N	10
79RK085A	CDG787	56 45 27	131 59 42	GDF	5.00	2.00	5.00	.500	1,500	N	N	N	<10
78RK086A	CDG959	56 43 54	131 59 19	GDF	1.50	.50	1.00	.150	300	N	N	N	N
78RK086B	CDG829	56 43 54	131 59 19	AL	1.00	.20	1.00	.070	150	N	N	N	N
78RK087A	CDG938	56 43 23	131 54 19	SC	7.00	2.00	1.00	.500	1,500	N	N	N	<10
78RK097B	CDG793	56 43 23	131 54 19	SC	5.00	2.00	1.50	.500	1,000	N	N	N	<10
78RK088A	CDG973	56 43 12	131 56 48	QMF	1.50	.30	1.00	.150	300	N	N	N	N
78RK089A	CDG732	56 42 12	131 51 32	SCB	5.00	1.50	.70	.500	300	<.5	N	N	20
78RK099B	CDG765	56 42 12	131 51 32	SCB	7.00	2.00	1.00	.700	1,500	N	N	N	<10
78RK089F	CDG818	56 42 12	131 51 32	MB	1.50	1.50	>20.00	.150	3,000	N	N	N	N
78RK090A	CDG774	56 12 10	131 37 35	AM	10.00	7.00	10.00	.200	1,500	N	N	N	<10
78RK090B	CDG904	56 12 10	131 37 35	SCB	7.00	5.00	7.00	.500	1,500	<.5	N	N	<10
78RK091A	CDG715	56 12 5	131 38 10	AM	10.00	7.00	10.00	.300	2,000	N	N	N	<10
78RK091B	CDG958	56 12 5	131 38 10	SCB	5.00	2.00	1.50	.500	1,000	1.0	N	N	<10
78RK093A	CDG831	56 33 37	131 32 9	STM	5.00	2.00	1.00	.700	1,500	<.5	N	N	<10
79RK093B	CDG932	56 33 37	131 32 9	STM	7.00	1.50	1.00	.500	1,000	N	N	N	<10
78RK094A	CDG799	56 30 52	131 33 43	GDF	2.00	.70	2.00	.200	700	N	N	N	<10
78RK095A	CDG867	56 31 3	131 36 1	GDF	3.00	1.50	5.00	.500	1,000	N	N	N	<10
79RK096A	CDG754	56 32 17	131 34 48	GDF	3.00	1.50	3.00	.300	700	N	N	N	<10

Table 5.---Analytical data for rock geochemical samples---Continued

SAMPLE	S-BA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-P3	S-S3	S-SC	S-SN
78RK066E	2,000	1.0	N	N	7	N	<5	30	N	N	N	15	N	5	N
78RK067A	>5,000	<1.0	N	N	N	N	N	N	N	N	N	20	N	5	N
78RK068A	5,000	1.0	N	N	N	N	N	20	N	N	N	30	N	<5	N
78RK069A	1,500	1.0	N	N	15	30	100	20	<5	N	5	50	N	30	N
78RK069B	50	<1.0	N	N	50	200	200	<20	N	N	100	10	N	30	N
78RK070A	300	<1.0	N	N	10	50	70	<20	N	N	10	N	N	10	N
78RK070B	300	<1.0	N	N	70	700	150	<20	5	20	200	<10	N	20	N
78RK071A	500	<1.0	N	N	50	150	150	N	N	N	50	<10	N	30	N
78RK072A	1,500	1.0	N	N	20	20	10	<20	N	N	5	10	N	15	N
78RK072B	5,000	<1.0	N	N	N	N	N	30	N	N	N	30	N	<5	N
78RK073A	3,000	1.0	N	N	5	N	<5	100	N	N	N	15	N	N	N
78RK073B	200	2.0	N	N	30	100	20	20	N	<20	30	10	N	30	10
78RK073E	3,000	1.0	N	N	5	<10	5	70	N	<20	N	20	N	7	N
78RK074A	1,000	1.5	N	N	N	N	N	50	N	N	N	20	N	<5	N
78RK074B	<20	1.0	<10	N	N	10	<5	200	N	<20	<5	10	N	7	150
78RK075A	5,000	<1.0	N	N	<5	<10	<5	150	N	<20	N	15	N	N	N
78RK076A	2,000	<1.0	N	N	50	15	10	20	N	20	<10	<10	N	15	N
78RK077A	2,000	1.0	N	N	N	N	N	N	N	N	N	50	N	<5	N
78RK078A	2,000	1.0	N	N	5	N	N	50	N	N	N	50	N	5	N
78RK079A	2,000	1.0	N	N	5	N	N	30	N	N	N	30	N	5	N
78RK080A	2,000	1.0	N	N	7	N	<5	70	N	N	N	30	N	5	N
78RK081A	2,000	1.0	N	N	5	<10	<5	50	N	<20	N	20	N	10	N
78RK082A	3,000	1.0	N	N	5	<10	<5	30	N	N	N	50	N	5	N
78RK083A	1,500	1.5	N	N	10	10	<5	20	N	<20	<5	10	N	10	N
78RK084A	1,500	<1.0	N	N	15	20	15	<20	N	N	10	10	N	15	N
78RK084B	300	1.0	N	N	30	50	30	20	N	N	20	N	N	20	N
78RK084C	2,000	1.0	N	N	15	50	50	<20	N	N	<10	<10	N	20	N
78RK085A	1,500	1.0	N	N	15	20	7	30	N	N	5	15	N	15	N
78RK086A	3,000	1.5	N	N	<5	10	<5	N	N	N	5	30	N	<5	N
78RK086B	3,000	1.0	N	N	N	N	N	20	N	N	N	50	N	<5	N
78RK087A	1,000	<1.0	N	N	20	30	70	N	N	N	15	N	N	20	N
78RK087B	2,000	<1.0	N	N	30	70	300	<20	N	N	20	10	N	20	N
78RK088A	2,000	1.5	N	N	<5	10	<5	70	N	N	<5	30	N	<5	N
78RK089A	2,000	<1.0	N	N	10	70	50	20	<5	N	10	10	N	20	N
78RK089B	1,000	2.0	N	N	10	100	15	<20	<5	N	20	10	N	20	N
78RK089F	50	<1.0	N	N	5	20	<5	20	N	N	10	N	N	7	N
78RK090A	150	<1.0	N	N	70	200	150	<20	N	N	70	10	N	50	N
78RK090B	150	N	N	N	50	10	150	N	N	N	15	<10	N	50	N
78RK091A	100	N	N	N	50	150	100	<20	N	N	50	<10	N	50	N
78RK091B	2,000	1.0	N	N	20	150	200	<20	20	N	70	10	N	20	N
78RK093A	1,500	1.0	N	N	15	15	50	20	N	N	5	10	N	20	N
78RK093B	1,000	<1.0	N	N	20	50	70	N	N	N	15	10	N	20	N
78RK094A	2,000	1.0	N	N	5	N	N	50	N	N	N	20	N	5	N
78RK095A	2,000	1.0	N	N	10	<10	N	50	N	<20	<5	20	N	10	N
78RK096A	1,500	<1.0	N	N	10	<10	<5	20	N	N	<5	20	N	15	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-SR	S-TH	S-V	S-W	S-Y	S-ZV	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
79RK046E	1,000	N	100	V	10	N	150	<.05	<5	5	70	--
79RK067A	2,000	N	70	N	10	N	100	V	N	<5	25	--
79RK068A	2,000	N	50	N	10	N	70	N	<5	5	20	--
79RK069A	500	N	300	N	<200	N	150	V	75	15	65	--
79RK059R	150	N	500	N	30	N	100	N	120	5	15	--
79RK070A	150	N	150	N	20	<200	70	N	40	10	70	--
79RK070B	200	N	500	N	20	<200	70	N	55	20	70	--
79RK071A	700	N	500	N	20	N	50	N	120	5	20	--
79RK072A	1,000	N	200	N	20	<200	150	N	<5	40	10	--
79RK072R	500	N	10	N	<10	N	70	N	<5	<5	10	--
79RK073A	500	N	50	N	<10	N	200	N	5	5	30	--
79RK073R	200	N	500	N	50	<200	70	N	N	<5	5	--
79RK073E	300	N	100	V	20	N	100	N	5	10	40	--
79RK074A	100	N	20	N	10	N	70	N	N	<5	15	--
79RK074B	1,500	N	300	N	100	N	100	N	<5	20	10	--
79RK075A	700	N	70	N	15	N	300	N	5	<5	50	--
79RK076A	700	N	300	N	30	<200	100	N	5	10	50	--
79RK077A	700	N	50	N	<10	N	70	N	<5	N	35	--
79RK078A	700	N	100	N	15	N	70	V	<5	<5	40	--
79RK079A	700	N	70	N	10	N	100	N	N	5	45	--
79RK080A	1,000	N	100	N	10	N	100	N	<5	<5	40	--
79RK091A	700	N	100	N	10	N	200	N	<5	<5	45	--
79RK082A	700	N	100	N	15	N	50	N	<5	5	30	--
79RK083A	700	N	100	N	30	N	70	N	5	5	35	--
79RK084A	200	N	150	N	15	N	70	V	15	20	60	--
79RK084B	200	N	200	N	50	<200	100	N	15	10	10	--
79RK084C	100	N	200	N	20	<200	100	N	25	15	60	--
79RK085A	1,000	N	200	N	30	N	150	N	10	5	55	--
79RK086A	1,000	N	50	N	N	N	100	N	<5	5	35	--
79RK086B	1,000	N	20	N	N	N	100	N	N	<5	20	--
79RK087A	200	N	200	N	20	N	100	V	50	<5	20	--
79RK087B	500	N	200	N	20	N	100	N	350	5	65	--
79RK088A	700	N	30	N	10	N	70	N	<5	<5	40	--
79RK089A	200	N	200	N	15	<200	100	N	20	10	70	--
79RK089B	200	N	200	N	30	<200	150	N	15	10	85	--
79RK089F	500	N	70	N	20	N	70	V	<5	55	10	--
79RK090A	200	N	700	N	<10	N	10	N	100	20	10	--
79RK090B	200	N	500	N	20	<200	50	<.05	120	10	20	--
79RK091A	100	N	700	N	30	<200	20	N	90	<5	15	--
79RK091B	200	N	500	V	30	<200	200	N	100	15	80	--
79RK093A	300	N	150	N	50	N	150	N	35	15	90	--
79RK093B	300	N	200	N	30	N	150	N	50	15	75	--
79RK094A	1,000	N	100	N	10	N	100	<.05	<5	<5	60	--
79RK095A	1,500	N	200	N	20	N	200	N	<5	10	65	--
79RK095A	1,000	N	200	V	20	N	70	N	<5	5	55	--

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	LAR NO.	LATITUDE	LONGITUDE	RK-TYPE	S-FEX	S-MGX	S-CAX	S-TIX	S-MN	S-AG	S-AS	S-AU	S-B
78RK097A	CDG741	56 33 23	131 34 48	MS	3.00	1.00	.30	.300	500	N	N	N	N
78RK097R	CDG895	56 33 23	131 34 48	STM	3.00	1.00	.15	.200	200	N	N	N	N
78RK098A	CDG705	56 33 4	131 38 12	VB	3.00	.30	.10	.200	500	N	N	N	<10
78RK099A	CDG786	56 33 5	131 42 30	GDL	3.00	1.50	.70	.500	1,000	N	N	N	<10
78RK100A	CDG714	56 30 38	131 43 43	GD	2.00	.70	3.00	.300	200	N	N	N	N
78RK101A	CDG791	56 33 23	131 44 1	GDF	3.00	1.50	2.00	.300	1,000	N	N	N	<10
78RK101D	CDG696	56 33 23	131 44 1	GR	1.50	.03	.07	.070	300	N	N	N	N
78RK102A	CDG909	56 33 34	131 41 16	GR	3.00	.07	.07	.100	200	N	N	N	N
78RK103A	CDG749	56 33 2	131 39 23	AM	7.00	3.00	3.00	>1.000	1,500	N	N	N	<10
78RK103B	CDG869	56 33 2	131 39 23	GR	3.00	.05	.10	.200	700	N	N	N	N
78RK103C	CDG779	56 33 2	131 39 23	MVI	5.00	.20	.30	.500	1,500	<.5	N	N	<10
78RK104A	CDG775	56 33 17	131 44 0	GR	2.00	.07	.10	.100	300	N	N	N	N
78RK105A	CDG764	56 12 0	131 39 1	QDN	7.00	3.00	5.00	.500	1,000	N	N	N	<10
78RK106A	CDG803	56 12 4	131 39 25	QDF	5.00	3.00	7.00	.500	1,500	N	N	N	<10
78RK107A	CDG962	56 11 1	131 26 51	GDG	3.00	1.00	1.50	.200	200	N	N	N	N
78RK108A	CDG713	56 12 24	131 26 14	GDF	2.00	.70	2.00	.300	300	N	N	N	N
78RK109A	CDG819	56 10 56	131 23 57	GDF	3.00	.70	2.00	.700	700	N	N	N	<10
78RK109B	CDG747	56 10 56	131 23 57	AMI	7.00	5.00	7.00	.500	1,500	N	N	N	<10
78RK110A	CDG994	56 11 4	131 20 59	QM	1.00	.20	.70	.150	100	N	N	N	N
78RK1109	CDG894	56 11 4	131 20 59	GDG	5.00	1.50	1.50	.300	700	N	N	N	<10
78RK111A	CDG814	56 14 27	131 21 50	GDF	3.00	2.00	7.00	.500	1,500	N	N	N	<10
78RK112A	CDG950	56 15 53	131 23 31	GDN	2.00	1.00	2.00	.200	700	N	N	N	<10
78RK113A	CDG902	56 18 53	131 19 9	BG	5.00	2.00	3.00	.300	1,000	N	N	N	<10
78RK113B	CDG773	56 19 53	131 19 9	QMF	1.50	.30	1.50	.200	300	N	N	N	<10
78RK114A	CDG785	56 21 48	131 21 32	SI	10.00	7.00	7.00	1.000	1,500	N	N	N	<10
78RK1159	CDG708	56 19 54	131 25 1	SI	10.00	5.00	7.00	.700	1,500	N	N	N	<10
78RK115C	CDG972	56 19 54	131 25 1	SI	5.00	2.00	5.00	.500	1,000	N	N	N	<10
78RK116A	CDG771	56 9 7	131 51 54	GDF	5.00	2.00	5.00	.300	1,000	N	N	N	<10
78RK117A	CDG982	56 6 42	131 47 39	GDF	3.00	.70	5.00	.300	500	N	N	N	<10
78RK118A	CDG825	56 3 21	131 49 1	GDF	2.00	1.00	5.00	.300	500	N	N	N	<10
78RK119A	CDG977	56 0 54	131 55 45	QDF	5.00	2.00	2.00	.700	700	N	N	N	15
78RK1199	CDG845	56 0 54	131 55 45	RHD	1.00	.15	.05	.070	150	N	N	N	N
78RK120A	CDG905	56 15 47	131 54 23	GDF	5.00	1.00	2.00	.200	1,000	N	N	N	<10
78RK121A	CDH001	56 18 9	131 49 42	GDF	3.00	.70	3.00	.200	700	N	N	N	<10
78RK122A	CDH002	56 17 31	131 47 11	SI	5.00	2.00	5.00	.500	1,000	N	N	N	<10
78RK1223	CDH003	56 17 31	131 47 11	SI	2.00	.70	2.00	.500	500	.5	N	N	<10
78RK508A	CDH005	56 24 41	131 24 59	PGD	1.00	.20	.50	.070	100	N	N	N	N
78RK523A	CDG876	56 12 8	131 10 24	GD	2.00	.20	1.00	.070	200	N	N	N	N
78RK582A	CDH004	56 29 59	131 45 20	QMF	2.00	.30	3.00	.200	500	N	N	N	N
78RM401A	CDH539	56 29 28	131 48 43	BG	1.00	.30	.70	.150	200	N	N	N	N
78RM4013	CDH587	56 29 28	131 48 43	BG	5.00	2.00	2.00	.500	1,000	N	N	N	<10
78RM402A	CDH488	56 30 51	131 50 15	QDF	5.00	2.00	5.00	.500	1,000	N	N	N	<10
78RM403A	CDH621	56 30 45	131 52 18	QDF	5.00	3.00	3.00	.300	1,000	N	N	N	<10
78RM404A	CDH512	56 31 49	131 53 36	QDF	5.00	2.00	3.00	.500	1,000	N	N	N	<10
78RM405A	CDH504	56 33 0	131 53 34	QDF	5.00	2.00	3.00	.500	1,000	N	N	N	<10

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-BA	S-RF	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PB	S-SB	S-SC	S-SN
79RK097A	2,000	<1.0	N	N	15	50	30	<20	N	N	50	N	N	15	N
79RK097B	5,000	1.0	N	N	5	70	10	N	N	N	20	N	N	10	N
79RK098A	200	7.0	N	N	<5	15	5	70	<5	100	7	20	N	<5	10
79RK099A	2,000	2.0	N	N	15	10	50	50	N	<20	5	20	N	10	N
79RK100A	5,000	1.0	N	N	5	N	<5	30	N	N	N	20	N	5	N
79RK101A	2,000	3.0	N	N	10	30	10	30	<5	<20	7	50	N	10	N
79RK101D	100	7.0	N	N	N	N	5	150	5	70	N	70	N	N	10
79RK102A	300	5.0	N	N	30	N	<5	100	50	30	N	50	N	N	20
79RK103A	300	1.5	N	N	N	N	20	50	N	20	N	10	N	7	N
79RK103B	100	20.0	N	N	N	N	30	100	N	70	N	20	N	<5	10
79RK103C	3,000	7.0	N	N	N	N	50	50	<5	20	N	50	N	10	N
79RK104A	200	3.0	N	N	N	N	5	100	5	30	N	30	N	N	15
79RK105A	1,500	1.0	N	N	15	50	<5	20	N	N	N	15	N	20	N
79RK106A	1,000	1.0	N	N	20	20	5	100	N	N	<5	10	N	20	N
79RK107A	2,000	1.0	N	N	5	N	7	<20	N	N	N	15	N	<5	N
79RK108A	1,500	1.0	N	N	5	<10	5	30	N	N	5	10	N	<5	N
79RK109A	5,000	1.0	N	N	10	<10	7	100	N	<20	<5	15	N	10	N
79RK109B	1,000	<1.0	N	N	30	70	15	20	N	N	10	10	N	50	N
79RK110A	3,000	1.0	N	N	<5	N	N	20	N	N	N	15	N	N	N
79RK110B	1,500	2.0	N	N	10	10	10	50	N	<20	5	15	N	10	N
79RK111A	2,000	1.0	N	N	20	N	5	30	N	<20	N	15	N	15	N
79RK112A	700	2.0	N	N	5	N	N	N	N	<20	N	15	N	<5	N
79RK113A	2,000	1.0	N	N	20	30	N	30	N	N	20	20	N	20	N
79RK113B	3,000	1.0	N	N	<5	N	N	20	N	N	N	20	N	<5	N
79RK114A	100	N	N	N	50	100	150	<20	N	N	7	N	N	30	N
79RK115B	1,000	<1.0	N	N	50	50	30	<20	N	N	15	10	N	50	N
79RK115C	5,000	<1.0	N	N	20	20	7	50	N	<20	5	10	N	30	N
79RK116A	1,500	1.0	N	N	10	20	5	<20	N	N	5	15	N	15	N
79RK117A	700	1.0	N	N	10	<10	5	30	N	N	<5	10	N	5	N
79RK118A	1,500	1.0	N	N	10	10	<5	<20	N	N	<5	15	N	5	N
79RK119A	1,500	1.0	N	N	20	30	5	100	N	<20	<5	10	N	20	N
79RK119B	100	1.5	N	N	N	N	<5	N	N	20	N	10	N	<5	N
79RK120A	1,000	1.0	N	N	7	20	N	30	N	N	N	15	N	10	N
79RK121A	1,500	1.0	N	N	5	<10	<5	<20	N	N	<5	10	N	5	N
79RK122A	700	<1.0	N	N	20	70	20	20	N	N	15	10	N	15	N
79RK122B	700	<1.0	N	N	<5	100	70	20	30	N	5	<10	N	15	N
79RK508A	1,000	1.0	N	N	<5	N	5	N	N	N	N	15	N	N	N
79RK523A	5,000	1.0	N	N	10	N	<5	<20	N	N	N	50	N	<5	N
79RK582A	3,000	1.0	N	N	<5	N	<5	<20	N	N	N	20	N	<5	N
79RM401A	5,000	1.0	N	N	<5	N	<5	50	N	N	<5	15	N	N	N
79RM401B	2,000	1.0	N	N	20	10	7	20	N	<20	7	15	N	15	N
79RM402A	1,500	1.0	N	N	20	15	7	20	N	<20	5	10	N	15	N
79RM403A	2,000	1.0	N	N	20	20	5	70	N	N	5	10	N	20	N
79RM404A	1,500	1.0	N	N	20	20	10	30	N	N	7	15	N	15	N
79RM405A	1,500	1.0	N	N	20	20	5	30	50	<20	7	15	N	20	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-SR	S-TH	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
78RK097A	100	N	150	N	15	N	70	N	25	10	60	--
78RK097B	100	N	100	N	20	N	100	N	5	5	35	--
78RK097C	<100	N	30	N	100	200	1,000	N	5	25	130	--
78RK098A	700	N	150	N	20	<200	150	N	40	25	120	--
78RK099A	700	N	100	N	10	N	100	N	<5	10	30	--
78RK100A	700	N	150	N	20	<200	100	N	10	30	80	--
78RK101A	N	N	<10	N	100	<200	300	<.05	5	40	75	--
78RK102A	700	N	150	N	50	N	150	N	15	15	65	--
78RK103A	N	N	10	N	100	200	700	<.05	30	15	70	--
78RK103B	150	N	20	N	30	<200	200	N	40	30	130	--
78RK104A	<100	N	100	N	50	N	300	N	<5	20	45	--
78RK105A	500	N	200	N	50	<200	50	N	<5	5	65	--
78RK106A	3,000	N	200	N	20	<200	20	<.05	5	10	45	--
78RK107A	500	N	100	N	N	N	200	N	<5	<5	35	--
78RK108A	1,000	N	70	N	15	N	70	N	<5	<5	30	--
78RK109A	500	N	100	N	30	N	200	N	5	5	55	--
78RK109B	700	N	300	N	30	N	30	N	20	10	45	--
78RK110A	200	N	20	N	<10	N	200	N	<5	5	15	--
78RK110B	300	N	150	N	50	N	200	N	5	5	40	--
78RK111A	1,000	N	200	N	30	N	100	N	<5	5	25	--
78RK112A	500	N	70	N	10	N	50	N	<5	<5	15	--
78RK113A	1,500	N	200	N	30	N	150	N	N	5	45	--
78RK113B	2,000	N	50	N	10	N	150	N	<5	N	20	--
78RK114A	300	N	500	N	30	<200	70	N	110	N	10	--
78RK115B	500	N	1,000	N	20	<200	10	N	25	<5	15	--
78RK115C	1,000	N	200	N	50	N	50	N	15	<5	20	--
78RK116A	1,000	N	150	N	20	<200	100	N	5	5	65	--
78RK117A	1,000	N	100	N	10	N	70	N	5	5	60	--
78RK118A	1,000	N	100	N	10	N	150	N	5	5	75	--
78RK119A	700	N	150	N	30	N	70	N	5	10	80	--
78RK119B	N	N	N	N	50	N	200	N	<5	5	20	--
78RK120A	1,000	N	100	N	15	<200	100	N	N	5	65	--
78RK121A	700	N	50	N	10	N	70	N	5	10	85	--
78RK122A	700	N	200	N	20	N	70	N	5	10	55	--
78RK122B	200	N	500	N	50	N	200	N	60	15	110	--
78RK508A	500	N	15	N	N	N	N	N	5	<5	5	--
78RK523A	1,000	N	50	N	N	N	50	<.05	N	<5	20	--
78RK582A	1,000	N	70	N	15	N	100	N	<5	5	35	--
78RM401A	1,500	N	50	N	N	N	70	N	5	<5	20	--
78RM401B	1,500	N	200	N	30	<200	150	N	10	5	60	--
78RM402A	1,000	N	200	N	20	<200	30	N	10	10	55	--
78RM403A	1,000	N	200	N	30	<200	70	N	10	5	60	--
78RM404A	1,000	N	200	N	20	<200	70	N	10	10	45	--
78RM405A	1,000	N	200	N	20	<200	100	N	5	10	40	--

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	LA4 NO.	LATITUDE	LONGITUDE	RK-TYPE	S-FEX	S-MGX	S-CAZ	S-TIX	S-MN	S-AG	S-AS	S-AU	S-B
78RM406A	CDH574	56 32 11	131 55 48	QDF	5.00	3.00	3.00	.300	1,000	N	N	N	<10
78RM407A	CDH511	56 18 35	131 38 32	GD	1.00	.50	2.00	.200	150	N	N	N	N
78RM407R	CDH433	56 18 35	131 38 32	GM	10.00	5.00	5.00	.500	1,000	<.5	N	N	<10
78RM407C	CDH460	56 18 35	131 38 32	GM	10.00	3.00	2.00	.700	1,500	N	N	N	<10
78RM409B	CDH523	56 19 3	131 38 51	GM	5.00	1.50	2.00	.500	500	N	N	N	<10
78RM410A	CDH482	56 10 47	131 36 1	GO	5.00	3.00	3.00	.300	1,500	N	N	N	<10
78RM410B	CDH412	56 10 47	131 36 1	BG	5.00	2.00	2.00	.200	1,000	N	N	N	<10
78RM411A	CDH530	56 11 44	131 36 44	RG	3.00	2.00	3.00	.300	1,500	N	N	N	<10
78RM412A	CDH484	56 11 5	131 34 9	GN	5.00	2.00	3.00	.500	1,000	N	N	N	<10
78RM413A	CDH396	56 22 33	131 51 9	GP	7.00	2.00	1.00	.300	1,500	N	N	N	<10
78RM413R	CDH413	56 22 38	131 51 9	AM	10.00	7.00	5.00	.300	1,000	N	N	N	<10
78RM414A	CDH043	56 24 10	131 53 45	GP	7.00	7.00	3.00	.700	1,500	N	N	N	<10
78RM415A	CDH007	56 23 47	131 50 36	QMF	3.00	1.00	7.00	.300	1,000	N	N	N	<10
78RM416A	CDH021	56 22 5	131 45 41	GDF	.50	.07	1.00	.030	100	N	N	N	N
78RM416B	CDH032	56 22 5	131 45 41	GN	5.00	2.00	5.00	.500	1,500	N	N	N	<10
78RM417A	CDH054	56 20 52	131 45 19	QDF	3.00	1.50	5.00	.300	700	N	N	N	<10
78RM418A	CDH039	56 22 11	131 44 39	QDF	5.00	3.00	5.00	.300	1,000	N	N	N	<10
78RM418B	CDH042	56 22 11	131 44 39	GD	.70	.15	.70	.050	300	N	N	N	N
78RM419A	CDH029	56 22 55	131 44 16	GD	5.00	1.50	.70	.300	2,000	N	N	N	<10
78RM420A	CDH011	56 22 49	131 41 25	GN	7.00	3.00	7.00	.500	1,500	N	N	N	<10
78RM421A	CDH052	56 23 34	131 41 40	GN	3.00	1.50	1.50	.500	500	N	N	N	<10
78RM422A	CDH023	56 24 59	131 41 46	QDF	5.00	3.00	7.00	.700	1,000	N	N	N	<10
78RM423A	CDH055	56 19 0	131 36 38	GN	1.50	.50	.50	.150	200	N	N	N	N
78RM423B	CDH040	56 19 0	131 36 38	GD	7.00	5.00	7.00	1.000	1,000	N	N	N	<10
78RM424C	CDH033	56 19 19	131 36 57	BG	7.00	3.00	5.00	.500	1,000	<.5	N	N	<10
78RM425A	CDH053	56 19 54	131 37 48	GD	5.00	2.00	5.00	1.000	500	N	N	N	<10
78RM426A	CDH014	56 23 49	131 38 26	QDF	5.00	3.00	7.00	.500	1,500	N	N	N	<10
78RM427A	CDH025	56 26 4	131 38 47	GD	5.00	1.50	5.00	.500	1,000	N	N	N	<10
78RM428A	CDH006	56 26 56	131 40 42	GD	5.00	3.00	7.00	.500	1,000	N	N	N	<10
78RM429A	CDH044	56 26 9	131 35 0	GDF	5.00	2.00	5.00	.500	700	N	N	N	<10
78RM430A	CDH018	56 27 32	131 37 49	GDF	5.00	2.00	5.00	.500	1,000	N	N	N	<10
78RM431A	CDH036	56 29 43	131 39 4	GDF	2.00	.70	2.00	.200	500	N	N	N	<10
78RM432A	CDH015	56 28 40	131 34 5	GDF	3.00	1.50	5.00	.300	700	N	N	N	<10
78RM434A	CDH617	56 32 52	131 27 58	GD	5.00	1.50	2.00	.500	700	N	N	N	<10
78RM435A	CDH031	56 33 5	131 28 0	SCB	7.00	5.00	5.00	.500	1,500	N	N	N	<10
78RM436A	CDH016	56 30 17	131 24 41	GD	3.00	.70	5.00	.300	500	N	N	N	<10
78RM437A	CDH030	56 32 7	131 30 50	GDF	2.00	.50	2.00	.150	500	N	N	N	<10
78RM438A	CDH492	56 31 4	131 30 39	GDF	2.00	.70	2.00	.300	500	N	N	N	N
78RM439A	CDH445	54 29 11	131 26 36	GDF	3.00	1.50	2.00	.200	700	N	N	N	<10
78RM440A	CDH452	56 27 20	131 24 53	GD	5.00	2.00	3.00	.300	1,000	N	N	N	<10
78RM441A	CDH658	56 29 34	131 31 6	GD	3.00	.70	1.50	.300	500	N	N	N	N
78RM442A	CDH531	56 29 15	131 32 30	QDF	7.00	2.00	5.00	.700	1,000	<.5	N	N	<10
78RM442B	CDH569	56 29 15	131 32 30	SYD	2.00	1.00	.20	.300	300	N	N	N	N
78RM443A	CDH402	56 27 12	131 27 26	GD	5.00	1.50	3.00	.300	1,000	N	N	N	<10
78RM444A	CDH659	56 10 35	131 44 45	GP	5.00	1.50	.50	.500	1,000	N	N	N	<10

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-BA	S-9E	S-R1	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-P3	S-S3	S-SC	S-SN
78RM406A	1,500	<1.0	N	N	15	30	5	50	N	N	5	15	N	10	N
78RM407A	>5,000	1.0	N	N	5	10	5	<20	N	N	5	30	V	<5	N
78RM407B	1,000	1.0	N	N	30	500	70	30	N	N	50	<10	N	30	N
78RM407C	1,500	<1.0	N	N	30	100	20	<20	7	N	20	15	N	30	N
78RM409B	1,000	1.0	N	N	20	50	70	<20	N	N	20	10	N	20	N
78RM410A	700	<1.0	N	N	20	200	50	<20	N	N	50	<10	N	30	N
78RM410B	1,500	<1.0	N	N	20	150	20	20	N	N	30	<10	N	20	N
78RM411A	500	1.0	N	N	20	300	5	50	N	<20	50	10	N	20	N
78RM412A	1,500	1.5	N	N	10	100	10	20	N	<20	10	15	N	15	N
78RM413A	1,000	1.0	N	V	20	100	100	30	N	N	30	15	N	20	N
78RM413B	70	<1.0	N	N	100	1,000	N	N	N	N	300	N	V	20	N
78RM414A	200	<1.0	<10	N	30	10	50	N	N	N	<5	10	N	70	N
78RM415A	2,000	1.5	N	N	5	<10	N	20	N	<20	N	10	N	10	N
78RM416A	1,000	<1.0	N	N	N	N	N	N	N	N	N	50	N	N	N
78RM416B	1,000	1.0	N	N	15	<10	15	50	N	<20	<5	20	N	15	N
78RM417A	2,000	1.0	N	N	10	15	5	20	N	N	5	10	N	10	N
78RM418A	1,000	1.0	N	N	15	15	5	20	N	N	5	15	N	20	N
78RM418B	1,000	1.0	N	N	N	N	N	30	N	N	50	50	N	5	N
78RM419A	3,000	<1.0	N	N	10	100	7	100	N	<20	20	50	N	30	N
78RM420A	2,000	<1.0	N	N	20	20	5	30	N	N	5	15	N	20	N
78RM421A	3,000	<1.0	N	N	10	100	N	150	N	<20	20	50	N	10	N
78RM422A	1,500	1.0	N	N	20	10	10	70	N	<20	<5	10	N	15	N
78RM423A	1,500	<1.0	N	N	5	20	<5	<20	N	N	7	<10	N	<5	N
78RM423B	1,000	1.0	N	N	30	20	50	50	N	<20	7	15	N	30	N
78RM424C	300	<1.0	N	N	20	20	50	<20	N	N	10	10	N	30	N
78RM425A	2,000	1.0	N	N	7	<10	<5	300	N	<20	N	15	N	5	N
78RM426A	1,500	1.0	N	N	20	30	<5	50	N	N	5	15	N	20	N
78RM427A	1,500	1.0	N	N	10	<10	10	100	N	N	15	15	N	10	N
78RM428A	2,000	1.0	N	N	15	<10	5	30	N	<20	<5	20	N	15	N
78RM429A	2,000	1.0	N	N	10	<10	10	20	N	<20	<5	20	N	15	N
78RM430A	2,000	1.0	N	N	10	<10	<5	70	N	<20	V	20	N	10	N
78RM431A	3,000	1.0	N	N	5	10	<5	50	N	N	N	30	N	5	N
78RM432A	3,000	1.0	N	N	7	<10	7	30	N	N	N	30	N	5	N
78RM434A	2,000	1.0	N	N	15	10	N	30	N	N	<5	10	N	15	N
78RM435A	100	<1.0	N	N	30	50	100	<20	N	N	15	<10	N	30	N
78RM436A	2,000	1.0	N	N	5	<10	<5	100	N	N	V	20	N	5	N
78RM437A	2,000	1.0	N	N	5	N	<5	20	N	N	N	20	N	<5	N
78RM438A	>5,000	1.0	N	N	10	N	N	20	N	N	N	30	N	5	N
78RM439A	1,500	1.0	N	N	7	N	5	N	N	N	N	20	N	10	N
78RM440A	1,500	1.0	N	N	10	10	N	20	N	N	<5	20	N	10	N
78RM441A	3,000	1.0	N	N	7	N	<5	30	N	N	N	20	N	5	N
78RM442A	1,000	1.0	N	N	20	20	100	50	N	N	5	10	N	15	N
78RM442B	>5,000	<1.0	V	V	7	N	N	100	N	N	<5	20	N	<5	N
78RM443A	2,000	1.0	N	N	15	<10	N	20	N	<20	<5	20	N	15	N
78RM444A	>5,000	<1.0	N	N	7	15	15	20	<5	N	5	20	N	20	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-SR	S-TH	S-V	S-A	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
78RM406A	1,000	N	200	N	20	N	100	N	10	5	55	--
78RM407A	3,000	N	70	N	N	N	150	N	5	<5	20	--
78RM407B	500	N	300	N	30	<200	70	N	45	10	25	--
78RM407C	700	N	500	N	10	<200	100	N	20	10	75	--
78RM409B	700	N	200	N	30	<200	100	N	40	10	70	--
78RM410A	300	N	200	N	30	<200	50	N	35	5	25	--
78RM410B	700	N	200	N	30	N	100	N	25	5	20	--
78RM411A	500	N	300	N	50	200	70	N	10	<5	35	--
78RM412A	700	N	200	N	20	<200	150	N	10	15	80	--
78RM413A	300	N	200	N	30	<200	150	N	90	15	110	--
78RM413B	150	N	200	N	15	<200	50	N	<5	5	25	--
78RM414A	150	N	700	N	20	<200	50	N	30	5	30	--
78RM415A	1,500	N	150	N	20	N	50	N	<5	<5	15	--
78RM416A	300	N	10	N	N	N	20	N	<5	5	15	--
78RM416B	700	N	300	N	30	<200	100	N	15	10	70	--
78RM417A	2,000	N	150	N	15	N	70	N	5	<5	25	--
78RM418A	1,000	N	200	N	30	<200	20	N	5	10	55	--
78RM418B	200	N	10	N	20	N	100	N	<5	5	15	--
78RM419A	300	N	150	N	70	N	150	N	10	10	45	--
78RM420A	1,000	N	500	N	20	N	70	N	10	5	40	--
78RM421A	700	N	100	N	20	N	100	N	<5	10	60	--
78RM422A	1,000	N	300	N	20	N	20	N	5	10	50	--
78RM423A	300	N	30	N	N	N	200	N	5	<5	30	--
78RM423B	1,000	N	500	N	50	<200	70	N	20	10	60	--
78RM424C	500	N	500	N	30	N	70	N	60	15	40	--
78RM425A	2,000	N	100	N	20	N	500	N	<5	5	75	--
78RM426A	1,000	N	300	N	30	<200	100	N	<5	10	55	--
78RM427A	1,500	N	150	N	20	N	150	N	15	5	65	--
78RM428A	1,500	N	200	N	15	N	100	N	5	10	55	--
78RM429A	1,500	N	150	N	20	N	150	N	15	5	70	--
78RM430A	1,500	N	200	N	20	N	100	N	<5	5	60	--
78RM431A	1,000	N	100	N	10	N	100	N	<5	5	55	--
78RM432A	1,500	N	150	N	15	N	100	N	10	5	70	--
78RM434A	700	N	150	N	20	N	50	N	<5	5	50	--
78RM435A	300	N	700	N	30	<200	150	N	70	<5	15	--
78RM436A	1,000	N	100	N	15	N	100	N	<5	5	55	--
78RM437A	1,000	N	70	N	<10	N	100	N	<5	5	60	--
78RM438A	1,000	N	100	N	10	N	150	N	N	5	50	--
78RM439A	1,500	N	100	N	10	N	150	N	10	<5	40	--
78RM440A	1,500	N	200	N	10	<200	150	N	<5	5	60	--
78RM441A	1,000	N	100	N	10	N	100	N	<5	10	55	--
78RM442A	2,000	N	500	N	30	<200	150	N	60	10	45	--
78RM442B	1,000	N	150	N	<10	N	100	N	<5	5	35	--
78RM443A	1,500	N	150	N	20	<200	50	N	N	5	40	--
78RM444A	300	N	150	N	70	<200	100	N	20	10	110	--

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	RK-TYPE	S-FEZ	S-MGX	S-CAX	S-TIX	S-MN	S-AG	S-AS	S-AU	S-B
79RM445A	CDH393	56 9 47	131 44 10	GQ	5.00	1.07	1.00	.200	500	N	N	N	<10
79RM446A	CDH563	56 7 54	131 44 25	QDF	5.00	2.07	3.00	.500	1,000	N	N	N	<10
79RM447A	CDH377	56 9 42	131 47 50	QDF	5.00	2.07	3.00	.500	1,500	N	N	N	N
79RM448A	CDH620	56 9 57	131 45 22	QD	1.50	.30	.70	.200	1,500	N	N	N	N
79RM449A	CDH612	56 4 57	131 45 45	QDF	3.00	1.00	3.00	.300	500	N	N	N	10
79RM450A	CDH448	56 3 54	131 43 58	GDF	5.00	1.50	2.00	.300	1,000	N	N	N	N
79RM451A	CDH650	56 6 9	131 42 30	QDF	5.00	2.00	5.00	.500	1,000	N	N	N	<10
79RM452A	CDH565	56 3 57	131 42 13	GD	3.00	1.07	3.00	.300	500	N	N	N	<10
79RM453A	CDH497	56 3 17	131 42 40	GDF	3.00	1.57	5.00	.300	700	N	N	N	<10
79RM454A	CDH391	56 3 13	131 46 20	GD	5.00	1.00	3.00	.200	500	N	N	N	<10
79RM455A	CDH486	56 0 45	131 44 37	GDF	3.00	1.50	5.00	.300	700	N	N	N	N
79RM456A	CDH578	56 1 58	131 52 48	GED	7.00	7.00	5.00	.100	1,000	N	N	N	<10
79RM457A	CDH494	56 7 5	131 55 12	QDF	5.00	2.07	5.00	.300	1,000	N	N	N	<10
79RM458A	CDH514	56 8 47	131 55 36	QDF	5.00	2.07	3.00	.500	1,000	N	N	N	<10
79RM459A	CDH476	56 29 23	131 23 7	GD	5.00	2.07	2.00	.300	1,000	N	N	N	<10
79RM460A	CDH551	56 27 42	131 22 27	SCQ	2.00	1.50	.70	.300	700	N	N	N	<10
79RM461A	CDH622	56 27 35	131 22 47	SCB	7.00	1.50	1.50	1.000	1,000	<.5	N	N	<10
79RM461C	CDH427	56 27 35	131 22 47	SK	7.00	3.07	7.07	.300	2,000	N	N	N	<10
79RM462A	CDH386	56 26 29	131 21 46	QMF	1.00	.50	1.00	.100	500	N	N	N	N
79RM463A	CDH528	56 24 56	131 22 30	GD	3.00	1.00	2.00	.500	700	N	N	N	<10
79RM463B	CDH392	56 24 55	131 22 30	QMF	3.00	.50	1.50	.150	500	N	N	N	N
79RM464A	CDH436	56 26 35	131 25 40	QM	2.00	.70	1.50	.100	500	N	N	N	N
79RM465A	CDH589	56 26 59	131 25 59	QDF	5.00	2.00	5.00	.500	1,000	N	N	N	<10
79RM466A	CDH455	56 24 5	131 19 35	GD	7.00	3.07	2.00	.500	1,000	N	N	N	<10
79RM466B	CDH524	56 24 5	131 19 35	GP	2.00	.50	1.00	.200	300	N	N	N	N
79RM466C	CDH570	56 24 5	131 19 35	GP	5.00	3.07	5.00	.500	1,500	N	N	N	<10
79RM467A	CDH610	56 27 8	131 19 21	QM	1.00	.30	1.50	.100	500	N	N	N	N
79RM468A	CDH556	56 27 39	131 16 47	SCB	1.00	.50	2.00	.200	100	.5	N	N	N
79RM469A	CDH572	56 27 17	131 16 15	QMF	1.00	.20	1.50	.100	500	N	N	N	N
79RM470A	CDH467	56 19 23	131 31 11	QDF	5.00	2.07	2.00	.300	1,000	N	N	N	<10
79RM471A	CDH425	56 19 7	131 28 48	3DM	7.00	3.07	3.00	.300	1,500	N	N	N	<10
79RM472A	CDH434	56 18 44	131 27 40	BG	5.00	2.00	3.00	.300	700	N	N	N	<10
79RM472B	CDH602	56 18 44	131 27 40	BG	2.00	.70	1.00	.300	500	N	N	N	N
79RM472C	CDH451	56 18 44	131 27 40	DI	10.00	5.00	3.07	.700	1,000	N	N	N	<10
79RM473A	CDH655	56 18 7	131 26 48	GD	3.00	1.50	3.00	1.000	1,500	N	N	N	<10
79RM473B	CDH616	56 18 7	131 26 48	GD	5.00	1.50	3.00	.500	1,500	N	N	N	<10
79RM474A	CDH430	56 18 43	131 26 21	QD	7.00	3.07	3.00	.500	1,000	N	N	N	<10
79RM474B	CDH573	56 18 43	131 26 21	GD	7.00	5.00	5.00	1.000	1,000	N	N	N	<10
79RM475A	CDG727	56 50 21	131 59 27	QM	2.00	.70	2.00	.200	700	N	N	N	N
79RM476A	CDG851	56 49 18	131 57 53	QM	2.00	.50	2.00	.150	700	N	N	N	N
79RM477A	CDG916	56 49 5	131 57 54	GD	2.00	.70	1.50	.200	500	N	N	N	N
79RM478A	CDG946	56 49 1	131 57 9	GD	2.00	.50	1.50	.200	500	N	N	N	N
79RM479A	CDG988	56 49 4	131 55 15	GD	2.00	.50	3.00	.200	500	N	N	N	N
79RM480A	CDG886	56 47 35	131 54 19	GD	5.00	2.00	5.00	.200	1,000	N	N	N	N
79RM481A	CDG737	56 47 7	131 56 33	GD	2.00	.70	3.00	.200	700	N	N	N	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-BA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-P3	S-S3	S-SC	S-SM
78RM445A	1,000	1.5	N	N	10	150	70	<20	5	N	20	10	N	10	N
78RM446A	1,500	1.0	N	N	15	30	5	N	N	N	5	10	N	15	N
78RM447A	1,000	1.0	N	N	7	30	<5	N	N	N	<5	15	N	10	N
78RM448A	150	1.0	N	N	10	50	30	<20	N	N	10	<10	N	7	N
78RM449A	1,000	1.0	N	N	10	<10	<5	20	N	N	<5	10	N	10	N
78RM450A	1,000	1.0	N	N	10	10	<5	30	N	N	<5	15	N	10	N
78RM451A	1,000	1.0	N	N	15	20	5	50	N	N	5	15	N	15	N
78RM452A	1,500	1.5	N	N	10	10	<5	20	N	N	<5	15	N	5	N
78RM453A	1,000	1.5	N	N	10	10	5	50	N	<20	<5	15	N	10	N
78RM454A	1,000	1.0	N	N	7	N	<5	N	N	N	<5	10	N	7	N
78RM455A	1,500	1.0	N	N	10	15	<5	20	N	N	<5	15	N	10	N
78RM456A	300	<1.0	N	N	50	500	100	20	N	N	150	10	N	30	N
78RM457A	1,500	1.0	N	N	15	20	30	50	N	N	5	10	N	15	N
78RM458A	1,500	1.5	N	N	15	20	5	<20	N	N	5	15	N	20	N
78RM459A	2,000	1.0	N	N	20	10	N	<20	N	N	<5	20	N	10	N
78RM460A	50	<1.0	N	N	7	20	50	<20	N	N	7	N	N	10	N
78RM461A	700	<1.0	N	N	15	30	150	50	<5	N	7	<10	N	30	N
78RM461C	700	<1.0	N	N	15	50	50	N	<20	N	30	10	N	15	N
78RM462A	5,000	1.0	N	N	N	N	N	N	N	N	N	50	N	<5	N
78RM463A	2,000	1.5	N	N	10	10	7	20	N	<20	<5	15	N	10	N
78RM463B	500	1.0	N	N	N	N	<5	20	N	N	N	20	N	<5	N
78RM464A	5,000	<1.0	N	N	N	N	<5	N	N	N	N	50	N	<5	N
78RM465A	1,500	1.0	N	N	15	10	N	30	N	N	<5	15	N	15	N
78RM466A	1,500	<1.0	N	N	20	20	5	N	N	10	10	20	N	20	N
78RM466B	3,000	1.5	N	N	5	10	<5	100	N	<20	<5	30	N	<5	N
78RM466C	3,000	1.0	N	N	20	150	10	<20	N	<20	30	30	N	20	N
78RM467A	2,000	1.0	N	N	<5	N	<5	<20	N	N	N	20	N	<5	N
78RM468A	1,500	1.0	N	N	N	150	7	N	20	N	N	<10	N	7	N
78RM469A	1,500	1.0	N	N	N	N	N	N	N	N	N	30	N	N	N
78RM470A	1,000	1.0	N	N	15	15	<5	N	N	N	<5	20	N	15	N
78RM471A	1,500	<1.0	N	N	20	20	<5	N	N	N	<5	15	N	20	N
78RM472A	1,000	<1.0	N	N	20	20	20	N	N	N	5	15	N	10	N
78RM472B	5,000	1.0	N	N	10	<10	N	<20	N	N	<5	15	N	10	N
78RM472C	700	<1.0	N	N	50	100	50	<20	N	N	50	<10	N	50	N
78RM473A	3,000	1.0	N	N	10	15	5	30	N	20	<5	15	N	20	N
78RM473B	1,500	1.5	N	N	30	70	20	50	N	20	15	10	N	20	N
78RM474A	700	<1.0	N	N	30	200	N	20	N	N	70	20	N	30	N
78RM474B	700	<1.0	N	N	30	300	50	30	N	<20	30	15	N	30	N
78RM475A	2,000	1.0	N	N	5	N	N	20	N	<20	N	50	N	5	N
78RM476A	2,000	1.0	N	N	<5	N	<5	<20	N	N	N	30	N	5	N
78RM477A	2,000	1.0	N	N	<5	N	N	<20	N	N	N	50	N	<5	N
78RM478A	1,500	1.0	N	N	N	N	N	N	N	N	N	50	N	5	N
78RM479A	2,000	<1.0	N	N	5	N	N	70	N	N	N	50	N	5	N
78RM480A	3,000	<1.0	N	N	20	20	7	100	N	N	5	70	N	15	N
78RM481A	5,000	<1.0	N	N	5	N	N	70	N	N	N	50	N	5	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-SR	S-TH	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
78RM445A	500	N	100	N	10	<200	100	V	40	5	80	--
78RM446A	1,000	V	200	N	20	<200	70	V	15	10	65	--
78RM447A	1,500	N	150	N	10	N	70	V	N	10	75	--
78RM448A	200	N	70	N	15	N	100	N	25	5	40	--
78RM449A	1,000	N	100	N	15	<200	70	<.05	5	5	55	--
78RM450A	1,000	N	150	N	15	N	150	N	5	<5	45	--
78RM451A	1,000	V	150	N	20	<200	70	N	5	10	65	--
78RM452A	1,000	N	100	N	<10	<200	100	N	10	5	65	--
78RM453A	1,000	N	150	N	20	<200	100	N	5	5	50	--
78RM454A	1,500	N	100	V	10	<200	100	N	5	5	45	--
78RM455A	1,000	N	100	N	20	<200	100	N	<5	5	50	--
78RM456A	500	N	300	N	30	<200	100	N	35	20	75	--
78RM457A	1,000	V	150	V	20	<200	100	V	5	10	65	--
78RM458A	1,000	N	150	N	20	<200	100	<.05	10	5	60	--
78RM459A	1,000	N	200	N	15	<200	200	N	N	5	50	--
78RM460A	150	N	150	N	10	<200	50	N	45	<5	10	--
78RM461A	500	N	200	N	50	<200	100	N	75	10	65	--
78RM461C	700	N	200	N	50	<200	300	N	30	10	25	--
78RM462A	2,000	V	50	N	10	N	200	V	<5	5	20	--
78RM463A	1,000	N	100	N	15	<200	100	N	15	10	60	--
78RM463B	2,000	N	70	N	10	<200	150	N	<5	5	30	--
78RM464A	2,000	N	70	N	<10	N	150	<.05	5	<5	25	--
78RM465A	1,500	N	200	V	20	<200	100	N	<5	5	55	--
78RM466A	700	N	300	N	15	<200	50	N	10	5	35	--
78RM466B	500	N	50	N	30	N	200	V	5	5	35	--
78RM466C	2,000	N	500	N	20	N	70	V	10	5	10	--
78RM467A	2,000	N	50	N	10	N	100	N	<5	<5	30	--
78RM468A	500	N	200	N	30	N	70	N	15	10	20	--
78RM469A	1,500	N	30	N	<10	N	100	N	<5	<5	25	--
78RM470A	700	N	200	N	20	N	70	<.05	5	5	40	--
78RM471A	1,000	N	200	N	20	<200	100	N	<5	5	50	--
78RM472A	2,000	N	200	N	20	N	50	N	30	5	40	--
78RM472B	1,000	N	100	V	20	N	70	N	<5	<5	50	--
78RM472C	500	V	500	N	30	<200	70	N	45	5	25	--
78RM473A	700	V	150	N	30	<200	200	V	10	5	35	--
78RM473B	300	N	200	N	50	<200	150	V	15	<5	35	--
78RM474A	700	N	300	N	30	N	50	N	<5	<5	15	--
78RM474B	700	N	500	N	50	<200	70	N	20	<5	25	--
78RM475A	700	N	100	N	10	N	100	N	N	5	50	--
78RM476A	700	N	70	N	<10	N	70	N	<5	<5	45	--
78RM477A	1,000	N	70	N	10	N	150	<.05	<5	5	35	--
78RM478A	500	V	50	V	<10	N	70	V	<5	5	50	--
78RM479A	700	V	70	N	15	N	50	N	<5	5	25	--
78RM480A	2,000	N	300	N	20	N	70	N	<5	5	40	--
78RM481A	1,500	N	100	V	10	N	70	V	N	<5	35	--

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	RK-TYPE	S-FEX	S-MGX	S-CAZ	S-TIX	S-MN	S-AG	S-AS	S-AU	S-B
78RM482A	CDG828	56 46 20	131 55 43	QDF	3.00	1.00	2.00	.300	1.000	N	N	N	<10
78RM483A	CDG855	56 46 7	131 57 24	QDF	3.00	1.00	5.00	.500	1.500	N	N	N	N
78RM484A	CDG920	56 45 9	131 58 27	QDF	5.00	1.50	1.50	.300	1.000	N	N	N	<10
78RM485A	CDG808	56 44 52	131 56 0	QDF	3.00	1.00	3.00	.300	1.000	N	N	N	<10
78RM485B	CDG960	56 44 52	131 56 0	QDI	7.00	3.00	2.00	.300	1.500	N	N	N	<10
78RM486A	CDG824	56 44 15	131 55 58	Q7	1.00	.20	.15	.100	.30	N	N	N	N
78RM486B	CDG718	56 44 15	131 55 58	SCB	3.00	.70	2.00	.150	200	N	N	N	N
78RM487A	CDG723	56 44 1	131 53 50	QD	5.00	1.00	3.00	.500	1.000	N	N	N	<10
78RM487C	CDG717	56 44 1	131 53 50	AM	15.00	10.00	7.00	>1.000	2.000	<.5	N	N	<10
78RM487F	CDG731	56 44 1	131 53 50	SCB	7.00	7.00	2.00	.500	1.500	N	N	N	<10
78RM487G	CDG874	56 44 1	131 53 50	SC	7.00	5.00	5.00	1.000	1.500	N	N	N	<10
78RM488A	CDG734	56 44 1	131 53 50	AM	7.00	7.00	10.00	.700	1.500	N	N	N	<10
78RM488A	CDG990	56 42 50	131 57 25	GD	5.00	1.00	3.00	1.000	500	N	N	N	<10
78RM489A	CDG944	56 13 33	131 55 50	MB	N	.70	20.00	N	30	N	N	N	N
78RM489B	CDG881	56 13 33	131 55 50	SCB	7.00	2.00	1.00	.200	700	N	N	N	100
78RM490A	CDG955	56 13 24	131 55 6	MB	N	7.00	20.00	<.002	100	N	N	N	N
78RM491B	CDG776	56 13 48	131 52 32	SC	10.00	7.00	3.00	.500	1.000	N	N	N	<10
78RM492A	CDG930	56 13 17	131 50 13	GM	7.00	2.00	3.00	.500	1.500	N	N	N	<10
78RM493A	CDG809	56 13 5	131 48 28	SCB	7.00	7.00	1.00	1.000	1.500	N	N	N	<10
78RM493B	CDG730	56 13 5	131 48 28	SC	7.00	7.00	7.00	.500	1.500	N	N	N	<10
78RM493C	CDG846	56 13 5	131 48 28	SC	7.00	2.00	7.00	.500	1.000	N	N	N	<10
78RM494A	CDG877	56 21 30	131 58 47	GDF	5.00	1.00	1.50	.200	700	N	N	N	<10
78RM494B	CDG848	56 21 30	131 58 47	SCB	5.00	3.00	1.50	.500	1.000	N	N	N	<10
78RM495A	CDG954	56 33 45	131 42 21	AF	2.00	.07	.05	.100	300	N	N	N	N
78RM495B	CDG709	56 33 45	131 42 21	GRD	1.50	.05	<.05	.070	150	N	N	N	N
78RM495C	CDG915	56 33 45	131 42 21	BAD	10.00	3.00	2.00	.700	1.500	N	N	N	<10
78RM496A	CDG968	56 34 19	131 42 40	AF	2.00	.05	.20	.100	300	N	N	N	N
78RM497A	CDH644	56 8 33	131 39 47	GP	5.00	2.00	1.50	.500	1.500	N	N	N	<10
78RM498A	CDH415	56 7 18	131 35 36	GM	5.00	2.00	2.00	.300	1.500	N	N	N	<10
78RM498B	CDH440	56 7 18	131 35 36	GP	5.00	2.00	1.50	.300	1.000	N	N	N	<10
78RM499A	CDH564	56 4 43	131 32 55	GDF	5.00	2.00	5.00	.500	1.500	N	N	N	<10
78RM500A	CDH543	56 2 43	131 31 34	GDF	5.00	3.00	5.00	.500	1.500	N	N	N	<10
78RM501A	CDH552	56 1 40	131 29 28	GDF	3.00	3.00	5.00	.500	1.000	N	N	N	<10
78RM502A	CDH495	56 0 29	131 29 39	GDF	5.00	2.00	3.00	.500	1.000	<.5	N	N	<10
78RM503A	CDH562	56 3 8	131 33 10	GDF	5.00	3.00	5.00	.500	1.000	N	N	N	<10
78RM504A	CDH648	56 4 43	131 36 39	GDF	5.00	3.00	7.00	.300	1.500	N	N	N	<10
78RM505A	CDH507	56 7 3	131 39 54	GDF	5.00	2.00	3.00	.500	1.000	N	N	N	<10
78RM506A	CDH586	56 5 47	131 37 9	GDF	5.00	2.00	3.00	.300	700	N	N	N	<10
78RM507A	CDH518	56 4 58	131 34 28	GDF	5.00	2.00	5.00	.500	1.000	N	N	N	<10
78RM508A	CDH416	56 6 10	131 25 51	GDF	7.00	2.00	3.00	.300	1.500	N	N	N	<10
78RM509A	CDH479	56 4 45	131 27 21	SC	7.00	5.00	3.00	>1.000	1.500	N	N	N	<10
78RM509B	CDH426	56 4 45	131 27 21	BG	1.50	.70	1.50	.100	100	N	N	N	N
78RM510A	CDH495	56 7 1	131 30 22	GDF	5.00	2.00	3.00	.500	700	N	N	N	<10
78RM510B	CDH526	56 7 1	131 30 22	QDF	5.00	2.00	3.00	.500	1.000	N	N	N	<10
78RM511A	CDH641	56 8 26	131 28 10	GDF	5.00	2.00	3.00	.500	700	N	N	N	<10

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-RA	S-9E	S-RT	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-P3	S-S3	S-SC	S-SN
78RM482A	2,000	1.0	N	N	10	10	10	<20	N	N	5	15	N	10	N
78RM483A	2,000	1.0	N	N	10	10	10	50	N	N	<5	15	N	10	N
78RM484A	1,500	1.5	N	N	15	15	15	50	N	N	5	15	N	10	N
78RM485A	2,000	1.5	N	N	10	>10	150	20	N	N	<5	10	N	10	N
78RM485B	1,000	1.0	N	N	20	150	10	30	N	N	20	15	N	20	N
78RM486A	>5,000	<1.0	N	N	N	<10	10	N	N	N	<5	N	N	5	N
78RM486B	2,000	<1.0	N	N	10	20	20	20	N	N	20	N	N	7	N
78RM487A	2,000	1.0	N	N	20	10	10	30	N	N	5	10	N	15	N
78RM487C	200	N	N	N	50	30	100	N	N	N	15	<10	N	70	N
78RM487F	700	N	N	N	70	1,500	N	<20	N	N	500	<10	N	50	N
78RM487G	700	1.0	N	N	30	50	150	20	N	N	10	10	N	30	N
78RM487I	150	N	N	N	50	200	20	<20	N	N	30	<10	N	70	N
78RM488A	5,000	1.0	N	N	10	N	<5	150	N	N	N	10	N	<5	N
78RM489A	N	N	N	N	N	30	N	N	N	N	N	N	N	N	N
78RM489B	3,000	1.0	N	N	50	150	150	<20	<5	N	100	20	N	20	N
78RM490A	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
78RM491B	1,500	1.0	N	N	50	100	150	30	N	N	50	20	N	30	N
78RM492A	1,000	<1.0	N	N	10	50	N	20	N	N	<5	10	N	20	N
78RM493A	1,500	1.0	N	N	30	150	10	50	N	N	30	15	N	20	N
78RM493B	700	1.0	N	N	50	200	70	50	N	N	30	15	N	30	N
78RM493C	2,000	2.0	N	N	20	15	150	200	N	N	5	20	N	20	N
78RM494A	1,000	2.0	N	N	5	10	<5	30	N	N	<5	20	N	5	N
78RM494B	>5,000	3.0	N	N	15	N	50	150	N	N	<20	70	N	7	N
78RM495A	100	5.0	N	N	N	N	<5	70	7	30	N	70	N	N	20
78RM495B	50	10.0	N	N	N	N	<5	100	5	100	N	50	N	<5	20
78RM495C	700	<1.0	N	N	50	150	15	N	N	N	50	N	N	20	N
78RM496A	N	15.0	N	N	N	N	N	100	<5	50	N	50	N	N	10
78RM497A	1,000	1.0	N	N	20	150	100	20	N	N	50	10	N	20	N
78RM498A	1,000	1.0	N	N	20	100	50	20	N	N	50	10	N	20	N
78RM498B	1,000	<1.0	N	N	20	100	50	N	N	N	30	10	N	20	N
78RM499A	2,000	<1.0	N	N	15	70	5	30	N	N	5	10	N	20	N
78RM500A	2,000	1.0	N	N	15	100	10	20	N	N	5	20	N	20	N
78RM501A	1,500	1.0	N	N	15	70	15	50	N	N	5	15	N	15	N
78RM502A	1,500	1.0	N	N	15	70	5	<20	N	N	5	10	N	20	N
78RM503A	1,500	1.0	N	N	15	100	7	50	N	N	5	10	N	20	N
78RM504A	1,000	1.0	N	N	15	100	5	20	N	N	5	15	N	20	N
78RM505A	2,000	1.0	N	N	15	70	<5	20	N	N	7	15	N	20	N
78RM506A	1,500	1.0	N	N	10	70	5	<20	N	N	5	15	N	20	N
78RM507A	1,500	1.0	N	N	10	70	5	20	N	N	5	15	N	20	N
78RM508A	1,000	1.0	N	N	20	70	5	50	N	N	10	15	N	20	N
78RM509A	700	1.0	N	N	20	200	70	30	N	N	150	<10	N	15	N
78RM509B	700	<1.0	N	N	N	70	7	N	N	N	<5	10	N	N	N
78RM510A	1,500	1.0	N	N	20	10	5	50	N	N	<5	15	N	7	N
78RM510B	1,500	1.0	N	N	20	15	7	100	N	N	5	15	N	15	N
78RM511A	1,500	1.0	N	N	20	10	20	20	N	N	5	10	N	10	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-SR	S-TH	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AIJ-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
78RM482A	700	N	150	N	15	N	50	V	15	5	40	--
78RM483A	700	N	150	N	20	N	100	V	10	<5	25	--
78RM484A	700	N	200	N	20	N	100	V	10	5	30	--
78RM485A	700	N	100	N	15	N	100	<.05	240	10	35	--
78RM485A	1,000	N	200	V	20	<200	30	N	10	10	45	--
78RM486A	150	N	50	N	N	N	20	N	15	<5	20	--
78RM486A	150	N	100	N	10	N	30	V	30	10	20	--
78RM487A	500	V	200	N	20	N	100	V	10	5	35	--
78RM487C	1,500	N	1,500	N	30	<200	20	N	25	5	15	--
78RM487F	100	N	300	N	10	<200	10	N	N	15	35	--
78RM487G	1,000	N	500	N	50	<200	70	N	120	10	40	--
78RM487I	1,000	V	1,000	N	20	<200	20	V	20	10	10	--
78RM488A	1,500	V	150	N	15	N	300	N	5	10	85	--
78RM489A	200	N	N	N	10	N	N	N	5	55	10	--
78RM489B	500	N	200	N	30	<200	100	<.05	60	10	90	--
78RM490A	100	N	N	N	10	N	N	N	5	55	10	--
78RM491B	1,000	V	700	V	20	N	50	N	120	25	50	--
78RM492A	700	N	150	N	20	N	200	N	<5	10	60	--
78RM493A	300	N	300	N	20	<200	100	V	10	35	110	--
78RM493B	1,000	N	500	N	20	N	50	V	40	15	55	--
78RM493C	700	N	300	N	50	<200	100	<.05	80	10	30	--
78RM494A	1,000	N	70	N	15	<200	150	N	N	10	75	--
78RM494B	1,500	V	100	N	50	N	200	N	35	25	75	--
78RM495A	N	N	N	N	70	N	300	V	<5	35	75	--
78RM495B	N	N	N	N	70	<200	150	V	<5	35	85	--
78RM495C	700	N	200	N	20	<200	100	N	15	15	70	--
78RM496A	N	N	N	N	10	N	300	V	<5	10	45	--
78RM497A	700	N	200	N	30	<200	100	N	45	100	100	--
78RM498A	500	V	200	N	20	<200	150	V	30	5	70	--
78RM498B	700	N	300	N	30	<200	100	<.05	30	10	95	--
78RM499A	1,000	N	300	N	20	<200	200	N	15	10	65	--
78RM500A	1,000	N	300	N	30	<200	100	N	15	10	50	--
78RM501A	700	N	300	N	20	<200	70	N	20	10	65	--
78RM502A	700	N	200	N	30	<200	100	N	5	10	75	--
78RM503A	1,000	N	300	N	20	<200	70	V	15	10	70	--
78RM504A	1,000	N	200	N	20	<200	30	N	10	10	75	--
78RM505A	700	N	200	N	30	<200	20	N	5	20	45	--
78RM506A	700	N	200	N	20	<200	30	N	5	5	60	--
78RM507A	1,000	N	200	N	20	<200	70	N	10	10	75	--
78RM508A	1,000	N	200	N	30	<200	70	N	5	10	45	--
78RM509A	150	V	200	N	30	<200	150	<.05	20	15	55	--
78RM509B	1,000	N	100	N	N	N	300	N	5	5	25	--
78RM510A	700	N	150	N	15	N	300	N	<5	10	35	--
78RM510B	1,000	V	200	V	20	<200	70	N	10	10	45	--
78RM511A	1,000	N	200	V	15	<200	70	V	25	10	60	--

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	LAY NO.	LATITUDE	LONGITUDE	RK-TYPE	S-FEZ	S-MGZ	S-CAZ	S-TIZ	S-MN	S-AG	S-AS	S-AU	S-B
78RM512A	CDH408	56 13 11	131 31 47	SCB	10.00	3.00	3.00	1.000	1,500	N	N	N	<10
78RM512B	CDH604	56 13 11	131 31 47	SG	2.00	.50	.70	.200	500	N	N	N	N
78RM513A	CDH532	56 13 38	131 33 8	GDF	2.00	1.00	2.00	.200	700	N	N	N	N
78RM515A	CDH419	56 12 5	131 34 3	SG	3.00	1.50	1.50	.200	700	N	N	N	<10
78RM516A	CDH468	56 9 21	131 32 28	SG	5.00	1.50	2.00	.500	1,000	N	N	N	<10
78RM517A	CDH527	56 11 4	131 30 21	BG	5.00	2.00	3.00	.500	1,500	N	N	N	<10
78RM518A	CDH546	56 9 38	131 26 54	BG	5.00	7.00	7.00	1.000	1,000	.7	N	N	<10
78RM518B	CDH581	56 9 38	131 26 54	GR	.70	.15	1.00	.100	200	N	N	N	N
78RM518C	CDH560	56 9 38	131 26 54	QDF	3.00	1.50	3.00	.500	1,000	N	N	N	<10
78RM519A	CDH502	56 8 33	131 24 12	QMF	2.00	.70	1.50	.200	1,000	N	N	N	N
78RM519B	CDH535	56 8 38	131 24 12	GNI	7.00	5.00	3.00	1.000	2,000	N	N	N	<10
78RM520A	CDH594	56 9 18	131 23 29	QDF	3.00	1.00	3.00	.300	700	N	N	N	<10
78RM521A	CDH606	56 11 45	131 26 20	BG	1.50	.50	.70	.150	200	N	N	N	N
78RM522A	CDH438	56 11 50	131 24 47	SG	2.00	.70	1.50	.200	300	N	N	N	N
78RM523A	CDH607	56 10 7	131 23 9	QMF	2.00	.50	2.00	.200	200	N	N	N	N
78RM524A	CDH470	56 12 1	131 22 1	GN	5.00	1.50	2.00	.500	1,000	N	Y	N	<10
78RM525A	CDH649	56 15 9	131 20 56	SG	2.00	.50	.70	.300	200	N	N	N	N
78RM526A	CDH536	56 16 24	131 21 2	SG	3.00	1.00	.70	.300	500	N	N	N	<10
78RM527A	CDH542	56 19 21	131 21 10	SG	2.00	.50	2.00	.150	500	N	N	N	N
78RM528A	CDH661	56 21 58	131 26 24	SG	3.00	2.00	5.00	.300	1,000	N	N	Y	<10
78RM529A	CDH567	56 18 32	131 24 12	SG	2.00	.50	1.50	.300	500	N	N	N	N
78RM530A	CDH614	56 10 12	131 50 34	QDF	5.00	1.50	3.00	.300	1,000	N	N	N	<10
78RM531A	CDH463	56 7 51	131 52 30	QDF	5.00	2.00	3.00	.200	1,000	N	N	N	<10
78RM532A	CDH418	56 5 45	131 45 21	QM	2.00	.70	1.50	.150	500	N	N	N	N
78RM532B	CDH516	56 5 45	131 45 21	QM	.30	.07	1.00	.020	30	N	N	Y	<10
78RM533A	CDH457	56 3 3	131 51 28	QDF	2.00	1.00	2.00	.200	700	N	N	N	N
78RM534A	CDH561	56 5 10	131 54 0	QDF	3.00	1.50	3.00	.300	700	N	N	N	<10
78RM535A	CDH456	56 16 15	131 51 44	QMF	3.00	1.00	2.00	.200	500	N	N	N	N
78RM536A	CDH534	56 18 42	131 50 20	GDF	2.00	.50	.70	.200	500	N	N	N	N
78RM536B	CDH626	56 18 42	131 50 20	SC	5.00	2.00	5.00	.700	1,000	N	N	N	<10
78RM537A	CDH381	56 19 58	131 52 3	GDF	3.00	.70	1.50	.150	300	N	N	N	<10
78RM538A	CDH635	56 19 47	131 58 0	GDF	2.00	.70	2.00	.300	500	N	N	N	<10
78RM707A	CDG964	56 22 37	131 22 22	SC	10.00	5.00	5.00	1.000	1,500	N	N	N	<10
78RS307A	CDH399	56 33 57	131 48 43	QM	1.00	.50	1.50	.150	500	N	N	N	N
78RS308C	CDH428	56 33 57	131 48 43	RDD	2.00	.02	.10	.050	300	N	N	N	N
78RS309D	CDH642	56 33 57	131 48 43	VGD	1.50	.02	.50	.050	200	N	N	N	N
78RS301A	CDH515	56 33 5	131 48 22	QM	1.50	.30	1.50	.150	500	N	Y	N	N
78RS301B	CDH389	56 33 5	131 48 22	SCB	5.00	2.00	1.00	.300	700	N	N	N	<10
78RS301C	CDH385	56 33 5	131 48 22	GD	7.00	2.00	10.00	.070	>5,000	N	N	N	<10
78RS313A	CDH582	56 32 37	131 48 19	QDF	7.00	3.00	5.00	.500	1,000	N	N	N	<10
78RS307A	CDH557	56 20 47	131 36 55	GD	2.00	.70	1.50	.300	500	N	N	N	Y
78RS307B	CDH490	56 20 47	131 36 55	QDF	7.00	3.00	7.00	1.000	1,000	N	N	N	<10
78RS308A	CDH444	56 20 14	131 34 30	QDF	5.00	2.00	3.00	.300	1,000	Y	N	N	<10
78RS309A	CDH656	56 20 17	131 33 14	QDF	5.00	2.00	5.00	.300	700	N	N	N	<10
78RS310A	CDH422	56 19 7	131 33 29	QDF	5.00	2.00	2.00	.300	1,000	N	N	N	<10

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-HA	S-RE	S-RI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-N3	S-NI	S-P3	S-S3	S-SC	S-SM
78RM512A	700	1.0	N	N	50	300	5	20	N	<20	150	10	N	20	N
78RM512B	1,500	1.0	N	N	7	10	<5	100	N	N	<5	15	N	7	N
78RM513A	700	1.5	N	N	10	15	<5	20	N	N	<5	15	N	10	N
78RM515A	1,500	1.5	N	N	10	50	<5	20	N	N	15	15	N	7	N
78RM516A	2,000	1.0	N	N	15	15	5	50	N	N	5	15	N	7	N
78RM517A	2,000	1.0	N	N	20	300	5	30	5	<20	20	15	N	20	N
78RM518A	2,000	1.0	N	N	30	700	500	20	N	N	100	10	N	30	N
78RM518B	100	2.0	N	N	N	10	<5	50	N	<20	5	N	N	N	N
78RM518C	1,500	2.0	N	N	10	10	10	50	N	20	7	10	N	15	N
78RM519A	2,000	2.0	N	N	10	N	<5	20	N	N	N	15	N	7	N
78RM519B	1,000	1.0	N	N	30	200	70	30	N	20	70	10	N	30	N
78RM520A	3,000	1.0	N	N	10	10	15	30	N	<20	<5	15	N	10	N
78RM521A	2,000	1.0	N	N	5	<10	10	<20	N	N	<5	20	N	N	N
78RM522A	2,000	<1.0	N	N	5	N	<5	70	N	N	N	10	N	<5	N
78RM523A	1,500	2.0	N	N	7	10	5	100	N	N	<5	15	N	<5	N
78RM524A	3,000	1.0	N	N	15	10	10	50	N	<20	<5	15	N	15	N
78RM525A	>5,000	<1.0	N	N	5	N	<5	100	N	N	N	20	N	<5	N
78RM526A	2,000	1.0	N	N	15	<10	5	30	N	<20	5	10	N	5	N
78RM527A	>5,000	1.0	N	N	<5	<10	N	30	N	N	N	20	N	<5	N
78RM528A	2,000	1.0	N	N	15	100	20	<20	<5	N	30	10	N	15	N
78RM529A	5,000	1.0	N	N	5	10	7	70	N	N	5	15	N	<5	N
78RM530A	1,500	1.5	N	N	10	20	10	70	N	N	5	10	N	15	N
78RM531A	1,000	1.0	N	N	10	20	7	20	N	N	<5	15	N	10	N
78RM532A	1,000	1.0	N	N	<5	N	N	50	N	N	N	15	N	N	N
78RM532B	1,500	<1.0	N	N	N	N	N	N	N	N	N	15	N	N	N
78RM533A	2,000	1.0	N	N	5	15	5	30	N	N	<5	15	N	7	N
78RM534A	1,500	1.0	N	N	10	20	<5	50	N	N	5	10	N	10	N
78RM535A	1,000	1.0	N	N	5	15	<5	<20	N	N	5	15	N	5	N
78RM536A	2,000	1.0	N	N	5	<10	N	N	N	N	N	20	N	<5	N
78RM536B	1,000	2.0	N	N	20	30	50	70	N	<20	10	10	N	15	N
78RM537A	1,000	1.0	N	N	5	10	N	200	N	N	5	15	N	7	N
78RM538A	1,500	1.5	N	N	5	10	N	30	N	N	N	15	N	5	N
78RM707A	200	<1.0	N	N	50	300	200	<20	N	N	100	N	N	30	N
78RS303A	2,000	1.0	N	N	N	N	N	<20	N	N	N	20	N	<5	N
78RS300C	N	5.0	N	N	N	N	<5	20	N	70	N	70	N	N	20
78RS307D	N	10.0	N	N	N	N	<5	100	10	100	N	70	N	N	20
78RS301A	2,000	2.0	N	N	<5	N	N	<20	N	N	N	30	N	<5	N
78RS301B	2,000	1.0	N	N	20	70	30	20	N	N	50	<10	N	15	N
78RS301C	300	3.0	N	N	20	50	<5	<20	N	<20	30	<10	N	10	15
78RS303A	3,000	1.0	N	N	20	100	70	20	N	N	10	20	N	20	N
78RS307A	3,000	1.5	N	N	5	N	<5	100	N	<20	N	30	N	N	N
78RS307B	1,500	<1.0	N	N	30	<10	50	20	N	N	7	10	N	20	N
78RS308A	1,000	<1.0	N	N	10	<10	15	<20	N	N	<5	15	N	10	N
78RS309A	1,500	1.0	N	N	15	20	<5	50	N	N	<5	10	N	20	N
78RS310A	1,500	1.0	N	N	15	10	<5	N	N	N	<5	10	N	15	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-Sr	S-TH	S-V	S-W	S-Y	S-Zn	S-Zr	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
79RM5124	1,000	V	200	N	30	<200	150	V	5	20	35	--
79RM5124	300	N	50	N	20	N	50	V	<5	5	25	--
79RM513A	3,000	N	150	N	20	N	70	N	10	5	45	--
79RM515A	1,000	N	100	N	20	N	100	N	<5	5	45	--
79RM515A	1,000	N	200	V	10	N	100	N	5	5	45	--
79RM517A	700	V	200	V	15	<200	100	V	10	10	65	--
79RM518A	1,000	V	500	N	30	<200	70	N	120	20	75	--
79RM519A	1,000	N	20	N	10	N	20	V	<5	5	10	--
79RM518C	1,000	N	150	N	50	<200	200	N	15	<5	30	--
79RM519A	700	N	100	N	20	N	100	V	<5	<5	30	--
79RM519B	500	V	500	V	50	<200	70	N	20	15	90	--
79RM520A	1,500	N	150	N	50	<200	70	N	20	<5	30	--
79RM521A	700	N	50	N	10	N	100	N	15	<5	35	--
79RM522A	700	N	100	N	20	N	200	V	5	<5	30	--
79RM523A	500	N	70	N	10	N	70	N	5	<5	25	--
79RM524A	700	N	200	N	30	N	100	<.05	15	<5	35	--
79RM525A	1,500	V	70	V	<10	N	200	V	5	5	35	--
79RM526A	700	V	100	N	20	<200	300	V	10	5	50	--
79RM527A	3,000	V	70	N	10	N	70	V	5	<5	10	--
79RM528A	1,000	N	150	N	20	N	20	N	20	5	30	--
79RM529A	1,000	N	70	V	N	N	150	N	5	<5	25	--
79RM530A	700	N	100	N	20	<200	100	<.05	10	5	65	--
79RM531A	1,000	V	150	N	10	<200	100	N	10	5	50	--
79RM532A	700	N	50	N	N	N	50	N	5	5	50	--
79RM532B	700	N	<10	N	N	N	<10	N	<5	N	5	--
79RM533A	1,000	N	100	N	10	N	100	N	10	5	45	--
79RM534A	1,000	N	200	N	15	N	70	N	10	10	70	--
79RM535A	700	N	70	N	10	<200	100	N	5	10	130	--
79RM536A	700	N	30	N	<10	N	100	V	5	15	75	--
79RM536B	700	N	200	N	30	<200	150	<.05	40	10	65	--
79RM537A	500	N	50	N	15	N	100	N	<5	5	85	--
79RM538A	1,000	N	70	N	15	N	100	N	<5	5	60	--
79RM707A	200	N	500	N	20	<200	70	N	120	<5	10	--
79RS300A	1,500	N	50	N	10	N	100	V	<5	5	30	--
79RS300C	150	V	N	N	150	200	500	V	<5	35	160	--
79RS300D	100	N	N	N	150	200	500	N	5	15	55	--
79RS301A	2,000	N	50	N	<10	N	100	N	<5	N	25	--
79RS301B	200	N	150	N	20	N	100	N	25	15	60	--
79RS301C	150	N	100	N	30	300	150	V	<5	15	15	--
79RS303A	1,500	N	500	N	50	<200	70	N	30	10	60	--
79RS307A	1,000	N	100	N	20	N	200	V	10	5	55	--
79RS307B	700	N	300	N	30	<200	70	N	20	15	70	--
79RS308A	1,000	N	200	N	15	N	150	N	15	5	50	--
79RS309A	700	N	150	N	30	<200	100	N	5	10	55	--
79RS310A	1,000	V	150	N	15	<200	50	V	<5	5	45	--

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPL#	LAH NO.	LATITUDE	LONGITUDE	RK-TYPE	S-FEX	S-MGX	S-CAZ	S-TIX	S-MN	S-AG	S-AS	S-AU	S-B
78RS311A	CDH395	56 17 17	131 35 36	GD	1.50	.50	1.50	.100	200	N	N	N	N
78RS311B	CDH454	56 17 13	131 35 36	GQ	3.00	1.00	1.00	.200	700	N	N	N	<10
78RS312A	CDH401	56 14 1	131 35 41	BG	3.00	2.00	2.00	.200	700	N	N	N	N
78RS313A	CDH493	56 19 3	131 44 18	GQ	2.00	.50	.70	.300	700	N	N	N	N
78RS314A	CDH541	56 19 25	131 46 0	QDN	5.00	3.00	5.00	.500	1,000	N	N	N	<10
78RS315A	CDH388	56 20 29	131 47 56	BG	7.00	5.00	5.00	.500	1,000	N	N	N	<10
78RS315B	CDH397	56 20 29	131 47 56	SCA	3.00	1.50	.70	.200	300	.5	N	N	<10
78RS316A	CDH475	56 14 32	131 50 2	QDN	2.00	.70	1.50	.100	200	N	N	N	N
78RS316B	CDH632	56 14 32	131 50 2	GQ	.50	.10	1.00	.030	200	N	N	N	N
78RS316C	CDH628	56 14 32	131 50 2	SC9	7.00	2.00	5.00	.500	1,000	N	N	N	<10
78RS317A	CDH599	56 15 14	131 47 53	GQ	1.50	.70	2.00	.150	150	N	N	N	N
78RS318A	CDH459	56 16 49	131 47 56	GDF	5.00	2.00	2.00	.300	1,000	N	N	N	<10
78RS318B	CDH520	56 16 47	131 47 56	SCB	5.00	5.00	5.00	.500	1,500	N	N	N	<10
78RS318C	CDH414	56 16 47	131 47 56	GDF	3.00	1.00	1.50	.200	1,000	N	N	N	<10
78RS319A	CDH489	56 20 3	131 55 40	GQ	2.00	1.00	3.00	.300	500	N	N	N	N
78RS321A	CDH578	56 19 53	131 54 15	GDF	2.00	1.00	1.50	.300	500	N	N	N	N
78RS322A	CDH609	56 19 36	131 47 14	SCW	7.00	5.00	1.50	.300	1,500	N	N	N	<10
78RS322B	CDH398	56 19 36	131 47 14	GP	3.00	1.00	1.50	.150	700	N	N	N	<10
78RS322C	CDH568	56 19 35	131 47 14	SCB	7.00	7.00	7.00	.300	1,500	N	N	N	<10
78RS322D	CDH513	55 19 35	131 47 14	GQ	7.00	2.00	5.00	.700	1,500	N	N	N	<10
78RS323A	CDH595	56 18 47	131 47 16	SCB	5.00	2.00	5.00	.300	1,500	N	N	N	<10
78RS323B	CDH473	56 18 47	131 47 16	GP	3.00	1.00	5.00	.300	700	N	N	N	N
78RS324A	CDH631	56 19 27	131 47 39	GP	5.00	1.50	.70	.500	1,000	N	N	N	<10
78RS325A	CDH487	56 23 42	131 26 28	GF	3.00	2.00	2.00	.500	700	N	N	N	<10
78RS325D	CDH592	56 23 42	131 26 28	SCB	5.00	10.00	5.00	.300	1,500	N	N	N	<10
78RS326A	CDH483	56 24 56	131 28 39	OMF	1.00	.30	2.00	.150	700	N	N	N	N
78RS327A	CDH379	56 25 33	131 31 35	OMF	.50	.10	1.00	.020	150	N	N	N	N
78RS327B	CDH500	56 25 33	131 31 35	AM	7.00	7.00	5.00	>1,000	1,000	N	N	N	<10
78RS327C	CDH441	56 25 33	131 31 35	BAD	10.00	3.00	5.00	1,000	1,000	N	N	N	<10
78RS328A	CDH429	56 23 27	131 33 49	OMF	1.50	.50	1.50	.100	200	N	N	N	N
78RS328B	CDH584	56 23 27	131 33 49	OM	2.00	.30	.70	.200	150	N	N	N	N
78RS328C	CDH583	56 23 27	131 33 49	GF	7.00	7.00	5.00	.500	1,000	N	N	N	<10
78RS329A	CDH475	56 23 21	131 30 50	OMF	1.50	.20	1.00	.150	500	N	N	N	N
78RS330A	CDH566	56 22 33	131 30 0	OMF	3.00	1.00	2.00	.500	700	N	N	N	<10
78RS330B	CDH417	56 22 33	131 30 0	GF	7.00	3.00	3.00	.500	1,000	N	N	N	<10
78RS331A	CDH420	56 22 17	131 32 3	GDF	2.00	1.00	1.50	.300	700	N	N	N	N
78RS332A	CDH547	56 22 47	131 35 5	GDF	3.00	1.00	3.00	.300	1,000	N	N	N	<10
78RS333A	CDH525	56 23 42	131 32 10	OMF	1.50	.30	2.00	.150	300	N	N	N	N
78RS334A	CDH554	56 20 53	131 30 41	OMF	3.00	2.00	3.00	.700	500	N	N	N	<10
78RS334B	CDH575	56 20 33	131 30 41	GF	5.00	5.00	3.00	.700	1,500	N	N	N	<10
78RS334C	CDH480	56 20 33	131 30 41	GDF	2.00	.30	.70	.200	150	N	N	N	<10
78RS335A	CDH394	56 21 5	131 27 24	SCA	10.00	5.00	1.50	1,000	1,000	N	N	N	<10
78RS335B	CDH598	56 21 5	131 27 24	GF	5.00	2.00	2.00	.700	1,500	N	N	N	<10
78RS335C	CDH411	56 21 5	131 27 24	SK	7.00	2.00	10.00	.150	5,000	N	N	N	<10
78RS336A	CDH453	56 23 7	131 47 17	OMF	1.00	.20	.70	.050	500	N	N	N	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-HA	S-RF	S-RI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PA	S-SB	S-SC	S-SN
79RS311A	1,000	1.0	N	N	<5	N	N	20	N	N	N	10	N	<5	N
79RS311B	2,000	1.0	N	N	10	50	10	50	N	<20	N	20	N	7	N
79RS312A	2,000	1.0	N	N	15	100	N	<20	N	N	20	15	N	15	N
79RS313A	2,000	2.0	N	N	7	10	<5	50	N	N	<5	20	N	5	N
79RS314A	1,500	1.0	N	N	30	20	5	20	N	N	10	15	N	20	N
79RS315A	200	N	N	N	50	30	7	<20	N	N	100	15	N	30	N
79RS315B	1,500	<1.0	N	N	<5	70	50	20	N	N	5	15	N	15	N
79RS315A	1,500	1.0	N	N	<5	<10	N	20	N	N	<5	10	N	<5	N
79RS316B	1,000	1.0	N	N	N	N	<5	N	N	N	N	50	N	<5	N
79RS316C	1,000	1.0	N	N	30	150	100	70	N	N	30	15	N	20	N
79RS317A	1,000	1.0	N	N	5	20	N	30	N	N	7	10	N	<5	N
79RS318A	2,000	3.0	N	N	15	50	20	70	N	N	10	20	N	15	N
79RS318B	3,000	2.0	N	N	30	300	10	50	N	N	50	20	N	30	N
79RS318C	1,500	1.0	N	N	5	10	N	N	N	N	<5	20	N	5	N
79RS319A	1,500	1.0	N	N	7	15	N	50	N	<20	5	20	N	5	N
79RS321A	1,500	1.0	N	N	5	15	5	30	N	N	5	15	N	5	N
79RS322A	500	<1.0	N	N	20	100	50	N	N	N	20	10	N	50	N
79RS322B	100	<1.0	N	N	10	<10	10	N	N	N	N	N	N	15	N
79RS322C	100	<1.0	N	N	50	50	100	N	N	N	30	10	N	50	N
79RS322D	200	<1.0	N	N	30	<10	20	<20	N	N	5	10	N	30	N
79RS323A	100	<1.0	N	N	10	N	700	100	N	N	N	20	N	10	N
79RS323B	1,500	1.0	N	N	5	20	15	50	N	N	5	15	N	10	N
79RS324A	3,000	<1.0	N	N	20	100	50	30	5	<20	20	30	N	20	N
79RS325A	1,500	1.0	N	N	15	30	15	20	N	<20	10	15	N	10	N
79RS325B	500	N	N	N	30	2,000	100	<20	5	N	150	<10	N	50	N
79RS326A	3,000	1.0	N	N	<5	N	5	<20	N	N	N	20	N	<5	N
79RS327A	5,000	1.5	N	N	N	N	<5	N	N	N	N	50	N	N	N
79RS327B	700	<1.0	N	N	50	200	<5	<20	N	N	20	10	N	70	N
79RS327C	500	<1.0	N	N	50	100	70	20	N	20	70	<10	N	30	N
79RS328A	2,000	1.0	N	N	N	N	7	<20	N	N	N	20	N	N	N
79RS328B	>5,000	<1.0	N	N	<5	N	N	100	N	N	N	20	N	<5	N
79RS328C	1,500	<1.0	N	N	30	700	<5	30	N	N	70	10	N	20	N
79RS329A	>5,000	1.0	N	N	N	N	5	N	N	N	N	20	N	<5	N
79RS330A	1,500	2.0	N	N	10	<10	<5	20	N	N	<5	10	N	10	N
79RS330B	1,500	1.0	N	N	30	150	20	30	N	<20	50	15	N	15	N
79RS331A	5,000	1.0	N	N	5	10	<5	50	N	N	5	20	N	5	N
79RS332A	2,000	1.5	N	N	10	<10	<5	50	N	N	<5	15	N	10	N
79RS333A	3,000	1.0	N	N	5	N	N	<20	N	N	N	15	N	<5	N
79RS334A	3,000	1.0	N	N	15	<10	5	50	N	N	<5	15	N	<5	N
79RS334B	2,000	1.0	N	N	20	30	50	30	N	<20	15	15	N	15	N
79RS334C	5,000	<1.0	N	N	5	<10	5	100	N	N	N	20	N	<5	N
79RS335A	2,000	1.0	N	N	50	50	5	50	N	30	15	10	N	10	N
79RS335B	1,500	<1.0	N	N	20	20	70	20	N	N	15	10	N	30	N
79RS335C	N	N	N	N	15	50	7	>0	N	N	15	10	N	15	N
79RS335A	5,000	<1.0	N	N	N	N	N	N	N	N	N	15	N	<5	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-SR	S-TH	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
79RS311A	1,000	N	20	N	N	N	100	N	<5	5	50	--
79RS311H	500	N	100	<10	<200	<200	200	N	15	5	45	--
79RS312A	700	N	100	N	N	N	100	N	<5	5	35	--
79RS313A	700	N	70	V	15	N	50	N	<5	10	40	--
79RS314A	700	N	200	N	30	<200	20	<.05	10	10	50	--
79RS315A	500	N	200	N	20	<200	70	N	10	5	20	--
79RS315H	300	N	200	N	10	N	150	N	40	15	70	--
79RS316A	700	N	50	N	N	<200	100	N	N	5	110	--
79RS316B	500	N	N	V	N	N	50	N	5	<5	35	--
79RS316C	500	N	300	N	30	<200	100	N	70	10	80	--
79RS317A	1,500	N	30	N	N	N	100	V	<5	5	90	--
79RS318A	700	N	200	N	50	N	150	V	20	5	15	--
79RS318B	1,000	N	300	N	50	<200	100	N	15	25	75	--
79RS318C	700	N	50	N	10	<200	100	N	<5	15	100	--
79RS319A	700	N	50	N	10	<200	100	N	N	10	120	--
79RS321A	700	V	70	N	10	<200	100	N	5	5	100	--
79RS322A	150	N	300	N	50	<200	20	V	50	10	65	--
79RS322B	150	N	100	N	30	N	50	N	10	5	20	--
79RS322C	200	N	500	N	15	N	20	N	65	<5	10	--
79RS322D	200	N	300	N	50	<200	70	<.05	15	5	25	--
79RS323A	500	N	150	N	30	<200	70	<.05	500	5	30	--
79RS323B	1,000	N	100	N	30	N	200	<.05	95	15	110	--
79RS324A	500	N	150	N	30	<200	150	N	55	15	100	--
79RS325A	500	N	150	N	20	<200	100	N	15	15	50	--
79RS325B	1,000	N	300	N	15	<200	20	N	60	10	45	--
79RS326A	1,500	N	50	N	10	N	100	N	<5	<5	30	--
79RS327A	1,500	N	10	V	N	N	50	N	<5	5	15	--
79RS327B	500	N	700	N	30	<200	30	V	<5	10	30	--
79RS327C	500	N	300	N	30	<200	150	N	35	10	55	--
79RS328A	1,500	N	50	N	<10	N	100	N	10	<5	45	--
79RS328B	500	N	70	N	<10	N	200	N	N	<5	45	--
79RS328C	700	V	300	N	30	<200	50	V	<5	5	45	--
79RS329A	2,000	V	30	N	10	N	150	N	<5	5	15	--
79RS330A	1,000	N	150	N	20	N	50	N	10	<5	20	--
79RS330H	1,500	N	300	N	30	<200	150	N	15	10	55	--
79RS331A	3,000	N	100	N	10	N	100	N	<5	5	20	--
79RS332A	1,000	V	200	N	20	N	50	N	10	5	30	--
79RS333A	2,000	N	50	N	10	N	100	N	<5	<5	20	--
79RS334A	1,500	V	300	N	15	<200	200	N	15	10	55	--
79RS334H	1,000	N	500	N	50	<200	150	N	20	5	55	--
79RS334C	700	N	50	N	N	N	200	N	<5	5	35	--
79RS335A	500	N	200	N	50	<200	150	N	5	15	80	--
79RS335B	500	N	200	N	50	<200	150	V	45	10	80	--
79RS335C	100	N	300	N	20	N	20	V	5	10	10	--
79RS336A	1,000	N	70	N	N	N	50	N	<5	<5	5	--

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	LAR NO.	LATITUDE	LONGITUDE	RK-TYPE	S-FE%	S-M%	S-CA%	S-TIX	S-MN	S-AG	S-AS	S-AJ	S-B
78RS336C	CDH501	56 23 7	131 49 17	QMF	1.50	.30	.70	.100	300	N	N	N	N
78RS336F	CDH652	56 23 7	131 49 17	RG	3.00	2.00	1.00	.300	300	N	N	N	<10
78RS337A	CDH580	56 24 27	131 36 11	QMF	1.50	.30	.70	.150	200	N	N	N	N
78RS338A	CDH651	56 27 3	131 36 41	GDF	3.00	1.00	3.00	.300	1,000	N	N	N	<10
78RS339A	CDH597	56 29 39	131 40 14	GDF	3.00	1.50	2.00	.300	700	N	N	N	<10
78RS347A	CDH498	56 29 39	131 35 55	GDF	3.00	1.50	3.00	.500	700	N	N	N	<10
78RS342A	CDH529	56 31 52	131 23 26	HF	7.00	2.00	5.00	.700	1,500	N	N	N	<10
78RS3429	CDH544	56 31 52	131 23 26	HF	5.00	5.00	5.00	.700	1,500	N	N	N	<10
78RS342C	CDH630	56 31 52	131 23 26	HF	7.00	3.00	5.00	1.000	1,500	N	N	N	<10
78RS343A	CDH659	56 32 48	131 29 21	GDF	3.00	1.00	2.00	.300	500	N	N	N	N
78RS344A	CDH634	56 31 46	131 26 49	GDF	3.00	1.50	3.00	.500	700	N	N	N	<10
78RS345A	CDH619	56 30 53	131 26 26	GDF	3.00	1.50	3.00	.500	500	N	N	N	<10
78RS345B	CDH613	56 30 53	131 26 26	QDI	5.00	3.00	3.00	.500	1,000	N	N	N	<10
78RS345E	CDH509	56 30 53	131 26 26	GD	1.00	.20	.70	.070	200	N	N	N	N
78RS345A	CDH442	56 31 1	131 27 37	GDF	3.00	1.50	1.50	.200	700	N	N	N	<10
78RS3469	CDH640	56 31 1	131 27 37	QDD	5.00	1.50	3.00	.700	500	N	N	N	<10
78RS347A	CDH533	56 30 59	131 31 48	GDF	3.00	1.50	2.00	.300	700	N	N	N	<10
78RS347B	CDH519	56 30 53	131 31 48	RAO	7.00	3.00	5.00	>1.000	1,500	N	N	N	<10
78RS348A	CDH643	56 30 22	131 29 8	GD	1.50	.30	.70	.150	500	N	N	N	N
78RS349A	CDH576	56 28 37	131 25 5	GDL	5.00	2.00	2.00	.300	700	N	N	N	<10
78RS349B	CDH477	56 28 37	131 25 5	VN	5.00	1.50	3.00	.300	1,000	N	N	N	<10
78RS349C	CDH423	56 28 37	131 25 5	QDD	10.00	3.00	5.00	.500	1,500	N	N	N	<10
78RS350A	CDH549	56 28 19	131 26 54	GDL	3.00	2.00	3.00	.300	1,000	N	N	N	<10
78RS351A	CDH472	56 28 55	131 30 53	GDF	3.00	.70	3.00	.300	700	N	N	N	<10
78RS351B	CDH469	56 28 55	131 30 53	GDF	7.00	3.00	5.00	.700	1,500	N	N	N	<10
78RS352A	CDH588	56 28 32	131 32 21	GD	3.00	1.00	2.00	.300	500	N	N	N	<10
78RS354A	CDH437	56 30 18	131 22 53	MB	.20	.70	20.00	.020	50	N	N	N	N
78RS355A	CDH540	56 27 34	131 20 31	SCB	5.00	3.00	1.00	.500	1,000	N	N	N	<10
78RS355B	CDH474	56 27 34	131 20 31	SK	7.00	3.00	10.00	1.000	2,000	N	N	N	<10
78RS355C	CDH625	56 27 34	131 20 31	GRD	.30	.05	.50	.015	150	N	N	N	N
78RS355D	CDH623	56 27 34	131 20 31	SK	20.00	.15	5.00	.030	300	20.0	N	N	<10
78RS355E	CDH553	56 27 34	131 20 31	AM	5.00	5.00	7.00	.500	1,500	N	N	N	<10
78RS356A	CDH439	56 26 5	131 20 22	QMF	1.50	.50	2.00	.150	700	N	N	N	N
78RS357A	CDH646	56 23 33	131 22 59	GDF	1.50	.30	1.50	.100	500	N	N	N	N
78RS357B	CDH465	56 23 33	131 22 59	DI	10.00	5.00	3.00	.500	1,500	N	N	N	<10
78RS357C	CDH585	56 23 38	131 22 59	GF	7.00	3.00	5.00	.500	700	N	N	N	<10
78RS357D	CDH550	56 23 38	131 22 59	MB	1.50	.70	10.00	.200	200	N	N	N	N
78RS357E	CDH467	56 23 38	131 22 59	MB	3.00	1.00	1.50	.500	300	2.0	N	N	N
78RS358A	CDH400	56 22 33	131 23 55	GF	7.00	3.00	5.00	.300	1,500	N	N	N	<10
78RS359A	CDH395	56 23 15	131 21 27	QMF	2.00	.50	1.50	.100	500	N	N	N	N
78RS360A	CDH449	56 25 13	131 19 9	QM	2.00	.30	1.50	.100	700	N	N	N	N
78RS361A	CDH593	56 27 40	131 18 10	GF	5.00	2.00	5.00	.500	1,000	N	N	N	<10
78RS3619	CDH636	56 27 40	131 18 10	PGD	.70	.10	.70	.030	1,500	N	N	N	<10
78RS362A	CDH611	56 27 43	131 15 33	SCB	5.00	2.00	2.00	.500	500	N	N	N	<10
78RS3629	CDG836	56 27 43	131 15 33	SCQ	7.00	5.00	3.00	.500	1,000	N	N	N	<10

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLF	S-BA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-VI	S-PB	S-S3	S-SC	S-SM
78RS336C	5,000	1.0	N	N	5	<10	N	<20	N	N	N	15	N	5	N
78RS336F	700	N	N	N	10	10	50	30	N	N	<5	50	N	15	N
78RS337A	2,000	1.5	N	N	<5	<10	N	<20	N	N	<5	20	N	<5	N
78RS338A	2,000	1.0	N	N	10	N	5	50	N	N	N	20	N	10	N
78RS339A	2,000	1.0	N	N	10	<10	N	30	N	N	<5	20	N	10	N
78RS340A	2,000	1.0	N	N	15	<10	<5	70	N	<20	N	20	N	10	N
78RS342A	100	<1.0	N	N	30	50	20	20	N	N	10	<10	N	30	N
78RS3429	150	<1.0	N	N	30	20	150	<20	N	N	15	<10	N	30	N
78RS342C	500	<1.0	N	N	30	20	150	<20	N	N	10	<10	N	30	N
78RS343A	2,000	1.0	N	N	7	<10	<5	20	N	N	N	20	N	5	N
78RS344A	2,000	1.0	N	N	10	N	7	50	N	N	N	15	N	10	N
78RS345A	1,500	1.0	N	N	10	<10	<5	70	N	N	N	20	N	10	N
78RS345B	1,500	1.0	N	N	20	50	15	<20	N	<20	10	15	N	20	N
78RS345E	1,500	1.0	N	N	<5	N	<5	70	N	N	N	50	N	<5	N
78RS346A	1,500	1.0	N	N	10	N	<5	50	N	N	<5	20	N	7	N
78RS346H	2,000	1.0	N	N	20	30	<5	70	N	<20	7	10	N	10	N
78RS347A	5,000	1.0	N	N	10	<10	30	50	N	<20	N	20	N	10	N
78RS347B	700	1.0	N	N	50	70	20	50	<5	20	20	10	N	20	N
78RS348A	2,000	1.5	N	N	5	N	N	20	N	N	N	20	N	<5	N
78RS349A	2,000	<1.0	N	N	10	10	N	20	N	N	<5	20	N	10	N
78RS349B	5,000	1.0	N	N	10	10	N	20	N	N	<5	30	N	10	N
78RS349C	1,000	<1.0	N	N	20	10	30	30	N	N	<5	10	N	10	N
78RS350A	2,000	1.0	N	N	15	10	N	20	N	N	N	15	N	10	N
78RS351A	3,000	1.0	N	N	7	N	7	30	N	N	N	20	N	10	N
78RS351B	1,000	1.0	N	N	20	20	50	50	N	N	10	20	N	20	N
78RS352A	2,000	1.5	N	N	7	<10	N	70	N	N	<5	20	N	5	N
78RS354A	N	N	N	N	N	100	<5	N	N	N	15	N	N	N	N
78RS355A	500	<1.0	N	N	30	150	100	N	<5	N	20	10	N	30	N
78RS355B	500	3.0	N	N	30	150	100	<20	<5	<20	30	<10	N	30	N
78RS355C	100	2.0	N	N	N	N	10	N	N	N	N	50	N	N	N
78RS355D	100	<1.0	N	N	200	N	15,000	N	7	N	150	10	N	7	N
78RS355E	500	<1.0	N	N	30	500	150	<20	N	N	100	10	N	30	N
78RS356A	5,000	<1.0	N	N	N	N	<5	100	N	N	N	20	N	<5	N
78RS357A	3,000	1.0	N	N	N	N	N	20	N	N	N	15	N	<5	N
78RS357B	1,000	<1.0	N	N	50	10	<5	<20	N	N	7	15	N	50	N
78RS357C	1,500	<1.0	N	N	20	15	5	20	N	N	5	15	N	20	N
78RS357D	100	1.5	N	N	10	500	7	50	20	N	100	N	N	10	N
78RS357E	700	<1.0	N	N	N	70	50	N	5	N	5	N	N	15	N
78RS359A	1,500	<1.0	N	N	30	100	70	20	N	N	30	10	N	30	N
78RS359A	3,000	1.0	N	N	N	N	N	N	N	N	N	50	N	N	N
78RS360A	5,000	1.0	N	N	N	N	N	N	N	N	N	20	N	<5	N
78RS361A	3,000	1.0	N	N	20	20	5	30	N	<20	10	15	N	30	N
78RS361B	200	2.0	N	N	N	N	5	N	N	20	N	50	N	<5	N
78RS362A	500	<1.0	N	N	20	50	100	<20	N	N	20	N	N	30	N
78RS362B	N	<1.0	N	N	30	70	70	<20	N	N	15	<10	N	50	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-Sp	S-TH	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
79RS336C	1,000	N	70	N	10	N	100	V	<5	<5	5	--
79RS336F	500	N	150	N	30	N	50	N	25	30	30	--
79RS337A	1,500	N	50	N	<10	N	50	N	10	<5	65	--
79RS338A	1,000	N	100	N	20	N	70	N	5	5	50	--
79RS339A	1,000	N	100	V	15	<200	50	N	<5	5	70	--
79RS340A	1,500	N	150	N	20	N	100	N	<5	10	60	--
79RS342A	300	N	500	N	30	<200	100	V	20	<5	15	--
79RS3429	200	N	500	N	50	<200	100	V	95	10	15	--
79RS342C	300	N	500	N	50	<200	70	N	110	5	30	--
79RS343A	1,000	N	100	N	10	N	100	N	5	10	60	--
79RS344A	1,500	N	200	N	20	<200	100	N	10	5	70	--
79RS345A	1,500	N	150	N	20	N	150	V	<5	5	60	--
79RS3459	1,000	N	200	N	20	<200	50	<.05	15	10	95	--
79RS345E	500	N	50	N	N	N	70	N	<5	5	15	--
79RS346A	1,500	N	100	N	10	N	70	<.05	5	5	55	--
79RS3469	1,000	N	150	N	20	<200	150	N	5	10	70	--
79RS347A	1,500	V	150	N	20	N	100	N	25	10	50	--
79RS347B	700	N	300	N	50	<200	150	N	15	15	40	--
79RS348A	700	N	30	N	10	N	100	V	<5	5	50	--
79RS349A	1,000	N	200	N	15	N	100	N	10	5	60	--
79RS349B	2,000	N	300	N	15	N	50	N	<5	15	60	--
79RS349C	2,000	N	300	N	20	<200	100	N	15	10	55	--
79RS350A	1,000	N	200	N	10	N	150	N	5	10	70	--
79RS351A	1,000	N	100	N	15	N	150	V	5	10	45	--
79RS351B	1,500	N	300	N	20	<200	100	N	30	5	40	--
79RS352A	1,000	N	150	N	15	N	150	N	<5	5	65	--
79RS354A	200	N	50	N	20	N	N	<.05	5	35	20	--
79RS355A	500	N	300	N	30	<200	70	<.05	50	20	65	--
79RS3559	200	N	500	N	30	<200	100	N	45	15	30	--
79RS355C	150	N	10	N	N	N	70	<.05	10	5	20	--
79RS355D	200	N	100	N	20	N	10	1.50	9,000	10	35	--
79RS355E	700	N	500	N	20	<200	30	N	90	10	25	--
79RS356A	3,000	N	70	N	15	N	100	N	5	<5	30	--
79RS357A	2,000	N	50	N	10	N	100	N	<5	5	25	--
79RS357B	500	N	500	N	20	<200	10	<.05	5	5	40	--
79RS357C	1,000	N	300	N	20	N	30	V	5	5	50	--
79RS357D	1,000	N	1,500	N	70	300	50	N	10	20	60	--
79RS357E	700	N	200	N	20	<200	70	<.05	40	<5	30	--
79RS358A	1,500	N	200	N	20	<200	70	N	40	15	15	--
79RS359A	2,000	N	70	N	15	N	100	N	<5	5	35	--
79RS360A	2,000	V	70	N	10	N	100	N	5	<5	25	--
79RS361A	2,000	N	500	N	30	N	50	N	10	5	10	--
79RS361B	150	N	20	N	<10	N	50	N	5	10	15	--
79RS362A	200	V	200	N	20	N	100	N	90	15	70	--
79RS362B	200	V	500	N	20	N	50	V	45	5	25	--

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	RK-TYPE	S-FEZ	S-MGZ	S-CAZ	S-TIX	S-MN	S-AG	S-AS	S-AJ	S-B
79RS353A	C06951	56 27 2	131 15 12	QMN	2.00	.70	1.00	.150	700	N	N	N	N
79RS353B	C06940	56 27 2	131 15 12	SCB	10.00	3.00	3.00	.700	1,500	N	N	N	<10
79RS364A	C06908	56 17 23	131 31 51	GDF	5.00	1.00	1.50	.300	500	N	N	N	<10
79RS364B	C06929	56 17 23	131 31 51	GDF	3.00	1.00	1.50	.200	200	N	N	N	N
79RS354C	C06913	56 17 23	131 31 51	QDF	7.00	2.00	2.00	.700	1,000	N	N	N	<10
79RS354D	C06887	56 17 23	131 31 51	SCB	15.00	3.00	5.00	1.000	1,500	N	N	N	<10
79RS365A	C06781	56 17 13	131 30 50	QDF	5.00	3.00	5.00	.300	1,000	N	N	N	<10
79RS365B	C06702	56 17 13	131 30 50	G0G	5.00	3.00	5.00	.700	1,500	N	N	N	<10
79RS366A	C06753	56 16 54	131 31 48	QDF	5.00	3.00	5.00	.500	1,500	N	N	N	<10
79RS367A	C06936	56 16 33	131 26 39	GD	3.00	.70	.50	.300	500	N	N	N	N
79RS368A	C06957	56 45 47	131 55 13	QDF	3.00	1.50	2.00	.200	1,000	N	N	N	N
79RS369A	C06730	56 47 25	131 58 51	GDF	2.00	.50	2.00	.070	200	N	N	N	N
79RS370A	C06956	56 46 39	131 58 52	QMF	.50	.20	1.00	.200	200	N	N	N	N
79RS371A	C06921	56 44 47	131 57 20	QDN	5.00	1.50	1.50	.200	1,000	N	N	N	N
79RS372A	C06967	56 43 55	131 57 54	QMF	.70	.30	1.50	.150	100	N	N	N	N
79RS373A	C06706	56 42 37	131 55 43	QMF	1.00	.20	1.00	.100	150	N	N	N	N
79RS374A	C06893	56 42 45	131 53 15	SCB	15.00	3.00	3.00	>1.000	1,000	N	N	N	<10
79RS374B	C06945	56 42 45	131 53 15	SCB	10.00	3.00	2.00	>1.000	1,500	N	N	N	<10
79RS374D	C06986	56 42 45	131 53 15	D1D	10.00	5.00	7.00	>1.000	1,500	N	N	N	<10
79RS374E	C06987	56 42 45	131 53 15	QDF	5.00	2.00	5.00	1.000	1,500	N	N	N	<10
79RS375A	C06901	56 11 35	131 53 12	G0G	2.00	.70	2.00	.100	700	N	N	N	N
79RS375B	C06918	56 11 35	131 53 12	SCB	7.00	3.00	1.00	.500	700	N	N	N	<10
79RS376A	C06894	56 11 57	131 52 50	MB	.10	10.00	10.00	.005	30	N	N	N	<10
79RS376B	C06925	56 11 57	131 52 50	GF	5.00	1.50	1.50	.200	2,000	N	N	N	<10
79RS377A	C06911	56 12 1	131 51 12	SCB	5.00	2.00	1.50	.500	500	N	N	N	<10
79RS379A	C06943	56 33 57	131 33 34	HF	3.00	1.50	1.00	.300	1,000	N	N	N	N
79RS380A	C06724	56 31 47	131 32 54	QDF	3.00	1.00	3.00	.300	1,000	N	N	N	<10
79RS381A	C06996	56 30 18	131 34 6	GDF	5.00	1.00	5.00	.500	700	N	N	N	<10
79RS382A	C06892	56 32 7	131 37 50	QDF	7.00	1.50	2.00	.300	700	N	N	N	<10
79RS382B	C06755	56 32 7	131 37 50	VN	7.00	2.00	7.00	.200	1,000	N	N	N	<10
79RS383A	C06969	56 31 48	131 34 38	GD	5.00	1.00	3.00	.500	500	N	N	N	<10
79RS384A	C06862	56 32 33	131 33 20	GD	5.00	1.50	5.00	.500	1,000	N	N	N	<10
79RS385A	C06810	56 34 3	131 35 23	QD	5.00	2.00	3.00	.500	1,000	N	N	N	<10
79RS386A	C06917	56 33 54	131 38 9	AF	1.00	.03	.07	.050	200	N	N	N	N
79RS386B	C06761	56 33 54	131 38 9	AF	1.50	.10	<.05	.100	150	N	N	N	N
79RS387A	C06751	56 34 17	131 42 42	AF	1.50	.07	.07	.100	300	N	N	N	N
79RS388A	C06948	56 21 13	131 59 59	SCB	7.00	2.00	1.50	.500	1,500	N	N	N	<10
79RS388B	C06931	56 21 13	131 59 59	S14	3.00	.70	.70	.150	200	N	N	N	N
79RS389A	C06866	56 31 31	131 39 54	GD	2.00	1.00	3.00	.300	1,000	N	N	N	N
79RS389B	C06873	56 31 31	131 39 54	RHD	1.50	.07	.05	.100	100	N	N	N	N
79RS390C	C06928	55 31 31	131 39 54	RHD	2.00	.10	.07	.070	200	N	N	N	N
79RS390A	C06998	56 32 23	131 43 57	GR	1.50	.10	.15	.150	200	N	N	N	<10
79RS390B	C06722	56 32 23	131 43 57	GF	3.00	1.50	.70	.300	1,000	N	N	N	<10
79RS391A	C06925	56 34 15	131 43 30	QM	2.00	.50	2.00	.200	500	N	N	N	<10
79RS392A	C06910	56 34 45	131 41 57	QM	.70	.20	.50	.070	300	N	N	N	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PE	S-SB	S-SC	S-SN
78RS363A	<1.0	N	N	5	<10	N	20	N	N	<5	50	N	5	N
78RS363H	N	N	N	50	150	200	N	N	N	100	20	N	30	N
78RS364A	1.0	N	N	7	N	7	70	N	N	<5	20	N	5	N
78RS364B	1.0	N	N	7	N	7	50	N	N	<5	10	N	<5	N
78RS364C	<1.0	N	N	30	20	7	100	N	N	20	10	N	20	N
78RS364D	<1.0	N	N	50	N	200	<20	N	<20	20	<10	N	20	N
78RS365A	1.0	N	N	20	15	<5	20	N	N	<5	10	N	20	N
78RS365B	1.0	N	N	20	100	100	30	N	N	10	10	N	20	N
78RS366A	<1.0	N	N	20	15	<5	30	N	N	5	15	N	15	N
78RS367A	<1.0	N	N	5	50	50	N	5	N	10	15	N	5	N
78RS368A	1.0	N	N	10	10	7	<20	N	N	<5	15	N	10	N
78RS369A	<1.0	N	N	5	N	N	20	N	N	N	30	N	5	N
78RS370A	1.0	N	N	15	N	N	N	N	N	N	50	N	N	N
78RS371A	1.0	N	N	15	15	7	N	N	N	5	20	N	10	N
78RS372A	1.5	N	N	N	N	<5	20	N	N	N	30	N	N	N
78RS373A	2.0	N	N	<5	<10	5	30	N	N	<5	30	N	<5	N
78RS374A	1.0	N	N	100	50	7	<20	20	<20	70	<10	N	15	N
78RS374B	<1.0	N	N	50	15	200	30	7	<20	30	<10	N	20	N
78RS374D	1.0	N	N	50	20	20	20	N	N	7	<10	N	50	N
78RS374E	1.0	N	N	20	10	5	30	N	N	<5	10	N	20	N
78RS375A	1.5	N	N	<5	<10	5	N	N	N	<5	10	N	5	N
78RS375B	<1.0	N	N	30	50	100	70	20	N	30	20	N	20	N
78RS376A	N	N	N	N	20	N	N	N	N	<5	N	N	N	N
78RS376B	5.0	N	N	<5	N	20	100	N	20	N	100	N	<5	N
78RS377A	<1.0	N	N	30	50	200	70	10	<20	50	10	N	20	N
78RS379A	1.5	N	N	15	50	50	N	<5	N	30	10	N	10	N
78RS380A	1.5	N	N	5	<10	<5	50	N	N	N	15	N	5	N
78RS381A	1.0	N	N	10	<10	7	100	N	<20	<5	20	N	10	N
78RS382A	<1.0	N	N	15	10	7	20	N	N	<5	50	N	10	N
78RS382B	1.5	N	N	15	<10	70	20	N	N	<5	30	N	10	N
78RS383A	>5.000	N	N	10	N	15	70	N	<20	N	20	N	7	N
78RS384A	1.0	N	N	10	<10	N	<20	N	N	N	15	N	10	N
78RS385A	1.5	N	N	20	50	20	30	N	<20	10	20	N	15	N
78RS386A	30.0	N	N	N	N	N	100	N	50	N	15	N	N	15
78RS386B	7.0	N	N	N	N	5	100	N	50	N	20	N	N	10
78RS387A	7.0	N	N	N	N	<5	100	5	50	N	50	N	<5	15
78RS388A	3.0	N	N	20	10	15	70	N	<20	5	70	N	10	N
78RS388B	2.0	N	N	7	N	500	50	N	N	N	50	N	<5	N
78RS389A	1.0	N	N	7	N	<5	700	N	N	N	50	N	5	N
78RS389B	5.0	N	N	N	N	<5	N	N	50	N	15	N	N	15
78RS389C	5.0	N	N	N	N	10	70	N	30	N	30	N	N	15
78RS390A	1.5	N	N	N	N	5	70	5	30	N	50	N	N	20
78RS390B	5.0	N	N	10	15	7	20	5	<20	10	20	N	7	N
78RS391A	1.0	N	N	10	<10	5	30	N	N	<5	20	N	5	N
78RS392A	1.0	N	N	N	N	5	N	N	N	N	70	N	N	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-SR	S-TH	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
79RS363A	1,500	N	150	N	10	N	N	N	N	10	5	--
79RS363R	200	N	500	N	20	<200	70	N	150	10	15	--
79RS364A	1,000	N	100	N	10	N	150	N	5	5	60	--
79RS364R	1,500	N	100	N	<10	N	300	N	10	5	40	--
79RS364C	1,000	N	300	N	20	<200	300	N	10	10	65	--
79RS364D	300	N	500	N	50	<200	100	N	180	5	55	--
79RS365A	1,000	N	300	N	20	<200	100	N	<5	5	50	--
79RS365B	700	N	200	N	30	<200	100	N	35	10	55	--
79RS366A	700	N	300	N	30	N	70	N	5	10	45	--
79RS367A	300	N	100	N	<10	N	100	N	40	5	35	--
79RS368A	700	N	150	N	20	N	100	N	5	5	30	--
79RS369A	1,000	N	70	N	<10	200	100	N	N	<5	40	--
79RS370A	500	N	20	N	N	N	150	N	5	5	15	--
79RS371A	700	N	150	N	20	N	70	N	5	5	35	--
79RS372A	1,500	N	30	N	N	N	150	N	<5	<5	20	--
79RS373A	700	N	30	N	<10	N	70	N	5	<5	20	--
79RS374A	700	N	700	N	20	<200	100	N	15	10	60	--
79RS374B	500	N	500	N	30	N	100	N	60	15	55	--
79RS374D	500	N	500	N	50	<200	20	N	15	10	40	--
79RS374E	700	N	200	N	50	N	70	N	5	5	45	--
79RS375A	700	N	50	N	10	N	100	N	5	5	45	--
79RS375B	300	N	300	N	20	200	100	N	65	20	130	--
79RS376A	150	N	20	N	10	N	N	N	5	N	30	--
79RS376R	300	N	<10	N	50	N	200	N	25	10	80	--
79RS377A	500	N	300	N	50	N	100	N	75	10	65	--
79RS379A	200	N	100	N	15	N	100	N	40	15	65	--
79RS380A	1,000	N	100	N	15	<200	100	N	<5	5	70	--
79RS381A	1,500	N	150	N	20	N	100	N	10	10	70	--
79RS382A	1,000	N	200	N	20	N	100	N	5	10	50	--
79RS382R	1,500	N	300	N	20	N	70	N	45	35	90	--
79RS383A	2,000	N	100	N	20	N	200	N	20	15	90	--
79RS384A	1,000	N	150	N	20	N	70	N	<5	5	65	--
79RS385A	700	N	200	N	20	N	150	N	10	15	55	--
79RS386A	N	N	N	N	50	N	200	<.05	N	10	55	--
79RS386B	N	N	N	N	70	N	200	N	<5	5	40	--
79RS387A	N	N	N	N	70	N	500	N	<5	20	55	--
79RS388A	500	N	200	N	50	300	100	N	30	20	140	--
79RS388B	500	N	50	N	50	N	150	N	200	20	30	--
79RS389A	1,000	N	150	N	10	N	70	<.05	<5	10	85	--
79RS389B	<100	N	10	N	50	N	300	N	<5	10	20	--
79RS389C	N	N	30	N	70	N	300	N	10	10	25	--
79RS390A	N	N	N	N	50	N	300	N	5	30	45	--
79RS390B	200	N	70	N	30	<200	150	N	5	20	65	--
79RS391A	2,000	N	100	N	10	N	100	N	5	5	40	--
79RS392A	1,000	N	30	N	N	N	100	N	<5	10	35	--

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	RK-TYPE	S-FEX	S-MGX	S-CAX	S-TIX	S-MN	S-AG	S-AS	S-AU	S-B
78RS3923	CDG984	56 34 45	131 41 57	QDI	5.00	2.03	5.00	.700	1,500	N	M	N	<10
78RS392C	CDG744	56 34 45	131 41 57	DAD	5.00	.13	.05	.300	1,000	N	M	N	<10
78RS393A	CDG757	56 32 15	131 40 22	RHD	1.50	.15	.07	.100	150	N	N	N	N
78RS393C	CDG745	56 32 15	131 40 22	RHD	3.00	.02	<.05	.200	1,000	N	N	N	<10
78RS393D	CDG898	56 32 16	131 40 22	QDF	3.00	1.50	2.00	.200	500	N	N	N	<10
78RS393E	CDG801	56 32 15	131 40 22	VBD	2.00	.33	.05	.200	500	N	N	N	N
78RS393F	CDG859	56 32 15	131 40 22	RHD	5.00	.02	.05	.150	1,000	N	N	N	<10
78RS393G	CDG907	56 32 15	131 40 22	RHD	5.00	.05	.07	.100	150	N	N	N	N
78RS393H	CDG760	56 32 15	131 40 22	RHD	2.00	.07	.10	.100	150	N	N	N	N
78RS394A	CDG865	56 7 45	131 36 55	GP	7.00	3.00	1.50	.500	2,000	N	N	N	<10
78RS395A	CDG726	56 5 13	131 32 49	QDN	7.00	3.03	5.00	.700	1,000	N	N	N	<10
78RS396A	CDG947	56 3 33	131 30 31	QDN	5.00	2.03	2.00	.500	1,000	N	N	N	<10
78RS397A	CDG710	56 2 31	131 29 38	QDG	5.00	3.03	7.00	.500	1,000	N	N	N	10
78RS398A	CDG701	56 1 23	131 27 47	QDF	5.00	2.00	5.00	.300	1,000	N	N	N	10
78RS399A	CDG699	56 3 19	131 32 10	QDF	5.00	2.00	5.00	.500	1,000	N	N	N	10
78RS400A	CDG721	56 3 49	131 35 18	QDF	5.00	2.03	5.00	.500	1,000	N	N	N	<10
78RS401A	CDG725	56 6 3	131 39 33	QDF	3.00	1.03	3.00	.300	700	N	N	N	N
78RS402A	CDG952	56 6 19	131 37 42	QDF	5.00	2.03	5.00	.500	1,500	N	N	N	N
78RS403A	CDG795	56 5 5	131 35 34	QDN	5.00	3.00	5.00	.300	1,500	N	N	N	<10
78RS404A	CDG820	56 6 19	131 27 5	QDF	7.00	3.00	7.00	.500	1,000	N	N	N	<10
78RS405A	CDG937	56 6 50	131 28 58	GB	15.00	5.03	5.00	.700	1,000	N	N	N	<10
78RS406A	CDG806	56 7 18	131 27 43	QDF	5.00	2.00	5.00	.500	1,000	N	N	N	<10
78RS407A	CDG863	56 8 33	131 31 4	GN	5.00	1.53	1.50	.500	500	N	N	N	<10
78RS407B	CDG790	56 8 33	131 31 4	GN	5.00	2.03	3.00	.700	1,000	N	N	N	<10
78RS408A	CDG888	56 11 13	131 33 56	QDF	7.00	2.03	3.00	.500	700	N	N	N	<10
78RS410A	CDG770	56 11 48	131 33 29	QDG	2.00	1.00	2.00	.200	300	N	N	N	N
78RS413A	CDG980	56 12 29	131 32 14	QDF	5.00	2.03	5.00	.300	500	N	N	N	<10
78RS414A	CDG974	56 10 21	131 33 29	QDF	5.00	2.03	3.00	.500	1,000	N	N	N	10
78RS415A	CDG838	56 11 39	131 31 0	QDF	5.00	2.00	5.00	.500	1,000	N	N	N	<10
78RS415B	CDG965	56 11 39	131 31 0	GG	3.00	1.00	1.50	.500	1,000	N	N	N	<10
78RS416A	CDG854	56 9 24	131 27 25	QDF	5.00	3.00	7.00	1.000	1,000	N	N	N	<10
78RS416B	CDG991	56 8 24	131 27 25	QDG	2.00	.50	1.00	.500	300	N	N	N	N
78RS417A	CDG978	56 7 59	131 22 27	QDG	7.00	3.03	5.00	.500	1,500	N	N	N	<10
78RS418A	CDG864	56 10 14	131 25 23	GDD	1.50	.15	.70	.200	300	N	N	N	N
78RS419A	CDG976	56 11 59	131 28 20	GDM	2.00	.33	2.00	.200	300	N	N	N	N
78RS419B	CDG902	56 11 59	131 28 20	GFI	7.00	3.00	5.00	>1.000	1,000	N	N	N	<10
78RS420A	CDG950	56 10 49	131 25 11	GDN	3.00	1.50	3.00	.300	1,000	N	N	N	N
78RS421A	CDG822	56 9 27	131 21 25	GDM	2.00	.50	1.00	.500	700	N	N	N	<10
78RS422A	CDG812	56 14 3	131 22 29	GDM	1.00	.33	2.00	.100	150	N	N	N	N
78RS423A	CDG694	56 15 37	131 21 39	GDD	1.50	.53	3.00	.200	200	N	N	N	N
78RS423B	CDG970	56 15 37	131 21 39	GFI	7.00	2.00	5.00	.700	1,000	N	N	N	<10
78RS424A	CDG842	56 17 21	131 20 28	GG	.20	.15	.70	.020	50	N	N	N	N
78RS4243	CDG997	56 17 21	131 20 28	GF	5.00	1.50	3.00	.700	1,000	N	N	N	<10
78RS425A	CDG997	56 20 55	131 20 9	GF	5.00	2.03	2.00	.700	1,000	N	N	N	<10
78RS425B	CDG783	56 20 55	131 20 9	SK	7.00	1.50	7.00	.500	>5,000	N	N	N	<10

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-RA	S-9E	S-RI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PB	S-SB	S-SC	S-SN
78RS392B	1,500	2.0	N	N	20	N	20	30	N	<20	N	50	N	20	N
78RS392C	100	30.0	N	N	N	N	5	150	<5	150	N	50	N	N	20
78RS393A	200	5.0	N	N	N	N	10	30	<5	30	N	15	N	N	N
78RS393C	50	15.0	N	N	N	N	5	100	N	100	N	30	N	N	10
78RS393D	2,000	1.0	N	N	10	<10	<5	100	N	N	N	70	N	10	N
78RS393E	700	2.0	N	N	5	10	7	20	N	50	5	20	N	5	N
78RS393F	N	5.0	N	N	N	N	<5	200	<5	50	N	50	N	<5	20
78RS393G	20	7.0	N	N	N	N	50	200	N	100	N	30	N	N	30
78RS393H	20	3.0	N	N	N	N	10	150	5	100	N	10	N	N	10
78RS394A	1,000	<1.0	N	N	20	150	50	<20	N	N	30	15	N	20	N
78RS395A	1,500	<1.0	N	N	20	100	5	30	N	N	10	10	N	30	N
78RS396A	1,500	1.0	N	N	10	70	5	<20	N	N	5	20	N	20	N
78RS397A	1,000	<1.0	N	N	20	70	7	<20	N	N	5	10	N	20	N
78RS398A	1,500	1.0	N	N	20	70	5	70	N	N	5	15	N	20	N
78RS399A	1,000	1.0	N	N	20	70	5	<20	N	N	5	15	N	20	N
78RS400A	1,000	1.0	N	N	15	50	<5	30	N	N	<5	15	N	15	N
78RS401A	2,000	1.0	N	N	7	20	N	20	N	N	<5	15	N	7	N
78RS402A	1,500	1.0	N	N	10	50	5	30	N	N	<5	10	N	15	N
78RS403A	1,000	1.0	N	N	15	100	5	50	N	N	5	10	N	20	N
78RS404A	1,500	1.0	N	N	30	50	20	20	N	N	10	10	N	20	N
78RS405A	100	N	N	N	70	150	150	N	N	N	50	N	N	20	N
78RS406A	1,000	1.0	N	N	20	20	10	30	N	N	5	10	N	15	N
78RS407A	700	1.0	N	N	15	100	100	50	10	N	50	10	N	10	N
78RS407B	700	1.0	N	N	15	N	10	50	N	<20	<5	10	N	10	N
78RS408A	1,500	<1.0	N	N	20	30	5	150	N	N	10	10	N	15	N
78RS410A	1,000	2.0	N	N	5	<10	50	50	N	N	<5	20	N	<5	N
78RS413A	2,000	1.0	N	N	20	30	70	20	N	N	5	15	N	20	N
78RS414A	1,500	1.0	N	N	20	30	<5	50	N	<20	7	10	N	15	N
78RS415A	1,500	1.0	N	N	20	20	5	20	N	N	5	15	N	20	N
78RS415B	1,500	1.5	N	N	5	<10	<5	20	N	<20	<5	20	N	10	N
78RS416A	1,000	1.0	N	N	20	20	7	30	N	N	5	10	N	20	N
78RS416B	5,000	<1.0	N	N	10	<10	5	50	N	20	<5	15	N	<5	N
78RS417A	1,500	2.0	N	N	30	700	<5	50	N	<20	100	15	N	30	10
78RS418A	2,000	1.0	N	N	N	N	5	100	N	N	N	20	N	N	N
78RS419A	3,000	1.0	N	N	5	<10	N	20	N	N	N	15	N	5	N
78RS419B	1,000	<1.0	N	N	30	N	<5	30	N	N	<5	10	N	10	N
78RS420A	1,500	<1.0	N	N	10	<10	<5	20	N	N	<5	15	N	10	N
78RS421A	2,000	1.0	N	N	5	<10	<5	100	N	20	N	15	N	5	N
78RS422A	2,000	1.0	N	N	N	N	N	20	N	N	N	20	N	N	N
78RS423A	1,000	1.0	N	N	5	<10	<5	20	N	N	<5	10	N	<5	N
78RS423B	2,000	1.0	N	N	20	10	50	30	N	N	5	10	N	20	N
78RS424A	>5,000	<1.0	N	N	N	N	<5	300	N	N	N	30	N	N	N
78RS424B	2,000	<1.0	N	N	20	20	50	20	N	N	10	<10	N	20	N
78RS425A	1,500	1.5	N	N	10	15	30	50	15	20	5	10	N	20	N
78RS425B	300	7.0	N	N	15	70	30	50	15	100	50	<10	N	10	10

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-SR	S-TH	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
78RS392H	1,000	N	200	N	30	300	100	N	25	15	180	--
78RS392C	<100	N	100	N	200	300	>1,000	N	<5	15	170	--
78RS393A	100	N	10	N	50	N	500	N	5	10	25	--
78RS393C	N	N	N	N	100	300	>1,000	N	5	35	200	--
78RS393D	1,000	N	150	N	15	<200	200	V	10	5	45	--
78RS393E	<100	N	50	V	30	N	300	<.05	5	20	120	--
78RS393F	N	N	N	N	150	<200	700	N	<5	25	100	--
78RS393G	N	N	10	N	100	N	>1,000	N	30	20	55	--
78RS393H	N	N	N	N	100	N	>1,000	N	15	10	35	--
78RS394A	500	V	500	N	50	<200	150	V	25	20	110	--
78RS395A	700	N	500	N	30	<200	15	N	5	5	60	--
78RS396A	500	N	200	N	20	<200	50	N	5	10	65	--
78RS397A	700	N	300	N	20	<200	100	N	5	5	60	--
78RS398A	700	N	200	N	30	<200	30	<.05	5	5	60	--
78RS399A	700	N	200	N	20	N	50	N	5	5	60	--
78RS400A	700	N	200	N	15	<200	50	<.05	<5	10	65	--
78RS401A	700	N	100	N	10	<200	50	V	N	5	60	--
78RS402A	700	N	200	N	20	<200	50	N	5	10	70	--
78RS403A	1,000	N	200	N	30	<200	20	N	10	10	75	--
78RS404A	1,000	N	200	V	20	<200	50	N	20	10	55	--
78RS405A	700	N	500	N	<10	<200	10	V	65	15	20	--
78RS406A	1,000	N	200	N	20	<200	100	<.05	15	10	55	--
78RS407A	500	N	150	N	15	<200	200	N	75	5	55	--
78RS407B	1,000	N	150	N	20	<200	50	N	15	10	75	--
78RS408A	1,000	N	200	V	20	<200	100	N	10	5	40	--
78RS410A	700	V	100	N	10	N	100	N	65	5	50	--
78RS413A	700	N	200	N	30	N	100	V	75	<5	35	--
78RS414A	700	N	200	N	20	N	100	N	5	15	90	--
78RS415A	1,000	N	200	V	20	<200	100	<.05	5	10	45	--
78RS415B	200	N	100	N	20	N	200	N	5	<5	40	--
78RS416A	1,000	N	200	N	20	<200	70	N	5	5	50	--
78RS416B	500	N	100	N	20	N	300	V	10	10	50	--
78RS417A	500	N	300	N	50	N	70	V	<5	5	30	--
78RS418A	700	N	50	N	<10	N	100	N	5	<5	15	--
78RS419A	2,000	N	50	N	<10	N	150	N	<5	<5	35	--
78RS419B	1,500	N	300	N	15	<200	100	<.05	<5	5	45	--
78RS420A	1,000	N	100	N	20	N	30	N	<5	N	20	--
78RS421A	300	N	70	N	50	N	150	<.05	5	5	55	--
78RS422A	2,000	N	20	N	N	N	50	N	N	5	15	--
78RS423A	2,000	N	50	N	<10	N	150	N	<5	<5	30	--
78RS423B	1,500	N	300	N	50	N	70	N	40	5	70	--
78RS424A	1,000	V	10	N	<10	N	500	N	<5	5	<5	--
78RS424B	300	N	200	N	30	N	100	N	35	5	40	--
78RS425A	500	N	100	N	100	<200	300	N	20	15	110	--
78RS425B	200	N	200	N	70	200	150	<.05	25	20	35	--

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	LAH NO.	LATITUDE	LONGITUDE	RK-TYPE	S-FEX	S-MG%	S-CAZ	S-TIX	S-MN	S-AG	S-AS	S-AU	S-B
79RS426A	CDG792	56 21 3	131 23 13	QDG	1.00	.30	1.00	.150	200	N	N	N	N
79RS601A	CDG707	56 22 55	131 7 42	QMF	1.00	.20	2.00	.150	300	N	N	N	N
79RS615A	CDG799	56 10 41	131 52 26	QDF	5.00	2.00	5.00	.300	1,000	N	N	N	<10
79DR340A	CDN080	56 33 26	131 38 27	AN	15.00	5.00	5.00	>1,000	1,500	N	N	N	<10
79DR340B	CDN102	56 33 25	131 38 27	AN	15.00	5.00	10.00	>1,000	1,500	N	N	N	<10
79DR340C	CDN123	56 33 25	131 38 27	RHD	5.00	<.02	<.05	.300	30	N	N	N	N
79DR340D	CDN057	56 33 25	131 38 27	RHD	2.00	.30	.05	.700	150	N	N	N	N
79DR340E	CDN081	56 33 25	131 38 27	AND	15.00	5.00	7.00	>1,000	2,000	N	N	N	<10
79DR340F	CDN103	56 33 25	131 38 27	HF	15.00	5.00	7.00	>1,000	2,000	N	N	N	<10
79DR340G	CDN124	56 33 25	131 38 27	WB	1.50	2.00	>20.00	.100	2,000	N	N	N	N
79DR340H	CDN058	56 33 25	131 38 27	DA	15.00	7.00	.70	1.000	1,500	N	N	N	<10
79DR340I	CDN082	56 33 25	131 38 27	DA	10.00	5.00	7.00	.700	2,000	N	N	N	<10
79DR340J	CDN104	56 33 25	131 38 27	TU	10.00	5.00	5.00	.700	2,000	N	N	N	<10
79DR341A	CDN125	56 33 38	131 38 16	AF	10.00	.10	.07	.700	1,000	N	N	N	N
79DR341B	CDN059	56 33 38	131 38 16	AF	1.50	.03	<.05	.150	100	N	N	N	N
79DR342A	CDN083	56 33 47	131 38 7	AF	2.00	.03	.05	.300	300	N	N	N	N
79DR343A	CDN105	56 33 55	131 42 22	AF	2.00	.15	3.00	.100	300	N	N	N	N
79DR344A	CDN060	56 35 52	131 44 0	GDF	2.00	1.00	1.50	.500	700	N	N	N	<10
79DR345A	CDN084	56 34 13	131 35 35	HF	5.00	2.00	.20	>1,000	500	N	N	N	100
79DR345B	CDN106	56 34 13	131 35 35	GRD	1.50	.07	.15	.200	150	N	N	N	N
79DR346A	CDN127	56 32 52	131 37 24	HF	7.00	2.00	1.50	1.000	3,000	N	N	N	N
79DR346B	CDN061	56 32 52	131 37 24	HF	3.00	2.00	2.00	1.000	3,000	N	N	N	N
79DR346C	CDN085	56 32 52	131 37 24	DQ	1.00	.10	.05	.200	100	N	N	N	N
79DR347A	CDN086	56 32 10	131 42 27	VB	3.00	.50	.15	.500	1,000	N	N	N	N
79DR347B	CDN107	56 32 10	131 42 27	VB	10.00	.07	.50	1.000	1,000	50.0	N	N	<10
79DR347C	CDN128	56 32 10	131 42 27	RHD	3.00	.15	.20	.500	500	N	N	N	N
79DR349A	CDN596	56 11 55	131 34 52	QDF	3.00	1.50	1.00	.300	700	N	N	N	<10
79DR349B	CDN528	56 11 56	131 34 52	QDF	7.00	3.00	3.00	.700	1,000	N	N	N	<10
79DR350A	CDN551	56 12 2	131 35 10	QDF	3.00	.70	1.50	.300	500	N	N	N	<10
79DR351A	CDN575	56 12 8	131 35 48	QDF	2.00	1.50	1.00	.150	700	N	N	N	N
79DR352A	CDN597	56 12 25	131 35 36	QDF	2.00	.70	1.00	.150	500	N	N	N	<10
79DR353A	CDN529	56 12 18	131 36 9	QMF	2.00	.50	1.00	.150	700	N	N	N	<10
79DR354A	CDN602	56 24 5	131 45 3	IG	3.00	2.00	3.00	.300	700	N	N	N	<10
79DR354B	CDN534	56 24 5	131 45 3	AP	.50	.07	.20	.020	700	N	N	N	N
79DR354C	CDN557	56 24 5	131 45 3	SCB	7.00	3.00	5.00	.700	700	N	N	N	<10
79DR355A	CDN580	56 23 48	131 45 42	GQ	3.00	.70	.20	.500	500	N	N	N	<10
79DR355B	CDN603	56 23 48	131 45 42	SK	10.00	.70	7.00	.050	>5,000	N	N	N	<10
79DR355C	CDN535	56 23 43	131 45 42	GD	.70	.30	.70	.070	200	N	N	N	N
79DR355A	CDN558	56 23 42	131 46 37	GN	3.00	1.50	1.50	.500	700	N	N	N	<10
79DR356B	CDN581	56 23 42	131 46 37	GN	1.50	.30	.30	.100	200	N	N	N	N
79DR356C	CDN604	56 23 42	131 46 37	QD	3.00	1.50	1.50	.200	700	N	N	N	<10
79DR357A	CDN536	56 23 34	131 47 32	GN	3.00	3.00	1.50	.500	500	N	N	N	<10
79DR357B	CDN559	56 23 31	131 47 32	GN	7.00	3.00	3.00	.700	1,000	N	N	N	<10
79DR358A	CDN592	56 23 28	131 47 45	QDF	3.00	1.00	1.50	.200	700	N	N	N	<10

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-RA	S-BE	S-RI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PB	S-SB	S-SC	S-SN
79RS426A	5,000	1.0	N	N	<5	N	N	<20	N	<20	N	20	N	<5	N
79RS501A	>5,000	<1.0	N	N	N	N	<5	<20	N	N	N	20	N	<5	N
79RS615A	1,500	1.0	N	N	15	20	10	20	N	N	5	10	N	15	N
79DB340A	30	<1.0	N	N	100	500	20	N	N	N	300	10	N	50	N
79DB340B	200	1.5	N	N	70	200	<5	N	N	N	200	10	N	30	N
79DB340C	<20	7.0	N	N	N	<10	<5	20	N	50	<5	10	N	7	15
79DB340D	300	2.0	N	N	5	<10	N	N	N	<20	5	15	N	<5	<10
79DB340E	300	1.0	N	N	50	20	15	20	N	<20	15	<10	N	20	N
79DB340F	150	1.5	N	N	70	70	N	N	N	N	30	10	N	30	N
79DB340G	N	<1.0	N	N	N	30	<5	N	N	N	5	N	N	<5	N
79DB340H	500	<1.0	N	N	30	50	150	N	N	N	30	10	N	30	N
79DB340I	1,000	<1.0	N	N	30	700	20	N	N	N	300	10	N	20	N
79DB340J	20	<1.0	N	N	10	20	30	N	N	N	15	<10	N	20	N
79DB341A	200	3.0	N	N	<5	10	<5	50	N	30	5	20	N	<5	10
79DB341B	50	3.0	N	N	N	<10	N	20	N	<20	<5	15	N	N	<10
79DB342A	50	20.0	N	N	N	<10	N	50	N	<20	<5	20	N	N	10
79DB343A	<20	7.0	N	N	N	<10	<5	<20	N	20	5	20	N	N	15
79DB343A	100	1.0	N	N	70	50	<5	N	N	N	30	70	N	30	N
79DB343A	2,000	<1.0	N	N	5	<10	N	N	N	N	5	20	N	<5	N
79DB344A	500	1.5	N	N	10	15	10	N	N	N	30	<10	N	15	N
79DB345A	200	7.0	N	N	5	<10	70	50	N	30	<5	20	N	N	N
79DB345B	700	1.0	N	N	5	<10	30	N	N	30	5	10	N	15	N
79DB346A	150	<1.0	N	N	5	<10	<5	N	N	N	7	<10	N	10	N
79DB346B	300	1.5	N	N	N	<10	10	<20	N	20	5	15	N	N	N
79DB346C	20	50.0	N	N	N	<10	5	150	N	50	5	50	N	N	15
79DB347A	500	5.0	N	N	10	30	30	70	N	20	30	70	N	5	N
79DB347B	100	5.0	N	N	<5	<10	<5	50	N	20	5	30	N	N	10
79DB347C	1,000	1.0	N	N	20	10	7	N	N	N	10	<10	N	15	N
79DB349A	1,000	<1.0	N	N	50	70	50	20	N	N	50	10	N	50	N
79DB349B	2,000	1.0	N	N	20	<10	<5	70	N	N	5	15	N	15	N
79DB350A	3,000	1.0	N	N	15	20	<5	50	N	N	30	10	N	15	N
79DB351A	700	1.0	N	N	15	20	<5	50	N	N	30	10	N	15	N
79DB352A	1,000	1.5	N	N	7	<10	<5	100	N	N	5	10	N	7	N
79DB353A	500	1.0	N	N	20	50	50	50	N	<20	<5	<10	N	10	N
79DB354A	500	2.0	N	N	N	N	N	N	N	N	20	10	N	20	N
79DB354B	1,000	1.0	N	N	50	10	10	50	N	N	<5	20	N	5	N
79DB354C	1,500	2.0	N	N	20	50	50	50	N	N	5	20	N	5	N
79DB354D	2,000	1.0	N	N	50	10	50	<20	N	N	20	10	N	20	N
79DB355A	1,500	N	N	N	20	50	7	70	N	<20	30	15	N	20	N
79DB355B	50	2.0	N	N	15	30	<5	20	N	20	30	<10	N	5	N
79DB355C	3,000	1.0	N	N	N	N	N	N	N	N	<5	20	N	<5	N
79DB356A	1,000	1.5	N	N	20	<10	15	50	N	<20	5	10	N	10	N
79DB356B	5,000	1.0	N	N	5	<10	10	50	N	<20	<5	15	N	10	N
79DB356C	2,000	<1.0	N	N	15	<10	10	50	N	N	<5	15	N	15	N
79DB357A	2,000	1.5	N	N	20	70	70	100	N	20	50	20	N	30	N
79DB357B	1,000	1.0	N	N	20	10	15	100	N	N	5	10	N	30	N
79DB358A	700	2.0	N	N	15	<10	N	20	N	<20	5	<10	N	15	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-SR	S-TH	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
78RS426A	1,500	N	30	N	<10	N	70	N	<5	<5	25	--
78RS501A	2,000	N	30	N	<10	N	70	<.05	N	<5	25	--
78RS615A	1,000	N	150	N	20	<200	150	N	10	5	70	--
790B347A	300	V	1,000	V	20	<200	70	N	20	10	40	--
790B340B	1,000	N	700	N	15	<200	70	N	<5	25	65	--
790B340C	<100	<100	<10	N	100	<200	>1,000	N	<5	10	140	--
790B340D	<100	N	50	N	10	N	70	N	<5	25	50	--
790B340E	500	N	500	N	20	<200	100	N	10	20	65	--
790B340F	150	N	1,000	N	50	<200	150	N	<5	25	120	--
790B340G	200	N	70	N	10	N	N	V	10	65	35	--
790B340H	200	N	700	N	10	<200	20	N	90	30	90	--
790B340I	1,500	N	500	N	<10	N	10	N	25	10	25	--
790B340J	200	N	500	N	10	<200	30	N	35	15	35	--
790B341A	<100	N	N	N	70	<200	>1,000	V	<5	30	65	--
790B341B	N	N	N	N	30	N	200	N	<5	10	40	--
790B342A	V	N	N	N	50	N	300	V	N	20	45	--
790B343A	<100	N	N	N	100	<200	300	N	<5	15	110	--
790B343B	300	N	700	N	30	500	100	N	<5	40	440	--
790B344A	1,500	N	100	V	N	N	50	V	<5	5	35	--
790B345A	<100	N	200	N	15	<200	100	V	10	10	45	--
790B345B	<100	N	10	N	70	N	>1,000	N	65	25	25	--
790B346A	200	N	100	N	20	N	150	N	35	20	75	--
790B346B	100	N	100	N	10	N	50	N	5	15	65	--
790B346C	<100	N	10	V	30	N	300	N	10	20	45	--
790B347A	N	N	15	N	150	200	>1,000	N	5	45	220	--
790B347B	100	N	50	N	70	<200	500	V	10	90	60	--
790B347C	<100	N	N	N	50	N	200	V	<5	30	55	--
790B349A	500	V	150	N	10	<200	100	N	20	10	65	--
790B349B	700	N	500	N	20	<200	70	N	40	15	60	--
790B350A	700	N	200	N	10	<200	70	N	<5	15	50	--
790B351A	1,000	N	150	N	15	<200	50	V	<5	10	40	--
790B352A	500	N	100	N	<10	<200	70	V	5	10	55	--
790B353A	700	N	100	N	15	N	100	N	<5	10	45	--
790B354A	500	N	200	N	30	<200	150	N	35	20	30	--
790B354B	<100	N	N	N	20	N	50	N	N	10	25	--
790B354C	700	N	500	V	20	<200	150	N	25	35	50	--
790B355A	100	N	150	N	20	N	700	N	5	15	55	--
790B355B	100	N	70	N	20	700	50	N	<5	10	80	--
790B355C	500	N	30	N	N	N	150	V	N	10	20	--
790B355A	500	N	200	N	20	<200	100	N	15	15	70	--
790B356A	300	N	50	N	15	N	300	N	10	5	40	--
790B356C	700	N	200	N	30	<200	200	N	10	10	55	--
790B357A	300	N	300	N	30	<200	150	V	50	35	120	--
790B357B	700	N	300	N	30	<200	150	N	10	20	65	--
790B358A	500	N	150	N	20	N	100	N	<5	10	45	--

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	RK-TYPE	S-FEX	S-MSZ	S-CAX	S-FIX	S-WN	S-AG	S-AS	S-AU	S-B
79DR159A	CDN605	56 23 33	131 48 34	QDN	1.50	.70	.50	.100	200	N	N	N	N
79DR160A	CDN537	56 23 21	131 48 56	QDN	5.00	2.00	2.00	.300	700	N	N	N	<10
79DR160B	CDN560	56 23 21	131 48 56	GRD	1.50	.30	1.00	.100	500	N	N	N	N
79DR160C	CDN583	56 23 21	131 48 56	GRD	.30	<.02	.20	.015	1,000	N	N	N	N
79DR161A	CDN479	56 36 47	131 34 48	AR	7.00	2.00	.30	.700	300	1.5	N	N	30
79DR161B	CDN571	56 36 47	131 34 48	CO	5.00	2.00	5.00	.300	2,000	N	N	N	<10
79DR161C	CDN436	56 36 47	131 34 48	HF	5.00	3.00	5.00	.500	700	N	N	N	20
79DR161D	CDN459	56 36 47	131 34 48	TU	5.00	3.00	5.00	.300	1,000	N	N	N	<10
79DR162A	CDN430	56 36 43	131 34 39	GE	7.00	2.00	2.00	.300	1,500	N	N	N	<10
79DR162B	CDN502	56 36 43	131 34 39	HF	10.00	.50	<.05	.700	300	N	N	N	50
79DR163A	CDN437	56 36 35	131 34 16	GE	2.00	1.50	5.00	.300	700	N	N	N	15
79DR163C	CDN450	56 36 35	131 34 16	HF	5.00	1.50	5.00	.500	700	N	N	N	20
79DR163D	CDN481	56 36 35	131 34 16	MB	2.00	1.50	10.00	.100	1,500	N	N	N	30
79DR163E	CDN503	56 36 35	131 34 16	M9	.50	.20	20.00	.050	300	N	N	N	N
79DR164A	CDN438	56 36 26	131 34 21	LS	.10	.10	7.00	.015	50	N	N	N	N
79DR164B	CDN461	56 36 25	131 34 21	LS	.07	7.00	10.00	.007	70	N	N	N	N
79DR164C	CDN482	56 36 25	131 34 21	SC	7.00	2.00	3.00	.500	1,000	1.0	N	N	100
79DR165A	CDN521	56 23 5	131 49 9	QMF	.50	.10	.50	.030	150	N	N	N	N
79DR165B	CDN455	56 23 5	131 49 9	GNI	5.00	5.00	2.00	.300	2,000	N	N	N	<10
79DR165C	CDN476	56 23 5	131 49 9	AA	10.00	3.00	1.50	.700	700	3.0	N	N	<10
79DR166A	CDN499	56 23 4	131 49 51	QMF	2.00	.70	1.00	.150	700	N	N	N	N
79DR166B	CDN522	56 23 4	131 49 51	BG	10.00	3.00	5.00	.300	1,500	N	N	N	<10
79DR166C	CDN456	56 23 4	131 49 51	GDF	1.50	.70	1.00	.150	700	N	N	N	N
79DR167A	CDN477	56 22 54	131 50 16	QDF	5.00	2.00	1.50	.500	700	N	N	N	<10
79DR168A	CDN500	56 22 49	131 50 29	GN	10.00	2.00	1.50	.500	1,500	N	N	N	<10
79DR168B	CDN523	56 22 49	131 50 29	GM	15.00	3.00	2.00	.700	2,000	N	N	N	<10
79DR168C	CDN457	56 22 49	131 50 29	GN	3.00	2.00	1.00	.500	500	<.5	N	N	<10
79DR168D	CDN478	56 22 49	131 50 29	GN	7.00	1.50	.70	.500	3,000	N	N	N	<10
79DR169A	CDN617	56 22 35	131 51 8	GN	10.00	3.00	3.00	.700	1,500	N	N	N	10
79DR169B	CDN639	56 22 35	131 51 8	GG	5.00	2.00	5.00	.500	1,000	.5	N	N	<10
79DR170A	CDN662	56 22 33	131 51 39	GN	1.50	.20	.15	.070	70	<.5	N	N	N
79DR170B	CDN684	56 22 33	131 51 39	Q7	1.50	.50	.70	.100	200	<.5	N	N	N
79DR170C	CDN618	56 22 33	131 51 39	GN	15.00	3.00	5.00	>1.000	1,000	N	N	N	20
79DR170D	CDN640	56 22 33	131 51 39	GN	10.00	3.00	5.00	.500	1,000	N	N	N	<10
79DR170E	CDN667	56 22 33	131 51 39	APD	.50	.15	.50	.070	300	N	N	N	N
79DR171A	CDN634	56 30 14	131 49 42	QMF	1.50	1.00	5.00	.150	1,000	.5	N	N	20
79DR171B	CDN657	56 30 14	131 49 42	QDG	7.00	3.00	2.00	.500	1,000	N	N	N	<10
79DR171C	CDN678	56 30 14	131 49 42	GG	1.00	.50	1.50	.100	300	N	N	N	N
79DR172A	CDN701	56 30 7	131 50 6	GQF	.70	.20	.50	.150	300	.5	N	N	N
79DR172B	CDN655	56 30 7	131 50 6	RHD	.50	<.02	<.05	.070	<10	N	N	N	20
79DR173A	CDN658	56 29 56	131 50 18	QDF	5.00	2.00	2.00	.700	700	N	N	N	<10
79DR174A	CDN679	56 29 39	131 49 58	QDF	5.00	3.00	3.00	.300	1,000	N	N	N	<10
79DR174B	CDN712	56 29 39	131 49 58	RHD	2.00	.07	<.05	.100	300	N	N	N	N
79DR174C	CDN656	56 29 39	131 49 58	QMF	.70	.30	1.50	.100	150	N	N	N	20
79DR175A	CDN659	56 29 35	131 49 25	GN	7.00	5.00	5.00	.500	1,000	N	N	N	<10

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-RA	S-3E	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-33	S-S3	S-SC	S-SN
790R359A	500	<1.0	N	N	10	<10	10	N	N	N	5	10	N	10	N
790R360A	1,500	1.0	N	N	20	10	7	N	N	N	10	10	N	20	N
790R360R	2,000	1.5	N	N	5	<10	<5	<20	N	N	<5	15	N	5	N
790R360C	N	1.0	N	N	N	N	N	<20	N	N	5	15	N	N	N
790R361A	3,000	1.0	N	N	10	20	70	<20	5	N	20	10	N	50	N
790R361R	500	<1.0	N	N	30	10	50	N	N	N	15	<10	N	30	N
790R361C	500	<1.0	N	N	30	30	150	N	10	N	50	10	N	70	N
790R361D	200	N	N	N	30	20	50	N	N	N	20	<10	N	70	N
790R362A	150	<1.0	N	N	30	20	5	N	N	N	30	<10	N	50	N
790R362B	1,500	<1.0	N	N	30	200	20	N	N	N	50	10	N	70	N
790R363A	300	1.0	N	N	20	20	20	N	N	N	20	<10	N	20	N
790R363C	500	<1.0	N	N	30	50	70	<20	N	N	50	10	N	30	N
790R363D	300	<1.0	N	N	10	10	7	<20	N	N	7	N	N	10	N
790R363E	N	N	N	N	<5	<10	<5	N	N	N	5	N	N	<5	N
790R364A	N	N	N	N	N	<10	<5	N	N	N	7	N	N	N	N
790R364B	N	<1.0	N	N	N	<10	<5	N	N	N	<5	N	N	<5	N
790R364C	700	1.0	N	N	30	30	1,000	N	N	N	30	<10	N	50	N
790R365A	>5,000	<1.0	N	N	N	N	<5	N	N	N	5	10	N	N	N
790R365B	500	1.0	N	N	50	50	N	<20	N	N	20	<10	N	70	N
790R365C	1,000	<1.0	N	N	70	10	1,500	N	N	N	70	10	N	100	N
790R366A	5,000	1.0	N	N	7	<10	<5	N	N	N	<5	10	N	7	N
790R366B	200	<1.0	N	N	30	200	200	N	N	N	30	10	N	50	N
790R366C	3,000	1.0	N	N	10	<10	<5	20	N	N	10	15	N	10	N
790R367A	2,000	1.0	N	N	20	10	20	N	N	N	10	15	N	30	N
790R368A	3,000	1.0	N	N	20	10	20	150	N	N	10	10	N	20	N
790R368B	700	1.0	N	N	50	50	10	150	N	N	30	10	N	30	N
790R368C	2,000	<1.0	N	N	10	50	70	N	N	N	10	15	N	50	N
790R368D	2,000	<1.0	N	N	20	15	30	20	N	N	20	15	N	30	N
790R369A	1,000	1.0	N	N	20	150	70	30	N	N	100	15	N	20	N
790R369B	3,000	1.0	N	N	5	100	50	30	20	N	7	15	N	20	N
790R370A	1,500	1.0	N	N	10	50	30	N	30	N	70	15	N	5	N
790R370R	2,000	1.5	N	N	5	30	20	50	15	N	15	20	N	7	N
790R370C	700	1.5	N	N	100	500	300	50	N	N	150	15	N	50	N
790R370D	500	<1.0	N	N	30	50	50	50	15	N	15	20	N	30	N
790R370E	2,000	3.0	N	N	<5	<10	<5	30	N	N	<5	100	N	7	N
790R371A	>5,000	1.0	N	N	7	<10	7	50	N	N	<5	50	N	10	N
790R371B	5,000	2.0	N	N	20	70	20	50	N	N	20	30	N	20	N
790R371C	5,000	1.5	N	N	5	<10	<5	100	N	N	<5	30	N	<5	N
790R372A	3,000	1.0	N	N	5	<10	<5	30	7	N	<5	50	N	<5	N
790R3723	70	3.0	N	N	N	<10	<5	N	20	30	<5	30	N	<5	30
790R373A	1,500	1.0	N	N	30	15	30	30	N	N	5	10	N	15	N
790R374A	2,000	1.5	N	N	15	10	5	30	N	N	5	20	N	15	N
790R3749	70	10.0	N	N	N	<10	<5	30	N	100	<5	70	N	<5	20
790R374C	>5,000	1.0	N	N	<5	<10	<5	N	N	N	<5	50	N	<5	N
790R375A	1,000	<1.0	N	N	20	200	70	20	20	N	70	15	N	20	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-SR	S-TH	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PG-P	AA-ZN-P	INST-HG
79DR359A	300	N	150	N	N	N	100	N	15	10	65	--
79DR359A	500	N	200	V	15	<200	70	N	5	15	70	--
79DR359B	700	N	70	V	10	N	150	N	N	10	55	--
79DR360C	N	N	N	V	10	N	30	N	<5	5	10	--
79DR361A	200	N	500	V	50	<200	100	V	85	20	75	--
79DR361B	300	N	300	N	15	<200	50	N	55	30	70	--
79DR361C	300	N	700	N	20	<200	50	V	75	20	70	--
79DR361D	200	N	300	N	15	<200	20	N	40	15	40	--
79DR362A	300	N	300	V	30	<200	70	N	5	20	85	--
79DR362B	200	N	300	N	10	<200	100	N	20	10	40	--
79DR363A	300	N	200	N	15	N	70	N	30	20	80	--
79DR363C	700	N	300	N	20	<200	100	V	90	20	85	--
79DR363D	300	N	100	N	20	N	15	N	10	35	45	--
79DR363E	150	N	30	N	10	N	N	N	5	35	10	--
79DR364A	100	N	N	N	N	N	N	N	5	15	15	--
79DR364B	100	N	10	V	10	N	N	V	<5	65	10	--
79DR364C	<100	N	500	N	20	N	70	V	<5	20	65	--
79DR365A	700	N	30	N	N	N	100	N	<5	10	<5	--
79DR365B	500	N	500	N	20	<200	50	N	N	10	35	--
79DR365C	300	N	1,000	N	20	N	50	N	1,400	15	25	--
79DR366A	1,500	N	150	V	10	N	100	N	<5	5	10	--
79DR366B	300	N	300	N	15	<200	70	N	230	15	10	--
79DR366C	700	N	100	N	15	N	100	N	N	10	40	--
79DR367A	700	N	200	N	20	<200	100	N	20	10	50	--
79DR368A	300	N	200	N	30	<200	150	N	20	25	130	--
79DR368B	700	N	300	N	50	<200	200	N	5	25	50	--
79DR368C	300	N	300	N	20	<200	70	N	50	25	110	--
79DR368D	300	N	200	N	30	<200	150	V	30	15	80	--
79DR369A	1,000	N	500	N	30	N	100	N	35	15	75	--
79DR369B	500	N	500	N	30	<200	100	N	45	10	30	--
79DR370A	100	N	500	N	N	<200	30	N	30	5	120	--
79DR370B	150	N	500	V	10	N	70	N	35	15	65	--
79DR370C	700	N	700	V	50	N	150	V	320	30	60	--
79DR370D	700	N	300	N	70	N	200	N	50	10	15	--
79DR370E	500	N	10	N	20	N	70	V	<5	10	10	--
79DR371A	2,000	N	100	N	20	N	100	N	10	5	25	--
79DR371B	1,500	N	200	N	30	N	100	N	25	10	10	--
79DR371C	1,500	N	50	N	<10	N	150	N	5	5	40	--
79DR372A	700	V	20	N	<10	N	30	V	<5	10	35	--
79DR372B	<100	N	N	N	100	N	200	V	<5	15	10	--
79DR373A	1,000	N	200	V	20	<200	150	N	25	10	55	--
79DR374A	1,500	N	150	N	15	N	50	N	<5	10	50	--
79DR374B	<100	N	N	V	200	500	100	V	<5	25	220	--
79DR374C	1,500	V	20	N	N	N	50	V	<5	5	15	--
79DR375A	700	V	500	V	30	N	50	V	80	10	30	--

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	LAR NO.	LATITUDE	LONGITUDE	RK-TYPE	S-FE%	S-MG%	S-CAX	S-TIX	S-MN	S-AG	S-AS	S-AJ	S-B
790B3751	CDM630	56 29 35	131 49 25	GM	10.00	7.00	3.00	.500	1,000	<.5	N	N	<10
790B375C	CDM733	56 29 35	131 49 25	GDF	3.00	.70	2.00	.500	700	N	N	N	N
790B375D	CDM660	56 29 35	131 49 25	QMF	3.00	1.00	1.50	.700	500	N	N	N	N
790B376A	CDM631	56 29 32	131 48 6	QMF	1.00	.50	2.00	.100	500	N	N	N	N
790B376B	CDM734	56 29 32	131 48 6	RHD	1.50	.03	.05	.100	150	N	N	N	N
790B377A	CDM661	56 29 47	131 47 34	QMF	2.00	.50	2.00	.100	300	N	N	N	N
790B3773	CDM642	56 29 47	131 47 34	AMI	10.00	3.00	2.00	.700	1,000	N	N	N	10
790B377C	CDM705	56 29 47	131 47 34	GNI	10.00	7.00	2.00	1.000	1,000	<.5	N	N	<10
790B378A	CEA044	56 12 24	131 33 45	GM	7.00	5.00	3.00	.700	1,000	N	N	N	<10
790B378C	CDY975	56 12 24	131 33 45	G0G	2.00	1.50	2.00	.200	700	N	N	N	<10
790B378D	CEA022	56 12 24	131 33 45	G0D	2.00	1.00	2.00	.200	500	N	N	N	<10
790M001A	CDM164	56 10 22	131 5 48	GDF	10.00	2.00	3.00	.700	700	N	N	N	<10
790M002A	CDM120	56 11 53	131 7 59	GDF	10.00	2.00	3.00	1.000	1,000	N	N	N	<10
790M003B	CDM121	56 12 5	131 14 21	SCB	15.00	3.00	5.00	>1.000	1,500	N	N	N	<10
790M004A	CDM165	56 9 5	131 11 0	GDF	5.00	1.50	1.50	>1.000	700	N	N	N	<10
790M005A	CDM168	56 0 52	131 12 35	GDF	3.00	2.00	5.00	.500	200	N	N	N	<10
790M006A	CDM124	56 2 14	131 9 13	G0N	2.00	1.00	1.50	.300	700	N	N	N	N
790M006B	CDM146	56 2 14	131 9 13	PG	5.00	1.50	5.00	.700	3,000	N	N	N	<10
790M007A	CDM101	56 3 10	131 7 52	Q0N	5.00	1.00	2.00	.500	1,000	N	N	N	10
790M007B	CDM169	56 3 10	131 7 52	GP	15.00	2.00	3.00	1.000	1,500	<.5	N	N	<10
790M008A	CDM125	56 3 44	131 7 21	QDF	5.00	2.00	3.00	.500	1,000	N	N	N	N
790M009A	CDM147	56 4 13	131 6 40	QDF	3.00	1.00	2.00	.500	500	N	N	N	<10
790M010A	CDM102	56 4 47	131 5 33	G0	.50	.15	.70	.070	100	N	N	N	N
790M0129	CDM172	56 9 15	131 9 40	GDF	3.00	1.00	1.50	.500	300	<.5	N	N	N
790M014A	CDM137	56 20 4	130 49 37	SCB	15.00	7.00	7.00	1.000	2,000	N	N	N	<10
790M015A	CDM159	56 19 47	130 49 17	GDF	3.00	1.50	2.00	.500	1,000	N	N	N	<10
790M016A	CDM182	56 19 22	130 49 31	GDF	5.00	1.50	2.00	.500	700	N	N	N	N
790M017A	CDM054	56 15 36	130 55 35	QMF	2.00	.70	1.50	.500	500	N	N	N	N
790M018A	CDM008	56 15 59	130 53 58	GDF	5.00	2.00	3.00	1.000	1,500	N	N	N	<10
790M019A	CDM032	56 15 2	130 54 13	QMF	1.50	.50	1.00	.500	500	N	N	N	N
790M020A	CDM016	56 16 54	130 53 8	GDF	15.00	3.00	3.00	1.000	2,000	N	N	N	<10
790M022A	CDM519	56 12 3	130 48 22	G0	1.00	.50	1.50	.200	200	N	N	N	N
790M0223	CDM453	56 12 3	130 48 22	G0	.30	.03	.30	.050	500	N	N	N	N
790M023A	CDM498	56 11 35	130 50 9	G0	15.00	7.00	10.00	>1.000	3,000	N	N	N	<10
790M024A	CDM477	56 11 3	130 50 51	G0	7.00	1.50	2.00	.700	700	N	N	N	N
790M125A	CDM344	56 1 25	131 18 21	QDF	10.00	3.00	5.00	1.000	700	<.5	N	N	<10
790M027A	CDM278	56 1 21	131 17 37	QDF	10.00	2.00	5.00	.700	700	N	N	N	10
790M030A	CDM301	56 1 32	131 17 17	GP	10.00	3.00	3.00	1.000	1,000	N	N	N	N
790M031A	CDM323	56 1 27	131 16 48	GM	5.00	2.00	2.00	.700	700	N	N	N	<10
790M132A	CDM345	56 1 40	131 16 39	G0	10.00	2.00	3.00	1.000	700	N	N	N	<10
790M033A	CDM279	56 1 35	131 15 55	QDF	7.00	2.00	3.00	.700	1,000	N	N	N	<10
790M034A	CDM302	56 1 20	131 15 16	QDF	5.00	2.00	3.00	.700	700	N	N	N	<10
790M035A	CDM293	56 1 11	131 43 14	G0	10.00	2.00	3.00	.700	1,000	N	N	N	<10
790M036A	CDM316	56 17 34	130 43 39	G0	10.00	2.00	3.00	1.000	700	N	N	N	<10
790M037A	CDM358	56 17 23	130 44 17	G0	10.00	3.00	3.00	.700	1,000	N	N	N	<10

Table 5.---Analytical data for rock geochemical samples---Continued

SAMPLE	S-BA	S-3E	S-9I	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-VI	S-P9	S-S9	S-SC	S-SN
790B375A	500	<1.0	N	50	500	70	<20	N	N	150	10	N	30	N
790R375C	>5,000	1.0	N	7	<10	10	30	N	N	<5	30	N	5	N
790S375D	>5,000	<1.0	N	10	<10	10	70	N	N	<5	20	N	7	N
790R376A	2,000	1.5	N	<5	<10	5	20	N	N	<5	50	N	<5	N
790R376B	100	10.0	N	<5	<10	<5	N	<5	50	<5	10	N	<5	10
790R377A	1,500	1.0	N	7	<10	7	20	N	N	<5	20	N	5	N
790B377B	1,500	<1.0	N	30	15	30	30	N	N	7	20	N	15	N
790S377C	1,500	<1.0	N	50	300	50	<20	N	N	100	10	N	50	N
790R378A	700	2.0	N	20	<10	20	30	N	<20	10	15	N	20	N
790B378C	2,000	1.5	N	15	70	5	70	N	<20	20	20	N	10	N
790B378D	1,000	2.0	N	7	15	<5	150	N	N	7	15	N	<5	N
790M001A	1,000	<1.0	N	7	20	5	30	N	<20	10	30	N	20	N
790M002A	2,000	1.0	N	7	20	5	30	N	N	7	15	N	20	N
790M003B	1,500	<1.0	N	10	20	10	20	N	<20	5	15	N	20	N
790M004A	3,000	1.0	N	7	10	10	20	N	<20	7	20	N	20	N
790M005A	200	<1.0	N	10	70	100	N	N	N	50	<10	N	30	N
790M006A	2,000	<1.0	N	5	20	7	N	N	N	20	15	N	10	N
790M006B	700	<1.0	N	7	50	200	N	<5	N	100	<10	N	15	N
790M007A	2,000	<1.0	N	7	15	30	N	N	N	7	15	N	10	N
790M007B	300	<1.0	N	20	30	150	N	5	N	30	10	N	50	N
790M008A	2,000	1.0	N	10	150	30	20	N	N	70	15	N	30	N
790M009A	700	1.0	N	7	20	20	<20	N	N	10	10	N	5	N
790M010A	1,000	N	N	<5	<10	<5	N	N	N	7	30	N	N	N
790M012A	>5,000	<1.0	N	5	10	30	300	N	N	<5	15	N	7	N
790M014A	500	<1.0	N	50	150	100	N	N	N	150	15	N	70	N
790M015A	2,000	1.0	N	7	10	<5	<20	N	N	5	15	N	20	N
790M016A	1,500	<1.0	N	5	10	N	N	N	<20	5	20	N	15	N
790M017A	2,000	1.0	N	<5	10	<5	30	N	<20	5	20	N	7	N
790M018A	1,000	<1.0	N	7	<10	15	N	N	N	5	15	N	20	N
790M019A	3,000	1.0	N	5	<10	N	<20	N	N	5	20	N	<5	N
790M020A	1,500	<1.0	N	15	30	15	30	N	N	20	20	N	30	N
790M022A	>5,000	1.0	N	<5	<10	5	30	N	N	5	50	N	N	N
790M022B	500	2.0	N	N	<10	<5	N	N	20	5	30	N	5	N
790M023A	500	<1.0	N	50	300	15	N	N	N	150	15	N	50	N
790M024A	2,000	1.0	N	5	10	<5	50	N	N	5	30	N	<5	N
790M025A	1,000	1.0	N	10	30	15	N	N	N	15	20	N	20	N
790M027A	700	1.0	N	10	30	15	30	N	N	10	20	N	20	N
790M030A	200	1.5	N	10	50	100	30	N	<20	30	100	N	<5	N
790M031A	500	1.5	N	5	70	10	<20	N	N	30	30	N	20	N
790M032A	700	1.5	N	7	50	N	100	N	<20	30	15	N	15	N
790M033A	700	1.0	N	7	20	<5	<20	N	N	10	20	N	15	N
790M034A	1,000	2.0	N	7	30	N	50	N	N	20	20	N	15	N
790M035A	1,500	1.0	N	15	20	10	N	N	N	5	20	N	20	N
790M036A	1,000	1.0	N	7	15	10	20	N	N	5	20	N	15	N
790M037A	1,000	<1.0	N	10	30	10	70	N	N	10	20	N	20	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-SR	S-TH	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
790B3750	1,000	N	300	N	15	N	20	N	70	15	70	--
790B3751	1,500	N	100	N	10	N	30	N	10	10	45	--
790B3752	1,000	N	100	N	20	N	150	N	10	10	35	--
790B3753	1,000	N	30	N	<10	N	200	N	5	10	35	--
790B3754	<100	N	<10	N	100	N	700	N	<5	10	45	--
790B377A	2,000	N	70	N	N	N	200	N	10	5	25	--
790B377B	1,000	N	200	N	15	N	150	N	30	15	45	--
790B377C	700	N	500	N	20	N	10	N	55	20	40	--
790B378A	1,000	N	200	N	30	<200	30	N	25	5	55	--
790B378B	700	N	100	N	20	N	50	N	10	5	35	--
790B378C	1,000	N	70	N	<10	N	200	N	5	<5	30	--
790B378D	1,500	N	500	N	15	N	50	N	<5	5	55	--
790B378E	1,500	N	500	N	30	<200	70	N	10	15	65	--
790B378F	1,500	N	700	N	20	<200	70	N	15	20	100	--
790B378G	500	N	200	N	50	N	300	N	10	10	60	--
790B378H	1,500	N	200	N	10	N	N	N	50	5	15	--
790B378I	1,000	N	150	N	<10	N	70	N	15	15	5	--
790B378J	200	N	200	N	20	N	20	N	110	15	65	--
790B378K	1,000	N	300	N	10	N	20	N	10	15	30	--
790B378L	500	N	700	N	30	<200	50	N	110	10	35	--
790B378M	1,500	N	300	N	50	N	50	N	35	10	45	--
790B378N	500	N	150	N	N	N	50	N	25	10	40	--
790B378O	300	N	<10	N	N	N	100	N	<5	5	10	--
790B378P	1,500	N	150	N	15	N	300	N	35	10	45	--
790B378Q	500	N	1,500	N	20	<200	10	N	45	30	60	--
790B378R	1,000	N	200	N	20	<200	100	N	<5	10	50	--
790B378S	1,000	N	200	N	20	<200	70	N	<5	10	55	--
790B378T	1,000	N	100	N	20	N	100	N	<5	10	65	--
790B378U	1,000	N	300	N	<10	<200	100	N	20	<5	70	--
790B378V	500	N	70	N	N	N	100	N	N	5	60	--
790B378W	2,000	N	700	N	50	<200	70	N	10	15	90	--
790B378X	3,000	N	50	N	<10	N	100	N	<5	<5	25	--
790B378Y	200	N	10	N	50	N	30	N	<5	10	5	--
790B378Z	500	N	1,000	N	30	<200	20	N	15	5	15	--
790B379A	1,500	N	150	N	10	N	100	N	<5	10	80	--
790B379B	1,000	N	300	N	20	<200	70	N	20	10	55	--
790B379C	1,000	N	300	N	20	<200	30	N	20	10	65	--
790B379D	2,000	N	200	N	20	<200	100	N	20	10	35	--
790B379E	1,500	N	200	N	10	<200	70	N	10	15	100	--
790B379F	1,500	N	300	N	30	<200	150	N	<5	10	65	--
790B379G	1,000	N	300	N	30	<200	70	N	<5	5	55	--
790B379H	1,500	N	150	N	30	<200	100	N	20	10	55	--
790B379I	1,500	N	300	N	20	<200	100	N	20	10	65	--
790B379J	1,500	N	200	N	20	<200	100	N	20	10	35	--
790B379K	1,500	N	200	N	10	<200	70	N	10	15	100	--
790B379L	1,500	N	300	N	30	<200	150	N	<5	10	65	--
790B379M	1,000	N	300	N	30	<200	70	N	<5	5	55	--
790B379N	1,500	N	150	N	30	<200	100	N	<5	10	55	--
790B379O	1,500	N	200	N	20	<200	100	N	20	10	60	--
790B379P	1,500	N	200	N	20	<200	100	N	15	10	55	--
790B379Q	1,500	N	200	N	30	<200	100	N	15	10	85	--
790B379R	2,000	N	300	N	30	<200	100	N	15	15	85	--

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	LAQ NO.	LATITUDE	LONGITUDE	RK-TYPE	S-FE%	S-MG%	S-CA%	S-TI%	S-MN	S-AG	S-AS	S-AU	S-B
79DM039A	CDM361	56 17 7	130 44 28	GD	7.00	2.07	3.00	1.000	700	N	N	N	<10
79DM039A	CDM294	56 16 39	130 44 39	GM	15.00	5.07	7.00	>1.000	1,500	N	N	N	<10
79DM039E	CDM317	56 16 39	130 44 39	GD	1.00	.17	.70	.200	700	N	N	N	N
79DM040A	CDM339	56 16 16	130 44 48	GD	1.00	.15	1.00	.070	150	N	N	N	N
79DM041A	CDM399	56 17 17	130 51 50	GD	3.00	1.07	1.50	.500	500	N	N	N	N
79DM042A	CDM376	56 18 37	130 50 50	GD	5.00	1.59	2.00	.700	700	N	N	N	N
79DM043A	CDM420	56 21 22	130 53 28	GM	20.00	5.03	10.00	>1.000	1,500	N	N	N	<10
79DM045A	CDM429	56 19 39	131 11 49	GD	3.00	.59	2.00	1.000	300	<.5	N	N	N
79DM046A	CDM385	56 11 3	131 12 32	GD	15.00	3.00	5.00	1.000	1,000	N	N	N	<10
79DM047A	CDM342	56 11 32	131 14 55	AM	10.00	3.00	10.00	.500	1,500	N	N	N	<10
79DM048A	CDM408	56 11 24	131 18 50	GM	10.00	3.00	3.00	1.000	1,000	N	N	N	<10
79DM049A	CDM430	56 9 54	131 17 44	GD	3.00	1.07	1.50	.700	200	N	N	N	N
79DM050A	CDM396	56 9 17	131 15 14	GD	15.00	3.03	5.00	1.000	1,500	N	N	N	<10
79DM051A	CDM343	56 8 4	131 14 38	GM	15.00	5.07	1.50	1.000	700	.7	N	N	<10
79DM052A	CDM567	56 23 34	131 11 14	GM	1.00	.30	1.00	.150	200	N	N	N	N
79DM053A	CDM545	56 23 56	131 3 20	SCQ	5.00	>10.00	20.00	.300	3,000	N	N	N	N
79DM053C	CDM613	56 23 56	131 3 20	AM	15.00	3.00	5.00	1.000	1,500	N	N	N	N
79DM054A	CDM590	56 23 38	131 5 50	SCQ	15.00	3.03	5.00	>1.000	1,000	N	N	N	<10
79DM055A	CDM659	56 13 58	130 40 20	GD	2.00	.57	1.00	.200	150	N	N	N	N
79DM056A	CDM682	56 11 53	130 42 47	GD	2.00	.53	1.00	.200	200	N	N	N	N
79DM057A	CDM704	56 11 3	130 46 4	GD	15.00	3.07	3.00	1.000	700	N	N	N	N
79DM058A	CDM639	56 4 13	130 52 10	GD	5.00	1.50	2.00	1.000	300	N	N	N	N
79DM059A	CDM660	56 2 37	130 55 36	QP	10.00	5.00	3.00	.700	1,000	N	N	N	N
79DM060A	CDM683	56 1 50	130 55 36	GD	5.00	.77	1.00	.700	200	N	N	N	N
79DM061A	CDM644	56 1 59	130 45 10	QM	10.00	3.00	3.00	1.000	700	N	N	N	N
79DM062A	CDM666	56 2 5	130 45 0	GP	15.00	3.03	10.00	1.000	1,500	<.5	N	N	N
79DM063A	CDM689	56 2 18	130 44 48	AM	15.00	5.00	7.00	.500	3,000	N	N	N	N
79DM064A	CDM711	56 2 24	130 45 1	QM	10.00	2.07	1.50	1.000	700	N	N	N	N
79DM065A	CDM870	56 2 30	130 45 24	QM	3.00	.57	1.00	.300	150	<.5	N	N	N
79DM067A	CDM893	56 2 49	130 45 43	GD	10.00	1.57	3.00	.700	700	N	N	N	N
79DM069A	CDM016	56 3 0	130 45 49	GD	3.00	1.07	1.00	.500	300	N	N	N	N
79DM070A	CDM957	56 28 57	131 54 53	QDF	2.00	.20	2.00	.700	500	N	N	N	N
79DM071A	CDM892	56 28 42	131 51 58	GD	2.00	.39	.70	.300	200	N	N	N	N
79DM072B	CDM915	56 28 24	131 50 51	GD	2.00	.77	1.50	.300	300	N	N	N	N
79DM073A	CDM958	56 27 41	131 50 52	QDF	5.00	2.07	2.00	.700	700	N	N	N	N
79DM074A	CDM010	56 29 5	131 47 30	QMF	2.00	.57	.50	.200	200	N	N	N	N
79DM075A	CDM985	56 28 3	131 43 49	GDF	1.00	.20	.57	.100	200	N	N	N	N
79DM076A	CDM032	56 25 27	131 49 52	GP	3.00	.79	.70	.300	300	N	N	N	N
79DM077A	CDM963	56 25 32	131 48 2	GP	3.00	1.07	.30	.300	300	N	N	N	N
79DM078A	CDM938	56 26 22	131 21 13	QM	2.00	.59	.70	.150	500	N	N	N	N
79DM082A	CDM013	56 27 25	131 22 14	SCB	15.00	2.07	3.00	1.000	1,000	N	N	N	<10
79DM084A	CDM036	56 27 32	131 22 48	MH	10.00	3.03	10.00	1.000	300	N	N	N	N
79DM085A	CDM967	56 27 45	131 22 50	SCB	7.00	1.50	.50	1.000	300	N	N	N	50
79DM086A	CDM346	56 10 57	131 37 22	SCB	10.00	3.00	5.00	.500	1,000	<.5	N	N	<10
79DM088A	CDM371	56 1 52	131 52 32	TUM	10.00	3.07	5.00	1.000	1,500	<.5	N	N	<10

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-RA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-P3	S-S3	S-SC	S-SW
79DM018A	1,500	1.0	N	N	7	20	<5	100	N	<20	5	30	N	15	N
79DM019A	500	<1.0	N	N	20	150	200	N	N	N	70	20	N	50	N
79DM019E	>5,000	<1.0	N	N	N	<10	<5	N	N	N	<5	100	N	N	N
79DM040A	2,000	<1.0	N	N	N	N	5	50	N	N	5	50	N	N	N
79DM041A	1,000	1.0	N	N	5	15	5	50	N	<20	10	50	N	10	N
79DM042A	2,000	1.0	N	N	7	15	<5	70	N	N	5	30	N	7	N
79DM043A	200	<1.0	N	N	70	100	300	N	N	<20	150	10	N	70	N
79DM045A	700	1.0	N	N	5	10	50	20	N	<20	7	10	N	5	N
79DM046A	1,500	<1.0	N	N	15	30	15	20	N	<20	10	30	N	30	N
79DM047A	150	1.0	N	N	20	100	50	N	N	N	20	10	N	30	N
79DM048A	2,000	1.0	N	N	15	20	30	50	N	N	10	20	N	20	N
79DM049A	5,000	<1.0	N	N	5	10	<5	70	N	N	5	30	N	<5	N
79DM050A	1,000	1.0	N	N	15	50	30	100	N	<20	15	20	N	30	N
79DM051A	3,000	1.0	N	N	30	500	500	N	N	<20	50	15	N	70	N
79DM052A	1,500	<1.0	N	N	<5	N	N	N	N	N	7	30	N	N	N
79DM053A	N	<1.0	N	N	<5	<10	7	N	N	N	30	N	N	5	N
79DM053C	1,000	<1.0	N	N	7	15	5	<20	N	N	<5	10	N	20	N
79DM054A	300	<1.0	N	N	30	50	500	N	N	N	30	<10	N	30	N
79DM055A	1,000	<1.0	N	N	N	<10	5	N	N	N	5	50	N	<5	N
79DM056A	2,000	<1.0	N	N	5	<10	N	N	N	N	5	50	N	N	N
79DM057A	700	<1.0	N	N	20	20	30	30	N	<20	30	20	N	20	N
79DM058A	3,000	1.0	N	N	5	10	<5	100	N	N	<5	30	N	<5	N
79DM059A	1,000	<1.0	N	N	10	30	<5	20	N	N	7	10	N	15	N
79DM060A	3,000	<1.0	N	N	10	10	<5	<20	N	N	5	30	N	<5	N
79DM051A	700	<1.0	N	N	10	100	15	30	N	N	50	20	N	20	N
79DM062A	300	1.0	N	N	10	200	100	30	10	<20	50	30	N	20	N
79DM063A	1,000	<1.0	N	N	50	300	5	N	N	N	100	30	N	50	N
79DM064A	1,500	<1.0	N	N	7	20	20	100	N	<20	10	20	N	7	N
79DM065A	1,500	1.0	N	N	7	10	30	30	N	<20	7	20	N	<5	N
79DM067A	300	1.0	N	N	10	15	10	70	N	<20	5	15	N	20	N
79DM069A	1,000	1.0	N	N	5	10	5	30	N	N	5	10	N	5	N
79DM070A	700	1.0	N	N	10	20	<5	50	N	N	10	10	N	10	N
79DM071A	1,500	<1.0	N	N	5	<10	5	N	N	N	5	50	N	N	N
79DM072B	700	1.0	N	N	5	<10	<5	20	N	N	5	15	N	<5	N
79DM073A	500	1.0	N	N	10	10	<5	N	N	N	5	10	N	10	N
79DM074A	2,000	<1.0	N	N	5	<10	7	N	N	<20	5	50	N	N	N
79DM075A	1,000	<1.0	N	N	N	<10	<5	N	N	N	5	20	N	N	N
79DM076A	150	1.0	N	N	7	30	<5	50	N	N	30	<10	N	7	N
79DM077A	150	1.0	N	N	10	30	<5	50	N	N	30	10	N	7	N
79DM078A	1,000	1.0	N	N	N	<10	<5	N	N	N	5	20	N	N	N
79DM082A	300	1.0	N	N	15	30	100	N	N	N	10	<10	N	30	N
79DM084A	20	<1.0	N	N	10	30	5	N	N	N	20	<10	N	20	N
79DM085A	1,000	1.0	N	N	7	30	30	N	N	N	30	10	N	15	N
79DM086A	1,000	1.0	N	N	70	150	300	N	N	N	50	15	N	70	N
79DM088A	700	1.0	N	N	50	150	50	50	N	20	70	15	N	50	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-SR	S-TH	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
79DM038A	1,500	V	300	N	50	<200	50	V	<5	5	55	--
79DM039A	1,000	V	2,300	N	20	<200	30	V	85	13	45	--
79DM039E	5,000	N	70	N	<10	N	50	N	<5	15	20	--
79DM040A	2,000	N	N	N	N	N	50	N	5	5	30	--
79DM041A	1,000	V	100	N	30	N	50	N	5	<5	45	--
79DM042A	1,000	N	150	N	10	N	150	N	<5	10	55	--
79DM043A	300	N	2,300	N	50	<200	70	<.05	130	15	10	--
79DM045A	1,500	N	200	N	15	N	>1,000	V	45	10	30	--
79DM046A	3,000	N	700	V	30	<200	150	N	15	13	55	--
79DM047A	700	N	500	N	50	<200	100	N	40	10	<5	--
79DM048A	2,000	N	500	N	30	<200	50	N	35	15	85	--
79DM049A	2,000	N	150	N	N	<200	150	N	5	5	55	--
79DM050A	1,500	N	300	N	50	<200	100	V	25	10	85	--
79DM051A	200	N	500	N	30	<200	150	N	400	30	90	--
79DM052A	1,500	N	50	N	<10	N	30	N	<5	<5	35	--
79DM053A	<100	N	100	N	15	<200	50	N	5	10	5	--
79DM053C	1,500	N	500	N	50	<200	50	N	5	20	30	--
79DM054A	300	N	700	N	30	N	50	N	320	20	30	--
79DM055A	2,000	N	50	N	<10	N	50	N	5	5	20	--
79DM056A	3,000	N	70	N	<10	N	50	N	<5	5	25	--
79DM057A	1,000	N	700	V	30	N	100	N	40	13	50	--
79DM058A	1,500	N	1,500	N	10	N	150	N	<5	5	70	--
79DM059A	1,000	N	300	N	20	<200	30	V	<5	10	80	--
79DM060A	1,500	N	150	N	<10	N	100	V	<5	5	45	--
79DM061A	1,000	N	200	N	50	<200	150	N	<5	5	75	--
79DM062A	1,500	N	500	N	50	<200	70	N	70	5	20	--
79DM063A	700	N	500	N	20	<200	30	N	5	10	45	--
79DM064A	2,000	N	200	N	20	<200	200	V	30	5	100	--
79DM065A	1,500	N	70	N	<10	N	100	N	35	N	55	--
79DM067A	1,000	N	200	N	20	<200	150	N	20	10	110	--
79DM069A	1,000	N	150	N	10	<200	100	N	10	10	70	--
79DM070A	700	N	150	N	15	<200	N	N	10	10	35	--
79DM071A	700	N	50	N	<10	N	300	N	5	5	25	--
79DM072B	700	N	30	N	N	N	20	N	<5	5	40	--
79DM073A	700	N	150	N	15	N	200	V	5	10	30	--
79DM074A	3,000	N	70	N	10	N	100	N	10	10	35	--
79DM075A	1,000	N	30	V	N	N	50	N	N	5	50	--
79DM076A	100	<100	50	N	30	N	300	N	5	10	45	--
79DM077A	<100	N	70	N	15	N	200	N	<5	10	45	--
79DM078A	2,000	N	70	N	10	N	100	V	N	5	30	--
79DM082A	500	V	500	N	30	N	100	N	65	10	55	--
79DM084A	150	N	500	N	20	N	50	N	<5	10	10	--
79DM085A	100	N	150	N	20	<200	150	N	60	10	90	--
79DM086A	700	N	500	N	15	<200	100	N	200	10	35	--
79DM088A	700	V	500	N	50	<200	200	V	35	20	90	--

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	RK-TYPE	S-FEZ	S-MGZ	S-CAZ	S-TIX	S-MN	S-AG	S-AS	S-AU	S-B
79DM089A	CDN349	56 1 38	131 51 59	TUM	15.00	3.00	3.00	.700	1.000	<.5	N	N	<10
79DM090A	CDN392	56 1 48	131 51 32	TUM	15.00	7.00	7.00	1.000	1.500	N	N	N	<10
79DM091A	CDN237	56 10 51	131 55 5	QD	7.00	2.00	2.00	.500	1.000	N	N	N	10
79DM092A	CDN261	56 9 59	131 58 18	QDF	5.00	1.50	2.00	.300	700	N	N	N	10
79DM093A	CDN376	56 7 11	131 58 4	QDF	10.00	2.00	5.00	.700	1.000	N	N	N	15
79DM094A	CDN283	56 5 3	131 58 34	QDL	10.00	3.00	3.00	.700	1.000	N	N	N	10
79DM095A	CDN313	56 3 34	131 57 41	QD	5.00	2.00	2.00	.500	1.000	<.5	N	N	10
79DM096A	CDN245	56 1 39	131 57 58	GDF	5.00	1.50	2.00	.500	700	<.5	N	N	10
79DM097A	CDN269	56 7 12	131 59 59	SCB	5.00	3.00	.50	.500	700	<.5	N	N	<10
79DM097C	CDN291	56 0 12	131 59 59	SCB	5.00	3.00	1.00	.700	500	.5	N	N	<10
79DM098A	CDN315	56 1 55	131 54 59	TUM	15.00	5.00	5.00	1.000	1.500	N	N	N	<10
79DM099A	CDN247	56 1 27	131 52 39	TUM	3.00	.70	.70	.300	500	N	N	N	N
79DM100A	CDN271	56 0 42	131 52 4	QDF	10.00	2.00	2.00	.500	1.500	<.5	N	N	20
79DM102A	CDN316	56 2 10	131 48 24	QDF	3.00	1.00	3.00	.200	500	N	N	N	15
79DM103A	CDN078	56 18 7	131 58 39	GDF	3.00	1.50	3.00	1.000	1.000	N	N	N	N
79DM104A	CDN100	56 16 5	131 57 0	SDF	3.00	1.00	3.00	1.000	1.500	.5	N	N	<10
79DM105A	CDN122	56 15 1	131 56 16	GDF	2.00	1.50	3.00	.700	1.000	N	N	N	N
79DM106A	CDN056	56 10 58	131 53 23	QD	15.00	3.00	3.00	>1.000	2.000	N	N	N	N
79DM107A	CDN564	56 21 33	131 36 52	QDF	5.00	2.00	2.00	.300	700	N	N	N	<10
79DM109B	CDN587	56 20 53	131 36 58	SCB	2.00	1.00	.70	.200	2.000	N	N	N	<10
79DM110A	CDN611	56 20 12	131 36 31	GM	3.00	1.00	5.00	.150	3.000	N	N	N	<10
79DM111A	CDN542	56 19 45	131 36 50	GDM	3.00	1.50	1.50	.300	700	N	N	N	<10
79DM112A	CDN546	56 19 11	131 36 54	AM	5.00	2.00	3.00	.700	1.000	N	N	N	<10
79DM115A	CDN464	56 8 39	131 25 39	GDF	3.00	1.00	1.50	.150	1.000	N	N	N	<10
79DM117A	CDN485	56 8 10	131 25 11	QDF	5.00	2.00	2.00	.300	700	N	N	N	<10
79DM119A	CDN507	56 7 55	131 26 21	SCB	5.00	2.00	1.00	.500	700	N	N	N	<10
79DM120A	CDN442	56 7 33	131 26 3	GDG	2.00	1.00	1.00	.200	500	N	N	N	<10
79DM121A	CDN493	56 18 25	131 17 2	GD	1.00	.15	.70	.100	300	N	N	N	N
79DM122A	CDN515	56 18 5	131 16 58	GD	.70	.10	.50	.100	100	N	N	N	N
79DM123A	CDN449	56 17 32	131 17 22	EA	5.00	3.00	3.00	.700	2.000	N	N	N	<10
79DM124A	CDN471	56 17 23	131 17 40	EA	5.00	3.00	2.00	.500	1.500	N	N	N	<10
79DM125A	CDN494	56 17 29	131 18 2	EA	2.00	1.50	1.00	.300	1.000	N	N	N	<10
79DM126A	CDN516	56 17 20	131 18 29	DF	2.00	.50	.15	.150	150	1.5	N	N	N
79DM127A	CDN450	56 17 17	131 18 54	GDG	3.00	1.50	1.50	.500	1.000	N	N	N	<10
79DM128A	CDN621	56 22 39	131 51 47	QZ	7.00	3.00	3.00	.500	1.000	<.5	N	N	10
79DM129A	CDN643	56 22 54	131 52 33	GDG	10.00	5.00	2.00	.500	1.000	N	N	N	10
79DM130A	CDN666	56 23 5	131 52 54	AM	7.00	5.00	5.00	.150	2.000	N	N	N	10
79DM131A	CDN687	56 23 28	131 52 55	SCB	5.00	2.00	.70	.700	2.000	N	N	N	10
79DM132A	CDN622	56 23 35	131 53 15	GDG	15.00	5.00	5.00	.500	2.000	N	N	N	<10
79DM133A	CDN544	56 23 49	131 53 0	QZ	.30	.10	1.00	.050	50	N	N	N	N
79DM134A	CDN667	56 23 23	131 54 1	GDG	5.00	2.00	2.00	.500	1.000	<.5	N	N	<10
79DM135A	CDN688	56 24 14	131 53 50	SCB	3.00	.70	2.00	.300	1.000	N	N	N	10
79DM136A	CDN623	56 24 30	131 53 54	DF	10.00	1.50	2.00	.700	1.000	N	N	N	20
79DM522A	CDM073	56 20 28	130 54 49	GD	5.00	2.00	3.00	.700	1.500	N	N	N	<10
79FER711A	CDM123	56 20 20	131 1 59	GD	10.00	3.00	3.00	1.000	1.000	N	N	N	<10

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-BA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-N3	S-NI	S-P3	S-S3	S-SC	S-SN
79DM099A	1,000	1.0	N	N	50	200	100	50	N	<20	30	15	N	70	N
79DM099A	500	<1.0	N	N	70	1,000	70	<20	N	N	150	15	N	100	N
79DM091A	2,000	1.0	N	N	15	20	7	N	N	<20	10	10	N	20	N
79DM092A	2,000	1.5	N	N	10	20	5	N	N	N	7	15	N	30	N
79DM093A	1,000	1.0	N	N	20	20	15	N	N	N	7	15	N	30	N
79DM094A	1,500	1.0	N	N	20	30	7	<20	N	N	5	15	N	20	N
79DM095A	1,500	1.0	N	N	15	15	<5	N	N	N	5	10	N	15	N
79DM096A	1,000	1.0	N	N	15	20	7	30	7	N	5	15	N	30	N
79DM097A	2,000	1.0	N	N	50	700	<5	<20	15	<20	200	15	N	30	N
79DM097C	2,000	1.5	N	N	30	700	30	N	N	N	150	20	N	20	N
79DM098A	200	<1.0	N	N	70	500	150	N	N	N	150	10	N	50	N
79DM099A	1,500	2.0	N	N	15	10	<5	70	N	<20	10	15	N	15	N
79DM100A	1,500	1.0	N	N	20	20	20	N	N	N	10	15	N	30	N
79DM102A	1,500	1.5	N	N	7	10	<5	N	N	N	5	10	N	15	N
79DM103A	700	1.5	N	N	5	10	N	30	N	N	5	10	N	7	N
79DM104A	500	1.0	N	N	5	10	<5	20	N	N	5	<10	N	10	N
79DM105A	1,000	1.0	N	N	<5	<10	N	N	N	N	5	10	N	5	N
79DM106A	1,500	<1.0	N	N	7	20	<5	<20	N	N	5	10	N	20	N
79DM107A	2,000	1.0	N	N	20	10	7	20	N	N	5	10	N	20	N
79DM109B	1,500	1.0	N	N	15	<10	30	N	N	N	15	<10	N	20	N
79DM110A	30	1.5	N	N	20	100	7	50	50	<20	200	<10	N	15	N
79DM111A	700	1.5	N	N	15	<10	10	50	N	<20	10	<10	N	30	N
79DM112A	1,000	1.0	N	N	20	10	15	50	N	N	5	10	N	30	N
79DM115A	3,000	1.5	N	N	10	<10	<5	N	N	<20	5	15	N	15	N
79DM117A	1,500	1.0	N	N	20	10	10	50	N	N	5	10	N	20	N
79DM119A	5,000	1.0	N	N	15	70	100	50	5	N	30	10	N	30	N
79DM120A	500	1.5	N	N	15	10	30	30	N	N	15	10	N	20	N
79DM121A	5,000	1.0	N	N	5	<10	5	20	N	N	5	20	N	5	N
79DM122A	5,000	1.0	N	N	N	N	N	N	N	N	<5	15	N	N	N
79DM123A	150	1.0	N	N	30	200	N	N	N	N	100	10	N	70	N
79DM124A	700	1.0	N	N	30	70	<5	N	N	N	50	15	N	30	N
79DM125A	2,000	1.0	N	N	15	<10	15	50	N	<20	5	10	N	15	N
79DM126A	3,000	1.0	N	N	N	100	70	N	50	N	5	15	N	10	N
79DM127A	5,000	<1.0	N	N	20	10	70	20	N	20	15	15	N	20	N
79DM128A	3,000	1.0	N	N	15	50	30	50	N	<20	10	100	N	20	N
79DM129A	700	1.0	N	N	30	50	N	<20	N	N	20	20	N	30	N
79DM130A	300	<1.0	N	N	50	150	70	20	N	N	30	15	N	50	N
79DM131A	700	1.0	N	N	7	<10	15	50	N	<20	5	20	N	20	N
79DM132A	1,500	<1.0	N	N	50	70	70	100	N	<20	50	30	N	50	N
79DM133A	5,000	2.0	N	N	<5	<10	5	N	10	N	<5	100	N	<5	N
79DM134A	700	<1.0	N	N	30	50	50	20	10	N	50	10	N	30	N
79DM135A	1,500	1.5	N	N	7	10	15	50	N	<20	<5	20	N	15	N
79DM136A	2,000	<1.0	N	N	7	<10	N	<20	N	N	<5	20	N	7	N
79DM522A	1,500	1.0	N	N	7	10	10	<20	N	N	5	20	N	20	N
79ER001A	2,000	<1.0	N	N	10	20	5	<20	N	N	7	20	N	20	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-SR	S-TH	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
79DM089A	700	N	500	N	50	<200	150	V	55	20	70	--
79DM090A	500	N	700	N	30	<200	100	V	20	10	35	--
79DM091A	700	N	200	N	20	<200	150	N	5	10	65	--
79DM092A	700	N	200	N	20	<200	100	N	<5	10	60	--
79DM093A	700	N	200	N	20	<200	200	N	10	10	85	--
79DM094A	700	N	200	N	20	<200	150	V	5	10	60	--
79DM095A	700	V	100	N	15	<200	70	V	5	10	55	--
79DM096A	700	N	200	N	30	200	150	N	10	20	110	--
79DM097A	300	N	300	N	15	<200	100	N	<5	20	80	--
79DM097C	500	N	200	N	15	<200	150	N	35	20	80	--
79DM098A	300	V	500	N	30	N	100	N	75	20	25	--
79DM099A	300	N	150	N	50	N	300	N	<5	10	25	--
79DM100A	700	N	300	N	20	<200	150	N	10	10	60	--
79DM102A	700	N	100	N	10	<200	70	N	5	15	65	--
79DM103A	1,000	N	100	N	10	<200	100	N	<5	10	75	--
79DM104A	700	N	70	N	10	<200	70	N	<5	10	50	--
79DM105A	700	N	70	N	N	<200	70	V	N	10	65	--
79DM106A	700	N	200	N	10	<200	100	V	5	10	65	--
79DM107A	700	N	200	N	20	<200	100	N	5	10	55	--
79DM109B	200	N	150	N	15	<200	100	N	40	10	70	--
79DM110A	200	N	1,000	N	50	700	100	N	10	10	120	--
79DM111A	500	N	150	V	20	<200	150	N	10	10	75	--
79DM112A	700	N	300	N	30	<200	70	V	10	15	60	--
79DM115A	500	N	200	N	30	N	100	N	<5	<5	15	--
79DM117A	700	N	200	N	20	<200	100	N	<5	10	40	--
79DM119A	200	N	500	N	20	<200	200	N	40	15	65	--
79DM120A	200	N	150	V	15	N	100	N	30	10	50	--
79DM121A	1,500	N	50	N	N	N	150	N	5	5	30	--
79DM122A	1,000	N	20	N	N	N	150	N	<5	10	10	--
79DM123A	200	N	500	N	30	<200	50	N	<5	5	20	--
79DM124A	500	N	200	N	20	<200	100	N	N	15	70	--
79DM125A	700	N	200	N	20	<200	200	N	15	10	45	--
79DM126A	200	N	300	N	10	N	100	N	25	15	35	--
79DM127A	700	N	300	N	20	N	150	V	75	5	20	--
79DM128A	700	N	500	N	50	N	50	N	20	25	60	--
79DM129A	200	N	300	N	30	<200	50	N	<5	10	30	--
79DM130A	300	N	300	N	15	<200	15	N	130	20	25	--
79DM131A	150	N	100	N	70	<200	200	N	15	20	140	--
79DM132A	1,000	V	700	N	50	N	100	<.05	35	10	25	--
79DM133A	1,000	N	15	N	N	N	30	N	5	10	20	--
79DM134A	300	N	500	N	30	300	50	N	120	15	220	--
79DM135A	300	V	100	N	50	N	300	N	20	15	75	--
79DM136A	1,500	V	100	V	<10	<200	150	<.05	<5	10	95	--
79DM522A	1,500	V	200	N	20	<200	100	N	<5	5	40	--
79ER001A	1,500	N	500	N	20	<200	20	V	5	15	75	--

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	LAH NO.	LATITUDE	LONGITUDE	RK-TYPE	S-FE%	S-MGX	S-CAX	S-TIX	S-MN	S-AG	S-AS	S-AU	S-B
79ER012A	CDM145	56 11 35	131 12 19	GD	15.00	3.00	5.00	1.000	700	N	N	N	<10
79ER013A	CDM100	56 8 52	131 9 26	GDG	5.00	2.00	1.50	1.000	700	N	N	N	N
79ER014A	CDM055	56 17 47	130 55 46	GD	3.00	2.00	2.00	.700	1,000	N	N	N	<10
79ER015A	CDM002	56 17 32	130 58 8	GD	7.00	2.00	2.00	1.000	2,000	N	N	N	<10
79ER016A	CDM078	56 17 19	130 59 38	GD	2.00	1.00	2.00	.700	1,000	N	N	N	<10
79ER017A	CDM033	56 20 12	130 57 0	GD	3.00	1.50	2.00	.500	1,000	N	N	N	<10
79ER018A	CDM056	56 23 13	130 56 37	GD	2.00	.70	1.00	.500	500	N	N	N	N
79ER019A	CDM010	56 23 13	130 56 37	AM	15.00	5.00	10.00	1.000	3,000	N	N	N	<10
79ER020A	CDM079	56 21 45	130 59 32	QDF	15.00	3.00	5.00	1.000	2,000	N	N	N	<10
79ER021A	CDM034	56 21 55	131 1 10	AM	15.00	3.00	5.00	1.000	2,000	N	N	N	<10
79ER022A	CDM057	56 21 20	131 3 9	GD	1.50	.70	1.00	.700	300	N	N	N	N
79ER023A	CDM011	56 19 11	131 1 59	GD	2.00	.50	1.00	.700	700	N	N	N	N
79ER024A	CDM080	56 17 57	131 2 17	GD	3.00	1.00	2.00	.300	700	N	N	N	N
79ER025A	CDM087	56 11 53	130 59 55	GD	10.00	2.00	3.00	.700	1,500	N	N	N	<10
79ER026A	CDM042	56 13 39	131 3 29	GD	10.00	2.00	2.00	.700	1,000	N	N	N	N
79ER027A	CDM065	56 15 59	131 2 4	GD	10.00	3.00	3.00	.700	2,000	N	N	N	10
79ER028A	CDM019	56 17 8	131 2 0	GD	3.00	1.50	3.00	.700	500	N	N	N	N
79ER029A	CDM088	56 16 25	131 1 2	GD	5.00	1.50	3.00	.500	1,000	N	N	N	10
79ER030A	CDM043	56 19 41	131 5 17	GD	1.00	.15	.50	.100	500	N	N	N	N
79ER031A	CDM066	56 18 25	131 8 31	GD	7.00	2.00	2.00	>1.000	700	N	N	N	10
79ER032A	CDM020	56 14 45	131 8 5	GD	2.00	1.50	2.00	.500	700	N	N	N	N
79ER033A	CDM437	56 3 9	130 59 24	GD	15.00	3.00	5.00	1.000	700	N	N	N	<10
79ER034A	CDM460	56 2 17	130 58 22	GD	10.00	3.00	5.00	1.000	700	N	N	N	<10
79ER035A	CDM482	56 1 31	130 58 14	GD	7.00	3.00	3.00	1.000	500	N	N	N	<10
79ER036A	CDM504	56 3 42	130 56 5	GD	2.00	.07	.70	.070	50	N	N	N	N
79ER037A	CDM438	56 4 48	130 56 28	GD	10.00	1.50	3.00	.700	500	N	N	N	N
79ER038A	CDM465	56 11 53	130 38 38	AM	>20.00	3.00	7.00	>1.000	3,000	N	N	N	<10
79ER039A	CDM487	56 11 53	130 38 38	SC	10.00	2.00	1.50	.700	2,000	N	N	N	<10
79ER040A	CDM509	56 12 58	130 39 44	GD	10.00	2.00	3.00	1.000	700	N	N	N	<10
79ER041A	CDM443	56 12 34	130 37 55	SC	3.00	1.00	1.50	.700	700	N	N	N	N
79ER042A	CDM466	56 12 34	130 37 55	SC	3.00	1.50	1.50	.300	700	N	N	N	N
79ER043A	CDM488	56 15 12	130 40 45	GD	10.00	3.00	3.00	.700	1,000	N	N	N	N
79ER044A	CDM470	56 15 12	130 40 45	GD	1.00	.15	.70	.150	200	<.5	N	N	N
79ER045A	CDM511	56 9 24	130 51 45	GD	15.00	3.00	5.00	1.000	1,000	N	N	N	N
79ER046A	CDM457	56 4 23	130 55 16	GM	1.50	.50	3.00	.300	300	N	N	N	N
79ER047A	CDM502	56 0 54	130 54 57	GD	3.00	1.50	2.00	.500	700	N	N	N	N
79ER048A	CDM524	56 3 11	130 50 2	GD	10.00	3.00	5.00	.700	700	N	N	N	N
79ER049A	CDM458	56 3 24	130 48 38	GD	15.00	2.00	3.00	1.000	500	<.5	N	N	<10
79ER050A	CDM431	56 5 2	130 47 5	GM	.70	.15	1.00	.070	150	N	N	N	N
79ER051A	CDM503	56 4 55	130 47 44	GD	15.00	3.00	5.00	1.000	1,000	N	N	N	<10
79ER052A	CDM525	56 7 22	130 48 52	GD	15.00	3.00	5.00	1.000	1,500	N	N	N	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-BA	S-BE	S-HT	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PB	S-SB	S-SC	S-SN
79ER002A	1,500	<1.0	N	N	10	30	10	20	N	<20	10	20	N	30	N
79ER003A	5,000	1.0	N	N	7	20	7	70	N	<20	7	15	N	15	N
79ER004A	1,500	<1.0	N	N	7	10	N	N	N	N	5	15	N	10	N
79ER005A	2,000	<1.0	N	N	10	10	<5	N	N	N	5	30	N	20	N
79ER006A	1,500	1.0	N	N	5	<10	15	N	N	N	<5	15	N	15	N
79ER007A	3,000	1.0	N	N	5	10	<5	<20	N	N	5	20	N	20	N
79ER008A	5,000	<1.0	N	N	5	10	5	70	N	N	5	20	N	N	N
79ER009A	1,500	<1.0	N	N	70	100	50	N	N	N	100	15	N	70	N
79ER010A	500	<1.0	N	N	20	30	20	20	N	N	150	10	N	30	N
79ER010A	500	<1.0	N	N	30	30	<5	N	N	N	20	10	N	30	N
79ER011A	5,000	1.5	N	N	<5	<10	N	100	N	N	5	15	N	<5	N
79ER012A	5,000	1.5	N	N	<5	<10	<5	150	N	<20	5	30	N	5	N
79ER013A	2,000	1.0	N	N	5	10	<5	50	N	N	5	20	N	15	N
79ER014A	2,000	1.0	N	N	10	15	5	N	N	N	7	15	N	20	N
79ER015A	700	<1.0	N	N	7	15	7	50	N	N	7	20	N	15	N
79ER016A	1,000	1.5	N	N	10	20	<5	100	N	N	5	20	N	70	N
79ER017A	3,000	1.0	N	N	5	10	<5	N	N	N	5	30	N	7	N
79ER018A	1,000	1.0	N	N	7	10	<5	<20	N	N	5	20	N	20	N
79ER019A	1,000	1.0	N	N	N	<10	N	150	N	<20	5	30	N	N	N
79ER020A	3,000	1.0	N	N	7	20	<5	50	N	<20	15	20	N	15	N
79ER021A	1,500	1.0	N	N	5	<10	<5	N	N	N	5	15	N	10	N
79ER022A	1,000	<1.0	N	N	10	50	<5	N	N	N	10	20	N	15	N
79ER023A	1,000	<1.0	N	N	7	20	<5	20	N	N	7	20	N	15	N
79ER024A	1,500	<1.0	N	N	10	30	<5	30	N	N	10	20	N	15	N
79ER025A	1,500	<1.0	N	N	N	<10	5	N	N	N	5	20	N	N	N
79ER026A	1,500	<1.0	N	N	7	20	<5	50	N	N	5	15	N	15	N
79ER027A	100	1.0	N	N	50	50	70	N	N	N	20	10	N	70	N
79ER027A	700	1.0	N	N	7	10	10	N	N	N	10	10	N	20	N
79ER028A	1,500	<1.0	N	N	7	20	7	150	N	N	7	20	N	15	N
79ER029A	700	1.0	N	N	5	10	5	N	N	N	7	10	N	15	N
79ER029A	1,000	<1.0	N	N	<5	10	30	N	<5	N	5	15	N	10	N
79ER030A	2,000	1.0	N	N	10	30	7	N	N	N	10	20	N	15	N
79ER030A	1,500	1.0	N	N	N	<10	N	70	N	N	5	30	N	N	N
79ER031A	1,500	1.0	N	N	<5	<10	<5	N	N	N	5	30	N	<5	N
79ER032A	1,000	<1.0	N	N	5	<10	7	N	N	N	10	30	N	N	N
79ER033A	3,000	<1.0	N	N	7	15	15	50	N	N	30	20	N	10	N
79ER034A	3,000	1.0	N	N	5	15	<5	30	N	N	5	50	N	10	N
79ER035A	5,000	<1.0	N	N	10	20	<5	20	N	N	10	50	N	10	N
79ER036A	1,000	1.0	N	N	<5	<10	5	<20	N	N	5	20	N	<5	N
79ER037A	5,000	1.0	N	N	5	<10	<5	N	N	N	5	20	N	5	N
79ER038A	1,500	<1.0	N	N	10	20	<5	30	N	N	10	20	N	15	N
79ER039A	700	1.0	N	N	10	30	<5	30	N	N	10	20	N	15	N
79ER040A	2,000	1.0	N	N	N	<10	<5	N	N	N	5	50	N	N	N
79ER041A	2,000	1.0	N	N	15	30	5	<20	N	N	15	20	N	20	N
79ER042A	700	1.0	N	N	10	20	<5	30	N	N	10	20	N	20	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-SR	S-TH	S-V	S-J	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
79ER002A	2,000	N	700	N	30	<200	100	N	10	10	80	--
79ER003A	1,000	V	200	N	30	N	150	N	10	15	75	--
79ER004A	1,000	V	300	N	15	<200	50	V	<5	10	60	--
79ER005A	1,000	V	300	N	15	<200	50	V	<5	5	60	--
79ER006A	1,000	N	150	N	20	<200	50	N	5	5	50	--
79ER007A	1,500	V	150	N	30	N	70	N	N	5	65	--
79ER008A	1,000	N	70	N	N	N	50	N	5	5	40	--
79ER009A	700	N	1,500	V	30	<200	20	N	25	10	30	--
79ER010A	500	N	1,300	N	30	N	50	N	20	10	30	--
79ER011A	1,000	V	1,500	N	20	<200	30	V	N	5	30	--
79ER011A	700	N	100	N	10	<200	150	N	N	10	85	--
79ER012A	500	N	70	N	20	N	300	N	<5	5	60	--
79ER013A	1,000	N	200	N	15	N	70	N	<5	5	30	--
79ER014A	2,000	N	300	N	20	<200	100	N	5	10	55	--
79ER015A	1,500	V	300	N	20	<200	150	V	10	5	85	--
79ER016A	2,000	N	300	N	50	<200	30	N	<5	10	85	--
79ER017A	1,500	N	200	N	10	N	100	N	<5	5	40	--
79ER018A	1,500	N	200	N	20	N	70	N	<5	10	45	--
79ER019A	200	N	20	N	10	N	70	N	<5	5	60	--
79ER020A	1,500	N	200	N	15	<200	150	V	<5	10	95	--
79ER021A	1,000	N	150	N	10	N	200	N	<5	5	35	--
79ER022A	1,500	N	300	N	10	<200	<10	N	<5	10	65	--
79ER023A	2,000	N	300	N	15	N	20	N	<5	10	45	--
79ER024A	2,000	V	300	N	15	<200	30	N	<5	10	50	--
79ER025A	500	N	50	N	N	N	N	N	<5	5	15	--
79ER026A	1,500	N	200	N	15	<200	100	N	<5	10	80	--
79ER027A	150	N	1,300	N	100	<200	150	N	45	5	15	--
79ER027B	500	N	200	N	30	<200	100	N	25	10	65	--
79ER029A	1,500	N	300	N	20	N	150	N	5	5	55	--
79ER029A	1,000	N	150	N	30	<200	100	N	10	10	35	--
79ER029B	<100	N	100	N	20	<200	50	V	45	10	25	--
79ER030A	2,000	N	500	N	20	<200	50	N	5	5	55	--
79ER030H	300	N	10	N	10	<200	70	N	<5	10	55	--
79ER031A	1,500	N	30	N	N	N	70	N	<5	<0	40	--
79ER032A	2,000	N	70	N	N	N	150	N	<5	5	25	--
79ER033A	1,000	V	150	N	30	N	50	N	35	5	10	--
79ER034A	1,500	N	150	N	20	N	70	N	<5	10	75	--
79ER035A	2,000	N	500	N	15	<200	50	N	<5	5	60	--
79ER036A	5,000	N	100	N	10	N	100	N	<5	5	10	--
79ER037A	1,000	N	150	N	15	N	20	N	<5	5	35	--
79ER038A	5,000	N	500	N	20	<200	100	N	<5	10	55	--
79ER039A	1,500	V	500	N	20	N	70	V	<5	15	65	--
79ER040A	1,500	N	20	N	N	N	30	V	5	5	25	--
79ER041A	5,300	N	500	N	20	<200	50	N	<5	10	90	--
79ER042A	1,500	N	500	V	30	<200	50	N	<5	10	85	--

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	LAR NO.	LATITUDE	LONGITUDE	RK-TYPE	S-FE%	S-M%	S-CA%	S-TIX	S-MN	S-AG	S-AS	S-AU	S-B
79ER043A	CDM459	56 8 30	130 50 40	GD	10.00	2.00	2.00	.700	700	N	N	N	N
79ER044A	CDM309	56 8 33	130 47 44	GD	10.00	2.00	3.00	1.000	1,000	N	N	N	<10
79ER045A	CDM330	56 10 8	130 45 7	GD	15.00	3.00	3.00	>1.000	1,000	N	N	N	<10
79ER046A	CDM353	56 10 25	130 40 13	QM	1.50	.20	1.50	.200	500	N	N	N	N
79ER047A	CDM287	56 12 27	130 33 32	GD	3.00	2.00	2.00	.700	1,000	N	N	N	N
79ER048A	CDM310	56 13 23	130 35 24	GD	5.00	1.00	2.00	.500	500	N	N	N	<10
79ER048R	CDM331	56 13 23	130 35 24	GD	5.00	1.50	1.50	.700	700	N	N	N	<10
79ER049A	CDM354	56 16 44	130 39 52	GD	10.00	2.00	3.00	.700	500	N	N	N	10
79ER050A	CDM288	56 17 21	130 41 57	GD	5.00	2.00	2.00	.700	500	N	N	N	N
79ER051A	CDM311	56 16 47	130 43 23	GD	7.00	2.00	2.00	.500	700	N	N	N	<10
79ER052A	CDM332	56 17 30	130 44 58	GD	7.00	2.00	2.00	.500	1,000	N	N	N	<10
79ER053A	CDM355	56 22 2	130 46 47	QM	2.00	.70	.70	.200	700	N	N	N	N
79ERJ54A	CDM289	56 21 8	130 48 10	QM	1.00	.30	1.00	.300	300	N	N	N	N
79ER055A	CDM383	56 7 29	131 18 56	GD	7.00	1.50	2.00	.700	500	N	N	N	N
79ER056A	CDM428	56 7 53	131 20 52	GDN	2.00	.70	2.00	.300	200	N	N	N	N
79ER057A	CDM384	56 7 0	131 13 36	GDN	5.00	1.00	1.50	.700	500	N	N	N	N
79ER058A	CDM341	55 2 12	131 15 33	GDN	2.00	1.00	1.50	.300	500	N	N	N	N
79ER059A	CDM407	56 3 59	131 10 11	GDF	2.00	.50	.70	.500	300	N	N	N	N
79ER060A	CDM531	56 22 14	130 51 32	QM	3.00	.50	.70	.500	500	N	N	N	N
79ER061A	CDM554	56 18 33	130 46 39	GD	3.00	1.00	2.00	.300	500	N	N	N	N
79ER062A	CDM577	56 16 34	130 46 22	GD	10.00	3.00	2.00	.500	700	N	N	N	N
79ER063A	CDM600	56 15 24	130 49 7	GD	2.00	.70	1.50	.200	150	N	N	N	N
79ER064A	CDM580	56 2 45	131 21 40	GDF	15.00	3.00	3.00	1.000	700	N	N	N	<10
79FR065A	CDM603	56 5 12	131 24 12	GD	10.00	2.00	3.00	.700	700	N	N	N	N
79ER066A	CDM535	56 6 51	131 24 3	BG	7.00	2.00	3.00	.700	700	N	N	N	<10
79ER067A	CDM558	56 5 18	131 18 48	IG	2.00	.70	1.00	.300	150	N	N	N	N
79ER068A	CDM581	56 5 27	131 11 32	GD	15.00	3.00	2.00	.700	500	N	N	N	N
79ER069A	CDM604	56 5 12	131 8 56	GD	15.00	5.00	5.00	>1.000	1,000	N	N	N	N
79FR070A	CDM667	56 22 25	131 7 40	SCH	20.00	3.00	3.00	1.000	2,000	N	N	N	<10
79ER071A	CDM690	56 21 25	131 10 38	GD	7.00	1.50	3.00	.700	500	N	N	N	N
79ER072A	CDM624	56 20 31	131 13 50	GD	5.00	2.00	3.00	.500	700	N	N	N	N
79ER073A	CDM646	56 22 45	131 12 52	QM	2.00	.30	1.50	.200	300	N	N	N	N
79ER074A	CDM668	56 23 14	131 15 17	QM	3.00	.70	2.00	.300	300	N	N	N	N
79ER075A	CDM691	56 20 43	131 19 46	AM	20.00	5.00	10.00	>1.000	1,000	N	N	N	<10
79ER076A	CDM675	56 14 35	130 51 6	GD	2.00	.70	.70	.300	300	N	N	N	N
79ER077A	CDM698	56 12 14	130 56 27	GD	5.00	2.00	2.00	.500	700	N	N	N	N
79ER078A	CDM632	56 11 12	130 52 12	GD	5.00	2.00	3.00	1.000	500	N	N	N	N
79ER079A	CDM700	56 8 34	130 53 39	GD	15.00	3.00	3.00	.500	1,000	N	N	N	N
79ER080A	CDM685	56 8 28	130 54 11	GD	7.00	2.00	2.00	.500	500	N	N	N	N
79ER081A	CDM662	56 7 53	131 0 35	GD	10.00	2.00	3.00	.500	300	N	N	N	N
79ER082A	CDM641	56 2 48	131 2 40	GD	10.00	3.00	3.00	1.000	700	N	N	N	N
79ER083A	CDM936	56 17 11	131 11 4	GD	2.00	.70	2.00	.300	300	N	N	N	N
79ER084A	CDM871	56 16 45	131 9 11	GD	2.00	.50	.70	.700	200	N	N	N	N
79ER085A	CDM894	56 15 52	130 57 50	SD	3.00	1.00	2.00	.300	500	N	N	N	N
79ER086A	CDM899	56 19 24	130 52 12	BA	15.00	5.00	3.00	>1.000	1,000	N	N	N	<10

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-3A	S-3F	S-9T	S-C0	S-C0	S-CR	S-CU	S-LA	S-M0	S-NB	S-NI	S-23	S-S3	S-SC	S-SM
79ER043A	3,000	<1.0	N	7	10	<5	N	N	N	N	5	30	N	10	N
79ER044A	1,500	1.0	N	10	20	7	50	N	N	N	5	20	N	20	N
79ER045A	1,500	<1.0	N	15	50	7	N	N	N	<20	50	20	N	20	N
79ER046A	5,000	1.0	N	N	<10	<5	30	N	N	N	5	30	N	<5	N
79ER047A	1,000	1.0	N	7	10	<5	20	N	N	N	5	30	N	10	N
79ER048A	3,000	1.0	N	7	15	5	N	N	N	N	5	30	N	10	N
79ER048B	1,500	1.0	N	5	10	30	70	N	N	<20	5	15	N	15	N
79ER049A	1,500	1.0	N	10	30	5	30	N	N	N	15	30	N	10	N
79ER050A	1,000	1.0	N	7	30	7	20	N	N	N	15	30	N	10	N
79ER051A	2,000	1.0	N	7	15	<5	<20	N	N	N	5	20	N	15	N
79ER052A	1,500	1.0	N	7	20	N	70	N	N	<20	10	20	N	15	N
79ER053A	700	1.0	N	<5	10	N	N	N	N	<20	15	30	N	<5	N
79ER054A	1,000	1.0	N	<5	<10	<5	N	N	N	N	5	50	N	N	N
79ER055A	5,000	1.0	N	7	20	10	30	N	N	N	10	30	N	10	N
79ER056A	1,000	1.0	N	<5	<10	<5	N	N	N	N	10	30	N	N	N
79ER057A	1,500	<1.0	N	7	20	<5	<20	N	N	N	15	30	N	15	N
79ER058A	3,000	1.5	N	5	10	N	<20	N	N	N	5	10	N	15	N
79ER059A	5,000	<1.0	N	5	10	<5	100	N	N	N	5	70	N	<5	N
79ER060A	1,500	1.0	N	5	10	<5	70	N	N	<20	5	30	N	5	N
79ER061A	1,500	<1.0	N	<5	<10	<5	30	N	N	N	5	30	N	5	N
79ER062A	1,000	<1.0	N	10	15	15	N	N	N	N	7	30	N	10	N
79ER063A	500	<1.0	N	5	<10	10	N	N	N	N	5	50	N	N	N
79ER064A	500	<1.0	N	15	20	7	20	N	N	<20	15	20	N	10	N
79ER065A	700	<1.0	N	7	15	<5	20	N	N	N	7	15	N	10	N
79ER066A	500	1.0	N	10	100	10	N	N	N	<20	70	20	N	15	N
79ER067A	3,000	N	N	5	<10	<5	150	N	N	N	5	30	N	N	N
79ER068A	1,000	<1.0	N	10	20	5	N	N	N	N	10	20	N	15	N
79ER069A	700	<1.0	N	20	70	15	<20	N	N	N	20	30	N	20	N
79ER070A	200	<1.0	N	20	20	200	N	N	N	N	10	<10	N	30	N
79ER071A	1,500	<1.0	N	7	<10	5	70	N	N	N	7	20	N	10	N
79ER072A	1,000	1.0	N	7	10	5	30	N	N	N	5	20	N	10	N
79ER073A	1,500	<1.0	N	<5	<10	N	N	N	N	N	5	30	N	N	N
79ER074A	1,000	<1.0	N	<5	<10	<5	20	N	N	N	<5	20	N	N	N
79ER075A	300	<1.0	N	50	150	300	N	N	N	N	100	10	N	30	N
79ER076A	3,000	<1.0	N	5	<10	5	N	N	N	N	5	30	N	5	N
79ER077A	500	<1.0	N	7	10	5	<20	N	N	N	5	30	N	7	N
79ER078A	700	1.0	N	7	10	<5	30	N	N	N	5	20	N	15	N
79ER079A	1,000	<1.0	N	10	20	<5	50	N	N	N	5	20	N	15	N
79ER080A	1,000	<1.0	N	7	15	<5	<20	N	N	N	5	30	N	10	N
79ER081A	1,000	<1.0	N	7	10	<5	20	N	N	N	<5	30	N	10	N
79ER082A	300	1.0	N	10	30	<5	20	N	N	N	20	10	N	10	N
79ER083A	1,000	1.0	N	5	<10	N	<20	N	N	N	5	15	N	5	N
79ER084A	2,000	1.0	N	5	<10	<5	50	N	N	N	5	30	N	<5	N
79ER085A	1,000	<1.0	N	5	<10	<5	20	N	N	N	<5	20	N	5	N
79ER086A	150	<1.0	N	70	20	20	N	N	N	N	50	<10	N	15	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-SR	S-IH	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
79ER043A	1,500	N	200	N	10	N	70	N	<5	10	80	--
79ER044A	2,000	N	300	N	20	<200	70	N	10	10	80	--
79ER045A	1,500	N	700	N	20	N	50	N	10	10	70	--
79ER046A	3,000	N	50	N	<10	N	50	N	<5	5	15	--
79ER047A	1,500	N	150	N	20	<200	70	V	<5	5	50	--
79ER048A	1,000	N	150	N	30	N	100	V	5	10	55	--
79ER049H	1,000	N	150	N	30	<200	50	N	25	10	90	--
79ER049A	1,000	N	200	N	20	<200	70	N	10	5	55	--
79ER050A	1,000	N	200	N	<10	<200	50	V	10	10	55	--
79ER051A	1,000	N	200	N	20	<200	70	N	<5	10	45	--
79ER052A	1,500	V	200	N	30	<200	70	N	<5	10	70	--
79ER053A	300	N	50	N	N	N	30	N	<5	5	45	--
79ER054A	700	N	50	N	N	N	50	N	<5	5	45	--
79ER055A	1,000	V	200	N	30	<200	100	N	10	5	35	--
79ER056A	1,000	V	70	N	N	N	100	V	<5	5	30	--
79ER057A	700	N	200	N	30	N	30	N	5	5	40	--
79ER058A	1,000	N	100	N	15	N	200	N	N	10	20	--
79ER059A	700	N	30	N	<10	N	100	N	5	10	30	--
79ER059A	700	N	100	V	15	<200	100	<.05	<5	5	80	--
79ER061A	1,000	N	150	N	15	N	70	N	<5	5	35	--
79ER062A	1,000	N	300	N	10	N	50	V	15	10	45	--
79ER063A	3,000	N	70	N	N	N	50	V	15	5	35	--
79ER064A	1,000	N	300	N	20	<200	200	N	10	20	80	--
79ER065A	1,000	N	300	N	20	N	70	N	5	15	55	--
79ER066A	1,500	N	150	N	30	<200	100	<.05	5	15	65	--
79ER067A	1,000	V	70	N	10	N	200	V	<5	10	25	--
79ER068A	1,000	N	500	N	<10	<200	<10	V	5	15	45	--
79ER069A	1,500	N	500	N	30	<200	20	N	15	15	60	--
79ER070A	300	N	500	V	30	<200	50	N	120	5	35	--
79ER071A	2,000	N	200	N	20	N	100	N	5	5	60	--
79ER072A	1,000	N	200	N	20	N	70	V	5	5	15	--
79ER073A	2,000	N	70	N	<10	N	70	N	<5	<5	40	--
79ER074A	2,000	N	100	N	<10	N	100	V	<5	5	35	--
79ER075A	500	N	2,000	V	30	<200	70	N	120	-	10	--
79ER076A	1,000	N	100	V	<10	N	30	N	10	10	55	--
79ER077A	1,500	N	200	N	<10	N	70	N	10	5	65	--
79ER078A	1,500	V	200	N	20	N	150	V	5	5	35	--
79ER079A	2,000	V	300	N	15	<200	70	V	<5	10	75	--
79ER080A	1,500	N	200	N	15	<200	30	N	<5	10	60	--
79ER081A	2,000	N	200	V	<10	N	30	N	<5	10	65	--
79ER082A	1,500	N	300	V	20	<200	50	N	<5	5	60	--
79ER083A	1,000	V	70	N	10	N	50	N	<5	5	35	--
79ER084A	700	V	70	N	10	N	150	V	<5	5	65	--
79ER085A	1,000	N	150	N	10	N	70	N	<5	5	30	--
79ER086A	700	V	700	N	20	<200	70	N	10	10	55	--

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	RK-TYPE	S-FE%	S-MGX	S-CAZ	S-TIX	S-MN	S-AG	S-AS	S-AU	S-B
79ER107A	CDN01P	56 12 1	131 54 12	GDC	5.00	3.00	2.00	.500	700	N	N	N	N
79ER103A	CDM989	56 24 11	131 9 28	QM	1.50	.20	.70	.700	300	N	N	N	N
79ER104A	CDM990	56 25 25	131 8 33	QM	5.00	.50	1.50	.200	700	N	N	N	N
79ER105A	CDM991	56 26 45	131 9 58	QM	2.00	.20	1.50	.150	500	N	N	N	<10
79ER106A	CDN014	56 24 21	131 12 4	QM	3.00	.70	1.50	.300	700	N	N	N	N
79ER107A	CDN015	56 23 28	131 13 38	QM	2.00	.50	1.50	.200	500	N	N	N	N
79ER108A	CDN037	56 23 50	131 16 10	QM	3.00	.50	1.50	.300	500	N	N	N	N
79ER109A	CDN038	56 27 9	131 13 33	QM	2.00	.30	1.00	.200	300	N	N	N	N
79ER110A	CDM968	56 27 59	131 13 7	SCB	15.00	5.00	1.00	>1.000	1,500	N	N	N	N
79ER111A	CDN372	56 13 35	131 36 53	QDN	10.00	2.00	3.00	.500	2,000	N	N	N	<10
79ER112A	CDN373	56 15 25	131 35 7	GDN	7.00	1.50	1.50	.500	500	<.5	N	N	<10
79ER113A	CDN374	56 15 9	131 36 59	GDN	5.00	1.50	1.50	.300	500	<.5	N	N	<10
79ER114A	CDN400	56 15 55	131 37 5	GM	5.00	1.50	1.50	.500	500	1.0	N	N	<10
79ER115A	CDN350	56 19 2	131 39 57	GQ	3.00	.70	1.00	.200	500	N	N	N	N
79ER116A	CDN351	56 20 15	131 41 21	GDF	3.00	1.00	1.50	.200	700	.5	N	N	N
79ER117A	CDN393	56 27 45	131 40 39	GDF	15.00	7.00	5.00	.700	1,500	N	N	N	<10
79ER118A	CDN394	56 21 17	131 43 44	GQ	5.00	.70	.20	.200	500	N	N	N	<10
79ER119A	CDN415	56 19 58	131 43 44	GQ	3.00	2.00	1.50	.200	700	<.5	N	N	N
79ER120A	CDN416	56 16 50	131 41 35	GDF	5.00	1.50	1.50	.500	700	<.5	N	N	N
79ER121A	CDN254	56 31 31	131 39 37	GR	.50	.10	.15	.030	70	<.5	N	N	N
79ER122A	CDN277	56 31 28	131 40 51	GD	5.00	1.50	2.00	.300	1,000	.5	N	N	N
79ER122B	CDN278	56 31 28	131 40 51	RHD	2.00	.05	.05	.070	70	<.5	N	N	N
79ER123A	CDN299	56 31 37	131 42 56	AF	5.00	.10	.20	.200	700	N	N	N	<10
79ER124A	CDN321	56 31 5	131 41 30	GD	5.00	1.50	1.50	.300	1,000	<.5	N	N	N
79ER124B	CDN322	56 31 5	131 41 30	RHD	5.00	.03	.10	.100	100	.5	N	N	30
79ER135A	CDN598	56 11 21	131 41 50	SCB	5.00	2.00	.70	.300	700	N	N	N	<10
79ER136A	CDN530	56 11 30	131 47 45	SCB	5.00	2.00	1.50	.500	500	N	N	N	<10
79ER137A	CDN552	56 11 27	131 40 5	SCB	5.00	2.00	.70	.700	1,000	N	N	N	<10
79ER138A	CDN576	56 11 12	131 38 43	AMF	7.00	3.00	2.00	.500	1,000	N	N	N	<10
79ER140A	CDN691	56 30 11	131 39 20	GD	3.00	1.50	1.50	.300	1,000	N	N	N	<10
79ER141A	CDN692	56 30 5	131 40 42	GD	3.00	1.00	2.00	.700	700	N	N	N	<10
79ER142A	CDN693	56 29 59	131 42 54	GD	5.00	2.00	3.00	.500	1,000	N	N	N	<10
79ER143A	CDN694	56 30 23	131 42 25	AF	1.50	.05	.15	.100	500	.5	N	N	N
79ER144A	CDN695	56 32 15	131 44 55	AF	1.00	<.02	<.05	.050	150	<.5	N	N	N
79ER145A	CDN696	56 35 12	131 40 28	SCB	5.00	2.00	1.50	.500	1,000	.5	N	N	10
79ER146A	CDN670	56 36 31	131 39 43	SCB	5.00	5.00	1.50	.700	1,000	N	N	N	<10
79ER147A	CDN671	56 35 15	131 36 44	SCB	5.00	3.00	.70	.500	1,000	N	N	N	10
79ER148A	CDN672	56 35 4	131 34 55	SCB	7.00	3.00	1.00	.500	1,000	<.5	N	N	10
79ER149A	CDN673	56 24 43	131 45 2	QDF	7.00	3.00	2.00	.500	1,000	N	N	N	<10
79ER150A	CDN648	56 25 5	131 43 14	QDF	3.00	3.00	2.00	.500	700	N	N	N	10
79ER151A	CDN649	56 29 2	131 40 10	GD	5.00	2.00	2.00	.500	1,000	.5	N	N	10
79ER152A	CDN650	56 29 17	131 44 36	QM	1.00	2.00	1.50	.100	300	N	N	N	10
79ER153A	CDN651	56 31 10	131 43 7	GD	3.00	2.00	2.00	.300	1,000	<.5	N	N	10
79ER154C	CDN624	56 32 50	131 39 16	AFD	1.50	.10	.15	.100	500	<.5	N	N	15
79ER154D	CDN625	56 32 50	131 39 16	AF	5.00	.15	1.00	.500	1,000	.5	N	N	<10

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-NA	S-NE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-VB	S-NI	S-PB	S-S3	S-SC	S-SN
79ER101A	500	1.0	N	N	10	150	<5	30	N	N	100	20	N	15	N
79ER103A	1,000	<1.0	N	N	N	<10	<5	N	N	N	5	30	N	N	N
79ER104A	1,000	1.0	N	N	<5	10	<5	20	N	N	5	20	N	<5	N
79ER105A	700	1.0	N	N	<5	<10	<5	20	N	N	5	30	N	<5	N
79ER106A	2,000	1.0	N	N	5	<10	<5	N	N	N	5	30	N	<5	N
79ER107A	1,000	1.0	N	N	<5	<10	<5	N	N	N	5	30	N	<5	N
79ER108A	2,000	1.0	N	N	5	<10	<5	N	N	N	<5	30	N	N	N
79ER109A	1,500	1.0	N	N	N	<10	<5	20	N	N	<5	20	N	<5	N
79ER110A	300	<1.0	N	N	30	30	150	N	N	N	30	10	N	30	N
79ER111A	500	1.0	N	N	50	20	7	30	N	N	15	15	N	50	N
79CR112A	700	1.0	N	N	30	20	10	100	N	<20	15	15	N	20	N
79ER113A	700	1.5	N	N	15	15	15	N	N	N	10	15	N	20	N
79ER114A	3,000	2.0	N	N	20	20	30	100	N	<20	50	15	N	15	N
79ER115A	500	2.0	N	N	10	10	<5	30	N	<20	5	10	N	20	N
79ER116A	700	3.0	N	N	10	10	5	70	N	<20	5	10	N	20	N
79ER117A	700	<1.0	N	N	70	300	15	<20	N	N	70	10	N	150	N
79ER118A	700	<1.0	N	N	5	10	5	70	N	<20	5	10	N	20	N
79ER119A	1,000	1.5	N	N	15	20	5	<20	N	N	15	15	N	15	N
79ER120A	3,000	2.0	N	N	15	10	5	100	N	<20	5	15	N	15	N
79ER121B	300	1.0	N	N	N	<10	<5	N	N	N	5	20	N	N	N
79ER122A	2,000	1.0	N	N	15	10	<5	70	N	N	10	70	N	20	N
79ER122D	150	5.0	N	N	N	<10	<5	N	7	70	5	15	N	<5	15
79ER123A	1,000	3.0	N	N	5	10	<5	70	N	50	5	20	N	5	<10
79ER124A	2,000	2.0	N	N	15	10	<5	N	N	N	5	70	N	20	N
79ER1243	150	15.0	N	N	5	10	<5	150	N	70	5	70	N	N	30
79ER135A	3,000	1.0	N	N	20	10	70	70	N	<20	7	20	N	20	N
79ER136A	1,500	1.0	N	N	30	20	<5	50	N	N	20	.15	N	20	N
79ER137A	1,500	1.0	N	N	20	10	<5	N	N	N	5	10	N	30	N
79ER138A	2,000	1.0	N	N	50	70	100	30	N	N	30	15	N	50	N
79ER140A	2,000	1.5	N	N	10	<10	<5	30	15	N	5	30	N	15	N
79ER141A	5,000	1.0	N	N	15	<10	5	50	N	<20	<5	30	N	10	N
79ER142A	1,500	1.0	N	N	15	10	N	100	N	<20	<5	20	N	15	N
79ER143A	150	15.0	N	N	N	<10	5	100	15	30	<5	70	N	<5	10
79ER144A	30	7.0	N	N	<5	<10	<5	70	10	30	<5	30	N	<5	10
79ER145A	1,500	1.0	N	N	10	30	70	20	5	N	10	15	N	20	N
79ER146A	1,500	<1.0	N	N	30	50	50	30	N	N	20	10	N	30	N
79FR147A	2,000	<1.0	N	N	20	20	30	20	N	N	15	10	N	20	N
79ER148A	1,500	2.0	N	N	15	70	100	50	N	20	20	15	N	20	N
79ER149A	1,500	1.0	N	N	20	15	20	30	N	N	5	20	N	20	N
79ER150A	2,000	1.0	N	N	15	20	5	30	N	N	5	30	N	15	N
79ER151A	1,500	1.5	N	N	20	<10	30	30	N	N	5	50	N	15	N
79ER152A	5,000	1.5	N	N	<5	<10	7	30	N	N	<5	30	N	<5	N
79ER153A	3,000	1.0	N	N	10	10	30	30	15	N	5	50	N	10	N
79ER154C	50	7.0	N	N	N	<10	10	70	N	50	<5	50	N	<5	N
79ER154D	700	3.0	N	N	<5	<10	<5	150	N	30	<5	30	N	5	10

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-SR	S-T4	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
79ER111A	1,000	N	150	N	15	N	100	N	<5	5	33	--
79ER103A	1,500	N	50	N	<10	N	150	V	N	5	30	--
79ER104A	2,000	N	100	N	10	N	100	N	N	5	30	--
79ER105A	1,500	N	70	N	<10	N	100	N	<5	5	35	--
79ER105A	2,000	N	100	N	10	N	100	N	<5	5	35	--
79ER107A	2,000	N	70	N	<10	N	150	N	<5	5	40	--
79ER108A	2,000	N	70	N	10	N	100	N	<5	5	30	--
79ER109A	1,500	N	50	N	<10	N	100	N	<5	10	40	--
79ER110A	200	V	700	N	20	<200	50	N	95	15	80	--
79ER111A	700	N	500	N	30	<200	50	N	50	5	35	--
79ER112A	200	N	150	N	20	<200	200	N	10	10	60	--
79ER113A	500	N	150	N	10	<200	100	N	10	10	60	--
79ER114A	700	V	200	N	30	N	500	V	30	40	70	--
79ER115A	200	N	100	N	20	<200	200	N	<5	10	65	--
79ER116A	700	N	150	N	20	<200	50	V	5	10	45	--
79ER117A	700	N	1,000	N	30	<200	70	N	10	10	40	--
79ER118A	100	N	50	N	15	<200	500	N	5	10	75	--
79ER119A	1,500	N	200	N	10	N	70	N	<5	5	30	--
79ER120A	1,000	N	150	N	20	<200	200	N	5	10	50	--
79ER121B	300	N	N	N	N	N	10	N	<5	10	5	--
79ER122A	1,000	N	200	N	15	<200	100	N	<5	15	60	--
79ER122D	<100	N	10	N	50	N	200	N	<5	10	45	--
79ER123A	100	N	10	V	70	<200	700	N	<5	20	60	--
79ER124A	1,000	N	150	N	10	200	70	N	<5	20	60	--
79ER124B	100	V	20	N	200	N	>1,000	V	N	45	10	--
79ER135A	700	N	300	N	30	<200	100	N	110	20	90	--
79ER136A	300	N	200	N	30	<200	100	N	N	15	55	--
79ER137A	300	N	500	N	30	<200	100	N	N	20	110	--
79ER138A	300	V	500	N	30	<200	150	N	240	15	45	--
79ER140A	1,500	N	150	N	10	N	100	N	<5	15	55	--
79ER141A	1,000	N	150	N	50	N	150	N	5	10	65	--
79ER142A	1,000	N	200	N	20	N	100	N	<5	10	45	--
79ER143A	N	N	N	V	100	N	200	N	5	30	80	--
79ER144A	N	N	N	N	50	N	50	N	<5	20	50	--
79ER145A	500	N	200	N	30	<200	100	N	75	15	80	--
79ER146A	700	V	200	N	30	N	150	V	65	15	65	--
79ER147A	200	N	200	N	20	N	100	V	35	15	70	--
79ER148A	300	N	200	N	50	N	500	N	110	20	110	--
79ER149A	1,000	N	200	N	20	N	70	N	20	15	60	--
79ER150A	700	V	200	N	20	N	70	N	5	15	50	--
79ER151A	1,000	V	150	N	15	N	100	V	10	10	65	--
79ER152A	1,000	N	40	N	10	N	100	N	30	10	40	--
79ER153A	1,000	V	100	N	20	N	100	N	<5	10	55	--
79ER154C	<100	N	<10	N	200	500	>1,000	<.05	10	10	300	--
79ER154D	<100	V	10	V	100	<100	1,000	<.05	<5	20	45	--

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	L.A.H. NO.	LATITUDE	LONGITUDE	RK-TYPE	S-FE%	S-MGX	S-CAX	S-TIX	S-MN	S-AG	S-AS	S-AU	S-B
79ER155A	CDN626	56 32 35	131 39 22	AF	5.00	.03	.10	.100	500	.5	N	N	30
79ER156A	CDN627	56 36 28	131 35 28	ANM	15.00	5.00	.30	1.000	3,000	N	N	N	70
79ER157A	CDN628	56 33 58	131 36 47	DIM	10.00	5.00	3.00	1.000	1,000	N	N	N	<10
79ER158A	CDN629	56 32 38	131 36 55	AF	1.50	.10	.30	.100	300	<.5	N	N	30
79ER159A	CDN630	56 32 49	131 37 21	MS	5.00	1.50	2.00	.500	1,000	N	N	N	<10
79ER160A	CDN631	56 32 55	131 31 55	GD	2.00	1.50	2.00	.500	700	N	N	N	20
79ER161A	CDN632	56 30 12	131 23 29	GD	3.00	3.00	5.00	.500	700	<.5	N	N	30
79ER162A	CDN652	56 46 19	131 53 58	SCB	3.00	.50	1.00	.300	500	N	N	N	<10
79ER163A	CDN653	56 46 15	131 58 50	QM	1.50	.70	1.50	.100	500	N	N	N	N
79ER164A	CDN654	56 42 5	131 52 50	GDF	5.00	1.00	2.00	.300	1,000	N	N	N	10
79ER165A	CDN655	56 41 14	131 51 25	GDF	3.00	.70	2.00	.500	700	N	N	N	<10
79ER166A	CDN674	56 40 29	131 51 9	GDF	2.00	.70	2.00	.300	700	N	N	N	N
79ER167A	CDN675	56 41 42	131 56 2	IG	5.00	2.00	1.50	1.000	700	N	N	N	<10
79ER168A	CDN676	56 39 4	131 54 45	QDF	5.00	3.00	2.00	.500	1,000	N	N	N	<10
79ER169A	CDN697	56 37 8	131 58 53	QD	5.00	2.00	2.00	.300	1,000	N	N	N	10
79ER170A	CDN698	56 37 10	131 53 36	QD	5.00	2.00	2.00	.700	1,000	<.5	N	N	<10
79ER171A	CDN699	56 35 53	131 49 59	QM	.70	.20	1.50	.150	500	N	N	N	N
79ER172A	CEAD49	56 26 16	131 31 28	QM	.70	.30	1.50	.100	700	N	N	N	<10
79ER173A	CEAD50	56 24 14	131 27 45	SCB	7.00	5.00	5.00	.700	1,500	N	N	N	10
79ER174A	CEAD51	56 21 25	131 31 17	QMF	1.50	.50	1.50	.200	700	N	N	N	10
79ER175A	CDY979	56 21 15	131 24 35	3G	1.50	.70	1.50	.500	300	N	N	N	<10
79ER176A	CDY930	56 23 20	131 18 4	QM	1.00	.20	1.00	.070	300	N	N	N	<10
79ER177A	CDY981	56 21 7	131 18 15	SCB	5.00	2.00	1.50	.500	1,500	<.5	N	N	20
79ER178A	CEAD27	56 20 59	131 14 55	SCB	1.50	1.00	.20	.200	300	N	N	N	50
79ER179A	CEAD28	56 17 55	131 18 45	GDF	.50	.20	1.50	.100	150	N	N	N	N
79ER180A	CEAD34	56 17 21	131 23 20	AA	1.50	7.00	10.00	.030	2,000	N	N	N	<10
79ER181A	CEAD05	56 15 12	131 27 4	QDF	2.00	1.00	2.00	.300	1,000	N	N	N	<10
79ER182A	CEAD64	56 0 55	131 35 57	QD	5.00	2.00	3.00	.300	1,000	N	N	N	<10
79ER183A	CEAD65	56 2 27	131 37 45	QD	3.00	2.00	2.00	.200	1,000	N	N	N	<10
79ER184A	CEAD66	56 2 14	131 39 51	QD	3.00	1.50	2.00	.150	700	N	N	N	<10
79ER185A	CEAD87	56 1 5	131 40 40	QD	3.00	1.50	2.00	.300	700	N	N	N	15
79ER186A	CEAD88	56 0 15	131 43 12	QD	5.00	1.50	2.00	.500	700	N	N	N	20
79ER187A	CEAD89	56 5 52	131 46 47	QD	3.00	1.00	3.00	.300	500	N	N	N	<10
79ER188A	CEAD10	56 7 52	131 41 53	QDF	5.00	2.00	3.00	.500	1,000	N	N	N	10
79ER189A	CEAD11	56 11 20	131 46 58	GD	1.50	1.00	1.00	.300	700	<.5	N	N	<10
79ER190A	CEAD12	56 10 44	131 39 50	AM	5.00	5.00	5.00	.500	1,500	N	N	N	<10
79ER191A	CEAD13	56 8 37	131 35 35	GDF	3.00	1.50	3.00	.300	200	.5	N	N	<10
79ER192A	CEAD13	56 7 24	131 33 52	SCB	5.00	2.00	1.50	.500	1,000	N	N	N	10
79ER193A	CEAD14	56 4 32	131 27 54	GP	3.00	3.00	1.00	.300	700	<.5	N	N	<10
79ER194A	CEAD50	56 16 23	131 15 3	GD	.70	.10	.70	.100	150	N	N	N	10
79ER195A	CEAD51	56 12 45	131 16 32	GD	5.00	1.50	2.00	.300	500	N	N	N	<10
79ER196A	CEAD17	56 12 11	131 19 40	QM	.20	.07	.20	.070	150	N	N	N	N
79ER197A	CEAD18	56 13 21	131 25 14	QMF	.70	.30	1.50	.150	200	N	N	N	10
79ER198A	CEAD15	56 13 21	131 25 2	QMF	.50	.05	.50	.100	200	N	N	N	10
79ER199A	CEAD16	56 13 25	131 27 5	QMF	.50	.15	1.00	.100	150	N	N	N	10

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-BA	S-RE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-P3	S-S3	S-SC	S-SM
79ER155A	20	15.0	N	<20	N	<10	10	200	7	100	<5	150	N	M	50
79ER156A	5,000	<1.0	N	N	70	1,000	300	20	N	N	150	<10	N	50	N
79ER157A	300	1.5	N	N	30	50	20	70	N	<20	20	30	M	20	15
79ER158A	150	10.0	N	N	<5	<10	<5	300	7	30	<5	70	M	<5	20
79ER159A	700	1.0	N	N	20	30	20	20	N	N	30	20	N	15	N
79ER160A	2,000	1.0	N	N	10	<10	<5	70	N	N	<5	30	N	N	N
79ER161A	2,000	1.0	N	N	15	15	<5	30	N	N	5	30	N	15	M
79ER162A	200	<1.0	N	N	7	10	20	20	N	N	5	N	N	15	M
79ER163A	2,000	2.0	N	N	7	<10	<5	200	N	N	<5	70	M	10	M
79ER164A	1,500	2.0	N	N	10	10	15	30	N	N	<5	15	M	15	M
79ER165A	2,000	2.0	N	N	10	<10	7	50	N	<20	<5	30	M	10	M
79ER166A	5,000	1.5	N	N	7	<10	<5	50	N	<20	<5	30	N	7	N
79ER167A	1,500	2.0	N	N	30	100	<5	20	N	<20	70	20	N	7	N
79ER168A	1,500	1.0	N	N	20	10	<5	20	N	N	5	15	N	15	M
79ER169A	1,500	1.0	N	N	15	20	<5	30	5	N	5	20	M	20	M
79ER170A	1,500	<1.0	N	N	20	10	20	20	N	N	5	20	M	15	M
79ER171A	>5,000	1.0	N	N	<5	<10	N	N	N	N	<5	50	N	<5	N
79ER172A	5,000	1.5	N	N	5	<10	5	N	N	N	<5	50	N	5	M
79ER173A	700	<1.0	N	N	20	20	70	20	N	N	5	20	N	20	M
79ER174A	3,000	2.0	N	N	5	<10	<5	30	N	N	<5	50	N	5	M
79ER175A	3,000	1.0	N	N	10	<10	7	50	N	N	<5	30	M	<5	M
79ER176A	2,000	N	N	N	N	<10	<5	20	M	N	<5	70	N	<5	M
79ER177A	1,500	<1.0	N	N	20	30	100	20	N	N	15	10	N	20	M
79ER178A	5,000	1.5	N	N	7	20	10	20	N	N	15	10	N	7	M
79ER179A	5,000	1.0	N	N	<5	<10	<5	N	N	N	<5	50	N	<5	N
79ER180A	500	1.5	N	N	5	<10	N	20	N	N	5	10	M	<5	N
79ER181A	2,000	1.5	N	N	10	<10	N	50	N	<20	<5	20	M	7	M
79ER182A	700	1.5	N	N	10	20	5	30	N	N	<5	15	M	15	M
79ER183A	1,500	1.5	N	N	10	30	<5	30	N	N	5	15	M	15	M
79ER184A	1,000	2.0	N	N	10	15	<5	200	N	N	5	15	N	10	N
79ER185A	1,500	1.0	N	N	10	20	<5	50	N	N	5	20	M	10	N
79ER186A	1,500	1.5	N	N	10	20	5	30	N	N	5	20	N	10	M
79ER187A	1,500	1.5	N	N	7	<10	<5	30	N	N	<5	15	M	7	M
79ER188A	1,500	1.5	N	N	10	50	5	20	N	N	5	20	M	20	M
79ER189A	1,000	1.0	N	N	5	20	15	N	N	N	5	15	M	15	M
79ER190A	500	1.0	N	N	30	100	300	50	N	N	50	30	M	30	M
79ER191A	1,000	1.0	N	N	20	70	70	<20	N	N	70	10	M	5	M
79ER192A	700	1.0	N	N	15	200	7	<20	N	N	50	10	M	20	M
79ER193A	1,000	2.0	N	N	15	300	50	20	N	N	100	20	N	10	N
79ER194A	>5,000	1.0	N	N	<5	<10	<5	70	N	N	<5	70	M	<5	M
79ER195B	2,000	1.0	N	N	10	<10	7	100	N	N	<5	20	M	<5	N
79ER196A	1,000	1.0	N	N	N	<10	<5	30	N	N	<5	20	M	N	N
79ER197A	5,000	<1.0	N	N	5	<10	N	30	N	N	<5	30	M	<5	N
79ER198A	1,500	2.0	N	N	<5	<10	<5	70	N	N	<5	30	M	<5	N
79ER199A	5,000	1.0	N	N	<5	<10	N	N	N	N	<5	30	M	<5	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-CR	S-TH	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
79ER155A	N	N	N	N	300	700	>1,000	<.05	10	110	440	--
79ER156A	150	N	1,000	N	30	200	30	N	180	15	110	--
79ER157A	500	N	500	N	50	<200	70	N	10	20	60	--
79ER158A	N	N	<10	N	100	N	200	N	5	20	65	--
79ER159A	300	N	150	N	20	N	100	N	20	15	60	--
79ER160A	1,000	V	100	N	15	N	100	N	5	10	55	--
79ER161A	1,500	N	200	N	10	N	30	N	<5	10	55	--
79ER162A	200	N	150	N	30	N	100	N	35	5	30	--
79ER163A	1,000	N	70	N	10	N	70	N	<5	5	30	--
79ER164A	1,000	V	100	V	30	N	100	N	10	10	50	--
79ER165A	700	N	100	N	50	N	100	N	10	5	40	--
79ER166A	2,000	V	70	N	30	N	100	N	5	5	30	--
79ER167A	1,000	N	150	N	15	N	200	N	<5	15	65	--
79ER168A	1,000	N	150	V	20	N	50	N	5	10	45	--
79ER169A	700	N	150	N	20	N	50	N	5	10	45	--
79ER170A	1,000	V	200	N	20	<200	30	N	20	15	55	--
79ER171A	2,000	N	30	N	10	N	150	N	<5	5	15	--
79ER172A	1,500	N	30	N	<10	N	100	N	5	<5	30	--
79ER173A	500	N	200	N	30	<200	50	N	90	5	20	--
79ER174A	1,000	N	50	N	10	N	100	N	5	5	40	--
79ER175A	1,500	N	70	N	<10	N	150	N	10	5	45	--
79ER176A	1,500	V	30	N	<10	N	20	V	5	5	20	--
79ER177A	200	N	300	N	30	N	50	N	140	5	50	--
79ER178A	150	N	70	N	15	N	70	N	15	10	50	--
79ER179A	1,000	N	30	N	N	N	150	N	<5	<5	15	--
79ER180A	500	N	30	N	10	N	30	N	<5	10	10	--
79ER181A	1,000	N	70	N	30	N	50	N	<5	<5	20	--
79ER182A	700	N	150	N	20	N	150	V	5	5	75	--
79ER183A	700	N	150	N	20	N	70	N	<5	5	60	--
79ER184A	700	N	100	N	15	N	50	N	5	5	65	--
79ER185A	1,000	N	150	V	15	N	50	N	5	5	70	--
79ER186A	1,000	N	150	N	15	<200	70	N	10	5	65	--
79ER187A	1,000	V	100	N	10	N	70	V	<5	<5	55	--
79ER188A	700	N	200	N	20	<200	100	N	5	<5	75	--
79ER189A	700	N	100	N	<10	<200	100	N	10	5	150	--
79ER190A	1,000	N	300	N	30	N	50	N	250	25	25	--
79ER191A	1,500	V	200	N	10	N	100	N	90	5	80	--
79ER192A	300	V	200	N	30	N	50	N	10	5	100	--
79ER193A	300	N	150	N	20	N	100	N	30	10	70	--
79ER194A	1,000	N	20	N	10	N	50	N	5	<5	15	--
79ER195B	1,500	N	100	N	<10	N	200	N	5	5	50	--
79ER196A	200	V	<10	N	N	N	10	N	<5	<5	10	--
79ER197A	700	N	30	N	N	N	200	N	<5	<5	20	--
79ER198A	500	N	N	N	30	N	50	N	<5	N	15	--
79ER199A	2,000	N	20	N	N	N	70	V	<5	<5	25	--

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	RK-TYPE	S-FE%	S-MG%	S-CAX	S-TIX	S-MN	S-AG	S-AS	S-AU	S-B
79FR203A	CDY951	56 17 13	131 32 56	30	5.00	2.00	3.00	.500	1,000	N	N	N	10
79FR207A	CDY952	56 15 35	131 30 2	GMF	1.50	.50	1.50	.200	300	N	N	N	<10
79FR202A	CDY953	56 15 42	131 29 20	GM	.50	.15	.50	.100	150	N	N	N	15
79FR208A	CDY955	56 15 20	131 31 28	GMF	.70	.20	1.50	.100	150	N	N	N	N
79FR204A	CDY886	56 14 55	131 32 12	QDF	3.00	3.00	5.00	.500	1,000	N	N	N	<10
79FR205A	CDY887	56 12 32	131 30 10	IG	5.00	3.00	2.00	1.000	700	N	N	N	<10
79FR206A	CDY906	56 15 5	131 39 8	QDF	3.00	1.50	3.00	.200	500	N	N	N	<10
79FR207A	CDY907	56 15 12	131 41 32	QDN	5.00	3.00	5.00	.700	700	1.0	N	N	10
79FR208A	CDY908	56 16 5	131 42 55	AM	5.00	5.00	5.00	.150	1,000	N	N	N	<10
79FR209A	CDY929	56 17 12	131 43 54	SCB	2.00	.50	2.00	.200	700	N	N	N	<10
79FR210A	CDY930	56 16 44	131 46 34	SCB	5.00	1.00	2.00	.500	1,000	<.5	N	N	15
79FR210B	CDY931	56 16 44	131 46 34	SCB	3.00	1.00	.50	.200	300	.5	N	N	200
79FR211A	CDY954	56 15 54	131 45 20	SC9	5.00	3.00	1.50	.500	700	N	N	N	10
79FR212A	CDY915	56 35 50	131 49 59	GM	1.00	.50	1.00	.150	300	N	N	N	N
79FR213A	CDY916	56 32 57	131 50 44	QDF	5.00	3.00	3.00	.500	1,000	<.5	N	N	<10
79FR214A	CDY917	56 34 0	131 54 49	SCB	1.50	.30	1.00	.100	500	<.5	N	N	N
79FR217A	CDY938	56 29 25	131 57 33	QD	3.00	1.50	2.00	.500	500	N	N	N	<10
79FR218A	CDY939	56 28 51	131 59 52	SCB	10.00	5.00	3.00	.700	1,500	<.5	N	N	<10
79FR219A	CDY940	56 27 51	131 56 17	QD	5.00	5.00	2.00	.500	1,000	N	N	N	<10
79FR220A	CDY963	56 25 27	131 50 8	QDF	5.00	3.00	2.00	.700	700	N	N	N	<10
79FR221A	CDY964	56 25 3	131 54 42	SCB	7.00	7.00	3.00	.300	1,500	N	N	N	10
79FR222A	CEC448	56 25 12	131 59 29	QDN	2.00	.70	1.50	.200	1,000	N	N	N	10
79FR223A	CEC449	56 23 55	131 59 48	SCB	5.00	3.00	1.00	.700	500	<.5	N	N	<10
79FR224A	CEC450	56 22 45	131 59 19	SCB	7.00	5.00	1.00	.700	1,500	N	N	N	200
79FR225A	CEC380	56 21 32	131 57 35	GDF	3.00	1.00	2.00	.200	700	N	N	N	10
79FR226A	CEC381	56 21 22	131 51 20	SCW	3.00	3.00	1.00	.500	500	.7	N	N	50
79FR227A	CEC382	56 21 32	131 48 37	SCB	3.00	1.00	1.50	.300	700	N	N	N	<10
79FR228A	CEC403	56 18 12	131 55 4	GD	3.00	1.50	3.00	.500	700	N	N	N	<10
79FR229A	CEC404	56 15 33	131 59 34	QDF	5.00	5.00	5.00	.500	1,000	<.5	N	N	30
79FR230A	CEC405	56 13 52	131 59 32	QDF	5.00	3.00	5.00	.700	1,000	<.5	N	N	70
79FR231A	CEC426	56 12 52	131 58 24	QDF	5.00	3.00	3.00	.500	1,000	<.5	N	N	70
79FR232A	CFC427	56 12 10	131 59 34	QDF	3.00	2.00	2.00	.200	700	N	N	N	70
79FR233A	CEC397	56 1 53	131 19 59	QDN	10.00	5.00	5.00	.700	1,500	N	N	N	10
79FR233B	CEC086	56 1 53	131 19 59	GM	.70	.20	1.50	.070	200	N	N	N	30
79FR234A	CEC087	56 1 23	131 21 53	QDF	5.00	3.00	3.00	.500	1,000	N	N	N	<10
79GJ001A	CDM093	56 8 52	131 4 52	GDF	5.00	2.00	1.50	1.000	500	N	N	N	<10
79GJ002A	CDM116	56 9 33	131 5 38	GMF	1.50	.20	1.50	.200	150	N	N	N	N
79GJ003A	CDM139	56 10 29	131 7 12	QDF	10.00	3.00	3.00	1.000	1,000	N	N	N	<10
79GJ004A	CDM161	56 11 36	131 6 23	GDF	3.00	2.00	1.50	.700	500	N	N	N	<10
79GJ005A	CDM095	56 12 37	131 4 56	GDF	10.00	2.00	2.00	.700	1,500	N	N	N	<10
79GJ005B	CDM118	56 12 37	131 4 56	GM	3.00	1.50	2.00	.700	700	N	N	N	N
79GJ006A	CDM141	56 12 12	131 5 48	GDF	10.00	3.00	3.00	1.000	1,000	N	N	N	<10
79GJ007A	CDM153	56 12 3	131 9 40	GD	5.00	1.50	1.50	.700	500	N	N	N	<10
79GJ008A	CDM097	56 12 50	131 11 41	GDF	5.00	2.00	2.00	.700	700	N	N	N	<10
79GJ009A	CDM110	56 12 27	131 11 5	GM	1.50	.50	1.50	.300	300	N	N	N	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-11A	S-BF	S-11	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PB	S-SB	S-SC	S-SM
79ER207A	1.000	1.5	N	N	15	10	5	30	N	<20	5	20	N	20	N
79ER208A	>5.000	1.0	N	N	7	<10	<5	30	N	N	<5	30	N	<5	N
79ER212A	1.500	<1.0	N	N	<5	<10	N	150	N	N	<5	30	N	<5	N
79ER213A	5.000	1.0	N	N	<5	<10	N	30	N	N	<5	50	N	<5	N
79ER204A	1.500	2.0	N	N	15	<10	<5	50	N	N	<5	15	N	15	N
79ER215A	1.500	1.0	N	N	20	20	10	50	N	<20	10	20	N	10	N
79ER216A	1.000	1.5	N	N	15	15	70	20	N	N	5	20	N	15	N
79ER217A	1.500	1.5	N	N	20	15	20	50	N	N	10	30	N	20	N
79ER218A	700	1.5	N	N	30	70	20	<20	N	N	20	<10	N	50	N
79ER219A	200	<1.0	N	N	7	<10	20	<20	N	N	<5	N	N	20	N
79ER209A	150	<1.0	N	N	7	<10	20	<20	N	N	<5	N	N	20	N
79ER210A	700	2.0	N	N	15	70	50	30	N	N	30	10	N	20	N
79ER210H	1.500	1.5	N	N	15	70	50	20	10	N	50	10	N	15	N
79ER211A	700	1.5	N	N	20	200	20	30	N	N	70	10	N	15	N
79ER212A	>5.000	1.0	N	N	5	<10	<5	20	N	N	<5	50	N	<5	N
79ER213A	1.500	1.5	N	N	20	15	15	50	<5	<20	5	20	N	15	N
79ER214A	5.000	1.5	N	N	<5	<10	N	30	N	N	<5	50	N	<5	N
79ER217A	1.500	1.0	N	N	10	10	10	20	N	N	<5	30	N	7	N
79ER218A	300	<1.0	N	N	10	15	50	20	N	N	5	15	N	20	N
79ER219A	1.500	1.0	N	N	20	20	30	20	N	<20	10	10	N	10	N
79ER220A	1.500	1.0	N	N	15	20	5	50	N	<20	7	10	N	15	N
79ER221A	1.500	1.5	N	N	50	700	N	30	N	N	100	15	N	20	N
79ER222A	1.500	3.0	N	N	7	10	10	100	N	<20	<5	200	N	7	N
79ER223A	>5.000	1.0	N	N	20	20	50	100	N	20	7	100	N	10	N
79ER224A	2.000	1.0	N	N	20	100	100	30	N	<20	50	20	N	20	N
79ER225A	2.000	2.0	N	N	7	15	<5	30	N	<20	5	30	N	7	N
79ER226A	3.000	1.0	N	N	<5	50	10	70	N	<20	<5	50	N	20	N
79ER227A	3.000	2.0	N	N	10	15	10	70	N	20	<5	20	N	7	N
79ER228A	2.000	1.5	N	N	7	15	N	20	N	N	7	50	N	10	N
79ER229A	1.500	1.0	N	N	15	70	15	50	N	N	7	30	N	30	N
79ER230A	3.000	1.0	N	N	15	100	10	50	N	N	5	30	N	20	N
79ER231A	2.000	1.0	N	N	15	70	10	50	N	N	7	20	N	20	N
79ER232A	1.500	1.0	N	N	10	100	<5	20	N	N	30	30	N	15	N
79ER233A	2.000	1.0	N	N	20	20	30	30	N	<20	20	20	N	15	N
79ER233B	>5.000	2.0	N	N	<5	<10	<5	N	N	N	<5	70	N	<5	N
79ER234A	1.500	2.0	N	N	15	100	5	30	N	N	7	20	N	20	N
79GJ001A	2.000	1.0	N	N	7	10	7	150	N	N	7	15	N	10	N
79GJ002A	3.000	<1.0	N	N	<5	<10	N	N	N	N	5	15	N	N	N
79GJ003A	2.000	1.0	N	N	10	20	5	30	N	<20	7	20	N	20	N
79GJ004A	1.500	1.0	N	N	7	15	<5	<20	N	N	10	20	N	10	N
79GJ005A	2.000	1.0	N	N	7	20	<5	<20	N	N	10	20	N	15	N
79GJ005B	5.000	1.0	N	N	7	10	N	<20	N	N	5	20	N	5	N
79GJ006A	1.000	1.0	N	N	7	15	5	20	N	<20	5	20	N	20	N
79GJ007A	1.500	1.0	N	N	7	15	N	30	N	<20	7	15	N	15	N
79GJ008A	1.500	1.0	N	N	7	15	N	N	N	N	10	15	N	20	N
79GJ009A	3.000	1.0	N	N	5	10	<5	N	N	N	5	20	N	5	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-SR	S-TH	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
79FR200A	700	N	200	N	30	N	30	N	<5	5	45	--
79LR211A	1,000	N	50	N	<10	N	200	N	<5	<5	30	--
79FR202A	500	N	10	N	10	N	150	N	<5	<5	15	--
79ER203A	1,500	N	30	N	N	N	100	N	<5	<5	10	--
79ER204A	1,000	N	100	N	30	N	15	N	<5	<5	30	--
79ER205A	1,000	N	200	N	15	N	100	N	10	5	70	--
79ER206A	1,500	N	150	N	10	N	200	N	65	5	60	--
79FR207A	1,000	N	200	N	30	N	15	N	15	5	45	--
79ER208A	200	N	300	N	<200	N	15	N	15	<5	10	--
79FR209A	150	N	70	N	<200	N	30	N	25	<5	10	--
79ER210A	300	N	200	N	<200	N	100	N	50	10	150	--
79FR210B	150	N	200	N	10	N	100	N	50	<5	160	--
79FR211A	500	N	200	N	<200	N	100	N	20	5	95	--
79ER212A	1,500	N	30	N	<10	N	100	N	<5	<5	35	--
79FR213A	700	N	>70	N	<200	N	30	N	10	5	50	--
79FR214A	1,500	N	50	N	10	N	300	N	<5	<5	35	--
79ER217A	700	N	100	N	10	N	100	N	15	10	45	--
79FR218A	150	N	200	N	50	N	50	N	60	<5	25	--
79ER219A	700	N	150	N	15	N	100	N	25	<5	50	--
79ER220A	700	N	200	N	20	N	150	N	5	<5	35	--
79ER221A	200	N	300	N	20	N	100	N	<5	<5	20	--
79ER222A	300	N	50	N	30	N	150	N	10	25	75	--
79ER223A	1,000	N	200	N	30	N	200	N	30	20	75	--
79ER224A	500	N	300	N	30	200	150	N	95	15	110	--
79ER225A	1,000	N	100	N	15	N	150	N	<5	15	75	--
79ER226A	1,000	N	500	N	20	N	150	N	10	15	20	--
79ER227A	500	N	100	N	30	N	200	N	10	10	25	--
79ER228A	700	N	70	N	15	N	70	N	<5	15	75	--
79ER229A	1,000	N	300	N	30	<200	70	N	10	10	65	--
79ER230A	1,000	N	200	N	20	<200	150	N	5	10	45	--
79FR231A	1,000	N	300	N	30	<200	50	N	5	15	55	--
79LR232A	1,000	N	200	N	20	N	20	N	<5	10	55	--
79FR233A	1,000	N	300	N	30	N	30	N	20	10	40	--
79FR233B	1,000	N	15	N	<10	N	50	N	10	10	15	--
79ER234A	1,000	N	200	N	30	N	150	N	<5	10	60	--
79GJ001A	700	N	300	N	15	<200	100	N	10	10	70	--
79GJ002A	1,000	N	70	N	N	N	30	N	<5	15	25	--
79GJ003A	1,000	N	500	N	20	<200	100	N	5	20	80	--
79GJ004A	700	N	200	N	15	N	30	N	<5	5	35	--
79GJ005A	1,000	N	300	N	20	N	200	N	<5	10	45	--
79GJ005B	1,000	N	200	N	N	N	100	N	<5	15	60	--
79GJ006A	1,000	N	500	N	20	<200	100	N	5	10	65	--
79GJ007A	1,000	N	200	N	20	N	100	N	<5	10	85	--
79GJ008A	1,500	N	200	N	10	<200	70	N	<5	15	70	--
79GJ009A	2,000	N	70	N	<10	N	70	N	<5	5	65	--

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	RK-TYPE	S-FEX	S-MGX	S-CAX	S-TIX	S-MN	S-AG	S-AS	S-AU	S-B
796J010A	CDM142	56 10 19	131 9 59	QDF	10.00	3.00	5.00	1.000	1,000	N	N	N	<10
796J013A	CDM104	56 8 51	131 9 13	GDF	10.00	3.00	3.00	1,000	1,500	N	N	N	<10
796J014A	CDM131	56 20 10	130 48 31	QMF	.50	.05	.50	.050	300	N	N	N	N
796J014D	CDM153	56 20 10	130 48 31	SS	20.00	5.00	5.00	>1,000	1,500	N	N	N	<10
796J016A	CDM108	56 19 34	130 49 28	GDF	5.00	2.00	2.00	.700	1,500	N	N	N	<10
796J018A	CDM077	56 15 35	130 54 48	SS	5.00	3.00	5.00	.700	1,000	N	N	N	<10
796J020A	CDM083	56 16 24	130 53 35	QMF	1.00	.20	1.00	.200	300	N	N	N	<10
796J021A	CDM451	56 4 32	131 1 0	GD	10.00	3.00	5.00	1,000	1,000	N	N	N	<10
796J022A	CDM483	56 3 51	131 3 20	GD	1.00	.30	.70	.300	100	N	N	N	N
796J023A	CDM505	56 3 47	130 59 23	GD	5.00	2.00	1.50	.700	500	N	N	N	N
796J023B	CDM459	56 3 47	130 59 23	GD	15.00	2.00	5.00	.700	700	N	N	N	N
796J024A	CDM462	56 5 0	131 0 5	GD	2.00	.30	1.50	.200	100	N	N	N	N
796J025A	CDM506	56 5 3	130 57 40	GD	3.00	.70	1.00	1,000	200	N	N	N	N
796J026A	CDM440	56 6 7	130 56 1	GDF	10.00	2.00	3.00	1,000	1,000	N	N	N	<10
796J026B	CDM463	56 6 7	130 56 1	GDD	1.00	.50	.50	.300	300	N	N	N	N
796J027A	CDM526	56 12 22	130 47 53	GD	2.00	.50	1.50	.300	200	N	N	N	N
796J027B	CDM528	56 12 22	130 47 53	AM6	20.00	3.00	10.00	>1,000	3,000	N	N	N	<10
796J028A	CDM530	56 11 53	130 49 19	GD	1.00	.30	1.00	.200	200	N	N	N	N
796J029A	CDM527	56 11 28	130 50 28	GD	5.00	1.50	3.00	.500	2,000	N	N	N	N
796J030A	CDM529	56 10 49	130 51 5	GD	10.00	2.00	3.00	1,000	1,000	N	N	N	<10
796J031A	CDM304	56 3 34	131 19 20	GD	2.00	1.00	1.50	.500	300	N	N	N	N
796J032A	CDM326	56 3 24	131 19 5	GDF	3.00	.50	.70	.300	500	N	N	N	N
796J034A	CDM348	56 3 14	131 18 45	GD	15.00	3.00	5.00	.700	700	N	N	N	N
796J035A	CDM292	56 3 15	131 18 1	GD	2.00	.70	1.50	.500	500	N	N	N	N
796J037A	CDM305	56 3 7	131 17 25	GD	3.00	.70	1.50	.500	500	N	N	N	N
796J038A	CDM365	56 3 11	131 17 1	GD	10.00	3.00	5.00	1,000	1,000	N	N	N	<10
796J039A	CDM366	56 18 20	130 43 50	GD	3.00	1.00	1.00	.500	1,000	N	N	N	N
796J040A	CDM333	56 18 15	130 43 59	GDF	5.00	2.00	3.00	.500	1,000	N	N	N	<10
796J042A	CDM356	56 18 18	130 44 17	GD	5.00	1.50	2.00	.500	500	N	N	N	<10
796J043A	CDM290	56 18 36	130 44 10	GD	3.00	1.00	2.00	.500	500	N	N	N	N
796J044A	CDM313	56 20 13	130 48 22	QM	1.50	.30	1.00	.300	500	N	N	N	N
796J046A	CDM335	56 20 13	130 47 48	QM	1.50	.50	.50	.150	700	N	N	N	N
796J047A	CDM400	56 15 35	130 53 18	GD	2.00	1.50	2.00	1,000	700	N	N	N	N
796J048A	CDM377	56 20 23	130 51 40	GD	1.50	.70	1.50	.150	200	N	N	N	N
796J049A	CDM421	56 20 29	130 55 26	GD	7.00	2.00	3.00	.700	1,000	N	N	N	<10
796J050A	CDM354	56 22 35	130 57 12	PV	10.00	3.00	3.00	.500	1,500	N	N	N	<10
796J051A	CDM401	56 17 12	130 55 8	GD	10.00	2.00	3.00	.700	1,500	N	N	N	<10
796J052A	CDM411	56 7 10	131 18 0	GD	10.00	3.00	3.00	1,000	1,000	N	N	N	N
796J053A	CDM433	56 8 43	131 18 41	GD	.50	.10	1.00	.070	20	N	N	N	N
796J053H	CDM389	56 8 43	131 18 41	GD	15.00	3.00	5.00	1,000	1,000	N	N	N	<10
796J054A	CDM436	56 7 41	131 15 37	GD	15.00	3.00	3.00	1,000	1,500	N	N	N	<10
796J055A	CDM412	56 6 3	131 10 42	GD	15.00	3.00	5.00	>1,000	1,500	N	N	N	<10
796J056A	CDM434	56 2 47	131 11 52	GD	3.00	2.00	2.00	.500	700	N	N	N	N
796J057A	CDM390	56 4 15	131 14 0	GM	10.00	2.00	3.00	.700	1,500	N	N	N	N
796J058A	CDM625	56 2 12	131 17 52	GD	3.00	1.50	1.50	.500	300	N	N	N	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-BA	S-RF	S-HI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-VB	S-NI	S-PE	S-S3	S-SC	S-SM
796J017A	1,500	<1.0	N	N	10	20	10	20	N	N	7	15	N	20	N
796J017A	1,000	1.0	N	N	10	50	10	30	N	N	15	20	N	30	N
796J014A	500	1.0	N	N	<5	<10	<5	N	N	N	5	30	N	N	N
796J014B	200	N	N	N	70	70	150	N	N	N	200	10	N	70	N
796J016A	2,000	1.0	N	N	7	15	<5	20	N	N	5	30	N	20	N
796J018A	300	<1.0	N	N	15	70	20	N	N	N	50	10	N	50	N
796J020A	1,500	1.0	N	N	N	N	5	N	N	N	5	20	N	N	N
796J021A	700	1.0	N	N	10	30	<5	<20	N	N	10	20	N	20	N
796J022A	3,000	<1.0	N	N	N	<10	<5	N	N	N	<5	20	N	N	N
796J023A	2,000	1.0	N	N	7	30	20	70	N	N	15	10	N	<5	N
796J023B	1,500	<1.0	N	N	10	30	20	<20	N	N	7	30	N	15	N
796J024A	2,000	<1.0	N	N	<5	<10	<5	N	N	N	5	20	N	N	N
796J025A	2,000	<1.0	N	N	5	10	N	50	N	N	5	20	N	<5	N
796J026A	1,000	<1.0	N	N	10	30	5	<20	N	N	5	20	N	20	N
796J026B	700	1.5	N	N	<5	<10	N	70	N	N	5	30	N	<5	N
796J027A	5,000	<1.0	N	N	<5	10	<5	70	N	N	5	50	N	5	N
796J027B	300	<1.0	N	N	20	20	7	N	N	N	7	20	N	20	N
796J028A	5,000	<1.0	N	N	N	<10	N	N	N	N	5	50	N	N	N
796J029A	2,000	1.0	N	N	7	15	20	20	N	N	5	30	N	10	N
796J030A	2,000	1.0	N	N	10	20	<5	20	N	N	10	20	N	15	N
796J031A	3,000	1.0	N	N	<5	10	<5	N	N	N	5	15	N	5	N
796J032A	1,500	<1.0	N	N	5	<10	N	30	N	<20	5	20	N	10	N
796J034A	700	<1.0	N	N	10	70	<5	N	N	N	50	15	N	20	N
796J035A	1,500	1.0	N	N	5	10	N	30	N	N	<5	30	N	<5	N
796J037A	2,000	1.0	N	N	5	10	N	20	N	N	<5	30	N	<5	N
796J038A	3,000	1.0	N	N	10	20	7	<20	N	N	5	15	N	15	N
796J039A	2,000	1.0	N	N	5	10	N	50	N	<20	5	20	N	5	N
796J040A	700	1.0	N	N	7	20	<5	20	N	N	5	20	N	15	N
796J042A	1,500	1.0	N	N	5	15	<5	50	N	N	15	20	N	10	N
796J043A	2,000	1.0	N	N	5	15	N	20	N	N	5	50	N	5	N
796J044A	1,500	1.0	N	N	<5	<10	<5	<20	N	N	<5	20	N	<5	N
796J045A	500	1.5	N	N	<5	<10	<5	20	N	N	<5	20	N	<5	N
796J047A	5,000	1.0	N	N	<5	<10	N	50	N	N	<5	30	N	N	N
796J048A	3,000	1.0	N	N	5	<10	5	N	N	N	5	30	N	N	N
796J049A	3,000	1.0	N	N	7	10	<5	N	N	N	5	50	N	10	N
796J050A	700	1.5	N	N	30	20	70	N	N	N	15	30	N	50	N
796J051A	3,000	1.0	N	N	10	20	<5	<20	N	N	7	30	N	30	N
796J052A	5,000	<1.0	N	N	15	30	<5	N	N	N	10	70	N	15	N
796J053A	2,000	<1.0	N	N	N	<10	<5	N	N	N	7	30	N	N	N
796J053B	500	1.0	N	N	20	70	15	100	N	<20	100	30	N	20	N
796J054A	1,000	<1.0	N	N	20	50	5	N	N	<20	20	50	N	30	N
796J055A	1,500	1.0	N	N	20	50	5	20	N	<20	20	50	N	50	N
796J056A	700	1.0	N	N	7	30	5	<20	N	N	20	15	N	15	N
796J057A	1,000	1.0	N	N	10	30	20	N	N	N	7	20	N	30	N
796J058A	700	<1.0	N	N	7	15	<5	N	N	N	15	20	N	10	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-SR	S-TH	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
796J010A	1,500	N	700	N	30	<200	150	N	10	10	65	--
796J011A	1,500	N	500	N	30	<200	70	N	15	20	65	--
796J014A	100	<100	20	N	N	N	50	N	<5	10	20	--
796J014B	200	N	2,000	N	50	<200	70	N	65	5	5	--
796J016A	1,500	N	300	N	20	<200	30	N	<5	15	60	--
796J018A	300	N	500	N	30	<200	50	N	30	10	10	--
796J020A	1,000	N	50	N	N	N	30	N	5	10	25	--
796J021A	1,500	N	500	N	30	<200	70	N	<5	10	60	--
796J022A	500	N	50	N	N	N	150	N	<5	10	20	--
796J023A	2,000	N	200	N	N	N	100	N	15	5	55	--
796J023B	5,000	N	500	N	10	<200	50	N	20	15	65	--
796J024A	1,500	N	100	N	N	N	30	N	<5	5	20	--
796J025A	500	N	150	N	N	N	150	N	<5	5	40	--
796J026A	2,000	N	500	N	20	<200	50	N	5	10	85	--
796J026B	200	N	30	N	10	N	70	N	<5	10	25	--
796J027A	5,000	N	70	N	15	N	100	N	<5	<5	35	--
796J027B	1,000	N	1,500	N	30	<200	N	N	5	<5	15	--
796J028A	2,000	N	20	N	30	N	70	N	N	<5	35	--
796J029A	1,500	N	1,000	N	20	<200	70	N	25	5	20	--
796J030A	1,500	N	500	N	15	<200	100	N	<5	10	80	--
796J031A	1,500	N	100	N	N	N	10	N	<5	5	20	--
796J032A	700	N	100	N	10	N	70	N	<5	10	60	--
796J034A	2,000	N	700	N	30	N	70	N	<5	5	30	--
796J035A	700	N	100	N	10	N	150	N	5	5	50	--
796J037A	700	N	100	N	15	N	300	N	<5	5	45	--
796J038A	1,500	N	300	N	30	<200	70	N	10	10	85	--
796J039A	500	N	100	N	15	N	100	N	<5	5	50	--
796J040A	1,500	N	200	N	15	<200	50	N	5	10	85	--
796J042A	1,000	N	200	N	15	<200	70	N	<5	5	45	--
796J043A	1,500	N	100	N	<10	N	50	N	<5	5	45	--
796J044A	500	N	70	N	20	N	50	N	<5	10	60	--
796J046A	300	N	50	N	20	<200	70	N	<5	5	95	--
796J047A	1,500	N	70	N	<10	<200	100	N	<5	<5	75	--
796J048A	2,000	N	50	N	N	N	70	N	<5	10	25	--
796J049A	1,500	N	200	N	20	<200	200	N	<5	5	40	--
796J050A	1,000	N	500	N	30	200	100	N	25	25	200	--
796J051A	2,000	N	200	N	30	<200	70	N	<5	10	100	--
796J052A	1,500	N	300	N	20	<200	50	N	10	10	55	--
796J053A	1,000	N	20	N	N	N	30	N	<5	<5	5	--
796J053B	1,000	N	500	N	50	<200	100	N	15	5	75	--
796J054A	1,000	N	700	N	30	<200	70	N	20	10	50	--
796J055A	1,500	N	300	N	70	<200	100	N	5	15	65	--
796J056A	1,000	N	150	N	20	N	100	N	5	5	20	--
796J057A	500	N	200	N	50	<200	100	N	10	<5	45	--
796J058A	1,000	N	150	N	10	N	50	N	N	5	25	--

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	LAP NO.	LATITUDE	LONGITUDE	RK-TYPE	S-FE%	S-MG%	S-CAZ	S-TIX	S-MN	S-AG	S-AS	S-AU	S-B
79GJ059A	CDM647	56 3 41	131 22 20	GDF	5.00	1.50	2.00	.500	500	N	N	N	N
79GJ060A	CDM669	56 4 49	131 22 40	GD	15.00	3.00	3.00	.700	700	N	N	N	N
79GJ061A	CDM692	56 6 48	131 25 9	GM	10.00	1.50	2.00	.700	1,000	N	N	N	N
79GJ062A	CDM626	56 6 33	131 22 20	GM	10.00	1.50	2.00	.700	500	<.5	N	N	N
79GJ062B	CDM648	56 6 33	131 22 20	MG	5.00	1.00	1.00	.300	500	N	N	N	N
79GJ063A	CDM670	56 5 48	131 18 1	GDF	2.00	.30	.50	.300	300	N	N	N	N
79GJ064A	CDM693	56 4 21	131 18 12	GDG	3.00	1.00	2.00	.300	500	N	N	N	N
79GJ065A	CDM627	56 4 37	131 10 12	GD	15.00	3.00	5.00	.700	700	N	N	N	N
79GJ065B	CDM649	56 4 37	131 10 12	AM	15.00	10.00	5.00	>1.000	700	N	N	N	<10
79GJ066A	CDM671	56 5 33	131 7 31	GD	10.00	3.00	3.00	.700	1,000	N	N	N	N
79GJ067A	CDM694	56 2 28	131 12 41	GD	3.00	1.00	1.50	.500	700	N	N	N	N
79GJ068A	CDM628	56 4 57	131 12 58	GM	10.00	3.00	1.50	.700	500	N	N	N	N
79GJ069A	CDM650	56 6 32	131 8 42	GD	10.00	2.00	3.00	.500	500	N	N	N	N
79GJ070A	CDM672	56 21 52	131 6 20	GD	1.00	.15	.20	.200	300	N	N	N	N
79GJ071A	CDM695	56 20 48	131 9 41	GDG	5.00	1.50	2.00	.500	1,500	N	N	N	N
79GJ072A	CDM629	56 20 51	131 8 30	GDF	2.00	.30	.50	.300	500	N	N	N	N
79GJ073A	CDM651	56 19 51	131 13 34	GDF	7.00	1.50	3.00	.500	700	N	N	N	N
79GJ074A	CDM673	56 19 21	131 12 30	AM	15.00	7.00	10.00	.500	700	N	N	N	N
79GJ075A	CDM696	56 23 27	131 10 5	GM	2.00	.50	1.50	.300	700	N	N	N	N
79GJ076A	CDM630	56 19 53	131 18 2	GM	15.00	3.00	1.00	1.000	300	N	N	N	N
79GJ077A	CDM652	56 20 52	131 17 2	AM	15.00	5.00	5.00	>1.000	1,000	N	N	N	<10
79GJ078A	CDM674	56 21 55	131 15 5	GM	1.50	.20	1.00	.200	500	N	N	N	N
79GJ079A	CDM697	56 22 13	131 17 35	GM	3.00	.70	2.00	.500	500	N	N	N	N
79GJ079B	CDM631	56 22 13	131 17 35	GM	.70	.10	.50	.100	200	N	N	N	N
79GJ080A	CDM680	56 16 15	130 49 26	GD	7.00	1.00	1.50	.700	300	N	N	N	N
79GJ080B	CDM702	56 16 15	130 49 26	BA	15.00	7.00	5.00	>1.000	1,000	N	N	N	<10
79GJ081A	CDM637	56 13 2	130 54 10	GD	7.00	2.00	3.00	.700	500	<.5	N	N	N
79GJ082A	CDM658	56 11 19	130 56 16	GD	15.00	5.00	5.00	.700	1,000	N	N	N	N
79GJ083A	CDM681	56 11 42	130 58 1	GD	15.00	2.00	3.00	.700	700	N	N	N	N
79GJ084A	CDM703	56 8 53	130 58 35	GD	5.00	1.50	1.00	.500	300	N	N	N	N
79GJ085A	CDM917	56 4 35	130 46 51	GD	.70	.10	.70	.100	150	N	N	N	N
79GJ086B	CDM937	56 4 14	130 46 49	AM	3.00	1.50	1.00	.500	500	N	N	N	N
79GJ087A	CDM872	56 4 2	130 46 48	GM	2.00	.50	1.00	.200	700	N	N	N	N
79GJ089A	CDM895	56 3 45	130 46 42	AMG	5.00	2.00	2.00	.500	500	N	N	N	N
79GJ090A	CDM918	56 3 37	130 46 39	GD	5.00	2.00	3.00	.700	1,000	N	N	N	N
79GJ091A	CDM938	56 3 25	130 46 38	GM	5.00	1.00	1.00	.700	500	N	N	N	N
79GJ092A	CDM956	56 22 7	131 46 44	GM	.50	.07	.20	.030	70	N	N	N	N
79GJ092B	CDM914	56 22 7	131 46 44	AMG	15.00	5.00	5.00	.500	2,000	N	N	N	<10
79GJ093A	CDM935	56 22 3	131 46 13	GDF	5.00	2.00	2.00	.500	1,000	N	N	N	N
79GJ094A	CDM891	56 21 47	131 45 50	GDF	5.00	2.00	2.00	.500	1,000	N	N	N	N
79GJ096A	CDM969	56 20 3	131 29 29	BG	10.00	2.00	2.00	>1.000	1,000	N	N	N	<10
79GJ098A	CDM992	56 19 55	131 29 58	GD	15.00	.50	5.00	1.000	1,000	N	N	N	N
79GJ098E	CDN016	56 19 55	131 29 58	GM	5.00	2.00	1.00	.700	300	<.5	N	N	N
79GJ100A	CDN039	56 19 31	131 30 19	GD	10.00	2.00	3.00	.700	700	N	N	N	N
79GJ102A	CDN049	56 3 58	131 29 0	GM	3.00	2.00	2.00	.300	700	N	N	N	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-BA	S-RF	S-HI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-P3	S-S9	S-SC	S-SM
796J059A	1,000	1.0	N	N	7	20	<5	20	N	N	5	20	N	10	N
796J060A	700	<1.0	N	N	15	50	30	30	N	N	30	20	N	15	N
796J061A	300	<1.0	N	N	7	50	20	20	N	N	15	30	N	10	N
796J062A	300	1.0	N	N	7	15	50	N	N	N	5	20	N	10	N
796J062B	1,000	<1.0	N	N	7	20	<5	150	N	N	10	70	N	7	N
796J063A	500	1.0	N	N	5	<10	N	20	N	<20	5	30	N	<5	N
796J064A	300	1.0	N	N	7	10	<5	30	N	N	7	15	N	7	N
796J065A	700	<1.0	N	N	20	30	5	<20	N	N	10	30	N	15	N
796J065B	300	<1.0	N	N	70	150	70	N	N	N	30	10	N	50	N
796J066A	1,000	<1.0	N	N	7	20	<5	N	N	N	7	30	N	15	N
796J067A	1,000	<1.0	N	N	5	<10	<5	N	N	N	5	20	N	5	N
796J068A	500	<1.0	N	N	15	200	20	70	N	N	100	30	N	15	N
796J069A	500	<1.0	N	N	10	20	7	<20	N	N	7	30	N	15	N
796J070A	1,000	1.0	N	N	<5	<10	5	50	N	<20	5	30	N	<5	N
796J071A	1,500	1.0	N	N	7	15	10	20	N	N	7	20	N	10	N
796J072A	1,000	1.0	N	N	<5	<10	<5	50	N	<20	5	30	N	N	N
796J073A	300	1.0	N	N	7	10	5	30	N	N	5	10	N	10	N
796J074A	200	<1.0	N	N	50	50	30	<20	N	N	150	10	N	20	N
796J075A	1,500	<1.0	N	N	<5	<10	<5	N	N	N	5	20	N	N	N
796J076A	1,000	<1.0	N	N	20	20	70	N	N	N	20	10	N	20	N
796J077A	500	<1.0	N	N	50	100	150	N	N	<20	5	30	N	20	N
796J078A	1,000	<1.0	N	N	<5	<10	<5	N	N	N	5	30	N	N	N
796J079A	2,000	1.0	N	N	5	<10	N	20	N	N	5	30	N	<5	N
796J079B	700	<1.0	N	N	<5	<10	N	100	N	N	5	70	N	N	N
796J080A	3,000	<1.0	N	N	5	15	<5	50	N	N	5	50	N	<5	N
796J080B	200	<1.0	N	N	100	50	15	20	N	<20	70	<10	N	30	N
796J081A	1,000	1.0	N	N	10	15	5	30	N	N	5	20	N	15	N
796J082A	1,000	1.0	N	N	10	30	10	N	N	<20	5	50	N	15	N
796J083A	1,000	<1.0	N	N	7	15	5	30	N	N	5	30	N	10	N
796J084A	1,500	<1.0	N	N	5	10	5	20	N	N	5	30	N	<5	N
796J085A	1,000	1.0	N	N	N	<10	N	N	N	N	<5	30	N	N	N
796J086B	700	1.0	N	N	7	10	N	N	N	N	5	20	N	N	N
796J087A	1,000	1.0	N	N	<5	<10	5	<20	N	N	5	50	N	5	N
796J089A	700	1.0	N	N	7	50	5	N	N	N	50	10	N	10	N
796J090A	700	1.0	N	N	7	15	5	20	N	N	5	10	N	15	N
796J091A	2,000	1.0	N	N	5	10	<5	30	N	N	5	20	N	5	N
796J092A	300	<1.0	N	N	N	<10	<5	N	N	N	<5	30	N	N	N
796J092B	300	<1.0	N	N	50	1,000	<5	N	N	N	300	<10	N	20	N
796J093A	1,000	1.0	N	N	7	15	<5	30	N	N	7	10	N	15	N
796J094A	1,000	1.0	N	N	7	10	<5	N	N	N	5	15	N	15	N
796J096A	700	1.5	N	N	20	20	7	20	N	<20	10	10	N	20	N
796J098A	300	<1.0	N	N	20	15	10	<20	N	N	10	10	N	15	N
796J098E	1,500	<1.0	N	N	5	150	70	<20	N	N	20	10	N	10	N
796J100A	500	1.0	N	N	15	20	5	20	N	N	7	15	N	20	N
796J102A	700	<1.0	N	N	10	20	<5	200	N	N	5	10	N	15	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-SR	S-TH	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
796J059A	1,500	N	200	N	15	N	70	N	5	N	40	--
796J060A	1,500	N	700	N	20	N	50	V	30	5	45	--
796J061A	100	N	70	N	50	N	200	V	20	10	70	--
796J052A	500	N	150	N	20	N	50	N	50	10	55	--
796J052B	500	N	100	N	15	N	100	N	70	10	20	--
796J063A	<100	N	50	N	20	N	70	N	N	5	25	--
796J064A	300	V	150	V	N	N	70	V	5	5	35	--
796J065A	1,500	N	500	N	10	<200	70	N	5	5	25	--
796J065B	300	N	2,000	N	20	<200	10	N	10	5	50	--
796J066A	700	N	300	N	30	<200	30	N	<5	5	55	--
796J067A	700	V	200	N	10	N	70	N	5	5	25	--
796J068A	500	N	200	N	30	<200	300	N	15	5	55	--
796J069A	1,000	N	300	N	10	N	20	N	5	<5	25	--
796J070A	N	N	<10	N	30	N	50	V	10	5	10	--
796J071A	700	V	200	N	30	N	200	N	10	5	15	--
796J072A	100	N	30	N	20	N	100	N	N	5	30	--
796J073A	1,000	N	200	V	30	N	100	N	5	<5	25	--
796J074A	2,000	N	300	N	15	N	10	N	30	15	15	--
796J075A	1,500	V	70	N	<10	N	50	N	<5	5	30	--
796J076A	500	N	500	N	30	N	100	N	70	15	75	--
796J077A	200	N	700	N	10	<200	20	<.05	70	5	25	--
796J078A	1,500	N	30	N	<10	N	100	N	5	15	45	--
796J079A	3,000	V	100	N	10	N	50	N	<5	5	45	--
796J079B	<100	N	N	N	10	N	70	N	N	5	35	--
796J080A	2,000	N	100	N	10	<200	300	N	5	5	60	--
796J080R	700	N	700	N	30	V	100	N	10	10	60	--
796J081A	2,000	N	300	N	20	<200	70	N	5	5	45	--
796J082A	2,000	N	500	N	20	<200	50	N	10	5	70	--
796J083A	2,000	V	300	N	20	N	70	N	5	5	40	--
796J084A	1,000	N	150	N	N	N	70	V	10	10	50	--
796J095A	1,500	N	20	N	N	N	30	N	<5	5	30	--
796J086B	1,500	N	150	N	N	<200	30	N	<5	10	90	--
796J087A	1,500	N	100	N	15	N	150	N	10	5	50	--
796J089A	500	V	150	N	20	N	70	N	10	10	55	--
796J090A	1,500	V	200	N	20	N	70	V	15	10	40	--
796J091A	1,000	N	150	N	15	N	100	N	5	10	100	--
796J092A	100	N	N	N	<10	N	50	N	<5	10	10	--
796J092B	100	N	300	N	20	<200	15	N	5	5	20	--
796J093A	1,000	V	200	N	20	N	70	N	<5	5	40	--
796J094A	1,000	N	150	N	20	N	50	N	<5	5	35	--
796J096A	500	N	300	N	50	<200	150	V	5	<5	30	--
796J098A	1,000	N	500	N	20	<200	N	N	10	10	50	--
796J098E	500	N	500	N	500	N	100	N	70	10	65	--
796J100A	1,000	V	500	N	30	N	50	N	<5	10	65	--
796J102A	1,000	V	150	N	30	N	50	N	5	15	60	--

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	RK-TYPE	S-FEX	S-MGX	S-CAZ	S-TIX	S-MN	S-AG	S-AS	S-AU	S-B
796J105A	CDN005	56 2 2	131 26 39	QDF	7.00	3.00	3.00	.700	700	N	N	N	N
796J106A	CDN050	56 1 57	131 25 0	SCB	10.00	3.00	1.50	.700	1,000	1.0	N	N	<10
796J106C	CDN028	56 1 57	131 25 0	SCB	7.00	3.00	2.00	1.000	1,000	.7	N	N	10
796J107A	CDN051	56 2 41	131 26 51	QDG	15.00	3.00	5.00	1.000	1,000	N	N	N	<10
796J109A	CDN352	56 19 15	131 25 6	GM	3.00	1.50	1.00	.200	700	N	N	N	N
796J109C	CDN395	56 19 16	131 25 6	GDP	1.00	.30	1.00	.100	100	N	N	N	N
796J111A	CDN417	56 18 54	131 26 46	QDF	3.00	.70	1.00	.300	700	.5	N	N	N
796J112A	CDN375	56 18 44	131 27 40	DT	10.00	5.00	5.00	.700	1,000	<.5	N	N	<10
796J113A	CDN353	56 18 42	131 27 50	QD	2.00	.30	.30	.150	100	<.5	N	N	N
796J114A	CDN396	56 18 5	131 28 28	QD	3.00	1.00	1.00	.300	500	7.0	N	N	N
796J116A	CDN414	56 17 22	131 28 50	AM	10.00	3.00	5.00	1.000	1,500	N	N	N	<10
796J117A	CDN235	56 12 14	131 55 10	QDG	10.00	3.00	3.00	.500	1,500	N	N	N	15
796J118A	CDN304	56 13 13	131 56 5	QDG	7.00	2.00	3.00	.700	1,000	N	N	N	15
796J118B	CDN282	56 13 13	131 56 5	SCB	10.00	1.50	1.50	.700	500	.5	N	N	<10
796J119B	CDN259	56 15 35	131 57 53	QDF	5.00	1.00	3.00	.300	2,000	N	N	N	10
796J120A	CDN286	56 17 53	131 59 39	SCB	10.00	2.00	3.00	.500	1,000	N	N	N	20
796J120B	CDN308	56 17 53	131 59 39	SCB	5.00	1.00	.50	.500	300	.5	N	N	10
796J120C	CDN241	56 17 53	131 59 39	DM	10.00	3.00	7.00	1.000	700	N	N	N	20
796J121A	CDN265	56 21 13	131 59 59	SCB	3.00	1.50	7.00	.500	1,000	N	N	N	<10
796J121B	CDN287	56 21 13	131 59 59	SCB	10.00	2.00	1.50	.500	700	N	N	N	<10
796J122A	CDN309	56 21 27	131 59 47	GS	15.00	7.00	5.00	.700	1,000	<.5	N	N	<10
796J123A	CDN242	56 21 11	131 58 50	GDF	3.00	7.00	1.50	.300	700	N	N	N	10
796J124A	CDN314	56 1 58	131 51 45	AN	10.00	5.00	5.00	1.000	1,500	N	N	N	<10
796J125A	CDN246	56 2 2	131 53 41	GD	5.00	1.50	2.00	.500	700	N	N	N	N
796J126A	CDN270	56 2 25	131 53 35	GD	3.00	1.50	2.00	.300	700	N	N	N	10
796J127A	CDN292	56 1 13	131 51 34	AN	10.00	2.00	5.00	1.000	1,500	N	N	N	<10
796J128A	CDN075	56 8 9	131 45 17	QD	3.00	1.50	3.00	.700	700	N	N	N	N
796J129A	CDN097	56 8 9	131 44 52	QD	10.00	3.00	3.00	.700	1,000	.5	N	N	10
796J130A	CDN119	56 8 17	131 44 18	MB	N	.30	>20.00	.010	50	N	N	N	N
796J130B	CDN053	56 8 17	131 44 18	GN	10.00	3.00	10.00	>1.000	700	1.5	N	N	<10
796J130C	CDN076	56 8 17	131 44 18	QZ	.05	1.00	7.00	.200	20	N	N	N	N
796J130D	CDN098	56 8 17	131 44 18	CS	10.00	3.00	5.00	1.000	700	N	N	N	N
796J131A	CDN120	56 8 15	131 44 25	QDF	10.00	3.00	7.00	1.000	1,500	N	N	N	<10
796J132A	CDN054	56 8 28	131 44 8	SCW	10.00	3.00	.30	.200	5,000	N	N	N	<10
796J133A	CDN089	56 8 38	131 44 14	GP	15.00	3.00	2.00	1.000	1,500	N	N	N	<10
796J134A	CDN112	56 32 3	131 46 54	QM	2.00	.70	2.00	.500	1,000	N	N	N	N
796J135A	CDN134	56 31 45	131 50 12	QM	.70	.20	1.50	.150	100	N	N	N	N
796J136A	CDN068	56 34 2	131 44 46	QM	2.00	1.50	2.00	.700	1,500	N	N	N	N
796J137A	CDN090	56 35 43	131 47 57	QM	2.00	1.00	2.00	.700	700	N	N	N	N
796J138A	CDN113	56 35 29	131 42 8	GD	3.00	1.50	2.00	.700	1,000	N	N	N	N
796J139A	CDN135	56 35 57	131 34 30	AN	10.00	3.00	1.00	>1.000	700	.5	N	N	70
796J139B	CDN069	56 35 57	131 34 30	TU	15.00	3.00	<.05	>1.000	700	N	N	N	100
796J140A	CDN678	56 24 55	131 27 59	QMF	1.00	.10	.50	.100	300	N	N	N	N
796J140B	CDN539	56 24 55	131 27 59	GDF	5.00	2.00	3.00	.300	1,500	N	N	N	<10
796J141A	CDN562	56 24 33	131 27 9	GDF	7.00	3.00	3.00	.500	1,500	N	N	N	<10

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-BA	S-RE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PB	S-SB	S-SC	S-SN
796J105A	700	1.0	N	N	7	50	5	N	N	N	5	15	N	15	N
796J106B	1,000	<1.0	N	N	5	150	100	N	30	N	30	10	N	20	N
796J106C	1,500	1.0	N	N	5	100	20	50	7	N	7	15	N	30	N
796J107A	300	1.0	N	N	70	100	150	50	N	N	30	15	N	50	N
796J109A	700	2.0	<10	N	10	50	10	50	N	<20	20	10	N	20	N
796J109C	>5,000	<1.0	N	N	N	<10	<5	50	N	N	5	20	N	N	N
796J111A	>5,000	1.5	N	N	10	10	15	100	N	N	7	20	N	10	N
796J112A	300	1.0	N	N	50	300	50	N	N	N	50	10	N	70	N
796J113A	2,000	<1.0	<10	N	5	<10	<5	50	N	N	7	15	N	<5	N
796J114A	5,000	2.0	N	N	10	10	20	20	N	20	7	30	N	15	N
796J116A	2,000	1.0	N	N	30	20	10	50	N	<20	10	10	N	70	N
796J117A	5,000	1.0	N	N	50	30	7	30	N	N	15	20	N	50	N
796J118A	1,500	1.5	N	N	10	70	15	N	N	N	15	15	N	20	N
796J1189	1,000	<1.0	N	N	50	200	200	50	10	N	150	20	N	30	N
796J1193	700	2.0	N	N	5	15	<5	150	15	N	10	10	N	30	N
796J120A	700	2.0	N	N	10	30	15	<20	20	N	10	15	N	30	N
796J1208	700	1.5	N	N	30	70	200	20	N	N	70	10	N	20	N
796J120C	700	1.0	N	N	50	500	15	20	N	<20	30	<10	N	70	N
796J121A	700	5.0	N	N	30	50	5	70	N	20	50	20	N	30	N
796J1213	2,000	2.0	N	N	30	20	15	50	N	<20	15	20	N	20	N
796J122A	2,000	3.0	N	N	70	500	300	50	N	N	100	20	N	70	N
796J123A	2,000	1.5	N	N	5	10	10	N	N	N	5	15	N	10	N
796J124A	200	<1.0	N	N	50	300	100	N	N	N	100	10	N	50	N
796J125A	1,500	1.5	N	N	15	15	<5	70	N	N	5	15	N	20	N
796J126A	2,000	1.5	N	N	15	10	5	70	N	N	7	15	N	15	N
796J127A	1,000	1.0	N	N	30	50	50	50	N	20	20	10	N	30	N
796J128A	700	<1.0	N	N	5	10	<5	N	N	N	5	10	N	5	N
796J129A	1,000	<1.0	N	N	7	15	7	20	N	N	5	10	N	15	N
796J130A	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
796J130B	1,500	1.0	N	N	<5	150	150	20	100	N	5	10	N	15	N
796J130C	200	<1.0	N	N	N	100	<5	N	5	N	15	<10	N	<5	N
796J130D	1,500	<1.0	N	N	5	50	100	N	N	N	10	10	N	20	N
796J131A	500	1.0	N	N	10	50	5	N	N	N	7	10	N	15	N
796J132A	300	1.0	N	N	N	10	20	50	N	20	<5	30	N	N	N
796J133A	1,000	<1.0	N	N	5	100	50	N	N	N	15	10	N	20	N
796J134A	1,500	1.0	N	N	5	<10	<5	N	N	N	5	20	N	<5	N
796J135A	3,000	<1.0	N	N	<5	N	7	N	N	N	5	20	N	N	N
796J136A	5,000	<1.0	N	N	5	<10	7	N	N	N	<5	30	N	5	N
796J137A	3,000	<1.0	N	N	5	<10	<5	50	N	N	5	30	N	<5	N
796J138A	2,000	1.0	N	N	5	<10	15	N	N	N	5	20	N	5	N
796J139A	700	1.0	N	N	7	20	150	N	N	N	10	10	N	20	N
796J139B	2,000	1.0	N	N	20	50	200	N	N	N	150	20	N	<5	N
796J140A	>5,000	1.0	N	N	N	<10	<5	N	N	N	5	15	N	<5	N
796J140B	700	1.0	N	N	15	10	10	N	N	N	5	10	N	30	N
796J141A	500	<1.0	N	N	30	70	7	N	N	N	70	15	N	30	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-SR	S-TH	S-V	S-A	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
796J105A	1,000	N	200	V	15	N	50	N	5	10	65	--
796J106B	200	N	500	N	50	N	150	N	35	15	80	--
796J106C	700	N	1,000	N	50	N	200	N	25	5	140	--
796J107A	500	N	500	N	50	N	100	N	130	10	15	--
796J109A	700	N	150	V	30	<200	100	N	10	5	30	--
796J109C	2,000	N	50	N	N	N	150	N	<5	5	10	--
796J111A	700	V	150	N	15	N	500	N	10	5	45	--
796J112A	500	N	500	N	50	<200	150	V	30	5	10	--
796J113A	500	N	70	N	N	N	100	N	<5	5	35	--
796J114A	300	N	150	N	30	N	300	N	5	5	40	--
796J116A	500	N	700	N	70	<200	500	N	10	10	30	--
796J117A	700	V	500	N	30	<200	100	N	10	10	65	--
796J118A	700	V	150	N	20	<200	150	N	10	10	55	--
796J118B	700	N	300	N	20	<200	300	N	55	15	95	--
796J119B	700	N	150	N	30	<200	200	N	5	10	75	--
796J120A	700	N	150	N	30	<200	200	N	10	15	90	--
796J120B	200	V	150	V	30	<200	200	N	120	10	55	--
796J120C	500	N	700	N	30	<200	100	N	20	25	60	--
796J121A	300	N	200	N	30	N	200	V	5	20	40	--
796J121B	500	N	200	N	20	<200	150	N	20	15	80	--
796J122A	500	N	1,000	N	20	<200	100	N	100	25	60	--
796J123A	1,000	N	100	N	15	<200	200	N	5	10	95	--
796J124A	300	V	500	N	30	<200	100	N	80	15	30	--
796J125A	1,000	N	200	N	30	<200	150	V	5	10	60	--
796J126A	700	N	150	N	10	<200	150	N	<5	10	50	--
796J127A	700	N	300	N	30	<200	300	N	30	10	35	--
796J128A	700	N	100	N	N	N	50	N	<5	5	45	--
796J129A	1,000	N	100	N	20	N	70	N	10	15	90	--
796J130A	150	V	10	N	N	N	N	V	10	75	10	--
796J130B	300	N	1,000	N	20	<200	70	N	85	10	20	--
796J130C	<100	N	2,000	N	10	<200	15	N	5	5	140	--
796J130D	700	N	1,000	N	20	<200	70	N	60	10	40	--
796J131A	1,000	N	300	N	20	<200	100	N	5	15	70	--
796J132A	150	N	N	N	70	<200	1,000	N	45	25	170	--
796J133A	500	V	500	N	50	<200	70	V	40	20	120	--
796J134A	1,500	N	50	N	N	N	100	N	<5	5	25	--
796J135A	1,500	N	30	N	N	N	70	N	<5	5	20	--
796J136A	3,000	N	100	N	<10	N	100	N	10	10	40	--
796J137A	2,000	N	70	N	<10	N	100	N	<5	5	15	--
796J138A	2,000	V	100	N	<10	N	100	N	15	10	30	--
796J139A	100	V	150	N	20	<200	200	N	85	20	90	--
796J139H	N	N	300	N	15	<200	300	N	85	10	80	--
796J140A	1,000	N	50	N	15	N	100	N	<5	5	25	--
796J140B	1,000	N	200	N	20	<200	100	N	10	10	45	--
796J141A	500	V	500	N	20	<200	50	N	10	10	25	--

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	RK-TYPE	S-FEX	S-MGZ	S-CAZ	S-TIZ	S-MN	S-AG	S-AS	S-AU	S-B
796J141A	CDN545	56 24 33	131 27 9	QMD	.30	.07	1.00	.020	50	N	N	N	N
796J142A	CDN609	56 24 1	131 26 50	GN	3.00	2.00	1.50	.300	700	<.5	N	N	<10
796J142B	CDN540	56 24 1	131 26 50	GN	7.00	3.00	5.00	.500	1,000	<.5	N	N	<10
796J143A	CDN563	56 23 56	131 26 51	MB	N	.70	>20.00	.010	70	N	N	N	N
796J144A	CDN586	56 23 42	131 26 39	GN	3.00	2.00	2.00	.300	1,000	N	N	N	<10
796J145A	CDN610	56 27 25	131 24 28	QDF	1.50	.50	.70	.100	300	N	N	N	N
796J146A	CDN541	56 27 35	131 24 18	QDF	3.00	1.00	1.50	.300	700	N	N	N	<10
796J147A	CDN465	56 22 3	131 34 48	GDF	3.00	1.50	2.00	.300	700	N	N	N	<10
796J147B	CDN486	56 22 3	131 34 48	QMD	.70	.17	.50	.070	200	N	N	N	N
796J148A	CDN508	56 22 24	131 35 16	QDF	7.00	2.00	1.50	.500	1,000	N	N	N	<10
796J148B	CDN443	56 22 24	131 35 16	QMD	.50	.05	.30	.030	100	N	N	N	N
796J149B	CDN466	56 20 7	131 18 41	GD	3.00	2.00	1.50	.500	700	N	N	N	<10
796J149E	CDN487	56 23 7	131 18 41	GM	10.00	3.00	5.00	1.000	1,500	N	N	N	<10
796J150A	CDN509	56 20 17	131 19 10	GDF	7.00	2.00	3.00	.500	1,000	N	N	N	<10
796J151A	CDN444	56 20 5	131 19 25	GM	5.00	3.00	3.00	.700	700	N	N	N	<10
796J151B	CDN467	56 20 5	131 19 25	GDF	3.00	1.50	3.00	.500	700	N	N	N	<10
796J152A	CDN488	56 20 1	131 19 22	GDG	3.00	1.00	1.00	.300	1,000	N	N	N	<10
796J152D	CDN510	56 20 1	131 19 22	QMD	.70	.17	.70	.050	200	N	N	N	N
796J153A	CDN519	56 19 33	131 18 22	GQ	3.00	1.00	5.00	.200	5,000	N	N	N	<10
796J154A	CDN453	56 19 18	131 18 31	QM	.15	.02	.20	.030	/ 70	N	N	N	N
796J155B	CDN474	56 20 5	131 19 25	GDF	5.00	2.00	2.00	.500	700	<.5	N	N	<10
796J156A	CDN520	56 19 53	131 19 32	GDF	1.50	.30	.70	.100	500	N	N	N	N
796J157A	CDN454	56 19 46	131 19 58	GDG	1.00	.15	.70	.100	150	N	N	N	N
796J158A	CDN475	56 19 2	131 20 13	QDG	7.00	2.00	1.50	.500	1,000	N	N	N	<10
796J158B	CDN498	56 19 2	131 20 13	QDG	1.00	.20	.70	.070	70	.5	N	N	N
796J159A	CDY992	56 44 35	131 53 23	QD	5.00	1.50	2.00	.200	700	<.5	N	N	10
796J160B	CDY969	56 44 15	131 53 32	AND	5.00	1.00	2.00	.300	1,000	N	N	N	<10
796J160C	CEA016	56 44 15	131 53 32	MY	10.00	5.00	3.00	.700	1,000	N	N	N	<10
796J161A	CEA039	56 44 7	131 53 41	VQ	7.00	2.00	5.00	.500	3,000	N	N	N	10
796J162A	CDY970	56 44 1	131 53 50	QDG	5.00	2.00	2.00	.500	1,300	N	N	N	<10
796J162F	CEA017	56 44 1	131 53 50	CS	5.00	.50	5.00	.300	1,000	N	N	N	<10
796J162H	CDY993	56 44 1	131 53 50	AM	10.00	7.00	5.00	.500	1,000	N	N	N	10
796J163A	CEA040	56 43 53	131 54 0	AM	10.00	5.00	5.00	1.000	1,500	N	N	N	<10
796J163B	CDY971	56 43 53	131 54 0	SK	7.00	3.00	7.00	.200	1,500	N	N	N	<10
796J163E	CEA018	56 43 53	131 54 0	QZ	1.50	1.00	2.00	.100	500	<.5	N	N	N
796J164A	CEA057	56 21 42	131 45 49	GDG	3.00	1.50	2.00	.300	1,000	N	N	N	<10
796J165A	CDY987	56 21 31	131 45 49	QDD	5.00	2.00	2.00	.300	1,000	N	N	N	<10
796J166A	CEA034	56 21 23	131 45 39	QML	1.00	.50	1.00	.100	500	N	N	N	<10
796J167B	CEA011	56 21 18	131 45 36	GDG	10.00	5.00	3.00	.200	3,000	<.5	N	N	<10
796J168A	CEA058	56 21 1	131 45 20	GDG	3.00	2.00	3.00	.200	1,000	N	N	N	<10
796J172A	CEA069	56 4 2	131 22 2	GN	3.00	1.50	1.50	.500	500	N	N	N	<10
796J173A	CEA090	56 3 55	131 22 18	GDF	1.00	.30	.70	.200	300	N	N	N	10
796J174A	CEA135	56 3 40	131 22 20	GDF	3.00	1.00	1.50	.300	500	N	N	N	10
796J175A	CEA070	56 3 25	131 22 39	QDG	5.00	3.00	2.00	.700	700	N	N	N	<10
796J176A	CEA091	56 3 15	131 23 4	GDG	3.00	1.50	2.00	.500	700	N	N	N	<10

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-BA	S-BF	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-N3	S-NI	S-P3	S-S3	S-SC	S-SN
796J141H	2,000	1.5	N	N	N	<10	7	N	N	N	5	15	N	N	N
796J142A	700	<1.0	N	N	15	15	50	N	N	N	10	<10	N	N	N
796J142B	300	1.0	N	N	50	70	70	N	N	N	70	10	N	50	N
796J143A	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
796J144A	1,500	1.0	N	N	15	10	50	30	N	<20	10	10	N	20	N
796J145A	2,000	1.0	N	N	10	<10	<5	N	N	N	5	10	N	10	N
796J146A	2,000	1.0	N	N	10	<10	N	20	N	<20	<5	15	N	20	N
796J147A	3,000	1.0	N	N	20	<10	7	30	N	N	5	10	N	20	N
796J147B	3,000	1.0	N	N	N	N	<5	N	N	N	<5	20	N	<5	N
796J148A	3,000	1.0	N	N	30	10	15	50	N	N	10	15	N	20	N
796J149B	2,000	1.0	N	N	N	N	<5	N	N	N	<5	15	N	N	N
796J149B	3,000	1.0	N	N	20	10	20	100	N	N	5	15	N	20	N
796J149E	300	<1.0	N	N	50	50	70	N	N	N	70	10	N	50	N
796J150A	1,500	1.0	N	N	20	10	30	N	N	N	5	10	N	20	N
796J151A	150	<1.0	N	N	50	70	20	N	N	N	70	10	N	70	N
796J151B	2,000	1.0	N	N	15	<10	15	N	N	N	<5	10	N	20	N
796J152A	3,000	1.0	N	N	15	10	N	N	N	N	5	10	N	15	N
796J152D	5,000	1.0	N	N	<5	<10	<5	N	N	N	5	20	N	N	N
796J153A	200	2.0	N	N	15	10	20	N	N	N	20	<10	N	20	N
796J154A	700	1.5	N	N	N	N	N	N	N	N	<5	20	N	N	N
796J155B	3,000	1.0	N	N	30	10	100	20	N	<20	20	15	N	30	N
796J156A	3,000	1.0	N	N	5	<10	<5	N	N	N	5	15	N	5	N
796J157A	3,000	1.0	N	N	<5	<10	10	N	N	N	5	15	N	<5	N
796J158A	1,500	1.0	N	N	20	20	20	30	N	<20	20	15	N	30	N
796J158B	>5,000	N	N	N	5	<10	<5	150	N	N	5	50	N	N	N
796J159A	1,500	1.5	N	N	15	20	15	30	N	<20	7	15	N	15	N
796J160B	1,500	1.5	N	N	15	<10	10	50	N	N	<5	30	N	15	N
796J160C	500	<1.0	N	N	50	500	100	30	N	N	70	10	N	50	N
796J161A	1,500	1.5	N	N	20	15	100	50	N	N	7	10	N	10	N
796J162A	700	1.0	N	N	20	30	50	30	N	<20	15	10	N	20	N
796J162F	500	1.0	N	N	5	15	30	30	N	N	<5	20	N	15	N
796J162H	300	<1.0	N	N	50	100	N	20	N	N	30	10	N	70	N
796J163A	2,000	<1.0	N	N	50	700	30	30	N	<20	200	10	N	20	N
796J163B	<20	<1.0	N	N	20	150	<5	20	N	N	50	10	N	20	N
796J163E	700	1.0	N	N	15	20	70	50	50	N	30	15	N	15	N
796J164A	>5,000	1.0	N	N	10	<10	<5	70	N	N	<5	30	N	<5	N
796J165A	1,500	1.0	N	N	10	<10	10	50	N	N	<5	15	N	10	N
796J166A	2,000	1.5	N	N	5	<10	N	<20	N	N	<5	30	N	5	N
796J167B	1,000	<1.0	N	N	50	10	300	<20	N	N	15	20	N	20	N
796J168A	1,500	2.0	N	N	10	10	N	50	N	N	5	15	N	10	N
796J172A	1,000	2.0	N	N	10	30	N	70	N	N	20	20	N	10	N
796J173A	>5,000	<1.0	N	N	<5	<10	N	150	N	N	<5	30	N	<5	N
796J174A	2,000	1.5	N	N	7	15	N	50	N	N	5	30	N	7	N
796J175A	2,000	1.0	N	N	20	<10	20	70	N	N	5	20	N	15	N
796J176A	2,000	1.5	N	N	10	15	<5	50	N	<20	5	20	N	15	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-SR	S-TH	S-V	S-J	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
796J141H	700	N	20	N	N	N	50	V	5	5	5	--
796J142A	700	N	300	N	30	N	70	V	75	10	20	--
796J142H	500	N	500	N	20	<200	50	V	65	10	20	--
796J143A	300	N	N	N	10	N	10	N	<5	70	5	--
796J144A	700	V	200	V	20	<200	200	N	45	10	40	--
796J145A	700	N	100	N	10	N	20	V	<5	10	45	--
796J146A	700	N	200	N	20	N	50	N	<5	10	45	--
796J147A	700	N	200	N	20	<200	30	N	5	10	55	--
796J147B	300	N	10	N	N	N	100	N	5	10	30	--
796J148A	500	V	300	V	15	<200	50	N	15	15	60	--
796J148B	200	N	N	N	N	N	50	N	<5	5	35	--
796J149B	1,000	N	300	N	15	<200	150	V	20	10	65	--
796J149E	300	N	500	N	30	<200	100	V	50	5	20	--
796J150A	700	N	300	N	20	<200	20	N	20	10	40	--
796J151A	200	N	300	N	20	<200	70	N	25	<5	<5	--
796J151B	700	N	200	N	20	<200	300	N	20	15	50	--
796J152A	500	N	200	N	15	N	200	V	15	10	60	--
796J152D	700	N	30	N	N	N	70	V	<5	5	20	--
796J153A	200	N	150	N	20	<200	150	N	25	15	10	--
796J154A	200	N	N	N	N	N	150	N	<5	5	10	--
796J155B	700	N	300	N	20	<200	100	N	95	10	35	--
796J156A	1,000	V	50	N	<10	N	200	N	<5	15	40	--
796J157A	700	N	50	N	N	N	70	N	15	5	30	--
796J158A	700	N	200	V	30	<200	50	N	25	5	15	--
796J158B	1,000	N	50	N	N	N	300	N	5	10	20	--
796J159A	1,000	N	200	N	30	N	70	N	15	<5	30	--
796J160B	700	N	150	N	20	N	100	N	15	5	65	--
796J160C	500	V	500	N	30	<200	30	V	95	5	25	--
796J161A	500	N	200	N	50	<200	100	N	120	<5	25	--
796J162A	500	N	200	N	30	N	100	N	35	10	35	--
796J162F	1,500	N	200	N	30	N	100	N	20	5	5	--
796J162H	200	N	500	N	30	<200	15	N	<5	5	15	--
796J163A	500	N	300	N	20	<200	50	V	25	20	50	--
796J163B	500	N	200	N	20	N	30	N	<5	<5	10	--
796J163E	150	N	200	N	15	N	20	N	80	5	10	--
796J164A	1,500	N	100	N	<10	N	500	N	5	10	45	--
796J165A	1,000	N	200	N	20	N	100	N	10	5	40	--
796J166A	1,000	N	50	N	<10	N	30	V	<5	<5	20	--
796J167H	700	N	500	N	20	N	20	N	230	5	50	--
796J168A	1,000	N	100	N	15	N	100	N	<5	<5	25	--
796J172A	700	N	150	N	10	N	70	N	<5	10	70	--
796J173A	700	N	10	N	<10	N	1,000	N	<5	<5	30	--
796J174A	1,000	N	100	N	15	N	150	N	<5	<5	45	--
796J175A	700	N	200	N	20	N	30	N	25	10	55	--
796J176A	1,000	N	100	N	20	N	200	V	<5	<5	50	--

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	RK-TYPE	S-FEX	S-MGX	S-CAZ	S-TIX	S-MN	S-AG	S-AS	S-AU	S-B
796J177A	CEA113	56 2 55	131 22 37	QD	10.00	5.00	3.00	1.000	1,000	<.5	N	N	<10
796J179A	CEA145	56 17 51	131 45 56	GM	7.00	5.00	5.00	.500	1,500	<.5	N	N	<10
796J190A	CDY946	56 13 20	131 46 45	GM	10.00	5.00	2.00	.700	1,500	N	N	N	<10
796J192A	CDY830	56 13 1	131 48 6	SCB	5.00	2.00	2.00	.500	1,000	<.5	N	N	10
796J192B	CDY901	56 13 1	131 48 6	CS	2.00	5.00	20.00	.150	2,000	N	N	N	30
796J183A	CDY924	56 13 3	131 49 18	SCB	5.00	1.00	2.00	.100	700	N	N	N	<10
796J184A	CDY947	56 8 43	131 44 11	GM	3.00	2.00	1.00	.500	1,000	<.5	N	N	<10
796J185A	CDY831	56 9 25	131 44 20	GN	5.00	1.00	2.00	.300	2,000	N	N	N	<10
796J187A	CDY958	56 5 23	131 20 48	QDG	3.00	3.00	2.00	.700	1,000	<.5	N	N	<10
796J187E	CDY891	56 5 23	131 20 48	DI	7.00	5.00	5.00	.700	1,000	N	N	N	10
796J188A	CDY911	56 5 12	131 21 32	GDF	5.00	5.00	3.00	.700	1,000	N	N	N	10
796J189B	CDY934	56 4 51	131 22 29	GDF	.70	.50	1.50	.100	200	N	N	N	15
796J190A	CDY959	56 4 32	131 22 38	QDF	7.00	5.00	3.00	.700	1,500	N	N	N	<10
796J191A	CDY892	56 4 19	131 22 11	GDF	5.00	3.00	5.00	.700	1,000	<.5	N	N	<10
796J192A	CDY912	56 34 41	131 53 32	QDF	5.00	5.00	5.00	.500	1,000	N	N	N	10
796J193A	CDY935	56 34 56	131 52 30	QM	.70	.20	1.00	.100	300	N	N	N	15
796J194A	CDY960	56 35 35	131 50 55	GDF	.70	.50	1.50	.150	300	N	N	N	<10
796J194B	CDY893	56 35 35	131 50 55	GM	5.00	5.00	5.00	.700	1,000	N	N	N	10
796J195A	CDY913	56 33 49	131 50 19	GDG	5.00	3.00	5.00	.500	1,000	N	N	N	<10
796J196A	CDY936	56 34 27	131 54 50	QMF	.20	.05	1.00	.050	70	N	N	N	10
796J197A	CDY961	56 30 24	131 52 51	QDF	5.00	3.00	2.00	.700	1,000	N	N	N	<10
796J198A	CDY894	56 30 27	131 56 49	GDG	5.00	1.50	3.00	1.000	1,000	N	N	N	<10
796J199A	CDY914	56 27 10	131 59 40	GM	1.50	.50	.50	.100	500	N	N	N	10
796J200A	CDY937	56 26 51	131 58 24	GN	5.00	3.00	2.00	.500	700	<.5	N	N	10
796J201A	CDY962	56 26 15	131 51 55	GDF	2.00	1.00	2.00	.200	700	N	N	N	<10
796J202A	CDY895	56 25 52	131 56 7	GDG	7.00	2.00	3.00	.500	700	N	N	N	<10
796J215B	CEC452	56 25 42	131 35 18	DM	10.00	5.00	5.00	1.000	1,500	N	N	N	<10
796J217E	CEC383	56 25 29	131 36 1	CS	20.00	.15	15.00	.030	>5,000	N	N	N	<10
796J221A	CEC433	56 28 23	131 52 22	GN	10.00	5.00	7.00	>1.000	1,500	<.5	N	N	10
796J510A	CDM092	56 22 29	130 53 4	3A	15.00	5.00	5.00	>1.000	1,000	N	N	N	<10
79J0802A	CDM129	56 5 32	130 58 28	QDF	5.00	2.00	2.00	.700	1,000	N	N	N	<10
79J0804A	CDM151	56 5 1	130 59 14	GD	3.00	2.00	2.00	.700	700	N	N	N	<10
79J0805A	CDM106	56 13 28	130 55 31	GDF	10.00	3.00	3.00	1.000	1,500	N	N	N	<10
79J0806A	CDM174	56 14 49	130 57 25	GDF	2.00	.50	1.00	.300	300	N	N	N	N
79J0807A	CDM130	56 12 49	130 48 2	GDF	1.50	.20	1.00	.200	300	N	N	N	N
79J0808A	CDM152	56 12 57	130 45 48	GD	.50	.07	1.00	.100	200	N	N	N	N
79J0809A	CDM107	56 13 0	130 43 18	GD	1.00	.15	1.00	.200	300	N	N	N	N
79J0810A	CDM175	56 11 51	130 45 31	GDF	1.50	.15	1.00	.200	200	N	N	N	N
79J0811A	CDM001	56 5 34	131 27 38	QDF	10.00	3.00	3.00	1.000	700	1.5	N	N	<10
79J0812A	CDM070	56 5 25	131 27 59	GP	10.00	2.00	3.00	1.000	1,500	N	N	N	<10
79J0813A	CDM024	56 5 2	131 27 23	GP	.20	.15	.70	.150	20	N	N	N	N
79J0813B	CDM047	56 5 2	131 27 23	AM	15.00	5.00	5.00	1.000	1,500	N	N	N	<10
79J0814A	CDM002	56 4 49	131 27 25	AM	15.00	3.00	3.00	>1.000	1,000	N	N	N	<10
79J0815A	CDM071	56 3 15	131 23 4	GR	3.00	.70	1.50	.500	700	N	N	N	<10
79J0815B	CDM025	56 3 15	131 23 4	GR	10.00	3.00	3.00	>1.000	1,000	N	N	N	10

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-RA	S-BE	S-FI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PB	S-SB	S-SC	S-SN
796J177A	300	<1.0	N	N	30	50	20	30	N	N	10	15	N	30	N
796J179A	500	1.0	N	N	70	70	100	50	N	N	50	15	N	30	N
796J180A	5000	2.0	N	N	30	50	30	50	N	<20	15	70	N	15	N
796J182A	1000	1.5	N	N	7	70	10	20	N	N	15	15	N	15	N
796J182B	1000	2.0	N	N	5	50	10	20	N	N	30	N	N	7	N
796J183A	5000	3.0	N	N	10	<10	7	100	N	20	<5	70	N	<5	N
796J184A	1000	1.0	N	N	7	100	20	30	5	N	7	20	N	15	N
796J185A	500	2.0	N	N	10	200	50	30	N	N	30	<10	N	15	N
796J187A	1000	1.0	N	N	15	30	7	30	7	<20	15	20	N	7	N
796J187E	1000	<1.0	N	N	50	200	50	30	N	<20	50	<10	N	20	N
796J188A	1000	1.5	N	N	30	20	30	50	N	N	10	20	N	20	N
796J189B	3000	1.5	N	N	5	<10	<5	N	N	N	<5	30	N	<5	N
796J190A	1000	1.5	N	N	20	30	N	50	N	<20	20	15	N	15	N
796J191A	1000	2.0	N	N	20	30	<5	50	N	<20	15	20	N	15	N
796J192A	2000	1.5	N	N	20	20	20	30	N	<20	15	20	N	15	N
796J193A	2000	1.0	N	N	<5	<10	N	30	20	N	<5	70	N	<5	N
796J194A	2000	1.0	N	N	5	<10	<5	<20	N	N	<5	30	N	<5	N
796J194B	1000	1.5	N	N	50	100	30	70	N	<20	50	20	N	20	N
796J195A	2000	3.0	N	N	15	70	50	50	N	<20	15	30	N	15	N
796J196A	5000	1.5	N	N	N	<10	5	20	7	N	<5	30	N	N	N
796J197A	1000	1.0	N	N	15	15	<5	30	N	N	7	20	N	15	N
796J198A	2000	1.0	N	N	15	10	7	50	N	<20	5	30	N	10	N
796J199A	100	<1.0	N	N	<5	<10	10	20	7	N	<5	<10	N	10	N
796J200A	1000	1.5	N	N	7	70	20	30	N	<20	7	15	N	15	N
796J201A	1000	2.0	N	N	7	<10	N	30	7	N	5	15	N	10	N
796J202A	1000	<1.0	N	N	15	30	50	20	N	N	7	15	N	30	N
796J215B	1000	<1.0	N	N	50	70	20	30	N	<20	30	10	N	20	N
796J217E	<20	1.0	N	N	20	20	500	N	N	N	<5	10	N	<5	N
796J221A	700	1.0	N	N	20	300	70	30	N	20	50	10	N	20	N
796J510A	300	<1.0	N	N	70	50	30	<20	N	<20	150	N	N	30	N
79J0802A	2000	1.0	N	N	7	10	7	N	N	N	5	20	N	10	N
79J0804A	5000	1.0	N	N	7	10	20	30	N	<20	5	15	N	20	N
79J0805A	3000	1.0	N	N	15	20	5	<20	N	N	10	20	N	20	N
79J0806A	3000	1.0	N	N	5	<10	<5	50	N	<20	<5	20	N	5	N
79J0807A	5000	1.0	N	N	N	<10	<5	N	N	N	<5	30	N	N	N
79J0808A	3000	1.0	N	N	N	N	N	N	N	N	<5	20	N	N	N
79J0809A	1000	1.0	N	N	5	<10	N	N	N	<20	5	30	N	<5	N
79J0810A	3000	1.0	N	N	<5	N	N	20	N	N	<5	30	N	<5	N
79J0811A	1000	<1.0	N	N	10	20	50	50	N	<20	15	20	N	20	N
79J0812A	1000	1.0	N	N	7	30	100	<20	30	N	10	10	N	50	N
79J0813A	1000	<1.0	N	N	<5	N	<5	N	N	N	5	15	N	N	N
79J0813B	100	<1.0	N	N	50	150	15	N	N	N	150	<10	N	100	N
79J0814A	2000	<1.0	N	N	20	20	20	30	N	<20	10	10	N	30	N
79J0815A	2000	<1.0	N	N	<5	10	5	50	N	N	5	15	N	10	N
79J0815B	1000	1.0	N	N	10	50	5	20	N	N	10	15	N	30	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-SR	S-TH	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
796J177A	1,000	N	300	N	30	<200	15	N	25	20	40	--
796J179A	700	N	300	N	20	N	30	N	100	5	20	--
796J180A	500	N	200	N	30	N	100	N	25	10	65	--
796J182A	700	N	150	N	15	<200	100	N	15	5	95	--
796J182B	150	N	70	N	50	N	50	N	10	10	5	--
796J183A	300	N	10	N	50	N	500	N	10	<5	80	--
796J184A	500	N	200	N	15	N	150	N	35	5	95	--
796J185A	300	N	150	N	30	N	70	N	30	5	55	--
796J187A	1,000	N	150	N	10	N	200	N	10	5	40	--
796J187E	1,000	N	200	N	15	N	70	N	50	10	50	--
796J188A	700	N	200	N	30	<200	30	N	20	5	80	--
796J189B	1,000	N	30	N	<10	N	70	N	<5	<5	25	--
796J190A	1,000	N	200	N	20	<200	70	N	<5	<5	25	--
796J191A	1,000	N	200	N	30	N	50	N	<5	<5	40	--
796J192A	1,000	N	200	N	20	N	30	N	20	5	45	--
796J193A	300	N	15	<50	<10	N	10	N	<5	<5	35	--
796J194A	1,000	N	30	N	N	N	50	N	5	<5	30	--
796J194B	700	N	300	N	30	N	50	N	25	5	35	--
796J195A	700	N	200	N	30	N	200	N	30	<5	15	--
796J196A	1,000	N	10	N	N	N	30	N	10	<5	5	--
796J197A	1,000	N	200	N	20	<200	30	N	<5	<5	45	--
796J198A	700	N	150	N	30	N	150	N	5	5	50	--
796J199A	100	N	20	N	70	N	150	N	5	<5	20	--
796J200A	500	N	200	N	20	N	70	N	25	5	70	--
796J201A	700	N	100	N	15	N	15	N	<5	<5	50	--
796J202A	500	N	200	N	30	N	70	N	35	5	65	--
796J215B	1,000	N	300	N	30	<200	100	N	20	20	65	--
796J217E	N	N	30	N	50	<200	20	N	310	15	25	--
796J221A	500	N	300	N	30	<200	100	N	50	10	35	--
796J510A	1,000	N	700	N	50	<200	150	N	10	15	55	--
79J0802A	1,000	N	200	N	15	<200	50	N	5	25	25	--
79J0804A	1,000	N	200	N	30	<200	150	N	15	10	60	--
79J0805A	1,500	N	500	N	20	<200	100	N	5	15	75	--
79J0806A	500	N	100	N	30	N	300	N	<5	5	50	--
79J0807A	2,000	N	30	N	N	N	70	N	5	10	75	--
79J0808A	1,500	N	20	N	N	N	50	N	<5	5	10	--
79J0809A	700	N	30	N	<10	N	50	N	<5	20	25	--
79J0810A	1,500	N	30	N	10	N	100	N	<5	5	15	--
79J0811A	1,000	N	500	N	20	N	100	N	25	10	70	--
79J0812A	300	N	300	N	30	<200	70	N	55	10	75	--
79J0813A	700	N	20	N	N	N	N	N	N	<5	15	--
79J0813B	100	N	1,500	N	30	<200	20	N	15	5	10	--
79J0814A	1,500	N	1,000	N	50	200	50	N	10	10	100	--
79J0815A	500	N	100	N	15	<200	100	N	5	10	65	--
79J0815B	1,000	N	500	N	30	N	70	N	5	5	40	--

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	RK-TYPE	S-FEX	S-MGZ	S-CAZ	S-TIZ	S-MN	S-AG	S-AS	S-AU	S-B
79JD816A	CDM048	56 3 11	131 23 23	GQ	.50	.20	2.00	.150	30	N	N	N	N
79JD816B	CDM013	56 3 11	131 23 23	GP	10.00	5.00	5.00	>1.000	1,500	N	N	N	<10
79JD817A	CDM072	56 3 14	131 24 0	GQ	10.00	1.50	3.00	.700	1,000	N	N	N	<10
79JD818A	CDM026	56 3 20	131 24 51	GQ	10.00	3.00	3.00	.700	1,000	N	N	N	<10
79JD819A	CDM017	56 13 18	131 0 37	GDF	1.50	.50	1.50	.200	300	N	N	N	N
79JD820A	CDM063	56 14 11	131 0 49	GDF	2.00	.70	1.50	.500	300	N	N	N	N
79JD821A	CDM040	56 14 53	131 0 49	GDF	3.00	1.50	3.00	.700	1,000	N	N	N	<10
79JD822A	CDM085	56 14 52	131 3 12	GDF	15.00	3.00	3.00	1.000	1,000	N	N	N	<10
79JD823A	CDM018	56 17 31	131 1 23	GDF	3.00	2.00	3.00	.500	1,500	N	N	N	10
79JD824A	CDM064	56 18 49	131 5 2	GD	2.00	1.00	1.50	.500	500	N	N	N	N
79JD825A	CDM041	56 19 25	131 7 55	GD	2.00	1.00	1.00	.500	700	N	N	N	N
79JD826A	CDM096	56 14 13	131 9 32	GD	5.00	1.50	3.00	.500	1,000	N	N	N	10
79JD827A	CDM089	56 1 20	131 7 52	GN	5.00	2.00	2.00	.500	1,500	N	N	N	<10
79JD827B	CDM044	56 1 20	131 7 52	GD	2.00	1.00	1.50	.300	700	N	N	N	N
79JD828A	CDM067	56 1 33	131 7 23	GD	2.00	2.00	3.00	.700	1,000	N	N	N	<10
79JD828B	CDM021	56 1 33	131 7 23	MB	15.00	5.00	5.00	>1.000	2,000	N	N	N	<10
79JD828C	CDM090	56 1 33	131 7 23	LAD	10.00	3.00	2.00	1.000	1,000	N	N	N	10
79JD829A	CDM045	56 1 54	131 6 21	GDF	1.00	.50	.50	.200	500	N	N	N	N
79JD829B	CDM068	56 1 54	131 6 21	AM	10.00	3.00	3.00	.700	2,000	N	N	N	<10
79JD831A	CDM022	56 2 31	131 5 43	D1D	1.00	1.50	>20.00	.300	1,000	N	N	N	N
79JD832A	CDM091	56 3 5	131 4 24	GDF	3.00	1.50	1.50	.500	700	N	N	N	10
79JD833A	CDM046	56 2 52	131 6 0	GDF	2.00	.70	2.00	.300	1,000	N	N	N	N
79JD833B	CDM069	56 2 52	131 6 0	D1D	10.00	2.00	5.00	>1.000	1,500	N	N	N	10
79JD834A	CDM445	56 19 25	130 48 30	GD	3.00	1.50	3.00	.500	700	N	N	N	N
79JD835A	CDM468	56 19 15	130 48 32	GDF	3.00	1.00	1.50	.700	500	N	N	N	N
79JD838A	CDM446	56 18 47	130 48 30	GD	15.00	3.00	2.00	1.000	700	N	N	N	<10
79JD839A	CDM490	56 18 36	130 48 21	GD	10.00	2.00	3.00	.700	1,500	N	N	N	N
79JD840A	CDM512	56 18 23	130 48 23	GD	7.00	2.00	3.00	1.000	1,000	N	N	N	<10
79JD841A	CDM469	56 18 5	130 48 23	GD	3.00	1.00	2.00	.500	700	N	N	N	N
79JD843A	CDM491	56 17 48	130 48 29	GD	7.00	1.50	2.00	.300	700	N	N	N	N
79JD844A	CDM478	56 4 38	130 53 40	GD	.70	.30	.50	.300	150	N	N	N	N
79JD845A	CDM499	56 5 43	130 55 20	GDF	10.00	3.00	5.00	.700	1,000	N	N	N	N
79JD846A	CDM520	56 2 22	130 53 29	GM	2.00	.70	.70	.500	500	N	N	N	N
79JD847A	CDM454	56 1 42	130 51 40	GD	1.00	.20	1.00	.200	150	N	N	N	N
79JD847B	CDM479	56 1 42	130 51 40	GM	15.00	10.00	7.00	.700	2,000	N	N	N	<10
79JD848A	CDM500	56 3 42	130 51 7	MG	7.00	3.00	3.00	.700	1,000	N	N	N	<10
79JD849A	CDM521	56 5 19	130 49 2	GD	.70	.10	1.00	.200	70	N	N	N	N
79JD850A	CDM455	56 6 31	130 49 22	GDF	15.00	3.00	5.00	1.000	1,500	N	N	N	<10
79JD850B	CDM522	56 6 31	130 49 22	GRD	1.00	.20	.07	.150	150	<.5	N	N	N
79JD851A	CDM501	56 5 52	130 51 51	GDF	10.00	2.00	3.00	.700	700	N	N	N	<10
79JD851B	CDM456	56 5 52	130 51 51	GRD	.50	.05	.30	.070	150	N	N	N	N
79JD852A	CDM523	56 6 33	130 51 33	GDF	3.00	1.50	1.50	.300	500	N	N	N	N
79JD853A	CDM480	56 7 11	130 52 29	GD	15.00	3.00	5.00	1.000	1,000	N	N	N	<10
79JD854A	CDM362	56 10 47	130 36 0	SCB	20.00	5.00	7.00	>1.000	2,000	N	N	N	<10
79JD854B	CDM205	56 10 47	130 36 0	QMD	1.50	.15	.30	.150	1,000	N	N	N	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-BA	S-9E	S-DI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PB	S-SB	S-SC	S-SN
79J0816A	500	<1.0	N	N	<5	N	5	N	N	N	5	20	N	N	N
79J0816B	150	<1.0	N	N	30	100	150	<20	N	N	50	<10	N	70	N
79J0817A	1,000	<1.0	N	N	7	20	20	N	N	N	10	10	N	50	N
79J0819A	1,000	<1.0	N	N	20	100	50	20	N	N	70	10	N	50	N
79J0819A	3,000	1.0	N	N	5	<10	<5	N	N	N	7	20	N	5	N
79J0820A	5,000	<1.0	N	N	5	10	N	N	N	N	5	20	N	N	N
79J0821A	1,500	1.0	N	N	5	<10	N	20	N	N	5	15	N	20	N
79J0822A	1,000	<1.0	N	N	15	30	20	30	N	<20	20	20	N	20	N
79J0823A	2,000	1.0	N	N	7	10	<5	<20	N	N	5	20	N	15	N
79J0824A	1,000	1.5	N	N	5	10	N	<20	N	N	5	15	N	10	N
79J0825A	3,000	1.0	N	N	5	<10	<5	<20	N	N	5	15	N	10	N
79J0826A	700	1.5	N	N	7	10	5	20	N	N	<5	15	N	20	N
79J0827A	700	1.0	N	N	7	50	20	N	N	N	20	15	N	20	N
79J0827B	3,000	<1.0	N	N	5	10	10	N	N	N	7	20	N	10	N
79J0828A	1,500	1.0	N	N	5	10	7	30	N	N	10	10	N	15	N
79J0828B	700	<1.0	N	N	30	100	200	20	N	N	200	<10	N	30	N
79J0828C	3,000	<1.0	N	N	10	20	10	30	N	N	10	30	N	15	N
79J0829A	2,000	1.0	N	N	<5	<10	<5	N	N	N	5	10	N	7	N
79J0829B	2,000	1.0	N	N	20	200	10	N	N	N	70	15	N	30	N
79J0831A	100	<1.0	N	N	N	30	N	50	N	N	5	10	N	N	N
79J0832A	2,000	1.0	N	N	5	10	<5	N	N	N	10	20	N	7	N
79J0833A	1,500	1.0	N	N	5	10	<5	N	N	N	5	15	N	10	N
79J0833B	500	<1.0	N	N	15	30	50	<20	N	<20	30	15	N	20	N
79J0834A	1,000	<1.0	N	N	5	10	<5	50	N	N	5	30	N	10	N
79J0835A	1,000	1.0	N	N	5	15	100	20	N	N	5	30	N	5	N
79J0838A	300	1.0	N	N	7	30	5	30	N	N	5	20	N	20	N
79J0839A	1,500	1.0	N	N	7	30	5	20	N	N	7	30	N	20	N
79J0840A	2,000	1.0	N	N	7	15	7	30	N	<20	5	30	N	15	N
79J0841A	1,000	1.0	N	N	5	15	7	30	N	N	5	30	N	5	N
79J0843A	2,000	1.0	N	N	5	10	N	20	N	N	5	30	N	10	N
79J0844A	2,000	1.0	N	N	N	<10	N	N	N	N	<5	30	N	N	N
79J0845A	1,000	1.0	N	N	10	20	<5	30	N	<20	10	50	N	15	N
79J0846A	2,000	1.0	N	N	<5	<10	<5	100	N	N	5	30	N	<5	N
79J0847A	1,500	<1.0	N	N	<5	<10	<5	N	N	N	5	30	N	<5	N
79J0847B	300	N	N	N	70	1,500	<5	N	N	N	700	10	N	30	N
79J0848A	3,000	1.0	N	N	10	30	15	20	30	N	15	30	N	20	N
79J0849A	5,000	<1.0	N	N	N	<10	<5	N	N	N	5	50	N	N	N
79J0850A	1,000	<1.0	N	N	15	50	15	<20	N	N	5	10	N	30	N
79J0850B	1,000	<1.0	N	N	<5	<10	<5	50	N	N	7	100	N	N	N
79J0851A	1,500	1.0	N	N	7	20	<5	300	N	N	7	20	N	20	N
79J0851B	20	1.5	N	N	N	<10	N	N	N	<20	5	70	N	10	N
79J0852A	3,000	<1.0	N	N	5	10	5	N	N	N	5	30	N	7	N
79J0853A	1,500	<1.0	N	N	10	30	5	70	N	N	10	50	N	20	N
79J0854A	50	<1.0	N	N	200	30	200	N	N	<20	150	N	N	70	N
79J0854B	200	3.0	N	N	<5	<10	<5	N	N	<20	<5	70	N	7	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-SR	S-TH	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
79J0816A	1,500	N	30	N	N	N	50	N	10	5	20	--
79J0816B	300	N	1,000	N	50	<200	70	V	50	<5	10	--
79J0817A	200	N	70	N	50	<200	50	V	20	10	45	--
79J0818A	700	N	500	N	30	<200	50	N	30	10	75	--
79J0819A	700	N	100	N	15	N	50	N	<5	5	15	--
79J0820A	5,000	N	100	N	N	N	100	N	<5	5	35	--
79J0821A	1,000	N	150	N	30	<200	70	V	<5	5	40	--
79J0822A	1,000	N	700	N	30	<200	70	N	20	15	75	--
79J0823A	1,500	N	200	N	30	<200	70	N	<5	5	50	--
79J0824A	1,000	N	100	N	20	<200	70	N	<5	5	70	--
79J0825A	700	N	100	N	10	<200	100	N	5	10	75	--
79J0826A	1,500	N	300	N	30	<200	100	N	5	10	60	--
79J0827A	1,500	N	200	N	30	N	70	N	20	10	45	--
79J0827B	1,000	N	200	N	15	N	50	V	10	5	30	--
79J0828A	1,500	N	200	N	20	<200	70	N	20	5	20	--
79J0828B	1,000	N	1,000	N	50	<200	150	N	30	15	75	--
79J0828C	1,500	N	500	N	20	<200	100	N	5	25	110	--
79J0829A	1,500	N	70	N	10	N	30	N	5	5	20	--
79J0829B	1,000	N	700	N	50	<200	50	N	10	5	25	--
79J0831A	500	N	70	N	30	N	30	N	<5	40	10	--
79J0832A	1,000	N	200	N	10	N	70	N	5	10	50	--
79J0833A	1,000	N	150	N	20	N	20	N	<5	5	30	--
79J0833B	1,500	N	300	N	20	N	100	N	50	20	100	--
79J0834A	1,500	N	200	N	20	N	50	N	<5	5	40	--
79J0835A	700	N	100	N	10	<200	100	N	75	10	65	--
79J0838A	1,000	N	500	N	30	<200	100	N	<5	15	85	--
79J0839A	1,500	N	300	N	30	<200	30	N	<5	10	70	--
79J0840A	1,500	N	200	N	30	<200	300	N	10	5	60	--
79J0841A	1,000	N	100	N	<10	<200	100	N	10	10	50	--
79J0843A	1,500	N	200	N	15	<200	100	N	<5	5	55	--
79J0844A	700	N	30	N	N	N	70	N	<5	5	50	--
79J0845A	3,000	N	500	N	20	<200	100	N	<5	10	85	--
79J0846A	700	N	100	N	N	<200	50	N	<5	<5	40	--
79J0847A	1,500	N	50	N	<10	N	70	N	<5	15	20	--
79J0847B	200	V	300	N	20	<200	<10	V	<5	10	25	--
79J0848A	1,500	N	300	N	30	<200	20	N	25	5	50	--
79J0849A	3,000	N	30	N	N	N	100	N	<5	<5	10	--
79J0850A	500	N	700	N	70	<200	50	N	20	15	55	--
79J0850B	100	N	20	N	<10	N	70	N	N	5	15	--
79J0851A	2,000	N	200	N	20	<200	70	N	<5	10	95	--
79J0851B	N	N	<10	N	30	N	50	V	N	5	10	--
79J0852A	1,000	N	150	N	<10	<200	50	N	5	5	50	--
79J0853A	2,000	N	500	N	20	<200	70	N	<5	10	75	--
79J0854A	200	N	2,000	N	50	<200	70	N	75	<5	10	--
79J0854B	<100	N	<10	N	70	<200	50	N	<5	10	40	--

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	LAH NO.	LATITUDE	LONGITUDE	RK-TYPE	S-FEX	S-MGX	S-CAJ	S-TIX	S-MN	S-AG	S-AS	S-AU	S-B
79JD855A	CDM318	56 10 33	130 36 5	SC9	3.00	.70	1.50	.700	1,000	N	N	N	N
79JD856A	CDM340	56 10 22	130 36 9	SC8	10.00	1.50	3.00	1.000	2,000	N	N	N	<10
79JD856B	CDM297	56 10 22	130 36 9	SC8	20.00	7.00	10.00	>1.000	2,000	N	N	N	<10
79JD857A	CDM363	56 10 15	130 36 24	SC3	15.00	7.00	10.00	>1.000	2,000	N	N	N	<10
79JD858A	CDM296	56 10 2	130 36 26	SC8	15.00	3.00	3.00	1.000	1,500	N	N	N	<10
79JD859A	CDM319	56 9 1	130 36 53	MG	10.00	1.50	2.00	.700	1,500	.5	N	N	<10
79JD860A	CDM341	56 8 44	130 37 7	SC8	10.00	2.00	1.00	.700	1,000	N	N	N	<10
79JD861A	CDM364	56 15 38	130 45 6	GD	1.00	.20	1.00	.150	200	N	N	N	N
79JD862A	CDM368	56 18 23	130 45 22	GD	5.00	2.00	3.00	.500	700	N	N	N	N
79JD863A	CDN328	56 21 13	130 46 13	GR	2.00	.20	.70	.100	700	N	N	N	N
79JD864A	CDM391	56 13 23	131 9 11	GD	2.00	.50	1.00	.300	200	N	N	N	N
79JD865A	CDM413	56 16 7	131 12 28	GD	15.00	3.00	5.00	1.000	1,500	N	N	N	N
79JD866A	CDM369	56 15 14	131 13 31	GD	10.00	2.00	3.00	.700	1,000	N	N	N	N
79JD867A	CDN329	56 17 27	131 14 12	GD	5.00	1.50	3.00	.300	1,000	N	N	N	15
79JD868A	CDM392	56 19 17	131 9 28	GDF	5.00	1.50	2.00	.700	1,000	N	N	N	<10
79JD869A	CDM414	56 17 19	131 16 44	GD	1.00	.15	1.00	.200	100	N	N	N	N
79JD870A	CDM370	56 18 33	131 17 18	G0G	1.50	.50	1.00	.200	100	N	N	N	N
79JD871A	CDN330	56 14 37	131 19 25	G0G	1.50	.30	1.00	1.000	200	N	N	N	N
79JD872A	CDM393	56 13 19	131 15 1	G0G	10.00	2.00	3.00	1.000	700	N	N	N	<10
79JD873A	CDM378	56 9 21	131 12 1	G0G	10.00	3.00	3.00	1.000	1,000	N	N	N	<10
79JD874A	CDM403	56 10 35	131 13 18	GD	10.00	2.00	2.00	1.000	1,000	N	N	N	<10
79JD874B	CDN336	56 10 35	131 13 18	0MD	1.50	.20	1.50	.030	70	.5	N	N	<10
79JD875A	CDM423	56 12 11	131 14 57	GD	10.00	3.00	3.00	1.000	1,000	N	N	N	<10
79JD876A	CDM379	56 11 42	131 17 19	GD	3.00	1.00	2.00	.500	500	N	N	N	N
79JD877A	CDM404	56 11 18	131 16 42	GD	3.00	1.00	1.50	.700	300	N	N	N	N
79JD878A	CDN337	56 10 2	131 15 12	GDF	10.00	2.00	5.00	.500	700	<.5	N	N	10
79JD879A	CDM424	56 9 1	131 13 36	GDN	2.00	1.00	2.00	.500	300	N	N	N	N
79JD880A	CDM380	56 7 14	131 12 47	GDF	15.00	3.00	3.00	1.000	1,000	N	N	N	<10
79JD881A	CDM563	56 2 31	131 20 22	QDF	5.00	2.00	3.00	.500	700	N	N	N	<10
79JD882A	CDM541	56 5 14	131 25 33	GDF	15.00	5.00	2.00	1.000	1,000	N	N	N	<10
79JD882B	CDM609	56 5 14	131 25 33	GP	15.00	3.00	1.50	1.000	700	<.5	N	N	N
79JD883A	CDM586	56 7 30	131 26 2	GDF	3.00	1.50	1.50	.500	200	N	N	N	N
79JD883B	CDM564	56 7 30	131 26 2	G0R	10.00	2.00	1.50	1.000	1,000	N	N	N	N
79JD883C	CDM542	56 7 30	131 26 2	G0D	1.00	.15	.50	.150	150	N	N	N	N
79JD883D	CDM610	56 7 30	131 26 2	APD	.50	.15	.30	.050	<10	N	N	N	N
79JD884A	CDM587	56 6 5	131 23 39	IG	15.00	3.00	2.00	1.000	500	N	N	N	N
79JD885A	CDM565	56 5 25	131 21 12	GDN	5.00	2.00	2.00	.500	300	N	N	N	N
79JD885B	CDM543	56 5 25	131 21 12	PG	10.00	3.00	3.00	>1.000	500	N	N	N	<10
79JD886A	CDM611	56 4 18	131 17 12	GDN	5.00	1.50	.70	.500	200	<.5	N	N	N
79JD886B	CDM588	56 4 18	131 17 12	PG	15.00	3.00	.30	.700	5,000	N	N	N	N
79JD887A	CDM566	56 1 1	131 16 4	QD	10.00	3.00	3.00	.700	1,000	N	N	N	N
79JD888A	CDM544	56 3 10	131 14 59	GDF	10.00	2.00	2.00	.500	1,000	N	N	N	N
79JD889A	CDM612	56 3 43	131 12 35	GDF	1.50	.50	1.00	.200	70	N	N	N	N
79JD890A	CDM589	56 4 35	131 7 11	GD	1.50	.70	.50	.200	100	N	N	N	N
79JD891A	CDM568	56 20 55	131 6 38	GDF	1.50	.70	1.50	.300	300	N	N	N	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-HA	S-HE	S-OI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PB	S-SB	S-SC	S-SN
79J0855A	700	1.0	N	N	7	20	100	N	N	N	15	N	N	20	N
79J0856A	300	1.0	N	N	7	20	70	20	N	<20	15	N	N	20	N
79J0856B	100	<1.0	N	N	70	70	150	N	N	N	2-300	<10	N	70	N
79J0857A	150	<1.0	N	N	500	500	150	N	N	<20	300	10	N	70	N
79J0858A	700	1.0	N	N	10	20	30	N	N	N	15	10	N	30	N
79J0859A	1,500	1.0	N	N	7	20	100	30	N	N	10	30	N	20	N
79J0860A	700	1.0	N	N	10	30	<5	20	N	N	20	10	N	30	N
79J0861A	2,000	1.0	N	N	N	<10	<5	N	N	N	<5	30	N	N	N
79J0862A	2,000	1.0	N	N	7	20	<5	50	N	N	5	20	N	10	N
79J0863A	2,000	3.0	N	N	5	<10	<5	70	N	N	5	20	N	5	N
79J0864A	5,000	<1.0	N	N	5	<10	<5	N	N	N	7	70	N	N	N
79J0865A	1,500	1.0	N	N	10	20	10	<20	N	N	5	50	N	20	N
79J0866A	1,500	1.0	N	N	7	15	<5	30	N	N	5	30	N	10	N
79J0867A	5,000	1.0	N	N	15	10	15	20	N	N	7	30	N	20	N
79J0868A	1,500	1.0	N	N	7	20	<5	70	<5	<20	5	15	N	15	N
79J0869A	3,000	1.0	N	N	<5	<10	<5	<20	N	N	5	50	N	<5	N
79J0870A	>5,000	<1.0	N	N	5	<10	70	100	N	N	10	30	N	N	N
79J0871A	3,000	1.5	N	N	5	<10	<5	N	N	N	5	15	N	<5	N
79J0872A	1,500	1.0	N	N	7	15	20	100	N	N	5	10	N	7	N
79J0873A	1,500	1.0	N	N	10	70	20	50	N	<20	100	20	N	30	N
79J0874A	3,000	1.0	N	N	7	20	N	50	N	N	7	20	N	15	N
79J0874B	>5,000	<1.0	N	N	5	<10	<5	50	N	N	10	50	N	<5	N
79J0875A	3,000	<1.0	N	N	10	20	<5	<20	N	N	10	50	N	15	N
79J0876A	5,000	<1.0	N	N	5	10	N	30	N	N	5	20	N	<5	N
79J0877A	5,000	1.0	N	N	<5	10	<5	70	N	N	5	20	N	<5	N
79J0878A	2,000	1.5	N	N	30	20	5	20	N	N	10	20	N	30	N
79J0879A	1,000	1.0	N	N	5	<10	10	30	N	N	5	30	N	5	N
79J0880A	1,000	1.0	N	N	20	50	<5	20	N	<20	15	20	N	20	N
79J0881A	1,500	<1.0	N	N	7	10	5	20	N	N	7	20	N	15	N
79J0882A	1,000	1.0	N	N	15	70	<5	20	N	N	20	30	N	30	N
79J0882B	1,000	<1.0	N	N	15	70	7	50	N	N	50	15	N	20	N
79J0883A	700	<1.0	N	N	5	10	5	N	N	N	7	15	N	<5	N
79J0883B	1,000	<1.0	N	N	10	100	5	N	N	N	50	15	N	15	N
79J0883C	700	1.0	N	N	<5	<10	<5	20	N	N	7	50	N	N	N
79J0883D	1,500	N	N	N	5	N	7	N	N	N	5	50	N	N	N
79J0884A	1,500	<1.0	N	N	10	50	N	50	N	N	30	10	N	15	N
79J0885A	1,000	<1.0	N	N	7	20	15	70	N	N	15	15	N	10	N
79J0885B	1,000	1.0	N	N	20	20	20	20	N	N	30	20	N	15	N
79J0886A	1,000	N	N	N	5	10	20	N	5	N	5	100	N	5	N
79J0886B	700	<1.0	N	N	5	50	30	20	N	<20	5	70	N	20	N
79J0887A	700	<1.0	N	N	10	20	15	<20	N	N	10	30	N	15	N
79J0888A	1,500	1.0	N	N	10	30	5	<20	N	N	15	20	N	15	N
79J0889A	2,000	N	N	N	<5	N	<5	N	N	N	<5	50	N	N	N
79J0890A	1,500	N	N	N	<5	<10	N	N	N	N	<5	50	N	N	N
79J0891A	1,000	N	N	N	<5	<10	<5	N	N	N	<5	20	N	N	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-SR	S-TH	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
79J0855A	150	N	200	N	30	N	70	N	75	10	35	--
79J0856A	500	N	150	N	70	<200	100	N	45	5	45	--
79J08569	300	N	2,000	N	50	<200	50	N	75	5	15	--
79J0857A	200	N	2,000	N	30	<200	50	N	40	5	10	--
79J0858A	1,000	N	700	N	50	<200	150	N	25	10	65	--
79J0859A	500	N	150	N	70	<200	300	N	75	20	60	--
79J0860A	300	N	300	N	30	<200	100	N	<5	10	80	--
79J0861A	1,500	N	50	N	<10	N	50	N	<5	5	25	--
79J0862A	1,500	N	200	N	15	<200	20	N	5	10	50	--
79J0863A	300	N	50	N	10	N	100	N	<5	10	40	--
79J0864A	1,500	N	100	N	N	N	50	N	<5	<5	20	--
79J0865A	2,000	N	300	N	30	<200	200	N	15	10	65	--
79J0866A	2,000	N	300	N	20	<200	50	N	<5	10	45	--
79J0867A	1,000	N	200	N	30	N	70	N	10	5	35	--
79J0868A	700	N	200	N	30	N	200	N	<5	<5	20	--
79J0869A	2,000	N	30	N	<10	N	70	N	<5	5	20	--
79J0870A	1,500	N	50	N	N	N	70	N	50	5	20	--
79J0871A	700	N	50	N	N	N	200	N	<5	5	20	--
79J0872A	1,500	N	300	N	<10	<200	300	N	25	5	75	--
79J0873A	1,500	N	500	N	50	<200	30	N	15	5	45	--
79J0874A	1,500	N	200	N	20	<200	100	N	<5	10	65	--
79J08743	1,500	N	70	N	N	N	50	N	N	5	5	--
79J0875A	1,500	N	300	N	15	<200	100	N	<5	10	50	--
79J0876A	1,000	N	100	N	<10	N	70	N	<5	5	25	--
79J0877A	1,500	N	100	N	10	N	70	N	5	10	55	--
79J0878A	1,500	N	300	N	30	<200	150	N	<5	15	50	--
79J0879A	1,500	N	100	N	10	N	150	N	10	10	40	--
79J0880A	1,000	N	500	N	30	<200	200	N	<5	10	40	--
79J0881A	1,000	N	200	N	30	<200	50	N	5	15	45	--
79J0882A	2,000	N	30	N	30	<200	70	N	<5	20	70	--
79J0882B	500	N	500	N	30	<200	70	N	5	15	55	--
79J0883A	700	N	100	N	15	<200	20	N	10	15	45	--
79J0883B	200	N	300	N	10	<200	150	N	10	10	45	--
79J0883C	500	N	20	N	<10	N	30	N	<5	10	15	--
79J0883D	200	N	N	N	<10	N	10	N	10	15	5	--
79J0884A	1,000	N	500	N	15	<200	70	N	<5	15	40	--
79J0885A	1,000	N	150	N	10	N	200	N	25	15	45	--
79J0885B	1,000	N	300	N	10	<200	50	N	20	40	80	--
79J0886A	100	N	100	N	<10	<200	70	N	45	35	100	--
79J0886B	<100	N	20	N	70	<200	200	N	20	20	110	--
79J0887A	1,500	N	500	N	15	N	50	N	20	10	55	--
79J0888A	2,000	N	300	N	30	<200	100	N	5	10	45	--
79J0889A	700	N	50	N	N	N	50	N	<5	10	15	--
79J0890A	500	N	50	N	N	N	30	N	<5	10	25	--
79J0891A	1,500	N	70	N	N	N	30	N	5	5	30	--

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	RK-TYPE	S-FE%	S-MG%	S-CAZ	S-TIX	S-MN	S-AG	S-AS	S-AU	S-B
79JD892A	CDM591	56 19 53	131 6 25	GD	2.00	.50	.70	.300	300	N	N	N	N
79JD892R	CDM614	56 19 53	131 6 25	VQ	N	<.02	<.05	.007	N	N	N	N	N
79JD893A	CDM546	56 20 50	131 12 28	GD	.50	.15	.50	.070	150	N	N	N	N
79JD893B	CDM569	56 20 50	131 12 28	GD	10.00	3.00	3.00	.700	700	N	N	N	N
79JD893C	CDM573	56 20 50	131 12 28	AMI	20.00	5.00	5.00	>1.000	700	N	N	N	<10
79JD894A	CDM592	56 19 15	131 14 59	GDG	7.00	2.00	1.50	.700	1,000	N	N	N	N
79JD894B	CDM615	56 19 15	131 14 59	AM	15.00	10.00	7.00	1.000	2,000	N	N	N	<10
79JD895A	CDM547	56 18 37	131 13 4	GD	5.00	1.50	5.00	.500	500	N	N	N	N
79JD896A	CDM570	56 19 13	131 18 31	GD	1.50	.50	1.00	.300	300	N	N	N	N
79JD897A	CDM616	56 19 49	131 19 56	GD	1.00	.30	1.00	.200	300	N	N	N	N
79JD898A	CDM679	56 9 33	130 47 14	GD	10.00	2.00	3.00	.500	700	N	N	N	N
79JD898R	CDM713	56 9 33	130 47 14	APD	.50	.70	.30	.030	70	N	N	N	N
79JD901A	CDM636	56 5 52	130 53 28	GDN	2.00	.70	1.50	.500	150	N	N	N	N
79JD905A	CDM684	56 9 35	130 57 27	GD	10.00	3.00	3.00	.700	1,000	N	N	N	N
79JD906A	CDM661	56 8 37	131 0 48	GD	10.00	2.00	5.00	.700	500	N	N	N	N
79JD907A	CDM640	56 5 43	131 2 15	AMG	15.00	3.00	5.00	1.000	1,000	N	N	N	<10
79JD908A	CDM705	56 2 58	131 0 44	GD	2.00	1.00	1.50	.500	150	N	N	N	N
79JD909A	CDM877	56 39 7	131 57 39	GD	3.00	.70	1.00	.300	150	N	N	N	N
79JD910A	CDM900	56 38 4	131 58 3	GDF	1.50	.20	1.00	.150	200	N	N	N	N
79JD910R	CDM921	56 38 4	131 58 3	QDF	5.00	2.00	2.00	.700	1,000	N	N	N	N
79JD910C	CDM942	56 38 4	131 58 3	GRD	.50	.03	.70	.030	70	N	N	N	N
79JD911A	CDM878	56 37 35	131 57 20	QDF	5.00	2.00	3.00	.500	700	N	N	N	<10
79JD912A	CDM931	56 36 49	131 57 28	QDF	5.00	2.00	3.00	.500	700	N	N	N	N
79JD912R	CDM922	56 36 49	131 57 28	VQ	.05	.03	.05	.015	<10	N	N	N	N
79JD913A	CDM943	56 36 23	131 58 39	QD	10.00	2.00	2.00	.700	500	N	N	N	N
79JD914A	CDM879	56 35 37	131 58 22	QDF	7.00	2.00	2.00	.500	700	N	N	N	N
79JD915A	CDM902	56 34 48	131 58 10	QD	5.00	2.00	3.00	.700	500	N	N	N	N
79JD916A	CDM923	56 33 55	131 58 24	QDF	5.00	2.00	2.00	.700	700	N	N	N	N
79JD916B	CDM944	56 33 55	131 58 24	QMD	.70	.10	.30	.050	100	N	N	N	N
79JD916C	CDM880	56 33 55	131 58 24	QDI	10.00	3.00	3.00	1.000	1,000	N	N	N	<10
79JD917A	CDM903	56 33 18	131 55 50	QD	10.00	3.00	5.00	.700	700	N	N	N	<10
79JD918A	CDM924	56 32 46	131 59 1	GD	10.00	3.00	3.00	.700	700	N	N	N	N
79JD919A	CDM945	56 31 32	131 56 21	QDF	10.00	3.00	3.00	1.000	700	N	N	N	N
79JD920A	CDM881	56 30 18	131 58 24	QDF	10.00	2.00	2.00	.700	700	N	N	N	N
79JD920B	CDM904	56 30 13	131 58 24	GRD	.70	.05	.20	.020	3,000	N	N	N	N
79JD921A	CDM925	56 31 53	131 59 21	QDF	5.00	1.50	1.50	.500	700	N	N	N	N
79JD922A	CDM946	56 34 34	131 59 37	QD	10.00	3.00	3.00	1.000	1,000	N	N	N	N
79JD923A	CDM882	56 35 52	131 55 20	QDN	10.00	2.00	3.00	.500	1,000	N	N	N	N
79JD9233	CDM905	56 35 52	131 55 20	QMD	.50	.10	.50	.050	200	N	N	N	N
79JD924A	CDM959	56 29 22	131 53 12	GDN	1.50	.30	.70	.300	150	N	N	N	N
79JD924B	CDM982	56 29 22	131 53 12	GPI	15.00	5.00	3.00	>1.000	1,000	N	N	N	<10
79JD924C	CDN006	56 29 22	131 53 12	GR	.50	.07	1.00	.050	20	N	N	N	<10
79JD924D	CDN029	56 29 22	131 53 12	AM	15.00	7.00	5.00	>1.000	500	N	N	N	<10
79JD925A	CDM940	56 28 18	131 53 18	QDF	15.00	5.00	5.00	1.000	1,000	N	N	N	<10
79JD9253	CDM983	56 28 18	131 53 18	GPI	15.00	5.00	5.00	.500	700	N	N	N	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-FA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PB	S-SB	S-SC	S-SN
79JD892A	1,500	<1.0	N	N	<5	<10	<5	20	N	N	5	30	N	N	N
79JD892B	<20	N	N	N	N	<10	N	N	N	N	5	N	N	N	N
79JD893A	500	1.5	N	N	N	<10	N	30	N	N	5	50	N	<5	N
79JD893B	700	<1.0	N	N	10	15	7	N	N	N	20	20	N	15	N
79JD893C	500	N	N	N	50	15	100	N	N	N	15	15	N	20	N
79JD894A	500	<1.0	N	N	7	10	<5	<20	N	N	5	15	N	15	N
79JD894B	200	<1.0	N	N	50	500	20	N	N	N	200	10	N	50	N
79JD895A	700	1.0	N	N	5	10	<5	N	N	N	<5	20	N	10	N
79JD896A	2,000	<1.0	N	N	<5	<10	N	<20	N	N	5	30	N	5	N
79JD897A	1,500	<1.0	N	N	N	N	N	N	N	N	5	50	N	N	N
79JD898A	1,500	<1.0	N	N	7	15	<5	50	N	N	5	30	N	15	N
79JD898B	300	1.5	N	N	N	<10	N	30	N	<20	5	70	N	N	N
79JD901A	2,000	<1.0	N	N	5	<10	7	N	N	N	5	30	N	N	N
79JD905A	700	<1.0	N	N	7	20	<5	N	N	N	5	30	N	10	N
79JD906A	700	<1.0	N	N	7	10	7	<20	N	N	<5	30	N	5	N
79JD907A	200	<1.0	N	N	15	20	50	N	<5	N	5	20	N	30	N
79JD908A	2,000	<1.0	N	N	5	10	<5	N	N	N	5	50	N	N	N
79JD909A	2,000	<1.0	N	N	7	<10	15	30	N	N	7	30	N	N	N
79JD910A	1,500	1.0	N	N	N	<10	<5	N	N	N	<5	20	N	N	N
79JD910B	1,000	1.0	N	N	10	20	15	20	N	N	20	10	N	10	N
79JD910C	100	<1.0	N	N	N	<10	<5	N	N	N	5	20	N	N	N
79JD911A	500	<1.0	N	N	7	10	5	30	N	N	<5	10	N	15	N
79JD912A	500	<1.0	N	N	7	10	7	<20	N	N	5	10	N	10	N
79JD912B	N	N	N	N	N	<10	N	N	N	N	10	<10	N	N	N
79JD913A	700	1.0	N	N	10	20	5	<20	N	N	5	10	N	10	N
79JD914A	700	1.0	N	N	15	20	7	50	N	<20	10	30	N	15	N
79JD915A	500	1.0	N	N	10	15	<5	N	N	N	5	15	N	10	N
79JD916A	700	<1.0	N	N	7	15	<5	N	N	N	5	15	N	10	N
79JD916B	100	<1.0	N	N	N	<10	<5	N	N	N	7	70	N	N	N
79JD916C	700	1.0	N	N	20	20	N	N	N	N	7	20	N	20	N
79JD917A	700	1.0	N	N	10	15	7	N	N	N	5	10	N	15	N
79JD918A	700	1.0	N	N	15	30	7	20	N	<20	15	20	N	15	N
79JD919A	1,000	1.0	N	N	10	10	5	N	N	N	5	15	N	15	N
79JD921A	500	1.0	N	N	10	20	7	N	N	N	10	20	N	10	N
79JD923A	N	1.5	N	N	N	<10	<5	N	N	N	5	30	N	N	N
79JD921A	700	<1.0	N	N	7	10	10	N	N	N	5	20	N	7	N
79JD922A	700	1.0	N	N	15	20	<5	<20	N	N	5	20	N	20	N
79JD923A	1,500	<1.0	N	N	10	15	<5	<20	N	N	7	10	N	20	N
79JD924A	500	1.0	N	N	N	<10	N	N	N	N	<5	50	N	N	N
79JD924A	1,500	<1.0	N	N	<5	10	7	30	N	N	7	30	N	<5	N
79JD924B	200	<1.0	N	N	30	30	70	N	N	<20	7	<10	N	50	N
79JD924C	150	1.5	N	N	N	<10	<5	N	N	N	5	30	N	N	N
79JD924D	300	<1.0	N	N	100	20	20	N	N	N	70	10	N	50	N
79JD925A	500	<1.0	N	N	50	70	50	20	N	N	30	10	N	20	N
79JD925B	100	<1.0	N	N	50	150	200	N	N	N	100	<10	N	15	N

Table 5.---Analytical data for rock geochemical samples---Continued

SAMPLE	S-SR	S-TI	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
79J0392A	200	N	70	N	<10	N	50	N	<5	10	55	--
79J0392B	N	N	N	N	N	N	N	N	<5	<5	<5	--
79J0393A	100	N	N	N	15	N	50	N	<5	10	20	--
79J0393B	1,000	N	300	N	15	<200	70	N	15	10	45	--
79J0393C	1,000	N	1,500	N	20	<200	<10	N	95	25	35	--
79J0394A	700	N	300	N	10	<200	30	N	<5	15	80	--
79J0394B	300	N	700	N	30	<200	20	N	20	10	15	--
79J0395A	1,500	N	200	N	20	N	70	N	<5	10	40	--
79J0396A	2,000	N	50	N	10	N	50	N	<5	5	25	--
79J0397A	1,000	N	20	N	<10	N	30	N	<5	10	25	--
79J0398A	2,000	N	200	N	20	<200	100	N	<5	5	60	--
79J0398B	<100	N	15	N	50	N	50	N	<5	10	10	--
79J0399A	2,000	N	100	N	N	N	70	N	15	5	30	--
79J0399B	1,500	N	300	N	<10	N	<10	N	<5	5	45	--
79J0400A	2,000	N	300	N	10	N	150	N	10	5	35	--
79J0400B	500	N	500	N	50	N	70	N	40	5	20	--
79J0400C	1,000	N	100	N	N	N	20	N	10	5	35	--
79J0400D	1,000	N	100	N	N	N	70	N	30	5	35	--
79J0400E	1,000	N	30	N	N	N	50	N	10	5	25	--
79J0400F	1,500	N	200	N	10	N	50	N	30	10	60	--
79J0400G	100	N	200	N	N	N	20	N	<5	5	10	--
79J0400H	1,000	N	200	N	15	N	70	N	10	10	50	--
79J0400I	1,000	N	200	N	10	N	50	N	15	10	55	--
79J0400J	1,000	N	N	N	N	N	N	N	<5	5	<5	--
79J0400K	1,000	N	200	N	10	N	100	N	10	10	50	--
79J0400L	1,000	N	500	N	20	N	50	N	10	10	55	--
79J0400M	1,000	N	200	N	10	N	70	N	10	10	50	--
79J0400N	700	N	150	N	10	N	50	N	5	10	50	--
79J0400O	<100	N	20	N	<10	N	30	N	<5	5	<5	--
79J0400P	1,000	N	300	N	20	<200	150	N	<5	5	35	--
79J0400Q	1,000	N	300	N	15	<200	70	N	15	10	50	--
79J0400R	1,000	N	300	N	30	<200	70	N	10	10	55	--
79J0400S	1,000	N	300	N	20	<200	30	N	10	10	50	--
79J0400T	1,000	N	200	N	10	<200	100	N	10	10	65	--
79J0400U	N	N	N	N	70	N	15	N	5	5	10	--
79J0400V	700	N	100	N	<10	N	200	N	15	10	55	--
79J0400W	1,000	N	300	N	30	<200	200	N	5	10	50	--
79J0400X	1,000	N	500	N	20	N	50	N	<5	5	10	--
79J0400Y	200	N	<10	N	50	N	30	N	<5	10	25	--
79J0400Z	500	<100	50	N	N	N	150	N	5	10	30	--
79J0401A	300	N	700	N	50	<200	70	N	35	<5	15	--
79J0401B	300	N	700	N	10	N	70	N	<5	10	5	--
79J0401C	1,000	N	700	N	<10	N	10	N	25	25	45	--
79J0401D	1,000	N	500	N	20	<200	15	N	30	10	60	--
79J0401E	1,500	N	500	N	20	<200	150	N	180	15	25	--

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	LAH NO.	LATITUDE	LONGITUDE	RK-TYPE	S-FFX	S-MGX	S-CAZ	S-TIX	S-MN	S-AG	S-AS	S-AU	S-B
79JD926A	CDN017	56 27 27	131 51 51	GDF	2.00	.70	1.00	.300	300	N	N	N	N
79JD927A	CDN013	56 28 3	131 47 9	QD	10.00	2.00	3.00	.500	700	N	N	N	N
79JD928A	CDM941	56 28 43	131 44 38	GDF	1.50	.20	1.50	.200	500	N	N	N	N
79JD928B	CD1934	56 28 43	131 44 38	GDM	10.00	2.00	1.50	.700	500	N	N	N	N
79JD929A	CDN031	56 26 54	131 48 31	GDF	7.00	1.50	1.50	.300	500	N	N	N	N
79JD930A	CDM962	56 26 9	131 48 10	QDF	7.00	2.00	2.00	.500	1,000	<.5	N	N	N
79JD930B	CDN039	56 26 9	131 48 10	GP	15.00	5.00	5.00	>1.000	1,500	N	N	N	<10
79JD931A	CDM970	56 26 42	131 19 21	QM	2.00	.50	1.50	.300	700	N	N	N	N
79JD933A	CDM923	56 27 5	131 20 15	QM	1.00	.15	1.50	.150	500	N	N	N	N
79JD934A	CDN017	56 27 22	131 20 41	QM	2.00	.30	1.50	.150	300	N	N	N	N
79JD935A	CDN040	56 27 25	131 20 32	QD	10.00	2.00	2.00	1.000	700	N	N	N	N
79JD936A	CDM971	56 27 34	131 20 31	SCB	10.00	5.00	2.00	1.000	1,500	N	N	N	<10
79JD936B	CDM974	56 27 34	131 20 31	SK	5.00	1.50	7.00	.700	1,500	N	N	N	N
79JD937A	CDN019	56 27 43	131 20 59	SCB	10.00	3.00	1.50	1.000	1,000	N	N	N	<10
79JD938A	CDN041	56 27 47	131 21 2	SCB	15.00	7.00	10.00	.700	5,000	N	N	N	N
79JD939A	CDM972	56 27 53	131 21 12	SCB	10.00	3.00	1.50	1.000	700	N	N	N	100
79JD939B	CDM973	56 27 53	131 21 12	MB	15.00	5.00	3.00	>1.000	1,000	N	N	N	<10
79JD939C	CDM995	56 27 53	131 21 12	SK	10.00	5.00	3.00	.700	500	N	N	N	N
79JD939D	CDN019	56 27 53	131 21 12	QDD	7.00	2.00	2.00	.700	1,500	N	N	N	N
79JD939E	CDN042	56 27 53	131 21 12	AND	3.00	10.00	20.00	.150	500	<.5	N	N	N
79JD940A	CDN401	56 2 4	131 53 0	MV	10.00	3.00	5.00	.700	1,500	.7	N	N	<10
79JD941A	CDN423	56 1 42	131 51 56	MU	10.00	3.00	5.00	.700	1,500	.5	N	N	<10
79JD941B	CDN380	56 1 42	131 51 56	MV	15.00	3.00	3.00	1.000	2,000	<.5	N	N	<10
79JD942A	CDN358	56 1 54	131 51 51	HFB	7.00	1.50	1.50	.700	700	N	N	N	<10
79JD942C	CDN402	56 1 54	131 51 51	GD	10.00	3.00	5.00	1.000	1,500	1.0	N	N	<10
79JD943A	CDN424	56 1 42	131 51 19	MU	10.00	2.00	2.00	1.000	2,000	<.5	N	N	<10
79JD943B	CDN381	56 1 42	131 51 19	GD	5.00	1.50	2.00	.300	700	<.5	N	N	<10
79JD944A	CDN359	56 2 33	131 52 24	GD	3.00	1.00	1.50	.200	500	<.5	N	N	N
79JD945A	CDN403	56 1 29	131 53 55	GDF	3.00	1.50	2.00	.300	1,000	.7	N	N	15
79JD947A	CEC090	56 2 12	130 22 11	ARM	3.00	3.00	1.50	.150	500	.5	N	N	70
79JD947B	CEC091	56 2 12	130 22 11	SSM	7.00	3.00	3.00	.200	700	<.5	N	N	<10
79JD947C	CEC092	56 2 12	130 22 11	MV	10.00	7.00	5.00	.300	1,500	N	N	N	<10
79JD947D	CEC093	56 2 12	130 22 11	DMM	10.00	7.00	5.00	.300	1,000	N	N	N	<10
79JD947E	CEC094	56 2 12	130 22 11	MB	1.50	1.00	20.00	.100	3,000	N	N	N	150
79JD948A	CEC095	56 2 20	130 22 0	SSM	5.00	2.00	2.00	.200	700	.5	N	N	<10
79JD949A	CEC096	56 2 27	130 22 2	AND	5.00	3.00	3.00	.300	1,000	N	N	N	<10
79JD951A	CEC097	56 2 33	130 21 51	MS	5.00	2.00	3.00	.150	500	N	N	N	<10
79JD952A	CEC098	56 2 37	130 22 0	SSM	5.00	2.00	2.00	.300	500	.5	N	N	<10
79JD954A	CEC099	56 2 47	130 21 57	AND	5.00	2.00	2.00	.300	700	N	N	N	<10
79JD955A	CEC100	56 2 43	130 22 21	MS	10.00	5.00	5.00	.300	1,000	<.5	N	N	<10
79JD956A	CEC101	56 2 57	130 22 22	AND	5.00	2.00	2.00	.300	1,000	N	N	N	<10
79JD956B	CFC102	56 2 57	130 22 22	TUM	7.00	5.00	7.00	.100	2,000	N	N	N	<10
79JD957A	CEC117	56 22 7	131 7 25	SCB	10.00	7.00	3.00	.700	1,000	N	N	N	<10
79JD957B	CEC118	56 22 7	131 7 25	GD	3.00	2.00	2.00	.150	1,000	N	N	N	<10
79JD957C	CEC119	56 22 7	131 7 25	SCB	10.00	7.00	5.00	.300	1,500	N	N	N	<10

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-FA	S-RE	S-IJ	S-CO	S-CO	S-CR	S-CU	S-LA	S-MO	S-VB	S-NI	S-BB	S-SB	S-SC	S-SN
79J0926A	700	1.0	N	N	<5	<10	5	30	N	N	<5	20	N	N	N
79J0927A	700	1.0	N	N	20	30	5	N	N	N	10	20	N	15	N
79J0928A	1,500	1.0	N	N	<5	<10	5	30	N	N	5	15	N	N	N
79J09284	500	<1.0	N	N	10	20	7	N	N	N	5	15	N	5	N
79J0929A	1,500	1.0	N	N	10	10	<5	N	N	N	5	20	N	5	N
79J0930A	700	1.0	N	N	10	20	20	N	N	N	5	20	N	15	N
79J09309	300	<1.0	N	N	70	100	10	N	N	<20	150	15	N	50	N
79J0931A	2,000	1.0	N	N	5	<10	<5	N	N	N	5	50	N	N	N
79J0933A	700	1.0	N	N	N	<10	N	N	N	N	5	20	N	N	N
79J0934A	1,000	1.0	N	N	<5	<10	<5	N	N	N	5	20	N	<5	N
79J0935A	1,000	1.0	N	N	15	30	15	20	N	N	10	20	N	15	N
79J0936A	200	<1.0	N	N	30	100	100	N	N	N	30	10	N	30	N
79J0936B	500	<1.0	N	N	5	<10	10	N	N	N	5	<10	N	7	N
79J0937A	300	<1.0	N	N	10	50	50	N	N	N	20	<10	N	20	N
79J0938A	300	<1.0	N	N	10	20	300	N	N	N	10	<10	N	20	N
79J0939A	500	<1.0	N	N	15	30	<5	N	N	N	20	<10	N	15	N
79J0939B	300	<1.0	N	N	50	20	30	N	N	N	20	10	N	30	N
79J0939C	200	<1.0	N	N	7	20	5	N	N	N	15	<10	N	15	N
79J0939D	1,000	1.0	N	N	7	<10	7	N	N	N	5	15	N	10	N
79J0939E	50	N	N	N	5	30	15	N	N	N	15	N	N	5	N
79J0940A	300	<1.0	N	N	70	300	100	<20	N	N	150	10	N	70	N
79J0941A	500	1.0	N	N	70	300	100	20	N	N	100	10	N	70	N
79J0941B	700	1.0	N	N	70	300	200	20	N	N	70	15	N	70	N
79J0942A	500	1.0	<10	N	20	15	15	50	N	N	7	10	N	30	N
79J0942C	500	1.0	N	N	50	300	100	20	N	N	100	10	N	70	N
79J0943A	1,500	2.0	N	N	20	20	30	70	N	N	5	15	N	30	N
79J0943B	1,000	1.5	N	N	15	20	5	N	N	N	10	15	N	20	N
79J0944A	1,500	1.5	N	N	10	15	5	50	N	N	10	10	N	15	N
79J0945A	2,000	1.5	N	N	15	15	10	50	N	N	7	10	N	20	N
79J0947A	2,000	2.0	N	N	20	100	100	50	N	N	70	10	N	15	N
79J0947B	2,000	<1.0	N	N	30	70	100	20	N	N	20	15	N	20	N
79J0947C	1,500	<1.0	N	N	50	500	<5	<20	N	N	150	15	N	30	N
79J0947D	300	<1.0	N	N	50	200	50	N	N	N	100	10	N	30	N
79J0947E	1,500	<1.0	N	N	7	70	N	N	N	N	30	30	N	7	N
79J0948A	1,000	1.5	N	N	20	50	100	30	N	N	20	15	N	10	N
79J0949A	5,000	1.0	N	N	15	20	5	50	N	N	5	50	N	10	N
79J0951A	1,000	1.0	N	N	15	70	50	30	N	N	50	10	N	10	N
79J0952A	5,000	1.5	N	N	15	100	100	50	7	<20	70	15	N	15	N
79J0954A	3,000	1.5	N	N	15	20	15	50	N	N	5	30	N	10	N
79J0955A	1,500	<1.0	N	N	30	50	70	20	N	N	20	15	N	30	N
79J0956A	3,000	1.5	N	N	10	15	20	30	N	N	5	50	N	10	N
79J0956B	1,000	<1.0	N	N	20	30	150	20	N	N	20	20	N	20	N
79J0957A	700	1.0	N	N	50	200	N	30	N	<20	100	20	N	20	N
79J0957B	5,000	1.5	N	N	10	<10	50	50	N	<20	<5	30	N	10	N
79J0957C	700	<1.0	N	N	50	200	50	20	N	<20	70	20	N	30	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-SR	S-TH	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
79J0226A	700	N	50	N	<10	N	150	N	10	5	50	--
79J0227A	1,500	N	300	N	10	N	70	N	10	15	40	--
79J0228A	1,500	N	50	N	10	<200	100	N	5	5	50	--
79J0228A	1,000	N	300	N	<10	<200	20	V	10	10	80	--
79J0229A	1,000	N	200	N	N	N	300	V	<5	10	70	--
79J0230A	1,500	N	200	N	30	N	100	N	20	10	70	--
79J0230A	200	N	700	N	30	<200	70	N	15	5	30	--
79J0231A	2,000	N	100	N	10	N	50	N	<5	<5	30	--
79J0233A	1,500	N	20	N	<10	N	70	V	N	5	20	--
79J0234A	2,000	V	50	N	<10	<200	100	V	<5	5	25	--
79J0235A	1,500	N	300	N	10	N	100	N	10	10	80	--
79J0236A	700	N	500	N	20	N	70	N	95	5	25	--
79J0236B	200	N	200	N	10	N	30	N	15	10	5	--
79J0237A	300	N	300	N	20	N	70	N	60	10	65	--
79J0238A	100	N	700	N	20	<200	50	N	180	10	35	--
79J0239A	700	N	300	N	15	<200	50	V	<5	15	75	--
79J0239B	1,000	N	500	N	15	<200	30	N	25	15	45	--
79J0239C	200	N	100	V	50	N	70	N	5	10	20	--
79J0239D	1,500	N	150	N	15	N	100	N	10	15	95	--
79J0239E	200	N	50	N	15	N	10	V	15	30	15	--
79J0240A	300	N	500	N	50	<200	150	V	120	20	70	--
79J0241A	500	N	500	N	30	<200	150	N	65	10	55	--
79J0241B	500	N	700	N	70	<200	150	N	180	10	70	--
79J0242A	500	N	200	N	50	<200	150	N	15	10	80	--
79J0242C	500	V	500	N	30	<200	150	N	85	10	40	--
79J0243A	700	N	200	N	50	<200	300	N	20	10	60	--
79J0243B	700	N	150	N	15	<200	100	N	5	10	55	--
79J0244A	1,000	N	100	N	10	<200	150	N	5	10	60	--
79J0245A	1,000	N	200	N	20	<200	100	N	10	10	75	--
79J0247A	700	N	200	N	30	N	70	N	100	15	75	--
79J0247B	1,000	N	300	N	30	N	50	N	70	15	60	--
79J0247C	1,000	N	500	N	20	N	30	N	5	15	65	--
79J0247D	300	N	500	N	30	N	15	N	40	15	25	--
79J0247E	1,000	N	50	N	10	N	<10	N	<5	30	10	--
79J0248A	1,000	N	200	N	30	N	70	N	110	15	65	--
79J0249A	1,000	N	200	N	20	N	150	N	5	20	55	--
79J0251A	700	N	150	N	20	N	100	N	50	10	55	--
79J0252A	1,000	N	300	N	30	<200	100	N	100	15	110	--
79J0254A	1,000	N	150	N	20	N	100	N	10	10	40	--
79J0255A	1,000	N	500	N	20	N	30	N	75	10	50	--
79J0256A	1,000	V	100	N	20	N	100	N	20	15	55	--
79J0256B	1,500	V	200	N	15	N	30	V	160	5	20	--
79J0257A	700	N	300	N	30	N	70	N	<5	10	35	--
79J0257B	1,000	N	150	N	30	N	200	N	45	<5	15	--
79J0257C	500	N	500	N	15	<200	15	N	35	5	20	--

Table 5.---Analytical data for rock geochemical samples---Continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	RK-TYPE	S-FE%	S-MG%	S-CAZ	S-TIZ	S-MN	S-AG	S-AS	S-AU	S-B
79J0957D	CEC120	56 22 7	131 7 25	GD	5.00	3.00	2.00	.300	700	<.5	N	N	<10
79J0957G	CEC121	56 22 7	131 7 25	VN	10.00	7.00	3.00	.700	1,000	N	N	N	<10
79J0957H	CEC122	56 22 7	131 7 25	SK	10.00	1.50	10.00	.500	2,000	N	N	N	<10
79J0958A	CEC123	56 22 22	131 7 38	MR	1.00	2.00	20.00	.100	500	N	N	N	N
79J0958B	CEC124	56 22 22	131 7 38	GD	3.00	1.00	2.00	.200	500	N	N	N	10
79J0958C	CEC125	56 22 22	131 7 38	SCB	15.00	5.00	2.00	.700	2,000	<.5	N	N	<10
79J0960A	CEC126	56 27 41	131 18 30	SCB	10.00	5.00	5.00	.500	1,000	1.0	N	N	<10
79J0960H	CEC127	56 27 41	131 18 30	QM	.50	.07	.70	.100	500	N	N	N	10
79J0960C	CEC128	56 27 41	131 18 30	SK	7.00	5.00	5.00	.500	1,000	N	N	N	<10
79J0961A	CEC129	56 27 58	131 18 28	SCB	5.00	3.00	3.00	.500	1,500	N	N	N	<10
79J0961B	CEC130	56 27 58	131 18 28	MV	10.00	5.00	5.00	.700	1,500	<.5	N	N	<10
79J0961C	CEC131	56 27 58	131 18 28	MV	5.00	3.00	5.00	.200	2,000	N	N	N	<10
79J0962A	CEC132	56 28 9	131 18 32	MB	.70	.70	20.00	.100	500	N	N	N	N
79J0962B	CEC133	56 28 9	131 18 32	MB	.15	.15	15.00	.020	300	1.0	N	N	30
79J0964A	CEC134	56 28 33	131 18 35	SCB	5.00	2.00	2.00	.700	500	.5	N	N	500
79J0964B	CEC135	56 28 33	131 18 35	GDF	3.00	1.50	1.50	.200	700	N	N	N	<10
79MH001A	CDM094	56 8 48	131 6 9	QDF	10.00	3.00	3.00	1.000	1,000	N	N	N	<10
79MH002A	CDM117	56 11 18	131 4 39	GDF	5.00	2.00	3.00	.700	1,000	N	N	N	<10
79MH002B	CDM140	56 11 18	131 4 39	GDF	10.00	2.00	3.00	1.000	1,000	N	N	N	<10
79MH003A	CDM162	56 11 10	131 9 31	GDF	5.00	2.00	3.00	1.000	700	N	N	N	<10
79MH004A	CDM096	56 9 37	131 9 59	GDF	5.00	2.00	3.00	1.000	700	N	N	N	N
79MH005A	CDM170	56 0 25	131 13 30	QDF	15.00	3.00	3.00	1.000	1,000	<.5	N	N	<10
79MH005B	CDM126	56 0 25	131 13 30	AND	10.00	2.00	3.00	1.000	700	N	N	N	<10
79MH006A	CDM148	56 0 11	131 14 37	QDN	5.00	3.00	2.00	.700	700	N	N	N	N
79MH007A	CDM171	56 0 5	131 11 10	GP	15.00	3.00	3.00	.700	1,000	<.5	N	N	<10
79MH007B	CDM193	56 0 5	131 11 10	GP	5.00	2.00	2.00	.700	1,000	N	N	N	N
79MH008A	CDM149	56 0 23	131 9 59	QDG	15.00	5.00	5.00	>1.000	2,000	N	N	N	<10
79MH009A	CDM127	56 0 58	131 8 39	QDF	3.00	1.50	2.00	.300	700	N	N	N	N
79MH010A	CDM109	56 7 52	131 3 27	GDF	5.00	2.00	2.00	1.000	500	N	N	N	N
79MH011A	CDM176	56 9 38	131 0 55	GDF	10.00	2.00	2.00	.700	1,000	N	N	N	<10
79MH012A	CDM132	56 10 27	131 1 38	GDF	15.00	3.00	5.00	1.000	1,000	N	N	N	<10
79MH013A	CDM154	56 9 48	130 59 34	GDF	10.00	3.00	3.00	.700	1,000	N	N	N	<10
79MH014A	CDM110	56 12 15	130 58 23	GDF	5.00	2.00	3.00	.700	1,000	N	N	N	<10
79MH015A	CDM177	56 12 53	130 58 32	QMF	1.50	.15	.70	.150	200	N	N	N	N
79MH016A	CDM133	56 13 51	130 58 55	GDF	2.00	.70	2.00	.700	1,000	N	N	N	N
79MH017A	CDM155	56 14 34	130 54 38	GDF	3.00	1.00	1.50	.500	500	N	N	N	N
79MH018A	CDM111	56 14 54	130 55 52	GDF	2.00	.70	1.00	.700	700	N	N	N	N
79MH018B	CDM178	56 14 54	130 55 52	GDF	7.00	2.00	2.00	.700	1,000	N	N	N	<10
79MH019A	CDM134	56 13 45	130 46 20	GDF	1.00	.15	1.00	.200	1,000	N	N	N	N
79MH020A	CDM156	56 13 17	130 44 30	GDF	1.00	.20	1.50	.300	200	N	N	N	N
79MH021A	CDM112	56 13 32	130 43 4	GDF	5.00	1.00	2.00	.700	700	N	N	N	N
79MH022A	CDM096	56 14 30	130 54 48	GD	3.00	2.00	2.00	.700	1,000	N	N	N	<10
79MH023A	CDM051	56 14 27	130 57 8	GD	5.00	1.50	3.00	.500	700	N	N	N	10
79MH024A	CDM070	56 14 47	130 55 11	GD	1.50	.50	.70	.500	500	N	N	N	N
79MH025A	CDM052	56 22 54	130 53 52	QM	1.50	.30	1.00	.300	300	N	N	N	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-BA	S-BE	S-RI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PB	S-SB	S-SC	S-SN
79JD957D	2,000	1.5	N	N	15	10	50	70	N	<20	5	20	N	15	N
79JD957G	3,000	1.0	N	N	30	200	30	50	N	N	100	30	N	30	N
79JD957H	150	<1.0	N	N	5	10	N	70	N	<20	<5	30	N	15	N
79JD958A	<20	1.5	N	N	5	30	N	N	N	N	5	N	N	5	N
79JD958R	5,000	2.0	N	N	7	<10	7	50	N	N	<5	50	N	5	N
79JD958C	1,500	<1.0	N	N	30	50	100	20	N	N	15	10	N	30	N
79JD960A	300	<1.0	N	N	30	100	100	20	N	N	30	<10	N	30	N
79JD960B	200	3.0	N	N	N	<10	<5	20	N	<20	<5	100	N	<5	N
79JD960C	200	1.0	N	N	20	100	70	20	N	N	30	<10	N	30	N
79JD961A	700	1.0	N	N	20	30	70	20	N	N	15	10	N	20	N
79JD9619	1,000	<1.0	N	N	50	300	200	20	N	N	100	15	N	30	N
79JD961C	3,000	1.0	N	N	15	50	30	30	N	<20	10	20	N	20	N
79JD962A	300	N	N	N	<5	20	10	N	N	N	7	<10	N	5	N
79JD962B	<20	<1.0	N	N	N	10	<5	N	N	N	5	N	N	<5	N
79JD964A	2,000	3.0	N	N	10	50	100	50	20	<20	15	20	N	20	N
79JD964B	3,000	1.5	N	N	15	20	50	30	N	<20	10	20	N	15	N
79MH001A	1,500	1.0	N	N	15	30	<5	30	N	N	20	20	N	30	N
79MH002A	1,500	1.0	N	N	7	15	<5	<20	N	N	5	10	N	20	N
79MH002B	2,000	1.0	N	N	10	20	10	N	N	N	5	15	N	20	N
79MH003A	1,500	<1.0	N	N	10	20	20	20	N	<20	10	20	N	20	N
79MH004A	1,500	1.0	N	N	7	20	<5	50	N	N	50	20	N	10	N
79MH005A	1,500	<1.0	N	N	15	30	5	100	N	N	20	15	N	30	N
79MH005B	1,500	<1.0	N	N	10	20	100	30	N	<20	7	<10	N	20	N
79MH006A	1,500	1.0	N	N	7	100	15	20	N	N	70	15	N	20	N
79MH007A	1,000	<1.0	N	N	20	50	200	N	N	N	30	10	N	70	N
79MH007B	2,000	1.0	N	N	7	20	<5	50	N	N	15	20	N	15	N
79MH008A	700	<1.0	N	N	50	100	300	N	N	N	70	15	N	70	N
79MH009A	2,000	<1.0	N	N	5	30	<5	N	N	N	30	10	N	10	N
79MH010A	2,000	1.0	N	N	10	10	50	N	N	N	20	10	N	15	N
79MH011A	1,500	1.0	N	N	10	20	7	50	N	<20	10	20	N	30	N
79MH012A	2,000	<1.0	N	N	10	30	5	20	N	N	10	30	N	50	N
79MH013A	2,000	<1.0	N	N	10	20	15	20	N	N	10	20	N	20	N
79MH014A	2,000	1.0	N	N	7	10	5	<20	N	N	5	15	N	15	N
79MH015A	2,000	1.0	N	N	5	<10	<5	N	N	N	<5	30	N	N	N
79MH016A	2,000	1.0	N	N	5	10	<5	<20	N	<20	5	20	N	7	N
79MH017A	5,000	1.0	N	N	5	10	<5	20	N	N	5	20	N	7	N
79MH019A	1,500	1.5	N	N	5	<10	<5	30	N	<20	5	30	N	10	N
79MH0183	3,000	<1.0	N	N	7	20	20	20	N	<20	5	20	N	20	N
79MH019A	5,000	<1.0	N	N	N	<10	<5	N	N	N	5	30	N	N	N
79MH020A	3,000	1.0	N	N	<5	<10	<5	N	N	N	5	20	N	N	N
79MH021A	3,000	1.0	N	N	5	10	7	30	N	N	5	20	N	10	N
79MH022A	5,000	1.0	N	N	7	<10	N	N	N	<20	5	30	N	15	N
79MH023A	3,000	1.0	N	N	5	10	<5	N	N	N	5	20	N	15	N
79MH024A	3,000	1.5	N	N	<5	N	N	30	N	<20	5	20	N	5	N
79MH025A	2,000	1.0	N	N	<5	<10	<5	50	N	N	5	20	N	N	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-SR	S-LH	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
79JD957D	1,000	N	200	N	30	N	100	V	40	5	25	--
79JD957E	1,000	N	500	N	30	N	50	V	25	10	50	--
79JD957H	5,000	N	300	N	50	N	200	N	<5	20	10	--
79JD958A	700	N	100	N	15	N	15	N	<5	25	<5	--
79JD958B	1,000	N	100	N	10	N	150	N	5	10	55	--
79JD958C	300	N	500	N	50	<200	50	N	120	5	40	--
79JD960A	500	N	300	N	30	N	70	N	110	5	10	--
79JD960R	300	N	15	N	<10	N	30	V	<5	5	20	--
79JD960C	500	N	500	N	50	N	100	N	55	10	10	--
79JD961A	500	N	300	N	50	<200	100	N	80	10	55	--
79JD961B	700	N	700	N	30	N	50	N	190	10	20	--
79JD961C	1,000	N	300	N	20	N	100	N	30	5	10	--
79JD962A	500	N	50	N	30	N	20	V	15	30	10	--
79JD962B	100	N	10	N	10	N	N	N	<5	20	10	--
79JD964A	500	N	200	N	50	N	200	N	80	10	40	--
79JD964B	1,000	N	500	N	15	N	70	N	40	10	20	--
79MH001A	1,000	N	500	N	30	<200	50	N	<5	15	45	--
79MH002A	1,000	N	500	N	20	<200	70	N	5	15	60	--
79MH002B	1,000	N	700	N	20	<200	100	N	10	20	65	--
79MH003A	1,500	N	700	N	20	N	70	N	15	10	95	--
79MH004A	1,000	N	200	N	15	N	150	N	<5	15	65	--
79MH005A	1,000	N	700	N	30	N	70	N	5	10	50	--
79MH005B	1,000	N	300	N	20	<200	100	N	50	20	20	--
79MH006A	1,000	N	200	N	20	N	70	N	15	5	30	--
79MH007A	500	N	1,000	N	20	<200	50	N	95	15	65	--
79MH007B	1,500	N	200	N	20	N	100	N	<5	<5	25	--
79MH008A	500	N	1,500	N	50	<200	70	N	110	15	65	--
79MH009A	1,000	N	200	N	10	N	70	N	5	10	60	--
79MH010A	500	N	150	N	20	N	200	N	50	5	60	--
79MH011A	1,000	N	300	N	30	<200	100	N	5	10	55	--
79MH012A	1,500	N	700	N	50	<200	100	N	5	20	60	--
79MH013A	2,000	N	300	N	30	<200	70	N	5	10	60	--
79MH014A	1,500	N	200	N	15	<200	100	N	5	15	65	--
79MH015A	1,000	V	50	N	<10	N	50	N	<5	5	30	--
79MH016A	1,500	N	100	N	10	<200	70	N	<5	10	60	--
79MH017A	1,000	N	150	N	<10	<200	300	N	5	10	65	--
79MH018A	500	<100	70	N	<10	N	100	N	5	10	65	--
79MH018B	1,500	N	500	V	20	<200	100	N	20	5	45	--
79MH019A	2,000	N	50	N	N	N	70	N	<5	10	30	--
79MH020A	1,500	V	50	N	N	N	70	V	<5	5	25	--
79MH021A	1,500	N	150	N	10	N	100	N	10	10	25	--
79MH022A	1,000	N	150	N	30	<200	70	N	<5	5	80	--
79MH023A	1,500	N	200	N	10	N	100	N	<5	5	50	--
79MH024A	500	N	70	N	20	N	300	N	<5	10	60	--
79MH025A	700	V	50	N	<10	N	100	V	<5	5	45	--

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	RK-TYPE	S-FE%	S-MG%	S-CA%	S-TI%	S-MN	S-AG	S-AS	S-AU	S-B
79MH026A	CDM076	56 21 11	130 59 28	GDF	.50	.10	.70	.070	200	N	N	N	N
79MH027A	CDM077	56 21 4	131 1 10	GD	1.50	.50	1.00	.150	700	N	N	N	N
79MH028A	CDM031	56 20 43	131 3 40	GD	3.00	1.50	2.00	.500	1,000	N	N	N	N
79MH029A	CDM053	56 18 28	131 3 28	GD	5.00	2.00	2.00	1.000	700	N	N	N	10
79MH030A	CDM037	55 12 25	131 0 38	GD	10.00	2.00	3.00	1.000	1,500	N	N	N	<10
79MH031A	CDM060	56 13 14	131 4 38	GDF	10.00	2.00	3.00	.700	1,000	N	N	N	<10
79MH031B	CDM014	56 13 14	131 4 38	AMF	15.00	10.00	5.00	>1.000	2,000	N	N	N	<10
79MH032A	CDM038	56 13 34	131 5 52	GDF	5.00	2.00	2.00	.700	700	N	N	N	<10
79MH033A	CDM051	56 16 5	131 3 22	GDF	3.00	1.50	2.00	.700	1,000	N	N	N	N
79MH034A	CDM015	56 16 57	131 3 56	GDF	10.00	3.00	3.00	1.000	700	N	N	N	<10
79MH035A	CDM084	56 16 55	131 5 25	GDF	2.00	1.00	2.00	.500	500	N	N	N	N
79MH036A	CDM039	56 18 55	131 6 55	GD	3.00	1.00	2.00	.700	700	N	N	N	10
79MH037A	CDM062	56 15 32	131 8 0	GD	3.00	2.00	3.00	.700	1,500	N	N	N	<10
79MH038A	CDM516	56 10 57	130 41 57	GDF	1.50	.50	1.50	.150	150	N	N	N	N
79MH039A	CDM450	56 11 35	130 39 19	GM	10.00	1.50	2.00	1.000	1,000	N	N	N	<10
79MH040A	CDM495	56 12 27	130 40 25	GDF	1.50	.50	1.50	.150	500	N	N	N	N
79MH041A	CDM474	56 13 50	130 39 12	GDF	10.00	2.00	3.00	.700	700	N	N	N	N
79MH0413	CDM517	56 13 50	130 39 12	DM	15.00	3.00	5.00	>1.000	1,000	N	N	N	<10
79MH042A	CDM451	56 15 12	130 38 42	GDF	3.00	1.00	1.50	.500	500	N	N	N	N
79MH043A	CDM496	56 10 52	130 48 40	GDF	5.00	1.00	1.50	.700	500	N	N	N	N
79MH044A	CDM475	56 11 58	130 51 1	GM	10.00	3.00	2.00	1.000	1,500	N	N	N	<10
79MH045A	CDM518	56 14 27	130 47 12	QDF	15.00	5.00	5.00	1.000	3,000	N	N	N	<10
79MH046A	CDM452	56 11 25	130 53 20	GD	2.00	.50	.70	.300	300	N	N	N	N
79MH048A	CDM497	56 9 13	130 55 17	GD	10.00	2.00	3.00	.700	1,000	N	N	N	N
79MH049A	CDM476	56 8 0	130 53 0	GD	1.00	.20	.50	.100	100	N	N	N	N
79MH050A	CDM324	56 4 12	131 22 1	GDF	3.00	1.50	2.00	.500	500	N	N	N	N
79MH050C	CDM346	56 4 12	131 22 1	QMD	.50	.05	.15	.030	200	N	N	N	N
79MH051A	CDM280	56 4 10	131 21 18	QDN	10.00	2.00	3.00	1.000	700	N	N	N	<10
79MH052A	CDM303	56 4 15	131 20 46	GDF	15.00	5.00	7.00	1.000	1,000	N	N	N	10
79MH053A	CDM325	56 4 11	131 20 27	GDF	10.00	2.00	3.00	1.000	1,000	N	N	N	<10
79MH054A	CDM347	56 4 23	131 20 25	GDG	15.00	2.00	3.00	>1.000	500	N	N	N	<10
79MH055A	CDM281	56 4 47	131 19 59	QDN	7.00	1.50	3.00	.500	700	N	N	N	N
79MH056A	CDM312	56 9 17	130 48 59	GD	10.00	2.00	3.00	.700	700	N	N	N	<10
79MH057A	CDM334	56 9 29	130 46 5	GDF	7.00	2.00	2.00	.700	1,000	N	N	N	<10
79MH058A	CDM357	56 10 5	130 43 2	QDF	15.00	3.00	5.00	>1.000	1,000	N	N	N	<10
79MH058C	CDM291	56 10 5	130 43 2	GD	10.00	2.00	3.00	.700	700	N	N	N	<10
79MH059A	CDM358	56 13 35	130 33 12	GD	5.00	1.50	2.00	.700	500	N	N	N	N
79MH060A	CDM314	56 14 31	130 34 45	GD	5.00	1.50	2.00	1.000	300	N	N	N	N
79MH061A	CDM336	56 16 8	130 37 11	GD	3.00	1.50	1.50	.500	500	N	N	N	N
79MH0613	CDM292	56 16 8	130 37 11	GD	10.00	3.00	3.00	>1.000	1,000	N	N	N	N
79MH062A	CDM359	56 18 34	130 42 50	GDF	10.00	3.00	5.00	.700	700	N	N	N	<10
79MH063A	CDM315	56 19 25	130 44 11	GDF	10.00	2.00	3.00	>1.000	700	N	N	N	<10
79MH064A	CDM337	56 20 22	130 47 5	GM	2.00	.30	.50	.300	700	N	N	N	N
79MH065A	CDM373	56 11 54	131 8 39	GD	15.00	3.00	5.00	1.000	1,000	N	N	N	<10
79MH066A	CDN333	56 15 7	131 10 38	GD	5.00	2.00	2.00	.700	1,000	N	N	N	10

Table 5.---Analytical data for rock geochemical samples---Continued

SAMPLE	S-RA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-N3	S-NI	S-PB	S-SB	S-SC	S-SN
79MH026A	2,000	1.0	N	N	N	N	<5	N	N	N	5	30	N	N	N
79MH027A	1,500	<1.0	N	N	<5	<10	<5	N	N	N	7	30	N	<5	N
79MH028A	5,000	1.0	N	N	7	10	N	30	N	N	5	30	N	10	N
79MH029A	3,000	1.0	N	N	7	15	7	70	N	<20	10	20	N	15	N
79MH030A	3,000	<1.0	N	N	10	20	5	<20	N	N	7	30	N	20	N
79MH031A	2,000	<1.0	N	N	10	20	<5	20	N	N	7	20	N	15	N
79MH031B	2,000	<1.0	N	N	100	20	N	N	<20	<20	150	10	N	150	N
79MH032A	3,000	<1.0	N	N	10	20	<5	N	N	N	10	10	N	20	N
79MH033A	2,000	1.0	N	N	<5	10	<5	20	N	<20	5	20	N	10	N
79MH034A	2,000	<1.0	N	N	10	20	7	20	N	N	15	15	N	20	N
79MH035A	1,500	1.0	N	N	5	<10	10	20	N	N	5	15	N	10	N
79MH036A	2,000	1.0	N	N	5	10	10	N	N	N	10	15	N	10	N
79MH037A	2,000	1.0	N	N	5	15	<5	50	N	N	5	20	N	20	N
79MH038A	>5,000	<1.0	N	N	5	<10	<5	N	N	N	7	70	N	N	N
79MH039A	700	<1.0	N	N	10	30	150	N	N	N	20	<10	N	30	N
79MH040A	>5,000	<1.0	N	N	N	<10	<5	100	N	N	7	50	N	N	N
79MH041A	1,000	1.0	N	N	7	50	<5	70	N	N	5	50	N	15	N
79MH041B	2,000	1.0	N	N	20	50	15	50	N	<20	20	20	N	20	N
79MH042A	1,500	1.0	N	N	<5	10	<5	N	N	N	5	20	N	5	N
79MH043A	3,000	1.0	N	N	5	10	<5	50	N	<20	7	50	N	<5	N
79MH044A	1,500	1.0	N	N	10	50	7	N	<5	N	20	<10	N	30	N
79MH045A	1,500	<1.0	N	N	15	100	5	30	N	<20	20	20	N	50	N
79MH046A	1,000	1.0	N	N	<5	<10	<5	30	N	N	5	30	N	<5	N
79MH048A	3,000	<1.0	N	N	10	30	5	20	N	<20	10	50	N	15	N
79MH049A	1,500	<1.0	N	N	<5	<10	5	N	N	N	5	50	N	N	N
79MH050A	1,000	1.0	N	N	7	20	5	20	N	N	20	20	N	10	N
79MH050C	1,000	1.0	N	N	N	N	<5	N	N	N	5	20	N	N	N
79MH051A	700	1.0	N	N	10	20	5	20	N	N	10	15	N	20	N
79MH052A	1,500	1.0	N	N	10	50	7	30	N	N	30	20	N	20	N
79MH053A	700	1.0	N	N	15	50	150	50	N	<20	20	15	N	30	N
79MH054A	700	<1.0	N	N	7	10	<5	150	N	N	10	20	N	7	N
79MH055A	300	1.0	N	N	7	15	10	20	N	N	7	20	N	10	N
79MH056A	2,000	1.0	N	N	7	20	<5	20	N	N	5	20	N	20	N
79MH057A	2,000	<1.0	N	N	7	15	<5	50	N	N	5	15	N	15	N
79MH058A	1,000	<1.0	N	N	20	30	20	30	N	N	70	20	N	30	N
79MH058C	1,000	1.0	N	N	7	20	N	20	N	N	5	30	N	10	N
79MH059A	2,000	1.0	N	N	7	20	<5	30	N	N	15	30	N	15	N
79MH060A	3,000	<1.0	N	N	7	30	<5	70	N	N	10	30	N	10	N
79MH061A	1,000	<1.0	N	N	7	20	<5	50	N	N	10	20	N	7	N
79MH061B	1,000	1.0	N	N	15	100	10	70	N	N	70	20	N	30	N
79MH062A	2,000	<1.0	N	N	10	50	10	<20	N	N	10	30	N	20	N
79MH063A	1,500	<1.0	N	N	10	30	7	70	N	<20	5	20	N	20	N
79MH064A	500	1.5	N	N	5	10	<5	<20	N	<20	5	30	N	5	N
79MH065A	2,000	1.0	N	N	10	30	70	N	N	N	7	30	N	15	N
79MH066A	3,000	1.0	N	N	15	20	7	50	N	<20	10	50	N	20	N

Table 5.--Analytical data for rock geochemical samples--Continued

SA-MPLE	S-Sr	S-TH	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
79MH026A	1,000	N	20	N	N	N	30	V	<5	5	70	--
79MH027A	1,000	N	50	N	N	N	50	V	<5	<5	30	--
79MH028A	1,500	N	200	N	10	N	70	N	N	10	50	--
79MH029A	1,500	N	200	N	20	<200	150	V	10	10	100	--
79MH030A	1,500	N	500	N	30	<200	500	V	<5	10	65	--
79MH031A	2,000	N	500	N	10	<200	100	N	<5	10	85	--
79MH032A	2,000	N	300	N	50	<200	30	N	<5	10	50	--
79MH033A	700	N	100	N	20	<200	30	N	5	10	55	--
79MH034A	2,000	N	500	N	20	<200	50	N	5	10	65	--
79MH035A	1,500	N	100	N	15	<200	100	N	10	10	60	--
79MH036A	1,000	N	150	N	20	<200	150	N	10	5	65	--
79MH037A	1,000	N	150	N	15	<200	150	N	5	10	75	--
79MH038A	3,000	N	50	V	N	N	50	N	<5	<5	20	--
79MH039A	300	V	500	N	30	<200	150	N	95	10	50	--
79MH040A	3,000	N	70	N	<10	N	30	N	<5	5	20	--
79MH041A	1,500	N	300	N	50	<200	70	V	<5	10	60	--
79MH041H	1,500	N	500	N	20	<200	100	N	10	10	80	--
79MH042A	1,000	N	100	N	10	N	70	N	<5	10	45	--
79MH043A	1,500	N	150	N	10	<200	70	N	<5	10	60	--
79MH044A	300	N	300	N	70	<200	150	V	10	10	45	--
79MH045A	2,000	V	700	N	50	<200	15	N	5	5	65	--
79MH046A	300	N	70	N	30	N	30	N	<5	5	15	--
79MH048A	2,000	N	300	N	N	<200	100	N	<5	10	60	--
79MH049A	300	N	30	N	<10	N	50	N	5	5	15	--
79MH050A	1,000	V	150	N	20	N	100	N	5	5	25	--
79MH050C	150	N	N	N	<10	N	30	N	5	10	15	--
79MH051A	700	N	300	N	30	<200	70	N	5	5	30	--
79MH052A	2,000	N	700	N	30	<200	70	N	10	5	35	--
79MH053A	1,500	N	500	N	50	<200	70	N	35	10	60	--
79MH054A	700	N	500	N	<10	<200	20	N	<5	10	85	--
79MH055A	200	V	200	N	10	<200	50	N	10	10	75	--
79MH056A	1,500	N	300	N	20	<200	100	V	<5	10	85	--
79MH057A	1,500	N	500	N	30	<200	50	N	<5	10	75	--
79MH058A	1,000	N	500	N	30	N	100	N	20	10	40	--
79MH058C	1,500	N	200	V	10	<200	50	N	<5	10	60	--
79MH059A	1,500	V	200	N	10	<200	100	N	<5	10	50	--
79MH060A	1,500	V	150	N	20	N	200	V	<5	10	55	--
79MH061A	1,000	N	150	N	15	N	70	N	5	10	65	--
79MH061H	1,000	N	300	V	20	<200	100	N	10	10	60	--
79MH062A	2,000	N	500	N	30	<200	50	N	10	10	55	--
79MH063A	1,500	N	500	N	70	<200	150	V	10	10	75	--
79MH064A	500	N	70	V	<10	<200	70	N	<5	5	60	--
79MH065A	2,000	N	500	N	20	<200	200	N	5	10	65	--
79MH066A	1,000	N	200	V	30	<200	200	N	<5	10	55	--

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	RK-TYPE	S-FEZ	S-MGX	S-CAX	S-TIX	S-MN	S-AG	S-AS	S-AU	S-B
79MH067A	CDM396	56 16 45	131 12 8	GD	2.00	.70	2.00	.500	500	N	N	N	Y
79MH068A	CDM417	56 17 22	131 12 12	GD	7.00	2.00	3.00	1.000	700	N	N	N	N
79MH069A	CDM374	56 18 22	131 15 5	GD	2.00	1.00	1.50	.300	300	N	N	N	N
79MH071A	CDM397	56 15 45	131 17 0	GDF	2.00	1.00	2.00	.300	300	<.5	N	N	N
79MH072A	CDM439	56 7 2	131 20 23	GDF	5.00	2.00	2.00	1.000	500	N	N	N	N
79MH073A	CDM431	56 7 32	131 20 7	QDG	15.00	3.00	7.00	.700	3,000	N	N	N	<10
79MH073B	CDM397	56 7 32	131 20 7	GD	2.00	.07	1.00	.200	150	N	N	N	N
79MH074A	CDM344	56 8 31	131 19 49	GD	.20	.05	.50	.015	<10	N	N	N	N
79MH074B	CDM410	56 8 31	131 19 49	GDF	5.00	1.50	3.00	.700	1,000	N	N	N	N
79MH075A	CDM432	56 6 45	131 15 14	GD	10.00	3.00	3.00	1.000	1,000	N	N	N	<10
79MH076A	CDM388	56 1 22	131 13 58	GDF	7.00	2.00	3.00	.700	1,000	N	N	N	<10
79MH077A	CDM435	56 3 14	131 16 8	GD	3.00	2.00	2.00	.500	1,000	N	N	N	N
79MH078A	CDM532	56 22 2	130 49 42	QMF	2.00	.50	.70	.500	500	N	N	N	N
79MH079A	CDM555	56 19 26	130 59 44	GD	5.00	1.50	2.00	.500	500	N	N	N	N
79MH079B	CDM578	56 19 26	130 59 44	GDD	3.00	.70	1.00	.300	200	N	N	N	N
79MH080A	CDM601	56 19 22	130 48 4	GD	3.00	1.50	1.50	.700	500	N	N	N	N
79MH081A	CDM533	56 16 45	130 49 2	QM	1.50	.20	.70	.150	100	N	N	N	N
79MH082A	CDM556	56 16 3	130 51 1	QM	1.50	.30	1.00	.200	100	N	N	N	N
79MH083A	CDM536	56 6 3	131 13 6	GD	10.00	3.00	3.00	1.000	700	N	N	N	<10
79MH084A	CDM559	56 7 22	131 10 50	GD	.50	.07	.50	.070	<10	N	N	N	N
79MH084B	CDM582	56 7 22	131 10 50	GD	2.00	.70	.70	.500	150	N	N	N	N
79MH084C	CDM605	56 7 22	131 10 50	AMT	15.00	3.00	5.00	>1.000	1,000	N	N	N	<10
79MH085A	CDM537	56 7 11	131 9 18	GD	2.00	.15	.50	.200	100	N	N	N	N
79MH085B	CDM560	56 7 11	131 9 18	GD	3.00	.70	.70	.300	100	N	N	N	N
79MH086A	CDM583	56 5 45	131 14 39	GDB	2.00	.70	.30	.300	200	N	N	N	N
79MH086B	CDM606	56 5 45	131 14 39	QDG	15.00	7.00	5.00	>1.000	1,000	N	N	N	<10
79MH087A	CDM538	56 3 0	131 9 53	GD	2.00	.70	3.00	.150	200	N	N	N	N
79MH088A	CDM561	56 7 44	131 8 39	GD	2.00	.50	.70	.300	100	N	N	N	N
79MH089A	CDM617	56 23 21	130 58 38	AP	.50	.02	.70	.030	<10	<.5	N	N	N
79MH089B	CDM594	56 23 21	130 58 38	AP	.50	.02	.20	.020	<10	N	N	N	N
79MH090A	CDM571	56 24 26	131 5 30	GD	15.00	5.00	3.00	.500	1,000	N	N	N	<10
79MH090B	CDM548	56 24 26	131 5 30	GD	15.00	3.00	5.00	>1.000	1,000	N	N	N	10
79MH091A	CDM618	56 23 13	131 4 53	MB	.20	2.00	10.00	.005	15	N	N	N	N
79MH092A	CDM595	56 18 59	131 11 24	GD	10.00	3.00	5.00	.700	1,000	N	N	N	N
79MH093A	CDM572	56 19 35	131 16 20	GD	3.00	1.00	1.50	.500	300	N	N	N	N
79MH093B	CDM549	56 19 35	131 16 20	CSI	15.00	.50	15.00	.500	700	N	N	N	10
79MH094A	CDM619	56 22 33	131 14 52	QM	2.00	.50	1.50	.300	300	N	N	N	N
79MH094B	CDM596	56 22 33	131 14 52	QDD	10.00	2.00	3.00	>1.000	1,500	N	N	N	N
79MH095A	CDM573	56 22 40	131 18 47	GD	2.00	.70	1.50	.300	300	N	N	N	N
79MH096A	CDM550	56 21 57	131 12 55	QM	2.00	.50	2.00	.300	500	N	N	N	N
79MH097A	CDM656	56 13 26	130 41 20	GD	1.50	.50	1.50	.150	200	N	N	N	N
79MH097B	CDM715	56 13 26	130 41 20	GD	5.00	1.50	2.00	.300	500	N	N	N	N
79MH098A	CDM678	56 17 43	130 44 12	GD	2.00	.30	1.00	.150	150	N	N	N	N
79MH099A	CDM635	56 10 22	130 49 57	GD	3.00	.70	1.50	.300	300	N	N	N	N
79MH100A	CDM657	56 6 5	130 46 45	GD	1.50	.15	.50	.150	100	N	N	N	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-HA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PB	S-SB	S-SC	S-SM
79MH067A	2,000	<1.0	N	N	5	10	N	N	N	N	7	30	N	<5	N
79MH068A	5,000	<1.0	N	N	5	10	30	N	N	<20	7	70	N	15	N
79MH069A	3,000	<1.0	N	N	5	10	N	N	N	N	7	50	N	N	N
79MH071A	5,000	<1.0	N	N	5	10	N	N	N	N	10	70	N	<5	N
79MH072A	1,000	1.0	N	N	7	20	50	N	N	N	15	20	N	10	N
79MH073A	1,000	<1.0	N	N	15	20	N	N	N	N	20	30	N	20	N
79MH073B	2,000	<1.0	N	N	5	<10	N	N	N	N	7	30	N	N	N
79MH074A	5,000	1.0	N	N	5	<10	N	N	N	N	5	10	N	N	N
79MH074B	2,000	1.0	N	N	7	10	<20	N	N	N	7	15	N	10	N
79MH075A	1,000	1.0	N	N	10	30	150	N	N	N	15	30	N	30	N
79MH076A	2,000	1.0	N	N	10	30	N	N	N	N	20	20	N	15	N
79MH077A	1,500	1.0	N	N	7	50	<20	N	N	N	20	30	N	10	N
79MH078A	1,000	1.0	N	N	5	<10	N	N	N	N	5	50	N	N	N
79MH079A	1,000	<1.0	N	N	5	10	<5	N	N	N	<5	30	N	10	N
79MH079B	1,500	<1.0	N	N	N	<10	5	100	N	N	5	50	N	N	N
79MH080A	1,500	<1.0	N	N	5	<10	7	N	N	N	<5	20	N	<5	N
79MH081A	1,500	<1.0	N	N	<5	<10	5	N	N	N	5	30	N	N	N
79MH082A	2,000	<1.0	N	N	<5	<10	5	N	N	N	5	30	N	N	N
79MH083A	1,000	1.0	N	N	15	20	<5	200	N	N	15	30	N	20	N
79MH084A	1,500	<1.0	N	N	N	N	<5	N	N	N	<5	15	N	N	N
79MH084B	2,000	<1.0	N	N	<5	<10	<5	20	N	N	10	20	N	N	N
79MH084C	1,000	<1.0	N	N	10	30	100	<20	N	N	7	20	N	15	N
79MH085A	700	N	N	N	<5	<10	<5	20	N	N	<5	15	N	N	N
79MH085B	2,000	N	N	N	5	10	<5	20	N	N	7	30	N	N	N
79MH086A	300	<1.0	N	N	<5	15	20	100	N	N	7	N	N	5	N
79MH086B	700	<1.0	N	N	30	700	7	<20	N	N	300	15	N	30	N
79MH087A	1,000	1.0	N	N	5	10	<5	N	N	N	5	15	N	<5	N
79MH088A	150	1.0	N	N	5	<10	<5	50	N	<20	5	<10	N	<5	N
79MH089A	300	<1.0	N	N	N	N	<5	N	N	N	5	30	N	N	N
79MH089B	300	<1.0	N	N	N	N	<5	N	1,500	N	5	20	N	N	N
79MH090A	50	<1.0	N	N	20	200	10	N	N	N	70	<10	N	20	N
79MH090B	300	<1.0	N	N	20	30	200	N	N	N	30	<10	N	30	N
79MH091A	N	N	N	N	N	<10	N	N	N	N	<5	N	N	N	N
79MH092A	1,500	<1.0	N	N	7	20	<5	20	N	<20	5	30	N	15	N
79MH093A	2,000	<1.0	N	N	5	<10	<5	20	N	N	5	20	N	<5	N
79MH093B	>5,000	1.0	N	N	<5	20	<5	50	N	N	5	30	N	<5	N
79MH094A	2,000	<1.0	N	N	<5	<10	N	N	N	N	5	30	N	N	N
79MH094B	200	<1.0	N	N	7	15	<5	30	N	N	<5	30	N	10	N
79MH095A	3,000	<1.0	N	N	N	N	<5	N	N	N	5	30	N	N	N
79MH096A	3,000	<1.0	N	N	5	<10	<5	N	N	N	5	50	N	<5	N
79MH097A	1,500	<1.0	N	N	N	<10	<5	<20	N	N	5	50	N	N	N
79MH097B	700	1.0	N	N	7	10	7	30	N	N	7	20	N	5	N
79MH098A	2,000	<1.0	N	N	5	<10	<5	N	N	N	5	30	N	<5	N
79MH099A	2,000	<1.0	N	N	5	<10	<5	30	N	N	5	50	N	<5	N
79MH100A	700	1.0	N	N	N	<10	N	30	N	N	5	70	N	N	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-SR	S-TH	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
79MH067A	2,000	N	100	N	<10	N	50	N	<5	<5	40	--
79MH068A	2,000	N	200	N	30	N	100	N	5	10	35	--
79MH069A	3,000	<100	70	N	<10	N	50	N	<5	5	35	--
79MH071A	5,000	N	100	N	N	N	70	N	<5	N	30	--
79MH072A	300	N	100	N	10	N	70	N	<5	5	55	--
79MH073A	1,500	N	1,300	N	20	<200	15	N	100	5	20	--
79MH073B	700	N	150	N	N	N	20	N	<5	<5	10	--
79MH074A	700	N	N	N	N	N	20	N	<5	10	<5	--
79MH074B	1,000	N	150	N	30	N	100	N	5	5	20	--
79MH075A	1,500	N	300	N	30	<200	<10	N	5	10	50	--
79MH076A	1,500	N	200	N	20	<200	70	N	10	5	35	--
79MH077A	1,500	N	200	N	15	N	100	N	5	10	35	--
79MH078A	700	N	70	N	10	<200	50	N	<5	5	60	--
79MH079A	1,000	N	200	N	20	N	100	N	<5	10	75	--
79MH079B	300	N	70	N	10	N	50	N	<5	5	15	--
79MH080A	700	N	150	N	10	N	150	N	15	15	55	--
79MH081A	1,500	N	50	N	N	N	30	N	5	5	20	--
79MH082A	1,500	N	50	N	N	N	50	N	<5	5	25	--
79MH083A	1,000	N	300	N	30	<200	50	N	<5	15	65	--
79MH084A	300	N	20	N	N	N	50	N	<5	5	10	--
79MH084B	300	N	70	N	<10	N	70	N	<5	10	40	--
79MH084C	1,500	N	700	N	30	<200	150	N	55	10	55	--
79MH085A	100	N	30	N	N	N	20	N	<5	5	25	--
79MH085B	700	N	70	N	N	N	100	N	<5	5	25	--
79MH086A	<100	N	100	N	10	<200	30	N	35	15	40	--
79MH086B	500	N	700	N	30	<200	70	N	10	20	60	--
79MH087A	1,500	N	70	N	N	N	50	N	<5	5	25	--
79MH088A	100	N	20	N	20	N	500	N	<5	5	20	--
79MH089A	150	N	10	N	N	N	<10	N	5	10	10	--
79MH089B	150	N	N	N	N	N	N	N	5	10	<5	--
79MH090A	500	N	500	N	15	<200	15	N	15	10	20	--
79MH090B	500	N	500	N	50	N	100	N	150	10	35	--
79MH091A	<100	N	<10	N	N	N	N	N	<5	30	<5	--
79MH092A	1,500	N	300	N	20	<200	50	N	<5	15	60	--
79MH093A	1,000	N	70	N	N	N	70	N	5	10	40	--
79MH093B	>5,000	N	150	N	20	N	70	N	5	20	10	--
79MH094A	2,000	N	100	N	N	N	50	N	<5	10	30	--
79MH094B	2,000	N	200	N	15	<200	100	N	5	10	85	--
79MH095A	2,000	N	100	N	<10	N	50	N	<5	10	30	--
79MH096A	2,000	N	70	N	<10	N	70	N	<5	<5	15	--
79MH097A	1,500	N	50	N	N	N	50	N	<5	5	30	--
79MH097B	1,500	N	150	N	10	N	70	N	10	5	40	--
79MH098A	3,000	N	70	N	N	N	70	N	5	5	25	--
79MH099A	1,000	N	100	N	10	N	50	N	<5	5	35	--
79MH100A	500	N	20	N	N	N	100	N	<5	5	20	--

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	RK-TYPE	S-FEZ	S-MG%	S-CA%	S-TIX	S-MN	S-AG	S-AS	S-AU	S-B
79MH1014	CDM634	56 1 52	130 56 39	QD	15.00	3.00	5.00	.700	500	N	N	N	N
79MH102A	CDM718	56 0 19	130 46 4	GDF	10.00	2.00	2.00	.500	1,000	N	N	N	N
79MH102B	CDM642	56 0 19	130 46 4	QDI	10.00	5.00	5.00	1.000	1,500	N	N	N	<10
79MH103A	CDM664	56 0 35	130 45 57	GD	7.00	2.00	5.00	1.000	700	N	N	N	N
79MH103B	CDM697	56 0 35	130 45 57	CSI	15.00	.10	15.00	.700	1,000	N	N	N	<10
79MH103C	CDM709	56 0 35	130 45 57	GDD	.70	.10	.50	.020	50	<.5	N	N	N
79MH104A	CDM665	56 1 7	130 45 50	GDF	3.00	.70	1.50	.500	200	N	N	N	N
79MH104B	CDM688	56 1 7	130 45 50	GDD	.70	.15	.30	.150	70	N	N	N	N
79MH105A	CDM710	56 1 35	130 45 45	QM	2.00	.70	1.50	.300	200	<.5	N	N	N
79MH105B	CDM643	56 1 35	130 45 45	QDI	15.00	3.00	3.00	>1.000	1,000	N	N	N	<10
79MH106A	CDM947	56 22 20	131 46 52	QM	1.50	.15	.70	.070	700	N	N	N	N
79MH107A	CDM906	56 22 40	131 46 49	GDF	5.00	1.50	3.00	.500	700	N	N	N	N
79MH108C	CDM883	56 23 0	131 46 24	AM	15.00	5.00	3.00	.700	1,000	N	N	N	<10
79MH109A	CDM964	56 23 10	131 8 55	QM	2.00	.30	1.00	.200	300	N	N	N	N
79MH110A	CDM933	56 24 44	131 7 43	QM	2.00	.20	1.00	.150	500	N	N	N	N
79MH111A	CDM986	56 25 6	131 9 59	QM	2.00	.70	1.00	.700	500	N	N	N	N
79MH112A	CDM011	56 25 51	131 11 19	QM	2.00	.50	1.50	.200	700	N	N	N	N
79MH113A	CDM965	56 25 38	131 14 8	GD	2.00	.50	1.00	.200	500	N	N	N	N
79MH114A	CDM034	56 25 11	131 15 2	GD	2.00	.50	1.50	.300	300	N	N	N	N
79MH115A	CDM987	56 25 11	131 16 33	GD	3.00	.70	.70	.500	500	N	N	N	N
79MH116A	CDM012	56 26 5	131 17 45	QM	2.00	.50	1.50	.200	500	N	N	N	N
79MH117A	CDM966	56 28 21	131 16 50	SC	15.00	2.00	1.50	1.000	1,000	N	N	N	N
79MH117B	CDM035	56 28 21	131 16 50	GDF	10.00	2.00	2.00	.500	700	N	N	N	N
79MH118A	CDM419	56 17 17	131 35 30	GP	10.00	1.50	3.00	.700	700	.5	N	N	<10
79MH119A	CDM376	56 14 51	131 35 39	AM	7.00	2.00	2.00	.500	1,000	N	N	N	<10
79MH119B	CDM354	56 14 51	131 35 39	GDD	1.00	.20	.50	.050	100	N	N	N	N
79MH120A	CDM397	56 14 52	131 34 15	QDL	7.00	3.00	3.00	.500	1,000	1.5	N	N	<10
79MH121A	CDM420	56 16 26	131 35 40	GP	10.00	2.00	2.00	.700	1,000	<.5	N	N	<10
79MH122A	CDM377	56 17 49	131 39 18	GP	3.00	.30	3.00	.200	500	.5	N	N	N
79MH123A	CDM355	56 19 44	131 39 29	GP	2.00	1.00	.07	.200	150	<.5	N	N	N
79MH123B	CDM399	56 19 44	131 39 29	GDD	.30	.10	.70	.030	300	1.5	N	N	N
79MH124A	CDM421	56 21 54	131 38 32	GP	1.00	.15	.70	.070	200	<.5	N	N	N
79MH124B	CDM379	56 21 54	131 38 32	GDD	5.00	2.00	1.50	.500	1,000	N	N	N	<10
79MH125A	CDM356	56 22 56	131 37 0	GD	1.50	.30	.70	.150	200	<.5	N	N	N
79MH126A	CDM399	56 21 23	131 40 39	GP	3.00	1.50	1.50	.300	500	1.5	N	N	N
79MH126B	CDM422	56 21 23	131 40 39	GDF	15.00	.50	.70	.200	300	<.5	N	N	N
79MH126C	CDM379	56 21 23	131 40 39	GG	7.00	1.50	2.00	.500	700	.5	N	N	<10
79MH127A	CDM357	56 17 55	131 41 39	QDI	10.00	2.00	1.50	.500	1,000	N	N	N	<10
79MH128A	CDM235	56 8 19	131 58 8	QDF	7.00	2.00	3.00	.500	1,000	N	N	N	15
79MH129A	CDM305	56 6 23	131 58 12	QDF	7.00	2.00	5.00	.500	1,000	<.5	N	N	10
79MH130A	CDM256	56 2 54	131 57 59	QD	5.00	1.50	2.00	.300	700	<.5	N	N	10
79MH131A	CDM238	56 2 7	131 56 15	QDF	5.00	2.00	3.00	.500	1,000	N	N	N	10
79MH132A	CDM310	56 1 20	131 50 37	GD	2.00	.07	.07	.100	200	N	N	N	N
79MH133A	CDM247	56 0 35	131 50 9	QDF	5.00	.15	2.00	.500	1,000	N	N	N	10
79MH134A	CDM267	56 0 15	131 47 52	QD	5.00	1.50	5.00	.500	700	<.5	N	N	15

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-RA	S-BE	S-FI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PB	S-SB	S-SC	S-SN
79MH101A	1,000	<1.0	N	N	15	30	5	20	N	N	10	30	N	15	N
79MH102A	1,500	<1.0	N	N	10	15	5	20	N	N	10	20	N	15	N
79MH102B	150	<1.0	N	N	50	150	N	N	N	N	70	10	N	20	N
79MH103A	200	1.0	N	N	7	10	N	20	N	N	5	10	N	15	N
79MH103B	50	<1.0	N	N	N	20	<5	N	N	N	<5	15	N	10	N
79MH103C	300	1.0	N	N	N	<10	<5	N	N	N	5	50	N	N	N
79MH104A	1,000	<1.0	N	N	5	<10	5	20	N	N	5	15	N	<5	N
79MH104B	500	1.0	N	N	N	<10	<5	N	N	N	5	50	N	N	N
79MH105A	2,000	<1.0	N	N	5	<10	<5	N	N	N	5	30	N	<5	N
79MH105B	1,000	<1.0	N	N	20	30	N	50	N	N	7	20	N	15	N
79MH106A	700	<1.0	N	N	N	<10	<5	<20	N	N	5	30	N	N	N
79MH107A	700	1.0	N	N	10	15	5	N	N	N	5	10	N	10	N
79MH108C	300	<1.0	N	N	50	200	30	N	N	N	100	<10	N	30	N
79MH109A	1,500	1.0	N	N	<5	<10	5	N	N	N	5	30	N	N	N
79MH110A	1,000	1.0	N	N	<5	<10	<5	<20	N	N	5	30	N	<5	N
79MH111A	1,000	<1.0	N	N	N	<10	<5	N	N	N	5	20	N	N	N
79MH112A	1,000	1.0	N	N	<5	<10	<5	N	N	N	5	30	N	<5	N
79MH113A	1,500	1.0	N	N	<5	<10	5	N	N	N	5	30	N	<5	N
79MH114A	1,500	<1.0	N	N	<5	<10	<5	<20	N	N	<5	20	N	<5	N
79MH115A	700	1.0	N	N	<5	<10	<5	<20	N	N	5	20	N	<5	N
79MH116A	1,500	1.0	N	N	<5	<10	<5	20	N	N	5	50	N	<5	N
79MH117A	300	1.0	N	N	10	20	150	N	N	N	10	<10	N	20	N
79MH117B	1,000	1.0	N	N	10	20	15	N	N	N	10	15	N	15	N
79MH118A	3,000	1.5	N	N	20	15	15	50	N	N	10	10	N	20	N
79MH119A	1,500	1.5	N	N	30	30	15	70	N	N	20	15	N	30	N
79MH119B	2,000	1.0	<10	N	N	<10	<5	N	N	N	5	50	N	5	N
79MH120A	3,000	1.5	N	N	30	20	5	<20	N	N	10	15	N	30	N
79MH121A	2,000	1.5	N	N	30	20	50	100	N	N	20	15	N	20	N
79MH122A	1,500	1.0	N	N	10	70	100	50	N	N	30	10	N	15	N
79MH123A	2,000	<1.0	<10	N	5	50	10	50	N	N	20	15	N	15	N
79MH123B	5,000	2.0	N	N	N	<10	<5	N	N	N	5	15	N	<5	N
79MH124A	>5,000	1.0	N	N	<5	<10	<5	N	N	N	5	15	N	<5	N
79MH124B	1,500	2.0	N	N	15	50	5	100	N	N	10	15	N	30	N
79MH125A	2,000	2.0	N	N	<5	<10	5	N	N	N	5	15	N	5	N
79MH126A	2,000	3.0	N	N	10	10	10	100	N	N	10	15	N	5	N
79MH126B	>5,000	2.0	N	N	5	10	10	70	N	N	15	15	N	7	N
79MH126C	1,000	1.0	N	N	50	150	300	20	10	20	100	20	N	20	N
79MH127A	1,500	1.5	N	N	20	15	50	N	N	N	5	15	N	30	N
79MH128A	5,000	1.0	N	N	15	70	10	30	N	N	10	15	N	50	N
79MH129A	1,000	1.0	N	N	15	30	5	<20	N	N	7	15	N	20	N
79MH130A	2,000	1.5	N	N	20	15	5	N	N	N	10	15	N	20	N
79MH131A	1,500	1.5	N	N	15	20	7	N	N	<20	7	15	N	20	N
79MH132A	700	2.0	N	N	N	<10	<5	30	N	<20	5	15	N	7	N
79MH133A	1,500	1.0	N	N	20	15	10	N	N	N	5	15	N	20	N
79MH134A	1,500	1.5	N	N	15	10	5	N	N	N	7	15	N	20	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-SR	S-TH	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
79MH111A	2,000	N	300	N	15	<200	100	V	5	5	55	--
79MH102A	1,500	N	300	N	30	N	50	V	10	5	15	--
79MH102H	300	N	300	N	30	<200	30	N	<5	10	140	--
79MH103A	1,500	N	200	N	30	<200	50	N	N	5	20	--
79MH103B	>5,000	N	500	N	20	N	50	V	5	5	5	--
79MH103C	100	N	10	N	30	N	50	V	<5	5	5	--
79MH104A	700	N	100	N	10	N	100	N	5	5	20	--
79MH104B	150	N	15	N	10	N	50	N	<5	5	10	--
79MH105A	3,000	N	50	N	N	N	100	N	5	5	20	--
79MH105B	2,000	N	500	N	30	<200	70	N	20	5	55	--
79MH106A	200	N	20	N	20	N	20	N	<5	10	30	--
79MH107A	1,000	N	200	N	20	N	100	N	<5	5	40	--
79MH108C	700	N	500	N	30	<200	150	V	40	5	30	--
79MH109A	1,500	N	50	N	<10	N	100	N	<5	10	40	--
79MH110A	1,500	N	50	N	N	N	70	N	<5	5	40	--
79MH111A	2,000	N	70	N	<10	N	200	V	N	5	30	--
79MH112A	2,000	N	70	N	10	N	100	V	<5	5	30	--
79MH113A	2,000	N	70	N	N	N	70	N	<5	5	30	--
79MH114A	2,000	N	70	N	<10	N	100	N	<5	5	25	--
79MH115A	2,000	N	100	N	10	N	100	N	N	5	30	--
79MH116A	3,000	N	70	N	10	N	200	V	<5	5	45	--
79MH117A	700	N	500	N	20	<200	70	N	120	10	40	--
79MH117B	3,000	N	300	N	20	N	70	N	25	10	35	--
79MH118A	1,000	N	300	N	20	<200	200	N	10	10	60	--
79MH119A	700	N	200	N	20	<200	300	N	5	10	55	--
79MH119B	500	V	10	N	<10	N	70	N	<5	5	15	--
79MH120A	1,000	N	300	N	20	<200	150	N	<5	10	65	--
79MH121A	1,500	N	500	N	30	<200	200	V	35	10	95	--
79MH122A	100	N	150	N	10	N	100	N	70	10	35	--
79MH123A	100	N	70	N	N	<200	100	N	10	10	110	--
79MH123B	700	N	10	N	N	N	70	N	N	5	25	--
79MH124A	700	N	15	N	N	<200	70	N	N	5	25	--
79MH124B	700	N	200	N	20	<200	50	V	5	10	70	--
79MH125A	700	N	50	N	15	<200	150	N	<5	5	60	--
79MH126A	700	N	100	N	N	N	300	N	15	10	55	--
79MH126B	700	N	150	N	10	N	300	N	15	5	40	--
79MH126C	300	N	150	N	50	N	300	N	180	10	30	--
79MH127A	700	V	300	N	30	<200	50	N	45	10	65	--
79MH128A	700	N	300	N	30	<200	70	N	5	10	70	--
79MH129A	700	N	150	N	20	<200	100	N	5	10	55	--
79MH130A	1,000	N	200	N	10	<200	150	N	<5	10	65	--
79MH131A	700	N	200	N	20	<200	150	N	10	10	55	--
79MH132A	<100	N	20	N	30	<200	300	N	<5	15	55	--
79MH133A	700	N	200	N	20	<200	70	N	5	10	60	--
79MH134A	1,000	N	150	N	20	<200	200	N	<5	10	45	--

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	RK-TYPE	S-FEX	S-MGZ	S-CAZ	S-TIX	S-MN	S-AG	S-AS	S-AU	S-B
79MH135A	CDN293	56 19 13	131 58 52	GDF	3.10	.71	2.00	.300	700	N	N	N	N
79MH136A	CDN272	56 15 52	131 57 46	GDF	3.70	.70	1.00	.200	700	.5	N	N	N
79MH137A	CDN248	56 15 43	131 56 43	GDF	5.00	1.50	2.00	.700	2,000	N	N	N	<10
79MH138A	CDN091	56 30 53	131 46 23	GD	2.00	.70	2.00	.300	1,000	N	N	N	N
79MH139A	CDN114	56 32 7	131 48 30	GD	1.50	.20	1.50	.300	500	N	N	N	N
79MH1393	CDN136	56 32 7	131 48 30	BGI	15.00	3.00	3.00	1.000	1,000	N	N	N	<10
79MH140A	CDN070	56 35 33	131 45 0	GDF	3.00	1.00	2.00	.500	1,500	N	N	N	N
79MH141A	CDN092	56 35 2	131 48 46	GN	1.50	1.50	1.00	.700	300	N	N	N	N
79MH1419	CDN115	56 35 2	131 48 46	GD	.50	.07	1.00	.070	500	N	N	N	N
79MH142A	CDN137	56 35 17	131 40 10	RH	5.00	3.00	2.00	1.000	2,000	<.5	N	N	10
79MH143A	CDN071	56 34 51	131 33 59	HF	10.00	3.00	1.00	>1.000	3,000	<.5	N	N	70
79MH144A	CDN093	56 35 48	131 32 33	HF	15.00	5.00	1.50	>1.000	1,500	N	N	N	100
79MH145A	CDN116	56 33 53	131 31 26	HF	5.00	2.00	1.00	1.000	1,000	N	N	N	30
79MH146A	CDN138	56 32 33	131 40 51	RH	1.00	.50	.50	.500	300	N	N	N	N
79MH147A	CDN072	56 30 42	131 39 39	GD	10.00	2.00	3.00	1.000	2,000	N	N	N	<10
79MH148A	CDN599	56 15 47	131 36 2	GDN	2.00	.70	1.50	.150	500	N	N	N	<10
79MH1483	CDN531	56 15 47	131 36 2	GDF	.50	.15	1.00	.070	70	N	N	N	N
79MH149A	CDN554	56 16 9	131 36 6	GDG	5.00	2.00	3.00	.300	1,000	N	N	N	<10
79MH149B	CDN577	56 16 9	131 36 6	GDD	.30	.20	1.50	.050	70	N	N	N	N
79MH149D	CDN600	56 16 9	131 36 6	CSI	7.00	2.00	5.00	.500	1,500	N	N	N	<10
79MH150A	CDN532	56 16 19	131 35 56	CS	15.00	2.00	7.00	.020	3,000	N	N	N	<10
79MH151A	CDN555	56 16 22	131 35 20	QDL	5.00	2.00	3.00	.300	700	N	N	N	<10
79MH151B	CDN578	56 15 22	131 35 20	GDD	.50	.10	.70	.030	200	N	N	N	N
79MH151C	CDN601	56 16 22	131 35 20	GDF	1.00	.10	.50	.100	200	N	N	N	N
79MH152A	CDN533	56 16 13	131 34 42	QDL	3.00	2.00	2.00	.050	700	N	N	N	<10
79MH1529	CDN556	56 16 17	131 34 42	GDD	.70	.05	.15	.030	100	N	N	N	N
79MH153A	CDN579	56 16 8	131 34 4	QD	5.00	2.00	2.00	.300	700	N	N	N	<10
79MH154A	CDN504	56 9 2	131 31 53	GDN	5.00	1.00	1.50	.500	700	N	N	N	<10
79MH154B	CDN439	56 9 2	131 31 53	GN	5.00	2.00	7.00	.300	1,500	N	N	N	<10
79MH155A	CDN462	56 8 39	131 31 21	GDG	3.00	1.50	1.00	.500	700	N	N	N	<10
79MH156A	CDN493	56 8 51	131 30 35	GDF	5.00	2.00	2.00	.300	1,000	N	N	N	<10
79MH157A	CDN505	56 8 57	131 30 10	QDF	5.00	1.50	.70	.500	700	N	N	N	<10
79MH158A	CDN440	56 9 21	131 29 50	QDF	5.00	2.00	3.00	.300	700	N	N	N	<10
79MH1589	CDN463	56 9 21	131 29 50	GDF	3.00	1.00	.70	.300	300	N	N	N	<10
79MH159A	CDN484	56 9 37	131 29 44	QDG	5.00	2.00	2.00	.300	1,000	N	N	N	<10
79MH159B	CDN506	56 9 37	131 29 44	GDG	2.00	.50	.50	.300	700	N	N	N	N
79MH160A	CDN441	56 10 13	131 29 7	MBF	.70	.50	20.00	.070	150	N	N	N	N
79MH162A	CDN497	56 23 35	131 23 19	SCQ	10.00	1.00	5.00	.500	700	1-.5	N	N	<10
79MH163A	CDN638	56 16 55	131 52 9	GDF	3.00	1.50	3.00	.300	1,000	N	N	N	30
79MH164A	CDY994	56 16 51	131 52 38	GDF	3.00	.70	2.00	.200	700	N	N	N	<10
79MH165A	CEA041	56 16 51	131 53 28	GDF	5.00	1.00	2.00	.500	1,000	N	N	N	<10
79MH167A	CDY972	56 17 12	131 54 45	QDF	5.00	1.00	2.00	.300	1,000	N	N	N	<10
79MH168A	CEA019	56 17 34	131 53 46	GDF	2.00	.70	2.00	.150	700	N	N	N	10
79MH169A	CDY995	56 17 42	131 53 18	GDF	3.00	.70	2.00	.150	700	N	N	N	<10
79MH170A	CEA042	56 18 5	131 53 36	GDF	3.00	.70	2.00	.200	700	N	N	N	<10

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-3E	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-N3	S-VI	S-PB	S-SB	S-SC	S-SN
79MH135A	2.0	N	10	10	10	<5	50	N	N	5	15	N	15	N
79MH136A	1.5	N	5	10	10	<5	30	N	N	5	20	N	15	N
79MH137A	1.0	N	5	<10	<10	N	30	N	N	<5	20	N	10	N
79MH138A	1.0	N	5	<10	<10	<5	N	N	N	5	30	N	<5	N
79MH139A	1.5	N	N	N	<10	<5	N	N	N	5	15	N	N	N
79MH139H	<1.0	N	30	30	15	50	100	N	N	20	20	N	15	N
79MH140A	1.0	N	5	5	<10	<5	30	N	N	5	15	N	7	N
79MH141A	1.0	N	7	7	10	<5	N	N	N	20	<10	N	5	N
79MH141B	1.0	N	<5	<5	<10	<5	N	N	N	5	30	N	N	N
79MH142A	<1.0	N	7	7	10	150	N	N	N	10	10	N	15	N
79MH143A	1.0	N	10	10	30	200	<20	N	N	50	10	N	20	N
79MH144A	1.0	N	50	200	150	200	N	N	N	200	<10	N	20	N
79MH145A	1.0	N	7	20	30	20	N	N	N	20	<10	N	15	N
79MH146A	1.5	N	<5	<5	<10	15	N	N	N	5	<10	N	5	N
79MH147A	<1.0	N	7	7	10	<5	<20	N	N	5	20	N	10	N
79MH148A	1.0	N	15	15	<10	5	50	N	N	5	10	N	20	N
79MH148B	1.0	N	N	N	N	N	N	N	N	<5	<10	N	N	N
79MH149A	1.0	N	30	70	70	10	N	N	N	20	15	N	20	N
79MH149B	1.0	N	N	N	<10	<10	N	N	N	5	15	N	<5	N
79MH149D	<1.0	N	30	30	30	10	50	N	N	50	<10	N	20	<10
79MH150A	1.0	N	50	50	30	70	N	15	N	50	N	N	N	N
79MH151A	1.0	N	20	10	10	<5	50	N	N	5	10	N	20	N
79MH151B	1.0	N	N	N	<10	<5	30	N	N	5	15	N	5	N
79MH151C	1.0	N	5	5	<10	N	70	N	N	5	N	N	<5	N
79MH152A	1.5	N	20	20	10	<5	70	N	N	5	10	N	30	N
79MH152B	1.0	N	N	N	N	N	<20	N	N	<5	15	N	<5	N
79MH153A	1.0	N	20	10	10	10	20	N	N	5	10	N	20	N
79MH154A	1.5	N	15	10	10	<5	70	N	N	5	10	N	15	N
79MH1543	1.5	N	30	10	10	100	N	N	N	15	10	N	50	N
79MH155A	1.5	N	15	15	<10	7	30	N	<20	<5	15	N	15	N
79MH156A	1.0	N	20	20	10	5	70	N	N	10	15	N	15	N
79MH157A	1.5	N	20	20	10	20	<20	N	N	10	10	N	20	N
79MH158A	1.5	N	20	20	10	10	<20	N	N	5	10	N	30	N
79MH1583	1.0	N	20	20	50	70	30	N	N	30	<10	N	10	N
79MH159A	1.0	N	20	20	70	10	30	N	N	20	10	N	30	N
79MH1593	1.0	N	7	7	<10	<5	70	N	N	<5	15	N	7	N
79MH160A	<1.0	N	<5	<5	<10	10	30	N	N	7	15	N	<5	N
79MH162A	<1.0	N	50	300	10	300	N	N	N	20	15	N	50	N
79MH163A	1.5	N	5	5	20	N	50	N	N	5	50	N	10	N
79MH164A	1.000	N	5	5	15	N	50	N	<20	<5	20	N	10	N
79MH165A	2.0	N	7	7	30	5	50	N	N	5	20	N	10	N
79MH167A	2.0	N	7	7	10	N	<20	N	<20	<5	20	N	10	N
79MH158A	1.500	N	5	5	10	<5	30	N	N	5	20	N	7	N
79MH169A	1.000	N	5	5	<10	N	<20	N	N	5	15	N	7	N
79MH170A	1.500	N	5	5	<10	N	30	N	N	<5	30	N	<5	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-SR	S-TH	S-V	S-W	S-Y	S-Zn	S-ZR	AL-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
79MH135A	1,000	N	100	N	20	N	200	N	<5	10	70	--
79MH136A	1,000	N	100	V	15	N	100	N	<5	10	75	--
79MH137A	200	N	300	N	15	N	100	N	<5	5	55	--
79MH138A	2,000	N	70	N	<10	N	150	N	<5	10	60	--
79MH139A	1,000	N	30	N	N	N	50	N	<5	5	35	--
79MH139B	1,500	N	300	N	15	<200	300	N	30	15	60	--
79MH140A	1,500	N	150	N	10	N	70	N	5	5	35	--
79MH141A	200	N	50	N	10	N	300	N	<5	10	35	--
79MH141B	300	N	<10	N	<10	N	30	V	5	5	20	--
79MH142A	150	V	150	N	15	<200	70	N	80	25	40	--
79MH143A	N	N	150	N	20	<200	300	N	30	10	70	--
79MH144A	<100	N	500	V	15	<200	150	N	65	25	130	--
79MH145A	100	V	150	N	20	<200	100	N	30	15	80	--
79MH146A	100	N	20	N	N	<200	50	N	30	10	25	--
79MH147A	1,500	N	200	N	10	<200	100	N	<5	10	50	--
79MH148A	300	N	150	N	20	N	100	N	10	10	35	--
79MH148B	1,500	N	20	N	N	N	50	N	N	5	15	--
79MH149A	500	N	200	N	15	<200	50	N	<5	15	45	--
79MH149B	1,000	N	50	N	N	N	10	N	<5	5	25	--
79MH149D	300	N	500	N	50	<200	70	N	10	15	25	--
79MH150A	N	N	50	N	20	<200	<10	V	55	5	10	--
79MH151A	1,000	N	300	N	20	<200	30	N	N	15	45	--
79MH151B	500	N	50	N	<10	N	50	N	<5	5	35	--
79MH151C	300	N	50	N	N	N	300	N	<5	10	55	--
79MH152A	500	V	200	N	20	<200	70	N	<5	10	60	--
79MH152B	300	N	N	N	<10	N	70	N	N	10	10	--
79MH153A	700	N	200	N	20	<200	70	N	10	10	65	--
79MH154A	700	N	150	N	15	<200	200	N	5	15	75	--
79MH154B	300	N	500	N	20	<200	50	N	95	15	30	--
79MH155A	500	N	150	N	15	<200	100	N	5	10	60	--
79MH156A	1,000	N	300	N	20	<200	150	N	10	10	45	--
79MH157A	500	N	200	N	15	<200	100	N	20	15	65	--
79MH158A	700	N	200	N	15	<200	100	N	10	10	60	--
79MH158B	500	N	200	N	N	N	300	N	55	10	50	--
79MH159A	300	N	200	N	30	N	150	N	10	10	25	--
79MH159B	300	N	50	N	15	N	300	V	5	10	70	--
79MH160A	3,000	N	70	N	15	N	20	V	10	65	10	--
79MH162A	700	N	70	N	20	<200	50	N	220	25	50	--
79MH163A	1,000	N	100	N	20	N	70	N	<5	10	75	--
79MH164A	1,000	N	100	N	20	N	100	N	<5	5	65	--
79MH165A	1,000	N	100	N	20	N	200	N	5	5	55	--
79MH167A	1,000	V	100	N	20	N	150	V	<5	5	85	--
79MH168A	1,000	N	50	N	10	N	70	N	<5	5	90	--
79MH169A	500	N	30	N	10	<200	70	N	N	5	85	--
79MH170A	700	N	30	N	<10	N	150	N	<5	5	100	--

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	LAH NO.	LATITUDE	LONGITUDE	RK-TYPE	S-FE%	S-MG%	S-CA%	S-Ti%	S-MN	S-AG	S-AU	S-B
79MH171A	CDY973	56 18 21	131 54 15	GDF	2.00	1.00	2.00	.200	700	<.5	N	<10
79MH172A	CEA031	56 18 4	131 47 20	SCB	5.00	2.00	2.00	.500	3,000	N	N	<10
79MH1723	CEA047	56 18 4	131 47 20	GP	5.00	3.00	7.00	.500	5,000	N	N	20
79MH173A	CDY977	56 17 31	131 47 11	GP	5.00	3.00	1.50	.500	1,000	N	N	<10
79MH174A	CEA025	56 17 13	131 47 9	SCB	5.00	2.00	1.00	.300	1,000	N	N	<10
79MH175A	CEA002	56 17 5	131 47 48	GDF	2.00	.70	3.00	.150	500	N	N	<10
79MH175H	CEA048	56 17 5	131 47 48	GB	7.00	7.00	5.00	.700	1,000	N	N	<10
79MH176A	CDY978	56 16 49	131 47 56	GP	5.00	2.00	2.00	.500	1,000	<.5	N	<10
79MH177A	CEA026	56 16 42	131 48 50	GP	10.00	3.00	2.00	.700	1,500	N	N	<10
79MH178A	CEA033	56 16 55	131 49 21	GDF	2.00	.70	2.00	.200	700	N	N	<10
79MH179A	CDY991	56 0 0	131 35 0	QD	3.00	2.00	2.00	.300	1,000	N	N	<10
79MH180A	CEA038	56 0 13	131 37 22	QDF	5.00	2.00	3.00	.500	1,000	N	N	<10
79MH181A	CEA015	56 1 1	131 39 9	QDF	5.00	2.00	3.00	.300	1,000	.5	N	10
79MH182A	CEA062	56 0 35	131 41 59	QD	2.00	1.00	3.00	.200	700	N	N	<10
79MH183A	CEA085	56 5 11	131 44 2	GD	3.00	1.00	3.00	.500	700	N	N	<10
79MH184A	CEA108	56 4 2	131 44 14	GD	2.00	.70	2.00	.300	500	N	N	<10
79MH185A	CEA130	56 6 22	131 46 25	GD	3.00	1.00	3.00	.500	500	N	N	20
79MH185A	CEA063	56 11 20	131 45 48	GP	3.00	1.00	.50	.500	1,000	N	N	30
79MH188A	CEA086	56 10 14	131 35 51	GMB	5.00	1.50	.70	.500	700	<.5-	N	10
79MH189A	CEA109	56 6 45	131 31 43	GMB	3.00	2.00	.70	.700	300	<.5	N	<10
79MH190A	CEA131	56 5 13	131 30 21	GP	5.00	2.00	1.50	.500	1,000	N	N	10
79MH191A	CEA083	56 16 12	131 10 22	GD	2.00	1.50	2.00	.300	1,000	N	N	<10
79MH192A	CEA107	56 14 5	131 15 1	GP	3.00	1.00	3.00	.300	2,000	N	N	<10
79MH192B	CEA129	56 14 5	131 15 1	GDF	1.00	.10	1.50	.100	150	N	N	10
79MH193A	CEA152	56 12 20	131 18 7	GDM	1.50	.50	1.00	.200	500	N	N	<10
79MH194A	CEA084	56 12 32	131 21 27	QDG	5.00	2.00	3.00	.500	1,500	N	N	<10
79MH194B	CDY879	56 12 32	131 21 27	GP	5.00	3.00	7.00	.200	2,000	N	N	<10
79MH195A	CDY900	56 14 37	131 24 30	GD	.50	.15	1.50	.100	150	N	N	N
79MH196A	CDY923	56 14 24	131 26 19	GDF	1.00	.50	.70	.150	200	N	N	N
79MH197A	CDY902	56 18 1	131 35 20	NE	.70	.20	2.00	.100	200	N	N	N
79MH198A	CDY925	56 16 21	131 31 28	QDF	5.00	3.00	5.00	.500	1,000	N	N	<10
79MH199A	CDY948	56 15 5	131 28 0	GDF	1.50	.50	1.00	.150	500	N	N	10
79MH200A	CDY882	56 14 43	131 29 18	GDF	1.50	.50	1.00	.500	500	N	N	10
79MH201A	CDY903	56 14 25	131 31 40	QDF	5.00	3.00	3.00	.500	700	N	N	10
79MH202A	CDY926	56 13 4	131 28 42	GDF	2.00	.50	3.00	.150	200	.5	N	<10
79MH202B	CDY949	56 13 4	131 28 42	GDF	.50	.10	.70	.100	150	N	N	10
79MH203A	CDY893	56 13 45	131 39 52	QDF	10.00	5.00	5.00	1.000	1,000	N	N	<10
79MH203B	CDY904	56 13 45	131 39 52	GM	10.00	5.00	5.00	.700	1,000	N	N	<10
79MH204A	CDY927	56 13 53	131 42 14	DIF	10.00	5.00	5.00	.700	1,000	N	N	<10
79MH204B	CDY950	56 13 53	131 42 14	GP	5.00	1.50	.70	.500	1,000	N	N	<10
79MH204C	CDY884	56 13 53	131 42 14	GM	10.00	5.00	5.00	1.000	1,500	<.5	N	<10
79MH205A	CDY905	56 16 54	131 44 38	BG	5.00	5.00	5.00	.200	1,000	N	N	<10
79MH207A	CDY928	56 13 52	131 43 32	GP	3.00	5.00	1.50	.200	5,000	N	N	10
79MH208A	CDY920	56 24 25	131 50 18	QDF	5.00	5.00	3.00	.500	1,000	N	N	<10
79MH209A	CDY943	56 24 34	131 50 42	QDF	5.00	3.00	2.00	.500	1,000	N	N	<10

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-HA	S-BF	S-RI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PB	S-SB	S-SC	S-SM
79MH171A	1,000	1.5	N	N	7	15	N	50	N	N	7	30	N	7	N
79MH172A	1,000	1.0	N	N	15	70	30	30	N	N	30	10	N	15	N
79MH172B	300	<1.0	N	N	30	70	100	50	N	N	50	10	N	15	N
79MH173A	700	1.0	N	N	15	70	70	20	N	N	20	15	N	20	N
79MH174A	1,500	1.5	N	N	15	70	30	20	N	N	50	30	N	15	N
79MH175A	1,500	1.0	N	N	<5	<10	<5	50	N	N	5	15	N	5	N
79MH175B	1,500	1.0	N	N	50	50	N	30	N	N	70	20	N	30	N
79MH176A	700	2.0	N	N	30	70	<5	100	N	<20	30	20	N	20	N
79MH177A	2,000	3.0	N	N	15	10	50	70	N	<20	5	20	N	10	N
79MH178A	2,000	1.0	N	N	5	10	7	<20	N	N	5	30	N	5	N
79MH179A	1,000	1.0	N	N	10	20	<5	50	N	N	5	10	N	10	N
79MH180A	1,500	1.5	N	N	10	20	<5	20	N	N	5	20	N	10	N
79MH181A	1,500	1.5	N	N	10	20	7	20	N	N	5	20	N	15	N
79MH182A	1,000	1.5	N	N	7	15	<5	30	N	N	5	15	N	7	N
79MH183A	1,000	1.0	N	N	10	10	<5	20	N	<20	<5	20	N	5	N
79MH184A	1,500	1.5	N	N	7	10	<5	<20	N	N	<5	15	N	7	N
79MH185A	1,500	1.5	N	N	7	10	<5	50	N	<20	<5	30	N	7	N
79MH186A	1,500	1.0	N	N	7	50	30	30	10	N	5	15	N	20	N
79MH188A	1,500	1.0	N	N	15	150	70	20	10	<20	70	10	N	20	N
79MH189A	1,500	<1.0	N	N	15	300	70	100	15	<20	70	10	N	20	N
79MH190A	1,000	1.0	N	N	10	100	30	50	N	N	20	30	N	20	N
79MH191A	1,000	2.0	N	N	10	<10	7	30	N	<20	<5	30	N	10	N
79MH192A	2,000	1.5	N	N	10	50	70	20	N	N	20	10	N	15	N
79MH192B	5,000	1.0	N	N	<5	<10	7	20	N	N	<5	30	N	N	N
79MH193A	2,000	1.5	N	N	10	<10	N	70	N	<20	<5	20	N	7	N
79MH194A	1,500	1.0	N	N	15	20	15	50	N	<20	15	10	N	15	N
79MH194B	500	2.0	N	N	10	50	5	30	N	N	30	<10	N	15	N
79MH195A	2,000	1.0	N	N	<5	<10	<5	N	N	N	<5	30	N	<5	N
79MH196A	>5,000	<1.0	N	N	5	<10	<5	100	N	N	<5	50	N	<5	N
79MH197A	500	2.0	N	N	5	<10	<5	30	N	N	<5	50	N	<5	N
79MH198A	1,500	1.5	N	N	20	15	5	30	N	<20	7	20	N	20	N
79MH199A	2,000	1.5	N	N	5	<10	<5	30	N	N	10	15	N	<5	N
79MH200A	3,000	1.5	N	N	5	<10	<5	50	N	<20	<5	30	N	<5	N
79MH201A	1,000	1.5	N	N	20	15	7	50	N	N	7	20	N	20	N
79MH202A	3,000	1.0	N	N	10	<10	10	20	N	N	<5	30	N	<5	N
79MH202B	5,000	1.0	N	N	<5	<10	<5	N	10	N	<5	20	N	<5	N
79MH203A	500	<1.0	N	N	50	50	20	30	N	N	20	10	N	20	N
79MH203B	700	1.0	N	N	50	20	50	30	N	N	15	20	N	20	N
79MH204A	300	5.0	N	N	30	<10	20	30	N	<20	<5	20	N	20	N
79MH204B	1,500	2.0	N	N	7	<10	15	150	N	20	<5	100	N	5	N
79MH204C	500	7.0	N	N	20	<10	70	50	N	<20	<5	30	N	20	N
79MH205A	70	<1.0	N	N	50	200	30	20	N	N	50	<10	N	50	N
79MH207A	1,000	1.5	N	N	20	30	30	20	N	N	20	15	N	15	N
79MH208A	1,500	1.5	N	N	15	20	20	20	5	N	7	15	N	15	N
79MH209A	1,500	1.0	N	N	20	10	5	20	N	N	7	20	N	15	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-SR	S-TH	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
79MH171A	700	N	70	N	15	<200	70	N	<5	5	150	--
79MH172A	500	V	200	N	30	<200	70	V	35	10	95	--
79MH172B	500	V	300	N	30	<200	150	V	120	5	50	--
79MH173A	300	N	200	N	30	<200	100	N	60	15	130	--
79MH174A	300	N	150	N	15	<200	70	N	30	10	120	--
79MH175A	700	N	30	V	10	<200	70	N	<5	5	110	--
79MH175B	300	N	300	V	20	<200	50	N	<5	10	30	--
79MH176A	500	N	300	N	50	N	150	N	5	5	40	--
79MH177A	700	N	200	N	30	<200	100	N	25	10	100	--
79MH178A	1,000	N	50	N	<10	N	50	N	<5	5	75	--
79MH179A	1,000	N	150	N	15	N	70	N	5	10	45	--
79MH180A	700	N	150	N	20	<200	100	N	5	5	55	--
79MH181A	700	N	150	N	20	<200	70	V	5	5	75	--
79MH182A	1,000	N	100	N	10	N	50	N	5	<5	55	--
79MH183A	1,000	N	150	N	15	<200	150	N	5	<5	50	--
79MH184A	1,000	N	70	N	15	N	100	N	<5	<5	95	--
79MH185A	1,500	N	100	N	20	N	150	N	<5	<5	55	--
79MH186A	200	N	150	N	30	<200	100	N	35	5	90	--
79MH188A	100	N	500	N	70	300	70	N	50	5	170	--
79MH189A	200	N	500	N	30	<200	100	N	110	5	130	--
79MH190A	500	N	200	N	30	N	50	N	30	10	75	--
79MH191A	1,000	N	100	N	15	N	70	N	10	5	70	--
79MH192A	700	N	100	V	30	N	100	N	75	N	5	--
79MH192B	1,500	N	20	N	N	N	150	N	10	<5	15	--
79MH193A	500	N	50	N	20	N	30	N	<5	<5	40	--
79MH194A	700	N	200	N	20	N	100	N	20	5	40	--
79MH194B	1,000	N	100	N	50	N	70	N	10	<5	30	--
79MH195A	1,000	N	20	N	N	N	30	N	5	5	25	--
79MH196A	700	V	30	N	N	N	500	N	<5	<5	40	--
79MH197A	700	N	20	N	N	N	200	V	<5	<5	20	--
79MH198A	1,000	N	200	N	20	N	10	N	<5	<5	40	--
79MH199A	700	N	50	N	<10	N	50	N	<5	<5	30	--
79MH200A	1,000	N	50	N	20	N	100	N	<5	<5	30	--
79MH201A	1,000	N	200	N	20	N	200	N	5	5	60	--
79MH202A	3,000	N	50	N	N	N	100	V	25	<5	25	--
79MH202B	1,000	N	20	N	N	N	100	N	N	<5	10	--
79MH203A	1,000	N	300	N	30	<200	10	N	25	<5	35	--
79MH203B	1,000	N	300	N	20	<200	15	N	40	5	45	--
79MH204A	200	V	150	N	30	<200	10	N	15	5	55	--
79MH204B	500	N	30	N	50	N	150	N	15	5	60	--
79MH204C	300	N	100	N	50	<200	30	V	50	5	75	--
79MH205A	500	N	300	N	20	N	15	N	30	<5	10	--
79MH207A	500	V	150	N	20	N	100	N	30	10	80	--
79MH208A	1,000	N	150	N	15	<200	150	N	10	<5	45	--
79MH209A	700	V	150	N	20	N	30	V	5	<5	50	--

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	RK-TYPE	S-FEZ	S-MGZ	S-CAZ	S-TIZ	S-MN	S-AG	S-AS	S-AU	S-B
79MH209E	COY967	56 24 34	131 50 42	PGD	1.00	.05	.50	-.070	150	.5	N	N	20
79MH210A	COY909	56 24 47	131 50 59	HAD	15.00	5.00	3.00	>1.000	1,500	N	N	N	<10
79MH211A	COY921	56 25 8	131 51 22	QDF	5.00	3.00	3.00	.300	1,000	N	N	N	10
79MH212A	COY944	56 25 25	131 51 57	QDF	5.00	3.00	2.00	.500	1,000	N	N	N	<10
79MH213A	COY922	56 26 4	131 52 52	QDF	5.00	3.00	2.00	.500	1,000	N	N	N	10
79MH214A	COY945	56 26 23	131 53 35	QDF	5.00	2.00	2.00	.300	1,000	N	N	N	<10
79MH215A	COY949	56 26 39	131 54 30	QD	5.00	5.00	2.00	.500	1,000	N	N	N	<10
79MH216A	CEC601	56 25 19	131 39 12	GD	3.00	1.50	3.00	.500	700	N	N	N	<10
79MH217A	CEC424	56 26 39	131 39 55	GD	2.00	1.00	3.00	.500	700	N	N	N	<10
79MH217B	CEC447	56 26 38	131 39 55	RHD	2.00	.02	.15	.100	500	N	N	N	30
79MH219A	CEC379	56 27 24	131 41 49	GG	5.00	2.00	2.00	.300	1,500	N	N	N	10
79MH219A	CEC412	56 28 7	131 43 7	GDF	1.00	.50	1.50	.500	700	N	N	N	<10
79MH220A	CEC425	56 28 34	131 44 22	GD	1.50	.50	2.00	.200	700	N	N	N	10
79MH226A	CEC428	56 21 57	131 54 52	SC	10.00	10.00	3.00	.100	1,000	N	N	N	10
79MH228A	CEC385	56 29 13	131 47 30	RHD	2.00	.05	.05	.050	700	1.0	N	N	15
79MH561A	COM326	56 20 7	131 57 1	GDF	2.00	.70	1.50	.200	500	N	N	N	N
79MH561B	COM260	56 20 7	131 57 1	GDF	5.00	1.00	2.00	.300	700	<.5	N	N	N
79MH736A	CEC412	56 28 16	131 15 35	PX	10.00	7.00	10.00	.300	1,500	N	N	N	<10
79MH736B	CEC082	56 28 15	131 15 35	SK	15.00	1.50	10.00	.050	1,500	.5	N	N	<10
79MH736C	CEC083	56 28 15	131 15 35	SK	3.00	2.00	2.00	.300	700	7.0	N	N	<10
79MH736D	CEC084	56 28 15	131 15 35	SK	>20.00	.70	2.00	.010	700	N	N	N	N
79MH736E	CEC085	56 28 15	131 15 35	MS	1.00	2.00	20.00	.100	300	2.0	N	N	200
79RK001A	COM143	56 5 7	131 5 24	GDF	15.00	3.00	5.00	1.000	1,000	N	N	N	<10
79RK002A	COM098	56 7 57	131 5 19	GD	5.00	2.00	2.00	1.000	1,000	N	N	N	<10
79RK003A	COM166	56 10 52	131 4 19	GDF	5.00	1.50	3.00	.500	700	N	N	N	<10
79RK004A	COM122	56 11 25	131 10 46	GDF	7.00	2.00	3.00	1.000	1,000	N	N	N	<10
79RK005A	COM144	56 8 37	131 8 55	GDF	10.00	2.00	2.00	1.000	1,500	N	N	N	<10
79RK006A	COM099	56 7 17	131 5 20	GDF	5.00	1.50	2.00	.500	700	N	N	N	N
79RK007A	COM167	56 1 42	131 10 49	GDF	7.00	1.50	3.00	.700	1,000	N	N	N	<10
79RK008A	COM128	56 2 18	131 33 29	QDF	10.00	3.00	5.00	1.000	1,500	N	N	N	15
79RK009A	COM150	56 12 9	131 3 14	GD	2.00	.50	1.00	.300	500	N	N	N	N
79RK009B	COM105	56 12 9	131 3 14	GFI	15.00	3.00	3.00	1.000	2,000	N	N	N	<10
79RK010A	COM173	56 10 58	131 2 14	GDF	5.00	2.00	2.00	.500	700	N	N	N	<10
79RK011A	COM179	56 8 6	131 2 9	GDF	7.00	1.50	2.00	.700	700	N	N	N	N
79RK011B	COM135	56 8 5	131 2 9	GD	1.50	.70	1.00	.300	200	N	N	N	N
79RK012A	COM157	56 9 31	131 2 57	GDF	15.00	3.00	3.00	1.000	1,000	N	N	N	10
79RK013A	COM133	56 11 1	131 0 18	GDF	3.00	1.50	1.50	.500	500	N	N	N	N
79RK014A	COM130	56 10 27	130 58 10	GDF	5.00	1.50	2.00	.500	700	N	N	N	N
79RK015A	COM136	56 13 1	130 57 25	GDF	5.00	2.00	3.00	1.000	1,000	N	N	N	10
79RK016A	COM158	56 15 44	130 55 53	QMF	1.50	.70	1.00	.300	300	N	N	N	N
79RK017A	COM114	56 14 45	130 43 54	QM	.50	.02	.70	.020	70	N	N	N	N
79RK018A	COM191	56 14 11	130 41 25	AM	20.00	5.00	5.00	>1.000	1,500	N	N	N	<10
79RK019A	COM158	56 12 1	130 47 55	GDF	1.50	.50	1.50	.300	150	N	N	N	N
79RK019B	COM140	56 12 1	130 47 55	GFI	15.00	3.00	5.00	1.000	1,000	N	N	N	<10
79RK020A	COM115	56 17 3	130 57 0	GDF	5.00	1.50	2.00	.700	1,500	N	N	N	<10

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-HE	S-HI	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PB	S-SB	S-SC	S-SN
79MH209H	2.0	N	20	<10	20	N	N	<20	<5	50	N	<5	N
79MH210A	1.5	N	50	70	50	50	N	20	50	15	N	20	N
79MH211A	1.5	N	20	20	10	30	N	<20	10	20	N	15	N
79MH212A	1.0	N	20	15	15	30	N	N	10	20	N	15	N
79MH213A	1.5	N	20	20	20	30	N	<20	10	30	N	15	N
79MH214A	1.0	N	15	10	20	30	N	N	7	20	N	10	N
79MH215A	1.5	N	15	10	7	20	7	N	7	20	N	10	N
79MH216A	1.5	N	10	<10	10	70	N	<20	<5	30	N	7	N
79MH217A	2.0	N	7	<10	20	50	N	<20	<5	30	N	10	N
79MH217B	15.0	N	N	<10	<5	100	N	100	<5	100	N	N	15
79MH218A	1.0	N	20	30	70	30	N	20	10	30	N	20	N
79MH219A	1.0	N	5	<10	<5	50	N	<20	<5	50	N	N	N
79MH220A	1.5	N	5	<10	<5	30	N	N	<5	30	N	5	N
79MH226A	<1.0	N	100	>5,000	30	N	N	N	1,500	<10	N	20	N
79MH228A	30.0	N	N	<10	20	100	N	50	<5	150	N	N	50
79MH561A	1.5	N	5	10	5	N	N	N	7	15	N	10	N
79MH561B	2.0	N	5	15	7	70	10	<20	7	15	N	15	N
79MH736A	<1.0	N	30	700	<5	<20	N	N	70	20	N	50	N
79MH736B	1.5	N	100	20	1,000	20	N	N	50	30	N	10	10
79MH736C	<1.0	N	10	50	2,000	<20	50	<20	5	20	N	15	N
79MH736D	<1.0	N	50	N	1,500	N	N	N	70	15	N	<5	N
79MH736E	<1.0	N	5	500	70	30	N	N	100	<10	N	7	N
79RK001A	1.0	N	15	50	<5	30	N	<20	15	20	N	30	N
79RK002A	1.0	N	7	10	7	20	N	N	7	15	N	15	N
79RK003A	1.0	N	7	10	5	N	N	N	5	30	N	20	N
79RK004A	1.0	N	7	20	N	20	N	N	10	15	N	15	N
79RK005A	1.5	N	10	30	15	50	N	<20	30	15	N	20	N
79RK006A	1.0	N	5	10	5	N	N	N	10	20	N	10	N
79RK007A	1.0	N	500	15	<5	30	N	N	10	10	N	20	N
79RK008A	1.0	N	7	50	5	N	N	N	10	15	N	50	N
79RK009A	1.0	N	5	<10	<5	20	N	<20	5	20	N	5	N
79RK009B	<1.0	N	15	30	50	N	N	N	10	30	N	30	N
79RK010A	1.0	N	7	15	5	50	N	N	5	20	N	15	N
79RK011A	<1.0	N	7	20	N	20	N	N	5	15	N	20	N
79RK011B	<1.0	N	5	<10	<5	N	N	N	5	20	N	<5	N
79RK012A	<1.0	N	10	15	15	20	N	N	15	30	N	20	N
79RK013A	N	N	5	<10	<5	<20	N	N	5	20	N	10	N
79RK014A	1.0	N	7	10	5	20	N	<20	5	20	N	15	N
79RK015A	<1.0	N	7	10	<5	N	N	N	5	20	N	10	N
79RK016A	1.0	N	5	<10	<5	50	N	N	5	30	N	<5	N
79RK017A	1.0	N	N	<10	N	N	N	N	<5	20	N	N	N
79RK018A	N	N	70	200	10	N	N	N	300	<10	N	100	N
79RK019A	1.0	N	<5	<10	10	N	N	N	5	20	N	N	N
79RK019H	<1.0	N	20	100	10	N	N	N	100	15	N	30	N
79RK020A	1.0	N	7	15	<5	20	N	N	7	20	N	15	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-SR	S-TH	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
79MH200A	200	N	<10	N	N	N	10	V	25	5	5	--
79MH210A	500	N	500	N	50	N	200	V	25	10	60	--
79MH211A	1,000	N	150	N	20	N	100	N	10	<5	45	--
79MH212A	700	N	150	N	15	N	50	N	15	<5	55	--
79MH213A	1,000	N	150	N	20	<200	50	V	20	<5	45	--
79MH214A	1,000	N	150	N	15	N	70	V	20	5	60	--
79MH215A	700	N	150	N	15	V	70	N	5	5	55	--
79MH215A	1,500	N	100	N	20	N	100	N	10	10	55	--
79MH217A	1,000	N	100	N	20	N	150	N	20	10	55	--
79MH217A	N	N	N	N	150	200	1,000	V	<5	30	60	--
79MH218A	700	N	300	N	30	N	100	V	45	10	35	--
79MH219A	700	N	50	N	15	N	150	N	<5	5	50	--
79MH220A	1,500	N	50	N	15	V	150	N	<5	5	30	--
79MH226A	<100	N	200	N	<10	N	<10	N	30	10	15	--
79MH228A	100	N	15	N	300	300	>1,000	N	10	85	160	--
79MH561A	1,000	N	70	N	10	<200	100	N	<5	10	75	--
79MH561B	1,000	N	150	N	20	<200	200	V	<5	10	90	--
79MH736A	1,000	N	500	N	15	N	20	N	<5	15	5	--
79MH736B	700	N	500	N	20	N	30	.15	1,060	10	25	--
79MH736C	300	N	300	N	10	N	100	.40	2,300	10	65	--
79MH736D	N	N	200	N	N	N	N	<.05	1,150	5	40	--
79MH736E	1,500	N	500	N	50	300	50	<.05	85	20	260	--
79RK001A	1,500	N	500	N	20	<200	150	N	<5	10	40	--
79RK002A	700	N	300	N	20	N	100	N	10	15	80	--
79RK003A	1,500	N	200	N	10	N	70	N	5	10	55	--
79RK004A	1,500	N	300	N	20	<200	150	N	<5	20	70	--
79RK005A	200	N	300	N	50	<200	150	N	10	5	40	--
79RK006A	1,000	N	200	N	N	N	50	N	5	5	30	--
79RK007A	1,000	N	500	N	30	N	50	N	<5	5	40	--
79RK008A	1,000	N	500	N	20	<200	150	N	5	20	65	--
79RK009A	500	N	1,300	N	10	N	100	N	<5	5	50	--
79RK009B	1,500	N	700	N	30	<200	70	N	30	10	50	--
79RK010A	700	N	200	N	15	<200	100	N	5	10	60	--
79RK011A	1,000	N	300	N	15	<200	70	V	<5	5	40	--
79RK011R	1,500	N	70	N	N	N	70	N	<5	10	40	--
79RK012A	1,500	N	1,500	N	20	N	70	N	10	10	60	--
79RK013A	500	N	200	N	10	N	<10	N	<5	15	65	--
79RK014A	1,500	N	200	N	10	<200	70	N	<5	10	60	--
79RK015A	1,500	N	200	N	10	N	200	N	<5	15	60	--
79RK016A	700	N	70	N	N	N	50	N	<5	5	45	--
79RK017A	150	N	N	N	N	N	30	N	<5	5	50	--
79RK018A	150	N	2,000	N	30	N	50	N	10	5	5	--
79RK019A	3,000	N	50	N	N	N	200	V	10	10	25	--
79RK019H	1,000	N	500	N	50	N	70	N	10	10	40	--
79RK020A	1,500	N	200	N	50	<200	150	N	<5	10	75	--

Table 5.--Analytical data for rock geochemical samples---Continued

SAMPLE	LA-3 N°.	LATITUDE	LONGITUDE	RK-TYPE	S-FE _Z	S-MGX	S-CAZ	S-TIX	S-MN	S-AG	S-AS	S-AU	S-B
79RK021A	CDM133	56 16 45	133 59 43	GDF	5.00	1.00	2.00	.500	700	N	N	N	N
79RK022A	CDM027	56 19 18	133 56 28	GD	10.00	2.00	3.00	.700	1,500	N	N	N	10
79RK023A	CDM073	56 23 7	133 55 13	GDF	2.00	.50	1.00	.300	700	N	N	N	N
79RK024A	CDM074	56 22 11	133 54 33	GDF	2.00	.70	1.50	.700	700	N	N	N	N
79RK024B	CDM049	56 22 11	133 54 33	DM	15.00	5.00	5.00	>1.000	1,000	N	N	N	<10
79RK025A	CDM028	56 20 49	133 59 31	GDF	2.00	.70	1.00	.500	700	N	N	N	N
79RK025B	CDM074	56 20 49	133 59 31	3AD	10.00	3.00	2.00	1.000	1,500	N	N	N	<10
79RK026A	CDM005	56 20 17	131 1 31	GD	2.00	1.00	1.00	.500	1,000	N	N	N	N
79RK027A	CDM050	56 19 48	131 3 7	GM	1.00	.07	.70	.100	300	N	N	N	N
79RK027B	CDM029	56 19 48	131 3 7	GFI	15.00	2.00	2.00	>1.000	1,000	N	N	N	<10
79RK028A	CDM075	56 18 57	131 0 46	GD	7.00	1.50	3.00	.500	700	N	N	N	N
79RK030A	CDM035	56 13 23	131 2 6	GDF	2.00	1.00	1.00	.500	500	N	N	N	N
79RK031A	CDM058	56 14 26	131 3 47	GDF	5.00	1.50	2.00	1.000	500	N	N	N	<10
79RK031B	CDM012	56 14 26	131 3 47	GFI	10.00	3.00	3.00	1.000	2,000	N	N	N	<10
79RK032A	CDM081	56 15 33	131 3 53	GD	7.00	2.00	3.00	1.000	1,000	N	N	N	<10
79RK033A	CDM036	56 17 24	131 4 23	GDF	10.00	2.00	3.00	1.000	1,000	N	N	N	<10
79RK034A	CDM059	56 17 54	131 5 23	GDF	15.00	3.00	5.00	1.000	1,000	N	N	N	<10
79RK035A	CDM013	56 17 39	131 7 56	GDF	10.00	3.00	3.00	>1.000	1,000	N	N	N	N
79RK036A	CDM082	56 16 44	131 7 34	GDF	3.00	1.50	3.00	.700	700	N	N	N	10
79RK037A	CDM484	56 2 11	131 0 13	QDF	10.00	3.00	5.00	.500	700	N	N	N	N
79RK038A	CDM507	56 1 13	133 59 51	QDF	5.00	3.00	5.00	.700	1,000	N	N	N	<10
79RK039A	CDM485	56 1 13	133 59 51	LAD	20.00	5.00	3.00	>1.000	1,000	N	N	N	<10
79RK039B	CDM441	56 1 41	131 2 48	GDF	10.00	2.00	3.00	.700	1,000	N	N	N	<10
79RK039B	CDM454	56 1 41	131 2 48	GMN	10.00	3.00	3.00	>1.000	1,000	N	N	N	<10
79RK040A	CDM486	56 4 18	133 58 10	GD	2.00	.70	.70	.200	150	N	N	N	N
79RK040B	CDM508	56 4 18	133 58 10	GDG	15.00	3.00	3.00	1.000	700	N	N	N	N
79RK041A	CDM442	56 6 25	133 57 50	GD	2.00	.70	1.50	.300	1,000	N	N	N	N
79RK042A	CDM513	56 13 27	133 37 12	GDF	10.00	3.00	3.00	1.000	1,000	N	N	N	N
79RK043A	CDM447	56 14 51	133 36 52	GD	3.00	1.00	1.00	.500	300	N	N	N	N
79RK044A	CDM492	56 13 49	133 38 0	GDF	5.00	2.00	3.00	.700	500	N	N	N	N
79RK045A	CDM471	56 14 21	133 36 25	GDF	5.00	2.00	2.00	.700	500	N	N	N	N
79RK046A	CDM514	56 10 53	133 51 2	GDF	15.00	3.00	3.00	1.000	1,000	N	N	N	N
79RK046B	CDM448	56 10 53	133 51 2	QMD	1.50	.20	.50	.300	50	N	N	N	N
79RK047A	CDM493	56 9 53	133 52 33	GD	15.00	3.00	5.00	1.000	1,500	N	N	N	<10
79RK048A	CDM472	56 12 29	133 49 43	GD	7.00	.15	1.50	.070	70	N	N	N	N
79RK049A	CDM515	56 12 59	133 51 14	GD	1.50	.30	1.50	.200	200	N	N	N	N
79RK050A	CDM449	56 8 26	133 55 40	GDF	5.00	2.00	3.00	.700	500	N	N	N	<10
79RK050B	CDM494	56 8 26	133 55 40	GD	3.00	.50	1.00	.500	1,000	N	N	N	N
79RK051A	CDM473	56 6 47	133 54 54	GDF	15.00	3.00	5.00	1.000	1,000	N	N	N	<10
79RK052A	CDM275	56 4 59	133 52 32	GD	1.50	.15	.30	.150	200	N	N	N	N
79RK053A	CDM298	56 5 10	133 54 48	GD	1.00	.70	1.50	.300	300	N	N	N	N
79RK053B	CDM320	56 5 10	133 54 48	GM	10.00	2.00	10.00	1.000	1,000	N	N	N	10
79RK054A	CDM342	56 3 11	133 52 13	GDF	5.00	3.00	2.00	.500	1,000	N	N	N	N
79RK055A	CDM284	56 4 10	133 49 59	GD	15.00	3.00	5.00	>1.000	1,000	N	N	N	<10
79RK056A	CDM276	56 4 50	133 51 0	GD	5.00	2.00	5.00	1.000	700	N	N	N	<10

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-BA	S-3E	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PB	S-SB	S-SC	S-SN
79RK021A	1,500	1.0	N	N	5	10	5	30	N	<20	5	20	N	15	N
79RK022A	1,500	1.0	N	N	7	15	5	50	N	N	7	50	N	15	N
79RK023A	1,500	2.0	N	N	N	<10	<5	20	N	N	5	20	N	5	N
79RK024A	5,000	1.0	N	N	<5	<10	<5	N	N	N	5	10	N	5	N
79RK024B	>5,000	1.0	N	N	30	100	150	200	N	<20	200	30	N	50	N
79RK025A	3,000	1.0	N	N	5	<10	7	50	N	<20	5	30	N	5	N
79RK025B	700	1.0	N	N	30	200	150	<20	N	<20	200	20	N	30	N
79RK026A	5,000	1.0	N	N	5	<10	<5	300	N	N	5	20	N	7	N
79RK027A	700	1.5	N	N	N	<10	N	30	N	N	5	30	N	<5	N
79RK027B	3,000	1.5	N	N	15	20	100	150	N	<20	15	20	N	20	N
79RK028A	1,500	<1.0	N	N	7	15	<5	30	N	N	7	50	N	15	N
79RK030A	3,000	1.0	N	N	5	<10	5	30	N	N	5	15	N	10	N
79RK031A	1,500	1.0	N	N	7	20	15	50	N	N	7	20	N	7	N
79RK031B	1,500	<1.0	N	N	15	50	<5	50	N	N	15	15	N	30	N
79RK032A	1,000	1.0	N	N	7	10	50	50	N	N	<5	15	N	7	N
79RK033A	2,000	1.0	N	N	10	20	10	N	N	N	7	15	N	20	N
79RK034A	3,000	<1.0	N	N	10	20	10	50	N	<20	10	20	N	20	N
79RK035A	2,000	<1.0	N	N	7	10	5	N	N	N	7	20	N	15	N
79RK036A	1,500	1.0	N	N	5	10	7	50	N	N	5	15	N	20	N
79RK037A	1,000	1.0	N	N	10	20	5	N	N	N	10	20	N	20	N
79RK038A	1,000	1.0	N	N	7	15	<5	N	N	N	5	10	N	15	N
79RK038B	1,500	<1.0	N	N	10	100	70	30	N	<20	100	15	N	30	N
79RK039A	700	1.0	N	N	10	70	N	20	N	N	30	15	N	20	N
79RK039B	500	1.0	N	N	7	70	30	<20	N	N	30	20	N	15	N
79RK040A	3,000	<1.0	N	N	<5	<10	<5	N	N	N	5	20	N	N	N
79RK040B	500	<1.0	N	N	15	30	<5	70	N	<20	20	20	N	10	N
79RK041A	500	2.0	N	N	<5	<10	<5	70	N	N	5	10	N	10	N
79RK042A	1,500	1.0	N	N	7	15	10	N	N	N	10	30	N	15	N
79RK043A	1,000	1.0	N	N	5	15	<5	20	N	N	10	30	N	5	N
79RK044A	1,500	1.5	N	N	7	20	5	50	N	N	10	20	N	15	N
79RK045A	1,000	1.0	N	N	7	30	7	30	N	N	15	20	N	10	N
79RK046A	3,000	1.0	N	N	10	20	<5	20	N	N	10	30	N	15	N
79RK046B	1,500	N	N	N	<5	<10	10	150	N	<20	5	20	N	N	N
79RK047A	1,000	<1.0	N	N	15	30	<5	20	N	N	15	30	N	20	N
79RK048A	3,000	1.0	N	N	<5	<10	N	N	N	N	5	30	N	N	N
79RK049A	>5,000	<1.0	N	N	<5	<10	5	N	N	N	5	50	N	N	N
79RK050A	700	1.0	N	N	7	15	N	<20	N	N	5	15	N	7	N
79RK050B	>5,000	<1.0	N	N	<5	10	<5	200	N	N	7	30	N	N	N
79RK051A	1,500	1.0	N	N	10	30	7	N	N	N	5	20	N	20	N
79RK052A	1,000	1.0	N	N	N	<10	<5	N	N	N	5	50	N	N	N
79RK053A	>5,000	<1.0	N	N	<5	<10	<5	30	N	<20	5	50	N	7	N
79RK053B	2,000	1.0	N	N	10	100	<5	<20	N	N	50	30	N	20	N
79RK054A	1,500	1.0	N	N	7	20	<5	20	N	N	10	15	N	15	N
79RK055A	1,500	1.0	N	N	20	50	20	30	N	<20	50	30	N	30	N
79RK056A	1,500	1.0	N	N	10	20	5	<20	N	<20	7	20	N	20	N

Table 5.---Analytical data for rock geochemical samples---Continued

SAMPLE	S-Sr	S-Th	S-V	S-W	S-Y	S-Zn	S-Zr	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
79RK021A	1,000	N	150	N	20	N	70	N	<5	5	55	--
79RK022A	1,500	N	500	N	20	N	30	N	5	5	60	--
79RK023A	500	N	70	N	10	<200	50	N	5	5	75	--
79RK024A	1,000	N	100	N	N	200	30	N	5	<5	50	--
79RK024B	2,000	N	700	N	50	<200	150	V	55	35	60	--
79RK025A	700	N	150	N	10	N	150	N	5	5	55	--
79RK025B	1,000	N	300	N	20	<200	70	N	75	35	45	--
79RK026A	500	N	100	N	15	<200	100	N	<5	5	95	--
79RK027A	<100	N	<10	N	10	N	100	N	<5	10	30	--
79RK027B	1,500	N	500	N	30	<200	200	N	20	10	110	--
79RK028A	1,500	N	300	N	20	N	70	V	<5	10	60	--
79RK030A	1,000	N	100	N	10	<200	50	N	5	5	55	--
79RK031A	1,500	N	300	N	<10	<200	70	N	15	10	80	--
79RK031B	1,500	N	500	N	50	200	70	N	<5	10	70	--
79RK032A	1,500	N	200	N	20	N	100	N	40	10	90	--
79RK033A	1,500	N	300	N	20	<200	100	V	5	10	95	--
79RK034A	2,000	N	700	N	20	<200	100	V	10	10	80	--
79RK035A	1,500	N	300	N	20	<200	150	N	<5	10	85	--
79RK036A	2,000	N	200	N	20	N	150	N	10	10	75	--
79RK037A	2,000	N	300	N	20	N	100	N	5	10	55	--
79RK038A	1,500	N	200	N	20	<200	150	N	<5	10	55	--
79RK038B	1,000	N	700	N	30	<200	100	N	30	30	70	--
79RK039A	1,500	N	300	N	30	<200	100	N	<5	10	45	--
79RK039B	1,000	N	200	N	20	<200	100	N	20	10	55	--
79RK040A	1,000	N	70	N	N	N	100	N	10	5	30	--
79RK040B	1,000	N	300	N	10	<200	200	N	<5	10	90	--
79RK041A	200	N	100	N	30	<200	70	V	5	10	55	--
79RK042A	1,500	N	300	N	15	<200	70	V	5	5	55	--
79RK043A	700	N	100	N	15	N	30	N	<5	10	55	--
79RK044A	1,500	N	200	N	20	<200	200	N	5	10	60	--
79RK045A	1,000	N	200	N	20	<200	70	N	10	10	45	--
79RK046A	1,500	N	500	N	20	<200	70	V	<5	10	95	--
79RK046B	500	N	30	N	10	N	100	N	15	5	10	--
79RK047A	2,000	N	500	N	30	<200	30	N	<5	15	90	--
79RK048A	3,000	N	20	N	N	N	20	N	<5	5	10	--
79RK049A	3,000	N	70	N	N	N	100	N	5	<5	20	--
79RK050A	3,000	V	200	N	<10	<200	150	N	<5	5	40	--
79RK050B	700	N	50	N	<10	N	150	N	<5	5	20	--
79RK051A	2,000	N	500	N	30	<200	100	N	5	10	65	--
79RK052A	700	N	30	N	N	N	70	N	<5	5	20	--
79RK053A	2,000	N	70	N	50	N	<10	N	<5	5	10	--
79RK053B	1,500	N	500	N	30	<200	150	N	5	20	45	--
79RK054A	1,500	V	200	N	20	<200	50	N	<5	10	75	--
79RK055A	500	V	500	N	30	<200	70	N	30	5	35	--
79RK056A	1,000	N	200	N	20	<200	100	N	5	10	65	--

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	RK-TYPE	S-FEX	S-M5X	S-CAZ	S-TIX	S-MN	S-AG	S-AS	S-AU	S-B
79RK157A	CDM349	56 0 24	130 52 24	GP	15.00	2.00	.07	>1.000	1,500	N	N	N	10
79RK157B	CDM348	56 0 24	130 52 24	SK	7.00	>10.00	20.00	.030	1,000	N	N	N	N
79RK157C	CDM314	56 0 24	130 52 24	UM	15.00	>10.00	10.00	.015	3,000	N	N	N	15
79RK157D	CDM327	56 0 24	130 52 24	UM	10.00	10.00	7.00	.100	5,000	N	N	N	<10
79RK157E	CDM350	56 0 24	130 52 24	UM	15.00	>10.00	1.00	.020	5,000	N	N	N	<10
79RK158A	CDM299	56 4 27	130 49 4	QD	10.00	3.00	3.00	1.000	700	N	N	N	<10
79RK159A	CDM321	56 7 7	130 46 30	GDF	7.00	1.50	3.00	.500	700	N	N	N	<10
79RK159B	CDM343	56 7 7	130 46 30	GD	2.00	.70	.70	.300	200	N	N	N	N
79RK159A	CDM277	56 7 10	130 50 17	GD	3.00	1.00	2.00	.500	500	N	N	N	N
79RK159B	CDM300	56 7 10	130 50 17	GDP	2.00	.10	.50	.150	150	N	N	N	N
79RK161A	CDM322	56 7 54	130 51 6	GDF	10.00	2.00	3.00	.700	700	N	N	N	<10
79RK162A	CDM307	56 8 30	130 46 27	GDF	5.00	1.50	3.00	.500	700	N	N	N	N
79RK163A	CDM328	56 9 42	130 44 19	GD	5.00	2.00	3.00	.500	700	N	N	N	<10
79RK164A	CDM351	56 10 12	130 41 1	GD	1.50	.30	1.50	.300	300	N	N	N	N
79RK165A	CDM285	56 15 51	130 33 22	GD	15.00	3.00	3.00	>1.000	700	N	N	N	<10
79RK166A	CDM308	56 15 30	130 36 4	GDF	1.50	.50	1.50	.200	300	N	N	N	N
79RK167A	CDM329	56 17 41	130 40 50	GD	10.00	2.00	1.50	.700	700	N	N	N	N
79RK167B	CDM367	56 17 41	130 40 50	DI	10.00	3.00	2.00	>1.000	700	N	N	N	<10
79RK168A	CDM352	56 15 56	130 42 11	GDF	10.00	2.00	3.00	1.000	1,000	N	N	N	<10
79RK169A	CDM286	56 16 27	130 41 10	GD	3.00	1.00	3.00	.500	500	N	N	N	N
79RK170A	CDM422	56 15 25	130 43 20	SCR	15.00	3.00	10.00	>1.000	2,000	N	N	N	<10
79RK170B	CDM335	56 15 25	130 43 20	GF	7.00	2.00	7.00	.500	1,000	.5	N	N	20
79RK170C	CDM402	56 15 25	130 43 20	GF	2.00	.70	.70	.150	150	N	N	N	N
79RK171A	CDM360	56 20 24	130 49 49	GM	1.00	.15	.70	.150	500	N	N	N	N
79RK172A	CDM415	56 14 52	131 6 30	GD	10.00	2.00	5.00	1.000	1,000	N	N	N	<10
79RK173A	CDM371	56 15 34	131 9 31	GD	15.00	3.00	3.00	1.000	1,000	N	N	N	N
79RK174A	CDM331	56 16 13	131 13 48	GD	5.00	1.00	3.00	.200	700	N	N	N	15
79RK175A	CDM394	56 18 4	131 10 47	GD	15.00	2.00	3.00	.700	1,500	N	N	N	<10
79RK176A	CDM416	56 16 33	131 18 0	AMI	10.00	7.00	7.00	.300	2,000	N	N	N	<10
79RK177A	CDM332	56 17 26	131 18 11	GD	2.00	.30	1.50	.200	200	N	N	N	N
79RK178A	CDM395	56 15 5	131 15 27	GD	2.00	.30	1.50	.200	300	N	N	N	N
79RK179A	CDM372	56 18 7	130 51 50	GD	1.00	.15	.70	.200	100	N	N	N	N
79RK179B	CDM418	56 18 7	130 51 50	GD	7.00	2.00	2.00	.700	1,000	N	N	N	<10
79RK180A	CDM345	56 19 7	130 53 51	GDN	1.00	.10	.15	.050	100	<.5	N	N	N
79RK180B	CDM398	56 19 7	130 53 51	GD	10.00	3.00	3.00	1.000	1,000	N	N	N	<10
79RK181A	CDM375	56 20 20	130 53 2	QM	2.00	.50	1.50	.300	500	N	N	N	N
79RK182A	CDM419	56 21 42	130 55 49	GD	1.50	.15	.70	.150	300	N	N	N	N
79RK184A	CDM425	56 9 45	131 13 0	QD	10.00	3.00	3.00	1.000	1,000	N	N	N	<10
79RK185A	CDM338	56 10 38	131 14 21	GD	5.00	2.00	2.00	.200	700	N	N	N	N
79RK185B	CDM405	56 10 38	131 14 21	GD	.70	.20	2.00	.100	50	N	N	N	N
79RK186C	CDM381	56 12 12	131 16 15	GD	2.00	.30	.50	.500	10	N	N	N	N
79RK186D	CDM426	56 12 12	131 16 15	QD	5.00	3.00	5.00	>1.000	2,000	N	N	N	<10
79RK187A	CDM339	56 10 27	131 18 50	GD	1.50	.70	1.00	.100	150	N	N	N	N
79RK187B	CDM406	56 10 27	131 18 50	GD	15.00	5.00	5.00	1.000	2,000	N	N	N	<10
79RK188A	CDM382	56 9 33	131 14 28	GDF	15.00	3.00	5.00	1.000	1,000	N	N	N	<10

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-3A	S-3F	S-4I	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PB	S-S3	S-SC	S-SN
79RK057A	1,000	<1.0	N	N	30	150	30	70	N	<20	150	20	N	30	N
79RK057B	N	1.0	N	N	50	2,000	<5	N	N	N	3,000	N	N	5	N
79RK057C	N	N	N	N	150	>5,000	300	N	N	N	5,000	N	N	10	N
79RK057D	N	N	N	N	100	1,000	5	N	N	N	2,000	10	N	10	N
79RK057E	N	N	N	N	100	2,000	N	N	N	N	5,000	N	N	5	N
79RK058A	2,000	1.0	N	N	10	50	<5	20	N	N	10	20	N	20	N
79RK059A	1,000	1.0	N	N	7	20	7	30	N	N	5	15	N	20	N
79RK059B	1,500	<1.0	N	N	5	10	<5	50	N	<20	5	50	N	<5	N
79RK060A	1,000	1.0	N	N	5	15	<5	<20	N	N	<5	20	N	7	N
79RK060B	1,000	1.5	N	N	N	<10	<5	30	N	<20	5	70	N	<5	N
79RK061A	700	<1.0	N	N	7	15	5	20	N	N	5	15	N	15	N
79RK062A	5,000	1.0	N	N	5	70	<5	50	N	N	20	30	N	7	N
79RK063A	700	1.0	N	N	7	20	5	<20	N	N	7	15	N	15	N
79RK064A	3,000	1.0	N	N	<5	<10	7	20	N	N	15	50	N	N	N
79RK065A	1,000	1.0	N	N	15	100	15	50	N	<20	70	20	N	20	N
79RK066A	1,000	1.0	N	N	5	20	5	30	N	N	10	15	N	5	N
79RK067A	1,000	1.0	N	N	7	20	7	50	N	N	20	30	N	10	N
79RK067B	2,000	1.0	N	N	10	70	10	70	N	N	50	15	N	15	N
79RK068A	1,500	1.0	N	N	7	20	5	70	N	<20	7	15	N	15	N
79RK069A	1,000	1.0	N	N	5	15	<5	<20	N	N	5	30	N	10	N
79RK070A	3,000	1.0	N	N	10	100	150	50	N	20	20	30	N	30	N
79RK070B	3,000	2.0	N	N	15	150	20	50	N	<20	70	20	N	50	N
79RK070C	>5,000	1.0	<10	N	5	15	15	N	5	N	10	20	N	<5	N
79RK071A	1,000	2.0	N	N	N	<10	N	<20	N	<20	<5	20	N	N	N
79RK072A	3,000	1.0	N	N	7	15	<5	<20	N	N	5	30	N	10	N
79RK073A	1,500	1.0	N	N	7	20	<5	50	N	N	7	50	N	10	N
79RK074A	1,000	2.0	N	N	10	10	<5	N	N	N	5	20	N	15	N
79RK075A	1,500	1.0	N	N	7	15	<5	<20	N	N	5	30	N	15	N
79RK076A	1,500	<1.0	N	N	30	700	5	<20	N	N	200	20	N	30	N
79RK077A	5,000	1.0	N	N	5	<10	5	N	N	N	5	20	N	<5	N
79RK078A	5,000	<1.0	N	N	<5	<10	5	30	N	N	5	50	N	<5	N
79RK079A	1,500	1.5	N	N	N	10	<5	50	N	N	5	20	N	<5	N
79RK079B	2,000	1.0	N	N	7	15	5	20	N	N	5	30	N	15	N
79RK080A	500	2.0	N	N	N	<10	<5	N	N	N	7	20	N	<5	N
79RK080B	1,500	1.0	N	N	10	30	5	30	N	N	7	30	N	15	N
79RK081A	1,500	2.0	N	N	<5	10	<5	30	N	N	5	20	N	<5	N
79RK082A	1,500	1.0	N	N	N	<10	N	N	N	N	7	50	N	N	N
79RK084A	700	<1.0	N	N	10	20	5	70	N	N	15	20	N	20	N
79RK085A	1,000	1.0	N	N	10	15	<5	20	N	N	7	30	N	20	N
79RK085B	>5,000	<1.0	N	N	<5	<10	10	N	N	N	7	50	N	N	N
79RK086C	5,000	N	N	N	<5	<10	10	300	N	N	5	15	N	N	N
79RK086D	1,000	<1.0	N	N	20	30	5	50	N	N	10	20	N	30	N
79RK087A	>5,000	1.0	N	N	5	<10	<5	N	N	N	10	20	N	<5	N
79RK087B	500	1.0	N	N	10	200	50	50	N	<20	30	20	N	50	N
79RK088A	2,000	1.0	N	N	15	50	5	30	N	N	15	15	N	20	N

Table 5.---Analytical data for rock geochemical samples---Continued

SAMPLE	S-SR	S-TH	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
79RK0157A	100	N	500	N	70	<200	70	N	25	20	100	--
79RK057B	150	N	30	N	20	N	N	N	<5	10	5	--
79RK057C	<100	N	70	N	N	<200	N	N	85	20	50	--
79RK057D	1,000	N	70	N	70	<200	N	N	<5	10	5	--
79RK157E	N	N	50	N	N	<200	N	.10	<5	<5	10	--
79RK058A	2,000	N	500	N	20	<200	70	N	<5	10	85	--
79RK059A	1,500	N	200	N	30	<200	100	N	10	10	90	--
79RK059H	500	N	70	N	10	N	150	N	<5	10	80	--
79RK060A	1,000	N	150	N	15	N	70	N	<5	10	70	--
79RK060B	100	N	20	N	50	N	50	N	<5	10	10	--
79RK061A	1,500	N	300	N	20	<200	70	N	5	10	95	--
79RK062A	1,500	N	150	N	10	<200	70	N	5	10	65	--
79RK063A	1,000	N	150	N	20	<200	70	N	10	10	75	--
79RK064A	300	N	50	N	20	N	100	N	<5	10	30	--
79RK065A	1,500	N	300	N	20	<200	70	N	15	10	80	--
79RK066A	500	N	70	N	<10	<200	20	N	5	10	70	--
79RK067A	1,000	N	300	N	10	N	70	N	10	10	75	--
79RK067B	2,000	N	300	N	20	<200	100	N	10	10	55	--
79RK068A	1,500	N	300	N	50	<200	100	N	10	10	60	--
79RK069A	1,500	N	150	N	10	<200	70	N	5	5	75	--
79RK070A	1,500	N	1,000	N	50	<200	100	<.05	110	15	50	--
79RK070B	2,000	N	500	N	30	300	100	N	15	15	25	--
79RK070C	1,000	N	70	N	N	N	30	N	35	10	5	--
79RK071A	300	N	30	N	<10	N	30	N	<5	5	55	--
79RK072A	1,500	N	300	N	20	<200	100	N	<5	5	40	--
79RK073A	2,000	N	200	N	20	<200	100	N	<5	10	60	--
79RK074A	1,000	N	150	N	20	N	100	N	<5	5	25	--
79RK075A	1,500	N	300	N	20	<200	70	N	<5	<5	65	--
79RK076A	1,000	N	200	N	20	<200	<10	N	5	5	10	--
79RK077A	1,500	N	70	N	N	N	150	N	<5	5	20	--
79RK078A	5,000	N	50	N	<10	N	100	N	5	<5	25	--
79RK079A	100	N	15	N	15	N	50	N	<5	5	10	--
79RK079B	1,500	N	200	N	20	<200	150	N	5	10	70	--
79RK080A	100	N	20	N	N	N	100	N	N	10	20	--
79RK080B	1,500	N	200	N	30	<200	70	N	10	5	65	--
79RK081A	300	N	50	N	30	<200	150	N	<5	5	40	--
79RK082A	500	N	30	N	N	N	70	N	<5	10	20	--
79RK084A	1,000	N	300	N	30	<200	20	N	5	10	60	--
79RK085A	1,000	N	150	N	20	<200	150	N	<5	10	40	--
79RK085B	3,000	N	30	N	N	N	N	N	20	15	15	--
79RK086C	500	N	70	N	<10	N	50	N	20	5	15	--
79RK086D	1,500	N	700	N	50	<200	70	N	5	10	80	--
79RK187A	1,000	N	50	N	N	N	100	N	<5	10	15	--
79RK087B	1,500	N	500	N	70	<200	10	N	30	10	30	--
79RK188A	2,000	N	700	N	30	<200	100	<.05	10	10	40	--

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	LAB. NO.	LATITUDE	LONGITUDE	RK-TYPE	S-FEZ	S-MGZ	S-CAZ	S-TIX	S-MN	S-AG	S-AS	S-AU	S-B
79PK089A	CM4740	56 8 25	131 13 9	GDF	7.00	2.00	1.50	.700	1,000	N	N	N	<10
79PK089H	CM477	56 8 25	131 13 9	GDN	1.00	.20	.70	.300	200	N	N	N	N
79PK090A	CM579	56 19 15	130 57 40	GD	5.00	1.00	3.00	.500	500	N	N	N	N
79PK090B	CM672	56 19 15	130 57 40	GD	2.00	.70	.70	.200	300	N	N	N	N
79PK091A	CM534	56 19 19	130 46 24	GDF	10.00	2.00	3.00	1.000	700	N	N	N	<10
79PK092A	CM557	56 15 28	130 47 17	GDF	1.50	.70	1.50	.200	2,000	N	N	N	N
79PK093A	CM584	56 5 30	131 11 49	GD	10.00	3.00	3.00	.700	700	N	N	N	N
79PK094A	CM407	56 5 15	131 15 51	GP	3.00	1.00	1.00	.500	100	N	N	N	N
79PK094B	CM539	56 5 15	131 15 51	GP	10.00	2.00	2.00	1.000	300	N	N	N	N
79PK095A	CM562	56 4 35	131 14 54	G0B	15.00	3.00	3.00	.700	1,500	<.5	N	N	N
79PK096A	CM585	56 4 3	131 11 42	GDN	5.00	2.00	2.00	.700	500	N	N	N	N
79PK097A	CM608	56 4 8	131 8 30	GDF	.70	.20	.70	.150	50	N	N	N	N
79PK098A	CM540	56 5 13	131 5 22	GDN	10.00	3.00	2.00	1.000	500	N	N	N	<10
79PK099A	CM620	56 23 46	130 59 28	QMF	1.50	.50	1.50	.150	300	N	N	N	N
79PK100A	CM597	56 22 32	131 4 13	QMF	10.00	3.00	2.00	1.000	1,000	N	N	N	<10
79PK101A	CM551	56 23 8	131 2 34	QMF	1.00	.20	1.00	.150	200	N	N	N	N
79PK102A	CM574	56 22 41	131 5 51	SCB	15.00	3.00	1.50	1.000	1,000	N	N	N	50
79PK103A	CM621	56 20 0	131 8 16	GDF	10.00	2.00	2.00	1.000	700	N	N	N	N
79PK103B	CM598	56 20 0	131 8 16	GD	7.00	2.00	3.00	1.000	1,000	N	N	N	N
79PK103C	CM575	56 20 0	131 8 16	GD	2.00	.50	.70	.300	200	N	N	N	N
79PK104A	CM552	56 19 56	131 10 12	GD	2.00	.50	.70	.500	200	N	N	N	N
79PK105A	CM622	56 20 31	131 15 48	SCB	15.00	3.00	2.00	>1.000	3,000	N	N	N	<10
79PK105B	CM599	56 20 31	131 15 48	SCB	10.00	3.00	2.00	1.000	700	N	N	N	N
79PK105C	CM576	56 20 31	131 15 48	QZ	3.00	1.50	1.00	.700	300	N	N	N	N
79PK106A	CM553	56 23 7	131 11 36	QM	2.00	.50	2.00	.500	700	N	N	N	N
79PK107A	CM623	56 22 50	131 16 56	QM	2.00	.50	1.50	.300	500	N	N	N	N
79PK107B	CM645	56 22 50	131 16 56	GD	5.00	1.50	1.50	.700	500	N	N	N	N
79PK108A	CM654	56 17 11	130 47 40	GD	15.00	3.00	3.00	.700	1,000	N	N	N	N
79PK109A	CM676	56 13 58	130 53 16	GD	10.00	2.00	3.00	.700	700	N	N	N	N
79PK110A	CM699	56 12 21	130 53 21	GD	1.50	.30	.50	.100	150	N	N	N	N
79PK111A	CM633	56 11 8	130 54 30	GD	7.00	2.00	2.00	.700	1,000	N	N	N	N
79PK111B	CM655	56 11 8	130 54 30	GD	2.00	.50	1.50	.200	150	N	N	N	N
79PK112A	CM677	56 7 9	130 56 3	GD	3.00	1.00	1.50	.500	300	N	N	N	N
79PK113A	CM701	56 5 29	131 4 56	GD	2.00	.70	1.50	.300	200	N	N	N	N
79PK113C	CM638	56 5 29	131 4 56	GWI	5.00	1.50	1.00	.700	500	N	N	N	N
79PK114A	CM706	56 7 4	130 57 18	GDF	15.00	3.00	3.00	>1.000	500	N	N	N	N
79PK115A	CM686	56 6 45	131 0 1	GDF	10.00	2.00	3.00	1.000	700	N	N	N	N
79PK116A	CM663	56 3 40	131 5 10	GDF	15.00	3.00	3.00	.700	500	N	N	N	N
79PK116B	CM712	56 3 40	131 5 10	GDF	3.00	2.00	1.00	.200	300	N	N	N	N
79PK116C	CM707	56 3 40	131 5 10	SCD	10.00	7.00	3.00	.500	700	N	N	N	N
79PK117A	CM874	56 17 25	131 9 20	GD	7.00	1.50	3.00	.700	500	N	N	N	N
79PK118A	CM897	56 14 50	130 58 50	GDF	1.00	.15	1.00	.200	70	N	N	N	N
79PK118B	CM919	56 14 50	130 58 50	GD	3.00	.30	1.50	.500	200	N	N	N	N
79PK119A	CM894	56 20 22	130 52 23	BA	15.00	5.00	3.00	>1.000	1,000	N	N	N	<10
79PK120A	CM875	56 14 27	130 50 30	BA	15.00	5.00	3.00	>1.000	1,000	N	N	N	<10

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S--V	S--FE	S--HT	S--CD	S--CO	S--CR	S--CU	S--LA	S--MO	S--NB	S--NI	S--PB	S--S3	S--SC	S--SN	#
79RK0964	2.00	2.0	N	N	30	20	20	30	N	20	20	15	N	20	N	
79RK0965	<1.0	<1.0	N	N	<5	<10	<5	20	N	N	5	30	N	4	N	
79RK0966	700	<1.0	N	N	5	<10	<5	N	N	N	<5	20	N	7	N	
79RK0967	1.00	<1.0	N	N	<5	<10	<5	N	N	N	5	50	N	7	N	
79RK0968	1.50	1.0	N	N	7	20	5	20	N	N	5	30	N	15	N	
79RK0969	5.00	1.0	N	N	10	70	<5	N	N	N	10	30	N	20	N	
79RK0970	2.00	<1.0	N	N	7	15	N	N	N	N	10	10	N	10	N	
79RK0971	1.50	N	N	N	<5	N	N	<20	N	N	5	50	N	N	N	
79RK0972	1.50	1.0	N	N	15	30	<5	70	N	<20	10	30	N	20	N	
79RK0973	2.00	<1.0	N	N	<5	<10	<5	N	N	N	5	50	N	N	N	
79RK0974	5.00	<1.0	N	N	10	20	20	N	N	N	10	10	N	20	N	
79RK0975	1.50	1.0	N	N	N	<10	<5	N	N	N	5	30	N	<5	N	
79RK0976	1.0	<1.0	N	N	N	<10	<5	N	N	N	<5	30	N	N	N	
79RK0977	5.00	<1.0	N	N	15	50	200	N	N	N	15	10	N	30	N	
79RK0978	1.50	<1.0	N	N	7	10	<5	20	N	<20	5	30	N	10	N	
79RK0979	700	1.0	N	N	7	20	10	20	N	<20	5	20	N	15	N	
79RK0980	2.00	<1.0	N	N	5	<10	N	70	N	N	5	30	N	<5	N	
79RK104A	2.00	1.0	N	N	<5	<10	N	30	N	N	5	30	N	<5	N	
79RK105A	700	<1.0	N	N	7	50	100	N	10	N	5	<10	N	50	N	
79RK105B	700	<1.0	N	N	10	20	20	N	7	N	5	15	N	15	N	
79RK105C	3.00	1.5	N	N	<5	30	150	N	N	N	10	<10	N	10	N	
79RK106A	2.00	<1.0	N	N	<5	<10	N	20	N	N	5	30	N	<5	N	
79RK107A	2.00	<1.0	N	N	<5	<10	<5	N	N	N	5	30	N	N	N	
79RK107B	1.50	<1.0	N	N	5	<10	<5	20	N	N	5	30	N	5	N	
79RK108A	700	1.0	N	N	7	15	<5	70	N	N	5	20	N	15	N	
79RK109A	1.00	<1.0	N	N	10	20	5	20	N	N	7	20	N	15	N	
79RK110A	1.00	1.0	N	N	5	<10	<5	50	N	N	5	50	N	N	N	
79RK111A	200	1.0	N	N	7	10	10	20	N	N	5	30	N	15	N	
79RK111B	1.00	<1.0	N	N	<5	<10	<5	N	N	N	5	50	N	N	N	
79RK112A	1.50	1.0	N	N	5	<10	<5	30	N	N	<5	30	N	<5	N	
79RK113A	1.50	<1.0	N	N	5	<10	5	N	N	N	5	30	N	N	N	
79RK113C	700	<1.0	N	N	10	20	70	N	15	N	15	<10	N	15	N	
79RK114A	700	<1.0	N	N	10	30	5	20	N	N	5	30	N	15	N	
79RK115A	1.50	<1.0	N	N	10	30	5	20	N	N	7	30	N	15	N	
79RK116A	700	1.0	N	N	10	70	5	30	N	<20	30	20	N	15	N	
79RK116B	1.50	<1.0	N	N	7	100	20	N	N	N	30	20	N	<5	N	
79RK116C	500	<1.0	N	N	50	1,500	7	<20	N	N	300	10	N	15	N	
79RK117A	1.00	1.0	N	N	7	10	<5	<20	N	N	5	15	N	10	N	
79RK118A	1.00	<1.0	N	N	<5	<10	<5	N	N	N	5	20	N	N	N	
79RK118B	500	<1.0	N	N	5	<10	10	20	N	N	5	20	N	N	N	
79RK119A	1.50	1.0	N	N	70	20	15	N	N	<20	50	<10	N	20	N	
79RK120A	1.50	<1.0	N	N	70	20	10	20	N	<20	70	<10	N	20	N	

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-SR	S-TH	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
79RK089A	700	N	200	N	30	<200	150	N	15	10	60	--
79RK089B	700	N	50	N	N	N	N	N	<5	5	35	--
79RK090A	1,500	N	200	N	15	N	10	N	<5	10	25	--
79RK090B	200	N	70	N	N	N	30	N	<5	10	25	--
79RK091A	1,500	V	200	N	30	<200	70	V	5	5	50	--
79RK092A	3,000	N	50	N	<10	N	50	N	<5	5	35	--
79RK093A	1,000	N	300	V	20	<200	70	N	5	15	45	--
79RK094A	700	N	100	V	<10	N	100	V	5	20	30	--
79RK094B	300	N	200	N	10	<200	70	V	15	15	95	--
79RK095A	100	N	300	N	30	<200	50	N	10	35	110	--
79RK096A	100	N	150	N	10	N	10	N	5	10	30	--
79RK097A	300	N	15	N	N	N	30	N	<5	10	15	--
79RK098A	1,500	N	300	N	20	<200	<10	N	5	10	75	--
79RK099A	3,000	N	50	N	N	N	70	N	<5	10	35	--
79RK100A	700	N	500	N	30	<200	70	V	30	20	70	--
79RK101A	1,500	N	30	N	N	N	50	N	<5	5	30	--
79RK102A	500	N	1,500	N	30	<200	70	N	120	20	80	--
79RK103A	1,000	N	200	N	30	N	150	N	<5	10	25	--
79RK103B	1,500	N	200	N	20	<200	50	N	15	15	90	--
79RK103C	500	N	70	N	N	N	50	N	<5	10	65	--
79RK104A	500	N	70	N	N	<200	70	V	<5	10	55	--
79RK105A	500	N	500	N	50	N	100	N	40	25	50	--
79RK105B	1,000	N	300	N	10	N	20	N	25	20	60	--
79RK105C	150	N	200	N	30	N	50	N	100	5	20	--
79RK106A	3,000	N	100	V	10	N	100	N	<5	5	30	--
79RK107A	3,000	N	70	N	<10	N	100	N	<5	5	25	--
79RK107B	1,500	N	150	N	10	N	100	V	N	<5	20	--
79RK108A	2,000	N	300	N	20	<200	100	V	5	10	90	--
79RK109A	1,500	N	300	N	20	<200	100	N	5	10	60	--
79RK110A	300	N	30	N	30	N	50	N	<5	5	15	--
79RK111A	500	N	150	N	<10	<200	70	N	10	5	55	--
79RK111B	700	N	70	N	N	N	30	V	<5	<5	25	--
79RK112A	1,000	N	100	N	N	N	150	N	<5	10	70	--
79RK113A	1,000	N	70	N	N	N	70	N	10	5	35	--
79RK113C	200	N	200	N	30	N	50	N	70	5	45	--
79RK114A	2,000	N	500	N	15	<200	50	N	10	15	75	--
79RK115A	2,000	N	300	N	20	<200	70	V	<5	5	70	--
79RK116A	2,000	N	300	N	20	<200	70	N	5	5	40	--
79RK116B	1,000	N	100	N	N	N	50	N	40	5	20	--
79RK116C	700	N	200	N	10	N	70	N	15	10	35	--
79RK117A	1,500	N	150	V	20	<200	150	N	5	5	55	--
79RK118A	1,000	N	20	N	N	N	50	N	<5	5	25	--
79RK118B	1,500	N	100	N	N	N	70	V	15	10	65	--
79RK119A	700	N	300	N	30	<200	150	V	10	10	50	--
79RK120A	1,000	N	500	N	30	<200	150	N	10	10	55	--

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	LAH NO.	LATITUDE	LONGITUDE	RK-TYPE	S-FE%	S-MSX	S-CAX	S-TIX	S-MN	S-AG	S-AS	S-AU	S-B
79RK121A	CDM920	56 16 21	130 50 20	BA	15.00	5.00	3.00	>1.000	1,500	N	N	N	<10
79RK121B	CDM940	56 16 23	130 50 20	BA	15.00	5.00	3.00	>1.000	700	N	N	N	N
79RK121A	CDM941	56 15 39	130 49 50	BA	15.00	7.00	3.00	>1.000	1,000	N	N	N	N
79RK122A	CDM876	56 15 38	130 49 50	BA	15.00	5.00	5.00	>1.000	1,000	N	N	N	<10
79RK130A	CDM926	56 6 38	131 2 45	GD	5.00	2.00	1.50	>1.000	1,000	N	N	N	N
79RK131A	CDM948	56 38 12	131 56 2	QD	15.00	3.00	5.00	1.000	1,000	N	N	N	N
79RK131B	CDM907	56 38 12	131 56 2	GRD	1.00	.10	.70	.050	100	N	N	N	N
79RK132A	CDM884	56 37 39	131 54 48	QD	7.00	2.00	2.00	.700	700	N	N	N	N
79RK132B	CDM927	56 37 39	131 54 48	PGD	.70	.15	.07	.030	200	N	N	N	N
79RK133A	CDM949	56 37 9	131 55 25	QDF	10.00	3.00	3.00	1.000	1,000	N	N	N	N
79RK134A	CDM908	56 36 27	131 56 41	QDF	10.00	3.00	3.00	.700	700	N	N	N	N
79RK135A	CDM885	56 35 32	131 56 39	QDF	10.00	3.00	3.00	.700	1,000	N	N	N	N
79RK136A	CDM929	56 34 27	131 56 30	GDF	2.00	1.00	1.50	.300	300	N	N	N	N
79RK136B	CDM950	56 34 27	131 56 30	QDI	15.00	3.00	3.00	1.000	1,000	N	N	N	N
79RK137A	CDM909	56 34 57	131 55 21	GD	.50	.07	.70	.030	15	N	N	N	N
79RK137B	CDM886	56 34 57	131 55 21	GDD	1.50	.15	.50	.100	100	N	N	N	N
79RK138A	CDM929	56 33 43	131 57 0	QD	3.00	2.00	.20	.700	1,000	N	N	N	N
79RK139A	CDM951	56 32 49	131 57 26	QD	5.00	1.50	3.00	.700	500	N	N	N	N
79RK140A	CDM910	56 31 51	131 57 21	QDF	5.00	2.00	3.00	.700	500	N	N	N	N
79RK141A	CDM887	56 30 3	131 55 40	GF	15.00	3.00	3.00	>1.000	1,500	N	N	N	<10
79RK141B	CDM930	56 30 3	131 55 40	AM	15.00	3.00	3.00	1.000	1,500	N	N	N	N
79RK142A	CDM952	56 31 3	131 59 48	GD	10.00	2.00	2.00	1.000	700	N	N	N	N
79RK143A	CDM911	56 33 34	131 59 31	QD	7.00	2.00	3.00	.700	700	N	N	N	N
79RK144A	CDM888	56 34 34	131 54 44	QD	15.00	2.00	2.00	1.000	1,000	N	N	N	<10
79RK144B	CDM931	56 34 34	131 54 44	GN	3.00	2.00	2.00	.700	500	N	N	N	N
79RK145A	CDM953	56 29 36	131 59 19	QD	10.00	3.00	2.00	.700	1,000	N	N	N	N
79RK146A	CDM912	56 29 40	131 54 32	QDG	7.00	2.00	2.00	.700	1,000	N	N	N	N
79RK147A	CDM889	56 27 59	131 51 49	QDF	15.00	3.00	3.00	>1.000	700	N	N	N	<10
79RK148A	CDM932	56 28 20	131 49 32	QD	5.00	3.00	2.00	.500	700	N	N	N	N
79RK148B	CDM954	56 28 20	131 49 32	QMD	1.00	.15	.70	.150	50	N	N	N	N
79RK149A	CDM955	56 27 17	131 46 39	QD	5.00	2.00	2.00	.500	700	N	N	N	N
79RK149B	CDM933	56 27 17	131 46 39	GRD	.50	.07	.50	.070	30	N	N	N	N
79RK150A	CDM904	56 25 35	131 45 45	QD	7.00	2.00	2.00	.700	1,000	N	N	N	N
79RK150B	CDM915	56 25 35	131 45 45	QMD	1.00	.10	.50	.050	100	N	N	N	N
79RK151A	CDM934	56 26 3	131 46 56	QDF	5.00	1.50	1.50	.500	500	N	N	N	N
79RK152A	CDM020	56 23 51	131 7 54	QM	.70	.15	.70	.150	150	N	N	N	N
79RK152B	CDM906	56 23 51	131 7 54	QM	1.00	.20	1.00	.300	300	N	N	N	N
79RK153A	CDM974	56 23 54	131 11 0	GD	1.50	.30	1.00	.300	500	N	N	N	N
79RK154A	CDM043	56 25 55	131 9 48	QM	2.00	.50	2.00	.500	700	N	N	N	N
79RK155A	CDM021	56 26 57	131 12 2	QM	2.00	.50	1.00	.300	500	N	N	N	N
79RK156A	CDM997	56 25 3	131 13 26	GD	2.00	.30	1.00	.300	500	N	N	N	N
79RK157A	CDM975	56 26 4	131 15 3	GD	1.50	.30	1.00	.150	500	N	N	N	N
79RK158A	CDM044	56 26 35	131 16 36	QM	3.00	.50	1.50	.300	500	N	N	N	N
79RK159A	CDM022	56 26 35	131 19 10	QM	1.50	.20	1.00	.150	300	N	N	N	N
79RK159B	CDM928	56 25 35	131 19 10	BAD	10.00	5.00	3.00	1.000	700	N	N	N	<10

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-9A	S-9E	S-9I	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-P3	S-S3	S-SC	S-SN
79RK121A	150	1.0	N	N	70	30	10	N	N	<20	70	N	N	20	N
79RK121B	150	<1.0	N	N	70	20	15	N	N	<20	50	<10	N	20	N
79RK122A	200	<1.0	N	N	100	20	15	<20	N	<20	70	<10	N	20	N
79RK122B	200	<1.0	N	N	100	20	15	20	N	<20	70	<10	N	30	N
79RK130A	700	1.0	N	N	7	10	N	N	N	N	5	10	N	10	N
79RK131A	700	1.0	N	N	10	20	7	N	N	N	5	10	N	20	N
79RK131B	200	1.0	N	N	<5	<10	<5	N	N	N	5	30	N	N	N
79RK132A	700	1.0	N	N	10	15	10	N	N	N	5	20	N	15	N
79RK132B	200	1.0	N	N	<10	<10	<5	N	N	20	5	10	N	5	N
79RK133A	700	<1.0	N	N	15	15	15	N	N	N	5	10	N	15	N
79RK134A	300	<1.0	N	N	15	20	10	N	N	N	7	10	N	15	N
79RK135A	700	<1.0	N	N	10	15	10	N	N	N	7	20	N	15	N
79RK136A	2,000	<1.0	N	N	5	<10	<5	N	N	N	5	15	N	<5	N
79RK136B	1,000	1.0	N	N	20	30	7	20	N	N	10	10	N	20	N
79RK137A	700	<1.0	N	N	N	<10	<5	N	N	N	5	20	N	N	N
79RK137B	1,000	1.0	N	N	<5	<10	10	20	N	N	5	15	N	N	N
79RK138A	500	1.0	N	N	7	10	7	N	N	N	5	10	N	15	N
79RK139A	700	<1.0	N	N	10	10	<5	N	N	N	5	15	N	10	N
79RK140A	300	1.0	N	N	10	15	5	N	N	N	5	10	N	10	N
79RK141A	1,000	1.0	N	N	50	100	7	50	N	<20	70	15	N	30	N
79RK141B	500	1.0	N	N	30	200	15	50	N	<20	150	10	N	30	N
79RK142A	700	1.0	N	N	15	30	7	N	N	N	10	20	N	10	N
79RK143A	500	1.0	N	N	10	15	<5	N	N	N	5	10	N	10	N
79RK144A	1,000	1.0	N	N	20	15	15	20	N	<20	10	15	N	20	N
79RK144B	1,000	1.0	N	N	5	30	70	N	N	N	15	10	N	7	N
79RK145A	1,000	<1.0	N	N	15	20	<5	20	N	N	10	20	N	10	N
79RK146A	300	1.0	N	N	10	15	10	20	N	N	5	10	N	15	N
79RK147A	700	<1.0	N	N	30	50	10	<20	N	N	20	20	N	20	N
79RK148A	700	<1.0	N	N	15	20	<5	N	N	N	10	15	N	15	N
79RK148B	1,000	1.0	N	N	N	<10	<5	<20	N	N	5	20	N	N	N
79RK149A	500	1.0	N	N	10	15	15	50	N	N	5	10	N	15	N
79RK149B	500	1.0	N	N	10	<10	5	N	N	N	5	50	N	N	N
79RK150A	700	1.0	N	N	10	10	<5	N	N	N	7	20	N	15	N
79RK150B	700	<1.0	N	N	N	<10	<5	N	N	N	5	50	N	N	N
79RK151A	1,500	<1.0	N	N	5	10	<5	N	N	N	5	20	N	5	N
79RK152A	1,500	1.0	N	N	N	<10	<5	N	N	N	5	15	N	N	N
79RK152B	1,000	<1.0	N	N	N	<10	<5	N	N	N	5	30	N	N	N
79RK153A	1,500	1.0	N	N	N	<10	N	N	N	N	5	30	N	N	N
79RK154A	1,000	1.0	N	N	<5	<10	<5	N	N	N	5	20	N	<5	N
79RK155A	2,000	1.0	N	N	5	<10	<5	N	N	N	5	30	N	<5	N
79RK156A	1,000	<1.0	N	N	<5	<10	<5	N	N	N	5	30	N	N	N
79RK157A	1,500	1.0	N	N	N	<10	<5	N	N	<20	<5	20	N	N	N
79RK158A	2,000	<1.0	N	N	5	<10	<5	N	N	N	5	50	N	N	N
79RK159A	1,500	1.0	N	N	N	<10	<5	N	N	N	<5	20	N	<5	N
79RK159B	200	<1.0	N	N	50	150	100	N	N	N	150	10	N	15	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-SR	S-TII	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
79RK121A	700	N	500	N	30	<200	150	N	5	10	50	--
79RK121B	700	N	300	N	20	N	100	N	10	10	50	--
79RK122A	1,000	N	700	N	20	N	100	N	10	15	60	--
79RK122B	1,000	N	500	N	30	<200	150	N	10	10	55	--
79RK130A	1,000	N	150	N	20	N	150	N	<5	10	65	--
79RK131A	1,500	N	500	N	20	<200	50	N	15	10	50	--
79RK131B	100	N	20	N	N	N	20	N	<5	10	15	--
79RK132A	1,500	N	300	N	20	N	70	N	15	5	55	--
79RK132B	<100	N	N	N	30	N	20	N	<5	5	<5	--
79RK133A	1,000	N	300	N	15	<200	50	N	20	10	55	--
79RK134A	1,500	N	500	N	15	N	20	N	15	10	50	--
79RK135A	1,000	N	200	N	20	<200	20	N	20	10	50	--
79RK136A	1,000	N	100	N	N	N	50	N	<5	5	30	--
79RK136B	1,000	N	300	N	30	<200	100	N	10	10	55	--
79RK137A	500	N	20	N	N	N	100	N	5	5	5	--
79RK137B	200	N	30	N	10	N	50	N	40	5	35	--
79RK138A	700	N	200	N	15	N	10	N	15	10	65	--
79RK139A	1,000	N	150	N	15	N	150	N	<5	10	40	--
79RK140A	700	N	200	N	10	<200	10	N	10	10	55	--
79RK141A	1,500	N	500	N	50	<200	10	N	10	10	95	--
79RK141B	1,500	N	500	N	50	<200	20	N	20	10	85	--
79RK142A	1,000	N	200	N	10	<200	300	N	5	10	60	--
79RK143A	700	N	150	N	<10	<200	30	N	5	10	60	--
79RK144A	1,000	N	500	N	20	N	70	N	20	5	45	--
79RK144B	700	N	150	N	<10	N	70	N	80	10	70	--
79RK145A	1,000	N	300	N	10	<200	150	N	5	10	65	--
79RK146A	500	N	200	N	30	<200	100	N	15	10	55	--
79RK147A	1,000	N	300	N	20	N	70	N	15	10	50	--
79RK148A	1,000	N	300	N	10	N	20	N	5	10	50	--
79RK148B	500	N	30	N	N	N	50	N	<5	10	10	--
79RK149A	1,000	N	200	N	10	<200	30	N	15	10	50	--
79RK149B	100	N	10	N	10	N	50	N	15	10	5	--
79RK150A	1,000	N	200	N	10	N	20	N	5	10	55	--
79RK150B	150	N	N	N	N	N	50	N	<5	5	25	--
79RK151A	1,000	N	150	N	<10	N	50	N	5	10	55	--
79RK152A	1,000	N	20	N	N	N	50	N	<5	5	25	--
79RK152B	1,500	N	30	N	N	N	50	N	N	5	30	--
79RK153A	1,500	N	50	N	<10	N	150	N	<5	5	35	--
79RK154A	2,000	N	70	N	10	N	150	N	<5	10	40	--
79RK155A	2,000	N	70	N	<10	N	70	N	<5	5	40	--
79RK156A	2,000	N	50	N	<10	N	100	N	<5	<5	35	--
79RK157A	1,500	N	30	N	<10	N	50	N	<5	5	40	--
79RK158A	3,000	N	100	N	<10	N	70	N	<5	5	35	--
79RK159A	1,500	N	50	N	N	N	100	N	<5	5	30	--
79RK159B	700	N	200	N	15	<200	70	N	85	20	75	--

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	RK-TYPE	S-FEX	S-MGZ	S-CAX	S-TIX	S-MN	S-AG	S-AS	S-AU	S-B
79RK160A	CDM974	56 29 13	131 19 13	SCB	15.00	3.00	.70	>1.000	2,000	N	N	N	<10
79RK160B	CDN045	56 29 13	131 19 13	DM	15.00	5.00	3.00	1.000	1,000	N	N	N	N
79RK161A	CDM999	56 11 33	131 53 11	QDF	5.00	2.00	3.00	.700	1,000	N	N	N	N
79RK162A	CDN046	56 12 2	131 52 48	SCB	5.00	2.00	3.00	.150	3,000	N	N	N	N
79RK162B	CDN023	56 12 2	131 52 48	SC	10.00	2.00	10.00	.300	5,000	N	N	N	10
79RK163A	CDM977	56 12 5	131 52 46	QD	5.00	2.00	2.00	.700	1,000	N	N	N	<10
79RK163B	CDN001	56 12 5	131 52 46	QDF	10.00	2.00	3.00	1.000	1,000	N	N	N	N
79RK164A	CDN024	56 12 1	131 51 21	SCB	10.00	5.00	1.00	.700	700	N	N	N	N
79RK165A	CDM978	56 11 57	131 50 40	SCB	10.00	5.00	3.00	.700	2,000	N	N	N	<10
79RK165B	CDN002	56 11 57	131 50 40	SCB	7.00	2.00	2.00	.500	500	N	N	N	N
79RK165C	CDN047	56 11 57	131 50 40	GN	5.00	1.50	5.00	1.000	2,000	N	N	N	N
79RK166A	CDN025	56 11 33	131 49 39	SCB	10.00	3.00	1.50	.700	3,000	<.5	N	N	10
79RK166B	CDM979	56 11 33	131 49 39	PGD	.20	.15	1.50	.030	10	N	N	N	N
79RK167A	CDN411	56 11 45	131 49 2	SCB	5.00	2.00	.70	.300	2,000	1.5	N	N	10
79RK168A	CDN368	56 11 55	131 48 57	SCB	10.00	2.00	2.00	.500	1,500	N	N	N	10
79RK168B	CDN347	56 11 55	131 48 57	PGD	.20	.10	.20	.020	20	.5	N	N	N
79RK169A	CDN390	56 11 47	131 47 57	SCB	10.00	2.00	.70	.500	1,000	.5	N	N	10
79RK169B	CDN412	56 11 47	131 47 57	GDF	10.00	3.00	2.00	.500	2,000	<.5	N	N	10
79RK170A	CDN369	56 11 53	131 47 10	GDF	10.00	3.00	3.00	.700	2,000	.5	N	N	<10
79RK170B	CDN434	56 11 53	131 47 10	SCB	5.00	1.50	1.00	.300	2,000	<.5	N	N	10
79RK170C	CDN433	56 11 53	131 47 10	SCB	3.00	.70	1.00	.200	1,000	<.5	N	N	30
79RK171A	CDN413	56 12 20	131 45 55	SCB	10.00	1.50	1.00	.500	700	1.5	N	N	<10
79RK171B	CDN370	56 12 20	131 45 55	GDF	10.00	5.00	5.00	.500	1,500	<.5	N	N	<10
79RK172A	CDN348	56 12 20	131 45 50	GDF	7.00	2.00	5.00	.500	1,500	N	N	N	<10
79RK173A	CDN391	56 11 57	131 44 36	GDF	1.00	.50	.70	.070	150	10.0	N	N	N
79RK174A	CDN414	56 11 30	131 43 15	SCB	7.00	2.00	.70	.500	2,000	.7	N	N	<10
79RK175A	CDN404	56 13 54	131 34 35	AM	10.00	3.00	3.00	.500	1,500	1.0	N	N	<10
79RK175B	CDN425	56 13 54	131 34 35	SCB	10.00	3.00	3.00	.500	2,000	.5	N	N	<10
79RK176A	CDN392	56 15 33	131 33 6	QD	10.00	2.00	2.00	.500	1,000	<.5	N	N	<10
79RK176B	CDN360	56 15 33	131 33 6	PGD	.70	.07	.15	.050	1,500	N	N	N	N
79RK177A	CDN405	56 16 14	131 34 0	QD	5.00	2.00	3.00	.500	1,000	.7	N	N	<10
79RK178A	CDN426	56 17 14	131 38 31	GQ	5.00	1.50	1.50	.700	1,000	.5	N	N	<10
79RK179A	CDN383	56 18 24	131 39 11	GQ	3.00	.70	1.00	.300	300	.5	N	N	N
79RK179B	CDN361	56 18 24	131 39 11	AM	20.00	5.00	3.00	1.000	2,000	<.5	N	N	<10
79RK179C	CDN406	56 18 24	131 39 11	GQG	2.00	.50	1.00	.150	200	1.0	N	N	N
79RK179D	CDN427	56 18 24	131 39 11	QMD	1.00	.10	.50	.050	700	.7	N	N	N
79RK180A	CDN384	56 19 42	131 40 33	GN	15.00	2.00	1.50	.700	2,000	.5	N	N	<10
79RK180B	CDN362	56 19 42	131 40 33	GP	10.00	2.00	1.00	.500	500	N	N	N	<10
79RK181A	CDN407	56 22 27	131 41 42	GD	.50	.10	1.00	.050	70	1.0	N	N	N
79RK181B	CDN428	56 22 27	131 41 42	GD	2.00	.70	1.00	.150	300	.5	N	N	N
79RK181C	CDN385	56 22 27	131 41 42	GDD	7.00	2.00	2.00	.500	1,000	N	N	N	<10
79RK181D	CDN363	56 22 27	131 41 42	AM	15.00	5.00	2.00	.300	1,500	<.5	N	N	<10
79RK182A	CDN408	56 19 7	131 43 1	GDN	2.00	.70	1.50	.200	500	.5	N	N	N
79RK182B	CDN429	56 19 7	131 43 1	GD	15.00	3.00	3.00	.700	2,000	N	N	N	<10
79RK183A	CDN430	56 15 4	131 41 4	GM	10.00	3.00	2.00	.700	2,000	N	N	N	<10

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-BA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-P3	S-S3	S-SC	S-SM
79RK162A	1,000	<1.0	N	N	15	50	70	N	N	N	15	15	N	20	N
79RK162B	300	<1.0	N	N	50	500	30	N	N	N	200	15	N	30	N
79RK161A	500	<1.0	N	N	7	20	N	N	N	N	5	10	N	15	N
79RK162A	100	7.0	N	N	5	10	10	70	N	N	<5	20	N	N	N
79RK162B	70	7.0	N	N	N	10	5	70	N	<20	<5	30	N	<5	N
79RK163A	700	1.0	N	N	5	10	<5	100	N	N	5	15	N	15	N
79RK163B	500	<1.0	N	N	7	15	<5	N	N	N	5	15	N	20	N
79RK164A	1,000	1.0	N	N	15	70	100	30	N	<20	20	70	N	15	N
79RK165A	500	1.0	N	N	50	50	150	N	N	N	50	20	N	50	N
79RK165B	1,500	1.5	N	N	5	<10	20	50	N	<20	5	70	N	<5	N
79RK165C	700	5.0	N	N	7	10	15	70	N	N	5	30	N	7	N
79RK166A	500	<1.0	N	N	7	30	200	<20	N	N	20	<10	N	15	N
79RK166B	200	N	N	N	N	<10	<5	N	N	N	5	20	N	N	N
79RK167A	1,500	1.5	N	N	30	150	100	20	N	N	70	15	N	30	N
79RK168A	1,500	1.5	N	N	20	50	7	50	N	<20	10	20	N	50	N
79RK168B	1,500	2.0	N	N	N	<10	N	N	N	N	5	10	N	50	N
79RK169A	1,500	1.0	N	N	30	200	100	<20	10	<20	100	15	N	30	N
79RK169B	1,500	1.0	N	N	30	100	7	N	N	N	15	15	N	70	N
79RK170A	1,500	1.5	N	N	20	20	<5	50	N	N	10	20	N	30	N
79RK170B	2,000	1.5	N	N	30	150	70	<20	N	N	70	15	N	30	N
79RK170C	700	2.0	N	N	20	100	30	<20	30	N	70	<10	N	20	N
79RK171A	2,000	1.0	N	N	50	300	<5	<20	10	N	100	15	N	30	N
79RK171B	1,500	1.0	N	N	50	70	30	<20	N	N	50	15	N	50	N
79RK172A	500	1.5	N	N	20	50	15	20	N	N	5	10	N	5	N
79RK173A	>5,000	1.0	N	N	<5	<10	20	20	N	N	5	50	N	<5	N
79RK174A	1,000	1.0	N	N	30	150	150	20	N	N	70	15	N	50	N
79RK175A	500	1.0	N	N	50	50	50	30	N	N	20	15	N	70	N
79RK175B	500	1.5	N	N	30	70	30	<20	N	N	20	15	N	50	N
79RK176A	1,500	1.0	N	N	30	20	7	N	N	N	10	20	N	30	N
79RK176B	50	1.0	N	N	N	<10	<5	N	N	N	5	70	N	<5	N
79RK177A	2,000	1.0	N	N	30	20	5	50	N	N	10	15	N	30	N
79RK178A	1,000	1.5	N	N	15	15	50	100	N	N	5	15	N	20	N
79RK179A	1,500	2.0	N	N	5	10	15	N	N	N	7	15	N	15	N
79RK179B	500	1.5	N	N	70	30	15	<20	N	N	30	10	N	100	N
79RK179C	>5,000	1.5	N	N	5	<10	15	N	N	N	7	15	N	5	N
79RK179D	1,000	1.0	N	N	N	<10	<5	50	N	N	5	30	N	5	N
79RK180A	2,000	1.0	N	N	50	50	200	N	5	N	20	10	N	100	N
79RK180B	3,000	1.0	N	N	20	50	30	N	N	N	20	15	N	50	N
79RK181A	5,000	1.0	N	N	N	<10	<5	N	N	N	5	15	N	<5	N
79RK181B	>5,000	2.0	N	N	7	10	20	20	N	N	10	10	N	10	N
79RK181C	>5,000	1.0	N	N	30	70	30	70	N	N	30	20	N	70	N
79RK181D	700	1.0	N	N	70	1,000	20	20	N	N	200	10	N	50	N
79RK182A	>5,000	1.5	N	N	10	<10	5	<20	N	N	5	15	N	10	N
79RK182B	1,500	1.5	N	N	50	100	10	30	N	<20	30	15	N	50	N
79RK183A	3,000	1.5	N	N	50	100	N	<20	N	N	7	15	N	70	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-SR	S-TH	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
79RK167A	100	N	500	N	50	<200	100	N	50	15	130	--
79RK1603	700	V	500	N	20	N	50	N	30	20	80	--
79RK161A	700	V	200	N	15	<200	70	N	<5	10	85	--
79RK162A	200	N	N	N	70	N	300	N	25	25	100	--
79RK162H	500	N	20	N	50	<200	200	N	10	15	60	--
79RK163A	700	N	150	N	30	<200	50	N	<5	10	75	--
79RK163B	700	N	150	N	30	<200	100	N	<5	15	100	--
79RK164A	300	N	300	N	20	N	100	V	95	20	85	--
79RK165A	1,000	N	300	N	30	N	30	N	120	15	60	--
79RK165B	150	N	100	N	30	V	70	N	45	10	75	--
79RK165C	300	<100	150	N	50	<200	150	N	15	10	35	--
79RK166A	150	N	150	N	20	<200	50	N	160	20	100	--
79RK166B	1,500	N	10	N	N	N	10	N	N	<5	10	--
79RK167A	300	N	200	N	50	<200	150	N	75	10	95	--
79RK168A	1,000	N	300	N	30	<200	150	.05	5	15	90	--
79RK169U	200	N	10	N	10	N	<10	N	<5	5	<5	--
79RK169A	500	N	300	N	30	<200	150	N	75	15	120	--
79RK169B	500	N	500	N	30	<200	200	N	5	15	90	--
79RK170A	700	N	200	N	30	<200	150	N	<5	15	100	--
79RK170B	500	N	200	N	30	<200	150	V	35	10	110	--
79RK170C	300	N	100	N	20	N	100	N	25	10	55	--
79RK171A	500	N	300	N	20	<200	300	N	95	10	110	--
79RK171B	700	N	700	N	20	<200	70	N	5	15	55	--
79RK172A	1,000	N	300	N	50	<200	100	N	5	10	55	--
79RK173A	1,500	N	50	N	N	N	200	N	5	10	85	--
79RK174A	500	N	500	N	30	200	150	N	95	15	140	--
79RK175A	300	N	500	N	50	<200	150	N	30	5	35	--
79RK175B	300	N	300	N	30	N	150	N	20	10	35	--
79RK176A	1,000	N	300	N	20	<200	50	N	5	10	60	--
79RK176B	<100	N	<10	N	10	N	20	N	25	5	85	--
79RK177A	1,000	N	300	N	20	<200	70	N	5	10	60	--
79RK178A	300	N	100	N	30	N	500	N	25	10	65	--
79RK179A	300	N	100	N	10	N	100	N	15	10	55	--
79RK179B	100	N	1,000	N	70	200	70	N	<5	5	10	--
79RK179C	1,000	V	70	N	N	N	200	V	15	5	50	--
79RK179D	100	N	N	N	10	N	100	V	<5	5	20	--
79RK180A	300	N	500	N	50	<200	100	N	160	10	45	--
79RK180B	500	N	300	N	50	<200	150	N	25	15	90	--
79RK181A	700	N	15	N	N	N	70	N	<5	<5	10	--
79RK181B	1,500	N	100	V	N	N	20	N	25	10	30	--
79RK181C	1,000	N	500	N	70	<200	150	N	30	10	45	--
79RK181D	500	N	200	N	20	<200	50	N	20	25	110	--
79RK182A	700	N	100	N	15	N	70	N	<5	5	30	--
79RK182B	700	N	500	N	50	<200	150	N	10	10	65	--
79RK183A	700	N	300	N	50	200	200	N	<5	10	85	--

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	RK-TYPE	S-FEX	S-MGX	S-CAZ	S-TIZ	S-MM	S-AG	S-AS	S-AU	S-B
79RK1834	CDN396	56 15 4	131 41 4	GDF	5.00	1.50	2.00	.200	700	N	N	N	N
79RK185A	CDN409	56 11 24	131 59 57	SCB	5.00	3.00	.70	.500	500	.5	N	N	<10
79RK185B	CDN431	56 11 24	131 59 57	SCR	10.00	3.00	.50	.500	500	<.5	N	N	10
79RK186A	CDN364	56 11 35	131 59 19	GDF	5.00	2.00	1.50	.300	1,000	N	N	V	30
79RK187A	CDN387	56 11 40	131 59 34	SCB	3.00	3.00	.70	.500	700	.5	N	N	<10
79RK187U	CDN410	56 11 40	131 59 34	QZ	5.00	3.00	7.00	.500	2,000	.7	N	N	20
79RK188A	CDN432	56 11 33	131 58 16	GDF	10.00	3.00	3.00	.500	2,000	<.5	N	N	20
79RK188B	CDN553	56 11 33	131 58 16	PGD	.50	.05	.50	.015	100	N	N	N	N
79RK189A	CDN366	56 11 41	131 57 41	QDF	5.00	2.00	2.00	.500	1,000	N	N	N	10
79RK190A	CDN302	56 11 37	131 56 21	GDF	7.00	2.00	2.00	.500	1,000	N	N	N	10
79RK191A	CDN280	56 12 40	131 55 21	GDF	10.00	2.00	3.00	.500	1,500	<.5	N	N	10
79RK191B	CDN257	56 12 40	131 55 21	PGD	.30	.15	.70	.050	70	N	N	N	N
79RK192A	CDN274	56 13 37	131 56 30	GDF	10.00	3.00	3.00	.700	2,000	<.5	N	N	10
79RK193A	CDN303	56 14 3	131 56 52	GDF	7.00	2.00	3.00	.500	1,000	N	N	N	15
79RK194A	CDN281	56 14 40	131 57 27	GDF	2.00	1.00	1.50	.300	700	N	N	N	<10
79RK196A	CDN258	56 16 22	131 58 39	GDF	7.00	2.00	3.00	.500	1,000	<.5	V	N	20
79RK197A	CDN239	56 17 9	131 59 4	SCB	5.00	1.50	2.00	.300	1,000	N	N	N	10
79RK198A	CDN263	56 19 0	131 59 54	SCB	5.00	1.50	.70	.300	1,000	N	N	N	10
79RK198B	CDN285	56 19 0	131 59 54	SCB	7.00	2.00	2.00	.500	1,000	N	N	N	10
79RK198C	CDN307	56 19 0	131 59 54	GDF	7.00	2.00	2.00	.300	1,000	<.5	N	N	10
79RK200A	CDN240	56 21 32	131 58 50	SCB	7.00	2.00	.70	.500	1,000	N	N	N	<10
79RK202A	CDN264	56 20 33	131 59 17	GDF	5.00	1.50	1.50	.500	1,000	.5	N	N	<10
79RK203A	CDN317	56 12 50	131 54 55	MR	.05	5.00	>20.00	.015	300	N	N	N	N
79RK203B	CDN294	56 12 50	131 54 55	MR	N	.30	20.00	.015	15	N	N	N	N
79RK203C	CDN273	56 12 50	131 54 55	DM	10.00	2.00	1.50	.700	1,000	.5	N	N	<10
79RK203D	CDN249	56 12 50	131 54 55	SCB	10.00	5.00	5.00	.500	700	N	N	N	<10
79RK204A	CDN318	56 13 47	131 54 14	SCB	2.00	.20	.15	.500	300	N	N	N	N
79RK205A	CDN295	56 13 45	131 54 7	MR	.50	.50	>20.00	.020	300	N	N	N	N
79RK206A	CDN274	56 14 52	131 56 13	GDF	5.00	1.50	1.50	.300	1,000	<.5	N	N	N
79RK207A	CDN250	56 31 42	131 43 42	GR	2.00	.07	<.05	.050	300	N	N	N	N
79RK208A	CDN296	56 32 54	131 42 53	HF	10.00	2.00	1.00	.700	1,000	<.5	N	N	10
79RK208B	CDN275	56 32 54	131 42 53	HF	5.00	2.00	1.00	.300	2,000	.5	N	N	<10
79RK208C	CDN251	56 32 54	131 42 53	SC	3.00	1.50	1.00	.200	700	.5	N	N	10
79RK208D	CDN319	56 32 54	131 42 53	PGD	.50	.10	.30	.030	150	.5	N	N	N
79RK208E	CDN297	56 32 54	131 42 53	GR	1.50	.05	.10	.070	200	.5	N	N	N
79RK209A	CDN063	56 33 5	131 43 19	GR	2.00	.02	.07	.150	500	N	N	N	N
79RK209B	CDN130	56 33 5	131 43 19	BAD	15.00	5.00	7.00	>1.000	2,000	N	N	N	<10
79RK209C	CDN109	56 33 5	131 43 19	RHD	10.00	.03	<.05	.500	700	N	N	N	N
79RK210A	CDN064	56 35 20	131 42 20	OM	1.00	.30	1.50	.300	700	N	N	N	N
79RK210B	CDN131	56 35 20	131 42 20	OM	2.00	.70	1.50	.500	700	N	N	N	N
79RK211A	CDN065	56 34 18	131 37 30	GR	1.50	.07	.05	.300	300	N	N	N	N
79RK211B	CDN110	56 34 18	131 37 30	GHD	1.00	<.02	.07	.070	150	N	N	N	<10
79RK211C	CDN152	56 34 18	131 37 30	BAD	15.00	5.00	7.00	>1.000	2,000	N	N	N	<10
79RK212A	CDN066	56 32 40	131 38 14	RH	3.00	.02	<.05	.200	30	N	N	N	N
79RK212B	CDN141	56 32 40	131 38 14	RH	1.50	<.02	<.05	.150	70	N	N	N	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-RA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-P3	S-S3	S-SC	S-SM
79RK1839	1,500	1.5	N	N	10	20	5	70	N	N	15	20	N	30	N
79RK185A	1,500	1.0	N	N	30	700	30	20	N	N	150	15	N	30	N
79RK185B	3,000	2.0	N	N	30	300	200	20	N	N	100	15	N	70	N
79RK186A	1,000	1.5	N	N	15	50	7	<20	N	<20	30	15	N	50	N
79RK187A	1,500	1.0	N	N	50	500	70	<20	7	N	150	15	N	30	N
79RK187B	150	1.5	N	N	30	700	70	20	N	N	200	<10	N	30	N
79RK188A	3,000	1.0	N	N	20	50	10	70	N	N	15	20	N	50	N
79RK188B	100	1.5	N	N	N	<10	<5	20	N	N	<5	20	N	5	N
79RK189A	2,000	1.5	N	N	15	30	10	50	N	<20	5	15	N	50	N
79RK190A	1,500	1.5	N	N	15	70	<5	N	N	N	10	15	N	30	N
79RK191A	1,500	1.0	N	N	20	70	10	20	N	N	20	20	N	50	N
79RK1919	3,000	1.0	N	N	N	<10	N	N	N	N	5	20	N	<5	N
79RK192A	2,000	1.0	N	N	50	20	30	70	N	N	20	15	N	50	N
79RK193A	1,500	1.5	N	N	10	50	5	N	N	N	10	15	N	30	N
79RK194A	300	2.0	N	N	7	15	<5	20	N	N	5	<10	N	20	N
79RK196A	1,000	1.5	N	N	20	70	15	20	N	N	20	10	N	50	N
79RK197A	1,000	1.5	N	N	15	50	7	N	N	N	15	10	N	30	N
79RK198A	1,000	1.5	N	N	15	70	50	N	7	N	20	15	N	20	N
79RK198B	1,000	2.0	N	N	10	100	30	N	N	N	10	15	N	30	N
79RK198C	500	1.5	N	N	20	150	15	<20	N	N	20	15	N	30	N
79RK200A	2,000	2.0	N	N	20	10	200	100	N	N	5	50	N	15	N
79RK202A	2,000	2.0	N	N	5	10	<5	<20	N	N	5	15	N	15	N
79RK203A	N	<1.0	N	N	N	<10	<5	N	N	N	N	<10	N	N	N
79RK203B	N	N	N	N	N	<10	N	N	N	N	N	N	N	N	N
79RK203C	1,500	1.5	N	N	30	15	10	50	N	<20	5	20	N	30	N
79RK203D	700	1.0	N	N	50	200	N	50	N	N	50	15	N	50	N
79RK204A	500	2.0	N	N	5	<10	N	70	N	<20	5	20	N	10	N
79RK205A	200	<1.0	N	N	N	10	<5	N	N	N	5	<10	N	N	N
79RK206A	3,000	1.5	N	N	10	15	<5	N	N	N	7	20	N	20	N
79RK207A	<20	5.0	N	N	N	<10	<5	100	N	N	5	10	N	<5	N
79RK208A	2,000	1.0	N	N	20	70	50	N	15	N	20	30	N	50	N
79RK2089	3,000	2.0	N	N	30	20	200	N	15	<20	70	20	N	30	N
79RK208C	2,000	2.0	N	N	20	15	20	50	N	N	15	20	N	15	N
79RK208D	300	3.0	N	N	N	<10	10	N	N	N	5	20	N	<5	N
79RK208E	150	10.0	N	N	N	<10	15	70	5	50	5	30	N	N	20
79RK209A	N	2.0	N	N	N	<10	<5	50	N	20	5	15	N	<5	N
79RK2093	150	1.0	N	N	50	30	50	N	N	N	30	<10	N	20	N
79RK209C	N	15.0	N	N	N	<10	<5	50	N	100	<5	50	N	10	20
79RK210A	1,500	<1.0	N	N	<5	<10	<5	N	N	N	5	10	N	N	N
79RK210B	1,500	1.0	N	N	<5	<10	N	N	N	N	<5	20	N	<5	N
79RK211A	70	5.0	N	N	N	<10	<5	50	5	<20	<5	20	N	N	<10
79RK211B	N	3.0	N	N	N	<10	N	30	N	30	<5	15	N	N	30
79RK211C	200	1.0	N	N	70	50	70	N	N	N	50	10	N	30	N
79RK212A	N	1.0	N	N	N	<10	<5	N	N	30	5	10	N	<5	10
79RK212B	N	7.0	N	N	N	<10	<5	N	N	70	<5	20	N	N	15

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-SR	S-TH	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
79RK1873	1,500	N	150	N	30	<200	70	N	<5	5	45	--
79RK1874	300	N	300	N	20	<200	200	N	20	15	90	--
79RK1875	300	N	500	N	30	200	300	N	55	20	140	--
79RK1876	1,000	N	200	N	20	N	300	N	5	15	100	--
79RK1877	500	N	150	N	20	<200	100	N	80	20	100	--
79RK1878	700	N	300	N	30	<200	200	N	45	15	40	--
79RK1879	1,000	N	500	N	30	<200	100	N	5	10	80	--
79RK1880	100	N	N	N	50	N	50	N	N	15	20	--
79RK1881	700	N	200	N	30	<200	100	N	5	10	70	--
79RK1882	700	N	200	N	20	<200	150	N	5	10	60	--
79RK1883	700	N	500	N	30	<200	70	N	5	10	70	--
79RK1884	500	N	15	N	N	N	50	N	<5	5	5	--
79RK1885	500	N	500	N	30	<200	150	N	15	10	55	--
79RK1886	500	N	150	N	20	<200	150	N	10	10	55	--
79RK1887	300	N	100	N	20	N	100	N	10	10	55	--
79RK1888	700	N	300	N	20	<200	150	N	5	15	75	--
79RK1889	700	N	200	N	20	<200	150	N	5	15	75	--
79RK1890	700	N	300	N	30	<200	300	N	130	30	70	--
79RK1891	700	N	150	N	30	<200	200	N	<5	10	65	--
79RK1892	700	N	200	N	20	<200	150	N	5	10	80	--
79RK1893	300	N	300	N	15	<200	150	N	40	10	80	--
79RK1894	300	N	300	N	20	<200	150	N	30	10	80	--
79RK1895	500	N	300	N	20	<200	150	N	30	10	80	--
79RK1896	700	N	100	N	20	<200	100	N	5	15	75	--
79RK1897	700	N	200	N	20	<200	150	N	5	15	75	--
79RK1898	300	N	300	N	30	<200	150	N	10	10	65	--
79RK1899	700	N	300	N	30	<200	150	N	5	10	80	--
79RK1900	700	N	200	N	20	<200	150	N	40	10	80	--
79RK1901	300	N	150	N	30	<200	300	N	<5	10	65	--
79RK1902	700	N	150	N	30	<200	200	N	<5	10	65	--
79RK1903	150	N	20	N	20	N	10	N	<5	65	5	--
79RK1904	300	N	N	N	15	N	<10	N	5	70	<5	--
79RK1905	500	N	500	N	30	<200	200	N	5	15	55	--
79RK1906	500	N	100	N	20	<200	70	N	<5	30	55	--
79RK1907	150	N	100	N	50	N	300	N	<5	5	35	--
79RK1908	300	N	15	N	20	N	10	N	5	50	10	--
79RK1909	300	N	150	N	15	<200	150	N	<5	5	55	--
79RK1910	700	N	N	N	100	<200	300	N	<5	15	60	--
79RK1911	300	N	500	N	30	<200	150	N	40	30	130	--
79RK1912	200	N	200	N	30	<200	300	N	130	15	75	--
79RK1913	700	N	150	N	20	<200	200	N	15	15	50	--
79RK1914	700	N	150	N	20	<200	200	N	5	15	20	--
79RK1915	200	N	20	N	N	<200	20	N	5	20	35	--
79RK1916	200	N	20	N	N	<200	500	N	10	20	35	--
79RK1917	<100	N	N	N	50	N	500	N	<5	10	40	--
79RK1918	300	N	500	N	20	<200	100	N	30	25	75	--
79RK1919	<100	N	N	N	200	200	>1,000	N	<5	35	200	--
79RK1920	100	N	30	N	N	N	30	N	N	<5	35	--
79RK1921	500	N	50	N	N	<200	200	N	<5	10	65	--
79RK1922	79RK2110A	N	N	N	N	N	200	N	N	15	40	--
79RK1923	79RK2109	N	50	N	N	<200	300	N	N	15	25	--
79RK1924	79RK2111B	N	N	N	30	N	300	N	N	15	25	--
79RK1925	79RK2111C	500	1,300	N	50	<200	150	N	30	25	80	--
79RK1926	79RK212A	N	N	N	30	<200	>1,000	N	N	15	70	--
79RK1927	<100	N	N	N	30	<200	>1,000	N	<5	25	140	--

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	RK-TYPE	S-FEX	S-MGX	S-CAX	S-TIX	S-MN	S-AG	S-AS	S-AU	S-B
79RK212C	CDN153	56 32 43	131 38 14	RH	1.50	.15	.07	.200	70	N	N	N	N
79RK212D	CDN067	56 32 43	131 38 14	RH	1.50	.05	<.05	.300	50	N	N	N	N
79RK212E	CDN111	56 32 43	131 38 14	RH	1.50	.07	<.05	.200	200	N	N	N	N
79RK213A	CDN276	56 32 15	131 38 0	GDF	5.00	2.03	1.50	.500	1,000	N	N	N	<10
79RK213H	CDN252	56 32 15	131 38 0	RHD	2.00	.15	.10	.070	200	<.5	N	N	N
79RK213C	CDN323	56 32 15	131 38 0	GR	1.50	.30	.50	.070	300	N	N	N	<10
79RK214A	CDN253	56 32 18	131 38 1	RHD	5.03	.15	.15	.200	1,000	N	N	N	<10
79RK214H	CDN298	56 32 18	131 38 1	GRD	2.00	.07	.07	.070	300	N	N	N	N
79RK215A	CDN255	56 32 23	131 38 7	RH	3.00	.70	.50	.500	700	<.5	N	N	10
79RK215B	CDN300	56 32 23	131 38 7	RH	5.00	.10	.20	.200	1,000	N	N	N	<10
79RK216A	CDN311	56 33 11	131 38 20	RH	3.00	.10	.07	.200	700	<.5	N	N	N
79RK217A	CDN279	56 33 17	131 38 19	DA	10.00	3.00	3.00	.500	2,000	N	N	N	<10
79RK218A	CDN323	56 33 35	131 38 22	RH	3.00	.30	.10	.150	200	N	N	N	N
79RK2183	CDN256	56 33 35	131 38 22	DA	10.00	5.00	1.50	.500	1,500	N	N	N	<10
79RK219A	CDN052	56 33 33	131 38 18	RH	15.00	5.00	3.00	1.000	3,000	N	N	N	<10
79RK219B	CDN077	56 33 39	131 38 18	GR	3.00	.02	<.05	.500	1,000	N	N	N	N
79RK220A	CDN099	56 32 8	131 38 0	GDF	10.00	2.00	3.00	>1.000	3,000	N	N	N	<10
79RK220B	CDN121	56 32 8	131 38 0	PGD	.50	.15	1.00	.100	70	N	N	N	N
79RK220C	CDN055	56 32 8	131 38 0	BAD	15.00	5.00	5.00	>1.000	2,000	N	N	N	<10
79RK220D	CDN079	56 32 8	131 38 0	RHD	1.00	.15	.50	.150	300	<.5	N	N	N
79RK220E	CDN101	56 32 8	131 38 0	RHD	2.00	.15	.05	.150	1,000	N	N	N	N
79RK221A	CDN087	56 32 4	131 37 54	GRD	1.00	.30	1.00	.100	150	N	N	N	N
79RK222A	CDN108	56 31 45	131 36 54	GRD	1.00	.70	1.50	.500	700	N	N	N	N
79RK223A	CDN129	56 31 51	131 35 28	GDF	5.00	3.00	5.00	1.000	1,000	N	N	N	<10
79RK223B	CDN062	56 31 51	131 35 28	PGD	.70	.15	.20	.050	70	N	N	N	N
79RK223C	CDN098	56 31 51	131 35 28	GDF	15.00	5.00	3.00	>1.000	2,000	N	N	N	<10
79RK224A	CDN550	56 34 48	131 30 53	AR	3.00	1.00	.50	.300	1,000	1.0	N	N	<10
79RK224B	CDN574	56 34 48	131 30 53	AR	3.00	1.00	.50	.300	700	<.5	N	N	70
79RK225A	CDN595	56 31 3	131 37 31	GDF	2.00	1.00	1.00	.200	500	N	N	N	<10
79RK226A	CDN565	56 30 23	131 37 6	GD	3.00	.70	1.00	.150	500	N	N	N	<10
79RK226B	CDN588	56 30 23	131 37 6	GD	3.00	1.00	1.50	.200	1,000	N	N	N	<10
79RK227A	CDN612	56 30 49	131 36 22	GDF	2.00	.70	1.00	.150	300	N	N	N	<10
79RK227B	CDN543	56 30 49	131 36 22	BAD	5.00	3.00	5.00	.700	1,000	N	N	N	<10
79RK227C	CDN566	56 30 49	131 36 22	RHD	1.00	.30	.30	.050	300	N	N	N	N
79RK227D	CDN589	56 30 49	131 36 22	BAD	7.00	.30	2.00	.700	1,000	N	N	N	<10
79RK228A	CDN613	56 30 22	131 44 8	GD	2.00	.50	1.00	.150	300	N	N	N	N
79RK229A	CDN544	56 31 2	131 44 40	GR	1.50	.05	.15	.100	500	N	N	N	N
79RK229B	CDN567	56 31 2	131 44 40	GR	2.00	.10	.15	.100	700	N	N	N	<10
79RK230A	CDN590	56 36 22	131 42 14	GD	2.00	.50	.70	.150	700	N	N	N	<10
79RK231A	CDN614	56 35 3	131 38 14	GR	.70	<.02	<.05	.070	50	N	N	N	N
79RK2313	CDN545	56 35 3	131 38 14	BAD	10.00	2.00	2.00	>1.000	1,000	N	N	N	<10
79RK232A	CDN568	56 34 42	131 36 25	GR	1.50	.30	.20	.070	700	.5	N	N	N
79RK232H	CDN591	56 34 42	131 36 25	AM	10.00	3.00	3.00	>1.000	1,000	N	N	N	<10
79RK233A	CDN569	56 25 23	131 46 19	GDF	5.00	2.00	2.00	.500	1,000	N	N	N	<10
79RK233B	CDN522	56 25 23	131 46 19	GDD	1.50	.30	1.00	.100	200	N	N	N	N

Table 5.--Analytical data for rock geochemical samples---Continued

SAMPLF	S-14	S-BE	S-BJ	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-MI	S-P3	S-S3	S-SC	S-SN
79RK212C	20	2.0	N	N	<5	<10	7	100	N	50	5	50	N	N	10
79RK212D	50	2.0	N	N	N	<10	5	N	N	50	<5	30	N	<5	10
79RK212E	30	2.0	N	N	N	<10	5	50	N	50	5	50	N	<5	10
79RK213A	2,000	2.0	N	N	20	10	5	150	N	<20	5	30	N	20	N
79RK213B	500	5.0	N	N	5	<10	5	70	5	30	5	10	N	5	N
79RK213C	1,000	3.0	N	N	5	<10	20	50	N	<20	5	50	N	<5	N
79RK214A	500	5.0	N	N	N	10	5	150	N	70	5	15	N	5	N
79RK214B	100	7.0	N	N	<5	<10	<5	70	10	50	5	50	N	<5	30
79RK215A	300	1.0	N	N	20	15	20	N	N	N	15	10	N	30	N
79RK215B	300	5.0	N	N	N	10	<5	70	N	70	5	20	N	N	15
79RK216A	70	7.0	N	N	5	15	10	70	N	50	5	30	N	N	20
79RK217A	700	<1.0	N	N	30	15	50	N	N	N	7	10	N	20	N
79RK218A	1,000	2.0	N	N	7	10	5	50	N	N	5	<10	N	15	N
79RK218B	150	1.0	N	N	50	70	15	20	N	N	30	10	N	70	N
79RK219A	700	<1.0	N	N	10	30	500	N	7	N	500	20	N	15	N
79RK219B	100	3.0	N	N	N	<10	<5	30	N	20	<5	20	N	<5	<10
79RK220A	1,000	1.0	N	N	7	10	<5	N	N	N	5	30	N	15	N
79RK220B	1,000	<1.0	N	N	N	N	<5	N	N	N	5	30	N	N	N
79RK220C	200	1.0	N	N	50	50	50	<20	N	<20	30	10	N	30	N
79RK220D	300	2.0	N	N	<5	<10	50	30	N	<20	5	30	N	N	N
79RK220E	150	3.0	N	N	<5	<10	7	20	N	20	5	30	N	N	10
79RK221A	500	1.0	N	N	<5	<10	<5	N	N	N	5	30	N	N	N
79RK222A	500	<1.0	N	N	<5	<10	<5	N	N	N	5	70	N	N	N
79RK223A	1,000	<1.0	N	N	5	<10	<5	N	N	N	<5	20	N	10	N
79RK223B	300	<1.0	N	N	N	<10	5	N	N	N	5	70	N	N	N
79RK223C	500	<1.0	N	N	50	30	15	N	N	N	20	10	N	20	N
79RK224A	1,000	1.5	N	N	15	10	70	50	5	N	30	<10	N	15	N
79RK224B	500	2.0	N	N	10	10	50	70	N	N	20	<10	N	20	N
79RK225A	200	1.0	N	N	15	<10	N	20	N	N	<5	10	N	15	N
79RK226A	3,000	1.0	N	N	10	<10	5	N	N	N	5	15	N	7	N
79RK226B	5,000	1.0	N	N	10	<10	<5	20	N	N	5	20	N	20	N
79RK227A	>5,000	1.0	N	N	10	<10	<5	N	N	N	5	10	N	10	N
79RK227B	500	<1.0	N	N	50	50	70	N	N	N	70	10	N	70	N
79RK227C	300	5.0	N	N	<5	N	<5	70	N	30	5	10	N	5	15
79RK227D	500	1.0	N	N	50	20	30	30	N	<20	30	10	N	70	N
79RK228A	5,000	1.0	N	N	7	<10	<5	30	N	N	5	15	N	7	N
79RK229A	100	3.0	N	N	N	N	<5	150	7	20	<5	10	N	<5	N
79RK229B	100	3.0	N	N	<5	<10	<5	150	<5	30	<5	10	N	7	15
79RK230A	5,000	1.0	N	N	10	<10	<5	20	N	N	5	15	N	10	N
79RK231A	150	5.0	N	N	N	N	<5	70	10	30	5	20	N	N	20
79RK231B	500	1.5	N	N	50	100	50	<20	N	20	20	15	N	70	N
79RK232A	1,500	2.0	N	N	5	<10	5	30	N	<20	<5	30	N	5	N
79RK232B	500	1.5	N	N	50	15	70	100	N	30	70	10	N	50	N
79RK233A	2,000	1.0	N	N	20	10	10	70	N	N	5	10	N	20	N
79RK233B	5,000	1.5	N	N	10	<10	5	50	N	N	5	15	N	5	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMP-ID	S-SR	S-TH	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
79RK212C	100	N	<10	N	500	N	500	N	20	75	150	--
79RK212D	N	N	<10	N	100	200	>1,000	N	<5	35	360	--
79RK212F	<100	N	<10	N	300	N	>1,000	N	5	45	130	--
79RK213A	700	N	200	N	20	200	70	N	<5	35	190	--
79RK213B	100	N	N	N	70	N	300	N	5	15	30	--
79RK213C	500	N	50	N	15	<200	200	N	20	40	85	--
79RK214A	<100	N	10	N	100	200	1,000	N	5	30	180	--
79RK214B	N	N	N	N	50	N	500	N	<5	35	45	--
79RK215A	200	N	100	N	20	<200	150	N	15	10	70	--
79RK215B	N	N	<10	N	70	200	1,000	N	<5	20	100	--
79RK216A	<100	N	20	N	70	200	1,000	N	5	30	75	--
79RK217A	700	N	500	N	20	<200	70	N	55	15	80	--
79RK218A	<100	N	50	N	20	N	300	N	5	10	20	--
79RK218B	300	N	200	N	20	<200	100	N	10	15	35	--
79RK219A	100	N	700	N	20	<200	70	N	160	15	170	--
79RK219B	N	N	<10	N	50	<200	1,000	N	<5	15	140	--
79RK220A	1,000	N	150	N	<10	<200	100	N	<5	20	120	--
79RK220B	500	N	20	N	20	<200	15	N	<5	10	10	--
79RK220C	500	N	500	N	20	<200	150	N	20	25	95	--
79RK220D	<100	N	20	N	30	N	300	N	50	30	45	--
79RK220E	<100	N	<10	N	30	<200	300	N	10	25	100	--
79RK221A	500	N	20	N	N	<200	20	N	<5	15	15	--
79RK222A	700	N	50	N	N	N	20	N	<5	20	40	--
79RK223A	1,000	N	150	N	<10	<200	50	N	<5	20	80	--
79RK223B	150	N	30	N	N	N	50	N	<5	5	<5	--
79RK223C	700	N	300	N	15	N	100	N	15	25	95	--
79RK224A	150	N	100	N	30	<200	150	N	100	20	95	--
79RK224B	150	N	100	N	30	<200	150	N	55	15	90	--
79RK225A	700	N	150	N	10	<200	200	N	<5	10	55	--
79RK226A	700	N	100	N	<10	<200	150	N	<5	5	55	--
79RK226B	1,000	N	150	N	10	<200	70	N	<5	10	50	--
79RK227A	700	N	150	N	10	N	50	N	<5	10	45	--
79RK227B	500	N	500	N	20	<200	100	N	45	20	60	--
79RK227C	100	N	20	N	50	N	200	N	<5	20	55	--
79RK227D	300	N	300	N	30	<200	150	N	25	25	100	--
79RK228A	1,000	N	100	N	10	<200	150	N	<5	10	40	--
79RK229A	N	N	<10	N	30	<200	200	N	<5	15	65	--
79RK229B	N	N	<10	N	70	<200	1,000	N	<5	15	70	--
79RK230A	1,000	N	100	N	10	N	150	N	<5	10	35	--
79RK231A	N	N	10	N	50	N	150	N	<5	15	35	--
79RK231B	500	N	300	N	30	<200	200	N	20	30	120	--
79RK232A	150	N	30	N	50	N	700	N	5	20	50	--
79RK232B	1,000	N	500	N	30	<200	200	N	55	20	75	--
79RK233A	700	N	300	N	30	<200	300	N	5	10	60	--
79RK233B	700	N	70	N	<10	N	200	N	10	10	35	--

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	RK-TYPE	S-FEY	S-MGZ	S-CAZ	S-TIZ	S-MN	S-AG	S-AS	S-AU	S-B
79RK234A	CDN615	56 25 38	131 44 45	QD	5.00	2.00	1.50	.300	1,000	N	N	N	<10
79RK235A	CDN547	56 28 45	131 39 23	GDF	5.00	2.00	2.00	.500	1,000	N	N	N	<10
79RK235A	CDN570	56 28 45	131 38 23	GDD	1.00	.10	.70	.070	500	N	N	N	N
79RK236A	CDN593	56 33 32	131 39 49	HF	2.00	.70	.50	.200	500	N	N	N	N
79RK237A	CDN516	56 33 58	131 40 24	GR	3.00	.05	.07	.150	1,000	N	N	N	<10
79RK237B	CDN435	56 33 58	131 40 24	RHD	1.00	.30	.20	.200	300	N	N	N	N
79RK237C	CDN458	56 33 58	131 40 24	BAD	10.00	3.00	3.00	1.000	1,000	N	N	N	<10
79RK238A	CDN472	56 36 47	131 36 41	GS	10.00	3.00	.70	1.000	1,000	N	N	N	<10
79RK238B	CDN495	56 36 47	131 36 41	GS	15.00	5.00	1.00	>1.000	1,500	N	N	N	<10
79RK239A	CDN517	56 33 34	131 36 57	HF	10.00	1.50	1.50	1.000	1,500	N	N	N	<10
79RK239B	CDN451	56 33 34	131 36 57	GR	.70	.05	.10	.070	70	1.5	N	N	N
79RK240A	CDN473	56 33 17	131 31 0	GD	2.00	.50	1.00	.200	500	N	N	N	N
79RK241A	CDN496	56 28 54	131 21 50	QZ	2.00	.50	.15	.200	300	N	N	N	N
79RK241B	CDN518	56 28 54	131 21 50	SCR	3.00	1.50	.70	.300	1,500	N	N	N	<10
79RK242A	CDN452	56 29 43	131 18 12	SCB	2.00	1.00	.70	.200	1,500	N	N	N	<10
79RK243A	CDN645	56 46 24	131 57 27	GD	1.50	.50	1.00	.150	500	N	N	N	N
79RK244A	CDN668	56 46 14	131 57 25	QDF	3.00	1.50	2.00	.200	1,000	N	N	N	<10
79RK245A	CDN689	56 45 45	131 59 25	GD	1.50	.70	2.00	.300	1,000	N	N	N	N
79RK246A	CDN707	56 42 39	131 53 40	GDF	2.00	1.00	1.50	.200	1,000	N	N	N	N
79RK247A	CDN646	56 42 2	131 54 47	SC	5.00	7.00	3.00	1.000	1,000	N	N	N	<10
79RK248A	CDN647	56 43 1	131 58 49	DIG	5.00	3.00	2.00	.300	1,000	N	N	N	<10
79RK248B	CDN669	56 43 1	131 58 49	GDM	2.00	1.00	1.00	.150	500	N	N	N	<10
79RK249A	CDN690	56 38 9	131 53 4	QDL	5.00	2.00	2.00	.700	1,000	N	N	N	<10
79RK250A	CDN637	56 37 18	131 52 27	GDF	.50	.15	2.00	.050	150	N	N	N	30
79RK251A	CDN683	56 35 34	131 54 8	QDF	5.00	3.00	2.00	.300	1,000	N	N	N	10
79RK251B	CDN706	56 35 34	131 54 8	GDD	.70	.10	.70	.100	700	N	N	N	N
79RK252A	CEA024	56 12 21	131 36 38	AMG	7.00	5.00	5.00	.500	1,500	N	N	N	<10
79RK252B	CDY999	56 38 9	131 53 4	SCQ	1.00	.20	1.50	.050	150	<.5	N	N	30
79RK253A	CEA045	56 12 20	131 36 41	GDF	2.00	1.00	1.50	.150	700	N	N	N	<10
79RK254A	CEA046	56 12 7	131 38 5	SCB	5.00	3.00	2.00	.500	1,000	N	N	N	10
79RK254B	CDY976	56 12 7	131 38 5	PGD	3.00	2.00	1.50	.500	500	N	N	N	30
79RK255A	CDY988	56 26 7	131 24 21	GDF	1.50	.50	1.00	.150	500	N	N	N	15
79RK256A	CEA035	56 25 17	131 25 22	GDF	.70	.50	1.50	.100	700	N	N	N	N
79RK257A	CEA012	56 22 47	131 26 14	GDF	1.00	.30	1.50	.150	500	N	N	N	10
79RK258A	CEA059	56 22 37	131 25 29	GDF	1.00	.50	2.00	.100	700	N	N	N	10
79RK259A	CDY989	56 22 23	131 20 32	GDF	1.00	.50	1.50	.100	700	<.5	N	N	15
79RK260A	CEA036	56 24 45	131 17 46	GDF	1.00	.50	1.50	.150	700	N	N	N	N
79RK261A	CEA013	56 20 25	131 20 2	GDF	3.00	2.00	2.00	.300	1,000	N	N	N	<10
79RK262A	CEA060	56 17 42	131 22 33	GDF	5.00	3.00	2.00	.700	1,500	N	N	N	<10
79RK262B	CDY990	56 17 42	131 22 33	GDF	3.00	2.00	2.00	.500	1,000	N	N	N	<10
79RK263A	CEA037	56 17 29	131 25 45	GDF	1.50	2.00	.70	.150	500	N	N	N	<10
79RK264A	CEA014	56 15 43	131 27 44	GF	7.00	5.00	5.00	.500	1,000	N	N	N	<10
79RK264B	CEA061	56 15 43	131 27 44	GDF	.70	.30	2.00	.100	100	N	N	N	10
79RK265A	CEA136	56 1 12	131 33 29	QDF	5.00	3.00	5.00	.500	1,000	.5	N	N	10
79RK266A	CEA192	56 1 48	131 37 1	QD	5.00	2.00	3.00	.300	1,000	N	N	N	<10

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-FA	S-RE	S-PI	S-CD	S-CD	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-P3	S-SB	S-SC	S-SN
79RK234A	1,500	1.0	N	N	20	10	5	20	N	N	5	10	N	20	N
79RK235A	2,000	1.0	N	N	15	<10	15	30	N	N	<5	15	N	20	N
79RK235B	2,000	1.0	N	N	N	<10	<5	30	N	<20	5	50	N	N	N
79RK236A	1,000	1.0	N	N	10	<10	50	N	N	N	7	N	N	15	N
79RK237A	30	5.0	N	N	N	<10	<5	100	N	70	<5	10	N	5	15
79RK237B	500	3.0	N	N	7	<10	<5	50	N	20	5	10	N	10	N
79RK237C	1,000	1.0	N	N	50	30	20	20	N	20	30	<10	N	70	N
79RK238A	300	1.5	N	N	30	10	30	50	N	20	10	<10	N	30	N
79RK238B	700	1.0	N	N	50	30	50	30	N	20	30	<10	N	50	N
79RK239A	1,500	5.0	N	N	20	10	15	70	N	30	5	15	N	30	30
79RK239B	700	5.0	N	N	5	<10	15	70	N	<20	<5	15	N	<5	N
79RK240A	3,000	1.5	N	N	7	<10	<5	50	N	<20	5	15	N	10	N
79RK241A	3,000	1.0	N	N	10	<10	20	N	7	N	20	N	N	10	N
79RK241B	3,000	<1.0	N	N	20	<10	30	N	N	N	10	N	N	30	N
79RK242A	1,000	1.0	N	N	10	<10	7	<20	N	N	7	<10	N	20	N
79RK243A	3,000	2.0	N	N	5	<10	<5	30	N	N	<5	70	N	7	N
79RK244A	1,500	1.5	N	N	15	10	7	<20	N	N	<5	20	N	15	N
79RK245A	5,000	2.0	N	N	7	<10	<5	30	N	<20	<5	50	N	7	N
79RK246A	2,000	1.5	N	N	7	<10	15	30	7	N	<5	20	N	10	N
79RK247A	200	1.5	N	N	50	300	30	30	N	<20	100	15	N	15	N
79RK248A	3,000	1.0	N	N	20	30	15	50	N	<20	15	30	N	15	N
79RK248B	5,000	1.5	N	N	10	20	7	30	N	N	15	30	N	5	N
79RK249A	2,000	1.0	N	N	20	10	7	30	N	<20	7	15	N	15	N
79RK250A	>5,000	1.0	N	N	<5	<10	<5	N	N	N	5	50	N	N	N
79RK251A	1,500	1.5	N	N	20	15	10	30	N	N	5	20	N	15	N
79RK251B	2,000	1.0	N	N	<5	<10	<5	100	N	N	<5	70	N	5	N
79RK252A	500	1.0	N	N	20	70	50	30	N	N	15	30	N	30	N
79RK252B	5,000	<1.0	N	N	<5	<10	500	<20	N	N	5	70	N	N	N
79RK253A	3,000	1.5	N	N	7	20	N	30	N	N	5	30	N	7	N
79RK254A	1,000	1.0	N	N	15	150	70	20	N	N	30	15	N	15	N
79RK254B	1,500	<1.0	N	N	15	70	20	30	N	N	30	20	N	7	N
79RK255A	>5,000	1.0	N	N	<5	<10	5	70	N	N	<5	70	N	<5	N
79RK256A	5,000	1.5	N	N	<5	<10	<5	<20	N	N	<5	50	N	<5	N
79RK257A	5,000	1.0	N	N	<5	<10	7	N	N	N	<5	30	N	<5	N
79RK258A	>5,000	1.5	N	N	<5	<10	<5	30	N	N	<5	50	N	5	N
79RK259A	3,000	1.0	N	N	<5	<10	50	30	N	N	<5	50	N	5	N
79RK260A	5,000	1.5	N	N	5	<10	N	30	N	N	<5	50	N	<5	N
79RK261A	2,000	1.5	N	N	10	<10	10	30	N	N	<5	30	N	7	N
79RK262A	1,500	3.0	N	N	20	50	7	50	N	20	50	20	N	20	N
79RK262B	5,000	1.0	N	N	15	10	<5	50	N	<20	7	20	N	15	N
79RK263A	2,000	1.0	N	N	5	<10	5	70	N	<20	<5	30	N	5	N
79RK264A	1,500	1.0	N	N	30	150	50	50	N	<20	50	15	N	20	N
79RK264B	>5,000	1.0	N	N	5	<10	<5	N	N	N	<5	50	N	<5	N
79RK265A	1,500	<1.0	N	N	10	50	<5	30	N	N	<5	20	N	20	N
79RK266A	1,000	1.5	N	N	10	20	5	30	N	N	5	20	N	15	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPL	S-SR	S-TH	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-H5
79RK234A	700	N	200	N	20	N	70	N	10	10	55	--
79RK235A	1,500	N	200	N	20	<200	200	N	15	15	75	--
79RK235H	300	N	20	N	10	N	100	N	N	5	20	--
79RK236A	150	N	100	N	20	N	100	N	45	10	45	--
79RK237A	N	N	N	N	100	200	1,000	N	<5	15	75	--
79RK237A	100	N	70	N	50	N	200	N	10	30	80	--
79RK237C	500	N	500	N	30	<200	150	N	15	20	75	--
79RK238A	200	N	200	N	50	<200	300	<.05	30	30	100	--
79RK238B	200	N	700	N	50	<200	300	N	30	30	100	--
79RK239A	300	N	300	N	70	<200	300	N	10	25	60	--
79RK239B	<100	N	20	N	20	N	150	N	5	15	20	--
79RK240A	700	N	100	N	15	N	70	N	<5	10	45	--
79RK241A	<100	N	50	N	10	<200	100	N	20	10	60	--
79RK241B	200	N	200	N	20	<200	100	N	55	20	70	--
79RK242A	150	N	150	N	20	N	100	N	10	10	50	--
79RK243A	1,000	N	50	N	10	N	100	N	<5	10	40	--
79RK244A	700	N	150	N	15	N	300	N	15	5	30	--
79RK245A	1,000	N	70	N	20	N	100	N	<5	10	45	--
79RK246A	700	N	100	N	50	N	100	N	15	10	40	--
79RK247A	1,000	N	200	N	20	N	150	N	15	15	25	--
79RK248A	1,500	N	200	N	30	<200	150	N	15	10	30	--
79RK248B	1,000	N	70	N	<10	N	200	N	15	10	45	--
79RK249A	1,000	N	200	N	20	<200	30	N	5	10	40	--
79RK250A	2,000	N	15	N	N	N	20	N	<5	5	10	--
79RK251A	1,000	N	150	N	20	N	150	N	15	15	50	--
79RK251H	300	N	<10	N	30	N	30	N	<5	10	30	--
79RK252A	500	N	200	N	20	<200	30	N	35	5	40	--
79RK252B	1,500	N	20	N	N	N	50	N	85	15	<5	--
79RK253A	1,000	N	70	N	15	N	100	N	<5	<5	30	--
79RK254A	300	N	200	N	20	<200	150	N	60	10	110	--
79RK254B	1,000	N	200	N	10	N	30	N	15	10	80	--
79RK255A	700	N	30	N	10	N	200	N	5	5	35	--
79RK256A	1,500	N	30	N	10	N	50	N	<5	<5	25	--
79RK257A	1,000	N	50	N	N	N	100	N	10	<5	35	--
79RK258A	1,000	N	30	N	10	N	100	N	<5	<5	20	--
79RK259A	1,500	N	50	N	10	N	150	N	<5	<5	25	--
79RK260A	1,500	N	50	N	10	N	70	N	<5	5	20	--
79RK261A	700	N	150	N	15	N	100	N	15	10	75	--
79RK262A	500	N	150	N	30	<200	30	N	5	5	50	--
79RK262B	1,000	N	200	N	30	N	70	N	5	5	10	--
79RK263A	300	N	20	N	30	N	150	N	5	<5	25	--
79RK264A	500	N	200	N	30	N	50	N	30	5	35	--
79RK264B	1,500	N	20	N	N	N	200	N	<5	<5	10	--
79RK265A	700	N	150	N	50	<200	50	N	<5	5	65	--
79RK265A	700	N	150	N	20	N	50	N	5	10	95	--

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	LAG NO.	LATITUDE	LONGITUDE	RK-TYPE	S-FEZ	S-MGZ	S-CAZ	S-TIZ	S-MN	S-AG	S-AS	S-AJ	S-B
79RK267A	CEA114	56 3 21	131 38 59	QDF	5.00	2.00	2.00	.300	1,000	N	N	N	<10
79RK267B	CEA117	56 3 23	131 38 59	PGD	.50	.10	.70	.020	500	N	N	N	20
79RK268A	CEA093	56 3 14	131 40 54	GDF	2.70	1.00	2.00	.300	700	N	N	N	<10
79RK268B	CEA115	56 3 14	131 40 54	BAD	7.00	5.00	3.00	1.000	1,000	N	N	N	<10
79RK269A	CEA134	56 1 21	131 42 23	GDF	2.70	1.00	2.00	.200	500	N	N	N	<10
79RK271A	CEA074	56 1 27	131 42 11	GD	3.00	1.50	2.00	.300	500	N	N	N	<10
79RK270B	CEA116	56 1 27	131 42 11	BAU	5.00	5.00	5.00	1.000	1,000	N	N	N	<10
79RK271A	CEA139	56 2 23	131 42 35	GD	2.00	.70	2.00	.150	500	N	N	N	20
79RK272A	CEA071	56 9 31	131 42 34	QDF	5.00	5.00	3.00	.500	1,000	N	N	N	<10
79RK273A	CEA095	56 10 5	131 41 19	SCB	5.00	3.00	2.00	.500	1,000	N	N	N	<10
79RK273B	CEA117	56 10 5	131 41 19	PGD	1.00	.50	2.00	.200	300	<.5	N	N	15
79RK274A	CEA140	56 10 5	131 38 0	AMG	7.00	7.00	5.00	.300	1,000	N	N	N	<10
79RK274B	CEA072	56 10 5	131 38 0	GDL	2.00	1.50	2.00	.150	1,000	N	N	N	<10
79RK274C	CEA096	56 10 5	131 38 0	GDL	3.00	2.00	1.50	.500	1,000	N	N	N	<10
79RK274D	CEA118	56 10 5	131 38 0	GB	5.00	10.00	10.00	.300	1,000	N	N	N	<10
79RK275A	CEA141	56 8 51	131 34 8	AMG	10.00	5.00	3.00	.500	1,500	N	N	N	<10
79RK275B	CEA073	56 8 51	131 34 8	PGD	.70	.50	2.00	.100	150	<.5	N	N	<10
79RK275C	CEA097	56 8 51	131 34 8	PX	7.00	7.00	5.00	1.000	1,500	N	N	N	<10
79RK275D	CEA119	56 8 51	131 34 8	GDF	.50	.20	2.00	.100	150	N	N	N	20
79RK276A	CEA077	56 12 3	131 38 49	GQ	3.00	1.00	2.00	.200	1,000	N	N	N	<10
79RK277A	CEA101	56 12 21	131 40 6	QDF	7.00	3.00	5.00	.500	1,500	N	N	N	<10
79RK278A	CEA123	56 12 57	131 41 25	AM	10.00	7.00	5.00	.700	1,000	N	N	N	<10
79RK278B	CEA146	56 12 57	131 41 25	SC	10.00	7.00	3.00	.500	1,500	N	N	N	<10
79RK282C	CEC429	56 24 53	131 42 30	AM	15.00	7.00	5.00	1.000	1,500	<.5	N	N	<10
79RK283A	CEC407	56 24 54	131 42 18	QDF	10.00	5.00	5.00	.700	1,000	<.5	N	N	<10
79RK283B	CEC454	56 24 54	131 42 18	APD	.30	.03	.70	.020	100	N	N	N	10
79RK286A	CEC430	56 25 36	131 41 11	QDF	5.00	3.00	3.00	.500	1,000	N	N	N	<10
79RK286B	CEC408	56 25 36	131 41 11	GDF	1.00	.50	1.50	.100	300	N	N	N	10
79RK286C	CEC455	56 25 36	131 41 11	QMD	.50	.10	.50	.050	300	N	N	N	10
79RK287A	CEC431	56 33 17	131 52 20	QDF	1.50	.50	1.50	.150	300	N	N	N	<10
79RK289A	CEC432	56 29 31	131 59 6	QDF	7.00	3.00	3.00	.500	1,000	N	N	N	10
79RK288B	CEC409	56 29 31	131 59 6	DAD	15.00	5.00	3.00	1.000	1,000	N	N	N	10
79RK289A	CEC396	56 30 4	131 51 28	QDF	7.00	5.00	3.00	.700	1,000	N	N	N	<10
79RK290A	CEC392	56 10 10	131 48 5	GDF	2.00	.70	3.00	.300	500	<.5	N	N	15
79RK291A	CEC415	56 10 54	131 49 41	GDF	3.00	1.00	3.00	.200	700	<.5	N	N	<10
79RK291B	CEC437	56 10 54	131 49 41	PGD	.30	.10	1.50	.070	150	N	N	N	20
79RK292A	CEC461	56 14 19	131 52 41	QDF	3.00	1.00	2.00	.300	700	N	N	N	10
79RK293A	CEC393	56 25 17	131 48 37	GQ	1.50	1.00	1.50	.200	300	<.5	N	N	20
79RK294A	CEC416	56 23 4	131 44 29	SCB	10.00	5.00	2.00	1.000	1,000	N	N	N	<10
79RK295A	CEC438	56 19 40	131 43 0	GDF	10.00	3.00	2.00	.500	1,500	N	N	N	<10
79RK296A	CEC462	56 18 27	131 42 22	GQ	10.00	3.00	1.50	.500	700	<.5	N	N	15
79RK297A	CFC417	56 17 51	131 42 40	QDF	10.00	7.00	3.00	.700	1,000	<.5	N	N	<10
79RK298A	CEC439	56 16 30	131 42 50	QDF	10.00	5.00	3.00	1.000	1,000	N	N	N	10
79RK299A	CEC452	56 17 4	131 43 20	QDF	5.00	3.00	3.00	.700	1,000	N	N	N	<10
79RK300A	CEC440	56 17 41	131 43 38	GDF	3.00	1.00	2.00	.300	500	N	N	N	<10

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-RA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PB	S-SB	S-SC	S-SN
79RK267A	1,000	2.0	N	N	10	20	7	30	N	N	5	20	N	15	N
79RK267B	700	3.0	N	N	<5	<10	<5	N	N	N	<5	50	N	5	N
79RK268A	2,000	1.5	N	N	7	15	<5	20	N	N	<5	20	N	10	N
79RK268B	300	<1.0	N	N	30	50	50	50	N	<20	20	15	N	20	N
79RK269A	1,500	1.5	N	N	7	10	5	20	N	N	<5	20	N	7	N
79RK270A	2,000	1.0	N	N	7	15	<5	<20	N	N	5	20	N	7	N
79RK270B	500	<1.0	N	N	30	300	70	30	7	N	70	10	N	30	N
79RK271A	2,000	1.5	N	N	7	<10	<5	30	N	N	<5	20	N	7	N
79RK272A	700	1.0	N	N	20	70	20	30	N	N	15	15	N	20	N
79RK273A	1,000	1.0	N	N	15	70	20	30	N	N	30	30	N	20	N
79RK273B	300	1.5	N	N	7	20	5	N	N	N	10	20	N	7	N
79RK274A	150	<1.0	N	N	50	700	50	<20	N	N	100	<10	N	50	N
79RK274B	150	1.0	N	N	7	30	10	20	N	N	7	15	N	15	N
79RK274C	1,000	<1.0	N	N	5	70	50	30	7	N	7	20	N	20	N
79RK274D	300	<1.0	N	N	50	3,000	<5	N	N	N	200	10	N	50	N
79RK275A	1,000	<1.0	N	N	30	20	20	30	N	N	10	20	N	50	N
79RK275B	1,500	1.0	N	N	5	<10	<5	N	N	N	5	10	N	<5	N
79RK275C	1,000	<1.0	N	N	30	20	<5	<20	N	N	15	10	N	50	N
79RK275D	300	1.5	N	N	<5	<10	<5	N	N	N	5	20	N	<5	N
79RK276A	1,000	2.0	N	N	10	10	7	50	N	N	5	30	N	7	N
79RK277A	1,500	1.5	N	N	15	20	<5	50	N	N	5	20	N	20	N
79RK278A	200	<1.0	N	N	50	100	5	N	N	N	15	<10	N	50	N
79RK278B	700	<1.0	N	N	50	50	50	30	N	<20	30	10	N	50	N
79RK282C	700	<1.0	N	N	70	50	70	N	N	N	20	10	N	70	N
79RK283A	2,000	1.0	N	N	20	15	20	50	N	<20	5	20	N	20	N
79RK283B	1,000	2.0	N	N	N	<10	5	N	N	N	<5	70	N	<5	N
79RK286A	1,500	1.0	N	N	15	20	10	30	N	<20	7	20	N	15	N
79RK286B	>5,000	1.0	N	N	<5	<10	<5	20	N	N	<5	50	N	<5	N
79RK286C	1,000	2.0	N	N	N	<10	<5	30	N	<20	<5	100	N	5	N
79RK287A	3,000	1.0	N	N	5	<10	N	30	N	N	5	50	N	<5	N
79RK288A	2,000	1.5	N	N	20	30	<5	30	N	<20	10	30	N	15	N
79RK288B	300	<1.0	N	N	50	50	100	20	N	N	20	10	N	50	N
79RK289A	3,000	1.0	N	N	20	20	20	50	N	<20	5	15	N	20	N
79RK290A	3,000	2.0	N	N	5	<10	N	50	N	N	<5	30	N	<5	N
79RK291A	3,000	1.5	N	N	5	10	7	20	N	N	5	30	N	7	N
79RK291B	1,000	2.0	N	N	N	<10	N	N	N	N	<5	50	N	10	N
79RK292A	2,000	1.5	N	N	5	15	<5	50	N	N	5	20	N	10	N
79RK293A	3,000	1.5	N	N	7	70	30	20	20	N	15	15	N	7	N
79RK294A	3,000	2.0	N	N	20	200	50	150	N	20	70	30	N	20	N
79RK295A	5,000	<1.0	N	N	30	150	N	50	7	<20	150	70	N	30	N
79RK296A	1,500	1.0	N	N	7	100	70	50	N	<20	10	50	N	20	N
79RK297A	2,000	1.0	N	N	30	200	20	30	N	N	50	30	N	20	N
79RK298A	3,000	1.0	N	N	30	20	30	50	N	<20	10	20	N	20	N
79RK299A	1,500	1.0	N	N	20	20	20	50	N	N	10	20	N	15	N
79RK300A	5,000	1.5	N	N	10	15	<5	70	N	N	5	30	N	7	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-SR	S-TH	S-V	S-W	S-Y	S-ZN	S-ZR	AA-U-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-MG
79RK267A	1,000	N	100	N	20	N	70	V	10	10	75	--
79RK267A	200	N	N	N	10	N	30	N	<5	<5	10	--
79RK268A	700	N	100	N	10	N	100	N	<5	<5	70	--
79RK268B	1,000	N	200	N	30	N	100	N	50	15	45	--
79RK269A	1,000	N	70	N	15	N	100	N	5	<5	50	--
79RK270A	1,000	N	100	N	10	N	50	V	<5	5	110	--
79RK270B	700	V	300	<50	30	N	70	N	85	10	50	--
79RK271A	1,000	N	70	N	10	N	150	N	<5	<5	50	--
79RK272A	1,000	N	200	N	20	N	20	N	20	5	40	--
79RK273A	700	N	200	N	30	N	100	N	30	10	120	--
79RK273B	1,000	V	70	V	<10	N	100	N	10	5	40	--
79RK274A	500	N	300	N	15	N	20	N	25	<5	5	--
79RK274B	200	N	100	N	50	N	100	N	15	<5	25	--
79RK274C	200	N	500	N	50	300	50	N	40	<5	55	--
79RK274D	100	N	300	V	20	N	15	N	5	5	<5	--
79RK275A	700	N	500	N	20	N	20	N	20	5	50	--
79RK275B	1,000	N	50	N	N	N	30	V	5	5	25	--
79RK275C	300	N	1,000	N	15	200	N	N	5	10	70	--
79RK275D	1,000	N	15	N	N	N	20	N	5	5	10	--
79RK276A	1,000	N	100	N	30	N	30	N	10	5	35	--
79RK277A	700	N	200	N	20	<200	100	N	<5	<5	60	--
79RK278A	300	N	500	N	30	N	10	N	10	5	20	--
79RK278B	200	N	700	N	30	<200	50	V	70	<5	25	--
79RK282C	500	N	700	N	30	<200	N	N	50	10	35	--
79RK283A	1,000	N	200	N	30	<200	70	N	15	10	45	--
79RK283B	150	N	10	V	10	N	50	N	10	10	10	--
79RK286A	1,500	V	150	N	30	N	30	N	10	5	40	--
79RK286B	1,500	N	30	N	N	N	100	N	<5	10	20	--
79RK286C	150	N	15	N	50	N	70	N	<5	20	10	--
79RK287A	700	N	30	N	N	N	30	N	N	5	25	--
79RK288A	1,000	N	200	N	20	N	100	N	<5	15	50	--
79RK288B	500	N	700	N	30	N	70	N	120	15	85	--
79RK289A	1,000	N	300	N	30	<200	100	N	15	10	75	--
79RK290A	1,500	N	30	N	N	<200	150	V	<5	5	90	--
79RK291A	1,000	N	70	N	10	N	100	N	<5	10	65	--
79RK291B	1,000	N	N	N	N	N	N	N	<5	5	5	--
79RK292A	1,000	N	100	N	20	N	200	N	<5	15	70	--
79RK293A	500	V	200	N	10	N	100	N	30	5	30	--
79RK294A	1,000	V	200	N	30	<200	200	N	45	20	65	--
79RK295A	700	N	500	N	20	<200	500	N	<5	10	50	--
79RK296A	500	N	200	N	30	N	200	N	60	20	80	--
79RK297A	1,000	N	300	N	20	N	<10	N	15	15	30	--
79RK298A	1,000	N	300	V	30	<200	200	N	15	10	35	--
79RK299A	1,000	N	200	N	30	N	50	N	20	15	35	--
79RK300A	1,000	N	100	N	10	N	200	N	<5	10	40	--

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	RK-TYPE	S-FEZ	S-MGZ	S-CAZ	S-TIX	S-MN	S-AG	S-AS	S-AU	S-B
79RK301A	CFC394	56 18 1	131 44 15	QNN	2.00	1.00	2.00	.200	700	N	N	N	<10
79RK302A	CFC418	56 19 24	131 46 2	QDF	10.00	5.00	3.00	.700	1,000	N	N	N	10
79RK302B	CEC441	56 19 24	131 46 2	QDG	10.00	7.00	5.00	.200	1,000	N	N	N	10
79RK302C	CEC463	56 19 24	131 46 2	GDF	2.00	1.00	2.00	.150	500	N	N	N	<10
79RK303A	CEC395	56 19 27	131 24 55	QDN	.70	.50	1.00	.100	300	N	N	N	<10
79RK307A	CEC419	56 0 1	131 15 49	SCB	7.00	5.00	2.00	.500	1,000	N	N	N	10
79RK308A	CEC442	56 0 2	131 15 44	GRD	5.00	3.00	15.00	.100	3,000	N	N	N	70
79RK308C	CEC464	56 0 2	131 15 44	GRD	1.50	1.00	3.00	.100	700	N	N	N	10
79RK308D	CEC396	56 0 2	131 15 44	SK	7.00	3.00	20.00	.300	5,000	1.0	N	N	<10
79RK309A	CEC420	56 0 2	131 15 29	QDF	5.00	5.00	5.00	.500	700	N	N	N	10
79RK312A	CEC465	56 0 41	131 12 41	QDG	7.00	3.00	5.00	.200	700	.5	N	N	10
79RK315B	CEC443	56 3 18	131 7 45	LAD	5.00	5.00	3.00	1.000	1,000	N	N	N	10
79RK316A	CEC088	56 0 47	131 18 8	AM	10.00	5.00	5.00	.300	1,000	N	N	N	<10
79RK317A	CEC089	56 0 27	131 21 21	QDF	7.00	3.00	3.00	.200	700	<.5	N	N	70
79RK318A	CEC137	56 2 56	131 23 0	SCB	5.00	1.50	1.50	.700	1,500	N	N	N	<10
79RK319C	CEC105	56 4 0	133 43 59	AM	15.00	7.00	5.00	.500	2,000	N	N	N	<10
79RK320A	CEC104	56 2 30	133 41 57	GD	1.50	.50	1.00	.150	300	N	N	N	20
79RK321A	CEC103	56 10 28	130 28 48	GD	5.00	1.50	2.00	.500	700	N	N	N	<10
79RK327A	CEC136	56 5 30	131 11 30	QDF	5.00	3.00	3.00	.500	700	N	N	N	<10
79RK349A	CDM653	56 7 5	131 15 41	GD	10.00	2.00	5.00	1.000	1,500	N	N	N	N
79RK889A	CEC453	56 34 8	131 36 42	DI	10.00	7.00	5.00	1.000	1,000	N	N	N	<10
79RK907A	CEC384	56 34 8	131 46 38	RHD	1.50	.02	.20	.070	500	<.5	N	N	<10
79RK907B	CEC406	56 34 8	131 46 38	GDD	.50	.10	1.00	.070	150	N	N	N	10
79RS306A	CDM980	56 3 53	131 28 11	QDN	10.00	3.00	2.00	1.000	1,000	N	N	N	<10
79RS307A	CDN026	56 2 55	131 27 49	QDF	15.00	5.00	3.00	.700	1,500	N	N	N	<10
79RS308A	CDN003	56 1 48	131 25 21	DIN	15.00	5.00	7.00	>1.000	1,500	N	N	N	<10
79RS309B	CDM048	56 2 11	131 25 59	IG	3.00	1.50	1.00	.500	200	N	N	N	N
79RS310A	CDM981	56 2 15	131 26 13	GD	15.00	1.50	2.00	.700	700	N	N	N	<10
79RS310B	CDM027	56 2 15	131 26 13	QDL	15.00	5.00	5.00	1.000	1,500	N	N	N	<10
79RS311A	CDN004	56 2 18	131 26 27	QDG	5.00	1.00	1.50	.200	1,000	N	N	N	N
79RS312A	CDN389	56 10 40	131 36 37	QDF	10.00	1.50	1.50	.500	3,000	<.5	N	N	<10
79RS312C	CDN367	56 10 40	131 36 37	SCB	10.00	3.00	1.50	.300	1,500	.5	N	N	<10
79RS313A	CDN365	56 10 37	131 36 32	QDL	3.00	1.00	1.00	.200	500	N	N	N	10
79RS314A	CDN328	56 9 28	131 37 59	QDF	10.00	2.00	2.00	.500	1,000	<.5	N	N	10
79RS316A	CDM238	56 2 58	131 58 23	QDF	10.00	2.00	3.00	.500	1,000	N	N	N	10
79RS317A	CDN262	56 0 1	131 57 13	QDF	5.00	1.50	2.00	.300	700	<.5	N	N	20
79PS318A	CDM284	56 0 13	131 59 36	GDF	7.00	1.50	2.00	.700	700	N	N	N	<10
79RS322A	CDM073	56 0 23	131 59 4	GD	7.00	2.00	3.00	1.000	2,000	N	N	N	N
79RS323A	CDM139	56 1 23	131 58 53	SCB	15.00	5.00	.70	>1.000	1,500	N	N	N	<10
79RS325N	CDN710	56 24 3	131 25 4	SK	10.00	.50	5.00	.150	1,500	7.0	N	N	N
79RS325O	CDM709	56 24 3	131 25 4	SK	>20.00	.15	.50	.030	500	7.0	N	N	10
79PS325T	CDN708	56 24 3	131 25 4	SK	20.00	1.50	10.00	.100	3,000	5.0	N	N	15
79RS325X	CDM711	56 24 3	131 25 4	DI	5.00	2.00	3.00	.200	500	3.0	N	N	10
79RS325Y	CDM712	56 24 3	131 25 4	DI	5.00	2.00	2.00	.200	700	3.0	N	N	10
79RS325Z	CDM713	56 24 3	131 25 4	SK	>20.00	.05	.15	<.002	500	1.5	N	N	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-RA	S-HE	S-BI	S-CO	S-CO	S-CR	S-CU	S-LA	S-MO	S-M3	S-NI	S-P3	S-S3	S-SC	S-SM
79RK311A	5,000	3.0	N	N	7	10	<5	70	N	N	<5	50	N	7	N
79RK312A	2,000	1.0	N	N	30	30	20	30	N	N	10	10	N	20	N
79RK312B	200	1.0	N	N	50	200	N	N	N	N	50	10	N	50	N
79RK312C	300	1.0	N	N	7	50	5	N	N	N	7	10	N	15	N
79RK313A	>5,000	1.5	N	N	5	<10	<5	70	N	N	<5	30	N	<5	N
79RK317A	2,000	1.5	N	N	15	100	50	50	N	<20	15	20	N	20	N
79RK318A	2,000	2.0	N	N	15	100	30	30	N	N	30	15	N	15	N
79RK318B	2,000	2.0	N	N	15	100	30	30	N	N	30	15	N	15	N
79RK318C	2,000	2.0	N	N	10	<10	<5	30	N	N	10	30	N	5	N
79RK318D	70	1.5	N	N	20	100	10	50	N	N	30	100	N	15	N
79RK319A	2,000	2.0	N	N	15	30	7	30	N	N	10	20	N	20	N
79RK319B	2,000	2.0	N	N	15	20	200	30	10	N	5	50	N	15	N
79RK319C	150	<1.0	N	N	50	300	200	<20	N	N	100	10	N	20	N
79RK319D	>5,000	2.0	N	N	5	<10	<5	70	N	<20	<5	70	N	7	N
79RK321A	3,000	1.5	N	N	10	30	30	100	N	<20	7	30	N	10	N
79RK327A	2,000	1.5	N	N	20	20	10	50	N	N	7	30	N	20	N
79RK349A	200	<1.0	N	N	10	30	70	N	N	<20	20	N	N	15	N
79RK389A	500	1.5	N	N	50	150	15	30	N	20	30	20	N	30	10
79RK907A	100	20.0	N	N	<5	<10	7	100	N	100	<5	50	N	N	20
79RK907B	5,000	1.5	N	N	<5	<10	N	N	N	<20	<5	70	N	<5	N
79RS306A	700	<1.0	N	N	10	50	7	N	N	N	7	20	N	30	N
79RS307A	500	<1.0	N	N	10	70	5	20	N	N	7	10	N	30	N
79RS308A	300	<1.0	N	N	50	150	70	N	N	N	50	10	N	30	N
79RS309B	500	1.0	N	N	5	15	5	30	N	<20	5	10	N	<5	N
79RS310A	700	1.5	N	N	10	20	N	30	N	N	15	20	N	10	N
79RS310B	200	1.5	N	N	20	100	5	20	N	N	50	10	N	30	N
79RS311A	1,500	1.0	N	N	5	10	5	30	N	N	5	50	N	<5	N
79RS312A	1,500	1.0	N	N	20	10	15	50	N	N	5	10	N	20	N
79RS312C	2,000	1.0	N	N	30	100	200	N	15	N	50	10	N	70	N
79RS313A	1,000	2.0	N	N	7	20	<5	N	N	N	5	10	N	20	N
79RS314A	2,000	1.0	N	N	20	70	7	<20	N	<20	7	15	N	30	N
79RS316A	1,500	1.0	N	N	15	30	7	150	N	N	7	15	N	50	N
79RS317A	700	1.5	N	N	15	20	7	100	N	N	7	10	N	30	N
79RS318A	1,000	1.0	N	N	15	20	<5	N	N	N	5	20	N	15	N
79RS322A	700	<1.0	N	N	5	10	N	20	N	N	5	30	N	15	N
79RS323A	1,000	1.0	N	N	50	500	150	20	N	N	500	10	N	20	N
79RS325N	30	2.0	N	N	70	15	7,000	50	<5	<20	20	20	N	10	N
79RS325O	300	N	N	N	150	<10	10,000	N	N	N	70	15	N	<5	N
79RS325T	200	<1.0	N	N	100	10	5,000	20	N	N	50	15	N	15	N
79RS325X	700	2.0	N	N	10	70	500	20	100	N	100	10	N	10	N
79RS325Y	2,000	1.5	N	N	10	70	500	20	150	N	150	30	N	10	N
79RS325Z	<20	<1.0	N	N	50	<10	300	N	N	N	10	15	N	<5	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-SR	S-TH	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
79RK301A	1,000	N	70	N	15	N	100	N	<5	10	40	--
79RK302A	1,000	N	300	N	30	N	30	N	15	15	40	--
79RK302H	300	N	500	N	15	N	<10	N	N	<5	10	--
79RK302C	150	N	100	N	50	N	150	N	10	15	10	--
79RK303A	700	N	20	N	N	N	70	N	N	<5	15	--
79RK307A	700	N	200	N	20	N	100	N	30	15	75	--
79RK309B	300	N	150	N	30	N	70	N	20	20	1,030	--
79RK308C	1,500	N	70	N	10	N	20	N	15	20	35	--
79RK308D	200	V	150	V	50	N	100	N	10	110	420	--
79RK309A	1,500	N	200	N	20	N	10	N	5	20	40	--
79RK312A	1,500	N	300	N	20	N	100	N	260	15	35	--
79RK315H	1,000	N	200	N	20	N	300	N	40	10	85	--
79RK316A	700	N	500	N	30	N	30	N	5	10	15	--
79RK317A	700	N	300	N	30	N	30	N	10	10	50	--
79RK318A	500	V	200	N	30	N	150	N	20	10	60	--
79RK319C	<100	N	300	N	30	N	20	N	140	15	10	--
79RK320A	700	N	50	N	20	N	300	N	<5	10	30	--
79RK321A	1,500	N	150	N	30	N	300	N	30	10	45	--
79RK327A	1,000	N	200	N	20	N	50	N	10	10	40	--
79RK849A	100	N	200	N	30	N	70	N	55	<5	20	--
79RK389A	700	N	300	N	30	N	200	N	20	20	50	--
79RK907A	<100	N	N	N	150	N	700	N	20	35	130	--
79RK907B	1,000	N	10	N	10	N	100	N	<5	15	15	--
79RS306A	1,000	N	300	N	30	N	100	N	10	10	85	--
79RS307A	1,000	N	500	N	30	N	70	N	5	10	60	--
79RS308A	1,500	N	500	N	30	N	70	N	45	5	20	--
79RS309H	1,000	V	50	N	10	N	300	N	5	10	60	--
79RS310A	1,000	N	200	N	20	N	50	N	N	5	30	--
79RS310B	700	N	700	N	30	N	70	N	10	5	10	--
79RS311A	1,000	N	20	N	50	N	100	N	10	10	30	--
79RS312A	700	N	150	N	70	N	200	N	30	15	120	--
79RS312C	500	N	700	N	50	N	100	N	100	10	250	--
79RS313A	300	N	70	N	20	N	70	N	<5	10	75	--
79RS314A	700	N	200	N	30	N	300	N	5	10	65	--
79RS316A	700	N	300	N	30	N	100	N	5	10	65	--
79RS317A	700	V	200	N	30	N	150	N	<5	10	70	--
79RS319A	700	V	150	N	20	N	150	N	<5	10	95	--
79RS322A	700	N	70	N	<10	N	100	N	N	10	95	--
79RS323A	150	N	1,000	N	20	N	150	N	70	20	100	--
79RS325H	300	N	200	N	30	N	20	N	8,000	15	120	--
79RS325O	N	N	300	N	N	N	N	N	14,000	20	360	--
79RS325T	500	N	200	N	15	N	20	N	4,000	20	95	--
79RS325X	200	N	300	N	50	N	100	N	340	15	200	--
79RS325Y	1,000	N	500	N	30	N	100	N	300	35	760	--
79RS325Z	11	N	15	N	N	N	<10	N	280	10	25	--

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	LAT. N.D.	LATITUDE	LONGITUDE	RK-TYPE	S-FEX	S-MGX	S-CAX	S-TIX	S-MN	S-AG	S-AS	S-AU	S-B
79RS335A	CDN533	56 43 24	131 54 21	SCQ	10.00	3.00	5.00	1.000	3,000	N	N	N	10
79RS336A	CDN556	56 43 5	131 54 8	AM	10.00	5.00	5.00	.700	1,000	<.5	N	N	<10
79RS336C	CDN677	56 43 5	131 54 8	SK	10.00	5.00	10.00	.500	5,000	N	N	N	<10
79RS336E	CDN700	56 43 5	131 54 8	OD	5.00	2.00	2.00	.500	1,000	N	N	N	20
79RS338A	CEA023	56 12 24	131 37 19	SCB	3.00	.50	1.50	.150	500	.5	N	N	10
79RS339A	CDY998	56 12 10	131 37 47	BG	10.00	5.00	3.00	.500	1,500	N	N	N	<10
79SK601A	CDN311	56 1 43	131 59 0	OD	10.00	5.00	7.00	.500	1,000	N	N	N	10
79SK601B	CDN299	56 1 43	131 59 0	AF	10.00	5.00	5.00	.700	1,000	N	N	N	10
79SK602A	CDN268	56 2 11	131 59 23	QDF	7.00	2.00	2.00	.500	1,000	.5	N	N	<10
79SK603A	CDN244	56 2 52	131 59 42	OD	10.00	7.00	7.00	.300	1,000	.5	N	N	<10
79SK603B	CDN312	56 2 52	131 59 42	HF	10.00	3.00	5.00	1.000	1,000	<.5	N	N	<10
79SK604A	CDN290	56 3 25	132 0 0	GB	15.00	7.00	5.00	.300	1,500	<.5	N	N	N
79SK607A	CDN324	56 34 23	131 42 50	RHD	3.00	.10	.10	.070	200	<.5	N	N	N
79SK610B	CDN327	56 34 28	131 42 22	RHD	3.00	.07	<.05	.070	500	<.5	N	N	N
79SK611A	CDN325	56 34 5	131 41 49	GR	2.00	.07	.07	.100	200	<.5	N	N	N
79SK612A	CDN094	56 30 8	131 46 24	GN	2.00	.70	2.00	.700	1,000	3.0	N	N	N
79SK612B	CDN117	56 30 3	131 46 24	GR	.50	.05	.50	.070	300	N	N	N	N
79SK613A	CDN074	56 32 57	131 47 9	GR	2.00	.70	2.00	.500	1,000	N	N	N	N
79SK613B	CDN095	56 32 57	131 47 9	GN	15.00	3.00	3.00	1.000	3,000	N	N	N	N
79SK614A	CDN140	56 33 44	131 47 5	GR	2.00	.70	1.50	.500	1,000	N	N	N	N
79SK614B	CDN118	56 33 44	131 47 5	GN	7.00	3.00	5.00	1.000	2,000	N	N	N	<10
79SK615A	CDN096	56 34 52	131 47 18	GD	2.00	1.00	1.50	.500	500	<.5	N	N	N
79SK616A	CDN525	56 34 33	131 49 58	GD	2.00	.10	.70	.070	200	N	N	N	N
79SK616B	CDN548	56 34 33	131 49 38	GN	5.00	1.50	3.00	.700	700	<.5	N	N	<10
79SK617A	CDN571	56 34 29	131 38 58	GR	1.00	.03	<.05	.050	300	N	N	N	N
79SK618A	CDN594	56 34 55	131 39 41	GR	1.00	.02	<.05	.050	150	N	N	N	N
79SK619A	CDN572	56 26 59	131 50 20	GN	2.00	1.00	.20	.300	500	N	N	N	<10
79SK620A	CDN526	56 35 8	131 32 32	MR	N	<.02	<.05	<.002	10	N	N	N	N
79SK620B	CDN549	56 35 8	131 32 32	AR	3.00	1.00	.50	.500	1,000	1.0	N	N	10
79SK621A	CDN577	56 32 53	131 36 18	GR	2.00	.07	.05	.100	300	N	N	N	N
79SK622A	CDN573	56 30 23	131 41 55	GR	1.50	.03	<.05	.070	300	N	N	N	N
79SK624A	CDN606	56 33 21	131 44 4	RDM	1.00	.50	.50	.150	500	N	N	N	N
79SK625A	CDN538	56 33 27	131 44 13	DI	5.00	3.00	3.00	.500	1,000	1.0	N	N	<10
79SK625B	CDN561	56 33 27	131 44 13	GDL	2.00	1.00	1.50	.700	700	N	N	N	N
79SK626A	CDN584	56 29 31	131 43 31	GDL	3.00	1.00	1.50	.300	700	N	N	N	<10
79SK627A	CDN607	56 26 51	131 30 32	QDL	3.00	1.50	1.50	.200	700	N	N	N	<10
79SK629A	CDN445	56 32 26	131 48 15	GDF	2.00	1.50	1.50	.300	1,000	N	N	N	<10
79SK630A	CDN511	56 32 0	131 48 57	GD	1.00	.30	.70	.100	200	N	N	N	N
79SK630B	CDN499	56 32 0	131 48 57	PG	2.00	.70	.70	.200	500	N	N	N	N
79SK630C	CDN468	56 32 0	131 48 57	AM	5.00	3.00	3.00	.500	1,000	N	N	N	<10
79SK631A	CDN446	56 31 49	131 49 52	GN	3.00	1.00	.70	.500	500	N	N	N	<10
79SK631B	CDN512	56 31 49	131 49 52	QM	.70	.20	.20	.100	100	N	N	N	N
79SK632A	CDN490	56 31 40	131 50 30	GD	1.50	.30	.30	.070	200	N	N	N	<10
79SK634A	CDN449	56 36 30	131 38 22	AR	5.00	2.00	1.50	.300	1,000	N	N	N	<10
79SK635A	CDN447	56 36 3	131 36 23	TU	1.50	.10	.50	.150	1,000	N	N	N	<10

Table 5.---Analytical data for rock geochemical samples---Continued

SAMPLE	S-HA	S-BE	S-BI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-P3	S-S3	S-SC	S-SM
79RS335A	700	<1.0	N	N	30	30	100	20	N	N	15	10	N	30	N
79RS336A	300	<1.0	N	N	30	10	150	<20	N	N	15	10	N	20	N
79RS336C	20	<1.0	N	N	30	50	70	20	N	N	20	10	N	20	15
79RS336E	2,000	<1.0	N	N	15	<10	7	30	N	N	<5	20	N	15	N
79RS338A	2,000	1.5	N	N	7	30	20	30	N	<20	10	50	N	5	N
79RS339A	700	<1.0	N	V	50	100	30	30	N	N	50	20	N	30	N
79SK601A	700	1.0	N	N	30	300	10	50	N	N	50	15	N	70	N
79SK601B	200	<1.0	N	N	50	500	30	N	N	N	70	10	N	50	N
79SK602A	2,000	1.0	N	N	20	50	5	N	N	N	10	10	M	30	N
79SK603A	300	<1.0	N	N	100	500	50	<20	N	N	100	10	N	50	N
79SK603B	500	1.0	N	N	30	150	15	30	N	<20	30	15	N	50	N
79SK604A	200	N	N	N	100	300	30	N	N	N	200	10	N	30	N
79SK607A	300	7.0	N	N	N	10	10	100	N	50	5	20	N	5	15
79SK610B	100	20.0	N	N	N	10	5	50	5	100	5	70	V	N	20
79SK611A	100	5.0	N	N	N	<10	<5	100	10	50	5	20	N	<5	20
79SK612A	2,000	<1.0	N	N	<5	<10	<5	20	N	N	<5	15	N	N	M
79SK612B	N	1.0	N	N	N	N	N	N	N	<20	5	70	N	<5	N
79SK613A	3,000	1.0	N	V	<5	<10	<5	N	N	N	5	30	N	5	N
79SK613B	1,000	<1.0	N	N	15	15	7	N	N	N	5	20	N	20	N
79SK614A	2,000	1.0	N	N	<5	<10	<5	N	N	N	5	30	N	<5	N
79SK614B	1,500	<1.0	N	N	10	20	<5	N	N	N	10	30	N	15	N
79SK615A	2,000	1.0	N	N	5	<10	<5	<20	N	N	5	30	N	5	M
79SK616A	2,000	1.5	N	N	<5	<10	<5	N	N	N	<5	15	N	N	N
79SK616B	2,000	1.0	N	N	20	10	7	20	N	N	<5	10	M	10	N
79SK617A	100	10.0	N	N	N	<10	<5	100	N	30	<5	15	N	<5	<10
79SK618A	100	3.0	N	N	<5	<10	<5	50	15	30	<5	30	N	<5	20
79SK619A	700	3.0	N	N	20	50	N	<20	N	<20	30	10	N	15	N
79SK620A	N	N	N	N	N	N	<5	N	N	N	5	N	N	N	M
79SK620B	3,000	1.0	N	N	20	20	100	20	<5	N	30	<10	N	30	N
79SK621A	150	3.0	N	N	N	<10	<5	100	N	30	<5	20	N	N	N
79SK622A	100	7.0	N	N	N	<10	<5	70	N	50	<5	15	N	5	10
79SK624A	5,000	1.5	N	N	10	10	30	N	N	N	30	15	N	15	N
79SK625A	3,000	1.5	N	V	30	100	100	<20	N	N	30	15	N	50	N
79SK625B	>5,000	1.0	N	N	10	<10	20	20	N	N	5	20	N	10	N
79SK626A	3,000	1.0	N	N	15	<10	5	20	N	N	5	15	N	15	N
79SK627A	3,000	<1.0	N	N	20	<10	<5	20	N	N	5	10	N	15	N
79SK629A	3,000	1.5	N	N	15	10	<5	50	N	N	7	10	N	20	N
79SK630A	>5,000	1.0	N	N	5	<10	15	N	N	N	5	15	N	10	N
79SK630B	5,000	1.0	N	N	10	10	20	70	N	N	5	15	N	10	N
79SK630C	700	1.0	N	V	30	200	N	20	N	<20	100	15	N	30	N
79SK631A	3,000	1.0	N	N	15	<10	30	30	N	N	5	10	N	10	N
79SK631B	>5,000	1.0	N	N	<5	<10	<5	50	N	N	5	10	N	5	N
79SK632A	>5,000	<1.0	N	N	5	<10	10	N	N	N	5	10	N	5	N
79SK634A	3,000	1.0	N	V	20	<10	5	70	N	N	5	15	N	15	N
79SK635A	>5,000	1.0	N	N	N	<10	<5	50	N	N	<5	<10	N	7	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-SR	S-TH	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
79RS335A	200	N	500	N	50	<200	70	N	110	5	20	--
79RS336R	700	N	300	N	15	<200	10	N	130	20	10	--
79RS336C	200	N	200	N	30	N	20	N	95	15	25	--
79RS336E	1,000	N	200	N	30	N	150	N	10	10	20	--
79RS338A	700	N	100	N	<10	N	200	N	25	10	50	--
79RS339A	500	N	500	N	20	N	20	N	35	10	30	--
79SK611A	700	N	300	N	20	<200	100	N	10	10	25	--
79SK601U	300	N	300	N	30	<200	100	N	25	10	20	--
79SK602A	700	N	300	N	30	<200	100	N	5	10	60	--
79SK603A	700	N	700	N	15	<200	50	N	35	20	40	--
79SK603D	500	N	300	N	30	<200	150	N	15	15	45	--
79SK604A	500	N	300	N	<10	<200	30	N	25	20	45	--
79SK607A	<100	N	<10	N	50	<200	500	N	<5	15	35	--
79SK610B	<100	N	<10	N	200	300	1,000	N	<5	55	160	--
79SK611A	N	N	<10	N	70	<200	200	N	<5	15	35	--
79SK612A	1,500	N	30	N	<10	N	200	N	N	5	60	--
79SK612R	N	N	N	N	<10	N	50	N	<5	15	20	--
79SK613A	3,000	N	30	N	<10	N	100	N	5	<5	20	--
79SK613B	1,000	N	200	N	20	<200	70	N	5	10	35	--
79SK614A	2,000	N	50	N	N	N	100	N	<5	10	35	--
79SK614B	1,500	N	200	N	10	<200	70	N	<5	5	5	--
79SK615A	1,500	N	30	N	10	N	100	N	<5	10	25	--
79SK616A	1,000	N	50	N	N	N	100	N	N	5	25	--
79SK616B	1,000	N	200	N	10	<200	150	N	10	10	75	--
79SK617A	N	N	N	N	50	N	200	N	N	20	55	--
79SK618A	N	N	N	N	50	N	300	N	5	20	65	--
79SK619A	100	N	100	N	10	N	300	N	N	10	50	--
79SK620A	N	N	N	N	N	N	N	N	N	<5	<5	--
79SK620B	150	N	200	N	30	<200	200	N	120	25	55	--
79SK621A	N	N	<10	N	50	N	150	N	N	15	40	--
79SK622A	N	N	N	N	50	N	300	N	N	15	55	--
79SK624A	300	N	70	N	20	N	200	N	60	15	70	--
79SK625A	700	N	500	N	20	<200	200	N	120	15	55	--
79SK625B	2,000	N	150	N	20	<200	150	N	20	10	40	--
79SK626A	1,000	N	200	N	10	<200	200	N	<5	10	65	--
79SK627A	700	N	200	N	10	<200	50	N	<5	10	65	--
79SK629A	1,000	N	200	N	20	<200	150	N	<5	5	20	--
79SK630A	1,000	N	70	N	15	N	100	N	20	15	25	--
79SK630B	700	N	150	N	20	N	300	N	10	10	30	--
79SK630C	700	N	300	N	20	<200	70	N	<5	10	50	--
79SK631A	700	N	150	N	15	<200	150	N	30	10	65	--
79SK631B	500	N	50	N	N	N	200	N	10	15	20	--
79SK632A	1,000	N	50	N	N	N	150	N	15	5	15	--
79SK634A	500	N	300	N	30	<200	200	N	<5	20	110	--
79SK635A	500	N	150	N	15	N	200	N	<5	5	35	--

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	RK-TYPE	S-FEZ	S-MGZ	S-CAZ	S-TIZ	S-MN	S-AG	S-AS	S-AU	S-B
79SK636A	CDN513	56 34 13	131 34 26	AM	15.00	3.00	2.00	.700	1,000	N	N	N	<10
79SK637A	CDN491	56 34 35	131 32 14	HF	5.00	2.00	.50	.500	3,000	2.0	N	N	<10
79SK638A	CDN524	56 34 27	131 29 5	HF	3.00	1.00	1.00	1.000	300	N	N	N	100
79SK638B	CDN448	56 34 27	131 29 5	HF	.70	.07	<.05	.100	50	N	N	N	30
79SK638C	CDN514	56 34 27	131 29 5	AR	.20	.07	<.05	.030	15	2.0	N	N	N
79SK639A	CDN492	56 30 41	131 20 39	GF	2.00	.70	.50	.300	700	<.5	N	N	200
79SK640A	CDN470	56 29 44	131 20 12	HF	.70	.15	.15	-.070	200	N	N	N	50
79SK642A	CDN685	56 46 50	131 56 15	GD	1.50	.70	2.00	.150	700	N	N	N	N
79SK646A	CDN664	56 46 35	131 53 21	SIB	5.00	2.00	1.00	.300	500	<.5	N	N	10
79SK647A	CDN641	56 45 12	131 54 0	GD	2.00	.70	2.00	.300	700	N	N	N	<10
79SK647B	CDN619	56 45 12	131 54 0	QDF	7.00	3.00	3.00	.700	1,000	N	N	N	10
79SK648A	CDN685	56 41 34	131 54 10	SCB	5.00	2.00	1.00	.500	1,000	N	N	N	10
79SK649A	CDN665	56 39 48	131 59 8	GN	5.00	3.00	2.00	.700	1,000	<.5	N	N	10
79SK650A	CDN642	56 37 55	131 59 38	QD	7.00	5.00	3.00	.500	1,000	N	N	N	10
79SK651A	CDN620	56 36 8	131 59 42	QDF	5.00	5.00	3.00	.500	1,500	N	N	N	10
79SK652A	CEA020	56 21 51	131 58 42	SCB	10.00	7.00	2.00	.700	1,500	N	N	N	<10
79SK653A	CDY996	56 22 30	131 59 29	SCB	5.00	1.50	3.00	.300	1,000	<.5	N	N	<10
79SK654A	CEA043	56 21 53	131 59 39	QDF	5.00	1.00	3.00	.700	500	1.0	N	N	<10
79SK654B	CDY974	56 21 53	131 59 39	SCB	5.00	3.00	3.00	.200	1,000	.5	N	N	<10
79SK655B	CEA021	56 21 34	131 59 43	SCB	10.00	5.00	7.00	.150	1,000	<.5	N	N	10
79SK657A	CEA052	56 26 8	131 23 21	GD	.70	5.00	1.50	.200	1,000	N	N	N	<10
79SK658A	CDY932	56 26 25	131 27 3	GO	1.50	.50	1.50	.300	500	N	N	N	<10
79SK658B	CEA029	56 26 25	131 27 3	AM	5.00	3.00	5.00	1.000	1,500	N	N	N	<10
79SK658C	CEA006	56 26 25	131 27 3	PG	.70	.20	1.00	.100	300	N	N	N	10
79SK659A	CEA053	56 23 34	131 25 18	GN	2.00	.70	2.00	.300	700	N	N	N	<10
79SK659B	CDY933	56 23 36	131 25 18	SCB	5.00	2.00	2.00	.300	1,000	N	N	N	<10
79SK660A	CEA030	56 21 42	131 29 52	GN	2.00	2.00	3.00	.300	1,000	N	N	N	<10
79SK660B	CEA007	56 21 42	131 29 52	GN	1.00	.30	.70	.100	300	N	N	N	10
79SK661A	CEA054	56 22 8	131 23 35	GN	3.00	1.00	3.00	.200	1,000	N	N	N	<10
79SK661B	CDY984	56 22 8	131 23 35	PG	.30	.03	.30	.030	200	N	N	N	15
79SK662A	CEA031	56 24 6	131 16 58	GD	1.50	.30	2.00	.100	1,000	N	N	N	<10
79SK662B	CEA008	56 24 5	131 16 58	RH	10.00	7.00	7.00	.200	1,000	1.0	N	N	<10
79SK662C	CEA055	56 24 5	131 16 58	PG	.70	.15	1.00	.050	300	N	N	N	10
79SK663A	CDY985	56 21 41	131 18 12	GD	1.00	.30	1.00	.100	700	N	N	N	10
79SK664A	CEA032	56 19 52	131 22 57	SCB	1.00	.50	.70	.150	200	<.5	N	N	<10
79SK665A	CEA009	56 19 1	131 22 17	GN	1.50	1.00	1.50	.150	700	N	N	N	N
79SK666A	CEA056	56 15 53	131 24 53	SCB	5.00	5.00	5.00	.700	1,000	N	N	N	<10
79SK666B	CDY946	56 15 53	131 24 53	PG	.50	.10	.50	.100	300	10.0	N	N	10
79SK667A	CEA033	56 15 47	131 12 52	QDF	5.00	5.00	3.00	.700	1,000	N	N	N	10
79SK668A	CEA010	56 15 37	131 17 58	PG	10.00	7.00	3.00	.700	1,000	N	N	N	<10
79SK669A	CEA057	56 8 15	131 15 29	GN	3.00	1.00	3.00	.500	1,000	N	N	N	<10
79SK674A	CEA06P	56 7 45	131 12 45	QDF	5.00	3.00	2.00	.300	1,000	N	N	N	<10
79SK676A	CEA142	56 12 54	131 42 38	SCB	7.00	5.00	1.50	.500	2,000	N	N	N	10
79SK676B	CEA074	56 12 53	131 42 38	SCB	3.00	1.50	1.00	.500	1,500	N	N	N	10
79SK676C	CEA122	56 12 54	131 42 38	SCB	1.50	.70	2.00	.300	500	2.0	N	N	30

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-BA	S-DE	S-HI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PB	S-SB	S-SC	S-SM
79SK672A	700	<1.0	N	N	70	50	15	20	N	N	30	10	M	70	N
79SK637A	1,500	1.5	N	N	20	30	150	N	N	N	15	20	V	20	N
79SK638A	>5,000	1.5	N	N	20	100	15	70	N	20	30	15	M	50	N
79SK638H	3,000	1.0	N	N	5	<10	20	N	N	N	7	<10	M	15	N
79SK638C	500	<1.0	N	N	N	<10	10	N	30	N	5	N	N	N	N
79SK639A	1,000	1.5	N	N	20	20	30	N	5	N	50	<10	M	20	N
79SK640A	>5,000	1.5	N	N	5	<10	20	N	N	N	10	N	M	10	N
79SK642A	2,000	2.0	N	N	7	<10	<5	50	N	N	<5	50	N	7	N
79SK646A	1,000	1.5	N	N	10	50	50	30	5	N	15	15	M	15	N
79SK647A	2,000	2.0	N	N	7	10	<5	100	N	<20	5	30	M	10	N
79SK647B	2,000	<1.0	N	N	15	<10	70	100	N	N	<5	20	M	20	N
79SK648A	2,000	1.0	N	N	30	30	15	20	N	N	20	20	M	30	N
79SK649A	2,000	1.0	N	N	30	10	50	50	N	<20	20	20	M	15	N
79SK650A	1,500	1.5	N	N	20	15	15	30	N	N	7	20	M	15	N
79SK651A	1,500	<1.0	N	N	20	20	10	50	N	N	7	20	M	30	N
79SK652A	1,500	<1.0	N	N	50	50	20	50	N	N	30	30	M	20	N
79SK653A	2,000	2.0	N	N	15	15	200	50	N	<20	7	70	M	10	N
79SK654A	1,000	3.0	N	N	10	10	300	30	20	<20	7	70	M	10	N
79SK654B	300	1.0	N	N	30	70	150	50	N	N	50	15	M	20	N
79SK655B	700	<1.0	N	N	30	150	150	20	N	N	70	10	M	50	N
79SK657A	>5,000	1.5	N	N	<5	<10	N	N	N	N	<5	50	N	<5	N
79SK658A	2,000	1.5	N	N	7	<10	5	30	N	N	<5	30	N	5	N
79SK658B	1,000	1.0	N	N	15	<10	15	50	N	N	<5	15	N	15	N
79SK658C	3,000	1.0	N	N	<5	<10	<5	30	N	N	<5	30	N	<5	N
79SK659A	>5,000	2.0	N	N	7	<10	<5	70	N	N	<5	30	N	5	N
79SK659B	2,000	1.0	N	N	15	10	10	50	N	N	5	20	M	15	N
79SK660A	700	3.0	N	N	15	50	<5	30	N	<20	20	20	M	15	N
79SK660B	3,000	1.0	N	N	5	<10	<5	100	N	N	7	30	M	<5	N
79SK661A	700	2.0	N	N	10	<10	10	20	N	N	<5	15	N	10	N
79SK661B	300	3.0	N	N	N	<10	<5	N	N	30	<5	70	M	<5	N
79SK662A	5,000	2.0	N	N	<5	<10	10	20	N	N	<5	50	M	5	N
79SK662B	200	<1.0	N	N	50	1,000	1,000	20	5	N	200	10	M	30	N
79SK662C	1,000	3.0	N	N	5	<10	<5	N	N	N	<5	50	M	<5	N
79SK663A	2,000	2.0	N	N	<5	<10	N	50	N	<20	<5	50	M	<5	N
79SK664A	1,500	<1.0	N	N	7	30	150	20	70	N	50	N	M	7	N
79SK665A	>5,000	<1.0	N	N	7	15	15	50	N	N	7	30	M	5	N
79SK666A	2,000	1.0	N	N	30	<10	50	100	N	<20	<5	15	M	15	N
79SK666B	3,000	1.0	N	N	<5	<10	<5	30	N	N	<5	50	M	<5	N
79SK667A	1,500	1.0	N	N	20	20	N	100	N	N	7	20	M	15	N
79SK668A	2,000	<1.0	N	N	50	70	<5	20	N	N	50	10	M	30	N
79SK669A	1,500	1.5	N	N	7	<10	N	50	N	<20	<5	15	M	10	N
79SK674A	1,500	1.5	N	N	15	20	5	30	N	N	5	20	M	15	N
79SK676A	1,500	1.0	N	N	30	200	100	50	N	N	100	20	M	30	N
79SK676B	2,000	1.5	N	N	15	20	50	30	7	N	20	20	M	20	N
79SK676C	5,000	2.0	N	N	15	30	50	30	15	N	50	15	M	15	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLF	S-SR	S-TH	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
79SK636A	300	N	700	N	50	<200	70	N	15	20	35	--
79SK637A	300	N	500	N	30	<200	150	N	110	35	110	--
79SK638A	500	N	700	N	70	<200	500	N	15	20	70	--
79SK639A	N	N	50	N	10	N	100	N	25	10	5	--
79SK639C	N	N	200	N	N	N	50	N	20	15	25	--
79SK639A	150	N	200	N	20	<200	150	N	30	15	55	--
79SK640A	150	N	50	N	15	N	70	N	40	5	25	--
79SK642A	1,000	N	100	N	10	N	50	N	<5	10	40	--
79SK646A	500	N	150	N	15	N	100	N	55	15	85	--
79SK647A	700	N	100	N	30	N	200	N	5	10	35	--
79SK647B	1,500	N	300	N	30	N	100	N	35	10	60	--
79SK648A	700	N	200	N	30	N	100	N	10	15	65	--
79SK649A	1,500	N	200	N	20	N	10	N	40	10	65	--
79SK650A	1,000	N	200	N	20	<200	20	N	10	10	65	--
79SK651A	1,500	N	200	N	30	N	30	N	10	10	45	--
79SK652A	500	N	300	N	30	N	50	N	20	15	70	--
79SK653A	500	N	150	N	30	<200	100	N	150	15	80	--
79SK654A	700	N	50	N	20	N	200	N	330	15	70	--
79SK654B	300	N	300	N	20	<200	50	N	210	5	25	--
79SK655A	150	N	300	N	30	<200	20	N	170	10	15	--
79SK657A	2,000	N	30	N	10	N	200	N	<5	<5	25	--
79SK658A	700	N	50	N	10	N	100	N	5	5	75	--
79SK658B	1,000	N	150	N	30	N	200	N	10	10	60	--
79SK658C	1,000	N	20	N	N	N	150	N	<5	5	25	--
79SK659A	1,000	N	50	N	10	N	150	N	<5	5	60	--
79SK659B	1,000	N	200	N	15	N	150	N	10	5	70	--
79SK660A	700	N	100	N	30	N	20	N	<5	5	35	--
79SK660B	700	N	30	N	N	N	50	N	<5	5	30	--
79SK661A	700	N	150	N	15	N	50	N	35	5	35	--
79SK661B	100	N	N	N	30	N	50	N	<5	5	5	--
79SK662A	1,500	N	50	N	15	N	150	N	10	5	45	--
79SK662B	300	N	300	N	20	N	15	N	760	15	40	--
79SK662C	500	N	30	N	N	N	100	N	<5	5	15	--
79SK663A	500	N	10	N	<10	N	100	N	<5	5	50	--
79SK664A	150	N	200	N	20	N	50	N	110	5	55	--
79SK665A	3,000	N	100	N	10	N	30	N	30	5	40	--
79SK666A	1,500	N	200	N	50	<200	150	N	25	10	65	--
79SK666B	500	N	15	N	30	N	30	N	<5	<5	30	--
79SK666C	500	N	200	N	20	<200	50	N	<5	10	50	--
79SK667A	1,000	N	200	N	20	N	10	N	5	5	45	--
79SK668A	300	N	500	N	20	N	10	N	<5	<5	50	--
79SK669A	700	N	100	N	30	N	150	N	<5	<5	50	--
79SK674A	700	N	150	N	20	N	100	N	5	5	45	--
79SK676A	300	N	200	N	50	<200	100	N	110	10	140	--
79SK676B	700	N	200	N	30	N	100	N	50	5	60	--
79SK676C	200	N	200	N	30	N	200	N	75	10	110	--
79SK676D	200	N	200	N	50	N	200	N	5	5	5	--

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	LAR NO.	LATITUDE	LONGITUDE	RK-TYPE	S-FEX	S-MGX	S-CAX	S-TIX	S-MN	S-AG	S-AS	S-AU	S-B
79SK677A	CEA079	56 13 1	131 43 28	SCB	5.00	3.07	2.00	.500	1,000	<.5	N	N	<10
79SK677B	CEA120	56 13 1	131 43 28	MB	.15	7.07	>20.00	.020	150	N	N	N	N
79SK677C	CEA075	56 13 1	131 43 28	SCH	7.00	7.07	5.00	.200	1,000	N	N	N	<10
79SK678A	CEA143	56 13 5	131 44 19	GN	10.00	7.07	5.00	.500	1,500	N	N	N	<10
79SK678B	CEA100	56 13 5	131 44 19	SCB	10.00	7.07	5.00	1,000	1,500	N	N	N	10
79SK679A	CEA121	56 13 13	131 44 50	QDF	3.00	.20	1.50	.100	1,000	N	N	N	<10
79SK679B	CEA099	56 13 18	131 44 50	SCA	1.50	.50	1.00	.200	200	<.5	N	N	<10
79SK690A	CEA076	56 13 31	131 46 8	SC	3.00	5.07	2.00	.300	1,000	N	N	N	10
79SK690B	CEA144	56 13 31	131 46 8	SCB	7.00	3.00	2.00	.377	1,000	N	N	N	<10
79SK681A	CEA078	56 13 15	131 9 43	GD	1.50	.50	1.00	.150	500	N	N	N	<10
79SK682A	CEA102	56 13 57	131 11 35	GDF	1.50	.50	2.00	.150	500	N	N	N	10
79SK683A	CEA124	56 14 5	131 13 8	GDF	1.00	.50	1.50	.100	500	N	N	N	<10
79SK684A	CEA147	56 14 47	131 15 13	GR	1.00	.37	2.00	.100	300	N	N	N	10
79SK684B	CEA079	56 14 47	131 15 13	QM	5.00	3.07	2.00	.500	1,000	N	N	N	<10
79SK685A	CEA103	56 14 5	131 16 17	MG	1.50	.37	.50	.150	300	N	N	N	15
79SK686A	CEA125	56 13 50	131 16 15	GDF	3.00	1.50	3.00	.500	1,000	N	N	N	<10
79SK687A	CEA148	56 13 17	131 17 45	GDF	.70	.20	1.00	.150	300	N	N	N	15
79SK688A	CEA080	56 13 21	131 19 21	IG	2.00	1.07	1.00	.500	500	N	N	N	<10
79SK691A	CEA081	56 14 15	131 48 21	SC	3.00	.17	.70	.050	150	<.5	N	N	30
79SK691B	CEA104	56 14 15	131 48 21	SCB	10.00	5.00	5.00	.707	1,000	N	N	N	<10
79SK692A	CEA126	56 14 57	131 47 18	SCB	2.00	3.00	5.00	.100	1,500	N	N	N	10
79SK692B	CEA149	56 14 57	131 47 18	SCB	3.00	1.50	2.00	.200	700	N	N	N	15
79SK692C	CEA082	56 14 57	131 47 18	SC	.30	.07	1.00	.050	300	N	N	N	30
79SK693A	CDY955	56 8 42	131 12 47	GD	2.00	.70	2.00	.307	700	N	N	N	10
79SK694A	CDY888	56 9 27	131 13 31	GD	5.00	2.07	2.00	1.077	700	N	N	N	<10
79SK696A	CDY909	56 9 57	131 13 11	GR	2.00	.70	2.00	.300	500	N	N	N	<10
79SK697A	CDY932	56 9 56	131 13 12	LA	5.00	7.00	2.00	.500	700	N	N	N	10
79SK698A	CDY933	56 10 11	131 13 23	MV	5.00	1.50	7.00	.300	1,500	N	N	N	<10
79SK698B	CDY910	56 10 11	131 13 23	MV	5.00	5.07	7.00	.500	3,000	N	N	N	10
79SK698C	CDY889	56 10 11	131 13 23	GE	7.00	7.07	20.00	.070	3,000	N	N	N	<10
79SK698D	CDY956	56 10 11	131 13 23	RH	5.00	2.00	3.00	.500	2,000	2.0	N	N	<10
79SK700A	CDY957	56 9 48	131 14 17	QD	5.00	3.00	3.00	.700	500	N	N	N	<10
79SK701A	CDY890	56 9 14	131 15 13	GD	2.00	.70	2.00	.300	500	3.0	N	N	N
79SK702A	CDY918	56 25 5	131 47 10	QDF	7.00	5.07	3.00	.700	1,000	<.5	N	N	<10
79SK702B	CDY941	56 25 5	131 47 10	PG	.50	.17	.70	.070	200	N	N	N	15
79SK702C	CDY965	56 25 6	131 47 10	SCB	5.00	2.00	.70	.500	500	<.5	N	N	<10
79SK702D	CDY896	56 25 5	131 47 10	SC	10.00	3.00	5.00	.700	700	N	N	N	10
79SK703A	CDY919	56 25 9	131 47 5	AM	10.00	7.00	5.00	.500	1,000	<.5	N	N	<10
79SK704A	CDY966	56 25 27	131 46 40	GN	2.00	.50	1.50	.200	300	.5	N	N	<10
79SK705A	CDY897	56 25 57	131 46 56	QD	5.00	3.00	5.00	.500	1,000	N	N	N	<10
79SK709A	CDY898	56 26 2	131 48 31	QDF	7.00	3.00	5.00	.777	1,000	N	N	N	20
79SK710A	CDY942	56 26 4	131 48 59	QDF	5.00	3.00	2.00	.700	1,000	N	N	N	30
79SK711A	CEC375	56 25 52	131 58 54	SCB	5.00	1.50	3.00	.500	1,000	<.5	N	N	10
79SK712A	CEC398	56 24 25	131 57 12	SCB	5.00	1.50	1.50	.500	1,000	<.5	N	N	10
79SK713A	CEC421	56 23 11	131 57 54	SCB	3.00	1.57	1.50	.500	500	<.5	N	N	10

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-BA	S-BE	S-RI	S-CD	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-PA	S-S3	S-SC	S-SN
79SK677A	1,000	1.0	N	N	20	15	50	30	N	N	15	15	N	20	N
79SK677B	<20	N	N	N	N	20	<5	N	N	N	7	<10	N	N	N
79SK677C	50	<1.0	N	N	30	500	100	<20	N	N	70	<10	N	50	N
79SK678A	300	<1.0	N	N	50	100	N	<20	N	<20	50	10	N	70	N
79SK678B	2,000	1.5	N	N	70	700	N	50	N	<20	200	15	N	30	N
79SK679A	2,000	2.0	N	N	<5	<10	5	70	N	<20	<5	30	N	N	N
79SK679B	300	3.0	N	N	10	<10	500	50	N	<20	<5	<10	N	5	N
79SK680A	500	<1.0	N	N	20	50	<5	30	N	N	15	10	N	15	N
79SK680B	700	1.0	N	N	20	50	30	30	N	N	15	30	N	20	N
79SK681A	2,000	1.5	N	N	7	<10	N	20	N	N	<5	50	N	5	N
79SK682A	>5,000	1.0	N	N	5	<10	5	300	N	N	<5	50	N	7	N
79SK683A	>5,000	1.0	N	N	5	<10	10	50	N	N	<5	50	N	5	N
79SK684A	2,000	1.0	N	N	5	<10	10	30	N	N	<5	30	N	5	N
79SK684B	1,500	1.0	N	N	10	<10	20	30	N	N	5	20	N	10	N
79SK685A	>5,000	<1.0	N	N	5	<10	<5	100	N	N	<5	30	N	N	N
79SK686A	3,000	1.0	N	N	10	<10	5	30	N	<20	<5	20	N	15	N
79SK687A	5,000	1.0	N	N	N	<10	N	50	N	N	<5	50	N	<5	N
79SK688A	>5,000	1.0	N	N	10	10	50	300	N	N	10	20	N	5	N
79SK691A	1,000	1.5	N	N	5	<10	30	N	5	N	<5	<10	N	5	N
79SK691B	1,500	1.0	N	N	50	300	100	30	N	N	70	20	N	30	N
79SK692A	700	<1.0	N	N	10	70	10	30	30	V	50	10	N	10	N
79SK692B	2,000	1.5	N	N	5	20	N	30	N	N	10	30	N	7	N
79SK692C	1,500	2.0	N	N	<5	<10	<5	N	N	N	<5	30	N	<5	N
79SK693A	2,000	1.5	N	N	7	<10	<5	30	N	N	5	15	N	10	N
79SK694A	3,000	1.5	N	N	15	<10	30	50	N	N	5	30	N	20	N
79SK696A	1,000	1.0	N	N	7	<10	N	30	N	N	<5	20	N	5	N
79SK697A	1,000	<1.0	N	N	30	300	30	50	N	<20	150	<10	N	20	N
79SK698A	150	1.0	N	N	10	200	70	20	15	N	70	<10	N	15	N
79SK698B	70	1.5	N	N	20	150	30	30	N	N	50	10	N	20	N
79SK698C	150	2.0	N	N	30	150	100	<20	N	N	50	<10	N	5	20
79SK698D	>5,000	1.0	N	N	5	70	1,500	20	10	N	10	10	N	10	50
79SK700A	2,000	<1.0	N	N	20	<10	10	30	N	N	<5	20	N	15	N
79SK701A	>5,000	1.0	N	N	10	<10	<5	20	N	V	<5	30	N	<5	N
79SK702A	1,500	1.0	N	N	20	100	<5	70	N	<20	20	20	N	15	N
79SK702B	3,000	1.5	N	N	<5	<10	7	150	N	N	<5	100	N	<5	N
79SK702C	500	2.0	N	N	7	70	50	50	N	N	10	15	N	10	N
79SK702D	700	1.5	N	N	30	30	<5	30	N	<20	15	15	N	15	N
79SK703A	500	<1.0	N	N	50	70	50	20	N	N	30	10	N	20	N
79SK704A	500	2.0	N	N	5	<10	5	70	N	<20	<5	15	N	5	N
79SK705A	1,000	2.0	N	N	20	20	7	70	N	<20	5	20	N	15	N
79SK709A	1,000	1.0	N	N	30	20	30	50	N	N	10	15	N	15	N
79SK710A	1,500	1.0	N	N	20	20	5	30	N	<20	7	30	N	15	N
79SK711A	1,000	3.0	N	N	15	15	50	50	N	<20	7	15	N	10	N
79SK712A	2,000	1.5	N	N	7	50	30	30	50	<20	7	30	N	20	N
79SK713A	1,500	1.5	N	N	10	150	30	30	N	<20	20	10	N	15	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-Sr	S-TH	S-V	S-W	S-Y	S-ZN	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
79SK577A	200	N	200	N	30	N	70	N	60	5	55	--
79SK577B	300	V	15	V	20	N	<10	V	5	30	5	--
79SK577C	150	N	300	N	20	N	15	N	85	<5	5	--
79SK678A	700	N	500	N	20	<200	20	N	<5	15	85	--
79SK678B	300	N	500	N	30	<200	150	N	<5	15		--
79SK679A	1,000	N	<10	N	20	N	200	N	10	10	45	--
79SK679B	200	N	70	N	30	N	200	N	470	<5	20	--
79SK680A	300	V	200	N	15	N	50	N	<5	<5	30	--
79SK680B	500	N	200	N	10	N	30	V	25	5	100	--
79SK681A	700	N	70	N	<10	N	70	N	<5	<5	45	--
79SK682A	2,000	N	50	N	10	N	200	N	10	<5	15	--
79SK683A	3,000	N	30	N	10	N	100	N	10	<5	15	--
79SK684A	1,500	N	50	N	<10	N	100	V	15	<5	15	--
79SK684B	1,500	N	200	N	15	N	30	N	15	<5	70	--
79SK685A	1,000	N	70	N	N	N	500	N	5	<5	40	--
79SK686A	1,000	N	100	N	50	N	70	N	5	<5	15	--
79SK687A	500	N	30	N	<10	N	100	N	<5	N	15	--
79SK688A	1,000	N	100	N	10	N	300	N	35	<5	45	--
79SK691A	200	N	30	N	N	N	50	N	40	<5	10	--
79SK691B	500	N	500	N	30	N	50	N	90	<5	15	--
79SK692A	300	N	200	N	30	200	50	N	25	5	65	--
79SK692B	700	N	50	N	<10	<200	100	N	5	5	90	--
79SK692C	1,000	N	20	N	N	N	70	N	<5	<5	20	--
79SK693A	1,000	V	70	N	20	N	70	N	<5	<5	35	--
79SK694A	1,500	N	200	N	30	N	20	N	25	<5	40	--
79SK696A	1,000	N	100	N	<10	N	150	N	<5	5	50	--
79SK697A	1,000	N	200	N	15	N	100	N	50	10	55	--
79SK698A	200	N	200	N	20	500	70	N	50	5	35	--
79SK698B	1,500	N	300	N	30	2,000	70	N	25	15	1,100	--
79SK698C	300	N	100	N	10	3,000	50	N	180	<5	1,700	--
79SK598D	1,500	N	150	N	30	1,000	50	N	2,400	15	120	--
79SK700A	1,000	N	200	N	15	N	70	N	40	5	45	--
79SK701A	1,000	N	100	N	<10	N	70	N	10	10	65	--
79SK702A	1,000	N	300	N	30	<200	150	N	<5	5	50	--
79SK702B	500	N	10	N	30	N	300	N	10	<5	10	--
79SK702C	150	N	100	N	10	N	200	N	65	5	45	--
79SK702D	500	N	200	N	20	N	150	N	<5	10	65	--
79SK703A	300	N	500	N	<10	<200	<10	N	30	5	35	--
79SK704A	500	N	50	N	10	N	100	N	5	5	40	--
79SK705A	700	N	200	N	50	N	70	N	10	5	70	--
79SK709A	1,000	N	200	N	20	N	15	V	20	5	35	--
79SK710A	700	N	200	N	20	N	20	N	5	5	60	--
79SK711A	700	N	200	N	50	<200	200	N	25	15	95	--
79SK712A	500	N	200	N	70	N	150	N	25	10	45	--
79SK713A	700	N	200	N	15	N	100	N	20	15	55	--

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	LAB NO.	LATITUDE	LONGITUDE	RK-TYPE	S-FEX	S-MG%	S-CAZ	S-TIZ	S-MN	S-AG	S-AS	S-AU	S-B
79SK714A	CEC444	56 22 12	131 56 11	SCB	5.00	3.00	1.00	.700	500	N	N	N	<10
79SK715A	CFC376	56 23 51	131 54 27	SCB	10.00	3.00	2.00	.500	500	<.5	N	N	10
79SK716A	CEC399	56 22 13	131 53 51	SCB	5.00	1.50	.70	.500	3,000	N	N	N	500
79SK717A	CEC422	56 22 5	131 49 9	ODF	5.00	2.00	3.00	.500	1,000	N	N	N	10
79SK718A	CEC445	56 20 3	131 49 31	SCB	5.00	3.00	2.00	.700	1,500	N	N	N	10
79SK719A	CEC377	56 17 22	131 55 58	GD	5.00	1.00	3.00	.300	700	N	N	N	10
79SK720A	CFC400	56 14 42	131 59 38	ODF	5.00	3.00	5.00	.500	1,000	N	N	N	100
79SK721A	CEC423	56 14 3	131 58 7	ODF	5.00	3.00	3.00	.500	1,000	<.5	N	N	70
79SK722A	CEC446	56 12 30	131 56 30	ODF	5.00	3.00	3.00	.500	1,000	N	N	N	50
79SK723A	CEC378	56 14 15	131 51 38	ODF	3.00	1.00	2.00	.200	700	N	N	N	<10
79SK724A	CFC451	56 26 44	131 49 9	SC	5.00	3.00	3.00	.500	700	N	N	N	<10
79SK734B	CEC410	56 30 7	131 51 26	RH	3.00	.02	.05	.100	500	<.5	N	N	20
79SK737A	CEC456	56 29 59	131 51 22	GD	5.00	2.00	3.00	.300	1,000	<.5	N	N	<10
79SK741A	CEC387	56 26 25	131 50 0	GD	2.00	.50	1.00	.100	300	N	N	N	10
79SK743A	CEC411	56 17 14	131 38 37	SC	7.00	5.00	3.00	.700	1,000	N	N	N	<10
79SK756A	CEC457	56 14 22	131 36 38	GD	5.00	2.00	3.00	.200	700	N	N	N	10
79SK758A	CFC388	56 10 48	131 19 40	ODF	.70	.15	1.00	.100	300	N	N	N	20
79SK761A	CEC107	56 7 17	131 10 49	ODF	5.00	2.00	2.00	.700	700	N	N	N	<10
79SK761B	CEC178	56 7 17	131 10 49	ODF	1.00	.30	1.00	.150	300	N	N	N	15
79SK762A	CEC389	56 7 9	131 10 26	SK	15.00	3.00	20.00	.100	>5,000	N	N	N	<10
79SK762B	CEC458	56 7 9	131 10 26	AM	15.00	7.00	10.00	.700	2,000	N	N	N	<10
79SK763A	CEC413	56 6 43	131 10 29	GN	10.00	7.00	5.00	.500	1,500	N	N	N	<10
79SK763B	CEC434	56 6 43	131 10 29	MB	1.50	1.50	>20.00	.070	500	N	N	N	N
79SK763E	CEC459	56 6 43	131 10 29	GN	7.00	2.00	2.00	.500	700	N	N	N	10
79SK764A	CEC390	56 6 35	131 10 15	SC	3.00	2.00	.20	.700	300	2.0	N	N	15
79SK764B	CEC414	56 6 35	131 10 15	LA	10.00	7.00	5.00	1.000	1,000	N	N	N	<10
79SK765A	CEC435	56 5 15	131 9 46	OD	5.00	3.00	2.00	.700	1,000	N	N	N	<10
79SK765B	CEC460	56 5 15	131 9 46	BA	10.00	7.00	3.00	.700	1,000	N	N	N	10
79SK765C	CEC391	56 6 15	131 9 46	RH	.70	.07	<.05	.070	500	N	N	N	70
79SK766A	CEC436	56 6 17	131 11 0	OD	7.00	3.00	3.00	.700	1,000	<.5	N	N	<10
79SK767A	CEC106	56 10 50	130 34 20	HF	1.50	.50	2.00	.200	500	N	N	N	<10
79SK768A	CEC109	56 10 4	130 34 46	AM	10.00	3.00	5.00	1.000	1,000	<.5	N	N	<10
79SK768B	CEC110	56 10 4	130 34 46	RD	5.00	2.00	2.00	.700	1,000	N	N	N	<10
79SK768C	CEC111	56 10 4	130 34 46	GD	2.00	1.50	2.00	.300	500	N	N	N	<10
79SK770A	CEC112	56 9 25	130 35 7	GF	7.00	3.00	2.00	.500	1,500	N	N	N	<10
79SK770B	CEC113	56 9 25	130 35 7	GF	10.00	2.00	5.00	.200	2,000	.5	N	N	10
79SK772A	CEC114	56 8 28	130 35 37	HF	7.00	2.00	1.50	.500	1,500	N	N	N	<10
79SK772B	CEC115	56 8 28	130 35 37	GD	.50	.05	.50	.070	700	N	N	N	15
79SK772C	CFC116	56 8 28	130 35 37	RD	2.00	.70	1.00	.150	500	N	N	N	<10

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-HA	S-BE	S-BI	S-CO	S-CO	S-CR	S-CU	S-LA	S-MO	S-NB	S-NI	S-P3	S-S3	S-SC	S-SN
79SK714A	1,500	1.0	N	N	20	150	10	30	N	N	50	30	N	20	N
79SK715A	2,000	5.0	N	N	30	15	150	100	N	<20	10	70	N	15	N
79SK716A	5,000	1.5	N	N	15	100	20	30	N	<20	30	20	N	20	N
79SK717A	1,500	1.0	N	N	20	15	5	30	N	<20	7	30	N	15	N
79SK718A	1,500	1.5	N	N	20	150	50	50	N	<20	50	30	N	20	N
79SK719A	2,000	2.0	N	N	7	15	<5	50	N	N	<5	30	N	10	N
79SK720A	2,000	1.0	N	N	10	70	10	50	N	N	5	30	N	20	N
79SK721A	1,500	1.0	N	N	15	70	7	30	N	N	7	20	N	20	N
79SK722A	2,000	1.5	N	N	10	50	5	30	N	N	5	30	N	20	N
79SK723A	2,000	3.0	N	N	5	10	<5	50	N	N	<5	30	N	10	N
79SK724A	1,500	3.0	N	N	15	100	30	70	N	<20	50	20	N	15	N
79SK736B	200	20.0	N	N	N	<10	5	70	N	100	<5	150	N	N	30
79SK737A	>5,000	1.5	N	N	5	15	70	30	N	N	<5	30	N	15	N
79SK741A	5,000	1.5	N	N	5	<10	5	70	N	<20	<5	70	N	<5	N
79SK743A	2,000	1.5	N	N	15	50	50	50	N	<20	5	50	N	20	N
79SK756A	5,000	1.5	N	N	10	70	<5	30	N	N	15	30	N	15	N
79SK758A	>5,000	1.0	N	N	<5	<10	<5	20	N	N	<5	30	N	<5	N
79SK761A	2,000	2.0	N	N	10	20	10	70	N	20	15	20	N	15	<10
79SK761B	5,000	1.5	N	N	<5	<10	N	30	N	N	<5	30	N	<5	N
79SK762A	100	5.0	N	N	15	30	<5	30	>2,000	<20	30	<10	N	10	20
79SK762B	150	3.0	N	N	50	700	N	30	N	N	150	15	N	20	N
79SK763A	1,000	<1.0	N	N	50	300	30	20	N	N	50	15	N	50	N
79SK763B	300	<1.0	N	N	7	150	N	30	N	N	70	10	N	5	N
79SK763E	5,000	2.0	N	N	10	50	30	150	N	20	10	70	N	10	N
79SK764A	3,000	1.5	N	N	<5	300	50	70	70	<20	10	30	N	20	N
79SK764B	700	<1.0	N	N	50	200	30	30	N	<20	20	10	N	30	N
79SK765A	2,000	1.5	N	N	20	30	<5	30	N	<20	15	20	N	10	N
79SK765B	5,000	<1.0	N	N	30	30	30	50	N	<20	50	20	N	20	N
79SK765C	300	2.0	N	N	<5	15	N	50	N	50	<5	50	N	5	N
79SK766A	1,500	1.0	N	N	20	50	10	30	N	<20	15	30	N	20	N
79SK767A	1,500	2.0	N	N	7	10	20	50	N	<20	5	30	N	7	N
79SK768A	100	<1.0	N	N	50	100	200	20	N	<20	100	<10	N	30	N
79SK768B	5,000	3.0	N	N	15	30	15	100	N	20	10	70	N	15	N
79SK768C	3,000	2.0	N	N	7	15	<5	200	N	N	7	70	N	7	N
79SK770A	700	1.0	N	N	20	20	50	20	N	N	20	20	N	20	N
79SK770B	300	1.5	N	N	15	30	300	20	N	N	10	10	N	20	N
79SK772A	5,000	1.5	N	N	15	15	150	30	N	N	15	10	N	20	N
79SK772B	200	3.0	N	N	N	<10	<5	30	N	N	<5	100	N	5	N
79SK772C	3,000	5.0	N	N	5	<10	7	70	N	20	5	50	N	7	N

Table 5.--Analytical data for rock geochemical samples--Continued

SAMPLE	S-S4	S-TH	S-V	S-W	S-Y	S-ZV	S-ZR	AA-AU-P	AA-CU-P	AA-PB-P	AA-ZN-P	INST-HG
79SK714A	500	N	300	N	30	N	100	N	10	15	75	--
79SK715A	700	N	300	N	50	N	100	N	120	20	70	--
79SK716A	200	N	200	N	50	N	100	N	15	15	60	--
79SK717A	1,000	N	200	N	30	N	20	N	5	15	45	--
79SK718A	700	N	300	N	30	<200	100	N	25	15	100	--
79SK719A	1,000	N	100	N	20	N	150	N	10	15	55	--
79SK720A	1,000	N	300	N	20	N	15	N	10	15	55	--
79SK721A	700	N	300	N	30	<200	50	N	5	20	50	--
79SK722A	1,000	N	200	N	20	<200	30	N	5	10	50	--
79SK723A	1,000	N	70	N	15	<200	100	N	5	15	80	--
79SK724A	500	N	100	N	20	N	200	N	25	20	55	--
79SK736B	100	N	<10	N	200	300	>1,000	N	5	70	280	--
79SK737A	1,000	N	200	N	20	N	30	N	60	10	10	--
79SK741A	1,000	N	50	N	15	N	100	N	<5	5	40	--
79SK743A	300	N	150	N	70	N	200	N	25	15	30	--
79SK756A	1,000	N	150	N	15	N	100	N	<5	10	30	--
79SK758A	1,000	N	50	N	N	N	70	N	<5	5	10	--
79SK761A	500	N	150	N	70	N	70	N	10	10	40	--
79SK761B	500	N	30	N	10	N	30	N	<5	5	15	--
79SK762A	500	N	500	N	70	N	100	N	<5	10	<5	--
79SK762B	1,500	N	500	N	30	N	50	N	<5	20	5	--
79SK763A	500	N	500	N	50	N	50	N	25	10	20	--
79SK763B	5,000	N	700	N	30	200	30	N	30	25	85	--
79SK763E	500	N	100	N	100	N	500	N	25	10	35	--
79SK764A	200	N	1,000	N	20	<200	150	N	45	5	50	--
79SK764B	700	N	300	N	30	N	100	N	15	20	60	--
79SK765A	1,000	N	200	N	15	<200	20	N	15	10	70	--
79SK765B	1,000	N	300	N	30	N	150	N	30	20	50	--
79SK765C	N	N	100	N	30	N	150	N	<5	20	10	--
79SK766A	1,000	N	300	N	20	<200	50	N	5	5	35	--
79SK767A	500	N	100	N	100	N	500	N	15	10	50	--
79SK768A	300	N	500	N	30	N	70	N	180	5	<5	--
79SK768B	1,000	N	200	N	30	N	300	N	15	25	65	--
79SK768C	1,000	N	100	N	15	N	100	N	<5	10	30	--
79SK770A	300	N	200	N	20	<200	70	N	40	10	45	--
79SK770B	300	N	300	N	20	N	50	N	300	5	10	--
79SK772A	200	N	200	N	50	N	150	N	150	10	50	--
79SK772B	N	N	N	N	15	N	100	N	5	<5	15	--
79SK772C	700	N	70	N	20	N	200	N	<5	5	20	--