

UNITED STATES DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

**Analytical results of stream-sediment samples
from the Medford 1° x 2° quadrangle, Oregon-California**

Ry

Charles L. Whittington, Reinhard W. Leinz,
and Wendy S. Speckman

Open-File Report 83-349

This report is preliminary and has not been reviewed for conformity with U.S. Geological Survey editorial standards. Any use of trade names is for descriptive purposes only and does not imply endorsement by the USGS.

1983

CONTENTS

	Page
Introduction.....	1
Sampling scheme.....	1
Sample preparation and analysis.....	2
Explanation of map and tables.....	3
References.....	4

ILLUSTRATION

Plate 1.--Generalized geologic map showing sample localities of stream-sediment and oxide-residue samples, Medford 1° x 2° quadrangle, Oregon-California.....	In pocket
---	-----------

TABLES

Table 1.--Spectrographic analyses of stream-sediment samples.....	5
2.--Spectrographic and chemical analyses of oxide residues of stream-sediment samples.....	73

INTRODUCTION

This report is part of a folio of maps of the Medford 1° x 2° quadrangle, Oregon-California, prepared under the Conterminous United States Mineral Assessment Program. Other publications in this folio include Page and others (1983a, 1983b), Singer and others (1983), Smith and others (1982), and Whittington and others (1983).

The map and tables of this report present analytical and location data of 1,529 stream-sediment samples and their oxide residues (oxalic-acid leachates) from the Medford 1° x 2° quadrangle, Oregon-California. These samples were collected during a geochemical survey of the quadrangle and during mineral resource and geochemical studies of wilderness areas lying partly or entirely within the quadrangle including the Wild Rogue Wilderness (Gray and Peterson, 1982), the Kalmiopsis Wilderness, and the Sky Lakes Roadless Area and Mountain Lakes Wilderness.

D. J. Grimes was project chief for geochemical studies and performed the spectrographic analyses. Grimes and R. W. Leinz did preliminary sampling and analyses prior to 1978 and devised the analytical scheme. Leinz and C. L. Whittington devised the sampling scheme under the guidance of W. R. Miller, and Whittington and A. G. Raby laid out the detailed sampling plan. Whittington, assisted by A. G. Raby, B. C. Martinek, and W. G. Volk, began the sampling in 1978. Grimes, Leinz, and Whittington, assisted in 1979 by J. E. Gray, J. E. Reed, D. L. Brown, and S. K. McDanal, and in 1980 by D. L. Brown, completed the sampling. Leinz and Whittington prepared the oxide residues and performed the colorimetric analyses for arsenic. W. S. Speckman computer generated the data tables and the sample locality and geochemical maps.

SAMPLING SCHEME

Stream-sediment sampling in the Medford 1° x 2° quadrangle was undertaken to provide data to aid in assessment of the mineral resource potential of the quadrangle. Time and budgetary constraints dictated that the work be limited to about 1,500 sampling sites, or, on the average, approximately one site per 12 km². The quadrangle was divided into about 1,600 cells to be sampled, using selected lines of the 1,000-meter Universal Transverse Mercator grid system. Two different-sized cells were used depending on geologic favorability through-out the quadrangle for the presence of undiscovered metalliferous mineral deposits. The two-thirds of the quadrangle considered favorable was divided into cells 3 km square (9 km²). In the remaining third, considered unfavorable, the cells were 5 km square (25 km²). The unfavorable areas consist of the eastern fifth of the quadrangle that is covered by late Cenozoic volcanic rocks of the High Cascades and the northwestern part of the quadrangle where sedimentary rocks of Jurassic to Tertiary age predominate.

So far as possible, one site per cell was sampled in all bedrock areas. Cells entirely alluvial were not sampled. Preference was given to sampling flowing streams with small drainage basins (2 km² or less) lying mostly if not entirely within the cell. Where such drainages could not be found or were not accessible, dry drainage courses or larger streams were sampled. Randomization was provided by insisting that the first suitable sample site encountered in a cell was the one to be sampled. In a few areas, for various reasons, more than one sample was collected per cell. These areas include

five places where additional drainages were sampled in attempts to follow up earlier anomalous results. Where possible, the sample site was chosen in the most active part of the stream, and the finest material available was collected.

For the most part, sampling was avoided downstream from mines or prospects, trash dumps, or abandoned machinery. However, some samples were deliberately taken below known mines. The effects of the mines are readily apparent in the analytical results for map points 88, 273, and 1314, but not in those for map points 13, 36, and 1342.

Data from samples collected during wilderness surveys were included in order to fill out the sampling scheme. In cells where more than one sample had been collected, data from one of these sample sites was selected, based on an estimate of how the cell might have been sampled in nonwilderness areas. In making the selection, the local geology and the analytical results were ignored.

SAMPLE PREPARATION AND ANALYSIS

The stream-sediment samples were air dried in metal-free paper envelopes and sieved to minus-0.18 mm in stainless-steel sieves. Oxide residues were prepared from portions of the sieved sediment samples, by leaching with a solution of oxalic-acid, for the purpose of separating their iron- and manganese-oxide fractions. The effectiveness of secondary iron and manganese oxides as scavengers for hydromorphically transported trace metals, and the use of these oxides as a sample medium for mineral exploration is reported by Chao and Theobald (1976). Their analysis is demonstrated by Watts and others (1978) as providing, under proper conditions, information comparable to that obtained from panned concentrates. The leaching technique used in this study is a modification of the one proposed by Alminas and Mosier (1976). In this procedure, the sample is boiled with a solution of oxalic acid and filtered hot through a fast filter. The filtrate is evaporated to dryness, and the resulting residue is ignited for several hours at 450°C.

The sieved sediments and the oxide residues were both analyzed for 18 or more elements by a semiquantitative emission spectrographic method (Grimes and Marranzino, 1968). In this method, analytical values are reported in six steps for each order of magnitude. These are 10, 7, 5, 3, 2, 1.5, 1, 0.7, 0.5, 0.3, 0.2, 0.15, and so forth. The precision of the method has been shown to be within one step 83 percent of the time and within two steps 96 percent of the time (Motooka and Grimes, 1976). The lower limits of determination of the spectrographic method for the elements included in this report are as follows:

<u>Element</u>	<u>Lower limit of determination</u>
Fe.....	0.05%
Ag.....	0.5 ppm
As.....	200
B.....	20
Ba.....	20
Be.....	5
Cd.....	20
Co.....	5
Cr.....	50
Cu.....	5
La.....	20
Mn.....	10
Mo.....	5
Nb.....	20
Ni.....	5
Pb.....	20
Sb.....	100
Sn.....	10
V.....	10
W.....	50
Y.....	10
Zn.....	200

Gold, bismuth, and thorium were looked for in all samples but were not detected. Therefore, these elements are omitted from the tables. The lower limits of determination are: Au, 10 ppm; Bi, 10 ppm; Th, 100 ppm.

Arsenic was determined colorimetrically on the oxide residues using a modification of the confined-spot procedure described by Ward and others (1963, p. 40-44). The lower determination limit is 10 ppm.

EXPLANATION OF MAP AND TABLES

A Honeywell 60/68 computer with Multics operating system, located at the U.S. Geological Survey Computer Center in Denver, Colorado, was used to merge and manipulate the geochemical data sets for sediment and residue samples. The combined data set for sieved stream sediments (table 1) contains multielement analyses and locations of 1,529 samples. Table 2 contains similar data for the 1,529 oxide residues that were prepared from the sieved sediments. Plate 1 and the geochemical distribution and abundance plots for sediments and for residues in the Medford quadrangle folio were produced on a Calcomp flat-bed plotter from these two data sets.

In both tables 1 and 2, the first column lists the original field numbers of the samples. The next two columns list the X- and Y-coordinates (Universal Transverse Mercator easting and northing) of the sample localities in meters. The fourth column in each table consists of map numbers that increase from south to north with increasing values of the Y-coordinates. The remaining columns of each table contain the analytical data. In table 1, these columns are arranged alphabetically by the chemical symbols of the elements and list

concentrations in parts per million. In table 2, the first column following the map numbers lists concentrations of iron in percent, and the remaining columns are arranged alphabetically with concentrations in parts per million similar to table 1. In the headings of the columns but below the chemical symbols, s indicates determination by emission spectrography, cm by colorimetry. Symbols in the bodies of the tables are:

- N = not detected at the lower determination limit,
- = not determined,
- < = less than the value given, and
- > = greater than the value given.

REFERENCES

- Alminas, H. V., and Mosier, E. L., 1976, Oxalic-acid leaching of rock, soil, and stream-sediment samples as an anomaly-accentuation technique: U.S. Geological Survey Open-File Report 76-275, 24 p.
- Chao, T. T., and Theobald, P. K., 1976, The significance of secondary iron and manganese oxides in geochemical exploration: *Economic Geology*, v. 71, no. 8, p. 1560-1569.
- Gray, Floyd, and Peterson, J. A., 1982, Geochemical analyses of rock and stream-sediment samples from the Wild Rogue Wilderness Area, Coos, Curry, and Douglas counties, Oregon: U.S. Geological Survey Open-File Report 82-0186, 24 p.
- Grimes, D. J., and Marranzino, A. P., 1968, Direct-current arc and alternating-current spark emission spectrographic field methods for the semiquantitative analysis of geologic materials: U.S. Geological Survey Circular 591, 6 p.
- Motooka, J. M., and Grimes, D. J., 1976, Analytical precision of one-sixth order semiquantitative analysis: U. S. Geological Survey Circular 738, 25 p.
- Page, N. J., Blakely, R. J., and Cannon, J. K., 1983a, Map showing geologic, geophysical, and geochemical characteristics of granitic plutons in the Medford 1° by 2° quadrangle, Oregon-California: U.S. Geological Survey Miscellaneous Field Studies Map MF-1383-E, scale 1:250,000.
- Page, N. J., Johnson, M. G., and Peterson, J. A., 1983b, Map showing characteristics of lode gold in the Medford 1° by 2° quadrangle, Oregon-California: U.S. Geological Survey Miscellaneous Field Studies Map MF-1383-D, 2 sheets, scale 1:250,000.
- Singer, D. A., Page, N. J., Smith, J. G., Blakely, R. J., and Johnson, M. G., 1983, Mineral resource assessment maps of the Medford 1° by 2° quadrangle, Oregon-California: U.S. Geological Survey Miscellaneous Field Studies Map MF-1383-C, 2 sheets, scale 1:250,000.
- Smith, J. G., Page, N. J., Johnson, M. G., Moring, B. C., and Gray, Floyd, 1982, Preliminary geologic map of the Medford 1° by 2° quadrangle, Oregon and California: U.S. Geological Survey Open-File Report OF-82-0955, scale 1:250,000.
- Ward, F. N., Lakin, H. W., Canney, F. C., and others, 1963, Analytical methods used in geochemical exploration by the U.S. Geological Survey: U.S. Geological Survey Bulletin 1152, 100 p.
- Watts, K. C., Hassemer, J. R., Nishi, J. M., and Siems, D. F., 1978, Anomaly patterns for selected heavy-mineral concentrates and oxalic acid residues, Dwyer quadrangle, Grant and Luna counties, New Mexico: U.S. Geological Survey Miscellaneous Field Studies Map MF-1027, scale 1:125,000.
- Whittington, C. L., Grimes, D. J., and Peterson, J. A., 1983, Spectrographic and chemical analyses of rock and soil samples from the Medford 1° x 2° quadrangle, Oregon-California: U.S. Geological Survey Open-File Report 83-0344.

TABLE 1.--Spectrographic analyses of stream-sediment samples, Medford 1° x 2° quadrangle, Oregon-California

Sample	X coor- dinate	Y coor- dinate	Map no.	Ag-ppm \$	As-ppm \$	B-ppm \$	Ba-ppm \$	Be-ppm \$	Cd-ppm \$	Co-ppm \$	Cr-ppm \$	Cu-ppm \$	La-ppm \$
79M818S	434,650	4,649,600	1	N	N	20	50	N	N	100	>5,000	5	--
79M813S	427,950	4,649,700	2	N	N	30	70	N	N	70	3,000	20	--
78M518S	497,400	4,649,700	3	<.5	N	150	200	N	N	15	150	20	100
78M516S	492,700	4,649,800	4	<.5	N	<20	200	N	N	20	200	150	--
79M778S	459,600	4,649,950	5	N	N	20	500	N	N	30	300	70	--
78M514S	486,600	4,650,000	6	N	N	<20	500	N	N	50	500	50	--
78M515S	488,500	4,650,000	7	.7	N	30	200	N	N	30	700	100	--
79M812S	426,750	4,650,200	8	N	N	70	200	N	N	20	300	30	--
78M517S	494,600	4,650,200	9	<.5	N	150	500	N	N	20	200	70	--
78M031S	472,500	4,650,300	10	N	N	30	300	N	N	30	>5,000	30	--
78M519S	502,700	4,650,500	11	<.5	N	<20	100	N	N	10	50	20	--
79M811S	424,950	4,650,650	12	N	N	70	100	N	N	70	>5,000	30	--
78M759S	438,050	4,650,800	13	N	N	--	--	N	N	1,000	>5,000	100	--
79M788S	445,050	4,650,900	14	N	N	50	200	N	N	70	3,000	50	--
79M933S	509,550	4,650,900	15	N	N	<20	150	N	N	30	3,000	30	--
79M775S	465,850	4,651,000	16	N	N	<20	300	N	N	50	500	70	--
78M019S	483,600	4,651,000	17	N	N	<20	700	N	N	20	150	20	--
80M1367S	519,550	4,651,000	18	N	N	30	300	N	N	70	1,000	30	--
79M895S	548,400	4,651,050	19	N	N	20	700	N	N	30	70	20	--
79M779S	461,250	4,651,250	20	N	N	20	500	N	N	50	100	100	--
79M777S	455,550	4,651,300	21	N	N	30	300	N	N	30	300	70	--
79M810S	421,100	4,651,400	22	N	N	70	300	<5	N	30	150	50	--
79M896S	546,100	4,651,400	23	N	N	30	700	N	N	30	70	30	--
79M792S	440,300	4,651,500	24	N	N	150	700	N	N	20	150	50	--
78M018S	479,200	4,651,600	25	N	N	30	500	N	N	30	500	50	--
79M900S	537,550	4,651,600	26	N	N	<20	300	N	N	20	50	70	--
79M819S	436,300	4,651,650	27	N	N	<20	50	N	N	150	>5,000	20	--
79M923S	523,100	4,651,650	28	N	N	50	500	N	N	30	150	70	--
78M035S	476,900	4,651,700	29	N	N	100	500	<5	N	20	150	100	--
79M931S	503,400	4,651,800	30	N	N	<20	70	N	N	30	300	100	--
80M1364S	526,200	4,651,850	31	N	N	100	700	N	N	15	150	15	--
78M760S	448,500	4,652,000	32	N	N	--	--	N	N	70	3,000	70	--
79M765S	469,550	4,652,050	33	N	N	50	700	N	N	30	200	50	--
80M1368S	514,550	4,652,050	34	N	N	70	300	N	N	50	300	70	--
79M897S	544,350	4,652,050	35	N	N	50	500	N	N	7	50	15	--
78M761S	450,150	4,652,200	36	N	N	--	--	N	N	100	5,000	150	--
80M1370S	530,250	4,652,200	37	N	N	100	500	N	N	20	500	20	--
79M926S	517,350	4,652,250	38	N	N	20	300	N	N	30	500	50	--
79M966S	535,150	4,652,250	39	N	N	20	700	N	N	30	50	30	--
79M814S	430,450	4,652,400	40	N	N	30	50	N	N	100	>5,000	20	--
79M899S	539,550	4,652,500	41	N	N	<20	300	N	N	20	50	50	--
79M770S	454,150	4,652,600	42	N	N	50	300	N	N	30	200	50	--
79M893S	552,950	4,652,600	43	N	N	30	500	N	N	50	300	70	--
79M1170S	575,150	4,652,650	44	N	N	<20	300	N	N	30	300	50	--
78M032S	474,300	4,652,700	45	N	N	20	300	N	N	50	1,500	30	--

Sample	Mn-ppm s	Mo-ppm s	Nb-ppm s	Ni-ppm s	Pb-ppm s	Sb-ppm s	Sn-ppm s	V-ppm s	W-ppm s	Y-ppm s	Zn-ppm s
79M818S	1,500	N	--	5,000	N	N	N	70	N	--	<200
79M813S	1,500	N	--	2,000	20	N	N	100	N	--	N
78M518S	500	<5	<20	70	20	N	N	100	N	--	N
78M516S	1,000	N	N	30	<20	N	N	200	N	--	<200
79M778S	1,000	N	--	70	N	N	N	200	N	--	N
78M514S	1,500	N	N	200	N	N	N	150	N	--	N
78M515S	1,500	N	N	200	<20	N	N	150	N	--	N
79M812S	1,000	N	--	150	N	N	N	100	N	--	N
78M517S	500	<5	<20	100	20	N	N	150	N	100	N
78M031S	2,000	N	N	1,000	<20	N	N	150	N	--	300
78M519S	700	N	N	20	<20	N	N	100	N	--	N
79M811S	1,500	N	--	2,000	N	N	N	150	N	--	N
78M759S	2,000	N	--	3,000	N	N	N	--	N	30	500
79M788S	1,000	N	--	1,500	N	N	N	100	N	--	N
79M933S	700	N	--	500	<20	N	N	100	N	--	N
79M775S	2,000	N	--	200	N	N	N	200	N	--	N
78M019S	1,500	N	30	100	<20	N	N	100	N	--	N
80M1367S	1,000	N	--	500	N	N	N	200	N	--	N
79M895S	1,500	N	--	20	N	N	N	150	N	--	N
79M779S	1,500	N	--	50	<20	N	N	200	N	--	N
79M777S	1,000	N	--	150	N	N	N	150	N	--	N
79M810S	1,500	N	--	70	20	N	N	100	N	--	N
79M896S	1,500	N	--	15	N	N	N	150	N	--	N
79M792S	100	N	--	70	<20	N	N	150	N	--	N
78M018S	3,000	N	N	100	<20	N	N	150	N	--	N
79M900S	1,000	N	--	20	N	N	N	200	N	--	N
79M819S	2,000	N	--	5,000	N	N	N	70	N	--	300
79M923S	1,500	N	--	50	20	N	N	200	N	--	N
78M035S	3,000	N	N	100	20	N	N	150	N	--	N
79M931S	1,500	N	--	200	N	N	N	150	N	--	N
80M1364S	1,000	N	--	50	20	N	N	150	N	--	N
78M760S	2,000	N	--	500	<20	N	N	--	N	20	<200
79M765S	1,000	N	--	50	N	N	N	150	N	--	N
80M1368S	1,000	N	--	150	N	N	N	150	N	--	N
79M897S	700	N	--	10	<20	N	N	100	N	--	N
78M761S	1,500	N	--	5,000	N	N	N	--	N	10	N
80M1370S	1,000	N	--	20	30	N	N	150	N	--	N
79M926S	1,500	N	--	150	N	N	N	150	N	--	N
79M966S	1,500	N	--	15	<20	N	N	150	N	--	N
79M814S	2,000	N	--	3,000	N	N	N	200	N	--	500
79M899S	1,000	N	--	15	N	N	N	150	N	--	N
79M776S	2,000	N	--	70	N	N	N	200	N	--	N
79M893S	1,500	N	--	70	N	N	N	200	N	--	N
79M1170S	1,000	N	--	70	<20	N	N	150	N	--	N
78M032S	2,000	N	<20	700	N	N	N	100	N	--	<200

Sample	X coordinate	Y coordinate	Map_no.	Ag-ppm s	As-ppm s	B-ppm s	Ba-ppm s	Be-ppm s	Cd-ppm s	Co-ppm s	Cr-ppm s	Cu-ppm s	La-ppm s
80M1365S	529,650	4,652,700	46	N	N	50	300	N	N	20	<50	20	--
79M932S	507,850	4,652,750	47	N	N	<20	150	N	N	30	300	30	--
79M789S	443,900	4,653,100	48	N	N	150	700	N	N	20	150	50	--
79M894S	549,950	4,653,150	49	N	N	50	500	N	N	30	50	20	--
78M030S	488,300	4,653,200	50	N	N	30	700	N	N	30	700	50	--
79M1173S	564,500	4,653,350	51	N	N	<20	150	N	N	20	300	50	--
78M511S	496,200	4,653,400	52	<.5	N	100	200	N	N	20	200	20	--
79M698S	540,100	4,653,450	53	N	N	30	300	N	N	10	50	30	--
78M520S	504,500	4,653,500	54	N	N	50	300	N	N	50	1,000	15	--
77M925S	519,300	4,653,500	55	N	N	20	500	N	N	30	200	30	--
79M766S	467,700	4,653,550	56	N	N	30	300	N	N	50	500	70	--
79M767S	466,250	4,653,650	57	N	N	30	500	N	N	50	700	70	--
79M967S	535,900	4,653,650	58	N	N	<20	200	N	N	30	50	50	--
78M510S	496,300	4,653,700	59	.5	N	150	300	N	N	20	300	30	200
79M791S	443,200	4,653,800	60	N	N	150	700	N	N	50	150	70	--
K2425S	420,300	4,653,850	61	N	N	200	1,000	N	N	50	500	100	--
79M892S	560,500	4,653,900	62	N	N	<20	300	N	N	30	200	70	--
79M820S	436,400	4,653,950	63	N	N	20	20	N	N	150	>5,000	10	--
79M930S	509,200	4,654,100	64	N	N	20	500	N	N	70	1,000	70	--
79M924S	522,650	4,654,100	65	N	N	50	700	N	N	30	100	50	--
78M034S	472,300	4,654,200	66	N	N	150	500	N	N	30	3,000	50	--
79M927S	516,050	4,654,200	67	N	N	20	500	N	N	30	2,000	70	--
80M1371S	528,950	4,654,200	68	N	N	70	700	N	N	30	200	30	--
79M1174S	570,300	4,654,200	69	N	N	20	500	N	N	30	300	70	--
78M521S	506,100	4,654,300	70	N	N	30	200	N	N	30	500	30	--
78M017S	483,100	4,654,400	71	.7	N	70	1,500	N	N	20	200	50	--
79M790S	441,350	4,654,450	72	N	N	100	700	N	N	30	200	50	--
79M821S	437,400	4,654,550	73	N	N	20	30	N	N	200	>5,000	15	--
79M780S	459,450	4,654,550	74	N	N	20	150	N	N	30	300	70	--
78M033S	475,400	4,654,600	75	N	N	20	500	N	N	30	500	70	--
79M815S	429,100	4,654,650	76	N	N	20	100	N	N	100	>5,000	20	--
78M763S	452,250	4,654,650	77	N	N	--	--	N	N	100	>5,000	30	--
78M015S	480,900	4,654,800	78	N	N	50	1,500	N	N	50	500	70	--
K2025S	422,650	4,654,850	79	N	N	30	70	N	N	300	>5,000	30	--
78M525S	502,400	4,654,900	80	N	N	30	300	N	N	30	200	70	--
79M891S	555,100	4,654,950	81	N	N	20	300	N	N	50	500	70	--
79M928S	514,000	4,655,000	82	N	N	<20	300	N	N	70	1,000	70	--
79M768S	463,900	4,655,100	83	N	N	<20	150	N	N	30	500	70	--
78M028S	489,300	4,655,100	84	<.5	N	30	200	N	N	50	2,000	30	--
79M883S	544,550	4,655,100	85	N	N	70	300	N	N	20	50	50	--
79M787S	446,600	4,655,150	86	N	N	20	200	N	N	100	5,000	50	--
80M1366S	530,800	4,655,200	87	N	N	70	700	N	N	30	300	30	--
78M762S	449,700	4,655,250	88	N	N	--	--	N	N	300	5,000	700	--
79M922S	525,400	4,655,250	89	N	N	<20	500	N	N	50	150	50	--
78M512S	498,400	4,655,300	90	<.5	N	30	300	N	N	30	150	70	--

Sample	Mn-ppm s	Mo-ppm s	Nb-ppm s	Ni-ppm s	Pb-ppm s	Sb-ppm s	Sn-ppm s	V-ppm s	W-ppm s	Y-ppm s	Zn-ppm s
80M1365S	1,000	N	--	15	20	N	N	150	N	--	N
79M932S	700	N	--	100	N	N	N	150	N	--	N
79M789S	100	N	--	100	20	N	N	150	N	--	N
79M894S	1,500	N	--	20	N	N	N	150	N	--	N
78M030S	1,500	N	N	200	<20	N	N	150	N	--	N
79M1173S	300	N	--	70	<20	N	N	150	N	--	N
78M511S	500	N	<20	70	<20	N	N	100	N	--	N
79M189S	1,000	N	--	15	N	N	N	150	N	--	N
78M520S	1,000	N	N	300	N	N	N	150	N	--	N
79M925S	1,500	N	--	50	N	N	N	150	N	--	N
79M766S	1,000	N	--	300	N	N	N	150	N	--	N
79M767S	1,500	N	--	300	N	N	N	200	N	--	N
79M967S	700	N	--	20	N	N	N	200	N	--	N
78M510S	700	N	<20	100	20	N	N	100	N	--	N
79M791S	1,500	N	--	100	20	N	N	150	N	--	N
K242SS	2,000	N	--	300	30	N	N	200	N	--	N
79M892S	1,000	N	--	100	N	N	N	200	N	--	N
79M820S	1,000	N	--	3,000	N	N	N	30	N	--	N
79M930S	1,500	N	--	500	N	N	N	150	N	--	N
79M924S	1,000	N	--	70	N	N	N	150	N	--	N
78M034S	1,500	N	<20	500	<20	N	N	150	N	--	N
79M927S	2,000	N	--	200	N	N	N	150	N	--	N
80M1371S	1,500	N	--	50	<20	N	N	200	N	--	N
79M1174S	1,000	N	--	70	<20	N	N	150	N	--	N
78M521S	1,500	S	N	70	N	N	N	200	N	--	N
78M017S	1,500	N	<20	150	<20	N	N	100	N	--	N
79M790S	1,500	N	--	100	N	N	N	100	N	--	N
79M821S	1,500	N	--	5,000	N	N	N	70	N	--	300
79M780S	1,000	N	--	150	N	N	N	150	N	--	N
78M033S	1,500	N	20	200	<20	N	N	150	N	--	N
79M815S	2,000	N	--	2,000	N	N	N	150	N	--	300
78M763S	1,500	N	--	700	N	N	N	--	N	15	200
78M015S	1,500	N	20	200	30	N	N	150	N	--	N
K202SS	1,500	N	--	5,000	N	N	N	200	N	--	300
78M525S	1,500	N	N	50	<20	N	N	200	N	--	N
79M891S	700	N	--	200	N	N	N	300	N	--	N
79M928S	2,000	N	--	300	N	N	N	200	N	--	N
79M768S	1,000	N	--	150	N	N	N	200	N	--	N
78M028S	1,000	N	N	500	N	N	N	150	N	--	N
79M883S	1,500	N	--	20	<20	N	N	150	N	--	<200
79M787S	1,500	N	--	2,000	N	N	N	150	N	--	N
80M1366S	1,500	N	--	30	<20	N	N	300	N	--	N
78M762S	3,000	N	--	3,000	N	N	N	--	N	30	<200
79M922S	2,000	N	--	50	N	N	N	200	N	--	N
78M512S	1,000	N	N	50	<20	N	N	150	N	--	N

Sample	X coordinate	Y coordinate	Map_no.	Ag-ppm s	As-ppm s	B-ppm s	Ba-ppm s	Be-ppm s	Cd-ppm s	Co-ppm s	Cr-ppm s	Cu-ppm s	La-ppm s
79M968S	538,700	4,655,300	91	N	N	20	300	N	N	30	100	100	--
78M029S	486,500	4,655,400	92	N	N	30	300	N	N	70	1,000	20	--
79M1189S	546,850	4,655,400	93	N	N	50	500	N	N	30	100	30	--
79M783S	456,950	4,655,500	94	N	N	30	500	N	N	30	300	70	--
78M513S	493,100	4,655,500	95	N	N	20	300	N	N	15	100	30	--
78M036S	478,400	4,655,600	96	N	N	30	300	N	N	30	500	50	--
79M1188S	549,700	4,655,600	97	N	N	30	500	N	N	10	100	20	--
79M921S	526,100	4,656,100	98	N	N	20	700	N	N	30	50	50	--
K20CS	424,800	4,656,200	99	N	N	50	50	N	N	150	>5,000	50	--
79M936S	516,400	4,656,200	100	N	N	20	500	N	N	20	200	20	--
79M822S	438,950	4,656,400	101	N	N	20	20	N	N	150	5,000	10	--
79M935S	512,100	4,656,400	102	N	N	30	200	N	N	50	5,000	30	--
79M1187S	552,550	4,656,450	103	N	N	20	700	N	N	20	300	30	--
78M026S	491,100	4,656,500	104	N	N	<20	300	N	N	20	150	50	--
78M013S	485,600	4,656,600	105	N	N	50	2,000	N	N	30	1,000	70	--
79M817S	430,850	4,656,650	106	N	N	50	300	N	N	20	700	10	--
80M1369S	533,650	4,656,700	107	N	N	70	700	N	N	30	70	20	--
79M89US	554,700	4,656,700	108	N	N	70	200	N	N	20	300	50	--
79M786S	454,350	4,656,750	109	N	N	70	300	N	N	50	500	70	--
79M781S	459,900	4,656,900	110	N	N	<20	200	N	N	50	300	70	--
78M027S	490,900	4,657,000	111	N	N	20	300	N	N	20	300	50	--
79M934S	511,400	4,657,050	112	N	N	<20	700	N	N	30	1,500	50	--
78M016S	483,500	4,657,100	113	<.5	N	20	1,000	N	N	30	1,000	50	--
79M920S	529,950	4,657,100	114	N	N	50	700	<5	N	30	70	30	--
79M882S	543,500	4,657,200	115	N	N	50	300	N	N	20	70	50	--
78M764S	450,550	4,657,250	116	N	N	--	--	N	N	70	5,000	30	--
79M770S	465,800	4,657,350	117	.5	N	<20	500	N	N	30	300	100	--
79M1769S	469,000	4,657,400	118	N	N	70	300	N	N	50	500	70	--
78M014S	481,400	4,657,400	119	N	N	20	500	N	N	50	1,500	50	--
K196SS	425,750	4,657,550	120	N	N	100	50	N	N	150	>5,000	100	--
79M184S	545,350	4,657,600	121	N	N	50	300	N	N	20	100	30	--
79M937S	523,050	4,657,750	122	N	N	<20	500	<5	N	20	150	20	--
78M041S	477,100	4,657,800	123	.5	N	20	200	N	N	30	100	100	--
78M522S	505,000	4,657,900	124	N	N	<20	150	N	N	30	300	50	--
79M903S	507,750	4,657,900	125	N	N	20	500	N	N	50	1,000	50	--
79M1973S	537,200	4,657,900	126	N	N	<20	300	N	N	30	70	50	--
79M919S	531,450	4,657,950	127	N	N	30	700	N	N	30	300	30	--
79M1172S	559,200	4,658,000	128	N	N	<20	200	N	N	20	200	70	--
79M771S	462,550	4,658,050	129	N	N	<20	100	N	N	30	500	70	--
79M885S	548,400	4,658,200	130	N	N	30	500	N	N	30	50	70	--
79M901S	494,400	4,658,300	131	N	N	20	300	N	N	15	100	70	--
78M527S	497,800	4,658,300	132	.5	N	20	300	N	N	20	150	100	--
79M929S	520,150	4,658,300	133	N	N	20	500	N	N	50	200	50	--
79M969S	541,500	4,658,300	134	N	N	50	300	N	N	30	150	30	--
78M040S	471,300	4,658,400	135	N	N	30	300	N	N	30	500	20	--

Sample	Mn-ppm s	Mo-ppm s	Nb-ppm s	Ni-ppm s	Pb-ppm s	Sb-ppm s	Sn-ppm s	V-ppm s	W-ppm s	Y-ppm s	Zn-ppm s
79M968S	1,000	N	--	30	N	N	N	200	N	--	N
78M029S	3,000	N	N	2,000	N	N	N	70	N	--	N
79M1189S	2,000	N	--	20	N	N	N	200	N	--	N
79M783S	1,000	N	--	150	N	N	N	150	N	--	N
78M513S	1,000	N	N	30	30	N	N	150	N	--	N
78M036S	2,000	N	20	500	N	N	N	150	N	--	N
79M1188S	700	N	--	20	<20	N	N	100	N	--	N
79M921S	1,500	N	--	20	N	N	N	150	N	--	N
K200SS	1,500	N	--	5,000	N	N	N	150	N	--	300
79M936S	1,000	N	--	50	N	N	N	150	N	--	N
79M822S	1,500	N	--	3,000	N	N	N	30	N	--	N
79M935S	1,000	N	--	700	N	N	N	150	N	--	N
79M1187S	2,000	N	--	50	N	N	N	200	N	--	N
78M026S	1,500	N	N	30	<20	N	N	200	N	--	N
78M013S	1,000	N	N	200	<20	N	N	200	N	--	N
79M817S	1,500	N	--	150	<20	N	N	70	N	--	N
80M1369S	1,000	N	--	15	20	N	N	200	N	--	N
79M890S	300	N	--	100	N	N	N	150	N	--	N
79M786S	1,500	N	20	100	N	N	N	150	N	--	N
79M781S	1,500	N	--	300	N	N	N	150	N	--	N
78M027S	1,500	N	N	70	<20	N	N	200	N	--	N
79M934S	1,000	N	--	500	N	N	N	100	N	--	N
78M016S	1,000	N	N	300	<20	N	N	150	N	--	N
79M920S	1,500	<5	30	70	N	N	N	150	N	--	N
79M882S	700	N	--	30	N	N	N	150	N	--	N
78M764S	1,500	N	--	1,000	N	N	N	--	N	15	<200
79M770S	1,000	N	--	200	N	N	N	150	N	--	200
79M769S	1,500	N	--	100	N	N	N	300	N	--	N
78M014S	1,500	N	<20	300	<20	N	N	150	N	--	N
K196SS	1,500	N	--	5,000	N	N	N	150	N	--	200
79M884S	1,000	N	--	20	N	N	N	150	N	--	N
79M937S	1,500	N	--	50	<20	N	N	150	N	--	N
78M041S	1,500	N	N	50	<20	N	N	150	N	--	200
78M522S	1,500	N	N	70	N	N	N	200	N	--	N
79M903S	1,500	N	--	500	N	N	N	150	N	--	N
79M973S	1,500	N	--	30	N	N	N	150	N	--	N
79M919S	1,500	N	--	100	N	N	N	200	N	--	N
79M1172S	1,000	N	--	50	<20	N	N	150	N	--	N
79M771S	1,500	N	--	70	N	N	N	200	N	--	300
79M885S	1,000	N	--	30	N	N	N	200	N	--	N
79M901S	700	N	--	50	N	N	N	150	N	--	N
78M527S	1,500	N	N	30	<20	N	N	200	N	--	N
79M929S	1,500	N	--	100	N	N	N	150	N	--	N
79M969S	1,000	N	--	20	N	N	N	200	N	--	N
78M040S	2,000	N	N	70	N	N	N	200	N	--	<200

Sample	X coord- dinate	Y coord- dinate	Map_no.	Ag-ppm s	As-ppm s	B-ppm s	Ba-ppm s	Be-ppm s	Cd-ppm s	Co-ppm s	Cr-ppm s	Cu-ppm s	La-ppm s
K221SS	421,450	4,658,650	136	N	N	100	1,000	N	N	50	2,000	70	--
78M039S	474,900	4,658,700	137	N	N	50	200	N	N	30	500	70	--
78M523S	501,500	4,658,700	138	N	N	20	200	N	N	30	50	30	--
79M784S	457,150	4,658,750	139	N	N	<20	100	N	N	70	5,000	50	--
79M816S	432,300	4,658,850	140	N	N	30	70	N	N	100	>5,000	30	--
79M1175S	574,650	4,658,950	141	N	N	<20	500	N	N	30	150	70	--
K235SS	419,650	4,659,150	142	N	N	200	1,000	N	N	30	200	70	--
79M886S	548,400	4,659,300	143	N	N	20	300	N	N	20	200	70	--
79M1171S	564,000	4,659,350	144	N	N	<20	300	N	N	20	150	50	--
K271SS	417,750	4,659,500	145	N	N	200	700	N	N	30	200	100	--
78M526S	499,700	4,659,500	146	N	N	<20	300	N	N	20	70	15	--
K248SS	426,350	4,659,550	147	N	N	50	100	N	N	150	5,000	50	--
79M772S	461,885	4,659,600	148	N	N	<20	100	N	N	50	500	70	--
79M687S	551,200	4,659,600	149	N	N	30	500	N	N	30	200	70	--
79M970S	541,300	4,659,650	150	N	N	30	200	N	N	30	100	50	--
80M1291S	452,600	4,659,700	151	N	N	N	20	N	N	70	5,000	30	--
79M1176S	569,750	4,659,800	152	N	N	<20	500	N	N	20	200	70	--
79M785S	457,500	4,659,900	153	N	N	20	700	N	N	70	1,500	70	--
78M037S	477,600	4,659,900	154	N	N	20	300	N	N	30	500	50	--
79M1268S	436,750	4,659,950	155	N	N	<20	30	N	N	150	1,500	15	--
78M012S	480,000	4,660,000	156	N	N	<20	200	N	N	20	100	70	--
K325SS	429,650	4,660,050	157	N	N	30	500	N	N	70	500	20	--
78M024S	489,000	4,660,100	158	N	N	20	300	N	N	15	70	70	--
79M938S	525,950	4,660,100	159	N	N	<20	700	N	N	5	50	5	700
79M915S	518,650	4,660,150	160	N	N	20	700	N	N	20	200	30	--
78M038S	475,000	4,660,200	161	N	N	30	200	N	N	30	700	70	--
78M025S	487,400	4,660,200	162	N	N	70	300	N	N	20	100	100	--
79M904S	507,150	4,660,200	163	N	N	30	500	N	N	50	2,000	70	--
K301SS	422,850	4,660,300	164	N	N	<20	N	N	N	100	2,000	20	--
79M881S	542,800	4,660,300	165	N	N	20	300	N	N	20	50	20	--
78M023S	491,900	4,660,500	166	N	N	30	300	N	N	30	150	100	--
78M524S	501,500	4,660,500	167	N	N	<20	500	N	N	20	100	50	--
79M972S	538,700	4,660,550	168	N	N	20	200	N	N	30	70	70	--
79M623S	438,900	4,660,600	169	N	N	30	50	N	N	150	>5,000	15	--
79M773S	465,350	4,660,700	170	N	N	20	700	N	N	30	300	70	--
78M010S	482,100	4,660,800	171	N	N	30	700	N	N	30	200	70	--
79M912S	511,050	4,660,800	172	N	N	<20	300	N	N	20	200	70	--
79M888S	546,200	4,660,950	173	N	N	50	300	N	N	15	100	50	--
78M047S	471,300	4,661,100	174	N	N	<20	200	N	N	30	300	20	--
79M782S	459,000	4,661,250	175	N	N	30	500	N	N	70	2,000	70	--
79M914S	517,700	4,661,400	176	N	N	20	500	N	N	30	200	30	--
79M905S	505,350	4,661,450	177	N	N	<20	300	N	N	30	150	70	--
79M939S	527,350	4,661,450	178	N	N	N	700	N	N	7	50	10	200
79M942S	523,950	4,661,500	179	N	N	<20	700	N	N	15	100	15	--
78M048S	469,200	4,661,600	180	N	N	20	200	N	N	30	300	20	--

Sample	Mn-ppm s	Mo-ppm s	Nb-ppm s	Ni-ppm s	Pb-ppm s	Sb-ppm s	Sn-ppm s	V-ppm s	W-ppm s	Y-ppm s	Zn-ppm s
K221S	1,500	N	--	700	20	N	N	200	N	--	N
78M039S	1,500	N	N	50	<20	N	N	300	N	--	<200
78M523S	1,500	N	N	15	N	N	N	200	N	--	N
79M784S	1,000	N	--	1,500	N	N	N	150	N	--	N
79M816S	1,500	N	--	3,000	N	N	N	100	N	--	300
79M1175S	1,000	N	--	70	<20	N	N	150	N	--	<200
K235S	1,500	N	--	100	30	N	N	200	N	--	N
79M886S	1,000	N	--	30	N	N	N	200	N	--	N
79M1171S	1,500	N	--	50	<20	N	N	150	N	--	N
K271S	1,500	N	--	150	30	N	N	200	N	--	N
78M526S	1,500	N	N	20	<20	N	N	200	N	--	N
K248S	2,000	N	--	3,000	N	N	N	150	N	--	N
79M772S	1,000	N	--	300	N	N	N	200	N	--	<200
79M887S	1,500	N	--	50	N	N	N	200	N	--	N
79M970S	1,500	N	--	20	N	N	N	200	N	--	N
80M1291S	1,000	N	--	300	N	N	N	200	N	--	N
79M1176S	1,500	N	--	50	<20	N	N	150	N	--	N
79M785S	1,000	N	--	1,000	N	N	N	150	N	--	N
78M037S	1,500	N	N	70	N	N	N	150	N	--	N
79M1268S	1,500	N	--	3,000	N	N	N	30	N	--	N
78M1012S	1,500	N	N	30	<20	N	N	200	N	--	N
K325S	2,000	N	--	200	<20	N	N	200	N	--	N
78M024S	1,000	N	N	30	<20	N	N	200	N	--	N
79M938S	1,000	N	--	10	20	N	N	30	N	--	N
79M915S	1,500	N	--	50	N	N	N	150	N	--	N
78M038S	1,500	N	N	70	N	N	N	300	N	--	<200
78M025S	1,500	N	N	50	N	N	N	150	N	--	N
79M904S	1,500	N	--	300	N	N	N	200	N	--	N
K301S	1,000	N	--	2,000	N	N	N	30	N	--	N
79M681S	1,500	N	--	5	N	N	N	150	N	--	N
78M023S	700	7	N	70	20	N	N	200	N	--	N
78M524S	1,500	N	N	30	<20	N	N	200	N	--	N
79M972S	1,000	N	--	30	N	N	N	200	N	--	N
79M823S	1,500	N	--	3,000	N	N	N	50	N	--	200
79M773S	1,000	N	--	150	N	N	N	150	N	--	N
78M010S	500	5	N	50	<20	N	N	200	N	--	N
79M912S	1,000	N	--	70	N	N	N	200	N	--	N
79M885S	500	N	--	30	N	N	N	150	N	--	N
78M047S	1,500	N	N	70	<20	N	N	200	N	--	N
79M782S	2,000	N	--	700	N	N	N	150	N	--	N
79M914S	1,000	N	--	70	N	N	N	200	N	--	N
79M905S	1,000	N	--	50	N	N	N	300	N	--	N
79M939S	700	N	--	10	20	N	N	150	N	150	N
79M942S	1,000	N	--	30	N	N	N	150	N	--	N
78M048S	1,500	N	N	50	<20	N	N	200	N	--	N

Sample	X coordinate	Y coordinate	Map_no.	Ag-ppm s	As-ppm s	B-ppm s	Ba-ppm s	Be-ppm s	Cd-ppm s	Co-ppm s	Cr-ppm s	Cu-ppm s	La-ppm s
79M975S	535,450	4,661,600	181	N	N	70	700	N	N	20	150	30	--
79M953S	495,300	4,661,650	182	N	N	20	300	N	N	20	150	70	--
79M948S	531,700	4,661,850	183	N	N	30	500	N	N	30	200	50	--
K3285S	432,450	4,661,950	184	N	N	<20	50	N	N	200	5,000	50	--
79M965S	514,750	4,662,000	185	N	N	20	500	N	N	30	300	30	--
79M1169S	580,650	4,662,000	186	N	N	20	500	N	N	30	300	70	--
80M1290S	457,350	4,662,150	187	N	N	<20	150	N	N	70	>5,000	50	--
79M875S	566,450	4,662,150	188	N	N	<20	300	N	N	30	150	70	--
78M055S	465,900	4,662,200	189	N	N	20	200	N	N	30	300	50	--
79M543S	522,650	4,662,250	190	N	N	20	500	<5	N	5	70	10	--
79M824S	442,350	4,662,300	191	N	N	50	200	N	N	100	>5,000	20	--
79M971S	541,400	4,662,350	192	N	N	100	500	N	N	30	70	70	--
79M974S	535,100	4,662,400	193	N	N	70	700	N	N	20	150	20	--
78M049S	469,200	4,662,700	194	N	N	<20	300	N	N	30	700	50	--
78M529S	496,000	4,662,700	195	<.5	N	20	500	N	N	20	150	50	--
K2165S	429,200	4,662,850	196	N	N	50	100	N	N	100	>5,000	20	--
79M1177S	559,800	4,662,850	197	N	N	<20	300	N	N	30	200	50	--
78M009S	480,600	4,662,900	198	N	N	70	300	N	N	20	150	50	--
K3005S	423,350	4,662,950	199	N	N	20	20	N	N	200	>5,000	20	--
79M1168S	573,300	4,663,000	200	N	N	<20	200	N	N	20	100	50	--
79M940S	527,450	4,663,050	201	N	N	<20	700	N	N	5	N	7	--
78M011S	483,000	4,663,100	202	.5	N	50	500	<5	N	20	150	100	--
79M865S	553,350	4,663,100	203	N	N	N	200	N	N	15	500	50	--
78M528S	498,200	4,663,200	204	<.5	N	20	500	N	N	20	150	70	--
K2603S	419,500	4,663,250	205	N	N	200	1,000	N	N	50	200	100	--
K4185S	426,150	4,663,350	206	N	N	100	70	<5	N	100	5,000	30	--
79M913S	516,900	4,663,350	207	N	N	<20	700	N	N	30	200	15	--
78M046S	473,200	4,663,400	208	N	N	20	200	N	N	30	300	30	--
79M906S	505,050	4,663,400	209	N	N	<20	200	N	N	30	200	70	--
80M1374S	529,700	4,663,600	210	N	N	20	700	N	N	30	150	15	--
K1925S	433,000	4,663,700	211	N	N	70	50	N	N	100	>5,000	30	--
79M911S	510,700	4,663,700	212	N	N	70	200	N	N	30	300	70	--
78M053S	460,300	4,663,800	213	N	N	30	100	N	N	30	700	70	--
78M054S	462,900	4,663,800	214	<.5	N	<20	100	N	N	20	200	50	--
78M022S	485,700	4,663,800	215	.5	N	50	300	N	N	15	70	50	--
78M021S	490,100	4,663,800	216	.7	N	<20	300	N	N	15	<50	70	--
79M944S	520,450	4,663,800	217	N	N	30	500	N	N	20	200	30	--
79M907S	502,900	4,663,900	218	N	N	20	500	N	N	30	100	70	--
79M960S	508,800	4,663,950	219	N	N	70	200	N	N	20	200	50	--
78M020S	492,500	4,664,000	220	.5	N	20	500	N	N	15	50	30	--
79M866S	549,650	4,664,000	221	N	N	<20	300	N	N	30	150	70	--
78M045S	472,700	4,664,200	222	N	N	<20	200	N	N	30	200	20	--
79M829S	555,750	4,664,350	223	N	N	<20	300	N	N	20	300	50	--
78M566S	476,700	4,664,500	224	N	N	30	300	N	N	70	500	20	--
79M830S	543,500	4,664,550	225	N	N	30	300	N	N	30	150	70	--

Sample	Mn-ppm s	Mo-ppm s	Nb-ppm s	Ni-ppm s	Pb-ppm s	Sb-ppm s	Sn-ppm s	V-ppm s	W-ppm s	Y-ppm s	Zn-ppm s
79M975S	700	N	--	30	<20	N	N	150	N	--	N
79M953S	700	N	--	50	N	N	N	150	N	--	N
79M1948S	1,000	N	--	70	N	N	N	200	N	--	N
K328SS	1,500	N	--	5,000	N	N	N	150	N	--	<200
79M965S	1,500	N	--	70	N	N	N	150	N	--	N
79M1169S	1,000	N	--	70	<20	N	N	150	N	--	N
80M1290S	1,500	N	--	700	N	N	N	300	N	--	N
79M875S	1,500	N	--	70	<20	N	N	70	N	--	N
78M055S	3,000	N	N	100	<20	N	N	200	N	--	<200
79M943S	700	N	--	50	<20	N	N	50	N	--	N
79M324S	700	N	--	1,500	N	N	N	70	N	--	N
79M971S	1,500	N	--	20	N	N	N	200	N	--	N
79M974S	700	N	--	30	<20	N	N	100	N	--	N
78M049S	1,500	N	20	500	<20	N	N	150	N	--	N
78M529S	1,500	N	N	50	<20	N	N	200	N	--	N
K216SS	1,500	N	--	5,000	N	N	N	150	N	--	<200
79M1177S	1,000	N	--	70	<20	N	N	150	N	--	<200
78M009S	1,000	N	N	30	<20	N	N	200	N	--	N
K300SS	1,500	N	--	5,000	N	N	N	150	N	--	300
79M1168S	1,500	N	--	70	<20	N	N	70	N	--	N
79M940S	700	N	--	7	20	N	N	30	N	--	N
78M011S	1,000	N	N	50	20	N	N	200	N	--	N
79M865S	300	N	--	70	N	N	N	100	N	--	N
78M528S	1,000	N	N	50	<20	N	N	200	N	--	N
K260SS	1,500	N	--	150	30	N	N	200	N	--	N
K418SS	1,500	N	50	3,000	<20	N	N	100	N	--	<200
79M913S	1,000	N	--	50	N	N	N	150	N	--	N
78M046S	1,500	N	N	50	<20	N	N	200	N	--	<200
79M906S	1,000	N	--	70	N	N	N	300	N	--	N
80M1374S	1,000	N	--	50	N	N	N	200	N	--	N
K192SS	1,500	N	--	3,000	N	N	N	70	N	--	N
79M911S	700	N	--	100	N	N	N	200	N	--	N
78M053S	2,000	N	N	300	N	N	N	200	N	--	N
78M054S	2,000	N	N	100	100	N	10	200	N	--	N
78M022S	1,000	N	N	30	<20	N	N	200	N	--	N
78M021S	700	N	N	15	<20	N	N	150	N	--	N
79M944S	1,500	N	--	70	N	N	N	200	N	--	N
79M907S	2,000	N	--	50	N	N	N	300	N	--	N
79M960S	700	N	--	70	N	N	N	150	N	--	N
78M020S	700	N	N	30	<20	N	N	150	N	--	N
79M866S	1,500	N	--	50	N	N	N	150	N	--	N
78M045S	1,500	N	N	30	<20	N	N	150	N	--	<200
79M829S	500	N	--	150	N	N	N	100	N	--	N
78M566S	2,000	<5	N	70	N	N	N	200	N	--	N
79M880S	1,500	N	--	50	<20	N	N	150	N	--	N

Sample	X coordinate	Y coordinate	Map_no.	Ag-ppm s	As-ppm s	B-ppm s	Ba-ppm s	Be-ppm s	Cd-ppm s	Co-ppm s	Cr-ppm s	Cu-ppm s	La-ppm s
79M964S	512,950	4,664,650	226	N	N	50	200	N	N	70	1,500	30	--
79M1178S	569,000	4,664,650	227	N	N	<20	150	N	N	20	150	50	--
79M976S	538,850	4,664,700	228	N	N	70	500	N	N	30	70	30	--
79M889S	546,800	4,664,800	229	N	N	20	300	N	N	30	300	50	--
79M941S	526,700	4,664,850	230	N	N	N	1,000	N	N	7	N	7	--
79M1269S	437,150	4,664,900	231	N	N	30	70	N	N	70	1,000	20	--
78M008S	479,700	4,665,100	232	.5	N	<20	500	N	N	30	300	50	--
79M959S	505,800	4,665,100	233	N	N	20	300	N	N	30	300	70	--
79M945S	520,600	4,665,350	234	N	N	20	700	N	N	30	300	30	--
K230SS	421,100	4,665,550	235	N	N	20	100	N	N	150	>5,000	20	--
78M052S	463,100	4,665,600	236	<.5	N	20	700	N	N	30	1,000	50	--
79M902S	499,750	4,665,650	237	N	N	20	700	N	N	15	100	70	--
80M1289S	457,700	4,665,700	238	N	N	50	500	N	N	20	700	50	--
80M1372S	526,150	4,665,700	239	N	N	<20	500	N	N	30	100	20	--
78M509S	495,700	4,665,800	240	N	N	50	300	N	N	20	70	20	--
78M050S	467,800	4,666,000	241	N	N	<20	200	N	N	50	5,000	50	--
78M051S	466,000	4,666,200	242	N	N	20	300	N	N	20	300	20	--
78M001S	492,200	4,666,300	243	.5	N	<20	500	N	N	20	100	100	--
80M1385S	535,350	4,666,300	244	N	N	70	500	N	N	20	100	30	--
79M1179S	574,700	4,666,350	245	N	N	<20	200	N	N	15	200	50	--
79M962S	509,600	4,666,400	246	N	N	70	150	N	N	30	300	100	--
K111SS	426,750	4,666,500	247	N	N	--	--	N	N	150	>5,000	30	--
78M002S	490,100	4,666,700	248	1.5	N	20	500	N	N	20	<50	200	--
80M1384S	536,900	4,666,700	249	N	N	100	500	N	N	20	50	30	--
80M1391S	513,950	4,666,750	250	N	N	<20	200	N	N	30	200	30	--
79M867S	549,300	4,666,750	251	N	N	<20	200	N	N	30	500	70	--
78M043S	476,000	4,666,900	252	N	N	<20	700	N	N	30	300	20	--
79M916S	516,750	4,666,900	253	N	N	30	700	N	N	20	300	50	--
78M068S	460,900	4,667,000	254	N	N	50	50	N	N	30	5,000	20	--
78M042S	478,900	4,667,000	255	N	N	<20	500	N	N	20	70	70	--
79M1186S	552,750	4,667,050	256	N	N	<20	200	N	N	10	150	50	--
K190SS	433,600	4,667,100	257	N	N	100	50	N	N	150	>5,000	50	--
78M056S	470,000	4,667,100	258	N	N	<20	500	N	N	30	1,500	70	--
78M569S	471,800	4,667,100	259	N	N	20	300	N	N	50	150	30	--
78M007S	483,800	4,667,100	260	1.0	N	50	300	<5	N	15	70	70	--
78M005S	486,100	4,667,100	261	1.0	N	30	300	<5	N	15	70	70	--
79M961S	507,350	4,667,150	262	N	N	<20	150	N	N	30	300	100	--
79M864S	557,450	4,667,150	263	N	N	N	300	N	N	30	300	70	--
79M958S	502,650	4,667,250	264	N	N	50	300	N	N	15	150	30	--
80M1373S	528,350	4,667,250	265	N	N	50	500	N	N	50	300	30	--
79M879S	542,100	4,667,250	266	N	N	20	700	N	N	20	100	50	--
79M980S	540,150	4,667,300	267	N	N	20	500	N	N	30	100	50	--
79M947S	522,750	4,667,350	268	N	N	20	300	<5	N	30	150	50	--
K265SS	417,600	4,667,450	269	N	N	150	700	N	N	100	3,000	100	--
79M830S	554,600	4,667,450	270	N	N	50	500	N	N	20	150	50	--

Sample	Mn-ppm s	Mo-ppm s	Nb-ppm s	Ni-ppm s	Pb-ppm s	Sb-ppm s	Sn-ppm s	V-ppm s	W-ppm s	Y-ppm s	Zn-ppm s
79M964S	1,500	N	--	1,000	N	N	N	100	N	--	N
79M1178S	1,000	N	--	50	<20	N	N	100	N	--	N
79M976S	1,000	N	--	20	N	N	N	150	N	--	N
79M889S	1,500	N	--	70	N	N	N	200	N	--	N
79M941S	1,000	N	--	7	50	N	N	30	N	--	N
79M1269S	700	N	--	2,000	N	N	N	70	N	--	N
78M008S	1,000	N	N	70	<20	N	N	200	N	--	N
79M959S	1,500	N	--	70	N	N	N	150	N	--	N
79M945S	1,500	N	--	70	N	N	N	200	N	--	N
K230SS	1,500	N	--	3,000	N	N	N	100	N	--	N
78M052S	1,500	N	N	300	<20	N	N	150	N	--	N
79M902S	700	N	--	70	N	N	N	200	N	--	N
80M1289S	1,000	N	--	100	<20	N	N	200	N	--	N
80M1372S	1,000	N	--	30	<20	N	N	150	N	--	N
78M509S	1,500	N	N	15	N	N	N	150	N	--	N
78M050S	1,500	N	N	1,500	<20	N	N	150	N	--	<200
78M051S	1,500	N	N	70	20	N	N	150	N	--	N
78M001S	1,500	N	N	30	20	N	N	200	N	--	200
80M1385S	1,500	N	--	20	<20	N	N	200	N	--	N
79M1179S	700	N	--	70	<20	N	N	100	N	--	N
79M962S	1,500	N	--	70	N	N	N	150	N	--	N
K111SS	1,500	N	--	3,000	N	N	N	150	N	--	N
73M002S	1,500	N	N	20	20	N	N	150	N	--	1,000
80M1384S	1,000	N	--	15	20	N	N	200	N	--	N
80M1391S	700	N	--	70	N	N	N	200	N	--	N
79M867S	1,000	N	--	70	N	N	N	100	N	--	N
73M043S	1,500	N	N	30	N	N	N	200	N	--	<200
79M916S	1,500	N	--	70	N	N	N	150	N	--	N
78M068S	1,000	N	N	500	<20	N	N	150	N	--	<200
78M042S	1,500	N	N	20	<20	N	N	150	N	--	N
79M1136S	1,000	N	--	70	N	N	N	100	N	--	N
K190SS	1,500	N	--	5,000	N	N	N	100	N	--	N
78M056S	2,000	N	<20	300	<20	N	N	200	N	--	N
78M569S	1,500	N	N	20	<20	N	N	200	N	--	N
78M007S	700	N	N	30	<20	N	N	150	N	--	N
78M005S	700	N	N	50	<20	N	N	150	N	--	N
79M961S	1,000	N	--	100	N	N	N	150	N	--	N
79M864S	1,000	N	--	50	N	N	N	200	N	--	N
79M958S	700	N	--	20	N	N	N	150	N	--	N
80M1373S	2,000	N	--	70	N	N	N	200	N	--	N
79M879S	1,500	N	--	30	<20	N	N	70	N	--	N
79M930S	1,000	N	--	30	N	N	N	200	N	--	N
79M947S	1,500	N	--	100	N	N	N	200	N	--	N
K265SS	1,500	N	--	3,000	30	N	N	200	N	--	N
79M830S	700	N	--	50	N	N	N	70	N	--	N

Sample	X coordinate	Y coordinate	Map_no.	Ag-ppm s	As-ppm s	B-ppm s	Ba-ppm s	Be-ppm s	Cd-ppm s	Co-ppm s	Cr-ppm s	Cu-ppm s	La-ppm s
K153SS	430,200	4,667,650	271	N	N	--	--	N	N	100	>5,000	50	--
79M868S	547,650	4,667,700	272	N	N	20	300	N	N	30	300	70	--
80M1383S	537,050	4,667,800	273	3.0	N	70	500	N	N	20	70	20	--
K100SS	422,700	4,667,950	274	N	N	--	--	N	N	100	>5,000	20	--
80M1386S	534,550	4,668,050	275	N	N	70	500	N	N	50	150	50	--
79M874S	567,450	4,668,100	276	N	N	<20	300	N	N	20	150	30	--
79M963S	511,300	4,668,200	277	N	N	50	200	N	N	30	300	100	--
79M809S	449,400	4,668,250	278	N	N	30	300	N	N	70	3,000	70	--
80M1332S	537,000	4,668,350	279	N	N	100	500	N	N	50	100	30	--
78M066S	466,000	4,668,400	280	<.5	N	<20	500	N	N	20	1,000	100	--
79M946S	521,600	4,668,400	281	N	N	30	500	N	N	20	200	30	--
79M931S	531,500	4,668,400	282	N	N	70	700	N	N	20	200	30	--
79M808S	454,600	4,668,550	283	N	N	20	70	N	N	50	150	100	--
79M910S	512,650	4,668,650	284	N	N	20	200	N	N	30	300	70	--
79M917S	518,150	4,668,650	285	N	N	20	300	<5	N	30	300	20	--
78M065S	462,600	4,668,700	286	N	N	20	200	N	N	30	1,000	70	--
78M006S	482,600	4,668,700	287	.7	N	70	300	N	N	20	100	100	--
78M003S	490,000	4,668,800	288	N	N	<20	500	N	N	20	100	30	--
80M1381S	525,600	4,668,850	289	N	N	50	700	N	N	30	150	20	150
79M831S	555,150	4,668,850	290	N	N	N	150	N	N	20	200	30	--
79M807S	444,450	4,669,050	291	N	N	50	200	N	N	70	3,000	50	--
78M508S	496,600	4,669,100	292	<.5	N	<20	300	N	N	20	100	50	--
78M044S	477,100	4,669,200	293	N	N	20	200	N	N	30	150	15	--
79M774S	460,950	4,669,300	294	N	N	100	20	N	N	50	1,500	70	--
78M568S	474,000	4,669,300	295	N	N	20	300	N	N	50	150	30	--
79M955S	504,400	4,669,300	296	N	N	30	300	N	N	30	200	70	--
79M793S	456,050	4,669,500	297	N	N	50	200	N	N	50	300	70	--
79M918S	517,900	4,669,550	298	N	N	30	700	N	N	30	300	50	--
79M870S	546,200	4,669,550	299	N	N	50	200	N	N	30	300	70	--
K162SS	432,050	4,669,600	300	N	N	--	--	N	N	70	3,000	70	--
78M004S	486,700	4,669,600	301	.5	N	100	300	N	N	15	50	30	--
80M0040S	454,600	4,669,650	302	N	N	<20	50	N	N	50	150	100	--
K103SS	421,500	4,669,800	303	N	N	--	--	N	N	100	>5,000	15	--
80M0050S	454,650	4,669,850	304	N	N	<20	70	N	N	50	200	70	--
79M869S	548,600	4,669,850	305	N	N	50	300	N	N	30	300	70	--
K211SS	434,450	4,670,050	306	N	N	30	200	N	N	50	700	150	--
80M0060S	454,550	4,670,050	307	N	N	70	300	N	N	50	700	100	--
79M954S	502,350	4,670,050	308	N	N	20	500	N	N	30	300	70	--
79M878S	542,350	4,670,050	309	N	N	<20	300	N	N	30	150	70	--
K170SS	429,350	4,670,100	310	N	N	--	--	N	N	70	5,000	70	--
78M062S	468,000	4,670,100	311	<.5	N	N	200	N	N	20	200	15	--
K18CS	427,100	4,670,200	312	N	N	--	--	N	N	50	1,500	100	--
80M0070S	454,650	4,670,250	313	N	N	50	300	N	N	50	500	50	--
79M806S	441,550	4,670,300	314	N	N	30	70	N	N	100	>5,000	50	--
K106SS	422,950	4,670,400	315	N	N	--	--	N	N	100	2,000	10	--

Sample	Mn-ppm s	Mo-ppm s	Nb-ppm s	Ni-ppm s	Pb-ppm s	Sb-ppm s	Sn-ppm s	V-ppm s	W-ppm s	Y-ppm s	Zn-ppm s
K1535S	1,500	N	--	1,500	N	N	N	150	N	--	N
79M868S	2,000	N	--	70	N	N	N	70	N	--	N
80M1383S	1,000	10	--	15	100	N	N	200	N	--	300
K1005S	1,500	N	--	3,000	N	N	N	200	N	--	300
80M1386S	1,500	N	--	30	<20	N	N	200	N	--	N
79M874S	1,000	N	--	70	N	N	N	50	N	--	N
79M963S	1,000	N	--	100	N	N	N	150	N	--	N
79M809S	1,500	N	--	1,000	N	N	N	200	N	--	N
80M1382S	1,500	N	--	20	<20	N	N	300	N	--	N
78M066S	1,500	N	N	200	20	N	N	150	N	--	<200
79M946S	1,000	<5	--	70	N	N	N	150	N	--	N
79M981S	700	N	--	30	N	N	N	150	N	--	N
79M808S	1,500	N	--	70	N	N	N	200	N	--	N
79M910S	700	N	--	100	N	N	N	200	N	--	N
79M917S	2,000	N	--	70	N	N	N	200	N	--	N
78M065S	2,000	N	N	300	<20	N	N	150	N	--	500
78M006S	1,000	N	N	50	<20	N	N	150	N	--	N
78M003S	500	N	N	30	<20	N	N	200	N	--	N
80M1381S	1,500	N	--	50	<20	N	N	200	N	--	N
79M831S	1,000	N	--	70	N	N	N	50	N	--	N
79M807S	1,500	N	--	2,000	N	N	N	100	N	--	N
78M508S	1,000	N	N	20	20	N	N	200	N	--	N
78M044S	1,500	N	N	30	N	N	N	200	N	--	N
79M774S	1,500	N	--	500	N	N	N	200	N	--	N
78M568S	1,500	N	N	20	<20	N	N	200	N	--	N
79M955S	1,500	N	--	50	N	N	N	150	N	--	N
79M793S	2,000	N	--	100	N	N	N	200	N	--	N
79M918S	2,000	N	--	100	20	N	N	200	N	--	N
79M870S	1,500	N	--	50	N	N	N	70	N	--	N
K1625S	1,500	N	--	1,000	<20	N	N	150	N	--	N
78M004S	1,000	N	N	30	<20	N	N	200	N	--	N
80M004DS	1,000	N	--	100	N	N	N	300	N	--	N
K1035S	1,000	N	--	3,000	N	N	N	200	N	--	<200
80M005DS	700	N	--	100	N	N	N	300	N	--	N
79M869S	1,500	N	--	70	N	N	N	100	N	--	N
K2115S	1,500	N	--	500	<20	N	N	200	N	--	N
80M006DS	3,000	N	--	150	<20	N	N	300	N	--	N
79M954S	2,000	N	--	70	N	N	N	150	N	--	N
79M878S	1,500	N	--	50	N	N	N	100	N	--	N
K1705S	1,500	N	--	1,500	N	N	N	200	N	--	N
78M062S	1,500	N	N	70	<20	N	N	150	N	--	N
K1305S	1,500	N	--	1,000	30	N	N	150	N	--	N
80M007DS	5,000	N	--	100	N	N	N	200	N	--	N
79M806S	1,500	N	--	3,000	N	N	N	150	N	--	200
K1065S	1,000	N	--	2,000	N	N	N	70	N	--	N

Sample	X coordinate	Y coordinate	Map_no.	Ag-ppm s	As-ppm s	B-ppm s	Ba-ppm s	Be-ppm s	Cd-ppm s	Co-ppm s	Cr-ppm s	Cu-ppm s	La-ppm s
79M979S	539,950	4,670,400	316	N	N	30	500	N	N	20	150	30	--
80M1341S	506,400	4,670,450	317	N	N	<20	30	N	N	7	100	20	--
80M1315S	499,350	4,670,550	318	N	N	70	500	N	N	20	150	50	--
78M570S	470,100	4,670,600	319	N	N	20	500	N	N	50	70	70	--
78M502S	479,400	4,670,600	320	<.5	N	<20	700	N	N	30	100	100	--
78M505S	492,400	4,670,600	321	1.0	N	<20	200	N	N	20	70	100	--
79M873S	566,400	4,670,750	322	N	N	<20	300	N	N	20	100	30	--
79M832S	552,900	4,670,800	323	N	N	30	500	N	N	30	150	70	--
79M909S	512,300	4,671,050	324	N	N	<20	150	N	N	15	200	50	--
79M1271S	437,750	4,671,200	325	N	N	100	150	N	N	50	500	20	--
78M506S	493,200	4,671,200	326	1.5	N	20	200	N	N	20	70	150	--
79M1167S	578,100	4,671,250	327	N	N	20	300	N	N	30	150	70	--
78M567S	474,900	4,671,500	328	N	N	30	500	N	N	30	200	50	--
78M061S	468,500	4,671,600	329	N	N	N	300	N	N	30	1,000	50	--
79M877S	542,900	4,671,600	330	<.5	N	20	200	N	N	50	500	70	--
78M060S	471,300	4,671,700	331	N	N	30	200	N	N	150	>5,000	20	--
80M1388S	522,200	4,671,800	332	N	N	30	500	N	N	30	300	15	--
79M833S	550,900	4,671,800	333	N	N	20	700	<5	N	30	50	50	--
K171SS	428,350	4,672,000	334	N	N	--	--	N	N	70	>5,000	100	--
78M063S	466,100	4,672,000	335	N	N	20	300	N	N	30	700	50	--
80M1342S	503,050	4,672,050	336	N	N	20	500	N	N	20	150	30	--
79M863S	558,550	4,672,150	337	N	N	N	300	N	N	30	300	70	--
K119SS	424,100	4,672,300	338	N	N	--	--	N	N	100	2,000	70	--
K166SS	431,450	4,672,300	339	N	N	--	--	N	N	70	2,000	70	--
80M1393S	516,550	4,672,300	340	N	N	70	1,000	N	N	50	300	50	--
79M862S	554,600	4,672,300	341	N	N	N	200	N	N	20	300	70	--
79M908S	511,600	4,672,350	342	N	N	100	300	N	N	20	150	70	--
73M067S	462,200	4,672,400	343	N	N	50	30	N	N	50	2,000	20	--
80M1350S	498,150	4,672,400	344	N	N	50	700	N	N	30	200	50	--
79M799S	450,500	4,672,450	345	N	N	150	700	N	N	20	150	50	--
80M1351S	500,350	4,672,600	346	N	N	70	700	N	N	50	200	50	--
80M1394S	518,400	4,672,600	347	N	N	30	500	N	N	30	200	30	--
79M1166S	570,000	4,672,600	348	N	N	N	150	N	N	7	50	30	--
79M804S	443,900	4,672,650	349	N	N	30	70	N	N	100	>5,000	15	--
79M794S	457,100	4,672,700	350	N	N	150	300	N	N	50	1,000	100	--
78M507S	495,100	4,672,700	351	N	N	50	500	N	N	30	150	70	--
78M530S	488,700	4,672,800	352	1.0	N	<20	300	N	N	20	70	100	--
79M805S	442,550	4,672,900	353	N	N	50	30	N	N	50	2,000	15	--
78M503S	479,400	4,672,900	354	N	N	20	300	N	N	20	300	70	--
80M1340S	507,150	4,672,900	355	N	N	<20	100	N	N	7	100	15	--
K123SS	426,250	4,673,000	356	N	N	--	--	N	N	100	1,000	70	--
78M069S	459,000	4,673,000	357	N	N	50	100	N	N	20	150	70	--
78M504S	483,300	4,673,000	358	.5	N	30	300	N	N	30	100	100	--
79M978S	540,250	4,673,050	359	N	N	50	300	N	N	30	200	50	--
80M1380S	527,750	4,673,100	360	N	N	50	700	N	N	50	150	50	--

Sample	Mn-ppm s	Mo-ppm s	Nb-ppm s	Ni-ppm s	Pb-ppm s	Sb-ppm s	Sn-ppm s	V-ppm s	W-ppm s	Y-ppm s	Zn-ppm s
79M979S	1,000	N	--	20	N	N	N	150	N	--	N
80M1341S	300	N	--	30	N	N	N	50	N	--	N
80M1315S	1,000	N	--	50	<20	N	N	200	N	--	N
78M570S	2,000	N	N	300	<20	N	N	150	N	--	N
78M502S	1,500	N	N	30	<20	N	N	200	N	--	N
78M505S	1,000	N	N	20	N	N	N	150	N	--	N
79M873S	1,500	N	--	50	N	N	N	50	N	--	N
79M832S	1,500	N	--	70	N	N	N	200	N	--	N
79M909S	500	N	--	70	N	N	N	150	N	--	N
79M1271S	700	N	--	1,500	N	N	N	70	N	--	N
78M506S	1,000	N	N	20	<20	N	N	150	N	--	N
79M1167S	1,500	N	--	70	<20	N	N	70	N	--	N
78M567S	1,500	N	--	50	<20	N	N	200	N	--	N
78M061S	1,500	N	N	500	<20	N	N	100	N	--	N
79M877S	1,500	N	--	100	N	N	N	150	N	--	N
78M060S	2,000	N	N	5,000	N	N	N	100	N	--	200
80M1388S	1,000	N	--	70	N	N	N	150	N	--	N
79M833S	1,000	N	--	50	N	N	N	100	N	--	N
K1715S	1,500	N	--	1,000	<20	N	N	200	N	--	N
78M063S	2,000	N	N	300	20	N	N	150	N	--	N
80M1342S	1,000	N	--	30	<20	N	N	200	N	--	N
79M863S	2,000	N	--	150	N	N	N	150	N	--	N
K1195S	1,500	N	--	200	N	N	N	500	N	--	N
K166S	1,500	N	--	700	N	N	N	150	N	--	N
80M1393S	1,500	N	--	70	<20	N	N	200	N	--	N
79M862S	700	N	--	100	N	N	N	150	N	--	N
79M908S	1,000	N	--	70	N	N	N	150	N	--	N
78M067S	1,000	N	N	2,000	N	N	N	100	N	--	<200
80M1350S	1,000	N	--	50	20	N	N	300	N	--	N
79M799S	700	N	--	70	<20	N	N	150	N	--	N
80M1351S	1,000	N	--	70	N	N	N	500	N	--	N
80M1394S	1,000	N	--	100	20	N	N	200	N	--	N
79M1166S	1,000	N	--	30	<20	N	N	70	N	--	N
79M804S	1,000	N	--	2,000	N	N	N	100	N	--	<200
79M794S	2,000	N	--	150	N	N	N	200	N	--	N
78M507S	1,500	N	N	30	<20	N	N	200	N	--	N
78M530S	2,000	N	N	30	<20	N	N	200	N	--	N
79M805S	1,000	N	--	1,000	N	N	N	70	N	--	N
78M503S	1,000	N	N	30	N	N	N	200	N	--	N
80M1340S	500	N	--	30	N	N	N	50	N	--	N
K1235S	1,500	N	--	150	N	N	N	500	N	--	N
78M069S	1,500	N	N	70	<20	N	N	150	N	--	<200
78M504S	1,500	N	N	30	20	N	N	300	N	--	N
79M978S	1,500	N	--	30	N	N	N	300	N	--	<200
80M1380S	1,500	N	--	30	<20	N	N	300	N	--	N

Sample	X coordinate	Y coordinate	Map_no.	Ag-ppm s	As-ppm s	B-ppm s	Ba-ppm s	Be-ppm s	Cd-ppm s	Co-ppm s	Cr-ppm s	Cu-ppm s	La-ppm s
79M858S	545,700	4,673,100	361	N	N	20	150	N	N	30	500	70	--
K99SS	420,000	4,673,150	362	N	N	--	--	N	N	70	>5,000	30	--
79M984S	537,450	4,673,150	363	N	N	30	300	N	N	20	150	50	--
K185SS	434,700	4,673,200	364	N	N	50	150	N	N	70	700	100	--
79M796S	453,100	4,673,200	365	N	N	150	700	N	N	20	200	70	--
80M1387S	535,850	4,673,200	366	N	N	50	700	N	N	70	200	50	--
79M956S	504,250	4,673,250	367	N	N	50	700	N	N	20	200	70	--
79M872S	564,250	4,673,250	368	N	N	<20	150	N	N	20	100	20	--
79M982S	531,500	4,673,550	369	N	N	30	200	N	N	20	70	50	--
78M531S	487,600	4,673,800	370	.7	N	30	700	N	N	30	100	150	--
79M1209S	439,950	4,673,950	371	N	N	N	<20	N	N	70	>5,000	7	--
78M532S	490,900	4,674,200	372	.5	N	20	300	N	N	30	200	100	--
78M533S	493,800	4,674,400	373	2.0	N	20	700	N	N	30	100	100	--
78M70S	458,800	4,674,500	374	N	N	30	300	N	N	30	1,500	50	--
78M543S	489,600	4,674,500	375	N	N	20	300	N	N	20	70	50	--
80M1299S	456,200	4,674,550	376	N	N	150	700	N	N	15	150	20	--
K66SS	420,850	4,674,600	377	N	N	--	--	N	N	70	2,000	100	--
79M795S	453,050	4,674,600	378	N	N	150	700	N	N	20	200	50	--
78M572SA	481,300	4,674,700	379	1.0	N	<20	700	N	N	20	150	70	--
78M758S	481,300	4,674,700	380	.7	N	20	1,000	N	N	20	200	100	--
79M1180S	573,400	4,674,700	381	N	N	<20	200	N	N	20	100	50	--
79M857S	542,850	4,674,750	382	N	N	20	150	N	N	30	70	50	--
80M1316S	500,900	4,674,800	383	.5	N	50	150	N	N	20	200	70	--
79M983S	532,700	4,674,800	384	N	N	20	300	N	N	30	150	70	--
K131SS	428,600	4,674,950	385	N	N	--	--	N	N	70	1,000	150	--
80M1379S	527,000	4,674,950	386	N	N	50	500	N	N	50	200	50	--
K204SS	435,600	4,675,000	387	N	N	50	200	N	N	70	2,000	150	--
80M1392S	513,800	4,675,050	388	N	N	100	300	N	N	30	200	30	--
79M859S	547,250	4,675,150	389	N	N	<20	200	N	N	30	100	70	--
79M957S	504,950	4,675,200	390	N	N	100	700	N	N	30	300	70	--
80M1339S	507,500	4,675,200	391	N	N	70	300	N	N	20	200	50	--
K90SS	423,000	4,675,400	392	N	N	--	--	N	N	70	300	200	--
78M573S	482,400	4,675,400	393	N	N	30	500	N	N	30	300	70	--
78M071S	461,300	4,675,500	394	N	N	50	300	N	N	20	200	50	--
78M064S	464,900	4,675,500	395	N	N	30	200	N	N	20	1,500	30	--
79M985S	536,150	4,675,600	396	N	N	50	500	N	N	30	50	70	--
K148SS	431,650	4,675,650	397	N	N	--	--	N	N	150	5,000	30	--
78M501S	486,400	4,675,700	398	<.5	N	20	500	N	N	20	100	200	--
K18SS	417,650	4,675,750	399	N	N	--	--	N	N	30	300	50	--
79M977S	539,350	4,675,800	400	N	N	100	500	N	N	30	200	70	--
79M798S	448,550	4,675,900	401	.7	N	150	700	N	N	20	200	70	--
78M057S	472,400	4,675,900	402	.5	N	<20	300	N	N	15	150	100	--
80M1389S	525,100	4,676,000	403	N	N	70	700	N	N	50	200	50	--
79M856S	545,700	4,676,100	404	N	N	20	200	N	N	30	200	70	--
79M802S	442,100	4,676,150	405	N	N	30	50	N	N	150	>5,000	30	--

Sample	Mn-ppm s	Mo-ppm s	Nb-ppm s	Ni-ppm s	Pb-ppm s	Sb-ppm s	Sn-ppm s	V-ppm s	W-ppm s	Y-ppm s	Zn-ppm s
79M858S	1,500	N	--	70	N	N	N	200	N	--	N
K99SS	1,500	N	--	2,000	N	N	N	300	N	--	N
79M984S	1,000	N	--	20	N	N	N	150	N	--	N
K185SS	1,500	N	--	700	N	N	N	300	N	--	N
79M796S	700	N	--	100	<20	N	N	150	N	--	N
80M1387S	2,000	N	--	30	<20	N	N	300	N	--	N
79M956S	1,500	N	--	50	<20	N	N	200	N	--	N
79M872S	1,000	N	--	50	N	N	N	50	N	--	N
79M982S	1,000	N	--	20	N	N	N	100	N	--	N
78M531S	1,500	N	N	70	<20	N	N	300	N	--	N
79M1209S	1,000	N	--	1,500	N	N	N	150	N	--	300
78M532S	1,500	N	N	50	<20	N	N	200	N	--	N
78M533S	1,500	N	N	50	20	N	N	200	N	--	N
78M070S	1,500	N	N	700	<20	N	N	100	N	--	300
78M543S	3,000	N	N	30	N	N	N	200	N	--	N
80M1299S	200	N	--	100	<20	N	N	150	N	--	N
K66SS	1,500	N	--	100	<20	N	N	500	N	--	N
79M795S	700	N	--	70	<20	N	N	150	N	--	N
78M572SA	1,000	<5	N	50	<20	N	N	150	N	--	N
78M758S	1,000	N	N	70	<20	N	N	150	N	--	N
79M1180S	1,000	N	--	50	<20	N	N	100	N	--	N
79M357S	1,000	N	--	50	N	N	N	200	N	--	N
80M1316S	1,000	N	--	50	N	N	N	200	N	--	N
79M983S	1,500	N	--	20	N	N	N	150	N	--	N
K131SS	1,500	N	--	700	50	N	N	300	N	--	N
80M1379S	1,000	N	--	50	<20	N	N	300	N	--	N
K204SS	1,500	N	--	1,000	<20	N	N	200	N	--	N
80M1392S	1,500	N	--	50	<20	N	N	300	N	--	N
79M859S	1,500	N	--	50	N	N	N	200	N	--	N
79M957S	1,500	N	--	100	N	N	N	200	N	--	N
80M1339S	1,000	N	--	70	<20	N	N	150	N	--	N
K90SS	2,000	N	--	70	N	N	N	500	N	--	N
78M573S	1,500	N	N	50	<20	N	N	150	N	--	N
78M071S	1,500	N	N	70	<20	N	N	150	N	--	N
78M064S	1,000	N	N	300	N	N	N	150	N	--	N
79M985S	1,500	N	--	20	30	N	N	150	N	--	200
K148SS	1,500	N	--	2,000	N	N	N	150	N	--	N
78M501S	1,500	N	N	30	<20	N	N	200	N	--	N
K18SS	1,500	N	--	70	20	N	N	200	N	--	N
79M977S	1,500	N	--	50	N	N	N	200	N	--	N
79M798S	700	N	--	100	20	N	N	150	N	--	N
78M057S	1,500	N	N	30	<20	N	N	150	N	--	N
80M1389S	1,500	N	--	70	<20	N	N	200	N	--	N
79M856S	1,500	N	--	50	N	N	N	200	N	--	N
79M802S	1,500	N	--	3,000	N	N	N	150	N	--	200

Sample	X coordinate	Y coordinate	Map_no.	Ag-ppm s	As-ppm s	B-ppm s	Ba-ppm s	Be-ppm s	Cd-ppm s	Co-ppm s	Cr-ppm s	Cu-ppm s	La-ppm s
79M876S	551,400	4,676,150	406	N	N	<20	200	N	N	30	200	50	--
79M797S	450,100	4,676,200	407	N	N	100	700	N	N	20	300	50	--
79M840S	557,550	4,676,300	408	N	N	<20	300	N	N	20	100	30	--
K86SS	427,000	4,676,400	409	N	N	--	--	N	N	70	>5,000	30	--
79M800S	438,450	4,676,600	410	N	N	N	70	N	N	20	300	50	--
78M059S	469,900	4,676,600	411	N	N	20	70	N	N	30	1,500	70	--
78M058S	474,400	4,676,600	412	N	N	30	500	N	N	30	500	50	--
79M986S	535,700	4,676,600	413	N	N	50	700	N	N	30	100	70	--
79M871S	563,100	4,676,650	414	N	N	<20	200	N	N	30	200	50	--
79M803S	444,400	4,676,750	415	N	N	<20	50	N	N	100	2,000	20	--
79M952S	499,300	4,676,900	416	N	N	70	500	N	N	20	150	70	--
80M1345S	509,200	4,677,000	417	N	N	70	500	N	N	20	200	50	--
79M990S	538,050	4,677,100	418	N	N	150	300	N	N	15	100	20	--
K206SS	434,100	4,677,150	419	N	N	30	200	N	N	50	1,000	100	--
78M571S	483,000	4,677,200	420	N	N	20	300	N	N	30	200	50	--
80M1314S	492,100	4,677,250	421	N	N	100	300	N	N	15	150	70	--
80M1298S	459,650	4,677,300	422	N	N	<20	50	N	N	30	150	70	--
80M1346S	512,900	4,677,300	423	N	N	100	500	N	N	20	150	30	--
80M1343S	505,300	4,677,500	424	N	N	100	700	N	N	30	200	50	--
K60SS	428,900	4,677,550	425	N	N	--	--	N	N	50	1,000	100	--
78M075S	456,400	4,677,600	426	N	N	50	300	N	N	50	1,000	50	--
80M1344S	507,000	4,677,600	427	N	N	70	500	N	N	20	300	50	--
79M860S	547,650	4,677,700	428	N	N	N	200	N	N	30	100	70	--
80M1297S	461,950	4,677,800	429	N	N	30	50	N	N	70	700	70	--
78M535S	495,000	4,677,800	430	N	N	20	500	N	N	20	150	100	--
79M801S	439,550	4,678,100	431	N	N	<20	100	N	N	50	700	70	--
80M1296S	464,400	4,678,100	432	N	N	50	200	N	N	30	200	50	--
80M1377S	527,350	4,678,100	433	N	N	50	500	N	N	50	150	50	--
K96SS	424,050	4,678,150	434	N	N	--	--	N	N	70	2,000	50	--
80M1378S	526,400	4,678,150	435	N	N	70	500	N	N	70	300	30	--
80M1349S	509,600	4,678,300	436	N	N	100	500	N	N	20	500	30	--
80M1390S	520,950	4,678,300	437	N	N	100	1,000	N	N	20	300	20	--
79M839S	556,600	4,678,300	438	N	N	<20	300	N	N	20	300	50	--
K46SS	427,000	4,678,400	439	N	N	--	--	N	N	70	5,000	30	--
78M579S	468,000	4,678,400	440	N	N	50	50	N	N	70	5,000	15	--
78M575S	474,300	4,678,500	441	N	N	50	500	N	N	30	300	70	--
K285SS	432,500	4,678,600	442	N	N	30	<20	N	N	100	3,000	30	--
78M074S	450,800	4,678,700	443	N	N	200	700	N	N	20	300	30	--
79M1210S	443,850	4,678,750	444	N	N	<20	<20	N	N	70	2,000	15	--
79M1181S	572,600	4,678,750	445	N	N	<20	300	N	N	20	150	70	--
79M987S	534,700	4,678,850	446	N	N	100	500	N	N	30	150	70	--
78M576S	471,900	4,679,100	447	N	N	70	150	N	N	30	>5,000	30	--
78M549S	481,100	4,679,200	448	N	N	<20	500	N	N	20	100	30	--
80M1337S	498,150	4,679,200	449	N	N	30	500	N	N	30	200	30	--
79M1211S	442,500	4,679,250	450	N	N	20	70	N	N	70	1,000	70	--

Sample	Mn-ppm s	Mo-ppm s	Nb-ppm s	Ni-ppm s	Pb-ppm s	Sb-ppm s	Sn-ppm s	V-ppm s	W-ppm s	Y-ppm s	Zn-ppm s
79M876S	700	N	--	70	N	N	N	50	N	--	N
79M797S	700	N	--	70	<20	N	N	100	N	--	N
79M840S	1,000	N	--	50	N	N	N	150	N	--	N
K86SS	1,000	N	--	1,000	N	N	N	300	N	--	N
79M800S	1,000	N	--	150	N	N	N	150	N	--	N
78M059S	1,500	N	N	500	N	N	N	200	N	--	N
78M058S	1,500	N	N	200	<20	N	N	150	N	--	N
79M986S	1,500	N	--	20	<20	N	N	150	N	--	N
79M871S	1,500	N	--	70	N	N	N	70	N	--	N
79M803S	2,000	N	--	3,000	N	N	N	100	N	--	N
79M952S	700	N	--	30	N	N	N	150	N	--	N
80M1345S	1,000	N	--	50	<20	N	N	200	N	--	N
79M990S	1,000	N	--	15	<20	N	N	100	N	--	N
K206SS	2,000	N	--	1,000	<20	N	N	200	N	--	N
78M571S	2,000	N	N	50	<20	N	N	150	N	--	N
80M1314S	700	N	--	50	N	N	N	150	N	--	N
80M1298S	700	N	--	70	N	N	N	300	N	--	N
80M1346S	1,000	N	--	70	<20	N	N	150	N	--	N
80M1343S	1,000	<5	--	100	20	N	N	200	N	--	N
K60SS	2,000	N	--	300	30	N	N	300	N	--	N
78M075S	2,000	N	N	100	N	N	N	150	N	--	N
80M1344S	1,000	N	--	70	<20	N	N	200	N	--	N
79M860S	1,500	N	--	50	N	N	N	200	N	--	N
80M1297S	700	N	--	300	N	N	N	300	N	--	N
78M535S	1,500	N	N	50	20	N	N	200	N	--	N
79M801S	1,500	N	--	500	N	N	N	150	N	--	N
80M1296S	1,500	N	--	150	N	N	N	200	N	--	N
80M1377S	1,500	N	--	30	N	N	N	200	N	--	N
K96SS	2,000	N	--	150	N	N	N	300	N	--	N
80M1378S	1,500	N	--	70	<20	N	N	200	N	--	N
80M1349S	700	N	--	100	<20	N	N	150	N	--	N
80M1390S	700	N	--	50	30	N	N	200	N	--	N
79M839S	700	N	--	100	N	N	N	100	N	--	N
K46SS	2,000	N	--	300	N	N	N	200	N	--	N
78M579S	1,000	N	N	1,500	N	N	N	100	N	--	N
78M575S	1,500	N	N	70	<20	N	N	200	N	--	N
K285SS	1,000	N	--	2,000	N	N	N	100	N	--	N
78M074S	1,500	N	N	70	20	N	N	150	N	--	<200
79M1210S	1,000	N	--	1,500	N	N	N	70	N	--	N
79M1181S	1,000	N	--	50	N	N	N	150	N	--	N
79M987S	1,500	N	--	50	N	N	N	150	N	--	<200
78M576S	1,500	N	N	700	<20	N	N	150	N	--	N
78M549S	2,000	N	<20	70	20	N	N	150	N	--	N
80M1337S	1,000	N	--	70	<20	N	N	200	N	--	N
79M1211S	1,500	N	--	1,000	N	N	N	150	N	--	N

Sample	X coordinate	Y coordinate	Map_no.	Ag-ppm s	As-ppm s	B-ppm s	Ba-ppm s	Be-ppm s	Cd-ppm s	Co-ppm s	Cr-ppm s	Cu-ppm s	La-ppm s
79M1182S	569,200	4,679,300	451	N	N	<20	300	N	N	20	150	50	--
78M546S	486,100	4,679,400	452	N	N	20	300	N	N	20	150	30	--
80M1313S	489,300	4,679,400	453	N	N	30	500	N	N	30	500	50	--
80M1338S	501,400	4,679,400	454	N	N	50	500	N	N	20	200	30	--
80M1362S	522,550	4,679,550	455	N	N	150	700	N	N	30	700	30	--
79M989S	541,500	4,679,650	456	N	N	<20	500	N	N	30	300	70	--
79M855S	544,200	4,679,700	457	N	N	20	700	N	N	30	200	70	--
80M1288S	531,600	4,679,900	458	N	N	30	200	N	N	30	200	50	--
78M577S	473,500	4,680,100	459	N	N	20	50	N	N	30	>5,000	20	--
80M1363S	519,300	4,680,200	460	N	N	100	700	N	N	20	500	20	--
78M578S	470,100	4,680,300	461	N	N	50	150	N	N	30	150	50	--
K79SS	426,500	4,680,550	462	N	N	--	--	N	N	100	700	150	--
80M1310S	483,750	4,680,600	463	N	N	30	500	N	N	50	700	50	--
79M988S	536,700	4,680,900	464	N	N	20	500	N	N	20	150	30	--
80M1294S	463,350	4,680,950	465	N	N	30	300	N	N	30	700	30	--
80M1287S	534,050	4,681,000	466	N	N	200	700	N	N	20	150	20	--
K401SS	434,800	4,681,050	467	N	N	30	30	N	N	200	>5,000	30	--
79M1212S	446,650	4,681,050	468	N	N	20	70	N	N	70	1,500	70	--
K35SS	420,600	4,681,250	469	N	N	--	--	N	N	20	200	30	--
80M1295S	464,800	4,681,300	470	N	N	30	100	N	N	100	1,000	20	--
80M1361S	521,850	4,681,350	471	N	N	30	300	N	N	50	200	50	--
80M1312S	486,700	4,681,400	472	N	N	<20	500	N	N	50	300	50	--
K37SS	423,550	4,681,450	473	N	N	--	--	N	N	50	150	70	--
K208SS	432,400	4,681,450	474	N	N	50	50	N	N	150	>5,000	50	--
79M1214S	442,450	4,681,500	475	N	N	<20	50	N	N	30	300	70	--
79M1213S	444,550	4,681,500	476	N	N	70	50	N	N	70	3,000	30	--
78M077S	458,200	4,681,500	477	1.0	N	150	500	N	N	20	200	20	--
78M544S	489,100	4,681,500	478	N	N	<20	300	N	N	20	100	70	--
78M536S	494,700	4,681,500	479	<.5	N	50	500	N	N	30	300	50	--
78M580S	468,200	4,681,600	480	N	N	70	100	N	N	30	2,000	100	--
79M854S	542,950	4,681,600	481	N	N	30	700	N	N	20	100	50	--
79M852S	546,950	4,681,600	482	N	N	<20	500	N	N	50	200	70	--
78M537S	492,500	4,681,900	483	.7	N	20	500	N	N	20	200	70	--
79M991S	541,800	4,681,900	484	N	N	50	200	N	N	30	150	70	--
78M574S	476,700	4,682,000	485	N	N	20	150	N	N	30	500	50	--
80M1347S	505,250	4,682,000	486	N	N	100	500	N	N	20	150	30	--
80M1376S	525,600	4,682,100	487	N	N	50	500	N	N	50	70	20	--
79M951S	499,900	4,682,150	488	N	N	70	700	N	N	20	200	70	--
79M1027S	531,600	4,682,250	489	N	N	150	200	N	N	30	100	50	--
K286SS	430,550	4,682,350	490	N	N	20	20	N	N	100	5,000	70	--
80M1348S	503,000	4,682,350	491	N	N	50	300	N	N	20	150	50	--
79M1183S	570,150	4,682,550	492	N	N	<20	200	N	N	10	50	30	--
79M1220S	438,900	4,682,900	493	N	N	20	100	N	N	70	2,000	50	--
78M072S	453,600	4,683,000	494	.5	N	100	500	N	N	10	100	30	--
80M1293S	456,400	4,683,000	495	N	N	150	500	N	N	10	200	30	--

Sample	Mn-ppm s	Mo-ppm s	Nb-ppm s	Ni-ppm s	Pb-ppm s	Sb-ppm s	Sn-ppm s	V-ppm s	W-ppm s	Y-ppm s	Zn-ppm s
79M1182S	1,000	N	--	50	<20	N	N	150	N	--	N
78M546S	1,000	N	N	30	<20	N	N	200	N	--	N
80M1313S	1,000	N	--	70	<20	N	N	200	N	--	N
80M1336S	1,000	N	--	50	<20	N	N	200	N	--	N
80M1362S	1,500	N	--	50	30	N	N	300	N	--	N
79M989S	1,500	N	--	70	<20	N	N	150	N	--	N
79M855S	1,500	N	--	70	<20	N	N	150	N	--	N
80M1288S	1,000	N	--	70	<20	N	N	300	N	--	N
78M577S	1,000	N	N	500	<20	N	N	200	N	--	N
80M1363S	700	N	--	50	30	N	N	150	N	--	N
78M578S	1,500	N	N	70	<20	N	N	200	N	--	N
K79SS	3,000	N	--	700	N	N	N	500	N	--	N
80M1310S	1,500	N	--	70	N	N	N	200	N	--	N
79M988S	1,000	N	--	20	20	N	N	150	N	--	N
80M1294S	1,000	N	--	200	N	N	N	100	N	--	N
80M1287S	1,000	N	--	20	30	N	N	100	N	--	N
K401SS	1,500	N	--	2,000	N	N	N	150	N	--	N
79M1212S	1,500	N	--	1,000	N	N	N	150	N	--	N
K35SS	1,500	N	--	70	20	N	N	200	N	--	N
80M1295S	1,000	N	--	1,500	N	N	N	70	N	--	N
80M1361S	1,500	N	--	70	N	N	N	200	N	--	N
80M1312S	1,500	N	--	70	N	N	N	200	N	--	N
K37SS	2,000	N	--	50	N	N	N	300	N	--	N
K208SS	1,500	N	--	3,000	N	N	N	150	N	--	<200
79M1214S	1,000	N	--	150	N	N	N	150	N	--	N
79M1213S	1,500	N	--	1,500	N	N	N	100	N	--	N
78M077S	1,500	N	N	70	20	N	N	150	N	--	N
78M544S	1,000	N	N	50	<20	N	N	200	N	--	N
78M536S	1,500	N	<20	70	20	N	N	200	N	--	N
78M580S	1,500	N	N	700	N	N	N	150	N	--	N
79M854S	1,500	N	--	30	N	N	N	150	N	--	N
79M852S	1,500	N	--	70	N	N	N	150	N	--	N
78M537S	1,000	N	N	50	<20	N	N	200	N	--	N
79M991S	1,500	N	--	50	N	N	N	150	N	--	N
78M574S	1,500	N	N	50	N	N	N	200	N	--	N
80M1347S	1,000	N	--	50	20	N	N	200	N	--	N
80M1376S	1,000	N	--	20	N	N	N	300	N	--	N
79M951S	700	<5	--	70	<20	N	N	150	N	--	N
79M1027S	1,500	N	--	20	<20	N	N	150	N	--	N
K286SS	1,500	N	--	3,000	N	N	N	100	N	--	N
80M1348S	1,000	N	--	50	N	N	N	200	N	--	N
79M1183S	1,000	N	--	20	<20	N	N	70	N	--	N
79M1220S	1,000	N	--	700	N	N	N	150	N	--	N
78M072S	2,000	N	N	50	20	N	N	100	N	--	<200
80M1293S	200	N	--	70	<20	N	N	150	N	--	N

Sample	X coordinate	Y coordinate	Map_no.	Ag-ppm s	As-ppm s	B-ppm s	Ba-ppm s	Be-ppm s	Cd-ppm s	Co-ppm s	Cr-ppm s	Cu-ppm s	La-ppm s
78M073S	453,500	4,683,100	496	.5	N	150	500	N	N	15	150	30	--
80M1375S	524,050	4,683,250	497	N	N	50	500	N	N	70	200	50	--
80M1403S	530,150	4,683,250	498	N	N	<20	300	N	N	20	50	20	--
79M1234S	541,800	4,683,500	499	N	N	50	700	N	N	30	300	50	--
80M1292S	460,050	4,683,550	500	N	N	150	500	N	N	10	200	30	--
K73SS	428,750	4,683,600	501	N	N	--	--	N	N	70	150	100	--
79M851S	547,400	4,683,650	502	N	N	<20	300	N	N	20	50	70	--
78M545S	489,400	4,683,700	503	N	N	N	500	N	N	15	100	20	--
79M853S	543,600	4,683,700	504	N	N	50	700	N	N	30	150	50	--
79M1215S	441,000	4,683,750	505	N	N	20	70	N	N	50	5,000	70	--
80M1336S	498,600	4,683,800	506	N	N	50	500	N	N	30	1,000	50	--
78LG011S	579,850	4,683,800	507	N	N	30	300	N	N	30	200	50	--
78M534S	496,100	4,683,900	508	<.5	N	30	500	N	N	30	200	50	--
78M592S	470,500	4,684,000	509	N	N	50	700	N	N	20	100	70	--
80M1360S	518,200	4,684,100	510	N	N	50	500	N	N	50	200	50	--
78M538S	492,100	4,684,200	511	N	N	<20	700	N	N	20	200	15	--
79M836S	557,950	4,684,250	512	N	N	N	300	N	N	5	150	50	--
78M076S	457,700	4,684,400	513	.5	N	200	700	N	N	30	300	30	--
79M861S	564,450	4,684,400	514	N	N	N	200	<5	N	15	70	20	--
K38SS	418,400	4,684,500	515	N	N	--	--	N	N	20	300	50	--
78M548S	483,400	4,684,500	516	N	N	30	300	N	N	30	150	70	--
79M1218S	437,000	4,684,550	517	N	N	50	150	N	N	50	700	50	--
78LG003S	572,686	4,684,550	518	N	N	30	300	N	N	30	100	20	--
K68SS	425,400	4,684,600	519	N	N	--	--	N	N	70	200	70	--
79M837S	553,550	4,684,600	520	N	N	20	300	<5	N	30	200	70	--
80M1311S	473,400	4,684,650	521	N	N	<20	100	N	N	50	300	30	--
79M992S	540,600	4,684,700	522	N	N	70	500	N	N	30	150	70	--
79M1026S	527,950	4,684,750	523	N	N	20	300	N	N	50	150	30	--
79M994S	538,900	4,685,000	524	N	N	30	500	N	N	10	50	20	--
79M838S	550,600	4,685,050	525	N	N	<20	300	N	N	30	200	70	--
79M1229S	443,150	4,685,150	526	N	N	50	150	N	N	50	700	70	--
78M582S	469,700	4,685,200	527	N	N	20	100	N	N	50	5,000	30	--
78M596S	478,100	4,685,200	528	N	N	30	500	N	N	15	150	50	--
79M1001S	533,600	4,685,250	529	N	N	20	300	N	N	30	50	70	--
78M585S	463,800	4,685,300	530	.7	N	100	300	N	N	50	5,000	150	--
K345SS	431,500	4,685,450	531	N	N	<20	20	N	N	200	5,000	30	--
78M584S	464,300	4,685,500	532	1.0	N	50	500	N	N	20	150	100	--
80M1308S	480,050	4,685,500	533	N	N	50	500	N	N	30	700	50	--
80M1359S	521,650	4,685,550	534	N	N	50	300	N	N	30	150	30	--
79M1219S	436,300	4,685,650	535	N	N	20	100	N	N	70	1,500	50	--
79M1003S	532,150	4,685,900	536	N	N	<20	500	N	N	20	50	50	--
78M542S	486,900	4,686,000	537	.5	N	20	300	N	N	30	200	100	--
79M950S	499,350	4,686,050	538	N	N	N	300	N	N	30	200	5	--
79M949S	501,450	4,686,050	539	N	N	20	200	N	N	30	500	7	--
78M539S	492,900	4,686,100	540	N	N	20	500	N	N	30	200	15	--

Sample	Mn-ppm s	Mo-ppm s	Nb-ppm s	Ni-ppm s	Pb-ppm s	Sb-ppm s	Sn-ppm s	V-ppm s	W-ppm s	Y-ppm s	Zn-ppm s
78M073S	1,500	N	N	50	20	N	N	100	N	--	<200
80M1375S	1,500	N	--	30	N	N	N	500	N	--	N
80M1403S	1,500	N	--	20	<20	N	N	150	N	--	N
79M1234S	1,500	N	--	70	<20	N	N	150	N	--	N
80M1292S	300	N	--	70	<20	N	N	150	N	--	N
K73SS	3,000	N	--	50	N	N	N	500	N	--	N
79M851S	1,000	N	--	50	N	N	N	100	N	--	N
78M545S	1,000	N	N	20	20	N	N	150	N	--	N
79M853S	1,000	N	--	50	N	N	N	150	N	--	N
79M1215S	1,000	N	--	700	N	N	N	150	N	--	N
80M1336S	1,500	N	--	70	<20	N	N	200	N	--	N
78LG011S	700	N	--	70	<20	N	N	100	N	--	N
78M534S	1,000	N	N	50	<20	N	N	200	N	--	N
78M592S	1,500	N	N	30	<20	N	N	150	N	--	N
80M1360S	1,500	N	--	50	N	N	N	300	N	--	N
78M538S	1,500	N	<20	30	20	N	N	150	N	--	N
79M836S	300	N	--	70	N	N	N	70	N	--	N
78M076S	300	N	N	150	20	N	N	150	N	--	300
79M861S	1,000	N	--	30	N	N	N	100	N	--	N
K38SS	1,500	N	--	100	30	N	N	200	N	--	N
78M548S	1,500	N	N	50	<20	N	N	200	N	--	N
79M1218S	1,500	N	--	500	N	N	N	150	N	--	N
78LG003S	1,000	N	--	70	N	N	N	100	N	--	N
K68SS	2,000	N	--	70	N	N	N	1,000	N	--	N
79M837S	1,000	N	--	70	N	N	N	150	N	--	N
80M1311S	1,500	N	--	100	N	N	N	200	N	--	N
79M992S	1,500	N	--	50	N	N	N	150	N	--	N
79M1026S	1,500	N	--	20	<20	N	N	200	N	--	N
79M994S	1,000	N	--	10	<20	N	N	100	N	--	N
79M838S	2,000	N	--	100	N	N	N	100	N	--	N
79M1229S	1,500	N	--	500	N	N	N	150	N	--	N
78M582S	1,500	N	N	300	N	N	N	500	N	--	N
78M596S	1,000	N	--	30	<20	N	N	150	N	--	N
79M1001S	1,500	N	--	15	N	N	N	150	N	--	N
78M585S	1,500	N	N	1,500	30	N	N	200	N	--	<200
K345SS	2,000	N	--	3,000	N	N	N	100	N	--	N
78M584S	1,500	N	N	70	20	N	N	150	N	--	N
80M1308S	1,000	N	--	70	<20	N	N	200	N	--	N
80M1359S	1,500	N	--	20	20	N	N	200	N	--	N
79M1219S	1,000	N	--	1,500	N	N	N	150	N	--	N
79M1003S	1,500	N	--	10	N	N	N	150	N	--	N
78M542S	1,500	N	N	50	<20	N	N	200	N	--	N
79M950S	1,500	N	--	50	N	N	N	200	N	--	N
79M949S	1,500	N	--	70	N	N	N	300	N	--	N
78M539S	1,500	N	N	50	<20	N	N	150	N	--	N

Sample	X coordinate	Y coordinate	Map_no.	Ag-ppm s	As-ppm s	B-ppm s	Ba-ppm s	Be-ppm s	Cd-ppm s	Co-ppm s	Cr-ppm s	Cu-ppm s	La-ppm s
80M1357S	519,450	4,686,300	541	N	N	70	500	N	N	70	200	100	--
K49SS	425,450	4,686,550	542	N	N	--	--	N	N	100	1,000	70	--
80M1309S	483,200	4,686,650	543	N	N	50	700	N	N	20	300	30	--
K347SS	431,300	4,686,700	544	N	N	20	100	N	N	100	1,000	100	--
80M0020S	540,050	4,686,750	545	N	N	300	500	N	N	20	150	30	--
79M847S	544,250	4,686,750	546	N	N	30	500	N	N	30	300	70	--
79M835S	559,350	4,686,750	547	N	N	20	300	N	N	10	100	50	--
80M0010S	539,900	4,686,800	548	N	N	50	500	N	N	20	150	30	--
79M1025S	527,500	4,686,850	549	N	N	20	500	N	N	30	100	30	--
78M581S	469,700	4,687,100	550	N	N	20	100	N	N	50	>5,000	50	--
79M1002S	532,900	4,687,100	551	N	N	20	700	N	N	30	50	70	--
79M995S	537,400	4,687,100	552	N	N	<20	300	N	N	15	70	20	--
80M0030S	540,350	4,687,200	553	N	N	100	700	N	N	50	700	30	--
79M1216S	438,500	4,687,300	554	N	N	30	150	N	N	30	1,000	50	--
79M1235S	540,350	4,687,300	555	N	N	70	700	N	N	20	200	30	--
78M078S	453,500	4,687,400	556	<.5	N	200	700	N	N	30	200	30	--
79M845S	545,350	4,687,600	557	N	N	50	500	N	N	50	200	70	--
78L0005S	566,362	4,687,680	558	N	N	20	300	N	N	20	70	15	--
79M1222S	447,350	4,687,700	559	N	N	<20	150	N	N	70	700	50	--
78M547S	480,800	4,687,800	560	N	N	30	300	N	N	20	1,000	100	--
K555S	422,750	4,687,850	561	N	N	--	--	N	N	30	300	50	--
79M825S	441,600	4,687,850	562	N	N	N	50	N	N	5	50	20	--
78M1591S	477,500	4,687,900	563	N	N	20	300	N	N	50	1,500	70	--
79M1221S	449,500	4,688,000	564	1.0	N	150	700	N	N	30	150	70	--
78M541S	486,000	4,688,000	565	N	N	20	300	N	N	50	700	100	--
79M826S	443,950	4,688,050	566	N	N	N	100	N	N	10	300	30	--
78M085S	457,800	4,688,100	567	.5	N	100	700	N	N	30	200	100	--
78M593S	471,600	4,688,100	568	N	N	<20	70	N	N	30	200	30	--
80M1317S	490,900	4,688,100	569	N	N	20	500	N	N	50	200	70	--
78M560S	494,200	4,688,100	570	.7	N	20	500	N	N	30	1,000	70	--
80M1358S	515,800	4,688,150	571	N	N	30	700	N	N	15	200	20	--
K39SS	421,000	4,688,300	572	N	N	--	--	N	N	30	200	30	--
79M1233S	538,900	4,688,300	573	N	N	200	700	N	N	15	70	30	--
79M844S	548,550	4,688,300	574	N	N	<20	300	<5	N	7	70	50	--
79M1024S	526,300	4,688,350	575	N	N	20	500	N	N	50	200	50	--
K414SS	435,000	4,688,400	576	N	N	20	300	N	N	30	700	15	--
78M586S	460,800	4,688,400	577	1.0	N	150	1,000	N	N	20	300	30	--
78M587S	461,700	4,688,400	578	.5	N	150	1,000	N	N	20	1,500	50	--
78M583S	464,700	4,688,500	579	N	N	100	500	N	N	20	150	20	--
78M834S	556,200	4,688,500	580	N	N	<20	500	N	N	20	70	50	--
K392SS	428,850	4,688,550	581	N	N	30	70	N	N	70	500	150	--
80M1335S	502,650	4,688,600	582	N	N	20	300	N	N	30	700	7	--
80M1404S	524,300	4,688,600	583	N	N	100	300	N	N	30	50	50	--
79M993S	540,500	4,688,600	584	N	N	200	700	N	N	10	70	20	--
78M590S	475,500	4,688,900	585	<.5	N	<20	150	N	N	50	100	70	--

Sample	Mn-ppm s	Mo-ppm s	Nb-ppm s	Ni-ppm s	Pb-ppm s	Sb-ppm s	Sn-ppm s	V-ppm s	W-ppm s	Y-ppm s	Zn-ppm s
80M1357S	2,000	N	--	70	50	N	N	500	N	--	300
K49SS	2,000	N	--	150	N	N	N	500	N	--	N
80M1309S	1,000	N	--	70	<20	N	N	300	N	--	200
K347SS	2,000	N	--	700	N	N	N	200	N	--	N
80M0020S	1,000	N	--	50	N	N	N	200	N	--	N
79M847S	2,000	N	--	70	N	N	N	200	N	--	N
79M835S	300	N	--	50	N	N	N	150	N	--	N
80M0010S	1,000	N	--	30	<20	N	N	200	N	--	N
79M1025S	1,500	N	--	20	<20	N	N	150	N	--	N
78M581S	1,500	N	N	700	N	N	N	200	N	--	N
79M1002S	1,500	N	--	20	N	N	N	150	N	--	N
79M995S	1,000	N	--	15	N	N	N	100	N	--	N
80M0030S	1,500	N	--	150	<20	N	N	200	N	--	N
79M1216S	1,000	N	--	500	N	N	N	150	N	--	N
79M1235S	100	N	--	30	<20	N	N	100	N	--	N
78M078S	700	N	N	50	20	N	N	200	N	--	N
79M845S	1,500	N	--	70	N	N	N	200	N	--	N
78LG005S	700	N	--	70	N	N	N	70	N	--	N
79M1222S	1,000	N	--	700	N	N	N	150	N	--	N
78M547S	1,500	N	N	300	<20	N	N	200	N	--	N
K355S	1,500	N	--	100	30	N	N	300	N	--	N
79M825S	700	N	--	30	N	N	N	30	N	--	N
78M591S	1,500	N	N	300	<20	N	N	200	N	--	N
79M1221S	2,000	N	--	150	<20	N	N	150	N	--	300
78M541S	1,500	N	N	100	<20	N	N	300	N	--	N
79M826S	1,000	N	--	50	N	N	N	50	N	--	N
78M085S	2,000	N	N	50	20	N	N	200	N	--	200
78M593S	1,500	N	N	50	<20	N	N	150	N	--	N
80M1317S	1,000	N	--	70	N	N	N	200	N	--	N
78M560S	1,000	N	N	100	20	N	N	150	N	--	<200
80M1358S	1,000	N	--	30	20	N	N	150	N	--	N
K39SS	1,500	N	--	70	20	N	N	200	N	--	N
79M1233S	700	N	--	15	<20	N	N	150	N	--	N
79M844S	700	N	--	50	N	N	N	100	N	--	N
79M1024S	1,500	N	--	20	<20	N	N	150	N	--	N
K414SS	1,500	N	--	200	N	N	N	200	N	--	N
78M586S	1,000	N	N	100	30	N	N	150	N	--	N
78M587S	1,000	N	N	150	30	N	N	150	N	--	N
78M583S	1,500	N	N	30	<20	N	N	200	N	--	N
79M834S	700	N	--	70	N	N	N	150	N	--	N
K392SS	2,000	N	--	100	N	N	N	700	N	--	N
80M1335S	1,500	N	--	100	N	N	N	300	N	--	N
80M1404S	2,000	N	--	20	20	N	N	150	N	--	N
79M993S	1,000	N	--	20	N	N	N	70	N	--	N
78M590S	2,000	N	N	30	20	N	N	200	N	--	300

Sample	X coord- dinate	Y coord- dinate	Map_no.	Ag-ppm s	As-ppm s	B-ppm s	Ba-ppm s	Be-ppm s	Cd-ppm s	Co-ppm s	Cr-ppm s	Cu-ppm s	La-ppm s
79M1231S	534,650	4,688,950	586	N	N	<20	700	N	N	20	100	30	--
79M1195S	529,300	4,689,050	587	N	N	70	200	N	N	30	50	70	--
79M1217S	437,400	4,689,200	588	N	N	<20	100	N	N	15	500	10	--
78M079S	453,000	4,689,200	589	.5	N	150	700	N	N	20	200	20	--
78M588S	462,200	4,689,200	590	1.0	N	150	1,000	N	N	20	500	50	--
78M595S	468,200	4,689,300	591	N	N	<20	100	N	N	50	1,500	70	--
K4135S	434,750	4,689,350	592	N	N	20	200	N	N	30	700	50	--
78M597S	459,200	4,689,400	593	1.0	N	150	1,000	N	N	30	300	100	--
79M999S	530,350	4,689,400	594	N	N	20	500	N	N	30	50	50	--
78LG009S	579,753	4,689,460	595	N	N	50	300	N	N	20	150	50	--
79M1228S	444,650	4,689,600	596	N	N	30	150	N	N	100	2,000	50	--
78M594S	470,900	4,689,700	597	N	N	N	500	N	N	15	150	20	--
78M540S	492,000	4,689,700	598	.5	N	20	300	N	N	20	100	50	--
78M175S	541,400	4,689,700	599	N	N	50	500	N	N	20	200	30	--
79M327S	441,750	4,689,750	600	N	N	<20	150	N	N	70	>5,000	30	--
80M1323S	498,350	4,689,800	601	N	N	100	700	N	N	30	300	20	--
79M1230S	533,900	4,689,800	602	N	N	50	700	N	N	30	200	70	--
79M996S	537,650	4,689,800	603	N	N	70	500	N	N	30	150	30	--
79M846S	542,550	4,689,850	604	N	N	<20	300	N	N	30	150	70	--
K3485S	428,400	4,689,900	605	N	N	30	150	N	N	70	200	100	--
78M080S	450,600	4,689,900	606	.5	N	100	300	N	N	20	3,000	100	--
79M1023S	524,300	4,689,900	607	N	N	50	300	N	N	30	70	50	--
79M843S	547,200	4,689,900	608	N	N	20	300	N	N	30	200	50	--
K4255S	424,700	4,690,050	609	N	N	70	150	N	N	70	150	150	--
78LG002S	576,885	4,690,270	610	N	N	30	200	N	N	30	150	30	--
78M550S	476,300	4,690,300	611	N	N	20	70	N	N	50	1,000	100	--
79M829S	446,900	4,690,400	612	N	N	20	100	N	N	30	300	70	--
79M1232S	537,050	4,690,400	613	N	N	70	700	N	N	70	100	30	--
78M140S	464,800	4,690,500	614	N	N	30	300	N	N	70	2,000	50	--
78M559S	494,800	4,690,500	615	.7	N	20	300	N	N	20	200	70	--
78M589S	475,400	4,690,700	616	N	N	20	150	N	N	50	100	50	--
80M1334S	501,600	4,690,700	617	N	N	20	300	N	N	30	700	5	--
K3905S	431,900	4,690,750	618	N	N	50	100	N	N	70	100	150	--
80M1352S	520,150	4,690,750	619	N	N	50	500	N	N	50	500	30	--
78M554S	479,600	4,690,900	620	1.0	N	<20	100	N	N	30	200	70	--
80M1356S	515,600	4,690,950	621	N	N	30	300	N	N	50	200	30	--
78M557S	485,600	4,691,100	622	<.5	N	N	300	N	N	30	300	100	--
78M556S	484,500	4,691,400	623	N	N	30	500	N	N	50	300	50	--
80M1318S	490,600	4,691,400	624	N	N	200	700	N	N	30	200	50	--
79M1028S	522,950	4,691,550	625	N	N	30	300	N	N	30	100	50	--
78M084S	456,000	4,691,600	626	.7	N	150	1,000	N	N	20	300	30	--
K3495S	426,250	4,691,750	627	N	N	20	100	N	N	70	500	100	--
K3685S	418,850	4,691,800	628	N	N	200	700	N	N	30	300	70	--
78M081S	451,400	4,692,200	629	N	N	70	300	N	N	50	>5,000	20	150
K3435S	431,950	4,692,350	630	N	N	20	30	N	N	100	300	70	--

Sample	Mn-ppm s	Mo-ppm s	Nb-ppm s	Ni-ppm s	Pb-ppm s	Sb-ppm s	Sn-ppm s	V-ppm s	W-ppm s	Y-ppm s	Zn-ppm s
79M1231S	1,000	N	--	15	<20	N	N	150	N	--	N
79M1195S	1,500	N	--	15	<20	N	N	150	N	--	N
79M1217S	1,000	N	--	70	N	N	N	100	N	--	N
78M079S	1,000	N	<20	50	20	N	N	150	N	--	N
78M588S	700	<5	<20	70	20	N	N	150	N	--	N
78M595S	1,500	N	N	300	<20	N	N	150	N	--	N
K413SS	1,500	N	--	300	N	N	N	200	N	--	N
78M1597S	1,000	N	N	200	20	N	N	200	N	--	N
79M999S	1,500	N	--	15	N	N	N	150	N	--	N
78L6009S	500	N	--	70	<20	N	N	150	N	--	N
79M1228S	1,500	N	--	2,000	N	N	N	100	N	--	<200
78M594S	1,500	N	<20	30	<20	N	N	150	N	--	N
78M1540S	1,000	N	N	50	20	N	N	150	N	--	N
78M757S	1,500	N	N	30	<20	N	N	200	N	--	N
79M827S	1,500	N	--	300	N	N	N	70	N	--	<200
80M1323S	1,500	N	--	70	N	N	N	300	N	--	N
79M1230S	1,500	N	--	20	<20	N	N	200	N	--	N
79M996S	1,500	N	--	30	N	N	N	150	N	--	N
79M846S	1,000	N	--	50	N	N	N	200	N	--	N
K348SS	1,500	N	--	150	N	N	N	300	N	--	N
78M080S	1,500	N	N	100	<20	N	N	150	N	--	300
79M1023S	1,500	N	--	20	<20	N	N	150	N	--	N
79M843S	1,500	N	--	70	<20	N	N	200	N	--	N
K425SS	2,000	N	--	30	N	N	N	700	N	--	N
78L6002S	700	N	--	70	N	N	N	100	N	--	N
78M550S	1,500	N	N	100	N	N	N	200	N	--	N
79M828S	2,000	N	--	150	N	N	N	70	N	--	<200
79M1232S	1,500	N	--	20	<20	N	N	150	N	--	N
78M140S	2,000	5	N	1,000	<20	N	N	200	N	--	N
78M1559S	1,500	N	N	50	<20	N	N	150	N	--	N
78M589S	2,000	N	N	30	<20	N	N	200	N	--	<200
80M1334S	1,500	N	--	70	N	N	N	300	N	--	N
K390SS	1,500	N	--	70	N	N	N	500	N	--	N
80M1352S	2,000	N	--	70	<20	N	N	200	N	--	N
78M554S	1,000	7	N	50	N	N	N	200	N	--	N
80M1356S	1,500	N	--	50	N	N	N	200	N	--	N
78M557S	700	7	N	50	<20	N	N	150	N	--	N
78M556S	1,500	7	N	50	<20	N	N	150	N	--	N
80M1318S	1,000	N	--	100	<20	N	N	200	N	--	N
79M1028S	1,500	N	--	20	<20	N	N	150	N	--	N
78M084S	1,000	N	N	70	30	N	N	150	N	--	N
K349SS	2,000	N	--	200	N	N	N	300	N	--	N
K368SS	1,500	N	--	100	30	N	N	200	N	--	N
78M081S	1,500	N	N	1,000	<20	N	N	150	N	--	500
K343SS	1,500	N	--	70	N	N	N	500	N	--	N

Sample	X coord- dinate	Y coord- dinate	Map_no.	Ag-ppm s	As-ppm s	B-ppm s	Ba-ppm s	Be-ppm s	Cd-ppm s	Co-ppm s	Cr-ppm s	Cu-ppm s	La-ppm s
79M849S	552,700	4,692,350	631	N	N	N	300	<5	N	15	100	50	--
79M998S	530,650	4,692,550	632	N	N	30	500	N	N	20	50	50	--
80M1409S	534,150	4,692,600	633	N	N	20	300	N	N	30	70	70	--
K3585S	429,450	4,692,700	634	N	N	70	100	N	N	70	70	100	--
80M1395S	517,200	4,692,700	635	N	N	30	300	N	N	70	100	30	--
80M1324S	497,950	4,692,800	636	N	N	<20	700	N	N	50	300	70	--
78LG006S	567,682	4,692,800	637	N	N	30	300	N	N	30	70	50	--
79M1227S	441,850	4,692,900	638	N	N	<20	300	N	N	30	150	20	--
78M144S	469,200	4,692,900	639	N	N	N	1,000	N	N	15	100	15	--
78M551S	475,100	4,692,900	640	N	N	20	150	N	N	50	100	50	--
79M842S	543,950	4,692,950	641	N	N	30	300	N	N	30	150	70	--
79M848S	546,050	4,693,050	642	N	N	<20	500	N	N	50	200	50	--
80M1321S	495,850	4,693,100	643	N	N	<20	500	N	N	50	300	70	--
78M552S	478,100	4,693,200	644	N	N	20	100	N	N	30	300	70	--
78M553S	481,400	4,693,400	645	N	N	20	150	N	N	50	1,000	50	--
79M1226S	439,850	4,693,450	646	N	N	30	200	N	N	50	300	50	--
79M1223S	446,900	4,693,500	647	N	N	<20	100	N	N	50	500	70	--
78M142S	461,800	4,693,500	648	.5	N	100	500	N	N	15	300	20	--
78LG008S	573,402	4,693,620	649	N	N	50	300	N	N	20	100	30	--
80M1333S	500,750	4,693,650	650	N	N	150	500	N	N	50	300	50	--
78M598S	460,100	4,693,700	651	<.5	N	100	1,000	N	N	30	200	100	--
80M1319S	489,800	4,693,800	652	N	N	70	700	N	N	50	200	70	--
79M1224S	445,100	4,693,850	653	.5	N	100	500	N	N	30	150	50	--
79M1004S	540,250	4,693,850	654	N	N	<20	500	N	N	30	500	70	--
79M841S	560,750	4,693,900	655	N	N	<20	300	N	N	20	100	30	--
78M086S	457,600	4,694,000	656	.5	N	150	700	N	N	20	200	30	--
79M997S	532,600	4,694,100	657	N	N	70	500	N	N	30	50	70	--
78M083S	454,100	4,694,300	658	N	N	70	200	N	N	50	>5,000	20	--
K3635S	424,200	4,694,350	659	N	N	200	1,000	N	N	50	300	100	--
79M1005S	537,900	4,694,400	660	N	N	20	500	N	N	30	150	70	--
K3595S	425,200	4,694,450	661	N	N	200	1,000	N	N	20	300	50	--
80M1300S	436,450	4,694,450	662	N	N	<20	100	N	N	30	50	70	--
78M141S	465,300	4,694,500	663	N	N	N	700	N	N	15	100	15	--
78M138S	472,700	4,694,600	664	N	N	20	500	N	N	20	200	15	--
78M555S	482,700	4,694,600	665	N	N	20	500	N	N	30	200	100	--
78M553S	491,100	4,694,600	666	N	N	200	500	N	N	50	700	50	--
80M1405S	523,750	4,694,650	667	N	N	20	300	N	N	30	50	50	--
78M606S	486,800	4,694,700	668	N	N	30	500	N	N	30	70	100	--
80M1353S	518,300	4,694,800	669	N	N	50	500	N	N	30	70	50	--
78LG020S	550,548	4,694,810	670	N	N	30	300	N	N	50	300	100	--
78M082S	450,900	4,695,100	671	N	N	50	70	N	N	30	5,000	30	--
79M1225S	442,950	4,695,250	672	<.5	N	70	300	N	N	30	300	70	--
78M143S	462,500	4,695,300	673	N	N	20	200	N	N	30	700	20	--
78M602S	478,000	4,695,300	674	N	N	20	150	N	N	30	100	30	--
78M136S	478,100	4,695,300	675	N	N	50	200	N	N	30	200	30	--

Sample	Mn-ppm s	Mo-ppm s	Nb-ppm s	Ni-ppm s	Pb-ppm s	Sb-ppm s	Sn-ppm s	V-ppm s	W-ppm s	Y-ppm s	Zn-ppm s
79M849S	1,500	N	--	50	N	N	N	100	N	--	N
79M998S	1,500	N	--	10	N	N	N	100	N	--	N
80M1409S	1,500	N	--	20	<20	N	N	300	N	--	N
K358SS	1,500	N	--	30	N	N	N	1,000	N	--	N
80M1395S	1,500	N	--	30	<20	N	N	200	N	--	N
80M1324S	1,500	N	--	70	N	N	N	200	N	--	N
78LG006S	700	N	--	70	20	N	N	100	N	--	N
79M1227S	>5,000	N	--	30	N	N	N	150	N	--	N
78M144S	1,000	N	N	20	20	N	N	100	N	--	N
78M551S	2,000	N	N	50	N	N	N	200	N	--	N
79M842S	1,500	N	--	70	<20	N	N	200	N	--	N
79M848S	3,000	N	--	50	N	N	N	150	N	--	N
80M1321S	1,500	N	--	70	N	N	N	300	N	--	N
78M552S	1,500	N	N	70	N	N	N	200	N	--	N
78M553S	1,500	N	N	150	N	N	N	200	N	--	N
79M1226S	1,000	N	--	70	N	N	N	150	N	--	N
79M1223S	1,500	N	--	700	N	N	N	150	N	--	N
78M142S	500	<5	N	50	20	N	N	100	N	--	<200
78LG008S	700	N	--	70	<20	N	N	100	N	--	N
80M1333S	1,500	N	--	100	N	N	N	200	N	--	N
78M598S	2,000	<5	N	70	30	N	N	200	N	--	N
80M1319S	1,500	N	--	150	N	N	N	200	N	--	N
79M1224S	1,000	N	--	70	<20	N	N	150	N	--	N
79M1004S	1,500	N	--	70	N	N	N	150	N	--	N
79M841S	1,500	N	--	50	N	N	N	100	N	--	N
78M086S	1,000	N	N	70	20	N	N	150	N	--	N
79M997S	1,500	N	--	20	<20	N	N	150	N	--	N
78M083S	1,500	N	N	1,000	<20	N	N	150	N	--	200
K363SS	1,500	N	--	150	50	N	N	300	N	--	N
79M1005S	1,000	N	--	50	N	N	N	150	N	--	N
K359SS	1,500	N	--	100	30	N	N	200	N	--	N
80M1300S	1,500	N	--	15	N	N	N	500	N	--	N
78M141S	1,500	N	N	30	20	N	N	100	N	--	N
78M138S	1,500	<5	N	50	20	N	N	150	N	--	N
78M555S	1,000	N	N	50	<20	N	N	200	N	--	N
78M558S	2,000	<5	N	100	20	N	N	200	N	--	N
80M1405S	1,500	N	--	20	<20	N	N	150	N	--	N
78M606S	1,500	N	N	20	20	N	N	200	N	--	N
80M1353S	1,500	N	--	20	<20	N	N	300	N	--	N
78LG020S	1,500	N	--	100	<20	N	N	150	N	--	N
78M082S	1,000	N	N	1,000	N	N	N	150	N	--	<200
79M1225S	1,500	N	--	100	N	N	N	200	N	--	N
78M143S	1,000	7	N	70	20	N	N	150	N	--	N
78M602S	1,500	N	N	50	<20	N	N	150	N	--	N
78M136S	1,500	N	N	50	<20	N	N	200	N	--	N

Sample	X coordinate	Y coordinate	Map_no.	Ag-ppm s	As-ppm s	B-ppm s	Ba-ppm s	Be-ppm s	Cd-ppm s	Co-ppm s	Cr-ppm s	Cu-ppm s	La-ppm s
78M599S	458,600	4,695,400	676	.5	N	100	700	N	N	20	700	30	--
78M604S	483,700	4,695,400	677	.7	N	70	500	N	N	20	300	100	--
80M1355S	516,550	4,695,400	678	N	N	100	300	N	N	30	150	50	--
79M1236S	553,150	4,695,400	679	N	N	20	500	7	N	30	300	70	--
78M607S	488,100	4,695,500	680	.5	N	50	700	N	N	30	300	150	--
78M137S	473,700	4,695,600	681	N	N	30	500	N	N	30	200	30	--
78M605S	486,300	4,695,600	682	1.0	N	20	700	N	N	30	500	100	--
79M850S	565,600	4,695,650	683	N	N	N	200	N	N	15	70	30	--
K351SS	428,250	4,695,700	684	N	N	100	500	N	N	50	700	100	--
78M139S	470,700	4,695,700	685	N	N	N	700	N	N	10	70	15	--
78M087S	456,700	4,695,800	686	1.0	N	200	700	N	N	20	200	50	--
80M1320S	492,600	4,695,800	687	N	N	200	700	N	N	30	200	50	--
79M1196S	524,650	4,695,850	688	N	N	30	200	N	N	30	50	30	--
78M088S	453,700	4,696,000	689	.7	N	200	300	N	N	20	150	70	--
80M1354S	518,600	4,696,050	690	N	N	50	300	N	N	50	70	50	--
78M603S	480,200	4,696,200	691	N	N	20	100	N	N	70	500	70	--
78M095S	443,500	4,696,300	692	N	N	30	300	N	N	20	200	20	--
78M096S	447,100	4,696,300	693	N	N	70	300	N	N	30	300	70	--
80M1406S	522,400	4,696,300	694	N	N	20	200	N	N	50	70	100	--
80M1322S	494,900	4,696,350	695	N	N	20	700	N	N	50	300	50	--
79M1015S	542,700	4,696,500	696	N	N	N	200	N	N	15	100	50	--
79M1021S	534,100	4,696,550	697	N	N	30	700	N	N	30	100	70	--
K355S	434,650	4,696,600	698	N	N	50	70	N	N	70	150	100	--
K334SS	424,750	4,696,650	699	N	N	200	700	N	N	30	200	100	--
K354SS	431,950	4,696,650	700	N	N	30	150	N	N	70	300	150	--
80M1326S	501,550	4,696,750	701	N	N	30	700	N	N	30	700	30	--
79M1194S	561,150	4,696,750	702	N	N	<20	150	N	N	30	300	50	--
79M1204S	439,300	4,696,800	703	N	N	20	50	N	N	70	5,000	50	--
79M1012S	546,800	4,696,950	704	N	N	<20	700	N	N	20	300	50	--
79M1006S	540,650	4,697,100	705	N	N	<20	300	N	N	30	150	70	--
80M1327S	498,300	4,697,350	706	N	N	20	300	N	N	50	1,000	30	--
K333SS	421,750	4,697,600	707	N	N	200	1,000	N	N	50	200	100	--
79M1007S	538,400	4,697,950	708	N	N	N	300	N	N	20	150	70	--
79M1203S	433,600	4,698,100	709	N	N	<20	50	N	N	50	150	50	--
78M089S	454,500	4,698,300	710	N	N	30	70	N	N	30	150	15	--
78M619S	477,900	4,698,300	711	<.5	N	30	300	N	N	15	150	70	--
79M1198S	526,650	4,698,350	712	N	N	20	150	N	N	20	50	20	--
78M149S	463,200	4,698,400	713	<.5	N	20	500	N	N	30	70	50	--
78M563S	483,900	4,698,600	714	N	N	70	100	N	N	70	300	70	--
78M090S	457,500	4,698,900	715	N	N	20	100	N	N	50	1,500	20	--
78M618S	475,400	4,698,900	716	N	N	20	100	N	N	30	300	100	--
80M1325S	499,400	4,698,900	717	N	N	<20	100	N	N	70	1,000	30	--
80M1328S	500,650	4,698,900	718	N	N	50	500	N	N	30	300	50	--
79M1011S	546,100	4,698,900	719	N	N	<20	500	N	N	15	100	20	--
79M1022S	534,650	4,698,950	720	N	N	30	700	N	N	30	150	30	--

Sample	Mn-ppm s	Mo-ppm s	Nb-ppm s	Ni-ppm s	Pb-ppm s	Sb-ppm s	Sn-ppm s	V-ppm s	W-ppm s	Y-ppm s	Zn-ppm s
78M599S	1,500	N	N	70	20	N	N	100	N	--	N
78M604S	1,000	N	N	50	30	N	N	150	N	--	N
80M1355S	1,500	N	--	30	<20	N	N	200	N	--	N
79M1236S	1,500	N	--	70	<20	N	N	150	N	--	200
78M607S	1,500	N	N	50	20	N	N	200	N	--	N
78M137S	1,500	N	N	50	20	N	N	150	N	--	N
78M605S	1,500	N	N	50	20	N	N	200	N	--	N
79M850S	1,000	N	--	30	N	N	N	100	N	--	N
K351SS	2,000	N	--	200	<20	N	N	300	N	--	N
78M139S	2,000	N	N	20	30	N	N	100	N	--	N
78M087S	1,500	N	N	70	20	N	N	150	N	--	200
80M1320S	1,000	N	--	100	20	N	N	150	N	--	N
79M1196S	1,500	N	--	15	<20	N	N	200	N	--	<200
78M088S	1,500	N	N	100	<20	N	N	150	N	--	300
80M1354S	1,500	N	--	30	20	N	N	200	N	--	N
78M603S	2,000	N	N	100	<20	N	N	500	N	--	N
78M095S	1,000	N	N	50	N	N	N	200	N	--	N
78M096S	1,500	N	N	100	N	N	N	200	N	--	200
80M1406S	1,500	N	--	30	<20	N	N	200	N	--	N
80M1322S	1,000	N	--	100	N	N	N	200	N	--	N
79M1015S	1,000	N	--	30	N	N	N	100	N	--	N
79M1021S	1,500	N	--	15	<20	N	N	150	N	--	N
K355S	3,000	N	--	70	N	N	N	700	N	--	N
K334SS	1,000	N	--	100	30	N	N	200	N	--	N
K354SS	1,500	N	--	100	N	N	N	700	N	--	N
80M1326S	1,500	N	--	100	N	N	N	300	N	--	N
79M1194S	2,000	N	--	100	<20	N	N	200	N	--	200
79M1204S	1,500	N	--	3,000	N	N	N	100	N	--	<200
79M1012S	1,000	N	--	50	<20	N	N	150	N	--	N
79M1006S	1,000	N	--	50	N	N	N	150	N	--	N
80M1327S	1,000	N	--	150	N	N	N	300	N	--	N
K333SS	1,000	N	--	150	50	N	N	200	N	--	N
79M1007S	1,000	N	--	50	N	N	N	100	N	--	N
79M1203S	2,000	N	--	50	N	N	N	200	N	--	N
78M089S	1,000	N	N	50	N	N	N	200	N	--	N
78M619S	300	N	N	30	20	N	N	100	N	--	N
79M1198S	1,500	N	--	15	N	N	N	150	N	--	<200
78M149S	1,500	N	N	30	30	N	N	200	N	--	<200
78M563S	1,500	N	N	70	N	N	N	200	N	--	N
78M090S	1,500	S	N	300	N	N	N	200	N	--	N
78M618S	2,000	N	N	70	20	N	N	200	N	--	<200
80M1325S	1,500	N	--	150	N	N	N	300	N	--	N
80M1328S	1,000	N	--	50	N	N	N	100	N	--	N
79M1011S	1,000	N	--	20	<20	N	N	200	N	--	N
79M1022S	1,500	N	30	15	20	N	N	150	N	--	200

Sample	X coordinate	Y coordinate	Map_no.	Ag-ppm s	As-ppm s	B-ppm s	Ba-ppm s	Be-ppm s	Cd-ppm s	Co-ppm s	Cr-ppm s	Cu-ppm s	La-ppm s
79M1013S	548,550	4,698,950	721	N	N	<20	500	N	N	30	150	70	--
79M1200S	440,600	4,699,000	722	N	N	N	20	N	N	70	>5,000	15	--
78M615S	486,700	4,699,000	723	N	N	<20	500	N	N	30	300	70	--
78LG017S	564,620	4,699,140	724	N	N	30	300	N	N	50	300	100	--
78M151S	461,200	4,699,400	725	N	N	30	300	N	N	30	500	15	--
79M1197S	527,300	4,699,450	726	N	N	100	150	N	N	10	70	20	--
79M1185S	568,500	4,699,450	727	N	N	<20	300	N	N	15	150	70	--
78M094S	445,600	4,699,500	728	.5	N	50	300	<5	N	15	70	15	--
78M148S	465,500	4,699,600	729	N	N	20	700	N	N	15	200	10	--
79M1272S	429,900	4,699,700	730	N	N	20	70	N	N	30	300	100	--
73M150S	459,800	4,699,700	731	.5	N	100	700	N	N	20	100	50	--
78M564S	481,700	4,699,700	732	N	N	30	150	N	N	50	200	50	--
79M1201S	434,700	4,699,750	733	N	N	N	50	N	N	30	70	70	--
79M1018S	531,000	4,699,800	734	N	N	50	700	N	N	30	100	70	--
78M092S	448,500	4,699,900	735	N	N	<20	100	<5	N	15	200	20	--
78M145S	472,000	4,700,000	736	N	N	20	1,000	N	N	20	200	15	--
80M1407S	523,100	4,700,000	737	N	N	70	500	N	N	30	100	50	--
78M146S	467,900	4,700,100	738	N	N	<20	700	N	N	15	70	20	--
78M608S	489,600	4,700,100	739	.5	N	300	1,000	N	N	30	200	150	--
78M561S	497,000	4,700,100	740	N	N	100	1,000	N	N	30	200	50	--
79M1208S	439,550	4,700,250	741	N	N	<20	70	N	N	50	>5,000	50	--
80M1332S	507,850	4,700,300	742	N	N	30	500	N	N	20	150	30	--
79M1014S	544,400	4,700,300	743	N	N	<20	300	N	N	30	200	70	--
78M091S	450,600	4,700,400	744	N	N	50	150	N	N	70	5,000	50	--
78M611S	493,000	4,700,500	745	N	N	70	500	N	N	30	70	200	--
79M1008S	538,900	4,700,600	746	N	N	20	500	N	N	20	300	70	--
79M1009S	540,000	4,700,700	747	N	N	20	300	N	N	30	300	70	--
79M1202S	432,750	4,701,050	748	N	N	<20	100	N	N	15	200	30	--
78M156S	468,800	4,701,300	749	N	N	N	700	N	N	15	70	10	--
79M1205S	440,550	4,701,450	750	N	N	<20	30	N	N	70	3,000	30	--
78M147S	466,000	4,701,500	751	N	N	20	700	N	N	20	200	15	--
79M1010S	547,250	4,701,850	752	N	N	<20	300	N	N	20	150	70	--
79M1197S	524,250	4,702,000	753	N	N	20	200	N	N	20	50	20	--
78M610S	483,800	4,702,100	754	N	N	20	100	N	N	50	100	150	--
79M1273S	435,300	4,702,250	755	N	N	<20	50	N	N	20	300	70	--
79M497S	494,750	4,702,250	756	N	N	50	700	N	N	50	200	70	--
80M1408S	527,850	4,702,250	757	N	N	50	300	N	N	30	150	30	--
78M600S	458,500	4,702,400	758	N	N	20	70	N	N	30	200	70	--
78M565S	480,300	4,702,500	759	N	N	20	100	N	N	20	500	30	--
80M1329S	502,750	4,702,500	760	N	N	200	1,000	N	N	15	200	20	--
80M1330S	504,850	4,702,500	761	N	N	70	700	N	N	20	200	20	--
78LG064S	563,651	4,702,560	762	N	N	<20	150	N	N	70	300	70	--
78M101S	447,600	4,702,600	763	.7	N	100	500	N	N	20	150	50	--
79M1019S	532,350	4,702,650	764	N	N	20	700	N	N	30	200	50	--
78M620S	474,800	4,702,700	765	N	N	30	100	N	N	50	500	50	--

Sample	Mn-ppm s	Mo-ppm s	Nb-ppm s	Ni-ppm s	Pb-ppm s	Sb-ppm s	Sn-ppm s	V-ppm s	W-ppm s	Y-ppm s	Zn-ppm s
79M1013S	1,500	N	--	50	N	N	N	100	N	--	N
79M1200S	1,000	N	--	2,000	N	N	N	50	N	--	N
78M615S	1,500	N	N	50	20	N	N	150	N	--	N
78L6017S	1,500	N	--	150	N	N	N	150	N	--	<200
78M151S	200	N	N	100	N	N	N	200	N	--	N
79M1199S	1,500	N	--	15	30	N	N	100	N	--	N
79M1185S	1,000	N	--	70	<20	N	N	100	N	--	N
78M094S	1,500	N	N	30	<20	N	N	100	N	--	<200
78M148S	1,000	N	N	30	20	N	N	200	N	--	N
79M1272S	1,000	N	--	150	N	N	N	200	N	--	N
78M150S	1,500	5	N	70	20	N	N	150	N	--	<200
78M564S	1,500	5	N	50	<20	N	N	200	N	--	N
79M1201S	1,500	N	--	50	N	N	N	150	N	--	N
79M1018S	1,500	N	--	30	<20	N	N	200	N	--	N
78M092S	1,500	7	N	70	N	N	N	100	N	--	N
78M145S	5,000	N	<20	30	30	N	N	150	N	--	N
80M1407S	1,500	N	--	30	20	N	N	200	N	--	N
78M146S	1,500	5	N	20	20	N	N	100	N	--	N
78M608S	1,500	N	N	50	20	N	N	200	N	--	N
78M561S	1,500	N	<20	70	20	N	N	150	N	--	N
79M1208S	1,000	N	--	1,500	N	N	N	150	N	--	N
80M1332S	1,000	N	--	50	<20	N	N	200	N	--	N
79M1014S	1,500	N	--	50	N	N	N	150	N	--	N
78M091S	1,500	N	N	2,000	<20	N	N	100	N	--	200
78M611S	1,500	N	N	30	20	N	N	200	N	--	N
79M1008S	500	N	--	100	N	N	N	100	N	--	N
79M1009S	1,000	N	--	100	N	N	N	150	N	--	N
79M1202S	700	N	--	20	N	N	N	100	N	--	N
78M156S	1,000	N	N	20	30	N	N	100	N	--	N
79M1205S	1,500	N	--	2,000	N	N	N	100	N	--	<200
78M147S	1,500	N	N	50	20	N	N	300	N	--	N
79M1010S	700	N	--	70	N	N	N	100	N	--	N
79M1197S	1,500	N	--	15	N	N	N	150	N	--	N
78M610S	2,000	N	N	50	N	N	N	300	N	--	N
79M1273S	1,000	N	--	150	N	N	N	150	N	--	N
79M497S	1,000	N	--	50	20	N	N	200	N	--	N
80M1408S	1,500	N	--	20	<20	N	N	300	N	--	N
78M600S	1,000	N	N	70	N	N	N	200	N	--	N
78M565S	1,500	N	N	70	30	N	N	200	N	--	N
80M1329S	700	N	--	30	20	N	N	100	N	--	N
80M1330S	1,000	N	--	50	<20	N	N	150	N	--	N
78L6064S	1,500	N	--	200	N	N	N	150	N	--	N
78M101S	1,500	7	N	50	20	N	N	200	N	--	N
79M1019S	1,500	N	--	50	N	N	N	150	N	--	N
78M620S	2,000	N	N	100	<20	N	N	200	N	--	N

Sample	X coord- dinate	Y coord- dinate	Map_no.	Ag-ppm s	As-ppm s	B-ppm s	Ba-ppm s	Be-ppm s	Cd-ppm s	Co-ppm s	Cr-ppm s	Cu-ppm s	La-ppm s
79M1016S	537,600	4,702,700	766	N	N	<20	200	N	N	30	300	70	--
79M1184S	570,200	4,702,700	767	N	N	<20	300	N	N	15	150	30	--
78M670S	471,200	4,702,800	768	N	N	20	700	N	N	30	300	30	--
78M616S	487,300	4,702,800	769	N	N	50	300	N	N	30	300	20	--
78M106S	456,800	4,702,900	770	N	N	50	300	N	N	50	500	200	--
78M621S	478,600	4,702,900	771	N	N	30	100	N	N	30	70	30	--
78M609S	490,400	4,702,900	772	N	N	70	500	N	N	30	200	100	--
79M496S	499,100	4,702,900	773	N	N	150	700	N	N	30	200	70	--
78M612S	494,000	4,703,000	774	N	N	20	500	N	N	20	70	50	--
78L6065S	560,617	4,703,020	775	N	N	<20	150	N	N	50	200	50	--
79M1207S	439,550	4,703,050	776	N	N	<20	30	N	N	70	>5,000	30	--
79M1017S	534,350	4,703,200	777	N	N	20	500	N	N	30	200	50	--
78M093S	444,400	4,703,400	778	N	N	20	70	N	N	20	100	30	--
79M1030S	544,250	4,703,400	779	N	N	<20	500	N	N	50	300	50	--
78M104S	452,600	4,703,500	780	N	N	70	300	N	N	50	5,000	100	--
80M1331S	514,700	4,703,550	781	N	N	50	500	N	N	30	N	50	--
79M1274S	429,750	4,703,800	782	N	N	70	200	N	N	20	200	70	--
78M102S	449,000	4,703,900	783	1.0	N	100	500	N	N	30	1,000	100	--
78M152S	461,200	4,704,000	784	N	N	70	300	N	N	30	500	20	--
78M1562S	494,600	4,704,000	785	<.5	N	30	500	N	N	20	100	70	--
79M1041S	526,950	4,704,150	786	N	N	70	700	N	N	50	200	50	--
79M1031S	540,450	4,704,150	787	N	N	<20	200	N	N	30	200	50	--
78M100S	445,300	4,704,300	788	N	N	20	150	N	N	50	500	50	--
78M103S	457,400	4,704,400	789	N	N	30	200	N	N	50	5,000	70	--
78M601S	458,400	4,704,400	790	.7	N	150	700	N	N	30	200	70	--
78M105S	454,000	4,704,800	791	N	N	50	150	N	N	100	>5,000	50	--
79M1276S	420,050	4,704,900	792	N	N	150	700	N	N	20	150	50	--
79M1206S	440,400	4,704,900	793	N	N	20	200	N	N	50	>5,000	70	--
78L6021S	555,180	4,704,950	794	N	N	30	300	N	N	50	500	150	--
78M155S	468,200	4,705,000	795	N	N	20	500	N	N	30	200	20	--
80M1306S	437,250	4,705,050	796	N	N	<20	100	N	N	30	<50	100	--
79M1275S	423,600	4,705,100	797	N	N	70	500	N	N	15	300	30	--
79M1020S	537,300	4,705,100	798	N	N	<20	300	N	N	70	500	100	--
80M1410S	525,150	4,705,200	799	N	N	50	500	N	N	20	100	50	--
79M1155S	503,500	4,705,250	800	N	N	200	700	N	N	20	500	30	--
78M154S	462,300	4,705,300	801	N	N	30	300	N	N	30	300	50	--
80M1304S	433,600	4,705,450	802	N	N	<20	70	N	N	30	<50	50	--
78M671S	476,800	4,705,500	803	N	N	30	100	N	N	50	>5,000	50	--
79M499S	498,500	4,705,500	804	N	N	100	500	N	N	30	150	100	--
79M1238S	486,300	4,705,550	805	N	N	50	300	N	N	30	200	20	--
78M099S	447,200	4,705,600	806	N	N	70	500	N	N	30	300	50	--
78M153S	464,100	4,705,700	807	N	N	<20	500	N	N	15	100	10	--
78M657S	480,400	4,705,700	808	N	N	30	100	N	N	50	200	20	--
78M617S	482,300	4,705,700	809	N	N	30	100	N	N	50	700	50	--
79M1154S	500,100	4,705,700	810	N	N	50	700	N	N	20	150	50	--

Sample	Mn-ppm s	Mo-ppm s	Nb-ppm s	Ni-ppm s	Pb-ppm s	Sb-ppm s	Sn-ppm s	V-ppm s	W-ppm s	Y-ppm s	Zn-ppm s
79M1016S	1,000	N	--	70	<20	N	N	100	N	--	N
79M1184S	1,000	N	--	70	<20	N	N	100	N	--	N
78M670S	1,500	N	<20	30	30	N	N	150	N	--	N
78M616S	1,500	N	N	50	20	N	N	150	N	--	N
78M106S	1,500	N	N	100	<20	N	N	200	N	--	N
78M621S	2,000	N	N	30	<20	N	N	200	N	--	<200
78M609S	2,000	N	N	50	20	N	N	150	N	--	N
79M498S	1,500	N	--	70	<20	N	N	150	N	--	N
78M612S	1,000	N	N	30	20	N	N	150	N	--	N
78LG065S	1,500	N	--	100	N	N	N	150	N	--	N
79M1207S	1,500	N	--	2,000	N	N	N	150	N	--	300
79M1017S	700	N	--	50	N	N	N	150	N	--	N
78M093S	1,500	N	N	50	N	N	N	150	N	--	N
79M1030S	1,500	N	--	70	<20	N	N	150	N	--	N
78M104S	2,000	N	N	500	<20	N	N	150	N	--	<200
80M1331S	1,500	N	--	15	<20	N	N	200	N	--	N
79M1274S	1,000	N	--	100	<20	N	N	150	N	--	<200
78M102S	1,500	N	N	500	20	N	N	150	N	--	200
78M152S	200	N	N	100	<20	N	N	200	N	--	N
78M562S	1,000	N	N	30	20	N	N	200	N	--	N
79M1041S	3,000	N	--	30	<20	N	N	150	N	--	N
79M1031S	1,000	N	--	70	N	N	N	150	N	--	N
78M100S	1,500	N	N	100	N	N	N	200	N	--	N
78M103S	2,000	N	N	1,500	N	N	N	150	N	--	<200
78M601S	2,000	N	N	150	<20	N	N	150	N	--	<200
78M105S	2,000	N	N	2,000	N	N	N	150	N	--	<200
79M1276S	700	N	--	70	<20	N	N	150	N	--	N
79M1206S	1,500	N	--	1,500	N	N	N	150	N	--	200
78LG021S	1,500	N	--	200	N	N	N	200	N	--	300
78M155S	2,000	N	N	70	20	N	N	150	N	--	N
80M1306S	1,500	N	--	15	N	N	N	200	N	--	N
79M1275S	500	N	--	70	<20	N	N	100	N	--	N
79M1020S	1,500	N	30	150	N	N	N	300	N	--	200
80M1410S	1,500	N	--	20	20	N	N	200	N	--	N
79M1155S	1,000	N	--	50	20	N	N	100	N	--	N
78M154S	1,500	N	N	70	20	N	N	200	N	--	N
80M1304S	1,500	N	--	15	N	N	N	300	N	--	N
78M671S	2,000	N	N	500	<20	N	N	150	N	--	<200
79M499S	1,500	N	--	50	<20	N	N	200	N	--	N
79M1238S	1,500	N	--	50	<20	N	N	150	N	--	N
78M099S	2,000	N	N	100	30	N	N	200	N	--	200
78M153S	1,500	N	N	50	20	N	N	150	N	--	N
78M657S	3,000	N	N	50	N	N	N	200	N	--	N
78M617S	2,000	N	N	150	<20	N	N	200	N	--	N
79M1154S	1,000	N	--	30	<20	N	N	150	N	--	N

Sample	X coordinate	Y coordinate	Map_no.	Ag-ppm s	As-ppm s	B-ppm s	Ba-ppm s	Be-ppm s	Cd-ppm s	Co-ppm s	Cr-ppm s	Cu-ppm s	La-ppm s
78M622S	474,700	4,705,800	811	N	N	<20	50	N	N	50	500	50	--
78M613S	492,900	4,705,800	812	N	N	20	1,500	N	N	30	100	30	--
79M1035S	535,600	4,705,800	813	N	N	<20	300	N	N	50	300	70	--
80M1305S	438,200	4,705,900	814	N	N	<20	150	N	N	30	N	50	--
79M1033S	539,050	4,705,950	815	N	N	<20	300	N	N	50	300	70	--
79M1040S	527,600	4,706,300	816	N	N	30	700	N	N	30	100	50	--
79M1248S	509,150	4,706,350	817	N	N	30	700	N	N	30	300	50	--
78M198S	434,800	4,706,400	818	N	N	<20	70	N	N	50	200	15	--
78M656S	472,900	4,706,500	819	N	N	30	150	N	N	50	700	70	--
78M614S	490,000	4,706,500	820	N	N	30	500	N	N	50	200	70	--
79M1146S	515,650	4,706,600	821	N	N	20	500	N	N	30	200	30	--
79M1247S	507,800	4,706,650	822	N	N	30	700	N	N	20	300	50	200
78L6013S	566,697	4,706,670	823	N	N	20	300	N	N	30	300	70	--
78M098S	449,800	4,706,800	824	N	N	70	500	N	N	50	1,000	50	--
79M1037S	531,250	4,706,950	825	N	N	50	500	N	N	30	150	50	--
78M163S	458,900	4,707,100	826	N	N	20	200	N	N	30	1,000	15	--
79M496S	496,250	4,707,200	827	N	N	50	700	N	N	50	150	100	--
78M123S	456,700	4,707,400	828	.5	N	30	100	N	N	30	500	150	--
79M1034S	534,650	4,707,400	829	N	N	30	300	N	N	70	300	70	--
78M097S	450,700	4,707,600	830	.7	N	150	1,000	N	N	30	100	100	--
79M1149S	505,550	4,707,800	831	N	N	50	700	N	N	10	150	50	--
79M1032S	538,400	4,707,850	832	N	N	<20	300	N	N	30	300	50	--
78M112S	440,500	4,708,000	833	N	N	30	70	N	N	50	1,500	30	--
80M1411S	519,350	4,708,000	834	N	N	<20	150	N	N	30	70	50	--
79M1242S	486,800	4,708,250	835	N	N	50	700	N	N	20	200	30	--
79M1029S	549,350	4,708,300	836	N	N	<20	200	N	N	30	300	70	--
78M632S	468,400	4,708,600	837	N	N	N	1,000	N	N	15	500	10	--
78M748S	556,400	4,708,600	838	N	N	20	300	<5	N	30	150	50	--
79M1036S	531,650	4,708,750	839	N	N	20	300	N	N	50	300	100	--
79M484S	493,250	4,708,850	840	N	N	50	700	N	N	30	70	70	--
78M157S	464,900	4,708,900	841	N	N	50	500	N	N	30	150	30	--
79M495S	497,950	4,708,900	842	N	N	<20	700	N	N	20	70	50	--
79M1153S	500,300	4,708,900	843	N	N	50	700	<5	N	7	200	15	--
79M1090S	522,950	4,708,900	844	N	N	30	500	N	N	20	50	30	--
79M1241S	483,650	4,708,950	845	N	N	20	50	N	N	50	500	50	--
80M1302S	435,650	4,709,000	846	N	N	20	150	N	N	30	1,000	50	--
78M623S	475,100	4,709,000	847	<.5	N	20	30	N	N	30	300	30	--
79M1156S	507,850	4,709,000	848	N	N	30	700	N	N	15	300	30	--
79M1038S	529,500	4,709,050	849	N	N	50	700	N	N	50	150	70	--
78M162S	462,800	4,709,100	850	.5	N	150	500	N	N	15	200	50	--
80M1303S	439,200	4,709,150	851	N	N	20	150	N	N	30	100	100	--
79M1144S	515,600	4,709,300	852	N	N	20	500	N	N	20	70	50	--
79M1239S	481,750	4,709,350	853	N	N	<20	30	N	N	50	300	30	--
79M1145S	511,450	4,709,350	854	N	N	20	200	N	N	30	300	50	--
78M189S	425,100	4,709,400	855	1.0	N	100	700	N	N	20	100	50	--

Sample	Mn-ppm s	Mo-ppm s	Nb-ppm s	Ni-ppm s	Pb-ppm s	Sb-ppm s	Sn-ppm s	V-ppm s	W-ppm s	Y-ppm s	Zn-ppm s
78M622S	1,500	N	N	150	N	N	N	200	N	--	N
78M613S	700	5	N	20	20	N	N	150	N	--	N
79M1035S	3,000	N	--	70	N	N	N	200	N	--	N
80M1305S	1,500	N	--	15	N	N	N	300	N	--	N
79M1033S	2,000	N	--	100	<20	N	N	200	N	--	N
79M1040S	700	N	--	20	<20	N	N	200	N	--	N
79M1248S	1,000	N	--	50	<20	N	N	150	N	--	N
78M198S	2,000	N	N	100	N	N	N	200	N	--	N
78M656S	1,500	N	N	200	N	N	N	200	N	--	N
78M614S	1,500	N	N	50	20	N	N	200	N	--	N
79M1146S	1,000	N	--	30	20	N	N	150	N	--	N
79M1247S	1,000	N	--	50	20	N	N	150	N	--	N
78LG013S	1,500	N	--	100	N	N	N	100	N	--	N
78M098S	1,500	N	N	300	<20	N	N	200	N	--	N
79M1037S	1,000	N	--	50	<20	N	N	150	N	--	N
78M163S	1,000	N	N	70	N	N	N	200	N	--	N
79M496S	1,500	N	--	30	N	N	N	150	N	--	N
78M123S	1,500	7	N	200	N	N	N	200	N	--	N
79M1034S	5,000	N	--	100	<20	N	N	200	N	--	<200
78M097S	3,000	N	N	100	20	N	N	200	N	--	<200
79M1149S	500	N	--	30	20	N	N	100	N	--	N
79M1032S	1,000	N	--	70	N	N	N	200	N	--	<200
78M112S	1,500	N	N	500	N	N	N	150	N	--	N
80M1411S	1,500	N	--	30	N	N	N	300	N	--	N
79M1242S	1,000	N	--	50	20	N	N	100	N	--	N
79M1029S	1,000	N	--	100	<20	N	N	150	N	--	N
78M632S	1,500	N	N	30	20	N	N	200	N	--	N
78M748S	2,000	N	N	70	20	N	N	150	N	--	N
79M1036S	1,500	N	--	70	<20	N	N	300	N	--	N
79M484S	700	N	--	30	20	N	N	100	N	--	N
78M157S	1,500	N	N	30	20	N	N	300	N	--	<200
79M495S	700	N	--	20	<20	N	N	150	N	--	N
79M1153S	700	N	--	30	20	N	N	100	N	--	<200
79M1090S	1,500	N	--	7	<20	N	N	100	N	--	N
79M1241S	1,500	N	--	150	N	N	N	200	N	--	N
80M1302S	1,500	N	--	70	N	N	N	500	N	--	N
78M623S	1,000	N	N	70	20	N	N	200	N	--	N
79M1156S	1,000	N	--	30	<20	N	N	200	N	--	200
79M1038S	1,500	<5	--	30	20	N	N	200	N	--	N
78M162S	1,000	N	N	50	20	N	N	150	N	--	N
80M1303S	1,500	N	--	30	N	N	N	150	N	--	N
79M1144S	1,500	N	--	15	20	N	N	150	N	--	N
79M1239S	1,500	N	--	100	N	N	N	200	N	--	N
79M1145S	1,000	N	--	50	<20	N	N	150	N	--	N
78M189S	1,500	N	N	50	20	N	N	150	N	--	N

Sample	X coord- dinate	Y coord- dinate	Map_no.	Ag-ppm s	As-ppm s	B-ppm s	Ba-ppm s	Be-ppm s	Cd-ppm s	Co-ppm s	Cr-ppm s	Cu-ppm s	La-ppm s
79M111S	446,600	4,709,400	856	N	N	30	150	N	N	30	300	70	--
79M1237S	488,750	4,709,450	857	N	N	30	700	N	N	30	200	30	--
78M124S	453,200	4,709,500	858	<.5	N	70	500	N	N	30	1,000	70	--
78M753S	560,300	4,709,500	859	N	N	<20	300	N	N	50	500	70	--
78M114S	443,500	4,709,700	860	N	N	20	70	N	N	30	300	100	--
78M624S	476,000	4,709,700	861	N	N	20	150	N	N	50	1,000	100	--
79M1157S	512,400	4,709,700	862	N	N	30	500	N	N	30	150	50	--
78M188S	422,700	4,709,800	863	.7	N	200	700	N	N	50	200	50	--
78M625S	472,800	4,709,900	864	N	N	<20	30	N	N	50	1,000	70	--
80M1400S	510,100	4,709,950	865	N	N	20	300	N	N	20	150	50	--
79M494S	498,100	4,710,050	866	N	N	70	700	N	N	70	70	50	--
79M1089S	526,800	4,710,100	867	N	N	<20	300	<5	N	15	150	70	--
79M1039S	527,550	4,710,250	868	N	N	70	500	N	N	30	150	70	--
80M1301S	430,200	4,710,400	869	N	N	100	700	N	N	30	150	30	--
78M196S	436,000	4,710,400	870	N	N	20	200	<5	N	15	100	10	--
78M118S	459,200	4,710,400	871	<.5	N	100	500	N	N	50	5,000	70	--
79M500S	494,850	4,710,550	872	N	N	<20	1,000	N	N	15	100	30	--
78M626S	476,400	4,710,600	873	N	N	N	50	N	N	30	500	50	--
78M627S	475,200	4,710,700	874	N	N	N	100	N	N	30	300	100	--
79M472S	490,600	4,710,750	875	N	N	50	700	N	N	30	150	70	--
79M473S	491,950	4,710,750	876	.7	N	70	1,000	N	N	15	100	100	--
78M258S	573,500	4,710,800	877	N	N	20	500	N	N	30	150	50	--
78M197S	439,600	4,710,900	878	N	N	<20	150	N	N	20	150	50	--
78M663S	486,500	4,711,000	879	N	N	<20	300	N	N	30	500	15	--
78M109S	453,200	4,711,100	880	N	N	50	300	N	N	30	70	100	--
78M107S	456,000	4,711,300	881	.5	N	100	500	N	N	30	700	100	--
78M661S	484,400	4,711,300	882	N	N	20	300	N	N	30	150	20	--
78M159S	462,800	4,711,400	883	.7	N	200	700	N	N	30	200	50	--
78M187S	423,400	4,711,500	884	N	N	200	700	N	N	30	150	50	--
78M116S	445,500	4,711,500	885	N	N	20	150	N	N	50	700	30	--
78M117S	447,000	4,711,500	886	N	N	20	150	N	N	50	500	70	--
79M1147S	507,300	4,711,500	887	N	N	20	500	N	N	15	150	30	--
79M1091S	521,850	4,711,600	888	N	N	20	200	N	N	15	<50	70	--
79M1240S	480,450	4,711,650	889	N	N	70	150	N	N	70	1,500	50	--
79M1152S	502,300	4,711,650	890	N	N	70	500	<5	N	10	200	50	--
78M113S	440,000	4,711,700	891	N	N	30	150	N	N	30	150	50	--
79M1128S	512,850	4,711,750	892	N	N	30	500	N	N	30	300	50	--
78M186S	420,700	4,711,900	893	N	N	100	300	N	N	30	500	30	--
78M170S	466,600	4,712,000	894	N	N	30	500	N	N	20	70	20	--
79M1150S	505,300	4,712,000	895	N	N	50	700	N	N	7	70	30	--
78M257S	569,800	4,712,000	896	N	N	<20	300	N	N	30	200	30	--
78M628S	471,700	4,712,200	897	N	N	<20	150	N	N	50	5,000	30	--
78M110S	450,400	4,712,300	898	.7	N	200	700	N	N	20	200	70	--
78M256S	573,200	4,712,500	899	N	N	<20	300	N	N	30	150	30	--
78M743S	543,700	4,712,800	900	N	N	<20	300	N	N	50	200	70	--

Sample	Mn-ppm s	Mo-ppm s	Nb-ppm s	Ni-ppm s	Pb-ppm s	Sb-ppm s	Sn-ppm s	V-ppm s	W-ppm s	Y-ppm s	Zn-ppm s
78M111S	1,500	N	N	200	N	N	N	200	N	--	<200
79M1237S	1,500	N	--	50	<20	N	N	100	N	--	N
78M124S	1,500	N	N	200	<20	N	N	200	N	--	N
78M753S	1,500	N	N	150	N	N	N	150	N	--	N
78M114S	1,500	N	N	100	N	N	N	200	N	--	N
78M624S	2,000	N	N	100	N	N	N	300	N	--	N
79M1157S	1,000	N	--	30	N	N	N	200	N	--	N
78M186S	2,000	N	N	70	20	N	N	200	N	--	N
78M625S	2,000	N	N	200	N	N	N	200	N	--	N
80M1400S	1,000	N	--	30	<20	N	N	150	N	--	N
79M494S	1,000	N	--	30	N	N	N	200	N	--	N
79M1089S	700	N	--	15	<20	N	N	300	N	--	N
79M1039S	2,000	N	--	30	20	N	N	300	N	--	N
80M1301S	2,000	N	--	70	20	N	N	150	N	--	N
78M196S	1,000	N	N	7	N	N	N	100	N	--	N
78M113S	1,500	N	N	500	20	N	N	200	N	--	<200
79M500S	700	N	--	30	20	N	N	150	N	--	N
78M626S	1,500	N	N	100	N	N	N	200	N	--	N
78M627S	1,500	N	N	100	N	N	N	300	N	--	N
79M472S	1,500	N	--	70	<20	N	N	200	N	--	N
79M473S	700	7	--	70	20	N	N	500	N	--	500
78M258S	1,500	N	N	50	20	N	N	100	N	--	N
78M197S	500	N	N	50	N	N	N	200	N	--	N
78M663S	1,500	N	N	70	<20	N	N	150	N	--	N
78M109S	2,000	N	N	30	<20	N	N	200	N	--	N
78M107S	1,000	N	N	300	30	N	N	150	N	--	N
78M661S	1,500	N	N	50	<20	N	N	150	N	--	N
78M159S	1,500	N	N	50	20	N	N	150	N	--	N
78M187S	1,000	N	N	70	20	N	N	150	N	--	N
78M116S	1,500	N	N	300	N	N	N	150	N	--	<200
78M117S	1,500	N	N	200	N	N	N	200	N	--	<200
79M1147S	1,000	N	--	30	<20	N	N	100	N	--	N
79M1091S	1,500	N	--	10	<20	N	N	200	N	--	N
79M1240S	1,500	N	--	1,000	N	N	N	150	N	--	N
79M1152S	700	N	--	50	<20	N	N	100	N	--	N
78M113S	1,500	N	N	50	N	N	N	200	N	--	N
79M1128S	1,000	N	--	30	<20	N	N	150	N	--	N
78M186S	1,000	N	N	200	<20	N	N	150	N	--	N
78M170S	1,500	N	N	30	<20	N	N	150	N	--	N
79M1150S	700	N	--	30	20	N	N	70	N	--	N
78M257S	1,000	N	N	50	20	N	N	100	N	--	N
78M628S	1,500	N	N	700	N	N	N	150	N	--	N
78M110S	2,000	7	N	50	30	N	N	150	N	--	<200
78M256S	1,500	N	N	70	<20	N	N	150	N	--	N
78M743S	2,000	N	N	70	<20	N	N	200	N	--	N

Sample	X coordinate	Y coordinate	Map_no.	Ag-ppm S	As-ppm S	B-ppm S	Ba-ppm S	Be-ppm S	Cd-ppm S	Co-ppm S	Cr-ppm S	Cu-ppm S	La-ppm S
79M1143S	515,550	4,712,900	901	N	N	70	200	N	N	20	<50	50	--
78M125S	454,100	4,713,000	902	.7	N	70	300	N	N	30	200	70	--
78M633S	467,100	4,713,100	903	N	N	<20	500	N	N	20	700	50	--
78M744S	555,200	4,713,300	904	.7	N	N	200	N	N	15	200	15	--
79M1092S	522,600	4,713,350	905	N	N	<20	300	N	N	20	70	50	--
78M115S	444,500	4,713,400	906	N	N	30	50	N	N	50	700	150	--
79M1267S	441,150	4,713,500	907	N	N	20	150	N	N	15	200	70	--
78M629S	470,400	4,713,500	908	N	N	<20	70	N	N	100	>5,000	50	--
79M1043S	524,950	4,713,550	909	N	N	20	200	N	N	30	50	50	--
78M664S	486,200	4,713,600	910	.5	N	20	300	N	N	30	200	20	--
79M1042S	528,900	4,713,600	911	N	N	30	700	N	N	30	70	50	--
78M134S	438,100	4,713,800	912	<.5	N	100	1,000	<5	N	20	200	50	--
78M135S	435,900	4,714,000	913	.5	N	100	1,000	<5	N	30	150	20	--
78M160S	462,300	4,714,000	914	.7	N	200	700	N	N	20	200	50	--
79M483S	496,900	4,714,000	915	N	N	50	700	N	N	30	150	70	--
78M126S	448,300	4,714,100	916	N	N	20	200	N	N	50	3,000	50	--
79M474S	492,350	4,714,100	917	N	N	70	500	N	N	30	300	70	--
78M749S	558,700	4,714,100	918	N	N	<20	300	N	N	30	300	30	--
78M108S	457,000	4,714,200	919	.5	N	150	500	N	N	20	100	50	--
79M1142S	515,200	4,714,200	920	N	N	<20	300	N	N	20	50	20	--
78M195S	431,400	4,714,300	921	<.5	N	100	300	<5	N	15	70	10	--
79M482S	499,750	4,714,400	922	N	N	70	700	N	N	30	300	100	--
79M1063S	540,100	4,714,400	923	N	N	<20	200	N	N	30	200	50	--
79M1129S	511,750	4,714,550	924	N	N	30	500	N	N	30	100	70	--
78M630S	475,000	4,714,600	925	N	N	N	50	N	N	50	700	30	--
79M1062S	535,200	4,714,600	926	N	N	<20	200	N	N	30	200	50	--
79M1052S	532,300	4,714,650	927	N	N	<20	700	N	N	30	300	50	--
78M161S	460,800	4,714,700	928	1.0	N	150	700	N	N	20	100	70	--
78M660S	483,500	4,714,700	929	N	N	20	150	N	N	30	200	70	--
79M1151S	502,750	4,714,900	930	N	N	30	300	N	N	30	300	50	--
78M662S	480,600	4,715,000	931	N	N	150	200	N	N	50	2,000	50	--
78M631S	477,200	4,715,100	932	N	N	N	70	N	N	30	300	50	--
78M129S	450,200	4,715,300	933	N	N	50	200	N	N	50	500	70	--
78M255S	571,500	4,715,300	934	N	N	<20	500	N	N	50	300	70	--
79M470S	489,800	4,715,350	935	N	N	50	700	N	N	30	300	70	--
78M158S	466,300	4,715,400	936	N	N	100	1,000	N	N	30	200	20	--
78M745S	550,800	4,715,400	937	N	N	N	300	7	N	15	70	30	--
79M1139S	519,000	4,715,450	938	N	N	20	200	N	N	30	70	50	--
79M1148S	505,350	4,715,550	939	N	N	20	300	N	N	30	150	30	--
79M1192S	513,100	4,715,550	940	N	N	20	500	N	N	7	100	20	--
78M177S	459,500	4,716,100	941	.5	N	100	500	N	N	30	300	50	--
79M1266S	439,500	4,716,150	942	.5	N	100	700	N	N	20	300	50	--
78M640S	477,600	4,716,200	943	N	N	20	50	N	N	30	500	70	--
78M659S	481,400	4,716,300	944	.7	N	100	700	<5	N	10	70	20	--
78M747S	555,400	4,716,300	945	N	N	<20	300	N	N	20	200	20	--

Sample	Mn-ppm s	Mo-ppm s	Nb-ppm s	Ni-ppm s	Pb-ppm s	Sb-ppm s	Sn-ppm s	V-ppm s	W-ppm s	Y-ppm s	Zn-ppm s
79M1143S	1,000	N	--	10	<20	N	N	150	N	--	<200
78M125S	700	N	N	70	20	N	N	200	N	--	<200
78M633S	2,000	N	N	30	20	N	N	150	N	--	N
78M74S	500	N	N	30	<20	N	N	100	N	--	N
79M1092S	1,000	N	--	15	<20	N	N	150	N	--	N
78M115S	1,500	N	N	500	N	N	N	200	N	--	N
79M1267S	1,000	N	--	70	N	N	N	100	N	--	N
78M629S	1,500	N	N	1,000	N	N	N	150	N	--	N
79M1043S	1,500	N	--	30	<20	N	N	200	N	--	N
78M664S	1,500	N	N	50	<20	N	N	150	N	--	N
79M1042S	3,000	N	--	20	<20	N	N	300	N	--	N
78M134S	1,500	5	<20	70	20	N	N	150	N	--	N
78M135S	1,500	7	N	50	20	N	N	150	<50	--	<200
78M160S	1,000	N	N	70	20	N	N	150	N	--	N
79M483S	1,000	<5	--	70	<20	N	N	150	N	--	N
78M126S	2,000	N	N	1,000	N	N	N	150	N	--	N
79M474S	1,000	N	--	100	<20	N	N	150	N	--	N
78M749S	1,000	N	N	70	<20	N	N	200	N	--	N
78M108S	1,500	5	N	50	20	N	N	150	N	--	N
79M1142S	1,500	N	--	10	<20	N	N	100	N	--	N
78M195S	700	N	N	30	20	N	N	100	N	--	N
79M482S	1,500	N	--	150	<20	N	N	150	N	--	N
79M1063S	3,000	N	--	50	N	N	N	150	N	--	N
79M1129S	1,500	N	--	20	<20	N	N	200	N	--	N
78M630S	1,500	N	N	150	N	N	N	150	N	--	N
79M1062S	1,000	N	--	50	N	N	N	150	N	--	N
79M1052S	2,000	N	--	70	N	N	N	150	<50	--	200
78M161S	1,500	N	N	70	20	N	N	150	N	--	N
78M660S	1,500	N	N	50	<20	N	N	200	N	--	N
79M1151S	3,000	N	--	70	<20	N	N	150	N	--	N
78M662S	2,000	N	N	700	<20	N	N	150	N	--	N
78M631S	1,500	N	N	150	N	N	N	200	N	--	N
78M129S	1,500	N	N	300	N	N	N	150	N	--	N
78M255S	1,500	N	N	100	<20	N	N	200	N	--	N
79M470S	700	N	--	150	<20	N	N	150	N	--	N
78M158S	2,000	N	N	50	20	N	N	150	N	--	N
78M745S	1,000	N	N	20	<20	N	N	100	N	--	N
79M1139S	1,500	N	--	20	<20	N	N	150	N	--	N
79M1148S	1,500	N	--	30	N	N	N	150	N	--	N
79M1192S	1,000	N	--	30	20	N	N	70	N	--	N
78M177S	3,000	N	N	70	<20	N	N	200	N	--	<200
79M1266S	1,000	N	--	100	30	N	N	100	N	--	N
78M640S	1,500	N	N	50	<20	N	N	200	N	--	N
78M659S	700	N	N	30	<20	N	N	100	N	--	N
78M747S	1,500	N	N	70	<20	N	N	150	N	--	N

43

Sample	X coordinate	Y coordinate	Map_no.	Ag-ppm s	As-ppm s	B-ppm s	Ba-ppm s	Be-ppm s	Cd-ppm s	Co-ppm s	Cr-ppm s	Cu-ppm s	La-ppm s
79M481S	498,000	4,716,400	946	N	N	50	300	N	N	70	1,500	30	--
78M665S	486,400	4,716,600	947	N	N	50	200	N	N	30	500	20	--
78M132S	437,700	4,716,800	948	.7	N	100	1,000	<5	N	20	100	30	--
78M194S	418,600	4,717,000	949	N	N	100	500	N	N	30	300	15	--
79M475S	492,850	4,717,000	950	N	N	70	700	N	N	50	500	50	--
79M1053S	531,750	4,717,250	951	N	N	50	500	N	N	30	300	70	--
79M1061S	536,950	4,717,350	952	N	N	<20	200	N	N	30	200	50	--
78M130S	451,500	4,717,400	953	.5	N	30	500	N	N	15	50	50	--
78M750S	558,500	4,717,500	954	N	N	<20	300	N	N	30	200	30	--
79M1044S	524,050	4,717,550	955	N	N	20	500	N	N	50	70	150	--
79M1190S	508,550	4,717,600	956	N	N	50	300	N	N	30	500	50	--
79M480S	496,650	4,717,650	957	N	N	70	300	N	N	50	300	50	--
78M190S	429,400	4,717,700	958	N	N	100	700	N	N	20	100	20	--
78M127S	446,700	4,717,700	959	N	N	30	300	N	N	50	3,000	30	--
78M120S	452,800	4,717,800	960	.7	N	70	500	N	N	20	70	50	--
78M165S	465,100	4,717,800	961	.5	N	150	1,000	N	N	20	200	50	--
79M1126S	501,100	4,717,850	962	N	N	70	700	N	N	20	200	70	--
79M1130S	512,300	4,717,850	963	N	N	30	300	N	N	15	70	30	--
78M637S	471,500	4,717,900	964	N	N	50	150	N	N	100	>5,000	30	--
78M658S	483,500	4,717,900	965	N	N	70	700	N	N	50	2,000	50	--
79M471S	490,400	4,717,950	966	N	N	30	500	N	N	50	300	70	--
78M634S	469,200	4,718,000	967	<.5	N	100	500	N	N	30	700	50	--
79M1140S	516,100	4,718,250	968	N	N	20	1,000	N	N	15	50	30	--
79M117S	504,100	4,718,300	969	N	200	70	500	N	N	30	200	100	--
79M1065S	529,200	4,718,500	970	N	N	<20	500	5	N	10	70	50	--
78M253S	570,600	4,718,500	971	N	N	<20	300	N	N	30	200	20	--
78M172S	463,300	4,718,600	972	.5	N	100	300	N	N	30	100	70	--
78M742S	543,000	4,718,600	973	N	N	<20	300	<5	N	20	300	50	--
78M119S	456,800	4,718,700	974	N	N	50	300	N	N	30	150	30	--
78M639S	474,300	4,718,700	975	N	N	20	100	N	N	50	2,000	50	--
79M1045S	525,600	4,718,750	976	N	N	20	500	N	N	30	50	100	--
79M1132S	509,750	4,718,800	977	N	N	50	500	N	N	7	50	15	--
78M171S	463,300	4,719,000	978	.5	N	150	500	N	N	20	100	30	--
78M131S	450,800	4,719,100	979	N	N	70	200	N	N	30	1,000	50	--
78M164S	465,500	4,719,100	980	.7	N	200	700	N	N	20	200	50	--
78LG048S	565,744	4,719,140	981	N	N	<20	300	N	N	30	100	70	--
79M485S	497,800	4,719,150	982	N	N	20	100	N	N	50	300	50	--
78M635S	469,100	4,719,200	983	.5	N	100	500	N	N	15	200	15	--
80M1401S	506,400	4,719,250	984	N	N	20	500	N	N	30	500	70	--
79M1191S	508,750	4,719,250	985	N	N	70	300	N	N	10	70	20	--
79M1054S	530,950	4,719,400	986	N	N	<20	300	N	N	7	200	50	--
78M169S	459,400	4,719,600	987	.5	N	50	200	N	N	15	70	50	--
78M636S	471,300	4,719,800	988	<.5	N	50	300	N	N	70	>5,000	20	--
79M1060S	537,500	4,719,850	989	N	N	<20	500	10	N	30	150	50	--
78M666S	487,400	4,719,900	990	N	N	20	150	N	N	50	500	50	--

Sample	Mn-ppm s	Mo-ppm s	Nb-ppm s	Ni-ppm s	Pb-ppm s	Sb-ppm s	Sn-ppm s	V-ppm s	W-ppm s	Y-ppm s	Zn-ppm s
79M481S	1,500	N	--	1,000	<20	N	N	100	N	--	N
78M665S	1,500	N	N	100	N	N	N	200	N	--	N
78M132S	2,000	N	N	50	30	N	N	100	N	--	N
78M194S	1,500	N	N	100	20	N	N	150	N	--	N
79M475S	1,500	N	--	300	<20	N	N	150	N	--	N
79M1053S	1,500	N	--	50	<20	N	N	200	N	--	N
79M1061S	1,000	N	--	70	N	N	N	150	N	--	<200
78M130S	1,500	7	N	20	50	N	N	100	N	--	N
78M750S	1,500	N	N	100	<20	N	N	150	N	--	N
79M1044S	3,000	N	--	20	<20	N	N	300	N	--	200
79M1190S	1,000	N	--	70	N	N	N	150	N	--	N
79M480S	1,000	N	--	150	<20	N	N	150	N	--	N
78M190S	1,000	N	N	30	20	N	N	150	N	--	N
78M127S	1,500	N	<20	500	N	N	N	150	N	--	N
78M120S	2,000	7	N	50	20	N	N	150	N	--	N
78M165S	1,000	N	N	50	20	N	N	150	N	--	N
79M1126S	700	5	--	70	<20	N	N	150	N	--	N
79M1130S	1,000	N	--	15	<20	N	N	150	N	--	N
78M637S	2,000	N	N	2,000	N	N	N	150	N	--	<200
78M658S	2,000	N	N	500	<20	N	N	150	N	--	N
79M471S	1,000	N	--	150	<20	N	N	150	N	--	N
78M634S	2,000	N	N	50	20	N	N	150	N	--	N
79M1140S	1,000	N	--	15	<20	N	N	100	N	--	N
79M117S	1,500	5	--	100	<20	N	N	150	N	--	N
79M1065S	700	N	--	20	<20	N	N	150	N	--	<200
78M253S	1,500	N	N	70	20	N	N	150	N	--	N
78M172S	1,500	N	N	100	<20	N	N	100	<50	--	300
78M742S	1,500	N	N	30	<20	N	N	200	N	--	<200
78M119S	1,000	5	N	30	N	N	N	200	N	--	N
78M639S	1,500	N	N	500	<20	N	N	150	N	--	N
79M1045S	2,000	N	--	20	<20	N	N	200	N	--	N
79M1132S	700	N	--	10	20	N	N	100	N	--	N
78M171S	1,000	N	N	50	50	N	N	150	N	--	N
78M131S	2,000	N	N	200	N	N	N	150	N	--	N
78M164S	1,500	N	N	70	30	N	N	150	N	--	N
78LG048S	700	N	--	70	N	N	N	100	N	--	N
79M485S	1,500	N	--	150	N	N	N	150	N	--	N
78M635S	1,000	N	N	70	30	N	N	100	N	--	<200
80M1401S	1,500	N	--	50	<20	N	N	200	N	--	N
79M1191S	1,000	N	--	15	<20	N	N	100	N	--	N
79M1054S	300	N	--	50	<20	N	N	100	N	--	N
78M169S	1,500	N	N	30	<20	N	N	150	N	--	N
78M636S	1,500	N	N	500	<20	N	N	150	N	--	<200
79M1060S	1,500	N	--	50	<20	N	N	150	N	--	N
78M666S	1,500	N	N	200	N	N	N	200	N	--	N

Sample	X coord- dinate	Y coord- dinate	Map_no.	Ag-ppm s	As-ppm s	B-ppm s	Ba-ppm s	Be-ppm s	Cd-ppm s	Co-ppm s	Cr-ppm s	Cu-ppm s	La-ppm s
78M254S	574,200	4,720,000	991	N	N	N	500	N	N	20	200	50	--
80M1507S	446,500	4,720,050	992	N	N	<20	70	N	N	70	700	100	--
78M642S	476,600	4,720,100	993	N	N	20	100	N	N	30	1,500	50	--
79M1127S	501,450	4,720,100	994	N	N	<20	30	N	N	30	300	70	--
79M1131S	509,300	4,720,100	995	N	N	50	500	N	N	5	50	10	--
80M1412S	515,000	4,720,100	996	N	N	70	300	N	N	20	50	50	--
78M128S	448,700	4,720,200	997	N	N	30	200	N	N	50	500	30	--
78M121S	454,600	4,720,200	998	.7	N	100	700	N	N	30	200	30	--
78M669S	489,200	4,720,200	999	N	N	70	150	N	N	50	700	30	--
79M1064S	528,750	4,720,200	1,000	N	N	<20	300	N	N	15	200	50	--
78M644S	483,900	4,720,300	1,001	N	N	70	700	N	N	30	1,000	50	--
79M1046S	525,750	4,720,300	1,002	N	N	30	500	N	N	30	50	70	--
79M1118S	504,050	4,720,450	1,003	N	N	70	700	N	N	30	500	70	--
79M479S	496,550	4,720,550	1,004	N	N	<20	100	N	N	50	300	70	--
79M1141S	516,650	4,720,600	1,005	N	N	<20	200	N	N	20	70	30	--
80M1402S	519,450	4,720,600	1,006	N	N	30	300	N	N	30	70	50	--
78M746S	549,500	4,720,600	1,007	N	N	N	300	N	N	20	150	30	--
78M193S	424,200	4,720,700	1,008	<.5	N	100	700	N	N	20	200	100	--
79M476S	491,400	4,720,850	1,009	N	N	<20	30	N	N	50	300	70	--
78M122S	456,100	4,720,900	1,010	1.0	N	150	700	N	N	20	200	30	--
78M643S	480,800	4,721,000	1,011	.7	N	100	700	N	N	20	150	30	--
78M253S	571,700	4,721,000	1,012	N	N	<20	300	N	N	20	200	20	--
78M638S	473,300	4,721,100	1,013	N	N	20	50	N	N	50	500	50	--
78M250S	574,400	4,721,700	1,014	N	N	20	300	N	N	50	300	30	--
78M133S	437,500	4,721,900	1,015	.5	N	100	700	<5	N	20	100	20	--
78M191S	428,800	4,722,000	1,016	N	N	100	1,000	N	N	20	100	20	--
78M735S	555,600	4,722,100	1,017	N	N	50	500	N	N	30	200	15	--
78M251S	570,300	4,722,100	1,018	N	N	20	500	N	N	30	200	30	--
79M1260S	440,650	4,722,200	1,019	N	N	70	700	N	N	15	150	30	--
79M473S	496,000	4,722,250	1,020	N	N	20	500	N	N	7	50	7	--
78M647S	478,500	4,722,300	1,021	N	N	50	70	N	N	100	5,000	70	--
78M176S	450,300	4,722,400	1,022	.5	N	30	700	N	N	30	100	100	--
78M175S	453,900	4,722,400	1,023	.5	N	100	500	N	N	30	100	50	--
78M649S	470,600	4,722,400	1,024	N	N	100	500	N	N	15	300	50	--
78M645S	482,700	4,722,400	1,025	N	N	100	300	N	N	20	200	20	--
79M493S	499,000	4,722,450	1,026	N	N	<20	30	N	N	50	300	70	--
79M1259S	445,050	4,722,500	1,027	N	N	30	200	N	N	30	700	20	--
79M477S	493,550	4,722,500	1,028	N	N	20	300	N	N	7	<50	20	--
79M1066S	529,000	4,722,500	1,029	N	N	<20	500	<5	N	30	500	70	--
78M648S	474,300	4,722,600	1,030	N	N	50	70	N	N	30	300	70	--
78M668S	487,700	4,722,600	1,031	N	N	20	100	N	N	70	5,000	30	--
80M0080S	498,000	4,722,600	1,032	N	N	30	100	N	N	70	700	50	--
79M1133S	514,700	4,722,650	1,033	N	N	20	300	N	N	20	70	30	--
78M192S	426,700	4,722,700	1,034	N	N	70	1,000	N	N	15	700	10	--
79M1193S	510,150	4,722,700	1,035	N	N	100	500	N	N	7	50	20	--

Sample	Mn-ppm s	Mo-ppm s	Nb-ppm s	Ni-ppm s	Pb-ppm s	Sb-ppm s	Sn-ppm s	V-ppm s	W-ppm s	Y-ppm s	Zn-ppm s
78M254S	1,500	N	N	50	<20	N	N	100	N	--	N
80M1307S	1,500	N	--	100	N	N	N	300	N	--	N
78M642S	1,000	N	N	300	N	N	N	150	N	--	N
79M1127S	1,000	N	--	150	N	N	N	100	N	--	N
79M1131S	500	N	--	7	20	N	N	70	N	--	N
80M1412S	1,500	N	--	15	<20	N	N	300	N	--	N
78M128S	1,500	N	<20	200	N	N	N	150	N	--	<200
78M121S	2,000	N	N	70	20	N	N	150	N	--	<200
78M669S	1,500	N	N	200	N	N	N	200	N	--	N
79M1064S	500	N	--	30	N	N	N	150	N	--	N
78M644S	1,000	N	N	200	20	N	N	100	N	--	N
79M1046S	2,000	N	--	20	<20	N	N	150	N	--	200
79M1118S	2,000	N	--	150	N	N	N	150	N	--	N
79M479S	1,500	<5	--	70	N	N	N	150	N	--	N
79M1141S	1,500	N	--	15	<20	N	N	150	N	--	N
80M1402S	1,500	N	--	20	<20	N	N	300	N	--	N
78M746S	700	N	N	30	<20	N	N	150	N	--	N
78M193S	1,500	N	N	100	20	N	N	150	N	--	N
79M476S	3,000	N	--	100	N	N	N	150	N	--	N
78M122S	700	N	N	70	20	N	N	150	N	--	<200
78M643S	1,000	N	<20	70	20	N	N	100	N	--	N
78M252S	1,000	N	N	70	<20	N	N	150	N	--	N
78M638S	1,000	N	N	100	N	N	N	200	N	--	N
78M250S	1,500	N	N	100	20	N	N	200	N	--	N
78M133S	1,000	N	N	50	20	N	N	100	N	--	N
78M191S	1,500	N	N	50	20	N	N	100	N	--	N
78M735S	700	N	N	50	20	N	N	150	N	--	N
78M251S	2,000	N	N	70	20	N	N	150	N	--	N
79M1260S	700	N	--	50	<20	N	N	100	N	--	N
79M478S	2,000	N	--	10	<20	N	N	50	N	--	N
78M647S	1,500	N	N	1,000	N	N	N	200	N	--	N
78M176S	3,000	N	N	30	20	N	N	200	N	--	N
78M175S	2,000	N	N	50	20	N	N	200	N	--	N
78M649S	700	N	N	70	20	N	N	150	N	--	N
78M645S	500	N	N	50	20	N	N	100	N	--	N
79M493S	1,500	N	--	100	N	N	N	150	N	--	N
79M1259S	1,000	N	--	100	N	N	N	150	N	--	N
79M477S	1,000	N	--	7	N	N	N	100	N	--	N
79M1066S	1,000	N	--	70	<20	N	N	200	N	--	<200
78M648S	1,500	N	N	70	N	N	N	200	N	--	N
78M668S	1,500	N	N	700	N	N	N	150	N	--	N
80M0080S	1,500	N	--	150	N	N	N	300	N	--	N
79M1133S	1,000	N	--	10	<20	N	N	200	N	--	N
78M192S	700	N	N	30	20	N	N	100	N	--	N
79M1193S	1,000	N	--	10	<20	N	N	70	N	--	N

Sample	X coordinate	Y coordinate	Map_no.	Ag-ppm s	As-ppm s	B-ppm s	Ba-ppm s	Be-ppm s	Cd-ppm s	Co-ppm s	Cr-ppm s	Cu-ppm s	La-ppm s
78M167S	463,600	4,722,800	1,036	.7	N	30	500	N	N	20	150	50	--
78M641S	469,700	4,722,800	1,037	N	N	<20	100	N	N	50	300	50	--
78M667S	488,400	4,722,800	1,038	N	N	20	100	N	N	50	3,000	30	--
79M1119S	501,850	4,722,900	1,039	N	N	<20	30	N	N	50	300	30	--
79M1138S	518,150	4,722,900	1,040	N	N	50	200	N	N	30	50	20	--
79M1059S	539,600	4,722,900	1,041	N	N	<20	700	N	N	30	150	50	--
78M646S	479,500	4,723,000	1,042	<.5	N	20	70	N	N	30	300	70	--
79M1047S	522,300	4,723,150	1,043	N	N	20	500	N	N	30	70	50	--
79M1137S	516,750	4,723,300	1,044	N	N	20	200	N	N	30	70	20	--
79M1055S	530,950	4,723,350	1,045	N	N	<20	300	<5	N	30	50	50	--
79M1125S	505,300	4,723,400	1,046	N	N	30	500	N	N	20	150	50	--
78M173S	457,200	4,723,500	1,047	<.5	N	100	500	N	N	20	300	30	--
78M740S	544,100	4,723,500	1,048	N	N	N	700	<5	N	30	100	50	--
78M166S	466,000	4,723,700	1,049	N	N	50	200	N	N	20	50	30	--
80M009DS	499,150	4,723,800	1,050	N	N	<20	50	N	N	50	300	70	--
78M168S	458,900	4,724,000	1,051	.5	N	100	500	N	N	15	100	20	--
78M741S	547,800	4,724,100	1,052	N	N	20	500	N	N	30	100	50	--
79M1056S	533,250	4,724,150	1,053	N	N	<20	500	<5	N	30	200	70	--
78L6055S	565,525	4,724,150	1,054	N	N	30	500	N	N	20	70	50	--
79M1050S	525,950	4,724,250	1,055	N	N	20	300	N	N	30	50	50	--
WR0355S	422,951	4,724,330	1,056	N	N	70	500	N	N	20	700	30	20
78M180S	447,500	4,724,500	1,057	N	N	100	700	N	N	20	200	30	--
79M1124S	507,750	4,724,650	1,058	N	N	70	700	N	N	7	200	10	--
79M1261S	439,700	4,724,850	1,059	N	N	150	500	N	N	30	200	50	--
WR014SS	420,741	4,724,940	1,060	N	N	70	500	N	N	20	1,000	30	--
78M174S	458,000	4,725,200	1,061	.5	N	150	700	N	N	20	200	50	--
79M1048S	521,150	4,725,250	1,062	N	N	20	500	N	N	20	<50	30	--
79M296S	455,500	4,725,300	1,063	N	N	<20	300	N	N	10	50	50	--
79M491S	496,350	4,725,350	1,064	N	N	<20	150	N	N	30	200	20	--
79M400S	481,850	4,725,500	1,065	N	N	<20	70	N	N	50	500	100	--
79M1123S	507,800	4,725,500	1,066	N	N	50	300	N	N	20	200	30	--
78M650S	469,100	4,725,700	1,067	<.5	N	150	200	N	N	30	500	70	--
78M651S	472,300	4,725,700	1,068	.5	N	100	700	N	N	30	200	70	--
78M737S	557,300	4,725,700	1,069	N	N	<20	300	N	N	30	150	30	--
79M487S	491,350	4,725,750	1,070	N	N	<20	300	N	N	7	150	30	--
WR013SS	422,709	4,725,770	1,071	N	N	70	500	N	N	15	150	50	--
79M1262S	440,000	4,725,800	1,072	N	N	100	700	N	N	20	150	50	--
79M376S	463,700	4,725,800	1,073	N	N	<20	150	N	N	20	200	50	--
78M653S	477,900	4,725,800	1,074	.7	N	150	500	N	N	20	200	100	--
79M297S	458,550	4,725,850	1,075	N	N	100	500	N	N	10	200	50	--
78M178S	450,000	4,725,900	1,076	N	N	50	150	N	N	50	2,000	30	--
78M652S	473,600	4,725,900	1,077	.5	N	150	700	N	N	20	150	50	--
79M1051S	526,600	4,725,950	1,078	N	N	20	300	N	N	20	70	50	--
WR010SS	423,935	4,726,000	1,079	N	N	100	700	N	N	30	500	50	--
78M179S	448,400	4,726,100	1,080	N	N	70	700	<5	N	20	150	20	--

Sample	Mn-ppm s	Mo-ppm s	Nb-ppm s	Ni-ppm s	Pb-ppm s	Sb-ppm s	Sn-ppm s	V-ppm s	W-ppm s	Y-ppm s	Zn-ppm s
78M167S	1,500	N	N	50	20	N	N	100	N	--	N
78M641S	2,000	N	N	70	<20	N	N	200	N	--	N
78M667S	1,500	N	N	300	N	N	N	150	N	--	N
79M1119S	1,500	N	--	150	N	N	N	150	N	--	N
79M1138S	1,500	N	--	15	<20	N	N	200	N	--	N
79M1059S	1,000	N	--	50	<20	N	N	150	N	--	200
78M646S	1,500	N	N	70	<20	N	N	150	N	--	N
79M1047S	2,000	N	--	20	<20	N	N	200	N	--	N
79M1137S	1,500	N	--	20	<20	N	N	150	N	--	N
79M1055S	700	N	--	30	<20	N	N	200	N	--	N
79M1125S	700	N	--	30	N	N	N	150	N	--	N
78M173S	2,000	N	N	50	20	N	N	100	N	--	N
78M740S	1,500	N	N	30	<20	N	N	150	N	--	N
78M166S	1,500	N	N	20	N	N	N	300	N	--	N
80M009DS	1,500	N	--	100	N	N	N	200	N	--	N
78M168S	1,000	N	N	30	20	N	N	150	N	--	N
78M741S	1,000	N	N	50	20	N	N	200	N	--	N
79M1056S	1,000	N	--	50	<20	N	N	150	N	--	<200
78L6055S	700	N	--	70	<20	N	N	150	N	--	N
79M1050S	1,000	N	--	15	<20	N	N	150	N	--	N
WR0355S	1,500	N	N	150	<20	N	N	300	N	20	N
78M180S	1,000	N	N	70	20	N	N	150	N	--	N
79M1124S	700	N	--	15	<20	N	N	70	N	--	N
79M1261S	700	N	--	70	<20	N	N	100	N	--	N
WR0145S	1,000	N	--	150	<20	N	N	150	N	--	N
78M174S	1,500	N	N	50	<20	N	N	150	N	--	N
79M1048S	1,500	N	--	10	<20	N	N	150	N	--	200
79M296S	1,000	N	--	20	N	N	N	150	N	--	N
79M491S	1,000	N	--	70	N	N	N	100	N	--	N
79M400S	1,500	N	--	150	N	N	N	150	N	--	N
79M1123S	1,500	N	--	20	<20	N	N	150	N	--	N
78M650S	1,500	N	N	70	<20	N	N	200	N	--	N
78M651S	1,500	N	N	100	20	N	N	200	N	--	N
78M737S	1,500	N	N	50	<20	N	N	150	N	--	N
79M487S	1,000	N	--	30	<20	N	N	150	N	--	N
WR0135S	700	N	--	50	<20	N	N	150	N	--	N
79M1262S	500	N	--	70	<20	N	N	100	N	--	N
79M376S	1,500	N	--	30	N	N	N	200	N	--	N
78M653S	3,000	N	N	200	20	N	N	200	N	--	N
79M297S	700	N	--	30	<20	N	N	100	N	--	N
78M178S	1,500	N	N	100	N	N	N	200	N	--	N
78M652S	1,500	N	N	70	20	N	N	150	N	--	N
79M1051S	1,500	N	--	20	<20	N	N	150	N	--	N
WR0105S	1,000	N	--	100	<20	N	N	200	N	--	N
78M179S	1,000	N	N	100	20	N	N	100	N	--	N

Sample	X coordinate	Y coordinate	Map_no.	Ag-ppm s	As-ppm s	B-ppm s	Ba-ppm s	Be-ppm s	Cd-ppm s	Co-ppm s	Cr-ppm s	Cu-ppm s	La-ppm s
79M1057S	536,100	4,726,100	1,081	N	N	<20	700	S	N	30	150	70	--
79M298S	454,950	4,726,150	1,082	N	N	<20	500	N	N	10	100	70	--
79M327S	465,550	4,726,150	1,083	N	N	20	150	N	N	15	50	50	--
79M1120S	504,650	4,726,200	1,084	N	N	70	700	N	N	30	300	50	--
79M492S	498,650	4,726,300	1,085	.5	N	<20	30	N	N	50	300	150	--
79M1136S	513,200	4,726,350	1,086	N	N	20	200	N	N	20	50	30	--
78M181S	446,300	4,726,400	1,087	<.5	N	150	1,000	N	N	30	150	30	--
79M1263S	438,800	4,726,500	1,088	N	N	150	700	N	N	20	300	50	--
79M1058S	538,450	4,726,500	1,089	N	N	<20	500	<5	N	20	100	50	--
79M1070S	531,900	4,727,000	1,090	N	N	20	700	N	N	50	500	70	--
79M1121S	510,200	4,727,300	1,091	N	N	70	700	N	N	10	50	20	--
WRO055S	425,322	4,727,320	1,092	N	N	30	500	N	N	50	1,000	50	--
79M396S	483,900	4,727,350	1,093	N	N	<20	70	N	N	70	5,000	70	--
79M1244S	502,650	4,727,450	1,094	N	N	N	50	N	N	30	300	10	--
79M1163S	517,600	4,727,650	1,095	N	N	<20	150	N	N	15	100	20	--
WRO095S	423,000	4,727,690	1,096	N	N	50	300	N	N	50	1,500	50	150
79M486S	490,500	4,727,900	1,097	N	N	N	300	N	N	5	<50	15	--
79M399S	487,150	4,727,950	1,098	N	N	70	700	N	N	50	1,500	50	--
79M375S	468,950	4,728,100	1,099	N	N	<20	150	N	N	30	150	50	--
78M736S	558,700	4,728,100	1,100	N	N	20	300	N	N	15	100	15	--
79M1122S	508,650	4,728,150	1,101	N	N	30	300	N	N	30	150	50	--
78M242S	574,800	4,728,200	1,102	N	N	<20	500	N	N	20	100	30	--
79M326S	461,900	4,728,250	1,103	N	N	<20	200	N	N	10	50	50	--
79M1162S	520,350	4,728,400	1,104	N	N	<20	300	N	N	10	50	30	--
79M1068S	533,950	4,728,450	1,105	N	N	20	500	N	N	30	300	70	--
79M1265S	431,100	4,728,500	1,106	N	N	100	700	N	N	15	150	70	--
79M1081S	526,800	4,728,550	1,107	N	N	<20	300	N	N	30	100	70	--
79M1264S	435,200	4,728,700	1,108	N	N	100	700	N	N	20	150	50	--
78M655S	474,200	4,728,900	1,109	N	N	20	150	N	N	50	500	70	--
79M1243S	501,500	4,728,900	1,110	N	N	<20	30	N	N	30	200	50	--
79M1161S	515,900	4,728,900	1,111	N	N	<20	200	N	N	7	50	20	--
78M654S	477,800	4,729,100	1,112	N	N	50	300	N	N	100	>5,000	70	--
78L6060S	564,669	4,729,100	1,113	N	N	30	500	N	N	20	50	50	--
78M734S	553,800	4,729,200	1,114	N	N	30	500	N	N	20	150	20	--
78M182S	445,200	4,729,300	1,115	.5	N	100	1,000	N	N	30	150	30	--
78M739S	546,300	4,729,400	1,116	N	N	N	300	N	N	20	150	50	--
78M738S	549,600	4,729,400	1,117	N	N	N	500	N	N	30	300	70	--
78M183S	439,500	4,729,500	1,118	N	N	100	500	N	N	20	100	10	--
WRO025S	427,322	4,729,520	1,119	N	N	30	500	N	N	50	1,500	50	--
78M205S	419,500	4,729,600	1,120	N	N	30	1,000	N	N	20	300	20	--
79M395S	484,600	4,729,600	1,121	N	N	<20	100	N	N	50	500	100	--
78M241S	571,400	4,729,600	1,122	N	N	<20	300	N	N	20	200	50	--
79M380S	466,500	4,729,650	1,123	N	N	<20	200	N	N	30	150	50	--
79M377S	470,700	4,729,650	1,124	N	N	50	200	N	N	30	100	50	--
79M1069S	530,750	4,729,650	1,125	N	N	30	500	N	N	50	200	70	--

Sample	Mn-ppm s	Mo-ppm s	Nb-ppm s	Ni-ppm s	Pb-ppm s	Sb-ppm s	Sn-ppm s	V-ppm s	W-ppm s	Y-ppm s	Zn-ppm s
79M1057S	1,000	N	--	50	<20	N	N	150	N	--	N
79M298S	1,000	N	--	20	<20	N	N	150	N	--	<200
79M327S	1,000	N	--	15	N	N	N	100	N	--	N
79M1120S	1,500	N	--	70	20	N	N	150	N	--	N
79M492S	1,500	5	--	100	N	N	N	150	N	--	N
79M1136S	1,500	N	--	15	20	N	N	150	N	--	N
78M181S	1,500	N	N	50	30	N	N	150	N	--	N
79M1263S	700	N	--	70	<20	N	N	150	N	--	N
79M1058S	1,500	N	--	30	<20	N	N	100	N	--	N
79M1070S	1,500	N	--	70	<20	N	N	150	N	--	<200
79M1121S	1,000	N	--	15	20	N	N	100	N	--	N
WR0055S	1,500	N	--	150	<20	N	N	200	N	--	N
79M396S	1,500	N	--	1,500	N	N	N	150	N	--	<200
79M1244S	1,000	N	--	70	N	N	N	100	N	--	N
79M1163S	700	N	--	30	<20	N	N	150	N	--	N
WR0095S	1,500	N	--	150	N	N	N	200	N	--	N
79M486S	500	N	--	5	<20	N	N	70	N	--	N
79M399S	2,000	N	--	700	N	N	N	100	N	--	N
79M375S	2,000	N	--	30	N	N	N	200	N	--	N
78M736S	1,000	N	N	30	<20	N	N	100	N	--	N
79M1122S	1,500	N	--	30	<20	N	N	150	N	--	N
78M242S	1,500	N	N	50	<20	N	N	150	N	--	N
79M326S	700	N	--	15	20	N	N	100	N	--	N
79M1162S	1,000	N	--	15	<20	N	N	150	N	--	N
79M1068S	1,500	N	--	70	N	N	N	150	N	--	N
79M1265S	700	N	--	50	20	N	N	150	N	--	N
79M1081S	1,500	N	--	15	N	N	N	200	N	--	N
79M1264S	700	N	--	70	<20	N	N	100	N	--	N
78M655S	1,500	N	N	100	<20	N	N	200	N	--	N
79M1243S	1,500	N	--	70	N	N	N	150	N	--	N
79M1161S	1,000	N	--	15	N	N	N	150	N	--	N
78M654S	1,500	N	N	700	N	N	N	200	N	--	N
78L6060S	1,000	N	--	30	20	N	N	150	N	--	N
78M734S	1,000	N	N	50	20	N	N	150	N	--	N
78M182S	2,000	N	N	70	20	N	N	150	N	--	N
78M739S	700	N	N	50	<20	N	N	200	N	--	N
78M738S	2,000	N	N	100	<20	N	N	300	N	--	N
78M183S	700	N	N	30	20	N	N	100	N	--	N
WR0025S	1,500	N	--	150	N	N	N	200	N	--	N
78M205S	1,000	N	N	200	30	N	N	100	N	--	N
79M395S	1,000	N	--	150	N	N	N	150	N	--	N
78M241S	1,000	N	N	50	20	N	N	150	N	--	N
79M380S	1,500	N	--	50	<20	N	N	150	N	--	N
79M377S	3,000	N	--	50	<20	N	N	150	N	--	N
79M1069S	3,000	N	--	70	N	N	N	100	N	--	N

Sample	X coord- dinate	Y coord- dinate	Map_no.	Ag-ppm s	As-ppm s	B-ppm s	Ba-ppm s	Be-ppm s	Cd-ppm s	Co-ppm s	Cr-ppm s	Cu-ppm s	La-ppm s
78M185S	451,400	4,729,700	1,126	N	N	30	200	N	N	50	100	300	--
79M1134S	513,600	4,729,850	1,127	N	N	20	300	N	N	20	150	30	--
79M397S	486,050	4,729,950	1,128	N	N	20	300	N	N	50	1,000	70	--
79M1049S	523,100	4,730,100	1,129	N	N	50	500	N	N	10	50	30	--
79M294S	458,850	4,730,150	1,130	N	N	70	500	N	N	20	100	50	--
79M1080S	527,950	4,730,150	1,131	N	N	20	700	N	N	20	100	30	--
79M293S	457,800	4,730,200	1,132	N	N	<20	300	N	N	20	300	50	--
79M398S	488,450	4,730,200	1,133	N	N	30	200	N	N	50	300	100	--
79M1158S	519,350	4,730,300	1,134	N	N	20	300	N	N	10	70	20	--
79M490S	498,450	4,730,400	1,135	N	N	<20	150	N	N	50	300	50	--
79M295S	454,150	4,730,450	1,136	N	N	50	150	N	N	30	300	50	--
79M488S	492,850	4,730,450	1,137	N	N	<20	300	N	N	15	200	30	--
79M1164S	511,250	4,730,450	1,138	N	N	20	300	N	N	10	50	20	--
79M1245S	503,850	4,730,550	1,139	N	N	<20	50	N	N	50	300	50	--
79M489S	495,750	4,730,650	1,140	N	N	<20	200	N	N	20	200	15	--
79M384S	479,050	4,730,700	1,141	N	N	70	500	N	N	70	>5,000	70	--
78M200S	421,500	4,731,400	1,142	N	N	70	500	N	N	20	500	20	--
79M378S	471,850	4,731,400	1,143	<.5	N	100	500	N	N	20	200	70	--
79M240S	571,100	4,731,400	1,144	N	N	30	300	N	N	30	200	30	--
79M433S	493,050	4,731,500	1,145	N	N	<20	300	N	N	30	300	30	--
79M1160S	517,100	4,731,550	1,146	N	N	50	300	N	N	15	100	30	--
79M383S	480,400	4,731,600	1,147	N	N	20	50	N	N	70	1,000	70	--
80M1398S	475,000	4,731,700	1,148	N	N	50	200	N	N	30	200	70	--
80M1399S	475,400	4,731,700	1,149	N	N	<20	50	N	N	30	200	70	--
79M292S	456,700	4,731,750	1,150	N	N	20	30	N	N	100	1,500	20	--
79M393S	487,050	4,731,800	1,151	N	N	70	300	N	N	30	500	70	--
79M1071S	523,700	4,731,800	1,152	N	N	20	300	N	N	15	70	50	--
79M1159S	519,200	4,731,850	1,153	N	N	<20	300	N	N	10	50	30	--
78M730S	546,800	4,731,900	1,154	N	N	30	500	N	N	30	200	70	--
79M290S	455,500	4,731,950	1,155	N	N	30	100	N	N	70	700	50	--
79M1067S	535,000	4,732,000	1,156	N	N	20	150	N	N	30	300	50	--
78M184S	449,600	4,732,100	1,157	<.5	N	100	700	N	N	20	70	20	--
79M325S	462,350	4,732,100	1,158	N	N	<20	200	N	N	15	50	30	--
78M731S	549,800	4,732,200	1,159	.5	N	30	300	N	N	50	300	70	--
79M1251S	502,300	4,732,300	1,160	N	N	N	150	N	N	20	200	30	--
79M1084S	538,850	4,732,300	1,161	N	N	<20	200	N	N	30	200	50	--
79M379S	473,700	4,732,350	1,162	N	N	50	300	N	N	30	300	100	--
79M1165S	511,000	4,732,350	1,163	N	N	<20	200	N	N	10	<50	30	--
79M1079S	528,400	4,732,350	1,164	N	N	20	700	N	N	10	70	20	--
WR040SS	425,741	4,732,370	1,165	N	N	50	200	N	N	50	200	100	N
79M1246S	504,500	4,732,400	1,166	N	N	<20	500	N	N	30	300	15	--
78L6035S	563,696	4,732,420	1,167	N	N	30	700	N	N	50	300	50	--
80M1397S	475,800	4,732,500	1,168	N	N	20	100	N	N	30	150	100	--
WR0375S	427,693	4,732,510	1,169	N	N	50	70	N	N	50	300	100	N
78M732S	554,400	4,732,600	1,170	N	N	N	300	S	N	15	100	20	--

Sample	Mn-ppm s	Mo-ppm s	Nb-ppm s	Ni-ppm s	Pb-ppm s	Sb-ppm s	Sn-ppm s	V-ppm s	W-ppm s	Y-ppm s	Zn-ppm s
78M185S	2,000	N	N	50	<20	N	N	500	N	--	<200
79M1134S	1,000	N	--	20	200	N	N	150	N	--	N
79M397S	1,500	N	--	700	N	N	N	150	N	--	N
79M1049S	1,500	N	--	15	<20	N	N	100	N	--	N
79M294S	1,500	N	--	30	N	N	N	100	N	--	N
79M1080S	2,000	N	--	30	<20	N	N	150	N	--	N
79M293S	1,000	N	--	30	N	N	N	150	N	--	N
79M398S	5,000	N	--	100	N	N	N	150	N	--	N
79M1158S	700	N	--	20	<20	N	N	150	N	--	N
79M490S	2,000	N	--	100	N	N	N	150	N	--	N
79M295S	1,500	N	--	200	N	N	N	100	N	--	N
79M488S	1,000	N	--	100	N	N	N	150	N	--	N
79M1164S	1,500	N	--	5	<20	N	N	150	N	--	N
79M1245S	1,000	N	--	200	N	N	N	150	N	--	N
79M489S	700	N	--	70	N	N	N	100	N	--	N
79M384S	2,000	N	--	700	<20	N	N	200	N	--	300
78M200S	700	N	N	70	20	N	N	100	N	--	N
79M378S	1,000	N	--	70	<20	N	N	150	N	--	N
78M240S	1,000	N	N	50	20	N	N	150	N	--	N
79M433S	1,500	N	--	150	N	N	N	150	N	--	N
79M1160S	1,500	N	--	20	<20	N	N	200	N	--	N
79M383S	2,000	N	--	300	N	N	N	150	N	--	700
80M1398S	1,500	N	--	70	<20	N	N	200	N	--	N
80M1399S	1,500	N	--	100	N	N	N	200	N	--	N
79M292S	1,500	N	--	2,000	N	N	N	70	N	--	N
79M393S	1,500	N	--	300	<20	N	N	150	N	--	<200
79M1071S	1,500	N	--	20	<20	N	N	100	N	--	N
79M1159S	>5,000	N	--	10	<20	N	N	150	N	--	N
78M730S	1,500	N	N	70	<20	N	N	200	N	--	N
79M290S	1,500	N	--	700	N	N	N	100	N	--	N
79M1067S	1,000	N	--	70	N	N	N	150	N	--	N
78M184S	1,500	N	N	30	20	N	N	150	N	--	N
79M325S	1,000	N	--	15	N	N	N	150	N	--	N
78M731S	1,500	N	N	70	<20	N	N	500	N	--	200
79M1251S	1,000	N	--	50	N	N	N	150	N	--	N
79M1084S	1,000	N	--	50	N	N	N	200	N	--	N
79M379S	1,500	N	--	70	N	N	N	200	N	--	N
79M1165S	1,000	N	--	5	<20	N	N	150	N	--	N
79M1079S	1,500	N	--	15	<20	N	N	150	N	--	N
WR0403S	2,000	N	N	70	<20	N	N	300	N	20	N
79M1246S	1,000	N	--	150	<20	N	N	100	N	--	N
78LG035S	1,000	N	--	150	<20	N	N	200	N	--	N
80M1397S	1,500	N	--	70	N	N	N	500	N	--	N
WR0375S	2,000	N	N	100	N	N	N	100	N	50	N
78M732S	700	N	N	50	<20	N	N	100	N	--	N

Sample	X coord- dinate	Y coord- dinate	Map_no.	Ag-ppm s	As-ppm s	B-ppm s	Ba-ppm s	Be-ppm s	Cd-ppm s	Co-ppm s	Cr-ppm s	Cu-ppm s	La-ppm s
79M285S	458,800	4,732,750	1,171	N	N	20	500	N	N	30	300	50	--
78M207S	431,200	4,732,800	1,172	N	N	150	700	N	N	20	100	30	--
79M1135S	513,550	4,732,800	1,173	N	N	<20	200	N	N	10	70	30	--
79M270S	468,650	4,732,900	1,174	N	N	<20	200	N	N	30	150	70	--
79M272S	465,800	4,733,100	1,175	N	N	<20	300	N	N	15	<50	20	--
80M1396S	476,000	4,733,100	1,176	N	N	<20	50	N	N	15	150	70	--
79M438S	497,900	4,733,150	1,177	N	N	50	100	N	N	70	2,000	30	--
79M1094S	530,200	4,733,250	1,178	N	N	100	500	N	N	20	150	30	--
79M386S	482,050	4,733,350	1,179	N	N	70	300	N	N	70	2,000	70	--
79M434S	495,200	4,733,350	1,180	N	N	<20	300	N	N	30	500	50	--
79M394S	489,300	4,733,400	1,181	N	N	20	70	N	N	70	1,500	20	--
79M1250S	508,650	4,733,400	1,182	N	N	150	500	N	N	5	150	15	--
79M291S	452,550	4,733,450	1,183	N	N	50	300	N	N	30	300	50	--
78M208S	437,000	4,733,500	1,184	<.5	N	150	700	N	N	30	150	30	--
79M382S	476,700	4,733,600	1,185	N	N	20	100	N	N	30	150	500	--
78M733S	557,400	4,733,700	1,186	N	N	30	500	N	N	50	300	30	--
79M1073S	525,150	4,733,850	1,187	N	N	20	500	N	N	10	70	30	--
79M385S	481,050	4,734,050	1,188	<.5	N	150	700	N	N	30	200	70	--
WR0325S	426,516	4,734,170	1,189	N	N	150	500	N	N	20	200	50	N
78M239S	572,800	4,734,200	1,190	N	N	N	300	N	N	15	100	20	--
78M204S	423,400	4,734,400	1,191	N	N	50	1,000	N	N	20	200	20	--
79M1085S	533,300	4,734,400	1,192	N	N	<20	200	N	N	20	100	30	--
79M1083S	538,900	4,734,400	1,193	N	N	N	150	N	N	20	200	30	--
79M331S	477,050	4,734,450	1,194	N	N	150	150	N	N	50	150	70	--
78M221S	446,200	4,734,600	1,195	.5	N	100	700	N	N	20	100	30	--
79M1249S	507,700	4,734,700	1,196	N	N	70	500	N	N	10	100	20	--
79M284S	466,300	4,734,750	1,197	N	N	<20	300	N	N	20	50	50	--
79M269S	471,250	4,734,750	1,198	N	N	20	150	N	N	50	150	150	--
79M392S	483,050	4,734,800	1,199	N	N	150	700	N	N	20	100	50	--
78M236S	580,500	4,734,800	1,200	N	N	20	300	N	N	30	150	20	--
80M1282S	512,850	4,734,900	1,201	N	N	<20	150	N	N	30	50	50	--
78M220S	442,000	4,735,000	1,202	N	N	100	700	N	N	20	100	30	--
79M467S	503,750	4,735,100	1,203	N	N	<20	150	N	N	50	300	70	--
80M1284S	518,500	4,735,100	1,204	.5	N	70	300	N	N	20	100	30	--
79M1075S	529,400	4,735,350	1,205	N	N	70	500	N	N	30	50	50	--
79M391S	485,900	4,735,400	1,206	N	N	150	700	N	N	20	200	70	--
79M271S	463,300	4,735,450	1,207	N	N	<20	200	N	N	20	50	50	--
79M287S	456,950	4,735,650	1,208	N	N	100	500	N	N	30	300	50	--
79M1072S	522,350	4,735,650	1,209	N	N	<20	500	N	N	15	100	50	--
79M1095S	532,500	4,735,700	1,210	N	N	70	200	N	N	20	100	50	--
79M435S	496,350	4,735,800	1,211	N	N	<20	200	N	N	7	70	30	--
79M423S	488,300	4,736,000	1,212	N	N	50	150	N	N	50	5,000	50	--
79M466S	502,050	4,736,050	1,213	N	N	<20	150	N	N	15	70	50	--
80M1283S	517,250	4,736,050	1,214	N	N	70	300	N	N	20	150	30	--
79M1074S	526,400	4,736,100	1,215	N	N	20	700	N	N	10	150	50	--

Sample	Mn-ppm S	Mo-ppm S	Nb-ppm S	Ni-ppm S	Pb-ppm S	Sb-ppm S	Sn-ppm S	V-ppm S	W-ppm S	Y-ppm S	Zn-ppm S
79M285S	700	N	--	50	N	N	N	150	N	--	N
78M207S	1,500	N	N	50	20	N	N	150	N	--	N
79M1135S	1,000	N	--	20	<20	N	N	100	N	--	N
79M270S	1,000	N	--	50	N	N	N	200	N	--	N
79M272S	1,000	N	--	20	<20	N	N	100	N	--	N
80M1396S	1,000	N	--	70	N	N	N	150	N	--	N
79M438S	1,500	N	--	2,000	N	N	N	150	N	--	<200
79M1094S	1,500	N	--	30	<20	N	N	150	N	--	N
79M386S	2,000	N	--	1,000	<20	N	N	100	N	--	200
79M434S	1,000	N	--	150	N	N	N	150	N	--	N
79M394S	700	N	--	2,000	<20	N	N	70	N	--	N
79M1250S	500	N	--	7	<20	N	N	50	N	--	N
79M291S	1,000	N	--	150	N	N	N	100	N	--	N
78M208S	1,500	N	N	70	30	N	N	150	N	--	N
79M382S	1,500	N	--	100	<20	N	N	150	N	--	<200
78M733S	1,500	N	N	150	<20	N	N	300	N	--	N
79M1073S	1,500	N	--	20	20	N	N	100	N	--	N
79M385S	1,500	N	--	100	20	N	N	150	N	--	N
WRO32SS	1,000	N	N	100	20	N	N	300	N	30	N
78M239S	1,500	N	N	50	<20	N	N	70	N	--	N
78M204S	700	N	N	50	30	N	N	100	N	--	N
79M1085S	700	N	--	30	N	N	N	150	N	--	N
79M1083S	700	N	--	70	N	N	N	100	N	--	N
79M381S	1,500	N	--	70	N	N	N	200	N	--	N
78M221S	1,000	N	N	50	20	N	N	150	N	--	N
79M1249S	1,500	N	--	10	<20	N	N	70	N	--	N
79M284S	1,500	N	--	20	N	N	N	150	N	--	N
79M269S	1,500	S	--	50	<20	N	N	200	N	--	N
79M392S	3,000	N	--	70	<20	N	N	100	N	--	N
78M236S	1,000	N	N	50	<20	N	N	200	N	--	N
80M1282S	1,500	N	--	20	N	N	N	300	N	--	N
78M220S	3,000	N	N	70	20	N	N	100	N	--	N
79M467S	1,000	N	--	100	50	N	N	150	N	--	N
80M1284S	2,000	N	--	20	N	N	N	200	N	--	N
79M1075S	>5,000	N	--	15	<20	N	N	150	N	--	N
79M391S	3,000	N	--	100	<20	N	N	100	N	--	N
79M271S	1,000	N	--	20	N	N	N	150	N	--	N
79M287S	700	N	--	100	<20	N	N	150	N	--	N
79M1072S	1,500	N	--	20	<20	N	N	150	N	--	N
79M1095S	1,000	N	--	30	<20	N	N	150	N	--	N
79M435S	1,000	N	--	15	N	N	N	100	N	--	N
79M423S	1,500	N	--	1,000	N	N	N	150	N	--	<200
79M466S	1,500	N	--	20	N	N	N	150	N	--	N
80M1283S	1,500	N	--	30	20	N	N	200	N	--	N
79M1074S	700	N	--	30	20	N	N	100	N	--	N

Sample	X coord- dinate	Y coord- dinate	Map_no.	Ag-ppm s	As-ppm s	B-ppm s	Ba-ppm s	Be-ppm s	Cd-ppm s	Co-ppm s	Cr-ppm s	Cu-ppm s	La-ppm s
79M432S	492,150	4,736,150	1,216	N	N	50	300	N	N	50	500	30	--
79M437S	498,900	4,736,300	1,217	N	N	70	100	N	N	50	300	70	--
79M289S	453,950	4,736,400	1,218	N	N	100	500	N	N	20	150	30	--
79M264S	467,700	4,736,500	1,219	N	N	<20	300	N	N	15	<50	50	--
79M286S	458,100	4,736,600	1,220	N	N	<20	150	N	N	30	300	70	--
79M268S	474,650	4,736,600	1,221	N	N	<20	200	N	N	30	70	50	--
79M1258S	510,750	4,736,650	1,222	N	N	30	300	N	N	20	70	30	--
79M1082S	539,800	4,736,750	1,223	N	N	N	200	N	N	30	500	70	--
78M237S	574,700	4,736,900	1,224	N	N	30	500	N	N	50	200	50	--
79M288S	454,650	4,737,350	1,225	N	N	70	700	N	N	30	300	50	--
79M1088S	530,500	4,737,350	1,226	N	N	<20	300	N	N	30	100	30	--
WR030SS	427,871	4,737,400	1,227	N	N	70	300	N	N	20	300	70	--
79M1086S	534,000	4,737,450	1,228	N	N	<20	300	N	N	30	150	50	--
79M390S	484,000	4,737,500	1,229	N	N	200	700	N	N	20	150	50	--
78M727S	550,500	4,737,500	1,230	N	N	20	300	<5	N	20	150	20	--
79M469S	505,700	4,737,550	1,231	N	N	150	500	N	N	7	50	15	--
78M202S	425,600	4,737,600	1,232	N	N	70	700	N	N	20	200	20	--
78M218S	447,100	4,737,700	1,233	N	N	100	700	N	N	20	100	30	--
78M756S	541,200	4,737,700	1,234	N	N	20	300	N	N	30	500	20	--
78M728S	556,000	4,737,700	1,235	N	N	<20	300	N	N	30	70	70	--
78M238S	571,600	4,737,700	1,236	N	N	<20	500	N	N	20	100	50	--
80M1280S	515,800	4,737,750	1,237	N	N	50	300	N	N	20	150	30	--
79M436S	498,150	4,737,800	1,238	N	N	20	300	N	N	30	300	30	--
79M465S	501,800	4,737,850	1,239	N	N	20	200	N	N	10	70	50	--
79M1076S	527,150	4,737,850	1,240	N	N	20	500	N	N	7	50	30	--
79M1265S	476,600	4,737,900	1,241	N	N	30	500	N	N	30	300	30	--
80M1285S	518,400	4,737,950	1,242	N	N	200	500	N	N	15	100	20	--
79M273S	466,200	4,738,050	1,243	N	N	<20	300	N	N	20	70	70	--
78M219S	451,100	4,738,100	1,244	N	N	70	700	N	N	15	150	20	--
78LG030S	563,103	4,738,210	1,245	N	N	30	500	N	N	50	300	70	--
79M267S	475,100	4,738,450	1,246	N	N	20	300	N	N	30	100	50	--
78M754S	547,010	4,738,500	1,247	N	N	<20	500	N	N	30	300	50	--
79M422S	486,700	4,738,600	1,248	N	N	20	100	N	N	30	200	70	--
WR033SS	432,677	4,738,800	1,249	N	N	100	700	N	N	30	700	50	N
78M209S	437,700	4,738,900	1,250	N	N	150	700	N	N	30	150	50	--
80M1281S	513,900	4,738,900	1,251	N	N	30	300	N	N	15	70	20	--
79M387S	481,000	4,738,950	1,252	N	N	20	100	N	N	50	300	70	--
79M468S	506,400	4,738,950	1,253	N	N	70	700	N	N	5	<50	5	--
79M1093S	523,750	4,739,000	1,254	N	N	20	300	N	N	15	50	20	--
78M235S	579,400	4,739,000	1,255	N	N	<20	300	N	N	50	150	20	--
79M430S	494,650	4,739,050	1,256	N	N	<20	300	N	N	7	50	10	--
79M1257S	510,650	4,739,050	1,257	N	N	50	500	N	N	30	100	30	--
80M0110S	528,200	4,739,050	1,258	N	N	30	300	N	N	7	50	10	--
79M275S	467,500	4,739,100	1,259	N	N	<20	200	N	N	10	<50	20	--
78M729S	557,800	4,739,100	1,260	N	N	20	500	N	N	30	100	50	--

Sample	Mn-ppm s	Mo-ppm s	Nb-ppm s	Ni-ppm s	Pb-ppm s	Sb-ppm s	Sn-ppm s	V-ppm s	W-ppm s	Y-ppm s	Zn-ppm s
79M432S	1,000	N	--	500	N	N	N	150	N	--	N
79M437S	1,500	N	--	300	N	N	N	150	N	--	N
79M289S	1,000	N	--	50	20	N	N	70	N	--	N
79M264S	1,000	N	--	15	N	N	N	150	N	--	N
79M286S	1,500	N	--	150	N	N	N	150	N	--	N
79M268S	1,500	N	--	30	<20	N	N	200	N	--	N
79M1258S	1,000	N	--	15	<20	N	N	150	N	--	N
79M1082S	1,000	N	--	100	N	N	N	300	N	--	N
78M237S	1,500	N	N	100	20	N	N	300	N	--	N
79M288S	1,500	N	--	100	<20	N	N	100	N	--	N
79M1088S	1,500	N	--	20	<20	N	N	150	N	--	N
WR030SS	1,500	N	--	50	<20	N	N	150	N	--	N
79M1086S	1,500	N	--	30	N	N	N	200	N	--	<200
79M390S	2,000	N	--	70	<20	N	N	100	N	--	N
78M727S	1,000	N	N	50	<20	N	N	150	N	--	N
79M469S	700	N	--	10	30	N	N	70	N	--	N
78M202S	1,000	N	--	70	20	N	N	150	N	--	N
78M218S	2,000	N	N	30	20	N	N	150	N	--	N
78M756S	1,000	N	N	70	<20	N	N	200	N	--	N
78M728S	1,000	N	N	50	20	N	N	150	N	--	N
78M238S	700	N	N	50	20	N	N	100	N	--	N
80M1280S	1,500	N	--	20	N	N	N	200	N	--	N
79M436S	1,500	N	--	150	N	N	N	150	N	--	N
79M465S	1,000	N	--	30	N	N	N	150	N	--	N
79M1076S	1,000	N	--	15	<20	N	N	100	N	--	N
79M265S	1,000	N	--	70	N	N	N	150	N	--	N
80M1285S	1,500	N	--	20	20	N	N	150	N	--	N
79M273S	1,500	N	--	20	<20	N	N	150	N	--	N
78M219S	2,000	N	N	50	20	N	N	100	N	--	N
78LG030S	1,000	N	--	150	<20	N	N	200	N	--	N
79M267S	1,500	N	--	50	N	N	N	200	N	--	N
78M754S	1,500	N	N	70	<20	N	N	200	N	--	N
79M422S	1,500	N	--	100	N	N	N	150	N	--	N
WR033SS	1,000	N	N	300	<20	N	N	300	N	20	N
78M209S	2,000	N	N	70	20	N	N	150	N	--	<200
80M1281S	1,500	N	--	10	20	N	N	150	N	--	N
79M387S	1,500	N	--	150	N	N	N	150	N	--	N
79M468S	700	N	--	7	20	N	N	30	N	--	N
79M1093S	1,500	N	--	15	<20	N	N	200	N	--	<200
78M235S	1,500	N	N	50	<20	N	N	300	N	--	N
79M430S	700	N	--	10	N	N	N	70	N	--	N
79M1257S	1,500	N	--	15	<20	N	N	150	N	--	N
80M0110S	300	N	--	15	20	N	N	70	N	--	N
79M275S	1,500	N	--	10	N	N	N	100	N	--	N
78M729S	1,500	N	N	70	20	N	N	150	N	--	N

Sample	X coordinate	Y coordinate	Map_no.	Ag-ppm s	As-ppm s	B-ppm s	Ba-ppm s	Be-ppm s	Cd-ppm s	Co-ppm s	Cr-ppm s	Cu-ppm s	La-ppm s
79M281S	460,850	4,739,200	1,261	N	N	70	500	N	N	30	200	70	--
79M755S	543,900	4,739,200	1,262	N	N	<20	500	N	N	70	200	30	--
79M1077S	525,700	4,739,250	1,263	N	N	30	700	N	N	20	100	50	--
WRO293S	430,806	4,739,550	1,264	N	N	70	200	N	N	20	150	100	--
79M280S	461,500	4,739,700	1,265	N	N	30	200	N	N	30	500	50	--
79M262S	472,250	4,739,750	1,266	N	N	<20	150	N	N	30	50	70	--
79M431S	492,800	4,739,800	1,267	N	N	<20	500	N	N	10	70	15	--
79M1037S	537,050	4,739,850	1,268	N	N	<20	300	N	N	20	70	30	--
79M426S	489,900	4,739,900	1,269	N	N	100	500	N	N	50	200	70	--
79M421S	486,500	4,740,050	1,270	N	N	150	700	N	N	20	150	50	--
78M217S	440,200	4,740,100	1,271	N	N	150	500	N	N	20	100	20	--
78M201S	429,600	4,740,200	1,272	N	N	100	700	N	N	30	200	50	--
79M462S	496,800	4,740,200	1,273	N	N	<20	200	N	N	30	500	30	--
78M199S	418,500	4,740,300	1,274	N	N	20	700	N	N	20	200	20	--
79M1096S	528,350	4,740,300	1,275	N	N	20	500	<5	N	5	50	15	--
79M1076S	524,100	4,740,400	1,276	N	N	20	700	N	N	15	70	20	--
78M707S	531,900	4,740,400	1,277	N	N	<20	200	N	N	30	200	50	--
79M274S	466,650	4,740,600	1,278	N	N	<20	150	N	N	15	50	70	--
80M1279S	516,450	4,740,600	1,279	N	N	20	200	N	N	20	100	20	--
79M463S	501,250	4,740,700	1,280	N	N	<20	150	N	N	20	500	20	--
79M429S	493,050	4,740,750	1,281	N	N	<20	200	N	N	70	200	70	--
79M279S	463,500	4,740,800	1,282	N	N	30	150	N	N	30	1,000	50	--
79M1252S	506,300	4,740,900	1,283	N	N	50	300	N	N	20	100	20	--
80M1278S	513,200	4,740,950	1,284	N	N	70	300	N	N	20	300	20	--
78M243S	575,700	4,741,200	1,285	N	N	30	500	N	N	50	200	20	--
79M266S	476,250	4,741,500	1,286	N	N	<20	300	N	N	30	100	50	--
78M725S	545,300	4,741,500	1,287	N	N	30	500	N	N	30	200	70	--
79M383S	482,000	4,741,550	1,288	N	N	<20	70	N	N	50	300	70	--
78M203S	424,600	4,741,600	1,289	N	N	30	1,000	N	N	20	150	15	--
78M701S	539,900	4,741,700	1,290	N	N	20	200	N	N	30	100	30	--
79M263S	472,650	4,741,800	1,291	N	N	<20	200	N	N	20	70	50	--
79M261S	473,700	4,741,800	1,292	N	N	<20	150	N	N	20	50	100	--
79M439S	495,500	4,741,800	1,293	N	N	<20	100	N	N	70	200	30	--
78M702S	538,900	4,741,800	1,294	N	N	<20	300	N	N	20	70	20	--
79M425S	488,600	4,741,850	1,295	N	N	30	150	N	N	30	300	50	--
78M211S	442,300	4,742,000	1,296	N	N	200	1,000	N	N	30	200	50	--
79M389S	483,000	4,742,100	1,297	N	N	20	100	N	N	30	300	70	--
79M276S	467,450	4,742,250	1,298	N	N	<20	100	N	N	15	50	70	--
78M206S	418,700	4,742,300	1,299	N	N	50	1,000	N	N	30	300	15	--
79M461S	505,700	4,742,300	1,300	N	N	300	100	N	N	20	70	100	--
79M1256S	511,850	4,742,300	1,301	N	N	20	500	N	N	10	50	20	--
78M706S	534,500	4,742,300	1,302	N	N	N	300	N	N	30	200	20	--
78M210S	435,900	4,742,500	1,303	N	N	30	100	N	N	50	1,500	100	--
78M720S	559,100	4,742,500	1,304	N	N	<20	300	N	N	30	100	20	--
78M726S	551,300	4,742,700	1,305	N	N	20	500	5	N	20	150	50	--

Sample	Mn-ppm s	Mo-ppm s	Nb-ppm s	Ni-ppm s	Pb-ppm s	Sb-ppm s	Sn-ppm s	V-ppm s	W-ppm s	Y-ppm s	Zn-ppm s
79M281S	1,500	N	--	100	N	N	N	100	N	--	N
78M755S	2,000	N	N	50	<20	N	N	700	N	--	300
79M1077S	2,000	N	--	20	<20	N	N	200	N	--	200
WR029SS	700	N	--	70	<20	N	N	200	N	--	N
79M280S	1,000	N	--	150	N	N	N	100	N	--	N
79M262S	2,000	N	--	20	N	N	N	150	N	--	N
79M431S	700	N	--	15	<20	N	N	70	N	--	N
79M1087S	1,500	N	--	15	<20	N	N	150	N	--	N
79M426S	1,500	N	--	70	<20	N	N	150	N	--	N
79M421S	500	N	--	70	<20	N	N	150	N	--	N
78M217S	1,000	N	N	50	20	N	N	150	N	--	N
78M201S	1,500	N	N	100	<20	N	N	200	N	--	N
79M462S	1,500	N	--	150	N	N	N	150	N	--	N
78M199S	1,500	N	N	70	20	N	N	150	N	--	N
79M1096S	700	N	--	15	<20	N	N	50	N	--	N
79M1078S	2,000	N	--	20	<20	N	N	100	N	--	<200
78M707S	1,500	N	N	30	20	N	N	150	N	--	N
79M274S	1,000	N	--	30	N	N	N	150	N	--	N
80M1279S	1,500	N	--	20	N	N	N	200	N	--	N
79M463S	1,000	N	--	70	N	N	N	150	N	--	N
79M429S	2,000	N	--	70	N	N	N	200	N	--	N
79M279S	1,000	N	--	150	N	N	N	150	N	--	N
79M1252S	2,000	N	--	15	<20	N	N	150	N	--	N
80M1278S	1,500	N	--	15	<20	N	N	200	N	--	N
78M243S	2,000	N	N	70	20	N	N	200	N	--	N
79M266S	1,500	N	--	30	N	N	N	150	N	--	N
78M725S	1,500	N	N	70	<20	N	N	200	N	--	N
79M388S	1,500	N	--	100	N	N	N	150	N	--	N
78M203S	1,000	N	N	50	30	N	N	100	N	--	N
78M701S	1,000	N	N	30	<20	N	N	300	N	--	N
79M263S	1,000	N	--	20	N	N	N	150	N	--	N
79M261S	2,000	N	--	30	N	N	N	150	N	--	<200
79M439S	1,500	N	--	70	N	N	N	150	N	--	N
78M702S	1,500	N	N	30	<20	N	N	200	N	--	N
79M425S	1,500	N	--	100	N	N	N	200	N	--	N
78M211S	1,000	N	N	50	20	N	N	150	N	--	N
79M389S	1,500	N	--	70	N	N	N	150	N	--	N
79M276S	1,000	N	--	15	N	N	N	150	N	--	N
78M206S	1,500	N	N	100	20	N	N	100	N	--	N
79M461S	700	N	--	70	<20	N	N	150	N	--	N
79M1256S	2,000	N	--	10	<20	N	N	200	N	--	300
78M706S	3,000	N	N	30	<20	N	N	100	N	--	N
78M210S	1,500	N	N	200	N	N	N	200	N	--	N
78M720S	1,000	N	N	50	20	N	N	150	N	--	N
78M726S	1,500	N	N	50	<20	N	N	150	N	--	N

Sample	X coordinate	Y coordinate	Map_no.	Ag-ppm s	As-ppm s	B-ppm s	Ba-ppm s	Be-ppm s	Cd-ppm s	Co-ppm s	Cr-ppm s	Cu-ppm s	La-ppm s
79M1104S	521,400	4,742,800	1,306	N	N	30	300	N	N	15	100	30	--
80M1286S	519,600	4,743,100	1,307	N	N	N	300	7	N	7	N	15	--
78M703S	540,800	4,743,200	1,308	N	N	20	300	N	N	20	70	20	--
79M283S	456,100	4,743,250	1,309	N	N	50	500	N	N	15	150	20	--
79M282S	460,600	4,743,300	1,310	N	N	70	700	N	N	20	150	30	--
79M427S	492,050	4,743,350	1,311	N	N	100	300	N	N	30	200	50	--
78M708S	531,000	4,743,400	1,312	.5	N	N	700	5	N	30	500	70	--
79M440S	496,050	4,743,500	1,313	N	N	<20	300	N	N	30	150	20	--
80M100DS	532,250	4,743,500	1,314	15.0	1,500	70	300	N	N	15	N	30	--
78M212S	432,400	4,743,600	1,315	N	N	100	700	N	N	20	700	70	--
78M705S	535,800	4,743,600	1,316	N	N	<20	300	N	N	20	100	20	--
78M229S	569,700	4,743,600	1,317	N	N	20	300	N	N	50	150	30	--
79M346S	480,550	4,743,650	1,318	N	N	50	500	N	N	10	150	50	--
79M278S	462,450	4,743,700	1,319	N	N	70	700	N	N	20	200	30	--
79M342S	474,350	4,743,700	1,320	N	N	<20	300	N	N	15	50	70	--
79M464S	504,600	4,743,750	1,321	N	N	30	300	N	N	20	200	20	--
79M455S	519,250	4,743,950	1,322	N	N	30	700	N	N	20	100	30	--
79M341S	476,550	4,744,000	1,323	N	N	<20	150	N	N	15	70	70	--
79M1097S	527,500	4,744,300	1,324	N	N	30	150	N	N	15	50	50	--
79M424S	487,050	4,744,350	1,325	<.5	N	150	500	N	N	15	200	30	--
78M724S	552,400	4,744,400	1,326	N	N	20	500	7	N	20	200	30	--
79M459S	513,000	4,744,450	1,327	N	N	30	300	N	N	30	70	30	--
78M216S	443,900	4,744,700	1,328	N	N	100	500	N	N	20	150	30	--
79M260S	471,150	4,744,700	1,329	N	N	<20	200	N	N	30	70	70	--
78M704S	536,900	4,744,700	1,330	N	N	<20	1,000	N	N	15	50	30	--
79M428S	490,700	4,744,800	1,331	N	N	100	150	N	N	30	300	70	--
79M1100S	521,950	4,744,800	1,332	N	N	50	700	N	N	5	<50	15	--
79M419S	502,250	4,744,950	1,333	N	N	<20	300	N	N	20	100	30	--
78M222S	451,500	4,745,000	1,334	.5	N	100	500	N	N	15	100	20	--
79M277S	464,550	4,745,000	1,335	N	N	70	300	N	N	15	300	20	--
79M347S	482,300	4,745,000	1,336	.7	N	70	700	N	N	15	100	70	--
79M460S	511,150	4,745,100	1,337	N	N	20	500	N	N	20	50	30	--
78M232S	580,300	4,745,100	1,338	N	N	<20	300	N	N	30	200	50	--
79M1253S	507,850	4,745,300	1,339	N	N	50	500	N	N	30	100	30	--
79M456S	515,750	4,745,300	1,340	N	N	70	500	N	N	30	100	20	--
79M441S	499,750	4,745,400	1,341	N	N	<20	500	N	N	50	300	70	--
78M259S	468,600	4,745,650	1,342	N	N	--	--	N	N	70	1,500	150	--
79M1098S	525,950	4,745,750	1,343	N	N	20	200	N	N	20	50	50	--
78M245S	562,500	4,745,800	1,344	N	N	20	700	N	N	20	70	20	--
78M213S	433,900	4,746,300	1,345	N	N	150	500	N	N	50	1,000	30	--
78M711S	535,300	4,746,300	1,346	<.5	N	30	700	<5	N	10	50	15	--
78M712S	537,900	4,746,500	1,347	N	N	30	1,000	N	N	30	70	20	--
79M340S	477,550	4,746,600	1,348	N	N	<20	150	N	N	15	50	50	--
79M417S	502,600	4,746,700	1,349	N	N	N	300	N	N	15	50	20	--
79M1099S	524,150	4,746,700	1,350	N	N	20	300	N	N	20	70	30	--

Sample	Mn-ppm s	Mo-ppm s	Nb-ppm s	Ni-ppm s	Pb-ppm s	Sb-ppm s	Sn-ppm s	V-ppm s	W-ppm s	Y-ppm s	Zn-ppm s
79M1104S	1,500	N	--	20	<20	N	N	150	N	--	N
80M1286S	1,500	N	--	10	20	N	N	100	N	--	N
78M703S	1,500	N	N	30	<20	N	N	200	N	--	N
79M283S	1,000	N	--	70	N	N	N	100	N	--	N
79M282S	1,500	N	--	70	<20	N	N	100	N	--	N
79M427S	1,500	N	--	100	N	N	N	150	N	--	N
78M708S	2,000	N	N	100	20	N	N	150	N	--	N
79M440S	1,000	N	--	50	N	N	N	150	N	--	N
80M0100S	>5,000	N	--	15	300	N	N	70	N	--	700
78M212S	500	N	N	50	20	N	N	100	N	--	N
78M705S	1,500	N	N	30	<20	N	N	150	N	--	N
78M229S	1,500	N	N	70	<20	N	N	700	N	--	N
79M348S	700	N	--	70	<20	N	N	100	N	--	N
79M278S	1,500	N	--	70	N	N	N	100	N	--	N
79M342S	1,500	N	--	15	N	N	N	150	N	--	N
79M464S	1,000	N	--	30	<20	N	N	100	N	--	N
79M455S	3,000	N	--	20	20	N	N	100	N	--	300
79M341S	1,000	N	--	20	N	N	N	150	N	--	N
79M1097S	1,500	N	--	20	N	N	N	100	N	--	N
79M424S	1,000	N	--	70	<20	N	N	150	N	--	N
78M724S	1,500	N	N	50	<20	N	N	150	N	--	N
79M459S	2,000	N	--	20	<20	N	N	200	N	--	200
78M216S	1,500	N	N	50	20	N	N	150	N	--	N
79M260S	1,500	N	--	30	N	N	N	150	N	--	N
78M704S	1,500	<5	<20	10	30	N	N	100	N	--	N
79M428S	1,500	N	--	100	N	N	N	200	N	--	N
79M1100S	700	N	--	7	<20	N	N	50	N	--	N
79M419S	1,500	N	--	50	N	N	N	150	N	--	N
78M222S	500	N	N	50	20	N	N	100	N	--	N
79M277S	700	N	--	50	N	N	N	100	N	--	N
79M347S	2,000	N	--	70	20	N	N	100	N	--	N
79M460S	1,500	N	--	10	<20	N	N	150	N	--	N
78M232S	1,500	N	N	70	N	N	N	300	N	--	N
79M1253S	1,500	N	--	15	<20	N	N	200	N	--	N
79M456S	1,500	N	--	20	<20	N	N	150	N	--	N
79M441S	1,500	N	--	200	<20	N	N	150	N	--	N
78M259S	2,000	N	--	1,500	N	N	N	--	N	50	<200
79M1098S	1,500	N	--	15	<20	N	N	150	N	--	N
78M245S	1,000	N	N	50	20	N	N	150	N	--	N
78M213S	1,500	N	N	200	20	N	N	150	N	--	N
78M711S	700	<5	N	10	30	N	N	70	N	--	N
78M712S	2,000	5	N	15	30	N	N	100	N	--	N
79M340S	1,000	N	--	20	N	N	N	100	N	--	N
79M417S	1,500	N	--	15	N	N	N	150	N	--	N
79M1099S	1,500	N	--	20	<20	N	N	150	N	--	300

Sample	X coordinate	Y coordinate	Map_no.	Ag-ppm s	As-ppm s	B-ppm s	Ba-ppm s	Be-ppm s	Cd-ppm s	Co-ppm s	Cr-ppm s	Cu-ppm s	La-ppm s
78M227S	569,400	4,746,700	1,351	N	N	20	300	N	N	30	100	20	--
79M1254S	508,300	4,746,850	1,352	N	N	30	500	N	N	20	150	30	--
79M364S	491,050	4,746,950	1,353	N	N	20	300	N	N	30	200	70	--
78M215S	443,400	4,747,100	1,354	N	N	100	700	N	N	30	200	50	--
78M723S	547,400	4,747,100	1,355	N	N	N	500	7	N	20	100	30	--
78M214S	439,800	4,747,200	1,356	N	N	100	700	N	N	20	200	30	--
79M329S	462,150	4,747,200	1,357	N	N	150	700	N	N	30	150	50	--
79M458S	511,500	4,747,350	1,358	N	N	30	700	N	N	30	70	20	--
79M299S	451,950	4,747,550	1,359	N	N	70	500	N	N	15	150	30	--
79M363S	490,050	4,747,550	1,360	N	N	50	500	N	N	20	150	70	--
78M751S	541,600	4,747,600	1,361	N	N	<20	300	<5	N	15	50	15	--
78M225S	577,300	4,747,600	1,362	N	N	30	300	N	N	50	200	50	--
78M224S	578,300	4,747,800	1,363	N	N	<20	500	N	N	30	100	50	--
79M314S	418,700	4,747,850	1,364	N	N	50	700	<5	N	5	100	20	--
79M457S	513,100	4,747,850	1,365	N	N	30	300	N	N	30	100	50	--
78M719S	558,300	4,747,900	1,366	N	N	<20	300	N	N	20	100	15	--
79M331S	467,950	4,748,000	1,367	N	N	70	500	N	N	10	100	30	--
78M228S	564,600	4,748,000	1,368	N	N	20	500	N	N	30	100	50	--
79M1101S	523,450	4,748,100	1,369	N	N	<20	300	N	N	20	100	30	--
79M453S	518,400	4,748,200	1,370	N	N	30	500	N	N	30	100	30	--
78M226S	573,900	4,748,200	1,371	N	N	<20	500	N	N	30	200	30	--
78M709S	531,600	4,748,300	1,372	N	N	<20	500	N	N	20	200	15	--
79M346S	480,650	4,748,350	1,373	N	N	<20	150	N	N	10	50	50	--
79M361S	485,400	4,748,400	1,374	N	N	100	500	N	N	15	100	70	--
79M454S	516,600	4,748,400	1,375	N	N	30	700	N	N	50	70	20	--
78M752S	543,300	4,748,400	1,376	N	N	N	500	5	N	10	50	15	--
79M332S	471,050	4,748,450	1,377	N	N	100	300	N	N	20	300	50	--
80M1277S	496,600	4,748,450	1,378	N	N	100	700	N	N	15	150	30	--
79M311S	425,650	4,748,500	1,379	N	N	50	700	<5	N	10	100	15	--
78M722S	549,900	4,748,600	1,380	N	N	<20	300	5	N	20	150	20	--
79M313S	432,400	4,748,650	1,381	N	N	50	700	<5	N	7	100	20	--
79M420S	503,900	4,748,700	1,382	N	N	20	300	N	N	50	700	50	--
79M410S	499,300	4,748,800	1,383	N	N	N	200	N	N	30	200	30	--
79M344S	483,250	4,748,900	1,384	N	N	50	300	N	N	7	70	30	--
79M1105S	527,450	4,748,900	1,385	N	N	20	300	<5	N	7	<50	15	--
79M315S	456,650	4,748,950	1,386	N	N	100	500	N	N	15	300	50	--
79M333S	473,400	4,748,950	1,387	N	N	<20	150	N	N	30	100	70	--
78M234S	571,000	4,749,000	1,388	N	N	<20	500	N	N	30	150	30	--
79M362S	488,500	4,749,150	1,389	N	N	70	500	N	N	15	150	70	--
79M330S	468,700	4,749,250	1,390	N	N	70	500	N	N	15	150	30	--
78M233S	574,400	4,749,300	1,391	N	N	N	500	N	N	20	70	20	--
79M418S	502,600	4,749,400	1,392	N	N	20	300	N	N	70	5,000	20	--
79M416S	505,600	4,749,550	1,393	N	N	70	300	N	N	70	5,000	30	--
79M1255S	508,450	4,749,600	1,394	N	N	70	500	N	N	30	100	30	--
78M721S	552,300	4,749,600	1,395	N	N	N	500	<5	N	20	150	30	--

Sample	Mn-ppm S	Mo-ppm S	Nb-ppm S	Ni-ppm S	Pb-ppm S	Sb-ppm S	Sn-ppm S	V-ppm S	W-ppm S	Y-ppm S	Zn-ppm S
78M227S	1,000	N	N	50	20	N	N	200	N	--	N
79M1254S	1,000	N	--	15	<20	N	N	150	N	--	N
79M364S	3,000	N	--	70	<20	N	N	150	N	--	N
78M215S	2,000	N	--	70	30	N	N	150	N	--	N
78M723S	1,500	N	N	50	20	N	N	100	N	--	N
78M214S	1,000	N	N	70	20	N	N	150	N	--	N
79M329S	5,000	N	--	70	<20	N	N	100	N	--	N
79M458S	1,500	N	--	15	<20	N	N	150	N	--	<200
79M299S	700	N	--	50	<20	N	N	100	N	--	N
79M363S	1,500	N	--	50	<20	N	N	150	N	--	N
78M751S	1,500	N	N	20	<20	N	N	100	N	--	N
78M225S	1,500	N	N	100	<20	N	N	500	N	--	N
78M224S	1,000	N	N	50	<20	N	N	200	N	--	N
79M314S	500	N	--	30	20	N	N	70	N	--	N
79M457S	2,000	N	--	20	<20	N	N	150	N	--	N
78M719S	1,000	N	N	30	<20	N	N	150	N	--	N
79M331S	700	N	--	50	<20	N	N	70	N	--	N
78M228S	1,500	N	N	50	20	N	N	200	N	--	N
79M1101S	700	N	--	20	<20	N	N	150	N	--	N
79M453S	1,500	N	--	15	<20	N	N	200	N	--	N
78M226S	1,500	N	N	70	<20	N	N	150	N	--	N
78M709S	1,500	N	N	30	20	N	N	150	N	--	N
79M346S	1,000	N	--	20	<20	N	N	150	N	--	N
79M361S	1,000	N	--	70	20	N	N	150	N	--	N
79M454S	5,000	N	--	15	<20	N	N	200	N	--	N
78M752S	3,000	N	N	10	<20	N	N	70	N	--	N
79M332S	1,500	N	--	200	N	N	N	100	N	--	N
80M1277S	700	N	--	100	<20	N	N	100	N	--	N
79M311S	500	N	--	30	<20	N	N	70	N	--	N
78M722S	5,000	N	N	30	20	N	N	100	N	--	N
79M313S	500	N	--	30	20	N	N	70	N	--	N
79M420S	1,500	N	--	500	<20	N	N	150	N	--	N
79M410S	1,000	N	--	50	N	N	N	150	N	--	N
79M344S	700	N	--	50	<20	N	N	70	N	--	N
79M1105S	1,500	N	--	10	<20	N	N	100	N	--	N
79M315S	700	N	--	100	<20	N	N	100	N	--	N
79M333S	1,500	N	--	50	N	N	N	150	N	--	N
78M234S	1,500	N	N	50	20	N	N	200	N	--	N
79M362S	1,000	N	--	70	<20	N	N	150	N	--	N
79M330S	1,000	N	--	70	<20	N	N	70	N	--	N
78M233S	1,500	N	N	30	20	N	N	100	N	--	N
79M418S	3,000	N	--	700	N	N	N	200	N	--	N
79M416S	1,500	N	--	2,000	N	N	N	150	N	--	<200
79M1255S	2,000	N	--	20	<20	N	N	150	N	--	N
78M721S	1,500	N	N	50	20	N	N	150	N	--	N

Sample	X coordinate	Y coordinate	Map_no.	Ag-ppm s	As-ppm s	B-ppm s	Ba-ppm s	Be-ppm s	Cd-ppm s	Co-ppm s	Cr-ppm s	Cu-ppm s	La-ppm s
79M319S	464,850	4,749,650	1,396	N	N	100	700	N	N	20	300	50	--
79M343S	480,550	4,749,650	1,397	1.0	N	20	200	N	N	20	50	70	--
78M710S	534,800	4,749,700	1,398	N	N	30	500	N	N	15	150	15	--
79M1106S	528,350	4,749,950	1,399	N	N	<20	200	<5	N	5	50	20	--
79M452S	516,300	4,750,000	1,400	N	N	30	300	N	N	20	50	30	--
79M1102S	525,050	4,750,050	1,401	N	N	N	150	N	N	15	100	50	--
79M404S	495,100	4,750,100	1,402	N	N	20	300	N	N	30	200	70	--
79M345S	483,050	4,750,200	1,403	N	N	70	500	N	N	10	100	50	--
78M692S	539,100	4,750,200	1,404	N	N	20	300	N	N	30	70	30	--
78M231S	576,200	4,750,200	1,405	N	N	20	700	N	N	20	150	50	--
79M360S	487,500	4,750,400	1,406	N	N	50	300	N	N	10	70	50	--
79M405S	497,750	4,750,450	1,407	N	N	100	500	N	N	20	100	50	--
79M1107S	531,100	4,750,450	1,408	N	N	<20	300	N	N	30	500	100	--
79M451S	513,050	4,750,500	1,409	N	N	50	500	N	N	30	100	30	--
79M450S	511,050	4,750,650	1,410	N	N	50	300	N	N	30	50	30	--
79M334S	472,400	4,750,750	1,411	N	N	50	300	N	N	5	100	20	--
79M1103S	522,250	4,750,850	1,412	N	N	<20	200	N	N	10	50	30	--
78M690S	537,900	4,750,900	1,413	N	N	20	300	N	N	50	300	30	--
79M350S	477,950	4,750,950	1,414	N	N	20	100	N	N	7	<50	50	--
79M310S	425,250	4,751,300	1,415	N	N	20	700	N	N	15	100	15	--
79M335S	474,450	4,751,400	1,416	N	N	50	200	N	N	50	1,000	70	--
78M718S	549,500	4,751,500	1,417	N	N	30	300	N	N	30	150	30	--
79M372S	492,250	4,751,650	1,418	N	N	150	700	N	N	20	150	50	--
79M449S	520,300	4,751,750	1,419	N	N	70	500	N	N	20	50	20	--
78M694S	544,200	4,751,800	1,420	N	N	N	300	<5	N	10	<50	10	--
79M328S	464,000	4,752,200	1,421	N	N	50	300	N	N	50	3,000	30	--
79M300S	448,500	4,752,300	1,422	N	N	70	300	N	N	20	700	50	--
78M689S	537,900	4,752,400	1,423	N	N	20	300	N	N	30	200	20	--
78M695S	545,000	4,752,400	1,424	N	N	20	300	N	N	30	500	50	--
79M373S	478,700	4,752,550	1,425	N	N	100	300	N	N	20	150	50	--
79M446S	514,500	4,752,550	1,426	N	N	30	500	N	N	50	100	70	--
79M374S	479,700	4,752,600	1,427	N	N	50	300	N	N	20	300	50	--
79M358S	483,400	4,752,800	1,428	N	N	70	300	N	N	20	300	50	--
79M443S	501,700	4,752,850	1,429	N	N	<20	300	N	N	50	200	50	--
78M696S	543,800	4,752,900	1,430	N	N	<20	300	<5	N	10	50	10	--
79M301S	446,150	4,752,950	1,431	N	N	50	300	N	N	20	1,000	20	--
79M371S	492,500	4,753,000	1,432	N	N	150	700	N	N	20	150	70	--
79M444S	508,400	4,753,000	1,433	N	N	100	300	N	N	30	100	30	--
79M411S	504,650	4,753,300	1,434	N	N	50	300	N	N	30	150	50	--
78M691S	541,600	4,753,300	1,435	N	N	<20	300	N	N	30	200	30	--
79M445S	510,150	4,753,400	1,436	N	N	70	300	N	N	20	150	20	--
79M312S	430,650	4,753,500	1,437	N	N	20	500	N	N	10	70	15	--
79M316S	455,950	4,753,500	1,438	N	N	30	700	N	N	30	700	50	--
79M359S	488,100	4,753,600	1,439	N	N	70	500	N	N	15	150	50	--
78M717S	554,600	4,753,600	1,440	N	N	30	500	N	N	30	300	50	--

Sample	Mn-ppm s	Mo-ppm s	Nb-ppm s	Ni-ppm s	Pb-ppm s	Sb-ppm s	Sn-ppm s	V-ppm s	W-ppm s	Y-ppm s	Zn-ppm s
79M319S	1,500	N	--	70	20	N	N	100	N	--	N
79M343S	1,500	N	--	15	20	N	N	150	N	--	200
78M710S	1,500	N	N	20	20	N	N	70	N	--	N
79M1106S	1,000	N	--	15	<20	N	N	100	N	--	N
79M452S	1,500	N	--	10	<20	N	N	150	N	--	N
79M1102S	700	N	--	20	N	N	N	150	N	--	N
79M404S	1,500	N	--	70	N	N	N	150	N	--	N
79M345S	1,000	N	--	50	<20	N	N	100	N	--	N
78M692S	1,500	N	N	30	20	N	N	200	N	--	N
78M231S	1,500	N	N	50	20	N	N	150	N	--	N
79M360S	1,000	N	--	50	<20	N	N	100	N	--	N
79M405S	1,500	N	--	70	<20	N	N	100	N	--	N
79M1107S	700	N	--	150	<20	N	N	150	N	--	N
79M451S	2,000	<5	--	15	<20	N	N	150	N	--	200
79M450S	1,500	N	--	15	<20	N	N	200	N	--	N
79M334S	500	N	--	50	<20	N	N	70	N	--	N
79M1103S	700	N	--	10	<20	N	N	150	N	--	N
78M690S	1,500	N	N	50	<20	N	N	200	N	--	N
79M350S	700	N	--	15	<20	N	N	100	N	--	N
79M310S	300	N	--	30	20	N	N	70	N	--	N
79M335S	1,500	N	--	500	<20	N	N	150	N	--	N
78M718S	1,500	N	N	70	20	N	N	200	N	--	N
79M372S	2,000	N	--	70	<20	N	N	150	N	--	N
79M449S	1,500	N	--	10	<20	N	N	150	N	--	N
78M694S	1,500	N	N	10	<20	N	N	70	N	--	N
79M328S	700	N	--	1,500	N	N	N	100	N	--	N
79M300S	1,000	N	--	100	N	N	N	150	N	--	N
78M689S	1,500	N	N	50	<20	N	N	150	N	--	N
78M695S	1,500	N	N	70	<20	N	N	200	N	--	N
79M373S	1,500	N	--	30	<20	N	N	150	N	--	N
79M446S	3,000	N	--	20	<20	N	N	200	N	--	N
79M374S	1,500	N	--	50	<20	N	N	150	N	--	N
79M358S	1,500	N	--	50	<20	N	N	150	N	--	N
79M443S	2,000	N	--	70	N	N	N	150	N	--	N
78M696S	1,000	N	N	20	20	N	N	100	N	--	N
79M301S	700	N	--	100	N	N	N	100	N	--	N
79M371S	3,000	<5	--	70	20	N	N	150	N	--	N
79M444S	2,000	N	--	20	N	N	N	200	N	--	N
79M411S	1,500	N	--	50	<20	N	N	150	N	--	N
78M691S	1,000	N	N	50	<20	N	N	200	N	--	N
79M445S	1,500	N	--	10	N	N	N	150	N	--	N
79M312S	500	N	--	30	<20	N	N	70	N	--	N
79M316S	1,500	N	--	500	<20	N	N	100	N	--	N
79M359S	1,000	N	--	70	<20	N	N	100	N	--	N
78M717S	1,500	N	N	70	20	N	N	300	N	--	N

Sample	X coordinate	Y coordinate	Map_no.	Ag-ppm s	As-ppm s	B-ppm s	Ba-ppm s	Be-ppm s	Cd-ppm s	Co-ppm s	Cr-ppm s	Cu-ppm s	La-ppm s
79M357S	485,500	4,753,650	1,441	N	N	70	300	N	N	10	100	30	--
79M1116S	522,650	4,753,700	1,442	N	N	N	500	N	N	15	50	30	--
78M716S	557,200	4,753,700	1,443	N	N	20	300	N	N	30	100	20	--
78M247S	566,900	4,753,700	1,444	N	N	20	300	N	N	30	70	20	--
79M1115S	524,700	4,753,800	1,445	N	N	<20	200	N	N	10	<50	20	--
79M309S	424,450	4,753,900	1,446	N	N	50	700	N	N	7	150	15	--
79M448S	519,350	4,753,900	1,447	N	N	30	300	N	N	30	50	20	--
79M406S	497,300	4,753,950	1,448	N	N	50	200	N	N	20	70	70	--
79M402S	496,000	4,754,000	1,449	N	N	70	700	N	N	30	200	70	--
79M304S	437,300	4,754,250	1,450	N	N	50	300	N	N	15	200	50	--
79M447S	515,650	4,754,300	1,451	N	N	50	300	N	N	30	100	30	--
79M317S	459,750	4,754,350	1,452	N	N	30	150	N	N	50	700	30	--
79M336S	473,550	4,754,350	1,453	N	N	20	300	N	N	20	100	70	--
79M302S	440,250	4,754,400	1,454	N	N	50	200	N	N	15	300	30	--
78M230S	578,100	4,754,400	1,455	N	N	<20	1,000	N	N	20	70	30	--
79M401S	491,650	4,754,550	1,456	N	N	70	700	N	N	20	200	50	--
79M1111S	530,900	4,754,700	1,457	N	N	200	100	<5	N	70	150	50	--
79M1110S	528,100	4,754,800	1,458	N	N	<20	200	N	N	30	300	50	--
79M1112S	534,250	4,754,900	1,459	N	N	<20	150	N	N	20	<50	20	--
78M248S	567,300	4,755,000	1,460	N	N	20	500	N	N	30	100	50	--
79M337S	472,300	4,755,200	1,461	N	N	100	500	N	N	20	200	50	--
79M307S	421,200	4,755,250	1,462	N	N	50	300	N	N	10	300	30	--
78M693S	542,000	4,755,400	1,463	N	N	30	300	N	N	7	70	30	--
79M370S	488,800	4,755,550	1,464	N	N	100	300	N	N	20	300	50	--
79M407S	498,450	4,755,600	1,465	N	N	150	300	N	N	30	300	50	--
78M699S	546,700	4,755,600	1,466	N	N	20	300	N	N	30	100	30	--
78M676S	514,400	4,755,700	1,467	N	N	20	300	N	N	30	300	20	--
79M356S	485,700	4,755,750	1,468	N	N	30	200	N	N	30	300	50	--
78M677S	516,300	4,756,000	1,469	N	N	20	500	N	N	20	200	15	--
79M351S	478,050	4,756,100	1,470	N	N	<20	300	N	N	10	50	20	--
79M1108S	524,200	4,756,200	1,471	N	N	50	500	N	N	20	50	30	--
79M355S	484,550	4,756,250	1,472	N	N	50	300	N	N	30	500	50	--
79M322S	454,150	4,756,350	1,473	N	N	70	200	N	N	20	300	30	--
79M403S	495,400	4,756,500	1,474	N	N	150	700	N	N	30	150	70	--
78M681S	519,000	4,756,500	1,475	N	N	30	300	N	N	30	70	20	--
79M349S	473,550	4,756,550	1,476	N	N	30	200	N	N	7	300	50	--
78M678S	523,400	4,756,600	1,477	N	N	50	500	N	N	30	70	20	--
79M352S	481,300	4,756,800	1,478	N	N	<20	150	N	N	15	100	20	--
78M687S	536,800	4,756,800	1,479	N	N	30	300	N	N	30	200	20	--
79M1113S	532,150	4,756,850	1,480	N	N	20	700	<5	N	10	<50	20	--
79M305S	431,800	4,756,900	1,481	N	N	50	700	N	N	5	300	15	--
78M675S	511,700	4,756,900	1,482	N	N	30	300	N	N	30	150	50	--
79M1114S	527,850	4,756,900	1,483	N	N	50	300	N	N	20	100	50	--
79M412S	504,850	4,757,050	1,484	N	N	50	300	N	N	30	70	50	--
78M697S	543,100	4,757,100	1,485	N	N	20	200	N	N	30	100	20	--

Sample	Mn-ppm S	Mo-ppm S	Nb-ppm S	Ni-ppm S	Pb-ppm S	Sb-ppm S	Sn-ppm S	V-ppm S	W-ppm S	Y-ppm S	Zn-ppm S
79M357S	1,500	N	--	50	N	N	N	100	N	--	N
79M1116S	1,000	N	--	10	<20	N	N	150	N	--	N
78M716S	1,500	N	N	50	<20	N	N	200	N	--	N
78M247S	1,500	N	N	50	20	N	N	150	N	--	N
79M1115S	1,000	N	--	7	<20	N	N	150	N	--	N
79M309S	300	N	--	30	20	N	N	70	N	--	N
79M448S	1,000	N	--	10	<20	N	N	200	N	--	N
79M406S	1,000	N	--	30	<20	N	N	150	N	--	N
79M402S	1,500	N	--	100	<20	N	N	100	N	--	N
79M304S	1,000	N	--	70	N	N	N	100	N	--	N
79M447S	1,500	N	--	10	<20	N	N	200	N	--	N
79M317S	1,000	N	--	1,000	N	N	N	100	N	--	N
79M336S	1,000	N	--	50	<20	N	N	150	N	--	N
79M302S	700	N	--	50	N	N	N	100	N	--	N
78M230S	700	N	N	30	30	N	N	100	N	--	N
79M401S	1,000	N	--	50	<20	N	N	100	N	--	N
79M1111S	700	7	--	100	30	N	N	100	N	--	300
79M1110S	1,500	N	--	70	<20	N	N	200	N	--	<200
79M1112S	1,500	N	--	10	<20	N	N	150	N	--	<200
78M248S	1,000	N	N	50	20	N	N	200	N	--	N
79M337S	700	N	--	100	20	N	N	100	N	--	N
79M307S	1,000	N	--	100	N	N	N	100	N	--	N
78M693S	200	7	N	20	30	N	N	150	N	--	N
79M370S	1,500	N	--	70	<20	N	N	150	N	--	N
79M407S	1,500	N	--	70	<20	N	N	100	N	--	N
78M699S	2,000	N	N	70	N	N	N	200	N	--	N
78M676S	2,000	N	N	50	<20	N	N	200	N	--	N
79M356S	1,500	N	--	100	N	N	N	200	N	--	N
78M677S	1,500	N	N	20	20	N	N	200	N	--	N
79M351S	700	N	--	15	N	N	N	100	N	--	N
79M1108S	1,000	N	--	15	<20	N	N	150	N	--	N
79M355S	1,000	N	--	100	N	N	N	150	N	--	N
79M322S	700	N	--	150	<20	N	N	100	N	--	N
79M403S	3,000	N	--	100	20	N	N	150	N	--	N
78M681S	2,000	N	N	20	<20	N	N	500	N	--	N
79M349S	700	N	--	70	70	N	N	100	N	--	N
78M678S	2,000	N	N	20	20	N	N	200	N	--	N
79M352S	1,500	N	--	15	N	N	N	150	N	--	N
78M687S	1,500	N	N	30	<20	N	N	200	N	--	N
79M1113S	700	N	--	10	20	N	N	100	N	--	N
79M305S	300	N	--	50	20	N	N	70	N	--	N
78M675S	1,500	N	N	30	<20	N	N	300	N	--	N
79M1114S	1,000	N	--	20	<20	N	N	150	N	--	N
79M412S	1,500	N	--	15	<20	N	N	200	N	--	<200
78M697S	1,500	N	N	70	N	N	N	150	N	--	N

Sample	X coordinate	Y coordinate	Map_no.	Ag-ppm s	As-ppm s	B-ppm s	Ba-ppm s	Be-ppm s	Cd-ppm s	Co-ppm s	Cr-ppm s	Cu-ppm s	La-ppm s
79M303S	437,300	4,757,350	1,486	N	N	50	300	N	N	20	1,000	30	--
79M321S	441,250	4,757,350	1,487	N	N	30	200	N	N	30	700	50	--
79M318S	460,350	4,757,500	1,488	N	N	70	300	N	N	30	1,500	50	--
78M715S	557,700	4,757,500	1,489	N	N	20	300	N	N	50	100	20	--
79M414S	508,600	4,757,550	1,490	N	N	30	700	N	N	20	50	20	--
78M688S	535,700	4,757,700	1,491	N	N	30	500	<5	N	20	150	30	--
79M323S	449,750	4,757,750	1,492	N	N	70	300	N	N	20	1,000	50	--
79M442S	500,200	4,757,750	1,493	N	N	20	300	N	N	15	70	70	--
78M249S	576,600	4,757,900	1,494	N	N	30	300	N	N	50	150	20	--
78M244S	581,500	4,757,900	1,495	N	N	<20	300	N	N	30	150	20	--
78M672S	510,500	4,758,100	1,496	N	N	<20	500	N	N	20	50	20	--
78M700S	546,900	4,758,200	1,497	N	N	<20	200	N	N	15	70	15	--
79M353S	478,750	4,758,400	1,498	N	N	<20	300	N	N	15	50	50	--
79M354S	479,500	4,758,400	1,499	N	N	<20	300	N	N	15	50	50	--
79M367S	490,700	4,758,500	1,500	N	N	<20	100	N	N	30	150	70	--
78M679S	520,900	4,758,600	1,501	N	N	70	500	N	N	20	50	15	--
79M409S	501,500	4,758,650	1,502	N	N	30	300	N	N	20	70	30	--
79M339S	475,550	4,758,800	1,503	N	N	30	500	N	N	15	300	30	--
79M413S	505,200	4,758,800	1,504	N	N	70	300	N	N	20	50	30	--
78M685S	538,300	4,758,800	1,505	N	N	<20	500	N	N	30	70	20	--
78M682S	526,400	4,758,900	1,506	N	N	50	700	N	N	20	70	20	--
78M686S	539,700	4,758,900	1,507	N	N	20	500	N	N	30	50	20	--
79M306S	421,400	4,759,300	1,508	N	N	70	300	N	N	15	500	30	--
78M680S	522,200	4,759,300	1,509	N	N	30	500	N	N	15	100	15	--
78M223S	569,500	4,759,300	1,510	N	N	30	300	N	N	30	100	50	--
79M320S	445,100	4,759,400	1,511	N	N	50	200	N	N	20	3,000	30	--
79M368S	492,850	4,759,500	1,512	N	N	100	500	N	N	20	300	50	--
78M683S	527,600	4,759,500	1,513	N	N	50	700	N	N	30	100	20	--
78M673S	514,400	4,759,600	1,514	N	N	20	500	N	N	30	300	20	--
79M324S	465,050	4,759,650	1,515	N	N	70	300	N	N	30	700	50	--
79M338S	472,000	4,759,650	1,516	N	N	20	70	N	N	70	3,000	15	--
78M674S	515,300	4,759,700	1,517	N	N	30	500	N	N	30	200	30	--
79M408S	500,200	4,759,750	1,518	N	N	70	500	N	N	15	150	20	--
78M713S	548,300	4,759,800	1,519	N	N	<20	300	N	N	30	100	20	--
78M714S	554,300	4,759,800	1,520	N	N	20	300	N	N	50	200	20	--
79M369S	495,850	4,759,950	1,521	N	N	100	500	N	N	15	150	50	--
78M684S	534,000	4,760,000	1,522	N	N	<20	700	N	N	10	50	10	--
78M698S	543,700	4,760,000	1,523	N	N	20	300	N	N	20	100	20	--
79M365S	483,050	4,760,250	1,524	N	N	20	150	N	N	50	100	50	--
78M246S	566,400	4,760,300	1,525	N	N	30	300	N	N	70	300	70	--
79M366S	487,150	4,760,350	1,526	N	N	<20	100	N	N	30	70	50	--
79M1109S	531,550	4,760,350	1,527	N	N	<20	500	N	N	5	50	20	--
79M308S	425,900	4,760,550	1,528	N	N	50	200	N	N	15	1,000	20	--
79M415S	508,250	4,760,550	1,529	N	N	20	500	N	N	30	200	30	--

Sample	Mn-ppm S	Mo-ppm S	Nb-ppm S	Ni-ppm S	Pb-ppm S	Sb-ppm S	Sn-ppm S	V-ppm S	W-ppm S	Y-ppm S	Zn-ppm S
79M303S	700	N	--	150	N	N	N	150	N	--	N
79M321S	700	N	--	150	N	N	N	150	N	--	N
79M318S	700	N	--	300	<20	N	N	100	N	--	N
78M715S	1,500	N	N	50	<20	N	N	200	N	--	N
79M414S	700	N	--	15	<20	N	N	100	N	--	N
78M688S	2,000	N	N	20	20	N	N	150	N	--	N
79M323S	700	N	--	150	<20	N	N	100	N	--	N
79M442S	1,500	N	--	20	<20	N	N	150	N	--	N
78M249S	1,500	N	N	70	<20	N	N	300	N	--	N
78M244S	700	N	N	50	N	N	N	150	N	--	N
78M672S	1,000	N	N	20	20	N	N	100	N	--	N
78M700S	700	N	N	30	<20	N	N	150	N	--	N
79M353S	1,500	N	--	10	N	N	N	100	N	--	N
79M354S	3,000	N	--	10	<20	N	N	100	N	--	N
79M367S	1,500	N	--	50	N	N	N	200	N	--	N
78M679S	1,500	N	N	15	20	N	N	200	N	--	N
79M409S	2,000	N	--	20	<20	N	N	150	N	--	N
79M339S	1,500	N	--	20	<20	N	N	100	N	--	N
79M413S	1,000	N	--	7	<20	N	N	150	N	--	N
78M685S	1,500	N	N	20	<20	N	N	150	N	--	N
78M682S	2,000	N	N	15	20	N	N	150	N	--	N
78M686S	1,500	N	N	20	<20	N	N	200	N	--	N
79M306S	700	N	--	100	<20	N	N	100	N	--	N
78M680S	1,500	N	<20	30	20	N	N	100	N	--	N
78M223S	1,000	N	N	50	20	N	N	200	N	--	N
79M320S	700	N	--	100	<20	N	N	100	N	--	N
79M368S	1,000	N	--	50	20	N	N	150	N	--	N
78M683S	2,000	N	N	20	20	N	N	150	N	--	N
78M673S	1,500	N	20	30	20	N	N	150	N	--	N
79M324S	1,000	N	--	150	<20	N	N	100	N	--	N
79M336S	1,000	N	--	1,500	N	N	N	100	N	--	N
78M674S	2,000	N	N	30	<20	N	N	200	N	--	N
79M408S	500	N	--	50	<20	N	N	100	N	--	N
78M713S	1,500	N	N	30	20	N	N	150	N	--	N
78M714S	1,500	N	N	70	20	N	N	200	N	--	N
79M369S	1,500	N	--	70	<20	N	N	150	N	--	N
78M684S	700	N	N	15	20	N	N	100	N	--	N
78M698S	1,500	N	N	30	<20	N	N	150	N	--	N
79M365S	3,000	N	--	20	N	N	N	500	N	--	200
78M246S	2,000	N	N	70	20	N	N	500	N	--	N
79M366S	2,000	N	--	20	N	N	N	300	N	--	N
79M1109S	500	N	--	10	20	N	N	100	N	--	N
79M308S	500	N	--	100	N	N	N	150	N	--	N
79M415S	1,500	N	--	20	<20	N	N	150	N	--	<200

TABLE 2.--Spectrographic and chemical analyses of stream-sediment samples, Medford 1° x 2° quadrangle, Oregon-California

Sample	X coor- dinate	Y coor- dinate	Map_no.	Fe-pct. %	Ag-ppm S	As-ppm S	As-ppm cm	Cd-ppm S	Co-ppm S	Cr-ppm S	Cu-ppm S	Mn-ppm S
79M18X	434,650	4,649,600	1	20	N	N	N	N	200	1,500	15	5,000
79M13X	427,950	4,649,700	2	20	N	N	N	N	100	1,000	50	5,000
78M518X	497,400	4,649,700	3	30	N	N	60	N	150	1,000	700	7,000
78M516X	492,700	4,649,800	4	20	N	N	30	N	150	700	1,500	10,000
79M778X	459,600	4,649,950	5	15	N	N	N	N	100	700	700	5,000
78M514X	486,600	4,650,000	6	30	N	N	20	N	200	1,000	500	5,000
78M515X	488,500	4,650,000	7	20	N	N	60	N	100	1,000	700	7,000
79M812X	426,750	4,650,200	8	15	N	N	N	N	70	700	100	5,000
78M517X	494,600	4,650,200	9	30	N	N	60	N	150	500	700	5,000
78M031X	472,500	4,650,300	10	30	1.5	N	10	N	300	2,000	300	5,000
78M519X	502,700	4,650,500	11	20	N	N	<10	N	100	300	500	7,000
79M811X	424,950	4,650,650	12	20	N	N	N	N	200	1,500	70	3,000
78M759X	438,050	4,650,800	13	30	N	N	30	N	200	3,000	100	5,000
79M788X	445,050	4,650,900	14	20	N	N	<10	N	10	1,500	5	1,500
79M933X	509,550	4,650,900	15	20	N	N	10	N	150	700	150	2,000
79M775X	465,850	4,651,000	16	15	N	N	<10	N	100	700	700	5,000
78M019X	483,600	4,651,000	17	30	N	N	N	N	100	700	300	10,000
80M1367X	519,550	4,651,000	18	30	N	N	10	N	300	2,000	700	7,000
79M895X	548,400	4,651,050	19	20	N	N	<10	N	150	200	150	7,000
79M779X	461,250	4,651,250	20	15	N	N	N	N	100	200	700	3,000
79M777X	455,550	4,651,300	21	15	N	N	N	N	100	700	500	5,000
79M810X	421,100	4,651,400	22	20	N	N	20	N	200	500	300	10,000
79M896X	546,100	4,651,400	23	20	N	N	10	N	100	150	150	7,000
79M792X	440,300	4,651,500	24	20	N	N	30	N	150	300	200	7,000
78M018X	479,200	4,651,600	25	20	N	N	<10	N	70	700	500	7,000
79M900X	537,550	4,651,600	26	20	N	N	N	N	100	100	200	3,000
79M819X	436,300	4,651,650	27	30	N	N	N	N	700	1,500	50	>10,000
79M923X	523,100	4,651,650	28	15	N	N	N	N	70	500	700	5,000
78M035X	476,900	4,651,700	29	15	N	N	30	N	100	300	700	5,000
79M931X	503,400	4,651,800	30	30	N	N	N	N	150	700	1,000	10,000
80M1364X	526,200	4,651,850	31	30	N	N	N	N	150	500	200	10,000
78M760X	448,500	4,652,000	32	20	N	N	<10	N	150	1,500	300	7,000
79M765X	469,550	4,652,050	33	15	N	N	N	N	70	500	500	2,000
80M1368X	514,550	4,652,050	34	20	N	N	N	N	200	700	700	10,000
79M897X	544,350	4,652,050	35	20	N	N	20	N	70	150	100	5,000
78M761X	450,150	4,652,200	36	30	N	N	30	N	10	5,000	10	300
80M1370X	530,250	4,652,200	37	30	N	N	20	N	300	200	300	>10,000
79M926X	517,350	4,652,250	38	20	N	N	<10	N	150	700	700	7,000
79M966X	535,150	4,652,250	39	20	N	N	<10	N	100	100	150	10,000
79M814X	430,450	4,652,400	40	30	N	N	N	N	500	1,500	70	5,000
79M899X	539,550	4,652,500	41	15	N	N	N	N	100	100	200	3,000
79M776X	454,150	4,652,600	42	20	N	N	10	N	100	700	300	7,000
79M893X	552,950	4,652,600	43	20	N	N	N	N	150	500	200	7,000
79M1170X	575,150	4,652,650	44	20	N	N	N	N	150	300	300	7,000
78M032X	474,300	4,652,700	45	15	<.5	N	20	N	200	1,500	300	3,000

Sample	Mo-ppm s	Ni-ppm s	Pb-ppm s	Sb-ppm s	Sn-ppm s	W-ppm s	Y-ppm s	Zn-ppm s
79M818X	N	7,000	<20	N	N	N	30	N
79M813X	N	3,000	70	N	N	N	15	<200
78M518X	15	500	70	N	N	N	20	700
78M516X	10	150	70	N	N	N	30	1,500
79M778X	N	150	50	N	N	N	N	<200
78M514X	<5	1,000	20	N	N	N	70	300
78M515X	<5	700	<20	N	N	N	N	300
79M812X	N	700	30	N	N	N	15	200
78M517X	20	700	150	N	N	N	50	700
78M031X	N	5,000	50	N	N	N	70	300
78M519X	N	300	30	N	N	N	30	500
79M811X	N	5,000	30	N	N	N	15	<200
78M759X	N	3,000	<20	N	N	N	70	300
79M788X	N	300	<20	N	N	N	10	N
79M933X	N	2,000	30	N	N	N	20	200
79M775X	N	700	20	N	N	N	15	N
78M019X	N	700	200	N	N	N	<10	500
80M1367X	N	5,000	50	N	N	N	50	200
79M895X	N	100	20	N	N	N	N	200
79M779X	N	100	30	N	N	N	N	200
79M777X	N	500	<20	N	N	N	N	200
79M810X	15	500	100	N	N	N	150	300
79M896X	N	50	20	N	N	N	<10	300
79M792X	N	300	150	N	N	N	100	500
78M018X	5	700	30	N	N	N	15	700
79M900X	N	70	20	N	N	N	<10	200
79M819X	N	7,000	<20	N	N	N	50	200
79M923X	N	150	50	N	N	N	<10	300
78M035X	15	700	70	N	N	N	30	500
79M931X	N	1,500	50	N	N	N	50	300
80M1364X	N	300	70	N	N	N	70	500
78M760X	<5	2,000	50	N	N	N	100	300
79M765X	N	150	50	N	N	N	30	<200
80M1368X	N	1,000	N	N	N	N	<10	500
79M897X	N	50	20	N	N	N	N	300
78M761X	N	50	20	N	N	N	15	200
80M1370X	N	150	100	N	N	N	<10	500
79M926X	N	700	50	N	N	N	70	300
79M966X	N	50	100	N	N	N	70	200
79M814X	N	10,000	<20	N	N	N	30	200
79M899X	N	70	20	N	N	N	10	200
79M776X	N	150	50	N	N	N	50	200
79M893X	N	150	50	N	N	N	30	200
79M1170X	N	300	50	N	N	N	50	<200
78M032X	N	3,000	20	N	N	N	30	200

21

Sample	X coor- dinate	Y coor- dinate	Map_no.	Fe-pct. %	Ag-ppm S	As-ppm S	As-ppm cm	Cd-ppm S	Co-ppm S	Cr-ppm S	Cu-ppm S	Mn-ppm S
80M1365X	529,650	4,652,700	46	20	N	N	<10	N	150	200	200	10,000
79M932X	507,850	4,652,750	47	20	N	N	40	N	100	500	700	3,000
79M789X	443,900	4,653,100	48	20	N	N	N	N	100	500	200	7,000
79M894X	549,950	4,653,150	49	20	N	N	<10	N	100	100	100	10,000
78M030X	488,300	4,653,200	50	20	N	N	40	N	200	1,500	500	5,000
79M1173X	564,500	4,653,350	51	20	N	N	N	N	150	700	300	2,000
78M511X	496,200	4,653,400	52	30	N	N	40	N	150	1,000	500	7,000
79M898X	540,100	4,653,450	53	20	N	N	<10	N	70	150	150	5,000
78M520X	504,500	4,653,500	54	20	N	N	80	N	200	700	300	5,000
79M925X	519,300	4,653,500	55	15	N	N	N	N	70	500	500	2,000
79M766X	467,700	4,653,550	56	15	N	N	<10	N	100	700	500	2,000
79M767X	466,250	4,653,650	57	20	N	N	<10	N	150	700	500	3,000
79M967X	535,900	4,653,650	58	20	N	N	N	N	100	70	150	5,000
78M510X	496,300	4,653,700	59	20	1.5	N	60	N	150	500	700	7,000
79M791X	443,200	4,653,800	60	20	N	N	10	N	200	300	200	10,000
K242X	420,300	4,653,850	61	30	N	N	10	N	150	1,000	300	10,000
79M892X	560,500	4,653,900	62	15	N	N	N	N	150	300	200	7,000
79M820X	436,400	4,653,950	63	20	N	N	N	N	5	1,000	<5	1,000
79M930X	509,200	4,654,100	64	20	N	N	N	N	150	700	300	2,000
79M924X	522,650	4,654,100	65	20	N	N	20	N	150	300	500	5,000
78M034X	472,300	4,654,200	66	20	N	N	20	N	200	700	500	3,000
79M927X	516,050	4,654,200	67	20	N	N	N	N	150	700	500	7,000
80M1371X	528,950	4,654,200	68	30	N	N	<10	N	200	500	300	10,000
79M1174X	570,300	4,654,200	69	30	N	N	N	N	150	500	300	5,000
78M521X	506,100	4,654,300	70	20	N	N	80	N	150	1,000	700	7,000
78M017X	483,100	4,654,400	71	20	N	N	10	N	100	700	500	7,000
79M790X	441,350	4,654,450	72	20	N	N	20	N	300	300	200	>10,000
79M821X	437,400	4,654,550	73	30	N	N	N	N	500	1,500	50	5,000
79M780X	459,450	4,654,550	74	15	N	N	N	N	100	700	500	5,000
78M033X	475,400	4,654,600	75	15	N	N	10	N	100	500	500	3,000
79M815X	429,100	4,654,650	76	30	N	N	N	N	700	1,000	150	7,000
78M763X	452,250	4,654,650	77	15	N	N	N	N	150	2,000	500	3,000
78M015X	480,900	4,654,800	78	30	N	N	20	N	100	700	500	5,000
K202X	422,650	4,654,850	79	30	1.5	N	<10	N	200	3,000	30	7,000
78M525X	502,400	4,654,900	80	15	N	N	10	N	100	300	500	5,000
79M891X	555,100	4,654,950	81	20	N	N	10	N	100	700	150	2,000
79M928X	514,000	4,655,000	82	20	N	N	N	N	200	700	700	10,000
79M768X	463,900	4,655,100	83	20	N	N	N	N	100	700	700	5,000
78M028X	489,300	4,655,100	84	20	N	N	120	N	200	1,500	500	7,000
79M883X	544,550	4,655,100	85	20	N	N	<10	N	70	100	150	10,000
79M787X	446,600	4,655,150	86	15	N	N	N	N	200	1,000	70	3,000
80M1366X	530,800	4,655,200	87	30	N	N	<10	N	150	200	200	10,000
78M762X	449,700	4,655,250	88	20	N	N	N	N	300	2,000	2,000	5,000
79M922X	525,400	4,655,250	89	20	N	N	N	N	100	150	300	2,000
78M512X	498,400	4,655,300	90	15	.5	N	10	N	70	500	700	3,000

Sample	Mo-ppm s	Ni-ppm s	Pb-ppm s	Sb-ppm s	Sn-ppm s	W-ppm s	Y-ppm s	Zn-ppm s
80M1365X	N	70	70	N	N	N	10	300
79M932X	N	200	50	N	N	N	20	200
79M789X	N	300	100	N	N	N	100	500
79M894X	N	30	30	N	N	N	10	<200
78M030X	N	700	30	N	N	N	30	500
79M1173X	N	200	30	N	N	N	100	N
78M511X	10	1,000	100	N	N	N	15	700
79M898X	N	50	<20	N	N	N	<10	200
78M520X	N	5,000	30	N	N	N	20	300
79M925X	N	150	50	N	N	N	15	300
79M766X	N	2,000	<20	N	N	N	N	200
79M767X	N	2,000	30	N	N	N	50	200
79M967X	N	70	20	N	N	N	10	200
78M510X	15	1,000	200	N	N	N	70	300
79M791X	N	500	150	N	N	N	70	500
K242X	10	1,500	100	N	N	N	--	700
79M892X	N	150	70	N	N	N	100	<200
79M820X	N	150	<20	N	N	N	15	N
79M930X	N	3,000	50	N	N	N	30	<200
79M924X	N	200	70	N	N	N	20	300
78M034X	N	1,500	20	N	N	N	50	300
79M927X	N	1,000	50	N	N	N	30	500
80M1371X	N	300	150	N	N	N	200	1,000
79M1174X	N	150	70	N	N	N	150	200
78M521X	N	300	50	N	N	N	30	300
78M017X	N	1,000	50	N	N	N	<10	500
79M790X	7	700	100	N	N	N	100	500
79M821X	N	10,000	<20	N	N	N	15	<200
79M780X	N	200	N	N	N	N	N	<200
78M033X	10	700	20	N	N	N	15	300
79M815X	N	10,000	20	N	N	N	50	<200
78M763X	N	3,000	50	N	N	N	70	200
78M015X	7	700	20	N	N	N	N	300
K202X	N	5,000	200	N	N	N	--	N
78M525X	N	100	N	N	N	N	N	300
79M891X	N	300	100	N	N	N	100	200
79M928X	N	1,500	70	N	N	N	50	300
79M768X	N	300	20	N	N	N	50	<200
78M028X	N	3,000	20	N	N	N	<10	300
79M883X	N	70	70	N	N	N	20	500
79M787X	N	3,000	<20	N	N	N	30	<200
80M1366X	N	150	70	N	N	N	<10	300
78M762X	N	2,000	30	N	N	N	30	300
79M922X	N	70	20	N	N	N	10	200
78M512X	5	150	20	N	N	N	<10	200

Sample	X coordinate	Y coordinate	Map_no.	Fe-pct. %	Ag-ppm s	As-ppm s	As-ppm cm	Cd-ppm s	Co-ppm s	Cr-ppm s	Cu-ppm s	Mn-ppm s
79M968X	538,700	4,655,300	91	20	N	N	N	N	100	200	500	5,000
78M029X	486,500	4,655,400	92	30	5	20	20	N	300	1,500	200	>10,000
79M1189X	546,850	4,655,400	93	20	N	N	10	N	150	150	200	10,000
79M783X	456,950	4,655,500	94	20	N	N	30	N	100	700	500	5,000
78M513X	493,100	4,655,500	95	15	N	N	60	N	100	700	500	5,000
78M036X	478,400	4,655,600	96	20	N	N	10	N	150	700	500	5,000
79M1188X	549,700	4,655,600	97	20	N	N	<10	N	150	500	300	5,000
79M921X	526,100	4,656,100	98	20	N	N	N	N	70	100	200	3,000
K200X	424,800	4,656,200	99	30	N	N	N	N	50	1,500	30	5,000
79M936X	516,400	4,656,200	100	15	N	N	N	N	70	300	200	3,000
79M822X	438,950	4,656,400	101	20	N	N	N	N	5	1,500	7	500
79M935X	512,100	4,656,400	102	20	N	N	N	N	150	500	200	3,000
79M1187X	552,550	4,656,450	103	30	N	N	<10	N	150	500	300	7,000
78M026X	491,100	4,656,500	104	20	10	N	60	N	100	500	500	5,000
78M013X	485,600	4,656,600	105	30	N	N	40	N	200	1,000	700	10,000
79M817X	430,850	4,656,650	106	10	N	N	N	N	100	500	70	10,000
80M1369X	533,650	4,656,700	107	30	N	N	<10	N	300	200	300	>10,000
79M890X	554,700	4,656,700	108	15	N	N	20	N	70	700	150	1,500
79M786X	454,350	4,656,750	109	20	N	N	N	N	150	500	200	7,000
79M781X	459,900	4,656,900	110	15	N	N	<10	N	100	700	500	5,000
78M027X	490,900	4,657,000	111	20	N	N	100	N	100	700	500	3,000
79M934X	511,400	4,657,050	112	20	N	N	20	N	150	700	300	3,000
78M016X	483,500	4,657,100	113	20	N	N	20	N	200	1,000	500	5,000
79M920X	529,950	4,657,100	114	20	N	N	N	N	100	150	150	3,000
79M882X	543,500	4,657,200	115	20	N	N	30	N	100	150	200	5,000
78M764X	450,550	4,657,250	116	20	N	N	N	N	200	3,000	200	5,000
79M770X	465,800	4,657,350	117	15	N	N	<10	N	150	700	700	3,000
79M769X	469,000	4,657,400	118	15	N	N	N	N	100	700	700	3,000
78M014X	481,400	4,657,400	119	20	N	N	20	N	150	700	500	2,000
K196X	425,750	4,657,550	120	30	N	N	30	N	200	2,000	100	5,000
79M884X	545,350	4,657,600	121	20	N	N	10	N	150	200	150	7,000
79M937X	523,050	4,657,750	122	20	N	N	N	N	70	700	300	5,000
78M041X	477,100	4,657,800	123	20	N	N	N	N	100	300	700	7,000
78M522X	505,000	4,657,900	124	15	7	N	N	N	100	1,000	700	2,000
79M903X	507,750	4,657,900	125	15	N	N	N	N	150	700	300	2,000
79M973X	537,200	4,657,900	126	20	N	N	N	N	150	100	200	10,000
79M919X	531,450	4,657,950	127	20	N	N	30	N	100	300	300	5,000
79M1172X	559,200	4,658,000	128	30	N	N	N	N	150	500	200	7,000
79M771X	462,550	4,658,050	129	15	N	N	N	N	70	300	500	5,000
79M885X	548,400	4,658,200	130	15	N	N	N	N	150	150	200	5,000
79M901X	494,400	4,658,300	131	15	N	N	30	N	100	500	1,000	3,000
78M527X	497,800	4,658,300	132	15	10	N	30	N	100	300	700	5,000
79M929X	520,150	4,658,300	133	15	N	N	N	N	70	300	500	3,000
79M969X	541,500	4,658,300	134	20	N	N	N	N	100	150	150	7,000
78M040X	471,300	4,658,400	135	20	N	N	N	N	70	500	300	2,000

Sample	Mo-ppm s	Ni-ppm s	Pb-ppm s	Sb-ppm s	Sn-ppm s	W-ppm s	Y-ppm s	Zn-ppm s
79M968X	N	100	50	N	N	N	10	300
78M029X	N	10,000	20	N	N	N	50	300
79M1189X	N	50	50	N	N	N	<10	300
79M783X	N	500	50	N	N	N	50	500
78M513X	7	200	30	N	N	N	N	300
78M036X	N	2,000	30	N	N	N	20	200
79M1188X	N	150	100	N	N	N	150	300
79M921X	5	70	50	N	N	N	20	200
K200X	N	2,000	150	N	N	N	--	N
79M936X	N	100	30	N	N	N	10	200
79M822X	N	100	<20	N	N	N	<10	N
79M935X	N	2,000	30	N	N	N	20	200
79M1187X	N	200	30	N	N	N	15	200
78M026X	N	150	N	N	N	N	N	300
78M013X	N	1,000	<20	N	N	N	N	500
79M817X	7	300	70	N	N	N	70	<200
80M1369X	N	200	70	N	N	N	<10	700
79M890X	N	150	70	N	N	N	20	<200
79M786X	N	300	50	N	N	N	30	300
79M781X	N	1,000	20	N	N	N	1,000	<200
78M027X	N	200	<20	N	N	N	N	300
79M934X	N	1,500	30	N	N	N	20	200
78M016X	<5	2,000	30	N	N	N	50	500
79M920X	N	150	50	N	N	N	20	200
79M882X	7	150	70	N	N	N	15	200
78M764X	N	5,000	20	N	N	N	70	200
79M770X	N	700	20	N	N	N	10	700
79M769X	N	150	30	N	N	N	15	<200
78M014X	N	1,000	20	N	N	N	50	200
K196X	N	10,000	50	N	N	N	--	N
79M884X	N	70	50	N	N	N	30	200
79M937X	N	150	100	N	N	N	15	300
78M041X	N	150	20	N	N	N	10	700
78M522X	N	150	30	N	N	N	15	200
79M903X	N	2,000	20	N	N	N	10	200
79M973X	N	700	<20	N	N	N	<10	200
79M919X	N	200	20	N	N	N	15	200
79M1172X	N	150	70	N	N	N	200	200
79M771X	N	150	20	N	N	N	70	500
79M885X	N	100	70	N	N	N	100	200
79M901X	N	150	<20	N	N	N	<10	200
78M527X	N	100	20	N	N	N	N	300
79M929X	N	150	70	N	N	N	30	200
79M969X	N	50	20	N	N	N	15	200
78M040X	N	100	30	N	N	N	<10	300

Sample	X coordinate	Y coordinate	Map_no.	Fe-pct. s	Ag-ppm s	As-ppm s	As-ppm cm	Cd-ppm s	Co-ppm s	Cr-ppm s	Cu-ppm s	Mn-ppm s
K221X	421,450	4,658,650	136	20	N	N	10	N	100	1,500	100	3,000
78M039X	474,900	4,658,700	137	20	N	N	N	N	100	1,000	700	3,000
78M523X	501,500	4,658,700	138	15	N	N	N	N	100	1,000	500	5,000
79M784X	457,150	4,658,750	139	15	N	N	N	N	20	1,000	20	2,000
79M816X	432,300	4,658,850	140	30	N	N	N	N	500	1,000	100	7,000
79M1175X	574,650	4,658,950	141	20	N	N	N	N	100	150	200	7,000
K235X	419,650	4,659,150	142	20	N	N	20	N	70	500	100	10,000
79M886X	548,400	4,659,300	143	15	N	N	N	N	150	500	200	5,000
79M1171X	564,000	4,659,350	144	20	N	N	N	N	150	300	200	>10,000
K271X	417,750	4,659,500	145	20	N	N	20	N	150	300	300	7,000
78M526X	499,700	4,659,500	146	20	N	N	10	N	100	300	500	5,000
K248X	426,350	4,659,550	147	20	N	N	N	N	100	5,000	30	5,000
79M772X	461,885	4,659,600	148	20	N	N	40	N	150	700	300	3,000
79M887X	551,200	4,659,600	149	20	N	N	10	N	150	200	300	10,000
79M970X	541,300	4,659,650	150	20	N	N	10	N	100	150	150	10,000
80M1291X	452,600	4,659,700	151	20	N	N	N	N	300	1,000	200	5,000
79M1176X	569,750	4,659,800	152	30	N	N	N	N	150	150	300	10,000
79M785X	457,500	4,659,900	153	20	N	N	N	N	150	1,000	200	5,000
78M037X	477,600	4,659,900	154	15	<.5	N	N	N	100	500	500	5,000
79M1268X	436,750	4,659,950	155	15	N	N	N	N	70	200	300	3,000
78M012X	480,000	4,660,000	156	30	.5	N	N	N	100	300	700	5,000
K325X	429,650	4,660,050	157	30	N	N	N	N	150	700	100	7,000
78M024X	489,000	4,660,100	158	20	3.0	N	60	N	100	1,500	1,000	5,000
79M938X	525,950	4,660,100	159	20	N	N	N	N	30	100	70	7,000
79M915X	518,650	4,660,150	160	15	N	N	N	N	70	500	300	2,000
78M038X	475,000	4,660,200	161	20	N	N	N	N	100	1,000	500	5,000
78M025X	487,400	4,660,200	162	20	1.0	N	120	N	100	1,000	700	5,000
79M904X	507,150	4,660,200	163	20	N	N	<10	N	150	700	700	5,000
K301X	422,850	4,660,300	164	30	N	N	N	N	5	2,000	7	700
79M881X	542,800	4,660,300	165	15	N	N	10	N	30	100	100	7,000
78M023X	491,900	4,660,500	166	20	.7	N	30	N	100	500	700	5,000
78M524X	501,500	4,660,500	167	15	N	N	<10	N	150	200	500	7,000
79M972X	538,700	4,660,550	168	20	N	N	N	N	150	100	200	5,000
79M823X	438,900	4,660,600	169	20	N	N	N	N	150	1,500	20	5,000
79M773X	465,350	4,660,700	170	20	N	N	N	N	150	700	700	3,000
78M010X	482,100	4,660,800	171	20	N	N	20	N	100	500	500	3,000
79M912X	511,050	4,660,800	172	20	N	N	N	N	100	700	700	5,000
79M888X	546,200	4,660,950	173	15	N	N	N	N	30	200	200	1,000
78M047X	471,300	4,661,100	174	20	N	N	<10	N	70	700	300	2,000
79M782X	459,000	4,661,250	175	15	N	N	10	N	300	1,000	300	7,000
79M914X	517,700	4,661,400	176	15	N	N	N	N	70	500	300	3,000
79M905X	505,350	4,661,450	177	15	N	N	N	N	70	200	500	3,000
79M939X	527,350	4,661,450	178	20	N	N	N	N	50	100	150	10,000
79M942X	523,950	4,661,500	179	15	N	N	N	N	50	150	150	3,000
78M048X	469,200	4,661,600	180	10	N	N	N	N	150	500	300	10,000

Sample	Mo-ppm s	Ni-ppm s	Pb-ppm s	Sb-ppm s	Sn-ppm s	W-ppm s	Y-ppm s	Zn-ppm s
K221X	N	1,500	100	N	N	N	--	200
78M039X	N	100	<20	N	N	N	N	200
78M523X	10	200	<20	N	N	N	10	200
79M784X	N	700	N	N	N	N	20	N
79M816X	N	10,000	20	N	N	N	50	200
79M1175X	N	150	50	N	N	N	100	<200
K235X	15	200	150	N	N	N	--	200
79M886X	N	100	100	N	N	N	300	200
79M1171X	N	150	50	N	N	N	70	<200
K271X	N	200	150	N	N	N	--	<200
78M526X	N	100	20	N	N	N	<10	300
K248X	5	2,000	30	N	N	N	--	N
79M772X	N	500	<20	N	N	N	50	300
79M887X	N	150	30	N	N	N	<10	200
79M970X	N	70	20	N	N	N	10	200
80M1291X	N	1,500	<20	N	N	N	70	<200
79M1176X	N	150	70	N	N	N	200	200
79M785X	N	2,000	50	N	N	N	70	<200
78M037X	N	150	<20	N	N	N	10	200
79M1268X	N	300	<20	N	N	N	<10	<200
78M012X	N	100	30	N	N	N	30	700
K325X	N	700	50	N	N	N	--	200
78M024X	20	700	50	N	N	N	10	300
79M938X	N	50	70	N	N	N	10	300
79M915X	N	100	50	N	N	N	20	300
78M038X	N	100	20	N	N	N	30	200
78M025X	15	500	N	N	N	N	N	500
79M904X	N	1,500	20	N	N	N	10	200
K301X	20	150	20	N	N	N	--	N
79M881X	N	20	30	N	N	N	N	300
78M023X	5	200	30	N	N	N	N	300
78M524X	<5	100	50	N	N	N	20	300
79M972X	N	100	<20	N	N	N	10	200
79M823X	N	5,000	<20	N	N	N	15	N
79M773X	N	700	<20	N	N	N	N	300
78M010X	15	100	70	N	N	N	70	200
79M912X	N	200	20	N	N	N	<10	300
79M888X	N	70	30	N	N	N	<10	<200
78M047X	N	150	30	N	N	N	N	300
79M782X	N	3,000	30	N	N	N	70	200
79M914X	N	150	50	N	N	N	30	200
79M905X	N	100	20	N	N	N	<10	200
79M939X	N	50	70	N	N	N	20	300
79M942X	N	50	50	N	N	N	20	300
78M048X	N	150	50	N	N	N	N	200

Sample	X coordinate	Y coordinate	Map_no.	Fe-pct. %	Ag-ppm S	As-ppm S	As-ppm cm	Cd-ppm S	Co-ppm S	Cr-ppm S	Cu-ppm S	Mn-ppm S
79M975X	535,450	4,661,600	181	20	N	N	<10	N	150	300	300	7,000
79M953X	495,300	4,661,650	182	15	N	N	10	N	70	300	700	3,000
79M948X	531,700	4,661,850	183	20	N	N	30	N	70	700	500	3,000
K328X	432,450	4,661,950	184	30	1.5	N	N	N	70	2,000	20	5,000
79M965X	514,750	4,662,000	185	15	N	N	N	N	100	500	300	10,000
79M1169X	580,650	4,662,000	186	20	N	N	<10	N	150	200	300	10,000
80M1290X	457,350	4,662,150	187	20	N	N	N	N	300	1,500	200	7,000
79M875X	566,450	4,662,150	188	20	N	N	N	N	100	500	200	10,000
78M055X	465,900	4,662,200	189	15	N	N	10	N	200	700	500	7,000
79M943X	522,650	4,662,250	190	15	N	N	N	N	20	70	50	5,000
79M824X	442,350	4,662,300	191	15	N	N	N	N	200	1,000	70	3,000
79M971X	541,400	4,662,350	192	20	N	N	20	N	150	150	300	10,000
79M974X	535,100	4,662,400	193	20	N	N	10	N	100	300	200	7,000
78M049X	469,200	4,662,700	194	15	N	N	N	N	150	700	300	3,000
78M529X	496,000	4,662,700	195	20	N	N	20	N	150	300	700	5,000
K216X	429,200	4,662,850	196	30	N	N	N	N	300	5,000	100	5,000
79M1177X	559,800	4,662,850	197	20	N	N	N	N	150	200	150	7,000
78M009X	480,600	4,662,900	198	20	.7	N	<10	N	70	300	500	3,000
K300X	423,350	4,662,950	199	30	N	N	N	N	150	3,000	20	5,000
79M1168X	573,300	4,663,000	200	20	N	N	N	N	150	200	200	>10,000
79M940X	527,450	4,663,050	201	20	N	N	<10	N	50	70	100	7,000
78M011X	483,000	4,663,100	202	20	.5	N	20	N	100	500	700	7,000
79M865X	553,350	4,663,100	203	15	N	N	N	N	70	700	150	5,000
78M528X	498,200	4,663,200	204	20	N	N	20	N	200	500	500	2,000
K260X	419,500	4,663,250	205	15	2.0	N	30	N	100	500	150	7,000
K418X	426,150	4,663,350	206	20	N	N	<10	N	200	2,000	70	10,000
79M913X	516,900	4,663,350	207	15	N	N	N	N	70	300	200	3,000
78M046X	473,200	4,663,400	208	15	N	N	<10	N	70	300	500	3,000
79M906X	505,050	4,663,400	209	15	N	N	N	N	100	700	500	3,000
80M1374X	529,700	4,663,600	210	30	N	N	N	N	100	300	200	7,000
K192X	433,000	4,663,700	211	20	3.0	N	N	100	70	2,000	30	3,000
79M911X	510,700	4,663,700	212	15	N	N	N	N	70	700	700	2,000
78M053X	460,300	4,663,800	213	20	N	N	30	N	200	700	300	7,000
78M054X	462,900	4,663,800	214	20	N	N	N	N	200	700	500	10,000
78M022X	485,700	4,663,800	215	15	3.0	N	10	N	70	500	500	7,000
78M021X	490,100	4,663,800	216	30	.7	N	10	N	70	70	700	7,000
79M944X	520,450	4,663,800	217	15	N	N	N	N	70	300	500	2,000
79M907X	502,900	4,663,900	218	20	N	N	<10	N	100	200	700	>10,000
79M960X	508,800	4,663,950	219	15	N	N	N	N	100	500	500	3,000
78M020X	492,500	4,664,000	220	30	2.0	N	N	N	70	200	700	5,000
79M866X	549,650	4,664,000	221	15	N	N	10	N	100	150	200	7,000
78M045X	472,700	4,664,200	222	20	N	N	<10	N	70	500	500	3,000
79M829X	555,750	4,664,350	223	20	N	N	N	N	70	700	150	1,500
78M566X	476,700	4,664,500	224	15	N	N	N	N	70	500	200	5,000
79M880X	543,500	4,664,550	225	20	N	N	10	N	150	300	150	7,000

Sample	Mo-ppm s	Ni-ppm s	Pb-ppm s	Sb-ppm s	Sn-ppm s	W-ppm s	Y-ppm s	Zn-ppm s
79M975X	N	150	70	N	N	N	20	300
79M953X	N	150	<20	N	N	N	<10	200
79M948X	N	100	20	N	N	N	15	200
K328X	N	1,500	30	N	N	N	--	N
79M965X	N	300	30	N	N	N	20	200
79M1169X	N	150	70	N	N	N	150	<200
80M1290X	N	3,000	20	N	N	N	100	<200
79M875X	N	150	100	N	N	N	300	200
78M055X	N	1,000	50	N	N	N	20	500
79M943X	N	30	20	N	N	N	<10	<200
79M824X	N	3,000	20	N	N	N	15	N
79M971X	N	70	50	N	N	N	15	300
79M974X	N	150	100	N	N	N	100	300
78M049X	N	3,000	30	N	N	N	N	200
78M529X	7	150	<20	N	N	N	N	300
K216X	15	>10,000	100	N	N	N	--	300
79M1177X	N	150	50	N	N	N	100	<200
78M009X	N	100	50	N	N	N	<10	500
K300X	N	5,000	30	N	N	N	--	N
79M1168X	N	200	50	N	N	N	200	200
79M940X	N	50	70	N	N	N	50	200
78M011X	<5	200	30	N	N	N	<10	500
79M865X	N	150	50	N	N	N	300	<200
78M528X	N	200	<20	N	N	N	N	300
K260X	20	200	200	N	N	N	--	N
K418X	N	5,000	30	N	N	N	--	N
79M913X	N	150	50	N	N	N	30	200
78M046X	N	100	30	N	N	N	<10	300
79M906X	N	100	20	N	N	N	<10	<200
80M1374X	N	150	50	N	N	N	50	500
K192X	N	1,500	150	N	N	N	--	N
79M911X	N	200	<20	N	N	N	<10	200
78M053X	N	1,500	<20	N	N	N	70	300
78M054X	N	700	100	N	N	N	20	500
78M022X	N	150	30	N	N	N	N	300
78M021X	N	50	<20	N	N	N	N	300
79M944X	N	100	50	N	N	N	20	<200
79M907X	N	100	20	N	N	N	<10	200
79M960X	N	150	<20	N	N	N	<10	200
78M020X	N	300	30	N	N	N	N	500
79M866X	N	150	20	N	N	N	15	200
78M045X	N	100	50	N	N	N	<10	300
79M829X	N	150	50	N	N	N	200	<200
78M566X	N	100	20	N	N	N	10	300
79M880X	N	150	100	N	N	N	200	200

Sample	X coordinate	Y coordinate	Map_no.	Fe-pct. %	Ag-ppm S	As-ppm S	As-ppm cm	Cd-ppm S	Co-ppm S	Cr-ppm S	Cu-ppm S	Mn-ppm S
79M964X	512,950	4,664,650	226	20	N	N	20	N	200	700	150	5,000
79M1178X	569,000	4,664,650	227	20	N	N	N	N	150	300	200	7,000
79M976X	538,850	4,664,700	228	30	N	N	60	N	150	150	150	10,000
79M889X	546,800	4,664,800	229	15	N	N	10	N	150	300	200	10,000
79M941X	526,700	4,664,850	230	20	N	N	N	N	50	200	100	7,000
79M1269X	437,150	4,664,900	231	15	N	N	N	N	150	1,500	100	2,000
78M008X	479,700	4,665,100	232	20	N	N	10	N	100	500	500	7,000
79M959X	505,800	4,665,100	233	20	N	N	N	N	150	500	500	7,000
79M945X	520,600	4,665,350	234	20	N	N	N	N	70	500	700	3,000
K230X	421,100	4,665,550	235	15	N	N	N	N	10	1,500	<5	500
78M052X	463,100	4,665,600	236	20	N	N	10	N	200	1,000	500	5,000
79M902X	499,750	4,665,650	237	20	N	N	30	N	100	200	700	3,000
80M1289X	457,700	4,665,700	238	30	N	N	N	N	200	700	700	7,000
80M1372X	526,150	4,665,700	239	20	N	N	N	N	150	300	300	7,000
78M509X	495,700	4,665,800	240	20	N	N	10	N	100	200	300	7,000
78M050X	467,800	4,666,000	241	20	N	N	N	N	200	2,000	300	3,000
78M051X	466,000	4,666,200	242	20	N	N	N	N	100	700	500	5,000
78M001X	492,200	4,666,300	243	20	N	N	10	N	100	300	700	10,000
80M1385X	535,350	4,666,300	244	30	N	N	<10	N	150	200	200	>10,000
79M1179X	574,700	4,666,350	245	20	N	N	N	N	150	300	200	5,000
79M962X	509,600	4,666,400	246	15	N	N	N	N	70	700	700	5,000
K111X	426,750	4,666,500	247	30	N	N	N	N	N	3,000	15	2,000
78M002X	490,100	4,666,700	248	20	N	N	40	N	100	100	1,000	10,000
80M1384X	536,900	4,666,700	249	30	N	<200	60	N	100	200	200	10,000
80M1391X	513,950	4,666,750	250	20	N	N	N	N	100	700	500	3,000
79M867X	549,300	4,666,750	251	20	N	N	N	N	150	700	150	10,000
78M043X	476,000	4,666,900	252	20	N	N	N	N	100	300	500	3,000
79M916X	516,750	4,666,900	253	15	N	N	N	N	70	500	700	5,000
78M068X	460,900	4,667,000	254	30	N	N	N	N	300	3,000	200	2,000
78M042X	478,900	4,667,000	255	20	N	N	N	N	100	300	700	7,000
79M1186X	552,750	4,667,050	256	20	N	N	10	N	150	300	200	7,000
K190X	433,600	4,667,100	257	30	N	N	<10	N	20	3,000	20	3,000
78M056X	470,000	4,667,100	258	20	N	N	N	N	200	1,000	500	5,000
78M569X	471,800	4,667,100	259	15	N	N	N	N	70	300	500	2,000
78M007X	483,800	4,667,100	260	20	1.0	N	20	N	70	200	700	5,000
78M005X	486,100	4,667,100	261	20	N	N	10	N	70	300	700	5,000
79M961X	507,350	4,667,150	262	20	N	N	20	N	150	700	700	3,000
79M864X	557,450	4,667,150	263	30	N	N	N	N	150	300	200	7,000
79M958X	502,650	4,667,250	264	20	N	N	N	N	100	300	500	2,000
80M1373X	528,350	4,667,250	265	30	N	N	N	N	150	700	700	5,000
79M879X	542,100	4,667,250	266	15	N	N	<10	N	70	150	150	10,000
79M980X	540,150	4,667,300	267	20	N	N	N	N	150	200	200	10,000
79M947X	522,750	4,667,350	268	20	N	N	N	N	70	300	700	3,000
K265X	417,600	4,667,450	269	20	N	N	10	N	300	1,500	100	10,000
79M830X	554,600	4,667,450	270	20	N	N	20	N	100	300	150	3,000

Sample	Mo-ppm s	Ni-ppm s	Pb-ppm s	Sb-ppm s	Sn-ppm s	W-ppm s	Y-ppm s	Zn-ppm s
79M964X	N	5,000	20	N	N	N	30	<200
79M1178X	N	150	50	N	N	N	300	<200
79M976X	N	70	20	N	N	N	<10	300
79M889X	N	100	30	N	N	N	15	<200
79M941X	N	30	150	N	N	N	30	500
79M1269X	N	7,000	20	N	N	N	<10	N
78M008X	N	150	50	N	N	N	20	500
79M959X	N	200	20	N	N	N	10	200
79M945X	N	100	30	N	N	N	20	<200
K230X	N	50	<20	N	N	N	--	N
78M052X	<5	2,000	30	N	N	N	20	300
79M902X	20	200	20	N	N	N	<10	500
80M1289X	N	700	100	N	N	N	200	700
80M1372X	N	150	70	N	N	N	70	<200
78M509X	N	70	<20	N	N	N	<10	300
78M050X	<5	7,000	30	N	N	N	30	200
78M051X	10	500	100	N	N	N	70	300
78M001X	N	100	30	N	N	N	N	1,000
80M1385X	N	150	70	N	N	N	70	500
79M1179X	N	200	50	N	N	N	300	<200
79M962X	N	150	<20	N	N	N	<10	<200
K111X	N	150	50	N	N	N	--	N
78M002X	N	70	50	N	N	N	10	5,000
80M1384X	N	100	200	N	N	N	70	700
80M1391X	N	200	20	N	N	N	N	200
79M867X	N	150	70	N	N	N	100	300
78M043X	N	100	30	N	N	N	10	200
79M916X	N	200	70	N	N	N	15	300
78M068X	N	5,000	50	N	N	N	70	500
78M042X	N	70	30	N	N	N	15	200
79M1186X	N	200	50	N	N	N	150	200
K190X	N	700	50	N	N	N	--	N
78M056X	N	2,000	50	N	N	N	70	300
78M569X	N	100	30	N	N	N	30	300
78M007X	N	70	20	N	N	N	N	300
78M005X	N	150	20	N	N	N	<10	500
79M961X	N	500	<20	N	N	N	<10	<200
79M864X	N	100	50	N	N	N	150	300
79M958X	N	100	30	N	N	N	15	200
80M1373X	N	300	50	N	N	N	30	300
79M879X	N	70	100	N	N	N	150	500
79M980X	N	100	30	N	N	N	10	500
79M947X	N	100	20	N	N	N	15	200
K265X	N	5,000	100	N	N	N	--	N
79M830X	N	150	30	N	N	N	<10	<200

Sample	X coordinate	Y coordinate	Map_no.	Fe-pct. s	Ag-ppm s	As-ppm cm	Cd-ppm s	Co-ppm s	Cr-ppm s	Cu-ppm s	Mn-ppm s
K153X	430,200	4,667,650	271	30	N	<10	N	70	10,000	100	3,000
79M868X	547,650	4,667,700	272	20	N	10	N	150	500	200	10,000
80M1383X	537,050	4,667,800	273	30	.7	600	N	150	200	200	>10,000
K100X	422,700	4,667,950	274	30	N	N	N	50	5,000	15	3,000
80M1386X	534,550	4,668,050	275	20	N	120	N	150	150	300	>10,000
79M874X	567,450	4,668,100	276	20	N	N	N	100	500	150	7,000
79M963X	511,300	4,668,200	277	15	N	N	N	100	500	700	3,000
79M809X	449,400	4,668,250	278	15	N	<10	N	200	700	200	5,000
80M1382X	537,000	4,668,350	279	30	1,000	400	N	200	200	300	>10,000
78M066X	466,000	4,668,400	280	20	N	30	N	150	700	1,000	7,000
79M946X	521,600	4,668,400	281	20	N	N	N	70	300	700	3,000
79M981X	531,500	4,668,400	282	15	N	N	N	70	200	150	3,000
79M808X	454,600	4,668,550	283	15	N	N	N	150	300	500	5,000
79M910X	512,650	4,668,650	284	15	N	N	N	70	700	700	3,000
79M917X	518,150	4,668,650	285	20	N	N	N	100	500	700	3,000
78M065X	462,600	4,668,700	286	30	N	20	N	300	2,000	500	10,000
78M006X	482,600	4,668,700	287	20	.7	10	N	100	200	700	5,000
78M003X	490,000	4,668,800	288	20	N	10	N	70	300	500	3,000
80M1381X	525,600	4,668,850	289	30	N	N	N	100	700	700	10,000
79M831X	555,150	4,668,850	290	20	N	N	N	150	500	150	10,000
79M807X	444,450	4,669,050	291	30	N	N	N	500	1,500	100	5,000
78M508X	496,600	4,669,100	292	20	N	60	N	150	500	700	5,000
78M044X	477,100	4,669,200	293	15	N	N	N	70	300	300	2,000
79M774X	460,950	4,669,300	294	20	N	N	N	150	1,000	150	3,000
78M568X	474,000	4,669,300	295	30	N	N	N	100	500	300	7,000
79M955X	504,400	4,669,300	296	20	N	N	N	150	500	700	7,000
79M793X	456,050	4,669,500	297	20	N	N	N	150	500	300	7,000
79M918X	517,900	4,669,550	298	20	N	N	N	100	500	700	7,000
79M870X	546,200	4,669,550	299	20	N	N	N	150	700	200	7,000
K162X	432,050	4,669,600	300	30	N	N	N	70	5,000	150	5,000
78M004X	486,700	4,669,600	301	20	N	60	N	100	300	500	10,000
80M004DS	454,600	4,669,650	302	30	N	N	N	200	500	700	10,000
K103X	421,500	4,669,800	303	20	N	N	N	N	3,000	20	700
80M005DS	454,650	4,669,850	304	30	N	N	N	150	500	500	3,000
79M869X	548,600	4,669,850	305	20	N	30	N	150	300	200	7,000
K211X	434,450	4,670,050	306	20	N	N	N	150	1,000	500	5,000
80M006DS	454,550	4,670,050	307	30	N	N	N	200	500	700	>10,000
79M954X	502,350	4,670,050	308	20	N	30	N	150	500	700	>10,000
79M878X	542,350	4,670,050	309	20	N	<10	N	100	200	200	7,000
K170X	429,350	4,670,100	310	30	N	<10	N	150	5,000	200	3,000
78M062X	468,000	4,670,100	311	15	N	<10	N	70	500	200	7,000
K180X	427,100	4,670,200	312	30	N	<10	N	70	5,000	150	5,000
80M007DS	454,650	4,670,250	313	20	N	N	N	300	700	500	>10,000
79M806X	441,550	4,670,300	314	30	N	N	N	150	1,500	30	3,000
K106X	422,950	4,670,400	315	30	N	N	N	N	5,000	20	500

Sample	Mo-ppm s	Ni-ppm s	Pb-ppm s	Sb-ppm s	Sn-ppm s	U-ppm s	Y-ppm s	Zn-ppm s
K153X	N	2,000	<20	N	N	N	--	N
79M868X	N	150	50	N	N	N	200	<200
80M1383X	50	100	300	N	N	N	<10	700
K100X	N	2,000	<20	N	N	N	--	N
80M1386X	N	100	N	N	N	N	<10	200
79M874X	5	150	50	N	N	N	200	200
79M963X	N	150	20	N	N	N	10	<200
79M809X	N	2,000	20	N	N	N	50	<200
80M1382X	N	150	70	N	N	N	20	500
78M066X	<5	700	100	N	N	N	20	1,000
79M946X	30	150	20	N	N	N	10	<200
79M981X	N	100	<20	N	N	N	<10	200
79M808X	N	150	<20	N	N	N	50	200
79M910X	N	200	<20	N	N	N	<10	200
79M917X	N	150	50	N	N	N	20	200
78M065X	N	3,000	20	N	N	N	100	1,000
78M006X	N	70	<20	N	N	N	N	300
78M003X	N	70	<20	N	N	N	N	200
80M1381X	N	200	150	N	N	N	70	200
79M831X	N	100	70	N	N	N	100	200
79M807X	N	7,000	20	N	N	N	20	<200
78M508X	N	100	<20	N	N	N	N	300
78M044X	N	70	20	N	N	N	N	<200
79M774X	N	3,000	N	N	N	N	50	N
78M568X	N	70	20	N	N	N	<10	200
79M955X	N	150	20	N	N	N	20	<200
79M793X	N	300	30	N	N	N	70	300
79M918X	N	200	300	N	N	N	20	200
79M870X	N	150	50	N	N	N	300	<200
K162X	N	2,000	50	N	N	N	--	N
78M004X	N	200	<20	N	N	N	N	700
80M004DS	N	300	<20	N	N	N	200	500
K103X	N	100	50	N	N	N	--	N
80M005DS	N	200	<20	N	N	N	100	500
79M869X	N	200	50	N	N	N	150	200
K211X	10	1,500	50	N	N	N	--	200
80M006DS	N	500	70	N	N	N	150	500
79M954X	N	150	20	N	N	N	10	200
79M878X	N	100	70	N	N	N	150	200
K170X	N	3,000	50	N	N	N	--	N
78M062X	7	150	20	N	N	N	10	200
K180X	N	2,000	100	N	N	N	--	N
80M007DS	N	500	70	N	N	N	200	500
79M806X	N	2,000	<20	N	N	N	<10	N
K106X	N	100	<20	N	N	N	--	N

Sample	X coord- dinate	Y coord- dinate	Map_no.	Fe-pct. s	Ag-ppm s	As-ppm s	As-ppm cm	Cd-ppm s	Co-ppm s	Cr-ppm s	Cu-ppm s	Mn-ppm s
79M979X	539,930	4,670,400	316	20	N	N	N	N	100	150	150	7,000
80M1341X	506,400	4,670,450	317	20	N	N	<10	N	70	700	1,000	3,000
80M1315X	499,350	4,670,550	318	20	N	N	10	N	200	500	1,000	7,000
78M570X	470,100	4,670,600	319	30	N	N	N	N	200	1,000	500	10,000
78M502X	479,400	4,670,600	320	20	N	N	30	N	200	200	700	10,000
78M505X	492,400	4,670,600	321	20	N	N	30	N	100	200	700	7,000
79M873X	566,400	4,670,750	322	15	N	N	N	N	70	300	100	7,000
79M832X	552,900	4,670,800	323	15	N	N	10	N	100	300	200	10,000
79M909X	512,300	4,671,050	324	15	N	N	N	N	70	700	500	2,000
79M1271X	437,750	4,671,200	325	15	N	N	N	N	150	2,000	200	2,000
78M506X	493,200	4,671,200	326	15	3.0	N	20	N	70	2,000	700	3,000
79M1167X	578,100	4,671,250	327	20	N	N	N	N	100	200	500	10,000
78M567X	474,900	4,671,500	328	20	-5	N	N	N	100	500	500	3,000
78M061X	468,500	4,671,600	329	20	N	N	N	N	200	1,000	500	5,000
79M877X	542,900	4,671,600	330	20	N	N	N	N	150	700	200	5,000
78M060X	471,300	4,671,700	331	30	N	N	<10	N	700	1,500	100	7,000
80M1388X	522,200	4,671,800	332	20	N	N	N	N	200	1,000	300	7,000
79M833X	550,900	4,671,800	333	15	N	N	10	N	70	150	70	7,000
K171X	428,350	4,672,000	334	30	N	N	N	N	200	3,000	300	5,000
78M063X	466,100	4,672,000	335	20	N	N	<10	N	150	1,000	500	10,000
80M1342X	503,050	4,672,050	336	30	N	N	<10	N	150	500	700	10,000
79M863X	558,550	4,672,150	337	30	N	N	N	N	200	500	150	>10,000
K119X	424,100	4,672,300	338	30	N	N	N	N	200	500	1,000	3,000
K166X	431,450	4,672,300	339	30	N	N	<10	N	200	3,000	300	3,000
80M1393X	516,550	4,672,300	340	30	N	N	N	N	200	700	700	7,000
79M862X	554,600	4,672,300	341	30	N	N	N	N	150	700	150	5,000
79M908X	511,600	4,672,350	342	30	N	N	N	N	70	300	300	3,000
78M067X	462,200	4,672,400	343	30	N	N	N	N	50	5,000	15	2,000
80M1350X	498,150	4,672,400	344	20	N	N	20	N	150	500	700	500
79M799X	450,500	4,672,450	345	15	N	N	20	N	100	300	300	5,000
80M1351X	500,350	4,672,600	346	30	N	N	<10	N	200	500	700	700
80M1394X	518,400	4,672,600	347	20	N	N	N	N	150	700	700	7,000
79M1166X	570,000	4,672,600	348	30	N	N	N	N	150	300	150	>10,000
79M804X	443,900	4,672,650	349	15	N	N	N	N	15	1,500	5	2,000
79M794X	457,100	4,672,700	350	20	N	N	<10	N	150	500	300	7,000
78M507X	495,100	4,672,700	351	20	N	N	40	N	150	300	700	10,000
78M530X	488,700	4,672,800	352	20	N	N	40	N	100	200	700	>10,000
79M805X	442,550	4,672,900	353	10	N	N	10	N	100	1,000	20	2,000
78M503X	479,400	4,672,900	354	15	N	N	40	N	100	300	500	7,000
80M1340X	507,150	4,672,900	355	15	N	N	<10	N	70	700	300	5,000
K123X	426,250	4,673,000	356	30	N	N	N	N	150	1,000	700	3,000
78M069X	459,000	4,673,000	357	30	N	N	N	N	150	700	300	7,000
78M504X	483,300	4,673,000	358	20	N	N	30	N	150	300	700	7,000
79M978X	540,250	4,673,050	359	20	N	N	N	N	100	300	150	7,000
80M1380X	527,750	4,673,100	360	30	N	N	10	N	150	200	200	>10,000

Sample	Mo-ppm s	Ni-ppm s	Pb-ppm s	Sb-ppm s	Sn-ppm s	W-ppm s	Y-ppm s	Zn-ppm s
79M979X	N	70	20	N	N	N	10	200
80M1341X	N	200	N	N	N	N	10	200
80M1315X	N	200	30	N	N	N	<10	200
78M570X	<5	2,000	70	N	N	N	100	500
78M502X	5	70	30	N	N	N	N	300
78M505X	N	100	N	N	N	N	N	300
79M873X	N	100	50	N	N	N	200	200
79M832X	N	150	50	N	N	N	300	<200
79M909X	N	150	<20	N	N	N	<10	<200
79M1271X	N	3,000	30	N	N	N	10	N
78M506X	20	300	30	N	N	N	N	200
79M1167X	N	200	30	N	N	N	100	<200
78M567X	N	150	20	N	N	N	N	300
78M061X	20	3,000	50	N	N	N	70	200
79M877X	N	200	50	N	N	N	100	300
78M060X	N	>10,000	20	N	N	N	50	200
80M1388X	N	500	70	N	N	N	70	<200
79M833X	N	100	50	N	N	N	150	N
K171X	N	5,000	50	N	N	N	--	N
78M063X	N	2,000	70	N	N	N	50	300
80M1342X	N	200	20	N	N	N	<10	200
79M863X	N	300	50	N	N	N	300	<200
K119X	N	500	<20	N	N	N	--	N
K166X	N	3,000	50	N	N	N	--	N
80M1393X	7	300	100	N	N	N	100	500
79M862X	N	150	70	N	N	N	300	200
79M908X	N	150	<20	N	N	N	<10	200
78M067X	N	2,000	N	N	N	N	70	200
80M1350X	N	150	100	N	N	N	30	500
79M799X	N	200	70	N	N	N	50	500
80M1351X	N	200	70	N	N	N	70	200
80M1394X	N	300	70	N	N	N	30	300
79M1166X	N	150	70	N	N	N	300	200
79M804X	N	700	<20	N	N	N	10	N
79M794X	N	300	50	N	N	N	70	300
78M507X	<5	150	30	N	N	N	N	300
78M530X	5	100	20	N	N	N	N	500
79M805X	N	2,000	<20	N	N	N	<10	N
78M503X	N	100	<20	N	N	N	N	300
80M1340X	N	200	N	N	N	N	<10	200
K123X	N	300	<20	N	N	N	--	N
78M069X	N	100	30	N	N	N	100	500
78M504X	N	100	20	N	N	N	N	300
79M978X	N	70	70	N	N	N	70	300
80M1380X	N	150	30	N	N	N	<10	200

Sample	X coord- dinate	Y coord- dinate	Map_no.	Fe-pct. s	Ag-ppm s	As-ppm s	As-ppm cm	Cd-ppm s	Co-ppm s	Cr-ppm s	Cu-ppm s	Mn-ppm s
79M858X	545,700	4,673,100	361	20	N	N	N	N	150	700	200	7,000
K99X	420,000	4,673,150	362	30	N	N	N	N	100	5,000	50	3,000
79M984X	537,450	4,673,150	363	20	N	N	10	N	150	200	200	7,000
K185X	434,700	4,673,200	364	20	.7	N	N	N	150	1,500	300	5,000
79M796X	453,100	4,673,200	365	20	N	N	30	N	70	500	200	3,000
80M1387X	535,850	4,673,200	366	30	N	N	<10	N	200	300	300	>10,000
79M956X	504,250	4,673,250	367	20	N	N	10	N	100	500	700	7,000
79M872X	564,250	4,673,250	368	15	N	N	N	N	100	500	150	10,000
79M982X	531,500	4,673,550	369	20	N	N	10	N	150	150	300	7,000
78M531X	487,600	4,673,800	370	15	N	N	30	N	150	300	700	10,000
79M1209X	439,950	4,673,950	371	20	N	N	N	N	300	3,000	70	3,000
78M532X	490,900	4,674,200	372	20	N	N	10	N	150	500	700	7,000
78M533X	493,800	4,674,400	373	30	N	N	100	N	150	300	700	7,000
78M070X	458,800	4,674,500	374	20	N	N	N	N	200	2,000	200	5,000
78M543X	489,600	4,674,500	375	30	N	N	40	N	150	200	500	>10,000
80M1299X	456,200	4,674,550	376	20	N	N	N	N	70	700	200	2,000
K66X	420,850	4,674,600	377	30	N	N	N	N	100	700	500	2,000
79M795X	453,050	4,674,600	378	20	N	N	20	N	100	500	300	5,000
78M572X	481,300	4,674,700	379	20	N	N	40	N	100	500	700	3,000
78M758X	481,300	4,674,700	380	20	N	N	40	N	100	700	700	5,000
79M1180X	573,400	4,674,700	381	20	N	N	N	N	150	200	200	10,000
79M857X	542,850	4,674,750	382	20	N	N	N	N	100	200	150	10,000
80M1316X	500,900	4,674,800	383	20	N	N	<10	N	150	500	1,500	7,000
79M983X	532,700	4,674,800	384	20	N	N	<10	N	150	150	300	7,000
K131X	428,600	4,674,950	385	30	N	N	10	N	200	2,000	1,000	5,000
80M1379X	527,000	4,674,950	386	20	N	N	10	N	150	200	300	7,000
K204X	435,600	4,675,000	387	15	.7	N	<10	N	150	1,000	200	5,000
80M1392X	513,800	4,675,050	388	30	N	N	N	N	200	700	700	10,000
79M859X	547,250	4,675,150	389	20	N	N	N	N	150	150	150	10,000
79M957X	504,950	4,675,200	390	20	N	N	60	N	150	500	500	7,000
80M1339X	507,500	4,675,200	391	30	N	N	N	N	150	700	500	10,000
K90X	423,000	4,675,400	392	30	N	N	N	N	150	300	1,000	3,000
78M573X	482,400	4,675,400	393	15	N	N	20	N	100	500	500	7,000
78M071X	461,300	4,675,500	394	20	N	N	N	N	100	700	300	7,000
78M064X	464,900	4,675,500	395	20	.7	N	<10	N	150	1,000	500	5,000
79M985X	536,150	4,675,600	396	15	N	N	N	N	100	100	300	5,000
K148X	431,650	4,675,650	397	30	N	N	<10	N	15	5,000	30	3,000
78M501X	486,400	4,675,700	398	20	N	N	10	N	200	200	1,000	10,000
K18X	417,650	4,675,750	399	20	N	N	20	N	30	500	50	5,000
79M977X	539,350	4,675,800	400	30	N	<200	120	N	200	300	200	7,000
79M798X	448,550	4,675,900	401	20	N	N	20	N	70	300	500	3,000
78M057X	472,400	4,675,900	402	15	N	N	40	N	70	200	700	7,000
80M1389X	525,100	4,676,000	403	30	N	N	10	N	300	300	300	10,000
79M856X	545,700	4,676,100	404	20	N	N	N	N	100	200	200	10,000
79M802X	442,100	4,676,150	405	20	N	N	N	N	300	2,000	70	5,000

Sample	Mo-ppm s	Ni-ppm s	Pb-ppm s	Sb-ppm s	Sn-ppm s	W-ppm s	Y-ppm s	Zn-ppm s
79M858X	N	150	50	N	N	N	150	300
K99X	N	3,000	<20	N	N	N	--	N
79M984X	N	100	50	N	N	N	10	200
K185X	N	1,000	100	N	N	N	--	N
79M796X	N	200	100	N	N	N	50	300
80M1387X	N	150	100	N	N	N	30	500
79M956X	N	150	50	N	N	N	20	300
79M872X	N	100	70	N	N	N	150	200
79M982X	N	100	<20	N	N	N	N	200
78M531X	N	100	20	N	N	N	10	700
79M1209X	N	7,000	20	N	N	N	10	<200
78M532X	N	150	<20	N	N	N	N	300
78M533X	10	200	100	N	N	N	30	500
78M070X	N	3,000	30	N	N	N	15	300
78M543X	N	100	20	N	N	N	N	300
80M1299X	N	300	100	N	N	N	70	500
K66X	N	300	<20	N	N	N	--	N
79M795X	N	200	100	N	N	N	70	300
78M572X	15	200	30	N	N	N	N	500
78M758X	5	200	70	N	N	N	10	700
79M1180X	N	150	70	N	N	N	150	200
79M857X	N	100	50	N	N	N	150	200
80M1316X	N	300	<20	N	N	N	<10	<200
79M983X	N	70	<20	N	N	N	N	200
K131X	N	3,000	200	N	N	N	--	500
80M1379X	N	150	20	N	N	N	<10	300
K204X	N	1,000	70	N	N	N	--	N
80M1392X	N	300	50	N	N	N	15	200
79M859X	N	100	50	N	N	N	200	<200
79M957X	N	300	70	N	N	N	30	200
80M1339X	N	300	<20	N	N	N	<10	300
K90X	N	150	<20	N	N	N	--	N
78M573X	7	150	50	N	N	N	10	300
78M071X	N	200	30	N	N	N	50	300
78M064X	<5	2,000	30	N	N	N	50	200
79M985X	N	70	30	N	N	N	<10	300
K148X	N	500	<20	N	N	N	--	N
78M501X	5	100	<20	N	N	N	N	300
K18X	N	70	50	N	N	N	--	N
79M977X	N	150	70	N	N	N	100	300
79M798X	N	300	100	N	N	N	100	500
78M057X	N	100	20	N	N	N	N	500
80M1389X	N	300	<20	N	N	N	10	300
79M856X	N	150	50	N	N	N	300	200
79M802X	N	7,000	<20	N	N	N	10	<200

Sample	X coord- dinate	Y coord- dinate	Map_no.	Fe-pct. s	Ag-ppm s	As-ppm s	As-ppm cm	Cd-ppm s	Co-ppm s	Cr-ppm s	Cu-ppm s	Mn-ppm s
79M876X	551,400	4,676,150	406	30	N	N	N	N	150	700	150	5,000
79M797X	450,100	4,676,200	407	15	N	N	20	N	70	500	150	7,000
79M840X	557,550	4,676,300	408	30	N	N	N	N	200	700	100	7,000
K86X	427,000	4,676,400	409	20	N	N	N	N	30	3,000	50	1,500
79M800X	438,450	4,676,600	410	15	N	N	N	N	100	700	300	5,000
78M039X	469,900	4,676,600	411	20	N	N	N	N	300	1,000	500	5,000
78M058X	474,400	4,676,600	412	20	N	N	30	N	200	700	500	5,000
79M986X	535,700	4,676,600	413	20	N	N	30	N	150	150	300	10,000
79M871X	563,100	4,676,650	414	20	N	N	N	N	150	300	150	7,000
79M803X	444,400	4,676,750	415	15	N	N	N	N	10	1,000	5	3,000
79M952X	499,300	4,676,900	416	20	N	N	30	N	100	300	700	5,000
80M1345X	509,200	4,677,000	417	30	N	N	10	N	150	500	500	7,000
79M990X	538,050	4,677,100	418	20	N	N	40	N	70	200	300	10,000
K206X	434,100	4,677,150	419	20	N	N	N	N	150	1,500	300	10,000
78M571X	483,000	4,677,200	420	20	N	N	<10	N	150	1,000	500	>10,000
80M1314X	492,100	4,677,250	421	20	N	N	<10	N	150	500	1,500	5,000
80M1298X	459,650	4,677,300	422	30	N	N	N	N	150	700	500	5,000
80M1346X	512,900	4,677,300	423	20	N	N	10	N	150	700	500	10,000
80M1343X	505,300	4,677,500	424	30	N	N	20	N	150	500	700	7,000
K60X	428,900	4,677,550	425	30	N	N	<10	N	200	3,000	2,000	3,000
78M075X	456,400	4,677,600	426	20	N	N	<10	N	200	700	500	10,000
80M1344X	507,000	4,677,600	427	30	N	N	30	N	150	500	700	7,000
79M860X	547,650	4,677,700	428	30	N	N	N	N	150	300	150	7,000
80M1297X	461,950	4,677,800	429	30	N	N	N	N	500	2,000	500	5,000
78M555X	495,000	4,677,800	430	20	N	N	40	N	200	700	700	7,000
79M801X	439,550	4,678,100	431	20	N	N	N	N	150	1,000	300	5,000
80M1296X	464,400	4,678,100	432	20	N	N	<10	N	150	700	500	>10,000
80M1377X	527,350	4,678,100	433	30	N	N	10	N	200	200	500	>10,000
K96X	424,050	4,678,150	434	30	N	N	N	N	200	2,000	500	3,000
80M1378X	526,400	4,678,150	435	20	N	N	<10	N	200	500	300	>10,000
80M1349X	509,600	4,678,300	436	30	N	N	20	N	150	700	300	7,000
80M1390X	520,950	4,678,300	437	30	N	N	<10	N	150	500	300	5,000
79M839X	556,600	4,678,300	438	15	N	N	N	N	100	500	150	5,000
K46X	427,000	4,678,400	439	30	N	N	N	N	500	3,000	700	10,000
78M579X	468,000	4,678,400	440	20	N	N	20	N	30	1,500	30	1,500
78M575X	474,300	4,678,500	441	20	N	N	60	N	100	500	500	7,000
K285X	432,500	4,678,600	442	20	N	N	N	N	30	2,000	10	2,000
78M074X	450,800	4,678,700	443	30	N	N	30	N	150	500	500	10,000
79M1210X	443,850	4,678,750	444	20	N	N	N	N	<5	2,000	<5	1,000
79M1181X	572,600	4,678,750	445	20	N	N	N	N	150	300	150	7,000
79M987X	534,700	4,678,850	446	20	N	N	40	N	150	200	200	10,000
78M576X	471,900	4,679,100	447	20	N	N	10	N	150	2,000	500	3,000
78M549X	481,100	4,679,200	448	20	N	N	10	N	200	300	300	10,000
80M1337X	498,150	4,679,200	449	20	N	N	<10	N	150	500	500	7,000
79M1211X	442,500	4,679,250	450	30	N	N	N	N	200	1,500	150	5,000

Sample	Mo-ppm s	Ni-ppm s	Pb-ppm s	Sb-ppm s	Sn-ppm s	W-ppm s	Y-ppm s	Zn-ppm s
79M876X	N	150	70	N	N	N	300	200
79M797X	7	200	100	N	N	N	150	200
79M840X	N	150	50	N	N	N	150	500
K86X	N	500	<20	N	N	N	--	N
79M800X	N	500	<20	N	N	N	100	<200
78M059X	5	5,000	30	N	N	N	100	300
78M058X	<5	1,000	20	N	N	N	15	300
79M986X	N	100	30	N	N	N	10	300
79M871X	N	150	50	N	N	N	100	200
79M803X	N	700	<20	N	N	N	10	N
79M952X	N	150	50	N	N	N	20	300
80M1345X	N	200	30	N	N	N	10	200
79M990X	N	70	30	N	N	N	<10	300
K206X	N	3,000	50	N	N	N	--	N
78M571X	5	150	30	N	N	N	N	300
80M1314X	N	300	<20	N	N	N	<10	<200
80M1298X	N	200	N	N	N	N	150	300
80M1346X	N	300	50	N	N	N	30	200
80M1343X	10	500	150	N	N	N	50	500
K60X	30	3,000	50	N	N	N	--	300
78M075X	N	300	30	N	N	N	70	200
80M1344X	N	300	70	N	N	N	20	300
79M860X	N	100	50	N	N	N	70	200
80M1297X	N	1,000	N	N	N	N	30	<200
78M535X	7	150	70	N	N	N	10	500
79M801X	N	1,500	<20	N	N	N	50	<200
80M1296X	N	500	50	N	N	N	200	700
80M1377X	N	150	20	N	N	N	N	300
K96X	N	500	<20	N	N	N	--	N
80M1378X	N	200	30	N	N	N	<10	200
80M1349X	N	500	100	N	N	N	50	300
80M1390X	N	300	50	N	N	N	<10	300
79M839X	N	200	50	N	N	N	150	<200
K46X	N	2,000	<20	N	N	N	--	N
78M579X	N	1,500	N	N	N	N	20	<200
78M575X	N	150	30	N	N	N	70	300
K285X	7	700	20	N	N	N	--	N
78M074X	10	500	100	N	N	N	100	700
79M1210X	N	100	N	N	N	N	10	N
79M1181X	N	200	50	N	N	N	100	200
79M987X	N	100	70	N	N	N	70	500
78M576X	5	5,000	30	N	N	N	15	300
78M549X	7	100	20	N	N	N	10	300
80M1337X	N	200	30	N	N	N	10	300
79M1211X	N	5,000	<20	N	N	N	30	<200

Sample	X coord- dinate	Y coord- dinate	Map_no.	Fe-pct. s	Ag-ppm s	As-ppm s	As-ppm cm	Cd-ppm s	Co-ppm s	Cr-ppm s	Cu-ppm s	Mn-ppm s
79M1182X	569,200	4,679,300	451	30	N	N	N	N	150	300	300	10,000
78M546X	486,100	4,679,400	452	20	N	N	30	N	100	500	700	2,000
80M1313X	489,300	4,679,400	453	20	N	N	<10	N	100	500	700	5,000
80M1338X	501,400	4,679,400	454	20	N	N	10	N	200	500	500	10,000
80M1362X	522,550	4,679,550	455	30	N	N	10	N	150	500	200	10,000
79M989X	541,500	4,679,650	456	20	N	N	N	N	150	200	200	10,000
79M855X	544,200	4,679,700	457	20	N	N	N	N	150	200	200	10,000
80M1288X	531,600	4,679,900	458	30	N	N	<10	N	150	700	500	7,000
78M577X	473,500	4,680,100	459	15	.5	N	10	N	100	1,500	500	2,000
80M1363X	519,300	4,680,200	460	30	N	N	10	N	150	500	300	7,000
78M578X	470,100	4,680,300	461	20	N	N	N	N	70	700	500	5,000
K79X	426,500	4,680,550	462	30	N	N	N	N	150	700	500	3,000
80M1310X	483,750	4,680,600	463	20	N	N	10	N	150	500	700	7,000
79M988X	536,700	4,680,900	464	20	N	N	10	N	70	300	150	7,000
80M1294X	463,350	4,680,950	465	20	N	N	N	N	200	1,000	300	7,000
80M1287X	534,050	4,681,000	466	30	N	200	120	N	150	200	150	>10,000
K401X	434,800	4,681,050	467	20	N	N	N	N	70	3,000	20	2,000
79M1212X	446,650	4,681,050	468	30	N	N	N	N	200	1,500	150	5,000
K35X	420,600	4,681,250	469	30	N	N	30	N	50	300	100	5,000
80M1295X	464,800	4,681,300	470	20	N	N	N	N	7	7,000	10	1,500
80M1361X	521,850	4,681,350	471	30	N	N	N	N	150	500	300	7,000
80M1312X	486,700	4,681,400	472	20	N	N	<10	N	200	500	700	7,000
K37X	423,550	4,681,450	473	30	N	N	N	N	100	200	700	5,000
K208X	432,400	4,681,450	474	30	.7	N	N	N	5	3,000	5	700
79M1214X	442,450	4,681,500	475	20	N	N	N	N	100	700	300	5,000
79M1213X	444,550	4,681,500	476	15	N	N	N	N	150	1,500	30	2,000
78M077X	458,200	4,681,500	477	15	N	N	20	N	70	700	300	7,000
78M544X	489,100	4,681,500	478	15	N	N	30	N	100	500	700	7,000
78M536X	494,700	4,681,500	479	20	N	N	60	N	200	700	500	10,000
78M580X	468,200	4,681,600	480	30	N	N	<10	N	200	1,500	700	7,000
79M854X	542,950	4,681,600	481	30	N	N	<10	N	150	300	150	10,000
79M852X	546,950	4,681,600	482	30	N	N	N	N	150	500	200	10,000
78M537X	492,500	4,681,900	483	15	.5	N	<10	N	100	500	700	3,000
79M991X	541,800	4,681,900	484	20	N	N	10	N	100	300	150	10,000
78M574X	476,700	4,682,000	485	20	N	N	N	N	100	700	500	10,000
80M1347X	505,250	4,682,000	486	20	N	N	<10	N	100	500	500	7,000
80M1376X	525,600	4,682,100	487	30	N	N	N	N	200	200	150	>10,000
79M951X	499,900	4,682,150	488	20	N	N	80	N	100	500	500	5,000
79M1027X	531,600	4,682,250	489	30	N	N	60	N	150	100	300	7,000
K286X	430,550	4,682,350	490	30	N	N	N	N	7	1,000	5	700
80M1348X	503,000	4,682,350	491	30	N	N	N	N	150	500	700	7,000
79M1183X	570,150	4,682,550	492	15	N	N	N	N	50	100	100	7,000
79M1220X	438,900	4,682,900	493	15	N	N	N	N	150	2,000	200	3,000
78M072X	453,600	4,683,000	494	30	N	N	30	N	100	500	500	>10,000
80M1293X	456,400	4,683,000	495	20	N	N	N	N	100	500	200	2,000

Sample	Mo-ppm s	Ni-ppm s	Pb-ppm s	Sb-ppm s	Sn-ppm s	W-ppm s	Y-ppm s	Zn-ppm s
79M1182X	N	150	70	N	N	N	100	200
78M546X	N	100	<20	N	N	N	N	300
80M1313X	N	200	20	N	N	N	<10	200
80M1338X	N	200	50	N	N	N	30	300
80M1362X	N	200	20	N	N	N	<10	200
79M989X	N	150	50	N	N	N	200	200
79M855X	N	200	50	N	N	N	150	200
80M1288X	N	200	20	N	N	N	<10	300
78M577X	N	3,000	20	N	N	N	100	200
80M1363X	N	300	50	N	N	N	<10	300
78M578X	N	150	<20	N	N	N	20	300
K79X	N	1,000	<20	N	N	N	--	N
80M1310X	N	300	20	N	N	N	<10	<200
79M988X	N	70	150	N	N	N	300	200
80M1294X	N	1,500	50	N	N	N	70	200
80M1287X	30	100	100	N	N	N	500	500
K401X	N	1,000	<20	N	N	N	--	N
79M1212X	N	3,000	<20	N	N	N	30	<200
K35X	N	100	100	N	N	N	--	N
80M1295X	N	200	20	N	N	N	50	<200
80M1361X	N	300	N	N	N	N	<10	200
80M1312X	N	200	20	N	N	N	10	<200
K37X	N	100	<20	N	N	N	--	N
K208X	N	100	<20	N	N	N	--	N
79M1214X	N	1,000	<20	N	N	N	20	200
79M1213X	N	2,000	N	N	N	N	10	N
78M077X	7	500	70	N	N	N	30	200
78M544X	<5	100	<20	N	N	N	N	300
78M536X	N	200	70	N	N	N	20	300
78M580X	N	3,000	50	N	N	N	100	700
79M854X	N	200	70	N	N	N	200	300
79M852X	N	200	30	N	N	N	300	200
78M537X	N	150	<20	N	N	N	N	300
79M991X	N	100	70	N	N	N	200	200
78M574X	N	150	20	N	N	N	20	300
80M1347X	N	200	100	N	N	N	10	300
80M1376X	N	70	70	N	N	N	<10	500
79M951X	15	200	70	N	N	N	30	300
79M1027X	N	100	20	N	N	N	<10	200
K286X	N	200	20	N	N	N	--	N
80M1348X	N	200	50	N	N	N	50	200
79M1183X	N	70	30	N	N	N	70	<200
79M1220X	N	1,500	<20	N	N	N	20	<200
78M072X	15	500	100	N	N	N	200	1,000
80M1293X	N	500	150	N	N	N	70	500

Sample	X coordinate	Y coordinate	Map_no.	Fe-pct. s	Ag-ppm s	As-ppm s	As-ppm cm	Cd-ppm s	Co-ppm s	Cr-ppm s	Cu-ppm s	Mn-ppm s
78M073X	453,500	4,683,100	496	20	<.5	N	N	N	70	300	300	10,000
80M1375X	524,050	4,683,250	497	30	N	N	N	N	300	300	200	>10,000
80M1403X	530,150	4,683,250	498	20	N	N	N	N	100	150	150	10,000
79M1234X	541,800	4,683,500	499	20	N	N	<10	N	100	300	200	10,000
80M1292X	460,050	4,683,550	500	30	N	N	10	N	100	700	150	2,000
K73X	428,750	4,683,600	501	30	N	N	N	N	70	100	500	3,000
79M851X	547,400	4,683,650	502	30	N	N	N	N	100	200	200	10,000
78M545X	489,400	4,683,700	503	20	N	N	10	N	150	500	300	7,000
79M853X	543,600	4,683,700	504	20	N	N	<10	N	150	300	150	10,000
79M1215X	441,000	4,683,750	505	20	N	N	N	N	150	1,000	300	3,000
80M1336X	498,600	4,683,800	506	30	N	N	<10	N	150	700	700	7,000
78LG011X	579,850	4,683,800	507	20	N	N	N	N	50	300	200	3,000
78M534X	496,100	4,683,900	508	15	N	N	60	N	200	300	700	7,000
78M592X	470,500	4,684,000	509	30	N	N	N	N	100	2,000	700	5,000
80M1360X	518,200	4,684,100	510	20	N	N	N	N	150	300	300	10,000
78M538X	492,100	4,684,200	511	20	N	N	10	N	100	300	300	10,000
79M836X	557,950	4,684,250	512	20	N	N	N	N	50	700	150	2,000
78M076X	457,700	4,684,400	513	30	.7	N	40	N	300	1,000	500	2,000
79M861X	564,450	4,684,400	514	20	N	N	N	N	100	200	150	7,000
K38X	418,400	4,684,500	515	30	N	N	20	N	100	500	100	5,000
78M548X	483,400	4,684,500	516	30	N	N	30	N	200	500	700	7,000
79M1218X	437,000	4,684,550	517	20	N	N	20	N	100	700	150	3,000
78LG003X	572,686	4,684,550	518	20	N	N	N	N	50	500	150	5,000
K68X	425,400	4,684,600	519	30	N	N	N	N	150	500	700	10,000
79M837X	553,550	4,684,600	520	30	N	N	N	N	150	700	150	10,000
80M1311X	473,400	4,684,650	521	20	N	N	N	N	200	500	500	7,000
79M992X	540,600	4,684,700	522	30	N	N	30	N	150	500	200	10,000
79M1026X	527,950	4,684,750	523	20	N	N	20	N	200	150	200	>10,000
79M994X	538,900	4,685,000	524	15	N	N	10	N	70	150	150	10,000
79M838X	550,600	4,685,050	525	20	N	N	N	N	200	700	150	>10,000
79M1229X	443,150	4,685,150	526	20	N	N	N	N	200	1,500	300	7,000
78M582X	469,700	4,685,200	527	30	N	N	N	N	150	2,000	300	3,000
78M596X	478,100	4,685,200	528	20	N	N	20	N	100	1,500	500	7,000
79M1001X	533,600	4,685,250	529	30	N	N	10	N	150	150	500	7,000
78M585X	463,800	4,685,300	530	20	N	N	30	N	300	2,000	500	7,000
K345X	431,500	4,685,450	531	30	N	N	N	N	50	1,500	20	3,000
78M584X	464,300	4,685,500	532	20	N	N	20	N	70	500	700	10,000
80M1308X	480,050	4,685,500	533	20	N	N	<10	N	150	500	500	7,000
80M1359X	521,650	4,685,550	534	30	N	N	10	N	150	200	300	7,000
79M1219X	436,300	4,685,650	535	10	N	N	<10	N	150	500	200	1,500
79M1003X	532,150	4,685,900	536	20	N	N	N	N	150	150	200	10,000
78M542X	486,900	4,686,000	537	20	N	N	30	N	100	500	700	7,000
79M950X	499,350	4,686,050	538	20	N	N	N	N	70	700	30	3,000
79M949X	501,450	4,686,050	539	30	N	N	N	N	50	700	30	2,000
78M539X	492,900	4,686,100	540	20	N	N	10	N	100	300	300	7,000

Sample	Mo-ppm s	Ni-ppm s	Pb-ppm s	Sb-ppm s	Sn-ppm s	W-ppm s	Y-ppm s	Zn-ppm s
78M073X	7	150	100	N	N	N	70	500
80M1375X	N	150	50	N	N	N	10	500
80M1403X	N	70	<20	N	N	N	10	200
79M1234X	N	200	50	N	N	N	150	200
80M1292X	N	300	100	N	N	N	50	500
K73X	N	100	<20	N	N	N	--	N
79M851X	N	150	50	N	N	N	300	200
78M545X	N	100	100	N	N	N	100	300
79M853X	7	150	70	N	N	N	200	300
79M1215X	N	2,000	N	N	N	N	15	<200
80M1336X	N	200	50	N	N	N	15	300
78LG011X	N	200	70	N	30	N	10	500
78M534X	N	100	20	N	N	N	<10	300
78M592X	30	500	50	N	N	N	70	500
80M1360X	N	200	<20	N	N	N	<10	200
78M538X	N	100	70	N	N	N	15	300
79M836X	N	200	50	N	N	N	500	N
78M076X	15	1,000	100	N	N	N	100	1,000
79M861X	N	70	70	N	N	N	200	200
K38X	N	300	100	N	N	N	--	N
78M548X	N	100	30	N	N	N	N	500
79M1218X	N	1,000	<20	N	N	N	10	<200
78LG003X	N	150	150	N	N	N	50	200
K68X	N	150	70	N	N	N	--	500
79M837X	N	100	50	N	N	N	300	N
80M1311X	N	200	20	N	N	N	150	<200
79M992X	N	150	100	N	N	N	150	300
79M1026X	N	100	20	N	N	N	10	200
79M994X	N	70	70	N	N	N	100	200
79M838X	N	200	70	N	N	N	200	500
79M1229X	N	1,500	<20	N	N	N	150	200
78M582X	N	2,000	20	N	N	N	50	300
78M596X	30	500	50	N	N	N	<10	500
79M1001X	N	70	20	N	N	N	10	300
78M585X	N	5,000	70	N	N	N	100	300
K345X	N	1,000	50	N	N	N	--	N
78M584X	N	200	70	N	N	N	10	1,000
80M1308X	N	300	20	N	N	N	10	200
80M1359X	N	150	70	N	N	N	<10	300
79M1219X	N	2,000	<20	N	N	N	10	N
79M1003X	N	70	30	N	N	N	20	300
78M542X	N	100	<20	N	N	N	N	300
79M950X	N	100	20	N	N	N	15	300
79M949X	N	70	20	N	N	N	15	200
78M539X	N	100	70	N	N	N	15	300

Sample	X coordinate	Y coordinate	Map_no.	Fe-pct. s	Ag-ppm s	As-ppm s	As-ppm cm	Cd-ppm s	Co-ppm s	Cr-ppm s	Cu-ppm s	Mn-ppm s
80M1357X	519,450	4,686,300	541	30	N	N	N	N	200	300	700	10,000
K49X	425,450	4,686,550	542	30	N	N	N	N	150	500	700	3,000
80M1309X	483,200	4,686,650	543	30	N	N	10	N	200	700	700	5,000
K347X	431,300	4,686,700	544	15	N	N	N	N	150	500	150	1,000
80M0020S	540,050	4,686,750	545	20	N	700	300	N	150	200	700	>10,000
79M847X	544,250	4,686,750	546	30	N	N	30	N	200	700	150	10,000
79M835X	559,350	4,686,750	547	10	N	N	<10	N	15	500	150	1,000
80M0010S	539,900	4,686,800	548	30	N	200	120	N	150	300	200	10,000
79M1025X	527,500	4,686,850	549	20	N	N	30	N	150	150	300	10,000
78M581X	469,700	4,687,100	550	30	N	N	N	N	300	3,000	300	7,000
79M1002X	532,900	4,687,100	551	30	N	N	<10	N	150	150	200	10,000
79M995X	537,400	4,687,100	552	20	N	N	30	N	100	200	200	7,000
80M0030S	540,350	4,687,200	553	20	N	1,000	600	N	300	300	200	>10,000
79M1216X	438,500	4,687,300	554	10	N	N	N	N	100	700	200	2,000
79M1235X	540,350	4,687,300	555	20	N	N	100	N	100	200	300	10,000
78M078X	453,500	4,687,400	556	20	.5	N	30	N	100	200	300	5,000
79M845X	545,350	4,687,600	557	30	N	N	30	N	200	300	200	7,000
78LG005X	566,362	4,687,680	558	20	N	N	N	N	30	1,000	200	7,000
79M1222X	447,350	4,687,700	559	15	N	N	<10	N	150	1,500	200	3,000
78M547X	480,800	4,687,800	560	20	N	N	80	N	200	1,000	700	5,000
K55X	422,750	4,687,850	561	30	N	N	30	N	100	700	300	3,000
79M825X	441,600	4,687,850	562	15	N	N	N	N	70	500	300	10,000
78M591X	477,500	4,687,900	563	30	N	N	10	N	300	3,000	500	5,000
79M1221X	449,500	4,688,000	564	20	N	N	30	N	100	200	500	>10,000
78M541X	486,000	4,688,000	565	20	N	N	60	N	150	700	700	5,000
79M826X	443,950	4,688,050	566	15	N	N	N	N	100	500	150	10,000
78M085X	457,800	4,688,100	567	30	N	N	20	N	150	200	500	>10,000
78M593X	471,600	4,688,100	568	30	N	N	N	N	70	1,000	500	7,000
80M1317X	490,900	4,688,100	569	30	N	N	10	N	300	700	700	7,000
78M560X	494,200	4,688,100	570	20	N	N	30	N	150	1,000	500	5,000
80M1358X	515,800	4,688,150	571	20	N	N	<10	N	150	700	200	7,000
K39X	421,000	4,688,300	572	30	N	N	30	N	150	300	300	10,000
79M1233X	538,900	4,688,300	573	30	N	300	400	N	100	100	300	7,000
79M844X	548,550	4,688,300	574	20	N	N	<10	N	70	500	150	7,000
79M1024X	526,300	4,688,350	575	20	N	N	10	N	200	150	300	>10,000
K414X	435,000	4,688,400	576	10	N	N	N	N	100	150	50	2,000
78M586X	460,800	4,688,400	577	30	N	N	60	N	200	1,000	500	10,000
78M587X	461,700	4,688,400	578	20	N	N	20	N	150	1,000	300	5,000
78M583X	464,700	4,688,500	579	30	N	N	<10	N	150	700	200	7,000
79M834X	556,200	4,688,500	580	15	N	N	N	N	70	700	200	5,000
K392X	428,850	4,688,550	581	10	N	N	N	N	100	100	500	1,000
80M1335X	502,650	4,688,600	582	30	N	N	N	N	100	1,500	100	5,000
80M1404X	524,300	4,688,600	583	30	N	N	<10	N	200	100	200	>10,000
79M993X	540,500	4,688,600	584	20	N	700	300	N	100	150	300	10,000
78M590X	475,500	4,688,900	585	30	N	N	N	N	200	1,000	700	7,000

Sample	Mo-ppm s	Ni-ppm s	Pb-ppm s	Sb-ppm s	Sn-ppm s	W-ppm s	Y-ppm s	Zn-ppm s
80M1357X	N	200	70	N	N	N	<10	700
K49X	N	200	<20	N	N	N	--	N
80M1309X	N	300	30	N	N	N	15	1,000
K347X	N	700	20	N	N	N	--	N
80M0020S	N	200	50	N	N	N	10	200
79M847X	N	300	70	N	N	N	30	300
79M835X	N	70	50	N	N	N	50	N
80M0010S	N	200	200	N	N	N	700	300
79M1025X	N	100	20	N	N	N	<10	200
78M581X	N	5,000	20	N	N	N	100	300
79M1002X	N	70	70	N	N	N	70	300
79M995X	N	100	20	N	N	N	10	300
80M0030S	N	700	150	N	N	N	200	200
79M1216X	N	1,000	<20	N	N	N	<10	<200
79M1235X	N	200	70	N	N	N	300	<200
78M078X	7	200	70	N	N	N	70	500
79M845X	N	150	50	N	N	N	20	<200
78L6005X	N	150	50	N	N	N	15	300
79M1222X	N	1,500	N	N	N	N	<10	<200
78M547X	N	1,500	20	N	N	N	N	200
K55X	N	500	150	N	N	N	--	N
79M825X	N	150	30	N	N	N	200	<200
78M591X	20	1,500	70	N	N	N	10	300
79M1221X	N	700	70	N	N	N	30	1,000
78M541X	N	500	50	N	N	N	30	200
79M826X	N	150	20	N	N	N	200	<200
78M085X	10	300	150	N	N	N	100	700
78M593X	7	150	70	N	N	N	70	200
80M1317X	N	300	30	N	N	N	20	200
78M560X	7	500	30	N	N	N	N	500
80M1358X	N	300	30	N	N	N	<10	200
K39X	N	300	200	N	N	N	--	700
79M1233X	N	100	70	N	N	N	150	200
79M844X	N	150	70	N	N	N	700	200
79M1024X	7	100	30	N	N	<50	<10	200
K414X	N	500	N	N	N	N	--	N
78M586X	15	1,000	150	N	N	N	100	700
78M587X	10	700	50	N	N	N	20	500
78M583X	N	150	70	N	N	N	100	500
79M834X	N	100	70	N	N	N	100	300
K392X	N	100	<20	N	N	N	--	N
80M1335X	N	150	70	N	N	N	70	500
80M1404X	N	100	100	N	N	N	50	200
79M993X	10	150	50	N	N	N	15	200
78M590X	N	100	70	N	N	N	200	1,500

Sample	X coordinate	Y coordinate	Map_no.	Fe-pct.	Ag-ppm	As-ppm	As-ppm	Cd-ppm	Co-ppm	Cr-ppm	Cu-ppm	Mn-ppm
				s	s	cm	s	s	s	s	s	s
79M1231X	534,650	4,688,950	586	20	N	N	10	N	100	150	300	10,000
79M1195X	529,300	4,689,050	587	30	N	N	<10	N	150	100	500	10,000
79M1217X	437,400	4,689,200	588	15	N	N	N	N	100	200	150	5,000
78M079X	453,000	4,689,200	589	20	-5	N	20	N	100	500	300	7,000
78M588X	462,200	4,689,200	590	30	N	N	60	N	100	700	300	7,000
78M595X	468,200	4,689,300	591	30	N	N	N	N	1,000	10,000	700	>10,000
K413X	434,750	4,689,350	592	15	N	N	N	N	150	500	150	5,000
78M597X	459,200	4,689,400	593	30	N	N	20	N	100	700	500	10,000
79M999X	530,350	4,689,400	594	20	N	N	10	N	200	100	500	>10,000
78LG009X	579,753	4,689,460	595	20	N	N	N	N	150	500	500	5,000
79M1228X	444,650	4,689,600	596	20	N	N	N	N	10	3,000	10	1,500
78M594X	470,900	4,689,700	597	20	N	N	N	N	70	10,000	500	10,000
78M540X	492,000	4,689,700	598	20	N	N	40	N	150	500	700	7,000
78M757X	541,400	4,689,700	599	20	-5	N	160	N	200	300	200	10,000
79M827X	441,750	4,689,750	600	20	N	N	<10	N	200	1,000	150	7,000
80M1323X	498,350	4,689,800	601	30	N	N	<10	N	70	700	200	7,000
79M1230X	533,900	4,689,800	602	20	N	N	10	N	150	200	300	10,000
79M996X	537,650	4,689,800	603	30	N	200	120	N	150	300	200	10,000
79M846X	542,550	4,689,850	604	15	N	N	N	N	100	200	200	5,000
K348X	428,400	4,689,900	605	15	N	N	N	N	150	150	200	1,000
78M080X	450,600	4,689,900	606	30	N	N	10	N	100	700	700	7,000
79M1023X	524,300	4,689,900	607	20	N	N	N	N	150	150	200	7,000
79M843X	547,200	4,689,900	608	20	N	N	40	N	150	500	150	10,000
K425X	424,700	4,690,050	609	10	N	N	N	N	70	70	200	1,500
78LG002X	576,885	4,690,270	610	20	N	N	N	N	70	200	200	10,000
78M550X	476,300	4,690,300	611	20	N	N	<10	N	200	700	500	5,000
79M828X	446,900	4,690,400	612	20	N	N	N	N	150	700	500	7,000
79M1232X	537,050	4,690,400	613	20	N	N	30	N	150	200	300	10,000
78M140X	464,800	4,690,500	614	30	N	N	10	N	300	1,000	500	7,000
78M559X	494,800	4,690,500	615	15	.7	N	30	N	70	500	700	5,000
78M589X	475,400	4,690,700	616	30	N	N	N	N	150	1,500	500	7,000
80M1334X	501,600	4,690,700	617	30	N	N	N	N	100	1,500	70	3,000
K390X	431,900	4,690,750	618	20	N	N	N	N	100	70	300	2,000
80M1352X	520,150	4,690,750	619	30	N	N	<10	N	200	200	300	>10,000
78M554X	479,600	4,690,900	620	20	N	N	N	N	100	700	500	3,000
80M1356X	515,600	4,690,950	621	30	N	N	N	N	150	500	300	10,000
78M557X	485,600	4,691,100	622	20	N	N	40	N	200	500	1,000	5,000
78M556X	484,500	4,691,400	623	20	N	N	30	N	100	500	700	10,000
80M1318X	490,600	4,691,400	624	20	N	N	20	N	200	700	700	10,000
79M1028X	522,950	4,691,550	625	20	N	N	<10	N	150	100	300	10,000
78M084X	456,000	4,691,600	626	20	N	N	30	N	100	200	300	10,000
K349X	426,250	4,691,750	627	15	N	N	N	N	150	500	300	1,500
K368X	418,850	4,691,800	628	20	N	N	30	N	150	700	200	7,000
78M081X	451,400	4,692,200	629	30	N	N	<10	N	100	10,000	30	5,000
K343X	431,950	4,692,350	630	15	N	N	N	N	150	300	100	1,500

Sample	Mo-ppm s	Ni-ppm s	Pb-ppm s	Sb-ppm s	Sn-ppm s	W-ppm s	Y-ppm s	Zn-ppm s
79M1231X	N	100	70	N	N	N	100	500
79M1195X	N	70	50	N	N	N	<10	200
79M1217X	N	500	50	N	N	N	20	N
78M079X	5	300	100	N	N	N	70	500
78M588X	10	500	100	N	N	N	200	500
78M595X	50	1,000	70	N	N	N	30	200
K413X	N	1,000	20	N	N	N	--	N
78M597X	15	150	100	N	N	N	200	500
79M999X	N	100	20	N	N	N	10	200
78LG009X	N	300	100	N	N	N	200	200
79M1228X	N	200	<20	N	N	N	20	N
78M594X	70	1,000	70	N	N	N	50	500
78M540X	<5	150	20	N	N	N	N	300
78M757X	N	100	30	N	N	N	N	500
79M827X	N	1,000	20	N	N	N	20	<200
80M1323X	N	150	50	N	N	N	70	300
79M1230X	N	100	30	N	N	N	10	300
79M996X	7	100	50	N	N	N	10	300
79M846X	N	150	20	N	N	N	10	<200
K348X	N	70	30	N	N	N	--	N
78M080X	N	700	70	N	N	N	70	1,000
79M1023X	N	70	<20	N	N	N	10	<200
79M843X	N	150	50	N	N	N	200	300
K425X	N	50	<20	N	N	N	--	N
78LG002X	N	200	100	N	N	N	30	200
78M550X	N	150	<20	N	N	N	20	300
79M828X	N	500	50	N	N	N	100	300
79M1232X	N	150	<20	N	N	N	<10	<200
78M140X	5,000	50	50	N	N	N	70	300
78M559X	N	100	20	N	N	N	N	300
78M589X	10	150	30	N	N	N	100	700
80M1334X	N	150	20	N	N	N	50	500
K390X	N	100	<20	N	N	N	--	N
80M1352X	N	200	<20	N	N	N	10	500
78M554X	N	200	<20	N	N	N	N	300
80M1356X	N	200	<20	N	N	N	<10	200
78M557X	5	200	50	N	N	N	30	300
78M556X	<5	100	50	N	N	N	N	500
80M1318X	N	500	70	N	N	N	15	300
79M1028X	N	100	20	N	N	N	N	200
78M084X	7	300	200	N	N	N	70	700
K349X	N	300	50	N	N	N	--	N
K368X	5	200	100	N	N	N	--	<200
78M081X	N	3,000	30	N	N	N	30	200
K343X	N	70	<20	N	N	N	--	N

Sample	X coordinate	Y coordinate	Map_no.	Fe-pct. s	Ag-ppm s	As-ppm s	As-ppm cm	Cd-ppm s	Co-ppm s	Cr-ppm s	Cu-ppm s	Mn-ppm s
79M849X	552,700	4,692,350	631	20	N	N	N	N	150	300	200	>10,000
79M998X	530,650	4,692,550	632	15	N	<10	<10	N	100	100	200	>10,000
80M1409X	534,150	4,692,600	633	30	N	<10	<10	N	150	200	300	>10,000
K358X	429,450	4,692,700	634	20	N	N	N	N	100	50	300	3,000
80M1395X	517,200	4,692,700	635	20	N	N	N	N	200	200	300	10,000
80M1324X	497,950	4,692,800	636	20	N	<10	<10	N	150	500	700	7,000
78L6006X	567,682	4,692,800	637	20	N	N	N	N	50	200	200	7,000
79M1227X	441,850	4,692,900	638	20	N	N	N	N	100	500	100	>10,000
78M144X	469,200	4,692,900	639	20	N	N	N	N	70	500	500	10,000
78M551X	475,100	4,692,900	640	20	N	N	N	N	200	300	500	7,000
79M842X	543,950	4,692,950	641	20	N	<10	<10	N	150	500	150	7,000
79M848X	546,050	4,693,050	642	20	N	10	10	N	200	500	150	>10,000
80M1321X	495,850	4,693,100	643	20	N	<10	<10	N	200	700	700	7,000
78M552X	478,100	4,693,200	644	20	N	N	N	N	100	500	500	7,000
78M553X	481,400	4,693,400	645	20	N	<10	<10	N	150	700	500	10,000
79M1226X	439,850	4,693,450	646	15	N	N	N	N	100	700	200	2,000
79M1223X	446,900	4,693,500	647	15	N	N	N	N	150	1,500	200	3,000
78M142X	461,800	4,693,500	648	20	N	10	10	N	70	700	200	3,000
78L6008X	573,402	4,693,620	649	20	N	N	N	N	30	300	150	5,000
80M1333X	500,750	4,693,650	650	20	N	10	10	N	300	700	500	10,000
78M598X	460,100	4,693,700	651	20	N	30	30	N	150	1,500	500	10,000
80M1319X	489,800	4,693,800	652	20	N	10	10	N	300	700	700	10,000
79M1224X	445,100	4,693,850	653	15	N	10	10	N	50	300	200	5,000
79M1004X	540,250	4,693,850	654	15	N	10	10	N	150	300	200	7,000
79M841X	560,750	4,693,900	655	15	N	N	N	N	100	500	150	10,000
78M086X	457,600	4,694,000	656	20	N	40	40	N	100	200	300	7,000
79M997X	532,600	4,694,100	657	20	<200	120	120	N	150	150	500	>10,000
78M083X	454,100	4,694,300	658	30	N	<10	<10	N	100	7,000	20	5,000
K363X	424,200	4,694,350	659	30	N	20	20	N	200	300	300	10,000
79M1005X	537,900	4,694,400	660	20	300	160	160	N	150	200	200	>10,000
K359X	425,200	4,694,450	661	20	N	30	30	N	150	300	300	7,000
80M1300X	436,450	4,694,450	662	30	N	N	N	N	150	100	500	5,000
78M141X	465,800	4,694,500	663	20	N	N	N	N	100	500	200	>10,000
78M138X	472,700	4,694,600	664	30	N	N	N	N	70	1,000	200	5,000
78M555X	482,700	4,694,600	665	20	N	60	60	N	100	300	700	5,000
78M558X	491,100	4,694,600	666	20	N	60	60	N	200	700	500	7,000
80M1405X	523,750	4,694,650	667	20	N	N	N	N	100	100	150	>10,000
78M606X	486,800	4,694,700	668	20	N	30	30	N	100	150	1,000	10,000
80M1353X	518,300	4,694,800	669	30	N	<10	<10	N	200	150	500	10,000
78L6020X	550,548	4,694,810	670	30	N	N	N	N	200	500	300	10,000
78M082X	450,900	4,695,100	671	20	N	N	N	N	70	3,000	20	2,000
79M1225X	442,950	4,695,250	672	20	N	<10	<10	N	150	500	300	7,000
78M143X	462,500	4,695,300	673	15	N	N	N	N	100	1,000	500	3,000
78M602X	478,000	4,695,300	674	20	N	N	N	N	150	300	500	10,000
78M136X	478,100	4,695,300	675	20	N	10	10	N	100	300	300	5,000

Sample	Mo-ppm S	Ni-ppm S	Pb-ppm S	Sb-ppm S	Sn-ppm S	W-ppm S	Y-ppm S	Zn-ppm S
79M849X	N	100	50	N	N	N	200	200
79M998X	N	50	30	N	N	N	10	200
80M1409X	N	70	<20	N	N	N	<10	300
K358X	N	30	50	N	N	N	--	N
80M1395X	N	150	70	N	N	N	20	200
80M1324X	N	150	20	N	N	N	15	200
78LG006X	N	100	100	N	N	N	100	<200
79M1227X	N	150	20	N	10	N	70	300
78M144X	N	100	70	N	N	N	100	300
78M551X	N	100	30	N	N	N	100	300
79M842X	N	200	70	N	N	N	70	<200
79M848X	N	200	70	N	N	N	100	200
80M1321X	N	300	30	N	N	N	15	200
78M552X	N	200	20	N	N	N	70	300
78M553X	N	500	30	N	N	N	70	300
79M1226X	N	200	<20	N	N	N	10	<200
79M1223X	N	1,500	<20	N	N	N	50	<200
78M142X	7	200	100	N	N	N	70	300
78LG008X	N	100	70	N	N	N	<10	200
80M1333X	N	300	50	N	N	N	30	200
78M598X	30	700	70	N	N	N	150	500
80M1319X	N	700	50	N	N	N	70	700
79M1224X	N	200	20	N	N	N	10	200
79M1004X	N	150	20	N	N	N	<10	200
79M841X	N	150	50	N	N	N	150	<200
78M086X	<5	500	100	N	N	N	30	500
79M997X	5	70	70	N	N	N	20	500
78M083X	N	1,500	30	N	N	N	30	<200
K363X	N	300	100	N	N	N	--	500
79M1005X	N	150	50	N	N	N	30	200
K359X	N	300	70	N	N	N	--	500
80M1300X	N	70	20	N	N	N	70	300
78M141X	N	150	100	N	N	N	100	500
78M138X	N	100	70	N	N	N	100	300
78M555X	N	100	50	N	N	N	N	300
78M558X	<5	300	70	N	N	N	10	500
80M1405X	N	50	50	N	N	N	10	300
78M606X	N	70	20	N	N	N	N	500
80M1353X	N	100	70	N	N	N	20	300
78LG020X	N	500	150	N	N	N	500	200
78M082X	N	1,500	N	N	N	N	N	N
79M1225X	N	300	20	N	N	N	70	200
78M143X	5	200	70	N	N	N	20	200
78M602X	N	150	50	N	N	N	<10	500
78M136X	N	100	30	N	N	N	30	300

Sample	X coordinate	Y coordinate	Map_no.	Fe-pct. %	Ag-ppm s	As-ppm s	As-ppm cm	Cd-ppm s	Co-ppm s	Cr-ppm s	Cu-ppm s	Mn-ppm s
78M599X	458,600	4,695,400	676	20	N	N	40	N	100	500	200	>10,000
78M604X	483,700	4,695,400	677	20	N	N	80	N	200	300	1,000	10,000
80M1355X	516,550	4,695,400	678	30	N	N	N	N	150	300	200	7,000
79M1236X	553,150	4,695,400	679	30	N	N	N	N	100	150	200	10,000
78M607X	488,100	4,695,500	680	20	N	N	40	N	100	500	1,000	7,000
78M137X	473,700	4,695,600	681	15	N	N	N	N	70	300	300	5,000
78M605X	486,300	4,695,600	682	20	N	N	60	N	100	500	700	5,000
79M850X	565,600	4,695,650	683	20	N	N	N	N	70	300	150	7,000
K351X	428,250	4,695,700	684	20	N	N	<10	N	150	700	500	7,000
78M139X	470,700	4,695,700	685	20	N	N	N	N	100	300	500	>10,000
78M087X	456,700	4,695,800	686	20	N	N	30	N	150	200	500	10,000
80M1320X	492,600	4,695,800	687	20	N	N	20	N	200	700	700	10,000
79M1196X	524,650	4,695,850	688	30	N	N	<10	N	150	150	150	10,000
78M088X	453,700	4,696,000	689	20	1.5	N	30	N	100	300	700	>10,000
80M1354X	518,600	4,696,050	690	30	N	N	10	N	200	150	500	>10,000
78M603X	480,200	4,696,200	691	20	N	N	<10	N	150	700	500	7,000
78M095X	443,500	4,696,300	692	20	<.5	N	N	N	100	300	300	5,000
78M096X	447,100	4,696,300	693	30	1.0	N	N	N	150	700	500	7,000
80M1406X	522,400	4,696,300	694	20	N	N	N	N	200	150	500	>10,000
80M1322X	494,900	4,696,350	695	20	N	N	N	N	150	700	700	7,000
79M1015X	542,700	4,696,500	696	20	N	N	N	N	150	300	200	7,000
79M1021X	534,100	4,696,550	697	20	N	N	30	N	150	150	700	10,000
K355X	434,650	4,696,600	698	20	N	N	N	N	150	300	300	5,000
K334X	424,750	4,696,650	699	20	N	N	20	N	100	500	100	5,000
K354X	431,950	4,696,650	700	20	N	N	N	N	200	700	500	3,000
80M1326X	501,550	4,696,750	701	30	N	N	30	N	150	1,000	300	5,000
79M1194X	561,150	4,696,750	702	20	N	N	N	N	100	300	200	7,000
79M1204X	439,300	4,696,800	703	20	N	N	N	N	100	1,000	20	3,000
79M1012X	546,800	4,696,950	704	30	N	N	N	N	150	500	200	7,000
79M1006X	540,650	4,697,100	705	30	N	N	10	N	150	300	300	10,000
80M1327X	498,300	4,697,350	706	30	N	N	20	N	200	1,500	500	7,000
K333X	421,750	4,697,600	707	30	N	N	20	N	150	300	200	7,000
79M1007X	538,400	4,697,950	708	20	N	N	N	N	150	300	300	>10,000
79M1203X	433,600	4,698,100	709	20	N	N	N	N	70	200	100	3,000
78M089X	454,500	4,698,300	710	20	N	N	N	N	100	200	200	7,000
78M619X	477,900	4,698,300	711	20	N	N	10	N	50	300	500	1,500
79M1198X	526,650	4,698,350	712	30	N	N	<10	N	150	70	150	7,000
78M149X	463,200	4,698,400	713	15	N	N	N	N	70	300	500	7,000
78M563X	483,900	4,698,600	714	20	N	N	<10	N	150	700	500	5,000
78M090X	457,500	4,698,900	715	30	N	N	10	N	300	3,000	200	7,000
78M618X	475,400	4,698,900	716	30	N	N	N	N	100	500	1,000	5,000
80M1325X	499,400	4,698,900	717	30	N	N	N	N	300	2,000	200	7,000
80M1328X	500,650	4,698,900	718	20	N	N	10	N	150	700	700	5,000
79M1011X	546,100	4,698,900	719	20	N	N	N	N	70	200	150	7,000
79M1022X	534,650	4,698,950	720	20	N	N	60	N	150	300	150	10,000

Sample	Mo-ppm s	Ni-ppm s	Pb-ppm s	Sb-ppm s	Sn-ppm s	W-ppm s	Y-ppm s	Zn-ppm s
78M599X	7	200	70	N	N	N	50	500
78M604X	N	200	50	N	N	N	N	500
80M1355X	N	150	50	N	N	N	<10	200
79M1236X	N	150	50	N	N	N	200	200
78M607X	N	100	70	N	N	N	N	500
78M137X	N	100	30	N	N	N	20	300
78M605X	N	100	50	N	N	N	15	300
79M850X	N	70	50	N	N	N	150	<200
K351X	N	300	70	N	N	N	--	300
78M139X	N	150	100	N	N	N	10	700
78M087X	7	700	100	N	N	N	100	1,000
80M1320X	N	700	50	N	N	N	<10	200
79M1196X	N	70	50	N	N	N	N	300
78M088X	5	700	100	N	N	N	100	1,500
80M1354X	N	100	100	N	N	N	<10	300
78M603X	N	150	50	N	N	N	30	300
78M095X	N	100	30	N	N	N	70	200
78M096X	N	200	30	N	N	N	150	300
80M1406X	N	100	<20	N	N	N	<10	200
80M1322X	N	500	30	N	N	N	20	<200
79M1015X	N	150	50	N	N	N	500	200
79M1021X	N	100	<20	N	N	N	<10	200
K355X	N	70	70	N	N	N	--	<200
K334X	7	150	70	N	N	N	--	N
K354X	N	100	50	N	N	N	--	<200
80M1326X	N	300	50	N	N	N	70	200
79M1194X	N	500	70	N	N	N	100	200
79M1204X	N	3,000	<20	N	N	N	15	N
79M1012X	N	150	70	N	N	N	300	500
79M1006X	N	150	70	N	N	N	100	300
80M1327X	N	700	70	N	N	N	70	200
K333X	N	150	100	N	N	N	--	200
79M1007X	N	300	70	N	N	N	300	300
79M1203X	N	50	N	N	N	N	50	N
78M089X	N	150	N	N	N	N	10	200
78M619X	N	70	50	N	N	N	15	300
79M1198X	N	70	20	N	N	N	<10	200
78M149X	N	100	100	N	N	N	50	700
78M563X	N	150	20	N	N	N	50	300
78M090X	N	3,000	<20	N	N	N	70	200
78M618X	N	100	100	N	N	N	20	300
80M1325X	N	700	<20	N	N	N	50	300
80M1328X	N	200	30	N	N	N	<10	200
79M1011X	N	100	100	N	N	N	300	200
79M1022X	N	100	100	N	N	N	100	300

Sample	X coor- dinate	Y coor- dinate	Map_no.	Fe-pct. s	Ag-ppm s	As-ppm s	As-ppm cm	Cd-ppm s	Co-ppm s	Cr-ppm s	Cu-ppm s	Mn-ppm s
79M1013X	548,550	4,698,950	721	30	N	N	N	N	150	500	200	10,000
79M1200X	440,600	4,699,000	722	20	N	N	N	N	<5	1,000	<5	200
78M615X	486,700	4,699,000	723	20	N	N	30	N	150	500	500	7,000
78LG017X	564,620	4,699,140	724	20	N	N	N	N	150	700	300	10,000
78M151X	461,200	4,699,400	725	20	N	N	N	N	100	1,000	500	5,000
79M1199X	527,300	4,699,450	726	30	N	N	60	N	150	200	200	10,000
79M1185X	568,500	4,699,450	727	20	N	N	N	N	150	200	200	7,000
78M094X	445,600	4,699,500	728	20	N	N	10	N	100	200	500	10,000
78M148X	465,500	4,699,600	729	20	N	N	N	N	70	1,000	70	5,000
79M1272X	429,900	4,699,700	730	10	N	N	N	N	30	150	300	1,500
78M150X	459,800	4,699,700	731	20	1.0	N	60	N	100	300	500	7,000
78M564X	481,700	4,699,700	732	20	N	N	<10	N	150	500	300	5,000
79M1201X	434,700	4,699,750	733	10	N	N	N	N	50	100	200	2,000
79M1018X	531,000	4,699,800	734	20	N	N	20	N	200	150	700	>10,000
78M092X	448,500	4,699,900	735	20	N	N	N	N	100	1,000	300	10,000
78M145X	472,000	4,700,000	736	30	N	N	N	N	150	700	200	>10,000
80M1407X	523,100	4,700,000	737	20	N	N	<10	N	150	100	300	>10,000
78M146X	467,900	4,700,100	738	20	N	N	N	N	100	300	500	>10,000
78M608X	489,600	4,700,100	739	20	N	N	60	N	100	500	700	5,000
78M561X	497,000	4,700,100	740	20	N	N	40	N	200	700	700	7,000
79M1208X	439,550	4,700,250	741	20	N	N	N	N	150	1,000	100	3,000
80M1332X	507,850	4,700,300	742	30	N	N	N	N	150	500	300	7,000
79M1014X	544,400	4,700,300	743	20	N	N	N	N	150	500	200	7,000
78M091X	450,600	4,700,400	744	30	<.5	N	N	N	500	5,000	150	7,000
78M611X	493,000	4,700,500	745	20	N	N	20	N	100	200	1,000	7,000
79M1008X	538,900	4,700,600	746	50	N	N	N	N	150	300	300	2,000
79M1009X	540,000	4,700,700	747	30	N	N	N	N	200	500	200	10,000
79M1202X	432,750	4,701,050	748	20	N	N	N	N	70	200	200	3,000
78M156X	468,800	4,701,300	749	20	N	N	N	N	100	500	200	10,000
79M1205X	440,550	4,701,450	750	30	N	N	N	N	100	700	15	5,000
78M147X	466,000	4,701,500	751	30	N	N	N	N	100	1,000	50	7,000
79M1010X	547,250	4,701,850	752	20	N	N	N	N	150	300	200	7,000
79M1197X	524,250	4,702,000	753	30	N	N	N	N	150	100	150	7,000
78M610X	483,800	4,702,100	754	20	N	N	N	N	200	300	700	7,000
79M1273X	435,300	4,702,250	755	10	N	N	N	N	20	100	200	1,000
79M497X	494,750	4,702,250	756	20	N	N	10	N	100	200	500	3,000
80M1408X	527,850	4,702,250	757	30	N	N	10	N	150	150	200	10,000
78M600X	458,500	4,702,400	758	20	N	N	N	N	150	700	500	7,000
78M565X	480,300	4,702,500	759	20	N	N	N	N	100	2,000	300	5,000
80M1329X	502,750	4,702,500	760	30	N	N	10	N	100	500	200	7,000
80M1330X	504,850	4,702,500	761	30	N	N	10	N	200	500	200	10,000
78LG064X	563,651	4,702,560	762	30	N	N	N	N	200	300	150	7,000
78M101X	447,600	4,702,600	763	20	N	N	<10	N	70	200	200	5,000
79M1019X	532,350	4,702,650	764	15	N	N	30	N	150	300	500	>10,000
78M620X	474,800	4,702,700	765	30	1.0	N	N	N	200	500	500	7,000

Sample	Mo-ppm s	Ni-ppm s	Pb-ppm s	Sb-ppm s	Sn-ppm s	W-ppm s	Y-ppm s	Zn-ppm s
79M1013X	N	200	50	N	N	N	300	200
79M1200X	N	30	N	N	N	N	15	<200
78M615X	N	150	70	N	N	N	20	500
78L6017X	N	500	100	N	N	N	100	500
78M151X	N	300	50	N	N	N	50	300
79M1199X	N	100	150	N	N	N	50	200
79M1185X	N	300	70	N	N	N	150	200
78M094X	N	200	20	N	N	N	N	500
78M148X	N	100	70	N	N	N	100	500
79M1272X	N	300	<20	N	N	N	N	N
78M150X	15	500	100	N	N	N	70	700
78M564X	N	100	50	N	N	N	150	500
79M1201X	N	50	N	N	N	N	<10	N
79M1018X	N	100	70	N	N	N	10	200
78M092X	N	1,000	<20	N	N	N	20	300
78M145X	N	100	100	N	N	N	50	500
80M1407X	N	70	70	N	N	N	15	300
78M146X	N	100	70	N	N	N	30	500
78M608X	N	100	70	N	N	N	30	300
78M561X	N	500	70	N	N	N	15	300
79M1208X	N	3,000	<20	N	N	N	20	N
80M1332X	N	200	30	N	N	N	10	300
79M1014X	N	150	50	N	N	N	150	200
78M091X	N	10,000	<20	N	N	N	100	300
78M611X	N	70	30	N	N	N	N	200
79M1008X	N	150	50	N	N	N	150	300
79M1009X	N	200	70	N	N	N	150	200
79M1202X	N	50	N	N	N	N	N	<200
78M156X	N	100	100	N	N	N	100	300
79M1205X	N	3,000	N	N	N	N	20	<200
78M147X	N	100	50	N	N	N	70	500
79M1010X	N	150	70	N	N	N	200	<200
79M1197X	N	70	20	N	N	N	N	300
78M610X	N	100	20	N	N	N	100	500
79M1273X	N	300	<20	N	N	N	N	N
79M497X	N	150	70	N	N	N	50	<200
80M1408X	N	70	20	N	N	N	10	300
78M600X	<5	200	20	N	N	N	70	<200
78M565X	N	200	100	N	70	N	30	500
80M1329X	N	200	100	N	N	N	150	500
80M1330X	N	200	100	N	N	N	20	300
78L6064X	N	700	50	N	N	N	100	300
78M101X	N	150	50	N	N	N	20	500
79M1019X	N	150	20	N	N	N	10	<200
78M620X	N	500	50	N	N	N	50	300

Sample	X coord- dinate	Y coord- dinate	Map_no.	Fe-pct. s	Ag-ppm s	As-ppm s	As-ppm cm	Cd-ppm s	Co-ppm s	Cr-ppm s	Cu-ppm s	Mn-ppm s
79M1016X	537,600	4,702,700	766	20	N	N	N	N	150	500	200	7,000
79M1184X	570,200	4,702,700	767	20	N	N	N	N	70	150	150	5,000
78M670X	471,200	4,702,800	768	30	N	N	N	N	70	1,000	500	10,000
78M616X	487,300	4,702,800	769	20	N	N	N	N	100	700	500	5,000
78M106X	456,800	4,702,900	770	30	N	N	10	N	200	700	700	10,000
78M621X	478,600	4,702,900	771	30	N	N	<10	N	100	200	300	7,000
78M609X	490,400	4,702,900	772	20	N	N	10	N	150	500	700	10,000
79M498X	499,100	4,702,900	773	20	N	N	20	N	150	500	500	3,000
78M612X	494,000	4,703,000	774	20	N	N	30	N	100	300	700	7,000
78L605X	560,617	4,703,020	775	20	N	N	N	N	200	300	150	>10,000
79M1207X	439,550	4,703,050	776	30	N	N	N	N	70	1,000	10	5,000
79M1017X	534,350	4,703,200	777	15	N	N	10	N	100	200	150	3,000
78M093X	444,400	4,703,400	778	30	N	N	N	N	150	1,000	1,000	10,000
79M1030X	544,250	4,703,400	779	30	N	N	<10	N	200	500	150	7,000
78M104X	452,600	4,703,500	780	30	N	N	N	N	300	3,000	200	10,000
80M1331X	514,700	4,703,550	781	30	N	N	N	N	150	100	300	10,000
79M1274X	429,750	4,703,800	782	20	N	N	<10	N	50	200	300	3,000
78M102X	449,000	4,703,900	783	30	N	N	20	N	150	2,000	300	7,000
78M152X	461,200	4,704,000	784	30	N	N	<10	N	150	1,500	500	5,000
78M562X	494,600	4,704,000	785	20	<.5	N	20	N	100	300	700	5,000
79M1041X	526,950	4,704,150	786	30	N	N	10	N	150	300	300	10,000
79M1031X	540,450	4,704,150	787	20	N	N	N	N	150	500	150	7,000
78M100X	445,300	4,704,300	788	20	1.0	N	N	N	100	1,000	700	5,000
78M103X	457,400	4,704,400	789	20	N	N	<10	N	100	1,500	300	7,000
78M601X	458,400	4,704,400	790	30	N	N	20	N	150	700	700	>10,000
78M105X	454,000	4,704,800	791	30	N	N	N	N	500	3,000	150	7,000
79M1276X	420,050	4,704,900	792	15	N	N	30	N	20	300	150	3,000
79M1206X	440,400	4,704,900	793	20	N	N	10	N	150	1,000	200	3,000
78L6021X	555,180	4,704,950	794	30	N	N	N	N	300	500	300	10,000
78M155X	468,200	4,705,000	795	30	N	N	20	N	300	700	500	>10,000
80M1306X	437,250	4,705,050	796	20	N	N	N	N	100	50	1,000	5,000
79M1275X	423,600	4,705,100	797	20	N	N	30	N	70	300	300	3,000
79M1020X	537,300	4,705,100	798	20	N	N	20	N	150	300	150	7,000
80M1410X	525,150	4,705,200	799	30	N	N	20	N	150	200	300	>10,000
79M1155X	503,500	4,705,250	800	30	N	N	20	N	150	300	200	>10,000
78M154X	462,300	4,705,300	801	20	N	N	N	N	100	1,000	500	5,000
80M1304X	433,600	4,705,450	802	20	N	N	N	N	70	150	500	5,000
78M671X	476,800	4,705,500	803	20	N	N	10	N	500	3,000	500	10,000
79M499X	498,500	4,705,500	804	20	N	N	20	N	100	200	500	3,000
79M1238X	486,300	4,705,550	805	20	N	N	N	N	150	300	300	>10,000
78M099X	447,200	4,705,600	806	20	<.5	N	20	N	150	700	500	10,000
78M153X	464,100	4,705,700	807	30	N	N	N	N	200	700	200	7,000
78M657X	480,400	4,705,700	808	30	N	N	<10	N	300	500	500	>10,000
78M617X	482,300	4,705,700	809	30	N	N	N	N	150	1,000	500	7,000
79M1154X	500,100	4,705,700	810	30	N	N	20	N	150	300	700	7,000

Sample	Mo-ppm s	Ni-ppm s	Pb-ppm s	Sb-ppm s	Sn-ppm s	W-ppm s	Y-ppm s	Zn-ppm s
79M1016X	N	150	50	N	N	N	300	200
79M1184X	N	200	30	N	N	N	100	200
78M670X	N	100	150	N	N	N	70	500
78M616X	N	100	70	N	N	N	50	300
78M106X	N	200	100	N	N	N	100	500
78M621X	N	70	50	N	N	N	200	1,000
78M609X	N	150	50	N	N	N	15	300
79M498X	N	300	50	N	N	N	10	<200
78M612X	7	100	20	N	N	N	N	500
78LG065X	N	300	70	N	N	N	70	200
79M1207X	N	3,000	20	N	N	N	20	<200
79M1017X	N	100	20	N	N	N	15	<200
78M093X	N	500	20	N	N	N	15	300
79M1030X	N	200	50	N	N	N	150	200
78M104X	N	10,000	20	N	N	N	100	300
80M1331X	N	50	20	N	N	N	10	300
79M1274X	N	300	20	N	N	N	N	N
78M102X	5	2,000	50	N	N	N	20	500
78M152X	N	300	100	N	N	N	100	500
78M562X	N	100	30	N	N	N	<10	300
79M1041X	N	100	50	N	N	N	70	200
79M1031X	N	200	30	N	N	N	200	200
78M100X	5	500	<20	N	N	N	10	300
78M103X	N	2,000	30	N	N	N	50	200
78M601X	15	700	70	N	N	N	150	1,000
78M105X	N	10,000	<20	N	N	N	50	300
79M1276X	N	200	70	N	N	N	30	N
79M1206X	N	5,000	20	N	N	N	20	N
78LG021X	N	500	70	N	N	N	150	700
78M155X	N	200	100	N	N	N	150	1,000
80M1306X	N	30	<20	N	N	N	15	<200
79M1275X	N	300	100	N	N	N	50	200
79M1020X	N	200	50	N	N	N	150	200
80M1410X	N	70	100	N	N	N	30	500
79M1155X	N	300	100	N	N	N	150	500
78M154X	N	200	70	N	N	N	50	200
80M1304X	N	30	20	N	N	N	50	<200
78M671X	N	3,000	70	N	N	N	70	300
79M499X	N	150	50	N	N	N	15	<200
79M1238X	N	150	50	N	N	N	20	<200
78M099X	N	700	70	N	N	N	70	500
78M153X	N	150	100	N	N	N	300	500
78M657X	N	150	20	N	N	N	100	300
78M617X	N	500	20	N	N	N	100	500
79M1154X	N	200	70	N	N	N	70	300

Sample	X coordinate	Y coordinate	Map_no.	Fe-pct. %	Ag-ppm	As-ppm	As-ppm cm	Cd-ppm	Co-ppm	Cr-ppm	Cu-ppm	Mn-ppm
78M622X	474,700	4,705,800	811	20	N	N	N	N	150	1,500	500	5,000
78M613X	492,900	4,705,800	812	20	N	N	60	N	100	200	500	5,000
79M1035X	535,600	4,705,800	813	20	N	N	10	N	200	500	150	>10,000
80M1305X	438,200	4,705,900	814	20	N	N	N	N	100	<50	500	>10,000
79M1033X	539,050	4,705,950	815	20	N	N	N	N	150	700	150	10,000
79M1040X	527,600	4,706,300	816	20	N	N	10	N	150	200	500	7,000
79M1248X	509,150	4,706,350	817	20	N	N	N	N	150	200	300	5,000
78M198X	434,800	4,706,400	818	20	N	N	N	N	300	1,000	100	>10,000
78M656X	472,900	4,706,500	819	20	N	N	N	N	200	1,500	700	7,000
78M614X	490,000	4,706,500	820	15	N	N	20	N	100	500	700	5,000
79M1146X	515,650	4,706,600	821	20	N	N	40	N	150	200	150	10,000
79M1247X	507,800	4,706,650	822	20	N	N	N	N	150	500	300	5,000
78LG013X	566,697	4,706,670	823	20	N	N	N	N	150	200	200	>10,000
78M098X	449,800	4,706,800	824	20	N	N	10	N	100	1,500	200	5,000
79M1037X	531,250	4,706,950	825	20	N	N	N	N	150	300	150	7,000
78M163X	458,900	4,707,100	826	30	.5	N	N	N	200	700	70	5,000
79M496X	496,250	4,707,200	827	20	N	N	30	N	100	150	700	3,000
78M123X	456,700	4,707,400	828	20	N	N	N	N	100	1,000	700	7,000
79M1034X	534,650	4,707,400	829	30	N	N	20	N	200	700	150	>10,000
78M097X	450,700	4,707,800	830	20	N	N	30	N	100	500	500	10,000
79M1149X	505,550	4,707,800	831	30	N	N	20	N	150	300	300	7,000
79M1032X	538,400	4,707,850	832	20	N	N	N	N	150	500	150	5,000
78M112X	440,500	4,708,000	833	20	N	N	N	N	200	1,500	500	7,000
80M1411X	519,350	4,708,000	834	20	N	N	N	N	150	150	300	7,000
79M1242X	486,800	4,708,250	835	20	N	N	<10	N	70	200	300	3,000
79M1029X	549,350	4,708,300	836	20	N	N	N	N	150	500	150	5,000
78M632X	468,400	4,708,600	837	20	N	N	N	N	70	1,000	200	5,000
78M748X	556,400	4,708,600	838	20	N	N	N	N	100	150	200	10,000
79M1036X	531,650	4,708,750	839	15	N	N	N	N	150	300	200	3,000
79M484X	493,250	4,708,850	840	20	N	N	80	N	100	150	500	3,000
78M157X	464,900	4,708,900	841	30	N	N	N	N	200	700	500	10,000
79M495X	497,950	4,708,900	842	20	N	N	10	N	100	200	500	3,000
79M1153X	500,300	4,708,900	843	30	N	N	20	N	150	500	200	>10,000
79M1090X	522,950	4,708,900	844	20	N	N	30	N	100	150	200	10,000
79M1241X	483,650	4,708,950	845	20	N	N	<10	N	150	1,000	500	3,000
80M1302X	435,650	4,709,000	846	20	N	N	N	N	100	200	300	5,000
78M623X	475,100	4,709,000	847	30	N	N	<10	N	100	1,000	200	2,000
79M1156X	507,850	4,709,000	848	20	N	N	N	N	150	500	200	7,000
79M1038X	529,500	4,709,050	849	20	N	N	30	N	150	200	300	10,000
78M162X	462,800	4,709,100	850	30	N	N	20	N	100	700	500	7,000
80M1303X	439,200	4,709,150	851	20	N	N	N	N	200	300	1,000	7,000
79M1144X	515,600	4,709,300	852	20	N	N	<10	N	150	150	500	>10,000
79M1239X	481,750	4,709,350	853	30	N	N	N	N	150	500	300	>10,000
79M1145X	511,450	4,709,350	854	15	N	N	N	N	150	300	300	5,000
78M189X	425,100	4,709,400	855	20	N	N	30	N	100	200	300	7,000

Sample	Mo-ppm s	Ni-ppm s	Pb-ppm s	Sb-ppm s	Sn-ppm s	W-ppm s	Y-ppm s	Zn-ppm s
78M622X	N	500	20	N	N	N	15	200
78M613X	15	70	70	N	N	N	50	300
79M1035X	N	150	30	N	N	N	150	<200
80M1305X	N	30	<20	N	N	N	70	200
79M1033X	N	150	30	N	N	N	300	<200
79M1040X	N	50	70	N	N	N	100	300
79M1248X	N	200	20	N	N	N	10	200
78M198X	N	100	20	N	N	N	10	200
78M656X	N	1,000	20	N	N	N	20	200
78M614X	5	100	50	N	N	N	30	300
79M1146X	N	150	70	N	N	N	<10	300
79M1247X	N	300	100	N	N	N	30	<200
78L6013X	N	300	100	N	N	N	100	300
78M098X	N	1,000	50	N	N	N	30	300
79M1037X	N	100	30	N	N	N	15	<200
78M163X	N	200	<20	N	N	N	100	300
79M496X	N	70	20	N	N	N	10	<200
78M123X	N	700	20	N	N	N	30	200
79M1034X	N	200	30	N	N	N	100	<200
78M097X	15	200	100	N	N	N	70	500
79M1149X	N	300	100	N	N	N	70	300
79M1032X	N	150	30	N	N	N	200	200
78M112X	10	2,000	20	N	N	N	50	200
80M1411X	N	100	<20	N	N	N	10	200
79M1242X	N	200	150	N	N	N	50	200
79M1029X	N	150	50	N	N	N	200	<200
78M632X	N	150	100	N	N	N	200	300
78M748X	N	150	70	N	N	N	70	500
79M1036X	N	150	50	N	N	N	50	200
79M484X	N	150	50	N	N	N	50	300
78M157X	N	100	70	N	N	N	200	500
79M495X	N	70	70	N	N	N	70	200
79M1153X	N	300	100	N	10	N	100	300
79M1090X	N	50	70	N	N	N	30	200
79M1241X	N	300	20	N	N	N	50	200
80M1302X	N	300	50	N	N	N	20	200
78M623X	N	200	70	N	N	N	50	300
79M1156X	N	200	50	N	N	N	50	700
79M1038X	N	70	70	N	N	N	150	300
78M162X	N	150	100	N	N	N	200	500
80M1303X	N	150	20	N	N	N	100	200
79M1144X	N	100	30	N	N	N	<10	300
79M1239X	N	200	<20	N	N	N	150	<200
79M1145X	N	200	20	N	N	N	<10	<200
78M189X	N	150	100	N	N	N	50	500

Sample	X coordinate	Y coordinate	Map_no.	Fe-pct. %	Ag-ppm %	As-ppm %	As-ppm cm	Cd-ppm %	Co-ppm %	Cr-ppm %	Cu-ppm %	Mn-ppm %
78M111X	446,600	4,709,400	856	20	N	N	<10	N	150	1,000	700	7,000
79M1237X	488,750	4,709,450	857	15	N	N	N	N	100	300	300	5,000
78M124X	453,200	4,709,500	858	20	N	N	10	N	150	1,000	7,000	7,000
78M753X	560,300	4,709,500	859	20	.7	N	N	N	70	300	100	3,000
78M114X	443,500	4,709,700	860	20	.5	N	N	N	100	500	700	3,000
78M624X	476,000	4,709,700	861	20	N	N	N	N	150	700	500	5,000
79M1157X	512,400	4,709,700	862	20	N	N	<10	N	150	300	200	5,000
78M188X	422,700	4,709,800	863	20	N	N	40	N	200	200	300	>10,000
78M625X	472,800	4,709,900	864	20	N	N	<10	N	300	2,000	500	10,000
80M1400X	510,100	4,709,950	865	20	N	N	N	N	100	200	200	5,000
79M494X	498,100	4,710,050	866	20	N	N	N	N	200	100	500	5,000
79M1089X	526,800	4,710,100	867	30	N	N	20	N	70	300	200	3,000
79M1039X	527,550	4,710,250	868	30	N	N	10	N	150	300	200	>10,000
80M1301X	430,200	4,710,400	869	20	N	N	10	N	150	300	300	>10,000
78M196X	436,000	4,710,400	870	20	N	N	N	N	150	150	500	>10,000
78M118X	459,200	4,710,400	871	30	N	N	20	N	200	2,000	500	10,000
79M500X	494,850	4,710,550	872	20	N	N	N	N	100	200	300	3,000
78M626X	476,400	4,710,600	873	20	N	N	10	N	200	1,500	500	5,000
78M627X	475,200	4,710,700	874	20	N	N	N	N	200	1,000	700	7,000
79M472X	490,600	4,710,750	875	20	N	N	30	N	150	300	500	5,000
79M473X	491,950	4,710,750	876	20	N	N	60	N	100	200	700	3,000
78M258X	573,500	4,710,800	877	15	N	N	N	N	50	150	150	7,000
78M197X	439,600	4,710,900	878	30	N	N	N	N	150	700	200	2,000
78M663X	486,500	4,711,000	879	30	N	N	N	N	200	1,000	700	10,000
78M109X	453,200	4,711,100	880	30	N	N	N	N	150	200	500	10,000
78M107X	456,000	4,711,300	881	20	N	N	30	N	150	1,500	500	7,000
78M661X	484,400	4,711,300	882	20	N	N	N	N	150	500	500	>10,000
78M159X	462,800	4,711,400	883	30	N	N	40	N	150	500	700	10,000
78M187X	423,400	4,711,500	884	15	N	N	20	N	50	200	30	5,000
78M116X	445,500	4,711,500	885	30	N	N	N	N	150	1,500	500	3,000
78M117X	447,000	4,711,500	886	20	N	N	N	N	100	1,000	700	5,000
79M1147X	507,300	4,711,500	887	20	N	N	N	N	100	200	150	7,000
79M1091X	521,850	4,711,600	888	30	N	N	N	N	100	100	500	7,000
79M1240X	480,450	4,711,650	889	20	N	N	<10	N	200	2,000	300	3,000
79M1152X	502,300	4,711,650	890	30	N	N	<10	N	150	700	300	7,000
78M113X	440,000	4,711,700	891	15	N	N	N	N	100	300	300	7,000
79M1128X	512,850	4,711,750	892	20	N	N	N	N	100	200	200	5,000
78M186X	420,700	4,711,900	893	30	N	N	<10	N	150	1,000	200	5,000
78M170X	466,600	4,712,000	894	20	N	N	N	N	100	500	200	10,000
79M1150X	505,300	4,712,000	895	20	N	N	10	N	100	300	300	5,000
78M257X	569,800	4,712,000	896	20	N	N	N	N	70	300	150	5,000
78M628X	471,700	4,712,200	897	20	N	N	30	N	300	2,000	300	5,000
78M110X	450,400	4,712,300	898	20	N	N	30	N	100	200	300	>10,000
78M256X	573,200	4,712,500	899	20	N	N	N	N	100	300	150	10,000
78M743X	543,700	4,712,800	900	30	N	N	N	N	300	1,000	300	>10,000

Sample	Mo-ppm s	Ni-ppm s	Pb-ppm s	Sb-ppm s	Sn-ppm s	W-ppm s	Y-ppm s	Zn-ppm s
78M111X	N	700	20	N	N	N	20	300
79M1237X	N	150	70	N	N	N	70	<200
78M124X	N	700	30	N	N	N	50	500
78M753X	N	200	<20	N	N	N	10	200
78M114X	N	200	<20	N	N	N	N	200
78M624X	N	200	<20	N	N	N	150	300
79M1157X	N	200	20	N	N	N	10	200
78M188X	N	200	100	N	N	N	100	500
78M625X	N	700	20	N	N	N	30	200
80M1400X	N	150	30	N	N	N	10	200
79M494X	N	100	30	N	N	N	50	<200
79M1089X	N	50	100	N	N	N	300	300
79M1039X	N	70	100	N	N	N	150	300
80M1301X	N	500	200	N	N	N	150	500
78M196X	N	70	70	N	N	N	300	500
78M118X	7	1,500	100	N	N	N	70	500
79M500X	N	100	100	N	N	N	70	200
78M626X	N	500	<20	N	N	N	N	300
78M627X	N	300	20	N	N	N	100	300
79M472X	N	200	70	N	N	N	70	<200
79M473X	30	300	70	N	N	N	50	2,000
78M258X	5	100	70	N	N	N	100	300
78M197X	<5	70	30	N	N	N	200	500
78M663X	N	300	200	N	N	N	200	700
78M109X	N	70	50	N	N	N	100	300
78M107X	<5	1,500	70	N	N	N	<10	500
78M661X	N	100	100	N	N	N	30	300
78M159X	15	300	100	N	N	N	100	1,000
78M187X	N	70	100	N	N	N	30	<200
78M116X	N	700	<20	N	N	N	10	200
78M117X	N	700	<20	N	N	N	N	300
79M1147X	N	200	20	N	20	N	N	300
79M1091X	N	30	50	N	N	N	50	300
79M1240X	N	3,000	30	N	N	N	70	<200
79M1152X	N	300	100	N	<10	N	100	300
78M113X	<5	70	20	N	N	N	70	200
79M1128X	N	150	20	N	N	N	<10	200
78M186X	N	700	70	N	N	N	10	500
78M170X	N	100	100	N	N	N	300	300
79M1150X	N	200	100	N	N	N	100	200
78M257X	N	200	70	N	N	N	70	300
78M628X	N	3,000	20	N	N	N	50	200
78M110X	N	200	70	N	N	N	50	700
78M256X	N	200	70	N	N	N	150	300
78M743X	N	150	50	N	N	N	200	300

Sample	X coord- dinate	Y coord- dinate	Map_no.	Fe-pct. s	Ag-ppm s	As-ppm s	As-ppm cm	Cd-ppm s	Co-ppm s	Cr-ppm s	Cu-ppm s	Mn-ppm s
79M1143X	515,550	4,712,900	901	30	N	N	10	N	100	100	300	10,000
78M125X	454,100	4,713,000	902	20	N	N	<10	N	100	300	300	2,000
78M633X	467,100	4,713,100	903	30	N	N	<10	N	200	500	700	>10,000
78M744X	555,200	4,713,300	904	20	N	N	N	N	70	700	100	3,000
79M1092X	522,600	4,713,350	905	30	N	N	10	N	100	100	200	10,000
78M115X	444,500	4,713,400	906	20	N	N	N	N	150	1,000	1,000	5,000
79M1267X	441,150	4,713,500	907	15	N	N	10	N	100	200	300	3,000
78M629X	470,400	4,713,500	908	20	N	N	N	N	300	3,000	500	5,000
79M1043X	524,950	4,713,550	909	30	N	N	N	N	150	150	300	7,000
78M664X	486,200	4,713,600	910	20	.7	N	N	N	100	700	700	3,000
79M1042X	528,900	4,713,600	911	30	N	N	N	N	150	200	200	10,000
78M134X	438,100	4,713,800	912	20	N	N	20	N	70	300	200	7,000
78M135X	435,900	4,714,000	913	20	N	N	20	N	100	300	300	7,000
78M160X	462,300	4,714,000	914	30	N	N	40	N	150	500	700	10,000
79M483X	496,900	4,714,000	915	20	N	N	<10	N	100	200	500	3,000
78M126X	448,300	4,714,100	916	30	N	N	N	N	300	2,000	300	10,000
79M474X	492,350	4,714,100	917	20	N	N	10	N	150	500	500	3,000
78M749X	558,700	4,714,100	918	15	.5	N	N	N	70	500	150	3,000
78M108X	457,000	4,714,200	919	20	N	N	<10	N	70	200	300	7,000
79M1142X	515,200	4,714,200	920	20	N	N	N	N	100	70	100	10,000
78M1195X	431,400	4,714,300	921	30	N	N	20	N	150	500	500	7,000
79M482X	499,750	4,714,400	922	20	N	N	30	N	150	500	500	3,000
79M1063X	540,100	4,714,400	923	30	N	N	N	N	150	500	150	>10,000
79M1129X	511,750	4,714,550	924	30	N	N	10	N	150	150	300	7,000
78M630X	475,000	4,714,600	925	15	N	N	<10	N	300	2,000	500	7,000
79M1062X	535,200	4,714,600	926	20	N	N	N	N	100	300	200	7,000
79M1052X	532,300	4,714,650	927	20	N	N	N	N	150	300	200	>10,000
78M161X	460,800	4,714,700	928	30	N	N	30	N	200	500	700	>10,000
78M660X	483,500	4,714,700	929	20	N	N	<10	N	150	700	700	7,000
79M1151X	502,750	4,714,900	930	15	N	N	10	N	150	500	300	>10,000
78M662X	480,600	4,715,000	931	30	N	N	10	N	300	3,000	500	>10,000
78M631X	477,200	4,715,100	932	20	N	N	<10	N	200	700	300	5,000
78M129X	450,200	4,715,300	933	20	N	N	N	N	200	1,500	500	7,000
78M255X	571,500	4,715,300	934	15	.5	N	N	N	70	300	200	3,000
79M470X	489,800	4,715,350	935	20	N	N	40	N	150	500	500	3,000
78M158X	466,300	4,715,400	936	20	N	N	<10	N	200	700	500	>10,000
78M745X	550,800	4,715,400	937	30	N	N	N	N	100	700	200	10,000
79M1139X	519,000	4,715,450	938	20	N	N	60	N	150	100	100	10,000
79M1148X	505,350	4,715,550	939	15	N	N	N	N	150	200	150	7,000
79M1192X	513,100	4,715,550	940	20	N	N	10	N	150	200	200	10,000
78M177X	459,500	4,716,100	941	20	N	N	10	N	150	200	500	>10,000
79M1266X	439,500	4,716,150	942	20	N	N	20	N	150	300	300	3,000
78M640X	477,600	4,716,200	943	20	3.0	N	N	N	150	1,500	500	5,000
78M659X	481,400	4,716,300	944	15	N	N	20	N	70	500	500	10,000
78M747X	555,400	4,716,300	945	20	N	N	N	N	70	700	70	10,000

11.1.3

Sample	Mo-ppm s	Ni-ppm s	Pb-ppm s	Sb-ppm s	Sn-ppm s	W-ppm s	Y-ppm s	Zn-ppm s
79M1143X	N	50	70	N	N	N	30	500
78M125X	N	150	50	N	N	N	70	500
78M633X	N	150	100	N	N	N	200	700
78M744X	N	100	70	N	N	N	100	300
79M1092X	N	50	70	N	N	N	30	200
78M115X	N	3,000	<20	N	N	N	<10	<200
79M1267X	N	300	100	N	N	N	50	300
78M629X	N	3,000	30	N	N	N	70	300
79M1043X	N	100	50	N	N	N	100	300
78M664X	N	150	150	N	N	N	70	500
79M1042X	N	70	70	N	N	N	150	500
78M134X	N	200	70	N	N	N	70	300
78M135X	N	200	100	N	N	N	50	700
78M160X	10	500	100	N	N	N	70	700
79M483X	N	200	30	N	N	N	10	300
78M126X	N	5,000	20	N	N	N	100	300
79M474X	N	500	70	N	N	N	70	200
78M749X	N	150	30	N	N	N	70	200
78M108X	N	150	50	N	N	N	30	500
79M1142X	N	50	50	N	N	N	10	300
78M195X	N	300	100	N	N	N	10	300
79M482X	5	500	70	N	N	N	70	500
79M1063X	N	150	30	N	N	N	150	200
79M1129X	N	70	70	N	N	N	50	200
78M630X	N	500	20	N	N	N	<10	200
79M1062X	N	150	50	N	N	N	150	200
79M1052X	N	200	50	N	N	N	20	200
78M161X	7	700	100	N	N	N	70	1,000
78M660X	N	100	70	N	N	N	70	300
79M1151X	N	300	70	N	10	N	50	200
78M662X	N	7,000	50	N	N	N	200	300
78M631X	N	500	30	N	N	N	70	300
78M129X	N	700	<20	N	N	N	N	300
78M255X	N	200	50	N	N	N	30	200
79M470X	7	700	70	N	N	N	100	200
78M158X	5	150	70	N	N	N	70	300
78M745X	N	70	70	N	N	N	300	300
79M1139X	N	70	50	N	N	N	70	300
79M1148X	N	200	30	N	N	N	N	200
79M1192X	N	100	150	N	20	N	150	300
78M177X	N	150	70	N	N	N	30	500
79M1266X	N	300	100	N	N	N	50	200
78M640X	N	200	20	N	N	N	70	700
78M659X	20	300	50	N	N	N	10	700
78M747X	7	150	70	N	N	N	100	500

Sample	X coord- dinate	Y coord- dinate	Map_no.	Fe-pct. %	Ag-ppm %	As-ppm %	As-ppm cm	Cd-ppm %	Co-ppm %	Cr-ppm %	Cu-ppm %	Mn-ppm %
79M481X	498,000	4,716,400	946	15	N	N	N	N	150	500	200	2,000
78M665X	486,400	4,716,600	947	20	1.0	<10	<10	N	100	700	500	7,000
78M132X	437,700	4,716,800	948	20	N	20	20	N	150	300	500	>10,000
78M194X	418,600	4,717,000	949	20	N	20	20	N	200	700	300	10,000
79M475X	492,850	4,717,000	950	20	N	<10	<10	N	150	700	300	7,000
79M1053X	531,750	4,717,250	951	20	N	N	N	N	150	200	300	10,000
79M1061X	536,950	4,717,350	952	20	N	N	N	N	150	500	150	7,000
78M130X	451,500	4,717,400	953	20	N	10	10	N	70	100	500	10,000
78M750X	558,500	4,717,500	954	15	N	N	N	N	50	300	50	3,000
79M1044X	524,050	4,717,550	955	30	N	<10	<10	N	200	150	500	10,000
79M1190X	508,550	4,717,600	956	20	N	<10	<10	N	150	500	300	5,000
79M480X	496,650	4,717,650	957	15	N	N	N	N	150	700	500	2,000
78M190X	429,400	4,717,700	958	30	N	20	20	N	70	200	200	5,000
78M127X	446,700	4,717,700	959	20	N	N	N	N	200	1,500	300	10,000
78M120X	452,800	4,717,800	960	20	N	30	30	N	150	200	500	10,000
78M165X	465,100	4,717,800	961	20	N	10	10	N	100	700	300	5,000
79M1126X	501,100	4,717,850	962	20	N	N	N	N	100	300	700	3,000
79M1130X	512,300	4,717,850	963	20	N	10	10	N	100	150	100	10,000
78M637X	471,500	4,717,900	964	30	1.5	<10	<10	N	700	7,000	300	7,000
78M658X	483,500	4,717,900	965	30	N	<10	<10	N	300	1,000	700	10,000
79M471X	490,400	4,717,950	966	20	N	<10	<10	N	150	700	300	3,000
78M634X	469,200	4,718,000	967	20	1.5	10	10	N	200	500	500	10,000
79M1140X	516,100	4,718,250	968	20	N	10	10	N	100	150	100	10,000
79M1117X	504,100	4,718,300	969	30	N	2,000	2,000	N	150	300	700	10,000
79M1065X	529,200	4,718,500	970	50	N	N	N	N	100	300	300	5,000
78M253X	570,600	4,718,500	971	20	N	N	N	N	70	500	100	7,000
78M172X	463,300	4,718,600	972	20	N	20	20	N	500	500	700	>10,000
78M742X	543,000	4,718,600	973	20	N	N	N	N	100	1,500	200	7,000
78M119X	456,800	4,718,700	974	20	N	N	N	N	100	150	200	7,000
78M659X	474,300	4,718,700	975	15	N	<10	<10	N	200	2,000	500	7,000
79M1045X	525,600	4,718,750	976	20	N	10	10	N	150	150	500	10,000
79M1132X	509,750	4,718,800	977	20	N	100	100	N	150	100	200	10,000
78M171X	463,300	4,719,000	978	30	N	40	40	N	200	500	300	10,000
78M131X	450,800	4,719,100	979	20	N	<10	<10	N	150	1,000	500	5,000
78M164X	465,500	4,719,100	980	30	N	30	30	N	200	500	500	10,000
78LG048X	565,744	4,719,140	981	10	N	N	N	N	30	100	150	3,000
79M485X	497,800	4,719,150	982	15	N	N	N	N	150	300	1,000	1,500
78M635X	469,100	4,719,200	983	20	1.0	<10	<10	N	100	700	300	10,000
80M1401X	506,400	4,719,250	984	30	N	<10	<10	N	200	500	300	>10,000
79M1191X	508,750	4,719,250	985	30	N	30	30	N	150	150	200	7,000
79M1054X	530,950	4,719,400	986	20	N	N	N	N	70	700	200	3,000
78M169X	459,400	4,719,600	987	20	N	N	N	N	100	200	500	10,000
78M636X	471,300	4,719,800	988	20	2.0	10	10	N	300	3,000	300	5,000
79M1060X	537,500	4,719,850	989	20	N	N	N	N	100	150	150	10,000
78M666X	487,400	4,719,900	990	30	N	N	N	N	300	1,500	700	7,000

Sample	Mo-ppm s	Ni-ppm s	Pb-ppm s	Sb-ppm s	Sn-ppm s	W-ppm s	Y-ppm s	Zn-ppm s
79M481X	N	2,000	20	N	N	N	30	N
78M665X	N	500	50	N	N	N	20	300
78M132X	N	200	100	N	N	N	70	500
78M194X	N	700	150	N	N	N	70	300
79M475X	N	1,500	50	N	N	N	50	200
79M1053X	N	100	70	N	N	N	100	<200
79M1061X	N	150	50	N	N	N	150	200
78M130X	7	50	100	N	N	N	N	700
78M750X	N	150	30	N	N	N	30	200
79M1044X	N	70	30	N	N	N	20	300
79M1190X	N	200	30	N	N	N	15	200
79M480X	N	500	30	N	N	N	30	<200
78M190X	N	150	100	N	N	N	<10	500
78M127X	N	3,000	<20	N	N	N	N	300
78M120X	10	200	70	N	N	N	15	700
78M165X	N	150	100	N	N	N	100	700
79M1126X	20	300	100	N	N	N	100	500
79M1130X	N	70	50	N	N	N	30	200
78M637X	N	5,000	20	N	N	N	50	300
78M658X	N	3,000	70	N	N	N	100	500
79M471X	N	500	50	N	N	N	50	<200
78M634X	N	200	100	N	N	N	70	300
79M1140X	N	70	50	N	N	N	30	300
79M1117X	15	700	100	N	N	N	100	700
79M1065X	N	70	70	N	N	N	300	500
78M253X	N	200	70	N	N	N	50	300
78M172X	7	1,000	70	N	N	N	100	2,000
78M742X	N	100	50	N	N	N	200	500
78M119X	N	70	20	N	N	N	100	300
78M639X	N	2,000	20	N	N	N	N	200
79M1045X	N	70	20	N	N	N	15	200
79M1132X	N	70	150	N	N	N	50	300
78M171X	10	100	200	N	N	N	200	700
78M131X	N	1,000	<20	N	N	N	N	300
78M164X	10	300	100	N	N	N	100	700
78L6048X	N	100	70	N	N	N	30	<200
79M485X	N	300	20	N	N	N	30	200
78M635X	10	700	200	N	N	N	30	500
80M1401X	N	200	100	N	N	N	200	300
79M1191X	N	100	70	N	N	N	50	300
79M1054X	N	100	70	N	N	N	100	200
78M169X	N	100	<20	N	N	N	30	300
78M636X	N	3,000	70	N	N	N	70	500
79M1060X	N	100	50	N	N	N	200	200
78M666X	N	1,500	20	N	N	N	100	300

Sample	X coordinate	Y coordinate	Map_no.	Fe-pct. s	Ag-ppm s	As-ppm s	As-ppm cm	Cd-ppm s	Co-ppm s	Cr-ppm s	Cu-ppm s	Mn-ppm s
78M254X	574,200	4,720,000	991	20	N	N	N	N	70	150	150	7,000
80M1307X	446,500	4,720,050	992	30	N	N	N	N	300	1,500	700	10,000
78M642X	476,600	4,720,100	993	15	N	N	<10	N	100	2,000	500	3,000
79M1127X	501,450	4,720,100	994	15	N	N	N	N	100	500	700	5,000
79M1131X	509,300	4,720,100	995	30	N	N	10	N	50	100	150	10,000
80M1412X	515,000	4,720,100	996	30	N	N	<10	N	150	100	200	10,000
78M128X	448,700	4,720,200	997	30	N	N	N	N	200	1,000	200	7,000
78M121X	454,600	4,720,200	998	20	N	N	30	N	150	300	300	>10,000
78M669X	489,200	4,720,200	999	20	<.5	N	<10	N	200	1,500	500	2,000
79M1064X	528,750	4,720,200	1,000	30	N	N	N	N	100	500	200	3,000
78M644X	483,900	4,720,300	1,001	20	N	N	20	N	200	1,000	500	7,000
79M1046X	525,750	4,720,300	1,002	30	N	N	20	N	150	150	200	10,000
79M1118X	504,050	4,720,450	1,003	30	1,500	1,600	1,600	N	150	500	700	>10,000
79M479X	496,550	4,720,550	1,004	20	N	N	N	N	150	300	1,500	3,000
79M1141X	516,650	4,720,600	1,005	20	N	N	20	N	100	100	150	10,000
80M1402X	519,450	4,720,600	1,006	30	N	N	<10	N	150	150	150	10,000
78M746X	549,500	4,720,600	1,007	20	N	N	N	N	70	300	200	7,000
78M193X	424,200	4,720,700	1,008	20	N	N	40	N	100	500	500	7,000
79M476X	491,400	4,720,850	1,009	15	N	N	N	N	150	300	500	>10,000
78M122X	456,100	4,720,900	1,010	30	N	N	20	N	150	500	300	5,000
78M643X	480,800	4,721,000	1,011	20	N	N	10	N	70	500	300	7,000
78M252X	571,700	4,721,000	1,012	15	.7	N	N	N	70	150	200	5,000
78M638X	473,300	4,721,100	1,013	15	N	N	30	N	100	700	500	3,000
78M250X	574,400	4,721,700	1,014	20	N	N	N	N	100	300	150	5,000
78M133X	437,500	4,721,900	1,015	20	.7	N	20	N	100	500	300	7,000
78M191X	428,800	4,722,000	1,016	30	N	N	20	N	150	200	500	10,000
78M735X	555,600	4,722,100	1,017	20	N	N	N	N	100	700	300	5,000
78M251X	570,300	4,722,100	1,018	15	N	N	N	N	100	150	200	10,000
79M1260X	440,650	4,722,200	1,019	10	N	N	20	N	20	150	70	2,000
79M478X	496,000	4,722,250	1,020	15	N	N	N	N	50	70	150	>10,000
78M647X	478,500	4,722,300	1,021	20	N	N	<10	N	300	2,000	300	3,000
78M176X	450,300	4,722,400	1,022	15	N	N	20	N	100	150	700	>10,000
78M175X	453,900	4,722,400	1,023	30	N	N	20	N	200	300	500	>10,000
78M649X	470,600	4,722,400	1,024	20	<.5	N	20	N	100	1,000	300	3,000
78M645X	482,700	4,722,400	1,025	30	N	N	30	N	150	500	200	5,000
79M493X	499,000	4,722,450	1,026	20	N	N	N	N	150	300	1,500	3,000
79M1259X	445,050	4,722,500	1,027	15	N	N	<10	N	100	700	200	2,000
79M477X	493,550	4,722,500	1,028	20	N	N	N	N	30	100	200	3,000
79M1066X	529,000	4,722,500	1,029	20	N	N	N	N	100	500	200	3,000
78M648X	474,300	4,722,600	1,030	20	5.0	N	80	N	150	700	500	7,000
78M668X	487,700	4,722,600	1,031	30	.7	N	10	N	300	3,000	500	5,000
80M008DS	498,000	4,722,600	1,032	20	N	N	N	N	300	1,000	1,000	7,000
79M1133X	514,700	4,722,650	1,033	30	N	N	10	N	100	200	150	7,000
78M192X	426,700	4,722,700	1,034	20	N	N	30	N	70	300	150	5,000
79M1193X	510,150	4,722,700	1,035	20	N	N	40	N	100	100	200	10,000

Sample	Mo-ppm s	Ni-ppm s	Pb-ppm s	Sb-ppm s	Sn-ppm s	W-ppm s	Y-ppm s	Zn-ppm s
78M254X	N	150	50	N	N	N	100	300
80M1307X	N	150	20	N	N	N	100	<200
78M642X	N	1,000	20	N	N	N	<10	200
79M1127X	N	300	20	N	N	N	<10	<200
79M1131X	5	50	100	N	N	N	50	200
80M1412X	N	50	50	N	N	N	30	500
78M128X	N	500	20	N	N	N	200	700
78M121X	7	500	70	N	N	N	50	700
78M669X	N	1,000	30	N	N	N	10	300
79M1064X	N	100	50	N	N	N	100	500
78M644X	5	700	70	N	N	N	100	500
79M1046X	N	50	70	N	N	N	100	500
79M1118X	N	700	30	N	N	N	50	500
79M479X	5	150	30	N	N	N	100	200
79M1141X	N	70	30	N	N	N	<10	200
80M1402X	N	70	70	N	N	N	30	300
78M746X	N	50	100	N	N	N	200	300
78M193X	5	300	100	N	N	N	50	500
79M476X	N	200	<20	N	N	N	15	N
78M122X	5	500	100	N	N	N	100	700
78M643X	15	300	100	N	N	N	50	500
78M252X	N	150	70	N	N	N	20	300
78M638X	N	200	<20	N	N	N	<10	200
78M250X	N	300	50	N	N	N	100	300
78M133X	N	200	50	N	N	N	N	500
78M191X	N	300	70	N	N	N	<10	500
78M735X	N	100	100	N	N	N	70	200
78M251X	N	150	100	N	N	N	70	200
79M1260X	N	70	50	N	N	N	50	<200
79M478X	N	70	50	N	N	N	30	<200
78M647X	N	3,000	<20	N	N	N	30	200
78M176X	5	70	70	N	N	N	20	300
78M175X	7	150	100	N	N	N	70	500
78M649X	7	300	100	N	N	N	100	500
78M645X	N	150	100	N	N	N	70	300
79M493X	N	200	30	N	N	N	70	<200
79M1259X	N	700	50	N	N	N	20	<200
79M477X	N	50	30	N	N	N	10	200
79M1066X	N	70	50	N	N	N	100	200
78M648X	N	200	20	N	N	N	50	200
78M668X	N	5,000	30	N	N	N	100	300
80M0080S	N	300	50	N	N	N	30	200
79M1133X	N	70	30	N	N	N	<10	500
78M192X	N	150	100	N	N	N	50	300
79M1193X	N	70	70	N	N	N	10	<200

Sample	X coordinate	Y coordinate	Map_no.	Fe-pct. s	Ag-ppm s	As-ppm s	As-ppm cm	Cd-ppm s	Co-ppm s	Cr-ppm s	Cu-ppm s	Mn-ppm s
78M167X	463,600	4,722,800	1,036	30	N	N	20	N	150	300	500	>10,000
78M641X	469,700	4,722,800	1,037	15	N	N	<10	N	150	700	500	7,000
78M667X	488,400	4,722,800	1,038	20	1.0	N	N	N	300	2,000	500	10,000
79M1119X	501,850	4,722,900	1,039	20	N	N	N	N	150	300	700	5,000
79M1138X	518,150	4,722,900	1,040	20	N	N	N	N	150	200	300	10,000
79M1059X	539,600	4,722,900	1,041	30	N	N	N	N	100	300	300	7,000
78M646X	479,500	4,723,000	1,042	15	N	N	<10	N	100	1,500	300	7,000
79M1047X	522,300	4,723,150	1,043	30	N	N	30	N	150	150	200	10,000
79M1137X	516,750	4,723,300	1,044	20	N	N	<10	N	100	150	150	7,000
79M1055X	530,950	4,723,350	1,045	30	N	N	N	N	150	100	150	5,000
79M1125X	505,300	4,723,400	1,046	20	N	N	10	N	100	200	200	10,000
78M173X	457,200	4,723,500	1,047	20	N	N	40	N	200	300	200	>10,000
78M740X	544,100	4,723,500	1,048	30	N	N	N	N	150	300	300	10,000
78M166X	466,000	4,723,700	1,049	30	N	N	<10	N	200	150	200	5,000
80M009DS	499,150	4,723,800	1,050	30	N	N	N	N	300	700	2,000	10,000
78M168X	458,900	4,724,000	1,051	20	N	N	20	N	150	300	300	7,000
78M741X	547,800	4,724,100	1,052	30	N	N	10	N	150	500	300	7,000
79M1056X	533,250	4,724,150	1,053	20	N	N	N	N	150	200	300	10,000
78LG055X	565,525	4,724,150	1,054	15	N	N	N	N	50	150	500	5,000
79M1050X	525,950	4,724,250	1,055	20	N	N	20	N	100	100	200	10,000
WR035X	422,951	4,724,330	1,056	30	N	N	<10	N	100	500	200	7,000
78M180X	447,500	4,724,500	1,057	30	2.0	N	20	N	200	500	500	10,000
79M1124X	507,750	4,724,650	1,058	30	N	N	20	N	100	100	100	10,000
79M1261X	439,700	4,724,850	1,059	15	N	N	10	N	50	200	200	3,000
WR014X	420,741	4,724,940	1,060	30	N	N	10	N	200	1,000	300	7,000
78M174X	458,000	4,725,200	1,061	20	N	N	40	N	150	200	700	>10,000
79M1048X	521,150	4,725,250	1,062	30	N	N	30	N	70	70	100	7,000
79M296X	455,500	4,725,300	1,063	20	N	N	N	N	100	150	300	7,000
79M491X	496,350	4,725,350	1,064	15	N	N	<10	N	100	200	300	3,000
79M400X	481,850	4,725,500	1,065	20	N	N	N	N	150	700	300	3,000
79M1123X	507,800	4,725,500	1,066	30	N	N	20	N	100	100	150	10,000
78M650X	469,100	4,725,700	1,067	20	N	N	N	N	200	700	500	5,000
78M651X	472,300	4,725,700	1,068	30	N	N	40	N	200	700	700	>10,000
78M737X	557,300	4,725,700	1,069	20	N	N	N	N	100	200	100	10,000
79M487X	491,350	4,725,750	1,070	20	N	N	N	N	50	100	300	3,000
WR013X	422,709	4,725,770	1,071	30	N	N	<10	N	200	700	500	10,000
79M1262X	440,000	4,725,800	1,072	20	N	N	20	N	100	200	300	3,000
79M376X	463,700	4,725,800	1,073	20	N	N	N	N	150	500	300	5,000
78M653X	477,900	4,725,800	1,074	20	N	N	20	N	150	1,000	1,000	>10,000
79M297X	458,550	4,725,850	1,075	20	N	N	20	N	100	200	200	7,000
78M178X	450,000	4,725,900	1,076	20	N	N	10	N	150	1,000	500	5,000
78M652X	473,600	4,725,900	1,077	20	N	N	40	N	150	300	500	10,000
79M1051X	526,600	4,725,950	1,078	30	N	N	<10	N	100	150	150	10,000
WR010X	423,935	4,726,000	1,079	20	N	N	<10	N	20	500	70	5,000
78M179X	448,400	4,726,100	1,080	20	N	N	20	N	100	300	300	7,000

Sample	Mo-ppm s	Ni-ppm s	Pb-ppm s	Sb-ppm s	Sn-ppm s	W-ppm s	Y-ppm s	Zn-ppm s
78M167X	N	300	100	N	N	N	200	700
78M641X	N	150	50	N	N	N	50	300
78M667X	N	3,000	20	N	N	N	30	300
79M1119X	N	200	30	N	N	N	70	<200
79M1138X	N	70	30	N	N	N	50	200
79M1059X	N	150	70	N	N	N	150	300
78M646X	N	200	20	N	N	N	100	200
79M1047X	N	70	20	N	N	N	15	200
79M1137X	N	70	30	N	N	N	30	300
79M1055X	N	20	50	N	N	N	70	<200
79M1125X	N	150	50	N	N	N	20	200
78M173X	<5	150	70	N	N	N	70	500
78M740X	N	100	70	N	N	N	300	500
78M166X	N	50	<20	N	N	N	150	500
80M009DS	N	500	70	N	N	N	150	700
78M168X	N	200	50	N	N	N	30	500
78M741X	N	100	70	N	N	N	100	200
79M1056X	N	150	70	N	N	N	150	200
78L6055X	N	100	200	N	70	N	20	200
79M1050X	N	30	20	N	N	N	15	500
WRO35X	N	700	100	N	N	N	50	300
78M180X	N	500	100	N	N	N	150	700
79M1124X	N	100	100	N	N	N	50	200
79M1261X	N	150	70	N	N	N	50	<200
WRO14X	N	1,000	100	N	N	N	50	200
78M174X	7	150	70	N	N	N	15	700
79M1048X	N	30	50	N	N	N	50	500
79M296X	N	70	30	N	N	N	50	300
79M491X	N	100	50	N	N	N	70	<200
79M400X	N	300	<20	N	N	N	150	<200
79M1123X	N	70	50	N	N	N	50	200
78M650X	<5	200	70	N	N	N	100	300
78M651X	10	200	100	N	N	N	200	700
78M737X	N	150	70	N	N	N	200	200
79M487X	N	100	30	N	N	N	20	200
WRO13X	N	700	100	N	N	N	70	500
79M1262X	N	300	70	N	N	N	50	200
79M376X	N	200	20	N	N	N	70	<200
78M653X	7	1,000	150	N	N	N	70	700
79M297X	N	150	70	N	N	N	70	200
78M178X	N	500	30	N	N	N	30	300
78M652X	7	200	100	N	N	N	70	700
79M1051X	N	50	70	N	N	N	150	300
WRO10X	N	150	30	N	N	N	15	<200
78M179X	N	200	100	N	N	N	50	500

Sample	X coord- dinate	Y coord- dinate	Map_no.	Fe-pct. %	Ag-ppm %	As-ppm %	As-ppm cm	Cd-ppm %	Co-ppm %	Cr-ppm %	Cu-ppm %	Mn-ppm %
79M1057X	536,100	4,726,100	1,081	30	N	N	N	N	150	150	200	7,000
79M298X	454,950	4,726,150	1,082	20	N	N	N	N	70	150	700	7,000
79M327X	465,550	4,726,150	1,083	30	N	N	N	N	150	150	300	10,000
79M1120X	504,650	4,726,200	1,084	30	N	N	40	N	150	150	500	7,000
79M492X	498,650	4,726,300	1,085	15	N	N	N	N	100	300	1,500	3,000
79M1136X	513,200	4,726,350	1,086	20	N	N	<10	N	100	100	200	7,000
78M181X	446,300	4,726,400	1,087	30	N	N	60	N	200	500	500	10,000
79M1263X	438,800	4,726,500	1,088	20	N	N	10	N	100	200	300	3,000
79M1058X	538,450	4,726,500	1,089	30	N	N	N	N	150	150	150	>10,000
79M1070X	531,900	4,727,000	1,090	20	N	N	10	N	150	300	200	10,000
79M1121X	510,200	4,727,300	1,091	30	N	N	20	N	100	200	200	7,000
WR005X	425,322	4,727,320	1,092	30	N	N	<10	N	30	1,500	70	5,000
79M396X	483,900	4,727,350	1,093	30	N	N	N	N	500	1,500	150	5,000
79M1244X	502,650	4,727,450	1,094	20	N	N	N	N	150	500	300	5,000
79M1163X	517,600	4,727,650	1,095	30	N	N	<10	N	150	300	200	5,000
WR009X	423,000	4,727,690	1,096	30	N	N	10	N	30	1,000	150	7,000
79M486X	490,500	4,727,900	1,097	15	N	N	N	N	20	50	200	3,000
79M399X	487,150	4,727,950	1,098	30	N	N	N	N	150	2,000	300	7,000
79M375X	468,950	4,728,100	1,099	20	N	N	N	N	150	200	300	5,000
78M736X	558,700	4,728,100	1,100	15	N	N	N	N	70	200	100	5,000
79M1122X	508,650	4,728,150	1,101	20	N	N	<10	N	100	200	200	7,000
78M242X	574,800	4,728,200	1,102	20	N	N	N	N	70	100	200	7,000
79M326X	461,900	4,728,250	1,103	30	N	N	N	N	150	200	500	10,000
79M1162X	520,350	4,728,400	1,104	30	N	N	10	N	150	150	200	10,000
79M1068X	533,950	4,728,450	1,105	20	N	N	30	N	150	500	200	7,000
79M1265X	431,100	4,728,500	1,106	20	N	N	30	N	30	200	150	2,000
79M1081X	526,800	4,728,550	1,107	20	N	N	N	N	150	100	200	10,000
79M1264X	435,200	4,728,700	1,108	15	N	N	10	N	70	100	200	3,000
78M655X	474,200	4,728,900	1,109	20	N	N	N	N	200	1,000	700	7,000
79M1243X	501,500	4,728,900	1,110	20	N	N	N	N	200	300	1,000	7,000
79M1161X	515,900	4,728,900	1,111	30	N	N	10	N	100	150	150	10,000
78M654X	477,800	4,729,100	1,112	30	N	N	<10	N	300	2,000	500	7,000
78LG060X	564,669	4,729,100	1,113	20	N	N	10	N	30	70	150	5,000
78M734X	553,800	4,729,200	1,114	15	1.0	N	N	N	50	700	200	3,000
78M182X	445,200	4,729,300	1,115	20	N	N	20	N	150	300	300	>10,000
78M739X	546,300	4,729,400	1,116	30	N	N	N	N	200	700	300	5,000
78M738X	549,600	4,729,400	1,117	30	N	N	N	N	100	2,000	200	10,000
78M183X	439,500	4,729,500	1,118	20	<.5	N	<10	N	150	500	150	7,000
WR002X	427,322	4,729,520	1,119	20	N	N	10	N	30	1,000	150	7,000
78M205X	419,500	4,729,600	1,120	20	N	N	10	N	150	700	200	10,000
79M395X	484,600	4,729,600	1,121	15	N	N	N	N	150	1,500	300	3,000
78M241X	571,400	4,729,600	1,122	15	N	N	N	N	50	150	200	3,000
79M380X	466,500	4,729,650	1,123	30	N	N	N	N	150	300	300	10,000
79M377X	470,700	4,729,650	1,124	30	N	N	<10	N	150	150	200	>10,000
79M1069X	530,750	4,729,650	1,125	20	N	N	60	N	200	300	200	>10,000

Sample	Mo-ppm s	Ni-ppm s	Pb-ppm s	Sb-ppm s	Sn-ppm s	W-ppm s	Y-ppm s	Zn-ppm s
79M1057X	N	150	50	N	N	N	200	200
79M298X	N	70	50	N	N	N	30	500
79M327X	N	100	20	N	N	N	70	200
79M1120X	N	200	50	N	N	N	70	300
79M492X	N	200	20	N	N	N	30	200
79M1136X	N	50	50	N	N	N	15	300
78M181X	N	200	150	N	N	N	70	700
79M1263X	N	300	70	N	N	N	50	<200
79M1058X	N	100	70	N	N	N	150	200
79M1070X	N	300	50	N	N	N	20	500
79M1121X	N	100	50	N	N	N	70	300
WR005X	N	300	100	N	N	N	50	<200
79M396X	N	3,000	<20	N	N	N	100	N
79M1244X	N	150	30	N	N	N	70	N
79M1163X	N	200	20	N	N	N	100	300
WR009X	N	300	50	N	N	N	20	<200
79M486X	N	30	30	N	N	N	15	200
79M399X	N	5,000	70	N	N	N	100	300
79M375X	N	200	30	N	N	N	70	200
78M736X	N	150	70	N	N	N	100	<200
79M1122X	N	100	30	N	N	N	70	200
78M242X	N	70	50	N	N	N	100	300
79M326X	S	150	100	N	N	N	200	700
79M1162X	N	70	50	N	N	N	70	300
79M1068X	N	200	30	N	N	N	70	<200
79M1265X	N	150	70	N	N	N	50	N
79M1081X	N	50	20	N	N	N	10	200
79M1264X	N	200	70	N	N	N	50	200
78M655X	N	500	70	N	N	N	70	300
79M1243X	N	300	30	N	N	N	50	300
79M1161X	N	70	30	N	N	N	100	300
78M654X	N	3,000	30	N	N	N	70	300
78LG060X	N	100	100	N	N	N	70	200
78M734X	N	100	100	N	N	N	150	200
78M182X	N	200	100	N	N	N	70	700
78M739X	N	150	70	N	N	N	150	500
78M738X	N	100	50	N	N	N	300	300
78M183X	N	150	100	N	N	N	70	500
WR002X	N	300	70	N	N	N	30	<200
78M205X	N	1,000	70	N	N	N	70	500
79M395X	N	500	<20	N	N	N	50	N
78M241X	N	150	50	N	N	N	50	300
79M380X	N	200	20	N	N	N	100	200
79M377X	N	150	50	15	N	N	50	200
79M1069X	N	300	<20	N	N	N	<10	200

Sample	X coordinate	Y coordinate	Map_no.	Fe-pct. s	Ag-ppm s	As-ppm s	As-ppm cm	Cd-ppm s	Co-ppm s	Cr-ppm s	Cu-ppm s	Mn-ppm s
78M185X	451,400	4,729,700	1,126	20	N	N	N	N	100	200	1,000	7,000
79M1134X	513,600	4,729,850	1,127	30	N	N	10	N	150	200	150	10,000
79M397X	486,050	4,729,950	1,128	20	N	N	20	N	150	1,500	300	3,000
79M1049X	523,100	4,730,100	1,129	30	N	N	30	N	70	200	150	7,000
79M294X	458,850	4,730,150	1,130	20	N	N	30	N	100	200	300	10,000
79M1080X	527,950	4,730,150	1,131	20	N	N	60	N	100	150	100	>10,000
79M293X	457,800	4,730,200	1,132	30	N	N	N	N	150	150	300	7,000
79M398X	488,450	4,730,200	1,133	20	N	N	N	N	150	300	500	>10,000
79M1158X	519,350	4,730,300	1,134	20	N	N	60	N	100	300	200	7,000
79M490X	498,450	4,730,400	1,135	20	N	N	N	N	150	200	500	>10,000
79M295X	454,150	4,730,450	1,136	20	N	N	N	N	150	1,000	500	7,000
79M488X	492,850	4,730,450	1,137	15	N	N	N	N	70	200	300	2,000
79M1164X	511,250	4,730,450	1,138	30	N	N	<10	N	150	150	200	>10,000
79M1245X	503,850	4,730,550	1,139	20	N	N	<10	N	150	1,000	500	3,000
79M489X	495,750	4,730,650	1,140	15	N	N	N	N	30	200	300	2,000
79M384X	479,050	4,730,700	1,141	30	N	N	<10	N	300	1,000	300	10,000
78M200X	421,500	4,731,400	1,142	20	<.5	N	20	N	150	500	500	7,000
79M378X	471,850	4,731,400	1,143	15	N	N	10	N	70	150	200	3,000
78M240X	571,100	4,731,400	1,144	15	2.0	N	N	N	70	200	200	5,000
79M433X	493,050	4,731,500	1,145	20	N	N	N	N	70	500	300	2,000
79M1160X	517,100	4,731,550	1,146	30	N	N	60	N	150	300	200	10,000
79M383X	480,400	4,731,600	1,147	20	N	N	N	N	200	500	500	>10,000
80M1398X	475,000	4,731,700	1,148	30	N	N	N	N	200	700	500	>10,000
80M1399X	475,400	4,731,700	1,149	20	N	N	N	N	150	700	700	7,000
79M292X	456,700	4,731,750	1,150	30	N	N	N	N	5	1,500	<5	1,000
79M393X	487,050	4,731,800	1,151	20	N	N	10	N	150	700	200	7,000
79M1071X	523,700	4,731,800	1,152	20	N	N	20	N	100	500	150	7,000
79M1159X	519,200	4,731,850	1,153	20	N	N	30	N	150	150	200	>10,000
78M730X	546,800	4,731,900	1,154	20	N	N	N	N	100	700	300	10,000
79M290X	455,500	4,731,950	1,155	20	N	N	<10	N	150	1,000	150	5,000
79M1067X	535,000	4,732,000	1,156	20	N	N	10	N	100	500	150	3,000
78M184X	449,600	4,732,100	1,157	20	N	N	10	N	150	500	500	7,000
79M325X	462,350	4,732,100	1,158	20	N	N	N	N	150	100	300	10,000
78M731X	549,800	4,732,200	1,159	30	N	N	N	N	150	700	300	7,000
79M1251X	502,300	4,732,300	1,160	20	N	N	N	N	100	300	700	3,000
79M1084X	538,850	4,732,300	1,161	20	N	N	10	N	100	300	150	5,000
79M379X	473,700	4,732,350	1,162	30	N	N	N	N	150	300	500	7,000
79M1165X	511,000	4,732,350	1,163	30	N	N	<10	N	150	50	200	7,000
79M1079X	528,400	4,732,350	1,164	20	N	N	80	N	70	150	100	>10,000
WR040X	425,741	4,732,370	1,165	15	N	N	N	N	150	300	500	7,000
79M1246X	504,500	4,732,400	1,166	15	N	N	N	N	50	300	200	5,000
78LG035X	563,696	4,732,420	1,167	30	N	N	N	N	100	300	150	7,000
80M1397X	475,800	4,732,500	1,168	20	N	N	N	N	200	500	700	10,000
WR037X	427,693	4,732,510	1,169	20	N	N	N	N	70	300	300	5,000
78M732X	554,400	4,732,600	1,170	15	N	N	N	N	50	500	200	7,000

Sample	Mo-ppm s	Ni-ppm s	Pb-ppm s	Sb-ppm s	Sn-ppm s	W-ppm s	Y-ppm s	Zn-ppm s
78M185X	N	100	50	N	N	N	100	700
79M1134X	N	100	100	N	N	N	100	300
79M397X	N	1,000	20	N	N	N	50	N
79M1049X	N	50	70	N	N	N	150	200
79M294X	N	100	70	N	N	N	70	300
79M1080X	N	70	100	N	N	N	100	200
79M293X	N	100	30	N	N	N	70	200
79M398X	N	200	30	N	N	N	100	200
79M1158X	N	100	50	N	N	N	100	300
79M490X	N	150	20	N	N	N	30	<200
79M295X	N	700	20	N	N	N	15	200
79M488X	N	300	30	N	N	N	15	200
79M1164X	N	70	50	N	N	N	70	500
79M1245X	N	700	30	N	N	N	50	N
79M489X	N	200	30	N	N	N	15	<200
79M384X	N	2,000	50	N	N	N	70	<200
78M200X	N	700	100	N	N	N	70	700
79M378X	N	200	30	N	N	N	70	<200
78M240X	N	150	70	N	N	N	50	300
79M433X	N	700	20	N	N	N	10	200
79M1160X	7	150	70	N	N	N	70	300
79M383X	N	700	<20	N	N	N	15	2,000
80M1398X	N	300	70	N	N	N	150	500
80M1399X	N	500	30	N	N	N	70	300
79M292X	N	70	<20	N	N	N	30	<200
79M393X	N	700	50	N	N	N	30	<200
79M1071X	N	100	70	N	N	N	70	200
79M1159X	N	70	30	N	20	N	50	300
78M730X	N	150	70	N	N	N	20	200
79M290X	N	1,500	20	N	N	N	50	<200
79M1067X	N	300	N	N	N	N	15	200
78M184X	N	150	100	N	N	N	100	700
79M325X	N	100	30	N	N	N	150	200
78M731X	N	150	70	N	N	N	200	500
79M1251X	N	100	30	N	N	N	30	200
79M1084X	N	150	20	N	N	N	15	<200
79M379X	N	200	30	N	N	N	100	<200
79M1165X	N	30	50	N	N	N	100	300
79M1079X	N	100	150	N	N	N	150	200
WRO40X	N	150	20	N	N	N	15	200
79M1246X	N	500	70	N	N	N	70	300
78LG035X	N	300	70	N	N	N	70	300
80M1397X	N	300	50	N	N	N	200	200
WRO37X	N	100	<20	N	N	N	10	<200
78M732X	N	100	70	N	N	N	100	<200

1-4
1-5
1-6

Sample	X coordinate	Y coordinate	Map_no.	Fe-pct.	Ag-ppm	As-ppm	As-pcm	Cd-ppm	Co-ppm	Cr-ppm	Cu-ppm	Mn-ppm
79M285X	458,800	4,732,750	1,171	20	N	N	<10	N	150	300	200	5,000
78M207X	431,200	4,732,800	1,172	30	N	N	30	N	100	300	300	10,000
79M1135X	513,550	4,732,800	1,173	20	N	N	N	N	100	200	200	10,000
79M270X	468,650	4,732,900	1,174	30	N	N	<10	N	150	300	500	7,000
79M272X	465,800	4,733,100	1,175	20	N	N	N	N	100	100	300	7,000
80M1396X	476,000	4,733,100	1,176	20	N	N	N	N	150	500	700	10,000
79M438X	497,900	4,733,150	1,177	30	N	N	N	N	200	3,000	200	5,000
79M1094X	530,200	4,733,250	1,178	30	N	N	30	N	100	300	200	10,000
79M380X	482,050	4,733,350	1,179	30	N	N	20	N	200	1,500	300	7,000
79M434X	495,200	4,733,350	1,180	20	N	N	N	N	100	200	300	2,000
79M394X	489,300	4,733,400	1,181	20	N	N	<10	N	20	3,000	20	1,500
79M1250X	508,650	4,733,400	1,182	20	N	N	40	N	20	70	300	10,000
79M291X	452,550	4,733,450	1,183	20	N	N	<10	N	150	700	300	5,000
78M208X	437,000	4,733,500	1,184	20	N	N	40	N	100	500	500	10,000
79M382X	476,700	4,733,600	1,185	20	N	N	N	N	150	300	5,000	10,000
78M733X	557,400	4,733,700	1,186	20	N	N	N	N	100	200	150	5,000
79M1073X	525,150	4,733,850	1,187	30	N	N	40	N	100	300	150	1,000
79M385X	481,050	4,734,050	1,188	30	N	N	20	N	150	300	300	7,000
WRO32X	426,516	4,734,170	1,189	30	N	N	<10	N	150	300	300	7,000
78M239X	572,800	4,734,200	1,190	15	N	N	N	N	70	150	150	10,000
78M204X	423,400	4,734,400	1,191	20	N	N	60	N	70	200	300	7,000
79M1085X	533,300	4,734,400	1,192	15	N	N	40	N	70	200	150	3,000
79M1083X	538,900	4,734,400	1,193	15	N	N	80	N	100	500	150	5,000
79M381X	477,050	4,734,450	1,194	20	N	N	N	N	150	200	700	5,000
78M221X	446,200	4,734,600	1,195	20	N	N	40	N	100	300	300	10,000
79M1249X	507,700	4,734,700	1,196	20	N	N	30	N	50	70	200	10,000
79M284X	466,300	4,734,750	1,197	20	N	N	<10	N	150	150	300	10,000
79M269X	471,250	4,734,750	1,198	30	N	N	N	N	150	300	1,000	10,000
79M392X	483,050	4,734,800	1,199	30	N	N	20	N	150	200	300	>10,000
78M236X	580,500	4,734,800	1,200	30	N	N	N	N	100	300	300	5,000
80M1282X	512,850	4,734,900	1,201	30	N	N	N	N	200	300	300	10,000
78M220X	442,000	4,735,000	1,202	30	N	N	40	N	150	500	300	>10,000
79M467X	503,750	4,735,100	1,203	15	N	N	N	N	100	300	700	3,000
80M1284X	518,500	4,735,100	1,204	20	N	N	30	N	100	200	200	10,000
79M1075X	529,400	4,735,350	1,205	30	N	N	80	N	200	100	150	>10,000
79M391X	485,900	4,735,400	1,206	30	N	N	30	N	150	300	300	>10,000
79M271X	463,300	4,735,450	1,207	20	N	N	N	N	100	100	500	5,000
79M287X	456,950	4,735,650	1,208	30	N	N	20	N	150	500	300	5,000
79M1072X	522,350	4,735,650	1,209	20	N	N	60	N	100	300	150	>10,000
79M1095X	532,500	4,735,700	1,210	20	N	N	60	N	100	300	100	7,000
79M435X	496,350	4,735,800	1,211	20	N	N	N	N	30	70	200	5,000
79M423X	488,300	4,736,000	1,212	20	N	N	10	N	200	1,500	300	3,000
79M466X	502,050	4,736,050	1,213	30	N	N	N	N	50	100	300	3,000
80M1283X	517,250	4,736,050	1,214	30	N	N	10	N	100	300	150	7,000
79M1074X	526,400	4,736,100	1,215	30	N	N	40	N	100	200	150	7,000

Sample	Mo-ppm S	Ni-ppm S	Pb-ppm S	Sb-ppm S	Sn-ppm S	W-ppm S	Y-ppm S	Zn-ppm S
79M285X	N	100	20	N	N	N	20	200
78M207X	N	200	100	N	N	N	100	700
79M1135X	N	150	30	N	N	N	20	300
79M270X	N	150	50	N	N	N	100	200
79M272X	N	100	100	N	N	N	100	500
80M1396X	N	300	50	N	N	N	150	200
79M438X	N	10,000	20	N	N	N	70	200
79M1094X	N	100	50	N	N	N	20	200
79M386X	N	3,000	30	N	N	N	70	<200
79M434X	N	700	20	N	N	N	<10	<200
79M394X	N	700	30	N	N	N	30	N
79M1250X	N	70	100	N	N	N	100	<200
79M291X	N	300	20	N	N	N	20	200
78M208X	N	200	100	N	N	N	20	500
79M382X	N	700	70	N	N	N	150	700
78M733X	N	200	70	N	N	N	50	<200
79M1073X	N	100	100	N	N	N	150	300
79M385X	7	500	70	N	N	N	70	200
WR032X	N	300	70	N	N	N	<10	300
78M239X	N	150	50	N	N	N	70	300
78M204X	N	150	70	N	N	N	30	500
79M1085X	N	70	30	N	N	N	20	<200
79M1083X	N	150	50	N	N	N	50	N
79M381X	N	150	20	N	N	N	70	<200
78M221X	N	200	100	N	N	N	100	500
79M1249X	N	50	30	N	N	N	10	300
79M284X	N	100	50	N	N	N	30	300
79M269X	15	100	70	N	N	N	150	300
79M392X	7	500	70	N	N	N	30	500
78M236X	N	150	50	N	N	N	50	700
80M1282X	N	70	30	N	N	N	300	500
78M220X	7	500	100	N	N	N	70	700
79M467X	N	300	30	N	N	N	10	<200
80M1284X	N	100	300	N	N	N	100	500
79M1075X	N	50	30	N	N	N	100	300
79M391X	5	500	70	N	N	N	50	200
79M271X	N	70	20	N	N	N	15	300
79M287X	N	300	100	N	N	N	100	300
79M1072X	<5	100	70	N	N	N	100	300
79M1095X	N	70	30	N	N	N	30	<200
79M435X	N	70	30	N	N	N	N	200
79M423X	N	5,000	30	N	N	N	50	<200
79M466X	N	150	30	N	N	N	20	200
80M1283X	N	100	50	N	N	N	100	300
79M1074X	N	100	100	N	N	N	200	200

Sample	X coord- dinate	Y coord- dinate	Map_no.	Fe-pct. s	Ag-ppm s	As-ppm s	As-ppm cm	Cd-ppm s	Co-ppm s	Cr-ppm s	Cu-ppm s	Mn-ppm s
79M432X	492,150	4,736,150	1,216	20	N	N	N	N	200	1,500	300	3,000
79M437X	498,900	4,736,300	1,217	20	N	N	N	N	100	700	300	2,000
79M289X	453,950	4,736,400	1,218	30	N	20	N	N	150	300	200	10,000
79M264X	467,700	4,736,500	1,219	30	N	N	N	N	100	70	500	>10,000
79M286X	458,100	4,736,600	1,220	20	N	N	N	N	150	700	500	5,000
79M268X	474,650	4,736,600	1,221	30	N	N	N	N	150	150	500	10,000
79M1258X	510,750	4,736,650	1,222	20	N	N	<10	N	70	150	200	10,000
79M1082X	539,800	4,736,750	1,223	30	N	N	N	N	150	700	200	3,000
78M237X	574,700	4,736,900	1,224	20	N	N	<10	N	70	150	300	2,000
79M288X	454,650	4,737,350	1,225	20	N	N	10	N	150	300	500	10,000
79M1088X	530,500	4,737,350	1,226	15	N	N	10	N	100	150	100	10,000
WRO30X	427,871	4,737,400	1,227	30	N	N	N	N	150	300	300	>10,000
79M1086X	534,000	4,737,450	1,228	20	N	N	N	N	100	200	150	>10,000
79M390X	484,000	4,737,500	1,229	20	N	N	20	N	150	300	300	>10,000
78M727X	550,500	4,737,500	1,230	20	N	N	N	N	70	500	200	7,000
79M469X	505,700	4,737,550	1,231	20	N	N	20	N	30	100	150	10,000
78M202X	425,600	4,737,600	1,232	30	N	N	30	N	150	500	200	7,000
78M218X	447,100	4,737,700	1,233	30	N	N	30	N	150	300	300	10,000
78M756X	541,200	4,737,700	1,234	30	N	N	10	N	150	1,000	200	7,000
78M728X	556,000	4,737,700	1,235	15	N	N	N	N	100	150	300	7,000
78M238X	571,600	4,737,700	1,236	15	N	N	N	N	30	100	200	3,000
80M1280X	515,800	4,737,750	1,237	20	N	N	<10	N	100	300	200	10,000
79M436X	498,150	4,737,800	1,238	20	N	N	N	N	150	500	300	3,000
79M465X	501,800	4,737,850	1,239	20	N	N	N	N	30	700	300	2,000
79M1076X	527,150	4,737,850	1,240	20	N	N	60	N	70	150	150	7,000
79M265X	476,600	4,737,900	1,241	20	N	N	N	N	150	500	300	5,000
80M1285X	518,400	4,737,950	1,242	30	N	300	160	N	100	150	200	>10,000
79M273X	466,200	4,738,050	1,243	30	N	N	N	N	150	150	700	10,000
78M219X	451,100	4,738,100	1,244	30	N	N	20	N	150	500	300	>10,000
78LG030X	563,103	4,738,210	1,245	20	N	N	N	N	100	300	150	7,000
79M267X	475,100	4,738,450	1,246	30	N	N	N	N	150	200	300	10,000
78M754X	547,000	4,738,500	1,247	30	N	N	N	N	150	500	200	10,000
79M422X	486,700	4,738,600	1,248	20	N	N	<10	N	200	300	500	5,000
WRO33X	432,677	4,738,800	1,249	20	N	N	<10	N	150	1,500	150	3,000
78M209X	437,700	4,738,900	1,250	20	N	N	20	N	100	300	200	>10,000
80M1281X	513,900	4,738,900	1,251	30	N	N	10	N	100	50	200	10,000
79M387X	481,000	4,738,950	1,252	20	N	N	N	N	150	700	300	3,000
79M468X	506,400	4,738,950	1,253	15	N	N	10	N	30	100	100	10,000
79M1093X	523,750	4,739,000	1,254	20	N	N	30	N	70	100	100	7,000
78M235X	579,400	4,739,000	1,255	20	N	N	N	N	100	300	300	5,000
79M430X	494,650	4,739,050	1,256	15	N	N	N	N	50	70	200	3,000
79M1257X	510,650	4,739,050	1,257	20	N	N	<10	N	100	150	200	10,000
80M011DS	528,200	4,739,050	1,258	30	N	N	30	N	50	200	150	7,000
79M275X	467,500	4,739,100	1,259	30	N	N	<10	N	100	50	150	>10,000
78M729X	557,800	4,739,100	1,260	20	N	N	N	N	70	150	200	7,000

32

Sample	Mo-ppm s	Ni-ppm s	Pb-ppm s	Sb-ppm s	Sn-ppm s	W-ppm s	Y-ppm s	Zn-ppm s
79M432X	N	5,000	70	N	N	N	70	200
79M437X	N	1,000	<20	N	N	N	N	<200
79M289X	N	300	150	N	N	N	100	500
79M264X	N	70	50	N	N	N	70	300
79M286X	N	300	20	N	N	N	50	200
79M268X	N	150	70	N	N	N	20	300
79M1258X	N	50	50	N	100	N	15	200
79M1082X	N	300	20	N	N	N	70	200
78M237X	N	200	70	N	N	N	50	500
79M1288X	N	300	100	N	N	N	70	300
79M1088X	N	70	20	N	N	N	<10	<200
WR030X	N	300	70	N	N	N	70	300
79M1086X	N	70	<20	N	N	N	10	200
79M390X	N	200	70	N	N	N	50	200
78M727X	N	150	50	N	N	N	100	200
79M469X	N	50	50	N	N	N	15	300
78M202X	N	500	70	N	N	N	70	500
78M218X	N	150	100	N	N	N	200	700
78M756X	N	200	70	N	N	N	150	500
78M728X	N	150	50	N	N	N	15	<200
78M238X	7	100	70	N	N	N	50	200
80M1280X	N	100	30	N	N	N	30	300
79M436X	N	700	20	N	N	N	N	N
79M465X	N	150	20	N	N	N	N	300
79M1076X	N	100	100	N	N	N	100	200
79M265X	N	200	70	N	N	N	30	200
80M1285X	N	100	100	N	N	N	200	300
79M273X	N	70	70	N	N	N	100	300
78M219X	N	700	70	N	N	N	20	300
78L6030X	N	300	70	N	N	N	10	200
79M267X	N	100	20	N	N	N	100	200
78M754X	N	200	70	N	N	N	150	500
79M422X	N	200	50	N	N	N	100	<200
WR033X	N	1,000	100	N	N	N	50	200
78M209X	N	200	100	N	N	N	100	700
80M1281X	N	50	20	N	N	N	15	500
79M387X	N	300	20	N	N	N	70	<200
79M468X	20	70	100	N	N	N	30	<200
79M1093X	N	30	70	N	N	N	70	300
78M235X	N	150	50	N	N	N	50	700
79M430X	N	70	20	N	N	N	15	200
79M1257X	N	50	50	N	N	N	30	300
80M011DS	N	150	150	N	N	N	50	500
79M275X	20	50	50	N	N	N	100	300
78M729X	10	150	50	N	N	N	100	<200

Sample	X coordinate	Y coordinate	Map_no.	Fe-pct. %	Ag-ppm s	As-ppm s	As-ppm cm	Cd-ppm s	Co-ppm s	Cr-ppm s	Cu-ppm s	Mn-ppm s
79M281X	460,850	4,739,200	1,261	20	N	N	N	N	100	700	200	10,000
78M755X	543,900	4,739,200	1,262	30	5	<10	<10	N	70	700	30	5,000
79M1077X	525,700	4,739,250	1,263	30	N	N	60	N	70	300	100	1,000
WRO29X	430,806	4,739,550	1,264	30	N	N	N	N	150	300	300	3,000
79M280X	461,500	4,739,700	1,265	30	N	N	N	N	150	700	500	7,000
79M262X	472,250	4,739,750	1,266	30	N	N	N	N	150	100	500	>10,000
79M431X	492,800	4,739,800	1,267	20	N	N	N	N	150	200	300	7,000
79M1087X	537,050	4,739,850	1,268	20	N	N	10	N	100	200	150	>10,000
79M426X	489,900	4,739,900	1,269	20	N	N	20	N	150	200	500	7,000
79M421X	486,500	4,740,050	1,270	30	N	N	20	N	150	300	300	5,000
78M217X	440,200	4,740,100	1,271	20	N	N	10	N	100	300	200	7,000
78M201X	429,600	4,740,200	1,272	30	N	N	10	N	200	300	300	10,000
79M462X	498,800	4,740,200	1,273	20	N	N	N	N	200	1,000	300	5,000
78M199X	418,500	4,740,300	1,274	20	N	N	<10	N	150	500	200	10,000
79M1096X	528,350	4,740,300	1,275	20	N	N	10	N	70	200	100	10,000
79M1078X	524,100	4,740,400	1,276	30	N	N	60	N	70	150	100	>10,000
78M707X	531,900	4,740,400	1,277	30	1.5	N	60	N	100	300	200	10,000
79M274X	466,650	4,740,600	1,278	20	N	N	N	N	100	100	700	7,000
80M1279X	516,450	4,740,600	1,279	20	N	N	N	N	100	150	100	7,000
79M463X	501,250	4,740,700	1,280	15	N	N	N	N	70	200	300	3,000
79M429X	493,050	4,740,750	1,281	30	N	N	N	N	200	200	700	>10,000
79M279X	463,500	4,740,800	1,282	30	N	N	N	N	150	700	500	5,000
79M1252X	506,300	4,740,900	1,283	20	N	N	N	N	70	150	300	10,000
80M1278X	513,200	4,740,950	1,284	30	N	N	10	N	150	150	150	>10,000
78M243X	575,700	4,741,200	1,285	15	N	N	N	N	70	150	200	10,000
79M266X	476,250	4,741,500	1,286	20	N	N	N	N	100	100	300	7,000
78M725X	545,300	4,741,500	1,287	20	N	700	300	N	100	300	200	10,000
79M388X	482,000	4,741,550	1,288	20	N	N	N	N	150	500	300	7,000
78M203X	424,600	4,741,600	1,289	20	N	N	20	N	70	300	70	5,000
78M701X	539,900	4,741,700	1,290	20	N	N	30	N	150	200	200	10,000
79M263X	472,650	4,741,800	1,291	20	N	N	N	N	100	150	300	7,000
79M261X	473,700	4,741,800	1,292	20	N	N	N	N	150	100	500	>10,000
79M439X	495,500	4,741,800	1,293	20	N	N	N	N	200	300	500	10,000
78M702X	538,900	4,741,800	1,294	20	N	N	<10	N	70	200	100	10,000
79M425X	488,600	4,741,850	1,295	20	N	N	N	N	150	500	300	7,000
78M211X	442,300	4,742,000	1,296	30	N	N	30	N	100	500	300	7,000
79M389X	483,000	4,742,100	1,297	30	N	N	N	N	150	700	300	10,000
79M276X	467,450	4,742,250	1,298	20	N	N	N	N	100	50	500	3,000
78M206X	418,700	4,742,300	1,299	20	N	N	10	N	700	700	100	10,000
79M461X	505,700	4,742,300	1,300	30	N	N	<10	N	150	100	1,000	3,000
79M1256X	511,850	4,742,300	1,301	20	N	N	N	N	50	100	150	7,000
78M706X	534,500	4,742,300	1,302	30	N	N	40	N	200	300	150	>10,000
78M210X	435,900	4,742,500	1,303	30	<5	N	N	N	200	3,000	700	3,000
78M720X	559,100	4,742,500	1,304	20	N	N	N	N	70	300	300	7,000
78M726X	551,300	4,742,700	1,305	30	N	N	N	N	100	700	200	10,000

Sample	Mo-ppm s	Ni-ppm s	Pb-ppm s	Sb-ppm s	Sn-ppm s	W-ppm s	Y-ppm s	Zn-ppm s
79M281X	N	300	30	N	N	N	<10	200
78M755X	N	100	50	N	N	N	70	500
79M1077X	N	70	70	N	N	N	100	500
WR029X	N	150	70	N	N	N	70	200
79M280X	N	1,000	50	N	N	N	70	500
79M262X	N	70	50	N	N	N	70	300
79M431X	N	100	70	N	N	N	50	200
79M1087X	N	70	50	N	N	N	10	300
79M426X	N	300	70	N	N	N	70	200
79M421X	N	200	100	N	N	N	70	300
78M217X	15	300	70	N	N	50	20	500
78M201X	N	500	50	N	N	N	70	700
79M462X	N	1,000	50	N	N	N	30	<200
78M199X	N	150	70	N	N	N	30	500
79M1096X	N	100	100	N	N	N	150	300
79M1078X	N	70	100	N	N	N	150	500
78M707X	N	50	50	N	N	N	50	500
79M274X	N	100	30	N	N	N	15	200
80M1279X	N	70	<20	N	N	N	<10	200
79M463X	N	300	20	N	N	N	<10	<200
79M429X	N	200	30	N	N	N	50	200
79M279X	N	500	50	N	N	N	70	200
79M1252X	N	70	30	N	N	N	10	200
80M1278X	N	70	100	N	N	N	50	500
78M243X	N	150	70	N	N	N	100	300
79M266X	N	70	30	N	N	N	70	200
78M725X	N	150	30	N	N	N	150	200
79M388X	N	300	<20	N	N	N	20	<200
78M203X	N	100	70	N	N	N	70	300
78M701X	N	70	70	N	N	N	150	200
79M263X	N	70	50	N	N	N	70	200
79M261X	N	70	50	N	N	N	70	500
79M439X	N	200	30	N	N	N	30	N
78M702X	N	70	70	N	N	N	150	300
79M425X	N	500	20	N	N	N	150	200
78M211X	N	200	100	N	N	N	150	500
79M389X	N	300	20	N	N	N	100	200
79M276X	N	50	20	N	N	N	20	200
78M206X	S	700	30	N	N	N	<10	300
79M461X	N	700	70	N	N	N	70	500
79M1256X	N	50	50	N	N	N	100	300
78M706X	N	100	50	N	N	N	150	300
78M210X	N	1,000	<20	N	N	N	N	300
78M720X	<5	100	100	N	N	N	150	500
78M726X	N	150	50	N	N	N	200	200

Sample	X coord- dinate	Y coord- dinate	Map_no.	Fe-pct. %	Ag-ppm S	As-ppm S	As-ppm cm	Cd-ppm S	Co-ppm S	Cr-ppm S	Cu-ppm S	Mn-ppm S
79M1104X	521,400	4,742,800	1,306	20	N	N	10	N	70	150	100	7,000
80M1286X	519,600	4,743,100	1,307	30	N	N	10	N	70	100	150	>10,000
78M703X	540,800	4,743,200	1,308	20	N	N	10	N	100	200	200	10,000
79M283X	456,100	4,743,250	1,309	30	N	N	10	N	150	300	200	>10,000
79M282X	460,600	4,743,300	1,310	30	N	N	10	N	150	200	200	10,000
79M427X	492,050	4,743,350	1,311	20	N	N	N	N	150	300	300	10,000
78M708X	531,000	4,743,400	1,312	20	N	N	N	N	150	1,500	300	>10,000
79M440X	496,050	4,743,500	1,313	20	N	N	N	N	150	300	200	3,000
80M010DS	532,250	4,743,500	1,314	50	7,000	6,000	6,000	N	150	70	200	>10,000
78M212X	432,400	4,743,600	1,315	30	N	N	20	N	100	700	300	5,000
78M705X	535,800	4,743,600	1,316	20	N	N	40	N	100	300	150	10,000
78M229X	569,700	4,743,600	1,317	30	N	N	N	N	100	500	200	2,000
79M348X	480,550	4,743,650	1,318	20	N	N	N	N	100	500	300	2,000
79M278X	462,450	4,743,700	1,319	20	N	N	10	N	150	300	200	10,000
79M342X	474,350	4,743,700	1,320	30	N	N	<10	N	150	100	500	10,000
79M464X	504,600	4,743,750	1,321	20	N	N	N	N	100	100	150	7,000
79M455X	519,250	4,743,950	1,322	20	N	N	20	N	50	150	70	10,000
79M341X	476,550	4,744,000	1,323	20	N	N	N	N	100	100	300	7,000
79M1097X	527,500	4,744,300	1,324	30	N	N	40	N	100	200	200	10,000
79M424X	487,050	4,744,350	1,325	20	N	N	30	N	150	300	300	10,000
78M724X	552,400	4,744,400	1,326	20	N	N	N	N	150	500	200	10,000
79M459X	513,000	4,744,450	1,327	20	N	N	N	N	150	100	300	5,000
78M216X	443,900	4,744,700	1,328	30	N	N	10	N	100	500	300	>10,000
79M260X	471,150	4,744,700	1,329	20	N	N	N	N	150	100	500	>10,000
78M704X	536,900	4,744,700	1,330	15	300	300	80	N	100	100	700	>10,000
79M428X	490,700	4,744,800	1,331	15	N	N	N	N	100	300	200	5,000
79M1100X	521,950	4,744,800	1,332	15	N	N	40	N	15	50	70	10,000
79M419X	502,250	4,744,950	1,333	15	N	N	N	N	20	70	200	1,500
78M222X	451,500	4,745,000	1,334	30	N	N	20	N	70	300	300	5,000
79M277X	464,550	4,745,000	1,335	20	N	N	20	N	150	500	200	5,000
79M347X	482,300	4,745,000	1,336	30	N	N	20	N	150	200	300	>10,000
79M460X	511,150	4,745,100	1,337	20	N	N	N	N	150	100	300	5,000
78M232X	580,300	4,745,100	1,338	30	N	N	N	N	150	500	200	1,500
79M1253X	507,850	4,745,300	1,339	20	N	N	N	N	150	200	200	7,000
79M456X	515,750	4,745,300	1,340	20	N	N	<10	N	100	70	300	10,000
79M441X	499,750	4,745,400	1,341	20	N	N	N	N	150	500	200	3,000
79M259X	468,600	4,745,650	1,342	20	5	20	20	N	100	1,500	500	7,000
79M1098X	525,950	4,745,750	1,343	30	N	N	30	N	100	200	200	10,000
78M245X	562,500	4,745,800	1,344	20	N	N	10	N	70	150	300	3,000
78M213X	433,900	4,746,300	1,345	30	N	N	20	N	150	1,000	300	10,000
78M711X	535,300	4,746,300	1,346	15	N	200	60	N	50	200	300	>10,000
78M712X	537,900	4,746,500	1,347	30	<200	<200	60	N	200	100	300	>10,000
79M340X	477,550	4,746,600	1,348	20	N	N	N	N	150	100	300	3,000
79M417X	502,600	4,746,700	1,349	20	N	N	N	N	50	100	300	3,000
79M1099X	524,150	4,746,700	1,350	20	N	N	10	N	70	200	150	7,000

232

Sample	Mo-ppm S	Ni-ppm S	Pb-ppm S	Sb-ppm S	Sn-ppm S	W-ppm S	Y-ppm S	Zn-ppm S
79M1104X	N	70	30	N	N	N	30	200
80M1286X	N	70	150	N	N	N	700	700
78M703X	N	100	70	N	N	N	50	300
79M283X	N	300	150	N	N	N	100	300
79M282X	N	300	150	N	N	N	100	300
79M427X	N	300	20	N	N	N	20	200
78M708X	N	300	70	N	N	N	300	300
79M440X	N	150	50	N	N	N	70	<200
80M010DS	N	150	3,000	200	N	N	300	3,000
78M212X	N	700	70	N	N	N	70	500
78M705X	N	100	50	N	N	N	70	200
78M229X	N	150	70	N	N	N	50	700
79M348X	N	500	70	N	N	N	20	200
79M278X	N	300	100	N	N	N	70	300
79M342X	N	100	30	N	N	N	70	200
79M464X	N	150	20	N	N	N	N	200
79M455X	N	70	70	N	50	N	300	200
79M341X	N	100	20	N	N	N	70	200
79M1097X	N	100	20	N	N	N	15	300
79M424X	N	500	70	N	N	N	70	300
78M724X	N	200	70	N	N	N	150	300
79M459X	N	50	30	N	N	N	<10	300
78M216X	N	300	100	N	N	N	70	500
79M260X	N	70	20	N	N	N	30	200
78M704X	15	70	200	N	10	N	200	<200
79M428X	N	300	<20	N	N	N	50	N
79M1100X	N	20	70	N	N	N	150	200
79M419X	N	100	<20	N	N	N	<10	<200
78M222X	N	150	100	N	N	N	70	300
79M277X	N	200	70	N	N	N	70	200
79M347X	N	500	100	N	N	N	70	500
79M460X	N	50	30	N	N	N	<10	300
78M232X	N	150	30	N	N	N	30	500
79M1253X	N	70	50	N	N	N	50	200
79M456X	N	100	20	N	N	N	N	200
79M441X	N	700	30	N	N	N	50	200
78M259X	N	1,000	70	N	N	N	50	500
79M1098X	N	70	50	N	N	N	100	200
78M245X	N	100	100	N	N	N	100	300
78M213X	N	1,000	50	N	N	N	70	300
78M711X	10	100	200	N	30	N	150	300
78M712X	10	50	100	20	20	N	200	200
79M340X	N	150	20	N	N	N	<10	<200
79M417X	N	100	20	N	N	N	10	200
79M1099X	N	70	50	N	N	N	15	200

Sample	X coord- dinate	Y coord- dinate	Map_no.	Fe-pct. s	Ag-ppm s	As-ppm s	As-ppm cm	Cd-ppm s	Co-ppm s	Cr-ppm s	Cu-ppm s	Mn-ppm s
78M227X	569,400	4,746,700	1,351	20	N	N	N	N	100	300	300	7,000
79M1254X	508,300	4,746,850	1,352	20	N	N	N	N	100	150	200	7,000
79M364X	491,050	4,746,950	1,353	20	N	N	20	N	150	300	700	10,000
78M215X	443,400	4,747,100	1,354	30	N	N	20	N	150	300	300	>10,000
78M723X	547,400	4,747,100	1,355	20	N	N	N	N	150	300	150	>10,000
78M214X	439,800	4,747,200	1,356	30	N	N	10	N	100	700	300	7,000
79M329X	462,150	4,747,200	1,357	30	N	N	10	N	150	300	300	>10,000
79M458X	511,500	4,747,350	1,358	20	N	N	<10	N	100	100	300	10,000
79M299X	451,950	4,747,550	1,359	20	N	N	10	N	100	200	500	7,000
79M363X	490,050	4,747,550	1,360	20	N	N	20	N	150	300	500	10,000
78M751X	541,600	4,747,600	1,361	30	N	N	40	N	100	200	100	>10,000
78M225X	577,300	4,747,600	1,362	30	N	N	N	N	150	700	500	5,000
78M224X	578,300	4,747,800	1,363	20	N	N	N	N	70	200	300	1,500
79M314X	418,700	4,747,850	1,364	20	N	N	30	N	100	200	200	5,000
79M457X	513,100	4,747,850	1,365	20	N	N	10	N	100	150	300	7,000
78M719X	558,300	4,747,900	1,366	30	N	N	N	N	100	500	300	2,000
79M331X	467,950	4,748,000	1,367	20	N	N	10	N	100	200	300	10,000
78M228X	564,600	4,748,000	1,368	20	N	N	10	N	70	200	300	3,000
79M1101X	523,450	4,748,100	1,369	15	N	N	N	N	70	150	150	5,000
79M453X	518,400	4,748,200	1,370	20	N	N	10	N	150	200	150	7,000
78M226X	573,900	4,748,200	1,371	30	N	N	N	N	100	500	300	3,000
78M709X	531,600	4,748,300	1,372	30	N	N	N	N	100	300	100	10,000
79M346X	480,650	4,748,350	1,373	20	N	N	N	N	100	100	300	5,000
79M361X	485,400	4,748,400	1,374	30	N	N	10	N	150	300	700	7,000
79M454X	516,600	4,748,400	1,375	20	N	N	20	N	150	70	70	>10,000
78M752X	543,300	4,748,400	1,376	20	N	N	30	N	50	150	50	>10,000
79M332X	471,050	4,748,450	1,377	20	N	N	20	N	150	1,000	300	10,000
80M1277X	496,600	4,748,450	1,378	20	N	N	N	N	100	700	300	5,000
79M311X	425,650	4,748,500	1,379	20	N	N	30	N	100	200	200	5,000
78M722X	549,900	4,748,600	1,380	30	N	N	N	N	200	500	150	>10,000
79M313X	432,400	4,748,650	1,381	20	N	N	20	N	100	200	200	3,000
79M420X	503,900	4,748,700	1,382	20	N	N	N	N	150	1,500	300	5,000
79M410X	499,300	4,748,800	1,383	20	N	N	N	N	100	200	300	5,000
79M344X	483,250	4,748,900	1,384	20	N	N	N	N	100	300	300	5,000
79M1105X	527,450	4,748,900	1,385	30	N	N	10	N	50	50	50	>10,000
79M315X	456,650	4,748,950	1,386	20	N	N	20	N	150	300	300	7,000
79M333X	473,400	4,748,950	1,387	30	N	N	N	N	150	200	700	10,000
78M234X	571,000	4,749,000	1,388	20	7	N	N	N	70	500	300	3,000
79M362X	488,500	4,749,150	1,389	20	N	N	20	N	150	300	500	7,000
79M330X	468,700	4,749,250	1,390	30	N	N	20	N	150	300	300	>10,000
78M233X	574,400	4,749,300	1,391	20	5	N	N	N	70	500	300	10,000
79M418X	502,600	4,749,400	1,392	20	N	N	N	N	200	2,000	150	>10,000
79M416X	505,600	4,749,550	1,393	30	N	N	N	N	300	2,000	100	5,000
79M1255X	508,450	4,749,600	1,394	30	N	N	10	N	150	150	300	10,000
78M721X	552,300	4,749,600	1,395	20	N	N	N	N	100	300	150	>10,000

Sample	Mo-ppm S	Ni-ppm S	Pb-ppm S	Sb-ppm S	Sn-ppm S	W-ppm S	Y-ppm S	Zn-ppm S
78M227X	<5	100	70	N	N	N	70	300
79M1254X	N	70	50	N	N	N	15	500
79M364X	N	300	30	N	N	N	70	200
78M215X	N	300	100	N	N	N	100	500
78M723X	N	100	100	N	N	N	300	300
78M214X	N	500	100	N	N	N	100	500
79M329X	N	500	100	N	N	N	100	500
79M458X	N	70	30	N	N	N	<10	300
79M299X	N	200	100	N	N	N	70	300
79M363X	N	300	50	N	N	N	100	200
78M751X	N	100	100	N	N	N	100	500
78M225X	N	300	70	N	N	N	50	500
78M224X	10	150	50	N	N	N	50	200
79M314X	N	200	100	N	N	N	70	200
79M457X	N	70	30	N	N	N	N	<200
78M719X	<5	150	70	N	N	N	50	500
79M331X	<5	500	70	N	N	N	30	200
78M228X	N	100	70	N	70	N	50	300
79M1101X	N	70	30	N	N	N	15	300
79M453X	N	50	70	N	N	N	100	200
78M226X	N	150	70	N	N	N	70	700
78M709X	<5	100	70	N	N	N	70	500
79M346X	N	150	50	N	N	N	30	200
79M361X	5	700	70	N	N	N	150	500
79M454X	N	70	70	N	15	N	200	200
78M752X	N	50	100	N	N	N	100	300
79M332X	N	1,000	50	N	10	N	15	200
80M1277X	N	700	100	N	N	N	100	500
79M311X	7	200	70	N	N	N	50	200
78M722X	N	100	100	N	N	N	200	300
79M313X	N	200	100	N	N	N	100	200
79M420X	N	3,000	50	N	N	N	50	<200
79M410X	N	150	<20	N	N	N	<10	N
79M344X	5	300	70	N	N	N	70	200
79M1105X	N	30	70	N	N	N	70	300
79M315X	N	500	50	N	N	N	30	300
79M333X	N	150	20	N	N	N	70	300
78M234X	N	150	70	N	N	N	70	500
79M362X	N	500	30	N	N	N	30	200
79M330X	N	1,000	200	N	N	N	50	200
78M233X	5	100	100	N	N	N	50	500
79M418X	N	5,000	50	N	N	N	70	200
79M416X	N	7,000	20	N	N	N	30	<200
79M1255X	N	70	70	N	N	N	70	200
78M721X	N	100	100	N	N	N	100	300

Sample	X coordinate	Y coordinate	Map_no.	Fe-pct.	Ag-ppm	As-ppm	As-pcm	Cd-ppm	Co-ppm	Cr-ppm	Cu-ppm	Mn-ppm
				s	s	s	cm	s	s	s	s	s
79M319X	464,850	4,749,650	1,396	20	N	N	<10	N	150	200	300	10,000
79M343X	480,550	4,749,650	1,397	20	N	N	N	N	100	70	500	5,000
78M710X	534,800	4,749,700	1,398	30	N	N	40	N	100	300	300	>10,000
79M1106X	528,350	4,749,950	1,399	20	N	N	10	N	30	150	70	7,000
79M452X	516,300	4,750,000	1,400	20	N	N	<10	N	100	100	100	7,000
79M1102X	525,050	4,750,050	1,401	15	N	N	<10	N	70	200	150	5,000
79M404X	495,100	4,750,100	1,402	20	N	N	N	N	100	300	500	2,000
79M345X	483,050	4,750,200	1,403	20	N	N	<10	N	100	300	300	5,000
78M692X	539,100	4,750,200	1,404	20	N	N	10	N	100	200	200	10,000
78M231X	576,200	4,750,200	1,405	15	N	N	N	N	70	200	500	7,000
79M360X	487,500	4,750,400	1,406	20	N	N	<10	N	100	300	500	7,000
79M405X	497,750	4,750,450	1,407	30	N	N	N	N	100	300	300	7,000
79M1107X	531,100	4,750,450	1,408	15	N	N	N	N	100	300	100	5,000
79M451X	513,050	4,750,500	1,409	20	N	N	<10	N	100	150	300	7,000
79M450X	511,050	4,750,650	1,410	30	N	N	<10	N	100	100	100	10,000
79M334X	472,400	4,750,750	1,411	20	N	N	20	N	70	300	300	5,000
79M1103X	522,250	4,750,850	1,412	30	N	N	<10	N	70	100	150	7,000
78M690X	537,900	4,750,900	1,413	20	N	N	<10	N	100	200	150	10,000
79M350X	477,950	4,750,950	1,414	30	N	N	<10	N	150	150	500	3,000
79M310X	425,250	4,751,300	1,415	20	N	N	30	N	150	200	200	5,000
79M335X	474,450	4,751,400	1,416	20	N	N	10	N	150	1,000	500	3,000
78M718X	549,500	4,751,500	1,417	20	N	N	N	N	100	500	200	5,000
79M372X	492,250	4,751,650	1,418	20	N	N	20	N	150	200	500	10,000
79M449X	520,300	4,751,750	1,419	20	N	N	20	N	70	150	100	10,000
78M694X	544,200	4,751,800	1,420	15	N	N	N	N	70	300	300	>10,000
79M328X	464,000	4,752,200	1,421	20	N	N	<10	N	150	1,500	150	3,000
79M300X	448,500	4,752,300	1,422	30	N	N	<10	N	150	500	300	10,000
78M689X	537,900	4,752,400	1,423	30	N	N	10	N	150	700	150	10,000
78M695X	545,000	4,752,400	1,424	20	N	N	10	N	150	1,000	200	>10,000
79M373X	478,700	4,752,550	1,425	20	N	N	10	N	150	200	300	5,000
79M446X	514,500	4,752,550	1,426	20	N	N	10	N	200	200	200	>10,000
79M374X	479,700	4,752,600	1,427	20	N	N	<10	N	150	200	300	5,000
79M358X	483,400	4,752,800	1,428	20	N	N	10	N	150	300	500	10,000
79M443X	501,700	4,752,850	1,429	20	N	N	N	N	150	500	300	5,000
78M696X	543,800	4,752,900	1,430	20	N	N	N	N	70	150	200	10,000
79M301X	446,150	4,752,950	1,431	30	N	N	10	N	150	500	300	5,000
79M371X	492,500	4,753,000	1,432	20	N	N	30	N	150	200	500	>10,000
79M444X	508,400	4,753,000	1,433	30	N	N	10	N	150	150	200	>10,000
79M411X	504,650	4,753,300	1,434	15	N	N	N	N	100	150	300	3,000
78M691X	541,600	4,753,300	1,435	20	N	N	N	N	150	200	300	7,000
79M445X	510,150	4,753,400	1,436	30	N	N	20	N	100	50	100	10,000
79M312X	430,650	4,753,500	1,437	20	N	N	30	N	150	200	200	5,000
79M316X	455,950	4,753,500	1,438	30	N	N	<10	N	200	700	200	7,000
79M359X	488,100	4,753,600	1,439	30	N	N	<10	N	150	500	500	7,000
78M717X	554,600	4,753,600	1,440	30	N	N	N	N	100	300	100	5,000

Sample	Mo-ppm s	Ni-ppm s	Pb-ppm s	Sb-ppm s	Sn-ppm s	W-ppm s	Y-ppm s	Zn-ppm s
79M319X	N	300	70	N	N	N	100	200
79M343X	N	70	100	N	N	N	20	500
78M710X	<5	150	70	N	N	N	10	300
79M1106X	N	70	50	N	N	N	50	200
79M452X	N	50	50	N	N	N	150	300
79M1102X	N	70	20	N	N	N	10	200
79M404X	N	300	20	N	N	N	<10	200
79M345X	N	300	70	N	N	N	70	300
78M692X	N	70	100	N	N	N	200	500
78M231X	<5	150	100	N	N	N	10	500
79M360X	N	500	50	N	N	N	70	300
79M405X	N	300	50	N	N	N	70	300
79M1107X	N	300	50	N	N	N	70	<200
79M451X	N	50	<20	N	N	N	10	500
79M450X	N	50	50	N	N	N	300	200
79M334X	15	500	50	N	N	N	10	300
79M1103X	N	70	20	N	N	N	<10	200
78M690X	N	200	50	N	N	N	50	500
79M350X	N	150	20	N	N	N	10	200
79M310X	15	200	70	N	N	N	70	200
79M335X	N	2,000	50	N	N	N	50	200
78M718X	7	150	50	N	N	N	200	300
79M372X	N	500	100	N	N	N	100	500
79M449X	N	30	30	N	N	N	20	200
78M694X	7	70	100	N	N	N	50	200
79M328X	N	7,000	20	N	N	N	30	<200
79M300X	N	500	50	N	N	N	70	200
78M689X	N	200	70	N	N	N	100	300
78M695X	N	150	70	N	N	N	150	500
79M373X	N	300	70	N	N	N	70	200
79M446X	N	70	70	N	N	N	100	200
79M374X	N	300	70	N	N	N	50	200
79M358X	N	300	70	N	N	N	50	300
79M443X	N	300	50	N	N	N	70	200
78M696X	N	70	50	N	N	N	15	500
79M301X	N	500	70	N	N	N	70	300
79M371X	N	500	100	N	N	N	70	300
79M444X	N	100	20	N	N	N	15	200
79M411X	N	150	20	N	N	N	<10	<200
78M691X	N	150	20	N	N	N	N	300
79M445X	N	30	30	N	N	N	300	300
79M312X	N	200	100	N	N	N	50	200
79M316X	N	2,000	30	N	N	N	100	200
79M359X	N	500	100	N	N	N	100	300
78M717X	N	150	50	N	N	N	100	200

Sample	X coord- dinate	Y coord- dinate	Map_no.	Fe-pct. s	Ag-ppm s	As-ppm s	As-ppm cm	Cd-ppm s	Co-ppm s	Cr-ppm s	Cu-ppm s	Mn-ppm s
79M357X	485,500	4,753,650	1,441	20	N	N	<10	N	150	300	300	7,000
79M1116X	522,650	4,753,700	1,442	20	N	N	<10	N	100	100	150	10,000
78M716X	557,200	4,753,700	1,443	20	N	N	30	N	70	200	150	7,000
78M247X	566,900	4,753,700	1,444	20	N	N	20	N	70	200	200	10,000
79M1115X	524,700	4,753,800	1,445	20	N	N	20	N	70	70	150	5,000
79M309X	424,450	4,753,900	1,446	20	N	N	60	N	100	300	150	3,000
79M448X	519,350	4,753,900	1,447	20	N	N	10	N	100	50	100	7,000
79M406X	497,300	4,753,950	1,448	15	N	N	N	N	50	100	300	2,000
79M402X	496,000	4,754,000	1,449	20	N	N	N	N	150	500	500	7,000
79M304X	437,300	4,754,250	1,450	20	N	N	<10	N	100	300	300	7,000
79M447X	515,650	4,754,300	1,451	20	N	N	20	N	100	100	100	10,000
79M317X	459,750	4,754,350	1,452	20	N	N	N	N	150	1,000	200	5,000
79M336X	473,550	4,754,350	1,453	20	N	N	N	N	100	150	300	3,000
79M302X	440,250	4,754,400	1,454	30	N	N	10	N	200	500	300	7,000
78M230X	578,100	4,754,400	1,455	15	N	N	<10	N	50	200	500	3,000
79M401X	491,650	4,754,550	1,456	20	N	N	10	N	150	200	300	5,000
79M1111X	530,900	4,754,700	1,457	20	N	N	30	N	500	500	150	5,000
79M1110X	528,100	4,754,800	1,458	15	N	N	30	N	70	500	200	5,000
79M1112X	534,250	4,754,900	1,459	20	N	N	N	N	70	50	70	7,000
78M248X	567,300	4,755,000	1,460	20	N	N	10	N	70	200	500	3,000
79M337X	472,300	4,755,200	1,461	20	N	N	10	N	150	300	300	5,000
79M307X	421,200	4,755,250	1,462	20	N	N	10	N	150	500	200	7,000
78M693X	542,000	4,755,400	1,463	30	N	N	40	N	30	200	300	500
79M370X	488,800	4,755,550	1,464	20	N	N	10	N	150	300	300	3,000
79M407X	498,450	4,755,600	1,465	20	N	N	<10	N	100	300	300	5,000
78M699X	546,700	4,755,600	1,466	20	N	N	N	N	100	--	300	10,000
78M676X	514,400	4,755,700	1,467	20	1.0	N	<10	N	150	300	200	10,000
79M356X	485,700	4,755,750	1,468	20	N	N	<10	N	150	500	300	7,000
78M677X	516,300	4,756,000	1,469	20	N	N	N	N	100	300	200	7,000
79M351X	478,050	4,756,100	1,470	30	N	N	N	N	150	200	200	3,000
79M1108X	524,200	4,756,200	1,471	20	N	N	30	N	100	100	150	10,000
79M355X	484,550	4,756,250	1,472	20	N	N	10	N	150	500	300	3,000
79M322X	454,150	4,756,350	1,473	20	N	N	N	N	150	300	200	3,000
79M403X	495,400	4,756,500	1,474	30	N	N	60	N	150	300	500	10,000
78M681X	519,000	4,756,500	1,475	20	N	N	N	N	70	150	100	10,000
79M349X	473,550	4,756,550	1,476	30	N	N	<10	N	100	300	300	5,000
78M678X	523,400	4,756,600	1,477	20	N	N	10	N	150	500	200	10,000
79M352X	481,300	4,756,800	1,478	20	N	N	N	N	100	200	200	5,000
78M687X	536,800	4,756,800	1,479	20	N	N	10	N	100	300	200	10,000
79M1113X	532,150	4,756,850	1,480	20	N	N	40	N	70	100	150	10,000
79M305X	431,800	4,756,900	1,481	20	N	N	20	N	100	500	150	3,000
78M675X	511,700	4,756,900	1,482	20	N	N	N	N	300	300	300	10,000
79M1114X	527,850	4,756,900	1,483	20	N	N	30	N	70	200	200	5,000
79M412X	504,850	4,757,050	1,484	30	N	N	N	N	150	100	150	7,000
78M697X	543,100	4,757,100	1,485	20	N	N	20	N	500	--	500	10,000

Sample	Mo-ppm s	Ni-ppm s	Pb-ppm s	Sb-ppm s	Sn-ppm s	W-ppm s	Y-ppm s	Zn-ppm s
79M357X	N	300	50	N	N	N	70	300
79M1116X	N	50	50	N	N	N	70	300
78M716X	N	100	70	N	N	N	50	300
78M247X	5	70	100	N	N	N	30	700
79M1115X	N	30	30	N	N	N	10	200
79M309X	N	200	100	N	N	N	50	200
79M448X	N	30	50	N	N	N	150	200
79M406X	N	150	20	N	N	N	10	<200
79M402X	N	500	70	N	N	N	50	300
79M304X	N	200	70	N	N	N	100	200
79M447X	N	50	20	N	N	N	15	200
79M317X	N	1,500	30	N	N	N	15	N
79M336X	N	150	30	N	N	N	30	200
79M302X	N	300	100	N	N	N	100	300
78M230X	<5	150	150	N	N	N	100	200
79M401X	N	300	100	N	N	N	70	300
79M1111X	70	500	150	N	N	N	150	500
79M1110X	N	200	<20	N	N	N	10	<200
79M1112X	N	30	50	N	N	N	70	200
78M248X	N	150	100	N	N	N	30	300
79M337X	N	700	70	N	N	N	70	300
79M307X	N	500	70	N	N	N	50	200
78M693X	30	50	100	N	N	N	70	300
79M370X	N	300	70	N	N	N	30	200
79M407X	N	300	30	N	N	N	30	200
78M699X	N	100	50	N	N	N	15	300
78M676X	N	100	50	N	N	N	10	500
79M356X	N	500	50	N	N	N	20	300
78M677X	N	100	30	N	N	N	N	300
79M351X	N	150	70	N	30	N	70	200
79M1108X	N	50	70	N	N	N	50	200
79M355X	N	500	70	N	N	N	50	200
79M322X	N	700	30	N	N	N	70	200
79M403X	N	500	70	N	N	N	20	200
78M681X	N	30	30	N	N	N	10	500
79M349X	N	500	70	N	N	N	15	300
78M678X	N	70	70	N	N	N	50	500
79M352X	N	100	<20	N	N	N	<10	<200
78M687X	N	100	70	N	N	N	70	300
79M1113X	5	50	150	N	N	N	200	200
79M305X	N	300	70	N	N	N	50	200
78M675X	N	100	70	N	N	N	70	500
79M1114X	N	70	30	N	N	N	<10	200
79M412X	N	50	50	N	N	N	150	200
78M697X	N	700	20	N	N	N	N	500

Sample	X coordinate	Y coordinate	Map_no.	Fe-pct. s	Ag-ppm s	As-ppm s	As-ppm cm	Cd-ppm s	Co-ppm s	Cr-ppm s	Cu-ppm s	Mn-ppm s
79M303X	437,300	4,757,350	1,486	20	N	N	<10	N	150	700	300	5,000
79M321X	441,250	4,757,350	1,487	20	N	N	N	N	150	500	300	5,000
79M318X	460,350	4,757,500	1,488	20	N	N	10	N	150	1,000	300	3,000
78M715X	557,700	4,757,500	1,489	20	N	N	60	N	70	500	300	2,000
79M414X	508,600	4,757,550	1,490	20	N	N	10	N	100	150	100	7,000
78M688X	535,700	4,757,700	1,491	20	N	N	30	N	100	150	200	>10,000
79M323X	449,750	4,757,750	1,492	20	N	N	<10	N	150	500	300	3,000
79M42X	500,200	4,757,750	1,493	15	N	N	N	N	50	70	200	2,000
78M249X	576,600	4,757,900	1,494	30	N	N	N	N	100	500	200	3,000
78M244X	581,500	4,757,900	1,495	20	N	N	N	N	70	500	300	2,000
78M672X	510,500	4,758,100	1,496	30	N	N	<10	N	150	200	500	10,000
78M700X	546,900	4,758,200	1,497	20	N	N	30	N	70	--	300	7,000
79M353X	478,750	4,758,400	1,498	30	N	N	N	N	150	150	300	>10,000
79M354X	479,500	4,758,400	1,499	20	N	N	N	N	150	100	500	>10,000
79M367X	490,700	4,758,500	1,500	30	N	N	N	N	150	200	500	3,000
78M679X	520,900	4,758,600	1,501	30	N	N	<10	N	150	150	150	10,000
79M409X	501,500	4,758,650	1,502	20	N	N	<10	N	100	100	300	10,000
79M339X	475,550	4,758,800	1,503	20	N	N	N	N	100	100	300	10,000
79M413X	505,200	4,758,800	1,504	20	N	N	N	N	100	50	200	7,000
78M685X	538,300	4,758,800	1,505	20	N	N	<10	N	100	150	200	10,000
78M682X	526,400	4,758,900	1,506	30	N	N	20	N	150	100	200	>10,000
78M686X	539,700	4,758,900	1,507	30	<.5	N	N	N	150	200	300	10,000
79M306X	421,400	4,759,300	1,508	20	N	N	20	N	100	500	150	3,000
78M680X	522,200	4,759,300	1,509	20	N	<200	60	N	100	200	200	>10,000
78M223X	569,500	4,759,300	1,510	15	N	N	<10	N	30	150	300	1,500
79M320X	445,100	4,759,400	1,511	30	N	N	<10	N	200	700	300	7,000
79M368X	492,850	4,759,500	1,512	20	N	N	10	N	100	200	300	3,000
78M683X	527,600	4,759,500	1,513	20	N	N	20	N	150	200	200	>10,000
78M673X	514,400	4,759,600	1,514	30	N	N	<10	N	200	700	300	>10,000
79M324X	465,050	4,759,650	1,515	30	N	N	10	N	150	1,000	300	10,000
79M338X	472,000	4,759,650	1,516	20	N	N	N	N	15	3,000	15	1,000
78M674X	515,300	4,759,700	1,517	20	N	N	<10	N	150	500	300	10,000
79M408X	500,200	4,759,750	1,518	20	N	N	10	N	70	200	300	2,000
78M713X	548,300	4,759,800	1,519	20	N	N	10	N	100	300	200	10,000
78M714X	554,300	4,759,800	1,520	20	N	N	10	N	100	300	200	7,000
79M369X	495,850	4,759,950	1,521	20	N	N	<10	N	100	200	300	10,000
78M684X	534,000	4,760,000	1,522	20	<.5	N	40	N	70	150	200	7,000
78M698X	543,700	4,760,000	1,523	20	N	N	30	N	70	--	200	10,000
79M365X	483,050	4,760,250	1,524	20	N	N	N	N	150	150	300	7,000
78M246X	566,400	4,760,300	1,525	20	N	N	N	N	150	300	700	7,000
79M366X	487,150	4,760,350	1,526	20	N	N	N	N	100	150	200	3,000
79M1109X	531,550	4,760,350	1,527	20	N	N	40	N	30	100	150	3,000
79M308X	425,900	4,760,550	1,528	30	N	N	<10	N	150	700	200	5,000
79M415X	508,250	4,760,550	1,529	20	N	N	10	N	70	100	100	5,000

Sample	Mo-ppm S	Ni-ppm S	Pb-ppm S	Sb-ppm S	Sn-ppm S	W-ppm S	Y-ppm S	Zn-ppm S
79M303X	N	1,000	100	N	N	N	70	200
79M321X	N	700	20	N	N	N	50	<200
79M318X	N	2,000	50	N	N	N	70	200
78M715X	5	100	100	N	N	N	50	700
79M414X	N	70	100	N	N	N	70	<200
78M688X	<5	100	100	N	N	N	200	300
79M323X	N	700	50	N	N	N	70	200
79M442X	N	100	20	N	N	N	10	<200
78M249X	N	200	70	N	N	N	20	500
78M244X	N	200	70	N	N	N	30	500
78M672X	5	100	100	N	N	N	100	300
78M700X	N	70	70	N	N	N	70	300
79M353X	N	100	50	N	N	N	70	300
79M354X	15	70	70	N	15	N	50	200
79M367X	N	150	20	N	N	N	N	200
78M679X	N	50	70	N	N	N	70	700
79M409X	N	100	30	N	N	N	20	<200
79M339X	7	100	30	N	N	N	70	200
79M413X	N	30	30	N	N	N	30	200
78M685X	N	50	30	N	N	N	20	700
78M682X	N	70	100	N	N	N	20	500
78M686X	N	100	70	N	N	N	20	700
79M306X	N	500	70	N	N	N	50	<200
78M680X	7	100	100	N	N	N	300	300
78M223X	N	70	70	N	N	N	50	200
79M320X	N	700	50	N	N	N	50	<200
79M368X	N	300	100	N	N	N	70	200
78M683X	N	70	70	N	N	N	10	300
78M673X	N	150	70	N	N	N	15	500
79M324X	N	1,000	70	N	N	N	50	200
79M338X	N	200	20	N	N	N	<10	N
78M674X	N	100	30	N	N	N	10	500
79M408X	N	300	70	N	N	N	70	300
78M713X	N	100	70	N	N	N	50	300
78M714X	N	100	70	N	N	N	100	500
79M369X	N	500	100	N	N	N	200	300
78M684X	N	50	100	N	N	N	70	500
78M698X	N	70	70	N	N	N	70	300
79M365X	N	70	<20	N	N	N	10	200
78M246X	N	150	100	N	N	N	300	700
79M366X	N	70	N	N	N	N	<10	<200
79M1109X	N	30	100	N	N	N	70	300
79M308X	N	500	50	N	N	N	70	200
79M415X	N	70	30	N	N	N	30	200