

Table 11. Results of particle-size analysis for environmental and replicate bed-sediment samples collected from the harbors and bays in New Jersey and New York during the Hurricane Sandy reconnaissance study, June–October 2013.

[Map location number refers to figures 2 and 3. Values are in percent. Samples analyzed at the U.S Geological Survey, Menlo Park, California, and archived in a project database. mm, millimeters; <, less than]

Site code	Map location number	Particle-size class																	
		Clay				Silt				Sand					Gravel				
		Very fine clay (<0.0005 mm)	Fine clay (0.0005–0.001 mm)	Medium clay (0.001–0.002 mm)	Coarse clay (0.002–0.004 mm)	Very fine silt (0.004–0.008 mm)	Fine silt (0.008–0.016 mm)	Medium silt (0.016–0.031 mm)	Coarse silt (0.031–0.0625 mm)	Very fine sand (0.0625–0.125 mm)	Fine sand (0.125–0.25 mm)	Medium sand (0.25–0.5 mm)	Coarse sand (0.5–1 mm)	Very coarse sand (1–2 mm)	Gravel (2–4 mm)	Fine gravel (4–8 mm)	Medium gravel (8–16 mm)	Coarse gravel (16–32 mm)	Very coarse gravel (32–64 mm)
Cape May region																			
NCA10-1625/BBC/SJ10	1	0.7	0.5	1.0	1.3	1.9	2.6	2.6	3.5	41.0	44.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BBE/SJ13	2	0.9	0.7	1.3	1.8	2.4	3.7	4.9	8.8	49.3	21.7	2.2	2.2	0.0	0.0	0.0	0.0	0.0	0.0
BBG/SJ11	3	0.7	0.5	1.0	1.3	1.7	2.3	2.4	4.3	50.8	34.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BBH/SJ12	4	2.0	1.5	2.7	4.0	6.0	9.6	11.9	17.4	28.6	11.9	4.1	0.6	0.0	0.0	0.0	0.0	0.0	0.0
BBM/SJ9	5	0.9	0.7	1.5	2.2	3.1	4.6	5.4	8.3	31.2	35.3	5.3	1.5	0.0	0.0	0.0	0.0	0.0	0.0
Atlantic City region																			
NCA10-1616/BBA/SJ7	6	1.0	0.9	2.0	3.0	4.2	5.8	6.3	8.4	24.7	42.0	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0
NCA10-1623/BBB/SJ6	7	2.0	1.8	4.0	6.8	10.4	15.5	15.7	15.8	16.4	11.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BBL/SJ8	8	1.1	0.9	1.9	2.7	3.9	6.4	8.4	11.7	36.5	23.3	2.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0
Great Bay region																			
BBD/SJ2	9	0.7	0.6	1.1	1.5	2.1	2.8	2.7	3.1	11.7	65.1	8.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BBF/SJ1	10	0.2	0.2	0.3	0.4	0.6	1.0	1.2	2.1	3.5	6.2	11.6	11.9	12.5	13.5	19.8	15.1	0.0	0.0
BBI/SJ4	11	1.9	1.6	3.6	5.2	6.6	8.2	8.2	10.7	36.5	17.1	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BBJ/SJ3	12	1.8	1.5	3.1	4.7	6.9	10.4	12.1	16.7	27.8	11.4	2.2	1.5	0.0	0.0	0.0	0.0	0.0	0.0
BBK/SJ5	13	0.6	0.5	0.7	0.7	0.9	1.2	1.3	3.2	50.2	40.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
NOAA9	14	1.1	0.8	1.4	1.9	2.8	4.9	7.9	16.7	24.8	21.3	11.9	3.2	0.1	1.3	0.0	0.0	0.0	0.0
Barnegat Bay region																			
BB01	16	0.2	0.1	0.2	0.3	0.4	0.5	0.4	0.4	1.0	3.3	55.9	32.4	2.3	0.3	2.3	0.0	0.0	0.0
BB02	17	0.8	0.6	1.1	1.3	1.9	3.3	5.0	9.8	42.1	27.0	3.3	3.7	0.2	0.0	0.0	0.0	0.0	0.0
BB03	18	1.6	1.1	1.8	2.6	4.3	8.2	11.5	23.2	28.8	11.0	4.6	1.3	0.0	0.0	0.0	0.0	0.0	0.0
BB05A	19	0.3	0.2	0.3	0.4	0.6	1.0	1.0	1.2	1.7	16.0	67.7	9.6	0.1	0.0	0.0	0.0	0.0	0.0
BB06	20	0.4	0.3	0.6	0.7	1.0	1.4	1.4	2.5	12.9	42.6	31.0	5.2	0.0	0.0	0.0	0.0	0.0	0.0
BB07A	21	1.3	1.1	2.0	2.9	4.0	6.0	7.7	16.3	46.0	9.8	1.8	1.0	0.0	0.0	0.0	0.0	0.0	0.0
BB09	22	0.9	0.8	1.7	2.5	3.4	4.9	5.9	10.0	24.7	35.9	6.5	2.7	0.0	0.0	0.0	0.0	0.0	0.0
BB10	23	0.9	0.7	1.4	1.9	2.6	3.7	4.9	11.3	28.2	34.9	6.8	2.5	0.0	0.0	0.0	0.0	0.0	0.0
BB11	24	1.2	0.9	1.9	2.9	4.2	6.8	8.9	15.8	31.6	18.8	4.9	1.8	0.4	0.0	0.0	0.0	0.0	0.0
BB13	25	1.4	1.1	2.3	3.5	5.1	7.7	9.4	15.6	41.6	11.9	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MANA1	26	1.2	0.9	1.8	2.9	4.5	7.0	8.7	12.3	27.3	24.0	9.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MANA2	27	1.7	1.5	3.1	5.0	7.7	12.6	15.8	19.5	17.8	8.3	4.6	2.0	0.0	0.4	0.0	0.0	0.0	0.0
NOAA3	28	0.9	0.8	1.6	2.4	3.9	7.2	10.6	18.7	31.9	16.8	4.2	1.2	0.0	0.0	0.0	0.0	0.0	0.0
NOAA3 ¹	28	1.6	1.8	3.4	4.7	6.5	9.7	11.3	14.3	15.9	11.0	10.8	8.4	0.6	0.0	0.0	0.0	0.0	0.0
NOAA4	29	1.1	1.1	2.2	3.5	5.6	9.2	11.5	15.5	22.8	18.2	7.9	1.5	0.0	0.0	0.0	0.0	0.0	0.0
NOAA10	30	1.7	1.2	1.9	2.2	3.6	9.1	19.9	30.1	24.1	4.6	0.9	0.8	0.0	0.0	0.0	0.0	0.0	0.0

Table 11. Results of particle-size analysis for environmental and replicate bed-sediment samples collected from the harbors and bays in New Jersey and New York during the Hurricane Sandy reconnaissance study, June–October 2013.—Continued

[Map location number refers to figures 2 and 3. Values are in percent. Samples analyzed at the U.S Geological Survey, Menlo Park, California, and archived in a project database. mm, millimeters; <, less than]

Site code	Map location number	Particle-size class																	
		Clay				Silt				Sand					Gravel				
		Very fine clay (<0.0005 mm)	Fine clay (0.0005–0.001 mm)	Medium clay (0.001–0.002 mm)	Coarse clay (0.002–0.004 mm)	Very fine silt (0.004–0.008 mm)	Fine silt (0.008–0.016 mm)	Medium silt (0.016–0.031 mm)	Coarse silt (0.031–0.0625 mm)	Very fine sand (0.0625–0.125 mm)	Fine sand (0.125–0.25 mm)	Medium sand (0.25–0.5 mm)	Coarse sand (0.5–1 mm)	Very coarse sand (1–2 mm)	Gravel (2–4 mm)	Fine gravel (4–8 mm)	Medium gravel (8–16 mm)	Coarse gravel (16–32 mm)	Very coarse gravel (32–64 mm)
Northeast New Jersey shore region																			
NAV1	31	0.5	0.3	0.6	0.8	1.0	1.2	1.0	1.4	17.5	48.8	19.7	7.1	0.2	0.0	0.0	0.0	0.0	0.0
NAV2	32	2.1	1.6	3.1	4.8	7.9	12.7	13.5	15.2	17.6	13.7	6.3	1.4	0.0	0.0	0.0	0.0	0.0	0.0
NOAA1	33	1.6	1.4	3.2	5.3	7.2	9.2	9.1	11.0	15.9	12.1	9.0	9.3	5.8	0.0	0.0	0.0	0.0	0.0
NOAA2	34	0.3	0.3	0.5	0.6	0.8	1.1	1.0	1.0	2.5	42.4	46.3	3.1	0.0	0.0	0.0	0.0	0.0	0.0
SHARK1	35	2.1	1.6	3.5	5.8	8.7	13.6	15.8	20.5	20.2	6.8	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SHARK1 ¹	35	1.7	1.4	3.1	5.1	8.0	12.7	14.9	19.2	19.4	8.2	3.6	2.8	0.0	0.0	0.0	0.0	0.0	0.0
SHREW1	36	0.9	0.8	1.8	2.7	3.4	4.3	4.7	7.2	24.4	30.3	14.5	4.9	0.3	0.0	0.0	0.0	0.0	0.0
SHREW2	37	0.6	0.5	1.1	1.7	2.5	3.8	4.5	7.0	14.5	23.1	34.3	6.5	0.0	0.0	0.0	0.0	0.0	0.0
Lower Harbor/Raritan Bay region																			
RB401	38	0.9	1.0	2.5	3.9	5.2	6.6	6.2	7.0	17.1	32.0	8.3	7.0	2.4	0.0	0.0	0.0	0.0	0.0
RB403	40	2.5	2.4	4.9	7.4	9.5	10.8	9.8	12.1	19.3	14.3	4.5	2.6	0.0	0.0	0.0	0.0	0.0	0.0
RB404	41	3.6	3.0	6.9	11.8	17.8	24.9	26.4	5.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
RB405	42	0.5	0.4	0.8	1.2	1.4	1.5	1.3	1.6	2.9	14.0	54.5	18.9	0.8	0.0	0.0	0.0	0.0	0.0
RB410	47	1.8	1.5	3.1	5.0	7.4	10.2	11.3	16.6	28.3	14.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
RB411	48	0.5	0.4	0.7	1.0	1.1	1.2	1.0	1.0	2.3	29.3	53.5	8.1	0.0	0.0	0.0	0.0	0.0	0.0
RB414	50	0.3	0.2	0.3	0.4	0.5	0.7	0.8	0.6	1.0	10.2	48.6	27.2	6.8	1.2	1.2	0.0	0.0	0.0
RB416	51	1.9	1.7	4.0	6.5	9.1	12.2	12.5	18.5	23.4	10.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
RB450	52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25.0	72.4	2.5	0.0	0.0	0.0	0.0	0.0	0.0
RB453	54	2.6	2.7	5.6	8.4	10.7	12.3	11.1	14.2	17.1	9.4	4.5	1.4	0.0	0.0	0.0	0.0	0.0	0.0
RB455	56	0.4	0.4	0.7	0.8	0.9	1.0	1.0	1.2	4.0	55.2	31.2	3.4	0.0	0.0	0.0	0.0	0.0	0.0
RB456	57	0.9	0.7	1.5	2.3	2.9	3.7	3.7	5.6	17.0	29.9	22.9	8.9	0.1	0.0	0.0	0.0	0.0	0.0
RB457	58	0.3	0.3	0.7	0.9	1.0	1.3	1.0	1.0	3.5	36.6	40.3	10.3	0.7	2.1	0.0	0.0	0.0	0.0
RB458	59	0.1	0.1	0.2	0.2	0.2	0.3	0.3	0.3	1.2	38.3	53.6	5.2	0.0	0.0	0.0	0.0	0.0	0.0
RB460	60	0.3	0.2	0.4	0.5	0.6	0.8	0.6	0.6	1.1	20.3	70.7	4.0	0.0	0.0	0.0	0.0	0.0	0.0
RB462	62	0.4	0.3	0.6	0.9	1.2	1.5	1.5	1.8	7.3	17.5	21.1	25.6	9.0	11.2	0.0	0.0	0.0	0.0
RB465	65	0.4	0.4	0.6	0.9	1.1	1.2	1.0	1.2	2.4	16.7	58.5	15.6	0.0	0.0	0.0	0.0	0.0	0.0
Newark Bay region																			
NB401	66	4.1	3.3	6.8	9.9	12.7	15.4	14.1	15.3	14.5	3.7	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
NB405	67	1.4	1.1	2.0	2.9	4.3	7.1	9.0	13.6	32.3	20.2	3.9	2.4	0.0	0.0	0.0	0.0	0.0	0.0
NB409	69	3.8	3.5	7.2	11.0	14.3	16.3	13.6	14.0	11.8	4.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
NB412	71	3.2	3.1	6.5	9.8	13.0	15.9	15.3	17.9	15.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
NB416	74	3.9	3.6	8.3	13.5	19.5	26.3	23.9	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
NB418	75	1.7	1.4	3.2	4.7	6.1	7.6	7.8	10.6	17.6	20.4	12.9	5.1	1.0	0.0	0.0	0.0	0.0	0.0
NB419	76	3.5	3.4	7.1	10.7	13.8	15.7	13.3	13.7	11.7	4.4	1.9	0.7	0.0	0.0	0.0	0.0	0.0	0.0
NB427	81	2.0	1.5	3.2	5.0	7.3	10.7	12.2	17.3	24.9	11.8	3.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0
NB429	82	2.7	2.3	4.7	6.9	9.0	10.5	9.6	11.7	15.9	11.7	8.4	5.7	0.8	0.0	0.0	0.0	0.0	0.0

Table 11. Results of particle-size analysis for environmental and replicate bed-sediment samples collected from the harbors and bays in New Jersey and New York during the Hurricane Sandy reconnaissance study, June–October 2013.—Continued

[Map location number refers to figures 2 and 3. Values are in percent. Samples analyzed at the U.S Geological Survey, Menlo Park, California, and archived in a project database. mm, millimeters; <, less than]

Site code	Map location number	Particle-size class																	
		Clay				Silt				Sand					Gravel				
		Very fine clay (<0.0005 mm)	Fine clay (0.0005–0.001 mm)	Medium clay (0.001–0.002 mm)	Coarse clay (0.002–0.004 mm)	Very fine silt (0.004–0.008 mm)	Fine silt (0.008–0.016 mm)	Medium silt (0.016–0.031 mm)	Coarse silt (0.031–0.0625 mm)	Very fine sand (0.0625–0.125 mm)	Fine sand (0.125–0.25 mm)	Medium sand (0.25–0.5 mm)	Coarse sand (0.5–1 mm)	Very coarse sand (1–2 mm)	Gravel (2–4 mm)	Fine gravel (4–8 mm)	Medium gravel (8–16 mm)	Coarse gravel (16–32 mm)	Very coarse gravel (32–64 mm)
Newark Bay region—Continued																			
NB431	84	3.2	2.4	5.0	7.5	10.7	15.2	15.5	17.2	17.5	5.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
NB452	86	1.9	1.3	2.6	3.9	5.7	8.4	9.7	15.2	33.8	11.1	3.3	3.2	0.0	0.0	0.0	0.0	0.0	0.0
NB454	88	2.5	1.8	3.5	5.4	8.1	12.0	14.2	20.2	28.1	3.8	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
NB461	92	3.4	3.5	7.3	11.3	15.6	19.4	18.2	19.9	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Upper Harbor region																			
UH401	94	1.6	1.4	3.0	5.0	7.4	10.7	11.1	12.0	11.9	6.0	2.3	0.0	0.0	27.6	0.0	0.0	0.0	0.0
UH402	95	1.6	1.2	2.5	4.1	6.2	9.3	11.1	15.5	25.7	11.1	2.6	1.9	1.3	1.7	4.2	0.0	0.0	0.0
UH413	101	2.5	2.3	4.7	6.9	9.3	12.3	13.5	17.3	22.3	8.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
UH463	111	2.5	2.4	5.1	7.5	10.2	14.3	14.9	16.1	16.4	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Newark Bay region																			
NB410	70	3.6	3.3	6.8	10.2	13.3	15.6	13.5	13.9	11.8	4.1	2.5	1.5	0.0	0.0	0.0	0.0	0.0	0.0
NB413	72	2.8	2.2	4.6	7.2	10.2	14.1	14.6	17.6	17.8	6.4	2.1	0.5	0.0	0.0	0.0	0.0	0.0	0.0
NB414	73	3.2	2.4	4.9	7.2	9.8	12.7	12.5	14.8	19.7	9.5	2.0	1.6	0.0	0.0	0.0	0.0	0.0	0.0
NB424	78	2.3	1.8	4.1	6.9	10.1	14.1	14.2	16.3	17.1	9.3	2.9	0.9	0.0	0.0	0.0	0.0	0.0	0.0
NB455	89	1.4	1.2	2.5	3.9	5.5	7.2	7.4	8.9	10.4	9.6	28.7	12.3	1.0	0.0	0.0	0.0	0.0	0.0
NB459	91	3.3	2.6	5.3	8.0	10.7	13.6	13.4	16.4	18.8	6.0	1.6	0.3	0.0	0.0	0.0	0.0	0.0	0.0
Jamaica Bay region																			
JB401	116	3.5	3.2	6.9	10.4	13.6	16.5	15.3	16.3	13.9	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
JB406	120	1.4	1.2	2.6	4.0	5.8	8.7	10.5	15.2	28.5	17.5	3.9	0.6	0.1	0.0	0.0	0.0	0.0	0.0
JB407	121	0.9	0.7	1.4	2.1	3.0	5.2	7.2	12.4	28.4	25.7	10.8	2.3	0.0	0.0	0.0	0.0	0.0	0.0
JB409	122	1.5	1.3	2.7	4.1	5.9	8.5	9.9	14.6	29.6	16.9	3.3	1.8	0.0	0.0	0.0	0.0	0.0	0.0
JB416	125	0.9	0.7	1.4	2.0	2.7	3.8	4.2	7.2	26.9	35.0	11.4	3.8	0.1	0.0	0.0	0.0	0.0	0.0
JB419	127	0.7	0.7	1.4	1.9	2.3	2.8	2.4	2.9	19.4	37.3	25.3	3.0	0.0	0.0	0.0	0.0	0.0	0.0
JB422	128	0.4	0.3	0.5	0.6	0.7	0.9	0.9	1.1	5.9	23.5	52.0	12.9	0.1	0.0	0.0	0.0	0.0	0.0
JB423	129	1.8	1.6	3.3	5.0	7.1	10.4	13.1	21.1	28.7	7.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
JB454	130	1.0	0.9	1.8	2.5	3.2	4.3	4.8	8.0	42.3	24.0	5.2	2.1	0.0	0.0	0.0	0.0	0.0	0.0
JB458	131	0.5	0.5	1.0	1.2	1.5	2.0	1.9	2.9	35.2	42.9	7.9	2.5	0.0	0.0	0.0	0.0	0.0	0.0
JB466	134	0.4	0.4	0.6	0.7	0.9	1.3	1.1	1.3	18.1	45.7	26.6	3.1	0.0	0.0	0.0	0.0	0.0	0.0
JB468	136	0.4	0.5	0.8	1.0	1.1	1.3	1.2	1.7	17.5	47.0	22.6	5.0	0.0	0.0	0.0	0.0	0.0	0.0
JB474	139	3.1	3.1	7.0	11.0	15.3	22.7	26.7	11.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
JB486	142	0.3	0.5	1.0	1.1	1.1	1.2	1.0	1.0	2.5	25.9	56.5	7.9	0.0	0.0	0.0	0.0	0.0	0.0
NOAA5	144	0.9	0.7	1.3	1.7	2.2	3.1	4.4	12.2	41.2	22.6	7.0	2.6	0.1	0.0	0.0	0.0	0.0	0.0
NOAA6	145	0.8	0.8	1.7	2.0	2.5	2.9	2.8	4.3	29.7	44.3	7.3	1.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 11. Results of particle-size analysis for environmental and replicate bed-sediment samples collected from the harbors and bays in New Jersey and New York during the Hurricane Sandy reconnaissance study, June–October 2013.—Continued

[Map location number refers to figures 2 and 3. Values are in percent. Samples analyzed at the U.S Geological Survey, Menlo Park, California, and archived in a project database. mm, millimeters; <, less than]

Site code	Map location number	Particle-size class																	
		Clay				Silt				Sand					Gravel				
		Very fine clay (<0.0005 mm)	Fine clay (0.0005–0.001 mm)	Medium clay (0.001–0.002 mm)	Coarse clay (0.002–0.004 mm)	Very fine silt (0.004–0.008 mm)	Fine silt (0.008–0.016 mm)	Medium silt (0.016–0.031 mm)	Coarse silt (0.031–0.0625 mm)	Very fine sand (0.0625–0.125 mm)	Fine sand (0.125–0.25 mm)	Medium sand (0.25–0.5 mm)	Coarse sand (0.5–1 mm)	Very coarse sand (1–2 mm)	Gravel (2–4 mm)	Fine gravel (4–8 mm)	Medium gravel (8–16 mm)	Coarse gravel (16–32 mm)	Very coarse gravel (32–64 mm)
Western Bays region																			
BHB01	146	0.9	0.6	1.2	1.7	2.5	4.1	5.4	9.8	39.8	25.8	4.1	4.0	0.3	0.0	0.0	0.0	0.0	0.0
BMB01	147	1.5	1.1	2.3	3.5	5.5	9.6	13.4	22.2	33.0	8.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
HHB01	148	0.7	0.5	1.2	2.1	3.1	4.0	3.1	2.5	2.2	5.9	48.8	25.2	0.9	0.0	0.0	0.0	0.0	0.0
HHB01 ¹	148	1.1	0.8	1.7	2.5	3.8	6.4	9.2	17.1	36.0	16.9	3.0	1.5	0.0	0.0	0.0	0.0	0.0	0.0
RC01	149	0.9	0.7	1.5	2.2	3.2	5.2	6.7	11.6	41.8	22.4	1.5	2.2	0.1	0.0	0.0	0.0	0.0	0.0
RC02	150	0.8	0.5	0.9	1.3	1.8	3.0	4.0	9.4	41.2	31.1	3.9	2.0	0.0	0.0	0.0	0.0	0.0	0.0
RC03	151	1.1	0.8	1.6	2.4	3.6	6.0	8.2	15.3	33.9	20.2	4.8	2.0	0.1	0.0	0.0	0.0	0.0	0.0
Great South Bay region																			
GSB01	152	0.7	0.5	1.1	1.7	2.5	4.0	4.2	4.5	8.3	26.4	29.2	15.0	2.0	0.0	0.0	0.0	0.0	0.0
GSB02	153	1.1	0.7	1.4	2.1	3.2	5.9	8.9	18.1	35.5	18.4	3.8	1.0	0.0	0.0	0.0	0.0	0.0	0.0
GSB03	154	1.0	0.6	1.0	1.2	1.8	3.7	8.1	24.8	43.0	11.7	1.8	1.4	0.0	0.0	0.0	0.0	0.0	0.0
GSB04	15	0.5	0.4	0.7	0.9	1.4	2.1	2.2	2.9	8.8	45.6	31.9	2.7	0.0	0.0	0.0	0.0	0.0	0.0
GSB05	156	0.6	0.4	0.9	1.3	2.0	3.2	3.5	4.0	9.2	56.7	17.2	1.0	0.0	0.0	0.0	0.0	0.0	0.0
GSB05 ¹	156	0.6	0.5	0.9	1.4	2.2	3.6	4.0	4.7	8.8	53.6	17.9	1.8	0.1	0.0	0.0	0.0	0.0	0.0
GSB06	157	1.0	0.7	1.3	1.8	2.8	5.0	8.0	16.7	25.1	13.2	13.2	8.7	2.5	0.0	0.0	0.0	0.0	0.0
GSB07	158	0.6	0.4	0.8	1.2	1.9	3.0	3.2	4.9	15.5	35.1	30.3	3.0	0.0	0.0	0.0	0.0	0.0	0.0
MB01	159	1.5	1.1	2.4	3.8	6.0	10.1	12.9	18.9	20.6	9.6	9.1	4.0	0.0	0.0	0.0	0.0	0.0	0.0
MB02	160	0.9	0.7	1.5	2.3	3.4	5.1	5.8	8.9	23.1	21.0	21.1	6.0	0.3	0.0	0.0	0.0	0.0	0.0
NOAA7	161	0.5	0.4	0.8	1.1	1.5	2.1	2.1	2.9	12.1	35.4	37.2	4.1	0.0	0.0	0.0	0.0	0.0	0.0
NOAA8	162	0.7	0.5	1.1	1.6	2.4	3.6	4.1	6.8	16.7	26.0	30.8	5.5	0.2	0.0	0.0	0.0	0.0	0.0
SOB01	163	0.8	0.6	1.2	1.4	2.0	3.1	4.2	11.8	52.2	22.2	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Peconic Bay region																			
FB01	164	1.1	0.8	1.6	2.4	3.7	6.6	9.3	16.4	35.0	16.8	4.6	1.7	0.0	0.0	0.0	0.0	0.0	0.0
FB02	165	1.4	1.2	2.5	4.0	6.1	9.2	10.9	16.6	25.2	13.5	6.8	2.5	0.0	0.0	0.0	0.0	0.0	0.0
FB02 ¹	165	1.7	1.3	3.0	5.0	7.8	12.1	13.9	18.9	20.0	6.5	6.9	3.0	0.0	0.0	0.0	0.0	0.0	0.0
FB03	166	0.7	0.5	1.2	2.1	3.1	4.1	3.7	4.0	6.0	9.2	30.8	22.1	2.6	3.1	3.5	3.3	0.0	0.0
PB01	167	0.4	0.3	0.5	0.6	0.9	1.4	1.5	2.5	7.6	47.3	34.5	2.8	0.0	0.0	0.0	0.0	0.0	0.0

¹Field replicate.