Land Treatment Digital Library

Background Tables

U.S. Department of the Interior
U.S. Geological Survey
Forest and Rangeland Ecosystem Science Center

Last updated July 9, 2013

Metadata/Key

Table Type:	Background tables
Definition:	Used to populate lists, dropdown menus, store temporary information or of functions necessary for data processing. Some of these tables can be edited while others cannot; see the Table Type Key for more information.

Table Type Key	
Name	**Definition**
Background List: Can Be Edited	Used to populate lists or drop-down menus. The data within these tables can and should be edited based on user needs.
Background List: Do Not Edit	Stores user settings such as color choice or recently visited projects. These lists are automatically updated while working in the database and should not be edited within the table.

Used In:	List of tables and forms where this background data are used

List of Background Tables			
Active Ingredient	Ground Objectives Table	Menu Select Feature Class Type	States
Agency	Herbicide Treatment Types	Numbers Only	Success
All Seeds	How GIS Created	Office Contact Info	Treatment Application Issues
Chemical Product	Hyperlinks Project Table	Photo Key Word List	Treatment Code
Colors Selected	Initiated By Table	Plan or Implemented	Treatment Concerns
Colors Saved	Land Types Affected Table	Planned or Confirmed	Treatment Conditions At Treatment
Common Project Words	Last Project	Project Complex Table	Treatment Domains
Control	Major Ground Treatments	Project Current	Treatment Names
Day Table	Major Treatments	Project ID Type	Units
Equipment Table	Menu Delete Feature Class	Project IDs View	View Shapefiles Field Office
Funding	Menu Error Check	Project Name Check View	Year Only
File Type	Menu Try Again	Project Overlap List	Yes/No
Fire Cause	Month Table	Project Status Name	
Ground Objectives List	Menu Overwrite Hyperlink	Reason for Treatment	

Active Ingredient

Table Name:	**Active_Ingredient**
Definition:	Stores a list of herbicide active ingredients that a user can choose to populate the herbicide form
Table Type:	Background List: Can Be Edited
Used In:	Stored in the Active_Ingredient field of the Herbicide table and entered in the Herbicide form

Field Name	Field Type	Field Size	Definition
Active_Ingredient	Text	50	List of active ingredients a user can choose to populate the herbicide table (for example: Dicamba, Hexazinone)

Back to Metadata

Agency

Table Name:	**Agency**
Definition:	Stores a list of major agencies that a user can choose to populate the major agency field in the Land Treatment Digital Library (LTDL)
Table Type:	Background List: Can Be Edited
Used In:	Stored in the Major_Agency field of the LTDL table and entered in the Project Info form

Field Name	Field Type	Field Size	Definition
Agency	Text	50	List of agencies a user can choose to populate the major agency field in the LTDL (for example: Bureau of Land Management)

Back to Metadata

All Seeds

Table Name:	**All_Seeds**
Definition:	List of seed species taken from Bureau of Land Management (BLM) seed lists and U. S. Department of Agriculture (USDA) plant species used to populate the seed list table
Table Type:	Background List: Can Be Edited
Used In:	Data are entered on the seed list form, seed information is stored in the Seed_Species tables

Field Name	Field Type	Field Size	Definition
ID	AutoNumber	4	Auto ID Number (Autofilled)
Symbol	Text	20	Species symbol (PLANTS database / BLM Seed List)
Code	Text	20	Pick list of list type: "Common" (about 100 species) or "USDA" (about 35,000 species) used to determine which list to display
Symbol_and_Synonym	Text	20	Species Common Name (PLANTS database / BLM Seed List)
Genus	Text	255	Species Symbol and Synonym (PLANTS database / BLM Seed List)
Scientific_Name_and_Variety	Text	255	Species Genus (PLANTS database / BLM Seed List)
Common_Name	Text	255	Species full scientific name (PLANTS database / BLM Seed List)

Back to Metadata

Chemical Products

Table Name:	**Chemical_Product**
Definition:	Chemical pesticides that can be applied to the ground during a herbicide treatment
Table Type:	Background List: Can Be Edited
Used In:	Stored in the Chemical_Product field of the Herbicide table and entered in the Herbicide form

Field Name	Field Type	Field Size	Definition
Chemical_Product	Text	50	The names of chemical pesticides that can be applied to the ground during a herbicide treatment (for example: Diablo [dicamba])

Back to Metadata

Colors Selected

Table Name:	**Colors_Selected**
Definition:	Stores user specified colors so that the user's color scheme will be saved
Table Type:	Background List: Do Not Edit
Used In:	Used in all LTDL forms to assign various colors

Field Name	Field Type	Field Size	Definition
ID	AutoNumber	4	Auto ID Number (Autofilled)
Main_Title	Text	255	Stores the numeric color value for the main title bar across the top of the LTDL form
Main_Forms	Text	255	Stores the numeric color value for the main forms
Sub_Forms	Text	255	Stores the numeric color value for the subforms
Box_Colors	Text	255	Stores the numeric color value for the boxes in the Project Info tab
Radio_Line_Colors	Text	255	Stores the numeric color value for the radio line colors
Command_Bars	Text	255	Stores the numeric color value for the command bars which contain navigation commands and other tools

Back to Metadata

Colors Saved

Table Name:	**ColorsSaved**
Definition:	Stores color values along with their description so the user can recall the color at a later date for use in their color scheme
Table Type:	Background List: Do Not Edit
Used In:	Used in the ColorPalette form in the Select Save Color field

Field Name	Field Type	Field Size	Definition
ID	AutoNumber	4	Auto ID Number (Autofilled)
Color	Text	30	Numeric identification of the color
Description	Text	50	User created description of the color

Back to Metadata

Common Project Words

Table Name:	**Common_Project_Words**
Definition:	List of common project name words that the LTDL will not include in its search when a new project is created. When a new project is created the LTDL searches each word for similar words in the database to check for duplicate projects, these words are not included in the search
Table Type:	Background List: Can Be Edited
Used In:	Used during the creation of a project name to reduce the number of projects with similar names returned

Field Name	Field Type	Field Size	Definition
ID	AutoNumber	4	Auto ID Number (Autofilled)
Common_Words	Text	50	The list of words to be excluded from the search when a new project is created (for example: Brush, Wildfire, Prescribed)

Back to Metadata

Control

Table Name:	**Control**
Definition:	Indicates whether control areas were present within or around the seeding treatment
Table Type:	Background List: Can Be Edited
Used In:	Used to indicate if a seeding had a control area present within the seed list. Used in the Control_Areas field within the Treatment_Seeds table

Field Name	Field Type	Field Size	Definition
Controls	Text	255	Indicates whether control areas were present within or around the seeding treatment, for example: Outside of Treatment, Within Treatment

Back to Metadata

Day Table

Table Name:	**Day_Table**
Definition:	Dday of the month (0–31) used to help create the date within multiple fields within the Land Treatment Digital Library (LTDL), Use 0 when day unknown
Table Type:	Background List: Can Be Edited
Used In:	Used in nearly every form to assist in creating the date

Field Name	Field Type	Field Size	Definition
Day	Integer	2	The day of the month (0–31) used to help create the date within multiple fields within the LTDL, Use 0 when day unknown

Back to Metadata

Equipment Table

Table Name:	**Equip_Table**
Definition:	Holds types of equipment that can be used to complete a treatment
Table Type:	Background List: Can Be Edited
Used In:	Used to populate the equipment field in the Equipment_Used table

Field Name	Field Type	Field Size	Definition
ID	AutoNumber	4	Auto ID Number (Autofilled)
Equipment	Text	100	The specific type of equipment used (for example: Amazon Drill, Sagebrush Seeder)
Category	Text	50	The general category that the equipment belongs to (for example: Chain, Drill)

Back to Metadata

Funding

Table Name:	**Funding**
Definition:	Contains a list of the funding sources that could be used to fund a treatment
Table Type:	Background List: Can Be Edited
Used In:	Used to populate the Funding field in the Treatments table

Field Name	Field Type	Field Size	Definition
Funding	Text	20	The specific funding used to complete the treatment (for example: Emergency Stabilization & Rehabilitation, Fuels)

Back to Metadata

File Type

Table Name:	**File_Type**
Definition:	Stores information used to populate the file names when hyperlinking documentation
Table Type:	Background List: Can Be Edited
Used In:	This table is used to populate values in the hyperlink table and determine the file name.

Field Name	Field Type	Field Size	Definition
File_Type	Text	50	The mid-level category representing the main file type (for example: Final Report, Environmental Impact Statement)
General_Category	Text	50	The general category representing generic file types (for example: Plan, Map, Report)
File_Name	Text	50	The name representing the alias or file type/alias combo that the document will be named
Alias	Text	255	The specific document type used to create different file names under the same file type (for example: Final Summary Report)
File_Type_HK	Text	5	The short cut hot key that can be entered to call up a specific file type
Alias_HK	Text	5	The short cut hot key that can be entered to call up a specific file alias
ID	AutoNumber	4	Auto ID Number (Autofilled)

Back to Metadata

Fire Cause

Table Name:	**Fire_Cause**
Definition:	List of the causes of the wildfire
Table Type:	Background List: Can Be Edited
Used In:	Used to populate the Fire_Cause in the LTDL table

Field Name	Field Type	Field Size	Definition
Fire_Cause	Text	30	List of the causes of the wildfire (Lightning, Human)

Back to Metadata

Ground Objectives List

Table Name:	**Grnd_Objectives**
Definition:	List of the generic ground objectives
Table Type:	Background List: Can Be Edited
Used In:	Used to populate the Major_Ground_Trt_Objectives in the LTDL table

Field Name	Field Type	Field Size	Definition
Ground_Objectives	Text	255	List of the generic ground objectives (for example: Higher seeded species density compared to controls)

Back to Metadata

Ground Objectives Table

Table Name:	**Ground_Objectives**
Definition:	Selected ground objectives are stored for processing
Table Type:	Background List: Do Not Edit
Used In:	Used to populate the Major_Ground_Trt_Objectives in the LTDL table

Field Name	Field Type	Field Size	Definition
AutoID	AutoNumber	4	Auto ID Number (Autofilled)
Ground_Objectives_Selected	Memo		Stores the full list of compiled objectives to be sent to the LTDL table
Ground_Objectives	Text	50	Stores the single objectives for processing in the larger list

Back to Metadata

Herbicide Treatment Types

Table Name:	**Herbicide_Trt_Types**
Definition:	List of herbicide application methods
Table Type:	Background List: Can Be Edited
Used In:	Used to populate the Application_Method in the Herbicide table

Field Name	Field Type	Field Size	Definition
Herbicide_Trt	Text	255	List of herbicide application methods (for example: Aerial Broadcast, Ground Broadcast)

Back to Metadata

How GIS Created

Table Name:	**How_GIS_Created**
Definition:	List of how the geographic information system (GIS) feature was digitized for this project or treatment
Table Type:	Background List: Can Be Edited
Used In:	Used to populate the How_GIS_Created field in the Project and Treatment GIS Attribute tables

Field Name	Field Type	Field Size	Definition
How_GIS_Created	Text	255	List of how the GIS feature was digitized for this project or treatment (for example: Digitized using a Confirmed Map)
Orderby	Long Integer	4	Order of how you want the How_GIS_Created field to appear in the drop-down menu

Back to Metadata

Hyperlinks Project Table

Table Name:	**Hyperlinks_Project_Table**
Definition:	Automatically populated list for use in indicating which documentation was used to enter treatment information
Table Type:	Background List: Do Not Edit
Used In:	Used to populate the treatment_hyperlinks table which occurs in various forms

Field Name	Field Type	Field Size	Definition
ID	AutoNumber	4	Auto ID Number (Autofilled)
File_Path	Text	255	The name of the uploaded file with its extension
File_Description	Text	255	The description of the file
File_Year	Long Integer	4	The year the file was created
Project_Name	Text	100	Name of the Project, used to link to the Project Name in the Treatments table

Back to Metadata

Initiated By Table

Table Name:	**Initiated_By_Table**
Definition:	List of individuals or groups who performed the actual treatments
Table Type:	Background List: Can Be Edited
Used In:	Used to populate the Initiatedby field in the Treatments table

Field Name	Field Type	Field Size	Definition
Initiated_By	Text	75	List of individuals or groups who performed the actual treatments (for example: Contractor, Within House)

Back to Metadata

Land Type Affected Table

Table Name:	**Landtypes_Affected_Table**
Definition:	List of land types that could be affected by the project or treatment
Table Type:	Background List: Can Be Edited
Used In:	Used to populate the Type field in the Landtypes_Affected table

Field Name	Field Type	Field Size	Definition
Landtypes_Affected	Text	100	List of land types that could be affected by the project or treatment (Allotment, Herd Management Areas)

Back to Metadata

Last Project

Table Name:	**Last_Project**
Definition:	Stores values for projects visited within the last 5 days
Table Type:	Background List: Do Not Edit
Used In:	Used to display previously visited projects and allow users to go to one of these projects

Field Name	Field Type	Field Size	Definition
ID	AutoNumber	4	Auto ID Number (Autofilled)
Last_Project	Text	100	Project Name of a previously visited project
TS	Date/Time	8	Date and time the project was last visited

Back to Metadata

Major Ground Treatments

Table Name:	**Major_Ground_Treatments**
Definition:	Selected major on the ground treatments are stored for processing
Table Type:	Background List: Do Not Edit
Used In:	Used to populate the Major_On_Ground_Treatments field in the Land Treatment Digital Library (LTDL) table

Field Name	Field Type	Field Size	Definition
AutoID	AutoNumber	4	Auto ID Number (Autofilled)
Treatments	Text	255	Stores the single treatments for processing in the larger list
Treatments_Selected	Memo	0	Stores the full list of compiled treatments to be sent to the LTDL table

Back to Metadata

Major Treatments

Table Name:	**Major_Treatments**
Definition:	List of the major on the ground treatments
Table Type:	Background List: Can Be Edited
Used In:	Used to populate the Major_On_Ground_Treatments field in the Land Treatment Digital Library (LTDL) table

Field Name	Field Type	Field Size	Definition
Major_Ground_Treatments	Text	50	List of the major on the ground treatments

Back to Metadata

Menu Delete Feature Class

Table Name:	**Menu_Delete_FC**
Definition:	Stores information on user selected option related to deleting project or treatment GIS
Table Type:	Background List: Do Not Edit
Used In:	Used to determine user's choice on whether to delete the feature class when deleting project or treatment GIS

Field Name	Field Type	Field Size	Definition
ID	AutoNumber	4	Auto ID Number (Autofilled)
Delete_Sel	Integer	2	Selection the user chooses regarding the deletion process

Back to Metadata

Menu Error Check

Table Name:	**Menu_Error_Check**
Definition:	Stores information on user selected option related to running the error check
Table Type:	Background List: Do Not Edit
Used In:	Used to determine user's choice on what the user wants to run during the error check

Field Name	Field Type	Field Size	Definition
ID	AutoNumber	4	Auto ID Number (Autofilled)
Error_Check	Integer	2	Selection the user chooses regarding the error check

Back to Metadata

Menu Overwrite Hyperlink

Table Name:	**Menu_Overwrite_Hyperlink**
Definition:	Stores information on user selected option related to overwriting the hyperlinks
Table Type:	Background List: Do Not Edit
Used In:	Used to determine user's choice on what the user wants to run while overwriting hyperlinks

Field Name	Field Type	Field Size	Definition
ID	AutoNumber	4	Auto ID Number (Autofilled)
Overwrite_Hyper	Integer	2	Selection the user chooses regarding overwriting the hyperlink

Back to Metadata

Menu Select Feature Class Type

Table Name:	**Menu_Select_FC_Type**
Definition:	Stores information on user selected option related to determining the feature class type the user wants to load
Table Type:	Background List: Do Not Edit
Used In:	Used to determine user's choice on what the user wants to load when uploading a feature for project or treatment geographic information system (GIS)

Field Name	Field Type	Field Size	Definition
ID	AutoNumber	4	Auto ID Number (Autofilled)
Select_FC_Type	Integer	2	Selection the user chooses regarding uploading a feature for project or treatment GIS

Back to Metadata

Menu Try Again

Table Name:	**Menu_TryAgain**
Definition:	Stores information on user selected option related to determining if the user wants to attempt a process again
Table Type:	Background List: Do Not Edit
Used In:	Used to determine user's choice on whether to attempt a failed process again

Field Name	Field Type	Field Size	Definition
ID	AutoNumber	4	Auto ID Number (Autofilled)
TryAgain	Integer	2	Selection the user chooses on whether to attempt a failed process again

Back to Metadata

Month Table

Table Name:	**Month_Table**
Definition:	Month of the year (0–12) used to help create the date within multiple fields within the Land Treatment Digital Library (LTDL), Use 0 when month unknown
Table Type:	Background List: Can Be Edited
Used In:	Used in nearly every form to assist in creating the date

Field Name	Field Type	Field Size	Definition
Month	Integer	2	The month of the year (0–12) used to help create the date within multiple fields within the LTDL, Use 0 when month unknown

Back to Metadata

Numbers Only

Table Name:	**Numbers_Only**
Definition:	A series of numbers (0–15,000) used for selecting elevation of photos
Table Type:	Background List: Can Be Edited
Used In:	Used in Elevation fields in the Pictures table

Field Name	Field Type	Field Size	Definition
Numbers	Double	8	A series of numbers (0–15,000) used for selecting elevation of photos

Back to Metadata

Office Contact Info

Table Name:	**Office_Contact_Info**
Definition:	Stores a list of offices and their contact information so users can indicate which office is responsible for the project and treatments
Table Type:	Background List: Can Be Edited
Used In:	Data are entered on the Project Info tab under Project Monitoring and Contacts; contact information is stored in the Land Treatment Digital Library (LTDL) table.

Field Name	Field Type	Field Size	Definition
ID	AutoNumber	4	Auto ID Number (Autofilled)
State	Text	50	State the office occurs in
Field_Office	Text	50	Field office name
Office_Phone	Text	30	Field office phone
Office_Email	Text	255	Field office email
Office_WebSite	Text	255	Field office website

Back to Metadata

Photo Key Word List

Table Name:	**Photo_Key_Word_List**
Definition:	List of key words that can be associated with a photo
Table Type:	Background List: Can Be Edited
Used In:	Used to populate the Key_word field in the Photo_Key_Words_Table

Field Name	Field Type	Field Size	Definition
Photo_Key_Words	Text	50	List of key words that can be associated with a photo

Back to Metadata

Plan or Implemented

Table Name:	**Plan_or_Imp**
Definition:	List of planned status or implementation status
Table Type:	Background List: Can Be Edited
Used In:	Used to populate multiple fields throughout treatments where an indication of the implementation status is needed

Field Name	Field Type	Field Size	Definition
Field1	Text	50	List of planned status or implementation status (Implemented, Planned: Unknown Implementation)
Orderby	Long Integer	4	The order these values appear when opening the drop-down menu

Back to Metadata

Planned or Confirmed

Table Name:	**Planned _or_Confirmed**
Definition:	List of the seed list status plan or confirmation
Table Type:	Background List: Can Be Edited
Used In:	Used to populate the Seeded_Sp_Plan_Confirmed field in the Treatment_Seeds table

Field Name	Field Type	Field Size	Definition
Field1	Text	50	List of the seed list status (Confirmed in Field, Confirmed on Paper, Planned)
Orderby	Long Integer	4	The order these values appear when opening the drop-down menu

Back to Metadata

Project Complex Table

Table Name:	**Project_Complex_Table**
Definition:	Stores the list of complexes that a project could be associated with
Table Type:	Background List: Can Be Edited
Used In:	Used to populate the Project_Complex field in the LTDL table

Field Name	Field Type	Field Size	Definition
ID	AutoNumber	4	Auto ID Number (Autofilled)
ts	Binary	8	Timestamp (Autofilled/Invisible in data entry mode)
Project_Complex_Name	Text	255	The name of the complex to which the project belongs
Field_Office	Text	50	The office of which the complex is a part
State	Text	50	The state of which the complex is a part

Back to Metadata

Project Current

Table Name:	**Project_Current**
Definition:	Stores information on the current project and treatments, used to load features in the CreateShapefile.mxd
Table Type:	Background List: Do Not Edit
Used In:	Used to load features in CreateShapefile.mxd

Field Name	Field Type	Field Size	Definition
ID	AutoNumber	4	Auto ID Number (Autofilled)
Feature_Type	Text	25	The location of the feature (Project or Treatment)
Project_Name	Text	100	The name of the project
Treatment_ID	Text	100	The Treatment ID (if applicable)
Current	Text	25	Indicates if the treatment is the current treatment the user is on (-1)
Alias	Text	150	A description of the feature (Project, type of treatment)

Back to Metadata

Project ID Type

Table Name:	**Project_ID_Type**
Definition:	List containing ID or number values for specific codes assigned to documents (for example: Project ID, NEPA Number)
Table Type:	Background List: Can Be Edited
Used In:	Used to populate the ID_Type field in the Project_Identifiers table

Field Name	Field Type	Field Size	Definition
ID	AutoNumber	4	Auto ID Number (Autofilled)
ID_Type	Text	50	List containing ID or number values for specific codes assigned to documents (for example: Project ID, NEPA Number)

Back to Metadata

Project IDs View

Table Name:	**Project_IDs_View**
Definition:	Stores information on selected project and treatments from the Project ID check, used to load features in the CreateShapefile.mxd
Table Type:	Background List: Do Not Edit
Used In:	Used to load features in CreateShapefile.mxd

Field Name	Field Type	Field Size	Definition
ID	AutoNumber	4	Auto ID Number (Autofilled)
Project_Name	Text	100	Name of the Project selected
Treatment_ID	Text	100	Name of the Treatment ID selected
Alias	Text	255	A description of the feature (Project, type of treatment)

Back to Metadata

Project Name Check View

Table Name:	**Project_Name_Check_View**
Definition:	Stores information on selected project and treatments from the Project Name check, used to load features in the CreateShapefile.mxd
Table Type:	Background List: Do Not Edit
Used In:	Used to load features in CreateShapefile.mxd

Field Name	Field Type	Field Size	Definition
ID	AutoNumber	4	Auto ID Number (Autofilled)
Project_Name	Text	100	Name of the Project selected
Treatment_ID	Text	100	Name of the Treatment ID selected
Alias	Text	255	A description of the feature (Project, type of treatment)

Back to Metadata

Project Overlap List

Table Name:	**Project_Overlap_List**
Definition:	Stores the project name of the overlapping project
Table Type:	Background List: Do Not Edit
Used In:	Used during background processing

Field Name	Field Type	Field Size	Definition
ID	AutoNumber	4	Auto ID Number (Autofilled)
Project_Name	Text	100	Name of the overlapping project

Back to Metadata

Project Status Name

Table Name:	**Project_Status_Name**
Definition:	Contains generic descriptions of treatment completion status, used in the Treatment geographic information system (Treatment GIS) attribute table to indicate the treatment completion status. This data was taken from the BLM Project Status and can be modified to suit user requirements
Table Type:	Background List: Can Be Edited
Used In:	Data are entered on theTreatment GIS Attributes form and is stored in the Treatment_Status field of the Treatment_GIS_Attributes table

Field Name	Field Type	Field Size	Definition
Project_Status_Name	Text	10	Generic description of the treatment completion status (for example: Completed, Proposed)

Back to Metadata

Reason for Treatment

Table Name:	**Reason_For_Trt**
Definition:	List of the overall, general reason the project is being conducted
Table Type:	Background List: Can Be Edited
Used In:	Used to populate the Reason_For_Project field in the Land Treatment Digital Library (LTDL) table

Field Name	Field Type	Field Size	Definition
Reason_For_Trt	Text	50	List of the overall, general reason the project is being conducted (Wildfire, Erosion)

Back to Metadata

States

Table Name:	**States**
Definition:	List of the states in the US
Table Type:	Background List: Can Be Edited
Used In:	Used to populate the State field in the Land Treatment Digital Library (LTDL) table

Field Name	Field Type	Field Size	Definition
States	Text	50	List of the states in the US

Back to Metadata

Success

Table Name:	**Success**
Definition:	List of the success types indicating the success of the treatment
Table Type:	Background List: Can Be Edited
Used In:	Used to populate the success fields in the Treatments and Treatment_Year tables

Field Name	Field Type	Field Size	Definition
Success	Text	50	List of the success types indicating the success of the treatment (for example: Fully Successful)

Back to Metadata

Treatment Application Issues

Table Name:	**Treatment_Application_Issues**
Definition:	Selected application issues are stored for processing
Table Type:	Background List: Do Not Edit
Used In:	Used to populate the Problems_Apply_Trt in the Treatments table

Field Name	Field Type	Field Size	Definition
AutoID	AutoNumber	4	Auto ID Number (Autofilled)
Application_Issues	Text	255	Stores the single application issue for processing in the larger list
Application_Issues_Selected	Memo		Stores the full list of compiled application issues to be sent to the Land Treatment Digital Library (LTDL) table

Back to Metadata

Treatment Code

Table Name:	**Treatment_Code**
Definition:	List of the codes representing various treatment types
Table Type:	Background List: Can Be Edited
Used In:	Used to populate the Code field in theTreatments table

Field Name	Field Type	Field Size	Definition
Code	Text	15	List of the codes representing various treatment types

Back to Metadata

Treatment Concerns

Table Name:	**Treatment_Concerns**
Definition:	Selected treatment concerns are stored for processing
Table Type:	Background List: Do Not Edit
Used In:	Used to populate the Trt_Concerns in the Treatments table

Field Name	Field Type	Field Size	Definition
AutoID	AutoNumber	4	Auto ID Number (Autofilled)
Trt_Concerns	Text	255	Stores the single concern for processing in the larger list
Trt_Concerns_Selected	Memo		Stores the full list of compiled concerns to be sent to the Land Treatment Digital Library (LTDL) table

Back to Metadata

Treatment Conditions at Treatment

Table Name:	**Treatment_Conditions_At_Trt**
Definition:	Selected conditions at the time of treatment are stored for processing
Table Type:	Background List: Do Not Edit
Used In:	Used to populate the Conditions_At_Trt in the Treatments table

Field Name	Field Type	Field Size	Definition
AutoID	AutoNumber	4	Auto ID Number (Autofilled)
Conditions	Text	255	Stores the single conditions at the time of treatment for processing in the larger list
Conditions_Selected	Memo		Stores the full list of conditions at the time of treatment to be sent to the Land Treatment Digital Library (LTDL) table

Back to Metadata

Treatment Domains

Table Name:	**Treatment_Domains**
Definition:	Contains generic descriptions of treatment types, used in the Treatment geographic information system (Treatment GIS) attribute table to indicate the treatment domain types. This data was taken from the Bureau of Land Management (BLM) treatment domains and can be modified to suit user requirements.
Table Type:	Background List: Can Be Edited
Used In:	Data are entered on the Treatment GIS Attributes form and is stored in the Trt_Method_Name and Trt_SubMethod_Name fields of the Treatment_GIS_Attributes table

Field Name	Field Type	Field Size	Definition
ID	AutoNumber	4	Auto ID Number (Autofilled)
Treatment_Domain	Text	15	Generic description of the treatment type (for example: Biological, Chemical, Physical)
Domain_Values	Text	15	More Specific description of the treatment type (for example: Alter, Plant, Remove) linked to specific treatment domains

Back to Metadata

Treatment Names

Table Name:	**Treatment_Names**
Definition:	List of the treatment types
Table Type:	Background List: Can Be Edited
Used In:	Used to populate Treament_Name field in the Treatments and other tables

Field Name	Field Type	Field Size	Definition
Name	Text	255	List of the treatment types (for example: Aerial Seeding: Fixed Wing)
Trt_Major_Category	Text	100	The major treatment category type (for example: Seeding) to which this treatment belongs
Trt_Sub_Category	Text	100	The mid-level category type (for example: Aerial Seeding) to which this treatment belongs
Method	Text	255	Generic description of the treatment type from the Treatment_Domains table (for example: Biological, Chemical, Physical)
SubMethod	Text	255	More Specific description of the treatment type from the Treatment_Domains table (for example: Alter, Plant, Remove) linked to specific treatment methods
Seed_Mix_Required	Text	6	Indicates if the seed mix is required (Yes/No)
GIS_Required	Text	10	Indicates if the geographic information system (GIS) spatial file is required (Yes/No)

Back to Metadata

Units

Table Name:	**Units**
Definition:	List of the unit types that describe the area treated by this treatment
Table Type:	Background List: Can Be Edited
Used In:	Used to populate the Final_Units and Units field in the Treatments and Treatment_Year tables respectively

Field Name	Field Type	Field Size	Definition
Units	Text	50	List of the unit types that describe the area treated by this treatment

Back to Metadata

View Shapefiles Field Office

Table Name:	**ViewShapefiles_Field_Office**
Definition:	Stores information on selected project and treatments when looking at projects in the same office, used to load features in the CreateShapefile.mxd
Table Type:	Background List: Do Not Edit
Used In:	Used to load features in CreateShapefile.mxd

Field Name	Field Type	Field Size	Definition
ID	AutoNumber	4	Auto ID Number (Autofilled)
Project_Name	Text	100	Name of the Project selected
Treatment_ID	Text	100	Name of the Treatment ID selected
Alias	Text	255	A description of the feature (Project, type of treatment)

Back to Metadata

Year Only

Table Name:	**Year_Only**
Definition:	List of years, 0 is included in case year is unknown
Table Type:	Background List: Can Be Edited
Used In:	Used to populate the year fields in multiple tables where dates are used

Field Name	Field Type	Field Size	Definition
Year	Long Integer	4	List of years, 0 is included in case year is unknown

Back to Metadata

Yes/No

Table Name:	**Yes/No**
Definition:	List of the values similar to Plan_or_Imp table but with a few more options
Table Type:	Background List: Can Be Edited
Used In:	Used to populate the grazing closure planned or implementation status

Field Name	Field Type	Field Size	Definition
Field1	Text	50	List of the values similar to Plan_or_Imp table but with a few more options

Back to Metadata