OF 70-22

PRINCIPAL FACTS FOR GRAVITY STATIONS IN THE NORTH PARK-MIDDLE PARK AREA, COLORADO

BY JOHN C. BEHRENDT AND PETER POPENOE

U.S. GEOLOGICAL SURVEY

DENVER, COLORADO

U. S. GEOLOGICAL SURVEY

Released to open files

April 8, 1970

PRINCIPAL FACTS FOR GRAVITY STATIONS IN THE NORTH PARK-MIDDLE PARK AREA, COLORADO

BY JOHN C. BEHRENDT AND PETER POPENOE

U. S. GEOLOGICAL SURVEY

DENVER, COLORADO

ABBREVIATIONS FOR THE HEADINGS OF THE ACCOMPANYING TABLES OF PRINCIPAL FACTS ARE EXPLAINED IN THE FOLLOWING LIST:

MIN LAT=	SOUTHERN BOUNDARY OF DATA
MAX LAT=	NORTHERN BOUNDARY OF DATA
MIN LONG=	EASTERN BOUNDARY OF DATA
MAX LONG=	WESTERN BOUNDARY OF DATA
MIN ELEV=	ALL STATIONS ARE ABOVE THIS ELEVATION
MAX ELEV=	ALL STATIONS ARE BELOW THIS ELEVATION
BMR=	BASE METER READING (NOT APPLICABLE)
GBV=	THE VALUE OF THE GRAVITY BASE STATION WA-91, KREMMLING, COLO., LOCATED AT THE SW CORNER OF THE AIRPORT HANGER, AT BM K-297 USC&GS. (BEHRENDT AND WOOLLARD, 1961).
MSV=	METER SCALE VALUE (NOT APPLICABLE).
D1= 2.67	DENSITY OF 2.67 G PER CC.
D2= 2.47	DENSITY OF 2.47 G PER CC.
CM=	CENTRAL MERIDIAN OF PROJECT.
REF= 196	COMPUTER IDENTIFICATION NUMBER FOR DATA SET.
STATION	STATION NUMBER.
LAT	NORTH LATITUDE IN DEGREES, MINUTES, AND HUNDRETHS OF MINUTES.

LONG	WEST LONGITUDE IN DEGREES, MINUTES, AND HUNDRETHS OF MINUTES.
ELEV(F)	ELEVATION OF STATION IN FEET.
E	ELEVATION ACCURACY-NOT RECORDED.
OBS G	OBSERVED GRAVITY IN MILLIGALS.
FAA	FREE AIR ANOMALY IN MILLIGALS.
BA2.67	SIMPLE BOUGUER ANOMALY IN MILLIGALS FOR AN ASSUMED DENSITY of 2.67 G PER CC.
BA(OPT)	SIMPLE BOUGUER ANOMALY IN MILLIGALS FOR AN ASSUMED DENSITY OF 2.47 G PER CC.
CB2.67	COMPLETE BOUGUER ANOMALY IN MILLIGALS FOR AN ASSUMED DENSITY OF 2.67 G PER CC.
CB(OPT)	COMPLETE BOUGUER ANOMALY IN MILLIGALS FOR AN ASSUMED DENSITY OF 2.47 G PER CC.
CC	CURVATURE CORRECTION IN MILLIGALS.
TC	TERRAIN CORRECTION IN MILLIGALS FOR AN ASSUMED DENSITY OF 2.67 G PER CC.
TCM	TERRAIN CORRECTION METHOD. TERRAIN CORRECTIONS WERE MADE IN ZONES A THROUGH H USING HAMMER CHARTS (HAMMER, 1939). OUTER ZONES WERE COMPUTED TO A DISTANCE OF 166.7 KMS FROM THE STATION BY COMPUTER (PLOUFF, 1966).
PG	POSITION AND ACCURACY CODE. (NOT USED).
DRIFT	GRAVITY METER DRIFT CORRECTION. (PREVIOUSLY CALCULATED AND INCLUDED IN DATA INPUT).

TIDE	EARTH TIDE CORRECTION. (NOT CALCULATED).
N	NUMBER OF STATIONS.

REFERENCES

BEHRENDT, J.C. AND WOOLARD, G. P., 1961, AN EVALUATION OF THE GRAVITY CONTROL NETWORK IN NORTH AMERICA: GEOPHYSICS, V. 26, P. 63.

HAMMER, SIGMUND, 1939, TERRAIN CORRECTIONS FOR GRAVIMETER STATIONS: GEOPHYSICS, V. 4, PP. 184-194.

PLOUFF, DONALD, 1966, DIGITAL TERRAIN CORRECTIONS BASED ON GEOGRAPHIC COORDINATES (ABS.): GEOPHYSICS, V. 31, NO. 6, P. 1208.

ARIZ SALT RIVER PHOENIX 31169 EATON IDREF= 101

MINLAT=33. 30. MAXLAT=33. 32. MINLONG=112. 19. MAXLONG=112. 23. MINELEV=1020. MAXELEV= 1140. UNITS= 0

BMR= 0.0 GBV=979466.45 MSV=0.0 D1=2.67 D2=2.40 OPTIONS=0000000000 CM= 0 0. REF= 101

STATION	LAT	LONG	ELEV(F)	E	OBS G	FAA	BA2.67	BA(OPT)	CB2.67	CB(OPT)	CC	TC	TCM	PG	DRIFT	TIDE
S1	33 31.03	112 22.00	1104.0	0	1457.46	-59.89	-97.54	-93.74			0.41	0.0			0.0	0.0
S2	33 31.22	112 21.75	1120.0	0	1454.50	-61.61	-99.81	-95.94			0.42	0.0			0.0	0.0
S3	33 30.46	112 19.62	1042.0	0	1458.69	-63.70	-99.24	-95.65			0.39	0.0			0.0	0.0

IHC219I
TRACEBACK FOLLOWS-

ROUTINE	ISN	REG. 14	REG. 15	REG. 0	REG. 1
IBCOM		A20910D8	00095458	00000001	000961E6
MAIN		00010376	0108C7F0	FFFFFFA6	000BFFF8

ENTRY POINT= 0108C7F0

Complete error stop

MINLAT=39. 15. MAXLAT=41. 0. MINLONG=105. 30. MAXLONG=107. 0. MINELEV=6000. MAXELEV=14000. UNITS= C

BM2= 0.0 GBV=979490.30 MSV=0.0 D1=2.67 D2=2.47 OPTIONS=1010000000 CM= 106 15. REF= 196

STATION	LAT	LONG	ELEV(F)	E	OBS G	FAA	BA2.67	BA(OPT)	CB2.67	CB(OPT)	CC	TC	TCM	FG	DRIFT	TIDE	N
WA91	40 3.45	106 22.24	7399.0	0	1490.20	0.19	-252.17	-233.27	-252.91	-233.95	1.74	1.00			0.0	0.0	1
0001	39 41.90	105 43.70	9116.0	0	1320.10	23.28	-287.63	-264.34	-289.24	-265.83	1.61	0.0			0.0	0.0	2
0002	39 41.68	105 46.52	9539.0	0	1284.50	27.74	-297.60	-273.23	-281.54	-258.37	1.54	17.60			0.0	0.0	3
0003	39 41.58	105 48.18	9767.0	0	1270.40	35.21	-297.91	-272.96	-285.21	-261.21	1.50	14.20			0.0	0.0	4
0004	39 41.55	105 49.07	9841.0	0	1263.10	34.90	-300.74	-275.60	-287.92	-263.74	1.48	14.30			0.0	0.0	5
0005	39 41.87	105 49.97	10080.0	0	1246.50	40.27	-303.52	-277.77	-290.25	-265.49	1.43	14.70			0.0	0.0	6
0006	39 42.13	105 51.35	10300.0	0	1232.30	46.35	-304.94	-278.63	-296.83	-271.12	1.38	9.50			0.0	0.0	7
0007	39 41.78	105 52.40	10463.0	0	1222.50	52.38	-304.48	-277.75	-295.12	-269.09	1.35	10.70			0.0	0.0	8
0008	39 40.82	105 53.65	10831.0	0	1199.60	65.46	-303.95	-276.28	-295.60	-268.56	1.25	9.60			0.0	0.0	9
0009	39 40.23	105 52.90	11244.0	0	1176.50	82.02	-301.48	-272.75	-295.32	-267.05	1.14	7.30			0.0	0.0	10
0010	39 39.85	105 52.75	11988.0	0	1133.30	109.24	-299.63	-269.00	-293.84	-263.65	0.92	6.70			0.0	0.0	11
0011	39 38.91	105 52.55	10785.0	0	1199.30	64.25	-303.59	-276.03	-293.95	-267.12	1.27	10.90			0.0	0.0	12
0012	39 38.30	105 53.21	10533.0	0	1212.30	53.90	-305.35	-278.44	-296.48	-270.23	1.33	10.20			0.0	0.0	13
0013	39 37.61	105 54.65	10032.0	0	1239.50	35.06	-307.10	-281.47	-298.24	-273.27	1.44	10.30			0.0	0.0	14
0014	39 37.22	105 55.45	9778.0	0	1253.60	25.88	-307.61	-282.63	-299.51	-275.13	1.49	9.60			0.0	0.0	15
0015	39 36.56	105 56.76	9343.0	0	1279.10	11.50	-307.16	-283.29	-300.73	-277.35	1.57	8.00			0.0	0.0	16
0016	39 36.45	105 58.10	9250.0	0	1285.40	9.22	-306.26	-282.63	-301.05	-277.81	1.59	6.80			0.0	0.0	17
0017	39 36.25	105 58.90	9257.0	0	1287.00	11.77	-303.95	-280.30	-300.63	-277.23	1.58	4.90			0.0	0.0	18
0018	39 36.11	105 59.74	9101.0	0	1295.90	6.23	-304.18	-280.93	-300.78	-277.79	1.61	5.00			0.0	0.0	19
0020	40 4.50	106 33.56	9527.0	0	1374.40	82.74	-242.19	-217.85	-241.13	-216.87	1.54	2.60			0.0	0.0	20
0021	40 3.50	106 47.60	8220.0	0	1433.60	20.65	-259.71	-238.71	-261.41	-240.29	1.70	0.0			0.0	0.0	21
0022	40 29.10	106 47.85	6700.0	0	1591.20	-2.54	-231.06	-213.94	-232.78	-215.54	1.73	0.0			0.0	0.0	22
0023	40 23.99	106 37.09	9551.0	0	1410.50	92.19	-233.56	-209.16	-232.89	-208.54	1.54	2.20			0.0	0.0	23
0024	40 23.09	106 36.70	9426.0	0	1415.60	86.89	-234.60	-210.52	-234.16	-210.11	1.56	2.00			0.0	0.0	24
0025	40 35.78	106 24.38	8135.0	0	1485.00	16.16	-261.29	-240.51	-262.50	-241.63	1.71	0.50			0.0	0.0	25
0026	40 43.91	106 17.00	8099.0	0	1504.20	19.89	-256.33	-235.64	-257.65	-236.86	1.71	0.40			0.0	0.0	26
0027	40 53.13	106 18.06	7908.0	0	1533.80	17.83	-251.88	-231.68	-252.91	-232.63	1.72	0.70			0.0	0.0	27
0028	40 59.60	106 12.78	8727.0	0	1524.70	76.04	-221.61	-199.31	-222.46	-200.10	1.66	0.80			0.0	0.0	28
0029	40 58.66	106 32.95	8401.0	0	1545.80	67.91	-218.61	-197.15	-219.00	-197.51	1.69	1.30			0.0	0.0	29
0030	40 56.15	106 36.75	8997.0	0	1502.00	83.84	-223.02	-200.03	-222.74	-199.77	1.62	1.90			0.0	0.0	30
0031	40 34.54	106 3.75	8653.0	0	1438.30	20.47	-274.66	-252.55	-275.12	-252.98	1.66	1.20			0.0	0.0	31
0032	40 31.50	105 53.58	10285.0	0	1362.20	101.68	-249.11	-222.83	-244.69	-218.75	1.39	5.80			0.0	0.0	32
0033	40 27.26	106 10.85	8625.0	0	1442.60	32.55	-261.66	-239.62	-262.32	-240.24	1.67	1.00			0.0	0.0	33
0034	40 21.06	106 5.33	9622.0	0	1372.00	64.71	-263.46	-238.88	-262.49	-237.98	1.52	2.50			0.0	0.0	34
0035	40 6.55	105 58.92	7852.0	0	1452.70	0.65	-267.15	-247.09	-266.68	-246.65	1.73	2.20			0.0	0.0	35
0036	40 15.17	105 49.85	8437.0	0	1442.30	32.43	-255.32	-233.77	-246.71	-225.80	1.69	10.30			0.0	0.0	36
0037	40 15.13	105 45.10	8400.0	0	1436.50	23.22	-263.28	-241.82	-256.57	-235.61	1.69	8.40			0.0	0.0	37
0038	40 16.05	105 45.02	8760.0	0	1425.80	44.97	-253.80	-231.42	-247.65	-225.73	1.65	7.80			0.0	0.0	38
0039	40 17.14	105 45.58	8708.0	0	1425.50	38.17	-258.83	-236.56	-252.79	-230.99	1.66	7.70			0.0	0.0	39
0040	40 18.15	105 45.53	8793.0	0	1424.10	43.26	-256.64	-234.18	-249.89	-227.93	1.65	8.40			0.0	0.0	40
0041	40 19.00	105 45.65	8777.0	0	1427.10	43.49	-255.86	-233.44	-248.61	-226.73	1.65	8.90			0.0	0.0	41
0042	40 19.66	105 46.20	8765.0	0	1427.30	41.59	-257.36	-234.96	-249.41	-227.61	1.65	9.60			0.0	0.0	42
0043	40 20.63	105 46.43	8846.0	0	1422.50	42.96	-259.75	-236.15	-250.79	-228.79	1.64	9.60			0.0	0.0	43
0044	40 21.55	105 46.30	8864.0	0	1418.00	38.78	-263.54	-240.89	-252.18	-230.38	1.64	13.00			0.0	0.0	44
0045	40 22.32	105 46.20	8903.0	0	1417.00	40.30	-263.35	-240.60	-252.98	-231.01	1.63	12.00			0.0	0.0	45
0046	40 23.42	105 50.82	8983.0	0	1411.70	40.88	-265.50	-242.55	-257.42	-235.07	1.62	9.70			0.0	0.0	46
0047	40 24.29	105 50.88	9095.0	0	1406.30	45.21	-264.99	-241.75	-256.59	-233.99	1.61	10.00			0.0	0.0	47
0048	40 24.30	105 50.09	9992.0	0	1363.50	86.15	-254.64	-229.11	-248.59	-223.51	1.45	7.50			0.0	0.0	48
0049	40 24.33	105 49.32	10421.0	0	1339.40	102.30	-253.12	-226.50	-248.28	-222.02	1.36	6.20			0.0	0.0	49
0050	40 25.20	105 48.66	10758.0	0	1321.30	114.56	-252.36	-224.87	-247.43	-220.32	1.27	6.20			0.0	0.0	50

MINLAT=39. 15. MAXLAT=41. 0. MINLONG=105. 30. MAXLONG=107. 0. MINELEV=6000. MAXELEV=14000. UNITS= C

BMR= 0.0 GBV=979490.30 MSV=0.0 D1=2.67 D2=2.47 OPTIONS=1010000000 CM= 106 15. REF= 196

STATION	LAT	LONG	ELEV(F)	F	OBS G	FAA	BA2.67	BA(CPT)	CB2.67	CB(CPT)	CC	TC	TCM	PG	DRIFT	TIDE	N
0051	40 25.68	105 48.10	10800.0	0	1318.50	114.99	-253.36	-225.77	-248.62	-221.38	1.26	6.00			0.0	0.0	51
0052	40 26.02	105 47.31	11006.0	0	1313.20	128.53	-246.85	-218.73	-242.35	-214.57	1.21	5.70			0.0	0.0	52
0053	40 26.33	105 46.37	11263.0	0	1301.50	140.51	-243.64	-214.86	-237.87	-209.53	1.14	6.90			0.0	0.0	53
0054	40 26.46	105 45.22	11794.0	0	1272.60	161.28	-240.98	-210.85	-232.66	-203.15	0.98	9.30			0.0	0.0	54
0055	40 24.80	105 50.77	9384.0	0	1389.60	54.40	-265.65	-241.68	-256.92	-233.60	1.56	10.30			0.0	0.0	55
0056	39 59.50	105 50.31	8335.0	0	1427.90	31.67	-252.60	-231.31	-252.00	-230.75	1.70	2.30			0.0	0.0	56
0057	39 55.89	105 49.16	8567.0	0	1402.20	33.11	-259.08	-237.19	-258.05	-236.24	1.67	2.70			0.0	0.0	57
0058	39 47.90	105 46.60	11312.0	0	1197.90	98.46	-287.35	-258.45	-281.17	-252.73	1.12	7.30			0.0	0.0	58
0059	39 48.17	105 47.23	11963.0	0	1154.10	115.39	-292.62	-262.06	-282.95	-253.11	0.93	10.60			0.0	0.0	59
0060	39 47.70	105 45.80	12493.0	0	1117.30	129.06	-297.04	-265.12	-277.69	-247.22	0.75	20.10			0.0	0.0	60
0061	39 27.30	105 43.50	9029.0	0	1322.50	39.07	-268.88	-245.81	-270.50	-247.31	1.62	0.0			0.0	0.0	61
0062	39 28.80	106 2.10	9600.0	0	1242.70	10.69	-316.73	-292.20	-318.26	-293.62	1.53	0.0			0.0	0.0	62
0063	39 34.52	106 5.60	9115.0	0	1292.60	6.59	-304.29	-281.00	-299.10	-276.20	1.61	6.80			0.0	0.0	63
0064	39 32.45	106 12.95	10603.0	0	1209.70	66.51	-295.12	-268.03	-293.43	-266.47	1.31	3.00			0.0	0.0	64
0065	39 38.52	106 18.29	8368.0	0	1347.20	-14.89	-300.30	-278.92	-286.89	-266.52	1.69	15.10			0.0	0.0	65
0066	39 34.85	106 25.25	7817.0	0	1395.40	-13.04	-279.65	-259.68	-270.38	-251.10	1.73	11.00			0.0	0.0	66
0067	39 38.80	106 34.10	7222.0	0	1432.80	-37.38	-283.70	-265.24	-285.44	-266.85	1.74	0.0			0.0	0.0	67
0068	39 30.53	106 22.56	8780.0	0	1324.20	12.61	-286.84	-264.41	-280.99	-259.00	1.65	7.50			0.0	0.0	68
0069	40 7.48	105 59.38	8105.0	0	1437.70	8.05	-268.39	-247.68	-267.20	-246.58	1.71	2.90			0.0	0.0	69
0070	40 7.93	105 59.73	8203.0	0	1432.80	11.69	-268.09	-247.13	-266.40	-245.57	1.71	3.40			0.0	0.0	70
0071	40 8.67	105 59.89	8396.0	0	1421.50	17.42	-268.94	-247.49	-267.23	-245.91	1.69	3.40			0.0	0.0	71
0072	40 9.44	105 59.80	8356.0	0	1424.50	15.52	-269.47	-248.13	-268.47	-247.19	1.69	2.70			0.0	0.0	72
0073	40 10.24	105 59.78	8239.0	0	1432.10	10.94	-270.06	-249.01	-269.06	-248.09	1.70	2.70			0.0	0.0	73
0074	40 10.75	106 0.35	8251.0	0	1429.90	9.11	-272.30	-251.22	-270.10	-249.19	1.70	3.90			0.0	0.0	74
0075	40 11.24	106 1.13	8350.0	0	1423.10	10.89	-273.90	-252.57	-272.60	-251.36	1.69	3.00			0.0	0.0	75
0076	40 11.65	106 1.73	8341.0	0	1422.00	8.34	-276.15	-254.84	-270.64	-249.74	1.69	7.20			0.0	0.0	76
0077	40 12.30	106 2.41	8387.0	0	1418.80	8.49	-277.56	-256.13	-272.65	-251.59	1.69	6.60			0.0	0.0	77
0078	40 13.05	106 3.10	8439.0	0	1418.90	12.37	-275.46	-253.90	-271.64	-250.37	1.69	5.50			0.0	0.0	78
0079	40 13.88	106 3.49	8495.0	0	1417.90	15.40	-274.34	-252.64	-271.52	-250.03	1.68	4.50			0.0	0.0	79
0080	40 14.68	106 4.23	8537.0	0	1416.60	16.86	-274.31	-252.50	-271.29	-249.70	1.68	4.70			0.0	0.0	80
0081	40 15.28	106 4.78	8583.0	0	1417.20	20.89	-271.85	-249.92	-268.62	-246.94	1.67	4.90			0.0	0.0	81
0082	40 15.94	106 4.78	8619.0	0	1415.10	21.19	-272.77	-250.76	-268.14	-246.47	1.67	6.30			0.0	0.0	82
0083	40 16.69	106 5.17	8675.0	0	1414.50	24.84	-271.04	-248.87	-267.10	-245.23	1.66	5.60			0.0	0.0	83
0084	40 17.40	106 4.79	8727.0	0	1412.40	26.47	-271.18	-248.88	-266.23	-244.31	1.66	6.60			0.0	0.0	84
0085	40 18.12	106 4.19	8797.0	0	1412.10	31.68	-268.36	-245.88	-265.21	-242.97	1.65	4.80			0.0	0.0	85
0086	40 18.70	106 4.00	8849.0	0	1410.80	34.40	-267.41	-244.80	-266.75	-244.19	1.64	2.30			0.0	0.0	86
0087	40 19.28	106 4.13	8963.0	0	1405.90	39.35	-265.35	-243.45	-263.97	-241.25	1.63	4.00			0.0	0.0	87
0088	40 20.05	106 4.49	9050.0	0	1403.30	43.78	-264.88	-241.76	-261.60	-238.72	1.61	4.90			0.0	0.0	88
0089	40 20.43	106 4.99	9248.0	0	1393.10	51.62	-263.80	-240.18	-261.89	-238.40	1.59	3.50			0.0	0.0	89
0090	40 20.79	106 5.80	9485.0	0	1379.40	59.64	-263.86	-239.63	-260.81	-236.80	1.55	4.60			0.0	0.0	90
0091	40 21.81	106 5.38	9413.0	0	1385.20	57.17	-263.88	-239.83	-262.94	-238.96	1.56	2.50			0.0	0.0	91
0092	40 22.31	106 5.82	9161.0	0	1401.10	48.65	-263.80	-240.39	-262.80	-239.47	1.60	2.60			0.0	0.0	92
0093	40 23.23	106 6.47	9072.0	0	1406.90	44.73	-264.69	-241.51	-264.60	-241.43	1.61	1.70			0.0	0.0	93
0094	40 23.75	106 7.00	9005.0	0	1411.50	42.26	-264.87	-241.96	-265.09	-242.07	1.62	1.40			0.0	0.0	94
0095	40 24.61	106 6.93	8934.0	0	1416.60	39.42	-265.29	-242.47	-265.62	-242.77	1.63	1.30			0.0	0.0	95
0096	40 25.28	106 7.56	8844.0	0	1423.00	36.37	-265.27	-242.68	-265.71	-243.09	1.64	1.20			0.0	0.0	96
0097	40 25.93	106 8.20	8818.0	0	1425.40	35.36	-265.39	-242.86	-265.84	-243.28	1.65	1.20			0.0	0.0	97
0098	40 26.43	106 8.96	8713.0	0	1433.40	32.75	-264.42	-242.16	-264.98	-242.67	1.66	1.10			0.0	0.0	98
0099	40 26.88	106 9.93	8675.0	0	1437.50	32.61	-263.26	-241.10	-263.82	-241.62	1.66	1.10			0.0	0.0	99
0100	40 27.35	106 11.48	8631.0	0	1443.50	33.78	-260.59	-238.54	-261.26	-239.16	1.67	1.00			0.0	0.0	100

MINLAT=39. 15. MAXLAT=41. 0. MINLONG=105. 30. MAXLONG=107. 0. MINELEV=6000. MAXELEV=14000. UNITS= 0

BMR= 0.0 GBV=979490.30 MSV=0.0 D1=2.67 D2=2.47 OPTIONS=1010000000 CM= 106 15. REF= 196

STATION	LAT	LONG	ELEV(F)	E	OBS G	FAA	BA2.67	BA(OPT)	CB2.67	CB(OPT)	CC	TC	TCM	FG	DRIFT	TIDE	N
0101	40 28.36	106 12.47	8595.0	0	1447.70	33.10	-260.04	-238.09	-260.82	-238.80	1.67	0.90			0.0	0.0	101
0102	40 29.21	106 12.70	8524.0	0	1451.30	28.77	-261.96	-240.18	-262.73	-240.90	1.68	0.90			0.0	0.0	102
0103	40 29.86	106 12.92	8489.0	0	1452.70	25.92	-263.62	-241.93	-264.50	-242.74	1.68	0.80			0.0	0.0	103
0104	40 30.53	106 13.24	8454.0	0	1454.60	23.53	-264.80	-243.21	-265.69	-244.02	1.68	0.80			0.0	0.0	104
0105	40 31.30	106 13.73	8422.0	0	1458.00	22.78	-264.46	-242.95	-265.45	-243.86	1.69	0.70			0.0	0.0	105
0106	40 32.04	106 14.41	8397.0	0	1462.30	23.63	-262.76	-241.31	-263.75	-242.22	1.69	0.70			0.0	0.0	106
0107	40 33.54	106 15.10	8366.0	0	1465.70	21.89	-263.44	-242.07	-264.54	-243.08	1.69	0.60			0.0	0.0	107
0108	40 34.62	106 15.85	8330.0	0	1465.60	16.81	-267.30	-246.02	-268.50	-247.13	1.70	0.50			0.0	0.0	108
0109	40 35.47	106 16.49	8305.0	0	1464.70	12.29	-270.96	-249.74	-272.16	-250.85	1.70	0.50			0.0	0.0	109
0110	40 36.26	106 16.77	8360.0	0	1460.40	11.99	-273.14	-251.79	-274.34	-252.89	1.69	0.50			0.0	0.0	110
0111	40 37.09	106 17.08	8355.0	0	1461.00	10.88	-274.08	-252.73	-275.27	-253.84	1.69	0.50			0.0	0.0	111
0112	40 36.04	106 17.11	8287.0	0	1465.20	10.26	-272.38	-251.21	-273.58	-252.32	1.70	0.50			0.0	0.0	112
0113	40 37.30	106 17.05	8206.0	0	1471.70	7.27	-272.60	-251.64	-273.91	-252.85	1.71	0.40			0.0	0.0	113
0114	40 21.83	106 7.32	10310.0	0	1329.10	85.29	-266.35	-240.01	-261.43	-235.46	1.38	6.30			0.0	0.0	114
0115	40 21.87	106 8.16	10060.0	0	1348.00	80.65	-262.46	-236.76	-259.70	-234.21	1.44	4.20			0.0	0.0	115
0116	40 21.73	106 8.70	9631.0	0	1372.30	65.36	-263.12	-238.51	-260.34	-235.94	1.52	4.30			0.0	0.0	116
0117	40 21.95	106 9.72	9688.0	0	1369.90	67.49	-262.93	-238.18	-260.25	-235.70	1.51	4.20			0.0	0.0	117
0118	40 21.43	106 10.42	10185.0	0	1339.10	84.14	-263.23	-237.21	-259.04	-233.34	1.41	5.60			0.0	0.0	118
0119	40 20.87	106 9.46	10775.0	0	1301.40	102.68	-264.82	-237.29	-259.28	-232.17	1.27	6.80			0.0	0.0	119
0120	40 20.40	106 9.50	11395.0	0	1249.20	109.41	-279.24	-250.13	-266.64	-238.47	1.10	13.70			0.0	0.0	120
0121	40 21.79	106 11.12	10395.0	0	1325.90	90.13	-264.41	-237.85	-260.07	-233.84	1.36	5.70			0.0	0.0	121
0122	40 21.05	106 11.30	10534.0	0	1313.40	91.78	-267.49	-240.58	-260.62	-234.23	1.33	8.20			0.0	0.0	122
0123	40 20.30	106 10.93	10390.0	0	1322.80	88.77	-265.59	-239.05	-261.16	-234.95	1.36	5.80			0.0	0.0	123
0124	40 20.30	106 11.70	10031.0	0	1345.20	77.45	-264.67	-239.04	-262.61	-237.14	1.44	3.50			0.0	0.0	124
0125	40 19.97	106 12.73	9698.0	0	1365.60	67.07	-263.70	-238.92	-261.71	-237.08	1.51	3.50			0.0	0.0	125
0126	40 19.65	106 13.90	10310.0	0	1327.80	87.22	-264.42	-238.08	-260.70	-234.64	1.38	5.10			0.0	0.0	126
0127	40 20.83	106 14.17	10218.0	0	1335.90	84.93	-263.57	-237.46	-260.57	-234.69	1.40	4.40			0.0	0.0	127
0128	40 21.73	106 14.08	9742.0	0	1365.90	68.89	-263.38	-238.49	-261.28	-236.55	1.50	3.60			0.0	0.0	128
0129	40 22.06	106 12.40	9162.0	0	1403.70	51.72	-260.77	-237.36	-258.67	-235.42	1.60	3.70			0.0	0.0	129
0130	40 21.20	106 12.35	9321.0	0	1391.30	55.53	-262.38	-238.56	-260.05	-236.41	1.57	3.90			0.0	0.0	130
0131	40 22.84	106 12.02	9089.0	0	1408.60	48.60	-261.39	-238.17	-259.30	-236.24	1.61	3.70			0.0	0.0	131
0132	40 23.69	106 11.13	8959.0	0	1417.90	44.43	-261.13	-238.24	-260.86	-237.99	1.63	1.90			0.0	0.0	132
0133	40 23.47	106 10.12	9055.0	0	1410.50	46.37	-262.46	-239.33	-262.08	-238.97	1.61	2.00			0.0	0.0	133
0134	40 23.63	106 8.59	9009.0	0	1412.30	43.62	-263.65	-240.63	-263.37	-240.38	1.62	1.90			0.0	0.0	134
0135	40 23.04	106 8.70	9306.0	0	1393.30	53.39	-264.01	-240.23	-263.18	-239.47	1.58	2.40			0.0	0.0	135
0136	40 8.82	106 26.65	7570.0	0	1490.20	8.29	-249.89	-230.55	-250.53	-231.14	1.74	1.10			0.0	0.0	136
0137	40 8.60	106 27.80	7659.0	0	1484.90	11.68	-249.54	-229.97	-249.57	-230.00	1.73	1.70			0.0	0.0	137
0138	40 8.47	106 28.90	7794.0	0	1477.30	16.96	-248.87	-228.96	-248.60	-228.71	1.73	2.00			0.0	0.0	138
0139	40 8.02	106 29.40	7844.0	0	1473.20	18.22	-249.31	-229.27	-248.44	-228.46	1.73	2.60			0.0	0.0	139
0140	40 7.48	106 30.08	8025.0	0	1461.30	24.13	-249.58	-229.07	-248.59	-228.16	1.72	2.70			0.0	0.0	140
0141	40 6.75	106 30.30	8417.0	0	1437.70	38.44	-248.64	-227.13	-247.73	-226.29	1.69	2.60			0.0	0.0	141
0142	40 6.65	106 31.10	8573.0	0	1429.30	44.84	-247.55	-225.65	-246.93	-225.07	1.67	2.30			0.0	0.0	142
0143	40 6.20	106 32.00	8769.0	0	1420.00	54.62	-244.46	-222.06	-243.41	-221.08	1.65	2.70			0.0	0.0	143
0144	40 5.30	106 32.90	9240.0	0	1391.50	71.70	-243.44	-219.84	-241.93	-218.44	1.59	3.10			0.0	0.0	144
0145	40 4.15	106 34.55	9207.0	0	1390.50	69.30	-244.71	-221.19	-243.11	-219.71	1.59	3.20			0.0	0.0	145
0146	40 3.82	106 35.10	9116.0	0	1393.70	64.44	-246.47	-223.18	-246.48	-223.19	1.61	1.60			0.0	0.0	146
0147	40 3.82	106 35.98	8884.0	0	1411.40	60.35	-242.65	-219.96	-242.19	-219.53	1.64	2.10			0.0	0.0	147
0148	40 4.40	106 37.38	8726.0	0	1419.80	53.05	-244.56	-222.27	-244.72	-222.42	1.66	1.50			0.0	0.0	148
0149	40 4.97	106 38.70	8796.0	0	1416.00	54.98	-245.02	-222.55	-245.37	-222.87	1.65	1.30			0.0	0.0	149
0150	40 4.45	106 39.72	8721.0	0	1419.40	52.11	-245.34	-223.06	-245.99	-223.66	1.66	1.00			0.0	0.0	150

MINLAT=39. 15. MAXLAT=41. 0. MINLONG=105. 30. MAXLONG=107. 0. MINELEV=6000. MAXELEV=14000. UNITS= C

BMR= 0.0 GBV=979490.30 MSV=0.0 D1=2.67 D2=2.47 OPTIONS=1C1CCCCCCC CM= 106 15. REF= 196

STATION	LAT	LONG	ELEV(F)	F	OBS G	FAA	BA2.67	BA(OPT)	CB2.67	CB(OPT)	CC	TC	TCM	FC	DRIFT	TIDE	N
0151	40 4.35	106 41.15	8896.0	0	1408.50	57.79	-245.62	-222.89	-245.95	-223.20	1.64	1.30			0.0	0.0	151
0152	40 4.85	106 41.92	8943.0	0	1405.20	58.17	-246.85	-224.00	-247.28	-224.40	1.63	1.20			0.0	0.0	152
0153	40 5.14	106 42.60	8744.0	0	1414.60	48.44	-249.78	-227.45	-249.54	-227.22	1.65	1.90			0.0	0.0	153
0154	40 5.15	106 43.90	8520.0	0	1421.70	34.49	-256.10	-234.33	-255.28	-233.57	1.68	2.50			0.0	0.0	154
0155	40 4.48	106 44.85	8324.0	0	1431.80	27.17	-256.74	-235.47	-256.43	-235.19	1.70	2.00			0.0	0.0	155
0156	40 38.57	106 17.51	8190.0	0	1480.50	12.68	-266.65	-245.73	-267.96	-246.94	1.71	0.40			0.0	0.0	156
0157	40 39.43	106 17.55	8137.0	0	1490.90	16.83	-260.70	-239.91	-262.01	-241.12	1.71	0.40			0.0	0.0	157
0158	40 40.32	106 17.54	8200.0	0	1489.50	20.02	-259.65	-238.70	-260.96	-239.91	1.71	0.40			0.0	0.0	158
0159	40 41.18	106 17.53	8125.0	0	1496.20	18.40	-258.72	-237.96	-260.03	-239.17	1.71	0.40			0.0	0.0	159
0160	40 42.05	106 17.50	8145.0	0	1496.80	19.58	-258.22	-237.41	-259.53	-238.62	1.71	0.40			0.0	0.0	160
0161	39 36.75	106 3.25	8832.0	0	1314.00	-1.89	-303.12	-280.55	-301.36	-278.93	1.64	3.40			0.0	0.0	161
0161	40 42.93	106 16.88	8060.0	0	1504.10	17.59	-257.31	-236.72	-258.63	-237.94	1.72	0.40			0.0	0.0	162
0162	40 44.65	106 16.77	8147.0	0	1502.30	21.40	-256.46	-235.65	-257.77	-236.86	1.71	0.40			0.0	0.0	163
0163	40 45.52	106 16.85	8037.0	0	1512.50	19.97	-254.14	-233.61	-255.46	-234.83	1.72	0.40			0.0	0.0	164
0164	40 46.41	106 16.85	8044.0	0	1515.20	22.01	-252.34	-231.79	-253.66	-233.01	1.72	0.40			0.0	0.0	165
0165	40 47.18	106 16.83	8039.0	0	1517.10	22.29	-251.89	-231.35	-253.21	-232.57	1.72	0.40			0.0	0.0	166
0166	40 48.15	106 17.51	7965.0	0	1522.20	19.00	-252.66	-232.31	-253.98	-233.53	1.72	0.40			0.0	0.0	167
0167	40 49.05	106 17.80	8025.0	0	1519.00	20.10	-253.61	-233.11	-254.93	-234.33	1.72	0.40			0.0	0.0	168
0168	40 49.95	106 17.78	7961.0	0	1524.80	18.54	-252.98	-232.64	-254.20	-233.77	1.72	0.50			0.0	0.0	169
0169	40 50.80	106 17.75	7884.0	0	1530.80	16.05	-252.85	-232.71	-254.08	-233.84	1.73	0.50			0.0	0.0	170
0170	40 50.83	106 18.92	7932.0	0	1525.80	15.51	-255.02	-234.76	-256.25	-235.89	1.72	0.50			0.0	0.0	171
0171	40 51.72	106 18.88	7914.0	0	1528.90	15.59	-254.33	-234.11	-255.55	-235.24	1.72	0.50			0.0	0.0	172
0172	40 55.11	106 15.25	8159.0	0	1528.70	33.37	-244.91	-224.07	-244.62	-223.80	1.71	2.00			0.0	0.0	173
0173	40 55.37	106 14.15	8343.0	0	1517.70	39.26	-245.29	-223.97	-243.78	-222.58	1.69	3.20			0.0	0.0	174
0174	40 56.01	106 13.49	8438.0	0	1516.30	45.84	-241.95	-220.40	-241.14	-219.64	1.69	2.50			0.0	0.0	175
0175	40 57.23	106 13.42	8581.0	0	1514.90	56.05	-236.61	-214.69	-237.09	-215.13	1.67	1.20			0.0	0.0	176
0176	40 58.02	106 13.50	8649.0	0	1518.20	64.56	-230.42	-208.33	-231.09	-208.94	1.66	1.00			0.0	0.0	177
0177	40 58.69	106 13.41	8655.0	0	1524.40	70.33	-224.86	-202.75	-225.63	-203.46	1.66	0.90			0.0	0.0	178
0178	40 55.32	106 18.76	8044.0	0	1538.70	32.25	-242.10	-221.55	-242.82	-222.22	1.72	1.00			0.0	0.0	179
0179	40 55.79	106 20.16	7932.0	0	1549.20	31.53	-239.01	-218.74	-239.23	-218.95	1.72	1.50			0.0	0.0	180
0180	40 52.60	106 17.65	7936.0	0	1531.50	18.95	-251.72	-231.44	-252.84	-232.48	1.72	0.60			0.0	0.0	181
0181	40 52.56	106 16.50	7972.0	0	1531.80	22.69	-249.20	-228.84	-250.23	-229.78	1.72	0.70			0.0	0.0	182
0182	40 52.55	106 15.32	8032.0	0	1529.70	26.25	-247.70	-227.18	-248.42	-227.84	1.72	1.00			0.0	0.0	183
0183	40 53.35	106 14.18	8198.0	0	1525.10	36.05	-243.56	-222.61	-243.76	-222.80	1.71	1.50			0.0	0.0	184
0184	40 54.22	106 14.15	8356.0	0	1518.80	43.30	-241.70	-220.35	-242.09	-220.71	1.69	1.30			0.0	0.0	185
0185	40 52.42	106 13.35	8277.0	0	1520.20	39.95	-242.35	-221.20	-242.75	-221.57	1.70	1.30			0.0	0.0	186
0186	40 51.93	106 12.23	8447.0	0	1511.10	47.56	-240.54	-218.96	-240.43	-218.86	1.69	1.80			0.0	0.0	187
0187	40 52.49	106 14.22	8131.0	0	1525.90	31.83	-245.49	-224.71	-246.10	-225.28	1.71	1.10			0.0	0.0	188
0188	40 51.60	106 14.30	8147.0	0	1521.50	30.26	-247.60	-226.79	-248.41	-227.54	1.71	0.90			0.0	0.0	189
0189	40 51.57	106 13.15	8282.0	0	1516.10	37.59	-244.88	-223.72	-245.48	-224.28	1.70	1.10			0.0	0.0	190
0190	40 51.37	106 11.13	8662.0	0	1498.30	55.79	-239.65	-217.52	-238.81	-216.74	1.66	2.50			0.0	0.0	191
0191	40 51.73	106 20.04	7886.0	0	1529.60	13.65	-255.32	-235.17	-256.54	-236.30	1.73	0.50			0.0	0.0	192
0192	40 51.70	106 21.20	7927.0	0	1527.90	15.85	-254.52	-234.26	-255.74	-235.40	1.72	0.50			0.0	0.0	193
0193	40 51.75	106 22.38	8022.0	0	1523.90	20.70	-252.91	-232.41	-254.13	-233.54	1.72	0.50			0.0	0.0	194
0194	40 51.73	106 23.54	8146.0	0	1517.20	25.68	-252.16	-231.34	-253.27	-232.37	1.71	0.60			0.0	0.0	195
0195	40 51.73	106 24.69	8275.0	0	1510.10	30.69	-251.54	-230.40	-252.64	-231.41	1.70	0.60			0.0	0.0	196
0196	40 51.73	106 25.97	8343.0	0	1507.30	34.28	-250.27	-228.95	-251.36	-229.97	1.69	0.60			0.0	0.0	197
0197	40 50.87	106 25.97	8229.0	0	1510.90	28.45	-252.21	-231.19	-253.31	-232.21	1.70	0.60			0.0	0.0	198
0198	40 49.99	106 25.97	8118.0	0	1514.20	22.63	-254.24	-233.50	-255.45	-234.62	1.71	0.50			0.0	0.0	199
0199	40 49.11	106 25.97	8104.0	0	1511.80	20.23	-256.17	-235.47	-257.38	-236.59	1.71	0.50			0.0	0.0	200

MINLAT=39. 15. MAXLAT=41. 0. MINLONG=105. 30. MAXLONG=107. 0. MINELEV=6000. MAXELEV=14000. UNITS= C

BMR= 0.0 GBV=979490.30 MSV=0.0 D1=2.67 D2=2.47 OPTIONS=1010000000 CM= 106 15. REF= 196

STATION	LAT	LONG	ELEV(F)	E	OBS G	FAA	BA2.67	BA(OPT)	CB2.67	CB(OPT)	CC	TC	TCM	FG	DRIFT	TIDE	N
0200	40 48.24	106 25.97	8089.0	0	1510.10	18.41	-257.47	-236.81	-258.69	-237.93	1.71	0.50			0.0	0.0	201
0201	40 47.36	106 25.97	8081.0	0	1510.00	18.87	-256.74	-236.10	-257.96	-237.22	1.71	0.50			0.0	0.0	202
0202	40 46.48	106 25.97	8067.0	0	1510.30	19.17	-255.97	-235.36	-257.19	-236.49	1.72	0.50			0.0	0.0	203
0203	40 45.59	106 25.97	8096.0	0	1508.40	21.31	-254.81	-234.13	-256.03	-235.25	1.71	0.50			0.0	0.0	204
0204	40 48.37	106 26.96	8204.0	0	1504.10	23.02	-256.79	-235.83	-257.89	-236.85	1.71	0.60			0.0	0.0	205
0205	40 49.11	106 27.09	8196.0	0	1507.70	24.77	-254.77	-233.83	-255.87	-234.85	1.71	0.60			0.0	0.0	206
0206	40 49.99	106 27.09	8171.0	0	1513.20	26.61	-252.07	-231.20	-253.18	-232.22	1.71	0.60			0.0	0.0	207
0207	40 51.57	106 27.41	8337.0	0	1509.00	35.66	-248.69	-227.39	-249.68	-228.31	1.70	0.70			0.0	0.0	208
0208	40 42.95	106 20.31	8120.0	0	1501.10	20.20	-256.75	-236.00	-258.06	-237.22	1.71	0.40			0.0	0.0	209
0209	40 42.96	106 21.45	8099.0	0	1503.00	20.11	-256.12	-235.43	-257.44	-236.65	1.71	0.40			0.0	0.0	210
0210	40 42.98	106 22.60	8200.0	0	1496.70	23.27	-256.41	-235.46	-257.71	-236.67	1.71	0.40			0.0	0.0	211
0211	40 42.98	106 23.74	8020.0	0	1509.10	18.76	-254.78	-234.29	-256.10	-235.51	1.72	0.40			0.0	0.0	212
0212	40 52.59	106 27.04	8468.0	0	1503.50	40.95	-247.87	-226.23	-248.65	-226.96	1.68	0.90			0.0	0.0	213
0213	40 52.75	106 28.20	8504.0	0	1505.00	45.59	-244.45	-222.73	-245.33	-223.54	1.68	0.80			0.0	0.0	214
0214	40 53.48	106 29.30	8394.0	0	1517.80	46.97	-239.32	-217.88	-240.01	-218.51	1.69	1.00			0.0	0.0	215
0215	40 54.36	106 30.35	8297.0	0	1533.70	52.45	-230.54	-209.34	-231.13	-209.89	1.70	1.10			0.0	0.0	216
0216	40 55.23	106 30.30	8382.0	0	1530.80	56.24	-229.64	-208.23	-230.14	-208.68	1.69	1.20			0.0	0.0	217
0217	40 55.45	106 31.00	8389.0	0	1535.60	61.37	-224.75	-203.32	-225.04	-203.59	1.69	1.40			0.0	0.0	218
0218	40 56.08	106 31.40	8371.0	0	1542.70	65.84	-219.67	-198.28	-219.36	-198.00	1.69	2.00			0.0	0.0	219
0219	40 57.03	106 31.50	8543.0	0	1535.60	73.48	-217.89	-196.06	-218.27	-196.41	1.68	1.30			0.0	0.0	220
0220	40 57.63	106 31.78	8511.0	0	1538.40	72.38	-217.90	-196.15	-217.78	-196.04	1.68	1.80			0.0	0.0	221
0221	40 58.52	106 31.85	8358.0	0	1547.70	65.98	-219.08	-197.73	-219.37	-198.00	1.69	1.40			0.0	0.0	222
0222	40 59.69	106 32.43	8619.0	0	1537.50	78.56	-215.40	-193.38	-215.77	-193.73	1.67	1.30			0.0	0.0	223
0223	40 59.79	106 33.75	8449.0	0	1542.60	67.54	-220.63	-199.04	-221.41	-199.77	1.69	0.90			0.0	0.0	224
0224	40 59.02	106 33.40	8459.0	0	1540.90	69.42	-219.09	-197.48	-218.28	-196.73	1.68	2.50			0.0	0.0	225
0225	40 57.60	106 34.60	8549.0	0	1534.70	72.30	-219.28	-197.44	-218.55	-196.77	1.68	2.40			0.0	0.0	226
0226	40 56.90	106 35.82	8674.0	0	1524.80	75.18	-220.66	-198.50	-219.62	-197.54	1.66	2.70			0.0	0.0	227
0227	40 42.10	106 24.36	7992.0	0	1510.20	18.53	-254.05	-233.63	-255.37	-234.85	1.72	0.40			0.0	0.0	228
0228	40 41.13	106 27.63	8070.0	0	1501.30	18.40	-256.84	-236.22	-257.95	-237.25	1.71	0.60			0.0	0.0	229
0229	40 40.33	106 28.90	8222.0	0	1490.70	23.27	-257.15	-236.15	-258.25	-237.17	1.70	0.60			0.0	0.0	230
0230	40 42.13	106 27.21	8127.0	0	1503.40	24.37	-252.81	-232.05	-254.02	-233.17	1.71	0.50			0.0	0.0	231
0231	40 42.99	106 27.33	8174.0	0	1501.40	25.51	-253.28	-232.40	-254.49	-233.51	1.71	0.50			0.0	0.0	232
0232	40 43.98	106 27.19	8132.0	0	1506.40	25.09	-252.26	-231.49	-253.37	-232.52	1.71	0.60			0.0	0.0	233
0233	40 43.63	106 23.66	7972.0	0	1512.90	17.08	-254.82	-234.45	-256.14	-235.67	1.72	0.40			0.0	0.0	234
0234	40 43.78	106 15.72	8082.0	0	1505.10	19.39	-256.26	-235.61	-257.57	-236.83	1.71	0.40			0.0	0.0	235
0235	40 43.76	106 14.61	8121.0	0	1501.80	19.78	-257.20	-236.45	-258.51	-237.66	1.71	0.40			0.0	0.0	236
0236	40 43.77	106 13.42	8160.0	0	1500.90	22.53	-255.78	-234.93	-256.99	-236.05	1.71	0.50			0.0	0.0	237
0237	40 44.07	106 11.65	8522.0	0	1480.00	35.19	-255.46	-233.69	-255.54	-233.76	1.68	1.60			0.0	0.0	238
0238	40 43.22	106 11.00	8276.0	0	1492.70	26.05	-256.22	-235.07	-257.32	-236.09	1.70	0.60			0.0	0.0	239
0239	40 42.79	106 9.90	8333.0	0	1488.80	28.14	-256.07	-234.78	-257.06	-235.70	1.70	0.70			0.0	0.0	240
0240	40 42.79	106 8.72	8367.0	0	1488.80	31.34	-254.03	-232.66	-255.02	-233.57	1.69	0.70			0.0	0.0	241
0241	40 42.75	106 7.55	8220.0	0	1501.40	30.19	-250.17	-229.17	-251.07	-230.01	1.70	0.80			0.0	0.0	242
0242	40 42.90	106 6.27	8244.0	0	1500.80	31.62	-249.56	-228.49	-250.26	-229.14	1.70	1.00			0.0	0.0	243
0243	40 42.64	106 5.26	8095.0	0	1512.10	29.31	-246.79	-226.10	-247.10	-226.39	1.71	1.40			0.0	0.0	244
0244	40 42.69	106 4.53	8132.0	0	1511.30	31.91	-245.45	-224.67	-245.36	-224.59	1.71	1.80			0.0	0.0	245
0245	40 41.83	106 3.16	8213.0	0	1506.90	36.40	-243.72	-222.74	-242.62	-221.72	1.70	2.80			0.0	0.0	246
0246	40 41.38	106 2.41	8292.0	0	1501.90	39.49	-243.32	-222.14	-242.02	-220.93	1.70	3.00			0.0	0.0	247
0247	40 42.02	106 1.71	8550.0	0	1489.30	50.17	-241.44	-219.59	-239.31	-217.63	1.68	3.80			0.0	0.0	248
0248	40 42.01	106 1.15	8655.0	0	1484.90	55.65	-239.54	-217.43	-235.70	-213.88	1.66	5.50			0.0	0.0	249
0249	40 43.73	106 12.21	8266.0	0	1494.50	26.15	-255.77	-234.66	-256.87	-235.67	1.70	0.60			0.0	0.0	250

MINLAT=39. 15. MAXLAT=41. 0. MINLONG=105. 30. MAXLONG=107. 0. MINELEV=6000. MAXELEV=14000. UNITS= C

BMR= 0.0 GRV=979490.30 MSV=0.0 D1=2.67 D2=2.47 OPTIONS=1010000000 CM= 106 15. REF= 196

STATION	LAT	LONG	ELEV(F)	E	OBS G	FAA	BA2.67	BA(CPT)	CB2.67	CB(CPT)	CC	TC	TCM	FC	DRIFT	TIDE	N
0250	40 42.92	106 15.72	8138.0	C	1498.90	19.73	-257.83	-237.04	-259.14	-238.25	1.71	0.40			0.0	0.0	251
0251	40 42.06	106 14.75	8196.0	C	1492.40	19.96	-259.58	-238.64	-260.79	-239.76	1.71	0.50			0.0	0.0	252
0252	40 41.13	106 14.10	8250.0	C	1486.70	20.71	-260.66	-239.59	-261.87	-240.70	1.70	0.50			0.0	0.0	253
0253	40 40.25	106 12.96	8288.0	C	1481.40	20.29	-262.38	-241.21	-263.58	-242.32	1.70	0.50			0.0	0.0	254
0254	40 39.78	106 11.85	8322.0	C	1477.80	20.59	-263.25	-241.99	-264.35	-243.00	1.70	0.60			0.0	0.0	255
0255	40 39.43	106 10.68	8331.0	C	1476.70	20.85	-263.29	-242.01	-264.39	-243.02	1.70	0.60			0.0	0.0	256
0256	40 39.31	106 9.86	8393.0	C	1470.60	20.75	-265.50	-244.06	-266.59	-245.07	1.69	0.60			0.0	0.0	257
0257	40 39.10	106 8.68	8441.0	C	1467.20	22.18	-265.72	-244.15	-266.70	-245.06	1.69	0.70			0.0	0.0	258
0258	40 37.63	106 6.30	8487.0	C	1462.50	23.98	-265.48	-243.80	-266.26	-244.52	1.68	0.90			0.0	0.0	259
0259	40 36.75	106 5.04	8503.0	C	1463.00	27.29	-262.72	-240.99	-263.40	-241.62	1.68	1.00			0.0	0.0	260
0260	40 36.76	106 6.17	8615.0	C	1453.80	28.60	-265.23	-243.22	-265.90	-243.84	1.67	1.00			0.0	0.0	261
0261	40 34.93	106 5.05	8566.0	C	1452.40	25.32	-266.84	-244.96	-267.51	-245.58	1.67	1.00			0.0	0.0	262
0262	40 33.20	106 3.24	8741.0	C	1430.20	22.13	-276.00	-253.67	-276.25	-253.90	1.65	1.40			0.0	0.0	263
0263	40 33.23	106 2.22	8763.0	C	1431.80	25.75	-273.13	-250.74	-273.08	-250.69	1.65	1.70			0.0	0.0	264
0264	40 32.24	106 2.05	8850.0	C	1423.40	26.99	-274.85	-252.24	-274.89	-252.28	1.64	1.60			0.0	0.0	265
0265	40 31.57	106 1.53	8913.0	C	1420.20	30.71	-273.29	-250.52	-273.22	-250.45	1.63	1.70			0.0	0.0	266
0266	40 30.64	106 0.17	9073.0	C	1414.70	41.62	-267.83	-244.65	-266.74	-243.64	1.61	2.70			0.0	0.0	267
0267	40 34.11	106 6.16	8746.0	C	1427.10	18.14	-280.15	-257.81	-280.81	-258.41	1.65	1.00			0.0	0.0	268
0268	40 34.17	106 7.48	8573.0	C	1438.30	13.00	-279.39	-257.49	-280.07	-258.11	1.67	1.00			0.0	0.0	269
0269	40 34.13	106 5.02	8744.0	C	1427.80	18.63	-279.60	-257.26	-280.25	-257.87	1.65	1.00			0.0	0.0	270
0270	40 33.06	106 7.62	8660.0	C	1431.70	16.23	-279.14	-257.01	-279.90	-257.72	1.66	0.90			0.0	0.0	271
0271	40 32.30	106 7.60	8726.0	C	1427.00	18.86	-278.76	-256.47	-278.81	-256.52	1.66	1.60			0.0	0.0	272
0272	40 30.68	106 9.48	8602.0	C	1440.90	23.51	-269.87	-247.90	-270.54	-248.51	1.67	1.00			0.0	0.0	273
0273	40 29.82	106 9.53	8521.0	C	1446.70	22.98	-267.64	-245.87	-268.32	-246.50	1.68	1.00			0.0	0.0	274
0274	40 29.03	106 9.52	8575.0	C	1444.10	26.63	-265.84	-243.93	-266.51	-244.55	1.67	1.00			0.0	0.0	275
0275	40 28.97	106 10.65	8615.0	C	1442.70	29.07	-264.75	-242.75	-265.52	-243.46	1.67	0.90			0.0	0.0	276
0276	40 28.07	106 10.61	8642.0	C	1441.30	31.55	-263.20	-241.12	-263.77	-241.65	1.67	1.10			0.0	0.0	277
0278	40 29.86	106 14.09	8609.0	C	1449.30	33.79	-259.83	-237.84	-260.70	-238.64	1.67	0.80			0.0	0.0	278
0279	40 29.85	106 15.20	8611.0	C	1453.40	38.09	-255.60	-233.60	-256.47	-234.40	1.67	0.80			0.0	0.0	279
0280	40 29.86	106 16.37	8532.0	C	1459.50	36.75	-254.24	-232.44	-255.12	-233.26	1.68	0.80			0.0	0.0	280
0281	40 30.06	106 16.94	8440.0	C	1465.10	33.42	-254.44	-232.88	-255.33	-233.70	1.69	0.80			0.0	0.0	281
0282	40 30.91	106 17.88	8363.0	C	1465.00	24.82	-260.41	-239.05	-261.41	-239.97	1.69	0.70			0.0	0.0	282
0283	40 31.54	106 18.78	8306.0	C	1466.40	19.93	-263.36	-242.14	-264.36	-243.06	1.70	0.70			0.0	0.0	283
0284	40 32.08	106 19.55	8261.0	C	1469.90	18.40	-263.36	-242.25	-264.46	-243.27	1.70	0.60			0.0	0.0	284
0285	40 32.08	106 20.42	8186.0	C	1475.90	17.35	-261.84	-240.93	-262.95	-241.95	1.71	0.60			0.0	0.0	285
0286	40 31.40	106 23.38	8226.0	C	1474.80	21.02	-259.54	-238.52	-260.64	-239.55	1.70	0.60			0.0	0.0	286
0287	40 32.18	106 23.93	8202.0	C	1478.10	20.91	-258.84	-237.88	-259.94	-238.90	1.71	0.60			0.0	0.0	287
0288	40 33.34	106 24.42	8169.0	C	1482.70	20.68	-257.93	-237.06	-259.14	-238.18	1.71	0.50			0.0	0.0	288
0289	40 34.21	106 24.39	8160.0	C	1484.60	20.44	-257.86	-237.02	-259.07	-238.14	1.71	0.50			0.0	0.0	289
0290	40 35.10	106 24.38	8152.0	C	1484.60	18.37	-259.67	-238.84	-260.87	-239.96	1.71	0.50			0.0	0.0	290
0291	40 36.91	106 24.32	8018.0	C	1489.20	7.69	-265.77	-245.29	-266.99	-246.42	1.72	0.50			0.0	0.0	291
0292	40 37.76	106 23.89	8099.0	C	1488.20	13.04	-263.19	-242.50	-264.50	-243.71	1.71	0.40			0.0	0.0	292
0293	40 39.06	106 23.79	8207.0	C	1480.60	13.55	-266.36	-245.39	-267.57	-246.51	1.71	0.50			0.0	0.0	293
0294	40 39.95	106 23.36	8272.0	C	1477.60	15.44	-266.69	-245.56	-267.89	-246.67	1.70	0.50			0.0	0.0	294
0295	40 40.58	106 22.48	8182.0	C	1490.40	18.84	-260.22	-239.31	-261.52	-240.52	1.71	0.40			0.0	0.0	295
0296	40 41.24	106 20.95	8127.0	C	1497.20	19.49	-257.69	-236.93	-259.00	-238.14	1.71	0.40			0.0	0.0	296
0297	40 42.08	106 20.32	8195.0	C	1494.30	21.73	-257.77	-236.83	-259.07	-238.04	1.71	0.40			0.0	0.0	297
0298	40 42.94	106 19.16	8110.0	C	1501.50	19.67	-256.93	-236.21	-258.25	-237.43	1.71	0.40			0.0	0.0	298
0299	40 35.12	106 25.48	8142.0	C	1488.10	20.90	-256.79	-235.99	-258.00	-237.11	1.71	0.50			0.0	0.0	299
0300	40 34.78	106 26.58	8203.0	C	1486.20	25.24	-254.54	-233.58	-255.74	-234.70	1.71	0.50			0.0	0.0	300

MINLAT=39. 15. MAXLAT=41. 0. MINLONG=105. 30. MAXLONG=107. 0. MINELEV=6000. MAXELEV=14000. UNITS= C

BMR= 0.0 GRV=979490.30 MSV=0.0 D1=2.67 D2=2.47 OPTIONS=101CCCC000 CM= 106 15. REF= 196

STATION	LAT	LONG	ELEV(F)	E	OBS G	FAA	BA2.67	BA(OPT)	CB2.67	CB(OPT)	CC	TC	TCM	FG	DRIFT	TIDE	N
0301	40 34.67	106 27.68	8164.0	0	1491.10	26.64	-251.81	-230.95	-253.02	-232.07	1.71	0.50			0.0	0.0	301
0302	40 34.67	106 28.90	8205.0	0	1490.70	30.09	-249.76	-228.79	-250.86	-229.82	1.71	0.60			0.0	0.0	302
0303	40 34.66	106 29.71	8216.0	0	1491.00	31.44	-248.78	-227.79	-249.89	-228.81	1.70	0.60			0.0	0.0	303
0304	40 34.68	106 31.28	8252.0	0	1490.60	34.39	-247.06	-225.98	-248.06	-226.90	1.70	0.70			0.0	0.0	304
0305	40 35.83	106 32.32	9140.0	0	1488.60	114.10	-197.63	-174.28	-198.34	-174.93	1.60	0.90			0.0	0.0	305
0306	40 33.72	106 34.18	8575.0	0	1471.50	47.06	-245.40	-223.50	-245.98	-224.03	1.67	1.10			0.0	0.0	306
0307	40 33.41	106 35.53	8493.0	0	1477.40	45.72	-243.95	-222.25	-244.23	-222.51	1.68	1.40			0.0	0.0	307
0308	40 31.38	106 24.72	8208.0	0	1479.60	24.16	-255.79	-234.82	-256.89	-235.84	1.71	0.60			0.0	0.0	308
0309	40 30.69	106 25.10	8229.0	0	1477.50	25.06	-255.61	-234.58	-256.61	-235.51	1.70	0.70			0.0	0.0	309
0310	40 29.92	106 25.62	8223.0	0	1476.80	24.94	-255.52	-234.51	-256.63	-235.54	1.70	0.60			0.0	0.0	310
0311	40 29.21	106 26.14	8262.0	0	1471.60	24.46	-257.33	-236.23	-258.43	-237.24	1.70	0.60			0.0	0.0	311
0312	40 28.58	106 26.96	8316.0	0	1465.90	24.76	-258.87	-237.62	-259.76	-238.45	1.70	0.80			0.0	0.0	312
0313	40 27.66	106 26.72	8409.0	0	1458.50	27.47	-259.33	-237.85	-260.22	-238.67	1.69	0.80			0.0	0.0	313
0314	40 26.77	106 26.68	8442.0	0	1453.90	27.29	-260.64	-239.07	-261.52	-239.89	1.69	0.80			0.0	0.0	314
0315	40 26.21	106 27.33	8348.0	0	1459.60	24.99	-259.73	-238.40	-260.33	-238.95	1.69	1.10			0.0	0.0	315
0316	40 26.21	106 29.22	8378.0	0	1460.10	28.31	-257.44	-236.03	-257.23	-235.84	1.69	1.90			0.0	0.0	316
0317	40 26.25	106 30.13	8444.0	0	1460.50	34.85	-253.15	-231.58	-253.73	-232.12	1.69	1.10			0.0	0.0	317
0318	40 25.39	106 31.23	8436.0	0	1462.10	36.99	-250.73	-229.18	-251.22	-229.63	1.69	1.20			0.0	0.0	318
0319	40 24.49	106 32.46	8498.0	0	1460.40	42.43	-247.40	-225.69	-248.18	-226.41	1.68	0.90			0.0	0.0	319
0320	40 23.57	106 33.87	8547.0	0	1460.50	48.50	-243.01	-221.17	-243.38	-221.52	1.68	1.30			0.0	0.0	320
0321	40 22.77	106 34.76	8710.0	0	1453.50	58.00	-239.06	-216.81	-239.42	-217.14	1.66	1.20			0.0	0.0	321
0322	40 2.18	106 22.40	7477.0	0	1482.60	1.79	-253.22	-234.12	-253.66	-234.52	1.74	1.30			0.0	0.0	322
0323	40 1.47	106 22.60	7361.0	0	1487.40	-3.25	-254.31	-235.51	-254.25	-235.45	1.74	1.80			0.0	0.0	323
0324	40 0.52	106 22.50	7468.0	0	1477.50	-1.69	-256.40	-237.32	-256.84	-237.73	1.74	1.30			0.0	0.0	324
0325	39 59.90	106 21.90	7462.0	0	1474.50	-4.34	-258.84	-239.78	-258.88	-239.81	1.74	1.70			0.0	0.0	325
0326	39 58.97	106 21.30	7483.0	0	1470.20	-5.29	-260.51	-241.39	-259.85	-240.78	1.74	2.40			0.0	0.0	326
0327	39 58.20	106 20.90	7545.0	0	1466.10	-2.42	-259.76	-240.48	-259.49	-240.24	1.74	2.00			0.0	0.0	327
0328	39 54.85	106 19.55	7783.0	0	1443.70	2.50	-262.95	-243.07	-261.98	-242.17	1.73	2.70			0.0	0.0	328
0329	39 53.92	106 18.71	7947.0	0	1430.10	5.68	-265.36	-245.06	-264.18	-243.97	1.72	2.90			0.0	0.0	329
0330	39 52.65	106 19.80	7959.0	0	1425.40	3.99	-267.46	-247.13	-266.19	-245.95	1.72	3.00			0.0	0.0	330
0331	39 52.30	106 18.10	8049.0	0	1419.40	6.96	-267.56	-247.00	-265.88	-245.44	1.72	3.40			0.0	0.0	331
0332	39 51.80	106 17.25	8053.0	0	1417.60	6.18	-268.48	-247.91	-266.70	-246.26	1.72	3.50			0.0	0.0	332
0333	39 51.35	106 16.60	8094.0	0	1412.90	6.10	-269.96	-249.28	-268.07	-247.54	1.71	3.60			0.0	0.0	333
0334	39 51.08	106 15.70	8021.0	0	1416.00	2.74	-270.83	-250.34	-268.55	-248.23	1.72	4.00			0.0	0.0	334
0335	39 51.15	106 14.80	8004.0	0	1415.20	0.24	-272.75	-252.30	-269.57	-249.36	1.72	4.90			0.0	0.0	335
0336	39 50.72	106 14.10	7954.0	0	1410.30	-8.23	-279.51	-259.19	-276.23	-256.16	1.72	5.00			0.0	0.0	336
0337	39 49.92	106 13.60	8001.0	0	1410.30	-3.13	-276.01	-255.57	-272.43	-252.26	1.72	5.30			0.0	0.0	337
0338	39 49.48	106 12.80	8004.0	0	1407.20	-5.29	-278.28	-257.83	-272.60	-252.58	1.72	7.40			0.0	0.0	338
0339	39 49.02	106 11.68	8069.0	0	1402.60	-3.11	-278.31	-257.70	-275.23	-254.84	1.71	4.80			0.0	0.0	339
0340	39 48.45	106 11.12	8162.0	0	1394.30	-1.82	-280.20	-259.35	-277.91	-257.23	1.71	4.00			0.0	0.0	340
0341	39 47.00	106 9.70	8193.0	0	1336.70	-4.37	-283.80	-262.87	-281.21	-260.47	1.71	4.30			0.0	0.0	341
0342	39 46.55	106 9.13	8223.0	0	1383.60	-3.98	-284.44	-263.43	-281.85	-261.03	1.70	4.30			0.0	0.0	342
0343	39 45.60	106 8.28	8293.0	0	1374.50	-5.10	-287.95	-266.76	-284.85	-263.89	1.70	4.80			0.0	0.0	343
0344	39 44.25	106 8.05	8473.0	0	1356.60	-4.10	-293.08	-271.44	-288.97	-267.63	1.68	5.80			0.0	0.0	344
0345	39 43.12	106 7.32	8458.0	0	1349.90	-10.54	-299.01	-277.40	-293.59	-272.39	1.68	7.10			0.0	0.0	345
0346	39 42.25	106 6.69	8506.0	0	1342.50	-12.14	-302.25	-280.52	-296.33	-275.04	1.68	7.60			0.0	0.0	346
0347	39 41.57	106 6.24	8534.0	0	1338.70	-12.31	-303.37	-281.57	-297.95	-276.55	1.68	7.10			0.0	0.0	347
0348	39 40.74	106 5.72	8592.0	0	1333.00	-11.33	-304.37	-282.42	-299.74	-278.14	1.67	6.30			0.0	0.0	348
0349	39 39.49	106 4.83	8667.0	0	1326.80	-8.64	-304.24	-282.10	-300.20	-278.36	1.66	5.70			0.0	0.0	349
0350	39 38.29	106 4.43	8720.0	0	1322.80	-5.88	-303.29	-281.02	-300.15	-278.11	1.66	4.80			0.0	0.0	350

MINLAT=39. 15. MAXLAT=41. 0. MINLONG=105. 30. MAXLONG=107. 0. MINELEV=6000. MAXELEV=14000. UNITS= C

BMR= 0.0 GBV=979490.30 MSV=0.0 D1=2.67 D2=2.47 OPTIONS=1010000000 CM= 106 15. REF= 196

STATION	LAT	LONG	ELEV(F)	E	OBS G	FAA	BA2.67	BA(OPT)	CB2.67	CB(OPT)	CC	TC	TCM	FG	DRIFT	TIDE	N
0351	39 37.52	106 4.05	8770.0	0	1319.20	-3.65	-302.76	-280.36	-300.12	-277.91	1.65	4.30			0.0	0.0	351
0352	39 36.55	106 27.00	7726.0	0	1401.40	-18.10	-281.61	-261.87	-273.44	-254.31	1.73	9.90			0.0	0.0	352
0353	39 37.02	106 26.23	7809.0	0	1394.90	-17.50	-283.83	-263.88	-274.26	-255.03	1.73	11.30			0.0	0.0	353
0354	39 37.30	106 25.60	7887.0	0	1391.20	-14.28	-283.28	-263.13	-275.60	-256.03	1.73	9.40			0.0	0.0	354
0355	39 38.15	106 24.47	8023.0	0	1383.00	-10.96	-284.59	-264.10	-277.01	-257.08	1.72	9.30			0.0	0.0	355
0356	39 38.56	106 23.55	8143.0	0	1376.20	-7.09	-284.82	-264.02	-278.33	-258.01	1.71	8.20			0.0	0.0	356
0357	39 38.52	106 22.10	8227.0	0	1366.60	-8.74	-289.33	-268.32	-280.44	-260.09	1.70	10.60			0.0	0.0	357
0358	39 38.56	106 20.90	8248.0	0	1359.70	-13.73	-295.04	-273.96	-281.64	-261.57	1.70	15.10			0.0	0.0	358
0359	39 38.82	106 19.65	8296.0	0	1352.80	-15.50	-298.45	-277.25	-285.35	-265.13	1.70	14.80			0.0	0.0	359
0360	39 38.68	106 18.55	8344.0	0	1348.70	-15.88	-300.47	-279.15	-285.36	-265.18	1.69	16.80			0.0	0.0	360
0361	39 38.20	106 17.88	8460.0	0	1342.10	-10.88	-299.42	-277.80	-286.80	-266.13	1.68	14.30			0.0	0.0	361
0362	39 37.70	106 16.85	8606.0	0	1332.40	-6.12	-299.64	-277.66	-287.31	-266.25	1.67	14.00			0.0	0.0	362
0363	39 36.60	106 16.60	8895.0	0	1317.30	7.55	-295.83	-273.10	-286.66	-264.62	1.64	10.80			0.0	0.0	363
0364	39 35.77	106 16.35	9101.0	0	1304.50	15.33	-295.07	-271.82	-288.18	-265.45	1.61	8.50			0.0	0.0	364
0365	39 35.27	106 15.70	9258.0	0	1294.50	20.82	-294.94	-271.29	-287.63	-264.52	1.58	8.90			0.0	0.0	365
0366	39 37.38	106 14.82	9560.0	0	1276.70	28.27	-297.79	-273.37	-291.82	-267.85	1.53	7.50			0.0	0.0	366
0367	39 36.45	106 14.92	9855.0	0	1258.50	39.15	-296.97	-271.79	-291.45	-266.68	1.48	7.00			0.0	0.0	367
0368	39 31.55	106 12.68	10452.0	0	1215.40	59.36	-297.12	-270.42	-295.07	-268.52	1.35	3.40			0.0	0.0	368
0369	39 30.62	106 12.00	10269.0	0	1222.00	50.14	-300.10	-273.86	-294.49	-268.67	1.39	7.00			0.0	0.0	369
0370	39 30.45	106 10.88	10056.0	0	1231.50	39.89	-303.09	-277.39	-299.82	-274.38	1.44	4.70			0.0	0.0	370
0371	39 30.10	106 9.78	9877.0	0	1239.10	31.19	-305.68	-280.44	-300.25	-275.42	1.47	6.90			0.0	0.0	371
0372	39 30.29	106 8.72	9695.0	0	1247.60	22.32	-308.35	-283.58	-302.66	-276.31	1.51	7.20			0.0	0.0	372
0373	39 31.70	106 8.58	9656.0	0	1252.20	21.17	-308.16	-283.49	-297.88	-273.98	1.52	11.80			0.0	0.0	373
0374	39 33.15	106 8.52	9439.0	0	1268.90	15.35	-306.58	-282.47	-296.64	-273.27	1.55	11.50			0.0	0.0	374
0375	39 34.03	106 8.14	9307.0	0	1277.00	9.75	-307.68	-283.90	-295.66	-272.78	1.58	13.60			0.0	0.0	375
0376	39 35.17	106 7.60	9202.0	0	1284.30	5.50	-308.35	-284.84	-294.94	-272.43	1.59	15.00			0.0	0.0	376
0377	39 34.68	106 5.25	9019.0	0	1293.70	-1.56	-309.17	-286.13	-306.89	-284.02	1.62	3.90			0.0	0.0	377
0378	39 59.70	105 51.80	8380.0	0	1425.40	33.11	-252.71	-231.30	-252.40	-231.01	1.69	2.00			0.0	0.0	378
0379	39 59.77	105 52.95	8436.0	0	1421.30	34.16	-253.56	-232.01	-253.25	-231.72	1.69	2.00			0.0	0.0	379
0380	40 0.55	105 55.20	8590.0	0	1414.20	40.38	-252.60	-230.65	-252.67	-230.72	1.67	1.60			0.0	0.0	380
0381	40 1.14	105 56.45	8238.0	0	1430.50	22.73	-258.24	-237.19	-257.44	-236.45	1.70	2.50			0.0	0.0	381
0382	40 1.88	105 56.35	8150.0	0	1436.60	19.47	-258.50	-237.68	-258.31	-237.50	1.71	1.90			0.0	0.0	382
0383	40 2.70	105 56.10	8063.0	0	1444.30	17.78	-257.22	-236.62	-256.93	-236.36	1.72	2.00			0.0	0.0	383
0384	40 3.64	105 55.60	8025.0	0	1445.80	14.32	-259.39	-238.88	-259.60	-239.09	1.72	1.50			0.0	0.0	384
0385	40 4.40	105 55.60	7978.0	0	1451.50	14.48	-257.62	-237.24	-257.84	-237.45	1.72	1.50			0.0	0.0	385
0386	40 6.05	105 58.33	7850.0	0	1452.00	0.51	-267.23	-247.17	-266.96	-246.92	1.73	2.00			0.0	0.0	386
0387	40 5.39	105 57.40	7893.0	0	1450.10	3.62	-265.58	-245.41	-265.70	-245.53	1.72	1.60			0.0	0.0	387
0388	40 5.07	105 56.45	7936.0	0	1449.80	7.84	-262.83	-242.56	-262.85	-242.58	1.72	1.70			0.0	0.0	388
0389	40 6.50	106 0.10	7797.0	0	1456.60	-0.54	-266.47	-246.55	-264.30	-244.54	1.73	3.90			0.0	0.0	389
0390	40 6.48	106 1.25	7793.0	0	1453.10	-4.39	-270.18	-250.27	-267.01	-247.34	1.73	4.90			0.0	0.0	390
0391	40 6.21	106 2.20	7863.0	0	1449.90	-0.61	-268.79	-248.70	-267.22	-247.24	1.73	3.30			0.0	0.0	391
0392	40 5.88	106 2.75	7782.0	0	1453.70	-3.93	-269.35	-249.47	-267.88	-248.11	1.73	3.20			0.0	0.0	392
0393	40 5.58	106 3.85	7809.0	0	1452.40	-2.34	-268.65	-248.70	-267.48	-247.62	1.73	2.90			0.0	0.0	393
0394	40 5.12	106 4.45	7752.0	0	1455.50	-3.82	-268.22	-248.41	-266.95	-247.24	1.73	3.00			0.0	0.0	394
0395	40 4.75	106 5.40	7719.0	0	1461.40	-0.48	-263.74	-244.02	-262.98	-243.31	1.73	2.50			0.0	0.0	395
0396	40 4.48	106 6.60	7670.0	0	1461.00	-5.08	-266.68	-247.08	-264.81	-245.35	1.73	3.60			0.0	0.0	396
0397	40 3.89	106 7.15	7706.0	0	1458.30	-3.52	-266.35	-246.66	-262.88	-243.45	1.73	5.20			0.0	0.0	397
0398	40 3.11	106 7.95	7576.0	0	1464.20	-8.68	-267.07	-247.72	-265.41	-246.18	1.74	3.40			0.0	0.0	398
0399	40 3.04	106 9.08	7606.0	0	1462.10	-7.96	-267.27	-247.84	-266.91	-247.50	1.74	2.10			0.0	0.0	399
0400	40 3.51	106 10.50	7562.0	0	1464.50	-10.29	-268.20	-248.88	-266.84	-247.62	1.74	3.10			0.0	0.0	400

MINLAT=39. 15. MAXLAT=41. 0. MINLONG=105. 30. MAXLONG=107. 0. MINELEV=6000. MAXELEV=14000. UNITS= C

BMR= 0.0 GRV=979490.30 MSV=0.0 D1=2.67 D2=2.47 OPTIONS=1010000000 CM= 106 15. REF= 196

STATION	LAT	LONG	ELEV(F)	F	OBS G	FAA	BA2.67	BA(OPT)	CB2.67	CB(OPT)	CC	TC	TCM	PG	DRIFT	TIDE	N
0401	40 3.88	106 11.45	7487.0	0	1468.70	-13.68	-269.04	-249.91	-267.58	-248.56	1.74	3.20			0.0	0.0	401
0402	40 4.00	106 12.37	7544.0	0	1465.90	-11.31	-268.61	-249.33	-268.74	-249.46	1.74	1.60			0.0	0.0	402
0403	40 3.95	106 13.80	7446.0	0	1472.80	-13.54	-267.50	-248.47	-267.24	-248.23	1.74	2.00			0.0	0.0	403
0404	40 3.76	106 14.56	7422.0	0	1477.70	-10.61	-263.75	-244.79	-263.89	-244.92	1.74	1.60			0.0	0.0	404
0405	40 3.98	106 15.60	7411.0	0	1478.90	-10.77	-263.54	-244.60	-263.78	-244.82	1.74	1.50			0.0	0.0	405
0406	40 3.85	106 16.90	7420.0	0	1478.60	-10.03	-263.11	-244.15	-263.84	-244.83	1.74	1.00			0.0	0.0	406
0407	40 3.68	106 17.47	7360.0	0	1481.20	-12.82	-263.84	-245.04	-264.48	-245.63	1.74	1.10			0.0	0.0	407
0408	40 3.50	106 18.27	7358.0	0	1480.00	-13.94	-264.90	-246.10	-265.64	-246.79	1.74	1.00			0.0	0.0	408
0409	40 3.37	106 19.63	7391.0	0	1475.10	-15.55	-267.63	-248.75	-268.37	-249.43	1.74	1.00			0.0	0.0	409
0410	40 3.09	106 20.30	7378.0	0	1481.50	-9.96	-261.59	-242.74	-261.83	-242.97	1.74	1.50			0.0	0.0	410
0411	40 3.10	106 21.34	7424.0	0	1485.00	-2.15	-255.35	-236.39	-255.99	-236.98	1.74	1.10			0.0	0.0	411
0412	40 3.50	106 23.30	7378.0	0	1495.60	3.54	-248.10	-229.25	-248.64	-229.75	1.74	1.20			0.0	0.0	412
0413	40 4.25	106 24.40	7381.0	0	1497.10	4.21	-247.53	-228.68	-247.87	-228.99	1.74	1.40			0.0	0.0	413
0414	40 4.95	106 24.85	7426.0	0	1496.30	6.60	-246.68	-227.70	-247.01	-228.02	1.74	1.40			0.0	0.0	414
0415	40 6.08	106 25.30	7581.0	0	1489.40	12.59	-245.97	-226.61	-246.01	-226.64	1.74	1.70			0.0	0.0	415
0416	40 6.28	106 25.40	7582.0	0	1489.50	12.49	-246.11	-226.74	-245.85	-226.50	1.74	2.00			0.0	0.0	416
0417	40 7.42	106 25.68	7575.0	0	1491.10	11.74	-246.62	-227.27	-246.96	-227.58	1.74	1.40			0.0	0.0	417
0418	40 8.28	106 25.75	7557.0	0	1491.90	9.57	-248.17	-228.86	-248.71	-229.36	1.74	1.20			0.0	0.0	418
0419	40 8.95	106 25.10	7483.0	0	1495.20	4.93	-250.29	-231.17	-251.03	-231.86	1.74	1.00			0.0	0.0	419
0420	40 9.11	106 24.78	7467.0	0	1495.70	3.69	-250.99	-231.91	-251.73	-232.59	1.74	1.00			0.0	0.0	420
0421	40 10.35	106 25.05	7519.0	0	1493.20	4.23	-252.21	-233.00	-252.95	-233.69	1.74	1.00			0.0	0.0	421
0422	40 11.30	106 25.40	7541.0	0	1493.20	4.89	-252.30	-233.04	-253.04	-233.72	1.74	1.00			0.0	0.0	422
0423	40 12.18	106 25.25	7523.0	0	1495.20	3.90	-252.69	-233.47	-253.32	-234.06	1.74	1.10			0.0	0.0	423
0424	40 13.03	106 25.66	7650.0	0	1488.70	8.07	-252.85	-233.30	-253.48	-233.89	1.73	1.10			0.0	0.0	424
0425	40 13.65	106 26.10	7599.0	0	1492.70	6.36	-252.82	-233.40	-253.25	-233.81	1.74	1.30			0.0	0.0	425
0426	40 14.33	106 26.28	7644.0	0	1490.20	7.08	-253.63	-234.10	-253.87	-234.32	1.73	1.50			0.0	0.0	426
0427	40 14.95	106 26.95	7653.0	0	1490.40	7.20	-253.81	-234.26	-253.95	-234.39	1.73	1.60			0.0	0.0	427
0428	40 15.78	106 27.52	7698.0	0	1489.10	8.90	-253.65	-233.98	-253.28	-233.65	1.73	2.10			0.0	0.0	428
0429	40 16.35	106 28.10	7771.0	0	1486.10	11.91	-253.13	-233.27	-252.66	-232.84	1.73	2.20			0.0	0.0	429
0430	40 17.05	106 28.05	7801.0	0	1483.90	11.49	-254.57	-234.64	-252.00	-232.26	1.73	4.30			0.0	0.0	430
0431	40 17.38	106 28.80	7844.0	0	1482.70	13.84	-253.69	-233.65	-251.81	-231.91	1.73	3.60			0.0	0.0	431
0432	40 17.83	106 29.90	7875.0	0	1482.90	16.29	-252.30	-232.18	-251.73	-231.65	1.73	2.30			0.0	0.0	432
0433	40 18.45	106 30.44	7996.0	0	1476.90	20.74	-251.98	-231.55	-251.70	-231.29	1.72	2.00			0.0	0.0	433
0434	40 18.98	106 31.20	7925.0	0	1484.70	21.08	-249.21	-228.97	-249.64	-229.36	1.72	1.30			0.0	0.0	434
0435	40 19.65	106 31.72	8040.0	0	1480.30	26.49	-247.73	-227.18	-248.24	-227.66	1.72	1.20			0.0	0.0	435
0436	40 20.12	106 32.42	8146.0	0	1477.50	32.95	-244.88	-224.07	-241.59	-221.03	1.71	5.00			0.0	0.0	436
0437	40 20.62	106 33.05	8212.0	0	1476.30	37.21	-242.87	-221.89	-239.48	-218.75	1.70	5.10			0.0	0.0	437
0438	40 21.07	106 33.72	8198.0	0	1479.10	38.03	-241.58	-220.63	-238.38	-217.68	1.71	4.90			0.0	0.0	438
0439	40 21.73	106 34.23	8364.0	0	1472.00	45.54	-239.72	-218.36	-236.02	-214.93	1.69	5.40			0.0	0.0	439
0440	40 23.55	106 37.32	9428.0	0	1420.60	91.39	-230.16	-206.08	-230.02	-205.94	1.56	1.70			0.0	0.0	440
0441	40 23.33	106 38.53	9580.0	0	1418.20	103.60	-223.14	-198.67	-222.57	-198.14	1.53	2.10			0.0	0.0	441
0442	40 23.33	106 39.55	9483.0	0	1423.70	99.99	-223.45	-199.22	-222.99	-198.80	1.55	2.00			0.0	0.0	442
0443	40 23.32	106 40.62	9469.0	0	1424.40	99.38	-223.57	-199.38	-223.02	-198.87	1.55	2.10			0.0	0.0	443
0444	40 22.93	106 41.25	9361.0	0	1430.70	96.12	-223.15	-199.24	-222.72	-198.84	1.57	2.00			0.0	0.0	444
0445	40 22.82	106 42.80	9198.0	0	1439.60	89.87	-223.84	-200.34	-223.03	-199.60	1.59	2.40			0.0	0.0	445
0446	40 22.55	106 43.32	9280.0	0	1434.90	93.28	-223.23	-199.53	-222.51	-198.86	1.58	2.30			0.0	0.0	446
0447	40 22.53	106 44.07	9263.0	0	1434.30	91.11	-224.82	-201.16	-223.60	-200.03	1.58	2.80			0.0	0.0	447
0448	40 22.15	106 44.45	9355.0	0	1428.10	94.11	-224.95	-201.05	-221.42	-197.79	1.57	5.10			0.0	0.0	448
0449	40 20.97	106 44.62	8798.0	0	1457.30	72.74	-227.33	-204.85	-223.88	-201.66	1.65	5.10			0.0	0.0	449
0450	40 21.78	106 45.08	9142.0	0	1438.20	84.76	-227.05	-203.69	-223.35	-200.27	1.60	5.30			0.0	0.0	450

MINLAT=39. 15. MAXLAT=41. 0. MINLONG=105. 30. MAXLONG=107. 0. MINELEV=6000. MAXELEV=14000. UNITS= C

BMR= 0.0 GBV=979490.30 MSV=0.0 D1=2.67 D2=2.47 OPTIONS=1010000000 CM= 106 15. REF= 196

STATION	LAT	LONG	ELEV(F)	E	OBS G	FAA	BA2.67	BA(OPT)	CB2.67	CB(OPT)	CC	TC	TCM	FC	DRIFT	TIDE	N
0451	40 23.82	106 36.10	9048.0	0	1436.40	71.10	-237.50	-214.38	-237.22	-214.12	1.62	1.90			0.0	0.0	451
0452	40 23.26	106 35.57	8892.0	0	1444.00	64.87	-238.40	-215.68	-238.14	-215.44	1.64	1.90			0.0	0.0	452
0453	40 37.17	105 49.10	8665.0	0	1481.90	60.79	-234.75	-212.61	-229.21	-207.49	1.66	7.20			0.0	0.0	453
0454	40 42.44	105 45.12	7754.0	0	1552.30	37.77	-226.70	-206.89	-215.13	-196.18	1.73	13.30			0.0	0.0	454
0455	40 41.63	105 45.57	7782.0	0	1545.50	34.80	-230.61	-210.73	-217.44	-198.55	1.73	14.90			0.0	0.0	455
0456	40 40.93	105 46.36	7837.0	0	1538.70	34.21	-233.08	-213.06	-219.51	-200.50	1.73	15.30			0.0	0.0	456
0457	40 40.39	105 47.07	7902.0	0	1531.50	33.92	-235.59	-215.40	-222.61	-203.40	1.72	14.70			0.0	0.0	457
0458	40 40.29	105 48.26	8019.0	0	1521.80	35.36	-238.14	-217.65	-222.56	-203.24	1.72	17.30			0.0	0.0	458
0459	40 39.81	105 48.60	8095.0	0	1516.40	37.81	-238.28	-217.60	-226.59	-206.79	1.71	13.40			0.0	0.0	459
0460	40 39.10	105 48.64	8218.0	0	1507.40	41.43	-238.86	-217.87	-226.37	-206.31	1.70	14.20			0.0	0.0	460
0461	40 38.04	105 48.41	8438.0	0	1494.50	50.87	-236.92	-215.36	-226.81	-206.01	1.69	11.80			0.0	0.0	461
0462	40 36.26	105 50.13	8993.0	0	1459.90	70.95	-235.77	-212.79	-233.39	-210.59	1.62	4.00			0.0	0.0	462
0463	40 35.65	105 51.04	9226.0	0	1438.30	72.15	-242.52	-218.95	-240.11	-216.72	1.59	4.00			0.0	0.0	463
0464	40 34.67	105 51.40	9501.0	0	1419.30	80.43	-243.61	-219.34	-241.56	-217.44	1.54	3.60			0.0	0.0	464
0465	40 33.59	105 52.23	9914.0	0	1387.70	89.23	-248.00	-223.57	-246.97	-221.79	1.47	3.40			0.0	0.0	465
0466	40 32.37	105 52.90	10019.0	0	1380.40	93.60	-248.11	-222.51	-244.45	-219.13	1.45	5.10			0.0	0.0	466
0467	40 30.39	105 53.15	10027.0	0	1371.50	88.40	-253.59	-227.97	-247.93	-222.74	1.44	7.10			0.0	0.0	467
0468	40 30.29	105 53.81	9866.0	0	1379.10	81.02	-255.47	-230.27	-248.55	-223.86	1.48	8.40			0.0	0.0	468
0469	40 30.36	105 54.76	9683.0	0	1391.00	76.53	-253.72	-228.98	-247.63	-223.35	1.51	7.60			0.0	0.0	469
0470	40 30.21	105 55.98	9418.0	0	1407.20	67.16	-254.05	-229.99	-249.91	-226.16	1.56	5.70			0.0	0.0	470
0471	40 30.07	105 57.08	9309.0	0	1409.90	59.83	-257.67	-233.88	-254.44	-230.90	1.58	4.80			0.0	0.0	471
0472	40 30.26	105 58.07	9295.0	0	1408.00	56.34	-260.69	-236.94	-257.76	-234.24	1.58	4.50			0.0	0.0	472
0473	40 30.25	105 59.13	9206.0	0	1410.10	50.09	-263.90	-240.38	-262.99	-239.54	1.59	2.50			0.0	0.0	473
0474	40 36.32	105 50.67	9178.0	0	1444.30	72.64	-240.39	-216.94	-238.79	-215.46	1.60	3.20			0.0	0.0	474
0475	40 36.68	105 51.17	9279.0	0	1436.40	73.69	-242.78	-219.08	-239.56	-216.10	1.58	4.80			0.0	0.0	475
0476	40 37.65	105 51.30	8926.0	0	1458.80	61.49	-242.94	-220.14	-240.87	-218.22	1.63	3.70			0.0	0.0	476
0477	40 37.35	105 51.52	8779.0	0	1468.10	57.43	-241.99	-219.56	-239.24	-217.02	1.65	4.40			0.0	0.0	477
0478	40 39.14	105 51.48	8694.0	0	1475.40	54.08	-242.44	-220.23	-236.30	-214.55	1.66	7.80			0.0	0.0	478
0479	40 39.97	105 51.60	8630.0	0	1482.90	54.34	-240.00	-217.95	-233.17	-211.63	1.67	8.50			0.0	0.0	479
0480	40 40.84	105 51.16	8566.0	0	1490.20	54.33	-237.83	-215.94	-231.50	-210.09	1.67	8.00			0.0	0.0	480
0481	40 41.83	105 51.49	8514.0	0	1495.00	52.78	-237.61	-215.86	-229.69	-208.53	1.68	9.60			0.0	0.0	481
0482	40 42.66	105 51.61	8475.0	0	1500.90	53.78	-235.28	-213.62	-227.46	-206.39	1.68	9.50			0.0	0.0	482
0483	40 43.53	105 51.77	8468.0	0	1507.20	58.13	-230.69	-209.05	-223.67	-202.56	1.68	8.70			0.0	0.0	483
0484	40 44.56	105 52.45	8380.0	0	1516.80	57.93	-227.89	-206.48	-223.68	-202.58	1.69	5.90			0.0	0.0	484
0485	40 45.10	105 52.75	8351.0	0	1519.30	56.90	-227.92	-206.59	-225.22	-204.09	1.69	4.40			0.0	0.0	485
0486	40 45.85	105 53.00	8362.0	0	1520.00	57.52	-227.68	-206.32	-225.37	-204.18	1.69	4.00			0.0	0.0	486
0487	40 46.62	105 52.65	8323.0	0	1522.60	55.31	-228.56	-207.30	-226.26	-205.17	1.70	4.00			0.0	0.0	487
0488	40 47.50	105 52.98	8250.0	0	1528.20	52.74	-228.64	-207.56	-227.44	-206.45	1.70	2.90			0.0	0.0	488
0489	40 47.80	105 53.60	8335.0	0	1525.40	57.48	-226.80	-205.50	-226.09	-204.85	1.70	2.40			0.0	0.0	489
0490	40 47.60	105 54.63	8444.0	0	1525.60	68.22	-219.78	-198.21	-219.36	-197.82	1.69	2.10			0.0	0.0	490
0491	40 47.80	105 55.50	8469.0	0	1527.40	72.07	-216.78	-195.14	-216.36	-194.76	1.68	2.10			0.0	0.0	491
0492	40 48.30	105 56.00	8292.0	0	1538.35	65.65	-217.17	-195.98	-216.56	-195.42	1.70	2.30			0.0	0.0	492
0493	40 48.95	105 56.15	8252.0	0	1543.80	66.37	-215.08	-193.99	-214.58	-193.53	1.70	2.20			0.0	0.0	493
0494	40 49.65	105 56.10	8197.0	0	1548.60	64.96	-214.61	-193.67	-214.21	-193.30	1.71	2.10			0.0	0.0	494
0495	40 50.10	105 56.25	8214.0	0	1548.70	65.99	-214.16	-193.18	-213.97	-193.00	1.70	1.90			0.0	0.0	495
0496	40 50.70	105 56.95	8143.0	0	1552.50	62.23	-215.50	-194.70	-215.21	-194.43	1.71	2.00			0.0	0.0	496
0497	40 51.55	105 57.00	8135.0	0	1551.70	59.41	-218.05	-197.26	-217.96	-197.18	1.71	1.80			0.0	0.0	497
0498	40 52.38	105 57.05	8101.0	0	1551.20	54.48	-221.82	-201.12	-221.93	-201.22	1.71	1.60			0.0	0.0	498
0499	40 53.00	105 56.53	8015.0	0	1556.70	51.26	-222.21	-201.72	-222.43	-201.92	1.72	1.50			0.0	0.0	499
0500	40 53.58	105 56.25	8077.0	0	1553.10	52.34	-223.14	-202.50	-223.55	-202.89	1.71	1.30			0.0	0.0	500

MINLAT=39. 15. MAXLAT=41. 0. MINLONG=105. 30. MAXLONG=107. 0. MINELEV=6000. MAXELEV=14000. UNITS= C

BMR= 0.0 GBV=979490.30 MSV=0.0 D1=2.67 D2=2.47 OPTIONS=1010000000 CM= 106 15. REF= 196

STATION	LAT	LONG	ELEV(F)	E	OBS G	FAA	BA2.67	BA(OPT)	CB2.67	CB(OPT)	CC	TC	TCM	FG	DRIFT	TIDE	N
0501	40 54.35	105 56.38	8033.0	0	1556.30	50.26	-223.72	-203.20	-224.13	-203.58	1.72	1.30			0.0	0.0	501
0502	40 55.15	105 56.70	7992.0	0	1561.10	50.02	-222.56	-202.14	-222.98	-202.53	1.72	1.30			0.0	0.0	502
0503	40 55.65	105 57.35	7959.0	0	1565.60	50.67	-220.78	-200.45	-221.30	-200.93	1.72	1.20			0.0	0.0	503
0504	40 56.25	105 57.88	7910.0	0	1569.60	49.17	-220.61	-200.40	-221.13	-200.88	1.72	1.20			0.0	0.0	504
0505	40 56.63	105 58.35	8053.0	0	1564.50	56.94	-217.72	-197.14	-218.43	-197.80	1.72	1.00			0.0	0.0	505
0506	40 57.15	105 58.65	7976.0	0	1575.70	60.14	-211.90	-191.52	-212.62	-192.19	1.72	1.00			0.0	0.0	506
0507	40 57.70	105 59.30	7872.0	0	1597.80	61.65	-206.84	-186.73	-207.57	-187.40	1.73	1.00			0.0	0.0	507
0508	40 56.75	106 0.74	7905.0	0	1575.90	54.26	-215.35	-195.16	-215.78	-195.55	1.72	1.30			0.0	0.0	508
0509	40 56.72	106 2.56	8350.0	0	1545.60	65.81	-218.98	-197.65	-219.37	-198.01	1.69	1.30			0.0	0.0	509
0510	40 56.36	106 3.05	8550.0	0	1535.20	74.74	-216.87	-195.03	-216.95	-195.10	1.68	1.60			0.0	0.0	510
0511	40 55.74	106 4.26	8936.0	0	1508.50	85.22	-219.56	-196.73	-219.39	-196.57	1.63	1.80			0.0	0.0	511
0512	40 56.54	106 1.49	7955.0	0	1568.20	51.57	-219.75	-199.42	-220.07	-199.72	1.72	1.40			0.0	0.0	512
0513	40 57.32	106 0.07	7825.0	0	1584.80	54.80	-212.09	-192.10	-212.72	-192.68	1.73	1.10			0.0	0.0	513
0514	40 31.04	106 1.94	8930.0	0	1418.40	31.29	-273.28	-250.47	-273.11	-250.31	1.63	1.80			0.0	0.0	514
0515	40 33.73	106 2.22	8710.0	0	1437.40	25.63	-271.44	-249.19	-271.10	-248.87	1.66	2.00			0.0	0.0	515
0516	40 32.92	106 1.33	8843.0	0	1430.10	32.02	-269.58	-246.99	-268.62	-246.10	1.64	2.60			0.0	0.0	516
0517	40 33.23	106 0.52	8920.0	0	1428.00	36.70	-267.53	-244.74	-266.47	-243.76	1.63	2.70			0.0	0.0	517
0518	40 33.32	105 59.67	8918.0	0	1431.00	39.38	-264.79	-242.00	-263.92	-241.20	1.63	2.50			0.0	0.0	518
0519	40 33.63	105 58.86	8974.0	0	1433.00	46.18	-259.90	-236.97	-258.62	-235.79	1.63	2.90			0.0	0.0	519
0520	40 33.47	105 57.92	9040.0	0	1431.70	51.31	-257.01	-233.92	-251.13	-228.47	1.62	7.50			0.0	0.0	520
0521	40 32.79	105 57.64	9110.0	0	1427.80	55.00	-255.71	-232.44	-253.02	-229.95	1.61	4.30			0.0	0.0	521
0522	40 32.57	105 57.13	9169.0	0	1426.90	59.97	-252.76	-229.33	-249.85	-226.65	1.60	4.50			0.0	0.0	522
0523	40 34.96	106 6.41	8686.0	0	1432.20	16.35	-279.90	-257.71	-280.67	-258.42	1.66	0.90			0.0	0.0	523
0524	40 35.95	106 7.25	8598.0	0	1447.20	21.61	-271.64	-249.67	-272.51	-250.48	1.67	0.80			0.0	0.0	524
0525	40 36.32	106 7.87	8556.0	0	1452.90	22.81	-269.00	-247.15	-269.88	-247.96	1.67	0.80			0.0	0.0	525
0526	40 37.24	106 8.24	8485.0	0	1461.50	23.37	-266.02	-244.34	-267.00	-245.25	1.68	0.70			0.0	0.0	526
0527	40 37.42	106 9.56	8425.0	0	1466.60	22.57	-264.78	-243.25	-265.77	-244.17	1.69	0.70			0.0	0.0	527
0528	40 36.50	106 9.97	8482.0	0	1456.80	19.49	-269.80	-248.13	-270.78	-249.04	1.68	0.70			0.0	0.0	528
0529	40 35.87	106 9.95	8438.0	0	1452.50	11.99	-275.80	-254.24	-276.78	-255.15	1.69	0.70			0.0	0.0	529
0530	40 35.47	106 9.19	8510.0	0	1446.00	12.85	-277.39	-255.65	-278.27	-256.47	1.68	0.80			0.0	0.0	530
0531	40 35.00	106 9.05	8509.0	0	1444.60	12.06	-278.16	-256.42	-279.04	-257.23	1.68	0.80			0.0	0.0	531
0532	40 34.47	106 8.02	8555.0	0	1440.40	12.97	-278.82	-256.96	-279.59	-257.68	1.67	0.90			0.0	0.0	532
0533	40 31.59	106 8.22	8785.0	0	1423.90	22.35	-277.27	-254.83	-277.12	-254.69	1.65	1.80			0.0	0.0	533
0534	40 31.06	106 8.66	8494.0	0	1446.00	17.90	-271.80	-250.10	-272.08	-250.36	1.68	1.40			0.0	0.0	534
0535	40 30.18	106 9.26	8629.0	0	1439.90	25.79	-268.51	-246.47	-269.18	-247.08	1.67	1.00			0.0	0.0	535
0536	40 30.79	106 10.48	8599.0	0	1441.90	24.07	-269.21	-247.25	-269.99	-247.96	1.67	0.90			0.0	0.0	536
0537	40 31.58	106 11.20	8563.0	0	1443.70	21.31	-270.74	-248.87	-271.62	-249.67	1.67	0.80			0.0	0.0	537
0538	40 32.46	106 11.97	8437.0	0	1452.50	16.97	-270.79	-249.23	-271.68	-250.05	1.69	0.80			0.0	0.0	538
0539	40 33.54	106 12.06	8397.0	0	1455.70	14.81	-271.59	-250.13	-272.58	-251.05	1.69	0.70			0.0	0.0	539
0540	40 34.23	106 12.81	8374.0	0	1459.90	15.82	-269.79	-248.39	-270.78	-249.31	1.69	0.70			0.0	0.0	540
0541	40 35.07	106 12.77	8586.0	0	1443.60	18.19	-274.65	-252.72	-275.12	-253.15	1.67	1.20			0.0	0.0	541
0542	40 36.16	106 12.98	8422.0	0	1454.20	11.76	-275.48	-253.97	-276.47	-254.88	1.69	0.70			0.0	0.0	542
0543	40 37.02	106 13.08	8354.0	0	1465.00	14.89	-270.03	-248.69	-271.13	-249.70	1.69	0.60			0.0	0.0	543
0544	40 38.02	106 12.71	8202.0	0	1481.60	15.73	-264.01	-243.06	-265.12	-244.08	1.71	0.60			0.0	0.0	544
0545	40 38.69	106 12.74	8200.0	0	1483.80	16.45	-263.23	-242.28	-264.43	-243.39	1.71	0.50			0.0	0.0	545
0546	40 39.52	106 12.73	8268.0	0	1480.60	18.70	-263.29	-242.17	-264.50	-243.28	1.70	0.50			0.0	0.0	546
0547	40 46.92	106 15.80	8110.0	0	1514.00	26.25	-250.35	-229.64	-251.57	-230.76	1.71	0.50			0.0	0.0	547
0548	40 46.92	106 14.74	8210.0	0	1506.20	30.84	-249.17	-228.20	-250.38	-229.31	1.71	0.50			0.0	0.0	548
0549	40 47.13	106 15.19	8175.0	0	1510.50	28.54	-250.28	-229.39	-251.48	-230.51	1.71	0.50			0.0	0.0	549
0550	40 46.67	106 13.48	8220.0	0	1506.20	32.16	-248.20	-227.20	-249.30	-228.22	1.70	0.60			0.0	0.0	550

MINLAT=39. 15. MAXLAT=41. 0. MINLONG=105. 30. MAXLONG=107. 0. MINELEV=6000. MAXELEV=14000. UNITS= C

BMR= 0.0 GBV=979490.30 MSV=0.0 D1=2.67 D2=2.47 OPTIONS=1010000000 CM= 106 15. REF= 196

STATION	LAT	LONG	ELEV(F)	E	OBS G	FAA	BA2.67	BA(OPT)	CB2.67	CB(OPT)	CC	TC	TCM	FG	DRIFT	TIDE	N
0551	40 46.68	106 12.02	8070.0	0	1517.50	26.35	-248.89	-228.27	-249.90	-229.21	1.71	0.70			0.0	0.0	551
0552	40 46.68	106 10.73	8007.0	0	1521.70	24.63	-248.46	-228.00	-249.38	-228.85	1.72	0.80			0.0	0.0	552
0553	40 46.60	106 9.71	8013.0	0	1523.90	27.51	-245.78	-225.31	-246.60	-226.07	1.72	0.90			0.0	0.0	553
0554	40 46.82	106 8.80	8017.0	0	1525.00	28.66	-244.77	-224.29	-245.39	-224.86	1.72	1.10			0.0	0.0	554
0555	40 46.79	106 8.19	8017.0	0	1525.00	28.71	-244.73	-224.24	-244.14	-223.71	1.72	2.30			0.0	0.0	555
0556	40 46.39	106 7.73	8025.0	0	1524.00	29.05	-244.65	-224.15	-244.07	-223.61	1.72	2.30			0.0	0.0	556
0557	40 46.20	106 13.24	8242.0	0	1506.50	32.22	-248.88	-227.83	-249.99	-228.85	1.70	0.60			0.0	0.0	557
0558	40 46.05	106 13.47	8155.0	0	1511.40	29.17	-248.97	-228.13	-250.08	-229.16	1.71	0.60			0.0	0.0	558
0559	40 45.68	106 13.94	8195.0	0	1505.50	27.58	-251.92	-230.99	-253.13	-232.10	1.71	0.50			0.0	0.0	559
0560	40 45.98	106 14.27	8170.0	0	1509.40	28.69	-249.96	-229.09	-251.17	-230.21	1.71	0.50			0.0	0.0	560
0561	40 46.32	106 15.21	8075.0	0	1514.70	24.55	-250.86	-230.23	-252.07	-231.35	1.71	0.50			0.0	0.0	561
0562	40 37.07	106 18.63	8220.0	0	1470.50	7.73	-272.63	-251.62	-273.93	-252.83	1.70	0.40			0.0	0.0	562
0563	40 36.18	106 19.55	8233.0	0	1471.10	10.88	-269.92	-248.89	-271.23	-250.10	1.70	0.40			0.0	0.0	563
0564	40 35.14	106 20.21	8141.0	0	1478.40	11.08	-266.58	-245.79	-267.89	-247.00	1.71	0.40			0.0	0.0	564
0565	40 35.08	106 18.82	8270.0	0	1468.30	13.19	-268.87	-247.75	-270.08	-248.86	1.70	0.50			0.0	0.0	565
0566	40 34.44	106 20.95	8165.0	0	1477.80	13.77	-264.71	-243.85	-265.92	-244.97	1.71	0.50			0.0	0.0	566
0567	40 33.83	106 20.32	8176.0	0	1476.10	14.01	-264.84	-243.95	-266.05	-245.07	1.71	0.50			0.0	0.0	567
0568	40 33.39	106 21.37	8180.0	0	1476.60	14.80	-264.19	-243.29	-265.40	-244.41	1.71	0.50			0.0	0.0	568
0569	40 33.31	106 22.11	8185.0	0	1476.70	16.23	-262.93	-242.02	-264.14	-243.14	1.71	0.50			0.0	0.0	569
0570	40 32.92	106 23.26	8161.0	0	1480.00	17.85	-260.49	-239.64	-261.70	-240.76	1.71	0.50			0.0	0.0	570
0571	40 33.35	106 25.49	8287.0	0	1477.20	26.25	-256.39	-235.21	-257.59	-236.32	1.70	0.50			0.0	0.0	571
0572	40 33.73	106 26.64	8209.0	0	1485.10	26.26	-253.72	-232.75	-254.92	-233.86	1.71	0.50			0.0	0.0	572
0573	40 33.65	106 27.49	8183.0	0	1488.10	26.94	-252.16	-231.25	-253.26	-232.27	1.71	0.60			0.0	0.0	573
0574	40 33.54	106 28.23	8158.0	0	1490.90	27.55	-250.69	-229.85	-251.80	-230.87	1.71	0.60			0.0	0.0	574
0575	40 33.78	106 28.92	8178.0	0	1490.30	28.48	-250.45	-229.56	-251.56	-230.58	1.71	0.60			0.0	0.0	575
0576	40 32.48	106 26.44	8422.0	0	1469.20	32.23	-255.02	-233.50	-256.00	-234.41	1.69	0.70			0.0	0.0	576
0577	40 31.62	106 26.64	8296.0	0	1477.00	29.47	-253.48	-232.28	-254.48	-233.21	1.70	0.70			0.0	0.0	577
0578	40 30.77	106 26.86	8330.0	0	1474.40	31.33	-252.78	-231.50	-253.58	-232.24	1.70	0.90			0.0	0.0	578
0579	40 32.92	106 20.97	8170.0	0	1476.90	15.60	-263.05	-242.18	-264.26	-243.30	1.71	0.50			0.0	0.0	579
0580	40 32.83	106 19.60	8192.0	0	1473.60	14.50	-264.90	-243.97	-266.01	-244.99	1.71	0.60			0.0	0.0	580
0581	40 32.16	106 18.56	8365.0	0	1463.00	21.15	-264.15	-242.78	-265.24	-243.79	1.69	0.60			0.0	0.0	581
0582	40 31.44	106 17.53	8430.0	0	1461.60	26.93	-260.59	-239.06	-261.58	-239.97	1.69	0.70			0.0	0.0	582
0583	40 31.22	106 16.90	8460.0	0	1461.20	29.67	-258.87	-237.26	-259.86	-238.17	1.68	0.70			0.0	0.0	583
0584	40 30.76	106 16.15	8513.0	0	1459.50	33.63	-256.72	-234.97	-257.69	-235.87	1.68	0.70			0.0	0.0	584
0585	40 33.25	106 8.47	8684.0	0	1428.90	15.40	-280.78	-258.60	-281.55	-259.30	1.66	0.90			0.0	0.0	585
0586	40 32.72	106 9.27	8518.0	0	1441.80	13.49	-277.03	-255.27	-277.51	-255.71	1.68	1.20			0.0	0.0	586
0587	40 31.88	106 8.89	8460.0	0	1446.50	13.99	-274.55	-252.94	-274.73	-253.11	1.68	1.50			0.0	0.0	587
0588	40 31.85	106 9.62	8581.0	0	1440.80	19.70	-272.97	-251.04	-273.74	-251.76	1.67	0.90			0.0	0.0	588
0589	40 31.24	106 9.50	8518.0	0	1444.00	17.89	-272.63	-250.87	-273.31	-251.50	1.68	1.00			0.0	0.0	589
0590	40 33.36	106 10.36	8385.0	0	1451.50	9.75	-276.24	-254.82	-277.03	-255.55	1.69	0.90			0.0	0.0	590
0591	40 33.78	106 11.11	8362.0	0	1454.80	10.26	-274.94	-253.57	-275.83	-254.40	1.69	0.80			0.0	0.0	591
0592	40 34.47	106 11.16	8599.0	0	1439.10	15.80	-277.48	-255.51	-278.35	-256.32	1.67	0.80			0.0	0.0	592
0593	40 35.12	106 10.30	8488.0	0	1444.60	9.91	-279.59	-257.91	-280.57	-258.81	1.68	0.70			0.0	0.0	593
0594	40 35.98	106 10.98	8320.0	0	1459.60	7.85	-275.92	-254.66	-276.72	-255.40	1.70	0.90			0.0	0.0	594
0595	40 36.76	106 11.21	8273.0	0	1471.20	13.87	-268.29	-247.16	-269.39	-248.17	1.70	0.60			0.0	0.0	595
0596	40 36.79	106 12.44	8311.0	0	1467.50	13.70	-269.76	-248.53	-270.86	-249.55	1.70	0.60			0.0	0.0	596
596A	40 42.27	106 50.76	8210.0	0	1519.66	48.22	-231.79	-210.82	-232.00	-211.01	1.71	1.50			0.0	0.0	597
0597	40 36.80	106 14.13	8295.0	0	1464.20	8.88	-274.03	-252.84	-275.13	-253.86	1.70	0.60			0.0	0.0	598
597A	40 42.95	106 50.84	8080.0	0	1528.97	44.31	-231.27	-210.63	-231.39	-210.74	1.71	1.60			0.0	0.0	599
0598	40 35.99	106 14.38	8517.0	0	1449.00	15.74	-274.75	-252.99	-275.83	-253.99	1.68	0.60			0.0	0.0	600

MINLAT=39. 15. MAXLAT=41. 0. MINLONG=105. 30. MAXLONG=107. 0. MINELEV=6000. MAXELEV=14000. UNITS= C

BMR= 0.0 GBV=979490.30 MSV=0.0 D1=2.67 D2=2.47 OPTIONS=1010000000 CM= 106 15. REF= 196

STATION	LAT	LONG	ELEV(F)	E	OBS G	FAA	BA2.67	BA(OPT)	CB2.67	CB(OPT)	CC	TC	TCM	FC	DRIFT	TIDE	N
598A	40 43.05	106 49.86	8230.0	0	1519.80	49.08	-231.62	-210.59	-231.42	-210.41	1.70	1.90			0.0	0.0	601
0599	40 35.37	106 14.73	8942.0	0	1418.50	26.08	-278.90	-256.05	-277.03	-254.32	1.63	3.50			0.0	0.0	602
599A	40 43.55	106 51.08	7860.0	0	1542.90	36.68	-231.40	-211.32	-231.03	-210.98	1.72	2.10			0.0	0.0	603
0600	40 36.81	106 15.26	8365.0	0	1459.20	10.44	-274.86	-253.49	-276.05	-254.59	1.69	0.50			0.0	0.0	604
0601	40 36.82	106 16.40	8289.0	0	1464.40	8.48	-274.22	-253.05	-274.32	-253.14	1.70	1.60			0.0	0.0	605
0602	40 33.26	106 16.97	8325.0	0	1465.40	18.16	-265.78	-244.51	-266.98	-245.62	1.70	0.50			0.0	0.0	606
0603	40 32.78	106 16.04	8348.0	0	1466.80	22.43	-262.29	-240.96	-263.38	-241.97	1.69	0.60			0.0	0.0	607
0604	40 31.59	106 16.16	8472.0	0	1460.70	29.75	-259.20	-237.56	-260.19	-238.47	1.68	0.70			0.0	0.0	608
0605	40 36.14	106 16.40	8250.0	0	1466.20	7.63	-273.75	-252.67	-274.45	-253.32	1.70	1.00			0.0	0.0	609
0606	40 35.03	106 15.81	8283.0	0	1466.60	12.78	-269.72	-248.56	-270.72	-249.49	1.70	0.70			0.0	0.0	610
0607	40 34.48	106 14.21	8305.0	0	1466.30	15.37	-267.89	-246.67	-268.79	-247.50	1.70	0.80			0.0	0.0	611
0608	40 33.55	106 13.21	8411.0	0	1458.30	18.71	-268.16	-246.68	-269.25	-247.68	1.69	0.60			0.0	0.0	612
0609	40 32.47	106 12.87	8450.0	0	1454.20	19.87	-268.33	-246.74	-269.31	-247.65	1.68	0.70			0.0	0.0	613
0610	40 31.82	106 12.74	8415.0	0	1455.60	18.95	-268.06	-246.56	-269.04	-247.47	1.69	0.70			0.0	0.0	614
0611	40 30.69	106 11.58	8482.0	0	1449.80	21.12	-268.17	-246.50	-269.05	-247.31	1.68	0.80			0.0	0.0	615
0612	40 29.87	106 11.81	8558.0	0	1446.90	26.58	-265.30	-243.44	-266.18	-244.25	1.67	0.80			0.0	0.0	616
0613	40 28.94	106 11.33	8590.0	0	1445.00	29.07	-263.91	-241.96	-264.68	-242.67	1.67	0.90			0.0	0.0	617
0614	40 30.15	106 1.27	9060.0	0	1412.00	38.42	-270.58	-247.43	-269.99	-246.89	1.61	2.20			0.0	0.0	618
0615	40 29.55	106 0.47	9179.0	0	1406.30	44.79	-268.27	-244.82	-267.67	-244.26	1.60	2.20			0.0	0.0	619
0616	40 32.83	106 3.78	8868.0	0	1421.70	26.11	-276.35	-253.69	-276.79	-254.10	1.64	1.20			0.0	0.0	620
0617	40 33.43	106 5.15	8812.0	0	1419.20	17.46	-283.09	-260.58	-283.64	-261.08	1.65	1.10			0.0	0.0	621
0618	40 32.47	106 6.39	8693.0	0	1429.70	18.20	-278.29	-256.08	-278.65	-256.41	1.66	1.30			0.0	0.0	622
0619	40 31.45	106 5.81	8990.0	0	1413.30	31.22	-275.40	-252.43	-275.02	-252.08	1.62	2.00			0.0	0.0	623
0620	40 32.45	106 4.87	8854.0	0	1422.30	25.96	-276.02	-253.40	-275.76	-253.16	1.64	1.90			0.0	0.0	624
0621	40 28.25	106 9.19	8713.0	0	1434.90	31.55	-265.62	-243.36	-266.38	-244.06	1.66	0.90			0.0	0.0	625
0622	40 27.47	106 8.60	8752.0	0	1431.50	32.97	-265.53	-243.17	-266.08	-243.68	1.65	1.10			0.0	0.0	626
0623	40 26.74	106 8.36	8709.0	0	1433.00	31.52	-265.52	-243.27	-265.98	-243.69	1.66	1.20			0.0	0.0	627
0624	40 26.36	106 7.27	8756.0	0	1429.20	32.70	-265.94	-243.57	-266.29	-243.90	1.65	1.30			0.0	0.0	628
0625	40 25.53	106 5.80	8865.0	0	1421.50	36.47	-265.89	-243.24	-266.13	-243.46	1.64	1.40			0.0	0.0	629
0626	40 25.07	106 5.56	8943.0	0	1416.80	39.78	-265.24	-242.39	-265.57	-242.70	1.63	1.30			0.0	0.0	630
0627	40 24.75	106 3.28	9043.0	0	1411.50	44.35	-264.08	-240.98	-264.00	-240.90	1.62	1.70			0.0	0.0	631
0628	40 24.58	106 2.09	9105.0	0	1406.90	45.82	-264.72	-241.46	-263.32	-240.17	1.61	3.00			0.0	0.0	632
0629	40 24.03	106 1.73	9180.0	0	1401.30	48.08	-265.01	-241.56	-263.41	-240.08	1.60	3.20			0.0	0.0	633
0630	40 23.70	106 0.80	9299.0	0	1389.40	47.85	-269.30	-245.55	-265.98	-242.47	1.58	4.90			0.0	0.0	634
0631	40 25.38	106 2.91	9014.0	0	1413.80	42.99	-264.45	-241.42	-264.07	-241.07	1.62	2.00			0.0	0.0	635
0632	40 25.86	106 2.68	9047.0	0	1412.10	43.67	-264.89	-241.77	-264.20	-241.14	1.62	2.30			0.0	0.0	636
0633	40 26.14	106 1.60	9195.0	0	1404.20	49.26	-264.35	-240.86	-262.94	-239.56	1.59	3.00			0.0	0.0	637
0634	40 26.00	105 59.96	9315.0	0	1394.10	50.64	-267.06	-243.26	-262.34	-238.89	1.58	6.30			0.0	0.0	638
0635	40 28.24	106 7.48	8760.0	0	1430.30	31.38	-267.39	-245.01	-267.55	-245.15	1.65	1.50			0.0	0.0	639
0636	40 28.84	106 7.02	8925.0	0	1418.50	34.19	-270.21	-247.41	-269.84	-247.07	1.63	2.00			0.0	0.0	640
0637	40 29.04	106 7.62	8752.0	0	1430.90	30.04	-268.46	-246.10	-268.41	-246.06	1.65	1.70			0.0	0.0	641
0638	40 29.62	106 8.42	8705.0	0	1434.30	28.16	-268.73	-246.50	-269.09	-246.83	1.66	1.30			0.0	0.0	642
0639	40 27.44	106 7.55	8775.0	0	1428.30	31.98	-267.31	-244.89	-267.66	-245.21	1.65	1.30			0.0	0.0	643
0640	40 27.92	106 6.15	9152.0	0	1452.20	90.58	-221.57	-198.18	-220.87	-197.54	1.60	2.30			0.0	0.0	644
0641	40 26.63	106 4.76	8820.0	0	1424.50	33.61	-267.21	-244.68	-266.76	-244.26	1.64	2.10			0.0	0.0	645
0642	40 25.49	106 9.56	8778.0	0	1429.20	36.05	-263.33	-240.91	-263.78	-241.32	1.65	1.20			0.0	0.0	646
0643	40 24.94	106 10.06	8786.0	0	1428.80	37.22	-262.44	-239.99	-262.79	-240.31	1.65	1.30			0.0	0.0	647
0644	40 24.18	106 10.59	8938.0	0	1419.20	43.03	-261.82	-238.98	-262.14	-239.29	1.63	1.30			0.0	0.0	648
0645	40 25.49	106 10.70	8781.0	0	1430.60	37.74	-261.75	-239.32	-262.30	-239.83	1.65	1.10			0.0	0.0	649
0646	40 26.62	106 10.62	8661.0	0	1439.40	33.58	-261.81	-239.69	-262.38	-240.21	1.66	1.10			0.0	0.0	650

MINLAT=39. 15. MAXLAT=41. 0. MINLONG=105. 30. MAXLONG=107. 0. MINELEV=6000. MAXELEV=14000. UNITS= C

BMR= 0.0 GBV=979490.30 MSV=0.0 D1=2.67 D2=2.47 OPTIONS=1010000000 CM= 106 15. REF= 196

STATION	LAT	LONG	ELEV(F)	E	OBS G	FAA	BA2.67	BA(OPT)	CB2.67	CB(OPT)	CC	TC	TCM	FG	DRIFT	TIDE	N
0647	40 26.64	106 12.16	8585.0	0	1447.30	34.32	-258.49	-236.56	-259.06	-237.09	1.67	1.10			0.0	0.0	651
0648	40 26.10	106 12.43	8570.0	0	1448.10	34.51	-257.78	-235.89	-257.96	-236.05	1.67	1.50			0.0	0.0	652
0649	40 25.21	106 12.50	8655.0	0	1440.70	36.42	-258.78	-236.67	-258.34	-236.26	1.66	2.10			0.0	0.0	653
0650	40 23.64	106 13.20	9079.0	0	1412.70	50.58	-259.08	-235.88	-257.29	-234.23	1.61	3.40			0.0	0.0	654
0651	40 24.38	106 12.74	8935.0	0	1416.70	39.95	-264.79	-241.96	-264.22	-241.44	1.63	2.20			0.0	0.0	655
0652	40 26.36	106 13.55	8731.0	0	1441.20	42.35	-255.44	-233.13	-254.79	-232.54	1.66	2.30			0.0	0.0	656
0653	40 27.13	106 13.59	8643.0	0	1447.80	39.54	-255.25	-233.16	-255.31	-233.23	1.67	1.60			0.0	0.0	657
0654	40 28.02	106 14.39	8606.0	0	1453.00	39.94	-253.58	-231.60	-253.85	-231.84	1.67	1.40			0.0	0.0	658
0655	40 29.04	106 14.89	8698.0	0	1447.80	41.87	-254.79	-232.57	-255.65	-233.37	1.66	0.80			0.0	0.0	659
0656	40 28.37	106 0.56	9260.0	0	1400.60	48.45	-267.37	-243.72	-265.86	-242.31	1.58	3.10			0.0	0.0	660
0657	40 27.52	105 59.84	9310.0	0	1399.10	52.91	-264.62	-240.83	-262.79	-239.15	1.58	3.40			0.0	0.0	661
0658	40 27.30	106 0.84	9662.0	0	1376.30	63.50	-266.03	-241.35	-265.15	-240.53	1.52	2.40			0.0	0.0	662
0659	40 26.72	106 0.72	9657.0	0	1376.80	64.40	-264.97	-240.30	-264.19	-239.58	1.52	2.30			0.0	0.0	663
0660	40 33.41	106 36.00	8510.0	0	1476.50	46.41	-243.83	-222.09	-243.81	-222.07	1.68	1.70			0.0	0.0	664
0661	40 36.14	106 33.52	8335.0	0	1488.30	37.72	-246.56	-225.27	-247.16	-225.82	1.70	1.10			0.0	0.0	665
0662	40 36.82	106 33.54	8365.0	0	1485.20	36.42	-248.88	-227.51	-249.17	-227.78	1.69	1.40			0.0	0.0	666
0663	40 37.48	106 35.37	8430.0	0	1477.20	38.25	-250.98	-229.31	-249.76	-228.18	1.68	2.90			0.0	0.0	667
0664	40 36.98	106 33.79	8335.0	0	1487.40	35.57	-248.71	-227.41	-249.00	-227.69	1.70	1.40			0.0	0.0	668
0665	40 35.74	106 32.84	8355.0	0	1485.90	37.79	-247.17	-225.82	-247.96	-226.56	1.69	0.90			0.0	0.0	669
0666	40 36.81	106 31.10	8457.0	0	1476.70	36.58	-251.86	-230.25	-252.64	-230.98	1.68	0.90			0.0	0.0	670
0667	40 38.23	106 30.46	8370.0	0	1480.40	30.00	-255.47	-234.09	-256.16	-234.73	1.69	1.00			0.0	0.0	671
0668	40 38.98	106 29.88	8335.0	0	1481.90	27.10	-257.18	-235.89	-257.88	-236.53	1.70	1.00			0.0	0.0	672
0669	40 39.72	106 29.29	8312.0	0	1483.60	25.53	-257.96	-236.72	-258.66	-237.37	1.70	1.00			0.0	0.0	673
0670	40 41.67	106 26.46	8075.0	0	1504.70	21.47	-253.94	-233.31	-255.16	-234.43	1.71	0.50			0.0	0.0	674
0671	40 41.34	106 28.86	8185.0	0	1496.80	24.40	-254.77	-233.86	-255.27	-234.33	1.71	1.20			0.0	0.0	675
0672	40 42.10	106 30.48	8250.0	0	1496.70	29.27	-252.11	-231.03	-252.91	-231.77	1.70	0.90			0.0	0.0	676
0673	40 43.14	106 29.45	8330.0	0	1494.30	32.84	-251.27	-229.99	-251.96	-230.63	1.70	1.00			0.0	0.0	677
0674	40 43.54	106 28.60	8230.0	0	1503.00	31.55	-249.15	-228.12	-249.85	-228.77	1.70	1.00			0.0	0.0	678
0675	40 44.30	106 28.30	8164.0	0	1508.40	29.62	-248.82	-227.97	-249.93	-228.99	1.71	0.60			0.0	0.0	679
0676	40 44.32	106 29.17	8124.0	0	1507.90	25.33	-251.75	-230.99	-252.46	-231.65	1.71	1.00			0.0	0.0	680
0677	40 44.12	106 29.95	8260.0	0	1499.00	29.51	-252.21	-231.11	-253.11	-231.94	1.70	0.80			0.0	0.0	681
0678	40 44.35	106 31.18	8275.0	0	1498.40	29.98	-252.26	-231.12	-252.96	-231.76	1.70	1.00			0.0	0.0	682
0679	40 44.84	106 32.38	8620.0	0	1476.80	40.06	-253.94	-231.92	-254.31	-232.26	1.67	1.30			0.0	0.0	683
0680	40 44.92	106 34.04	8815.0	0	1467.80	49.25	-251.39	-228.87	-250.94	-228.45	1.65	2.10			0.0	0.0	684
0681	40 44.86	106 35.26	8835.0	0	1472.20	55.62	-245.71	-223.14	-243.05	-220.68	1.64	4.30			0.0	0.0	685
0682	40 36.20	106 32.13	8485.0	0	1476.00	39.42	-249.97	-228.30	-250.76	-229.02	1.68	0.90			0.0	0.0	686
0683	40 40.34	106 29.56	8080.0	0	1499.70	18.92	-256.66	-236.02	-257.58	-236.87	1.71	0.80			0.0	0.0	687
0684	40 40.35	106 30.84	8232.0	0	1490.40	23.88	-256.88	-235.85	-257.69	-236.59	1.70	0.90			0.0	0.0	688
0685	40 39.59	106 31.66	8304.0	0	1486.90	28.28	-254.94	-233.73	-255.64	-234.37	1.70	1.00			0.0	0.0	689
0686	40 38.77	106 32.51	8365.0	0	1483.60	31.93	-253.38	-232.00	-253.97	-232.55	1.69	1.10			0.0	0.0	690
0687	40 38.46	106 31.40	8200.0	0	1491.90	25.19	-254.49	-233.54	-255.29	-234.28	1.71	0.90			0.0	0.0	691
0688	40 38.85	106 33.62	8390.0	0	1483.10	33.66	-252.50	-231.06	-252.69	-231.24	1.69	1.50			0.0	0.0	692
0689	40 39.63	106 33.88	8430.0	0	1483.70	36.85	-250.66	-229.13	-250.15	-228.65	1.69	2.20			0.0	0.0	693
0690	40 39.82	106 32.96	8211.0	0	1496.00	28.30	-251.75	-230.77	-251.66	-230.69	1.71	1.80			0.0	0.0	694
0691	40 40.10	106 33.65	8370.0	0	1486.20	33.02	-252.45	-231.07	-252.24	-230.88	1.69	1.90			0.0	0.0	695
0692	40 40.79	106 34.13	8570.0	0	1471.80	36.38	-255.91	-234.02	-255.18	-233.34	1.67	2.40			0.0	0.0	696
0693	40 40.88	106 35.39	9200.0	0	1428.60	52.23	-261.55	-238.05	-256.74	-233.60	1.59	6.40			0.0	0.0	697
0694	40 40.96	106 35.05	9020.0	0	1441.80	48.40	-259.24	-236.20	-256.56	-233.71	1.62	4.30			0.0	0.0	698
0695	40 54.00	106 17.73	7912.0	0	1535.40	18.51	-251.34	-231.13	-252.26	-231.98	1.72	0.80			0.0	0.0	699
0696	40 54.92	106 17.37	7968.0	0	1536.50	23.50	-248.26	-227.90	-248.78	-228.38	1.72	1.20			0.0	0.0	700

MINLAT=39. 15. MAXLAT=41. 0. MINLONG=105. 30. MAXLONG=107. 0. MINELEV=6000. MAXELEV=14000. UNITS= 0

BMR= 0.0 GBV=979490.30 MSV=0.0 D1=2.67 D2=2.47 OPTIONS=1010000000 CM= 106 15. REF= 196

STATION	LAT	LONG	ELEV(F)	E	OBS G	FAA	BA2.67	BA(OPT)	CB2.67	CB(OPT)	CC	TC	TCM	FC	DRIFT	TIDE	N
0697	40 55.00	106 16.35	8050.0	0	1532.20	26.79	-247.77	-227.20	-247.99	-227.40	1.72	1.50			0.0	0.0	701
0698	40 56.04	106 16.64	8640.0	0	1501.80	50.27	-244.41	-222.34	-243.68	-221.66	1.67	2.40			0.0	0.0	702
0699	40 56.62	106 20.81	7841.0	0	1561.00	33.54	-233.89	-213.86	-234.62	-214.53	1.73	1.00			0.0	0.0	703
0700	40 57.42	106 21.48	7943.0	0	1562.90	43.83	-227.08	-206.78	-228.10	-207.73	1.72	0.70			0.0	0.0	704
0701	40 58.67	106 22.98	7983.0	0	1561.30	44.13	-228.14	-207.75	-229.16	-208.69	1.72	0.70			0.0	0.0	705
0341	39 47.00	106 9.70	8193.0	0	1386.70	-4.37	-283.80	-262.87	-281.21	-260.47	1.71	4.30			0.0	0.0	706
0342	39 46.55	106 9.13	8223.0	0	1383.60	-3.98	-284.44	-263.43	-281.85	-261.03	1.70	4.30			0.0	0.0	707
0343	39 45.60	106 8.28	8293.0	0	1374.50	-5.10	-287.95	-266.76	-284.85	-263.89	1.70	4.80			0.0	0.0	708
0340	39 48.45	106 11.12	8162.0	0	1394.30	-1.82	-280.20	-259.35	-277.91	-257.23	1.71	4.00			0.0	0.0	709
0702	40 59.18	106 23.24	7986.0	0	1566.20	48.55	-223.82	-203.42	-224.84	-204.36	1.72	0.70			0.0	0.0	710
0703	40 59.93	106 23.99	7958.0	0	1572.40	51.01	-220.41	-200.08	-221.44	-201.03	1.72	0.70			0.0	0.0	711
0704	40 58.18	106 22.25	7860.0	0	1568.20	40.20	-227.87	-207.79	-228.80	-208.65	1.73	0.80			0.0	0.0	712
0705	40 52.35	106 18.39	7923.0	0	1530.00	16.60	-253.62	-233.38	-254.75	-234.42	1.72	0.60			0.0	0.0	713
0706	40 41.48	106 30.08	8175.0	0	1498.50	24.95	-253.87	-232.99	-254.58	-233.64	1.71	1.00			0.0	0.0	714
0707	40 41.76	106 31.85	8273.0	0	1494.20	29.44	-252.73	-231.59	-253.33	-232.14	1.70	1.10			0.0	0.0	715
0708	40 41.39	106 33.31	8330.0	0	1488.60	29.74	-254.36	-233.08	-254.06	-232.80	1.70	2.00			0.0	0.0	716
0709	40 42.77	106 34.32	8354.0	0	1485.80	27.15	-257.78	-236.44	-256.17	-234.95	1.69	3.30			0.0	0.0	717
0710	40 42.98	106 35.08	8370.0	0	1485.60	28.14	-257.33	-235.95	-252.93	-231.87	1.69	6.10			0.0	0.0	718
0711	40 32.28	106 34.83	8403.0	0	1482.60	44.14	-242.46	-220.99	-242.75	-221.26	1.69	1.40			0.0	0.0	719
0712	40 30.84	106 34.92	8534.0	0	1473.10	49.09	-241.98	-220.18	-242.26	-220.43	1.68	1.40			0.0	0.0	720
0713	40 29.62	106 34.71	8642.0	0	1463.10	51.04	-243.70	-221.63	-243.67	-221.59	1.67	1.70			0.0	0.0	721
0714	40 20.02	106 34.69	8719.0	0	1459.40	68.83	-228.54	-206.27	-228.60	-206.32	1.66	1.60			0.0	0.0	722
0715	40 27.42	106 33.03	8570.0	0	1461.20	45.65	-246.65	-224.75	-247.12	-225.19	1.67	1.20			0.0	0.0	723
0716	40 26.64	106 31.83	8538.0	0	1458.50	41.10	-250.10	-228.29	-250.88	-229.01	1.68	0.90			0.0	0.0	724
0717	40 33.31	106 36.89	8644.0	0	1468.50	51.15	-243.67	-221.58	-243.03	-221.00	1.67	2.30			0.0	0.0	725
0718	40 31.92	106 36.60	8936.0	0	1451.10	63.25	-241.53	-218.70	-241.16	-218.36	1.63	2.00			0.0	0.0	726
0719	40 31.01	106 36.50	8887.0	0	1454.00	62.00	-240.21	-217.50	-239.85	-217.17	1.64	2.00			0.0	0.0	727
0720	40 30.03	106 36.48	8860.0	0	1455.90	63.72	-238.47	-215.83	-238.01	-215.41	1.64	2.10			0.0	0.0	728
0721	40 32.82	106 37.38	8775.0	0	1461.80	57.48	-241.80	-219.38	-240.75	-218.41	1.65	2.70			0.0	0.0	729
0722	40 31.93	106 37.65	8890.0	0	1455.50	63.31	-239.90	-217.18	-239.03	-216.39	1.64	2.50			0.0	0.0	730
0723	40 31.26	106 37.46	9005.0	0	1449.00	68.61	-238.52	-215.51	-238.04	-215.07	1.62	2.10			0.0	0.0	731
0724	40 30.48	106 37.62	9120.0	0	1439.80	71.37	-239.68	-216.38	-238.29	-215.09	1.60	3.00			0.0	0.0	732
0725	40 29.06	106 37.68	9315.0	0	1432.30	84.30	-233.41	-209.61	-233.18	-209.40	1.58	1.80			0.0	0.0	733
0726	40 32.95	106 38.44	9535.0	0	1414.60	81.48	-243.72	-219.36	-241.66	-217.46	1.54	3.60			0.0	0.0	734
0727	40 34.35	106 35.90	8488.0	0	1477.50	43.95	-245.54	-223.86	-245.23	-223.57	1.68	2.00			0.0	0.0	735
0728	40 35.00	106 36.39	8812.0	0	1457.70	53.62	-246.93	-224.41	-246.67	-224.18	1.65	1.90			0.0	0.0	736
0729	40 34.17	106 37.48	8750.0	0	1463.00	54.33	-244.10	-221.75	-242.96	-220.69	1.65	2.80			0.0	0.0	737
0730	40 34.39	106 38.55	9250.0	0	1433.70	71.67	-243.81	-220.18	-242.70	-219.15	1.59	2.70			0.0	0.0	738
0731	40 33.80	106 37.74	9450.0	0	1449.50	107.14	-215.17	-191.03	-213.22	-189.23	1.55	3.50			0.0	0.0	739
0732	40 34.94	106 33.82	8340.0	0	1487.00	38.67	-245.78	-224.47	-246.17	-224.84	1.69	1.30			0.0	0.0	740
0733	40 35.45	106 34.70	8574.0	0	1472.00	44.90	-247.53	-225.63	-247.61	-225.70	1.67	1.60			0.0	0.0	741
0734	40 33.63	106 31.50	8339.0	0	1484.40	37.92	-246.49	-225.19	-247.39	-226.01	1.69	0.80			0.0	0.0	742
0735	40 32.92	106 32.30	8322.0	0	1484.70	37.68	-246.15	-224.89	-246.85	-225.54	1.70	1.00			0.0	0.0	743
0736	40 32.05	106 32.52	8425.0	0	1477.80	41.75	-245.60	-224.07	-245.98	-224.43	1.69	1.30			0.0	0.0	744
0737	40 32.20	106 31.30	8442.0	0	1475.40	40.72	-247.20	-225.64	-247.89	-226.27	1.69	1.00			0.0	0.0	745
0738	40 33.21	106 30.31	8250.0	0	1487.30	33.09	-248.29	-227.22	-249.30	-228.14	1.70	0.70			0.0	0.0	746
0739	40 35.60	106 29.29	8180.0	0	1492.70	28.36	-250.63	-229.73	-251.74	-230.76	1.71	0.60			0.0	0.0	747
0740	40 36.62	106 29.72	8263.0	0	1488.20	30.14	-251.68	-230.57	-252.78	-231.59	1.70	0.60			0.0	0.0	748
0741	40 36.95	106 28.96	8243.0	0	1488.10	27.67	-253.47	-232.41	-254.57	-233.43	1.70	0.60			0.0	0.0	749
0742	40 37.37	106 28.05	8095.0	0	1494.80	19.84	-256.25	-235.57	-257.36	-236.60	1.71	0.60			0.0	0.0	750

MINLAT=39. 15. MAXLAT=41. 0. MINLONG=105. 30. MAXLONG=107. 0. MINELEV=6000. MAXELEV=14000. UNITS= C

BMR= 0.0 GBV=979490.30 MSV=0.0 D1=2.67 D2=2.47 OPTIONS=1010000000 CM= 106 15. REF= 196

STATION	LAT	LONG	ELEV(F)	E	OBS G	FAA	BA2.67	BA(OPT)	CB2.67	CB(OPT)	CC	TC	TCM	FG	DRIFT	TIDE	N
0743	40 36.21	106 30.70	8269.0	0	1489.20	32.31	-249.71	-228.59	-250.71	-229.51	1.70	0.70			0.0	0.0	751
0744	40 36.71	106 25.63	8125.0	0	1488.10	16.94	-260.17	-239.42	-261.39	-240.54	1.71	0.50			0.0	0.0	752
0745	40 36.91	106 26.61	8183.0	0	1486.40	20.39	-258.70	-237.79	-259.91	-238.91	1.71	0.50			0.0	0.0	753
0746	40 37.62	106 26.61	8195.0	0	1483.30	17.36	-262.14	-241.20	-263.34	-242.32	1.71	0.50			0.0	0.0	754
0747	40 38.10	106 25.99	8182.0	0	1486.60	18.73	-260.33	-239.43	-261.54	-240.54	1.71	0.50			0.0	0.0	755
0748	40 36.12	106 27.81	8224.0	0	1487.30	26.32	-254.17	-233.16	-255.38	-234.28	1.70	0.50			0.0	0.0	756
0749	40 32.94	106 27.36	8217.0	0	1484.80	27.89	-252.37	-231.37	-253.47	-232.40	1.70	0.60			0.0	0.0	757
0750	40 31.97	106 28.41	8565.0	0	1462.80	40.02	-252.10	-230.22	-252.38	-230.47	1.67	1.40			0.0	0.0	758
0751	40 30.62	106 28.29	8640.0	0	1454.90	41.17	-253.51	-231.44	-253.78	-231.68	1.67	1.40			0.0	0.0	759
0752	40 30.84	106 29.62	8519.0	0	1466.00	40.48	-250.04	-228.27	-250.81	-228.99	1.68	0.90			0.0	0.0	760
0753	40 50.63	106 20.68	7976.0	0	1521.70	15.84	-256.19	-235.82	-257.51	-237.04	1.72	0.40			0.0	0.0	761
0754	40 49.75	106 20.47	8002.0	0	1517.90	15.79	-257.13	-236.68	-258.45	-237.90	1.72	0.40			0.0	0.0	762
0755	40 48.73	106 20.79	7920.0	0	1521.60	13.31	-256.82	-236.58	-258.14	-237.81	1.72	0.40			0.0	0.0	763
0756	40 47.53	106 21.43	7932.0	0	1519.80	14.42	-256.11	-235.85	-257.44	-237.07	1.72	0.40			0.0	0.0	764
0757	40 47.80	106 19.71	8002.0	0	1514.60	15.40	-257.53	-237.08	-258.84	-238.30	1.72	0.40			0.0	0.0	765
0758	40 48.01	106 18.56	8037.0	0	1515.50	19.27	-254.84	-234.31	-256.16	-235.53	1.72	0.40			0.0	0.0	766
0759	40 48.72	106 19.42	8025.0	0	1515.30	16.89	-256.82	-236.32	-258.14	-237.54	1.72	0.40			0.0	0.0	767
0760	40 47.30	106 18.99	8056.0	0	1511.20	17.81	-256.95	-236.37	-258.27	-237.59	1.72	0.40			0.0	0.0	768
0761	40 46.42	106 19.08	8070.0	0	1509.50	18.74	-256.50	-235.89	-257.82	-237.10	1.71	0.40			0.0	0.0	769
0762	40 45.51	106 18.65	8087.0	0	1508.20	20.39	-255.43	-234.77	-256.75	-235.99	1.71	0.40			0.0	0.0	770
0763	40 44.48	106 18.42	8105.0	0	1505.10	20.51	-255.92	-235.22	-257.24	-236.43	1.71	0.40			0.0	0.0	771
0764	40 44.24	106 19.69	8082.0	0	1506.20	19.81	-255.84	-235.20	-257.16	-236.41	1.71	0.40			0.0	0.0	772
0765	40 44.72	106 20.52	8040.0	0	1509.80	18.75	-255.47	-234.93	-256.79	-236.15	1.72	0.40			0.0	0.0	773
0766	40 45.22	106 21.35	8090.0	0	1506.70	19.60	-256.32	-235.65	-257.64	-236.87	1.71	0.40			0.0	0.0	774
0767	40 46.03	106 22.10	8158.0	0	1503.50	21.58	-256.66	-235.82	-257.87	-236.93	1.71	0.50			0.0	0.0	775
0768	40 46.53	106 21.99	8079.0	0	1508.80	18.72	-256.83	-236.19	-258.04	-237.31	1.71	0.50			0.0	0.0	776
0769	40 46.90	106 20.80	8030.0	0	1513.30	18.06	-255.81	-235.30	-257.13	-236.51	1.72	0.40			0.0	0.0	777
0770	40 46.67	106 19.89	8055.0	0	1511.20	18.65	-256.07	-235.49	-257.39	-236.71	1.72	0.40			0.0	0.0	778
0771	40 47.90	106 15.42	8075.0	0	1518.10	25.60	-249.81	-229.18	-251.02	-230.30	1.71	0.50			0.0	0.0	779
0772	40 48.32	106 14.88	7949.0	0	1527.20	22.24	-248.87	-228.56	-249.99	-229.60	1.72	0.60			0.0	0.0	780
0773	40 49.08	106 13.97	8025.0	0	1524.80	25.85	-247.85	-227.35	-248.87	-228.29	1.72	0.70			0.0	0.0	781
0774	40 49.30	106 13.93	8067.0	0	1522.70	27.37	-247.77	-227.16	-248.78	-228.10	1.72	0.70			0.0	0.0	782
0775	40 49.82	106 13.76	8095.0	0	1522.40	28.93	-247.17	-226.49	-248.08	-227.33	1.71	0.80			0.0	0.0	783
0776	40 50.42	106 13.18	8160.0	0	1521.40	33.14	-245.17	-224.32	-245.98	-225.07	1.71	0.90			0.0	0.0	784
0777	40 50.71	106 12.33	8249.0	0	1517.70	37.37	-243.98	-222.90	-244.28	-223.18	1.70	1.40			0.0	0.0	785
0778	40 50.82	106 11.08	8338.0	0	1515.90	43.77	-240.61	-219.31	-240.31	-219.03	1.69	2.00			0.0	0.0	786
0779	40 24.69	106 37.52	9822.0	0	1395.10	101.21	-233.79	-208.69	-232.07	-207.11	1.48	3.20			0.0	0.0	787
0780	40 24.25	106 38.63	9726.0	0	1409.20	106.94	-224.78	-199.93	-224.18	-199.38	1.50	2.10			0.0	0.0	788
0781	40 24.59	106 38.40	9767.0	0	1404.90	105.99	-227.13	-202.18	-226.22	-201.34	1.50	2.40			0.0	0.0	789
0782	40 22.70	106 38.33	9652.0	0	1409.00	102.09	-227.10	-202.44	-226.52	-201.90	1.52	2.10			0.0	0.0	790
0783	40 21.89	106 39.13	9965.0	0	1390.00	113.70	-226.18	-200.72	-224.43	-199.11	1.46	3.20			0.0	0.0	791
0784	40 21.21	106 38.82	9965.0	0	1386.00	110.70	-229.17	-203.71	-227.02	-201.73	1.46	3.60			0.0	0.0	792
0785	40 20.10	106 39.78	9640.0	0	1404.80	100.63	-228.16	-203.53	-227.78	-203.18	1.52	1.90			0.0	0.0	793
0786	40 20.66	106 38.96	9929.0	0	1386.90	109.04	-229.60	-204.24	-228.37	-203.09	1.46	2.70			0.0	0.0	794
0787	40 21.31	106 40.41	9840.0	0	1398.10	110.92	-224.69	-199.55	-223.67	-198.61	1.48	2.50			0.0	0.0	795
0788	40 21.27	106 41.93	10559.0	0	1344.00	124.40	-235.73	-208.75	-226.15	-199.89	1.32	10.90			0.0	0.0	796
0789	40 29.00	106 24.85	8251.0	0	1469.60	21.73	-259.68	-238.60	-260.55	-239.44	1.70	0.80			0.0	0.0	797
0790	40 28.95	106 23.42	8340.0	0	1461.20	21.77	-262.68	-241.37	-263.57	-242.20	1.69	0.80			0.0	0.0	798
0791	40 29.75	106 1.87	9261.0	0	1397.50	43.40	-272.46	-248.80	-271.35	-247.77	1.58	2.70			0.0	0.0	799
0792	40 30.05	106 3.09	9338.0	0	1389.90	42.59	-275.90	-252.04	-274.17	-250.44	1.57	3.30			0.0	0.0	800

MINLAT=39. 15. MAXLAT=41. 0. MINLONG=105. 30. MAXLONG=107. 0. MINELEV=6000. MAXELEV=14000. UNITS= C

BMR= 0.0 GBV=979490.30 MSV=0.0 D1=2.67 D2=2.47 OPTIONS=1010000000 CM= 106 15. REF= 196

STATION	LAT	LONG	ELEV(F)	E	OBS G	FAA	BA2.67	BA(OPT)	CB2.67	CB(OPT)	CC	TC	TCM	FC	DRIFT	TIDE	N
0793	40 29.41	106 2.80	9727.0	0	1367.00	57.18	-274.58	-249.73	-272.98	-248.25	1.50	3.10			0.0	0.0	801
0794	40 28.90	106 3.31	10306.0	0	1328.60	73.92	-277.59	-251.26	-274.17	-248.10	1.38	4.80			0.0	0.0	802
0795	40 28.20	106 3.62	10944.0	0	1282.00	88.27	-284.99	-257.03	-273.51	-246.41	1.22	12.70			0.0	0.0	803
0796	40 28.19	106 2.28	10750.0	0	1300.10	88.17	-278.48	-251.01	-269.95	-243.13	1.27	9.80			0.0	0.0	804
0797	40 28.74	106 1.45	9930.0	0	1352.00	62.24	-276.44	-251.07	-273.40	-248.26	1.46	4.50			0.0	0.0	805
0798	40 28.93	105 59.30	9520.0	0	1387.40	58.85	-265.85	-241.53	-264.79	-240.55	1.54	2.60			0.0	0.0	806
0799	40 28.92	105 58.93	9477.0	0	1392.90	60.32	-262.91	-238.70	-261.76	-237.63	1.55	2.70			0.0	0.0	807
0800	40 29.04	105 57.27	9605.0	0	1387.10	66.37	-261.23	-236.69	-259.55	-235.14	1.53	3.20			0.0	0.0	808
0801	40 28.57	105 57.42	9720.0	0	1379.60	70.37	-261.15	-236.32	-257.86	-233.27	1.50	4.80			0.0	0.0	809
0802	40 28.12	105 56.60	9800.0	0	1373.30	72.25	-262.00	-236.96	-256.29	-231.68	1.49	7.20			0.0	0.0	810
0803	40 27.85	105 56.16	9890.0	0	1364.10	71.90	-265.41	-240.14	-259.78	-234.94	1.47	7.10			0.0	0.0	811
0804	40 24.98	105 59.50	9540.0	0	1372.60	51.79	-273.59	-249.21	-267.12	-243.24	1.54	8.00			0.0	0.0	812
0805	40 24.30	105 58.91	9830.0	0	1351.30	59.24	-276.03	-250.92	-269.71	-245.07	1.48	7.80			0.0	0.0	813
0806	40 23.88	105 58.27	10020.0	0	1338.80	64.71	-277.04	-251.44	-270.68	-245.56	1.44	7.80			0.0	0.0	814
0807	40 23.01	105 57.70	10640.0	0	1307.40	92.83	-270.07	-242.88	-264.67	-237.89	1.30	6.70			0.0	0.0	815
0808	40 24.43	105 57.03	10547.0	0	1302.90	77.49	-282.24	-255.29	-276.76	-250.23	1.33	6.80			0.0	0.0	816
0809	40 24.52	105 56.44	10960.0	0	1285.70	98.94	-274.87	-246.87	-268.79	-241.24	1.22	7.30			0.0	0.0	817
0810	40 24.01	105 55.27	11550.0	0	1249.70	119.10	-274.83	-245.32	-266.88	-237.97	1.05	9.00			0.0	0.0	818
0811	40 26.84	105 59.15	9508.0	0	1385.70	59.12	-265.16	-240.87	-261.61	-237.58	1.54	5.10			0.0	0.0	819
0812	40 32.59	105 55.81	9625.0	0	1402.80	78.67	-249.60	-225.01	-245.93	-221.61	1.52	5.20			0.0	0.0	820
0813	40 42.51	106 5.50	8122.0	0	1508.40	28.34	-248.68	-227.93	-249.09	-228.31	1.71	1.30			0.0	0.0	821
0814	40 41.94	106 5.03	8145.0	0	1505.30	28.25	-249.55	-228.74	-249.96	-229.12	1.71	1.30			0.0	0.0	822
0815	40 41.69	106 3.01	8153.0	0	1504.10	28.17	-249.90	-229.07	-249.91	-229.08	1.71	1.70			0.0	0.0	823
0816	40 40.95	106 3.80	8230.0	0	1495.80	28.20	-252.49	-231.47	-252.60	-231.56	1.70	1.60			0.0	0.0	824
0817	40 40.33	106 4.12	8275.0	0	1489.10	26.65	-255.58	-234.44	-255.58	-234.44	1.70	1.70			0.0	0.0	825
0818	40 40.70	106 2.83	8237.0	0	1495.60	29.03	-251.90	-230.86	-251.41	-230.40	1.70	2.20			0.0	0.0	826
0819	40 40.35	106 1.23	8530.0	0	1476.90	38.38	-252.55	-230.76	-250.33	-228.70	1.68	3.90			0.0	0.0	827
0820	40 39.87	106 2.08	8304.0	0	1487.30	28.76	-254.46	-233.25	-253.36	-232.23	1.70	2.80			0.0	0.0	828
0821	40 39.62	106 1.04	8790.0	0	1466.10	53.09	-246.71	-224.25	-244.76	-222.45	1.65	3.60			0.0	0.0	829
0822	40 39.31	106 0.17	9298.0	0	1427.60	62.77	-254.35	-230.60	-250.93	-227.43	1.58	5.00			0.0	0.0	830
0823	40 38.96	106 1.46	8530.0	0	1469.90	33.44	-257.48	-235.69	-255.76	-234.10	1.68	3.40			0.0	0.0	831
0824	40 38.25	106 1.05	8567.0	0	1465.50	33.58	-258.62	-236.73	-256.79	-235.04	1.67	3.50			0.0	0.0	832
0825	40 36.86	106 0.58	8653.0	0	1458.80	37.02	-258.10	-236.00	-256.57	-234.58	1.66	3.20			0.0	0.0	833
0826	40 36.04	106 0.50	8834.0	0	1445.40	41.84	-259.45	-236.89	-258.60	-236.09	1.64	2.50			0.0	0.0	834
0827	40 35.11	105 59.83	8980.0	0	1435.00	46.54	-259.74	-236.79	-256.66	-233.95	1.62	4.70			0.0	0.0	835
0828	40 34.84	105 59.23	9146.0	0	1423.30	50.83	-261.10	-237.74	-259.91	-236.63	1.60	2.80			0.0	0.0	836
0829	40 34.84	105 58.48	9590.0	0	1398.70	67.94	-259.14	-234.64	-256.67	-232.36	1.53	4.00			0.0	0.0	837
0830	40 35.04	105 57.09	9940.0	0	1382.00	83.82	-255.20	-229.81	-249.36	-224.41	1.46	7.30			0.0	0.0	838
0831	40 35.59	105 56.83	10303.0	0	1359.10	94.19	-257.21	-230.88	-249.49	-223.75	1.38	9.10			0.0	0.0	839
0832	40 34.05	105 50.12	9736.0	0	1406.60	90.73	-241.33	-216.46	-238.13	-213.50	1.50	4.70			0.0	0.0	840
0833	40 33.52	105 49.00	9976.0	0	1393.70	101.16	-239.09	-213.60	-237.04	-211.71	1.45	3.50			0.0	0.0	841
0834	40 31.07	105 46.19	10040.0	0	1387.90	105.01	-237.42	-211.77	-235.46	-209.96	1.44	3.40			0.0	0.0	842
0835	40 31.60	105 47.25	10209.0	0	1376.30	108.49	-239.70	-213.62	-237.20	-211.31	1.40	3.90			0.0	0.0	843
0836	40 32.11	105 47.73	10269.0	0	1373.20	110.27	-239.97	-213.73	-237.46	-211.41	1.39	3.90			0.0	0.0	844
0837	40 32.70	105 47.88	10053.0	0	1379.20	95.11	-247.76	-222.08	-245.40	-219.90	1.44	3.80			0.0	0.0	845
0838	40 30.40	105 46.23	10084.0	0	1385.20	107.44	-236.49	-210.73	-234.53	-208.91	1.43	3.40			0.0	0.0	846
0839	40 30.25	105 47.06	10149.0	0	1379.20	107.76	-238.38	-212.46	-236.20	-210.44	1.42	3.60			0.0	0.0	847
0840	40 28.64	105 49.29	10185.0	0	1365.20	99.54	-247.84	-221.82	-243.85	-218.13	1.41	5.40			0.0	0.0	848
0841	40 22.36	105 52.71	10194.0	0	1334.80	79.31	-268.38	-242.33	-266.08	-240.21	1.41	3.70			0.0	0.0	849
0842	40 23.13	105 52.18	10271.0	0	1327.80	78.40	-271.91	-245.67	-263.60	-237.99	1.39	9.70			0.0	0.0	850

MINLAT=39. 15. MAXLAT=41. 0. MINLONG=105. 30. MAXLONG=107. 0. MINELEV=6000. MAXELEV=14000. UNITS= C

BMR= 0.0 GBV=979490.30 MSV=0.0 D1=2.67 D2=2.47 OPTIONS=1010000000 CM= 106 15. REF= 196

STATION	LAT	LONG	ELEV(F)	E	OBS G	FAA	BA2.67	BA(OPT)	CB2.67	CB(OPT)	CC	TC	TCM	FG	DRIFT	TIDE	N
0843	40 23.67	105 52.32	10263.0	0	1329.00	78.04	-271.99	-245.77	-265.19	-239.48	1.39	8.20			0.0	0.0	851
0844	40 24.37	105 52.36	10245.0	0	1331.30	77.61	-271.81	-245.64	-265.81	-240.08	1.40	7.40			0.0	0.0	852
0845	40 24.84	105 51.76	10234.0	0	1337.80	82.38	-266.67	-240.52	-260.66	-234.97	1.40	7.40			0.0	0.0	853
0846	40 25.51	105 51.73	10231.0	0	1339.90	83.20	-265.74	-239.60	-259.84	-234.14	1.40	7.30			0.0	0.0	854
0847	40 26.20	105 51.99	10221.0	0	1341.40	82.74	-265.86	-239.75	-260.86	-235.12	1.40	6.40			0.0	0.0	855
0848	40 26.92	105 51.61	10211.0	0	1346.40	85.73	-262.53	-236.44	-257.73	-232.01	1.40	6.20			0.0	0.0	856
0849	40 27.59	105 51.82	10201.0	0	1349.70	87.10	-260.82	-234.76	-256.43	-230.70	1.41	5.80			0.0	0.0	857
0850	40 27.84	105 49.82	10191.0	0	1348.50	84.59	-262.99	-236.96	-257.90	-232.25	1.41	6.50			0.0	0.0	858
0851	40 28.20	105 49.12	10185.0	0	1355.00	89.99	-257.38	-231.36	-252.89	-227.21	1.41	5.90			0.0	0.0	859
0852	40 29.19	105 48.83	10160.0	0	1369.40	100.57	-245.95	-219.99	-241.17	-215.57	1.41	6.20			0.0	0.0	860
0853	40 29.79	105 47.88	10103.0	0	1378.30	103.23	-241.35	-215.54	-237.58	-212.05	1.43	5.20			0.0	0.0	861
0854	40 43.53	106 22.48	8273.0	0	1492.00	24.61	-257.56	-236.42	-258.66	-237.44	1.70	0.60			0.0	0.0	862
0855	40 44.19	106 24.81	8038.0	0	1510.70	20.25	-253.90	-233.37	-255.22	-234.58	1.72	0.40			0.0	0.0	863
0856	40 44.77	106 25.44	8121.0	0	1505.00	21.48	-255.50	-234.75	-256.71	-235.87	1.71	0.50			0.0	0.0	864
0857	40 46.29	106 23.73	8050.0	0	1510.60	18.15	-256.41	-235.84	-257.72	-237.06	1.72	0.40			0.0	0.0	865
0858	40 47.02	106 23.76	8040.0	0	1511.40	16.92	-257.29	-236.75	-258.61	-237.97	1.72	0.40			0.0	0.0	866
0859	40 48.01	106 23.80	8052.0	0	1512.10	17.28	-257.35	-236.78	-258.66	-237.99	1.72	0.40			0.0	0.0	867
0860	40 49.30	106 23.89	8055.0	0	1515.00	18.54	-256.19	-235.61	-257.40	-236.73	1.72	0.50			0.0	0.0	868
0861	40 49.79	106 23.04	8090.0	0	1514.20	20.30	-255.62	-234.95	-256.83	-236.08	1.71	0.50			0.0	0.0	869
0862	40 50.53	106 23.55	8161.0	0	1513.30	24.97	-253.37	-232.52	-254.58	-233.64	1.71	0.50			0.0	0.0	870
0863	40 50.92	106 24.10	8228.0	0	1510.10	27.48	-253.14	-232.12	-254.35	-233.24	1.70	0.50			0.0	0.0	871
0864	40 51.25	106 22.87	7993.0	0	1524.50	19.31	-253.30	-232.88	-254.52	-234.01	1.72	0.50			0.0	0.0	872
0865	40 50.75	106 21.69	7936.0	0	1525.20	15.40	-255.27	-234.99	-256.49	-236.12	1.72	0.50			0.0	0.0	873
0866	40 50.08	106 21.39	7899.0	0	1525.50	13.23	-256.18	-236.00	-257.41	-237.13	1.72	0.50			0.0	0.0	874
0867	40 49.09	106 21.74	8035.0	0	1517.00	18.98	-255.07	-234.54	-256.39	-235.76	1.72	0.40			0.0	0.0	875
0868	40 49.10	106 22.67	8054.0	0	1516.10	19.85	-254.85	-234.27	-256.16	-235.49	1.72	0.40			0.0	0.0	876
0869	40 50.31	106 24.85	8175.0	0	1511.50	24.81	-254.01	-233.12	-255.22	-234.24	1.71	0.50			0.0	0.0	877
0870	40 49.70	106 28.85	8119.0	0	1521.30	30.26	-246.65	-225.91	-247.66	-226.84	1.71	0.70			0.0	0.0	878
0871	40 49.28	106 30.40	8098.0	0	1528.60	36.21	-239.98	-219.29	-240.60	-219.86	1.71	1.10			0.0	0.0	879
0872	40 48.55	106 29.79	8100.0	0	1524.10	32.99	-243.28	-222.58	-243.69	-222.96	1.71	1.30			0.0	0.0	880
0873	40 48.13	106 29.05	8095.0	0	1519.20	28.24	-247.85	-227.17	-248.66	-227.92	1.71	0.90			0.0	0.0	881
0874	40 47.61	106 28.15	8125.0	0	1512.50	25.13	-251.98	-231.22	-252.99	-232.16	1.71	0.70			0.0	0.0	882
0875	40 47.35	106 28.93	8052.0	0	1517.80	23.96	-250.66	-230.09	-251.58	-230.94	1.72	0.80			0.0	0.0	883
0876	40 46.56	106 28.50	8072.0	0	1514.60	23.82	-251.49	-230.87	-251.81	-231.16	1.71	1.40			0.0	0.0	884
0877	40 45.96	106 27.98	8058.0	0	1514.40	23.19	-251.64	-231.05	-252.55	-231.90	1.72	0.80			0.0	0.0	885
0878	40 46.95	106 27.49	8045.0	0	1513.70	19.80	-254.59	-234.03	-255.70	-235.07	1.72	0.60			0.0	0.0	886
0879	40 55.05	106 36.02	9144.0	0	1485.20	82.49	-229.38	-206.02	-228.98	-205.65	1.60	2.00			0.0	0.0	887
0880	40 54.08	106 35.60	8951.0	0	1492.80	73.40	-231.89	-209.02	-230.31	-207.56	1.63	3.20			0.0	0.0	888
0881	40 53.61	106 34.49	8599.0	0	1512.80	61.03	-232.25	-210.28	-231.62	-209.70	1.67	2.30			0.0	0.0	889
0882	40 51.25	106 35.65	8940.0	0	1494.40	78.18	-226.73	-203.89	-225.66	-202.90	1.63	2.70			0.0	0.0	890
0883	40 52.68	106 35.09	8715.0	0	1502.70	63.22	-234.02	-211.76	-233.38	-211.16	1.66	2.30			0.0	0.0	891
0884	40 52.87	106 34.91	8700.0	0	1504.10	62.92	-233.80	-211.58	-233.26	-211.08	1.66	2.20			0.0	0.0	892
0885	40 52.83	106 33.90	8560.0	0	1510.80	56.53	-235.42	-213.55	-235.49	-213.62	1.67	1.60			0.0	0.0	893
0886	40 52.05	106 33.78	8540.0	0	1510.70	55.71	-235.56	-213.74	-235.53	-213.72	1.68	1.70			0.0	0.0	894
0887	40 51.39	106 33.44	8518.0	0	1510.30	54.23	-236.29	-214.53	-236.27	-214.51	1.68	1.70			0.0	0.0	895
0888	40 49.89	106 34.13	8530.0	0	1504.80	52.09	-238.84	-217.05	-238.22	-216.47	1.68	2.30			0.0	0.0	896
0889	40 50.84	106 34.70	8868.0	0	1488.80	66.43	-236.03	-213.37	-234.87	-212.30	1.64	2.80			0.0	0.0	897
0890	40 50.44	106 35.80	9590.0	0	1447.30	93.34	-233.74	-209.24	-231.17	-206.86	1.53	4.10			0.0	0.0	898
0891	40 50.90	106 32.62	8409.0	0	1515.40	49.82	-236.98	-215.50	-236.77	-215.30	1.69	1.90			0.0	0.0	899
0892	40 50.11	106 32.32	8410.0	0	1511.60	47.29	-239.55	-218.06	-239.54	-218.05	1.69	1.70			0.0	0.0	900

MINLAT=39. 15. MAXLAT=41. 0. MINLONG=105. 30. MAXLONG=107. 0. MINELEV=6000. MAXELEV=14000. UNITS= C

BMR= 0.0 GBV=979490.30 MSV=0.0 D1=2.67 D2=2.47 OPTIONS=1010000000 CM= 106 15. REF= 196

STATION	LAT	LONG	ELEV(F)	E	OBS G	FAA	BA2.67	BA(OPT)	CB2.67	CB(OPT)	CC	TC	TCM	FC	DRIFT	TIDE	N
0893	40 49.12	106 31.64	8396.0	0	1507.40	43.25	-243.11	-221.66	-243.40	-221.93	1.69	1.40			0.0	0.0	901
0894	40 48.40	106 31.15	8375.0	0	1507.60	42.54	-243.10	-221.70	-243.69	-222.25	1.69	1.10			0.0	0.0	902
0895	40 48.45	106 32.02	8314.0	0	1509.00	38.14	-245.42	-224.18	-245.92	-224.64	1.70	1.20			0.0	0.0	903
0896	40 47.34	106 31.90	8326.0	0	1502.90	34.82	-249.15	-227.88	-249.55	-228.25	1.70	1.30			0.0	0.0	904
0897	40 46.63	106 31.41	8283.0	0	1502.00	30.93	-251.57	-230.41	-250.97	-229.85	1.70	2.30			0.0	0.0	905
0898	40 45.99	106 31.00	8270.0	0	1500.20	28.87	-253.20	-232.07	-252.70	-231.61	1.70	2.20			0.0	0.0	906
0899	40 45.55	106 30.42	8223.0	0	1501.30	26.21	-254.25	-233.25	-253.86	-232.88	1.70	2.10			0.0	0.0	907
0900	40 45.16	106 28.80	8190.0	0	1510.70	33.08	-246.25	-225.32	-246.36	-225.42	1.71	1.60			0.0	0.0	908
0901	40 46.47	106 29.11	8170.0	0	1511.80	30.36	-248.29	-227.42	-248.80	-227.89	1.71	1.20			0.0	0.0	909
0902	40 46.30	106 29.61	8243.0	0	1509.00	34.67	-246.47	-225.41	-246.57	-225.51	1.70	1.60			0.0	0.0	910
0903	40 47.86	106 30.61	8460.0	0	1502.60	46.33	-242.21	-220.59	-242.49	-220.86	1.68	1.40			0.0	0.0	911
0904	40 49.80	106 31.13	8103.0	0	1532.80	40.11	-236.26	-215.56	-235.97	-215.29	1.71	2.00			0.0	0.0	912
0905	40 50.49	106 30.79	8153.0	0	1530.10	41.08	-236.99	-216.16	-237.60	-216.73	1.71	1.10			0.0	0.0	913
0906	40 51.10	106 30.97	8175.0	0	1533.00	45.14	-233.68	-212.80	-234.29	-213.36	1.71	1.10			0.0	0.0	914
0907	40 51.94	106 31.25	8154.0	0	1534.50	43.41	-234.69	-213.86	-235.20	-214.33	1.71	1.20			0.0	0.0	915
0908	40 51.15	106 31.51	8143.0	0	1538.30	47.36	-230.37	-209.57	-230.38	-209.58	1.71	1.70			0.0	0.0	916
0909	40 51.98	106 31.97	8119.0	0	1541.10	46.67	-230.24	-209.50	-228.86	-208.22	1.71	3.10			0.0	0.0	917
0910	40 52.43	106 32.95	8710.0	0	1507.00	67.42	-229.65	-207.40	-228.91	-206.71	1.66	2.40			0.0	0.0	918
0911	40 53.15	106 33.19	8530.0	0	1516.10	58.54	-232.39	-210.60	-232.07	-210.30	1.68	2.00			0.0	0.0	919
0912	40 57.32	106 37.82	9094.0	0	1503.50	92.71	-217.46	-194.22	-216.56	-193.40	1.61	2.50			0.0	0.0	920
0913	40 57.10	106 36.81	8951.0	0	1510.70	86.81	-218.48	-195.61	-217.91	-195.09	1.63	2.20			0.0	0.0	921
0914	40 56.99	106 19.90	7926.0	0	1557.80	37.78	-232.55	-212.30	-233.08	-212.79	1.72	1.20			0.0	0.0	922
0915	40 57.58	106 19.31	8370.0	0	1536.90	57.71	-227.76	-206.38	-228.05	-206.65	1.69	1.40			0.0	0.0	923
0916	40 58.09	106 18.64	8616.0	0	1522.00	65.16	-228.70	-206.69	-229.07	-207.03	1.67	1.30			0.0	0.0	924
0917	40 58.85	106 18.40	8433.0	0	1538.70	63.54	-224.08	-202.54	-225.07	-203.45	1.69	0.70			0.0	0.0	925
0918	40 59.08	106 19.08	8455.0	0	1540.60	67.16	-221.21	-199.61	-222.10	-200.52	1.68	0.70			0.0	0.0	926
0919	40 58.84	106 20.00	8371.0	0	1545.30	64.33	-221.18	-199.79	-220.97	-199.60	1.69	1.90			0.0	0.0	927
0920	40 58.75	106 20.69	7766.0	0	1579.80	42.12	-222.75	-202.91	-221.98	-202.20	1.73	2.50			0.0	0.0	928
0921	40 58.64	106 17.05	8380.0	0	1539.20	59.37	-226.44	-205.03	-226.83	-205.39	1.69	1.30			0.0	0.0	929
0922	40 59.21	106 16.10	8720.0	0	1522.30	73.56	-223.85	-201.57	-224.60	-202.27	1.66	0.90			0.0	0.0	930
0923	40 59.90	106 16.25	8900.0	0	1522.70	89.84	-213.70	-190.97	-214.24	-191.46	1.63	1.10			0.0	0.0	931
0924	40 59.43	106 15.41	8828.0	0	1518.80	79.88	-221.21	-198.66	-221.96	-199.35	1.64	0.90			0.0	0.0	932
0925	40 58.85	106 15.17	8529.0	0	1530.80	64.66	-226.24	-204.45	-226.42	-204.61	1.68	1.50			0.0	0.0	933
0926	40 4.19	106 21.10	7716.0	0	1562.50	101.17	-161.99	-142.28	-162.73	-142.96	1.73	1.00			0.0	0.0	934
0927	40 5.28	106 20.02	7932.0	0	1446.80	4.15	-266.38	-246.12	-266.80	-246.51	1.72	1.20			0.0	0.0	935
0928	40 6.15	106 20.02	7696.0	0	1467.30	1.19	-261.29	-241.63	-262.33	-242.59	1.73	0.70			0.0	0.0	936
0929	40 7.23	106 20.02	7808.0	0	1459.40	2.21	-264.09	-244.14	-265.12	-245.10	1.73	0.70			0.0	0.0	937
0930	40 7.90	106 20.02	7864.0	0	1456.30	3.38	-264.83	-244.74	-265.86	-245.69	1.73	0.70			0.0	0.0	938
0931	40 8.78	106 20.02	7833.0	0	1463.60	6.46	-260.69	-240.68	-261.72	-241.63	1.73	0.70			0.0	0.0	939
0932	40 8.64	106 18.79	7700.0	0	1471.70	2.27	-260.35	-240.67	-261.18	-241.44	1.73	0.90			0.0	0.0	940
0933	40 9.50	106 18.77	7776.0	0	1468.60	5.04	-260.17	-240.31	-260.90	-240.98	1.73	1.00			0.0	0.0	941
0934	40 11.26	106 19.58	8010.0	0	1453.30	9.12	-264.08	-243.61	-264.70	-244.19	1.72	1.10			0.0	0.0	942
0935	40 10.39	106 18.42	7858.0	0	1462.60	5.43	-262.58	-242.51	-263.11	-243.00	1.73	1.20			0.0	0.0	943
0936	40 12.54	106 19.83	8332.0	0	1439.80	23.97	-260.21	-238.92	-260.60	-239.29	1.70	1.30			0.0	0.0	944
0937	40 13.88	106 19.58	8859.0	0	1404.10	35.79	-266.36	-243.73	-265.40	-242.84	1.64	2.60			0.0	0.0	945
0938	40 13.58	106 21.49	8014.0	0	1461.80	14.55	-258.78	-238.30	-258.00	-237.58	1.72	2.50			0.0	0.0	946
0939	40 14.42	106 22.40	7933.0	0	1469.30	13.20	-257.37	-237.10	-256.49	-236.29	1.72	2.60			0.0	0.0	947
0940	40 15.61	106 22.99	8118.0	0	1457.00	16.51	-260.36	-239.62	-258.98	-238.34	1.71	3.10			0.0	0.0	948
0941	40 16.49	106 23.00	8288.0	0	1448.80	22.98	-259.70	-238.52	-258.00	-236.95	1.70	3.40			0.0	0.0	949
0942	40 17.34	106 23.02	8862.0	0	1415.40	42.24	-260.01	-237.37	-258.45	-235.93	1.64	3.20			0.0	0.0	950

MINLAT=39. 15. MAXLAT=41. 0. MINLONG=105. 30. MAXLONG=107. 0. MINELEV=6000. MAXELEV=14000. UNITS= C

BMR= 0.0 GBV=979490.30 MSV=0.0 D1=2.67 D2=2.47 OPTIONS=1010000000 CM= 106 15. REF= 196

STATION	LAT	LONG	ELEV(F)	E	OBS G	FAA	BA2.67	BA(OPT)	CB2.67	CB(OPT)	CC	TC	TCM	FG	DRIFT	TIDE	N
0943	40 13.36	106 22.80	7723.0	0	1479.10	4.84	-258.57	-238.84	-258.40	-238.68	1.73	1.90			0.0	0.0	951
0944	40 4.32	106 17.65	7498.0	0	1476.10	-5.90	-261.63	-242.48	-262.47	-243.25	1.74	0.90			0.0	0.0	952
0945	40 5.21	106 16.90	7450.0	0	1483.70	-4.13	-258.23	-239.19	-258.76	-239.69	1.74	1.20			0.0	0.0	953
0946	40 6.08	106 16.50	7582.0	0	1475.90	-0.82	-259.41	-240.04	-259.75	-240.35	1.74	1.40			0.0	0.0	954
0947	40 6.97	106 16.52	7614.0	0	1474.90	-0.13	-259.82	-240.37	-260.05	-240.58	1.74	1.50			0.0	0.0	955
0948	40 8.09	106 16.86	7656.0	0	1472.90	0.16	-260.96	-241.40	-261.10	-241.53	1.73	1.60			0.0	0.0	956
0949	40 8.65	106 17.35	7684.0	0	1473.10	2.16	-259.92	-240.29	-260.25	-240.59	1.73	1.40			0.0	0.0	957
0950	40 9.52	106 17.52	7750.0	0	1466.90	0.87	-263.46	-243.66	-263.79	-243.96	1.73	1.40			0.0	0.0	958
0951	40 13.43	106 12.55	8287.0	0	1434.80	13.42	-269.22	-248.05	-266.32	-245.36	1.70	4.60			0.0	0.0	959
0952	40 14.22	106 12.55	8287.0	0	1435.30	12.75	-269.89	-248.72	-267.69	-246.68	1.70	3.90			0.0	0.0	960
0953	40 12.76	106 13.40	8282.0	0	1434.80	13.95	-268.52	-247.37	-266.52	-245.51	1.70	3.70			0.0	0.0	961
0954	40 11.98	106 13.18	8229.0	0	1436.20	11.52	-269.14	-248.12	-267.14	-246.27	1.70	3.70			0.0	0.0	962
0955	40 10.91	106 14.03	8136.0	0	1440.60	8.77	-268.72	-247.93	-265.83	-245.26	1.71	4.60			0.0	0.0	963
0956	40 10.58	106 15.13	8128.0	0	1440.20	8.11	-269.11	-248.34	-266.02	-245.48	1.71	4.80			0.0	0.0	964
0957	40 10.37	106 16.20	7967.0	0	1450.10	3.20	-268.53	-248.18	-265.85	-245.70	1.72	4.40			0.0	0.0	965
0958	40 5.23	106 13.10	7685.0	0	1456.10	-9.68	-271.79	-252.16	-271.82	-252.19	1.73	1.70			0.0	0.0	966
0959	40 5.22	106 11.98	7950.0	0	1441.50	0.63	-270.52	-250.21	-270.84	-250.50	1.72	1.40			0.0	0.0	967
0960	40 5.22	106 10.87	7926.0	0	1442.70	0.58	-269.75	-249.50	-269.08	-248.88	1.72	2.40			0.0	0.0	968
0961	40 6.10	106 10.85	8070.0	0	1431.40	0.50	-274.74	-254.12	-273.65	-253.12	1.71	2.80			0.0	0.0	969
0962	40 6.96	106 10.82	8736.0	0	1390.60	21.00	-276.96	-254.64	-275.81	-253.58	1.65	2.80			0.0	0.0	970
0963	40 9.12	106 13.98	10173.0	0	1305.30	67.47	-279.49	-253.50	-272.41	-246.95	1.41	8.50			0.0	0.0	971
0964	40 9.28	106 13.18	10574.0	0	1276.20	75.80	-284.84	-257.83	-275.46	-249.15	1.32	10.70			0.0	0.0	972
0965	40 9.79	106 13.50	10440.0	0	1285.80	72.06	-284.02	-257.34	-274.67	-248.70	1.35	10.70			0.0	0.0	973
0966	40 11.41	106 13.32	10533.0	0	1286.10	78.69	-280.56	-253.65	-272.98	-246.64	1.33	8.90			0.0	0.0	974
0967	40 11.70	106 14.45	11255.0	0	1225.00	84.96	-298.90	-270.15	-275.24	-248.26	1.14	24.80			0.0	0.0	975
0968	40 52.33	106 21.47	8014.0	0	1524.40	19.58	-253.75	-233.27	-254.97	-234.40	1.72	0.50			0.0	0.0	976
0969	40 53.49	106 22.30	8054.0	0	1528.00	25.21	-249.48	-228.91	-250.10	-229.48	1.72	1.10			0.0	0.0	977
0970	40 54.37	106 24.61	8558.0	0	1502.00	45.25	-246.63	-224.77	-246.41	-224.56	1.67	1.90			0.0	0.0	978
0971	40 55.07	106 24.43	9427.0	0	1449.50	73.34	-248.18	-224.10	-242.64	-218.97	1.56	7.10			0.0	0.0	979
0972	40 55.31	106 25.49	8580.0	0	1505.80	49.72	-242.92	-221.00	-241.79	-219.95	1.67	2.80			0.0	0.0	980
0973	40 56.17	106 25.38	8305.0	0	1533.80	50.60	-232.65	-211.43	-232.15	-210.97	1.70	2.20			0.0	0.0	981
0974	40 56.67	106 25.51	8202.0	0	1545.50	51.88	-227.86	-206.91	-227.67	-206.73	1.71	1.90			0.0	0.0	982
0975	40 57.15	106 26.61	8396.0	0	1538.30	62.19	-224.16	-202.71	-223.35	-201.96	1.69	2.50			0.0	0.0	983
0976	40 57.59	106 25.68	8233.0	0	1544.50	52.43	-228.37	-207.34	-228.68	-207.62	1.70	1.40			0.0	0.0	984
0977	40 57.88	106 24.60	8127.0	0	1542.30	39.84	-237.35	-216.59	-238.26	-217.43	1.71	0.80			0.0	0.0	985
0978	40 57.87	106 23.44	7990.0	0	1554.00	38.68	-233.83	-213.42	-234.85	-214.36	1.72	0.70			0.0	0.0	986
0979	40 58.18	106 30.41	8658.0	0	1529.60	76.57	-218.72	-196.60	-218.69	-196.57	1.66	1.70			0.0	0.0	987
0980	40 56.18	106 32.62	8976.0	0	1513.10	92.92	-213.22	-190.29	-211.54	-188.74	1.62	3.30			0.0	0.0	988
0981	40 53.49	106 31.61	8315.0	0	1538.50	60.23	-223.36	-202.12	-223.26	-202.02	1.70	1.80			0.0	0.0	989
0982	40 52.84	106 31.80	8281.0	0	1536.00	55.51	-226.93	-205.77	-227.03	-205.87	1.70	1.60			0.0	0.0	990
0983	40 53.75	106 27.33	8837.0	0	1486.40	56.78	-244.62	-222.04	-244.36	-221.80	1.64	1.90			0.0	0.0	991
0984	40 54.71	106 27.24	9513.0	0	1447.40	79.85	-244.60	-220.30	-242.04	-217.93	1.54	4.10			0.0	0.0	992
0985	40 55.70	106 27.92	9480.0	0	1461.40	89.28	-234.05	-209.83	-232.30	-208.21	1.55	3.30			0.0	0.0	993
0986	40 54.34	106 26.39	9724.0	0	1428.50	81.32	-250.33	-225.49	-244.53	-220.12	1.50	7.30			0.0	0.0	994
0987	40 53.46	106 25.78	8890.0	0	1479.40	55.19	-248.01	-225.30	-247.75	-225.06	1.64	1.90			0.0	0.0	995
0988	40 52.91	106 25.29	8705.0	0	1488.10	47.33	-249.56	-227.32	-249.32	-227.10	1.66	1.90			0.0	0.0	996
0989	40 52.94	106 23.03	8186.0	0	1516.00	26.43	-252.76	-231.85	-253.77	-232.79	1.71	0.70			0.0	0.0	997
0990	40 57.19	106 23.61	8085.0	0	1546.50	41.12	-234.64	-213.98	-235.65	-214.97	1.71	0.70			0.0	0.0	998
0991	40 56.96	106 24.35	8200.0	0	1537.30	43.06	-236.61	-215.66	-237.22	-216.22	1.71	1.10			0.0	0.0	999
0992	40 56.28	106 23.83	8400.0	0	1525.10	50.67	-235.83	-214.37	-235.92	-214.45	1.69	1.60			0.0	0.0	1000

MINLAT=39. 15. MAXLAT=41. 0. MINLONG=105. 30. MAXLONG=107. 0. MINELEV=6000. MAXELEV=14000. UNITS= C

BMR= 0.0 GBV=979490.30 MSV=0.0 D1=2.67 D2=2.47 OPTIONS=1010000000 CM= 106 15. REF= 196

STATION	LAT	LONG	ELEV(F)	E	OBS G	FAA	BA2.67	BA(OPT)	CB2.67	CB(OPT)	CC	TC	TCM	FG	DRIFT	TIDE	N
0993	40 56.42	106 22.98	8267.0	0	1534.40	47.26	-234.70	-213.58	-235.40	-214.23	1.70	1.00			0.0	0.0	1001
0994	40 58.22	106 23.89	7992.0	0	1562.60	46.95	-225.63	-205.22	-226.65	-206.16	1.72	0.70			0.0	0.0	1002
0995	40 59.20	106 25.15	7995.0	0	1557.20	40.37	-232.31	-211.89	-233.23	-212.74	1.72	0.80			0.0	0.0	1003
0996	40 59.18	106 26.66	8067.0	0	1552.70	42.66	-232.47	-211.87	-232.59	-211.97	1.72	1.60			0.0	0.0	1004
0997	40 59.28	106 27.45	8280.0	0	1549.60	59.42	-222.98	-201.82	-220.48	-199.51	1.70	4.20			0.0	0.0	1005
0998	40 58.48	106 25.95	8187.0	0	1547.80	50.08	-229.15	-208.24	-229.46	-208.52	1.71	1.40			0.0	0.0	1006
0999	40 59.70	106 22.85	7994.0	0	1572.00	54.33	-218.32	-197.89	-219.44	-198.93	1.72	0.60			0.0	0.0	1007
1000	40 44.95	106 12.51	8240.0	0	1502.60	29.99	-251.04	-229.99	-252.15	-231.01	1.70	0.60			0.0	0.0	1008
1001	40 44.82	106 10.38	8142.0	0	1508.70	27.08	-250.62	-229.81	-251.53	-230.66	1.71	0.80			0.0	0.0	1009
1002	40 44.14	106 9.31	8202.0	0	1505.80	30.83	-248.91	-227.96	-249.92	-228.89	1.71	0.70			0.0	0.0	1010
1003	40 43.80	106 8.62	8365.0	0	1495.00	35.85	-249.45	-228.08	-250.35	-228.91	1.69	0.80			0.0	0.0	1011
1004	40 43.73	106 7.23	8149.0	0	1506.90	27.56	-250.37	-229.56	-251.08	-230.21	1.71	1.00			0.0	0.0	1012
1005	40 44.50	106 6.74	8106.0	0	1514.20	29.67	-246.79	-226.09	-247.41	-226.65	1.71	1.10			0.0	0.0	1013
1006	40 45.51	106 7.21	8065.0	0	1519.80	29.92	-245.15	-224.54	-245.66	-225.02	1.72	1.20			0.0	0.0	1014
1007	40 45.29	106 8.26	8106.0	0	1515.00	29.30	-247.17	-226.46	-247.98	-227.21	1.71	0.90			0.0	0.0	1015
1008	40 46.07	106 8.36	8100.0	0	1518.70	31.27	-244.99	-224.29	-245.70	-224.95	1.71	1.00			0.0	0.0	1016
1009	40 45.48	106 9.40	8226.0	0	1506.50	31.79	-248.77	-227.75	-249.67	-228.59	1.70	0.80			0.0	0.0	1017
1010	40 18.70	106 2.95	8843.0	0	1409.20	32.24	-269.37	-246.77	-266.31	-243.94	1.64	4.70			0.0	0.0	1018
1011	40 19.02	106 2.32	8888.0	0	1407.30	34.09	-269.05	-246.34	-265.59	-243.14	1.64	5.10			0.0	0.0	1019
1012	40 18.70	106 1.38	9310.0	0	1381.85	48.76	-268.78	-244.99	-267.35	-243.67	1.58	3.00			0.0	0.0	1020
1013	40 18.19	106 1.19	9671.0	0	1358.70	60.27	-269.57	-244.87	-267.89	-243.31	1.51	3.20			0.0	0.0	1021
1014	40 19.77	106 1.22	9001.0	0	1402.60	38.89	-268.10	-245.11	-265.52	-242.72	1.62	4.20			0.0	0.0	1022
1015	40 19.65	106 0.26	9135.0	0	1393.70	42.76	-268.80	-245.47	-265.41	-242.32	1.60	5.00			0.0	0.0	1023
1016	40 18.98	106 14.03	9235.0	0	1387.30	46.75	-268.23	-244.63	-265.82	-242.40	1.59	4.00			0.0	0.0	1024
1017	40 18.62	106 13.32	9359.0	0	1380.20	51.83	-267.38	-243.47	-264.94	-241.22	1.57	4.00			0.0	0.0	1025
1018	40 18.02	106 12.69	9662.0	0	1361.80	62.78	-266.76	-242.08	-264.97	-240.42	1.52	3.30			0.0	0.0	1026
1019	40 17.59	106 3.11	9003.0	0	1398.40	38.11	-268.95	-245.95	-267.87	-244.95	1.62	2.70			0.0	0.0	1027
1020	40 16.92	106 1.45	10003.0	0	1358.60	93.24	-247.93	-222.37	-242.68	-217.52	1.45	6.70			0.0	0.0	1028
1021	40 16.23	106 4.24	8804.0	0	1407.00	30.04	-270.24	-247.74	-269.18	-246.77	1.65	2.70			0.0	0.0	1029
1022	40 16.22	106 3.57	8920.0	0	1399.00	32.95	-271.28	-248.49	-269.01	-246.39	1.63	3.90			0.0	0.0	1030
1023	40 18.44	106 5.79	9652.0	0	1360.50	59.92	-269.28	-244.62	-264.80	-240.47	1.52	6.00			0.0	0.0	1031
1024	40 18.53	106 6.68	10082.0	0	1334.60	74.27	-269.59	-243.83	-265.42	-239.98	1.43	5.60			0.0	0.0	1032
1025	40 14.98	106 5.00	8608.0	0	1415.90	22.38	-271.21	-249.22	-269.48	-247.62	1.67	3.40			0.0	0.0	1033
1026	40 15.32	106 6.06	8725.0	0	1408.90	25.87	-271.71	-249.42	-269.67	-247.53	1.66	3.70			0.0	0.0	1034
1027	40 28.71	106 15.68	8706.0	0	1448.70	44.01	-252.92	-230.68	-253.28	-231.01	1.66	1.30			0.0	0.0	1035
1028	40 28.48	106 16.51	8768.0	0	1445.20	46.68	-252.37	-229.97	-252.42	-230.02	1.65	1.60			0.0	0.0	1036
1029	40 28.47	106 17.54	8543.0	0	1457.40	37.75	-253.62	-231.79	-253.10	-231.31	1.68	2.20			0.0	0.0	1037
1030	40 29.03	106 17.96	8744.0	0	1445.90	44.30	-253.92	-231.58	-253.28	-230.99	1.65	2.30			0.0	0.0	1038
1031	40 29.69	106 19.13	8385.0	0	1465.60	29.30	-256.69	-235.26	-257.08	-235.63	1.69	1.30			0.0	0.0	1039
1032	40 29.83	106 20.21	8309.0	0	1465.40	21.75	-261.64	-240.41	-262.54	-241.24	1.70	0.80			0.0	0.0	1040
1033	40 29.69	106 21.04	8325.0	0	1463.30	21.36	-262.58	-241.31	-263.47	-242.14	1.70	0.80			0.0	0.0	1041
1034	40 28.90	106 21.10	8409.0	0	1454.70	21.83	-264.98	-243.49	-265.26	-243.76	1.69	1.40			0.0	0.0	1042
1035	40 27.94	106 20.98	8760.0	0	1433.00	34.52	-264.25	-241.87	-264.10	-241.73	1.65	1.80			0.0	0.0	1043
1036	40 27.98	106 21.81	8542.0	0	1443.70	24.69	-266.65	-244.83	-267.03	-245.18	1.68	1.30			0.0	0.0	1044
1037	40 26.79	106 21.04	8800.0	0	1432.10	39.09	-261.05	-238.57	-260.39	-237.96	1.65	2.30			0.0	0.0	1045
1038	40 26.08	106 22.00	8935.0	0	1425.40	46.13	-258.62	-235.79	-258.75	-235.91	1.63	1.50			0.0	0.0	1046
1039	40 25.23	106 21.87	9206.0	0	1408.70	56.15	-257.84	-234.32	-257.43	-233.94	1.59	2.00			0.0	0.0	1047
1040	40 24.51	106 21.90	9286.0	0	1403.50	59.53	-257.18	-233.46	-256.56	-232.89	1.58	2.20			0.0	0.0	1048
1041	40 23.52	106 20.71	9533.0	0	1384.50	65.20	-259.94	-235.58	-257.18	-233.03	1.54	4.30			0.0	0.0	1049
1042	40 24.66	106 20.69	9790.0	0	1368.30	71.45	-262.46	-237.45	-259.65	-234.85	1.49	4.30			0.0	0.0	1050

MINLAT=39. 15. MAXLAT=41. 0. MINLONG=105. 30. MAXLONG=107. 0. MINELEV=6000. MAXELEV=14000. UNITS= C

BMR= 0.0 GBV=979490.30 MSV=0.0 D1=2.67 D2=2.47 OPTIONS=1010000000 CM= 106 15. REF= 196

STATION	LAT	LONG	ELEV(F)	E	OBS G	FAA	BA2.67	BA(OPT)	CB2.67	CB(OPT)	CC	TC	TCM	FC	DRIFT	TIDE	N
1043	40 27.32	106 19.83	8627.0	0	1443.50	33.45	-260.79	-238.75	-260.55	-238.53	1.67	1.90			0.0	0.0	1051
1044	40 26.93	106 18.60	8873.0	0	1428.50	42.14	-260.49	-237.82	-259.33	-236.74	1.64	2.80			0.0	0.0	1052
1045	40 26.77	106 16.52	8820.0	0	1438.90	47.80	-253.02	-230.49	-252.37	-229.88	1.64	2.30			0.0	0.0	1053
1046	40 27.77	106 17.38	8669.0	0	1445.30	38.53	-257.14	-234.99	-257.30	-235.14	1.66	1.50			0.0	0.0	1054
1047	40 29.90	106 15.08	8906.0	0	1434.90	47.23	-256.52	-233.77	-254.96	-232.32	1.63	3.20			0.0	0.0	1055
1048	40 27.31	106 15.70	8938.0	0	1432.50	51.68	-253.16	-230.33	-252.09	-229.34	1.63	2.70			0.0	0.0	1056
1049	40 25.80	106 15.53	9307.0	0	1407.60	63.69	-253.74	-229.97	-252.42	-228.74	1.58	2.90			0.0	0.0	1057
1050	40 24.85	106 28.73	8608.0	0	1440.80	32.63	-260.95	-238.96	-261.42	-239.40	1.67	1.20			0.0	0.0	1058
1051	40 23.71	106 28.54	8850.0	0	1423.70	39.96	-261.88	-239.27	-262.62	-239.96	1.64	0.90			0.0	0.0	1059
1052	40 22.76	106 26.89	8919.0	0	1418.60	42.75	-261.44	-238.66	-261.38	-238.60	1.63	1.70			0.0	0.0	1060
1053	40 21.03	106 26.20	9917.0	0	1350.50	70.96	-267.27	-241.94	-261.14	-236.26	1.47	7.60			0.0	0.0	1061
1054	40 21.40	106 25.33	9713.0	0	1368.50	69.25	-262.02	-237.21	-260.83	-236.10	1.51	2.70			0.0	0.0	1062
1055	40 20.43	106 24.19	10151.0	0	1337.90	81.23	-264.98	-239.05	-261.50	-235.83	1.42	4.90			0.0	0.0	1063
1056	40 20.70	106 23.40	10894.0	0	1285.70	98.41	-273.14	-245.31	-266.58	-239.24	1.24	7.80			0.0	0.0	1064
1057	40 21.23	106 22.65	10892.0	0	1288.50	100.24	-271.25	-243.42	-264.99	-237.63	1.24	7.50			0.0	0.0	1065
1058	40 21.90	106 22.75	10553.0	0	1310.10	89.01	-270.92	-243.96	-263.94	-237.51	1.32	8.30			0.0	0.0	1066
1059	40 21.82	106 21.15	10859.0	0	1292.60	100.36	-270.00	-242.26	-261.55	-234.44	1.25	9.70			0.0	0.0	1067
1060	40 20.84	106 20.61	11008.0	0	1282.60	105.81	-269.64	-241.51	-261.84	-234.30	1.21	9.00			0.0	0.0	1068
1061	40 20.03	106 19.09	11429.0	0	1251.50	115.45	-274.36	-245.16	-264.55	-236.08	1.09	10.90			0.0	0.0	1069
1062	40 19.80	106 18.63	11522.0	0	1242.40	115.42	-277.55	-248.12	-265.22	-236.70	1.06	13.40			0.0	0.0	1070
1063	40 42.69	106 13.56	8162.0	0	1495.70	19.13	-259.25	-238.40	-260.46	-239.52	1.71	0.50			0.0	0.0	1071
1064	40 42.88	106 12.26	8173.0	0	1496.40	20.58	-258.17	-237.29	-259.38	-238.41	1.71	0.50			0.0	0.0	1072
1065	40 41.65	106 10.69	8300.0	0	1484.30	22.24	-260.85	-239.64	-261.94	-240.66	1.70	0.60			0.0	0.0	1073
1066	40 41.50	106 9.20	8390.0	0	1480.80	27.42	-258.74	-237.30	-259.73	-238.22	1.69	0.70			0.0	0.0	1074
1067	40 40.68	106 9.72	8418.0	0	1474.00	24.47	-262.64	-241.14	-263.63	-242.05	1.69	0.70			0.0	0.0	1075
1068	40 39.76	106 8.66	8379.0	0	1476.40	24.57	-261.21	-239.80	-262.10	-240.63	1.69	0.80			0.0	0.0	1076
1069	40 42.37	106 6.82	8192.0	0	1499.90	26.62	-252.78	-231.85	-253.59	-232.60	1.71	0.90			0.0	0.0	1077
1070	40 39.70	106 14.67	8172.0	0	1488.20	17.01	-261.71	-240.83	-262.91	-241.95	1.71	0.50			0.0	0.0	1078
1071	40 27.63	106 22.34	8633.0	0	1438.40	28.46	-265.99	-243.93	-266.45	-244.36	1.67	1.20			0.0	0.0	1079
1072	40 26.37	106 21.39	8887.0	0	1426.80	42.59	-260.52	-237.81	-260.66	-237.94	1.64	1.50			0.0	0.0	1080
1073	40 25.70	106 23.43	8671.0	0	1439.00	35.49	-260.25	-238.09	-260.41	-238.24	1.66	1.50			0.0	0.0	1081
1074	40 29.15	106 27.87	8392.0	0	1465.40	30.56	-255.56	-234.22	-256.75	-235.23	1.69	0.60			0.0	0.0	1082
1075	40 35.92	106 3.07	8584.0	0	1455.00	28.14	-264.64	-242.70	-264.81	-242.86	1.67	1.50			0.0	0.0	1083
1076	40 34.90	106 2.27	8845.0	0	1435.20	34.37	-267.30	-244.70	-267.04	-244.47	1.64	1.90			0.0	0.0	1084
1077	40 36.08	106 1.97	8640.0	0	1454.10	32.26	-262.42	-240.35	-262.29	-240.22	1.67	1.80			0.0	0.0	1085
1078	40 36.50	106 3.48	8586.0	0	1458.20	30.66	-262.18	-240.24	-262.55	-240.59	1.67	1.30			0.0	0.0	1086
1079	40 37.22	106 3.76	8565.0	0	1461.50	30.92	-261.20	-239.32	-261.58	-239.67	1.67	1.30			0.0	0.0	1087
1080	40 37.47	106 2.08	8625.0	0	1460.30	34.68	-259.49	-237.45	-259.25	-237.24	1.67	1.90			0.0	0.0	1088
1081	40 37.99	106 3.42	8558.0	0	1464.10	31.72	-260.17	-238.30	-260.44	-238.56	1.67	1.40			0.0	0.0	1089
1082	40 38.29	106 2.87	8594.0	0	1464.50	35.05	-258.06	-236.10	-258.03	-236.08	1.67	1.70			0.0	0.0	1090
1083	40 38.80	106 2.88	8365.0	0	1478.90	27.18	-258.12	-236.75	-257.91	-236.56	1.69	1.90			0.0	0.0	1091
1084	40 38.48	106 4.00	8573.0	0	1463.30	31.60	-260.80	-238.90	-261.17	-239.24	1.67	1.30			0.0	0.0	1092
1085	40 39.33	106 5.05	8772.0	0	1453.70	39.43	-259.75	-237.34	-260.00	-237.58	1.65	1.40			0.0	0.0	1093
1086	40 38.83	106 6.87	8424.0	0	1472.90	26.68	-260.63	-239.11	-261.52	-239.93	1.69	0.80			0.0	0.0	1094
1087	40 37.69	106 6.20	8460.0	0	1466.60	25.46	-263.09	-241.47	-263.77	-242.10	1.68	1.00			0.0	0.0	1095
1088	40 47.23	106 8.30	8043.0	0	1524.70	30.20	-244.12	-223.58	-244.44	-223.87	1.72	1.40			0.0	0.0	1096
1089	40 47.12	106 6.99	8128.0	0	1521.30	34.94	-242.27	-221.51	-242.29	-221.52	1.71	1.70			0.0	0.0	1097
1090	40 46.27	106 6.99	8077.0	0	1521.80	31.92	-243.56	-222.93	-243.88	-223.22	1.71	1.40			0.0	0.0	1098
1091	40 46.91	106 5.14	8229.0	0	1518.10	41.55	-239.12	-219.09	-237.82	-216.90	1.70	3.00			0.0	0.0	1099
1092	40 47.92	106 5.92	8354.0	0	1515.30	48.99	-235.94	-214.60	-234.53	-213.30	1.69	3.10			0.0	0.0	1100

MINLAT=39. 15. MAXLAT=41. 0. MINLONG=105. 30. MAXLONG=107. 0. MINELEV=6000. MAXELEV=14000. UNITS= C

BMR= 0.0 GBV=979490.30 MSV=0.0 D1=2.67 D2=2.47 OPTIONS=1010000000 CM= 106 15. REF= 196

STATION	LAT	LONG	ELEV(F)	E	OBS G	FAA	BA2.67	BA(OPT)	CB2.67	CB(OPT)	CC	TC	TCM	FG	DRIFT	TIDE	N
1093	40 47.97	106 4.91	8552.0	0	1507.20	59.41	-232.27	-210.42	-228.74	-207.16	1.67	5.20			0.0	0.0	1101
1094	40 48.37	106 3.95	9480.0	0	1455.40	94.19	-229.14	-204.92	-224.89	-200.99	1.55	5.80			0.0	0.0	1102
1095	40 48.50	106 3.05	9890.0	0	1437.10	114.21	-223.11	-197.84	-220.78	-195.69	1.47	3.80			0.0	0.0	1103
1096	40 49.32	106 2.40	9553.0	0	1459.40	103.63	-222.19	-197.78	-221.22	-196.89	1.54	2.50			0.0	0.0	1104
1097	40 55.32	106 12.82	8554.0	0	1509.00	50.46	-241.29	-219.43	-239.36	-217.65	1.67	3.60			0.0	0.0	1105
1098	40 55.68	106 12.19	8859.0	0	1494.90	64.48	-237.67	-215.04	-235.31	-212.86	1.64	4.00			0.0	0.0	1106
1099	40 55.08	106 10.97	9293.0	0	1471.90	83.14	-233.81	-210.07	-232.99	-209.31	1.58	2.40			0.0	0.0	1107
1100	40 54.27	106 12.00	9840.0	0	1436.80	100.62	-234.99	-209.85	-230.67	-205.85	1.48	5.80			0.0	0.0	1108
1101	40 54.27	106 10.64	9570.0	0	1461.20	99.66	-226.74	-202.29	-225.17	-200.84	1.53	3.10			0.0	0.0	1109
1102	40 53.13	106 9.70	10039.0	0	1433.70	117.91	-224.49	-198.84	-221.53	-196.10	1.44	4.40			0.0	0.0	1110
1103	40 54.87	106 9.81	9504.0	0	1467.90	99.27	-224.88	-200.60	-224.12	-199.90	1.54	2.30			0.0	0.0	1111
1104	40 54.14	106 9.02	9662.0	0	1459.40	106.70	-222.84	-198.16	-220.96	-196.41	1.52	3.40			0.0	0.0	1112
1105	40 53.76	106 8.04	9855.0	0	1447.50	113.49	-222.63	-197.45	-220.41	-195.40	1.48	3.70			0.0	0.0	1113
1106	40 55.99	106 9.20	9248.0	0	1486.30	91.96	-223.46	-199.84	-223.25	-199.64	1.59	1.80			0.0	0.0	1114
1107	40 56.56	106 9.49	9138.0	0	1493.80	88.27	-223.39	-200.05	-223.19	-199.86	1.60	1.80			0.0	0.0	1115
1108	40 57.94	106 9.51	9004.0	0	1506.60	86.43	-220.66	-197.66	-221.08	-198.05	1.62	1.20			0.0	0.0	1116
1109	40 59.24	106 8.52	8851.0	0	1522.30	85.82	-216.05	-193.44	-216.59	-193.94	1.64	1.10			0.0	0.0	1117
1110	40 59.95	106 7.63	8600.0	0	1542.30	81.19	-212.13	-190.16	-213.00	-190.96	1.67	0.80			0.0	0.0	1118
1111	40 59.84	106 6.87	8667.0	0	1537.50	82.85	-212.76	-190.61	-213.52	-191.32	1.66	0.90			0.0	0.0	1119
1112	40 58.67	106 5.01	8522.0	0	1543.20	76.67	-213.99	-192.22	-214.67	-192.84	1.68	1.00			0.0	0.0	1120
1113	40 59.82	106 4.89	8539.0	0	1542.60	75.95	-215.29	-193.47	-216.06	-194.19	1.68	0.90			0.0	0.0	1121
1114	40 58.93	106 4.57	8216.0	0	1559.30	63.63	-216.59	-195.60	-217.09	-196.06	1.70	1.20			0.0	0.0	1122
1115	40 58.40	106 4.88	8451.0	0	1544.90	72.10	-216.13	-194.54	-216.82	-195.18	1.68	1.00			0.0	0.0	1123
1116	40 55.42	106 8.18	9465.0	0	1470.10	96.99	-225.83	-201.65	-225.18	-201.05	1.55	2.20			0.0	0.0	1124
1117	40 55.48	106 7.00	9374.0	0	1477.90	96.15	-223.56	-199.62	-223.03	-199.12	1.57	2.10			0.0	0.0	1125
1118	40 56.72	106 5.80	8933.0	0	1506.40	81.38	-223.29	-200.47	-223.53	-200.69	1.63	1.40			0.0	0.0	1126
1119	40 57.17	106 4.95	8741.0	0	1530.20	86.47	-211.65	-189.32	-212.01	-189.65	1.65	1.30			0.0	0.0	1127
1120	40 57.64	106 4.16	8485.0	0	1538.10	69.62	-219.77	-198.09	-220.35	-198.63	1.68	1.10			0.0	0.0	1128
1121	40 58.16	106 3.56	8468.0	0	1542.60	71.75	-217.06	-195.43	-217.54	-195.87	1.68	1.20			0.0	0.0	1129
1122	40 58.95	106 2.50	8194.0	0	1564.10	66.34	-213.13	-192.20	-213.84	-192.85	1.71	1.00			0.0	0.0	1130
1123	40 59.38	106 1.83	8080.0	0	1574.10	64.99	-210.59	-189.95	-211.51	-190.80	1.71	0.80			0.0	0.0	1131
1124	40 58.28	106 2.20	7930.0	0	1579.50	57.93	-212.53	-192.27	-213.06	-192.76	1.72	1.20			0.0	0.0	1132
1125	40 57.57	106 1.96	8397.0	0	1546.80	70.16	-216.23	-194.78	-216.62	-195.14	1.69	1.30			0.0	0.0	1133
1126	40 58.00	106 0.68	8028.0	0	1575.90	63.95	-209.85	-189.34	-210.37	-189.82	1.72	1.20			0.0	0.0	1134
1127	40 55.52	106 3.13	8682.0	0	1522.80	75.99	-220.13	-197.95	-220.09	-197.91	1.66	1.70			0.0	0.0	1135
1128	40 55.88	106 1.88	8329.0	0	1542.80	62.29	-221.78	-200.50	-221.98	-200.69	1.70	1.50			0.0	0.0	1136
1129	40 55.14	106 5.13	9214.0	0	1490.20	93.93	-220.33	-196.79	-219.92	-196.41	1.59	2.00			0.0	0.0	1137
1130	40 53.95	106 5.31	9311.0	0	1480.80	95.41	-222.15	-198.37	-221.33	-197.60	1.58	2.40			0.0	0.0	1138
1131	40 54.32	106 6.72	9543.0	0	1466.80	102.65	-222.83	-198.45	-221.76	-197.46	1.54	2.60			0.0	0.0	1139
1132	40 56.73	106 11.98	9020.0	0	1493.10	76.24	-231.40	-208.36	-231.12	-208.10	1.62	1.90			0.0	0.0	1140
1133	40 55.84	106 10.75	9560.0	0	1458.20	93.39	-232.67	-208.25	-231.71	-207.36	1.53	2.50			0.0	0.0	1141
1134	40 56.20	106 14.69	9210.0	0	1471.70	73.47	-240.65	-217.12	-238.94	-215.54	1.59	3.30			0.0	0.0	1142
1135	40 57.03	106 15.41	9120.0	0	1478.30	70.88	-240.17	-216.87	-240.07	-216.78	1.60	1.70			0.0	0.0	1143
1136	40 51.38	106 16.35	7982.0	0	1528.50	22.09	-250.15	-229.76	-251.27	-230.79	1.72	0.60			0.0	0.0	1144
1137	40 50.38	106 16.54	7962.0	0	1527.70	20.90	-250.66	-230.32	-251.78	-231.35	1.72	0.60			0.0	0.0	1145
1138	40 53.20	106 5.06	9893.0	0	1447.40	117.79	-219.62	-194.35	-217.79	-192.66	1.47	3.30			0.0	0.0	1146
1139	40 52.69	106 4.29	9842.0	0	1449.70	116.06	-219.62	-194.47	-217.90	-192.88	1.48	3.20			0.0	0.0	1147
1140	40 52.20	106 4.00	10094.0	0	1433.00	123.76	-220.51	-194.72	-217.94	-192.34	1.43	4.00			0.0	0.0	1148
1141	40 52.28	106 5.08	10040.0	0	1435.70	121.27	-221.16	-195.51	-218.70	-193.24	1.44	3.90			0.0	0.0	1149
1142	40 52.53	106 3.92	9867.0	0	1448.10	117.05	-219.48	-194.27	-217.76	-192.68	1.48	3.20			0.0	0.0	1150

MINLAT=39. 15. MAXLAT=41. 0. MINLONG=105. 30. MAXLONG=107. 0. MINELEV=6000. MAXELEV=14000. UNITS= C

BMR= 0.0 GRV=979490.30 MSV=0.0 D1=2.67 D2=2.47 OPTIONS=1010000000 CM= 106 15. REF= 196

STATION	LAT	LONG	ELEV(F)	E	OBS G	FAA	BA2.67	BA(OPT)	CB2.67	CB(OPT)	CC	TC	TCM	FC	DRIFT	TIDE	N
1143	40 52.42	106 1.12	9335.0	0	1483.20	102.34	-216.04	-192.19	-214.71	-190.97	1.57	2.90			0.0	0.0	1151
1144	40 53.68	106 1.25	9097.0	0	1492.70	87.61	-222.66	-199.42	-221.56	-198.41	1.61	2.70			0.0	0.0	1152
1145	40 54.10	106 0.03	8605.0	0	1517.80	65.87	-227.62	-205.63	-227.09	-205.14	1.67	2.20			0.0	0.0	1153
1146	40 47.81	106 13.00	8011.0	0	1523.00	24.63	-248.60	-228.14	-249.62	-229.08	1.72	0.70			0.0	0.0	1154
1147	40 47.92	106 11.45	7988.0	0	1525.40	24.70	-247.74	-227.34	-248.56	-228.09	1.72	0.90			0.0	0.0	1155
1148	40 49.38	106 12.00	8061.0	0	1524.70	28.69	-246.25	-225.65	-246.86	-226.22	1.72	1.10			0.0	0.0	1156
1149	40 49.60	106 10.90	8228.0	0	1516.80	36.15	-244.48	-223.46	-244.88	-223.83	1.70	1.30			0.0	0.0	1157
1150	40 49.16	106 9.37	8182.0	0	1522.10	37.78	-241.28	-220.37	-241.09	-220.20	1.71	1.90			0.0	0.0	1158
1151	40 50.27	106 8.71	8600.0	0	1506.30	59.60	-233.72	-211.75	-231.19	-209.41	1.67	4.20			0.0	0.0	1159
1152	40 49.48	106 14.31	8033.0	0	1524.70	25.91	-248.07	-227.55	-249.09	-228.49	1.72	0.70			0.0	0.0	1160
1153	40 33.92	105 49.48	9776.0	0	1404.50	92.58	-240.85	-215.87	-236.94	-212.26	1.49	5.40			0.0	0.0	1161
1153	40 49.48	106 15.32	7980.0	0	1526.90	23.13	-249.04	-228.65	-250.16	-229.69	1.72	0.60			0.0	0.0	1162
1154	40 33.52	105 49.01	9975.0	0	1393.80	101.16	-239.05	-213.57	-237.00	-211.67	1.45	3.50			0.0	0.0	1163
1155	40 32.12	105 47.70	10270.0	0	1373.70	110.85	-239.42	-213.19	-236.92	-210.87	1.39	3.90			0.0	0.0	1164
1156	40 33.63	105 47.69	9560.0	0	1422.70	90.92	-235.14	-210.71	-232.37	-208.16	1.53	4.30			0.0	0.0	1165
1157	40 32.72	105 47.87	10055.0	0	1387.60	103.67	-239.28	-213.59	-236.91	-211.40	1.44	3.80			0.0	0.0	1166
1158	40 31.60	105 47.21	10209.0	0	1376.40	108.59	-239.60	-213.52	-237.10	-211.21	1.40	3.90			0.0	0.0	1167
1159	40 31.11	105 46.27	10076.0	0	1385.30	106.23	-237.43	-211.69	-235.56	-209.96	1.43	3.30			0.0	0.0	1168
1160	40 30.41	105 46.12	10023.0	0	1388.40	104.89	-236.96	-211.25	-234.90	-209.45	1.44	3.50			0.0	0.0	1169
1161	40 30.22	105 47.02	10130.0	0	1380.40	107.22	-238.28	-212.40	-236.10	-210.38	1.42	3.60			0.0	0.0	1170
1162	40 32.87	105 49.58	10300.0	0	1364.60	103.45	-247.84	-221.53	-244.63	-218.55	1.38	4.60			0.0	0.0	1171
1163	40 32.19	105 50.25	10441.0	0	1351.90	105.01	-251.10	-224.43	-247.25	-220.87	1.35	5.20			0.0	0.0	1172
1164	40 37.23	105 50.30	9328.0	0	1443.30	84.38	-233.77	-209.94	-232.34	-208.62	1.57	3.00			0.0	0.0	1173
1165	40 38.50	105 50.50	9516.0	0	1433.00	89.85	-234.71	-210.40	-233.45	-209.23	1.54	2.80			0.0	0.0	1174
1166	40 39.39	105 50.50	9692.0	0	1425.50	97.56	-233.00	-209.24	-231.41	-206.77	1.51	3.10			0.0	0.0	1175
1167	40 40.27	105 50.46	9640.0	0	1432.00	97.86	-230.92	-206.29	-229.34	-204.83	1.52	3.10			0.0	0.0	1176
1168	40 40.91	105 50.27	9882.0	0	1418.70	106.34	-230.70	-205.45	-228.57	-203.48	1.47	3.60			0.0	0.0	1177
1169	40 41.12	105 49.30	10131.0	0	1407.10	117.82	-227.72	-201.83	-224.84	-199.17	1.42	4.30			0.0	0.0	1178
1170	40 41.86	105 49.27	10143.0	0	1409.00	119.75	-226.20	-200.28	-224.22	-198.45	1.42	3.40			0.0	0.0	1179
1171	40 43.91	105 48.51	10015.0	0	1426.30	121.97	-219.60	-194.02	-218.25	-192.76	1.45	2.80			0.0	0.0	1180
1172	40 49.12	105 47.82	9927.0	0	1435.40	115.06	-223.52	-198.16	-222.38	-197.11	1.46	2.60			0.0	0.0	1181
1173	40 32.49	106 40.00	10395.0	0	1364.30	112.64	-241.90	-215.34	-237.96	-211.70	1.36	5.30			0.0	0.0	1182
1174	40 32.41	106 41.04	10300.0	0	1370.10	109.64	-241.66	-215.35	-239.04	-212.93	1.38	4.00			0.0	0.0	1183
1175	40 32.10	106 42.08	10136.0	0	1381.00	105.60	-240.11	-214.21	-237.63	-211.92	1.42	3.90			0.0	0.0	1184
1176	40 31.82	106 43.23	10089.0	0	1384.80	105.40	-238.71	-212.93	-235.14	-209.63	1.43	5.00			0.0	0.0	1185
1177	40 31.50	106 44.32	9687.0	0	1409.60	92.91	-237.48	-212.73	-234.59	-210.06	1.51	4.40			0.0	0.0	1186
1178	40 33.29	106 41.75	10697.0	0	1346.20	121.71	-243.12	-215.80	-238.31	-211.34	1.29	6.10			0.0	0.0	1187
1179	40 34.25	106 41.77	10605.0	0	1349.20	114.65	-247.05	-219.96	-243.16	-216.36	1.31	5.20			0.0	0.0	1188
1180	40 35.18	106 42.36	10587.0	0	1344.50	106.88	-254.21	-227.16	-250.63	-223.85	1.22	4.90			0.0	0.0	1189
1181	40 35.28	106 43.69	10040.0	0	1376.10	86.95	-255.48	-229.83	-252.12	-226.72	1.44	4.80			0.0	0.0	1190
1182	40 34.75	106 40.10	10435.0	0	1358.80	107.54	-248.36	-221.70	-244.42	-218.05	1.35	5.30			0.0	0.0	1191
1184	40 31.50	106 40.62	10462.0	0	1360.90	117.00	-239.82	-213.09	-236.37	-209.90	1.35	4.80			0.0	0.0	1192
1185	40 30.49	106 41.15	10087.0	0	1385.20	107.58	-236.45	-210.68	-234.48	-208.86	1.43	3.40			0.0	0.0	1193
1186	40 29.68	106 41.64	9860.0	0	1400.60	102.87	-233.42	-208.23	-232.10	-207.01	1.48	2.80			0.0	0.0	1194
1187	40 28.73	106 40.92	9949.0	0	1396.70	108.74	-230.59	-205.17	-229.25	-203.93	1.46	2.80			0.0	0.0	1195
1188	40 27.62	106 41.55	10136.0	0	1386.80	118.05	-227.66	-201.76	-225.58	-199.84	1.42	3.50			0.0	0.0	1196
1189	40 6.04	105 56.90	7399.0	0	1450.30	3.42	-265.98	-245.80	-266.11	-245.92	1.72	1.60			0.0	0.0	1197
1190	40 6.48	105 55.80	7923.0	0	1454.20	8.93	-261.30	-241.06	-261.42	-241.17	1.72	1.60			0.0	0.0	1198
1191	40 6.78	105 55.21	7944.0	0	1454.30	10.56	-260.39	-240.09	-260.41	-240.11	1.72	1.70			0.0	0.0	1199
1192	40 7.19	105 54.26	7966.0	0	1454.00	11.72	-259.98	-239.63	-259.90	-239.55	1.72	1.80			0.0	0.0	1200

MINLAT=39. 15. MAXLAT=41. 0. MINLONG=105. 30. MAXLONG=107. 0. MINELEV=6000. MAXELEV=14000. UNITS= C

BMR= 0.0 GBV=979490.30 MSV=0.0 D1=2.67 D2=2.47 OPTIONS=1010000000 CM= 106 15. REF= 196

STATION	LAT	LONG	ELEV(F)	F	OBS G	FAA	BA2.67	BA(OPT)	CB2.67	CB(OPT)	CC	TC	TCM	PG	DRIFT	TIDE	N
1193	40 7.86	105 53.80	8035.0	0	1451.30	14.51	-259.54	-239.01	-258.76	-238.29	1.72	2.50			0.0	0.0	1201
1194	40 8.39	105 53.68	8219.0	0	1442.30	22.01	-258.32	-237.32	-258.42	-237.41	1.70	1.60			0.0	0.0	1202
1195	40 8.92	105 53.38	8300.0	0	1435.70	22.23	-260.85	-239.65	-260.05	-238.91	1.70	2.50			0.0	0.0	1203
1196	40 9.58	105 53.59	8304.0	0	1434.70	20.63	-262.59	-241.38	-261.79	-240.64	1.70	2.50			0.0	0.0	1204
1197	40 10.34	105 54.03	8314.0	0	1436.70	22.44	-261.12	-239.88	-261.32	-240.06	1.70	1.50			0.0	0.0	1205
1198	40 10.90	105 53.48	8304.0	0	1438.10	22.07	-261.15	-239.93	-261.35	-240.12	1.70	1.50			0.0	0.0	1206
1199	40 11.68	105 52.67	8297.0	0	1439.40	21.56	-261.42	-240.23	-261.22	-240.04	1.70	1.90			0.0	0.0	1207
1200	40 12.03	105 51.91	8384.0	0	1433.80	23.61	-262.34	-240.92	-262.03	-240.63	1.69	2.00			0.0	0.0	1208
1201	40 13.00	105 51.62	8414.0	0	1430.30	21.49	-265.48	-243.99	-264.97	-243.51	1.69	2.20			0.0	0.0	1209
1202	40 13.93	105 50.91	8418.0	0	1432.10	22.29	-264.82	-243.31	-263.81	-242.38	1.69	2.70			0.0	0.0	1210
1203	40 15.63	105 47.70	8496.0	0	1439.30	34.29	-255.47	-233.77	-248.15	-227.00	1.68	9.00			0.0	0.0	1211
1204	40 15.66	105 51.68	8627.0	0	1418.30	26.06	-268.18	-246.14	-266.45	-244.54	1.67	3.40			0.0	0.0	1212
1205	40 16.73	105 51.10	8680.0	0	1424.10	34.75	-261.30	-239.12	-258.96	-236.96	1.66	4.00			0.0	0.0	1213
1206	40 18.12	105 51.80	8910.0	0	1411.20	41.39	-262.50	-239.73	-260.13	-237.55	1.63	4.00			0.0	0.0	1214
1207	40 14.41	105 48.01	8391.0	0	1444.60	31.54	-254.65	-233.21	-249.44	-228.39	1.69	6.90			0.0	0.0	1215
1208	40 12.14	105 50.20	8320.0	0	1442.50	26.14	-257.63	-236.38	-255.83	-234.71	1.70	3.50			0.0	0.0	1216
1209	40 11.22	105 52.09	8291.0	0	1439.80	22.07	-260.70	-239.52	-260.50	-239.33	1.70	1.90			0.0	0.0	1217
1210	40 15.49	106 26.42	7886.0	0	1476.20	14.09	-254.87	-234.72	-254.70	-234.56	1.73	1.90			0.0	0.0	1218
1211	40 16.40	106 25.71	8185.0	0	1457.40	22.04	-257.13	-236.22	-255.43	-234.65	1.71	3.40			0.0	0.0	1219
1212	40 15.72	106 24.70	8364.0	0	1444.70	27.16	-258.11	-236.74	-257.90	-236.55	1.69	1.90			0.0	0.0	1220
1213	40 14.90	106 25.26	7832.0	0	1478.60	12.30	-254.83	-234.82	-254.75	-234.75	1.73	1.80			0.0	0.0	1221
1214	40 16.79	106 24.68	8773.0	0	1419.60	38.90	-260.32	-237.91	-260.07	-237.68	1.65	1.90			0.0	0.0	1222
1215	40 19.02	106 28.74	8645.0	0	1432.50	36.46	-258.39	-236.30	-256.35	-234.42	1.67	3.70			0.0	0.0	1223
1216	40 19.39	106 27.65	8360.0	0	1452.50	29.14	-255.99	-234.63	-253.78	-232.59	1.69	3.90			0.0	0.0	1224
1217	40 18.21	106 26.46	8919.0	0	1414.10	45.00	-259.19	-236.41	-257.82	-235.14	1.63	3.00			0.0	0.0	1225
1218	40 19.03	106 25.10	9661.0	0	1366.90	66.29	-263.22	-238.54	-261.33	-236.79	1.52	3.40			0.0	0.0	1226
1219	40 19.85	106 24.98	9715.0	0	1365.10	68.34	-263.00	-238.18	-260.51	-235.88	1.51	4.00			0.0	0.0	1227
1220	40 24.98	106 36.23	9846.0	0	1393.00	100.93	-234.88	-209.73	-232.86	-207.86	1.48	3.50			0.0	0.0	1228
1221	40 25.62	106 36.62	10654.0	0	1324.20	107.07	-256.30	-229.08	-251.20	-224.37	1.30	6.40			0.0	0.0	1229
1222	40 25.60	106 37.80	10225.0	0	1370.70	113.31	-235.43	-209.31	-232.13	-206.26	1.40	4.70			0.0	0.0	1230
1223	40 25.58	106 39.23	10002.0	0	1394.30	115.99	-225.14	-199.59	-223.59	-198.15	1.45	3.00			0.0	0.0	1231
1224	40 25.41	106 40.40	9917.0	0	1403.00	116.96	-221.27	-195.94	-220.04	-194.80	1.47	2.70			0.0	0.0	1232
1225	40 24.70	106 40.71	9560.0	0	1421.30	102.78	-223.27	-198.85	-222.61	-198.23	1.53	2.20			0.0	0.0	1233
1226	40 24.50	106 33.62	8644.0	0	1454.90	50.63	-244.18	-222.10	-244.65	-222.53	1.67	1.20			0.0	0.0	1234
1227	40 25.37	106 33.62	8673.0	0	1453.80	50.97	-244.84	-222.68	-245.00	-222.83	1.66	1.50			0.0	0.0	1235
1228	40 8.00	105 52.80	8580.0	0	1419.60	34.10	-258.54	-236.62	-256.11	-234.37	1.67	4.10			0.0	0.0	1236
1229	40 8.97	105 52.15	8374.0	0	1436.30	29.71	-255.00	-234.51	-255.29	-233.94	1.69	2.30			0.0	0.0	1237
1230	40 8.07	105 51.23	8293.0	0	1443.20	30.33	-252.51	-231.33	-251.91	-230.77	1.70	2.30			0.0	0.0	1238
1231	40 7.93	105 49.82	8364.0	0	1438.70	32.71	-252.56	-231.19	-250.95	-229.70	1.69	3.30			0.0	0.0	1239
1232	40 7.91	105 48.50	8362.0	0	1438.80	32.65	-252.55	-231.18	-248.14	-227.11	1.69	6.10			0.0	0.0	1240
1233	40 7.54	105 47.29	8347.0	0	1438.40	31.39	-253.30	-231.97	-247.69	-226.79	1.69	7.30			0.0	0.0	1241
1234	40 7.87	105 46.02	8281.0	0	1442.90	29.20	-253.24	-232.08	-243.73	-223.29	1.70	11.20			0.0	0.0	1242
1235	40 8.75	105 55.30	8080.0	0	1440.90	7.01	-268.57	-247.93	-268.68	-248.03	1.71	1.60			0.0	0.0	1243
1236	40 8.88	105 56.40	8142.0	0	1434.60	6.35	-271.35	-250.55	-271.26	-250.46	1.71	1.80			0.0	0.0	1244
1237	40 10.00	105 57.03	8600.0	0	1402.40	15.51	-277.80	-255.83	-277.47	-255.53	1.67	2.00			0.0	0.0	1245
1238	40 8.61	105 57.33	8127.0	0	1434.30	5.54	-271.65	-250.88	-271.06	-250.34	1.71	2.30			0.0	0.0	1246
1239	40 0.02	105 49.51	8341.0	0	1433.10	36.67	-247.81	-226.51	-245.71	-224.56	1.69	3.80			0.0	0.0	1247
1240	40 0.80	105 48.73	8468.0	0	1425.90	40.25	-248.57	-226.94	-244.05	-223.59	1.68	5.30			0.0	0.0	1248
1241	40 1.87	105 48.37	9128.0	0	1391.20	65.96	-245.36	-222.04	-244.57	-221.31	1.60	2.40			0.0	0.0	1249
1242	40 2.29	105 47.72	9215.0	0	1388.00	70.31	-243.98	-220.44	-242.37	-218.95	1.59	3.20			0.0	0.0	1250

MINLAT=39. 15. MAXLAT=41. 0. MINLONG=105. 30. MAXLONG=107. 0. MINELEV=6000. MAXELEV=14000. UNITS= C

BMR= 0.0 GBV=979490.30 MSV=0.0 C1=2.67 D2=2.47 OPTIONS=1010000000 CM= 106 15. REF= 196

STATION	LAT	LONG	ELEV(F)	E	OBS G	FAA	BA2.67	BA(OPT)	CB2.67	CB(OPT)	CC	TC	TCM	FC	DRIFT	TIDE	N
1243	40 3.05	105 46.65	9776.0	C	1355.90	89.78	-243.64	-218.67	-240.84	-216.07	1.49	4.30			0.0	0.0	1251
1244	40 3.10	105 45.02	9958.0	C	1347.20	98.10	-241.53	-216.09	-239.39	-214.11	1.46	3.60			0.0	0.0	1252
1245	40 3.12	105 48.65	9305.0	C	1383.40	72.93	-244.43	-220.65	-243.70	-219.99	1.58	2.30			0.0	0.0	1253
1246	40 4.67	105 48.80	8843.0	C	1409.80	53.64	-247.96	-225.37	-245.01	-222.64	1.64	4.60			0.0	0.0	1254
1247	40 5.20	105 49.72	8643.0	C	1421.90	46.17	-248.62	-226.53	-247.18	-225.21	1.67	3.10			0.0	0.0	1255
1248	40 41.19	106 19.62	8096.0	C	1498.20	17.66	-258.47	-237.79	-259.78	-239.00	1.71	0.40			0.0	0.0	1256
1249	40 40.30	106 18.63	8100.0	C	1496.10	17.26	-259.01	-238.31	-260.32	-239.53	1.71	0.40			0.0	0.0	1257
1250	40 39.85	106 19.24	8120.0	C	1493.40	17.10	-259.84	-239.10	-261.15	-240.31	1.71	0.40			0.0	0.0	1258
1251	40 40.37	106 20.96	8135.0	C	1493.80	18.14	-259.32	-238.53	-260.63	-239.75	1.71	0.40			0.0	0.0	1259
1252	40 39.87	106 21.68	8157.0	C	1486.90	14.05	-264.16	-243.32	-265.47	-244.53	1.71	0.40			0.0	0.0	1260
1253	40 39.35	106 22.98	8301.0	C	1472.90	14.35	-268.77	-247.56	-269.96	-248.67	1.70	0.50			0.0	0.0	1261
1254	40 38.64	106 22.10	8383.0	C	1466.00	16.21	-269.70	-248.29	-270.80	-249.30	1.69	0.60			0.0	0.0	1262
1255	40 38.72	106 25.14	8046.0	C	1493.80	12.23	-262.19	-241.63	-263.41	-242.76	1.72	0.50			0.0	0.0	1263
1256	40 39.25	106 26.08	8100.0	C	1492.90	15.62	-260.65	-239.95	-261.86	-241.08	1.71	0.50			0.0	0.0	1264
1257	40 40.10	106 24.38	8280.0	C	1478.60	16.96	-265.44	-244.28	-266.64	-245.39	1.70	0.50			0.0	0.0	1265
1258	40 40.96	106 24.35	8157.0	C	1494.40	19.93	-258.28	-237.44	-259.59	-238.65	1.71	0.40			0.0	0.0	1266
1259	40 41.22	106 24.22	8244.0	C	1489.60	22.92	-258.26	-237.20	-259.56	-238.40	1.70	0.40			0.0	0.0	1267
1260	40 40.39	106 25.49	8245.0	C	1484.30	18.94	-262.26	-241.20	-263.47	-242.31	1.70	0.50			0.0	0.0	1268
1261	40 40.22	106 26.71	8037.0	C	1498.80	14.16	-259.96	-239.43	-261.08	-240.46	1.72	0.60			0.0	0.0	1269
1262	40 37.78	106 22.09	8095.0	C	1484.90	9.33	-266.76	-246.08	-268.07	-247.29	1.71	0.40			0.0	0.0	1270
1263	40 39.42	106 16.40	8204.0	C	1486.30	18.53	-261.28	-240.32	-262.48	-241.43	1.71	0.50			0.0	0.0	1271
1264	40 35.86	106 41.68	11139.0	C	1300.00	113.20	-266.71	-238.25	-252.78	-225.37	1.17	15.10			0.0	0.0	1272
1265	40 27.94	106 39.73	10038.0	C	1392.00	113.57	-228.79	-203.15	-227.43	-201.89	1.44	2.80			0.0	0.0	1273
1266	40 28.55	106 39.30	10035.0	C	1390.90	111.28	-230.98	-205.34	-229.12	-203.62	1.44	3.30			0.0	0.0	1274
1267	40 43.51	106 17.85	8053.0	C	1506.30	18.27	-256.39	-235.82	-257.71	-237.04	1.72	0.40			0.0	0.0	1275
1268	40 44.46	106 22.48	8312.0	C	1490.90	25.79	-257.71	-236.47	-258.90	-237.58	1.70	0.50			0.0	0.0	1276
1269	40 43.82	106 21.43	8105.0	C	1504.10	20.49	-255.94	-235.24	-257.26	-236.45	1.71	0.40			0.0	0.0	1277
1270	40 59.77	106 33.79	8449.0	C	1542.70	67.67	-220.50	-198.91	-220.98	-199.36	1.69	1.20			0.0	0.0	1278
1271	40 59.55	106 34.87	8435.0	C	1545.20	69.18	-218.50	-196.96	-218.99	-197.40	1.69	1.20			0.0	0.0	1279
1272	40 58.98	106 35.88	8603.0	C	1539.40	80.01	-213.40	-191.42	-213.57	-191.58	1.67	1.50			0.0	0.0	1280
1273	40 58.52	106 36.88	8741.0	C	1528.70	82.96	-215.16	-192.83	-215.12	-192.79	1.65	1.70			0.0	0.0	1281
1274	40 58.82	106 37.70	8342.0	C	1525.00	88.30	-213.27	-190.68	-212.51	-189.98	1.64	2.40			0.0	0.0	1282
1275	40 58.30	106 39.88	9647.0	C	1481.20	120.89	-208.13	-183.48	-206.85	-182.30	1.52	2.80			0.0	0.0	1283
1276	40 59.42	106 40.92	9710.0	C	1478.70	122.64	-208.53	-183.72	-207.94	-183.18	1.51	2.10			0.0	0.0	1284
1277	40 59.89	106 39.65	10069.0	C	1457.60	134.56	-208.86	-183.13	-204.29	-178.91	1.43	6.00			0.0	0.0	1285
1278	40 59.92	106 42.01	9400.0	C	1498.10	112.18	-208.42	-184.41	-207.38	-183.44	1.56	2.60			0.0	0.0	1286
1279	40 59.83	106 43.41	9120.0	C	1514.90	102.81	-208.24	-184.94	-207.04	-183.83	1.60	2.80			0.0	0.0	1287
1280	40 59.05	106 38.71	9384.0	C	1494.00	107.87	-212.18	-188.21	-211.25	-187.34	1.56	2.50			0.0	0.0	1288
1281	40 59.05	106 41.84	9805.0	C	1471.50	124.92	-209.50	-184.45	-208.48	-183.51	1.49	2.50			0.0	0.0	1289
1282	40 58.44	106 42.34	10379.0	C	1432.40	140.64	-213.36	-186.84	-208.22	-182.09	1.37	6.50			0.0	0.0	1290
1283	40 5.03	105 54.80	8025.0	C	1453.20	19.66	-254.05	-233.54	-254.26	-233.74	1.72	1.50			0.0	0.0	1291
1284	40 5.90	105 54.08	8208.0	C	1440.30	22.66	-257.28	-236.31	-257.59	-236.60	1.71	1.40			0.0	0.0	1292
1285	40 5.89	105 55.21	8162.0	C	1442.20	20.26	-258.12	-237.27	-258.63	-237.74	1.71	1.20			0.0	0.0	1293
1286	40 5.20	105 53.10	8310.0	C	1438.10	31.08	-252.34	-231.11	-252.44	-231.20	1.70	1.60			0.0	0.0	1294
1287	40 5.60	105 52.09	8512.0	C	1427.30	38.67	-251.65	-229.90	-251.43	-229.70	1.68	1.90			0.0	0.0	1295
1288	40 6.37	105 51.89	8846.0	C	1408.70	50.30	-251.40	-228.80	-249.75	-227.27	1.64	3.30			0.0	0.0	1296
1289	40 5.79	105 50.72	8586.0	C	1424.30	42.34	-250.50	-228.57	-249.67	-227.80	1.67	2.50			0.0	0.0	1297
1290	40 6.88	105 50.92	8389.0	C	1438.60	36.52	-249.60	-228.17	-248.89	-227.52	1.69	2.40			0.0	0.0	1298
1291	40 7.49	105 51.59	8302.0	C	1443.50	32.44	-250.72	-229.51	-250.51	-229.32	1.70	1.90			0.0	0.0	1299
1293	40 7.42	105 55.23	7992.0	C	1449.30	9.12	-263.46	-243.04	-263.38	-242.97	1.72	1.80			0.0	0.0	1300

MINLAT=39. 15. MAXLAT=41. 0. MINLONG=105. 30. MAXLONG=107. 0. MINELEV=6000. MAXELEV=14000. UNITS= C

BMR= 0.0 GBV=979490.30 MSV=0.0 D1=2.67 D2=2.47 OPTIONS=1010000000 CM= 106 15. REF= 196

STATION	LAT	LONG	ELEV(F)	F	OBS G	FAA	BA2.67	BA(OPT)	CB2.67	CB(OPT)	CC	TC	TCM	FG	DRIFT	TIDE	N
1294	40 7.12	105 56.01	8169.0	0	1436.20	13.09	-265.53	-244.66	-264.93	-244.11	1.71	2.30			0.0	0.0	1301
1295	40 7.00	105 57.13	7982.0	0	1446.10	5.60	-266.64	-246.25	-266.46	-246.08	1.72	1.90			0.0	0.0	1302
1296	40 6.70	105 57.97	7991.0	0	1444.00	4.79	-267.75	-247.34	-267.77	-247.36	1.72	1.70			0.0	0.0	1303
1297	40 5.75	105 59.16	7888.0	0	1450.80	3.32	-265.71	-245.56	-264.34	-244.29	1.73	3.10			0.0	0.0	1304
1298	40 11.12	105 55.23	8420.0	0	1427.20	21.74	-265.44	-243.92	-265.52	-244.00	1.69	1.60			0.0	0.0	1305
1299	40 11.31	105 56.44	8632.0	0	1410.90	25.08	-269.33	-247.28	-269.10	-247.06	1.67	1.90			0.0	0.0	1306
1300	40 12.03	105 57.37	8619.0	0	1412.70	24.59	-269.38	-247.36	-269.04	-247.05	1.67	2.00			0.0	0.0	1307
1301	40 12.71	105 57.28	8650.0	0	1411.80	25.59	-269.43	-247.33	-267.59	-245.63	1.66	3.50			0.0	0.0	1308
1302	40 14.63	105 57.37	9729.0	0	1351.90	64.20	-267.62	-242.77	-266.32	-241.57	1.50	2.80			0.0	0.0	1309
1303	40 6.93	106 2.72	8067.0	0	1434.50	2.09	-273.05	-252.44	-268.96	-248.66	1.72	5.80			0.0	0.0	1310
1304	40 7.80	106 2.90	8364.0	0	1416.70	10.90	-274.36	-253.00	-270.26	-249.20	1.69	5.80			0.0	0.0	1311
1305	40 9.10	106 3.10	8775.0	0	1391.90	22.79	-276.50	-254.08	-272.45	-250.33	1.65	5.70			0.0	0.0	1312
1306	40 9.74	106 4.21	9164.0	0	1367.50	33.98	-278.57	-255.16	-275.17	-252.01	1.60	5.00			0.0	0.0	1313
1307	40 10.31	106 5.71	10238.0	0	1303.30	69.81	-279.37	-253.21	-275.77	-249.88	1.40	5.00			0.0	0.0	1314
1308	40 10.81	106 4.60	9680.0	0	1340.70	54.06	-276.09	-251.36	-273.90	-249.33	1.51	3.70			0.0	0.0	1315
1309	40 11.51	106 4.50	8806.0	0	1392.50	22.73	-277.62	-255.12	-273.06	-250.91	1.65	6.20			0.0	0.0	1316
1310	40 11.77	106 6.00	9164.0	0	1372.80	36.27	-276.28	-252.87	-273.68	-250.46	1.60	4.20			0.0	0.0	1317
1311	40 12.00	106 3.79	8650.0	0	1402.10	16.94	-278.08	-255.98	-274.14	-252.34	1.66	5.60			0.0	0.0	1318
1312	40 11.01	105 58.91	8381.0	0	1422.40	13.44	-272.41	-250.99	-271.30	-249.97	1.69	2.80			0.0	0.0	1319
1313	40 11.80	105 58.41	8444.0	0	1419.10	14.89	-273.11	-251.53	-271.79	-250.32	1.69	3.00			0.0	0.0	1320
1314	40 9.34	105 58.79	8145.0	0	1435.70	7.05	-270.75	-249.94	-270.06	-249.30	1.71	2.40			0.0	0.0	1321
1315	40 7.88	106 0.37	8165.0	0	1432.90	8.29	-270.19	-249.33	-267.60	-246.93	1.71	4.30			0.0	0.0	1322
1316	40 8.21	106 0.58	8623.0	0	1405.90	23.83	-270.27	-248.24	-268.24	-246.36	1.67	3.70			0.0	0.0	1323
1317	40 9.07	106 0.91	9300.0	0	1373.90	54.15	-263.04	-239.28	-261.32	-237.69	1.58	3.30			0.0	0.0	1324
1318	40 5.08	106 0.78	8620.0	0	1405.60	27.88	-266.11	-244.09	-264.88	-242.95	1.67	2.90			0.0	0.0	1325
1319	40 6.30	106 4.79	8116.0	0	1431.30	4.93	-271.88	-251.15	-270.79	-250.14	1.71	2.80			0.0	0.0	1326
1320	40 3.40	106 1.12	8145.0	0	1435.30	15.45	-262.35	-241.54	-260.56	-239.88	1.71	3.50			0.0	0.0	1327
1321	40 4.28	106 1.18	7862.0	0	1451.30	3.56	-264.59	-244.50	-263.92	-243.88	1.73	2.40			0.0	0.0	1328
1322	40 3.81	106 3.00	8228.0	0	1428.80	16.14	-264.49	-243.47	-262.99	-242.09	1.70	3.20			0.0	0.0	1329
1323	40 2.92	106 1.79	8904.0	0	1388.70	40.86	-262.82	-240.07	-262.26	-239.55	1.63	2.20			0.0	0.0	1330
1324	40 1.70	106 0.87	8640.0	0	1401.20	30.37	-264.31	-242.24	-262.28	-240.35	1.67	3.70			0.0	0.0	1331
1325	40 2.14	105 59.56	8308.0	0	1426.40	23.73	-259.63	-238.40	-258.83	-237.66	1.70	2.50			0.0	0.0	1332
1326	40 1.86	105 58.23	8237.0	0	1430.30	21.37	-259.56	-238.52	-259.57	-238.52	1.70	1.70			0.0	0.0	1333
1327	40 1.79	105 57.24	8252.0	0	1427.50	20.09	-261.36	-240.28	-261.36	-240.28	1.70	1.70			0.0	0.0	1334
1328	40 6.80	106 7.08	8231.0	0	1425.10	8.29	-272.44	-251.41	-270.54	-249.66	1.70	3.60			0.0	0.0	1335
1329	40 7.22	106 7.36	8783.0	0	1392.10	26.52	-273.03	-250.59	-271.88	-249.53	1.65	2.80			0.0	0.0	1336
1330	40 5.70	106 6.49	8001.0	0	1438.70	1.91	-270.97	-250.53	-269.09	-248.79	1.72	3.60			0.0	0.0	1337
1331	40 4.63	106 3.16	8290.0	0	1421.10	13.05	-269.69	-248.52	-269.39	-248.24	1.70	2.00			0.0	0.0	1338
1332	40 5.17	106 7.39	9240.0	0	1355.20	35.59	-279.55	-255.95	-273.04	-249.92	1.59	8.10			0.0	0.0	1339
1333	40 6.00	106 9.14	8971.0	0	1375.50	29.39	-276.58	-253.66	-273.80	-251.09	1.63	4.40			0.0	0.0	1340
1334	40 8.62	106 9.76	10367.0	0	1288.00	69.13	-284.45	-257.96	-275.72	-249.89	1.37	10.10			0.0	0.0	1341
1335	40 10.32	106 10.70	9110.0	0	1374.50	35.05	-275.66	-252.39	-274.27	-251.10	1.61	3.00			0.0	0.0	1342
1336	40 9.52	106 11.88	8883.0	0	1388.80	29.21	-273.76	-251.06	-272.00	-249.43	1.64	3.40			0.0	0.0	1343
1337	40 8.54	106 12.34	9200.0	0	1371.10	42.74	-271.04	-247.54	-269.73	-246.33	1.59	2.90			0.0	0.0	1344
1338	40 6.98	106 14.20	8854.0	0	1387.00	28.45	-273.53	-250.91	-270.77	-248.36	1.64	4.40			0.0	0.0	1345
1339	40 1.72	106 10.89	7788.0	0	1459.30	8.40	-257.23	-237.33	-257.56	-237.63	1.73	1.40			0.0	0.0	1346
1340	40 2.10	106 12.27	7655.0	0	1467.20	3.24	-257.85	-238.29	-256.58	-237.12	1.73	3.00			0.0	0.0	1347
1341	40 1.14	106 12.15	7790.0	0	1456.80	6.04	-258.75	-238.85	-259.08	-239.15	1.73	1.40			0.0	0.0	1348
1342	40 0.48	106 9.88	8119.0	0	1436.00	18.93	-257.98	-237.24	-258.69	-237.90	1.71	1.00			0.0	0.0	1349
1343	39 59.38	106 8.24	8358.0	0	1423.20	29.21	-255.75	-234.40	-256.34	-234.94	1.69	1.10			0.0	0.0	1350

MINLAT=39. 15. MAXLAT=41. 0. MINLONG=105. 30. MAXLONG=107. 0. MINELEV=6000. MAXELEV=14000. UNITS= C

BMR= 0.0 GBV=979490.30 MSV=0.0 D1=2.67 D2=2.47 OPTIONS=1010000000 CM= 106 15. REF= 196

STATION	LAT	LONG	ELEV(F)	E	OBS G	FAA	BA2.67	BA(OPT)	CB2.67	CB(OPT)	CC	TC	TCM	FC	DRIFT	TIDE	N
1344	39 59.00	106 7.26	8462.0	0	1416.20	32.65	-255.96	-234.35	-256.35	-234.70	1.68	1.30			0.0	0.0	1351
1345	39 57.58	106 7.10	8556.0	0	1407.70	35.08	-256.74	-234.88	-256.81	-234.95	1.67	1.60			0.0	0.0	1352
1346	39 58.10	106 5.49	8795.0	0	1393.30	42.86	-257.10	-234.64	-256.75	-234.31	1.65	2.00			0.0	0.0	1353
1347	39 57.78	106 4.13	8580.0	0	1405.60	34.94	-257.70	-235.78	-255.77	-233.99	1.67	3.60			0.0	0.0	1354
1348	39 57.00	106 2.64	8854.0	0	1387.40	43.63	-258.35	-235.73	-256.29	-233.82	1.64	3.70			0.0	0.0	1355
1349	39 56.44	106 1.91	9496.0	0	1350.50	67.87	-256.01	-231.75	-255.25	-231.05	1.55	2.30			0.0	0.0	1356
1350	39 56.02	106 0.49	9736.0	0	1334.60	75.13	-256.93	-232.05	-256.13	-231.32	1.50	2.30			0.0	0.0	1357
1351	40 1.28	106 5.13	8269.0	0	1423.10	18.04	-263.99	-242.86	-262.39	-241.38	1.70	3.30			0.0	0.0	1358
1352	40 2.10	106 1.16	7854.0	0	1449.30	3.03	-264.84	-244.77	-262.76	-242.85	1.73	3.80			0.0	0.0	1359
1353	40 2.60	106 16.58	7648.0	0	1465.80	0.44	-260.41	-240.87	-261.34	-241.73	1.73	0.80			0.0	0.0	1360
1354	40 2.60	106 17.70	7555.0	0	1467.80	-6.30	-263.97	-244.67	-264.81	-245.45	1.74	0.90			0.0	0.0	1361
1355	40 1.84	106 16.92	7727.0	0	1457.80	0.99	-262.55	-242.81	-263.49	-243.68	1.73	0.80			0.0	0.0	1362
1356	40 0.85	106 16.61	7802.0	0	1447.00	-1.30	-267.40	-247.47	-268.23	-248.23	1.73	0.90			0.0	0.0	1363
1357	40 0.0	106 17.66	7956.0	0	1441.40	8.83	-262.53	-242.20	-262.95	-242.59	1.72	1.30			0.0	0.0	1364
1358	39 59.27	106 17.63	8177.0	0	1427.70	16.97	-261.92	-241.03	-261.83	-240.94	1.71	1.80			0.0	0.0	1365
1359	39 57.83	106 17.64	8827.0	0	1382.10	34.57	-266.49	-243.94	-263.43	-241.11	1.64	4.70			0.0	0.0	1366
1360	39 58.10	106 19.60	7750.0	0	1449.80	0.69	-263.64	-243.84	-261.97	-242.30	1.73	3.40			0.0	0.0	1367
1361	39 59.20	106 19.50	8570.0	0	1404.50	30.80	-261.50	-239.60	-259.67	-237.91	1.67	3.50			0.0	0.0	1368
1362	40 0.0	106 19.59	7795.0	0	1448.50	0.80	-265.06	-245.15	-265.29	-245.36	1.73	1.50			0.0	0.0	1369
1363	40 0.79	106 18.92	7832.0	0	1454.10	8.71	-258.42	-238.41	-259.24	-239.17	1.73	0.90			0.0	0.0	1370
1364	40 1.60	106 18.92	7603.0	0	1469.50	1.39	-257.92	-238.50	-258.66	-239.18	1.74	1.00			0.0	0.0	1371
1365	40 3.22	105 59.27	9455.0	0	1354.50	57.98	-264.50	-240.35	-258.65	-234.94	1.55	7.40			0.0	0.0	1372
1366	40 3.60	105 59.00	9623.0	0	1336.40	55.10	-273.11	-248.53	-267.53	-243.37	1.52	7.10			0.0	0.0	1373
1367	40 2.49	105 57.48	8239.0	0	1429.20	19.53	-261.48	-240.43	-261.58	-240.52	1.70	1.60			0.0	0.0	1374
1368	40 3.36	105 57.47	8199.0	0	1430.30	15.58	-264.06	-243.11	-263.86	-242.93	1.71	1.90			0.0	0.0	1375
1369	40 4.02	105 58.41	8368.0	0	1417.50	17.68	-267.72	-246.35	-266.92	-245.60	1.69	2.50			0.0	0.0	1376
1370	40 4.41	105 56.70	8133.0	0	1436.00	13.52	-263.86	-243.09	-263.57	-242.82	1.71	2.00			0.0	0.0	1377
1371	40 4.27	105 53.18	8046.0	0	1452.40	21.96	-252.46	-231.91	-251.18	-230.72	1.72	3.00			0.0	0.0	1378
1372	40 3.45	105 54.40	8318.0	0	1434.20	30.53	-253.17	-231.92	-253.27	-232.01	1.70	1.60			0.0	0.0	1379
1373	40 2.59	105 54.56	8484.0	0	1423.50	36.70	-252.66	-230.99	-251.85	-230.23	1.68	2.50			0.0	0.0	1380
1374	40 1.69	105 54.76	8705.0	0	1408.60	43.89	-253.01	-230.77	-252.77	-230.54	1.66	1.90			0.0	0.0	1381
1375	40 0.75	105 53.91	9000.0	0	1394.40	58.79	-248.16	-225.17	-247.79	-224.82	1.62	2.00			0.0	0.0	1382
1376	40 2.13	105 52.75	8176.0	0	1440.80	25.74	-253.11	-232.22	-248.32	-227.79	1.71	6.50			0.0	0.0	1383
1377	40 0.82	105 52.60	9117.0	0	1384.40	59.68	-251.27	-227.98	-249.57	-226.41	1.61	3.30			0.0	0.0	1384
1378	40 0.47	105 50.90	8278.0	0	1436.00	32.98	-249.35	-228.20	-246.35	-225.43	1.70	4.70			0.0	0.0	1385
1379	40 2.60	106 15.40	7846.0	0	1454.90	8.14	-259.46	-239.41	-259.78	-239.72	1.73	1.40			0.0	0.0	1386
1380	40 1.72	106 13.25	7814.0	0	1454.70	6.24	-260.27	-240.31	-260.90	-240.89	1.73	1.10			0.0	0.0	1387
1381	40 0.50	106 13.30	7790.0	0	1454.60	5.69	-260.00	-240.10	-260.63	-240.68	1.73	1.10			0.0	0.0	1388
1382	39 59.29	106 11.30	7877.0	0	1444.30	5.96	-262.70	-242.58	-263.33	-243.16	1.73	1.10			0.0	0.0	1389
1383	39 58.50	106 12.40	7978.0	0	1430.60	2.31	-269.79	-249.41	-269.51	-249.15	1.72	2.00			0.0	0.0	1390
1384	39 58.32	106 10.28	7991.0	0	1435.10	8.30	-264.24	-243.83	-264.26	-243.85	1.72	1.70			0.0	0.0	1391
1385	39 57.56	106 11.11	8052.0	0	1426.50	6.56	-268.07	-247.50	-267.98	-247.42	1.72	1.80			0.0	0.0	1392
1386	39 56.30	106 12.36	8449.0	0	1390.70	9.92	-278.24	-256.66	-278.33	-256.74	1.69	1.60			0.0	0.0	1393
1387	39 56.30	106 10.28	8513.0	0	1393.40	18.64	-271.71	-249.96	-271.69	-249.95	1.69	1.70			0.0	0.0	1394
1388	39 56.20	106 8.97	8525.0	0	1401.20	27.71	-263.05	-241.27	-263.53	-241.71	1.68	1.20			0.0	0.0	1395
1389	39 54.40	106 10.12	8627.0	0	1375.30	14.06	-280.18	-258.14	-280.15	-258.11	1.67	1.70			0.0	0.0	1396
1390	39 54.94	106 8.78	8551.0	0	1389.00	19.92	-271.83	-249.98	-272.10	-250.24	1.68	1.40			0.0	0.0	1397
1391	39 55.53	106 7.44	8369.0	0	1411.70	24.55	-260.89	-239.51	-260.98	-239.60	1.69	1.60			0.0	0.0	1398
1392	39 54.56	106 6.29	8379.0	0	1407.60	22.82	-262.96	-241.55	-261.45	-240.15	1.69	3.20			0.0	0.0	1399
1393	39 53.52	106 5.60	8482.0	0	1399.50	25.94	-263.36	-241.69	-261.54	-240.00	1.68	3.50			0.0	0.0	1400

MINLAT=39. 15. MAXLAT=41. 0. MINLONG=105. 30. MAXLONG=107. 0. MINELEV=6000. MAXELEV=14000. UNITS= C

BYR= 0.0 GBV=979490.30 MSV=0.0 D1=2.67 D2=2.47 OPTIONS=1010000000 CM= 106 15. REF= 196

STATION	LAT	LONG	ELEV(F)	E	OBS G	FAA	BA2.67	BA(OPT)	CB2.67	CB(OPT)	CC	TC	TCM	PC	DRIFT	TIDE	N
1394	39 52.39	106 5.42	8606.0	0	1386.70	26.46	-267.06	-245.08	-266.03	-244.12	1.67	2.70			0.0	0.0	1401
1395	39 51.46	106 4.51	8700.0	0	1377.40	27.37	-269.36	-247.14	-268.32	-246.17	1.66	2.70			0.0	0.0	1402
1396	39 50.08	106 3.79	8789.0	0	1362.30	22.67	-277.09	-254.64	-272.94	-250.80	1.65	5.80			0.0	0.0	1403
1397	39 48.52	106 2.79	8875.0	0	1341.50	12.25	-290.44	-267.77	-284.18	-261.98	1.64	7.90			0.0	0.0	1404
1398	39 47.75	106 1.79	8954.0	0	1335.00	14.31	-291.08	-268.20	-286.10	-263.60	1.63	6.60			0.0	0.0	1405
1399	39 59.99	106 11.08	7862.0	0	1449.50	8.11	-260.04	-239.95	-260.76	-240.62	1.73	1.00			0.0	0.0	1406
1400	39 59.10	105 52.60	8482.0	0	1416.00	34.18	-255.11	-233.44	-255.10	-233.43	1.68	1.70			0.0	0.0	1407
1401	39 57.98	105 51.26	8507.0	0	1408.40	30.58	-259.56	-237.83	-259.24	-237.53	1.68	2.00			0.0	0.0	1408
1402	39 57.10	105 52.07	8621.0	0	1397.60	31.80	-262.24	-240.21	-261.80	-239.81	1.67	2.10			0.0	0.0	1409
1403	39 57.32	105 50.48	8660.0	0	1395.50	33.03	-262.33	-240.20	-262.09	-239.99	1.66	1.90			0.0	0.0	1410
1404	39 58.87	105 47.62	8438.0	0	1418.10	32.48	-255.31	-233.75	-253.79	-232.35	1.69	3.20			0.0	0.0	1411
1405	39 57.99	105 47.08	8542.0	0	1412.40	37.86	-253.48	-231.66	-251.86	-230.16	1.68	3.30			0.0	0.0	1412
1406	39 59.96	105 48.75	8531.0	0	1422.20	43.71	-247.26	-225.46	-246.63	-224.88	1.68	2.30			0.0	0.0	1413
1407	40 0.27	105 47.62	8629.0	0	1416.90	47.15	-247.15	-225.11	-244.02	-222.21	1.67	4.80			0.0	0.0	1414
1408	40 0.75	105 45.76	9600.0	0	1362.70	83.45	-243.97	-219.44	-239.69	-215.49	1.53	5.80			0.0	0.0	1415
1409	39 59.80	105 47.42	8600.0	0	1417.20	45.43	-247.89	-225.92	-244.96	-223.21	1.67	4.60			0.0	0.0	1416
1410	39 59.88	105 45.71	9240.0	0	1380.00	68.23	-246.92	-223.31	-242.30	-219.04	1.59	6.20			0.0	0.0	1417
1411	39 54.90	106 17.59	9111.0	0	1353.00	36.48	-274.26	-250.98	-272.87	-249.69	1.61	3.00			0.0	0.0	1418
1412	39 55.68	106 16.25	10864.0	0	1243.70	90.68	-279.85	-252.10	-264.00	-237.43	1.25	17.10			0.0	0.0	1419
1413	39 53.20	106 13.14	11212.0	0	1212.90	96.23	-286.17	-257.53	-263.32	-236.39	1.15	24.00			0.0	0.0	1420
1414	39 52.63	106 12.30	11619.0	0	1179.60	101.99	-294.29	-264.61	-265.92	-238.36	1.03	29.40			0.0	0.0	1421
1415	39 51.30	106 11.09	11614.0	0	1178.50	102.39	-293.72	-264.05	-267.05	-239.38	1.03	27.70			0.0	0.0	1422
1416	39 50.62	106 9.60	11196.0	0	1206.20	91.85	-290.01	-261.41	-272.27	-244.99	1.16	18.90			0.0	0.0	1423
1417	39 50.38	106 8.61	11107.0	0	1210.00	87.64	-291.18	-262.80	-274.66	-247.52	1.18	17.70			0.0	0.0	1424
1418	39 59.93	106 24.22	8048.0	0	1444.50	20.68	-253.81	-233.25	-253.63	-233.08	1.72	1.90			0.0	0.0	1425
1419	39 59.39	106 25.21	8124.0	0	1439.80	23.91	-253.17	-232.41	-252.98	-232.24	1.71	1.90			0.0	0.0	1426
1420	39 59.13	106 26.20	8217.0	0	1437.60	30.84	-249.42	-228.42	-248.72	-227.78	1.70	2.40			0.0	0.0	1427
1421	39 59.69	106 28.30	8095.0	0	1445.30	26.25	-249.85	-229.17	-245.86	-225.48	1.71	5.70			0.0	0.0	1428
1422	40 0.17	106 29.04	7750.0	0	1466.70	14.52	-249.81	-230.01	-242.34	-223.10	1.73	9.20			0.0	0.0	1429
1423	39 59.35	106 29.57	7546.0	0	1480.10	9.97	-247.40	-228.12	-244.24	-225.19	1.74	4.90			0.0	0.0	1430
1424	39 54.99	106 28.72	7494.0	0	1461.90	-6.66	-262.26	-243.11	-258.40	-239.54	1.74	5.60			0.0	0.0	1431
1425	39 55.40	106 29.81	7353.0	0	1472.30	-10.12	-260.90	-242.12	-257.04	-238.55	1.74	5.60			0.0	0.0	1432
1426	39 54.26	106 28.09	7617.0	0	1451.30	-4.63	-264.42	-244.96	-258.65	-239.62	1.74	7.50			0.0	0.0	1433
1427	39 53.53	106 28.00	7994.0	0	1426.60	7.18	-265.47	-245.05	-259.39	-239.42	1.72	7.80			0.0	0.0	1434
1428	39 52.68	106 27.90	8262.0	0	1409.20	16.21	-265.58	-244.47	-260.58	-239.84	1.70	6.70			0.0	0.0	1435
1429	39 51.10	106 26.93	9155.0	0	1352.70	45.94	-266.30	-242.92	-261.80	-238.75	1.60	6.10			0.0	0.0	1436
1430	39 48.87	106 25.62	10319.0	0	1279.10	84.97	-266.97	-240.61	-263.65	-237.54	1.38	4.70			0.0	0.0	1437
1431	39 52.70	106 25.92	11089.0	0	1231.20	103.72	-274.49	-246.16	-256.57	-229.58	1.18	19.10			0.0	0.0	1438
1432	39 49.53	106 24.78	11528.0	0	1207.40	125.84	-267.34	-237.89	-257.00	-228.33	1.06	11.40			0.0	0.0	1439
1433	39 48.00	106 24.00	11942.0	0	1173.80	133.37	-273.93	-243.42	-260.16	-230.68	0.93	14.70			0.0	0.0	1440
1434	39 49.21	106 24.60	11650.0	0	1196.60	126.97	-270.38	-240.61	-258.70	-229.81	1.02	12.70			0.0	0.0	1441
1435	39 53.40	106 25.31	11120.0	0	1233.00	107.40	-271.87	-243.46	-258.95	-231.50	1.18	14.10			0.0	0.0	1442
1436	39 48.99	106 23.77	11025.0	0	1254.80	126.80	-249.23	-221.06	-243.53	-215.79	1.20	6.90			0.0	0.0	1443
1437	39 57.12	105 47.63	8804.0	0	1386.40	37.76	-262.52	-240.02	-261.76	-239.33	1.65	2.40			0.0	0.0	1444
1438	39 56.89	105 45.90	8857.0	0	1392.60	40.28	-252.30	-230.18	-250.04	-227.62	1.64	4.40			0.0	0.0	1445
1439	39 57.95	105 45.41	9153.0	0	1378.90	61.81	-250.36	-226.98	-247.06	-223.93	1.60	4.90			0.0	0.0	1446
1440	39 56.26	105 46.49	8942.0	0	1385.10	50.70	-254.29	-231.44	-252.72	-229.99	1.63	3.20			0.0	0.0	1447
1441	39 55.38	105 45.92	9427.0	0	1352.60	65.06	-256.47	-232.38	-255.32	-231.32	1.56	2.70			0.0	0.0	1448
1442	39 54.51	105 45.41	9746.0	0	1332.70	76.41	-255.99	-231.10	-253.19	-228.50	1.50	4.30			0.0	0.0	1449
1443	39 53.67	105 47.36	9360.0	0	1346.50	55.19	-264.04	-240.13	-260.51	-236.86	1.57	5.10			0.0	0.0	1450

MINLAT=39. 15. MAXLAT=41. 0. MINLONG=105. 30. MAXLONG=107. 0. MINELEV=6000. MAXELEV=14000. UNITS= C

BMR= 0.0 GBV=979490.30 MSV=0.0 D1=2.67 D2=2.47 OPTIONS=1010000000 CM= 106 15. REF= 196

STATION	LAT	LONG	ELEV(F)	E	OBS G	FAA	BA2.67	BA(OPT)	CB2.67	CB(OPT)	CC	TC	TCM	FG	DRIFT	TIDE	N
1444	39 52.56	105 46.48	10712.0	0	1253.70	91.02	-274.33	-246.96	-263.31	-236.77	1.28	12.30			0.0	0.0	1451
1445	39 51.25	105 47.03	11622.0	0	1186.10	110.82	-285.57	-255.88	-274.40	-245.54	1.03	12.20			0.0	0.0	1452
1446	39 52.42	105 48.50	10326.0	0	1278.20	79.48	-272.71	-246.33	-267.99	-241.96	1.38	6.10			0.0	0.0	1453
1447	39 53.43	105 48.80	9265.0	0	1353.00	53.13	-262.87	-239.20	-259.45	-236.04	1.58	5.00			0.0	0.0	1454
1448	39 51.96	105 49.25	9413.0	0	1325.00	41.20	-279.84	-255.79	-268.30	-245.12	1.56	13.10			0.0	0.0	1455
1449	39 50.41	105 49.49	9800.0	0	1287.70	42.55	-291.70	-266.66	-281.49	-257.21	1.49	11.70			0.0	0.0	1456
1450	39 49.13	105 50.03	10200.0	0	1257.70	52.01	-295.88	-269.82	-287.08	-261.68	1.41	10.20			0.0	0.0	1457
1451	39 55.38	105 49.81	8917.0	0	1377.80	42.35	-261.78	-239.00	-260.81	-238.10	1.63	2.60			0.0	0.0	1458
1452	39 54.17	105 49.08	9585.0	0	1333.60	62.69	-264.22	-239.74	-262.05	-237.73	1.53	3.70			0.0	0.0	1459
1453	39 53.38	105 50.01	9440.0	0	1341.30	57.94	-264.03	-239.91	-258.78	-235.06	1.55	6.80			0.0	0.0	1460
1454	39 54.59	105 51.33	9398.0	0	1344.10	55.00	-265.53	-241.52	-263.89	-240.01	1.56	3.20			0.0	0.0	1461
1455	39 53.75	105 51.72	9435.0	0	1343.70	59.32	-262.48	-238.37	-259.23	-235.37	1.56	4.80			0.0	0.0	1462
1456	39 53.14	105 52.19	10082.0	0	1302.90	80.19	-263.67	-237.91	-259.40	-233.96	1.43	5.70			0.0	0.0	1463
1457	39 51.51	105 51.78	11565.0	0	1196.40	115.38	-279.06	-249.52	-270.11	-241.23	1.05	10.00			0.0	0.0	1464
1458	39 51.11	105 51.21	11956.0	0	1165.50	121.79	-285.99	-255.44	-273.32	-243.72	0.93	13.60			0.0	0.0	1465
1459	39 53.25	105 53.41	9264.0	0	1350.30	50.60	-265.37	-241.70	-261.45	-238.08	1.58	5.50			0.0	0.0	1466
1460	39 52.54	105 54.11	9496.0	0	1332.90	56.04	-267.84	-243.57	-262.48	-238.62	1.55	6.90			0.0	0.0	1467
1461	39 51.64	105 54.49	9509.0	0	1323.80	49.49	-274.83	-250.53	-266.37	-242.71	1.54	10.00			0.0	0.0	1468
1462	39 50.84	105 54.68	9577.0	0	1310.30	43.56	-283.07	-258.61	-273.50	-249.75	1.53	11.10			0.0	0.0	1469
1463	39 49.95	105 55.32	9922.0	0	1283.70	50.69	-287.72	-262.37	-278.38	-253.73	1.47	10.80			0.0	0.0	1470
1464	39 48.63	105 55.90	10480.0	0	1242.50	63.85	-293.59	-266.81	-284.93	-258.80	1.34	10.00			0.0	0.0	1471
1465	39 53.48	105 54.55	9514.0	0	1337.10	60.54	-263.95	-239.64	-258.69	-234.78	1.54	6.80			0.0	0.0	1472
1466	39 53.28	105 55.74	10252.0	0	1294.20	87.25	-262.41	-236.21	-258.00	-232.14	1.39	5.80			0.0	0.0	1473
1467	39 53.76	105 53.70	9254.0	0	1355.60	54.20	-261.42	-237.78	-258.00	-234.62	1.58	5.00			0.0	0.0	1474
1468	39 54.48	105 52.86	9032.0	0	1370.00	46.68	-261.37	-238.29	-258.48	-235.62	1.62	4.50			0.0	0.0	1475
1469	39 55.79	105 51.38	8833.0	0	1381.10	37.15	-264.11	-241.55	-263.36	-240.85	1.64	2.40			0.0	0.0	1476
1470	39 54.60	105 54.62	10445.0	0	1237.00	96.23	-260.02	-233.33	-253.87	-227.64	1.35	7.50			0.0	0.0	1477
1471	39 55.03	105 55.35	9880.0	0	1324.60	80.13	-256.85	-231.61	-251.02	-226.22	1.47	7.30			0.0	0.0	1478
1472	39 55.50	105 54.68	9360.0	0	1357.30	63.28	-255.95	-232.04	-252.02	-228.40	1.57	5.50			0.0	0.0	1479
1473	39 56.09	105 53.45	8881.0	0	1385.50	45.62	-257.28	-234.59	-253.82	-231.39	1.64	5.10			0.0	0.0	1480
1474	39 56.62	105 55.88	9750.0	0	1332.30	73.26	-259.28	-234.37	-255.18	-230.58	1.50	5.60			0.0	0.0	1481
1475	39 56.19	105 57.70	9667.0	0	1338.50	72.30	-257.41	-232.71	-254.92	-230.41	1.51	4.00			0.0	0.0	1482
1476	39 56.24	105 58.87	9934.0	0	1322.60	81.41	-257.41	-232.03	-256.27	-230.98	1.46	2.60			0.0	0.0	1483
1477	39 56.71	105 57.01	10445.0	0	1285.60	91.70	-264.54	-237.85	-256.59	-230.50	1.35	9.30			0.0	0.0	1484
1478	39 58.98	105 56.70	8822.0	0	1390.90	41.20	-259.69	-237.15	-259.24	-236.73	1.64	2.10			0.0	0.0	1485
1479	39 59.30	105 55.53	8710.0	0	1400.60	39.90	-257.17	-234.92	-257.13	-234.88	1.66	1.70			0.0	0.0	1486
1480	40 1.22	105 57.97	8405.0	0	1396.70	4.50	-282.16	-260.69	-281.85	-260.40	1.69	2.00			0.0	0.0	1487
1481	40 0.54	105 58.15	8439.0	0	1415.05	27.05	-260.77	-239.21	-259.76	-238.27	1.69	2.70			0.0	0.0	1488
1482	39 59.10	105 57.49	9145.0	0	1372.93	53.39	-258.51	-235.15	-257.52	-234.23	1.60	2.60			0.0	0.0	1489
1483	39 59.09	105 58.62	9366.0	0	1355.43	56.66	-262.78	-238.85	-259.65	-235.03	1.57	5.70			0.0	0.0	1490
1484	39 58.19	105 58.67	9908.0	0	1325.37	78.85	-259.08	-233.77	-256.25	-231.15	1.47	4.30			0.0	0.0	1491
1485	39 55.20	106 0.80	9500.0	0	1349.35	68.93	-255.08	-230.81	-254.13	-229.93	1.54	2.50			0.0	0.0	1492
1486	39 54.50	106 1.05	9093.0	0	1366.21	48.59	-261.54	-238.31	-256.75	-233.87	1.61	6.40			0.0	0.0	1493
1487	39 54.30	106 2.10	8894.0	0	1377.54	41.53	-261.82	-239.09	-255.85	-233.58	1.64	7.60			0.0	0.0	1494
1488	39 54.42	106 3.12	8738.0	0	1387.64	36.79	-261.23	-238.91	-255.48	-233.59	1.65	7.40			0.0	0.0	1495
1489	39 54.01	106 4.19	8600.0	0	1392.30	29.10	-264.22	-242.25	-258.79	-237.22	1.67	7.10			0.0	0.0	1496
1490	39 55.31	106 5.81	8526.0	0	1399.50	27.42	-263.37	-241.59	-258.85	-237.40	1.68	6.20			0.0	0.0	1497
1491	39 53.85	106 2.49	10109.0	0	1304.78	83.56	-261.22	-235.40	-256.25	-230.79	1.43	6.40			0.0	0.0	1498
1492	39 52.72	106 1.92	10901.0	0	1251.48	106.31	-265.48	-237.63	-256.72	-229.52	1.24	10.00			0.0	0.0	1499
1493	39 53.72	106 0.99	10500.0	0	1269.87	85.56	-272.55	-245.73	-264.79	-238.55	1.34	9.10			0.0	0.0	1500

MINLAT=39. 15. MAXLAT=41. 0. MINLONG=105. 30. MAXLONG=107. 0. MINELEV=6000. MAXELEV=14000. UNITS= C

BMR= 0.0 GBV=979490.30 MSV=0.0 D1=2.67 D2=2.47 OPTIONS=101000000 CM= 106 15. REF= 196

STATION	LAT	LONG	ELEV(F)	E	OBS G	FAA	BA2.67	BA(CPT)	CB2.67	CB(CPT)	CC	TC	TCM	FC	DRIFT	TIDE	N
1494	39 50.63	105 46.98	12058.0	0	1154.90	121.48	-289.78	-258.97	-276.08	-246.30	0.89	14.60			0.0	0.0	1501
1495	39 51.01	105 48.37	11818.0	0	1169.60	113.08	-289.99	-259.80	-275.66	-246.54	0.97	15.30			0.0	0.0	1502
1496	39 51.57	105 48.18	11433.0	0	1200.70	107.20	-282.74	-253.54	-271.93	-243.53	1.09	11.90			0.0	0.0	1503
1497	39 50.11	105 47.91	11972.0	0	1160.00	119.27	-289.05	-258.47	-280.38	-250.44	0.92	9.60			0.0	0.0	1504
1498	39 49.09	105 48.12	12179.0	0	1141.20	121.42	-293.97	-262.85	-283.82	-253.47	0.86	11.00			0.0	0.0	1505
1499	39 47.97	105 48.10	12424.0	0	1116.80	121.68	-302.06	-270.32	-286.34	-255.78	0.77	16.50			0.0	0.0	1506
1500	39 47.55	105 48.62	12502.0	0	1109.30	122.12	-304.28	-272.34	-287.43	-256.75	0.75	17.60			0.0	0.0	1507
1501	39 47.13	105 49.32	12521.0	0	1103.40	118.63	-308.42	-276.43	-288.96	-258.43	0.74	20.20			0.0	0.0	1508
1502	39 47.28	105 50.24	12707.0	0	1087.90	120.37	-313.02	-280.56	-290.30	-259.54	0.68	23.40			0.0	0.0	1509
1503	39 47.26	105 51.04	12900.0	0	1074.60	125.22	-314.76	-281.80	-290.97	-259.79	0.61	24.40			0.0	0.0	1510
1504	39 47.78	105 51.27	12947.0	0	1071.60	125.86	-315.72	-282.64	-289.61	-258.49	0.59	26.70			0.0	0.0	1511
1505	39 47.81	105 52.30	12316.0	0	1226.88	221.85	-198.20	-166.74	-199.01	-167.49	0.81	0.0			0.0	0.0	1512
1506	39 47.80	105 53.24	12666.0	0	1096.60	124.45	-307.54	-275.18	-288.44	-257.51	0.69	19.80			0.0	0.0	1513
1507	39 45.33	105 49.58	10225.0	0	1240.20	42.48	-306.26	-280.14	-294.06	-268.85	1.40	13.60			0.0	0.0	1514
1508	39 46.33	105 49.87	10115.0	0	1247.70	38.17	-306.82	-280.98	-294.44	-269.53	1.42	13.80			0.0	0.0	1515
1509	39 46.24	105 51.26	10433.0	0	1229.60	50.07	-305.77	-279.11	-296.62	-270.65	1.35	10.50			0.0	0.0	1516
1510	39 46.86	105 51.88	10920.0	0	1204.00	69.29	-303.15	-275.26	-295.39	-268.07	1.23	9.00			0.0	0.0	1517
1511	39 46.42	105 53.34	12451.0	0	1105.70	115.40	-309.26	-277.45	-296.52	-265.67	0.77	13.50			0.0	0.0	1518
1512	39 38.27	105 45.91	11594.0	0	1172.30	113.58	-281.85	-252.23	-274.69	-245.61	1.04	8.20			0.0	0.0	1519
1513	39 37.60	105 46.31	12219.0	0	1131.90	132.86	-283.89	-252.67	-275.53	-244.94	0.84	9.20			0.0	0.0	1520
1514	40 56.33	106 33.42	9090.0	0	1499.00	89.31	-220.72	-197.50	-220.73	-197.51	1.61	1.60			0.0	0.0	1521
1515	40 56.69	106 34.22	9366.0	0	1483.50	99.20	-220.24	-196.32	-219.01	-195.18	1.57	2.80			0.0	0.0	1522
1516	40 55.92	106 35.28	9509.0	0	1468.70	98.98	-225.34	-201.05	-224.09	-199.89	1.54	2.80			0.0	0.0	1523
1517	40 39.47	106 27.72	8076.0	0	1496.00	16.13	-259.31	-238.68	-260.32	-239.62	1.71	0.70			0.0	0.0	1524
1518	40 38.60	106 28.90	8271.0	0	1485.30	25.05	-257.05	-235.92	-258.05	-236.84	1.70	0.70			0.0	0.0	1525
1519	39 55.30	105 59.30	9950.0	0	1322.40	84.10	-255.26	-229.84	-253.92	-228.60	1.46	2.80			0.0	0.0	1526
1520	39 54.23	105 58.22	9600.0	0	1337.80	68.21	-259.21	-234.69	-251.94	-227.96	1.53	6.80			0.0	0.0	1527
1521	39 56.82	105 59.41	10485.0	0	1287.10	96.80	-260.81	-234.02	-256.55	-230.08	1.34	5.60			0.0	0.0	1528
1522	40 1.36	106 3.40	8510.0	0	1405.90	23.36	-266.89	-245.14	-262.97	-241.52	1.68	5.60			0.0	0.0	1529
1523	39 40.55	105 48.38	10335.0	0	1238.10	57.78	-294.71	-268.31	-284.19	-258.57	1.38	11.90			0.0	0.0	1530
1524	39 39.78	105 49.04	10725.0	0	1209.90	67.34	-298.45	-271.05	-287.13	-260.58	1.28	12.60			0.0	0.0	1531
1525	39 39.52	105 47.09	11295.0	0	1188.10	99.46	-285.78	-256.92	-275.51	-247.42	1.13	11.40			0.0	0.0	1532
1526	39 38.67	105 48.13	12235.0	0	1126.30	127.18	-290.11	-258.86	-282.75	-252.05	0.84	8.20			0.0	0.0	1533
1527	39 40.85	105 55.38	12517.0	0	1095.20	119.34	-307.58	-275.60	-297.22	-266.02	0.74	11.10			0.0	0.0	1534
1528	39 39.94	105 54.90	12562.0	0	1088.90	118.61	-309.84	-277.75	-295.07	-264.08	0.73	15.50			0.0	0.0	1535
1529	39 39.21	105 54.60	12526.0	0	1088.40	115.80	-311.41	-279.41	-295.45	-264.65	0.74	16.70			0.0	0.0	1536
1530	39 39.88	105 53.80	12479.0	0	1097.00	119.00	-306.61	-274.73	-293.97	-263.04	0.76	13.40			0.0	0.0	1537
1531	39 39.28	105 52.47	11686.0	0	1151.10	99.53	-299.04	-269.19	-293.55	-264.11	1.01	6.50			0.0	0.0	1538
1532	39 37.73	105 52.31	12000.0	0	1127.80	108.00	-301.28	-270.62	-294.09	-263.97	0.91	8.10			0.0	0.0	1539
1533	39 40.03	105 58.61	10383.0	0	1222.50	47.45	-306.68	-280.15	-299.54	-273.55	1.36	8.50			0.0	0.0	1540
1534	39 39.58	105 59.39	10098.0	0	1240.60	39.45	-304.96	-279.16	-299.19	-273.82	1.43	7.20			0.0	0.0	1541
1535	39 38.99	106 1.39	9453.0	0	1277.70	16.84	-305.57	-281.42	-298.82	-275.18	1.55	8.30			0.0	0.0	1542
1536	39 38.80	106 2.10	9248.0	0	1288.60	8.76	-306.65	-283.03	-299.64	-276.54	1.59	8.60			0.0	0.0	1543
1537	39 38.03	106 3.24	8933.0	0	1310.60	2.31	-302.36	-279.54	-299.19	-276.61	1.63	4.80			0.0	0.0	1544
1538	39 38.40	106 6.08	9402.0	0	1278.40	13.62	-307.05	-283.03	-304.71	-280.87	1.56	3.90			0.0	0.0	1545
1539	39 37.95	106 7.40	9517.0	0	1274.90	21.59	-303.01	-278.69	-295.65	-271.86	1.54	8.90			0.0	0.0	1546
1540	39 39.42	106 6.45	9397.0	0	1280.30	13.54	-306.96	-282.95	-304.02	-280.23	1.56	4.50			0.0	0.0	1547
1541	39 43.75	106 6.45	9224.0	0	1310.00	20.59	-294.01	-270.44	-290.30	-267.01	1.59	5.30			0.0	0.0	1548
1542	39 44.87	106 5.88	9682.0	0	1284.50	36.46	-293.76	-269.03	-289.27	-264.88	1.51	6.00			0.0	0.0	1549
1543	39 43.54	106 8.52	9117.0	0	1317.10	17.95	-293.01	-269.71	-290.20	-267.12	1.61	4.40			0.0	0.0	1550

MINLAT=39. 15. MAXLAT=41. 0. MINLONG=105. 30. MAXLONG=107. 0. MINELEV=6000. MAXELEV=14000. UNITS= C

BMR= 0.0 GBV=979490.30 MSV=0.0 D1=2.67 D2=2.47 OPTIONS=1010000000 CM= 106 15. REF= 196

STATION	LAT	LONG	ELEV(F)	E	OBS G	FAA	BA2.67	BA(OPT)	CB2.67	CB(OPT)	CC	TC	TCM	FG	DRIFT	TIDE	N
1544	39 43.08	106 9.60	9360.0	0	1301.60	25.96	-293.28	-269.37	-291.05	-267.30	1.57	3.80			0.0	0.0	1551
1545	39 42.34	106 10.17	9600.0	0	1280.90	28.89	-298.53	-274.00	-295.55	-271.25	1.53	4.50			0.0	0.0	1552
1546	39 41.78	106 11.80	10235.0	0	1261.90	70.37	-278.71	-252.57	-270.71	-245.16	1.40	9.40			0.0	0.0	1553
1547	39 44.13	106 9.85	9240.0	0	1312.30	23.83	-291.31	-267.70	-288.50	-265.10	1.59	4.40			0.0	0.0	1554
1548	39 45.30	106 9.40	8674.0	0	1351.50	8.13	-287.71	-265.55	-284.67	-262.74	1.66	4.70			0.0	0.0	1555
1549	39 47.00	106 8.31	8473.0	0	1370.30	5.54	-283.45	-261.80	-281.73	-260.21	1.68	3.40			0.0	0.0	1556
1550	39 47.00	106 7.20	8817.0	0	1347.90	15.45	-285.26	-262.74	-282.51	-260.19	1.65	4.40			0.0	0.0	1557
1551	39 48.85	106 7.87	8554.0	0	1367.00	7.11	-284.64	-262.78	-278.11	-256.75	1.67	8.20			0.0	0.0	1558
1552	39 48.24	106 8.79	8269.0	0	1384.80	-0.96	-282.99	-261.86	-279.29	-258.44	1.70	5.40			0.0	0.0	1559
1553	39 57.65	106 25.29	8962.0	0	1383.50	48.92	-256.75	-233.85	-256.07	-233.23	1.63	2.30			0.0	0.0	1560
1554	39 56.98	106 24.69	8801.0	0	1388.70	39.98	-260.19	-237.70	-259.13	-236.73	1.65	2.70			0.0	0.0	1561
1555	39 56.30	106 24.75	8757.0	0	1391.10	39.26	-259.41	-237.04	-258.37	-236.07	1.65	2.70			0.0	0.0	1562
1556	39 55.50	106 24.80	8860.0	0	1383.20	42.22	-259.97	-237.33	-259.31	-236.72	1.64	2.30			0.0	0.0	1563
1557	39 55.50	106 25.92	9469.0	0	1349.80	66.02	-256.93	-232.74	-254.68	-230.66	1.55	3.80			0.0	0.0	1564
1558	39 54.60	106 24.80	8815.0	0	1383.90	40.02	-260.63	-238.11	-259.97	-237.50	1.65	2.30			0.0	0.0	1565
1559	39 54.60	106 23.70	8865.0	0	1381.60	42.42	-259.94	-237.29	-259.27	-236.68	1.64	2.30			0.0	0.0	1566
1560	39 55.70	106 21.85	7956.0	0	1437.90	11.69	-259.66	-239.33	-259.38	-239.07	1.72	2.00			0.0	0.0	1567
1561	39 56.69	106 22.12	7896.0	0	1443.90	10.59	-258.71	-238.54	-258.14	-238.01	1.72	2.30			0.0	0.0	1568
1562	39 51.98	106 20.60	8476.0	0	1397.02	25.17	-263.91	-242.26	-261.70	-240.21	1.68	3.90			0.0	0.0	1569
1563	39 50.80	106 21.03	8793.0	0	1375.70	35.38	-264.52	-242.06	-259.67	-237.57	1.65	6.50			0.0	0.0	1570
1564	39 50.11	106 19.12	8618.0	0	1380.30	24.56	-269.37	-247.35	-264.24	-242.61	1.67	6.80			0.0	0.0	1571
1565	39 51.06	106 17.50	8363.0	0	1397.10	16.00	-269.24	-247.87	-267.33	-246.11	1.69	3.60			0.0	0.0	1572
1566	39 47.68	106 16.20	8871.0	0	1348.60	20.22	-282.34	-259.67	-275.18	-253.05	1.64	8.80			0.0	0.0	1573
1567	39 48.74	106 15.65	8692.0	0	1361.80	15.04	-281.42	-259.21	-277.68	-255.75	1.66	5.40			0.0	0.0	1574
1568	39 49.52	106 15.40	8548.0	0	1378.70	17.26	-274.29	-252.45	-271.46	-249.84	1.68	4.50			0.0	0.0	1575
1569	39 50.35	106 15.30	8368.0	0	1392.40	12.82	-272.59	-251.21	-270.98	-249.72	1.69	3.30			0.0	0.0	1576
1570	39 46.11	106 11.78	9215.0	0	1320.20	26.46	-287.83	-264.29	-285.93	-262.53	1.59	3.50			0.0	0.0	1577
1571	39 44.87	106 13.13	9185.0	0	1314.80	20.07	-293.20	-269.73	-284.59	-261.77	1.60	10.20			0.0	0.0	1578
1572	39 45.79	106 11.60	9060.0	0	1329.70	21.87	-287.14	-263.99	-285.05	-262.06	1.61	3.70			0.0	0.0	1579
1573	39 40.75	105 56.07	11160.0	0	1175.60	72.46	-308.17	-279.66	-298.63	-270.84	1.17	10.70			0.0	0.0	1580
1574	39 40.57	105 57.41	10754.0	0	1202.10	61.10	-305.68	-278.21	-298.76	-271.80	1.27	8.20			0.0	0.0	1581
1575	40 18.37	106 27.79	8071.0	0	1468.30	19.30	-255.97	-235.35	-254.49	-233.98	1.71	3.20			0.0	0.0	1582
1575	39 44.21	106 21.00	10172.0	0	1266.70	65.66	-281.28	-255.29	-270.09	-244.94	1.41	12.60			0.0	0.0	1583
1576	39 43.50	106 20.29	10329.0	0	1250.40	65.15	-287.14	-260.75	-276.61	-251.01	1.38	11.90			0.0	0.0	1584
1577	39 43.07	106 19.44	10516.0	0	1239.80	72.75	-285.91	-259.05	-276.35	-250.20	1.33	10.90			0.0	0.0	1585
1578	39 40.56	106 18.82	11780.0	0	1162.30	117.66	-284.11	-254.02	-275.59	-246.14	0.98	9.50			0.0	0.0	1586
1579	39 40.92	106 18.34	10251.0	0	1244.90	56.14	-293.49	-267.30	-291.18	-265.17	1.39	3.70			0.0	0.0	1587
1580	39 40.12	106 18.64	9508.0	0	1276.10	18.73	-305.55	-281.26	-299.79	-275.93	1.54	7.30			0.0	0.0	1588
1581	39 39.79	106 18.64	9300.0	0	1294.10	17.68	-299.51	-275.75	-296.18	-272.67	1.58	4.90			0.0	0.0	1589
1582	39 48.34	106 16.04	8957.0	0	1344.70	23.42	-282.07	-259.19	-280.20	-257.45	1.63	3.50			0.0	0.0	1590
1583	39 48.84	106 16.10	9321.0	0	1323.70	35.88	-282.03	-258.22	-278.30	-254.77	1.57	5.30			0.0	0.0	1591
1584	39 48.62	106 16.84	9605.0	0	1309.30	48.48	-279.12	-254.58	-275.84	-251.55	1.53	4.80			0.0	0.0	1592
1585	39 48.47	106 18.09	10044.0	0	1288.50	69.13	-273.43	-247.77	-268.67	-243.37	1.44	6.20			0.0	0.0	1593
1586	39 47.71	106 20.07	10749.0	0	1249.50	97.47	-269.14	-241.68	-261.11	-234.25	1.28	9.30			0.0	0.0	1594
1587	39 48.75	106 19.94	9926.0	0	1305.70	74.84	-263.71	-238.35	-259.37	-234.34	1.46	5.80			0.0	0.0	1595
1588	39 49.11	106 20.79	10238.0	0	1286.40	84.31	-264.87	-238.72	-261.07	-235.20	1.40	5.20			0.0	0.0	1596
1589	39 50.14	106 20.19	9505.0	0	1329.10	56.64	-267.55	-243.26	-263.69	-239.69	1.54	5.40			0.0	0.0	1597
1590	40 27.14	106 34.71	8777.0	0	1453.20	57.51	-241.84	-219.42	-241.69	-219.28	1.65	1.80			0.0	0.0	1598
1591	40 26.97	106 36.39	9490.0	0	1412.30	83.84	-239.83	-215.59	-238.88	-214.71	1.55	2.50			0.0	0.0	1599
1592	40 27.96	106 35.25	8910.0	0	1448.30	63.89	-240.00	-217.24	-239.94	-217.18	1.63	1.70			0.0	0.0	1600

MINLAT=39. 15. MAXLAT=41. 0. MINLONG=105. 30. MAXLONG=107. 0. MINELEV=6000. MAXELEV=14000. UNITS= C

BMR= 0.0 GBV=979490.30 MSV=0.0 D1=2.67 D2=2.47 OPTIONS=1010000000 CM= 106 15. REF= 196

STATION	LAT	LONG	ELEV(F)	E	OBS G	FAA	BA2.67	BA(OPT)	CB2.67	CB(OPT)	CC	TC	TCM	FC	DRIFT	TIDE	N
1593	40 28.01	106 21.31	8617.0	0	1453.30	41.79	-252.11	-230.09	-252.18	-230.16	1.67	1.60			0.0	0.0	1601
1594	40 29.81	106 27.75	8265.0	0	1476.40	28.65	-253.24	-232.13	-254.15	-232.96	1.70	0.80			0.0	0.0	1602
1595	40 29.79	106 28.89	8382.0	0	1469.50	32.77	-253.11	-231.70	-254.01	-232.52	1.69	0.80			0.0	0.0	1603
1596	40 29.75	106 30.01	8337.0	0	1473.40	32.50	-251.85	-230.55	-252.54	-231.19	1.70	1.00			0.0	0.0	1604
1597	40 29.77	106 31.14	8408.0	0	1471.80	37.54	-249.23	-227.75	-249.72	-228.20	1.69	1.20			0.0	0.0	1605
1598	40 29.77	106 30.14	8496.0	0	1462.20	36.21	-253.56	-231.86	-254.14	-232.39	1.68	1.10			0.0	0.0	1606
1599	40 23.25	106 32.36	8554.0	0	1454.10	43.24	-248.51	-226.66	-249.09	-227.19	1.67	1.10			0.0	0.0	1607
1600	40 22.61	106 31.52	8791.0	0	1435.80	48.15	-251.68	-229.22	-251.83	-229.36	1.65	1.50			0.0	0.0	1608
1601	40 12.37	106 37.39	9809.0	0	1372.20	95.37	-239.19	-214.13	-238.17	-213.19	1.49	2.50			0.0	0.0	1609
1602	40 12.14	106 38.25	9666.0	0	1379.90	89.98	-239.70	-215.00	-239.01	-214.37	1.51	2.20			0.0	0.0	1610
1603	40 12.07	106 39.28	9468.0	0	1390.20	81.78	-241.14	-216.95	-239.49	-215.42	1.55	3.20			0.0	0.0	1611
1604	40 12.41	106 40.07	9322.0	0	1398.60	75.96	-241.98	-218.16	-239.55	-215.92	1.57	4.00			0.0	0.0	1612
1605	40 12.54	106 40.66	9235.0	0	1405.40	74.40	-240.58	-216.98	-238.66	-215.21	1.59	3.50			0.0	0.0	1613
1606	40 12.64	106 41.47	9122.0	0	1412.20	70.44	-240.69	-217.38	-238.69	-215.53	1.60	3.60			0.0	0.0	1614
1607	40 12.79	106 42.51	8990.0	0	1420.90	66.51	-240.11	-217.14	-238.53	-215.68	1.62	3.20			0.0	0.0	1615
1608	40 12.89	106 43.52	8895.0	0	1426.80	63.34	-240.04	-217.31	-238.97	-216.33	1.64	2.70			0.0	0.0	1616
1609	40 13.04	106 44.57	8861.0	0	1428.60	61.72	-240.49	-217.86	-238.73	-216.23	1.64	3.40			0.0	0.0	1617
1610	40 20.34	106 31.27	8128.0	0	1473.50	26.93	-250.28	-229.52	-250.39	-229.62	1.71	1.60			0.0	0.0	1618
1611	40 21.31	106 30.02	8306.0	0	1459.90	28.62	-254.67	-233.45	-254.77	-233.54	1.70	1.60			0.0	0.0	1619
1612	40 22.27	106 30.14	8480.0	0	1451.30	34.94	-254.28	-232.62	-254.77	-233.07	1.68	1.20			0.0	0.0	1620
1613	40 15.25	106 38.50	9084.0	0	1424.30	75.09	-234.73	-211.52	-233.34	-210.24	1.61	3.00			0.0	0.0	1621
1614	40 15.23	106 39.18	9329.0	0	1410.50	84.34	-233.84	-210.01	-233.21	-209.43	1.57	2.20			0.0	0.0	1622
1615	40 15.50	106 40.34	9170.0	0	1421.80	80.30	-232.46	-209.03	-231.65	-208.29	1.60	2.40			0.0	0.0	1623
1616	40 15.75	106 41.44	8713.0	0	1450.10	65.30	-231.87	-209.61	-230.03	-207.90	1.66	3.50			0.0	0.0	1624
1617	40 16.11	106 42.50	8554.0	0	1457.60	57.33	-234.42	-212.56	-231.19	-209.58	1.67	4.90			0.0	0.0	1625
1618	40 16.19	106 43.27	8479.0	0	1462.20	54.77	-234.42	-212.76	-230.81	-209.41	1.68	5.30			0.0	0.0	1626
1619	40 16.20	106 43.57	8394.0	0	1466.80	51.37	-234.92	-213.48	-230.31	-209.21	1.69	6.30			0.0	0.0	1627
1620	40 16.51	106 44.51	8292.0	0	1473.00	47.52	-235.29	-214.10	-229.89	-209.11	1.70	7.10			0.0	0.0	1628
1622	40 51.37	106 44.37	9010.0	0	1481.60	71.78	-235.52	-212.51	-228.34	-205.86	1.62	8.80			0.0	0.0	1629
1623	40 47.07	106 43.29	8450.0	0	1508.70	52.67	-235.53	-213.94	-228.92	-207.82	1.68	8.30			0.0	0.0	1630
1623	40 51.29	106 43.07	9000.0	0	1483.70	73.06	-233.90	-210.91	-225.12	-202.79	1.62	10.40			0.0	0.0	1631
1624	40 46.68	106 44.07	8319.0	0	1518.70	50.94	-232.79	-211.54	-228.19	-207.28	1.70	6.30			0.0	0.0	1632
1625	40 46.59	106 44.89	8200.0	0	1526.90	48.10	-231.58	-210.63	-228.18	-207.49	1.71	5.10			0.0	0.0	1633
1626	40 52.34	106 47.50	9420.0	0	1469.60	96.85	-224.44	-200.37	-223.60	-199.59	1.56	2.40			0.0	0.0	1634
1627	40 54.25	106 46.19	10160.0	0	1434.20	128.11	-218.42	-192.46	-215.33	-189.61	1.41	4.50			0.0	0.0	1635
1628	40 57.73	106 42.82	10936.0	0	1442.90	204.50	-168.49	-140.55	-163.21	-135.67	1.23	6.50			0.0	0.0	1636
1629	40 56.94	106 42.39	10119.0	0	1444.70	130.75	-214.37	-188.52	-212.60	-186.88	1.42	3.20			0.0	0.0	1637
1630	40 56.39	106 42.46	10189.0	0	1437.40	130.84	-216.67	-190.64	-211.58	-185.93	1.41	6.50			0.0	0.0	1638
1631	40 55.80	106 43.34	9952.0	0	1450.20	122.26	-217.16	-191.74	-215.02	-189.76	1.46	3.60			0.0	0.0	1639
1632	40 55.47	106 44.17	9290.0	0	1488.30	98.67	-218.18	-194.44	-215.35	-191.83	1.58	4.40			0.0	0.0	1640
1633	40 54.84	106 44.50	9446.0	0	1477.40	103.37	-218.80	-194.67	-216.46	-192.50	1.55	3.90			0.0	0.0	1641
1634	40 54.18	106 43.31	9476.0	0	1471.10	100.87	-222.33	-198.12	-218.28	-194.37	1.55	5.60			0.0	0.0	1642
1635	40 53.27	106 43.02	9620.0	0	1457.10	101.75	-226.36	-201.78	-221.38	-197.18	1.52	6.50			0.0	0.0	1643
1636	40 57.16	106 32.69	9081.0	0	1503.50	91.73	-217.99	-194.79	-216.21	-193.14	1.61	3.40			0.0	0.0	1644
1637	40 55.14	106 34.40	9237.0	0	1487.70	93.59	-221.45	-197.86	-220.84	-197.29	1.59	2.20			0.0	0.0	1645
1638	40 55.07	106 32.82	9075.0	0	1499.80	90.57	-218.94	-195.76	-218.55	-195.40	1.61	2.00			0.0	0.0	1646
1639	40 54.25	106 33.59	9075.0	0	1496.70	88.69	-220.82	-197.64	-220.23	-197.09	1.61	2.20			0.0	0.0	1647
1640	40 46.29	106 30.42	9422.0	0	1424.80	61.24	-260.12	-236.05	-249.37	-226.11	1.56	12.30			0.0	0.0	1648
1641	40 47.25	106 30.77	9147.0	0	1452.30	62.48	-249.50	-226.13	-244.40	-221.41	1.60	6.70			0.0	0.0	1649
1642	40 52.15	106 32.45	8824.0	0	1496.50	68.04	-232.91	-210.37	-230.86	-208.47	1.64	3.70			0.0	0.0	1650

MINLAT=39. 15. MAXLAT=41. 0. MINLONG=105. 30. MAXLONG=107. 0. MINELEV=6000. MAXELEV=14000. UNITS= C

BMR= 0.0 GBV=979490.30 MSV=0.0 D1=2.67 D2=2.47 OPTIONS=101000000 CM= 106 15. REF= 196

STATION	LAT	LONG	ELEV(F)	E	OBS G	FAA	BA2.67	BA(OPT)	CB2.67	CB(OPT)	CC	TC	TCM	FC	DRIFT	TIDE	N
1643	40 56.10	106 28.06	9650.0	0	1455.10	98.35	-230.78	-206.12	-227.89	-203.46	1.52	4.40			0.0	0.0	1651
1644	40 56.84	106 27.93	9549.0	0	1468.40	101.06	-224.62	-200.22	-221.46	-197.30	1.54	4.70			0.0	0.0	1652
1645	40 57.42	106 27.82	9377.0	0	1478.90	94.54	-225.27	-201.32	-222.84	-199.07	1.57	4.00			0.0	0.0	1653
1646	40 57.89	106 27.50	9113.0	0	1497.90	88.05	-222.77	-199.49	-221.57	-198.38	1.61	2.80			0.0	0.0	1654
1647	40 58.44	106 28.77	9350.0	0	1486.90	98.49	-220.41	-196.52	-218.88	-195.10	1.57	3.10			0.0	0.0	1655
1648	40 59.39	106 29.19	9127.0	0	1501.90	91.13	-220.16	-196.85	-219.17	-195.92	1.60	2.60			0.0	0.0	1656
1649	40 56.27	106 28.79	9654.0	0	1458.60	101.97	-227.29	-202.63	-223.21	-198.85	1.52	5.60			0.0	0.0	1657
1650	40 56.94	106 29.57	9370.0	0	1481.60	97.30	-222.28	-198.34	-219.64	-195.90	1.57	4.20			0.0	0.0	1658
1651	40 32.56	105 54.34	11000.0	0	1320.70	125.75	-249.42	-221.32	-244.33	-216.61	1.21	6.30			0.0	0.0	1659
1652	40 33.54	105 54.50	11622.0	0	1275.60	137.61	-258.78	-229.09	-244.51	-215.89	1.03	15.30			0.0	0.0	1660
1653	40 34.28	105 54.96	12170.0	0	1232.90	145.26	-269.81	-238.72	-246.67	-217.31	0.86	24.00			0.0	0.0	1661
1654	40 34.89	105 55.41	12386.0	0	1217.40	149.14	-273.31	-241.66	-244.59	-215.10	0.79	29.50			0.0	0.0	1662
1655	40 35.04	105 53.11	10150.0	0	1377.20	98.74	-247.44	-221.51	-243.86	-218.20	1.42	5.00			0.0	0.0	1663
1656	40 38.60	105 59.17	9440.0	0	1419.20	68.76	-253.20	-229.09	-248.46	-224.70	1.55	6.30			0.0	0.0	1664
1657	40 37.62	105 57.52	10806.0	0	1336.90	116.22	-252.34	-224.73	-245.40	-218.31	1.26	8.20			0.0	0.0	1665
1658	40 38.46	105 58.00	10061.0	0	1381.80	89.90	-253.25	-227.54	-243.78	-218.79	1.44	10.90			0.0	0.0	1666
1659	40 28.95	105 54.34	10663.0	0	1325.70	104.47	-259.21	-231.97	-252.31	-225.58	1.30	8.20			0.0	0.0	1667
1660	40 28.94	105 52.86	11210.0	0	1294.70	124.85	-257.48	-228.84	-252.43	-224.17	1.15	6.20			0.0	0.0	1668
1661	40 28.81	105 52.21	11331.0	0	1286.10	127.81	-258.65	-229.70	-253.07	-224.54	1.12	6.70			0.0	0.0	1669
1662	40 29.81	105 51.89	10360.0	0	1351.40	100.43	-252.91	-226.44	-246.58	-220.59	1.37	7.70			0.0	0.0	1670
1663	40 49.08	106 3.75	10214.0	0	1414.40	121.07	-227.29	-201.20	-222.99	-197.22	1.40	5.70			0.0	0.0	1671
1664	40 49.71	106 5.61	10827.0	0	1373.80	137.11	-232.17	-204.50	-221.92	-195.03	1.26	11.50			0.0	0.0	1672
1665	40 50.18	106 5.29	10777.0	0	1379.60	137.51	-230.05	-202.52	-222.32	-195.37	1.27	9.00			0.0	0.0	1673
1666	40 50.69	106 5.98	10740.0	0	1381.80	135.48	-230.83	-203.39	-223.50	-196.61	1.28	8.60			0.0	0.0	1674
1667	40 51.13	106 6.42	10745.0	0	1381.70	135.19	-231.28	-203.83	-223.46	-196.59	1.28	9.10			0.0	0.0	1675
1668	40 51.79	106 6.50	10650.0	0	1392.70	136.29	-226.95	-199.74	-221.35	-194.56	1.30	6.90			0.0	0.0	1676
1669	40 51.31	106 7.59	10621.0	0	1393.50	135.08	-227.17	-200.03	-220.77	-194.12	1.31	7.70			0.0	0.0	1677
1670	40 51.50	106 5.47	10344.0	0	1413.50	128.78	-224.02	-197.59	-220.99	-194.79	1.37	4.40			0.0	0.0	1678
1671	40 50.77	106 4.29	9655.0	0	1454.50	106.15	-223.14	-198.48	-219.66	-195.25	1.52	5.00			0.0	0.0	1679
1672	40 50.52	106 3.64	9580.0	0	1459.20	104.18	-222.56	-198.08	-220.09	-195.80	1.53	4.00			0.0	0.0	1680
1673	40 50.19	106 2.87	9532.0	0	1461.60	102.57	-222.54	-198.19	-220.98	-196.74	1.54	3.10			0.0	0.0	1681
1674	40 50.22	106 2.39	9510.0	0	1464.70	103.55	-220.80	-196.50	-219.74	-195.53	1.54	2.60			0.0	0.0	1682
1675	40 50.50	106 1.44	9949.0	0	1439.10	118.77	-220.56	-195.14	-218.22	-192.97	1.46	3.80			0.0	0.0	1683
1676	40 50.94	106 0.71	9562.0	0	1468.10	110.77	-215.36	-190.93	-214.39	-190.04	1.53	2.50			0.0	0.0	1684
1677	40 51.28	106 0.07	9216.0	0	1491.30	100.96	-213.36	-189.82	-211.96	-188.52	1.59	3.00			0.0	0.0	1685
1678	40 48.54	106 1.61	9617.0	0	1452.70	104.10	-223.90	-199.33	-222.92	-198.43	1.52	2.50			0.0	0.0	1686
1679	40 47.75	106 0.54	9562.0	0	1455.30	102.71	-223.41	-198.98	-222.25	-197.91	1.53	2.70			0.0	0.0	1687
1680	40 48.03	106 2.77	10283.0	0	1408.30	123.02	-227.70	-201.43	-222.39	-196.52	1.39	6.70			0.0	0.0	1688
1681	40 47.52	106 2.67	10580.0	0	1384.30	127.67	-233.18	-206.15	-225.10	-198.67	1.32	9.40			0.0	0.0	1689
1682	40 46.89	106 1.72	10579.0	0	1387.10	131.31	-229.50	-202.47	-222.42	-195.92	1.32	8.40			0.0	0.0	1690
1683	40 46.28	106 1.42	10515.0	0	1387.90	127.01	-231.62	-204.76	-224.75	-198.41	1.33	8.20			0.0	0.0	1691
1684	40 45.47	106 1.19	10720.0	0	1371.30	130.87	-234.76	-207.37	-226.94	-200.14	1.28	9.10			0.0	0.0	1692
1685	40 44.61	106 0.58	10835.0	0	1359.10	130.75	-238.80	-211.12	-229.35	-202.38	1.25	10.70			0.0	0.0	1693
1686	40 44.01	105 59.82	10880.0	0	1357.60	134.36	-236.72	-208.92	-228.16	-201.00	1.24	9.80			0.0	0.0	1694
1687	40 43.89	106 0.27	10715.0	0	1365.60	127.05	-238.41	-211.03	-228.59	-201.95	1.28	11.10			0.0	0.0	1695
1688	40 34.39	105 47.79	9200.0	0	1442.80	76.08	-237.70	-214.20	-230.60	-207.63	1.59	8.70			0.0	0.0	1696
1689	40 35.17	105 48.04	9103.0	0	1451.20	74.20	-236.27	-213.01	-228.17	-205.52	1.61	9.70			0.0	0.0	1697
1690	40 35.81	105 47.94	8970.0	0	1462.10	71.66	-234.28	-211.36	-227.20	-204.91	1.63	8.60			0.0	0.0	1698
1691	40 36.41	105 47.67	8953.0	0	1466.20	73.27	-232.08	-209.21	-225.71	-203.32	1.63	8.00			0.0	0.0	1699
1692	40 37.10	105 47.95	8665.0	0	1480.10	59.09	-236.44	-214.30	-226.50	-205.11	1.66	11.60			0.0	0.0	1700

MINLAT=39. 15. MAXLAT=41. 0. MINLONG=105. 30. MAXLONG=107. 0. MINELEV=6000. MAXELEV=14000. UNITS= C

BMR= 0.0 GBV=979490.30 MSV=0.0 C1=2.67 D2=2.47 OPTIONS=1010000000 CM= 106 15. REF= 196

STATION	LAT	LONG	ELEV(F)	F	OBS G	FAA	BA2.67	BA(OPT)	CB2.67	CB(OPT)	CC	TC	TCM	FG	DRIFT	TIDE	N
1693	40 36.02	105 52.19	9676.0	0	1409.00	84.56	-245.45	-220.73	-241.06	-216.67	1.51	5.90			0.0	0.0	1701
1694	40 36.26	105 53.17	10150.0	0	1381.00	100.73	-245.45	-219.52	-240.67	-215.10	1.42	6.20			0.0	0.0	1702
1695	40 36.50	105 53.84	10405.0	0	1365.00	108.32	-246.56	-219.98	-241.92	-215.68	1.36	6.00			0.0	0.0	1703
1696	40 37.00	105 54.32	10807.0	0	1341.20	121.53	-247.06	-219.45	-240.32	-213.21	1.26	8.00			0.0	0.0	1704
1697	40 38.12	105 55.00	10076.0	0	1387.20	97.21	-246.45	-220.70	-239.08	-213.89	1.43	8.80			0.0	0.0	1705
1698	40 38.78	105 54.39	9950.0	0	1400.30	97.50	-241.86	-216.44	-235.62	-210.67	1.46	7.70			0.0	0.0	1706
1699	40 39.44	105 54.08	9560.0	0	1425.70	85.28	-240.77	-216.35	-235.11	-211.11	1.53	7.20			0.0	0.0	1707
1700	40 39.50	105 54.97	9860.0	0	1405.10	92.77	-243.52	-218.33	-236.30	-211.65	1.48	8.70			0.0	0.0	1708
1701	40 39.57	105 55.60	10445.0	0	1372.60	115.11	-241.13	-214.45	-236.38	-210.05	1.35	6.10			0.0	0.0	1709
1702	40 40.31	105 56.28	10345.0	0	1349.20	128.18	-241.71	-214.00	-234.96	-207.76	1.25	8.00			0.0	0.0	1710
1703	40 40.75	105 56.91	11220.0	0	1328.30	141.84	-240.84	-212.17	-234.28	-206.11	1.15	7.70			0.0	0.0	1711
1704	40 41.59	105 56.75	10700.0	0	1365.00	128.46	-236.48	-209.15	-232.47	-205.43	1.29	5.30			0.0	0.0	1712
1705	40 41.75	105 55.78	10515.0	0	1379.60	125.45	-233.19	-206.32	-229.42	-202.84	1.33	5.10			0.0	0.0	1713
1706	40 42.04	105 54.69	10506.0	0	1382.30	126.87	-231.45	-204.61	-227.99	-201.41	1.34	4.80			0.0	0.0	1714
1707	40 41.75	105 53.69	10493.0	0	1383.00	126.78	-231.10	-204.29	-226.94	-200.44	1.34	5.50			0.0	0.0	1715
1708	40 41.23	105 53.77	10446.0	0	1383.40	123.54	-232.74	-206.05	-228.69	-202.30	1.35	5.40			0.0	0.0	1716
1709	40 40.69	105 53.19	10402.0	0	1382.80	119.61	-235.17	-208.59	-229.83	-203.65	1.36	6.70			0.0	0.0	1717
1710	40 39.87	105 53.38	9423.0	0	1437.30	83.38	-238.01	-213.94	-231.87	-208.25	1.56	7.70			0.0	0.0	1718
1711	40 40.19	105 52.31	9023.0	0	1462.90	70.93	-236.82	-213.76	-231.23	-208.60	1.62	7.20			0.0	0.0	1719
1712	40 44.14	106 4.27	8173.0	0	1511.90	34.20	-244.55	-223.67	-244.26	-223.40	1.71	2.00			0.0	0.0	1720
1713	40 44.94	106 4.05	8151.0	0	1516.00	35.05	-242.96	-222.13	-241.56	-220.84	1.71	3.10			0.0	0.0	1721
1714	40 45.50	106 3.21	8571.0	0	1494.30	51.97	-240.36	-218.46	-236.73	-215.10	1.67	5.30			0.0	0.0	1722
1715	40 45.64	106 3.08	9018.0	0	1468.90	68.35	-239.22	-216.18	-234.64	-211.94	1.62	6.20			0.0	0.0	1723
1716	40 38.96	106 25.64	8084.0	0	1492.80	14.45	-261.27	-240.62	-262.39	-241.65	1.71	0.60			0.0	0.0	1724
1717	40 38.84	106 24.50	8116.0	0	1489.20	14.03	-262.78	-242.04	-263.99	-243.17	1.71	0.50			0.0	0.0	1725
1718	40 38.64	106 24.38	8084.0	0	1490.20	12.32	-263.40	-242.74	-264.61	-243.87	1.71	0.50			0.0	0.0	1726
1719	40 38.29	106 23.68	8079.0	0	1489.30	11.47	-264.08	-243.44	-265.29	-244.56	1.71	0.50			0.0	0.0	1727
1720	40 38.14	106 23.09	8070.0	0	1489.10	10.65	-264.59	-243.97	-265.81	-245.10	1.71	0.50			0.0	0.0	1728
1721	40 37.98	106 22.69	8131.0	0	1484.00	11.52	-265.80	-245.03	-267.11	-246.24	1.71	0.40			0.0	0.0	1729
1722	40 37.43	106 21.54	8100.0	0	1483.70	9.12	-267.14	-246.45	-268.45	-247.66	1.71	0.40			0.0	0.0	1730
1723	40 37.26	106 20.97	8131.0	0	1480.60	9.19	-268.13	-247.36	-269.44	-248.57	1.71	0.40			0.0	0.0	1731
1724	40 37.13	106 20.41	8147.0	0	1478.00	8.28	-269.58	-248.77	-270.89	-249.98	1.71	0.40			0.0	0.0	1732
1725	40 36.85	106 19.78	8133.0	0	1477.70	7.09	-270.30	-249.52	-271.61	-250.74	1.71	0.40			0.0	0.0	1733
1726	40 36.57	106 19.14	8222.0	0	1470.80	8.96	-271.46	-250.46	-272.77	-251.66	1.70	0.40			0.0	0.0	1734
1727	40 36.38	106 18.67	8232.0	0	1469.80	9.18	-271.58	-250.55	-272.88	-251.76	1.70	0.40			0.0	0.0	1735
1728	40 36.20	106 18.18	8257.0	0	1467.60	9.60	-272.02	-250.92	-273.32	-252.13	1.70	0.40			0.0	0.0	1736
1729	40 35.29	106 18.42	8369.0	0	1460.10	13.97	-271.46	-250.08	-272.66	-251.19	1.69	0.50			0.0	0.0	1737
1730	40 35.47	106 17.29	8289.0	0	1464.60	10.69	-272.02	-250.84	-273.22	-251.95	1.70	0.50			0.0	0.0	1738
1731	40 35.50	106 16.69	8249.0	0	1467.10	9.39	-271.96	-250.88	-273.16	-251.99	1.70	0.50			0.0	0.0	1739
1732	40 34.82	106 15.29	8276.0	0	1466.30	12.14	-270.13	-248.99	-270.93	-249.73	1.70	0.90			0.0	0.0	1740
1733	40 34.58	106 12.89	8317.0	0	1462.20	12.24	-271.42	-250.17	-272.32	-251.00	1.70	0.80			0.0	0.0	1741
1734	40 34.58	106 13.50	8324.0	0	1462.70	13.40	-270.50	-249.23	-271.40	-250.06	1.70	0.80			0.0	0.0	1742
1735	40 34.70	106 14.75	8284.0	0	1465.30	12.07	-270.47	-249.31	-271.07	-249.86	1.70	1.10			0.0	0.0	1743
1736	40 34.54	106 12.40	8409.0	0	1454.70	13.45	-273.36	-251.87	-273.94	-252.42	1.69	1.10			0.0	0.0	1744
1737	40 34.19	106 11.79	8359.0	0	1458.50	13.07	-272.03	-250.67	-272.92	-251.50	1.69	0.80			0.0	0.0	1745
1738	40 33.56	106 11.39	8392.0	0	1454.10	12.71	-273.52	-252.08	-274.51	-252.99	1.69	0.70			0.0	0.0	1746
1739	40 33.75	106 11.79	8393.0	0	1455.20	13.62	-272.64	-251.20	-273.63	-252.11	1.69	0.70			0.0	0.0	1747
1740	40 34.06	106 12.29	8363.0	0	1457.90	13.04	-272.19	-250.83	-273.29	-251.84	1.69	0.60			0.0	0.0	1748
1741	40 33.55	106 10.77	8369.0	0	1454.00	10.46	-274.98	-253.60	-275.77	-254.33	1.69	0.90			0.0	0.0	1749
1742	40 33.02	106 10.00	8392.0	0	1451.50	10.91	-275.31	-253.87	-276.00	-254.51	1.69	1.00			0.0	0.0	1750

MINLAT=39. 15. MAXLAT=41. 0. MINLONG=105. 30. MAXLONG=107. 0. MINELEV=6000. MAXELEV=14000. UNITS= C

BMR= 0.0 GBV=979490.30 MSV=0.0 D1=2.67 D2=2.47 OPTIONS=1010000000 CM= 106 15. REF= 196

STATION	LAT	LONG	ELEV(F)	E	OBS G	FAA	BA2.67	BA(OPT)	CB2.67	CB(OPT)	CC	TC	TCM	FG	DRIFT	TIDE	N
1743	40 32.51	106 9.89	8426.0	0	1449.90	13.26	-274.12	-252.59	-274.91	-253.32	1.69	0.90			0.0	0.0	1751
1744	40 23.11	106 0.20	9431.0	0	1380.30	52.03	-269.63	-245.54	-265.89	-242.07	1.56	5.30			0.0	0.0	1752
1745	40 22.59	105 57.71	9661.0	0	1366.90	61.00	-268.50	-243.82	-264.72	-240.32	1.52	5.30			0.0	0.0	1753
1746	40 22.34	105 58.68	9928.0	0	1347.30	66.85	-271.76	-246.39	-265.62	-240.72	1.46	7.60			0.0	0.0	1754
1747	40 21.95	105 57.80	10341.0	0	1324.20	83.12	-269.57	-243.16	-264.05	-238.04	1.37	6.90			0.0	0.0	1755
1748	40 21.79	105 59.94	10201.0	0	1336.70	82.71	-265.21	-239.15	-263.32	-237.40	1.41	3.30			0.0	0.0	1756
1749	40 23.51	106 2.51	9165.0	0	1401.20	47.35	-265.24	-241.82	-264.34	-240.99	1.60	2.50			0.0	0.0	1757
1750	40 23.13	106 4.67	9000.0	0	1412.00	43.21	-263.75	-240.75	-263.37	-240.40	1.62	2.00			0.0	0.0	1758
1751	40 23.94	106 4.50	8960.0	0	1414.30	40.55	-265.04	-242.15	-264.87	-241.99	1.63	1.80			0.0	0.0	1759
1752	40 19.14	105 56.54	10750.0	0	1295.80	97.30	-269.34	-241.88	-262.52	-235.56	1.27	8.10			0.0	0.0	1760
1753	40 17.52	105 59.00	10091.0	0	1332.70	74.71	-269.46	-243.67	-266.49	-240.93	1.43	4.40			0.0	0.0	1761
1754	40 16.80	105 58.39	10500.0	0	1304.70	86.20	-271.92	-245.10	-268.46	-241.89	1.34	4.80			0.0	0.0	1762
1755	40 16.67	105 58.27	10724.0	0	1290.00	92.73	-273.03	-245.64	-268.31	-241.27	1.28	6.00			0.0	0.0	1763
1756	40 15.84	105 58.81	10854.0	0	1283.30	99.47	-270.73	-243.00	-264.87	-237.58	1.25	7.10			0.0	0.0	1764
1757	40 15.69	105 58.19	10472.0	0	1304.10	84.61	-272.55	-245.80	-268.89	-242.41	1.34	5.00			0.0	0.0	1765
1758	40 15.11	105 57.66	9943.0	0	1339.10	70.79	-268.33	-242.93	-266.59	-241.32	1.46	3.20			0.0	0.0	1766
1759	40 15.89	105 56.69	9903.0	0	1342.40	69.17	-268.58	-243.28	-266.25	-241.13	1.47	3.80			0.0	0.0	1767
1760	40 13.80	105 56.89	9103.0	0	1388.00	42.73	-267.74	-244.48	-266.05	-242.92	1.61	3.30			0.0	0.0	1768
1761	40 11.91	105 59.97	8497.0	0	1415.20	15.81	-274.00	-252.29	-270.68	-249.22	1.68	5.00			0.0	0.0	1769
1762	40 12.64	105 59.39	8727.0	0	1403.40	24.53	-273.12	-250.82	-270.97	-248.84	1.66	3.80			0.0	0.0	1770
1763	40 13.14	105 59.47	8927.0	0	1392.30	31.48	-272.99	-250.19	-270.92	-248.27	1.63	3.70			0.0	0.0	1771
1764	40 19.87	105 52.83	9075.0	0	1404.00	47.09	-262.42	-239.24	-259.43	-236.47	1.61	4.60			0.0	0.0	1772
1765	40 19.94	105 53.53	9275.0	0	1392.10	53.88	-262.46	-238.76	-256.84	-233.57	1.58	7.20			0.0	0.0	1773
1766	40 20.20	105 54.33	9475.0	0	1380.10	60.28	-262.88	-238.67	-256.53	-232.80	1.55	7.90			0.0	0.0	1774
1767	40 20.41	105 55.00	9720.0	0	1365.10	67.98	-263.54	-238.70	-257.44	-233.06	1.50	7.60			0.0	0.0	1775
1768	40 20.59	105 55.81	10290.0	0	1329.00	85.15	-265.81	-239.52	-259.29	-233.49	1.39	7.90			0.0	0.0	1776
1769	40 16.47	106 8.57	9304.0	0	1379.00	48.65	-268.68	-244.91	-268.35	-244.61	1.58	1.90			0.0	0.0	1777
1770	40 16.79	106 7.75	9279.0	0	1381.20	48.03	-268.45	-244.74	-268.33	-244.63	1.58	1.70			0.0	0.0	1778
1771	40 17.41	106 7.21	9296.0	0	1381.90	49.41	-267.65	-243.90	-267.03	-243.32	1.58	2.20			0.0	0.0	1779
1772	40 17.61	106 8.62	8940.0	0	1404.90	38.67	-266.25	-243.41	-263.98	-241.31	1.63	3.90			0.0	0.0	1780
1773	40 18.26	106 9.22	9132.0	0	1394.60	45.44	-266.02	-242.69	-263.83	-240.66	1.60	3.80			0.0	0.0	1781
1774	40 15.54	106 8.39	9395.0	0	1370.70	50.28	-270.15	-246.15	-269.62	-245.65	1.56	2.10			0.0	0.0	1782
1775	40 14.75	106 8.69	9752.0	0	1344.30	58.58	-274.03	-249.11	-271.42	-246.70	1.50	4.10			0.0	0.0	1783
1776	40 14.26	106 8.61	9856.0	0	1335.80	60.58	-275.58	-250.40	-271.65	-246.77	1.48	5.40			0.0	0.0	1784
1777	40 24.09	106 14.71	9335.0	0	1398.40	59.65	-258.73	-234.88	-257.90	-234.11	1.57	2.40			0.0	0.0	1785
1778	40 24.27	106 15.46	9611.0	0	1375.60	62.51	-265.29	-240.73	-264.41	-239.92	1.52	2.40			0.0	0.0	1786
1779	40 23.53	106 16.14	10130.0	0	1343.70	80.46	-265.04	-239.16	-262.36	-236.68	1.42	4.10			0.0	0.0	1787
1780	40 23.14	106 16.11	10192.0	0	1339.10	82.26	-265.35	-239.32	-261.86	-236.08	1.41	4.90			0.0	0.0	1788
1781	40 15.94	106 2.50	9586.0	0	1356.90	53.83	-273.12	-248.63	-271.45	-247.08	1.53	3.20			0.0	0.0	1789
1782	40 15.22	106 2.79	9312.0	0	1372.90	45.16	-272.44	-248.65	-270.82	-247.15	1.58	3.20			0.0	0.0	1790
1783	40 22.22	105 53.54	10292.0	0	1325.20	79.12	-271.91	-245.61	-262.19	-236.63	1.39	11.10			0.0	0.0	1791
1784	40 22.34	105 54.71	10308.0	0	1324.80	80.04	-271.53	-245.19	-264.21	-238.42	1.38	8.70			0.0	0.0	1792
1785	40 22.75	105 55.00	10222.0	0	1324.10	70.66	-277.98	-251.87	-270.88	-245.30	1.40	8.50			0.0	0.0	1793
1786	40 14.31	105 47.41	8493.0	0	1438.70	35.37	-254.30	-232.60	-246.78	-225.64	1.68	9.20			0.0	0.0	1794
1787	40 14.13	105 46.17	8598.0	0	1430.90	37.70	-255.55	-233.58	-243.52	-222.45	1.67	13.70			0.0	0.0	1795
1788	40 13.75	105 45.47	9087.0	0	1404.60	57.90	-252.03	-228.81	-244.84	-222.16	1.61	8.80			0.0	0.0	1796
1789	40 6.00	105 48.75	8885.0	0	1408.50	54.31	-248.72	-226.02	-246.76	-224.21	1.64	3.60			0.0	0.0	1797
1790	40 6.69	105 46.64	9179.0	0	1393.10	65.51	-247.55	-224.10	-245.55	-222.25	1.60	3.60			0.0	0.0	1798
1791	40 6.57	105 47.53	9202.0	0	1389.40	64.15	-249.70	-226.19	-247.65	-224.33	1.59	3.60			0.0	0.0	1799
1792	40 4.44	105 47.87	9188.0	0	1389.10	65.69	-247.68	-224.21	-243.18	-220.04	1.59	6.10			0.0	0.0	1800

MINLAT=39. 15. MAXLAT=41. 0. MINLONG=105. 30. MAXLONG=107. 0. MINELEV=6000. MAXELEV=14000. UNITS= C

BMR= 0.0 GBV=979490.30 MSV=0.0 D1=2.67 D2=2.47 OPTIONS=1010000000 CM= 106 15. REF= 196

STATION	LAT	LONG	ELEV(F)	E.	OBS G	FAA	BA2.67	BA(OPT)	CB2.67	CB(OPT)	CC	TC	TCM	FG	DRIFT	TIDE	N
1793	40 4.60	105 46.87	9536.0	0	1371.30	80.34	-244.90	-220.54	-243.04	-218.81	1.54	3.40			0.0	0.0	1801
1794	40 4.25	105 46.04	9673.0	0	1363.80	86.23	-243.69	-218.97	-241.80	-217.23	1.51	3.40			0.0	0.0	1802
1795	40 4.21	105 50.89	8480.0	0	1426.10	36.52	-252.70	-231.04	-251.29	-229.73	1.68	3.10			0.0	0.0	1803
2000	40 59.17	106 21.72	8020.0	0	1569.00	54.56	-218.97	-198.48	-220.09	-199.52	1.72	0.60			0.0	0.0	1804
2001	40 59.50	106 21.28	8241.0	0	1557.00	62.83	-218.24	-197.19	-219.04	-197.93	1.70	0.90			0.0	0.0	1805
2002	40 55.86	106 21.80	8122.0	0	1538.20	38.27	-238.74	-217.99	-239.25	-218.46	1.71	1.20			0.0	0.0	1806
2003	40 55.25	106 23.11	8540.0	0	1524.80	65.05	-226.22	-204.40	-225.10	-203.36	1.68	2.80			0.0	0.0	1807
2004	40 55.30	106 20.89	7833.0	0	1555.80	29.56	-237.60	-217.59	-235.23	-215.39	1.73	4.10			0.0	0.0	1808
2005	40 47.48	106 33.66	8400.0	0	1501.20	39.86	-246.63	-225.17	-246.12	-224.70	1.69	2.20			0.0	0.0	1809
2006	40 46.40	106 32.71	8425.0	0	1494.50	37.12	-250.23	-228.71	-250.32	-228.79	1.69	1.60			0.0	0.0	1810
2007	40 46.37	106 34.00	8587.0	0	1483.60	41.48	-251.39	-229.46	-250.56	-228.69	1.67	2.50			0.0	0.0	1811
2008	40 42.74	106 32.88	8435.0	0	1483.50	32.50	-255.19	-233.64	-255.48	-233.90	1.69	1.40			0.0	0.0	1812
2009	40 42.63	106 31.90	8357.0	0	1489.70	31.54	-253.49	-232.14	-254.09	-232.69	1.69	1.10			0.0	0.0	1813
2010	40 42.97	106 30.58	8312.0	0	1494.60	31.70	-251.79	-230.56	-252.69	-231.39	1.70	0.80			0.0	0.0	1814
2011	40 18.02	106 17.03	9064.0	0	1402.80	47.61	-261.54	-238.38	-258.35	-235.43	1.61	4.80			0.0	0.0	1815
2012	40 17.14	106 16.53	9600.0	0	1365.90	62.36	-265.06	-240.54	-264.29	-239.82	1.53	2.30			0.0	0.0	1816
2013	40 16.28	106 16.17	9589.0	0	1364.20	60.90	-266.14	-241.65	-265.17	-240.75	1.53	2.50			0.0	0.0	1817
2014	40 15.64	106 16.20	9553.0	0	1365.70	59.97	-265.85	-241.44	-264.98	-240.64	1.54	2.40			0.0	0.0	1818
2015	40 14.56	106 16.30	9921.0	0	1334.10	64.54	-273.83	-248.49	-270.60	-245.49	1.47	4.70			0.0	0.0	1819
2016	40 14.26	106 17.78	9022.0	0	1392.60	39.04	-268.67	-245.62	-267.79	-244.81	1.62	2.50			0.0	0.0	1820
2017	40 12.95	106 18.29	8257.0	0	1439.60	16.12	-265.50	-244.41	-264.90	-243.85	1.70	2.30			0.0	0.0	1821
2018	40 11.98	106 18.41	7976.0	0	1456.30	7.86	-264.18	-243.80	-263.50	-243.17	1.72	2.40			0.0	0.0	1822
2019	40 11.13	106 18.07	7883.0	0	1459.40	3.48	-265.38	-245.24	-265.61	-245.45	1.73	1.50			0.0	0.0	1823
2020	40 5.44	106 20.33	8800.0	0	1414.80	53.46	-246.68	-224.20	-244.83	-222.48	1.65	3.50			0.0	0.0	1824
2021	40 6.40	106 20.80	8937.0	0	1405.30	55.91	-248.90	-226.07	-246.83	-224.16	1.63	3.70			0.0	0.0	1825
2022	40 7.31	106 21.40	8640.0	0	1419.70	40.56	-254.12	-232.05	-251.69	-229.80	1.67	4.10			0.0	0.0	1826
2023	40 8.20	106 42.40	8324.0	0	1438.90	28.75	-255.15	-233.88	-252.25	-231.20	1.70	4.60			0.0	0.0	1827
2024	40 8.87	106 43.21	8240.0	0	1445.70	26.67	-254.37	-233.32	-251.77	-230.92	1.70	4.30			0.0	0.0	1828
2025	40 10.08	106 44.23	8148.0	0	1457.10	27.63	-250.27	-229.45	-248.18	-227.52	1.71	3.80			0.0	0.0	1829
2026	40 8.80	106 44.97	8823.0	0	1409.50	45.34	-255.58	-233.04	-255.13	-232.62	1.64	2.10			0.0	0.0	1830
2027	40 6.21	106 42.22	9357.0	0	1377.50	67.34	-251.79	-227.89	-251.66	-227.77	1.57	1.70			0.0	0.0	1831
2028	40 6.70	106 39.80	9386.0	0	1382.20	74.04	-246.08	-222.10	-246.05	-222.07	1.56	1.60			0.0	0.0	1832
2029	40 7.71	106 39.12	9661.0	0	1374.90	91.07	-238.43	-213.75	-236.75	-212.19	1.52	3.20			0.0	0.0	1833
2030	40 8.50	106 39.20	10095.0	0	1341.30	97.07	-247.24	-221.45	-245.47	-219.81	1.43	3.20			0.0	0.0	1834
2031	40 3.76	106 39.21	8640.0	0	1422.70	48.82	-245.86	-223.79	-246.33	-224.22	1.67	1.20			0.0	0.0	1835
2032	40 3.04	106 39.20	8582.0	0	1425.60	47.34	-245.37	-223.44	-245.54	-223.60	1.67	1.50			0.0	0.0	1836
2033	40 3.04	106 39.92	8725.0	0	1415.90	51.07	-246.51	-224.22	-246.97	-224.64	1.66	1.20			0.0	0.0	1837
2034	40 2.40	106 40.29	9040.0	0	1396.60	62.31	-246.01	-222.92	-246.23	-223.12	1.62	1.40			0.0	0.0	1838
2035	40 1.57	106 41.22	8621.0	0	1417.60	45.18	-248.86	-226.83	-248.72	-226.71	1.67	1.80			0.0	0.0	1839
2036	40 0.79	106 41.70	8819.0	0	1403.20	50.53	-250.25	-227.72	-250.10	-227.58	1.65	1.80			0.0	0.0	1840
2037	40 0.11	106 42.31	8628.0	0	1409.50	39.90	-254.37	-232.33	-252.94	-231.01	1.67	3.10			0.0	0.0	1841
2038	40 0.11	106 43.49	8093.0	0	1441.80	21.94	-254.09	-233.41	-252.80	-232.22	1.71	3.00			0.0	0.0	1842
2039	40 0.48	106 44.15	8515.0	0	1418.20	37.43	-252.98	-231.23	-252.76	-231.02	1.68	1.90			0.0	0.0	1843
2040	40 1.33	106 42.71	9398.0	0	1364.60	65.52	-255.01	-231.00	-253.17	-229.30	1.56	3.40			0.0	0.0	1844
2041	40 2.78	106 43.00	9139.0	0	1387.70	62.05	-249.61	-226.27	-249.72	-226.36	1.60	1.50			0.0	0.0	1845
2042	40 3.69	106 38.01	8663.0	0	1422.20	50.58	-244.88	-222.75	-245.35	-223.18	1.66	1.20			0.0	0.0	1846
2043	40 3.07	106 34.98	8827.0	0	1410.70	55.41	-245.65	-223.10	-243.70	-221.29	1.64	3.60			0.0	0.0	1847
2044	40 2.01	106 39.50	8679.0	0	1420.20	52.57	-243.44	-221.26	-243.10	-220.95	1.66	2.00			0.0	0.0	1848
2045	40 1.03	106 35.03	8907.0	0	1407.40	62.64	-241.14	-218.39	-241.38	-218.60	1.63	1.40			0.0	0.0	1849
2046	40 0.18	106 34.60	8856.0	0	1409.00	60.71	-241.34	-218.71	-241.18	-218.56	1.64	1.80			0.0	0.0	1850

MINLAT=39. 15. MAXLAT=41. 0. MINLONG=105. 30. MAXLONG=107. 0. MINELEV=6000. MAXELEV=14000. UNITS= C

BMR= 0.0 GBV=979490.30 MSV=0.0 D1=2.67 D2=2.47 OPTIONS=1010000000 CM= 106 15. REF= 196

STATION	LAT	LONG	ELEV(F)	E	OBS G	FAA	BA2.67	BA(OPT)	CB2.67	CB(OPT)	CC	TC	TCM	PG	DRIFT	TIDE	N
2047	40 1.20	106 32.29	8560.0	0	1429.10	51.50	-240.46	-218.59	-239.83	-218.01	1.67	2.30			0.0	0.0	1851
2048	40 0.02	106 32.71	8400.0	0	1433.70	42.81	-243.68	-222.22	-243.07	-221.66	1.69	2.30			0.0	0.0	1852
2049	40 1.20	106 30.85	8960.0	0	1404.70	64.67	-240.92	-218.03	-237.55	-214.91	1.63	5.00			0.0	0.0	1853
2050	40 0.58	106 32.35	8720.0	0	1415.80	54.14	-243.26	-220.99	-241.42	-219.28	1.66	3.50			0.0	0.0	1854
2051	40 8.43	106 31.21	8531.0	0	1436.30	45.26	-245.70	-223.91	-245.08	-223.33	1.68	2.30			0.0	0.0	1855
2052	40 8.67	106 32.11	8735.0	0	1425.40	53.17	-244.75	-222.44	-243.81	-221.56	1.66	2.60			0.0	0.0	1856
2053	40 6.32	106 33.48	9581.0	0	1372.20	82.92	-243.86	-219.38	-242.59	-218.20	1.53	2.80			0.0	0.0	1857
2054	40 7.29	106 33.11	9458.0	0	1382.40	80.13	-242.45	-218.29	-240.50	-216.49	1.55	3.50			0.0	0.0	1858
2055	40 8.71	106 33.98	9157.0	0	1402.40	69.75	-242.56	-219.17	-241.86	-218.52	1.60	2.30			0.0	0.0	1859
2056	40 9.55	106 34.00	9716.0	0	1369.00	87.61	-243.77	-218.94	-241.17	-216.54	1.51	4.10			0.0	0.0	1860
2057	40 10.28	106 35.76	9860.0	0	1362.70	93.76	-242.53	-217.34	-241.11	-216.03	1.48	2.90			0.0	0.0	1861
2058	40 11.21	106 36.50	9778.0	0	1371.70	93.67	-239.82	-214.84	-238.71	-213.81	1.49	2.60			0.0	0.0	1862
2061	40 13.28	106 36.68	9265.0	0	1406.20	76.92	-239.08	-215.41	-238.56	-214.93	1.58	2.10			0.0	0.0	1863
2062	40 14.20	106 36.50	9300.0	0	1407.90	80.54	-236.65	-212.89	-236.73	-212.96	1.58	1.50			0.0	0.0	1864
2063	40 15.32	106 37.07	9280.0	0	1413.10	82.20	-234.31	-210.60	-234.39	-210.67	1.58	1.50			0.0	0.0	1865
2064	40 16.46	106 36.78	9184.0	0	1419.90	78.29	-234.94	-211.48	-234.54	-211.10	1.60	2.00			0.0	0.0	1866
2065	40 13.83	106 35.58	9257.0	0	1405.60	74.75	-240.97	-217.32	-240.96	-217.31	1.58	1.60			0.0	0.0	1867
2066	40 12.22	106 33.80	9383.0	0	1390.50	73.87	-246.15	-222.18	-245.51	-221.59	1.56	2.20			0.0	0.0	1868
2067	40 11.52	106 32.89	8955.0	0	1415.30	59.51	-245.92	-223.04	-246.04	-223.16	1.63	1.50			0.0	0.0	1869
2068	40 11.47	106 31.97	8708.0	0	1429.40	50.48	-246.52	-224.27	-246.68	-224.42	1.66	1.50			0.0	0.0	1870
2069	40 10.69	106 30.50	8226.0	0	1455.20	32.15	-248.41	-227.39	-248.41	-227.39	1.70	1.70			0.0	0.0	1871
2070	40 10.28	106 32.34	9101.0	0	1404.10	63.86	-246.54	-223.29	-245.65	-222.46	1.61	2.50			0.0	0.0	1872
2071	40 10.74	106 34.22	9055.0	0	1411.00	65.76	-243.08	-219.94	-242.49	-219.40	1.61	2.20			0.0	0.0	1873
2072	40 3.81	106 25.60	7360.0	0	1499.40	5.19	-245.84	-227.03	-245.68	-226.89	1.74	1.90			0.0	0.0	1874
2073	40 2.19	106 26.40	7335.0	0	1501.10	6.94	-243.23	-224.50	-240.97	-222.40	1.74	4.00			0.0	0.0	1875
2074	40 1.81	106 29.34	9655.0	0	1359.30	83.65	-245.65	-220.98	-239.66	-215.45	1.52	7.50			0.0	0.0	1876
2075	40 3.55	106 22.95	8407.0	0	1430.20	34.74	-251.99	-230.51	-251.08	-229.67	1.69	2.60			0.0	0.0	1877
2076	40 3.99	106 23.62	8434.0	0	1443.30	49.72	-237.93	-216.38	-237.12	-215.63	1.69	2.50			0.0	0.0	1878
2077	40 4.76	106 23.70	8485.0	0	1438.50	48.58	-240.82	-219.14	-239.90	-218.29	1.68	2.60			0.0	0.0	1879
2078	40 6.27	106 22.82	8703.0	0	1425.10	53.42	-243.41	-221.18	-242.37	-220.21	1.66	2.70			0.0	0.0	1880
2079	40 9.50	106 23.09	7700.0	0	1482.50	11.80	-250.82	-231.15	-251.75	-232.01	1.73	0.80			0.0	0.0	1881
2080	40 9.87	106 30.04	7899.0	0	1471.50	18.95	-250.46	-230.28	-250.18	-230.02	1.72	2.00			0.0	0.0	1882
2081	40 10.61	106 28.71	7800.0	0	1477.40	14.45	-251.58	-231.65	-251.01	-231.13	1.73	2.30			0.0	0.0	1883
2082	40 12.08	106 27.52	7716.0	0	1484.90	11.88	-251.29	-231.57	-251.92	-232.16	1.73	1.10			0.0	0.0	1884
2083	40 12.10	106 26.42	7634.0	0	1489.90	9.15	-251.22	-231.72	-251.96	-232.40	1.73	1.00			0.0	0.0	1885
2084	40 13.82	106 27.56	7796.0	0	1480.60	12.51	-253.38	-233.46	-254.01	-234.05	1.73	1.10			0.0	0.0	1886
2085	40 13.82	106 28.65	7969.0	0	1470.80	18.97	-252.83	-232.47	-252.85	-232.49	1.72	1.70			0.0	0.0	1887
2086	40 14.14	106 30.19	8632.0	0	1431.80	41.78	-252.63	-230.57	-251.19	-229.25	1.67	3.10			0.0	0.0	1888
2087	40 12.74	106 31.59	9352.0	0	1386.40	66.09	-252.87	-228.98	-248.14	-224.60	1.57	6.30			0.0	0.0	1889
2088	40 11.45	106 24.78	7504.0	0	1492.30	0.29	-255.64	-236.47	-256.28	-237.06	1.74	1.10			0.0	0.0	1890
2089	40 11.69	106 23.00	7671.0	0	1482.50	5.83	-255.80	-236.20	-256.34	-236.70	1.73	1.20			0.0	0.0	1891
2090	40 11.25	106 21.87	7834.0	0	1468.70	7.99	-259.20	-239.18	-259.52	-239.48	1.73	1.40			0.0	0.0	1892
2091	40 9.63	106 22.16	7948.0	0	1462.10	14.51	-256.57	-236.27	-257.29	-236.93	1.72	1.00			0.0	0.0	1893
2092	40 8.82	106 22.28	7828.0	0	1466.70	9.03	-257.95	-237.95	-258.58	-238.53	1.73	1.10			0.0	0.0	1894
2093	40 8.01	106 23.40	7710.0	0	1478.30	10.75	-252.21	-232.52	-252.45	-232.73	1.73	1.50			0.0	0.0	1895
2094	40 8.91	106 21.12	7899.0	0	1460.40	9.42	-259.99	-239.81	-261.01	-240.76	1.72	0.70			0.0	0.0	1896
2095	40 5.20	106 22.17	7701.0	0	1469.80	5.57	-257.09	-237.41	-257.82	-238.09	1.73	1.00			0.0	0.0	1897
2096	40 0.87	106 23.50	7595.0	0	1474.00	6.22	-252.82	-233.41	-253.45	-234.00	1.74	1.10			0.0	0.0	1898
2097	40 1.72	106 23.42	7395.0	0	1488.80	0.97	-251.25	-232.35	-251.59	-232.67	1.74	1.40			0.0	0.0	1899
2098	40 1.75	106 24.60	7624.0	0	1478.90	12.54	-247.49	-228.01	-247.52	-228.04	1.74	1.70			0.0	0.0	1900

MINLAT=39. 15. MAXLAT=41. 0. MINLONG=105. 30. MAXLONG=107. 0. MINELEV=6000. MAXELEV=14000. UNITS= C

BMR= 0.0 GBV=979490.30 MSV=0.0 D1=2.67 D2=2.47 OPTIONS=1010000000 CM= 106 15. REF= 196

STATION	LAT	LONG	ELEV(F)	E	OBS G	FAA	BA2.67	BA(OPT)	CB2.67	CB(OPT)	CC	TC	TCM	FC	DRIFT	TIDE	N
2099	40 0.50	106 20.91	7653.0	0	1462.10	0.32	-260.70	-241.15	-261.33	-241.73	1.73	1.10			0.0	0.0	1901
2100	40 2.70	106 19.69	7579.0	0	1464.70	-7.29	-265.79	-246.42	-266.42	-247.01	1.74	1.10			0.0	0.0	1902
2101	39 32.43	106 13.93	11180.0	0	1178.00	89.03	-292.28	-263.72	-289.94	-261.55	1.16	3.50			0.0	0.0	1903
2102	39 33.32	106 14.83	10850.0	0	1201.20	79.92	-290.13	-262.41	-288.18	-260.61	1.25	3.20			0.0	0.0	1904
2103	39 33.42	106 16.05	10360.0	0	1230.10	62.66	-290.69	-264.22	-287.76	-261.51	1.37	4.30			0.0	0.0	1905
2104	39 33.25	106 16.89	10050.0	0	1246.50	50.19	-292.58	-266.90	-286.92	-261.67	1.44	7.10			0.0	0.0	1906
2105	39 32.47	106 18.27	9560.0	0	1270.50	29.32	-296.74	-272.32	-286.97	-263.28	1.53	11.30			0.0	0.0	1907
2106	39 31.41	106 19.50	9040.0	0	1300.40	11.94	-296.39	-273.29	-285.80	-263.50	1.62	12.20			0.0	0.0	1908
2107	39 31.36	106 20.16	8915.0	0	1309.60	9.47	-294.59	-271.82	-284.02	-262.04	1.63	12.20			0.0	0.0	1909
2108	39 30.95	106 21.70	8720.0	0	1325.70	7.86	-289.55	-267.28	-280.71	-259.09	1.66	10.50			0.0	0.0	1910
2109	39 30.50	106 19.40	10635.0	0	1206.30	68.99	-293.73	-266.56	-288.13	-261.38	1.30	6.90			0.0	0.0	1911
2110	39 30.93	106 18.44	9474.0	0	1275.00	28.01	-295.11	-270.91	-284.36	-260.96	1.55	12.30			0.0	0.0	1912
2111	39 30.89	106 17.25	9930.0	0	1249.50	45.40	-293.27	-267.90	-285.74	-260.93	1.46	9.00			0.0	0.0	1913
2112	39 30.66	106 16.23	10330.0	0	1221.50	55.31	-297.01	-270.62	-291.38	-265.41	1.38	7.00			0.0	0.0	1914
2113	39 30.46	106 15.39	11045.0	0	1180.90	82.16	-294.55	-266.33	-291.34	-263.37	1.20	4.40			0.0	0.0	1915
2114	39 30.37	106 14.45	11023.0	0	1179.60	78.93	-297.03	-268.87	-293.23	-265.36	1.20	5.00			0.0	0.0	1916
2115	39 31.03	106 13.36	10691.0	0	1200.70	67.87	-296.76	-269.45	-294.45	-267.31	1.29	3.60			0.0	0.0	1917
2116	39 31.79	106 1.72	9265.0	0	1275.10	7.21	-308.79	-285.12	-306.87	-283.34	1.58	3.50			0.0	0.0	1918
2117	39 31.81	106 0.48	9365.0	0	1269.30	10.78	-308.63	-284.71	-306.30	-282.55	1.57	3.90			0.0	0.0	1919
2118	39 31.52	105 59.19	9484.0	0	1260.60	13.68	-309.78	-285.56	-304.73	-280.88	1.55	6.60			0.0	0.0	1920
2119	39 31.52	105 58.16	9590.0	0	1257.00	20.04	-307.04	-282.54	-302.77	-278.59	1.53	5.80			0.0	0.0	1921
2120	39 30.79	105 56.78	9773.0	0	1247.10	28.41	-304.92	-279.95	-300.61	-275.97	1.49	5.80			0.0	0.0	1922
2121	39 30.01	105 56.68	9931.0	0	1237.60	34.90	-303.81	-278.44	-299.58	-274.52	1.46	5.70			0.0	0.0	1923
2122	39 30.08	105 55.00	10317.0	0	1218.80	52.25	-299.63	-273.27	-293.61	-267.70	1.38	7.40			0.0	0.0	1924
2123	39 30.16	105 54.14	10616.0	0	1202.90	64.31	-297.76	-270.64	-290.07	-263.53	1.31	9.00			0.0	0.0	1925
2124	39 30.50	105 53.51	11060.0	0	1180.00	82.61	-294.61	-266.35	-288.70	-260.89	1.19	7.10			0.0	0.0	1926
2125	39 30.09	105 52.17	12010.0	0	1130.80	123.22	-286.40	-255.71	-278.81	-248.69	0.91	8.50			0.0	0.0	1927
2126	39 31.02	105 55.95	9996.0	0	1235.50	37.41	-303.52	-277.98	-298.77	-273.59	1.45	6.20			0.0	0.0	1928
2127	39 31.50	105 54.96	10403.0	0	1212.70	52.13	-302.68	-276.10	-295.24	-269.22	1.36	8.80			0.0	0.0	1929
2128	39 32.02	105 54.25	10855.0	0	1188.00	69.11	-301.11	-273.38	-293.76	-266.58	1.25	8.60			0.0	0.0	1930
2129	39 34.31	105 57.50	9785.0	0	1249.20	26.44	-307.30	-282.30	-299.89	-275.45	1.49	8.90			0.0	0.0	1931
2130	39 33.72	105 56.37	10086.0	0	1230.20	36.58	-307.42	-281.65	-300.05	-274.84	1.43	8.80			0.0	0.0	1932
2131	39 32.89	105 56.33	10436.0	0	1211.40	51.88	-304.06	-277.40	-299.21	-272.91	1.35	6.20			0.0	0.0	1933
2132	39 33.43	105 55.53	11243.0	0	1163.80	79.27	-304.19	-275.47	-299.33	-270.97	1.14	6.00			0.0	0.0	1934
2133	39 33.54	105 54.60	12408.0	0	1090.30	115.00	-308.19	-276.49	-295.97	-265.19	0.78	13.00			0.0	0.0	1935
2134	39 34.25	105 52.84	10800.0	0	1190.70	63.35	-305.00	-277.40	-297.26	-270.25	1.26	9.00			0.0	0.0	1936
2135	39 33.07	105 53.21	12384.0	0	1094.20	117.34	-305.03	-273.40	-293.72	-262.93	0.79	12.10			0.0	0.0	1937
2136	39 33.46	105 52.72	12438.0	0	1089.70	117.34	-306.88	-275.10	-292.35	-261.66	0.77	15.30			0.0	0.0	1938
2137	39 39.70	105 56.81	12437.0	0	1091.20	109.52	-314.66	-282.88	-300.93	-270.18	0.77	14.50			0.0	0.0	1939
2138	39 39.04	105 56.88	12382.0	0	1089.70	103.84	-318.47	-286.84	-304.86	-274.25	0.79	14.40			0.0	0.0	1940
2139	39 38.57	105 57.91	12006.0	0	1114.30	93.82	-315.66	-284.99	-303.27	-273.53	0.91	13.30			0.0	0.0	1941
2140	39 38.52	105 58.61	11643.0	0	1142.40	87.91	-309.19	-279.44	-297.62	-268.74	1.02	12.60			0.0	0.0	1942
2141	39 38.35	105 59.20	11238.0	0	1169.10	76.83	-306.46	-277.75	-297.80	-269.74	1.14	9.80			0.0	0.0	1943
2142	39 41.17	105 55.16	13010.0	0	1057.60	127.55	-316.18	-282.94	-295.35	-263.67	0.57	21.40			0.0	0.0	1944
2143	39 42.13	105 55.42	12808.0	0	1072.20	121.77	-315.07	-282.35	-298.61	-267.12	0.64	17.10			0.0	0.0	1945
2144	39 42.62	105 55.22	13195.0	0	1040.60	125.77	-324.26	-290.55	-297.07	-265.39	0.51	27.70			0.0	0.0	1946
2145	39 34.37	106 15.44	10660.0	0	1215.40	74.73	-288.85	-261.61	-286.14	-259.11	1.30	4.00			0.0	0.0	1947
2146	39 32.16	106 20.19	9545.0	0	1276.40	34.27	-291.28	-266.89	-282.72	-258.97	1.54	10.10			0.0	0.0	1948
2147	39 32.84	106 19.80	10030.0	0	1251.20	53.62	-288.47	-262.85	-283.21	-257.98	1.44	6.70			0.0	0.0	1949
2148	39 33.55	106 19.12	10354.0	0	1230.30	62.60	-290.54	-264.08	-284.81	-258.79	1.37	7.10			0.0	0.0	1950

MINLAT=39. 15. MAXLAT=41. 0. MINLONG=105. 30. MAXLONG=107. 0. MINELEV=6000. MAXELEV=14000. UNITS= C

BMR= 0.0 GBV=979490.30 MSV=0.0 D1=2.67 D2=2.47 OPTIONS=1010000000 CM= 106 15. REF= 196

STATION	LAT	LONG	ELEV(F)	E	OBS G	FAA	BA2.67	BA(OPT)	CB2.67	CB(OPT)	CC	TC	TCM	FG	DRIFT	TIDE	N
2149	39 33.88	106 18.42	10674.0	0	1212.20	73.57	-290.49	-263.22	-286.88	-259.88	1.29	4.50			0.0	0.0	1951
2150	39 34.30	106 17.78	11705.0	0	1148.60	106.17	-293.05	-263.14	-283.65	-254.45	1.01	10.40			0.0	0.0	1952
2151	39 34.86	106 17.41	11624.0	0	1149.70	98.84	-297.62	-267.92	-284.45	-255.74	1.03	14.20			0.0	0.0	1953
2152	39 35.47	106 17.81	10828.0	0	1213.50	87.92	-281.73	-254.04	-277.78	-250.38	1.25	5.20			0.0	0.0	1954
2153	39 35.38	106 19.11	10169.0	0	1249.70	61.42	-285.41	-259.43	-280.92	-255.28	1.41	5.90			0.0	0.0	1955
2154	39 35.10	106 19.94	9742.0	0	1274.60	46.63	-285.64	-260.75	-280.44	-255.94	1.50	6.70			0.0	0.0	1956
2155	39 34.91	106 20.67	9427.0	0	1291.70	34.42	-287.10	-263.02	-279.86	-256.32	1.56	8.80			0.0	0.0	1957
2156	39 35.01	106 21.70	9056.0	0	1314.40	22.12	-286.74	-263.61	-278.26	-255.76	1.61	10.10			0.0	0.0	1958
2157	39 34.54	106 22.55	8717.0	0	1333.20	9.77	-287.53	-265.26	-275.89	-254.49	1.66	13.30			0.0	0.0	1959
2158	39 32.62	106 3.53	9580.0	0	1260.10	20.58	-306.17	-281.69	-304.20	-279.87	1.53	3.50			0.0	0.0	1960
2159	39 31.89	106 3.86	10020.0	0	1231.10	33.98	-307.77	-282.17	-306.01	-280.54	1.44	3.20			0.0	0.0	1961
2160	39 31.01	106 3.79	9675.0	0	1247.50	19.28	-310.70	-285.99	-308.82	-284.24	1.51	3.40			0.0	0.0	1962
2161	39 31.09	106 4.75	10120.0	0	1223.10	36.56	-308.60	-282.75	-305.43	-279.81	1.42	4.60			0.0	0.0	1963
2162	39 30.59	106 5.53	10617.0	0	1190.70	51.57	-310.54	-283.41	-305.55	-278.80	1.31	6.30			0.0	0.0	1964
2163	39 30.17	106 3.92	9607.0	0	1247.90	14.53	-313.13	-288.59	-311.06	-286.67	1.53	3.60			0.0	0.0	1965
2164	39 31.00	106 1.57	9490.0	0	1257.30	12.21	-311.46	-287.21	-308.60	-284.57	1.55	4.40			0.0	0.0	1966
2165	39 30.25	106 1.03	9760.0	0	1239.50	20.38	-312.50	-287.56	-309.20	-284.51	1.50	4.80			0.0	0.0	1967
2166	39 30.11	106 1.88	10180.0	0	1213.80	34.34	-312.87	-286.86	-310.88	-285.02	1.41	3.40			0.0	0.0	1968
2167	39 31.12	106 0.14	9770.0	0	1240.90	21.44	-311.78	-286.82	-308.48	-283.77	1.50	4.80			0.0	0.0	1969
2168	39 30.42	105 59.97	10673.0	0	1182.20	48.58	-315.44	-288.17	-312.23	-285.20	1.29	4.50			0.0	0.0	1970
2169	39 35.19	106 6.27	9123.0	0	1291.90	5.65	-305.50	-282.19	-301.51	-278.50	1.60	5.60			0.0	0.0	1971
2170	39 34.70	106 7.90	9620.0	0	1265.40	26.56	-301.54	-276.97	-291.67	-267.83	1.52	11.40			0.0	0.0	1972
2171	39 34.60	106 1.91	9708.0	0	1259.60	29.18	-301.93	-277.13	-293.84	-269.64	1.51	9.60			0.0	0.0	1973
2172	39 34.38	106 9.79	9837.0	0	1253.20	35.22	-300.29	-275.16	-291.47	-267.00	1.48	10.30			0.0	0.0	1974
2173	39 34.37	106 10.25	9990.0	0	1244.40	40.80	-299.92	-274.40	-291.57	-266.68	1.45	9.80			0.0	0.0	1975
2175	39 35.10	106 6.84	9639.0	0	1260.40	22.76	-306.00	-281.37	-299.22	-275.10	1.52	8.30			0.0	0.0	1976
2176	39 34.54	106 2.65	9238.0	0	1281.40	6.92	-308.16	-284.56	-304.75	-281.40	1.59	5.00			0.0	0.0	1977
2177	39 35.30	106 2.59	9498.0	0	1268.10	16.92	-307.03	-282.76	-304.37	-280.31	1.54	4.20			0.0	0.0	1978
2178	39 34.66	106 3.50	9065.0	0	1295.20	4.29	-304.89	-281.73	-303.30	-280.26	1.61	3.20			0.0	0.0	1979
2179	39 34.38	106 4.58	9107.0	0	1290.80	4.25	-306.36	-283.10	-304.47	-281.34	1.61	3.50			0.0	0.0	1980
2180	39 33.30	106 4.95	9430.0	0	1271.40	16.79	-304.84	-280.75	-300.80	-277.01	1.56	5.60			0.0	0.0	1981
2181	39 32.54	106 5.23	9823.0	0	1244.50	27.92	-307.11	-282.01	-302.99	-278.21	1.48	5.60			0.0	0.0	1982
2182	39 32.00	106 5.18	10186.0	0	1221.70	40.01	-307.40	-281.38	-304.71	-278.89	1.41	4.10			0.0	0.0	1983
2183	39 44.91	105 54.37	10615.0	0	1213.30	52.83	-309.21	-282.09	-300.12	-273.68	1.31	10.40			0.0	0.0	1984
2184	39 44.25	105 54.71	10973.0	0	1190.40	64.52	-309.73	-281.69	-300.74	-273.38	1.22	10.20			0.0	0.0	1985
2184	39 34.42	105 59.54	9267.0	0	1281.80	10.22	-305.85	-282.17	-302.13	-278.74	1.58	5.30			0.0	0.0	1986
2185	39 33.72	105 59.44	9310.0	0	1276.40	9.89	-307.64	-283.86	-303.62	-280.14	1.58	5.60			0.0	0.0	1987
2186	39 32.95	105 58.79	9416.0	0	1268.20	12.78	-308.36	-284.31	-303.82	-280.11	1.56	6.10			0.0	0.0	1988
2187	39 33.00	105 57.89	9956.0	0	1235.20	30.43	-309.13	-283.70	-304.69	-279.59	1.46	5.90			0.0	0.0	1989
2188	39 33.35	105 59.97	9351.0	0	1273.50	11.39	-307.54	-283.65	-305.01	-281.31	1.57	4.10			0.0	0.0	1990
2189	39 32.86	105 59.85	9669.0	0	1253.40	21.88	-307.90	-283.19	-306.71	-282.10	1.51	2.70			0.0	0.0	1991
2190	39 34.32	106 25.45	8347.0	0	1361.90	4.04	-280.65	-259.32	-275.94	-254.97	1.69	6.40			0.0	0.0	1992
2191	39 33.58	106 25.84	8947.0	0	1322.90	22.50	-282.69	-259.80	-278.18	-255.66	1.63	6.10			0.0	0.0	1993
2192	39 33.21	106 26.18	9633.0	0	1283.20	47.78	-280.77	-256.16	-275.89	-251.64	1.52	6.40			0.0	0.0	1994
2193	39 32.50	106 27.00	10097.0	0	1254.70	63.91	-280.46	-254.67	-274.89	-249.51	1.43	7.00			0.0	0.0	1995
2194	39 31.88	106 27.50	10018.0	0	1258.00	60.71	-280.97	-255.38	-273.52	-248.48	1.45	8.90			0.0	0.0	1996
2195	39 31.14	106 28.37	10457.0	0	1231.60	76.63	-280.02	-253.30	-273.77	-247.52	1.35	7.60			0.0	0.0	1997
2196	39 30.77	106 28.72	10537.0	0	1226.00	79.09	-280.29	-253.37	-273.42	-247.01	1.33	8.20			0.0	0.0	1998
2197	39 35.50	106 26.75	8529.0	0	1357.10	14.59	-276.30	-254.51	-272.58	-251.07	1.68	5.40			0.0	0.0	1999
2198	39 35.47	106 27.68	9176.0	0	1318.40	36.72	-276.24	-252.80	-272.64	-249.47	1.60	5.20			0.0	0.0	2000

MINLAT=39. 15. MAXLAT=41. 0. MINLONG=105. 30. MAXLONG=107. 0. MINELEV=6000. MAXELEV=14000. UNITS= C

BMR= 0.0 GBV=979490.30 MSV=0.0 D1=2.67 D2=2.47 OPTIONS=1010000000 CM= 106 15. REF= 196

STATION	LAT	LONG	ELEV(F)	F	OBS G	FAA	BA2.67	BA(OPT)	CB2.67	CB(OPT)	CC	TC	TCM	FG	DRIFT	TIDE	N
2199	39 35.34	106 28.46	9750.0	0	1283.90	56.33	-276.21	-251.30	-272.81	-248.16	1.50	4.90			0.0	0.0	2001
2200	39 35.05	106 28.91	9949.0	0	1272.30	63.85	-275.48	-250.06	-271.64	-246.51	1.46	5.30			0.0	0.0	2002
2201	39 35.00	106 9.89	10929.0	0	1193.70	77.27	-295.45	-267.53	-291.18	-263.58	1.23	5.50			0.0	0.0	2003
2202	39 35.72	106 10.32	11320.0	0	1171.20	90.52	-295.57	-266.65	-290.29	-261.76	1.12	6.40			0.0	0.0	2004
2203	39 36.09	106 10.28	11442.0	0	1167.60	97.83	-292.42	-263.19	-286.80	-257.99	1.08	6.70			0.0	0.0	2005
2204	39 36.71	106 10.32	11660.0	0	1153.00	102.78	-294.90	-265.11	-289.22	-259.86	1.02	6.70			0.0	0.0	2006
2205	39 37.25	106 10.54	11760.0	0	1145.70	103.93	-297.16	-267.12	-289.55	-260.08	0.99	8.60			0.0	0.0	2007
2206	39 37.06	106 10.90	10961.0	0	1194.70	78.32	-295.52	-267.51	-289.44	-261.89	1.22	7.30			0.0	0.0	2008
2207	39 37.52	106 11.58	10472.0	0	1224.50	61.52	-295.64	-268.89	-287.89	-261.72	1.34	9.10			0.0	0.0	2009
2208	39 37.50	106 12.20	10220.0	0	1239.40	52.78	-295.79	-269.68	-286.99	-261.54	1.40	10.20			0.0	0.0	2010
2209	39 37.50	106 13.12	9926.0	0	1256.20	41.97	-296.57	-271.22	-285.94	-261.38	1.46	12.10			0.0	0.0	2011
2210	39 37.75	106 14.68	9641.0	0	1273.40	32.03	-296.79	-272.16	-284.41	-260.71	1.52	13.90			0.0	0.0	2012
2211	39 37.83	106 15.59	9191.0	0	1299.20	15.44	-298.03	-274.55	-283.73	-261.32	1.59	15.90			0.0	0.0	2013
2214	39 38.29	106 26.44	9235.0	0	1314.50	34.19	-280.78	-257.19	-276.07	-252.83	1.59	6.30			0.0	0.0	2014
2215	39 37.64	106 26.00	8357.0	0	1367.50	5.67	-279.35	-258.00	-273.15	-252.26	1.69	7.90			0.0	0.0	2015
2216	39 48.93	106 12.71	8509.0	0	1377.40	13.17	-277.05	-255.31	-273.63	-252.14	1.68	5.10			0.0	0.0	2016
2217	39 48.51	106 13.69	8898.0	0	1348.10	21.03	-282.45	-259.72	-280.79	-258.18	1.64	3.30			0.0	0.0	2017
2218	39 47.71	106 13.97	9196.0	0	1323.20	25.31	-288.34	-264.84	-285.93	-262.62	1.59	4.00			0.0	0.0	2018
2219	39 47.33	106 14.34	9643.0	0	1299.40	44.06	-284.83	-260.20	-280.95	-256.61	1.52	5.40			0.0	0.0	2019
2220	39 46.79	106 15.37	10130.0	0	1266.20	57.40	-288.10	-262.22	-283.92	-258.36	1.42	5.60			0.0	0.0	2020
2221	40 21.16	106 35.83	8760.0	0	1451.30	63.39	-235.38	-213.00	-235.34	-212.96	1.65	1.70			0.0	0.0	2021
2222	40 20.81	106 36.30	9057.0	0	1434.10	74.11	-234.79	-211.65	-234.91	-211.76	1.61	1.50			0.0	0.0	2022
2223	40 21.37	106 36.86	9227.0	0	1427.00	82.15	-232.55	-208.98	-231.94	-208.42	1.59	2.20			0.0	0.0	2023
2224	40 22.21	106 37.22	9581.0	0	1406.60	93.75	-233.02	-208.54	-232.05	-207.65	1.53	2.50			0.0	0.0	2024
2225	40 22.36	106 37.68	9370.0	0	1423.70	90.81	-228.77	-204.83	-228.43	-204.52	1.57	1.90			0.0	0.0	2025
2226	40 21.79	106 37.91	9382.0	0	1422.60	91.68	-228.30	-204.34	-227.87	-203.93	1.56	2.00			0.0	0.0	2026
2227	40 20.08	106 36.44	9347.0	0	1411.50	79.83	-238.96	-215.08	-236.43	-212.74	1.57	4.10			0.0	0.0	2027
2228	40 19.51	106 36.31	9328.0	0	1410.00	77.40	-240.75	-216.92	-237.02	-213.47	1.57	5.30			0.0	0.0	2028
2229	40 18.87	106 35.73	8888.0	0	1437.80	64.81	-238.33	-215.62	-236.96	-214.36	1.64	3.00			0.0	0.0	2029
2230	40 18.47	106 34.79	8425.0	0	1463.30	47.41	-239.94	-218.41	-239.62	-218.12	1.69	2.00			0.0	0.0	2030
2231	40 19.05	106 35.06	8412.0	0	1467.00	49.03	-237.87	-216.38	-237.66	-216.19	1.69	1.90			0.0	0.0	2031
2232	40 19.91	106 35.60	8842.0	0	1442.80	63.95	-237.62	-215.03	-237.86	-215.26	1.64	1.40			0.0	0.0	2032
2233	40 19.39	106 34.19	8440.0	0	1461.20	45.36	-242.50	-220.94	-242.79	-221.21	1.69	1.40			0.0	0.0	2033
2234	40 18.87	106 34.00	8378.0	0	1463.70	42.80	-242.94	-221.54	-242.63	-221.25	1.69	2.00			0.0	0.0	2034
2235	40 19.36	106 32.66	8060.0	0	1481.50	30.00	-244.90	-224.31	-245.51	-224.88	1.72	1.10			0.0	0.0	2035
2236	40 18.14	106 33.43	7982.0	0	1485.30	28.28	-243.96	-223.56	-243.98	-223.58	1.72	1.70			0.0	0.0	2036
2237	40 18.19	106 35.63	8261.0	0	1475.20	44.32	-237.43	-216.33	-236.74	-215.68	1.70	2.40			0.0	0.0	2037
2238	40 17.32	106 35.64	8717.0	0	1446.60	59.85	-237.46	-215.19	-235.92	-213.76	1.66	3.20			0.0	0.0	2038
2239	40 17.54	106 36.19	8507.0	0	1463.80	56.99	-233.15	-211.42	-232.43	-210.75	1.68	2.40			0.0	0.0	2039
2240	40 17.33	106 36.77	9025.0	0	1432.70	74.87	-232.94	-209.89	-232.26	-209.26	1.62	2.30			0.0	0.0	2040
2241	40 17.67	106 37.79	9201.0	0	1423.90	82.10	-231.72	-208.21	-231.61	-208.11	1.59	1.70			0.0	0.0	2041
2242	40 17.96	106 37.44	9214.0	0	1424.90	83.89	-230.37	-206.83	-230.16	-206.64	1.59	1.80			0.0	0.0	2042
2243	40 18.32	106 38.19	9247.0	0	1423.30	85.35	-230.03	-206.41	-229.92	-206.30	1.59	1.70			0.0	0.0	2043
2244	40 15.20	106 37.78	9386.0	0	1405.00	84.24	-235.89	-211.91	-235.65	-211.69	1.56	1.80			0.0	0.0	2044
2245	40 16.73	106 31.44	8110.0	0	1470.00	27.10	-249.50	-228.78	-249.92	-229.17	1.71	1.30			0.0	0.0	2045
2246	40 17.21	106 32.47	8262.0	0	1463.60	34.27	-247.52	-226.41	-248.32	-227.15	1.70	0.90			0.0	0.0	2046
2247	40 17.17	106 32.65	8353.0	0	1458.00	37.28	-247.62	-226.28	-248.31	-226.92	1.69	1.00			0.0	0.0	2047
2248	40 17.25	106 33.94	8343.0	0	1461.10	39.32	-245.23	-223.92	-245.43	-224.10	1.69	1.50			0.0	0.0	2048
2249	40 17.89	106 32.40	8191.0	0	1468.80	31.79	-247.58	-226.65	-248.29	-227.31	1.71	1.00			0.0	0.0	2049
2250	40 16.65	105 52.21	8903.0	0	1407.20	38.92	-264.73	-241.99	-263.27	-240.63	1.63	3.10			0.0	0.0	2050

MINLAT=39. 15. MAXLAT=41. 0. MINLONG=105. 30. MAXLONG=107. 0. MINELEV=6000. MAXELEV=14000. UNITS= C

BMR= 0.0 GBV=979490.30 MSV=0.0 D1=2.67 D2=2.47 OPTIONS=101000000 CM= 106 15. REF= 196

STATION	LAT	LONG	ELEV(F)	E	OBS G	FAA	BA2.67	BA(OPT)	CB2.67	CB(OPT)	CC	TC	TCM	FC	DRIFT	TIDE	N
2251	40 17.01	105 52.75	9217.0	0	1391.40	52.08	-262.28	-238.73	-260.67	-237.25	1.59	3.20			0.0	0.0	2051
2252	40 17.50	105 53.70	9611.0	0	1369.70	66.66	-261.14	-236.59	-259.06	-234.67	1.52	3.60			0.0	0.0	2052
2254	40 17.89	105 55.08	10360.0	0	1326.00	92.73	-260.61	-234.15	-257.48	-231.25	1.37	4.50			0.0	0.0	2053
2255	40 18.78	105 55.71	11473.0	0	1252.10	122.03	-269.27	-239.96	-258.25	-229.76	1.08	12.10			0.0	0.0	2054
2256	40 16.25	105 52.73	8995.0	0	1401.80	42.75	-264.04	-241.06	-262.36	-239.51	1.62	3.30			0.0	0.0	2055
2257	40 15.82	105 53.48	9220.0	0	1385.30	48.02	-266.44	-242.88	-264.73	-241.30	1.59	3.30			0.0	0.0	2056
2258	40 15.68	105 53.93	9212.0	0	1385.80	47.98	-266.21	-242.67	-263.70	-240.35	1.59	4.10			0.0	0.0	2057
2259	40 15.23	105 54.02	9441.0	0	1370.30	54.66	-267.34	-243.22	-263.80	-239.94	1.55	5.10			0.0	0.0	2058
2260	40 26.93	106 44.86	10385.0	0	1363.00	118.66	-235.54	-209.00	-223.00	-197.41	1.36	13.90			0.0	0.0	2059
2261	40 26.79	106 45.75	9100.0	0	1441.70	76.87	-233.50	-210.25	-228.41	-205.54	1.61	6.70			0.0	0.0	2060
2262	40 20.48	106 21.53	9982.0	0	1354.00	81.39	-259.07	-233.56	-254.52	-229.36	1.45	6.00			0.0	0.0	2061
2263	40 19.97	106 21.70	9680.0	0	1368.40	68.18	-261.98	-237.25	-256.49	-232.17	1.51	7.00			0.0	0.0	2062
2264	40 19.17	106 21.50	9487.0	0	1382.30	65.13	-258.43	-234.20	-254.28	-230.36	1.55	5.70			0.0	0.0	2063
2265	40 18.44	106 21.21	9350.0	0	1387.70	58.75	-260.15	-236.26	-255.92	-232.35	1.57	5.80			0.0	0.0	2064
2266	40 17.78	106 21.20	9206.0	0	1396.10	54.60	-259.38	-235.86	-256.27	-232.99	1.59	4.70			0.0	0.0	2065
2267	40 17.10	106 21.10	9040.0	0	1401.10	45.02	-263.31	-240.21	-261.22	-238.28	1.62	3.70			0.0	0.0	2066
2268	40 16.51	106 20.29	8813.0	0	1412.30	35.77	-264.81	-242.30	-261.56	-239.29	1.65	4.90			0.0	0.0	2067
2269	40 15.92	106 19.39	8534.0	0	1427.10	25.23	-265.83	-244.03	-261.11	-239.66	1.68	6.40			0.0	0.0	2068
2270	40 16.37	106 18.61	8560.0	0	1424.20	24.11	-267.84	-245.97	-260.82	-239.47	1.67	8.70			0.0	0.0	2069
2271	40 15.01	106 18.63	8400.0	0	1432.40	19.30	-267.20	-245.74	-261.19	-240.18	1.69	7.70			0.0	0.0	2070
2272	40 46.44	106 42.18	8783.0	0	1486.50	62.69	-236.87	-214.43	-227.62	-205.87	1.65	10.90			0.0	0.0	2071
2273	40 46.91	106 40.80	9555.0	0	1445.40	93.41	-232.48	-208.07	-228.12	-204.03	1.53	5.90			0.0	0.0	2072
2274	40 47.27	106 39.70	10055.0	0	1414.60	109.03	-233.91	-208.22	-229.55	-204.18	1.44	5.80			0.0	0.0	2073
2275	40 47.83	106 38.91	10180.0	0	1407.20	112.54	-234.66	-208.66	-228.27	-202.75	1.41	7.80			0.0	0.0	2074
2276	40 48.36	106 39.04	10515.0	0	1389.80	125.81	-232.82	-205.95	-226.05	-199.69	1.33	8.10			0.0	0.0	2075
2277	40 49.30	106 38.87	11550.0	0	1325.80	157.61	-236.32	-206.81	-224.47	-195.85	1.05	12.90			0.0	0.0	2076
2278	40 49.92	106 38.39	10560.0	0	1375.30	113.22	-246.95	-219.97	-240.17	-213.70	1.32	8.10			0.0	0.0	2077
2279	40 50.58	106 38.23	10060.0	0	1408.50	98.48	-244.63	-218.93	-239.37	-214.06	1.44	6.70			0.0	0.0	2078
2280	40 50.68	106 37.18	9810.0	0	1440.40	106.75	-227.84	-202.77	-222.72	-198.04	1.49	6.60			0.0	0.0	2079
2281	40 51.08	106 36.31	9295.0	0	1470.00	87.38	-229.64	-205.89	-226.62	-203.10	1.58	4.60			0.0	0.0	2080
2282	40 51.51	106 35.58	9135.0	0	1479.30	81.61	-229.95	-206.62	-228.76	-205.51	1.60	2.80			0.0	0.0	2081
2283	40 51.50	106 34.50	8805.0	0	1496.70	67.43	-232.88	-210.39	-232.13	-209.69	1.65	2.40			0.0	0.0	2082
2284	40 56.81	106 38.95	9156.0	0	1495.80	91.59	-220.69	-197.29	-217.49	-194.33	1.60	4.80			0.0	0.0	2083
2285	40 56.58	106 39.81	9411.0	0	1481.10	101.19	-219.79	-195.75	-216.25	-192.47	1.56	5.10			0.0	0.0	2084
2286	40 56.50	106 40.46	9749.0	0	1462.40	114.35	-218.15	-193.24	-215.05	-190.38	1.50	4.60			0.0	0.0	2085
2287	40 55.72	106 42.07	10613.0	0	1405.60	139.86	-222.11	-195.00	-216.92	-190.19	1.31	6.50			0.0	0.0	2086
2288	40 55.21	106 42.00	11422.0	0	1348.00	158.99	-230.57	-201.39	-216.76	-188.61	1.09	14.90			0.0	0.0	2087
2289	40 54.64	106 41.54	10680.0	0	1397.60	139.76	-224.50	-197.21	-220.09	-193.13	1.29	5.70			0.0	0.0	2088
2290	40 54.26	106 40.88	10505.0	0	1410.60	136.89	-221.40	-194.56	-218.13	-191.54	1.34	4.60			0.0	0.0	2089
2291	40 54.28	106 39.78	10335.0	0	1413.90	124.20	-228.29	-201.89	-221.97	-196.04	1.38	7.70			0.0	0.0	2090
2292	40 54.40	106 38.27	9459.0	0	1468.20	96.04	-226.57	-202.40	-222.22	-198.38	1.55	5.90			0.0	0.0	2091
2293	40 55.00	106 37.85	9037.0	0	1497.20	84.51	-223.71	-200.62	-220.83	-197.96	1.62	4.50			0.0	0.0	2092
2294	40 22.29	105 52.09	9290.0	0	1390.90	50.60	-266.25	-242.52	-259.63	-236.39	1.58	8.20			0.0	0.0	2093
2295	40 22.20	105 53.56	10292.0	0	1325.30	79.25	-271.78	-245.48	-262.06	-236.50	1.39	11.10			0.0	0.0	2094
2296	40 22.36	105 55.03	10300.0	0	1325.10	79.56	-271.74	-245.42	-264.92	-239.12	1.39	8.20			0.0	0.0	2095
2297	40 22.36	105 54.21	10308.0	0	1323.20	78.41	-273.16	-246.82	-263.54	-237.92	1.38	11.00			0.0	0.0	2096
2298	40 49.94	106 35.30	9064.0	0	1478.10	75.48	-233.66	-210.51	-231.28	-208.30	1.61	4.00			0.0	0.0	2097
2299	40 49.04	106 35.10	9024.0	0	1476.20	71.16	-236.62	-213.56	-234.84	-211.92	1.62	3.40			0.0	0.0	2098
2300	40 48.97	106 36.78	9865.0	0	1430.30	104.36	-232.10	-206.90	-227.18	-202.35	1.48	6.40			0.0	0.0	2099
2301	40 49.11	106 35.84	9165.0	0	1469.70	77.80	-234.79	-211.37	-232.49	-209.24	1.60	3.90			0.0	0.0	2100

MINLAT=39. 15. MAXLAT=41. 0. MINLONG=105. 30. MAXLONG=107. 0. MINELEV=6000. MAXELEV=14000. UNITS= C

BMR= 0.0 GBV=979400.30 MSV=0.0 D1=2.67 D2=2.47 OPTIONS=1010000000 CM= 106 15. REF= 196

STATION	LAT	LONG	ELEV(F)	E	OBS G	FAA	BA2.67	BA(OPT)	CB2.67	CB(OPT)	CC	TC	TCM	FG	DRIFT	TIDE	N
2302	40 48.40	106 34.94	8880.0	0	1482.50	64.89	-237.98	-215.29	-236.22	-213.66	1.64	3.40			0.0	0.0	2101
2303	40 47.55	106 35.04	8983.0	0	1470.00	63.33	-243.05	-220.10	-240.98	-218.18	1.62	3.70			0.0	0.0	2102
2304	40 46.63	106 35.04	8925.0	0	1468.70	57.95	-246.46	-223.65	-207.69	-187.79	1.63	40.40			0.0	0.0	2103
2305	40 46.08	106 35.15	9173.0	0	1452.50	65.86	-247.00	-223.56	-244.30	-221.06	1.60	4.30			0.0	0.0	2104
2306	40 45.48	106 35.40	9090.0	0	1460.00	66.46	-243.57	-220.35	-241.08	-218.05	1.61	4.10			0.0	0.0	2105
2307	40 44.19	106 35.06	9340.0	0	1437.70	69.56	-249.00	-225.14	-246.87	-223.17	1.57	3.70			0.0	0.0	2106
2308	40 42.69	106 35.01	8911.0	0	1458.20	51.99	-251.93	-229.17	-250.07	-227.44	1.63	3.50			0.0	0.0	2107
2309	40 41.91	106 7.30	8387.0	0	1487.40	33.12	-252.93	-231.50	-253.82	-232.32	1.69	0.80			0.0	0.0	2108
2310	40 40.86	106 7.04	8187.0	0	1494.90	23.40	-255.83	-234.92	-256.54	-235.57	1.71	1.00			0.0	0.0	2109
2311	40 43.60	106 2.96	8314.0	0	1508.10	44.45	-239.11	-217.87	-237.50	-216.38	1.70	3.30			0.0	0.0	2110
2312	40 41.95	106 0.48	8821.0	0	1472.10	58.54	-242.32	-219.78	-236.96	-214.83	1.64	7.00			0.0	0.0	2111
2313	40 36.43	106 42.18	11060.0	0	1311.90	116.84	-260.38	-232.12	-253.37	-225.64	1.19	8.20			0.0	0.0	2112
2314	40 37.27	106 42.19	11020.0	0	1308.40	108.33	-267.52	-239.37	-261.83	-234.10	1.20	6.90			0.0	0.0	2113
2315	40 37.87	106 42.18	10937.0	0	1317.20	108.45	-264.58	-236.64	-259.50	-231.94	1.23	6.30			0.0	0.0	2114
2316	40 38.04	106 42.44	10778.0	0	1329.90	105.96	-261.64	-234.10	-257.51	-230.28	1.27	5.40			0.0	0.0	2115
2317	40 38.54	106 42.59	10488.0	0	1348.70	96.78	-260.93	-234.13	-256.07	-229.64	1.34	6.20			0.0	0.0	2116
2318	40 38.30	106 41.68	11151.0	0	1307.10	117.80	-262.52	-234.03	-256.39	-228.36	1.17	7.30			0.0	0.0	2117
2319	40 39.06	106 41.50	11638.0	0	1277.40	132.71	-264.23	-234.49	-255.15	-226.10	1.03	10.10			0.0	0.0	2118
2320	40 40.04	106 41.18	11480.0	0	1289.00	128.01	-263.53	-234.20	-255.31	-226.59	1.07	9.30			0.0	0.0	2119
2321	40 39.02	106 40.00	10606.0	0	1341.00	99.45	-262.28	-235.19	-257.29	-230.57	1.31	6.30			0.0	0.0	2120
2322	40 38.78	106 39.38	10301.0	0	1358.60	88.76	-262.57	-236.25	-257.25	-231.33	1.38	6.70			0.0	0.0	2121
2323	40 38.73	106 38.18	9854.0	0	1346.40	34.66	-301.43	-276.26	-296.01	-271.24	1.48	6.90			0.0	0.0	2122
2324	40 38.59	106 36.88	9743.0	0	1396.70	74.74	-257.56	-232.67	-253.86	-229.25	1.50	5.20			0.0	0.0	2123
2325	40 38.82	106 36.02	9496.0	0	1412.50	66.99	-256.88	-232.62	-251.93	-228.04	1.55	6.50			0.0	0.0	2124
2326	40 39.03	106 35.28	9063.0	0	1441.40	54.91	-254.20	-231.04	-252.31	-229.30	1.61	3.50			0.0	0.0	2125
2327	40 39.51	106 34.67	8730.0	0	1462.30	43.82	-253.93	-231.63	-252.99	-230.76	1.66	2.60			0.0	0.0	2126
2328	40 42.79	106 35.31	8511.0	0	1476.50	32.57	-257.72	-235.97	-253.29	-231.88	1.68	6.10			0.0	0.0	2127
2329	40 43.00	106 36.09	8513.0	0	1472.60	28.54	-261.81	-240.06	-252.79	-231.71	1.68	10.70			0.0	0.0	2128
2330	40 42.68	106 37.21	9245.0	0	1428.10	53.28	-262.04	-238.42	-255.72	-232.58	1.59	7.90			0.0	0.0	2129
2331	40 42.21	106 37.80	9666.0	0	1400.40	65.82	-263.85	-239.16	-257.47	-233.25	1.51	7.90			0.0	0.0	2130
2332	40 42.25	106 38.25	10324.0	0	1362.90	90.06	-262.05	-235.68	-256.83	-230.85	1.38	6.60			0.0	0.0	2131
2333	40 42.03	106 38.92	10719.0	0	1343.30	107.89	-257.70	-230.31	-251.88	-224.93	1.28	7.10			0.0	0.0	2132
2334	40 42.91	106 40.11	10773.0	0	1353.80	122.15	-245.28	-217.76	-241.55	-214.30	1.27	5.00			0.0	0.0	2133
2335	40 43.62	106 40.17	10750.0	0	1362.40	127.53	-239.11	-211.65	-235.49	-208.29	1.27	4.90			0.0	0.0	2134
2336	40 44.33	106 40.28	10994.0	0	1350.10	137.09	-237.87	-209.79	-232.58	-204.89	1.21	6.50			0.0	0.0	2135
2337	40 44.93	106 39.97	10977.0	0	1349.50	134.01	-240.38	-212.34	-234.70	-207.08	1.22	6.90			0.0	0.0	2136
2338	40 45.75	106 39.80	10778.0	0	1363.60	128.20	-239.40	-211.87	-233.77	-206.66	1.27	6.90			0.0	0.0	2137
2339	40 45.14	106 37.87	9356.0	0	1439.40	71.35	-247.75	-223.85	-241.02	-217.62	1.57	8.30			0.0	0.0	2138
2340	40 45.01	106 37.29	9350.0	0	1444.90	76.48	-242.42	-218.53	-236.89	-213.42	1.57	7.10			0.0	0.0	2139
2341	40 45.95	106 36.19	9382.0	0	1440.80	73.99	-246.00	-222.03	-239.37	-215.89	1.56	8.20			0.0	0.0	2140
2342	40 46.50	106 36.84	9733.0	0	1422.10	87.43	-244.52	-219.66	-237.03	-212.72	1.50	9.00			0.0	0.0	2141
2343	40 46.94	106 37.36	10075.0	0	1406.50	103.30	-240.32	-214.58	-233.35	-208.14	1.43	8.40			0.0	0.0	2142
2344	40 47.36	106 38.29	11003.0	0	1352.50	135.83	-239.44	-211.33	-231.95	-204.40	1.21	8.70			0.0	0.0	2143
2345	40 47.54	106 37.59	10789.0	0	1368.50	131.47	-236.51	-208.95	-230.07	-202.99	1.26	7.70			0.0	0.0	2144
2346	40 47.69	106 37.01	10270.0	0	1401.10	115.10	-235.17	-208.94	-228.56	-202.82	1.39	8.00			0.0	0.0	2145
2347	40 47.73	106 36.11	9600.0	0	1438.60	89.61	-237.81	-213.28	-233.64	-209.42	1.53	5.70			0.0	0.0	2146
2359	40 59.73	106 0.37	7738.0	0	1578.91	37.14	-226.77	-207.00	-227.40	-207.59	1.73	1.10			0.0	0.0	2147
2349	40 37.51	106 17.68	8208.0	0	1471.97	7.42	-272.53	-251.56	-273.83	-252.76	1.71	0.40			0.0	0.0	2148
2350	40 37.72	106 17.62	8210.0	0	1472.21	7.54	-272.48	-251.50	-273.78	-252.71	1.71	0.40			0.0	0.0	2149
2351	40 37.83	106 17.60	8236.0	0	1471.33	8.94	-271.97	-250.93	-273.27	-252.13	1.70	0.40			0.0	0.0	2150

MINLAT=39. 15. MAXLAT=41. 0. MINLONG=105. 30. MAXLONG=107. 0. MINELEV=6000. MAXELEV=14000. UNITS= 0

BMR= 0.0 GBV=979490.30 MSV=0.0 D1=2.67 D2=2.47 OPTIONS=1010000000 CM= 106 15. REF= 196

STATION	LAT	LONG	ELEV(F)	E	OBS G	FAA	BA2.67	BA(OPT)	CB2.67	CB(OPT)	CC	TC	TCM	FC	DRIFT	TIDE	N
2352	40 38.08	106 17.59	8223.0	0	1473.39	9.40	-271.06	-250.05	-272.36	-251.25	1.70	0.40			0.0	0.0	2151
2353	40 38.25	106 17.59	8204.0	0	1476.82	10.79	-269.02	-248.06	-270.32	-249.27	1.71	0.40			0.0	0.0	2152
2354	40 38.52	106 17.59	8220.0	0	1476.77	11.85	-268.51	-247.51	-269.81	-248.72	1.70	0.40			0.0	0.0	2153
2355	40 38.74	106 17.58	8180.0	0	1482.56	13.55	-265.44	-244.54	-266.75	-245.75	1.71	0.40			0.0	0.0	2154
2356	40 38.92	106 17.59	8166.0	0	1485.25	14.66	-263.86	-242.99	-265.16	-244.20	1.71	0.40			0.0	0.0	2155
2357	40 39.14	106 17.60	8166.0	0	1487.21	16.29	-262.22	-241.36	-263.53	-242.57	1.71	0.40			0.0	0.0	2156
2358	40 39.32	106 17.58	8142.0	0	1490.01	16.57	-261.13	-240.33	-262.44	-241.54	1.71	0.40			0.0	0.0	2157
2360	40 58.92	106 0.05	7768.0	0	1577.19	39.45	-225.49	-205.65	-226.22	-206.32	1.73	1.00			0.0	0.0	2158
2361	40 3.35	106 21.99	7406.0	0	1488.78	-0.43	-253.02	-234.10	-253.76	-234.79	1.74	1.00			0.0	0.0	2159
2362	40 3.28	106 21.79	7407.0	0	1487.55	-1.46	-254.09	-235.17	-254.83	-235.85	1.74	1.00			0.0	0.0	2160
2363	40 3.21	106 21.59	7413.0	0	1486.23	-2.11	-254.95	-236.01	-255.59	-236.60	1.74	1.10			0.0	0.0	2161
2364	40 3.13	106 21.39	7417.0	0	1484.90	-2.95	-255.92	-236.97	-256.56	-237.56	1.74	1.10			0.0	0.0	2162
2365	40 3.07	106 21.18	7432.0	0	1482.94	-3.41	-256.89	-237.91	-257.43	-238.40	1.74	1.20			0.0	0.0	2163
2366	40 3.02	106 20.97	7425.0	0	1483.14	-3.80	-257.04	-238.07	-257.48	-238.47	1.74	1.30			0.0	0.0	2164
2367	40 3.05	106 20.67	7384.0	0	1484.56	-6.27	-258.11	-239.25	-258.05	-239.19	1.74	1.80			0.0	0.0	2165
2368	40 3.08	106 20.44	7376.0	0	1483.14	-8.49	-260.06	-241.21	-259.80	-240.97	1.74	2.00			0.0	0.0	2166
2369	40 3.13	106 20.22	7371.0	0	1481.52	-10.65	-262.05	-243.22	-262.19	-243.35	1.74	1.60			0.0	0.0	2167
2370	40 3.19	106 20.03	7368.0	0	1479.07	-13.47	-264.77	-245.95	-265.31	-246.45	1.74	1.20			0.0	0.0	2168
2371	40 3.25	106 19.87	7372.0	0	1477.46	-14.80	-266.23	-247.40	-266.87	-247.99	1.74	1.10			0.0	0.0	2169
2372	40 3.34	106 19.64	7383.0	0	1475.40	-15.96	-267.77	-248.90	-268.50	-249.59	1.74	1.00			0.0	0.0	2170
2373	40 3.39	106 19.42	7387.0	0	1474.61	-16.44	-268.39	-249.52	-269.13	-250.20	1.74	1.00			0.0	0.0	2171
2374	40 3.39	106 19.21	7377.0	0	1475.00	-16.99	-268.60	-249.75	-269.34	-250.44	1.74	1.00			0.0	0.0	2172
2375	40 3.37	106 18.98	7352.0	0	1477.01	-17.30	-268.06	-249.27	-268.70	-249.86	1.74	1.10			0.0	0.0	2173
2376	40 2.43	106 22.37	7353.0	0	1490.00	-2.83	-253.61	-234.83	-253.65	-234.86	1.74	1.70			0.0	0.0	2174
2377	40 2.44	106 22.15	7350.0	0	1489.67	-3.45	-254.14	-235.36	-254.08	-235.30	1.74	1.80			0.0	0.0	2175
2378	40 2.46	106 21.58	7337.0	0	1488.64	-5.73	-255.97	-237.23	-255.51	-236.80	1.74	2.20			0.0	0.0	2176
2379	40 2.50	106 21.36	7362.0	0	1486.82	-5.27	-256.36	-237.55	-255.40	-236.66	1.74	2.70			0.0	0.0	2177
2380	40 2.59	106 21.13	7348.0	0	1485.55	-7.98	-258.60	-239.83	-257.64	-238.94	1.74	2.70			0.0	0.0	2178
2381	40 2.54	106 20.99	7369.0	0	1484.62	-6.87	-258.20	-239.37	-256.74	-238.02	1.74	3.20			0.0	0.0	2179
2382	40 2.61	106 20.78	7402.0	0	1483.05	-5.44	-257.90	-238.99	-256.74	-237.91	1.74	2.90			0.0	0.0	2180
2383	40 2.65	106 20.56	7404.0	0	1482.95	-5.41	-257.94	-239.02	-256.97	-238.13	1.74	2.70			0.0	0.0	2181
2384	40 2.69	106 20.34	7340.0	0	1488.49	-5.94	-256.29	-237.53	-256.03	-237.29	1.74	2.00			0.0	0.0	2182
2385	40 2.58	106 20.10	7364.0	0	1481.32	-10.20	-261.36	-242.54	-261.70	-242.86	1.74	1.40			0.0	0.0	2183
2386	40 2.60	106 19.90	7383.0	0	1478.78	-11.48	-263.29	-244.43	-262.93	-244.09	1.74	2.10			0.0	0.0	2184
2387	40 2.55	106 19.74	7379.0	0	1478.05	-12.51	-264.18	-245.33	-264.42	-245.55	1.74	1.50			0.0	0.0	2185
2388	40 2.53	106 19.48	7393.0	0	1476.38	-12.84	-264.99	-246.10	-265.63	-246.69	1.74	1.10			0.0	0.0	2186
2389	40 2.55	106 19.27	7380.0	0	1476.58	-13.89	-265.59	-246.74	-266.13	-247.24	1.74	1.20			0.0	0.0	2187
2390	40 2.56	106 19.04	7406.0	0	1474.92	-13.12	-265.71	-246.79	-266.35	-247.38	1.74	1.10			0.0	0.0	2188
2391	40 3.79	106 21.83	7478.0	0	1485.36	2.26	-252.79	-233.68	-253.52	-234.36	1.74	1.00			0.0	0.0	2189
2392	40 4.14	106 21.47	7519.0	0	1478.71	-1.05	-257.50	-238.29	-258.14	-238.88	1.74	1.10			0.0	0.0	2190
2393	40 4.22	106 21.24	7577.0	0	1472.83	-1.60	-260.03	-240.67	-260.76	-241.35	1.74	1.00			0.0	0.0	2191
2394	40 4.19	106 20.98	7621.0	0	1468.68	-1.57	-261.50	-242.03	-262.13	-242.62	1.74	1.10			0.0	0.0	2192
2395	40 4.28	106 20.78	7656.0	0	1465.80	-1.30	-262.42	-242.86	-263.25	-243.63	1.73	0.90			0.0	0.0	2193
2396	40 4.41	106 20.62	7680.0	0	1463.36	-1.68	-263.61	-243.99	-264.15	-244.49	1.73	1.20			0.0	0.0	2194
2397	40 4.56	106 20.51	7695.0	0	1462.49	-1.36	-263.81	-244.15	-264.44	-244.74	1.73	1.10			0.0	0.0	2195
2398	40 5.02	106 20.45	7664.0	0	1465.59	-1.85	-263.25	-243.67	-263.98	-244.35	1.73	1.00			0.0	0.0	2196
2399	40 5.47	106 20.29	7686.0	0	1465.60	-0.44	-262.59	-242.95	-262.92	-243.26	1.73	1.40			0.0	0.0	2197
2400	40 5.92	106 20.04	7747.0	0	1462.19	1.21	-263.01	-243.22	-263.74	-243.90	1.73	1.00			0.0	0.0	2198
2401	40 3.50	106 22.01	7415.0	0	1489.17	0.58	-252.32	-233.37	-253.06	-234.06	1.74	1.00			0.0	0.0	2199
2402	40 3.64	106 21.94	7458.0	0	1486.67	1.92	-252.45	-233.40	-253.29	-234.17	1.74	0.90			0.0	0.0	2200

MINLAT=39. 15. MAXLAT=41. 0. MINLONG=105. 30. MAXLONG=107. 0. MINELEV=6000. MAXELEV=14000. UNITS= C

BMR= 0.0 GBV=979490.30 MSV=0.0 D1=2.67 D2=2.47 CPTIONS=1010000000 CM= 106 15. REF= 196

STATION	LAT	LONG	ELEV(F)	E	OBS G	FAA	BA2.67	BA(OPT)	CB2.67	CB(OPT)	CC	TC	TCM	FG	DRIFT	TIDE	N
2403	40 3.82	106 21.87	7485.0	0	1485.00	2.52	-252.77	-233.65	-253.51	-234.33	1.74	1.00			0.0	0.0	2201
2404	40 4.05	106 21.77	7519.0	0	1482.36	2.73	-253.72	-234.51	-254.65	-235.37	1.74	0.80			0.0	0.0	2202
2405	40 4.12	106 21.62	7524.0	0	1478.63	-0.63	-257.25	-238.03	-258.09	-238.80	1.74	0.90			0.0	0.0	2203
2406	40 4.20	106 21.44	7581.0	0	1472.89	-1.14	-259.70	-240.33	-260.63	-241.20	1.74	0.80			0.0	0.0	2204
2407	40 4.21	106 21.24	7625.0	0	1468.77	-1.14	-261.20	-241.72	-261.93	-242.40	1.74	1.00			0.0	0.0	2205
2408	40 4.17	106 20.92	7662.0	0	1465.74	-0.63	-261.96	-242.38	-262.89	-243.25	1.73	0.80			0.0	0.0	2206
2409	40 4.29	106 20.74	7684.0	0	1463.43	-1.05	-263.13	-243.50	-263.56	-243.90	1.73	1.30			0.0	0.0	2207
2410	40 4.40	106 20.62	7696.0	0	1462.55	-0.97	-263.45	-243.79	-264.18	-244.47	1.73	1.00			0.0	0.0	2208
2411	40 7.74	106 20.00	7916.0	0	1455.10	7.30	-262.68	-242.46	-263.41	-243.13	1.72	1.00			0.0	0.0	2209
2412	40 7.98	106 20.40	8001.0	0	1449.21	9.04	-263.84	-243.40	-264.66	-244.16	1.72	0.90			0.0	0.0	2210
2413	40 7.97	106 20.96	7996.0	0	1450.19	9.57	-263.15	-242.72	-263.97	-243.48	1.72	0.90			0.0	0.0	2211
2414	40 8.38	106 20.88	7907.0	0	1457.94	8.35	-261.33	-241.13	-262.06	-241.80	1.72	1.00			0.0	0.0	2212
2415	40 8.73	106 21.58	7889.0	0	1461.32	9.52	-259.55	-239.39	-260.07	-239.88	1.73	1.20			0.0	0.0	2213
2416	40 8.78	106 22.77	7770.0	0	1474.46	11.40	-253.60	-233.75	-254.13	-234.24	1.73	1.20			0.0	0.0	2214
2417	40 8.61	106 23.32	7618.0	0	1485.05	7.97	-251.86	-232.40	-252.39	-232.89	1.74	1.20			0.0	0.0	2215
2418	40 8.27	106 23.43	7671.0	0	1482.16	10.56	-251.07	-231.48	-251.41	-231.78	1.73	1.40			0.0	0.0	2216
2419	40 7.96	106 23.60	7630.0	0	1484.42	9.43	-250.81	-231.31	-250.94	-231.44	1.74	1.60			0.0	0.0	2217
2420	40 7.84	106 24.24	7506.0	0	1493.14	6.67	-249.33	-230.15	-249.07	-229.91	1.74	2.00			0.0	0.0	2218
2421	40 7.67	106 24.75	7410.0	0	1499.86	4.62	-248.11	-229.17	-247.94	-229.03	1.74	1.90			0.0	0.0	2219
2422	40 7.75	106 25.21	7518.0	0	1493.93	8.72	-247.69	-228.48	-248.13	-228.89	1.74	1.30			0.0	0.0	2220
2423	40 11.18	106 24.24	7496.0	0	1422.90	-69.46	-325.12	-305.97	-325.56	-306.37	1.74	1.30			0.0	0.0	2221
2424	40 10.75	106 24.00	7541.0	0	1489.66	2.17	-255.03	-235.76	-255.77	-236.45	1.74	1.00			0.0	0.0	2222
2425	40 10.34	106 23.63	7567.0	0	1488.05	3.61	-254.48	-235.14	-255.11	-235.73	1.74	1.10			0.0	0.0	2223
2426	40 10.04	106 23.38	7639.0	0	1483.19	5.96	-254.58	-235.07	-255.32	-235.75	1.73	1.00			0.0	0.0	2224
2427	40 9.69	106 23.04	7666.0	0	1481.52	7.34	-254.12	-234.53	-254.75	-235.12	1.73	1.10			0.0	0.0	2225
2428	40 9.43	106 22.59	7777.0	0	1473.78	10.42	-254.83	-234.96	-255.66	-235.73	1.73	0.90			0.0	0.0	2226
2429	40 9.22	106 22.19	7689.0	0	1476.03	4.71	-257.53	-237.89	-257.87	-238.20	1.73	1.40			0.0	0.0	2227
2430	40 8.83	106 21.82	7843.0	0	1463.73	7.46	-260.04	-240.00	-260.67	-240.58	1.73	1.10			0.0	0.0	2228
431	40 0.90	106 20.98	7935.0	0	1458.09	22.21	-248.42	-228.15	-249.25	-228.91	1.72	0.90			0.0	0.0	2229
2432	40 9.01	106 20.76	7952.0	0	1457.36	11.06	-260.15	-239.84	-260.97	-240.60	1.72	0.90			0.0	0.0	2230
2433	40 9.00	106 20.53	7940.0	0	1457.84	10.43	-260.38	-240.09	-261.20	-240.85	1.72	0.90			0.0	0.0	2231
2434	40 8.97	106 20.37	7907.0	0	1460.39	9.92	-259.76	-239.56	-260.58	-240.32	1.72	0.90			0.0	0.0	2232
2435	40 9.19	106 20.25	7955.0	0	1457.26	10.98	-260.34	-240.02	-261.26	-240.87	1.72	0.80			0.0	0.0	2233
2436	40 8.94	106 20.12	7905.0	0	1460.29	9.68	-259.93	-239.74	-260.76	-240.50	1.72	0.90			0.0	0.0	2234
2437	40 8.75	106 19.78	7829.0	0	1464.71	7.24	-259.78	-239.78	-260.31	-240.27	1.73	1.20			0.0	0.0	2235
2438	40 8.74	106 19.49	7797.0	0	1466.43	5.97	-259.96	-240.04	-260.79	-240.81	1.73	0.90			0.0	0.0	2236
2439	40 8.73	106 19.29	7762.0	0	1468.58	4.85	-259.89	-240.06	-260.72	-240.83	1.73	0.90			0.0	0.0	2237
2440	40 8.80	106 19.04	7735.0	0	1469.96	3.59	-260.23	-240.47	-260.96	-241.14	1.73	1.00			0.0	0.0	2238
2441	40 8.77	106 18.81	7770.0	0	1467.40	4.36	-260.65	-240.80	-261.48	-241.57	1.73	0.90			0.0	0.0	2239
2442	40 8.77	106 18.60	7788.0	0	1467.01	5.66	-259.96	-240.07	-260.79	-240.83	1.73	0.90			0.0	0.0	2240
2443	40 8.62	106 18.39	7759.0	0	1469.17	5.32	-259.32	-239.49	-260.05	-240.17	1.73	1.00			0.0	0.0	2241
2444	40 8.61	106 18.18	7733.0	0	1471.03	4.75	-259.00	-239.24	-259.63	-239.82	1.73	1.10			0.0	0.0	2242
2445	40 8.63	106 17.96	7704.0	0	1473.29	4.26	-258.50	-238.82	-259.03	-239.31	1.73	1.20			0.0	0.0	2243
2446	40 8.61	106 17.56	7639.0	0	1476.67	1.56	-258.98	-239.47	-259.32	-239.78	1.73	1.40			0.0	0.0	2244
2447	40 4.23	106 22.03	7404.0	0	1490.39	0.19	-252.34	-233.42	-253.08	-234.10	1.74	1.00			0.0	0.0	2245
2448	40 4.52	106 22.21	7435.0	0	1490.10	1.88	-251.70	-232.71	-252.44	-233.39	1.74	1.00			0.0	0.0	2246
2449	40 4.81	106 22.58	7436.0	0	1491.62	3.07	-250.55	-231.55	-251.09	-232.05	1.74	1.20			0.0	0.0	2247
2450	40 5.16	106 22.97	7568.0	0	1485.25	8.58	-249.54	-230.20	-250.38	-230.98	1.74	0.90			0.0	0.0	2248
2451	40 5.62	106 22.69	7685.0	0	1475.15	8.79	-253.32	-233.68	-254.15	-234.46	1.73	0.90			0.0	0.0	2249
2452	40 6.16	106 22.73	7802.0	0	1469.46	13.29	-252.81	-232.87	-253.23	-233.27	1.73	1.30			0.0	0.0	2250

MINLAT=39. 15. MAXLAT=41. 0. MINLONG=105. 30. MAXLONG=107. 0. MINELEV=6000. MAXELEV=14000. UNITS= 0

BMR= 0.0 GBV=979490.30 MSV=0.0 D1=2.67 D2=2.47 OPTIONS=1010000000 CM= 106 15. REF= 196

STATION	LAT	LONG	ELEV(F)	E.	OBS G	FAA	BA2.67	BA(OPT)	CB2.67	CB(OPT)	CC	TC	TCM	FC	DRIFT	TIDE	N
2453	40 6.63	106 22.93	8113.0	0	1450.05	22.41	-254.30	-233.57	-253.81	-233.12	1.71	2.20			0.0	0.0	2251
2454	40 6.65	106 22.41	7930.0	0	1455.33	10.96	-259.50	-239.24	-260.02	-239.73	1.72	1.20			0.0	0.0	2252
2455	40 7.00	106 21.97	8030.0	0	1445.68	9.69	-264.19	-243.67	-264.60	-244.06	1.72	1.30			0.0	0.0	2253
2456	40 7.06	106 21.48	8013.0	0	1445.63	7.95	-265.34	-244.87	-266.06	-245.53	1.72	1.00			0.0	0.0	2254
2457	40 7.08	106 21.15	7883.0	0	1453.72	3.80	-265.06	-244.92	-265.79	-245.59	1.73	1.00			0.0	0.0	2255
2458	40 7.42	106 21.96	8294.0	0	1428.62	16.81	-266.07	-244.88	-265.97	-244.79	1.70	1.80			0.0	0.0	2256
2459	40 7.51	106 22.35	8528.0	0	1415.09	25.13	-265.73	-243.94	-264.01	-242.35	1.68	3.40			0.0	0.0	2257
2460	40 7.97	106 22.01	8807.0	0	1392.88	28.45	-271.93	-249.43	-267.38	-245.22	1.65	6.20			0.0	0.0	2258
2461	40 7.71	106 22.77	8202.0	0	1439.80	18.92	-260.82	-239.87	-259.73	-238.86	1.71	2.80			0.0	0.0	2259
2462	40 7.59	106 22.97	8047.0	0	1455.34	20.07	-254.38	-233.82	-253.80	-233.28	1.72	2.30			0.0	0.0	2260
2463	40 8.01	106 23.75	7826.0	0	1472.75	16.10	-250.82	-230.83	-249.55	-229.65	1.73	2.00			0.0	0.0	2261
2464	40 7.14	106 22.89	8459.0	0	1427.84	31.95	-256.56	-234.05	-255.15	-233.64	1.68	3.10			0.0	0.0	2262
2465	40 7.04	106 22.54	9170.0	0	1377.53	48.58	-264.18	-240.75	-249.48	-227.15	1.60	16.30			0.0	0.0	2263
2466	40 1.78	106 19.75	7602.0	0	1464.55	-3.92	-263.20	-243.77	-263.83	-244.36	1.74	1.10			0.0	0.0	2264
2467	40 1.26	106 20.17	7721.0	0	1457.79	1.27	-262.06	-242.34	-262.70	-242.92	1.73	1.10			0.0	0.0	2265
2468	40 0.96	106 20.58	7768.0	0	1453.14	1.48	-263.46	-243.61	-263.79	-243.92	1.73	1.40			0.0	0.0	2266
2469	40 0.14	106 20.62	7710.0	0	1456.67	0.78	-262.18	-242.49	-262.62	-242.89	1.73	1.30			0.0	0.0	2267
2470	40 0.02	106 20.21	7795.0	0	1454.72	6.99	-258.87	-238.96	-259.20	-239.26	1.73	1.40			0.0	0.0	2268
2471	39 59.74	106 19.71	8048.0	0	1436.84	13.30	-261.19	-240.63	-261.11	-240.56	1.72	1.80			0.0	0.0	2269
2472	39 59.13	106 19.24	8208.0	0	1423.06	15.45	-264.50	-243.53	-263.90	-242.98	1.71	2.30			0.0	0.0	2270
2473	39 59.04	106 19.91	8515.0	0	1404.98	26.35	-264.07	-242.32	-262.35	-240.72	1.68	3.40			0.0	0.0	2271
2474	39 59.00	106 18.73	8195.0	0	1424.50	15.86	-263.64	-242.71	-263.25	-242.34	1.71	2.10			0.0	0.0	2272
2475	39 58.64	106 18.47	8215.0	0	1422.65	16.42	-263.76	-242.77	-263.47	-242.50	1.70	2.00			0.0	0.0	2273
2476	39 58.49	106 18.60	8047.0	0	1432.46	10.67	-263.78	-243.22	-262.50	-242.04	1.72	3.00			0.0	0.0	2274
2477	39 58.19	106 18.85	7896.0	0	1441.22	5.69	-263.62	-243.44	-262.14	-242.08	1.72	3.20			0.0	0.0	2275
2478	40 0.38	106 21.94	7592.0	0	1469.24	1.91	-257.03	-237.64	-257.47	-238.04	1.74	1.30			0.0	0.0	2276
2479	40 0.62	106 21.34	7632.0	0	1466.01	2.08	-258.22	-238.73	-258.56	-239.04	1.74	1.40			0.0	0.0	2277
2480	40 4.93	106 5.17	7714.0	0	1459.08	-3.53	-266.63	-246.92	-265.66	-246.03	1.73	2.70			0.0	0.0	2278
2481	40 4.98	106 4.94	7709.0	0	1459.08	-4.08	-267.00	-247.31	-265.74	-246.14	1.73	3.00			0.0	0.0	2279
2482	40 5.05	106 4.78	7719.0	0	1457.90	-4.42	-267.69	-247.97	-265.82	-246.24	1.73	3.60			0.0	0.0	2280
2483	40 5.20	106 4.38	7763.0	0	1455.64	-2.77	-267.54	-247.70	-266.57	-246.81	1.73	2.70			0.0	0.0	2281
2484	40 4.74	106 5.53	7720.0	0	1458.75	-3.02	-266.32	-246.60	-265.55	-245.89	1.73	2.50			0.0	0.0	2282
2485	40 4.63	106 5.72	7722.0	0	1459.04	-2.38	-265.75	-246.02	-264.98	-245.31	1.73	2.50			0.0	0.0	2283
2486	40 4.58	106 5.87	7746.0	0	1458.16	-0.93	-265.12	-245.33	-264.35	-244.62	1.73	2.50			0.0	0.0	2284
2487	40 4.42	106 6.11	7740.0	0	1458.81	-0.60	-264.59	-244.81	-263.52	-243.83	1.73	2.80			0.0	0.0	2285
2488	40 4.42	106 6.37	7695.0	0	1461.11	-2.53	-264.98	-245.32	-263.51	-243.97	1.73	3.20			0.0	0.0	2286
2489	40 4.43	106 6.52	7701.0	0	1460.37	-2.72	-265.38	-245.70	-263.91	-244.34	1.73	3.20			0.0	0.0	2287
2490	40 9.57	106 20.29	8065.0	0	1449.05	12.54	-262.53	-241.93	-263.55	-242.87	1.72	0.70			0.0	0.0	2288
2491	40 9.97	106 20.66	8100.0	0	1438.61	4.79	-271.47	-250.78	-271.78	-251.06	1.71	1.40			0.0	0.0	2289
2492	40 10.33	106 20.28	8092.0	0	1447.83	12.73	-263.26	-242.59	-263.97	-243.25	1.71	1.00			0.0	0.0	2290
2493	40 10.66	106 20.54	8337.0	0	1430.09	17.52	-266.83	-245.53	-267.12	-245.80	1.70	1.40			0.0	0.0	2291
2494	40 10.93	106 20.53	8190.0	0	1441.51	14.73	-264.51	-243.68	-265.31	-244.34	1.71	1.00			0.0	0.0	2292
2495	40 11.32	106 20.86	7963.0	0	1457.45	8.76	-262.83	-242.49	-263.05	-242.69	1.72	1.50			0.0	0.0	2293
2496	40 11.22	106 21.42	8022.0	0	1454.87	11.72	-261.38	-241.38	-262.10	-241.59	1.72	1.50			0.0	0.0	2294
2497	40 11.41	106 21.94	7868.0	0	1469.03	11.28	-257.07	-236.97	-256.99	-236.90	1.73	1.80			0.0	0.0	2295
2498	40 11.18	106 22.60	7780.0	0	1475.47	9.80	-255.55	-235.68	-255.68	-235.80	1.73	1.60			0.0	0.0	2296
2499	40 10.92	106 22.93	7787.0	0	1475.57	10.94	-254.65	-234.75	-255.38	-235.43	1.73	1.00			0.0	0.0	2297
2500	40 10.68	106 23.35	7625.0	0	1486.20	6.70	-253.36	-233.88	-253.89	-234.37	1.74	1.20			0.0	0.0	2298
2501	40 9.86	106 21.63	8129.0	0	1444.57	13.74	-263.51	-242.74	-263.92	-243.12	1.71	1.30			0.0	0.0	2299
2502	40 10.36	106 21.68	8256.0	0	1438.41	18.67	-262.91	-241.82	-263.01	-241.91	1.70	1.60			0.0	0.0	2300

MINLAT=39. 15. MAXLAT=41. 0. MINLONG=105. 30. MAXLONG=107. 0. MINELEV=6000. MAXELEV=14000. UNITS= C

BMR= 0.0 GBV=979490.30 MSV=0.0 D1=2.67 D2=2.47 OPTIONS=1010000000 CM= 106 15. REF= 196

STATION	LAT	LONG	ELEV(F)	E	OBS G	FAA	BA2.67	BA(OPT)	CB2.67	CB(OPT)	CC	TC	TCM	PG	DRIFT	TIDE	N
2503	40 10.63	106 21.63	8139.0	0	1446.11	14.98	-262.61	-241.82	-263.02	-242.20	1.71	1.30			0.0	0.0	2301
2504	40 10.92	106 21.44	8078.0	0	1449.65	12.36	-263.15	-242.52	-263.67	-242.99	1.71	1.20			0.0	0.0	2302
2505	39 35.72	106 1.94	9223.0	0	1288.62	10.98	-303.58	-280.02	-298.37	-275.20	1.59	6.80			0.0	0.0	2303
2506	40 9.14	105 51.23	8234.0	0	1444.18	24.18	-256.65	-235.61	-256.45	-235.43	1.70	1.90			0.0	0.0	2304
2507	40 9.04	105 50.34	8235.0	0	1444.88	25.13	-255.74	-234.70	-254.74	-233.78	1.70	2.70			0.0	0.0	2305
2508	40 8.78	105 49.35	8238.0	0	1445.09	26.00	-254.97	-233.92	-252.17	-231.33	1.70	4.50			0.0	0.0	2306
2509	40 8.52	105 48.29	8234.0	0	1447.39	28.31	-252.52	-231.48	-247.02	-226.40	1.70	7.20			0.0	0.0	2307
2510	40 8.13	105 47.38	8237.0	0	1447.21	28.99	-251.94	-230.90	-245.85	-225.26	1.70	7.80			0.0	0.0	2308
2511	40 9.59	105 49.90	8239.0	0	1447.18	26.99	-254.02	-232.97	-251.72	-230.84	1.70	4.00			0.0	0.0	2309
2512	40 9.94	105 49.13	8235.0	0	1448.35	27.26	-253.61	-232.57	-249.81	-229.05	1.70	5.50			0.0	0.0	2310
2513	40 10.63	105 49.07	8236.0	0	1447.48	25.46	-255.44	-234.40	-251.04	-230.33	1.70	6.10			0.0	0.0	2311
2514	40 11.20	105 49.20	8286.0	0	1445.47	27.31	-255.30	-234.13	-251.50	-230.62	1.70	5.50			0.0	0.0	2312
2515	40 11.09	105 47.98	8963.0	0	1406.85	52.45	-253.25	-230.35	-249.78	-227.14	1.63	5.10			0.0	0.0	2313
2516	40 11.22	105 46.95	9123.0	0	1399.28	59.71	-251.44	-228.13	-243.44	-220.74	1.60	9.60			0.0	0.0	2314
2517	40 9.53	105 51.16	8237.0	0	1444.32	24.03	-256.91	-235.86	-256.51	-235.50	1.70	2.10			0.0	0.0	2315
2518	40 10.13	105 51.09	8234.0	0	1447.82	26.36	-254.48	-233.44	-253.88	-232.89	1.70	2.30			0.0	0.0	2316
2519	40 10.31	105 51.95	8234.0	0	1444.48	22.75	-258.08	-237.05	-257.89	-236.87	1.70	1.90			0.0	0.0	2317
2520	40 24.72	105 48.16	11881.0	0	1249.76	149.19	-256.03	-225.68	-243.88	-214.44	0.95	13.10			0.0	0.0	2318
2521	40 23.88	105 47.63	11770.0	0	1267.33	157.58	-243.85	-213.78	-235.34	-205.90	0.99	9.50			0.0	0.0	2319
2522	40 23.22	105 48.10	11190.0	0	1296.68	133.45	-248.20	-219.62	-242.56	-214.40	1.16	6.80			0.0	0.0	2320
2523	40 22.72	105 48.19	10790.0	0	1319.14	119.09	-248.92	-221.36	-242.39	-215.31	1.26	7.80			0.0	0.0	2321
2524	40 22.20	105 49.04	10185.0	0	1350.52	94.42	-252.96	-226.94	-245.57	-220.10	1.41	8.80			0.0	0.0	2322
2525	40 23.03	105 50.25	9965.0	0	1359.68	81.68	-258.19	-232.73	-250.94	-226.03	1.46	8.70			0.0	0.0	2323
2526	40 25.97	105 46.13	12030.0	0	1251.25	162.81	-247.49	-216.76	-234.99	-205.20	0.90	13.40			0.0	0.0	2324
2527	40 25.43	105 45.19	12095.0	0	1250.18	168.65	-243.87	-212.97	-232.15	-202.13	0.88	12.60			0.0	0.0	2325
2528	40 25.05	105 44.71	11827.0	0	1269.17	163.04	-240.34	-210.12	-230.51	-201.03	0.97	10.80			0.0	0.0	2326
2529	40 24.63	105 43.24	12005.0	0	1252.02	163.23	-246.22	-215.55	-233.74	-204.00	0.91	13.40			0.0	0.0	2327
2530	40 23.73	105 42.60	11717.0	0	1272.52	158.02	-241.61	-211.67	-225.61	-196.87	1.00	17.00			0.0	0.0	2328
2531	40 23.60	105 41.67	11440.0	0	1296.95	156.63	-233.55	-204.32	-224.73	-196.17	1.09	9.90			0.0	0.0	2329
2532	40 23.87	105 40.40	11045.0	0	1274.21	96.40	-280.31	-252.09	-268.61	-241.27	1.20	12.90			0.0	0.0	2330
2533	40 24.07	105 39.82	10827.0	0	1333.90	135.32	-233.96	-206.29	-220.21	-193.58	1.26	15.00			0.0	0.0	2331
2534	40 23.23	105 39.53	10192.0	0	1378.28	121.31	-226.31	-200.27	-219.01	-193.52	1.41	8.70			0.0	0.0	2332
2535	40 23.25	105 37.91	9680.0	0	1412.92	107.83	-222.32	-197.59	-214.74	-190.57	1.51	9.10			0.0	0.0	2333
2536	40 23.81	105 38.97	9238.0	0	1434.65	87.21	-227.87	-204.27	-219.15	-196.21	1.59	10.30			0.0	0.0	2334
2537	40 23.80	105 38.05	9078.0	0	1449.27	86.82	-222.80	-199.61	-216.12	-193.42	1.61	8.30			0.0	0.0	2335
2538	40 23.21	105 36.55	8937.0	0	1463.50	88.68	-216.14	-193.30	-213.17	-190.56	1.63	4.60			0.0	0.0	2336
2539	40 24.26	105 37.37	8520.0	0	1483.01	67.45	-223.13	-201.37	-216.11	-194.87	1.68	8.70			0.0	0.0	2337
2540	40 24.68	105 38.55	8578.0	0	1474.49	63.76	-228.81	-206.89	-218.18	-197.06	1.67	12.30			0.0	0.0	2338
2541	40 24.86	105 39.25	8588.0	0	1466.86	56.80	-236.11	-214.17	-219.08	-198.41	1.67	18.70			0.0	0.0	2339
2542	40 24.99	105 40.22	8965.0	0	1441.87	67.03	-238.73	-215.83	-221.16	-199.57	1.63	19.20			0.0	0.0	2340
2543	40 22.21	105 35.24	8364.0	0	1497.37	70.20	-215.07	-193.70	-211.26	-190.18	1.69	5.50			0.0	0.0	2341
2544	40 21.63	105 34.88	8223.0	0	1505.48	65.93	-214.53	-193.52	-211.84	-191.03	1.70	4.40			0.0	0.0	2342
2545	40 21.21	105 34.92	8030.0	0	1515.37	58.31	-215.57	-195.05	-212.29	-192.02	1.72	5.00			0.0	0.0	2343
2546	40 20.64	105 35.60	8189.0	0	1503.85	62.57	-216.73	-195.81	-212.74	-192.11	1.71	5.70			0.0	0.0	2344
2547	40 19.96	105 35.95	8590.0	0	1477.39	74.79	-218.18	-196.24	-215.16	-193.44	1.67	4.70			0.0	0.0	2345
2548	40 19.19	105 37.40	8860.0	0	1454.70	78.61	-223.58	-200.94	-217.52	-195.33	1.64	7.70			0.0	0.0	2346
2549	40 18.73	105 38.76	9477.0	0	1414.91	97.46	-225.77	-201.56	-220.02	-196.24	1.55	7.30			0.0	0.0	2347
2550	39 49.63	105 46.06	10437.0	0	1256.23	72.06	-283.91	-257.25	-276.76	-250.63	1.35	8.50			0.0	0.0	2348
2551	39 46.97	105 47.26	10359.0	0	1245.62	58.06	-295.25	-268.79	-285.42	-259.69	1.37	11.20			0.0	0.0	2349
2552	39 46.13	105 45.25	9351.0	0	1302.34	21.34	-297.59	-273.70	-278.46	-256.00	1.57	20.70			0.0	0.0	2350

MINLAT=39. 15. MAXLAT=41. 0. MINLONG=105. 30. MAXLONG=107. 0. MINELEV=6000. MAXELEV=14000. UNITS= C

BMR= 0.0 GBV=979490.30 MSV=0.0 D1=2.67 D2=2.47 OPTIONS=1010000000 CM= 106 15. REF= 196

STATION	LAT	LONG	ELEV(F)	E	OBS G	FAA	BA2.67	BA(OPT)	CB2.67	CB(OPT)	CC	TC	TCM	FC	DRIFT	TIDE	N
2553	39 57.27	106 12.35	8205.0	0	1409.96	4.82	-275.02	-254.06	-275.23	-254.25	1.71	1.50			0.0	0.0	2351
2554	39 56.26	106 11.22	8211.0	0	1405.21	2.13	-277.92	-256.94	-277.92	-256.94	1.71	1.70			0.0	0.0	2352
2555	39 55.42	106 13.27	8706.0	0	1378.86	23.53	-273.40	-251.16	-271.66	-249.55	1.66	3.40			0.0	0.0	2353
2556	39 55.55	106 11.40	8348.0	0	1394.45	5.29	-279.43	-258.10	-279.22	-257.91	1.69	1.90			0.0	0.0	2354
2557	39 55.33	106 10.10	8534.0	0	1385.08	13.72	-277.34	-255.54	-277.02	-255.24	1.68	2.00			0.0	0.0	2355
2558	39 54.41	106 8.37	8674.0	0	1378.09	21.25	-274.59	-252.43	-273.95	-251.84	1.66	2.30			0.0	0.0	2356
2559	39 53.85	106 7.88	8590.0	0	1383.69	19.79	-273.19	-251.24	-272.66	-250.75	1.67	2.20			0.0	0.0	2357
2560	39 52.87	106 8.37	8736.0	0	1364.32	15.58	-282.37	-260.06	-281.03	-258.81	1.65	3.00			0.0	0.0	2358
2561	39 52.32	106 8.86	8897.0	0	1355.91	23.11	-280.34	-257.61	-277.07	-254.59	1.64	4.90			0.0	0.0	2359
2562	40 34.02	106 53.22	6763.0	0	1595.75	0.62	-230.04	-212.77	-228.37	-211.22	1.73	3.40			0.0	0.0	2360
2563	40 32.77	106 53.10	6756.0	0	1593.35	-0.58	-231.01	-213.75	-230.04	-212.85	1.73	2.70			0.0	0.0	2361
2564	40 31.27	106 51.82	7877.0	0	1583.64	97.26	-171.39	-151.27	-170.72	-150.65	1.73	2.40			0.0	0.0	2362
2565	40 30.05	106 51.25	6668.0	0	1595.33	-2.83	-230.25	-213.22	-229.28	-212.31	1.72	2.70			0.0	0.0	2363
2566	40 30.78	106 49.35	6994.0	0	1576.81	8.20	-230.34	-212.47	-228.78	-211.03	1.74	3.30			0.0	0.0	2364
2567	40 31.59	106 49.29	7082.0	0	1570.71	9.16	-232.38	-214.29	-230.02	-212.10	1.74	4.10			0.0	0.0	2365
2568	40 32.55	106 49.36	7342.0	0	1552.26	13.72	-236.69	-217.94	-233.83	-215.29	1.74	4.60			0.0	0.0	2366
2569	40 33.18	106 50.27	7700.0	0	1531.87	26.03	-236.59	-216.92	-234.43	-214.92	1.73	3.90			0.0	0.0	2367
2570	40 33.54	106 50.96	7460.0	0	1547.76	18.83	-235.60	-216.54	-233.04	-214.17	1.74	4.30			0.0	0.0	2368
2571	40 31.42	106 49.56	7398.0	0	1552.79	21.19	-231.13	-212.23	-228.97	-210.23	1.74	3.90			0.0	0.0	2369
2572	40 31.79	106 47.93	7922.0	0	1519.40	36.48	-233.71	-213.47	-232.04	-211.92	1.72	3.40			0.0	0.0	2370
2573	40 32.08	106 47.06	8272.0	0	1496.49	46.02	-236.11	-214.97	-234.71	-213.68	1.70	3.10			0.0	0.0	2371
2574	40 31.68	106 45.92	8737.0	0	1467.96	61.77	-236.22	-213.90	-233.67	-211.54	1.65	4.20			0.0	0.0	2372
2575	40 33.01	106 49.20	7713.0	0	1526.97	22.60	-240.46	-220.76	-238.09	-218.57	1.73	4.10			0.0	0.0	2373
2576	40 34.00	106 48.96	8410.0	0	1484.26	43.90	-242.93	-221.45	-240.92	-219.59	1.69	3.70			0.0	0.0	2374
~~2577~~	~~40 34.90~~	~~106 48.94~~	~~8000.0~~	~~0~~	~~149.70~~	~~-1330.51~~	~~-1603.38~~	~~-1582.93~~	~~-1601.90~~	~~-1581.65~~	~~1.72~~	~~3.10~~			0.0	0.0	2375
2578	40 35.65	106 49.36	8860.0	0	1455.97	55.44	-246.75	-224.11	-244.29	-221.84	1.64	4.10			0.0	0.0	2376
2579	40 34.11	106 51.34	7410.0	0	1558.14	23.67	-229.06	-210.13	-226.60	-207.85	1.74	4.20			0.0	0.0	2377
2580	40 35.17	106 51.02	7120.0	0	1573.65	10.35	-232.48	-214.29	-228.02	-210.17	1.74	6.20			0.0	0.0	2378
2581	40 35.68	106 50.12	7280.0	0	1556.32	7.30	-240.99	-222.40	-230.63	-212.81	1.74	12.10			0.0	0.0	2379
2582	40 35.20	106 54.11	6794.0	0	1597.02	3.05	-228.67	-211.31	-226.90	-209.68	1.73	3.50			0.0	0.0	2380
2583	40 35.71	106 54.60	6824.0	0	1593.89	1.98	-230.76	-213.33	-229.20	-211.88	1.73	3.30			0.0	0.0	2381
2584	40 36.53	106 55.85	6960.0	0	1584.50	4.15	-233.23	-215.45	-233.37	-215.58	1.74	1.60			0.0	0.0	2382
2585	40 36.98	106 56.19	6951.0	0	1584.54	2.68	-234.40	-216.64	-234.33	-216.58	1.74	1.80			0.0	0.0	2383
2586	40 38.16	106 56.46	6994.0	0	1580.06	0.48	-238.06	-220.19	-236.50	-218.74	1.74	3.30			0.0	0.0	2384
2587	40 39.38	106 56.44	7035.0	0	1577.41	-0.13	-240.07	-222.10	-238.51	-220.65	1.74	3.30			0.0	0.0	2385
2588	40 40.49	106 55.94	7114.0	0	1572.80	1.03	-241.60	-223.43	-238.84	-220.87	1.74	4.50			0.0	0.0	2386
2589	40 41.43	106 55.82	7181.0	0	1570.49	3.62	-241.30	-222.95	-239.84	-221.60	1.74	3.20			0.0	0.0	2387
2590	40 42.38	106 55.10	7268.0	0	1568.37	8.26	-239.62	-221.05	-239.16	-220.63	1.74	2.20			0.0	0.0	2388
2591	40 43.04	106 54.92	7279.0	0	1569.55	9.50	-238.77	-220.17	-238.51	-219.93	1.74	2.00			0.0	0.0	2389
2592	40 42.37	106 54.35	7426.0	0	1558.27	13.02	-240.25	-221.28	-238.99	-220.11	1.74	3.00			0.0	0.0	2390
2593	40 41.62	106 52.95	8269.0	0	1515.45	50.52	-231.51	-210.38	-230.71	-209.64	1.70	2.50			0.0	0.0	2391
2594	40 41.34	106 52.16	8549.0	0	1497.69	59.48	-232.10	-210.26	-231.57	-209.77	1.68	2.20			0.0	0.0	2392
2595	40 41.55	106 50.65	8465.0	0	1506.94	60.53	-228.18	-206.56	-228.07	-206.45	1.68	1.80			0.0	0.0	2393
2596	40 40.86	106 50.41	8018.0	0	1531.68	44.30	-229.17	-208.68	-226.58	-206.29	1.72	4.30			0.0	0.0	2394
2597	40 40.32	106 51.00	7880.0	0	1538.68	39.14	-229.52	-209.49	-227.95	-207.94	1.73	3.40			0.0	0.0	2395
2598	40 41.33	106 48.83	8158.0	0	1519.47	44.54	-233.70	-212.86	-228.31	-207.87	1.71	7.10			0.0	0.0	2396
2599	40 41.38	106 48.18	8200.0	0	1515.60	44.55	-235.13	-214.18	-228.63	-208.17	1.71	8.20			0.0	0.0	2397
2600	40 44.15	106 50.31	7960.0	0	1540.15	42.43	-229.06	-208.72	-228.88	-208.56	1.72	1.90			0.0	0.0	2398
2601	40 45.18	106 49.42	7677.0	0	1559.76	33.92	-227.92	-208.30	-226.85	-207.32	1.73	2.80			0.0	0.0	2399
2602	40 43.33	106 53.64	7375.0	0	1567.02	15.55	-235.98	-217.14	-234.72	-215.97	1.74	3.00			0.0	0.0	2400

MINLAT=39. 15. MAXLAT=41. 0. MINLONG=105. 30. MAXLONG=107. 0. MINELEV=6000. MAXELEV=14000. UNITS= C

BMR= 0.0 GBV=979490.30 MSV=0.0 D1=2.67 D2=2.47 OPTIONS=101000000 CM= 106 15. REF= 196

STATION	LAT	LONG	ELEV(F)	E	OBS G	FAA	BA2.67	BA(OPT)	CB2.67	CB(OPT)	CC	TC	TCM	FC	DRIFT	TIDE	N
2603	40 43.88	106 52.61	7435.0	0	1568.25	21.60	-231.98	-212.98	-230.02	-211.17	1.74	3.70			0.0	0.0	2401
2604	40 44.42	106 51.54	7534.0	0	1565.11	26.96	-230.00	-210.75	-227.13	-208.10	1.74	4.60			0.0	0.0	2402
2605	40 45.41	106 48.77	7718.0	0	1556.80	34.47	-228.77	-209.05	-227.10	-207.51	1.73	3.40			0.0	0.0	2403
2606	40 45.52	106 48.05	7865.0	0	1554.08	45.39	-222.85	-202.76	-220.08	-200.19	1.73	4.50			0.0	0.0	2404
2607	40 46.22	106 46.67	7920.0	0	1546.26	41.70	-228.42	-208.19	-224.45	-204.51	1.72	5.70			0.0	0.0	2405
2608	40 46.53	106 45.28	8150.0	0	1531.09	47.68	-230.29	-209.47	-227.50	-206.89	1.71	4.50			0.0	0.0	2406
2609	40 47.42	106 45.56	8495.0	0	1512.09	60.76	-228.97	-207.27	-227.15	-205.58	1.68	3.50			0.0	0.0	2407
2610	40 48.03	106 45.72	8778.0	0	1494.80	68.15	-231.23	-208.81	-230.08	-207.74	1.65	2.80			0.0	0.0	2408
2611	40 46.05	106 44.95	8419.0	0	1512.30	54.87	-232.27	-210.76	-230.36	-208.99	1.69	3.60			0.0	0.0	2409
2612	40 47.16	106 46.80	8228.0	0	1531.48	54.46	-226.17	-205.15	-224.07	-203.21	1.70	3.80			0.0	0.0	2410
2613	40 47.89	106 47.17	9122.0	0	1480.77	86.65	-224.47	-201.17	-222.08	-198.95	1.60	4.00			0.0	0.0	2411
2614	40 48.48	106 47.22	9313.0	0	1469.00	91.94	-225.69	-201.00	-222.47	-198.92	1.58	4.80			0.0	0.0	2412
2615	40 48.36	106 46.64	8410.0	0	1520.70	58.99	-227.84	-206.36	-224.83	-203.57	1.69	4.70			0.0	0.0	2413
2616	40 49.30	106 46.65	8500.0	0	1513.90	59.25	-230.66	-208.94	-227.94	-206.43	1.68	4.40			0.0	0.0	2414
2617	40 50.04	106 46.85	8605.0	0	1505.65	59.76	-233.73	-211.74	-232.20	-210.33	1.67	3.20			0.0	0.0	2415
2618	40 50.72	106 45.69	8650.0	0	1501.06	58.39	-236.64	-214.54	-233.50	-211.64	1.66	4.80			0.0	0.0	2416
2619	40 59.83	106 48.83	8374.0	0	1554.75	72.59	-213.02	-191.63	-212.71	-191.34	1.69	2.00			0.0	0.0	2417
2620	40 59.14	106 48.21	8490.0	0	1549.16	78.92	-210.64	-188.95	-210.43	-188.75	1.68	1.90			0.0	0.0	2418
2621	40 58.45	106 47.84	8605.0	0	1538.59	80.18	-213.30	-191.32	-212.57	-190.64	1.67	2.40			0.0	0.0	2419
2622	40 57.89	106 47.56	8655.0	0	1534.03	81.15	-214.04	-191.93	-212.00	-190.04	1.66	3.70			0.0	0.0	2420
2623	40 56.99	106 47.84	8718.0	0	1526.03	80.41	-216.93	-194.66	-214.09	-192.03	1.66	4.50			0.0	0.0	2421
2624	40 56.59	106 47.89	8740.0	0	1523.98	81.02	-217.07	-194.74	-214.02	-191.92	1.65	4.70			0.0	0.0	2422
2625	40 55.71	106 47.72	8790.0	0	1515.11	78.16	-221.64	-199.18	-217.48	-195.34	1.65	5.80			0.0	0.0	2423
2626	40 59.59	106 47.38	8852.0	0	1509.37	72.47	-229.44	-206.83	-224.89	-202.61	1.64	6.20			0.0	0.0	2424
2627	40 59.62	106 47.55	8635.0	0	1543.70	86.37	-208.14	-186.08	-208.11	-186.05	1.67	1.70			0.0	0.0	2425
2628	40 59.49	106 45.22	9043.0	0	1521.00	102.19	-206.24	-183.14	-205.85	-182.78	1.62	2.00			0.0	0.0	2426
2629	41 0.0	106 44.84	8853.0	0	1535.20	97.78	-204.17	-181.55	-203.11	-180.57	1.64	2.70			0.0	0.0	2427
2630	40 59.56	106 46.31	8930.0	0	1528.11	98.58	-205.99	-183.18	-205.92	-183.11	1.63	1.70			0.0	0.0	2428
2631	40 59.16	106 49.23	8540.0	0	1544.83	79.26	-212.01	-190.19	-211.89	-190.08	1.68	1.80			0.0	0.0	2429
2632	40 58.47	106 50.13	8720.0	0	1536.33	88.69	-208.71	-186.44	-207.17	-185.01	1.66	3.20			0.0	0.0	2430
2633	40 57.61	106 50.81	8830.0	0	1531.04	95.02	-206.14	-183.58	-205.09	-182.61	1.64	2.70			0.0	0.0	2431
2634	40 57.26	106 50.82	9145.0	0	1510.32	104.41	-207.49	-184.13	-206.20	-182.93	1.60	2.90			0.0	0.0	2432
2635	40 56.39	106 51.56	9485.0	0	1491.05	118.37	-205.13	-180.90	-203.38	-179.28	1.55	3.30			0.0	0.0	2433
2636	40 55.64	106 51.72	8906.0	0	1522.51	96.56	-207.19	-184.44	-206.33	-183.64	1.63	2.50			0.0	0.0	2434
2637	40 54.78	106 52.47	8640.0	0	1539.31	89.65	-205.03	-182.95	-204.99	-182.92	1.67	1.70			0.0	0.0	2435
2638	40 54.32	106 53.23	8680.0	0	1531.41	86.20	-209.85	-187.67	-208.81	-186.71	1.66	2.70			0.0	0.0	2436
2639	40 53.53	106 52.75	8669.0	0	1524.78	79.71	-215.96	-193.81	-216.22	-194.06	1.66	1.40			0.0	0.0	2437
2640	40 53.08	106 53.41	8604.0	0	1525.42	74.91	-218.54	-196.56	-218.71	-196.72	1.67	1.50			0.0	0.0	2438
2641	40 53.11	106 54.51	8537.0	0	1532.54	75.69	-215.47	-193.66	-215.85	-194.01	1.68	1.30			0.0	0.0	2439
2642	40 52.22	106 55.85	8724.0	0	1515.01	77.05	-220.49	-198.20	-220.25	-197.98	1.66	1.90			0.0	0.0	2440
2643	40 52.35	106 56.65	8803.0	0	1509.71	78.98	-221.26	-198.77	-220.90	-198.44	1.65	2.00			0.0	0.0	2441
2644	40 48.36	106 56.58	8128.0	0	1529.71	41.51	-235.71	-214.94	-236.12	-215.32	1.71	1.30			0.0	0.0	2442
2645	40 48.66	106 55.55	8153.0	0	1528.94	42.64	-235.43	-214.60	-235.14	-214.33	1.71	2.00			0.0	0.0	2443
2646	40 49.25	106 54.71	8396.0	0	1517.34	52.99	-233.37	-211.92	-232.96	-211.54	1.69	2.10			0.0	0.0	2444
2647	40 49.98	106 54.00	8456.0	0	1514.57	54.77	-233.63	-212.03	-231.92	-210.44	1.68	3.40			0.0	0.0	2445
2648	40 50.90	106 53.57	9335.0	0	1468.28	89.69	-228.70	-204.85	-227.27	-203.53	1.57	3.00			0.0	0.0	2446
2649	40 50.62	106 52.37	10135.0	0	1418.44	115.40	-230.27	-204.38	-224.29	-198.84	1.42	7.40			0.0	0.0	2447
2650	40 50.28	106 51.35	10145.0	0	1423.49	121.90	-224.11	-198.19	-219.53	-193.96	1.42	6.00			0.0	0.0	2448
2651	40 49.77	106 50.74	10459.0	0	1399.64	128.30	-228.42	-201.70	-221.57	-195.36	1.35	8.20			0.0	0.0	2449
2652	40 50.62	106 50.54	10140.0	0	1425.05	122.48	-223.36	-197.45	-219.78	-194.14	1.42	5.00			0.0	0.0	2450

MINLAT=39. 15. MAXLAT=41. 0. MINLONG=105. 30. MAXLONG=107. 0. MINELEV=6000. MAXELEV=14000. UNITS= C

BMR= 0.0 GBV=979490.30 MSV=0.0 D1=2.67 D2=2.47 OPTIONS=1010000000 CM= 106 15. REF= 196

STATION	LAT	LONG	ELEV(F)	E	OBS G	FAA	BA2.67	BA(OPT)	CB2.67	CB(OPT)	CC	TC	TCM	FG	DRIFT	TIDE	N
2653	40 50.82	106 49.33	9350.0	0	1470.20	93.13	-225.76	-201.88	-223.93	-200.18	1.57	3.40			0.0	0.0	2451
2654	40 50.28	106 48.68	9220.0	0	1472.61	84.14	-230.33	-206.77	-229.02	-205.56	1.59	2.90			0.0	0.0	2452
2655	40 50.08	106 47.93	9225.0	0	1470.62	82.91	-231.72	-208.15	-230.11	-206.66	1.59	3.20			0.0	0.0	2453
2656	40 50.90	106 47.03	9235.0	0	1471.91	83.92	-231.05	-207.46	-230.24	-206.71	1.59	2.40			0.0	0.0	2454
2657	40 51.65	106 47.35	9435.0	0	1468.28	97.96	-223.83	-199.73	-223.29	-199.22	1.56	2.10			0.0	0.0	2455
2658	40 53.03	106 47.55	9550.0	0	1464.95	103.38	-222.34	-197.94	-221.27	-196.95	1.54	2.60			0.0	0.0	2456
2659	40 53.70	106 47.55	9623.0	0	1461.57	105.86	-222.35	-197.76	-221.37	-196.86	1.52	2.50			0.0	0.0	2457
2660	40 54.50	106 46.35	10133.0	0	1431.97	122.97	-222.63	-196.75	-216.55	-191.12	1.42	7.50			0.0	0.0	2458
2661	40 54.20	106 47.30	9765.0	0	1454.74	111.62	-221.43	-196.48	-220.12	-195.27	1.50	2.80			0.0	0.0	2459
2662	40 44.00	106 54.47	7435.0	0	1562.35	15.52	-238.06	-219.06	-236.50	-217.62	1.74	3.30			0.0	0.0	2460
2663	40 44.88	106 54.74	7763.0	0	1545.13	27.81	-236.95	-217.12	-235.89	-216.13	1.73	2.80			0.0	0.0	2461
2664	40 45.47	106 54.77	8013.0	0	1534.97	40.26	-233.03	-212.56	-233.65	-213.13	1.72	1.10			0.0	0.0	2462
2665	40 46.18	106 55.09	7886.0	0	1544.34	36.65	-232.32	-212.17	-232.54	-212.38	1.73	1.50			0.0	0.0	2463
2666	40 47.07	106 55.18	7988.0	0	1541.91	42.47	-229.97	-209.56	-230.39	-209.95	1.72	1.30			0.0	0.0	2464
2667	40 47.58	106 54.12	8030.0	0	1543.19	46.94	-226.93	-206.42	-227.05	-206.53	1.72	1.60			0.0	0.0	2465
2668	40 47.11	106 53.47	8050.0	0	1539.02	45.35	-229.21	-208.64	-228.82	-208.29	1.72	2.10			0.0	0.0	2466
2669	40 48.21	106 53.30	8130.0	0	1532.70	44.91	-232.38	-211.61	-231.49	-210.78	1.71	2.60			0.0	0.0	2467
2670	40 47.98	106 55.88	8058.0	0	1534.50	40.29	-234.54	-213.96	-235.06	-214.43	1.72	1.20			0.0	0.0	2468
2671	40 48.93	106 57.80	8131.0	0	1529.94	41.17	-236.15	-215.37	-236.06	-215.29	1.71	1.80			0.0	0.0	2469
2672	40 49.84	106 58.62	8200.0	0	1526.20	42.56	-237.11	-216.16	-232.42	-211.82	1.71	6.40			0.0	0.0	2470
2673	40 50.60	106 58.33	8503.0	0	1516.20	59.90	-230.11	-208.39	-230.09	-208.37	1.68	1.70			0.0	0.0	2471
2674	40 51.16	106 57.88	8697.0	0	1509.35	70.44	-226.19	-203.97	-226.45	-204.21	1.66	1.40			0.0	0.0	2472
2675	40 50.55	106 56.56	9350.0	0	1457.79	81.13	-237.77	-213.88	-235.14	-211.45	1.57	4.20			0.0	0.0	2473
2676	40 51.13	106 55.25	9550.0	0	1448.33	89.59	-236.13	-211.73	-232.67	-208.53	1.54	5.00			0.0	0.0	2474
2677	40 51.82	106 57.45	8548.0	0	1521.83	67.94	-223.61	-201.77	-223.18	-201.37	1.68	2.10			0.0	0.0	2475
2678	40 52.82	106 58.44	8119.0	0	1554.69	59.01	-217.91	-197.16	-217.32	-196.62	1.71	2.30			0.0	0.0	2476
2679	40 53.71	106 58.42	8019.0	0	1568.95	62.55	-210.95	-190.47	-211.27	-190.76	1.72	1.40			0.0	0.0	2477
2680	40 54.38	106 58.45	7853.0	0	1587.11	64.11	-203.72	-183.66	-203.95	-183.87	1.73	1.50			0.0	0.0	2478
2681	40 55.87	106 59.65	7976.0	0	1592.12	78.46	-193.57	-173.20	-193.89	-173.49	1.72	1.40			0.0	0.0	2479
2682	40 54.90	106 58.58	7883.0	0	1589.88	68.93	-199.93	-179.79	-200.46	-180.28	1.73	1.20			0.0	0.0	2480
2683	40 42.24	106 38.07	10182.0	0	1372.05	85.89	-261.38	-235.37	-253.39	-227.98	1.41	9.40			0.0	0.0	2481
2684	40 42.22	106 40.17	10862.0	0	1346.58	124.31	-246.15	-218.40	-241.70	-214.28	1.25	5.70			0.0	0.0	2482
2685	40 45.10	106 40.89	10310.0	0	1394.93	116.54	-235.10	-208.76	-231.38	-205.32	1.38	5.10			0.0	0.0	2483
2686	40 45.63	106 41.03	9878.0	0	1322.42	2.67	-334.24	-309.00	-331.01	-306.01	1.47	4.70			0.0	0.0	2484
2687	40 45.75	106 41.30	10080.0	0	1409.26	108.30	-235.49	-209.74	-231.32	-205.88	1.43	5.60			0.0	0.0	2485
2688	40 42.27	106 40.09	11180.0	0	1321.66	129.18	-252.13	-223.57	-244.49	-216.50	1.16	8.80			0.0	0.0	2486
2689	40 41.95	106 40.13	11535.0	0	1294.96	136.30	-257.12	-227.65	-244.98	-216.42	1.06	13.20			0.0	0.0	2487
2690	40 40.50	106 40.30	11878.0	0	1274.90	150.60	-254.52	-224.17	-238.17	-209.05	0.95	17.30			0.0	0.0	2488
2691	40 41.42	106 40.51	11656.0	0	1282.58	136.07	-261.48	-231.70	-250.40	-221.45	1.02	12.10			0.0	0.0	2489
2692	40 41.07	106 40.81	11525.0	0	1292.61	134.32	-258.76	-229.32	-250.12	-221.33	1.06	9.70			0.0	0.0	2490
2693	40 40.59	106 40.90	11516.0	0	1291.03	132.60	-260.17	-230.75	-252.13	-223.31	1.06	9.10			0.0	0.0	2491
2694	40 37.23	106 18.03	8221.0	0	1469.46	6.55	-273.94	-252.84	-275.15	-254.05	1.70	0.40			0.0	0.0	2492
2695	40 35.71	106 19.53	8238.0	0	1470.31	11.25	-269.72	-248.67	-271.02	-249.88	1.70	0.40			0.0	0.0	2493
2696	40 35.44	106 19.89	8189.0	0	1474.34	11.08	-268.22	-247.30	-269.52	-248.51	1.71	0.40			0.0	0.0	2494
2697	40 34.90	106 20.47	8156.0	0	1477.94	12.38	-265.79	-244.95	-267.00	-246.07	1.71	0.50			0.0	0.0	2495
2698	40 34.62	106 20.72	8126.0	0	1479.33	11.37	-265.78	-245.02	-266.99	-246.14	1.71	0.50			0.0	0.0	2496
2699	40 34.20	106 20.93	8181.0	0	1476.79	14.62	-264.40	-243.50	-265.61	-244.62	1.71	0.50			0.0	0.0	2497
2700	40 33.61	106 21.63	8168.0	0	1477.97	15.46	-263.12	-242.26	-264.33	-243.37	1.71	0.50			0.0	0.0	2498
2701	40 33.18	106 22.57	8230.0	0	1473.87	17.82	-262.88	-241.85	-264.08	-242.96	1.70	0.50			0.0	0.0	2499
2702	40 32.47	106 23.25	8156.0	0	1479.24	17.29	-260.88	-240.04	-262.09	-241.16	1.71	0.50			0.0	0.0	2500

MINLAT=39. 15. MAXLAT=41. 0. MINLONG=105. 30. MAXLONG=107. 0. MINELEV=6000. MAXELEV=14000. UNITS= C

BMR= 0.0 GBV=979490.30 MSV=0.0 D1=2.67 D2=2.47 OPTIONS=101000000 CM= 106 15. REF= 196

STATION	LAT	LONG	ELEV(F)	F	OBS G	FAA	BA2.67	BA(OPT)	CB2.67	CB(OPT)	CC	TC	TCM	PC	DRIFT	TIDE	N
2703	40 37.72	106 17.46	8200.0	0	1472.46	6.85	-272.83	-251.88	-274.13	-253.09	1.71	0.40			0.0	0.0	2501
2704	40 38.09	106 17.20	8190.0	0	1476.24	9.14	-270.20	-249.27	-271.50	-250.48	1.71	0.40			0.0	0.0	2502
2705	40 38.43	106 16.88	8180.0	0	1479.83	11.28	-267.71	-246.81	-269.02	-248.02	1.71	0.40			0.0	0.0	2503
2706	40 38.79	106 16.61	8173.0	0	1483.76	14.02	-264.73	-243.85	-266.04	-245.06	1.71	0.40			0.0	0.0	2504
2707	40 39.12	106 16.36	8165.0	0	1486.84	15.86	-262.62	-241.76	-263.93	-242.97	1.71	0.40			0.0	0.0	2505
2708	40 39.52	106 16.06	8152.0	0	1489.62	16.82	-261.22	-240.39	-262.53	-241.60	1.71	0.40			0.0	0.0	2506
2709	40 39.88	106 15.76	8140.0	0	1490.97	16.51	-261.12	-240.32	-262.43	-241.53	1.71	0.40			0.0	0.0	2507
2710	40 40.27	106 15.42	8133.0	0	1492.25	16.55	-260.84	-240.06	-262.15	-241.27	1.71	0.40			0.0	0.0	2508
2711	40 40.62	106 15.14	8125.0	0	1493.43	16.46	-260.66	-239.90	-261.97	-241.11	1.71	0.40			0.0	0.0	2509
2712	40 41.09	106 14.98	8122.0	0	1494.72	16.77	-260.25	-239.50	-261.56	-240.71	1.71	0.40			0.0	0.0	2510
2713	40 41.61	106 14.38	8220.0	0	1488.80	19.28	-261.07	-240.07	-262.28	-241.19	1.70	0.50			0.0	0.0	2511
2714	40 42.09	106 13.97	8187.0	0	1487.99	14.66	-264.57	-243.66	-265.78	-244.77	1.71	0.50			0.0	0.0	2512
2715	40 43.18	106 13.19	8160.0	0	1497.47	19.98	-258.33	-237.48	-259.54	-238.60	1.71	0.50			0.0	0.0	2513
2716	40 43.75	106 12.59	8230.0	0	1495.95	24.19	-256.51	-235.48	-257.71	-236.60	1.70	0.50			0.0	0.0	2514
2717	40 43.98	106 12.43	8193.0	0	1499.77	24.19	-255.24	-234.31	-256.45	-235.43	1.71	0.50			0.0	0.0	2515
2718	40 44.58	106 12.15	8240.0	0	1500.19	28.13	-252.90	-231.85	-254.01	-232.87	1.70	0.60			0.0	0.0	2516
3000	39 45.72	105 54.37	10400.0	0	1231.00	49.14	-305.57	-279.00	-295.73	-269.90	1.36	11.20			0.0	0.0	2517
3001	39 46.40	105 55.11	10040.0	0	1255.20	38.52	-303.91	-278.26	-293.85	-268.95	1.44	11.50			0.0	0.0	2518
3002	39 46.91	105 56.39	9781.0	0	1273.30	31.54	-302.06	-277.07	-288.55	-264.57	1.49	15.00			0.0	0.0	2519
3003	39 46.57	105 58.48	9321.0	0	1292.60	8.13	-309.77	-285.96	-295.75	-272.99	1.57	15.60			0.0	0.0	2520
3004	39 46.71	105 59.33	9250.0	0	1305.20	13.86	-301.63	-278.00	-289.41	-266.70	1.59	13.80			0.0	0.0	2521
3005	39 46.72	105 59.60	9177.0	0	1309.50	11.29	-301.71	-278.27	-290.51	-267.90	1.60	12.80			0.0	0.0	2522
3006	39 45.41	105 55.97	10480.0	0	1225.60	51.71	-305.73	-278.95	-295.97	-269.92	1.34	11.10			0.0	0.0	2523
3007	39 46.88	105 55.01	10440.0	0	1232.20	52.38	-303.69	-277.02	-294.34	-268.37	1.35	10.70			0.0	0.0	2524
3008	39 47.14	105 55.89	10438.0	0	1234.90	54.51	-301.50	-274.83	-290.55	-264.70	1.35	12.30			0.0	0.0	2525
3009	39 47.19	105 57.00	10464.0	0	1237.50	59.47	-297.42	-270.68	-287.96	-261.94	1.35	10.80			0.0	0.0	2526
3010	39 47.08	105 58.28	10483.0	0	1237.60	61.52	-296.02	-269.23	-291.36	-264.92	1.34	6.00			0.0	0.0	2527
3011	39 47.27	105 59.50	10497.0	0	1239.20	64.16	-293.86	-267.04	-287.00	-260.69	1.34	8.20			0.0	0.0	2528
3012	39 45.18	105 51.10	12250.0	0	1114.80	107.47	-310.34	-279.04	-295.67	-265.47	0.83	15.50			0.0	0.0	2529
3013	39 45.38	105 50.59	11620.0	0	1159.20	92.41	-303.90	-274.22	-296.84	-267.68	1.03	8.10			0.0	0.0	2530
3014	39 41.31	105 56.69	12757.0	0	1068.80	114.79	-320.31	-287.72	-297.07	-266.22	0.66	23.90			0.0	0.0	2531
3015	39 41.46	105 57.84	12346.0	0	1099.50	106.68	-314.40	-282.86	-296.70	-266.49	0.80	18.50			0.0	0.0	2532
3016	39 41.47	105 58.29	12429.0	0	1093.40	108.36	-315.55	-283.80	-296.93	-266.57	0.77	19.40			0.0	0.0	2533
3017	39 41.37	105 58.84	12221.0	0	1106.40	101.97	-314.84	-283.62	-297.98	-268.02	0.84	17.70			0.0	0.0	2534
3018	39 40.90	105 59.77	12243.0	0	1108.10	106.44	-311.13	-279.85	-297.27	-267.03	0.83	14.70			0.0	0.0	2535
3019	39 41.18	106 0.71	12180.0	0	1107.70	99.71	-315.71	-284.59	-301.37	-271.32	0.86	15.20			0.0	0.0	2536
3020	39 41.47	106 1.56	12458.0	0	1090.60	108.28	-316.62	-284.79	-299.38	-268.85	0.76	18.00			0.0	0.0	2537
3021	39 40.09	106 2.50	11448.0	0	1151.60	76.48	-313.97	-284.72	-301.05	-272.77	1.08	14.00			0.0	0.0	2538
3022	39 42.17	106 2.08	12088.0	0	1116.40	98.30	-313.98	-283.09	-300.76	-270.87	0.89	14.10			0.0	0.0	2539
3023	39 43.90	106 2.47	12212.0	0	1106.50	97.49	-319.02	-287.82	-301.66	-271.76	0.84	18.20			0.0	0.0	2540
3024	39 43.14	106 3.59	12145.0	0	1114.50	100.32	-313.90	-282.87	-295.87	-266.19	0.87	18.90			0.0	0.0	2541
3025	39 43.79	106 3.51	12328.0	0	1100.40	102.44	-318.02	-286.53	-295.23	-265.44	0.81	23.60			0.0	0.0	2542
3026	39 45.00	106 3.81	11712.0	0	1148.70	91.11	-308.34	-278.42	-295.35	-266.40	1.00	14.00			0.0	0.0	2543
3027	39 46.18	106 4.20	11310.0	0	1182.30	85.22	-300.53	-271.63	-289.25	-261.20	1.12	12.40			0.0	0.0	2544
3028	39 47.11	106 4.59	12298.0	0	1112.50	106.82	-312.62	-281.21	-284.24	-254.95	0.82	29.20			0.0	0.0	2545
3029	39 48.31	106 4.75	10923.0	0	1219.60	83.03	-289.52	-261.61	-279.45	-252.30	1.23	11.30			0.0	0.0	2546
3030	39 49.38	106 6.41	9524.0	0	1315.30	45.75	-279.08	-254.75	-277.02	-252.85	1.54	3.60			0.0	0.0	2547
3031	39 45.57	105 49.11	11025.0	0	1195.70	72.76	-303.27	-275.10	-293.87	-266.41	1.20	10.60			0.0	0.0	2548
3032	39 45.79	105 50.59	12730.0	0	1081.20	118.03	-316.15	-283.62	-295.62	-264.63	0.67	21.20			0.0	0.0	2549
3033	39 39.83	106 24.28	8920.0	0	1335.60	23.43	-280.80	-258.01	-276.93	-254.43	1.63	5.50			0.0	0.0	2550

MINLAT=39. 15. MAXLAT=41. 0. MINLONG=105. 30. MAXLONG=107. 0. MINELEV=6000. MAXELEV=14000. UNITS= C

BMR= 0.0 GBV=979490.30 MSV=0.0 D1=2.67 D2=2.47 OPTIONS=1010000000 CM= 106 15. REF= 196

STATION	LAT	LONG	ELEV(F)	E	OBS G	FAA	BA2.67	BA(OPT)	CB2.67	CB(OPT)	CC	TC	TCM	FG	DRIFT	TIDE	N
3034	39 40.68	106 23.64	9450.0	C	1305.40	41.76	-280.55	-256.41	-276.30	-252.48	1.55	5.80			0.0	0.0	2551
3035	39 41.26	106 23.58	9740.0	C	1293.20	55.94	-276.26	-251.37	-273.66	-248.97	1.50	4.10			0.0	0.0	2552
3036	39 42.23	106 23.01	10128.0	C	1272.10	69.85	-275.58	-249.70	-273.10	-247.41	1.42	3.90			0.0	0.0	2553
3037	39 43.15	106 23.97	9355.0	C	1318.40	42.19	-276.88	-252.98	-271.65	-248.14	1.57	6.80			0.0	0.0	2554
3038	39 43.22	106 22.85	9353.0	C	1317.40	40.89	-278.11	-254.21	-270.58	-247.24	1.57	9.10			0.0	0.0	2555
3039	39 43.09	106 25.00	9330.0	C	1323.70	45.22	-272.99	-249.15	-270.86	-247.19	1.57	3.70			0.0	0.0	2556
3040	39 42.14	106 27.11	9405.0	C	1316.00	46.87	-273.90	-249.87	-272.36	-248.45	1.56	3.10			0.0	0.0	2557
3041	39 41.11	106 26.69	9473.0	C	1310.30	48.18	-274.91	-250.71	-272.96	-248.90	1.55	3.50			0.0	0.0	2558
3042	39 41.54	106 28.18	9489.0	C	1309.50	48.25	-275.39	-251.14	-272.03	-248.04	1.55	4.90			0.0	0.0	2559
3043	39 43.25	106 29.30	9947.0	C	1279.20	58.44	-280.82	-255.40	-278.38	-253.15	1.46	3.90			0.0	0.0	2560
3044	39 41.72	106 25.75	9570.0	C	1306.20	52.29	-274.11	-249.66	-273.54	-249.13	1.53	2.10			0.0	0.0	2561
3045	39 39.77	106 24.96	9650.0	C	1294.00	50.49	-278.64	-253.99	-276.26	-251.78	1.52	3.90			0.0	0.0	2562
3046	39 40.69	106 25.85	10322.0	C	1254.10	72.35	-279.70	-253.33	-275.08	-249.05	1.38	6.00			0.0	0.0	2563
3047	39 41.06	106 28.71	10324.0	C	1259.10	76.99	-275.13	-248.75	-272.11	-245.96	1.38	4.40			0.0	0.0	2564
3048	39 40.25	106 27.59	10505.0	C	1243.80	79.88	-278.40	-251.57	-273.74	-247.25	1.34	6.00			0.0	0.0	2565
3049	39 39.41	106 27.44	10522.0	C	1236.90	75.82	-283.05	-256.16	-274.58	-248.33	1.33	9.90			0.0	0.0	2566
3050	39 38.50	106 25.87	9925.0	C	1271.50	55.70	-282.81	-257.46	-275.58	-250.76	1.46	8.70			0.0	0.0	2567
3051	39 37.61	106 21.88	8960.0	C	1325.90	20.77	-284.83	-261.94	-278.86	-256.41	1.63	7.60			0.0	0.0	2568
3052	39 37.11	106 18.37	10570.0	C	1224.70	71.53	-288.98	-261.97	-282.70	-256.16	1.32	7.60			0.0	0.0	2569
3053	39 39.40	106 18.09	11819.0	C	1136.10	96.84	-306.27	-276.07	-288.64	-259.76	0.97	18.60			0.0	0.0	2570
3054	39 38.34	106 19.08	11540.0	C	1160.50	96.61	-296.98	-267.50	-284.14	-255.62	1.06	13.90			0.0	0.0	2571
3055	39 38.38	106 19.65	11250.0	C	1183.80	92.62	-291.08	-262.34	-281.72	-253.68	1.14	10.50			0.0	0.0	2572
3056	39 38.20	106 20.86	11220.0	C	1182.00	88.26	-294.41	-265.75	-284.06	-256.17	1.15	11.50			0.0	0.0	2573
3057	39 36.00	106 22.52	11016.0	C	1195.80	86.15	-289.56	-261.42	-276.67	-249.49	1.20	14.10			0.0	0.0	2574
3058	39 35.39	106 23.50	10450.0	C	1237.00	75.10	-281.31	-254.62	-271.46	-245.50	1.35	11.20			0.0	0.0	2575
3059	39 34.50	106 23.96	7966.0	C	1379.60	-14.32	-286.02	-265.66	-274.54	-255.05	1.72	13.20			0.0	0.0	2576
3060	39 34.94	106 23.67	8040.0	C	1374.40	-13.22	-287.44	-266.90	-277.95	-258.12	1.72	11.20			0.0	0.0	2577
3061	39 33.14	106 24.00	8133.0	C	1366.30	-9.92	-287.31	-266.54	-275.82	-255.91	1.71	13.20			0.0	0.0	2578
3062	39 32.07	106 24.00	8264.0	C	1352.20	-10.14	-291.99	-270.88	-277.90	-257.84	1.70	15.60			0.0	0.0	2579
3063	39 47.27	106 26.00	9236.0	C	1336.00	42.51	-272.49	-248.90	-264.28	-241.30	1.59	9.80			0.0	0.0	2580
3064	39 46.44	106 27.25	8640.0	C	1372.40	24.15	-270.53	-248.45	-261.69	-240.28	1.67	10.50			0.0	0.0	2581
3065	39 46.21	106 27.62	8488.0	C	1375.40	13.21	-276.28	-254.60	-266.46	-245.51	1.68	11.50			0.0	0.0	2582
3066	39 46.21	106 28.33	8275.0	C	1388.70	6.50	-275.73	-254.59	-266.73	-246.26	1.70	10.70			0.0	0.0	2583
3067	39 45.91	106 29.37	7949.0	C	1407.20	-5.18	-276.29	-255.99	-265.72	-246.20	1.72	12.30			0.0	0.0	2584
3068	39 45.25	106 28.46	8133.0	C	1394.60	0.48	-276.91	-256.13	-266.72	-246.70	1.71	11.90			0.0	0.0	2585
3069	39 43.77	106 27.50	8415.0	C	1375.00	9.56	-277.44	-255.94	-269.03	-248.16	1.69	10.10			0.0	0.0	2586
3070	39 42.96	106 26.94	8698.0	C	1356.80	19.15	-277.51	-255.29	-271.97	-250.16	1.66	7.20			0.0	0.0	2587
3071	39 40.68	106 19.72	12136.0	C	1124.00	112.61	-301.30	-270.30	-277.97	-248.72	0.87	24.20			0.0	0.0	2588
3072	39 40.75	106 20.86	11290.0	C	1186.70	95.77	-289.30	-260.45	-278.82	-250.76	1.13	11.60			0.0	0.0	2589
3073	39 39.39	106 20.59	10485.0	C	1234.10	69.58	-288.03	-261.24	-277.57	-251.57	1.34	11.80			0.0	0.0	2590
3074	40 18.65	106 12.43	9170.0	C	1394.60	48.43	-264.33	-240.90	-261.32	-238.12	1.60	4.60			0.0	0.0	2591
3075	40 17.92	106 12.44	9085.0	C	1398.30	45.23	-264.63	-241.42	-261.44	-238.47	1.61	4.80			0.0	0.0	2592
3076	40 16.81	106 12.79	8679.0	C	1421.00	31.44	-264.58	-242.40	-261.74	-239.78	1.66	4.50			0.0	0.0	2593
3077	40 16.37	106 12.75	8623.0	C	1423.50	29.33	-264.77	-242.74	-262.84	-240.96	1.67	3.60			0.0	0.0	2594
3078	40 15.57	106 12.29	8494.0	C	1430.30	25.20	-264.51	-242.81	-263.19	-241.59	1.68	3.00			0.0	0.0	2595
3079	40 15.20	106 11.45	8395.0	C	1433.10	19.24	-267.08	-245.63	-265.87	-244.51	1.69	2.90			0.0	0.0	2596
3080	40 15.56	106 10.59	8512.0	C	1426.80	23.40	-266.91	-245.17	-265.79	-244.13	1.68	2.80			0.0	0.0	2597
3081	40 16.14	106 9.34	8650.0	C	1417.00	25.71	-269.32	-247.22	-267.48	-245.52	1.66	3.50			0.0	0.0	2598
3082	39 39.13	106 17.59	9027.0	C	1304.50	3.41	-304.47	-281.40	-292.58	-270.41	1.62	12.50			0.0	0.0	2599
3083	39 41.57	106 17.29	11134.0	C	1188.70	81.91	-297.84	-269.39	-292.31	-264.28	1.17	6.70			0.0	0.0	2600

MINLAT=39. 15. MAXLAT=41. 0. MINLONG=105. 30. MAXLONG=107. 0. MINELEV=6000. MAXELEV=14000. UNITS= C

BVR= 0.0 GBV=979490.30 MSV=0.0 D1=2.67 D2=2.47 OPTIONS=101CCCCCCC CM= 106 15. REF= 196

STATION	LAT	LONG	ELEV(F)	E	OBS G	FAA	BA2.67	BA(OPT)	CB2.67	CB(OPT)	CC	TC	TCM	FC	DRIFT	TIDE	N
3084	39 41.02	106 16.70	10755.0	0	1219.20	77.63	-289.19	-261.71	-279.16	-252.44	1.27	11.30			0.0	0.0	2601
3085	39 40.17	106 17.00	10082.0	0	1251.20	47.67	-296.19	-270.43	-285.22	-260.28	1.43	12.40			0.0	0.0	2602
4573	39 39.17	106 16.71	9646.0	0	1280.30	37.30	-291.69	-267.05	-280.41	-256.61	1.52	12.80			0.0	0.0	2603
4574	39 39.69	106 15.17	11131.0	0	1208.90	104.60	-275.04	-246.60	-264.51	-236.86	1.17	11.70			0.0	0.0	2604
5574	39 44.27	106 21.44	9775.0	0	1286.20	47.78	-285.61	-260.64	-272.01	-248.05	1.49	15.10			0.0	0.0	2605
B224	39 30.55	106 3.00	9405.0	0	1261.54	8.63	-312.14	-288.11	-309.40	-285.58	1.56	4.30			0.0	0.0	2606
B225	39 31.42	106 2.77	9297.0	0	1270.53	6.19	-310.89	-287.14	-308.47	-284.90	1.58	4.00			0.0	0.0	2607
B226	39 32.85	106 2.38	9143.0	0	1283.18	2.27	-309.57	-286.21	-307.07	-283.90	1.60	4.10			0.0	0.0	2608
B228	39 33.51	106 3.00	9083.0	0	1289.12	1.60	-308.19	-284.99	-305.90	-282.87	1.61	3.90			0.0	0.0	2609
B229	39 34.34	106 3.09	9008.0	0	1295.96	0.16	-307.07	-284.05	-304.39	-281.57	1.62	4.30			0.0	0.0	2610
B230	39 35.04	106 3.19	8967.0	0	1299.68	-1.00	-306.83	-283.93	-304.66	-281.91	1.63	3.80			0.0	0.0	2611
B232	39 36.11	106 3.26	8868.0	0	1309.55	-2.01	-304.47	-281.81	-299.41	-277.13	1.64	6.70			0.0	0.0	2612
B250	39 51.26	106 15.54	8022.0	0	1415.57	2.14	-271.47	-250.97	-265.69	-245.62	1.72	7.50			0.0	0.0	2613
B252	39 52.05	106 17.36	8054.0	0	1417.02	5.42	-269.27	-248.69	-267.49	-247.04	1.72	3.50			0.0	0.0	2614
B256	39 53.05	106 18.80	8008.0	0	1423.03	5.63	-267.49	-247.03	-265.41	-245.11	1.72	3.80			0.0	0.0	2615
B259	39 55.40	106 20.05	7726.0	0	1449.05	1.68	-261.83	-242.09	-261.16	-241.47	1.73	2.40			0.0	0.0	2616
B260	39 57.83	106 20.88	7622.0	0	1460.24	-0.50	-260.46	-240.99	-260.60	-241.11	1.74	1.60			0.0	0.0	2617
B262	39 56.90	106 20.69	7738.0	0	1451.70	3.24	-260.68	-240.91	-260.71	-240.94	1.73	1.70			0.0	0.0	2618
B267	39 32.57	106 13.18	10470.0	0	1217.04	61.18	-295.91	-269.16	-290.96	-264.58	1.34	6.30			0.0	0.0	2619
B268	39 33.58	106 14.02	10286.0	0	1230.71	56.08	-294.74	-268.46	-287.73	-261.97	1.39	8.40			0.0	0.0	2620
B269	39 34.34	106 14.69	10028.0	0	1246.77	46.79	-295.24	-269.62	-288.48	-263.36	1.44	8.20			0.0	0.0	2621
B367	39 56.11	105 48.63	8652.0	0	1397.29	35.86	-259.23	-237.12	-253.09	-231.45	1.66	7.80			0.0	0.0	2622
B371	39 59.59	105 50.54	8325.0	0	1427.68	30.38	-253.56	-232.29	-249.85	-228.86	1.70	5.40			0.0	0.0	2623
B372	39 59.95	105 54.00	8610.0	0	1412.83	41.77	-251.88	-229.89	-248.25	-226.53	1.67	5.30			0.0	0.0	2624
B381	39 44.93	105 40.17	8304.0	0	1382.83	5.25	-277.97	-256.75	-275.87	-254.81	1.70	3.80			0.0	0.0	2625
B382	39 44.55	105 40.98	8348.0	0	1377.64	4.76	-279.96	-258.64	-275.36	-254.38	1.69	6.30			0.0	0.0	2626
R311	39 30.14	105 49.01	10514.0	0	1215.90	67.76	-290.83	-263.97	-282.37	-256.14	1.33	9.80			0.0	0.0	2627
R312	39 31.06	105 49.54	11007.0	0	1186.10	82.91	-292.51	-264.38	-283.71	-256.25	1.21	10.00			0.0	0.0	2628
R314	39 31.09	105 50.11	11282.0	0	1167.40	89.99	-294.80	-265.98	-287.14	-258.89	1.13	8.80			0.0	0.0	2629
R335	39 36.29	105 54.91	9442.0	0	1264.20	6.29	-315.74	-291.62	-302.10	-279.00	1.55	15.20			0.0	0.0	2630
R337	39 36.45	105 55.79	9388.0	0	1273.90	10.69	-309.51	-285.52	-301.87	-278.46	1.56	9.20			0.0	0.0	2631
R338	39 35.80	105 52.50	9856.0	0	1244.30	26.00	-310.15	-284.97	-300.43	-275.98	1.48	11.20			0.0	0.0	2632
R339	39 36.09	105 53.65	9687.0	0	1252.80	18.20	-312.19	-287.44	-302.00	-278.01	1.51	11.70			0.0	0.0	2633
R340	39 36.21	105 54.19	9610.0	0	1257.20	15.19	-312.57	-288.02	-301.50	-277.77	1.52	12.60			0.0	0.0	2634
R341	39 34.50	105 51.61	11430.0	0	1212.00	143.45	-246.39	-217.19	-238.38	-209.78	1.09	9.10			0.0	0.0	2635
R342	39 33.81	105 51.60	10560.0	0	1205.50	56.26	-303.90	-276.92	-296.92	-270.47	1.32	8.30			0.0	0.0	2636
R343	39 33.27	105 50.64	11019.0	0	1181.10	75.77	-300.05	-271.90	-291.56	-264.04	1.20	9.70			0.0	0.0	2637
R344	39 31.86	105 49.93	12096.0	0	1122.30	120.19	-292.37	-261.46	-285.35	-254.97	0.88	7.90			0.0	0.0	2638
R345	39 35.84	105 51.72	10220.0	0	1225.60	41.43	-307.14	-281.03	-297.84	-272.42	1.40	10.70			0.0	0.0	2639
R346	39 35.92	105 51.18	10251.0	0	1223.10	41.73	-307.90	-281.71	-296.59	-271.25	1.39	12.70			0.0	0.0	2640
R347	39 36.04	105 50.51	10417.0	0	1216.80	50.84	-304.45	-277.83	-294.50	-268.64	1.36	11.30			0.0	0.0	2641
R348	39 36.48	105 50.51	10841.0	0	1193.50	66.71	-303.04	-275.34	-294.49	-267.43	1.25	9.80			0.0	0.0	2642
R349	39 36.97	105 50.41	11120.0	0	1178.80	77.49	-301.78	-273.37	-295.15	-267.24	1.18	7.80			0.0	0.0	2643
R350	39 35.17	105 50.08	11625.0	0	1162.40	111.17	-285.32	-255.62	-278.25	-249.08	1.03	8.10			0.0	0.0	2644
R351	39 35.91	105 49.67	10630.0	0	1206.60	60.84	-301.72	-274.56	-291.02	-264.66	1.31	12.00			0.0	0.0	2645
R352	39 36.16	105 48.94	10868.0	0	1195.90	72.12	-298.55	-270.78	-289.09	-262.04	1.24	10.70			0.0	0.0	2646
R353	39 35.59	105 48.75	11400.0	0	1169.10	96.12	-292.69	-263.57	-285.39	-256.81	1.10	9.40			0.0	0.0	2647
R354	39 36.26	105 48.32	10968.0	0	1191.60	77.06	-297.02	-269.00	-286.23	-259.02	1.22	12.00			0.0	0.0	2648
R355	39 36.57	105 47.97	11097.0	0	1186.20	83.32	-295.16	-266.81	-284.74	-257.17	1.18	11.60			0.0	0.0	2649
R356	39 37.37	105 48.17	12083.0	0	1131.80	120.33	-291.78	-260.91	-284.97	-254.61	0.89	7.70			0.0	0.0	2650

MINLAT=39. 15. MAXLAT=41. 0. MINLONG=105. 30. MAXLONG=107. 0. MINELEV=6000. MAXELEV=14000. UNITS= C

BVR= 0.0 GBV=979490.30 MSV=0.0 D1=2.67 D2=2.47 OPTIONS=1010000000 CM= 106 15. REF= 196

STATION	LAT	LONG	ELEV(F)	E	OBS G	FAA	BA2.67	BA(OPT)	CB2.67	CB(OPT)	CC	TC	TCM	FG	DRIFT	TIDE	N
R357	39 36.89	105 47.73	11354.0	0	1174.20	94.98	-292.26	-263.26	-282.77	-254.48	1.11	10.60			0.0	0.0	2651
R358	39 36.44	105 47.35	11900.0	0	1142.20	114.92	-290.95	-260.55	-280.39	-250.78	0.95	11.50			0.0	0.0	2652
R359	39 34.11	105 50.18	13180.0	0	1040.40	136.74	-312.78	-279.11	-287.19	-255.44	0.51	26.10			0.0	0.0	2653
R360	39 33.78	105 49.69	13134.0	0	1046.00	138.51	-309.45	-275.89	-284.67	-252.97	0.53	25.30			0.0	0.0	2654
R361	39 33.20	105 49.38	13266.0	0	1038.00	143.76	-308.70	-274.81	-284.48	-252.40	0.48	24.70			0.0	0.0	2655
R362	39 33.13	105 48.91	13238.0	0	1046.30	149.53	-301.97	-268.15	-282.16	-249.82	0.49	20.30			0.0	0.0	2656
R363	39 32.71	105 48.14	12546.0	0	1096.70	135.58	-292.32	-260.26	-279.25	-248.18	0.73	13.80			0.0	0.0	2657
R364	39 32.50	105 47.75	12470.0	0	1100.30	132.36	-292.95	-261.09	-277.51	-246.81	0.76	16.20			0.0	0.0	2658
R365	39 33.46	105 47.92	12827.0	0	1076.30	140.46	-297.03	-264.25	-279.46	-248.01	0.64	18.20			0.0	0.0	2659
R366	39 34.67	105 50.54	12584.0	0	1082.40	121.96	-307.24	-275.09	-292.66	-261.60	0.72	15.30			0.0	0.0	2660
R367	39 36.50	105 56.80	9312.0	0	1280.90	10.47	-307.13	-283.34	-300.90	-277.58	1.58	7.80			0.0	0.0	2661
R371	39 36.65	106 2.26	8889.0	0	1308.90	-1.48	-304.66	-281.95	-300.89	-278.47	1.64	5.40			0.0	0.0	2662
R372	39 36.14	106 1.29	9968.0	0	1302.90	0.69	-305.18	-282.27	-301.60	-278.96	1.63	5.20			0.0	0.0	2663
R373	39 36.11	106 0.73	9023.0	0	1300.20	3.20	-304.54	-281.49	-301.96	-279.10	1.62	4.20			0.0	0.0	2664
R374	39 36.04	105 58.54	9237.0	0	1286.10	9.31	-305.74	-282.14	-301.02	-277.78	1.59	6.30			0.0	0.0	2665
R375	39 35.48	105 58.26	9401.0	0	1273.30	12.74	-307.90	-283.88	-301.46	-277.92	1.56	8.00			0.0	0.0	2666
R376	39 34.87	105 58.05	9563.0	0	1262.10	17.66	-308.51	-284.07	-301.64	-277.72	1.53	8.40			0.0	0.0	2667
R377	39 36.27	105 56.89	9305.0	0	1278.90	8.15	-309.21	-285.44	-302.18	-278.94	1.58	8.60			0.0	0.0	2668
R378	39 36.98	105 59.27	9150.0	0	1291.80	5.45	-306.63	-283.25	-302.33	-279.28	1.60	5.90			0.0	0.0	2669
R379	39 35.25	105 59.50	9272.0	0	1283.40	11.06	-305.18	-281.49	-301.86	-278.42	1.58	4.90			0.0	0.0	2670
R382	39 36.88	105 55.96	9567.0	0	1265.50	18.46	-307.83	-283.39	-299.57	-275.74	1.53	9.80			0.0	0.0	2671
R383	39 32.37	105 50.39	10360.0	0	1166.50	0.61	-352.74	-326.27	-346.81	-320.78	1.37	7.30			0.0	0.0	2672
R384	39 31.85	105 50.86	11609.0	0	1151.30	103.47	-292.47	-262.81	-287.01	-257.76	1.03	6.50			0.0	0.0	2673
R386	39 33.14	105 45.17	9995.0	0	1263.30	61.99	-278.91	-253.37	-271.16	-246.20	1.45	9.20			0.0	0.0	2674
R387	39 33.82	105 45.97	10138.0	0	1248.10	59.21	-286.56	-260.66	-276.68	-251.52	1.42	11.30			0.0	0.0	2675
R388	39 34.37	105 47.41	10694.0	0	1209.30	71.82	-292.91	-265.59	-283.10	-256.52	1.29	11.10			0.0	0.0	2676
R389	39 34.42	105 48.77	11615.0	0	1158.50	107.44	-288.71	-259.03	-284.04	-254.72	1.03	5.70			0.0	0.0	2677
R390	39 31.62	105 45.69	10120.0	0	1254.30	66.97	-278.19	-252.33	-270.21	-244.95	1.42	9.40			0.0	0.0	2678
R399	39 30.19	105 46.81	12068.0	0	1125.80	123.52	-288.08	-257.24	-274.07	-244.28	0.89	14.90			0.0	0.0	2679
R400	39 32.89	105 52.17	10960.0	0	1183.90	73.59	-300.22	-272.22	-292.74	-265.30	1.22	8.70			0.0	0.0	2680
R401	39 32.16	105 51.90	12367.0	0	1099.80	122.69	-299.11	-267.51	-288.50	-257.70	0.79	11.40			0.0	0.0	2681
R402	39 32.58	105 51.10	12602.0	0	1082.80	127.13	-302.68	-270.48	-287.79	-256.71	0.71	15.60			0.0	0.0	2682
R403	39 30.88	105 51.87	12624.0	0	1085.30	134.21	-296.35	-264.10	-286.06	-254.58	0.71	11.00			0.0	0.0	2683
R404	39 35.25	105 51.09	12053.0	0	1113.60	102.44	-308.64	-277.85	-294.64	-264.90	0.90	14.90			0.0	0.0	2684
RB 4	39 35.94	105 53.27	9695.0	0	1251.90	18.27	-312.39	-287.62	-300.20	-276.34	1.51	13.70			0.0	0.0	2685
RB20	39 35.00	105 52.07	10268.0	0	1222.00	43.58	-306.62	-280.39	-300.02	-274.28	1.39	8.00			0.0	0.0	2686
RTB1	39 36.76	106 3.26	8832.0	0	1313.48	-2.42	-303.65	-281.09	-301.80	-279.37	1.64	3.50			0.0	0.0	2687