

UNITED STATES DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY


PRELIMINARY GEOMAGNETIC DATA

COLLEGE OBSERVATORY

FAIRBANKS, ALASKA

JULY 1986

OPEN FILE REPORT 86-0300G



THIS REPORT WAS PREPARED UNDER THE DIRECTION OF JOHN B. TOWNSHEND, CHIEF OF THE COLLEGE OBSERVATORY, WITH THE ASSISTANCE OF THE OBSERVATORY STAFF MEMBERS: J.E. PAPP, H.K. REX AND L.Y. TORRENCE AND IN COOPERATION WITH THE GEOPHYSICAL INSTITUTE OF THE UNIVERSITY OF ALASKA. THE COLLEGE OBSERVATORY IS PART OF THE BRANCH OF GLOBAL SEISMOLOGY AND GEOMAGNETISM OF THE U.S. GEOLOGICAL SURVEY.

Explanation of Data and Reports

Magnetic Activity Report

Outstanding Magnetic Effects

Principal Magnetic Storms

Preliminary Calibration Data and Monthly Mean Absolute Values

Magnetogram Hourly Scalings

Sample Format for Normal and Storm Magnetograms

Normal Magnetograms

Storm Magnetograms (When Normal is too disturbed to read)

COLLEGE OBSERVATORY PRELIMINARY GEOMAGNETIC DATA

EXPLANATION OF DATA AND REPORTS

INTRODUCTION

The preliminary geomagnetic data included here is made available to scientific personnel and organizations as part of a cooperative effort and on a data exchange basis because of the early need by some users. To avoid delay, all of the data is copied from original forms processed at the observatory; therefore it should be regarded as preliminary. Inquiries about this report or about the College Observatory should be addressed to:

Chief, College Observatory
U.S. Geological Survey
800 Yukon Drive
Fairbanks, Alaska 99701

Requests for copies of the magnetograms except for the current month should be addressed to:

World Data Center A
NOAA D63, 325 Broadway
Boulder, Colorado 80303

OBSERVATORY LOCATION

The College Observatory, operated by the U.S. Geological Survey, is located at the University of Alaska, Fairbanks, Alaska. It is near the Auroral Zone and the northern limit of the world's greatest earthquake belt, the circum-Pacific Seismic belt. Although the observatory's basic operation is in geomagnetism and seismology, it cooperates with other scientists and organizations in areas where the facility and personnel can be of service.

The observatory is one of three operated by the USGS in Alaska. The others are located at Barrow and Sitka.

The position of the observatory site is:
Geographic latitude..... $64^{\circ}51.6'N$
Geographic longitude..... $147^{\circ}50.2'W$
Geomagnetic latitude..... $+64.6^{\circ}$
Geomagnetic longitude..... $+256.5^{\circ}$
Elevation.....200 meters

GEOMAGNETIC DATA

Normal, Storm and Rapid Run magnetograms and appropriate calibration data are processed daily at the observatory and are available for analysis or copying. Also available, are mean hourly scalings, K-Indices, selected magnetic phenomena reports and on a real-time basis are recordings from a 3-component fluxgate magnetometer and F-component proton magnetometer.

Magnetic Activity

The K-Index: The K-Index is a logarithmic measurement of the range of the most disturbed component (D or H) of the geomagnetic field for eight intervals beginning 0000-0300, 0300-0600...2100-2400 UT. It is a measure of the difference between the highest and lowest deviation from a smooth curve to be expected for a component on a magnetically quiet day, within a three hour interval.

The Equivalent Daily Amplitude, AK: The K-Index is converted into an equivalent range, ak, which is near the center of the limiting gamma ranges for a given K. The average of the eight values is called equivalent daily amplitude AK. The unit 10γ has been chosen so as not to give the illusion of an accuracy not justified.

The schedule for converting gamma range to K, and K to ak is as follows:

Gamma Range	K - Index	ak
0 < 25	0	0
25 < 50	1	3
50 < 100	2	7
100 < 200	3	15
200 < 350	4	27
350 < 600	5	48
600 < 1000	6	80
1000 < 1650	7	140
1650 < 2500	8	240
2500+	9	400 (10γ)

The Magnetic Daily Character Figure, C: To each Universal day a character is assigned on the basis C=0, if it is quiet; C=1, if it is moderately disturbed; C=2, if it is greatly disturbed. The method used to assign characters at the College Observatory is based on AK as follows:

AK Range	C
0-11	0
11-50	1
50+	2

Routine assignment of C was discontinued at College on January 1, 1976.

Selected Phenomena & Outstanding Magnetic Effects

Prior to January 1, 1976, the Normal and Rapid Run records were reviewed at the observatory for selected magnetic phenomena and the events identified were forwarded to the IUGG Commission on Magnetic Variations and Disturbances. This was discontinued on January 1, 1976, but a report on Outstanding Magnetic Effects is prepared monthly for this report.

Principal Magnetic Storms

Gradual and sudden commencement magnetic disturbances with at least one K-Index of 5 or greater, which are believed to be part of a world-wide disturbance, are classified as principal magnetic storms. The time of the storm beginning and ending; direction and amplitude of sudden commencements; period of maximum activity; and storm range are reported. Monthly reports of these data are forwarded to the World Data Center A in Boulder, Colorado.

Magnetogram Hourly Scalings

Magnetogram hourly scalings are averages for successive periods of one hour for the D, H and Z elements. The Value in the column headed "01" is the average for the hour beginning 0000 and ending 0100. Note that the values on the scaling sheets are in tenths of mm with the decimal point omitted. The user of these scalings should keep in mind that the tabular values are hourly means and if he is interested in the detailed morphology of the magnetic field, he should refer directly to the magnetograms.

Magnetograms

The normal magnetograms in this report are reproduced at about one-third the size of the originals. Preliminary base-line values and scale values adopted for use with the original magnetograms are included. For days when the magnetic field is too disturbed for the Normal magnetogram to be readable, Storm magnetograms are reproduced.

Absolutes, Base-lines and Scale Values

To determine the absolute value of the magnetic field from the hourly means or from point scalings the following equations should be used:

$$D = B_D + d \cdot S_D; \quad H = B_H + h \cdot S_H; \quad Z = B_Z + z \cdot S_Z$$

where D, H and Z are absolute values;
 B_D , B_H and B_Z are base-line values;
 S_D , S_H and S_Z are scale values;
and d, h and z are scalings in millimeters.

MAGNETIC ACTIVITY
(Greenwich civil time, counted from midnight to midnight)

MONTH AND YEAR
JULY 1986

DATE	K-INDICES								SUM	AK	TIME SCALE ON MAGNETOGRAMS 20 mm/hr
	00-03	03-06	06-09	09-12	12-15	15-18	18-21	21-24			
1	3	3	1	1	0	1	1	1	11	06	SUDDEN COMMENCEMENTS d h m
2	2	2	6	4	5	3	2	2	26	25	
3	2	2	3	3	1	1	1	2	15	08	
4	2	2	3	3	2	2	2	2	18	09	
5	2	1	1	2	2	1	1	1	11	05	
6	2	1	0	1	0	1	2	0	07	03	
7	0	2	1	0	0	1	1	1	06	02	
8	1	1	1	0	2	3	0	1	09	04	
9	2	2	1	3	5	1	1	2	17	12	
10	2	2	0	1	1	0	1	0	07	03	
11	0	2	4	3	1	2	1	1	14	08	
12	1	1	0	1	1	1	2	1	08	03	
13	2	3	1	2	5	1	1	1	16	11	
14	1	1	1	4	1	1	1	1	11	06	
15	1	1	0	0	0	1	1	0	04	02	
16	2	1	1	2	2	2	1	1	12	05	
17	3	3	4	4	1	1	1	2	19	13	
18	2	2	0	5	3	2	1	1	16	11	
19	1	1	1	0	0	1	2	1	07	02	
20	1	1	0	1	1	0	1	1	06	02	
21	1	2	1	3	2	1	2	2	14	07	
22	2	2	1	5	4	1	0	1	16	12	
23	1	1	0	3	3	2	1	0	11	06	
24	2	1	1	2	0	1	2	3	12	06	
25	3	2	1	2	2	2	3	4	19	11	
26	4	4	5	4	6	3	2	2	30	30	
27	3	2	5	6	3	2	2	2	25	23	
28	3	3	4	4	5	2	2	2	25	19	
29	3	2	3	6	6	3	3	2	28	29	
30	3	2	4	5	3	3	2	2	24	18	
31	2	2	2	6	4	2	2	2	22	19	

POSSIBLE SOLAR-FLARE
EFFECTS BASED ON
INSPECTION OF GRAMS
ALONE (WITHOUT
REFERENCE TO DATA
FROM OTHER SOURCES)

BEGIN			END		
d	h	m	d	h	m

K SCALE USED:

LOWER LIMIT FOR K = 9.....

CURRENT SCALE VALUE.....

LOWER LIMIT FOR K = 9.....

D	H	Z
675.7	322.2	
3.71	7.80	
2510	2510	

(mm)
(γ/mm)
(to nearest 10γ)

SCALINGS AND COMPUTATIONS HAVE BEEN CHECKED.

APPROVED JOHN B. TOWNSHEND, CHIEF, COLLEGE OBSERVATORY
OBSERVER IN CHARGE

OUTSTANDING MAGNETIC EFFECTS

OBSERVATORY
COLLEGE, ALASKA

MONTH
JULY

YEAR
1986

DATE	TIME U.T.	NATURE OF PHENOMENON ¹	REMARKS
07	09XX	pi2	
08	14XX	pi2	with small bay
10	13XX	pi2	
12	11XX	pi2	
15	08XX	pi2	
16	15XX	pi2	
20	09XX	pi2	
21	11XX	pi2	with small bay
24	2117	ssc*	

IDENTIFIED BY: JEP

VERIFIED BY: HKR

1. NATURE OF PHENOMENON: ssc, ssc*, si, si*, b, bp, bs, bps, pc1, pc2 - - - pc5, pg, pi 1, pi 2, sfe.

PRINCIPAL MAGNETIC STORMS
COLLEGE OBSERVATORY, COLLEGE, ALASKA

WDC-A FOR SOLAR-TERRRESTRIAL PHYSICS
ENVIRONMENTAL DATA SERVICE, NOAA
BOULDER, COLORADO 80502 U.S.A.

Data from Individual Observatories:

JULY 1986

Obs. 2 letter IAAA code	Geomag. lat.	Commencement		SC - amplitudes			Max. 3 hr - index K			Ranges			UT End day hr	
		day	hr min (UT)	type	D(')	H(Y)	Z(Y)	day	(3 hr - period)	K	D(')	H(Y)		Z(Y)
CO	64.96 N	24	2117	s.c.*	-40	+95	-46	26	5	6	207	1300	620	30 19
								27	4	6				
								29	4, 5	6				

NORMAL MAGNETOGRAPH

COMPONENT	PERIOD		CALIBRATION		
	FROM	TO	SCALE VALUE		BASELINE
D	0000 U.T., 7-1-86	2400 U.T., 7-31-86	1.0/mm	3.78/mm	27° 16.5 E
H	0000 U.T., 7-1-86	2400 U.T., 7-31-86	7.88/mm		126938
Z	0000 U.T., 7-1-86	2400 U.T., 7-31-86	7.78/mm		551718

STORM MAGNETOGRAPH

COMPONENT	PERIOD		CALIBRATION		
	FROM	TO	SCALE VALUE		BASELINE
D	0000 U.T., 7-1-86	2400 U.T., 7-31-86	7.9/mm	29.58/mm	23° 43.8 E
H	0000 U.T., 7-1-86	2400 U.T., 7-31-86	43.88/mm		107358
Z	0000 U.T., 7-1-86	2400 U.T., 7-31-86	48.78/mm		541178

RAPID RUN MAGNETOGRAPH

COMPONENT	PERIOD		CALIBRATION		
	FROM	TO	SCALE VALUE		
D					
H					
Z					

MONTHLY MEAN ABSOLUTE VALUES*

D	H	Z
27° 30.3 E	128828	553248

* COMPUTED FROM FIVE QUIETEST DAYS DURING MONTH.

DAYS USED: JUL 6, 7, 15, 19, 20,

U.S. Dept. of Interior
Geological Survey

Observatory
COLLEGE, ALASKA

Month
JULY

Year
1986


Jep-00 - 1/86

MAGNETOGRAM HOURLY SCALINGS - FIVE QUIETEST DAYS
(UNIVERSAL TIME)

Values are in Tenths of mm and are Averages for Successive Periods of One Hour beginning at Midnight. Shrinkage Corrections have been applied. Negative Values in Red with Minus.


COMPONENT	D						H						Z						COMPONENT						
	DAY		19		20		07		15		19		06		07		15			19		20			
	06	07	07	08	08	09	09	02	02	02	02	02	02	02	02	02	02	02		02	02	02	02		
DAY	06	07	15	02	02	78	80	221	229	229	234	228	217	205	190	200	187	190	198	190	200	187			
H ₄	05	02	02	60	60	80	80	245	230	237	238	238	224	208	198	198	190	198	198	190	190	190			
HOUR	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22			
	67	90	95	118	115	98	103	279	239	245	237	239	250	219	204	199	199	200	199	199	199	199			
	110	110	108	115	112	108	115	257	249	246	246	249	236	219	204	199	199	200	199	199	199	199			
	112	119	108	117	120	120	117	240	250	249	252	242	226	222	199	190	187	190	190	190	190	190			
	105	124	110	119	122	122	119	247	250	249	255	241	216	224	198	190	187	190	190	190	190	190			
	102	111	108	119	117	117	119	241	253	257	252	251	215	220	190	188	187	190	190	190	190	190			
	97	122	110	110	110	110	110	250	253	258	258	260	220	231	197	190	187	190	190	190	190	190			
	106	119	109	116	107	107	116	261	259	271	258	251	220	219	199	190	187	190	190	190	190	190			
	116	120	130	127	112	112	127	259	259	271	259	244	210	219	197	190	187	190	190	190	190	190			
	119	147	142	142	132	132	142	263	263	277	259	249	211	207	199	190	187	190	190	190	190	190			
	144	155	166	159	153	153	159	255	257	274	248	245	217	208	191	192	174	190	190	190	190	190			
	185	182	183	179	172	172	179	257	249	277	255	264	219	200	196	192	181	190	190	190	190	190			
	220	205	211	185	196	196	185	258	241	268	246	267	211	204	190	190	190	190	190	190	190	190			
	256	230	247	217	228	228	217	257	239	257	235	259	205	200	199	190	187	190	190	190	190	190			
	205	219	250	218	246	246	218	246	231	249	223	261	202	182	191	192	194	190	190	190	190	190			
	231	229	243	202	232	232	202	225	229	247	217	239	200	182	184	184	184	184	184	184	184	184			
	198	214	218	214	226	226	214	219	219	238	221	230	200	188	184	189	172	189	189	189	189	189			
	189	190	179	185	199	199	185	208	204	229	214	216	195	191	179	189	168	189	189	189	189	189			
	114	130	135	161	150	150	161	211	202	216	219	209	190	191	171	189	160	189	189	189	189	189			
	78	109	114	127	130	130	127	218	219	229	220	219	190	186	180	189	169	189	189	189	189	189			
	72	72	82	59	85	85	59	220	230	223	227	229	199	190	180	188	178	189	189	189	189	189			
DAILY SUM	3150	3160	3008	3368	3416	3289	3368	5289	5710	5948	5725	5819	5157	4932	4617	4793	4467	4793	4793	4793	4793	4467			
DAILY MEAN	131	141	129	140	142	142	140	224	238	248	239	242	215	206	192	197	186	197	197	197	197	186			
MEAN	139																								199
MEAN	212																								199
Sailed 3/27																								Checked 4/27	

FORMAT FOR NORMAL & STORM MAGNETOGRAMS (SAMPLE ONLY)




SEE PRELIMINARY CALIBRATION DATA FOR SCALE VALUES & BASELINE VALUES





NORMAL MAGNETOGRAMS







NORMAL MAGNETOGRAMS







NORMAL MAGNETOGRAMS







NORMAL MAGNETOGRAMS







NORMAL MAGNETOGRAMS




NORMAL MAGNETOGRAMS




NORMAL MAGNETOGRAMS



NORMAL MAGNETOGRAMS



STORM MAGNETOGRAMS



STORM MAGNETOGRAMS

