

## REFERENCES CITED

- Brooks, R.H., and Corey, A.T., 1964, Hydraulic properties of porous media: Hydrology Papers, Colorado State University, 24 p.
- Brown, R.W., 1943, Cretaceous-Tertiary boundary in the Denver Basin, Colorado: Geological Society of America Bulletin, v. 54, p. 65-86.
- Cande, S.C., and Kent, D.V., 1995, Revised calibration of the geomagnetic polarity time scale for the Late Cretaceous and Cenozoic: Journal of Geophysical Research, v. 97, p. 6093-6095.
- Crifasi, R.R., 1992, Alluvial architecture of Laramide orogenic sediments; Denver Basin: Mountain Geologist, v. 29, p. 19-27.
- Dane, C.H., and Pierce, W.G., 1936, Dawson and Laramie Formations in southeastern part of the Denver Basin, Colorado: American Association of Petroleum Geologists Bulletin, v. 20, p. 1308-1328.
- D'Hondt, S., Herbert, T.D., King, J., and Gibson, C., 1996, Planktic foraminifera, asteroids and marine production: death and recovery at the Cretaceous-Tertiary boundary: Geological Society of America, Special Paper, v.307, p.303-317.
- Eldridge, G.H., 1896, Post Laramie and Tertiary Geology, the Arapahoe Formation: in Emmons, S.F., Cross, W., and Eldridge, G.H., Geology of the Denver Basin in Colorado, U.S. Geological Survey Monograph 27, p. 151-155.
- Ellis, B., and Johnson, K.R., 1999, An unusually diverse megaflora from Castle Rock, Colorado: evidence for a previously unrecognized early Paleocene warming event: Geological Society of America Abstracts with Programs, p. A-468.
- Farnham, T.M., 2001, Alluvial paleosols spanning the Paleocene/Eocene boundary in the Denver Basin: hydromorphic characteristics, temporal significance, and lateral variability: Boulder, University of Colorado, Master's thesis, 70 p.
- Fleming, R.F., 1990, Palynology of the Cretaceous-Tertiary boundary interval and Paleocene part of the Raton Formation, Colorado and New Mexico: Boulder, University of Colorado, Ph.D. dissertation, 283 p.
- Hansen, W.R., Chronic, J., and Matelock, J., 1978, Climatology of the Front Range urban corridor and vicinity, Colorado: U.S. Geological Survey Professional Paper 1019, 59 p.
- Hicks, J.F., Obradovich, J.D., and Tauxe, L., 1999, Magnetostratigraphy, isotopic age calibration and intercontinental correlation of the Red Bird section of the Pierre Shale, Niobrara County, Wyoming, USA: Cretaceous Research, v. 20, p. 1-27.
- Hicks, J.F., Johnson, K.R., Obradovich, J.D., Tauxe, L., and Clark, D., 2001, Magnetostratigraphy and geochronology of the Hell Creek and basal Fort Union Formations of southwestern North Dakota and a recalibration of the age of the Cretaceous-Tertiary boundary: Geological Society of America, Special Paper, in press.
- Kelley, S.A., and Chapin, C.E., 1997, Internal structure of the Southern Front Range, Colorado, from an

- apatite fission-track thermochronology perspective: Rocky Mountain Association of Geologists Guidebook, p.19-30.
- Kirkham, R.M., and Ladwig, L.R., 1979, Coal resources of the Denver and Cheyenne Basins, Colorado: Colorado Geological Survey Resource Series 5, 70 p.
- Lapey, L.A., 2001, Hydrologic parameters of the Kiowa research core, Kiowa, Colorado: Fort Collins, Colorado State University, Master's thesis, 71 pages.
- McWhorther, D.B., and Garcia, A.J., 1990, The concept of specific yield and its evaluation by laboratory measurements: Groundwater Engineering and Management Conference, 1990, Proceedings, p. 235-246.
- Nichols, D.J., Jacobson, S.R., and Tschudy, R.H., 1982, Cretaceous palynomorph biozones for the central and northern Rocky Mountain region of the United States, *in* Powers, R.B., ed., Geologic studies of the Cordilleran thrust belt: Denver, Colorado, Rocky Mountain Association of Geologists, v. 2, p. 721-733, pl. 1.
- Nichols, D.J., and Ott, H.L., 1978, Biostratigraphy and evolution of the *Momipites Caryapollenites* lineage in the early Tertiary in the Wind River Basin, Wyoming: Palynology, v. 2, p. 93-112.
- Orth, C.J., Gilmore, J.S., Knight, J.D., Pillmore, C.L., Tschudy, R.H., and Fassett, J.E., 1981, An iridium abundance anomaly at the palynologic Cretaceous-Tertiary boundary in northern New Mexico: Science, v. 214, p. 1341-1343.
- Raynolds, R.G., 1997, Synorogenic and Post-Orogenic strata in the central Front Range, Colorado: Rocky Mountain Association of Geologists Guidebook, p. 43-47.
- Reichert, S.O., 1956, Post Laramide stratigraphic correlations in the Denver Basin, Colorado: Geological Society of America Bulletin v. 67, p. 107-112.
- Robson, S.G., 1989, Alluvial and bedrock aquifers of the Denver Basin-eastern Colorado's dual groundwater resource: U.S. Geological Survey Water-Supply Paper 2302, 40p.
- Robson, S.G., and Banta, E.R., 1987, Geology and hydrology of the deep bedrock aquifers in eastern Colorado: U.S. Geological Survey Water Resource Investigations Report 85-4240.
- \_\_\_\_\_ 1993, Data from core analyses, aquifer testing, and geophysical logging of Denver Basin bedrock aquifers at Castle Pines, Colorado: U.S. Geological Survey Open-file Report 93-442, 59 p.
- Robson, S.G., Romero, J.C., and Zawistowski, S., 1981, Geologic structure, hydrology, and water quality of the Arapahoe aquifer in the Denver Basin, Colorado: U.S. Geological Survey Hydrologic Investigations Atlas HA-647, scale 1:500,000, 3 sheets.
- Robson, S.G., Wacinski, A., Zawistowski, S., and Romero, J.C., 1981, Geologic structure, hydrology, and water quality of the Laramie-Fox Hills aquifer in the Denver Basin, Colorado: U.S. Geological Survey Hydrologic Investigation Atlas HA-650, scale 1:500,000, 3 sheets.
- Soister, P.E., 1978a, Geologic setting of coal in the Denver Basin, *in* Pruit, J.D., and Coffin, P.E., eds., Energy resources in the Denver Basin: Rocky Mountain Association of Geologists Symposium, p. 183-185.
- \_\_\_\_\_ 1978b, Stratigraphy of uppermost Cretaceous and lower Tertiary rocks of the Denver Basin, *in* Pruit, J.D., and Coffin, P.E., eds., Energy resources in the Denver Basin: Rocky Mountain Association of Geologists Symposium, p. 223-230.
- Soister, P.E., and Tschudy, R.H., 1978, Eocene rocks in Denver Basin, *in* Pruit, J.D., and Coffin, P.E., eds. Energy resources in the Denver Basin: Rocky Mountain Association of Geologists Symposium, p. 231-235.
- Trimble, D.E., and Machette, M.N., 1979, Geologic map of the Colorado Springs-Castle Rock area, Front Range urban corridor, Colorado, U.S. Geological Survey Map I-857-F.

- Tschudy, R.H., Pillmore, C.L., Orth, C.J., Gillmore, J.S., and Knight, J.D., 1984, Disruption of the terrestrial plant ecosystem at the Cretaceous-Tertiary boundary, Western Interior: *Science*, v. 225, p. 1030-1032.
- Wing, S.L., 1998, Late Paleocene-early Eocene floral and climatic change in the Bighorn Basin, Wyoming, *in* Aubry, M.P., Lucas, S.G., and Berggren, W.A., Late Paleocene-early Eocene climatic and biotic events in the marine and terrestrial records; Columbia University Press, New York, p. 380-400.