

Prepared in cooperation with Brunswick County, North Carolina

Summary of Ground-Water Data for Brunswick County, North Carolina, Water Year 2007



Open-File Report 2008–1307

U.S. Department of the Interior
U.S. Geological Survey

Cover. Real-time ground-water monitoring well at Calabash, North Carolina *(photograph taken by Stephen L. Harden, U.S. Geological Survey).*



Prepared in cooperation with Brunswick County, North Carolina

Summary of Ground-Water Data for Brunswick County, North Carolina, Water Year 2007

By Kristen Bukowski McSwain

Open-File Report 2008–1307

**U.S. Department of the Interior
U.S. Geological Survey**

U.S. Department of the Interior
DIRK KEMPTHORNE, Secretary

U.S. Geological Survey
Mark D. Myers, Director

U.S. Geological Survey, Reston, Virginia 2008

For product and ordering information:
World Wide Web: <http://www.usgs.gov/pubprod>
Telephone: 1-888-ASK-USGS

For more information on the USGS—the Federal source for science about the Earth,
its natural and living resources, natural hazards, and the environment:
World Wide Web: <http://www.usgs.gov>
Telephone: 1-888-ASK-USGS

Suggested citation:
McSwain, K.B., 2008, Summary of ground-water data for Brunswick County, North Carolina,
water year 2007: U.S. Geological Survey Open-File Report 2008–1307, 37 p. (available only online
at <http://pubs.water.usgs.gov/ofr2008-1307>)

Any use of trade, product, or firm names is for descriptive purposes only and does not imply
endorsement by the U.S. Government.

Although this report is in the public domain, permission must be secured from the individual
copyright owners to reproduce any copyrighted material contained within this report.

Contents

Abstract	1
Introduction.....	1
Cooperative Water-Resources Program	2
Ground-Water-Resources Activities, Water Year 2007	2
Ground-Water-Resources Conditions, Water Year 2007	4
Precipitation	6
Surficial Aquifer	7
Castle Hayne Aquifer	7
Peedee Aquifer	7
Black Creek Aquifer	7
Summary.....	13
References.....	14
Appendix—Ground-water-level hydrographs and statistics for selected wells, Brunswick County, North Carolina water year 2007.....	15

Figures

1. Map showing locations of observation wells and rain gages in Brunswick County, North Carolina.....	3
2. Box plots showing above normal, below normal, and normal water-level ranges in relation to the period of record.....	5
3. Box plots showing monthly sum of daily precipitation during water year 2007 and period-of-record monthly sum of daily precipitation at North Carolina State Climate Office stations (A) 318113 Southport 5N and (B) 315116 Longwood.....	7
4. (A) Map showing observation wells completed in the surficial aquifer, Brunswick County (colored dots indicate locations where water levels were normal or below normal for the surficial aquifer during water year 2007), and (B) box plots showing period-of-record monthly mean water levels and water year 2007 monthly mean water levels.....	9
5. (A) Map showing observation wells completed in the Castle Hayne aquifer, Brunswick County (colored dots indicate locations where water levels were normal or below normal for the Castle Hayne aquifer during water year 2007), and (B) box plots showing period-of-record monthly mean water levels and water year 2007 monthly mean water levels.....	10
6. (A) Map showing observation wells completed in the Peedee aquifer, Brunswick County (colored dots indicate locations where water levels were normal, above, or below normal for the Peedee aquifer during water year 2007), and (B) box plots showing period-of-record monthly mean water levels and water year 2007 monthly mean water levels.....	11
7. (A) Map showing observation wells completed in the Black Creek aquifer, Brunswick County (colored dots indicate locations where water levels were normal or below normal for the Black Creek aquifer during water year 2007), and (B) box plots showing period-of-record monthly mean water levels and water year 2007 monthly mean water levels.....	12

Conversion Factors

Inch/Pound to SI

Multiply	By	To obtain
	Length	
inch (in.)	2.54	centimeter (cm)
inch (in.)	25.4	millimeter (mm)
foot (ft)	0.3048	meter (m)
mile (mi)	1.609	kilometer (km)

Vertical coordinate information is referenced to the National Geodetic Vertical Datum of 1929 (NGVD 29).

Horizontal coordinate information is referenced to the North American Datum of 1983 (NAD 83).

Altitude, as used in this report, refers to distance above the vertical datum.

Summary of Ground-Water Data for Brunswick County, North Carolina, Water Year 2007

By Kristen Bukowski McSwain

Abstract

Ground-water availability in Brunswick County, North Carolina, has been monitored continuously since 2000 through the operation and maintenance of ground-water-level observation wells in the surficial, Castle Hayne, Peedee, and Black Creek aquifers of the North Atlantic Coastal Plain aquifer system. Ground-water-resource conditions for the Brunswick County area were determined by relating the period-of-record normal (25th to 75th percentile) monthly mean ground-water-level and precipitation data to median monthly mean ground-water levels and monthly sum of daily precipitation for water year 2007.¹ Summaries of precipitation and ground-water conditions for the Brunswick County area and hydrographs and statistics of continuous ground-water levels collected during the 2007 water year are presented in this report. Ground-water resource conditions varied by aquifer and geographic location within Brunswick County. Water levels were normal in 6 of the 11 observation wells, above normal in 1 well, and below normal in the remaining 4 wells.

Introduction

Since 2000, the population of Brunswick County has grown by more than 22 percent, nearly three times the average 7.9 percent growth experienced by the State of North Carolina as a whole (North Carolina State Demographics, 2006). Growth of this magnitude has the potential to place significant stress on water resources in the area. Brunswick County planners have recognized the potential consequences of land-use changes associated with growth and the resulting increased demand on ground-water resources by consolidating the many public utility providers into one organization and embarking on an aggressive utility expansion plan. In order to make more informed water-resource planning decisions, County officials need up-to-date ground-water-resource information. To address concerns about the availability of ground water in the Brunswick County area, the U.S. Geological Survey (USGS) and Brunswick County initiated a cooperative water-resources program in 1998.

¹Water year is the period October 1 to September 30 and is defined by the year in which the period ends. The 2007 water year is October 1, 2006, to September 30, 2007.

Cooperative Water-Resources Program

The Federal-State cooperative water-resources program is a partnership between the USGS and State or local agencies to provide information needed for many of the Nation's water-resources management and planning activities. In addition, the information collected may provide an early warning of emerging water problems. The USGS uses nationally consistent techniques in the collection, quality assurance, and archiving of scientific data. Information is stored in a common database readily available for scientific interpretation and public dissemination. The knowledge gained through the studies is published and added to the growing body of hydrologic information. The objectives of the Brunswick County cooperative water-resources program are to (1) monitor water-level fluctuations in the surficial, Castle Hayne, Peedee, and Black Creek aquifers of the North Atlantic Coastal Plain aquifer system and (2) relate observed water-level trends to changes in climatic conditions and(or) ground-water withdrawals.

An overview of hydrologic conditions during the 2007 water year is presented in this document, including summaries of ground-water conditions for the Brunswick County area. Hydrographs and statistics of continuous ground-water levels collected as part of the cooperative program are presented in the appendix.

Ground-Water-Resources Activities, Water Year 2007

During water year 2007, ground-water-resources activities conducted as part of the Brunswick County cooperative program included

- Monitoring of ground-water levels

The USGS has operated continuous water-level recorders at 11 observation wells since October 2000 (fig. 1). Water-level data are collected hourly and are transmitted in near real time from 10 of the 11 wells. Water-level data are updated every 4 hours and are available at the USGS NWIS Web page

<http://waterdata.usgs.gov/nc/nwis/current/?type=gw>.

- Maintaining Brunswick County area hydrologic databases

The USGS continually updates the NWIS database with ground-water-level and well site information.

- Publishing annual summaries of local water-resources conditions

Summaries of local water-resources conditions are published annually. Water-level data collected in 2006 and 2007 are published by the USGS as part of the annual Water Data Report and are available online at *<http://wdr.water.usgs.gov>*. North Carolina water-resources data reports for years prior to 2006 are also available online at *<http://nc.water.usgs.gov/reports/WDR/index.html>*. Published water-level data for water year 2007 for each ground-water site are presented in the appendix.




Figure 1. Locations of observation wells and rain gages in Brunswick County, North Carolina.

Ground-Water-Resources Conditions, Water Year 2007

Ground-water levels in the Brunswick County area have been continuously monitored since 2000 in 11 observation wells as part of the cooperative study (fig. 1). Of the 11 wells, 3 monitor the surficial aquifer, 1 monitors the Castle Hayne aquifer, 1 monitors both the Castle Hayne and the Peedee aquifers, 4 monitor the Peedee aquifer, and 2 monitor the Black Creek aquifer. Hydrographs showing water levels during water year 2007 for each observation well are presented in the appendix.

Median monthly mean water levels for water year 2007 were compared to period-of-record monthly mean water levels to determine if water levels were above normal, normal, or below normal. The period-of-record normal range of water levels is the range from the 25th to the 75th percentile. If the median (50th percentile) monthly mean water level for water year 2007 falls between the 25th and 75th percentiles of period-of-record monthly mean water levels, water levels in the well are considered to be normal for the water year. If the median monthly mean water level for water year 2007 is below the 25th percentile, water levels in the well are considered below normal for the water year. If the median monthly mean water level for water year 2007 is above the 75th percentile, water levels are considered to be above normal for the water year.

These comparisons can be displayed graphically by constructing box plots (Ott and Longnecker, 2001). Box plots were constructed for both water-level and precipitation data. A box plot summarizes the distribution of the data by showing the median, 10th, 25th, 75th, and 90th percentiles (fig. 2). The top, bottom, and middle lines of the box correspond to the 75th percentile, 25th percentile, and median, respectively. The line caps (whiskers) extend from the 10th percentile to the 90th percentile. To aid interpretation of the water-level box plots, a shaded area corresponding to the period-of-record normal range has been included. Additionally, the results of the water-level comparisons are represented graphically on maps by the use of colored dots: a yellow dot indicates the monthly mean water levels for water year 2007 were normal, a red dot indicates the monthly mean water levels for water year 2007 were below normal, and a blue dot indicates the monthly mean water levels for water year 2007 were above normal.




Figure 2. Box plots showing above normal, below normal, and normal water-level ranges in relation to the period of record.

Precipitation

The State Climate Office of North Carolina maintains rain gages at two long-term climatic data stations in Brunswick County (fig. 1). Substantial amounts of historic precipitation data have been collected at both stations. Station 318113, located in southeastern Brunswick County near Southport, has been in operation since January 1948, and station 315116, located in western Brunswick County near Longwood, has been in operation since June 1972. Precipitation is a significant contributor to recharge in the surficial aquifer and as such can be an indicator of drought conditions. Box plots of the monthly sum of daily precipitation for the period of record were created for both the Southport and Longwood stations (fig. 3). The monthly sum of daily precipitation for water year 2007 (represented by triangles) overlies the box plot for comparison purposes.

For water year 2007, rainfall amounts recorded at the Southport station were normal for 4 months of the year, below normal for 7 months, and above normal for 1 month (fig. 3A). The months of March, April, July, August, and September 2007 were much drier than normal, with less than 10 percent of the period of record receiving the same amount or less of rainfall. November 2006 was much wetter than normal, with less than 10 percent of the period of record receiving the same amount or more of rainfall.

Rainfall amounts recorded at the Longwood station were normal for 6 months of the 2007 water year, below normal for 4 months, and above normal for 2 months (fig. 3B). As was observed at the Southport station, August and September 2007 were much drier than with less than 10 percent of the period of record receiving the same amount or less of rainfall.




Figure 3. Box plots showing monthly sum of daily precipitation during water year 2007 and period-of-record monthly sum of daily precipitation at North Carolina State Climate Office stations (A) 318113 Southport 5N and (B) 315116 Longwood.

Surficial Aquifer

During water year 2007, water levels in the surficial aquifer were normal in two (BR-123 and NC-182) of the three wells monitored (fig. 4). Water levels monitored at NC-199 were below normal.

Castle Hayne Aquifer

Water levels in the Castle Hayne aquifer were below normal in well NC-198 and normal in well BR-100 (fig. 5) during water year 2007. The Castle Hayne aquifer is pumped in localized areas throughout Brunswick County as a source of potable water. Additionally, it should be noted that BR-100 is completed in both the Castle Hayne and Peedee aquifers, so the water levels collected in this well are composite values and may not reflect the true water level found in either aquifer.

Peedee Aquifer

In the Peedee aquifer, water levels in one of the four wells monitored were above normal, below normal in one well, and normal in two wells (fig. 6) during water year 2007. The water level in well NC-180 was above normal. Water levels were below normal in well NC-197. The Peedee aquifer is pumped in localized areas throughout Brunswick County as a source of potable water.


Black Creek Aquifer

During water year 2007, water levels in the Black Creek aquifer were normal at BR-116 and below normal at BR-106 (fig. 7).

A.

EXPLANATION
Observation well, site name, and comparison of monthly mean water level during water year 2007 to period-of-record water level

- NC-182 ● Normal - Between 25th and 75th percentile water levels for period of record
- NC-199 ● Below normal - Below 25th percentile water level for period of record



Site name	Other Identifier	Period of record
BR-123	DENR Calabash Research Station well HH39J7	October 2000 to current year
NC-182	BR-080; DENR Sunset Harbor Research Station well GG34S7	January 1987 to September 1997 October 2000 to current year
NC-199	BR-083; DENR Southport Research Station well GG32T6	October 1997 to current year

B.





Figure 4. (A) Observation wells completed in the surficial aquifer, Brunswick County (colored dots indicate locations where water levels were normal or below normal for the surficial aquifer during water year 2007), and (B) box plots showing period-of-record monthly mean water levels and water year 2007 monthly mean water levels.

A.

EXPLANATION
Observation well, site name, and comparison of monthly mean water level during water year 2007 to period-of-record water level

- BR-100 ● Normal - Between 25th and 75th percentile water levels for period of record
- NC-198 ● Below normal - Below 25th percentile water level for period of record



Site name	Other Identifier	Period of record
BR-100	Well 15A	February 1999 to current year
NC-198	BR-082; DENR Southport Research Station well GG32T5	November 1999 to current year

* Note - BR-100 is completed in both the Castle Hayne and Peedee aquifers

B.





Figure 5. (A) Observation wells completed in the Castle Hayne aquifer, Brunswick County (colored dots indicate locations where water levels were normal or below normal for the Castle Hayne aquifer during water year 2007), and (B) box plots showing period-of-record monthly mean water levels and water year 2007 monthly mean water levels.

A.

EXPLANATION
Observation well, site name, and comparison of monthly mean water level during water year 2007 to period-of-record water level

- NC-180 ● Above normal - Above 75th percentile water level for period of record
- BR-107 ● Normal - Between 25th and 75th percentile water levels for period of record
- NC-197 ● Below normal - Below 25th percentile water level for period of record



Site name	Other identifier	Period of record
BR-107	DENR Bear Pen Research Station well EE36K6	April 2000 to November 2007
NC-181	BR-079; DENR Sunset Harbor Research Station well GG34S6	March 1987 to current year
NC-180	BR-078; DENR Bolivia Research Station well FF33D2	May 1987 to September 1997 January 2000 to current year
NC-197	BR-081; DENR Southport Research Station well GG32T4	October 1999 to current year

B.





Figure 6. (A) Observation wells completed in the Peedee aquifer, Brunswick County (colored dots indicate locations where water levels were normal, above, or below normal for the Peedee aquifer during water year 2007), and **(B)** box plots showing period-of-record monthly mean water levels and water year 2007 monthly mean water levels.

A.

EXPLANATION
Observation well, site name, and comparison of monthly mean water level during water year 2007 to period-of-record water level

- BR-116 ● Normal - Between 25th and 75th percentile water levels for period of record
- BR-106 ● Below normal - Below 25th percentile water level for period of record



Site name	Other identifier	Period of record
BR-116	DENR Calabash Research Station well HH39J3	October 1999 to November 2007
BR-106	DENR Bear Pen Research Station well GG36K5	October 1999 to November 2007

B.




Figure 7. (A) Observation wells completed in the Black Creek aquifer, Brunswick County (colored dots indicate locations where water levels were normal or below normal for the Black Creek aquifer during water year 2007), and **(B)** box plots showing period-of-record monthly mean water levels and water year 2007 monthly mean water levels.

Summary

The USGS has been working with Brunswick County to monitor water-resources conditions since 2000. This report presents data collected during water year 2007 (October 2006 through September 2007) to summarize the precipitation and ground-water conditions. The period-of-record normal (25th to 75th percentile) monthly mean ground-water levels at 11 observation wells and precipitation data at 2 climatic stations maintained by the State Climate Office of North Carolina were related to median monthly mean ground-water levels and monthly sums of daily precipitation for water year 2007 to determine ground-water-resources conditions. Water levels were above normal in 1 of the 11 observation wells, normal in 6, and below normal in the remaining 4 wells.

References

- Fine, J.M., and Cunningham, W.L., 2001, Compilation of water-resources data and hydrogeologic setting for Brunswick County, North Carolina, 1933–2000: U.S. Geological Survey Open-File Report 01-240, 141 p.
- Harden, S.L., Fine, J.M., and Spruill, T.B., 2003, Hydrogeology and ground-water quality of Brunswick County, North Carolina: U.S. Geological Survey Water-Resources Investigations Report 03-4051, 90 p.
- North Carolina State Demographics, 2006, State demographic data: accessed on December 5, 2006, at <http://demog.state.nc.us/>.
- Ott, L., and Longnecker, M., 2001, An introduction to statistical methods and data analysis (5th ed.): Pacific Grove, California, Wadsworth Group, 1152 p.

**Appendix—Ground-water-level hydrographs and statistics for selected wells,
Brunswick County, North Carolina, water year 2007**

**340416078084202 Local number BR-078, DENR Bolivia Research Station well
FF33d2, NC-180**

Northern Atlantic Coastal Plain aquifer system
Peedee Formation

Brunswick County, NC

LOCATION.--Lat 34°04'17", long 78°08'41" referenced to North American Datum of 1983, Brunswick County, NC, Hydrologic Unit 03040207, in Bolivia at town hall on U.S. Highway 17. Owner: NCDENR (North Carolina Department of Environment and Natural Resources).

GROUND-WATER RECORDS

WELL CHARACTERISTICS.--Drilled observation well, depth 140 ft, diameter 4 in., cased to 92 ft, open hole to 140 ft.


DATUM.--Land-surface datum is 40.97 ft above National Geodetic Vertical Datum of 1929. Measuring point: top of casing, 0.89 ft above land-surface datum, March 11, 1999, to present.

PERIOD OF RECORD.--April 1971 to current year. Continuous record May 1987 to September 1997, January 2000 to current year.

GAGE.--Water-level recorder collecting data at 60-minute intervals.

REMARKS.--Well is part of Brunswick County ground-water study.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 6.05 ft below land-surface datum, May 22, 1972; lowest water level recorded, 15.07 ft below land-surface datum, September 4, 1995.



**340416078084202 Local number BR-078, DENR Bolivia Research Station well
FF33d2, NC-180--Continued**

**DEPTH TO WATER LEVEL, FEET BELOW LAND SURFACE
WATER YEAR OCTOBER 2006 TO SEPTEMBER 2007
DAILY MEAN VALUES**

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1	8.71	8.49	7.70	7.51	7.33	7.66	8.10	9.10	10.46	11.64	14.35	14.20
2	8.79	8.43	7.80	7.65	7.21	7.52	8.10	9.13	10.43	11.75	14.41	14.18
3	8.82	8.59	7.79	7.68	7.41	7.63	8.11	9.19	10.20	11.81	14.44	14.10
4	8.81	8.63	7.78	7.59	7.44	7.72	8.02	9.29	10.35	11.82	14.44	14.04
5	8.77	8.59	7.84	7.48	7.45	7.82	8.11	9.30	10.43	11.80	14.46	14.03
6	8.77	8.52	7.81	7.45	7.46	7.90	8.15	9.33	10.53	11.83	14.46	14.07
7	8.83	8.30	7.70	7.50	7.30	7.87	8.20	9.38	10.64	11.93	14.48	14.03
8	8.84	8.08	7.91	7.36	7.36	8.03	8.36	9.34	10.64	12.13	14.51	13.96
9	8.74	8.17	7.95	7.41	7.36	8.00	8.38	9.36	10.60	12.40	14.54	13.89
10	8.70	8.27	7.93	7.56	7.40	7.95	8.41	9.38	10.65	12.66	14.55	13.90
11	8.61	8.22	7.91	7.64	7.50	7.94	8.36	9.41	10.74	12.90	14.60	13.88
12	8.55	8.13	7.89	7.58	7.49	7.99	8.33	9.46	10.76	13.16	14.69	13.86
13	8.61	8.13	7.81	7.52	7.34	7.98	8.51	9.53	10.76	13.42	14.64	13.88
14	8.64	8.10	7.76	7.48	7.22	7.96	8.53	9.70	10.80	13.64	14.60	13.85
15	8.68	8.07	7.71	7.41	7.42	7.92	8.25	9.75	10.85	13.77	14.61	13.80
16	8.71	7.97	7.84	7.39	7.46	7.79	8.40	9.69	10.87	13.91	14.59	13.86
17	8.60	8.07	7.92	7.63	7.45	7.87	8.47	9.68	10.89	13.99	14.54	13.88
18	8.51	8.08	7.92	7.51	7.43	8.03	8.52	9.72	10.93	14.00	14.58	13.85
19	8.51	8.06	7.92	7.40	7.63	8.11	8.60	9.84	10.95	14.01	14.60	13.78
20	8.47	8.09	8.02	7.50	7.54	8.06	8.72	9.85	10.95	14.02	14.59	13.71
21	8.61	7.98	8.01	7.50	7.48	8.11	8.79	9.89	11.03	14.10	14.60	13.67
22	8.58	7.86	7.91	7.31	7.45	8.03	8.84	10.0	11.04	14.17	14.63	13.66
23	8.57	7.95	7.81	7.36	7.60	7.98	8.87	10.10	11.10	14.20	14.65	13.64
24	8.65	7.96	7.90	7.37	7.67	7.99	8.83	10.16	11.27	14.22	14.64	13.64
25	8.74	7.96	7.71	7.33	7.55	8.02	8.81	10.15	11.46	14.25	14.59	13.62
26	8.76	7.95	7.60	7.43	7.50	8.11	8.84	10.16	11.56	14.27	14.52	13.65
27	8.64	7.91	7.78	7.34	7.60	8.05	8.83	10.21	11.57	14.24	14.49	13.56
28	8.40	7.87	7.86	7.21	7.71	8.03	8.88	10.27	11.57	14.23	14.43	13.52
29	8.62	7.87	7.85	7.43	---	8.13	8.97	10.31	11.59	14.26	14.38	13.64
30	8.62	7.81	7.77	7.41	---	8.15	9.05	10.37	11.60	14.28	14.28	13.67
31	8.56	---	7.67	7.45	---	8.10	---	10.42	---	14.29	14.19	---
Mean	8.66	8.14	7.83	7.46	7.46	7.95	8.51	9.72	10.91	13.33	14.52	13.83
Max	8.84	8.63	8.02	7.68	7.71	8.15	9.05	10.42	11.60	14.29	14.69	14.20
Min	8.40	7.81	7.60	7.21	7.21	7.52	8.02	9.10	10.20	11.64	14.19	13.52

Water Year 2007	
Mean	9.87
High	7.21
Low	14.69

335629078115406 Local number BR-079, DENR Sunset Harbor Research Station well GG34s6, NC-181

Castle Hayne aquifer
Peedee Formation
Brunswick County, NC

LOCATION.--Lat 33°56'29", long 78°11'56" referenced to North American Datum of 1983, Brunswick County, NC, Hydrologic Unit 03040207, 1 mi north of Sunset Harbor, and 4.3 mi south of North Carolina Highway 211 on Secondary Road 1112. Owner: NCDENR (North Carolina Department of Environment and Natural Resources).

GROUND-WATER RECORDS

WELL CHARACTERISTICS.--Drilled observation well, depth 102 ft, diameter 6 in., cased to 84 ft, open hole from 84 to 102 ft.


DATUM.--Land-surface datum is 28.06 ft above National Geodetic Vertical Datum of 1929. Measuring point: top of instrument shelf, 2.02 ft above land-surface datum, January 14, 1987, to present.

PERIOD OF RECORD.--March 1987 to current year. Records from July 1974 to March 1978 are available in the files of NCDENR, Division of Water Quality.

GAGE.--Water-level recorder collecting data at 60-minute intervals. Satellite telemetry at station.

REMARKS.--Well is part of Brunswick County ground-water study. Water levels affected by localized pumping.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 4.24 ft below land-surface datum, October 22, 1999; lowest water level recorded, 15.86 ft below land-surface datum, September 29, 2007.



335629078115406 Local number BR-079, DENR Sunset Harbor Research Station well GG34s6, NC-181--Continued

DEPTH TO WATER LEVEL, FEET BELOW LAND SURFACE
WATER YEAR OCTOBER 2006 TO SEPTEMBER 2007
DAILY MEAN VALUES

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1	9.98	9.96	9.87	9.21	9.33	9.57	10.71	11.64	12.33	12.90	13.15	13.79
2	10.03	9.95	10.0	9.34	9.28	9.54	10.69	11.67	12.24	12.98	12.75	13.37
3	9.97	10.08	9.94	9.31	9.38	9.63	10.65	11.59	12.07	12.98	13.32	13.84
4	10.00	10.06	9.94	9.26	9.35	9.73	10.68	11.63	12.21	13.09	13.36	13.40
5	9.93	10.09	9.46	9.24	9.36	9.75	11.19	11.58	12.23	12.97	12.94	13.91
6	10.0	10.10	9.45	9.23	9.35	9.75	11.16	11.62	12.36	12.51	13.41	13.40
7	9.98	9.95	9.37	9.23	9.28	9.68	11.15	11.60	12.40	12.99	12.96	13.90
8	9.97	9.93	9.51	9.17	9.34	9.73	11.16	11.57	12.41	12.43	13.46	13.90
9	9.79	10.00	9.50	9.22	9.34	9.76	11.14	11.61	12.40	12.35	13.00	13.46
10	9.63	10.10	9.51	9.31	9.38	9.74	11.14	11.59	12.50	12.83	13.45	14.04
11	9.63	10.08	9.61	9.30	9.41	9.80	11.16	11.68	12.49	12.43	13.36	13.53
12	9.60	10.17	9.54	9.27	9.36	9.82	11.10	11.70	12.45	12.90	12.87	14.04
13	9.73	10.13	9.47	9.27	9.29	9.82	11.29	11.82	12.52	12.51	13.29	13.43
14	9.71	10.08	9.48	9.30	9.29	9.83	11.22	11.84	12.48	12.96	12.84	13.89
15	9.81	10.13	9.48	9.26	9.43	9.81	11.14	11.84	12.61	12.42	13.33	13.86
16	9.87	10.04	9.59	9.28	9.42	9.72	11.29	11.91	12.66	12.94	12.92	13.45
17	9.75	10.18	9.63	9.41	9.41	9.78	11.24	11.87	12.83	12.97	13.42	13.94
18	9.81	10.14	9.63	9.27	9.44	9.86	11.31	11.90	12.91	13.02	13.59	13.45
19	9.79	10.14	9.63	9.26	9.52	9.86	11.79	11.90	12.83	12.56	13.14	13.98
20	9.88	10.18	9.68	9.36	9.45	9.86	11.54	11.98	12.85	13.09	---	13.45
21	9.96	10.00	9.66	9.35	9.45	9.89	11.46	12.07	12.77	12.98	13.15	13.91
22	9.94	9.94	9.61	9.26	9.44	9.89	11.57	12.26	12.85	12.60	13.67	13.92
23	9.97	9.92	9.63	9.30	9.53	9.91	11.82	12.25	12.75	13.11	13.17	13.53
24	10.25	9.95	9.70	9.32	9.56	9.94	11.61	12.40	12.78	12.64	13.65	14.04
25	10.08	9.91	9.54	9.31	9.48	9.99	11.50	12.28	12.73	13.14	13.69	13.59
26	10.04	9.93	9.36	9.38	9.50	10.02	11.48	12.27	12.67	12.70	13.31	14.06
27	10.01	9.92	9.37	9.33	9.57	10.00	11.53	12.37	12.74	13.19	13.71	13.57
28	9.83	9.86	9.33	9.30	9.61	10.13	11.55	12.36	12.76	13.22	13.16	14.15
29	9.98	9.91	9.30	9.48	---	10.57	11.70	12.33	12.85	12.86	13.66	14.15
30	9.98	9.85	9.28	9.40	---	10.58	11.69	12.35	12.88	13.27	13.20	13.67
31	9.92	---	9.25	9.44	---	10.59	---	12.28	---	12.65	13.76	---
Mean	9.90	10.02	9.56	9.30	9.41	9.89	11.29	11.93	12.59	12.84	13.29	13.75
Max	10.25	10.18	10.00	9.48	9.61	10.59	11.82	12.40	12.91	13.27	13.76	14.15
Min	9.60	9.85	9.25	9.17	9.28	9.54	10.65	11.57	12.07	12.35	12.75	13.37

Water Year 2007	
Mean	11.15
High	9.17
Low	14.15

335629078115407 Local number BR-080, DENR Sunset Harbor Research Station well GG34s7, NC-182

Surficial aquifer system
Post Miocene (Quaternary + Pliocene) Rocks
Brunswick County, NC

LOCATION.--Lat 33°56'29", long 78°11'56" referenced to North American Datum of 1983, Brunswick County, NC, Hydrologic Unit 03040207, 1 mi north of Sunset Harbor, and 4.3 mi south of North Carolina Highway 211 on Secondary Road 1112. Owner: NCDENR (North Carolina Department of Environment and Natural Resources).

GROUND-WATER RECORDS

WELL CHARACTERISTICS.--Drilled observation well, drilled to 15 ft, diameter 4 in., cased to 10 ft, screened interval from 10 to 15 ft.


DATUM.--Land-surface datum is 28.06 ft above National Geodetic Vertical Datum of 1929 (levels by NCDENR).
Measuring point: top of collar on 4-inch casing, 2.65 ft above land-surface datum, August 19, 1986, to present.

PERIOD OF RECORD.--January 1987 to September 1997, October 2000 to current year.

GAGE.--Water-level recorder collecting data at 60-minute intervals. Satellite telemetry at station.

REMARKS.--Well is part of Brunswick County ground-water study. Water levels may be affected by local pumping.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 0.63 ft above land-surface datum, October 8, 2005; lowest water level recorded, 14.27 ft below land-surface datum, October 31, 2003.



335629078115407 Local number BR-080, DENR Sunset Harbor Research Station well GG34s7, NC-182—Continued

**DEPTH TO WATER LEVEL, FEET BELOW LAND SURFACE
WATER YEAR OCTOBER 2006 TO SEPTEMBER 2007
DAILY MEAN VALUES**

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1	5.42	5.47	5.53	5.39	5.82	6.10	6.59	7.15	7.80	8.32	8.87	9.20
2	5.46	5.51	5.58	5.46	5.78	6.11	6.60	7.17	7.80	8.35	8.89	9.21
3	5.50	5.59	5.60	5.52	5.72	6.14	6.62	7.18	7.78	8.37	8.90	9.23
4	5.53	5.64	5.62	5.55	5.65	6.16	6.64	7.20	7.81	8.40	8.92	9.25
5	5.56	5.67	5.64	5.57	5.62	6.18	6.67	7.21	7.83	8.42	8.93	9.27
6	5.60	5.70	5.66	5.58	5.60	6.21	6.69	7.22	7.85	8.44	8.94	9.29
7	5.62	5.70	5.67	5.58	5.58	6.22	6.71	7.24	7.86	8.46	8.95	9.31
8	5.63	5.68	5.70	5.55	5.61	6.24	6.73	7.27	7.88	8.47	8.98	9.32
9	5.32	5.70	5.72	5.56	5.63	6.26	6.75	7.28	7.90	8.49	8.99	9.34
10	4.95	5.73	5.74	5.57	5.67	6.27	6.77	7.29	7.92	8.51	9.01	9.35
11	4.93	5.74	5.76	5.59	5.70	6.29	6.78	7.32	7.94	8.53	8.97	9.37
12	4.97	5.74	5.78	5.60	5.73	6.31	6.80	7.34	7.96	8.55	8.95	9.38
13	5.05	5.75	5.79	5.61	5.74	6.33	6.83	7.36	7.99	8.57	8.93	9.39
14	5.13	5.77	5.79	5.63	5.75	6.34	6.85	7.39	8.01	8.58	8.92	9.40
15	5.22	5.78	5.80	5.64	5.81	6.35	6.84	7.41	8.03	8.59	8.93	9.41
16	5.30	5.79	5.83	5.65	5.84	6.35	6.87	7.44	8.05	8.61	8.95	9.42
17	5.34	5.80	5.87	5.70	5.86	6.36	6.89	7.45	8.07	8.63	8.97	9.44
18	5.36	5.82	5.89	5.69	5.89	6.38	6.91	7.46	8.10	8.65	8.99	9.45
19	5.40	5.84	5.92	5.70	5.92	6.40	6.93	7.49	8.12	8.67	9.01	9.47
20	5.44	5.85	5.94	5.74	5.93	6.41	6.95	7.51	8.13	8.69	---	9.48
21	5.49	5.84	5.98	5.76	5.94	6.42	6.97	7.54	8.15	8.70	9.04	9.49
22	5.51	5.64	6.01	5.76	5.95	6.44	6.99	7.56	8.17	8.72	9.06	9.51
23	5.54	5.41	6.01	5.77	5.98	6.46	7.01	7.59	8.19	8.74	9.07	9.53
24	5.58	5.35	6.04	5.78	6.01	6.47	7.03	7.61	8.21	8.76	9.08	9.55
25	5.62	5.35	5.94	5.77	6.01	6.49	7.04	7.64	8.22	8.78	9.10	9.57
26	5.66	5.38	5.29	5.78	6.02	6.51	7.05	7.67	8.24	8.79	9.11	9.59
27	5.68	5.42	5.18	5.78	6.05	6.52	7.06	7.69	8.26	8.81	9.12	9.60
28	5.57	5.45	5.19	5.77	6.08	6.53	7.09	7.71	8.28	8.83	9.13	9.62
29	5.46	5.49	5.23	5.81	---	6.55	7.11	7.73	8.29	8.84	9.15	9.65
30	5.43	5.53	5.29	5.81	---	6.56	7.13	7.76	8.31	8.85	9.17	9.66
31	5.45	---	5.36	5.83	---	6.58	---	7.78	---	8.85	9.18	---
Mean	5.41	5.64	5.69	5.66	5.82	6.35	6.86	7.44	8.04	8.61	---	9.43
Max	5.68	5.85	6.04	5.83	6.08	6.58	7.13	7.78	8.31	8.85	---	9.66
Min	4.93	5.35	5.18	5.39	5.58	6.10	6.59	7.15	7.78	8.32	---	9.20

335631078003604 Local number BR-081, DENR Southport Research Station well GG32t4, NC-197

Northern Atlantic Coastal Plain aquifer system
Peedee Formation
Brunswick County, NC

LOCATION.--Lat 33°56'31", long 78°00'35" referenced to North American Datum of 1983, Brunswick County, NC, Hydrologic Unit 03030005, north of Southport, 0.45 mi northeast of Secondary Road 1526 on Secondary Road 1527. Owner: NCDENR (North Carolina Department of Environment and Natural Resources).

GROUND-WATER RECORDS

WELL CHARACTERISTICS.--Drilled observation well, depth 200 ft, diameter 6 in., cased to 93.5 ft, open hole from 93.5 to 200 ft; measured depth 199 ft, September 1997.

DATUM.--Land-surface datum is 28.08 ft above National Geodetic Vertical Datum of 1929. Measuring point: top of instrument shelf, 1.17 ft above land-surface datum, October 29, 1999, to present.


PERIOD OF RECORD.--January 1970 to current year. Continuous record began October 1999.

REVISED RECORDS.--WDR NC-04-2: 2002

GAGE.--Water-level recorder collecting data at 60-minute intervals. Satellite telemetry at station.

REMARKS.--Well is part of the Brunswick County ground-water study. Water levels affected by localized pumping since December 2002.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 21.28 ft below land-surface datum, March 8, 1988; lowest water level recorded, 58.39 ft below land-surface datum, January 28, 2005.



**335631078003604 Local number BR-081, DENR Southport Research Station well
GG32t4, NC-197—Continued**

**DEPTH TO WATER LEVEL, FEET BELOW LAND SURFACE
WATER YEAR OCTOBER 2006 TO SEPTEMBER 2007
DAILY MEAN VALUES**

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1	49.42	49.02	47.64	44.48	51.62	41.57	48.57	49.23	50.34	49.73	49.64	49.49
2	49.54	50.20	47.71	36.05	48.81	40.78	49.63	49.49	50.35	49.77	49.63	49.45
3	49.60	49.35	47.60	34.92	48.61	40.29	51.85	49.51	49.96	49.80	49.67	49.38
4	49.50	49.26	45.44	42.13	48.50	40.72	53.85	49.22	49.74	49.79	49.69	49.42
5	49.53	49.26	45.17	44.47	50.79	41.26	53.90	49.00	49.68	49.77	49.66	49.46
6	49.66	49.07	46.77	45.48	52.65	41.66	53.80	48.90	49.76	49.79	49.66	49.50
7	49.65	48.83	47.21	46.11	49.85	41.78	53.90	48.01	49.90	49.88	49.72	49.42
8	49.54	48.65	42.74	46.23	49.11	41.91	54.04	47.11	50.00	49.82	49.66	49.32
9	49.39	48.61	35.59	46.48	47.57	42.08	52.87	48.03	49.96	49.71	49.42	49.26
10	49.34	48.68	33.15	48.26	48.24	42.12	51.31	48.14	49.90	49.68	49.29	49.32
11	49.35	48.64	31.76	50.28	46.16	42.08	50.65	48.30	49.77	49.76	49.20	49.47
12	49.39	48.57	32.23	47.61	44.82	42.12	50.28	48.49	49.62	49.78	49.12	49.57
13	49.53	47.84	39.86	46.19	43.03	42.19	50.26	48.62	49.61	49.84	49.05	49.46
14	49.62	46.63	40.34	44.11	39.86	42.18	50.21	48.65	49.58	49.92	48.97	49.39
15	49.64	47.99	42.31	43.32	41.72	42.16	49.89	48.63	49.52	49.80	48.84	49.37
16	49.72	48.32	44.77	42.96	41.39	42.17	49.86	48.71	49.46	49.77	48.95	48.94
17	49.38	48.47	45.91	42.92	40.79	42.19	49.83	48.62	49.45	49.82	49.21	48.42
18	49.20	48.60	46.49	42.66	40.33	42.04	49.84	48.42	49.54	49.92	49.45	48.44
19	49.13	48.65	46.89	44.41	40.30	41.83	49.83	48.47	49.75	50.03	49.55	48.48
20	49.15	48.55	47.26	47.20	40.72	41.76	50.00	48.52	49.74	50.12	49.49	48.44
21	49.39	48.04	47.43	48.29	41.00	41.80	50.07	48.63	49.58	50.01	49.60	48.32
22	49.32	48.14	47.44	49.27	41.19	41.92	50.12	48.91	49.47	49.92	49.75	48.45
23	49.20	48.29	47.40	46.65	41.43	41.84	50.16	49.30	49.57	49.82	---	48.59
24	49.84	48.33	47.43	47.45	41.67	42.37	49.71	49.51	49.66	49.91	---	48.73
25	49.69	48.38	47.24	47.44	41.61	46.05	49.55	49.59	49.62	---	---	---
26	51.00	48.39	47.07	49.14	41.50	49.13	49.31	49.69	49.61	49.98	---	48.89
27	54.15	47.98	47.34	46.84	41.56	49.87	48.75	49.78	49.70	50.03	---	48.92
28	49.61	48.15	47.58	44.02	41.63	48.83	48.68	49.88	49.81	50.04	49.78	49.05
29	49.09	48.32	47.46	47.84	---	48.73	48.78	49.99	49.86	49.84	49.64	49.22
30	49.12	47.99	47.51	51.20	---	48.60	48.94	50.15	49.78	49.67	49.54	49.12
31	49.07	---	47.58	50.34	---	48.28	---	50.29	---	49.65	49.52	---
Mean	49.64	48.51	44.46	45.64	44.52	43.30	50.61	48.96	49.74	49.85	49.45	49.08
Max	54.15	50.20	47.71	51.20	52.65	49.87	54.04	50.29	50.35	50.12	49.78	49.57
Min	49.07	46.63	31.76	34.92	39.86	40.29	48.57	47.11	49.45	49.65	48.84	48.32

Water Year 2007	
Mean	47.79
High	31.76
Low	54.15

**335631078003605 Local number BR-082, DENR Southport Research Station well
GG32t5, NC-198**

Castle Hayne aquifer
Castle Hayne Formation
Brunswick County, NC

LOCATION.--Lat 33°56'31", long 78°00'35" referenced to North American Datum of 1983, Brunswick County, NC, Hydrologic Unit 03030005, north of Southport, 0.45 miles northeast of Secondary Road 1526 on Secondary Road 1527. Owner: NCDENR (North Carolina Department of Environment and Natural Resources).

GROUND-WATER RECORDS

WELL CHARACTERISTICS.--Drilled observation well, depth 74 ft, diameter 4 in., cased to 64 ft, screened from 64 to 74 ft.


DATUM.--Land-surface datum is 28.26 ft above National Geodetic Vertical Datum of 1929. Measuring point: top of instrument shelf, 2.20 ft above land-surface datum, Oct. 29, 1999, to present.

PERIOD OF RECORD.--January 1970 to current year. Continuous record began November 1999.

GAGE.--Water-level recorder collecting data at 60-minute intervals. Satellite telemetry at site.

REMARKS.--Well is part of the Brunswick County ground-water study. Water levels affected by localized pumping.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 20.68 ft below land-surface datum, November 11 1999; lowest water level recorded, 33.35 ft below land-surface datum, February 6, 2007.



335631078003605 Local number BR-082, DENR Southport Research Station well GG32t5, NC-198--
Continued

DEPTH TO WATER LEVEL, FEET BELOW LAND SURFACE
WATER YEAR OCTOBER 2006 TO SEPTEMBER 2007
DAILY MEAN VALUES

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1	25.25	25.22	24.67	24.43	30.34	26.32	27.57	28.03	29.53	29.62	29.11	29.30
2	25.25	26.52	24.68	24.22	28.84	26.24	27.48	28.19	29.19	29.45	29.06	29.32
3	25.27	25.64	24.71	23.92	28.69	26.19	26.93	28.25	28.90	29.47	29.04	29.32
4	25.39	25.33	24.66	23.82	28.58	26.19	26.61	28.33	28.76	29.34	29.02	29.32
5	26.23	25.24	24.60	23.90	31.17	26.28	26.48	28.35	28.71	29.30	29.02	29.34
6	26.84	25.17	24.57	24.00	33.13	26.35	26.41	28.31	28.74	29.30	29.02	29.37
7	27.18	25.04	24.58	24.11	30.84	26.39	26.36	28.22	28.77	29.33	29.04	29.38
8	27.34	24.89	24.63	24.13	30.51	26.42	26.37	27.94	28.78	29.34	29.10	29.39
9	27.27	24.88	24.44	24.19	30.93	26.46	26.29	28.12	28.77	29.31	29.16	29.39
10	27.33	24.89	24.17	25.37	32.25	26.48	26.23	28.13	28.80	29.27	29.17	29.39
11	27.38	24.89	23.92	29.79	30.63	26.50	26.15	28.14	28.82	29.28	29.04	29.41
12	27.44	24.84	23.72	29.31	29.12	26.52	26.08	28.17	28.82	29.30	28.98	29.47
13	27.51	24.83	23.68	28.82	27.42	26.52	26.07	28.27	28.84	29.33	28.91	29.48
14	27.57	24.77	23.78	26.93	26.48	26.54	26.07	28.77	29.02	29.36	28.84	29.49
15	27.64	24.75	23.82	26.45	26.38	26.55	25.97	28.47	29.67	29.35	28.81	29.45
16	27.64	24.73	23.95	26.32	26.38	26.50	25.93	28.49	29.20	29.37	28.79	29.36
17	26.83	24.74	24.11	26.30	26.30	26.49	25.95	28.91	28.92	29.40	28.80	29.29
18	26.16	24.78	24.23	26.26	26.22	26.54	25.97	29.03	28.86	29.44	28.85	29.23
19	25.79	24.81	24.33	27.84	26.21	26.55	25.97	29.09	28.86	29.46	28.89	29.20
20	25.56	24.84	24.43	30.90	26.20	26.55	25.97	29.07	28.87	29.48	28.91	29.08
21	25.45	24.74	24.49	31.76	26.22	26.57	25.98	28.67	28.83	29.49	28.94	28.97
22	25.37	24.67	24.52	32.82	26.23	26.59	26.01	28.56	28.83	29.51	28.97	28.92
23	25.28	24.71	24.50	30.48	26.28	26.59	26.03	28.59	28.84	29.51	29.02	28.91
24	25.63	24.72	24.53	30.56	26.32	26.60	26.04	28.63	28.88	29.53	29.09	28.93
25	26.14	24.72	24.46	30.86	26.31	26.97	26.02	28.64	28.92	29.55	29.15	---
26	27.00	24.71	24.34	32.10	26.29	27.38	26.15	28.66	28.97	29.57	29.20	28.96
27	30.89	24.69	24.40	30.75	26.30	27.63	26.85	28.87	29.05	29.58	29.23	28.97
28	27.03	24.67	24.46	27.70	26.33	27.84	27.36	29.27	29.13	29.58	29.25	28.99
29	25.72	24.68	24.49	30.00	---	27.94	27.68	29.02	29.13	29.42	29.27	29.06
30	25.42	24.69	24.50	31.40	---	27.77	27.89	28.99	29.28	29.26	29.28	29.11
31	25.30	---	24.49	29.59	---	27.62	---	29.40	---	29.17	29.28	---
Mean	26.52	24.93	24.35	27.71	28.10	26.71	26.43	28.57	28.96	29.41	29.04	29.23
Max	30.89	26.52	24.71	32.82	33.13	27.94	27.89	29.40	29.67	29.62	29.28	29.49
Min	25.25	24.67	23.68	23.82	26.20	26.19	25.93	27.94	28.71	29.17	28.79	28.91

Water Year 2007	
Mean	27.49
High	23.68
Low	33.13

335631078003606 Local number BR-083, DENR Southport Research Station well GG32t6.

Surficial aquifer system
Post Miocene (Quaternary + Pliocene) Rocks
Brunswick County, NC

LOCATION.--Lat 33°56'31", long 78°00'35" referenced to North American Datum of 1983, Brunswick County, NC, Hydrologic Unit 03030005, north of Southport, 0.45 mi northeast of Secondary Road 1526 on Secondary Road 1527. Owner: NCDENR (North Carolina Department of Environment and Natural Resources).

GROUND-WATER RECORDS

WELL CHARACTERISTICS.--Drilled observation well, depth 21 ft, diameter 4 in., cased to 11 ft, screened from 11 to 21 ft.


DATUM.--Land-surface datum is 28 ft above National Geodetic Vertical Datum of 1929. Measuring point: top of instrument shelf, 1.27 ft above land-surface datum, October 16, 1997, to present.

PERIOD OF RECORD.--January 1970 to current year. Continuous record began October 1997.

GAGE.--Water-level recorder collecting data at 60-minute intervals. Satellite telemetry at station.

REMARKS.--Well is part of the Brunswick County ground-water study.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 0.13 ft below land-surface datum, September 16, 1999; lowest water level measured, 11.36 ft below land-surface datum, October 10, 1977.



**335631078003606 Local number BR-083, DENR Southport Research Station well
GG32t6--Continued**

**DEPTH TO WATER LEVEL, FEET BELOW LAND SURFACE
WATER YEAR OCTOBER 2006 TO SEPTEMBER 2007
DAILY MEAN VALUES**

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1	6.66	5.87	4.60	3.81	3.93	4.35	5.21	6.27	7.34	7.95	8.11	8.52
2	6.70	5.87	4.66	3.81	3.58	4.37	5.25	6.32	7.36	7.96	8.16	8.54
3	6.74	5.91	4.66	3.84	3.49	4.39	5.29	6.36	7.32	7.99	8.21	8.55
4	6.78	5.91	4.65	3.85	3.47	4.44	5.31	6.41	7.23	8.02	8.25	8.56
5	6.81	5.91	4.69	3.87	3.47	4.50	5.35	6.44	7.33	8.05	8.30	8.58
6	6.84	5.92	4.73	3.88	3.50	4.54	5.37	6.45	7.38	8.08	8.34	8.61
7	6.87	5.85	4.76	3.90	3.53	4.55	5.41	6.47	7.41	8.09	8.38	8.63
8	6.87	5.67	4.84	3.79	3.58	4.56	5.45	6.50	7.44	8.11	8.42	8.65
9	6.37	5.66	4.86	3.71	3.63	4.63	5.48	6.52	7.47	8.13	8.45	8.67
10	6.16	5.62	4.88	3.72	3.68	4.66	5.53	6.48	7.50	8.14	8.48	8.68
11	6.07	5.57	4.92	3.74	3.75	4.70	5.56	6.54	7.52	8.15	8.30	8.70
12	6.04	5.54	4.95	3.77	3.80	4.73	5.60	6.58	7.53	8.16	8.10	8.72
13	6.03	5.50	4.95	3.80	3.83	4.76	5.66	6.60	7.56	8.17	8.07	8.73
14	6.02	5.49	4.93	3.85	3.82	4.77	5.70	6.65	7.59	8.18	8.06	8.74
15	6.02	5.48	4.94	3.88	3.87	4.78	5.69	6.69	7.62	8.20	8.05	8.75
16	6.02	5.47	4.98	3.92	3.91	4.77	5.72	6.73	7.65	8.22	8.05	8.68
17	6.02	5.46	5.00	4.00	3.95	4.70	5.75	6.76	7.67	8.24	8.06	8.70
18	6.02	5.46	5.03	3.98	3.96	4.77	5.78	6.78	7.70	8.27	8.08	8.74
19	6.03	5.48	5.05	3.98	4.03	4.83	5.81	6.83	7.72	8.30	8.12	8.75
20	6.04	5.50	5.09	4.05	4.08	4.87	5.85	6.87	7.74	8.32	8.16	8.66
21	6.09	5.23	5.11	4.09	4.11	4.90	5.88	6.92	7.74	8.33	8.20	8.47
22	6.12	4.77	5.12	3.97	4.14	4.92	5.93	6.96	7.75	8.33	8.25	8.49
23	6.14	4.55	5.09	3.89	4.17	4.95	5.97	6.98	7.76	8.36	8.31	8.50
24	6.18	4.48	5.10	3.86	4.20	4.98	5.98	7.03	7.79	8.39	8.35	8.51
25	6.23	4.48	4.83	3.86	4.20	5.01	6.02	7.08	7.82	8.42	8.41	---
26	6.27	4.47	3.91	3.91	4.24	5.03	6.06	7.12	7.85	8.42	8.44	8.53
27	6.26	4.47	3.80	3.93	4.29	5.05	6.11	7.14	7.87	8.45	8.45	8.55
28	5.95	4.48	3.78	3.91	4.33	5.08	6.15	7.18	7.89	8.47	8.46	8.57
29	5.98	4.53	3.79	3.97	---	5.10	6.19	7.23	7.91	8.28	8.47	8.60
30	5.93	4.58	3.80	4.00	---	5.12	6.25	7.27	7.94	8.05	8.49	8.65
31	5.89	---	3.83	4.04	---	5.16	---	7.30	---	8.07	8.51	---
Mean	6.26	5.31	4.69	3.89	3.88	4.77	5.71	6.76	7.61	8.20	8.27	8.62
Max	6.87	5.92	5.12	4.09	4.33	5.16	6.25	7.30	7.94	8.47	8.51	8.75
Min	5.89	4.47	3.78	3.71	3.47	4.35	5.21	6.27	7.23	7.95	8.05	8.47

Water Year 2007	
Mean	6.17
High	3.47
Low	8.75

335849078054301 Local number BR-100; Well 15A.

Castle Hayne aquifer
Castle Hayne Formation
Brunswick County, NC

LOCATION.--Lat 33°58'49", long 78°05'43" referenced to North American Datum of 1983, Brunswick County, NC, Hydrologic Unit 03030005, west of Southport on North Carolina Highway 211, 1.82 mi northwest of intersection with North Carolina Highway 133. Owner: Brunswick County.

GROUND-WATER RECORDS

WELL CHARACTERISTICS.--Drilled observation well, depth 158.3 ft, diameter 6 in.; cased to 60 ft, open hole from 60 ft to 158.3 ft.


DATUM.--Land-surface datum is 56 ft above National Geodetic Vertical Datum of 1929 (from topographic map).
Measuring point: top of instrument shelf, 2.42 ft above land-surface datum, October 19, 1999, to present.

PERIOD OF RECORD.--February 1999 to current year.

GAGE.--Water-level recorder collecting data at 15-minute intervals. Satellite telemetry at station.

REMARKS.--Water levels are affected by pumping of Brunswick County Water Supply Well 15, located nearby. Well is part of the Brunswick County ground-water study.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 8.30 ft below land-surface datum, April 1, 2000; lowest water level recorded, 52.32 ft below land-surface datum, July 3, 2007.



335849078054301 Local number BR-100; Well 15A--Continued

**DEPTH TO WATER LEVEL, FEET BELOW LAND SURFACE
WATER YEAR OCTOBER 2006 TO SEPTEMBER 2007
DAILY MEAN VALUES**

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1	49.44	33.56	33.12	44.50	43.25	44.52	43.15	48.29	51.82	52.13	51.94	51.61
2	49.66	33.56	33.25	44.65	43.02	44.20	39.89	48.46	51.67	52.25	51.96	51.69
3	49.77	33.84	33.24	44.71	43.28	44.18	42.77	48.80	51.34	52.29	51.93	51.64
4	44.99	33.93	33.28	44.63	43.33	44.23	42.93	49.08	51.51	52.27	51.87	51.57
5	37.47	33.86	33.33	44.52	43.33	44.28	43.08	49.24	51.58	52.21	51.85	51.63
6	36.31	33.73	33.23	44.51	43.33	44.27	43.14	49.29	51.75	52.07	50.57	51.74
7	35.75	33.42	33.04	44.59	43.06	44.01	43.21	49.54	44.79	51.96	44.34	51.73
8	35.39	33.11	33.30	44.37	43.12	44.10	43.40	49.60	39.96	51.93	51.17	51.63
9	35.07	33.25	33.32	44.44	43.11	44.20	43.41	49.74	39.32	51.96	51.53	51.55
10	34.84	33.49	33.23	44.61	43.14	44.12	43.43	49.87	38.98	51.95	51.67	51.60
11	34.58	33.48	39.33	44.68	43.26	44.09	43.36	50.00	45.43	51.93	51.78	51.53
12	34.26	33.44	44.85	44.50	43.23	44.03	43.33	50.13	50.87	51.95	51.87	51.58
13	34.17	33.48	45.20	44.31	43.04	43.77	36.04	50.30	51.23	51.99	51.31	51.65
14	34.07	33.31	45.30	44.24	42.87	43.65	40.82	50.60	51.44	52.02	51.75	51.60
15	34.00	33.27	45.26	44.19	43.18	43.56	43.65	50.42	51.63	52.00	51.84	51.53
16	33.93	33.19	45.45	44.17	43.27	43.36	40.25	50.59	51.75	52.05	51.82	51.68
17	33.68	33.39	45.52	44.52	43.25	43.40	42.02	50.63	51.83	52.08	51.64	51.72
18	33.52	33.42	45.44	44.37	43.18	43.51	44.40	50.75	51.92	52.03	51.72	51.70
19	33.46	33.40	45.40	44.17	43.46	43.56	44.73	50.90	51.96	51.97	51.75	51.64
20	33.35	33.45	45.53	44.28	43.30	43.45	44.70	50.96	51.96	51.93	51.73	51.60
21	33.54	33.34	45.51	44.28	43.20	43.47	44.63	51.06	52.03	52.03	51.72	51.60
22	33.48	33.16	45.35	44.01	43.19	43.40	45.19	51.22	51.97	52.11	51.72	51.60
23	33.42	33.29	45.26	44.09	43.37	43.32	45.69	51.36	51.98	52.11	51.72	51.60
24	33.55	33.30	45.43	43.90	43.50	43.29	46.11	51.43	52.11	52.14	51.69	51.62
25	33.67	33.31	45.14	43.63	43.31	43.29	46.58	51.48	52.21	52.12	51.62	51.62
26	33.70	33.28	44.94	43.66	43.51	43.32	46.99	51.55	52.21	52.09	51.60	51.56
27	33.55	33.30	45.13	43.46	44.34	43.19	47.24	51.63	52.14	52.01	51.64	51.18
28	33.25	33.48	45.21	43.19	44.59	43.15	47.50	51.71	52.10	51.92	51.62	51.03
29	33.58	33.43	45.14	43.48	---	43.25	47.79	51.76	52.11	51.90	51.58	51.08
30	33.65	33.31	44.96	43.45	---	43.28	48.05	51.81	52.11	51.91	51.50	51.02
31	33.59	---	44.77	43.44	---	43.18	---	51.86	---	51.91	51.50	---
Mean	36.02	33.43	41.18	44.18	43.32	43.70	43.92	50.45	50.12	52.04	51.42	51.55
Max	49.77	33.93	45.53	44.71	44.59	44.52	48.05	51.86	52.21	52.29	51.96	51.74
Min	33.25	33.11	33.04	43.19	42.87	43.15	36.04	48.29	38.98	51.90	44.34	51.02

Water Year 2007	
Mean	45.13
High	33.04
Low	52.29

340743078202002 Local number BR-106; DENR Bear Pen Research Station well EE36k5

Northern Atlantic Coastal Plain aquifer system
Black Creek Aquifer
Brunswick County, NC

LOCATION.--Lat 34°07'43", long 78°20'20" referenced to North American Datum of 1983, Brunswick County, NC, Hydrologic Unit 03040206, 9 mi north of Supply on Federal Road, near North Carolina Forest Service airstrip. Owner: NCDENR (North Carolina Department of Environment and Natural Resources).

GROUND-WATER RECORDS

WELL CHARACTERISTICS.--Drilled observation well, depth 654 ft, diameter 2.5 in.; cased to 644 ft, screened interval from 644 to 654 ft.


DATUM.--Land-surface datum is 61.5 ft above National Geodetic Vertical Datum of 1929. Measuring point: top of casing, 3.56 ft above land-surface datum, Oct. 18, 1999, to present.

PERIOD OF RECORD.--January 1974 to January 2008 (discontinued). Continuous record October 1999 to December 2007.

GAGE.--Water-level recorder collecting data at 60-minute intervals. Satellite telemetry at station.

REMARKS.--Well is part of Brunswick County ground-water study.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 15.03 ft below land-surface datum, July 9, 1975; lowest water level measured, 30.98 ft below land-surface datum, January 8, 2008.



**340743078202002 Local number BR-106; DENR Bear Pen Research Station well EE36k5
--Continued**

**DEPTH TO WATER LEVEL, FEET BELOW LAND SURFACE
WATER YEAR OCTOBER 2006 TO SEPTEMBER 2007
DAILY MEAN VALUES**

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1	---	29.87	29.86	29.86	29.88	30.01	30.12	30.16	30.30	30.37	30.53	30.73
2	---	29.87	29.88	29.89	29.85	29.98	30.12	30.18	30.29	30.39	30.55	30.74
3	---	29.91	29.89	29.91	29.89	30.00	30.12	30.18	30.21	30.40	30.56	30.75
4	---	29.93	29.89	29.89	29.91	30.01	30.10	30.19	30.23	30.41	30.57	30.75
5	---	29.92	29.90	29.87	29.92	30.04	30.11	30.19	30.24	30.41	30.57	30.76
6	---	29.91	29.89	29.85	29.93	30.06	30.12	30.17	30.26	30.41	30.56	30.78
7	---	29.87	29.88	29.87	29.91	30.05	30.12	30.18	30.29	30.41	30.57	30.79
8	---	29.81	29.92	29.84	29.92	30.06	30.15	30.17	30.29	30.39	30.57	30.78
9	---	29.83	29.93	29.86	29.93	30.08	30.15	30.16	30.28	30.41	30.57	30.78
10	---	29.86	29.93	29.90	29.94	30.07	30.15	30.16	30.29	30.42	30.57	30.80
11	---	29.86	29.93	29.93	29.97	30.07	30.13	30.16	30.30	30.42	30.55	30.80
12	---	29.85	29.93	29.93	29.96	30.09	30.12	30.17	30.30	30.43	30.57	30.80
13	---	29.86	29.91	29.92	29.93	30.09	30.15	30.18	30.29	30.45	30.58	30.81
14	---	29.86	29.90	29.92	29.90	30.09	30.16	30.21	30.29	30.45	30.59	30.81
15	---	29.86	29.89	29.90	29.94	30.08	30.06	30.21	30.31	30.45	30.60	30.81
16	---	29.83	29.92	29.90	29.95	30.04	30.05	30.20	30.32	30.47	30.62	30.84
17	---	29.85	29.93	29.95	29.94	30.05	30.06	30.20	30.32	30.48	30.62	30.85
18	---	29.85	29.93	29.92	29.95	30.09	30.07	30.18	30.33	30.48	30.64	30.85
19	---	29.85	29.94	29.89	29.99	30.11	30.09	30.20	30.34	30.49	30.66	30.85
20	---	29.86	29.96	29.91	29.97	30.09	30.11	30.20	30.34	30.49	30.66	30.84
21	---	29.82	29.95	29.91	29.96	30.10	30.13	30.22	30.34	30.51	30.66	30.83
22	---	29.78	29.92	29.85	29.97	30.10	30.14	30.24	30.33	30.53	30.68	30.85
23	---	29.80	29.82	29.86	30.00	30.09	30.15	30.26	30.35	30.54	30.68	30.85
24	---	29.83	29.83	29.86	30.01	30.09	30.14	30.27	30.37	30.54	30.67	30.86
25	---	29.85	29.79	29.86	29.99	30.10	30.14	30.27	30.39	30.55	30.68	30.87
26	---	29.86	29.77	29.89	29.98	30.11	30.14	30.27	30.39	30.56	30.69	30.86
27	---	29.87	29.83	29.88	30.00	30.10	30.14	30.27	30.40	30.55	30.69	30.85
28	---	29.87	29.87	29.85	30.02	30.10	30.14	30.28	30.40	30.55	30.70	30.86
29	---	29.88	29.89	29.90	---	30.13	30.15	30.29	30.40	30.54	30.71	30.87
30	---	29.87	29.89	29.90	---	30.13	30.16	30.30	30.38	30.52	30.70	30.88
31	29.88	---	29.88	29.91	---	30.12	---	30.30	---	30.51	30.71	---
Mean	29.88	29.86	29.89	29.89	29.95	30.08	30.12	30.21	30.32	30.47	30.62	30.82
Max	29.88	29.93	29.96	29.95	30.02	30.13	30.16	30.30	30.40	30.56	30.71	30.88
Min	29.88	29.78	29.77	29.84	29.85	29.98	30.05	30.16	30.21	30.37	30.53	30.73

Water Year 2007	
Mean	30.20
High	29.77
Low	30.88

340743078202006 Local number BR-107; DENR Bear Pen Research Station well EE36k6.

Northern Atlantic Coastal Plain aquifer system
Peedee Formation
Brunswick County, NC

LOCATION.--Lat 34°07'43", long 78°20'20" referenced to North American Datum of 1983, Brunswick County, NC, Hydrologic Unit 03040206, 9 mi north of Supply on Federal Road, near North Carolina Forest Service airstrip. Owner: NCDENR (North Carolina Department of Environment and Natural Resources).

GROUND-WATER RECORDS

WELL CHARACTERISTICS.--Drilled observation well, depth 110 ft, diameter 4 in.; cased to 48 ft, open interval from 48 to 110 ft.


DATUM.--Land-surface datum is 61 ft above National Geodetic Vertical Datum of 1929. Measuring point: top of instrument shelf, 0.69 ft above land-surface datum.

PERIOD OF RECORD.--August 1999 to January 2008 (discontinued). Continuous record April 2000 to January 2008.

GAGE.--Water-level recorder collecting data at 60-minute intervals. Satellite telemetry at station.

REMARKS.--Well is part of Brunswick County ground-water study. Water-level data may be influenced by local pumping.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 6.35 ft below land-surface datum, January 8, 2007; lowest water level recorded, 13.29 ft below land-surface datum, October 10, 2007.



340743078202006 Local number BR-107; DENR Bear Pen Research Station well EE36k6
--Continued

DEPTH TO WATER LEVEL, FEET BELOW LAND SURFACE
WATER YEAR OCTOBER 2006 TO SEPTEMBER 2007
DAILY MEAN VALUES

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1	7.42	7.44	6.61	6.44	6.57	7.09	7.78	8.13	9.20	9.42	10.27	10.62
2	7.53	7.40	6.68	6.50	6.48	7.02	7.83	8.23	9.25	9.40	10.15	10.71
3	7.62	7.45	6.71	6.55	6.54	7.04	7.89	8.31	9.07	9.38	10.06	10.76
4	7.69	7.48	6.72	6.53	6.54	7.07	7.90	8.39	9.04	9.39	10.0	10.82
5	7.75	7.47	6.75	6.49	6.55	7.11	8.00	8.43	8.98	9.40	9.98	10.92
6	7.81	7.47	6.76	6.45	6.56	7.15	8.07	8.41	8.93	9.44	9.96	11.02
7	7.86	7.37	6.75	6.46	6.51	7.14	8.14	8.39	8.90	9.49	9.94	11.09
8	7.87	7.23	6.86	6.38	6.57	7.17	8.25	8.35	8.87	9.48	9.97	11.15
9	7.77	7.22	6.90	6.39	6.60	7.22	8.30	8.32	8.85	9.49	9.93	11.21
10	7.67	7.23	6.92	6.45	6.64	7.23	8.36	8.30	8.88	9.50	9.90	11.30
11	7.57	7.20	6.94	6.51	6.72	7.26	8.37	8.29	8.87	9.52	9.82	11.36
12	7.51	7.14	6.96	6.51	6.74	7.31	8.40	8.30	8.84	9.56	9.77	11.44
13	7.52	7.12	6.96	6.51	6.71	7.34	8.52	8.31	8.78	9.63	9.67	11.48
14	7.54	7.10	6.97	6.53	6.64	7.36	8.57	8.36	8.73	9.70	9.64	11.52
15	7.58	7.10	6.97	6.53	6.72	7.39	8.36	8.37	8.70	9.75	9.70	11.54
16	7.63	7.04	7.05	6.56	6.73	7.34	8.24	8.37	8.69	9.83	9.69	11.62
17	7.63	7.03	7.11	6.69	6.73	7.34	8.09	8.40	8.69	9.91	9.71	11.68
18	7.62	7.00	7.14	6.66	6.73	7.37	7.94	8.38	8.73	9.97	9.78	11.72
19	7.62	6.97	7.16	6.60	6.83	7.38	7.85	8.39	8.77	10.03	9.85	11.76
20	7.62	6.96	7.22	6.64	6.81	7.52	7.80	8.36	8.82	10.10	9.91	11.77
21	7.72	6.84	7.24	6.65	6.81	7.56	7.77	8.38	8.85	10.20	9.98	11.79
22	7.75	6.67	7.20	6.52	6.82	7.42	7.75	8.44	8.88	10.30	10.06	11.81
23	7.78	6.65	6.97	6.51	6.91	7.39	7.75	8.52	8.93	10.44	10.14	11.83
24	7.84	6.62	6.89	6.50	6.97	7.42	7.74	8.59	9.03	10.48	10.17	11.86
25	7.91	6.61	6.69	6.47	6.94	7.46	7.74	8.64	9.14	10.55	10.21	11.88
26	7.97	6.60	6.54	6.52	6.94	7.52	7.78	8.71	9.22	10.62	10.27	11.90
27	7.94	6.59	6.55	6.51	7.01	7.53	7.81	8.79	9.28	10.64	10.33	11.91
28	7.73	6.60	6.56	6.46	7.08	7.57	7.87	8.87	9.35	10.66	10.37	11.95
29	7.71	6.62	6.55	6.56	---	7.66	7.95	8.95	9.43	10.66	10.42	12.06
30	7.61	6.62	6.52	6.57	---	7.71	8.04	9.04	9.47	10.59	10.46	12.11
31	7.52	---	6.49	6.61	---	7.73	---	9.12	---	10.42	10.52	---
Mean	7.69	7.03	6.85	6.52	6.73	7.35	8.03	8.48	8.97	9.93	10.02	11.49
Max	7.97	7.48	7.24	6.69	7.08	7.73	8.57	9.12	9.47	10.66	10.52	12.11
Min	7.42	6.59	6.49	6.38	6.48	7.02	7.74	8.13	8.69	9.38	9.64	10.62

Water Year 2007	
Mean	8.26
High	6.38
Low	12.11

335334078352102 Local number BR-116; DENR Calabash Research Station well HH39j3.

Northern Atlantic Coastal Plain aquifer system
Black Creek Aquifer
Brunswick County, NC

LOCATION.--Lat 33°53'34", long 78°35'21" referenced to North American Datum of 1983, Brunswick County, NC, Hydrologic Unit 03040207, .75 mi west of Country Club Drive on Carolina Shores Drive. Owner: NCDENR (North Carolina Department of Environment and Natural Resources).

GROUND-WATER RECORDS

WELL CHARACTERISTICS.--Drilled observation well, depth 660 ft, diameter 6 in.; cased to 644 ft and from 654 to 660 ft, screened interval from 644 to 654 ft.


DATUM.--Land-surface datum is 47.59 ft above National Geodetic Vertical Datum of 1929. Measuring point: top of casing, 2.79 ft above land-surface datum, May 3, 1974, to present..

PERIOD OF RECORD.--May 1973 to January 2008 (discontinued). Continuous record October 1999 to January 2008.

GAGE.--Water-level recorder collecting data at 60-minute intervals. Satellite telemetry at station.

REMARKS.--Well is part of Brunswick County ground-water study.

EXTREMES FOR PERIOD OF RECORD.--Highest water level measured, 13.79 ft below land-surface datum, May 7, 1973; lowest water level measured, 53.00 ft below land-surface datum, November 11, 1991.



**335334078352102 Local number BR-116; DENR Calabash Research Station well
HH39j3—Continued**

**DEPTH TO WATER LEVEL, FEET BELOW LAND SURFACE
WATER YEAR OCTOBER 2006 TO SEPTEMBER 2007
DAILY MEAN VALUES**

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1	42.24	42.19	42.14	42.02	42.06	42.13	42.23	42.34	42.55	42.61	42.93	43.21
2	42.27	42.18	42.16	42.05	41.96	42.05	42.23	42.34	42.54	42.63	42.96	43.24
3	42.29	42.24	42.18	42.10	42.02	42.08	42.23	42.35	42.34	42.64	42.97	43.25
4	42.29	42.27	42.16	42.08	42.07	42.11	42.20	42.37	42.34	42.66	43.00	43.26
5	42.28	42.27	42.18	42.04	42.08	42.15	42.20	42.37	42.38	42.67	43.00	43.28
6	42.26	42.25	42.18	42.01	42.11	42.18	42.21	42.36	42.42	42.67	43.01	43.32
7	42.28	42.15	42.15	42.05	42.07	42.18	42.20	42.38	42.47	42.67	43.02	43.33
8	42.27	42.02	42.20	42.02	42.08	42.17	42.25	42.36	42.48	42.68	43.03	43.33
9	42.20	42.04	42.24	42.04	42.09	42.20	42.26	42.35	42.46	42.69	43.04	43.33
10	42.17	42.10	42.24	42.10	42.10	42.19	42.27	42.35	42.46	42.70	43.05	43.35
11	42.16	42.12	42.23	42.15	42.13	42.19	42.24	42.32	42.45	42.71	43.05	43.36
12	42.15	42.10	42.22	42.16	42.14	42.20	42.20	42.34	42.46	42.71	43.09	43.37
13	42.18	42.11	42.20	42.15	42.10	42.20	42.26	42.36	42.47	42.72	43.09	43.36
14	42.21	42.12	42.19	42.14	42.01	42.20	42.27	42.41	42.48	42.74	43.08	43.35
15	42.24	42.12	42.16	42.12	42.07	42.18	42.16	42.42	42.49	42.69	43.10	43.35
16	42.27	42.09	42.19	42.11	42.08	42.11	42.15	42.40	42.51	42.71	43.13	43.39
17	42.25	42.10	42.23	42.17	42.08	42.09	42.19	42.39	42.52	42.74	43.15	43.42
18	42.21	42.13	42.23	42.15	42.07	42.15	42.19	42.37	42.54	42.77	43.17	43.44
19	42.21	42.14	42.22	42.08	42.13	42.19	42.21	42.39	42.55	42.78	43.20	43.44
20	42.19	42.14	42.25	42.10	42.12	42.19	42.24	42.40	42.55	42.78	43.21	43.42
21	42.23	42.11	42.25	42.12	42.09	42.21	42.27	42.41	42.52	42.80	43.22	43.41
22	42.23	42.05	42.21	42.02	42.08	42.21	42.29	42.45	42.53	42.84	43.23	43.42
23	42.21	42.09	42.05	42.00	42.11	42.20	42.31	42.48	42.54	42.85	43.24	43.45
24	42.24	42.12	42.06	42.02	42.14	42.21	42.30	42.51	42.58	42.87	43.22	43.47
25	42.27	42.13	42.03	42.03	42.12	42.21	42.29	42.52	42.61	42.88	43.22	43.49
26	42.29	42.15	41.95	42.06	42.08	42.24	42.29	42.52	42.63	42.89	43.23	43.49
27	42.25	42.15	42.02	42.06	42.10	42.23	42.28	42.53	42.64	42.89	43.24	43.49
28	42.09	42.15	42.09	42.01	42.13	42.22	42.28	42.54	42.64	42.89	43.17	43.48
29	42.15	42.17	42.12	42.06	---	42.24	42.30	42.54	42.64	42.90	43.17	43.53
30	42.19	42.16	42.12	42.08	---	42.26	42.32	42.55	42.64	42.91	43.17	43.56
31	42.20	---	42.10	42.09	---	42.24	---	42.55	---	42.91	43.17	---
Mean	42.22	42.14	42.16	42.08	42.09	42.18	42.24	42.42	42.51	42.76	43.11	43.39
Max	42.29	42.27	42.25	42.17	42.14	42.26	42.32	42.55	42.64	42.91	43.24	43.56
Min	42.09	42.02	41.95	42.00	41.96	42.05	42.15	42.32	42.34	42.61	42.93	43.21

Water Year 2007	
Mean	42.44
High	41.95
Low	43.56

**335334078352106 Local number BR-123; DENR Calabash Research Station well
HH39j7**

Surficial aquifer system
Post Miocene (Quaternary + Pliocene) Rocks
Brunswick County, NC

LOCATION.--Lat 33°53'34", long 78°35'21" referenced to North American Datum of 1983, Brunswick County, NC, Hydrologic Unit 03040207, .75 miles west of Country Club Drive on Carolina Shores Drive. Owner: NCDENR (North Carolina Department of Environment and Natural Resources).

GROUND-WATER RECORDS

WELL CHARACTERISTICS.--Drilled observation well, depth 56 ft, diameter 4 in., cased to 46 ft, screened interval from 46 to 56 ft.


DATUM.--Land-surface datum is 47.28 ft above National Geodetic Vertical Datum of 1929. Measuring point: top of instrument shelf, 1.97 ft above land-surface datum, April 14, 1999, to present.

PERIOD OF RECORD.--April 1999 to current year. Continuous record began October 2000.

GAGE.--Water-level recorder collecting data at 60-minute intervals. Satellite telemetry at station.

REMARKS.--Well is part of Brunswick County ground-water study. Water levels may be affected by local pumping.

EXTREMES FOR PERIOD OF RECORD.--Highest water level recorded, 0.49 ft below land-surface datum, October 8, 2005; lowest water level recorded, 23.12 ft below land-surface datum, May 11, 2001.



**335334078352106 Local number BR-123; DENR Calabash Research Station well
HH39j7--Continued**

**DEPTH TO WATER LEVEL, FEET BELOW LAND SURFACE
WATER YEAR OCTOBER 2006 TO SEPTEMBER 2007
DAILY MEAN VALUES**

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1	3.54	3.32	---	0.84	1.32	2.22	3.10	4.05	5.03	5.19	6.06	6.19
2	3.62	---	---	1.02	0.59	2.13	3.13	4.09	5.01	5.22	6.10	6.22
3	3.68	---	---	1.23	0.72	2.22	3.17	4.14	4.44	5.27	6.12	6.28
4	3.72	---	---	1.34	0.88	2.33	3.18	4.16	4.37	5.31	6.13	6.34
5	3.75	---	---	1.22	1.06	2.38	3.26	4.18	4.39	5.34	6.16	6.42
6	3.80	---	---	0.93	1.17	2.42	3.30	4.22	4.43	5.37	6.19	6.48
7	3.82	---	---	1.06	1.20	2.43	3.34	4.26	4.46	5.40	6.22	6.54
8	3.81	---	---	0.99	1.38	2.49	3.37	4.30	4.48	5.40	6.24	6.59
9	3.54	---	---	1.15	1.48	2.53	3.39	4.32	4.54	5.41	6.28	6.63
10	---	---	---	1.40	1.59	2.54	3.42	4.34	4.62	5.44	6.30	6.66
11	3.46	---	---	1.53	1.69	2.59	3.40	4.32	4.54	5.50	6.32	6.68
12	3.54	---	---	1.61	1.73	2.63	3.44	4.36	4.57	5.52	6.34	6.68
13	3.63	---	---	1.66	1.69	2.66	3.52	4.40	4.64	5.55	6.35	6.51
14	3.69	---	---	1.71	1.18	2.68	3.54	4.45	4.68	5.58	6.35	6.40
15	---	---	---	1.74	1.38	2.71	3.34	4.49	4.73	5.42	6.36	6.41
16	---	---	---	1.79	1.53	2.39	3.28	4.53	4.78	5.43	6.40	6.46
17	---	---	---	1.86	1.63	2.23	3.38	4.54	4.85	---	6.43	6.55
18	3.86	---	---	1.66	1.74	2.42	3.45	4.46	4.91	---	6.46	6.61
19	3.86	---	---	1.52	1.87	2.56	3.51	4.49	4.97	---	6.48	6.65
20	3.90	---	---	1.71	1.86	2.66	3.58	4.55	5.00	---	6.51	6.63
21	3.96	---	3.12	1.80	1.87	2.73	3.62	4.60	4.98	---	6.54	6.54
22	3.94	---	2.97	0.96	1.87	2.75	3.66	4.65	5.03	---	6.56	6.55
23	3.97	---	1.42	0.79	2.00	2.79	3.70	4.69	5.08	---	6.58	6.59
24	4.07	---	1.45	0.92	2.06	2.83	3.73	4.72	5.11	---	6.57	6.65
25	4.06	---	1.08	1.07	2.03	2.88	3.77	4.76	5.12	5.87	6.59	6.70
26	4.00	---	0.68	1.27	2.09	2.91	3.80	4.80	5.15	5.90	6.61	6.71
27	3.90	---	0.91	1.35	2.17	2.93	3.83	4.84	5.18	5.93	6.55	6.73
28	3.01	---	1.09	1.24	2.22	2.97	3.87	4.88	5.21	5.95	6.17	6.75
29	3.08	---	1.23	1.43	---	3.01	3.94	4.91	5.25	5.98	6.16	6.78
30	3.11	---	1.34	1.55	---	3.03	4.00	4.95	5.26	6.01	6.16	6.80
31	3.19	---	1.34	1.66	---	3.06	---	4.99	---	6.02	6.18	---
Mean	3.69	3.32	1.51	1.36	1.57	2.62	3.50	4.50	4.83	5.57	6.34	6.56
Max	4.07	3.32	3.12	1.86	2.22	3.06	4.00	4.99	5.26	6.02	6.61	6.80
Min	3.01	3.32	0.68	0.79	0.59	2.13	3.10	4.05	4.37	5.19	6.06	6.19

Water Year 2007	
Mean	3.94
High	0.59
Low	6.80

Prepared by:

USGS Enterprise Publishing Network
Raleigh Publishing Service Center
3916 Sunset Ridge Road
Raleigh, NC 27607

For additional information regarding this publication, contact:

Kristen B. McSwain, Hydrologist
USGS North Carolina Water Science Center
3916 Sunset Ridge Road
Raleigh, NC 27607
phone: 919-571-4022
email: kmcswain@usgs.gov

Or visit the North Carolina Water Science Center website at:

<http://nc.water.usgs.gov>

This publication is available online at:

<http://pubs.water.usgs.gov/ofr2008-1307>

