

Chapter D

Resource Assessment


Edited by J.R. Hatch and R.H. Affolter

Chapter D of

Resource Assessment of the Springfield, Herrin, Danville, and Baker Coals in the Illinois Basin

Edited by J.R. Hatch and R.H. Affolter

U.S. Geological Survey Professional Paper 1625–D



[Click here to return to Disc 1
Volume Table of Contents](#)

Contents

- Introduction, by J.R. Hatch and R.H. Affolter..... D1
- Illinois Basin Coal Production, by J.R. Hatch and R.H. Affolter..... 2
 - Springfield, Herrin, Danville, and Baker Coals 2
 - Coal Production from Surface and Underground Mines 2
 - References Cited—Coal Production..... 3
- Previous Resource Assessments of Illinois Basin Coals, by
J.R. Hatch and R.H. Affolter 9
 - Illinois 9
 - Indiana 10
 - Western Kentucky..... 11
 - Summary..... 12
 - References Cited—Previous Assessments..... 12
 - General..... 12
 - Illinois 13
 - Indiana 14
 - Western Kentucky..... 15
- Remaining Resources of the Springfield, Herrin, Danville, and
Baker Coals, by J.R. Hatch, C.L. Connolly, C.G. Treworgy,
W.A. Andrews, G.A. Weisenfluh, and R.H. Affolter 17
 - Methodology 17
 - Resource Categories 17
 - Thickness..... 17
 - Overburden..... 17
 - Reliability 17
 - Data Analysis 17
 - Illinois 17
 - Indiana 17
 - Western Kentucky..... 18
 - Coal Resource Assessment Results 18
 - References Cited—Remaining Resources 18
- Confidence Limits for Resource Estimates of Illinois Basin Coals, by
J.H. Schuenemeyer, H.C. Power, and J.R. Hatch 29
 - Methodology 29
 - Results..... 29
 - Discussion 29
 - Reference Cited—Confidence Limits 29

Availability and Recoverability of Illinois Basin Coals, by L.M. Osmonson, C.G. Treworgy, C.L. Connolly, W.A. Andrews, G.A. Weisenfluh, M.D. Carter, and J.R. Hatch	D34
Introduction	34
Coal Availability.....	34
Results	34
Illinois.....	34
Indiana	34
Western Kentucky	35
Coal Recoverability	35
Results	35
Illinois.....	35
Indiana	35
Western Kentucky	35
Summary	35
References Cited—Coal Availability and Recoverability	44
General.....	44
Illinois	44
Indiana.....	44
Western Kentucky.....	45
Appendixes	
1. Estimated remaining resources of the Springfield Coal in Illinois, Indiana, and western Kentucky	47
2. Estimated remaining resources of the Herrin Coal in Illinois and western Kentucky	54
3. Estimated remaining resources of the Danville Coal in Illinois and Indiana, and the Baker coal in western Kentucky.....	61

Figures

1. Graph showing annual coal production (million short tons) in Illinois, Indiana, and western Kentucky between 1890 and 1998.....	D3
2–4. Maps showing mined-out areas:	
2. Springfield Coal in Illinois, Indiana, and Kentucky.....	4
3. Herrin Coal in Illinois, Indiana, and Kentucky	5
4. Danville Coal Member in Illinois and Indiana, and the Baker coal in Kentucky.....	6
5. Graph showing annual coal production (million short tons) from the Springfield, Herrin, and Danville Coal Members in Illinois between 1890 and 1997	7
6. Graph showing annual coal production (million short tons) from underground and surface mines in western Kentucky between 1922 and 1998	8
7. Map showing mining areas of the Illinois Basin and the extent of coal-bearing rocks in Illinois, Indiana, and western Kentucky.....	19
8. Histogram showing remaining, identified coal resources (million short tons) of the Springfield, Herrin, and Danville-Baker Coals in Illinois, Indiana, and western Kentucky, summarized by thickness	20
9. Histogram showing remaining, identified coal resources (>42 in. thick, million short tons) of the Springfield Coal in Illinois, Indiana, and western Kentucky, summarized by mining area and by overburden thickness (coal depth).....	20
10. Map showing thickness of the Springfield Coal in Illinois, Indiana, and western Kentucky.....	21
11. Histogram showing remaining, identified coal resources (>42 in. thick, million short tons) of the Herrin Coal in Illinois and western Kentucky, summarized by mining area and by overburden thickness (coal depth)	22

12.	Map showing thickness of the Herrin Coal in Illinois, Indiana, and western Kentucky	D23
13.	Histogram showing remaining, identified coal resources (>42 in. thick, million short tons) of the Danville Coal Member in Illinois and Indiana, and the Baker coal in western Kentucky, summarized by mining area and by overburden thickness (coal depth).....	24
14.	Map showing thickness of the Danville Coal Member in Illinois and Indiana, and the Baker coal in western Kentucky	25
15.	Graph showing range in percent uncertainty (at the 90 percent confidence level) for coal resource reliability categories from Illinois, Indiana, and western Kentucky	33
16.	Map showing land use that can limit coal mining in the Seelyville 7.5-minute quadrangle, Indiana.....	36
17.	Diagram illustrating some of the technological restrictions on mining	37
18.	Map of the Illinois Basin showing county boundaries and locations of the 7.5-minute quadrangles studied for coal availability and coal recoverability.....	38
19–27.	Charts:	
19.	Results from coal availability studies for 19 representative 7.5-minute quadrangles in Illinois	39
20.	Effects of restrictions on available coal resources for the Danville, Davis, Herrin, Seelyville, and Springfield Coal Members in 19 representative 7.5-minute quadrangles in Illinois.....	39
21.	Results from coal availability studies for 10 representative 7.5-minute quadrangles in Indiana.....	40
22.	Effects of restrictions on available coal resources for the Danville, Hymera, Seelyville, Springfield, and Survant Coal Members in 10 representative 7.5-minute quadrangles in Indiana	40
23.	Results from coal availability studies for 12 representative 7.5-minute quadrangles in western Kentucky.....	41
24.	Effects of restrictions on available coal resources for the Baker, Davis, Herrin, Paradise, and Springfield coals in 12 representative 7.5-minute quadrangles in western Kentucky.....	41
25.	Results from coal availability and coal recoverability studies for eight 7.5-minute quadrangles in Illinois.....	42
26.	Results from coal availability and coal recoverability studies for three 7.5-minute quadrangles in Indiana	42
27.	Results from coal availability and coal recoverability studies for five 7.5-minute quadrangles in western Kentucky	43

Tables

1.	Estimated remaining resources of the principal coals in Illinois (Cady, 1952).....	D9
2.	Estimated remaining resources of the principal coals in Illinois (Hopkins and Simon, 1974).....	9
3.	Estimated resources of surface-mineable and deep-mineable coal for the principal coals in Illinois.....	10
4–7.	Estimated remaining resources:	
4.	Principal coals in Illinois	10
5.	Principal coals in Indiana as of January 1, 1951	11
6.	Principal coals in western Kentucky as of January 1, 1976	11
7.	Springfield, Herrin, and Baker coals in western Kentucky as of August 15, 1998.....	11
8–10.	Summary of estimated remaining, identified resources:	
8.	Springfield Coal in Illinois, Indiana, and western Kentucky	26
9.	Herrin Coal in Illinois and western Kentucky.....	27

10.	Danville Coal in Illinois and Indiana, and the Baker coal in western Kentucky	D28
11-18.	Estimates of uncertainty of coal resource estimates:	
11.	Springfield Coal Member in Illinois	30
12.	Herrin Coal Member in Illinois	30
13.	Danville Coal Member in Illinois	30
14.	Springfield Coal Member in Indiana	31
15.	Danville Coal Member in Indiana	31
16.	Springfield coal in western Kentucky.....	31
17.	Herrin coal in western Kentucky	32
18.	Baker coal in western Kentucky	32

Resource Assessment

Edited by J.R. Hatch¹ and R.H. Affolter¹

Introduction

By J.R. Hatch¹ and R.H. Affolter¹

A primary goal of the current coal assessment in the Illinois Basin is to provide an update of estimates of the quantity and recoverability of the remaining coal resources. To accomplish this goal, in this chapter we

- (1) review the history of coal production in the basin,
- (2) summarize the results of the previous Illinois Basin coal assessments efforts,
- (3) detail the methodologies used to calculate the remaining resources,
- (4) present the resource calculations for the Springfield, Herrin, Danville, and Baker Coals categorized by coal, state, mining area, county, coal depth, coal thickness, and geologic reliability category,
- (5) apply a recently developed methodology for determining the uncertainty of the resource calculations for the assessed coals, and
- (6) briefly discuss the results of the many coal availability and coal recoverability assessment studies completed for areas within the basin.

¹U.S. Geological Survey, Mail Stop 939, Box 25046, Denver, CO 80225

Illinois Basin Coal Production

By J.R. Hatch¹ and R.H. Affolter¹

Coal production began in Illinois in the early 1800's. In Indiana, coal was being advertised for sale by 1832, and the first coal company was officially incorporated in 1837. The first recorded coal production in western Kentucky was in 1820, in Henderson and Muhlenburg Counties. Since these early beginnings, coal production from the basin, in general, was related to the overall increasing demand for power generation. At the same time, specific events have had both short- and long-term effects on coal development, and these include socio-political, technological, and market factors.

The annual coal production from Illinois, Indiana, and western Kentucky between 1890 and 1998 is shown in figure 1. Between 1890 and the late 1920's, coal production in all three states rose significantly, spurred by industrial development and railroad expansion. Coal production reached 89 million short tons in Illinois in 1918, 31 million short tons in Indiana, also in 1918, and 20 million short tons in western Kentucky in 1927. Production then declined markedly during the Great Depression of the 1930's (fig. 1). Production increased to meet the demands of World War II, but later decreased due to competition from oil and gas and the conversion of railroad locomotives from coal to diesel-electric power. In the 1960's and early 1970's, increased production resulted from an increased demand to meet the needs of a growing number of coal-fired power plants. A maximum of about 148 million tons was produced from the Illinois Basin in 1984.

Since about 1990, coal production from the Illinois Basin has dropped, primarily a result of the enactment and implementation of Phase I restrictions of the 1990 Amendment to the Clean Air Act and increasing price competition from western low-sulfur coals (U.S. Energy Information Administration, 1998; Carey and Hiatt, 2000). Average coal production from the Illinois Basin was about 138 million short tons between 1988 and 1992, about 116 million short tons between 1993 and 1997, and about 112 million short tons in 1998. From 1890 to 1998, about 5.6 billion short tons of coal were produced in Illinois, about 2.5 billion short tons in western Kentucky, and about 2.1 billion short tons in Indiana. (U.S. Energy Information Administration, 1998, 2000; Carey and Hiatt, 2000).

Springfield, Herrin, Danville, and Baker Coals

The Springfield Coal has been the most extensively mined coal in the Illinois Basin. The Springfield was mined at the surface in western Illinois and is the only coal mined in west-central Illinois. It is the most important coal in southeastern Illinois and has been mined in southwestern Illinois (Damberger, 2000). The Springfield has been mined in both surface and underground mines in nine counties in Indiana and eight counties in western Kentucky (fig. 2).

The Herrin Coal Member has been the most extensively mined coal in Illinois and has been mined in western, west-central,

southern, east-central, and northern Illinois (Damberger, 2000). The Herrin is neither well developed nor mined in Indiana. Mining activity in the Herrin coal in western Kentucky is centered along the southern edge of the field (fig. 3).

The Danville Coal Member has been mined in east-central Illinois and in the adjacent counties in Indiana. Most of the historical mining of the Baker coal has been by surface methods along the southern and eastern margins of the coal field (Weisenfluh and others, 1998) (fig. 4).

The annual coal production (million short tons) from the Springfield, Herrin, and Danville Coals in Illinois between 1890 and 1997 is shown in figure 5. The data shown in figure 5 were compiled by C.G. Treworgy and C.A. Chenoweth from coal production data from the Illinois Department of Mines and Minerals (written commun., 1998). Figure 5 shows that most of the historical Illinois coal production has been from the Herrin Coal and that most of the decrease in coal production in Illinois during the last five years has been primarily a result of decreased Herrin Coal production.

Coal Production from Surface and Underground Mines

Data comparing coal production from surface mines with production from underground mines in western Kentucky are shown in figure 6. Surface mining methods were introduced in this area in 1922, and production from surface mines exceeded underground production in 1957. From 1957 to 1985, production from surface mining was greater than that from underground mining, a maximum of about 33 million tons being produced by surface mining in 1972 (Weisenfluh and others, 1997; Carey and Hiatt, 2000). Since 1972, coal production from surface mining has consistently diminished; in 1998, only about 8.0 million short tons (22 percent of total) was produced by this method. In 1998, 27.9 million short tons (78 percent of total) was produced from underground mines in western Kentucky (U.S. Energy Information Administration, 2000; Carey and Hiatt, 2000).

The history of coal production from surface mines as compared to production from underground mines is similar in Illinois. Annual production from underground mines in Illinois reached a peak of 47 million short tons in 1992, and surface-mine production peaked at almost 35 million tons in 1969 (Illinois Department of Mines and Minerals, 1994). In 1998, nearly 89 percent (35.2 million tons) of Illinois coal production was from underground mines, whereas only about 11 percent (4.7 million tons) was produced from surface mines). Reasons for the significant decline in production from surface mines in Illinois and western Kentucky include stricter reclamation requirements and the depletion of low-cost reserves, as well as the 1990 Amendment to the Clean Air Act and increased price competition from western low-sulfur coals (Treworgy and others, 1997; Weisenfluh and others, 1997).

In Indiana, in contrast to decreases in production from surface mines in Illinois and western Kentucky, nearly 33.4 million short tons (91 percent of total) was produced from surface mines in 1998, compared to only 3.4 million short tons (9.3 percent of total) produced from underground mines (U.S. Energy Information Administration, 2000; Sanda, 2000a). Coal production in Indiana has actually increased since 1995, with production of 36.8 million tons being produced in 1998 (fig. 1) (U.S. Energy Information

¹U.S. Geological Survey, Mail Stop 939, Box 25046, Denver, CO 80225

Administration, 2000). This increase in production has primarily been from coals that are relatively low in sulfur (Danville, Upper and Lower Block, Minshall and Buffaloville Coal Members (Blunck and Carpenter, 1997; Sanda, 2000b).

References Cited—Coal Production

Blunck, D.R., and Carpenter, J.A., 1997, Directory of coal mines and producers in Indiana—1997: Bloomington, Ind., Indiana Geological Survey, 134 p.

Carey, D.I., and Hiatt, J.K., 2000, Kentucky Coal Production, 1790–1999. Accessed January 2, 2001, at URL <http://www.uky.edu/KGS/coal/webcoal/pages/kycoaltitle.html>

Damberger, H.H., 2000, Coal geology of Illinois, in 2000 Keystone Coal Industry Manual: Chicago, Ill., Primedia Intertec, p. 562–573.

Illinois Department of Mines and Minerals, 1994, 1993 Illinois Department of Mines and Minerals Annual Statistical Report, 29 p.

Sanda, A.P., ed., 2000a, Industry Statistics, in 2000 Keystone Coal Industry Manual: Chicago, Ill., Primedia Intertec, p. 13–28.

Sanda, A.P., ed., 2000b, Indiana coal mine directory, in 2000 Keystone Coal Industry Manual: Chicago, Ill., Primedia Intertec, p. 325–331.

Treworgy, C.G., Prussen, E.I., Justice, M.A., Chenoweth, C.A., Bargh, M.H., Jacobson, R.J., and Damberger, H.H., 1997, Illinois coal resource assessment and database development—Final report: Illinois State Geological Survey Open File Series 1997–4, 105 p.

U.S. Energy Information Administration, 1998, Coal Industry Annual 1997 Executive Summary. Accessed January 26, 1999, at URL <http://www.eia.doe.gov>

U.S. Energy Information Administration, 2000, U.S. coal production by State, 1989, 1994–1998. Accessed September 20, 2000, at URL <http://www.eia.doe.gov>

Weisenfluh, G.A., Andrews, W.A., and Hiatt, J.K., 1998, Availability of coal resources for the development of coal, western Kentucky summary report: Kentucky Geological Survey, Interim Report for U.S. Department of Interior Grant 14–08–0001–A0896, 32 p.

Weisenfluh, G.A., Cobb, J.C., Ferm, J.C., and Ruthven, C.L., 1997, Kentucky's coal industry—Trends and future opportunities: Lexington, Ky., Kentucky Geological Survey, 10 p.




Figure 1. Graph showing annual coal production (million short tons) in Illinois, Indiana, and western Kentucky between 1890 and 1998. Data are from Carey and Hiatt (2000), U.S. Energy Information Administration (2000), and Illinois Department of Mines and Minerals (1994).




Figure 2. Map showing mined-out areas of the Springfield Coal in Illinois, Indiana, and Kentucky. This illustration was modified from regional shapefiles contained in the Illinois Basin ArcView project (Gunther and others, this publication).




Figure 3. Map showing mined-out areas of the Herrin Coal in Illinois, Indiana, and Kentucky. This illustration was modified from regional shapefiles contained in the Illinois Basin ArcView project (Gunther and others, this publication).




Figure 4. Map showing mined-out areas of the Danville Coal Member in Illinois and Indiana, and the Baker coal in Kentucky. This illustration was modified from regional shapefiles contained in the Illinois Basin ArcView project (Gunther and others, this publication).




Figure 5. Graph showing annual coal production (million short tons) from the Springfield, Herrin, and Danville Coal Members in Illinois between 1890 and 1997. No data were available for 1902. These data were compiled by C.G. Treworgy and C.A. Chenoweth (written commun., 1998) from coal production data from the Illinois Department of Mines and Minerals.




Figure 6. Graph showing annual coal production (million short tons) from underground and surface mines in western Kentucky between 1922 and 1998. Data are from Carey and Hiatt (2000). No data were available for 1929.

Previous Resource Assessments of Illinois Basin Coals

By J.R. Hatch¹ and R.H. Affolter¹

Since 1899, a number of assessments of the original, remaining, and recoverable coal resources in the Illinois Basin have been completed. For Illinois, the assessments are those of DeWolf (1908), Bement, 1910, Cady (1952), Hopkins and Simon (1974), Treworgy and others (1978), Treworgy and Bargh (1982), and Treworgy and others (1997). For Indiana, they are those of Ashley (1899), Campbell and Leverett (1913), Spencer (1953), and Wier (1973). For western Kentucky they are those of Smith and Brant (1980) and Weisenfluh and others (1998). For the 1974 U.S. Geological Survey national coal resource assessment, Averitt (1975) reported the resource estimates of Hopkins and Simon (1974) for Illinois, Wier (1973) for Indiana, and Huddle and others (1963, p. 177) for western Kentucky.

Illinois

For Illinois, DeWolf (1908) estimated that there was about 137 billion short tons (both surface and deep mineable) in deposits greater than 24 in. thick. Bement (1910) estimated about 201 billion short tons by measuring the extent of the coal-bearing areas on a map at a scale of one inch equals two miles (1:63,360), then combining these measurements with the known or estimated thickness of the coals. Cady (1952) provided the first comprehensive assessment of the coal reserves in Illinois, estimating about 137.3 billion short tons of remaining coal in 20 different coals. Cady's (1952) estimate was categorized by county, coal bed, thickness (≥ 28 in.) and by reliability category (I-A: proved, 0–0.5 mi from a data point; I-B: probable, >0.5 –2 mi; II-A: strongly indicated, >2 –4 mi; and II-B: weakly indicated, >4 mi). About 74 percent of Cady's (1952) estimated 137.3 billion short tons was associated with two coals, the Herrin and Harrisburg-Springfield Coal Members; 98 percent was associated with seven coals (see table 1).

Hopkins and Simon (1974) updated the assessment of the coal resources of Illinois. They estimated about 148.2 billion short tons of remaining coal in eight identified coals and a miscellaneous coals category. Their estimate includes coal 28 in. thick or greater in all classes of reliability. About 73 percent of this total is associated with two coals, the Springfield-Harrisburg and the Herrin Coal Members; 96 percent of the resource is in six coals (table 2). Hopkins and Simon (1974) also estimated the percentage of each resource category that was strippable (> 28 in. thick and < 150 ft of overburden) for each county and the amounts of relatively low sulfur (< 2.5 percent) coal for the Springfield-Harrisburg and Herrin. For the Springfield-Harrisburg Coal Member, low-sulfur reserves were estimated at about 2.7 billion short tons, and for the Herrin Coal Member, about 2.1 billion tons.

Treworgy and others (1978) estimated surface-mineable coal resources of 20.4 billion short tons for 14 different coals in

Table 1. Estimated remaining resources of the principal coals in Illinois (Cady, 1952).

[Columns may not sum exactly due to independent rounding.]

Coal	Billion short tons	Percent of total
Danville (Sparland) Coal	7.8	5.7
Herrin Coal	62.6	45.6
Harrisburg (Springfield) Coal	38.5	28.0
LaSalle (Colchester) Coal	17.5	12.7
Dekoven Coal	2.5	1.8
Indiana III Coal	1.8	1.3
Davis-Wiley Coal	3.4	2.5
Other coals	<u>3.2</u>	<u>2.3</u>
Total	137.3	100.0

Table 2. Estimated remaining resources of the principal coals in Illinois (Hopkins and Simon, 1974).

[Columns may not sum exactly due to independent rounding.]

Coal	Billion short tons	Percent of total
Danville Coal	7.6	5.1
Herrin Coal	65.8	44.4
Springfield-Harrisburg Coal	42.6	28.7
Colchester Coal	20.8	14.0
Dekoven Coal	2.5	1.7
Davis Coal	3.4	2.3
Other coals	<u>5.5</u>	<u>3.7</u>
Total	148.2	100.0

Illinois. Treworgy and Bargh (1982) estimated deep-mineable resources of 161 billion short tons for 13 different coals. Surface-mineable coal is that which is less than 150 ft in depth and equal to or greater than 28 in. thick (Treworgy and others, 1978). Deep-mineable coal is that which is greater than 150 ft in depth and equal to or greater than 28 in. thick (Treworgy and Bargh, 1982). Estimated resources of surface-mineable and deep-mineable coal for the six principal coals in Illinois (from Treworgy and others, 1978; and Treworgy and Bargh, 1982) are listed in table 3.

Damberger (2000) listed remaining resources (as of January 1996) in Illinois by county and for nine different coals. He estimated the total remaining identified resource at about 199 billion short tons. About 71 percent of this total is associated with two coals, the Herrin and Springfield Coal Members, and 91 percent with six coals (table 4). Of the 199 billion short tons of coal estimated for Illinois, 22.4 billion short tons are identified as surface-mineable (Damberger, 2000). The resource numbers for the Springfield, Herrin, and Danville Coal Members listed by Damberger (2000) are the same numbers used for the current assessment.

In addition to the above listed state-wide coal resource assessments for Illinois, many additional reports provide coal occurrence maps and summaries of coal resources on a quad-angle, county, mining district, or regional scale. Information in these reports was

¹U.S. Geological Survey, Mail Stop 939, Box 25046, Denver, CO 80225

Table 3. Estimated resources of surface-mineable and deep-mineable coal for the principal coals in Illinois (Treworgy and others, 1978; Treworgy and Bargh, 1982).

[Columns may not sum exactly due to independent rounding.]

Coal	Surface mineable		Deep mineable	
	Billion short tons	Percent of total	Billion short tons	Percent of total
Danville Coal	1.4	6.9	10.2	6.3
Herrin Coal	6.9	33.8	67.0	41.6
Springfield Coal	4.0	19.6	54.8	34.0
Colchester Coal	7.2	35.3	9.0	5.6
Dekoven Coal	<0.1	<0.5	2.3	1.4
Davis Coal	<0.1	<0.5	2.6	1.6
Other coals	0.8	3.9	15.0	9.3
Total	20.4	100.0	160.9	99.8

used to compile the above-listed statewide assessments and summaries. The following is a partial listing of these reports (in chronological order):

- Cady, 1915, District 1 (Longwall District), northern Illinois
- Kay, 1915, District VII, southwestern Illinois
- Kay and White, 1915, District VIII, Vermilion and Edgar Counties
- Cady, 1916, District VI, Jefferson, Franklin, and Williamson Counties
- Cady, 1917, District II, Jackson County
- Cady, 1919a, District V, Saline and Gallatin Counties
- Cady, 1919b, Hennepin and LaSalle quadrangles, LaSalle and Bureau Counties
- Cady, 1921, District IV, west-central Illinois
- Culver, 1925, District III, western Illinois
- Willman and Payne, 1942, Marseilles, Ottawa, and Streator quadrangles, LaSalle, Livingston, and Grundy Counties
- Cady and others, 1951, Clay, Edwards, Gallatin, Hamilton, and Richland Counties
- DuBois, 1951, Shelby and Moultrie Counties and parts of Effingham and Fayette Counties
- Harrison, 1951, White County
- Cady and others, 1955, Wabash County
- Williams and Rolley, 1955, Jasper County
- Potter, 1956, Crawford and Lawrence Counties
- Smith, 1957, Part 1—Gallatin, Hardin, Johnson, Pope, Saline, and Williamson Counties
- Wanless, 1957, Beardstown, Glasford, Havana, and Vermont quadrangles, Brown, Cass, Fulton, and Peoria Counties
- Smith, 1958, Part 2—Jackson, Monroe, Perry, Randolph and St. Clair Counties
- Clegg, 1959, Douglas, Coles, and Cumberland Counties
- Clegg, 1961, Sangamon, Macon, and Menard Counties and parts of Christian and Logan Counties
- Smith, 1961, Part 3—Madison, Macoupin, Jersey, Greene, Scott, Morgan, and Cass Counties
- Smith and Berggren, 1963, Part 5A—Fulton, Henry, Knox, Peoria, Stark, and Tazewell Counties and parts of Bureau, Marshall, Mercer, and Warren Counties
- Reinertsen, 1964, Part 4—Adams, Brown, Calhoun, Hancock, McDonough, Pike, and Schuyler Counties and southern parts of Henderson and Warren Counties
- Clegg, 1965, Clark and Edgar Counties
- Smith, 1968, Part 6—LaSalle, Livingston, Kankakee, Will, and Putnam Counties and parts of Bureau and Marshall Counties
- Searight and Smith, 1969, Part 5B—Mercer, Rock Island, and Warren Counties and parts of Henderson and Henry Counties
- Clegg, 1972, DeWitt, McLean, and Piatt Counties
- Allgaier and Hopkins, 1975, Fairfield basin in southeastern Illinois
- Jacobson and Bengal, 1981, Part 7—Vermilion and Edgar Counties
- Nance and Treworgy, 1981, Part 8—Central and southern counties
- Jacobson, 1983, Jackson and Perry Counties
- Treworgy and Bargh, 1984, statewide coal maps
- Jacobson, 1985, Grundy, LaSalle, and Livingston Counties
- Nelson, 1987, Christian, Macoupin, Montgomery, and Sangamon Counties
- Jacobson, 1993, Gallatin and Saline Counties

Indiana

Ashley (1899) estimated coal resources of Indiana to be about 47 billion short tons. Campbell and Leverett (1913), assuming a larger tonnage per acre-foot of coal, revised that

Table 4. Estimated remaining resources of the principal coals in Illinois (Damberger, 2000).

[Columns may not sum exactly due to independent rounding.]

Coal	Billion short tons	Percent of total
Danville Coal	17.8	8.9
Herrin Coal	78.9	39.6
Springfield Coal	61.7	31.0
Colchester Coal	16.6	8.3
Dekoven Coal	2.7	1.4
Davis Coal	3.5	1.8
Other coals	17.8	8.9
Total	199.0	100.0

Table 5. Estimated remaining resources of the principal coals in Indiana as of January 1, 1951 (Spencer, 1953).

[Columns may not sum exactly due to independent rounding.]

Coal	Billion short tons	Percent of total
Danville Coal	3.7	10.4
Hymera Coal	3.7	10.3
Springfield Coal	13.8	38.5
Survant Coal	3.9	10.9
Seelyville Coal	5.9	16.4
Other coals	4.8	13.4
Total	35.8	100.0

estimate to about 53 billion short tons. The first comprehensive coal resource assessment for Indiana is that of Spencer (1953), who estimated remaining resources (as of January 1, 1951) at 35.8 billion short tons for 17 different coals. About 31 billion short tons (86 percent) of this total was associated with five beds (table 5). Wier (1973), updating Spencer (1953), estimated remaining resources as of January 1, 1965, at 33.2 billion tons.

In addition to the above-listed state-wide coal resource assessments for Indiana, other reports summarize coal resources on a quadrangle, county, mining district, or regional scale. Information in many of these reports was used to compile later, state-wide summaries. The following is a partial listing of these reports in chronological order:

- Indiana Geological Survey, 1950, Jasonville quadrangle, Greene and Sullivan Counties
- Indiana Geological Survey, 1951, Linton quadrangle, Greene and Sullivan Counties
- Wier, 1952, Vigo County
- Wier and Stanley, 1953, Pike County
- Friedman, 1954a, Gibson County
- Friedman, 1954b, Vanderburgh County
- Indiana Geological Survey, 1954a, Dugger quadrangle, Sullivan County
- Indiana Geological Survey, 1954b, Hymera quadrangle, Sullivan County
- Indiana Geological Survey, 1954c, Coal City quadrangle, Greene, Clay, and Owen Counties
- Hutchison and Hamilton, 1956, Clay County
- Indiana Geological Survey, 1958, Seelyville quadrangle, Vigo County
- Hutchison, 1958, Warrick County
- Indiana Geological Survey, 1959, Coal City quadrangle, Greene, Clay, and Owen Counties
- Indiana Geological Survey, 1960, Switz City quadrangle, Greene County
- Indiana Geological Survey, 1961, Terre Haute and Dennison quadrangles, Vigo County
- Hutchison, 1961, Fountain and Warren Counties and the northernmost part of Vermillion County
- Hutchison, 1964, Dubois County
- Hutchison, 1967, Martin County
- Powell and Wier, 1967, Knox County
- Powell, 1968, Parke County and southern Vermillion County
- Hutchison, 1971a, Perry County

- Hutchison, 1971b, Daviess County
- Hutchison, 1976, Parke and Putnam Counties
- Hill, 1980, Putnam County
- Tanner, and others, 1981a, southwestern Gibson County
- Tanner and others, 1981b, northern Posey County
- Tanner and others, 1981c, southern Posey County
- Hutchison and Hasenmueller, 1988, Greene County
- Friedman, 1989, Clinton area, west-central Indiana
- Hasenmueller, 1993, Owen County
- Callis, 1994, Spencer County
- Callis and Rupp, 1994, Daviess County
- Eggert, 1994, Gibson County
- Harper and Eggert, 1995, Knox County
- Ault, 1997, Posey County
- Conolly and Buciak, 1997, Pike County

Western Kentucky

For western Kentucky, a comprehensive coal resource estimate was provided by Smith and Brant (1980), who estimated remaining coal resource at about 38.6 billion short tons for 33 different coals. About 36.4 billion short tons (94 percent) of the total was associated with seven coals (table 6).

As part of a discussion of the availability of coal resources in western Kentucky, Weisenfluh and others (1998) estimated the remaining resources for the Springfield, Herrin, and Baker coals (table 7). They did not estimate resources for the Man-

Table 6. Estimated remaining resources of the principal coals in western Kentucky as of January 1, 1976 (Smith and Brant, 1980).

[Smith and Brant (1980) reported results for the Herrin and Paradise coals together; the Mannington, Mining City, and Lewisport coals are thought to be continuous and are reported as one coal. Columns may not sum exactly due to independent rounding.]

Coal	Billion short tons	Percent of total
Coiltown coal	1.2	3.2
Baker coal	3.1	8.1
Herrin and Paradise coals	8.4	21.7
Springfield coal	9.4	24.3
Davis coal	7.5	19.3
Mannington, Mining City, and Lewisport coals	6.5	16.9
Other coals	2.5	6.5
Total	38.6	100.0

Table 7. Estimated remaining resources of the Springfield, Herrin, and Baker coals in western Kentucky as of August 15, 1998 (Weisenfluh and others, 1998).

Coal	Billion short tons
Baker coal	3.6
Herrin coal	2.6
Springfield coal	8.0

nington—Mining City—Lewisport, Davis, Paradise, or Coiltown coals in western Kentucky.

In addition to the coal resource assessments of Smith and Brant (1980) and Weisenfluh and others (1998), there are additional reports providing coal occurrence maps and summaries of coal resources on a quadrangle, county, or regional scale. The following is a partial listing of these reports in chronological order:

- Walker and others, 1951, Henderson quadrangle, Henderson County
- Cathey, 1955, Newburgh quadrangle, Henderson County
- Mullins and others, 1963, parts of Butler, Edmonson, Grayson, Muhlenberg and Warren Counties
- Hodgson, 1963, upper Tradewater River area, western Kentucky
- Mullins and others, 1965, northwestern Kentucky (primarily Union, Henderson, and Webster Counties)
- As part of a cooperative program between the U.S. Geological Survey and the Kentucky Geological Survey, geologic quadrangle maps were produced for all of western Kentucky. This quadrangle mapping program, completed in 1978, served as a basis for producing coal distribution maps and for calculating coal resources. The following 34 geologic quadrangle maps show the outcrops for the Springfield, Herrin and (or) Baker coals in western Kentucky:
- Amos, 1970, Blackford quadrangle, Crittenden, Webster, and Union Counties
- Fairer and Norris, 1972, Curdsville quadrangle, Henderson, Daviess, and McLean Counties
- Franklin, 1967, Coiltown quadrangle, Hopkins County
- Franklin, 1969, Nebo quadrangle, Webster and Hopkins Counties
- Franklin, 1973, Millport quadrangle, Muhlenberg and Hopkins Counties
- Gildersleeve, 1975, Cromwell quadrangle, Butler and Ohio Counties
- Goudarzi, 1968, Hartford quadrangle, Ohio County
- Goudarzi, 1969, Equality quadrangle, Ohio, McLean, and Muhlenberg Counties
- Goudarzi, 1971, Panther quadrangle, Daviess County
- Goudarzi and Smith, 1971, part of the Owensboro West quadrangle, Daviess County
- Hansen, 1972, Drakesboro quadrangle, Muhlenberg County
- Hansen, 1974, Rochester quadrangle, Muhlenberg, Ohio, and Butler Counties
- Hansen and Smith, 1978, Livermore quadrangle, McLean, and Muhlenberg Counties
- Johnson, 1971, Horton quadrangle, Ohio County
- Johnson, 1972, Reed quadrangle, Henderson and Daviess Counties
- Johnson, 1973a, Evansville South quadrangle, Henderson County
- Johnson, 1973b, Spottsville quadrangle, Henderson County
- Johnson and Smith, 1972a, Utica quadrangle, Daviess, McLean, and Ohio Counties
- Johnson and Smith, 1972b, Glenville quadrangle, McLean and Daviess Counties

- Johnson and Smith, 1975, Calhoun quadrangle, Daviess, McLean, and Webster Counties
- Kehn, 1963, Madisonville East quadrangle, Hopkins and Muhlenberg Counties
- Kehn, 1964, Madisonville West quadrangle, Hopkins County
- Kehn, 1966a, Providence quadrangle, Webster, Crittenden, and Hopkins Counties
- Kehn, 1966b, Dawson Springs quadrangle, Hopkins, Caldwell, and Christian Counties
- Kehn, 1968, Graham quadrangle, Muhlenberg, Hopkins, and Christian Counties
- Kehn, 1971, Greenville quadrangle, Muhlenberg County
- Kehn, 1974a, Dekoven and Saline Mines quadrangles, Crittenden, and Union Counties
- Kehn, 1974b, Paradise quadrangle, Muhlenberg and Ohio Counties
- Kehn, 1975, Sturgis quadrangle, Union and Crittenden Counties
- Palmer, 1966, Dalton quadrangle, Caldwell, Hopkins, Crittenden and Webster Counties
- Palmer, 1967, Saint Charles quadrangle, Hopkins and Christian Counties
- Palmer, 1968, Nortonville quadrangle, Hopkins and Christian Counties
- Palmer, 1969, Central City West quadrangle, Muhlenberg and Ohio Counties
- Palmer, 1972, Central City East quadrangle, Muhlenberg and Ohio Counties

Summary

These earlier coal resource estimates all show that the Springfield, Herrin, Danville, and Baker Coals contain most of the remaining coal resources in the Illinois Basin. The combined remaining resources estimated by Cady (1952) for the Springfield, Herrin, and Danville Coal Members were about 79 percent of the total estimated for all of Illinois. The combined remaining resources estimated by Hopkins and Simon (1974) were about 78 percent of the total coal resource; the estimates by Treworgy and others (1978) and Treworgy and Bargh (1982) were 82 percent of the total coal resource; and the estimates by Damberger (2000) were 80 percent of the total coal resources of Illinois. For Indiana, the combined resource estimate for the Springfield and Danville Coal Members by Spencer (1953) represents 49 percent of the total resource estimate, and for western Kentucky the combined resource estimate for the Springfield, Herrin, and Baker coals by Smith and Brant (1980) represents 54 percent of the total coal resources estimated.

References Cited—Previous Assessments

General

- Averitt, Paul, 1975, Coal resources of the United States, January 1, 1974: U.S. Geological Survey Bulletin 1412, 131 p.

Illinois

- Allgaier, G.J., and Hopkins, M.E., 1975, Reserves of the Herrin (No. 6) Coal in the Fairfield Basin in southeastern Illinois: Illinois State Geological Survey Circular 489, 31 p.
- Bement, A., 1910, The Illinois coal field: Illinois State Geological Survey Bulletin 16, p. 182–202.
- Cady, G.H., 1915, Coal resources of District 1 (Longwall): Illinois State Geological Survey, Illinois Coal Mining Investigations Bulletin 10, 149 p.
- Cady, G.H., 1916, Coal resources of District VI: Illinois State Geological Survey, Illinois Coal Mining Investigations Bulletin 15, 94 p.
- Cady, G.H., 1917, Coal resources of District II (Jackson County): Illinois State Geological Survey, Illinois Coal Mining Investigations Bulletin 16, 53 p.
- Cady, G.H., 1919a, Coal resources of District V, Saline and Gallatin Counties: Illinois State Geological Survey, Illinois Coal Mining Investigations Bulletin 19, 135 p.
- Cady, G.H., 1919b, Geology and mineral resources of the Hennepin and LaSalle quadrangles: Illinois State Geological Survey Bulletin 37, 136 p.
- Cady, G.H., 1921, Coal resources of District IV: Illinois State Geological Survey, Illinois Coal Mining Investigations Bulletin 26, 247 p.
- Cady, G.H., 1952, Mineable coal reserves of Illinois: Illinois State Geological Survey Bulletin 78, 138 p.
- Cady, G.H., Lowenstam, H.A., Smith, H.L., Pullen, H.W., Rolley, M.B., and Sevier, R., 1951, Subsurface geology and coal resources of the Pennsylvanian in certain counties of the Illinois Basin: Illinois State Geological Survey Report of Investigations 148, p. 9–25.
- Cady, G.H., Rolley, M.B., Karstrom, A., Parker, M.A., and Hopkins, M.E., 1955, Subsurface geology and coal resources of the Pennsylvanian System in Wabash County: Illinois State Geological Survey Report of Investigations 183, 24 p.
- Clegg, K.E., 1959, Subsurface geology and coal resources of the Pennsylvanian System in Douglas, Coles, and Cumberland Counties, Illinois: Illinois State Geological Survey Circular 271, 16 p.
- Clegg, K.E., 1961, Subsurface geology and coal resources of the Pennsylvanian System in Sangamon, Macon, Menard, and parts of Christian and Logan Counties: Illinois State Geological Survey Circular 312, 28 p.
- Clegg, K.E., 1965, Subsurface geology and coal resources of the Pennsylvanian System in Clark and Edgar Counties, Illinois: Illinois State Geological Survey Circular 380, 28 p.
- Clegg, K.E., 1972, Subsurface geology and coal resources of the Pennsylvanian System in DeWitt, McLean, and Piatt Counties, Illinois: Illinois State Geological Survey Circular 473, 25 p.
- Culver, H.E., 1925, Coal resources of District III (western Illinois): Illinois State Geological Survey Illinois Coal Mining Investigations Bulletin 29, 128 p.
- Damberger, H.H., 2000, Coal geology of Illinois, in 2000 Keystone Coal Industry Manual: Chicago, Ill., Primedia Intertec, p. 562–573.
- DeWolf, F.W., 1908, Coal resources of Illinois: American Institute of Mining and Metallurgical Engineers Bulletin, v. 24, p. 1103–1112.
- DuBois, E.P., 1951, Geology and coal resources of a part of the Pennsylvanian System in Shelby, Moultrie, and portions of Effingham and Fayette Counties: Illinois State Geological Survey Report of Investigations 156, 32 p.
- Harrison, J.A., 1951, Subsurface geology and coal resources of the Pennsylvanian System in White County, Illinois: Illinois State Geological Survey Report of Investigations 153, 40 p.
- Hopkins, M.E., and Simon, J.A., 1974, Coal resources of Illinois: Illinois State Geological Survey, Illinois Minerals Note 53, 24 p.
- Jacobson, R.J., 1983, Murphysboro Coal, Jackson and Perry Counties, Illinois—Resources with low- to medium-sulfur potential: Illinois State Geological Survey, Illinois Mineral Note 85, 19 p.
- Jacobson, R.J., 1985, Coal resources of Grundy, LaSalle, and Livingston Counties, Illinois: Illinois State Geological Survey Circular 536, 58 p.
- Jacobson, R.J., 1993, Coal resources of the Dekoven and Davis Members (Carbondale Formation) in Gallatin and Saline Counties, southeastern Illinois: Illinois State Geological Survey Circular 551, 41 p.
- Jacobson, R.J., and Bengal, L.E., 1981, Strippable coal resources of Illinois, Part 7—Vermilion and Edgar Counties: Illinois State Geological Survey Circular 521, 24 p.
- Kay, F.H., 1915, Resources of District VII: Illinois State Geological Survey, Illinois Coal Mining Investigations Bulletin 11, 233 p.
- Kay, F.H., and White, K.D., 1915, Coal resources of District VIII (Danville): Illinois State Geological Survey, Illinois Coal Mining Investigations Bulletin 14, 69 p.
- Nance, R.B., and Treworgy, C.G., 1981, Strippable coal resources of Illinois, Part 8—Central and southern counties: Illinois State Geological Survey Circular 515, 32 p.
- Nelson, W.J., 1987, The Hornsby district of low-sulfur Herrin Coal in central Illinois (Christian, Macoupin, Montgomery, and Sangamon Counties): Illinois State Geological Survey Circular 540, 40 p.
- Potter, P.E., 1956, Subsurface geology and coal resources of the Pennsylvanian System in Crawford and Lawrence Counties, Illinois: Illinois State Geological Survey Report of Investigations 193, 17 p.
- Reinertsen, D.L., 1964, Strippable coal reserves of Illinois, Part 4—Adams, Brown, Calhoun, Hancock, McDonough, Pikes, Schuyler, and southern parts of Henderson and Warren Counties: Illinois State Geological Survey Circular 374, 32 p.
- Searight, T.K., and Smith, W.H., 1969, Strippable coal reserves of Illinois, Part 5B—Mercer, Rock Island, Warren and parts of Henderson and Henry Counties: Illinois State Geological Survey Circular 439, 22 p.
- Smith, W.H., 1957, Strippable coal reserves of Illinois, Part 1—Gallatin, Hardin, Johnson, Pope, Saline, and Williamson Counties: Illinois State Geological Survey, Circular 228, 39 p.
- Smith, W.H., 1958, Strippable coal reserves of Illinois, Part 2—Jackson, Monroe, Perry, Randolph, and St. Clair Counties: Illinois State Geological Survey Circular 260, 35 p.
- Smith, W.H., 1961, Strippable coal reserves of Illinois, Part 3—Madison, Macoupin, Jersey, Greene, Scott, Morgan, and Cass Counties: Illinois State Geological Survey Circular 311, 40 p.
- Smith, W.H., 1968, Strippable coal reserves of Illinois, Part 6—LaSalle, Livingston, Kankakee, Will, Putnam, and parts of Bureau and Marshall Counties: Illinois State Geological Survey Circular 419, 29 p.
- Smith, W.H., and Berggren, D.J., 1963, Strippable coal reserves of Illinois, Part 5A—Fulton, Henry, Knox, Peoria, Stark, Tazewell, and parts of Bureau, Marshall, Mercer, and Warren Counties: Illinois State Geological Survey Circular 348, 59 p.
- Treworgy, C.G., and Bargh, M.H., 1982, Deep-minable coal resources of Illinois: Illinois State Geological Survey Circular 527, 62 p.
- Treworgy, C.G., Bengal, L.E., and Dingwell, A.G., 1978, Reserves and resources of surface-minable coal in Illinois: Illinois State Geological Survey Circular 504, 44 p.
- Treworgy, C.G., and Bargh, M.H., 1984, Coal resources of Illinois: Illinois State Geological Survey [5 multicolor statewide 1:500,000-scale wall maps].

- Treworgy, C.G., Prussen, E.I., Justice, M.A., Chenoweth, C.A., Bargh, M.H., Jacobson, R.J., and Damberger, H.H., 1997, Illinois coal resource assessment and database development—Final report: Illinois State Geological Survey Open File Series 1997–4, 105 p.
- Wanless, H.R., 1957, Geology and mineral resources of the Beardstown, Glasford, Havanna, and Vermont quadrangles: Illinois State Geological Survey Bulletin 82, 233 p.
- Williams, F.E., and Rolley, M.B., 1955, Subsurface geology and coal resources of the Pennsylvanian System in Jasper County: Illinois State Geological Survey Report of Investigations 181, 14 p.
- Willman, H.B., and Payne, J.N., 1942, Geology and mineral resources of the Marseilles, Ottawa, and Streator quadrangles: Illinois State Geological Survey Bulletin 66, 388 p.
- Indiana**
- Ashley, G.H., 1899, The coal deposits of Indiana: Indiana Department of Geology and Natural Resources Annual Report 23, p. 1–1573.
- Ault, C.H., 1997, Map of Posey County, Indiana, showing structure on the Springfield Coal Member of the Petersburg Formation (Pennsylvanian): Indiana Geological Survey Miscellaneous Map, MM60, scale 1:24,000
- Callis, J.G., 1994, Spencer County, Indiana—A GIS-based coal resource evaluation: Unpublished report prepared for the United States Geological Survey National Coal Resources Data System, 35 p.
- Callis, J.G., and Rupp, J.A., 1994, Coal resources of Daviess County, Indiana—A GIS-based resource assessment: Indiana Geological Survey Open-File Studies OFS94–10, 46 p.
- Campbell, M.R., and Leverett, F., 1913, Coal reserves of the United States, *in* Coal resources of the World: Toronto, Canada, Morang and Co., v. 2, p. 525–540.
- Conolly, C.L., and Buciac, M.A., 1997, Coal resources of Pike County, Indiana: Indiana Geological Survey Open-File Studies OFS94–10, 43 p.
- Eggert, D.L., 1994, Coal resources of Gibson County, Indiana: Indiana Geological Survey Special Report 50, 36 p.
- Friedman, S.A., 1954a, Distribution, structure, and mined areas of coals in Gibson County, Indiana: Indiana Geological Survey Preliminary Coal Map PCM04, scale of 1 inch equals approximately 2 miles.
- Friedman, S.A., 1954b, Distribution, structure, and mined areas of coals in Vanderburgh County, Indiana: Indiana Geological Survey Preliminary Coal Map PCM05, scale of 1 inch equals approximately 2 miles.
- Friedman, S.A., 1989, Geology and coal deposits of the Clinton area, West-central Indiana: Indiana Geological Survey Special Reports SR42, 50 p.
- Harper, Denver, and Eggert, D.L., 1995, Coal mining in Knox County, Indiana: Indiana Geological Survey Special Reports SR54, 23 p.
- Hasenmueller, W.A., 1993, Distribution, structure, and mined areas of coals in Owen County, Indiana: Indiana Geological Survey Preliminary Coal Map PCM18, scale of 1 inch equals approximately 2 miles.
- Hill, J.R., 1980, Outcrop and mined areas of coals in Putnam County, Indiana: Indiana Geological Survey Preliminary Coal Map PCM16, scale of 1 inch equals approximately 2 miles.
- Hutchison, H.C., 1958, Distribution, structure, and mined areas of coals in Warrick County, Indiana: Indiana Geological Survey Preliminary Coal Map PCM07, scale of 1 inch equals approximately 2 miles.
- Hutchison, H.C., 1961, Distribution, structure, and mined areas of coals in Fountain and Warren Counties and the northernmost part of Vermillion County, Indiana: Indiana Geological Survey Preliminary Coal Map PCM09, scale of 1 inch equals approximately 2 miles.
- Hutchison, H.C., 1964, Distribution, structure, and mined areas of coals in Dubois County, Indiana: Indiana Geological Survey Preliminary Coal Map PCM10, scale of 1 inch equals approximately 2 miles.
- Hutchison, H.C., 1967, Distribution, structure, and mined areas of coals in Martin County, Indiana: Indiana Geological Survey Preliminary Coal Map PCM11, scale of 1 inch equals approximately 2 miles.
- Hutchison, H.C., 1971a, Distribution, structure, and mined areas of coals in Perry County, Indiana: Indiana Geological Survey Preliminary Coal Map PCM14, scale of 1 inch equals approximately 2 miles.
- Hutchison, H.C., 1971b, Distribution, structure, and mined areas of coals in Daviess County, Indiana: Indiana Geological Survey Preliminary Coal Map PCM15, scale of 1 inch equals approximately 2 miles.
- Hutchison, H.C., 1976, Geology of the Catlin-Mansfield area, Parke and Putnam Counties, Indiana: Indiana Geological Survey Bulletin B54, 57 p.
- Hutchison, H.C., and Hamilton, J.L., 1956, Distribution, structure, and mined areas of coals in Clay County, Indiana: Indiana Geological Survey Preliminary Coal Map PCM06, scale of 1 inch equals approximately 2 miles.
- Hutchison, H.C., and Hasenmueller, W.A., 1988, Distribution, structure, and mined areas of coals in Greene County, Indiana: Indiana Geological Survey Preliminary Coal Map PCM17, scale of 1 inch equals approximately 2 miles.
- Indiana Geological Survey, 1950, Geology and coal deposits of the Jasonville quadrangle, Greene and Sullivan Counties, Indiana: Indiana Geological Survey Coal Investigations Map CIM C1, scale 1:24,000.
- Indiana Geological Survey, 1951, Geology and coal deposits of the Linton quadrangle, Greene and Sullivan Counties, Indiana: Indiana Geological Survey Coal Investigations Map CIM C9, scale 1:24,000.
- Indiana Geological Survey, 1954a, Geology and coal deposits of the Dugger quadrangle, Sullivan County, Indiana: Indiana Geological Survey Coal Investigations Map CIM C11, scale 1:24,000.
- Indiana Geological Survey, 1954b, Geology and coal deposits of the Hymera quadrangle, Sullivan County, Indiana: Indiana Geological Survey Coal Investigations Map CIM C16, scale 1:24,000.
- Indiana Geological Survey, 1954c, Geology and coal deposits of the Coal City quadrangle, Greene, Clay, and Owen Counties, Indiana: Indiana Geological Survey Coal Investigations Map CIM C17, scale 1:24,000.
- Indiana Geological Survey, 1958, Geology and coal deposits of the Seelyville quadrangle, Vigo County, Indiana: Indiana Geological Survey Coal Investigations Map CIM C27, scale 1:24,000.
- Indiana Geological Survey, 1959, Geology and coal deposits of the Coal City quadrangle, Greene, Clay, and Owen Counties, Indiana: Indiana Geological Survey Coal Investigations Map CIM C28, scale 1:24,000.
- Indiana Geological Survey, 1960, Geology and coal deposits of the Switz City quadrangle, Greene County, Indiana: Indiana Geological Survey Coal Investigations Map CIM C41, scale 1:24,000.
- Indiana Geological Survey, 1961, Geology and coal deposits of the Terre Haute and Dennison quadrangles, Vigo County, Indiana: Indiana Geological Survey Coal Investigations Map CIM C44, scale 1:24,000.
- Powell, R.L., 1968, Distribution, structure, and mined areas of coals in Parke County and southern Vermillion County, Indiana: Indiana Geological Survey Preliminary Coal Map PCM13, scale of 1 inch equals approximately 2 miles.
- Powell, R.L., and Wier, C.E., 1967, Distribution, structure, and mined areas of coals in Knox County, Indiana: Indiana Geological Survey Preliminary Coal Map PCM12, scale of 1 inch equals approximately 2 miles.

- Spencer, F.D., 1953, Coal resources of Indiana: United States Geological Survey Circular 266, 42 p.
- Tanner, G.F., Stellavato, J.N., and Mackey, J.C., 1981a, Map of southwestern Gibson County, Indiana, showing structure on Springfield Coal Member (V) of the Petersburg Formation (Pennsylvanian): Indiana Geological Survey Miscellaneous Map MM32, scale of 2 inches equals 1 mile.
- Tanner, G.F., Stellavato, J.N., and Mackey, J.C., 1981b, Map of northern Posey County, Indiana, showing structure on Springfield Coal Member (V) of the Petersburg Formation (Pennsylvanian): Indiana Geological Survey Miscellaneous Map MM33, scale of 2 inches equals 1 mile.
- Tanner, G.F., Stellavato, J.N., and Mackey, J.C., 1981c, Map of southern Posey County, Indiana, showing structure on Springfield Coal Member (V) of the Petersburg Formation (Pennsylvanian): Indiana Geological Survey Miscellaneous Map MM34, scale of 2 inches equals 1 mile.
- Wier, C.E., 1952, Distribution, structure, and mined areas of coals in Vigo County, Indiana: Indiana Geological Survey Preliminary Coal Map PCM01, scale of 1 inch equals approximately 2 miles.
- Wier, C.E., 1973, Coal resources of Indiana: Indiana Geological Survey Bulletin 42-I, 40 p.
- Wier, C.E., and Stanley, J.T., 1953, Distribution, structure, and mined areas of coals in Pike County, Indiana: Indiana Geological Survey Preliminary Coal Map PCM03, scale of 1 inch equals approximately 2 miles.
- ## Western Kentucky
- Amos, D.H., 1970, Geologic map of the Blackford quadrangle, western Kentucky: U.S. Geological Survey Geologic Quadrangle Map GQ-873, scale 1:24,000.
- Cathey, J.B., 1955, Geology and mineral resources of the Newburgh quadrangle, Kentucky: Kentucky Geological Survey Bulletin 15, Series 9, 51 p.
- Fairer, G.M., and Norris, R.L., 1972, Geologic map of the Curdsville quadrangle, western Kentucky: U.S. Geological Survey Geologic Quadrangle Map GQ-1039, scale 1:24,000.
- Franklin, G.J., 1967, Geologic map of the Coiltown quadrangle, Hopkins County, Kentucky: U.S. Geological Survey Geologic Quadrangle Map GQ-629, scale 1:24,000.
- Franklin, G.J., 1969, Geologic map of the Nebo quadrangle, Webster and Hopkins Counties, Kentucky: U.S. Geological Survey Geologic Quadrangle Map GQ-777, scale 1:24,000.
- Franklin, G.J., 1973, Geologic map of the Millport quadrangle, Muhlenberg and Hopkins Counties, Kentucky: U.S. Geological Survey Geologic Quadrangle Map GQ-1050, scale 1:24,000.
- Gildersleeve, Benjamin, 1975, Geologic map of the Cromwell quadrangle, Butler and Ohio Counties, Kentucky: U.S. Geological Survey Geologic Quadrangle Map GQ-1250, scale 1:24,000.
- Goudarzi, G.H., 1968, Geologic map of the Hartford quadrangle, Ohio County, Kentucky: U.S. Geological Survey Geologic Quadrangle Map GQ-741, scale 1:24,000.
- Goudarzi, G.H., 1969, Geologic map of the Equality quadrangle, western Kentucky: U.S. Geological Survey Geologic Quadrangle Map GQ-815, scale 1:24,000.
- Goudarzi, G.H., 1971, Geologic map of the Panther quadrangle, Daviess County, Kentucky: U.S. Geological Survey Geologic Quadrangle Map GQ-866, scale 1:24,000.
- Goudarzi, G.H., and Smith, A.E., 1971, Geologic map of part of the Owensboro West quadrangle, Daviess County, Kentucky: U.S. Geological Survey Geologic Quadrangle Map GQ-890, scale 1:24,000.
- Hansen, D.E., 1972, Geologic map of the Drakesboro quadrangle, Muhlenberg County, Kentucky: U.S. Geological Survey Geologic Quadrangle Map GQ-934, scale 1:24,000.
- Hansen, D.E., 1974, Geologic map of the Rochester quadrangle, western Kentucky: U.S. Geological Survey Geologic Quadrangle Map GQ-1171, scale 1:24,000.
- Hansen, D.E., and Smith, A.E., 1978, Geologic map of the Livermore quadrangle, western Kentucky: U.S. Geological Survey Geologic Quadrangle Map GQ-1467, scale 1:24,000.
- Hodgson, D.L., 1963, Coal reserves in the upper Tradewater River area, western Kentucky: Tennessee Valley Authority, F64P4, 24 p.
- Huddle, J.W., Lyons, E.J., Smith, H.L., and Ferm, J.C., 1963, Coal reserves of eastern Kentucky: U.S. Geological Survey Bulletin 1120, 247 p.
- Johnson, W.D., 1971, Geologic map of the Horton quadrangle, Ohio County, Kentucky: U.S. Geological Survey Geologic Quadrangle Map GQ-915, scale 1:24,000.
- Johnson, W.D., 1972, Geologic map of the Reed quadrangle, Kentucky-Indiana: U.S. Geological Survey Geologic Quadrangle Map GQ-1038, scale 1:24,000.
- Johnson, W.D., 1973a, Geologic map of part of the Evansville South quadrangle, Henderson County, Kentucky: U.S. Geological Survey Geologic Quadrangle Map GQ-1089, scale 1:24,000.
- Johnson, W.D., 1973b, Geologic map of the Spottsville quadrangle, Henderson County, Kentucky: U.S. Geological Survey Geologic Quadrangle Map GQ-1090, scale 1:24,000.
- Johnson, W.D., and Smith, A.E., 1972a, Geologic map of the Utica quadrangle, western Kentucky: U.S. Geological Survey Geologic Quadrangle Map GQ-995, scale 1:24,000.
- Johnson, W.D., and Smith, A.E., 1972b, Geologic map of the Glenville quadrangle, McLean and Daviess Counties, Kentucky: U.S. Geological Survey Geologic Quadrangle Map GQ-1046, scale 1:24,000.
- Johnson, W.D., and Smith, A.E., 1975, Geologic map of the Calhoun quadrangle, western Kentucky: U.S. Geological Survey Geologic Quadrangle Map GQ-1239, scale 1:24,000.
- Kehn, T.M., 1963, Geology of the Madisonville East quadrangle, Kentucky: U.S. Geological Survey Geologic Quadrangle Map GQ-252, scale 1:24,000.
- Kehn, T.M., 1964, Geology of the Madisonville West quadrangle, Kentucky: U.S. Geological Survey Geologic Quadrangle Map GQ-346, scale 1:24,000.
- Kehn, T.M., 1966a, Geologic map of the Providence quadrangle, western Kentucky: U.S. Geological Survey Geologic Quadrangle Map GQ-491, scale 1:2,000.
- Kehn, T.M., 1966b, Geologic map of the Dawson Springs quadrangle, western Kentucky: U.S. Geological Survey Geologic Quadrangle Map GQ-573, scale 1:24,000.
- Kehn, T.M., 1968, Geologic map of the Graham quadrangle, western Kentucky: U.S. Geological Survey Geologic Quadrangle Map GQ-765, scale 1:24,000.
- Kehn, T.M., 1971, Geologic map of the Greenville quadrangle, Muhlenberg County, Kentucky: U.S. Geological Survey Geologic Quadrangle Map GQ-907, scale 1:24,000.
- Kehn, T.M., 1974a, Geologic map of parts of the Dekoven and Saline Mines quadrangles, Crittenden and Union Counties, Kentucky: U.S. Geological Survey Geologic Quadrangle Map GQ-1147, scale 1:24,000.

- Kehn, T.M., 1974b, Geologic map of the Paradise quadrangle, Muhlenberg and Ohio Counties, Kentucky: U.S. Geological Survey Geologic Quadrangle Map GQ-1173, scale 1:24,000.
- Kehn, T.M., 1975, Geologic map of the Sturgis quadrangle, western Kentucky: U.S. Geological Survey Geologic Quadrangle Map GQ-1273, scale 1:24,000.
- Mullins, A.T., Hodgson, D., Avery, G.G., and Wilson, E.N., 1963, Coal reserves in portions of Butler, Edmonson, Grayson, Muhlenberg and Warren Counties, Kentucky: Kentucky Geological Survey Information Circular 11, Series 10, 29 p.
- Mullins, A.T., Lounsbury, R.E., and Hodgson, D.L., 1965, Coal Reserves in northwestern Kentucky, Tennessee Valley Authority, Office of Power, 28 p.
- Palmer, J.E., 1966, Geologic map of the Dalton quadrangle, western Kentucky: U.S. Geological Survey Geologic Quadrangle Map GQ-490, scale 1:24,000.
- Palmer, J.E., 1967, Geologic map of the Saint Charles quadrangle, Hopkins and Christian Counties, Kentucky: U.S. Geological Survey Geologic Quadrangle Map GQ-674, scale 1:24,000.
- Palmer, J.E., 1968, Geologic map of the Nortonville quadrangle, Hopkins and Christian Counties, Kentucky: U.S. Geological Survey Geologic Quadrangle Map GQ-762, scale 1:24,000.
- Palmer, J.E., 1969, Geologic map of the Central City West quadrangle, Muhlenberg and Ohio Counties, Kentucky: U.S. Geological Survey Geologic Quadrangle Map GQ-831, scale 1:24,000.
- Palmer, J.E., 1972, Geologic map of the Central City East quadrangle, Muhlenberg and Ohio Counties, Kentucky: U.S. Geological Survey Geologic Quadrangle Map GQ-1031, scale 1:24,000.
- Smith, G.E., and Brant, R.A., 1980, Western Kentucky coal resources: Lexington, Ky., University of Kentucky Institute for Mining and Minerals Research, Energy Resource Series, 148 p.
- Walker, F.H., Puryear, R.D., and Cathey, J.B., 1951, Geology and mineral resources of the Henderson quadrangle, Kentucky: Kentucky Geological Survey Bulletin 7, Series 9, 32 p.
- Weisenfluh, G.A., Andrews, W.A., and Hiatt, J.K., 1998, Availability of coal resources for the development of coal, western Kentucky summary report: Kentucky Geological Survey, Interim Report for U.S. Department of Interior Grant 14-08-0001-A0896, 32 p.

Remaining Resources of the Springfield, Herrin, Danville, and Baker Coals

By J.R. Hatch,¹ C.L. Connolly,² C.G. Treworgy,³ W.A. Andrews,⁴ G.A. Weisenfluh,⁴ and R.H. Affolter¹

Methodology

A Geographic Information System (GIS) was used to estimate volumes of coal resources from information on coal distribution and coal thickness. This approach allows for the digital storage of information obtained from drill hole cores and logs, coal outcrop maps, and maps showing areas where coal has been mined out, and it permits comparisons of calculations made from one map with those made from others (Weisenfluh and others, 1998). Data from descriptions of exploration drill holes, geophysical logs, outcrop measurements, and mine maps included stratigraphic position, coal bed thickness, thickness of rock partings if present, and elevation. Outcrop data were digitized from 1:24,000-scale geologic quadrangle maps. Maps showing mined-out areas in Illinois were preserved through a cooperative effort between the U.S. Bureau of Mines, the Illinois Office of Mines and Minerals, and the Illinois State Geological Survey. These include maps from more than 2,100 underground and 400 surface mines. Maps showing mined-out areas for western Kentucky were obtained from the Kentucky Department of Mines and Minerals; for Indiana, maps were provided by the Indiana Bureau of Mines and Mining Safety.

Resource Categories

Thickness

Wood and others (1983) defined the standard USGS procedures for estimating coal resources as including coal thickness greater than 14 in.; and categorized thickness in multiples of 14 in. between 14 and 42 in., and in multiples of 42 in. between 42 and 168 in. For this assessment of coal resources in Illinois, Indiana, and western Kentucky, only three categories were used: >14 to 28 in., >28 to 42 in., and >42 in. This categorization is based on historical mining practices in the Illinois Basin and on the assumptions that coal less than 28 in. thick is generally not mineable by underground methods and that coal less than 42 in. thick is not economically mineable by underground methods at this time.

Overburden

Resources and reserves are divided into categories based on the coal mining method (surface or underground) most likely to be used. Given current mining practices, an overburden of less

than 150 ft was used to estimate resources amenable to surface mining, and overburden between 150 and 1,500 ft was used to estimate resources amenable to underground mining. It should be noted that, in practice, maximum overburden thickness for surface mining is generally determined by a ratio of overburden to coal thickness. The footage limits stated above were used to provide estimates of surface-mineable and deep-mineable areas for purposes of the present study.

Reliability

The USGS standard reliability categories are “measured,” “indicated,” “inferred,” and “hypothetical.” Measured resources are within 0.25 mi of a data point; indicated resources, between 0.25 and 0.75 mi; inferred resources, between 0.75 and 3.0 mi; and hypothetical resources, greater than 3 mi (Wood and others, 1983). These categories were used for the coal resources from western Kentucky. Because of the considerable lateral continuity of the Springfield, Herrin, and Danville Coals, coal resources in Illinois and Indiana were categorized according to the I–A, I–B, II–A and II–B class system originally defined by Cady (1952) and modified by Treworgy and Bargh (1982) to include oil test geophysical logs as accepted data points for class II–A. In this system, I–A (proved) resources are within 0.5 mi of a data point, I–B (probable) resources between 0.5 and 2 mi, II–A (strongly indicated) resources between 2 and 4 mi, and II–B (weakly indicated) resources beyond 4 mi from a data point. The I–A category is approximately equivalent to the USGS “measured” category, I–B to the USGS “indicated” category, and II–A to the USGS “inferred” category (Treworgy and others, 1997).

Data Analysis

Illinois

The following steps were taken to calculate coal resources in Illinois (Treworgy and others, 1997):

1. Thickness, depth, and elevation contours for each bed were created from the selected data points by using Earthvision, version 3 (Dynamic Graphics Inc., Alameda, CA).
2. These computer-generated contour maps were converted from the grid format of the contouring software to a format used by GIS software (ArcInfo version 7.04 by Environmental Systems Research Institute, Redlands, CA).
3. The GIS software was used to create reliability zones, which were then merged with maps of bed thickness, depth, and mined areas.
4. Tonnages were calculated from the merged layers by assuming 1 acre-foot of bituminous coal = 1,800 short tons of coal.

Indiana

The following steps were taken to calculate coal resources in Indiana (C. L. Connolly, written commun., 2000):

1. ArcInfo was used to create a 200-m resolution floating-point grid of coal thickness in inches.

¹U.S. Geological Survey, Mail Stop 939, Box 25046, Denver, CO 80225-0046

²Indiana Geological Survey, Indiana University, 611 N. Walnut Grove, Bloomington, IN 47405-2208

³Illinois State Geological Survey, Natural Resources Building, 615 E. Peabody Drive, Champaign, IL 61820

⁴Kentucky Geological Survey, 228 Mining and Minerals Bldg., University of Kentucky, Lexington, KY 40506-0107

2. The floating-point grid was reclassified to create a grid in which the coal thickness values correspond to 7-in. contour intervals.
3. The reclassified grid was converted to a polygon coverage.
4. The 7-in. contour interval coal thickness coverage was combined with coverages for surface mines, underground mines, reliability circles (I–A, II–A, and I–B), and coal depth (0–150 ft and >150 ft).
5. The tonnage in each polygon was calculated by using the conversion constants of 1,800 short tons of coal/(acre–feet of coal), and 4,046.9 m²/acre.

Western Kentucky

The GIS software utilized for resource calculations was GRASS (Geographic Resources Analysis Support System), a U.S. Government software package developed primarily by the U.S. Army Corps of Engineers, the U.S. Soil Conservation Service, and the USGS. GRASS is a raster-based GIS, which means that map data are rendered as matrices of equal-sized cells. Maps stored in a GRASS database must be oriented to a particular coordinate system. In order to utilize map information for calculations, the original vector data (points, lines, areas) must be converted to raster (gridded) data files. Following map and file preparation, the USGS program “resources” used GRASS commands to calculate areas (in square meters) for all resource categories (original, mined-out, and remaining). These data were then converted to acres, and coal tonnages were calculated by using the conversions constants of 1,800 short tons of coal/(acre–feet of coal), and 4,047 m²/acre (Weisenfluh and others, 1998).

Coal Resource Assessment Results

Estimated remaining coal resources (million short tons) for the Springfield, Herrin, Danville, and Baker Coals are listed in appendixes 1–3 (at the end of chapter D). Resources are categorized on the basis of coal bed, state, mining area (in Illinois), county, overburden thickness (0–150 ft and >150 ft), coal thickness (>14–28 in., >28–42 in., and >42 in.), and reliability of estimate (Illinois and Indiana: I–A, 0–0.5 mi from a data point; I–B, >0.5–2 mi; II–A, >2–4 mi. Western Kentucky: measured, 0–0.25 mi; indicated, >0.25–0.75 mi; inferred, >0.75–3.0 mi; and hypothetical, >3 mi). Figure 7 shows the mining areas of the Illinois Basin. The mining areas in Illinois are from Damberger (2000, fig. 1) and, in general, are based on historic mining districts. Each of these areas in Illinois is comparable in size to the coal-producing areas of Indiana and western Kentucky.

Identified coal resources are those resources in categories I–A + I–B + II–A, or measured + indicated + inferred. Summaries of the remaining identified coal resources estimates (million short tons) for the Springfield, Herrin, Danville, and Baker Coals as listed in appendixes 1–3 are listed in tables 8–10 by mining area, coal thickness interval (>14–28 in., >28–42 in., and >42 in.), and overburden thickness (0–150 ft and >150 ft). Histograms in

figure 8 show the distribution of remaining identified coal resources by coal and by thickness interval. Histograms in figures 9–11 show the remaining identified coal resources in beds greater than 42 in. thick, summarized by mining area and by coal depth (0–150 ft and >150 ft).

Figure 8 shows that the large majority (81 and 84 percent, respectively) of the identified coal resources for the Springfield and Herrin Coals are in relatively thick (>42 in.) coal, whereas, for the Danville and Baker Coals, only 39 percent of the identified resources are in coals >42 in. thick. For the Springfield Coal (fig. 9), the mining areas having the largest amount of remaining identified resources include west-central Illinois (19 billion short tons), southeastern Illinois (29 billion short tons), and Indiana (12 billion short tons). In these areas, the Springfield Coal is generally greater than 42 in. thick (fig. 10). For the Herrin Coal (fig. 11), the mining areas having the greatest amount of remaining identified resources include west-central Illinois (27 billion short tons), southwestern Illinois (14 billion short tons), and southeastern Illinois (26 billion short tons). In these areas, the Herrin Coal is also generally greater than 42 in. thick (fig. 12). For the Danville and Baker Coals (fig. 13), the mining areas having the largest remaining identified resources are on the east side of the Illinois basin in east-central Illinois (7.3 billion short tons), southeastern Illinois (4.4 billion short tons), and Indiana (6.3 billion short tons). As shown in figure 14, these mining areas are where Danville and Baker Coals reach their greatest thickness.

For the Springfield Coal, the mining areas having the largest remaining identified resources in coals >42 in. thick and at depths 0–150 ft (table 8 and fig. 9) include western Illinois (1.2 billion short tons), west-central Illinois (1.1 billion short tons), and Indiana (1.8 billion short tons). For the Herrin Coal (table 9 and fig. 10), areas having such resources are western Illinois (1.9 billion short tons) and southwestern Illinois (2.4 billion short tons), and for the Danville and Baker Coals (table 10 and fig. 11), such areas are in east-central Illinois (450 million short tons) and Indiana (500 million short tons).

References Cited—Remaining Resources

- Cady, G.H., 1952, Mineable coal reserves of Illinois: Illinois State Geological Survey Bulletin 78, 138 p.
- Damberger, H.H., 2000, Coal geology of Illinois, *in* 2000 Keystone Coal Industry Manual: Chicago, Ill., Primedia Intertec, p. 562–573.
- Treworgy, C.G., and Bargh, M.H., 1982, Deep-minable coal resources of Illinois: Illinois State Geological Survey Circular 527, 62 p.
- Treworgy, C.G., Prussen, E.I., Justice, M.A., Chenoweth, C.A., Bargh, M.H., Jacobson, R.J., and Damberger, H.H., 1997, Illinois coal resource assessment and database development—Final report: Illinois State Geological Survey Open File Series 1997–4, 105 p.
- Weisenfluh, G.A., Andrews, W.A., and Hiatt, K.K., 1998, Availability of coal resources for the development of coal—Western Kentucky summary report: Kentucky Geological Survey Interim Report for U.S. Department of Interior Grant 14–08–001–A0896, 32 p.
- Wood, G.H., Jr., Kehn, T.M., Carter, M.D., and Culbertson, W.C., 1983, Coal resource classification system of the U.S. Geological Survey: U.S. Geological Survey Circular 891, 65 p.




Figure 7. Map showing mining areas of the Illinois Basin and the extent of coal-bearing rocks in Illinois, Indiana, and western Kentucky. The six mining areas in Illinois are from Damberger (2000, fig. 1). This illustration was modified from regional shapefiles contained in the Illinois Basin ArcView project (Gunther and others, this publication).




Figure 8. Histogram showing remaining, identified coal resources (million short tons) of the Springfield, Herrin, and Danville-Baker Coals in Illinois, Indiana, and western Kentucky, summarized by thickness. Identified resources include categories I-A, I-B, and II-A in Illinois and Indiana, and measured, indicated, and inferred in western Kentucky.




Figure 9. Histogram showing remaining, identified coal resources (>42 in. thick, million short tons) of the Springfield Coal in Illinois, Indiana, and western Kentucky, summarized by mining area and by overburden thickness (coal depth). Data are from table 8. Identified resources include categories I-A, I-B, and II-A in Illinois and Indiana, and measured, indicated, and inferred in western Kentucky.




Figure 10. Map showing thickness of the Springfield Coal in Illinois, Indiana, and western Kentucky. This illustration was modified from regional shapefiles contained in the Illinois Basin ArcView project (Gunther and others, this publication).




Figure 11. Histogram showing remaining, identified coal resources (>42 in. thick, million short tons) of the Herrin Coal in Illinois and western Kentucky, summarized by mining area and by overburden thickness (coal depth). Data are from table 9. Identified resources include categories I-A, I-B, and II-A in Illinois and Indiana, and measured, indicated, and inferred in western Kentucky.




Figure 12. Map showing thickness of the Herrin Coal in Illinois, Indiana, and western Kentucky. This illustration was modified from regional shapefiles contained in the Illinois Basin ArcView project (Gunther and others, this publication).




Figure 13. Histogram showing remaining, identified coal resources (>42 in. thick, million short tons) of the Danville Coal Member in Illinois and Indiana, and the Baker coal in western Kentucky, summarized by mining area and by overburden thickness (coal depth). Data are from table 10. Identified resources include categories I–A, I–B, and II–A in Illinois and Indiana, and measured, indicated, and inferred in western Kentucky.




Figure 14. Map showing thickness of the Danville Coal Member in Illinois and Indiana, and the Baker coal in western Kentucky. This illustration was modified from regional shapefiles contained in the Illinois Basin ArcView project (Gunther and others, this publication).

Table 8. Summary of estimated remaining, identified resources of the Springfield Coal in Illinois, Indiana, and western Kentucky.

[Data are from appendix 1. Identified resources include geologic reliability categories I–A, I–B, and II–A for Illinois and Indiana, and measured, indicated, and inferred for Kentucky. Resources are listed by mining area and are categorized by overburden thickness (coal depth) and coal thickness. Resource numbers are rounded to two significant figures, or to the nearest one hundred million short tons for resources greater than ten billion short tons. Columns may not sum exactly due to rounding.]

Mining area	Coal depth (feet)	Remaining, identified resources (million short tons)			
		Coal thickness (inches)			
		>14-28	>28-42	>42	All
Northern Illinois	0 – 150	0	0	37	37
	> 150	0	2,200	2,500	4,700
	Subtotal	0	2,200	2,500	4,700
Western Illinois	0 – 150	380	450	1,200	2,000
	> 150	0	68	480	550
	Subtotal	380	520	1,700	2,600
West-central Illinois	0 – 150	0	0	1,100	1,100
	> 150	0	2,400	15,600	18,000
	Subtotal	0	2,400	16,700	19,100
East-central Illinois	0 – 150	17	9	13	39
	> 150	0	1,700	3,700	5,400
	Subtotal	17	1,700	3,700	5,500
Southwestern Illinois	0 – 150	12	98	250	370
	> 150	0	89	300	380
	Subtotal	12	190	550	740
Southeastern Illinois	0 – 150	0	4	370	370
	> 150	0	5,400	23,200	28,600
	Subtotal	0	5,400	23,600	29,000
Illinois	0 – 150	410	560	3,000	4,000
	> 150	0	11,900	45,800	57,700
	Subtotal	410	12,400	48,800	61,700
Indiana	0 – 150	25	280	1,800	2,100
	> 150	150	1,500	8,400	10,100
	Subtotal	180	1,700	10,200	12,100
Western Kentucky	0 – 150	1	17	960	990
	> 150	9	180	5,800	6,000
	Subtotal	10	200	6,800	7,000
Illinois Basin	0 – 150	430	860	5,700	7,000
	> 150	160	13,500	60,000	73,700
	Total	590	14,400	65,700	80,700

Table 9. Summary of estimated remaining, identified resources of the Herrin Coal in Illinois and western Kentucky.

[Data are from appendix 2. Identified resources include geologic reliability categories I–A, I–B, and II–A for Illinois and measured, indicated, and inferred for western Kentucky. Resources are listed by mining area and are categorized by overburden thickness (coal depth) and coal thickness. Resource numbers are rounded to two significant figures, or to the nearest one hundred million short tons for resources greater than ten billion short tons. Columns may not sum exactly due to rounding.]

Mining area	Coal depth (feet)	Remaining, identified resources (million short tons)			
		Coal thickness (inches)			
		>14-28	>28-42	>42	All
Northern Illinois	0 – 150	77	140	170	390
	> 150	0	330	62	390
	Subtotal	77	470	230	780
Western Illinois	0 – 150	15	470	2,000	2,500
	> 150	0	130	320	450
	Subtotal	15	600	2,300	2,900
West-central Illinois	0 – 150	98	600	300	990
	> 150	0	2,800	23,400	26,100
	Subtotal	98	3,400	23,700	27,100
East-central Illinois	0 – 150	81	56	470	610
	> 150	0	2,200	5,200	7,400
	Subtotal	81	2,300	5,700	8,000
Southwestern Illinois	0 – 150	2	17	2,400	2,400
	> 150	0	150	11,200	11,300
	Subtotal	2	170	13,600	13,800
Southeastern Illinois	0 – 150	3	47	580	630
	> 150	0	4,900	20,800	25,700
	Subtotal	3	4,900	21,400	26,300
Illinois	0 – 150	280	1,300	5,900	7,600
	> 150	0	10,500	60,900	71,400
	Subtotal	280	11,800	66,800	78,900
Western Kentucky	0 – 150	47	74	430	550
	> 150	140	460	1,500	2,100
	Subtotal	180	530	1,900	2,600
Illinois Basin	0 – 150	320	1,400	6,300	8,100
	> 150	140	11,000	62,400	73,500
	Total	460	12,400	68,700	81,600

Table 10. Summary of estimated remaining, identified resources of the Danville Coal in Illinois and Indiana, and the Baker coal in western Kentucky.

[Data are from appendix 3. Identified resources include geologic reliability categories I–A, I–B, and II–A for Illinois and Indiana, and measured, indicated, and inferred for Kentucky. Resources are listed by mining area and are categorized by overburden thickness (coal depth) and coal thickness. Resource numbers are rounded to two significant figures, or to the nearest one hundred million short tons for resources greater than ten billion short tons. Columns may not sum exactly due to rounding.]

Mining area	Coal depth (feet)	Remaining, identified resources (million short tons)			
		Coal thickness (inches)			All
		>14-28	>28-42	>42	
Northern Illinois	0 – 150	290	340	190	810
	> 150	570	950	1,300	2,800
	Subtotal	850	1,300	1,500	3,600
Western Illinois	0 – 150	430	200	0	630
	> 150	0	150	37	190
	Subtotal	430	350	37	820
West-central Illinois	0 – 150	0	0	0	0
	> 150	18	1,300	450	1,800
	Subtotal	18	1,300	450	1,800
East-central Illinois	0 – 150	57	350	450	850
	> 150	0	2,500	3,900	6,400
	Subtotal	57	2,800	4,400	7,300
Southeastern Illinois	0 – 150	120	4	0	120
	> 150	0	2,700	1,500	4,200
	Subtotal	120	2,700	1,500	4,300
Illinois	0 – 150	900	880	630	2,400
	> 150	590	7,600	7,300	15,500
	Subtotal	1,500	8,500	8,000	17,900
Indiana	0 – 150	210	840	500	1,600
	> 150	1,200	2,900	670	4,700
	Subtotal	1,400	3,700	1,200	6,300
Western Kentucky	0 – 150	310	360	260	930
	> 150	580	500	1,300	2,400
	Subtotal	890	870	1,600	3,400
Illinois Basin	0 – 150	1,400	2,100	1,400	4,900
	> 150	2,300	11,000	9,200	22,500
	Total	3,700	13,100	10,600	27,400

Confidence Limits for Resource Estimates of Illinois Basin Coals

By J.H. Schuenemeyer,¹ H.C. Power,² and J.R. Hatch¹

Methodology

As part of the current USGS coal resource assessment, a geostatistical procedure has been developed (Schuenemeyer and Power, 2000) to estimate the uncertainty of coal resource calculations for the geological reliability categories used in the Illinois Basin. The procedure of Schuenemeyer and Power (2000) involves trend removal, an examination of spatial correlation, computation of a sample variogram, and fitting a semi-variogram model. In the Illinois Basin, the data consist of spatially clustered coal-thickness measurements from coal beds that cover areas from 853 to 14,050 mi². The number of drill holes is generally proportional to areal extent. This model provides standard deviations for the uncertainty estimates. The minimum number of sample points for each reliability category was estimated (called a pseudo *n*) by dividing the area measured by the area determined by the maximum distance for a category (as examples, 0.5 mi for I–A, 0.25 mi for indicated). Measurement errors in coal bed thickness were then obtained from the fitted model. From this information, approximate estimates of uncertainty (confidence interval) for each reliability category were computed. A complete explanation of this procedure (with examples) is in Schuenemeyer and Powers (2000).

Results

Based on the above outlined procedure, volumes of the Springfield, Herrin, Danville, and Baker Coals were calculated at a 90-percent confidence interval on the volume (total resource in million short tons) of coal with measurement error for each geological reliability category used in the Illinois Basin. For Illinois and Indiana, resources are reported by categories of I–A (0–0.5 mi from a data point), I–B (>0.5–2 mi), and II–A (>2–4 mi). Resources in western Kentucky are reported by categories of measured (0–0.25 mi from a data point), indicated (0.25–0.75 mi), inferred (0.75–3.0 mi), and hypothetical (>3.0 mi). Although the state resource estimates listed in appendixes 1–3 and summarized in tables 8–10 were computed by using both the available public and proprietary data, only the publicly available data from each state were used to make the uncertainty calculations. The number of publicly available data points ranged from 16,325 for the Herrin Coal Member in Illinois to 653 for the Herrin coal in western Kentucky. If both the public and proprietary data points were to be used for the calculations, the estimates of uncertainty would most likely be less.

Summaries of the calculations of confidence intervals for geological reliability categories for the Springfield, Herrin, and

Danville Coal Members in Illinois are shown in tables 11–13; for the Springfield and Danville Coal Members in Indiana, tables 14 and 15; and for the Springfield, Herrin, and Baker coals in western Kentucky, tables 16–18. Because of the generally low variability in coal thickness for the Springfield, Herrin, Danville, and Baker Coals in the Illinois Basin, estimates of uncertainty are also low. Ranges of the estimated percent errors for the various reliability categories from tables 11–18 are shown in figure 15.

Discussion

For the Springfield, Herrin, and Danville Coal Members in Illinois and the Springfield and Danville Coal Members in Indiana, estimated percent error for reliability category I–A ranges from <1 to 2 percent; for reliability category I–B it ranges from 2 to 6 percent (fig. 15). For category II–A in Illinois, estimated percent error ranges from 4 to 9 percent, whereas for category II–A in Indiana, percent error is much higher, 37 percent for the Springfield and 40 percent for the Danville. For the Springfield, Herrin, and Baker coals in western Kentucky, estimated percent error for the measured resources ranges from <1 to 2 percent; for indicated resources, 2 to 5 percent; for inferred resources, 5 to 16 percent; and for hypothetical resources, 34 to 77 percent. For the combined categories I–A, I–B, and II–A for Illinois and Indiana, estimated percent error ranges from 3 to 6 percent. For the combined measured, indicated, inferred, and hypothetical resources in western Kentucky, estimated percent error ranges from 5 to 15 percent.

As shown in figure 15, the uncertainty (<1 to 2 percent) for category I–A resources as used in Illinois and Indiana is comparable to the uncertainty (<1 to 2 percent) for measured resources as used in western Kentucky. Similarly, the uncertainty (2 to 6 percent) for I–B resources in Illinois and Indiana is comparable to the uncertainty (2 to 5 percent) for indicated resources in western Kentucky, and the uncertainty (4 to 9 percent) for II–A resources in Illinois is similar to, although not as high as, the uncertainty (5 to 16 percent) for inferred resources in western Kentucky. In contrast, the uncertainty (37 to 40 percent) for II–A resources in Indiana is similar to the range of uncertainty (34 to 77 percent) for hypothetical resources in western Kentucky.

These studies show that in addition to “distance from a data point,” other geologic characteristics (for example, variability in coal thickness) of the coal have to be understood if resource reliability categories for a coal are to be comparable to those assigned to other coals in the basin or in other basins.

Reference Cited—Confidence Limits

Schuenemeyer, J.H., and Power, H.C., 2000, Uncertainty estimation for resource assessment—An application to coal: *Mathematical Geology*, v. 32, p. 521–541.

¹U.S. Geological Survey, Mail Stop 939, Box 25046, Denver, CO 80225

²University of South Carolina, Department of Geography, Columbia, SC 29208

Table 11. Estimates of uncertainty (calculated with measurement error) of coal resource estimates for the Springfield Coal Member in Illinois.

[To show detail, resources are reported in million short tons to three significant figures. Resources will not sum due to independent rounding. I-A resources are within 0.5 mi of a data point; I-B resources, >0.5–2 mi; and II-A resources, >2–4 mi. Number of publicly available data points = 10,630. NA, not applicable.]

Parameter	Reliability Category			
	I-A	I-B	II-A	Entire area
Area (acres)	705,000	2,501,000	5,255,000	8,462,000
Percent of area	8	30	62	100
Pseudo n^* = minimum number of points in area	1403	311	163	NA
Half interval width (90% confidence interval)	48	419	1,337	1,805
Percent error (half interval width / volume) x 100	<1	2	4	3
Lower 90% confidence bound (million short tons)	5,960	19,100	34,500	59,600
Volume (million short tons)	6,000	19,600	35,800	61,400
Upper 90% confidence bound (million short tons)	6,050	20,000	37,200	63,200

Table 12. Estimates of uncertainty (calculated with measurement error) of coal resource estimates for the Herrin Coal Member in Illinois.

[To show detail, resources are reported in million short tons to three significant figures. Resources will not sum due to independent rounding. I-A resources are within 0.5 mi of a data point; I-B resources, >0.5–2 mi; and II-A resources, >2–4 mi. Number of publicly available data points = 16,325. NA, not applicable.]

Parameter	Reliability Category			
	I-A	I-B	II-A	Entire area
Area (acres)	1,749,000	3,637,000	3,604,000	8,989,000
Percent of area	19	41	40	100
Pseudo n^* = minimum number of points in area	3,479	452	112	NA
Half interval width (90% confidence interval)	100	610	1,290	2,000
Percent error (half interval width / volume) x 100	<1	2	5	3
Lower 90% confidence bound (million short tons)	19,100	33,800	24,100	76,900
Volume (million short tons)	19,200	34,400	25,400	78,900
Upper 90% confidence bound (million short tons)	19,300	35,000	26,700	80,900

Table 13. Estimates of uncertainty (calculated with measurement error) of coal resource estimates for the Danville Coal Member in Illinois.

[To show detail, resources are reported in million short tons to three significant figures. Resources will not sum due to independent rounding. I-A resources are within 0.5 mi of a data point; I-B resources, >0.5–2 mi; and II-A resources, >2–4 mi. Number of publicly available data points = 6,465. NA, not applicable.]

Parameter	Reliability Category			
	I-A	I-B	II-A	Entire area
Area (acres)	254,000	1,247,000	1,520,000	3,021,000
Percent of area	8	41	50	100
Pseudo n^* = minimum number of points in area	505	155	47	NA
Half interval width (90% confidence interval)	37	332	732	1,100
Percent error (half interval width / volume) x 100	2	4	9	6
Lower 90% confidence bound (million short tons)	1,810	7,180	7,720	16,700
Volume (million short tons)	1,850	7,510	8,450	17,800
Upper 90% confidence bound (million short tons)	1,890	7,840	9,180	18,900

Table 14. Estimates of uncertainty (calculated with measurement error) of coal resource estimates for the Springfield Coal Member in Indiana.

[To show detail, resources are reported in million short tons to three significant figures. Resources will not sum due to independent rounding. I–A resources are within 0.5 mi of a data point; I–B resources, >0.5–2 mi; and II–A resources, >2–4 mi. Number of publicly available data points = 4,842. NA, not applicable.]

Parameter	Reliability Category			
	I-A	I-B	II-A	Entire area
Area (acres)	1,031,000	705,000	68,600	1,805,000
Percent of area	57	39	4	100
Pseudo n^* = minimum number of points in area	2051	88	2	NA
Half interval width (90% confidence interval)	74	280	177	531
Percent error (half interval width / volume) x 100	1	6	37	5
Lower 90% confidence bound (million short tons)	6,610	4,460	296	11,400
Volume (million short tons)	6,680	4,740	473	11,900
Upper 90% confidence bound (million short tons)	6,750	5,020	649	12,400

Table 15. Estimates of uncertainty (calculated with measurement error) of coal resource estimates for the Danville Coal Member in Indiana.

[To show detail, resources are reported in million short tons to three significant figures. Resources will not sum due to independent rounding. I–A resources are within 0.5 mi of a data point; I–B resources, >0.5–2 mi; and II–A resources, >2–4 mi. Number of publicly available data points = 3,088. NA, not applicable.]

Parameter	Reliability Category			
	I-A	I-B	II-A	Entire area
Area (acres)	707,000	571,000	55,900	1,334,000
Percent of area	53	43	4	100
Pseudo n^* = minimum number of points in area	1407	71	2	NA
Half interval width (90% confidence interval)	35	142	96	273
Percent error (half interval width / volume) x 100	1	5	40	4
Lower 90% confidence bound (million short tons)	3,280	2,550	145	5,980
Volume (million short tons)	3,320	2,690	241	6,250
Upper 90% confidence bound (million short tons)	3,350	2,830	337	6,520

Table 16. Estimates of uncertainty (calculated with measurement error) of coal resource estimates for the Springfield coal in western Kentucky.

[To show detail, resources are reported in million short tons to three significant figures. Resources will not sum due to independent rounding. Measured resources are within 0.25 mi of a data point; indicated resources, >0.25–0.75 mi; inferred resources, >0.75–3 mi; and hypothetical resources, >3 mi. Number of publicly available data points = 984. NA = not applicable.]

Parameter	Reliability Category				Entire area
	Measured	Indicated	Inferred	Hypo- theoretical	
Area (acres)	198,000	379,000	566,000	73,800	1,218,000
Percent of area	16	31	47	6	100
Pseudo n^* = minimum number of points in area	1576	335	31	1	NA
Half interval width (90% confidence interval)	8	33	181	176	399
Percent error (half interval width / volume) x 100	<1	2	5	34	5
Lower 90% confidence bound (million short tons)	1,050	2,200	3,520	347	7,110
Volume (million short tons)	1,060	2,230	3,700	524	7,510
Upper 90% confidence bound (million short tons)	1,070	2,270	3,880	700	7,910

Table 17. Estimates of uncertainty (calculated with measurement error) of coal resource estimates for the Herrin coal in western Kentucky.

[To show detail, resources are reported in million short tons to three significant figures. Resources will not sum due to independent rounding. Measured resources are within 0.25 mi of a data point; indicated resources, >0.25–0.75 mi; inferred resources, >0.75–3 mi; and hypothetical resources, >3 mi. Number of publicly available data points = 650. NA, not applicable.]

Parameter	Reliability Category				
	Measured	Indicated	Inferred	Hypothetical	Entire area
Area (acres)	104,000	167,000	231,000	43,900	546,000
Percent of area	19	31	42	8	100
Pseudo n^* = minimum number of points in area	829	148	13	1	NA
Half interval width (90% confidence interval)	8	37	193	132	371
Percent error (half interval width / volume) x 100	2	4	15	45	13
Lower 90% confidence bound (million short tons)	463	799	1,110	160	2,540
Volume (million short tons)	471	836	1,310	293	2,910
Upper 90% confidence bound (million short tons)	480	873	1,500	425	3,280

Table 18. Estimates of uncertainty (calculated with measurement error) of coal resource estimates for the Baker coal in western Kentucky.

[To show detail, resources are reported in million short tons to three significant figures. Resources will not sum due to independent rounding. Measured resources are within 0.25 mi of a data point; indicated resources, >0.25–0.75 mi; inferred resources, >0.75–3 mi; and hypothetical resources, >3 mi. Number of publicly available data points = 2,343. NA, not applicable.]

Parameter	Reliability Category				
	Measured	Indicated	Inferred	Hypothetical	Entire area
Area (acres)	120,000	212,000	334,000	66,100	733,000
Percent of area	16	29	46	9	100
Pseudo n^* = minimum number of points in area	956	188	18	1	NA
Half interval width (90% confidence interval)	10	49.0	256	218	533
Percent error (half interval width / volume) x 100	2	5	16	77	15
Lower 90% confidence bound (million short tons)	621	1,060	1,360	64	3,100
Volume (million short tons)	631	1,110	1,610	282	3,640
Upper 90% confidence bound (million short tons)	642	1,160	1,870	500	4,170




Figure 15. Graph showing range in percent uncertainty (at the 90 percent confidence level) for coal resource reliability categories from Illinois (range for three coals), Indiana (range for two coals), and western Kentucky (range for three coals). I–A resources are within 0.5 mi of a data point; I–B resources, >0.5–2 mi; and II–A resources, >2–4 mi. Measured resources are within 0.25 mi of a data point; indicated resources, >0.25–0.75 mi; inferred resources, >0.75–3 mi; and hypothetical resources, >3 mi.

Availability and Recoverability of Illinois Basin Coals

By L.M. Osmonson,¹ C.G. Treworgy,² C.L. Connolly,³
W.A. Andrews,⁴ G.A. Weisenfluh,⁴ M.D. Carter,¹ and J. R. Hatch¹

Introduction

Coal Availability, a cooperative program between the USGS and various State geological surveys, has been assessing coal resources within various coal regions to determine how much is potentially available for mining (Carter and Gardner, 1989; Eggleston and others, 1990; Carter and others, 1995). The coal resource available for mining is significantly less than estimates of coal in the ground because resources are unavailable due to land-use and technological restrictions. The Coal Recoverability Program of the USGS and the former U.S. Bureau of Mines addresses the technological, economic, and environmental restrictions that may affect the extractability of coal. Coal recoverability considerations modify the available coal resource estimates to reflect the current state of mining technology, present and near-future market conditions, and the impact of 1990 Amendment to the Clean Air Act (Plis and others, 1993; Rohrbacher and others, 1993; Suffredini and others, 1994; Staff, U.S. Bureau of Mines, Intermountain Field Operations Center, 1995).

Coal Availability

Availability of coal resources for an area is determined by calculating the original, in-place resource and then subtracting (a) the coal resources that have already been mined, (b) coal resources that are restricted by land-use considerations, and (c) coal resources that are restricted by technological considerations. Land-use restrictions apply to areas through which, or under which, mining is prohibited, either by law, or because of potential legal liabilities. Such restrictions to coal mining include

- (1) Cities, towns, rural dwellings and buildings, cemeteries
- (2) Rivers, lakes, reservoirs, major streams
- (3) Major highways and rail lines, airports
- (4) Power lines, pipelines, oil and gas wells
- (5) National or State forests, parks, protected wildlife areas, recreation sites

An example of how land-use restrictions can limit coal mining on a quadrangle scale is shown in figure 16 for the Seelyville 7.5-minute quadrangle, Indiana (modified from Connolly and Krueger, 1997a).

Technological restrictions are mainly due to a geologic setting of the coal that affects the ability to physically extract the coal. Some of the restrictions affect only surface mining opera-

tions, some affect only underground mining operations, and some apply to both. Technological restrictions to coal mining include

- (1) Coal depth and thickness (too deep or too thin)
- (2) Mine barriers (needed between separate mines)
- (3) Adjacent coal beds (overlie or underlie too closely)
- (4) Structural problems (faulting or areas of weak rock)
- (5) Overburden (unstable or too thin)
- (6) Oil and gas wells (nonmineable buffers required around active wells)

A diagram illustrating some of the technological restrictions to coal mining is shown in figure 17 (modified from Axon, 1996).

In the Illinois Basin, coal availability studies have been completed for forty-one 7.5-minute quadrangles (nineteen in Illinois, ten in Indiana, and twelve in western Kentucky; fig. 18). Coal recoverability studies have been completed for 16 of the 41 quadrangles (eight in Illinois, three in Indiana, and five in western Kentucky). The quadrangles studied were selected on the basis of likely differences in both land use and technological restrictions and the availability of data, which permitted a variety of coal resource scenarios to be analyzed. For example, each quadrangle has its own unique combination of in-place coal resource size, current and (or) previous mining activity, geologic structure, cultural development, and land-management regulations. These 41 quadrangles also represent an average sampling of the potential coal resource development within each state, as well as throughout the Illinois Basin.

Results

Illinois

Coal availability studies for 19 representative 7.5-minute quadrangles in Illinois have been completed (Treworgy, Chenoweth, and Bargh, 1995; Jacobson and others, 1996; Treworgy, Chenoweth, and Jacobson, 1996; Treworgy, Chenoweth, and Justice, 1996; Treworgy and others, 1994, 1995, 1997, and 1998). Results of these studies are summarized in figures 19 and 20. Figure 19 shows that the original coal resources for all coals studied in the 19 quadrangles was about 10 billion short tons and that the remaining available coal is about 4.6 billion short tons (46 percent of the original coal resource). Figure 20 illustrates the amount of original resource, how much of the resource has been mined-out, or is not available because of land-use and technological restrictions, and the amounts of available coal for the Danville, Davis, Herrin, Seelyville, and Springfield Coal Members, the coals that have the largest estimated original resources in these 19 quadrangles. Figure 20 shows that

- (1) Mining has been mainly from the Springfield and Herrin; production from the other three coals has been minimal.
- (2) For all five coals, technological restrictions are the primary factors affecting the amounts of available coal.
- (3) Technological and land-use restrictions leave little of the Danville available for future mining.

Indiana

Coal availability studies for 10 representative 7.5-minute quadrangles in Indiana have been completed (Cetin and others,

¹U.S. Geological Survey, Mail Stop 939, Box 25046, Denver, CO 80225-0046

²Indiana Geological Survey, Indiana University, 611 N. Walnut Grove, Bloomington, IN 47405-2208

³Illinois State Geological Survey, Natural Resources Building, 615 E. Peabody Drive, Champaign, IL 61820

⁴Kentucky Geological Survey, 228 Mining and Minerals Bldg., University of Kentucky, Lexington, KY 40506-0107

1994, 1995; Conolly and Cetin, 1995, 1996; Cetin and Conolly, 1996a,b; Conolly and others, 1996; and Conolly and Krueger, 1997a,b, 1998). Results of these studies are summarized in figures 21 and 22. Figure 21 shows that the original coal resource for all coals studied in the 10 quadrangles was about 5.8 billion short tons and that the remaining available coal is about 3.3 billion short tons (57 percent of the original coal resource). Figure 22 illustrates the amount of original resource, how much of the resource has been mined out or is not available because of land-use and technological restrictions, and the amounts of available coal for the Danville, Hymera, Seelyville, Springfield, and Survant Coal Members, the coals that have the largest estimated original resources in these 10 quadrangles. Figure 22 shows that

- (1) Mining has been primarily from the Springfield and Hymera, with lesser production from the Danville, Seelyville, and Survant Coal Members.
- (2) For the Springfield, previous mining is the primary factor affecting coal availability; for the other four coals, technological restrictions are the primary factors.

Western Kentucky

Coal availability studies for 12 representative 7.5-minute quadrangles have been completed in western Kentucky (Weisenfluh and others, 1998). Results of this study are summarized in figures 23 and 24. Figure 23 shows that the original coal resource for all coals studied was about 5.1 billion short tons and that the remaining available coal is about 2.7 billion short tons (53 percent of the original coal resource). Figure 24 illustrates the amounts of original resource, how much of the resource has been mined-out, or is not available because of land-use and technological restrictions, and the amounts of available coal for the Baker, Davis, Herrin, Paradise, and Springfield coals, the coals that have the largest estimated original resources in these 12 quadrangles. Figure 24 shows that

- (1) Mining has been primarily from the Springfield coal, with lesser production from the Baker, Herrin and Paradise coals, and minimal production from the Davis coal.
- (2) For the Springfield coal, mined-out coal is the largest factor affecting coal availability, but for the other four coals, technological restrictions are the primary factors.

Coal Recoverability

Recoverability of coal resources for an area is determined by subtracting from the available coal resource the resources that cannot be removed during mining because of mine barriers, areas having an unstable mine roof or floor, areas where the mining slope would be too steep, and the resources that are lost during the cleaning process. The definition of available coal resources in calculating coal recoverability is a bit different than the definition as discussed in the above paragraphs. For coal recoverability, available coal includes partings within the coal because the partings cannot be removed during the mining process. The economically recoverable coal is the recoverable coal resource minus the recoverable resource that cannot be mined at a profit. The economics of coal mining vary and depend upon the mine location,

characteristics of the coal, mined coal quality, mining method, shipping costs, and taxes.

In the Illinois Basin, coal recoverability studies have been completed for sixteen of the forty-one 7.5-minute quadrangles where coal availability studies have been completed. Eight of these are in Illinois, three are in Indiana, and five are in western Kentucky; quadrangle locations are shown in figure 18. These coal recoverability studies demonstrate that only a small percentage (from less than 1 percent to about 13 percent) of the original coal resource is economically mineable in today's coal market.

Results

Illinois

Coal recoverability studies for eight quadrangles in Illinois have been completed (Sullivan, 1995; DST and Associates unpublished contract studies, 1998a–c, 1999a–d). Results of these studies (illustrated in fig. 25) show that of the 7.1 billion short tons of original coal resource in place, only about 900 million short tons of coal can potentially be mined at a profit. This 900 million short tons is about 13 percent of the original coal resource.

Indiana

Coal recoverability studies for three quadrangles in Indiana have been completed (DST and Associates, 1998d,e, and 1999e). Results of these studies (illustrated in fig. 26) show that of the 2.4 billion short tons of original coal resource in place, only about 170 million short tons of coal can potentially be mined at a profit. This 170 million short tons is about 7 percent of the original coal resource.

Western Kentucky

Coal recoverability studies for five quadrangles in western Kentucky have been completed (Scott, 1997). Results of these studies (illustrated in figure 27) show that of the 2.8 billion short tons of original coal resource in place, only about 7 million short tons of coal can potentially be mined at a profit. This 7 million short tons is less than 1 percent of the original coal resource.

Summary

In summary, coal availability and coal recoverability studies in the Illinois Basin show that only a part of the original coal resources within the 7.5-minute quadrangles studied is available for development (46 percent of the resources for 19 quadrangles in Illinois, 57 percent for 10 quadrangles in Indiana, and 53 percent for 12 quadrangles in western Kentucky). Even less of the original resource is actually recoverable, and only a small percentage of the original coal resource is economically recoverable (13 percent of the resource for eight Illinois quadrangles, 7 percent for three Indiana quadrangles, and less than 1 percent for five quadrangles in western Kentucky).




Figure 16. Map showing land use that can limit coal mining in the Seelyville 7.5-minute quadrangle, Indiana (modified from Conolly and Krueger, 1997a).




Figure 18. Map of the Illinois Basin showing county boundaries and locations of the 7.5-minute quadrangles studied for coal availability and coal recoverability.





Figure 19. Chart showing results from coal availability studies for 19 representative 7.5-minute quadrangles in Illinois.

EXPLANATION

- Mined-out resource
- Land-use restrictions
- Technological restrictions
- Available resource



EXPLANATION

- Technological restrictions
- Land-use restrictions
- Mined-out resource
- Available resource

Figure 20. Chart comparing effects of restrictions on available coal resources for the Danville, Davis, Herrin, Seelyville, and Springfield Coal Members in 19 representative 7.5-minute quadrangles in Illinois.





Figure 21. Chart showing results from coal availability studies for 10 representative 7.5-minute quadrangles in Indiana.

EXPLANATION

- Mined-out resource
- Land-use restrictions
- Technological restrictions
- Available resource



EXPLANATION

- Technological restrictions
- Land-use restrictions
- Mined-out resource
- Available resource

Figure 22. Chart comparing effects of restrictions on available coal resources for the Danville, Hymera, Seelyville, Springfield, and Survant Coal Members in 10 representative 7.5-minute quadrangles in Indiana.





Figure 23. Chart showing results from coal availability studies for 12 representative 7.5-minute quadrangles in western Kentucky.

EXPLANATION

- Available resource
- Technological restrictions
- Land-use restrictions
- Mined-out resource



EXPLANATION

- Technological restrictions
- Land-use restrictions
- Mined-out resource
- Available resource

Figure 24. Chart comparing effects of restrictions on available coal resources for the Baker, Davis, Herrin, Paradise, and Springfield coals in 12 representative 7.5-minute quadrangles in western Kentucky.




Figure 25. Chart showing results from coal availability and coal recoverability studies for eight 7.5-minute quadrangles in Illinois.




Figure 26. Chart showing results from coal availability and coal recoverability studies for three 7.5-minute quadrangles in Indiana.

COAL RESOURCE	MILLION SHORT TONS	EXCLUSIONS
Original	2,770	None
Remaining	2,240	Mined-Out
Available	1,660	Land/Technical Restrictions
Recoverable	1,030	Future Mining/ Process Losses
Economic	1,023	Uneconomic

Figure 27. Chart showing results from coal availability and coal recoverability studies for five 7.5-minute quadrangles in western Kentucky.

References Cited—Coal Availability and Recoverability

General

- Axon, A.G., 1996, Available coal resources of the Betheseda 7.5-minute quadrangle, Belmont County, Ohio: Ohio Division of Geological Survey Report of Investigations No. 145, 27 p.
- Carter, M.D., and Gardner, N.K., 1989, An assessment of coal resources available for development, central Appalachian region: U.S. Geological Survey Open-File Report 89–362, 52 p.
- Carter, M.D., Rohrbacher, T.J., Weisenfluh, G.A., Fedorko, N., Axon, A.G., Treworgy, C.G., Cetin, H., Teeters, D.D., Geroyan, R.I., Sites, R.S., and Gardner, N.K., 1995, Federal and State coal availability/recoverability studies in the Eastern United States; a new approach to coal resource assessment, *in* Carter, L.M.H., ed. Energy and the environment—Application of geosciences to decision-making: U.S. Geological Survey Circular 1108, p. 48–50.
- Eggleston, J.R., Carter, M.D., and Cobb, J.C., 1990, Coal resources available for development—A methodology and pilot study: U.S. Geological Survey Circular 1055, 15 p.
- Plis, M.N., Rohrbacher, T.J., and Teeters, D.D., 1993, COALVAL—A pre-feasibility software package for evaluating coal properties using Lotus 1–2–3, release 2.2: U.S. Bureau of Mines Information Circular 9348, 93 p.
- Rohrbacher, T.J., Teeters, D.D., Sullivan, G.L., and Osmonson, L.M., 1993, Coal resource recoverability—A methodology: U.S. Bureau of Mines Information Circular 9368, 48 p.
- Staff, U.S. Bureau of Mines, Intermountain Field Operations Center, 1995, Coal recoverability and coal reserve analysis, Appalachian and Illinois Basins, 1994: U.S. Bureau of Mines Open File Report 02–95, 41 p.
- Suffredini, C.D., Plis, M.N., Rohrbacher, T.J., and Teeters, D.D., 1994, COALVAL 2.0—A pre-feasibility software package for evaluating coal properties using Lotus 1–2–3, release 3.1: U.S. Bureau of Mines Open File Report 35–94, 198 p.

Illinois

- DST and Associates, 1998a, Coal recoverability and coal reserve analysis, Illinois Basin, Atwater quadrangle, Illinois: Unpublished report prepared for the U.S. Geological Survey (contract number 1434–CR–97–CN–40294), 4 p.
- DST and Associates, 1998b, Coal recoverability and coal reserve analysis, Illinois Basin, Collinsville Quadrangle, Illinois: Unpublished report prepared for the U.S. Geological Survey (contract number 1434–CR–97–CN–40294), 5 p.
- DST and Associates, 1998c, Coal recoverability and coal reserve analysis, Illinois Basin, Newton Quadrangle, Illinois: Unpublished report prepared for the U.S. Geological Survey (contract number 1434–CR–97–CN–40294), 6 p.
- DST and Associates, 1999a, Coal recoverability and coal reserve analysis, Illinois Basin, Galatia Quadrangle, Illinois: Unpublished report prepared for the U.S. Geological Survey (contract number 1434–CR–97–CN–40294), 5 p.
- DST and Associates, 1999b, Coal recoverability and coal reserve analysis, Illinois Basin, Mount Carmel Quadrangle, Illinois: Unpublished report prepared for the U.S. Geological Survey (contract number 1434–CR–97–CN–40294), 5 p.
- DST and Associates, 1999c, Coal recoverability and coal reserve analysis, Illinois Basin, Nokomis Quadrangle, Illinois: Unpublished report

prepared for the U.S. Geological Survey (contract number 1434–CR–97–CN–40294), 5 p.

- DST and Associates, 1999d, Coal recoverability and coal reserve analysis, Illinois Basin, Princeville Quadrangle, Illinois: Unpublished report prepared for the U.S. Geological Survey (contract number 1434–CR–97–CN–40294), 5 p.
- Jacobson, R.J., Treworgy, C.G., Chenoweth, C., and Bargh, M.H., 1996, Availability of coal resources in Illinois—Mt. Carmel quadrangle, southeastern Illinois: Illinois State Geological Survey Illinois Minerals 114, 39 p.
- Sullivan, G.L., 1995, Middletown, Illinois quadrangle, *in* Staff, U.S. Bureau of Mines, Intermountain Field Operations Center, Coal recoverability and coal reserve analysis, Appalachian and Illinois Basins, 1994: U.S. Bureau of Mines Open-File Report 02–95, p. 34–37.
- Treworgy, C.G., Chenoweth, C.A., and Bargh, M.H., 1995, Availability of coal resources for mining in Illinois—Galatia quadrangle, Saline County, southern Illinois: Illinois State Geological Survey Illinois Minerals 113, 38 p.
- Treworgy, C.G., Chenoweth, C.A., and Jacobson, R.J., 1996, Availability of coal resources for mining in Illinois—Newton and Princeville quadrangles, Jasper, Peoria, and Stark Counties: Illinois State Geological Survey Open-File Series 1996–3, 38 p.
- Treworgy, C.G., Chenoweth, C.A., and Justice, M.A., 1996, Availability of coal resources for mining in Illinois—Atwater, Collinsville, and Nokomis quadrangles, Christian, Macoupin, Madison, Montgomery, and St. Clair Counties: Illinois State Geological Survey Open-File Series 1992–2, 33 p.
- Treworgy, C.G., Chenoweth, C.A., McBeth, J.L., and Korose, C.P., 1997, Availability of coal resources for Mining in Illinois—Augusta, Kewanee North, Mascoutah, Pinckneyville, and Roodhouse East quadrangles, Adams, Brown, Greene, Henry, Perry, Schuyler, and St. Clair Counties: Illinois State Geological Survey Open-File Series 1997–10, 72 p.
- Treworgy, C.G., Coats, G.K., and Bargh, M.H., 1994, Availability of coal resources for mining in Illinois—Middletown quadrangle, Central Illinois: Illinois State Geological Survey Circular 554, 48 p.
- Treworgy, C.G., Jacobson, R.J., Chenoweth, C., Bargh, M.H., 1995, Constraints on the availability of coal for mining in Illinois: Society for Mining, Metallurgy, and Exploration, Inc., Preprint No. 95–58, 7 p.
- Treworgy, C.G., McBeth, J.L., Chenoweth, C.A., Korose, C.P., and North, D.L., 1998, Availability of coal resources for mining in Illinois—Albion South, Peoria West, Snyder–West Union, Springerton, and Tallula quadrangles, Clark, Edwards, Hamilton, Menard, Peoria, Sangamon, and White Counties: Illinois State Geological Survey Open-File Series 1998–1, 92 p.

Indiana

- Cetin, H., and Conolly, C.L., 1996a, The coal availability study in Indiana—Dugger 7.5-minute quadrangle: Indiana Geological Survey Open-File Studies OFS96–11, 80 p.
- Cetin, H., and Conolly, C.L., 1996b, The coal availability study in Indiana—Oakland City 7.5-minute quadrangle: Indiana Geological Survey Open-File Studies OFS96–19, 71 p.
- Cetin, H., Conolly, C.L., and Rupp, J.A., 1994, The coal availability study in Indiana—Alfordsville 7.5-minute quadrangle: Indiana Geological Survey Open-File Studies OFS94–08, 70 p.
- Cetin, H., Conolly, C.L., and Rupp, J.A., 1995, The coal availability study in Indiana—Center Point 7.5-minute quadrangle: Indiana Geological Survey Open-File Studies OFS95–02, 48 p.

- Conolly, C.L., and Cetin, H., 1995, The coal availability study in Indiana—Santa Claus 7.5-minute quadrangle: Indiana Geological Survey Open-File Studies OFS95–04, 83 p.
- Conolly, C.L., and Cetin, H., 1996, The coal availability study in Indiana—Glendale 7.5-minute quadrangle: Indiana Geological Survey Open-File Studies OFS96–05, 49 p.
- Conolly, C.L., and Krueger, A.J., 1997a, The coal availability study in Indiana—Seelyville 7.5-minute quadrangle: Indiana Geological Survey Open-File Studies OFS97–01, 54 p.
- Conolly, C.L., and Krueger, A.J., 1997b, The coal availability study in Indiana—Princeton 7.5-minute quadrangle: Indiana Geological Survey Open-File Studies OFS97–11, 55 p.
- Conolly, C.L., and Krueger, A.J., 1998, The coal availability study in Indiana—Switz City 7.5-minute quadrangle: Indiana Geological Survey Open-File Studies OFS97–01, 35 p.
- Conolly, C.L., Krueger, A.J., and Buciak, M.A., 1996, The coal availability study in Indiana—Wheatland 7.5-minute quadrangle: Indiana Geological Survey Open-File Studies OFS96–17, 46 p.
- DST and Associates, 1998d, Coal recoverability and coal reserve analysis, Illinois Basin, Princeton quadrangle, Indiana: Unpublished report prepared for the U.S. Geological Survey (contract number 1434–CR–97–CN–40294), 5 p.
- DST and Associates, 1998e, Coal recoverability and coal reserve analysis, Illinois Basin, Switz City quadrangle, Indiana: Unpublished report prepared for the U.S. Geological Survey (contract number 1434–CR–97–CN–40294), 5 p.
- DST and Associates, 1999e, Coal recoverability and coal reserve analysis, Illinois Basin, Wheatland quadrangle, Indiana: Unpublished report prepared for the U.S. Geological Survey (contract number 1434–CR–97–CN–40294), 5 p.

Western Kentucky

- Scott, D.C., 1997, Coal recoverability and coal reserve analysis, Illinois Basin, Western Kentucky coal field, 1997: Unpublished contract report prepared for the U.S. Geological Survey through the Kentucky Geological Survey, 34 p.
- Weisenfluh, G.A., Andrews, W.A., and Hiatt, J.K., 1998, Availability of coal resources for the development of coal, western Kentucky summary report: Kentucky Geological Survey, Interim Report for U.S. Department of Interior Grant 14–08–0001–A0896, 32 p.

Appendixes 1–3

Appendix 1. Estimated remaining resources of the Springfield Coal in Illinois, Indiana, and western Kentucky.

[Resources are listed by mining area and county and are categorized by geologic reliability (I–A, 0–0.5 mi from a data point; I–B, >0.5–2 mi; II–A, >2–4 mi; measured, 0–0.25 mi; indicated, >0.25–0.75 mi; inferred, >0.75–3.0 mi; and hypothetical, >3 mi), coal thickness, and overburden thickness (coal depth). Resource numbers are rounded to two significant figures, or to the nearest one hundred million short tons for numbers greater than ten billion short tons. Columns may not sum exactly due to rounding.]

County	Coal depth (feet)	Remaining resources (million short tons)																Coal depth (feet)
		I-A				I-B				II-A				Total				
		Coal thickness (inches)				Coal thickness (inches)				Coal thickness (inches)				Coal thickness (inches)				
>14-28	>28-42	>42	All	>14-28	>28-42	>42	All	>14-28	>28-42	>42	All	>14-28	>28-42	>42	All			
Northern Illinois																		
McLean	>150	0	6	13	19	0	75	90	170	0	1,800	1,900	3,700	0	1,900	2,000	4,000	>150
Tazewell	0–150	0	0	0	0	0	0	30	30	0	0	8	8	0	0	37	37	0–150
	>150	0	1	50	51	0	0	150	150	0	0	220	220	0	1	420	420	>150
	Subtotal	0	1	50	51	0	0	180	180	0	0	230	230	0	1	460	460	Subtotal
Woodford	>150	0	0	0	0	0	46	0	46	0	210	0	210	0	260	0	260	>150
Northern Illinois	0–150	0	0	63	0	0	0	30	30	0	0	8	8	0	0	37	37	0–150
	>150	0	7	0	70	0	120	240	360	0	2,000	2,200	4,200	0	2,200	2,500	4,700	>150
	Total	0	7	63	70	0	120	270	390	0	2,000	2,200	4,200	0	2,200	2,500	4,700	Total
Western Illinois																		
Fulton	0–150	0	0	0	0	0	0	580	580	0	0	0	0	0	0	580	580	0–150
	>150	0	0	0	0	0	0	80	80	0	0	0	0	0	0	80	80	>150
	Subtotal	0	0	0	0	0	0	660	660	0	0	0	0	0	0	660	660	Subtotal
Knox	0-150	0	0	0	0	190	170	99	460	150	12	0	160	340	180	99	620	0-150
Peoria	0–150	0	0	0	0	0	140	440	590	31	120	0	150	31	260	440	740	0-150
	>150	0	0	0	0	0	0	400	400	0	68	0	68	0	68	400	460	>150
	Subtotal	0	0	0	0	0	140	840	980	31	190	0	220	31	330	840	1,200	Subtotal
Schuyler	0-150	0	0	0	0	1	10	86	96	9	0	0	9	9	10	86	100	0-150
Warren	0-150	0	0	0	0	1	0	0	1	0	0	0	0	1	0	0	1	0-150
Western Illinois	0–150	0	0	0	0	190	330	1,200	1,700	190	130	0	320	380	450	1,200	2,000	0–150
	>150	0	0	0	0	0	0	480	480	0	68	0	68	0	68	480	550	>150
	Total	0	0	0	0	190	330	1,700	2,200	190	200	0	390	380	520	1,700	2,600	Total

Appendix 1. Estimated remaining resources of the Springfield Coal in Illinois, Indiana, and western Kentucky—Continued.

County	Coal depth (feet)	Remaining resources (million short tons)																Coal depth (feet)
		I-A				I-B				II-A				Total				
		Coal thickness (inches)				Coal thickness (inches)				Coal thickness (inches)				Coal thickness (inches)				
		>14-28	>28-42	>42	All	>14-28	>28-42	>42	All	>14-28	>28-42	>42	All	>14-28	>28-42	>42	All	
West-central Illinois																		
Christian	>150	0	3	61	64	0	38	510	550	0	15	610	620	0	56	1,200	1,200	>150
DeWitt	>150	0	0	0	0	0	0	0	0	0	32	1,500	1,500	0	32	1,500	1,500	>150
Effingham	>150	0	3	46	49	0	3	380	390	0	310	1,400	1,800	0	310	1,900	2,200	>150
Fayette	>150	0	1	4	6	0	39	81	120	0	1,100	1,100	2,200	0	1,200	1,100	2,300	>150
Logan	>150	0	0	170	170	0	0	1,300	1,300	0	0	1,100	1,100	0	0	2,600	2,600	>150
Macon	>150	0	3	87	91	0	19	460	480	0	120	870	990	0	140	1,400	1,500	>150
Mason	>150	0	0	0	0	0	0	0	0	0	0	8	8	0	0	8	8	>150
Menard	0–150	0	0	0	0	0	0	510	510	0	0	180	180	0	0	680	680	0–150
	>150	0	0	170	170	0	0	560	560	0	0	78	78	0	0	810	810	>150
	Subtotal	0	0	170	170	0	0	1,200	1,200	0	0	250	250	0	0	1,500	1,500	Subtotal
Piatt	>150	0	0	0	0	0	0	0	0	0	240	1,100	1,300	0	240	1,100	1,300	>150
Sangamon	0–150	0	0	0	0	0	0	280	280	0	0	160	160	0	0	430	430	0–150
	>150	0	2	620	620	0	31	1,300	1,300	0	46	640	680	0	80	2,600	2,700	>150
	Subtotal	0	2	620	620	0	31	1,600	1,600	0	46	790	840	0	80	3,000	3,100	Subtotal
Shelby	>150	0	0	13	13	0	1	79	79	0	410	1,500	1,900	0	410	1,600	2,000	>150
West-central Illinois	0–150	0	0	0	0	0	0	790	790	0	0	340	340	0	0	1,100	1,100	0–150
	>150	0	12	1,200	1,200	0	130	4,600	4,700	0	2,300	9,800	12,100	0	2,400	15,600	18,000	>150
	Total	0	12	1,200	1,200	0	130	5,400	5,500	0	2,300	10,100	12,400	0	2,400	16,700	19,100	Total

Appendix 1. Estimated remaining resources of the Springfield Coal in Illinois, Indiana, and western Kentucky—Continued.

County	Coal depth (feet)	Remaining resources (million short tons)																Coal depth (feet)
		I-A				I-B				II-A				Total				
		Coal thickness (inches)				Coal thickness (inches)				Coal thickness (inches)				Coal thickness (inches)				
		>14-28	>28-42	>42	All	>14-28	>28-42	>42	All	>14-28	>28-42	>42	All	>14-28	>28-42	>42	All	
East-central Illinois																		
Clark	0-150	0	0	0	0	0	0	0	0	4	5	0	10	4	5	0	10	0-150
	>150	0	38	210	250	0	110	510	620	0	420	360	780	0	570	1,100	1,700	>150
	Subtotal	0	38	210	250	0	110	510	620	4	430	360	790	4	570	1,100	1,700	Subtotal
Coles	0-150	0	0	0	0	1	0	0	1	0	0	0	0	1	0	0	1	0-150
	>150	0	0	25	25	0	33	200	230	0	440	380	820	0	480	600	1,100	>150
	Subtotal	0	0	25	25	1	33	200	230	0	440	380	820	1	480	600	1,100	Subtotal
Cumberland	>150	0	11	230	240	0	52	540	600	0	110	550	660	0	170	1,300	1,500	>150
Douglas	0-150	2	0	0	2	5	0	0	5	0	0	0	0	8	0	0	8	0-150
	>150	0	10	3	13	0	66	34	100	0	99	250	350	0	170	290	470	>150
	Subtotal	2	10	3	15	5	66	34	110	0	99	250	350	8	170	290	470	Subtotal
Edgar	0-150	1	2	6	10	2	1	7	10	0	0	0	0	4	3	13	20	0-150
	>150	0	22	95	120	0	130	190	320	0	180	130	320	0	330	420	750	>150
	Subtotal	1	24	100	130	2	130	200	330	0	180	130	320	4	340	430	770	Subtotal
East-central Illinois	0-150	3	2	6	12	8	1	7	16	5	5	0	11	17	9	13	39	0-150
	>150	0	81	560	650	0	390	1,500	1,900	0	1,200	1,700	2,900	0	1,700	3,700	5,400	>150
	Total	3	83	570	660	8	390	1,500	1,900	5	1,300	1,700	2,900	17	1,700	3,700	5,500	Total
Southwestern Illinois																		
Jackson	0-150	0	0	0	0	0	0	96	97	0	0	0	0	0	0	96	97	0-150
	>150	0	0	56	56	0	0	85	85	0	0	6	6	0	0	150	150	>150
	Subtotal	0	0	56	56	0	0	180	180	0	0	6	6	0	0	240	240	Subtotal
Perry	0-150	0	0	0	0	0	25	64	89	0	0	19	19	0	25	83	110	0-150
	>150	0	0	19	19	0	4	130	130	0	62	0	62	0	66	150	210	>150
	Subtotal	0	0	19	19	0	29	190	220	0	62	19	81	0	90	230	320	Subtotal
Randolph	0-150	0	0	0	0	12	57	70	140	0	15	0	15	12	73	70	160	0-150
	>150	0	0	0	0	0	23	1	24	0	0	0	0	0	23	1	24	>150
	Subtotal	0	0	0	0	12	80	71	160	0	15	0	15	12	96	71	180	Subtotal
Southwestern Illinois	0-150	0	0	0	0	12	82	230	330	0	15	19	34	12	98	250	370	0-150
	>150	0	0	70	70	0	27	220	240	0	62	6	68	0	89	300	380	>150
	Total	0	0	70	70	12	110	450	570	0	77	25	100	12	190	550	740	Total

Appendix 1. Estimated remaining resources of the Springfield Coal in Illinois, Indiana, and western Kentucky—Continued.

County	Coal depth (feet)	Remaining resources (million short tons)																Coal depth (feet)
		I-A				I-B				II-A				Total				
		Coal thickness (inches)				Coal thickness (inches)				Coal thickness (inches)				Coal thickness (inches)				
>14-28	>28-42	>42	All	>14-28	>28-42	>42	All	>14-28	>28-42	>42	All	>14-28	>28-42	>42	All			
Southeastern Illinois																		
Clay	>150	0	0	0	0	0	0	0	0	340	1,700	2,000	0	340	1,700	2,000	>150	
Crawford	>150	0	33	10	43	0	350	21	380	0	600	260	860	0	990	290	1,300	>150
Edwards	>150	0	1	28	29	0	10	140	150	0	270	670	940	0	280	840	1,100	>150
Franklin	>150	0	38	640	680	0	62	1,300	1,300	0	2	54	56	0	100	2,000	2,100	>150
Gallatin	0-150	0	0	1	1	0	3	99	100	0	0	0	0	0	3	100	100	0-150
	>150	0	2	520	520	0	7	570	580	0	2	66	68	0	11	1,150	1,160	>150
	Subtotal	0	2	520	520	0	10	670	680	0	2	66	68	0	14	1,300	1,300	Subtotal
Hamilton	>150	0	3	680	680	0	22	1,100	1,100	0	3	640	640	0	28	2,400	2,400	>150
Jasper	>150	0	27	250	280	0	150	980	1,100	0	410	320	730	0	580	1,600	2,100	>150
Jefferson	>150	0	16	300	320	0	28	880	900	0	75	1,600	1,700	0	120	2,800	2,900	>150
Lawrence	>150	0	25	97	120	0	150	280	430	0	430	520	950	0	610	890	1,500	>150
Marion	>150	0	0	24	24	0	6	220	220	0	410	1,800	2,200	0	420	2,100	2,500	>150
Richland	>150	0	0	20	20	0	5	150	160	0	190	1,300	1,500	0	200	1,500	1,700	>150
Saline	0-150	0	0	0	0	0	0	90	90	0	0	0	0	0	0	90	90	0-150
	>150	0	8	500	510	0	4	220	230	0	0	0	0	0	12	720	730	>150
	Subtotal	0	8	500	510	0	4	310	320	0	0	0	0	0	12	810	820	Subtotal
Wabash	>150	0	0	100	100	0	27	320	350	0	190	450	640	0	220	880	1,100	>150
Wayne	>150	0	0	40	40	0	48	170	210	0	1,000	1,700	2,700	0	1,100	1,900	3,000	>150
White	>150	0	3	270	270	0	61	1,100	1,100	0	310	700	1,000	0	370	2,000	2,400	>150
Williamson	0-150	0	0	1	1	0	1	180	180	0	0	0	0	0	1	180	180	0-150
	>150	0	6	380	390	0	42	280	320	0	0	0	0	0	49	660	710	>150
	Subtotal	0	6	380	390	0	43	460	500	0	0	0	0	0	50	840	890	Subtotal
Southeastern Illinois	0-150	0	0	2	2	0	4	370	370	0	0	0	0	0	4	370	370	0-150
	>150	0	160	3,900	4,000	0	970	7,600	8,600	0	4,300	11,700	16,000	0	5,400	23,200	28,600	>150
	Total	0	160	3,900	4,000	0	980	8,000	9,000	0	4,300	11,700	16,000	0	5,400	23,600	29,000	Total

Appendix 1. Estimated remaining resources of the Springfield Coal in Illinois, Indiana, and western Kentucky—Continued.

County	Coal depth (feet)	Remaining resources (million short tons)																Coal depth (feet)
		I-A				I-B				II-A				Total				
		Coal thickness (inches)				Coal thickness (inches)				Coal thickness (inches)				Coal thickness (inches)				
		>14-28	>28-42	>42	All	>14-28	>28-42	>42	All	>14-28	>28-42	>42	All	>14-28	>28-42	>42	All	
Indiana																		
Clay	0-150	0	0	11	11	0	0	9	9	0	0	0	0	0	0	20	20	0-150
	>150	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	>150
	Subtotal	0	0	11	11	0	0	9	9	0	0	0	0	0	0	20	20	Subtotal
Daviess	0-150	2	10	56	68	3	6	20	28	0	0	0	0	5	16	76	96	0-150
	>150	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	>150
	Subtotal	2	10	56	68	3	6	20	28	0	0	0	0	5	16	76	96	Subtotal
Gibson	0-150	0	1	110	110	0	0	18	18	0	0	0	0	0	1	130	130	0-150
	>150	3	60	1,700	1,800	0	24	520	550	0	0	0	0	3	83	2,200	2,300	>150
	Subtotal	3	60	1,800	1,900	0	24	540	570	0	0	0	0	3	73	2,400	2,400	Subtotal
Greene	0-150	3	8	58	69	1	2	38	41	0	0	0	0	4	10	96	110	0-150
	>150	0	0	0	0	0	0	2	2	0	0	0	0	0	0	2	2	>150
	Subtotal	3	8	58	69	1	2	40	43	0	0	0	0	4	10	98	110	Subtotal
Knox	0-150	1	27	97	120	0	17	40	57	0	0	0	0	1	44	140	180	0-150
	>150	27	280	710	1,000	6	210	560	780	0	7	17	24	33	500	1,300	1,800	>150
	Subtotal	28	310	810	1,100	6	230	600	840	0	7	17	24	34	540	1,400	2,000	Subtotal
Pike	0-150	2	17	240	260	0	21	110	130	0	2	0	2	2	40	350	400	0-150
	>150	0	7	80	87	0	6	150	160	0	0	5	5	0	13	240	250	>150
	Subtotal	2	24	320	350	0	27	270	290	0	2	5	7	2	53	590	650	Subtotal
Posey	0-150	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0-150
	>150	0	85	800	890	0	19	990	1,000	0	0	110	110	0	100	1,900	2,000	>150
	Subtotal	0	85	800	890	0	19	990	1,000	0	0	110	110	0	100	1,900	2,000	Total

Appendix 1. Estimated remaining resources of the Springfield Coal in Illinois, Indiana, and western Kentucky—Continued.

County	Coal depth (feet)	Remaining resources (million short tons)																Coal depth (feet)
		I-A				I-B				II-A				Total				
		Coal thickness (inches)				Coal thickness (inches)				Coal thickness (inches)				Coal thickness (inches)				
>14-28	>28-42	>42	All	>14-28	>28-42	>42	All	>14-28	>28-42	>42	All	>14-28	>28-42	>42	All			
Indiana – continued																		
Sullivan	0–150	5	15	75	95	3	43	63	110	0	4	3	7	8	62	140	210	0–150
	>150	74	260	510	840	35	230	390	650	0	2	5	7	110	490	890	1,500	>150
	Subtotal	80	270	580	930	38	280	450	760	0	6	8	14	120	560	1,000	1,700	Subtotal
Vanderburgh	0–150	0	0	0	0	0	0	16	16	0	0	22	22	0	0	37	38	0–150
	>150	0	15	230	50	0	33	400	430	0	3	290	290	0	50	920	970	>150
	Subtotal	0	15	230	250	0	33	420	450	0	3	310	310	0	50	960	1,000	Subtotal
Vermillion	0–150	1	1	45	46	1	5	54	60	0	1	3	4	1	7	100	110	0–150
	>150	0	7	53	60	0	6	88	94	0	0	0	0	0	12	140	150	>150
	Subtotal	1	7	98	110	1	11	140	150	0	1	3	4	1	19	240	260	Subtotal
Vigo	0–150	2	41	71	110	1	31	85	120	0	4	1	4	3	75	160	230	0–150
	>150	7	110	260	370	0	110	190	310	0	0	0	0	7	220	450	380	>150
	Subtotal	9	150	330	490	1	140	280	420	0	4	1	4	10	290	610	910	Subtotal
Warrick	0–150	1	17	390	410	0	7	140	150	0	0	0	0	1	25	530	560	0–150
	>150	1	3	190	200	0	2	170	170	0	0	1	1	2	5	370	370	>150
	Subtotal	3	20	590	610	0	10	310	320	0	0	1	1	3	30	900	930	Subtotal
Indiana	0–150	17	140	1,200	1,300	8	130	590	740	0	11	28	39	25	280	1,800	2,100	0–150
	>150	110	830	4,500	5,500	41	640	3,500	4,200	0	11	430	440	155	1,500	8,400	10,100	>150
	Total	130	960	5,700	6,800	49	770	4,100	4,900	0	22	460	480	180	1,700	10,200	12,100	Total

Appendix 1. Estimated remaining resources of the Springfield Coal in Illinois, Indiana, and western Kentucky—Continued.

County	Coal depth (feet)	Remaining resources (million short tons)																				Coal depth (feet)
		Measured				Indicated				Inferred				Hypothetical				Total				
		Coal thickness (inches)				Coal thickness (inches)				Coal thickness (inches)				Coal thickness (inches)				Coal thickness (inches)				
		>14-28	>28-42	>42	All	>14-28	>28-42	>42	All	>14-28	>28-42	>42	All	>14-28	>28-42	>42	All	>14-28	>28-42	>42	All	
Western Kentucky																						
Davies	0-150	0	2	38	39	0	2	50	52	0	0	23	23	0	0	21	21	0	3	130	140	0-150
	>150	0	1	39	40	0	1	39	40	0	0	27	27	0	0	0	0	0	3	100	110	>150
	Subtotal	0	3	76	80	0	3	89	92	0	0	50	50	0	0	21	21	0	6	240	240	Subtotal
Henderson	0-150	0	1	40	40	0	2	100	100	0	0	190	190	0	0	9	9	0	3	340	340	0-150
	>150	0	2	170	170	1	5	380	390	1	14	680	700	0	0	230	230	2	21	1,500	1,500	>150
	Subtotal	0	3	210	210	1	7	480	490	1	14	870	880	0	0	240	240	2	24	1,800	1,800	Subtotal
Hopkins	0-150	0	0	32	32	0	0	57	57	0	0	78	78	0	0	1	1	0	0	170	170	0-150
	>150	0	1	97	99	0	3	310	310	0	7	560	570	0	0	92	92	0	12	1,100	1,100	>150
	Subtotal	0	1	130	130	0	3	370	370	0	7	640	640	0	0	93	93	0	12	1,200	1,200	Subtotal
McLean	0-150	0	1	17	18	0	0	33	34	1	6	60	66	0	1	11	12	1	9	120	130	0-150
	>150	1	31	140	170	0	37	240	280	0	20	320	340	0	3	5	8	1	90	700	800	>150
	Subtotal	1	32	150	190	1	37	270	310	1	26	380	410	0	4	16	20	3	99	820	930	Subtotal
Muhlenberg	0-150	0	0	19	19	0	0	28	28	0	0	66	66	0	0	1	1	0	0	110	110	0-150
	>150	0	2	73	75	0	2	180	180	0	0	190	190	0	0	3	3	0	4	450	450	>150
	Subtotal	0	2	92	94	0	2	200	210	0	0	260	260	0	0	4	4	0	4	560	560	Subtotal
Ohio	0-150	0	0	12	12	0	1	28	28	0	2	57	60	0	0	0	0	0	3	97	100	0-150
	>150	0	1	3	4	0	3	18	21	0	3	160	160	0	0	3	3	0	6	180	190	>150
	Subtotal	0	1	15	16	0	4	50	50	0	5	210	220	0	0	3	3	0	10	280	290	Subtotal
Union	0-150	0	0	3	3	0	0	3	3	0	0	4	4	0	0	0	0	0	0	9	9	0-150
	>150	0	2	140	140	1	4	370	370	0	2	710	720	0	0	120	120	1	8	1,300	1,300	>150
	Subtotal	0	2	140	140	1	4	370	380	0	2	720	720	0	0	120	120	1	8	1,400	1,400	Subtotal
Webster	0-150	0	0	1	1	0	0	6	6	0	0	23	23	0	0	0	0	0	0	29	29	0-150
	>150	1	7	190	200	2	14	320	340	0	22	470	490	0	0	24	24	3	42	1,000	1,000	>150
	Subtotal	1	7	190	200	2	14	330	340	0	22	490	510	0	0	24	24	3	42	1,000	1,100	Subtotal
Western Kentucky	0-150	0	3	160	170	0	5	300	310	1	9	500	510	0	1	43	44	1	18	1,000	1,000	0-150
	>150	3	47	840	890	4	68	1,900	1,900	1	67	3,100	3,200	0	3	480	480	8	190	6,300	6,500	>150
	Total	3	51	1,000	1,100	5	73	2,200	2,200	2	76	3,600	3,700	0	4	520	520	10	200	7,300	7,500	Total

Appendix 2. Estimated remaining resources of the Herrin Coal in Illinois and western Kentucky.

[Resources are listed by mining area and county and are categorized by geologic reliability (I–A, 0–0.5 mi from a data point; I–B, >0.5–2 mi; II–A, >2–4 mi; measured, 0–0.25 mi; indicated, >0.25–0.75 mi; inferred, >0.75–3.0 mi; and hypothetical, >3 mi), coal thickness, and overburden thickness (coal depth). Resource numbers are rounded to two significant figures, or to the nearest one hundred million short tons for numbers greater than ten billion short tons. Columns may not sum exactly due to rounding.]

County	Coal depth (feet)	Remaining resources (million short tons)																Coal depth (feet)
		I-A				I-B				II-A				Total				
		Coal thickness (inches)				Coal thickness (inches)				Coal thickness (inches)				Coal thickness (inches)				
		>14-28	>28-42	>42	All	>14-28	>28-42	>42	All	>14-28	>28-42	>42	All	>14-28	>28-42	>42	All	
Northern Illinois																		
Grundy	0-150	0	0	0	0	4	6	33	43	2	0	0	2	5	6	33	45	0-150
LaSalle	0-150	0	2	50	52	29	30	24	82	16	1	0	17	46	33	74	150	0-150
	>150	0	0	0	0	0	99	30	130	0	3	0	3	0	100	30	130	>150
	Subtotal	0	2	50	52	29	130	53	210	16	4	0	20	46	130	100	280	Subtotal
Livingston	0-150	0	1	28	29	16	31	27	74	10	4	6	20	26	35	61	120	0-150
	>150	0	0	0	0	0	0	0	0	0	35	4	40	0	35	4	40	>150
	Subtotal	0	1	28	29	16	31	27	74	10	39	11	60	26	70	66	160	Subtotal
Putnam	>150	0	11	8	19	0	39	20	59	0	0	0	0	0	50	27	78	>150
Tazewell	0-150	0	0	0	0	0	60	4	63	0	10	0	10	0	69	4	73	0-150
	>150	0	6	0	6	0	48	0	48	0	89	0	90	0	143	0	140	>150
	Subtotal	0	6	0	6	0	110	4	110	0	99	0	99	0	210	4	220	Subtotal
Northern Illinois	0-150	0	3	78	81	49	130	86	260	28	15	6	49	77	140	170	390	0-150
	>150	0	18	8	25	0	150	50	200	0	130	5	130	0	330	62	390	>150
	Total	0	21	85	110	49	270	140	460	28	140	11	180	77	470	230	780	Total

Appendix 2. Estimated remaining resources of the Herrin Coal in Illinois and western Kentucky—Continued.

County	Coal depth (feet)	Remaining resources (million short tons)																Coal depth (feet)
		I-A				I-B				II-A				Total				
		Coal thickness (inches)				Coal thickness (inches)				Coal thickness (inches)				Coal thickness (inches)				
>14-28	>28-42	>42	All	>14-28	>28-42	>42	All	>14-28	>28-42	>42	All	>14-28	>28-42	>42	All			
Western Illinois																		
Bureau	0-150	0	0	0	0	0	0	170	170	0	0	100	100	0	0	270	270	0-150
	>150	0	28	130	160	0	87	150	230	0	7	9	17	0	120	290	410	>150
	Subtotal	0	28	130	160	0	87	320	410	0	7	110	120	0	120	560	680	Subtotal
Fulton	0-150	0	0	0	0	0	5	240	240	0	0	0	0	0	5	240	240	0-150
	>150	0	0	0	0	0	0	4	4	0	0	0	0	0	0	4	4	>150
	Subtotal	0	0	0	0	0	5	240	250	0	0	0	0	0	5	240	250	Subtotal
Henry	0-150	0	0	0	0	0	61	130	190	0	0	59	59	0	61	190	250	0-150
Knox	0-150	0	0	0	0	0	190	27	210	0	0	0	0	0	190	27	210	0-150
Marshall	>150	0	0	0	0	0	7	0	7	0	0	0	0	0	7	0	7	>150
Peoria	0-150	0	0	0	0	5	180	670	850	6	43	130	180	11	220	800	1,000	0-150
Stark	0-150	0	0	0	0	0	6	220	230	4	0	210	210	4	6	430	440	0-150
	>150	0	0	0	0	0	0	0	0	0	0	27	27	0	0	28	28	>150
	Subtotal	0	0	0	0	0	6	220	230	4	0	240	240	4	6	460	470	Subtotal
Western Illinois	0-150	0	0	0	0	5	430	1,500	1,900	10	43	500	550	15	470	2,000	2,500	0-150
	>150	0	28	130	160	0	94	150	240	0	7	37	44	0	130	320	450	>150
	Total	0	28	130	160	5	524	1,600	2,100	10	50	540	590	15	600	2,300	2,900	Total

Appendix 2. Estimated remaining resources of the Herrin Coal in Illinois and western Kentucky—Continued.

County	Coal depth (feet)	Remaining resources (million short tons)												Coal depth (feet)				
		I-A				I-B				II-A					Total			
		Coal thickness (inches)				Coal thickness (inches)				Coal thickness (inches)					Coal thickness (inches)			
>14-28	>28-42	>42	All	>14-28	>28-42	>42	All	>14-28	>28-42	>42	All	>14-28	>28-42	>42	All			
West-central Illinois																		
Bond	>150	0	3	880	890	0	7	1,400	1,400	0	0	210	210	0	10	2,500	2,500	>150
Christian	>150	0	3	1,100	1,100	0	22	1,700	1,700	0	110	510	620	0	130	3,300	3,400	>150
Effingham	>150	0	0	60	60	0	0	450	450	0	260	740	1,000	0	260	1,200	1,500	>150
Fayette	>150	0	0	230	230	0	9	1,600	1,600	0	110	1,700	1,800	0	110	3,500	3,600	>150
Greene	0-150	0	0	0	0	2	54	20	75	6	14	0	21	8	68	20	96	0-150
Jersey	0-150	0	0	0	0	10	22	20	53	7	0	0	702	18	22	20	60	0-150
Logan	>150	0	94	200	300	0	94	270	360	0	5	60	66	0	190	530	720	>150
Macon	>150	0	4	2	6	0	43	40	83	0	220	72	290	0	260	110	380	>150
Macoupin	0-150	6	3	75	84	23	24	130	180	34	0	43	77	63	27	250	340	0-150
	>150	0	16	1,300	1,300	0	100	1,800	1,900	0	180	16	200	0	300	3,200	3,500	>150
	Subtotal	6	19	1,400	1,400	23	130	2,000	2,100	34	180	60	280	63	330	3,400	3,800	Subtotal
Montgomery	>150	0	41	2,200	2,200	0	9	1,600	1,600	0	0	23	23	0	49	3,800	3,800	>150
Morgan	0-150	0	0	0	0	3	85	7	96	0	390	0	390	3	480	7	490	0-150
	>150	0	0	4	4	0	30	32	62	0	180	51	230	0	210	87	290	>150
	Subtotal	0	0	4	4	3	110	39	160	0	570	51	620	3	680	94	780	Subtotal
Moultrie	>150	0	0	19	19	0	50	190	240	0	440	370	800	0	490	580	1,100	>150
Sangamon	>150	0	18	940	960	0	94	710	810	0	150	59	210	0	270	1,700	2,000	>150
Scott	0-150	0	0	0	0	6	0	0	6	0	0	0	0	6	0	0	6	0-150
Shelby	> 150	0	1	400	400	0	12	1,300	1,300	0	480	1,100	1,600	0	490	2,800	3,300	> 150
West-central Illinois	0-150	6	3	75	84	45	180	180	410	47	410	43	500	98	600	300	990	0-150
	>150	0	180	7,300	7,500	0	470	11,000	11,500	0	2,100	5,000	7,100	0	2,800	23,400	26,100	>150
	Total	6	180	7,400	7,600	45	650	11,200	11,900	47	2,500	5,000	7,600	98	3,400	23,700	27,100	Total

Appendix 2. Estimated remaining resources of the Herrin Coal in Illinois and western Kentucky—Continued.

County	Coal depth (feet)	Remaining resources (million short tons)																Coal depth (feet)
		I-A				I-B				II-A				Total				
		Coal thickness (inches)				Coal thickness (inches)				Coal thickness (inches)				Coal thickness (inches)				
		>14-28	>28-42	>42	All	>14-28	>28-42	>42	All	>14-28	>28-42	>42	All	>14-28	>28-42	>42	All	
East-central Illinois																		
Champaign	>150	0	0	21	21	0	0	130	130	0	4	43	47	0	4	200	200	>150
Clark	0-150	0	0	0	0	1	5	2	9	8	6	0	13	9	11	2	23	0-150
	>150	0	43	6	49	0	140	17	160	0	180	7	190	0	370	31	400	>150
	Subtotal	0	43	7	49	1	150	19	170	8	190	7	200	9	380	33	420	Subtotal
Coles	0-150	0	0	4	4	1	0	0	2	1	0	0	1	3	0	4	7	0-150
	>150	0	21	60	81	0	150	94	250	0	560	170	730	0	730	330	1,100	>150
	Subtotal	0	21	64	85	1	150	94	250	1	560	170	740	3	730	330	1,100	Subtotal
Cumberland	>150	0	5	290	300	0	46	800	850	0	81	560	640	0	130	1,700	1,800	>150
Douglas	0-150	0	0	77	77	4	4	88	96	1	0	4	6	5	4	170	180	0-150
	>150	0	11	360	380	0	31	390	420	0	110	160	270	0	150	910	1,100	>150
	Subtotal	0	11	440	450	4	35	470	510	1	110	170	270	5	150	1,100	1,200	Subtotal
Edgar	0-150	4	2	53	60	12	15	57	83	3	1	0	4	18	17	110	150	0-150
	>150	0	41	160	200	0	230	300	530	0	370	210	580	0	640	680	1,300	>150
	Subtotal	4	43	210	260	12	240	360	620	3	370	210	580	18	650	790	1,500	Subtotal
Vermilion	0-150	0	0	0	0	27	13	180	230	19	10	0	29	46	23	180	250	0-150
	>150	0	62	580	640	0	150	600	750	0	22	190	210	0	230	1,400	1,600	>150
	Subtotal	0	62	580	640	27	160	790	980	19	32	190	240	46	250	1,600	1,900	Subtotal
East-central Illinois	0-150	4	2	140	140	46	37	330	410	31	17	4	52	81	56	470	610	0-150
	>150	0	180	1,500	1,700	0	750	2,300	3,100	0	1,300	1,400	2,700	0	2,200	5,200	7,400	>150
	Total	4	190	1,600	1,800	46	790	2,700	3,500	31	1,300	1,400	2,700	81	2,300	5,700	8,000	Total

Appendix 2. Estimated remaining resources of the Herrin Coal in Illinois and western Kentucky—Continued.

County	Coal depth (feet)	Remaining resources (million short tons)																Coal depth (feet)
		I-A				I-B				II-A				Total				
		Coal thickness (inches)				Coal thickness (inches)				Coal thickness (inches)				Coal thickness (inches)				
		>14-28	>28-42	>42	All	>14-28	>28-42	>42	All	>14-28	>28-42	>42	All	>14-28	>28-42	>42	All	
Southwestern Illinois																		
Clinton	>150	0	1	890	890	0	5	2,000	2,000	0	5	300	310	0	11	3,200	3,200	>150
Jackson	0-150	0	0	0	0	0	0	80	79	0	0	0	0	0	0	80	79	0-150
Madison	0-150	0	0	0	0	0	16	391	410	2	0	56	58	2	16	450	470	0-150
	>150	0	10	420	430	0	36	390	970	0	48	310	350	0	94	1,700	1,800	>150
	Subtotal	0	10	420	430	0	52	1,300	1,400	2	48	360	410	2	110	2,100	2,200	Subtotal
Monroe	0-150	0	0	0	0	0	0	7	7	0	0	0	0	0	0	7	7	0-150
Perry	0-150	0	0	0	0	0	0	600	600	0	0	0	0	0	0	610	610	0-150
	>150	0	0	1,200	1,200	0	0	42	42	0	0	0	0	0	0	1,300	1,300	>150
	Subtotal	0	0	1,200	1,200	0	0	660	660	0	0	0	0	0	0	1,900	1,900	Subtotal
Randolph	0-150	0	0	0	0	0	0	180	180	0	0	0	0	0	0	180	180	0-150
	>150	0	0	82	82	0	0	0	0	0	0	0	0	0	0	82	82	>150
	Subtotal	0	0	82	82	0	0	180	180	0	0	0	0	0	0	260	260	Subtotal
St. Clair	0-150	0	0	0	0	0	1	1,100	1,100	0	0	0	0	0	1	1,100	1,100	0-150
	>150	0	2	200	200	0	23	950	970	0	16	16	32	0	41	1,200	1,200	>150
	Subtotal	0	2	200	200	0	24	2,000	2,100	0	16	16	32	0	42	260	2,300	Subtotal
Washington	0-150	0	0	0	0	0	0	9	9	0	0	0	0	0	0	9	9	0-150
	>150	0	4	2,200	2,200	0	1	1,400	1,400	0	0	130	130	0	4	3,800	3,800	>150
	Subtotal	0	4	2,200	2,200	0	1	1,400	1,400	0	0	130	130	0	4	3,800	3,800	Subtotal
Southwestern Illinois	0-150	0	0	0	0	0	17	2,400	2,400	2	0	56	58	2	17	2,400	2,400	0-150
	>150	0	17	5,100	5,100	0	64	5,400	5,400	0	69	750	820	0	150	11,200	11,300	>150
	Total	0	17	5,100	5,100	0	81	7,700	7,800	2	69	810	880	2	170	13,600	13,800	Total

Appendix 2. Estimated remaining resources of the Herrin Coal in Illinois and western Kentucky—Continued.

County	Coal depth (feet)	Remaining resources (million short tons)																Coal depth (feet)
		I-A				I-B				II-A				Total				
		Coal thickness (inches)				Coal thickness (inches)				Coal thickness (inches)				Coal thickness (inches)				
		>14-28	>28-42	>42	All	>14-28	>28-42	>42	All	>14-28	>28-42	>42	All	>14-28	>28-42	>42	All	
Southeastern Illinois																		
Clay	>150	0	0	0	0	0	0	0	0	590	1,500	2,100	0	590	170	2,100	>150	
Crawford	>150	0	1	2	3	0	36	1	37	0	230	93	330	0	270	96	370	>150
Edwards	>150	0	5	30	35	0	47	130	170	0	250	460	720	0	310	620	930	>150
Franklin	>150	0	0	990	990	0	0	410	410	0	0	0	0	0	0	1,400	1,400	>150
Gallatin	0–150	2	13	18	33	1	25	120	140	0	0	0	0	3	38	140	180	0–150
	>150	0	79	190	270	0	98	310	410	0	10	75	85	0	190	580	760	>150
	Subtotal	2	92	210	300	1	120	430	550	0	10	75	85	3	220	710	940	Subtotal
Hamilton	>150	0	5	680	690	0	22	1,300	1,400	0	33	520	550	0	60	2,500	2,600	>150
Jasper	>150	0	0	400	400	0	1	1,500	1,500	0	62	890	960	0	63	2,800	2,900	>150
Jefferson	>150	0	6	630	640	0	13	960	970	0	210	810	1,000	0	230	2,400	2,600	>150
Lawrence	>150	0	8	15	23	0	140	140	280	0	380	130	510	0	530	290	820	>150
Marion	>150	0	1	91	93	0	18	200	210	0	960	600	1,500	0	980	890	1,900	>150
Richland	>150	0	0	24	24	0	0	180	180	0	77	1,500	1,600	0	77	1,800	1,900	>150
Saline	0–150	0	0	0	0	0	8	210	210	0	0	0	0	0	8	210	210	0–150
	>150	0	7	590	590	0	21	390	410	0	0	0	0	0	28	980	1,000	>150
	Subtotal	0	7	590	590	0	30	600	620	0	0	0	0	0	37	1,200	1,200	Subtotal
Wabash	>150	0	23	81	100	0	130	180	310	0	300	180	480	0	460	440	900	>150
Wayne	>150	0	0	38	38	0	32	130	130	0	910	1,800	2,700	0	940	1,900	2,900	>150
White	>150	0	13	180	190	0	85	1,300	1,400	0	38	740	780	0	140	2,300	2,400	>150
Williamson	0–150	0	0	0	0	0	0	240	240	0	0	0	0	0	0	240	240	0–150
	>150	0	1	330	330	0	0	1	1	0	0	0	0	0	1	330	330	>150
	Subtotal	0	1	330	330	0	0	240	240	0	0	0	0	0	1	560	560	Subtotal
Southeastern Illinois	0–150	2	13	18	33	1	34	560	600	0	0	0	0	3	47	580	630	0–150
	>150	0	150	4,300	4,400	0	640	7,300	7,900	0	4,080	9,300	13,400	0	4,900	20,800	25,700	>150
	Total	2	160	4,300	4,400	1	680	7,800	8,500	0	4,080	9,300	13,400	3	4,900	21,400	26,300	Total

Appendix 2. Estimated remaining resources of the Herrin Coal in Illinois and western Kentucky—Continued.

County	Coal depth (feet)	Remaining resources (million short tons)																				Coal depth (feet)
		Measured				Indicated				Inferred				Hypothetical				Total				
		Coal thickness (inches)				Coal thickness (inches)				Coal thickness (inches)				Coal thickness (inches)				Coal thickness (inches)				
>14-28	>28-42	>42	All	>14-28	>28-42	>42	All	>14-28	>28-42	>42	All	>14-28	>28-42	>42	All	>14-28	>28-42	>42	All			
Western Kentucky																						
Daviess	0-150	3	1	0	3	5	0	0	6	4	1	0	5	0	0	0	0	12	2	0	14	0-150
	>150	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	>150
	Subtotal	3	1	0	3	5	0	0	5	5	1	0	5	0	0	0	0	12	2	0	14	Subtotal
Henderson	0-150	5	1	0	5	11	1	0	12	9	1	0	10	0	0	0	0	25	2	0	27	0-150
	>150	1	3	3	7	5	11	10	27	28	100	130	250	14	6	140	160	49	120	280	450	>150
	Subtotal	6	3	3	13	17	12	10	39	37	100	130	260	15	6	140	160	75	120	280	470	Subtotal
Hopkins	0-150	1	1	23	25	1	2	31	34	0	1	19	20	0	0	0	0	3	4	72	79	0-150
	>150	3	4	60	67	8	21	120	150	6	18	140	160	0	0	0	0	17	42	320	380	>150
	Subtotal	4	5	82	92	10	23	150	180	6	18	160	180	0	0	0	0	20	47	390	460	Subtotal
McLean	0-150	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0-150
	>150	11	1	9	27	14	9	10	32	11	9	2	22	0	0	0	0	36	26	20	82	>150
	Subtotal	11	8	9	28	14	9	10	32	11	9	2	22	0	0	0	0	36	26	20	83	Subtotal
Muhlenberg	0-150	0	3	42	46	0	7	53	60	0	2	65	97	0	6	16	22	0	19	210	220	0-150
	>150	0	9	27	36	0	18	45	63	0	14	48	62	0	0	4	5	1	41	120	170	>150
	Subtotal	0	13	70	82	0	25	98	120	0	17	140	160	0	6	20	27	1	61	330	390	Subtotal
Ohio	0-150	1	3	1	5	2	7	7	15	3	28	110	140	2	5	13	20	7	42	130	180	0-150
	>150	0	0	0	0	0	0	0	0	2	10	10	22	1	0	0	1	3	10	10	24	>150
	Subtotal	1	3	1	5	2	7	7	15	5	38	120	160	3	5	13	21	11	52	140	210	Subtotal
Union	0-150	0	2	17	19	1	7	22	30	0	4	5	9	0	0	0	0	1	14	44	59	0-150
	>150	6	35	160	210	10	100	270	380	11	71	410	490	2	4	81	87	30	210	930	1,200	>150
	Subtotal	6	38	180	230	11	110	290	410	11	75	420	500	2	4	81	87	30	220	970	1,200	Subtotal
Webster	0-150	0	1	4	5	0	1	3	4	0	0	0	0	0	0	0	0	0	2	7	9	0-150
	>150	6	5	8	19	8	9	10	27	4	4	0	8	0	0	0	0	19	19	17	54	>150
	Subtotal	6	6	11	24	8	10	13	31	4	4	0	9	0	0	0	0	19	20	24	64	Subtotal
Western Kentucky	0-150	9	13	87	110	20	25	120	160	17	37	230	280	3	11	28	42	49	85	460	600	0-150
	>150	29	64	270	360	46	170	460	680	63	230	740	1,000	17	11	220	250	150	470	1,700	2,300	>150
	Total	38	77	360	470	66	190	580	840	80	260	960	1,300	20	22	250	290	200	550	2,200	2,900	Total

Appendix 3. Estimated remaining resources of the Danville Coal in Illinois and Indiana, and the Baker coal in western Kentucky.

[Resources are listed by mining area and county and are categorized by geologic reliability (I–A, 0–0.5 mi from a data point; I–B, >0.5–2 mi; II–A, >2–4 mi; measured, 0–0.25 mi; indicated, >0.25–0.75 mi; inferred, >0.75–3.0 mi; and hypothetical, >3 mi), coal thickness, and overburden thickness (coal depth). Resource numbers are rounded to two significant figures, or to the nearest one hundred million short tons for numbers greater than ten billion short tons. Columns may not sum exactly due to rounding.]

County	Coal depth (feet)	Remaining resources (million short tons)																Coal depth (feet)
		I-A				I-B				II-A				Total				
		Coal thickness (inches)				Coal thickness (inches)				Coal thickness (inches)				Coal thickness (inches)				
		>14-28	>28-42	>42	All	>14-28	>28-42	>42	All	>14-28	>28-42	>42	All	>14-28	>28-42	>42	All	
Northern Illinois																		
LaSalle	0–150	0	1	10	12	0	12	13	26	21	38	16	76	21	52	40	110	0–150
	>150	0	5	19	24	1	180	170	350	0	45	19	64	1	230	210	440	>150
	Subtotal	0	6	29	35	2	190	180	370	21	83	35	140	23	280	250	550	Subtotal
Livingston	0–150	0	0	0	0	32	28	33	93	230	200	70	500	260	220	100	590	0–150
	>150	0	0	0	0	0	36	180	220	0	350	680	1,000	0	390	850	1,200	>150
	Subtotal	0	0	0	0	32	64	210	310	230	550	750	1,500	260	610	950	1,800	Subtotal
Marshall	0–150	0	0	0	0	0	69	47	120	0	0	0	0	0	69	47	110	0–150
	>150	2	14	0	15	16	65	0	81	150	0	0	150	170	79	0	250	>150
	Subtotal	2	14	0	15	16	130	47	200	150	0	0	150	170	150	47	360	Subtotal
McLean	>150	0	9	13	22	0	110	93	200	360	0	0	360	360	120	110	590	>150
Putnam	>150	0	40	27	67	0	87	53	140	0	0	12	12	0	130	92	220	>150
Tazewell	0–150	0	0	0	0	5	0	0	5	0	0	0	0	5	0	0	5	0–150
Woodford	>150	0	3	0	3	27	0	0	27	9	0	0	9	37	3	0	39	>150
Northern Illinois	0–150	0	1	10	12	37	110	93	240	250	240	86	570	290	340	190	810	0–150
	>150	2	70	59	130	44	480	500	1,000	510	390	710	1,600	570	950	1,300	2,800	>150
	Total	2	71	69	140	81	590	590	1,300	760	630	800	2,200	850	1,300	1,500	3,600	Total

Appendix 3. Estimated remaining resources of the Danville Coal in Illinois and Indiana, and the Baker coal in western Kentucky—Continued.

County	Coal depth (feet)	Remaining resources (million short tons)																Coal depth (feet)
		I-A				I-B				II-A				Total				
		Coal thickness (inches)				Coal thickness (inches)				Coal thickness (inches)				Coal thickness (inches)				
		>14-28	>28-42	>42	All	>14-28	>28-42	>42	All	>14-28	>28-42	>42	All	>14-28	>28-42	>42	All	
Western Illinois																		
Bureau	0-150	0	0	0	0	12	62	0	73	100	7	0	110	110	70	0	180	0-150
	>150	0	42	4	46	0	110	33	150	0	0	0	0	0	150	37	190	>150
	Subtotal	0	42	4	46	12	170	33	220	100	7	0	110	110	220	37	380	Subtotal
Fulton	0-150	0	0	0	0	42	0	0	42	15	0	0	15	57	0	0	57	0-150
Henry	0-150	0	0	0	0	0	57	0	57	0	0	0	0	0	57	0	57	0-150
Knox	0-150	0	0	0	0	1	0	0	1	0	0	0	0	1	0	0	1	0-150
Peoria	0-150	0	0	0	0	190	40	0	230	43	0	0	43	240	40	0	280	0-150
Stark	0-150	0	0	0	0	0	0	0	0	26	30	0	56	26	30	0	56	0-150
Western Illinois	0-150	0	0	0	0	250	160	0	400	180	37	0	220	430	200	0	630	0-150
	>150	0	42	4	46	0	110	33	150	0	0	0	0	0	150	37	190	>150
	Total	0	42	4	46	250	270	33	550	180	37	0	220	430	350	37	810	Subtotal
West-central Illinois																		
Christian	>150	0	21	9	30	0	31	0	31	0	0	0	0	0	53	9	62	>150
Effingham	>150	0	6	4	10	0	140	190	330	0	620	240	860	0	770	430	1,200	>150
Fayette	>150	0	31	0	31	0	280	0	280	0	0	0	0	0	310	0	310	>150
Macoupin	>150	1	4	0	5	9	0	0	9	0	0	0	0	11	4	0	14	>150
Montgomery	>150	2	10	0	12	5	35	0	40	0	0	0	0	7	44	0	52	>150
Shelby	>150	0	18	4	22	0	110	0	110	0	0	0	0	0	130	4	130	>150
West-central Illinois	0-150	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0-150
	>150	3	89	17	110	15	600	190	800	0	620	240	860	18	1,300	450	1,800	>150
	Total	3	89	17	110	15	600	190	800	0	620	240	860	18	1,300	450	1,800	Total

Appendix 3. Estimated remaining resources of the Danville Coal in Illinois and Indiana, and the Baker coal in western Kentucky—Continued.

County	Coal depth (feet)	Remaining resources (million short tons)																Coal depth (feet)
		I-A				I-B				II-A				Total				
		Coal thickness (inches)				Coal thickness (inches)				Coal thickness (inches)				Coal thickness (inches)				
		>14-28	>28-42	>42	All	>14-28	>28-42	>42	All	>14-28	>28-42	>42	All	>14-28	>28-42	>42	All	
East-central Illinois																		
Champaign	>150	0	1	10	11	0	7	19	26	0	0	67	67	0	8	96	100	>150
Clark	0-150	0	1	4	5	1	2	5	8	23	51	32	110	25	54	41	120	0-150
	>150	0	62	90	150	0	190	480	670	0	350	310	670	0	600	890	1,500	>150
	Subtotal	0	64	93	160	1	190	490	680	23	400	350	770	25	660	930	1,600	Subtotal
Coles	0-150	0	0	0	0	5	2	0	7	15	120	0	130	20	120	0	140	0-150
	>150	0	2	0	2	0	130	110	240	0	520	240	770	0	650	350	1,000	>150
	Subtotal	0	2	0	2	5	130	110	250	15	640	240	900	20	770	350	1,100	Subtotal
Cumberland	0-150	0	0	0	0	0	0	0	0	1	0	0	1	1	0	0	1	0-150
	>150	0	11	17	28	0	220	240	450	0	240	170	410	0	470	420	890	>150
	Subtotal	0	11	17	28	0	220	240	450	1	240	170	410	1	470	420	890	Subtotal
Edgar	0-150	0	1	23	24	4	43	65	110	1	46	7	54	5	90	95	190	0-150
	>150	0	52	120	170	0	230	440	680	0	370	200	570	0	660	760	1,400	>150
	Subtotal	0	53	140	200	4	280	510	790	1	420	210	630	5	750	860	1,600	Subtotal
Vermilion	0-150	6	64	300	370	0	0	7	7	0	18	0	18	6	82	310	400	0-150
	>150	0	77	590	660	0	27	780	800	0	6	48	54	0	110	1,400	1,500	>150
	Subtotal	6	140	890	1,000	0	27	780	810	0	24	48	72	6	190	1,700	1,900	Subtotal
East-central Illinois	0-150	6	66	330	400	10	48	77	130	39	230	39	310	57	350	450	850	0-150
	>150	0	210	820	1,000	0	800	2,100	2,900	0	1,500	1,000	2,500	0	2,500	3,900	6,400	>150
	Total	6	270	1,100	1,400	10	850	2,200	3,000	39	1,700	1,100	2,800	57	2,800	4,400	7,300	Total
Southeastern Illinois																		
Crawford	>150	0	31	8	38	0	260	140	400	0	480	290	770	0	780	440	1,200	>150
Jasper	>150	0	23	32	55	0	540	400	940	0	210	29	240	0	780	460	1,200	>150
Lawrence	>150	0	28	6	34	0	180	270	450	0	410	240	650	0	610	520	1,100	>150
Richland	>150	0	0	0	0	0	0	0	0	0	520	130	650	0	520	130	650	>150
Saline	0-150	0	0	0	0	68	1	0	69	0	0	0	0	68	1	0	69	0-150
Williamson	0-150	0	0	0	0	53	3	0	56	0	0	0	0	53	3	0	56	0-150
Southeastern Illinois	0-150	0	0	0	0	120	4	0	120	0	0	0	0	120	4	0	120	0-150
	>150	0	82	46	130	0	980	810	1,800	0	1,600	690	2,300	0	2,700	1,500	4,200	>150
	Total	0	82	46	130	120	980	810	1,900	0	1,600	690	2,300	120	2,700	1,500	4,300	Total

Appendix 3. Estimated remaining resources of the Danville Coal in Illinois and Indiana, and the Baker coal in western Kentucky—Continued.

County	Coal depth (feet)	Remaining resources (million short tons)																Coal depth (feet)
		I-A				I-B				II-A				Total				
		Coal thickness (inches)				Coal thickness (inches)				Coal thickness (inches)				Coal thickness (inches)				
>14-28	>28-42	>42	All	>14-28	>28-42	>42	All	>14-28	>28-42	>42	All	>14-28	>28-42	>42	All			
Indiana																		
Gibson	0-150	49	82	17	150	13	33	4	49	0	0	0	0	61	110	21	200	0-150
	>150	230	360	70	660	130	210	22	360	0	0	0	0	360	580	92	1,000	>150
	Subtotal	280	440	87	810	140	240	25	410	0	0	0	0	420	690	110	1,200	Subtotal
Knox	0-150	15	80	60	150	8	92	28	130	0	16	0	16	23	190	88	300	0-150
	>150	73	380	190	640	32	300	120	440	0	8	0	9	110	680	300	1,100	>150
	Subtotal	88	460	250	790	40	390	150	570	0	24	0	24	130	870	390	1,400	Subtotal
Pike	0-150	4	6	0	10	4	36	6	46	3	30	5	38	10	72	12	94	0-150
	>150	1	5	0	6	2	19	0	21	0	0	0	0	2	25	0	27	>150
	Subtotal	5	12	0	17	5	55	6	67	3	30	5	38	12	97	12	120	Subtotal
Posey	0-150	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0-150
	>150	92	450	11	550	220	380	1	600	40	18	0	57	350	850	12	1,200	>150
	Subtotal	92	450	11	550	220	380	1	600	40	18	0	57	350	850	12	1,200	Subtotal
Sullivan	0-150	22	130	86	230	19	87	25	130	0	0	0	0	41	210	110	360	0-150
	>150	87	230	120	440	75	270	30	370	0	2	0	2	160	500	150	820	>150
	Subtotal	110	360	210	670	94	350	55	500	0	2	0	2	200	710	260	1,200	Subtotal
Vanderburgh	0-150	4	1	1	6	11	8	1	19	13	27	0	40	27	36	1	65	0-150
	>150	42	16	0	58	77	60	0	140	32	44	0	76	150	120	0	270	>150
	Subtotal	46	17	1	63	88	69	1	160	45	71	0	120	180	160	1	340	Subtotal
Vermillion	0-150	0	1	27	27	0	0	9	9	0	0	1	1	0	1	37	38	0-150
	>150	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	>150
	Subtotal	0	1	27	27	0	0	9	9	0	0	1	1	0	1	37	38	Subtotal
Vigo	0-150	5	77	130	210	2	82	110	190	0	0	0	0	6	160	230	400	0-150
	>150	10	21	53	83	10	86	65	160	0	1	0	1	20	110	120	240	>150
	Subtotal	14	98	180	290	11	170	170	350	0	1	0	1	26	270	350	640	Subtotal
Warrick	0-150	24	49	4	77	13	10	1	24	1	0	0	1	38	60	4	100	0-150
	>150	2	4	0	6	0	1	0	1	0	0	0	0	2	4	0	6	>150
	Subtotal	26	53	4	83	13	11	1	25	1	0	0	1	40	64	4	110	Subtotal
Indiana	0-150	120	430	320	870	70	350	180	600	16	73	7	96	210	840	500	1,600	0-150
	>150	540	1,500	440	2,400	540	1,300	230	2,100	72	73	0	140	1,200	2,900	670	4,700	>150
	Total	660	1,900	760	3,300	610	1,700	410	2,700	88	150	7	240	1,400	3,700	1,200	6,300	Total

Appendix 3. Estimated remaining resources of the Danville Coal in Illinois and Indiana, and the Baker coal in western Kentucky—Continued.

County	Coal depth (feet)	Remaining resources (million short tons)																Coal depth (feet)				
		Measured				Indicated				Inferred				Hypothetical					Total			
		Coal thickness (inches)				Coal thickness (inches)				Coal thickness (inches)				Coal thickness (inches)					Coal thickness (inches)			
		>14-28	>28-42	>42	All	>14-28	>28-42	>42	All	>14-28	>28-42	>42	All	>14-28	>28-42	>42	All	>14-28	>28-42	>42	All	
Western Kentucky																						
Daviss	0-150	3	0	0	3	4	0	0	4	3	6	1	10	1	0	0	1	10	6	1	18	0-150
	>150	0	0	0	0	1	1	1	3	0	3	4	7	0	0	0	0	1	4	5	10	>150
	Subtotal	3	0	0	3	5	1	1	7	3	10	5	17	1	0	0	1	11	10	7	28	Subtotal
Henderson	0-150	14	19	29	62	44	47	71	160	67	82	80	230	27	8	8	43	150	160	190	500	0-150
	>150	1	4	17	22	3	15	70	89	19	82	210	310	35	41	28	110	58	140	320	520	>150
	Subtotal	15	22	46	84	47	62	140	250	86	160	290	540	63	49	36	150	210	300	510	1,000	Subtotal
Hopkins	0-150	18	5	15	38	21	7	9	37	11	1	1	12	0	0	0	0	50	13	24	88	0-150
	>150	22	25	50	97	43	35	120	190	110	55	77	240	22	21	0	43	190	140	240	570	>150
	Subtotal	40	30	65	130	64	43	130	230	120	55	78	250	22	21	0	43	240	150	270	660	Subtotal
McLean	0-150	5	5	2	12	9	11	2	22	15	20	1	36	1	0	0	1	30	37	4	71	0-150
	>150	27	25	17	60	44	38	19	100	71	39	21	130	0	0	0	0	140	92	57	290	>150
	Subtotal	32	21	19	72	53	49	21	120	86	59	22	170	1	0	0	1	170	130	61	360	Subtotal
Muhlenberg	0-150	7	3	3	13	15	6	0	22	33	26	0	59	2	13	0	15	57	49	3	110	0-150
	>150	15	5	1	21	30	6	3	39	27	6	0	33	0	0	0	0	72	17	4	94	>150
	Subtotal	22	8	4	34	44	12	3	60	60	32	0	93	2	13	0	15	130	66	8	200	Subtotal
Ohio	0-150	0	3	2	5	1	8	3	12	20	74	7	100	1	25	2	28	22	110	15	150	0-150
	>150	0	0	0	0	0	0	0	0	4	13	5	22	0	6	0	7	4	19	5	28	>150
	Subtotal	0	3	2	5	1	9	3	12	24	87	12	120	1	31	3	35	26	130	20	180	Subtotal
Union	0-150	1	2	1	4	3	2	0	5	4	2	0	6	0	0	0	0	9	5	1	15	0-150
	>150	25	22	5	52	54	22	5	80	45	10	1	56	19	0	0	19	140	54	11	210	>150
	Subtotal	27	24	6	56	57	24	5	86	49	12	1	61	19	0	0	19	150	59	12	220	Subtotal
Webster	0-150	1	2	14	16	1	3	23	26	6	26	3	36	2	1	0	2	9	32	39	80	0-150
	>150	10	25	190	230	18	36	260	310	20	51	260	330	3	7	6	17	52	120	720	890	>150
	Subtotal	10	27	200	240	18	39	280	340	26	77	260	370	5	8	6	19	60	150	760	970	Subtotal
Western Kentucky	0-150	50	40	65	150	97	85	110	290	160	240	92	490	34	47	10	91	340	410	270	1,000	0-150
	>150	100	96	280	480	190	150	470	820	290	260	580	1,100	80	77	35	190	660	580	1,400	2,600	>150
	Total	150	130	350	630	290	240	580	1,100	450	500	670	1,600	110	120	45	280	1,000	990	1,600	3,600	Total