

WATER-QUALITY RECORDS

PERIOD OF RECORD.--Water years 1974 to current year.

PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE: October 1973 to current year.

pH: October 1973 to current year.

WATER TEMPERATURE: October 1973 to current year.

DISSOLVED OXYGEN: October 1973 to current year.

INSTRUMENTATION.--USGS mini-monitor and data collection platform.

REMARKS.--Specific conductance records rated excellent except for Oct. 17 to Nov. 23, July 4-14, Aug. 20-26, and Sep. 1-3, which are good. pH records rated good except for June 24-27, which are fair, and Mar. 6-11, which are poor. Temperature records rated excellent. Dissolved oxygen records rated good except for Nov. 29 to Dec. 18, which are fair, and Oct. 15 to Nov. 6, Jan. 5-29, Feb. 12 to Mar. 5, Mar. 22 to Apr. 3, Apr. 9-23, and Apr. 28 to May 26, which are poor.

EXTREMES FOR PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE: Maximum, 216 microsiemens Aug. 17, 2002; minimum, 21 microsiemens, Feb. 28, 1984.

pH: Maximum, 8.7 units Aug. 11, 2002; minimum, 5.0 units Jul. 4, 1987.

WATER TEMPERATURE: Maximum, 32.5°C Jul. 19-21, 1986; minimum, <0.5°C many days, many years.

DISSOLVED OXYGEN: Maximum, 14.4 mg/L Jan. 20, 1976; minimum, 2.0 mg/L Sep. 6, 1981.

EXTREMES FOR CURRENT YEAR.--

SPECIFIC CONDUCTANCE: Maximum, 139 microsiemens, Oct. 13; minimum, 31 microsiemens, Mar. 22.

pH: Maximum, 7.7 units, June 17; minimum, 6.0 units, Mar. 21, 22.

WATER TEMPERATURE: Maximum, 28.3°C, Aug. 29; minimum, 2.0°C, Jan. 25.

DISSOLVED OXYGEN: Maximum, 13.0 mg/L, Jan. 25; minimum, 5.9 mg/L, July 17.

Specific conductance, water, unfiltered, microsiemens per centimeter at 25 degrees Celsius
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

DAY	OCTOBER			NOVEMBER			DECEMBER			JANUARY		
	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN
1	95	87	91	92	88	90	104	97	100	82	76	78
2	98	94	96	100	90	95	106	98	100	79	75	77
3	103	97	100	107	96	100	106	96	99	86	74	77
4	107	100	104	108	101	104	103	97	100	87	71	77
5	111	104	108	111	102	108	101	93	96	90	74	80
6	113	107	111	104	96	99	93	62	83	93	80	83
7	118	111	115	99	68	84	68	61	64	93	85	87
8	119	115	117	81	68	74	71	61	67	93	85	88
9	128	119	121	88	75	81	77	70	74	90	79	84
10	135	120	125	92	84	87	80	76	77	99	79	84
11	130	108	119	96	88	93	81	78	80	94	85	87
12	128	118	122	97	70	88	86	59	73	93	84	88
13	139	122	128	70	58	63	63	56	60	94	85	88
14	131	124	127	73	60	67	67	52	58	96	86	90
15	125	118	122	80	71	76	75	52	59	96	85	89
16	119	57	98	81	75	79	82	57	66	94	85	88
17	60	52	56	78	59	71	78	65	70	90	86	88
18	59	52	56	78	61	66	77	70	73	93	88	90
19	69	59	65	77	64	70	80	73	76	93	86	91
20	78	68	75	83	70	75	93	77	81	101	89	92
21	86	78	81	87	77	81	94	62	81	95	89	92
22	93	84	89	91	83	86	72	58	63	94	87	90
23	100	92	95	95	86	89	76	61	68	90	85	88
24	101	94	97	98	90	93	72	51	62	94	86	89
25	100	97	99	101	94	96	54	42	48	93	88	90
26	107	98	102	101	93	96	50	42	45	97	90	93
27	108	104	106	100	93	96	67	49	57	97	91	94
28	111	107	110	113	93	98	75	56	64	100	93	96
29	111	104	107	105	96	98	81	66	70	96	90	93
30	107	102	105	107	96	99	79	67	73	90	76	84
31	102	88	94	---	---	---	77	72	75	81	75	79
MONTH	139	52	101	113	58	87	106	42	73	101	71	87

SANTEE RIVER BASIN

02160700 ENOREE RIVER AT WHITMIRE, SC--Continued

Specific conductance, water, unfiltered, microsiemens per centimeter at 25 degrees Celsius
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

DAY	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN
	FEBRUARY			MARCH			APRIL			MAY		
1	84	70	76	57	50	53	73	67	70	82	71	74
2	82	72	75	76	57	62	74	68	71	86	75	80
3	84	75	80	75	60	67	76	71	72	92	84	87
4	85	79	82	81	66	74	77	71	74	92	80	84
5	91	79	83	77	71	74	77	74	75	80	74	78
6	83	79	81	74	40	48	79	75	77	81	75	79
7	79	70	74	50	41	45	77	54	66	77	48	65
8	89	69	75	63	45	53	56	44	50	54	45	49
9	78	67	72	64	56	59	54	45	48	66	48	58
10	80	73	75	72	59	65	57	48	51	71	61	66
11	87	75	78	73	64	68	57	46	51	76	67	72
12	91	74	79	77	67	72	58	46	52	80	71	76
13	84	75	79	79	70	74	65	52	58	85	71	75
14	84	79	82	80	73	75	65	60	62	76	71	74
15	90	83	85	81	75	78	73	58	64	77	72	76
16	87	80	84	83	77	79	73	60	65	83	77	80
17	80	67	73	84	73	79	73	64	67	88	83	85
18	85	68	74	73	59	64	68	37	51	88	77	83
19	83	70	75	71	57	61	48	40	43	77	70	72
20	91	77	82	60	40	46	59	44	51	81	70	75
21	84	77	80	47	32	38	67	55	60	77	72	74
22	79	60	70	37	31	34	76	60	65	74	39	63
23	70	50	61	49	35	43	69	57	62	39	32	35
24	59	50	54	58	49	54	65	58	62	40	32	35
25	63	55	59	63	55	60	70	64	67	52	34	44
26	68	61	64	65	59	63	82	69	73	60	48	55
27	69	45	58	68	63	65	80	71	75	63	55	59
28	57	46	50	73	66	69	75	68	71	67	57	62
29	---	---	---	75	69	72	78	68	72	71	62	66
30	---	---	---	74	70	72	80	69	73	72	64	68
31	---	---	---	74	68	71	---	---	---	76	67	71
MONTH	91	45	74	84	31	62	82	37	63	92	32	68

DAY	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN
	JUNE			JULY			AUGUST			SEPTEMBER		
1	84	72	76	97	82	90	99	52	67	97	87	92
2	81	70	76	84	49	63	68	54	62	94	88	91
3	79	76	77	51	36	42	75	45	57	92	83	87
4	79	64	74	52	38	45	60	46	54	88	79	83
5	69	62	65	61	48	54	69	59	65	90	84	87
6	65	58	62	68	55	61	72	33	53	93	84	88
7	66	61	64	71	60	67	50	33	42	100	88	92
8	---	---	---	80	67	73	57	42	47	99	87	91
9	---	---	---	86	75	80	58	46	53	93	87	90
10	63	58	60	93	70	81	73	52	63	91	86	89
11	69	61	66	77	68	72	77	68	73	92	86	89
12	74	68	71	83	70	78	83	74	79	92	88	89
13	76	66	71	88	46	79	84	75	81	94	89	92
14	76	69	72	80	53	74	92	80	85	95	90	93
15	73	64	69	82	79	80	95	81	86	95	88	93
16	84	71	78	84	81	83	99	85	92	97	90	95
17	86	71	79	83	77	81	104	91	96	97	92	95
18	76	64	71	79	72	75	102	95	98	96	93	94
19	81	72	76	87	79	83	104	90	99	96	92	94
20	83	73	78	90	86	88	96	75	86	101	95	97
21	76	62	69	90	85	88	91	76	82	103	96	99
22	78	62	71	89	86	87	101	82	92	99	94	97
23	85	73	79	89	76	84	112	92	101	115	94	105
24	88	81	84	78	70	74	106	84	95	103	60	85
25	87	82	85	85	76	80	106	88	95	68	60	63
26	92	84	87	91	80	84	105	91	95	75	63	69
27	94	84	89	95	85	89	97	92	95	83	74	80
28	92	88	90	95	89	91	97	93	95	92	81	88
29	93	88	91	99	93	96	110	95	103	97	89	93
30	90	86	89	99	95	96	112	103	107	101	93	96
31	---	---	---	100	95	97	109	93	102	---	---	---
MONTH	---	---	---	100	36	78	112	33	81	115	60	90

SANTEE RIVER BASIN

02160700 ENOREE RIVER AT WHITMIRE, SC--Continued

Temperature, water, degrees Celsius
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

DAY	OCTOBER			NOVEMBER			DECEMBER			JANUARY		
	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN
1	23.5	21.8	22.6	14.9	13.9	14.3	8.0	6.2	7.1	9.8	7.5	8.8
2	24.1	22.0	22.9	13.9	12.3	13.0	6.6	5.0	5.8	10.0	9.5	9.7
3	24.1	22.3	23.2	13.1	11.9	12.5	7.4	5.4	6.4	11.2	9.8	10.3
4	24.4	22.6	23.5	13.2	12.5	12.8	7.0	5.8	6.5	10.1	7.9	9.1
5	24.8	23.0	23.8	13.0	12.6	12.8	5.8	5.2	5.5	8.5	7.3	7.7
6	24.7	22.9	23.7	13.8	12.6	13.0	6.6	5.6	5.8	7.9	6.6	7.1
7	24.2	22.4	23.3	13.1	11.7	12.4	6.2	5.5	5.8	6.9	5.6	6.2
8	23.3	20.5	22.1	12.2	11.2	11.5	5.9	5.4	5.7	6.8	5.4	6.1
9	20.5	19.4	19.7	12.3	10.8	11.5	6.4	5.5	5.9	8.7	6.4	7.5
10	20.7	19.1	19.8	14.6	12.0	13.3	6.7	6.1	6.4	10.7	8.2	9.2
11	21.3	19.9	20.5	16.1	14.6	15.6	7.2	6.7	6.9	9.0	7.1	8.0
12	22.2	20.1	21.0	16.3	16.0	16.2	7.4	6.9	7.2	7.1	5.6	6.3
13	21.9	20.9	21.4	16.3	14.8	15.7	8.1	7.4	7.8	6.1	5.1	5.5
14	21.3	19.1	20.3	14.8	12.5	13.5	8.5	7.9	8.1	5.8	4.3	5.0
15	19.1	16.8	17.9	12.5	11.7	12.0	8.0	7.0	7.4	5.9	4.2	4.9
16	17.0	15.7	16.4	13.0	11.8	12.4	7.7	6.5	6.9	4.9	3.7	4.4
17	15.8	15.3	15.6	13.2	12.8	13.0	7.8	6.9	7.2	5.8	4.6	5.0
18	15.8	15.2	15.4	12.9	11.0	11.9	7.8	7.1	7.4	4.6	2.8	3.7
19	15.4	14.8	15.0	11.0	9.9	10.4	8.6	7.5	8.0	3.5	2.1	2.7
20	15.5	14.4	15.0	10.8	9.7	10.2	10.8	8.6	9.6	4.8	2.4	3.5
21	16.6	15.4	16.0	11.9	10.6	11.2	9.6	8.7	9.1	6.8	4.4	5.7
22	16.6	16.0	16.4	11.9	10.5	11.3	8.7	7.8	8.3	7.9	6.6	7.1
23	16.3	15.7	16.0	10.5	8.8	9.7	8.7	7.8	8.1	7.0	4.3	5.9
24	17.2	15.9	16.4	9.7	8.2	8.9	8.4	8.0	8.2	4.3	2.5	3.2
25	16.7	16.0	16.4	9.8	8.2	8.9	8.5	7.7	8.1	3.7	2.0	2.7
26	16.6	15.7	16.1	9.4	8.0	8.7	7.7	6.6	6.9	4.8	2.7	3.6
27	17.5	16.4	16.9	9.5	8.4	8.9	6.7	5.8	6.2	4.6	3.3	3.9
28	17.7	17.2	17.4	9.0	7.1	8.0	6.3	5.3	5.7	5.1	3.0	4.0
29	17.5	15.8	16.7	7.4	5.9	6.6	6.7	5.4	5.9	6.5	4.7	5.7
30	15.8	15.0	15.4	8.8	6.7	7.7	7.1	5.9	6.5	7.0	6.5	6.8
31	15.3	14.3	14.7	---	---	---	7.6	6.4	7.0	6.8	6.4	6.7
MONTH	24.8	14.3	18.8	16.3	5.9	11.6	10.8	5.0	7.0	11.2	2.0	6.0

DAY	FEBRUARY			MARCH			APRIL			MAY		
	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN
1	7.8	6.5	7.1	8.5	7.5	8.0	13.5	12.2	12.9	21.7	20.2	20.8
2	8.1	6.6	7.3	10.0	8.5	9.2	15.6	13.2	14.3	22.2	20.4	21.0
3	9.4	7.4	8.3	10.6	9.5	10.0	17.4	14.9	16.1	21.3	20.3	20.7
4	11.6	9.0	10.4	11.0	9.9	10.5	18.4	16.4	17.4	20.8	19.8	20.3
5	10.4	8.9	9.7	12.0	10.9	11.6	18.2	17.3	17.6	19.8	18.6	19.2
6	8.9	8.0	8.6	12.0	11.6	11.8	17.7	16.9	17.3	18.6	18.1	18.4
7	8.0	7.2	7.4	12.2	11.5	12.0	17.0	14.7	15.9	18.7	17.9	18.2
8	7.7	6.7	7.0	11.5	10.5	10.8	14.7	13.1	13.8	20.3	18.6	19.3
9	7.4	6.6	6.9	12.6	10.8	11.7	13.1	11.7	12.3	21.7	20.3	21.0
10	8.4	7.0	7.6	13.4	12.5	12.9	11.7	11.0	11.3	23.0	21.7	22.4
11	8.3	6.8	7.4	13.4	12.6	12.8	11.3	10.7	11.0	23.7	22.6	23.1
12	9.3	7.0	7.8	13.8	12.2	12.9	13.5	11.0	11.9	22.8	21.4	22.2
13	8.4	6.8	7.5	14.7	13.0	13.8	15.1	13.5	14.2	21.6	20.2	20.9
14	7.5	6.7	7.2	15.4	14.2	14.7	16.4	15.0	15.7	20.7	19.4	20.0
15	9.0	7.2	8.1	14.2	13.1	13.7	17.7	16.2	17.0	20.3	19.2	19.7
16	9.0	6.5	8.0	13.4	12.8	13.1	18.3	17.2	17.7	21.3	19.7	20.4
17	6.5	5.4	5.8	13.8	13.3	13.6	18.6	17.6	18.0	21.2	20.5	20.9
18	7.0	5.4	6.2	14.0	13.6	13.8	18.2	14.9	16.5	20.5	18.9	19.7
19	8.0	6.7	7.2	14.8	13.8	14.2	14.9	14.5	14.7	18.9	17.3	18.1
20	10.0	7.7	8.9	14.3	12.0	12.7	15.4	14.5	14.9	18.2	16.9	17.5
21	10.0	9.3	9.6	12.9	11.8	12.4	15.6	15.3	15.4	18.9	17.8	18.4
22	11.2	9.8	10.5	13.6	12.3	12.9	16.7	15.5	16.1	18.9	18.0	18.5
23	11.2	10.7	11.0	14.4	13.4	13.8	16.8	15.9	16.4	18.0	17.8	17.9
24	10.7	9.6	10.1	15.0	13.9	14.5	16.5	16.0	16.2	18.3	17.8	18.0
25	10.7	10.1	10.4	15.5	14.4	15.0	16.4	15.9	16.1	19.6	17.9	18.6
26	10.5	9.4	10.1	16.6	15.1	15.9	17.2	15.8	16.5	20.4	19.4	19.9
27	9.4	6.8	7.9	17.5	16.5	16.9	17.9	16.8	17.4	20.8	20.2	20.5
28	7.5	6.7	7.0	17.4	16.7	17.0	18.9	17.3	18.0	20.8	20.1	20.4
29	---	---	---	18.9	16.9	17.9	19.8	17.9	18.8	21.4	20.2	20.7
30	---	---	---	18.6	15.0	16.9	21.1	19.2	20.2	21.2	20.0	20.5
31	---	---	---	15.0	13.1	13.8	---	---	---	21.6	19.8	20.6
MONTH	11.6	5.4	8.2	18.9	7.5	13.3	21.1	10.7	15.7	23.7	16.9	19.9

SANTEE RIVER BASIN

02160700 ENOREE RIVER AT WHITMIRE, SC--Continued

Temperature, water, degrees Celsius
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

DAY	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN
	JUNE			JULY			AUGUST			SEPTEMBER		
1	22.4	20.5	21.2	24.4	22.9	23.9	25.8	24.4	24.9	26.6	25.4	25.9
2	21.8	20.1	20.9	22.9	21.6	22.0	24.8	24.1	24.4	26.6	25.0	25.7
3	20.8	20.2	20.5	22.2	21.6	21.9	24.5	23.6	24.0	26.8	25.4	26.0
4	21.3	20.1	20.6	23.5	22.2	22.7	24.7	23.4	24.0	26.6	25.5	26.0
5	21.8	20.7	21.2	24.7	23.5	24.1	25.0	24.4	24.7	26.1	25.1	25.5
6	22.2	21.2	21.6	25.4	24.2	24.8	24.6	22.9	23.8	25.3	23.6	24.6
7	21.9	21.4	21.7	26.1	24.6	25.2	23.9	22.9	23.4	23.6	22.5	22.8
8	---	---	---	26.3	24.6	25.4	24.0	23.4	23.7	22.5	22.0	22.2
9	---	---	---	27.2	25.4	26.2	24.2	23.8	24.0	23.0	21.9	22.5
10	23.6	22.7	23.1	27.2	25.8	26.3	24.2	23.9	24.0	23.1	21.8	22.4
11	24.1	23.0	23.5	26.2	25.1	25.6	24.5	23.7	24.0	23.4	21.5	22.2
12	24.2	23.0	23.6	26.6	25.1	25.8	24.8	23.9	24.3	22.3	20.7	21.5
13	23.7	22.9	23.2	26.4	24.0	25.5	24.9	23.8	24.4	23.0	20.4	21.6
14	23.6	23.1	23.4	24.9	24.3	24.6	25.8	24.4	25.0	23.6	21.4	22.4
15	25.0	23.3	24.1	25.4	23.9	24.6	26.6	24.9	25.7	23.5	21.5	22.7
16	25.9	24.6	25.1	26.5	24.6	25.5	26.9	25.6	26.1	24.3	22.6	23.3
17	24.9	23.9	24.5	26.5	25.4	25.9	26.0	25.1	25.4	23.4	21.4	22.2
18	23.9	23.2	23.6	27.1	25.4	26.1	26.7	25.0	25.8	22.5	20.7	21.6
19	24.0	23.0	23.4	26.7	25.5	26.1	26.4	25.3	25.8	23.1	20.3	21.7
20	23.9	23.1	23.5	27.0	25.5	26.1	25.8	24.8	25.4	23.1	20.2	21.6
21	23.7	22.8	23.2	27.3	25.9	26.5	26.7	24.9	25.7	22.9	20.6	21.8
22	23.9	22.4	23.1	27.0	25.9	26.3	27.1	25.5	26.2	22.7	21.6	22.2
23	24.4	22.2	23.2	25.9	24.3	25.1	27.0	25.4	26.1	24.1	22.0	22.8
24	24.9	22.8	23.8	25.0	23.7	24.2	26.7	25.7	26.1	22.3	21.4	21.7
25	25.4	23.3	24.3	25.2	23.8	24.5	26.7	25.1	25.8	22.1	20.7	21.3
26	26.1	23.8	24.9	25.9	24.4	25.1	26.8	25.0	26.0	22.0	20.2	21.1
27	26.1	24.4	25.2	26.2	24.9	25.5	27.5	25.5	26.4	22.3	20.4	21.4
28	25.1	24.0	24.6	27.4	25.3	26.3	27.9	26.0	26.9	22.7	20.8	21.6
29	25.4	23.6	24.4	27.9	26.0	26.8	28.3	26.4	27.2	20.8	18.3	19.5
30	25.0	24.4	24.7	27.3	26.2	26.6	28.0	26.7	27.3	18.9	16.7	17.7
31	---	---	---	26.6	25.8	26.1	27.3	26.2	26.8	---	---	---
MONTH	---	---	---	27.9	21.6	25.2	28.3	22.9	25.3	26.8	16.7	22.5

SANTEE RIVER BASIN

02160700 ENOREE RIVER AT WHITMIRE, SC--Continued

Dissolved oxygen, water, unfiltered, milligrams per liter
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

DAY	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN
1	7.4	7.0	7.2	9.4	9.1	9.2	10.6	10.1	10.4	10.6	9.9	10.3
2	7.1	6.9	7.0	9.8	9.2	9.5	11.1	10.6	10.8	10.0	9.9	9.9
3	7.1	6.9	7.0	9.9	9.6	9.7	11.0	10.4	10.7	10.0	9.7	9.8
4	7.1	6.8	6.9	9.7	9.5	9.6	10.8	10.4	10.5	10.6	9.7	10.1
5	7.0	6.7	6.8	9.7	9.3	9.5	11.0	10.7	10.8	10.9	10.4	10.6
6	7.1	6.8	7.0	9.5	9.1	9.3	11.2	10.7	10.9	11.1	10.6	10.7
7	7.2	6.9	7.0	9.6	9.0	9.3	11.2	11.0	11.1	11.4	10.9	11.1
8	7.5	6.9	7.1	9.8	9.5	9.6	11.2	10.9	11.1	11.3	10.9	11.2
9	7.8	7.5	7.7	9.8	9.4	9.6	11.2	11.1	11.1	11.1	10.5	10.8
10	7.9	7.5	7.7	9.5	8.7	9.2	11.1	10.7	10.9	10.6	10.0	10.3
11	7.8	7.4	7.5	8.7	8.2	8.4	10.8	10.6	10.7	10.8	10.2	10.6
12	7.7	7.4	7.5	8.2	8.0	8.1	10.8	10.6	10.7	11.5	10.8	11.2
13	7.5	7.3	7.3	8.3	7.8	8.0	10.6	10.1	10.4	11.7	11.4	11.5
14	7.8	7.3	7.6	9.2	7.8	8.7	10.7	10.1	10.4	11.9	11.4	11.7
15	8.1	7.7	7.9	9.5	9.2	9.4	11.3	10.5	10.8	12.0	11.6	11.8
16	8.5	8.1	8.3	9.4	8.9	9.2	11.4	10.8	11.0	12.2	11.7	11.9
17	8.7	8.5	8.6	9.0	8.7	8.8	11.1	10.6	10.9	11.9	11.6	11.7
18	8.7	8.4	8.6	9.7	8.7	9.2	11.1	10.8	11.0	12.4	11.7	12.0
19	9.1	8.7	8.9	10.1	9.6	9.9	10.8	10.1	10.5	12.7	12.3	12.5
20	9.0	8.8	8.9	10.1	9.8	10.0	10.2	9.6	9.9	12.8	12.0	12.4
21	8.8	8.6	8.7	9.8	9.4	9.7	10.2	9.6	9.9	12.0	11.1	11.6
22	8.7	8.5	8.6	9.6	9.4	9.5	10.5	10.0	10.2	11.4	11.1	11.2
23	8.9	8.7	8.8	10.2	9.6	10.0	10.5	10.2	10.3	11.8	11.0	11.3
24	8.9	8.6	8.8	10.5	10.1	10.3	10.3	9.9	10.2	12.7	11.8	12.4
25	8.7	8.6	8.6	10.4	10.1	10.3	10.2	9.9	10.0	13.0	12.5	12.7
26	8.9	8.7	8.7	10.4	10.1	10.2	10.5	10.0	10.3	12.6	12.1	12.5
27	8.7	8.5	8.6	10.3	10.1	10.2	11.1	10.3	10.8	12.5	12.1	12.2
28	8.5	8.2	8.4	10.7	10.1	10.4	11.4	10.9	11.1	12.6	12.1	12.3
29	8.6	8.2	8.4	10.9	10.5	10.7	11.3	10.9	11.1	12.2	11.2	11.8
30	9.0	8.6	8.8	10.6	10.1	10.4	11.0	10.8	10.9	11.2	10.9	11.0
31	9.3	9.0	9.1	---	---	---	10.9	10.6	10.8	11.0	10.8	10.9
MONTH	9.3	6.7	8.0	10.9	7.8	9.5	11.4	9.6	10.7	13.0	9.7	11.4

DAY	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN
1	11.1	10.7	10.8	10.8	10.4	10.5	10.1	9.8	9.9	8.5	8.2	8.3
2	11.0	10.6	10.8	10.6	10.1	10.3	9.8	9.3	9.6	8.5	8.2	8.3
3	10.7	10.2	10.5	10.4	10.0	10.2	9.3	8.6	9.1	8.6	8.2	8.4
4	10.2	9.7	9.9	10.4	10.0	10.2	8.6	8.3	8.5	8.6	8.3	8.4
5	10.4	9.6	10.1	10.0	9.6	9.8	8.3	8.1	8.2	8.7	8.4	8.6
6	10.5	10.3	10.4	9.8	9.1	9.5	8.5	8.1	8.3	8.9	8.7	8.8
7	10.9	10.5	10.7	9.2	9.1	9.2	8.7	8.2	8.4	9.2	8.7	8.9
8	11.4	10.7	11.0	9.8	9.1	9.5	9.1	8.7	8.9	8.8	8.4	8.7
9	11.2	10.9	11.0	9.8	9.4	9.7	9.7	9.0	9.3	8.5	8.2	8.4
10	10.9	10.6	10.8	9.6	9.3	9.4	9.9	9.6	9.7	8.6	8.2	8.4
11	11.2	10.6	10.8	9.6	9.4	9.5	10.1	9.7	9.9	8.3	8.1	8.2
12	11.1	10.6	10.8	9.8	9.5	9.7	9.8	9.3	9.6	8.5	8.1	8.3
13	11.2	10.6	10.8	9.6	9.2	9.4	9.3	9.0	9.2	8.8	8.2	8.5
14	11.0	10.8	10.9	9.2	9.0	9.1	9.2	8.9	9.0	8.9	8.4	8.6
15	11.0	10.3	10.7	9.5	9.1	9.4	9.0	8.7	8.8	9.0	8.6	8.8
16	10.7	10.2	10.4	9.6	9.4	9.5	8.8	8.5	8.7	9.0	8.7	8.8
17	11.2	10.7	11.0	9.6	9.3	9.4	8.7	8.4	8.6	8.9	8.7	8.8
18	11.6	11.0	11.3	9.3	9.1	9.2	9.0	8.4	8.7	8.8	8.5	8.6
19	11.2	10.6	10.9	9.5	9.1	9.2	8.9	8.7	8.8	8.6	8.4	8.5
20	10.7	10.1	10.4	9.9	9.1	9.5	9.2	8.7	9.0	8.9	8.5	8.7
21	10.1	9.9	10.0	9.6	9.1	9.3	9.1	9.0	9.1	8.7	8.5	8.6
22	9.9	9.4	9.7	9.4	8.9	9.2	9.3	9.0	9.1	9.2	8.6	8.8
23	9.7	9.3	9.5	8.9	8.5	8.7	9.2	8.5	8.9	9.6	9.1	9.3
24	10.1	9.6	9.8	9.2	8.7	9.0	8.8	8.4	8.6	9.9	9.4	9.7
25	10.2	9.9	10.0	9.1	8.9	9.0	8.7	8.5	8.6	9.9	9.3	9.7
26	10.1	9.9	10.0	9.0	8.7	8.9	8.8	8.6	8.7	---	---	---
27	11.1	10.1	10.6	8.7	8.5	8.6	8.9	8.6	8.7	---	---	---
28	11.3	10.8	11.0	8.8	8.6	8.7	8.8	8.5	8.6	---	---	---
29	---	---	---	8.7	8.4	8.6	8.7	8.4	8.5	---	---	---
30	---	---	---	9.0	8.4	8.6	8.6	8.3	8.4	---	---	---
31	---	---	---	9.8	9.0	9.5	---	---	---	---	---	---
MONTH	11.6	9.3	10.5	10.8	8.4	9.4	10.1	8.1	8.9	---	---	---

