

021720813 SAWMILL BRANCH NEAR SUMMERVILLE, SC--Continued

WATER-QUALITY RECORDS

PERIOD OF RECORD.--July 2001 to September 2003.

PERIOD OF DAILY RECORD.--

WATER TEMPERATURE: July 2001 to September 2003 (discontinued).

DISSOLVED OXYGEN: July 2001 to September 2003 (discontinued).

INSTRUMENTATION.--Water-quality multiprobe and data collection platform.

REMARKS.--Temperature records rated excellent. Dissolved oxygen records rated poor except for Sep. 11-30, which are good.

EXTREMES FOR PERIOD OF DAILY RECORD.--

WATER TEMPERATURE: Maximum, 29.7°C, July 20, 2002; minimum, 1.8°C, Jan. 25, 2003.

DISSOLVED OXYGEN: Maximum, 16.0 mg/L, May 5, 2002; minimum, 0.0 mg/L, Sep. 10, 2001, and May 15, June 19, July 16-18, July 21-28, 2002.

EXTREMES FOR CURRENT YEAR.--

WATER TEMPERATURE: Maximum, 29.4°C, July 9; minimum, 1.8°C, Jan. 25.

DISSOLVED OXYGEN: Maximum, 12.1 mg/L, Jan. 25; minimum, 0.1 mg/L, Oct. 1, 2, 5-7.

Temperature, water, degrees Celsius
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

DAY	OCTOBER			NOVEMBER			DECEMBER			JANUARY		
	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN
1	24.9	24.0	24.4	18.1	16.4	16.9	9.9	8.6	9.3	14.8	13.3	13.9
2	24.7	23.5	24.1	16.4	14.8	15.5	8.6	7.3	7.9	13.3	11.8	12.2
3	24.5	23.3	23.9	15.2	14.3	14.7	8.8	7.4	8.1	11.9	10.3	11.5
4	24.7	23.7	24.2	15.5	14.8	15.1	8.7	7.3	8.1	10.3	8.1	8.9
5	25.0	23.9	24.5	18.2	15.1	15.6	7.5	6.6	7.1	8.6	6.6	7.8
6	25.2	24.2	24.8	20.6	16.9	19.2	8.4	7.2	7.7	9.9	7.8	8.8
7	25.8	23.6	25.2	16.9	14.1	15.0	7.9	6.7	7.2	9.0	7.1	7.8
8	23.8	22.8	23.3	14.3	12.5	13.5	7.3	6.1	6.8	8.6	6.0	7.2
9	22.8	21.3	22.1	15.7	13.4	14.5	10.1	7.2	8.2	11.2	8.3	9.5
10	25.4	21.7	23.0	19.6	15.7	17.7	9.5	7.5	8.3	12.7	11.0	11.7
11	25.1	23.6	24.3	20.3	18.7	19.5	9.7	8.4	9.2	11.3	8.7	9.6
12	24.2	22.7	23.5	19.8	18.8	19.4	10.1	9.5	9.8	8.7	6.8	7.4
13	23.7	22.5	23.0	19.0	15.6	16.9	12.5	9.7	11.0	7.3	6.2	6.7
14	23.2	20.2	22.0	15.6	13.2	14.1	12.2	9.9	10.7	7.8	6.1	7.0
15	20.2	19.0	19.5	15.3	12.7	13.9	9.9	8.1	8.9	7.7	6.4	7.1
16	19.4	18.9	19.3	17.7	15.3	16.2	9.8	7.6	8.8	8.1	5.4	6.4
17	19.8	18.2	19.0	17.2	13.3	15.8	10.3	8.7	9.6	8.2	6.9	7.7
18	19.2	17.4	18.0	13.3	11.4	12.1	10.8	9.4	10.1	6.9	4.6	5.4
19	17.5	16.1	16.9	12.2	10.1	11.3	13.2	10.8	12.0	5.9	2.9	4.3
20	19.4	17.5	18.4	13.4	11.4	12.4	15.4	13.1	14.3	6.9	3.4	5.3
21	20.0	19.3	19.6	14.5	13.3	13.8	13.1	9.8	11.0	10.7	6.8	8.4
22	19.7	18.7	19.4	14.4	12.6	14.0	10.8	8.5	9.7	10.7	7.7	9.2
23	18.9	18.1	18.5	12.6	10.3	11.1	11.7	10.1	10.9	7.7	3.8	6.0
24	18.8	18.3	18.5	11.1	9.2	10.2	14.5	10.5	12.2	3.8	2.0	2.9
25	18.9	18.1	18.5	12.3	10.1	11.2	13.0	10.3	12.2	3.9	1.8	2.9
26	19.2	18.5	18.8	13.1	11.4	12.3	10.3	8.0	9.0	6.1	3.7	5.0
27	20.1	18.6	19.2	13.0	11.8	12.4	9.0	7.1	8.2	6.6	4.9	5.7
28	21.8	20.1	20.6	12.2	9.3	10.5	8.4	6.9	7.7	5.6	3.8	4.9
29	22.6	21.8	22.3	9.3	7.7	8.3	9.4	7.1	8.3	8.6	5.1	6.3
30	22.4	21.3	22.1	9.9	8.2	9.0	9.9	8.0	9.0	10.5	8.6	9.4
31	21.3	18.1	19.7	---	---	---	14.2	9.2	10.3	10.4	8.7	9.4
MONTH	25.8	16.1	21.3	20.6	7.7	14.1	15.4	6.1	9.4	14.8	1.8	7.6

ASHLEY RIVER BASIN

021720813 SAWMILL BRANCH NEAR SUMMERVILLE, SC--Continued

Temperature, water, degrees Celsius
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

DAY	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN
	FEBRUARY			MARCH			APRIL			MAY		
1	9.8	8.3	8.9	11.9	10.1	11.0	15.1	10.9	13.0	21.1	20.1	20.6
2	10.3	8.2	9.0	14.5	11.8	13.4	18.0	13.4	15.4	22.8	19.1	20.6
3	11.1	9.3	10.0	13.4	11.7	12.7	19.4	15.4	17.1	22.5	20.2	21.2
4	13.2	11.0	12.0	13.1	11.5	12.3	19.5	16.6	17.8	21.8	20.3	21.1
5	12.9	10.4	11.2	15.7	12.7	14.0	21.2	17.4	19.0	21.4	20.2	20.8
6	11.2	9.3	10.1	16.3	15.1	15.7	20.1	18.9	19.5	23.2	21.2	22.0
7	9.3	8.4	8.6	15.6	12.0	14.0	20.0	17.5	18.7	23.7	21.0	22.3
8	9.5	7.7	8.6	14.8	11.0	12.8	17.5	14.4	15.7	24.9	22.3	23.4
9	9.5	7.9	8.7	14.6	13.3	14.0	14.7	13.9	14.3	25.6	23.0	24.1
10	10.6	8.8	9.6	15.8	12.6	14.3	13.9	12.4	13.0	26.3	23.4	24.7
11	10.1	8.1	9.2	16.4	12.8	14.7	13.7	11.9	12.7	25.9	23.7	24.8
12	10.5	7.9	9.1	17.5	13.9	15.8	16.9	12.2	14.3	25.2	22.9	24.0
13	10.2	7.9	9.2	17.2	15.3	16.4	18.2	14.4	16.3	23.2	20.6	21.9
14	9.8	7.9	8.7	16.7	14.2	15.3	19.0	15.8	17.5	22.4	20.3	21.3
15	12.9	8.8	10.2	14.2	12.3	12.7	19.8	16.7	18.2	21.2	19.7	20.4
16	12.9	10.1	11.8	15.1	12.4	13.5	19.7	16.7	18.0	23.8	20.2	21.7
17	10.1	7.9	8.7	15.4	14.1	14.6	19.6	16.9	18.1	22.8	21.5	22.1
18	8.9	7.2	8.0	16.9	14.6	15.6	20.4	18.1	18.9	22.0	20.9	21.5
19	10.2	6.9	8.4	17.4	15.4	16.5	19.9	18.5	19.0	21.3	19.2	20.3
20	11.6	9.5	10.5	18.6	16.7	17.7	20.1	17.5	18.6	21.3	18.3	19.8
21	13.2	11.2	12.0	19.3	17.5	18.2	20.3	17.7	18.9	21.0	19.4	20.3
22	17.2	13.2	14.8	19.8	16.1	17.8	22.6	19.1	20.4	20.8	20.0	20.5
23	16.3	13.0	14.4	17.9	15.7	16.7	20.6	17.6	19.0	20.9	19.7	20.3
24	13.6	10.5	12.2	19.0	15.4	17.1	19.4	16.6	17.8	21.7	19.3	20.5
25	---	---	---	18.7	14.9	16.8	18.8	17.1	18.1	22.4	19.8	21.2
26	---	---	---	19.4	15.6	17.5	19.3	16.9	18.0	22.7	21.3	22.1
27	---	---	---	18.8	16.9	17.7	19.7	16.9	18.4	23.0	21.8	22.2
28	10.8	8.3	9.5	19.2	16.3	17.6	20.2	17.5	18.9	23.2	20.4	21.6
29	---	---	---	22.0	18.1	19.9	21.4	18.2	19.5	23.1	20.8	21.8
30	---	---	---	21.2	14.0	17.7	22.1	19.2	20.4	23.2	20.3	21.7
31	---	---	---	14.4	12.1	13.2	---	---	---	24.3	20.3	22.1
MONTH	---	---	---	22.0	10.1	15.4	22.6	10.9	17.5	26.3	18.3	21.7

DAY	MAX	MIN	MEAN	Temperature, water, degrees Celsius			MAX	MIN	MEAN	MAX	MIN	MEAN
	JUNE			JULY			AUGUST			SEPTEMBER		
1	24.3	22.5	23.4	26.1	24.5	25.4	26.4	24.6	25.5	28.4	26.5	27.4
2	23.3	20.9	22.3	26.1	24.1	25.0	26.9	24.3	25.5	27.8	26.3	27.1
3	22.9	20.9	21.8	27.3	24.5	25.7	26.2	25.0	25.6	28.5	26.5	27.0
4	23.4	21.5	22.5	27.3	25.7	26.4	27.0	24.9	25.8	27.8	26.1	26.9
5	24.8	22.1	23.2	27.1	25.2	26.1	26.9	23.9	25.2	27.1	24.2	24.6
6	23.9	23.0	23.5	27.8	25.7	26.5	27.2	24.8	25.8	24.5	22.4	23.3
7	24.8	23.0	23.7	28.1	25.9	26.9	26.3	24.9	25.7	22.8	21.9	22.3
8	24.8	23.1	23.9	28.5	25.4	26.7	26.0	24.9	25.6	22.5	21.8	22.3
9	25.6	23.2	24.4	29.4	26.3	27.6	27.0	25.1	25.9	24.0	22.0	22.8
10	26.1	23.7	24.8	28.7	27.1	27.8	26.9	25.4	26.0	23.1	22.4	22.7
11	26.7	24.3	25.3	28.8	26.3	27.4	26.5	24.7	25.4	22.4	21.3	21.9
12	26.8	24.7	25.5	28.6	26.8	27.6	25.9	24.4	25.1	22.3	21.4	21.9
13	27.5	24.2	25.6	27.7	26.2	26.7	26.5	24.7	25.4	23.6	21.1	22.4
14	26.0	23.6	24.8	26.5	25.0	25.7	27.0	24.9	25.8	24.1	21.8	22.9
15	27.3	24.3	25.6	26.6	24.7	25.6	29.0	25.5	26.7	24.3	21.7	23.1
16	27.7	23.9	25.7	27.9	25.3	26.5	28.0	24.5	25.8	24.3	22.6	23.6
17	24.1	22.6	23.4	28.4	26.3	27.3	26.3	23.7	24.9	23.7	21.9	22.7
18	24.8	23.1	23.9	27.3	25.2	26.7	26.5	24.8	25.6	23.1	21.3	22.2
19	25.7	23.6	24.7	26.8	24.5	25.5	25.9	24.4	25.2	23.9	21.9	22.7
20	26.2	24.3	25.2	26.2	23.8	25.0	26.5	24.9	25.7	24.0	22.0	22.9
21	24.6	22.9	23.9	26.3	23.9	25.1	27.4	25.2	26.0	23.9	22.5	23.3
22	24.1	21.4	22.8	26.5	24.5	25.3	26.1	24.3	25.3	24.3	22.9	23.7
23	24.7	22.1	23.3	26.0	23.8	24.5	26.8	24.8	25.8	24.9	23.8	24.4
24	25.8	23.0	24.2	24.4	23.3	23.8	27.4	25.5	26.3	23.8	22.5	23.2
25	26.4	23.2	24.6	25.4	23.2	24.1	26.3	25.0	25.7	23.3	21.7	22.5
26	26.8	23.6	25.2	24.5	23.0	23.7	28.0	25.1	26.2	23.3	22.2	22.7
27	27.1	24.6	25.8	25.7	23.6	24.5	28.1	26.0	27.0	23.8	22.3	23.0
28	26.6	25.0	25.9	25.4	24.1	24.7	27.9	26.4	27.1	24.2	22.7	23.5
29	26.3	24.8	25.5	26.6	24.1	25.3	27.8	26.4	27.1	22.7	20.8	21.7
30	26.6	24.4	25.4	26.7	24.7	25.8	27.7	26.4	27.1	21.0	19.5	20.3
31	---	---	---	27.1	25.1	26.0	28.2	26.3	27.3	---	---	---
MONTH	27.7	20.9	24.3	29.4	23.0	25.8	29.0	23.7	25.9	28.5	19.5	23.4

021720813 SAWMILL BRANCH NEAR SUMMERVILLE, SC--Continued

Dissolved oxygen, water, unfiltered, milligrams per liter
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

DAY	MAX	MIN	MEAN	OCTOBER			NOVEMBER			DECEMBER			JANUARY		
				MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN
1	0.7	0.1	0.2	3.1	1.6	2.2	6.9	6.3	6.6	8.6	7.5	8.0			
2	1.2	0.1	0.5	3.8	2.4	3.1	7.7	6.2	6.9	8.4	7.7	8.1			
3	1.6	0.2	0.6	4.2	2.9	3.5	8.0	7.1	7.5	8.6	7.9	8.3			
4	1.2	0.2	0.4	6.3	3.2	4.6	7.7	7.1	7.4	9.6	8.4	9.1			
5	1.4	0.1	0.4	6.8	3.5	4.4	8.3	7.2	7.7	10.0	8.9	9.4			
6	1.7	0.1	0.4	6.9	5.2	6.0	7.8	7.0	7.3	9.5	8.7	9.1			
7	2.7	0.1	0.5	6.8	5.3	6.2	7.7	6.8	7.3	10.0	8.7	9.4			
8	3.6	0.9	2.0	7.6	6.4	7.0	8.3	7.2	7.7	10.1	9.1	9.6			
9	5.7	0.4	3.0	7.1	6.3	6.7	8.8	7.5	8.0	9.1	8.3	8.7			
10	6.2	0.6	2.3	7.0	4.9	5.9	10.0	8.1	9.1	8.3	7.4	7.8			
11	6.8	3.8	5.4	5.5	4.7	5.1	8.6	7.7	8.2	9.0	7.4	8.2			
12	4.3	3.3	3.9	5.7	4.5	5.0	8.4	7.6	8.1	9.9	8.7	9.2			
13	4.1	3.2	3.6	6.9	5.5	6.0	10.0	7.4	8.5	10.0	9.4	9.7			
14	3.6	2.9	3.2	6.5	5.6	6.1	8.5	7.3	8.0	9.9	9.3	9.6			
15	5.5	3.3	4.4	6.4	5.4	6.1	9.3	8.1	8.8	10.0	9.4	9.7			
16	4.9	3.9	4.4	6.6	5.0	5.5	9.5	8.6	9.0	10.1	9.4	9.8			
17	4.9	4.1	4.5	6.2	5.0	5.6	9.1	8.4	8.7	9.6	8.7	9.1			
18	5.3	3.9	4.6	7.2	6.2	6.8	8.8	8.2	8.5	10.3	9.1	9.7			
19	5.5	4.3	4.9	7.8	6.8	7.3	8.2	6.7	7.7	11.1	10.3	10.7			
20	4.8	3.8	4.3	7.5	6.5	7.1	7.0	6.2	6.5	11.1	10.2	10.8			
21	4.0	2.7	3.3	6.7	6.0	6.4	8.0	6.2	7.2	10.4	8.7	9.6			
22	4.0	2.5	3.3	6.4	5.7	6.1	8.6	7.5	7.9	8.9	8.1	8.6			
23	4.2	2.3	3.2	7.1	5.9	6.6	7.9	7.2	7.5	10.4	8.2	9.1			
24	3.4	2.4	3.0	7.4	6.6	7.0	8.8	7.0	7.7	11.9	10.4	11.2			
25	2.9	2.1	2.5	7.0	6.4	6.7	8.3	7.3	7.9	12.1	---	---			
26	2.9	1.9	2.5	6.6	6.0	6.3	9.4	8.0	8.9	---	---	---			
27	2.6	1.8	2.2	6.4	5.7	6.1	10.1	9.2	9.6	---	---	---			
28	3.0	1.2	1.9	6.8	5.9	6.3	10.4	9.4	9.9	---	---	---			
29	3.3	1.1	2.3	7.6	6.6	7.2	10.2	9.4	9.9	10.4	9.4	10.2			
30	1.9	0.9	1.3	7.8	6.7	7.3	10.2	9.3	9.7	9.5	7.9	8.7			
31	2.4	1.0	1.6	---	---	---	9.3	8.4	9.0	8.5	7.4	7.9			
MONTH	6.8	0.1	2.6	7.8	1.6	5.9	10.4	6.2	8.2	---	---	---			

DAY	MAX	MIN	MEAN	FEBRUARY			MARCH			APRIL			MAY		
				MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN
1	8.8	7.7	8.0	9.4	8.0	8.6	7.4	6.0	6.6	5.7	4.1	5.0			
2	8.5	7.8	8.0	8.5	6.6	7.8	7.1	5.5	6.2	6.1	4.3	5.1			
3	8.1	7.3	7.7	9.1	7.4	8.2	7.1	4.7	5.7	5.4	3.4	4.4			
4	7.8	6.8	7.3	9.2	7.4	8.2	6.8	4.4	5.5	4.9	3.5	4.2			
5	7.6	6.1	6.7	9.4	7.1	8.1	6.5	4.4	5.4	5.1	3.9	4.3			
6	8.1	6.4	7.2	7.7	6.5	7.1	6.2	4.0	5.2	7.5	3.8	4.7			
7	8.9	7.8	8.3	7.9	6.7	7.3	7.1	4.7	5.7	5.8	4.4	5.1			
8	9.3	7.8	8.4	9.1	7.5	8.2	7.6	6.1	6.7	6.0	4.3	5.2			
9	9.5	8.4	8.8	8.8	7.1	7.8	7.4	6.5	6.9	5.6	3.7	4.4			
10	8.9	7.7	8.3	9.6	6.6	7.8	7.1	6.6	6.8	4.9	3.2	3.8			
11	9.1	7.5	8.2	9.3	6.2	7.4	7.1	6.6	6.9	4.5	2.9	3.5			
12	9.5	7.9	8.6	9.3	5.8	7.2	7.1	6.5	6.8	4.6	2.7	3.5			
13	9.3	7.9	8.6	7.1	5.1	6.1	6.9	5.9	6.6	4.3	2.3	3.4			
14	9.3	8.2	8.8	7.4	5.4	6.3	7.0	5.4	6.3	4.5	2.3	3.5			
15	9.5	8.5	9.0	7.7	6.4	7.0	6.9	5.3	6.0	4.8	2.3	3.5			
16	8.7	7.0	7.8	8.6	6.4	7.3	7.1	5.4	6.0	6.5	2.3	4.0			
17	9.0	7.2	8.1	7.6	6.1	6.7	7.3	5.2	6.2	5.6	4.0	5.0			
18	10.5	8.4	9.3	7.6	6.0	6.6	7.2	5.1	5.9	6.5	4.7	5.2			
19	11.0	9.0	9.9	8.0	5.6	6.5	6.6	4.7	5.6	6.6	5.2	5.7			
20	10.5	8.7	9.6	---	---	---	6.9	5.0	5.8	6.6	5.6	6.1			
21	9.8	8.2	9.0	---	---	---	6.9	4.6	5.6	6.7	5.8	6.2			
22	8.8	6.1	7.5	---	---	---	6.3	4.3	5.2	6.7	5.8	6.2			
23	8.9	5.9	7.3	---	---	---	6.1	4.4	5.1	7.0	5.7	6.1			
24	10.4	7.3	8.6	---	---	---	6.7	4.9	5.6	6.4	5.7	6.0			
25	---	---	---	---	---	---	8.0	5.3	6.4	6.6	6.0	6.2			
26	---	---	---	7.3	5.3	6.4	7.0	6.0	6.6	6.7	5.9	6.2			
27	---	---	---	6.8	5.3	6.0	7.1	5.9	6.5	6.5	5.7	6.0			
28	10.5	8.4	9.3	6.8	5.3	5.9	6.8	5.3	6.2	7.0	5.7	6.3			
29	---	---	---	5.7	3.6	5.0	7.1	5.2	5.9	6.7	5.2	5.8			
30	---	---	---	5.4	2.4	4.4	6.7	4.6	5.5	6.4	4.5	5.5			
31	---	---	---	7.0	5.0	6.2	---	---	---	6.1	4.3	5.3			
MONTH	---	---	---	---	---	---	8.0	4.0	6.0	7.5	2.3	5.0			

ASHLEY RIVER BASIN

021720813 SAWMILL BRANCH NEAR SUMMERVILLE, SC--Continued

Dissolved oxygen, water, unfiltered, milligrams per liter
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003

DAY	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN
	JUNE			JULY			AUGUST			SEPTEMBER		
1	5.9	2.4	3.6	3.9	2.0	2.9	5.4	4.4	4.9	3.4	2.5	2.9
2	5.4	3.4	4.2	4.9	2.0	3.6	4.9	3.6	4.5	3.4	1.9	2.5
3	7.2	3.2	4.8	4.0	2.4	3.3	4.4	3.6	3.9	5.8	1.7	2.7
4	5.9	4.6	5.2	4.1	2.5	3.2	6.1	3.7	4.4	6.7	2.9	3.9
5	6.7	5.0	5.7	3.8	1.8	2.9	5.7	3.8	4.9	7.8	5.0	5.6
6	6.0	4.4	5.3	5.7	2.0	3.3	6.0	4.6	5.2	6.4	5.2	5.7
7	6.5	4.2	5.1	5.6	2.2	3.5	5.7	4.6	5.2	6.2	5.4	5.8
8	5.4	4.5	5.0	4.9	2.3	3.6	5.7	4.7	5.2	7.1	5.6	6.1
9	5.9	4.2	5.0	4.6	2.1	3.2	5.0	4.3	4.7	6.6	5.7	6.2
10	5.8	4.1	4.8	5.6	2.1	3.4	4.5	3.9	4.2	6.4	5.4	6.0
11	5.5	3.7	4.5	4.3	1.3	2.3	4.6	3.7	4.2	7.0	5.5	6.2
12	4.8	3.4	4.2	2.6	0.8	1.7	4.4	3.7	3.9	7.0	6.5	6.8
13	---	---	---	3.4	0.4	1.8	4.6	3.4	3.9	7.6	6.5	7.0
14	---	---	---	6.0	0.7	2.1	4.5	3.6	4.1	7.4	6.5	6.9
15	---	---	---	3.1	0.6	1.7	4.6	3.6	4.1	7.2	6.2	6.8
16	---	---	---	3.6	0.8	2.0	6.6	3.2	4.6	7.2	6.6	7.0
17	---	---	---	3.7	0.5	1.8	6.0	5.1	5.6	7.5	6.5	7.0
18	5.5	4.7	5.0	4.9	0.3	2.1	5.9	5.0	5.4	7.2	5.6	6.4
19	5.6	4.3	5.0	---	---	---	6.0	5.2	5.6	6.5	5.3	5.8
20	5.7	4.3	5.0	---	---	---	5.9	5.3	5.6	6.1	4.6	5.0
21	5.8	4.4	5.1	---	---	---	6.4	4.9	5.4	5.5	4.5	5.0
22	6.3	4.5	5.3	---	---	---	6.1	5.2	5.7	5.5	4.1	4.8
23	5.9	4.3	5.0	6.4	4.1	5.0	5.9	5.2	5.6	5.6	3.8	4.7
24	5.5	3.7	4.5	5.5	4.4	5.0	5.5	4.5	5.1	5.5	3.3	4.4
25	4.9	3.4	4.1	6.1	4.3	4.8	5.1	4.3	4.8	6.1	3.7	4.4
26	4.2	3.2	3.7	6.9	4.6	5.8	7.0	4.3	5.0	4.7	3.4	4.0
27	3.7	3.1	3.4	5.8	4.8	5.3	4.7	4.0	4.3	5.3	3.3	3.8
28	4.5	2.4	3.3	5.3	4.3	4.9	---	---	---	5.9	2.7	4.1
29	3.9	2.1	2.8	5.3	4.5	4.9	---	---	---	5.0	3.3	4.1
30	4.0	2.3	3.2	5.3	4.5	4.8	3.7	2.7	3.2	4.9	3.8	4.3
31	---	---	---	8.7	4.3	5.1	3.2	2.6	2.9	---	---	---
MONTH	---	---	---	---	---	---	---	---	---	7.8	1.7	5.2