

SANTEE RIVER BASIN

631

343714082285600 USGS RAINGAGE AT WILLIAMSTON, SC

LOCATION.--Lat 34°37'14'', long 82°28'56'', Anderson County, Hydrologic Unit 03050109, gage is located at the Williamston City Water Treatment Plant at College and Minor Street.

PERIOD OF RECORD.--August 1998 to current year.

INSTRUMENTATION.--Tipping bucket raingage and data collection platform.

REMARKS.--Precipitation data collected during freezing periods may not be accurately reflected in daily record; consequently, winter record is poor.

Precipitation, total, inches												
WATER YEAR OCTOBER 2002 TO SEPTEMBER 2003												
DAILY SUM VALUES												
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.00	0.00	0.00	0.75	0.00	0.12	0.00	0.06	0.00	4.03	0.78	0.00
2	0.01	0.00	0.00	0.10	0.00	0.00	0.00	0.06	0.00	0.09	0.01	0.06
3	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.08	0.95	0.00	0.22	0.00
4	0.00	0.07	0.11	0.00	0.38	0.04	0.00	0.01	0.01	0.00	0.03	0.41
5	0.00	1.90	0.15	0.00	0.00	0.51	0.33	0.59	0.00	0.00	0.00	0.00
6	0.00	0.01	0.00	0.00	0.69	0.98	0.79	0.63	0.88	0.04	0.03	0.00
7	0.00	0.00	0.00	0.00	0.09	0.00	0.70	0.21	0.55	0.00	0.94	0.00
8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.22	0.00	0.00	0.00
9	0.00	0.01	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.24	0.00
10	0.02	0.04	0.89	0.00	0.41	0.00	0.00	0.00	0.00	0.03	0.16	0.00
11	0.00	1.30	0.09	0.00	0.00	0.00	0.03	0.10	0.41	0.21	0.31	0.00
12	0.00	1.28	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.24	0.00
13	0.00	0.01	1.10	0.00	0.00	0.01	0.00	0.00	0.08	2.09	0.00	0.00
14	0.00	0.01	0.00	0.00	0.09	0.11	0.00	0.00	0.00	0.00	0.06	0.00
15	0.43	0.04	0.00	0.00	0.02	0.64	0.00	0.04	0.00	0.00	0.00	0.01
16	0.00	1.45	0.00	0.00	0.84	0.02	0.00	0.00	0.01	0.00	1.27	0.00
17	0.00	0.15	0.00	0.04	0.05	0.32	0.05	0.71	0.01	0.01	0.12	0.00
18	0.00	0.00	0.00	0.00	0.00	0.39	0.02	0.23	0.14	0.00	0.19	0.00
19	0.00	0.01	0.40	0.00	0.00	1.45	0.00	0.00	0.28	0.00	0.01	0.00
20	0.00	0.01	0.20	0.00	0.02	1.98	0.00	0.00	0.26	0.00	0.00	0.00
21	0.02	0.00	0.01	0.05	0.12	0.00	0.00	0.58	0.00	0.14	0.01	0.00
22	0.00	0.01	0.01	0.00	1.28	0.00	0.00	1.01	0.00	0.30	0.00	1.27
23	0.00	0.00	0.00	0.10	0.00	0.00	0.03	0.00	0.01	0.35	0.00	0.02
24	0.00	0.00	0.41	0.01	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00
25	0.00	0.00	0.00	0.00	0.02	0.00	0.33	0.00	0.00	0.00	0.00	0.00
26	0.00	0.00	0.04	0.00	0.45	0.00	0.01	0.07	0.00	0.03	0.00	0.00
27	0.00	0.00	0.00	0.00	1.80	0.00	0.00	0.10	0.17	0.05	0.00	0.12
28	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.00	0.00	0.00
29	0.18	0.00	0.00	0.48	---	0.00	0.12	0.01	0.00	0.07	0.00	0.00
30	0.03	0.00	0.00	0.84	---	0.50	0.00	0.00	0.35	0.80	0.00	0.00
31	0.00	---	0.37	0.00	---	0.00	---	0.00	---	0.60	0.00	---
TOTAL	0.69	6.31	3.78	2.39	6.26	7.07	2.42	4.52	4.35	8.84	4.62	1.89