

02176611 BEAUFORT RIVER NEAR PORT ROYAL, SC--Continued

WATER-QUALITY RECORDS

PERIOD OF RECORD.--October 1998 to current year.

PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE: October 1998 to current year.

WATER TEMPERATURE: October 1998 to current year.

DISSOLVED OXYGEN: October 1998 to current year.

INSTRUMENTATION.--Water-quality multiprobe and data collection platform.

REMARKS.--Specific conductance records rated good. Temperature records rated excellent. Dissolved oxygen records rated excellent except for Oct. 1-7, 15-21, Nov. 11-16, Dec. 1, Feb. 19-25, Mar. 7, 28-31, Apr. 1, May 8-15, 28-31, June 1, 2, 30, July 7, 22-26, Aug. 16-18, Sep. 1, 2, 10-13, 28, 29, which are good, Feb. 26, 28, Mar. 2, 11-13, May 16, 17, July 27, 28, Aug. 19, which are fair, Mar. 3, 14, 15, 18, 19, May 18, 19, which are poor. Prior to October 1, 2003, dissolved oxygen concentrations are not corrected for salinity.

EXTREMES FOR PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE: Maximum, 54,900 microsiemens, June 11, 12, 2002; minimum, 36,100 microsiemens Apr. 10, 2003.

WATER TEMPERATURE: Maximum, 33.5°C, Aug. 1, 1999; minimum, 5.5°C, Jan. 3-6, 2001.

DISSOLVED OXYGEN: Maximum, 13.0 mg/L, Feb. 3, 2000; minimum, 3.6 mg/L, July 30, 2004.

EXTREMES FOR CURRENT YEAR.--

SPECIFIC CONDUCTANCE: Maximum, 52,400 microsiemens, Aug. 31; minimum, 39,500 microsiemens Oct. 7.

WATER TEMPERATURE: Maximum, 31.4°C, July 7, 15; minimum, 8.0°C, Feb. 2.

DISSOLVED OXYGEN: Maximum, 11.8 mg/L, Jan. 11; minimum, 3.6 mg/L, July 30.

Specific conductance, water, unfiltered, microsiemens per centimeter at 25 degrees Celsius
WATER YEAR OCTOBER 2003 TO SEPTEMBER 2004

DAY	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN
	OCTOBER			NOVEMBER			DECEMBER			JANUARY		
1	46700	40200	44100	---	---	---	48900	47300	48200	47800	46400	47300
2	46600	40400	44200	46800	44400	45600	48100	47200	47700	47900	46300	47300
3	46900	40300	44400	---	---	---	48200	47300	47800	47900	46400	47300
4	46700	40000	44300	---	---	---	48200	47100	47700	47900	46500	47400
5	46500	40500	44100	46600	43600	45400	47900	46700	47400	47900	46300	47300
6	46400	40200	44100	---	---	---	47700	46400	47200	---	---	---
7	46300	39500	44000	---	---	---	47900	46300	47200	---	---	---
8	---	---	---	46800	43800	45600	47800	46000	47100	48100	46000	47400
9	---	---	---	47000	44400	45800	47700	46100	46900	48100	45900	47400
10	---	---	---	47300	44500	45900	47600	46000	46800	48200	45800	47400
11	---	---	---	47300	43900	45900	47500	45800	46800	---	---	---
12	---	---	---	47100	44400	45900	47300	46000	46700	---	---	---
13	---	---	---	46800	45000	46000	47100	45800	46600	---	---	---
14	---	---	---	47400	45400	46500	47000	45700	46400	48300	46800	47700
15	46600	44200	45600	47400	45600	46600	47000	45200	46100	48100	46600	47700
16	47000	44300	45900	47400	45800	46700	46200	44900	45600	48200	45200	47000
17	46900	44900	45900	47400	46000	46700	46100	44700	45500	47300	45300	46700
18	46900	45000	45900	---	---	---	46400	45200	45800	47300	44800	46500
19	46900	44800	45900	47800	46500	47200	46500	45300	46000	47300	44500	46500
20	47100	44700	45900	48100	45900	47400	46800	45300	46300	47400	44100	46500
21	47000	44100	45900	48300	46400	47500	47000	45600	46500	47500	44400	46600
22	47200	44500	46000	48400	46400	47600	47100	45900	46600	47500	44300	46600
23	47600	44600	46500	48500	46200	47600	47200	45900	46600	47500	44700	46800
24	---	---	---	48800	45700	47500	47200	45800	46500	47600	44400	46700
25	47800	44400	46700	48900	46000	47800	47200	45700	46500	47600	44800	46900
26	47900	45200	46700	49000	46500	48000	47200	45700	46500	47700	44300	46900
27	---	---	---	48900	46700	47900	47100	45400	46500	47400	44400	46400
28	---	---	---	48800	46700	48000	47100	45500	46500	47500	44400	46400
29	---	---	---	48900	47200	48100	48000	45700	47000	47300	45000	46600
30	46800	44300	45500	48900	47900	48500	47800	46500	47300	47400	44400	46700
31	46800	44400	45600	---	---	---	47800	46300	47300	47400	45700	46900
MONTH	---	---	---	---	---	---	48900	44700	46800	---	---	---

BROAD RIVER BASIN

02176611 BEAUFORT RIVER NEAR PORT ROYAL, SC--Continued

Temperature, water, degrees Celsius
WATER YEAR OCTOBER 2003 TO SEPTEMBER 2004

DAY	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN
	OCTOBER			NOVEMBER			DECEMBER			JANUARY		
1	24.7	24.0	24.4	21.8	21.3	21.6	15.9	15.2	15.5	10.9	10.6	10.8
2	24.4	23.9	24.2	21.7	21.3	21.6	15.4	14.5	15.0	10.9	10.7	10.8
3	24.0	23.0	23.4	21.7	21.5	21.6	14.7	13.8	14.4	11.4	10.8	11.1
4	23.5	22.9	23.2	22.1	21.6	21.8	14.2	13.0	13.8	11.9	11.1	11.5
5	23.7	23.2	23.4	22.7	22.0	22.3	13.7	12.8	13.3	12.7	11.6	12.1
6	23.7	23.4	23.6	23.2	22.5	22.8	13.1	12.6	12.9	12.8	12.2	12.5
7	23.6	23.4	23.5	23.6	22.9	23.3	12.7	12.2	12.5	12.4	11.4	11.8
8	---	---	---	23.7	22.9	23.3	12.4	11.9	12.2	11.5	11.1	11.3
9	---	---	---	23.0	21.3	22.1	12.4	11.9	12.2	11.3	10.8	11.0
10	---	---	---	21.3	20.0	20.5	12.7	12.1	12.4	10.9	10.2	10.5
11	---	---	---	20.1	19.4	19.8	12.6	12.1	12.3	10.2	9.6	9.8
12	---	---	---	20.1	19.5	19.9	12.1	11.9	12.1	9.8	9.3	9.5
13	---	---	---	20.1	19.5	19.9	12.1	11.9	12.0	9.7	9.3	9.5
14	---	---	---	19.5	18.9	19.1	12.1	11.7	11.9	10.0	9.4	9.6
15	23.8	23.2	23.5	19.1	18.5	18.8	11.8	11.3	11.5	10.3	9.7	10.0
16	23.2	22.8	23.0	19.2	18.5	18.8	11.7	11.3	11.5	10.2	9.9	10.1
17	23.2	22.7	23.0	19.4	18.8	19.1	11.7	11.3	11.6	10.3	9.9	10.1
18	23.1	22.6	22.8	19.7	19.2	19.5	11.4	10.8	11.1	11.2	10.2	10.6
19	22.7	22.3	22.5	19.9	19.6	19.8	11.0	10.3	10.7	11.2	10.7	10.9
20	22.7	22.2	22.5	19.7	19.2	19.3	10.5	9.7	10.1	11.0	10.3	10.6
21	22.7	22.4	22.5	19.2	18.9	19.1	9.8	9.3	9.6	10.5	9.9	10.3
22	22.5	22.1	22.3	19.0	18.7	18.9	9.6	9.0	9.3	10.3	9.9	10.1
23	22.1	21.4	21.7	18.9	18.6	18.8	9.8	9.1	9.5	10.2	9.7	10.0
24	21.5	21.2	21.4	19.1	18.7	18.9	10.5	9.7	10.0	10.1	9.6	9.9
25	21.3	21.0	21.1	18.8	18.2	18.4	10.4	9.9	10.1	10.2	9.9	10.0
26	21.7	21.1	21.4	18.2	17.8	18.0	10.3	9.8	10.0	10.0	9.7	9.8
27	22.0	21.5	21.7	18.3	17.9	18.1	10.3	9.9	10.1	9.7	9.3	9.4
28	21.9	21.7	21.8	18.4	17.9	18.3	10.4	10.0	10.2	9.3	8.8	9.0
29	21.8	21.4	21.6	17.9	16.4	17.1	10.4	10.2	10.3	9.0	8.6	8.8
30	21.8	21.4	21.6	16.6	15.7	16.0	11.0	10.3	10.6	8.9	8.6	8.7
31	21.8	21.3	21.6	---	---	---	10.9	10.5	10.7	8.9	8.6	8.7
MONTH	---	---	---	23.7	15.7	19.9	15.9	9.0	11.6	12.8	8.6	10.3

DAY	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN
	FEBRUARY			MARCH			APRIL			MAY		
1	8.7	8.2	8.5	10.6	10.1	10.3	18.5	17.3	17.7	23.2	22.8	23.0
2	8.4	8.0	8.2	11.6	10.5	11.0	17.7	16.7	17.1	23.4	22.7	23.1
3	8.7	8.2	8.5	12.4	11.3	11.8	17.3	16.3	16.8	23.5	22.8	23.1
4	8.9	8.5	8.7	13.2	11.8	12.5	17.4	16.3	16.9	23.1	22.1	22.5
5	9.1	8.7	8.9	14.5	12.6	13.4	17.3	16.2	16.7	22.9	21.9	22.3
6	10.3	9.1	9.7	15.2	13.4	14.3	17.5	16.3	16.9	23.6	22.1	22.7
7	11.2	10.1	10.6	15.9	13.9	14.8	17.9	16.7	17.2	24.6	22.6	23.4
8	10.7	9.9	10.3	15.5	13.9	14.8	18.3	17.0	17.6	25.3	23.2	24.1
9	10.3	9.7	10.1	14.9	13.4	14.3	18.8	17.4	18.1	25.5	23.7	24.6
10	10.4	9.8	10.1	14.3	13.3	13.9	19.8	17.9	18.8	25.6	24.1	24.8
11	10.6	9.9	10.3	14.3	13.2	13.8	20.6	18.6	19.6	25.4	24.4	25.0
12	10.6	10.1	10.3	14.5	13.4	13.9	21.1	19.4	20.3	25.6	24.5	25.1
13	10.7	10.0	10.3	14.6	13.6	14.1	21.0	20.0	20.7	25.8	24.7	25.3
14	10.7	10.2	10.5	15.3	13.8	14.5	20.8	19.2	19.7	26.1	24.9	25.5
15	10.7	10.1	10.4	16.2	14.4	15.2	19.4	18.2	18.8	26.1	25.2	25.7
16	10.6	10.1	10.4	16.5	15.1	15.8	19.3	18.0	18.8	26.1	25.3	25.7
17	10.3	9.5	9.9	16.6	15.3	16.0	19.6	18.3	19.0	26.2	25.4	25.8
18	9.6	9.1	9.4	16.6	15.3	16.1	20.3	18.9	19.5	26.3	25.7	25.9
19	9.8	9.1	9.5	17.2	15.6	16.4	20.9	19.5	20.1	26.7	25.7	26.1
20	10.3	9.4	9.8	17.7	16.1	16.9	21.3	20.0	20.5	27.1	25.9	26.3
21	11.4	10.0	10.6	18.1	16.5	17.3	21.8	20.4	20.9	27.5	26.2	26.6
22	11.9	10.6	11.2	17.4	16.1	16.8	22.5	20.7	21.4	27.6	26.4	26.8
23	12.1	11.1	11.5	16.5	15.7	16.1	23.0	21.4	22.0	27.7	26.6	27.0
24	12.3	11.3	11.8	16.4	15.7	16.0	23.4	22.0	22.6	28.0	26.8	27.2
25	12.2	11.4	11.8	16.9	15.8	16.3	23.7	22.6	23.1	28.1	27.1	27.5
26	11.4	10.6	11.0	17.4	16.2	16.8	23.7	23.0	23.4	28.1	27.4	27.7
27	10.7	9.6	10.1	18.0	16.8	17.4	23.6	23.2	23.4	28.1	27.5	27.8
28	10.0	9.1	9.6	18.6	17.5	18.0	23.3	22.8	23.0	28.2	27.5	27.8
29	10.2	9.3	9.8	18.9	17.8	18.2	23.0	22.4	22.8	28.4	27.6	27.9
30	---	---	---	18.7	17.9	18.3	23.1	22.6	22.9	28.5	27.6	28.1
31	---	---	---	18.5	17.8	18.2	---	---	---	28.5	27.9	28.2
MONTH	12.3	8.0	10.1	18.9	10.1	15.3	23.7	16.2	19.9	28.5	21.9	25.6

BROAD RIVER BASIN

02176611 BEAUFORT RIVER NEAR PORT ROYAL, SC--Continued

Temperature, water, degrees Celsius
 WATER YEAR OCTOBER 2003 TO SEPTEMBER 2004

DAY	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN
	JUNE			JULY			AUGUST			SEPTEMBER		
1	28.5	27.6	28.0	29.7	29.2	29.4	---	---	---	29.4	28.5	28.8
2	28.5	27.5	27.9	29.7	29.2	29.4	---	---	---	29.2	28.8	29.0
3	28.8	27.8	28.2	29.7	29.1	29.4	---	---	---	29.0	28.5	28.8
4	28.3	27.6	28.1	30.0	29.2	29.5	---	---	---	28.8	28.4	28.6
5	28.6	27.6	27.9	30.4	29.4	29.8	30.9	30.0	30.3	28.6	28.1	28.4
6	28.4	27.6	28.0	31.3	29.8	30.4	30.6	30.0	30.3	28.1	27.5	27.8
7	28.7	27.7	28.1	31.4	30.3	30.8	30.0	29.2	29.5	27.5	27.2	27.3
8	29.2	28.0	28.4	31.3	30.5	30.9	29.3	28.8	29.0	27.3	27.0	27.2
9	28.8	28.3	28.6	31.2	30.6	30.9	29.1	28.7	28.9	27.7	27.0	27.3
10	28.9	28.2	28.6	31.3	30.8	31.0	29.0	28.6	28.9	27.6	27.4	27.5
11	29.2	28.6	28.9	31.3	30.9	31.1	28.9	28.5	28.7	27.6	27.4	27.5
12	29.5	28.9	29.2	31.0	30.7	30.9	28.6	28.3	28.5	27.4	27.1	27.2
13	29.4	28.9	29.1	31.0	30.5	30.7	28.3	27.7	28.0	27.1	26.5	26.8
14	28.9	28.5	28.7	31.3	30.6	30.9	28.0	27.3	27.7	26.5	26.1	26.2
15	28.6	28.3	28.4	31.4	30.5	30.9	28.0	27.3	27.7	26.2	25.8	26.0
16	28.4	28.1	28.3	30.8	30.0	30.4	27.9	27.4	27.7	26.4	25.8	26.1
17	28.9	28.0	28.3	30.4	29.8	30.2	28.0	27.6	27.8	26.9	26.3	26.5
18	29.2	28.2	28.5	---	---	---	28.8	27.7	28.1	27.0	26.3	26.6
19	29.7	28.5	29.0	---	---	---	29.4	28.2	28.6	26.7	26.1	26.4
20	30.1	29.0	29.4	---	---	---	29.9	28.7	29.2	26.1	24.9	25.4
21	29.7	29.0	29.4	---	---	---	29.6	29.2	29.4	25.0	24.1	24.6
22	29.9	29.0	29.3	31.0	30.0	30.4	29.5	29.0	29.2	24.7	24.1	24.5
23	29.6	29.1	29.3	30.9	30.3	30.5	29.3	29.0	29.2	24.6	24.3	24.5
24	29.8	29.0	29.3	31.1	30.3	30.7	---	---	---	24.6	24.4	24.5
25	29.8	29.2	29.5	31.1	30.5	30.8	---	---	---	24.5	24.2	24.4
26	29.6	29.2	29.4	31.0	30.6	30.8	29.3	28.8	29.1	24.3	24.1	24.2
27	29.6	29.1	29.3	31.1	30.4	30.7	29.0	28.7	28.9	24.7	24.1	24.4
28	29.6	29.2	29.4	31.1	30.4	30.7	28.9	28.4	28.7	25.1	24.4	24.7
29	29.8	29.2	29.5	30.8	30.2	30.5	28.6	27.9	28.2	25.5	24.7	25.1
30	30.1	29.2	29.6	30.6	30.0	30.3	28.7	27.9	28.2	25.9	25.0	25.4
31	---	---	---	---	---	---	29.0	28.2	28.5	---	---	---
MONTH	30.1	27.5	28.8	---	---	---	---	---	---	29.4	24.1	26.4

02176611 BEAUFORT RIVER NEAR PORT ROYAL, SC--Continued

Dissolved oxygen, water, unfiltered, milligrams per liter
WATER YEAR OCTOBER 2003 TO SEPTEMBER 2004

DAY	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN
1	6.0	5.3	5.6	5.8	5.3	5.5	7.4	7.1	7.2	10.5	9.3	9.9
2	6.2	5.5	5.8	6.1	5.3	5.6	7.6	7.2	7.4	10.5	9.9	10.2
3	6.4	5.6	5.9	6.1	5.2	5.5	7.8	7.4	7.6	10.1	9.1	9.5
4	6.2	5.5	5.8	5.7	5.1	5.4	8.0	7.6	7.8	9.1	8.7	8.9
5	5.9	5.2	5.6	5.6	5.0	5.2	8.0	7.7	7.8	8.8	8.4	8.7
6	5.7	4.9	5.3	5.6	4.9	5.2	8.0	7.7	7.8	9.8	8.4	9.0
7	5.4	4.8	5.1	5.5	4.8	5.1	8.1	7.8	7.9	9.8	8.5	9.1
8	---	---	---	5.1	4.6	4.8	8.2	7.8	8.0	9.1	8.7	8.9
9	---	---	---	5.5	4.6	5.1	8.2	8.0	8.1	9.7	8.9	9.3
10	---	---	---	5.8	5.4	5.6	8.1	7.9	8.0	10.7	9.7	10.3
11	---	---	---	5.8	5.6	5.7	8.3	7.9	8.1	11.8	10.3	11.0
12	---	---	---	5.9	5.6	5.7	8.4	8.0	8.2	11.3	9.8	10.4
13	---	---	---	6.0	5.4	5.7	8.5	8.1	8.3	10.8	9.2	9.9
14	---	---	---	6.0	5.6	5.8	8.6	8.1	8.3	9.5	9.1	9.3
15	5.4	4.8	5.0	6.1	5.7	5.9	8.6	8.1	8.3	9.6	9.2	9.4
16	5.5	5.0	5.2	6.2	5.8	6.0	8.9	8.1	8.6	9.5	9.1	9.4
17	5.7	5.2	5.4	6.1	5.9	6.0	8.4	7.6	7.9	9.4	9.0	9.3
18	5.7	5.3	5.4	6.7	5.8	6.3	7.8	7.3	7.6	9.4	8.9	9.2
19	5.9	5.3	5.5	6.6	6.3	6.4	7.9	7.5	7.7	9.3	8.9	9.1
20	6.0	5.4	5.5	6.7	6.1	6.4	8.0	7.6	7.8	9.2	8.8	9.1
21	6.0	5.3	5.6	6.6	6.1	6.3	8.2	7.7	7.9	9.4	8.8	9.1
22	6.3	5.4	5.7	6.5	6.0	6.2	8.3	7.8	8.1	9.5	8.9	9.1
23	6.3	5.4	5.8	6.3	5.8	6.1	8.4	8.0	8.2	9.6	8.8	9.1
24	6.5	5.4	5.9	6.3	5.8	6.0	8.7	8.1	8.4	9.5	8.8	9.2
25	6.3	5.4	5.7	6.4	6.0	6.2	9.8	8.7	9.3	9.3	8.9	9.2
26	6.2	5.3	5.6	6.8	6.2	6.3	9.5	8.6	9.1	9.5	8.8	9.1
27	5.9	5.2	5.5	6.7	6.2	6.3	8.7	8.3	8.5	9.4	8.8	9.1
28	5.8	5.1	5.4	6.6	6.1	6.4	8.5	8.2	8.4	9.7	9.0	9.3
29	6.1	5.1	5.5	7.0	6.5	6.7	8.6	8.2	8.4	9.8	9.2	9.5
30	5.6	5.2	5.4	7.2	6.8	7.0	8.8	8.3	8.5	10.0	9.4	9.7
31	5.8	5.3	5.5	---	---	---	9.4	8.5	8.9	10.1	9.4	9.8
MONTH	---	---	---	7.2	4.6	5.9	9.8	7.1	8.1	11.8	8.4	9.4

DAY	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN
1	10.1	9.5	9.9	---	---	---	7.2	6.6	7.0	6.4	5.8	6.2
2	10.1	9.7	9.9	8.5	7.6	8.3	7.3	6.7	7.1	6.4	5.6	5.9
3	10.1	9.6	9.8	---	---	---	7.3	6.8	7.1	6.5	5.4	5.8
4	10.1	9.6	9.9	---	---	---	7.3	6.8	7.1	6.4	5.5	5.9
5	10.3	9.5	9.9	---	---	---	7.3	6.8	7.1	6.2	5.4	5.8
6	9.8	9.3	9.7	8.4	7.8	8.2	7.2	6.7	7.0	6.2	5.4	5.8
7	9.9	9.3	9.6	8.2	7.7	8.1	7.1	6.6	6.9	6.0	5.1	5.5
8	10.0	9.3	9.7	---	---	---	6.9	6.6	6.8	5.9	4.9	5.4
9	10.0	9.5	9.8	---	---	---	6.9	6.4	6.6	6.0	4.8	5.4
10	9.9	9.5	9.7	---	---	---	6.9	6.4	6.6	6.1	4.9	5.5
11	9.7	8.9	9.4	8.2	7.3	7.9	6.8	6.2	6.5	5.8	5.0	5.5
12	9.4	8.8	9.2	7.6	6.0	6.9	6.8	6.1	6.5	5.9	5.2	5.5
13	9.4	8.8	9.1	7.5	5.9	6.8	6.7	6.0	6.4	5.9	5.2	5.6
14	9.3	8.7	9.1	7.6	5.6	6.7	7.1	6.2	6.7	5.9	5.1	5.5
15	9.5	8.7	9.1	7.7	5.6	6.9	7.4	6.6	7.0	5.8	4.9	5.3
16	9.4	8.7	9.1	---	---	---	7.5	6.9	7.2	5.6	4.6	5.0
17	9.3	8.6	9.0	---	---	---	7.5	6.9	7.2	5.4	4.4	5.0
18	9.2	8.4	8.8	7.8	6.0	7.1	7.5	6.8	7.1	5.6	4.5	5.1
19	9.2	8.5	8.8	7.6	6.2	7.1	7.5	6.5	7.0	5.6	4.7	5.2
20	9.3	8.4	8.8	7.4	6.9	7.1	7.3	6.3	6.9	5.9	4.7	5.2
21	8.9	8.3	8.6	7.2	6.7	7.0	7.2	6.2	6.7	6.2	5.0	5.4
22	8.8	8.2	8.6	7.4	6.7	7.1	7.3	6.3	6.7	6.1	4.9	5.4
23	8.8	8.3	8.6	7.4	6.8	7.2	7.2	6.5	6.9	5.9	5.0	5.4
24	8.6	8.0	8.4	7.6	7.0	7.3	7.3	6.5	6.9	5.9	5.1	5.4
25	8.4	7.7	8.2	---	---	---	7.3	6.6	6.9	5.8	4.8	5.4
26	8.1	7.7	8.0	7.7	6.9	7.3	7.0	6.5	6.7	5.8	4.9	5.3
27	---	---	---	7.7	7.0	7.4	6.8	6.2	6.5	5.6	4.8	5.3
28	7.7	6.9	7.2	7.6	7.0	7.4	7.0	6.1	6.5	5.7	4.9	5.2
29	---	---	---	7.7	6.9	7.4	7.0	6.1	6.6	5.4	4.7	5.0
30	---	---	---	7.6	6.8	7.2	6.9	6.1	6.5	5.8	4.6	5.1
31	---	---	---	7.2	6.6	7.0	---	---	---	5.3	4.6	4.9
MONTH	---	---	---	---	---	---	7.5	6.0	6.8	6.5	4.4	5.4

