

SANTEE RIVER BASIN

341256082092000 USGS RAINGAGE AT SAMPLE BRANCH AT GREENWOOD, SC

LOCATION.--Lat 34°12'56'', long 82°09'20'', Greenwood County, Hydrologic Unit 03050109, gage is located on the upstream side of the US Highway 25/178 by-pass bridge crossing Sample Branch.

PERIOD OF RECORD.--February 2003 to current year.

INSTRUMENTATION.--Tipping bucket raingage and data collection platform.

REMARKS.--Precipitation data collected during freezing periods may not be accurately reflected in daily record; consequently, winter record is poor.

Precipitation, total, inches												
WATER YEAR OCTOBER 2003 TO SEPTEMBER 2004												
DAILY SUM VALUES												
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	0.00	0.00	0.00	0.00	0.00	0.00	0.67	0.00	0.06	0.00	0.00
2	---	0.00	0.00	0.00	0.46	0.00	0.00	0.41	0.00	0.37	1.38	0.02
3	---	0.00	0.02	0.00	0.01	0.00	0.00	0.00	0.00	0.05	0.01	0.00
4	---	0.01	0.43	0.00	0.00	0.00	0.00	0.00	0.94	0.31	0.00	0.00
5	---	0.00	0.00	0.26	0.00	0.00	0.00	0.00	0.00	---	0.00	0.00
6	---	0.02	0.00	0.00	1.61	0.05	0.00	0.00	0.00	---	0.00	0.00
7	---	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	---	0.00	3.60
8	---	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.07	---	0.00	0.59
9	---	0.03	0.00	0.13	0.00	0.00	0.00	0.00	0.01	---	0.00	0.00
10	---	0.00	0.76	0.00	0.00	0.00	0.00	0.00	0.00	---	0.00	0.00
11	---	0.00	0.00	0.00	0.08	0.00	0.00	0.00	0.00	---	0.00	0.00
12	---	0.00	0.00	0.00	1.18	0.00	0.28	0.34	1.08	0.00	---	0.00
13	---	0.00	0.69	0.00	0.00	0.00	0.59	0.00	0.00	0.00	---	0.01
14	---	0.00	0.20	0.00	0.56	0.00	0.00	0.00	0.26	0.00	---	0.00
15	---	0.00	0.00	0.00	0.82	0.00	0.00	0.00	0.35	0.00	---	0.00
16	---	0.00	0.00	0.00	0.00	0.04	0.00	0.00	0.00	0.00	---	0.19
17	---	0.00	0.16	0.14	0.00	0.00	0.00	0.00	0.00	0.00	---	0.11
18	---	0.16	0.01	0.45	0.00	0.00	0.00	0.32	0.00	0.37	0.00	0.00
19	---	1.03	0.00	0.00	0.00	0.00	0.00	0.00	0.59	0.00	0.00	0.00
20	---	0.00	0.00	0.00	0.00	0.19	0.00	0.00	0.01	0.00	0.00	0.00
21	---	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.55	0.00	0.01	0.00
22	---	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.00	0.00	0.00
23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.60	0.00	0.00	0.00
24	0.00	0.03	0.01	0.00	0.07	0.00	0.00	0.00	0.00	0.00	0.19	0.00
25	0.00	0.00	0.00	0.65	0.01	0.00	0.00	0.00	0.02	0.00	0.00	0.00
26	0.01	0.00	0.00	0.00	0.10	0.00	0.11	0.00	0.00	0.93	0.00	0.00
27	0.00	0.02	0.00	0.20	0.84	0.00	0.01	0.00	1.43	0.03	0.00	0.08
28	0.45	0.21	0.00	0.00	0.15	0.00	0.00	0.00	0.05	0.00	0.00	0.00
29	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.00
30	0.00	0.00	0.02	0.00	---	0.57	0.25	0.00	0.65	0.00	0.00	0.00
31	0.00	---	0.00	0.00	---	0.27	---	0.11	---	0.00	0.00	---
TOTAL	---	1.52	2.30	1.83	5.89	1.14	1.24	1.85	6.70	---	---	4.60