

SANTEE RIVER BASIN

600

343714082285600 USGS RAINGAGE AT WILLIAMSTON, SC

LOCATION.--Lat 34°37'14'', long 82°28'56'', Anderson County, Hydrologic Unit 03050109, gage is located at the Williamston City Water Treatment Plant at College and Minor Street.

PERIOD OF RECORD.--August 1998 to current year.

INSTRUMENTATION.--Tipping bucket raingage and data collection platform.

REMARKS.--Precipitation data collected during freezing periods may not be accurately reflected in daily record; consequently, winter record is poor.

Precipitation, total, inches
WATER YEAR OCTOBER 2003 TO SEPTEMBER 2004
DAILY SUM VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.41	---	0.65	0.00	0.34
2	0.00	0.00	0.00	0.00	0.79	0.06	0.00	0.73	0.00	0.03	2.02	0.85
3	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	0.00	0.04	0.38	0.00	0.00	0.00	0.00	0.00	0.11	0.25	0.00	0.00
5	0.00	0.23	0.00	0.55	0.11	0.00	0.00	0.00	0.00	0.00	0.08	0.00
6	0.00	0.15	0.00	0.00	0.54	0.04	0.00	0.00	0.00	0.00	0.00	0.24
7	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	6.14
8	0.52	0.00	0.00	0.00	0.00	---	0.00	0.00	0.27	0.02	0.00	0.61
9	0.14	0.00	0.00	0.15	0.00	---	0.00	0.00	0.00	0.00	0.00	0.00
10	0.06	0.00	1.24	0.01	0.00	---	0.00	0.00	0.00	0.00	0.00	0.00
11	0.13	0.00	0.00	0.00	0.00	---	0.00	0.00	0.00	0.31	0.00	0.00
12	0.00	0.00	0.00	0.00	0.62	---	0.15	0.81	0.00	0.23	1.84	0.00
13	0.00	0.00	0.49	0.00	0.00	---	0.93	0.00	0.05	0.00	0.00	0.00
14	0.00	0.00	0.20	0.00	0.28	---	0.00	0.00	0.19	0.00	0.05	0.00
15	0.00	0.00	0.00	0.00	0.13	---	0.00	0.00	0.04	0.00	0.00	0.00
16	0.00	0.00	0.01	0.00	0.00	---	0.00	0.08	0.13	0.00	0.00	0.52
17	0.00	0.22	0.11	0.09	0.00	---	0.00	0.00	0.00	0.05	0.08	1.04
18	0.00	0.61	0.00	0.21	0.00	---	0.00	---	0.67	0.12	0.01	0.00
19	0.00	1.46	0.00	0.00	0.00	---	0.00	---	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.00	0.00	---	0.00	---	0.00	0.00	0.40	0.00
21	0.00	0.00	0.00	0.00	0.00	---	0.00	---	0.42	0.00	0.01	0.00
22	0.01	0.00	0.00	0.00	0.00	---	0.00	---	0.05	0.00	0.00	0.00
23	0.00	0.00	0.00	0.00	0.00	---	0.00	---	0.89	0.00	0.00	0.00
24	0.00	0.25	0.08	0.00	0.01	---	0.00	---	0.53	0.00	0.05	0.00
25	0.00	0.00	0.00	0.38	0.00	---	0.00	---	2.91	0.70	0.00	0.00
26	0.83	0.00	0.00	0.00	0.03	---	0.13	---	0.14	0.48	0.00	0.00
27	0.68	0.12	0.00	0.33	0.32	---	0.00	---	0.18	0.26	0.00	4.11
28	0.06	0.44	0.00	0.29	0.00	---	0.00	---	0.03	0.01	0.00	0.29
29	0.00	0.00	0.00	0.00	0.00	---	0.00	---	0.00	0.18	0.00	0.00
30	0.00	0.00	0.06	0.00	---	0.65	0.03	---	0.35	0.01	0.00	0.00
31	0.00	---	0.00	0.00	---	0.06	---	---	---	0.00	0.00	---
TOTAL	2.43	3.52	2.57	2.01	2.85	---	1.24	---	---	3.30	4.54	14.14