GEOLOGIC RECONNAISSANCE MAP OF MATANUSKA AND TALKEETNA REGION ALASKA

BY SIDNEY PAIGE AND ADOLPH KNOPF

Scale 1:250000

5 0 5 10 15 miles
5 0 5 10 15 20 kilometers

Contour interval 200 feet
Datum is approximate mean sea level

TRUE N. 28° 38' MAGS. N.

Approximate mean declination, Knik, 1906
Surveyed in 1906
1907

LEGEND

SEDIMENTARY ROCKS

QUATERNARY
- Qgr — Gravels

TERTIARY — Eocene
- Tk — Kenai formation coal-bearing shales, sandstones, arkoses, and conglomerates

LOWER CRETACEOUS
- Kl — Limestone

UPPER JURASSIC AND UPPER MIDDLE JURASSIC
- Js — Shales, sandstones, conglomerates; tuff and arkose, with coal

PRE-JURASSIC — Metamorphic rocks of undetermined age
- Trm — 1. Metamorphic rocks, graywackes, slates, basaltic greenstones, and tuffs. Rhyolites and tuffs in Knik River region. 2. Slates, graywacke-slates, and microcrystalline schists (with intrusive granite) in lower Talkeetna region
- Trs — Garnetiferous mica schists and albite-zoisite schists

IGNEOUS ROCKS

POST-EOCENE
- γ — Basaltic lavas

LATE MIDDLE JURASSIC
- gr — Quartz diorites and granite

MIDDLE JURASSIC
- a — Andesitic greenstones, dacites, and rhyolites, and associated tuffs

PROBABLE GRANITE CONTACT

Probably Granite

Probably lavas

Probably reported Lignite reported

Coal

Tk

Trm

Qgr

Js

Kl

gr

a

γ

Trs

Qal

Tk

Ik

Qgr

Trm

Kl

Js

gr

a

γ

Trs

Qal

Tk

Ik