

DEPARTMENT OF THE INTERIOR
UNITED STATES GEOLOGICAL SURVEY
GEORGE OTIS SMITH, DIRECTOR

BULLETIN 372

BIBLIOGRAPHY
OF
NORTH AMERICAN GEOLOGY
FOR
1906 AND 1907
WITH SUBJECT INDEX

BY
F. B. WEEKS AND J. M. NICKLES



UNIVERSITY
WASHINGTON

GOVERNMENT PRINTING OFFICE

1909

QE 75

B9

nos. 372-376

Copy 2

STAT 080

Y1283VIM

CONTENTS.

	Page.
Serials examined	5
Bibliography	11
Index	209
Lists	282
Chemical analyses.....	282
Geologic formations described.....	284
Minerals described	314
Rocks described	315

SERIALS EXAMINED.

- Alabama Geological Survey: Underground water resources [Bull. 9?]. Montgomery, Ala.
- American Academy of Arts and Sciences: Proceedings, vol. 41, nos. 16-35, vol. 42, vol. 43, nos. 1-12; Memoirs, vol. 13, nos. 3, 4. Boston, Mass.
- American Association for the Advancement of Science: Proceedings, vols. 55-57.
- American Geographical Society: Bulletin, vols. 38, 39. New York.
- American Institute of Mining Engineers: Bi-Monthly Bulletin, nos. 7-18; Transactions, vols. 36, 37. New York.
- American Journal of Science, 4th series, vols. 21-24. New Haven, Conn.
- American Mining Congress: Papers and Addresses, 8th and 9th Annual Sessions.
- American Museum of Natural History: Memoirs, vol. 9, parts 1-3; Bulletin, vols. 22, 23; Journal, vols. 6, 7. New York.
- American Naturalist, vols. 40, 41. Boston, Mass.
- American Philosophical Society: Proceedings, vol. 44, no. 181, vol. 45 and vol. 46, nos. 185-187; Transactions, new ser., vol. 21, pt. 4. Philadelphia, Pa.
- American Society of Civil Engineers: Transactions, vols. 56-59. New York.
- Annales de Paléontologie, t. 1, 2. Paris, France.
- Annales des Mines, 6^e sér., t. 9-12. Paris, France.
- Annals and Magazine of Natural History, 7th ser., vols. 17-20. London.
- Appalachia, vol. 11, nos. 2 and 3, and index to vols. 1-10. Boston, Mass.
- Association of Engineering Societies: Journal, vols. 36-39. Philadelphia, Pa.
- Bernice Pauahi Bishop Museum: Memoirs, vol. 2, no. 2; Occasional Papers, vol. 2, no. 4, and vol. 4, no. 1. Honolulu, Hawaiian Islands.
- Boston Society of Natural History: Proceedings, vol. 32, nos. 9-12, vol. 33, vol. 34, no. 1. Occasional Papers, vol. 7, no. 7. Boston, Mass.
- Botanical Gazette, vols. 41-44. Chicago, Ill.
- British Columbia Bureau of Mines: Annual Report of the Minister of Mines for 1904, for 1905, and for 1906. Victoria, British Columbia.
- Buffalo Society of Natural Science: Bulletin, vol. 8, nos. 4-6. Buffalo, N. Y.
- California Academy of Sciences: Proceedings, 4th ser., vol. 1, pp. 1-6. San Francisco, Cal.
- California Journal of Technology, vols. 8-10. Berkeley, Cal.
- California Physical Geography Club: Bulletin, vol. 1. Oakland, Cal.
- California State Mining Bureau: Report of Board of Trustees for 1902, 1904, and 1906; Bulletins, nos. 21-49. San Francisco, Cal.
- California, University of, Department of Geology: Bulletin, vol. 4, nos. 14-19, vol. 5, nos. 1-11. Berkeley, Cal.
- Canada, Geological Survey: Summary Report, 1905 and 1906; Catalogue of Publications; Annual Report, vols. 15, 16. Section of Mines, Annual Report for 1906 and for 1907. Ottawa, Ontario.

- Canada, Royal Society: Proceedings and Transactions, 2d ser., vols. 11, 12; 3d ser., vol. 1. Ottawa, Ontario.
- Canadian Mining Institute: Journal, vols. 8, 9. Ottawa, Ontario.
- Canadian Mining Journal, new ser., vol. 1, nos. 1-19 (old ser., vol. 28, nos. 3-21). Toronto and Montreal, Canada.
- Canadian Mining Review, vols. 25-27, 28, nos. 1, 2. (Continued as Canadian Mining Journal.) Ottawa, Ontario.
- Canadian Record of Science, vol. 9, no. 5. Montreal, Quebec.
- Carnegie Institution of Washington: Yearbook, nos. 4, 5. Washington, D. C.
- Carnegie Museum: Annals, vol. 3, no. 4, and vol. 4, nos. 1, 2; Memoirs, vol. 2, nos. 6-10. Pittsburg, Pa.
- Cassier's Magazine, vol. 29, nos. 3-6, vols. 30-32, vol. 33, nos. 1; 2. New York.
- Centralblatt für Mineralogie, Geologie, und Paleontologie, Jahrgang, 1906, 1907. Stuttgart, Germany.
- Chicago Academy of Sciences: Natural History Survey, Bulletin, no. 4, pt. 2 and no. 6. Chicago, Ill.
- Cincinnati Society of Natural History, Journal, vol. 20, nos. 5-7. Cincinnati, Ohio.
- Colorado College Publications: Science Series, vol. 11, nos. 46-53, vol. 12, nos. 1-5. Colorado Springs, Colo.
- Colorado School of Mines: Bulletin, vol. 3, nos. 2-4, vol. 4, no. 1. Golden, Colo.
- Colorado Scientific Society: Proceedings, vol. 8, pp. 71-362. Denver, Colo.
- Colorado, University of: Studies, vol. 3, nos. 2-4, vol. 4, vol. 5, no. 1. Boulder, Colo.
- Connecticut Academy of Arts and Sciences (Publications of Yale University): Transactions, vols. 12, 13, pp. 1-297. New Haven, Conn.
- Connecticut State Geological and Natural History Survey: Second Biennial Report, 1905-6; Bulletins, nos. 6-8. Hartford Conn.
- Contributions to Indiana Paleontology (Greene), vol. 2, pts. 1-3. New Albany, Ind.
- Davenport Academy of Sciences: Proceedings, vols. 10, 11, 12, pp. 1-94. Davenport, Iowa.
- Delaware County Institute of Science: Proceedings, vol. 1, nos. 2 and 3, vol. 2, vol. 3, no. 1. Media, Pa.
- Denison University, Scientific Laboratories: Bulletin, vol. 13, articles 1 (reprint), 3-6. Granville, Ohio.
- Deutsche Geologische Gesellschaft, Zeitschrift, Bd. 58, 59. Berlin, Germany.
- Economic Geology, vol. 1, nos. 3-8, and vol. 2. New Haven, Conn.
- Elisha Mitchell Scientific Society: Journal, vols. 22, 23. Chapel Hill, N. C.
- Engineering and Mining Journal, vols. 81-84. New York.
- Engineering Association of the South: Transactions for 1905, vol. 16 and Proceedings, vols. 17-18. Nashville, Tenn.
- Engineering Magazine, vol. 30, nos. 4-6, vols. 31-33, vol. 34, nos. 1-3. New York.
- Engineers Club of Philadelphia: Proceedings, vols. 23, 24. Philadelphia, Pa.
- Field Columbian Museum: Geological Series, vol. 2, nos. 6-10, vol. 3, nos. 2-6. Chicago, Ill.
- Florida State Geological Survey: Organization and Plans. Tallahassee, Fla.
- Franklin Institute: Journal, vols. 161-164. Philadelphia, Pa.
- Geographical Journal, vols. 27-30. London.
- Geographical Society of the Pacific: Transactions and Proceedings, 2d ser., vol. 4. San Francisco, Cal.
- Geological Magazine, new ser., decade 5, vols. 3, 4. London.
- Geological Society of America: Bulletin, vol. 16, pp. 531-636, vol. 17, nos. 1-19, and vol. 18, nos. 1-20. Rochester, N. Y.

- Georgia Geological Survey: Bulletins, nos. 13, and 1 (second edition). Atlanta, Ga.
- Hamilton Scientific Association: Journal and Proceedings, nos. 22, 23. Hamilton, Ont.
- Harvard College, Museum of Comparative Zoology: Bulletin, vol. 43, no. 5, vol. 46, nos. 11-13, vol. 48, nos. 2-4, and vol. 49 (Geological Series, vol. 8), nos. 3 and 4, vol. 50, nos. 6-9, vol. 51, nos. 1-8; Memoirs, vol. 30, no. 3, vol. 33; vol. 34, no. 1, vol. 35, nos. 1, 2. Cambridge, Mass.
- Illinois State Geological Survey: Mineral Production in 1905 and Bulletins, nos. 1-6. Urbana, Ill.
- Illinois State Laboratory of Natural History: Bulletin, vol. 7, articles 6-9. Urbana, Ill.
- Imperial Earthquake Investigation Committee: Bulletin, vol. 1. Tokyo, Japan.
- Indiana Academy of Science: Proceedings, 1903-1906. Indianapolis, Ind.
- Indiana, Department of Geology and Natural Resources: 30th and 31st Annual Reports. Indianapolis, Ind.
- Institution of Mining Engineers: Transactions, vol. 28, pts. 5 and 6, vol. 29, pts. 5 and 6, vol. 30, pts. 3-6, vol. 31, vol. 32, vol. 33, pts. 1-4, vol. 34, pts. 1, 2. Newcastle-upon-Tyne, England.
- Iowa Academy of Sciences: Proceedings, vols 13, 14. Des Moines, Iowa.
- Iowa Geological Survey: Bulletins, nos. 2, 3; Annual Report, vols. 16, 17. Des Moines, Iowa.
- Johns Hopkins University: Circulars, 1906, 1907. Baltimore, Md.
- Journal of Geography, vols. 5, 6. Lancaster, Pa.
- Journal of Geology, vols. 14, 15. Chicago, Ill.
- Kansas Academy of Sciences: Transactions, vol. 20, pts. 1, 2. Topeka, Kans.
- Kansas University Geological Survey: vol. 8. Lawrence, Kans.
- Kansas University Science Bulletin, vol. 3, nos. 7-10, vol. 4, nos. 1-6. Lawrence, Kans.
- Kentucky Geological Survey: Bulletins nos. 3, 4, 6, 7; Report of Progress of Survey, 1904 and 1905. Lexington, Ky.
- Lake Superior Mining Institute: Proceedings, vols. 11, 12. Ishpeming, Mich.
- London, Geological Society: Quarterly Journal, vols. 62, 63. London.
- London, Geologists' Association: Proceedings, vol. 19, pts. 7-10, vol. 20. London.
- Louisiana Geological Survey: Bulletin, nos. 4-6. Baton Rouge, La.
- McGill University, Department of Geology: Papers from, nos. 21-24. Montreal, Que.
- Maryland Geological Survey: Pliocene and Pleistocene; Physical features of Maryland; vol. 6; Calvert County; St. Mary's County; State Map. Baltimore, Md.
- Mazama, vol. 3, no. 1. Portland, Oreg.
- México, Instituto Geológico: Parergones, t. 1, no. 10, t. 2, nos. 1-3; Boletín, nos. 22-24. México, D. F.
- México, Secretaría de Fomento; Boletín, 2ª época, IV, año 5, nos. 6-11, año 6, año 7, nos. 1-5. México, D. F.
- Michigan Academy of Science: Seventh, Eighth, and Ninth Reports. Lansing, Mich.
- Michigan Miner, vols. 8, 9. Saginaw, Mich.
- Michigan State Board of Geological Survey: Reports for 1905 and 1906. Lansing, Mich.
- Mineral Collector, vols. 13, 14, nos. 1-10. New York.
- Mineralogical Magazine and Journal of the Mineralogical Society, vols. 13, 14. London.

- Mines and Minerals, vol. 26, nos. 6-12, vol. 27, vol. 28, nos. 1-5. Scranton, Pa. Mining and Scientific Press, vols. 92-95. San Francisco, Cal.
- Mining Magazine, vol. 13. New York.
- Mining World, vols. 22-27. Chicago, Ill.
- Mississippi State Geological Survey, Bulletin, nos. 1-3. Jackson, Miss.
- Missouri Bureau of Geology and Mines: 2d ser., vols. 4, 5; Biennial Report of the State Geologist. Jefferson City, Mo.
- Montana, University of: Bulletin, nos. 30, 32, 34, 35, 37 (Geological Series 2). Missoula, Mont.
- National Geographic Magazine, vols. 17, 18. Washington, D. C.
- Nature, vol. 73, no. 1888-vol. 77, no. 1991. London.
- Nautilus, vol. 19, nos. 9-12, vol. 20, vol. 21, nos. 1-8. Philadelphia, Pa.
- Nebraska Geological Survey: vol. 2. Lincoln, Nebr.
- Neues Jahrbuch für Mineralogie, etc., 1906, 1907; Beilage Band, Bd. 21-24. Berlin, Germany.
- New Brunswick Natural History Society: Bulletin, no. 24 (vol. 5, pt. 4), no. 25 (vol. 5, pt. 5). St. John, N. B.
- New Jersey Geological Survey: Annual Report of the State Geologist for 1905, and for 1906; Paleontology, vol. 4. Trenton, N. J.
- New York Academy of Sciences: Annals, vol. 17. New York.
- New York Botanical Garden: Bulletin, vol. 4, nos. 13, 14, vol. 5, nos. 15-17; Contributions, nos. 74-99. New York.
- New York State Museum: 54th Annual Report, vols. 1-4; Second and Third Reports of the Director of Science; Bulletins 90, 92, 99-117; Memoir 10, Albany, N. Y.
- North Carolina Geological Survey: Bulletin, nos. 2, 12, 14, 15; Economic Papers, nos. 10-14; vol. 2. Chapel Hill, N. C.
- North Dakota Geological Survey: 4th Biennial Report. Grand Forks, N. Dak.
- Nova Scotia Institute of Science: Proceedings and Transactions, vol. 11, pt. 2, Halifax, N. S.
- Nova Scotia Mining Society: Journal, vol. 10. Halifax, N. S.
- Ohio Geological Survey: Fourth Series, Bulletin, nos. 4-5, 6, and 8. Columbus, Ohio.
- Ohio Naturalist, vols. 6, 7, vol. 8, nos. 1, 2. Columbus, Ohio.
- Ohio State Academy of Science: Proceedings, vol. 4, pts. 7-9. Columbus, Ohio.
- Ontario, Bureau of Mines: Report, vol. 15, pts. 1-3, vol. 16, pt. 1. Toronto, Ont.
- Ottawa Naturalist, vol. 19, nos. 10-12, vol. 20, vol. 21, nos. 1-9. Ottawa, Ont.
- Paleontographica, Bd. 53, 54. Stuttgart, Germany.
- Philadelphia Academy of Natural Science: Proceedings, vols. 57, pt. 3, 58, 59; Journal, 2d ser., vol. 13, pts. 2, 3.
- Philadelphia, Geographical Society of: Bulletin, vol. 4, nos. 2-5, vol. 5. Philadelphia, Pa.
- Popular Science Monthly, vols. 68-71. New York.
- Rochester Academy of Science: Proceedings, vol. 3, pp. 231-244, vol. 4, pp. 203-231. Rochester, N. Y.
- St. Louis Academy of Science: Transactions, vol. 16, vol. 17, no. 1. St. Louis, Mo.
- San Diego Society of Natural History: Transactions, vol. 1, no. 2. San Diego, Cal.
- School of Mines Quarterly, vol. 27, nos. 2-4, vol. 28, vol. 29, no. 1. New York.
- Science (new ser.), vols. 23-26. New York.
- Sierra Club Bulletin, vol. 6, nos. 1-3. San Francisco, Cal.
- Sioux City Academy of Science and Letters: Proceedings, vol. 2. Sioux City, Iowa.

- Smithsonian Institution: Annual Report, 1905, 1906. Miscellaneous Collections, vol. 48. Washington, D. C.
- Sociedad científica "Antonio Alzate," *Memorias y Revista*, t. 22, nos. 7-12, 23, 24, 25, nos. 1-3, 26, nos. 1-6. México, D. F.
- Sociedad Geológica Mexicana: *Boletín*, t. 2. México, D. F.
- Società Geologica Italiana: *Bollettino*, vols. 24, 25. Rome, Italy.
- Société géologique de Belgique: *Annales*, t. 30, livr. 3, t. 32, livr. 4, t. 33, livr. 1-3, t. 34, livr. 1, 2. Liège, Belgium.
- Société géologique de France: *Bulletin*, 4^e séries, t. 4, no. 7, t. 5, nos. 6-7, t. 6, t. 7, nos. 1-8. Paris, France.
- Southern California Academy of Sciences: *Bulletin*, vol. 5, nos. 1-3, vol. 6, nos. 1, 2. Los Angeles, Cal.
- Staten Island Association of Arts and Sciences: *Proceedings*, vol. 1, pts. 1-4. Staten Island, N. Y.
- Technology Quarterly, vols. 19, 20. Boston, Mass.
- Terrestrial Magnetism and Atmospheric Electricity, vols. 11, 12. Washington, D. C.
- Texas Academy of Sciences: *Transactions*, vols. 7-9. Austin, Tex.
- Toronto, University of: *Studies, Geological Series*, no. 4. Toronto, Ontario.
- Torrey Botanical Club: *Bulletin*, vols. 33, 34; *Memoirs*, vol. 12, no. 3. Lancaster, Pa.
- Torrey, vols. 6, 7. Lancaster, Pa.
- U. S. Department of Agriculture. Field Operations of the Bureau of Soils, Sixth and Seventh Reports. Washington, D. C.
- U. S. Geological Survey: 27th and 28th Annual Reports; Monographs 49, 50; Professional Papers, nos. 44-57; Bulletins, nos. 274, 275, 277-326, 333; Water-Supply and Irrigation Papers, nos. 150, 153-210, 213, 214, 216; Geologic Atlas of the United States, folios nos. 132, 135-154; Mineral Resources for 1905 and for 1906. Washington, D. C.
- U. S. National Museum: Annual Reports for 1904, 1905, 1906; *Proceedings*, vols. 29, pp. 531-840, 30-32, 33, pp. 1-572; *Bulletins*, 50, 53, pt. 2, 56, 57, 59, 60. Washington, D. C.
- Vassar Brothers Institute: *Bulletin*, nos. 1, 2. Poughkeepsie, N. Y.
- Vermont Geological Survey: Fifth Report. Burlington, Vt.
- Virginia Geological Survey: *Geological Series, Bulletin*, nos. 2 and 3. Blacksburg, Va.
- Washington Academy of Sciences: *Proceedings*, vol. 7, pp. 301-402, vol. 8, vol. 9, pp. 1-522. Washington, D. C.
- Washington Biological Society: *Proceedings*, vols. 19, 20. Washington, D. C.
- Washington Philosophical Society: *Bulletin*, vol. 14, pp. 339-450, vol. 15, pp. 1-74. Washington, D. C.
- West Virginia Geological Survey: vol. 3; Ohio, Brooke, and Hancock counties. Morgantown, W. Va.
- Wisconsin Academy of Science, Arts, and Letters: *Transactions*, vol. 15, pts. 1, 2. Madison, Wis.
- Wisconsin Geological and Natural History Survey: Fifth Biennial Report of the Commissioners; *Bulletins*, nos. 14-19. Madison, Wis.
- Wisconsin Natural History Society: *Bulletin* (new ser.), vols. 4, 5. Milwaukee, Wis.
- Wisconsin, University of: *Science Series*, vol. 3, nos. 5, 6. Madison, Wis.
- Wyoming Geological Survey: Report of the State Geologist, 1906. Cheyenne, Wyo.

Wyoming Historical and Geological Society: Proceedings and Collections, vol. 9.
Wilkes-Barre, Pa.

Yorkshire Geological Society: Proceedings (new ser.), vol. 16, pts. 1, 2. Leeds,
England.

Zeitschrift für Gletscherkunde, Bd. 1, 2, Hefte 1, 2. Berlin, Germany.

Zeitschrift für Krystallographie, Bd. 41, Hefte 5, 6, 42, 43, 44, Hefte 1, 2.
Leipzig, Germany.

Zeitschrift für praktische Geologie, Jahrg. 14, 15. Berlin, Germany.

BIBLIOGRAPHY.

Abbott, Clarence E.

1. The iron-ore deposits of the Ely trough, Vermilion Range, Minnesota.—Lake Superior Min. Inst., Proc., vol. 12, pp. 116-142, 2 pls., 1907.

Describes the geologic formations, the occurrence and relations of the ore deposits, and the mode of formation of the ore bodies.

2. Geology of the Ely trough iron-ore deposits.—Eng. and Min. Jour., vol. 83, pp. 601-605, 4 figs., March 30, 1907.

Abbott, James W.

3. Pioche, Nevada.—Min. and Sci. Press, vol. 95, pp. 176-179, 2 figs., August 10, 1907.

Includes notes on the local geology and occurrence of the ores.

Abel, O.

4. Ueber den als Beckengürtel von *Zeuglodon* beschriebenen Schultergürtel eines Vogels aus dem Eocän von Alabama.—Centralbl. f. Mineral., Geol., u. Paläont., 1906, no. 15, pp. 450-458, 4 figs., 1906.

Describes under the name *Alabamornis gigantea* bird remains from the upper Eocene of Choctaw County, Alabama, originally described as the pelvic girdle of *Zeuglodon*.

Adams, Alton D.

5. Recession of Niagara Falls.—Sci. Am., vol. 93, no. 10, p. 178, September 2, 1905.

Adams, Frank D.

6. Investigations on flow of rocks.—Carnegie Inst. of Washington, Yearb. no. 4, 1905, pp. 230-231, 1906.

7. On the need of a topographical survey of the Dominion of Canada, particularly with reference to the development of the economic resources of the Dominion.—Canadian Min. Inst., Jour., vol. 9, pp. 74-86, 1906.

8. Review of "The nature of ore deposits," by Richard Beck, translated and revised by Walter Harvey Weed.—Econ. Geology, vol. 1, no. 4, pp. 393-401, 1906.

9. Nepheline syenite in eastern Ontario.—Abstract: Geol. Soc. America, Bull., vol. 17, p. 695, 1907.

Adams, Frank D., and Coker, Ernest G.

10. An investigation into the elastic constants of rocks, more especially with reference to cubic compressibility. Washington, D. C., published by the Carnegie Institution of Washington, June, 1906. (Publication no. 46.) 69 pp., 16 pls.

11. An investigation into the elastic constants of rocks, more especially with reference to cubic compressibility.—Am. Jour. Sci., 4th ser., vol. 22, pp. 95-123, 12 figs., August, 1906.

12. Experimental investigation of the compressibility and plastic deformation of certain rocks.—Abstract: Geol. Soc. Am., Bull., vol. 16, pp. 564-565, 1906.

Adams, Frank D., and others.

13. Report of a special committee on the correlation of the pre-Cambrian rocks of the Adirondack Mountains, the "original Laurentian area" of Canada, and eastern Ontario.—*Jour. Geology*, vol. 15, no. 3, pp. 191-217, 1907.

Describes the geology along the route traveled by the committee in New York and Canada, and discusses the correlation of pre-Cambrian rocks.

Aguilera, Jose G.

14. Résumé of the progress of geology in Mexico.—*Min. World*, vol. 25, no. 11, pp. 292-295, September 15, 1906.

15. Excursion de México a Tehuacán.—X^e Congr. géol. intern., Guide des Excursions, Mexico, no. IV, 17 pp., 1906.

Gives notes on the geology of the country between these places.

16. Excursion de Tehuacán a Zapotitlán et San Juan Raya [México].—X^e Congr. géol. intern., Guide des Excursions, Mexico, no. VII, 27 pp., 1 geol. map, 1906.

Describes the geology of the country between these places.

17. Les gisements carbonifères de Coahuila [México].—X^e Congr. géol. intern., Guide des Excursions, Mexico, no. XXVII, 17 pp., 1 pl., 1 fig., 1906.

Describes the geology of the region.

18. Aperçu sur la géologie du Mexique pour servir d'explication à la carte géologique de l'Amérique du Nord.—Congr. géol. intern., C. R. 10^e sess., Mexico, 1906, pp. 227-248, 1907.

Gives an outline of the stratigraphy of Mexico.

19. Les volcans du Mexique dans leurs relations avec le relief et la tectonique générale du pays.—Congr. géol. intern., C. R. 10^e sess., Mexico, 1906, pp. 1155-1168, 1 pl., 1907.

20. Los volcanes de México en sus relaciones con el relieve y la tectónica general del país.—México, Secretaría de Fomento, Bol., 2^a época, año 6, VI, no. 8, pp. 121-129, 131-139, 1 pl., 1907.

Discusses the relations between the volcanoes of Mexico and the general relief and geologic structure of the country.

Aitken, Frank W., and Hilton, Edward.

21. A history of the earthquake and fire in San Francisco. An account of the disaster of April 18, 1906, and its immediate results. San Francisco, The Edward Hilton Co., 1906. 285 pp., illus.

Alcalá, Maximino.

22. Sondeos en las lagunas ó ciénegas de Almoloya y Lerma.—*Soc. Geol. Mexicana*, Bol. t. 2, pp. 15-34, 1906.

Describes investigations upon peat resources. Includes notes on the local geology.

Alden, William C.

23. Description of the Milwaukee quadrangle, Wisconsin.—*U. S. Geol. Survey, Geol. Atlas of U. S.*, folio no. 140, 12 pp., 9 figs., 2 maps, 1 illustrations sheet, 1906.

Describes the topography, the occurrence, character, and relations of Ordovician, Silurian, and Devonian formations, and of glacial deposits, the geologic history, and the economic geology.

Alldrich, Thomas H.

24. A new fossil *Busycon* (*Fulgur*) from Florida.—*Nautilus*, vol. 20, no. 11, p. 121, 1 pl., March, 1907.

25. Some new Eocene fossils from Alabama.—*Nautilus*, vol. 21, no. 1, pp. 8-11, 1 pl., May, 1907.

Alexander, John S.

26. The mines of the Altar district, Sonora.—Eng. and Min. Jour., vol. 83, pp. 653-654, 2 figs., April 6, 1907.

Allen, E. T.

Die Kalkkieselreihe der Minerale.—See Day and others, no. 690.

Allen, E. T., and White, W. R.

27. On wollastonite and pseudo-wollastonite, polymorphic forms of calcium metasilicate, with optical study by Fred Eugene Wright.—Am. Jour. Sci., 4th ser., vol. 21, pp. 89-108, 2 figs., February, 1906.

Describes experimentation upon wollastonite, natural and artificial, the results obtained, and their optical characters.

Allen, E. T., Wright, Fred Eugene, and Clement, J. K.

28. Minerals of the composition $MgSiO_3$; a case of tetramorphism.—Am. Jour. Sci., 4th ser., vol. 22, pp. 385-438, 18 figs., November, 1906.

Includes a discussion of the formation of meteorites.

Allorge, Maurice.

29. Esquisse géographique du Cap Cod (États-Unis).—Annales de Géog., Ann. 15, no. 84, pp. 443-448, 1 pl., 1 fig., November 15, 1906.

Describes the physiographic features of the region.

Althouse, Harry W.

30. The Pocahontas coals, Pottsville series no. XII, in Raleigh and Wyoming counties of West Virginia.—Min. Mag., vol. 13, no. 3, pp. 201-213, 7 figs., March, 1906.

Describes the geologic horizon, vein structure, thickness, and quality of these coals.

31. Geology of the Buck Mountain coal bed.—Eng. and Min. Jour., vol. 83, pp. 668-670, 2 figs., April 6, 1907.

32. The so-called new supplies of anthracite [Pennsylvania].—Eng. and Min. Jour., vol. 84, pp. 500-503, 4 figs., September 14, 1907.

Discusses the occurrence and geologic relations of anthracite coal beds.

Amador, Manuel G.

33. Los principales centros auríferos del mundo. Estudio sobre la producción actual del oro.—Soc. cient. "Antonio Alzate," Mem. y Rev., t. 23, pp. 355-381, 1906.

Describes the production, and general geology of the principal gold-producing areas of the world.

American Society of Civil Engineers.

34. Report of a general committee and of six special committees of the San Francisco Association of members of the American Society of Civil Engineers. The effects of the San Francisco earthquake of April 18, 1906, on engineering constructions.—Am. Soc. Civil Eng., Proc., vol. 33, no. 3, pp. 299-354, 31 pls., 3 figs., March, 1907. Discussion by Edwin Duryea, and others, *ibid.*, vol. 33, no. 5, pp. 537-547, 1 pl., May, 1907; Trans., vol. 59, pp. 208-329, 1907.

Ami, Henry M.

35. On the geology of Carp [Ontario] and environs.—Ottawa Nat., vol. 19, no. 4, pp. 92-93, July, 1905.

36. Bibliography of Canadian geology and paleontology for the year 1904.—Canada, Roy. Soc., Proc. and Trans., 2d ser., vol. 11, sect. 4, pp. 127-152, 1906.

37. Notes on an interesting collection of fossil fruits from Vermont, in the Museum of the Geological Survey of Canada.—Ottawa Naturalist, vol. 20, no. 1, pp. 15-17, April, 1906.

Ami, Henry M.—Continued.

38. Bibliography of Canadian geology and paleontology for the year 1905.—Canada, Roy. Soc., Proc. and Trans., 2d ser., vol. 12, sect. 4, pp. 301-326, 1906.

39. Preliminary lists of organic remains [collected by Mr. A. P. Low from Beechey Island, Southampton Island, and Cape Chidley].—Cruise of the Neptune, pp. 329-336, 1906 (see Low, no. 1623).

40. On some fossils from northern Canada, collected by Commander Low, during the expedition of 1903-4, together with notes on the geological horizons to which they belong.—Abstract: Science, new ser., vol. 23, p. 973, June 29, 1906.

41. Preliminary lists of organic remains from the Chazy, Black River, Trenton, and Pleistocene formations comprised within the area of the Pembroke sheet (no. 122).—Geol. Survey of Canada, Appendix to Ellis's Report on the Geology and Natural Resources of the northwest quarter-sheet, no. 122, pp. 47-71, 1907.

42. Bibliography of Canadian geology and palæontology for the year 1906.—Canada, Roy. Soc., Proc. and Trans., 3d ser., vol. 1, sect. 4, pp. 143-156, 1907.

43. Memorial of A. R. C. Selwyn.—Abstract: Science, new ser., vol. 25, pp. 763-764, May 17, 1907.

Ami, Henry M., and Wilson, W. J.

44. Report of the geological branch of the Ottawa Field-Naturalists' Club for 1905-6.—Ottawa Naturalist, vol. 19, no. 11, pp. 209-214, February, 1906.

Contains various notes on the geology and paleontology of Ontario.

Anderson, G. E.

45. Studies in the development of certain Paleozoic corals.—Jour. Geology, vol. 15, no. 1, pp. 59-69, 8 figs., 1907.

46. Development of the inner wall in Paleozoic corals.—Abstract: Science, new ser., vol. 25, p. 184, February 1, 1907.

Anderson, Robert.

47. Earth flaws at the time of the San Francisco earthquake.—Abstract: Science, new ser., vol. 25, p. 769, May 17, 1907.

Diatomaceous deposits of northern Santa Barbara County, Cal.—See Arnold and Anderson, no. 65.

Geology and oil resources of the Santa Maria oil district, Santa Barbara County, Cal.—See Arnold and Anderson, no. 67.

Metamorphism by combustion of the hydrocarbons in the oil-bearing shale of California.—See Arnold and Anderson, no. 68.

Preliminary report on the Santa Maria oil district, Santa Barbara County, Cal.—See Arnold and Anderson, no. 66.

Anderson, Tempest.

48. Recent volcanic eruptions in the West Indies.—Congr. géol. intern., C. R. 10^e sess., Mexico, 1906, pp. 735-737, 13 pls., 1907.

Andersson, J. G.

49. Solifluction, a component of subaerial denudation.—Jour. Geology, vol. 14, no. 2, pp. 91-112, 5 figs., 1906.

Defines the term solifluction and describes the process of denudation so designated.

Angermann, Ernesto.

50. Explicación del plano geológico de la región de San Pedro de Gallo, Estado de Durango [Mexico].—Mexico, Inst. Geol., Parergones, t. 2, no. 1, pp. 5-14, 1 pl. (geol. map), 1907.

Describes the topography, and the occurrence, character, and relations of Jurassic, Cretaceous, and Tertiary strata.

Angermann, Ernesto—Continued.

51. Sobre la geología de la Bufa, Mapimí, Estado de Durango [Mexico].—Mexico, Inst. Geol., Parergones, t. 2, no. 1, pp. 17-25, 1 pl., 1 fig., 1907.

Describes the geologic structure, and the occurrence and relations of Cretaceous, Tertiary, and Quaternary deposits.

52. Notas geológicas sobre el Cretaceo en el Estado de Colima [Mexico].—Mexico, Inst. Geol., Parergones, t. 2, no. 1, pp. 29-35, 1 pl., 1907.

Describes the occurrence and relations of Cretaceous strata in the State of Colima, Mexico.

Anonymous papers. See page 208.

Arey, Melvin E.

53. Geology of Black Hawk County [Iowa].—Iowa Geol. Survey, vol. 16, pp. 407-452, 1 pl., 4 figs., geol. map, 1906.

Describes the topography and drainage, the stratigraphy, including Devonian rocks and glacial deposits, and the economic products.

Argall, Philip.

54. Report on the zinc mines of the east and west Kootenays.—Canada, Dept. of the Interior, Mines Branch, Rept. of the Commission to investigate the zinc resources of British Columbia, pp. 147-252, 51 pls., 32 figs., 1906.

Includes notes on the character, occurrence, and geologic horizon of the zinc ores.

Armington, Howard C., and Stotesbury, Harold W.

55. The Yak mining, milling, and tunneling company [Leadville, Colo.].—Colorado School of Mines, Bull., vol. 4, no. 1, pp. 71-88, 10 figs., 1907.

Includes an account of the local geology.

Arnold, Ralph.

56. Geological reconnaissance of the coast of the Olympic Peninsula, Washington.—Geol. Soc. America, Bull., vol. 17, pp. 451-468, 4 pls., 4 figs., 1906.

Notes briefly the literature bearing on the region and describes its physical features, the character, occurrence, and relations of Tertiary and older formations, and the general geologic structure.

57. The Tertiary and Quaternary pectens of California.—U. S. Geol. Survey, Prof. Paper no. 47, 264 pp., 53 pls., 2 figs., 1906.

Gives an account—nomenclature, definition, localities, and faunal lists—of the Tertiary and Pleistocene formations of California and systematic descriptions of the pectens.

58. Coal in the Mount Diablo Range, Monterey County, Cal.—U. S. Geol. Survey, Bull. no. 285, pp. 223-225, 1 fig., 1906.

Describes the geologic structure of the range, the relations of the coal bed, and the properties of the coal.

59. The Salt Lake oil field near Los Angeles, Cal.—U. S. Geol. Survey, Bull. no. 285, pp. 357-361, 1 fig., 1906.

Describes the geologic formations and structure of the area, and the economic developments.

60. New and characteristic species of fossil mollusks from the oil-bearing Tertiary formations of southern California.—U. S. Nat. Mus., Proc., vol. 32, pp. 525-546, 14 pls., June 15, 1907.

61. Dome structure in conglomerate.—Jour. Geology, vol. 15, no. 6, pp. 560-570, 8 figs., 1907.

Describes the structure of domes in conglomerate near Pasadena, Cal., and discusses the origin of dome structure.

62. Fossils of the oil-bearing formations of southern California.—U. S. Geol. Survey, Bull. no. 309, pp. 219-256, 17 pls., 1907.

Gives figures of characteristic species of fossils, chiefly Pelecypoda and Gastropoda from Tertiary horizons of southern California.

Arnold, Ralph—Continued.

63. Geology and oil resources of the Summerland district, Santa Barbara County, Cal.—U. S. Geol. Survey, Bull. no. 321, 93 pp., 17 pls., 3 figs., 1907.

64. The Santa Maria oil district, California.—Abstract: Science, new ser., vol. 25, p. 825, May 24, 1907.

The Santa Clara Valley, Puente Hills, and Los Angeles oil districts, southern California.—See Eldridge and Arnold, no. 779.

Arnold, Ralph, and Anderson, Robert.

65. Diatomaceous deposits of northern Santa Barbara County, Cal.—U. S. Geol. Survey, Bull. no. 315, pp. 438-447, 1907.

66. Preliminary report on the Santa Maria oil district, Santa Barbara County, Cal.—U. S. Geol. Survey, Bull. no. 317, 69 pp., 2 pls., 1 fig., 1907.

Describes the stratigraphy and structural conditions of the field and the economic developments.

67. Geology and oil resources of the Santa Maria oil district, Santa Barbara County, Cal.—U. S. Geol. Survey, Bull. no. 322, 161 pp., 26 pls., 1907.

68. Metamorphism by combustion of the hydrocarbons in the oil-bearing shale of California.—Jour. Geology, vol. 15, no. 8, pp. 750-758, 2 figs., 1907.

Ashley, George Hall.

69. Cannel coal in the United States.—Min. World, vol. 23, pp. 90-92, 381-383, 8 figs., 1905.

70. An area of faulting in central Pennsylvania.—Abstract: Science, new ser., vol. 23, p. 33, January 5, 1906.

71. Clearfield coal field, Pennsylvania.—U. S. Geol. Survey, Bull. no. 285, pp. 271-275, 1 fig., 1906.

Describes the geologic structure of the field and the character and occurrence of the coal beds.

72. Notes on clays and shales in central Pennsylvania.—U. S. Geol. Survey, Bull. no. 285, pp. 442-444, 1906.

Gives a general description of the clays and shales of the region and particularly of the flat-clay deposits.

73. The geological prelude to the San Francisco earthquake.—Pop. Sci. Monthly, vol. 69, no. 1, pp. 69-75, 6 figs., July, 1906.

Gives an account of the geologic structure and geologic history of California.

74. The maximum deposition of coal in the Appalachian coal field.—Econ. Geology, vol. 1, no. 8, pp. 788-793, 1906.

Gives data regarding the thickness of coal seams in various Appalachian fields, with the view of determining the time required for the formation of the coal beds.

75. The maximum rate of deposition of coals.—Econ. Geology, vol. 2, no. 1, pp. 34-47, 5 figs., 1907.

From the study of peat bogs and field study of coal basins endeavors to determine the rate of accumulation of coal.

76. Were the Appalachian and eastern interior coal fields ever connected?—Econ. Geology, vol. 2, no. 7, pp. 659-666, 1907.

The Punxsutawney and Glen Campbell coal fields of Indiana and Jefferson counties, Pa.—See Peck and Ashley, no. 1888.

Correlation of coals.—See White and Ashley, no. 2549.

Ashley, George Hall, and Glenn, Leonidas Chalmers.

77. Geology and mineral resources of part of the Cumberland Gap coal field, Kentucky.—U. S. Geol. Survey, Prof. Paper no. 49, 239 pp., 40 pls., 13 figs., 1906.

Describes the physiography, stratigraphy, and geological structure of the region, and in detail the occurrence, character, geological relations, and correlations of the coal seams.

Ashworth, James.

78. Notes on the Crows Nest coal field, British Columbia.—Manchester Geol. and Min. Soc., Trans., vol. 29, pt. 3, pp. 78-83, 1905; Can. Min. Rev., vol. 25, no. 5, pp. 165-167, December, 1905; Eng. and Min. Jour., vol. 81, pp. 711-712, April 14, 1906.

Gives notes upon the character of the coal field and upon the rock slide at Frank, Alberta.

Atkin, Austin J. R.

79. Some further considerations on the genesis of the gold deposits of Barkerville, British Columbia, and vicinity.—Geol. Mag., dec. 5, vol. 3, no. 11, pp. 514-516, 1 fig., November, 1906.

Discusses briefly the character, occurrence, and origin of these deposits.

Atwood, Wallace W.

80. Red Mountain, Arizona: a dissected volcanic cone.—Jour. Geology, vol. 14, no. 2, pp. 138-146, 6 figs., 1906.

Describes the volcanic material of which the cone consists, the relations of the deposits to one another, and the physiographic features and geologic history of the cone.

81. The glaciation of the Uinta Mountains.—Jour. Geology, vol. 15, no. 8, pp. 790-804, 4 figs., 1907.

Aubury, Lewis E.

82. Report of the State mineralogist [California].—California State Min. Bur., Rept. of Board of Trustees, pp. 13-17, 1902.

An administrative report.

83. Report of the State mineralogist [California].—California State Min. Bur., Rept. of Board of Trustees, pp. 9-14, 1904.

An administrative report.

84. Report of the State mineralogist [California].—California State Min. Bur., Rept. of Board of Trustees, pp. 8-19, 1906.

An administrative report.

85. The copper resources of California.—California State Min. Bur., Bull. no. 23, 282 pp., pls., figs., maps, 1902.

86. The quicksilver resources of California.—California State Min. Bur., Bull. no. 27, 273 pp., 50 pls., 94 figs., 8 maps, 1903.

87. The structural and industrial materials of California.—California State Min. Bur., Bull. no. 38, pp. 13-378, 149 figs., 1906.

Ayres, W. S.

88. Deutschman's cave, near Banff, British Columbia, Canada.—Am. Inst. Min. Eng., Bi-Mo. Bull., no. 13, pp. 93-112, 17 figs., January, 1907.

Describes the location, the character of the rocks in which it has been cut, the mode of its formation, and various features of the cave.

89. Report on the exploration of Deutschman cave [British Columbia].—Canada, Dept. of the Interior, Rept. Surveyor-General for 1906, pp. 117-120, 1907.

90. Supplementary report on the additional exploration of Deutschman cave [British Columbia].—Canada, Dept. of the Interior, Rept. Surveyor-General for 1906, pp. 121-126, 1 pl., 1907.

Babcock, E. J.

91. The uses and value of North Dakota clays.—North Dakota State Geol. Survey, 4th Bienn. Rept., pp. 191-243, 1 pl., 1906.

Clay and its properties, with special reference to North Dakota clays.—See Clapp and Babcock, no. 471.

Babcock, E. J., and Clapp, C. H.

92. Economic geology of North Dakota clays.—North Dakota State Geol. Survey, 4th Bienn. Rept., pp. 95-189, 8 pls., 1906.

Bagg, Rufus M., jr.

93. The minerals of Maguarichic [Mexico].—Eng. and Min. Jour., vol. 80, pp. 2-3, 4 figs., July 6, 1905.

Gives notes on the geology of the region, and the occurrence and character of selenite, fluorite, and calcite crystals.

94. Fault breccia veins in the Sierra Madre [Mexico].—Min. and Sci. Press, vol. 92, p. 125, 4 figs., February 24, 1906.

Discusses the origin of these mineral-bearing lodes.

Bailey, Gilbert E.

95. The saline deposits of California.—California State Min. Bur., Bull. no. 24, 216 pp., pls., figs., maps, 1902.

96. The desert: its resources, water supply, and development.—Min. World, vol. 23, no. 17, pp. 471-473, map, October 28, 1905.

Describes the physical features of the desert region of southern California, Nevada, and Arizona.

97. The borax deposits of California.—Min. World, vol. 24, no. 1, pp. 4-5, 7 figs., January 6, 1906.

Bailey, L. W.

98. The gypsum deposits of New Brunswick.—Canada, Roy. Soc., Proc. and Trans., 2d ser., vol. 12, sec. 4, pp. 3-14, 7 pls., 1906. Abstract: Science, new ser., vol. 23, pp. 971-972, June 29, 1906.

Describes the geologic occurrence and relations of the gypsum beds of New Brunswick, particularly those in the vicinity of Hillsborough, and discusses the origin of the gypsum deposits.

Bain, H. Foster.

99. Zinc and lead deposits of the upper Mississippi Valley.—U. S. Geol. Survey, Bull. no. 294, 155 pp., 16 pls., 45 figs., 1906; Wisconsin Geol. and Nat. Hist. Survey, Bull. no. 19, 155 pp., 45 figs., 18 pls. (in atlas), 1906.

Gives a historical sketch of the development of the field, describes the topography, stratigraphy, and geologic structure, the character, occurrence, and relations of the ore deposits, and the mining developments, and discusses the origin of the ores.

100. [The coals of Illinois].—Illinois State Geol. Survey, Bull. no. 3, pp. 9-19, 1 pl., 1906.

Gives various data regarding the coal fields of Illinois. Includes a geologic map showing the distribution of the coal measures.

101. A Nevada zinc deposit.—U. S. Geol. Survey, Bull. no. 285, pp. 166-169, 1906.

Describes the geologic structure of Spring Mountains, and the character and occurrence of the ore bodies, and discusses the origin of the ores.

102. The southeastern Illinois oil field.—Min. and Sci. Press, vol. 92, p. 326, May 19, 1906.

Describes the occurrence and character of oil in this area.

103. A persistent error.—Science, new ser., vol. 23, p. 919, June 15, 1906.

Calls attention to the misuse of the terms "Des Moines" and "Missourian" applied to coal measures of the western interior States.

104. Sedi-genetic and igneo-genetic ores.—Econ. Geology, vol. 1, no. 4, pp. 331-339, 1906.

Presents a classification of the metal production of the United States according to the mode of concentration of the ores, with a discussion of the data used.

Bain, H. Foster—Continued.

105. What should appear in the report of a state geologist?—*Econ. Geology*, vol. 1, no. 5, pp. 484-487, no. 7, pp. 702-705, 1906.

106. Some relations of paleogeography to ore deposition in the Mississippi Valley.—*Congr. géol. intern., C. R. 10^e sess.*, Mexico, 1906, pp. 483-499, 1907. *Econ. Geology*, vol. 2, no. 2, pp. 128-144, 1907.

Discusses concentration of metals in sedimentary rocks, and more especially the concentration of zinc and lead ores of the Mississippi Valley as affected by geographic conditions prevailing during Paleozoic sedimentation.

107. [Review of] Special report on lead and zinc, by E. Haworth and others (Kansas Univ. Geol. Survey, vol. 8).—*Econ. Geology*, vol. 2, no. 2, pp. 186-192, 1907.

108. The work of the [Illinois] State Geological Survey.—*Western Soc. Engrs., Jour.*, vol. 12, pp. 233-239, April, 1907; *Illinois Soc. Engrs. and Surveyors*, 22d Ann. Rept., pp. 51-56, 1907.

109. Petroleum in Illinois.—*Eng. and Min. Jour.*, vol. 83, pp. 755-756, 2 figs., April 20, 1907.

110. Administrative report for 1906.—*Illinois State Geol. Survey, Bull.* no. 4, pp. 9-35, 1 pl., 1907. [Also issued separately.]

Includes notes on economic resources.

111. Analysis of certain silica deposits.—*Illinois State Geol. Survey, Bull.* no. 4, pp. 185-186, 1907.

112. Contributions to the study of coal.—*Illinois State Geol. Survey, Bull.* no. 4, pp. 187-188, 1907.

113. The mineral industry in 1906 [Illinois].—*Illinois State Geol. Survey, Bull.* no. 4, pp. 245-246, 1907.

The production in the United States in 1905 of zinc and lead ores.—See no. 2418.

Baker, H. P.

114. The holding and reclamation of sand dunes and sand wastes by tree planting.—*Iowa Acad. Sci., Proc.*, vol. 13, pp. 209-214, 1906.

Describes the origin of dunes.

Baker, J. Willard.

115. Monograph on meteorites.—*Mineral Collector*, vol. 12, no. 6, pp. 81-87, no. 7, pp. 97-103, 1905.

Baker, M. B.

116. Clay and the clay industry of Ontario.—*Ontario, Bureau of Mines, Rept.* 1906, vol. 15, pt. 2, 127 pp., 71 figs., 1906.

Baldacci, L.

117. Il giacimento solifero della Louisiana. [The sulphur deposits of Louisiana.]—*Italia, Ministero di Agricoltura, Industria e Commercio, Pubblicazioni del Corpo reale delle Miniere*, Roma, Tipografia Nazionale di G. Bertero, 1906. 43 pp., 9 pls.

Baldwin, A. L.

The earth movements in the California earthquake of 1906.—See Hayford and Baldwin, no. 1114.

Ball, Sydney H.

118. Pre-Cambrian rocks of the Georgetown quadrangle, Colorado.—*Am. Jour. Sci.*, 4th ser., vol. 21, pp. 371-389, May, 1906.

Describes the topography and general geology, and the occurrence, character, and relations of the pre-Cambrian formations.

Ball, Sydney H.—Continued.

119. Notes on ore deposits of southwestern Nevada and eastern California.—U. S. Geol. Survey, Bull. no. 285, pp. 53-73, 1 fig., 1906.

Describes the general geology, the occurrence and character of gold and silver ores, and the mining developments.

120. A geologic reconnaissance in southwestern Nevada and eastern California.—U. S. Geol. Survey, Bull. no. 308, 218 pp., 3 pls., 17 figs., 1907.

Describes the general stratigraphy of the area examined, the topography, structure, and stratified and igneous rocks of the various ranges, with notes on the character and occurrence of the economic minerals.

121. Copper deposits of the Hartville uplift, Wyoming.—U. S. Geol. Survey, Bull. no. 315, pp. 93-107, 1907.

122. The Hartville iron-ore range, Wyoming.—U. S. Geol. Survey, Bull. no. 315, pp. 190-205, 1 fig., 1907.

Describes the stratigraphy and geologic structure of the area, and the occurrence and origin of the iron ores.

123. Titaniferous iron ore of Iron Mountain, Wyoming.—U. S. Geol. Survey, Bull. no. 315, pp. 206-212, 1907.

124. Portland cement materials in eastern Wyoming.—U. S. Geol. Survey, Bull. no. 315, pp. 232-244, 2 figs., 1907.

125. Mica in the Hartville uplift, Wyoming.—U. S. Geol. Survey, Bull. no. 315, pp. 423-425, 1907.

126. Graphite in the Haystack Hills, Laramie County, Wyoming.—U. S. Geol. Survey, Bull. no. 315, pp. 426-428, 1907.

Bancroft, George J.

127. The formation and enrichment of ore-bearing veins.—Am. Inst. Min. Eng., Bi-Mo. Bull., no. 15, pp. 499-522, 1907.

128. Ore deposition.—Min. and Sci. Press, vol. 95, pp. 580-581, November 9, 1907.

Barbour, Erwin Hinckley.

129. Notice of a new fossil mammal from Sioux County, Nebraska.—Nebraska Geol. Survey, vol. 2, pt. 3, 4 pp., 1 pl., 1905.

Describes *Syndyoceras cooki* n. gen. and n. sp. from the Loup Fork beds at Agate, Nebraska.

130. Notice of a new fossil rhinoceros from Sioux County, Nebraska.—Nebraska Geol. Survey, vol. 2, pt. 4, pp. 311-318, 5 figs., 1906.

Describes *Diceratherium arikareense* from the Loup Fork beds.

131. Evidence of loess man in Nebraska.—Nebraska Geol. Survey, vol. 2, pt. 6, pp. 329-348, 16 figs., 1907.

132. Report on the Honey Creek coal mine.—Nebraska Geol. Survey, vol. 2, pt. 7, pp. 349-364, 7 figs., 1907.

133. Biennial report.—Nebraska Geol. Survey, vol. 2, pt. 8, pp. 365-387, 1907. An administrative report.

134. Report of the tenth geological expedition of Hon. Charles H. Morrill, season of 1905.—Science, new ser., vol. 23, pp. 114-115, January 19, 1906.

135. The skull of *Syndyoceras*.—Abstract: Science, new ser., vol. 23, pp. 288-289, February 23, 1906; Am. Assoc. Adv. Sci., Proc., vol. 55, pp. 378, 1906.

136. The skulls of *Syndyoceras* and *Protoceras*.—Abstract: Science, new ser., vol. 23, p. 623, April 20, 1906.

Barbour, Erwin Hinckley—Continued.

137. A workable bed of coal in Nebraska.—*Science*, new ser., vol. 24, pp. 51-52, July 13, 1906.

Notes the discovery of workable coal near Peru, Nebr., its character, and other occurrences of coal in Nebraska.

138. Notice of a new Miocene rhinoceros, *Diceratherium arikareense*.—*Science*, new ser., vol. 24, pp. 780-781, 2 figs., December 14, 1906.

139. Report on the geological expedition of Hon. Charles H. Morrill. Season of 1906.—*Science*, new ser., vol. 25, pp. 73-74, January 11, 1907.

140. Evidence of man in the loess of Nebraska.—*Science*, new ser., vol. 25, pp. 110-112, January 18, 1907.

Announces the discovery of human remains in undisturbed loess, detailing the circumstances and conditions of preservation.

141. Prehistoric man in Nebraska.—*Putnam's Monthly*, pp. 413-415, 502-503, 3 figs., January, 1907.

Describes the finding of human remains in undisturbed loess deposits.

Barbour, Erwin Hinckley, and Ward, Henry Baldwin.

142. Preliminary report on the primitive man of Nebraska.—*Nebraska Geol. Survey*, vol. 2, pt. 5, pp. 317-327, 4 figs., 1906.

Barker, F. L.

143. Structural geology at Leadville [Colorado].—*Mines and Minerals*, vol. 28, no. 5, pp. 220-222, 3 figs., December, 1907.

Describes the geological relations and occurrence of the ore deposits.

Barlow, Alfred Ernest.

144. Report on some of the undeveloped zinc deposits of British Columbia.—Canada, Dept. of the Interior, Mines Branch, Report of the Commission to investigate the zinc resources of British Columbia, pp. 273-293, 4 pls., 1906.

Includes notes on the geology of the area examined.

145. On the Quebec side of Lake Timiskaming.—Canada, Geol. Survey, Summ. Rept. for 1906, pp. 113-118, 1906.

Gives an account of the geology of the region.

146. On the nickel deposits of Webster, western North Carolina.—*Canadian Min. Inst., Jour.*, vol. 9, pp. 303-316, 1 pl. (map), 1906.

Describes the occurrence of the ores and their geological relations and origin.

147. On the origin and relations of the nickel and copper deposits of Sudbury, Ontario, Canada.—*Econ. Geology*, vol. 1, no. 5, pp. 454-466; no. 6, pp. 545-553, 1906.

Gives a historical résumé of the literature, and describes the character of the nickel-bearing eruptive rock, and the composition and mode of occurrence of the ore bodies.

Report of a special committee on the correlation of the pre-Cambrian rocks of the Adirondack Mountains, the "original Laurentian area" of Canada, and eastern Ontario.—See Adams and others, no. 13.

Barrell, Joseph.

148. Relative geological importance of continental, littoral, and marine sedimentation.—*Jour. Geology*, vol. 14, pp. 316-356, 430-457, 524-568, 10 figs., 1906.

Discusses the conditions under which continental, littoral, and marine deposits are formed and the criteria by which they may be discriminated, and applies these considerations to geologic history, particularly of pre-Paleozoic and Paleozoic sedimentation.

Barrell, Joseph—Continued.

149. *Geology of the Marysville mining district, Montana: a study of igneous intrusion and contact metamorphism.*—U. S. Geol. Survey, Prof. Paper no. 57, 178 pp., 16 pls., 9 figs., 1907.

Describes Algonkian and Tertiary deposits and igneous rocks and the geologic structure of the region, and discusses the contact and intrusive phenomena.

150. *Origin and significance of the Mauch Chunk shale.*—Geol. Soc. America, Bull., vol. 18, pp. 449-476, 4 pls., 1 fig., December, 1907. Abstract: Science, new ser., vol. 25, p. 766, May 17, 1907.

Describes the distribution and character of the Mauch Chunk formation and discusses the mode of formation of the shale.

151. *Relations between climate and river deposits.*—Abstract: Science, new ser., vol. 25, p. 766, May 17, 1907.

Barringer, Daniel Moreau.

152. *Coon Mountain and its crater [Arizona].*—Philadelphia Acad. Nat. Sci., Proc., vol. 57, pt. 3, pp. 861-886, 1906.

Discusses the origin of this "crater."

Barringer, Daniel Moreau, and Tilghman, B. C.

153. *The geology of Coon Butte, Arizona.*—Abstract: Science, new ser., vol. 24, pp. 370-371, September 21, 1906; Am. Assoc. Adv. Sci., Proc., vol. 56-57, p. 271, 1907.

Barus, Carl.

154. *Vulcanism.*—Science, new ser., vol. 24, pp. 400-403, September 28, 1906.

Discusses the bearing of certain physical facts upon theories of vulcanism.

155. *Note on volcanic activity.*—Am. Jour. Sci., 4th ser., vol. 24, pp. 483-484, December, 1907.

Bassler, Ray S.

156. *A study of the James types of Ordovician and Silurian Bryozoa.*—U. S. Nat. Mus., Proc., vol. 30, pp. 1-66, 7 pls., 1906.

Includes a short account of the classification of Ordovician strata in the vicinity of Cincinnati, Ohio.

157. *The bryozoan fauna of the Rochester shale.*—U. S. Geol. Survey, Bull. no. 292, 136 pp., 31 pls., 1906.

Discusses the distribution and correlation of Niagaran bryozoan faunas and gives systematic descriptions of the Bryozoa of the Rochester shales of New York and Ontario.

158. *Cement and cement materials [of Virginia].*—In Watson, T. L., *Mineral Resources of Virginia*, pp. 86-167, 10 pls., 14 figs., 1907.

New American Paleozoic Ostracoda. Notes and descriptions of upper Carboniferous genera and species.—See Ulrich and Bassler, no. 2412.

Bastin, Edson S.

159. *Some unusual rocks from Maine.*—Jour. Geology, vol. 14, no. 3, pp. 173-187, 2 figs., 1906.

Describes the occurrence and petrographic characters of prowerose, albite-pyroxene syenite, cortlandite, and porphyritic granite.

160. *The lime industry of Knox County, Me.*—U. S. Geol. Survey, Bull. no. 285, pp. 393-400, 3 figs., 1906.

Describes the distribution, utilization, general character, and mode of occurrence of the limestones of Knox County, Me.

161. *Clays of the Penobscot Bay region, Maine.*—U. S. Geol. Survey, Bull. no. 285, pp. 428-431, 1906.

Describes the distribution, age, origin, utilization, and composition.

Bastin, Edson S.—Continued.

162. Feldspar and quartz deposits of Maine.—U. S. Geol. Survey, Bull. no. 315, pp. 383-393, 1907.

163. Feldspar and quartz deposits of southeastern New York.—U. S. Geol. Survey, Bull. no. 315, pp. 394-399, 1907.

Description of the Penobscot Bay quadrangle.—See Smith and others, no. 2241.

The production in the United States in 1906 of quartz (flint) and feldspar.—See no. 2419.

Bateson, Charles E. W.

164. The Mojave mining district of California.—Am. Inst. Min. Eng., Bi-Mo. Bull. no. 7, pp. 65-82, 9 figs., January, 1906; Trans., vol. 37, pp. 160-177, 9 figs., 1907.

Describes the topography of the region, the rocks and their origin, and the vein system.

Bather, F. A.

165. Charles Emerson Beecher.—London, Geol. Soc., Quart. Jour., vol. 61, Proc., pp. xlix-1, 1905.

A brief account of his scientific work.

166. The species of *Botryocrinus*.—Ottawa Naturalist, vol. 20, no. 5, pp. 93-104, August, 1906.

Bauer, L. A.

167. Magnetograph records of earthquakes with special reference to the San Francisco earthquake, April 18, 1906.—Terrestrial Magnetism and Atmospheric Electricity, vol. 11, no. 3, pp. 135-144, 2 figs., September, 1906.

168. Seismograph and magnetograph records of the San Francisco earthquake, April 18, 1906.—Pop. Sci. Monthly, vol. 69, no. 2, pp. 116-127, 2 figs., August, 1906.

Bauer, L. A., and Burbank, J. E.

169. The San Francisco earthquake of April 18, 1906, as recorded by the Coast and Geodetic Survey magnetic observatories.—Nat. Geog. Mag., vol. 17, no. 5, pp. 298-300, May, 1906.

Bawden, H. Heath.

170. Clarence Luther Herrick.—Denison Univ., Sci. Lab., Bull., vol. 13, art. 1, pp. 14-27, 1905.

Becker, George Ferdinand.

171. Present problems of geophysics.—Congress of Arts and Science, Universal Exposition, St. Louis, 1904, vol. 4, pp. 508-522, 1906.

172. Methods of igneous intrusion.—Abstract: Science, new ser., vol. 25, p. 622, April 19, 1907.

173. Current theories of slaty cleavage.—Am. Jour. Sci., 4th ser., vol. 24, pp. 1-17, 6 figs., July, 1907. Abstract: Science, new ser., vol. 25, pp. 967-968, June 21, 1907.

Beede, Joshua W.

174. Fauna of the Salem limestone: Foraminifera and Anthozoa.—Indiana, Dept. Geol. and Nat. Res., 30th Ann. Rept., pp. 1201-1218, illus., 1906.

175. Fauna of the Salem limestone: Echinoderma.—Indiana, Dept. Geol. and Nat. Res., 30th Ann. Rept., pp. 1243-1270, illus., 1906.

176. Fauna of the Salem limestone: Vermes.—Indiana, Dept. Geol. and Nat. Res., 30th Ann. Rept., pp. 1271-1273, illus., 1906.

177. Fauna of the Salem limestone: Brachiopoda.—Indiana, Dept. Geol. and Nat. Res., 30th Ann. Rept., pp. 1297-1322, illus., 1906.

Beede, Joshua W.—Continued.

178. Fauna of the Salem limestone: Pelecypoda.—Indiana, Dept. Geol. and Nat. Res., 30th Ann. Rept., pp. 1323-1334, illus., 1906.

179. A correction.—Science, new ser., vol. 24, p. 594, November 9, 1906.

Calls attention to a misstatement in his paper on the Foraminifera and Anthozoa printed in the 30th Annual Report of the Department of Geology and Natural Resources of Indiana.

180. Invertebrate paleontology of the upper Permian Red Beds of Oklahoma and the Panhandle of Texas.—Kansas Univ., Sci. Bull., vol. 4, no. 3, pp. 113-171, 4 pls., 2 figs., March, 1907.

Reviews the literature upon the Red Beds of Oklahoma, discusses their age and correlation, and gives descriptions of the fossils collected.

Fauna of the Salem limestone: Introduction.—See Cumings and Beede, no. 301.

Beede, Joshua W., and Rogers, Austin F.

181. Coal measures faunal studies, IV. Upper coal measures, Neosho River section.—Kansas Univ., Sci. Bull., vol. 3, no. 10, pp. 375-388, 1906.

Gives lists of fossils from the various formations of the coal measures of Kansas.

Beede, J. W., and Shannon, Charles W.

182. [Iron ores of] Martin County [Indiana].—Indiana, Dept. Geol. and Nat. Res., 31st Ann. Rept., pp. 383-424, 1907.

Beeler, Henry C.

183. The north Laramie Peak copper district in Converse, Albany, and Laramie counties, Wyoming. Cheyenne, Wyo., July 1, 1904. 16 pp.

Gives an account of the geology, copper-ore deposits, and mining developments.

184. A brief review of the South Pass gold district, Fremont County, Wyo. Second edition, July 15, 1904. 16 pp.

Includes a brief account of the geology of the district.

185. Mining in the Grand Encampment copper district, Carbon and Albany counties, Wyoming. Cheyenne, September 1, 1905. 32 pp., 1 fig.

Includes a brief account of the geology, and of the occurrence and character of the ore deposits.

186. Mineral and allied resources of Albany County, Wyoming. Laramie, Wyoming, 1906. 80 pp., illus.

Includes notes on the occurrence of various ores.

Behr, Ernest E.

187. The mines of Bolanos, old Mexico.—California Jour. Tech., vol. 10, no. 4, pp. 11-14, November, 1907.

Bell, J. J.

188. The Cassiar coal fields in British Columbia.—Eng. and Min. Jour., vol. 83, p. 1007, 3 figs., May 25, 1907.

Bell, J. M.

189. The possible granitization of acidic lower Huronian schists on the north shore of Lake Superior.—Jour. Geology, vol. 14, no. 3, pp. 233-242, 1906.

Describes the occurrence, character, and relations of the rocks, and discusses the origin of granitic pebbles in Huronian conglomerate through granitization of schists.

Bell, Robert.

190. Summary report of the Geological Survey Department of Canada for the calendar year 1905. Ottawa, 1906. 144 pp., 2 maps, 3 pls.

Outlines the work of the survey during the year 1905. Includes various data relating to the geology of Canada. [The reports by various members of the staff have been listed under the individual authors.]

Bell, Robert—Continued.

191. [Report on] the Cobalt mining district.—Canada, Geol. Survey, Summ. Rept. for 1905, pp. 94-104, 3 pls., 1906; Canadian Min. Rev., vol. 27, no. 4, pp. 116-124, October, 1906.

Gives an account of the general geology of the area, the occurrence, and character of the silver ores, and the mining operations.

192. Cobalt district and northward.—Canada, Geol. Survey, Summ. Rept. for 1906, pp. 110-112, 1906.

Gives notes on the occurrence of the ores containing silver, nickel, and cobalt.

193. The occurrence of diamonds in the drift of some of the northern States.—Eng. and Min. Jour., vol. 82, p. 819, November 3, 1906; Canadian Min. Inst., Jour., vol. 9, pp. 124-127, 1906.

Discusses the possible sources of the diamonds found in drift and the movement of the drift.

194. The Cobalt mining district.—Canadian Min. Jour., vol. 28, no. 10 (new ser., vol. 1, no. 8), pp. 246-248, July 1, 1907.

Describes the geology of the Cobalt district, Ontario, and the character and occurrence of the ore deposits.

Bell, Robert N.

195. Seventh annual report of the mining industry of Idaho for the year 1905.—Idaho, Rept. State Inspector of Mines, 1905, 149 pp., illus. [1906].

Contains notes on the character, occurrence, and geologic relations of ore deposits.

196. Eighth annual report of the mining industry of Idaho for the year 1906. 175 pp., illus., 1907.

Includes notes on the occurrence of ores.

197. South Mountain, Idaho.—Eng. and Min. Jour., vol. 83, pp. 283-284, 2 figs., February 9, 1907.

Describes the geologic structure and the occurrence of the ore deposits.

198. Sapphires in Idaho.—Min. World, vol. 26, p. 449, April 6, 1907.

199. The gold of the Snake River [Idaho].—Min. and Sci. Press, vol. 94, pp. 542-543, 3 figs., April 27, 1907.

Bement, A.

200. The necessity for a geological survey of Illinois.—Western Soc. Eng., Jour., vol. 10, no. 2, pp. 131-166, April, 1905.

201. Distribution of the coal beds of the State [of Illinois].—Illinois State Geol. Survey, Bull. no. 3, pp. 19-25, 1 pl., 1906.

Discusses the occurrence and mining of the workable coal seams of Illinois.

202. The Peabody atlas. Shipping mines and coal railroads of the central commercial district of the United States, accompanied by chemical, geological, and engineering data. Chicago, published by Peabody Coal Company, 1906. 149 pp., maps and illustrations.

Contains data regarding the coal fields of the United States, and the occurrence, character, and composition of the coals.

Benge, Elmer, and Wherry, Edgar T.

203. Directory of the mineral localities in and around Philadelphia.—Mineral Collector, vol. 12, pp. 1-3, 49-51, 65-67, 89-91, 105-107, 119-121, 139-142; vol. 13, pp. 7-10, 21-24, 41-43, 60-62, 65-67, 91-93, 109-111, 129-132, 151-154, 1906; vol. 13, pp. 161-163, 183-184, 1907; vol. 14, pp. 5-7, 25-27, 42, 1907.

Bensley, B. Arthur.

204. The homologies of the styler cusps in the upper molars of the Didelphidae.—Toronto Univ., Studies, Biological Series no. 5, pp. 1-13, [147-159], 1906.

Berkey, Charles P.

205. Paleogeography of Saint Peter time.—Geol. Soc. America, Bull., vol. 17, pp. 229-250, 1 pl., 6 figs., 1906.

Discusses the general character, distribution, and stratigraphic position of the Saint Peter sandstone, the textural structure and origin of the material, and the paleogeography of Saint Peter time.

206. Notes on the preglacial channels of the lower Hudson Valley as revealed by recent borings.—Abstract: Science, new ser., vol. 24, p. 691, November 30, 1906.

207. Structural and stratigraphic features of the basal gneisses of the Highlands.—New York State Mus., Bull. 107, pp. 361-378, 1 pl., 1 fig., 1907.

208. Interpretation of certain interglacial clays and their bearings upon measurement of geologic time.—Abstract: New York Acad. Sci., Annals, vol. 17, pt. 3, p. 574, 1907.

209. Paleogeography of North America during mid-Ordovician time (illustrated by maps, diagrams, and lantern views).—Abstract: New York Acad. Sci., Annals, vol. 17, pt. 3, p. 591, 1907.

The geology and petrography of the Goldfield mining district, Nevada.—See Hastings and Berkey, no. 1091.

Berry, Edward W.

210. Isolation and evolution.—Science, new ser., vol. 23, p. 34, January 5, 1906.

Includes notes on the distribution of Cretaceous plants.

211. A note on mid-Cretaceous geography.—Science, new ser., vol. 23, pp. 509-510, March 30, 1906.

212. Fossil plants along the Chesapeake and Delaware canal.—New York Bot. Garden, Jour., vol. 7, pp. 5-7, 1906.

Describes a locality in Delaware from which Cretaceous fossil plants have been collected.

213. A brief sketch of fossil plants.—New Jersey Geol. Survey, Ann. Rept. State Geol. for 1905, pp. 97-133, 8 figs., 1906.

214. The flora of the Cliffwood clays.—New Jersey Geol. Survey, Ann. Rept. State Geol. for 1905, pp. 135-172, 8 pls., 1906.

Discusses the occurrence, character, and relations of the Magothy formation in which the flora considered is found, gives lists of species from different localities and descriptions of new species.

215. Living and fossil species of *Comptonia*.—Am. Naturalist, vol. 40, pp. 485-524, 4 pls., July, 1906.

Discusses the geologic succession of forms of *Comptonia* and its characters, and gives descriptions of the species with critical notes upon them.

216. Contributions to the Mesozoic flora of the Atlantic coastal plain. I.—Torrey Bot. Club, Bull., vol. 33, no. 3, pp. 163-182, 3 pls., March, 1906.

217. Pleistocene plants from Virginia.—Torreya, vol. 6, no. 5, pp. 88-90, May, 1906.

218. Leaf-rafts and fossil leaves.—Torreya, vol. 6, no. 12, pp. 246-248, 1 fig., December, 1906.

219. Coastal-plain amber.—Torreya, vol. 7, no. 1, pp. 4-6, January, 1907.

Gives notes on the occurrence of amber; more particularly in Cretaceous beds.

220. A *Tilia* from the New Jersey Pleistocene.—Torreya, vol. 7, no. 4, pp. 80-81, April, 1907.

221. Contributions to the Mesozoic flora of the Atlantic coastal plain.—Torrey Bot. Club, Bull., vol. 34, no. 4, pp. 185-205, 6 pls., April, 1907.

Berry, Edward W.—Continued.

222. Contributions to the Pleistocene flora of North Carolina.—*Jour. Geology*, vol. 15, no. 4, pp. 338-349, 1907.

Enumerates the species occurring, with notes upon their distribution, relations, etc., and gives descriptions of new species.

223. Pleistocene plants from Alabama.—*Am. Naturalist*, vol. 41, pp. 689-700, 2 pls., 1 fig., November, 1907.

224. Paleobotanical notes.—*Johns Hopkins Univ., Circ., new ser.*, 1907, no. 7, pp. 79-82 [667-670], 1907.

225. New species of plants from the Magothy formation.—*Johns Hopkins Univ., Circ., new ser.*, 1907, no. 7, pp. 82-89 [670-677], 1 pl., 1907.

226. The stomata in *Protophyllocladus subintegrifolius* (Lesq.).—*Johns Hopkins Univ., Circ., new ser.*, 1907, no. 7, pp. 89-91 [677-679], 1907.

Berry, Edward W., and Gregory, William K.

227. *Prorosmarus allenii*, a new genus and species of walrus from the upper Miocene of Yorktown, Virginia.—*Am. Jour. Sci.*, 4th ser., vol. 21, pp. 444-450, 4 figs., June, 1906.

Berté, E.

228. Les éruptions de la Montagne Pelée. Recit et observations d'un témoin.—*La Géographie*, t. 6, no. 3, pp. 133-141, 1 fig., 1902.

Beyer, S. W.

229. Mineral production in Iowa in 1905.—*Iowa Geol. Survey*, vol. 16, pp. 17-36, 1906.

230. Supplementary report on Portland cement materials in Iowa.—*Iowa Geol. Survey, Bull.* no 3, 36 pp., 1 pl. (map), 1906.

Includes data regarding the geological formations which yield raw materials for cement manufacture and gives sections of strata shown in exposures.

231. Mineral production in Iowa in 1906.—*Iowa Geol. Survey*, vol. 17, pp. 11-25, 4 pls., 1907.

232. Physical tests of Iowa limes.—*Iowa Geol. Survey*, vol. 17, pp. 91-150, 18 pls., 1907.

Beyer, S. W., and Williams, Ira A.

233. The materials and manufacture of Portland cement.—*Iowa Geol. Survey*, vol. 17, pp. 29-89, 1907.

234. The geology of the Iowa quarry products.—*Iowa Geol. Survey*, vol. 17, pp. 201-525, 26 pls., 38 figs., 1907.

Bibbins, Arthur Barneveld.

235. Additional evidence of tropical climate on the Middle Atlantic coast during the lower Cretaceous.—*Abstract: Science*, new ser., vol. 25, pp. 297-298, February 22, 1907.

Description of the Patuxent quadrangle.—See Shattuck, and others, no. 2193.

Birge, E. A.

236. Report of the director of the survey [Wisconsin].—*Wisconsin Geol. and Nat Hist. Survey, Fifth Bienn. Rept. of the Commissioners*, pp. 9-35, 1906.

Describes the work carried on by the survey, 1904-1906.

Birkinbine, John.

237. Iron ore reserves of the United States.—*Cassier's Mag.*, vol. 32, no. 2, pp. 99-105, 2 figs., June, 1907.

The production in the United States in 1905 of iron ores and manganese ores.—See no. 2418.

Blackwelder, Eliot.

238. On the probable glacial origin of certain folded slates in southern Alaska.—*Jour. Geology*, vol. 15, no. 1, pp. 11-14, 1 fig., 1907.

Describes the position and lithologic characters of a shale or slate conglomerate near Yakutat Bay and discusses its age and mode of formation.

239. Glacial features of the Alaskan coast between Yakutat Bay and the Alsek River.—*Jour. Geology*, vol. 15, no. 5, pp. 415-433, 9 figs., 1907.

240. Reconnaissance of the Pacific coast from Yakutat to Alsek River.—Abstract: U. S. Geol. Survey, Bull. no. 314, pp. 82-88, 1907.

Describes the geologic formations and physiography.

Blake, William P.

Origin of orbicular and concretionary structure. *Am. Inst. Min. Eng., Trans.*, vol. 36, pp. 39-44, 1 pl., 1906 (*Bi-Mo. Bull.*, no. 4, pp. 677-682, 1905).—See Blake, 19, page 39 of Bulletin no. 301, U. S. Geol. Survey.

241. Origin of the depression known as Montezuma's Well, Arizona.—*Science*, new ser., vol. 24, p. 568, November 2, 1906.

242. The flanking detrital slopes of the mountains of the Southwest.—*Science*, new ser., vol. 25, pp. 975-978, June 21, 1907. Abstract: *Science*, new ser., vol. 25, p. 294, February 22, 1907.

Describes the character of these slopes in the Great Basin of Nevada and the Piedmont region of Arizona and discusses their origin.

Blatchley, Raymond S.

243. The Princeton petroleum field of Indiana.—*Indiana, Dept. Geol. and Nat. Res.*, 31st Ann. Rept., pp. 559-593, 3 figs., 1 map, 1907.

Blatchley, W. S.

244. The Indiana of nature: Its evolution.—*Indiana Acad. Sci., Proc.* 1903, pp. 33-59, 6 figs., 1904.

Describes the geologic history of Indiana.

245. The petroleum industry of southeastern Illinois.—*Illinois State Geol. Survey, Bull.* no. 2, 109 pp., 6 pls., 3 figs., 1906.

Gives a general account of the oil and gas developments of Illinois, discusses their origin and mode of occurrence, and describes in detail the oil fields in the southeastern part of the State. E. E. Grout contributes (p. 74) data regarding Randolph County and T. E. Savage (pp. 77-87) concerning the Pike County gas field.

246. The geologic distribution of the road materials of Indiana.—*Indiana, Dept. Geol. and Nat. Res.*, 30th Ann. Rept., pp. 120-160, 1906.

Describes the origin and occurrence of gravel deposits and the occurrence and geologic horizon of limestones suitable for road-making materials.

247. The natural resources of Indiana.—In *Dryer's Studies in Indiana Geography*, pp. 61-71, 1907.—See no. 745.

248. The natural resources of the State of Indiana.—*Indiana, Dept. Geol. and Nat. Res.*, 31st Ann. Rept., pp. 13-72, 3 pls., 1907.

249. The petroleum industry in Indiana in 1906.—*Indiana, Dept. Geol. and Nat. Res.*, 31st Ann. Rept., pp. 429-558, 7 figs., 1 map, 1907.

Includes a general discussion on the occurrence and origin of petroleum and conditions of accumulation.

Blatchley, W. S., and assistants.

250. The roads and road materials of Indiana.—*Indiana, Dept. Geol. and Nat. Res.*, 30th Ann. Rept., pp. 17-1057, 25 pls., 59 figs. (outline maps), 1906.

Includes notes on the geologic occurrence of road-making materials.

Böggild, O. B.

251. On some minerals from Narsarsuk at Julianehaab, Greenland.—*Meddelelser om Grönland, Hefte 33*, pp. 97-120, 10 figs., 1907; *Mineral. and Geol. Mus., Copenhagen, Contr. to Mineral.*, no. 7, 1906.

Describes physical, crystallographic, and optical characters.

Böhm, C. Richard.

252. Monazite sand.—*Eng. and Min. Jour.*, vol. 81, p. 842, May 5, 1906.

Describes the occurrence in North Carolina and South Carolina.

[Boileau, John W.]

253. Coal fields of southwestern Pennsylvania, Washington and Greene counties. Fields of coking coal located in eastern Greene and southeastern Washington counties, Pa., owned and largely controlled by Mr. J. V. Thompson. Copyright, September, 1907, by John W. Boileau. 90 pp., map and illustrations.

Includes a description of the geologic structure of the area.

Bonsteel, Jay A.

254. The soils of St. Mary's County [Maryland].—*Maryland Geol. Survey, St. Mary's County*, pp. 125-146, 1907.

Bonsteel, Jay A., and Burke, R. T. Avon.

255. The soils of Calvert County [Maryland].—*Maryland Geol. Survey, Calvert County*, pp. 135-167, 1907.

Bordeaux, Albert.

256. Les mines d'or de la Californie.—*Revue univ. des Mines*, 3^e sér., t. 53, pp. 30-82, 245-307, 1901.

Includes an account of the occurrence of the ores.

Böse, Emilio.

257. Sobre algunas faunas terciarias de México.—*México, Inst. Geol., Bol.*, no. 22, 97 pp., 12 pls., 1906.

Describes Mollusca from Tertiary beds of Mexico.

258. La fauna de Moluscos del Senoniano de Cárdenas, San Luis Potosí [México].—*México, Inst. Geol., Bol.*, no. 24, 95 pp., 18 pls., 1906.

Discusses stratigraphic position and correlation of the beds from which the fauna described was derived, and gives systematic descriptions of the Mollusca.

259. Excursions à Chavarrillo, Santa Maria Tatetla, Vera Cruz, et Orizaba [México].—*X^e Congr. géol. intern., Guide des Excursions, Mexico*, no. II, 11 pp., 1 pl., 1906.

Describes the geology of the country along the route traveled.

260. Excursions aux mines de soufre de la Sierra de Banderas [México].—*X^e Congr. géol. intern., Guide des Excursions, Mexico*, no. XIX, 8 pp. 2 figs., 1906.

Describes the occurrence of sulphur deposits.

261. Excursion au Cerro de Muleros près ciudad Juarez (Chihuahua).—*X^e Congr. géol. intern., Guide des Excursion, Mexico*, no. XX, 24 pp., 6 pls. (incl. geol. map and sections), 1906.

262. Excursion dans les environs de Parras [México].—*X^e Congr. géol. intern., Guide des Excursions, Mexico*, no. XXIII, 16 pp., 6 pls. (incl. geol. map and sections).

263. Excursions dans les environs de Monterrey et Saltillo [México].—*X^e Congr. géol. intern., Guide des Excursions, Mexico*, no. XXIX, 17 pp., 3 pls., 1906.

Describes the geology of the region.

Böse, Emilio—Continued.

264. De San Luis Potosí à Tampico [México].—X^e Congr. géol. intern., Guide des Excursions, Mexico, no. XXX, 16 pp., 6 figs., 1906.

Describes the geology along the route of travel.

265. Excursion à l'Isthme de Tehuantepec.—X^e Congr. géol. intern., Guide des Excursions, Mexico, no. XXXI, 40 pp., 1 pl., 1906.

An account of the geology of the region.

266. Nota preliminar sobre la fauna pliocénica de Santa María Tatetla, Ver.—Soc. Geol. Mexicana, Bol., t. 2, no. 2, pp. 51-64, 1906.

Gives an account of a Pliocene fauna from Santa María Tatetla, State of Vera Cruz, Mexico.

267. Sobre algunos fósiles pleistocénicos recogidos por el Sr. Dr. E. Angermann en la Baja California.—Mexico, Inst. Geol., Parergones, t. 2, no. 2, pp. 41-45, 1907.

Describes Pleistocene mollusks from Lower California referred to the genera *Pecten* and *Fasciolaria*.

268. Un appareil perfectionné pour la reproduction photographique des sutures d'ammonites et d'ambulacres des oursins.—Soc. cient. "Antonio Alzate," Mem. y Rev., t. 24, no. 12, pp. 467-475, 4 figs., June, 1907.

Describes a method for the photographic reproduction of the sutures of ammonites and similar structures.

Böse, Emilio, and Vigier, Victor von.

269. Sobre la aplicacion de la potasa caustica a la preparacion de fosiles.—Mexico, Inst. Geol., Parergones, t. 2, no. 2, pp. 49-59, 1907.

Describes the method of cleaning fossils by caustic potash and the chemical reactions of the process.

Boule, Marcellin, and Thevenin, A.

270. Types du Prodrôme de Paléontologie stratigraphique universelle de D'Orbigny.—Ann. de Paléont., t. 1, fasc. 1-2, pp. 1-4 (97-101), fasc. 3, pp. 5-12 (165-172), 4 pls., 1906.

Includes figures of and remarks upon the types of fossils described by D'Orbigny from Cincinnati, Ohio, and from the Falls of the Ohio.

Boutwell, John M.

Genesis of the ore deposits at Bingham, Utah.—Am. Inst. Min. Eng., Trans., vol. 36, pp. 541-580, 13 figs., 1906 (Bi-Mo. Bull., no. 6, pp. 1153-1192, 1905).—See Boutwell, 14, page 43 of Bulletin no. 301, U. S. Geol. Survey.

271. Stratigraphy and structure of the Park City mining district, Utah.—Jour. Geology, vol. 15, no. 5, pp. 434-458, 1907.

Describes the general geology, the character, occurrence, and relations of Carboniferous, Triassic, and Jurassic strata, and the geologic structure.

The production in the United States in 1906 of lead and zinc, and of quick-silver.—See no. 2419.

Bovard, John F.

272. Notes on Quaternary Felidae from California.—California Univ., Dept. Geol., Bull., vol. 5, no. 10, pp. 155-170, 2 pls., 1907.

Bowers, Stephen.

273. Reconnaissance of the Colorado Desert mining district.—California State Min. Bur., 1901. 12 pp.

Describes the geology of the region and the oil developments.

Bowman, H. L.

274. Note on the refractive indices of pyromorphite, mimetite, and vanadinite.—*Mineralog. Mag.*, vol. 13, pp. 324-329, December, 1903.

Bowman, Isaiah.

275. Northward extension of the Atlantic preglacial deposits.—*Am. Jour. Sci.*, 4th ser., vol. 22, pp. 313-325, 3 figs., October, 1906.

276. Problems of water contamination.—*U. S. Geol. Survey, W.-S. and Irrig. Paper no. 160*, pp. 92-95, 1906.

The discussion has especial reference to underground waters.

Well records on Long Island.—See Veatch and Bowman, no. 2441.

Bowman, Isaiah, and Reeds, Chester Albert.

277. Water resources of the East St. Louis district.—*Illinois State Geol. Survey, Bull. no. 5*, 128 pp., 4 pls. (incl. 1 map), 11 figs., 1907.

Describes physiographic features, the stratigraphy, and the water resources.

Bownocker, John Adams.

278. Salt deposits and the salt industry in Ohio.—*Ohio Geol. Survey, 4th ser., Bull. no. 8*, 42 pp., 6 figs., 1906.

Reviews the salt industry in Ohio and describes present operations. Includes notes on the composition of the brines, the geological horizon of the salt beds, and well records.

Bowron, William M.

The origin of Clinton red fossil-ore in Lookout Mountain, Alabama.—*Am. Inst. Min. Eng., Trans.*, vol. 36, pp. 587-604, 3 figs., 1906 (*Bi-Mo. Bull. no. 6*, pp. 1245-1262, 3 figs., 1905).—See Bowron, 1, page 44 of Bulletin no. 301, U. S. Geol. Survey.

Boyle, O. M., Jr.

279. The Greenwater mining district, California.—*California Jour. Tech.*, vol. 10, no. 1, pp. 29-32, 2 figs., August, 1907.

Boynton, C. H.

280. The Little Rockies mining district.—*Eng. and Min. Jour.*, vol. 81, p. 181, 2 figs., January 27, 1906.

Describes the general geology and the occurrence and character of the gold ores.

Branner, John C.

281. Geology in its relation to topography.—*In* Beahan, Willard, *The Field Practice of Railway Location*, Chapter 5, pp. 115-141, 19 figs., 1904.

282. The university training of engineers in economic geology.—*Econ. Geology*, vol. 1, no. 3, pp. 289-294, December-January, 1905-1906.

283. A bibliography of clays and the ceramic arts. Published by the Am. Ceramic Soc., 1906. 451 pp.

284. [Fault lines in the Santa Cruz Mountains, California.]—*Min. and Sci. Press*, vol. 92, p. 347, May 26, 1906.

Discusses the movements along the fault lines which produced the California earthquake.

285. The California earthquake: movements along the Santa Cruz fault line.—*Palo Alto*, May 1, 1906 [not seen]; *Eng. News*, vol. 55, no. 20, p. 542, May 17, 1906; *Mines and Minerals*, vol. 26, no. 12, p. 536, July, 1906.

286. The relations of the drainage of the Santa Clara Valley, California, to that of the Pajaro River.—Abstract: *Science*, new ser., vol. 24, pp. 369-370, September 21, 1906; *Am. Assoc. Adv. Sci., Proc.*, vol. 56-57, p. 270, 1907.

Branner, John C.—Continued.

287. Correspondence relating to the survey of the coal fields of Arkansas.—Science, new ser., vol. 24, pp. 532-537, October 26, 1906.

288. The policy of the U. S. Geological Survey and its bearing upon science and education.—Science, new ser., vol. 24, pp. 722-728, December 7, 1906.

289. A drainage peculiarity of the Santa Clara Valley [California] affecting fresh-water faunas.—Jour. Geology, vol. 15, no. 1, pp. 1-10, 1907.

Discusses various data regarding the physiographic features of the region and changes in elevation in explanation of the present distribution of fresh-water faunas.

Geology and the earthquake.—See Jordan, no. 1325.

Branson, E. B.

290. Fish remains from the Salem limestone of Indiana.—Indiana, Dept. Geol. and Nat. Res., 30th Ann. Rept., pp. 1376-1394, 1906.

Breger, C. L.

291. On *Eodevonaria*, a new sub-genus of *Chonetes*.—Am. Jour. Sci., 4th ser., vol. 22, pp. 534-536, December, 1906.

Brewer, William M.

292. Some observations relative to the occurrence of deposits of copper ore on Vancouver Island, and other portions of the Pacific coast.—Canadian Min. Inst., Jour., vol. 9, pp. 39-48, 1906.

Describes the mode of occurrence of the copper ores.

Brinsmade, Robert B.

293. Talc in northern New York.—Eng. and Min. Jour., vol. 80, pp. 1155-1157, 3 figs., December 23, 1905.

Describes the occurrence, character, and origin of talc deposits.

294. Hematite mining in New York.—Eng. and Min. Jour., vol. 82, pp. 493-495, 554-556, illus., 1906.

Includes a brief account of the geology, occurrence, and origin of the ores.

295. Kelly, New Mexico. A zinc camp whose ores have been made available by modern metallurgical methods.—Mines and Minerals, vol. 27, no. 2, pp. 49-53, 5 figs., September, 1906.

Describes the local geology and the occurrence of the ores.

296. Lead deposits in northern Kentucky.—Eng. and Min. Jour., vol. 83, pp. 658-659, 2 figs., April 6, 1907.

Includes a short account of the local geology.

297. A curious deposit of cerussite in Colorado.—Eng. and Min. Jour., vol. 83, pp. 844-845, 1 fig., May 4, 1907.

298. Lead-silver deposits of Mowry, Arizona.—Mines and Minerals, vol. 27, no. 12, pp. 529-531, 5 figs., July, 1907.

299. Copper mining at Bisbee, Arizona.—Mines and Minerals, vol. 27, no. 7, pp. 289-293, 5 figs., February, 1907.

Describes the geology and the occurrence of the ores.

300. Tombstone, Arizona, restored.—Mines and Minerals, vol. 27, no. 8, pp. 371-374, 8 figs., March, 1907.

Includes notes on the geology of the region and the occurrence of the ores.

301. The Cananea copper deposits [Mexico].—Mines and Minerals, vol. 27, no. 9, pp. 422-424, no. 10, pp. 465-469, 8 figs., 1907.

302. Mining at Bingham, Utah: history and geology of the region.—Mines and Minerals, vol. 28, no. 3, pp. 90-93, no. 4, pp. 105-108, 7 figs., 1907.

British Columbia.

Annual report of the minister of mines for the year ending 31st December, 1904, being an account of mining operations for gold, coal, etc., in the Province of British Columbia. Victoria, B. C., 1905.—See Robertson, no. 2072.

Annual report of the minister of mines for the year ending 31st December, 1905, being an account of mining operations for gold, coal, etc., in the Province of British Columbia. Victoria, B. C., 1906.—See Robertson, no. 2073.

Annual report of the minister of mines for the year ending 31st December, 1906, being an account of mining operations for gold, coal, etc., in the Province of British Columbia. Victoria, B. C., 1907.—See Robertson, no. 2077.

Brittain, Doss.

303. The new sheet ground of the Joplin district.—Min. World, vol. 27, pp. 841-844, 6 figs., November 9, 1907.

Britton, Elizabeth G., and Hollick, Arthur.

304. American fossil mosses, with description of a new species from Florissant, Colo.—Torrey Bot. Club, Bull., vol. 34, pp. 139-142, 1 pl., 1907. New York Bot. Garden, Contr. no. 93, 1907. Abstract: Science, new ser., vol. 25, p. 292, February 22, 1907.

Broadhead, Garland C.

305. Cone in cone.—Science, new ser., vol. 26, p. 597, November 1, 1907.

Discusses the occurrence and origin of cone in cone structure.

Brock, R. W.

306. Preliminary report on the Rossland, B. C., mining district.—Canada, Geol. Survey, 1906. 40 pp.

Gives a general description of the area, an outline of its geologic history, and an account of the occurrence, relations, and mining of the ores.

307. On operations in the Rossland, B. C., mining district.—Canada; Geol. Survey, Summ. Rept. for 1906, pp. 56-65, 1906.

Includes notes on the occurrence of gold, silver, and copper ores.

308. The Larder Lake district.—Ontario, Bureau of Mines, 16th Ann. Rept., vol. 16, pt. 1, pp. 202-218, 15 figs., 1 map, 1907.

Describes the geology of the region and the occurrence of gold ores.

309. The geology and ore deposits of Franklin Camp, British Columbia.—Canadian Min. Jour., vol. 28, no. 10 (new ser., vol. 1, no. 8), pp. 233-236, July 1, 1907.

Brooks, Alfred H.

The outlook for coal mining in Alaska.—Am. Inst. Min. Eng., Trans., vol. 36, pp. 489-507, 1 fig., 1906 (Bi-Mo. Bull., no. 4, pp. 683-702, 1 fig., 1905).—See Brooks, 14, page 49 of Bulletin no. 301, U. S. Geol. Survey.

310. The geologic survey of Alaska.—Pop. Sci. Monthly, vol. 68, no. 1, pp. 42-54, 3 figs., January, 1906.

Reviews the progress of geologic investigation in Alaska.

311. The mineral resources of Alaska.—Am. Min. Cong., 8th Ann. Sess., pp. 194-214, 1906.

312. Recent publications on Alaska and Yukon Territory.—Econ. Geology, vol. 1, no. 4, pp. 340-359, 1 fig., 1906.

Summarizes recent publications bearing upon the economic geology of Alaska and Yukon Territory.

Brooks, Alfred H.—Continued.

313. The geology and geography of Alaska. A summary of existing knowledge.—U. S. Geol. Survey, Prof. Paper, no. 45, 327 pp., 34 pls., 6 figs., 1906. Abstract: Science, new ser., vol. 25, pp. 946-947, June 14, 1907.

Describes the physiographic features, the general geologic structure and stratigraphy, the geologic history, and the geomorphology.

314. Report on progress of investigations of mineral resources of Alaska in 1905. Administrative report.—U. S. Geol. Survey, Bull. no. 284, pp. 1-3, 1906.

315. The mining industry [in Alaska] in 1905.—U. S. Geol. Survey, Bull. no. 284, pp. 4-9, 1 pl., 1906.

Contains notes on the occurrence of mineral resources.

316. Report on progress of investigations of mineral resources of Alaska in 1906. Administrative report.—U. S. Geol. Survey, Bull. no. 314, pp. 11-18, 1907.

Gives an outline of geologic work in Alaska in 1906 and a list of publications by the U. S. Geological Survey on Alaska issued in 1906.

317. The mining industry [in Alaska] in 1906.—U. S. Geol. Survey, Bull. no. 314, pp. 19-39, 1 pl., 1907.

318. The Kougarak region [Alaska].—U. S. Geol. Survey, Bull. no. 314, pp. 164-181, 1 fig., 1907.

Describes the general geology and the distribution of auriferous gravels.

319. The Circle precinct [Alaska].—U. S. Geol. Survey, Bull. no. 314, pp. 187-204, 1907.

Describes the general geologic features, the distribution of gold-bearing gravels, and an occurrence of coal.

320. Geologic reconnaissance map of Alaska.—Abstract: Geol. Soc. America, Bull., vol. 17, pp. 695-700, 1907.

Gives an outline of the stratigraphy and geologic structure.

Production of gold and silver in 1905 in Alaska.—See no. 2418.

The production in Alaska in 1906 of gold and silver.—See no. 2419.

Brooks, Alfred H., and Kindle, E. M.

321. The Paleozoic section of the upper Yukon.—Abstract: Science, new ser., vol. 25, pp. 181-182, February 1, 1907.

Brooks, Alfred H., and others.

Report on progress of investigations of mineral resources of Alaska in 1905.—U. S. Geol. Survey, Bull. no. 284, 169 pp., 14 pls., 10 figs., 1906.

The papers in this report have been listed under the individual authors.

Report on progress of investigations of mineral resources in Alaska in 1906.—U. S. Geol. Survey, Bull. no. 314, 235 pp., 4 pls., 9 figs., 1907.

The papers in this report have been listed under the individual authors.

Brown, Barnum.

322. The osteology of *Champsosaurus* Cope.—Am. Mus. Nat. Hist., Mem., vol. 9, pt. 1, pp. 1-26, 5 pls., December, 1905.

323. New notes on the osteology of *Triceratops*.—Am. Mus. Nat. Hist., Bull., vol. 22, pp. 297-300, 1 pl., 2 figs., 1906.

324. Gastroliths.—Science, new ser., vol. 25, p. 392, March 8, 1907.

Discusses the occurrence of pebbles which have been entitled "gastroliths."

325. The Hell Creek beds of the upper Cretaceous of Montana: their relation to contiguous deposits, with faunal and floral lists, and a discussion of their correlation.—Am. Mus. Nat. Hist., Bull., vol. 23, pp. 823-845, 8 figs., 1907.

Brown, Calvin S.

326. Lignite of Mississippi.—Mississippi State Geol. Survey, Bull. no. 3, 71 pp., 1907.

Brown, Charles W.

327. The Jamaica earthquake.—Pop. Sci. Monthly, vol. 70, no. 5, pp. 385-493, 18 figs., May, 1907; Scottish Geog. Mag., vol. 23, no. 10, pp. 535-543, October, 1907.

Description of the Penobscot Bay quadrangle.—See Smith and others, no. 2241.

Brown, F. A.

328. A contribution to Madison County geology.—Iowa Acad. Sci., vol. 13, pp. 203-206, 1906.

Gives a general section of the Missourian of Madison County, Iowa, with notes, and a list of fossils identified.

Brown, Harriet Connor.

329. Report on the mineral resources of Cuba in 1901.—Civil Report of Brigadier-General Leonard Wood, Military Governor of Cuba, January 1st to May 20th, 1902, vol. 5, pt. 2, 121 pp., 12 pls., [1902?].

"Prepared by Harriet Connor Brown, of the Division of mining and mineral resources, under the direction of Dr. David T. Day, of the United States Geological Survey, Washington, D. C., for Brigadier-General Leonard Wood, Military Governor of Cuba. Press of Guggenheimer, Weil & Co., Baltimore."

Brown, R. Gilman.

330. The vein-system of the Standard mine, Bodie, Cal.—Am. Inst. Min. Eng., Bi-Mo. Bull., no. 16, pp. 587-601, 5 figs., July, 1907.

Brown, Richard H.

331. Record of borehole no. 1 of the Standard Coal and Railway Company, limited, about one mile north of Halfway River Lake, Cumberland Co., N. S.—Nova Scotia Min. Soc., Jour., vol. 10, pp. 162-169, 1907.

Contains records of the strata passed through in drilling.

Brown, Robert Marshall.

332. The movement of load in streams of variable flow.—Am. Geog. Soc., Bull., vol. 39, no. 3, pp. 147-158, March, 1907.

Brown, Thomas C.

333. Columbia field work in 1905 intercollegiate field courses in geology.—Science, new ser., vol. 23, pp. 587-590, April 13, 1906.

Describes the itinerary of a field trip in New York. Includes notes upon Ordovician, Silurian, and Devonian formations of New York.

334. Developmental stages in *Streptelasma rectum*, Hall.—Am. Jour. Sci., 4th ser., vol. 23, pp. 277-284, 13 figs., April, 1907.

335. A new Tertiary fauna from the Atlantic coast province.—Abstract: New York Acad. Sci., Annals, vol. 17, pt. 3, pp. 596-597, 1907.

Browne, David H.

336. Notes on the origin of the Sudbury ores.—Econ. Geology, vol. 1, no. 5, pp. 467-475, 1906.

Presents evidence to show the magmatic segregation origin of the Sudbury nickel and copper ores.

Brues, Charles T.

337. Fossil parasitic and phytophagous Hymenoptera from Florissant, Colorado.—Am. Mus. Nat. Hist., Bull., vol. 22, pp. 491-498, 7 figs., 1906.

Brunton, D. W.

Geological mine maps and sections.—Am. Inst. Min. Eng., Trans., vol. 36, pp. 508-540, 14 figs., 1906 (Bi-Mo. Bull. no. 5, pp. 1027-1031, 14 figs., 1905).—See Brunton, 1, page 51 of Bulletin no. 301, U. S. Geol. Survey.

Brumell, H. P. H.

338. Canadian graphite.—*Canadian Min. Jour.*, vol. 28, no. 8 (new ser., vol. 1, no. 6), pp. 163-171, 7 figs., June 1, 1907.

Includes notes on the occurrence and origin of graphite.

Bucke, Horace W.

339. The meaning of striations.—*Min. and Sci. Press*, vol. 94, p. 432, April 16, 1907.

Discusses the occurrence of ores.

Buckley, Ernest Robertson.

340. Biennial report of the state geologist.—*Missouri Bur. Geol. and Mines*, 57 pp. [1906].

An administrative report. Reviews the work of the bureau for the years 1905 and 1906.

341. The geology of the Granby area.—*Econ. Geology*, vol. 2, no. 3, pp. 311-314, 1907.

342. The genesis of the lead and zinc ores of the Mississippi Valley.—*Econ. Geology*, vol. 2, no. 4, pp. 427-433, June, 1907.

343. [Review of] Joplin District folio by W. S. T. Smith and C. E. Sieben-thal.—*Econ. Geology*, vol. 2, no. 5, pp. 518-529, 1907.

344. [Review of] Zinc and lead deposits of the Upper Mississippi Valley, by H. F. Bain (U. S. Geol. Survey, Bull. no. 294).—*Econ. Geology*, vol. 2, no. 6, pp. 617-624, 1907.

345. Public roads, their improvement and maintenance.—*Missouri Bur. Geol. and Mines*, 2d ser., vol. 5, 124 pp., 30 pls. [1907].

Includes an account of the occurrence and character of the road-making materials.

Buckley, Ernest Robertson, and Buehler, H. A.

346. The geology of the Granby area [Missouri].—*Missouri Bur. Geol. and Mines*, 2d ser., vol. 4, 120 pp., 42 pls., 3 figs. [1906].

Gives a history of the lead and zinc mining and of the geologic investigation of the area, particularly with reference to the origin of the ores; describes the topography and general geology, the occurrence and character of the minerals, rocks, and ore bodies, and the mining operations; and discusses the origin of the lead and zinc and the chemistry of the ore deposits.

Buckman, S. S.

347. Brachiopod nomenclature.—*Science*, new ser., vol. 24, pp. 742-743, December 7, 1906.

Discusses the nomenclature and genotypes of some genera of brachiopods.

Buehler, H. A.

The geology of the Granby area.—See Buckley and Buehler, no. 346.

Bullock, William Starr.

348. Copper deposits at Ely, Nevada.—*Mines and Minerals*, vol. 27, no. 11, pp. 518-520, 2 figs., June, 1907.

Burbank, J. E.

The San Francisco earthquake of April 18, 1906, as recorded by the Coast and Geodetic Survey magnetic observations.—See Bauer and Burbank, no. 169.

Burchard, Ernest F.

349. The requirements of sand and limestone for glass making.—*U. S. Geol. Survey, Bull.* no. 285, pp. 452-458, 1906.

Describes the chemical and physical properties of sand and lime rock suitable for glass making.

Burchard, Ernest F.—Continued.

350. Glass sand of the middle Mississippi basin.—U. S. Geol. Survey, Bull. no. 285, pp. 459-472, 1906.

Describes the glass-making industry of the region, the methods of preparation of the sand and its composition and physical properties, glass-sand deposits in use in Illinois and in Missouri, and undeveloped deposits in Missouri, Arkansas, Kansas, and Wisconsin.

351. The Clinton or red ores of the Birmingham district, Alabama.—U. S. Geol. Survey, Bull. no. 315, pp. 130-151, 1907.

352. The brown iron ores of the Russellville district, Alabama.—U. S. Geol. Survey, Bull. no. 315, pp. 152-160, 1907.

353. Portland cement materials near Dubuque, Iowa.—U. S. Geol. Survey, Bull. no. 315, pp. 225-231, 1907.

354. Glass-sand industry of Indiana, Kentucky, and Ohio.—U. S. Geol. Survey, Bull. no. 315, pp. 361-376, 1907.

355. Notes on various glass sands, mainly undeveloped.—U. S. Geol. Survey, Bull. no. 315, pp. 377-382, 1907.

356. Southern red hematite as an ingredient of metallic paint.—U. S. Geol. Survey, Bull. no. 315, pp. 430-434, 1907.

Discusses the occurrence and geologic relations of hematite ores in Georgia and Tennessee.

Description of the Lancaster and Mineral Point quadrangles.—See Grant and Burchard, no. 1021.

The production in the United States in 1906 of bauxite and aluminum; of glass sand, sand, and gravel; and of fluorspar and cryolite, gypsum, and gypsum products and barytes.—See no. 2419.

Burckhardt, Carlos.

357. Géologie de la Sierra de Concepción del Oro [México].—X^e Congr. géol. intern., Guide des Excursions, Mexico, no. XXIV, 24 pp., geol. map, 1906.

358. Géologie de la Sierra de Mazapil et Santa Rosa [México].—X^e Congr. géol. intern., Guide des Excursions, Mexico, no. XXVI, 40 pp., 17 pls. (incl. 2 geol. maps), 1906.

359. La faune jurassique de Mazapil avec un appendice sur les fossiles du crétacique inférieur.—México, Inst. Geol., Bol. no. 23, 216 pp., 43 pls., 1906.

360. Sobre el descubrimiento del Trias marino en Zacatecas.—Soc. Geol. Mexicana, Bol., t. 2, pp. 43-45, 1906.

Describes the occurrence of marine Triassic deposits in Zacatecas, Mexico.

361. Sobre las rocas fosforíticas de las Sierras de Mazapil y Concepción del Oro, Zacatecas.—México, Inst. Geol., Parergones, t. 2, no. 2, pp. 63-67, 1 pl., 1907.

Describes the occurrence and composition of phosphatic rock in the State of Zacatecas, Mexico.

362. Sur le climat de l'époque jurassique.—Soc. cient. "Antonio Alzate," Mem. y Rev., t. 25, no. 1, pp. 45-49, July, 1907.

Burckhardt, Carlos, and Scalia, S.

363. Géologie des environs de Zacatecas.—X^e Congr. géol. intern., Guide des Excursions, Mexico, no. XVI, 25 pp., 11 pls. (incl. geol. map and sections), 1906.

Burrows, A. G.

364. Eldorado copper mine [Ontario].—Canadian Min. Jour., vol. 28, no. 5 (new ser., vol. 1, no. 3), p. 76, 1 fig., April 15, 1907.

Burrows, R. H.

365. The Lluvia de Oro district, Mexico.—Min. and Sci. Press, vol. 94, pp. 664-667, 4 figs., May 25, 1907.

Gives notes upon the geology and the character and occurrence of the gold ores.

Bustamante, M.

366. Ligero estudio sobre los pozos de "El Ébano," explotados por la Mexican Petroleum Co.—Soc. Geol. Mexicana, Bol., t. 2, pp. 111-131, 1 pl., 1906.

Describes the occurrence of the petroleum at Ebano, in the State of San Luis Potosí, Mexico.

Butts, Charles.

367. The Devonian section near Altoona, Pennsylvania.—Jour. Geology, vol. 14, no. 7, pp. 618-630, 9 figs., 1906.

Describes the occurrence, relations, and lithologic characters of Devonian formations near Altoona, Pa.

368. Economic geology of the Kittanning and Rural Valley quadrangles, Pennsylvania.—U. S. Geol. Survey, Bull. no. 279, 198 pp., 11 pls., 14 figs., 1906.

Describes the topography, geologic structure, occurrence, character, and relations of Carboniferous strata and Quaternary deposits, and the mineral resources, chiefly coal, petroleum, natural gas, and clays.

369. The Warrior coal basin in the Birmingham quadrangle, Alabama.—U. S. Geol. Survey, Bull. no. 285, pp. 211-222, 1 pl. (map), 1906.

Describes the stratigraphy and structure of the field; the occurrence, character, and relations of the coal seams; and the character and composition of the coal.

370. Limestone and dolomite in the Birmingham district, Alabama.—U. S. Geol. Survey, Bull. no. 315, pp. 247-255, 1907.

371. Sand-lime brickmaking near Birmingham, Ala.—U. S. Geol. Survey, Bull. no. 315, pp. 256-258, 1907.

372. Clays of the Birmingham district, Alabama.—U. S. Geol. Survey, Bull. no. 315, pp. 291-295, 1907.

373. The northern part of the Cahaba coal field, Alabama.—U. S. Geol. Survey, Bull. no. 316, pp. 76-115, 2 pls., 1907.

Byers, Charles Alma.

374. The possibilities of Salton Sea.—Pop. Sci. Monthly, vol. 70, no. 1, pp. 5-18, 20 figs., January, 1907.

Includes data upon the physiographic features of southern California.

Caballero, Gustavo de J.

375. La región geissieriana al N. de Estado de Michoacán [México].—Soc. cient. "Antonio Alzate," Mem. y Rev., t. 22, pp. 203-208, 1905.

Describes a geyser region in the northern part of the State of Michoacán, Mexico.

376. Los yacimientos de fierro del Carrizal, Estado de Nuevo León [México].—Soc. cient. "Antonio Alzate," Mem. y Rev., t. 22, pp. 183-186, 1905.

Describes the occurrence of iron deposits.

377. Los hervideros de la Sierra de Ozumatlán.—Soc. Geol. Mexicana, Bol., t. 2, pp. 35-41, 1906.

Includes notes upon the geology and mineralogy of the area.

Cadell, Henry M.

378. Some old Mexican volcanoes.—Scottish Geog. Mag., vol. 23, no. 6, pp. 281-312, 26 figs., June, 1907.

Cairnes, D. D.

379. [Report on] the foothills of the Rocky Mountains south of the main line of the Canadian Pacific Railway.—Canada, Geol. Survey, Summ. Rept. for 1905, pp. 62-67, 1906.

Gives notes upon the geology of the region examined.

Cairnes, D. D.—Continued.

380. Explorations in a portion of the Yukon south of Whitehorse.—Canada, Geol. Survey, Summ. Rept. for 1906, pp. 22-30, 1906.

Includes notes on the general geology and on the occurrence of mineral deposits.

381. Moose Mountain district of southern Alberta.—Canada, Geol. Survey, 55 pp., 3 pls., 2 maps, 1907.

Describes the occurrence of coal, oil, and natural gas, and the general geology of the region.

382. Recent developments in mining in the southern Yukon.—Canadian Min. Jour., vol. 28 (new ser., vol. 1), pp. 87-88, 121-122, 1907.

Includes notes on the occurrence of ores.

Calderón, Salvador.

383. Sobre los fenomenos de las pegas.—México, Secretaría de Fomento, Bol., 2ª época, año 6, VI, no. 10, pp. 141-158, May, 1907; Congr. géol. intern., C. R. 10ª sess., Mexico, 1906, pp. 1187-1200, 1907.

Discusses contact phenomena.

Calhoun, Fred. H. H.

384. The Montana lobe of the Keewatin ice sheet.—U. S. Geol. Survey, Prof. Paper no. 50, 62 pp., 7 pls., 31 figs., 1906.

Describes briefly the physiography and general geology of northern Montana, and in detail the character and occurrence of the surface formations, with discussion of the distribution of mountain glaciers and the Keewatin ice sheet and their inter-relations as shown by the drift deposits, and of the drainage with changes produced by the ice.

California State Earthquake Investigation Commission.—See Lawson and others, no. 1531.

California State Mining Bureau.

385. Register of mines and minerals, with map [of each of the following counties, issued separately]:

Amador County, by John B. Tregloan, 17 pp., 1903.

Butte County, by W. E. Thorne, 13 pp., 1903.

Calaveras County, by W. H. H. Penniman, 50 pp., 1900.

El Dorado County, by J. E. Armstrong, 32 pp., 1902.

Inyo County, by A. V. Davidson, 24 pp., 1902.

Kern County, by Marion Aubury, 37 pp., 1904.

Lake County, by George Madeira, 14 pp., 1901.

Mariposa County, by E. M. Wilkinson, 19 pp., 1903.

Nevada County, by Charles E. Uren, 18 pp.

Placer County, by Ivan H. Parker, 21 pp., 1902.

Plumas County, by J. A. Edman, 36 pp., 1900.

San Bernardino County, by G. E. Bailey, 35 pp., 1902.

San Diego County, by I. A. Hubon, 15 pp., 1902.

Santa Barbara County, Lew B. Harris, 12 pp., 1906.

Shasta County, by M. E. Dittmar, 27 pp., 1902.

Sierra County, by George F. Taylor, 24 pp., 1903.

Siskiyou County, by J. M. Davidson, 50 pp., 1900.

Siskiyou County, by W. S. Lowden, 46 pp., 1900.

Tuolumne County, by R. P. McLaughlin, 24 pp., 1903.

Yuba County, by Lew B. Harris, 20 pp., 1905.

386. Register of oil wells in Los Angeles County, with map, by Charles A. Blackmar, 13 pp., 1903.

The structural and industrial materials of California.—See Aubury, no 87.

Gold dredging in California.—See Doolittle, no. 728.

Reports.—See Aubury, nos. 82-84.

Calkins, Frank Cathcart.

Description of the Snoqualmie quadrangle.—See Smith and Calkins, no. 1156.

Calvin, Samuel.

The Aftonian gravels and their relations to the drift sheets in the region about Afton Junction and Thayer [Iowa].—Davenport Acad. Sci., Proc., vol. 10, pp. 18-31, 7 pls., 1907. [As separate, 1905. See U. S. Geol. Survey, Bull. 301, p. 56].

387. Notes on the geological section of Iowa.—Jour. Geology, vol. 14, no. 7, pp. 571-578, 1906; Iowa Geol. Survey, vol. 17, pp. 192-200, 1907.

Describes briefly the occurrence, character, relations, and nomenclature of the formations comprised in the geological scale of Iowa.

388. Geology of Winneshiek County [Iowa].—Iowa Geol. Survey, vol. 16, pp. 37-146, 18 figs., 2 geol. maps, 1906.

Describes the topographic features and drainage, the stratigraphy, including Cambrian, Ordovician, Silurian, and Devonian strata and glacial deposits, and the economic products.

389. Some features of the channel of the Mississippi River between Lansing and Dubuque, and their probable history.—Iowa Acad. Sci., Proc., vol. 14, pp. 213-220, 7 figs., 1907.

Discusses drainage changes in Iowa and the Mississippi Valley.

390. Fifteenth annual report of the state geologist.—Iowa Geol. Survey, vol. 17, pp. 1-6, 2 pls., 1907.

Administrative report.

Campbell, Donald F.

391. The iron ore of Shasta County, California.—Min. and Sci. Press, vol. 93, p. 603, 1 fig., Nov. 17, 1906.

392. The copper of Shasta County, California.—Min. and Sci. Press, vol. 94, pp. 28-30, 55-58, 4 figs., January 5, 1907.

Campbell, Marius R.

The classification of coals.—Am. Inst. Min. Eng., Trans., vol. 36, pp. 324-340, 1906 (Bi-Mo. Bull. no. 5, pp. 1033-1049, 1905).—See Campbell, 21, page 58 of Bulletin no. 301, U. S. Geol. Survey.

393. The Santa Fe peneplain.—Abstract: Science, new ser., vol. 23, p. 267, February 16, 1906.

394. Fractured boulders in conglomerate.—Am. Jour. Sci., 4th ser., vol. 22, pp. 231-234, 2 figs., September, 1906.

Describes the occurrence in Arizona and discusses the origin of the phenomena.

395. Natural mounds.—Jour. Geology, vol. 14, no. 8, pp. 708-717, 3 figs., 1906.

Notes the form, size, and occurrence of these mounds and discusses the various hypotheses advanced to explain their origin.

396. Rock folds due to weathering.—Jour. Geology, vol. 14, no. 8, pp. 718-721, 1 fig., 1906.

Describes shallow folding in Arkansas, which is explained to be due to weathering.

397. The formation of coal. Hypothesis to account for the transformation of vegetable matter into the different grades of coal.—Mines and Minerals, vol. 26, no. 12, pp. 565-566, July, 1906. (Reprinted from Econ. Geology, vol. 1, pp. 26-33, 1905.)

398. Review of "Report on the coals of Maryland," by William Bullock Clark and others (Maryland Geol. Survey, vol. 5).—Econ. Geology, vol. 1, no. 5, pp. 502-508, 1906.

Campbell, Marius R.—Continued.

399. Survey work on coal during 1905.—U. S. Geol. Survey, Bull. no. 285, pp. 203-210, 1906.

A summary account of the work of the U. S. Geological Survey in examining coal deposits and testing the fuel value of the coals.

400. Character and use of the Yampa coals.—U. S. Geol. Survey, Bull. no. 297, pp. 82-91, 1906.

Describes the chemical composition, classification, and utilization. Discusses briefly the classification of coals.

401. How long will the coal reserves of the United States last?—Nat. Geog. Mag., vol. 18, no. 2, pp. 129-138, 1 fig., February, 1907.

Contains notes on the distribution and extent of the coal fields and the character of the coals.

402. Contributions to economic geology, 1906, part II. Coal, lignite, and peat: Introduction.—U. S. Geol. Survey, Bull. no. 316, pp. 5-12, 1907.

Gives an outline of the work of the U. S. Geological Survey in 1906 upon coal, lignite, and peat.

403. The Una del Gato coal field, Sandoval County, N. Mex.—U. S. Geol. Survey, Bull. no. 316, pp. 427-430, 1 fig., 1907.

404. Coal in the vicinity of Fort Stanton Reservation, Lincoln County, N. Mex.—U. S. Geol. Survey, Bull. no. 316, pp. 431-434, 1 fig., 1907.

405. Coal of Stone Canyon, Monterey County, Cal.—U. S. Geol. Survey, Bull. no. 316, pp. 435-438, 1907.

Report on the operations of the coal-testing plant of the United States Geological Survey at the Louisiana Purchase Exposition, St. Louis, Mo., 1904.—See Parker, Holmes, Campbell, no. 1870.

Mineral resources of the United States in 1905: peat.—See no. 2418.

Contributions to economic geology, 1906. Part II, Coal, lignite, and peat.—See U. S. Geological Survey.

Campbell, William.

406. The microscopic examination of opaque minerals.—Econ. Geology, vol. 1, no. 8, pp. 751-766, 7 figs., 1906.

407. Notes on the microscopic examination of the opaque constituents of ore bodies.—Abstract: Science, new ser., vol. 24, p. 691, November 30, 1906.

Campbell, William, and Knight, C. W.

408. The paragenesis of the cobalt-nickel arsenides and silver deposits of Timiskaming [Ontario].—Eng. and Min. Jour., vol. 81, pp. 1089-1091, 13 figs., June 9, 1906.

An investigation of the order in which the minerals occurring in the ores have been deposited and the relations which the gangue (calcite) bears to them.

409. Microscopic examination of nickeliferous pyrrhotites. Results of a study to settle a much-discussed question in ore deposition.—Eng. and Min. Jour., vol. 82, pp. 909-912, 6 figs., November 17, 1906.

410. A microscopic examination of the cobalt nickel arsenides and silver deposits of Temiskaming.—Econ. Geology, vol. 1, no. 8, pp. 767-776, 2 pls., 1906.

Describes the structure shown by microscopic examination and the order of origin of the principal constituents.

411. On the microstructure of nickeliferous pyrrhotites.—Econ. Geology, vol. 2, no. 4, pp. 350-366, 4 pls., June, 1907.

Camsell, Charles.

412. [Report on the] Peel River, in the Yukon and Mackenzie districts.—Canada, Geol. Survey, Summ. Rept. for 1905, pp. 36-46, 1906.

Describes the exploration of the region. Includes various data upon its geology.

Camsell, Charles—Continued.

413. The Similkameen district, B. C.—Canada, Geol. Survey, Summ. Rept. for 1906, pp. 43-55, 1906.

Gives notes upon the physiography and glaciation, and upon the occurrence and character of Tertiary, Mesozoic, and Paleozoic rocks and of gold and copper ores.

414. Report on the Peel River and tributaries, Yukon and Mackenzie.—Canada, Geol. Survey, Ann. Rept., vol. 16, pt. CC, 49 pp., 3 pls., 1906.

Includes notes on the geology of the region.

Canada, Department of the Interior.

415. Canada's fertile northland. A glimpse of the enormous resources of part of the unexplored regions of the Dominion. Evidence before a select committee of the senate of Canada during the parliamentary session of 1906-7, and the report based thereon. Ottawa, 1907. 139 pp., illus.

The evidence given by A. P. Low and other geologists of the Geological Survey of Canada contains notes on the mineral resources.

Canada, Department of the Interior.

Report of the superintendent of mines. Ann. Rept., pt. 8, 39 pp., 1907.

Contains reports on economic resources by Eugene Haanel, Fritz Cirkel, F. Hille, J. E. Woodman, and Einar Lindeman. See under these authors.

Canada. Department of the Interior, Mines Branch.

416. Report of the Commission appointed to investigate the zinc resources of British Columbia and the conditions affecting their exploitation. Ottawa, Canada, 1906. 300 pp., illus.

Contains data regarding the occurrence of zinc ores in British Columbia.

Canada, Geological Survey.

417. Catalogue of publications of the Geological Survey of Canada.—Canada, Geol. Survey, 129 pp., 1906.

Annual report on the mineral industries of Canada for 1905. Ottawa, 1907, 174 pp., pls. and chart. See Ingall, E. D., no. 1270.

Canadian Mining Journal.

418. The Ontario meeting of American Institute of Mining Engineers and their tour through the districts of Cobalt, Sudbury, and Moose Mountain. Published by the Canadian Mining Journal, Toronto, Ont., [1907]. 89 pp., illus.

Includes an historical sketch of the discovery of ore and mining developments at Cobalt, Ontario, and notes on the occurrence of nickel and cobalt ores.

Canfield, F. A.

419. Mineralogical notes.—Am. Jour. Sci., 4th ser., vol. 23, pp. 20-22, 1 fig., January, 1907.

Includes brief notes upon willemite from New Jersey.

Cannon, George L.

420. Sauropodan gastroliths.—Science, new ser., vol. 24, p. 116, July 27, 1906.

Notes the discovery of these pebbles with the remains of *Atlantosaurus immanis* Marsh at Morrison, Colorado.

421. Notes on some fossils recently discovered near Denver, Colorado.—Colorado Sci. Soc., Proc., vol. 8, pp. 194-198, 1 pl., 1906.

Gives notes upon the occurrence and characters of fossil vertebrate remains found in the vicinity of Denver, Colo.

Capps, S. R., jr.

422. The girdles and hind limb of *Holosaurus abruptus* Marsh.—Jour. Geology, vol. 15, no. 4, pp. 350-356, 3 figs., 1907.

Carden, A. D., and Goldney, G. F. B.

423. Notes on the Jamaica earthquake, 14th January, 1907.—The Royal Engineers Jour., vol. 6, no. 4, pp. 213-217, 4 pls., October, 1907.

Carey, Everett P.

424. The great fault of California and the San Francisco earthquake, April 18, 1906.—Jour. Geography, vol. 5, no. 7, pp. 289-301, 6 figs., 1906.

Discusses the faulting which produced the San Francisco earthquake and displacements along the line of fracture.

Carey, Everett P., and Miller, W. J.

425. The crystalline rocks of the Oak Hill area, near San José, California.—Jour. Geology, vol. 15, no. 2, pp. 152-169, 2 figs., 1907.

Carmichael, Alfred.

426. Placer mining methods in the Atlin district [British Columbia].—Mines and Minerals, vol. 27, no. 6, pp. 241-244, 5 figs., January, 1907.

Includes notes on the geology, and on the occurrence of the placer gold.

Carney, Frank.

427. The geology of Perry township, Licking Co., Ohio.—Denison Univ., Sci. Lab., Bull., vol. 13, art. 3, pp. 117-130, 8 pls., 4 figs., June, 1906.

Describes the stratigraphy, topography, glaciation, and drainage of the area.

428. Valley dependencies of the Scioto Illinoian lobe in Licking County, Ohio.—Jour. Geology, vol. 15, no. 5, pp. 488-495, 5 figs., 1907. Denison Univ., Sci. Lab., Bull. vol. 13, art. 4, pp. 131-137, 3 figs., September, 1907.

429. Pre-Wisconsin drift in the Finger Lake region of New York.—Jour. Geology, vol. 15, no. 6, pp. 571-585, 4 figs., 1907.

430. Glacial erosion in longitudinal valleys.—Jour. Geology, vol. 15, no. 7, pp. 722-730, 5 figs., 1907.

Describes folds and glaciated surfaces in Owaseo Lake Valley, New York, produced by glacial action.

431. Wave-cut terraces in Keuka Valley, older than the recession stage of Wisconsin ice.—Am. Jour. Sci., 4th ser., vol. 23, pp. 325-335, 3 figs., May, 1907.

432. A form of outwash drift.—Am. Jour. Sci., 4th ser., vol. 23, pp. 336-341, 1 fig., May, 1907.

Describes a deposit of outwash drift in the Penn Yan quadrangle, New York, and proposes the term inter-lobule fan for such deposits.

433. The glacial dam at Hanover, Ohio.—Denison Univ., Sci. Lab., Bull., vol. 13, art. 5, pp. 139-153, 5 figs., September, 1907.

Carpenter, Franklin R.

434. Tin in the Black Hills, South Dakota.—Min. World, vol. 25, no. 20, pp. 600-601, 1 fig., November 17, 1906.

Case, Ermine C.

435. A peculiar formation of shore ice.—Jour. Geology, vol. 14, no. 2, pp. 134-137, 2 figs., 1906.

Describes an unusual formation of shore ice on the shore of Lake Michigan and explains how it was formed.

436. Report in regard to the completion of a monograph on the Pelycosaurian order of Permian reptiles.—Carnegie Inst. of Washington, Yearb. no. 4, 1905, p. 240, 1906.

437. On the skull of *Edaphosaurus pogonias* Cope.—Am. Mus. Nat. Hist., Bull., vol. 22, pp. 19-26, 1 pl., 7 figs., 1906.

438. A description of models illustrating the physical geography of Wisconsin.—Milwaukee Normal School Bull., vol. 3, no. 3, pp. 1-19, January, 1907. Case, Ermine C.—Continued.

439. Wisconsin: Its geology and physical geography. An account of the natural features and climate of the State for students and general readers.—Milwaukee, Wis., Press of Hendee-Bamford-Crandall Co., 1907. 197 pp. illus.

440. Restoration of *Diadectes*.—Jour. Geology, vol. 15, no. 6, pp. 556-559, 2 figs., 1907.

441. Revision of the Pelycosauria of North America. Washington, published by the Carnegie Institution of Washington, July, 1907. 176 pp., 35 pls., 72 figs.

442. Description of the skull of *Bolosaurus striatus* Cope.—Am. Mus. Nat. Hist., vol. 23, pp. 653-658, 1 pl., 5 figs., 1907.

443. The character of the Wichita and Clear Fork divisions of the Permian Red Beds of Texas.—Am. Mus. Nat. Hist., Bull., vol. 23, pp. 659-664, 2 figs., 1907.

444. Additional description of the genus *Zatrachys* Cope.—Am. Mus. Nat. Hist., Bull., vol. 23, pp. 665-668, 5 figs., 1907.

Describes amphibian remains from the Permian of Texas.

Catlett, Charles.

445. Occurrence of rutile in Virginia.—Econ. Geology, vol. 2, no. 8, pp. 796-797, 1907.

446. Quantitative field test for magnesia in cement rock and limestone.—Am. Inst. Min. Eng., Bi-Mo. Bull. no. 18, pp. 947-951, November, 1907.

Cayeux, L.

447. Les œufs d'insectes des lacs de Chalco et Texcoco, des environs de Mexico, et la formation des oolithes.—Congr. géol. intern., C. R. 10^e sess., Mexico, 1906, pp. 1223-1227, 1907.

448. Structure et classification des grès et quartzites; pluralité des origines du type quartzite.—Congr. géol. intern., C. R. 10^e sess., Mexico, 1906, pp. 1211-1222, 1907.

Discusses the structure, classification and origin of sandstone and quartzites.

Ceipek, L.

Analyse des Albit von Amelia.—See Erben and Ceipek, no. 811.

Chalmers, Robert.

449. The surface geology of Manitoba, Saskatchewan, and Alberta.—Canada, Geol. Survey, Summ. Rept. for 1905, pp. 67-69, 1906.

450. Surface geology of the Great Plains and British Columbia, etc.—Canada, Geol. Survey, Summ. Rept. for 1906, pp. 74-80, 1906.

Chamberlin, P. W.

451. The volcanoes of Nicaragua.—57th Congress, 2d Sess., Sen. Doc. no. 131, pp. 27-33, 1903.

Chamberlin, Thomas C.

452. The methods of the earth sciences.—Pop. Sci. Monthly, vol. 66, pp. 66-75, November, 1904; Congress of Arts and Science, Universal Exposition, St. Louis, 1904, vol. 4, pp. 477-487, 1906.

Chamberlin, Thomas C.—Continued.

453. On a possible reversal of deep-sea circulation and its influence on geologic climates.—*Am. Philos. Soc., Proc.*, vol. 45, no. 182, pp. 33-43, 1906; *Jour. Geology*, vol. 14, no. 5, pp. 363-373, 1906. Abstract: *Science*, new ser., vol. 23, pp. 930-931, June 22, 1906.

Discusses variations of climate upon the earth in geologic time, some of the controlling factors and more particularly the agencies that affect oceanic circulation.

454. Fundamental problems of geology.—*Carnegie Inst. of Washington, Yearb.* no. 4, 1905, pp. 171-185, 1906.

Discusses the application of the planetesimal hypothesis in the explanation of deformation of the earth and of climatic oscillations.

455. "An ignored theory of the Ice age."—*Science*, new ser., vol. 24, pp. 531-532, October 26, 1906.

456. On the growth of the earth by accretion under the planetesimal hypothesis.—Abstract: *Carnegie Inst. of Washington, Yearb.* no. 5, p. 169, 1907.

457. On certain problems of the lithosphere.—Abstract: *Carnegie Inst. of Washington, Yearb.* no. 5, p. 170, 1907.

458. On the former rates of rotation of the earth.—Abstract: *Carnegie Inst. of Washington, Yearb.* no. 5, p. 170, 1907.

459. On certain problems of the hydrosphere and atmosphere.—Abstract: *Carnegie Inst. of Washington, Yearb.* no. 5, p. 171, 1907.

460. Review of "The viscous vs. the granular theory of glacial motion," by Oswin W. Willcox.—*Jour. Geology*, vol. 15, no. 2, pp. 188-190, 1907.

461. [Geologic nomenclature].—*Jour. Geology*, vol. 15, no. 8, pp. 817-819, 1907.

462. The fault problem. I.—*Econ. Geology*, vol. 2, no. 6, pp. 585-601, 5 figs., no. 7, pp. 704-724, 1907.

Chamberlin, Thomas C., and Salisbury, Rollin D.

463. *Geology*. Vol. I, Geologic processes and their results. Vol. II, Earth history, Genesis, Paleozoic. Vol. III, Earth history, Mesozoic, Cenozoic. New York, Henry Holt and Company. Vol. I (second edition, revised), xix, 684 pp., 24 pls., 471 figs., 1905. Vol. II, xxvi, 692 pp., 306 figs., 1906. Vol. III, xi, 624 pp., 270 figs., 1906.

Chapman, Robert H.

464. The deserts of Nevada and the Death Valley.—*Nat. Geog. Mag.*, vol. 17, no. 9, pp. 483-497, 7 pls., September, 1906; *Sci. Am. Suppl.*, vol. 63, pp. 26126-26129, 6 figs., April 6, 1907.

Includes notes upon the physical features and rocks of the region.

Chrysler, M. A.

The lignites of Brandon, Vt.—See Jeffrey and Chrysler, no. 1291.

On Cretaceous *Pityoxyla*.—See Jeffrey and Chrysler, no. 1292.

Church, John A.

465. The Pinguico mine, Guanajuato, Mexico.—*Eng. and Min. Jour.*, vol. 82, pp. 959-960, November 24, 1906.

Describes the geology and the ore deposits.

466. Proano, a famous mine of Fresnillo, Mexico.—*Eng. and Min. Jour.*, vol. 84, pp. 53-56, 4 figs., July 13, 1907.

Includes a short account of the local geology and the vein system.

467. The mines of La Luz, Guanajuato, Mexico.—*Eng. and Min. Jour.*, vol. 84, pp. 105-110, 153-156, 6 figs., 1907.

Describes the geology, the vein system, and the occurrence of the ores.

Cirkel, Fritz.

468. Preliminary report on the examination of the iron ore deposits in the Ottawa Valley.—Canada, Dept. Interior, Rept. Supt. Mines, 1907, pp. 11-13, 1907.

469. Graphite, its properties, occurrence, refining, and uses.—Canada, Dept. of Mines, Mines Branch, 307 pp., 20 pls., 8 maps, 52 figs., 1907.

Clapp, C. H.

470. The clays of North Dakota.—Econ. Geology, vol. 2, no. 6, pp. 551-564, 1907.

Economic geology of North Dakota clays.—See Babcock and Clapp, no. 92.

Clapp, C. H., and Babcock, E. J.

471. Clay and its properties with special reference to North Dakota clays.—North Dakota State Geol. Survey, 4th Bienn. Rept., pp. 9-61, 1906.

Clapp, Frederick G.

472. The Nineveh and Gordon oil sands in western Greene County, Pa.—U. S. Geol. Survey, Bull. no. 285, pp. 362-366, 1906.

Discusses the correlation of the oil sands in this area.

473. Evidences of several glacial and interglacial stages in northeastern New England.—Science, new ser., vol. 24, pp. 499-501, October 19, 1906.

474. Clay of probable Cretaceous age at Boston, Massachusetts.—Am. Jour. Sci., 4th ser., vol. 23, pp. 183-186, March, 1907.

Describes the occurrence and character of white clay encountered in borings at Boston, Massachusetts, which, for reasons stated, is considered as probably Cretaceous in age.

475. Description of the Amity quadrangle [Pennsylvania].—U. S. Geol. Survey, Geol. Atlas of U. S., folio no. 144, 15 pp., 8 figs., 3 maps, 1907.

Describes the topography, the occurrence, character, and relations of Carboniferous and Devonian strata, and of Pleistocene deposits, the geologic structure and history, and the mineral resources, coal, petroleum, and natural gas.

476. Description of the Rogersville quadrangle [Pennsylvania].—U. S. Geol. Survey, Geol. Atlas of U. S., folio no. 146, 14 pp., 6 figs., 3 maps and columnar section sheet, 1907.

Describes the topography, the occurrence, character, and relations of Carboniferous and Devonian strata, and Pleistocene deposits, the geologic structure and history, and the mineral resources, chiefly petroleum, natural gas, and coal.

477. Economic geology of the Amity quadrangle, eastern Washington County, Pennsylvania.—U. S. Geol. Survey, Bull. no. 300, 145 pp., 8 pls., 7 figs., 1907.

Describes the occurrence, character, and relations of Carboniferous strata, the geologic structure, and the occurrence of mineral resources: petroleum, natural gas, coal, and limestone.

478. Local glaciation in Maine.—Abstract: Science, new ser., vol. 25, p. 390, March 8, 1907.

Oil and gas fields of Greene County, Pennsylvania.—See Stone and Clapp, no. 2314.

Clark, W. C.

479. Zinc in eastern Tennessee. Mines and minerals, vol. 27, no. 9, p. 395, April, 1907.

Clark, William Bullock.

480. What should appear in the report of a state geologist?—Econ. Geology, vol. 1, no. 5, pp. 489-498, 1906.

Clark, William Bullock—Continued.

481. The Pleistocene fauna [of Maryland].—Maryland Geol. Survey, Pliocene and Pleistocene, pp. 139-148, 1906.

Discusses the value of the fossil contents of the Pleistocene deposits of Maryland for correlating the beds with those of other areas. Includes observations and tables showing the geographic distribution and geologic range of species.

482. Systematic paleontology of the Pleistocene deposits of Maryland: Crustacea, Mollusca, Coelenterata, Protozoa.—Maryland Geol. Survey, Pliocene and Pleistocene, pp. 172-210, 213-216, 26 pls., 1906.

483. The classification adopted by the U. S. Geological Survey for the Cretaceous deposits of New Jersey, Delaware, Maryland, and Virginia.—Johns Hopkins Univ. Circ., new ser., 1907, no. 7, pp. 1-4 [589-592], 1907.

484. Publications of the Maryland Geological Survey, Maryland State Weather Service, and Maryland Forestry Bureau.—Johns Hopkins Univ. Circ., new ser., 1907, no. 7, pp. 5-20 [593-608], 1907.

485. Maryland Geological Survey, Calvert County, Baltimore, 1907. 227 pp., 14 pls., 11 figs. With atlas of 3 folded maps.

486. Maryland Geol. Survey, St. Mary's County, Baltimore, 1907. 209 pp., 16 pls., 12 figs. With atlas of 3 folded maps.

Clark, William Bullock, Hollick, Arthur, and Lucas, Frederic.

487. The Pliocene and Pleistocene deposits of Maryland: The interpretation of the paleontological criteria.—Maryland Geol. Survey, Pliocene and Pleistocene, pp. 139-152, 1906.

Clark, William Bullock, and Mathews, Edward B.

488. Report on the physical features of Maryland, together with an account of the exhibits of Maryland mineral resources made by the Maryland Geological Survey.—Maryland Geol. Survey (Special Publication, vol. 6, pts. 1 and 2), 284 pp., 30 pls., 19 figs., geol. map (in pocket), 1906.

A general account of the physiography, geology, and mineral resources of the State.

Clark, William Bullock, and Miller, Benjamin Le Roy.

489. A brief summary of the geology of the Virginia coastal plain.—Virginia Geol. Survey, Geol. Ser., Bull. no. 2, pp. 11-24, 1906.

Gives a summary of the stratigraphy of the coastal plain in Virginia, embracing formations of Jurassic (?), Cretaceous, Tertiary, and Quaternary age.

Clarke, Frank W.

490. The statistical method in chemical geology.—Am. Philos. Soc., Proc., vol. 45, no. 182, pp. 14-32, 1906. Abstract: Science, new ser., vol. 23, pp. 929-930, June 22, 1906.

Determines the approximate average chemical composition of the earth's crust and discusses the methods employed and the validity of the results obtained.

491. The composition of the red clay.—Jour. Geology, vol. 15, no. 8, pp. 783-789, 1907; Roy. Soc. Edinburgh, Proc., vol. 27, pp. 167-171, 1907.

Clarke, John M.

492. Nomenclature of the New York geologic formations.—University of the State of New York, High School Department, Bull. 25, pp. 495-506, December, 1904.

493. Second report of the director of the science division 1905, including the 59th report of the State Museum, the 25th report of the state geologist, and the report of the state paleontologist 1905 (reprinted from the 59th Annual Report of the New York State Museum, vol. 1), pp. 5-99, 1906.

Clarke, John M.—Continued.

494. Report of the state geologist and paleontologist [of New York] for 1905.—New York State Mus., 59th Ann. Rept., vol. 1, pp. 10-41, 8 pls., 1906.

Outlines the work under progress during 1905. Includes various data relating to the stratigraphic, surficial, and economic geology of New York.

495. What should appear in the report of a state geologist?—Econ. Geology, vol. 1, no. 5, pp. 488-489, 1906.

496. Evidences of a Coblenzian invasion in the Devonian of eastern North America.—Festschrift, Adolf v. Koenen, E. Schweizerbartsche Verlagsbuchhandlung, Stuttgart, pp. 359-368, 1907.

497. Some new Devonian fossils.—New York State Mus., Bull. 107, pp. 153-291, illus., 1907.

Describes invertebrate fossils from lower Devonian deposits of the Province of Quebec, New Brunswick, and Maine.

498. An interesting style of sand-filled vein.—New York State Mus., Bull. 107, pp. 293-294, 1 pl., 1907.

499. The Eurypterus shales of the Shawangunk Mountains in eastern New York.—New York State Mus., Bull. 107, pp. 295-326, 10 pls., 1907.

Discusses their correlation and describes their crustacean fauna.

500. Third report of the director of the Science Division 1906, including the 60th report of the State Museum, the 26th report of the state geologist, and the report of the state paleontologist for 1906.—(Reprinted from the 60th Ann. Rept. N. Y. State Mus.). Albany, 1907, 182 pp., 40 pls.

Includes various geologic and paleontologic data: Earthquake records, pp. 29-32; an account of limestone caverns of eastern New York, pp. 32-51; Appendix B is a supplement to the catalogue of type specimens of Paleozoic fossils.

501. Eurypterus fauna of the Shawangunk grit.—Abstract: Science, new ser., vol. 25, pp. 294-295, February 22, 1907.

502. Lake Champlain.—Abstract: Science, new ser., vol. 26, p. 400, September 27, 1907.

Discusses the origin of the Lake Champlain Valley.

Clarke, John M., and Luther, D. Dana.

Geology of the Watkins and Elmira quadrangles [New York], accompanied by a geologic map.—New York State Mus., 58th Ann. Rept., vol. 3 (Bull. 81, 1905), pp. 3-29, and geol. map (in pocket), 1906.—See Clarke and Luther, 2, page 68 of Bulletin no. 301, U. S. Geol. Survey.

Geologic map of the Tully quadrangle [New York].—New York State Mus., 58th Ann. Rept., vol. 3 (Bull. 82, 1905), pp. 33-52, geol. map (in pocket), 1906.—See Clarke and Luther, 3, on page 68 of Bulletin no. 301, U. S. Geol. Survey.

Clarke, W. C.

503. The zinc belt of Claiborne and Union counties, Tennessee.—Mines and Minerals, vol. 27, no. 12, p. 567, July, 1907.

Cleland, H. F.

504. Restoration of certain Devonian cephalopods with description of new species.—Jour. Geology, vol. 15, no. 5, pp. 459-469, 14 figs., 1907.

505. Some little-known Mexican volcanoes.—Pop. Sci. Monthly, vol. 71, no. 2, pp. 179-187, 8 figs., August, 1907.

Clement, J. K.

Minerals of the composition $MgSiO_3$; a case of tetramorphism.—See Allen, Wright, and Clement, no. 28.

Clerc, F. L.

506. Ore deposits of the Joplin district.—Colorado Sci. Soc., Proc., vol. 8, pp. 199-220, 1906.

States and discusses the various explanations which have been given of the genesis of the zinc and lead ore deposits of the Joplin district, Missouri

507. The ore deposits of the Joplin region, Missouri.—Am. Inst. Min. Eng., Bi-Mo. Bull., no. 14, pp. 353-376, March, 1907.

Discusses the origin and form of the lead and zinc deposits of the Joplin district.

Cobb, Collier.

508. Notes on the geology of Currituck Banks [North Carolina].—Elisha Mitchell Sci. Soc., Jour., vol. 22, no. 1, pp. 17-19, 1906.

509. Autophytographs.—Abstract: Elisha Mitchell Sci. Soc., Jour., vol. 22, no. 3, p. 58, 1906.

Defines the term and records occurrences.

510. Rhætic flora of Moncure shales.—Abstract: Elisha Mitchell Sci. Soc., vol. 22, no. 3, p. 60, 1906.

Notes the occurrence of fossil plants in North Carolina.

511. Where the wind does the work.—Nat. Geog. Mag., vol. 17, no. 6, pp. 310-317, 10 figs., June, 1906; Elisha Mitchell Sci. Soc., Jour., vol. 22, no. 3, pp. 80-85, 1906.

Describes the shifting of sand on the islands along the coast of North Carolina.

512. Notes on the geology of Core Bank, N. C.—Elisha Mitchell Sci. Soc., Jour., vol. 23, no. 1, pp. 26-28, May, 1907. Abstract: Science, new ser., vol. 25, p. 298, February 22, 1907.

Cockerell, Theodore Dru Alison.

513. The publication of rejected names.—Science, new ser., vol. 17, p. 189, 1903.

Discusses the nomenclature of a fossil fruit from Vermont.

514. The origin of the horse.—Nature, vol. 70, pp. 53-54, 1904.

515. The snails of New Mexico and Arizona.—Nautilus, vol. 19, no. 6, pp. 68-71, October, 1905.

Gives notes upon shells from Pleistocene beds of New Mexico.

516. A new fossil ant.—Entomological News, vol. 17, no. 1, pp. 27-28, January, 1906.

Describes *Ponera hendersoni* n. sp. from Tertiary beds near Florissant, Colo.

517. A new Tertiary *Planorbis*.—Nautilus, vol. 19, no. 9, pp. 100-101, January, 1906.

518. Fossil plants from Florissant, Colorado.—Torrey Bot. Club, Bull., vol. 33, no. 5, pp. 307-312, 6 figs., May, 1906.

519. A fossil water-bug.—Canadian Entomologist, vol. 38, no. 6, p. 209, June, 1906.

Gives a description of *Corixa florissantella* n. sp.

520. The fossil fauna and flora of the Florissant (Colorado) shales.—Colorado Univ., Studies, vol. 3, no. 3, pp. 157-175, 1 pl., 1906.

Gives an account of the character and occurrence of the fauna, discusses the evidence of the fossils as to the age of the deposits, and gives a classified, annotated summary of the fauna and flora. The plate contains figures of new species of plants described in the Bulletin of the Torrey Botanical Club, 1906.

521. Fossil Hymenoptera from Florissant, Colorado.—Harvard Coll., Mus. Comp. Zool., Bull., vol. 50, no. 2, pp. 33-58, 1906.

Cockerell, Theodore Dru Alison—Continued.

522. A fossil Cicada from Florissant, Colorado.—Am. Mus. Nat. Hist., Bull., vol. 22, pp. 457-458, 1 fig., 1906.

523. The fossil Mollusca of Florissant, Colorado.—Am. Mus. Nat. Hist., Bull., vol. 22, pp. 459-462, 5 figs., 1906.

524. Fossil saw-flies from Florissant, Colorado.—Am. Mus. Nat. Hist., Bull., vol. 22, pp. 499-501, 3 figs., 1906.

525. A new fly (fam. Mycetophilidæ) from the Green River beds.—Am. Jour. Sci., 4th ser., vol. 23, pp. 285-286, 1 fig., April, 1907.

526. Some old-world types of insects in the Miocene of Colorado.—Science, new ser., vol. 26, pp. 446-447, October 4, 1907.

527. An enumeration of the localities in the Florissant basin, from which fossils were obtained in 1906.—Am. Mus. Nat. Hist., Bull., vol. 23, pp. 127-132, 2 figs., 1907.

528. Fossil dragon flies from Florissant, Colorado.—Am. Mus. Nat. Hist., Bull., vol. 23, pp. 133-139, 3 figs., 1907.

529. Some fossil arthropods from Florissant, Colorado.—Am. Mus. Nat. Hist., Bull., vol. 23, pp. 605-616, 6 figs., 1907.

530. Some Coleoptera and Arachnida from Florissant, Colorado.—Am. Mus. Nat. Hist., Bull., vol. 23, pp. 617-621, 1907.

Gives a list of Coleoptera and Arachnida identified from Florissant, Colorado, including those found fossil in the shales.

531. A fossil caterpillar [from the Miocene shales of Florissant, Colorado].—Canadian Entomologist, vol. 39, no. 6, pp. 187-188, June, 1907.

532. A fossil butterfly of the genus *Chlorippe*.—Canadian Entomologist, vol. 39, no. 11, pp. 361-363, 1 pl., November, 1907.

Describes *Chlorippe wilmattæ* n. sp. from the Miocene shales of Florissant, Colorado.

533. A fossil Tortricid moth.—Canadian Entomologist, vol. 39, no. 12, p. 416, December, 1907.

Describes *Tortrix florissantana* n. sp. from the Miocene shales of Florissant, Colorado.

534. A fossil tsetse-fly in Colorado.—Nature, vol. 76, p. 414, August 22, 1907.

535. A Miocene wasp.—Nature, vol. 77, p. 80, November 28, 1907.

536. A new zonitoid shell from the Miocene, Florissant, Colorado.—Nautilus, vol. 21, no. 8, p. 89, December, 1907.

Describes *Vitrea fagalis* n. sp.

Coker, Ernest G.

An investigation into the elastic constants of rocks, more especially with reference to cubic compressibility.—See Adams and Coker, nos. 10, 11.

Experimental investigation of the compressibility and plastic deformation of certain rocks.—See Adams and Coker, no. 12.

Cole, A. D.

537. C. L. Herrick as a maker of scientific men.—Denison Univ., Sci. Lab., Bull., vol. 13, art. 1, pp. 1-13, 1 pl. (port.), 1905.

Coleman, Arthur P.

538. Durham County: geological features.—First Report of the Bureau of Archives for the Province of Ontario, 1903, pp. 46-47, 1 fig., 1904.

539. The Sudbury nickel field.—Ontario, Bur. Mines, Rept., 1905, vol. 14, pt. 3, 188 pp., illus., 1905.

Describes the general geology, the occurrence, character, and relations of the ore deposits, and the character and distribution of eruptive rocks, of Huronian sediments, and of Pleistocene deposits, and gives an account of the petrography of the nickel eruptive, of the economic developments of the field, and of the minerals found in the Sudbury nickel district of Ontario.

Coleman, Arthur P.—Continued.

540. Pre-Cambrian nomenclature.—*Jour. Geology*, vol. 14, no. 1, pp. 60-64, 1906.

Discusses, with regard to the report of the special committee of American and Canadian geologists on the nomenclature of the formations of the Lake Superior region, the relationships of various pre-Cambrian formations in the upper lakes region of Canada and their nomenclature.

541. The Helen iron mine, Michipicoten.—*Econ. Geology*, vol. 1, no. 6, pp. 521-529, 4 figs., 1906.

Describes the local geology, the rocks of the iron formation, the character of the ore body, and the origin of the ore.

542. Iron ranges of eastern Michipicoten.—*Ontario, Bur. Mines, Rept.*, 1906, vol. 15, pt. 1, pp. 173-199, 13 figs., 1 map, 1906.

Describes the general features of the area, the occurrence and character of the iron deposits, and the Pleistocene geology.

543. Magmatic segregation of sulphide ores.—*Abstract: British Assoc. Adv. Sci., Rept. 75th meeting*, p. 400, 1906.

544. A lower Huronian ice age.—*Am. Jour. Sci.*, 4th ser., vol. 23, pp. 187-192, March, 1907. *Abstract: Science, new ser.*, vol. 25, p. 769, May 17, 1907.

After referring briefly to evidence for ice ages prior to the glacial period, describes the Huronian "slate conglomerate" of Ontario, and striated boulders taken therefrom, and discusses the evidence for a lower Huronian ice age.

545. The need of field work in the study of ore genesis.—*Eng. and Min. Jour.*, vol. 83, pp. 295-296, February 9, 1907.

546. The Sudbury laccolithic sheet.—*Jour. Geology*, vol. 15, no. 8, pp. 759-782, 2 figs., 1907.

547. Interglacial periods in Canada.—*Gongr. géol. intern., C. R. 10^e sess.*, Mexico, 1906, pp. 1237-1258, 1907.

548. Iron ranges east of Lake Nipigon.—*Ontario, Bur. Mines, 16th Ann. Rept.*, vol. 16, pt. 1, pp. 105-135, 15 figs., 1907.

Describes the geology and the occurrence and character of the iron ores.

549. Die Sudbury-Nickelerze.—*Zeitschr. f. prak. Geol.*, Jg. 15, p. 221, 1907.

Discusses the origin of the Sudbury, Ontario, nickel ores.

Report of a special committee on the correlation of the pre-Cambrian rocks of the Adirondack Mountains, the "original Laurentian area" of Canada; and eastern Ontario.—See Adams and others, no. 13.

Collen, M.

550. Copper deposits in the Belt formation in Montana.—*Econ. Geol.*, vol. 2, no. 6, pp. 572-575, 1907.

Colles, George Wetmore.

551. Mica and the mica industry.—*Franklin Inst., Jour.*, vol. 161, no. 1, pp. 43-58, 5 figs., January, 1906; no. 2, pp. 81-100, 6 figs., February, 1906. Reprinted in book form: The Franklin Institute, Philadelphia, 1906. 130 pp., 36 figs.

Collier, Arthur J.

552. Geology and coal resources of the Cape Lisburne region, Alaska.—*U. S. Geol. Survey, Bull.* no. 278, 54 pp., 9 pls., 8 figs., 1906.

Describes the geography, the stratigraphy, embracing Devonian, Carboniferous, and Mesozoic formations and Quaternary deposits, and in detail the coal resources of Jurassic and Carboniferous age.

553. Ore deposits in the St. Joe River basin, Idaho.—*U. S. Geol. Survey, Bull.* no. 285, pp. 129-139, 1 pl., 1 fig., 1906.

Describes the geography, drainage, and geology of the area, and the occurrence and character of the mineral resources.

Collier, Arthur J.—Continued.

554. Gold-bearing river sands of northeastern Washington.—U. S. Geol. Survey, Bull. no. 315, pp. 56-70, 1907.

Describes the general geology and geologic history of the region, the occurrence of gold-bearing placers, and their relation to the terraces.

555. The Arkansas coal field.—U. S. Geol. Survey, Bull. no. 316, pp. 137-160, 1 pl., 1907.

556. The Arkansas coal field. With reports on the paleontology by David White and G. H. Girty.—U. S. Geol. Survey, Bull. no. 326, 1907. 158 pp., 6 pls., 29 figs.

Describes the stratigraphy and structure, and the occurrence and character of the coals of western Arkansas.

The production in the United States in 1906 of chromite or chromic iron ore; and of talc and soapstone.—See no. 2419.

Collins, Edgar A.

557. The Combination Mine. Early developments and geologic structure.—Min. and Sci. Press, vol. 95, pp. 397-399, 435-438, 5 figs., 1907.

Describes the local geology and occurrence and character of ores in the Goldfield mining district, Esmeralda County, Nevada.

558. A prospecting shaft in the Goldfield district, Goldfield, Nevada.—Inst. Min. and Metall., Trans., vol. 15, pp. 540-542, 1906.

Describes the geology and occurrence of the ore bodies.

Collins, Henry F.

559. Notes on the wollastonite rock mass, and its associated minerals, of the Santa Fé mine, State of Chiapas, Mexico.—Min. Mag., vol. 13, pp. 356-362, December, 1903.

Collins, W. H.

560. [Report on] the Lake Superior region between the Pic and Nipigon rivers.—Canada, Geol. Survey, Summ. Rept. for 1905, pp. 80-82, 1906.

Gives notes upon the physical features and general geology of the area examined.

561. On surveys along the National Transcontinental Railway location between Lake Nipigon and Lac Seul.—Canada Geol. Survey, Summ. Rept. for 1906, pp. 103-109, 1906.

Includes a brief account of the region and its mineral deposits.

Colorado, State Bureau of Mines.

562. Report of the State Bureau of Mines for the years 1905-6. 127 pp., illus., 1907.

Contains notes on the occurrence of mineral resources. Includes a paper by Fleck and Haldane on uranium and vanadium deposits. See no. 878.

Comstock, Theodore B.

563. Geological notes.—Southern California Acad. Sci., Bull., vol. 1, pp. 74-77, 1902.

Discusses the subject of subsidence and elevation in California and the later geological history of the southern portion of the State.

564. The U. S. Geological Survey.—Science, new ser., vol. 25, pp. 309-311, February 22, 1907.

Condon, Thomas.

565. A new fossil pinniped (*Desmatophoca oregonensis*) from the Miocene of the Oregon coast.—Oregon Univ. Bull., Suppl. to vol. 3, no. 3, 14 pp., 2 pls., 3 figs., May, 1906.

Condra, George Evart.

566. Observations on glacial accumulations of Nebraska.—Abstract: Science, new ser., vol. 23, p. 620, April 20, 1906.

567. Oil and gas possibilities in Nebraska.—Abstract: Science, new ser., vol. 23, p. 621, April 20, 1906.

568. A new limestone in the Indian Territory.—Abstract: Science, new ser., vol. 23, p. 624, April 20, 1906.

569. Geography of Nebraska. Lincoln, Nebraska, The University Publishing Co., 1906. 192 pp., 118 figs.

Describes physiographic features.

570. Geology and water resources of the Republican River Valley and adjacent areas, Nebraska.—U. S. Geol. Survey, W.-S. and Irrig. Paper, no. 216, 71 pp., 13 pls., 3 figs., 1907.

571. Opening of the Indian Territory.—Am. Geog. Soc., Bull., vol. 39, no. 6, pp. 321-340, 9 figs., June, 1907.

Includes a general account of the physiography, geology, and mineral resources.

Congrès géologique international.

572. Procès-verbaux des séances générales.—Compte Rendu de la X^e session, Mexico, 1906, pp. 108-156, 1907.

Contains discussions of papers relating to the geology of North America.

Connecticut, State Geological and Natural History Survey.

573. Second biennial report of the commissioners, 1905-1906. Hartford Press, 1906. 23 pp.

An administrative report.

Cook, C. W.

Datolite from Westfield, Massachusetts.—See Kraus and Cook, no. 1426.

Cook, Edward H.

574. La mina Santa Francisca.—México, Secretaría de Fomento, Bol., 2^a época, ano 6, no. 6, II, pp. 562-569, 2 pls., 1907.

Gives notes upon the local geology and the occurrence and character of the silver ores at the Santa Francisca mine in the state of Aguascalientes, Mexico.

Cooper, W. F.

575. Geological report on Bay County [Michigan].—Michigan State Bd. of Geol. Survey, Ann. Rept., 1905, pp. 135-426, 17 pls., 1906.

Describes the occurrence and character of Carboniferous and Devonian strata, of Quaternary deposits, and of the coal seams, the physical geography and drainage, the economic products, and the water supply.

576. Geology and physical geography of Michigan.—Michigan Acad. Sci., Ninth Rept., pp. 136-144, 1907.

Discusses various physiographic features of Michigan: origin and tilting of the Great Lake basins, pre-Glacial drainage, terraces, etc.

Corey, G. W.

577. The Nonesuch sandstone.—Eng. and Min. Jour., vol. 82, p. 778, 1 fig., October 27, 1906.

Describes the character of the copper ore in the Nonesuch mine, Porcupine district, Michigan.

Corkill, E. T.

578. Mines of Ontario.—Ontario, Bur. Mines, Rept., 1906, vol. 15, pt. 1, pp. 47-107, 35 figs., 1906.

Includes notes on the occurrence and geology of ore bodies.

579. Mica in Ontario.—Canadian Min. Jour., vol. 28, no. 9 (new ser., vol. 1, no. 7), pp. 196-200, 6 figs., June 15, 1907.

Cornforth, J. T.

580. Alaska and its possibilities.—Am. Min. Congr., Rept. of Proc., 9th Ann. Sess., pp. 260-263, 1907.

Includes notes on the mineral resources.

Coste, Eugene.

581. Natural gas and petroleum [in Ontario].—Ontario, Bur. Mines, Rept. 1906, vol. 15, pt. 1, pp. 108-115, 1906.

Includes records of borings.

582. The new Tilbury and Romney oil fields of Kent County, Ontario.—Canadian Min. Jour., vol. 28, no. 11 (new ser., vol. 1, no. 9), pp. 265-268, July 15, 1907.

583. The Tilbury oil field, Ontario.—Eng. and Min. Jour., vol. 84, p. 779, October 26, 1907.

Courtis, William M.

584. The Cobalt mining district.—Eng. and Min. Jour., vol. 82, pp. 5-6, 5 figs., July 7, 1906.

Includes notes on the geology, and the occurrence and character of the ores of Cobalt, Ontario.

585. The Priest Lake mining district, Idaho.—Eng. and Min. Jour., vol. 82, p. 866, November 10, 1906.

Contains notes on the general geology and the character of the ore deposits.

Courtis, W. M.

586. Gold in Michigan.—Michigan State Board of Geol. Survey, Rept. for 1906, pp. 581-584, 1907.

Crafts, H. A.

587. Some features of the great earthquake.—Sci. Am., vol. 94, p. 383, May 12, 1906.

Craig, E. H. Cunningham.

588. Geological structure of Trinidad.—Imperial Inst., Bull., vol. 5, no. 2, pp. 175-179, 1907.

Crandall, Albert R.

589. The coals of the Big Sandy Valley, south of Louisa and between Tug Fork and the headwaters of the north fork of Kentucky River.—Kentucky Geol. Survey, Bull. no. 4, 141 pp., 30 pls., 1905.

Describes the general geology and topography of the area, the occurrence, character, thickness, and relations of the coal seams, giving numerous sections, and the character and composition of the coals.

Crandall, Roderic.

590. The Cretaceous stratigraphy of the Santa Clara Valley region in California.—Am. Jour. Sci., 4th ser., vol. 24, pp. 33-54, 3 figs., July, 1907.

Describes the occurrence of Cretaceous formations and gives lists of the fossils found in different exposures.

591. The geology of the San Francisco Peninsula.—Am. Philos. Soc., Proc., vol. 46, no. 185, pp. 3-58, 1 pl. (map), 3 figs. and sections, 1907.

Describes the geologic formations and the petrography of their rocks, the geologic structure and physiographic features, and the earth movements in the San Francisco earthquake of April 18, 1906.

Crane, W. R.

592. Asphaltic coals in the Indian Territory: forms of the deposits, methods of prospecting and mining.—Mines and Minerals, vol. 26, no. 6, pp. 252-254, 6 figs., January, 1906.

Describes the distribution, relations, and character of the coal deposits.

Crane, W. R.—Continued.

593. Lead and zinc mining in the Quapaw district, Oklahoma.—*Mines and Minerals*, vol. 27, no. 9, pp. 445-446, 1 fig., May, 1907.

Describes the character and occurrence of the ores.

Crespi, R. A.

594. Geology and development of Aguacate mines, Costa Rica.—*Min. World*, vol. 27, pp. 847-848, November 9, 1907.

Crider, A. F.

595. Geology and mineral resources of Mississippi.—U. S. Geol. Survey, Bull. no. 283, 99 pp., 4 pls., 5 figs., 1906.

Describes the occurrence, character, and relations of Devonian, Mississippian, Cretaceous, Tertiary, and Quaternary formations, and the mineral resources, mainly clays and cement materials.

596. Clays of western Kentucky and Tennessee.—U. S. Geol. Survey, Bull. no. 285, pp. 417-427, 1 pl., 1906.

Describes the general geology and the distribution and character of the Cretaceous and Tertiary clays.

597. Drainage of wet lands in Arkansas by wells.—U. S. Geol. Survey, W.-S. and Irrig. Paper no. 160, pp. 54-58, 1 fig., 1906.

598. Cement and Portland cement materials of Mississippi.—Mississippi State Geol. Survey, Bull. no. 1, 73 pp., 6 pls., 1907.

Crider, A. F., and Johnson, L. C.

599. Summary of the underground-water resources of Mississippi.—U. S. Geol. Survey, W.-S. and Irrig. Paper no. 159, 86 pp., 6 pls., 11 figs., 1906.

Describes the topography, the general geology, the character and distribution of Devonian, Carboniferous, Cretaceous, Tertiary, and Quaternary formations, and the underground-water resources.

Crook, Alja Robinson.

600. The making of the Grand Canyon of the Colorado.—*Pop. Sci. Monthly*, vol. 69, pp. 417-424, 7 figs., November, 1906.

Crosby, William O.

The limestone-granite contact deposits of Washington Camp, Arizona.—*Am. Inst. Min. Eng., Trans.*, vol. 36, pp. 626-646, 1906 (*Bi-Mo. Bull.* no. 6, pp. 1217-1238, 1905).—See Crosby, 16, page 78 of *Bulletin* no. 301, U. S. Geol. Survey.

601. Ore deposits of the eastern gold belt of North Carolina.—*Tech. Quart.*, vol. 20, no. 3, pp. 280-286, September, 1907.

Describes the general geology, the genetic and structural relations of the gold-bearing formations, and mining developments.

602. Volcanic action in Alaska.—*Science*, new ser., vol. 26, p. 78, July 19, 1907.

Cross, Whitman.

603. Prowersose (syenitic lamprophyre) from Two Buttes, Colorado.—*Jour. Geology*, vol. 14, no. 3, pp. 165-172, 1906.

Describes the occurrence, the macroscopic and microscopic characters, and the chemical composition, and compares it with similar rocks.

604. Stratigraphic results of a reconnaissance in western Colorado and eastern Utah.—*Jour. Geology*, vol. 15, no. 7, pp. 634-679, 11 figs., 1907.

Discusses the correlation of Cretaceous, Jurassic, Triassic, and Carboniferous formations.

Cross, Whitman—Continued.

605. Memoir of George H. Eldridge [1854-1905].—*Geol. Soc. America, Bull.*, vol. 17, pp. 681-687, 1907.

Gives also a list of his publications.

606. Methods of igneous intrusion.—*Abstract: Science, new ser.*, vol. 25, pp. 621-622, April 19, 1907.

Glacial phenomena of the San Juan Mountains, Colorado.—See Howe and Cross, no. 1247.

Cross, Whitman, Howe, Ernest, and Irving, J. D.

607. Description of the Ouray quadrangle [Colorado].—*U. S. Geol. Survey, Geol. Atlas of U. S.*, folio no. 153, 20 pp., 4 figs., 2 maps, structure-section and illustration sheets, 1907.

Describes the topography, the character, occurrence, and relations of Algonkian, Devonian, Carboniferous, Triassic, Cretaceous, Tertiary, and Quaternary deposits, and of igneous surface and intrusive rocks, geologic structure and history, and the economic resources, chiefly gold, silver, and coal.

Cross, Whitman, Iddings, J. P., Pirsson, L. V., Washington, H. S.

608. The texture of igneous rocks.—*Jour. Geology*, vol. 14, no. 8, pp. 692-707, 7 figs., 1906.

Discusses the description of the texture of igneous rocks and sets forth a nomenclature for this purpose.

Cumings, Edgar R.

609.—The weathering of the Subcarboniferous limestones of southern Indiana.—*Indiana Acad. Sci., Proc.*, 1905, pp. 85-89, 22 figs., 1906.

610. Description of the Bryozoa of the Salem limestone of southern Indiana.—*Indiana, Dept. Geol. and Nat. Res.*, 30th Ann. Rept., pp. 1274-1296, illus., 1906.

611. Gasteropoda, Cephalopoda, and Trilobita of the Salem limestone.—*Indiana, Dept. Geol. and Nat. Res.*, 30th Ann. Rept., pp. 1335-1375, illus., 1906.

Cumings, Edgar R., and Beede, Joshua W.

612. Fauna of the Salem limestone of Indiana: Introduction.—*Indiana, Dept. Geol. and Nat. Res.*, 30th Ann. Rept., pp. 1189-1201, 6 pls., 1906.

Describes the localities from which collections were made, and gives general notes in regard to the fauna.

Curtis, George Carroll.

613. Looking into the Caribbean craters. A personal narrative of ascents to the active craters of La Soufrière and Pelée.—*The Century Magazine*, vol. 65, no. 3, pp. 420-434, 10 figs., January, 1903.

Cushing, H. P.

614. Geology of the Long Lake quadrangle.—*New York State Mus., Bull.* 115, pp. 451-531, 20 pls., 2 figs., geol. map, 1907.

Describes the occurrence, character, and relations of pre-Cambrian sedimentary and igneous intrusive rocks and the petrographic characters of the latter, the topography and the glaciation.

615. How faults should be named and classified.—*Econ. Geology*, vol. 2, no. 4, pp. 433-435, 1 fig., June, 1907.

616. Asymmetric differentiation in a batholith of Adirondack syenite.—*Geol. Soc. America, Bull.*, vol. 18, pp. 477-492, 1 pl., December, 1907. *Abstract: Science, new ser.*, vol. 25, p. 774, May 17, 1907.

617. Physical oscillations during the Cambro-Silurian in northeastern New York.—*Abstract: Science, new ser.*, vol. 26, p. 403, September 27, 1907.

Cushing, H. P.—Continued.

Report of a special committee on the correlation of the pre-Cambrian rocks of the Adirondack Mountains, the "original Laurentian area" of Canada, and eastern Ontario.—See Adams and others, no. 13.

Cushman, Joseph A.

618. Types in the paleontological collections of the Boston Society of Natural History.—Boston Soc. Nat. Hist., Proc., vol. 33, no. 6, pp. 249-275, May, 1907.

Daggett, Ellsworth.

619. The extraordinary faulting at the Berlin Mine, Nevada.—Am. Inst. Min. Eng., Bi-Mo. Bull., no. 14, pp. 331-344, 5 figs., March, 1907; Eng. and Min. Jour., vol. 83, pp. 617-621, 6 figs., March 30, 1907.

Dale, T. Nelson.

620. The geological history of Mount Greylock [Massachusetts]. Pittsfield, Massachusetts, 1906. 17 pp., 5 figs.

621. Slate deposits and slate industry of the United States.—U. S. Geol. Survey, Bull. no. 275, 154 pp., 25 pls., 15 figs., 1906.

Describes the origin, composition, and structure of slate, the methods of quarrying, and the occurrence of slates in various States of the Union.

622. Note on a new variety of Maine slate.—U. S. Geol. Survey, Bull. no. 285, pp. 449-450, 1906.

Describes the occurrence and character.

623. The granites of Maine. With an introduction by George Otis Smith.—U. S. Geol. Survey, Bull. no. 313, 202 pp., 14 pls., 39 figs., 1907.

624. Recent work on New England granites.—U. S. Geol. Survey, Bull. no. 315, pp. 356-359, 1907.

Dale, T. Nelson, and Eckel, Edwin C.

625. Slate deposits of the United States.—U. S. Geol. Survey, Bull. no. 275, pp. 51-125, 18 pls., 12 figs., 1906.

Describes the character and occurrence of slates in various States.

Dall, William Healey.

626. Biographical memoir of Charles Emerson Beecher, 1856-1904. (Read before the National Academy of Sciences, November 16, 1904.) Washington, 1906.—[Nat. Acad. Sci., Biog. Mem., vol. 6], pp. 57-70, 1 pl. (port.).

Includes a list of his publications.

627. Note on the genus *Psilocochlis* Dall.—Nautilus, vol. 20, no. 11, p. 128, March, 1907.

628. On climatic conditions at Nome, Alaska, during the Pliocene, and on a new species of *Pecten* from the Nome gold-bearing gravels.—Am. Jour. Sci., 4th ser., vol. 23, pp. 457-458, 1 fig., June, 1907.

629. A review of the American Volutidae.—Smithsonian Misc. Coll., vol. 48 (Quart. Issue, vol. 3, pt. 3), pp. 341-373, 1907.

630. Notes on some upper Cretaceous Volutidae, with descriptions of new species and a revision of the groups to which they belong.—Smithsonian Misc. Coll., vol. 50 (Quart. Issue, vol. 4, pt. 1), pp. 1-23, 13 figs., 1907.

Daly, Reginald.

631. The differentiation of a secondary magma through gravitative adjustment.—Festschrift Harry Rosenbusch, E. Schweizerbartsche Verlagsbuchhandlung, Stuttgart, 1906, pp. 203-233, 2 figs.

The discussion is largely based upon a study of the Moyie sill in the Purcell Mountain Range along the international boundary between Port Hill, Idaho, and Gateway, Montana.

Daly, Reginald—Continued.

632. The Okanagan batholith of the Cascade Mountain system.—*Geol. Soc. America, Bull.*, vol. 17, pp. 329-376, 14 figs., 1906.

Describes the occurrence, relations, and petrographic features of igneous rocks along the international boundary in the Cascade Mountains.

633. Abyssal igneous injection as a causal condition and as an effect of mountain building.—*Am. Jour. Sci.*, 4th ser., vol. 22, pp. 195-216, 3 figs, September, 1906. Abstract: *Science*, new ser., vol. 24, pp. 367-368, September 21, 1906.

634. The nomenclature of the North American Cordillera between the 47th and 53d parallels of latitude.—*Geog. Jour.*, vol. 27, no. 6, pp. 586-606, 1 fig., June, 1906.

635. Report on field operations in the geology of the mountains crossed by the international boundary (49th parallel).—Canada, Dept. of the Interior, Rept. of the Chief Astronomer (pt. IX of the Ann. Dept. Rept. for 1905), pp. 278-283, 1906.

Includes notes on the geologic structure and stratigraphy. Discusses the occurrence of oil in Alberta.

636. The limeless ocean of pre-Cambrian time.—*Am. Jour. Sci.*, 4th ser., vol. 23, pp. 93-115, February, 1907.

Proposes and discusses the hypothesis of lack of lime salts in the ocean in pre-Cambrian time to explain the nonfossiliferous character of Algonkian deposits.

637. Report on field operations in the geology of the mountains crossed by the international boundary (49th parallel).—Canada, Dept. of the Interior, Rept. of the Chief Astronomer (pt. V of the Ann. Dept. Rept. for 1906), pp. 133-135, 1907.

Includes notes on the geology of the country examined.

638. Abyssal igneous injection as a causal condition and as an effect of mountain building.—Abstract: *Am. Assoc. Adv. Sci., Proc.*, vols. 56-57, pp. 267-268, 1907.

Danes, Ivic V.

639. Im Karstgebiete Jamaica's.—*Soc. hongroise de Géog., Abrégé du Bull., Suppl. au Földrajzi Közlemények*, vol. 35, livr. 7, pp. 129-130, 1906.

Describes briefly a study of the karsts of Jamaica.

640. Das Erdbeben von San Jacinto am 25. Dezember, 1899.—*K. k. geog. Gesell. in Wien, Mitt.*, Bd. 50, no. 6 u. 7, pp. 339-347, 1907.

Describes the San Jacinto earthquake of December 25, 1899, of southern California and gives notes upon the geology of the region.

Dappert, J. W.

641. Sedimentation, its relation to drainage.—*Illinois Soc. Eng. and Surveyors*, 21st Ann. Rept., pp. 82-94, 1906.

Darton, Nelson Horatio.

642. Geology of the Owl Creek Mountains, with notes on resources of adjoining regions in the ceded portion of the Shoshone Indian Reservation, Wyoming.—59th Congress, 1st session, Senate Document no. 219, 1906. 48 pp., 19 pls., 1 fig.

Describes the topographic features, the character, occurrence, and relations of pre-Cambrian, Cambrian, Ordovician, Carboniferous, Triassic, Jurassic, Cretaceous, and Tertiary rocks, the geologic structure and history, and the mineral and water resources of the area.

643. The hot springs at Thermopolis, Wyoming.—*Jour. Geology*, vol. 14, no. 3, pp. 194-200, 4 figs., 1906.

Describes the geologic structure and hot-spring deposits at this place, and the character and source of the water and the origin of its heat.

Darton, Nelson Horatio—Continued.

644. Fish remains in Ordovician rocks in Bighorn Mountains, Wyoming, with a résumé of Ordovician geology of the Northwest.—*Geol. Soc. America, Bull.*, vol. 17, pp. 541-566, 7 pls., 6 figs., 1906.

Describes the general geology of the Bighorn uplift and more particularly the occurrence, character, relations, and faunal content of the Ordovician deposits of Wyoming, Montana, and Colorado.

645. Description of the Bald Mountain and Dayton quadrangles, Wyoming.—*U. S. Geol. Survey, Geol. Atlas of U. S.*, folio no. 141, 15 pp., 6 figs., 7 maps, 1 columnar section sheet, 2 illustration sheets, 1906.

Describes the physiographic features, the occurrence, character, and relations of pre-Cambrian igneous rocks and of Cambrian, Ordovician, Carboniferous, Triassic(?), Jurassic, Cretaceous, Tertiary, and Quaternary formations, the geologic structure and history, and the economic geology.

646. Description of Cloud Peak and Fort McKinney quadrangles, Wyoming.—*U. S. Geol. Survey, Geol. Atlas of U. S.*, folio no. 142, 16 pp., 6 figs., 7 maps, 1 columnar section sheet, 2 illustration sheets, 1906.

Describes the physiographic features, the occurrence, character, and relations of pre-Cambrian igneous rocks and of Cambrian, Ordovician, Carboniferous, Triassic(?), Jurassic, Cretaceous, Tertiary, and Quaternary formations, the geologic structure and history, and the economic geology.

647. Geology of the Bighorn Mountains.—*U. S. Geol. Survey, Prof. Paper* no. 51, 129 pp., 47 pls., 14 figs., 1906.

Describes the topographic features, the occurrence, character, relations, and fauna of pre-Cambrian, Cambrian, Ordovician, Carboniferous, Triassic, Jurassic, Cretaceous, Tertiary, and Quaternary formations, the glaciation, the geological structure and history, and the economic resources.

648. Geology and underground waters of the Arkansas Valley in eastern Colorado.—*U. S. Geol. Survey, Prof. Paper* no. 52, 90 pp., 27 pls., 2 figs., 1906.

Describes the configuration and general geology, the occurrence, character, and relations of Cambrian, Ordovician, Carboniferous, Triassic (?), Cretaceous, Tertiary, and Quaternary formations and of igneous rocks, the geologic history, and the underground waters.

649. Mineral resources of the Bighorn Mountain region.—*U. S. Geol. Survey, Bull.* no. 285, pp. 303-310, 1906.

Describes the occurrence and economic value of coal, gold, and other mineral deposits.

650. The Great Plains of the central United States.—*Scottish Geog. Mag.*, vol. 32, pp. 9-18, 6 figs., 1906.

651. Discovery of Cambrian rocks in southeastern California.—*Jour. Geology*, vol. 15, no. 5, pp. 470-473, 1 fig., 1907.

652. Coals of Carbon County, Mont.—*U. S. Geol. Survey, Bull.* no. 316, pp. 174-193, 1 pl., 1907.

653. Red beds in the Laramie mountain region.—*Abstract: Geol. Soc. America, Bull.*, vol. 17, pp. 724-725, 1907.

654. Bighorn Mountains.—*Nat. Geog. Mag.*, vol. 18, no. 6, pp. 355-364, 8 figs., June, 1907.

655. Mexico, the treasure house of the world.—*Nat. Geog. Mag.*, vol. 18, no. 8, pp. 493-519, 23 figs., August, 1907.

Darton, N. H., and O'Harra, C. C.

656. Description of the Devils Tower quadrangle [Wyoming].—*U. S. Geol. Survey, Geol. Atlas of U. S.*, folio no. 150, 9 pp., 3 maps, columnar section and structure section sheets, 1907.

Describes the geography, the occurrence, character, and relations of Triassic, Jurassic, Cretaceous, and Tertiary strata, and igneous rocks, the geologic structure and history, the mineral resources, and water supply.

David, T. W. Edgeworth.

657. Conditions of climate at different geological epochs, with special reference to glacial epochs.—Congr. géol. intern., C. R., 10^e sess., Mexico, 1906, pp. 437-482, 9 pls., 1907.

Davidson, George.

658. The San Francisco earthquake of April 18, 1906.—Am. Philos. Soc., Proc., vol. 45, pp. 164-165, 1906.

659. Points of interest involved in the San Francisco earthquake.—Am. Philos. Soc., Proc., vol. 45, pp. 178-182, 1906.

Davis, Charles A.

660. Peat, essays on its origin, uses, and distribution in Michigan.—Michigan Geol. Survey, Rept. State Geol. for 1906, pp. 93-395, 19 pls., 19 figs., 1907.

661. Israel Cook Russell.—Michigan Acad. Sci., Ninth Rept., pp. 28-31, 1907.

662. Some interesting glacial phenomena in the Marquette region [Michigan].—Michigan Acad. Sci., Ninth Rept., pp. 132-135, 1907.

Davis, Ralph E.

663. Mississippi Valley lead and zinc district.—Min. World, vol. 24, no. 18, pp. 548-549, 4 figs., May 5, 1906.

Describes the geology and the occurrence of the ores in the Wisconsin-Iowa-Illinois field.

Davis, William Morris.

664. The relations of the earth-sciences in view of their progress in the nineteenth century.—Congress of Arts and Sciences, Universal Exposition, St. Louis, 1904, vol. 4, pp. 488-503, 1906.

665. The geographical cycle in an arid climate.—Geog. Jour., vol. 27, no. 1, pp. 70-73, January, 1906.

666. The physiography of the Adirondacks.—Science, new ser., vol. 23, pp. 630-631, April 20, 1906.

Discusses the formation of scarps in the Adirondacks.

667. The Colorado Canyon and its lessons.—Liverpool Geol. Soc., Proc., vol. 10, pt. 2, pp. 98-102, 1 pl., 1906.

668. The sculpture of mountains by glaciers.—Scottish Geog. Mag., vol. 22, no. 2, pp. 76-89, 3 figs., 1906. Abstract: Brit. Assoc. Adv. Sci., Rept. of 75th meeting, pp. 393-394, 1906.

Presents criteria for distinguishing glaciated from nonglaciated mountains.

669. Incised meandering valleys.—Philadelphia Geog. Soc., Bull., vol. 4, no. 4, pp. 1-11 (182-192), 9 figs., 1906.

670. Professor Nathaniel S. Shaler.—Am. Jour. Sci., 4th ser., vol. 21, pp. 480-481, June, 1906.

671. Professor Shaler and the Lawrence Scientific School.—Harvard Eng. Jour., vol. 5, no. 3, pp. 129-138, November, 1906.

Describes the work of Professor Shaler at Harvard University.

672. Symposium on general geography: the physical factor.—The Educational Bi-Monthly (published by the Chicago Normal School), vol. 1, no. 2, pp. 112-123, December, 1906.

Discusses the use of physiographic data in the teaching of geography.

673. The place of coastal plains in systematic physiography.—Jour. Geog., vol. 6, no. 1, pp. 8-15, January, 1907.

674. Current notes on land forms: Fault blocks in the Sierra Nevada.—Science, new ser., vol. 25, p. 72, January 11, 1907.

675. Current notes on land forms: Technique of physiographic descriptions.—Science, new ser., vol. 25, pp. 72-73, January 11, 1907.

Davis, William Morris—Continued.

676. The systematic study of mountains.—*Science*, new ser., vol. 25, p. 396, March 8, 1907.

677. The terraces of the Maryland coastal plain.—*Science*, new ser., vol. 25, pp. 701-707, May 3, 1907.

678. Hanging valleys.—*Science*, new ser., vol. 25, pp. 835-836, 3 figs., May 24, 1907.

679. Current notes on land forms: The wolds and vales of belted coastal plains.—*Science*, new ser., vol. 25, pp. 947-948, June 14, 1907.

680. Current notes on land forms: Southern Arkansas and northern Louisiana.—*Science*, new ser., vol. 25, pp. 948-949, June 14, 1907.

681. Current notes on land forms: Earthquake fissures and scarps; fault scarps and fault-line scarps.—*Science*, new ser., vol. 26, pp. 90-92, July 19, 1907.

682. Current notes on land forms: Pit craters in Mexico.—*Science*, new ser., vol. 26, p. 226, August 16, 1907.

Davison, Charles.

683. The San Francisco earthquake of April 18.—*Nature*, vol. 73, pp. 608-610, April 26, 1906. *Sci. Am. Suppl.*, vol. 61, pp. 25416-25417, May 26, 1906.

684. The Kingston earthquake.—*Nature*, vol. 75, p. 296, January 24, 1907.

Davison, John M.

685. Quartz nodule with radiate structure.—*Rochester Acad. Sci., Proc.*, vol. 3, pp. 268-269, 1906.

The Estacado aerolite.—See Howard and Davison, no. 1242.

Dawson, George M.

686. Note on the geological structure of the Selkirk Range (extract from *Bulletin of the Geological Society of America*, vol. 2, pp. 165-176, 1891).—In Wheeler, A. O., *The Selkirk Range*, vol. 1, Ottawa, Government Printing Bureau, 1905, pp. 405-409, 1 fig.

Day, Arthur L.

687. Mineral solution and fusion under high temperatures and pressures.—*Carnegie Inst. of Washington, Yearb.* no. 4, 1905, pp. 224-230, 1906.

Details methods and progress of experimentation upon certain groups of minerals.

688. Investigation of mineral solution and fusion under high temperatures and pressures.—*Carnegie Inst. of Washington, Yearb.* no. 5, pp. 177-185, 1907.

689. Methods of igneous intrusion.—*Abstract: Science*, new ser., vol. 25, p. 622, April 19, 1907.

Day, Arthur L., Allen, E. T., Shepherd, E. S., White, W. P., and Wright, Fred. Eugene.

690. Die Kalkkieselreihe der Minerale.—*Tschermak's Mineral. u. Petrog. Mitt.* (N. F.), Bd. 26, Heft 3, pp. 169-232, 1907.

Describes experiments upon the melting points of the lime-silica series of minerals.

Day, Arthur L., and Shepherd, E. S.

691. The lime-silica series of minerals.—*Am. Chem. Soc., Jour.*, vol. 28, no. 10, pp. 1089-1114, 2 figs., September, 1906.

692. The lime-silica series of minerals. With optical study by Fred E. Wright.—*Am. Jour. Sci.*, 4th ser., vol. 22, pp. 265-302, 4 figs., October, 1906.

693. Discussion of paper by T. T. Read: The phase rule and conceptions of igneous magma.—*Econ. Geology*, vol. 1, no. 3, pp. 286-289, December-January, 1905-1906.

Day, David T.

694. Black sands of the placer mines of the United States.—59th Cong., 1st Sess., Sen. Doc. no. 65, pp. 8-15, 1905.

695. The auriferous black sands of California.—*Mines and Minerals*, vol. 27, no. 12, pp. 564-565, July, 1907.

696. Black sands of the Pacific coast.—*Franklin Inst., Jour.*, vol. 164, no. 2, pp. 141-153, August, 1907; *Min. World*, vol. 27, pp. 891, 974, 1013, 1907.

Mineral resources of the United States, calendar year, 1905.—See U. S. Geological Survey, no. 2418.

The production in the United States in 1906 of platinum.—See no. 2419.

Day, David T., and Richards, R. H.

697. Investigation of the black sands from placer mines.—U. S. Geol. Survey, Bull. no. 285, pp. 150-164, 1906.

Presents in tabular form the results of the examination of black sands from the Pacific slope and from various placer-mining districts, and describes concentration experiments.

Mineral resources of the United States, 1905: black sands.—See no. 2418.

Dean, Bashford.

698. Dr. Eastman's recent papers on the kinship of the Arthrodires.—*Science*, new ser., vol. 26, pp. 46-50, July 12, 1907.

Deckert, Emil.

699. Die Vulkanausbrüche von Martinique und St. Vincent.—*Frankfurter Vereins f. Geogr. und Statistik, Jahresb.*, 66-67, pp. 153-156, 1903.

Describes volcanic eruptions on the islands of Martinique and St. Vincent.

De Kalb, Courtenay.

700. Secondary enrichment upward.—*Min. and Sci. Press*, vol. 93, p. 176, August 11, 1906.

Describes an instance of secondary enrichment in copper deposits north of Lake Huron.

701. Do the geological relations of ore deposits justify the retention of the law of the apex?—*Econ. Geology*, vol. 1, no. 8, pp. 801-809, 1906.

702. Geology of the Exposed Treasure lode, Mojave, California.—*Am. Inst. Min. Eng., Bi-Mo. Bull.*, no. 13, pp. 15-24, 3 figs., January, 1907.

Describes the lithology, the geologic structure, the periods of faulting, and the formation of the ores.

De Lury, Justin S.

703. Cobaltite occurring in northern Ontario, Canada.—*Am. Jour. Sci.*, 4th ser., vol. 21, pp. 275-276, 1 fig., April, 1906.

Describes the occurrence and characters of the crystals.

Demming, Henry C.

704. Report of the mineralogist.—*Pennsylvania Dept. Agric.*, 10th Ann. Rept., pp. 438-440, 1905.

Gives notes on mineral resources of Pennsylvania.

705. Report of the geologist.—*Pennsylvania Dept. Agric.*, 10th Ann. Rept., pp. 459-462, 1905.

Includes notes upon the geology and mineral resources of Pennsylvania.

706. Report of the mineralogist.—*Pennsylvania Dept. Agric.*, 11th Ann. Rept., pp. 447-451, 1906.

Gives notes upon mineral resources of Pennsylvania.

707. Report of the geologist.—*Pennsylvania Dept. Agric.*, 11th Ann. Rept., pp. 451-454, 1906.

Includes notes upon the economic resources of Pennsylvania.

Demming, Henry C.—Continued.

708. Report of the mineralogist.—Pennsylvania Dept. Agric., 12th Ann. Rept., pp. 466-470, 1907.

Gives notes upon the mineral resources of Pennsylvania.

709. Report of consulting geologist.—Pennsylvania Dept. Agric., 12th Ann. Rept., pp. 473-476, 1907.

Includes notes upon the economic resources of Pennsylvania.

Denis, Theo.

710. Western oil, gas, and coal fields.—Canada, Geol. Survey, Summ. Rept. for 1906, pp. 164-169, 1906.

Gives notes on the occurrence of oil, natural gas, and coal in Ontario, Alberta, and British Columbia.

Dennis, Clifford G.

711. Rare mercury ores.—Min. and Sci. Press, vol. 95, p. 92, 2 figs., July 20, 1907.

Describes the occurrence of quicksilver ores at Terlingua, Brewster County, Texas.

Derby, Alice Greenwood.

712. A subject index of the publications of the Geological Survey of Ohio, from its inception to and including Bulletin number eight, series four.—Ohio Geol. Survey, 4th ser., Bull. no. 6, pp. 15-233, 1906.

Derleth, Charles, Jr.

713. Some effects of the San Francisco earthquake on water-works, streets, sewers, car tracks, and buildings.—Eng. News, vol. 55, no. 20, pp. 548-554, 20 figs., May 17, 1906.

714. The destructive extent of the San Francisco earthquake of 1906.—Eng. News, vol. 55, no. 26, pp. 707-713, 17 figs., June 28, 1906.

Discusses movement along the fault line, producing the earthquake.

Dern, John.

715. The mining and mineral resources of Utah.—Am. Min. Congr., Rept. of Proc., 9th Ann. Sess., pp. 166-177, 1907; Mines and Minerals, vol. 27, no. 6, pp. 250-252, January, 1907.

Deussen, Alexander.

716. Cement resources and industry of Texas.—The Tradesman, Chattanooga, Tenn., vol. 56, no. 6, pp. 46-49, November 15, 1906.

DeWolf, Frank W.

717. Coal investigations in the Saline-Gallatin field, Illinois, and the adjoining area.—U. S. Geol. Survey, Bull. no. 316, pp. 116-136, 2 pls., 1 fig., 1907.

Preliminary investigations of Illinois fire clays.—See Purdy and DeWolf, no. 1973.

DeWolfe, Loran A.

718. The structure and succession at North Sydney and Sydney Mines, C. B.—Nova Scotian Inst. Sci., Trans., vol. 11, pt. 2, pp. 289-323, 1906.

Describes the occurrence, character, and relations of the Carboniferous strata of the region, including many detailed sections, and gives a summary of the geologic history.

Diaz, Severo.

719. Efemerides del volcan de Colima segun las observaciones practicadas en los observatorios de Zapotlan y Colima de 1893 a 1905.—Congr. géol. intern., C. R., 10^e sess., Mexico, 1906, pp. 763-960, 6 pls., 1907.

A daily record of observations made on the volcano Colima.

Dickson, Charles W.

720. Genetic relations of nickel-copper ores, with special reference to the deposits at St. Stephen, N. B., and Sohland, Germany.—Canadian Min. Inst., Jour., vol. 9, pp. 236-260, 6 figs., 1906; Canadian Min. Rev., vol. 26, no. 5, pp. 144-151, May, 1906.

Diller, Joseph Silas.

721. Description of the Redding quadrangle [California].—U. S. Geol. Survey, Geol. Atlas of U. S., folio no. 138, 14 pp., 1 fig., 3 maps, 1 columnar section sheet, 1906.

Describes the physiographic features, the occurrence, character, and relations of Devonian, Carboniferous, Triassic, Jurassic, Cretaceous, Tertiary, and Quaternary formations, and of igneous rocks, the geologic structure and history, and the economic resources, chiefly gold, silver, and copper.

722. Drainage of the Taylorsville region, California, during the auriferous gravel period.—Abstract: Science, new ser., vol. 23, p. 814, May 25, 1906.

723. Age of the pre-volcanic auriferous gravels in California.—Washington Acad. Sci., Proc., vol. 8, pp. 405-406, 1907.

Discusses the age of the auriferous gravels of the Sierra Nevada in California in the light of evidence offered by fossil plants and marine shells occurring in Oregon.

724. The Mesozoic sediments of southwestern Oregon.—Am. Jour. Sci., 4th ser., vol. 23, pp. 401-421, 1 fig., June, 1907.

Describes the occurrence and characters of Jurassic and Cretaceous formations in southwestern Oregon and discusses their relations.

The production in the United States in 1906 of asbestos.—See no. 2419.

Dobbs, W. Stewart.

725. [Report on a reconnaissance of] the region south of Cape Tatnam, Hudson Bay.—Canada, Geol. Survey, Summ. Rept. for 1905, pp. 69-73, 1906.

Gives various data in regard to the character of the region visited and the exposed rocks.

Dodge, Charles Richards.

726. The volcano of Colima [Mexico].—Sci. Am. Suppl., vol. 56, p. 23092, 1903.

Dole, Richard B.

727. Use of fluorescein in the study of underground waters.—U. S. Geol. Survey, W.-S. and Irrig. Paper no. 160, pp. 73-85, 1906.

D'Ooge, Martin L.

Israel Cook Russell.—See Lombard and D'Ooge, no. 1611.

Doolittle, J. E.

728. Gold dredging in California.—California State Min. Bur., Bull. no. 36, pp. 7-108, 70 figs., 3 maps, 1905.

Douglass, Earl S.

729. Generic names of Merycoidodonts.—Science, new ser., vol. 24, pp. 565-567, November 2, 1906.

730. *Merycocharus* and a new genus of Merycoidodonts, with some notes on other Agriochæridæ.—Carnegie Mus., Annals, vol. 4, no. 2, pp. 84-98, 1 pl., July, 1907.

Includes also some discussion of the succession and relations of Tertiary beds of the West.

731. Some new Merycoidodonts.—Carnegie Mus., Annals, vol. 4, no. 2, pp. 99-109, 9 pls., July, 1907.

732. New Merycoidodonts from the Miocene of Montana.—Am. Mus. Nat. Hist., Bull., vol. 23, pp. 809-822, 9 figs., 1907.

Dowling, D. B.

733. The northern extension of the Elk River coal basin.—Canada, Geol. Survey, Summ. Rept. for 1905, pp. 59-62, 1906.

Includes data upon the geology of the region.

734. Rocky Mountain coal areas between the Bow and Yellowhead passes.—Canada, Geol. Survey, Summ. Rept. for 1906, pp. 66-73, 1906.

Includes notes on the geology and on the occurrence of coal-bearing beds.

735. Cretaceous section in the Moose Mountains district, southern Alberta.—Geol. Soc. America, Bull., vol. 17, pp. 295-302, 1 fig., 1906.

Describes the character, occurrence, relations, and geologic horizon of Cretaceous formations in Alberta, Canada.

736. Report on the Cascade coal basin, Alberta.—Canada, Geol. Survey, 1907. 37 pp., 5 pls., 5 figs., and 8 maps.

Describes the geology of the region, the relations and distribution of the coal seams, and the character of the coal.

737. The coals and coal fields of Alberta, Saskatchewan, and Manitoba.—Canadian Min. Jour., vol. 28, no. 5 (new ser., vol. 1, no. 3), pp. 81-83, April 15, 1907.

Dresser, John A.

738. [Report on] St. Bruno Mountain.—Canada, Geol. Survey, Summ. Rept. for 1905, pp. 113-115, 1906.

Gives notes on the general geology and the rocks of the area.

739. A study in the metamorphic rocks of the St. Francis Valley, Quebec.—Am. Jour. Sci., 4th ser., vol. 21, pp. 67-76, 4 figs., January, 1906.

Discusses the character, occurrence, and relations of metamorphic, igneous, and clastic rocks in this region.

740. The Monteregian Hills: a series of volcanic buttes.—Jour. Geog., vol. 5, no. 2, pp. 74-77, 2 figs., 1906.

Describes their physiographic characters and history.

741. Copper deposits of the eastern townships of Quebec.—Econ. Geology, vol. 1, no. 5, pp. 445-453, 1 fig., 1906; Can. Min. Rev., vol. 26, no. 6, pp. 186-188, June, 1906.

Describes the classification and distribution of the deposits, their relation to the enclosing rocks, and the origin and value of the ores.

742. Igneous rocks of the eastern townships of Quebec.—Geol. Soc. America, Bull., vol. 17, pp. 497-522, 2 pls., 1 fig., 1906.

Reviews previous work upon the area and describes the occurrence, lithologic character, and relations of igneous and metamorphosed sedimentary rocks.

743. Report on the geology of Brome Mountain, Quebec.—Canada, Geol. Survey, Ann. Rept., vol. 16, pt. G, 22 pp., 1906.

Describes the occurrence and petrographic and chemical characters of the igneous rocks.

Dryer, Charles Redway.

744. The geologic features of the Finger Lake region, New York.—Abstract: Science, new ser., vol. 24, pp. 371-372, September 21, 1906; Am. Assoc. Adv. Sci., Proc., vol. 56-57, p. 272, 1907.

745. Studies in Indiana geography. First series, revised edition. Terre Haute, Indiana, The Inland Publishing Company, 1907. 114 pp., 10 maps.

Duerden, James E.

746. The primary septa in rugose corals.—Science, new ser., vol. 24, pp. 246-247, August 24, 1906.

Duerden, James E.—Continued.

747. The morphology of the Madreporaria. VIII, The primary septa of the Rugosa.—Ann. and Mag. Nat. Hist., 7th ser., vol. 18, pp. 226-242, 21 figs., September, 1906.

The discussion is based in part upon American material.

748. Studies of the morphology, physiology, and the development of recent and fossil corals with bibliography.—Michigan Acad. Sci., Bull., vol. 2, no. 1, pp. 3-4, May, 1905.

Duffield, M. S.

749. The Alaska Central railway.—Eng. and Min. Jour., vol. 81, pp. 755-759, 7 figs., April 21, 1906.

Contains notes on the physiography and geology of Alaska.

Dumais, P. H.

750. Quelques aperçus sur la géologie du Saguenay.—Le Naturaliste Canadien, vol. 27, pp. 11-14, 24-25, 42-47, 72-77, 106-109, 133-136, 178-182, 1900; vol. 29, pp. 149-152, 172-175, 182-184, 1902; vol. 30, pp. 23-28, 70-74, 137-142, 147-149, 172-176, 1903; vol. 31, pp. 15-19, 42-46, 63-66, 87-88, 1904; vol. 32, pp. 15-16, 30-33, 51-54, 1905.

Dumble, Edwin T.

751. Age of petroleum deposits, Saratoga, Texas.—Science, new ser., vol. 23, pp. 510-511, March 30, 1906.

From fossils identified by Dr. W. H. Dall the age is held to be upper Miocene.

Dutton, Clarence Edward.

752. Volcanoes and radioactivity. (Read before the National Academy of Sciences, April 17, 1906.) Englewood, N. J., 1906. 12 pp. Also in Jour. Geology, vol. 14, no. 4, pp. 259-268, 1906; and in Pop. Sci. Monthly, vol. 68, no. 6, pp. 543-550, June, 1906.

Explains the phenomena of volcanism as due to radioactivity generated in the earth.

Eakle, Arthur S.

753. Notes on lawsonite, columbite, beryl, barite, and calcite.—California Univ., Dept. Geol., Bull., vol. 5, no. 6, pp. 81-94, 1 pl., 1907.

Discusses the occurrence, composition, and crystallographic and other characters of these minerals.

754. Weathered pyrite.—Min. and Sci. Press, vol. 95, p. 492, October 19, 1907.

Eames, Richard, Jr.

755. Copper in North Carolina.—Eng. and Min. Jour., vol. 83, p. 583, March 23, 1907.

Eastman, Charles R.

756. Dipnoan affinities of Arthroires.—Am. Jour. Sci., 4th ser., vol. 21, pp. 131-143, 4 figs., February, 1906. Abstract: Science, new ser., vol. 23, p. 290, February 23, 1906; Am. Assoc. Adv. Sci., Proc., vol. 55, p. 379, 1906.

757. Structure and relations of *Mylostoma*.—Harvard Coll., Mus. Comp. Zool., Bull., vol. 50, no. 1, pp. 1-29, 5 pls., 8 figs., 1906.

758. Mylostomid dentition.—Harvard Coll., Mus. Comp. Zool., Bull., vol. 50, no. 7, pp. 211-228, 1 pl., 4 figs., 1907.

Discusses the relations of the dental parts in Mylostomid fishes.

759. Types of fossil cetaceans in the Museum of Comparative Zoology.—Harvard College, Mus. Comp. Zool., Bull., vol. 51, no. 3, pp. 79-94, 4 pls., 2 figs., June, 1907.

Eastman, Charles R.—Continued.

760. Devonian fishes of the New York formations.—New York State Mus., Mem. 10, 235 pp., 15 pls., 35 figs., 1907.

Eberle, Frank.

761. The Willamette meteorite.—Min. World, vol. 23, no. 10, p. 279, September 9, 1905.

Eckel, Edwin C.

762. Cement materials of Mississippi.—U. S. Geol. Survey, Bull. no. 283, pp. 71-84, 1906.

Describes the occurrence and character of limestones suitable for cement manufacture.

763. Contributions to economic geology, 1905: Investigation of iron ores and nonmetalliferous minerals.—U. S. Geol. Survey, Bull. no. 285, pp. 20-24, 1906.

Outlines the work in progress of the U. S. Geological Survey upon iron ores, fuels, structural materials, and miscellaneous nonmetals.

764. The Clinton or red ores of northern Alabama.—U. S. Geol. Survey, Bull. no. 285, pp. 172-179, 1906.

Discusses the origin of the Clinton ores and describes the geology, occurrence, and chemical characters of the ore bodies, and the mining developments in northern Alabama.

765. The Oriskany and Clinton iron ores of Virginia.—U. S. Geol. Survey, Bull. no. 285, pp. 183-189, 1 fig., 1906.

Describes the general geology of the iron district, and the occurrence, character, and origin of the ores.

766. Cement resources of the Cumberland Gap district, Tennessee-Virginia.—U. S. Geol. Survey, Bull. no. 285, pp. 374-376, 1906.

Describes the geology of the district, and the character and occurrence of limestones and shales available for cement manufacture.

767. Clays of Garland County, Arkansas.—U. S. Geol. Survey, Bull. no. 285, pp. 407-410, 1906.

Describes the occurrence and character of the deposits, and the composition of the clays.

768. Investigations of iron ores, structural materials, etc.—U. S. Geol. Survey, Bull. no. 315, pp. 20-25, 1907.

Summarizes the investigations of iron ores, structural materials, etc., of the U. S. Geological Survey during the year 1906.

769. The mineral-paint ores of Lehigh Gap, Pennsylvania.—U. S. Geol. Survey, Bull. no. 315, pp. 435-437, 1907.

770. Mineral Paints: Geology and technology.—U. S. Geol. Survey, Mineral Resources for 1906, pp. 1120-1122, 1907.

Gives a geologic section in the Lehigh Gap district, Pennsylvania.

Slate deposits of the United States.—See Dale and Eckel, no. 625.

The production in the United States in 1905 of gypsum and gypsum products.—See no. 2418.

Contributions to economic geology, 1905.—See U. S. Geological Survey.

Contributions to economic geology, 1906.—See U. S. Geological Survey.

Advances in cement technology, 1906.—See no. 2419.

The production in the United States in 1906 of iron ores, pig iron, and steel; and of lime and sand-lime brick.—See no. 2419.

Eddy, J. A.

771. A remarkable soda spring [New Mexico].—Eng. and Min. Jour., vol. 81, p. 793, April 28, 1906.

Describes briefly the character of the water and the deposit it has formed.

Edman, J. A.

772. The auriferous black sands of California.—California State Min. Bur., Bull. no. 45, pp. 5-10, 1907.

Edson, G. E.

773. Historical sketch of the Cambrian age as related to Vermont geology.—Vermont Geol. Survey, Fifth Rept. State Geol., pp. 117-132, 1906.

Gives an historical outline of geologic work upon the Cambrian deposits of Vermont.

774. The geology of St. Albans and vicinity.—Vermont Geol. Survey, Fifth Rept. State Geol., pp. 133-155, 1 fig., 1906.

Describes the occurrence, character, relations, and fossil contents, with lists of fossils, of Cambrian and Ordovician strata in the vicinity of St. Albans, Vt.

Edwards, George E.

775. The lead and zinc fields of southwestern Wisconsin.—Min. World, vol. 27, pp. 279-280, August 17, 1907.

Edwards, W. H.

776. Notes on the production and uses of Canadian chrome.—Canadian Min. Inst., Jour., vol. 9, pp. 35-38, 1906.

Edwards, Clarence E.

777. California's new coal fields.—Min. World, vol. 24, no. 7, p. 245, February 17, 1906.

Eldridge, George Homans.

778. The formation of asphalt veins.—Econ. Geology, vol. 1, no. 5, pp. 437-444, 1906.

Describes the distribution of asphalt veins, the nature and origin of the fissures, the dimensions of the veins and their relation to inclosing rocks, and discusses their origin.

Eldridge, George Homans, and Arnold, Ralph.

779. The Santa Clara Valley, Puente Hills, and Los Angeles oil districts, southern California.—U. S. Geol. Survey, Bull. no. 309, 266 pp., 41 pls., 17 figs., 1907.

Ellis, E. E.

780. Occurrence of water in crystalline rocks.—U. S. Geol. Survey, W.-S. and Irrig. Paper no. 160, pp. 19-28, 1 fig., 1906.

Ells, R. W.

781. [Report on] Graham Island (of the Queen Charlotte group, B. C.).—Canada, Geol. Survey, Summ. Rept. for 1905, pp. 53-55, 1906; British Columbia, Ann. Rept. Minister of Mines, for 1906, pp. 74-93, 1 map, 1907.

Gives an account of the examination of the coal deposits in this island.

782. Southern New Brunswick.—Canada, Geol. Survey, Summ. Rept. for 1906, pp. 131-139, 1906.

Discusses the stratigraphy of the region and the occurrence of economic minerals.

783. Report on Graham Island, B. C.—Canada, Geol. Survey, Ann. Rept., vol. 16, pt. B, 45 pp., 2 maps, 1906.

Describes the physical features, the general geology, the character and occurrence of post-Tertiary, Tertiary, and Cretaceous sedimentary and pre-Cretaceous and Tertiary igneous rocks, and the occurrence, character, and mining of Cretaceous coals.

784. Some interesting problems in New Brunswick geology.—Canada, Roy. Soc., Proc. and Trans., 2d ser., vol. 11, sect. 4, pp. 21-35, 1906.

Discusses the occurrence and inter-relations of stratified and volcanic rocks, and the stratigraphic position, age, and relations of various metamorphosed rocks of New Brunswick.

Ells, R. W.—Continued.

785. Notes on the mineral fuel supply of Canada.—Canada, Roy. Soc., Proc. and Trans., 2d ser., vol. 12, sect. 4, pp. 267-290, 1906. Abstract: Science, new ser., vol. 23, p. 973, June 29, 1906.

Describes the occurrence, character, and extent of coal and other mineral fuel resources of Canada.

786. Notes on the geology of the islands of Trinidad and Barbados, British West Indies.—Canada, Roy. Soc., Proc. and Trans., 3d ser., vol. 1, sect. 4, pp. 115-130, 1907.

787. Notes on the geology and mineral resources of Trinidad and Barbados, B. W. Islands.—Ottawa Naturalist, vol. 23, no. 5, pp. 73-79, August, 1907.

788. Report on the geology and natural resources of the area included in the northwest quarter sheet, number 122 of the Ontario and Quebec series, comprising portions of the counties of Pontiac, Carleton, and Renfrew.—Geol. Survey of Canada, Ottawa, 1907. 71 pp., 1 map.

Elton, H. L.

Mines of the Taviche district, Oaxaca, Mexico.—See Place and Elton, no. 1936.

Emerson, Benjamin K.

789. Quartz after prochlorite at Cranston and Worcester and coal plants at Worcester.—Science, new ser., vol. 23, p. 907, December 27, 1907.

Emerson, Benjamin K., and Perry, Joseph H.

790. The green schists and associated granites and porphyries of Rhode Island.—U. S. Geol. Survey, Bull. no. 311, 74 pp., 2 pls., 6 figs., 1907.

Describes the occurrence, character, and relations of the pre-Cambrian and Carboniferous stratified rocks and associated igneous rocks.

Emmens, Newton W.

791. The Jones iron fields of New Mexico.—Min. Mag., vol. 13, no. 2, pp. 109-116, 6 figs., February, 1906.

Includes a brief account of the geology and occurrence of this iron-ore deposit.

Emmons, Samuel Franklin.

792. Biographical notice of George H. Eldridge.—Am. Inst. Min. Eng., Bi-Mo. Bull., no. 8, pp. 247-257, March, 1906; Trans., vol. 37, pp. 339-340, 1907.

Adds a list of his published papers.

793. What is a fissure vein?—Econ. Geology, vol. 1, no. 4, pp. 385-387, 1906.

794. A map and cross-sections of the Downtown district of Leadville [Colorado].—Abstract: Science, new ser., vol. 23, pp. 816-817, May 25, 1906.

795. Useful definitions.—Min. and Sci. Press, vol. 93, pp. 355-356, September 22, 1906. Proper use of mining terms.—Min. World, vol. 25, no. 24, p. 715, December 15, 1906.

Gives definitions of various terms employed in economic geology.

796. Los Pílares mine, Nacozari, Mexico.—Econ. Geology, vol. 1, no. 7, pp. 629-643, 4 figs., 1906. Abstract: Eng. and Min. Jour., vol. 82, pp. 1066-1067, 2 figs., December 8, 1906.

Describes the local geology, the character and distribution of the copper ores, and the geologic history of the deposits.

797. Contributions to economic geology, 1905: Investigation of metalliferous ores.—U. S. Geol. Survey, Bull. no. 285, pp. 14-19, 1906.

Outlines the work of the U. S. Geological Survey in progress and in course of publication pertaining to metalliferous ores.

798. Uinta Mountains.—Geol. Soc. America, Bull., vol. 18, pp. 287-302, 1 pl., 2 figs., 1907.

Reviews previous geologic work in the region, describes the general structure and stratigraphic succession of the Uintas, and discusses the origin of the Green River.

Emmons, Samuel Franklin—Continued.

799. Geological structure of the Uinta Mountains.—Abstract: Science, new ser., vol. 25, pp. 767-768, May 17, 1907.

800. Investigations of metalliferous ores.—U. S. Geol. Survey, Bull. no. 315, pp. 14-19, 1907.

Summarizes the investigations of the U. S. Geological Survey upon metalliferous ores during the year 1906.

801. Suggestions for field observations of ore deposits.—Min. and Sci. Press, vol. 95, pp. 18-20, July 6, 1907.

802. Biographical memoir of Clarence King, 1842-1901. (Read before the National Academy of Sciences, April 23, 1903). Washington, 1907.—[Nat. Acad. Sci., Biog. Mem., vol. 6], pp. 25-55, 1 pl. (port.).

Includes a list of his principal published works.

Contributions to economic geology, 1905.—See U. S. Geological Survey.

Contributions to economic geology, 1906.—See U. S. Geological Survey.

Emmons, Samuel Franklin, and Irving, John Duer.

803. The Downtown district of Leadville, Colorado.—U. S. Geol. Survey, Bull. no. 320, 75 pp., 7 pls., 5 figs., 1907.

Describes the geologic structure of the district, and the distribution, relations, and origin of the ores.

Emmons, William H.

804. Ore deposits of Bear Creek, near Silverton, Colo.—U. S. Geol. Survey, Bull. no. 285, pp. 25-27, 1906.

Describes briefly the general geology and the occurrence and character of the gold and silver telluride ores.

805. The Cashin mine, Montrose County, Colo.—U. S. Geol. Survey, Bull. no. 285, pp. 125-128, 1906.

Describes the geology of the vicinity of the mine and the character and origin of the copper ore.

806. The Granite-Bimetallic and Cable mines, Pittsburg quadrangle, Montana.—U. S. Geol. Survey, Bull. no. 315, pp. 31-55, 4 figs., 1907.

Describes the geology, the distribution and character of the ores yielding silver, gold, and copper, and the mining developments.

807. Normal faulting in the Bullfrog district.—Science, new ser., vol. 26, pp. 221-222, August 16, 1907.

Emmons, William H., and Garrey, G. H.

808. Notes on the Manhattan district [Nevada].—U. S. Geol. Survey, Bull. no. 308, pp. 84-93, 1907.

Gives notes on the general geology of the region and the occurrence and character of the ore deposits.

Engineering and Mining Journal.

809. The Wisconsin lead and zinc district.—Eng. and Min. Jour., vol. 81, pp. 1183-1186, 7 figs., June 23, 1906.

Describes the geology and the occurrence and character of the ores.

Engineering News.

810. The San Francisco disaster: earthquake and fire ruin in the Bay counties of California.—Eng. News, vol. 55, no. 17, pp. 478-480, 1 fig., April 26, 1906.

Erben, Franz, and Ceipek, L.

811. Analyse des Albit von Amelia [Virginia].—Tschermak's Min. u. Petrog. Mitt., Bd. 20, Heft 1, p. 85, 1901.

Escobar, R.

812. Los pozos artesianos de villa Ahumada (E. de Chihuahua).—Soc. cient. "Antonio Alzate," Mem. y Rev., t. 24, no. 3, pp. 121-126, September, 1906.

Describes artesian wells in the State of Chihuahua, Mexico.

Evans, Horace F.

813. The Nicola-Coldwater coal beds [British Columbia].—Min. World, vol. 23, no. 7, pp. 200-201, August 19, 1905.

814. The source of Fraser River gold [British Columbia].—Min. World, vol. 23, no. 9, pp. 258-259, September 2, 1905.

Includes notes on the geology of the region.

815. The Cretaceous stratigraphy of Ashcroft, B. C.—Min. World, vol. 23, no. 10, pp. 285-286, September 9, 1905.

816. A further reconnaissance into Highland Valley, B. C.—Min. World, vol. 23, no. 12, p. 336, September 23, 1905.

Gives notes upon the geology of the region.

817. Molybdenite in British Columbia.—Min. World, vol. 23, no. 16, pp. 443-444, October 21, 1905.

818. Kamloops [British Columbia] and its geological conditions.—Min. World, vol. 23, no. 17, p. 464, October 28, 1905.

819. Interior plateau of British Columbia.—Min. World, vol. 23, no. 21, p. 579, November 25, 1905.

Gives a general account of the geology.

820. A reconnaissance into Tulameen, B. C.—Min. World, vol. 24, pp. 633, 665, 696, 726, 747; vol. 25, p. 12, 1906.

Describes the geology of the region.

821. International geology of Cascade region.—Min. World, vol. 25, no. 9, pp. 236-237, September 1, 1906.

822. Copper deposits of Eschelon Mountain, B. C.—Min. World, vol. 25, no. 10, p. 266, September 8, 1906.

823. The Similkameen and its beds.—Min. World, vol. 25, no. 13, p. 399, September 29, 1906.

824. Marginal differentiation in biotites.—Min. World, vol. 25, no. 25, p. 749, December 22, 1906.

Discusses the occurrence of ore deposits. Includes notes upon the geology of the Similkameen district of British Columbia.

825. British Columbia placers: Past and present.—Min. World, vol. 26, pp. 563, 687, 779, 1907.

826. Explorations in British Columbia.—Min. World, vol. 26, pp. 333, 384, 472, 505-506, 1907.

Includes notes on the geology of the region examined.

827. Reconnaissance up West Fork of Kettle River.—Min. World, vol. 27, pp. 65, 317, 1907.

828. Certain features of the Rocky Mountain region.—Min. World, vol. 27, pp. 641, 809, 1907.

829. Nickel plate mines on Striped Mountain, B. C.—Min. World, vol. 27, pp. 1015, 1057, 1907.

Evans, John W.

830. How should faults be named and classified?—Econ. Geology, vol. 2, no. 8, pp. 803-806, 1907.

Everette, Willis Eugene.

831. The geology of the Klondike.—Sci. Am. Suppl., vol. 64, pp. 410-411, December 28, 1907.

Fairbanks, Harold Wellman.

832. Practical physiography. Boston, Allyn and Bacon, 1906. 542 pp., 403 figs.

833. The great earthquake rift of California.—California Phys. Geog. Club, Bull., vol. 1, no. 2, pp. 2-8, 2 pls., October, 1907. See also Jordan, D. S., no. 1325.

Fairchild, Herman L.

834. The geology of Irondequoit Bay [New York].—Abstract: Rochester Acad. Sci., Proc., vol. 3, pp. 236-239, 1 pl., 1906.

A brief account of the glacial geology of the region.

835. The predecessors of Niagara.—Abstract: Rochester Acad. Sci., Proc., vol. 3, pp. 274-277, 1906.

Discusses drainage in northern United States, particularly New York, during the retreat of the glacial ice sheet.

836. Glacial waters in the Lake Erie basin.—New York State Mus., Bull. 106, 86 pp., 23 pls., 4 figs., 1907.

837. Drumlins of central western New York.—New York State Mus., Bull. 111, pp. 391-443, 47 pls., 1907.

838. How should faults be named and classified?—Econ. Geology, vol. 2, no. 2, pp. 184-185, 1907.

839. Drumlin structure and origin.—Abstract: Geol. Soc. America, Bull., vol. 17, pp. 702-706, 1907.

840. Gilbert Gulf (marine waters in Ontario basin).—Geol. Soc. America, Bull., vol. 17, pp. 712-718, 3 figs., 1907.

841. Origin of Meteor crater (Coon Butte), Arizona.—Geol. Soc. America, Bull., vol. 18, pp. 493-504, 3 pls., 1 fig., December, 1907.

842. Iroquois extinction.—Abstract: Science, new ser., vol. 26, pp. 398-399, September 27, 1907.

Discusses the drainage of glacial waters in northern New York.

843. A meteoric crater of Arizona.—Congr. géol. intern., C. R. 10^e sess., Mexico, 1906, pp. 147-151, 1907.

Describes "Coon Butte" and discusses its origin.

Faribault, E. Rodolphe.

844. Gold fields of Nova Scotia.—Canada, Geol. Survey, Summ. Rept. for 1905, pp. 122-124, 1906.

Gives a brief account of the work done in surveying the gold fields of Nova Scotia.

845. Gold fields of Nova Scotia.—Canada, Geol. Survey, Summ. Rept. for 1906, pp. 147-152, 1906.

Describes the stratigraphy and geologic structure of the area, and the occurrence and relations of the gold-bearing rocks.

Farish, John B.

846. The Dolores mine, Chihuahua, Mexico.—Eng. and Min. Jour., vol. 83, p. 849, 1 fig., May 4, 1907.

Includes a brief account of the geology and of the occurrence of the ores.

Farnsworth, P. J.

847. On the origin of the small mounds of the lower Mississippi Valley and Texas.—Science, new ser., vol. 23, pp. 583-584, April 13, 1906.

Gives an explanation of the origin of these mounds.

Farrington, Oliver Cumings.

848. The Shelburne and South Bend meteorites.—Field Columbian Mus., Geol. Ser., vol. 3, no. 2, pp. 7-23, 14 pls., 2 figs., 1906.

849. Zoisite from Lower California.—Field Columbian Mus., Geol. Ser., vol. 3, no. 4, pp. 55-57, 1 pl., 1906.

Describes the occurrence, characters, and composition.

850. Meteorite shower at Modoc, Kansas.—Science, new ser., vol. 23, pp. 582-583, April 13, 1906.

851. Professor Henry A. Ward [died July 4, 1906].—Science, new ser., vol. 24, pp. 153-154, August 3, 1906.

A brief sketch of his work in collecting meteorites.

Sci., 4th ser., vol. 22, pp. 303-309, October, 1906.

852. Analysis of "iron shale" from Coon Mountain, Arizona.—Am. Jour. Sci., 4th ser., vol. 22, pp. 303-309, October, 1906.

853. Analyses of iron meteorites compiled and classified.—Field Columbian Mus., Geol. Ser., vol. 3, no. 5, pp. 59-110, March, 1907.

854. Meteorite studies II.—Field Columbian Mus., Geol. Ser., vol. 3, no. 6, pp. 111-129, 15 pls., 1907.

Describes the Bath Furnace, Chupaderos, Iron Creek, Lampa, Mejillones, Modoc, Ponca, Creek, Saline, and Weston meteorites.

Fawns, Sidney.

855. Tin deposits of the world. The Mining Journal, London, 1905.

Includes an account of the tin deposits of the United States (pp. 157-164) [Alaska, pp. 159-164, 1 pl.].

Fay, Albert Hill.

856. Geology and mining of the tin deposits of Cape Prince of Wales, Alaska.—Am. Inst. Min. Eng. Bi-Mo. Bull., no. 17, pp. 769-787, 11 figs., September, 1907.

Fels, G.

857. Ein Anorthitawürfling von der Insel St. Christopher.—Zeitschr. f. Kryst. u. Mineral., Bd. 37, Heft 5, pp. 450-460, 5 figs., 1903.

Describes the crystallographic features and composition of anorthite of volcanic origin, collected on the island of St. Christopher, West Indies.

Fenneman, N. M.

858. Floodplains produced without floods.—Am. Geog. Soc., Bull., vol. 38, no. 2, pp. 89-91, February, 1906.

859. Oil fields of the Texas-Louisiana Gulf coastal plain.—U. S. Geol. Survey, Bull. no. 282, 146 pp., 11 pls., 15 figs., 1906.

Describes the general geology, and in detail the geologic structure, sediments, oil horizons, and development of the individual oil fields in Texas and Louisiana, and discusses the origin, properties, and utilization of the petroleum.

860. Stratigraphic work in the vicinity of East St. Louis.—Illinois State Geol. Survey, Bull. no. 4, pp. 213-217, 1907.

861. Clay resources of the St. Louis district, Missouri.—U. S. Geol. Survey, Bull. no. 315, pp. 315-321, 1 fig., 1907.

Fenneman, N. M., and Gale, Hoyt S.

862. The Yampa coal field, Routt County, Colo.—U. S. Geol. Survey, Bull. no. 285, pp. 226-239, 1 pl. (map), 1906.

Describes the geologic structure and stratigraphy of the field, the occurrence and relations of the coal seams, and the character and composition of the coals.

Fenneman, N. M., and Gale, Hoyt S.—Continued.

863. The Yampa coal field, Routt County, Colorado.—U. S. Geol. Survey, Bull. no. 297, pp. 7-81, 9 pls., 2 figs., 1906.

Describes the geologic structure, the occurrence, character, and relations of Archean, Cretaceous, and Tertiary deposits, the character of the coal field, and the occurrence, thickness, and character of the coal seams.

Fernekes, Gustave.

864. The formation of Lake Superior copper.—Science, new ser., vol. 25, p. 589, April 12, 1907.

865. Precipitation of copper from chloride solutions by means of ferrous chloride.—Econ. Geology, vol. 2, no. 6, pp. 580-584, 1907.

Ferrier, W. F.

Phosphate deposits in western United States.—See Weeks and Ferrier, no. 2507.

Finch, Grant E.

866. A study of a portion of the Iowan drift border in Fayette County, Iowa.—Iowa Acad. Sci., Proc., vol. 13, pp. 215-218, 1906.

Finlay, George I.

867. On an occurrence of corundum and dumortierite in pegmatite in Colorado.—Jour. Geology, vol. 15, no. 5, pp. 479-484, 1907.

868. The Gleneyrie formation and its bearing on the age of the Fountain formation in the Manitou region, Colorado.—Jour. Geology, vol. 15, no. 6, pp. 586-589, 1907.

Fisher, Cassius A.

869. Description of the Nepesta quadrangle [Colorado].—U. S. Geol. Survey, Geol. Atlas of U. S., folio no. 135, 5 pp., 2 figs., 3 maps, 1 columnar section sheet, 1906.

Describes the topography and drainage, the occurrence, character, and relations of Cretaceous, Tertiary, and Quaternary formations, the geologic history, and the soils, water, and mineral resources.

870. Preliminary report on the geology and underground waters of the Roswell artesian area, New Mexico.—U. S. Geol. Survey, W.-S. and Irrig. Paper no. 158, 29 pp., 9 pls., 1906.

Describes the general geology of the region and the artesian water resources.

871. Development of the Bear Creek coal fields, Montana.—U. S. Geol. Survey, Bull. no. 285, pp. 269-270, 1906.

Describes the occurrence and character of the coal beds, and the mining operations.

872. Mineral resources of the Bighorn basin.—U. S. Geol. Survey, Bull. no. 285, pp. 311-315, 1906.

Describes the occurrence of coal, bentonite, gypsum, and other mineral deposits in this part of Wyoming.

873. Geology and water resources of the Bighorn basin, Wyoming.—U. S. Geol. Survey, Prof. Paper no. 53, 72 pp., 16 pls., 1 fig., 1906.

Describes the topography and drainage, the occurrence, character, and relations of pre-Cambrian, Cambrian, Ordovician, Carboniferous, Triassic, Jurassic, Cretaceous, and Tertiary strata and Quaternary deposits, the geologic structure and history, and the water and mineral resources.

874. The Great Falls coal field, Montana.—U. S. Geol. Survey, Bull. no. 316, pp. 161-173, 1 pl., 1907.

Fisher, E. F.

875. Terraces of the West River, Brattleboro, Vermont.—*Boston Soc. Nat. Hist., Proc.*, vol. 33, no. 2, pp. 9-42, 11 pls., 11 figs., 1906.

Discusses the production of terraces in river valleys by the meandering of the stream controlled by rock ledges, basing the study upon the terraces of the West River in the vicinity of Brattleboro, Vt.

Fisher, O.

876. A suggested cause of changes of level in the earth's crust.—*Am. Jour. Sci.*, 4th ser., vol. 21, pp. 216-220, March, 1906.

Finds the cause in convection currents in a liquid substratum beneath the cooled crust.

Flammarion, Camille.

877. Earthquakes.—*Sci. Am. Suppl.*, vol. 62, pp. 25861-25862, December 8, 1906.

Fleck, Herman, and Haldane, Wm. G.

878. A study of the uranium and vanadium belts of southern Colorado.—*Colorado, State Bur. Mines, Rept. for 1905-6*, pp. 47-115, 10 pls., 1 fig., 1907.

Fletcher, Hugh.

879. Geological work in the northwestern parts of Nova Scotia.—*Canada, Geol. Survey, Summ. Rept. for 1905*, pp. 118-122, 1906.

880. Surveys in western Nova Scotia.—*Canada, Geol. Survey, Summ. Rept. for 1906*, pp. 140-146, 1906.

Gives notes on the geology of the area and the occurrence of coal.

Flores, T.

881. Le Xinantecatli ou volcan Nevado de Toluca.—*X^e Congr. géol. intern., Guide des Excursions, Mexico*, no. IX, 16 pp., 4 pls., 1906.

882. Étude minière du district de Zacatecas [México].—*X^e Congr. géol. intern., Guide des Excursions, Mexico*, no. XVII, 25 pp., 2 pls., 1906.

Describes the occurrence and character of the ore deposits.

Étude de la Sierra de Guanajuato.—See Villarello, Flores, and Robles, no. 2460.

Foerste, August F.

883. Silurian clays, with notes on clays of the Waverly and Irvine formations [of Kentucky].—*Kentucky Geol. Survey, Bull.* no. 5, pp. 143-178, 1905.

Gives chemical analyses, describes the geological position, and discusses possible uses of the various clays.

884. The Silurian, Devonian, and Irvine formations of east-central Kentucky, with an account of their clays and limestones.—*Kentucky Geol. Survey, Bull.* no. 7, 369 pp., 33 pls. (incl. 7 maps), 1906.

Discusses the occurrence and classification of Silurian and Devonian rocks and the properties and economic value of their limestones and clays. Also describes and figures characteristic fossils of the Silurian formations of east central Kentucky, chiefly from the Waco limestone horizon.

Fohs, F. Julius.

885. Clays in Crittenden and Livingston counties [Kentucky].—*Kentucky Geol. Survey, Bull.* no. 6, pp. 124-142, 1905.

Describes the occurrence, kinds, origin, and geologic relations.

886. Classification of faults and fractures into series and sets and its practical application.—*Eng. and Min. Jour.*, vol. 81, pp. 553-554, March 24, 1906.

Includes notes on faulting in western Kentucky.

Ford, James.

887. Theory of the formation of coal fields.—Eng. and Min. Jour., vol. 82, pp. 255-256, August 11, 1906.

Ford, W. E.

888. Some interesting beryl crystals and their associations.—Am. Jour. Sci., 4th ser., vol. 22, pp. 217-223, 10 figs., September, 1906; Zeitschr. f. Krystal. u. Mineral., Bd. 43, Heft 1, pp. 12-17, 11 figs., 1907.

On stibiotantalite.—See Penfield and Ford, no. 1892.

Forstner, William.

889. Copper in Shasta County, California.—Min. and Sci. Press, vol. 94, pp. 625-626, 4 figs., May 18, 1907.

Discusses the geology of the Shasta copper belt and the occurrence and character of the ores.

890. Ore deposits in serpentine.—Min. and Sci. Press, vol. 95, pp. 121-122, July 27, 1907.

Fowke, Gerard.

891. Superficial deposits along the Mississippi.—Ohio State Acad. Sci., Proc., vol. 4, pt. 7 (14th Ann. Rept.), pp. 349-352, 1906.

Discusses the occurrence of glacial deposits in southern Illinois and Missouri and their explanation.

892. Lansing man.—Bureau Am. Ethnology, Bull., vol. 30, pt. 1, pp. 759-760, 2 figs., 1907.

Discusses the occurrence of the human remains and the geologic environment, and discusses the age of the deposits.

Fraleck, E. L.

893. Iron pyrites in Ontario.—Ontario, Bur. Mines, 16th Ann. Rept., vol. 16, pt. 1, pp. 149-201, 21 figs., 1907.

Frank, Fritz J.

894. Cobalt: Canada's wonderful silver camp; geological features of the region.—Mines and Minerals, vol. 27, no. 4, pp. 145-147, 5 figs., November, 1906.

Fraprie, Frank Roy.

895. On the chromates of caesium.—Am. Jour. Sci., 4th ser., vol. 21, pp. 309-316, 5 figs., April, 1906; Zeitschr. f. Kryst. u. Mineral., Bd. 42, Heft 2, pp. 113-119, 5 figs., 1906.

Fraser, Lee.

896. Coal mining in Michigan.—Eng. and Min. Jour., vol. 84, pp. 594-595, 2 figs., September 28, 1907.

897. Mining the coal measures of Michigan.—Eng. and Min. Jour., vol. 84, pp. 1024-1027, 9 figs., November 30, 1907.

Includes notes on the occurrence, character, and composition of the coals.

Frazer, Persifor.

898. Rocks of Mount Desert Island, Maine.—Geol. Soc. America, Bull., vol. 16, pp. 583-585, 1906.

899. The classification of coals. Discussion of paper by M. R. Campbell.—Am. Inst. Min. Eng., Trans., vol. 36, pp. 825-833, 1906 (Bi-Mo. Bull. no. 8, pp. 239-246, March, 1906).

Frech, Fritz.

900. Ueber die Klima-aenderungen der geologischen Vergangenheit.—Congr. géol. intern., C. R. 10^e sess., Mexico, 1906, pp. 299-325, 1907.

Discusses geologic changes of climate.

Frech, Fritz—Continued.

901. Ueber Aviculiden von paläozoischem Habitus aus der Trias von Zacatecas.—Congr. géol. intern., C. R. 10^e sess., Mexico, 1906, pp. 327-340, 2 pls., 1907.

Discusses climatic conditions prevailing during the Triassic, and describes Aviculidæ from the Triassic deposits of Zacatecas, Mexico.

Frost, Max, and Walter, Paul A. F.

902. [Physiography and geology of New Mexico.]—In "The Land of Sunshine," published by the New Mexico Bureau of Immigration, Santa Fe, N. M., pp. 23-39, 11 pls., 1906.

Gives a general account of the physiographic features and general geology of New Mexico.

Fuller, Myron L.

903. Work of the eastern section of hydrology [of the United States Geological Survey] in 1905, and publications relating to underground waters.—U. S. Geol. Survey, W.-S. and Irrig. Paper no. 160, pp. 1-8, 1906.

904. Significance of the term "artesian."—U. S. Geol. Survey, W.-S. and Irrig. Paper no. 160, pp. 9-15, 2 figs., 1906.

Discusses the various ways in which the term "artesian" has been used and gives definitions.

905. Representation of wells and springs on maps.—U. S. Geol. Survey, W.-S. and Irrig. Paper no. 160, pp. 16-18, 1906.

Proposes a system of symbols for representing on maps wells and springs of different character.

906. Total amount of free water in the earth's crust.—U. S. Geol. Survey, W.-S. and Irrig. Paper no. 160, pp. 59-72, 1906.

907. Peculiar mineral waters from crystalline rocks of Georgia.—U. S. Geol. Survey, W.-S. and Irrig. Paper no. 160, pp. 86-91, 1906.

Describes the composition of the waters and discusses the geologic conditions and the sources of their mineralization.

908. Instances of improvement of water in wells.—U. S. Geol. Survey, W.-S. and Irrig. Paper no. 160, pp. 96-99, 1906.

909. Comparative intensities of the New Madrid, Charleston, and San Francisco earthquakes.—Abstract: Science, new ser., vol. 23, pp. 917-918, June 15, 1906.

910. Our greatest earthquakes.—Pop. Sci. Monthly, vol. 69, no. 1, pp. 76-86, 6 figs., July, 1906.

Gives an account of the New Madrid, Mo., earthquake, and compares the New Madrid, Charleston, and San Francisco earthquakes.

911. Underground water investigations in the United States.—Econ. Geology, vol. 1, no. 6, pp. 554-569, 1906.

Describes the development of hydrologic investigations in the United States, the character of hydrologic problems and methods of investigation, and the problems awaiting study.

912. Clays of Cape Cod, Massachusetts.—U. S. Geol. Survey, Bull. no. 285, pp. 432-441, 1906.

Describes the general geology, and the occurrence, character, and structure of the clay beds. Includes a geologic section of the Cape Cod region.

913. Glacial stages in southeastern New England and vicinity.—Science, new ser., vol. 24, pp. 467-469, October 12, 1906.

914. The elevated beaches of Labrador.—Abstract: Science, new ser., vol. 25, p. 32, January 4, 1907.

Fuller, Myron L.—Continued.

915. Notes on the Jamaica earthquake.—*Jour. Geology*, vol. 15, no. 7, pp. 696-721, 11 figs., 1907.

916. Controlling factors of artesian flows.—*Abstract: Science*, new ser., vol. 25, p. 767, May 17, 1907.

The production in the United States in 1905 of carbon dioxide and of mineral waters.—See no. 2418.

The production in the United States in 1906 of phosphate rock.—See no. 2419.

Fuller, Myron L., and others.

917. Underground-water papers, 1906.—U. S. Geol. Survey, W.-S. and Irrig. Paper no. 160, 104 pp., 1 pl., 4 figs., 1906.

Contains the following papers:

Work of the eastern section of hydrology in 1905, and publications relating to underground waters, by Myron L. Fuller, pp. 1-8.

Significance of the term "artesian," by Myron L. Fuller, pp. 9-15.

Representation of wells and springs on maps, by Myron L. Fuller, pp. 16-18.

Occurrence of water in crystalline rocks, by E. E. Ellis, pp. 19-28.

Flowing-well districts in the eastern part of the northern peninsula of Michigan, by Frank Leverett, pp. 29-53.

Drainage of wet lands in Arkansas by wells, by A. E. Crider, pp. 54-58.

Total amount of free water in the earth's crust, by Myron L. Fuller, pp. 59-72.

Use of fluorescein in the study of underground waters, by R. B. Dole, pp. 73-85.

Peculiar mineral waters from crystalline rocks of Georgia, by Myron L. Fuller, pp. 86-91.

Problems of water contamination, by Isaiah Bowman, pp. 92-95.

Instances of improvement of water in wells, by Myron L. Fuller, pp. 96-99.

Fuller, Myron L., and Sanford, Samuel.

918. Record of deep-well drilling for 1905.—U. S. Geol. Survey, Bull. no. 298, 299 pp., 1906.

Fulton, T. T.

919. The faults of Battery Point, Sydney, N. S.—*Nova Scotian Inst. Sci., Trans.*, vol. 11, pt. 2, pp. 260-261, 2 pls., 1906.

Describes the kinds and directions of the faults.

Furlong, Eustace L.

920. The exploration of Samwel cave [California].—*Am. Jour. Sci.*, 4th ser., vol. 22, pp. 235-247, 3 figs., September, 1906.

Describes the cave and its deposits, and gives a list of the fossil remains obtained, with notes on their occurrence and age.

921. Reconnaissance of a recently discovered Quaternary cave deposit near Auburn, California.—*Science*, new ser., vol. 25, pp. 392-394, March 8, 1907.

Describes the occurrence of vertebrate remains.

Gage, R. B.

The glass-sand industry of New Jersey.—See Kimmel and Gage, no. 1436.

Gale, Hoyt S.

922. The Hahus Peak gold field, Colorado.—U. S. Geol. Survey, Bull. no. 285, pp. 28-34, 2 pls., 1 fig., 1906.

Describes briefly the occurrence and relations of the igneous and sedimentary rocks of the region and the occurrence and development of placer and lode gold deposits.

923. Carnotite in Rio Blanco County, Colo.—U. S. Geol. Survey, Bull. no. 315, pp. 110-117, 1 pl., 1907.

924. Coal fields of the Danforth Hills and Grand Hogback in northwestern Colorado.—U. S. Geol. Survey, Bull. no. 316, pp. 264-301, 3 pls., 1907.

The Yampa coal field, Routt County, Colo.—See Fenneman and Gale, nos. 862, 863.

Gallup, F. L.

Report on the molding sands of Wisconsin.—See Ries and Gallup, no. 2065.

Ganong, W. F.

925. Notes on the natural history and physiography of New Brunswick.—New Brunswick Nat. Hist. Soc., Bull., no. XXIV (vol. 5, pt. 4), pp. 409-474, illus., 1906; no. XXV (vol. 5, pt. 5), pp. 519-546, 3 pls., 2 figs., 1907.

Contains notes on various physiographic features of New Brunswick.

Gardner, James H.

926. The kaolin deposits adjacent to the eastern rim of the western coal field, with notes on other clays in that region [Kentucky].—Kentucky Geol. Survey, Bull. no. 6, pp. 7-63, 1905.

Describes the occurrence, character, origin, and geologic horizon of the clay deposits.

927. Clays of the Red River Valley [Kentucky].—Kentucky Geol. Survey, Bull. no. 6, pp. 64-79, 1905.

928. Clays and sands of the Jackson's Purchase region.—Kentucky Geol. Survey, Bull. no. 6, pp. 80-123, 1905.

929. Miscellaneous analyses of Kentucky clays and marls.—Kentucky Geol. Survey, Bull. no. 6, pp. 179-223, 1905.

Garrey, George H.

The Idaho Springs mining district, Colorado.—See Spurr and Garrey, no. 2275.

Notes on the Manhattan district.—See Emmons and Garrey, no. 808.

Garrison, F. Lynwood.

930. Gold mining in Santo Domingo.—Eng. and Min. Jour., vol. 84, pp. 490-492, 5 figs., September 14, 1907.

931. The Parral district, Mexico.—Min. and Sci. Press, vol. 94, pp. 373-374, 2 figs., March 23, 1907.

Describes the general geology, and the character and occurrence of the ores.

932. Metallic sulphides in the tuffs of Santo Domingo.—Min. and Sci. Press, vol. 95, pp. 305-310, 6 figs., September 7, 1907.

933. Notes on minerals.—Philadelphia, Acad. Nat. Sci., Proc., vol. 59, pt. 3, pp. 445-446, 1907.

Gautier, Armand.

934. The genesis of thermal waters and their connection with volcanism. Translation by F. L. Ransome of "La genèse des eaux thermales et ses rapports avec le volcanisme," (Ann. des Mines, 6^e sér., t. 9, pp. 316-370, 1906).—Econ. Geology, vol. 1, no. 7, pp. 688-697, 1906.

Geijsbeek, S.

935. [Review of] Clays, their occurrence, properties, and uses, with special reference to those of the United States, by Heinrich Ries.—Econ. Geology, vol. 2, no. 6, pp. 603-606, 1907.

Geinitz, Eugen.

936. Ueber die vulcanischen Ereignisse von Martinique und St. Vincent.—Ver. d. Freunde d. Naturg. in Mecklenburg, Güstrow, Archiv, Jahrg. 56, pp. xxxvii-111, 1902.

Describes volcanic eruptions on the islands of Martinique and St. Vincent.

Geinitz, F. E.

937. Die Eiszeit.—Die Wissenschaft: Sammlung naturwissenschaftlicher und mathematischer Monographien, Heft 16, Braunschweig, Friedrich Vieweg und Sohn, 1906. 198 pp., 3 pls., 25 figs.

Includes a chapter on the glacial period in North America.

Gentil, L.

938. [Sur les cendres rejetées par le volcan de la Montagne Pelée le 3 mai 1902.—Soc. géol. de France, Bull., 4^e sér., t. 2, pp. 320-321, 1902.

Describes the character of rocks ejected by Mont Pelé.

George, H. C.

939. The Nipissing mine, Cobalt, Ontario.—Eng. and Min. Jour., vol. 82, pp. 967-968, November 24, 1906.

Describes the occurrence of the ores.

George, R. D.

940. Polished pebbles.—Science, new ser., vol. 25, pp. 626-627, April 19, 1907.

Gibson, Thomas W.

941. Report of the [Ontario] Bur. Mines, 1907, vol. 16, pt. 1, 248 pp., illus., 1907.

Gidley, James Williams.

942. Evidence bearing on tooth-cusp development.—Washington Acad. Sci. Proc., vol. 8, pp. 91-106, 2 pls., 2 figs., 1906.

943. A new genus of horse from the Mascall beds, with notes on a small collection of equine teeth in the University of California.—Am. Mus. Nat. Hist., Bull., vol. 22, pp. 386-388, 2 figs., 1906.

944. A fossil raccoon from a California Pleistocene cave deposit.—U. S. Nat. Mus., Proc., vol. 29, pp. 553-554, 1 pl., 1906.

945. A new ruminant from the Pleistocene of New Mexico.—U. S. Nat. Mus., Proc., vol. 30, pp. 165-167, 3 figs., 1906.

946. New or little known mammals from the Miocene of South Dakota.—Am. Mus. Nat. Hist., Bull., vol. 22, pp. 135-153, 20 figs., 1906.

947. A new horned rodent from the Miocene of Kansas.—U. S. Nat. Mus., Proc., vol. 32, pp. 627-636, 8 pls., 1 fig., 1907.

948. Revision of the Miocene and Pliocene Equidæ of North America.—Am. Mus. Nat. Hist., Bull., vol. 23, pp. 865-934, 1907.

Gilbert, Grove Karl.

949. The cause and nature of earthquakes.—Min. and Sci. Press, vol. 92, pp. 272-273, April 28, 1906.

950. The investigation of the San Francisco earthquake.—Pop. Sci. Monthly, vol. 69, no. 2, pp. 97-115, 14 figs., August, 1906. See also Jordan, D. S., no. 1325.

951. Crescentic gouges on glaciated surfaces.—Geol. Soc. America, Bull., vol. 17, pp. 303-316, 1906.

Describes the occurrence and character of these markings and gives an explanation of their origin.

952. Moulin work under glaciers.—Geol. Soc. America, Bull., vol. 17, pp. 317-320, 3 pls., 1906.

Describes a certain type of rock sculpturing and explains how it was produced by the moulin work of a glacier.

953. Gravitational assemblage in granite.—Geol. Soc. America, Bull., vol. 17, pp. 321-328, 4 pls., 1 fig., 1906.

Describes the localization of phenocrysts of feldspar and of hornblende, and of other phenomena in granite in the Sierra Nevada Mountains, and explains their assemblage as due to gravitational force.

Gilbert, Grove Karl—Continued.

954. Israel Cook Russell, 1852-1906.—*Jour. Geology*, vol. 14, no. 8, pp. 663-667, 1 pl., 1906.

Gives an account of his life and work.

955. Rate of recession of Niagara Falls.—U. S. Geol. Survey, Bull. no. 306, pp. 5-25, 11 pls., 8 figs., 1907.

Explains the cause of the recession, cites records as to former positions of the falls, and discusses the rate of recession.

956. The [San Francisco] earthquake as a natural phenomenon.—U. S. Geol. Survey, Bull. no. 324, pp. 1-13, 8 pls., 2 figs., 1907.

Discusses the fault trace, the dislocations of surface material, the motions constituting the earthquake, and the distribution of intensity.

The investigation of the California earthquake of 1906.—See Jordan, no. 1325.

Gilder, Robert F.

957. A primitive human type in America. The finding of the "Nebraska man."—*Putnam's Monthly*, pp. 407-409, 2 figs., January, 1907.

Giles, W. B.

958. Bakerite (a new borosilicate of calcium) and howlite from California.—*Mineral. Mag.*, vol. 13, pp. 353-355, December, 1903.

Gilmore, Charles W.

959. Notes on the osteology of *Baptanodon*. With a description of a new species.—*Carnegie Mus., Mem.*, vol. 2, pp. 325-342, 3 pls., 13 figs., 1906.

960. Notes on some recent additions to the exhibition series of vertebrate fossils.—U. S. Nat. Mus., *Proc.*, vol. 30, pp. 607-611, 6 pls., 1906.

961. Notes on a newly mounted skeleton of *Merycoidodon*, a fossil mammal.—U. S. Nat. Mus., *Proc.*, vol. 31, pp. 513-514, 1 pl., 1906.

962. The type of the Jurassic reptile *Morosaurus agilis* redescribed with a note on *Camptosaurus*.—U. S. Nat. Mus., *Proc.*, vol. 32, pp. 151-165, 2 pls., 9 figs., 1907.

963. A new species of *Baptanodon* from the Jurassic of Wyoming.—*Am. Jour. Sci.*, 4th ser., vol. 23, pp. 193-198, 2 figs., March, 1907.

Gilpin, Edwin.

964. Report on the mines of Nova Scotia.—Nova Scotia, Department of Mines, Report for 1906, 99 pp., 1907.

Giroux, Joseph L.

965. The Giroux mines, Nevada.—*Eng. and Min. Jour.*, vol. 82, pp. 985-986, November 24, 1906.

Describes the ore bodies at Ely, Nev.

Girty, George H.

966. Report on fossil invertebrates [of the Cape Lisburne region, Alaska].—U. S. Geol. Survey, Bull. no. 278, pp. 22-26, 1906.

Gives lists of fossils identified from various localities, considered to be of lower Mississippian age, and notes upon the faunas.

967. Report on marine Carboniferous fossils from the coal fields of Arkansas.—U. S. Geol. Survey, Bull. no. 326, pp. 31-35, 1907.

Gives lists of invertebrate fossils identified from various localities.

Glenn, Leonidas Chalmers.

968. Erosion at Ducktown, Tennessee.—*Abstract: Science*, new ser., vol. 23, p. 288, February 23, 1906; *Am. Assoc. Adv. Sci., Proc.*, vol. 55, p. 377, 1906.

Glenn, Leonidas Chalmers—Continued.

969. The hydrology and geology of the Gulf embayment area of west Tennessee, west Kentucky, and southern Illinois.—Abstract: Science, new ser., vol. 23, p. 288, February 23, 1906; Am. Assoc. Adv. Sci., Proc. vol. 55, p. 377, 1906.

970. The university training of engineers in economic geology.—Econ. Geology, vol. 1, no. 5, pp. 476-479, 1906.

971. Underground waters of Tennessee and Kentucky west of Tennessee River and of an adjacent area in Illinois.—U. S. Geol. Survey, W.-S. and Irrig. Paper no. 164, 173 pp., 7 pls., 13 figs., 1906.

Gives a general account of the physiography, geology, and underground-water resources.

Geology and mineral resources of part of the Cumberland Gap coal field, Kentucky.—See Ashley and Glenn, no. 77.

Goddard, Malcolm.

972. Fish remains from the marine lower Triassic of Aspen Ridge, Idaho.—California Univ., Dept. Geol., Bull., vol. 5, no. 8, pp. 145-148, 5 figs., May, 1907.

Goldsmith, E.

973. The Jerseyite.—Franklin Inst. Jour., vol. 164, no. 5, pp. 369-373, November, 1907.

Describes the finding and composition of a meteoric stone from New Jersey.

Goldthwait, James Walter.

974. Correlation of the raised beaches on the west side of Lake Michigan.—Jour. Geology, vol. 14, no. 5, pp. 411-424, 6 figs., 1906.

Reviews previous work, records recent observations by the writer, and discusses the relations of the raised beaches bordering Lake Michigan.

975. The abandoned shore-lines of eastern Wisconsin.—Wisconsin Geol. and Nat. Hist. Survey, Bull. no. 17, 134 pp., 37 pls., 37 figs., 1907.

Gives an outline of the history of the Great Lakes region during the ice age, reviews the work of deciphering this history, and describes in detail the old shore-lines in eastern Wisconsin.

Gordon, Clarence E.

976. Studies on early stages in Paleozoic corals.—Am. Jour. Sci., 4th ser., vol. 21, pp. 109-127, 18 figs., February, 1906.

977. The primary septa in rugose corals.—Science, new ser., vol. 25, pp. 345-347, March 1, 1907; Abstract; *ibid.*, pp. 733-734, May 10, 1907.

978. Early stages of some Paleozoic corals.—Abstract: New York Acad. Sci., Annals, vol. 17, pt. 3, p. 596, 1907.

Gordon, Charles H.

979. New Mexico geology.—Science, new ser., vol. 25, p. 109, January 18, 1907.

Calls attention to inaccuracies in recent publications on the geology of New Mexico.

980. Some features of the geology of Magdalena and Black Range region.—Abstract: Science, new ser., vol. 25, pp. 824-825, May 24, 1907.

981. Mississippian (Lower Carboniferous) formations in the Rio Grande Valley, New Mexico.—Am. Jour. Sci., 4th ser., vol. 24, pp. 58-64, 1 fig., July, 1907.

982. Notes on the Pennsylvanian formations in the Rio Grande Valley, New Mexico.—Jour. Geology, vol. 15, no. 8, pp. 805-816, 2 figs., 1907.

Gordon, Charles H., and Graton, Louis Caryl.

983. Lower Paleozoic formations in New Mexico.—Am. Jour. Sci., 4th ser., vol. 21, pp. 390-395, May, 1906; Science, new ser., vol. 23, pp. 590-591, April 13, 1906.

Describes the occurrence and character of Cambrian, Ordovician, Silurian, Devonian, and Carboniferous rocks in New Mexico.

Gordon, W. C.

984. The Black River section near Bessemer [Michigan].—Michigan Acad. Sci., 7th Rept., pp. 188-195, 1905.

Describes the physical features of the area examined and the occurrence, character, and relations of the sedimentary and eruptive rocks of Keweenawan age.

Gordon, W. C., assisted by Lane, Alfred C.

985. A geological section from Bessemer down Black River.—Michigan, State Board of Geol. Survey, Rept. for 1906, pp. 397-507, 4 pls., 6 figs., 1907.

Describes the occurrence, character, and relations of Keweenawan strata.

Gould, Charles N.

986. The geology and water resources of the eastern portion of the Panhandle of Texas.—U. S. Geol. Survey, W.-S. and Irrig. Paper no. 154, 64 pp., 15 pls., 4 figs., 1906.

Describes the topography and drainage, the general geology and stratigraphy, and the occurrence and character of underground and surface waters.

987. The geology and water resources of the western portion of the Panhandle of Texas.—U. S. Geol. Survey, W.-S. and Irrig. Paper no. 191, 70 pp., 7 pls., 3 figs., 1907.

988. The oil fields of Oklahoma.—Eng. and Min. Jour., vol. 84, p. 259, August 10, 1907.

Gow, Paul A., and others.

989. Report on the property of the Daly-Judge mining company, Park City, Utah.—Colorado School of Mines, Bull., vol. 4, no. 1, pp. 31-70, 15 figs., 1907.

Includes an account of the local geology and the occurrence, character, and relations of the lead-silver ores.

990. The Daly-Judge mine and mill, Park City, Utah.—Mines and Minerals, vol. 28, pp. 32-35, 79-82, 11 figs., 1907.

Describes the local geology and the character and occurrence of the lead-silver ores.

Grabau, Amadeus W.

991. Guide to the geology and paleontology of the Schoharie Valley in eastern New York.—N. Y. State Mus., Bull. 92 (58th Ann. Rept., vol. 3), pp. 77-386, 24 pls., 216 figs., 1906.

Describes the occurrence, character, relations, and fossil content of Ordovician, Silurian, and Devonian strata of the Schoharie Valley, gives detailed characteristic sections in the Helderbergs and lists of fossils found in the various formations with figures of those characteristic, and explains the physiography of the region.

992. Relative ages of the Oneida and Shawangunk conglomerates.—Abstract: Geol. Soc. America, Bull., vol. 16, p. 582, 1906.

993. Types of sedimentary overlap.—Geol. Soc. America, Bull., vol. 17, pp. 567-636, 17 figs., 1906. Abstract: New York Acad. Sci., Annals, vol. 17, pt. 3, pp. 598-599, 1907.

Defines the various kinds of overlap in sedimentation and in the application of the principles laid down discusses the deposits of the basal Paleozoic series, of the basal Mesozoic series, the Saint Peter and Dakota sandstones, and upper Devonian and lower Carboniferous formations of the Appalachian region.

994. Discovery of the Schoharie fauna in Michigan.—Abstract: Science, new ser., vol. 23, p. 467, March 23, 1906; Geol. Soc. America, Bull., vol. 17, pp. 718-719, 1907.

995. Notes on the character and origin of the Pottsville formation of the Appalachian region.—Abstract: Science, new ser., vol. 24, p. 691, November 30, 1906.

Grabau, Amadeus W.—Continued.

996. Studies of Gastropoda. III. On orthogenetic variation in Gastropoda.—*Am. Naturalist*, vol. 41, pp. 607-646, 3 pls., October, 1907.

The study is based in part upon fossil material.

997. Subaerial erosion cliffs and talus in the lower Devonian of Michigan.—Abstract: *Science*, new ser., vol. 25, pp. 295-296, February 22, 1907.

998. Types of cross-bedding and their stratigraphic significance.—Abstract: *Science*, new ser., vol. 25, p. 296, February 22, 1907.

999. Geology and scenery of the Upper Genesee falls.—*Science*, new ser., vol. 25, pp. 538-539, April 5, 1907.

1000. Age and stratigraphic relations of the Chattanooga black shale.—Abstract: *Science*, new ser., vol. 25, p. 771, May 17, 1907.

1001. The Medina sandstone problem.—Abstract: *Science*, new ser., vol. 25, pp. 771-772, May 17, 1907.

1002. The Sylvania sandstone—a study in paleogeography.—Abstract: *Science*, new ser., vol. 26, p. 832, December 13, 1907.

1003. Seventh international zoological congress—section of paleozoology.—*Science*, new ser., vol. 26, pp. 881-883, December 20, 1907.

Gives an account of the proceedings of the meeting held in Boston, August 19-24, 1907, and the titles of the papers presented.

1004. Evolution of some Devonian spirifers.—Abstract: *New York Acad. Sci. Annals*, vol. 17, pt. 3, pp. 574-575, 1907.

Grabau, Amadeus W., and Shimer, Hervey Woodburn.

1005. North American index fossils.—*School of Mines Quart.*, vol. 27, no. 2, pp. 138-243, 175 figs., January, 1906; vol. 38, no. 1, pp. 20-100, 46 figs., November, 1906.

Gives brief descriptions of "index" fossils: species, genera, and higher groups, with keys to the genera. Includes references to the literature.

1006. North American index fossils. II.—*School of Mines Quart.*, vol. 28, no. 2, pp. 150-221, 89 figs., no. 3, pp. 251-352, 165 figs., 1907.

Gives brief descriptions and synoptic tables of the brachiopods.

Graham, Blakely.

1007. The Cooney district, New Mexico.—*Eng. and Min. Jour.*, vol. 82, pp. 731-732, October 20, 1906.

Includes notes on the geology and the occurrence of the ores.

Graham, R. P. D.

1008. Note on two interesting pseudomorphs in the McGill University mineral collection.—*Am. Jour. Sci.*, 4th ser., vol. 22, pp. 47-54, 3 figs., July, 1906.

Describes pseudomorphs after laumontite from Quebec and corundum from Ontario.

Graichen, W.

1009. Das Kupfer-Gold-Lager von Globe, Arizona.—*Zeitschr. f. prak. Geol.*, Jg. 13, Heft 1, pp. 39-40, 1 fig., January, 1905.

Describes the occurrence of gold-copper ore near Globe, Arizona.

Granberry, J. H.

1010. Magnetite deposits and mining at Mineville, N. Y.—*Eng. and Min. Jour.*, vol. 81, pp. 890-893, 986-989, 1035-1038, 1082-1084, 1130-1132, 1178-1179, 26 figs., 1906. Reprinted (with revisions by the author) under the title: *The Port Henry iron mines*.

Describes the geology and discusses the origin and occurrence of the ores and the mining operations.

Granberry, J. H.—Continued.

1011. History of the Schuyler mine, the first copper mine operated in the United States.—Eng. and Min. Jour., vol. 82, pp. 1116-1119, 3 figs., December 15, 1906.

Contains notes on the local geology.

1012. The Schuyler mine, Kingsland, New Jersey.—Franklin Inst. Jour., vol. 164, pp. 13-28, 217-223, 7 figs., 1907.

Describes the local geology and the occurrence of copper ores.

Grant, C. C.

1013. Notes on the past collecting season.—Hamilton Sci. Assoc., Jour. and Proc., no. 22, pp. 107-114, 2 figs., 1906.

Gives notes on the occurrence of fossils in Silurian strata in the vicinity of Hamilton, Ontario.

1014. Additional notes on late collecting season.—Hamilton Sci. Assoc., Jour. and Proc., no. 22, pp. 115-120, 1906.

Describes the occurrence of fossils in the Silurian beds in the vicinity of Hamilton, Ontario.

1015. Notes on the late collecting season.—Hamilton Sci. Assoc., Jour. and Proc., no. 23, pp. 130-137, 1907.

Gives notes on Silurian fossils and their occurrence in the vicinity of Hamilton, Ontario.

1016. Notes during the collecting season.—Hamilton Sci. Assoc., Jour. and Proc., no. 23, pp. 138-144, 1907.

Gives notes on Silurian fossils occurring in the vicinity of Hamilton, Ontario.

Grant, Ulysses Sherman.

1017. Report on the lead and zinc deposits of Wisconsin, with an atlas of detailed maps.—Wisconsin Geol. and Nat. Hist. Survey, Bull. no. 14, 100 pp., 26 pls. (18 in atlas), 10 figs., 1906.

Describes the physiographic features of the Wisconsin lead district, the geologic structure of the area, the character, occurrence, and relations of Cambrian and Ordovician strata, and the occurrence, relations, and origin of the lead and zinc ores.

1018. Zinc and lead deposits in Wisconsin.—Min. Mag., vol. 13, no. 6, pp. 453-460, 7 figs., June, 1906.

Gives a general account of the geology of the region, and the occurrence, character, and mining of the ores.

1019. Structural relations of the Wisconsin zinc and lead deposits.—Econ. Geology, vol. 1, no. 3, pp. 233-242, 4 figs., December-January, 1905-1906.

Describes the general and structural geology of the ore deposits, and discusses their origin.

1020. Copper and other mineral resources of Prince William Sound.—U. S. Geol. Survey, Bull. no. 284, pp. 78-87, 1 fig., 1906.

Describes the general geology of the region, and the occurrence and character of deposits of copper ore.

Grant, Ulysses S., and Burchard, Ernest F.

1021. Description of the Lancaster and Mineral Point quadrangles [Wisconsin-Iowa-Illinois].—U. S. Geol. Survey, Geol. Atlas of the U. S., folio no. 145, 14 pp., 11 figs., 4 maps, 1907.

Describes the topography, the occurrence, character, and relations of Cambrian, Ordovician, and Silurian strata and Quaternary deposits, the geologic structure and history, and the mineral resources, chiefly lead and zinc.

Gratacap, L. P.

1022. The Clove Valley Pleistocene lake basin.—Staten Island Nat. Sci. Assoc., Proc., vol. 8, no. 2, pp. 3-4, 1901.

Gratacap, L. P.—Continued.

1023. Newfoundland, its geology and mineral resources.—*Min. World*, vol. 23, no. 19, pp. 525-526, 3 figs., November 11, 1905.

1024. The largest American collection of meteorites.—*Pop. Sci. Monthly*, vol. 69, no. 1, pp. 21-28, 6 figs., July, 1906.

Graton, Louis Caryl.

1025. Reconnaissance of some gold and tin deposits of the southern Appalachians.—*U. S. Geol. Survey, Bull.* no. 293, pp. 9-118, 7 pls., 14 figs., 1906.

Describes the occurrence, character, geology, origin, and mining of tin and gold ores in North and South Carolina.

1026. Description and petrology of the metamorphic and igneous rocks.—*U. S. Geol. Survey, Prof. Paper* no. 54, pp. 41-113, 4 pls., 1906.

Describes the distribution and the petrographic and chemical character of the various igneous and metamorphic rocks of the Cripple Creek district, and discusses their magmatic derivation.

Lower Paleozoic formations in New Mexico.—See Gordon and Graton, no. 983.

A reconnaissance of the mineral deposits of New Mexico.—See Lindgren and Graton, no. 1603.

The production in the United States in 1906 of copper.—See no. 2419.

Greaves-Walker, A. F.

1027. The flint fire clay deposit of northeastern Kentucky.—*Am. Ceramic Soc., Trans.*, vol. 9, pp. 461-472, 1 fig., 1907.

Greenawalt, William E.

1028. The tungsten deposit of Boulder County, Colo.—*Eng. and Min. Jour.*, vol. 83, pp. 951-952, 1 fig., May 18, 1907.

Greene, George K.

1029. [Descriptions of Devonian corals.]—*Contributions to Indiana Paleontology*, New Albany, Indiana, vol. 2, pt. 1, pp. 1-7, 2 pls., 1906.

1030. [On the age of the rocks near Kentland, Newton County, Ind.]—*Contributions to Indiana Paleontology*, New Albany, Indiana, vol. 2, pt. 1, pp. 11-17, 3 figs., 1906.

1031. [Descriptions of Devonian corals.]—*Contributions to Indiana Paleontology*, New Albany, Indiana, vol. 2, pt. 2, pp. 19-21, 1 pl., 1906.

1032. [Descriptions of Devonian corals.]—*Contributions to Indiana Paleontology*, New Albany, Indiana, vol. 2, pt. 3, pp. 33-38, 3 pls., 1906.

Gregory, Herbert E.

1033. The geology of Connecticut in relation to its water supply.—*Connecticut Bd. Agric.*, 39th Ann. Rept., pp. 283-297, 1906.

1034. The crystalline rocks [of Connecticut].—*Connecticut State Geol. and Nat. Hist. Survey, Bull.* no. 6, pp. 39-156, 6 pls., 1906.

Describes the kinds and structures of the rocks, and the occurrence, character, and relations of the crystalline formations.

1035. Glacial geology [of Connecticut].—*Connecticut State Geol. and Nat. Hist. Survey, Bull.* no. 6, pp. 225-259, 7 pls., 5 figs., 1906.

Describes the glaciation and glacial deposits of the State.

1036. Geological map of Connecticut, 1905.—*Abstract: Geol. Soc. America, Bull.*, vol. 17, p. 727, 1907.

1037. Bibliography of the geology of Connecticut.—*Connecticut State Geol. and Nat. Hist. Survey, Bull.* no. 8, 123 pp., 1907.

Manual of the geology of Connecticut.—See Rice and Gregory, no. 2034.

Gregory, Herbert Ernest, and Robinson, Henry Hollister.

1038. Preliminary geological map of Connecticut.—Connecticut State Geol. and Nat. Hist. Survey, Bull. no. 7, 39 pp., and map in pocket, 1907.

The explanatory text accompanying the map gives a brief outline of the geology of Connecticut, a sketch of the history of geological work in Connecticut, and a summary of the geologic formations of the State.

Gregory, J. W.

1039. Climatic variations, their extent and causes.—Congr. géol. intern., C. R. 10^e sess., Mexico, 1906, pp. 407-426, 1907.

Gregory, William K.

1040. The orders of teleostomous fishes. A preliminary review of the broader features of their evolution and taxonomy.—New York Acad. Sci., Annals, vol. 17, pt. 2, pp. 437-508, 2 pls., September, 1907.

Prorosmarus alleni, a new genus and species of walrus from the upper Miocene of Yorktown, Virginia.—See Berry and Gregory, no. 227.

Griffith, William.

1041. Kinds and occurrence of anthracite coal.—Min. Mag., vol. 13, no. 3, pp. 214-221, March, 1906.

1042. The Matanuska coal field, Alaska.—Mines and Minerals, vol. 26, no. 10, pp. 433-437, 5 figs., May, 1906.

Describes the geologic structure, the occurrence and character of the coal seams, and the quality and composition of the coals.

Griggs, Robert E.

1043. The Buffalo River [Minnesota]: an interesting meandering stream.—Am. Geog. Soc., Bull., vol. 38, no. 3, pp. 168-177, 2 figs., March, 1906.

Discusses factors controlling the meandering of streams.

Grimsley, G. P.

1044. Clays, limestones, and cements.—West Virginia Geol. Survey, vol. 3, 565 pp., 44 pls., 50 figs. [1906].

Describes the composition, occurrence, properties, and utilization of clays, limestones, and cement materials in West Virginia. Includes an outline of the geology of the State.

1045. Portland cement resources of West Virginia.—Eng. and Min. Jour., vol. 83, pp. 998-999, May 25, 1907.

1046. [Report on the geology of the Panhandle counties of West Virginia.]—West Virginia Geol. Survey, County Reports and Maps: Ohio, Brooke, and Hancock counties, 378 pp., 16 pls., 37 figs., and 8 maps in atlas [1907].

Griswold, W. T.

1047. The coals of the Steubenville quadrangle in West Virginia.—West Virginia Geol. Survey, County Reports and Maps: Ohio, Brooke, and Hancock counties, pp. 224-237, 1 pl. [1907].

The production in the United States in 1905 of natural gas and of petroleum.—See no. 2418.

The production in the United States in 1906 of petroleum.—See no. 2419.

Griswold, W. T., and Munn, M. J.

1048. Geology of the oil and gas fields in Steubenville, Burgettstown, and Claysville quadrangles, Ohio, West Virginia, and Pennsylvania.—U. S. Geol. Survey, Bull. no. 318, 196 pp., 13 pls., 1907.

Grout, Frank F.

1049. The composition of coals.—Econ. Geology, vol. 2, no. 3, pp. 225-241, 4 figs., April-May, 1907.

Gives a graphic mode of representing. Includes a classification.

Grout, Frank F.—Continued.

1050. Cannel coal in northern Illinois.—Illinois State Geol. Survey, Bull. no. 4, pp. 197-198, 1907.

[Oil fields of] Randolph County [Illinois].—See Blatchley, no. 245.

Guerra, Manuel Fernández.

1051. Solución á las cuestiones técnico-geológicas, propuestas por el Sr. Lic. D. Luis Méndez, presidente de la Academia de jurisprudencia y legislación, sobre si son denunciabiles los mantos de carbón de piedra y los depósitos de petróleo que existan en terrenos de propiedad particular.—Soc. Geol. Mexicana, Bol., t. 2, pp. 87-110, 1906.

Includes a discussion of the occurrence of coal and of petroleum.

Guild, F. N.

1052. Notes on some eruptive rocks in Mexico.—Am. Jour. Sci., 4th ser., vol. 22, pp. 159-175, 6 figs., August, 1906.

Describes the occurrence, character, and chemical composition of some eruptive rocks from central Mexico.

1053. The composition of molybdenite from Arizona.—Am. Jour. Sci., 4th ser., vol. 23, pp. 455-456, June, 1907.

1054. Coon Mountain crater.—Science, new ser., vol. 26, pp. 24-25, July 5, 1907.

Discusses the origin of the depression so named.

Gulliver, F. P.

1055. Brewsters Neck, Connecticut.—Abstract: Science, new ser., vol. 24, pp. 368-369, September 21, 1906.

Describes a glacial deposit of water-laid sand and gravel.

1056. Ice present during the formation of glacial terraces.—Abstract: Science, new ser., vol. 25, pp. 770-771, May 17, 1907.

1057. The American Association for the Advancement of Science. Summer meeting, Section E—Geology and geography.—Science, new ser., vol. 26, pp. 397-404, September 27, 1907.

Describes the excursions made. Includes notes on the geology of the places visited. Gives abstracts of papers presented.

1058. Brewsters Neck, Connecticut.—Abstract: Am. Assoc. Adv. Sci., Proc., vol. 56-57, pp. 268-269, 1907.

Discusses the occurrence and mode of formation of certain glacial deposits.

Gunther, C. G.

The White Knob copper deposits, Mackay, Idaho.—See Kemp and Gunther, no. 1372.

Gwillim, J. C.

1059. Western coal resources.—Canadian Min. Jour., vol. 28, no. 3 (new ser., vol. 1, no. 1), pp. 16-18, March 15, 1907.

Haanel, Eugene.

1060. Report of the superintendent of mines.—Canada, Dept. of the Interior, Ann. Rept., pt. 8, pp. 3-10, 1907.

Haddon, R. W.

1061. Zinc mining in New Mexico.—Eng. and Min. Jour., vol. 81, pp. 845-846, 2 figs., May 5, 1906.

Gives notes upon the geology of the Magdalena Range, New Mexico, and the occurrence of the ores yielding silver, lead, zinc, and copper.

Haehl, H. L., and others.

1062. Report of committee [of the San Francisco Association of members of the American Society of Civil Engineers] on the geology of the [San Francisco] earthquake.—*Am. Soc. Civil Eng., Proc.*, vol. 33, no. 3, pp. 307-313, 7 figs., March, 1907; *Trans.*, vol. 59, pp. 216-222, 2 pls., 2 figs., December, 1907.

Halberstadt, Baird.

1063. Halberstadt's general map of the bituminous coal fields of Pennsylvania, 1907.

Haldane, Wm. G.

A study of the uranium and vanadium belts of southern Colorado.—See Fleck and Haldane, no. 878.

Hall, C. W.

1064. Some geological features of the Minnesota Seaside Station [Vancouver Island].—*Postelsia, the Yearbook of the Minnesota Seaside Station*, St. Paul, Minnesota, 1906, pp. 305-347, 8 pls.

Describes the lithology of the southwestern part of Vancouver Island and discusses the probable age of the rocks and their origin.

Hall, W. Carvel.

1065. Report of survey of crest line of Niagara Falls.—*U. S. Geol. Survey, Bull.* no. 306, pp. 26-31, 1907.

Halla, Otto.

1066. The beaches of Nome.—*Min. and Sci. Press*, vol. 94, p. 688, June 1, 1907.

Describes the occurrence of placer gold at different levels.

Halse, Edward.

The occurrence of pebbles, concretions, and conglomerate in metalliferous veins.—*Am. Inst. Min. Eng., Trans.*, vol. 36, pp. 154-177, 13 figs., 1906 (Bi-Mo. *Bull.* no. 4, pp. 719-742, 13 figs., 1905).—See Halse, 5, page 151 of *Bulletin* no. 301, *U. S. Geol. Survey*.

1067. The geology of Chiapas and Tabasco, Mexico.—*Min. Jour.*, London, vol. 79, pp. 243-244, February 24, 1906.

Hand, W. F.

A preliminary report on some of the clays of Mississippi.—See Logan and Hand, no. 1609.

Handlirsch, Anton.

1068. A new blattoid from the Cretaceous of North America.—*U. S. Nat. Mus., Proc.*, vol. 29, pp. 655-656, 1 fig., 1906.

1069. Revision of American Paleozoic insects.—*U. S. Nat. Mus., Proc.*, vol. 29, pp. 661-820, 109 figs., 1906.

1070. Die fossilen Insekten und die Phylogenie der rezenten Formen.—*Leipzig, Wilhelm Englemann*, 1906. Lief. 1-4, 640 pp., 36 pls.

1071. Fossil insects and the development of the class Insecta.—*Pop. Sci. Monthly*, vol. 70, no. 1, pp. 55-62, January, 1907.

Translated from the German by Lucy Peck Bush.

Hanks, Henry G.

1072. Notes on "aragotite," a rare California mineral.—*Roy. Micro. Soc., Jour.*, 1905, pt. 6, pp. 673-676, 1905.

Hansell, N. V.

Magnetite mines at Lyon Mountain, N. Y.—See Newland and Hansell, no. 1796.

Harder, Edmund Cecil.

1073. The joint system in the rocks of southwestern Wisconsin and its relation to the drainage network.—Wisconsin Univ., Bull., Sci. Ser., vol. 3, no. 5, pp. 207-246, 10 pls., 1906.

Describes investigations upon the directions of joints at localities in southwestern Wisconsin, and the drainage system, and discusses their relations.

Hardinge, H. W.

1074. The Cobalt district, Ontario.—Min. World, vol. 26, p. 215, February 9, 1907.

Hardman, John E.

1075. Quebec's new mineral region.—Canadian Min. Rev., vol. 25, pp. 9-12, 43-47, 1905.

Includes notes on the geology of northern Quebec and the occurrence and character of ore deposits.

1076. Cobalt, Canada, the new silver-mining district.—Eng. Mag., vol. 33, no. 1, pp. 21-34, 14 figs., April, 1907.

Includes an account of the geology and the occurrence and character of the ores.

Harper, Roland M.

1077. A phytogeographical sketch of the Altamaha grit region of the coastal plain of Georgia.—New York Acad. Sci., Annals, vol. 17, pp. 1-414, 28 pls., 17 figs., September, 1906.

Includes a general account of the geology of Georgia, particularly of the Altamaha grit region.

Harris, Gilbert D.

1078. Notes on elementary geologic mensuration. Ithaca, 1904. 61 pp. and tables.

1079. Notes on the geology of the Winnfield sheet.—Louisiana Geol. Survey, Bull. no. 5, 36 pp., 9 pls. (incl. geol. map), 5 figs., 1907.

Describes the topography, economic resources, and the occurrence, character, and relations of Cretaceous, Tertiary, and Quaternary deposits.

1080. Cartography of southwestern Louisiana with special reference to the Jennings sheet.—Louisiana Geol. Survey, Bull. no. 6, 24 pp., 1 map, 1907.

Harrison, Richard C.

1081. Pockets in gold veins.—Min. and Sci. Press, vol. 94, p. 564, May 4, 1907.

Hartnagel, C. A.

1082. Notes on the Ontario, or Siluric, section of eastern New York.—Abstract: Geol. Soc. America, Bull., vol. 16, p. 582, 1906.

1083. Stratigraphic relations of the Oneida conglomerate.—N. Y. State Mus., Bull. 107, pp. 29-38, 2 pls., 1907.

1084. Upper Siluric and lower Devonian formations of the Skunnemunk Mountain region.—N. Y. State Mus., Bull. 107, pp. 39-54, 3 pls., 1 geol. map, 1907.

1085. Geologic map of the Rochester and Ontario Beach quadrangles.—New York State Mus., Bull. 114, 35 pp., geol. map, August, 1907.

The accompanying text describes the occurrence, character, relations, and faunal content of Silurian strata.

1086. Structural relations and origin of the limonite beds at Cornwall, N. Y.—Abstract: New York Acad. Sci., Annals, vol. 17, pt. 3, pp. 597-598, 1907.

Hartzell, J. Culver.

1087. Conditions of fossilization.—*Jour. Geology*, vol. 14, no. 4, pp. 269-289, 14 figs., 1906.

Describes the conditions in which fossils occur, reviews the usage of authors in regard to the terms original, mold, and cast, gives definitions for these terms, and discusses the mineralization and preservation of invertebrates as affected by the lithological characters of formations.

Harvard University.

1088. Nathaniel Southgate Shaler.—*Science*, new ser., vol. 23, pp. 869-872, June 8, 1906.

"Minute adopted by the Faculty of Arts and Sciences of Harvard University."

Hastings, John B.

1089. Are the quartz veins of Silver Peak, Nevada, the result of magmatic segregation?—*Am. Inst. Min. Eng., Trans.*, vol. 36, pp. 647-654, 1 fig., 1906; *Bi-Mo. Bull.*, no. 1 [7], pp. 9-16, 1 fig., January, 1906.

1090. The geology of Goldfield, Nevada.—*Eng. and Min. Jour.*, vol. 81, pp. 843-844, 2 figs., May 5, 1906.

Hastings, John B., and Berkeley, Charles P.

1091. The geology and petrography of the Goldfield mining district, Nevada.—*Am. Inst. Min. Eng., Bi-Mo. Bull.* no. 8, pp. 295-314, 2 figs., March, 1906; *Trans.*, vol. 37, pp. 140-159, 2 figs., 1907.

Hatcher, John Bell.

1092. The Ceratopsia: History of discovery, classification, osteology, and systematic descriptions.—*U. S. Geol. Survey, Mon.*, vol. 49, pp. 3-157, 1907.

Hatcher, John B., Marsh, Othniel C., and Lull, Richard S.

1093. The Ceratopsia.—*U. S. Geol. Survey, Mon.*, vol. 49, 300 pp., 51 pls., 125 figs., 1907.

Hately, J. Geo.

1094. Copper mining on the Colorado River.—*Min. World*, vol. 26, p. 809, 1 fig., June 29, 1907.

Haultain, H. E. T.

1095. Corundum at Craigmont [Ontario].—*Canadian Min. Jour.*, vol. 28, no. 12 (new ser., vol. 1, no. 10), pp. 291-296, 3 figs., August 1, 1907.

Haupt, Lewis M.

1096. Changes along the New Jersey coast.—*New Jersey Geol. Survey, Ann. Rept. State Geologist for 1905*, pp. 27-95, 18 pls., 1906.

Haven, G. T.

1097. Volcanoes give United States two islands.—*Mineral Collector*, vol. 14, no. 1, pp. 1-3, March, 1907.

Haworth, Erasmus.

1098. History, geography, geology, and metallurgy of Galena-Joplin lead and zinc.—*Kansas, Univ. Geol. Survey*, vol. 8, pp. 1-126, 23 pls., 7 figs., 1904.

Describes the development of the lead and zinc industry and the geology of the lead and zinc deposits of Kansas, and discusses the origin of the ores.

Economic geology of the Independence quadrangle, Kansas.—See Schrader and Haworth, no. 2144.

Hay, Oliver P.

1099. Descriptions of two new genera (*Echmatemys* and *Xenochelys*) and two new species (*Xenochelys formosa* and *Terrapene putnami*) of fossil turtles.—*Am. Mus. Nat. Hist., Bull.*, vol. 22, pp. 27-31, 7 figs., 1906.

Hay, Oliver P.—Continued.

1100. On two interesting genera of Eocene turtles, *Chisternon* Leidy and *Anosteira* Leidy.—Am. Mus. Nat. Hist., Bull., vol. 22, pp. 155-160, 3 figs., 1906.

1101. Descriptions of new species of turtles of the genus *Testudo*, collected from the Miocene by the Carnegie Museum; together with a description of the skull of *Stylomys nebrascensis*.—Carnegie Mus., Annals, vol. 4, no. 1, pp. 15-20, 6 pls., 11 figs., December, 1906.

1102. Systematic paleontology of the Pleistocene deposits of Maryland: Reptilia.—Maryland Geol. Survey, Pliocene and Pleistocene, pp. 169-170, pl. xl, fig. 2, 1906.

1103. Descriptions of seven new species of turtles from the Tertiary of the United States.—Am. Mus. Nat. Hist., Bull., vol. 23, pp. 847-863, 1 pl., 20 figs., 1907.

1104. A new fossil stickleback fish from Nevada.—U. S. Nat. Mus., Proc., vol. 32, pp. 271-273, 1907.

1105. A new genus and species of fossil shark related to *Edestus* Leidy.—Science, new ser., vol. 26, pp. 22-24, 1 fig., July 5, 1907.

1106. The turtles of the Bridger basin.—Abstract: New York Acad. Sci., Annals, vol. 17, pt. 3, p. 592, 1907.

Haycock, Ernest.

1107. [Report on the] geology of parts of the counties of Labelle and Wright, Quebec.—Canada, Geol. Survey, Summ. Rept. for 1905, pp. 105-112, 1906.

Gives notes on the general geology and on the occurrence and character of the rocks.

Hayes, C. Willard.

1108. The relation of the federal government to the mining industry.—Am. Min. Cong., 8th. Ann. Sess., pp. 46-59, 1906.

Includes a brief history of the U. S. Geological Survey and some consideration of its relations to the mining industry.

1109. Contributions to economic geology, 1905: Introduction.—U. S. Geol. Survey, Bull. no. 285, pp. 1-13, 1906.

Explains the purpose and character of the bulletin and describes the different series of publications of the U. S. Geological Survey.

1110. Introduction to Contributions to economic geology, 1906, part I.—U. S. Geol. Survey, Bull. no. 315, pp. 7-13, 1907.

Includes a list of the folios of the Geologic Atlas of the United States, showing the mineral resources described.

1111. The Gila River alum deposits.—U. S. Geol. Survey, Bull. no. 315, pp. 215-223, 1 fig., 1907.

Hayford, John F.

1112. The geodetic evidence of isostasy, with a consideration of the depth and completeness of the isostatic compensation and of the bearing of the evidence upon some of the greater problems of geology.—Washington Acad. Sci., Proc., vol. 8, pp. 25-40, 1906.

1113. The earth a failing structure.—Philos. Soc. of Washington, Bull., vol. 15, pp. 57-74, December, 1907.

Hayford, John F., and Baldwin, A. L.

1114. The earth movements in the California earthquake of 1906.—U. S. Coast and Geodetic Survey, Rept. of Superintendent for 1906-7, Appendix 3, pp. 67-104, 1907.

Headden, William P.

1115. Mineralogical notes, no. III.—Colorado Sci. Soc., Proc., vol. 8, pp. 167-182, 1906.

Describes cassiterite from North Carolina and South Dakota, phosphorescent zinc-blendes from Utah and California, and jamesonite, meneghite, huebnerite, wolframite, and taplolite from South Dakota.

1116. Some phosphorescent calcites from Fort Collins, Colo., and Joplin, Mo.—Am. Jour. Sci., 4th ser., vol. 21, pp. 301-308, April, 1906.

1117. An examination of some coals from Routt County, Colorado.—Colorado Sci. Soc., Proc., vol. 8, pp. 257-280, March, 1907.

1118. A study of some Colorado coals—a comparison of some coals from Boulder, Routt, and Delta counties.—Colorado Sci. Soc., Proc., vol. 8, pp. 281-300, May, 1907.

1119. Phosphorescent calcites.—Mineral Collector, vol. 14, no. 2, pp. 21-22, April, 1907.

Hedburg, Eric.

1120. The Wisconsin zinc fields.—Mining World, vol. 24, no. 3, pp. 61-62, January 20, 1906.

Heikes, V. C.

Production of gold and silver in 1905 in Arizona, Idaho, and Utah.—See no. 2418.

The production in Arizona and in Utah in 1906 of gold and silver. See no. 2419.

Heilprin, Angelo.

1121. Mont Pelé in its might. A scientific study of the volcano's activity, from data gathered at the crater's mouth.—McClure's Magazine, vol. 19, no. 4, pp. 359-368, 9 figs., August, 1902.

1122. The rock of the Pelé obelisk and the condition of the volcano in February, 1906.—Science, new ser., vol. 24, pp. 25-26, July 6, 1906.

1123. The shattered obelisk of Mont Pelé.—Nat. Geog. Mag., vol. 17, no. 8, pp. 465-474, 5 pls., August, 1906.

Describes the condition of the summit of Mont Pelé and discusses the mode of formation of its former spine.

1124. The concurrence and interrelation of volcanic and seismic phenomena.—Science, new ser., vol. 24, pp. 545-551, November 2, 1906.

1125. The concurrence and interrelation of volcanic and seismic phenomena.—Congr. géol. intern., C. R. 10^e sess., Mexico, 1906, pp. 187-196, 1907.

1126. The Catskill Mountains.—Am. Geog. Soc., Bull., vol. 39, no. 4, pp. 193-199, April, 1907.

Describes the physiography and geologic history of the Catskill region.

Henderson, Junius.

1127. The Tertiary lake basin of Florissant, Colorado.—Colorado Univ. Studies, vol. 3, no. 3, pp. 145-156, 1 pl., 1906.

Gives an account of the mode of formation and character of the Florissant formation of Colorado, notes upon the physiographic and geologic history, and a bibliography.

1128. Topographic development of Chalk Bluffs and Pawnee Buttes.—Colorado Sci. Soc., Proc., vol. 8, pp. 247-256, 7 figs., March, 1907.

Hendrixson, W. S.

1129. Some features of the Iowa ground waters.—Iowa Acad. Sci., Proc., vol. 14, pp. 187-199, 1907.

Heneage, E. F.

1130. A consideration of the Archean period of the continents of North America and South Africa, with reference to mineral occurrences.—British Assoc. Adv. Sci., Rept. of 75th meeting, pp. 410-411, 1906.

Henton, John M.

1131. An interesting study in geology.—Min. World, vol. 27, p. 975, 1 fig., November 30, 1907.

Discusses a land slip in Montana.

Herrick, R. L.

1132. The Joplin zinc district.—Mines and Minerals, vol. 28, no. 4, pp. 145-157, 1 pl., 15 figs., November, 1907.

Includes an account of the geology of the district.

The Gold Prince mine and mill.—See Scholl and Herrick, no. 2141.

Hershey, Oscar H.

1133. Some western Klamath stratigraphy.—Am. Jour. Sci., 4th ser., vol. 21, pp. 58-66, January, 1906.

Describes the faulting of the region and the occurrence, character, and relations of stratified and volcanic rocks, and discusses the relative age of certain formations.

Hess, Frank L.

1134. The York tin region [Alaska].—U. S. Geol. Survey, Bull. no. 284, pp. 145-157, 1 fig., 1906.

Describes the general geology, and the occurrence, character, and relations of tin lodes and of tin-bearing gravels.

1135. Some magnesite deposits of California.—U. S. Geol. Survey, Bull. no. 285, pp. 385-392, 1906.

Describes the occurrence and character of the deposits and the economic developments.

1136. Review of "Tin deposits of the world," by Sidney Fawns (London, The Mining Journal, 1905).—Econ. Geology, vol. 1, no. 5, pp. 500-502, 1906.

1137. What is a fissure vein?—Econ. Geology, vol. 1, no. 7, pp. 700-702, 1906.

1138. The working magnesite deposits of California.—Eng. Mag., vol. 31, no. 5, pp. 691-704, 8 figs., August, 1906.

Includes notes on the occurrence and character of the deposits.

1139. The Carolina tin deposits.—Eng. Mag., vol. 32, no. 1, pp. 10-20, 5 figs., October, 1906.

Includes notes on the geology, and on the occurrence and character of the tin deposits.

1140. The York tin region of Alaska.—Eng. Mag., vol. 32, no. 3, pp. 352-369, 8 figs., December, 1906.

Gives a brief account of the geology, occurrence, and character of the tin ores in the York region of Alaska.

The Rampart gold placer region.—See Prindle and Hess, no. 1958.

The production in the United States in 1905 of tin.—See no. 2418.

The production in the United States in 1906 of antimony, bismuth, nickel, cobalt, tungsten, vanadium, molybdenum, titanium, uranium, and tantalum; of arsenic; of selenium, and of tin.—See no. 2419.

Hice, Richard R.

1141. What should be embraced in a geological study and report on clays?—Am. Ceramic Soc., Trans., vol. 8, pp. 221-225, 1906.

Hice, Richard R., and others.

1142. Report of the committee on cooperation with federal and state geological surveys.—Am. Ceramic Soc., Trans., vol. 9, pp. 741-771, 1907.

Includes various data relating to the study of and reports on clays.

Hidden, W. E., and Warren, C. H.

1143. On yttracrasite, a new yttrium-thorium-uranium titanate.—*Am. Jour. Sci.*, 4th ser., vol. 22, pp. 515-519, December, 1906; *Zeitschr. f. Krystal. u. Mineral.*, Bd. 44, Heft 1, pp. 18-23, 1907.

Hilgard, E. W.

1144. Soils: their formation, properties, composition, and relations to climate and plant growth in the humid and arid regions. New York, The Macmillan Company, 1906. 593 pp., 89 figs.

1145. Some peculiarities of rock-weathering and soil formation in the arid and humid regions.—*Am. Jour. Sci.*, 4th ser., vol. 21, pp. 261-269, April, 1906.

1146. The exceptional nature and genesis of the Mississippi delta.—*Science*, new ser., vol. 24, pp. 861-866, December 28, 1906.

1147. The causes of the glacial epoch.—*Congr. géol. intern.*, C. R. 10^e sess., Mexico, 1906, pp. 431-436, 1907; *Science*, new ser., vol. 25, pp. 350-354, March 1, 1907.

1148. Exceptional nature and genesis of the Mississippi delta.—*Abstract: Geol. Soc. America, Bull.*, vol. 17, p. 731, 1907.

Hill, Robert T.

1149. The volcano systems of the western hemisphere. Several groups of active volcanoes.—*The Century Magazine*, vol. 64, no. 3, pp. 473-483, 13 figs., July, 1902.

1150. On the origin of the small mounds of the lower Mississippi Valley and Texas.—*Science*, new ser., vol. 23, pp. 704-706, May 4, 1906.

1151. Geologic and geographic aspects of Mexico.—*Min. World*, vol. 25, pp. 370-372, 459, 540-541, 596, 7 figs., 1906; vol. 26, pp. 69, 187, 1907; vol. 27, pp. 589-591, 633-634, 805, 6 figs., 1907.

1152. Geology of the Sierra Almoloya, with notes on the tectonic history of the Mexican plateau.—*Science*, new ser., vol. 25, pp. 710-712, May 3, 1907.

1153. Peculiar formations of the Mexican arid regions.—*Eng. and Min. Jour.*, vol. 83, pp. 662-666, 3 figs., April 6, 1907.

Discusses physiographic features and the mode of their formation.

1154. Characteristics of some Mexican mining regions.—*Eng. and Min. Jour.*, vol. 84, pp. 631-636, 8 figs., October 5, 1907.

Discusses physiographic features and economic resources of Chihuahua, Sonora, and the western Sierra Madre.

1155. Geology of the Sierra Almoloya, Mexico.—*Min. World*, vol. 26, pp. 530-532, 560, 6 figs., 1907.

1156. Mexico: Its geology and natural resources.—*Min. World*, vol. 27, pp. 686-691, 10 figs., October 26, 1907.

Hille, F.

1157. The Atik-Okan nickeliferous pyrrhotite deposits and their origin.—*Canadian Min. Inst., Jour.*, vol. 9, pp. 285-301, 1 pl. (map), 4 figs., 1906.

Describes the rock formations of the region and discusses the origin of the iron ores.

1158. Preliminary report on the iron ore deposits of western Ontario.—*Canada, Dept. Interior, Rept. Supt. Mines*, 1907, pp. 13-18, 1907.

Hillebrand, W. F.

1159. Notes on the chemical composition of the roofing slates of eastern New York and western Vermont.—*U. S. Geol. Survey, Bull.* no. 275, pp. 39-42, 1906.

1160. The analysis of silicate and carbonate rocks.—*U. S. Geol. Survey, Bull.* no. 305, 200 pp., 24 figs., 1907.

Hillebrand, W. F., and Schaller, W. T.

1161. The mercury minerals from Terlingua, Texas; kleinite, terlinguaite, eglestonite, montroydite, calomel, mercury.—*Am. Jour. Sci.*, 4th ser., vol. 24, pp. 259-274, 4 figs., September, 1907.

Hilton, Edward.

A history of the earthquake and fire in San Francisco.—See Aitken and Hilton, no. 21.

Himmelwright, A. L. A.

1162. The San Francisco earthquake and fire: a brief history of the disaster. New York, The Roebling Construction Company [1906]. 270 pp., illus.

Hinrichs, G. D.

1163. Sur les météorites d'Amana [Iowa].—*Acad. d. Sci., Paris, Compt. Rend.*, t. 140, pp. 545-547, 1905.

Hitchcock, C. H.

1164. Surficial geology of the region about Burlington [Vermont].—*Vermont Geol. Survey, Fifth Rept. State Geol.*, pp. 232-235, 1906.

1165. The Champlain deposits of northern Vermont.—*Vermont Geol. Survey, Fifth Rept. State Geol.*, pp. 236-253, 1906.

Discusses the occurrence and character of the deposits and the relations of deposits in different valleys and basins, and outlines the geological history of the Champlain Valley.

1166. Geology of Diamond Head, Oahu.—*Geol. Soc. America, Bull.*, vol. 17, pp. 469-484, 5 pls., 1906.

Presents the views of previous writers as to the composition and origin of Diamond Head, Oahu, and describes new observations upon the character, occurrence, and relations of the deposits of which it is composed and their bearing upon the method and age of its formation.

1167. Mohokea caldera.—*Geol. Soc. America, Bull.*, vol. 17, pp. 485-496, 3 pls., 1906.

Describes the physical features and history of the Mohokea caldera of Hawaii and discusses the origin of calderas.

1168. Glacial Lake Memphremagog.—*Abstract: Science, new ser.*, vol. 25, p. 773, May 17, 1907.

Hixon, Hiram W.

1169. The origin of earthquakes.—*Eng. and Min. Jour.*, vol. 81, p. 864, May 5, 1906.

1170. The geological age of the earth as compared to the life of the sun.—*Min. and Sci. Press*, vol. 92, p. 297, May 5, 1906.

1171. The ore deposits and geology of the Sudbury district [Ontario].—*Canadian Min. Inst., Jour.*, vol. 9, pp. 223-235, 1906.

Describes the occurrence and geologic relations of the ore deposits and discusses their origin.

1172. The Sudbury nickel region.—*Eng. and Min. Jour.*, vol. 82, pp. 313-314, 1 fig., August 18, 1906.

Discusses the geologic structure of the Sudbury, Ontario, region.

1173. Genesis of ores of the Cobalt district.—*Eng. and Min. Jour.*, vol. 83, p. 630, March 30, 1907.

1174. Ore deposition.—*Min. and Sci. Press*, vol. 94, pp. 593-594, May 11, 1907.

1175. Volcanic ash.—*Min. and Sci. Press*, vol. 95, p. 809, December 28, 1907.

Discusses the origin of volcanic ash.

Hobbs, William Herbert.

1176. The correlation of fracture systems and the evidences of planetary dislocations within the earth's crust.—*Wisconsin Acad. Sci., Arts, and Letters*, vol. 15, pt. 1, 1905.

Discusses the directions of lines of fracture in various parts of the United States and their correspondence to the major features of the earth's surface, including details in a table of fracture systems.

1177. Suggestions regarding a petrographic nomenclature, based on the quantitative classification.—Abstract: Congress of Arts and Science, Universal Exposition, St. Louis, 1904, vol. 4, p. 604, 1906.

1178. On two new occurrences of the "Cortlandt series" of rocks within the State of Connecticut.—*Festschrift Harry Rosenbusch*, E. Schweizerbartsche Verlagsbuchhandlung, Stuttgart, 1906, pp. 25-48, 1 pl., 3 figs.

Calls attention to two occurrences of the "Cortlandt series" of igneous rocks in the State of Connecticut, and gives petrographic descriptions of the rock types found in them.

1179. America and seismological research.—*Pop. Sci. Monthly*, vol. 69, no. 3, pp. 226-228, September, 1906.

1180. Correspondence relating to a study of an area of crystalline rocks in southwestern New England.—*Science*, new ser., vol. 24, pp. 655-658, November 23, 1906.

1181. On some principles of seismic geology.—*Beiträge zur Geophysik (Gerland)*, Bd. 7, Heft 2, pp. 219-292, 10 figs., 1907.

Includes a chapter on the seismic geography of the eastern United States and a list of the earthquake epicenters within the eastern United States.

1182. Earthquakes, an introduction to seismic geology. New York, D. Appleton and Company, 1907. 336 pp., 24 pls., 112 figs.

1183. [Seismological research].—*Jour. Geology*, vol. 15, no. 2, pp. 182-184, 1907.

1184. The recent advance in seismology.—*Jour. Geology*, vol. 15, pp. 288-297, 396-409, 4 pls., 1 fig., 1907.

1185. The iron ores of the Salisbury district of Connecticut, New York, and Massachusetts.—*Econ. Geology*, vol. 2, no. 2, pp. 153-181, 12 figs., 1907.

Describes the history of the mining operations, the geology of the district, the occurrence of the ores in the various mines, and their composition and origin.

1186. Some topographic features formed at the time of earthquakes and the origin of mounds in the Gulf plain.—*Am. Jour. Sci.*, 4th ser., vol. 23, pp. 245-256, 5 figs., April, 1907.

Discusses the origin of small mounds and adduces evidence in favor of their formation through seismic agencies.

1187. Origin of ocean basins in the light of the new seismology.—*Geol. Soc. America, Bull.*, vol. 18, pp. 233-250, 1 pl., 1907.

1188. Nathaniel Southgate Shaler.—*Wisconsin Acad. Sci., Trans.*, vol. 15, pt. 2, pp. 924-927, 1 pl. (port.), 1907.

1189. The Charleston earthquake of August 31st, 1886, in a new light.—*Geol. Mag.*, dec. 5, vol. 4, no. 5, pp. 197-202, 1 fig., 1907.

1190. Origin of the ocean basins in the light of the new seismology.—Abstract: *Science*, new ser., vol. 25, p. 766, May 17, 1907.

1191. Seismotectonic lines and lineaments—a rejoinder.—*Science*, new ser., vol. 26, pp. 253-255, 1 fig., August 23, 1907.

1192. Earthquakes viewed in a new light.—*Michigan Acad. Sci.*, 9th Rept., pp. 43-56, 2 figs., 1907.

Hobbs, William Herbert, and Leith, Charles Kenneth.

1193. The pre-Cambrian volcanic and intrusive rocks of the Fox River Valley, Wisconsin.—Univ. of Wisconsin, Bull. no. 158, Science Series, vol. 3, no. 6, pp. 247-277, 1 pl., 21 figs., May, 1907.

Hobson, Bernard.

1194. A new geological map of North America.—Geol. Mag., dec. 5, vol. 3, no. 12, pp. 564-566, December, 1906.

1195. An excursion to the volcanoes of Navado de Toluca and Jorullo in Mexico.—Geol. Mag., dec. 5, vol. 4, no. 1, pp. 5-13, 1 pl., January, 1907.

Describes physical, geologic, and petrologic features of these volcanoes.

1196. The volcanoes of Mexico.—Scottish Geog. Mag., vol. 23, pp. 25-27, 1907.

Plant remains in basalt, Mexico.—See Solórzano and Hobson, no. 2257.

Hoffmann, G. Christian.

1197. [Report on] chemistry and mineralogy.—Canada, Geol. Survey, Summ. Rept. for 1905, pp. 125-131, 1906.

Gives a brief account of the work done by the division of chemistry and mineralogy of the Geological Survey of Canada and an annotated list of minerals and rocks added to its museum.

1198. Report of the section of chemistry and mineralogy.—Geol. Survey of Canada, Ottawa, 1906. 71 pp.

Includes notes on the occurrence and composition of various minerals and economic materials.

Högbom, A. G.

1199. Zur Petrographie der kleinen Antillen.—Geol. Inst. Univ. Upsala, Bull., vol. 6, no. 11-12, pp. 214-233, 2 pls., 1905.

Describes rocks collected from various islands of the Lesser Antilles.

Holden, R. J.

1200. The brown ores of the New River-Cripple Creek district, Virginia.—U. S. Geol. Survey, Bull. no. 285, pp. 190-193, 1906.

Describes the geologic structure of the district and the occurrence, character, and origin of the iron ores.

1201. Mineral resources of Virginia: Iron.—In Watson, T. L., Mineral resources of Virginia, pp. 402-491, 8 pls., 20 figs., 1907.

Holland, W. J.

1202. The osteology of *Diplodocus* Marsh, with special reference to the restoration of the skeleton of *Diplodocus carnegiei* Hatcher, presented by Mr. Andrew Carnegie to the British Museum, May 12, 1905.—Carnegie Mus., Mem., vol. 2, pp. 225-278, 8 pls., 30 figs., 1906.

Hollick, Arthur.

1203. The Cretaceous flora of southern New York and New England.—U. S. Geol. Survey, Mon., vol. 50, 219 pp., 40 pls., 1906.

Reviews the progress of geologic investigation upon the Cretaceous of the region and describes the general character and correlation of the plant-bearing beds and gives systematic descriptions of the plant remains.

1204. Origin of the amber found on Staten Island.—New York Bot. Garden, vol. 7, pp. 11-12, 1906.

1205. A newly discovered outcrop of Triassic rock on Staten Island [New York].—Staten Island Assoc. Arts and Sciences, vol. 1, pt. 1, pp. 16-17, 1906.

Describes the character and occurrence of Triassic rocks in Staten Island.

Hollick, Arthur—Continued.

1206. A fossil forest fire.—Staten Island Assoc. Arts and Sciences, vol. 1, pt. 2, pp. 21-23, 1906.

Gives an explanation of the occurrence of charred wood in Cretaceous deposits at Kreisherville, Staten Island, New York.

1207. Insect borings in Cretaceous lignite from Kreisherville [New York].—Staten Island Assoc. Arts and Sciences, vol. 1, pt. 2, pp. 23-24, 1906.

1208. A soapstone drift boulder containing magnetite.—Staten Island Assoc. Arts and Sciences, Proc., vol. 1, pt. 2, pp. 31-32, 1906.

1209. The Pleistocene flora [of Maryland].—Maryland Geol. Survey, Pliocene and Pleistocene, pp. 148-149, 1906.

1210. Systematic paleontology of the Pleistocene deposits of Maryland: Pteridophyta and Spermatophyta.—Maryland Geol. Survey, Pliocene and Pleistocene, pp. 217-237, 9 pls., 1906; New York Bot. Garden, Contr., no. 85, 1906.

1211. Description of new Tertiary fossil flower from Florissant, Colorado.—Torreya, vol. 7, no. 9, pp. 182-184, 2 figs., 1907.

American fossil mosses, with description of a new species from Florissant, Colorado.—See Britton and Hollick, no. 304.

Hollick, Arthur, and Jeffrey, Edward C.

1212. Affinities of certain Cretaceous plant remains commonly referred to the genera *Dammara* and *Brachyphyllum*.—Am. Naturalist, vol. 40, pp. 189-216, 5 pls., March, 1906; New York Bot. Garden, Contr. no. 79, 1906.

Describes the occurrence and character of the material, the methods of investigation employed, and gives a description of *Protodammara speciosa* n. gen. and sp., and critical notes upon the other material.

1213. Recent identification of Cretaceous gymnosperms from Kreisherville, N. Y.—Abstract: Science, new ser., vol. 25, pp. 292-293, February 22, 1907.

Holmes, Joseph A.

Report on the operations of the coal-testing plant of the United States Geological Survey at the Louisiana Purchase Exposition, St. Louis, Mo., 1904.—See Parker, Holmes, Campbell, no. 1870.

Holmes, Joseph A., and others.

1214. Preliminary report on the operations of the fuel-testing plant of the United States Geological Survey at St. Louis, Mo., 1905.—U. S. Geol. Survey, Bull. no. 290, 240 pp., 1906.

Contains the following papers:

Introduction, by J. A. Holmes, pp. 5-15.

Literature relating to peat and its utilization, pp. 11-16.

Field work, by E. W. Parker and J. Shober Burrows, pp. 16-28.

Work of the chemical laboratory, by N. W. Lord, pp. 29-30.

Washing tests, by John D. Wick, pp. 31-32.

Steaming tests, by L. P. Breckenridge, pp. 33-35.

Producer-gas tests, by Robert H. Fernald, pp. 36-37.

Coking tests, by A. W. Belden, pp. 38-39.

Briquetting tests, by J. A. Holmes, pp. 40-52.

Detailed report of tests, pp. 53-233.

Holway, Ruliff S.

1215. The history of the Blue Lakes [California].—California Phys. Geog. Club, Bull., vol. 1, no. 1, pp. 8-13, 2 figs., April, 1907.

Describes the physiographic origin and history of the lakes in Lake County, California.

1216. Physiographic changes bearing on the faunal relationships of the Russian and Sacramento rivers, California.—Science, new ser., vol. 26, pp. 382-383, September 30, 1907.

Horton, F. W.

The production in the United States in 1905 of platinum and quicksilver.—See no. 2418.

Hoskins, L. M.

1217. The rigidity of the earth.—*Science*, new ser., vol. 24, p. 403, September 28, 1906.

Hotchkiss, W. O.

1218. Cobalt mining district, Ontario.—*Min. World*, vol. 23, no. 23, pp. 634-636, 4 figs., December 9, 1905.

Describes the geology and the occurrence and character of the ore deposits.

1219. Mining and mineral resources of Wisconsin.—*Am. Min. Congr.*, Rept. of Proc., 9th Ann. Sess., pp. 220-225, 1907.

Hovey, Edmund Otis.

1220. Present condition of Mont Pelé.—*Abstract: Geol. Soc. America, Bull.*, vol. 16, pp. 566-569, 2 pls., 1906.

1221. Soufrière of Saint Lucia.—*Abstract: Geol. Soc. America, Bull.*, vol. 16, pp. 569-570, 1 fig., 1906.

1222. Boiling lake of Dominica.—*Abstract: Geol. Soc. America, Bull.*, vol. 16, pp. 570-571, 1 fig., 1906.

1223. The geology of the Guaynopita district, Chihuahua [Mexico].—*Festschrift Harry Rosenbusch*, E. Schweizerbartsche Verlagsbuchhandlung, Stuttgart, 1906, pp. 77-95, 2 pls., 7 figs.

1224. The collections illustrating the rocks and minerals of Manhattan Island.—*Am. Mus. Jour.*, vol. 6, no. 1, pp. 6-12, 3 figs., January, 1906.

1225. Geological notes on the western Sierra Madre of Chihuahua, Mexico.—*Abstract: Science*, new ser., vol. 23, p. 467, March 23, 1906.

1226. [Report of the meeting of] Section E—Geology and Geography: American Association for the Advancement of Science.—*Science*, new ser., vol. 23, pp. 286-291, February 23, 1906.

Contains abstracts of papers read at the meeting held at New Orleans, December, 1905.

1227. The American Association for the Advancement of Science. Special meeting, Ithaca, New York, June 28-July 3, 1906. Section E—Geology and Geography.—*Science*, new ser., vol. 24, pp. 365-372, September 21, 1906.

Gives an account of the meeting and abstracts of the papers presented.

1228. Notes on the geology of the Guaynopita, Chihuahua, Mexico, mining district.—*Abstract: Science*, new ser., vol. 24, p. 369, September 21, 1906.

1229. The Willamette meteorite.—*Am. Mus. Jour.*, vol. 6, no. 3, pp. 105-116, 4 pls., July, 1906.

Describes the finding, subsequent history, and characters of this meteorite.

1230. Notes on northern Mexico: Its deserts, plateaus, and canyons.—*Philadelphia Geog. Soc., Bull.*, vol. 4, no. 5, pp. 1-24 (247-270), 3 pls., October, 1906.

1231. The Tenth International Geological Congress.—*Am. Geog. Soc., Bull.*, vol. 38, no. 12, pp. 730-741, December, 1906.

Gives an account of the Tenth International Geological Congress held in the City of Mexico, September, 1906, and abstracts of some of the papers presented. Includes notes on the geology of Mexico in the account of the excursions.

1232. The Selma meteorite.—*Am. Mus. Jour.*, vol. 7, no. 1, pp. 8-12, 4 figs., January, 1907.

Describes the physical characters of this aerolite, found near Selma, Alabama.

Hovey, Edmund Otis—Continued.

1233. The Isthmus of Tehuantepec and the Tehuantepec National Railway.—*Am. Geog. Soc., Bull.*, vol. 39, no. 2, pp. 78-91, 6 figs., February, 1907.

Includes a brief account of the geology of the Isthmus of Tehuantepec, Mexico.

1234. The American Association for the Advancement of Science. Meeting of Section E—Geology and Geography.—*Science*, new ser., vol. 25, pp. 293-298, February 22, 1907.

Gives an account of the meeting and abstracts of the papers presented.

1235. La Sierra Madre occidental de l'état de Chihuahua.—*Congr. géol. intern.*, C. R. 10^e sess., Mexico, 1906, pp. 1259-1268, 1907.

1236. A geological reconnaissance in the western Sierra Madre of the State of Chihuahua, Mexico.—*Am. Mus. Nat. Hist., Bull.*, vol. 23, pp. 401-442, 18 pls., 13 figs., 1 map, 1907.

1237. The Geological Society of America.—*Science*, new ser., vol. 25, pp. 761-775, May 17, 1907.

Gives an account of the meeting in New York, December 27-29, 1906, and abstracts of the papers presented.

1238. Notes on the geology of the Guaynopita, Chihuahua, Mexico, mining district.—Abstract: *Am. Assoc. Adv. Sci., Proc.*, vol. 56-57, p. 270, 1907.

1239. Volcanoes of Colima, Toluca, and Popocatepetl.—Abstract: *Science*, new ser., vol. 25, pp. 764 and 868, May 17 and 31, 1907.

Remarks on and descriptions of [invertebrate] Jurassic fossils of the Black Hills.—See Whitfield and Hovey, no. 2563.

The production in the United States in 1905 of fluorspar and cryolite, of salt, of asphaltum and bituminous rock, and of lithium minerals.—See no. 2418.

Howard, Kenneth S.

1240. Preliminary notice of a new meteorite from Texas.—*Am. Jour. Sci.*, 4th ser., vol. 21, p. 186, February, 1906.

1241. The Elm Creek aerolite.—*Am. Jour. Sci.*, 4th ser., vol. 23, pp. 379-381, 2 figs., May, 1907.

Describes the occurrence and characters of this meteorite from near Admire, Kansas.

Howard, Kenneth S., and Davison, John M.

1242. The Estacado aerolite.—*Am. Jour. Sci.*, 4th ser., vol. 22, pp. 55-60, 4 figs., July, 1906.

Describes occurrence, characters, and chemical composition.

Howe, Ernest.

1243. Glacial phenomena in the San Juan Mountains.—Abstract: *Science*, new ser., vol. 23, pp. 306-307, February 23, 1906.

1244. Report on the geology of the [Panama] Canal Zone.—Isthmian Canal Commission, *Ann. Rept.*, for 1907 [60th Congr., 1st sess., Senate Doc. no. 55], pp. 108-138, 1907.

1245. Isthmian geology and the Panama Canal.—*Econ. Geology*, vol. 2, no. 7, pp. 639-658, 1 pl., 1907.

1246. Geology of the Canal Zone.—Abstract: *Science*, new ser., vol. 26, p. 148, August 2, 1907.

Description of the Ouray quadrangle, Colorado.—See Cross, Howe, and Irving, no. 607.

Howe, Ernest, and Cross, Whitman.

1247. Glacial phenomena of the San Juan Mountains, Colorado.—*Geol. Soc. Am., Bull.*, vol. 17, pp. 251-274, 7 pls., 2 figs., 1906.

Describes the character, extent, and evidences of recent and older glaciation.

Howley, James R.

1248. Report on the continuation of the coal boring operations in the central Carboniferous area, near Goose Brook, Humber Valley, Newfoundland.—Newfoundland Geol. Survey, Rept. on Mineral Statistics for 1905, pp. 19-30, 1906.

Includes notes upon the character of the strata penetrated in borings.

1249. Report on the mineral statistics of Newfoundland for the calendar year 1905.—Newfoundland Geol. Survey, 30 pp., 1906.

Hrdlička, Aleš.

1250. Skeletal remains suggesting or attributed to early man in North America.—U. S. Bur. of Ethnology, Bull. 33, 113 pp., 21 pls., 16 figs., 1907.

Hubbard, George D.

1251. Drumlinoids of the Catatunk folio [New York].—Am. Geog. Soc., Bull., vol. 38, no. 6, pp. 355-365, 6 figs., June, 1906.

Describes the occurrence, area, elevation, relations, and physical features of the elevations to which the term drumlinoids is given, and discusses their origin.

1252. Experimental physiography.—Am. Geog. Soc., Bull., vol. 39, no. 11, pp. 658-666, 3 figs., November, 1907.

Hudson, George Henry.

1253. On some Pelmatozoa from the Chazy limestone of New York.—N. Y. State Mus., Bull. 107, pp. 97-152, 10 pls., 8 figs., 1907.

1254. On the structure, development, and relationship of *Blastoidocrinus* (Billings 1859).—Abstract: Science, new ser., vol. 25, p. 730, May 10, 1907.

1255. *Blastoidocrinus* and its type.—Abstract: Science, new ser., vol. 26, p. 401, September 27, 1907.

Huene, F. v.

1256. Ueber die Dinosaurier der aussereuropäischen Trias.—Geol. u. Paläont. Abhandl., N. F., Bd. 8, Heft 2, pp. 1-60 (97-156), 16 pls., 102 figs., 1906.

Includes descriptions and figures of American dinosaurian remains.

Hunt, W. F.

The occurrence of sulphur and celestite at Maybee, Michigan.—See Kraus and Hunt, no. 1427.

Huntington, Ellsworth.

1257. Some characteristics of the glacial period in nonglaciated regions.—Geol. Soc. Am., Bull., vol. 18, pp. 351-388, 9 pls., 16 figs., October, 1907.

Includes a discussion of the mode of formation of the Moencopie shales of Utah.

Hussakof, Louis.

1258. Studies on the Arthrodira.—Am. Mus. Nat. Hist., Mem., vol. 9, pt. 3, pp. 105-154, 2 pls., 25 figs., May, 1906.

Describes the Arthrodiran jaw and discusses the relationships and evolution of the Arthrodira.

1259. *Zebrosoma deani*, a fossil surgeon-fish from the West Indies.—Am. Mus. Nat. Hist., Bull., vol. 23, pp. 125-126, 1 pl., 1907.

Hutchins, John Power.

1260. Gold-dredging practice at Ruby, Montana.—Eng. and Min. Jour., vol. 83, pp. 1223-1226, 7 figs., June 29, 1907; vol. 84, pp. 69-72, 6 figs., July 13, 1907.

Contains notes on the character and relations of the deposits.

1261. The essential data of placer investigations.—Eng. and Min. Jour., vol. 84, pp. 339-342, 385-386, 5 figs., August, 1907.

Hutchins, John Power—Continued.

1262. The nomenclature of modern placer mining.—Eng. and Min. Jour., vol. 84, pp. 293-296, 4 figs., August 17, 1907.

Discusses the classification and mode of formation of the placers.

1263. Dredging beach gravel deposits near Nome.—Eng. and Min. Jour., vol. 84, pp. 955-961, 8 figs., November 23, 1907.

Gives notes on the occurrence of placer gold.

Hutchinson, W. Spencer.

1264. The Bonanza silver mines of Cobalt, Ontario.—Eng. and Min. Jour., vol. 83, pp. 793-794, 9 figs., April 27, 1907.

1265. Barytes deposits at Five Islands, Nova Scotia.—Eng. and Min. Jour., vol. 84, pp. 825-826, 7 figs., November 2, 1907.

Idaho.

[Seventh annual] report of the state inspector of mines, 1905.—See Bell, no. 195.

Iddings, Joseph P.

1266. Rock minerals, their chemical and physical characters and their determination in thin sections. New York, John Wiley and Sons, 1906. 548 pp.

The texture of igneous rocks.—See Cross, Iddings, Pirsson, Washington, no. 608.

Ingall, Elfric Drew.

1267. Summary of the mineral production of Canada for 1905.—Canada, Geol. Survey, Mineral Production for 1905, 16 pp., 1906.

1268. Section of mines: Annual report for 1904.—Canada, Geol. Survey, 162 pp., 1906.

Gives various data relating to the mineral industries and products of Canada.

1269. Report of the mines section.—Canada, Geol. Survey, Summ. Rept. for 1906, pp. 158-163, 1906.

Includes notes on the occurrence of various ores.

1270. Annual report on the mineral industries of Canada for 1905.—Canada, Geol. Survey, Section of Mines, 174 pp. and pls., 1907.

Ingalls, A. O.

1271. Earthquakes and their probable origin.—Northwest Min. Jour., vol. 2, no. 1, pp. 2-12, 14 figs., July, 1906.

Gives a detailed discussion of the Pacific coast earthquakes from 1888 to 1898.

Ingalls, Walter Renton.

1272. Mining the porphyry ore of Bingham [Utah].—Eng. and Min. Jour., vol. 84, pp. 431-440, 1 pl., 17 figs., September 7, 1907.

Includes a brief account of the geology and the occurrence and character of the copper ores.

1273. The copper mines of Ely, Nevada.—Eng. and Min. Jour., vol. 84, pp. 675-682, 7 figs., October 12, 1907.

Includes a short account of the local geology and the occurrence of the ores.

1274. The silver-lead mines of Eureka, Nevada.—Eng. and Min. Jour., vol. 84, pp. 1051-1058, 1 pl., 18 figs., December 7, 1907.

Includes notes on the occurrence of the ores.

Inkersley, Arthur.

1275. Effects of the earthquake and fire upon the City of San Francisco and its buildings.—Sci. Am., vol. 94, pp. 418-420, 9 figs., May 19, 1906.

International Geological Congress.

1276. X Reunion del Congreso geológico internacional. (Extracto de las actas de sesiones del Consejo y Generales del Congreso.)—México, Secretaría de Fomento, Boletín, Seg. época, año 6, VI, no. 3, pp. 45-48, no. 4, pp. 49-56, no. 5, pp. 75-79, 1906; no. 6, pp. 81-89, 1907.

A report of the proceedings of the Tenth International Geological Congress held in the City of Mexico, September, 1906.

Irving, John Duer.

1277. Review of "The geological map of Illinois," by Stuart Weller (Ill. State Geol. Survey, Bull. no. 1).—Econ. Geology, vol. 1, no. 8, pp. 816-818, 1906.

The Downtown district of Leadville, Colorado.—See Emmons and Irving, no. 803.

Description of the Ouray quadrangle, Colorado.—See Cross, Howe, and Irving, no. 607.

Issel, Arturo.

1278. A proposito del recente disastro delle Antille, proposta e voti.—Soc. ligustica di sc. nat. e geogr., Atti, vol. 13, no. 2, pp. 77-90, 1902.

Describes phenomena connected with the eruption of Mont Pelé, Martinique.

Jaccaci, August F.

1279. Pelée, the destroyer. Splendors and terrors of an eruption at close range.—McClure's Mag., vol. 19, no. 5, pp. 401-416, 13 figs., September, 1902.

Jaggard, Thomas A., jr.

1280. The eruption of Mount Pelée, 1851. Translated from the French of Le Prieur, Peyraud, and Rufz.—Am. Naturalist, vol. 38, pp. 51-73, January, 1904.

1281. How should faults be named and classified?—Econ. Geology, vol. 2, no. 1, pp. 58-62, 1 fig., 1907.

1282. Current methods of observing volcanic eruptions.—Abstract: Science, new ser., vol. 25, pp. 764-765, May 17, 1907.

1283. Experiments illustrating erosion and sedimentation.—Abstract: Science, new ser., vol. 25, p. 765, May 17, 1907.

James, F. Wilton.

1284. Notes on the Minnewaska region of Ulster County, N. Y.—Abstract: New York Acad. Sci., Annals, vol. 17, pt. 3, pp. 580-581, 1907.

Jarvis, May M.

1285. On the fossil genus *Porocystis* Cragin.—Biol. Bull., vol. 9, no. 6, pp. 388-390, 6 figs., November, 1905.

Jefferson, Mark S. W.

1286. The scours on the river Rouge [Michigan].—Science, new ser., vol. 19, pp. 150-151, January 22, 1904.

1287. Lateral erosion on some Michigan rivers.—Geol. Soc. America, Bull., vol. 18, pp. 333-350, 5 figs., 1907.

1288. Material for geography of Michigan. Ypsilanti, Michigan, 1906. 90 pp., illus. Reprinted from Normal College News.

Contains an account of the physiography, including old beaches and moraines.

1289. Uplift increases rainfall, denudation diminishes it.—Science, new ser., vol. 25, pp. 909-910, June 7, 1907.

Jeffrey, Edward C.

1290. Affinities of certain Cretaceous plant remains commonly referred to the genera *Dammara* and *Brachyphyllum*.—New York Bot. Garden, Contr. no. 79, 1906.

Recent identification of Cretaceous gymnosperms from Kreicherville, N. Y.—See Hollick and Jeffrey, no. 1213.

Jeffrey, Edward C., and Chrysler, M. A.

1291. The lignites of Brandon [Vermont].—Vermont Geol. Survey, Fifth Rept. State Geol., pp. 195-201, 3 pls., 1906.

Describes the method of examination employed and the characters of woody material found in the lignite.

1292. On Cretaceous Pityoxyla.—Bot. Gazette, vol. 42, no. 1, pp. 1-15, 2 pls., July, 1906.

Describes the occurrence, state of preservation, and in detail the structure of the wood of Pityoxyla from Staten Island, New York, and from Massachusetts, characterizes two species, and discusses the relations of living and fossil pines.

Jenney, Walter P.

1293. Structural features of the Ontario mineral belt, Park City, Utah.—Min. and Sci. Press, vol. 92, pp. 6-7, 1 fig., January 6, 1906.

Describes the stratigraphy and the relations of the ore-bearing veins.

1294. The fissure system of the Ontario mineral belt [Utah].—Min. and Sci. Press, vol. 92, pp. 24-25, 3 figs., January 13, 1906.

1295. Block-faulting and its relation to ore deposition.—Min. and Sci. Press, vol. 92, pp. 54-55, 2 figs., January 27, 1906.

Discusses the conditions under which block-faulting took place, its characteristics, and connection with ore deposition.

1296. The ore deposits of the Ontario mineral belt [Utah].—Min. and Sci. Press, vol. 92, pp. 108-109, 2 figs., February 17, 1906.

Discusses the occurrence and origin of ore deposits.

Jennings, E. P.

1297. The Lost Packer copper gold lode [Idaho].—Canadian Min. Inst., Jour., vol. 9, pp. 54-57, 1906; Min. and Sci. Press, vol. 92, pp. 435-436, June 30, 1906.

1298. Genesis of the copper deposits of Yerington, Nev.—Eng. and Min. Jour., vol. 83, pp. 1143-1144, June 15, 1907; Canadian Min. Jour., vol. 28, no. 14, (new ser., vol. 1, no. 12), pp. 365-366, September 1, 1907.

Johnson, B. L.

1299. Pleistocene terracing in the North Carolina coastal plain.—Science, new ser., vol. 26, pp. 640-642, November 8, 1907.

Johnson, Douglas Wilson.

1300. The scope of applied geology, and its place in the technical school.—Econ. Geol., vol. 1, no. 3, pp. 243-256, December-January, 1905-1906; Tech. Quart., vol. 19, no. 1, pp. 25-36, 1906.

1301. The New England intercollegiate geological excursion, 1905. Geology of the Nantasket area.—Science, new ser., vol. 23, pp. 155-156, January 26, 1906.

1302. Report on the geological excursion through New Mexico, Arizona, and Utah, summer of 1906.—Tech. Quart., vol. 19, no. 4, pp. 408-415, 1906.

Includes notes on physiographic features of the region examined.

1303. Drainage modifications in the Tallulah district.—Boston Soc. Nat. Hist., Proc., vol. 23, no. 5, pp. 211-248, 2 pls., 9 figs., 1907.

Reviews previous work, describes the general geology and physiography of the region, the rock types and structural relations in the Tallulah district, and its topographic features, considers the principles governing river capture, and applies these to explain drainage changes in the Tallulah district, South Carolina-Georgia.

1304. Volcanic necks of the Mount Taylor region, New Mexico.—Geol. Soc. America, Bull., vol. 18, pp. 303-324, 6 pls., 10 figs., 1907. Abstract: Science, new ser., vol. 25, p. 769, May 17, 1907.

Johnson, Douglas Wilson—Continued.

1305. A recent volcano in the San Francisco Mountain region, Arizona.—Philadelphia, Geog. Soc., Bull., vol. 5, no. 3, pp. 6-11, 3 pls., 3 figs., July, 1907.
Describes a lava flow of recent origin.

1306. Current notes on land forms: River terraces in Vermont.—Science, new, ser., vol. 25, pp. 71-72, January 11, 1907.

1307. River capture in the Tallulah district, Georgia.—Science, new ser., vol. 25, pp. 428-432, March 15, 1907.

Discusses drainage changes in the region of the upper Savannah River.

1308. Current notes on land forms: A peneplain in the Grand Canyon district.—Science, new ser., vol. 26, pp. 837-838, December 31, 1907.

Johnson, L. C.

Summary of the underground water resources of Mississippi.—See Crider and Johnson, no. 599.

Johnson, R. D. O.

1309. Tennessee phosphate.—Eng. and Min. Jour., vol. 80, pp. 204-207, August 5, 1905.

Gives notes upon the geology of the phosphate-producing area, and describes the origin, occurrence, and character of the phosphate deposits.

1310. A unique lead deposit.—Eng. and Min. Jour., vol. 81, p. 794, 1906.

Gives notes upon the occurrence and character of a deposit of lead ore in Madison County, Mo.

Johnson, Woolsey McA.

1311. The Kelly mine, New Mexico, and treatment of its ores.—Min. World, vol. 27, pp. 267-269, 2 figs., August 17, 1907.

Includes notes on the local geology and the occurrence of the lead-zinc ores.

Johnston, Robert A. A.

1312. [Report on] work in Charlotte County, N. B.—Canada, Geol. Survey, Summ. Rept. for 1905, pp. 117-118, 1906.

1313. Surveys on parts of the proposed route of the Transcontinental Railway in New Brunswick.—Canada Geol. Survey, Summ. Rept. for 1906, pp. 127-130, 1906.

Gives notes on the geology of the region.

1314. The Chambord meteorite.—Ottawa Naturalist, vol. 20, no. 3, p. 51, June, 1906.

Gives data in regard to the occurrence and surface characters of this meteorite from Quebec.

Johnston, W. A.

1315. [Report on the geological survey of] the Peterborough sheet.—Canada, Geol. Survey, Summ. Rept. for 1905, pp. 92-94, 1906.

Gives various data in regard to the geology and mineral resources of the area.

1316. Peterborough, Prince Edward, and Simcoe sheets.—Canada, Geol. Survey, Summ. Rept. for 1906, pp. 124-126, 1906.

Gives notes on the geology of the area.

Jones, Charles Colcock.

1317. Phosphate rock in Utah, Idaho, and Wyoming.—Eng. and Min. Jour., vol. 83, pp. 953-955, 6 figs., May 18, 1907.

Jones, F. O.

1318. Glacial rock sliding.—Jour. Geology, vol. 15, no. 5, pp. 485-487, 1 fig., 1907.

Describes an occurrence of rock displacement due to ice pressure near Elmira, New York.

Jones, Fayette A.

1319. Mineral resources of New Mexico.—Am. Min. Cong., 8th Ann. Sess., pp. 135-143, 1906.

Gives notes on the occurrence of mineral resources in New Mexico.

1320. Placers of Santa Fe County, New Mexico.—Min. World, vol. 25, no. 14, p. 425, October 6, 1906.

1321. The Lordsburg mining region, New Mexico.—Eng. and Min. Jour., vol. 84, pp. 444-445, 2 figs., September 7, 1907.

Gives a brief account of the geology and of the ores.

Jones, James O.

1322. On the effect of the recent seismic disturbances in Guatemala, Costa Rica, and Nicaragua upon the level of the waters in Lakes Nicaragua and Managua.—57th Cong., 2d Sess., Sen. Doc. no. 131, 33 pp., 1903.

Jordan, David Starr.

1323. The earthquake rift of 1906.—Pop. Sci. Monthly, vol. 69, no. 4, pp. 289-309, 20 figs., October, 1906.

Explains the nature of the San Francisco earthquake, the course of the rift, and effects produced.

1324. The fossil fishes of California. With supplementary notes on other species of extinct fishes.—California Univ., Dept. Geol., Bull., vol. 5, no. 7, pp. 95-144, 2 pls., 33 figs., April, 1907.

An annotated list of the species of fossil fishes recorded from the rocks of California, with descriptions of a number of new species.

Jordan, David Starr, Editor.

1325. The California earthquake of 1906. San Francisco, A. M. Robertson, 1907. 371 pp., illus.

Contains articles by—

David Starr Jordan: The earthquake rift of April, 1906. pp. 1-62 (reprinted from Pop. Sci. Monthly, October, 1906).

John Casper Branner: Geology and the earthquake, pp. 63-78 (reprinted from Out West, vol. 24, no. 6, June, 1906).

Charles Derleth, jr.: The destructive extent of the California earthquake of 1906; its effect upon structures and structural materials, within the earthquake belt, pp. 79-212 (*not* reprinted).

Grove Karl Gilbert: The investigation of the California earthquake of 1906, pp. 213-256 (reprinted from Pop. Sci. Monthly, August, 1906).

Stephen Taber: Local effects of the California earthquake of 1906, pp. 257-280 (reprinted from Jour. Geology, vol. 14, no. 4).

F. Omori: Preliminary notes on the cause of the California earthquake of 1906, pp. 281-318 (reprinted from the Imperial Earthquake Investigation Committee, Bull., vol. 1, no. 1).

Harold W. Fairbanks: The great earthquake rift of California, pp. 319-338 (reprinted from California Phys. Geol. Club, Bull., vol. 1, no. 2).

Mary Austin: The Temblor: a personal narrative, pp. 339-361 (reprinted from Out West, vol. 24, no. 6, June, 1906).

Joseph, M. H.

1326. Tungsten ore in Washington.—Eng. and Min. Jour., vol. 81, p. 409, March 3, 1906.

Notes briefly the occurrence of tungsten ore in northern Washington.

Joyce, W. E.

1327. New supplies of anthracite coal.—Eng. and Min. Jour., vol. 84, pp. 216-217, August 3, 1907.

Judd, Edward K.

1328. The Virgilina [Virginia] copper belt.—Eng. and Min. Jour., vol. 82, pp. 1005-1008, 5 figs., December 1, 1906.

Contains notes on the character of the ores.

Judd, Edward K.—Continued.

1329. Soft iron ore in Tennessee.—Eng. and Min. Jour., vol. 83, p. 567, March 23, 1907.

1330. The bauxite industry in the South.—Eng. and Min. Jour., vol. 83, pp. 574-575, March 23, 1907.

1331. The barytes industry in the South.—Eng. and Min. Jour., vol. 83, pp. 751-752, 1 fig., April 20, 1907.

1332. New development in coal fields of New Mexico.—Eng. and Min. Jour., vol. 84, pp. 8-11, 6 figs., July 6, 1907.

Judd, Emerson W.

1333. New coal developments in northern New Mexico.—Eng. and Min. Jour., vol. 80, pp. 300-301, 2 figs., August 19, 1905.

Gives notes upon the occurrence and character of the coals.

Julien, Alexis A.

1334. The occlusion of igneous rock within metamorphic schists, as illustrated on and near Manhattan Island, New York.—New York Acad. Sci., Annals, vol. 16, pt. 3, pp. 387-446, 2 pls., 1906.

Defines the term occlusion, considers processes attending occlusion, and different kinds of occlusion and their occurrence, describes various outcrops exhibiting occlusions, and the petrographic characters of the rocks, and discusses the genesis of serpentinitoid schists and the distribution of occlusion tracts and ancient centers of volcanic activity along the Appalachian belt.

1335. Determination of brucite as a rock constituent.—Abstract: Geol. Soc. America, Bull., vol. 16, p. 586, 1906.

1336. Notes on glaciation of Manhattan Island.—Abstract: Science, new ser., vol. 23, p. 388, March 9, 1906.

1337. Glaciation of Manhattan Island, New York.—Abstract: Geol. Soc. America, Bull., vol. 17, pp. 708-709, 1907.

1338. Notes on the glaciation of Manhattan Island.—Abstract: New York Acad. Sci., Annals, vol. 17, pt. 3, p. 609, 1907.

1339. Determination of brucite as a rock-constituent.—Abstract: New York Acad. Sci., Annals, vol. 17, pt. 3, pp. 581-582, 1907.

1340. Present structural character and probable former extent of the Palsade trap.—Abstract: Science, new ser., vol. 25, p. 184, February 1, 1907.

1341. Relations of physiography to structure at Manhattan Island and vicinity.—Abstract: Science, new ser., vol. 25, pp. 762-763, May 17, 1907.

1342. Evidence of the stability of the rock foundations of New York City.—Abstract: Science, new ser., vol. 25, p. 868, May 31, 1907.

1343. On the pebbles at Harwick (Cape Cod), Mass., and on rude arrow-heads found among them.—Abstract: Science, new ser., vol. 26, pp. 831-832, December 13, 1907.

Jumeau, L. P.

1344. Le phosphate de chaux (gisements connus) et les exploitations aux États-Unis en 1905. Paris, Ch. Dunod, 1905. 198 pp., 34 pls., 1 map.

Contains an extended account of the phosphate industry in Florida. Discusses the origin, distribution, etc., of Florida phosphates.

Kay, G. F.

1345. Nickel deposits of Nickel Mountain, Oregon.—U. S. Geol. Survey, Bull. no. 315, pp. 120-127, 1907.

Keele, Joseph.

1346. A reconnaissance survey on the Stewart River.—Canada, Geol. Survey, Summ. Rept. for 1905, pp. 32-36, 1906.

Includes data upon the geology of the region examined.

Keele, Joseph—Continued.

1347. Report on the upper Stewart River region, Yukon.—Canada, Geol. Survey, Ann. Rept., vol. 16, pt. C, 23 pp., 4 pls., 1906.

Keffer, Frederic.

1348. Methods of mining in the Boundary district, British Columbia.—Eng. Mag., vol. 33, no. 3, pp. 441-454, 17 figs., June, 1907.

Includes notes on the occurrence of the copper ores.

1349. Copper-smelting practice in the Boundary district, British Columbia.—Eng. Mag., vol. 33, no. 5, pp. 715-727, 9 figs., August, 1907.

Includes a classification of the copper ores.

1350. The Emma mine [Boundary district, British Columbia].—Eng. and Min. Jour., vol. 84, pp. 490-491, September 14, 1907; Canadian Min. Jour., vol. 28, no. 17 (new ser., vol. 1, no. 15), pp. 463-465, 5 figs., October 15, 1907.

Keilhack, K.

1351. Ueber das Onyxvorkommen von Etla, Oaxaca.—Congr. géol. intern., C. R. 10^e sess., Mexico, 1906, pp. 759-762, 1907.

Describes an occurrence of marble at Etla, in the State of Oaxaca, and discusses its origin.

Keith, Arthur.

1352. Description of the Nantahala quadrangle [North Carolina-Tennessee].—U. S. Geol. Survey, Geol. Atlas of U. S., folio no. 143, 11 pp., 3 maps and structure-section sheet, 1907.

Describes the geography, the general geology, the occurrence, character, and relations of the geologic structure and the mineral resources, marble, talc, kaolin, mica, corundum, iron, and gold.

1353. Description of the Pisgah quadrangle [North Carolina-South Carolina].—U. S. Geol. Survey, Geol. Atlas of U. S., folio no. 147, 8 pp., 3 maps, structure-section and illustration sheets, 1907.

Describes the topography, the general geologic record, the occurrence, character, and relations of Archean, Cambrian, and intrusive rocks, the geologic structure, and the mineral resources.

1354. Description of the Roan Mountain quadrangle [Tennessee-North Carolina].—U. S. Geol. Survey, Geol. Atlas of U. S., folio no. 151, 11 pp., 3 figs., 3 maps, structure-section and illustration sheets, 1907.

Describes the geography, the occurrence, character, and relations of pre-Cambrian, Cambrian, Ordovician, and Triassic (?) sedimentary and igneous rocks, the geologic structure, and the mineral and water resources.

1355. The Appalachian mountains and valleys.—Abstract: Science, new ser., vol. 25, pp. 865-867, May 31, 1907.

Keith, N. S.

1356. The copper deposits of New Jersey.—Min. Mag., vol. 13, no. 6, pp. 468-475, 7 figs., June, 1906.

Kelley, Walter S.

1357. What is a fissure vein?—Econ. Geology, vol. 1, no. 5, p. 484, 1906.

Kellogg, L. O.

1358. Sketch of the geology and ore deposits of the Cochise mining district, Cochise County, Arizona.—Econ. Geology, vol. 1, no. 7, pp. 651-659, 1 fig., 1906.

Describes the geology of the district, and the character, occurrence, and origin of the wolframite and copper ores.

Kemp, James Furman.

1359. Earthquakes and volcanoes: the great natural cataclysms.—The Century Magazine, vol. 64, no. 4, pp. 593-609, 17 figs., August, 1902.

Kemp, James Furman—Continued.

The copper deposits at San Jose, Tamaulipas, Mexico.—*Am. Inst. Min. Eng., Trans.*, vol. 36, pp. 178-203, 3 figs., 1906 (*Bi-Mo. Bull.*, no. 4, pp. 885-912, 3 figs., 1905).—See Kemp, 32, page 190 of Bulletin no. 301, U. S. Geol. Survey.

1360. The problem of the metalliferous veins.—*Econ. Geology*, vol. 1, no. 3, pp. 207-232, December-January, 1905-1906; *Science*, new ser., vol. 23, pp. 14-29, January 5, 1906; *New York Acad. Sci., Annals*, vol. 17, pt. 3, pp. 632-657, 1907; *Smithsonian Inst., Ann. Rept. for 1906*, pp. 187-206, 1907.

Discusses the formation of ore deposits, particularly the part taken by meteoric and by magmatic waters.

1361. The geology of Jell.—*Canadian Min. Rev.*, vol. 26, no. 1, pp. 11-13, January, 1906; *Min. and Sci. Press*, vol. 92, p. 243, April 7, 1906.

A humorous paper read at the dinner of the Journal Club of the Geological Department, Columbia University, on the evening of May 18, 1905.

1362. The physiography of the Adirondacks.—*Pop. Sci. Monthly*, vol. 68, no. 3, pp. 195-210, 14 figs., March, 1906.

1363. On the formation of garnet zones at the contacts of eruptive rocks and limestones.—*Min. and Sci. Press*, vol. 92, pp. 220-221, March 31, 1906.

1364. The problem of the metalliferous veins.—*Econ. Geology*, vol. 1, no. 7, pp. 699-700, 1906.

1365. Dikes.—*Min. and Sci. Press*, vol. 94, pp. 85-88, 3 figs., January 19, 1907.

1366. Ore deposits at the contacts of intrusive rocks and limestones; and their significance as regards the general formation of veins.—*Congr. géol. intern., C. R. 10^e sess.*, Mexico, 1906, pp. 519-531, 1907; *Econ. Geology*, vol. 2, no. 1, pp. 1-13, 1907.

1367. Some new points in the geology of copper ores.—*Min. and Sci. Press*, vol. 94, pp. 402-403, March 30, 1907; *Eng. and Min. Jour.*, vol. 83, pp. 1192-1193, June 22, 1907; *Canadian Min. Jour.*, new ser., vol. 1, no. 9, pp. 274-275, July 15, 1907.

1368. Dike of mica-peridotite from Fayette County, southwestern Pennsylvania.—*Abstract: Geol. Soc. America, Bull.*, vol. 17, p. 691, 1907.

1369. Physiography of the lower Hudson valley.—*Abstract: Science*, new ser., vol. 25, p. 762, May 17, 1907.

1370. Physiography of the Adirondacks (with lantern illustrations and map).—*Abstract: New York Acad. Sci., Annals*, vol. 17, pt. 3, pp. 589-591, 1907.

1371. Recent interesting discovery of human implements in an abandoned river channel in southern Oregon.—*Abstract: New York Acad. Sci., Annals*, vol. 17, pt. 3, pp. 606-608, 1907.

Includes notes on the local geology.

Report of a special committee on the correlation of the pre-Cambrian rocks of the Adirondack Mountains, the "original Laurentian area" of Canada, and eastern Ontario.—See Adams and others, no. 13.

Kemp, J. F., and Gunther, C. G.

1372. The White Knob copper deposits, Mackay, Idaho.—*Am. Inst. Min. Eng., Bi-Mo. Bull.*, no. 14, pp. 301-328, 14 figs., March, 1907.

Describes the geological relations of the mineralized area, the character and occurrence of the rocks, the contact phenomena, and the mode of formation of the ores.

Kemp, J. F., and Ross, J. G.

1373. A peridotite dike in the coal measures of southwestern Pennsylvania.—*New York Acad. Sci., Annals*, vol. 17, pt. 2, pp. 509-518, September, 1907.

Kennedy, Stewart.

1374. Lignite of northeastern Wyoming.—*Mines and Minerals*, vol. 27, no. 7, pp. 294-297, 6 figs., February, 1907.

Kerr, H. L.

1375. Exploration in Mattagami Valley.—*Ontario, Bur. Mines, Rept.*, 1906, vol. 15, pt. 1, pp. 116-135, 2 figs., 1906.

Includes an account of the economic resources, the geology and petrology, and evidences of glaciation.

Keyes, Charles Rollin.

1376. [Notes on the classification of American Carboniferous deposits].—*Jour. Geology*, vol. 14, no. 1, pp. 71-76, 1906.

1377. Carboniferous formations of New Mexico.—*Jour. Geology*, vol. 14, no. 2, pp. 147-154, 1906.

Describes the extent, character, and occurrence of the Carboniferous deposits of New Mexico and discusses their correlation with those of the Mississippi Valley and of the Appalachian region.

1378. Orotaxial significance of certain unconformities.—*Am. Jour. Sci.*, 4th ser., vol. 21, pp. 296-300, 2 figs., April, 1906.

This discussion is based mainly upon the stratigraphic succession exhibited in New Mexico.

1379. The Dakotan series of northern New Mexico.—*Am. Jour. Sci.*, 4th ser., vol. 22, pp. 124-128, August, 1906.

1380. Geological section of New Mexico.—*Science*, new ser., vol. 23, pp. 921-922, June 15, 1906.

1381. Use of the term Permian in American geology.—*Science*, new ser., vol. 24, pp. 181-182, August 10, 1906.

1382. Carboniferous coal measures in the southwest.—*Eng. and Min. Jour.*, vol. 81, p. 1129, June 16, 1906.

Calls attention to coals of Carboniferous age in New Mexico and describes briefly the geology of these deposits.

1383. Physiography of New Mexico.—*Jour. Geography*, vol. 5, no. 6, pp. 251-256, 1 fig., 1906.

Describes the physiographic provinces of New Mexico, the location of various topographic features, and the drainage system.

1384. Lime Creek fauna of Iowa in southwestern United States and northern Mexican region.—*Iowa Acad. Sci., Proc.*, vol. 13, pp. 197-198, 1906.

Describes the occurrence of a Devonian fauna at Lake Valley, New Mexico, and gives a list of the forms identified.

1385. Alternation of fossil faunas.—*Iowa Acad. Sci., Proc.*, vol. 13, pp. 199-201, 1906.

Describes instances of alternations of fossil faunas and discusses their bearing upon questions of correlation of strata.

1386. Mescal Canyon coal field, New Mexico.—*Eng. and Min. Jour.*, vol. 83, p. 957, 2 figs., May 18, 1907.

Describes the geology of the coal beds, and the character of the coal.

1387. Volcanic craters in the Southwest.—*Geol. Soc. America, Bull.*, vol. 17, pp. 721-723, 5 pls., 1 fig., 1907.

1388. Tertiary terranes in New Mexico.—*Abstract: Geol. Soc. America, Bull.*, vol. 17, p. 725, 1907.

1389. Physiographic significance of the Mesa de Maya.—*Iowa Acad. Sci., Proc.*, vol. 14, pp. 221-222, 1 fig., 1907.

Describes physiographic changes that have taken place in the area along the southern boundary of Colorado.

Keyes, Charles Rollin—Continued.

1390. Tertiary terranes of New Mexico.—Iowa Acad. Sci., Proc., vol. 14, pp. 223-228, 1907.

Describes the distribution, relations and correlation of Tertiary formations in New Mexico.

1391. Volcanic phenomena about Citlaltepētli and Popocatepētli.—Abstract: Iowa Acad. Sci., Proc., vol. 14, pp. 229-230, 1907.

Gives notes upon the geology of these Mexican volcanoes.

1392. Cerargyritic ores: their genesis and geology.—Econ. Geology, vol. 2, no. 8, pp. 774-780, 1907.

1393. Aggraded terraces of the Rio Grande.—Am. Jour. Sci., 4th ser., vol. 24, pp. 467-472, 3 figs., December, 1907.

Kimble, George W.

1394. Pockets in the upper portion of gold veins.—Min. and Sci. Press, vol. 94, pp. 343-344, 1 fig., March 16, 1907.

Includes notes on the geology of Mt. Thompson, Eldorado County, Cal.

1395. The ancient river channels of California.—Min. and Sci. Press, vol. 94, pp. 726-727, 2 figs., June 8, 1907.

Kindle, Edward M.

1396. Notes on the range and distribution of *Reticularia laevis*.—Jour. Geology, vol. 14, no. 3, pp. 188-193, 1906.

1397. Faunas of the Devonian section near Altoona, Pa.—Jour. Geology, vol. 14, no. 7, pp. 631-635, 1906.

Gives notes upon the paleontologic character of Devonian formations present in the Altoona section and lists of the fossils identified.

1398. The iron ores of Bath County, Ky.—U. S. Geol. Survey, Bull. no. 285, pp. 180-182, 1906.

Describes the geologic relations and character of the ores, and their development.

1399. Note on a Tertiary basin in northern Alaska.—Science, new ser., vol. 25, pp. 506-507, March 29, 1907.

Reports the discovery of Tertiary strata on the Porcupine River.

1400. Notes on the Paleozoic faunas and stratigraphy of southeastern Alaska.—Jour. Geology, vol. 15, no. 4, pp. 314-337, 6 figs., 1907.

Reviews briefly previous literature on the region, outlines the stratigraphy of the region, and describes the character, occurrence, and relations of Silurian, Devonian, and Carboniferous faunas, with lists of species.

The Paleozoic section of the upper Yukon.—See Brooks and Kindle, no. 321.

King, Francis Plaisted.

1401. Basic magnesian rocks associated with the corundum deposits of Georgia. (A dissertation submitted to Johns Hopkins University for the degree of Doctor of Philosophy.) Baltimore, Md., 1906. 32 pp.

Describes the occurrence and geological relations of the corundum-bearing rocks of Georgia, and more particularly their petrographic characters and chemical composition, and discusses their origin.

Kinney, Bryce A.

1402. Report of the state supervisor of natural gas for the year 1906.—Indiana, Dept. Geol. and Nat. Hist., 31st Ann. Rept., pp. 597-607, 1907.

Kip, H. Z.

1403. A new method for the determination of the hardness of minerals.—Am. Jour. Sci., 4th ser., vol. 24, pp. 23-32, 4 figs., July, 1907.

Klotz, Otto.

1404. Earthquakes.—Ottawa Lit. and Sci. Soc., Trans., no. 4, pp. 130-144, 1907.

1405. Recession of Alaska glaciers.—Geog. Jour., vol. 30, no. 4, pp. 419-421, October, 1907.

1406. Seismographic and magnetic work.—Canada, Dept. of the Interior, Rept. of the Chief Astronomer (pt. V of the Ann. Dept. Report for 1906), pp. 7-37, 4 pls., 1 fig., 1907.

Gives a general discussion of the subject of earthquakes.

Knapp, G. N.

1407. [The Cretaceous formations of New Jersey].—New Jersey Geol. Survey, Paleontology Series, vol. 4, Text, pp. 15-20, 1907.

Discusses the correlation of Cretaceous formations of New Jersey.

Knapp, M. A.

1408. The fault system of eastern Santa Eulalia [Mexico].—Eng. and Min. Jour., vol. 81, pp. 993-994, 2 figs., May 26, 1906.

Knight, Cyril W.

1409. Analcite-trachyte tuffs and breccias from southwest Alberta, Canada.—Canadian Rec. Sci., vol. 9, no. 5, pp. 265-278, 3 figs., 1905.

Describes the occurrence of analcite rocks in southwest Alberta and the results of microscopic and chemical examination, and discusses the primary origin of the analcite.

1410. A new occurrence of pseudo-leucite.—Am. Jour. Sci., 4th ser., vol. 21, pp. 286-293, 2 figs., April, 1906.

Describes the occurrence and characters of leucite rock from Yukon Territory and compares it with material from other sources.

1411. Oil and gas in Kent [County, Ontario].—Ontario, Bur. Mines, 16th Ann. Rept., vol. 16, pt. 1, pp. 92-104, 5 figs., 1907.

A microscopic examination of the cobalt nickel arsenides and silver deposits of Temiskaming.—See Campbell and Knight, no. 410.

The paragenesis of the cobalt nickel arsenides and silver deposits of Timiskaming.—See Campbell and Knight, no. 408.

Microscopic examination of nickeliferous pyrrhotites.—See Campbell and Knight, no. 409.

The re-formation of soda-leucite.—See Read and Knight, no. 1997.

On the microstructure of nickeliferous pyrrhotites.—See Campbell and Knight, no. 411.

Grenville-Hastings unconformity and the probable identity in age of the Grenville limestone with the Keewatin iron formation of the Lake Superior region.—See Miller and Knight, no. 1759.

Knight, C. Y.

1412. A curious occurrence of sulphur.—Min. and Sci. Press, vol. 94, p. 242, February 23, 1907.

Notes on occurrence of bornite in serpentine near Shingle Springs, Eldorado County, California.

Knight, Nicholas.

1413. The determination of silica.—Iowa Acad. Sci., Proc., vol. 14, pp. 201-211, 1907.

Discusses methods and results of determination of silica in rocks.

Knight, Nicholas, and Wheeler, Ward H.

1414. Dolomite and magnesite with reference to the separation of calcium and magnesium.—Iowa Acad. Sci., Proc., vol. 13, pp. 167-171, 1906.

Discusses methods of determining the calcium and magnesium content of a mineral or rock.

Knopf, Adolph.

1415. Notes on the foothill copper belt of the Sierra Nevada.—California Univ., Dept. Geol., Bull., vol. 4, no. 17, pp. 411-423, 1906.

Gives a general account of the geology and describes the occurrence, character, and relations of the copper deposits.

1416. An alteration of Coast Range serpentine.—California Univ., Dept. Geol., Bull., vol. 4, no. 18, pp. 425-430, 1906.

Discusses the composition and the character of alteration that has taken place in the rock.

Stratigraphic succession in the region northeast of Cook Inlet, Alaska.—See Paige and Knopf, no. 1860.

Reconnaissance in the Matanuska and Talkeetna basins, with notes on the placers of the adjacent region.—See Paige and Knopf, no. 1861.

Geologic reconnaissance in the Matanuska and Talkeetna basins, Alaska.—See Paige and Knopf, no. 1862.

Knowlton, Frank Hall.

1417. Report on Mesozoic fossil plants from northwestern Alaska.—U. S. Geol. Survey, Bull. no. 278, pp. 29-30, 1906.

Gives a list of plants identified and notes upon them.

1418. Change of name.—Washington Biol. Soc., Proc., vol. 19, p. 95, 1906.

Proposes the name of *Quercus hatcheri* to replace *Quercus montana* Knowlton, preoccupied.

1419. Description of a collection of Kootanie plants from the Great Falls coal field of Montana.—Smithsonian Misc. Coll., vol. 50 (Quart. Issue, vol. 4, pt. 1), pp. 105-128, 4 pls., 1907.

Koch, Fred W.

1420. California's inland sea.—California Phys. Geog. Club, Bull., vol. 1, no. 1, pp. 4-7, 2 figs., April, 1907.

Includes physiographic notes on the Salton sink region.

Koch, Walter E.

1421. Ore deposition.—Min. and Sci. Press, vol. 95, p. 300, September 7, 1907.

Koenigsberger, Joh.

1422. Bergfahrten in Mexiko und Colorado.—Schweizer Alpenclub, Jahrbuch, Jg. 42, pp. 210-235, 1 pl., 8 figs., 1907.

Includes notes on the volcanoes of Mexico, and on physiographic and geologic features of Colorado.

Kraus, Edward Henry.

1423. On the origin of the sulphur deposits at the Woolmish quarry, Monroe County, Mich.—Michigan Acad. Sci., 7th Rept., pp. 26-29, 1905.

1424. Essentials of crystallography. Ann Arbor, Mich., 1906. 162 pp., 427 figs.

1425. The teaching of crystallography.—Science, new ser., vol. 24, pp. 855-856, December 28, 1906.

Kraus, Edward Henry, and Cook, C. W.

1426. Datolite from Westfield, Massachusetts.—Am. Jour. Sci., 4th ser., vol. 22, pp. 21-28, 6 figs., July, 1906; Zeitschr. f. Kryst. u. Mineral., Bd. 42, Heft. 4, pp. 527-333, pl. iv, 1906.

Describes the crystallography and chemical composition.

Kraus, Edward H., and Hunt, W. F.

1427. The occurrence of sulphur and celestite at Maybee, Michigan.—*Am. Jour. Sci.*, 4th ser., vol. 21, pp. 237-244, 3 figs., March, 1906; *Zeitschr. f. Kryst. u. Mineral.*, Bd. 42, Heft 1, pp. 1-12, 3 figs., 1906.

Kraus, Edward H., and Scott, I. D.

1428. Ueber interessante amerikanische Pyritkrystalle.—*Zeitschr. f. Krystal. u. Mineral.*, Bd. 44, Heft 2, pp. 144-153, 3 pls., 1907.

Describes the crystallographic characters and composition of pyrite crystals from Colorado and New Jersey.

Kreutz, Stefan.

1429. Ueber Zwillingskrystalle des Calcites von Guanajuato, Mexico.—*Tschermak's Mineral. u. Petrog. Mitt.* (N. F.), Bd. 26, Heft 1-2, pp. 140-141, 1907.

Describes the crystallography of calcite from Guanajuato, Mexico.

Kümmel, Henry B.

1430. Administrative report of the state geologist [of New Jersey].—*New Jersey Geol. Survey, Ann. Rept. State Geol. for 1905*, pp. 1-24, 1906.

Includes various data relating to the geology of the State.

1431. The chemical composition of the white crystalline limestones of Sussex and Warren counties [New Jersey], with analyses by R. B. Gage.—*New Jersey Geol. Survey, Ann. Rept. State Geologist for 1905*, pp. 173-191, 1906.

1432. Notes on the mining industry [in New Jersey].—*New Jersey Geol. Survey, Ann. Rept. State Geologist for 1905*, pp. 317-325, 1906.

Includes notes on the iron, zinc, and copper mines and their production.

1433. The peat deposits of New Jersey.—*Econ. Geology*, vol. 2, no. 1, pp. 24-33, 1 fig., 1907.

Describes the occurrence of peat deposits in New Jersey and the character, composition, and fuel value determined by testing samples.

1434. Administrative report.—*New Jersey Geol. Survey, Ann. Rept. State Geol. for 1906*, pp. 1-16, 1907.

1435. Notes on the mining industry [New Jersey].—*New Jersey Geol. Survey, Ann. Rept. State Geologist for 1906*, pp. 173-181, 1907.

Kümmel, Henry B., and Gage, R. B.

1436. The glass-sand industry of New Jersey.—*New Jersey Geol. Survey, Ann. Rept. State Geol. for 1906*, pp. 77-96, 4 pls., 1907.

Kunz, George Frederick.

1437. Gems, jewelers' materials, and ornamental stones of California.—*California State Min. Bur., Bull. no. 37*, pp. 9-155, 51 figs., 1905.

1438. [Peridotite dike upon Manhattan Island].—*Abstract: Science*, new ser., vol. 23, p. 388, March 9, 1906.

1439. [Modoc, Scott County, Kansas, meteorite].—*Abstract: Science*, new ser., vol. 23, pp. 388-389, March 9, 1906.

1440. History of the gems found in North Carolina.—*North Carolina Geol. and Econ. Survey, Bull. no. 12*, 60 pp., 15 pls., 1907.

1441. Gems and precious stones of Mexico.—*Congr. géol. intern., C. R.* 10^e sess., Mexico, 1906, pp. 1029-1080, 1907.

1442. Occurrence of the diamond in North America.—*Abstract: Geol. Soc. America, Bull.*, vol. 17, pp. 692-694, 1907.

1443. Description of the Modoc, Scott County, Kansas, meteorite.—*Abstract: New York Acad. Sci., Annals*, vol. 17, pt. 3, p. 626, 1907.

Mineral resources of the United States, 1905: precious stones.—See no. 2418.

Kunz, George F., and Washington, Henry S.

1444. Occurrence of diamonds in Arkansas.—U. S. Geol. Survey, Mineral Resources for 1906, pp. 1247-1251, 1907.

1445. Note on the forms of Arkansas diamonds.—Am. Jour. Sci., 4th ser., vol. 24, pp. 275-276, September, 1907.

Lacroix, A.

1446. Sur quelques productions boueuses accompagnant les éruptions de la Montagne Pelée.—Revue gén. d. Sci. pures et appliquées, t. 14, no. 3, pp. 115-116, 2 pls., February 15, 1903.

Discusses mud flows accompanying the eruptions of Mont Pelé.

1447. L'éruption de la Martinique.—Soc. de Secours des Amis des Sciences, Bull., pp. 49-93, 1903 [not seen]; Revue scientifique, 4^e sér., t. 20, no. 22, pp. 674-686, 1903.

1448. Les dernières éruptions de Saint-Vincent.—Annales de Géographie, Ann. 12, pp. 261-268, 3 pls., May 15, 1903.

1449. Sur le gisement de la calcédoine et des bois silicifiés de la Martinique.—Soc. française de Mineral., Bull., t. 26, no. 6, pp. 150-152, June, 1903.

Gives notes upon the occurrence of minerals upon the Island of Martinique.

1450. Sur la production de roches quartzifères au cours de l'éruption actuelle de la Montagne Pelée.—Acad. d. Sci., Paris, Compt. rendu, t. 138, pp. 792-797, March 28, 1904.

Discusses the formation of quartz-bearing eruptive rocks.

1451. Le mode de formation d'un dôme volcanique et la cristallisation des roches éruptives quartzifères, d'après les observations faites au cours de l'éruption de la Montagne Pelée.—Revue gén. d. Sci. pures et appliquées, t. 16, no. 7, pp. 301-315, 8 figs., April 15, 1905.

Discusses the mode of formation of the "spine" of Mont Pelé.

1452. Sur un gisement de redondite à la Martinique.—Soc. française de Mineral., Bull., t. 28, pp. 13-16, 1905.

Describes the occurrence and character of a deposit of redondite on the coast of Martinique.

1453. Observations faites à la Montagne Pelée sur les conditions présidant à la production de la tridymite dans les roches volcaniques.—Soc. française de Mineral., Bull., t. 28, pp. 56-60, 1905.

Discusses the formation of certain volcanic rocks.

1454. Le sulfate de soude des fumerolles secondaires à haute température de la Montagne Pelée.—Soc. française de Mineral., Bull., t. 28, pp. 60-68, 1905.

Describes the character and action of fumaroles following the eruption of Mont Pelé, and sulphate of soda produced in these fumaroles.

1455. Contributions à l'étude des brèches et des conglomérats volcaniques (Antilles 1902-1903, Vésuve 1906).—Soc. géol. de France, Bull., 4^e ser., t. 6, pp. 635-685, 4 pls., 11 figs., 1907.

Discusses the formation of the "spine" of Mont Pelé, and the constitution of the rocks erupted.

1456. Sur la constitution minéralogique du dôme récent de la Montagne Pelée.—Acad. d. Sci., Paris, Compt. rend., t. 144, pp. 169-173, 1907.

Discusses the constitution of the recent "spine" of Mont Pelé.

Lafamme, J. C. K.

1457. Les tremblements de terre de la région de Québec.—Canada, Roy. Soc., Proc. and Trans., 3d ser., vol. 1, sect. 4, pp. 157-183, 1 fig., 1907.

Gives a list of earthquakes, with notes, that have taken place in Quebec.

Lakes, Arthur.

1458. Fissure veins and ore deposits as waterways.—*Min. World*, vol. 22, no. 25, pp. 658-659, illus., June 24, 1905.

1459. San Juan region and some of its peculiar mines.—*Min. World*, vol. 23, no. 2, pp. 34-35, 6 figs., July 15, 1905.

1460. Geology and economical geology.—*Min. World*, vol. 23, no. 11, pp. 312-314, September 16, 1905.

Describes the stratigraphy of the Denver basin, Colorado.

1461. Coal resources along the line of the Moffat road [Colorado].—*Min. World*, vol. 23, no. 19, p. 520, 1 fig., November 11, 1905.

1462. The anthracite area of Routt County [Colorado].—*Min. World*, vol. 23, no. 20, pp. 552-553, 2 figs., November 18, 1905.

1463. Some of the veins and ore deposits of the Wood River district, Idaho.—*Min. World*, vol. 23, no. 25, pp. 696-697, December 23, 1905.

1464. Colorado anthracite. The fields of the State and the influence of eruptive rocks in metamorphosing the bituminous deposits.—*Mines and Minerals*, vol. 26, no. 6, pp. 275-276, 2 figs., January, 1906.

1465. Mineral and hot springs in Colorado.—*Min. World*, vol. 24, no. 11, pp. 359-360, 2 figs., March 17, 1906.

1466. The Dollarhide mine, Idaho.—*Min. World*, vol. 24, no. 14, p. 437, 2 figs., April 7, 1906.

Describes the local geology, and the occurrence and character of the ore.

1467. Fossil flora and its relation to climate and coal beds.—*Mines and Minerals*, vol. 26, no. 9, p. 401, April, 1906.

1468. The evolution of a mineral vein.—*Min. and Sci. Press*, vol. 92, p. 349, 4 figs., May 26, 1906.

1469. The Tonopah volcanoes. The probable causes to which are due the appearance of the country and also the ore deposits.—*Mines and Minerals*, vol. 26, no. 12, p. 554, 4 figs., July, 1906.

1470. Coals changed by heat in Colorado.—*Mines and Minerals*, vol. 26, no. 12, pp. 566-567, July, 1906.

1471. The Utah coal fields of the Wasatch, near Grass Creek and Weber Canyon. Thick veins of lignitic coal with numerous faults.—*Mines and Minerals*, vol. 27, no. 12, pp. 61-62, 2 figs., September, 1906.

1472. The Gunnison gold belt of Colorado.—*Min. World*, vol. 25, no. 19, p. 576, 2 figs., November 10, 1906.

1473. A trip to San Juan, Colorado.—*Mines and Minerals*, vol. 27, no. 8, pp. 351-352, March, 1907.

Includes notes on the geology of the region.

1474. The spontaneous combustion of coal and its effect on the surrounding strata.—*Colorado Sci. Soc., Proc.*, vol. 8, pp. 301-304, May, 1907.

1475. The Maple Leaf mine, Colorado.—*Min. World*, vol. 26, p. 329, 2 figs., March 9, 1907.

1476. Natural gas wells and spring of White River.—*Min. World*, vol. 26, p. 419, 2 figs., March 30, 1907.

1477. The natural bridges of Utah.—*Min. World*, vol. 26, p. 595, 5 figs., May 11, 1907.

1478. Sketch of the oil fields of Colorado.—*Min. World*, vol. 26, p. 684, June 1, 1907.

1479. The coals of Routt County, Colorado.—*Min. World*, vol. 26, pp. 748-750, 3 figs., June 15, 1907.

1480. A new coal field in British Columbia.—*Min. World*, vol. 27, pp. 547-548, 4 figs., October 5, 1907.

Lakes, Arthur—Continued.

1481. Some ore deposits of Similkameen district, B. C.—*Min. World*, vol. 27, pp. 885-886, 3 figs., November 16, 1907.

Lamb, H. Mortimer.

1482. On the advisability of the establishment of a federal Department of Mines [in the Dominion of Canada].—*Canadian Min. Inst., Jour.*, vol. 9, pp. 87-106, 1906; *Canadian Min. Rev.*, vol. 26, no. 4, pp. 105-112, April, 1906.

Lambe, Lawrence M.

1483. [Report on] vertebrate paleontology.—Canada, Geol. Survey, *Summ. Rept. for 1905*, pp. 135-137, 1906.

Gives a short account of the work on vertebrate paleontology done during the year for the Geological Survey of Canada.

1484. Note on the age of the Horsefly, Similkameen, and Tranquille Tertiary beds of the southern interior of British Columbia.—Canada, Geol. Survey, *Summ. Rept. for 1905*, pp. 137-138, 1906.

1485. [Report on vertebrate paleontology.]—Canada, Geol. Survey, *Summ. Rept. for 1906*, pp. 170-174, 1906.

Gives a report upon the work in vertebrate paleontology of the Geological Survey of Canada.

1486. Notes on the fossil corals collected by Mr. A. P. Low at Beechey Island, Southampton Island, and Cape Chidley, in 1904.—*Cruise of the Neptune*, pp. 322-328, 3 figs., 1906. [See Low, no. 1623.]

1487. Descriptions of new species of *Testudo* and *Baena* with remarks on some Cretaceous forms.—*Ottawa Naturalist*, vol. 19, no. 10, pp. 187-196, 2 pls., January, 1906.

1488. *Boremys*, a new Chelonian genus from the Cretaceous of Alberta.—*Ottawa Nat.*, vol. 19, no. 12, pp. 232-234, March, 1906.

1489. A new species of *Hyracodon* (*H. priscidens*) from the Oligocene of the Cypress Hills, Assiniboia.—Canada, Roy. Soc., *Proc. and Trans.*, 2d ser., vol. 11, sect. 4, pp. 37-42, 1 pl., 1906.

1490. Fossil horses of the Oligocene of the Cypress Hills, Assiniboia.—Canada, Roy. Soc., *Proc. and Trans.*, 2d ser., vol. 11, sect. 4, pp. 43-52, 1 pl., 1906.

1491. On *Amyzon brevipinne* Cope, from the Amyzon beds of the southern interior of British Columbia.—Canada, Roy. Soc., *Proc. and Trans.*, 2d ser., vol. 12, sect. 4, pp. 151-156, 1 pl., 1906. Abstract: *Science*, new ser., vol. 23, pp. 970-971, June 29, 1906.

1492. On a new crocodilian genus and species from the Judith River formation of Alberta.—Canada, Roy. Soc., *Proc. and Trans.*, 3d ser., vol. 1, sect. 4, pp. 219-244, 5 pls., 1907.

1493. On a tooth of *Ovibos*, from Pleistocene gravels near Midway, B. C.—*Ottawa Naturalist*, vol. 21, no. 1, pp. 15-18, 1 pl., April, 1907.

Lammers, Theo. L.

1494. The Murray gold belt, Idaho.—*Min. and Sci. Press*, vol. 94, pp. 636-637, May 18, 1907.

Describes the local geology and the occurrence of the ores.

Landes, Henry.

1495. Cement resources of Washington.—U. S. Geol. Survey, *Bull.* no. 285, pp. 377-383, 1906.

Describes the character and occurrence in counties of northern Washington of limestones and shales available for cement manufacture.

1496. Round about Mount Baker.—*Mazama*, vol. 3, no. 1, pp. 5-8, 2 pls., March, 1907.

Gives notes upon the geology and the glaciers.

Lane, Alfred C.

1497. Annual report of the state geologist [Michigan].—Michigan Miner, vol. 8, no. 4, pp. 9-13, March, 1906.

Gives extracts from the report for 1905.

1498. The possibility of deep cracks in the earth.—Michigan Miner, vol. 8, no. 6, May, 1906.

1499. Seventh annual report of the state geologist to the Board of Geological Survey for the year 1905.—Michigan State Board of Geol. Survey, Ann. Rept. for 1905, pp. 535-571, 1 fig., 1906. Abstract: Michigan Miner, vol. 9, no. 1, pp. 9-13, December, 1906; no. 2, pp. 9-13, January, 1907.

An administrative report, but includes various notes relating to the geology of the State.

1500. Die Korngrösse der Auvergnosen. E. Schweizerbartsche Verlagsbuchhandlung, Stuttgart, 1906. 19 pp., 1 pl., 6 figs.

Discusses size of grain with respect to distance from sides, particularly in the Medford, Mass., dike, and cites a practical application of the theory of the size of grains in cooled magmatic masses.

1501. The influence of varying degrees of superfusion in magmatic differentiation.—Canadian Min. Inst., Jour., vol. 9, pp. 210-217, 1906.

1502. Salt water in the lake mines.—Michigan Miner, vol. 8, no. 7, pp. 9-12, June, 1906.

Discusses the occurrence and source of waters in deep mines and their relation to the distribution of copper ores.

1503. The interior of the earth.—Science, new ser., vol. 24, pp. 404-405, September 28, 1906.

1504. The chemical evolution of the ocean.—Abstract: Jour. Geology, vol. 14, no. 3, pp. 221-225, 1906.

Discusses the variation in the ratio of sodium to chlorine in the water of the ocean during geologic time. Includes analyses of waters from various sources, upon which the discussion is based.

1505. The geologic day.—Jour. Geology, vol. 14, no. 5, pp. 425-429, 1906.

Discusses the problem of determining the contemporaneity in time of geologic formations and the criteria which may be used.

1506. Discussion of paper by Marius R. Campbell: Hypothesis to account for the transformation of vegetable matter into the different grades of coal.—Econ. Geology, vol. 1, no. 5, pp. 498-499, 1906.

1507. Geology of Keweenaw Point [Michigan].—Mines and Minerals, vol. 27, no. 5, pp. 204-206, 4 figs., December, 1906.

1508. Eighth annual report of the state geologist.—Michigan, State Board of Geol. Survey, Rept. for 1906, pp. 573-601, 1907.

An administrative report, but includes notes on Michigan geology.

1509. The geology of Keweenaw Point, a brief description.—Lake Superior Min. Inst., Proc., vol. 12, pp. 81-104, 6 figs., 1907.

Describes the geologic structure of the Keweenaw region of the Upper Peninsula of Michigan, the occurrence and character of the copper-bearing beds, and the source of the copper.

1510. Salt water in the Lake mines.—Lake Superior Min. Inst., Proc., vol. 12, pp. 154-163, 1 fig., 1907.

Describes differences in chemical composition of shallow surface-derived and deep mine waters in the Lake Superior copper mines, and discusses the sources of the deep waters, and the part they may have taken in the distribution of the copper deposits.

1511. Chemical evolution of the ocean.—Abstract: Geol. Soc. America, Bull., vol. 17, p. 691, 1907.

1512. The formation of Lake Superior copper.—Science, new ser., vol. 25, p. 589, April 12, 1907.

Lané, Alfred C.—Continued.

1513. Genetic connections of some granitic dikes.—Abstract: Science, new ser., vol. 25, p. 774, May 17, 1907.

1514. Different manifestations of the ophitic texture.—Abstract: Science, new ser., vol. 25, pp. 774-775, May 17, 1907.

1515. The early surroundings of life.—Science, new ser., vol. 26, pp. 129-143, August 2, 1907.

1516. Oil and gas prospects in Michigan.—Michigan Miner, vol. 9, no. 4, pp. 9-12; no. 5, pp. 9-12, 4 figs., 1907.

1517. Dr. Carl Ludwig Rominger.—Michigan Miner, vol. 9, no. 7, pp. 9-11, June, 1907.

A geological section from Bessemer down Black River.—See Gordon and Lane, no. 985.

Lane, A. C., and Seaman, A. E.

1518. Notes on the geological section of Michigan. Part I. The pre-Ordovician.—Jour. Geol., vol. 15, no. 7, pp. 680-695, 1907.

Laney, Francis B.

The building and ornamental stones of North Carolina.—See Watson and Laney, no. 2494.

Lang, Herbert.

1519. The copper belt of California.—Eng. and Min. Jour., vol. 84, pp. 909-913, 963-966, 1006-1010, 6 figs., November, 1907.

Lang, S. S.

1520. The Burro Mountain copper district [New Mexico].—Eng. and Min. Jour., vol. 82, pp. 395-396, 1 fig., September 1, 1906.

Describes the occurrence and character of copper ores.

Lapparent, A. de.

1521. La montagne Pelée et ses éruptions.—Annales de Géographie, no. 74, ann. 15, pp. 97-110, 1905.

Describes the eruptions of Mont Pelé on the Island of Martinique.

1522. Le tremblement de terre de la Californie, d'après le rapport préliminaire officiel.—Acad. d. Sci., Paris, Compt. rend., t. 143, pp. 18-20, 1906.

Gives an outline of the report of the California State Earthquake Investigation Committee. See no. 1531.

Law, E. Stanley.

1523. Notes on a useful mineral [graphite].—Mineral Collector, vol. 12, pp. 169-173, 180-184, 1906.

1524. On a rare occurrence in Delaware County, Penn.—Mineral Collector, vol. 14, no. 3, pp. 33-35, 1 pl., May, 1907.

Describes the occurrence and crystallographic characters of euxenite.

Lawrence, Benjamin B.

1525. Copper mining in Cuba.—Min. and Sci. Press, vol. 93, p. 602, November 17, 1906.

Includes notes on the occurrence of copper ores in Cuba.

Lawson, Andrew C.

1526. The copper deposits of the Robinson mining district, Nevada.—California Univ., Dept. Geol., Bull.; vol. 4, no. 14, pp. 287-357, 1906.

Describes the geologic formations of Carboniferous and Devonian age of the region, their correlations with the Eureka section, and the occurrence, character, and relations of the irruptive rocks and contained copper ores and gives an annotated list of the minerals observed.

Lawson, Andrew C.—Continued.

1527. The geomorphic features of the middle Kern [California].—California Univ., Dept. Geol., Bull., vol. 4, no. 16, pp. 397-409, 4 pls., 1906.

Describes physiographic features of the region and considers their explanation.

1528. The geomorphogeny of the Tehachapi Valley system [California].—California Univ., Dept. Geol., Bull., vol. 4, no. 19, pp. 431-462, 10 pls., 1906.

Describes physical characters and drainage of valleys in the southern part of the Sierra Nevada, the geologic formations of the surrounding mountains, and the geologic history of the region.

1529. Tehachapi Valley.—Abstract: Geol. Soc. America, Bull., vol. 17, p. 729, 1907.

1530. Methods of igneous intrusion.—Abstract; Science, new ser., vol. 25, pp. 622-623, April 19, 1907.

Lawson, Andrew C., and others.

1531. Preliminary report of the [California] State earthquake investigation commission. [1906], 20 pp. Reprinted in Min. and Sci. Press, vol. 92, no. 24, pp. 399-401, 4 figs., June 16, 1906; Science, new ser., vol. 23, pp. 961-967, June 29, 1906; Sci. Am. Suppl., vol. 61, no. 1590, pp. 25482-25484, June 23, 1906; Nature, vol. 74, pp. 285-286, July 19, 1906; Scottish Geog. Mag., vol. 22, pp. 423-430, 1906.

Includes various data relating to the geologic structure of the State of California and to the earthquake of April 18, 1906.

Lawson, Publius V[irgilius].

1532. Story of the rocks and minerals of Wisconsin. Appleton, Wisconsin, Press of the Post Publishing Company [1906]. 202 pp., illus.

Leach, W. W.

1533. The Telkwa mining district, B. C.—Canada, Geol. Survey, Summ. Rept. for 1906, pp. 35-42, 1906; British Columbia, Ann. Rept. Minister of Mines, for 1906, pp. 93-100, 1907.

Gives notes on the general geology and on the occurrence and character of coal and ore deposits.

1534. The Telkwa River and vicinity, B. C.—Canada, Geol. Survey, 1907, 23 pp. and addenda 8 pp., 1 map.

Includes an account of the geology and the occurrence of coal.

1535. Some notes on the economic geology of the Skeena River [British Columbia].—Canadian Min. Jour., vol. 28, no. 4 (new ser., vol. 1, no. 2), pp. 58-60, April 1, 1907.

Gives an account of the geology and the occurrence of coal, gold, and other mineral resources.

Le Conte, Joseph N.

1536. The Evolution group of peaks.—Sierra Club Bull., vol. 5, no. 3, pp. 229-237, 3 pls., 1905.

Describes the physiographic features of this section of the Sierra Nevada Mountains of California.

1537. The motion of the Nisqually glacier, Mt. Rainier, U. S. A.—Zeitschr. f. Gletscherkunde, Bd. 1, Heft 3, pp. 192-199, 4 figs., 1906; Sierra Club Bull., vol. 6, no. 2, pp. 108-114, 3 pls., January, 1907.

Describes the location, character, and rate of movement of the glacier.

Lee, Harry R.

1538. Pyrites and marcasites.—Mineral Collector, vol. 13, no. 1, pp. 1-2, March, 1906.

Gives notes upon the occurrence of these minerals in eastern New Jersey and upon their characters.

Lee, Willis T.

1539. Gypsum beds and water storage in the Pecos Valley of New Mexico.—Abstract: Science, new ser., vol. 23, p. 306, February 23, 1906.

Describes the geologic structure of the region.

1540. Geology and water resources of Owens Valley, California.—U. S. Geol. Survey, W.-S. and Irrig. Paper no. 181, 28 pp., 6 pls., 1906.

Describes the geography, the stratigraphy, geologic structure and history of the valley, and the underground and surface water conditions.

1541. Geology of the lower Colorado River.—Geol. Soc. America, Bull., vol. 17, pp. 275-284, 3 pls., 1906.

Describes the character of the detrital formations in the valley of the lower Colorado River, the physiographic history of the lower part of the Colorado River, and the recent geologic history of the area.

1542. The Engle coal field, New Mexico.—U. S. Geol. Survey, Bull. no. 285, p. 240, 1906.

Describes the occurrence and character of the coal deposits.

1543. The Cove Creek sulphur beds, Utah.—U. S. Geol. Survey, Bull. no. 315, pp. 485-489, 1907.

1544. The Iron County coal field, Utah.—U. S. Geol. Survey, Bull. no. 316, pp. 359-375, 1 pl., 1 fig., 1907.

1545. Water resources of the Rio Grande Valley in New Mexico, and their development.—U. S. Geol. Survey, W.-S. and Irr. Paper no. 188, 50 pp., 10 pls., 2 figs., 1907.

Includes an account of the geography and geology of the valley and of its geologic history.

1546. Note on the red beds of the Rio Grande region in central New Mexico.—Jour. Geology, vol. 15, no. 1, pp. 52-58, 1907.

Describes the occurrence and relations of red beds in central New Mexico of two different ages, the earlier of Carboniferous and the later of upper Cretaceous age.

1547. Afton craters of southern New Mexico.—Geol. Soc. America, Bull., vol. 18, pp. 211-220, 2 pls., 1 fig., 1907. Abstract: Science, new ser., vol. 25, pp. 768-769, May 17, 1907.

Describes the situation, character, and geologic relations of these depressions and discusses the mode of their formation.

1548. The late history of the lower Colorado River.—Abstract: Science, new ser., vol. 25, pp. 390-391, March 8, 1907.

Presents the succession of geologic events in the region and discusses their correlation with those of other regions.

Lee, Willis T., and Nickles, John M.

1549. Classified list of papers dealing with coal, coke, lignite, and peat contained in the publications of the U. S. Geological Survey.—U. S. Geol. Survey, Bull. 316, pp. 518-532, 1907.

Lees, James H.

1550. Report of the assistant state geologist.—Iowa Geol. Survey, vol. 17, pp. 7-10, 1907.

Administrative report.

1551. The skull of *Paleorhinus*, a Wyoming phytosaur.—Jour. Geology, vol. 15, no. 2, pp. 121-151, 8 figs., 1907.

Leith, Charles Kenneth.

A summary of Lake Superior geology with special reference to recent studies of the iron-bearing series.—Am. Inst. Min. Eng., Trans., vol. 36, pp. 101-153, 4 figs., 1906 (Bi-Mo. Bull. no. 3, pp. 453-507, 4 figs., 1905).—See Leith, 14, page 218 of Bulletin no. 301, U. S. Geol. Survey.

Leith, Charles Kenneth—Continued.

1552. Iron ores of the western United States and British Columbia.—U. S. Geol. Survey, Bull. no. 285, pp. 194-200, 1906.

Gives a summarized account of the iron-ore deposits of Wyoming, Washington, British Columbia, Colorado, California, and Utah.

1553. Review of "Cobalt nickel arsenides and silver," by Willet G. Miller (13th Report of the Ontario Bureau of Mines, 1904, part 1, and 14th report, 1905, part 2).—Econ. Geology, vol. 1, no. 3, pp. 295-298, December-January, 1905-1906.

1554. Iron ore reserves.—Econ. Geol., vol. 1, no. 4, pp. 360-368, 1906; Smithsonian Inst., Ann. Rept. for 1906, pp. 207-214, 1907.

Discusses estimates as to the extent of the world's supply of iron ore, and gives a general account of the iron ore deposits of the United States.

1555. The university training of engineers in economic geology.—Econ. Geology, vol. 1, no. 5, pp. 479-481, 1906.

1556. Review of "The geology of the Granby area," by E. R. Buckley and H. A. Buehler (Missouri Bureau of Geology and Mines, 2d ser., vol. 4).—Econ. Geology, vol. 1, no. 8, pp. 811-816, 1906.

1557. The geology of the Cuyuna iron range, Minnesota.—Econ. Geology, vol. 2, no. 2, pp. 145-152, 1907.

Describes the geologic formations and structure of the region and the occurrence and geologic relations of the iron ores.

1558. The metamorphic cycle.—Jour. Geology, vol. 15, no. 4, pp. 303-313 2 figs., 1907.

The pre-Cambrian volcanic and intrusive rocks of the Fox River Valley, Wisconsin.—See Hobbs and Leith, no. 1193.

Lenher, Victor.

Marignacite, a new variety of pyrochlore from Wausau, Wisconsin.—See Weldman and Lenher, no. 2513.

Leonard, Arthur Gray.

1559. Geology of Clayton County [Iowa].—Iowa Geol. Survey, vol. 16, pp. 213-307, 5 pls., 19 figs., 2 geol. maps, 1906.

Describes the physiography, the stratigraphy, including Cambrian, Ordovician, and Silurian strata and glacial deposits, and the economic resources.

1560. The North Dakota-Montana lignite area.—U. S. Geol. Survey, Bull. no. 285, pp. 316-330, 1906.

Describes the stratigraphy of the lignite region and the character and composition of the coals.

1561. What should appear in the report of a state geologist?—Econ. Geology, vol. 1, no. 6, pp. 570-571, 1906.

Geology, vol. 1, no. 6, pp. 570-571, 1906.

1562. Administrative report.—North Dakota State Geol. Survey, 4th Bienn. Rept., pp. 1-7, 1906.

1563 Stratigraphy of North Dakota clays.—North Dakota State Geol. Survey, 4th Bienn. Rept., pp. 63-94, 4 pls., 1906.

Describes the distribution and character of Cretaceous and Tertiary formations, and the occurrence and composition of their shales and clays.

1564. The coal fields of parts of Dawson, Rosebud, and Custer counties, Mont.—U. S. Geol. Survey, Bull. no. 316, pp. 194-211, 1 pl., 1907.

LePrieur, Peyraud, and Rufz.

Eruption du volcan de la Montagne Pelée, 1851. Translated by T. A. Jaggar, jr.—See no. 1280.

LeRoy, Osmond Edgar.

1565. On surveys in New Westminster district and Texada Island, B. C.—Canada Geol. Survey, Summ. Rept. for 1906, pp. 31-34, 1906.

Gives notes on the geology and ore deposits.

1566. The Marble Bay copper deposit.—Canadian Min. Jour., vol. 28, no. 9 (new ser., vol. 1, no. 7), pp. 200-202, June 15, 1907.

Describes the general geology, and the occurrence, relations, and origin of copper deposits on Texada Island, British Columbia.

Leuschner, A. O.

1567. The [San Francisco] earthquake.—Min. and Sci. Press, vol. 92, p. 274, April 28, 1906.

Describes the earthquake shocks: time, character, etc.

Leverett, Frank.

1568. Drumlins in the Grand Traverse region of Michigan.—Abstract: Geol. Soc. America, Bull., vol. 16, p. 577, 1906.

1569. Flowing-well districts in the eastern part of the northern peninsula of Michigan.—U. S. Geol. Survey, W.-S. and Irrig. Paper no. 160, pp. 29-53, 1 pl., 1906.

1570. Dr. I. C. Russell [died May 1, 1906].—Michigan Acad. Sci., Bull., vol. 3, no. 1, pp. 1-2, May, 1906.

A brief account of his work.

1571. Geological conditions of municipal and institutional water supplies in Michigan.—Michigan Acad. Sci., Eighth Rept., pp. 99-105, 1906.

1572. The glacial deposits of Indiana.—In Dryer's Studies in Indiana Geography, pp. 29-40, 2 pls., 1907. See no. 745.

Leverett, Frank, and others.

1573. Flowing wells and municipal water supplies in the southern portion of the southern peninsula of Michigan.—U. S. Geol. Survey, W.-S. and Irrig. Paper, no. 182, 292 pp., 5 pls., 44 figs., 1906.

1574. Flowing wells and municipal water supplies in the middle and northern portions of the southern peninsula of Michigan.—U. S. Geol. Survey, W.-S. and Irr. Paper no. 183, 393 pp., 5 pls., 69 figs., 1907.

Levy, Louis Edward.

1575. In memoriam: Angelo Heilprin.—Franklin Inst. Jour., vol. 164, no. 5, pp. 313-326, 1 pl. (port.), November, 1907.

Lewis, J. Volney.

1576. An Ontario lead deposit.—Econ. Geology, vol. 1, no. 7, pp. 682-687, 2 figs., 1906.

Describes the location and geology of a lead vein in Hastings County, Ontario, and discusses the origin of the ore.

1577. The double crest of Watchung Mountain.—Jour. Geology, vol. 15, no. 1, pp. 39-45, 3 figs., 1907.

Describes the physiographic features of the region, discusses briefly previous explanations, and explains more fully another hypothesis to account for the parallel crests.

1578. Copper deposits of the New Jersey Triassic.—Econ. Geology, vol. 2, no. 3, pp. 242-257, 1 pl., 1 fig., 1907.

1579. Structure and correlation of Newark trap rocks of New Jersey.—Geol. Soc. America, Bull., vol. 18, pp. 195-210, 2 pls., 1907.

1580. The origin and relations of the Newark rocks.—New Jersey Geol. Survey, Ann. Rept. State Geol. for 1906, pp. 99-129, 2 pls., 4 figs., 1907.

Discusses the character and origin of the Newark sediments, the geologic relations and origin of the trap rocks, and subsequent deformation and erosion.

Lewis, J. Volney—Continued.

1581. The Newark (Triassic) copper ores of New Jersey.—New Jersey Geol. Survey, Ann. Rept. State Geol. for 1906, pp. 131-164, 3 pls., 4 figs., 1907.

1582. Properties of trap rocks for road construction.—New Jersey Geol. Survey, Ann. Rept. State Geol. for 1906, pp. 165-172, 1 fig., 1907.

1583. Correlation of the Newark trap rocks of New Jersey.—Abstract; Science, new ser., vol. 26, pp. 177-178, August 9, 1907.

1584. Glance as an original copper ore.—Eng. and Min. Jour., vol. 84, p. 688, October 12, 1907.

Liebenam, W. A.

1585. Der Cripple Creek Golddistrikt, seine Entdeckung, Entwicklung, Geologie, und Zukunft.—Berg-und hüttenm. Zeitung, Jg. 63, pp. 2-5, 29-32, 57-60, 89-92, 117-121, 161-164, 2 pls., 1904.

Describes the discovery, development, geology, and future of the Cripple Creek, Colorado, gold district.

Lincoln, Francis Church.

1586. Magmatic emanations.—Econ. Geology, vol. 2, no. 3, pp. 258-274, 1907.

Discusses the kinds and nature of emanations from cooling igneous magmas.

1587. The association of alunite with gold in the Goldfield district, Nevada.—Econ. Geology, vol. 2, no. 8, pp. 801-803, 1907.

Lindeman, Einar.

1588. Report on iron-ore deposits.—Canada, Dept. Interior, Rept. Supt. Mines, 1907, pp. 32-37, 1907.

Lindgren, Waldemar.

The occurrence of stibnite at Steamboat Springs, Nevada.—Am. Inst. Min. Eng., Trans., vol. 36, pp. 27-31, 1906 (Bi-Mo. Bull no. 2, pp. 275-278, 1905).—See Lindgren, 24, page 222 of Bulletin no. 301, U. S. Geol. Survey.

1589. Ore deposition and deep mining.—Min. and Sci. Press, vol. 92, p. 41, January 20, 1906.

Discusses the occurrence of ores.

1590. The Hamilton mine, New Mexico.—Abstract: Science, new ser., vol. 23, pp. 697-698, May 4, 1906.

Includes notes on the occurrence of pre-Cambrian strata.

1591. Metasomatic processes in the gold deposits of Western Australia.—Econ. Geology, vol. 1, no. 6, pp. 530-544, 1906.

After describing the gold deposits of Western Australia, compares their features with those of Colorado and California deposits.

1592. Discussion of paper by John A. Reid: Sketch of the geology and ore deposits of the Cherry Creek district, Arizona.—Econ. Geology, vol. 1, no. 7, pp. 698-699, 1906.

1593. Review of "Geology of the Tonopah mining district," by J. E. Spurr (U. S. Geol. Survey, Prof. Paper no. 42).—Econ. Geology, vol. 1, no. 7, pp. 711-715, 1906.

1594. Gold and pyrite.—Min. and Sci. Press, vol. 93, p. 226, August 25, 1906.

Discusses the relations between gold and pyrite in mineral veins.

1595. The Annie Laurie mine, Piute County, Utah.—U. S. Geol. Survey, Bull. no. 285, pp. 87-90, 1906.

Describes the geology and the occurrence and character of the ore-deposits yielding gold and silver.

1596. The gold deposits of Dahlonega, Ga.—U. S. Geol. Survey, Bull. no. 293, pp. 119-128, 2 pls., 2 figs., 1906.

Describes the general geology and the occurrence and mining of the gold deposits.

Lindgren, Waldemar—Continued.

1597. The relation of ore-deposition to physical conditions.—Congr. géol. intern., C. R. 10^e sess., Mexico, 1906, pp. 701-724, 1907; Econ. Geology, vol. 2, no. 2, pp. 105-127, 1907.

Discusses the character of ore deposits and the conditions by which these were produced.

1598. [Review of] The copper deposits of the Robinson mining district, Nevada, by A. C. Lawson (California, Univ., Dept. Geol., Bull., vol. 4, no. 14).—Econ. Geology, vol. 2, no. 2, pp. 195-304, 1907.

1599. Some gold and tungsten deposits of Boulder County, Colorado.—Econ. Geology, vol. 2, no. 5, pp. 453-463, 1907.

Describes the local geology and the occurrence and character of the ores.

1600. Present tendencies in the study of ore deposits.—Econ. Geology, vol. 2, no. 8, pp. 743-762, 1907.

1601. The development of the metal mining industries in the western states.—Am. Min. Cong., Rept. of Proc., 9th Ann. Sess., pp. 156-165, 1907.

1602. Methods of igneous intrusion.—Abstract: Science, new ser., vol. 25, p. 623, April 19, 1907.

Production of gold and silver, 1905, in Colorado, New Mexico, South Dakota, southern Appalachian States, Texas, and Wyoming.—See no. 2418.

Lindgren, Waldemar, and others.

Production of gold and silver in the United States, 1905.—See no. 2418.

The production in the United States in 1906 of gold and silver.—See no. 2419.

Lindgren, Waldemar, and Graton, Louis Caryl.

1603. A reconnaissance of the mineral deposits of New Mexico.—U. S. Geol. Survey, Bull. no. 285, pp. 74-86, 1 fig., 1906.

Describes the general physiographic features, the occurrence and character of sedimentary and igneous rocks, the geologic structure, and the geographic and geologic distribution of ore deposits and their age.

Lindgren, Waldemar, and Ransome, Frederick Leslie.

1604. Geology and gold deposits of the Cripple Creek district, Colorado.—U. S. Geol. Survey, Prof. Paper no. 54, 516 pp., 29 pls., 64 figs., 1906.

Describes the general features of the area, the geological structures, the occurrence and character of the igneous and metamorphic rocks, the minerals, and the character, occurrence, relations, and genesis of the ore deposits, and gives detailed descriptions of the mines.

Lines, Edwin F.

1605. Clays and shales of Clarion quadrangle, Clarion County, Pa.—U. S. Geol. Survey, Bull. no. 315, pp. 335-343, 1907.

1606. Coals of the Clarion quadrangle, Clarion County, Pa.—U. S. Geol. Survey, Bull. 316, pp. 13-19, 1 pl., 1907.

Logan, William N.

1607. Circular on the underground waters of Mississippi.—Mississippi Agric. Exp. Station, 1905. 16 pp.

1608. Clays of Mississippi. Part I. Brick clays and clay industry of northern Mississippi.—Mississippi State Geol. Survey, Bull. no. 2, 255 pp., 42 pls., 14 figs., 1907.

Logan, W. N., and Hand, W. F.

1609. A preliminary report on some of the clays of Mississippi.—Mississippi Geol. Survey, Bull. no. 3 (Bull. Mississippi Agric. and Mech. Coll., vol. 2, no. 3, July, 1905), 88 pp., 23 figs.

Logan, W. N., and Perkins, W. R.

1610. The underground waters of Mississippi.—Mississippi Agric. Exp. Station, Bull. no. 89, 112 pp., 23 figs., January, 1905.

Lombard, Warren R., and D'Ooge, Martin L.

1611. Israel Cook Russell.—Science, new ser., vol. 24, pp. 426-431, October 5, 1906

A sketch of his life.

Loomis, Frederic B.

1612. Wasatch and Wind River primates.—Am. Jour. Sci., 4th ser., vol. 21, pp. 277-285, 8 figs., April, 1906.

Discusses characters and relationships, and gives descriptions of various species.

1613. A fossil bird from the Wasatch.—Am. Jour. Sci., 4th ser., vol. 22, pp. 481-482, 3 figs., December, 1906.

1614. Wasatch and Wind River rodents.—Am. Jour. Sci., 4th ser., vol. 23, pp. 123-130, 7 figs., February, 1907.

Characterizes several new species of *Paramys* and one new species of *Sciuravus*.

1615. Origin of the Wasatch deposits.—Am. Jour. Sci., 4th ser., vol. 23, pp. 356-364, 3 figs., May, 1907.

From a study of the character of the fauna and the lithologic characters of the geologic section concludes that the Wasatch beds of Wyoming are of flood-plain origin. Describes two new species of vertebrates from these beds.

Lord, Edwin C. E.

1616. Examination and classification of rocks for road building, including the physical properties of rocks with reference to their mineral composition and structure.—U. S. Dept. Agric., Office of Public Roads, Bull. no. 31, 29 pp., 10 pls., 1907.

Loring, Frank C.

1617. Cobalt [Ontario].—Min. and Sci. Press, vol. 95, pp. 814-815, 2 figs., December 28, 1907.

Includes notes on the geology and the occurrence of the silver ores.

Louderback, George Davis.

1618. Study of the basin range structure and glaucophane and associated schists of California and Oregon.—Carnegie Inst. of Washington, Yearb. no. 4, 1905, p. 191, 1906.

1619. The relation of radioactivity to vulcanism.—Jour. Geology, vol. 14, no. 8, pp. 747-757, 1906.

Discusses the bearing of the radioactivity shown to be present in igneous rocks upon certain problems of geology, and more particularly its inadequacy to explain the phenomena of volcanism.

1620. Benitoite, a new California gem mineral, with chemical analysis by Walter C. Blasdale.—California Univ., Dept. Geol., Bull. vol. 5, no. 9, pp. 149-153, July, 1907.

1621. Where mammoths roved. Recent discoveries in Carson, Nevada, State prison—footprints that made geologists wonder—theory of their human origin.—Sunset Magazine, vol. 19, no. 3, pp. 205-216, illus., July, 1907.

Louis, Henry.

1622. What is a fissure vein?—Econ. Geology, vol. 1, no. 5, pp. 481-484, 1906.

Low, Alfred Peter.

1623. Report on the Dominion Government Expedition to Hudson Bay and the Arctic Islands on board the D. G. S. Neptune, 1903-1904. Ottawa, Government Printing Bureau, 1906. 355 pp., illus.

Includes a summary of the geology of the northeastern coasts of America and reports by Lambe and Ami on the fossils collected.

Low, Alfred Peter—Continued.

1624. Report on the Chibougamau mining region in the northern part of the Province of Quebec.—Canada, Geol. Survey, 1906. 61 pp. and map. Abstract: Quebec, Dept. of Colonization, Mines, and Fisheries, Mining Operations for 1905, pp. 24-36, 1906.

Gives a general description of the region, an account of the geology, with detailed description of the rock exposures, and of the mineral deposits.

1625. Summary report of the Geological Survey Department of Canada for the calendar year 1906. Ottawa, 1906. 296 pp.

Gives an outline of the condition and work of the survey. Includes short reports by various members of the staff.

Lucas, Frederic A.

1626. The elephants of the Pleistocene.—Maryland Geol. Survey, Pliocene and Pleistocene, pp. 149-152, 2 pls., 1906.

1627. Systematic paleontology of the Pleistocene deposits of Maryland: Mammalia.—Maryland Geol. Survey, Pliocene and Pleistocene, pp. 157-169, 7 pls., 1906.

Ludlow, Edwin.

1628. Les gisements carbonifères de Coahuila [México].—X^e Congr. géol. intern., Guide des Excursions, Mexico, no. XXVIII, 17 pp., 1 pl., 1906.

Describes the occurrence and character of coal deposits.

Lull, Richard Swan.

1629. A new name for the dinosaurian genus *Ceratops*.—Am. Jour. Sci., 4th ser., vol. 21, p. 144, February, 1906.

Proposes the name *Proceratops* for *Ceratops*, preoccupied by Rafinesque.

1630. Volant adaptation in vertebrates.—Am. Naturalist, vol. 40, pp. 527-566, 14 figs., August, 1906.

Discusses the subject of flight in the various classes of fossil and living vertebrates, and the modifications of structure required thereby.

1631. Phylogeny, taxonomy, distribution, habits, and environment of the Ceratopsia.—U. S. Geol. Survey, Mon., vol. 49, pp. 159-198, 1907.

1632. The evolution of the horse family as illustrated in the Yale collections.—Am. Jour. Sci., 4th ser., vol. 23, pp. 161-182, 16 figs., March, 1907; Yale Univ., Peabody Mus. Nat. Hist., Guide no 1, 22 pp., 16 figs., 1907.

The Ceratopsia.—See Hatcher and others, no. 1093.

Luther, D. Dana.

1633. Geologic map of the Buffalo quadrangle [New York].—New York State Mus., Bull. 99, 29 pp., geol. map (in pocket), 1906.

1634. Geology of the Penn Yan-Hammondsport quadrangles.—New York State Mus., Bull. 101, pp. 37-58, geol. map, 1906.

Describes the distribution, character, thickness, and fossil contents of the Devonian formations of this area.

Geology of the Watkins and Elmira quadrangles.—See Clarke and Luther.

Geologic map of the Tully quadrangle.—See Clarke and Luther.

Lyman, R. H.

1635. Coal mining at Holden, W. Va.—Eng. and Min. Jour., vol. 82, pp. 1120-1122, 1170-1172, 11 figs., 1906.

Includes notes on the occurrence and character of the coals.

McAdie, Alexander G.

1636. Catalogue of earthquakes on the Pacific coast, 1897-1906.—Smithsonian Misc. Coll., vol. 49, 64 pp., 1907.

McBeth, William A.

1637. An esker in Tippecanoe County, Ind.—Indiana Acad. Sci., Proc., 1904, pp. 45-46, 1 fig., 1905.

Describes the formation of the esker.

1638. Notes on the delta of the Mississippi River.—Indiana Acad. Sci., Proc., 1904, pp. 47-49, 1 fig., 1905.

Macbride, Thomas H.

1639. Geology of Sac and Ida counties [Iowa].—Iowa Geol. Survey, vol. 16, pp. 509-562, 1 pl., 2 geol. maps, 2 figs., 1906.

Describes the topography and drainage, the stratigraphy, including Cretaceous and Pleistocene deposits, and the economic products.

1640. On certain fossil plant remains in the Iowa herbarium.—Davenport Acad. Sci., Proc., vol. 10, pp. 153-162, 12 pls., 1907.

McCallie, S. W.

1641. Stretched pebbles from Ocoee conglomerate.—Jour. Geology, vol. 14, no. 1, pp. 55-59, 3 figs., 1906.

Describes the occurrence, physical characters, chemical composition, and microscopic structure of these pebbles from the Ocoee conglomerate of Georgia.

1642. Some notes on schist-conglomerate occurring in Georgia.—Jour. Geology, vol. 15, no. 5, pp. 474-478, 4 figs., 1907.

1643. A preliminary report on the marbles of Georgia (second edition, revised and enlarged).—Georgia, Geol. Survey, Bull. no. 1, 126 pp., 52 pls., 3 figs., 2 maps, 1907.

McCarthy, Gerald.

1644. Ground and deep waters of North Carolina.—North Carolina Board of Health, Bull., vol. 22, no. 1, pp. 1-14, 6 figs., April, 1907.

Includes notes on the arrangement of the strata and the underground water resources.

McCaskey, H. D.

The production of gold and silver in 1906 in the southern Appalachian States; in Texas; and in Vermont.—See no. 2419.

McClung, C. E.

1645. The University of Kansas expedition into the John Day region of Oregon.—Kansas Acad. Sci., Trans., vol. 20, pt. 1, pp. 67-70, 1906.

Gives notes upon the character, occurrence, and age of the John Day beds of Oregon.

McClure, W. Frank.

1646. A great mammoth's tooth.—Sci. Am., vol. 90, p. 60, 1 fig., January 23, 1904.

Describes the finding of a molar of *Elephas primigenius* near Amboy, Ohio.

McConnell, R. G.

1647. Report on recent mineral discoveries on Windy Arm, Tagish Lake [Yukon].—Canada, Geol. Survey, 12 pp., 1905.

1648. [Report on the] headwaters of White River.—Canada, Geol. Survey, Summ. Rept. for 1905, pp. 19-26, 1906.

Gives notes on the topography, geology, petrology, and mineral resources of the area examined.

1649. [Report on the] Windy Arm district, northwestern British Columbia.—Canada, Geol. Survey, Summ. Rept. for 1905, pp. 26-32, 1906.

Gives notes on the physical character, the general geology, the minerals, and the mining developments of the region examined.

McConnell, R. G.—Continued.

1650. Klondike district.—Canada, Geol. Survey, Summ. Rept. for 1906, pp. 20-21, 1906.

Describes work upon the gold-bearing gravels of the Klondike district in Yukon Territory, Canada.

1651. Recent mineral discoveries on Windy Arm of Tagish Lake [British Columbia].—British Columbia, Ann. Rept. Minister of Mines, 1905, pp. 64-68, 1906. Mines and Minerals, vol. 27, no. 1, pp. 15-16, August, 1906.

1652. Note on Windy Arm silver-bearing veins.—Canadian Min. Inst., vol. 9, pp. 49-53, 1906.

Describes the local geology and the occurrence of silver ores.

1653. Report on gold values in the Klondike high level gravels.—Canada, Geol. Survey, 1907. 34 pp., 3 pls., 2 figs., 1 map.

1654. Rapport sur les teneurs en or des hauts-graviers du Klondike.—Canada, Ministère des Mines, Comm. géol., 1907. 38 pp., 3 pls., 2 figs., 1 map.

This is a French edition of the preceding.

McCormick, E.

1655. Diente, Mexico.—Min. and Sci. Press. vol. 95, p. 648, November 23, 1907.

Gives a brief account of the local geology and the occurrence and character of the lead-zinc ores.

McCourt, W. E.

1656. Fire tests of some New York building stones.—New York State Mus., Bull. 100, 38 pp., 26 pls., 1906.

Includes petrographic descriptions of various building stones.

1657. The fire-resisting qualities of some New Jersey building stones.—New Jersey Geol. Survey, Ann. Rept. State Geologist for 1906, pp. 19-76, 23 pls., 1907.

A report on the peat deposits of northern New Jersey.—See Parmelee and McCourt, no. 1874.

MacDonald, D. F.

1658. Economic features of northern Idaho and northwestern Montana.—U. S. Geol. Survey, Bull. no. 285, pp. 41-52, 1906.

Describes the general geology, the stratigraphy, and the geologic structure of the region, and various mining developments.

Macdonald, J. A.

1659. The occurrence and development of the cobalt-ore deposits [of northern Ontario].—Eng. Mag., vol. 31, no. 3, pp. 406-416, 5 figs., June, 1906.

Macdougall, Daniel Trembly.

1660. The desert basins of the Colorado delta.—Am. Geog. Soc., Bull., vol. 39, no. 12, pp. 705-729, 11 figs., December, 1907.

Describes the physiographic features of the region.

1661. The delta of the Rio Colorado.—Am. Geog. Soc., Bull., vol. 38, no. 1, pp. 1-16, 6 figs., January, 1906. New York Bot. Garden, Contr. no. 77, 1906.

Includes data upon the physiographic character of the region.

McGee, W. J.

1662. Glaciation in the Sonoran province [Mexico].—Science, new ser., vol. 24, pp. 177-178, August 10, 1906.

Holds that the deposits ascribed by Merrill [see no. 1721] to glacial action are of volcanic origin.

1663. River sediment as a factor in applied geology.—Abstract: Science, new ser., vol. 25, p. 765, May 17, 1907.

McGregor, J. H.

1664. The Phytosauria, with special reference to *Mystriosuchus* and *Rhytidodon*.—Am. Mus. Nat. Hist., Mem., vol. 9, pt. 2, pp. 29-101, 6 pls., 26 figs., February, 1906.

Gives a full discussion of the taxonomic history and relationships, and a classification of the Phytosauria.

Machaček, Fritz.

1665. Die Appalachen.—Vierteljahrsheften für den geogr. Unterricht, Wien, Jahrg. 2, pp. 61-75, 1903.

Describes the physiographic features and general structure of the Appalachians.

McInnes, William.

1666. [Report on] the headwaters of the Winisk and Attawapiskat Rivers.—Canada Geol. Survey, Summ. Rept. for 1905, pp. 76-80, 1906.

Includes data upon the rock exposures in the area examined.

1667. Explorations along the proposed line of the Hudson Bay Railway.—Canada Geol. Survey, Summ. Rept. for 1906, pp. 87-98, 1906.

Includes notes on the geology of the area examined.

McIntosh, Kenneth.

1668. The question of subsidence at Louisbourg, Cape Breton.—Nova Scotia Inst. Sci., Trans., vol. 11, pt. 2, pp. 264-270, 1906.

Presents evidence to show that there has been no recent subsidence of the coast of Nova Scotia.

McIntyre, Albert W.

1669. Copper deposits of Washington.—Am. Min. Congr., Rept. of Proc., 9th Ann. Sess., pp. 238-250, 1907.

McKee, Ralph H.

1670. The primeval atmosphere.—Science, new ser., vol. 23, pp. 271-274, February 16, 1906.

McLaughlin, R. P.

1671. Geology of the Bodie district, California.—Min. and Sci. Press, vol. 94, pp. 795-796, 1 fig., June 22, 1907.

Mallet, J. W.

1672. A stony meteorite from Coon Butte, Arizona.—Am. Jour. Sci., 4th ser., vol. 21, pp. 347-355, 4 figs., May, 1906.

Describes the occurrence, characters, and composition.

Mansfield, George Rogers.

1673. Post-Pleistocene drainage modifications in the Black Hills and Big-horn Mountains.—Harvard Coll., Mus. Comp. Zool., Bull., vol. 49 (Geol. Ser., vol. 8, no. 3), pp. 59-87, 4 pls. (maps), 9 figs., 1906.

1674. The origin and structure of the Roxbury conglomerate.—Harvard Coll., Mus. Comp. Zool., Bull., vol. 49 (Geol. Ser., vol. 8, no. 4), pp. 91-271, 7 pls., 10 figs., 1906.

Discusses the origin of conglomerates in general, and describes the lithology, distribution, relations, and structure of the Roxbury [Massachusetts] conglomerate and discusses its origin.

1675. The characteristics of various types of conglomerates.—Jour. Geology, vol. 15, no. 6, pp. 550-555, 1907.

Manson, Marsden.

1676. Climats des temps géologiques, leur développement et leurs causes.—Congr. géol. intern., C. R. 10^e sess., Mexico, 1906, pp. 349-405, 2 pls., 1907.

Marsh, Othniel C.

The Ceratopsia.—See Hatcher and others, no. 1093.

Marsters, Vernon Freeman.

1677. A preliminary report on a portion of the serpentine belt of Lamoille and Orleans counties.—Vermont Geol. Survey, Fifth Rept. State Geol., pp. 35-61, 1906.

The paper, which appeared in the Bulletin of the Geological Society of America, vol. 16, pp. 419-446, 1905, is here reprinted in part.

1678. The serpentines and associated asbestos of Belvidere Mountain, Vermont.—Abstract: New York Acad. Sci., Annals, vol. 17, pt. 3, pp. 573-574, 1907.

Martin, Daniel S.

1679. The mineralogical and geological cabinets of South Carolina College.—South Carolina Coll., Bull., no. 4, pp. 11-22, January, 1906.

Describes the work of rehabilitation and indicates the scope of the collections.

Martin, George Curtis.

1680. Distribution and character of the Bering River coal.—U. S. Geol. Survey, Bull. no. 284, pp. 65-77, 1 pl., 2 figs., 1906.

Describes the stratigraphy and geologic structure, the occurrence, character, and relations of the coal seams, and the physical characters and composition of the coals.

1681. Preliminary statement of the Matanuska coal field.—U. S. Geol. Survey, Bull. no. 284, pp. 88-100, 1 fig., 1906.

Describes the general geology and the areal distribution and character of the coal seams, and the quality of the coal.

1682. A reconnaissance of the Matanuska coal field, Alaska, in 1905.—U. S. Geol. Survey, Bull. no. 289, 36 pp., 5 pls., 4 figs., 1906.

Describes the geography, stratigraphy, and geologic structure of the region, and the occurrence and character of the coals.

1683. The Alaska coal fields.—U. S. Geol. Survey, Bull. no. 314, pp. 40-46, 1 pl., 1907.

1684. Petroleum at Controller Bay [Alaska].—U. S. Geol. Survey, Bull. no. 314, pp. 89-103, 1 fig., 1907.

Martin, H. T.

1685. Some new features in *Uintacrinus*.—Kansas Univ. Sci. Bull., vol. 4, no. 6, pp. 193-196, 2 pls., March, 1907.

Martin, Lawrence.

1686. Observations along the front of the Rocky Mountains in Montana.—Abstract: Am. Geog. Soc., Bull., vol. 38, no. 2, pp. 98-99, February, 1906.

Describes physiographic features.

1687. Possible oblique minor faulting in Alaska.—Econ. Geology, vol. 2, no. 6, pp. 576-579, 1 fig., 1907.

Recent changes of level in the Yakutat Bay region, Alaska.—See Tarr and Martin, no. 2356.

Recent change of level in Alaska.—See Tarr and Martin, no. 2357.

Glaciers and glaciation of Yakutat Bay, Alaska.—See Tarr and Martin, no. 2358.

Clays and shales of southwestern Cambria County, Pennsylvania.—See Phalen and Martin, no. 1923.

Position of Hubbard glacier front in 1792 and 1794.—See Tarr and Martin, no. 2359.

Marvin, C. F.

1688. The record of the great [San Francisco] earthquake written in Washington by the seismograph of the U. S. Weather Bureau.—*Nat. Geog. Mag.*, vol. 17, no. 5, pp. 296-298, May, 1906.

Maryland Geological Survey.

1689. [Geological] map of Maryland, prepared by Maryland Geological Survey, Wm. Bullock Clark, State Geologist. 1907. Scale 1:187,500.

Mathews, Edward B.

1690. Anticlinal domes in the Piedmont of Maryland.—*Johns Hopkins Univ. Circ.*, new ser., 1907, no. 7, pp. 27-34 [615-622], 2 pls., 1907.

Report on the physical features of Maryland.—See Clark and Mathews, no. 488.

Mattair, L. H.

1691. New silver district in the Temagami reserve [Ontario].—*Eng. and Min. Jour.*, vol. 83, p. 1144, 1 fig., June 15, 1907.

Matthes, F. E.

1692. The new map of the Yosemite Valley.—*Abstract: Science*, new ser., vol. 26, pp. 146-148, August 2, 1907.

Matthew, George F.

1693. A review of the flora of the Little River group.—*Canada, Roy. Soc., Proc. and Trans.*, 2d ser., vol. 12, sect. 4, pp. 99-149, 8 pls., 1906. *Abstract: Science*, new ser., vol. 23, pp. 972-973, June 29, 1906.

1694. New species and a new genus of Devonian plants.—*New Brunswick Nat. Hist. Soc., Bull.*, no. XXIV (vol. 5, pt. 4), pp. 393-398, 2 pls., 1906.

1695. Notes on Cambrian faunas: No. 9, Ostracoda; 10, Trilobita.—*New Brunswick Nat. Hist. Soc., Bull.*, no. XXIV (vol. 5, pt. 4), pp. 406, 475-480, 1906.

Gives descriptions of species of Ostracoda and Trilobita, and notes upon the Cambrian fauna of Anse au Loup, Labrador.

1696. A new genus and a new species of Silurian fish.—*Canada, Roy. Soc., Proc. and Trans.*, 3d ser., vol. 1, sect. 4, pp. 7-11, 1 pl., 1907.

1697. On some new species of Silurian and Devonian plants.—*Canada, Roy. Soc., Proc. and Trans.*, 3d ser., vol. 1, sect. 4, pp. 185-197, 1 pl., 4 figs., 1907.

1698. Note on *Archæozoon*.—*New Brunswick Nat. Hist. Soc., Bull.*, no. XXV (vol. 5, pt. 5), pp. 547-552, 1 pl., 1907.

Matthew, William Diller.

1699. The osteology of *Sinopa*, a creodont mammal of the middle Eocene.—*U. S. Nat. Mus., Proc.*, vol. 30, pp. 203-233, 1 pl. and 20 figs., 1906.

1700. Hypothetical outlines of the continents in Tertiary times.—*Am. Mus. Nat. Hist., Bull.*, vol. 22, pp. 353-383, 7 figs. (paleogeographic maps), 1906.

Presents geologic, paleontologic, and zoologic data upon which the paleogeographic maps representing the outlines of the continents at different periods of Tertiary time are based.

1701. Fossil Chrysochloridæ in North America.—*Science*, new ser., vol. 24, pp. 786-788, December 14, 1906.

Notes the discovery in North America of Chrysochlorid moles, and discusses the bearing of this discovery upon questions of paleogeography.

1702. A lower Miocene fauna from South Dakota.—*Am. Mus. Nat. Hist., Bull.*, vol. 23, pp. 169-219, 26 figs., 1907.

Discusses the occurrence, character, and relations of the mammalian fauna of the Rosebud beds, and gives descriptions of new species.

Matthew, William Diller, and Gidley, James Williams.

1703. New or little-known mammals from the Miocene of South Dakota.—*Am. Mus. Nat. Hist., Bull.*, vol. 22, pp. 135-153, 20 figs., 1906.

Mead, Charles S.

1704. Adaptive modifications of occipital condyles in Mammalia.—*Am. Naturalist*, vol. 40, pp. 475-483, 12 figs., July, 1906.

Mead, H. L.

1705. Minerals of Washington.—*Washington Univ., Bull.*, ser. 2, no. 25, pp. 40-48, January, 1906.

Mead, Warren J.

1706. Redistribution of elements in the formation of sedimentary rocks.—*Jour. Geology*, vol. 15, no. 3, pp. 238-256, 6 figs., 1907.

Meeks, Reginald.

1707. The iron-ore mines of the Mesabi range.—*Eng. and Min. Jour.*, vol. 84, pp. 193-195, 3 figs., August 3, 1907.

1708. The Montreal River silver district [Ontario].—*Eng. and Min. Jour.*, vol. 84, pp. 544-548, 9 figs., September 21, 1907.

Mercalli, Giuseppe.

1709. Le antiche eruzioni della Montagna Pelée.—*Soc. italiana di Sci. nat. in Milano, Atti*, vol. 41, fasc. 3, pp. 313-322, November, 1902.

Describes eruptions of Mont Pelé that took place in 1762 and 1851.

1710. I vulcani attivi della terra, morfologio, dinamismo, prodotti, distribuzione geografica, cause. Milano, Ulrico Hoepli, 1907. 422 pp., 25 pls., 82 figs.

Includes an account of the volcanoes of North America.

Merriam, John C.

1711. On the occurrence of *Desmostylus* Marsh.—*Science*, new ser., vol. 24, pp. 151-152, August 3, 1906.

Discusses the occurrence and proper reference of the fossils to which the name *Desmostylus* has been applied.

1712. Recent discoveries of Quaternary mammals in southern California.—*Science*, new ser., vol. 24, pp. 248-250, August 24, 1906.

1713. Carnivora from the Tertiary formations of the John Day region.—*California Univ., Dept. Geol., Bull.*, vol. 5, no. 1, pp. 1-64, 6 pls., 18 figs., 1906.

1714. Preliminary note on a new marine reptile [*Omphalosaurus nevadanus* n. gen and sp.] from the middle Triassic of Nevada.—*California Univ., Dept. Geol., Bull.*, vol. 5, no. 5, pp. 71-79, 2 pls., 1 fig., 1906.

1715. Recent cave exploration in California.—*Am. Anthropologist* (n. s.), vol. 8, no. 2, pp. 221-228, April-June, 1906.

Gives notes on the occurrence of Quaternary mammalian remains in caves of California.

1716. The occurrence of middle Tertiary mammal-bearing beds in north-western Nevada.—*Science*, new ser., vol. 26, pp. 380-382, September 20, 1907.

Merriam, John C., and Sinclair, William J.

1717. Tertiary faunas of the John Day region.—*California Univ., Dept. Geol., Bull.*, vol. 5, no. 11, pp. 171-205, October, 1907.

Discusses the stratigraphic succession and correlation of the Cenozoic formations in the John Day basin of Oregon and their faunas, listing the vertebrate fossils by formations, and gives a bibliography of the geology and paleontology of the John Day region.

Merriam, L. B.

1718. The development of a new coal field in Colorado.—*Western Soc. Eng., Jour.*, vol. 8, no. 6, pp. 617-637, 8 figs., December, 1903.

Includes notes on the occurrence of coal beds.

Merrick, A. W.

1719. The clay slide at the Boone viaduct, Boone, Iowa.—*Western Soc. Eng., Jour.*, vol. 11, no. 3, pp. 332-339, June, 1906.

Includes notes on the local geology.

Merrill, Frederick J. H.

1720. The mercury deposits of Mexico.—*Min. World*, vol. 24, no. 7, p. 244, February 17, 1906.

1721. Evidences of glaciation in southern Arizona and northern Sonora.—*Science*, new ser., vol. 24, pp. 116-118, July 27, 1906.

Describes the occurrence and character of morainal material north and south from Nogales, Ariz.

1722. The Copete district, central Sonora [Mexico].—*Eng. and Min. Jour.*, vol. 82, pp. 628-629, 2 figs., October 6, 1906.

Describes the local geology and the occurrence of copper ores.

1723. The mining camps of Sinaloa, Mexico.—*Eng. and Min. Jour.*, vol. 82, pp. 635-636, 3 figs., October 6, 1906.

Contains notes on the general geology of the State.

1724. Paleozoic strata in Sonora [Mexico].—*Eng. and Min. Jour.*, vol. 82, p. 897, November 10, 1906.

A brief note calling attention to the occurrence of Paleozoic strata in the State of Sonora, Mexico.

1725. The mines of Planchas de Plata. The interesting geology of an historic mining district of Sonora [Mexico].—*Eng. and Min. Jour.*, vol. 82, pp. 1111-1112, 1 fig., December 15, 1906.

Describes the geology and the ore bodies.

1726. Shear zones in Sonora [Mexico].—*Eng. and Min. Jour.*, vol. 83, p. 583, March 23, 1907.

1727. Heretical vein types in Sonora [Mexico].—*Eng. and Min. Jour.*, vol. 83, p. 657, April 6, 1907.

1728. The mineralization of Mexico.—*Eng. and Min. Jour.*, vol. 83, p. 667, April 6, 1907.

General observations on the occurrence of ore deposits in Mexico.

1729. Santa Cruz, a new copper camp in Sonora [Mexico].—*Eng. and Min. Jour.*, vol. 83, p. 1043, 1 fig., June 1, 1907.

1730. Copper in the Sonora quartz veins.—*Eng. and Min. Jour.*, vol. 84, p. 498, September 14, 1907.

Discusses the occurrence of the ores.

1731. Erosion and oxidation in Sonora [Mexico].—*Min. and Sci. Press*, vol. 95, p. 268, August 31, 1907.

Discusses the character and occurrence of ore deposits in Sonora.

Merrill, George P.

1732. A treatise on rocks, rock-weathering, and soils. New edition. New York, The Macmillan Company, 1906. 400 pp., 31 pls., 42 figs.

1733. A new meteorite from Scott County, Kansas.—*Science*, new ser., vol. 23, pp. 391-392, March 9, 1906.

1734. The development of the glacial hypothesis in America.—*Pop. Sci. Monthly*, vol. 68, no. 4, pp. 300-322, April, 1906.

1735. On a new stony meteorite from Modoc, Scott County, Kansas.—*Am. Jour. Sci.*, 4th ser., vol. 21, pp. 356-360, May, 1906.

Describes the occurrence, characters, and composition.

1736. Contributions to the history of American geology.—*U. S. Nat. Mus., Ann. Rept.*, 1904, pp. 189-733, 37 pls., 141 figs., 1906.

An historical account of the development of geological science in America.

Merrill, George P.—Continued.

1737. University training of engineers in economic geology.—*Econ. Geology*, vol. 1, no. 4, pp. 387-391, 1906.

1738. Catalogue of the type and figured specimens of fossils, minerals, rocks, and ores in the Department of Geology, United States National Museum. Part II. Fossil vertebrates; fossil plants; minerals, rocks, and ores.—*U. S. Nat. Mus., Bull.*, no. 53, pt. 2, 370 pp., 1907.

1739. On a newly found meteorite from Selma, Dallas County, Alabama.—*U. S. Nat. Mus., Proc.*, vol. 32, pp. 59-61, 2 pls., 1907.

1740. Notes on the composition and structure of the Hendersonville, North Carolina, meteorite. With chemical analyses by Wirt Tassin.—*U. S. Nat. Mus., Proc.*, vol. 32, pp. 79-82, 2 pls., 1 fig., 1907.

Describes the physical characters, structure, and composition.

1741. On the meteorite from Rich Mountain, Jackson County, North Carolina.—*U. S. Nat. Mus., Proc.*, vol. 32, pp. 241-244, 1 pl., 1907.

1742. On a peculiar form of metamorphism in siliceous sandstone.—*U. S. Nat. Mus., Proc.*, vol. 32, pp. 547-550, 1 pl., June 15, 1907.

1743. A peculiar form of metamorphism in siliceous sandstone.—*Abstract: Science*, new ser., vol. 25, p. 965, June 21, 1907.

The building and ornamental stones of North Carolina.—See Watson and Laney, no. 2494.

Merrill, George P., and Tassin, Wirt.

1744. Contributions to the study of Canyon Diablo meteorites.—*Smithsonian Misc. Coll.*, vol. 50 (Quart. Issue, vol. 4, pt. 2), pp. 203-215, 4 pls., 2 figs., 1907.

Merz, Alfred.

1745. Beiträge zur Klimatologie und Hydrographie Mittelamerikas. Leipzig, C. G. Naumann, 96 pp. 4 pls. [1907].

Includes a brief account of the general geology of the San Juan Valley in Nicaragua and Costa Rica.

Middleton, George.

1746. Notes on Georgia's geology.—*Mineral Collector*, vol. 13, pp. 101-104, 115-118, 137-141, 1906.

Miers, H. A.

1747. Obituary: Samuel Lewis Penfield.—*Mineral Mag.*, vol. 14, pp. 264-268, 1 pl. (port.), February, 1907.

Miller, Arthur M.

1748. Classification and mapping of the lower Ordovician of Kentucky.—*Abstract: Ohio Naturalist*, vol. 6, no. 3, pp. 447-448, January, 1906.

Miller, Benjamin LeRoy.

1749. Description of the Dover quadrangle [Delaware-Maryland-New Jersey].—*U. S. Geol. Survey, Geol. Atlas of U. S.*, folio no. 137, 10 pp., 1 fig., 2 maps, 1906.

Describes the physiographic features, the occurrence, character, and relations of Cretaceous, Tertiary, and Quaternary formations, the geologic history, and the economic geology.

1750. The economic resources of Calvert County [Maryland].—*Maryland Geol. Survey, Calvert County*, pp. 123-134, 1 pl., 1907.

1751. The economic resources of St. Mary's County [Maryland].—*Maryland Geol. Survey, St. Mary's County*, pp. 113-124, 1907.

A brief summary of the geology of the Virginia coastal plain.—See Clark and Miller, no. 242.

Description of the Patuxent quadrangle.—See Shattuck and others, no. 2193.

Miller, G. W.

1752. Elements of mining geology and metallurgy. Second edition. The Daily Mining Record, Publishers, Denver Colorado, 1906. 489 pp., 237 figs.

Includes a synoptic account of the classification, character, and relations of ore deposits.

1753. The mine examiner and prospector's companion. A practical treatise on mining geology, mine examinations, mineralogy, ore-milling practice, etc., of the Rocky Mountain and Pacific Coast regions. Denver, Colorado, Hall and Williams, [1907]. 387 pp., 58 figs.

Gives a general account of the origin, occurrence, and character of ore deposits.

Miller, Willet G.

1754. Pre-Cambrian rocks in the vicinity of Lake Temiskaming, Ontario.—Abstract: Geol. Soc. America, Bull., vol. 16, pp. 581-582, 1906.

1755. The cobalt-nickel deposits of Temiskaming, Ontario.—Mines and Minerals, vol. 26, no. 12, pp. 540-542, 2 figs., July, 1906. Abstract from Report of Ontario Bureau of Mines, 1905, part 2. See Miller, 13, page 246 of U. S. Geol. Survey, Bull. no. 301.

1756. Minerals and how they occur. A book for secondary schools and prospectors. Toronto, The Copp, Clark Company [1906]. 252 pp., 193 figs.

1757. Lake Abitibi gold deposits.—Ontario, Bur. Mines, 16th Ann. Rept., vol. 16, pt. 1, pp. 219-220, 1907.

A brief account of the geology and gold deposits.

1758. Mines and mining of Cobalt [Ontario].—Canadian Min. Jour., vol. 28, no. 3 (new ser., vol. 1, no. 1), pp. 7-11, 3 figs., March 15, 1907.

Includes notes on the geology and the occurrence and character of the ores.

Miller, Willet G., and Knight, Cyril W.

1759. Grenville-Hastings unconformity and the probable identity in age of the Grenville limestone with the Keewatin iron formation of the Lake Superior region.—Ontario, Bur. Mines, 16th Ann. Rept., vol. 16, pt. 1, 1907, pp. 221-223.

Discusses the relations and correlations of pre-Cambrian formations of southeastern Ontario.

Milne, John.

1760. World-shaking earthquakes in relation to volcanic eruptions in the West Indies.—British Assoc. Adv. Sci., Rept. 72d meeting, 1902, pp. 682-683, 1903.

1761. Seismological investigations. Eleventh report of the Committee.—British Assoc. Adv. Sci., Rept. of 76th meeting, 1906, pp. 92-103, 1907.

Contains references to North American earthquakes.

Moffit, Fred H.

1762. Gold fields of the Turnagain Arm region [Alaska].—U. S. Geol. Survey, Bull. no. 277, pp. 7-52, 12 pls., 4 figs., 1906.

Describes the topography and drainage of the region, the occurrence, character, and relations of the sedimentary rocks of Paleozoic (?), Mesozoic, and Cenozoic age, and of igneous rocks, the geologic history, and the occurrence and mining of placer and lode gold.

1763. Gold mining on Seward Peninsula [Alaska].—U. S. Geol. Survey, Bull. no. 284, pp. 132-144, 1 pl., 1 fig., 1906.

Includes notes on the occurrence of gold-bearing gravels.

1764. The Nome region [Alaska].—U. S. Geol. Survey, Bull. no. 314, pp. 126-145, 1 fig., 1907.

Describes the general geology, the structure of the veins, and the placer deposits, and other economic resources.

Möllmann, W.

1765. Der Cripple Creek Golddistrict [Colorado].—*Berg- und hüttenm. Zeitung*, Jahrg. 61, no. 44, pp. 549-551, October 31, 1902.

Includes notes on the occurrence of the ores.

Montgomery, Thomas H., Jr.

1766. A list of the types of fossil vertebrates in the museum of the University of Texas.—*Marine Biological Laboratory, Woods Holl, Mass., Biol. Bull.*, vol. 8, no. 1, pp. 56-58, December, 1904.

Moody, A. E.

1767. Aggradation and degradation of valleys.—*Ohio Naturalist*, vol. 8, no. 1, pp. 191-197, 1 pl., November, 1907.

Describes an experiment made to show what a river can do toward filling and degrading its valley.

Moore, Charles A.

1768. The soils of Tennessee, their chemical composition and fertilizer requirements.—*University of Tennessee, Agricultural Experiment Station, Bulletin*, vol. 19, no. 4, pp. 49-90, December, 1906.

Moore, C. E.

1769. Earthquake effects at Santa Clara, Palo Alto, and San Jose, Cal.—*Eng. News*, vol. 55, no. 19, pp. 526-527, 4 figs., May 10, 1906.

Moore, E. S.

1770. Additional notes on the iron ranges of eastern Michipicoten.—*Ontario, Bur. Mines, Rept.*, 1906, vol. 15, pt. 1, pp. 200-206, 2 figs., 1906.

Describes the physiographic character of the area, and the occurrence, character, and relations of the geologic formations.

1771. Iron ranges east of Lake Nipigon, the ranges around Lake Windegon.—*Ontario, Bur. Mines, 16th Ann. Rept.*, vol. 16, pt. 1, pp. 136-148, 5 figs., 1907.

Describes the geology, and the occurrence and character of iron ores.

Morse, William Clifford.

1772. The Columbus esker.—*Ohio Naturalist*, vol. 7, no. 4, pp. 63-72, 6 figs., February, 1907.

Discusses the terminology and general occurrence of eskers, and describes particularly an esker located in Columbus, Ohio.

Moseley, E. L.

1773. Change of level at the west end of Lake Erie.—*Abstract: Michigan Acad. Sci.*, 7th Rept., pp. 38-39, 1905.

Cites evidence to show that the west end of Lake Erie is sinking.

Moses, Alfred J.

1774. The determination of the geometrical constants of a crystal from its interfacial angles.—*School of Mines Quart.*, vol. 27, no. 4, pp. 432-461, 21 figs., July, 1906.

Moses, Alfred J., and Parsons, Charles Lathrop.

1775. Elements of mineralogy, crystallography, and blowpipe analysis from a practical standpoint, including a description of all common or useful minerals, the tests necessary for their identification, the recognition and measurement of their crystals, and a concise statement of their uses in the arts. Third edition. Part I rewritten. Parts II, III, and IV extensively revised. New York, D. Van Nostrand Company, 1906. 444 pp., 583 figs.

Munk, J. A.

1776. The meteorite mountain riddle solved.—Los Angeles Journal of Eclectic Medicine, vol. 3, no. 9, pp. 187-190, September, 1906.

Describes the Coon Butte, Arizona, and presents the arguments advanced to show that the crater is the result of impact of a huge meteorite.

Munn, M. J.

Geology of the oil and gas fields in Steubenville, Burgettstown, and Claysville quadrangles, Ohio, West Virginia, and Pennsylvania.—See Griswold and Munn, no. 1048.

Murphy, T. D.

1777. The mines of El Doctor [Mexico].—Min. and Sci. Press, vol. 95, pp. 241-245, 4 figs., August 24, 1907.

Includes notes on the geology and the occurrence of the lead-silver ores.

Murgoci, G. M.

1778. Suggestion as to the origin of riebeckite rocks.—Geol. Soc. America, Bull., vol. 16, pp. 575-576, 1906.

1779. I. Contribution to the classification of the amphiboles. II. On some glaucophane schists, syenites, etc.—California Univ., Dept. Geol., Bull., vol. 4, no. 15, pp. 359-396, 9 figs., 1906.

Discusses the properties and relations of the amphiboles of the glaucophane schists and describes the composition of the glaucophane schists studied.

Murray, J. C.

1780. Prospecting in Ungava.—Canadian Min. Jour., vol. 28 (new ser., vol. 1), pp. 109-112, 148-149, 173-174, 11 figs., 1907.

Includes notes on the geology.

Muscovici, Armand.

1781. Notes on a deposit of nickeliferous pyrrhotite at Malachite Point [Quebec].—Canadian Min. Inst., Jour., vol. 9, pp. 221-222, 1906.

Nagant, H.

1782. Rare earths in the Province of Quebec.—Quebec, Dept. of Colonization, Mines, and Fisheries. Mining Operations for 1905, pp. 39-43, 1906.

Includes notes on the occurrence of rare minerals in the Province of Quebec.

Naramore, Chester.

The production of gold and silver in 1906 in Colorado, New Mexico, South Dakota, and Wyoming.—See no. 2419.

Narraway, J. E., and Raymond, Percy E.

1783. A new American *Cybele*.—Carnegie Mus., Annals, vol. 3, no. 4, pp. 599-604, 1 fig., 1906.

Nason, Frank L.

1784. Limestones associated with pyrites and pyrrhotite of the Appalachian system.—Eng. and Min. Jour., vol. 82, pp. 170-172, July 28, 1906.

Discusses the relations of the pyrite ores to the associated limestones.

Nattress, Thomas.

1785. The geological continuity of Essex and Kent counties, Ontario, and Monroe and Wayne counties, Michigan.—Michigan Acad. Sci., Ninth Rept., pp. 177-184, 5 figs., 1907.

Navarro, D. V.

1786. Le cobalt dans l'État de Jalisco.—Soc. cient. "Antonio Alzate," Mem. y Rev., t. 25, no. 2, pp. 51-57, August, 1907.

Describes the local geology and the occurrence of cobalt at Pihuamo, Jalisco, Mexico.

Neill, A. T.

1787. Report of the geological section [of the Hamilton Scientific Association] for the year ending May, 1907.—Hamilton Sci. Assoc., Jour. and Proc., no. 23, pp. 125-127, 1907.

Neill, James W.

1788. Secondary enrichment.—Min. and Sci. Press, vol. 93, p. 380, September 29, 1906.

Discusses briefly the subject of secondary enrichment in mineral veins.

Nelson, C. Nelson.

1789. The Sahuaripa district, Sonora, Mexico.—Eng. and Min. Jour., vol. 82, pp. 629-631, 1 fig., October 6, 1906.

Includes notes on the geology of the district.

Newland, David H.

The mining and quarry industry of New York State. Report of operations and production during 1904.—New York State Mus., 58th Ann. Rept., vol. 2 (Bull. 93, 1905), pp. 909-970, 1906. See Newland, 2, on page 251 of Bulletin 301, U. S. Geol. Survey.

1790. The mining and quarry industry of New York State. Report of operations and production during 1905.—New York State Mus., Bull. 102, 199 pp., 1906.

1791. Recent earthquakes recorded at Albany, N. Y.—Science, new ser., vol. 23, p. 851, June 1, 1906.

1792. Zinc ore in northern New York.—Eng. and Min. Jour., vol. 81, pp. 1094-1095, June 9, 1906.

Describes the occurrence of zinc ore in St. Lawrence County, N. Y.

1793. The mining and quarry industry of New York state. Report of operations and productions during 1906.—New York State Mus., Bull. 112, 80 pp., 1907.

1794. On the associations and origin of the nontitaniferous magnetites in the Adirondack region.—Econ. Geology, vol. 2, no. 8, pp. 763-773, 1 fig., 1907.

1795. The iron ores of the Adirondack region.—Abstract: Science, new ser., vol. 26, pp. 401-403, September, 1907.

Newland, David H., and Hansell, N. V.

1796. Magnetite mines at Lyon Mountain, N. Y. The geology of an interesting district, nature of the ore, and methods of mining.—Eng. and Min. Jour., vol. 82, pp. 863-865, 916-918, illus., November 10, 1906.

Newman, Bruno.

1797. The mining district of Asientos, Mexico.—Eng. and Min. Jour., vol. 83, pp. 1044-1046, 3 figs., June 1, 1907.

New Mexico.

Report of the mine inspector for the Territory of New Mexico to the Secretary of the Interior for the year ended June 30, 1906.—See Sheridan, no. 2195.

Report of the mine inspector for the Territory of New Mexico to the Secretary of the Interior for the year ended June 30, 1907.—See Sheridan, no. 2196.

Nicholas, Francis C.

1798. Economic geology and mineral deposits.—Min. World, vol. 25, pp. 263, 492, 626, 689, 714-715, 777, 1906; vol. 26, pp. 39, 67, 331, 447, 625, 751, 1907; vol. 27, pp. 145, 192-193, 1907.

Discusses the formation of ore deposits.

1799. The Union copper mines of North Carolina.—Min. World, vol. 27, pp. 883-884, November 16, 1907.

Nicholas, Francis C.—Continued.

1800. The Gold Hill copper mine, and its development.—*Min. World*, vol. 27, pp. 1001-1002, 4 figs., December 7, 1907.

1801. Recent developments at Furnace Creek copper mines.—*Min. World*, vol. 27, pp. 1087-1088, 3 figs., December 21, 1907.

Nichols, Henry Windsor.

1802. New forms of concretions.—*Field Columbian Mus., Geol. Ser.*, vol. 3, no. 3, pp. 25-54, 9 pls., 1906.

Describes the occurrence, appearance, and constitution of concretions from various localities, and discusses the mode of their formation. After describing nodules from the Challenger and Argus banks in the Atlantic Ocean, discusses the formation of magnesian limestone.

1803. Absence of lead and copper from certain deep sea deposits.—*Econ. Geology*, vol. 2, no. 3, pp. 309-311, 1907.

Nickles, John M.

Classified list of papers dealing with coal, coke, lignite, and peat contained in the publications of the U. S. Geological Survey.—See Lee and Nickles, no. 1549.

Nicol, John M.

1804. Black sand.—*Min. and Sci. Press*, vol. 94, pp. 82-84, January 19, 1907.

Nicolas, F. J.

Catalogue of publications of the Geological Survey of Canada.—See Canada, Geological Survey, no. 417.

Norton, William Harmon.

1805. Geology of Bremer County [Iowa].—*Iowa Geol. Survey*, vol. 16, pp. 319-405, 10 figs., 2 geol. maps, 1906.

Describes the topography and drainage, the stratigraphy—Ordovician, Silurian, Devonian, and Pleistocene—and the economic products.

Norwood, Charles J.

1806. Clays in several parts of Kentucky, with some account of sands, marls, and limestones.—*Kentucky Geol. Survey, Bull.* no. 6, 223 pp., 1905.

Contributes various notes to the articles on clays comprising this bulletin.

1807. Report on the progress of the survey for the years 1904 and 1905.—*Kentucky Geol. Survey*, 56 pp., 1905.

An administrative report, but includes various data pertaining to the geology of Kentucky.

Obalski, J.

1808. A new mining district in Quebec.—*Eng. and Min. Jour.*, vol. 79, p. 513, March 16, 1905.

Includes notes on the occurrence of various ores.

1809. Chibogomo mining district.—Quebec, Dept. Colonization, Mines, and Fisheries. Mining Operations in the Province of Quebec for the year 1905, pp. 23-36, 1906.

Gives an account of the mining district. Includes part of a report by Low [see no. 1624] on the geology and mineral resources of the district.

1810. Rare earths in pegmatite veins.—*Canadian Min. Inst., Jour.*, vol. 9, pp. 72-73, 1906.

1811. Mining operations in the Province of Quebec for the year 1906.—Quebec, Dept. of Colonization, Mines and Fisheries, 59 pp., 7 pls., and map, 1907.

Obalski, J.—Continued.

1812. New discoveries in northern Quebec.—*Eng. and Min. Jour.*, vol. 83, p. 559, March 23, 1907; *Canadian Min. Jour.*, vol. 28, no. 4 (new ser., vol. 1, no. 2), p. 46, April 1, 1907.

Calls attention to discoveries of mineral deposits. Includes notes on the geology.

1813. Rare earths in pegmatite veins.—*Can. Min. Inst., Jour.*, vol. 9, pp. 72-73, 1906.

Offret, A.

1814. El X congreso geológico internacional en Mexico.—México, Secretaría de Fomento, Bol., 2ª época, año 7, no. 1, VI, pp. 1-48, August, 1907.

Gives an account of the Tenth International Geological Congress, held in Mexico, 1906.

O'Harra, C. C.

Description of the Devils Tower quadrangle, Wyoming.—See Darton and O'Harra, no. 656.

Ogilvie, Ida H.

1815. A contribution to the geology of southern Maine.—*New York Acad. Sci., Annals*, vol. 17, pt. 2, pp. 519-558, 2 pls., 2 figs., 1907.

Describes the physiographic features of Boothbay quadrangle, and the character, occurrence, and composition of the igneous rocks and their metamorphism.

Ohern, D. W.

1816. Contributions to the paleontology of the Paleodevonian of Maryland.—*Johns Hopkins Univ. Circ.*, new ser., 1907, no. 7, pp. 91-93 [679-681], 1907.

Omori, Fusakichi.

1817. Note on the San Francisco earthquake of April 18, 1906.—*Publications of the [Japan] Earthquake Investigation Committee in Foreign Languages*, no. 21, Appendix II, 3 pp., 1 pl., Tokyo, 1906.

1818. On the great earthquake of April 18th, 1906, of San Francisco.—*Jour. Geog.* (published by the Tokyo Geog. Soc.), vol. 18, no. 215, pp. 764-777, November, 1906. [In Japanese.]

1819. On the estimation of the time of occurrence at the origin of a distant earthquake from the duration of the first preliminary tremor observed at any place.—*Imperial Earthquake Investigation Committee, Tokyo, Japan, Bull.*, vol. 1, no. 1, pp. 1-4, January, 1907.

Includes time data regarding the San Francisco earthquake of April 18, 1906.

1820. Preliminary note on the cause of the San Francisco earthquake of April 18, 1906.—*Imperial Earthquake Investigation Committee, Tokyo, Japan, Bull.*, vol. 1, no. 1, pp. 7-25, 6 pls., 9 figs., January, 1907. See also Jordan, no. 1325.

1821. Preliminary note on the seismographic observations of the San Francisco earthquake of April 18, 1906.—*Imperial Earthquake Investigation Committee, Tokyo, Japan, Bull.*, vol. 1, no. 1, pp. 26-43, 6 pls., January, 1907.

Tabulates seismographic records of the San Francisco earthquake made at various earthquake observation stations and discusses the rate of transmission.

1822. Note on the transit velocities of the Guatemala earthquake of April 19, 1902.—*Imperial Earthquake Investigation Committee, Tokyo, Japan, Bull.*, vol. 1, no. 1, pp. 44-46, 1 pl., January, 1907.

1823. Comparison of the faults in the three earthquakes of Mino-Owari, Formosa, and San Francisco.—*Imperial Earthquake Investigation Committee, Tokyo, Japan, Bull.*, vol. 1, no. 2, pp. 70-72, 1 fig., March, 1907.

Ordóñez, Ezequiel.

1824. Sobre algunos ejemplos probables de tubos de erupcion.—Soc. cient. "Antonio Alzate," Mem. y Rev., t. 22, pp. 141-150, 1905.

Describes probable examples of volcanic necks.

1825. Las rocas arcaicas de México.—Soc. cient. "Antonio Alzate," Mem. y Rev., t. 22, nos. 7-8, pp. 315-331, 1 pl., 1905.

1826. Los xalapazcos del Estado de Puebla. Segunda parte.—México, Inst. Geol., Parer., t. 1, no. 10, pp. 349-393, 10 pls., 7 figs., 1906.

Describes physical features and geological structure of volcanic craters in the State of Puebla, Mexico.

1827. Excursion de México à Jalapa [México].—X^e Congr. géol. intern., Guide des Excursions, Mexico, no. I, 11 pp., 1906.

Describes the geology of the country along the route traveled.

1828. Excursion de Esperanza à México.—X^e Congr. géol. intern., Guide des Excursions, Mexico, no. III, 2 pp., 1906.

Gives notes on the geology of the country between these places.

1829. L'archaïque du Cañon de Tomellín.—X^e Congr. géol. intern., Guide des Excursions, Mexico, no. V, 30 pp., 1 pl., 1906.

1830. Excursion de México a Patzcuaro et Uruapam.—X^e Congr. géol. intern., Guide des Excursions, Mexico, no. VIII, 18 pp., 1 pl., 1906.

Describes the geology of the country between these places.

1831. Le Jorullo.—X^e Congr. géol. intern., Guide des Excursions, Mexico, no. XI, 55 pp., 12 pls., 1906.

1832. Les cratères d'explosion de Valle de Santiago [México].—X^e Congr. géol. intern., Guide des Excursions, Mexico, no. XIV, 8 pp., 1 fig., 1906.

1833. Oil in the State of Vera Cruz.—Min. and Sci. Press, vol. 95, pp. 247-248, 2 figs., August 24, 1907.

Includes notes on the geology of the State.

Análisis químico de la chiluca y de la cantera.—See Roel and Ordóñez, no. 2080.

Oregon, University of.

1834. In memory of Thomas Condon, Professor of Geology, 1876-1906.—Univ. of Oregon, Bull., new ser., vol. 4, no. 8, 64 pp., 3 pls. (port.), June, 1907.

Oregon, University of, Department of Chemistry.

The mineral resources and mineral industry of Oregon for 1903.—See Stafford, no. 2276.

Orr, Ellison.

1835. Exposures of Iowan and Kansan (?) drift, east of the usually accepted west boundary line of the driftless area.—Iowa Acad. Sci., Proc., vol. 14, pp. 231-236, 1 fig., 1907.

Orton, Edward, jr.

1836. The kaolin deposits of Bollinger County, Missouri.—Am. Ceramic Soc., Trans., vol. 9, pp. 62-94, 2 figs., 1907.

Orton, Edward, jr., and Peppel, Samuel Vernon.

1837. The limestone resources and the lime industry in Ohio.—Ohio Geol. Survey, Fourth Ser., Bull. no. 4, 365 pp., 53 figs., 1906.

Describes the composition and distribution by counties of limestones suitable for cement manufacture their occurrence and character by geological formations, and their utilization.

Osborn, Henry Fairfield.

1838. The present problems of paleontology.—Congress of Arts and Science, Universal Exposition, St. Louis, 1904, vol. 4, pp. 566-585, 1906.

1839. The skeleton of *Brontosaurus* and skull of *Morosaurus*.—*Nature*, vol. 73, pp. 282-284, 4 figs., January 18, 1906.

1840. The causes of extinction of Mammalia.—*Am. Naturalist*, vol. 40, pp. 767-795, November; pp. 829-859, December, 1906.

1841. *Tyrannosaurus*, upper Cretaceous carnivorous dinosaur. (Second communication).—*Am. Mus. Nat. Hist., Bull.*, vol. 22, pp. 281-296, 1 pl., 12 figs., 1906.

1842. Explorations of John Bell Hatcher for the paleontological monographs of the United States Geological Survey, together with a statement of his contributions to American geology and paleontology.—*U. S. Geol. Survey, Mon.*, vol. 49, pp. xvii-xxvi, 1907.

1843. Tertiary mammal horizons of North America.—*Am. Mus. Nat. Hist., Bull.*, vol. 23, pp. 237-253, 3 figs., March 30, 1907.

Gives a composite section of the Eocene and Oligocene deposits of the Rocky Mountain basin and discusses the correlation of Tertiary deposits of North America and the character and relations of their mammalian faunas.

1844. A mounted skeleton of the Columbian mammoth (*Elephas columbi*).—*Am. Mus. Nat. Hist., Bull.*, vol. 23, pp. 255-257, 1 pl., March 30, 1907.

1845. A mounted skeleton of *Naosaurus*, a pelycosaur from the Permian of Texas.—*Am. Mus. Nat. Hist., Bull.*, vol. 23, pp. 265-270, 2 pls., 3 figs., March 30, 1907.

1846. Evolution as it appears to the paleontologist.—*Science*, new ser., vol. 26, pp. 744-749, November 29, 1907.

1847. A paleontological trip to northwestern Nebraska.—*Abstract: Science*, new ser., vol. 26, pp. 871-872, December 20, 1907.

Includes notes on the occurrence of vertebrate remains.

1848. The reclassification of the Mammalia.—*Abstract: New York Acad. Sci., Annals*, vol. 17, pt. 3, pp. 611-613, 1907.

Osburn, Raymond C.

1849. Adaptive modifications of the limb skeleton in aquatic reptiles and mammals.—*New York Acad. Sci., Annals*, vol. 16, pt. 3, pp. 447-482, 3 pls., 1906.

Discusses modifications in limb structure by which mammals and reptiles have been adapted to aquatic life. The discussion is based in part upon fossil forms.

1850. The origin of vertebrate limbs. Recent evidence upon this problem from studies on primitive sharks.—*New York Acad. Sci., Annals*, vol. 17, pt. 2, no. 2, pp. 415-436, September, 1907.

Osgood, Wilfred H.

1851. Mastodon remains in the Yukon Valley.—*Washington Biol. Soc., Proc.*, vol. 18, pp. 254-255, 1905.

O'Sullivan, Owen.

1852. [Report on] a survey of the coast of Hudson Bay from York Factory to Severn River.—*Canada Geol. Survey, Summ. Rept. for 1905*, pp. 73-76, 1906.

Gives notes upon the physical character of the country examined.

1853. On explorations along the proposed route of the Canadian Northern Railway, between Split Lake and Fort Churchill.—*Canada Geol. Survey, Summ. Rept. for 1906*, pp. 99-102, 1906.

Gives notes on the physical features of the region examined.

Pack, Fred J.

1854. Geology of Pioche, Nevada, and vicinity.—School of Mines Quart., vol. 27, no. 3, pp. 285-312, 5 pls., 7 figs., April, 1906; no. 4, pp. 365-386, 3 pls., 2 figs., July, 1906.

Reviews previous geologic work upon the area, and describes the occurrence, character, and relations of stratified rocks of Cambrian age, and of igneous rocks, the geologic structure and its topographic expression, the petrography of the igneous rocks, and the economic geology of the area, including an account of the character, occurrence, and age of the ore bodies.

1855. Cambrian fossils from the Pioche Mountains, Nevada.—Jour. Geology, vol. 14, no. 4, pp. 290-302, 3 pls., 1906.

Reviews correlations of the Cambrian section of the Pioche Mountains and gives descriptions of the fossils collected, including several new species.

Packard, George A.

1856. Round Mountain camp, Nevada. Its location, geology, and mining activities.—Eng. and Min. Jour., vol. 83, pp. 150-151, 4 figs., January 19, 1907.

1857. Gold measures of Tangier, Nova Scotia.—Min. and Sci. Press, vol. 95, pp. 430-431, 4 figs., October 5, 1907.

Page, William N.

1858. The formation of coal fields.—Min. World, vol. 25, no. 6, p. 158, August 11, 1906.

Paige, Sidney.

1859. The Herendeen Bay coal field.—U. S. Geol. Survey, Bull. no. 284, pp. 101-108, 1 fig., 1906.

Describes the geology of the region, and the occurrence and character of the coal beds.

Paige, Sidney, and Knopf, Adolph.

1860. Stratigraphic succession in the region northeast of Cook Inlet, Alaska.—Geol. Soc. America, Bull., vol. 18, pp. 325-332, 1 fig., 1907. Abstract: Science, new ser., vol. 25, p. 182, February 1, 1907.

1861. Reconnaissance in the Matanuska and Talkeetna basins, with notes on the placers of the adjacent region.—U. S. Geol. Survey, Bull. no. 314, pp. 104-125, 1 fig., 1907.

1862. Geologic reconnaissance in the Matanuska and Talkeetna basins, Alaska.—U. S. Geol. Survey, Bull. no. 327, 71 pp., 4 pls., 4 figs., 1907.

Describes the general geology, the occurrence, character, and relations of Jurassic, Cretaceous, and Tertiary strata, the geologic history of the region, and the character and occurrence of coal, gold, and copper deposits.

Palache, Charles.

1863. On octahedrite, brookite, and titanite from Somerville, Massachusetts, U. S. A.—Festschrift Harry Rosenbusch, E. Schweizerbartsche Verlagsbuchhandlung, Stuttgart, 1906, pp. 311-321, 8 figs.

1864. Mineralogical notes.—Am. Jour. Sci., 4th ser., vol. 24, pp. 249-258, 8 figs., September, 1907; Zeitschr. f. Krystal. u. Mineral., Bd. 44, Heft 1, pp. 14-22, 7 figs., 1907.

Describes zoisite and phenacite from Massachusetts and chalmersite from Brazil.

1865. Occurrence of olivine in the serpentine of Chester and Middlefield, Mass.—Am. Jour. Sci., 4th ser., vol. 24, pp. 491-495, December, 1907.

Palmer, Leroy A.

1866. Modern mining at Alta, Utah.—Mines and Minerals, vol. 26, no. 10, pp. 438-440, 3 figs., May, 1906.

Includes an account of the local geology and the occurrence of the ore bodies.

Park, James.

1867. A text-book of mining geology for the use of mining students and miners. London, Charles Griffin and Co., Ltd., 1906. 219 pp., 3 pls., 78 figs.

Contains references to the occurrences of ore deposits in North America.

1868. Contact metamorphism in its relation to ore deposits.—*Min. and Sci. Press*, vol. 93, pp. 544-545, November 3, 1906.

Parker, Edward W.

1869. The known coal fields of the United States.—*Min. World*, vol. 22, no. 18, pp. 469-471, 1 pl., May 6, 1905.

The production in the United States in 1905 of coal.—See no. 2418.

The production in the United States in 1906 of coal.—See no. 2419.

Parker, Edward W., Holmes, Joseph A., Campbell, Marius R.

1870. Report on the operations of the coal-testing plant of the United States Geological Survey at the Louisiana Purchase Exposition, St. Louis, Mo., 1904. Part I. Field work, classification of coals, chemical work. Part II. Boiler tests. Part III. Producer-gas, coking, briquetting, and washing tests.—*U. S. Geol. Survey, Prof. Paper no. 48*, 1492 pp., 13 pls., 135 figs., 1906.

Includes notes on the geologic occurrence of coals tested.

Parks, William Arthur.

1871. [Report on] the valley of the Tobique River, N. B.—Canada, *Geol. Survey, Summ. Rept. for 1905*, pp. 115-117, 1906.

Gives a brief account of the geology of the area examined.

1872. The Stromatoporoids of the Guelph formation in Ontario.—*Univ. of Toronto Studies, Geol. Ser.*, no. 4, 40 pp., 6 pls., 1907.

1873. The Cobalt [Ontario] mining district, past and present.—*Hamilton Sci. Assoc., Jour. and Proc.*, no. 23, pp. 42-45, 1907.

Parmelee, C. W., and McCourt, W. E.

1874. A report on the peat deposits of northern New Jersey.—*New Jersey Geol. Survey, Ann. Rept. State Geol. for 1905*, pp. 223-313, 1 pl., 1906.

Describes the origin, occurrence, chemical composition, technology, and uses of peat, the testing and valuation of New Jersey peats, and their distribution in northern New Jersey.

Parr, S. W.

1875. The coals of Illinois.—*Eng. and Min. Jour.*, vol. 81, p. 86, January 13, 1906.

Describes the occurrence and character of the coals of the State.

1876. Composition and character of Illinois coals.—*Illinois State Geol. Survey, Bull. no. 3*, pp. 27-78, 15 figs., 1906.

Includes a classification of coals.

1877. Chemical analyses of certain coals.—*Illinois State Geol. Survey, Bull. no. 4*, pp. 188-197, 1907.

Parsons, Charles Lathrop.

Elements of mineralogy.—See Moses and Parsons, no. 1775.

Parsons, Floyd W.

1878. Coal mining by open stripping in Pennsylvania.—*Eng. and Min. Jour.*, vol. 81, pp. 1239-1240, 4 figs., June 30, 1906.

Contains notes on coal-bearing strata in the Hazleton district.

1879. Mining in the George's Creek coal field [Maryland].—*Eng. and Min. Jour.*, vol. 82, pp. 687-691, 7 figs., October 13, 1906.

Contains notes on the geology and character of the coal.

Parsons, Floyd W.—Continued.

1880. Coal mining in the Fairmont field, West Virginia.—Eng. and Min. Jour., vol. 82, pp. 1018-1020, 1070-1074, 7 figs., December, 1906.

Contains notes on the geology and character of the coal.

1881. Coal mining in southern West Virginia.—Eng. and Min. Jour., vol. 84, pp. 881-885, 7 figs., November 9, 1907.

1882. The coal mining situation in northern Wyoming.—Eng. and Min. Jour., vol. 84, pp. 930-935, 5 figs., November 16, 1907.

Includes notes on the occurrence and character of the coals.

1883. Montana's great coal fields and its collieries.—Eng. and Min. Jour., vol. 84, pp. 978-981, 5 figs., November 23, 1907.

Parsons, T. S.

1884. Some unknown American natural bridges.—Mineral Collector, vol. 14, no. 7, pp. 103-104, September, 1907.

Describes natural bridges in southeastern Utah.

Parsons, W. F. C.

1885. Prospecting for iron ore in the Torbrook iron district, Annapolis County, Nova Scotia.—Canadian Min. Inst., Jour., vol. 9, pp. 31-34, 1906.

Payne, C. A.

1886. The zinc ores of Virginia.—Eng. and Min. Jour., vol. 78, p. 544, October 6, 1904.

Discusses the origin of the zinc ores.

Pearce, Richard.

1887. A trachytic boulder [from Colorado].—Cornwall, Roy. Geol. Soc., Trans., vol. 12, pt. 9, p. 760, 1904.

Peck, Frederick B., and Ashley, George H.

1888. The Punxsutawney and Glen Campbell coal fields of Indiana and Jefferson counties, Pa.—U. S. Geol. Survey, Bull. no. 285, pp. 276-279, 1906.

Describes the geologic structure, and the occurrence and character of the coal beds.

Penck, Albrecht.

1889. The relations of physiography to the other sciences.—Congress of Arts and Science, Universal Exposition, St. Louis, 1904, vol. 4, pp. 607-625, 1906.

Penfield, Samuel L.

1890. On the drawing of crystals from stereographic and gnomonic projections.—Am. Jour. Sci., 4th ser., vol. 21, pp. 206-215, 13 figs., March, 1906. Zeitschr. f. Krystal. u. Mineral., Bd. 43, Heft 1, pp. 1-11, 13 figs., 1907.

1891. Tables of minerals, including the uses of minerals and statistics of the domestic production. New York, John Wiley & Sons, 1907. 88 pp.

Penfield, Samuel L., and Ford, W. E.

1892. On stibiotantalite.—Am. Jour. Sci., 4th ser., vol. 22, pp. 61-77, 18 figs., July, 1906; Zeitschr. f. Kryst. u. Mineral., Bd. 42, Heft 4, pp. 334-350, 18 figs., 1906.

Describes the occurrence, crystallographic and other characters, and chemical composition of stibiotantalite crystals from San Diego County, California.

Penfield, S. L., and Stanley, F. C.

1893. On the chemical composition of amphibole.—Am. Jour. Sci., 4th ser., vol. 23, pp. 23-51, 5 figs., January, 1907; Zeitschr. f. Krystal. u. Mineral., Bd. 43, pp. 233-260, 5 figs., 1907.

Penhallow, David Pearce.

1894. Observations upon some noteworthy leaf variations, and their bearing upon paleontological evidence.—*Canadian Rec. Sci.*, vol. 9, no. 5, pp. 279-305, 11 figs., 1905.

1895. Notes on Tertiary and Cretaceous plants.—Abstract: *Science*, new ser., vol. 23, p. 972, June 29, 1906.

1896. A manual of the North America gymnosperms, exclusive of the Cycadales, but together with certain exotic species. Boston, Ginn and Company, 1907. 274 pp., 55 pls., 48 figs.

Includes descriptions of fossil genera and species.

1897. Contributions to the Pleistocene flora of Canada.—*Am. Nat.*, vol. 41, pp. 443-452, 2 figs., July, 1907.

Includes descriptions of new species of *Acer* and *Gleditschia*.

1898. A contribution to our knowledge of the origin and development of certain marsh lands on the coast of New England.—*Canada, Roy. Soc., Proc. and Trans.*, 3d ser., vol. 1, sect. 4, pp. 13-55, 5 pls., 1907.

1899. Notes on fossil woods from Texas.—*Canada, Roy. Soc., Proc. and Trans.*, 3d ser., vol. 1, sect. 4, pp. 93-113, 4 pls., 1907.

Includes a discussion of the stratigraphic position, relations, and character of the Yegua clays.

1900. A report on fossil plants from the international boundary survey for 1903-5, collected by Dr. R. A. Daly.—*Canada, Roy. Soc., Proc. and Trans.*, 3d ser., vol. 1, sect. 4, pp. 287-351, 9 pls., 5 figs., 1907.

1901. A blazing beach [spontaneous combustion of gases from organic debris].—*Pop. Sci. Monthly*, vol. 70, no. 6, pp. 557-564, 1 fig., June, 1907.

Pennsylvania, Topographic and Geologic Survey Commission.

1902. Report 1899-1906. Harrisburg, 1906. 308 pp., 1 pl. (index map).

Includes an account of the methods of work employed and gives records of results.

Peppel, Samuel Vernon.

1903. The manufacture of artificial sand stone or sand-lime brick.—*Ohio Geol. Survey, Fourth ser., Bull. no. 5*, 79 pp., 2 pls., 6 figs., 1905 [1906?].

The limestone resources and the lime industry in Ohio.—See Orton and Peppel, no. 1837.

Perisho, Ellwood C.

1904. The state survey of South Dakota.—*Sioux City, Iowa, Acad. Sci. and Letters, Proc.*, vol. 2, pp. 79-84, 1906.

Presents briefly in outline the work already accomplished by the state geological survey, the work in hand, and lines of investigation in view.

1905. What should appear in the report of a state geologist.—*Econ. Geology*, vol. 2, no. 4, pp. 435-438, June, 1907.

Perkins, Edwin T.

1906. Mining and smelting at Granby, Missouri.—*Eng. and Min. Jour.*, vol. 84, pp. 388-390, 1 fig., August 31, 1907.

Includes notes on the geology, character, and occurrence of the zinc and lead ores.

Perkins, George H.

1907. Mineral resources [of Vermont].—*Vermont Geol. Survey, Fifth Rept. State Geol.*, pp. 1-62, 16 pls., 2 figs., 1906.

Gives an account of the progress of the mineral industries of the State during the biennium 1905-1906. Includes notes on the occurrence of building stones, slate, and other products. Gives a full discussion of the occurrence, character, and origin of asbestos deposits.

Perkins, George H.—Continued.

1908. The lignite or brown coal of Brandon [Vermont].—Vermont Geol. Survey, Fifth Rept. State Geol., pp. 188-194, 3 pls., 2 figs., 1906.

Describes the character of the lignite and of the plant remains found in it.

1909. Fossils of the [Brandon] lignite.—Vermont Geol. Survey, Fifth Rept. State Geol., pp. 202-230, 7 pls., 1906.

Describes the occurrence of the Tertiary fruits at Brandon, Vt., and gives systematic descriptions and figures of the fossils.

1910. The drinking waters of Vermont.—Vermont Geol. Survey, Fifth Rept. State Geol., pp. 254-344, 1906.

Includes data upon the underground waters.

Perkins, W. R.

The underground waters of Mississippi.—See Logan and Perkins, no. 1610.

Perry, Joseph H.

The green schists and associated granites and porphyries of Rhode Island.—See Emerson and Perry, no. 790.

Peter, Robert.

1911. Chemical report of the coals, clays, mineral waters, etc., of Kentucky.—Kentucky Geol. Survey, Bull. no. 3, 77 pp., 1905.

Petereit, A. H.

1912. Crystallized native copper from Bisbee, Arizona.—Am. Jour. Sci., 4th ser., vol. 23, p. 232, 1 fig., March, 1907.

Peterson, O. A.

1913. New suilline remains from the Miocene of Nebraska.—Carnegie Mus., Mem., vol. 2, pp. 305-324, 2 pls., 4 figs., 1906.

1914. Preliminary description of two new species of the genus *Diceratherium* Marsh, from the Agate Spring fossil quarry.—Science, new ser., vol. 24, pp. 281-283, August 31, 1906.

1915. The Agate Spring fossil quarry [Nebraska].—Carnegie Mus., Annals, vol. 3, no. 4, pp. 487-494, 1 pl., 5 figs., 1906.

Describes the occurrence of vertebrate remains in the quarry and the method of collecting, gives a provisional list of the fauna, and discusses the origin of the sediment forming the matrix.

1916. The Miocene beds of western Nebraska and eastern Wyoming and their vertebrate fauna.—Carnegie Mus., Annals, vol. 4, no. 1, pp. 21-72, 11 pls., 20 figs., 1906.

Describes the occurrence and relations of the Miocene formations in western Nebraska and eastern Wyoming and gives lists of the vertebrate fossils of each and descriptions of the new forms.

Phalen, William Clifton.

1917. Review of "The origin of Clinton red fossil ore in Lookout Mountain, Alabama," by William M. Bowron (Am. Inst. Min. Eng., Trans., vol. 36, pp. 587-604).—Econ. Geology, vol. 1, no. 6, pp. 584-588, June, 1906.

1918. Origin and occurrence of certain iron ores of northeastern Kentucky.—Econ. Geology, vol. 1, no. 7, pp. 660-673, 1 fig., 1906.

1919. Copper deposits near Luray, Va.—U. S. Geol. Survey, Bull. no. 285, pp. 140-143, 1906.

Describes the rocks of the region, and the occurrence and origin of the copper ores.

1920. Coal resources of the Kenova quadrangle.—U. S. Geol. Survey, Bull. no. 285, pp. 259-268, 1 fig., 1906.

Describes the general geology, the occurrence and character of the coal beds, and the composition and character of the coals in northeastern Kentucky and adjacent parts of Ohio.

Phalen, William Clifton—Continued.

1921. Clay resources of northeastern Kentucky.—U. S. Geol. Survey, Bull. no. 385, pp. 411-416, 1906.

Describes the occurrence and character of coal measures and recent clay beds, and the composition of the clays.

1922. Coal resources of Johnstown, Pa., and vicinity.—U. S. Geol. Survey, Bull. no. 316, pp. 20-41, 1 pl., 1907.

Phalen, W. C., and Martin, Lawrence.

1923. Clays and shales of southwestern Cambria County, Pa.—U. S. Geol. Survey, Bull. no. 315, pp. 344-354, 1907.

Philippi, E.

1924. Ueber junge Intrusionen in Mexiko und ihre Beziehungen zur Tektonik der durchbrochenen Schichtgesteine, nach den Forschungen von E. Böse und C. Burckardt.—Centralbl. f. Mineral., pp. 449-460, 6 figs., 1907.

Discusses phenomena attendant upon intrusions as exemplified in Mexico.

Phillips, William B.

1925. Terlingua quicksilver district [Texas].—Min. World, vol. 23, pp. 259-260, 1905.

Describes the general geology and the occurrence of the ores.

1926. Quicksilver deposits of Terlingua district, Brewster County, Texas.—Am. Min. Cong., 8th Ann. Sess., pp. 184-193, 1906.

Includes notes on the geology of the district and adjacent regions of Texas.

Pickering, William H.

1927. Lunar and Hawaiian physical features compared.—Am. Acad. Arts and Sciences, Mem., vol. 13, no. 4, pp. 151-179, 16 pls., 1906.

Contains data in regard to volcanic craters upon the Hawaiian Islands.

1928. The place of origin of the moon—the volcanic problem.—Jour. Geology, vol. 15, no. 1, pp. 23-38, 4 figs., 1907.

Piers, Harry.

1929. Economic minerals of Nova Scotia. Catalogue and description of a collection at the Provincial Exhibition, Halifax. Revised Edition. 60 pp.—In Rept. of the Dept. of Mines, Nova Scotia, for 1906, Halifax, 1907.

Pilsbry, H. A.

1930. *Planorbis alabamensis* and *dilatatus* in the Floridian Pliocene.—Nautilus, vol. 19, no. 3, p. 34, July, 1905.

Proposes the name *Planorbis alabamensis avus* for a Pliocene form differing from the recent form.

Pirsson, Louis V.

1931. Samuel Lewis Penfield [obituary].—Am. Jour. Sci., 4th ser., vol. 22, pp. 353-367, 1 pl. (port.), November, 1906.

Includes a list of his papers.

1932. [Obituary notice of] Israel Cook Russell.—Am. Jour. Sci., 4th ser., vol. 21, p. 481, June, 1906.

1933. Angelo Heilprin.—Am. Jour. Sci., 4th ser., vol. 24, p. 284, September, 1908.

The texture of igneous rocks.—See Cross, Iddings, Pirsson, Washington, no. 608.

Pirsson, Louis V., and Washington, Henry S.

1934. Contributions to the geology of New Hampshire: No. II, Petrography of the Belknap Mountains.—Am. Jour. Sci., 4th ser., vol. 22, pp. 439-457, 493-514, 1906.

Pirsson, Louis V., and Washington, Henry S.—Continued.

1935. Contributions to the geology of New Hampshire: No. III, on Red Hill, Moultonboro.—*Am. Jour. Sci.*, 4th ser., vol. 23, pp. 257-276, April, pp. 433-447, June, 1907.

Describes the general geology of the Red Hill in Moultonboro, New Hampshire, and the occurrence and relations of the intrusive rocks and their petrographic characters and composition.

Place, A. E., and Elton, H. L.

1936. Mines of the Taviche district, Oaxaca, Mexico.—*Eng. and Min. Jour.*, vol. 84, pp. 625-626, October 5, 1907.

Includes notes on the geology and the occurrence and character of the silver ores.

Plate, H. R.

1937. The old camp at Ward, Nevada.—*Min. and Sci. Press*, vol. 94, p. 281, March 2, 1907.

Gives notes on the local geology and the occurrence of the ores.

Plotts, William.

1938. Nature's wonderful laboratory.—*The Humanitarian Review*, vol. 5, no. 11, pp. 408-414, 1 fig., November, 1907.

Discusses the origin of coal and petroleum.

Poole, Henry S.

1939. [Report on] the Nanaimo-Comox coal field.—*Canada, Geol. Survey, Summ. Rept. for 1905*, pp. 55-59, 1906; *British Columbia, Ann. Rept. Minister of Mines*, for 1906, pp. 204-206, 1907.

Gives various data regarding the occurrence of coals in this region.

1940. On the age of the conglomerate capping the Cambrian rocks of Nova Scotia.—*Nova Scotian Inst. Sci., Trans.*, vol. 11, pt. 2, pp. 236-244, 1906.

Describes the stratigraphic position and relations of the conglomerate and discusses its age.

1941. Subsidence of the Atlantic coast of Nova Scotia.—*Nova Scotian Inst. Sci., Trans.*, vol. 11, pt. 2, pp. 262-263, 1906.

Discusses the question whether there has been recent subsidence of the coast of Nova Scotia.

1942. Features of the continental shelf off Nova Scotia.—*Canada, Roy. Soc., Proc. and Trans.*, 2d ser., vol. 12, sect. 4, pp. 67-82, 1 pl. (map), 1906. *Abstract: Science*, new ser., vol. 23, p. 972, June 29, 1906.

1943. The barytes deposits of Lake Ainslie and North Cheticamp, N. S., with notes on the production, manufacture, and use of barytes in Canada.—*Geol. Survey of Canada, Ottawa*, 1907. 43 pp.

Porter, John T.

1944. Properties and tests of fuller's earth.—*U. S. Geol. Survey, Bull.*, no. 315, pp. 268-290, 1907.

Describes the geology, origin, and composition.

Pratt, Joseph Hyde.

1945. Arizona asbestos deposits.—*Min. World*, vol. 23, no. 1, p. 17, July 8, 1905.

1946. The graphite industry.—*Min. World*, vol. 23, no. 3, pp. 64-66, July 22, 1905.

Includes notes on the occurrence of graphite deposits.

1947. Corundum and its occurrence and distribution in the United States.—*U. S. Geol. Survey, Bull.* no. 269, 175 pp., 18 pls., 26 figs., 1906.

A revised and enlarged edition of Bulletin no. 180, U. S. Geol. Survey.

Pratt, Joseph Hyde—Continued.

1948. The cement gold ores of Deadwood, Black Hills, South Dakota.—*Elisha Mitchell Sci. Soc., Jour.*, vol. 22, no. 1, pp. 23-27, 1906.

Describes the distribution and thickness of the auriferous cement-conglomerate and the localization of the gold values.

1949. The building and ornamental stones of North Carolina, a review.—*Elisha Mitchell Sci. Soc.*, vol. 22, no. 3, pp. 63-79, 5 figs., 1906.

1950. The mining industry in North Carolina during 1905.—*North Carolina Geol. and Econ. Survey, Econ. Paper no. 11*, 96 pp., 1907.

1951. The mining industry in North Carolina during 1906.—*North Carolina Geol. and Econ. Survey, Econ. Paper no. 14*, 144 pp., 20 pls., 5 figs., 1907.

Includes notes on the occurrence and geologic relations of various mineral deposits.

The production in the United States in 1905 of steel-hardening metals, of abrasive materials, of monazite and zircon, and of talc and soapstone.—See no. 2418.

Preiswerk, H.

1952. Diopsid aus dem Eozoon-Kalk von Côte St. Pierre, Canada.—*Zeitschr. f. Kryst. u. Mineral.*, Bd. 40, Heft 5, pp. 498-500, 1 fig., 1905.

Describes the crystallographic features and composition of diopside from Quebec.

Preston, H. L.

1953. A new method of etching iron meteorites, with special adaptation for photographic or plate purposes.—*Rochester Acad. Sci., Proc.*, vol. 3, pp. 264-267, 1906.

Price, George McCreedy.

1954. Illogical geology, the weakest point in the evolution theory. Los Angeles, Cal., 1906. 93 pp.

Prindle, Louis M.

1955. Yukon placer fields [Alaska].—*U. S. Geol. Survey, Bull. no. 284*, pp. 109-127, 1 pl., 2 figs., 1906.

Describes the placer deposits and the mining developments. Includes notes on the geology of the region, and the occurrence of coal.

1956. The Yukon-Tanana region, Alaska. Description of Circle quadrangle.—*U. S. Geol. Survey, Bull. no. 295*, pp. 7-27, 1 pl. (map), 3 figs., 1906.

Describes the geography, the general geology, and the distribution and character of the gold placers.

1957. The Bonnifield and Kantishna regions [Alaska].—*U. S. Geol. Survey, Bull. no. 314*, pp. 205-226, 1 pl., 1907.

Describes the geography and general geology of the region, and the distribution of gold-bearing placers, and coal deposits.

Prindle, Louis M., and Hess, Frank L.

1958. The Rampart gold placer region, Alaska.—*U. S. Geol. Survey, Bull. no. 280*, 54 pp., 7 pls., 1 fig., 1906.

Describes the geography, surface relief, and drainage, the character and occurrence of sedimentary formations of Devonian, Carboniferous, Cretaceous, and Tertiary age, and of igneous rocks, and the gold placers of the region.

Pritchett, Annie H.

1959. Fossil Cephalopoda, described by Hyatt and Cragin, in the museum of the University of Texas.—*Biol. Bull.* vol. 8, no. 6, pp. 365-366, May, 1905.

Gives a list of the species with references to the report in which the description was published.

Prosser, Charles S.

1960. Stratigraphic geology.—Ohio State Acad. Sci., Proc., vol. 4, pt. 7 (14th Ann. Rept.), pp. 340-348, 1906.

Gives a general account of the progress of stratigraphic geology in the United States, and more particularly in the State of Ohio.

1961. Section of the Manlius limestone at the northern end of Helderberg Plateau.—Jour. Geology, vol. 15, no. 1, pp. 46-51, 1907.

Describes in detail the beds of the Indian Ladder section with respect to lithologic character, fossil contents, thickness, and other features, and discusses the nomenclature, position, and correlation of the various beds.

Prosser, Mary Wilson.

1962. A bibliography of the publications relating to the geology of Ohio other than those of the State geological survey.—Ohio Geol. Survey, 4th ser., Bull. 6, pp. 235-332, 1906.

Pugh, Griffith Thompson.

1963. Pleistocene deposits of South Carolina. With an especial attempt at ascertaining what must have been the environmental conditions under which the Pleistocene Mollusca of the State lived. A thesis submitted to the faculty of Vanderbilt University for the degree of Doctor of Philosophy. Nashville, Tenn., 1905. 74 pp.

Reviews previous work, describes the geographical distribution of the Pleistocene of the Coastal plain, and the geographic and stratigraphic relations of the Pleistocene of South Carolina, gives tables of South Carolina Pleistocene fossils, and discusses the environmental conditions under which the fauna lived.

Pultz, John Leggett.

1964. Mining in the Cumberland Gap coal field.—Eng. and Min. Jour., vol. 83, pp. 808-810, 2 figs., April 27, 1907.

Describes the occurrence and character of the ores.

Purdue, A. H.

1965. Structural relations of the Wisconsin zinc and lead deposits.—Econ. Geology, vol. 1, no. 4, pp. 391-392, 1906.

Notes the mode of occurrence of zinc in Arkansas, and its concentration in synclines.

1966. A topographic result of the alluvial cone.—Indiana Acad. Sci., Proc., 1903, pp. 109-111, 6 figs., 1904.

1967. Cave sandstone of the southern Ozarks.—Geol. Soc. America, Bull., vol. 18, pp. 251-256, 1 pl., 1 fig., 1907. Abstract: Science, new ser., vol. 25, p. 764, May 17, 1907.

Discusses the occurrence and mode of formation of these sandstone deposits, which are held to be of Ordovician age.

1968. The phosphates of northern Arkansas.—Eng. and Min. Jour., vol. 83, p. 1038, June 1, 1907.

1969. On the origin of limestone sink-holes.—Science, new ser., vol. 26, pp. 120-122, July 26, 1907.

1970. Developed phosphate deposits of northern Arkansas.—U. S. Geol. Survey, Bull. no. 315, pp. 463-473, 1907.

1971. Description of the Winslow quadrangle [Arkansas-Indian Territory].—U. S. Geol. Survey, Geol. Atlas of the U. S., folio no. 154, 6 pp., 4 figs., 2 maps and columnar-section sheet, 1907.

Describes the topography, the occurrence, character, and relations of Carboniferous strata, the geologic structure and history, and the mineral and water resources.

Purdy, Ross C.

1972. [Review of] *Clays, their occurrence, properties, and uses*, by Heinrich Ries.—*Econ. Geology*, vol. 2, no. 5, pp. 513-518, 1907.

Report of the committee on cooperation with federal and state geological surveys.—See Hice, R., and others, no. 1142.

Purdy, Ross C., and DeWolf, Frank W.

1973. Preliminary investigations of Illinois fire clays.—*Illinois State Geol. Survey, Bull. no. 4*, pp. 129-175, 1 pl., 3 figs., 1907.

Purington, Chester W.

1974. Vein mining in Alaska.—*Min. and Sci. Press*, vol. 92, p. 310, 1 fig., May 12, 1906.

Includes notes on the occurrence of ore deposits in Alaska.

1975. Do the geological relations of ore deposits justify the retention of the law of the apex?—*Econ. Geology*, vol. 1, no. 6, pp. 572-580, 4 figs., 1906.

Purington, C. W.

1976. The Vulture mine, Arizona.—*Min. and Sci. Press*, vol. 94, pp. 308-310, 3 figs., March 9, 1907.

Discusses the occurrence of gold in various geologic formations, and describes the geology and occurrence of gold ores in Mariposa County, Arizona.

1977. Copper in serpentine.—*Min. and Sci. Press*, vol. 94, pp. 719-720, June 8, 1907.

Discusses an occurrence of copper in serpentine and its origin.

Rafter, George W.

Hydrology of the State of New York.—*New York State Mus.*, 58th Ann. Rept., vol. 2 (*Bull. 85*, 1905), pp. 1-902, 45 pls., 74 figs., 4 maps (2 in pocket), 1906.—See Rafter, 1, page 278 of *Bulletin no. 301*, U. S. Geol. Survey.

Ralph, Edward W.

1978. Mining conditions at Ely, Nevada.—*Min. and Sci. Press*, vol. 94, pp. 120-121, 2 figs., January 26, 1907.

Includes notes on the occurrence of the copper ores.

Rand, J. C.

1979. Some minerals occurring at Worcester, Mass.—*Mineral Collector*, vol. 12, no. 11, pp. 165-166, January, 1906.

Ransome, Frederick Leslie.

1980. The probable cause of the San Francisco earthquake.—*Nat. Geog. Mag.*, vol. 17, no. 5, pp. 280-296, 11 figs., May, 1906; *Min. and Sci. Press.*, vol. 92, no. 24, pp. 396-397, 1906.

Describes the geologic structure of the region surrounding San Francisco, Cal.

1981. Geology of the Bisbee district, Arizona.—*Eng. and Min. Jour.*, vol. 81, p. 1103, June 9, 1906.

A short note calling attention to a misstatement regarding the author's work.

1982. Review of "The copper deposits of the Clifton-Morenci district, Arizona," by Waldemar Lindgren.—*Econ. Geology*, vol. 1, no. 6, pp. 612-615, June, 1906.

1983. The directions of movement and the nomenclature of faults.—*Econ. Geology*, vol. 1, no. 8, pp. 777-787, 4 figs., 1906.

1984. Preliminary account of Goldfield, Bullfrog, and other mining districts in southern Nevada.—*U. S. Geol. Survey, Bull. no. 303*, pp. 7-83, 5 pls., 15 figs., 1907.

Describes the general geology of these districts, the occurrence, character, origin, and relations of the ore deposits, yielding principally gold, and the mining developments.

Ransome, Frederick Leslie—Continued.

1985. The association of alunite with gold in the Goldfield district, Nevada.—Econ. Geology, vol. 2, no. 7, pp. 667-692, 1 pl., 1907.

Describes the composition of alunite-bearing rocks of the region, and discusses the character of the gold ores and their origin.

Geology and gold deposits of the Cripple Creek district, Colorado.—See Lindgren and Ransome, no. 1604.

Rathbun, J. C.

1986. Marble in the Northwest.—Min. World, vol. 24, no. 14, p. 441, April 7, 1906.

Describes the occurrence of marble in Washington and in Alaska.

Raymond, Percy E.

1987. The Chazy formation and its fauna.—Carnegie Mus., Annals, vol. 3, no. 4, pp. 498-598, 3 pls., 1906.

Describes the stratigraphy and subdivisions of the Chazy, giving numerous measured sections from various localities in New York, Vermont, and Canada, with annotated lists of fossils from the various zones or beds, discusses the supposed equivalents of the Chazy in other areas, and gives systematic descriptions of the new species.

1988. An Ordovician gastropod retaining color markings.—Nautilus, vol. 19, no. 9, pp. 101-102, 2 figs., January, 1906.

1989. On the occurrence, in the Rocky Mountains, of an upper Devonian fauna with *Clymenia*.—Am. Jour. Sci., 4th ser., vol. 23, pp. 116-122, February, 1907.

Describes the character of the Devonian beds near Three Forks, Montana, giving lists of fossils obtained from the successive beds and discusses the correlation of the fauna.

1990. On the discovery of reptilian remains in the Pennsylvanian near Pittsburgh, Pennsylvania.—Science, new ser., vol. 26, pp. 835-836, December 13, 1907.

A new American *Cybele*.—See Narraway and Raymond, no. 1783.

Raymond, Rossiter W.

1991. Geology of Jamaica as related to its history.—Min. and Sci. Press, vol. 95, pp. 145-146, August 3, 1907.

Read, Thomas T.

1992. The secondary enrichment of copper-iron sulphides.—Am. Inst. Min. Eng., Bi-Mo. Bull. no. 8, pp. 261-267, March, 1906; Trans., vol. 37, pp. 297-303, 1907.

1993. Gold mining in the southern Appalachians.—Abstract: Science, new ser., vol. 23, p. 389, March 9, 1906.

1994. The secondary enrichment of copper-iron sulphides.—Am. Inst. Min. Eng., Bi-Mo. Bull., no. 13, p. 145, January, 1907.

1995. Oxidation of pyrite.—Econ. Geology, vol. 2, no. 5, p. 505, 1907.

1996. Gold mining in the southern Appalachians.—Abstract: New York Acad. Sci., Annals, vol. 17, pt. 3, p. 625, 1907.

Read, Thomas T., and Knight, C. W.

1997. The re-formation of soda-leucite.—Am. Jour. Sci., 4th ser., vol. 21, pp. 294-295, 1906.

Reagan, Albert B.

1998. Geology of Monroe County, Indiana, north of the latitude of Bloomington.—Indiana Acad. Sci., Proc., 1903, pp. 205-233, geol. map, 1904.

Describes the stratigraphy, comprising Mississippian formations and glacial deposits, and the physiography.

Reagan, Albert B.—Continued.

1999. What is the age of the Aubrey limestone of the Rocky Mountains?—*Indiana Acad. Sci., Proc.*, 1903, p. 235, 1904.

Sets forth the evidence from which it is concluded that the Aubrey limestone is of upper Carboniferous age.

2000. Some fossils from the lower Aubrey and upper Red Wall limestones in the vicinity of Fort Apache, Arizona.—*Indiana Acad. Sci., Proc.*, 1903, pp. 237-246, 1 pl., 1904.

2001. The fossils of the Red Wall compared with those of the Kansas coal measures.—*Indiana Acad. Sci., Proc.*, 1903, pp. 249-251, 1904; *Centralbl. f. Mineral.*, pp. 609-611, 1907.

Arranges in parallel columns lists of fossils identified from the upper Red Wall formation of Arizona and from the Kansas coal measures to determine the age of the former.

2002. Some geological studies of northwestern Washington and adjacent British territory.—*Kansas Acad. Sci., Trans.*, vol. 20, pt. 2, pp. 95-121, 2 pls., 2 maps, 1907.

Describes the stratigraphy, particularly glacial deposits, and fossils from the sub-glacial till.

Redway, Jacques W.

2003. Some notes on the San Francisco earthquake.—*Geog. Jour.*, vol. 29, no. 4, pp. 436-440, 6 figs., April, 1907.

2004. The vagaries of the Colorado River.—*Scottish Geog. Mag.*, vol. 23, no. 7, pp. 360-363, 1 fig., July, 1907.

Includes physiographic notes on the region of the lower Colorado River.

Redwood, Boverton.

2005. *Petroleum: A treatise on the geographical distribution and geological occurrence of petroleum and natural gas; etc.* Edition 2. London, Charles Griffin & Company, 1906. 2 vols., 1046 pp., 29 pls., 337 figs.

Includes an account of petroleum and natural gas in the United States.

Reeds, Chester Albert.

Water resources of the East St. Louis district.—See Bowman and Reeds, no. 277.

Reid, George D.

2006. The Seven Devils and Snake River district [Idaho-Oregon].—*Eng. and Min. Jour.*, pp. 401-402, 4 figs., August 31, 1907.

Gives notes on the geology of this copper-bearing area and the occurrence of the ores.

Reid, Harry Fielding.

2007. Les variations périodiques des glaciers: États-Unis. X^{me} rapport, 1904.—*Arch. des Sci. phys. et nat.*, 4^{me} pér., t. 20, no. 7, pp. 185-187, 1905.

A short account of the variations of glaciers in the United States in 1904.

2008. Studies of the glaciers of Mount Hood and Mount Adams.—*Zeitschr. f. Gletscherkunde*, Bd. 1, Heft 2, pp. 113-132, 5 figs., 1906.

Describes the physical features of these volcanic mountains and the former and present extent and position of their glaciers.

2009. The variations of glaciers. XI.—*Jour. Geology*, vol. 14, no. 5, pp. 402-410, 1906.

A summary of the tenth annual report of the International Committee on glaciers. Adds a report on the glaciers of the United States for 1905.

2010. Les variations périodiques des glaciers. XI^{me} rapport, 1905. États-Unis.—*Zeitsch. f. Gletscherkunde*, Bd. 1, Heft 3, pp. 178-180, 1906.

Gives brief notes on the condition of glaciers in the United States in 1905 and a list of the papers bearing on the subject.

Reid, Harry Fielding—Continued.

2011. Records of seismographs in North America and the Hawaiian Islands.—*Terrestrial Magnetism and Atmospheric Electricity*, vol. 11, no. 4, pp. 185-197, December, 1906.

2012. A proof of Kurowski's rule for determining the height of the *névé* line on glaciers.—*Johns Hopkins Univ. Circ.*, new ser., 1907, no. 7, pp. 21-23 [609-611], 1 fig., 1907.

2013. On the internal and basal melting of the ice of glaciers.—*Johns Hopkins Univ. Circ.*, new ser., 1907, no. 7, pp. 24-26 [612-614], 1 fig., 1907.

2014. Rapport de la Commission internationale des glaciers.—*Congr. géol. intern.*, C. R., 10^e sess., Mexico, 1906, pp. 164-170, 1907.

Reid, John A.

2015. A detail of the great fault zone of the Sierra Nevada.—*Abstract: Geol. Soc. America, Bull.*, vol. 16, p. 593, 1906.

2016. Sketch of the geology and ore deposits of the Cherry Creek district, Arizona.—*Econ. Geology*, vol. 1, no. 5, pp. 417-436, 4 figs., 1906.

Describes the general geology of the area, the occurrence and relations of pre-Cambrian and Carboniferous rocks, the faulting and structure, and the occurrence and character of the gold and copper-ore deposits.

2017. How should faults be named and classified?—*Econ. Geology*, vol. 2, no. 3, pp. 298-308, 3 figs., 1907.

2018. The ore deposits of Copperopolis, Calaveras Co., California.—*Econ. Geology*, vol. 2, no. 4, pp. 380-417, 1 pl., 7 figs., June, 1907.

Describes the local geology, and the occurrence, character, and origin of the copper ores.

2019. The training of economic geologists and the teaching of economic geology.—*Econ. Geology*, vol. 2, no. 4, pp. 418-427, June, 1907.

2020. Secondary changes at Cherry Creek, Arizona.—*Min. and Sci. Press*, vol. 94, pp. 31-33, 2 figs., January 5, 1907.

2021. The country east of the Mother Lode [California].—*Min. and Sci. Press*, vol. 94, pp. 279-280, 1 fig., March 2, 1907.

Includes notes on the local geology of the Shady Run mine in Placer County, California.

2022. The meaning of striations.—*Min. and Sci. Press*, vol. 94, p. 783, June 22, 1907.

Discusses the occurrence and origin of ores.

2023. Some ore deposits in the Inyo Range, California.—*Min. and Sci. Press*, vol. 95, pp. 80-82, 3 figs., July 20, 1907.

Describes the geology and the character and occurrence of the ores.

Riccò, A.

2024. Terremoto di San Francisco al 18 Aprile 1906.—*Accad. Gioenia di Sci. nat. in Catania, Boll. (n. s.)*, fasc. 96, pp. 2-6, May, 1906.

Describes the registration of the San Francisco earthquake by seismometers at Catania, Italy, and the rate of transmission.

Rice, Claude T.

2025. Tonopah, Nevada.—*Eng. and Min. Jour.*, vol. 82, pp. 106-108, 4 figs., July 21, 1906.

Gives a brief account of the geology, and of the occurrence of the ores.

2026. Mining at Tonopah [Nevada].—*Eng. and Min. Jour.*, vol. 82, p. 199, 2 figs., August 4, 1906.

Contains notes on the ore veins.

2027. The Bullfrog mining district, Nevada.—*Eng. and Min. Jour.*, vol. 82, pp. 534-536, 6 figs., September 22, 1906.

Includes notes on the occurrence of the ore bodies.

Rice, Claude T.—Continued.

2028. The Manhattan mining district, Nevada.—Eng. and Min. Jour., vol. 82, pp. 581-584, 9 figs., September 29, 1906.

Includes notes on the geology and the occurrence of the ores.

2029. Gold and silver at Fairview, Nev.—Eng. and Min. Jour., vol. 82, pp. 729-730, 6 figs., October 20, 1906.

Contains notes on the local geology and the occurrence of the ores.

Rice, William North.

2030. The geography of Connecticut as related to geological structure and history.—Connecticut State Geol. and Nat. Hist. Survey, Bull. no. 6, pp. 15-38, 8 pls., 1 fig., 1906.

Gives a summary of the geology and physiography of the State and of its geologic structure and history.

2031. The Triassic [of Connecticut].—Connecticut State Geol. and Nat. Hist. Survey, Bull. no. 6, pp. 157-222, 10 pls., 16 figs., 1906.

Reviews previous work, describes the distribution, character, conditions of deposition, fossils, and relations of the Triassic strata, the occurrence, character, and relations of the associated rocks, the deformation to which the area has been subjected, and its geologic structure.

2032. On the use of the words synclinorium and anticlinorium.—Abstract: Science, new ser., vol. 23, pp. 286-287, February 23, 1906; Am. Assoc. Adv. Sci., Proc., vol. 55, pp. 375-376, 1906.

2033. The contributions of America to geology.—Science, new ser., vol. 25, pp. 161-175, February 1, 1907; Am. Assoc. Adv. Sci., Proc., vol. 56-57, pp. 461-484, 1907.

Address of the vice-president and chairman of Section E—Geology and geography, American Association for the Advancement of Science, New York meeting, December, 1906.

Rice, William North, and Gregory, Herbert Ernest.

2034. Manual of the geology of Connecticut.—Connecticut State Geol. and Nat. Hist. Survey, Bull. no. 6, 273 pp., 31 pls., 22 figs., 1906.

Rich, John Lyon.

2035 Local glaciation in the Catskill Mountains.—Jour. Geology, vol. 14, no. 2, pp. 113-121, 4 figs., 1906.

Summarizes the literature on the former existence of local glaciers in New England and New York, and describes various remains of local glaciation in the northern Catskills.

Richards, R. H.

Mineral resources of the United States, 1905: black sands—See no. 2418.

Investigation of black sands from placer mines.—See Day and Richards, no. 697.

Richards, Ralph W.

2036. Synopsis of mineral characters, alphabetically arranged for laboratory and field use. New York, John Wiley & Sons, 1907. 99 pp., 17 figs.

Richardson, C. H.

2037. The areal and economic geology of northeastern Vermont.—Vermont Geol. Survey, Fifth Rept. State Geol., pp. 63-115, 17 pls., 1906.

Describes the drainage, topography, and glaciation of the area, the occurrence, character, and relations of pre-Cambrian, Ordovician, Devonian, and metamorphic and irruptive rocks, and the economic products.

Richardson, Clifford.

2038. The petroleum of North America. A comparison of the character of those of the older and newer fields.—*Franklin Inst., Jour.*, vol. 162, pp. 57-70, 81-128, 1906.

Richardson, George B.

2039. The Franklin Mountains, Texas.—*Abstract: Science, new ser.*, vol. 23, pp. 266-267, February 16, 1906.

Gives a brief account of the stratigraphy and geologic structure.

2040. Occurrence of underground waters in Sanpete and Sevier valleys, Utah.—*Abstract: Science, new ser.*, vol. 23, p. 817, May 25, 1906.

2041. Underground water in the valleys of Utah Lake and Jordan River, Utah.—*U. S. Geol. Survey, W.-S. and Irrig. Paper no. 157*, 81 pp., 9 pls., 5 figs., 1906.

Describes the topography and drainage, the general geology, and the occurrence and character of underground water.

2042. Tin in the Franklin Mountains, Texas.—*U. S. Geol. Survey, Bull. no. 285*, pp. 146-149, 1 fig., 1906.

Describes the general geology and the occurrence and character of the tin ore.

2043. Coal in Sanpete County, Utah.—*U. S. Geol. Survey, Bull. no. 285*, pp. 280-284, 1 pl. (map), 1906.

Describes the general geology, the occurrence and character of the coal beds, and the composition and character of the coals.

2044. Underground waters in Sanpete and central Sevier valleys, Utah.—*U. S. Geol. Survey, W.-S. and Irrig. Paper no. 199*, 63 pp., 6 pls., 5 figs., 1907.

Includes an account of the geology.

2045. The Book Cliffs coal field, between Grand River, Colorado, and Sunnyside, Utah.—*U. S. Geol. Survey, Bull. no. 316*, pp. 302-320, 1 pl., 1907.

2046. Structure of the Franklin Mountains, Texas.—*Abstract: Science, new ser.*, vol. 25, p. 768, May 17, 1907.

Rickard, Forbes.

2047. The Boundary district, British Columbia.—*Min. and Sci. Press*, vol. 94, pp. 511-513, 3 figs., April 20, 1907.

Includes notes on the occurrence of the copper ores.

Rickard, T. A.

2048. Geology of the mines at El Oro, Mexico.—*Min. and Sci. Press.*, vol. 93, pp. 350-354, 8 figs., September 22, 1906.

2049. The geological distribution of gold.—*Min. and Sci. Press*, vol. 93, pp. 477-480, 2 figs., October 20, 1906.

2050. Journeys of observation. San Francisco, Dewey Publishing Company, 1907. 255 pp., illus.

Includes notes on the geology and ores of Mexico.

Bound with this: Across the San Juan Mountains. 130 pp., illus.

2051. Geological distribution of gold.—*Mines and Minerals*, vol. 27, no. 6, pp. 256-257, January, 1907.

2052. The geological distribution of gold.—*Am. Min. Congr., Rept. of Proc.*, 9th Ann. Sess., pp. 226-233, 1907.

2053. Cobalt, Ontario.—*Min. and Sci. Press*, vol. 94, pp. 23-25, 5 figs., January 5, 1907.

2054. The geology of the Veta Madre [Mexico].—*Min. and Sci. Press*, vol. 94, pp. 534-537, 4 figs., April 27, 1907.

2055. Lodes in the Tertiary eruptives of Colorado.—*Min. and Sci. Press*, vol. 95, pp. 180-182, 3 figs., August 10, 1907.

Rickard, T. A., and others.

2056. After earthquake and fire. A reprint of the articles and editorial comment appearing in the Mining and Scientific Press immediately after the disaster at San Francisco, April 18, 1906. San Francisco, Mining and Scientific Press, 1906. 194 pp., illus.

A reprint of papers appearing in the Mining and Scientific Press in the issues of April 28, May 5, and June 16, in the main relating to the California earthquake.

Ries, Heinrich.

2057. Clays: their occurrence, properties, and uses. With especial reference to those of the United States. New York, John Wiley & Sons, 1906. 490 pp., 44 pls., 65 figs.

2058. The clays of Texas.—Am. Inst. Min. Eng., Bi-Mo. Bull. no. 11, pp. 767-805, 9 figs., September, 1906; Trans., vol. 37, pp. 520-558, 9 figs., 1907.

Describes the geologic horizons and geographic distribution of the clays of Texas, and their composition, classification, and properties.

2059. The clays of Wisconsin and their uses.—Wisconsin Geol. and Nat. Hist. Survey, Bull. no. 15, pp. 1-191, 19 pls., 5 figs., 1906.

2060. The clays of the Virginia coastal plain.—Virginia Geol. Survey, Geol. Ser., Bull. no. 2, pp. 25-176, 15 pls., 10 figs., 1906.

Describes the origin, composition, properties, and classification of clays, and gives a detailed account of the Virginia coastal plain localities producing clays.

2061. Economic geology of the United States. Second edition. New York, The Macmillan Company, 1907. 451 pp., 25 pls., 97 figs.

2062. What should be embraced in a geological study and report on clays?—Am. Ceramic Soc., Trans., vol. 9, pp. 480-482, 1907.

2063. Notes on the rational composition of clays.—Am. Ceramic Soc., Trans., vol. 9, pp. 772-776, 1907.

2064. Clays of Virginia.—In Watson, T. L., Mineral resources of Virginia, pp. 167-187, 6 pls., 1907.

Extracted from Bulletin no. 2, Virginia Geol. Survey. See no. 2060.

Ries, Heinrich, and Gallup, F. L.

2065. Report on the molding sands of Wisconsin.—Wisconsin Geol. and Nat. Hist. Survey, Bull. no. 15, pp. 192-247, 11 pls., 2 figs., 1906.

Riggs, Elmer S.

2066. The carapace and plastron of *Basilemys sinuosus*, a new fossil tortoise from the Laramie beds of Montana.—Field Columbian Mus., Geol. Ser., vol. 2, no. 7, pp. 249-256, 3 pls., 1906.

Ritter, Etienne A.

2067. The genesis of mineral waters: a discussion of their relations to volcanic action and the formation of ore deposits.—Eng. and Min. Jour., vol. 82, pp. 869-870, November 10, 1906.

2068. Le tremblement de terre de San Francisco du 18 avril 1906.—Sec. géol. de France, Bull., 4^e sér., t. 6, no. 4-5, pp. 287-293, 1 fig., 1906.

2069. Les basins lignitifères et houillers des Montagnes Rocheuses.—Annales des Mines, 10^e sér., t. 10, livr. 7, pp. 5-84, 1906.

An account of the coal beds of the Rocky Mountains.

2070. The origin of ore deposits. Edition 3. Denver, Colorado, 1907. 84 pp. 17 figs.

Roberts, Milnor, and others.

2071. The School of Mines series of rock specimens from the State of Washington, collected and described by the School of Mines of the University of Washington.—Washington Univ., Bull., ser. 2, no. 25, 40 pp., January, 1906.

Robertson, William Fleet.

2072. Report of [British Columbia] Bureau of Mines.—British Columbia, Ann. Rept. Minister of Mines, for 1904, Victoria, B. C., 1905. 317 pp., pls. and maps.

Includes notes on the geology and on the occurrence of ores in British Columbia.

2073. Report of [British Columbia] Bureau of Mines.—British Columbia, Ann. Rept. Minister of Mines, for 1905, Victoria, B. C., 1906. 273 pp., pls. and maps.

Includes notes on the geology and on the occurrence of ores in British Columbia.

2074. The northern interior plateau lying between the Fraser and Skeena rivers.—British Columbia, Ann. Rept. Minister of Mines, for 1905, pp. 89-137, 1906.

Includes notes upon the geology of the region, and the occurrence and character of coal beds, and the quality of the coals.

2075. Windy Arm mineral locations.—Eng. and Min. Jour., vol. 81, pp. 701-704, 2 figs., April 14, 1906.

Describes mineral developments in the northern part of British Columbia.

2076. Do the geological relations of ore deposits justify the retention of the law of the apex?—Econ. Geology, vol. 1, no. 8, pp. 809-810, 1906.

2077. Report of [British Columbia] Bureau of Mines.—British Columbia, Ann. Rept. Minister of Mines, for 1906, Victoria, B. C., 1907. 277 pp., pls. and maps.

Includes notes on the geology and the occurrence of ores in British Columbia.

Robinson, Henry Hollister.

2078. The Tertiary peneplain of the plateau district, and adjacent country, in Arizona and New Mexico.—Am. Jour. Sci., 4th ser., vol. 24, pp. 109-129, 5 figs., August, 1907.

Preliminary geological map of Connecticut.—See Gregory and Robinson, no. 1038.

Robles, R.

2079. Étude minière de la "Veta Colorado" de Minas Nuevas à Hidalgo del Parral (État de Chihuahua).—X^e Congr. géol. intern., Guide des Excursions, Mexico, no. XXII, 15 pp., 1 pl., 1906.

Describes the character, occurrence, relations, and origin of the ore deposits.

Étude de la Sierra de Guanajuato.—See Villarello, Flores, and Robles, no. 2460.

Roel, F., and Ordóñez, E.

2080. Análisis químico de la chiluca y de la cantera.—Soc. Geol. Mexicana. Bol., t. 2, pp. 47-50, 1906.

Describes the occurrence and composition of some building stones.

Rogers, Austin Flint.

2081. Minerals of the Galena-Joplin lead and zinc district.—Kansas Univ. Geol. Survey, vol. 8, pp. 445-509, 14 pls., 1 fig., 1904.

Gives descriptions of the minerals with bibliography of publications relating to them, and discusses their paragenesis.

2082. The determination of minerals in crushed fragments by means of the polarizing microscope.—School of Mines Quart., vol. 27, no. 3, pp. 340-359, 1 pl., 3 figs., April, 1906.

Includes an alphabetic list of minerals with their microscopic and optical characters as observed with the polarizing microscope.

2083. Some points in teaching crystallography.—Science, new ser., vol. 24, pp. 620-621, November 16, 1906.

Rogers, Austin Flint—Continued.

2084. Stöber's method of making crystal drawings.—School of Mines Quart., vol. 38, no. 2, pp. 222-225, 1 pl., 1 fig., January, 1907.

2085. The gnomonic projection from a graphical standpoint.—School of Mines Quart., vol. 29, no. 1, pp. 24-33, 7 figs., 1907.

2086. Aegirite and riebeckite rocks from Oklahoma.—Jour. Geology, vol. 15, no. 3, pp. 283-287, 1907.

Coal measures faunal studies, IV. Upper coal measures, Neosho River section.—See Beede and Rogers, no. 101.

Rosenbusch, H.

2087. Remarques sur la roca verde et les intercalations argileuses dans celle-ci.—X^e Congr. géol. intern., Guide des Excursions, Mexico, no. XVI, pp. 17-20, 1906. (See Burckhardt and Scalia, no. 363.)

2088. Remarques sur quelques roches éruptives de la région de la Sierra de Concepción del Oro [México].—X^e Congr. géol. intern., Guide des Excursions, Mexico, no. XXIV, pp. 13-15, 1906.

2089. Remarques sur les roches éruptives de la région de la Sierra de Mazapil et Santa Rosa [México].—X^e Congr. géol. intern., Guide des Excursions, Mexico, no. XXVI, pp. 25-28, 1906.

Ross, J. G.

A peridotite dike in the coal measures of southwestern Pennsylvania.—See Kemp and Ross, no. 1373.

Rowe, Jesse Perry.

2090. Montana coal and lignite deposits.—Montana Univ., Bull. no. 37 (Geol. Ser. no. 2), 82 pp., 26 pls., 9 figs., 1906.

Describes the location, extent, and geology of the various coal and lignite fields of the State, the character and mining of the coals, and the coal and lignite resources of the various counties.

2091. Montana coal and lignite deposits.—Min. World, vol. 26, pp. 62-65, 7 figs., January 19, 1907.

2092. Montana coal mines.—Mines and Minerals, vol. 27, no. 11, pp. 481-484, 2 figs., June, 1907.

2093. Montana gypsum deposits.—Mines and Minerals, vol. 28, no. 2, pp. 59-60, 3 figs., September, 1907.

Rowley, R. R.

2094. [Descriptions of fossils.]—Contributions to Indiana Paleontology. [Greene, New Albany, Indiana], vol. 2, pt. 1, pp. 7-11, 1 pl., 1906.

Gives systematic descriptions of Devonian and Mississippian crinoids.

2095. [Descriptions of fossils.]—Contributions to Indiana Paleontology. [Greene, New Albany, Indiana], vol. 2, pt. 2, pp. 21-31, 1906.

Gives descriptions of various species of trilobites and crinoids.

Rubio, Pascual Ortiz.

2096. El Axalapazco de Tacámbaro.—Soc. Geol. Mexicana, Bol., t. 2, pp. 65-69, 1906.

Describes a crater lake and discusses its origin. Includes notes on the rocks in the vicinity.

Ruedemann, Rudolf.

2097. Cephalopoda of the Beekmantown and Chazy formations of the Champlain basin.—New York State Mus., Bull. 90, and 58th Ann. Rept., vol. 3, pp. 389-611, 38 pls., 57 figs., 1906.

2098. The Lower Siluric paleogeography of the Champlain basin.—Abstract: Science, new ser., vol. 26, pp. 399-400, September 27, 1907.

Rühl, Alfred.

2099. Überblick über die geographischen und geologischen Verhältnisse Alaskas.—*Petermann's Mittheilungun*, Band 53, Heft 1, pp. 1-16, 1907.

Gives a general account of the physiography and geology of Alaska.

Ruhm, H. D.

2100. Phosphate mining in Tennessee.—*Eng. and Min. Jour.* vol. 83, pp. 522-526, 5 figs., March 16, 1907.

Describes briefly the origin and distribution of the Tennessee phosphate deposits.

Russell, Israel G.

2101. Drumlin areas in northern Michigan.—*Michigan Acad. Sci.*, 7th Rept., pp. 36-37, 1905. Abstract: *Geol. Soc. America, Bull.*, vol. 16, pp. 577-578, 1906.

2102. Physiographic problems of to-day.—*Congress of Arts and Science, Universal Exposition, St. Louis, 1904*, vol. 4, pp. 627-649, 1906.

2103. Memoir of William Henry Petree.—*Geol. Soc. America, Bull.*, vol. 16, pp. 558-560, 1906.

2104. The surface geology of portions of Menominee, Dickinson, and Iron counties, Michigan.—*Michigan, State Board of Geol. Survey, Rept. for 1906*, pp. 7-91, 12 pls., 1 fig., 1907.

Describes the topography, drainage, and glacial geology of the region.

2105. Concentration as a geological principle.—*Geol. Soc. America, Bull.*, vol. 18, pp. 1-28, 1907.

Discusses the various methods by which concentration is effected.

2106. Drumlins of Michigan.—Abstract: *Geol. Soc. America, Bull.*, vol. 17, p. 707, 1907.

Ruthven, A. G.

2107. An ecological survey in the Porcupine Mountains and Isle Royale, Michigan.—*Michigan State Board of Geol. Survey, Ann. Rept. for 1905*, pp. 17-47, 14 figs., 1906.

Includes a brief account of the geology of the region.

Rutledge, J. J.

2108. Davis pyrites mine, Massachusetts: a unique deposit and some unusual methods of mining.—*Eng. and Min. Jour.*, vol. 82, pp. 673-676, 724-728, 772-775, illus., 1906.

Includes a brief account of the geology and the occurrence of the ores.

Sachs, A.

2109. Der Kleinlit, ein hexagonales Quecksilberoxychlorid von Terlingua in Texas.—*K. preussischen Akad. d. Wiss., Sitzb.*, no. 52, pp. 1091-1094, 1905.

Describes the characters and composition of kleinite from Terlingua, Texas.

2110. Notiz zu der chemischen Zusammensetzung des Kleinits.—*Centralbl. f. Mineral.*, pp. 200-202, 1906.

Describes the chemical composition of kleinite from Terlingua, Texas.

2111. Zinnöberkristalle aus Sonoma County in Kalifornien; Gips- und Kalkspatkristalle von Terlingua in Texas.—*Centralbl. f. Mineral.*, pp. 17-19, 1907.

Describes the crystallographic characters of minerals from California and Texas.

Sadtler, Benjamin.

2112. Gold and tin in northwestern Black Hills.—*Min. World*, vol. 24, no. 17, pp. 520-522, 5 figs., April 28, 1906.

Salisbury, Rollin D.

2113. The Illinois geological survey.—*Jour. Geology*, vol. 14, no. 1, pp. 65-67, 1906.

Reviews the history of the state geological surveys in Illinois and describes the organization of the survey recently inaugurated.

2114. Glacial geology of the Bald Mountain and Dayton quadrangles, Wyoming.—*U. S. Geol. Survey, Geol. Atlas of U. S.*, folio no. 141 pp. 9-12, 1906.

2115. Glacial geology of the Cloud Peak and Fort McKinney quadrangles, Wyoming.—*U. S. Geol. Survey, Geol. Atlas of U. S.*, folio no. 142, pp. 9-12, 1906.

2116. Glacial geology of the Bighorn Mountains.—*U. S. Geol. Survey, Prof. Paper* no. 51, pp. 71-90, 11 pls., 9 figs., 1906.

2117. *Physiography*. New York, Henry Holt and Company, 1907. 770 pp., 26 pls., 707 figs.

A general treatise intended for students of early college or normal school grade.

Geology.—See Chamberlin and Salisbury, no. 463.

Sample, Clarence C.

2118. Amber in Santo Domingo.—*Eng. and Min. Jour.*, vol. 80, pp. 250-251, August 12, 1905.

Gives notes upon the geology of the island, and describes the amber-bearing strata, and the occurrence and utilization of the amber.

Sanford, Samuel.

2119. Record of deep-well drilling for 1905: well records.—*U. S. Geol. Survey, Bull.* no. 298, pp. 15-296, 1906.

Sapper, Karl.

2120. *Erdbebenserie von Masaya (Nicaragua)* 1. bis 5. Januar, 1906.—*Centralbl. f. Mineral., Geol., u. Paläont.*, 1906, no. 9, pp. 257-259, 1 fig., 1906.

Describes a series of earthquakes at Masaya, Nicaragua, in January, 1906.

Sardeson, Frederick W.

2121. The folding of subjacent strata by glacial action.—*Jour. Geology*, vol. 14, no. 3, pp. 226-232, 3 figs., 1906.

Describes upthrust folds in stratified rocks under glacial deposits and explains how they were produced by the movement of glacial ice.

2122. Galena series.—*Geol. Soc. Am., Bull.*, vol. 18, pp. 179-194, 2 figs., 1907. Abstract: *Science*, new ser., vol. 25, p. 771, May 17, 1907.

Discusses the distribution, relations, and nomenclature of Ordovician formations of the upper Mississippi Valley included in the Galena series.

Sarle, Clifton J.

2123. *Arthropycus* and *Dadalus* of burrow origin.—*Rochester Acad. Sci., Proc.*, vol. 4, pp. 203-210, 4 figs., 1906.

Concludes that *Arthropycus* and *Dadalus* were burrows, probably of sedentary Polychæta, and explains how they were produced.

2124. Preliminary note on the nature of *Taonurus*.—*Rochester Acad. Sci., Proc.*, vol. 4, pp. 211-214, 1906.

Savage, T. E.

2125. A preliminary report on the peat resources of Iowa.—*Iowa Geol. Survey, Bull.* no. 2, pp. 5-21, 1905.

2126. Report on tests of Iowa coals made at the Government coal-testing plant at the Louisiana Purchase Exposition, St. Louis, Mo., 1904.—*Iowa Geol. Survey, Bull.* no. 2, pp. 22-38, 1905.

Savage, T. E.—Continued.

2127. Report of the assistant state geologist [Iowa].—Iowa Geol. Survey, vol. 16, pp. 13-15, 1906.

A brief report of work done in 1905.

2128. Geology of Jackson County [Iowa].—Iowa Geol. Survey, vol. 16, pp. 563-648, 15 figs., 2 geol. maps, 1906.

Describes the topography and drainage, the stratigraphy, including Ordovician, Silurian, Devonian, and Carboniferous strata, and glacial deposits, and the economic products.

2129. Water resources of the Springfield quadrangle [Illinois].—Illinois State Geol. Survey, Bull. no. 4, pp. 235-244, 1907.

Includes notes on the physiography, geology, and underground waters.

2130. Geological map of Iowa.—Iowa Geol. Survey, 1907. Scale 8 miles to 1 inch.

Pike County [Illinois] gas field.—See Blatchley, no. 245.

Scalia, S.

Géologie des environs de Zacatecas.—See Burckhardt and Scalia, no. 363.

Schaeberle, J. M.

2131. An ignored theory of the ice age.—Science, new ser., vol. 24, pp. 439-440, October 5, 1906; p. 695, November 30, 1906.

Schaaf-Regelman, E.

2132. Rare metals and minerals and their uses.—Eng. Mag., vol. 33, no. 1, pp. 91-98, April, 1907.

2133. Asbestos: its mining, preparation, markets, and uses.—Eng. Mag., vol. 34, no. 1, pp. 68-80, 11 figs., October, 1907.

Schaller, Waldemar T.

2134. Siderite and barite from Maryland.—Am. Jour. Sci., 4th ser., vol. 21, pp. 364-370, 3 figs., May, 1906; Zeitschr. f. Krystal. u. Mineral., Bd. 42, Heft 4, pp. 321-326, pl. iv, 1906.

Describes the chemical and crystallographic properties.

2135. The chemical composition of molybdic ocher.—Am. Jour. Sci., 4th ser., vol. 23, pp. 297-303, April, 1907; Zeitschr. f. Krystal. u. Mineral., Bd. 43, Heft 4, pp. 331-337, 1907.

2136. Mineralogical notes.—Am. Jour. Sci., 4th ser., vol. 24, pp. 152-158, August, 1907; Zeitschr. f. Krystal. u. Mineral., Bd. 44, Heft 1, pp. 1-8, 1 fig., 1907.

Describes purpurite from South Dakota and Connecticut, manganotantalite from Maine, evansite from Idaho and Alabama, tourmaline from the Island of Elba, and zinwaldite from Alaska.

2137. Notiz über Powellit und Molybdit.—Zeitschr. f. Krystal. u. Mineral., Bd. 44, Heft 1, pp. 9-13, 1907.

The mercury minerals from Terlingua, Texas; kleinite, terlinguaite, eglestonite, montroydite, calomel, mercury.—See Hillebrand and Schaller, no. 1161.

Scheffel, Earl R.

2138. The origin of Spring Valley gorge.—Denison Univ., Sci. Lab., Bull., vol. 13, art. 6, pp. 154-166, 3 figs., September, 1907.

Schneider, Philip F.

2139. The paleobotany of Onondaga.—Abstract: Onondaga Acad. Sci., Proc., vol. 1, pp. 31-32, 1903.

Includes notes upon the fucoids of the Medina, Clinton, and Niagara formations.

Schneider, Philip F.—Continued.

2140. A preliminary report on the Arkansas diamond field.—Arkansas, Bureau of Mines, Manufactures, and Agriculture, 16 pp., 1 pl., 1907.

Includes an account of the local geology and the character of the rock in which the diamonds occur in Pike County, Arkansas.

Scholl, George P., and Herrick, R. L.

2141. The Gold Prince mine and mill [at Animas Forks, Colorado].—Mines and Minerals, vol. 27, no. 8, pp. 337-345, 14 figs., March, 1907.

Includes notes on the occurrence of the gold ores.

Schrader, Frank Charles.

2142. The Durango-Gallup coal field of Colorado and New Mexico.—U. S. Geol. Survey, Bull. no. 285, pp. 241-258, 1906.

Describes the geology of the field, the occurrence and character of the coal beds, and the composition and character of the coals.

2143. Copper deposits of the Zuñi Mountains, New Mexico.—Abstract: Science, new ser., vol. 23, p. 916, June 15, 1906.

Schrader, Frank C., and Haworth, Erasmus.

2144. Economic geology of the Independence quadrangle, Kansas.—U. S. Geol. Survey, Bull. no. 296, 74 pp., 6 pls., 3 figs., 1906.

Describes the stratigraphy and geologic structure, and the occurrence, character, and utilization of petroleum, natural gas, coal, and other mineral resources.

Schuchert, Charles.

2145. Memoir of Charles Emerson Beecher.—Geol. Soc. America, Bull., vol. 16, pp. 541-548, 1 pl. (port.), 1906.

Includes a list of his writings.

2146. A new American pentremite.—U. S. Nat. Mus., Proc., vol. 30, pp. 759-760, 3 figs., 1906.

2147. The Russian Carboniferous and Permian compared with those of India and America. A review and discussion.—Am. Jour. Sci., 4th ser., vol. 22, pp. 29-46, July, pp. 143-158, August, 1906.

2148. The Tenth International Geological Congress at Mexico City.—Am. Jour. Sci., 4th ser., vol. 22, pp. 463-465, November, 1906.

Schultz, Alfred Reginald.

2149. Some observations on the movements of underground water in confined basins.—Jour. Geology, vol. 15, no. 2, pp. 170-181, 2 figs., 1907.

2150. Gold development in central Uinta County, Wyo., and at other points on Snake River.—U. S. Geol. Survey, Bull. no. 315, pp. 71-88, 2 pls., 1907.

2151. Coal fields in a portion of central Uinta County, Wyo.—U. S. Geol. Survey, Bull. no. 316, pp. 212-241, 1 pl., 1907.

Schwarz, Ernst H. L.

2152. The thickness of the ice cap in the various glacial periods.—Geol. Mag., dec. 5, vol. 3, no. 3, pp. 120-124, March, 1906.

Includes notes on the thickness of the Greenland ice cap.

Schwarz, T. E.

Features of the occurrence of ore at Red Mountain, Ouray County, Colo.—Am. Inst. Min. Eng., Trans., vol. 36, pp. 31-39, 3 figs., 1906 (Bi-Mo. Bull. no. 2, pp. 267-274, 3 figs., 1905).—See Schwarz, 2, page 300 of Bulletin no. 301, U. S. Geol. Survey.

Scott, I. D.

Ueber interessante amerikanische Pyritkrystalle.—See Kraus and Scott, no. 1428.

Scott, William B.

2153. Memoir of John B. Hatcher.—Geol. Soc. America, Bull., vol. 16, pp. 548-555, 1 pl. (port.), 1906.

Includes a list of his writings.

2154. An introduction to geology. Second edition revised throughout. New York, The MacMillan Company, 1907. 816 pp., 17 pls., 311 figs.

Seaman, A. E.

Notes on the geological section of Michigan. Part I. The pre-Ordovician.—See Lane and Seaman, no. 1518.

Seamon, W. H.

2155. Observations in southwestern Chihuahua [Mexico].—Min. World, vol. 25, no. 11, pp. 306-308, 5 figs., September 15, 1906.

Includes notes on the geology of the region.

Seddon, William.

2156. Workable coal seams of western Pennsylvania.—Eng. and Min. Jour., vol. 84, pp. 549-550, September 21, 1907.

See, T. J. J.

2157. The San Francisco earthquake of April 18.—Nature, vol. 74, p. 30, May 10, 1906.

2158. The cause of earthquakes, mountain formation, and kindred phenomena connected with the physics of the earth.—Am. Philos. Soc., Proc., vol. 45, pp. 274-414, 17 figs., 1906.

2159. The nature and origin of volcanic heat.—Science, new ser., vol. 24, pp. 301-303, September 7, 1906.

2160. The rigidity of the earth.—Science, new ser., vol. 24, pp. 558-559, November 2, 1906.

2161. On the temperature, secular cooling, and contraction of the earth, and on the theory of earthquakes held by the ancients.—Am. Philos. Soc., Proc., vol. 46, pp. 191-299, 4 figs., 1907.

2162. The new theory of earthquakes and mountain formation, as illustrated by processes now at work in the depths of the sea.—Amer. Philos. Soc., Proc., vol. 46, pp. 369-415, 3 pls., 5 figs., 1907.

Seely, Henry M.

2163. Cryptozoa of the early Champlain sea.—Vermont Geol. Survey, Fifth Rept. State Geol., pp. 156-173, 5 pls., 1906.

Reviews the history of the genus, discusses its structure, occurrence, relationships, and classification, proposes a new order and family, and describes new species from Vermont and New York deposits.

2164. Beekmantown and Chazy formations in the Champlain Valley. Contributions to their geology and paleontology.—Vermont Geol. Survey, Fifth Rept. State Geol., pp. 174-187, 7 pls., 1906.

Sellards, E. H.

2165. Some sink-hole lakes of north central Florida.—Abstract: Science, new ser., vol. 23, pp. 289-290, February 23, 1906; Am. Assoc. Adv. Sci., Proc., vol. 55, pp. 378-379, 1906.

2166. Systematic paleontology of the Pleistocene deposits of Maryland: Insecta.—Maryland Geol. Survey, Pliocene and Pleistocene, pp. 170-172, pl. 40, fig. 3, 1906.

2167. Geological history of cockroaches.—Pop. Sci. Monthly, vol. 68, no. 3, pp. 244-250, 8 figs., March, 1906

Sellards, E. H.—Continued.

2168. Types of Permian insects.—Am. Jour. Sci., 4th ser., vol. 22, pp. 249-258, 8 figs., September, 1906.

Discusses the characters and classification of the Odonata, describing particularly *Tupus permianus* new genus and species.

2169. Types of Permian insects. Part II.—Am. Jour. Sci., 4th ser., vol. 23, pp. 345-355, 13 figs., May, 1907.

2170. Occurrence and use of artesian and other underground water.—Florida Agric. Exp. Station, Bull. no. 89, p. 87-113, 3 figs., March, 1907.

2171. Florida State Geological Survey, organization and plans, 1907. 11 pp.

2172. Venation of the wings of Paleozoic dragon-flies.—Abstract: Science, new ser., vol. 25, pp. 731-732, May 10, 1907.

2173. Origin of sink-holes.—Science, new ser., vol. 26, p. 417, September 27, 1907.

2174. Notes on the spore-bearing organ *Codonothea* and its relationship with the Cycadofilices.—New Phytologist, vol. 6, pp. 175-178, 1 fig., 1907.

Shaler, Millard K.

2175. Gypsum in northwestern New Mexico.—U. S. Geol. Survey, Bull. no. 315, pp. 260-265, 1 fig., 1907.

2176. A reconnaissance survey of the western part of the Durango-Gallup coal field of Colorado and New Mexico.—U. S. Geol. Survey, Bull. no. 316, pp. 376-426, 2 pls., 1907.

Shaler, Millard K., and Gardner, James H.

2177. Clay deposits of the western part of the Durango-Gallup coal field of Colorado and New Mexico.—U. S. Geol. Survey, Bull. no. 315, pp. 296-302, 1907.

Shamel, Charles H.

2178. Do the geological relations of ore deposits justify the retention of the law of the apex?—Econ. Geology, vol. 2, no. 1, pp. 62-77, 4 figs., 1907.

2179. Mining, mineral, and geological law. New York, Hill Publishing Company, 1907. 627 pp., 101 figs.

Shannon, Charles W.

2180. The drainage area of the east fork of White River [Indiana].—Indiana Acad. Sci., Proc., 1906, pp. 53-70, 1 pl., 20 figs., 1907.

Includes an account of the geology of the area.

2181. The iron-ore deposits of Indiana.—Indiana, Dept. Geol. and Nat. Res., 31st Ann. Rept., pp. 299-428, 18 pls., 7 figs., 1907.

Iron ores of Martin County, Indiana.—See Beede and Shannon, no. 182.

Sharwood, W. J.

2182. Some associations of gold with pyrite and tellurides.—Min. and Sci. Press, vol. 94, pp. 117-119, 11 figs., January 26, 1907.

2183. Gold tellurides.—Min. and Sci. Press, vol. 94, pp. 731-732, 4 figs., June 8, 1907.

Describes the occurrence of gold ores at Goldfield, Nevada.

Shattuck, George Burbank.

2184. The Pliocene and Pleistocene deposits of Maryland.—Maryland Geol. Survey, Pliocene and Pleistocene, pp. 21-137, 31 pls., 9 figs., 1906.

Reviews previous work bearing upon the subject, with a bibliography, describes the general stratigraphic relations and physiography, the character, distribution, and relations of Pliocene and Pleistocene formations, and the geologic history of the region.

Shattuck, George Burbank.—Continued.

2185. Description of the St. Marys quadrangle [Maryland-Virginia].—U. S. Geol. Survey, Geol. Atlas of U. S., folio no. 136, 7 pp., 1 fig., 2 maps, 1906.

Describes the physiography, the occurrence, character, and relations of Tertiary and Quaternary formations, the geologic history, and the economic resources.

2186. Development of knowledge concerning the principal features of Calvert County, with bibliography.—Maryland Geol. Survey, Calvert County, pp. 25-53, 1 pl., 1907.

2187. The physiography of Calvert County [Maryland].—Maryland Geol. Survey, Calvert County, pp. 55-65, 2 pls., 1907.

2188. The geology of Calvert County [Maryland].—Maryland Geol. Survey, Calvert County, pp. 67-121, 6 pls., 7 figs., 1907.

Describes the stratigraphy, structure, and areal distribution of Eocene, Miocene, and Pleistocene formations.

2189. Development of knowledge concerning the physical features of St. Mary's County [Maryland], with bibliography.—Maryland Geol. Survey, St. Mary's County, pp. 25-53, 1 pl., 1907.

2190. The physiography of St. Mary's County [Maryland].—Maryland Geol. Survey, St. Mary's County, pp. 55-66, 1 pl., 3 figs., 1907.

2191. The geology of St. Mary's County [Maryland].—Maryland Geol. Survey, St. Mary's County, pp. 67-112, 10 pls., 5 figs., 1907.

Describes the stratigraphy, structure, and areal distribution of Tertiary and Quaternary deposits.

2192. Some geological rambles, near Vassar College, Poughkeepsie [New York.] Poughkeepsie, The Vassar College Press, 1907. 108 pp., illus.

Shattuck, George Burbank, Miller, Benjamin LeRoy, and Bibbins, Arthur.

2193. Description of the Patuxent quadrangle [Maryland-District of Columbia].—U. S. Geol. Survey, Geol. Atlas of U. S., folio no. 152, 12 pp., 2 figs., 3 maps, and columnar-section sheet, 1907.

Describes the topography, the occurrence, character, and relations of Jurassic (?), Cretaceous, Tertiary, and Quaternary deposits, the geologic history, and the mineral and water resources.

Shepard, Edward M.

2194. Underground waters of Missouri, their geology and utilization.—U. S. Geol. Survey, W.-S. and Irrig. Paper no. 195, 224 pp., 6 pls., 6 figs., 1907.

Includes an account of the stratigraphy and geologic history.

Shepherd, E. S.

The lime-silica series of minerals.—See Day and Shepherd, nos. 691, 692.

Discussion of paper by T. T. Read: The phase rule and conceptions of igneous magmas.—See Day and Shepherd, no. 693.

Die Kalkkieselreihe der Minerale.—See Day and others, no. 690.

Sheridan, Jo E.

2195. Report of the mine inspector for the Territory of New Mexico to the Secretary of the Interior for the year ended June 30, 1906. Washington, Government Printing Office, 1906. 87 pp.

Includes notes on the occurrence and character of coal seams and chemical analyses of coals.

2196. Report of the mine inspector for the Territory of New Mexico to the Secretary of the Interior for the fiscal year ended June 30, 1907. Washington, Government Printing Office, 1907. 48 pp.

Sherzer, William H.

2197. Glacial notes from the Canadian Rockies and Selkirks.—*Science*, new ser., vol. 23, pp. 351-354, March 2, 1906.

Describes the condition of various glaciers.

2197a. Glaciers of the Canadian Rockies and Selkirks.—*Smithsonian Contr. to Knowledge*, vol. 34, xii, 135 pp., 42 pls., 1907.

2198. The Lefroy, a parasitic glacier.—*Abstract: Geol. Soc. America, Bull.*, vol. 17, pp. 707-708, 1907.

2199. Origin of the massive block moraines in the Canadian Rockies and Selkirks.—*Abstract: Geol. Soc. America, Bull.*, vol. 17, p. 708, 1907.

Shimek, B.

2200. The loess and associated interglacial deposits.—*Abstract: Geol. Soc. America, Bull.*, vol. 16, p. 589, 1906.

2201. The loess of the Missouri River.—*Iowa Acad. Sci., Proc.*, vol. 14, pp. 237-256, 6 figs., 1907.

Discusses the origin of the loess, particularly the shells of the terrestrial mollusks in the loess.

Shimer, Hervey Woodburn.

2202. Old age in Brachiopoda, a preliminary study.—*Am. Naturalist*, vol. 40, pp. 95-121, 30 figs., February, 1906. *Abstract: Science*, new ser., vol. 23, p. 290, February 23, 1906; *Am. Assoc. Adv. Sci., Proc.*, vol. 55, p. 379, 1906.

Describes and illustrates the characters which mark old age in brachiopods.

2203. An almost complete specimen of *Strenuella strenua* (Billings).—*Am. Jour. Sci.*, 4th ser., vol. 23, pp. 199-201, 3 figs., March, 1907.

Describes a specimen of the trilobite *Strenuella strenua* from the lower Cambrian slates of Massachusetts.

2204. A lower-middle Cambrian transition fauna from Braintree, Mass.—*Am. Jour. Sci.*, 4th ser., vol. 24, pp. 176-178, 1 fig., August, 1907.

2205. The broader features of the geologic history of North America in diagram.—*Tech. Quart.*, vol. 20, no. 3, pp. 287-291, 1 fig., September, 1907.

North American index fossils.—See Grabau and Shimer, nos. 1005, 1006.

Siebenthal, C. E.

2206. Alluvial slopes.—*Science*, new ser., vol. 23, pp. 748-749, May 11, 1906.

2207. Gypsum of the Uncompahgre region, Colorado.—*U. S. Geol. Survey, Bull.* no. 285, pp. 401-403, 1 fig., 1906.

Describes the general geology and the occurrence and relations of the gypsum beds.

2208. Gypsum deposits of the Laramie district, Wyoming.—*U. S. Geol. Survey, Bull.* no. 285, pp. 404-405, 1906.

Describes the occurrence and character of deposits of rock gypsum and gypsite.

2209. Bentonite of the Laramie basin, Wyoming.—*U. S. Geol. Survey, Bull.* no. 285, pp. 445-447, 1906.

Describes the physical characters, composition, and uses of the clay and the geologic occurrence and distribution of the deposits.

2210. Notes on glaciation in the Sangre de Cristo Range, Colorado.—*Jour. Geology*, vol. 15, no. 1, pp. 15-22, 6 figs., 1907.

Describes various evidence of glaciation in the Sangre de Cristo Range and shows that the morainic remains indicate two periods of glaciation.

2211. Coal of Laramie basin, Wyoming.—*U. S. Geol. Survey, Bull.* no. 316, pp. 261-263, 1907.

Description of the Joplin district.—See Smith and Siebenthal, no. 2251.

Silver, L. P.

2212. The Animikie iron range.—Ontario, Bur. Mines, Rept., 1906, vol. 15, pt. 1, pp. 156-172, 6 figs., 1 map, 1906.

Describes the occurrence, character, and relations of the pre-Cambrian rocks, and the character and composition of the iron ores, and discusses their origin.

Sinclair, William J.

2213. Some Edentate-like remains from the Mascall beds of Oregon.—California Univ., Dept. Geol., Bull., vol. 5, no. 2, pp. 65-66, 3 figs., 1906.

2214. Volcanic ash in the Bridger beds of Wyoming.—Am. Mus. Nat. Hist., Bull., vol. 22, pp. 273-280, 4 pls., 1906.

Describes the general features of the geology, the lithologic and stratigraphic classification of the Bridger group, and the mode of accumulation of the Bridger beds.

Tertiary faunas of the John Day region.—See Merriam and Sinclair, no. 1717.

Slichter, Charles S.

2215. The underflow in Arkansas Valley in western Kansas.—U. S. Geol. Survey, W.-S. and Irrig. Paper no. 153, 90 pp., 3 pls., 24 figs., 1906.

Slichter, Charles S., and Wolff, H. C.

2216. The underflow of the South Platte Valley.—U. S. Geol. Survey, W.-S. and Irrig. Paper no. 184, 42 pp., 13 figs., 1906.

Sloan, Earle.

2217. A preliminary report on the clays of South Carolina.—South Carolina Geol. Survey, ser. 4, Bull. no. 1, 175 pp., 8 pls., 1904.

2218. Geology and mineral resources [of South Carolina].—Handbook of South Carolina, chapter 5, pp. 77-145, illus., South Carolina, State Dept. of Agriculture, Commerce, and Immigration, 1907.

Slocum, Arthur W.

2219. A list of Devonian fossils collected in western New York, with notes on their stratigraphic distribution.—Field Columbian Mus., Geol. Ser., vol. 2, no. 8, pp. 257-265, 2 pls., 1906.

2220. New processes of taking impressions of natural molds of fossils.—Science, new ser., vol. 25, pp. 591-592, April 12, 1907.

2221. New crinoids from the Chicago area.—Field Columbian Mus., Geol. Ser., vol. 2, no. 10, pp. 273-306, 6 pls., 11 figs., 1907 [issued Jan. 3, 1908].

Hypsocrinus, a new genus of crinoids from the Devonian.—See Springer and Slocum, no. 2268.

Smith, Carl D.

Ozokerite deposits in Utah.—See Taff and Smith, no. 2338.

Smith, Essie Alma.

2222. Development and variation of *Pentremites conoideus*.—Indiana, Dept. Geol. and Nat. Res., 30th Ann. Rept., pp. 1219-1242, 3 figs., 1906.

Includes a discussion of the dwarfing of the fauna of the Salem limestone.

Smith, Eugene A.

2223. Memoir of Henry McCalley.—Geol. Soc. America, Bull., vol. 16, pp. 555-558, 1906.

Includes a list of his writings.

2224. The overlap of the St. Stephens limestone on the lower Tertiary formations in Crenshaw and Pike counties, Ala.—Abstract: Science, new ser., vol. 23, pp. 287-288, February 23, 1906.

2225. On the Jackson anticlinal in Clarke County, Ala.—Abstract: Science, new ser., vol. 23, p. 288, February 23, 1906.

Smith, Eugene A.—Continued.

2226. On some post-Eocene and other formations of the Gulf region of the United States.—*Science*, new ser., vol. 23, pp. 481-491, March 30, 1906.

Describes the progress of geologic investigation of the Gulf coastal region since 1881, and particularly the stratigraphic position, relations, and genesis of the Grand Gulf formation.

2227. Sketch of the mineral resources of Alabama.—In "The Alabama Opportunity," published by the [Alabama] Department of Agriculture and Industries, pp. 169-184 [1906].

2228. On some post-Eocene and other formations of the Gulf region of the United States.—*Am. Assoc. Adv. Science, Proc.*, vol. 55, pp. 357-374, 1906.

Discusses particularly the stratigraphic position, character, and genesis of the Grand Gulf formation.

2229. The underground water resources of Alabama.—*Alabama Geol. Survey* [Bull. no. 9 (?)], 388 pp., 30 pls., 23 figs., 1907.

Describes the physical geography, geology, and climate of the State, the occurrence, character, and geologic horizon of the underground waters of each county, and discusses the classification and composition of the waters.

Smith, George Otis.

2230. Two occurrences of graphite [in Maine].—Abstract: *Science*, new ser., vol. 23, pp. 915-916, June 15, 1906.

2231. Graphite in Maine.—*U. S. Geol. Survey, Bull.* no. 285, pp. 480-483, 1906.

Describes the occurrence and character of two deposits of graphite in western Maine, and discusses their origin and economic value.

2232. Review of "Economic Geology of the United States," by H. Ries.—*Econ. Geol.*, vol. 1, no. 7, pp. 719-725, 1906.

2233. The occurrence of granite in Maine.—*U. S. Geol. Survey, Bull.* no. 313, pp. 7-12, 1907.

2234. Note on a mineral deposit in Maine.—*U. S. Geol. Survey, Bull.* no. 315, pp. 118-119, 1907.

2235. Twenty-eighth annual report of the Director of the United States Geological Survey to the Secretary of the Interior for the fiscal year ended June 30, 1907. Washington, 1907. 80 pp., 1 pl.

An administrative report outlining the operations of the U. S. Geological Survey during the fiscal year ended June 30, 1907.

2236. Methods of igneous intrusion.—Abstract: *Science*, new ser., vol. 25, p. 623, April 19, 1907.

2237. Relations of Geological Survey to mining industry.—*Min. World*, vol. 27, pp. 924-926, November 23, 1907.

2238. The possibilities and limitations of Geological Survey work as applied to mining industry.—*Min. and Sci. Press*, vol. 95, pp. 652-654, November 23, 1907.

2239. The work of the U. S. Geological Survey.—*Eng. and Min. Jour.*, vol. 84, pp. 1019-1020, November 30, 1907.

The production in the United States, in 1905, of asbestos, of graphite, and of mica.—See no. 2418.

The production in the United States in 1906 of graphite.—See no. 2419.

Smith, George Otis, and Calkins, Frank Cathcart.

2240. Description of the Snoqualmie quadrangle [Washington].—*U. S. Geol. Survey, Geol. Atlas of U. S.*, folio no. 139, 14 pp., 3 maps, 1 columnar-sections sheet, 1906.

Describes the geographic and physical features, the occurrence, character, and relations of pre-Tertiary and Tertiary sedimentary and igneous rocks, the geologic structure and history, and the economic resources, chiefly coal.

Smith, George Otis, Bastin, Edson S., and Brown, Charles W.

2241. Description of the Penobscot Bay quadrangle [Maine].—U. S. Geol. Survey, Geol. Atlas of U. S., folio no. 149, 14 pp., 2 maps and structure-section sheet, 1907.

Describes the topography, the occurrence, character, and relations of Cambrian and Silurian rocks, the geologic structure and history, and the economic resources.

Smith, James Perrin.

2242. The paragenesis of the minerals in the glaucophane-bearing rocks of California.—Am. Philos. Soc., Proc., vol. 45, pp. 183-242, 1906.

Describes the occurrence of glaucophane-bearing rocks in California, their mineral constituents and the alteration which they have undergone in the process of metamorphism, and the petrographic characters and derivation of the glaucophane-bearing rocks.

2243. The stratigraphy of the western American Trias.—Festschrift, Adolf v. Koenen, E. Schweizerbart'sche Verlagsbuchhandlung, Stuttgart, pp. 377-434, 1 pl., 1907.

Discusses principles of stratigraphic correlation and the correlation of Triassic strata based upon paleontologic data, and gives a summary of the later stratigraphy of western North America.

Smith, Leonard S.

2244. Water powers of northern Wisconsin.—U. S. Geol. Survey, W.-S. and Irrig. Paper no. 156, 145 pp., 5 pls., 5 figs., 1906.

Includes a brief general account of the geology of Wisconsin.

Smith, Philip S.

2245. Gold fields of the Solomon and Niukluk River basins [Alaska].—U. S. Geol. Survey, Bull. no. 314, pp. 146-156, 1907.

2246. Geology and mineral resources of Iron Creek [Alaska].—U. S. Geol. Survey, Bull. no. 314, pp. 157-163, 1 fig., 1907.

2247. The gray iron ores of Talladega County, Ala.—U. S. Geol. Survey, Bull. no. 315, pp. 161-184, 1907.

Smith, T. Elliott.

2248. El Oro, the premier gold camp of Mexico.—Min. World, vol. 24, no. 13, pp. 412-413, March 31, 1906.

Includes notes on the local geology and on the occurrence of gold ores.

Smith, W. S. Tangier.

2249. Igneous rocks of the northwestern Black Hills.—Abstract: Geol. Soc. America, Bull., vol. 17, p. 729, 1907.

2250. The administration of the U. S. Geological Survey.—Science, new ser., vol. 26, pp. 286-287, August 30, 1907.

Smith, W. S. Tangier, and Siebenthal, C. E.

2251. Description of the Joplin district [Missouri-Kansas].—U. S. Geol. Survey, Geol. Atlas of U. S., folio no. 148, 20 pp., 13 figs., 3 maps, mine maps and illustration sheets, 1907.

Describes the topography, the occurrence and character of Carboniferous strata and Quaternary deposits, the geologic structure and history, and the occurrence and genesis of the lead and zinc ores.

Smith, Warren D.

2252. Discussion of paper by Marius R. Campbell: Hypothesis to account for the transformation of vegetable matter into different grades of coal.—Econ. Geology, vol. 1, no. 6, pp. 581-583, 1906.

Smith, William S.

2253. Mineral resources of Uintah Reservation [Utah].—Min. World, vol. 23, no. 18, pp. 491-492, 1 fig., November 4, 1905.

Smyth, Henry Lloyd.

2254. The relations between gold and pyrite.—Min. and Sci. Press, vol. 93, pp. 58-59, 4 figs., July 14, 1906.

Discusses the relations between pyrite and gold in ore-bearing veins.

2255. Magnetic observations in geological and economic work. I.—Econ. Geology, vol. 2, no. 4, pp. 367-379, 5 figs., June, 1907.

Snedaker, J. A.

2256. Copper mines in Colorado.—Eng. and Min. Jour., vol. 83, pp. 817-818, April 27, 1907.

Solórzano, M. M., and Hobson, Bernard.

2257. Plant remains in basalt, Mexico.—Geol. Mag., dec. 5, vol. 4, no. 5, pp. 217-219, 1 pl., May, 1907.

Sovereign, L. Douglas.

2258. Valuable crystals and rare minerals of San Diego County, California.—Min. World, vol. 23, no. 19, pp. 521-522, November 11, 1905.

Spandel, Erich.

2259. Die Foraminiferen des Permo-Carbon von Hooser, Kansas, Nord Amerika.—Saecular-Feier der Naturhistorischen Gesellschaft in Nürnberg, 1801-1901, Festschrift, pp. 175-194, 10 figs., [1901].

Spencer, Arthur Coe.

The magmatic origin of vein-forming waters in southeastern Alaska.—Am. Inst. Min. Eng., Trans., vol. 36, pp. 364-371, 1906 (Bi-Mo. Bull. no. 5, pp. 971-978, 1905).—See Spencer, 17, page 315 of Bulletin no. 301, U. S. Geol. Survey.

The origin of vein-filled openings in southeastern Alaska.—Am. Inst. Min. Eng., Trans., vol. 36, pp. 581-586, 3 figs., 1906 (Bi-Mo. Bull. no. 6, pp. 1211-1216, 3 figs., 1905).—See Spencer, 18, page 315 of Bulletin no. 301, U. S. Geol. Survey.

2260. What is a fissure vein?—Econ. Geology, vol. 1, no. 3, p. 286, December-January, 1905-1906.

2261. The Juneau gold belt, Alaska.—U. S. Geol. Survey, Bull. no. 287, pp. 1-137, 34 pls. (incl. maps), 37 figs., 1906.

Describes the geography, the general geology and geologic structure, the occurrence, character, relations, and origin of the ore deposits, the associated minerals, and the economic developments.

2262. Magnetite deposits of the Cornwall type in Berks and Lebanon counties, Pa.—U. S. Geol. Survey, Bull. no. 315, pp. 185-189, 1907.

Discusses more particularly the occurrence and origin of the iron ores.

Spencer, Joseph William Winthrop.

2263. [Report on] Niagara Falls and Niagara district.—Canada Geol. Survey, Summ. Rept. for 1905, pp. 87-91, 1906.

Gives various data in regard to Niagara Falls.

2264. The Jamaica earthquake.—Abstract: Science, new ser., vol. 25, pp. 966-967, June 21, 1907.

2265. Recession of the Niagara Falls.—Geol. Mag. dec. 5, vol. 4, no. 10, pp. 440-441, October, 1907.

2266. The Falls of Niagara, their evolution and varying relations to the Great Lakes; characteristics of the power and the effect of its diversion.—Canada, Geol. Survey, 1907. 400 pp., 43 pls., 30 figs., 1 map.

Springer, Frank.

2267. Discovery of the disk of *Onychocrinus*, and further remarks on the Crinoidea Flexibilia.—*Jour. Geology*, vol. 14, no. 6, pp. 467-523, 4 pls., 1906.

Describes the ventral structure of *Onychocrinus* and discusses the relation of various members of the Flexibilia and the evolution of certain structural features. Gives a synoptic arrangement of the genera.

Springer, Frank, and Slocum, Arthur Ware.

2268. *Hypsocrinus*, a new genus of crinoids from the Devonian.—*Field Columbian Mus., Geol. Ser.*, vol. 2, no. 9, pp. 267-271, 1 pl., 1906.

Spurr, Josiah Edward.

Genetic relations of the western Nevada ores.—*Am. Inst. Min. Eng., Trans.*, vol. 36, pp. 372-402, 1906 (*Bi-Mo. Bull.* no. 5, pp. 939-969, 1905).—See Spurr, 31, page 319 of *Bulletin* no. 301, U. S. Geol. Survey.

2269. What is a fissure vein?—*Econ. Geology*, vol. 1, no. 3, pp. 282-285, December-January, 1905-1906.

2270. The southern Klondike district, Esmeralda County, Nev. A study in metalliferous quartz veins of magmatic origin.—*Econ. Geology*, vol. 1, no. 4, pp. 369-382, 1 fig., 1906.

Describes the general geology, the character of the igneous rocks, and the occurrence and origin of the gold and silver ores.

2271. Ore deposits of the Silver Peak quadrangle, Nevada.—*U. S. Geol. Survey, Prof. Paper* no. 55, 174 pp., 24 pls., 40 figs., 1906.

Describes the character, occurrence, and relations of Cambro-Ordovician, Tertiary, and Quaternary sediments, of pre-Tertiary igneous rocks, of Tertiary and Quaternary lavas, and of the gold and silver ores and other economic minerals, and the mining operations, and discusses the genetic relations of ore deposits and the theory of metalliferous veins of magmatic quartz.

2272. How should faults be named and classified?—*Econ. Geology*, vol. 2, no. 2, pp. 182-184, no. 6, pp. 601-602, 1907.

2273. A theory of ore deposition.—*Econ. Geology*, vol. 2, no. 8, pp. 781-795, 1907.

2274. The Goldfields district, Nevada.—*Abstract: Franklin Inst., Jour.*, vol. 164, no. 2, pp. 155-160, August, 1907.

Describes the geology and the character, occurrence, and origin of the ores.

Spurr, Josiah Edward, and Garrey, George H.

2275. The Idaho Springs mining district, Colorado.—*U. S. Geol. Survey, Bull.* no. 285, pp. 35-40, 1906.

Describes the general geology, the placer deposits, the character and occurrence of the ores, and the types of veins.

Stafford, O. F.

2276. The mineral resources and mineral industry of Oregon for 1903.—*Oregon Univ., Bull.*, new ser., vol. 1, no. 4, 112, viii pp., 5 pls., 1904.

Stanley, F. C.

On the chemical composition of amphibole.—See Penfield and Stanley, no. 1893.

Stauffer, Clinton R.

2277. The Hamilton in Ohio.—*Jour. Geology*, vol. 15, no. 6, pp. 590-596, 1907.

Describes the occurrence, character, and relations of various Devonian formations of the State of Ohio, more particularly those considered to be of Hamilton age.

2278. The Devonian limestones of central Ohio and southern Indiana.—*Ohio Naturalist*, vol. 7, no. 8, pp. 184-186, June, 1907.

Discusses the correlation of Devonian formations on the opposite sides of the Cincinnati anticline.

Stead, Geoffrey.

2279. Notes on a grindstone quarry at Stonehaven, Gloucester Co., N. B.—New Brunswick Nat. Hist. Soc., Bull., no. XXIV (vol. 5, pt. 4), pp. 407-408, 1906.

Describes briefly the position of the rock and the strain found in it, when quarried.

Stearns, Robert E. C.

2280. Fossil Mollusca from the John Day and Mascall beds of Oregon.—California Univ., Dept. Geol., Bull., vol. 5, no. 3, pp. 67-70, 4 figs, 1906.

Stephenson, L. W.

2281. Some facts relating to the Mesozoic deposits of the coastal plain of North Carolina.—Johns Hopkins Univ. Circ., new ser., 1907, no. 7, pp. 93-99 [681-687], 1907.

Sterki, V.

2282. Fossil land and fresh water Mollusca collected in Defiance County, Ohio.—Ohio Naturalist, vol. 7, no. 5, pp. 110-111, March, 1907.

Gives a list of the species identified from deposits supposed to be loess.

Sternberg, Charles H.

2283. The Loup Fork Miocene of western Kansas.—Kansas Acad. Sci., Trans., vol. 20, pt. 1, pp. 71-74, 1906.

Gives notes upon the physical character of and the occurrence of vertebrate fossils in these beds.

2284. *Portheus molossus*, Cope, and other fishes from the Kansas chalk.—Abstract: Science, new ser., vol. 25, p. 295, February 22, 1907.

2285. The great inferior tusked mastodon of the Loup Fork Miocene.—Science, new ser., vol. 25, pp. 971-972, June 21, 1907.

2286. Some animals discovered in the fossil beds of Kansas.—Kansas Acad. Sci., Trans., vol. 20, pt. 2, pp. 122-124, 1907.

Gives notes upon vertebrate fossils from western Kansas and states in what museums they are now preserved.

Sterrett, Douglas B.

2287. Mica deposits of western North Carolina.—North Carolina Geol. and Econ. Survey, Econ. Paper no. 14, pp. 82-107, 5 figs., 1907.

2288. Mica deposits of western North Carolina.—U. S. Geol. Survey, Bull. no. 315, pp. 400-422, 5 figs., 1907.

2289. Monazite in North Carolina, South Carolina, and Georgia.—U. S. Geol. Survey, Mineral Resources for 1906, pp. 1196-1204, 1907.

Describes the geologic occurrence and relations of monazite deposits.

The production in the United States in 1906 of mica; of monazite and zircon; and of precious stones.—See no. 2419.

Stevens, Horace J.

2290. The copper handbook. A manual of the copper industry of the world. Compiled and published by Horace J. Stevens, Houghton, Mich., 1906.

Contains a chapter on the geology of copper, pp. 21-26.

2291. Mines of the Lake Superior copper district.—Lake Superior Min. Inst., Proc., vol. 12, pp. 8-24, 8 figs., 1907.

Contains notes on the geology of the Lake Superior copper district of Michigan.

Stevenson, John J.

2293. A bit of Quaternary geology [Vermont].—Abstract: Science, new ser., vol. 23, p. 388, March 9, 1906.

Stevenson, John J.—Continued.

2294. Carboniferous of the Appalachian basin.—*Geol. Soc. America, Bull.*, vol. 17, pp. 65-228, 1906.

Discusses the distribution, character, nomenclature, and correlation of Carboniferous formations in the Appalachian region.

2295. Carboniferous of the Appalachian basin.—*Geol. Soc. America, Bull.*, vol. 18, pp. 29-178, 1907.

Describes the distribution and correlation of the members of the Monongahela and Dunkard formations in Pennsylvania, West Virginia, and Ohio.

2296. A bit of Quaternary geology.—*Abstract: New York Acad. Sci., Annals*, vol. 17, pt. 3, p. 609, 1907.

Describes a small area in northwestern Vermont.

Stewart, John L.

2297. Ore deposits and industrial supremacy.—*Econ. Geology*, vol. 1, no. 3, pp. 257-264, December-January, 1905-1906.

Stieglitz, J.

2298. On the relations of equilibrium between the carbon dioxide of the atmosphere and calcium sulphate and calcium carbonate and bicarbonate in solutions in water in contact with it.—*Abstract: Carnegie Inst. of Washington, Yearb.* no. 5, pp. 171-172, 1907.

Stines, Norman S.

2299. The geology of the Coffee Creek mining district [California].—*Min. and Sci. Press*, vol. 95, pp. 25-26, July 6, 1907.

Stokes, H. N.

2300. Experiments on the solution, transportation, and deposition of copper, silver, and gold.—*Econ. Geology*, vol. 1, no. 7, pp. 644-650, 1906.

Describes chemical experiments made to determine conditions and modes of ore deposition.

2301. Experiments on the action of various solutions on pyrite and marcasite.—*Econ. Geology*, vol. 2, no. 1, pp. 14-23, 1907.

Stokes, Ralph.

2302. Mining in the Boundary copper field.—*Min. World*, vol. 27, pp. 179-182, 5 figs., August 3, 1907.

Includes notes on the geology, and the occurrence of the ores.

2303. The Cobalt silver field as an industry.—*Min. World*, vol. 27, pp. 306-309, 346-349, 427-429, 17 figs., 1907.

Includes notes on the geology and the occurrence of the ores.

2304. The Sudbury nickel-copper field, Ontario.—*Min. World*, vol. 27, pp. 507-510, 553-555, 8 figs., 1907.

2305. The asbestos industry of Quebec.—*Min. World*, vol. 27, pp. 637-639, 799-801, 9 figs., 1907.

2306. The St. Eugene silver-lead mine, British Columbia.—*Min. World*, vol. 27, pp. 967-968, 1 fig., November 30, 1907.

2307. Mining in the Rossland district, British Columbia.—*Min. World*, vol. 27, pp. 1083-1084, 1123-1125, 4 figs., 1907.

Stone, Ralph W.

2308. Coal fields of the Kachemak Bay region [Alaska].—*U. S. Geol. Survey, Bull.* no. 277, pp. 55-73, 5 pls., 1 fig., 1906.

Gives a history of the coal mining in the region, and describes the general geology and in detail the occurrence and character of the coal deposits and the composition and fuel value of the coals.

Stone, Ralph W.—Continued.

2309. Reconnaissance from Circle to Fort Hamlin [Alaska].—U. S. Geol. Survey, Bull. no. 284, pp. 128-131, 1906.

Gives an account of the geography and geology of the region traversed.

2310. The Elkhorn coal field, Kentucky.—U. S. Geol. Survey, Bull. no. 316, pp. 42-54, 1 pl., 1907.

2311. The Russell Fork coal field, Virginia.—U. S. Geol. Survey, Bull. no. 316, pp. 55-67, 1 pl., 1907.

2312. Coal mining in Dante, Va.—U. S. Geol. Survey, Bull. no. 316, pp. 68-75, 1 fig., 1907.

Describes the stratigraphy, and the occurrence, character, composition, and mining of the coals.

2313. The Pine Mountain fault.—Abstract: Science, new ser., vol. 25, p. 620, April 19, 1907.

Stone, Ralph W., and Clapp, Frederick G.

2314. Oil and gas fields of Greene County, Pa.—U. S. Geol. Survey, Bull. no. 304, 110 pp., 3 pls., 7 figs., 1907.

Storms, W. H.

2315. Earthquake lines.—Min. and Sci. Press, vol. 92, p. 289, 2 figs., May 5, 1906.

Describes the geologic structure to which the California earthquake of April 18, 1906, was due.

2316. Gold veins in granite in California.—Min. and Sci. Press, vol. 92, p. 348, May 26, 1906.

2317. The Black Hills of South Dakota.—Min. World, vol. 24, pp. 242, 272-273, 303-304, 1906.

Gives a description of the geology of the Black Hills region and of its ore deposits.

Stose, George W.

2318. The sedimentary rocks of South Mountain, Pennsylvania.—Jour. Geology, vol. 14, no. 3, pp. 201-220, 3 figs., 1906.

Describes the topography, stratigraphy, and geologic structure of the region. Gives a table of the geologic formations, showing their thickness, character, and relations.

2319. The glass-sand industry in eastern West Virginia.—U. S. Geol. Survey, Bull. no. 285, pp. 473-475, 1906.

Describes the geologic relations, character, and occurrence of the sand rock of eastern West Virginia and the economic development.

2320. White clays of South Mountain, Pennsylvania.—U. S. Geol. Survey, Bull. no. 315, pp. 322-334, 1 fig., 1907.

2321. Phosphorus ore at Mount Holly Springs, Pa.—U. S. Geol. Survey, Bull. no. 315, pp. 474-483, 1907.

The production in the United States in 1906 of phosphorus.—See no. 2419.

Stotesbury, Harold W.

The Yak mining, milling, and tunnelling company, Leadville, Colorado.—See Armington and Stotesbury, no. 55.

Stout, W. H.

2322. Report of the geologist.—Pennsylvania, Dept. Agric., 11th Ann. Rept., pp. 455-457, 1906.

Gives notes upon the geology of Pennsylvania.

2323. Geology as related to agriculture.—Pennsylvania, Dept. Agric., 12th Ann. Rept., pp. 470-471, 1907.

Sullivan, E. C.

2324. The secondary enrichment of copper-iron sulphides.—*Am. Inst. Min. Eng., Bi-Mo. Bull.* no. 13, pp. 143-145, January, 1907.

2325. The interaction between minerals and water solutions with special reference to geologic phenomena.—*U. S. Geol. Survey, Bull.* no. 312, 69 pp., 1907.

Surface, G. T.

2326. Physiography of Virginia.—*Am. Geog. Soc., Bull.*, vol. 38, no. 12, pp. 741-753, December, 1906.

Describes the geologic history and the physiographic evolution of the State of Virginia.

2327. Geography of Virginia.—Philadelphia, *Geog. Soc., Bull.*, vol. 5, no. 4, pp. 1-60, 1 pl., October, 1907.

Includes an account of the topographic features and of the mineral resources.

Swartz, Charles K.

2328. The Ithaca fauna of Maryland.—*Johns Hopkins Univ. Circ.*, new ser., 1907, no. 7, pp. 50-55 [638-643], 1907.

2329. The relation of the Columbus and Sandusky formations of Ohio.—*Johns Hopkins Univ. Circ.*, new ser., 1907, no. 7, pp. 56-65 [644-653], 1907.

Taber, C. A. M.

2330. The cause of geologic periods. Boston, *Geo. H. Ellis Co.*, 1907. 68 pp.

Taber, Stephen.

2331. Some local effects of the San Francisco earthquake.—*Jour. Geology*, vol. 14, no. 4, pp. 303-315, 9 figs., 1906. See also *Jordan*, no. 1325.

Describes the faulting which produced the earthquake and its movements, as shown by various local displacements.

Taff, Joseph A.

2332. Description of the Muscogee quadrangle [Indian Territory].—*U. S. Geol. Survey, Geol. Atlas of U. S.*, folio no. 132, 7 pp., 1 fig., 3 maps, 1 columnar section sheet, 1906.

Describes the physiographic features, the occurrence, character, and relations of pre-Cambrian, pre-Carboniferous, and Carboniferous formations, the geologic structure and history, and the economic resources.

2333. Natural coke in the Wasatch Plateau.—*Abstract: Science*, new ser., vol. 23, p. 696, May 4, 1906.

2334. Notes on the Weber River coal field, Utah.—*U. S. Geol. Survey, Bull.* no. 285, pp. 285-288, 1906.

Describes the stratigraphy and structure of the field, and the occurrence, character, and composition of the coals.

2335. Book Cliffs coal field, Utah, west of Green River.—*U. S. Geol. Survey, Bull.* no. 285, pp. 289-302, 1 pl. (map), 1906.

Describes the stratigraphy and structure of the field, and the occurrence, character, and composition of the coals.

2336. The Durango coal district, Colorado.—*U. S. Geol. Survey, Bull.* no. 316, pp. 321-337, 1 pl., 1907.

2337. The Pleasant Valley coal district, Carbon and Emery counties, Utah.—*U. S. Geol. Survey, Bull.* no. 316, pp. 338-358, 1 pl., 1907.

The production in the United States in 1906 of asphalt and bituminous rock.—See no. 2419.

Taff, Joseph A., and Smith, Carl D.

2338. Ozokerite deposits in Utah.—*U. S. Geol. Survey, Bull.* no. 285, pp. 369-372, 1906.

Describes the geologic relations of the deposits, the character of the mineral, and the economic developments.

Taft, H. H.

2339. Goldfield and Tonopah.—Eng. and Min. Jour., vol. 81, pp. 557-558, March 24, 1906.

Includes notes on the general geology and the occurrence of the gold ores.

2340. Notes on Inyo County, California.—Eng. and Min. Jour., vol. 81, pp. 704-705, April 14, 1906.

Contains notes on the geology and physiography of the area and on the occurrence of borax deposits.

2341. Mining in southern Nevada. A region that includes the mining districts of Goldfield, Bullfrog, Tonopah, Death Valley, etc.—Mines and Minerals, vol. 26, no. 11, pp. 515-518, 2 figs., June, 1906.

Includes notes on the geology of the region.

2342. Notes on southern Nevada and Inyo County, California.—Am. Inst. Min. Eng., Trans., vol. 37, pp. 178-197, 1907.

Talmage, J. E.

2343. Seismographs in Utah.—Science, new ser., vol. 26, pp. 556-558. October 25, 1907.

Includes notes on the geology in the vicinity of Salt Lake City.

Tarr, R. P.

2344. The Washington coal situation.—Eng. and Min. Jour., vol. 83, p. 1010, May 25, 1907.

2345. The Montana coal situation.—Eng. and Min. Jour., vol. 84, pp. 550-551, September 21, 1907.

Includes notes on the occurrence, character, and composition of coals.

Tarr, Ralph S.

2346. The Yakutat Bay region [Alaska].—U. S. Geol. Survey, Bull. no. 284, pp. 61-64, 1906.

Describes the geography, stratigraphy, and the economic resources—petroleum, coal, and gold.

2347. Glacial erosion in the Finger Lake region of central New York.—Jour. Geology, vol. 14, no. 1, pp. 18-21, 1906.

Presents further evidence that the Finger Lake valleys are due to glacial erosion.

2348. Watkins Glen and other gorges of the Finger Lake region of central New York.—Pop. Sci. Monthly, vol. 68, no. 5, pp. 387-397, 8 figs., May, 1906.

Describes the topography of the region and explains the formation of the gorges.

2349. The advancing Malaspina Glacier.—Science, new ser., vol. 25, pp. 34-37, January 4, 1907.

Describes changes in the condition of the glacier due to its advance.

2350. Second expedition to Yakutat Bay, Alaska.—Philadelphia Geog. Soc., Bull., vol. 5, no. 1, pp. 1-14, 4 pls., 1 fig., January, 1907.

Describes the glaciers in this region.

2351. Glacial erosion in Alaska.—Pop. Sci. Monthly, vol. 70, no. 2, pp. 99-110, 14 figs., February, 1907.

Discusses the origin of various physiographic features.

2352. Recent advance of glaciers in the Yakutat Bay region, Alaska.—Geol. Soc. America, Bull., vol. 18, pp. 257-286, 17 pls., 1907.

2353. The Malaspina Glacier.—Am. Geog. Soc., Bull., vol. 39, no. 5, pp. 273-285, 5 figs., May, 1907.

2354. Recent changes in the Malaspina and other glaciers of the Yakutat Bay region, Alaska.—Abstract: Science, new ser., vol. 25, p. 770, May 17, 1907.

2355. Earthquakes and their causes. In San Francisco's Great Disaster, by Sydney Tyler, pp. 17-43, 1906.

Tarr, Ralph S., and Martin, Lawrence.

2356. Recent changes of level in the Yakutat Bay region, Alaska.—Geol. Soc. America, Bull., vol. 17, pp. 29-64, 12 pls., 2 figs., 1906.

Presents physiographic, biological, and other evidences of changes of level in the vicinity of Yakutat Bay, Alaska, produced by an earthquake in 1899.

2357. Recent change of level in Alaska.—Geog. Jour., vol. 28, no. 1, pp. 30-43, 9 figs., July, 1906.

2358. Glaciers and glaciation of Yakutat Bay, Alaska.—Am. Geog. Soc., Bull., vol. 38, no. 3, pp. 145-167, 25 figs., March, 1906. Abstract: *ibid.*, vol. 38, no. 2, pp. 99-101, February, 1906.

2359. Position of Hubbard Glacier front in 1792 and 1794.—Am. Geog. Soc., Bull., vol. 39, no. 3, pp. 129-136, 3 figs., March, 1907.

Tassin, Wirt.

2360. Note on an occurrence of graphitic iron in a meteorite.—U. S. Nat. Mus., Proc., vol. 31, pp. 573-574, 1 fig., 1906.

Contributions to the study of the Canyon Diablo meteorites.—See Merrill and Tassin, no. 1744.

Taylor, Arthur E.

2361. On the peat deposits of northern Indiana.—Indiana, Dept. Geol. and Nat. Res., 31st Ann. Rept., pp. 73-298, 10 pls., 44 figs., 1907.

Taylor, Frank Bursley.

2362. Relation of Lake Whittlesey to the Arkona beaches.—Michigan Acad. Sci., 7th Rept., pp. 29-36, 1 fig., 1905. Abstract: Geol. Soc. America, Bull., vol. 16, pp. 587-589, 1906.

Describes the glacial lakes antecedent to Lake Michigan and the occurrence and relations of the beaches by which their existence has been determined.

2363. A short history of the Great Lakes.—In Dryer's Studies in Indiana Geography, pp. 90-111, 4 figs., 1907. See no. 745.

2364. Distribution of drumlins and its bearing upon their origin.—Abstract: Geol. Soc. America, Bull., vol. 17, p. 726, 1907.

Taylor, Thomas U.

2365. Underground waters of the coastal plain of Texas.—U. S. Geol. Survey, W.-S. and Irrig. Paper no. 190, 73 pp., 3 pls., 1907.

Teller, Edgar E.

2366. Notes on the fossil fish-spine, *Phlyctenacanthus telleri* (Eastman).—Wisconsin Nat. Hist. Soc., Bull., new ser., vol. 4, pp. 162-167, 5 pls., October, 1906.

Tertsch, H.

2367. Optische Untersuchung von Hornblenden und Titanit aus Essexit von Montreal [Canada].—Tschermaks Mineral. u. Petrog. Mitt., Bd. 25, Heft 6, pp. 458-482, 8 figs., 1907.

Describes the optical characters of hornblende and titanite in essexite from Montreal, Quebec.

Thevenin, A.

Types du Prodrôme de Paléontologie stratigraphique universelle de D'Orbigny.—See Boule and Thevenin, no. 270.

Thomas, Kirby.

2368. Mexican coal deposits.—Min. World, vol. 22, no. 18, p. 472, May 6, 1905.

Thompson, Phillips.

2369. Iron ore in Ontario.—Eng. and Min. Jour., vol. 81, pp. 719-720, April 14, 1906.

Gives notes upon the occurrence and character of the iron ores.

2370. The Sudbury nickel region.—Eng. and Min. Jour., vol. 82, pp. 3-4, 2 figs., July 7, 1906.

Describes the geology and occurrence of the nickel ores of the Sudbury region, Ontario.

2371. Coal in Alberta.—Eng. and Min. Jour., vol. 82, p. 924, November 17, 1906.

Describes the occurrence of coal beds in Alberta, Canada.

Thomson, Elihu.

2372. The nature and origin of volcanic heat.—Science, new ser., vol. 24, pp. 161-166, August 10, 1906.

Tiffany, J. E.

2373. Virginia anthracite field. A region showing coal formations, the values of which have not yet been thoroughly proved by prospecting.—Mines and Minerals, vol. 26, no. 8, pp. 349-350, March, 1906.

Tight, W. G.

2374. Pleistocene phenomena in the Mississippi basin; a working hypothesis.—Abstract: Geol. Soc. America, Bull., vol. 17, p. 730, 1907.

2375. Preglacial drainage in the Mississippi Valley; a working hypothesis.—Abstract: Science, new ser., vol. 25, pp. 772-773, May 17, 1907.

Tilghman, Benjamin Chew.

2376. Coon Butte, Arizona.—Philadelphia Acad. Nat. Sci., Proc., vol. 57, pt. 3, pp. 887-914, 1906.

Discusses the origin of the "crater" at this locality.

The geology of Coon Butte, Arizona.—See Barringer and Tilghman, no. 153.

Todd, James E.

2377. Some variant conclusions in Iowa geology.—Iowa Acad. Sci., Proc., vol. 13, pp. 183-186, 1906.

Discusses certain geologic features in Iowa upon which the writer has reached different conclusions from those previously recorded by others.

2378. More light on the origin of the Missouri River loess.—Iowa Acad. Sci., Proc., vol. 13, pp. 187-194, 1906.

Describes a deposit in South Dakota formed in Lake Dakota in late glacial time and discusses the bearing of the evidence it offers and that of similar deposits upon the origin of the loess.

2379. Recent alluvial changes in southwestern Iowa.—Iowa Acad. Sci., Proc., vol. 14, pp. 257-266, 3 figs., 1907.

2380. Effects of certain characteristics of rocks on their érosion.—Iowa Acad. Sci., Proc., vol. 14, pp. 267-270, 1907.

Tolman, Cyrus F., jr.

2381. Methods of investigating problems in faulting.—Min. Mag., vol. 13, no. 2, pp. 99-108, 6 figs., February, 1906.

2382. How should faults be named and classified?—Econ. Geology, vol. 2, no. 5, pp. 506-511, 1907.

Tomlinson, W. H.

2383. Determination of minerals by petrographical methods.—Mineral Collector, vol. 13, no. 6, pp. 89-90, August, 1906.

Tovote, W.

2384. Das Pechblende-Vorkommen in Gilpin County, Colorado.—Oesterreichische Zeitschr. f. Berg- und Hüttenw., Jg. 54, no. 18, pp. 223-224, May 5, 1906.

Describes the local geology and the occurrence of pitchblende in Gilpin County, Colorado.

2385. Ein Ausflug durch Boulder County, Colorado.—Oesterreichische Zeitschr. f. Berg- und Hüttenw., Jg. 54, no. 22, pp. 281-283, 2 figs., June 2, 1906.

Gives notes on the local geology and on the occurrence of the wolfram ores.

2386. Gold Road, die bedeutendste Goldgrube Arizonas.—Oesterreichische Zeitschr. f. Berg- und Hüttenw., Jg. 54, no. 42, pp. 549-550, October 20, 1906.

Describes the occurrence of gold and the mining operations at Gold Road, Arizona.

Tower, Walter Sheldon.

2387. Regional and economic geography of Pennsylvania. I, Physiography.—Philadelphia Geog. Soc., Bull., vol. 4, no. 2, pp. 9-28, 1 pl.; no. 3, pp. 1-24 (113-136), 1 pl.; no. 4, pp. 12-36 (193-217), 2 figs.; no. 5, pp. 25-35 (271-281), 1906.

2388. Regional and economic geography of Pennsylvania. Part 2. Coal mining and iron and steel industry.—Philadelphia Geog. Soc., Bull., vol. 5, no. 2, pp. 21-35, April, 1907.

Describes the structure of the anthracite and bituminous coal fields.

2389. Petroleum and minor mineral products in Pennsylvania.—Philadelphia, Geog. Soc., Bull., vol. 5, no. 3, pp. 24-41, July, 1907.

Travis, Charles.

2390. Pyrite from Cornwall, Lebanon County, Pennsylvania.—Am. Philos. Soc., Proc., vol. 45, pp. 131-148, 10 figs., 1906.

Describes crystallographic features of two varieties of Cornwall pyrite.

True, Frederick W.

2391. New name for *Pontoleon*.—Washington Biol. Soc., Proc., vol. 18, p. 253, 1905.

Proposes the name *Pontolis* in place of *Pontoleon*, preoccupied, given to a fossil seal lion from Oregon.

2392. Description of a new genus and species of fossil seal from the Miocene of Maryland.—U. S. Nat. Mus., Proc., vol. 30, pp. 835-840, 2 pls., 1906.

2393. Remarks on the type of the fossil cetacean *Agarophius pygmaeus* (Müller).—City of Washington, Smithsonian Inst., Publ. no. 1694, 1907. 8 pp., 1 pl.

2394. Observations on the type specimen of the fossil cetacean *Anoplonaassa forcipata* Cope.—Harvard Coll., Mus. Comp. Zool., Bull., vol. 51, no. 4, pp. 97-106, 3 pls., 1907.

Trumbull, L. W.

2395. Sulphur mining and refining in Wyoming.—Mines and Minerals, vol. 27, no. 7, pp. 314-316, 5 figs., February, 1907.

Includes notes on the occurrence and origin of the sulphur.

2396. Cement plaster industry in Wyoming.—Min. World, vol. 26, p. 387, 4 figs., March 23, 1907.

Turner, H. H.

2397. The times and places of earthquakes.—Pop. Sci. Monthly, vol. 68, no. 6, pp. 537-542, June, 1906.

Turner, H. W.

2398. The Terlingua quicksilver deposits.—Econ. Geology, vol. 1, no. 3, pp. 265-281, 3 figs., December-January, 1905-1906.

Describes the general geology, the geologic occurrence of the ore deposits, the character and extent of the lodes, the origin of the ores, and the associated minerals.

2399. The ore deposits of Copperopolis, California.—Econ. Geology, vol. 2, no. 8, pp. 797-799, 1907.

2400. The sodium nitrate deposits of the Colorado.—Min. and Sci. Press, vol. 94, pp. 634-635, 4 figs., May 18, 1907.

2401. Faulting in the Red Cloud mine [Idaho].—Min. and Sci. Press, vol. 95, pp. 747-748, 3 figs., December 14, 1907.

Includes notes on the occurrence of the lead-silver ores.

Turner, Scott.

2402. A simple classification of igneous rocks.—Min. and Sci. Press, vol. 94, pp. 404-405, March 30, 1907.

Tyler, Sydney.

2403. San Francisco's great disaster.—Philadelphia, P. W. Ziegler Co., 1906. 424 pp., illus.

Includes a chapter by R. S. Tarr on earthquakes and their causes. See no. 2355.

Tyrrell, J. Burr.

2404. A Canadian Department of Mines or Geological Survey.—Canadian Min. Inst., Jour., vol. 9, pp. 107-111, 1906.

2405. Vein formation at Cobalt, Ontario.—Canadian Min. Jour., vol. 28, no. 12 (new ser., vol. 1, no. 10), pp. 301-303, 3 figs., August 1, 1907.

2406. Concentration of gold in the Klondike.—Econ. Geology, vol. 2, no. 4, pp. 343-349, 2 figs., June, 1907; Canadian Min. Jour., vol. 28, no. 15 (new ser., vol. 1, no. 13), pp. 403-405, 4 figs., September 15, 1907.

Udden, Johan August.

2407. The origin of the small sand mounds in the Gulf coast country.—Science, new ser., vol. 23, pp. 849-851, June 1, 1906.

Describes occurrence and character of these mounds and suggests hypotheses for their explanation.

2408. Report on a geological survey of the lands belonging to the New York and Texas Land Company (Ltd.), in the upper Rio Grande embayment in Texas.—Augustana Library Publications, Rock Island, Ill.; no. 6, pp. 51-107, 7 pls., 1 map, 1907.

2409. A sketch of the geology of the Chisos country, Brewster County, Texas.—Univ. of Texas, Bull. no. 93 (Sci. ser. no. 11), 101 pp., April 15, 1907.

Describes the physiography of the region, the occurrence, character, relations, and economic value of Ordovician, Carboniferous, Cretaceous, and Tertiary strata, and of igneous rocks, the geologic structure and history, and the mineral resources, particularly quicksilver and coal.

Udden, Jon A.

2410. The Delafield drill core [Illinois].—Illinois State Geol. Survey, Bull. no. 4, pp. 203-211, 1907.

Gives notes upon the strata (coal measures) passed through in the drilling.

Ulrich, Edward Oscar.

2411. Systematic paleontology of the Pleistocene deposits of Maryland: Molluscoidea.—Maryland Geol. Survey, Pliocene and Pleistocene, pp. 210-212, 2 figs., 1906.

Ulrich, Edward Oscar, and Bassler, Ray S.

2412. New American Paleozoic Ostracoda. Notes and descriptions of upper Carboniferous genera and species.—U. S. Nat. Mus., Proc., vol. 30, pp. 149-164, 1 pl., 1906.

Underhill, B. M.

2413. The evolution of the horse.—Delaware County Institute of Science, vol. 2, no. 4, pp. 115-127, 2 figs., July, 1907; Sci. Am. Suppl., vol. 64, pp. 412-414, 5 figs., December 28, 1907.

Underhill, James.

2414. Areal geology of the lower Clear Creek (Colorado).—Colorado Univ., Studies, vol. 3, no. 4, pp. 263-376, 5 figs., 1906; Colorado Sci. Soc., Proc., vol. 8, pp. 103-122, 5 figs., 1906.

Describes the topography, the general geology, and the occurrence, characters, and relations of the metamorphosed igneous rocks occupying the area.

Upham, Warren.

2415. Quaternary history of the upper Mississippi Valley.—Abstract: Geol. Soc. America, Bull., vol. 17, pp. 725-726, 1907.

U. S. Department of Agriculture, Bureau of Soils.

2416. Soil survey field book. Field season, 1906. 319 pp.

Contains a classification of soils.

Field operations of the Bureau of Soils.—See Whitney, nos. 2570, 2571.

U. S. Geological Survey.

2417. The San Francisco earthquake and fire of April 18, 1906, and their effects on structures and structural materials.—U. S. Geol. Survey, Bull. no. 324, 170 pp., 57 pls., 2 figs., 1907.

Contains the following papers:

Preface, by Joseph A. Holmes, pp. xi-xii.

The earthquake as a natural phenomenon, by G. K. Gilbert, pp. 1-13.

The effects of the earthquake and fire on various structures and structural materials, by Richard L. Humphrey, pp. 14-61.

The effects of the earthquake and fire on buildings, engineering structures, and structural materials, by John S. Sewell, pp. 62-130.

The earthquake and fire and their effects on structural steel and steel-frame buildings, by Frank Soulé, pp. 131-158.

List of papers relating to the earthquake and fire, pp. 159-161.

2418. Mineral resources of the United States, calendar year 1905, 1403 pp., 1906.

Contains the following papers, largely statistical in character, relating to the production, condition of the industry, etc., but also in some cases containing notes on the geology and occurrence of the products treated:

Mineral products of the United States in 1904 and 1905, pp. 23-41.

Value, by States, of mineral products in 1905, by Wm. Taylor Thom, pp. 42-52.

(Metals.)

Antimony, by C. C. Schnatterbeck, pp. 435-439.

Bismuth, by C. C. Schnatterbeck, pp. 441-443.

Copper, by Charles Kirchhoff, pp. 343-362.

Gold and silver, by Waldemar Lindgren and others, pp. 113-341.

Production in the United States, by Waldemar Lindgren, pp. 113-127.

Alaska, by Alfred H. Brooks, pp. 127-134.

Arizona, by V. C. Heikes, pp. 134-162.

California, by Charles G. Yale, pp. 162-185.

Colorado, by Waldemar Lindgren, pp. 185-214.

Idaho, by V. C. Heikes, pp. 214-242.

Montana, by Alexander N. Winchell, pp. 242-259.

Nevada, by Charles G. Yale, pp. 259-275.

U. S. Geological Survey—Continued.

Gold and silver—Continued.

- New Mexico, by Waldemar Lindgren, pp. 275-284.
- Oregon, by Charles G. Yale, pp. 284-293.
- South Dakota, by Waldemar Lindgren, pp. 293-297.
- Southern Appalachian States, including Alabama, Georgia, Maryland, North Carolina, South Carolina, and Tennessee, by Waldemar Lindgren, pp. 297-304.
- Texas, by Waldemar Lindgren, pp. 304-305.
- Utah, by V. C. Helkes, pp. 305-331.
- Washington, by Charles G. Yale, pp. 331-337.
- Wyoming, by Waldemar Lindgren, pp. 337-341.
- Iron ores, by John Birkinbine, pp. 53-87.
- Lead, by Charles Kirchhoff, pp. 363-370.
- Manganese ores, by John Birkinbine, pp. 87-111.
- Platinum, by F. W. Horton, pp. 423-434.
- Quicksilver, by F. W. Horton, pp. 393-404.
- Silver. See Gold and silver.
- Steel-hardening metals, by Joseph Hyde Pratt, pp. 405-421.
- Tin, by Frank L. Hess, pp. 445-451.
- Zinc, by Charles Kirchhoff, pp. 371-377.
- Zinc and lead ores, by H. Foster Bain, pp. 379-392.

(Fuels.)

- Coal, by Edward W. Parker, pp. 453-714.
- Coke, by Edward W. Parker, pp. 715-766.
- Gas, coke, tar, and ammonia at gas works and in retort coke ovens, by Edward W. Parker, pp. 767-797.
- Natural gas, by W. T. Griswold, pp. 799-812.
- Petroleum, by W. T. Griswold, pp. 813-920.

(Structural materials.)

Cement:

- Advance in cement technology, by Edwin C. Eckel, pp. 921-923.
- Statistics of cement industry, by L. L. Kimball, pp. 924-944.
- Clay-working industries, by Jefferson Middleton, pp. 945-1002.
- Lime and sand-lime brick, by Edwin C. Eckel, pp. 1003-1006.
- Sand and gravel, by A. T. Coons, pp. 1007-1010.
- Slate, pp. 1011-1020.
- Stone industry, by A. T. Coons, pp. 1021-1067.

(Abrasive materials.)

- Abrasive materials, by Joseph Hyde Pratt, pp. 1069-1085.

(Chemical materials.)

- Arsenious oxide, by C. C. Schnatterbeck, pp. 1087-1089.
- Borax, by Charles G. Yale, pp. 1091-1096.
- Bromine, by Frederick J. H. Merrill, pp. 1097-1098.
- Fluorspar and cryolite, by Edmund Otis Hovey, pp. 1099-1103.
- Gypsum and gypsum products, by Edwin C. Eckel, pp. 1105-1115.
- Phosphate rock, by Edmund Otis Hovey, pp. 1117-1126.
- Salt, by Edmund Otis Hovey, pp. 1127-1135.
- Sulphur and pyrite, pp. 1137-1143.
- Barytes, pp. 1145-1146.
- Mineral paints, pp. 1147-1154.

(Miscellaneous.)

- Asbestos, by George Otis Smith, pp. 1155-1159.
- Asphaltum and bituminous rock, by Edmund Otis Hovey, pp. 1161-1169.
- Bauxite and aluminum, pp. 1171-1174.
- Black sands, by David T. Day and R. H. Richards, pp. 1175-1258.
- Carbon dioxide, by Myron L. Fuller, pp. 1259-1263.
- Graphite, by George Otis Smith, pp. 1265-1269.
- Lithium minerals, by Edmund Otis Hovey, pp. 1271-1272.
- Magnesite, by Charles G. Yale, pp. 1273-1278.
- Mica, by George Otis Smith, pp. 1279-1283.
- Mineral waters, by Myron L. Fuller, pp. 1285-1308.

U. S. Geological Survey—Continued.

Monazite and zircon, by Joseph Hyde Pratt, pp. 1313-1317.

Peat, by Marius R. Campbell, pp. 1319-1322.

Precious stones, by George Frederick Kunz, pp. 1323-1358.

Quartz (flint) and feldspar, by Heinrich Ries, pp. 1359-1360.

Talc and soapstone, by Joseph Hyde Pratt, pp. 1361-1368.

2419. Mineral resources of the United States. Calendar year, 1906. 1307 pp., 2 figs., 1907.

Contains the following papers, largely statistical in character, relating to the production, condition of the industry, etc., but also in some cases containing notes on the geology and occurrence of the products treated:

Introduction, by David T. Day and E. W. Parker, pp. 9-12.

Summary of mineral production of the United States in 1906, compiled by Wm. Taylor Thom, pp. 13-65.

(Metals.)

Antimony, by Frank L. Hess, pp. 511-516.

Bauxite and aluminum, by Ernest F. Burchard, pp. 501-510.

Bismuth, by Frank L. Hess, p. 517.

Chromite or chromic iron ore, by Arthur J. Collier, pp. 541-542.

Copper, by L. C. Graton, pp. 373-438.

Gold and silver, by Waldemar Lindgren and others, pp. 111-371.

Production in the United States, by Waldemar Lindgren, pp. 111-134.

Alaska, by Alfred H. Brooks, pp. 134-146.

Arizona, by V. C. Helkes, pp. 147-177.

California, by Charles G. Yale, pp. 178-198.

Colorado, by Chester Naramore, pp. 199-240.

Idaho, by V. C. Helkes, pp. 240-267.

Montana, by Alexander N. Winchell, pp. 267-287.

Nevada, by Charles G. Yale, pp. 287-300.

New Mexico, by Chester Naramore, pp. 300-312.

Oregon, by Charles G. Yale, pp. 312-318.

South Dakota, by Chester Naramore, pp. 319-323.

Southern Appalachian States, including Alabama, Georgia, Maryland, North Carolina,

South Carolina, Tennessee, Virginia, by H. D. McCaskey, pp. 323-333.

Texas, by H. D. McCaskey, pp. 333-334.

Utah, by V. C. Helkes, pp. 334-362.

Vermont, by H. D. McCaskey, p. 362.

Washington, by Charles G. Yale, pp. 362-368.

Wyoming, by Chester Naramore, pp. 368-371.

Iron ores, pig iron, and steel, by Edwin C. Eckel, pp. 67-102.

Lead, by J. M. Boutwell, pp. 439-457.

Manganese ores, by Edwin C. Eckel, pp. 103-109.

Nickel, cobalt, tungsten, vanadium, molybdenum, titanium, uranium, and tantalum, by

Frank L. Hess, pp. 519-540.

Platinum, by David T. Day, pp. 551-562.

Quicksilver, by J. M. Boutwell, pp. 491-499.

Silver. See Gold and silver.

Tin, by Frank L. Hess, pp. 543-549.

Zinc, by J. M. Boutwell, pp. 459-489.

(Fuels.)

Coal, by E. W. Parker, pp. 563-753.

Coke, by E. W. Parker, pp. 755-809.

Natural gas, by B. Hill, pp. 811-826.

Petroleum, by W. T. Griswold, pp. 827-896.

(Structural materials.)**Cement:**

Advances in cement technology, 1906, by Edwin C. Eckel, pp. 897-905.

Statistics of cement industry in 1906, by L. L. Kimball, pp. 906-931.

Clay-working industries, by Jefferson Middleton, pp. 933-983.

Glass sand, sand, and gravel, by Ernest F. Burchard, pp. 993-1000.

Lime and sand-lime brick, by Edwin C. Eckel, pp. 985-991.

Slate, by A. T. Coons, pp. 1001-1005.

Stone, by A. T. Coons, pp. 1007-1041.

U. S. Geological Survey—Continued.

(Abrasive materials.)

Abrasive materials, by Douglas B. Sterrett, pp. 1043-1054.

(Chemical materials.)

Arsenic, by Frank L. Hess, pp. 1055-1058.

Barytes, with a note on strontium, by Ernest F. Burchard, pp. 1109-1114.

Borax, by Charles G. Yale, pp. 1059-1062.

Fluorspar and cryolite, by Ernest F. Burchard, pp. 1063-1067.

Gypsum and gypsum products, by Ernest F. Burchard, pp. 1069-1078.

Mineral paints, pp. 1115-1122.

Phosphate rock and phosphorus:

Phosphate rock, by Myron L. Fuller, pp. 1079-1084.

Phosphorus, by George W. Stose, pp. 1084-1090.

Salt and bromide, by A. T. Coons, pp. 1091-1101.

Sulphur and pyrite, pp. 1103-1108.

(Miscellaneous.)

Asbestos, by J. S. Diller, pp. 1123-1129.

Asphalt and bituminous rock, by Joseph A. Taff, pp. 1131-1137.

Graphite, by George Otis Smith, pp. 1139-1143.

Magnesite, by Charles G. Yale, pp. 1145-1147.

Mica, by Douglas B. Sterrett, pp. 1149-1163.

Mineral waters, by Samuel Sanford, pp. 1165-1194.

Monazite and zircon, by Douglas B. Sterrett, pp. 1195-1209.

Peat, by Marius R. Campbell, pp. 1211-1212.

Precious stones, by Douglas B. Sterrett, pp. 1213-1252.

Quartz (flint) and feldspar, by Edson S. Bastin, pp. 1253-1270.

Selenium, by Frank L. Hess, p. 1271.

Talc and soapstone, by Arthur J. Collier, pp. 1273-1275.

Contributions to economic geology, 1905.—U. S. Geol. Survey, Bull. no. 285, 506 pp., 13 pls., 16 figs., 1906.

The papers in this bulletin have been listed under the individual authors.

Contributions to economic geology, 1906. Part I. Metals and nonmetals, except fuels.—U. S. Geol. Survey, Bull. no. 315, 505 pp., 4 pls., 20 figs., 1907.

The papers in this bulletin have been listed under the individual authors.

Contributions to economic geology, 1906. Part II. Coal, lignite, and peat.—U. S. Geol. Survey, Bull. no. 316, 543 pp., 23 pls., 6 figs., 1907.

The papers in this bulletin have been listed under the individual authors.

Report on progress of investigations of mineral resources of Alaska in 1906.—See Brooks, A. H., and others.

Vallat, B. W.

2420. The iron ores and system of mining at Sunrise mine, Wyoming.—Colorado Sci. Soc., Proc., vol. 8, pp. 315-322, 6 pls., 1907.

Van Hise, Charles Richard.

2421. The problems of geology.—Congress of Arts and Science, Universal Exposition, St. Louis, 1904, vol. 4, pp. 525-548, 1906.

2422. The geology of the Cobalt district [Ontario].—Abstract: Canadian Min. Jour., vol. 28, no. 4 (new ser., vol. 1, no. 2), pp. 44-45, April 1, 1907.

Discusses the origin of the silver-cobalt ores, and their geologic relations.

Report of a special committee on the correlation of the pre-Cambrian rocks of the Adirondack Mountains, the "original Laurentian area" of Canada, and eastern Ontario.—See Adams and others, no. 13.

Van Horn, F. B.

2423. The mineral production of Illinois in 1905.—Illinois State Geol. Survey, 14 pp. 1906.

2424. Limestones available for fertilizers.—Illinois State Geol. Survey, Bull. no. 4, pp. 177-183, 1907.

Van Wagenen, H. R.

2425. Tungsten in Colorado.—Colorado School of Mines, Bull., vol. 3, no. 2, pp. 138-169, 2 figs., January, 1906.

Includes notes on the occurrence in Colorado of ores containing tungsten.

Vaux, George, and Vaux, William S.

2426. Les variations périodiques des glaciers, 1905. British Columbia and Alberta.—Zeitschr. f. Gletscherkunde, Bd. 1, Heft 3, p. 180, 1906.

Gives a short account of the condition in 1905 of the glaciers of British Columbia and Alberta.

2427. Observations made in 1906 on glaciers in Alberta and British Columbia.—Philadelphia Acad. Nat. Sci., Proc., vol. 58, pp. 568-579, 5 pls., 1907.

2428. Observations made in 1907 on glaciers in Alberta and British Columbia.—Philadelphia, Acad. Nat. Sci., Proc., vol. 59, pt. 3, pp. 560-563, 1907.

Vaux, William S.

2429. Modern glaciers: their movements and the methods of observing them.—Philadelphia, Eng. Club, Proc., vol. 24, no. 3, pp. 259-283, 13 figs., July, 1907.

Veatch, Arthur C.

2430. On the human origin of the small mounds of the lower Mississippi Valley and Texas.—Science new ser., vol. 23, pp. 34-36, January 5, 1906.

Describes character and occurrence of these mounds and states objections to considering them of human origin.

2431. Long Island water resources.—Supplement to the Taxpayer [Brooklyn, N. Y.], April 21, 1906. 15 pp., 6 figs.

An account of the geologic structure and history of Long Island and its underground water resources.

2432. Age and type localities of the supposed Jurassic fossils collected north of Fort Bridger, Wyoming, by Frémont in 1843.—Am. Jour. Sci., 4th ser., vol. 21, pp. 457-460, June, 1906.

2433. Fluctuations of the water level in wells, with special reference to Long Island, New York.—U. S. Geol. Surv., W.-S. and Irrig. Paper no. 155, 83 pp., 9 pls., 17 figs., 1906.

2434. Outlines of the geology of Long Island [New York].—U. S. Geol. Survey, Prof. Paper no. 44, pp. 15-52, 10 pls., 20 figs., 1906.

Describes the geologic structure, the occurrence, character, and relations of Cretaceous, Tertiary, and Quaternary deposits and the geologic history of Long Island.

2435. Underground water conditions of Long Island.—U. S. Geol. Survey, Prof. Paper no. 44, pp. 53-85, 9 pls., 16 figs., 1906.

2436. Geology and underground water resources of northern Louisiana and southern Arkansas.—U. S. Geol. Survey, Prof. Paper no. 46, 422 pp., 51 pls., 33 figs., 1906.

Describes the geologic history and structure, the occurrence, character, and relations of Cretaceous, Tertiary, and Quaternary formations, the general underground water conditions and principal water-bearing horizons, and the underground water prospects by counties.

2437. Coal and oil in southern Uinta County, Wyo.—U. S. Geol. Survey, Bull. no. 285, pp. 331-353, 3 pls. (maps and sections), 1906.

Describes the stratigraphy and structure of the area and the occurrence, character, and geologic relations of coal beds and of petroleum.

2438. Geology and underground water resources of northern Louisiana with notes on adjoining districts.—Louisiana, Geol. Survey, Bull. no. 4, 209 pp., 26 pls., 18 figs., 1906.

This paper is made up of excerpts from Professional Paper no. 46 of the U. S. Geological Survey. See no. 2436.

Veatch, Arthur C.—Continued.

2439. On the origin and definition of the geologic term "Laramie."—*Jour. Geology*, vol. 15, no. 6, pp. 526-549, 1907. Abstract: *Am. Jour. Sci.*, 4th ser., vol. 24, pp. 18-22, July, 1907.

2440. Coal fields of east-central Carbon County, Wyo.—*U. S. Geol. Survey, Bull.* no. 316, pp. 244-260, 1 pl., 1907.

Veatch, Arthur C., and Bowman, Isaiah.

2441. Well records on Long Island.—*U. S. Geol. Survey, Prof. Paper* no. 44, pp. 116-337, 11 pls., 7 figs., 1906.

Veatch, Otto.

2442. The term "colluvial" as applied to clay deposits.—*Science*, new ser., vol. 24, p. 782, December 14, 1906.

Defines the term and explains the origin of the material to which it is applied.

2443. Kaolins and fire clays of central Georgia.—*U. S. Geol. Survey, Bull.* no. 315, pp. 303-314, 1 fig., 1907.

Verri, A.

2444. Le eruzioni della Montagna Pelée e del vulcano Laziale.—*Soc. geol. italiana, Boll.*, vol. 24, pp. 84-88, 1905.

Describes phenomena attending the eruption of Mont Pelé in 1902.

Verrill, Addison E.

2445. The Bermuda Islands. Part IV, Geology and paleontology, and Part V, An account of the coral reefs.—*Connecticut Acad. Arts and Sci., Trans.*, vol. 12, pp. 45-348, 25 pls., 180 figs., 1907.

Describes the geologic structure, the occurrence and relation of the Tertiary and later deposits, the geologic history of the islands, and invertebrate fossils.

Vicaire, A.

2446. Les gisements pétrolifères des États Unis.—*Soc. de l'Ind. min., St. Étienne, Bull.*, 4^e ser., t. 4, pp. 681-849, 5 pls., 11 figs., 1905; t. 7, pp. 433-488, 3 pls., 5 figs., 1907.

An extended account of the petroleum industry and petroleum deposits of the United States.

Vigier, Victor von.

Sobre la aplicación de la potasa cáustica á la preparación de fósiles.—See Böse and Vigier, no. 269.

Villafañá, Andrés.

2447. El volcán Jorullo.—*México, Inst. Geol., Parergones*, t. 2, no. 3, pp. 73-130, 8 pls., 1907.

Describes situation, topography, geologic structure, and petrography of the volcano Jorullo, in Mexico.

Villarello, Juan D.

2448. Descripción de las minas "Santiago y anexas" de Estado de Michoacán [México].—*Soc. cient. "Antonio Alzate," Mem. y Rev.*, t. 22, pp. 125-140, 3 pls., 1 fig., 1905.

Describes the geology, occurrence, and origin of the gold and silver ores.

2449. Reseña del mineral de Arzate (Estado de Durango).—*Soc. cient. "Antonio Alzate," Mem. y Rev.*, t. 23, pp. 211-240, 1905.

Describes the geology, the mines, and the occurrence and origin of the ore deposits.

2450. Descripción de algunas minas de Zacualpan (Estado de México).—*Soc. cient. "Antonio Alzate," Mem. y Rev.*, t. 23, pp. 251-266, 1906.

Describes the local geology, and the occurrence, character, and origin of the ore deposits.

Villarello, Juan D.—Continued.

2451. Description des mines "La Bella Union," (État de Guerrero). Génèse des gisements de mercure.—Soc. cient. "Antonio Alzate," Mem. y. Rev., t. 23, pp. 395-411, 1905.

Describes the local geology, and the occurrence, character, and origin of the mercury ores.

2452. Aplicación de la fluoresceína á cuestiones de salubridad pública.—Soc. cient. "Antonio Alzate," Mem. y Rev., t. 24, no. 2, pp. 51-62, August, 1906.

Discusses the use of fluorescein in the study of underground waters.

2453. Un nuevo fluoroscopio.—Soc. cient. "Antonio Alzate," Mem. y Rev., t. 24, no. 2, pp. 63-72, 1 fig., August, 1906.

Describes a new fluoroscope for use in the study of underground waters.

2454. Hidrología subterránea de las cercanías de Jiutepec (Estado de Morelos) [México].—Soc. cient. "Antonio Alzate," Mem. y Rev., t. 24, no. 4, pp. 159-171, October, 1906.

Discusses underground waters in the environs of Jiutepec, State of Morelos, Mexico.

2455. Le minéral de Mapimí [México].—X° Congr. géol. intern., Guide des Excursions, Mexico, no. XVIII, 18 pp., 2 pls., 1906.

Describes the character, occurrence, relations, and genesis of the ore deposits.

2456. Le minéral d'Aranzazú (État de Zacatecas).—X° Congr. géol. intern., Guide des Excursions, Mexico, no. XXV, 29 pp., 3 pls., 1906.

Describes the local geology, and the occurrence, character, and origin of the copper ores, and the mines.

2457. Sur le remplissage de quelques gisements métallifères.—Congr. géol. intern., C. R., 10° sess., Mexico, 1906, pp. 533-553, 1907.

2458. Hidrología subterránea de los alrededores de Querétaro [México].—México, Secretaría de Fomento, Bol., 2ª época, año 7, no. 4, IV, pp. 65-81; no. 5, IV, pp. 84-96, 3 pls., 1907.

Discusses the underground water resources of Queretaro.

2459. Géologie chimique des gisements de soufre de Mapimí, État de Durango.—Soc. cient. "Antonio Alzate," Mem. y. Rev., t. 26, no. 4, pp. 115-145, 1907.

Discusses the origin of sulphur deposits.

Villarello, J. D., Flores, T., and Robles, R.

2460. Étude de la Sierra de Guanajuato [México].—X° Congr. géol. intern., Guide des Excursions, Mexico, no. XV, 33 pp., 2 pls. (geol. map and sections), 1906.

Includes an account of the ore deposits.

Vogdes, Anthony Wayne.

2461. Bibliographical sketch of Dr. John B. Trask, first state geologist of California.—San Diego Soc. Nat. Hist., vol. 1, no. 2, pp. 27-30, 1 pl. (port.), 1907.

Gives a sketch of his life (1824-1879) and a list of his geological and paleontological publications.

2462. The genus *Encrinurus*: its history, its species, its proper division in the family of trilobites.—San Diego Soc. Nat. Hist., Trans., vol. 1, no. 2, pp. 61-82, 3 pls., 1907.

Wade, William Rogers.

2463. Burro Mountain copper district [New Mexico].—Eng. and Min. Jour., vol. 84, pp. 355-356, 5 figs.; August 24, 1907.

Waitz, Paul.

2464. Phénomènes postparoxysmiques du San Andrés, Michoacán.—X° Congr. géol. intern., Guide des Excursions, Mexico, no. X, 29 pp., 1906.

Waitz, Paul—Continued.

2465. Les geysers d'Ixtlán, Michoacán.—X^e Congr. géol. intern., Guide des Excursions, Mexico, no. XII, 22 pp., 4 pls., 1906.

2466. Le volcan de Colima.—X^e Congr. géol. intern., Guide des Excursions, Mexico, no. XIII, 28 pp., 4 pls., 1 fig., 1906.

2467. Esquisse géologique et pétrographique des environs de Hidalgo del Parral.—X^e Congr. géol. intern., Guide des Excursions, Mexico, no. XXI, 21 pp., 5 pls. (incl. geol. map and sections), 1906.

2468. Algunos experimentos en geysers artificiales.—Soc. Geol. Mexicana, Bol., t. 2, pp. 71-85, 1 pl., 1906.

Describes experiments with artificial geysers.

Walcott, Charles D.

2469. Cooperation of the United States Geological Survey and state mining bureaus.—Am. Min. Cong., 8th Ann. Sess., pp. 82-98, 1906; Min. World, vol. 23, no. 21, pp. 577-579, November 25, 1905.

2470. Algonkian formations of northwestern Montana.—Geol. Soc. America, Bull., vol. 17, pp. 1-28, 11 pls., 1906.

Describes and correlates Algonkian sections in Montana.

2471. Twenty-seventh annual report of the Director of the United States Geological Survey to the Secretary of the Interior, 1905-6. Washington, Government Printing Office, 1906. 104 pp., 24 pls. (maps).

Outlines the work of the U. S. Geological Survey during the fiscal year ending June 30, 1906.

2472. Principles which govern the United States Geological Survey in its relations with other geological surveys and working geologists.—Science, new ser., vol. 24, pp. 692-693, November 30, 1906.

2473. Louis Agassiz.—Smithsonian Misc. Coll., vol. 50 (Quart. Issue, vol. 4, pt. 2), pp. 216-218, 1 pl. (port.), 1907.

Correspondence relating to the survey of the coal fields of Arkansas.—See Branner, no. 287.

The policy of the U. S. Geological Survey and its bearing upon science and education.—See Branner, no. 288.

Walker, T. L.

2474. [Report on] the Muskoka district.—Canada, Geol. Survey, Summ., Rept. for 1905, pp. 84-86, 1906.

Gives notes upon the geology of the region examined.

Walsh, George E.

2475. Prospecting for rare metals and earths.—Min. and Sci. Press, vol. 94, pp. 218-219, February 16, 1907.

Includes notes on the occurrence of rare earths.

Walter, Paul A. E.

[Physiography and geology of New Mexico].—See Frost and Walter, no. 902.

Ward, Henry Baldwin.

2476. Peculiarities of the "Nebraska man."—Putnam's Monthly, pp. 410-413, 3 figs., January, 1907.

Preliminary report on the primitive man of Nebraska.—See Barbour and Ward, no. 142.

Warner, J. H.

2477. The Waterloo quartzite.—Min. World, vol. 22, no. 16, pp. 420-422, 2 figs., April 22, 1905.

Describes the occurrence and character of pre-Cambrian strata in southern Wisconsin.

Warren, Charles H.

2478. The mineralogical examination of sands.—Tech. Quart., vol. 19, no. 4, pp. 317-338, 1906.

Gives an account of the methods employed to examine sands for minerals and of the characters of the minerals found.

On yttrrocasite, a new yttrium-thorium-uranium titanate.—See Hidden and Warren, no. 1143.

Warwick, A. W.

2479. Notes on mining conditions in and a section across the Sierra Madre Mountains in Mexico.—Colorado Sci. Soc., Proc., vol. 8, pp. 123-156, 5 pls., 1906.

Includes data upon the geologic structure of the Sierra Madre and the occurrence and character of the rocks, mainly of volcanic origin.

2480. Topographical and other notes on the Choix-Guadalupe y Calvo mining districts [Mexico].—Min. and Sci. Press, vol. 95, pp. 686-688, 2 figs., November 30, 1907.

Includes notes on the geology.

Washburne, Chester W.

2481. Thomas Condon.—Jour. Geology, vol. 15, no. 3, pp. 280-292, 1907.

Gives a brief account of his life (1822-1907) and a list of his writings.

Washington, Henry S.

2482. The formation of leucite in igneous rocks.—Jour. Geology, vol. 15, pp. 257-279, 357-395, 3 pls., 1 fig., 1907.

The texture of igneous rocks.—See Cross, Iddings, Pirsson, Washington, no. 608.

Contributions to the geology of New Hampshire: no. II, Petrography of the Belknap Mountains.—See Pirsson and Washington, no. 1934.

Occurrence of diamonds in Arkansas.—See Kunz and Washington, no. 1444.

Note on the forms of Arkansas diamonds.—See Kunz and Washington, no. 1445.

Washington, University of.

The School of Mines series of rock specimens from the State of Washington.—See Roberts, Milnor, and others, no. 2071.

Watson, Thomas Leonard.

2483. A preliminary report on the ocher deposits of Georgia.—Georgia Geol. Survey, Bull. no. 13, 81 pp., 11 pls., 2 figs., 5 maps, 1906.

Describes the stratigraphy and geologic structure of the Cartersville district, the geographic distribution, geologic position, and genesis of the ocher deposits, the composition and physical properties of the ocher, and the economic developments.

2484. Lead and zinc deposits of the Virginia-Tennessee region.—Am. Inst. Min. Eng., Trans., vol. 36, pp. 681-737, 29 figs., 1906 (Bi-Mo. Bull., no. 8, pp. 139-195, 29 figs., March, 1906). Abstract: Mines and Minerals, vol. 27, pp. 17-19, 63-65, 3 figs., 1906.

Describes the general geology of the region, the distribution of the ore deposits, and the alteration, mode of occurrence, and origin of the ores. Adds a bibliography.

2485. Lithological characters of the Virginia granites.—Geol. Soc. America, Bull., vol. 17, pp. 523-540, 4 pls., 7 figs., 1906.

Describes the distribution and lithologic characters of various types of granite occurring in the Piedmont region of Virginia.

2486. Occurrence of unakite in a new locality in Virginia.—Am. Jour. Sci., 4th ser., vol. 22, p. 248, September, 1906.

Watson, Thomas Leonard—Continued.

2487. The copper deposits of Virginia.—Eng. and Min. Jour., vol. 82, pp. 824-825, 2 figs., November 3, 1906.

Describes the occurrence of copper ores in various parts of the State.

The Virginia copper deposits.—See Weed and Watson, no. 2504.

2488. Fluorite and barite in Tennessee.—Am. Inst. Min. Eng., Bi-Mo. Bull., no. 13, p. 77, January, 1907; Trans., vol. 37, p. 890, 1907.

A brief note in regard to the occurrence of fluorite and barite in Tennessee.

2489. On a dike of diabase in the Potsdam sandstone in the Valley of Virginia.—Am. Jour. Sci., 4th ser., vol. 23, pp. 89-90, February, 1907.

Refers briefly to recorded occurrences of dikes penetrating Paleozoic rocks of Virginia and describes the occurrence and character of an igneous rock in Cambrian sandstone in Augusta County, Virginia.

2490. The occurrence of nickel in Virginia.—Am. Inst. Min. Eng., Bi-Mo. Bull., no. 17, pp. 829-843, 8 figs., September, 1907.

2491. Geology of the Virginia barite deposits.—Am. Inst. Min. Eng., Bi-Mo. Bull., no. 18, pp. 953-976, 9 figs., November, 1907.

2492. Occurrence of rutile in Virginia.—Econ. Geology, vol. 2, no. 5, pp. 493-504, 5 figs., 1907.

Describes the local geology and the occurrence and character of rutile deposits near Roseland, Nelson County, Virginia.

2493. Mineral resources of Virginia.—The Virginia Jamestown Exposition Commission, Lynchburg, 1907. 618 pp., 83 pls. (incl. maps), 101 figs.

The section on cement and cement materials is by R. S. Bassler (pp. 86-167), on clays by Heinrich Ries (pp. 167-187), and on iron by R. J. Holden (pp. 402-491).

Watson, Thomas Leonard, and Laney, Francis B., with the collaboration of George P. Merrill.

2494. The building and ornamental stones of North Carolina.—North Carolina Geol. Survey, Bull. no. 2, 283 pp., 32 pls., 11 figs., 1906.

Describes the varieties, distribution, geologic relations, character, microscopic structure, and weathering qualities of the building stones.

Weatherbe, D'Arcy.

2495. Boring machines.—Nova Scotia, Dept. of Mines, Rept. for 1904, pp. 82-93, 1905.

Contains records of strata passed through in borings in Nova Scotia.

Webster, Clement L.

2496. Description of a new genus [*Westerna*] of gastropod from the Hackberry group of Iowa.—Iowa Naturalist, vol. 1, no. 3, pp. 54-55, July, 1905.

2497. Description of new species of gastropods from the lower and middle beds of the Hackberry group of Iowa.—Iowa Naturalist, vol. 2, no. 1, pp. 2-4, January, 1906.

Weed, Walter Harvey.

2498. Shifting of the continental divide at Butte, Montana.—Abstract: Geol. Soc. America, Bull., vol. 16, p. 587, 1906.

2499. The copper mines of the United States in 1905.—U. S. Geol. Survey, Bull. no. 285, pp. 93-124, 2 figs., 1906.

Describes the general condition of the copper industry in the United States, and the geology, character, occurrence, and other features of the copper ores of the several States.

2500. Ore shoots.—Eng. and Min. Jour., vol. 82, p. 196, 3 figs., August 4, 1906.

Discusses the localization of pay ore in ore shoots.

Weed, Walter Harvey—Continued.

2501. The copper mines of the United States.—Min. and Sci. Press, vol. 93, pp. 484-485, 1 fig., October 20, 1906.

Includes notes on the geologic occurrence of copper ores.

2502. The copper mines of the world.—New York, Hill Publishing Company, 1907. 375 pp., 159 figs.

Includes accounts of the copper districts of the United States, Canada, and Mexico.

2503. Mutual displacement by intersecting veins.—Eng. and Min. Jour., vol. 83, pp. 1145-1146, 4 figs., June 15, 1907.

Weed, Walter Harvey, and Watson, Thomas Leonard.

2504. The Virginia copper deposits.—Econ. Geology, vol. 1, no. 4, pp. 309-330, 10 figs., 1906.

Describes the distribution of copper deposits in Virginia, the character of the deposits and associated rocks, and the origin of the ores.

Weeks, Fred Boughton.

2505. Bibliography and index of North American geology, paleontology, petrology, and mineralogy for the years 1901-1905, inclusive.—U. S. Geol. Survey, Bull. no. 301, 770 pp., 1906.

2506. Stratigraphy and structure of the Uinta Range.—Geol. Soc. America, Bull., vol. 18, pp. 427-448, 6 pls., 3 figs., November, 1907.

Describes the occurrence and relations of pre-Cambrian, Paleozoic, Mesozoic, and Tertiary formations, and the geologic structure of the region.

Weeks, F. B., and Ferrier, W. F.

2507. Phosphate deposits in western United States.—U. S. Geol. Survey, Bull. no. 315, pp. 449-462, 1 pl., 3 figs., 1907. Abstract: Science, new ser., vol. 25, pp. 620-621, April 19, 1907.

Wegener, Georg.

2508. Einige neue Aufnahmen vom Mont Pelé.—Gesell. f. Erdk. zu Berlin, Zeitschr., 1903, no. 6, pp. 431-433, 4 pls., 1903.

Describes observations made upon Mont Pelé in March, 1903.

2509. Am Mont Pelé im März, 1903.—Geog. Zeitschr., Jg. 9, Heft. 10, pp. 545-559, October, 1903.

Describes observations on Mont Pelé in March, 1903.

2510. Reisen im Westindischen Mittelmeer. Fahrten und Studien in den Antillen, Colombia, Panama, and Costarica im Jahre 1903. Zweite Auflage. Berlin, Allgemeiner Verein für Deutsche Literatur, 1904. 302 pp., 45 figs.

An account of travels in the West Indies and Central America. Includes notes on the physiography of the regions visited and a description of Mont Pelé on the Island of Martinique.

Weidman, Samuel.

2511. Irvingite, a new variety of lithia-mica.—Am. Jour. Sci., 4th ser., vol. 23, pp. 451-454, June, 1907.

2512. The geology of north central Wisconsin.—Wisconsin Geol. and Nat. Hist. Survey, Bull. no. 16, 697 pp., 76 pls. (incl. maps), 38 figs., 1907.

Describes in detail the distribution, relations, and petrographic characters of pre-Cambrian sedimentary and igneous intrusive rocks and of Cambrian strata, the glacial geology, and the physiography of the area.

Weidman, Samuel, and Lenher, Victor.

2513. Marignacite, a new variety of pyrochlore from Wausau, Wisconsin.—Am. Jour. Sci., 4th ser., vol. 23, pp. 287-292, 3 figs., April, 1907.

Describes the characters and composition of this mineral occurring in a quartz-bearing pegmatite from northern Wisconsin.

Weller, Chas. A.

2514. Barytes mines of the Commercial Mining and Milling Company [Tennessee].—Eng. and Min. Jour., vol. 83, p. 851, 2 figs., May 4, 1907.

Weller, Stuart.

2515. Classification of the upper Cretaceous formations of New Jersey.—Abstract: Geol. Soc. America, Bull., vol. 16, p. 579, 1906.

2516. Fauna of the Cliffwood clays.—Abstract: Geol. Soc. America Bull., vol. 16, p. 580, 1906.

2517. The geological map of Illinois.—Illinois State Geol. Survey, Bull. no. 1, 26 pp. and geol. map, 1906.

The letterpress accompanying the map gives a general account of the stratigraphy of the State and of the materials used in compiling the map.

2518. Geologic structure of the State [of Illinois].—Illinois State Geol. Survey, Bull. no. 2, pp. 21-22, 1 pl., 1906.

Discusses more particularly the axes of deformation of the State and briefly describes the principal geological formations.

2519. Kinderhook faunal studies. IV. The fauna of the Glen Park limestone.—St. Louis Acad. Sci., Trans., vol. 16, no. 7, pp. 435-471, 2 pls., 1906.

A description of the geologic section near Glen Park station, Missouri, from which the fossils were obtained, precedes their systematic descriptions and a discussion of the time relations of the fauna and of the distribution of Kinderhook faunas.

2520. A report on the Cretaceous paleontology of New Jersey, based upon the stratigraphic studies of George N. Knapp.—New Jersey Geol. Survey, Paleontology series, vol. 4, Text, 871 pp., Plates, pp. 875-1106, 111 pls., 1907.

Discusses the occurrence and correlation of New Jersey Cretaceous formations, with an analysis of their faunas, including lists of species, and the classification and correlation of the faunas, and gives descriptions of the invertebrate fossils.

2521. The paleontology of the Niagaran limestone in the Chicago area: The Trilobita.—Chicago Acad. Sci., Nat. Hist. Survey, Bull. no. 4, pt. 2, pp. 161-281, 10 pls., 1907.

2522. The pre-Richmond unconformity in the Mississippi Valley.—Jour. Geology, vol. 15, no. 6, pp. 519-525, 1 fig., 1907.

2523. Notes on the geology of southern Calhoun County [Illinois].—Illinois State Geol. Survey, Bull. no. 4, pp. 219-233, 1907.

2524. The geological map of Illinois (second edition).—Illinois State Geol. Survey, Bull. no. 6, 34 pp. and geol. map (in pocket), 1907.

Wells, Horace L.

2525. Samuel Lewis Penfield [died August 12, 1906].—Science, new ser., vol. 24, pp. 252-253, August 24, 1906.

Wemple, Edna M.

2526. New cestraciont teeth from the west-American Triassic.—California Univ., Dept. Geol., Bull., vol. 5, no. 4, pp. 71-73, 1 pl., 1906.

Wendeborn, B. A.

2527. Der Ducktown-Kupfergrubendistrict in den Vereinigten Staaten von Nordamerika.—Berg- und hüttenm. Zeitung, Jg. 62, no. 7, pp. 86-88, February 13, 1903.

Describes the geological relations, characters, and occurrence of the copper ores of the Ducktown, Tenn., copper district.

Westgate, Lewis G.

2528. Abrasion by glaciers, rivers, and waves.—Jour. Geology, vol. 15, no. 2, pp. 113-120, 3 figs., 1907.

Wheeler, Arthur O.

2529. Nakimu caves [British Columbia].—Canada, Dept. of the Interior, Rept. Surveyor-General for 1906, pp. 103-117, 1 pl., 1907.

Wheeler, H. A.

2530. The fire-clays of Missouri.—*Am. Inst. Min. Eng., Trans.*, vol. 35, pp. 720-734, 1905. Abstract: *Eng. and Min. Jour.*, vol. 78, pp. 834-835, November 24, 1904.

Describes the occurrence, character, and composition of fire-clays of Missouri.

2531. The Wisconsin zinc district: an old lead and zinc producing district which modern machinery and methods have rendered profitable.—*Mines and Minerals*, vol. 26, no. 8, pp. 368-372, 1 fig., March, 1906.

Describes the geology of the district, and the occurrence and character of the deposits.

2532. Is the drilling sufficiently deep in the Wisconsin zinc region?—*Eng. and Min. Jour.*, vol. 82, pp. 167-168, July 28, 1906.

Discusses the occurrence of zinc ores below the Galena horizon.

Wheeler, W. M.

2533. The expedition to Colorado for fossil insects.—*Am. Mus. Jour.*, vol. 6, no. 4, pp. 199-203, 5 figs., October, 1906.

Gives notes on the character and occurrence of the fossils at Florissant and the deposits in which they occur.

Wheeler, Ward H.

Dolomite and magnesite with reference to the separation of calcium and magnesium.—See Knight and Wheeler, no. 1414.

Wherry, Edgar T.

2534. Note on luminescent spodumene.—*Mineral Collector*, vol. 14, no. 2, pp. 31-32, April, 1907.

2535. A new occurrence of scapolite.—*Mineral Collector*, vol. 14, no. 3, pp. 37-39, May, 1907.

Describes scapolite from Philadelphia, Pennsylvania.

2536. How quartz crystals form.—*Mineral Collector*, vol. 14, no. 10, pp. 145-151, December, 1907.

Directory of mineral localities in and around Philadelphia.—See Bengé and Wherry, no. 203.

White, Americus Frederic.

2537. Composition of the waters of Rockbridge County, Virginia, and their relation to the geological formations. Thesis presented to Washington and Lee University. Winchester, Va., George F. Norton Publishing Co., 1906. 38 pp., 1 pl.

White, Charles A.

2538. Die Mutationstheorie und die Paläontologie.—*Natur und Schule*, Leipzig, Jahrg. 3, pp. 248-253, 1904 [not seen].

2539. Memoir of Fielding Bradford Meek, 1817-1876.—*Nat. Acad. Sci., Biog. Memoirs*, vol. 4, pp. 75-91, 1902.

Includes a list of his writings.

2540. Biographical memoir of John Strong Newberry, 1822-1892. (Read before the National Academy of Sciences, April 17, 1902.) Washington, 1906.—[*Nat. Acad. Sci., Biog. Mem.*, vol. 6] pp. 1-24, 1 pl. (port.).

Includes a list of his published papers.

White, David.

2541. A source of hydrocarbons in the Ordovician.—Abstract: *Science*, new ser., vol. 23, pp. 814-816, May 25, 1906.

White, David—Continued.

2542. Geological position of the principal insect-bearing localities of the American Paleozoic.—U. S. Nat. Mus., Proc., vol. 29, pp. 664-668, 1906.

2543. Report on fossil plants [from the Cape Lisburne region, Alaska].—U. S. Geol. Survey, Bull. no. 278, p. 22, 1 pl., 1906.

Gives a list of the plants identified and considers them to indicate a lower Mississippian age.

2544. A remarkable fossil tree trunk from the middle Devonian of New York.—New York State Mus., Bull. 107, pp. 327-360, 11 pls., 1907.

2545. Report on the field work in the coal districts of the State.—Illinois State Geol. Survey, Bull. no. 4, pp. 201-203, 1907.

Gives notes upon the stratigraphy of the coal measures of Illinois, based upon the study of fossil plants.

2546. Report on fossil plants from the coal measures of Arkansas.—U. S. Geol. Survey, Bull. no. 326, pp. 24-31, 1907.

Gives lists of plants identified from various localities.

2547. A composite Lycopod type from the Devonian.—Abstract: Science, new ser., vol. 25, p. 269, February 15, 1907.

2548. Some problems concerning the formation of coal.—Abstract: Science, new ser., vol. 25, pp. 965-966, June 21, 1907.

White, David, and Ashley, George H.

2549. Correlation of coals.—U. S. Geol. Survey, Prof. Paper no. 49, pp. 206-212, 1906.

Discusses the correlation of coal seams in the Appalachian region with special reference to the Cumberland Gap coal field of eastern Kentucky.

White, I. C.

2550. Introduction [to the Report on the geology of the Pan Handle counties of West Virginia].—West Virginia Geol. Survey, County Reports and Maps: Ohio, Brooke, and Hancock counties, pp. vii-xxi, 1 fig. [1907].

Includes a discussion of the occurrence of certain coal beds.

White, W. P.

On wollastonite and pseudo-wollastonite, polymorphic forms of calcium metasilicate.—See Allen and White, no. 27.

Die Kalkkieselreihe der Minerale.—See Day and others, no. 690.

Whiteaves, J. F.

2551. [Report on] paleontology and zoology.—Canada, Geol. Survey, Summ. Rept. for 1905, pp. 131-134, 1906.

Gives a short account of the work done in paleontology and zoology during the year by the Geological Survey of Canada.

2552. [Report on] paleontology and zoology.—Canada, Geol. Survey, Summ. Rept. for 1906, pp. 170-174, 1906.

Gives an outline of the work of the year in this section of the Geological Survey of Canada.

2553. The fossils of the Silurian (Upper Silurian) rocks of Keewatin, Manitoba, the northeastern shore of Lake Winnipegosis, and the lower Saskatchewan River.—Canada Geol. Survey, Paleozoic Fossils, vol. 3, pt. 4, pp. 243-298, 14 pls., 1906.

Gives critical notes upon the fossils from these places and systematic descriptions of some of them.

2554. The Canadian species of *Plectoceras* and *Barrandeoceras*.—Canada, Geol. Survey, Paleozoic Fossils, vol. 3, pt. 4, pp. 299-312, 6 pls., 1906.

Whiteaves, J. F.—Continued.

2555. Illustrations of seven species of fossils from the Cambrian, Cambro-Silurian, and Devonian rocks of Canada.—Canada, Geol. Survey, Paleozoic Fossils, vol. 3, pt. 4, pp. 313-325, 1 pl., 8 figs., 1906.

2556. Revised list of the fossils of the Guelph formation of Ontario.—Canada, Geol. Survey, Paleozoic Fossils, vol. 3, pt. 4, pp. 327-340, 1906.

Includes critical notes on some of the fossils.

2557. Paleozoic fossils. Appendix: Errata et corrigenda.—Canada, Geol. Survey, Paleozoic Fossils, vol. 3, pt. 4, pp. 341-345, 1906.

2558. Notes on *Cyrtoceras cuneatum*.—Ottawa Nat., vol. 20, no. 7, pp. 133-134, 2 figs., October, 1906.

2559. Illustrations of the fossil fishes of the Devonian rocks of Canada. Part III. Supplementary notes.—Canada, Roy. Soc., Proc. and Trans., 3d ser., vol. 1, sect. 4, pp. 245-275, 4 pls., 1907.

2560. Description of a Canadian species of *Peltoceras*.—Ottawa Naturalist, vol. 21, no. 5, pp. 80-82, 1 fig., August, 1907.

Describes *Peltoceras occidentale* n. sp. from rocks of presumably Jurassic age on Red Deer River, Alberta.

Whitfield, R. P.

2561. Notice of an American species of the genus *Hoploparia* McCoy, from the Cretaceous of Montana.—Am. Mus. Nat. Hist., Bull., vol. 23, pp. 459-461, 1 pl., 1907.

2562. Remarks on and descriptions of new fossil Unionidae from the Laramie clays of Montana.—Am. Mus. Nat. Hist., Bull., vol. 23, pp. 623-628, 5 pls., 1907.

Whitfield, R. P., and Hovey, E. O.

2563. Remarks on and descriptions of [invertebrate] Jurassic fossils of the Black Hills.—Am. Mus. Nat. Hist., Bull., vol. 22, pp. 389-402, 21 pls., 1906.

Whitlock, Herbert P.

2564. Books of reference on geology and paleontology.—Congress of Arts and Science, Universal Exposition, St. Louis, 1904, vol. 4, pp. 757-759, 1906.

2565. Minerals from Lyon Mountain, Clinton County [New York].—New York State Mus., Bull. 107, pp. 55-96, 11 pls., 1907.

2566. Kalkspat von Lyon Mountain, Clinton County, N. Y.—Zeitsch. f. Krystal. u. Mineral., Bd. 43, Heft 4, pp. 321-330, 1 pl., 1907.

Describes the occurrence and crystallographic characters of calcite from Lyon Mountain, New York.

2567. Some new crystallographic combinations of calcite from West Patterson, N. J.—Am. Jour. Sci., 4th ser., vol. 24, pp. 426-428, 3 figs., November, 1907.

Whitman, A. R.

2568. A tin deposit near Spokane [Washington].—Min. and Sci. Press, vol. 94, pp. 697-698, June 1, 1907.

2569. A tin deposit near Spokane [Washington].—Min. and Sci. Press, vol. 95, p. 49, 1 fig., June 13, 1907.

Whitney, Milton, and others.

2570. Field operations of the Bureau of Soils, 1904.—U. S. Dept. Agric., Bureau of Soils, Sixth Report, Washington, 1905. 1151 pp., 1 pl., 45 figs., 53 maps (in separate case).

Contains soil surveys of the following areas:

Alabama, Macon County, by Henry J. Wilder and Hugh H. Bennett, pp. 291-316.

Alabama, Sumter County, by William G. Smith, pp. 317-342.

Arizona-California, Yuma area, by J. Garnett Holmes and others, pp. 1025-1048.

California, Bakersfield area, by Macy H. Lapham and Charles A. Jensen, pp. 1089-1114.

Whitney, Milton, and others—Continued.

- California, Sacramento area, by Macy H. Lapham, pp. 1049-1088.
 California, San Bernardino area, by J. Garnett Holmes and others, pp. 1115-1151.
 Colorado, Greeley area, by J. Garnett Holmes and N. R. Neill, pp. 951-994.
 Florida, Gainesville area, by Thomas D. Rice and W. J. Geib, pp. 269-290.
 Georgia, Bainbridge area, by Elmer O. Fippin and J. A. Drake, pp. 247-268.
 Georgia, Dodge County, by Charles W. Ely and A. M. Griffen, pp. 231-246.
 Indiana, Boonville area, by A. W. Mangum and N. R. Neill, pp. 727-750.
 Indiana, Marshall County, by Frank Bennett and Charles W. Ely, pp. 689-706.
 Indiana, Scott County, by A. W. Mangum and N. R. Neill, pp. 707-726.
 Iowa, Tama County, by Charles W. Ely and others, pp. 769-790.
 Kansas, Allen County, by J. A. Drake and W. E. Tharp, pp. 875-894.
 Kansas, Garden City area, by James L. Burgess and George N. Coffey, pp. 895-934.
 Kentucky, Warren County, by Thomas D. Rice and W. J. Geib, pp. 527-542.
 Louisiana, De Soto Parish, by Grove B. Jones and La Mott Ruhlen, pp. 375-396.
 Michigan, Alma area, by W. Edward Hearn and A. M. Griffen, pp. 639-664.
 Michigan, Munising area, by Thomas D. Rice and W. J. Geib, pp. 565-580.
 Michigan, Owosso area, by A. W. Mangum and Charles J. Mann, pp. 665-688.
 Michigan, Saginaw area, by W. E. McLendon and M. Earl Carr, pp. 603-638.
 Mississippi, Biloxi area, by W. Edward Hearn and M. E. Carr, pp. 353-374.
 Mississippi, Jackson area, by J. O. Martin and O. L. Ayrs, pp. 343-352.
 Missouri-Illinois, O'Fallon area, by Elmer C. Fippin and J. A. Drake, pp. 815-844.
 Missouri, Saline County, by M. Earl Carr and H. L. Belden, pp. 791-814.
 Missouri, Webster County, by J. A. Drake and A. T. Strahorn, pp. 845-858.
 Nebraska, Kearney area, by J. O. Martin and A. T. Sweet, pp. 859-874.
 New York, Auburn area, by J. E. Lapham and Hugh H. Bennett, pp. 95-118.
 North Dakota, Cando area, by Elmer O. Fippin and James L. Burgess, pp. 925-950.
 Ohio, Coshocton area, by Thomas D. Rice and W. J. Geib, pp. 565-580.
 Ohio, Wooster area, by Thomas A. Caine and W. S. Lyman, pp. 543-564.
 Pennsylvania, Adams County, by Henry J. Wilder and H. L. Belden, pp. 119-150.
 Rhode Island, by F. E. Bonsteel and E. P. Carr, pp. 47-72.
 South Carolina, Charlestown area, by F. E. Bonsteel and E. P. Carr, pp. 207-230.
 South Carolina, Lancaster County, by Aldert S. Root and L. A. Hurst, pp. 169-184.
 South Carolina, Orangeburg area, by Frank Bennett and A. M. Griffen, pp. 185-206.
 Tennessee-North Carolina, Greeneville area, by Charles N. Mooney and O. L. Ayrs, pp. 493-526.
 Tennessee, Lawrence County, by Charles N. Mooney and O. L. Ayrs, pp. 475-492.
 Texas, Anderson County, by William T. Carter, jr., and A. E. Kocher, pp. 397-420.
 Texas, Austin area, by A. W. Mangum and H. L. Belden, pp. 421-446.
 Texas, San Antonio area, by Thomas A. Caine and W. S. Lyman, pp. 447-474.
 Utah, Bear River area, by Charles A. Jensen and A. T. Strahorn, pp. 995-1024.
 Vermont-New York, Vergennes area, by Henry J. Wilder and H. L. Belden, pp. 73-94.
 Virginia, Appomattox County, by Thomas A. Caine and Hugh H. Bennett, pp. 151-168.
 Wisconsin-Minnesota, Superior area, by Thomas A. Caine and W. S. Lyman, pp. 751-768.

2571. Field operations of the Bureau of Soils, 1905.—U. S. Dept. Agric., Bureau of Soils, Seventh Report, Washington, 1907. 1089 pp., 2 pls., 45 figs., and 47 soil maps (in separate case).

Contains soil surveys of the following areas:

- Alabama, Blount County, by William G. Smith and F. N. Meeker, pp. 407-424.
 Alabama, Dallas County, by E. P. Carr and others, pp. 453-472.
 Alabama, Lauderdale County, by F. E. Bonsteel and others, pp. 389-405.
 Alabama, Montgomery County, by W. E. McLendon and Charles J. Mann, pp. 425-452.
 California, Stockton area, by Macy H. Lapham and W. W. Mackie, pp. 997-1031.
 Colorado, Grand Junction area, by J. Garnett Holmes and Thomas D. Rice, pp. 949-974.
 Florida, Leon County, by Henry J. Wilder and others, pp. 363-388.
 Georgia, Spalding County, by J. E. Lapham and others, pp. 351-361.
 Indiana, Newton County, by N. P. Neill and W. E. Tharp, pp. 747-779.
 Indiana, Tippecanoe County, by N. P. Neill and W. E. Tharp, pp. 781-813.
 Kansas, Brown County, by James L. Burgess and others, pp. 911-926.
 Kentucky, McCracken County, by Thomas D. Rice, pp. 679-694.
 Kentucky, Madison County, by A. M. Griffen and Orla L. Ayrs, pp. 659-678.
 Louisiana, East Baton Rouge Parish, by Charles W. Ely and others, pp. 517-535.
 Louisiana, Tangipahoa Parish, by A. M. Griffen and Thomas A. Caine, pp. 493-515.
 Michigan, Oxford area, by Grove B. Jones and M. Earl Carr, pp. 731-745.
 Minnesota, Carlton area, by W. J. Geib and Grove B. Jones, pp. 815-835.

Whitney, Milton, and others—Continued.

- Mississippi, Crystal Springs area, by James L. Burgess and W. E. Tharp, pp. 473-491.
 Missouri, Crawford County, by W. Edward Hearn and Charles J. Mann, pp. 865-878.
 Missouri, Scotland County, by W. Edward Hearn and Charles J. Mann, pp. 879-892.
 Montana, Gallatin Valley, by Macy H. Lapham and Charles W. Ely, pp. 975-996.
 Nebraska, Sarpy County, by A. E. Kocher and Lewis A. Hurst, pp. 893-909.
 New York, Binghamton area, by Elmer O. Fippin and William T. Carter, jr., pp. 71-96.
 New York, Tompkins County, by Jay A. Bonsteel and others, pp. 39-70.
 North Carolina, Duplin County, by Aldert S. Root and Lewis A. Hurst, pp. 289-307.
 North Carolina, Perquimans and Pasquotank counties, by J. E. Lapham and W. S. Lyman, pp. 271-288.
 North Dakota, Carrington area, by A. E. Kocher and Lewis A. Hurst, pp. 927-948.
 Ohio, Cleveland area, by J. E. Lapham and Charles N. Mooney, pp. 695-714.
 Ohio, Westerville area, by J. E. Lapham and Charles N. Mooney, pp. 715-729.
 Pennsylvania, Chester County, by Henry J. Wilder and others, pp. 135-174.
 Pennsylvania, Montgomery County, by Henry J. Wilder and others, pp. 97-133.
 South Carolina, Cherokee County, by J. A. Drake and H. L. Belden, pp. 333-349.
 South Carolina, York County, by J. A. Drake and H. L. Belden, pp. 309-332.
 Tennessee, Henderson County, by M. Earl Carr and Frank Bennett, pp. 643-657.
 Texas, Houston County, by William T. Carter, jr., and A. E. Kocher, pp. 537-565.
 Texas, Lavaca County, by Charles N. Mooney and others, pp. 623-642.
 Texas, Lee County, by James L. Burgess and W. S. Lyman, pp. 601-621.
 Texas, Waco area, by A. W. Mangum and M. Earl Carr, pp. 567-599.
 Virginia, Hanover County, by Hugh H. Bennett and W. E. McLendon, pp. 213-245.
 Virginia, Louisa County, by Hugh H. Bennett and W. E. McLendon, pp. 191-212.
 Virginia, Yorktown area, by R. T. Avon Burke and Aldert S. Root, pp. 247-270.
 Washington, Everett area, by E. P. Carr and A. W. Mangum, pp. 1053-1079.
 Washington, Island County, by E. P. Carr and A. W. Mangum, pp. 1033-1051.
 West Virginia, Upshur County, by A. M. Griffen and Orla L. Ayrs, pp. 175-190.
 Wisconsin, Carlton area, by W. J. Geib and Grove B. Jones, pp. 815-835.
 Wisconsin, Portage County, by F. N. Meeker and R. T. Avon Burke, pp. 837-864.

Wieland, G. R.

2572. The osteology of *Protostega*.—Carnegie Mus., Mem., vol. 2, no. 7, pp. 279-304, 3 pls., 8 figs., 1906.

2573. Plastron of the *Protosteginae*.—Carnegie Mus., Annals, vol. 4, no. 1, pp. 8-14, 5 pls., 2 figs., 1906.

2574. American fossil cycads.—Carnegie Inst. of Washington, Publ. no. 34, 196 pp., 50 pls., 138 figs., 1906.

Describes the occurrence of fossil cycads; their preservation and external characters, the methods of study employed, and their structure and relationships.

2575. Dinosaurian gastroliths.—*Science*, new ser., vol. 23, pp. 819-821, May 25, 1906.

Discusses the occurrence and characters of the pebbles so named.

2576. Gastroliths.—*Science*, new ser., vol. 25, pp. 66-67, January 11, 1907.

Discusses the occurrence and distinguishing features of gastroliths associated with dinosaurian remains.

Wilder, Frank Alonzo.

2577. The lignite coals of North Dakota.—*Econ. Geology*, vol. 1, no. 7, pp. 674-681, 1906.

Describes the extent and geologic horizon of the lignite deposits of North Dakota and the character and fuel efficiency of the lignite coals of North Dakota.

2578. Fourteenth annual report of the state geologist [Iowa].—*Iowa Geol. Survey*, vol. 16, pp. 1-12, 1 pl., 1906.

An administrative report outlining the work done and indicating future work and its needs.

2579. Memoir of Albert Allen Wright [1846-1905].—*Geol. Soc. America, Bull.*, vol. 17, pp. 687-690, 1907.

Gives also a list of his publications.

Willcox, Oswin W.

2580. The viscous vs. the granular theory of glacial motion. Long Branch, N. J. Published by the author, 1906. 23 pp.

2581. The iron concretions of the Redbank sands.—*Jour. Geology*, vol. 14, no. 3, pp. 243-252, 8 figs., 1906.

Describes the occurrence and character of these concretions and discusses the mode of their formation.

Williams, H. J. Carnegie.

2582. The Bruce Mines, Ontario, 1846-1906.—*Canadian Min. Jour.*, vol. 28, no. 4 (new ser., vol. 1, no. 2), pp. 47-51, 4 figs., April 1, 1907.

Includes notes on the local geology and the occurrence of the copper ores.

Williams, Henry Shaler.

2583. The Devonian section of Ithaca, N. Y.—*Jour. Geology*, vol. 14, no. 7, pp. 579-598, 1906.

Discusses rules of correlation and nomenclature and their application to this section.

2584. Revision of the geological section passing through Ithaca, N. Y.—*Abstract: Science*, new ser., vol. 24, pp. 365-367, September 21, 1906.

2585. A new brachiopod, *Rensselaeria mainensis*, from the Devonian of Maine.—*U. S. Nat. Mus., Proc.*, vol. 32, pp. 267-269, 2 figs., 1907.

2586. The Devonian section of Ithaca, N. Y. Part II. The discrimination of the Nunda-Chemung boundary.—*Jour. Geology*, vol. 15, no. 2, pp. 93-112, 1907.

2587. Revision of the geological section passing through Ithaca, N. Y.—*Abstract: Am. Assoc. Adv. Sci., Proc.*, vol. 56-57, pp. 265-267, 1907.

Williams, Ira A.

2588. Geology of Franklin County [Iowa].—*Iowa Geol. Survey*, vol. 16, pp. 453-507, geol. maps, 10 figs., 1906.

Describes the topography and drainage, the stratigraphy, including Devonian and Carboniferous stratified rocks and glacial deposits, and the economic products.

The materials and manufacture of Portland cement.—See Beyer and Williams, no. 233.

The geology of Iowa quarry products.—See Beyer and Williams, no. 234.

Willimott, C. W.

2589. The mineral pigments of Canada.—*Canada Geol. Survey*, 39 pp., 1906.

Includes notes on the occurrence in Canada of various minerals which may be used for pigments.

Willis, Bailey.

2590. Geologic research in continental histories.—*Carnegie Inst. of Washington, Yearb.* no. 4, 1905, pp. 204-214, 1906.

2591. Carte géologique de l'Amérique du Nord. 1906. Scale 1:5,000,000. Prepared for the Congrès géologique international, X^e session, Mexico, 1906.

2592. Geographic history of Potomac River.—*U. S. Geol. Survey, W.-S. and Irr. Paper* no. 192, pp. 7-22, 1 pl., 1907.

2593. How should faults be named and classified?—*Econ. Geology*, vol. 2, no. 3, pp. 295-298, 1907.

2594. Carte géologique de l'Amérique du Nord.—*Congr. géol. intern., C. R.* 10^e sess., Mexico, 1906, pp. 211-225, 1907.

Describes the construction, nomenclature, classification, and coloring of the geological map of North America prepared for the International Geological Congress, held in Mexico, 1906.

2595. The Appalachian revolution.—*Abstract: Science*, new ser., vol. 25, p. 867, May 31, 1907.

Willis, Bailey—Continued.

2596. Current theories of slaty cleavage.—Abstract: Science, new ser., vol. 25, p. 968, June 21, 1907.

2597. Thrusts and recumbent folds, a suggestion bearing on Alpine structure.—Science, new ser., vol. 25, pp. 1010-1011, 1 fig., June 28, 1907.

2598. A theory of continental structure applied to North America.—Geol. Soc. America, Bull., vol. 18, pp. 389-412, October, 1907.

Williston, Samuel W.

2599. American amphicælian crocodiles.—Jour. Geology, vol. 14, no. 1, pp. 1-17, 12 figs., 1906.

Reviews the literature relating to American amphicælian crocodiles, discusses their characters and relationships, and describes *Calosuchus reedii* new genus and species.

2600. North American plesiosaurs: *Elasmosaurus*, *Cimoliasaurus*, and *Polycotylus*.—Am. Jour. Sci., 4th ser., vol. 21, pp. 221-236, 4 pls., 5 figs., March, 1906.

Discusses characters and relationships and gives descriptions of various species.

2601. The skull of *Brachauchenius*, with observations on the relationships of the Plesiosaurs.—U. S. Nat. Mus., Proc., vol. 32, pp. 477-489, 4 pls., June 15, 1907.

Willmott, A. B.

2602. Michipicoten Island [Ontario].—Canadian Min. Jour., vol. 28, no. 15 (new ser., vol. 1, no. 13), pp. 398-400, 1 fig., September 15, 1907.

Includes notes on the geology and occurrence of the ores.

2603. The origin of deposits of pyrites.—Canadian Min. Jour., vol. 28, no. 18 (new ser., vol. 1, no. 16), pp. 500-503, November 1, 1907.

Wilson, Alfred W. G.

2604. James Bay exploration, 1905. Report of the geologist.—Temiskaming and Northern Ontario Railway Commission, 4th Ann. Rept., pp. 57-65, Toronto, 1906.

Gives notes on the economic geology and physical features of the region examined.

2605. On the glaciation of Orford and Sutton mountains, Quebec.—Am. Jour. Sci., 4th ser., vol. 21, pp. 196-205, 5 figs., March, 1906.

Describes the physiography and evidences of glaciation.

Wilson, E. B.

2606. Cape Nome placers.—Eng. and Min. Jour., vol. 82, pp. 680-681, 2 figs., October 13, 1906.

Includes notes on the rocks of the region and the origin of the placers.

Wilson, Guy West.

2607. A travertine deposit in Tippecanoe County, Indiana.—Indiana Acad. Sci., Proc., 1905, pp. 183-184, 1906.

Wilson, J. Howard.

2608. Notes on the glacial geology of Nantucket and Cape Cod.—Abstract: Science, new ser., vol. 23, p. 389, March 9, 1906.

2609. Deposit of Venus shells in New York City.—Science, new ser., vol. 23, pp. 821-822, May 25, 1906.

2610. The glacial history of Nantucket and Cape Cod. With an argument for a fourth center of glacial dispersion in North America. New York, 1906, 90 pp., 38 pls., 13 figs.

Describes the preglacial and glacial formations of Nantucket Island and presents the evidence in favor of a Newfoundland center of ice dispersion in explanation of the glacial phenomena described.

Wilson, J. Howard—Continued.

2611. The Pleistocene beds of Sankaty Head, Nantucket.—Abstract: New York Acad. Sci., vol. 17, pt. 3, pp. 594-595, 1907.

2612. Glacial history of Nantucket and Cape Cod.—Abstract: Geol. Soc. Am., Bull., vol. 17, pp. 710-711, 1907; New York Acad. Sci., Annals, vol. 17, pt. 3, pp. 624-625, 1907.

Wilson, M. Estelle.

2613. Shore topography near Davenport, Santa Cruz County [California].—California Phys. Geog. Club, vol. 1, no. 2, pp. 11-17, 2 pls., October, 1907.

Wilson, W. J.

2614. [Report on] the region between Lake Temagami and Spanish River.—Canada, Geol. Survey, Summ. Rept. for 1905, pp. 82-84, 1906.

Gives an outline of the work done in making a survey of the area.

2615. On explorations along the proposed line of the Transcontinental Railway from Lake Abitibi eastward.—Canada, Geol. Survey, Summ. Rept. for 1906, pp. 119-123, 1906.

Gives notes on the physical features and geology of the region and the occurrence of molybdenite.

Report of the geological branch of the Ottawa Field-Naturalists' Club for 1905-6. See Ami and Wilson, no. 44.

Winchell, Alexander N.

2616. The oxidation of pyrite.—Econ. Geology, vol. 2, no. 3, pp. 290-294, 1 fig., no. 8, pp. 799-800, 1907. Mines and Minerals, vol. 28, no. 2, p. 61, September, 1907.

Production of gold and silver in 1905 in Montana.—See no. 2418.

The production in Montana in 1906 of gold and silver.—See no. 2419.

Winchell, Horace V.

2617. The genesis of ores.—Min. and Sci. Press, vol. 95, pp. 55-58, July 13, 1907.

2618. Genesis of ores in the light of modern theory.—Eng. and Min. Jour., vol. 84, pp. 1067-1070, December 7, 1907.

Winchell, Newton H.

2619. The Keweenaw at Lake of the Woods in Minnesota.—Abstract: Science, new ser., vol. 23, p. 289, February 23, 1906; Am. Assoc. Adv. Sci., Proc., vol. 55, p. 378, 1906.

2620. The Cuyuna iron range.—Econ. Geology, vol. 2, no. 6, pp. 565-571, 1 fig., 1907.

Describes the general geology and the occurrence and relations of the iron ores.

Wisconsin.

2621. Fifth biennial report of the Commissioners of the Geological and Natural History Survey, covering the period from July 1, 1904, to June 30, 1906, 45 pp., 1906.

Gives an account of the work of the survey for the period stated.

Wolff, H. C.

The underflow of the South Platte Valley.—See Slichter and Wolff, no. 2216.

Woodbridge, Dwight E.

2622. Arizona and Sonora.—Eng. and Min. Jour., vol. 81, pp. 896-897, 990-992, 1134-1135, 1180-1182, 1229-1232, illus., 1906.

Includes notes on the occurrence and geological relations of the copper ores.

2623. Iron ore in Crow Wing County, Minn.—Eng. and Min. Jour., vol. 84, pp. 775-776, October 26, 1907.

Woodman, J. Edmund.

2624. Distribution of bedded leads in relation to mining policy.—Nova Scotian Inst. Sci., Trans., vol. 11, pt. 2, pp. 163-178, 1906; Nova Scotia Min. Soc. Jour., vol. 10, pp. 79-94, 1907.

Discusses the occurrence and relations of the gold-bearing veins of Nova Scotia.

2625. The earthquake of March 21, 1904, in Nova Scotia.—Nova Scotian Inst. Sci., Trans., vol. 11, pt. 2, pp. 227-235, 1906.

2626. The Cumberland coal basin, Nova Scotia.—Abstract: Science, new ser., vol. 25, pp. 296-297, February 22, 1907.

2627. Preliminary report on iron-ore deposits of parts of Nova Scotia.—Canada, Dept. Interior, Rept. Supt. Mines, 1907, pp. 18-32, 1907.

Woodruff, Elmer Grant.

2628. The geology of Cass County, Nebraska.—Nebraska Geol. Survey, vol. 2, pt. 2, pp. 171-302, 20 pls., 33 figs., 1906.

2629. The Lander coal field, Wyoming.—U. S. Geol. Survey, Bull. no. 316, pp. 242-243, 1907.

Woodward, Arthur Smith.

2630. The relations of paleontology to other branches of science.—Congress of Arts and Science, Universal Exposition, St. Louis, 1904, vol. 4, pp. 551-565, 1906.

Woodworth, Jay B.

2631. Postglacial faults of eastern New York.—New York State Mus., Bull. 107, pp. 5-28, 5 pls., 8 figs., 1907.

2632. Abandoned shore lines.—Abstract: Science, new ser., vol. 26, pp. 397-398, September 27, 1907.

Discusses successive water levels in the Champlain and St. Lawrence valleys during the retreat of glacial ice.

Woolsey, Lester H.

2633. Volcanic ash near Durango, Colo.—U. S. Geol. Survey, Bull. no. 285, pp. 476-479, 1906.

Describes the distribution, geologic relations, and character of the deposits, and gives a bibliography.

2634. Economic geology of the Beaver quadrangle, Pennsylvania (southern Beaver and northwestern Allegheny counties).—U. S. Geol. Survey, Bull. no. 286, 132 pp., 8 pls., 35 figs., 1906.

Describes the stratigraphy, and the occurrence, relations, and economic value of the mineral resources: coal, clay, petroleum, natural gas, and building stone.

2635. Lake Fork extension of the Silverton mining area, Colorado.—U. S. Geol. Survey, Bull. no. 315, pp. 26-30, 1907.

Describes the general geology, the occurrence of the gold and silver ores, and the mining developments.

Wooster, Lyman C.

2636. Additional observations on the geology of Kansas.—Kansas Acad. Sci., Trans., vol. 20, pt. 1, pp. 75-82, 1906.

Describes the occurrence, character, etc., of various subdivisions of the Carboniferous strata of Kansas.

Wornester, Leonard, jr.

2637. Zinc in Chihuahua [Mexico].—Mineral Collector, vol. 13, no. 11, pp. 169-171, January, 1907.

Wortman, J. L.

2638. A new fossil seal from the marine Miocene of the Oregon coast region.—Science, new ser., vol. 24, pp. 89-92, July 20, 1906.

Wright, Charles Will.

2639. Nonmetallic products of southeastern Alaska.—U. S. Geol. Survey, Bull. no. 284, pp. 55-60, 1906.

Gives notes upon the occurrence, character, production, etc., of marble, limestone, granite, gypsum, coal, and mineral and thermal springs.

2640. A reconnaissance of Admiralty Island.—U. S. Geol. Survey, Bull. no. 287, pp. 138-161, 3 pls., 4 figs., 1906.

Describes the general geology, the geologic structure and stratigraphy, and the occurrence and character of deposits of gold and coal.

2641. Lode mining in southeastern Alaska.—U. S. Geol. Survey, Bull. no. 314, pp. 47-72, 1 pl., 1907.

Gives an account of the geology, the occurrence and character of gold, silver, and copper ores, and the mining conditions of the various mining districts of southeastern Alaska.

2642. Nonmetalliferous mineral resources of southeastern Alaska.—U. S. Geol. Survey, Bull. no. 314, pp. 73-81, 1907.

Gives a brief description of the known workable deposits of granite, marble, and gypsum.

2643. Recent changes in the ice fields of Glacier Bay, Alaska.—Abstract: Science, new ser., vol. 26, pp. 148-149, August 2, 1907.

Lode mining in southeastern Alaska.—See Wright and Wright, no. 2654.

Recent changes in the glaciers of Glacier Bay, Alaska.—See Wright and Wright, no. 2655.

Wright, Fred Eugene.

2644. [Report on] the Unuk River mining region of British Columbia.—Canada, Geol. Survey, Summ. Rept. for 1905, pp. 46-53, 1906; British Columbia, Ann. Rept. Minister of Mines, for 1906, pp. 68-74, 1907.

Describes briefly the geography, geology, and mineral deposits of the area.

2645. Artificial wollastonite and pseudo-wollastonite.—Abstract: Science, new ser., vol. 23, pp. 32-33, January 5, 1906.

2646. The determination of the feldspars by means of their refractive indices.—Am. Jour. Sci., 4th ser., vol. 21, pp. 361-363, May, 1906.

2647. A modification of the Lasaulx method for observing interference figures under the microscope.—Am. Jour. Sci., 4th ser., vol. 22, pp. 19-20, 2 figs., July, 1906.

2648. Schistosity by crystallization. A qualitative proof.—Am. Jour. Sci., 4th ser., vol. 22, pp. 224-230, 3 figs., September, 1906.

2649. Optical study of the lime-silica series of minerals.—Am. Jour. Sci., 4th ser., vol. 22, pp. 293-302, October, 1906.

2650. Artificial magnesian-pyroxenes and amphiboles.—Abstract: Science, new ser., vol. 25, pp. 389-390, March 8, 1907.

2651. Methods of igneous intrusion.—Abstract: Science, new ser., vol. 25, p. 623, April 19, 1907.

2652. Artificial production of gneissic structures by crystallization under stress.—Abstract: Science, new ser., vol. 25, p. 768, May 17, 1907.

2653. The measurement of the optic axial angle of minerals in the thin section.—Am. Jour. Sci., 4th ser., vol. 24, pp. 317-369, 2 pls., 29 figs., October, 1907.

On wollastonite and pseudo-wollastonite, polymorphic forms of calcium metasilicate; optical study.—See Allen and White, no. 27.

Minerals of the composition MgSiO_3 ; a case of tetramorphism.—See Allen, Wright, and Clement, no. 28.

Wright, Fred Eugene—Continued.

The lime-silica series of minerals. Optical study.—See Day and Shepherd, no. 692.

Die Kalkkieselreihe der Minerale.—See Day and others, no. 690.

Wright, Fred Eugene, and Wright, Charles Will.

2654. Lode mining in southeastern Alaska.—U. S. Geol. Survey, Bull, no. 284, pp. 30-54, 1 pl., 1 fig., 1906.

Describes briefly the general geology and in detail the mining developments, with notes on the occurrence of gold and copper ores.

2655. Recent changes in the glaciers of Glacier Bay, Alaska.—Abstract: Science, new ser., vol. 25, p. 770, May 17, 1907.

Wuestner, Herman.

2656. Pisolitic barite [from Texas].—Cincinnati Soc. Nat. Hist., Jour., vol. 20, no. 6, pp. 245-250, 4 figs., 1906.

Describes the occurrence, character, and probable origin of pellets from a gas well in Texas.

Wyoming, Department of Immigration.

2657. The State of Wyoming. A book of reliable information published by authority of the Ninth Legislature, Cheyenne, Wyoming, 1907. 141 pp. Mineral resources, pp. 57-88, 7 pls.

Yale, Charles G.

2658. General index to publications of the California State Mining Bureau.—California State Min. Bur., Bull. no. 46, pp. 7-42, June, 1907.

Production of gold and silver in 1905 in California, Nevada, Oregon, and Washington.—See no. 2418.

The production in the United States in 1906 of borax; and of magnesite.—See no. 2419.

The production of gold and silver in 1906, in California, Nevada, Oregon, and Washington.—See no. 2419.

Young, C. M.

2659. The Atchison mine at Atchison, Kansas, the deepest bituminous coal mine in the United States.—Mines and Minerals, vol. 27, no. 12, pp. 537-538, 2 figs., July, 1907.

Includes notes on the occurrence of the coal.

Young, George A.

2660. The geology and petrography of Mount Yamaska, Province of Quebec.—Canada Geol. Survey, Ann. Rept., vol. 16, pt. H, 43 pp., geol. map, 1906.

Describes the general geology and the character and occurrence of the igneous rocks.

Zalinski, Edward R.

2661. Some notes on Greenwater. The new copper district of California—its development and prospects.—Eng. and Min. Jour., vol. 83, pp. 77-82, 9 figs., January 12, 1907.

2662. The mines of the Fairview district, Nevada.—Eng. and Min. Jour., vol. 83, pp. 699-703, 6 figs., April 13, 1907.

Includes a short account of the geology of the region.

2663. Mining in the Wonder district, Nevada.—Eng. and Min. Jour., vol. 83, pp. 763-765, 4 figs., April 20, 1907.

Includes a short account of the local geology and occurrence and character of the ores.

2664. Turquoise in the Burro Mountains, New Mexico.—Econ. Geology, vol. 2, no. 5, pp. 464-492, 5 figs., 1907.

Describes the local geology and the occurrence, geologic relations, and origin of the turquoise.

Zirkel, Ferdinand.

2665. The relations existing between petrography and its related sciences.—Congress of Arts and Science, Universal Exposition, St. Louis, 1904, vol. 4, pp. 591-603, 1906.

2666. Works of reference on petrology and mineralogy.—Congress of Arts and Science, Universal Exposition, St. Louis, 1904, vol. 4, pp. 760-761, 1906.

Anonymous.

2667. The Californian earthquake of April 18.—Nature, vol. 74, pp. 178-179, 2 figs., June 21, 1906.

2668. Joseph Frederick Whiteaves.—Geol. Mag., dec. 5, vol. 3, no. 10, pp. 433-442, 1 pl. (port.), October, 1906.

Gives a sketch of his life and a list of his writings.

2669. Mining for fossils.—Sci. Am. Suppl., vol. 61, p. 25246, March 17, 1906.

2670. Angelo Heilprin.—Philadelphia, Geog. Soc., Bull., vol. 5, no. 4, pp. 67-68, October, 1907.

2671. Angelo Heilprin.—Am. Geog. Soc., Bull., vol. 39, no. 11, pp. 666-668, November, 1907.

2672. Bibliography of C. L. Herrick.—Denison Univ., Sci. Lab., Bull., vol. 13, art. 1, pp. 28-33, 1905.

INDEX.

[The numbers refer to entries in the bibliography.]

Abrasive materials.

United States: Arnold, 65; 2418, 2419.

Addresses.

Concentration as a geological principle: Russell, 2105.

Contributions of America to geology: Rice, 2033.

Early surroundings of life: Lane, 1515.

Evolution as it appears to the paleontologist: Osborn, 1846.

Methods of the earth sciences: Chamberlin, 452.

Present problems of geophysics: Becker, 171.

Problems of geology: Van Hise, 2421.

Relation of the Federal Government to the mining industry: Hayes, 1108.

Stratigraphic geology: Prosser, 1960.

U. S. Geological Survey and the mining industry: Smith, 2238.

U. S. Geological Survey, work of: Smith, 2239.

Alabama.

General.

Jackson anticlinal in Clarke county: Smith, 2225.

Economic.

Bauxite industry: Judd, 1330.

Birmingham district, clay: Butts, 372. coal: Butts, 369.

Iron: Burchard, 351.

Limestone and dolomite: Butts, 370.

sand-lime brickmaking: Butts, 371.

Cahaba coal field: Butts, 373.

Clinton ores: Burchard, 351; Eckel, 764.

Glass sands: Burchard, 355.

Iron ores, Clinton: Burchard, 351; Eckel, 764.

Russellville district: Burchard, 352.

Talladega County: Smith, 2247.

Limestone and dolomite, Birmingham district: Butts, 370.

Mineral resources: Smith, 2227.

Sand-lime brickmaking: Butts, 371.

Warrior coal basin: Butts, 369.

Stratigraphic.

Post-Eocene formations: Smith, 2226, 2228.

St. Stephens limestone overlap: Smith, 222.

Alabama—Continued.

Paleontology.

Alabamornis gigantea: Abel, 4.

Eocene fossils: Aldrich, 25.

Pleistocene plants: Berry, 223.

Mineralogy.

Evansite: Schaller, 2136.

Selma meteorite: Hovey, 1232; Merrill, 1739.

Underground water.

Smith, 2229.

Alaska.

General.

Climatic conditions at Nome during the Pliocene: Dall, 628.

Geologic survey, progress of: Brooks, 310.

Geology and geography: Brooks, 313; Rühl, 2099.

Physiography and geology: Duffield, 749.

Publications, recent, relating to: Brooks, 312.

Reconnaissance, Circle to Fort Hamlin: Stone, 2309.

Pacific coast: Blackwelder, 240.

Economic.

Admiralty Island: Wright, 2640.

Bering River, coal: Martin, 1680.

Bonnifield and Kantishna regions: Prindle, 1957.

Cape Lisburne, coal: Collier, 552.

Cape Nome region: Moffit, 1764.

beach gravels: Halla, 1086; Hutchins, 1263.

placers: Wilson, 2606.

Cape Prince of Wales, tin: Fay, 856.

Circle precinct: Brooks, 319; Prindle, 1956.

Controller Bay, petroleum: Martin, 1684.

Coal fields: Martin, 1683; Ritter, 2069.

Copper mining in 1905: Weed, 2499.

Herendeen coal field: Paige, 1859.

Iron Creek: Smith, 2246.

Juneau gold belt: Spencer, 2261.

Kachemak Bay coal field: Stone, 2308.

Klondike region: Everette, 831.

Kougarak region: Brooks, 318.

Lode mining: Wright, 2641; Wright and Wright, 2654.

Marble: Rathbun, 1986.

Matanuska and Talkeetna basins: Paige and Knopf, 1861, 1862.

Alaska—Continued.

Economic—Continued.

Matanuska coal field: Griffith, 1042; Martin, 1681, 1682.

Mineral resources: Brooks, 311, 316; Cornforth, 580.

nonmetalliferous: Wright, 2642.

Mining industry: Brooks, 315, 317.

Mining, vein: Purington, 1794.

Nonmetallic products: Wright, 2639.

Prince William Sound: Grant, 1020.

Rampart gold placer region: Prindle and Hess, 1958.

Seward Peninsula, gold mining: Moffit, 1763.

Solomon and Niukluk River basins: Smith, 2245.

Talkeetna basin: Paige and Knopf, 1861, 1862.

Turnagain Arm gold fields: Moffit, 1762.

Vein mining: Purington, 1794.

Yakutat Bay region: Tarr, 2346.

York tin region: Hess, 1134, 1140.

Yukon placers: Prindle, 1955.

Dynamic and structural.

Faulting, oblique minor: Martin, 1687.

Folded slates of glacial origin: Blackwelder, 238.

Glacial erosion: Tarr, 2351.

Glacial features of Alaskan coast: Blackwelder, 239.

Glacier Bay ice field, recent changes in: Wright, 2643, Wright and Wright, 2655.

Glaciers, recession of: Klotz, 1405.

Hubbard glacier front in 1792 and 1794: Tarr and Martin, 2359.

Malaspina glacier: Tarr, 2349, 2353.

Volcanic activity: Crosby, 1602.

Yakutat Bay region: Tarr, 2352, 2354. changes of level: Tarr and Martin, 2356, 2357.

glaciers: Tarr and Martin, 2358.

Physiographic.

Alaskan coast, glacial features: Blackwelder, 239.

Stratigraphic.

Cape Lisburne region: Collier, 552.

Cape Nome region: Moffit, 1764.

Circle quadrangle: Prindle, 1956.

Cook Inlet region: Paige and Knopf, 1860.

Kachemak Bay region: Stone, 2308.

Matanuska and Talkeetna basins: Paige and Knopf, 1861, 1862.

Matanuska coal field: Martin, 1682.

Rampart gold placer region: Prindle and Hess, 1958.

Reconnaissance map: Brooks, 320.

Southeastern Alaska: Kindle, 1400.

Talkeetna basin: Paige and Knopf, 1861, 1862.

Tertiary basin: Kindle, 1399.

Turnagain Arm region: Moffit, 1762.

Yakutat Bay region: Blackwelder, 238.

Yukon, upper, Paleozoic section of: Brooks and Kindle, 1399.

Alaska—Continued.

Paleontology.

Cape Lisburne region, invertebrates: Girty, 966.

plants: Knowlton, 1417; White, 2543.

Paleozoic faunas: Kindle, 1400.

Pecten, new species: Dall, 628.

Mineralogy.

Zinnwaldite: Schaller, 2136.

Alberta.

General.

Field work along international boundary: Daly, 637.

Economic.

Cascade coal basin: Dowling, 736.

Coal: Dowling, 734, 737; Gwillim, 1059; Thompson, 2371.

Moose Mountain district: Cairnes, 381.

Petroleum, along international boundary: Daly, 635.

Rocky Mountain area, coal: Dowling, 734.

Dynamic and structural.

Glaciers: Vaux and Vaux, 2427, 2428. In Rockies and Selkirks: Sherzer, 2197, 2197a.

variations in 1905: Vaux and Vaux, 2426.

Rock slide at Frank: Ashworth, 78.

Stratigraphic.

Cascade coal basin: Dowling, 736.

International boundary survey: Daly, 635.

Moose Mountain district: Cairnes, 381; Dowling, 735.

Surface geology: Chalmers, 449.

Paleontology.

Boremys, Cretaceous chelonian: Lambe, 1488.

Crocodylian genus and species, new: Lambe, 1492.

Peltoceras: Whiteaves, 2560.

Petrology.

Analcite-trachyte tufts and breccias: Knight, 1409.

Algonkian. *See* Pre-Cambrian.

Alum.

Nevada, Silver Peak quadrangle: Spurr, 2271.

New Mexico, Gila River deposits: Hayes, 1111.

Aluminum.

United States: 2418, 2419.

Amber.

Santo Domingo: Sample, 2118.

Amphibia.

Zatrachys Cope: Case, 444.

Analyses, chemical. *See* list, p. 282.

Anthozoa (corals).

Arctic islands: Lambe, 1486.

Devonian: Greene, 1029, 1031, 1032.

D'Orbigny's types figured: Boule and Thevenin, 270.

Indiana, Salem limestone: Beede, 174, 179.

Anthozoa (corals)—Continued.

- Kentucky, Silurian: Foerste, 884.
- Madreporaria, morphology: Duerden, 747.
- Maryland, Pleistocene: Clark, 482.
- Morphology, physiology, and development: Duerden, 748.
- Paleozoic corals, development: Anderson, 45, 46.
- early stages: Brown, 334; Gordon, 976, 978.
- Septa in rugose corals: Duerden, 746; Gordon, 977.
- Silurian, Kentucky: Foerste, 884.
- Streptelasma rectum Hall, developmental stages: Brown, 334.

Antigua.

Palaeontology.

- Zebrasoma deani: Hussakof, 1259.

Antimony.

- California: Aubury, 87.
- United States: 2418, 2419.

Apatite.

- Virginia: Watson, 2493.

Arachnida.

- Tertiary, from Florissant, Colo.: Cockerell, 530.

Archean. See Pre-Cambrian.

Arizona.

General.

- Bisbee district: Ransome, 1981.
- Coon Butte: Barringer, 152; Barringer and Tilghman, 153; Fairchild, 841, 843; Guild, 1054; Munk, 1776; Tilghman, 2376.
- Red Mountain: Atwood, 80.

Economic.

- Anthracite coal: Griffith, 1041.
- Asbestos: Pratt, 1945.
- Bisbee district: Brinsmade, 299; Ransome, 1981.
- Cherry Creek district: Lindgren, 1592; Reid, 2016, 2020.
- Clifton-Morenci copper deposits: Ransome, 1982.
- Cochise mining district: Kellogg, 1358.
- Colorado River region, copper: Hatley, 1094.
- Copper: Brinsmade, 299; Graichen, 1009; Hatley, 1094; Merrill, 1730; Ransome, 1982; Woodbridge, 2622.
- Copper mining in 1905: Weed, 2499.
- Globe copper-gold deposits: Graichen, 1009.
- Gold Road: Tovote, 2386.
- Mowry, lead-silver: Brinsmade, 298.
- Slate: Dale and Eckel, 625.
- Southern Arizona, copper: Merrill, 1730.
- Tombstone: Brinsmade, 300.
- Vulture mine: Purington, 1296.

Dynamic and structural.

- Colorado canyon, example of erosion: Davis, 667.

Arizona—Continued.

Dynamic and structural—Continued.

- Coon Butte, origin of crater: Barringer, 152; Tilghman, 2376.
- Detrital slopes: Blake, 242.
- Fractured boulders in conglomerate: Campbell, 394.
- Metamorphism in siliceous sandstone: Merrill, 1742.
- Volcano, recent, in San Francisco Mountain region: Johnson, 1305.

Physiographic.

- (The) desert, its resources, water-supply, and development: Bailey, 96.
- Grand Canyon of the Colorado: Crook, 600.
- Montezuma's Well, origin: Blake, 241.
- Peneplain, Grand Canyon district: Johnson, 1308.
- Tertiary, plateau district: Robinson, 2078.
- Physiographic features: Johnson, 1302.
- San Francisco Mountain region: Johnson, 1305.

Stratigraphic.

- Bisbee district: Ransome, 1981.
- Colorado River region: Lee, 1548.
- Glaciation, evidences of: Merrill, 1721.

Palaeontology.

- Aubrey and Red Wall fossils: Reagan, 2000.
- Red Wall fossils: Reagan, 2000, 2001.
- Snails: Cockerell, 515.

Mineralogy.

- Coon Butte meteorite: Farrington, 852; Mallet, 1672.
- Copper crystals from Bisbee: Peterelt, 1912.
- Iron shale, analysis of: Farrington, 852.
- Molybdenite, Wallapi Mountains: Garrison, 933.
- Molybdate: Guild, 1053.
- Vanadinite: Bowman, 274.

Arkansas.

General.

- Correspondence relating to survey of coal fields: Branner, 287.

Economic.

- Anthracite coal: Griffith, 1041.
- Coal field: Collier, 555, 556.
- Diamond field: Kunz and Washington, 1444; Schneider, 2140.
- Garland County, clays: Eckel, 767.
- Glass-sand deposits: Burchard, 350, 355.
- Phosphates: Purdue, 1968, 1970.
- Slate: Dale and Eckel, 625.
- Winslow quadrangle: Purdue, 1971.
- Zinc ores, occurrence: Purdue, 1966.

Dynamic and structural.

- Cave-sandstone deposits: Purdue, 1967.
- Fracture systems: Hobbs, 1176.
- Rock folds due to weathering: Campbell, 396.

Arkansas—Continued.*Physiographic.*

Alluvial cone topography: Purdue, 1965.

Southern Arkansas: Davis, 680.

Stratigraphic.

Coal fields: Collier, 556.

Southern Arkansas: Veatch, 2436.

Winslow quadrangle: Purdue, 1971.

Paleontology.

Carboniferous fossils from coal fields: Girty, 967.

Plants from coal fields: White, 2546.

Mineralogy.

Diamond: Kunz and Washington, 1444, 1445.

Underground water.

Drainage of wet lands by wells: Crider, 597.

Southern Arkansas: Veatch, 2436.

Arsenic.

Ontario, Cobalt: Rickard, 2053.

United States: 2419.

Arsenious oxide.

United States: 2418.

Arsenopyrite.

Virginia: Watson, 2493.

Arthropoda.

Tertiary, from Florissant, Colo.: Cockrell, 529.

Asbestos.

General: Schaaf-Regelmann, 2133.

Arizona: Pratt, 1945.

California: Aubury, 87.

Oregon: Stafford, 2276.

Quebec: Stokes, 2305.

Chibougamau region: Low, 1624.

United States: 2418, 2419.

Vermont: Perkins, 1907.

Virginia: Watson, 2493.

Asphalt.

Formation of veins: Eldridge, 778.

Oregon: Stafford, 2076.

Trinidad: Ellis, 786, 787.

United States: 2418, 2419.

Assiniboia.*Paleontology.*

Horses, fossil: Lambe, 1490.

Hyracodon: Lambe, 1489.

Testudo and Baena: Lambe, 1487.

Associations, meetings.

American Association for the Advancement of Science, Section E: Gulliver, 1057; Hovey, 1226, 1227, 1234.

Geological Society of America: Hovey, 1237.

International Geological Congress, Tenth: 572; Offret, 1814.

International Zoological Congress, Seventh, Section of Paleozoology: Grabau, 1003.

Aves.

Alabamornis gigantea: Abel, 4

Gallinuloides prentici, from Wyoming
Eocene: Loomis, 1613.

Barbados.*General.*

Geology and mineral resources: Ellis, 786, 787.

Barite. *See also* Barytes.

Tennessee: Watson, 2488.

Virginia: Watson, 2491, 2493.

Barytes. *See also* Barite.

California: Aubury, 87.

North Carolina: Judd, 1331.

Nova Scotia, Five Islands: Hutchinson, 1265.

Lake Ainslie and North Cheticamp: Poole, 1943.

South Carolina: Sloan, 2218.

Southern States: Judd, 1331.

Tennessee, Cocke County: Judd, 1331; Weller, 2514.

United States: 2418, 2419.

Virginia: Judd, 1331.

Bauxite.

Alabama: Judd, 1330; Smith, 2227.

California: Aubury, 87.

Georgia: Judd, 1330.

United States: 2418, 2419.

Beaches. *See* Shore-lines; Terraces.**Bentonite.**

Wyoming, Bighorn basin: Fisher, 872, 873.

Laramie basin: Siebenthal, 2209.

Owl Creek Mountains: Darton, 642.

Bermuda Islands.

Geology and paleontology: Verrill, 2445.

Bibliography.

Alaska, economic geology: Brooks, 311, 316.

geology and geography: Brooks, 313.
tin: Fay, 856.

Aquatic life, limb modifications for: Osburn, 1849.

Arkansas, geology: Veatch, 2436.

Arthropodira: Hussakof, 1227.

Barytes: 2419.

Bauxite: 2419.

Beecher, C. E., writings: Dall, 626; Schuchert, 2145.

Bermuda Islands: Verrill, 2445.

Black sands: 2418.

Brachiopoda, old age characters: Shimer, 2202.

Bryozoa, Niagara: Bassler, 157.

California, glaucophane-bearing rocks: Smith, 2242.

State mining bureau publications, index to: Yale, 2658.

Tertiary and Pleistocene: Arnold, 57.

Canada, Geological survey, publications: 417.

Canadian geology and paleontology, 1904, 1905, 1906: Ami, 36, 38, 42.

Ceratopsia: Lull, 1631.

Champsosaurus: Brown, 322.

Chazy: Raymond, 1987.

Bibliography—Continued.

- Clays and the ceramic arts: Brauner, 283.
 Coal, 2419.
 and lignite of Montana: Rowe, 2090.
 papers on, published by U. S. Geological survey: Lee and Nickles, 1549.
 Colorado, Cripple Creek district: Lindgren and Ransome, 1604.
 Florissant Tertiary lake basin: Henderson, 1127.
 Connecticut: Gregory, 1037.
 Condon, T., writings: Washburne, 2481.
 Continental shelf off Nova Scotia: Poole, 1942.
 Corals: Duerden, 748.
 Paleozoic, early stages of: Gordon, 976.
 Cycads, American fossil: Wieland, 2574.
 Dinosaurs, Triassic: Huene, 1256.
 Eldridge, G. H., writings: Cross, 605; Emmons, 792.
 Flight in vertebrates: Lull, 1630.
 Fluorspar: 2419.
 Folios of U. S. Geologic atlas: Hayes, 1110.
 Geology and paleontology, reference books: Whitlock, 2564.
 Georgia, Altamaha grit region: Harper, 1077.
 Glacial lakes Chicago, Algonquin, and Nipissing: Goldthwait, 975.
 Glaciers of United States in 1905: Reid, 2010.
 Glaucophane-bearing rocks of California: Smith, 2242.
 Granite, economic geology of: Dale, 623.
 Gypsum: 2419.
 Hatcher, J. B., writings: Osborn, 1842; Scott, 2153.
 Herrick, C. L., writings: 2672.
 Iron, Hartville iron-ore range: Ball, 122.
 Virginia: Eckel, 765.
 John Day region: Merriam and Sinclair, 1717.
 Jorullo, volcano: Villafaña, 2447.
 King, C., writings: Emmons, 802.
 Lead, upper Mississippi Valley: Bain, 99; Grant, 1017.
 Virginia-Tennessee: Watson, 2484.
 Lignite, Mississippi: Brown, 326.
 Montana: Rowe, 2090.
 Limbs, modifications for aquatic life: Osburn, 1849.
 Louisiana: Veatch, 2436, 2437.
 McCalley, H., writings: Smith, 2223.
 Mammalia, modifications of occipital condyles: Mead, 1704.
 Marshes: Penhallow, 1893.
 Maryland, Calvert County: Shattuck, 2186.
 Geological survey publications: Clark, 484.

Bibliography—Continued.

- Maryland, Pliocene and Pleistocene: Shattuck, 2184.
 St. Mary's County: Shattuck, 2189.
 Massachusetts, Nantucket, glacial geology: Wilson, 2610.
 Meek, F. B., writings: White, 2539.
 Mica: 2419.
 Mineral waters: 2418.
 Mineralogy, reference books: Zirkel, 2666.
 Minerals, Galena-Joplin district: Rogers, 2081.
 Montana, coal and lignite: Rowe, 2090.
 Mounds, natural, origin: Campbell, 395.
 Newberry, J. S., writings: White, 2540.
 New York, Long Island: Veatch, 2434.
 Schoharie Valley: Grabau, 991.
 Niagara Bryozoa: Bassler, 157.
 North American geology, 1901-1905: Weeks, 2505.
 Ohio: Derby, 712; Prosser, 1962.
 Peat: Holmes *et al.*, 1214; Parmelee and McCourt, 1874.
 Pectens, Tertiary and Pleistocene: Arnold, 57.
 Penfield, S. L., writings: Pirsson, 1931.
 Petroleum: Redwood, 2005.
 southern California: Eldridge and Arnold, 779.
 Petrology, reference books: Zirkel, 2666.
 Placodermata, Arthrodira: Hussakof, 1258.
 Phytosauria: McGregor, 1664.
 Platinum: 2418.
 Pleistocene, California: Arnold, 57.
 Maryland: Shattuck, 2184.
 South Carolina: Pugh, 1963.
 Pliocene, Maryland: Shattuck, 2184.
 Precious stones: 2419.
 Quicksilver: 2418.
 Reptilia: Lees, 1551.
 Champsosaurus: Brown, 322.
 Permian: Case, 441.
 Phytosauria: McGregor, 1664.
 Salt: 2418.
 Slate: Dale and Eckel, 625.
 South Carolina, Pleistocene: Pugh, 1963.
 Tennessee, lead and zinc: Watson, 2484.
 Terracing, river: Fisher, 875.
 Tertiary, California: Arnold, 57.
 Thorium minerals: 2419.
 Tin, Alaska: Fay, 856.
 Trask, J. B., writings: Vogdes, 2461.
 Trilobita, Silurian of North America: Weller, 2521.
 Tungsten: Van Wagenen, 2425.
 Turquoise: Zalinski, 2664.
 Underground waters, publications by U. S. Geological survey: Fuller, 903.
 Vermont: Richardson, 2037.
 Vertebrate limbs, origin: Osburn, 1850.
 Vertebrates, flight of: Lull, 1630.

Bibliography—Continued.

- Virginia: Watson, 2493.
 iron: Eckel, 765.
 lead and zinc: Watson, 2484.
 Volcanic ash: Woolsey, 2633.
 Volcano Jorullo: Villafaña, 2447.
 Whiteaves, J. F., writings: 2668.
 Wright, A. A., writings: Wilder, 2579.
 Xinantecatl: Flores, 881.
 Zinc: 2419.
 Upper Mississippi Valley: Bain, 99;
 Grant, 1017.
 Virginia-Tennessee: Watson, 2484.

Biography.

- Agassiz, Louis: Walcott, 2473.
 Beecher, Charles Emerson: Bather,
 165; Dall, 626; Schuchert, 2145.
 Condon, Thomas: 1834; Washburne,
 2481.
 Eldridge, George Homans: Cross, 605;
 Emmons, 792.
 Hatcher, John Bell: Osborn, 1842;
 Scott, 2153.
 Heilprin, Angelo: Levy, 1575; Pirsson,
 1933; 2670, 2671.
 Herrick, Clarence Luther: Bawden,
 170; Cole, 537.
 King, Clarence: Emmons, 802.
 McCalley, Henry: Smith, 2223.
 Meek, Fielding Bradford: White, 2539.
 Newberry, John Strong: White, 2540.
 Penfield, Samuel Lewis: Miers, 1747;
 Pirsson, 1931; Wells, 2525.
 Pettee, William Henry: Russell, 2103.
 Rominger, Carl Ludwig: Lane, 1517.
 Russell, Israel Cook: Davis, 661; Gil-
 bert, 954; Leverett, 1570; Lom-
 bard and D'Ooge, 1611; Pirsson,
 1932.
 Selwyn, Alfred R. C.: Ami, 43.
 Shaler, Nathaniel Southgate: Davis,
 670, 671; 1088; Hobbs, 1188.
 Trask, John B.: Vogdes, 2461.
 Ward, Henry A.: Farrington, 851.
 Whiteaves, Joseph Frederick: 2668.
 Wright, Albert Allen: Wilder, 2579.

Bismuth.

- United States: 2418, 2419.

Black sands.

- General:* Nicol, 1804.
 California: Day, 695; Edman, 772.
 Oregon: Day, 694.
 Pacific coast: Day, 696.
 United States: Day, 694; Day and
 Richards, 697; 2418.

Blastoidea.

- Blastoidocrinus Billings: Hudson,
 1254, 1255.
 Pelmatozoa from Chazy of New York:
 Hudson, 1253.
 Pentremite, new American: Schuchert,
 2146.
 Pentremites conoideus: Smith, 222.

Borax.

- California: Bailey, 95, 96.
 Inyo County: Taft, 2340.
 Nevada, Silver Peak quadrangle:
 Spurr, 2271.
 Oregon: Stafford, 2276.
 United States: 2418, 2419.

Brachiopoda.

- Devonian: Clarke, 497.
 Devonian spirifers, evolution: Grabau,
 1004.
 Eodevonaria, new subgenus of Cho-
 netes: Breger, 291.
 Index fossils: Grabau and Shimer,
 1006.
 Indiana, Salem limestone: Beede, 177.
 Kentucky, Silurian: Foerste, 884.
 Nomenclature of certain genera:
 Buckman, 347.
 Old age characters: Shimer, 2202.
 Rensselaeria mainensis from Devonian
 of Maine: Williams, 2585.
 Reticularia laevis: Kindle, 1396.

British Columbia.*General.*

- Cascade region: Evans, 821.
 Deutschman's cave, near Banff: Ayres,
 88-90.
 Highland Valley: Evans, 816.
 Interior plateau: Evans, 819.
 International boundary, field opera-
 tions: Daly, 637.
 Kamloops: Evans, 818.
 Nakimu caves: Wheeler, 2529.
 Rocky Mountains, foothills: Cairnes,
 379.
 Similkameen: Evans, 823.
 Stewart River region: Keele, 1346.
 Telkwa River region: Leach, 1534.
 Tulameen: Evans, 820.
 West Fork of Kettle River: Evans,
 827.

Economic.

- Afton district, placers: Carmichael, 426.
 Boundary district: Rickard, 2047.
 copper: Keffer, 1348-1350; Stokes,
 2302.
 Emma mine: Keffer, 1350.
 Bureau of mines, report: Robertson,
 2072, 2073, 2077.
 Cassiar coal fields: Bell, 188.
 Coal, Gwillim, 1059; Ritter, 2069.
 Cassiar fields: Bell, 188.
 Crow's Nest: Ashworth, 78.
 Elk River: Dowling, 733.
 Graham Island: Ellis, 781, 783.
 Nanaimo-Comox: Poole, 1939.
 Nicola-Coldwater: Evans, 813.
 Princeton field: Lakes, 1480.
 Rocky Mountains: Dowling, 734.
 Copper, Eschelon Mountain: Evans,
 822.
 Texada Island: LeRoy, 1566.
 Vancouver Island: Brewer, 292.
 Eschelon Mountain, copper: Evans,
 822.

British Columbia—Continued.*Economic—Continued.*

- Franklin Camp: Brock, 309.
 Gold, Barkerville: Atkin, 79.
 Fraser River: Evans, 814.
 Interior plateau: Robertson, 2074.
 Iron ores: Leith, 1552.
 Kootenay district, zinc: Argall, 54.
 Mining operations, 1904: Robertson, 2072.
 Molybdenite: Evans, 817.
 New Westminster Island and Texada Island: LeRoy, 1565.
 Placers: Evans, 825.
 Princeton coal field: Lakes, 1480.
 Rossland district: Brock, 306, 307; Stokes, 2307.
 St. Eugene silver-lead mine: Stokes, 2306.
 Similkameen district: Camsell, 413; Evans, 824; Lakes, 1481.
 Skeena River: Leach, 1535.
 Striped Mountain, Nickel Plate mines: Evans, 829.
 Telkwa district: Leach, 1533, 1534.
 Texada Island: LeRoy, 1565.
 Marble Bay, copper: LeRoy, 1566.
 Unuk River region: Wright, 2644.
 Vancouver Island, copper: Brewer, 292.
 Windy Arm district: McConnell, 1647.
 1649, 1654; Robertson, 2075.
 Zinc: 416; Barlow, 144.
 Kootenay district: Argall, 54.

Dynamic and structural.

- Glaciers, variation: Vaux and Vaux, 2426-2428.
 in Rockies and Selkirks: Sherzer, 2197, 2197a.

Stratigraphic.

- Cretaceous, Ashcroft: Evans, 815.
 Graham Island: Ellis, 783.
 Horsefly, Similkameen, and Tranquille beds: Lambe, 1484.
 International boundary: Daly, 635.
 Selkirk Range: Dawson, 686.
 Southwestern: Reagan, 2002.
 Surface geology: Chalmers, 450.
 Vancouver Island: Hall, 1064.

Paleontology.

- Amyzon brevipinne: Lambe, 1491.
 Ovibos, tooth of, from Pleistocene near Midway: Lambe, 1493.
 Plants from international boundary survey: Penhallow, 1900.
 Tertiary and Cretaceous plants: Penhallow, 1895.

Petrology.

- Okanagan composite batholith: Daly, 632.

Bromine.

- United States: 2418, 2419.

Bryozoa.

- California, Summerland district, Tertiary: Arnold, 63.
 D'Orbigny's types figured: Boule and Thevenin, 270.

Bryozoa—Continued.

- Indiana, Salem limestone: Cumings, 610.
 James's types: Bassler, 156.
 Rochester shale: Bassler, 157.
 Maryland, Pleistocene: Ulrich, 2411.

Buhrstone.

- United States: 2419.
 Virginia: Watson, 2493.

Building stone. See also Granite, Limestone, and Sandstone.

- California: Aubury, 87.
 Iowa, Black Hawk County: Arey, 53.
 Bremer County: Norton, 1805.
 Clayton County: Leonard, 1559.
 Franklin County: Williams, 2588.
 Jackson County: Savage, 2128.
 Quarry products: Beyer and Williams, 234.
 Winneshiek County: Calvin, 388.
 Kansas: Schrader and Haworth, 2144.
 Maryland: Clark and Mathews, 488.
 Mexico: Roel and Ordóñez, 2080.
 New Jersey: McCourt, 1657.
 New York: McCourt, 1656.
 North Carolina: Pratt, 1949; Watson and Laney, 2494.
 Oregon: Stafford, 2276.
 Pennsylvania, Beaver quadrangle: Woolsey, 2634.
 South Carolina: Sloan, 2218.
 United States: 2418, 2419.
 Vermont: Perkins, 1907.
 Virginia: Watson, 2493.
 West Virginia, Pan Handle counties: Grimsley, 1046.
 Wisconsin, Milwaukee quadrangle: Alden, 23.

California.*General.*

- Geologic structure: Ransome, 1980.
 Geological notes: Comstock, 563.
 Index to publications of State mining bureau: Yale, 2658.
 Inyo County: Taft, 2342.
 Owens Valley: Lee, 1540.
 Reconnaissance in eastern California: Ball, 120.
 River channels, ancient: Kimble, 1395.
 State mineralogist's reports: Aubury, 82-84.
 Taylorsville region, drainage during auriferous gravel period: Diller, 722.
 Tehachapi Valley: Lawson, 1520.

Economic.

- Auriferous black sands: Day, 695; Edman, 772.
 Bodie district, gold: McLaughlin, 1671.
 Standard mine vein system: Brown, 330.
 Borax: Bailey, 97.
 Building stone: Aubury, 87.
 Coal: Ritter, 2069.
 Mt. Diablo Range: Arnold, 58; Campbell, 405.
 Coal fields, new: Edwards, 777.

California—Continued.

Economic—Continued.

- Coffee Creek district, gold: Stines, 2299.
- Colorado Desert mining district: Bow-ers, 273.
- Colorado River region, copper: Hatley, 1094.
- nitrate deposits: Turner, 2400.
- Copper belt of Sierra Nevada: Knopf, 1415.
- Copper mining in 1905: Weed, 2499.
- Copper resources: Aubury, 85.
- Copperopolis, copper: Reid, 2018; Turner, 2401.
- Eldorado County, copper: Knight, 1412.
- gold: Kimble, 1394.
- Gems, jeweler's materials, and orna-mental stones: Kunz, 1437.
- Gold: Amador, 33.
- Bodie district: McLaughlin, 1671.
- Gold dredging: Doolittle, 728.
- Gold mines: Bordeaux, 256.
- Gold veins in granite: Storms, 2316.
- Greenwater district: Boyle, 279.
- copper: Nicholas, 1801; Zalinski, 2661.
- Inyo County: Taft, 2340.
- Inyo Range: Reid, 2023.
- Iron ores: Leith, 1552.
- Shasta County: Campbell, 391.
- Magnesite: Hess, 1135, 1138.
- Mines and minerals, register of: 385.
- Mojave district: Bateson, 164.
- Exposed Treasure lode: DeKalb, 702.
- Monterey County, Stone Canyon, coal: Campbell, 405.
- Mother Lode district: Lindgren, 1591; Reid, 2021.
- Mt. Diablo Range, coal: Arnold, 58.
- Oil wells, Los Angeles County: 386.
- Ore deposits of eastern California: Ball, 119.
- Quicksilver: Aubury, 86.
- Redding quadrangle: Diller, 721.
- Saline deposits: Bailey, 95.
- Salt Lake oil field: Arnold, 59.
- Santa Barbara County, diatomaceous earth: Arnold and Anderson, 65.
- Santa Maria district, petroleum: Arnold and Anderson, 66, 67.
- Summerland district: Arnold, 63.
- Santa Clara Valley, Puente Hills, and Los Angeles oil districts: Eld-ridge and Arnold, 779.
- Shasta County, copper: Campbell, 392; Forstner, 889.
- Sierra Nevada, copper: Lang, 1519.
- Siskiyou County, copper in serpentine: Purington, 1977.
- Slate: Dale and Eckel, 625.
- Structural and industrial materials: Aubury, 87.
- Coast erosion: Wilson, 2613.

California—Continued.

Dynamic and structural.

- Dome structure in conglomerate: Arnold, 61.
- Drainage changes, Santa Clara Valley: Branner, 289.
- Earthquake lines: Storms, 2315.
- Earthquake rift of 1906: Jordan, 1323.
- Earthquakes, on Pacific coast, catalog of: McAuley, 1636.
- See also San Francisco earthquake below.
- Fault lines in the Santa Cruz Moun-tains: Branner, 284.
- Gravitational assemblage in Sierra Ne-vada granite: Gilbert, 953.
- Metamorphism in oil-bearing shale: Arnold and Anderson, 68.
- Sand-calcite concretions from Salton: Nichols, 1802.
- San Jacinto earthquake: Danes, 640.
- San Francisco earthquake: Carey, 424; Crafts, 587; Crandall, 591; Davidson, 658, 659; Davison, 683, 810; Fairbanks, 833, Gil-bert, 956; Haehl *et al.*, 1062; Himmelwright, 1162; Jordan, 1325; Lapparent, 1522; Leusch-ner, 1567; Omori, 1818-1820; Rickard *et al.*, 2056; Ritter, 2068; See, 2157; Tyler, 2403; 2417; 2667.
- cause: Ransome, 1980.
- destructive extent: Derleth, 714.
- earth movements: Branner, 285; Hayford and Baldwin, 1114.
- effects: Derleth, 713; Inkersley, 1275; Moore, 1769; Taber, 2331.
- faulting: Omori, 1823.
- geological prelude: Ashley, 73.
- history: Aitken and Hilton, 21.
- intensity, compared with New Ma-dridd and Charleston earth- quakes: Fuller, 909.
- investigation: Gilbert, 950; Lawson *et al.*, 1531.
- magnetograph records: Bauer, 167, 168.
- movement along the Santa Cruz fault line: Branner, 285.
- seismographs: Bauer, 168; Bauer and Burbank, 169.
- Catania, Italy: Ricco, 2024.
- Japan: Omori, 1817, 1821.
- Washington: Marvin, 1688.
- Sierra Nevada fault blocks: Davis, 674.
- Physiographic.*
- Blue Lakes, history: Holway, 1215.
- Colorado delta, desert basins of: Mac- Dougal, 1660.
- Death Valley: Chapman, 464.
- Desert, the, its resources, water-sup- ply, and development: Bailey, 96.
- Drainage changes: Branner, 286; Hol- way, 1216.

California—Continued.

Physiographic—Continued.

Evolution group of peaks: Le Conte, 1536.

Geomorphic features of middle Kern: Lawson, 1527.

Geomorphogeny of the Tehachapi Valley system: Lawson, 1528.

River channels, ancient: Kimble, 1395.

Salton sea: Byers, 374; Koch, 1420; Redway, 2004.

Santa Clara Valley, drainage changes: Branner, 286, 289.

Santa Cruz County, shore topography: Wilson, 2613.

Sierra Nevada fault blocks: Davis, 674.

Yosemite Valley, topographic map of: Matthes, 1692.

Stratigraphic.

Auriferous gravels, age of: Diller, 723.

Cambrian rocks in southeastern California: Darton, 651.

Glaucophane schists: Louderback, 1618.

Klamath region: Hershey, 1133.

Mojave district: Bateson, 164.

Redding quadrangle: Diller, 721.

Santa Clara Valley: Crandall, 590; Eldridge and Arnold, 779.

Santa Maria oil district: Arnold, 64; Arnold and Anderson, 66, 67.

Summerland oil district: Arnold, 63.

Tertiary and Pleistocene formations: Arnold, 57.

Triassic of western America: Smith, 2243.

Paleontology.

Cestraciant teeth from the Triassic: Wemple, 2526.

Fishes: Jordan, 1324.

Fossils from oil-bearing formations: Arnold, 60, 62.

Mammalia, Quaternary: Furlong, 920, 921; Merriam, 1712, 1715.

Pectens, Tertiary and Pleistocene: Arnold, 57.

Quaternary cave fauna: Furlong, 921.

Quaternary Felidae: Bovard, 272.

Raccoon, Pleistocene: Gidley, 944.

Tertiary Mollusca: Arnold, 60.

Petrology.

Glaucophane-bearing rocks: Smith, 2242.

Glaucophane schists: Louderback, 1618.

Mojave district: Bateson, 164.

Oak Hill crystalline rocks: Carey and Miller, 425.

Redding quadrangle: Diller, 721.

San Francisco peninsula: Crandall, 591.

Serpentine, alteration of: Knopf, 1416.

Mineralogy.

Amphiboles, classification: Murgoci, 1779.

California—Continued.

Mineralogy—Continued.

Aragotite: Hanks, 1072.

Bakerite and howlite: Giles, 958.

Benitoite: Louderback, 1620.

Cinnabar, Sonoma County: Sachs, 2111.

Lawsonite, columbite, beryl, calcite, notes on: Eakle, 753.

Paragenesis in glaucophane-bearing rocks: Smith, 2242.

Phosphorescent zinc blende: Headen, 1115.

San Diego County: Sovereign, 2258. stibiotantalite: Penfield and Ford, 1892.

Underground water.

Owens Valley: Lee, 1540.

Cambrian.

Stratigraphy.

British Columbia, Vancouver Island: Hall, 1064.

California: Ball, 120; Darton, 651.

Colorado, Arkansas Valley: Darton, 648.

Connecticut: Gregory and Robinson, 1038.

Georgia: Watson, 2483.

Illinois: Weller, 2519.

Iowa: Beyer and Williams, 234; Calvin, 387.

Clayton County: Leonard, 1559.

Winneshiek County: Calvin, 388.

Maryland: Clark and Mathews, 488.

Missouri: Shepard, 2194.

Montana: Walcott, 2470.

Phillipsburg quadrangle: Emmons, 806.

Nevada: Ball, 120.

Silver Peak quadrangle: Spurr, 2271.

New Brunswick: Ellis, 782.

New Mexico: Gordon and Graton, 983.

New York, Highlands: Berkey, 207.

North Carolina, Nantahala quadrangle: Keith, 1352.

Pisgah quadrangle: Keith, 1353.

Roan Mountain quadrangle: Keith, 1354.

Pennsylvania, South Mountain: Stose, 2318.

Quebec, Mount Yamaska: Young, 2660.

Rhode Island: Emerson and Perry, 790.

South Carolina, Pisgah quadrangle: Keith, 1353.

Tennessee, Roan Mountain quadrangle: Keith, 1354.

Utah, Uinta Range: Weeks, 2506.

Vermont: Edson, 773, 774.

Virginia: Bassler, 158.

West Virginia: Grimsley, 1044.

Wisconsin, north central: Weldman, 2512.

Wyoming, Bald Mountain and Dayton quadrangles: Darton, 645.

Bighorn basin: Fisher, 873.

Bighorn Mountains: Darton, 647.

Cambrian—Continued.*Stratigraphy—Continued.*

Wyoming, Cloud Peak and Fort McKin-

ney quadrangles: Darton, 646.

Owl Creek Mountains: Darton, 642.

Paleontology.

Canada: Whiteaves, 2555.

Massachusetts, fauna from Braintree:

Shimer, 2203, 2204.

Nevada, Pioche Mountains: Pack, 1855.

New Brunswick, Ostracoda and Trilobita: Matthew, 1695.

Vermont, St. Albans: Edson, 774.

Canada (general). *See also the various provinces. General.*

Bibliography Canadian geology and paleontology: Ami, 36, 38, 42.

Chemistry and mineralogy, report on: Hoffmann, 1197, 1198.

Geological survey, summary report: Bell, 190; Low, 1625.

catalogue of publications: 417.

Economic.

Copper mines: Weed, 2502.

Graphite: Brumell, 338.

Mineral fuel supply: Ellis, 785.

Mineral industries: Ingall, 1267-1270.

Mineral pigments: Willimott, 2589.

Mines branch, report: Haanel, 1060.

Oil, gas, and coal fields: Denis, 710.

Resources of northland: 415.

Summary report, Geological survey: Bell, 190; Low, 1625.

Dynamic and structural.

Block remains in Rockies and Selkirks: Sherzer, 2199.

Stratigraphic.

Interglacial periods: Coleman, 547.

Lower Huronian ice age: Coleman, 544.

Pre-Cambrian nomenclature: Coleman, 540.

Paleontology.

Cambrian, Cambro-Silurian, and Devonian fossils: Whiteaves, 2555.

Devonian fishes: Whiteaves, 2559.

Fruits, fossil, in the Geological survey museum: Ami, 37.

Plectoceras and Barrandeoceras: Whiteaves, 2554.

Report: Whiteaves, 2551, 2552.

Vertebrate fossils, report on: Lambe, 1483, 1485.

Cannel coal.

United States: Ashley, 69.

Carbon dioxide.

United States: 2418.

Carboniferous.*Stratigraphy.**General.*

Appalachian and eastern interior coal fields: Ashley, 76.

Appalachian basin: Stevenson, 2294.

Aubrey limestone, age of: Reagan, 1999.

Carboniferous—Continued.*Stratigraphy—Continued.**General—Continued.*

Carboniferous and Permian of America, Russia, and India compared: Schuchert, 2147.

Classification of American Carboniferous: Keyes, 1376.

Permian in American geology: Keyes, 1381.

Pottsville formation, character and origin: Grabau, 995.

Alabama, Birmingham district: Butts, 370.

Cahaba coal field: Butts, 373.

Alaska: Brooks, 313.

Cape Lisburne region: Collier, 552.

Rampart region: Prindle and Hess, 1958.

southeastern: Kindie, 1400.

upper Yukon: Brooks and Kindie, 321.

Alberta, Cascade coal basin: Dowling, 736.

Arizona, Red Wall formation: Reagan, 2001.

Arkansas: Collier, 555, 556.

northern: Purdue, 1970.

Winslow quadrangle: Purdue, 1971.

California, eastern: Ball, 120.

Klamath region: Hershey, 1133.

Redding quadrangle: Diller, 721.

Colorado: Finlay, 868.

Arkansas Valley: Darton, 648.

Ouray quadrangle: Cross *et al.*, 607.

western: Cross, 604.

Franklin: Low, 1623.

Illinois: Blatchley, 245; Weller, 2517;

White, 2545.

Calhoun County: Weller, 2523.

Delafield drill core: Udden, 2410.

East St. Louis area: Fenneman, 860.

Saline-Gallatin field: De Wolf, 717.

Indiana, Monroe County: Reagan, 1998.

Salem limestone: Cumings and Beede, 612.

Indian Territory, Muscogee quadrangle: Taff, 2332.

Iowa: Beyer, 230; Beyer and Williams, 234; Calvin, 387.

Franklin County: Williams, 2588.

Jackson County: Savage, 2128.

Kansas: Wooster, 2636.

Independence quadrangle: Schrader and Haworth, 2144.

Joplin district: Smith and Sieben-thal, 2251.

Neosho River section: Beede and Rogers, 181.

Kentucky, Cumberland Gap: Ashley and Glenn, 77.

Elkhorn field: Stone, 2310.

Maryland: Clark and Mathews, 488.

Massachusetts, Roxbury conglomerate: Mansfield, 1674.

Carboniferous—Continued.

Stratigraphy—Continued.

- Michigan, Bay County: Cooper, 575.
 Mississippi: Crider, 595, 598; Crider and Johnson, 599; Logan, 1608.
 Missouri: Shepard, 2194.
 Granby area: Buckley and Buehler, 346.
 Joplin district: Smith and Sieben-thal, 2251.
 Kinderhook at Glen Park: Weller, 2519.
 Montana, Bighorn Mountains: Darton, 647.
 Phillipsburg quadrangle: Emmons, 806.
 Nebraska, Cass County: Woodruff, 2628.
 Republican River Valley: Condra, 570.
 Nevada, Robinson district: Lawson, 1526.
 southwestern: Ball, 120.
 New Brunswick: Ellis, 784.
 New Mexico: Gordon and Graton, 983; Keyes, 1377.
 Carboniferous coal measures in the Sierra Ladrones: Keyes, 1382.
 Rio Grande Valley: Gordon, 981, 982; Lee, 1546.
 Roswell area: Fisher, 870.
 Nova Scotia: De Wolfe, 718.
 Cumberland basin: Woodman, 2626.
 Ohio: Stevenson, 2294, 2295.
 Licking County: Carney, 427.
 Steubenville quadrangle: Griswold and Munn, 1948.
 Pennsylvania: Althouse, 32; Steven-son, 2294, 2295.
 Amity quadrangle: Clapp, 475, 477.
 Beaver quadrangle: Woolsey, 2634.
 Clarion quadrangle: Lines, 1606.
 Greene County: Stone and Clapp, 2314.
 Johnstown: Phalen, 1922.
 Kittanning and Rural Valley quad-rangles: Butts, 368.
 Mauch Chunk shale: Barrell, 150.
 Rogersville quadrangle: Clapp, 476.
 Rhode Island: Emerson, 789; Emer-son and Perry, 790.
 Texas, Chisos country: Udden, 2409.
 Panhandle: Gould, 986, 987.
 Permian Red Beds: Case, 443.
 Utah, eastern: Cross, 604.
 Iron County: Lee, 1544.
 Ontario mineral belt: Jenney, 1293.
 Park City district: Boutwell, 271.
 Uinta Range: Emmons, 798; Weeks, 2506.
 West Virginia: Grimsley, 1044; Stev-enson, 2294, 2295.
 Panhandle: Grimsley, 1046.
 Raleigh and Wyoming counties: Alt-house, 30.
 Steubenville quadrangle: Griswold and Munn, 1048.

Carboniferous—Continued.

Stratigraphy—Continued.

- Virginia, Dante: Stone, 2312.
 Russell Fork coal field: Stone, 2311.
 Wyoming, Bald Mountain and Dayton quadrangles: Darton, 645.
 Bighorn basin: Fisher, 873.
 Bighorn Mountains: Darton, 647.
 Cloud Peak and Fort McKinney quadrangles: Darton, 646.
 Owl Creek Mountains: Darton, 642.

Paleontology.

- Alaska, Cape Lisburne region: Girty, 966.
 southeastern: Kindle, 1400.
 Alternation of fossil faunas: Keyes, 1385.
 Arizona, Aubrey and Red Wall lime-stones: Reagan, 2000, 2001.
 Aubrey limestone: Reagan, 2000.
 Bolosaurus striatus Cope: Case, 442.
 Colorado and Utah: Cross, 604.
 Crinoids: Rowley, 2094.
 Foraminifera: Spandel, 2259.
 Illinois, Hamburg: Weller, 2519.
 Indiana, Salem limestone: Cumings and Beede, 612.
 Insecta, from Permian: Sellards, 2169.
 Invertebrates, from Permian Red Beds of Oklahoma and Texas: Beede, 180.
 Kansas, Hooser: Spandel, 2259.
 Neosho River section: Beede and Rogers, 181.
 Kinderhook fauna: Weller, 2519.
 Marine fossils from Arkansas coal fields: Girty, 967.
 Missouri, Glen Park: Weller, 2519.
 Naosaurus, from Permian of Texas: Osborn, 1845.
 Nebraska, Cass County: Woodruff, 2628.
 Ostracoda, American Paleozoic: Ulrich and Bassler, 2412.
 Pelycosauria: Case, 441.
 Permian insects: Sellards, 2184.
 Plants, from Arkansas coal measures: White, 2546.
 from Illinois coal measures: White, 2545.
 from Iowa: Macbride, 1640.
 Red Wall limestone: Reagan, 2000, 2001.
 Reptilian remains in Pennsylvanian near Pittsburg: Raymond, 1990.
 Salem limestone: Cumings and Beede, 612.
 Shark related to Edestus: Hay, 1105.
 Zatrachys Cope: Case, 444.
- Carnotite ores.**
 Colorado: Fleck and Haldane, 878.
 Rio Blanco County: Gale, 923.
- Cartography.**
 Geological map of North America: Hobson, 1194.
- Caves.**
 Deutschman, British Columbia: Ayres, 88-90.

Caves—Continued.

- Nakimu. British Columbia: Wheeler, 2529.
 Iowa, Winneshiek County: Calvin, 388.
 New York: Clarke, 500.
 Schoharie Valley: Grabau, 991.

Cement and cement materials.

- California: Aubury, 82, 87.
 Iowa: Beyer, 230; Beyer and Williams, 233.
 Dubuque: Burchard, 353.
 Kansas: Schrader and Haworth, 2144.
 Mississippi: Crider, 598; Eckel, 762.
 Oregon: Stafford, 2276.
 Tennessee, Cumberland Gap district: Eckel, 766.
 Texas: Deussen, 716.
 United States: 2418, 2419.
 Virginia: Bassler, 158.
 Cumberland Gap district: Eckel, 766.
 Washington: Landes, 1495.
 West Virginia: Grimsley, 1044, 1045.
 Wyoming, eastern: Ball, 120.

Central America.

- Geology: Merz, 1745.
 Masaya earthquake: Sapper, 2120.
 Physiographic notes: Wegener, 2510.
 Seismic disturbances, recent, effects of: Jones, 1322.

Cephalopoda. See also Mollusca.

- Barrandeoceras: Whiteaves, 2554.
 Beekmantown and Chazy formations: Ruedemann, 2097.
 Cyrtoceras cuneatum: Whiteaves, 2558.
 Devonian: Clarke, 497.
 restored: Cleland, 504.
 Jurassic from Mazapil: Burekhardt, 359.
 Peltoceras from Jurassic of Alberta: Whiteaves, 2559.
 Plectoceras: Whiteaves, 2554.
 Salem limestone, Indiana: Cumings, 611.

Changes of level.

- Alaska, Yakutat Bay region: Tarr and Martin, 2356, 2357.
 Bermuda Islands: Verrill, 2445.
 California: Comstock, 563.
 Santa Clara Valley: Branner, 289.
 Cause of: Fisher, 876.
 Isostasy, geodetic evidence for: Hayford, 1112.
 Great Lakes region: Spencer, 2266.
 Labrador: Fuller, 914.
 Lake Erie, subsidence at west end: Moseley, 1773.
 North America: Shimer, 2205.
 Nova Scotia, Atlantic coast, subsidence: Poole, 1941.
 Louisbourg, subsidence: McIntosh, 1668.

Chemical analyses. *See list*, p. 282.

Chrome.

- Quebec: Edwards, 776.

Chromite.

- California: Aubury, 87.
 United States: 2418, 2419.

Clay. See also Fire clay.

- General*: Gelfsbeek, 935; Purdy, 1972.
 Bibliography: Branner, 283.
 Composition, rational: Ries, 2063.
 Report of committee on cooperation: Hice *et al.*, 1142.
 Report on, what it should embrace: Hice, 1141; Ries, 2062.
 Term 'colluvial': Veatch, 2442.
 Alabama, Birmingham district: Butts, 372.
 Arkansas, Garland County: Eckel, 767.
 California: Aubury, 87.
 Canada: Chalmers, 449.
 Colorado, Durango-Gallup field: Shaler and Gardner, 2177.
 Illinois: Purdy and DeWolf, 1973.
 Iowa: Beyer, 229.
 Blackhawk County: Arey, 53.
 Clayton County: Leonard, 1559.
 Franklin County: Williams, 2588.
 Ida County: Macbride, 1639.
 Sac County: Macbride, 1639.
 Kansas: Schrader and Haworth, 2144.
 Kentucky: Gardner, 929.
 Crittenden and Livingston counties: Fobs, 885.
 east-central: Foerste, 884.
 Jackson's Purchase region: Gardner, 928.
 northeastern: Greaves-Walker, 1027; Phalen, 1921.
 Red River Valley: Gardner, 927.
 Silurian: Foerste, 883.
 western: Crider, 596; Gardner, 926.
 Maine, Penobscot Bay region: Bastin, 161.
 Maryland: Clark and Mathews, 488.
 Calvert County: Miller, 1750.
 St. Marys County: Miller, 1751.
 Massachusetts, Cape Cod: Fuller, 912.
 Mississippi: Crider, 595; Logan, 1608; Logan and Hand, 1609.
 Missouri: Wheeler, 2530.
 Bollinger County: Orton, 1836.
 St. Louis district: Fenneman, 861.
 North Dakota: Babcock, 91; Babcock and Clapp, 92; Clapp, 470; Clapp and Babcock, 471; Leonard, 1563.
 Ontario: Baker, 116.
 Oregon: Stafford, 2276.
 Pennsylvania, Beaver quadrangle: Woolsey, 2634.
 Cambria County: Phalen and Martin, 1923.
 central: Ashley, 72.
 Clarion quadrangle: Lines, 1605.
 Kittanning and Rural Valley quadrangles: Butts, 368.
 South Mountain: Stose, 2320.
 South Carolina: Sloan, 2217, 2218.
 Tennessee, western: Crider, 596.
 Texas: Ries, 2058.

Clay—Continued.

- United States: Ries, 2057; 2418, 2419.
 Vermont: Richardson, 2037.
 Virginia: Ries, 2060, 2064.
 West Virginia: Grimsley, 1044.
 Pan Handle counties: Grimsley, 1046.
 Wisconsin: Ries, 2059.
 Milwaukee quadrangle: Alden, 23.
 Wyoming, Bighorn basin: Fisher, 872.
 Laramie basin: Siebenthal, 2209.

Cleavage.

- Theories of: Barrell, 149; Becker, 173;
 Willis, 2596.

Coal.

General.

- Appalachian and eastern interior coal fields, relations: Ashley, 76.
 Classification: Frazer, 899.
 Coal fields, formation of: Ford, 887; Page, 1858.
 Coal-testing: Holmes *et al.*, 1214; Parker *et al.*, 1870.
 Composition: Grout, 1049.
 Correlation of coals: White and Ashley, 2549.
 Deposition, rate of: Ashley, 75.
 maximum, in Appalachian field: Ashley, 74.
 Formation of: Plotts, 1938; White, 2548.
 Origin of different grades: Campbell, 397; Smith, 2252.
 Alabama: Smith, 2227.
 Cahaba field: Butts, 373.
 Warrior basin: Butts, 369.
 Alaska: Brooks, 311; Ritter, 2069.
 Admiralty Island: Wright, 2640.
 Bering River field: Martin, 1680.
 Bonnifield and Kantishna region: Prindle, 1957.
 Cape Lisburne region: Collier, 552.
 Circle Precinct: Brooks, 319.
 Herendeen Bay field: Paige, 1859.
 Kachemak Bay region: Stone, 2308.
 Matanuska field: Griffith, 1042; Martin, 1681, 1682; Paige and Knopf, 1861, 1862.
 southeastern: Wright, 2369.
 Talkeetna basin: Paige and Knopf, 1861, 1862.
 Yakutat Bay region: Tarr, 2346.
 Yukon region: Prindle, 1955.
 Alberta: Denis, 710; Dowling, 734, 737; Gwillim, 1059; Thompson, 2371.
 Cascade coal basin: Dowling, 736.
 Moose Mountain district: Cairnes, 381.
 Arizona: Griffith, 1041.
 Arkansas: Collier, 555, 556; Griffith, 1041.
 British Columbia: Denis, 710; Ritter, 2069; Robertson, 2074.
 Cassiar field: Bell, 188.
 Crow's Nest field: Ashworth, 78.
 Elk River basin: Dowling, 733.

Coal—Continued.

- British Columbia, Graham Island: Ellis, 781, 783.
 Nanaimo-Comox field: Poole, 1939.
 Nicola-Coldwater beds: Evans, 813.
 Princeton field: Lakes, 1480.
 Skeena River: Leach, 1535.
 Telkwa district: Leach, 1533, 1534.
 California: Edwards, 777; Ritter, 2069.
 Monterey County: Arnold, 58; Campbell, 405.
 Canada: Ellis, 785; Ingall, 1267.
 Colorado: 562; Headden, 1117, 1118; Lakes, 1464, 1466, 1470; Merriam, 1718; Ritter, 2069.
 Book Cliffs field: Richardson, 2045.
 Danforth Hills and Grand Hogback: Gale, 924.
 Durango district: Taff, 2336.
 Durango-Gallup field: Shaler, 2176.
 northwestern: Gale, 924.
 Quray quadrangle: Cross *et al.*, 607.
 Routt County: Fenneman and Gale, 862, 863; Lakes, 1469.
 Yampa field: Campbell, 400; Fenneman and Gale, 862, 863.
 Idaho: Ritter, 2069.
 Illinois: Bain, 100, 112; Bement, 201; Parr, 1875-1877.
 cannel coal in northern Illinois: Grout, 1050.
 Sabine-Gallatin field: DeWolf, 717.
 Indian Territory: Crane, 592.
 Iowa: Beyer, 229; Savage, 2126.
 Kansas, Atchison: Young, 2659.
 Independence quadrangle: Schrader and Haworth, 2144.
 Kentucky, Big Sandy Valley: Crandall, 589.
 Cumberland Gap field: Ashley and Glenn, 77; Pultz, 1964.
 Elkhorn field: Stone, 2310.
 Kenova quadrangle: Phalen, 1920.
 Manitoba: Dowling, 737.
 Maryland: Clark and Mathews, 488.
 George's Creek field: Parsons, 1879.
 Mexico: Guerra, 1051; Ritter, 2069; Thomas, 2368.
 Coahuila: Ludlow, 1628.
 Michigan: Fraser, 896, 897.
 Bay County: Cooper, 575.
 Montana: Leonard, 1560; Parsons, 1883; Ritter, 2069; Rowe, 2090-2092; Tarr, 2345.
 Bear Creek field: Fisher, 871.
 Carbon County: Darton, 652.
 Dawson, Rosebud, and Custer counties: Leonard, 1564.
 Great Falls field: Fisher, 874.
 Nebraska, Honey Creek mine: Barbour, 132.
 Peru: Barbour, 137.
 Nevada, Silver Peak quadrangle: Spurr, 2271.
 New Mexico: Griffith, 1041; Ritter, 2069; Sheridan, 2195.

Coal—Continued.

- New Mexico, Durango-Gallup field:
Shaler, 2176; Schrader, 2142.
Engle field: Lee, 1542.
Fort Stanton Reservation: Campbell, 404.
Lincoln County: Campbell, 404.
Mescal Canyon field: Keyes, 1386.
northern: Judd, 1333.
Raton field: Judd, 1332.
Sandoval County: Campbell, 403.
Una del Gato field: Campbell, 403.
North Dakota: Leonard, 1560;
Wilder, 2577.
Nova Scotia: Fletcher, 880.
Ohio, Kenova quadrangle: Phalen, 1920.
Oregon: Ritter, 2069; Stafford, 2276.
Pennsylvania: Griffith, 1041.
Amity quadrangle: Clapp, 475, 477.
Anthracite, new supplies: Althouse, 32; Joyce, 1327.
Beaver quadrangle: Woolsey, 2634.
Buck Mountain: Althouse, 31.
Clarion quadrangle: Lines, 1606.
Clearfield field: Ashley, 71.
Greene County: Boileau, 253.
Hazleton district: Parsons, 1878.
Johnstown: Phalen, 1922.
Kittanning and Rural Valley quadrangles: Butts, 368.
Map of bituminous fields: Halberstadt, 1063.
Punxsutawney and Glen Campbell fields: Peck and Ashley, 1888.
Rogersville quadrangle: Clapp, 476.
Washington County: Boileau, 253; Clapp, 477.
western: Seddon, 2156.
Rhode Island: Griffith, 1041.
Saskatchewan: Dowling, 737.
Texas, Chisos country: Udden, 2409.
United States (general): Ashley, 69; Bement, 202; Campbell, 399; Griffith, 1041; Parker, 1869; Ritter, 2069; 2418, 2419.
Utah: Ritter, 2069.
Book Cliffs field: Richardson, 2045; Taff, 2335.
Iron County field: Lee, 1544.
Pleasant Valley district: Taff, 2337.
Sanpete County: Richardson, 2043.
Wasatch: Lakes, 1471.
Weber River field: Taff, 2334.
Virginia: Griffith, 1041; Watson, 2493.
Anthracite field: Tiffany, 2373.
Dante: Stone, 2312.
Russell Fork field: Stone, 2311.
Washington: Ritter, 2069; Smith and Calkins, 2240; Tarr, 2344.
West Virginia, Fairmont field: Parsons, 1880.
Holden: Lyman, 1635.
Kenova quadrangle: Phalen, 1920.
Pan Handle counties: Grimsley, 1046; White, 2550.

Coal—Continued.

- West Virginia, Raleigh and Wyoming counties: Althouse, 30.
southern: Parsons, 1881.
Steubenville quadrangle: Griswold, 1047.
Wyoming: Ritter, 2069.
Bald Mountain and Dayton quadrangles: Darton, 645.
Bighorn basin: Fisher, 872, 873.
Bighorn Mountains: Darton, 647, 649.
Carbon County: Veatch, 2440.
Lander field: Woodruff, 2629.
Laramie basin: Siebenthal, 2211.
northeastern: Kennedy, 1374.
northern: Parsons, 1882.
Owl Creek Mountains: Darton, 642.
Uinta County: Schultz, 2151; Veatch, 2437.
Yukon, southern: Cairnes, 382.

Cobalt.

- Mexico, Jalisco: Navarro, 1786.
Ontario: Corkill, 578; Ingall, 1267; MacDonald, 1659.
Cobalt: Bell, 192, 194; 418; Courtis, 584; George, 939; Miller, 1758; Rickard, 2053; Tyrrell, 2405; Van Hise, 2422.
United States: 2418, 2419.

Coke.

- United States: 2418, 2419.

Coke, natural.

- Utah: Taff, 2333.

Colorado.

General.

- Leadville, Downtown district, map and cross-sections: Emmons, 794.
San Juan region: Lakes, 1473.
Trachytic boulder: Pearce, 1887.

Economic.

- Animas Forks, Gold Prince mine: Scholl and Herrick, 2141.
Anthracite: Lakes, 1464, 1470.
Routt County: Lakes, 1462.
Bear Creek ore deposits: Emmons, 804.
Book Cliffs coal field: Richardson, 2045.
Boulder County: Tovote, 2385.
tungsten: Greenawalt, 1028; Lindgren, 1599.
Bureau of mines, report: 562.
Cashin mine: Emmons, 793.
Coal: Headen, 1118; Ritter, 2069.
Coal field, new: Merriam, 1718.
Coal resources along the Moffat road: Lakes, 1466.
Copper: Snedaker, 2256.
mining in 1905: Weed, 2499.
Cripple Creek gold district: Liebenam, 1585; Lindgren, 1591; Lindgren and Ransome, 1604; Möllmann, 1765.
Custer County, cerussite deposit: Brinsmade, 297.

Colorado—Continued.

Economic—Continued.

- Danforth Hills and Grand Hogback coal fields: Gale, 924.
 Durango district, coal: Taff, 2336.
 Durango-Gallup field, coal: Shaler, 2176.
 clay deposits: Shaler and Gardner, 2177.
 Georgetown quadrangle: Ball, 118.
 Gilpin County, pitchblende: Tovote, 2384.
 Gunnison gold belt: Lakes, 1472.
 Gypsum of Uncompahgre region: Siebenthal, 2207.
 Hahns Peak gold field: Gale, 922.
 Idaho Springs mining district: Spurr and Garrey, 2275.
 Iron ores: Leth, 1552.
 Lake Fork extension of Silverton mining area: Woolsey, 2635.
 Leadville: Barker, 143.
 Downtown district: Emmons and Irving, 803.
 Yak mine: Armington and Stotesbury, 55.
 Lodes in Tertiary eruptives: Rickard, 2055.
 Maple Leaf mine: Lakes, 1475.
 Nepesta quadrangle: Fisher, 869.
 Oil fields: Lakes, 1478.
 Ordovician rocks: Darton, 644.
 Ouray quadrangle: Cross *et al.*, 607.
 Pre-Cambrian, Georgetown quadrangle: Ball, 118.
 Rio Blanco County, carnotite: Gale, 923.
 Routt County: Fenneman and Gale, 862.
 coals: Headden, 117; Lakes, 1479.
 San Juan Mountains: Howe and Cross, 1247.
 Uranium and vanadium belts: Fleck and Haldane, 878.
 White River region, natural gas: Lakes, 1476.

Physiographic.

- Chalk Bluffs and Pawnee Buttes, topographic development of: Henderson, 1128.
 Mesa de Maya, physiographic significance of: Keyes, 1389.
 Physiographic features: Koenigsberger, 1422.

Stratigraphic.

- Arkansas Valley: Darton, 648.
 Clear Creek, lower: Underhill, 2414.
 Cripple Creek district: Lindgren and Ransome, 1605.
 Denver basin: Lakes, 1460.
 Florissant Tertiary lake basin: Henderson, 1127.
 Georgetown quadrangle, pre-Cambrian rocks: Ball, 118.

Colorado—Continued.

Stratigraphic—Continued.

- Glacial phenomena in San Juan Mountains: Howe, 1243; Howe and Cross, 1247.
 Gleneyrie formation: Finlay, 868.
 Hahns Peak region: Gale, 922.
 Nepesta quadrangle: Fisher, 869.
 Ordovician rocks: Darton, 644.
 Ouray quadrangle: Cross *et al.*, 607.
 Pre-Cambrian rocks of Georgetown quadrangle: Ball, 118.
 Routt County: Fenneman and Gale, 862.
 Sangre de Cristo Range, glaciation in: Siebenthal, 2210.
 San Juan Mountains, glacial phenomena: Howe and Cross, 1247.
 Western: Cross, 604.

Paleontology.

- Ant from Florissant: Cockerell, 516.
 Cicada from Florissant: Cockerell, 522.
 Florissant basin, fauna and flora: Brues, 337; Cockerell, 516-524; Wheeler, 2533.
 fossil localities: Cockerell, 527.
 Flower from Miocene of Florissant: Hollick, 1211.
 Hymenoptera from Florissant: Brues, 337; Cockerell, 521.
 Insecta from Florissant: Cockerell, 521, 526, 528-535.
 Mollusca from Florissant: Cockerell, 523, 536.
 Mosses: Britton and Hollick, 304.
 Planorbis from Florissant: Cockerell, 519.
 Plants from Florissant: Cockerell, 520.
 Sauropodan gastroliths: Cannon, 420.
 Saw-files from Florissant: Cockerell, 524.
 Vertebrate fossils from near Denver: Cannon, 420.
 Water-bug from Florissant: Cockerell, 519.
 Zonitoid shell from Florissant: Cockerell, 536.

Petrology.

- Clear Creek region: Underhill, 2414.
 Corundum and dumortierite in pegmatite: Finlay, 867.
 Cripple Creek district: Graton, 1026; Lindgren and Ransome, 1604.
 Georgetown quadrangle: Ball, 118.
 Prowersose from Two Buttes: Cross, 603.

Mineralogy.

- Cripple Creek district, minerals: Lindgren and Ransome, 1604.
 Molybdenite: Schaller, 2137.
 Phosphorescent calcites: Headden, 1116.
 Pyrite: Kraus and Scott, 1428.

Colorado—Continued.*Underground water.*

- Arkansas Valley: Darton, 648.
 Mineral and hot springs: Lakes, 1465.
 South Platte Valley, underflow: Slichter and Wolff, 2216.

Concretions.

- Iron concretions from Redbank sands of New Jersey: Willcox, 2581.
 New forms: Nichols, 1802.
 Quartz nodule with radiate structure: Davison, 685.

Cone in cone: Broadhead, 305.**Congresses.** See Associations.**Connecticut.***General.*

- Bibliography of geology of: Gregory, 1037.
 Commissioners' second biennial report: 573.
 Geography, geological structure and history: Rice, 2030.
 Manual of geology of: Rice and Gregory, 2034.

Economic.

- Salisbury district, iron ores: Hobbs, 1185.

Physiographic.

- Brewsters Neck: Gulliver, 1058.

Stratigraphic.

- Brewsters Neck, a glacial deposit: Gulliver, 1055.
 Glacial geology: Gregory, 1035.
 Glacial terraces: Gulliver, 1056.
 Map, geological: Gregory, 1036; Gregory and Robinson, 1038.
 Triassic: Rice, 2031.

Paleontology.

- Triassic fauna: Rice, 2031.

Petrology.

- Cortlandt series: Hobbs, 1178.

Mineralogy.

- Purpurite: Schaller, 2136.

Underground water.

- Water in crystalline rocks: Ellis, 780.
 Water supply: Gregory, 1033.

Contact phenomena: Calderón, 383.**Copper.**

- General:* Kemp, 1367; Lewis, 1584; Weed, 2502.
 Genesis: Fernekess, 865.
 Handbook: Stevens, 2290.
 Alabama: Smith, 2227.
 Alaska: Brooks, 311; Weed, 2499.
 Matanuska and Talkeetna basins: Paige and Knopf, 1861, 1862.
 Prince William Sound: Grant, 1020.
 southeastern: Wright, 2641; Wright and Wright, 2654.
 Arizona: Weed, 2499; Woodbridge, 2622.
 Bisbee: Brinsmade, 299.
 Cherry Creek district: Reid, 2016.
 Cochise district: Kellogg, 1358.
 Colorado River region: Hatley, 1094.
 Globe district: Graichen, 1009.

Copper—Continued.

- British Columbia, Boundary district: Keffer, 1348-1350; Rickard, 2047; Stokes, 2302.
 Eschelon Mountain: Evans, 822.
 New Westminster and Texada Islands: LeRoy, 1565.
 Rossland district: Brock, 306, 307; Stokes, 2307.
 Similkameen district: Camsell, 413.
 Telkwa district: Leach, 1533.
 Texada Island, Marble Bay: LeRoy, 1565, 1566.
 Vancouver Island: Brewer, 292.
 California: Aubury, 85; Weed, 2499.
 Colorado River region: Hatley, 1094.
 Copperopolis: Reid, 2018; Turner, 2399.
 Eldorado County: Knight, 1412.
 Greenwater district: Boyle, 279; Nicholas, 1801; Zalinski, 2661.
 Shasta County: Campbell, 392; Forstner, 889.
 Sierra Nevada, western: Knopf, 1415; Lang, 1519.
 Siskiyou County: Purington, 1977.
 Canada (general): Ingall, 1267; Weed, 2502.
 Colorado: Snedaker, 2256; Weed, 2499.
 Montrose County, Cashin mine: Emmons, 805.
 Cuba: Lawrence, 1525.
 Georgia: Weed, 2499.
 Idaho: Weed, 2499.
 Lost Packer lode: Jennings, 1297.
 northern: MacDonald, 1658.
 Priest Lake district: Courtis, 585.
 St. Joe River basin: Collier, 553.
 Seven Devils and Snake River districts: Reid, 2006.
 White Knob: Kemp and Gunther, 1372.
 Mexico: Weed, 2502.
 Asientos: Newman, 1797.
 Cananea: Brinsmade, 301.
 Nacozari, Los Pilaes mine: Emmons, 796.
 Sonora: Merrill, 1730.
 Copete district: Merrill, 1722.
 Sahuaripa district: Nelson, 1789.
 Santa Cruz: Merrill, 1729.
 Zacatecas, Aranzazú: Villarelo, 2456.
 Michigan: Corey, 577; Giroux, 965; Weed, 2499.
 Lake Superior region: Lane, 1509, 1510, 1512; Stevens, 2291.
 Montana: Weed, 2499.
 Belt formation: Collen, 550.
 Philipsburg quadrangle: Emmons, 806.
 Nevada: 2499.
 Ely: Bullock, 348; Ingalls, 1273; Ralph, 1978.
 Giroux mines: Giroux, 501.
 Pioche: Abbott, 3.
 Robinson district: Lawson, 1526.

Copper—Continued.

- Nevada, Ward: Plate, 1937.
 Yerington, Jennings, 1298.
 New Jersey: Keith, 1356; Kimmel, 1432.
 Newark ores: Lewis, 1578, 1581.
 Schnyder mine: Granberry, 1011, 1012.
 New Mexico: Lindgren and Graton, 1603; Weed, 1299.
 Burro Mountain district: Lang, 1520; Wade, 2463.
 Cooney district: Graham, 1007.
 Lordsbury region: Jones, 1321.
 Magdalena district: Haddon, 1061.
 Zuni Mountains: Schrader, 2143.
 North Carolina: Eames, 755; Pratt, 1951; Weed, 1299.
 Gold Hill mine: Nicholas, 1800.
 Union mines: Nicholas, 1799.
 Ontario: Corkill, 578; De Kalb, 700.
 Bruce mines: Williams, 2582.
 Eldorado mine: Burrows, 364.
 Sudbury district: Barlow, 146; Browne, 336; Stokes, 2304.
 Oregon: Stafford, 2276; Weed, 2499.
 Seven Devils and Snake River districts: Reid, 2006.
 Quebec: Dresser, 741.
 Chibougamau region: Low, 1624.
 Santo Domingo: Garrison, 932.
 South Carolina: Sloan, 2218.
 Tennessee: Weed, 2499.
 Ducktown district: Wendeborn, 2527.
 United States (general): 2418, 2419; Weed, 2501, 2502.
 Utah: Weed, 2499.
 Alta: Palmer, 1866.
 Bingham: Brinsmade, 302; Ingalls, 1272.
 Virginia: Watson, 2487, 2493; Weed and Watson, 2504.
 Luray: Phalen, 1919.
 Virgillina: Judd, 1328.
 Washington: McIntyre, 1669; Weed, 2499.
 Wyoming: Weed, 2499.
 Blighorn Mountains: Darton, 649.
 Grand Encampment district: Beeler, 185.
 Hartville uplift: Ball, 121.
 Laramie Peak district: Beeler, 183.
 Yukon, White River region: Cairnes, 380; McConnell, 1648, 1652.

Corals. *See* Anthozoa.

Correlation. *See* Stratigraphic.

Corundum.

- Ontario: Corkill, 578.
 South Carolina: Sloan, 2218.
 United States: Pratt, 1947; 2418, 2419.
 Virginia: Watson, 2493.

Costa Rica.

General.

San Juan Valley: Merz, 1745.

Economic.

Aguate mines: Crespi, 594.

Dynamic and structural.

Earthquakes and volcanoes: Jones, 1322.

Cretaceous.

*Stratigraphy.**General.*

Climate: Bibbins, 235.

Laramie, origin and definition of term: Veatch, 2439.

Alabama: Smith, 2226, 2228.

Alaska, Cook Inlet region: Paige and Knopf, 1860.

Herendeen Bay field: Paige, 1859.

Matanuska and Talkeetna basins: Paige and Knopf, 1862.

Rampart region: Prindle and Hess, 1958.

Alberta, Cascade basin: Dowling, 736.

Moose Mountain district: Cairnes, 381; Dowling, 735.

Arkansas: Veatch, 2436.

British Columbia, Ashcroft: Evans, 815.

Graham Island: Ellis, 783.

California, Redding quadrangle: Diller, 721.

Santa Clara Valley: Crandall, 590.

Santa Maria district: Arnold and Anderson, 66, 67.

Colorado, Arkansas Valley: Darton, 648.

Book Cliffs region: Richardson, 2045.

Durango district: Shaler, 2176; Taff, 2336.

Hahns Peak region: Gale, 922.

Nepesta quadrangle: Fisher, 869.

northwestern: Gale, 924.

Ouray quadrangle: Cross *et al.*, 607.

Routt County: Fenneman and Gale, 863.

western: Cross, 604.

Delaware: Clark, 483.

Dover quadrangle: 1749.

Georgia, central: Veatch, 2443.

Illinois: Purdy and DeWolf, 1973; Weller, 2517.

Iowa: Beyer and Williams, 234; Calvin, 387.

Sac and Ida counties: Macbride, 1639.

Kentucky: Glenn, 971.

Louisiana: Veatch, 2436, 2437.

Winnfield sheet: Harris, 1079.

Maryland: Clark, 483; Clark and Mathews, 488.

Dover quadrangle: Miller, 1749.

Patuxent quadrangle: Shattuck *et al.*, 2193.

Cretaceous—Continued.

Stratigraphy—Continued.

- Massachusetts: Clapp, 474.
 Mexico, Coahuila: Aguilera, 17.
 Colima: Angermann, 52.
 Durango: Angermann, 50, 51.
 San Luis Potosi & Tampico: Böse, 264.
 Sierra de Mazapil et Santa Rosa: Burckhardt, 358.
 Mississippi: Crider, 595; Crider and Johnson, 599.
 Montana: Leonard, 1564.
 Bighorn Mountains: Darton, 647.
 Carbon County: Darton, 652.
 Great Falls field: Fisher, 874.
 Hell Creek beds: Brown, 325.
 Ignite area: Leonard, 1560.
 Nebraska, Cass County: Woodruff, 2628.
 Republican River Valley: Condra, 570.
 New Jersey: Weller, 2515, 2520.
 New Mexico, Dakotan series: Keyes, 1379.
 Rio Grande Valley: Lee, 1546.
 New York: Hollick, 1203.
 Long Island: Veatch, 2434; Veatch and Bowman, 2441.
 North Carolina: Stephenson, 2281.
 North Dakota: Leonard, 1563.
 Ignite area: Leonard, 1560.
 Oregon, southwestern: Diller, 724.
 South Carolina: Sloan, 2217, 2218.
 Tennessee: Glenn, 971.
 Texas, Chisos country: Udden, 2409.
 Panhandle: Gould, 987.
 Rio Grande embayment: Udden, 2408.
 Terlingua district: Phillips, 1926.
 Utah, eastern: Cross, 604.
 Pleasant Valley district: Taff, 2337.
 Sanpete and Sevier valleys: Richardson, 2044.
 Uinta Range: Weeks, 2506.
 Virginia: Clark, 483.
 coastal plain: Clark and Miller, 489.
 Washington, Olympic Peninsula: Arnold, 56.
 Wyoming: Veatch, 2439.
 Bald Mountain and Dayton quadrangles: Darton, 645.
 Bighorn basin: Fisher, 873.
 Bighorn Mountains: Darton, 647.
 Carbon County: Veatch, 2440.
 Cloud Peak and Fort McKinney quadrangles: Darton, 646.
 Devils Tower quadrangle: Darton and O'Harra, 656.
 Lander field: Woodruff, 2629.
 Owl Creek Mountains: Darton, 642.
 Uinta County: Schultz, 2151; Veatch, 2437.

Paleontology.

- Age and localities of supposed Jurassic fossils: Veatch, 2432.

Cretaceous—Continued.

Paleontology—Continued.

- Alberta, Chelonian, new; Lambe, 1488.
 Crocodilian from Judith River formation: Lambe, 1492.
 Amber from coastal plain: Berry, 219.
 Arkansas: Veatch, 2436.
 Baena: Lambe, 1487.
 Boremys: Lambe, 1488.
 Blattoid: Handlirsch, 1068.
 California, Santa Clara Valley: Crandall, 590.
 Cliffwood clays, fauna: Weller, 2516.
 flora: Berry, 214.
 Crocodilian from Judith River formation of Alberta: Lambe, 1492.
 Flora of southern New York and New England: Hollick, 1203.
 Floras of North and South Carolina: Berry, 221, 224.
 Gymnosperms from Kreisherville, New York: Hollick and Jeffrey, 1213.
 Hell Creek beds of Montana: Brown, 325.
 Hoploparia from Montana: Whitfield, 2561.
 Kootanie plants from Great Falls coal field of Montana: Knowlton, 1418.
 Laramie beds, Montana: Riggs, 2066.
 Louisiana: Veatch, 2436.
 Mexico, Cardenas: Böse, 258.
 Mazapil: Burckhardt, 359.
 Mollusca, Senonian: Böse, 258.
 Montana, blattoid: Handlirsch, 1068.
 tortoise: Riggs, 2066.
 New Jersey: Weller, 2520.
 Cliffwood clays: Berry, 214; Weller, 2516.
 New York, flora: Hollick, 1203.
 Pityoxyla: Jeffrey and Chrysler, 1292.
 Plant remains: Hollick and Jeffrey, 1212; Penhallow, 1895.
 from Magothy formation: Berry, 225.
 Porocystis Cragin: Jarvis, 1285.
 Senonian Mollusca: Böse, 258.
 Testudo: Lambe, 1487.
 Tortoise: Riggs, 2066.
 Unionida from Laramie clays of Montana: Whitfield, 2562.
 Volutida: Dall, 630.
 Crinoidea. *See also* Echinodermata.
 Botryocrinus: Bather, 166.
 Descriptions of: Rowley, 2094, 2095.
 Hypocrinus: Springer and Slocum, 2268.
 Onychocrinus: Springer, 2267.
 Silurian from Chicago area: Slocum, 2221.
 Uintacrinus: Martin, 1685.
 Crustacea.
 Cambrian, New Brunswick: Matthew, 1695.
 Cybele: Narraway and Raymond, 1783.
 Devonian: Clarke, 497.

Crustacea—Continued.

- Encrinurus: Vogdes, 2462.
 Eurypterid fauna of Shawangunk grit:
 Clarke, 499, 501.
 Hoploparia from Cretaceous of Mont-
 ana: Whitfield, 2561.
 Ostracoda, American Paleozoic: Ulrich
 and Bassler, 2412.
 Pleistocene, of Maryland: Clark, 482.
 Strenuella strenua from Cambrian of
 Braintree, Mass.: Shimer, 2203,
 2204.
 Trilobita: Rowley, 2095.
 from Cambrian of New Brunswick:
 Matthew, 1695.
 from Niagara of Chicago area: Wel-
 ler, 2521.
 from Salem limestone of Indiana:
 Cumings, 611.

Cryolite.

United States: 2418, 2419.

Cuba. See also West Indies.*Economic.*

- Copper ores: Lawrence, 1525.
 Mineral resources: Brown, 329.

Deformation.

Lithosphere: Chamberlin, 457.

Delaware.*Economic.*

Dover quadrangle: Miller, 1749.

Stratigraphic.

- Cretaceous deposits: Clark, 483.
 Dover quadrangle: Miller, 1749.

Paleontology.

- Plants: Berry, 212.
 from Magothy formation: Berry,
 225.

Deltas.

- Mississippi: Hilgard, 1148.
 Connecticut, Brewsters Neck: Gulliver,
 1058.

Deposition. See Sedimentation.

Deposition of ores. See Ore deposits, origin.

Devonian.*Stratigraphy.**General.*

- Chattanooga black shale: Grabau,
 1000.
 Alaska: Brooks, 173.
 Cape Lisburne region: Collier, 552.
 Rampart region: Prindle and Hess,
 1958.
 southeastern: Kindle, 1400.
 Yukon, upper: Brooks and Kindle,
 321.
 California, eastern: Ball, 120.
 Klamath region: Hershey, 1133.
 Redding quadrangle: Diller, 721.
 Colorado, Ouray quadrangle: Cross *et*
 al., 607.
 Franklin: Low, 1623.
 Illinois: Weller, 2517.
 Calhoun County: Weller, 2523.
 Indiana, southern: Stauffer, 2278.

Devonian—Continued.*Stratigraphy—Continued.*

- Indian Territory, Muscogee quadran-
 gle: Taff, 2332.
 Iowa: Beyer, 230; Beyer and Williams,
 234; Calvin, 387.
 Black Hawk County: Arey, 53.
 Bremer County: Norton, 1805.
 Franklin County: Williams, 2588.
 Jackson County: Savage, 2128.
 Winneshiek County: Calvin, 388.
 Kentucky, east-central: Foerste, 884.
 Maryland: Clark and Matthews, 488.
 Michigan: Grabau, 997.
 Bay County: Cooper, 575.
 Sylvania sandstone: Grabau, 1002.
 Mississippi: Crider, 595, 598; Crider
 and Johnson, 599.
 Montana, Phillipsburg quadrangle: Em-
 mons, 806.
 Three Forks: Raymond, 1989.
 Nevada, Robinson district: Lawson,
 1526.
 southwestern: Ball, 120.
 New Brunswick: Ellis, 782, 784.
 New Mexico: Gordon and Graton, 983.
 New York: Brown, 333.
 Buffalo quadrangle: Luther, 1633.
 Ithaca section: Williams, 2583, 2584,
 2586, 2587.
 Penn Yan-Hammondsport quadran-
 gle: Luther, 1634.
 Schoharie Valley: Grabau, 991.
 Skunnumunk Mountain region: Hart-
 nagel, 1084.
 Ohio: Stauffer, 2277, 2278; Swartz,
 2329.
 Pennsylvania, Altoona section: Butts,
 367.
 Amity quadrangle: Clapp, 475.
 Rogersville quadrangle: Clapp, 476.
 Vermont: Richardson, 2037.
 West Virginia: Grimsley, 1044.
 Wisconsin, Milwaukee quadrangle: Al-
 den, 23.
Paleontology.
 Alaska, southeastern: Kindle, 1400.
 Brachiopod from Maine: Williams,
 2585.
 Canada: Whiteaves, 2555.
 Cephalopoda: Cleland, 504.
 Coblenzian invasion: Clarke, 496.
 Corals: Greene, 1029, 1031, 1032.
 Crinoids: Rowley, 2094; Springer and
 Slocum, 2268.
 Fishes: Whiteaves, 2559.
 from New York: Eastman, 760.
 Flora of Little River group: Matthew,
 1693.
 Hackberry group, Western: Webster,
 2496.
 Hypsocrinus: Springer and Slocum,
 2268.
 Invertebrates from Maine, New
 Brunswick, and Quebec: Clarke,
 497.

Devonian—Continued.*Paleontology—Continued.*

Ithaca fauna of Maryland: Swartz, 2328.

Ithaca section, New York: Williams, 2583, 2586.

Kentucky, east-central: Foerste, 884.

Lime Creek fauna: Keyes, 1384.

Little River group: Matthew, 1693.

Lycopod, composite: White, 2547.

Maryland, Paleodevonian: Ohern, 1816.

Montana, Three Forks: Raymond, 1989.

New Mexico, Lime Creek fauna: Keyes, 1384.

New York: Slocum, 2219.

Ithaca section: Williams, 2583, 2586.

Schoharie Valley: Grabau, 991.

Pennsylvania, Altoona: Kindle, 1397.

Plants from New Brunswick and Nova Scotia: Matthew, 1696.

Reticularia laevis: Kindle, 1396.

Spirifers, evolution of: Grabau, 1004.

Tree trunk: White, 2544.

Westernia: Webster, 2496.

Diamonds.

General: Kunz, 1442.

Arkansas: Schneider, 2140.

in drift: Bell, 193.

Diatomaceous earth.

California: Aubury, 87.

Santa Barbara County: Arnold and Anderson, 65.

Maryland, Calvert County: Miller, 1750.

St. Marys County: Miller, 1751.

Virginia: Watson, 2493.

Diatoms.

California, Santa Maria district: Arnold and Anderson, 67.

Dislocations. See Faulting.**District of Columbia.***General.*

Patuxent quadrangle: Shattuck *et al.*, 2193.

Dolomite.

Alabama, Birmingham quadrangle: Butts, 370.

Dome structure: Arnold, 61.**Dominica, boiling lake of: Hovey, 1222.****Drainage changes.**

Black Hills and Bighorn Mountains, post-Pleistocene drainage modifications: Mansfield, 1673.

California, Russian and Sacramento Rivers: Holway, 1216.

Santa Clara Valley: Branner, 289.

Taylorville region during the auriferous gravel period: Diller, 722.

Georgia, Tallulah district: Johnson, 1303, 1307.

Michigan: Cooper, 576.

Mississippi River, between Lansing and Dubuque: Calvin, 389.

Mississippi Valley: Light, 2375.

Drainage changes—Continued.

New York, Genesee River: Grabau, 999.

Iroquois extinction: Fairchild, 842.

Ohio, Spring Valley gorge, origin: Scheffel, 2138.

South Carolina, Tallulah district: Johnson, 1303, 1307.

Drumlins.

Distribution and origin: Taylor, 2364.

Michigan: Russell, 2101, 2106.

Grand Traverse region: Leverett, 1568.

New York, central western: Fairchild, 837.

Structure and origin: Fairchild, 839.

Dunes.

North Carolina coast: Cobb, 511.

Origin: Baker, 114.

Dynamic and structural (general). For regional see under the various States.

See also Caves, Changes of level, Concretions, Deformation, Deltas, Domes, Drumlins, Dunes, Earth, genesis of, Earthquakes, Erosion, Eskers, Faulting, Folding, Geysers, Glaciers, Isostasy, Karsts, Landslides, Magmas and intrusions, Marshes, Metamorphism, Mounds, natural, Natural bridges, Orogeny, Pebbles, Sedimentation, Shore-lines, Sink holes, Temperature, Terraces, Thermal waters, Unconformity, Valleys, Volcanoes, Weathering.

Coal, formation of: White, 2548.

Concentration as a geological principle: Russell, 2105.

Continental structure, theory of: Willis, 2598.

Cone in cone structure: Broadhead, 305.

Dome structure in conglomerate: Arnold, 61.

Earth, interior of: Lane, 1503.

rigidity of: Hoskins, 1217; *See*, 2160.

Earth a failing structure: Hayford, 1113.

Earth's crust, average composition: Clarke, 490.

Fundamental problems of geology: Chamberlin, 454.

Fusion of minerals under high temperature: Day, 687.

Garnet zones, formation of: Kemp, 1363.

Geologic periods, cause of: Taber, 2330.

Gneissic structure, artificial production of: Wright, 2652.

Hydrocarbons in the Ordovician, source of: White, 2541.

Metamorphic cycle: Leith, 1558.

Moon, place of origin: Pickering, 1928.

Oolites, formation of: Cayeux, 447.

Polished pebbles: George, 940.

Dynamic and structural (general)—Continued.

Rainfall affected by uplift and denudation: Jefferson, 1289.

Redistribution of elements in formation of sedimentary rocks: Mead, 1706.

Shore ice, peculiar formation of: Case, 435.

Synclinalorium and anticlinalorium: Rice, 2032.

Earth, genesis of. *See also* Dynamic and structural (general).

Atmosphere, primeval: McKee, 1670.

Carbon dioxide in atmosphere: Stieglitz, 2298.

Deep-sea circulation: Chamberlin, 453.

Earth, interior of: Lane, 1503.

rigidity of: Hoskins, 1217; *See*, 2160.

temperature, cooling, and contraction: *See*, 2161.

Earth a falling structure: Hayford, 1113.

Earth's rotation, former rates of: Chamberlin, 458.

Equilibrium between carbon dioxide of atmosphere and calcium compounds in water: Stieglitz, 2298.

Fundamental problems of geology: Chamberlin, 454.

Geologic periods, cause: Taber, 2330.

Growth by accretion: Chamberlin, 456.

Hydrosphere and atmosphere: Chamberlin, 459.

Moon, place of origin: Pickering, 1928.

Ocean, chemical evolution of: Lane, 1504, 1511.

Ocean basins, origin: Hobbs, 1187, 1190.

Rotation of earth: Chamberlin, 458.

Earthquakes.

General: Flammarion, 877; Hellprin, 1125; Hobbs, 1182-1184, 1186, 1192; Klotz, 1404, 1406; Milne, 1761; *See*, 2161, 2162; Tarr, 2355.

California. *See* San Francisco *below*.
San Jacinto of 1899: Dana, 640.

Cause of: Gilbert, 949; Hixon, 1169; Ingalls, 1271; *See*, 2158.

Charleston: Fuller, 909; Hobbs, 1189; Kemp, 1359.

Connection with volcanism: Hellprin, 1124; Kemp, 1359.

Costa Rica: Jones, 1322.

Guatemala: Jones, 1322.
of April 19, 1902: Omori, 1822.

Jamaica: Brown, 327; Carden and Goldney, 423; Davison, 683; Fuller, 915; Spencer, 2264.

Lines, earthquake: Storms, 2315.

Masaya: Sapper, 2120.

New Madrid: Fuller, 909, 910.

New York, records at Albany: Clarke, 500; Newland, 1791.

Earthquakes—Continued.

Nicaragua: Jones, 1322.

Nova Scotia: Woodman, 2625.

Pacific coast: McAdie, 1636.

Quebec: Laflamme, 1457.

San Francisco: Aitken and Hilton, 21;

Carey, 424; Crafts, 587; Cran-

dall, 591; Davidson, 658, 659;

Davison, 683; Derleth, 713,

714; 810; Fuller, 909; Gilbert,

950, 956; Haehl *et al.*, 1062;

Himmelwright, 1162; Inkersley,

1275; Jordan, 1325; Lapparent,

1522; Lawson *et al.*, 1531;

Leuschner, 1567; Moore, 1769;

Omori, 1818-1821; Redway,

2003; Rickard *et al.*, 2056;

Ritter, 2068; *See*, 2157; Taber,

2331; Tyler, 2403; 2417; 2667.

cause: Branner, 284, 285; Jordan,

1323; Ransome, 1980; Storms,

2315.

earth movements: Fairbanks, 833;

Hayford and Baldwin, 1114;

Omori, 1823.

magnetograph records: Bauer, 167,

168.

seismographs: Bauer, 168; Bauer

and Burbank, 169.

Italy, Catania: Ricco, 2024.

Japan: Omori, 1817.

Washington: Marvin, 1688.

Seismic geography of eastern United

States: Hobbs, 1181.

Seismographs, North America and Ha-

waiian Islands: Reid, 2011.

Times and places: Turner, 2397.

Utah, seismographs: Talmage, 2343.

Echinodermata. *See also* Blastoida, Crinoidea.

Indiana, Salem limestone: Beede, 175.

Economic (general). *For regional, see under the various States. See also* Ore deposits, origin, and the particular products.

Applied geology, scope: Johnson, 1300.

Contributions to economic geology:

Hayes, 1107.

Definitions of terms: Emmons, 795.

Economic geology and mineral de-

posits: Nicholas, 1798.

Economic geology of the United

States: Ries, 2061; Smith, 2232.

Evolution of a mineral vein: Lakes,

1468.

Fault breccia veins in the Sierra

Madre: Bagg, 94.

Field observations of ore deposits:

Emmons, 801.

Field test for magnesite: Catlett, 446.

Field work, need of, in study of ore

deposits: Coleman, 545.

Fissure veins: Emmons, 793; Hess,

1137; Kelley, 1357; Louis,

1622; Spencer, 2260; Spurr,

2269.

Fissure veins and ore deposits as

waterways: Lakes, 1458.

Economic (general)—Continued.

- Garnet zones, formation of: Kemp, 1363.
 Gold and pyrite: Lindgren, 1594; Smyth, 2254.
 Gold associated with pyrite and tellurides: Sharwood, 2182.
 Iron ores, investigations of: Eckel 763, 768.
 Law of the apex: De Kalb, 701; Purington, 1975; Robertson, 2076.
 Magnetic observations: Smyth, 2255.
 Metal mining industry in western States: Lindgren, 1601.
 Metalliferous ores, investigations of: Emmons, 797, 800.
 Metalliferous veins: Kemp, 1360.
 Microscopic examination of ore bodies: Campbell, 407.
 Mine examiner and prospector's companion: Miller, 1753.
 Mineral resources of the United States: 2418, 2419.
 Mining geology, text-book: Miller, 1752; Park, 1867.
 Nonmetalliferous minerals, investigations of: Eckel, 763.
 Ore deposits and industrial supremacy: Stewart, 2297.
 Ore deposits and the law of the apex: Shamel, 2178.
 Ore shoots: Weed, 2500.
 Ores in the Archean of North America: Heneage, 1130.
 Phase rule: Day and Shepherd, 693.
 Placer investigations: Hutchins, 1261, 1262.
 Rare metals and minerals: Schaaf-Regelmann, 2132; Walsh, 2475.
 Secondary enrichment: Neill, 1788.
 Sedi-genetic and igneo-genetic ores: Bain, 104.
 United States Geological Survey, relations to mining industry: Smith, 2238.
 University training of engineers in economic geology: Branner, 282; Glenn, 970; Leith, 1555; Merrill, 1737.
 Weathered pyrite: Eakle, 754.

Educational. *See also* Text-books.

- Applied geology, in the technical school: Johnson, 1300.
 Training of engineers in economic geology: Branner, 282; Glenn, 970; Leith, 1555; Merrill, 1737; Reid, 2019.

Elevation and subsidence. *See* Changes of level.**Emery.**

- United States: 2418, 2419.
 Virginia: Watson, 2493.

Erosion. *See also* Sedimentation.

- Abrasion by glaciers, rivers, and waves: Westgate, 2528.
 Bermuda Islands: Verrill, 2445.

Erosion—Continued.

- Coast changes, New Jersey: Haupt, 1060.
 Colorado Canyon: Davis, 667.
 Detrital slopes on mountains of the Southwest: Blake, 242.
 Ducktown, Tenn.: Glenn, 968.
 Experiments: Jaggar, 1283.
 Glacial erosion in Alaska: Tarr, 2351.
 Glacial period in nonglaciated regions: Huntington, 1257.
 Gorges of Finger Lake region, New York: Tarr, 2348.
 Gouges, crescentic, formed by glacial action: Gilbert, 951.
 Grand Canyon of Colorado: Crook, 600.
 Karst region of Jamaica: Danes, 639.
 Lateral erosion on some Michigan rivers: Jefferson, 1287.
 Meandering, factors controlling: Griggs, 1043.
 Moulin work under glaciers: Gilbert, 952.
 Niagara Falls, recession: Adams, 5; Gilbert, 955; Hall, 1065; Spencer, 2263, 2265, 2266.
 Rocks, characteristics affecting erosion: Todd, 2380.
 Scars on the River Rouge: Jefferson, 1286.
 Sculpture of mountains by glaciers: Davis, 668.
 Shore topography near Davenport, Cal.: Wilson, 2613.
 Solifluction: Anderson, 49.
 Stream movement of load: Brown, 332.
 Valleys, incised meandering: Davis, 669.

Eskers.

- Indiana, Tippecanoe County: McBeth, 1637.
 Ohio, Columbus: Morse, 1772.

Essays. *See* Addresses.**Excursions.**

- Intercollegiate geological excursion: Johnson, 1301.
 International Geological Congress, excursions in Mexico: Hovey, 1231.
 Morrill geological excursion: Barbour, 134, 139.
 New Mexico, Arizona, and Utah: Johnson, 1302.

Faulting.

- Block faulting and ore genesis: Jenney, 1295.
 California: Crandall, 591.
 Klamath region: Hershey, 1133.
 Owari and Formosa compared: Omori, 1823.
 Santa Cruz fault line: Ashley, 73; Branner, 284, 285; Carey, 424; Derleth, 714; Gilbert, 950.
 Sierra Nevada: Reid, 2015.
 Classification of faults and fractures: Fohs, 886.

Faulting—Continued.

- Connecticut, Triassic area: Rice, 2031.
 Displacement, mutual, by intersecting veins: Weed, 2503.
 Eastern United States, seismic: Hobbs, 1181.
 Fracture systems, correlation: Hobbs, 1176.
 Idaho, Red Cloud mine: Turner, 2401.
 Mexico, Santa Eulalia: Knapp, 1408.
 Montana, Marysville district: Barrell, 149.
 Nevada, Berlin mine: Daggett, 619.
 Bullfrog district: Emmons, 807.
 Robinson district: Lawson, 1526.
 New England: Hobbs, 1180.
 Nomenclature and classification:
 Chamberlin, 462; Cushing, 615;
 Evans, 830; Fairchild, 838;
 Jaggar, 1281; Ransome, 1983;
 Reid, 2017; Spurr, 2272; Tolman, 2382; Willis, 2593.
 Nova Scotia, Battery Point: Fulton, 919.
 Oblique faulting in Alaska: Martin, 1687.
 Pennsylvania: Ashley, 70.
 Pine Mountain fault: Stone, 2313.
 Postglacial faults in eastern New York: Woodworth, 2631.
 Problems, methods of investigating: Tolman, 2381.
 Sierra Nevada fault blocks: Davis, 674.
 Texas, Franklin Mountains: Richardson, 2039.
 Wisconsin, joint system: Harder, 1073.
 Wyoming, Bighorn Mountains: Darton, 647.

Feldspar.

- Maine: Bastin, 162.
 New York, southeastern: Bastin, 163.
 Ontario: Corkill, 578.
 United States: 2418, 2419.
 Virginia: Watson, 2493.

Field work.

- Geologic mensuration: Harris, 1078.
 Magnesia, field test for: Catlett, 446.
 Magnetic observations: Smyth, 2255.
 Mine examiner and prospector's companion: Miller, 1753.
 Ore deposits, field observation of: Emmons, 801.

Fire clay.

- Georgia: Veatch, 2443.
 Illinois: Purdy and DeWolf, 1973.
 Missouri: Wheeler, 2530.
 St. Louis district: Fenneman, 861.
 North Dakota: Babcock, 91.
 South Carolina: Sloan, 2218.

Florida.

General.

- State geological survey, organization, and plans: Sellards, 2171.

Florida—Continued.

Economic.

- Glass-sand deposits: Burchard, 355.
 Phosphate: Jumeau, 1344.
Dynamic and structural.
 Sink-hole lakes, origin of: Sellards, 2165.

Physiographic.

- Sink-hole lakes: Sellards, 2165.

Stratigraphic.

- Post-Eocene formations: Smith, 2226.

Paleontology.

- Busycon (Fulgur) from Oligocene: Aldrich, 24.
 Planorbis in the Pliocene: Pillsbury, 1930.

Underground water.

- Artesian and other underground water: Sellards, 2170.

Fluorite.

- Tennessee: Watson, 2488.
 Virginia: Watson, 2493.

Fluorspar.

- United States: 2418, 2419.

Folding.

- Anticlinal domes in Piedmont of Maryland: Mathews, 1690.
 Glacial: Carney, 430; Sardeson, 2121.
 Illinois, deformation lines: Weller, 2517, 2518.
 Pennsylvania, South Mountain: Stose, 2318.
 Rock folds due to weathering: Campbell, 396.
 Synclinalorium and anticlinalorium: Rice, 2032.
 Thrusts and recumbent folds: Willis, 2597.
 Uinta Range: Weeks, 2506.

Foraminifera.

- Indiana, Salem limestone: Beede, 174, 179.
 Kansas, Hooser: Spandel, 2259.
 Porocystis Cragin: Jarvis, 1285.

Fossils. *See* Paleontology.

Franklin.

Stratigraphic.

- Geology of the lands visited by the Neptune: Low, 1623.

Paleontology.

- Corals from Arctic Islands: Lambe, 1486.
 Ordovician and Silurian fossils: Ami, 39, 40.

Fuller's earth.

- General:* Porter, 1944.
 California: Aubury, 87.
 South Carolina: Sloan, 2218.
 Virginia: Watson, 2493.

Garnet.

- United States: 2418, 2419.
 Virginia, 2493.

Gastropoda. *See also* Mollusca.

- Arizona: Cockerell, 515.
 Busycon (Fulgur) from Oligocene of Florida: Aldrich, 24.
 California, southern, Tertiary: Arnold, 62.
 Colorado, Florissant: Cockerell, 517.
 Devonian: Clarke, 497.
 Eocene from Alabama: Aldrich, 25.
 Hackberry group, Iowa: Webster, 2496, 2497.
 New Mexico: Cockerell, 515.
 Ordovician, retaining color markings: Raymond, 1988.
 Orthogenetic variation: Grabau, 996.
 Planorbis from Florissant: Cockerell, 517.
 Pliocene of Florida: Pillsbury, 1930.
 Psilocochlis: Dall, 627.
 Volutidae: Dall, 629, 630.
 Western, from Hackberry group of Iowa: Webster, 2496.
 Zonitoid shell from Florissant: Cockerell, 536.

Gems. *See also* Precious stones.

- California: Kunz, 1487.
 South Carolina: Sloan, 2218.
 Virginia: Watson, 2493.

Genesis of ores. *See* Ore deposits, origin.**Geologic formations described.** *See list* p. 284.

Tables. *See* Stratigraphic, Tables of formations.

Geologic history. *See also* Paleoclimatology.*General.*

Geologic research in continental history: Willis, 2590.

Paleozoic.

- Carboniferous, Appalachian basin: Stevenson, 2295.
 Chazy time: Raymond, 1987.
 St. Peter time: Berkey, 205.

Post-Paleozoic.

- Great Lakes, history of: Goldthwait, 975; Taylor, 2363.
 Mid-Cretaceous geography: Berry, 211.

Regional.

- Appalachian basin, Carboniferous: Stevenson, 2295.
 Alaska: Brooks, 313; Paige and Knopf, 1862; Spencer, 2261.
 Turnagain Arm region: Moffit, 1762.
 Arizona, Colorado River region: Lee, 1541, 1548.
 Tertiary peneplain: Robinson, 2078.
 Arkansas: Purdue, 1971; Veatch, 2436.
 British Columbia, Cascade Mountains: Daly, 632.
 California: Comstock, 563; Diller, 721.
 Ancient river channels: Kimble, 1395.
 Great Basin: Ball, 120.
 Owens Valley: Lee, 1540.
 Santa Clara Valley: Crandall, 590.
 Santa Maria district: Arnold and Anderson, 68.
 Canada, northeastern: Low, 1623.

Geologic history—Continued.*Regional—Continued.*

- Colorado: Darton, 648; Fisher, 869.
 Florissant basin: Henderson, 1127.
 Ouray quadrangle: Cross *et al.*, 607.
 Colorado Canyon: Davis, 667.
 Connecticut: Rice, 2030.
 Delaware: Miller, 1749.
 Great Basin: Ball, 120.
 Great Lakes: Goldthwait, 975; Taylor, 2363.
 Indiana: Blatchley, 244.
 Indian Territory: Taff, 2332.
 Iowa, channel of Mississippi River: Calvin, 389.
 Lancaster quadrangle: Grant and Burchard, 1021.
 Kansas, Joplin district: Smith and Siebenthal, 2251.
 Louisiana: Veatch, 2436, 2437.
 Maine, Penobscot Bay quadrangle: Smith *et al.*, 241.
 Maryland: Miller, 1749; Shattuck, 2184, 2185.
 Calvert County: Shattuck, 2187, 2188.
 Coastal plain: Davis, 677.
 Patuxent quadrangle: Shattuck *et al.*, 2193.
 St. Marys County: Shattuck, 2190, 2191.
 Massachusetts: Mansfield, 1674.
 Mount Greylock: Dale, 620.
 Mississippi River channel: Calvin, 389.
 Mississippi Valley, upper: Bain, 99.
 Missouri: Shepard, 2194.
 Granby area: Buckley and Buehler, 346.
 Joplin district: Smith and Siebenthal, 2251.
 Montana, Marysville district: Barrell, 149.
 Nevada, Great Basin: Ball, 120.
 New Mexico: Keyes, 1378.
 Rio Grande Valley: Lee, 1545.
 Tertiary peneplain: Robinson, 2078.
 New York, Adirondacks: Cushing, 614.
 Catskill Mountains: Heilprin, 1126.
 Long Island: Veatch, 2430, 2434.
 Schoharie Valley: Grabau, 991.
 western, in Silurian time: Hartnagel, 1085.
 North America: Shimer, 2205.
 North Carolina, Nantahala quadrangle: Keith, 1352.
 Pisgah quadrangle: Keith, 1353.
 Roan Mountain quadrangle: Keith, 1354.
 Nova Scotia: DeWolfe, 718.
 Pennsylvania, Amity quadrangle: Clapp, 475.
 Rogersville quadrangle: Clapp, 476.
 South Carolina, Pisgah quadrangle: Keith, 1353.
 Pleistocene: Pugh, 1963.
 Utah: Richardson, 2041.
 Uinta Range: Weeks, 2506.

Geologic history—Continued.

Regional—Continued.

- Vermont, Champlain Valley: Hitchcock, 1165.
 Virginia: Surface, 2326.
 Washington: Smith and Calkins, 2240.
 Cascade Mountains: Daly, 632.
 Wisconsin, Lancaster and Mineral Point quadrangles: Grant and Burchard, 1021.
 Milwaukee quadrangle: Alden, 23.
 Wyoming, Bald Mountain and Dayton quadrangles: Darton, 645.
 Bighorn basin: Fisher, 873.
 Bighorn Mountains: Darton, 647.
 Cloud Peak and Fort McKinney quadrangles: Darton, 646.
 Devil's Tower quadrangle: Darton and O'Harra, 656.
 Owl Creek Mountains: Darton, 642.

Geologic maps.

- Alabama: Smith, 2229.
 Alberta, Cascade coal basin: Dowling, 736.
 Moose Mountain district: Cairnes, 381.
 Alaska: Brooks, 313; Wright and Wright, 2654.
 Admiralty Island: Wright, 2640.
 Cape Lisburne region: Collier, 552.
 Juneau gold belt: Spencer, 2261.
 Matanuska coal field: Martin, 1682.
 Rampart region: Prindle and Hess, 1958.
 Arkansas: Veatch, 2436.
 coal field: Collier, 556.
 Winslow quadrangle: Purdue, 1971.
 British Columbia, Telkwa River region: Leach, 1534.
 California: Aubury, 85, 86.
 eastern: Ball, 120.
 Redding quadrangle: Diller, 721.
 San Francisco peninsula: Crandall, 591.
 Santa Clara Valley: Eldridge and Arnold, 779.
 Santa Maria oil district: Arnold and Anderson, 66, 67.
 Summerland district: Arnold, 63.
 Colorado, Arkansas Valley: Darton, 648.
 Clear Creek region: Underhill, 2414.
 Cripple Creek district: Lindgren and Ransome, 1605.
 Hahns Peak region: Gale, 922.
 Nepesta quadrangle: Fisher, 869.
 Ouray quadrangle: Cross *et al.*, 607.
 Routt County: Fenneman and Gale, 863.
 Connecticut: Ellis, 780; Gregory, 1034; Gregory and Robinson, 1038; Rice, 2030.
 Delaware, Dover quadrangle: Miller, 1749.
 Franklin: Low, 1623.

Geologic maps—Continued.

- Illinois: Bain, 100; Purdy and DeWolf, 1973; Weller, 2517, 2524.
 zinc and lead region: Bain, 99.
 Indiana, Monroe County: Reagan, 1998.
 Indian Territory, Muscogee quadrangle: Taff, 2332.
 Iowa: Savage, 2130.
 Black Hawk County: Arey, 53.
 Bremer County: Norton, 1805.
 Clayton County: Leonard, 1559.
 Franklin County: Williams, 2588.
 Jackson County: Savage, 2128.
 Lancaster quadrangle: Grant and Burchard, 1021.
 Sac and Ida counties: Macbride, 1639.
 Winneshiek County: Calvin, 388.
 zinc and lead region: Bain, 99.
 Kansas, Independence quadrangle: Schrader and Haworth, 2144.
 Joplin district: Smith and Sieben-thal, 2251.
 Kentucky, Cumberland Gap coal field: Ashley and Glenn, 877.
 east central: Foerste, 884.
 Louisiana: Veatch, 2436.
 Winnfield sheet: Harris, 1079.
 Maine, Boothbay quadrangle: Oglvie, 1815.
 Penobscot Bay quadrangle: Smith *et al.*, 2241.
 Maryland: Clark and Mathews, 488; 1689; Shattuck, 2184.
 Calvert County: Shattuck, 2188.
 Dover quadrangle: Miller, 1749.
 Patuxent quadrangle: Shattuck *et al.*, 2193.
 Piedmont plateau: Mathews, 1690.
 St. Marys quadrangle: Shattuck, 2185.
 Massachusetts: Mansfield, 1674.
 Mexico: Aguilera, 16.
 Chihuahua: Hovey, 1236.
 Durango, Mapimi: Angermann, 51.
 San Pedro de Gallo: Angermann, 50.
 Sierra de Concepcion del Oro: Burckhardt, 357.
 Zacatecas: Burckhardt and Scalla, 363.
 Michigan: Leverett *et al.*, 1573.
 Black River section: Gordon and Lane, 985.
 Menominee, Dickinson, and Iron counties: Russell, 2104.
 Mississippi: Brown, 326; Crider, 595; Crider and Johnson, 599; Logan and Hand, 1609.
 Missouri: Shepard, 2194.
 Granby area: Buckley and Buehler, 346.
 Joplin district: Smith and Sieben-thal, 2251.

Geologic maps—Continued.

- Montana: Calhoun, 384; Darton, 644.
 Bighorn Mountains region: Darton, 647.
 Nebraska, Cass County: Woodruff, 2628.
 Republican River Valley: Condra, 570.
 Nevada, Goldfield district: Hastings and Berkey, 1091.
 Goldfield and Bullfrog districts: Ransome, 1984.
 Pioche and vicinity: Pack, 1854.
 Silver Peak quadrangle: Spurr, 2271.
 southwestern: Ball, 120.
 New Brunswick: Bailey, 98.
 New Jersey, Newark system: Lewis, 1580.
 New Mexico, Rio Grande Valley: Lee, 1545.
 Roswell area: Fisher, 870.
 New York: Fairchild, 843.
 Buffalo quadrangle: Luther, 1633.
 Long Island: Veatch, 2434.
 Long Lake quadrangle: Cushing, 616.
 Penn Yan-Hammondsport quadrangles: Luther, 1634.
 Rochester and Ontario Beach quadrangles: Hartnagel, 1085.
 Schoharie Valley: Grabau, 991.
 North America: Hobson, 1194; Willis, 2591, 2594.
 North Carolina, Nantahala quadrangle: Keith, 1352.
 Pisgah quadrangle: Keith, 1353.
 Roan Mountain quadrangle: Keith, 1354.
 North Dakota: Leonard, 1563.
 Ohio, Licking County: Carney, 427.
 Steubenville quadrangle: Griswold and Munn, 1048.
 Ontario, Animikie region: Silver, 2212.
 Essex and Kent counties: Nattress, 1785.
 Larder Lake district: Brock, 308.
 Pembroke sheet: Ells, 788.
 Sudbury field: Coleman, 539.
 Pennsylvania, Amity quadrangle: Clapp, 475.
 bituminous coal fields: Halberstadt, 1063.
 Burgettstown and Claysville quadrangles: Griswold and Munn, 1048.
 Kittanning and Rural Valley quadrangles: Butts, 368.
 Rogersville quadrangle: Clapp, 476.
 South Mountain: Stose, 2318.
 Quebec, Mount Yamaska: Young, 2660.
 Pembroke sheet: Ells, 788.
 Rhode Island: Emerson and Perry, 790.
 South Carolina: Sloan, 2218.
 Pisgah quadrangle: Keith, 1353.
 Tennessee, Nantahala quadrangle: Keith, 1352.
 Roan Mountain quadrangle: Keith, 1354.

Geologic maps—Continued.

- Texas, Franklin Mountains: Richardson, 2042.
 Panhandle: Gould, 987.
 Utah, Park City district: Boutwell, 271.
 Uinta Range: Weeks, 2206.
 Vermont, St. Albans: Edson, 774.
 Washington, Olympic Peninsula: Arnold, 56.
 Snoqualmie quadrangle: Smith and Calkins, 2240.
 West Virginia, Brook, Ohio, and Hancock counties: Grimsley, 1046.
 Steubenville quadrangle: Griswold and Munn, 1048.
 Wisconsin, Lancaster and Mineral Point quadrangles: Grant and Burchard, 1021.
 Milwaukee quadrangle: Alden, 23.
 north central: Weidman, 2512.
 zinc and lead region: Bain, 99; Grant, 1017.
 Wyoming, Bald Mountain and Dayton quadrangles: Darton, 645.
 Bighorn basin: Fisher, 873.
 Bighorn Mountains: Darton, 644, 647.
 Cloud Peak and Fort McKinney quadrangles: Darton, 646.
 Devils Tower quadrangle: Darton and O'Harra, 656.
 Owl Creek Mountains: Darton, 642.
 Yukon, Klondike district: McConnell, 1653, 1654.

Geologic time.

- Measurement of: Berkey, 208.

Geomorphogeny. See Physiographic.**Geomorphology. See Physiographic.****Georgia.***General.*

- Geologic notes: Middleton, 1746.

Economic.

- Bauxite industry: Judd, 1330.
 Copper mining in 1905: Weed, 2499.
 Dahlonega gold deposits: Lindgren, 1596.
 Glass-sand deposits: Burchard, 355.
 Kaolins and fire clays: Veatch, 2443.
 Marble: McCallie, 1643.
 Mineral paint ore: Burchard, 356.
 Ocher deposits: Watson, 2483.
 Slate: Dale and Eckel, 625.

Dynamic and structural.

- Stretched pebbles: McCallie, 1641, 1642.

Physiographic.

- Tallulah district, drainage modifications: Johnson, 1303, 1307.

Stratigraphic.

- Altamaha grit region: Harper, 1077.

Paleontology.

- Pentremite: Schuchert, 2146.

Petrology.

- Basic magnesian rocks: King, 1401.

Georgia—Continued.*Underground water.*

Mineral waters from crystalline rocks :
Fuller, 907.

Geysers.

Artificial: Waitz, 2468.
Mexico, Ixtlán: Waitz, 2465.
Michoacan: Caballero, 375.

Glacial geology. *See* Quaternary.

Glaciers.

General: Reid, 2014; Vaux, 2429.

Alaska: Blackwelder, 239; Klotz, 1405; Tarr, 2351.

Glacier Bay: Wright, 2643; Wright and Wright, 2655.

Hubbard Glacier front in 1792 and 1794: Tarr and Martin, 2359.

Malaspina Glacier: Tarr, 2349, 2353.

Yakutat Bay: Tarr, 2352; Tarr and Martin, 2358.

Alberta: Vaux and Vaux, 2426–2428.

British Columbia: Vaux and Vaux, 2426–2428.

Canada, Rockies and Selkirks: Sherzer, 2197, 2197a.

variations: Vaux and Vaux, 2426–2428.

Erosion by: Carney, 430; Tarr, 2351.

Folding produced by glacial action: Sardeson, 2121.

Lefroy: Sherzer, 2198.

Melting of: Reid, 2013.

Motion of: Chamberlin, 460; Willcox, 2580.

Moulin work under glaciers: Gilbert, 952.

Mount Hood and Mount Adams: Reid, 2008.

Mount Rainey, Nisqually glacier: Le Conte, 1537.

Nevé line: Reid, 2012.

United States, variations: Reid, 2007, 2009, 2010.

Variations: Reid, 2007, 2009, 2010; Vaux and Vaux, 2426–2428.

Washington, Mount Baker: Landes, 1496.

Mount Rainier: Le Conte, 1537.

Glass sand.

General: Burchard, 349, 355.

Indiana: Burchard, 354.

Kentucky: Burchard, 354.

Mississippi Valley: Burchard, 350.

New Jersey: Kümmel and Gage, 1436.

Ohio: Burchard, 354.

United States: 2419.

Virginia: Watson, 2493.

West Virginia: Stose, 2319.

Gold.*General.*

Association with pyrite and tellurides: Sharwood, 2182.

Geologic distribution: Rickard, 2049, 2051, 2052.

Placers: Hutchins, 1261, 1262.

Alabama: 2418, 2419; Smith, 2227.

Gold—Continued.

Alaska: Brooks, 311; 2418, 2419.

Admiralty Island: Wright, 2640.

Bonnifield and Kantishna regions: Prindle, 1957.

Cape Nome: Wilson, 2606.

Circle precinct: Brooks, 319.

Iron Creek: Smith, 2246.

Juneau belt: Spencer, 2261.

Klondike region: Everette, 831.

Kougarok region: Brooks, 318.

Matanuska field: Martin, 1682.

Matanuska and Talkeetna basins:

Paige and Knopf, 1861, 1862.

Nome beaches: Halla, 1066; Hutchins, 1263; Moffit, 1764.

Rampart region: Prindle and Hess, 1958.

Seward Peninsula: Moffit, 1763.

Solomon and Niukluk River basins: Smith, 2245.

southeastern: Wright, 2641; Wright and Wright, 2654.

Turnagain Arm region: Moffit, 1762.

Yakutat Bay region: Tarr, 2341.

Yukon fields: Prindle, 1955.

Appalachians, southern: Read, 1996.

Arizona, Cherry Creek district: Reid, 2016.

Globe district: Graichen, 1009.

Gold Road: Tovote, 2386.

Tombstone: Brinsmade, 300.

Vulture mine: Purington, 1976.

British Columbia: Evans, 825.

Atlin district: Carmichael, 426.

Barkerville: Atkin, 79.

Boundary district: Keffer, 1350.

Fraser River: Evans, 814.

New Westminster and Texada Island: LeRoy, 1565.

Rossland district: Brock, 306, 307; Stokes, 2307.

Similkameen district: Camsell, 413.

Skeena River: Leach, 1535.

Unuk River region: Wright, 2644.

California: Amador, 33; Bordeaux, 256; Doolittle, 728; Lakes, 1472; Storms, 2316; 2418, 1419.

Bodie district: McLaughlin, 1671.

Coffee Creek district: Stines, 2299.

eastern: Ball, 119, 120.

Eldorado County: Kimble, 1394.

Inyo Range: Reid, 2023.

Mojave district: Bateson, 164.

Exposed Treasure lode: DeKalb, 702.

Mother lode: Reid, 2021.

Sierra Nevada, western: Lang, 1519.

Canada (general): Ingall, 1267.

Colorado: Lindgren, 1591; 2418, 2419.

Bear Creek: Emmons, 804.

Boulder County: Lindgren, 1599.

Cripple Creek district: Liebenam, 1585; Lindgren and Ransome, 1604; Möllmann, 1765.

Gold Prince mine: Scholl and Herrick, 2141.

Gold—Continued.

- Colorado, Gunnison belt: Lakes, 1472.
 Habns Peak field: Gale, 922.
 Idaho Springs district: Spurr and Garrey, 2275.
 Lake Fork district: Woolsey, 2635.
 Ouray quadrangle: Cross *et al.*, 607.
 Georgia: 2418, 2419.
 Dahlonega: Lindgren, 1596.
 Idaho: MacDonald, 1658; 2418, 2419.
 Lost Packer lode: Jennings, 1297.
 Murray belt: Lammers, 1494.
 Priest Lake district: Courtis, 585.
 St. Joe River basin: Collier, 553.
 Snake River: Bell, 199.
 South Mountain: Bell, 197.
 Maryland: Clark and Mathews, 488; 2418, 2419.
 Mexico, Chihuahua, Dolores mine: Farish, 846.
 Durango: Villarello, 2449.
 El Oro: Rickard, 2048; Smith, 2248.
 Guanajuato, La Luz: Church, 467.
 Lluvia de Oro district: Burrows, 365.
 Michoacan: Villarello, 2448.
 Sinaloa: Merrill, 1723.
 Sonora, Altar district: Alexander, 26.
 Sahuaripa district: Nelson, 1789.
 Zacualpan: Villarello, 2450.
 Michigan: Courtis, 586.
 Montana: MacDonald, 1658; 2418, 2419.
 Little Rockies district: Boynton, 280.
 Phillipsburg quadrangle: Emmons, 806.
 Ruby: Hutchins, 1260.
 Nevada: Ball, 119, 120; Sharwood, 2183; 2418, 2419.
 Bullfrog district: Ransome, 1985; Rice, 2027.
 Esmeralda County, Klondike district: Spurr, 2270.
 Fairview district: Rice, 2029; Zalin-ski, 2662.
 Giroux mines: Giroux, 965.
 Goldfield: Collins, 557, 558; Lincoln, 1587; Ransome, 1984, 1985; Spurr, 2274; Taft, 2339.
 Manhattan district: Emmons and Garrey, 808; Rice, 2028.
 Pioche: Abbot, 3; Pack, 1854.
 Round Mountain camp: Packard, 1856.
 Silver Peak quadrangle: Spurr, 2271.
 southwestern: Ball, 119, 120.
 Tonopah: Rice, 2025, 2026; Taft, 2339.
 Wonder district: Zalinski, 2663.
 New Mexico: Lindgren and Graton, 1603; 2418, 2419.
 Cooney district: Graham, 1007.
 Lordsburg region: Jones, 1321.
 Santa Fe County: Jones, 1320.

Gold—Continued.

- North Carolina: Crosby, 601; Graton, 1025; Pratt, 1951; 2418, 2419.
 Nova Scotia: Faribault, 844, 845; Woodman, 2624.
 Tangier: Packard, 1857.
 Ontario: Collins, 561; Corkill, 578.
 Lake Abitibi: Miller, 1757.
 Larder Lake: Brock, 308.
 Oregon: Stafford, 2276; 2418, 2419.
 Quebec, Chibougamau region: Low, 1624.
 Santo Domingo: Garrison, 930.
 South Carolina: Graton, 1025; Sloan, 2218; 2418, 2419.
 South Dakota: Pratt, 1948; 2418, 2419.
 Black Hills: Sadtler, 2112.
 Tennessee: 2418, 2419.
 Texas: 2418, 2419.
 United States (general): Read, 1993; 2418, 2419.
 Utah: 2418, 2419.
 Plute County: Lindgren, 1595.
 Virginia: Watson, 2493.
 Washington: Collier, 554; 2418, 2419.
 Wyoming: 2418, 2419.
 Bighorn Mountains: Darton, 647, 649.
 Owl Creek Mountains: Darton, 642.
 South Pass district: Beeler, 184.
 Uinta County: Schultz, 2150.
 Yukon, Klondike district: McConnell, 1650.
 Whitehorse region: Cairnes, 380; Everette, 831; McConnell, 1648, 1653, 1654; Tyrrell, 2406.

Granite.

- Alaska, southeastern: Wright, 2639, 2642.
 California: Aubury, 87.
 Maine: Dale, 623; Smith, 2233.
 Penobscot Bay quadrangle: Smith *et al.*, 2241.
 Maryland: Clark and Mathews, 488.
 New England: Dale, 624.
 United States (general): 2418, 2419.
 Vermont: Perkins, 1907; Richardson, 2037.
 Virginia: Watson, 2493.

Graphite.

- Alabama: Smith, 2227.
 California: Aubury, 87.
 Maine: Smith, 2230, 2231.
 Pennsylvania: Law, 1523.
 Quebec: Brumell, 338; Cirkel, 469.
 South Carolina: Sloan, 2218.
 United States (general): Pratt, 1946; 2418, 2419.
 Virginia: Watson, 2493.
 Wyoming, Haystack Hills: Ball, 126.

Gravel.

- United States: 2419.

Greenland.

- Ice cap, thickness of: Schwarz, 2152.
 Narsarsuk minerals: Bøggild, 251.

Guatemala.

Earthquake of April 19, 1902: Omori, 1822.

Gypsum.

Alaska, southeastern: Wright, 2639, 2642.

California: Aubury, 87.

Colorado, Uncompahgre region: Siebenthal, 1138.

Iowa: Beyer, 229.

Montana: Rowe, 2093.

New Brunswick: Bailey, 98.

New Mexico, northwestern: Shaler, 2175.

Oregon: Stafford, 2276.

United States (general): 2418, 2419.

Virginia: Watson, 2493.

Wyoming: Trumbull, 2396.

Bighorn basin: Fisher, 872, 873.

Bighorn Mountain region: Darton, 649.

Laramie district: Siebenthal, 2208.

Owl Creek Mountains: Darton, 642.

Hawaiian Islands.

Diamond Head, Oahu: Hitchcock, 1166.

Mohokea caldera: Hitchcock, 1167.

Volcanic craters: Pickering, 1927.

History, philosophy, etc.

Age of the earth: Hixon, 1170.

American geology, history of: Merrill, 1736.

Atmosphere, primeval: McKee, 1670.

Chemical evolution of the ocean: Lane, 1504.

Contributions of America to geology: Rice, 2033.

Earth sciences, methods: Chamberlain, 452.

relations: Davis, 664.

Earth's crust, composition of: Clarke, 490.

Geologic day: Lane, 1505.

Geology, problems of: Van Hise, 2421.

Geophysics, problems of: Becker, 171.

Illogical geology: Price, 1954.

Oceanic circulation, influence on climate: Chamberlain, 453.

Physical factor in general geology: Davis, 672.

Hydrozoa.

Stromatoporoids of Guelph formation in Ontario: Parks, 1872.

Idaho.*Economic.*

Coal deposits: Ritter, 2069.

Copper mining in 1905: Weed, 2499.

Dollarhide mine: Lakes, 1466.

Lost Packer copper-gold lode: Jennings, 1297.

Mining industry: Bell, 195, 196.

Murray gold belt: Lammers, 1494.

Northern: MacDonald, 1658.

Phosphate deposits: Jones, 1317; Weeks and Ferrier, 2507.

Idaho—Continued.*Economic—Continued.*

Priest Lake mining district: Courtis, 585.

Red Cloud mine: Turner, 2401.

St. Joe River basin: Collier, 553.

Sapphires: Bell, 198.

Seven Devils district: Reid, 2006.

Snake River, gold: Bell, 199; Reid, 2006.

South Mountain: Bell, 197.

White Knob copper deposits: Kemp and Gunther, 1372.

Wood River district: Lakes, 1463.

Stratigraphic.

Northern: MacDonald, 1658.

Paleontology.

Fish remains from Triassic of Aspen Ridge: Goddard, 972.

Shark related to Edestus: Hay, 1105.

Petrology.

Purcell Mountain Range: Daly, 631.

Igneous and volcanic rocks.*General.*

Classification: Turner, 2402.

Alaska, Juneau gold belt: Spencer, 2261.

Rampart region: Prindle and Hess, 1958.

Turnagain Arm region: Moffit, 1762.

Yukon-Tanana region, Circle quadrangle: Prindle, 1956.

Arizona, Red Mountain: Atwood, 80.

British Columbia, Cascade Mountains: Daly, 632.

Graham Island: Ellis, 783.

California, eastern: Ball, 120.

Klamath region, Hershey, 1133.

Mojave district: Bateson, 164; DeKalb, 702.

Redding quadrangle: Diller, 721.

Santa Maria district: Arnold and Anderson, 66, 67.

Colorado, Arkansas Valley: Darton, 648.

Clear Creek region: Underhill, 2414.

Cripple Creek district: Lindgren and Ransome, 1604.

Hahns Peak region: Gale, 922.

Ouray quadrangle: Cross *et al.*, 607.

Routt County: Fenneman and Gale, 862.

Connecticut: Rice, 2031.

Cortlandt series: Hobbs, 1178.

crystalline rocks: Gregory, 1034.

Idaho, Purcell Mountain Range: Daly, 631.

Maine, Penobscot Bay quadrangle: Smith *et al.*, 2241.

southern: Ogilvie, 1815.

Martinique, Mont Pelé: Gentil, 938; Lacroix, 1455, 1456.

Pelé obelisk: Hellprin, 1122.

tridymite, in volcanic rocks: Lacroix, 1453.

Igneous and volcanic rocks—Continued.

- Mexico: Guild, 1052; Philippi, 1924;
 Villafañá, 2447.
 Colima: Waitz, 2466.
 Guaynopita district: Hovey, 1224.
 Jorullo: Ordóñez, 1831.
 Puebla: Ordóñez, 1826.
 Sierra de Concepcion del Oro: Burckhardt, 357.
 Sierra de Guanajuato: Villarello, Flores, and Robles, 2460.
 Sierra de Mazapil et Santa Rosa: Burckhardt, 358.
 Sierra Madre Mountains: Warwick, 2479.
 Xinantecatl: Flores, 881.
 Zacatecas: Burckhardt and Scalia, 363.
 Michigan: Lane, 1513.
 Black River section: Gordon and Lane, 985.
 Montana, Marysville district: Barrell, 149.
 Purcell Mountain Range: Daly, 631.
 Nevada, Goldfield mining district: Hastings and Berkey, 1091.
 Pioche: Pack, 1854.
 Robinson mining district: Lawson, 1526.
 Silver Peak quadrangle: Spurr, 2271.
 southwestern: Ball, 120.
 New Brunswick: Ells, 784.
 New Hampshire, Belknap Mountains: Pirsson and Washington, 1934.
 Red Hill: Pirsson and Washington, 1935.
 New Jersey, Newark rocks: Lewis, 1579, 1580, 1583.
 New Mexico, Mount Taylor region: Johnson, 1304.
 Rio Grande Valley: Lee, 1545.
 New York, Adirondacks: Cushing, 616.
 Highlands: Berkey, 207.
 Long Lake quadrangle: Cushing, 614.
 Palisade trap: Julien, 1340.
 North Carolina, Pisgah quadrangle: Keith, 1353.
 Roan Mountain quadrangle: Keith, 1354.
 Ontario: Coleman, 546.
 Animikie iron range: Silver, 2212.
 Lake Nipigon iron ranges: Coleman, 548.
 Mattagami Valley: Kerr, 1375.
 Michipicoten iron ranges: Coleman, 542.
 Sudbury nickel field: Coleman, 539.
 Panama: Howe, 1244.
 Pennsylvania: Kemp, 1368; Kemp and Ross, 1373.
 Quebec, Brome Mountain: Dresser, 743.
 Chibougamá mining region: Low, 1624.

Igneous and volcanic rocks—Continued.

- Quebec, eastern townships: Dresser, 742.
 Mount Yamaska: Young, 2660.
 St. Francis Valley: Dresser, 365.
 Rhode Island: Emerson and Perry, 790.
 South Carolina: Graton, 1025.
 Pisgah quadrangle: Keith, 1353.
 Tennessee, Roan Mountain quadrangle: Keith, 1354.
 Texas, Chisos country: Udden, 2409.
 Vermont: Richardson, 2037.
 Virginia: Watson, 2489.
 Washington, Snoqualmie quadrangle: Smith and Calkins, 2240.
 Wisconsin, Fox River Valley: Hobbs and Leith, 1193.
 north central: Weldman, 2512.
 Wyoming, Bald Mountain and Dayton quadrangles: Darton, 645.
 Bighorn basin: Fisher, 873.
 Cloud Peak and Fort McKinney quadrangles: Darton, 646.
 Devils Tower quadrangle: Darton and O'Harra, 656.
 Yukon, White River region: McConnell, 1648.

Illinois.*General.*

- State geological survey: Salisbury, 2113.
 necessity for: Bement, 200.
 work of: Bain, 108.
 State geologist's report for 1906: Bain, 110.

Economic.

- Cannel coal in northern Illinois: Grout, 1050.
 Coal: Bain, 100, 112; Parr, 1875, 1876.
 analyses: Parr, 1877.
 Coal seams, distribution: Bement, 201.
 Fire clays: Purdy and DeWolf, 1973.
 Glass sand: Burchard, 350.
 Lead and zinc deposits: Bain, 99; Davis, 663.
 Limestones: Van Horn, 2424.
 Mineral industry in 1906: Bain, 113.
 Mineral production in 1905: Van Horn, 2423.
 Oil fields: Bain, 102, 109; Blatchley, 245.
 Saline-Gallatin coal field: DeWolf, 717.
 Silica deposits: Bain, 111.

Dynamic and structural.

- Fracture systems: Hobbs, 1176.

Stratigraphic.

- Calhoun County: Weller, 2522.
 Coal districts: White, 2545.
 Delafield drill core: Udden, 2410.
 East St. Louis area: Bowman and Reeds, 277; Fenneman, 860.
 Galena series: Sardeson, 2122.
 Geologic structure: Weller, 2518.
 Geological map: Irving 1277; Weller, 2517, 2524.
 Gulf embayment area: Glenn, 969.

Illinois—Continued.**Stratigraphic—Continued.**

- Hamburg, sections: Weller, 2519.
 Paleogeography of St. Peter time: Berkey, 205.
 Pre-Richmond unconformity in Mississippi Valley: Weller, 2522.
 Superficial deposits along the Mississippi: Fowke, 891.

Paleontology.

- Crinoids from Chicago area: Slocum, 2221.
 Kinderhook fauna at Hamburg: Weller, 2519.
 Trilobites from Niagara of Chicago area: Weller, 2521.

Underground water.

- East St. Louis district: Bowman and Reeds, 277.
 Gulf embayment area: Glenn, 969.
 Springfield quadrangle: Savage, 2129.

Indiana.**General.**

- Geologic history: Blatchley, 244.
 Road materials: Blatchley *et al.*, 250.

Economic.

- Glass-sand industry: Burchard, 354.
 Iron ores: Beede and Shannon, 182; Shannon, 2181.
 Martin County, iron ores: Beede and Shannon, 182.
 Natural gas: Kinney, 1402.
 Natural resources: Blatchley, 247, 248.
 Peat deposits: Taylor, 2361.
 Petroleum industry in 1906: Blatchley, 249.
 Princeton petroleum field: Blatchley, 243.

Dynamic and structural.

- Travertine deposit in Tippecanoe County: Wilson, 2607.
 Weathering of Subcarboniferous limestones: Cumings, 609.

Stratigraphic.

- Age of rocks near Kentland: Greene, 1030.
 Devonian limestones: Stauffer, 2278.
 Esker in Tippecanoe County: McBeth, 1637.
 Glacial deposits: Leverett, 1572.
 Glacial gravels: Blatchley, 246.
 Monroe County: Reagan, 1998.
 Paleozoic limestones and shales: Blatchley, 246.
 White River area: Shannon, 2180.

Physiographic.

- Geographic features: Dryer, 745.
 White River drainage: Shannon, 2180.

Paleontology.

- Devonian and Mississippian Crinoidea: Rowley, 2094.
 Devonian corals: Greene, 1029, 1031, 1032.
 Fauna of Salem limestone: Cumings and Beede, 612.

Indiana—Continued.**Mineralogy.**

- South Bend meteorite: Farrington, 848.

Indian Territory.**General.**

- Geology and physiography: Condra, 571.

- Limonite geodes from Muscogee: Nichols, 1802.

Economic.

- Asphaltic coals: Crane, 592.
 Muscogee quadrangle: Taft, 2332.

Stratigraphic.

- Limestone, new: Condra, 568.
 Muscogee quadrangle: Taft, 2332.

Infusorial earth.

- California: Aubury, 87.
 United States: 2419.

Insecta.**General:** Handlirsch, 1071.

- American Paleozoic: Handlirsch, 1069.
 Ant from Florissant: Cockerell, 516.

- Blattoid from Montana Cretaceous: Handlirsch, 1068.

- Borings, insect, in Cretaceous lignite: Hollick, 1207.

- Butterfly from Florissant: Cockerell, 531.

- Carboniferous insects, horizons of: White, 2542.

- Caterpillar from Florissant, Cockerell, 531.

- Cicada from Florissant: Cockerell, 522.

- Cockroaches, geological history of: Sellards, 2167.

- Coleoptera from Florissant: Cockerell, 530.

- Dragon flies, from Florissant: Cockerell, 528.

- Paleozoic, venation of wings: Sellards, 2172.

- Florissant insects: Brues, 337; Cockerell, 516, 519, 521, 522, 524-526, 528, 530-535; Wheeler, 2533.

- Fly (*Sackenia gibbosa*) from Green River beds: Cockerell, 525.

- Hymenoptera from Florissant: Brues, 337; Cockerell, 521.

- Insects and their phylogeny: Handlirsch, 1070.

- Maryland Pleistocene insects: Sellards, 2166.

- Old-world types at Florissant: Cockerell, 526.

- Permian: Sellards, 2168, 2169.

- Saw-flies from Florissant: Cockerell, 524.

- Tortricid moth: Cockerell, 533.

- Tsetse-fly from Florissant: Cockerell, 534.

- Wasp from Florissant: Cockerell, 535.

- Water-bug from Florissant: Cockerell, 519.

Intrusions. See Magmas.

- Invertebrata (general).** *See also* Anthozoa, Brachlopoda, Bryozoa, Crustacea, Echinodermata, Foraminifera, Insecta, Mollusca, Problematica, Spongiida, and Vermes.
- Alaska, southeastern, Paleozoic faunas: Kindle, 1400.
- Arizona, Fort Apache: Reagan, 2000.
- Bermuda Islands: Verrill, 2445.
- California, Santa Clara Valley: Crandall, 590.
- Summerland district: Arnold, 63.
- Cambrian, Cambro-Silurian, and Devonian: Whiteaves, 2555.
- Cambrian, Ploche Mountains: Pack, 1855.
- transition fauna, from Braintree, Mass.: Shimer, 2204.
- Cape Lisburne, Alaska, region: Girty, 966.
- Chazy fauna: Raymond, 1987.
- Coal measures, Neosho River section, Kansas: Beede and Rogers, 181.
- Color markings retained by a gastropod: Raymond, 1988.
- Cretaceous and Tertiary of Arkansas and Louisiana: Veatch, 2436.
- Cretaceous of New Jersey: Weller, 2520.
- Devonian: Clarke, 497.
- Canada: Whiteaves, 2555.
- Montana, Three Forks: Raymond, 1989.
- New York: Slocum, 2219.
- Pennsylvania, Altoona section: Kindle, 1397.
- Dwarfing of fauna of Salem limestone, Indiana: Smith, 2222.
- Franklin: Ami, 39.
- Guelph formation: Whiteaves, 2556.
- Hell Creek beds of Montana: Brown, 325.
- Index fossils of North America: Grabau and Shimer, 1005.
- Jurassic fossils from Black Hills: Whitfield and Hovey, 2563.
- Kentucky, Silurian and Devonian: Foerste, 884.
- Kinderhook fauna: Weller, 2519.
- Marine Carboniferous, from Arkansas coal fields: Girty, 967.
- Maryland, St. Mary's County: Shattuck, 2191.
- Nebraska, Cass County: Woodruff, 2628.
- New York, Schoharie Valley: Grabau, 991.
- Ontario: Grant, 1013-1018.
- Pembroke area: Ami, 41.
- Paleontological work in Canada: Whiteaves, 2551, 2552.
- Paleozoic fossils, errata and corrigenda: Whiteaves, 2557.
- Pembroke area, Ontario and Quebec: Ami, 41.
- Permian Red Beds of Oklahoma and Texas: Beede, 180.
- Photographing Ammonites: Böse, 268.

Invertebrata (general)—Continued.

- Pleistocene fauna of Maryland: Clark, 481.
- Quebec, Pembroke area: Ami, 41.
- Salem limestone of Indiana: Cummings and Beede, 612.
- Silurian, from Canada: Whiteaves, 2553.
- Tertiary, from Atlantic coast province: Brown, 335.
- Vermont, St. Albans: Edson, 774.

Iowa.**General.**

- Assistant state geologist's report: Lees, 1550; Savage, 2127.
- State geologist's report: Calvin, 390; Wilder, 2578.
- Report on—
- Black Hawk County: Arey, 53.
- Bremer County: Norton, 1805.
- Clayton County: Leonard, 1559.
- Franklin County: Williams, 2588.
- Jackson County: Savage, 2128.
- Sac and Ida counties: Macbride, 1639.
- Winneeshle County: Calvin, 388.

Economic.

- Cement materials: Beyer, 230; Beyer and Williams, 233; Burchard, 353.
- Coals, tests of: Savage, 2126.
- Glass-sand deposits: Burchard, 355.
- Lancaster and Mineral Point quadrangles: Grant and Burchard, 1021.
- Lead and zinc deposits: Bain, 99; Davis, 663.
- Limes: Beyer, 232.
- Mineral production, in 1905: Beyer, 229.
- in 1906: Beyer, 231.
- Peat resources: Savage, 2125.
- Portland cement: Beyer and Williams, 233.
- materials near Dubuque: Burchard, 353.
- Quarry products: Beyer and Williams, 234.

Dynamic and structural.

- Alluvial changes, recent: Todd, 2379.
- Clay slide at the Boone viaduct: Merrick, 1719.
- Fracture systems: Hobbs, 1176.

Physiographic.

- Mississippi River channel, features of: Calvin, 389.

Stratigraphic.

- General.** Beyer, 230; Calvin, 387; Todd, 2377.
- Black Hawk County: Arey, 53.
- Bremer County: Norton, 1805.
- Clayton County: Leonard, 1559.
- Drift exposures: Orr, 1835.
- Franklin County: Williams, 2588.
- Galena series: Sardeson, 2122.
- Geological map: Savage, 2130.

Iowa—Continued.

Stratigraphic—Continued.

- Geological section: Calvin, 387.
 Jackson County: Savage, 2128.
 Lancaster and Mineral Point quadrangles: Grant and Burchard, 1021.
 Madison County: Brown, 328.
 Paleozoic formations: Beyer and Williams, 233.
 Sac and Ida counties: Macbride, 1639.
 Winneshiek County: Calvin, 388.

Paleontology.

- Gastropoda, new species: Webster, 2497.
 Plant remains: Macbride, 1640.
 Westernia, new gastropod from the Hackberry group: Webster, 2496.

Mineralogy.

- Amana meteorite: Hinrichs, 1163.

Underground water.

- Ground waters: Hendrixson, 1129.

Iron.

General.

- Iron ore reserves: Leith, 1554.
 Alabama: Eckel, 764; Smith, 2227.
 Birmingham district: Burchard, 351.
 Lookout Mountain: Phalen, 1917.
 Russellville district: Burchard, 352.
 Talladega County: Smith, 2247.
 Alaska, Matanuska field: Martin, 1682.
 British Columbia: Leith, 1552.
 California: Aubury, 87; Leith, 1552.
 Shasta County: Campbell, 391.
 Canada (general): Ingall, 1267.
 Colorado: Leith, 1552.
 Connecticut, Salisbury district: Hobbs, 1185.
 Indiana: Shannon, 2181.
 Martin County, Beede and Shannon, 182.
 Kentucky, Bath County: Kindle, 1398.
 northeastern: Phalen, 1918.
 Maryland: Clark and Mathews, 488.
 Massachusetts, Salisbury district: Hobbs, 1185.
 Mexico, Nuevo Leon: Cabellero, 376.
 Minnesota, Crow Wing country: Woodbridge, 2623.
 Cuyuna Iron range: Leith, 1557; Winchell, 2620.
 Mesabi Range: Meeks, 1707.
 Vermillion Range: Abbott, 1, 2.
 New Jersey: Kimmel, 1432.
 New Mexico, Jones field: Emmens, 791.
 New York, Adirondack region: Newland, 1794, 1795.
 Lyon Mountain: Newland and Hansell, 1796.
 Mineville: Granberry, 1010.
 St. Lawrence County: Brinsmade, 294.
 Salisbury district: Hobbs, 1185.
 New Brunswick: Lindeman, 1588.

Iron—Continued.

- Nova Scotia: Woodman, 2627.
 Torbrook district: Parsons, 1885.
 Ontario: Collins, 560; Corkill, 578; Lindeman, 1588; Thompson, 2369.
 Anlmikie Iron range: Silver, 2212.
 Lake Nipigon region: Coleman, 548; Moore, 1771.
 Michipicoten: Coleman, 541, 542; Moore, 1770.
 western: Hille, 1158.
 Oregon: Stafford, 2276.
 Pennsylvania, Berks, and Lebanon counties: Spencer, 2262.
 Kittanning and Rural Valley quadrangles: Butts, 368.
 Quebec, Chibougamau region: Low, 1624.
 Ottawa Valley: Cirkel, 468.
 South Carolina: Sloan, 2218.
 Tennessee, Roan Mountain quadrangle: Keith, 1354.
 Sweetwater district: Judd, 1329.
 United States (general): Birkinbine, 237; Leith, 1552; 2418, 2419.
 Utah: Leith, 1552.
 Virginia: Eckel, 765; Holden, 1201.
 New River-Cripple Creek district: Holden, 1200.
 Washington: Leith, 1552.
 Snoqualmie quadrangle: Smith and Calkins, 2240.
 Wyoming: Leith, 1552.
 Hartville Range: Ball, 122.
 Iron Mountain: Ball, 123.
 Sunrise mine: Vallat, 2420.

Isostasy.

- Crustal deformation: Lane, 1503.
 Geodetic evidence of: Hayford, 1112.
 Rigidity of earth: Hoskins, 1217; See, 2160.

Jamaica.

General.

- Geology of: Raymond, 1991.

Dynamic and structural.

- Earthquake: Brown, 327; Carden and Goldney, 423; Davison, 683; Fuller, 915; Spencer, 2264.

Physiographic.

- Karst region: Danes, 639.

Jasper.

- California: Aubury, 87.

Jurassic.*Stratigraphy*.

- Alaska: Brooks, 313.
 Cape Lisburne region: Collier, 552.
 Cook Inlet region: Palge and Knopf, 1860.
 Herendeen Bay field: Palge, 1859.
 Matanuska field: Martin, 1682.
 Matanuska and Talkeetna basins: Palge and Knopf, 1862.
 Turnagain Arm region: Moffit, 1762.

Jurassic—Continued.**Stratigraphy—Continued.**

Alberta, Cascade basin: Dowling, 736.
Moose Mountain district: Cairnes, 381.

California, Redding quadrangle: Diller, 721.

Colorado, Ouray quadrangle: Cross *et al.*, 607.

western: Cross, 604.

Maryland: Clark and Mathews, 488.

Patuxent quadrangle: Shattuck *et al.*, 2193.

Mexico, Durango: Angermann, 50.

Sierra de Mazapil and Santa Rosa: Burckhardt, 358.

Montana, Bighorn basin: Fisher, 873.

Bighorn Mountains: Darton, 647.

North Carolina: Stephenson, 2281.

Oregon, southwestern: Diller, 924.

Utah, eastern: Cross, 604.

Sanpete and Sevier valleys: Richardson, 2044.

Uinta Range: Weeks, 2506.

Virginia, coastal plain: Clark and Miller, 489.

Wyoming, Bald Mountain and Dayton quadrangles: Darton, 645.

Bighorn Mountains: Darton, 647.

Cloud Peak and Fort McKinney quadrangles: Darton, 646.

Devils Tower quadrangle: Darton and O'Harra, 656.

Owl Creek Mountains: Darton, 642.

Paleontology.

Baptanodon from Wyoming: Gilmore, 959, 963.

Black Hills: Whitfield and Hovey, 2563.

Mexico, Mazapil: Burckhardt, 359.

Peltoceras from Canada: Whiteaves, 2559.

Kansas.**Economic.**

Atchison coal mine: Young, 2659.

Galena-Joplin lead and zinc deposits: Haworth, 1098.

Glass-sand deposits: Burchard, 350, 355.

Independence quadrangle: Schrader and Haworth, 2144.

Joplin district: Smith and Siebenthal, 2251.

Lead and zinc: Bain, 107.

Stratigraphic.

Carboniferous formations: Wooster, 2636.

Joplin district: Smith and Siebenthal, 2251.

Loup Fork Miocene: Sternberg, 2283.

Neosho River section: Beede and Rogers, 181.

Paleontology.

Fishes from Kansas chalk: Sternberg, 2284.

Foraminifera from Hooser: Spandel, 2259.

Kansas—Continued**Paleontology—Continued.**

Mastodon from Loup fork Miocene: Sternberg, 2285.

Neosho River section: Beede and Rogers, 181.

Rodent from Miocene of Kansas: Gidley, 947.

Vertebrate fossils: Sternberg, 2286.

Mineralogy.

Elm Creek aerolite: Howard, 1241.

Galena-Joplin district: Rogers, 2081.

Modoc meteorite: Farrington, 850; Kunz, 1439, 1443; Merrill, 1733, 1735.

Underground water.

Underflow in Arkansas Valley: Slichter, 2215.

Kaolin.

Alabama: Smith, 2227.

Georgia: Veatch, 2443.

Missouri, Bollinger County: Orton, 1836.

South Carolina: Sloan, 2218.

Karsts.

Illinois, East St. Louis district: Bowman and Reeds, 277.

Jamaica: Danes, 639.

Keewatin.**General.**

Explorations: McInnes, 1667.

Cape Tatnam region: Dobbs, 725.

Canadian Northern railway: O'Sullivan, 1853.

Hudson Bay from York Factory to Severn River: O'Sullivan, 1852.

James Bay: Wilson, 2604.

Winisk and Attawapiskat rivers: McInnes, 1666.

Paleontology.

Silurian: Whiteaves, 2553.

Kentucky.**General.**

Chemical report: Peter, 1911.

Geological survey, report for 1904 and 1905; Norwood, 1807.

Economic.

Bath County, iron: Kindle, 1398.

Big Sandy Valley, coal: Crandall, 589.

Clays, analyses: Gardner, 929.

Crittenden and Livingston counties: Fohs, 885.

Jackson's Purchase region: Gardner, 928.

northeastern Kentucky: Phalen, 1921.

Red River Valley: Gardner, 927.

Silurian: Foerste, 883.

western Kentucky: Crider, 596.

Cumberland Gap coal field: Ashley and Glenn, 77; Pultz, 1964.

Elkhorn coal field: Stone, 2310.

Fire-clay deposits: Greaves-Walker, 1027.

Glass-sand industry: Burchard, 354.

Kaolin deposits: Gardner, 926.

Kentucky—Continued.*Economic—Continued.*

- Kenova quadrangle: Phalen, 1920.
Lead deposits: Brinsmade, 296.
Marls, analyses: Gardner, 929.
northeastern, iron ores: Phalen, 1918.

Stratigraphic.

- Cumberland Gap field: Ashley and Glenn, 77.
Gulf embayment area: Glenn, 969, 971.
Ordovician formations: Miller, 1748.
Pine Mountain region: Stone, 2313.
Silurian and Devonian formations: Foerste, 884.
western: Glenn, 969, 971.

Labrador.*Dynamic and structural.*

- Elevated beaches: Fuller, 914.

Palaeontology.

- Cambrian: Matthew, 1694.

Lakes.

- California, Blue Lakes: Holway, 1215.
Glacial: Spencer, 2266.
Indiana: Dryer, 745.
Moraine: Dryer, 745.
Sink-hole lakes in Florida, origin: Sel-lards, 2165.

Landslides.

- Alberta, Frank: Ashworth, 78.
California, earth-flows: Anderson, 47.
Iowa, Boone viaduct: Merrick, 1719.
Montana: Henton, 1130.

Lead.

- Arizona, Mowry: Brinsmade, 298.
British Columbia, St. Eugene mine: Stokes, 2306.
Canada (general): Ingall, 1267.
Colorado, Custer County: Brinsmade, 297.
Idaho: MacDonald, 1658.
Red Cloud mine: Turner, 2401.
St. Joe River basin: Collier, 553.
South Mountain: Bell, 197.
Illinois: Bain, 99; Davis, 663.
Lancaster and Mineral Point quadrangles: Grant and Burchard, 1021.
Iowa: Bain, 99; Davis, 663.
Clayton County: Leonard, 1559.
Lancaster quadrangle: Grant and Burchard, 1021.
Kansas, Galena-Joplin district: Bain, 107; Haworth, 1098; Smith and Siebenthal, 2251.
Kentucky, Owen County: Brinsmade, 296.
Mexico, Diente: McCormick, 1655.
Mississippi Valley: Bain, 99, 106; Buckley, 342, 344.
Missouri, Granby area: Buckley and Buehler, 346; Perkins, 1906.
Joplin district: Brittain, 303; Buckley, 343; Clerc, 506, 507; Smith and Siebenthal, 2251.
Madison County: Johnson, 1310.

Lead—Continued.

- Montana: MacDonald, 1658.
Nevada, Eureka: Ingalls, 1274.
Ploche: Abbott, 3; Pack, 1854.
New Mexico, Kelly mine: Johnson, 1311.
Lordsburg region: Jones, 1321.
Magdalena district: Haddon, 1061.
Oklahoma, Quapaw district: Crane, 593.
Ontario: Corkill, 578.
Hastings County: Lewis, 1576.
Tennessee: Watson, 1284.
United States (general): 2418, 2419.
Utah, Park City: Gow *et al.*, 989, 990.
Virginia: Watson, 2484, 2493.
Wisconsin: Bain, 99; Davis, 663; Edwards, 775; 809; Grant, 1017-1019; Grant and Burchard, 1021; Wheeler, 2531.

Lignite.

- Mississippi: Brown, 326.
Montana: Leonard, 1560; Rowe, 2090, 2091.
Wyoming, Bald Mountain and Dayton quadrangles: Darton, 645.
northeastern: Kennedy, 1374.

Lime.

- Iowa, Bremer County: Norton, 1805.
Jackson County: Savage, 2128.
Kansas: Schrader and Haworth, 2144.
Maine, Knox County: Bastin, 86.
United States: 2418, 2419.
West Virginia: Grimsley, 1044.

Limestone.

- Alabama: Smith, 2227.
Birmingham district: Butts, 370.
Alaska, southeastern: Wright, 2639.
Illinois: Van Horn, 2424.
Iowa: Beyer and Williams, 234.
Kentucky, east central: Foerste, 884.
Maine, Knox County: Bastin, 160.
Penobscot Bay quadrangle: Smith *et al.*, 2241.
Maryland: Clark and Mathews, 488.
Mississippi: Eckel, 762.
Missouri, Joplin district: Smith and Siebenthal, 2251.
Nebraska, Cass County: Woodruff, 2628.
New Jersey: Kummel, 1431.
Ohio: Orton and Poppel, 1837.
Pennsylvania, Amity quadrangle: Clapp, 477.
Kittanning and Rural Valley quadrangles: Butts, 368.
South Carolina: Sloan, 2218.
United States (general): 2418, 2419.
Virginia: Watson, 2493.

Lithia minerals.

- California: Aubury, 87.
United States: 2418.

Loess.

- Origin: Shimek, 2201.
Missouri River loess, origin: Todd, 2378.

Louisiana.*General.*

Jennings sheet, cartography: Harris, 1080.

Economic.

Oil fields of Gulf coastal plain: Feneman, 859.

Sulphur deposits: Baldacci, 117.

Physiographic.

Northern Louisiana: Davis, 680.

Stratigraphic.

Northern Louisiana: Veatch, 2436, 2438.

Winfield area: Harris, 1079.

Underground water.

Northern Louisiana: Veatch, 2436, 2438.

Lower Silurian. *See* Ordovician.

Mackenzie.*General.*

Peel River region: Camsell, 412, 414.

Magma and intrusions.

Abyssal igneous injection: Daly, 638.
Auvergne rocks, size of grain: Lane, 1500.

Cracks, deep, in the earth, possibility of: Lane, 1498.

Dikes: Kemp, 1365.

Gravitational assemblage in granite: Gilbert, 493.

Igneous intrusion, methods of: Becker, 172; Cross, 606; Day, 689; Lawson, 1530; Lindgren, 1602; Smith, 2228; Wright, 2651.

Magmatic differentiation, influence of varying degrees of superfusion upon: Lane, 1501.

through gravitative adjustment: Daly, 631.

Magmatic emanations: Lincoln, 1586.

Marysville district: Barrell, 149.

Mexico: Philippi, 1924.

Occlusions of igneous rock: Julien, 1334.

Okanagan composite batholith: Daly, 632.

Quartz veins of Silver Peak, Nevada: Hastings, 1089.

Magnetite.

California: Aubury, 87; Hess, 1135, 1138.

United States: 2418, 2419.

Maine.*Economic.*

Clays, Penobscot Bay region: Bastin, 161.

Feldspar and quartz deposits: Bastin, 162.

Granites: Dale, 623; Smith, 2233.

Graphite, occurrence: Smith, 2230, 2231.

Knox County, lime: Bastin, 160.

Mineral prospect: Smith, 2234.

Penobscot Bay quadrangle: Smith *et al.*, 2241.

Slate: Dale and Eckel, 625.

new variety: Dale, 622.

Maine—Continued.*Dynamic and structural.*

Blazing beach: Penhallow, 1901.

Stratigraphic.

Glacial and interglacial stages: Clapp, 473.

Glaciation: Clapp, 478.

Penobscot Bay quadrangle: Smith *et al.*, 2241.

Paleontology.

Brachiopod, new: Williams, 2585.

Devonian: Clarke, 497.

Petrology.

Mt. Desert Island: Frazer, 898.

Prowersose and other unusual rocks: Bastin, 159.

southern Maine: Ogilvie, 1815.

Mineralogy.

Manganotantalite: Schaller, 2136.

Mammalia.

Aquatic life, modifications of limb structure for: Osburn, 1849.

Carnivora from Tertiary of John Day region: Merriam, 1713.

Cetacean, *Agarophius pygmaeus*: True, 2393.

Anoplonassa forcipata Cope: True, 2394.

types in Museum of Comparative Zoology: Eastman, 759.

Chrysoschiridae: Matthew, 1701.

Desmostylus: Merriam, 1711.

Diceratherium: Peterson, 1915.

Didelphyidae, homologues of stylar cusps in upper molars: Bensley, 204.

Edentate-like remains from the Mascall beds of Oregon: Sinclair, 2213.

Elephants of the Pleistocene: Lucas, 1626.

Equidae, revision of: Gidley, 948.

Extinction of Mammalia, cause of: Osborn, 1840.

Felidae from Quaternary of California: Bovard, 272.

Horse, from Mascall beds of Oregon: Gidley, 943.

origin: Cockerell, 514.

Horse family, evolution of: Lull, 1632; Underhill, 2413.

Horses from Oligocene of Assinibola: Lambe, 1490.

Hyracodon: Lambe, 1849.

Mammal horizons of North America: Osborn, 1843.

Mammal-bearing beds in northwestern Nevada: Merriam, 1716.

Mammalia, reclassification of: Osborn, 1848.

Mammoth, mounted: Osborn, 1844.

tooth from Ohio: McClure, 1646.

Mastodon, from Loup Fork Miocene: Sternberg, 2285.

in Yukon Valley: Osgood, 1851.

Merycochoerus: Douglass, 730.

Merycoidodon: Gilmore, 961.

Merycoidodonts: Douglass, 729-732.

Mammalia—Continued.

- Miocene mammals of South Dakota: Matthew, 1702; Matthew and Gidley, 1703.
- Occipital condyles, modifications of: Mead, 1704.
- Ovibos tooth from Pleistocene gravels near Midway, British Columbia: Lambe, 1493.
- Pleistocene Mammalia of Maryland: Lucas, 1627.
- Pontolls, n. n. for Pontoleon: True, 2391.
- Primates from Wasatch and Wind River regions: Loomis, 1612.
- Prorosmarus allenii from the Miocene of Virginia: Berry and Gregory, 227.
- Protoceras. See Syndoceras.
- Quaternary mammals in southern California: Furlong, 920; Merriam, 1712, 1715.
- Raccoon from California Pleistocene: Gidley, 944.
- Rhinoceros from Nebraska Miocene: Barbour, 130, 138.
- Rodent from Kansas Miocene: Gidley, 947.
- Rodents from Wasatch and Wind River beds: Loomis, 1614.
- Ruminant from Pleistocene of New Mexico: Gidley, 945.
- Seal, from Miocene of Oregon: Condon, 565; Wortman, 2638.
- from Miocene of Maryland: True, 2392.
- Sinopa, osteology: Matthew, 1699.
- Suilline remains from Miocene of Nebraska: Peterson, 1913.
- Syndoceras, from Nebraska: Barbour, 129, 135.
- and Protoceras skulls compared: Barbour, 136.
- Tooth-cusp development: Gidley, 942.
- Wasatch beds: Loomis, 1615.

Man, fossil.

- Lansing man: Fowke, 892.
- Nebraska man: Barbour, 131, 140, 141; Barbour and Ward, 142; Gilder, 957; Ward, 2476.
- Skeletal remains of early man in North America: Hrdlička, 1250.

Manganese.

- California: Aubury, 87.
- United States: 2418, 2419.
- Virginia: Watson, 2493.

Manitoba.*Economic.*

- Coal fields: Dowling, 737.

Stratigraphic.

- Surface geology: Chalmers, 449.

Paleontology.

- Silurian: Whiteaves, 2553.

Marble.

- Alabama: Smith, 2227.
- Alaska: Rathbun, 1986.
- southeastern: Wright, 2639, 2642.

Marble—Continued.

- Georgia: McCallie, 1643.
- Maryland: Clark and Mathews, 488.
- Mexico, Oaxaca: Keilback, 1351.
- South Carolina: Sloan, 2218.
- United States: 2418, 2419.
- Virginia: Watson, 2493.
- Washington: Rathbun, 1986.

Marl.

- Alabama: Smith, 2227.
- Maryland, Calvert County: Miller, 1750.
- St. Mary's County: Miller, 1751.
- South Carolina: Sloan, 2218.
- Virginia: Watson, 2493.

Marshes.

- Formation of: Penhallow, 1898.

Martinique.*Dynamic and structural.*

- Mont Pelé: Wegener, 1286-1288.
- eruptions: Anderson, 48; Berte, 228; Deckert, 699; Geinitz, 986; Hellprin, 1121; Issel, 1278; Jaccaci, 1279; Lacroix, 1447; Lapparent, 1521; Milne, 1760; Verri, 2444.
- former eruptions: Jaggard, 1280; Mercalli, 1709.
- present condition: Hellprin, 1122; Hovey, 1220.
- shattered obelisk: Hellprin, 1123.
- sulphate of soda in fumaroles: Lacroix, 1454.
- volcanic domes, formation of: Lacroix, 1451.
- Mud flows: Lacroix, 1446.

Petrology.

- Mont Pelé, cinders from: Gentil, 938.
- rocks from: Lacroix, 1455.
- spine, composition of: Lacroix, 1456.
- Quartz-bearing eruptive rocks: Lacroix, 1450.
- Tridymite in volcanic rocks: Lacroix, 1453.

Mineralogy.

- Minerals: Lacroix, 1449.
- Redondite deposits: Lacroix, 1452.

Maryland.*General.*

- Physical features: Clark and Mathews, 488.
- and bibliography, Calvert County: Shattuck, 2186.
- St. Mary's County: Shattuck, 2189.
- Soils, Calvert County: Bonsteel and Burke, 255.
- St. Mary's County: Bonsteel, 254.

Economic.

- Calvert County: Miller, 1750.
- Coals: Campbell, 398.
- Georges Creek coal field: Parsons, 1879.
- Mineral resources: Clark and Mathews, 488.
- Patuxent quadrangle: Shattuck *et al.*, 2193.
- St. Mary's County: Miller, 1751.
- St. Mary's quadrangle: Shattuck, 2185.

Maryland—Continued.*Dynamic and structural.*

Anticlinal domes in the Piedmont:
Mathews, 1690.

Physiographic.

Calvert County: Shattuck, 2187.
St. Mary's County: Shattuck, 2188,
2190.

Terraces of coastal plain: Davis, 677.

Stratigraphic.

Calvert County: Shattuck, 2188.
Cretaceous deposits: Clark, 483.
Dover quadrangle: Miller, 1749.
Geological map: 1689.
Patuxent quadrangle: Shattuck *et al.*,
2193.

Pliocene and Pleistocene: Shattuck,
2184.

St. Mary's County: Shattuck, 2191.

St. Mary's quadrangle: Shattuck, 2185.

Paleontology.

Ithaca fauna: Swartz, 2328.
Mesozoic flora of the coast plain:
Berry, 216.

Paleo-devonian: Ohern, 1816.

Pleistocene: Clark, 481, 482; Hay,
1102; Hollick, 1209, 1210;
Lucas, 1627; Sellards, 2166;
Ulrich, 2411.

Seal from the Miocene: True, 2392.

Mineralogy.

Siderite and barite: Schaller, 2134.

Underground water.

St. Mary's quadrangle: Shattuck, 2185.

Massachusetts.*General.*

Pebbles at Harwich (Cape Cod):
Jullien, 1343.

Economic.

Clays of Cape Cod: Fuller, 912.
Davis pyrites mine: Rutledge, 2108.
Salisbury district, iron ores: Hobbs,
1185.

Physiographic.

Cape Cod, physiographic features of:
Allorge, 29.

Stratigraphic.

Cape Cod, glacial geology: Allorge, 29;
Fuller, 912; Wilson, 2608, 2610.
Glacial deposits at Third Cliff: Bow-
man, 275.

Glacial geology, Nantucket and Cape
Cod: Wilson, 2612.

Glacial stages: Clapp, 473; Fuller, 912,
913; Wilson, 2608, 2610.

Mt. Greylock, geological history of:
Dale, 620.

Nantucket, glacial geology: Wilson,
2608, 2610.

Pleistocene beds of Sankaty Head,
Nantucket: Wilson, 2611.

Roxbury conglomerate: Mansfield,
1674.

Paleontology.

Cambrian fauna from Braintree:
Shimer, 2204.

Cretaceous flora: Hollick, 1203.

Massachusetts—Continued.*Paleontology—Continued.*

Cretaceous Pityoxyla: Jeffrey and
Chrysler, 1291.

Trilobite from Cambrian: Shimer, 2203.

Petrology.

Medford dike: Lane, 1500.

Mineralogy.

Datolite from Westfield: Kraus and
Cook, 1426.

Minerals at Worcester: Rand, 1979.

Octahedrite, brookite, and titanite
from Somerville: Palache,
1863.

Olivine in serpentine of Chester and
Middlefield: Palache, 1865.

Phenacite and zoisite: Palache, 1864.

Quartz after prochlorite at Cranston
and Worcester: Emerson, 789.

Meetings. *See* Associations.

Mercury. *See* Quicksilver.

Metamorphism.

Appalachians, southern: Graton, 1025.

By combustion of hydrocarbons: Ar-
nold and Anderson, 68.

Contact metamorphism, Robinson min-
ing district, Nevada: Lawson,
1526.

In relation to ore deposits: Park,
1868.

Coals changed by heat in Colorado:
Lakes, 1464, 1470.

Glaucophane-bearing rocks in Cali-
fornia: Smith, 2242.

In siliceous sandstone: Merrill, 1742,
1743.

Marysville district: Barrell, 149.

Metamorphic cycle: Leith, 1558.

Spontaneous combustion of coal:
Lakes, 1474.

Meteorites.*General.*

Analyses of iron meteorites classi-
fied: Farrington, 853.

Collection, largest American: Grata-
cap, 1024.

Etching for photographic purposes:
Preston, 1953.

Formation of: Allen *et al.*, 28.

Meteorite studies: Farrington, 854.

Monograph on: Baker, 115.

Ward's work upon: Farrington, 851.

Amana, Iowa: Hinrichs, 1163.

Canyon Diablo: Merrill and Tassin,
1744; Tassin, 2360.

Chambord, Quebec: Johnston, 1314.

Coon Butte, Arizona: Barringer, 152;
Barringer and Tilghman, 153;

Farrington, 852; Mallet, 1672;

Munk, 1776; Tilghman, 2376.

Elm Creek, Kansas: Howard, 1241.

Estacado: Howard and Davison, 1242.

Hendersonville, North Carolina: Mer-
rill, 1740.

Jerseyite: Goldsmith, 973.

Meteorites—Continued.

- Modoc, Kansas: Farrington, 850;
Kunz, 1439, 1443; Merrill, 1733,
1735.
Rich Mountain, North Carolina: Mer-
rill, 1741.
Selma, Alabama: Hovey, 1232; Mer-
rill, 1739.
Shelburne, Ontario: Farrington, 848.
South Bend, Indiana: Farrington, 848.
Texas: Howard, 1240.
Willamette, Oregon: Eberle, 761;
Hovey, 1229.

Mexico.

General.

- Axalapazco de Tacámbaro: Rubio,
2096.
Chavarrillo, Santa Maria Tatetla, Vera
Cruz, et Orizaba: Böse, 259.
Chiapas and Tabasco: Halse, 1067.
Chihuahua: Seamon, 2155.
Choix-Guadalupe y Calvo mining dis-
tricts: Warwick, 2480.
Esperanza à México: Ordóñez, 1828.
Geologic and geographic aspects: Hill,
1151.
Geological structure: Aguilera, 20.
Geology and natural resources: Hill,
1156.
Guaynopita district, Chihuahua: Hovey,
1223, 1228.
International Geological Congress,
Tenth, excursions: Hovey, 1231.
Isthme de Tehuantepec: Böse, 265.
México à Jalapa: Ordóñez, 1827.
México à Patzcuaro et Uruapam:
Ordóñez, 1830.
México à Tehuacán: Aguilera, 15.
Oolites, formation of: Cayeux, 447.
Progress of geology in Mexico: Agui-
lera, 14.
San Luis Potosí à Tampico: Böse, 264.
Sierra Almoloya: Hill, 1152, 1155.
Sierra de Guanajuato: Villarello *et al.*,
2460.
Sierra de Ozumatlán: Caballero, 377.
Sierra Madre of Chihuahua: Hovey,
1225, 1235, 1236.
Sonoran glaciation: McGee, 1662; Mer-
rill, 1721.
Tehuacán à Zapotitlán et San Juan
Raya: Aguilera, 16.
Tehuantepec, Isthmus of: Hovey, 1233.
Zacatecas: Burckhardt and Scalla, 363.

Economic.

- Aguascalientes, Santa Francisca mine:
Cook, 574.
Aranzazu, Zacatecas: Villarello, 2456.
Arzate, Durango: Villarello, 2449.
Asientos copper district: Newman,
1797.
Bolanos: Behr, 187.
Cananea copper deposits: Brinsmade,
301.
Chihuahua, Dolores mine: Farish, 846.
zinc: Wornester, 2637.

Mexico—Continued.

Economic—Continued.

- Chiluca and Cantera: Roll and Ordó-
ñez, 2080.
Coal: Guerra, 1051; Ritter, 2069;
Thomas, 2368.
Coahuila: Ludlow, 1628.
Copete district, Sonora: Merrill, 1722.
Copper mines: Weed, 2502.
Diente: McCormick, 1655.
El Doctor mines: Murphy, 1777.
El Oro: Rickard, 2048; Smith, 2248.
Fresnillo: Church, 466.
Guanajuata, La Luz mines: Church,
467.
Iron, Carrizal, Nuevo Leon: Caballero,
376.
Lluvia de Oro district: Burrows, 365.
Los Pilares mine, Nacozari: Emmons,
796.
Mapimi: Villarello, 2455, 2459.
Mercury deposits: Merrill, 1720; Vil-
larello, 2451.
Minas Nuevas à Hidalgo del Parral:
Robles, 2079.
Mineral resources: Hill, 1154; Merrill,
1728.
Oaxaca, Etla, marble: Keilhack, 1351.
Taviche district: Place and Elton,
1936.
Parral district: Garrison, 931.
Petroleum: Bustamente, 366; Guerra,
1051.
Pinguico mine, Guanajuato: Church,
465.
Planchas de Plata: Merrill, 1725.
Sahuaripa district, Sonora: Nelson,
1789.
Santiago y Anexas mines, Michoacan:
Villarello, 2448.
Sierra de Guanajuato: Villarello *et al.*,
2460.
Sierra Madre Mountains: Bagg, 94;
Warwick, 2479.
Sinaloa: Merrill, 1723.
Sonora, Altar district: Alexander, 26.
copper: Merrill, 1730.
erosion and oxidation: Merrill, 1731.
heretical vein types: Merrill, 1727.
Sahuaripa district: Nelson, 1789.
Santa Cruz copper camp: Merrill,
1729.
shear zones: Merrill, 1726.
Sulphur mines, Sierra de Banderas:
Böse, 260.
Toluca, Almoloya y Lerma, peat: Al-
calá, 22.
Vera Cruz, petroleum: Ordóñez, 1833.
Veta Madre: Rickard, 2054.
Zacatecas: Flores, 882.
Sierras de Mazapil y Concepcion del
Oro, phosphates: Burckhardt,
361.
Zacualpan: Villarello, 2450.
- Dynamic and structural.*
Fault system of eastern Santa Eulalia:
Knapp, 1408.

Mexico—Continued.*Dynamic and structural—Continued.*

Intrusions, recent: Philippi, 1924.

Ixtlán, geysers: Waitz, 2465.

Mexican plateau, tectonic history of: Hill, 1152.

Michoacán geyser region: Cabellero, 375.

San Andrés, postparoxysmic phenomena: Waitz, 2464.

Valle de Santiago, craters of explosion: Ordóñez, 1832.

Volcanic necks, examples of: Ordóñez, 1824.

Volcanoes: Aguilera, 19, 20; Cadell, 378; Cleland, 505; Hobson, 1196; Koenigsberger, 1422.

Citlaltepetl and Popocatepetl: Keyes, 1391.

Colima: Diaz, 719; Dodge, 726; Waitz, 2466.

Colima, Toluca, and Popocatepetl; Hovey, 1239.

Jorullo: Ordóñez, 1831; Hobson, 1195; Villafañá, 2447.

Nevado de Toluca and Jorullo: Hobson, 1195.

Xinantecatl: Flores, 881.

*Physiographic.*Arid regions, formations of: Hill, 1153.
Delta of Rio Colorado: McDougal, 1661.

Northern Mexico, its deserts, plateaus, and canyons: Hovey, 1230.

Pit craters: Davis, 682.

Volcanic craters of Puebla: Ordóñez, 1826.

Stratigraphic.

Arcaicas rocas: Ordóñez, 1825.

Archaïque du cañon de Tomellán: Ordóñez, 1829.

Cerro de Muleros pres ciudad Juárez: Böse, 261.

Chihuahua, Guaynopita district: Hovey, 1238.

Coahuila, gisements carbonifères: Aguilera, 17.

Cretaceous of Colima: Angermann, 51.

Durango, Mapimi: Angermann, 52.

San Pedro de Gallo: Angermann, 50.

Geology, outline of: Aguilera, 18.

Glaciation in Sonora: McGee, 1662; Merrill, 1721.

Intrusions, recent: Philippi, 1924.

Monterey et Saltillo: Böse, 263.

Paleozoic in Sonora: Merrill, 1724.

Parral: Waitz, 2467.

Parras: Böse, 262.

Sierra de Concepcion del Oro: Burckhardt, 357.

Sierra de Mazapil et Santa Rosa: Burckhardt, 358.

Triassic, marine, in Zacatecas: Burckhardt, 360.

Paleontology.

Aviculidæ from Triassic of Zacatecas: Frech, 901.

Mexico—Continued.*Paleontology—Continued.*

Jurassic fauna of Mazapil: Burckhardt, 359.

Plant remains in basalt: Solórzano and Hobson, 2257.

Pleistocene fossils from Lower California: Böse, 267.

Pliocene fauna from Vera Cruz: Böse, 266.

Senonian Mollusca from Cardenas: Böse, 258.

Tertiary faunas: Böse, 257.

Petrology.

Eruptive rocks, central Mexico: Guild, 1052.

Jorullo: Villafañá, 2447.

Sierra de Concepcion del Oro: Rosenbusch, 2088.

Sierra de Mazapil: Rosenbusch, 2089.

Parral: Waitz, 2467.

Roca verde de Zacatecas: Rosenbusch, 2087.

Mineralogy.

Calcites from Guanajuato: Kreutz, 1429.

Gems and precious stones: Kunz, 1441.

Minerals of Maguarichic: Bagg, 93.

Wollastonite from Santa Fé mine: Collins, 559.

Zoisite from Lower California: Farrington, 849.

Underground water.

Ahumada, artesian wells: Escobar, 812.

Ixtlán, geysers: Waitz, 2465.

Jlutepec: Villarello, 2454.

Michoacan geyser region: Caballero, 375.

'Queretaro: Villarello, 2458.

Mica.*General.*

Mica and the mica industry: Colles, 551.

Alabama: Smith, 2227.

California: Aubury, 87.

Ontario: Corkill, 578, 579.

South Carolina: Sloan, 2218.

United States: 2418, 2419.

Virginia: Watson, 2493.

Wyoming, Hartville uplift: Ball, 125.

Michigan.*General.*

Porcupine Mountains and Isle Royale: Ruthven, 2107.

State geologist's report: Lane, 1499, 1508.

Economic.

Bay County: Cooper, 575.

Coals: Fraser, 896, 897.

Copper mining in 1905: Weed, 2499.

Lake Superior copper district: Stevens, 2291.

Keweenaw Point: Lane, 1509.

Salt water in the Lake mines: Lane, 1510.

Nonesuch copper mine: Corey, 577.

Michigan—Continued.

Economic—Continued.

Oil and gas prospects: Lane, 1516.
Peat: Davis, 660.

Dynamic and structural.

Lateral erosion in rivers: Jefferson, 1287.
Limonite-sand concretions from Spring Lake: Nichols, 1802.
Salt water in Lake mines: Lane, 1510.
Scaurs on the River Rouge: Jefferson, 1286.

Physiographic.

Menominee, Dickinson, and Iron counties: Russell, 2104.
Physical geography: Cooper, 576; Jefferson, 1288.
Scaurs on the River Rouge: Jefferson, 1286.

Stratigraphic.

Bay County: Cooper, 575.
Black River section: Gordon, 984; Gordon and Lane, 985.
Devonic, lower: Grabau, 997.
Dikes, granitic, genetic connections of: Lane, 1513.
Drumlins: Russell, 2106.
Grand Traverse region: Leverett, 1568.
northern: Russell, 2101.
Geological section, pre-Ordovician: Lane and Seaman, 1518.
Keweenaw Point: Lane, 1507, 1509.
Lake Whittlesey and the Arkona beaches: Taylor, 2362.
Marquette region, glacial phenomena: Davis, 662.
Menominee, Dickinson, and Iron counties, surface geology of: Russell, 2104.
Monroe and Wayne counties: Nattress, 1785.
Sylvania sandstone: Grabau, 1002.

Paleontology.

Schoharie fauna: Grabau, 994.

Petrology.

Auvergnose rocks: Lane, 1500.

Mineralogy.

Sulphur and celestite at Maybee: Kraus and Hunt, 1427.
Sulphur deposits at Woolmth quarry: Kraus, 1423.

Underground water.

Bay County: Cooper, 575.
Northern peninsula: Leverett, 1659.
Salt water in Lake mines: Lane, 1502.
Southern peninsula: Leverett *et al.*, 1573, 1574.
Water supplies, municipal: Leverett, 1571.

Mineral paint.

California: Aubury, 87.
Canada (general): Willmott, 2589.
Georgia: Burchard, 356.
Pennsylvania, Lehigh Gap: Eckel, 769.
Tennessee: Burchard, 356.
United States: 2418, 2419.

Mineral resources. *See Economic under the various States.*

Mineral waters.

Alaska, southeastern: Wright, 2639.
From crystalline rocks: Fuller, 907.
Genesis: Ritter, 2067.
Kansas: Schrader and Haworth, 2144.
Mineral and hot springs: Lakes, 1465.
Thermal waters, genesis: Gautier, 934.
United States: 2418, 2419.
Virginia: Watson, 2493.
West Virginia, Pan Handle counties: Grimsley, 1046.
Wyoming, Bighorn basin: Fisher, 872.

Mineralogy (general). *See also Meteorites and Technique. For regional see under the various States. For particular minerals see list p. 314.*

Amphibole, composition: Penfield and Stanley, 1893.

classification: Murgool, 1779.

Black sands, minerals of: Warren, 2478.

Cæsum, chromates of: Fraprie, 895.

Corundum minerals, occurrence: Pratt, 1947.

Crystallography, essentials of: Kraus, 1424.

Fusion under high temperature: Day, 687.

Gems and precious stones of North Carolina: Kunz, 1440.

Gnomonic projection: Rogers, 2085.

Hardness of minerals, determination of: Kip, 1403.

Lime-silica minerals: Day *et al.*, 690; Day and Shepherd, 691, 692.

Luminescent spodumene: Wherry, 2534.

Magnesian pyroxenes and amphiboles, artificial: Wright, 2650.

Mineral characters, synopsis of: Richards, 2036.

Mineral solution and fusion under high temperatures and pressure: Day, 688.

Mineralogical notes: Eakle, 753; Palache, 1864; Schaller, 2136.

Mineralogy, elements of (text-book): Moses and Parsons, 1775.

Minerals and their occurrence (text-book): Miller, 1756.

Minerals of the composition of $MgSiO_3$: Allen *et al.*, 28.

Molybdenite, composition: Guld, 1053; Schaller, 2135.

Optic axial angle, measurement of: Wright, 2653.

Paragenesis, glaucophane-bearing rocks of California: Smith, 2242.

Temiskaming ores: Campbell and Knight, 408.

Phosphorescent calcites: Headen, 1119.

Quartz crystals, formation of: Wherry, 2536.

Mineralogy (general).—Continued.

Rock minerals, character and determination: Iddings, 1266.

Soda-leucite, re-formation of: Read and Knight, 1997.

Tables of minerals: Penfield, 1891.

Wollastonite and pseudo-wollastonite: Allen and White, 27.

Minerals described. *See* list p. 314.

Minnesota.*Economic.*

Crow Wing County, iron: Woodbridge, 2623.

Cuyuna iron range: Leith, 1557; Winchell, 2620.

Mesabi Range, iron: Meeks, 1707.

Slate: Dale and Eckel, 625.

Vermilion Range, Ely trough, iron: Abbott, 1, 2.

Dynamic and structural.

Folding produced by glacial action: Sardeson, 2121.

Physiographic.

Buffalo River, meandering of: Griggs, 1043.

Stratigraphic.

Galena series: Sardeson, 2122.

Keweenawan at Lake of the Woods: Winchell, 2619.

Paleogeography of St. Peter time: Berkeley, 205.

Miocene. *See* Tertiary.

Miscellaneous.

Correspondence relating to a study of crystalline rocks: Hobbs, 1180.

Correspondence relating to a survey of Arkansas coal fields: Branner, 287.

Geology in its relations to topography: Branner, 281.

Geology of Jell: Kemp, 1361.

Ice age, ignored theory of: Chamberlin, 455.

Limeless ocean of pre-Cambrian time: Daly, 636.

Mining, mineral, and geological law: Shamel, 2179.

Mississippi.*Economic.*

Cement materials: Crider, 598; Eckel, 762.

Clays: Logan, 1608; Logan and Hand, 1609.

Lignite: Brown, 326.

Mineral resources: Crider, 595.

Stratigraphic.

General: Crider, 595; Crider and Johnson, 595.

Post-Eocene formations: Smith, 2226.

Underground water.

Water resources: Crider and Johnson, 599; Logan, 1607; Logan and Perkins, 1610.

Mississippian. *See* Carboniferous.

Missouri.*General.*

State geologist's biennial report: Buckley, 340.

Economic.

Bollinger County, kaolin deposits: Orton, 1836.

Fire clays: Wheeler, 2530.

Glass-sand deposits: Burchard, 350, 355.

Granby area: Buckley, 341; Perkins, 1906.

Joplin district: Buckley, 343; Brittain, 303; Clerc, 506, 507; Herrick, 1132; Smith and Siebenthal, 2251.

Lead and zinc, Granby area: Buckley and Buehler, 346.

Madison County, lead: Johnson, 1310.

Road materials: Buckley, 345.

St. Louis district, clay resources: Feneman, 861.

Dynamic and structural.

New Madrid earthquake: Fuller, 909, 910.

Stratigraphic.

Glen Park section: Weller, 2519.

Joplin district: Smith and Siebenthal, 2251.

Paleogeography of St. Peter time: Berkeley, 205.

Superficial deposits along the Mississippi: Fowke, 891.

Paleontology.

Kinderhook at Glen Park: Weller, 2519.

Mineralogy.

Minerals of Granby area: Buckley and Buehler, 346.

Phosphorescent calcites: Headden, 1116.

Zinc blende from Joplin: Garrison, 933.

Underground water.

General: Shephard, 2194.

Molding sand. *See also* Sand.

Wisconsin: Ries and Gallup, 2065.

Mollusca. *See also* Cephalopoda, Gastropoda, and Pelecypoda.

California, southern, Tertiary: Arnold, 60, 62, 63; Arnold and Anderson, 67.

Colorado, Florissant: Cockerell, 523.

Eocene from Alabama: Aldrich, 25.

John Day and Mascall beds: Stearns, 2280.

Land and fresh-water, from Quaternary of Defiance County, Ohio: Sterki, 2282.

Mexico, Lower California: Böse, 267.

Pleistocene, Maryland: Clark, 482.

South Carolina: Pugh, 1963.

Senonian, Mexico: Böse, 258.

Tertiary, Mexico: Böse, 257.

Washington: Reagan, 2002.

Molybdenite.

- British Columbia: Evans, 817.
 Oregon: Stafford, 2276.
 Quebec: Wilson, 2615.
 United States (general): 2418, 2419.

Monazite.

- North Carolina: Böhm, 252; Sterrett, 2289.
 South Carolina: Böhm, 252; Sloan, 2218; Sterrett, 2289.
 United States (general): 2418, 2419.
 Virginia: Watson, 2493.

Montana.*Economic.*

- Bear Creek coal fields: Fisher, 871.
 Belt formation, copper deposits: Collen, 550.
 Carbon County coals: Darton, 652.
 Coal deposits: Parsons, 1883; Ritter, 2069; Rowe, 2090-2092; Tarr, 2345.
 Copper mining in 1905: Weed, 2499.
 Dawson, Rosebud, and Custer counties, coal fields: Leonard, 1564.
 Great Falls coal field: Fisher, 874.
 Gypsum deposits: Rowe, 2093.
 Lignite deposits: Leonard, 1560; Rowe, 2090.
 Little Rockies mining district: Boynton, 280.
 Northwestern: MacDonald, 1658.
 Phillipsburg quadrangle: Emmons, 806.
 Ruby, gold dredging: Hutchins, 1260.

Dynamic and structural.

- Landslide: Henton, 1130.

Physiographic.

- Continental divide at Butte, shifting: Weed, 2498.
 Rocky Mountain front: Martin, 1686.

Stratigraphic.

- Algonkian formations: Walcott, 2470.
 Bighorn Mountains: Darton, 647.
 glacial geology: Salisbury, 2116.
 Hell Creek beds of upper Cretaceous: Brown, 325.
 Keewatin ice sheet, Montana lobe: Calhoun, 384.
 Marysville district: Barrell, 149.
 Northwestern: MacDonald, 1658.
 Ordovician rocks: Darton, 644.
 Phillipsburg quadrangle: Emmons, 806.

Paleontology.

- Blattoid from the Cretaceous: Handlirsch, 1068.
 Champsosaurus, osteology: Brown, 322.
 Devonian fauna near Three Forks: Raymond, 1989.
 Hoploparia from the Cretaceous: Whitefield, 2561.
 Kootanie plants from Great Falls coal field: Knowlton, 1418.
 Merycoidodonts from the Miocene: Douglass, 731, 732.
 Tortoise from Laramie beds: Riggs, 2066.

Montana—Continued.*Paleontology—Continued.*

- Unionidae from the Laramie: Whitefield, 2562.

Petrology.

- Marysville district: Barrell, 149.
 Purcell Mountain Range: Daly, 631.

Mont Pelé. *See* Martinique.

Mounds, natural.

- Origin: Campbell, 395; Farnsworth, 847; Hill, 1150; Hobbs, 1186; Udden, 2407; Veatch, 2430, 2436, 2437.

Museums and collections.

- South Carolina College, cabinets of: Martin, 1679.

Natural bridges.

- Utah: Lakes, 1477; Parsons, 1884.

Natural gas.

General: Redwood, 2005.

Alberta: Denis, 710.

Moose Mountain district: Cairnes, 381.

British Columbia: Denis, 710.

Colorado, White River: Lakes, 1476.

Illinois, southeastern: Blatchley, 245.

Indiana: Kinney, 1402.

Kansas, Independence quadrangle: Schrader and Haworth, 2144.

Michigan: Lane, 1516.

Ohio, Steubenville quadrangle: Griswold and Munn, 1048.

Ontario: Corkill, 578; Coste, 581.

Kent County: Knight, 1411.

Pennsylvania, Amity quadrangle: Clapp, 475, 477.

Beaver quadrangle; Woolsey, 2634.

Burgettstown and Claysville quadrangles: Griswold and Munn, 1048.

Greene County: Stone and Clapp, 2314.

Kittanning and Rural Valley quadrangles: Butts, 368.

Rogersville quadrangle: Clapp, 476.

United States (general): 2418, 2419.

West Virginia, Panhandle counties: Grimsley, 1046.

Steubenville quadrangle: Griswold and Munn, 1048.

Nebraska.*General.*

Morrill geological expedition: Barbour, 134, 139.

State geologist's biennial report: Barbour, 133.

Economic.

Cass County: Woodruff, 2628.

Coal, workable: Barbour, 137.

Glass-sand deposits: Burchard, 355.

Honey Creek coal mine: Barbour, 132.

Oil and gas possibilities: Condra, 567.

Physiographic.

Physical geography: Condra, 569.

Nebraska—Continued.

Stratigraphic.

- Cass County: Woodruff, 2628.
 Glacial: Condra, 566.
 Miocene of western Nebraska: Peterson, 1916.
 Republican River Valley: Condra, 570.

Paleontology.

- Agate Spring fossil quarry: Peterson, 1915.
 Human remains in the loess: Barbour, 131, 140.
 Mammal from Sioux County, Syndoceras: Barbour, 129, 135.
 Nebraska man: Barbour, 141; Barbour and Ward, 142; Gilder, 957; Ward, 2476.
 Paleontological trip: Osborn, 1847.
 Rhinoceros from Miocene of Sioux County: Barbour, 130, 138.
 Sulline remains from the Miocene: Peterson, 1913.
 Vertebrates from the Miocene: Peterson, 1916.

Underground water.

- Republican River Valley: Condra, 570.
 Underflow of South Platte Valley: Slichter and Wolff, 2216.

Nevada.

Economic.

- Bullfrog mining district: Ransome, 1984; Rice, 2027.
 Copper mining in 1905: Weed, 2499.
 Ely copper deposits: Bullock, 348; Ingalls, 1273; Ralph, 1978.
 Eureka silver-lead mines: Ingalls, 1274.
 Fairview district: Zalinski, 2662.
 Giroux mines: Giroux, 965.
 Gold and silver at Fairview: Rice, 2029.
 Gold tellurides: Sharwood, 2183.
 Goldfield: Collins, 557, 558; Hastings, 1090; Hastings and Berkey, 1091; Lincoln, 1587; Ransome, 1984, 1985; Spurr, 2274; Taft, 2339.
 Combination mine: Collins, 557.
 Klondike district: Spurr, 2270.
 Manhattan district: Emmons and Garrey, 808; Rice, 2028.
 Mining in southern Nevada: Taft, 2341.
 Pioche: Abbot, 3; Pack, 1854.
 Quartz veins of Silver Peak: Hastings, 1089.
 Robinson mining district: Lawson, 1526; Lindgren, 1598.
 Round Mountain camp: Packard, 1856.
 Silver Peak quadrangle: Spurr, 2271.
 Silver Peak quartz veins: Hastings, 1089.
 Southern Nevada mining districts: Taft, 2342.
 Southwestern: Ball, 119, 120.
 Tonapah district: Lindgren, 1593; Rice, 2025, 2026; Taft, 2339.

Nevada—Continued.

Economic—Continued.

- Ward camp: Plate, 1937.
 Wonder district: Zalinski, 2663.
 Yerington copper deposits: Jennings, 1298.
 Zinc deposit at Spring Mountains: Bain, 101.

Dynamic and structural.

- Detrital slopes: Blake, 242.
 Faulting, Berlin mine: Daggett, 619.
 Bullfrog district: Emmons, 807.
 Robinson district: Lawson, 1526.
 Sierra Nevada fault zone: Reid, 2015.
 Tonapah volcanoes: Lakes, 1469.

Physiographic.

- The desert, its resources, water supply, and development: Bailey, 96.
 Deserts: Chapman, 464.

Stratigraphic.

- Goldfield district: Hastings, 1090; Hastings and Berkey, 1091.
 Triassic deposits: Smith, 2243.

Paleontology.

- Cambrian fossils from Pioche Mountains: Pack, 1855.
 Carnivora from Tertiary of John Day region: Merriam, 1713.
 Cestracant teeth from the Triassic: Wemple, 2526.
 Mammal-bearing beds of middle Tertiary Age: Merriam, 1716.
 Mammoths: Louderback, 1621.
 Reptile, marine, from the Triassic: Merriam, 1714.
 Stickleback fish: Hay, 1104.

Petrology.

- Goldfield district: Hastings and Berkey, 1091.
 Robinson district: Lawson, 1526.
 Silver Peak quadrangle: Spurr, 2271.

New Brunswick.

General.

- Charlotte County: Johnston, 1312.
 Tobique River Valley: Parks, 1871.
 Transcontinental Railway surveys: Johnston, 1313.

Economic.

- Gypsum deposits: Bailey, 98.
 Iron ores: Lindeman, 1588.
 Nickel-copper ores: Dickson, 720.
 Southern: Ellis, 782.

Dynamic and structural.

- Strain in rock: Stead, 2279.

Physiographic.

- Notes on physiography: Ganong, 925.

Stratigraphic.

- Metamorphic and volcanic rocks: Ellis, 784.
 Southern: Ellis, 782.

Paleontology.

- Archæozoon: Matthew, 1696.
 Cambrian fossils: Matthew, 1695.
 Devonian plants: Matthew, 1694, 1697.
 Devonian fossils: Clarke, 497.
 Little River group flora: Matthew, 1693.

New Brunswick—Continued.*Paleontology—Continued.*

- Silurian and Devonian plants :
Matthew, 1697.
Silurian fish : Matthew, 1696.

Newfoundland.

- Coal-boring operations in Humber
Valley : Howley, 1248.
Geology and mineral resources : Grata-
cap, 1023.
Mineral statistics, 1905 : Howley, 1249.

New Hampshire.*Stratigraphic.*

- Glacial stages : Clapp, 473.

Petrology.

- Belknap Mountains : Pirsson and
Washington, 1934.
Red Hill : Pirsson and Washington,
1935.

New Jersey.*General.*

- State geologist's report : Kümmel, 1430,
1434.

Economic.

- Building stones : McCourt, 1657.
Copper deposits : Kelth, 1356.
Glass-sand industry : Kümmel and
Gage, 1436.
Limestones of Sussex and Warren
counties : Kümmel, 1431.
Mining industry : Kümmel, 1432, 1435.
Newark (Triassic) copper ores : Lewis,
1578, 1581.
Peat deposits : Kümmel, 1433 ; Par-
melee and McCourt, 1874.
Schuyler copper mine : Granberry,
1011, 1012.
Slate : Dale and Eckel, 625.
Trap rocks for road construction :
Lewis, 1582.

Dynamic and structural.

- Changes along the coast : Haupt, 1096.
Concretions from Redbank sands :
Willcox, 2581.

Physiographic.

- Double crest of Second Watchung
Mountain : Lewis, 1577.

Stratigraphic.

- Cretaceous formations : Clark, 483 ;
Knapp, 1407 ; Weller, 2515.
Dover quadrangle : Miller, 1749.
Newark trap rocks : Lewis, 1579, 1580,
1583.

Paleontology.

- Cliffwood clays, fauna : Weller, 2516.
flora : Berry, 214.
Cretaceous faunas : Weller, 2520.
Plants from the Magothy formation :
Berry, 225.
Tilla from the Pleistocene : Berry, 220.

Mineralogy.

- Calcite from West Paterson : Whit-
lock, 2567.
Jerseyite : Goldsmith, 973.
Pyrite : Kraus and Scott, 1428.
Pyrites and marcasites : Lee, 1538.

New Mexico.*General.*

- Geology and physiography : Frost and
Walter, 902.

Economic.

- Anthracite coal : Griffith, 1041.
Burro Mountains, copper : Lang, 1520 ;
Wade, 2463.
turquoise : Zalinski, 2664.
Coal : Ritter, 2069.
Durango - Gallup field : Schrader,
2142 ; Shaler, 2176.
Engle field : Lee, 1542.
northern : Judd, 1333.
Cooney district : Graham, 1007.
Copper, Zuñi Mountains : Schrader,
2143.
Copper mining in 1905 : Weed, 2499.
Durango-Gallup coal field : Schrader,
2142 ; Shaler, 2176.
clay deposits : Shaler and Gardner,
2177.
Engle coal field : Lee, 1542.
Fort Stanton Reservation, coal : Camp-
bell, 404.
Gypsum : Shaler, 2175.
Jones iron fields : Emmens, 791.
Kelly mine : Johnson, 1311.
Kelly zinc camp : Brinsmade, 295.
Lordsburg region : Jones, 1321.
Mescal Canyon coal field : Keyes, 1386.
Mine inspector's report : Sheridan,
2195, 2196.
Mineral deposits : Lindgren and
Graton, 1603.
Mineral resources : Jones, 1319.
Placers of Santa Fe County : Jones,
1320.
Raton coal field : Judd, 1332.
Rio Grande Valley : Gordon, 981.
Una del Gato coal field : Campbell, 403.
Zinc, Kelly camp : Brinsmade, 295.
Magdalena district : Haddon, 1061.

Physiographic.

- Afton craters : Lee, 1547.
Aggraded terraces of the Rio Grande :
Keyes, 1393.
Mesa de Maya, physiographic signifi-
cance of : Keyes, 1389.
Mt. Taylor region, volcanic necks :
Johnson, 1304.
Pecos Valley : Lee, 1539.
Physiographic features : Johnson, 1302 ;
Keyes, 1383.
Santa Fe peneplain : Campbell, 575.
Tertiary peneplain : Robinson, 2078.
Volcanic craters : Keyes, 1387.

Stratigraphic.

- Afton craters : Lee, 1547.
Carboniferous formations : Keyes, 1377.
Carboniferous coal measures in Sierra
Ladrones : Keyes, 1382.
Dakotan series : Keyes, 1379.
Geological section : Keyes, 1380.
Magdalena and Black Range region :
Gordon, 980.

New Mexico—Continued.*Stratigraphic*—Continued.

Mississippian formations of Rio Grande Valley: Gordon, 981.

Mt. Taylor region, volcanic necks: Johnson, 1304.

Paleozoic formations: Gordon and Graton, 983.

Pennsylvanian formations of Rio Grande Valley: Gordon, 982.

Pre-Cambrian at Hamilton mine: Lindgren, 1590.

Rio Grande Valley: Lee, 1545.

Mississippian formations: Gordon, 981.

Pennsylvanian formations: Gordon, 982.

Red Beds: Lee, 1546.

Roswell area: Fisher, 870.

Tertiary terranes: Keyes, 1388, 1390.

Unconformities, significance of: Keyes, 1378.

Paleontology.

Lime Creek fauna of Iowa at Lake Valley: Keyes, 1384.

Ruminant from the Pleistocene: Gidley, 945.

Snails: Cockerell, 515.

Mineralogy.

Endlichite: Bowman, 274.

Underground water.

Rio Grande Valley: Lee, 1545.

Roswell area: Fisher, 870.

Soda spring: Eddy, 771.

New York.*General.*

Director of science, second report: Clarke, 493.

third report: Clarke, 500.

Drift boulder with magnetite: Hollick, 1208.

Lake Champlain: Clarke, 497.

Preglacial channels of lower Hudson Valley: Berkey, 206.

State geologist's report: Clarke, 494.

Vassar College region: Shattuck, 2192.

Economic.

Adirondack region, magnetites: Newland, 1794, 1795.

Building stones, tests: McCourt, 1656.

Feldspar and quartz deposits: Bastin, 163.

Hematite mining in St. Lawrence County: Brinsmade, 294.

Magnetite deposits at Mineville: Granberry, 1010.

Magnetite mines at Lyon Mountain: Newland and Hansell, 1796.

Mining and quarry industry: Newland, 1790, 1793.

Salisbury district, iron ores: Hobbs, 1184.

Slate: Dale and Eckel, 625.
chemical composition: Hillebrand, 1159.

Talc in northern New York: Brinsmade, 293.

New York—Continued.*Dynamic and structural.*

Caves: Clarke, 500.

Earthquake records at Albany: Clarke, 500; Newland, 1791.

Faulting, postglacial: Woodworth, 2631.

Fracture systems: Hobbs, 1176.

Glacial erosion in longitudinal valleys: Carney, 430.

Glacial rock sliding: Jones, 1318.

Niagara Falls, recession of: Adams, 5; Gilbert, 955; Hall, 1065; Spencér, 2265.

Oscillations during Cambro-Silurian: Cushing, 617.

Quartz nodule with radiate structure: Davison, 685.

Vassar College region: Shattuck, 2192.

Physiographic.

Adirondacks: Kemp, 1362, 1370.

Catskill Mountains: Heilprin, 1126.

Clove Valley Pleistocene lake basin: Gratacap, 1022.

Drumlinoids of the Catatonk quadrangle: Hubbard, 1251.

Drumlins: Fairchild, 837, 839.

Finger Lake region: Dryer, 744.

gorges of: Tarr, 2348.

Genesee Falls: Grabau, 999.

Hudson Valley: Kemp, 1369.

Long Island: Veatch, 2434.

Manhattan Island: Julien, 1341.

Outwash drift: Carney, 430.

Scarp in the Adirondacks: Davis, 666.

Stratigraphic.

Abandoned shore lines: Woodworth, 2632.

Asymmetric differentiation in a syenite batholith: Cushing, 616.

Buffalo quadrangle: Luther, 1633.

Cambro-Silurian oscillations: Cushing, 617.

Catatonk quadrangle, drumlinoids: Hubbard, 1251.

Champlain basin, paleogeography of: Ruedemann, 2098.

Chazy formation: Raymond, 1987.

Clove Valley Pleistocene lake basin: Gratacap, 1022.

Cornwall limonite beds: Hartnagel, 1086.

Drumlins: Fairchild, 837, 839.

Finger Lake region: Tarr, 2347.

pre-Wisconsin drift: Carney, 429.

Geologic formations, nomenclature of: Clarke, 482.

Gilbert Gulf: Fairchild, 840.

Glacial drainage: Fairchild, 835.

Glacial stages: Fuller, 913.

Glaciation, Catskill Mountains: Rich, 2035.

Manhattan Island: Julien, 1336.

Highlands, basal gneisses of: Berkey, 207.

Indian Ladder section: Prosser, 1961.

Irondequoit Bay: Fairchild, 834.

New York—Continued.

Stratigraphic—Continued.

- Iroquois extinction: Fairchild, 842.
 Ithaca section: Williams, 2583, 2584, 2586.
 Keuka Valley, wave-cut terraces: Carney, 431.
 Lake Erie basin, glacial waters: Fairchild, 836.
 Long Island: Veatch, 2434.
 Long Lake quadrangle: Cushing, 614.
 Manhattan Island, glaciation: Jullen, 1337, 1338.
 Medina sandstone: Grabau, 1001.
 Minnewaska region: James, 1284.
 New York City, stability of rock foundations: Jullen, 1340.
 Oneida conglomerate: Grabau, 992; Hartnagel, 1083.
 Ontario section of eastern New York: Hartnagel, 1082.
 Outwash drift: Carney, 432.
 Pallsade trap: Jullen, 1340.
 Penn Yan-Hammondsport quadrangles: Luther, 1634.
 Pre-Cambrian rocks, correlation: Adams *et al.*, 13.
 Rochester and Ontario Beach quadrangles: Hartnagel, 2.
 Schoharie Valley: Grabau, 991.
 Shawangunk Mountains: Clarke, 499.
 Skunemunk Mountain region: Hartnagel, 1084.
 Triassic outcrop on Staten Island: Hollick, 1205.
 Vassar College region: Shattuck, 2192.
 Well records on Long Island: Veatch and Bowman, 2441.

Paleontology.

- Amber of Staten Island, origin: Hollick, 1204.
 Bryozoa of the Rochester shale: Bassler, 157.
 Cephalopoda of the Beekmantown and Chazy formations: Ruedemann, 2097.
 Chazy formation, fauna of: Raymond, 1987.
 Chemung fauna of Ithaca section: Williams, 2586.
 Cretaceous *Pityoxyla*: Jeffrey and Chrysler, 1692.
 Cretaceous plant remains: Hollick, 1203; Hollick and Jeffrey, 1212.
 Cryptozoa from Ordovician deposits: Seely, 2163.
 Devonian fossils from western New York: Slocum, 2219.
 Devonian fishes: Eastman, 760.
 Eurypterus fauna of Shawangunk grit: Clarke, 499, 501.
 Fossil forest fire: Hollick, 1206.
 Gymnosperms from Cretaceous of Kriecherville: Hollick and Jeffrey, 1213.
 Hypsocrinus: Springer and Slocum, 2268.

New York—Continued.

Paleontology—Continued.

- Insect borings in Cretaceous lignite: Hollick, 1207.
 Paleobotany of Onondaga: Schneider, 2139.
 Paleozoic fossils, types of: Clarke, 500.
 Pelmatozoa from the Chazy: Hudson, 1253.
 Reticularia *laevis*, range and distribution: Kindle, 1396.
 Schoharie Valley: Grabau, 991.
 Tertiary and Cretaceous plants: Penhallow, 1895.
 Tree trunk from Middle Devonian: White, 2544.

Petrology.

- Adirondack syenite batholith, asymmetric differentiation in: Cushing, 616.
 Manhattan Island: Hovey, 1224.
 peridotite dike: Kunz, 1438.

Mineralogy.

- Lyon Mountain: Whitlock, 2565.
 calcite: Whitlock, 2566.

Underground water.

- Long Island: Veatch, 2431, 2433, 2435.

Niagara Falls.

- Recession of: Adams, 5; Gilbert, 955; Hall, 1065; Spencer, 2265, 2266.

Nicaragua.

General.

- San Juan Valley: Merz, 1745.

Dynamic and structural.

- Earthquakes: Jones, 1322.
 Volcanoes: Chamberlin, 451; Jones, 1322.

Nickel.

- North Carolina, Webster: Barlow, 146.
 Ontario: Ingall, 1267.
 Cobalt district: Bell, 192; 418; Courtis, 584; Rickard, 2053.
 Sudbury region: Barlow, 147; Browne, 336; Coleman, 539, 549; Hixon, 1172; Stokes, 2304; Thompson, 2370.
 Oregon: Stafford, 2276.
 Nickel Mountain: Kay, 1345.
 United States: 2418, 2419.
 Virginia: Watson, 2490, 2493.

Nitrate.

- California: Bailey, 95; Turner, 2400.
 Virginia: Watson, 2493.

Nomenclature. *See under* Stratigraphic.

North Carolina.

Economic.

- Barytes industry: Judd, 1331.
 Building and ornamental stones: Pratt, 1949; Watson and Laney, 2494.
 Copper: Eames, 755.
 Copper mining in 1905: Weed, 2499.
 Gems: Kunz, 1440.
 Gold deposits: Crosby, 601; Graton, 1025.
 Gold Hill copper mine: Nicholas, 1800.

North Carolina—Continued.*Economic—Continued.*

- Mica deposits: Sterrett, 2287, 2288.
 Mining industry, in 1905: Pratt, 1950.
 in 1906: Pratt, 1951.
 Monazite: Böhm, 252; Sterrett, 2289.
 Nantahala quadrangle: Keith, 1352.
 Nickel deposits of Webster: Barlow, 146.
 Ore deposits of eastern gold belt: Crosby, 601.
 Pisgah quadrangle: Keith, 1353.
 Roan Mountain quadrangle: Keith, 1354.
 Tin deposits: Graton, 1025; Hess, 1139.
 Union copper mines: Nicholas, 1799.

Dynamic and structural.

- Cutrituck Banks: Cobb, 508.
 Dunes along coast: Cobb, 511.
 Fracture systems: Hobbs, 1176.

Physiographic.

- Core Bank: Cobb, 512.
 Terraces in coastal plain: Johnson, 1299.

Stratigraphic.

- Core Bank: Cobb, 512.
 Mesozoic deposits of coastal plain: Stephenson, 2281.
 Nantahala quadrangle: Keith, 1352.
 Pisgah quadrangle: Keith, 1353.
 Pleistocene terracing in coastal plain: Johnson, 1299.
 Roan Mountain quadrangle: Keith, 1354.

Paleontology.

- Cretaceous floras: Berry, 221, 224.
 Pleistocene flora: Berry, 222.
 Rhoetic flora of Moncure shales: Cobb, 510.

Mineralogy.

- Cassiterite: Headden, 1115.
 Gems: Kunz, 1440.
 Hendersonville meteorite: Merrill, 1740.
 Rich Mountain meteorite: Merrill, 1741.

Underground water.

- Ground and deep waters: McCarthy, 1644.
 Improvement of water in wells: Fuller, 908.

North Dakota.*General.*

- State geologist's report: Leonard, 1562.

Economic.

- Clays: Babcock, 91; Babcock and Clapp, 92; Clapp, 470; Clapp and Babcock, 471; Leonard, 1564.
 Lignite: Leonard, 1560; Wilder, 2577.

Stratigraphic.

- Geology of clay formations: Leonard, 1563.

Paleontology.

- Merycoidodonts: Douglass, 731.

Northwest Territories.

Surface geology: Chalmers, 449.

Nova Scotia.*Economic.*

- Ainslie and North-Cheticamp, barytes deposits: Poole, 1943.
 Bedded leads in relation to mining policy: Woodman, 2624.
 Five Islands, barytes deposits; Hutchinson, 1265.
 Gold fields; Faribault, 844, 845.
 Iron deposits: Woodman, 2627.
 Mineral resources: Gilpin, 964; Piers, 1929.
 Tangle gold deposits: Packard, 1857.
 Torbrook iron district: Parsons, 1885.
 Western: Fletcher, 880.

Dynamic and structural.

- Earthquake of March 21, 1904: Woodman, 2625.

- Faults of Battery Point: Fulton, 919.
 Subsidence, at Louisbourg: McIntosh, 1668.

of the Atlantic coast: Poole, 1941.

Physiographic.

- Continental shelf off Nova Scotia: Poole, 1942.

Stratigraphic.

- Bore-hole records: Weatherbe, 2495.
 in Cumberland County: Brown, 331.
 Conglomerate capping Cambrian, age of: Poole, 1940.
 Cumberland coal basin: Woodman, 2666.
 Northwestern: Fletcher, 879.
 Structure and succession at North Sydney and Sydney mines: De Wolfe, 718.

Paleontology.

- Silurian and Devonian plants: Mathew, 1697.

Ocher.

- Alabama: Smith, 2227.
 Georgia: Watson, 2483.
 Virginia: Watson, 2493.

Ohio.*General.*

- Geological survey, history of: Prosser, 1960.
 publications, index to: Derby, 712.
 Geology, bibliography of: Prosser, 1962.

Economic.

- Glass-sand industry: Burchard, 354.
 Kenova quadrangle, coal: Phalen, 1920.
 Limestone resources and lime industry: Orton and Peppel, 1837.
 Salt deposits: Bownocker, 278.
 Sand-lime brick: Peppel, 1903.
 Steubenville quadrangle, oil and gas: Griswold and Munn, 1048.

Dynamic and structural.

- Subsidence of west end of Lake Erie: Mosely, 1773.

Ohio—Continued.

Stratigraphic.

Carboniferous: Stevenson, 2294, 2295.
Columbus and Sandusky formations:
Swartz, 2329.

Columbus esker: Morse, 1772.

Devonian: Stauffer, 2277, 2278.

Geologic formations: Prosser, 1960.

Glacial dam at Hanover: Carney, 433.

Licking County, Perry township: Carney, 427.

Ordovician at Cincinnati: Bassler, 156.

Scioto Illinoian lobe in Licking County: Carney, 428.

Spring Valley gorge, origin: Schefel, 2138.

Steubenville quadrangle: Griswold and Munn, 1048.

Stratigraphy: Prosser, 1960.

Paleontology.

Land and fresh-water Mollusca, Defiance County: Sterkl, 2282.

Mammoth's tooth: McClure, 1646.

Oil. *See* Petroleum.

Oklahoma.

Economic.

Oil fields: Gould, 988.

Quapaw district, lead and zinc: Crane, 593.

Dynamic and structural.

Sand-barite crystals: Nichols, 1802.

Paleontology.

Permian red beds. fauna: Beede, 180.

Petrology.

Ægirite and riebeckite rocks: Rogers, 2086.

Oligocene. *See* Tertiary.

Ontario.

General.

Durham County, Coleman, 538.

Hamilton Scientific Association, geological section, report of: Neill, 1787.

Lake Nipigon to Lac Seul, survey from: Collins, 561.

Lake Superior region between the Pic and Nipigon rivers: Collins, 560.

Lake Temagami to Spanish River: Wilson, 2614.

Larder Lake district: Brock, 308.

Mattagami Valley exploration: Kerr, 1375.

Muskoka district: Walker, 2474.

Ontario meeting of American Institute of Mining Engineers: 418.

Ottawa Field-Naturalist's Club, geological work of: Ami and Wilson, 44.

Peterborough district: Johnston, 1315.

Peterborough, Prince Edward, and Simcoe sheets: Johnston, 1316.

Economic.

Animikie iron range: Silver, 2212.

Ontario—Continued.

Economic—Continued.

Antik-Okan nickeliferous pyrrhotite deposits: Hille, 1157.

Bruce copper mines: Williams, 2582.

Bureau of Mines, report: Gibson, 941.

Clays: Baker, 66.

Cobalt mining district: Bell, 191, 192, 194; Courtis, 584; Frank, 894; George, 939; Hardinge, 1074; Hardman, 1076; Hotchkiss, 1218; Loring, 1617; MacDonald, 1659; Miller, 1758; Parks, 1873; Rickard, 2053; Stokes, 2303; Van Hise, 2422.

Bonanza mines: Hutchinson, 1264.

genesis of ores: Nixon, 1173.

vein formation: Tyrrell, 2405.

Craigmont, corundum: Haultain, 1095.

Eldorado copper mine: Burrows, 364.

Helen iron mine, Michipicoten: Coleman, 541.

Iron ores: Hille, 1158; Lindeman, 1588; Thompson, 2369.

James Bay: Wilson, 2604.

Kent County, oil and gas: Knight, 1411.

Lake Abitibi gold deposits: Miller, 1757.

Lake Nipigon iron ranges: Coleman, 548; Moore, 1771.

Lead: Lewis, 1576.

Mattagami Valley: Kerr, 1375.

Michipicoten iron ranges: Coleman, 541, 542; Moore, 1770.

Michipicoten Island: Willmott, 2602.

Mines of Ontario: Corkill, 578.

Montreal River silver district: Meeks, 1708.

Natural gas and petroleum: Coste, 581.

Nickeliferous pyrrhotites, microstructure of: Campbell and Knight, 411.

Nipissing mine, Cobalt: George, 939.

Pembroke sheet: Ellis, 788.

Pyrites: Fraleek, 893.

Secondary enrichment in copper ores: DeKalb, 700.

Silver mining at Cobalt: Frank, 894.

Sudbury nickel ores: Barlow, 147; Browne, 336; Coleman, 539, 549; Hixon, 1171, 1172; Stokes, 2304; Thompson, 2370.

Temagami Reserve silver district: Mattair, 1691.

Temiskaming ores: Campbell and Knight, 408, 410.

Tilbury and Romney oil fields: Coste, 582, 583.

Dynamic and structural.

Fracture systems: Hobbs, 1176.

Granitization of Huronian schists: Bell, 189.

Physiography.

Niagara Falls: Spencer, 2263, 2265, 2266.

Ontario—Continued.

Stratigraphic.

Animikie iron range: Silver, 2212.
Essex and Kent counties: Nattress, 1785.

Grenville-Hastings unconformity: Miller and Knight, 1759.

Huronian ice age: Coleman, 544.

Huronian north of Lake Superior: Bell, 189.

Pembroke sheet: Ellis, 788.

Pre-Cambrian rocks; Adams *et al.*, 13.
Lake Temiskaming region: Miller, 1754.

Sudbury region: Coleman, 539, 546.

Paleontology.

Bryozoa from the Niagara: Bassler, 157.

Collecting notes: Grant, 1013-1016.

Cybele: Narraway and Raymond, 1783.

Guelph fossils: Whiteaves, 2556.

Pembroke sheet, lists of fossils from: Aml, 41.

Pleistocene flora: Penhallow, 1897.

Stromatoporoids of Guelph formation: Parks, 1872.

Petrology.

Michipicoten area: Bell, 189.

Nepheline syenite: Adams, 9.

Mineralogy.

Cobaltite: DeLury, 703.

Pseudomorph after laumontite: Graham, 1008.

Shelburne meteorite: Farrington, 848.

Ordovician.

*Stratigraphy.**General.*

Galena series: Sardeson, 2122.

Paleogeography of St. Peter time: Berkey, 205.

Alabama, Birmingham district: Butts, 370.

Alaska, upper Yukon: Brooks and Kindle, 321.

Arkansas, Ozark region: Purdue, 1967.
northern: Purdue, 1970.

California, eastern: Ball, 120.

Colorado: Darton, 644, 648.

Connecticut: Gregory and Robinson, 1038.

Georgia: Watson, 2483.

Illinois: Bain, 99; Weller, 2517, 2524.

Calhoun County: Weller, 2523.

East St. Louis district: Bowman and Reeds, 277.

Galena series: Sardeson, 2122.

Hamburg section: Weller, 2519.

Pre-Richmond unconformity: Weller, 2522.

Indiana: Bassler, 156; Greene, 1030.

Indian Territory, Muscogee quadrangle: Taff, 2332.

Iowa: Bain, 99; Beyer, 230; Beyer and Williams, 234; Burchard, 353; Calvin, 387.

Bremer County: Norton, 1805.

Ordovician—Continued.

Stratigraphy—Continued.

Iowa, Clayton County: Leonard, 1559.
Galena series: Sardeson, 2122.

Jackson County: Savage, 2128.

Lancaster and Mineral Point quadrangles: Grant and Burchard, 1021.

Winneshek County: Calvin, 388.

Kentucky: Bassler, 156; Miller, 1748.

Maryland: Clark and Mathews, 488.

Minnesota: Berkey, 205.

Galena series: Sardeson, 2122.

Missouri: Shepard, 2194.

Glen Park section: Weller, 2519.

Montana: Darton, 645.

Nevada, Pioche Mountains: Pack, 1854, 1855.

Silver Peak quadrangle: Spurr, 2271.
southwestern: Ball, 120.

New Mexico: Gordon and Graton, 983.

New York: Brown, 333.

Champlain basin: Ruedemann, 2098.

Highlands: Berkey, 207.

Medina sandstone: Grabau, 1001.

Oneida conglomerate: Hartnagel, 1083.

Schoharie Valley: Grabau, 991.

Ohio: Bassler, 156.

Ontario, Pembroke sheet: Ellis, 788.

Pennsylvania, South Mountain: Stone, 2318.

Quebec, Mount Yamaska: Young, 2660.

St. Francis Valley: Dresser, 739.

Tennessee, Roan Mountain quadrangle: Keith, 1354.

Texas, Chisos country: Udden, 2409.

Utah, Uinta Mountains: Emmons, 798; Weeks, 2506.

Vermont: Edson, 774; Richardson, 2037; Seely, 2163.

Virginia: Bassler, 158.

West Virginia: Grimsley, 1044.

Wisconsin: Bain, 99; Berkey, 205.

Galena series: Sardeson, 2122.

Lancaster quadrangle: Grant and Burchard, 1021.

Milwaukee quadrangle: Alden, 23.

north central: Weldman, 2512.

Wyoming: Darton, 644.

Bald Mountain and Dayton quadrangles: Darton, 645.

Bighorn basin: Fisher, 873.

Bighorn Mountains: Darton, 647.

Cloud Peak and Fort McKinney quadrangles: Darton, 646.

Owl Creek Mountains: Darton, 645.

Paleontology.

Beekmantown: Ruedemann, 2097; Seely, 2163.

Bryozoa, James' types: Bassler, 156.

Canada: Whiteaves, 2555.

Cephalopoda, Beekmantown and Chazy: Ruedemann, 2097.

Chazy: Hudson, 1253; Raymond, 1987; Ruedemann, 2097; Seely, 2163.

Ordovician—Continued.

Paleontology—Continued.

- Cryptozoa from Vermont and New York: Seely, 2163.
- D'Orbigny's types figured: Boule and Thevenin, 270.
- Franklin: Ami, 39.
- Pelmatozoa from Chazy, of New York: Hudson, 1253.
- Pembroke area, Ontario and Quebec: Ami, 41.

Ore deposits, origin.

- General:* Bancroft, 127, 128; Coleman, 545; Hixon, 1174; Kemp, 1360, 1366; Koch, 1421; Lindgren, 1589, 1597, 1600; Merrill, 1731; Miller, 1753; Nicholas, 1798; Nichols, 1803; Read, 1994; Ritter, 2070; Shamel, 2178; Spurr, 2273; Stokes, 2301; Sullivan, 2324, 2325; Villarello, 2457; Winchell, 2617, 2618.

Arizona, Cochise mining district: Kellogg, 1358.

Block faulting and ore deposition: Jenney, 1295.

California, Mojave district: Bateson, 164.

Cerargyritic ores: Keyes, 1392.

Clinton red fossil-ore of Lookout Mountain: Phalen, 1917.

Cobalt ores: Hixon, 1173; Tyrrell, 2405; Van Hise, 2422.

Colorado, Downtown district of Leadville: Emmons and Irving, 803.

Contact deposits: Kemp, 1366.

Copper-iron sulphides, secondary enrichment: Read, 1992; Sullivan, 2324.

Copper ores: Fernekes, 865; Lane, 1510.

Lake Superior: Fernekes, 864; Lane, 1512.

Nevada, Robinson district: Lindgren, 1598.

Yerington: Jennings, 1298.

New Jersey: Lewis, 1578.

Virginia: Weed and Watson, 2504.

Copper, silver, and gold, experiments on solution, transportation, and deposition of: Stokes, 2300.

Field work needed in study of: Coleman, 545.

Fissure veins and ore deposits as water ways: Lakes, 1458.

Gold, association with alunite in Goldfield district: Lincoln, 1587; Ransome, 1985.

concentration in Klondike: Tyrrell, 2406.

Gold ores of Alaska: Spencer, 2261.

Interaction of minerals and water solutions: Sullivan, 2325.

Iron ores, Animikie Iron range: Silver, 2212.

Kentucky, northeastern: Phalen, 1918.

Ore deposits, origin—Continued.

Iron ores, Salisbury district: Hobbs, 1185.

Vermillion Range: Abbott, 1.

Lead and zinc ores, Galena-Joplin district: Clerc, 506, 507; Haworth, 1098.

Mississippi Valley: Bain, 99, 106; Buckley, 342.

Virginia-Tennessee region: Watson, 2484.

Wisconsin: Grant, 1019.

Lead ore, Ontario: Lewis, 1576.

Magnetite deposits, Adirondack region: Newland, 1794.

Pennsylvania, Berks and Lebanon counties: Spencer, 2262.

Nevada, Klondike district: Spurr, 2270.

Silver Peak quadrangle: Spurr, 2271.

Nickel and copper ores of Sudbury: Browne, 336; Coleman, 549.

Nickeliferous pyrrhotites, microstructure of: Campbell and Knight, 409, 411.

Ocher deposits: Watson, 2483.

Ore deposits in serpentine: Forstner, 890.

Pockets in gold veins: Harrison, 1081.

Pyrite, origin: Willmott, 2603.

oxidation of: Read, 1995; Winchell, 2616.

Pyrite and marcasite, action on, by various solutions: Stokes, 2301.

Quartz veins of Silver Peak, Nevada: Hastings, 1089.

Quicksilver ores of California: Aubury, 86.

Salt water in mines: Lane, 1502.

Secondary enrichment of copper-iron sulphides: Read, 1994.

Striations, meaning of: Bucke, 339; Reid, 2022.

Sudbury nickel ores: Browne, 336; Coleman, 549.

Sulphide ores: Coleman, 543.

Sulphur deposits, Mapimi: Villarello, 2459.

Woolmth quarry: Kraus, 1423.

Utah, Ontario mineral belt: Jenney, 1295.

Oregon.

General.

Human implements in an abandoned river channel: Kemp, 1371.

Economic.

Coal deposits: Ritter, 2069.

Copper mining in 1905: Weed, 2499.

Mineral resources: Stafford, 2276.

Nickel Mountain: Kay, 1345.

Seven Devils and Snake River districts: Reid, 2006.

Dynamic and structural.

Glaciers of Mt. Hood: Reid, 2008.

Physiographic.

John Day region: McClung, 1045.

Oregon—Continued.

Stratigraphic.

- Eocene: Diller, 723.
 Glaucofane schists: Louderback, 1618.
 John Day region: McClung, 1645;
 Merriam and Sinclair, 1717.
 Mesozoic sediments: Diller, 724.

Paleontology.

- Edentate-like remains from the Mascall beds: Sinclair, 2213.
 Eocene flora and fossils: Diller, 723.
 Horse from the Mascall beds: Gidley, 943.
 Mollusca from the John Day and Mascall beds: Stearns, 2280.
 Seal from the Miocene: Condon, 565; Wortman, 2638.
 Tertiary faunas of the John Day region: Merriam and Sinclair, 1717.

Petrology.

- Glaucofane schists: Louderback, 1618.

Mineralogy.

- Willamette meteorite: Eberle, 761; Hovey, 1229.

Orogeny.

- Abyssal igneous injection with relation to mountain building: Daly, 633, 638.
 Appalachian revolution: Willis, 2595.
 Mexican plateau: Hill, 1152.
 Mountain formation, cause of: See, 2158, 2162.
 Synclinalorium and anticlinalorium: Rice, 2032.

Oscillation. *See* Changes of level.

Ostracoda. *See* Crustacea.

Ozokerite.

- Oregon: Stafford, 2276.
 Utah: Taff and Smith, 2338.

Paleobotany.

- Age and localities of supposed Jurassic fossils: Veatch, 2432.
 Amber, from coastal plain: Berry, 219.
 on Staten Island, origin: Hollick, 1204.
 Alaska, Cape Lisburne region: Knowlton, 1417; White, 2543.
 Arkansas coal measures: White, 2546.
 Autophytographs: Cobb, 509.
 Brandon lignite fossils: Ami, 37; Jeffrey and Chrysler, 1291; Perkins, 1908, 1909.
 Charred wood, fossil: Hollick, 1206.
 Cliffwood clays, flora: Berry, 214.
 Codonotheca, spore-bearing organ: Sel-lards, 2174.
 Colorado, Florissant: Cockerell, 518, 520, 526; Hollick, 1211.
 Comptonia: Berry, 215.
 Cretaceous: Berry, 210, 211, 212, 214; Hollick, 1203; Hollick and Jeffrey, 1212.
 Cucumites species, nomenclature of: Cockerell, 513.

Paleobotany—Continued.

- Cycads, American fossil: Wieland, 2574.
 Devonian, from New Brunswick: Matthew, 1694.
 Flower, Tertiary, from Florissant, Colorado: Hollick, 1211.
 Forest fire, fossil: Hollick, 1206.
 Gymnosperms, of North America: Penhallow, 1896.
 New York, Kreisherville: Hollick and Jeffrey, 1213.
 Hell Creek beds of Montana: Brown, 325.
 Illinois coal measures: White, 2545.
 International boundary survey: Penhallow, 1900.
 Kootanie plants from Great Falls coal field of Montana: Knowlton, 1418.
 Leaf rafts and fossil leaves: Berry, 218.
 Leaf variations: Penhallow, 1894.
 Little River group flora: Matthew, 1693.
 Lycopod, from Devonian: White, 2547.
 Magothy formation: Berry, 225.
 Mesozoic flora of Atlantic coast plain: Berry, 216, 221.
 Mosses, Tertiary, from Florissant: Britton and Hollick, 304.
 Pityoxyla, Cretaceous: Jeffrey and Chrysler, 1292.
 Plant remains in basalt, Mexico: Sol-órzano and Hobson, 2257.
 Plants, fossil, sketch of: Berry, 213.
 Tertiary and Cretaceous: Penhallow, 1895.
 Pleistocene flora, Alabama: Berry, 223.
 Canada: Penhallow, 1897.
 Maryland: Hollick, 1209, 1210.
 North Carolina: Berry, 222.
 Virginia: Berry, 217.
 Protophyllocladus subintegrifolius, stomata of: Berry, 226.
 Quercus hatcheri: Knowlton, 1419.
 Rhoetic flora of Moncure shales: Cobb, 510.
 Silurian and Devonian, from Canada: Matthew, 1697.
 Tilia from New Jersey Pleistocene: Berry, 220.
 Tree trunk from New York Devonian: White, 2544.
 Wood, fossil, from Texas: Penhallow, 1899.

Paleoclimatology.

- General:* Frech, 900, 901; Manson, 1676; Taber, 2330.
 Carboniferous: Barrell, 150.
 Climatic conditions at Nome, Alaska, during the Pliocene: Dall, 628.
 Climatic variations, extent and causes: Gregory, 1039.
 Cretaceous: Bibbins, 235.

Paleoclimatology—Continued.

- Geologic climates, influenced by possible reversal of deep-sea circulation : Chamberlin, 453.
 Glacial epoch, causes : Hilgard, 1147.
 Glacial epochs : David, 657.
 Jurassic : Burckhardt, 362.
 Quaternary : Huntington, 1257.
 Relation of fossil floras to climate and coal beds : Lakes, 1467.

Paleogeography.

- Champlain basin in Ordovician time : Ruedemann, 2098.
 Continental outlines in Tertiary time : Matthew, 1699.
 Devonian of eastern North America : Clarke, 496.
 Louisiana : Veatch, 2436, 2438.
 Mississippi Valley in St. Peter time : Berkey, 205.
 New York, Schoharie Valley : Grabau, 991.

Paleontology (general). *See also the classes of animals and Paleobotany. For stratigraphic see under the different systems. For regional see under the various States.*

- Alternation of fossil faunas : Keyes, 1385.
 Caustic potash in cleaning fossils : Böse and Vigier, 269.
 Early surroundings of life : Lane, 1515.
 Evolution as it appears to the paleontologist : Osborn, 1846.
 Fossilization, conditions of : Hartzell, 1087.
 Limeless ocean of pre-Cambrian time : Daly, 636.
 Molds of fossils, taking impressions of : Slocum, 2220.
 Problems of paleontology : Osborn, 1838.
 Relations to other branches of science : Woodward, 2630.
 Types, in collections of Boston Society of Natural History : Cushman, 618.
 in New York State Museum : Clarke, 500.

Panama.

- Geology of Canal Zone : Howe, 1244–1246.

Peat.

- Indiana, northern : Taylor, 2361.
 Iowa : Savage, 2125.
 Franklin County : Williams, 2588.
 Mexico : Alcalá, 22.
 Michigan : Davis, 660.
 New Jersey : Kimmel, 1433 ; Parmelee and McCourt, 1874.
 United States : 2418, 2419.
 Vermont : Perkins, 1907.

Pebbles.

- Polished : George, 940.
 Stretched : McCallie, 1642.

Pelecypoda. *See also Mollusca.*

- Aviculidæ from Trias of Zacatecas : Frech, 901.
 California, southern, Tertiary : Arnold, 62.
 Devonian : Clarke, 497.
 Eocene from Alabama : Aldrich, 25.
 Indiana, Salem limestone : Beede, 178.
 Pecten from Nome gravels : Dall, 628.
 Pectens, Tertiary and Pleistocene, of California : Arnold, 57.
 Unionidæ from the Laramie clays of Montana : Whitfield, 2562.
 Venus shells in New York City : Wilson, 2609.

Pennsylvania.*General.*

- Geology as related to agriculture : Stout, 2323.
 Topographic and geologic survey commission report : 1902.

Economic.

- Amity quadrangle : Clapp, 475, 477.
 Beaver quadrangle : Woolsey, 2634.
 Berks and Lebanon counties, magnetite deposits : Spencer, 2262.
 Burgettstown and Claysville quadrangles, oil and gas : Griswold and Munn, 1048.
 Cambria County, clays : Phalen and Martin, 1923.
 Clarion quadrangle, clays : Lines, 1605.
 coal : Lines, 1606.
 Clays and shales of central Pennsylvania : Ashley, 72.
 Clearfield coal field : Ashley, 71.
 Coal : Boileau, 253 ; Seddon, 2156 ; Tower, 2388.
 anthracite : Althouse, 32 ; Griffin, 1041 ; Joyce, 1327.
 Buck Mountain : Althouse, 31.
 Coal fields, bituminous, map of : Halberstadt, 1063.
 Coal mining in Hazleton district : Parsons, 1878.
 Graphite : Law, 1523.
 Greene County, oil and gas : Stone and Clapp, 2314.
 Johnstown, coal : Phalen, 1922.
 Kittanning and Rural Valley quadrangles : Butts, 368.
 Lehigh Gap, paint ore : Eckel, 769, 770.
 Mineral resources : Demming, 704–709 ; Stout, 2322.
 Mount Holly Springs, phosphorus ore : Stose, 2321.
 Nineveh and Gordon oil sands in Greene County : Clapp, 472.
 Petroleum : 2389.
 Punxsutawney and Glen Campbell coal fields of Indiana and Jefferson counties : Peck and Ashley, 1888.
 Rogersville quadrangle : Clapp, 476.
 Slate : Dale and Eckel, 625.
 South Mountain, clays : Stose, 2320.

Pennsylvania—Continued.*Dynamic and structural.*

Faulting in central Pennsylvania : Ashley, 70.

Physiographic.

General: Tower, 2387.

Stratigraphic.

Altoona section, Devonian : Butts, 367.
Amity quadrangle : Clapp, 475, 477.
Beaver quadrangle : Woolsey, 2634.
Burgettstown and Claysville quadrangles : Griswold and Munn, 1048.
Carboniferous : Stevenson, 2294, 2295.
Devonian section, near Altoona : Butts, 367.
Kittanning and Rural Valley quadrangles : Butts, 368.
Mauch Chunk shale : Barrell, 150.
Pottsville formation : Grabau, 995.
Rogersville quadrangle : Clapp, 476.
South Mountain : Stose, 2318.

Paleontology.

Devonian faunas near Altoona : Kinde, 1397.
Reptilian remains in the Pennsylvanian near Pittsburgh : Raymond, 1990.

Petrology.

Peridotite dike in coal measures : Kemp, 1368 ; Kemp and Ross, 1373.

Mineralogy.

Euxenite from Delaware : Law, 1524.
Mineral localities around Philadelphia : Benge and Wherry, 203.
Pyrite from Cornwall : Travis, 2390.
Scapolite : Wherry, 2535.

Pennsylvanian. *See* Carboniferous.

Pentremites. *See* Echinodermata.

Permian. *See* Carboniferous.

Petroleum.

General : Redwood, 2005.

Bibliography of : Redwood, 2005.

Formation of : Plotts, 1938.

Alberta : Daly, 635 ; Denis, 710.

Moose Mountain district : Cairnes, 381.

Alaska, Controller Bay : Martin, 1684.

Yakutat Bay : Tarr, 1201.

British Columbia : Denis, 710.

California, Colorado Desert : Bowers, 273.

Los Angeles field : Arnold, 59 ; 386 ; Eldridge and Arnold, 779.

Santa Clara Valley, Puente Hills, and Los Angeles districts : Eldridge and Arnold, 779.

Santa Maria district : Arnold and Anderson, 66, 67.

Canada (general) : Ellis, 785.

Colorado : Lakes, 1478.

Yampa field : Fenneman and Gale, 863.

Illinois : Bain, 102, 109.

southeastern : Blatchley, 245.

Petroleum—Continued.

Indiana : Blatchley, 249.

Princeton field : Blatchley, 243.

Kansas, Independence quadrangle : Schrader and Haworth, 2144.

Louisiana : Fenneman, 859.

Mexico : Bustamante, 366 ; Guerra, 1051.

Vera Cruz : Ordóñez, 1833.

Michigan : Lane, 1516.

Ohio, Steubenville quadrangle : Griswold and Munn, 1048.

Oklahoma : Gould, 988.

Ontario : Corkill, 578 ; Coste, 581.

Kent County : Coste, 582, 583 ; Knight, 1411.

Tilbury and Romney fields : Coste, 582, 583.

Pennsylvania : Tower, 2.

Amity quadrangle : Clapp, 475, 477.

Beaver quadrangle : Woolsey, 2634.

Burgettstown and Claysville quadrangles : Griswold and Munn, 1048.

Greene County : Clapp, 472 ; Stone and Clapp, 2314.

Kittanning and Rural Valley quadrangles : Butts, 368.

Rogersville quadrangle : Clapp, 476.

Texas : Fenneman, 859 ; Vicaire, 2446.

Saratoga : Dumble, 751.

United States (general) : Richardson, 2033 ; 2418, 2419 ; Vicaire, 2446.

West Virginia, Panhandle counties : Grimsley, 1046.

Steubenville quadrangle : Griswold and Munn, 1048.

Wyoming, Bighorn Mountain region : Darton, 649.

Uinta County : Veatch, 2437.

Petrology (general). *See also* Igneous and vol-

canic rocks, *and* Technique.

For regional see under the various States. For Rocks described see list p. 315.

Analysis of silicate and carbonate rocks : Hillebrand, 1160.

Auvergnose rocks, size of grain of : Lane, 1500.

Brucite, determination of : Julien, 1335, 1339.

Compressibility and plastic deformation of certain rocks : Adams and Coker, 10, 12.

Contact phenomena : Calderón, 383.

Differentiation of a secondary magma through gravitative adjustment : Daly, 631.

Leucite in igneous rocks : Washington, 2482.

Magmatic differentiation, influence of varying degrees of superfusion in : Lane, 1501.

Occlusions of igneous rock : Julien, 1334.

Petrology (general)—Continued.

- Ophitic texture: Lane, 1514.
- Quartzite, classification and origin: Cayeux, 448.
- Petrographic nomenclature: Hobbs, 1177.
- Petrography, relations to other sciences: Zirkel, 2665.
- Riebeckite rocks, origin: Murgoci, 1778.
- Rock minerals, determination of: Idings, 1266.
- Rocks for rock-building: Lord, 1616.
- treatise on: Merrill, 1732.
- Schistosity by crystallization: Wright, 2648.
- Serpentine, alteration of: Knopf, 1416.
- Silica, determination of: Knight, 1413.
- Texture of igneous rocks: Cross *et al.*, 608.
- Tridymite, production of, in volcanic rocks: Lacroix, 1453.

Philosophy. See History.**Phosphate.**

- Arkansas, northern: Purdue, 1968, 1970.
- Florida: Jumeau, 1344.
- Idaho: Jones, 1317; Weeks and Ferrier, 2507.
- Mexico, Zacatecas: Burckhardt, 361.
- South Carolina: Sloan, 2218.
- Tennessee: Johnson, 1309; Ruhm, 2100.
- United States: 2418, 2419.
- Utah: Jones, 1317; Weeks and Ferrier, 2507.
- Wyoming: Jones, 1317; Weeks and Ferrier, 2507.

Phosphorus.

- Pennsylvania, Mount Holly Springs: Stose, 2321.
- United States: 2419.

Physiographic (general). For regional see under the various States. See also Drainage changes.

- Aggradation and degradation of valleys: Moody, 1767.
- Alluvial cone topography: Purdue, 1965.
- Alluvial slopes: Siebenthal, 2206.
- Appalachians: Machacek, 1665.
- southern: Keith, 1355.
- Bolson plains, origin: Udden, 2409.
- Coastal plains: Davis, 673.
- Cordillera, North American, nomenclature of: Daly, 634.
- Delta, of Mississippi: Hilgard, 1146; McBeth, 1638.
- of Rio Colorado: Macdougall, 1661.
- Experimental physiography: Hubbard, 1252.
- Floodplains without floods: Fenneman, 858.
- Geographical cycle in an arid climate: Davis, 665.

Physiographic (general)—Continued.

- Gorges of Finger Lake region: Tarr, 2348.
- Hanging valleys: Davis, 678.
- Meandering of Buffalo River: Griggs, 1043.
- Mountains, study of: Davis, 676.
- Physical factor in general geography: Davis, 672.
- Physiographic descriptions, technique of: Davis, 675.
- Physiographic problems of to-day: Russell, 2102.
- Physiography, relations to other sciences: Penck, 1889.
- Potomac River, geographic history of: Willis, 2592.
- Rivers, types of: Dappert, 641.
- Rocky Mountain region: Evans, 828.
- Scarps: Davis, 681.
- Scaurs on the River Rouge: Jefferson, 1286.
- Sculpture of mountains by glaciers: Davis, 668.
- Seismotectonic lines: Hobbs, 1191.
- Sink-hole lakes: Sellards, 2165.
- Terraces of the West River: Fisher, 875.
- Text-books: Fairbanks, 832; Salisbury, 2117.
- Valleys, incised meandering: Davis, 669.
- Wolds and vales of belted coastal plains: Davis, 679.

Pisces.

- Amazon brevипinne Cope: Lambe, 1491.
- Arthrodira: Hussakof, 1258.
- Arthroires, Dipnoan affinities of: Dean, 698; Eastman, 756.
- California: Jordan, 1324.
- Cestracant teeth from the Jurassic: Wemple, 2526.
- Devonian fishes, Canada: Whiteaves, 2559.
- New York: Eastman, 760.
- Marine Triassic from Aspen Ridge, Idaho: Goddard, 972.
- Mylostoma: Eastman, 757.
- Mylostomid dentition: Eastman, 758.
- Phlyctenacanthus telleri: Teller, 2366.
- Portheus molossus from the Kansas chalk: Sternberg, 2284.
- Ptyctodus from Kinderhook of Missouri: Weller, 2519.
- Salem limestone of Indiana: Branson, 290.
- Shark related to Edestus: Hay, 1105.
- Silurian fish: Matthew, 1696.
- Stickleback fish from Nevada: Hay, 1104.
- Surgeon-fish from the West Indies: Hussakof, 1259.

Placers: Hutchins, 1261, 1262.**Plants. See Paleobotany.****Platinum.**

- California: Aubury, 87.

Platinum—Continued.

Oregon: Day, 694; Stafford, 2276.

United States: Day, 694; 2418, 2419.

Pleistocene. *See* Quaternary.Pliocene. *See* Tertiary.Portland cement. *See* Cement.**Pre-Cambrian.***Stratigraphy.**General.*Archean period of North America:
Heneage, 1130.

Pre-Cambrian nomenclature: Coleman, 540.

Alaska: Brooks, 313.

Colorado, Georgetown quadrangle:
Ball, 118.Ouray quadrangle: Cross *et al.*, 607.Routt County: Fenneman and Gale,
863.Connecticut: Gregory and Robinson,
1038.

Franklin: Low, 1623.

Iowa: Calvin, 387.

Maryland: Clark and Mathews, 488.

Mexico: Cañon de Tomellin: Ordóñez,
1825, 1829.Michigan, Black River section: Gordon,
984; Gordon and Lane, 985.

Keweenaw Point: Lane, 1507, 1509.

Pre-Ordovician: Lane and Seaman,
1518.Minnesota, Cuyuna iron range: Leith,
1557.Keweenaw at Lake of the Woods:
Winchell, 2619.

Vermilion Range: Abbott, 1.

Missouri: Shepard, 2194.

Montana, Algonkian formations: Walcott, 2470.

Coeur d'Alene section: MacDonald,
1658.

Maryville district: Barrell, 149.

Phillipsburg quadrangle: Emmons,
806.

New Brunswick: Ells, 784.

New Mexico, Hamilton mine: Lindgren, 1590.

New York: Adams *et al.*, 13.

Highlands: Berkey, 207.

Long Lake quadrangle: Cushing,
614.

North Carolina: Graton, 1025.

Nantahala quadrangle: Keith, 1352.

Pisgah quadrangle: Keith, 1353.

Roan Mountain quadrangle: Keith,
1354.Ontario: Adams *et al.*, 13.

Animikie iron range: Silver, 2212.

Antik-Okan region: Hille, 1157.

Grenville-Hastings unconformity:
Miller and Knight, 1759.Huronian deposits north of Lake
Superior: Bell, 189.

Huronian ice age: Coleman, 544.

Lake Nipigon to Lac Seul: Collins,
561.**Pre-Cambrian—Continued.***Stratigraphy—Continued.*

Ontario, Lake Nipigon region: Coleman, 548; Moore, 1771.

Lake Temiskaming region: Miller,
1754.

Larder Lake district: Brock, 308.

Michipicoten iron ranges: Coleman,
542.

Pembroke sheet: Ells, 788.

Quebec: Barlow, 145; Dresser, 742.

Pembroke sheet: Ells, 788.

St. Francis Valley: Dresser, 739.

Rhode Island: Emerson and Perry,
790.South Carolina: Graton, 1025; Sloan,
2218.

Pisgah quadrangle: Keith, 1353.

Utah, Uinta Range: Weeks, 2506.

Vermont: Richardson, 2037.

Wisconsin, north central: Weldman,
2512.

Waterloo quartzite: Warner, 2477.

Wyoming, Bighorn basin: Fisher, 873.

Bighorn Mountains: Darton, 647.

Owl Creek Mountains: Darton, 642.

Precious stones. *See also* Diamonds.

California: Kunz, 1437.

Idaho: Bell, 198.

United States: 2418, 2419.

Problematica.

Archæozoon: Matthew, 1698.

Cryptozoan frequens: Walcott, 2470.

Porocystis Cragin: Jarvis, 1285.

Protozoa.

Maryland Pleistocene: Clark, 482.

Pumice.

United States: 2419.

Pyrite.*General.*

Origin: Willmott, 2603.

Alabama: Smith, 2227.

California: Aubury, 87.

Massachusetts: Rutledge, 2108.

Ontario: Fraeuck, 893.

United States: Nason, 1784; 2418,
2419.

Virginia: Watson, 2493.

Pyrrhotite.

Virginia: Watson, 2493.

Quartz.

Maine: Bastin, 162.

New York, southeastern: Bastin, 163.

United States: 2418, 2419.

Quartzite.

Classification and origin: Cayeux, 448.

Quaternary.*Stratigraphy.**General.*Drumlins, distribution and origin:
Taylor, 2364.Glacial epoch, causes: Hilgard,
1147.

Glacial epochs: David, 657.

Quaternary—Continued.

Stratigraphy—Continued.

General—Continued.

- Glacial hypothesis in America: Merrill, 1734.
- Glacial period, cause: Chamberlin, 455; Schaeberle, 2131.
- in nonglaciaded regions: Huntington, 1257.
- Great Lakes, history of: Taylor, 2363.
- Ice age: Geinitz, 937.
- Interglacial periods: Coleman, 548.
- Loess and associated interglacial deposits: Shimek, 2200.
- Mississippi Valley: Tight, 2374; Upham, 2415.
- Alaska: Brooks, 313; Tarr and Martin, 2358.
- Turnagain Arm region: Moffit, 1762.
- Alberta: Chalmers, 449, 450.
- Arizona: Merrill, 1721.
- Arkansas: Veatch, 2436.
- British Columbia: Chalmers, 450.
- California: Arnold, 57; Comstock, 563; Furlong, 920.
- eastern: Ball, 120.
- Redding quadrangle: Diller, 721.
- Santa Clara Valley: Eldridge and Arnold, 779.
- Santa Maria district: Arnold and Anderson, 66, 67.
- Canada, interglacial periods: Coleman, 548.
- Colorado, Arkansas Valley: Darton, 648.
- Clear Creek region: Underhill, 2414.
- Nepesta quadrangle: Fisher, 869.
- Ouray quadrangle: Cross *et al.*, 607.
- Sangre de Cristo Range: Siebenthal, 2210.
- San Juan Mountains: Howe, 1243; Howe and Cross, 1247.
- Connecticut: Gregory, 1035; Gulliver, 1056.
- Brewsters Neck: Gulliver, 1055.
- Delaware, Dover quadrangle: Miller, 1749.
- Illinois: Fowke, 891; Weller, 2517.
- Indiana: Blatchley, 246; Leverett, 1572.
- Monroe County: Reagan, 1998.
- Tippecanoe County: McBeth, 1637.
- Iowa: Calvin, 387; Orr, 1.
- Blackhawk County: Arey, 53.
- Bremer County: Norton, 1805.
- Clayton County: Leonard, 1559.
- Fayette County: Finch, 866.
- Franklin County: Williams, 2588.
- Jackson County: Savage, 2128.
- Sac and Ida Counties: Macbride, 1639.
- Winneshiek County: Calvin, 388.
- Kentucky: Glenn, 971.
- Louisiana: Veatch, 2436, 2438.
- Maine: Clapp, 473, 478.
- Manitoba: Chalmers, 449.

Quaternary—Continued.

Stratigraphy—Continued.

- Maryland: Clark and Mathews, 488; Shattuck, 2184.
- Calvert County: Shattuck, 2188.
- Dover quadrangle: Miller, 1749.
- St. Mary's County: Shattuck, 2191.
- St. Mary's quadrangle: Shattuck, 2185.
- Massachusetts: Clapp, 473; Fuller, 913.
- Cape Cod: Allorge, 29; Fuller, 912; Wilson, 2608, 2610, 2612.
- Nantucket: Wilson, 2608, 2610, 2612.
- Sankaty Head: Wilson, 2611.
- Third Cliff: Bowman, 275.
- Mexico: Merrill, 1721.
- Durango: Angermann, 51.
- Michigan: Cooper, 576; Russell, 2101.
- Bay County: Cooper, 575.
- Drumlin areas: Leverett, 1568; Russell, 2101, 2106.
- Grand Traverse region: Leverett, 1568.
- Lake Whittlesey and Arkona beaches: Taylor, 2362.
- Marquette region: Davis, 662.
- Menominee, Dickinson, and Iron counties: Russell, 2104.
- Raised beaches of Lake Michigan: Goldthwait, 974.
- Mississippi: Brown, 326; Crider, 597; Crider and Johnson, 599.
- Missouri: Fowke, 891.
- Joplin district: Smith and Siebenthal, 2251.
- Montana, Bighorn Mountains: Darton, 647; Salisbury, 2116.
- Keewatin ice sheet, Montana lobe: Calhoun, 384.
- Nebraska: Condra, 566.
- Cass County: Woodruff, 2628.
- Republican River Valley: Condra, 570.
- Nevada, southwestern: Ball, 120.
- New Hampshire: Clapp, 473.
- New York: Carney, 430; Jones, 1318.
- Abandoned shore-lines: Woodworth, 2632.
- Catskill Mountains: Rich, 2035.
- Clove Valley Pleistocene lake basin: Gratacap, 1022.
- Drumlin structure and origin: Fairchild, 837, 839.
- Finger Lake region: Carney, 429.
- Genesee Falls: Grabau, 999.
- Gilbert Gulf: Fairchild, 840.
- Iroquois extinction: Fairchild, 842.
- Keuka Valley: Carney, 431.
- Lake Erie basin: Fairchild, 836.
- Long Lake quadrangle: Cushing, 614.
- Manhattan Island: Julien, 1336-1338.
- New York City: Wilson, 2609.
- Outwash drift: Carney, 432.

Quaternary—Continued.

Stratigraphy—Continued.

- North Carolina, terraces: Johnson, 1299.
- North Dakota: Leonard, 1563.
- Northwest Territories: Chalmers, 449.
- Ohio: McClure, 1646.
- Columbus esker: Morse, 1772.
- Hanover glacial dam: Carney, 433.
- Licking County: Carney, 428.
- Spring Valley gorge: Scheffel, 2138.
- Ontario, Mattagami Valley: Kerr, 1375.
- Michipicoten area: Coleman, 542.
- Sudbury nickel field: Coleman, 539.
- Pennsylvania: Tower, 2387.
- Kittanning and Rural Valley quadrangles: Butts, 368.
- Rogersville quadrangle: Clapp, 476.
- Quebec, Orford and Sutton mountains: Wilson, 2605.
- Rhode Island: Fuller, 913.
- South Carolina: Pugh, 1963; Sloan, 2218.
- South Dakota: Todd, 1218.
- Tennessee: Glenn, 971.
- Texas, Panhandle: Gould, 986.
- Utah, Uinta Mountains, glaciation: Atwood, 81.
- Vermont: Hitchcock, 1164; Richardson, 2037; Stevenson, 2293, 2296.
- Burlington region: Hitchcock, 1165.
- Virginia: Clark and Miller, 489.
- St. Mary's quadrangle: Shattuck, 2185.
- Washington, Olympic Peninsula: Arnold, 56.
- Snoqualmie quadrangle: Smith and Calkins, 2240.
- Wisconsin: Berkey, 208.
- eastern, abandoned shore-lines: Goldthwait, 975.
- Milwaukee quadrangle: Alden, 23.
- north central: Weidman, 2512.
- Wyoming, Bald Mountain and Dayton quadrangles: Darton, 645; Salisbury, 2114.
- Bighorn basin: Fisher, 873.
- Bighorn Mountains: Darton, 647; Salisbury, 2116.
- Cloud Peak and Fort McKinney quadrangles: Darton, 646; Salisbury, 2115.

Paleontology.

- Alabama, plants: Berry, 223.
- California, Mammalia: Furlong, 920, 921; Merriam, 1712, 1715.
- pectens: Arnold, 57.
- Canada, plants: Penhallow, 1897.
- Cave deposit in California: Furlong, 921.
- Felidae from California: Bovard, 272.
- Iowa, plants: Macbride, 1640.
- Land and fresh-water Mollusca from Defiance, Ohio: Sterki, 2282.

Quaternary—Continued.

Paleontology—Continued.

- Lower California: Böse, 267.
- Mammalia: Furlong, 920, 921; Merriam, 1712, 1715.
- Maryland, fauna: Clark, 481.
- flora: Hollick, 1209.
- North Carolina, flora: Berry, 222.
- Ohio, land and fresh-water Mollusca: Sterki, 2282.
- Ovibos tooth from Midway, B. C.: Lambe, 1493.
- Pectens: Arnold, 57.
- Stickleback fish from Nevada: Hay, 1104.
- Tilia from New Jersey: Berry, 220.
- Virginia, plants: Berry, 217.
- Washington, northwestern: Reagan, 2002.

Quebec:

General.

- Labelle and Wright counties: Haycock, 1107.
- Lake Abitibi region: Wilson, 2615.
- Saguenay: Dumais, 750.
- St. Bruno Mountain: Dresser, 738.

Economic.

- Asbestos: Stokes, 2305.
- Chibogomo district: Hardman, 1075; Low, 1624; Obalski, 1808, 1809.
- Chrome: Edwards, 776.
- Copper: Dresser, 741.
- Graphite: Brumell, 338; Cirkel, 469.
- Mineral discoveries in northern Quebec: Obalski, 1812.
- Mining operations in 1905: Obalski, 1811.
- Nickeliferous pyrrhotite at Malachite Point: Muscovici, 1781.
- Ottawa Valley, iron ores: Cirkel, 468.
- Rare earths: Nagant, 1782; Obalski, 1810, 1813.

Dynamic and structural.

- Earthquakes in Quebec: Laflamme, 1457.

- Sand-filled vein: Clarke, 498.

Physiographic.

- Monteregian Hills: Dresser, 740.
- Orford and Sutton Mountains: Wilson, 2605.
- Saguenay: Dumais, 750.

Stratigraphic.

- Chazy formation: Raymond, 1987.
- Mount Yamaska: Young, 2660.
- Northwestern: Barlow, 145.
- Orford and Sutton Mountains, glaciation: Wilson, 2605.
- Pembroke sheet: Ellis, 788.
- St. Francis Valley, metamorphic rocks: Dresser, 739.

Paleontology.

- Chazy fauna: Raymond, 1987.
- Devonic fossils: Clarke, 497.
- Pembroke sheet, lists of fossils: Ami, 41.

Quebec—Continued.*Petrology.*

- Brome Mountain: Dresser, 743.
 Chibougamau region: Low, 1624.
 Igneous rocks of eastern townships:
 Dresser, 742.
 Mount Yamaska: Young, 2660.
 St. Francis Valley, metamorphic rocks:
 Dresser, 739.

Mineralogy.

- Hornblende and titanite in essexite:
 Tertsch, 2367.

Quicksilver.

- California: Aubury, 86.
 Mexico: Merrill, 1720.
 Guerrero: Villarello, 1253.
 Oregon: Stafford, 2276.
 Texas, Chisos country: Udden, 2409.
 Terlingua district: Dennis, 711;
 Phillips, 1925, 1926; Turner,
 2398.
 United States: 2418, 2419.

Rare earths.

- General.* Schaaf-Regelmann, 2132;
 Walsh, 2475.
 Quebec: Nagant, 1782; Obalski, 1810,
 1813.

Reptilia.

- Anosteira: Hay, 1100.
 Aquatic life, modifications of limb
 skeleton for: Osburn, 1849.
 Baena: Lambe, 1487.
 Baptonodon: Gilmore, 959, 963.
 Basilemys sinuosus from Montana
 Laramie beds: Riggs, 2066.
 Bolosaurus striatus: Case, 442.
 Boremys, Chelonian from Cretaceous of
 Alberta: Lambe, 1488.
 Brachauchenius: Williston, 2601.
 Brontosaurus, skeleton: Osborn, 1839.
 Camptosaurus: Gilmore, 962.
 Ceratops. *See* Proceratops.
 Ceratopsia: Lull, 1631; Hatcher, 1092;
 Hatcher *et al.*, 1093.
 Champsosaurus, osteology of: Brown,
 322.
 Chisternon: Hay, 1100.
 Crocodiles, Amphicelican: Williston,
 2599.
 Crocodilian genus from the Judith
 River formation of Alberta:
 Lambe, 1492.
 Diadectes, restoration: Case, 440.
 Dinosaurs from Triassic: Huene, 1256.
 Diplodocus, osteology of: Holland,
 1203.
 Echmatemys: Hay, 1099.
 Edaphnosaurus pogonias, skull of:
 Case, 437.
 Gastroliths: Brown, 324; Cannon,
 420; Wieland, 2575, 2576.
 Holosaurus abruptus: Capps, 422.
 Marine reptile from Triassic of Nevada:
 Merriam, 1714.
 Morosaurus, skull of: Osborn, 1839.
 Morosaurus agilis: Gilmore, 962.

Reptilia—Continued.

- Naosaurus from the Permian of Texas:
 Osborn, 1845.
 Paleorhinus: Lees, 1551.
 Pelycosauria: Case, 436, 441.
 Phytosauria: McGregor, 1664.
 Plesiosaurs: Williston, 2600, 2601.
 Pleistocene Reptilia of Maryland: Hay,
 1102.
 Proceratops, n. n. for Ceratops: Lull,
 1629.
 Protostega, osteology of: Wieland,
 2572.
 Protosteginae, plastron of: Wieland,
 2573.
 Reptilian remains in the Pennsylvanian
 near Pittsburg: Raymond, 1990.
 Testudo: Lambe, 1487.
 Triceratops, osteology of: Brown, 323.
 Turtles: Hay, 1099–1101, 1103, 1106;
 Lambe, 1487; Wieland, 2572,
 2573.
 of Bridger basin: Hay, 1106.
 Tyrannosaurus: Osborn, 1841.
 Wasatch beds: Loomis, 1615.
 Xenochelys: Hay, 1099.

Rhode Island.*Economic.*

- Anthracite coal: Griffith, 1041.

Stratigraphic.

- Glacial stages: Fuller, 913.
 Green schists and associated granites
 and porphyries: Emerson and
 Perry, 790.

Paleontology.

- Cretaceous flora: Hollick, 1203.

Petrology.

- Schists, granites, and porphyries:
 Emerson and Perry, 790.

Mineralogy.

- Quartz after prochlorite at Cranston:
 Emerson, 739.

Road materials.

- Indiana: Blatchley *et al.*, 250.
 New Jersey: Lewis, 1582.

Rock slides. *See* Landslides.**Rocks described. *See* list p. 315.****Rocks, structural features.**

- Cleavage, theories of: Barrell, 149;
 Becker, 173; Willis, 2596.
 Compressibility of rocks: Adams and
 Coker, 10, 11.
 Flow of rocks: Adams, 6.
 Fractured boulders in conglomerate:
 Campbell, 394.
 Granitization of Huronian schists:
 Bell, 189.
 Gravitational assemblage in granite:
 Gilbert, 953.
 Joint system of southwestern Wisconsin:
 Harder, 1073.
 Ophitic texture: Lane, 1514.
 Schistosity by crystallization: Wright,
 2648.
 Strain in rocks: Stead, 2279.

Rocks, structural features—Continued.

- Stretched pebbles from Ocoee conglomerate of Georgia: McCallie, 1641.
- Rutile.**
Virginia: Catlett, 445; Watson, 2492. 2493.
- St. Christopher.**
Mineralogy.
Anorthite: Fels, 857.
- St. Lucia.**
Soufrière: Hovey, 1221.
- St. Vincent.**
Eruptions: Deckert, 699; Geinitz, 936; Lacroix, 1448.
Soufrière, eruption of: Anderson, 48.
- Salt.**
California: Bailey, 95.
Ohio: Bownocker, 278.
United States: 2418, 2419.
Virginia: Watson, 2493.
- Sand.** *See also* Glass sand, Silica.
United States: 2418, 2419.
Virginia: 2493.
- Sand-lime brick.**
Ohio: Peppel, 1903.
United States: 2419.
West Virginia: Grimsley, 1044.
- Sandstone.** *See also* Building stone.
Iowa: Beyer and Williams, 234.
United States: 2418, 2419.
- Santo Domingo.**
Amber: Sample, 2118.
Gold mining: Garrison, 930.
San Christobal district, copper: Garrison, 932.
- Sapphires.**
Idaho: Bell, 198.
- Saskatchewan.**
Economic.
Coal fields: Dowling, 737.
- Sedimentation.** *See also* Erosion.
Alluvial changes in southwestern Iowa: Todd, 2379.
Bermuda Islands: Verrill, 2445.
Cave-sandstone deposits: Purdue, 1967.
Coal, rate of deposition: Ashley, 75.
Conglomerate, types of: Mansfield, 1675.
Cross-bedding: Grabau, 998.
Delta of the Mississippi: Hilgard, 1146; McBeth, 1638.
Deposition of coal, rate of: Ashley, 75.
Detrital slopes on mountains of the Southwest: Blake, 242.
Experiments: Jaggard, 1283.
Mauch Chunk shale: Barrell, 150.
Red clay, composition of: Clarke, 491.
River deposits and climate: Barrell, 151.
River sediment: McGee, 1663.
Roxbury conglomerate: Mansfield, 1674.

Sedimentation—Continued.

- Sedimentary overlap, types of: Grabau, 993.
Schoharie Valley, New York: Grabau, 991.
- Sedimentation, continental, littoral, and marine, relative geological importance of: Barrell, 148.
- Sedimentation and drainage: Dappert, 641.
Soda spring: Eddy, 771.
Travertine deposit in Indiana: Wilson, 2607.
- Selenium.**
United States: 2419.
- Shore-lines.** *See also* Beaches, Terraces.
Labrador: Fuller, 914.
Lake Erie basin: Fairchild, 836.
Wisconsin, eastern: Goldthwait, 975.
- Silica.**
Illinois: Bain, 111.
Virginia: Watson, 2493.
- Silurian.** *For* Lower Silurian *see* Ordovician.
Stratigraphy.
Alaska, southeastern: Kindle, 1400.
upper Yukon: Brooks and Kindle, 321.
Arkansas, northern: Purdue, 1970.
California, eastern: Ball, 120.
Franklin: Low, 1623.
Illinois: Weller, 2517, 2524.
Calhoun County: Weller, 2523.
Indiana: Greene, 1030.
Indian Territory, Muscogee quadrangle: Taff, 2332.
Iowa: Beyer and Williams, 234; Calvin, 387.
Bremer County: Norton, 1805.
Clayton County: Leonard, 1559.
Jackson County: Savage, 2128.
Lancaster quadrangle: Grant and Burchard, 1021.
Winneswick County: Calvin, 388.
Kentucky, east-central: Foerste, 884.
Maine, Penobscot Bay quadrangle: Smith *et al.*, 2241.
Maryland: Clark and Mathews, 488.
Montana, Phillipsburg quadrangle: Emmons, 806.
Nevada, southwestern: Ball, 120.
New Brunswick: Ells, 784.
New Mexico: Gordon and Graton, 983.
New York: Brown, 333.
Buffalo quadrangle: Luther, 1633.
Indian Ladder section: Prosser, 1961.
Oneida conglomerate: Grabau, 992; Hartnagel, 1083.
Ontario section: Hartnagel, 1082.
Rochester and Ontario Beach quadrangles: Hartnagel, 1085.
Schoharie Valley: Grabau, 991.
Shawangunk conglomerate: Grabau, 992.
Shawangunk Mountains: Clarke, 499.

Silurian—Continued.

Stratigraphy—Continued.

- New York, Skunnemunk Mountain region: Hartnagel, 1084.
- West Virginia: Grimsley, 1044.
- Wisconsin, Milwaukee quadrangle: Alden, 23.

Palaeontology.

- Alaska, southeastern: Kindle, 1400.
- Bryozoa, James' types: Bassler, 156.
- Rochester shale: Bassler, 157.
- Canada: Whiteaves, 2553.
- Crinoidea from Chicago area: Slocum, 2221.
- Eurypterid fauna of Shawangunk grit of New York: Clarke, 499, 501.
- Fish from New Brunswick: Matthew, 1696.
- Franklin: Ami, 39.
- Guelph: Whiteaves, 2556.
- New Brunswick, fish from: Matthew, 1696.
- plants from: Matthew, 1697.
- New York, Eurypterid fauna: Clarke, 499, 501.
- Niagara Bryozoa: Bassler, 157.
- Rochester shale: Bassler, 157.
- Schoharie Valley: Grabau, 991.
- Nova Scotia, plants from: Matthew, 1697.
- Ontario: Grant, 1013-1016.
- Stromatoporoids of Guelph of Ontario: Parks, 1872.
- Trilobites from Chicago area: Weller, 2521.

Silver.

- Alaska: Brooks, 311.
- southeastern: Wright, 2641.
- Arizona, Mowry: Brinsmade, 298.
- British Columbia, New Westminster and Texada Islands: LeRoy, 1565.
- Rosland district: Brock, 306, 307.
- St. Eugene mine: Stokes, 2306.
- Telkwa district: Leach, 1533.
- Windy Arm region: McConnell, 1649, 1652.
- California, eastern: Ball, 118, 120.
- Inyo Range: Reid, 2023.
- Canada (general): Ingall, 1267.
- Colorado: Rickard, 2055.
- Bear Creek: Emmons, 804.
- Idaho Springs district: Spurr and Garrey, 2275.
- Lake Fork district: Woolsey, 2635.
- Ouray quadrangle: Cross *et al.*, 1607.
- Idaho: MacDonald, 1658.
- Dollarhide mine: Lakes, 1466.
- Priest Lake district: Courtis, 585.
- Red Cloud mine: Turner, 2401.
- St. Joe River basin: Collier, 553.
- South Mountain: Bell, 197.
- Mexico, Aguascalientes, Santa Francisca mine: Cook, 574.
- Bolanos mines: Behr, 187.

Silver—Continued.

- Mexico, Chihuahua: Farish, 846.
- Durango: Villarello, 2449.
- El Doctor mines: Murphy, 1777.
- Fresnillo, Proano mine: Church, 466.
- Guanajuato: Church, 467.
- Michoacan: Villarello, 2448.
- Oaxaca, Taviche district: Place and Elton, 1936.
- Parral district: Garrison, 931.
- Planchar de Plata: Merrill, 1725.
- Zacatecas: Flores, 882.
- Zacualpan: Villarello, 2450.
- Montana, Phillipsburg quadrangle: Emmons, 806.
- Nevada, Esmeralda County, Klondike district: Spurr, 2270.
- Eureka: Ingalls, 1274.
- Fairview district: Rice, 2029; Zalin-ski, 2662.
- Magdalena district: Haddon, 545.
- Pioche: Abbott, 3; Pack, 1854.
- Silver Peak quadrangle: Spurr, 2271.
- southwestern: Ball, 119, 120.
- Ward: Plate, 1937.
- Wonder district: Zalinski, 2663.
- New Mexico: Haddon, 1061; Lindgren and Graton, 1603.
- Lordsburg region: Jones, 1321.
- Rio Grande Valley: Gordon, 981.
- Ontario: Corkill, 578.
- Cobalt district: Bell, 191, 192, 194; 418; Courtis, 584; Frank, 894; Hardinge, 1074; Hardman, 1076; Hixon, 1173; Hotchkiss, 1218; Hutchinson, 1264; Loring, 1617; Miller, 1758; Parks, 1873; Rickard, 2053; Stokes, 2303; Tyrrell, 2405; Van Hise, 2422.
- Montreal River district: Meeks, 1708.
- Temagami Reserve: Mattair, 1691.
- Oregon: Stafford, 2276.
- Texas, Chisos country: Udden, 2409.
- United States (general): 2418, 2419.
- Utah, Park City: Gow *et al.*, 989, 990.
- Plute County, Annie Laurie mine: Lindgren, 1595.
- Virginia: Watson, 2493.
- Yukon, southern: Cairnes, 382.
- Whitehorse region: Cairnes, 380.

Sink holes.

- Florida: Sellards, 2165.
- Origin: Purdue, 1969; Sellards, 2173.

Slate.

- Arizona: Dale and Eckel, 625.
- Arkansas: Dale and Eckel, 625.
- California: Dale and Eckel, 625.
- Maine: Dale, 305; Dale and Eckel, 625.
- Minnesota: Dale and Eckel, 625.
- New Jersey: Dale and Eckel, 625;
- New York: Dale and Eckel, 625; Hillebrand, 1159.

Slate—Continued.

- Pennsylvania: Dale and Eckel, 625.
 Tennessee: Dale and Eckel, 625.
 United States (general): Dale, 620; 2418, 2419.
 Utah: Dale and Eckel, 625.
 Vermont: Dale and Eckel, 625; Hillebrand, 1159; Perkins, 1907.
 Virginia: Dale and Eckel, 625; Watson, 2493.
 West Virginia: Dale and Eckel, 625.

Soapstone.

- California: Aubury, 87.
 United States (general): 2418, 2419.
 Virginia: Watson, 2493.

Soils.

- General.* Hilgard, 1144.
 Bureau of soils, report: Whitney *et al.*, 2570, 2571.
 Maryland, Calvert County: Bonsteel and Burke, 255.
 St. Marys County: Bonsteel, 254.
 Soil survey field book: 2416.
 Soil surveys: Whitney *et al.*, 2570, 2571.
 Tennessee: Mooers, 1768.
 Treatise on rocks, rock weathering, and soils: Merrill, 1732.

South Carolina.*General.*

- Mineralogical and geological cabinets of South Carolina College: Martin, 1679.

Economic.

- Clays: Sloan, 2217.
 Gold: Graton, 1025.
 Mineral resources: Sloan, 2218.
 Monazite: Böhm, 252; Sterrett, 2289.
 Pisgah quadrangle: Keith, 1353.
 Tin: Graton, 1025; Hess, 1139.

Dynamic and structural.

- Charlestown earthquake: Fuller, 909; Hobbs, 1189; Kemp, 1359.

Physiographic.

- Tallulah district, drainage modifications: Johnson, 1303, 1307.

Stratigraphic.

- General.* Sloan, 2218.
 Pisgah quadrangle: Keith, 1353.
 Pleistocene: Pugh, 1963.

Paleontology.

- Cretaceous floras: Berry, 224.

South Dakota.*General.*

- State survey: Perisho, 1904.

Economic.

- Black Hills: Storms, 2317.
 tin: Carpenter, 434; Sadtler, 2112.
 Gold: Sadtler, 2112.
 Gold ores, cement, of Deadwood: Pratt, 1948.
 Tin: Carpenter, 434; Sadtler, 2112.

Physiographic.

- Drainage modifications in the Black Hills and Bighorn Mountains: Mansfield, 1673.

South Dakota—Continued.*Stratigraphic.*

- Missouri River loess: Todd, 2378.

Paleontology.

- Cycads from the Black Hills: Wieland, 2574.

- Jurassic fossils from the Black Hills: Whitfield and Hovey, 2563.

- Miocene fauna: Matthew, 1702.

Petrology.

- Igneous rocks of Black Hills: Smith, 2249.

Mineralogy.

- Cassiterite and other minerals: Headen, 1115.

Spongida.

- Cryptozoa of Champlain sea: Seely, 2163.

- Wingia: Seely, 2164.

Stone. *See* Building stone.**Stratigraphic** (general). *For regional see under the various States.**General.*

- Overlap, sedimentary: Grabau, 991.
 Stratigraphic geology: Prosser, 1960.
 Unconformities, significance of: Keyes, 1378.

Correlation.

- Algonkian of Montana: Walcott, 2470.
 Appalachian and eastern interior coal fields: Ashley, 76.

- Carboniferous, America: Keyes, 1376, 1381; Schuchert, 2147.

- Appalachian region: Stevenson, 2294, 2295.

- United States and New Mexico: Keyes, 1377.

- Columbus and Sandusky formations of Ohio: Swartz, 2329.

- Cretaceous, Atlantic Coastal Plain: Knapp, 1407.

- Devonian of Ohio and Indiana: Stauffer, 2278.

- Devonian of Ohio, New York, and Michigan: Stauffer, 2277.

- Pre-Cambrian: Adams *et al.*, 13; Miller and Knight, 1759.

- Rocky Mountains and Plateau belt: Cross, 604.

Nomenclature.

- Geologic nomenclature: Chamberlin, 461.

- Laramie, origin and definition of the term: Veatch, 2439.

- New York geological formations: Clarke, 492.

- Ontario, Michipicoten iron ranges: Coleman, 542.

- Permian in American geology: Keyes, 1381.

- Pre-Cambrian: Adams *et al.*, 13; Coleman, 540.

- Syclinorium and anticlinorium, use of terms: Rice, 2032.

- Terms Des Moines and Missourian misused: Bain, 103.

Stratigraphic (general)—Continued.*Tables of geologic formations.*

- Alabama : Smith, 2229.
 Alaska : Brooks, 313.
 southeastern : Kindle, 1400.
 Algonkian, Montana : Walcott, 2470.
 Appalachian basin, Carboniferous :
 Stevenson, 2295.
 Arkansas : Collier, 556; Veatch, 313.
 California, Santa Maria district : Ar-
 nold and Anderson, 67.
 southern : Eldridge and Arnold, 779.
 Summerland district : Arnold, 63.
 Tertiary and Pleistocene : Arnold,
 57.
 Cambrian, Virginia : Bassler, 158.
 Carboniferous, Appalachian basin :
 Stevenson, 2295.
 Pennsylvania : Butts, 368.
 United States and New Mexico :
 Keyes, 1376, 1377.
 Carboniferous and Permian of Ameri-
 ca, Russia, and India : Schuch-
 ert : 2147.
 Colorado : Darton, 648.
 Durango-Gallup field : Shaler, 2176.
 Grand River and White River re-
 gions : Gale, 924.
 Rocky Mountains correlated with
 Plateau belt : Cross, 604.
 Yampa field : Fenneman and Gale,
 863.
 Cretaceous, Atlantic coast formations :
 Clark, 483.
 New York and New England : Hol-
 lick, 1203.
 Delaware : Miller, 1749.
 Devonian, New York : Luther, 1633,
 1634; Williams, 2583.
 Great Basin : Ball, 120.
 Iowa, Black Hawk County : Arey, 53.
 Bremer County : Norton, 1805.
 Clayton County : Leonard, 1559.
 Franklin County : Williams, 2588.
 Jackson County : Savage, 2128.
 Lancaster quadrangle : Grant and
 Burchard; 1021.
 Sac and Ida counties : Macbride, 1639.
 Winneshiek County : Calvin, 388.
 Kansas, Independence quadrangle :
 Schrader and Haworth, 2144.
 Kentucky : Foerste, 883, 884.
 Louisiana : Fenneman, 859; Veatch,
 2436, 2438.
 Maryland : Clark and Mathews, 488.
 Calvert County : Shattuck, 2188.
 Dover quadrangle : Miller, 1749.
 Patuxent quadrangle : Shattuck *et*
 al., 2193.
 St. Mary's County : Shattuck, 2191.
 St. Mary's quadrangle : Shattuck,
 2185.
 Mesozoic, New Mexico : Keyes, 1379.
 Michigan, pre-Ordovician : Lane and
 Seaman, 1518.

Stratigraphic (general)—Continued.*Tables of geologic formations—Continued.*

- Mississippi : Brown, 326; Crider, 595;
 Crider and Johnson, 599; Lo-
 gan, 1608; Logan and Hand,
 1609.
 Mississippi Valley, Ordovician : Sarde-
 son, 2122.
 upper : Bain, 99.
 Missouri : Shepard, 2194.
 Ozark region : Haworth, 1098.
 Montana : Rowe, 2090.
 Algonkian : Walcott, 2470.
 Bighorn Mountains : Darton, 647.
 New England, Cretaceous : Hollick,
 1203.
 New Jersey, Cretaceous : Weller, 2520.
 New Mexico : Keyes, 1378-1380.
 Carboniferous : Gordon, 982.
 Durango-Gallup field : Shaler, 2176.
 Tertiary : Keyes, 1388, 1390.
 New York, Buffalo quadrangle : Luther,
 1633.
 Cretaceous : Hollick, 1203.
 Devonian : Eastman, 760; Grabau,
 991; Luther, 1634.
 Ithaca section : Williams, 2584.
 Rochester and Ontario Beach quad-
 rangles : Hartnagel, 1085.
 Silurian : Grabau, 991.
 Skunne-munk Mountain region :
 Hartnagel, 1084.
 North Carolina, Nantahala quadrangle ;
 Keith, 1352.
 North Dakota : Leonard, 1563.
 Ohio, Devonian : Stauffer, 2277.
 Steubenville quadrangle : Griswold
 and Munn, 1048.
 Ontario, Michipicoten region : Cole-
 man, 542.
 pre-Cambrian : Miller and Knight,
 1759.
 Sudbury district, Coleman, 539.
 Ordovician, Cincinnati region : Bassler,
 156.
 upper Mississippi Valley : Sardeson,
 2122.
 Virginia : Bassler, 158.
 Oregon, Tertiary of John Day region :
 Merriam and Sinclair, 1717.
 Pennsylvania, Burgettstown and Clays-
 ville quadrangles : Griswold and
 Munn, 1048.
 Carboniferous : Butts, 368.
 Quaternary, California : Arnold, 57.
 Rhode Island : Emerson and Perry,
 790.
 Silurian, New York : Luther, 1633.
 South Carolina : Sloan, 2217, 2218.
 Tertiary : Douglass, 730.
 California : Arnold, 57.
 Texas : Fenneman, 859; Ries, 2058.
 Chisos country : Udden, 2409.
 Panhandle : Gould, 986, 987.
 Utah, Uinta Range : Weeks, 2506.

Stratigraphic (general)—Continued.*Tables of geologic formations*—Continued.

Virginia, Cambrian and Ordovician:
Bassler, 158.

coastal plain: Clark and Miller, 489.

West Virginia: Grimsley, 1044.

Panhandle: Grimsley, 1046.

Steubenville quadrangle: Griswold
and Munn, 1048.

Wisconsin: 809.

Lancaster and Mineral Point quad-
rangles: Grant and Burchard,
1021.

north-central: Weidman, 2512.

Wyoming, Bald Mountain and Dayton
quadrangles: Darton, 645.

Bighorn basin: Fisher, 873.

Bighorn Mountains: Darton, 644,
647.

Carbon County: Veatch, 2440.

Cloud Peak and Fort McKinney
quadrangles: Darton, 646.

Cretaceous and Tertiary: Veatch,
2439.

Uinta County: Schultz, 2151;
Veatch, 2431.

Strontium.

United States: 2419.

Structural materials.

United States: 2419.

Study and teaching. *See* Educational.

Subsidence. *See* Changes of level.

Sulphur.

California: Aubury, 87.

Louisiana: Baldacci, 117.

Mexico, Durango: Villarello, 2459.

Sierra de Banderas: Böse, 260.

Nevada, Silver Peak quadrangle:
Spurr, 2271.

Texas: Baldacci, 117.

United States: 2418, 2419.

Utah, Cove Creek beds: Lee, 1543.

Wyoming: Trumbull, 2395.

Surveys.

Canada, topographic survey needed:
Adams, 7.

Canadian department of mines: Lamb,
1482; Tyrrell, 2404.

Federal Government, relation to the
mining industry: Hayes, 1108.

Florida, organization and plans: Sel-
lards, 2171.

State geologist's report, what it should
contain: Bain, 105; Clark, 480;
Clarke, 495; Leonard, 1561;
Perisho, 1905.

U. S. Geological Survey: Comstock,
564; Smith, 2250.

cooperation with state mining bu-
reaus: Walcott, 2469.

policy: Branner, 288.

relations to other geological surveys:
Walcott, 1265.

report of Director: Smith, 2235;
Walcott, 2471.

Tables of geologic formations. *See* under
Stratigraphic.

Talc.

California: Aubury, 87.

New York, northern: Brinsmade, 293.

United States: 2418, 2419.

Virginia: Watson, 2493.

Tantalum.

United States, 2419.

Technique.

Cleaning fossils with caustic potash:
Böse and Vigier, 269.

Crystal drawing, Stöber's method:
Rogers, 2084.

Crystallography, teaching of: Kraus,
1425; Rogers, 2083.

Determination of—

calcium and magnesium in rocks:
Knight and Wheeler, 1414.

feldspars: Wright, 2646.

geometrical constants of a crystal
from its interfacial angles:
Moses, 1774.

hardness of minerals: Kip, 1403.

magnesia, in the field: Catlett, 446.

minerals, by petrographic methods:
Tomlinson, 2383.

by the polarizing microscope:
Rogers, 2082.

Drawing of crystals from stereo-
graphic and gnomonic projec-
tions: Penfield, 1890.

Etching meteorites for photographic
purposes: Preston, 1953.

Geologic mensuration: Harris, 1078.

Gnomonic projection: Penfield, 1890;
Rogers, 2085.

Interference figures, observation of, by
the microscope: Wright, 2647.

Magnesia, field test for: Catlett, 446.

Microscopic examination of opaque
minerals: Campbell, 406, 407.

Natural molds of fossils, impressions
of: Slocum, 2220.

Optic axial angle of minerals, meas-
urement of: Wright, 2653.

Optical study of the lime-silica series
of minerals: Wright, 2649.

Photographing sutures of Ammonites:
Böse, 268.

Temperature.

Earth's: *See*, 2161.

Tennessee.*General.*

Gulf embayment area: Glenn, 969.

Economic.

Barite and fluorite: Watson, 2488.

Barytes, Cocke County: Weller, 2514.
industry: Judd, 1331.

Cement, Cumberland Gap district:
Eckel, 766.

Claiborne and Union counties: Clarke,
503.

Clays of western Tennessee: Crider,
596.

Tennessee—Continued.*Economic—Continued.*

- Copper mining in 1905: Weed, 2499.
 Cumberland Gap coal field: Pultz, 1964.
 Ducktown copper district: Wendeborn, 2527.
 Iron ores: Judd, 1329.
 Lead and zinc deposits: Watson, 2484.
 Mineral paint ore: Burchard, 356.
 Phosphate: Johnson, 1309; Ruhm, 2100.
 Roan Mountain quadrangle: Keith, 1354.
 Zinc: Clark, 479; Clarke, 503.

Dynamic and structural.

- Erosion at Ducktown: Glenn, 968.

Stratigraphic.

- Roan Mountain quadrangle: Keith, 1354.
 Western Tennessee: Glenn, 971.

Underground water.

- West of Tennessee River: Glenn, 971.

Terraces. See also Shore lines.

- General:* Moody, 1767.
 Arkona beaches: Taylor, 2362.
 Connecticut: Gulliver, 1056.
 Brewsters Neck: Gulliver, 1058.
 Lake Erie basin: Fairchild, 836.
 Maryland coastal plain: Davis, 677; Shattuck, 2190.
 Michigan: Cooper, 576.
 New York: Woodworth, 2632.
 North Carolina coastal plain: Johnson, 1299.
 Vermont: Johnson, 1306.
 Wisconsin, eastern: Goldthwait, 974, 975.

Tertiary.*Stratigraphy.**General.*

- Continental outlines in Tertiary time: Matthew, 1700.
 Pleistocene deposits of coastal plain: Pugh, 1963.
 Alabama: Smith, 2226, 2228.
 St. Stephens limestone overlap: Smith, 2224.
 Alaska: Brooks, 313.
 Cook Inlet region: Paige and Knopf, 1860.
 Kachemak Bay region: Stone, 2308.
 Matanuska coal field: Martin, 1682.
 Matanuska and Talkeetna basins: Paige and Knopf, 1862.
 northern: Kindle, 1399.
 Rampart region: Prindle and Hess, 1958.
 Turnagain Arm region: Moffit, 1762.
 Arizona, plateau district: Robinson, 2078.
 Arkansas: Veatch, 2436.
 Barbados: Ellis, 787.
 Bermuda Islands: Verrill, 2445.
 British Columbia, Graham Island: Ellis, 783.

Tertiary—Continued.*Stratigraphy—Continued.*

- British Columbia, Horsefly, Similkameen, and Tranquille beds: Lambe, 1484.
 Vancouver Island: Hall, 1064.
 California: Arnold, 57.
 eastern: Ball, 120.
 Redding quadrangle: Diller, 721.
 Salt Lake oil field: Arnold, 59.
 San Francisco Peninsula: Crandall, 591.
 Santa Clara Valley: Eldridge and Arnold, 779.
 Santa Maria district: Arnold and Anderson, 66, 67.
 Summerland district: Arnold, 63.
 Colorado, Arkansas Valley: Darton, 648.
 Book Cliffs field: Richardson, 2045.
 Durango-Gallup field: Shaler, 2176.
 Florissant area: Henderson, 1127; Wheeler, 2533.
 Nepesta quadrangle: Fisher, 869.
 northwestern: Gale, 924.
 Ouray quadrangle: Cross *et al.*, 607.
 Routt County: Fenneman and Gale, 862.
 Delaware, Dover quadrangle: Miller, 1749.
 Florida: Smith, 2226.
 Franklin: Low, 1623.
 Georgia, Altamaha grit region: Harper, 1077.
 Illinois: Purdy and DeWolf, 1973; Weller, 2517, 2523.
 Kansas, Loup Fork Miocene: Sternberg, 2283.
 Kentucky: Glenn, 971.
 Louisiana: Fenneman, 859; Veatch, 2436, 2438.
 Winnfield sheet: Harris, 1079.
 Maryland: Clark and Mathews, 488; Shattuck, 2185.
 Calvert County: Shattuck, 2188.
 Dover quadrangle: Miller, 1749.
 Patuxent quadrangle: Shattuck *et al.*, 2193.
 St. Mary's County: Shattuck, 2191.
 St. Mary's quadrangle: Shattuck, 2185.
 Mexico, Durango: Angermann, 50, 51.
 Mississippi: Brown, 326; Crider, 595, 598; Crider and Johnson, 599; Logan and Hand, 1609; Smith, 2226.
 Missouri, Joplin district: Smith and Siebenthal, 2251.
 Montana, Bighorn Mountains: Darton, 647.
 Carbon County: Darton, 652.
 Marysville district: Barrell, 149.
 Nebraska: Peterson, 1916.
 Republican River Valley: Condra, 570.

Tertiary—Continued.

Stratigraphy—Continued.

- Nevada, Silver Peak, quadrangle: Spurr, 2271.
 New Mexico: Keyes, 1388, 1390.
 Durango-Gallup field: Shaler, 2176.
 plateau district: Robinson, 2078.
 New York, Long Island: Veatch, 2434; Veatch and Bowman, 2441.
 North Dakota: Leonard, 1563.
 Oregon, John Day region: McClung, 1645; Merriam and Sinclair, 1717.
 Panama: Howe, 1244, 1245.
 South Carolina: Pugh, 1963; Sloan, 2217, 2218.
 Tennessee: Glenn, 971.
 Texas: Penhallow, 1899.
 Gulf coastal plain: Fenneman, 859.
 Panhandle: Gould, 986, 987.
 Saratoga: Dumble, 751.
 Trinidad: Ellis, 787.
 Utah, Sanpete and Sevier valleys: Richardson, 2044.
 Uinta Range: Weeks, 2506.
 Virginia, coastal plain: Clark and Miller, 489.
 St. Marys quadrangle: Shattuck, 2185.
 Washington, Olympic Peninsula: Arnold, 56.
 Snoqualmie quadrangle: Smith and Calkins, 2240.
 Wyoming: Peterson, 1916.
 Bald Mountain and Dayton quadrangles: Darton, 645.
 Bighorn basin: Fisher, 873.
 Bighorn Mountains: Darton, 647.
 Bridger beds: Sinclair, 2214.
 Carbon County: Veatch, 2440.
 Cloud Peak and Fort McKinney quadrangles: Darton, 646.
 Devils Tower quadrangle: Darton and O'Harra, 656.
 Uinta County: Schultz, 2151; Veatch, 2437.
 Wasatch deposits: Loomis, 1615.

Paleontology.

- Ant from Florissant: Cockerell, 516.
 Arkansas: Veatch, 2436.
 Assinibola, Oligocene horses: Lambe, 1490.
 Hyracodon: Lambe, 1489.
 Atlantic coast province: Brown, 335.
 Bird from Wasatch: Loomis, 1613.
 Busycon from Oligocene of Florida: Aldrich, 24.
 California, pectens: Arnold, 57.
 raccoon: Gidley, 944.
 Santa Maria district: Arnold and Anderson, 67.
 southern: Arnold, 60, 62.
 Summerland district: Arnold, 66.
 Carnivora, John Day region: Merriam, 1713.

Tertiary—Continued.

Paleontology—Continued.

- Colorado, Florissant, Brues, 337; Cockerell, 516-536; Wheeler, 2533.
 Cicada from Florissant: Cockerell, 522.
 Edentate-like remains: Sinclair, 2213.
 Eocene Mollusca from Alabama: Aldrich, 25.
 Equidae, revision of: Gidley, 948.
 Florissant localities for fossils: Cockerell, 527.
 Flower from Florissant, Colo.: Hollick, 1211.
 Horses: Gidley, 943; Lambe, 1490.
 Hyracodon: Lambe, 1489.
 Insects from Florissant: Cockerell, 516, 521, 522, 524, 526, 528-535; Wheeler, 2533.
 John Day beds, Carnivora: Merriam, 1713.
 Mollusca: Stearns, 2280.
 Louisiana: Veatch, 2436.
 Mammal from Sioux County, Nebr.: Barbour, 129.
 Mammal horizons of North America: Osborn, 1843.
 Mammal-bearing beds in northwestern Nevada: Merriam, 1716.
 Mammals from South Dakota: Matthew and Gidley, 1703.
 Maryland: True, 2392.
 St. Marys County: Shattuck, 2191.
 Mascall beds, Edentate-like remains from: Sinclair, 2213.
 horse from: Gidley, 943.
 Mollusca: Stearns, 2280.
 Mastodon of Loup Fork Miocene: Sternberg, 2285.
 Merycochoerus: Douglass, 730.
 Merycoidodonts from Miocene of Montana: Douglass, 731, 732.
 Mexico: Böse, 257.
 Miocene: Hay, 1099.
 Maryland: True, 2392.
 Nebraska: Barbour, 138; Peterson, 1913, 1915.
 Oregon: Condon, 565; Wortman, 2638.
 South Dakota: Matthew, 1702; Matthew and Gidley, 1703.
 Virginia: Berry and Gregory, 227.
 Mosses: Britton and Hollick, 304.
 Nebraska, Miocene quarry: Peterson, 1915.
 rhinoceros: Barbour, 138.
 sulline remains: Peterson, 1913.
 vertebrates: Peterson, 1916.
 Oligocene, Assinibola: Lambe, 1489, 1490.
 Oregon, horse from Mascall beds: Gidley, 943.
 Miocene seal: Condon, 565; Wortman, 2638.
 Pecten from the Nome gravels: Dall, 628.

Tertiary—Continued.*Palaeontology—Continued.*

- Pectens, California: Arnold, 57.
 Pinniped: Condon, 565; Wortman, 2638.
 Planorbis from Florissant: Cockerell, 517.
 Plants: Penhallow, 1895.
 from the International Boundary Survey: Penhallow, 1900.
 Pleistocene, California: Gidley, 944.
 New Mexico: Gidley, 945.
 South Carolina: Pugh, 1963.
 Pliocene fauna, from Vera Cruz, Mexico: Böse, 266.
 of Florida: Pillsbury, 1930.
 Prosommarus alleni: Berry and Gregory, 227.
 Raccoon from Pleistocene of California: Gidley, 944.
 Rhinoceros from Miocene of Nebraska: Barbour, 130, 138.
 Rodent from Miocene of Kansas: Gidley, 947.
 Rodents from Wasatch and Wind River beds: Loomis, 1614.
 Ruminant from Pleistocene of New Mexico: Gidley, 945.
 Sawflies from Florissant: Cockerell, 524.
 Seal from Maryland Miocene: True, 2392.
 Sinopa: Matthew, 1694.
 South Carolina, Pleistocene Mollusca: Pugh, 1963.
 South Dakota, Miocene mammals: Matthew and Gidley, 1703.
 Suilline remains from the Miocene of Nebraska: Peterson, 1913.
 Surgeon-fish from the West Indies: Hussakof, 1259.
 Turtles: Hay, 1103.
 from Bridger basin: Hay, 1106.
 Vertebrates, Miocene: Peterson, 1916.
 Wasatch deposits: Loomis, 1615.
 Virginia, Miocene: Berry and Gregory, 227.
 Woods, from Texas: Penhallow, 1899.
 Wyoming, Miocene vertebrates: Peterson, 1916.
 Zonitoid shell from Florissant, Colo.: Hollick, 1211.

Texas.*General.*

Franklin Mountains: Richardson, 2046.

Economic.

- Cement resources: Deussen, 716.
 Clays: Ries, 2058.
 Oil fields, Gulf Coastal Plain: Fenneman, 859.
 Petroleum: Vicaire, 2446.
 Saratoga: Dumble, 751.
 Quicksilver: Dennis, 711.
 Terlingua district: Phillips, 1925, 1926; Turner, 2398.
 Sulphur: Baldacci, 117.

Texas—Continued.*Economic—Continued.*

Tin, Franklin Mountains: Richardson, 2042.

Stratigraphic.

- Chisos country: Udden, 2409.
 Franklin Mountains: Richardson, 2039.
 Panhandle: Gould, 987.
 Permian Red Beds: Case, 443.
 Rio Grande embayment: Udden, 2408.
 Tertiary formations: Penhallow, 1899.

Palaeontology.

- Bolosaurus striatus Cope: Case, 442.
 Brachyuchenius, skull of: Williston, 2601.
 Cephalopoda in museum of University of Texas: Pritchett, 1959.
 Fossil woods: Penhallow, 1899.
 Fossils from well at Saratoga: Dumble, 751.
 Invertebrates from the Panhandle: Beede, 180.
 Naosaurus: Osborn, 1845.
 Porocystis Cragin: Jarvis, 1285.
 Vertebrate types in University of Texas museum: Montgomery, 1766.
 Zatrachys: Case, 444.

Mineralogy.

- Calcite from Terlingua: Eakle, 753; Sachs, 2111.
 Estacado, aerolite: Howard and Davison, 1242.
 Kleinite: Sachs, 2109, 2110.
 Mercury minerals from Terlingua: Hillebrand and Schaller, 1161.
 Meteorite, new: Howard, 1240.
 Pisolithic barite: Wuestner, 2656.
 Powellite: Schaller, 2137.
 Yttrocassite: Hidden and Warren, 1143.

Underground water.

- Coastal plain: Taylor, 2365.
 Panhandle: Gould, 987.

Text-books.

- Economic geology of the United States: Ries, 2061.
 Introduction to geology: Scott, 2154.
 Mine examiner and prospector's companion: Miller, 1753.
 Synopsis of mineral characters: Richards, 2036.
 Physiography: Salisbury, 2117.
 Practical physiography: Fairbanks, 832.
 Text-book of geology: Chamberlin and Salisbury, 463.

Thermal waters.

- Genesis: Gautier, 934.
 Hot springs at Thermopolis: Darton, 643.

Tin.*General.*

- Tin deposits of the world: Fawns, 855; Hess, 1136.

Tin—Continued.*General*—Continued.

- Alaska, Cape Prince of Wales: Fay, 856.
 York region: Hess, 1134, 1140.
 North Carolina: Graton, 1025; Hess, 1139.
 South Carolina: Graton, 1025; Hess, 1139; Sloan, 2218.
 South Dakota, Black Hills: Carpenter, 434; Sadtler, 2112.
 Texas, Franklin Mountains: Richardson, 1056.
 United States: 2418, 2419.
 Virginia: Watson, 2493.
 Washington, Spokane: Whitman, 2568, 2569.

Titanium.

- United States: 2418, 2419.

Triassic.*Stratigraphy.*

- Alaska: Brooks, 313.
 California: Smith, 2243.
 Redding quadrangle: Diller, 721.
 Colorado, Arkansas Valley: Darton, 648.
 Ouray quadrangle: Cross *et al.*, 607.
 western: Cross, 604.
 Connecticut: Rice, 2031.
 Maryland: Clark and Mathews, 488.
 Mexico: Burckhardt, 360.
 Montana, Bighorn Mountains: Darton, 647.
 Nevada: Smith, 2243.
 New Jersey: Lewis, 1578-1580.
 New York, Staten Island: Hollick, 1205.
 North Carolina: Keith, 1354.
 Texas, Panhandle: Gould, 986, 987.
 Utah, eastern: Cross, 604.
 Uinta Range: Weeks, 2506.
 Wyoming, Bald Mountain and Dayton quadrangles: Darton, 645.
 Bighorn basin: Fisher, 873.
 Bighorn Mountains: Darton, 647.
 Cloud Peak and Fort McKinney quadrangles: Darton, 646.
 Devils Tower quadrangle: Darton and O'Hara, 656.

Paleontology.

- Aviculidae from Zacatecas, Mexico: Frech, 901.
 Cestraciont teeth: Wemple, 2526.
 Connecticut: Rice, 2031.
 Dinosaurs: Huene, 1256.
 Fish from Aspen Ridge, Idaho: Goddard, 972.
 Reptile, marine: Merriam, 1714.
 Western America: Smith, 2243.

Trilobites. *See* Crustacea.

Trinidad.*General.*

- Geological structure: Craig, 588; Ellis, 786, 787.

Economic.

- Mineral resources: Ellis, 786, 787.

Tungsten.

- California: Aubury, 87.
 Colorado: Van Wagenen, 2425.
 Boulder County: Greenawalt, 1028;
 Lindgren, 1599.
 United States: 2418, 2419.

Turquoise.

- New Mexico, Burro Mountains: Zalinski, 2664.

Unconformity.

- Sedimentary overlap, types of: Grabau, 993.

Underground water (general). *See also* Geysers, Mineral waters, and Thermal waters. *For regional see under the various States.*

- Artesian, significance of the term: Fuller, 904.
 Artesian flow, controlling factors of: Fuller, 916.
 Contamination of water supply: Bowman, 276.
 Deep-well drilling, 1905: Fuller and Sanford, 918; Sanford, 2119.
 Fluorescein: Dole, 727; Villarello, 2452.
 Fluoroscope, new: Villarello, 2453.
 Fluctuations of water level in wells on Long Island: Veatch, 2433.
 Free water in earth's crust: Fuller, 906.
 Hydrology investigations: Fuller, 903, 911.
 Movements of underground water in confined basins: Schultz, 2149.
 Representation on maps of wells and springs: Fuller, 905.
 Underflow, Arkansas Valley: Slichter, 2215.
 South Platte Valley: Slichter and Wolff, 2216.
 Water in crystalline rocks: Ellis, 780.

Ungava.*General.*

- Prospecting: Murray, 1780.

Uranium.

- Colorado, Gilpin County: Tovote, 2384.
 Rio Blanco County: Gale, 923.
 southern: Fleck and Haldane, 878.
 United States: 2418, 2419.

Utah.*Economic.*

- Annie Laurie mine, Piute County: Lindgren, 1595.
 Bingham, copper: Brinsmade, 302; Ingalls, 1272.
 Book Cliffs coal field: Richardson, 2045; Taff, 2335.
 Coal: Ritter, 2069.
 Book Cliffs: Richardson, 2045; Taff, 2335.
 Iron County: Lee, 1544.
 Pleasant Valley: Taff, 2337.
 Sanpete County: Richardson, 2043.
 Wasatch: Lakes, 1471.
 Weber River: Taff, 2334.

Utah—Continued.

Economic—Continued.

Coke, natural, in the Wasatch Plateau :
Taff, 2333.

Copper mining in 1905 : Weed, 2499.

Cove Creek sulphur beds : Lee, 1543.

Daly-Judge mine, Park City : Gow
et al., 989, 990.

Iron County coal field : Lee, 1544.

Iron ores : Leith, 1552.

Mineral resources : Dern, 715.

of Uinta Reservation : Smith, 2253.

Mining at Alta : Palmer, 1866.

Ontario mineral belt : Jenney, 1293,
1294, 1296.

Ozokerite deposits : Taff and Smith,
2338.

Phosphate deposits : Jones, 1317 ;
Weeks and Ferrier, 2507.

Pleasant Valley coal district : Taff,
2337.

Slate deposits : Dale and Eckel, 625.

Dynamic and structural.

Seismographs in Utah : Talmage, 2343.

Physiographic.

Natural bridges : Lakes, 1477 ; Parsons,
1884.

Physiographic features : Huntington,
1257 ; Johnson, 1302.

Uinta Mountains : Atwood, 81 ; Em-
mons, 798.

Stratigraphic.

Formations of eastern Utah : Cross,
604.

Glaciation of Uinta Mountains : At-
wood, 81.

Ontario mineral belt : Jenney, 1293.

Park City district : Boutwell, 271.

Red beds : Huntington, 1257.

Sanpete and Sevier valleys : Richard-
son, 2044.

Uinta Mountains : Emmons, 798, 799 ;
Weeks, 2506.

Mineralogy.

Mimetite : Bowman, 274.

Phosphorescent zinc blende : Headden :
1115.

Underground water.

Sanpete and Sevier valleys : Richard-
son, 2040, 2044.

Utah Lake and Jordan River valleys :
Richardson, 2041.

Valleys.

Aggradation and degradation of :
Moody, 1767.

Vanadium.

Colorado, Rio Blanco County : Gale,
923.

southern : Fleck and Haldane, 878.
United States : 2418, 2419.

Vermes.

Salem limestone of Indiana : Beede,
176.

Vermont.

Economic.

Mineral resources : Perkins, 1907.

Vermont—Continued.

Economic—Continued.

Northeastern Vermont : Richardson,
2037.

Slate : Dale and Eckel, 625.

chemical composition : Hillebrand,
1159.

Physiographic.

Terraces of West River at Brattleboro :
Fisher, 875 ; Johnson, 1306.

Stratigraphic.

Beekmantown and Chazy formations :
Seely, 2163.

Burlington region, surficial : Hitch-
cock, 1165.

Cambrian : Edson, 773.

Champlain : Hitchcock, 1164.

Northeastern Vermont : Richardson,
2037.

Quaternary : Stevenson, 2293, 2296.

St. Albans : Edson, 774.

Paleontology.

Beekmantown and Chazy faunas : Seely,
2164.

Brandon lignite, fossils of : Jeffrey and
Chrysler, 1291 ; Perkins, 1908,
1909.

Chazy fauna : Raymond, 1988 ; Seely,
2163.

Cryptozoa from Ordovician : Seely,
2163.

St. Albans, fossils from : Edson, 774.

Petrology.

Serpentines of Belvidere Mountain :
Marsters, 1678.

Underground water.

Drinking waters : Perkins, 1910.

Vertebrata (general). *See also* Amphibia, Aves,
Mammalia, Pisces, and Reptilia.

Exhibition series at National Museum ;
Gilmore, 949.

Flight in vertebrates : Lull, 1630.

Fossil quarry in Nebraska : Peterson,
1915.

Hell Creek beds of Montana : Brown,
325.

Kansas beds : Sternberg, 2286.

Limbs, vertebrate, origin of : Osburn,
1850.

Mining for fossils : 2669.

Miocene vertebrates from Kansas :
Sternberg, 2283.

Nebraska : Osborn, 1847.

Quaternary cave deposit, California :
Furlong, 921.

Types in U. S. National Museum :
Merrill, 1738.

Vertebrate fossils, Denver : Cannon,
421.

Nebraska and Wyoming : Peterson,
1916.

Vertebrate paleontology in Canada :
Lambe, 1483, 1485.

Vertebrate types in museum of Uni-
versity of Texas : Montgomery,
1766.

Virginia.*General.*

Composition of waters of Rockbridge County and their relations to the geological formations: White, 2537.

Geography: Surface, 2327.

Pine Mountain region: Stone, 2313.

Economic.

Anthracite coal: Griffith, 1041; Tiffany, 2373.

Barite deposits: Watson, 2491.

Barytes industry: Judd, 1331.

Cement and cement materials: Bassler, 158.

Cement resources of the Cumberland Gap district: Eckel, 766.

Clays: Ries, 2060, 2064.

Copper deposits: Watson, 2487; Weed and Watson, 2504.

Luray: Phalen, 1919.

Virgilina: Judd, 1328.

Dante, coal: Stone, 2312.

Floyd County, nickel: Watson, 2490.

Iron: Holden, 1201.

New River-Cripple Creek district: Holden, 1200.

Oriskany and Clinton: Eckel, 765.

Lead and zinc deposits: Watson, 2484.

Mineral resources: Watson, 2493.

Russell Fork coal field: Stone, 2311.

Rutile: Catlett, 445; Watson, 2493.

St. Mary's quadrangle: Shattuck, 2185.

Slate: Dale and Eckel, 625.

Virgilina copper belt: Judd, 1328.

Zinc deposits: Payne, 1886; Watson, 2484.

Physiographic.

Physiography: Surface, 2326.

Stratigraphic.

Coastal plain: Clark and Miller, 489.

Cambrian and Ordovician: Bassler, 158.

Cretaceous: Clark, 483.

St. Mary's quadrangle: Shattuck, 2185.

Paleontology.

Pleistocene plants: Berry, 217.

Prorosmarus alleni from the Miocene: Berry and Gregory, 227.

Petrology.

Albite from Amelia, analysis of: Erben and Celpek, 811.

Dike of diabase in Potsdam sandstone: Watson, 2489.

Granites: Watson, 2485.

Unakite: Watson, 2486.

Volcanic ash.

Colorado, Durango: Woolsey, 2633.

Nebraska, Republican River Valley: Condra, 570.

Origin: Hixon, 1175.

Volcanoes.

General: Barus, 155; Jaggar, 1282; Mercalli, 1710; Pickering, 1928.

Volcanoes—Continued.*General—Continued.*

Cause of: Barus, 154; Louderback, 1619; See, 2158.

Fumaroles, production of sulphate of soda in: Lacroix, 1454.

Mud flows: Lacroix, 1446.

Radioactivity, relation to volcanism: Dutton, 752.

Seismic phenomena, connection with volcanism: Heilprin, 1124, 1125.

Systems of western hemisphere: Hill, 1149.

Volcanic domes, formation of: Lacroix, 1451.

Volcanic heat, nature and origin of: See, 2160; Thomson, 2372.

Volcanic necks, examples of: Ordóñez, 1824.

Volcanism and thermal waters: Gautier, 934.

Alaska: Crosby, 602.

Bogoslof group: Haven, 1097.

Costa Rica: Jones, 1322.

Dominica, boiling lake of: Hovey, 1222.

Hawaii: Hitchcock, 1166, 1167; Pickering, 1927.

Mexico: Aguilera, 19, 20; Cadell, 378; Cleland, 505; Hobson, 1196; Koenigsberger, 1422.

Citlaltepetl and Popocatepetl: Keyes, 1391.

Colima: Diaz, 719; Dodge, 726; Waitz, 2466.

Colima, Toluca, and Popocatepetl: Hovey, 1239.

Jorullo: Ordóñez, 1831.

Nevado de Toluca and Jorullo: Hobson, 1195.

Valle de Santiago, explosion craters: Ordóñez, 1832.

Xinantecatl: Flores, 881.

Mont Pelé: Anderson, 48; Gentil, 938; Lacroix, 1455; Lapparent, 1521; Wegener, 2508-2510.

eruptions: Berté, 228; Curtis, 613; Deckert, 699; Geinitz, 936; Heilprin, 1121; Issel, 1278; Jaccaci, 1279; Lacroix, 1447; Milne, 1760; Verri, 2444.

former eruptions: Jaggar, 1280; Mercalli, 1709.

present condition: Heilprin, 1122; Hovey, 1220.

shattered obelisk: Heilprin, 1123.

Nicaragua: Chamberlin, 451; Jones, 1322.

Saint Lucia, Soufrière of: Hovey, 1221.

Saint Vincent, eruptions: Anderson, 48; Deckert, 699; Geinitz, 936; Lacroix, 1448.

San Andrés, postparoxysmal phenomena: Waitz, 2464.

Tonopah: Lakes, 1469.

Washington.*General.*

Cascade region: Evans, 821.

Mount Baker: Landes, 1496.

Economic.

Cement resources: Landes, 1495.

Coal: Ritter, 2069; Tarr, 2344.

Copper: McIntyre, 1669.

Copper mining in 1905: Weed, 2499.

Gold-bearing river sands: Collier, 554.

Iron ores: Leith, 1552.

Marble: Rathbun, 1986.

Tin deposit near Spokane: Whitman, 2568, 2569.

Tungsten: Joseph, 1326.

Dynamic and structural.

Glaciers, Mount Adams: Reid, 2008.

Mount Baker: Landes, 1496.

Nisqually glacier, Mt. Rainier, motion of: Le Conte, 1537.

Stratigraphic.

Northwestern: Reagan, 2002.

Olympic Peninsula: Arnold, 56.

Snoqualmie quadrangle: Smith and Calkins, 2240.

Petrology.

Okanogan composite batholith: Daly, 632.

Rock specimens: Roberts *et al.*, 2071.

Snoqualmie quadrangle: Smith and Calkins, 2240.

Mineralogy.

Minerals: Mead, 1705.

Weathering.

Rock-weathering and soil formation: Hilgard, 1144, 1145; Merrill, 1732.

Subcarboniferous limestone in southern Indiana: Cumings, 609.

West Indies (general). *See also the various islands.**Dynamic and structural.*

Caribbean craters: Curtis, 613.

Physiographic.

Physiographic notes: Wegener, 2510.

Petrology.

Lesser Antilles: Högbon, 1199.

West Virginia.*Economic.*

Clays, limestones, and cements: Grimsley, 1044.

Coal: Parsons, 1881.

Fairmont: Parsons, 1880.

Holden: Lyman, 1635.

Kenova quadrangle: Phalen, 1920.

Pocahontas: Althouse, 30.

Fairmont coal field: Parsons, 1880.

Glass-sand industry: Stose, 2319.

Panhandle counties: Grimsley, 1046; White, 2550.

Pocahontas coals: Althouse, 30.

Portland cement resources: Grimsley, 1045.

Slate: Dale and Eckel, 625.

Steubenville quadrangle, coals: Griswold, 1049.

oil and gas: Griswold and Munn, 1048.

West Virginia—Continued.*Stratigraphic.*

Carboniferous: Stevenson, 2294, 2295.

Panhandle counties: Grimsley, 1046.

Steubenville quadrangle: Griswold and Munn, 1048.

Wisconsin.*General.*

Commissioners Geological and Natural History Survey, fifth biennial report: 2621.

Director of survey, report: Birge, 236.

Geology and physical geography: Case, 439.

Rocks and minerals: Lawson, 1532.

Water powers: Smith, 2244.

Economic.

Clays: Ries, 2059.

Glass sand: Burchard, 350.

Lancaster and Mineral Point quadrangles: Grant and Burchard, 1021.

Lead and zinc district: Bain, 99; Davis, 663; Edwards, 775, 809;

Grant, 1017-1019; Hedburg, 1120; Wheeler, 2531, 2532.

Milwaukee quadrangle: Alden, 23.

Mineral resources: Hotchkiss, 1219.

Molding sands: Ries and Gallup, 2065.

North-central Wisconsin: Weidman, 2512.

Zinc: *see* Lead and zinc, *above*.

Dynamic and structural.

Fracture systems: Hobbs, 1176.

Fracture system: Harder, 1073.

Shore ice, peculiar formation: Case, 435.

Physiographic.

Physiographic models: Case, 438.

Shore-lines, abandoned, of eastern Wisconsin: Goldthwait, 975.

Stratigraphic.

Galena series: Sardeson, 2122.

Interglacial clays: Berkey, 208.

Lancaster and Mineral Point quadrangles: Grant and Burchard, 1021.

Milwaukee quadrangle: Alden, 23.

North-central Wisconsin: Weidman, 2512.

Paleogeography of St. Peter time: Berkey, 205.

Shore-lines, abandoned: Goldthwait, 975.

Waterloo quartzite: Warner, 2477.

Paleontology.

Devonian cephalopods: Cleland, 504.

Fish spine: Teller, 2366.

Petrology.

Pre-Cambrian rocks of Fox River Valley: Hobbs and Leith, 1193.

Mineralogy.

Irvingite: Weidman, 2511.

Marignasite from Wausau: Weidman and Lenher, 2513.

Wolframite.

Arizona, Cochise district: Kellogg, 1358.

Colorado, Boulder County: Tovote, 2385.

Wyoming.

Economic.

- Albany County: Beeler, 186.
 Bald Mountain and Dayton quadrangles: Darton, 645.
 Bentonite of the Laramie basin: Siebenthal, 2209.
 Bighorn basin: Fisher, 872.
 Bighorn Mountain region: Darton, 649.
 Carbon County, coal: Veatch, 2440.
 Cement plaster industry: Trumbull, 2396.
 Cloud Peak and Fort McKinney quadrangles: Darton, 646.
 Coal: Parsons, 1882; Ritter, 2069.
 Uinta County: Veatch, 2437.
 Copper mining in 1905: Weed, 2499.
 Devils Tower quadrangle: Darton and O'Harra, 656.
 Grand Encampment copper district: Beeler, 185.
 Gypsum deposits, Laramie district: Siebenthal, 2208.
 Hartville iron-ore range: Ball, 122.
 Hartville region, copper deposits: Ball, 121.
 mica: Ball, 125.
 Iron Mountain, titaniferous ore: Ball, 123.
 Iron ores: Leith, 1552.
 Lander coal field: Woodruff, 2629.
 Laramie basin, coal: Siebenthal, 2211.
 Laramie County, graphite: Ball, 126.
 Laramie Peak copper district: Beeler, 183.
 Lignite: Kennedy, 1374.
 Mineral resources, 2657.
 Oil, Uinta County: Veatch, 2437.
 Owl Creek Mountains: Darton, 642.
 Phosphate deposits: Jones, 1317; Weeks and Ferrier, 2507.
 Portland cement materials: Ball, 124.
 South Pass gold district: Beeler, 184.
 Sulphur: Trumbull, 2395.
 Sunrise mine, iron: Vallat, 2420.
 Uinta County, coal: Schultz, 2151.
 gold: Schultz, 2149.
 oil: Veatch, 2437.

Physiographic.

- Bighorn Mountains: Darton, 654.
 drainage modifications in: Mansfield, 1673.

Stratigraphic.

- Bald Mountain and Dayton quadrangles: Darton, 645; Salisbury, 2114.
 Bighorn basin: Fisher, 873.
 Bighorn Mountains: Darton, 647; Salisbury, 2116.
 Bridger beds: Sinclair, 2214.
 Cloud Peak and Fort McKinney quadrangles: Darton, 646; Salisbury, 2115.
 Devils Tower quadrangle: Darton and O'Harra, 656.
 Laramie, definition and origin: Veatch, 2439.

Wyoming—Continued.

Stratigraphic—Continued.

- Miocene: Peterson, 1916.
 Ordovician: Darton, 644.
 Owl Creek Mountains: Darton, 642.
 Red beds in Laramie mountain region: Darton, 653.
 Wasatch deposits, origin: Loomis, 1615.

Paleontology.

- Age and localities of supposed Jurassic fossils: Veatch, 2432.
 Baptonodon from Jurassic: Gilmore, 959, 963.
 Bird from Wasatch: Loomis, 1613.
 Ceratopsia: Hatcher *et al.*, 1093.
 Cœlosuchus reedii: Williston, 2599.
 Paleorhinus, skull of: Lees, 1551.
 Sinopa, osteology of: Matthew, 1699.
 Vertebrate faunas of Miocene: Peterson, 1916.
 Wasatch and Wind River rodents: Loomis, 1614.
 Wasatch vertebrates: Loomis, 1615.

Petrology.

- Bighorn Mountains: Darton, 647.

Underground water.

- Hot springs at Thermopolis: Darton, 643.

Yukon.

General.

- Peel River region: Camsell, 412, 414.
 Publications, recent, relating to: Brooks, 312.
 Stewart River region: Keele, 1347.
 White River exploration: McConnell, 1648.

Economic.

- Klondike district: Everette, 831; McConnell, 1650.
 contraction of gold in: Tyrrell, 2406.
 gold values in high-level gravels: McConnell, 1653.
 Southern Yukon: Cairnes, 382.
 Whitehorse, explorations south of: Cairnes, 380.
 White River region: McConnell, 1648.
 Windy Arm region: McConnell, 1647, 1649, 1651, 1652.

Paleontology.

- Mastodon remains in the Yukon Valley: Osgood, 1851.

Petrology.

- Pseudo-leucite: Knight, 1410.

Zinc.

- Arkansas: Purdue, 1966.
 British Columbia: Barlow, 144; 416.
 Kootenay district: Argall, 54.
 California: Aubury, 85.
 Idaho: MacDonald, 1658.
 Dollarhide mine: Lakes, 1466.
 South Mountain: Bell, 197.
 Illinois: Bain, 99; Davis, 663.
 Iowa: Bain, 99; Davis, 663.
 Lancaster quadrangle: Grant and Burchard, 1021.

Zinc—Continued.

Kansas, Galena-Joplin district: Hawthorn, 1098; Smith and Sieben-thal, 2251.

Mexico, Chihuahua: Wornester, 2637.
Diente: McCormick, 1655.

Mississippi Valley: Bain, 99, 106;
Buckley, 342, 344.

Missouri, Granby area: Buckley and
Buehler, 346; Perkins, 1906.

Joplin district: Brittain, 303; Buck-
ley, 343; Clerc, 506, 507; Her-
rick, 1132; Smith and Sieben-
thal, 2251.

Montana: MacDonald, 1658.

Nevada, Pioche: Abbott, 3.

Spring Mountains: Bain, 101.

New Jersey: Kimmell, 1432.

New Mexico: Brinsmade, 295.

Kelly mine: Johnson, 1311.

Magdalena district: Haddon, 1061.

Zinc—Continued.

New York, St. Lawrence County: New-
land, 1792.

Oklahoma, Quapaw district: Crane,
593.

Ontario: Corkill, 578.

Tennessee: Watson, 2484.

Clalborne and Union counties:
Clarke, 503.

eastern: Clark, 479.

United States (general): 2418, 2419.

Virginia: Payne, 1886; Watson, 2484,
2493.

Wisconsin, southwestern: Bain, 99;

Davis, 663; Edwards, 775;

Grant, 1017-1019; Grant and

Burchard, 1021; Hedburg, 1120;

Wheeler, 2531, 2532.

Zircon.

United States: 2418, 2419.

LISTS.

[The numbers refer to entries in the bibliography.]

Chemical Analyses.

- Abriachanite, 1778.
 Acmite, 2512.
 Actinolite, 1893, 2242.
 Aegirite, 2512.
 Akerite, 2490, 2660.
 Akerose, 1934.
 Alaskite, 2270.
 Albite, 811.
 Alkali waste, 233.
 Allanite, 2493.
 Alum rock, 1111.
 Alunogen, 1111.
 Amblygonite, 87.
 Amiatose, 149.
 Amphibole, 1893, 1935, 2512.
 Analcite, 1409.
 Analcite basalt, 1409.
 Analcite tinguaite, 1409.
 Analcite trachyte-tuff, 1409.
 Andesite, 1044, 1199, 1391.
 Andesitic rock, 2504.
 Andose, 614, 616.
 Anorthosite gabbro, 616.
 Anthophyllite-peridotite, 1401.
 Apatite, 2493.
 Aplite, 1934.
 Apophyllite, 1193.
 Arfvedsonite, 1779.
 Arkose, 2242.
 Asbestos, 2493.
 Asphaltum, 2418.
 Augite, 603.
 Augite kersantite, 1934.
 Augite ourose, 1934.
 Augite syenite, 616.
 Auvergnose, 1500, 1815.
 Bakerite, 958.
 Barite, 2493.
 Barkevikite, 1779, 2512.
 Barytes, 1943.
 Basalt, 1044, 1779, 1934, 2031, 2240, 2447, 2493.
 Beerbachite, 1815.
 Benitoite, 1620.
 Bentonite, 2209.
 Bergamanskite, 1779.
 Biotite trachyte, 1026.
 Blairmorite, 1409.
 Building stone, 2080.
 Calcite, 1116, 2512.
 Camptonite, 1934.
 Camsigradite, 1779.
 Carinthine, 2242.
 Carnotite, 878.
 Cataphorite, 1935.
 Celestite, 1427.
 Celestite-bearing rock, 1427.
 Cement, 232.
 Cement rock, 158, 233.
 Chalk, 234, 716, 1608.
 Chalk marl, 716.
 Ciminose, 603.
 Clay, 23, 91, 92, 116, 161, 233, 234, 326, 346, 353, 471, 595, 598, 767, 884, 885, 926-929, 1017, 1021, 1027, 1044, 1046, 1198, 1495, 1563, 1605, 1608, 1609, 1911, 1918, 1921, 1923, 2059, 2060, 2063, 2064, 2177, 2209, 2217, 2218, 2241, 2320, 2409, 2484, 2530, 2634.
 Clay, zinc-bearing, 2484.
 Coal, 58, 69, 137, 234, 326, 369, 400, 403, 405, 488, 552, 555, 556, 562, 589, 652, 717, 736, 777, 783, 862, 874, 897, 924, 1042, 1046, 1050, 1117, 1118, 1198, 1544, 1564, 1606, 1628, 1680, 1681, 1683, 1862, 1870, 1876, 1877, 1911, 1920, 1922, 1955, 1964, 2043, 2045, 2074, 2090, 2142, 2151, 2176, 2195, 2271, 2308, 2310-2312, 2334, 2335, 2336, 2337, 2368, 2418, 2431, 2440, 2493, 2577, 2629, 2634, 2640.
 Cobaltite, 703, 2418.
 Coke, natural, 2333.
 Columbite, 2493.
 Cortlandite, 1178.
 Covellite, 2081.
 Crocidolite, 790, 1779, 2512.
 Crossite, 1779.
 Dacite, 1985.
 Datolite, 1426.
 Dellenose, 614.
 Diabase, 539, 1199, 2493.
 Diatomaceous earth, 65, 2493.
 Diorite, 149, 425, 739, 1178, 1199, 1815, 2242, 2512.
 Dolomite, 158, 370, 1198, 1805.
 Dufrenite, 2493.
 Dumortierite, 2418.
 Dunose, 1815.
 Eclogite, 2242.
 Egglestonite, 1161.
 Emery, 2493.

- Essexite, 739, 743, 1934, 2660.
 Evansite, 2136.
 Fayalite, 2512.
 Feldspar, 162, 163, 2419, 2493, 2512.
 Felsite, 1199.
 Fergusose, 603.
 Fire clay, 91, 869, 1973, 2530.
 Flint clay, 1918.
 Fuller's earth, 1944, 2218.
 Gabbro, 616, 631, 1178, 1815, 2512.
 Gabbro-diorite, 1815.
 Garnet, 559, 1366, 1372, 2242, 2493.
 Garnierite, 539.
 Gastaldite, 1779.
 Gilfordal-camptonose, 1934.
 Glass rock, 99, 1017.
 Glass sand, 349, 350, 354, 1436, 1559.
 Glaucoaphane, 1779, 2242.
 Glaucoaphane gneiss, 2242.
 Glaucoaphane schist, 2242.
 Gneiss, 614, 616.
 Granite, 539, 545, 614, 623, 631, 790, 1026, 1193, 1199, 1934, 2037, 2041, 2218, 2270, 2271, 2494, 2512.
 Granodiorite, 739, 2240.
 Grano-miaskose, 1935.
 Greenstone, 2271, 2504.
 Gypsum, 872, 2175, 2208, 2493.
 Halloysite, 2664.
 Halotrichite, 1111.
 Hampshire-camptonose, 1934.
 Hampshire-auvergnoise, 1934.
 Hampshire-livermorese, 1934.
 Harzose, 614, 616.
 Hastingsite, 1779, 1935.
 Hatchettolite, 2513.
 Hedenbergite, 2512.
 Helvite, 2493.
 Hornblende, 1401, 1779, 1893.
 Hornblende andesite, 1044.
 Hornblende grano-salemosse, 1934.
 Hornblende ourose, 1934.
 Hornblende phyro-camptonose, 1934.
 Hornblendite, 1178.
 Howlite, 958.
 Hudsonite, 1779, 1893.
 Hyperite, 616.
 Hypersthene andesite, 2240.
 Ilmenose, 1934.
 Infusorial earth, 87.
 Iron ore, 123, 182, 351, 352, 764, 765, 1185, 1198, 1200, 1201, 1329, 1398, 1588, 1911, 1918, 2212, 2247.
 Iron shale, 852.
 Irvingite, 2511, 2512.
 Jacupirangite, 2660.
 Jasperoid, 2251.
 Kaersutite, 1779.
 Kaolin, 1836, 2443.
 Karinthine, 1779.
 Kataphorite, 1779.
 Kleinite, 1161, 2109, 2110.
 Lassenose, 1815, 1934.
 Latite, 1607.
 Latite-phonolite, 1026.
 Laurdalose, 743.
 Laurvikite, 743.
 Laurvikose, 614, 616.
 Lava, 2271.
 Lawsonite, 753, 2242.
 Lead ore, 1911.
 Leopardite, 2494.
 Lepidolite, 87.
 Lepidomelane, 2512.
 Lignite, 326, 595, 1198, 2090.
 Lime, 232.
 Lime rock, 99.
 Limestone, 124, 158, 160, 230, 233, 234, 246, 349, 355, 370, 598, 648, 762, 766, 774, 790, 869, 884, 1017, 1025, 1034, 1044, 1046, 1198, 1366, 1372, 1413, 1431, 1495, 1500, 1608, 1837, 1911, 1998, 2144, 2177, 2212, 2218, 2409, 2424, 2484, 2493.
 Lincolnose, 1815.
 Linnaite, 559.
 Liparose, 1934.
 Loess, 353.
 Magnesite, 1135.
 Magnetite, 2512.
 Malchite, 1815.
 Manganese ore, 2493.
 Manganotantalite, 2136.
 Marble, 158, 774, 1495, 1987, 2493.
 Marignasite, 2513.
 Marl, 234, 716, 1911, 2218.
 Meteorites, 853, 973, 1242, 1672, 1734, 1740, 1741, 1744, 2360.
 Miaskose, 1935.
 Mica schist, 1815.
 Microdiorite, 149.
 Microllite, 2493, 2513.
 Micropegmatite, 546.
 Mineral water, 1046, 1911, 2144, 2493.
 Minette, 1526.
 Molding sand, 2065.
 Molybdate, 1053, 2135, 2137.
 Monazite, 2493.
 Monchiquite, 1026.
 Montroydite, 1161.
 Monzonite, 1526, 1815.
 Monzonose, 614.
 Muscovite, 753.
 Muscovite-granite, 2270.
 Natural gas, 99.
 Nepheline, 2512.
 Nickel ore, 1345, 2418.
 Noralite, 1779.
 Nordmarkite, 739, 743.
 Norite, 539, 546, 616, 1178.
 Ocher, 1218, 2483, 2493.
 Olivine, 1865.
 Olivine gabbro, 425, 1199.
 Ophite, 1509.
 Osannite, 1779.
 Paint ore, 769, 770.
 Paisanal liparose, 1935.
 Pargasite, 1779, 2242.
 Peat, 1874, 2361, 2588.
 Pegmatite, 149.
 Petroleum, 63, 67, 245, 779, 2418, 2431.
 Philippstadite, 1779.
 Phonolite, 1026.

- Phonolite porphyry, 656.
 Phosphate, 2493.
 Phosphatic rock, 361, 1970.
 Phyro-miaskose, 1935.
 Placerose, 1815.
 Porphyrite, 1199.
 Porphyry, 1193, 1199, 1526.
 Powellite, 2137.
 Prowersose, 159, 603.
 Pseudodiorite, 2242.
 Pulaskite, 739, 743.
 Pulaskose, 614, 616, 1934.
 Purpurite, 1025, 2136.
 Pyrite, 2493.
 Pyrochlore, 2512, 2513.
 Pyroxene, 614, 2512.
 Pyrrhotite, 2493.
 Quartz-augite diorite, 1199.
 Quartz diorite, 1199.
 Quartzite, 1495, 2483, 2512.
 Quartz nodule, 685.
 Quartz porphyry, 1199.
 Red clay, 491.
 Redondite, 1452.
 Rhodusite, 1779.
 Rhyolite, 2240, 2512.
 Riebeckite, 1779, 1935, 2512.
 Riebeckite granite, 1935.
 Salt brine, 273.
 Sand, 1436.
 Sand, dolomitic, 2484.
 Sand, glass, 349, 350, 354, 1436, 1559.
 Sand, molding, 2065.
 Sandstone, 371, 1559, 2031, 2494.
 Schist, muscovite, 1026.
 Selagite, 603.
 Sericite schist, 2320.
 Serpentine, 425, 591, 739, 2494.
 Serpentinoid, 1505.
 Shale, 67, 116, 124, 158, 230, 233, 234, 353, 598, 766, 1046, 1499, 1559, 1563, 1608, 2177, 2483, 2512, 2634.
 Silica, 111.
 Sipyllite, 2493.
 Sitkose, 1815.
 Slate, 233, 621, 1159, 1495.
 Smithsonite, 2484.
 Soretite, 1779.
 Spessartite, 1934.
 Sphalerite, 2081, 2484.
 Spodumene, 87.
 Stibiotantalite, 1892.
 Strengite, 2493.
 Syenite, 614, 616, 1026, 1934, 2490, 2493, 2512.
 Syenite porphyry, 1199.
 Terlinguaite, 1161.
 Thorianite, 2418.
 Tinguaita, 739.
 Tonalose, 1815.
 Toscanose, 614, 616.
 Tourmaline, 2136.
 Tracho-umpekose, 1935.
 Trachydolerite, 1026.
 Travertine, 158.
 Tremolite, 1893.
 Troctolite, 2512.
 Tuff, 539, 546.
 Turquoise, 2664.
 Umpekose, 1935.
 Unakite, 2485, 2493.
 Vogesite, 1026.
 Volcanic ash, 570, 2633.
 Water, 15, 23, 63, 277, 375, 643, 869, 872, 907, 908, 1046, 1129, 1198, 1499, 1509, 1526, 1559, 1573, 1610, 1639, 1660, 2129, 2144, 2194, 2229, 2365, 2537, 2588.
 Wurtzite, 2081.
 Yamaskite, 2660.
 Yttrocrasite, 1143.
 Zinc ore, 1911, 2418, 2484, 2493.
 Zinnwaldite, 2136.
 Zoisite, 849, 2242.

GEOLOGIC FORMATIONS DESCRIBED.

- Abbeville-York zone, Archean, South Carolina: Sloan, 2218.
 Accabee gravels, Pleistocene, South Carolina: Sloan, 2218.
 Adams Lake series, Cambrian, Yukon Territory: Brooks, 313.
 Adams Lake series, Canada: Walcott, 2470.
 Adaville formation, Cretaceous, Wyoming: Schultz, 2151.
 Admire shales and sandstones, Carboniferous, Kansas: Wooster, 2636.
 Aftonian, Quaternary, Iowa: Calvin, 387.
 Agawa formation, Algonkian, Minnesota: Abbott, 1.
 Aiken beds, Cretaceous, South Carolina: Sloan, 2217.
 Ajibik quartzite, pre-Cambrian, Michigan: Lane and Seaman, 1518.
 Alamito formation, Carboniferous, New Mexico: Keyes, 1377.
 Albany formation, Carboniferous, Texas: Ries, 2058.
 Albert shales, Devonian, Canada: Ells, 784.
 Albion schist member, Cambrian, Rhode Island: Emerson and Perry, 790.
 Alger formation, Silurian, Kentucky: Foerste, 883, 884.
 Alibates lentil, Permian, Texas: Gould, 987.
 Allegheny formation, Carboniferous, Pennsylvania: Butts, 368; Clapp, 475, 477; Stevenson, 2294; Woolsey, 2634.
 Allegheny formation, Carboniferous, Pennsylvania, Ohio, and West Virginia: Griswold and Munn, 1048.
 Allegheny formation, Pennsylvanian, Maryland: Clark and Mathews, 448.
 Allegheny series, Carboniferous, West Virginia: Grimsley, 1044, 1046.
 Allen limestone, Carboniferous, Kansas: Beede and Rogers, 181; Sarle, 2124; Wooster, 2636.
 Almy formation, Tertiary, Wyoming: Schultz, 2151.

- Altamaha grit, Tertiary, Georgia: Harper, 1077.
- Altamont limestone, Carboniferous, Kansas: Wooster, 2636.
- Altuda granite, Texas: Udden, 2409.
- American Flat latite, Colorado: Cross *et al.*, 607.
- Americus beds, Carboniferous, Kansas: Wooster, 2636.
- Ames Knob formation, Silurian, Maine: Smith *et al.*, 2241.
- Ames limestone, Carboniferous, Pennsylvania: Butts, 368; Stevenson, 2294; Woolsey, 2634.
- Ames limestone, Carboniferous, Pennsylvania, Ohio, and West Virginia: Griswold and Munn, 1048.
- Ames limestone, Carboniferous, West Virginia: Grimsley, 1044, 1046.
- Ames limestone, Carboniferous, Pennsylvania: Raymond, 1990.
- Amsden formation, Carboniferous, Wyoming: Darton, 642, 644, 647; Fisher, 873.
- Anacacho limestone, Cretaceous, Texas: Udden, 2408.
- Anaktuvuk series, Cretaceous, Alaska: Brooks, 313.
- Anamosa substage, Silurian, Iowa: Beyer and Williams, 234.
- Anderson-Spartanburg zone, Archean, South Carolina: Sloan, 2218.
- Andrews schist, Cambrian, North Carolina: Keith, 1352.
- Animikie, Michigan: Gordon and Lane, 985.
- Animikie formation, pre-Cambrian, Ontario: Silver, 2212.
- Animikie sediments, pre-Cambrian, Ontario: Coleman, 539.
- Animikie series, Minnesota: Keith, 1557.
- Animus formation, Eocene, Colorado and New Mexico: Shaler, 2176.
- Ankareh formation, Carboniferous, Utah: Boutwell, 271.
- Anona chalk, Cretaceous, Arkansas: Veatch, 2436.
- Antietam formation, Cambrian, Maryland: Clark and Mathews, 488.
- Antietam sandstone, Cambrian, Pennsylvania: Stose, 2318.
- Antietam sandstone, Cambrian, West Virginia: Grimsley, 1044.
- Antrim shales, Devonian, Michigan: Cooper, 575; Lane, 1516.
- Apishapa formation, Cretaceous, Colorado: Darton, 648; Fisher, 869.
- Aquila formation, Eocene, Maryland: Clark and Mathews, 488; Shattuck *et al.*, 2193.
- Aquila formation, Tertiary, Maryland and Delaware: Miller, 1749.
- Aquila formation, Tertiary, Virginia: Clark and Miller, 489.
- Arapahoe formation, Cretaceous, Colorado: Darton, 648.
- Arcturus limestone, Carboniferous, Nevada: Lawson, 1526.
- Arkadelphia clay, Cretaceous, Arkansas: Veatch, 2436.
- Arpin quartzite, pre-Cambrian, Wisconsin: Weidman, 2512.
- Arriban series, Miocene, New Mexico: Keyes, 1390.
- Arundel formation, Jurassic?, Maryland: Clark and Mathews, 488.
- Arundel formation, Jurassic? and Cretaceous, Maryland: Shattuck *et al.*, 2193.
- Ashbed group, Cambrian, Michigan: Lane and Seaman, 1518.
- Ashley-Cooper marls, Eocene, South Carolina: Sloan, 2218.
- Ashnola gabbro, Paleozoic, Cascade Mountains: Daly, 632.
- Aspen formation, Cretaceous, Wyoming: Schultz, 2151.
- Athens, Carboniferous, Appalachian region: Stevenson, 2295.
- Athens shale, Ordovician, Tennessee: Keith, 1354.
- Athens shale, Ordovician, Virginia: Bassler, 158.
- Atlas formation, California: Lawson, 1528.
- Atoka formation, Carboniferous, Arkansas: Collier, 556.
- Aubrey limestone, Carboniferous, Montana: Reagan, 1999.
- Aubrey limestone, Carboniferous, Utah: Lee, 1544.
- Austin chalk, Cretaceous, Texas: Ries, 2058; Udden, 2408.
- Aylmer formation, Ordovician, Canada: Raymond, 1987.
- Bad River gabbro, Algonkian, Michigan: Gordon and Lane, 985.
- Bagley andesite, Jurassic, California: Diller, 721.
- Baird formation, Carboniferous, California: Diller, 721.
- Balaklala rhyolite, pre-Devonian, California: Diller, 721.
- Baltic conglomerate, Algonkian, Michigan: Lane, 1509.
- Baltimore gneiss, Algonkian, Maryland: Clark and Mathews, 488.
- Bandera shale, Pennsylvanian, Kansas: Schrader and Haworth, 2144; Wooster, 2636.
- Banff limestone, Carboniferous, Alberta: Dowling, 736.
- Banff shale (lower), Carboniferous, Alberta: Dowling, 736.
- Banff shale (upper), Permo-Triassic, Alberta: Dowling, 736.
- Bangor limestone, Carboniferous, Alabama: Butts, 370.
- Bangor (Chester) limestone, Mississippian, Alabama: Smith, 2229.
- Barclay limestone, Carboniferous, Kansas: Wooster, 2636.
- Barkersville gabbro, Triassic?, North Carolina: Keith, 1354.
- Barnwell buhr sands, Eocene, South Carolina: Sloan, 2218.

- Bashl formation, Eocene, Alabama : Smith, 2220.
- Bass Mountain diabase, Carboniferous, California : Diller, 721.
- Battle quartzite, Cambrian, Maine : Smith *et al.*, 2241.
- Bayport formation, Carboniferous, Michigan : Cooper, 575.
- Bayport limestone, Michigan : Lane, 1508.
- Bayport or Maxville limestone, Mississippian, Michigan : Lane, 1516.
- Bays sandstone, Ordovician, Virginia : Bassler, 158.
- Bearpaw shales, Cretaceous, Alberta : Cairnes, 381; Dowling, 735.
- Bear River formation, Cretaceous, Wyoming : Schultz, 2151; Veatch, 2437.
- Beaumont clays, Pleistocene, Texas : Fenneman, 859; Ries, 2058.
- Beaver, Carboniferous, Appalachian region : Stevenson, 2295.
- Beaver limestone, Cambrian, Georgia : Watson, 2483.
- Becket gneiss, pre-Cambrian, Connecticut : Gregory, 1034; Gregory and Robinson, 1038.
- Becraft limestone, Devonian, New York : Grabau, 991.
- Becraft member, Devonian, Maryland : Clark and Mathews, 488.
- Bedford oolitic limestone, Mississippian, Indiana : Blatchley, 246.
- Bedrock series, California : Reid, 2018.
- Beech granite, Archean, North Carolina and Tennessee : Keith, 1354.
- Beekmantown beds, Ordovician, New York : Ruedemann, 2097.
- Beekmantown formation, Ordovician, Vermont : Seely, 2164.
- Belknap dike, New Hampshire : Pirsson and Washington, 1934.
- Bellepoint member of Columbus formation, Devonian, Ohio : Swartz, 2329.
- Bellingham conglomerate, Massachusetts : Mansfield, 1674.
- Belmont porphyry dikes, Montana : Barrell, 149.
- Beloit formation, Ordovician, upper Mississippi Valley : Sardeson, 2122.
- Belt group, Algonkian, Montana : Barrell, 149.
- Belt terrane, Algonkian, Montana : Warner, 2477.
- Benning granite, Georgia : Lindgren, 1596.
- Benton formation, Cretaceous, Montana : Rowe, 2090.
- Benton formation, Cretaceous, Wyoming : Veatch, 2440.
- Benton group, Cretaceous, Nebraska : Condra, 570.
- Benton shale, Cretaceous, Colorado : Gale, 922.
- Benton shale, Cretaceous, North Dakota : Leonard, 1563.
- Benton shales, Cretaceous, Alberta : Cairnes, 381.
- Benwood limestone, Carboniferous, Appalachian region : Stevenson, 2295.
- Benwood limestone, Carboniferous, Pennsylvania : Clapp, 475.
- Benwood limestone, Carboniferous, West Virginia : Grimsley, 1046.
- Berea grit, Mississippian, Michigan : Lane, 1516.
- Berea sandstone, Carboniferous, Pennsylvania : Woolsey, 2634.
- Berenda formation, Carboniferous, New Mexico : Keyes, 1377.
- Bergman series, Cretaceous, Alaska : Brooks, 313.
- Berkshire schist, Ordovician, Connecticut : Gregory and Robinson, 1038.
- Berkshire (Hudson) schist, Connecticut : Gregory, 1034.
- Bertie waterlime, Silurian, New York : Clarke, 494; Hartnagel, 1085; Luther, 1633.
- Bethany Falls limestone, Carboniferous, Kansas : Wooster, 2636.
- Bighorn limestone, Ordovician, Wyoming : Darton, 642, 644-647; Fisher, 873.
- Bijiki formation, pre-Cambrian, Michigan : Lane and Seaman, 1518.
- Bijiki (Ironwood), Michigan : Gordon and Lane, 985.
- Binary granite, Colorado : Underhill, 2414.
- Bingen sand, Cretaceous, Arkansas : Veatch, 2436.
- Binnewater quartzite, Silurian, New York : Hartnagel, 1084.
- Binnewater sandstone, Silurian, New York : Grabau, 991.
- Birch Creek formation, pre-Devonian, Alaska : Prindle, 1956.
- Birch Creek schists, Alaska : Brooks, 313.
- Birmingham shale, Carboniferous, West Virginia : Grimsley, 1044, 1046.
- Black Creek shale, Cretaceous, South Carolina : Sloan, 2218.
- Blackfoot formation, pre-Cambrian, Montana : Emmons, 806.
- Blackfoot series, Algonkian, Montana : Walcott, 2470.
- Black Hand formation, Carboniferous, Ohio : Carney, 427.
- Black Mingo shales, Eocene, South Carolina : Sloan, 2218.
- Black River, Ordovician, Ontario : Ellis, 788.
- Blackville limestone, Carboniferous, Appalachian region : Stevenson, 2295.
- Bladen formation, Cretaceous, North Carolina : Stephenson, 2281.
- Blanco formation, Tertiary, Texas : Gould, 986.
- Bloyd shale, Pennsylvania, Arkansas : Purdue, 1971.
- Blue chert series, Devonian, California : Hershey, 1133.
- Bluff formation, Quaternary, Mississippi : Logan, 1608.
- Boggy formation, Carboniferous, Indian Territory : Taff, 2332.

- Bohemian Range group, Cambrian, Michigan : Lane and Seaman, 1518.
- Bohicket marl-sand, Pleistocene, South Carolina : Sloan, 2218.
- Bohio formation, Eocene, Panama : Howe, 1244.
- Bolivar fire clay, Carboniferous, West Virginia : Grimsley, 1046.
- Bolton schist, Connecticut : Gregory, 1034 ; Gregory and Robinson, 1038.
- Bonnetterre limestone, Cambrian, Missouri : Shepard, 2194.
- Boone chert, Carboniferous, Arkansas : Purdue, 1970.
- Boone formation, Mississippian, Arkansas : Purdue, 1971.
- Boone formation, Mississippian, Indian Territory : Taff, 2332.
- Boone formation, Mississippian, Kansas : Schrader and Haworth, 2144.
- Boquillas flags, Cretaceous, Texas : Udden, 2409.
- Boss Mountain diabase, Carboniferous, California : Diller, 721.
- Bowler formation, Triassic? and Permian, Montana : Rowe, 2090.
- Bow River series, Canada : Walcott, 2470.
- Boyle limestone, Devonian, Kentucky : Foerste, 884.
- Bradford schist, Vermont : Richardson, 2037.
- Bragdon formation, California : Hershey, 1133.
- Bragdon formation, Carboniferous, California : Diller, 721.
- Brainerd shales, Ordovician, Iowa : Calvin, 388.
- Branford granite-gneiss, Connecticut : Gregory, 1034 ; Gregory and Robinson, 1038.
- Brassfield limestone, Silurian, Kentucky : Foerste, 883, 884.
- Brasstown schist, Cambrian, North Carolina : Keith, 1352.
- Brayman shales, Silurian, New York : Grabau, 991.
- Brentwood limestone lentil, Pennsylvania, Arkansas : Purdue, 1971.
- Brevard schist, Cambrian, North Carolina and South Carolina : Keith, 1353.
- Bridger group, Tertiary, Wyoming : Sinclair, 2214.
- Bridger formation, Tertiary, Wyoming : Veatch, 2437.
- Brier Creek marl, Oligocene, South Carolina : Sloan, 2218.
- Brimfield schist, Connecticut : Gregory, 1034 ; Gregory and Robinson, 1038.
- Bristol granite-gneiss, Connecticut : Gregory, 1034 ; Gregory and Robinson, 1038.
- Brock shale, Triassic, California : Diller, 721.
- Bromley formation, Ordovician, Kentucky : Bassler, 156.
- Bronson beds, Carboniferous, Kansas : Wooster, 2636.
- Brookfield diorite, Connecticut : Gregory, 1034 ; Gregory and Robinson, 1038.
- Brownstown formation, Cretaceous, Arkansas : Veatch, 2436.
- Brush Creek limestone, Carboniferous, Pennsylvania : Stevenson, 2294.
- Brush Creek limestone, Carboniferous, West Virginia : Grimsley, 1046.
- Bryson formation, Carboniferous, Kentucky : Ashley and Glenn, 77.
- Buchanan gravels, Pleistocene, Iowa : Arey, 53 ; Calvin, 388 ; Leonard, 1559 ; Macbride, 1639 ; Norton, 1805 ; Williams, 2588.
- Buda limestone, Cretaceous, Texas : Udden, 2408-2409.
- Buffalo sandstone, Carboniferous, Pennsylvania : Stevenson, 2294.
- Buffalo sandstone, Carboniferous, West Virginia : Grimsley, 1044, 1046.
- Bully Hill rhyolite, Triassic, California : Diller, 721.
- Burches Ferry marl, Cretaceous, South Carolina : Sloan, 2218.
- Burden conglomerate, Ordovician, New York : Grabau, 991.
- Burgen sandstone, Ordovician, Indian Territory : Taff, 2332.
- Burgoon sandstone, Mississippian, Pennsylvania : Butts, 368 ; Woolsey, 2634.
- Burke formation, Algonkian, Montana : Walcott, 2470.
- Burlingame shales, Carboniferous, Kansas : Wooster, 2636.
- Burlington limestone, Mississippian, Illinois : Weller, 2523.
- Burlington limestones, Mississippian, Iowa : Beyer and Williams, 234.
- Burlington limestone, Mississippian, Missouri : Shepard, 2194.
- Burns tuff, Oligocene, Colorado : Cross *et al.*, 607.
- Burro gravels and tuffs, Tertiary, Texas : Udden, 2409.
- Bushberg sandstone, Mississippian, Missouri : Weller, 2519.
- Butler sandstone, Carboniferous, Pennsylvania : Butts, 268 ; Woolsey, 2634.
- Buxton formation, Pennsylvanian, Kansas : Schrader and Haworth, 2144.
- Cable formation, California : Lawson, 1528.
- Cacapon sandstone, Silurian, West Virginia : Grimsley, 1044.
- Cache Creek group, Devonian, British Columbia : Brooks, 313.
- Calceiferous, Michigan : Lane, 1508.
- Calceiferous, Ordovician, Ontario : Ellis, 788.
- Calceiferous formation, Ordovician, Michigan : Lane and Seaman, 1518.
- Calderwood formation, Cambrian, Maine : Smith *et al.*, 2241.
- Calhoun shales, Carboniferous, Kansas : Wooster, 2636.
- Calvert formation, Miocene, Maryland : Clark and Mathews, 488 ; Shattuck, 2185, 2188, 2191 ; Shattuck *et al.*, 2193.
- Calvert formation, Tertiary, Virginia : Clark and Miller, 489.

- Calvert formation, Tertiary, Maryland and Delaware: Miller, 1749.
- Cambridge limestone, Carboniferous, Pennsylvania: Butts, 368; Stevenson, 2294.
- Cambridge limestone, Carboniferous, Pennsylvania, Ohio, and West Virginia: Griswold and Munn, 1048.
- Cambridge limestone, Carboniferous, West Virginia: Grimsley, 1044, 1046.
- Camillus shale, Silurian, New York: Hartnagel, 1085; Luther, 1633.
- Campbell's Creek limestone, Carboniferous, West Virginia: Grimsley, 1044.
- Camp Creek formation, pre-Cambrian, Montana: Emmons, 806.
- Camp Creek series, Algonkian, Montana: Walcott, 2470.
- Camp Nelson, Ordovician, Kentucky: Miller, 1748.
- Cannelton limestone, Carboniferous, West Virginia: Grimsley, 1044.
- Canterbury granite-gneiss, Connecticut: Gregory, 1034; Gregory and Robinson, 1038.
- Cantwell formation, Tertiary, Alaska: Brooks, 313.
- Canyon formation, Carboniferous, Texas: Ries, 2058.
- Canyon Largo sandstones, Eocene, New Mexico: Keyes, 1388, 1390.
- Capefear formation, Jurassic?, North Carolina: Stephenson, 2281.
- Cape Girardeau limestone, Ordovician, Illinois: Weller, 2517, 2524.
- Capitan limestone, Carboniferous, New Mexico: Keyes, 1377.
- Cardiff quartzite, Algonkian, Maryland: Clark and Mathews, 488.
- Cardiff shale, Devonian, New York: Luther, 1633.
- Carlile formation, Cretaceous, Colorado: Darton, 648; Fisher, 869.
- Carlile shale, Cretaceous, Nebraska: Condra, 570.
- Carlile shale, Cretaceous, Wyoming: Darton and O'Hara, 656.
- Carlyle limestone, Carboniferous, Kansas: Wooster, 2636.
- Carmichaels formation, Pleistocene, Pennsylvania: Clapp, 475, 476.
- Carmichaels formation, Quaternary, Pennsylvania: Butts, 368.
- Carolina gneiss, Archean, North Carolina: Keith, 1352, 1354.
- Carolina gneiss, Archean, North Carolina and South Carolina: Keith, 1353.
- Cashagua shale, Devonian, New York: Luther, 1633, 1634.
- Cason shale, Ordovician, Arkansas: Purdue, 1970.
- Cassville plant shale, Carboniferous, West Virginia: Grimsley, 1046.
- Cassville shale, Carboniferous, Appalachian region: Stevenson, 2295.
- Cassville shale, Carboniferous, Pennsylvania: Clapp, 475.
- Castine formation, Cambrian, Maine: Smith *et al.*, 2241.
- Catahoula formation, Tertiary, Louisiana: Veatch, 2436, 2437.
- Cathedral granite, Tertiary, Cascade Mountains: Daly, 632.
- Catron formation, Carboniferous, Kentucky: Ashley and Glenn, 77.
- Catskill formation, Devonian, Pennsylvania: Butts, 367.
- Catskill formation, Devonian, West Virginia: Grimsley, 1044.
- Catskill member, Devonian, Pennsylvania: Clapp, 475.
- Catskill series, Devonian, New York: Grabau, 991.
- Cave Creek gypsum, Permian, Kansas: Wooster, 2636.
- Cave Springs sandstone, Carboniferous, Kansas: Wooster, 2636.
- Cawood sandstone member, Carboniferous, Kentucky: Ashley and Glenn, 77.
- Cayuga formation, Silurian, Maryland: Clark and Mathews, 488.
- Cayuga group, Silurian, Wisconsin: Alden, 23.
- Cayuta shale member, Devonian, New York: Williams, 2583.
- Cedar Hill sandstones, Permian, Kansas: Wooster, 2636.
- Cedar Point shales and limestones, Permian, Kansas: Wooster, 2636.
- Cedar Valley limestone, Devonian, Iowa: Calvin, 387, 388.
- Cedar Valley stage, Devonian, Iowa: Arey, 53; Norton, 1805.
- Central City granite, Colorado: Underhill, 2412.
- Central (Mine) group, Cambrian, Michigan: Lane and Seaman, 1518.
- Chaco marls, Eocene, New Mexico: Keyes, 1388, 1390.
- Chagrin formation, Devonian, Kentucky: Foerste, 883.
- Chama clays, Miocene, New Mexico: Keyes, 1388.
- Chaman series, Eocene, New Mexico: Keyes, 1390.
- Chamberlain shale, Algonkian, Montana: Rowe, 2090.
- Chambersburg formation, Ordovician, Virginia: Bassler, 158.
- Chambersburg limestone, Ordovician, Maryland: Clark and Mathews, 488.
- Chambersburg limestone, Ordovician, Pennsylvania: Stose, 2318.
- Chanute shale, Pennsylvanian, Kansas: Beede and Rogers, 181; Schrader and Haworth, 2144; Wooster, 2636.
- Chariton conglomerate, Pennsylvanian, Iowa: Beyer and Williams, 234.
- Chatooga zone, Archean, South Carolina: Sloan, 2218.
- Chattahoochee, Tertiary, Georgia: Harper, 1077.

- Chattahoochee series, Miocene, Alabama : Smith, 2229.
- Chattahoochee series, Tertiary, Gulf region : Smith, 2226.
- Chattanooga shale, Devonian, Indian Territory : Taff, 2332.
- Chauga zone, Cambrian?, South Carolina : Sloan, 2218.
- Chautauqua sandstone, Carboniferous, Kansas : Wooster, 2636.
- Chazy, Ordovician, Ontario : Ellis, 788.
- Chazy beds, Ordovician, New York, Ruedemann, 2097.
- Chazy formation, Ordovician, Vermont : Seely, 2164.
- Chazy limestone, Ordovician, Vermont : Edson, 774.
- Chazy limestone, Ordovician, New York, Vermont, and Canada : Raymond, 1987.
- Chelmsford sandstone, Canada : Coleman, 546.
- Chelmsford sandstone, pre-Cambrian, Ontario : Coleman, 539.
- Chemung formation, Devonian, New York : Williams, 2583.
- Chemung formation, Devonian, Pennsylvania : Butts, 367; Clapp, 475, 477.
- Chemung formation, Devonian, West Virginia : Grimsley, 1044.
- Chemung group, Devonian, New York : Williams, 2586.
- Chemung member, Devonian, Maryland : Clark and Mathews, 488.
- Chemung sandstones, Devonian, New York : Luther, 1634.
- Cheraw cobbles, Pleistocene, South Carolina : Sloan, 2218.
- Cherokee shale, Pennsylvanian, Kansas : Schrader and Haworth, 2144; Wooster, 2636.
- Cherokee shale, Pennsylvanian, Missouri : Shepard, 2194.
- Cherokee zone, Cambrian?, South Carolina : Sloan, 2218.
- Cherryvale shale, Pennsylvanian, Kansas : Schrader and Haworth, 2144; Wooster, 2636.
- Chesapeake group, Miocene, Maryland : Clark and Mathews, 488; Shattuck, 2188, 2191; Shattuck *et al.*, 2193.
- Chester formation, Mississippian, Mississippi : Crider, 595.
- Chester group, Mississippian, Missouri : Shepard, 2194.
- Chickamauga limestone, Ordovician, Alabama : Butts, 370.
- Chickamauga limestone, Ordovician, Virginia : Bassler, 158.
- Chickasaw (Wilcox) group, Eocene, Alabama : Smith, 2229.
- Chico formation, Cretaceous, California : Diller, 721.
- Chico series, Cretaceous, California : Crandall, 590.
- Chippewa felsite, Algonkian, Michigan : Gordon and Lane, 285.
- Chisna group, Devonian, Alaska : Brooks, 313.
- Chisos beds, Cretaceous, Texas : Udden, 2409.
- Chitstone limestone, Alaska : Brooks, 313.
- Chopaka intrusive, Paleozoic, Cascade Mountains : Daly, 632.
- Choptank formation, Miocene, Maryland : Clark and Mathews, 488; Shattuck, 2185, 2188, 2191; Shattuck, *et al.*, 2193.
- Choptank formation, Tertiary, Virginia : Clark and Miller, 489.
- Chouteau limestone, Mississippian, Illinois : Weller, 2523.
- Chouteau limestone, Mississippian, Missouri : Shepard, 2194.
- Chugwater formation, Triassic?, Wyoming : Darton, 642, 644-647; Fisher, 873.
- Cibola limestone, Carboniferous, Texas : Udden, 2409.
- Cimarron Creek latite, Colorado : Cross *et al.*, 607.
- Cimarronian series, Carboniferous, New Mexico : Keyes, 1377.
- Cincinnati formation, Ordovician, Wisconsin : Alden, 23.
- Cincinnati formation, Ordovician, Illinois : Weller, 2517, 2524.
- Cisco formation, Carboniferous, Texas : Ries, 2058.
- Claggett formation, Cretaceous, Alberta : Cairnes, 381; Dowling, 735.
- Claiborne formation, Eocene, Mississippi : Logan, 1608.
- Claiborne formation, Tertiary, Louisiana and Arkansas : Veatch, 2436, 2437.
- Claiborne group, Eocene, Alabama : Smith, 2229.
- Claiborne group, Tertiary, Mississippi : Crider, 595; Crider and Johnson, 599.
- Claiborne stage, Eocene, Louisiana : Harris, 1079.
- Clallam formation, Tertiary, Washington : Arnold, 56.
- Clarion sandstone, Carboniferous, Pennsylvania : Butts, 368.
- Clarksburg limestone, Carboniferous, West Virginia : Grimsley, 1044, 1046.
- Claysville limestone, Carboniferous, Pennsylvania, Ohio, and West Virginia : Griswold and Munn, 1048.
- Clayton formation, Tertiary, Mississippi : Crider, 595; Crider and Johnson, 599.
- Clayton limestone, Eocene, Alabama : Smith, 2229.
- Clayton limestone, Eocene, Mississippi : Logan, 1608.
- Clear Creek gneiss, Colorado : Underhill, 2414.
- Clear Fork division of the Red Beds, Permian, Texas : Case, 443.
- Clermont shale, Ordovician, Iowa : Calvin, 388.
- Clinch ("Medina"), Virginia : Eckel, 765.
- Clinch sandstone, Ordovician, Virginia : Bassler, 158.

- Clinton formation, Silurian, Maryland: Clark and Mathews, 488.
- Clinton formation, Silurian, New York: Hartnagel, 1085.
- Clinton formation, Silurian, West Virginia: Grimsley, 1044.
- Cloverly formation, Cretaceous, Montana: Darton, 652.
- Cloverly formation, Cretaceous, Wyoming: Darton, 642, 644-647; Fisher, 873.
- Coastal group, Canada: Ellis, 784.
- Cobleskill dolomite, Silurian, New York: Clarke, 499.
- Cobleskill limestone, Silurian, New York: Grabau, 991; Hartnagel, 1084.
- Cobleskill waterlime, Silurian, New York: Luther, 1633.
- Cochran conglomerate, Cambrian, Tennessee: Keith, 1354.
- Cockeysville marble, Algonkian, Maryland: Clark and Mathews, 488.
- Cockfield member, Tertiary, Louisiana and Arkansas: Veatch, 2436, 2437.
- Cockfield member of Claiborne, Eocene, Louisiana: Harris, 1079.
- Coeymans limestone, Devonian, New York: Grabau, 991; Hartnagel, 1084.
- Coeymans member, Devonian, Maryland: Clark and Mathews, 488.
- Coffeyville formation, Pennsylvanian, Kansas: Schrader and Haworth, 2144.
- Coggon limestone, Devonian, Iowa: Norton, 1805.
- Coldbrook group, pre-Cambrian, Canada: Ellis, 784.
- Coldwater series, Mississippian, Michigan: Lane, 1516.
- Coldwater shale, Carboniferous, Michigan: Cooper, 575.
- Coldwater group, Tertiary, Yukon Territory: Brooks, 313.
- Collinsville granite-gneiss, Connecticut: Gregory, 1034; Gregory and Robinson, 1038.
- Colorado formation, Cretaceous, Canada: Dowling, 735.
- Colorado formation, Cretaceous, Iowa: Calvin, 387.
- Colorado formation, Cretaceous, Montana: Darton, 652.
- Colorado formation, Cretaceous, North Dakota: Leonard, 1563.
- Colorado formation, Cretaceous, Wyoming: Darton, 642, 644-647; Fisher, 873; Veatch, 2437.
- Columbia clay, Quaternary, Missouri: Shepard, 2194.
- Columbia formation, Mississippi: Brown, 326.
- Columbia formation, Pleistocene, South Carolina: Pugh, 1963.
- Columbia formation, Quaternary, Mississippi: Logan, 1608.
- Columbia formation, Quaternary, Tennessee, Kentucky, and Illinois: Glenn, 971.
- Columbia formation, Tertiary, Georgia: Harper, 1077.
- Columbia group, Pleistocene, Maryland: Clark and Mathews, 488; Shattuck, 2185, 2188, 2191; Shattuck *et al.*, 2193.
- Columbia group, Quaternary, Maryland and Delaware: Miller, 1749.
- Columbia sands, Pleistocene, South Carolina: Sloan, 2218.
- Columbia sands, Pleistocene, Texas: Fenneman, 859; Ries, 2058.
- Columbia Ford limestone, Carboniferous, Kansas: Wooster, 2636.
- Columbus formation, Devonian, Ohio: Swartz, 2329.
- Columbus limestone, Devonian, Kentucky: Foerste, 883.
- Columbus limestone, Devonian, Ohio: Stauffer, 2277, 2278.
- Colville, Tertiary, Alaska: Brooks, 313.
- Colvin limestone, Carboniferous, Appalachian region: Stevenson, 2295.
- Comanche series, Cretaceous, Arkansas: Veatch, 2436.
- Comanche series, Cretaceous, Colorado: Darton, 648.
- Combahee shale, Oligocene, South Carolina: Sloan, 2218.
- Conasauga limestone, Ordovician, Alabama: Butts, 370.
- Conasauga shales, Cambrian, Georgia: Watson, 2483.
- Concrete shale, Pennsylvanian, Kansas: Schrader and Haworth, 2144.
- Concrete (Lane) shale, Carboniferous, Kansas: Wooster, 2636.
- Conemaugh formation, Carboniferous, Pennsylvania: Butts, 368; Clapp, 475, 477; Stevenson, 2294; Woolsey, 2634.
- Conemaugh formation, Carboniferous, Pennsylvania, Ohio, and West Virginia: Griswold and Munn, 1048.
- Conemaugh formation, Pennsylvanian, Maryland: Clark and Mathews, 488.
- Conemaugh series, Carboniferous, West Virginia: Grimsley, 1044, 1046.
- Congaree shales, Eocene, South Carolina: Sloan, 2218.
- Connellsville sandstone, Carboniferous, West Virginia: Grimsley, 1044, 1046.
- Connoquenessing sandstone, Carboniferous, Pennsylvania: Butts, 368.
- Cooks Mountain beds, Tertiary, Texas: Fenneman, 859.
- Copley metaandesite, pre-Devonian, California: Diller, 721.
- Copper Harbor conglomerates, Cambrian, Michigan: Lane and Seaman, 1518.
- Cornwall shale, Devonian, New York: Hartnagel, 1084.
- Cortlandt series, Ordovician, New York: Berkey, 207.
- Corwin formation, Jurassic, Alaska: Collier, 552.

- Corwin series, Jurassic, Alaska: Brooks, 313.
- Cottonwood limestone, Carboniferous, Kansas: Beede and Rogers, 181; Wooster, 2636.
- Covington group, Ordovician, Ohio and Kentucky: Bassler, 156.
- Cowrun sandstone, Carboniferous, Pennsylvania: Stevenson, 2294.
- Coyote formation, Carboniferous, New Mexico: Keyes, 1377.
- Crab Orchard division, Silurian, Kentucky: Foerste, 883, 884.
- Cranberry granite, Archean, North Carolina and Tennessee: Keith, 1354.
- Crescent formation, Tertiary, Washington: Arnold, 56.
- Creston quartzite, Algonkian, Montana: Walcott, 2470.
- Creston quartzite, Idaho and Montana: Daly, 631.
- Cripple Creek granite, Colorado: Graton, 1026.
- Crown conglomerate, Cretaceous, Texas: Udden, 2409.
- Crown Point limestone, Ordovician, New York: Raymond, 1987.
- Crusher Hill shales and limestones, Permian, Kansas: Wooster, 2636.
- Cuchara formation, Cretaceous?, Colorado: Darton, 648.
- Culebra beds, Panama: Howe, 1245.
- Culebra formation, Tertiary, Panama: Howe, 1244.
- Curdsville, Ordovician, Kentucky: Miller, 1748.
- Cutler formation, Carboniferous (Permian?), Colorado: Cross *et al.*, 607.
- Cuyahoga formation, Carboniferous, Ohio: Carney, 427.
- Cuyuna series, Minnesota: Leith, 1557.
- Cynthiana formation, Ordovician, Kentucky: Foerste, 884.
- Dadina schists, Alaska: Brooks, 313.
- Dakota formation, Cretaceous, Alberta: Cairnes, 381; Dowling, 735.
- Dakota formation, Cretaceous, Colorado: Darton, 648; Fenneman and Gale, 863; Fisher, 869; Gale, 922.
- Dakota formation, Cretaceous, Iowa: Calvin, 387; Macbride, 1639.
- Dakota formation, Cretaceous, Montana: Rowe, 2090.
- Dakota formation, Cretaceous, Nebraska: Condra, 570; Woodruff, 2628.
- Dakota formation, Cretaceous, Wyoming: Veatch, 2440.
- Dakota sandstone, Cretaceous, Colorado: Cross *et al.*, 607.
- Dakota sandstone, Cretaceous, Colorado and New Mexico: Shaler, 2176.
- Dakota sandstone, Cretaceous, Wyoming: Darton and O'Harra, 656.
- Dakotan series, Cretaceous, New Mexico: Keyes, 1379.
- Danbury granodiorite-gneiss, Connecticut: Gregory, 1034; Gregory and Robinson, 1038.
- Davenport, lower, sub-stage, Iowa: Norton, 1805.
- Day Creek dolomite, Permian, Kansas: Wooster, 2636.
- Day Point limestone, Ordovician, New York: Raymond, 1987.
- Deadwood formation, Cambrian, Wyoming: Darton, 642, 644-647; Fisher, 873.
- Decker Ferry limestone, Silurian, New York: Hartnagel, 1084.
- Decorah shale, Ordovician, Iowa: Beyer and Williams, 234; Calvin, 388.
- Deer Creek limestone, Carboniferous, Kansas: Wooster, 2636.
- DeKalb limestone, Pennsylvanian, Iowa: Beyer and Williams, 234.
- Dekkas andesite, Triassic, California: Diller, 721.
- Delaware limestone, Devonian, Ohio: Stauffer, 2277, 2278; Swartz, 2329.
- Del Rio clay, Cretaceous, Texas: Udden, 2408, 2409.
- Denison formation, Cretaceous, Arkansas: Veatch, 2436.
- Dennis limestone, Carboniferous, Kansas: Beede and Rogers, 181; Schrader and Haworth, 2144; Wooster, 2636.
- Denver formation, Cretaceous?, Colorado: Darton, 648.
- De Smet formation, Cretaceous, Wyoming: Darton, 644-647.
- Des Moines formation, Carboniferous, Iowa: Calvin, 387; Savage, 2128.
- Des Moines group, Pennsylvanian, Missouri: Shepard, 2194.
- Des Moines stage, Pennsylvanian, Iowa: Beyer and Williams, 234.
- Devil's River limestone, Cretaceous, Texas: Udden, 2408.
- Devonshire formation, Bermuda Islands: Verrill, 2445.
- Difficulty Creek latite, Colorado, Cross *et al.*, 607.
- Dighton conglomerate, Massachusetts: Mansfield, 1674.
- Dillard series, Cretaceous, Oregon: Diller, 724.
- Dockum formation, Triassic, Texas: Gould, 986.
- Dockum group, Triassic, Texas: Gould, 987.
- Dog Creek shales, Permian, Kansas: Wooster, 2636.
- Dolores formation, Triassic, Colorado: Cross, 604; Cross *et al.*, 607.
- Don beds of Toronto formation, Quaternary, Canada: Coleman, 547.
- Donley limestone, Carboniferous, Pennsylvania, Ohio, and West Virginia: Griswold and Munn, 1048.
- Doré formation, Canada: Bell, 189.
- Dothan formation, Jurassic, Oregon: Diller, 724.

- Double Mountain division of the Red Beds, Permian, Texas: Case, 443.
- Dresbach formation, Cambrian, Iowa: Calvin, 387.
- Dresbach sandstone, Cambrian, Iowa: Beyer and Williams, 234.
- Drum formation, Pennsylvanian, Kansas: Schrader and Haworth, 2144.
- Drumlummon porphyry dikes, Montana: Barrell, 149.
- Dry Creek shale, Devonian-Silurian, Montana: Emmons, 806.
- Dubque formation, Ordovician, upper Mississippi Valley: Sardeson, 2122.
- Dudley shales, Carboniferous, Kansas: Beede and Rogers, 181; Wooster, 2636.
- Duffin layer, Devonian, Kentucky: Foerste, 883, 884.
- Dugout clays and gravels, Tertiary, Texas: Udden, 2409.
- Duluth gabbro, Algonkian, Minnesota: Abbott, 1.
- Dundee limestone, Devonian, Michigan: Cooper, 575; Lane, 1516.
- Dunkard formation, Carboniferous, Appalachian region: Stevenson, 2295.
- Dunkard formation, Permian, Maryland: Clark and Mathews, 488.
- Dunkard group, Carboniferous, Pennsylvania: Clapp, 475, 476.
- Dunkard group, Carboniferous (Permian), Pennsylvania: Clapp, 477.
- Dunkard series, Carboniferous, West Virginia: Grimsley, 1044, 1046.
- Eagle formation, Cretaceous, Canada: Dowling, 735.
- Eagle limestone, Carboniferous, West Virginia: Grimsley, 1044.
- Eagle Ford beds, Cretaceous, Texas: Udden, 2408.
- Eagle Ford formation, Cretaceous, Arkansas: Veatch, 2436.
- Eagle Ford formation, Cretaceous, Texas: Ries, 2058.
- Eagle Pass formation, Cretaceous, Texas: Udden, 2408.
- Eagle River group, Cambrian, Michigan: Lane and Seaman, 1518.
- Earlham limestone, Pennsylvanian, Iowa: Beyer and Williams, 234.
- Earlton limestone, Carboniferous, Kansas: Wooster, 2636.
- Eastford granite-gneiss, Connecticut: Gregory, 1034; Gregory and Robinson, 1038.
- East Greenwich group, early Carboniferous or late pre-Carboniferous: Emerson and Perry, 790.
- Easton schist, pre-Tertiary, Washington: Smith and Calkins, 2240.
- Economy member, Ordovician, Ohio and Kentucky: Bassler, 156.
- Eddy formation, Carboniferous, New Mexico: Keyes, 1377.
- Eden, Ordovician, Kentucky: Miller, 1748.
- Eden formation, Ordovician, Ohio and Kentucky: Bassler, 156.
- Eden shale, Ordovician, Pennsylvania: Stose, 2318.
- Eden shales and sandstones, Ordovician, Virginia: Bassler, 158.
- Edgefield-Chesterfield zone, Algonkian?, South Carolina: Sloan, 2218.
- Edisto marls, Miocene, South Carolina: Sloan, 2218.
- Edmonton formation, Cretaceous, Alberta: Cairnes, 381.
- Edmonton series, Cretaceous, Canada: Dowling, 735.
- Elbert formation, Devonian, Colorado: Cross *et al.*, 607.
- Elbrook limestone, Cambro-Ordovician, Pennsylvania: Stose, 2318.
- Elgin sandstone, Pennsylvanian, Kansas: Schrader and Haworth, 2144; Wooster, 2636.
- Elgin shaly limestones, Ordovician, Iowa: Calvin, 388.
- Elk Lick limestone, Carboniferous, West Virginia: Grimsley, 1044, 1046.
- Ellensburg formation, Tertiary, Washington: Smith and Calkins, 2240.
- Ellis formation, Cretaceous, Montana: Rowe, 2090.
- Ellsworth schist, Cambrian or pre-Cambrian, Maine: Smith *et al.*, 2241.
- Elmdale formation, Carboniferous, Kansas: Beede and Rogers, 181; Wooster, 2636.
- Elm Grove limestone, Carboniferous, West Virginia: Grimsley, 1046.
- Elvins formation, Cambro-Ordovician, Missouri: Shepard, 2194.
- Ely greenstone, Archean, Minnesota: Abbott, 1.
- Ely limestone, Carboniferous, Nevada: Lawson, 1526.
- Embar formation, Carboniferous, Wyoming: Darton, 642, 647; Fisher, 873.
- Empire formation, Algonkian, Montana: Walcott, 2470.
- Empire shale, Algonkian, Montana: Barrell, 149.
- Emporia limestone, Carboniferous, Kansas: Beede and Rogers, 181; Wooster, 2636.
- Enfield shale member, Devonian, New York: Williams, 2583.
- Englishtown, Cretaceous, New Jersey: Clark, 483.
- Englishtown sand, Cretaceous, New Jersey: Weller, 2520.
- Enochkin formation, Jurassic, Alaska: Brooks, 313.
- Eo-Huronian, pre-Cambrian, Michigan: Lane and Seaman, 1518.
- Erie (Bronson) beds, Carboniferous, Kansas: Wooster, 2636.
- Erwin quartzite, Cambrian, North Carolina and Tennessee: Keith, 1354.
- Escondido beds of Eagle Pass formation, Cretaceous, Texas: Udden, 2408.
- Eskridge shales, Carboniferous, Kansas: Beede and Rogers, 181.

- Esopus shales, Devonian, New York: Graubau, 991.
- Estill clay, Silurian, Kentucky: Foerste, 883, 884.
- Eureka beds, Carboniferous, Kansas: Wooster, 2636.
- Eureka quartzite, Ordovician, Nevada and California: Ball, 120.
- Eutaw formation, Cretaceous, Alabama: Smith, 2229.
- Eutaw formation, Cretaceous, Mississippi: Logan, 1608.
- Eutaw sands, Cretaceous, Mississippi: Crider, 595; Crider and Johnson, 599.
- Eutaw sand, Cretaceous, Tennessee: Glenn, 971.
- Evans granite, Colorado: Collier, 553.
- Evanston formation, Tertiary, Wyoming: Schultz, 2151; Veatch, 2437.
- Everton limestone, Ordovician, Arkansas and Missouri: Purdue, 1967.
- Fairhaven diatomaceous earth, Miocene, Maryland: Shattuck, 2185, 2188.
- Fairhaven diatomaceous member, Miocene, Maryland: Shattuck *et al.*, 2193.
- Fairview formation, Ordovician, Ohio and Kentucky: Bassler, 156.
- Fall Creek conglomerate lentil, Devonian, New York: Williams, 2583.
- Farnham formation, Ordovician, Canada: Young, 2660.
- Fayette clays, Tertiary, Texas: Ries, 2058.
- Fayette sands, Tertiary, Texas: Fenneman, 859.
- Fayetteville formation, Mississippian, Arkansas: Purdue, 1971.
- Fayetteville formation, Mississippian, Indian Territory: Taff, 2332.
- Fern Glen formation, Mississippian, Missouri: Weller, 2519.
- Fern Glen (Kinderhook), Mississippian, Illinois: Fenneman, 860.
- Fernando formation, Miocene-Pliocene-Pleistocene, California: Arnold and Anderson, 66.
- Fernando formation, Pliocene, California: Arnold, 63; Eldridge and Arnold, 779.
- Fernando formation, Tertiary, California: Arnold and Anderson, 67.
- Fernie shale, Alberta: Dowling, 735.
- Fernie shale, Jurassic, Alberta: Cairnes, 381; Dowling, 736.
- Fickett series, Carboniferous (in part), Alaska: Brooks, 313.
- Fish Creek sandstone, Carboniferous, Appalachian region: Stevenson, 2295.
- Fish Creek sandstone, Carboniferous, Pennsylvania: Clapp, 476.
- Fish Creek sandstone, Carboniferous, West Virginia: Grimsley, 1046.
- Fishpot limestone, Carboniferous, Appalachian region: Stevenson, 2295.
- Fishpot limestone, Carboniferous, Pennsylvania: Clapp, 475.
- Flades clay, Silurian, Kentucky: Foerste, 883, 884.
- Flathead quartzite, Cambrian, Montana: Emmons, 806; Rowe, 2090; Walcott, 2470.
- Flatwoods clay, Eocene, Mississippi: Logan and Hand, 1609.
- Flatwoods clay, Tertiary, Mississippi: Crider, 595.
- Fleming clay, Tertiary, Louisiana: Veatch, 2436, 2437.
- Florena member of Garrison formation, Carboniferous, Kansas: Beede and Rogers, 181.
- Florence beds, Permian, Kansas: Wooster, 2636.
- Florence flints, Permian, Kansas: Wooster, 2636.
- Florissant formation, Tertiary (Eocene), Colorado: Henderson, 1127.
- Flower-pot shales, Permian, Kansas: Wooster, 2636.
- Fordham gneiss, pre-Cambrian, New York: Berkey, 207.
- Fort Atkinson limestone, Ordovician, Iowa: Calvin, 388.
- Fort Benton shales, Cretaceous, Iowa: Macbride, 1639.
- Fort Pierre formation, Cretaceous, Montana: Rowe, 2090.
- Fort Riley limestones, Permian, Kansas: Wooster, 2636.
- Fort Scott limestone, Pennsylvanian, Kansas: Schrader and Haworth, 2144; Wooster, 2636.
- Fort Smith formation, Carboniferous, Arkansas: Collier, 556.
- Fort Union, Cretaceous, Montana: Brown, 325.
- Fort Union, Tertiary, Wyoming: Veatch, 2439.
- Fort Union formation, Cretaceous, Montana: Leonard, 1564.
- Fort Union formation, Cretaceous, North Dakota: Leonard, 1563.
- Fort Union formation, Tertiary, Wyoming: Veatch, 2440.
- Fort Worth formation, Cretaceous, Arkansas: Veatch, 2436.
- Fortymile series, Alaska: Brooks, 313.
- Fortymile Creek formation, pre-Devonian, Alaska: Prindle, 1956.
- Fountain formation, Carboniferous, Colorado: Finlay, 868.
- Fox Hills formation, Cretaceous, Montana: Brown, 325; Leonard, 1564; Rowe, 2090.
- Fox Hills formation, Cretaceous, Wyoming: Darton, 642; Fisher, 873.
- Fox Hills member of Montana formation, Cretaceous, North Dakota: Leonard, 1563.
- Fox Hills sandstone, Cretaceous, Colorado: Darton, 648.
- Fox Hills sandstone, Cretaceous, North Dakota: Leonard, 1560.
- Fox Hills sandstone, Cretaceous, Wyoming: Darton and O'Harra, 656.

- Franciscan formation, Jurassic?, California: Arnold and Anderson, 66, 67.
- Franciscan (Golden Gate) series, pre-Cretaceous, California: Crandall, 591.
- Franklin limestone, Carboniferous, Appalachian region: Stevenson, 2295.
- Freda sandstone, Cambrian, Michigan: Lane and Seaman, 1518.
- Freeport group, Carboniferous, West Virginia: Grimsley, 1044.
- Freeport limestone, Carboniferous, Pennsylvania: Butts, 368; Stevenson, 2294.
- Freeport limestone, Carboniferous, West Virginia: Grimsley, 1046.
- Freeport sandstone, Carboniferous, Pennsylvania: Butts, 368; Woolsey, 2634.
- Freeport (Roaring Creek) sandstone, Carboniferous, West Virginia: Grimsley, 1046.
- Fremont limestone, Ordovician, Colorado: Darton, 648.
- Frio clays, Tertiary, Texas: Fenneman, 859; Ries, 2058.
- Frontier formation, Cretaceous, Wyoming: Schultz, 2151; Veatch, 2440.
- Fulda sandstone, Permian, Texas: Case, 443.
- Fulton green shale, Carboniferous, West Virginia: Grimsley, 1046.
- Fulton member, Ordovician, Ohio and Kentucky: Bassler, 156.
- Furnaceville iron ore, Silurian, New York: Hartnagel, 1085.
- Furnaceville iron ore formation, Silurian, New York: Clarke, 494.
- Fuson formation, Cretaceous, Wyoming: Darton and O'Hara, 656.
- Gakona group, Tertiary, Alaska: Brooks, 313.
- Galena (Boone) beds, Mississippian, Kansas: Wooster, 2636.
- Galena dolomite, Ordovician, upper Mississippi Valley: Bain, 99.
- Galena limestone, Ordovician, Iowa: Calvin, 387, 388; Leonard, 1559; Savage, 2128.
- Galena limestone, Ordovician, Wisconsin: Grant, 1017; Grant and Burchard, 1021.
- Galena series, Ordovician, upper Mississippi Valley: Sardeson, 2122.
- Galena stage, Ordovician, Iowa: Beyer and Williams, 234.
- Galesburg shale, Pennsylvanian, Kansas: Schrader and Haworth, 2144; Wooster, 2636.
- Gallice formation, Jurassic, Oregon: Diller, 724.
- Gallatin limestone, Cambrian, Montana: Rowe, 2090.
- Gardiner clays, Pleistocene, New England: Fuller, 913.
- Garnett limestone, Carboniferous, Kansas: Wooster, 2636.
- Garrard, Ordovician, Kentucky: Miller, 1748.
- Garrison formation, Carboniferous, Kansas: Beede and Rogers, 181.
- Gasconade limestone, Cambro-Ordovician, Missouri: Shepard, 2194.
- Gatun formation, Oligocene, Panama: Howe, 1244.
- Genesee black shale, Devonian, New York: Luther, 1633, 1634.
- Genesee member, Devonian, Maryland: Clark and Mathews, 488.
- Genesee shale, Devonian, New York: Williams, 2583.
- Genesee shale, Devonian, Pennsylvania: Butts, 367.
- Geneva limestone, Devonian, Indiana: Stauffer, 2278.
- Genundewah limestone, Devonian, New York: Luther, 1633, 1634.
- Gering beds, Tertiary, Wyoming and Nebraska: Peterson, 1916.
- Giants Range granite, Algonkian, Minnesota: Abbott, 1.
- Gila conglomerate, Quaternary, Arizona: Lee, 1541.
- Gilboy sandstone, Carboniferous, West Virginia: Grimsley, 1046.
- Gilmore sandstone, Carboniferous, Appalachian region: Stevenson, 2295.
- Gilmore sandstone, Carboniferous, Pennsylvania: Clapp, 476.
- Gladeville sandstone, Carboniferous, Virginia: Stone, 2311.
- Glastonbury granite-gneiss, Connecticut: Gregory, 1034; Gregory and Robinson, 1038.
- Glensyrie formation, Carboniferous, Colorado: Finlay, 868.
- Glen Park limestone, Mississippian, Missouri: Weller, 2519.
- Goobic sands, Quaternary, Alaska: Brooks, 313.
- Goodland limestone, Cretaceous, Arkansas: Veatch, 2436.
- Goodnight formation, Tertiary, Texas: Gould, 986.
- Goodrich quartzite, pre-Cambrian, Michigan: Lane and Seaman, 1518.
- Goose Creek marl, Miocene, South Carolina: Sloan, 2218.
- Gordon sandstone, Devonian, Pennsylvania: Woolsey, 2634.
- Gosport greensand, Eocene, Alabama: Smith, 2229.
- Gower formation, Silurian, Iowa: Calvin, 387; Savage, 2128.
- Gower stage, Silurian, Iowa: Beyer and Williams, 234.
- Grafton quartzite, Cambrian, Rhode Island: Emerson and Perry, 790.
- Grampus gneiss, pre-Cambrian, New York: Cushing, 614.
- Grand Gulf formation, Miocene, Mississippi: Logan, 1608.
- Grand Gulf formation, Pliocene, Alabama: Smith, 2229.

- Grand Gulf formation, Tertiary, Gulf region: Smith, 2226, 2228.
- Grand Gulf formation, Tertiary, Mississippi: Crider, 595; Crider and Johnson, 599.
- Grand Rapids, upper and lower, Carboniferous, Michigan: Cooper, 575.
- Graneros shale, Cretaceous, Colorado: Darton, 648; Fisher, 869.
- Graneros shale, Cretaceous, Nebraska: Condra, 570.
- Graneros shale, Cretaceous, Wyoming: Darton and O'Harra, 656.
- Gravina series, Cretaceous, Alaska: Brooks, 313.
- Graydon sandstone, Pennsylvanian, Missouri: Shepard, 2194.
- Great conglomerate, Cambrian, Michigan: Lane and Seaman, 1518.
- Great Smoky conglomerate, Cambrian, North Carolina and Tennessee: Keith, 1352.
- Greenbrier formation, Mississippian, Maryland: Clark and Mathews, 488.
- Greenbrier limestone, Carboniferous, Pennsylvania: Clapp, 475.
- Greenbrier limestone, Carboniferous, West Virginia: Grimsley, 1044.
- Greenbrier limestone, Mississippian, Pennsylvania: Clapp, 477.
- Greenbrier limestone, Mississippian, Virginia: Bassler, 158.
- Greendale bed, Ordovician, Kentucky: Foerste, 884.
- Greene formation, Carboniferous, Appalachian region: Stevenson, 2295.
- Greene formation, Carboniferous, Pennsylvania: Clapp, 475, 476.
- Greene formation, Carboniferous, Pennsylvania: Stone and Clapp, 2314.
- Greene formation, Carboniferous, Pennsylvania, Ohio, and West Virginia: Griswold and Munn, 1048.
- Greene formation, Carboniferous (Pennsylvanian), Pennsylvania: Clapp, 477.
- Greenhorn formation, Cretaceous, Wyoming: Darton and O'Harra, 656.
- Greenhorn limestone, Cretaceous, Colorado: Darton, 648; Fisher, 869.
- Greenhorn limestone, Cretaceous, Nebraska: Condra, 570.
- Green River, Tertiary, Wyoming: Veatch, 2439.
- Green River formation, Tertiary, Wyoming: Schultz, 2151; Veatch, 2437.
- Greer formation, Permian, Texas: Gould, 986, 987.
- Grenville series, pre-Cambrian: Adams *et al.*, 13.
- Grenville series, pre-Cambrian, New York: Berkey, 207; Cushing, 614.
- Grenville series, pre-Cambrian, Ontario: Miller and Knight, 1759.
- Greyson formation, Algonkian, Montana: Barrell, 149.
- Greyson shales, Algonkian, Montana: Rowe, 2090.
- Grimes sandstone, Devonian, New York: Luther, 1634.
- Guadaloupan series, Carboniferous, New Mexico: Keyes, 1377.
- Gulf series, Cretaceous, Arkansas: Veatch, 2436.
- Gunflint formation, Algonkian, Minnesota: Abbott, 1.
- Gunstock dike, New Hampshire: Pirsson and Washington, 1934.
- Gunstock gneiss, New Hampshire: Pirsson and Washington, 1934.
- Guye formation, Tertiary, Washington: Smith and Calkins, 2240.
- Hackberry shales, Devonian, Iowa: Williams, 2588.
- Hackberry shales, Permian, Kansas: Wooster, 2636.
- Haddam granite-gneiss, Connecticut: Gregory, 1034; Gregory and Robinson, 1038.
- Hale formation, Pennsylvanian, Arkansas: Purdue, 1971.
- Hamburg beds, Cretaceous, South Carolina: Sloan, 2217.
- Hamburg clays, Cretaceous, South Carolina: Sloan, 2218.
- Hamburg slate, pre-Cambrian, Wisconsin: Weldman, 2512.
- Hamilton formation, Devonian, Pennsylvania: Butts, 367.
- Hamilton member, Devonian, Maryland: Clark and Mathews, 488.
- Hamilton shales, Devonian, New York: Grabau, 991.
- Hamilton shale formation, Devonian, New York: Williams, 2583.
- Hamilton shale, Devonian, West Virginia: Grimsley, 1044.
- Hampshire formation, Devonian, Maryland: Clark and Mathews, 488.
- Hampshire formation, Devonian, West Virginia: Grimsley, 1044.
- Hampton clays, Pleistocene, South Carolina: Sloan, 2218.
- Hampton shale, Cambrian, Tennessee: Keith, 1354.
- Hance formation, Carboniferous, Kentucky: Ashley and Glenn, 77.
- Hannibal formation, Mississippian, Missouri: Shepard, 2194.
- Harding sandstone, Ordovician, Colorado: Darton, 648.
- Harper beds, Permian, Kansas: Wooster, 2636.
- Harpers formation, Cambrian, Maryland: Clark and Mathews, 488.
- Harpers formation, Cambrian, Pennsylvania: Stose, 2318.
- Harpers shale, Cambrian, West Virginia: Grimsley, 1044.
- Harrison beds, Tertiary, Wyoming and Nebraska: Peterson, 1916.
- Harrison diorite, Cambrian, New York: Berkey, 207.
- Harrodsburgh limestone, Mississippian, Indiana: Blatchley, 246; Reagan, 1998.

- Hartford limestone, Carboniferous, Kansas: Wooster, 2636.
- Hartland (Hoosac) schist, Connecticut: Gregory, 1034.
- Hartland schist, Connecticut: Gregory and Robinson, 1038.
- Hartshorne sandstone, Carboniferous, Arkansas: Collier, 556.
- Harvard conglomerate, Massachusetts: Mansfield, 1674.
- Hastings phase of Grenville series, pre-Cambrian: Adams *et al.*, 13.
- Hatch shale and flags, Devonian, New York: Luther, 1634.
- Hatchetigbee formation, Eocene, Alabama: Smith, 2229.
- Hawkins formation, pre-Tertiary, Washington: Smith and Calkins, 2240.
- Hayes River beds, Alaska: Brooks, 313.
- Hebron gneiss, Connecticut: Gregory, 1034; Gregory and Robinson, 1038.
- Helderberg formation, Devonian, Maryland: Clark and Mathews, 488.
- Helderberg limestone, Silurian, West Virginia: Grimsley, 1044.
- Helen formation, Canada: Bell, 189.
- Helen iron formation, Ontario: Coleman, 541; Moore, 1770.
- Helena formation, Algonkian, Montana: Walcott, 2470.
- Helena limestone, Algonkian, Montana: Barrell, 149.
- Hell Creek beds, Cretaceous, Montana: Brown, 325.
- Henderson granite, Archean, North Carolina and South Carolina: Keith, 1353.
- Henrietta limestone, Pennsylvanian, Missouri: Shepard, 2194.
- Henson tuff, Colorado: Cross *et al.*, 607.
- Hermosa formation, Carboniferous (Pennsylvanian), Colorado: Cross *et al.*, 607.
- Herod gravels, Pleistocene, New England: Fuller, 913.
- Hertha limestone, Carboniferous, Kansas: Beede and Rogers, 181; Wooster, 2636.
- Hesse quartzite, Cambrian, Tennessee: Keith, 1354.
- Highbridge, Ordovician, Kentucky: Miller, 1748.
- High Falls shale, Silurian, New York: Grabau, 991; Hartnagel, 1084.
- High Point sandstone, Devonian, New York: Luther, 1634.
- High Point sandstones, New York: Jones, 1318.
- Hignite formation, Carboniferous, Kentucky: Ashley and Glenn, 77.
- Hilliard formation, Cretaceous, Wyoming: Schultz, 2151.
- Hiwassee slate, Cambrian, North Carolina: Keith, 1352.
- Hiwassee slate, Cambrian, Tennessee: Keith, 1354.
- Holston formation, Ordovician, Virginia: Bassler, 158.
- Homewood sandstone, Carboniferous, Pennsylvania: Butts, 368.
- Homewood sandstone, Carboniferous, Pennsylvania, Ohio, and West Virginia: Griswold and Munn, 1048.
- Honaker limestone, Cambrian, Tennessee: Keith, 1354.
- Honaker limestone, Cambrian, Virginia: Bassler, 158.
- Hoosac schist, Connecticut: Gregory, 1034.
- Hopkinton formation, Silurian, Iowa: Calvin, 387; Norton, 1805; Savage, 2128.
- Hopkinton stage, Silurian, Iowa: Beyer and Williams, 234.
- Hornerstown, Cretaceous, New Jersey: Clark, 483.
- Hornerstown marl, Cretaceous, New Jersey: Weller, 2520.
- Hornsboro sandstone, Jura-Triassic, South Carolina: Sloan, 2218.
- Horsefly gravels, Tertiary, Yukon Territory: Brooks, 313.
- Hosselkus limestone, Triassic, California: Diller, 721.
- Howard limestone, Carboniferous, Kansas: Wooster, 2636.
- Howson andesite, Tertiary, Washington: Smith and Calkins, 2240.
- Hudson River slates, Ordovician, New York: Berkey, 207.
- Hudson schist, Cambro-Ordovician, Connecticut: Hobbs, 1185.
- Hueco limestone, Carboniferous, New Mexico: Keyes, 1877.
- Humphrey shales, Carboniferous, Kansas: Wooster, 2636.
- Hunker series, Yukon Territory: Brooks, 313.
- Huron group, Mississippian, Indiana: Blatchley, 246.
- Huronian, lower, series, pre-Cambrian, Ontario: Silver, 2212.
- Huronian sediments, pre-Cambrian, Ontario: Coleman, 539.
- Idaho Springs formation, pre-Cambrian, Colorado: Ball, 118.
- Ignacio quartzite, Cambrian, Colorado: Cross *et al.*, 607.
- Illinoian, Quaternary, Iowa: Calvin, 387.
- Independence limestone, Carboniferous, Kansas: Wooster, 2636.
- Independence sub-stage, Devonian, Iowa: Norton, 1805.
- Indian Fields formation, Silurian, Kentucky: Foerste, 883, 884.
- Indian River series, Yukon Territory: Brooks, 313.
- Inwood limestone, pre-Cambrian, New York: Berkey, 207.
- Iola limestone, Pennsylvanian, Kansas: Beede and Rogers, 181; Schrader and Haworth, 2144.
- Iola (Earlton) limestone, Carboniferous, Kansas: Wooster, 2636.
- Ione formation, Tertiary, California: Diller, 721.

- Iowan drift, Pleistocene, Iowa: Arey, 53; Calvin, 387, 388; Leonard, 1559; Macbride, 1639; Norton, 1805; Savage, 2128; Williams, 2588.
- Irasburg conglomerate, Ordovician, Vermont: Richardson, 2037.
- Irondequoit limestone, Silurian, New York: Clarke, 494; Hartnagel, 1085.
- Iron Mountain porphyry, Archean, Missouri: Shepard, 2194.
- Ironwood, Michigan: Gordon and Lane, 985.
- Irvine formation, Tertiary, Kentucky: Foerste, 883, 884.
- Isle La Motte sandstone, Ordovician, Vermont: Seely, 2164.
- Islesboro formation, Cambrian, Maine: Smith *et al.*, 2241.
- Ithaca formation, Devonian, New York: Grabau, 991.
- Ithaca shale member, Devonian, New York: Williams, 2583.
- Izard limestone, Ordovician, Arkansas: Purdue, 1970.
- Jackson formation, Eocene, Mississippi: Logan, 1608.
- Jackson formation, Tertiary, Louisiana and Arkansas: Veatch, 2436, 2437.
- Jackson formation, Tertiary, Mississippi: Crider, 595, 598; Crider and Johnson, 599.
- Jackson limestone, Carboniferous, Appalachian region: Stevenson, 2295.
- Jackson stage, Eocene, Louisiana: Harris, 1079.
- Jacob sand, Pleistocene, New England: Fuller, 913.
- Jacobsville sandstone, Cambrian, Michigan: Lane and Seaman, 1518.
- Jameco, Pleistocene, New England: Fuller, 913.
- Jameco gravel, Quaternary, New York: Veatch, 2434.
- Jefferson limestone, Devonian-Silurian, Montana: Emmons, 806.
- Jefferson City limestone, Cambro-Ordovician, Missouri: Shepard, 2194.
- Jeffersonville limestone, Devonian, Indiana: Blatchley, 246; Stauffer, 2278.
- Jennings formation, Devonian, Maryland: Clark and Mathews, 488.
- Jennings formation, Devonian, West Virginia: Grimsley, 1044.
- Jerseyan, Quaternary, Iowa: Norton, 1805.
- Jessamine series, Ordovician, Kentucky: Foerste, 884.
- Joachim limestone, Cambro-Ordovician, Missouri: Shepard, 2194.
- Joachim limestone, Ordovician, Illinois: Weller, 2523.
- Johnston cement limestone, Carboniferous, Pennsylvania: Stevenson, 2294.
- Jollytown limestone, Carboniferous, Appalachian region: Stevenson, 2295.
- Jollytown limestone, Carboniferous, Pennsylvania: Clapp, 475.
- Jordan formation, Cambrian, Iowa: Calvin, 387, 388.
- Jordan sandstone, Cambrian, Iowa: Beyer and Williams, 234.
- Judith River beds, Cretaceous, Alberta: Cairnes, 381.
- Judith River formation, Cretaceous, Canada: Dowling, 735.
- Junction City quartzite, pre-Cambrian, Wisconsin: Weldman, 2512.
- Junata formation, Silurian, Maryland: Clark and Mathews, 488.
- Kachess rhyolite, Tertiary, Washington: Smith and Calkins, 2240.
- Kanab sandstone, Utah: Lee, 1544.
- Kanawha series, Carboniferous, West Virginia: Grimsley, 1044.
- Kansan drift, Quaternary, Iowa: Arey, 53; Calvin, 387, 388; Leonard, 1559; Macbride, 1639; Savage, 2128; Williams, 2588.
- Kansan (?) deposits, Quaternary, Pennsylvania: Woolsey, 2634.
- Kanwaka shales, Carboniferous, Kansas: Wooster, 2636.
- Kasaan greenstone, Cretaceous, Alaska: Brooks, 313.
- Katalla formation, Tertiary, Alaska: Martin, 1680.
- Kearsarge conglomerate, Michigan: Lane, 1507.
- Kearsarge conglomerate, Algonkian, Michigan: Lane, 1509.
- Keechelus andesitic series, Tertiary, Washington: Smith and Calkins, 2240.
- Keewatin, pre-Cambrian, Ontario: Silver, 2212.
- Keeweenawan, Algonkian, Michigan: Gordon and Lane, 985.
- Kelly formation, Carboniferous, New Mexico: Gordon, 982.
- Kelly limestone, Mississippian, New Mexico: Gordon, 981.
- Kenai formation, Tertiary, Alaska: Moffit, 1762; Paige and Knopf, 1860; Prindle, 1956; Stone, 2308.
- Kenai series, Tertiary, Alaska: Brooks, 313.
- Kennett formation, Devonian, California: Diller, 721.
- Kennicott formation, Jura-Cretaceous, Alaska: Brooks, 313.
- Keokuk limestone, Mississippian, Illinois: Weller, 2523.
- Keokuk limestone, Mississippian, Missouri: Shepard, 2194.
- Keokuk limestone and shale, Mississippian, Iowa: Beyer and Williams, 234.
- Kessler limestone lentil, Pennsylvanian, Arkansas: Purdue, 1971.
- Ketchikan series, Carboniferous, Alaska: Kindle, 1400.
- Ketchikan series, Triassic and Carboniferous, Alaska: Brooks, 313.
- Keeweenawan, pre-Cambrian, Michigan: Lane and Seaman, 1518.

- Keweenawan, pre-Cambrian, Ontario: Silver, 2212.
- Keweenawan series, Ontario: Moore, 1770.
- Kiddville layer, Devonian, Kentucky: Foerste, 884.
- Kiger beds, Permian, Kansas: Wooster, 2636.
- Kiglualik series, Alaska: Brooks, 313; Moffitt, 1764.
- Kimmswick limestone, Ordovician, Illinois: Weller, 2522, 2523.
- Kimmswick limestone, Ordovician, Missouri: Weller, 2519.
- Kinderhook, Mississippian, Iowa: Beyer and Williams, 234.
- Kinderhook formation, Carboniferous, Iowa: Calvin, 387.
- Kinderhook group, Mississippian, Illinois: Bowman and Reeds, 277.
- Kinderhook shale, Mississippian, Illinois: Weller, 2523.
- Kingsbury conglomerate, Cretaceous, Wyoming: Darton, 644-647.
- King's Creek silex, Oligocene, South Carolina: Sloan, 2218.
- Kingston group, Canada: Ellis, 784.
- Kitchener quartzite, Idaho and Montana: Daly, 631.
- Kittanning group, Carboniferous, West Virginia: Grimsley, 1044.
- Kittanning sandstone, Carboniferous, Pennsylvania: Butts, 368.
- Klondike series, Yukon Territory: Brooks, 313.
- Knife slates, Algonkian, Minnesota: Abbott, 1.
- Knight beds, Tertiary, Wyoming: Veatch, 2439.
- Knight formation, Tertiary, Wyoming: Schultz, 2151.
- Knob Lick granite, Archean, Missouri: Shepard, 2194.
- Knobstone, Mississippian, Indiana: Reagan, 1998.
- Knox dolomite, Cambro-Ordovician, Virginia: Bassler, 158.
- Knox dolomite, Ordovician, Alabama: Butts, 370; Smith, 2229.
- Knox dolomite, Ordovician, Georgia: Watson, 2483.
- Knox dolomite, Ordovician, Tennessee: Keith, 1354.
- Knox limestone, Cambrian and Ordovician, Maryland: Clark and Mathews, 488.
- Knox limestone, Cambro-Ordovician, Pennsylvania: Stose, 2318.
- Knoxville beds, Cretaceous, California: Crandall, 590.
- Knoxville formation, Cretaceous, California: Arnold and Anderson, 66, 67.
- Kona dolomite, pre-Cambrian, Michigan: Lane and Seaman, 1518.
- Kootanie coal measures, Cretaceous, Alberta: Dowling, 736.
- Kootanie formation, Cretaceous, Alberta: Cairnes, 381; Dowling, 735.
- Kootanie series, Cretaceous, Montana and Alberta: Knowlton, 1418.
- Kootenai formation, Cretaceous, Montana: Rowe, 2090.
- Koyukuk series, Cretaceous, Alaska: Brooks, 313.
- Kruger schists, Paleozoic, Washington and British Columbia: Daly, 632.
- Kushtaka formation, Tertiary, Alaska: Martin, 1680.
- Kuzitrin formation, Alaska: Brooks, 313; Moffitt, 1764.
- Labette shale, Pennsylvanian, Kansas: Schrader and Haworth, 2144; Wooster, 2636.
- Ladore shale, Carboniferous, Kansas: Wooster, 2636.
- Ladore-Dudley shale, Pennsylvanian, Kansas: Schrader and Haworth, 2144.
- Ladronesian series, Carboniferous, New Mexico: Keyes, 1377, 1382.
- Lafayette formation, Gulf region: Smith, 2228.
- Lafayette formation, Mississippi: Logan and Hand, 1609.
- Lafayette formation, Pliocene, Alabama: Smith, 2229.
- Lafayette formation, Pliocene, Maryland: Clark and Mathews, 488; Shattuck, 2184, 2191.
- Lafayette formation, Pliocene?, Maryland: Shattuck *et al.*, 2193.
- Lafayette formation, Quaternary, Mississippi: Brown, 326; Crider, 595; Logan, 1608.
- Lafayette formation, Tertiary, Georgia: Harper, 1077.
- Lafayette formation, Tertiary, Gulf region: Smith, 2226.
- Lafayette formation, Tertiary, Illinois: Purdy and DeWolf, 1973.
- Lafayette formation, Tertiary, Louisiana and Arkansas: Veatch, 2436, 2437.
- Lafayette formation, Tertiary, Maryland and Delaware: Miller, 1749.
- Lafayette formation, Tertiary, Mississippi: Crider and Johnson, 599.
- Lafayette formation, Tertiary, South Carolina: Pugh, 1963.
- Lafayette formation, Tertiary, Tennessee, Kentucky, and Illinois: Glenn, 971.
- Lafayette formation, Tertiary, Texas: Ries, 2058.
- Lafayette formation, Tertiary, Virginia: Clark and Miller, 489.
- Lafayette gravel, Tertiary, Illinois: Weller, 2523.
- Lafayette gravel, Tertiary, Missouri: Shepard, 2194.
- Lafayette sands, Tertiary, Texas: Fenneman, 859.
- Lagrange division, Mississippi: Logan and Hand, 1609.
- Lagrange formation, Tertiary, Illinois: Purdy and DeWolf, 1973.

- Lagrange formation, Tertiary, Missouri: Shepard, 2194.
- Lagrange formation, Tertiary, Tennessee, Kentucky and Illinois: Glenn, 971.
- Lake Shore trap, Algonkian, Michigan: Gordon and Lane, 985.
- Lake Shore traps, Cambrian, Michigan: Lane and Seaman, 1518.
- Lake Superior sandstone, Cambrian, Michigan: Lane and Seaman, 1518.
- Lake Valley formation, Carboniferous, New Mexico: Keyes, 1377.
- Lake Valley limestone, Mississippian, New Mexico: Gordon, 981.
- Lakota sandstone, Cretaceous, Wyoming: Darton and O'Harra, 656.
- La Motte sandstone, Cambrian, Missouri: Shepard, 2194.
- Lane shales, Carboniferous, Kansas: Beede and Rogers, 181; Wooster, 2636.
- Lantern Hill quartz rock, Connecticut: Gregory, 1034.
- La Plata formation, Jurassic, Colorado: Cross, 604.
- La Plata sandstone, Jurassic, Colorado: Cross *et al.*, 607.
- Laramie, Wyoming: Veatch, 2439.
- Laramie formation, Cretaceous, Colorado: Darton, 648; Fenneman and Gale, 863.
- Laramie formation, Cretaceous, Colorado and New Mexico: Shaler, 2176.
- Laramie formation, Cretaceous, North Dakota: Leonard, 1563.
- Laramie formation, Cretaceous, North Dakota and Montana: Leonard, 1560.
- Laramie formation, Cretaceous, Wyoming: Darton, 642; Fisher, 873; Rowe, 2090; Veatch, 2437.
- Laramie formation, Cretaceous and Tertiary, Wyoming: Veatch, 2440.
- Lauderdale chert, Mississippian, Alabama: Smith, 2229.
- Laurentian, pre-Cambrian: Adams *et al.*, 13.
- Lawrence beds, Carboniferous, Kansas: Wooster, 2636.
- Le Claire substage, Silurian, Iowa: Beyer and Williams, 234.
- Lecompton beds, Carboniferous, Kansas: Wooster, 2636.
- Lee conglomerate, Carboniferous, Virginia: Stone, 2311.
- Lee formation, Carboniferous, Kentucky: Ashley and Glenn, 77.
- Lenoir limestone, Ordovician, Virginia: Bassler, 158.
- Le Roy shales, Carboniferous, Kansas: Wooster, 2636.
- Lewis formation, Cretaceous, Wyoming: Veatch, 2440.
- Lewis shale, Cretaceous, Colorado: Fenneman and Gale, 863.
- Lewis shale, Cretaceous, Colorado and New Mexico: Shaler, 2176.
- Lewiston limestone, Ordovician, Virginia: Bassler, 158.
- Lewiston limestone, Silurian, West Virginia: Grimsley, 1044.
- Lewiston ("Helderberg"), Virginia: Eckel, 765.
- Lexington, Ordovician, Kentucky: Miller, 1748.
- Lime Creek shales, Devonian, Iowa: Beyer and Williams, 234; Calvin, 387; Williams, 2588.
- Linietta clay, Mississippian, Kentucky: Foerste, 883.
- Linville metadiabase, Algonkian?, North Carolina: Keith, 1354.
- Lisbon beds, Tertiary, Mississippi: Crider, 595; Crider and Johnson, 599.
- Lisbon formation, Eocene, Alabama: Smith, 2229.
- Lisburne series, Carboniferous, Alaska: Brooks, 313; Collier, 552.
- Litchfield norite, Connecticut: Gregory, 1034.
- Livingston formation, Cretaceous, Wyoming: Rowe, 2090.
- Llano Estacado formation, Pliocene, New Mexico: Keyes, 1388.
- Llano Estacado sands, Pliocene, New Mexico: Keyes, 1390.
- Lockport dolomite, Silurian, New York: Hartnagel, 1085.
- Lodore shales, Cambrian, Utah: Weeks, 2506.
- Logan formation, Carboniferous, Ohio: Carney, 427.
- Logan sills, Ontario: Silver, 2212.
- Logana, Ordovician, Kentucky: Miller, 1748.
- Lone Mountain limestone, Silurian, Nevada and California: Ball, 120.
- Longwood shale, Silurian, New York: Hartnagel, 1084.
- Lorraine sandstone, Ordovician, New York: Grabau, 991.
- Loudon formation, Cambrian, Maryland: Clark and Mathews, 488.
- Louisiana limestone, Mississippian, Illinois: Weller, 2523.
- Louisiana limestone, Mississippian, Missouri: Shepard, 2194.
- Loup Fork formation, Tertiary, Texas: Gould, 986.
- Lowerre quartzite, pre-Cambrian, New York: Berkey, 207.
- Lucas dolomite, Devonian, Michigan: Lane, 1516.
- Ludlowville shale, Devonian, New York: Luther, 1633.
- Lulbeign clay, Silurian, Kentucky: Foerste, 883, 884.
- Lunenburg schist, pre-Cambrian, Vermont: Richardson, 2037.
- Lyme granite-gneiss, Connecticut: Gregory, 1034; Gregory and Robinson, 1038.
- McAlester group, Carboniferous, Arkansas: Collier, 556.
- McCloud limestone, Carboniferous, California: Diller, 721.

- McElmo formation, Jurassic, Colorado: Cross, 604; Cross *et al.*, 607.
- McKim graywacke, pre-Cambrian, Ontario: Coleman, 539.
- McMicken member, Ordovician, Ohio and Kentucky: Bassler, 156.
- McMillan formation, Ordovician, Ohio: Bassler, 156.
- Maderan limestone, Carboniferous, New Mexico: Gordon, 982.
- Maderan series, Carboniferous, New Mexico: Keyes, 1377.
- Madison limestone, Carboniferous, Montana: Emmons, 806.
- Madison limestone, Carboniferous, Wyoming: Darton, 642, 644-647; Fisher, 873.
- Madison formation, Mississippian, Montana: Rowe, 2090.
- Magdalena group, Carboniferous, New Mexico: Gordon, 982.
- Magnesian, lower, limestone, Ordovician, Illinois: Weller, 2517, 2523, 2524.
- Magnesian, lower, limestone, Ordovician, Iowa: Leonard, 1559.
- Magnesian, lower, Ordovician, Mississippi Valley: Davis, 663.
- Magnesian, lower, limestone, Ordovician, Wisconsin: Grant, 1017.
- Magothy formation, Cretaceous, Maryland: Clark and Mathews, 488; Shattuck *et al.*, 2193.
- Magothy formation, Cretaceous, Maryland and Delaware: Miller, 1749.
- Magothy formation, Cretaceous, New Jersey: Berry, 214; Weller, 2520.
- Mahoning group, Carboniferous, West Virginia: Grimsley, 1044.
- Mahoning limestone, Carboniferous, Pennsylvania: Stevenson, 2294.
- Mahoning sandstone, Carboniferous, Pennsylvania: Butts, 368; Woolsey, 2634.
- Mahoning sandstone, Carboniferous, Pennsylvania, Ohio, and West Virginia: Grimsley and Munn, 1048.
- Mahoning sandstone, Carboniferous, West Virginia: Grimsley, 1046.
- Mamacoke gneiss, Connecticut: Gregory, 1034; Gregory and Robinson, 1038.
- Manasquan marl, Cretaceous, New Jersey: Weller, 2520.
- Manastash formation, Tertiary, Washington: Smith and Calkins, 2240.
- Mancos shale, Cretaceous: Fenneman and Gale, 863.
- Mancos shale, Cretaceous, Colorado: Cross *et al.*, 607; Taff, 2336.
- Mancos shale, Cretaceous, Colorado and New Mexico: Shaler, 2176.
- Manhattan schist, pre-Cambrian, New York: Berkey, 207.
- Manitou limestone, Ordovician, Colorado: Darton, 648.
- Mankomen group, Permian, Alaska: Brooks, 313.
- Manlius limestone, Silurian, New York: Grabau, 991; Hartnagel, 1084; Prosser, 1961.
- Manlius member, Silurian, Maryland: Clark and Mathews, 488.
- Mannetto, Pleistocene, New England: Fuller, 913.
- Mannetto gravel, Quaternary, New York: Veatch, 2434.
- Mansfield sandstone, Carboniferous, Illinois: Blatchley, 245.
- Manzanan series, Carboniferous, New Mexico: Keyes, 1377.
- Manzano group, Carboniferous, New Mexico: Gordon, 982.
- Maquoketa formation, Ordovician, Iowa: Calvin, 387, 388; Leonard, 1559; Norton, 1805; Savage, 2128.
- Maquoketa shale, Ordovician, Illinois: Weller, 2517, 2522, 2524.
- Maquoketa shale, Ordovician, Iowa: Grant and Burchard, 1021.
- Maquoketa shale, Ordovician, upper Mississippi Valley: Bain, 99.
- Maquoketa (Hudson River) shale, Ordovician, Mississippi Valley: Davis, 663.
- Maquoketa (Hudson River) limestone, Ordovician, Wisconsin: Grant, 1017.
- Maquoketa stage, Ordovician, Iowa: Beyer and Williams, 234.
- Marathon City conglomerate, pre-Cambrian, Wisconsin: Weidman, 2512.
- Marblehead member of Columbus formation, Devonian: Swartz, 2329.
- Marcellus shale, Devonian, Michigan: Cooper, 575.
- Marcellus shale, Devonian, New York: Grabau, 991; Luther, 1633; Williams, 2583.
- Marcellus shale, Devonian, Pennsylvania: Butts, 367.
- Mareniscan, pre-Cambrian, Michigan: Lane and Seaman, 1518.
- Marietta sandstones, Carboniferous, West Virginia: Grimsley, 1046.
- Marion beds, Permian, Kansas: Wooster, 2636.
- Mariposa slates, California: Reid, 2018.
- Marks Head marl, Miocene, South Carolina: Sloan, 2218.
- Marlboro formation, Cambrian, Rhode Island: Emerson and Perry, 790.
- Marlbrook formation, Cretaceous, Arkansas: Veatch, 2436.
- Maromas granite-gneiss, Connecticut: Gregory, 1034; Gregory and Robinson, 1038.
- Marsh formation, Algonkian, Montana: Walcott, 2470.
- Marsh shale, Algonkian, Montana: Barrell, 149.
- Marshall formation, Carboniferous, Michigan: Cooper, 575.
- Marshall sandstone, Mississippian, Michigan: Lane, 1516.
- Marshall Hill graywacke, pre-Cambrian, Wisconsin: Weidman, 2512.
- Marshalltown clay-marl, Cretaceous, New Jersey: Weller, 2520.
- Martinez formation, Tertiary, California: Arnold, 57.

- Martinsburg formation, Ordovician, Maryland: Clark and Mathews, 488.
- Martinsburg group, Ordovician, Pennsylvania: Stose, 2318.
- Martinsburg shale, Silurian, West Virginia: Grimsley, 1044.
- Martinsburg shale group and limestones, Ordovician, Virginia: Bassler, 158.
- Maryville limestone, Cambrian, Virginia: Bassler, 158.
- Mascarene series, Devonian, Canada: Ellis, 784.
- Mason City dolomite, Devonian, Iowa: Williams, 2588.
- Massanutten sandstone group, Ordovician, Virginia: Bassler, 158.
- Matanuska series, Alaska: Martin, 1682.
- Matawan formation, Cretaceous, Maryland: Clark and Mathews, 488; Shattuck *et al.*, 2193.
- Matawan formation, Cretaceous, Maryland and Delaware: Miller, 1749.
- Matawan, Cretaceous, New York: Veatch, 2434.
- Matfield shales and limestones, Permian, Kansas: Wooster, 2636.
- Mauch Chunk formation, Carboniferous, Pennsylvania: Butts, 368; Clapp, 475, 477; Woolsey, 2634.
- Mauch Chunk formation, Lower Carboniferous, Pennsylvania: Barrell, 150.
- Mauch Chunk formation, Mississippian, Maryland: Clark and Mathews, 488.
- Mauch Chunk shales, Carboniferous, West Virginia: Grimsley, 1044.
- Maxville or Bayport formation, Carboniferous, Michigan: Cooper, 575.
- Meagher limestone, Cambrian, Montana: Emmons, 806.
- Medicine Lodge beds, Permian, Kansas: Wooster, 2636.
- Medicine Lodge gypsum, Permian, Kansas: Wooster, 2636.
- Medina formation, Silurian, New York: Hartnagel, 1085.
- Medina formation, Silurian, West Virginia: Grimsley, 1044.
- Memphremagog slate, Vermont: Richardson, 2037.
- Mentasta schists, Alaska: Brooks, 313.
- Menteth limestone, Devonian, New York: Luther, 1634.
- Meramec limestones, Mississippian, Illinois: Bowman and Reeds, 277.
- Merced formation, Tertiary, California: Prindle, 1956.
- Merced series, Pliocene, California: Crandall, 591.
- Mercer shale, Carboniferous, Pennsylvania: Butts, 368.
- Mercer group, Carboniferous, West Virginia: Grimsley, 1044.
- Merchantville clay-marl, Cretaceous, New Jersey: Weller, 2520.
- Mesaverde formation, Cretaceous, Colorado: Cross *et al.*, 607; Fenneman and Calc, 863; Taff, 2336.
- Mesaverde formation, Cretaceous, Colorado and New Mexico: Shaler, 2176.
- Mesaverde formation, Cretaceous, Wyoming: Veatch, 2440.
- Mesnard quartzite, pre-Cambrian, Michigan: Lane and Seaman, 1518.
- Michigamme slate, pre-Cambrian, Michigan: Gordon and Lane, 985; Lane and Seaman, 1518.
- Michigan series, Mississippian, Michigan: Lane, 1516.
- Michipicoten schists, Ontario: Moore, 1770.
- Middendorf beds, Cretaceous, South Carolina: Sloan, 2217, 2218.
- Middlesex black shale, Devonian, New York: Luther, 1633.
- Middlesex shales, Devonian, New York: Luther, 1634.
- Middletown gneiss, Connecticut: Gregory, 1034; Gregory and Robinson, 1038.
- Midway formation, Tertiary, Arkansas and Louisiana: Veatch, 2436, 2437.
- Midway group, Eocene, Alabama: Smith, 2229.
- Midway group, Tertiary, Mississippi: Crider, 595; Crider and Johnson, 599.
- Midway stage, Eocene, Mississippi: Logan, 1608.
- Milford chlorite schist, Connecticut: Gregory, 1034; Gregory and Robinson, 1038.
- Milford granite, post-Cambrian, pre-Carboniferous, Rhode Island: Emerson and Perry, 790.
- Million, Ordovician, Kentucky: Miller, 1748.
- Millsap formation, Carboniferous, Texas: Ries, 2058.
- Millsap limestone, Carboniferous, Colorado: Darton, 648.
- Milwaukee formation, Devonian, Wisconsin: Alden, 23.
- Mimbres limestone, Siluro-Ordovician, New Mexico: Gordon, 981.
- Mingo formation, Carboniferous, Kentucky: Ashley and Glenn, 77.
- Minneapolis limestone, Ordovician, Minnesota: Sardeson, 2122.
- Minnesota conglomerate, Algonkian, Michigan: Lane, 1509.
- Mio-Huronian, pre-Cambrian, Michigan: Lane and Seaman, 1518.
- Missouri group, Pennsylvanian, Missouri: Shepard, 2194.
- Missouri stage, Pennsylvanian, Iowa: Beyer and Williams, 234.
- Missourian formation, Carboniferous, Iowa: Calvin, 387.
- Mitchell limestone, Mississippian, Indiana: Blatchley, 246; Reagan, 1998.
- Moccasin limestone, Ordovician, Virginia: Bassler, 158.
- Modelo formation, Miocene, California: Eldridge and Arnold, 779.
- Modin formation, Jurassic, California: Diller, 721.
- Moencopie formation, Carboniferous, New Mexico: Keyes, 1377.

- Moencopie formation, Carboniferous, Utah : Lee, 1544.
- Moencopie shales, Permian, Utah : Huntington, 1257.
- Molas formation, Carboniferous (Pennsylvanian), Colorado : Cross *et al.*, 607.
- Monarch formation, Devonian and Silurian, Montana : Rowe, 2090.
- Monmouth formation, Cretaceous, Maryland : Clark and Mathews, 488 ; Shattuck *et al.*, 2193.
- Monmouth formation, Cretaceous, Maryland and Delaware : Miller, 1749.
- Monongahela formation, Carboniferous, Appalachian region : Stevenson, 2295.
- Monongahela formation, Carboniferous, Pennsylvania : Clapp, 475-477 ; Stone and Clapp, 2314 ; Woolsey, 2634.
- Monongahela formation, Carboniferous, Pennsylvania, Ohio, and West Virginia : Griswold and Munn, 1048.
- Monongahela formation, Pennsylvanian, Maryland : Clark and Mathews, 488.
- Monongahela series, Carboniferous, West Virginia : Grimsley, 1044, 1046.
- Monroe beds, North Carolina : Graton, 1025.
- Monroe limestone, Devonian, Michigan : Lane, 1516.
- Monroe Creek beds, Tertiary, Wyoming and Nebraska : Peterson, 1916.
- Monson granite gneiss, Connecticut : Gregory, 1034 ; Gregory and Robinson, 1038.
- Montalto quartzite member of Harpers formation, Cambrian, Pennsylvania : Stose, 2318.
- Montana formation, Cretaceous, Canada : Dowling, 735.
- Montana formation, Cretaceous, Montana : Darton, 652.
- Montana formation, Cretaceous, North Dakota : Leonard, 1563.
- Montana formation, Cretaceous, Wyoming : Veatch, 2437.
- Montara granite, California : Crandall, 591.
- Montauk drift, Pleistocene, New England : Fuller, 913.
- Monterey sandstone, Devonian, West Virginia : Grimsley, 1044.
- Monterey shale, Miocene, California : Arnold, 63 ; Arnold and Anderson, 66, 67.
- Monterey shale, Tertiary, California : Prindle, 1956.
- Montosa formation, Carboniferous, New Mexico : Keyes, 1377.
- Montpellier slate, Vermont : Richardson, 2037.
- Montrose cherts, Mississippian, Iowa : Beyer and Williams, 234.
- Monument Creek formation, Tertiary, Colorado : Darton, 648.
- Moose Hide group, Yukon Territory : Brooks, 313.
- Morgantown sandstone, Carboniferous, Pennsylvania : Stevenson, 2294 ; Woolsey, 2634.
- Morgantown sandstone, Carboniferous, West Virginia : Grimsley, 1044, 1046.
- Morrison formation, Cretaceous, Colorado : Darton, 648.
- Morrison formation, Cretaceous, Wyoming : Darton, 642, 644-647 ; Fisher, 873.
- Morrison shale, Cretaceous, Wyoming : Darton and O'Harra, 656.
- Morrow formation, Carboniferous, Indian Territory : Taff, 2332.
- Morrow group, Pennsylvanian, Arkansas : Purdue, 1971.
- Mosca formation, Carboniferous, New Mexico : Keyes, 1377.
- Moscow shale, Devonian, New York : Luther, 1633, 1634.
- Mosinee conglomerate, pre-Cambrian, Wisconsin : Weidman, 2512.
- Mound Valley limestone, Pennsylvanian, Kansas : Beede and Rogers, 181 ; Schrader and Haworth, 2144 ; Wooster, 2636.
- Mount Bohemia conglomerate, Michigan : Lane, 1507, 1509.
- Mount Hope marl, Eocene, South Carolina : Sloan, 2218.
- Mount Laurel formation, Cretaceous, New Jersey : Weller, 2520.
- Mount Selman beds, Tertiary, Texas : Fenneman, 859.
- Mount Stuart granodiorite, pre-Tertiary, Washington : Smith and Calkins, 2240.
- Mowry formation, Cretaceous, Wyoming : Veatch, 2440.
- Mowry member, Cretaceous, Wyoming : Darton, 645 ; Darton and O'Harra, 656.
- Moyle argillite, Idaho and Montana : Daly, 631.
- Munising sandstone, Cambrian, Michigan : Lane and Seaman, 1518.
- Murphy marble, Cambrian, North Carolina : Keith, 1352.
- Murray slate, Cambrian, Tennessee : Keith, 1354.
- Myrtle formation, Cretaceous, Oregon : Diller, 724.
- Nabesna limestone, Carboniferous, Alaska : Brooks, 313.
- Nacatoch sand, Cretaceous, Arkansas : Veatch, 2436.
- Naches formation, Tertiary, Washington : Smith and Calkins, 2240.
- Nacimientan series, Eocene, New Mexico : Keyes, 1390.
- Naese sandstone member, Carboniferous, Kentucky : Ashley and Glenn, 77.
- Nahcota formation, Eocene, Alabama : Smith, 2229.
- Namacoke gneiss, Connecticut : Gregory and Robinson, 1038.
- Nanafalla formation, Eocene, Alabama : Smith, 2228, 2229.
- Nanaimo group, Cretaceous, British Columbia : Brooks, 313.
- Nanjemoy formation, Eocene, Maryland : Clark and Mathews, 488 ; Shattuck, 2188 ; Shattuck *et al.*, 2193.
- Nanjemoy formation, Tertiary, Virginia : Clark and Miller, 489.

- Nantahala slate, Cambrian, North Carolina: Keith, 1352.
- Napoleon formation, Carboniferous, Michigan: Cooper, 575.
- Narragansett Basin series, Massachusetts: Mansfield, 1674.
- Natchez formation, Quaternary, Mississippi: Logan, 1608.
- Navarro marls, Cretaceous, Texas: Ries, 2058.
- Navesink formation, Cretaceous, New Jersey: Weller, 2520.
- Nebo quartzite, Cambrian, Tennessee: Keith, 1354.
- Needle Mountains group, Algonkian, Colorado: Cross *et al.*, 607.
- Negaunee formation, pre-Cambrian, Michigan: Lane and Seaman, 1518.
- Nelhart quartzite, Algonkian, Montana: Rowe, 2090.
- Neo-Huronian, pre-Cambrian, Michigan: Lane and Seaman, 1518.
- Neosho member of Garrison formation, Carboniferous, Kansas: Beede and Rogers, 181.
- Neva limestone, Carboniferous, Kansas: Beede and Rogers, 181; Wooster, 2636.
- Nevada limestone, Devonian, Nevada: Lawson, 1526.
- New Albany or Genesee shale, Devonian, Indiana: Blatchley, 246.
- Newark formation, Triassic, Maryland: Clark and Mathews, 488.
- Newark system, Triassic, New Jersey: Lewis, 1580.
- Newland limestone, Algonkian, Montana: Rowe, 2090.
- New London granite-gneiss, Connecticut: Gregory, 1034; Gregory and Robinson, 1038.
- Newman limestone, Carboniferous, Virginia: Bassler, 158.
- New Providence shales, Mississippian, Indiana: Reagan, 1998.
- New Richmond formation, Ordovician, Iowa: Calvin, 387, 388.
- New Richmond formation, Ordovician, upper Mississippi Valley: Bain, 99.
- New Richmond sandstone, Ordovician, Iowa: Beyer and Williams, 234.
- New Scotland limestone, Devonian, New York: Hartnagel, 1084.
- New Scotland beds, Devonian, Mississippi: Crider, 595.
- New Scotland beds, Devonian, New York: Grabau, 991.
- New Scotland member, Devonian, Maryland: Clark and Mathews, 488.
- Niagara dolomite, Silurian, upper Mississippi Valley: Bain, 99.
- Niagara limestone, Silurian, Indiana: Blatchley, 246.
- Niagara limestone, Silurian, Iowa: Beyer and Williams, 234; Calvin, 388; Grant and Burchard, 1021; Leonard, 1559; Savage, 2128.
- Niagara formation, Silurian, Maryland: Clark and Mathews, 488.
- Niagara formation, Silurian, New York: Hartnagel, 1085.
- Niagara, Silurian, Mississippi Valley: Fairchild, 835.
- Niagara limestone, Silurian, Wisconsin: Grant, 1017.
- Niagara series, Silurian, Iowa: Norton, 1805.
- Niagaran limestone, Silurian, Illinois: Weller, 2517, 2523, 2524.
- Nichols slate, Cambrian, Tennessee: Keith, 1354.
- Nicola group, Triassic, British Columbia: Brooks, 313.
- Nikolai greenstone, Alaska: Brooks, 313.
- Nineveh limestone, Carboniferous, Appalachian region: Stevenson, 2295.
- Nineveh limestone, Carboniferous, Pennsylvania: Clapp, 476.
- Nineveh limestone, Carboniferous, Pennsylvania, Ohio, and West Virginia: Griswold and Munn, 1048.
- Nineveh limestone, Carboniferous, West Virginia: Grimsley, 1044, 1046.
- Niobrara formation, Cretaceous, Montana: Rowe, 2090.
- Niobrara formation, Cretaceous, Nebraska: Condra, 570.
- Niobrara formation, Cretaceous, North Dakota: Leonard, 1563.
- Niobrara formation, Cretaceous, Wyoming: Darton and O'Harra, 656; Veatch, 2440.
- Nipigon, pre-Cambrian, Ontario: Silver, 2212.
- Nisconlith series, British Columbia: Dawson, 686.
- Nisconlith series, Canada: Walcott, 2470.
- Nisconlith series, Cambrian, Yukon Territory: Brooks, 313.
- Noah Parker horizon, Cambrian, Vermont: Edson, 774.
- Nolichucky shale, Cambrian, Tennessee: Keith, 1354.
- Nolichucky shale, Cambrian, Virginia: Bassler, 158.
- Nome series, Alaska: Moffit, 1764.
- Nome series, Silurian, Alaska: Brooks, 313.
- Nonesuch formation, Algonkian, Michigan: Gordon and Lane, 985.
- Nonesuch formation, Cambrian, Michigan: Lane and Seaman, 1518.
- Nonushuk series, Cretaceous, Alaska: Brooks, 313.
- Nordheimer formation, Carboniferous?, California: Hershey, 1133.
- Norfolk formation, Tertiary, Virginia: Clark and Miller, 489.
- Norfolk Basin series, Massachusetts: Mansfield, 1674.
- Northbridge gneiss, pre-Cambrian, Rhode Island: Emerson and Perry, 790.
- North Haven greenstone, Cambrian, Maine: Smith *et al.*, 2241.

- North Mound quartzite, pre-Cambrian, Wisconsin: Weidman, 2512.
- North Park formation, Tertiary, Wyoming: Veatch, 2440.
- Norton formation, Carboniferous, Virginia: Stone, 2311.
- Nosoni formation, Carboniferous, California: Diller, 721.
- Nottely quartzite, Cambrian, North Carolina: Keith, 1352.
- Nunda formation, Devonian, New York: Williams, 2583.
- Nunda formation, Devonian, Pennsylvania: Butts, 367.
- Nussbaum formation, Tertiary, Colorado: Darton, 648; Fisher, 869.
- Obispo formation, Panama: Howe, 1244.
- Oconee zone, Archean, South Carolina: Sloan, 2218.
- Ogden quartzite, Ordovician, Utah: Emmons, 798; Weeks, 2506.
- Ogishke conglomerate, Algonkian, Minnesota: Abbott, 1.
- Ohio shale, Devonian, Kentucky: Foerste, 883.
- Oldham limestone, Silurian, Kentucky: Foerste, 883, 884.
- Onaping tuff, pre-Cambrian, Ontario: Coleman, 539, 546.
- Onelda conglomerate, Silurian, New York: Clarke, 494; Hartnagel, 1083.
- Oneonta beds, Devonian, New York: Grabau, 991.
- Oneota formation, Ordovician, Iowa: Calvin, 387, 388.
- Oneota formation, Ordovician, upper Mississippi Valley: Bain, 99.
- Oneota limestone, Ordovician, Iowa: Beyer and Williams, 234.
- Onondaga limestone, Devonian, New York: Grabau, 991; Luther, 1633.
- Ontario quartzite, Carboniferous, Utah: Jenney, 1296.
- Onwatin slate, pre-Cambrian, Ontario: Coleman, 539, 546.
- Orange phyllite, Connecticut: Gregory, 1034; Gregory and Robinson, 1038.
- Orca series, Alaska: Brooks, 313.
- Orcad limestone, Carboniferous, Kansas: Beede and Rogers, 181; Wooster, 2636.
- Oregon, Ordovician, Kentucky: Miller, 1748.
- Oriskany, Virginia: Eckel, 765.
- Oriskany formation (Monterey), Devonian, Maryland: Clark and Mathews, 488.
- Oriskany formation, Devonian, New York: Grabau, 991; Hartnagel, 1084; Williams, 2583.
- Oriskany sandstone, Devonian, New York: Luther, 1633.
- Oriskany sandstone, Devonian, Pennsylvania: Butts, 367.
- Oriskany sandstone, Devonian, West Virginia: Grimsley, 1044.
- Osage, Mississippian, Illinois: Fenneman, 860.
- Osage formation, Carboniferous, Iowa: Calvin, 387.
- Osage limestones, Mississippian, Illinois: Bowman and Reeds, 277.
- Osage limestone, Mississippian, Iowa: Beyer and Williams, 234.
- Osage shales, Carboniferous, Kansas: Wooster, 2636.
- Osceola amygdaloid, Algonkian, Michigan: Lane, 1509.
- Osoyoos granodiorite, Jurassic, Cascade Mountains: Daly, 632.
- Oswego limestone, Carboniferous, Kansas: Wooster, 2636.
- Otis limestone, Devonian, Iowa: Norton, 1805.
- Ouray limestone, Devonian and Carboniferous (Mississippian), Colorado: Cross *et al.*, 607.
- Outer conglomerate, Algonkian, Michigan: Gordon and Lane, 985.
- Outer conglomerate, Cambrian, Michigan: Lane and Seaman, 1518.
- Owen beds, Devonian, Iowa: Williams, 2588.
- Oxmoor sandstone, Mississippian, Alabama: Burchard, 355.
- Painterhood limestone, Pennsylvanian, Kansas: Schrader and Haworth, 2144.
- Paint Lick bed, Ordovician, Kentucky: Foerste, 884.
- Palisade conglomerates, Tertiary, Alaska: Brooks, 313.
- Pamunkey group, Eocene, Maryland: Clark and Mathews, 488; Shattuck, 2188; Shattuck *et al.*, 2193.
- Pamunkey group, Tertiary, Maryland and Delaware: Miller, 1749.
- Parachucla shale, Oligocene, South Carolina: Sloan, 2218.
- Paris, Ordovician, Kentucky: Miller, 1748.
- Paris shale, Carboniferous, Arkansas: Collier, 556.
- Park shale, Cambrian, Montana: Emmons, 806.
- Park granite, Tertiary, Cascade Mountains: Daly, 632.
- Park City formation, Carboniferous, Utah: Boutwell, 271.
- Parkman sandstone, Cretaceous, Wyoming: Darton, 644-647.
- Parma sandstone, Carboniferous, Michigan: Cooper, 575; Lane, 1516.
- Parrish limestone, Devonian, New York: Luther, 1634.
- Parsons formation, Pennsylvanian, Kansas: Schrader and Haworth, 2144; Wooster, 2636.
- Pascagoula formation, Pliocene, Alabama: Smith, 2229.
- Pascagoula formation, Tertiary, Gulf region: Smith, 2226.
- Pascagoula formation, Tertiary, Mississippi: Crider, 595; Crider and Johnson, 599.

- Paspotansa member, Eocene, Maryland: Shattuck *et al.*, 2193.
 Patapsco formation, Cretaceous, Maryland: Clark and Mathews, 488; Shattuck *et al.*, 2193.
 Patapsco formation, Cretaceous, Maryland and Delaware: Miller, 1749.
 Patapsco formation, Cretaceous, Virginia: Clark and Miller, 489.
 Patton shale, Mississippian, Pennsylvania: Butts, 368.
 Patuxent formation, Jurassic?, Maryland: Clark and Mathews, 488.
 Patuxent formation, Jurassic?, Virginia: Clark and Miller, 489.
 Patuxent formation, Jurassic? and Cretaceous, Maryland and District of Columbia: Shattuck *et al.*, 2193.
 Pawnee limestone, Pennsylvanian, Kansas: Schrader and Haworth, 2144; Wooster, 2636.
 Peachbottom slate, Algonkian, Maryland: Clark and Mathews, 488.
 Pearlsburg limestone, Ordovician, Virginia: Bassler, 158.
 Pecosian series, Pliocene, New Mexico: Keyes, 1390.
 Pee Dee marl, Miocene, South Carolina: Sloan, 2218.
 Peekskill granite, Ordovician, New York: Berkey, 207.
 Pelham (Trenton) limestone, Ordovician, Alabama: Smith, 2229.
 Pella beds, Mississippian, Iowa: Beyer and Williams, 234.
 Pelly gneisses, Alaska: Brooks, 313.
 Peña Blanca marls, Oligocene: Howe, 1244.
 Pennington shale, Carboniferous, Virginia: Bassler, 158.
 Penobscot formation, Cambrian: Smith *et al.*, 2241.
 Peorian, Quaternary, Iowa: Calvin, 387.
 Percha shale, Devonian, New Mexico: Gordon, 981.
 Perry beds, Devonian, Canada: Ellis, 784.
 Perryville, Ordovician, Kentucky: Miller, 1748.
 Peshastin formation, pre-Tertiary, Washington: Smith and Calkins, 2240.
 Piercefield gneiss, New York: Cushing, 614.
 Pierre formation, Cretaceous, Canada: Dowling, 735.
 Pierre shale, Cretaceous, Colorado: Darton, 648; Fisher, 869.
 Pierre shale, Cretaceous, North Dakota: Leonard, 1560, 1563.
 Pierre shale, Cretaceous, Nebraska: Condra, 570.
 Pierre shale, Cretaceous, Wyoming: Darton, 642, 644-647; Darton and O'Harra, 656; Fisher, 873.
 Pierre shales, Cretaceous, Montana: Brown, 325; Leonard, 1564.
 Pike Peak granite, Colorado: Graton, 1026.
 Pilgrim limestone, Devonian-Silurian, Montana: Emmons, 806.
 Piney formation, Cretaceous, Wyoming: Darton, 644-647.
 Piqua limestone, Pennsylvanian, Kansas: Schrader and Haworth, 2144; Wooster, 2636.
 Piscataway member, Eocene, Maryland: Shattuck *et al.*, 2193.
 Pit formation, Triassic, California: Diller, 721.
 Pitkin limestone, Mississippian, Arkansas: Purdue, 1971.
 Pitkin limestone, Mississippian, Indian Territory: Taff, 2332.
 Pittsburg limestone, Carboniferous, Pennsylvania: Stevenson, 2294; Woolsey, 2634.
 Pittsburg limestones, Carboniferous, West Virginia: Grimsley, 1044, 1046.
 Pittsburg red shales, Carboniferous, West Virginia: Grimsley, 1044, 1046.
 Pittsburg sandstone, Carboniferous, Appalachian region: Stevenson, 2295.
 Pittsburg sandstone, Carboniferous, Pennsylvania: Clapp, 475.
 Pittsburg sandstone, Carboniferous, West Virginia: Grimsley, 1046.
 Pittsford shale, Silurian, New York: Hartnagel, 1085.
 Plainfield quartz schist, Connecticut: Gregory, 1034; Gregory and Robinson, 1038.
 Platteville formation, Ordovician, Iowa: Burchard, 353.
 Platteville limestone, Ordovician, Iowa: Calvin, 387, 388.
 Platteville limestone, Ordovician, upper Mississippi Valley: Bain, 99; Sardeson, 2122.
 Platteville (Trenton), Ordovician, Mississippi Valley: Davis, 663.
 Platteville limestone, Ordovician, Wisconsin: Grant, 1017; Grant and Burchard, 1021.
 Platteville stage, Ordovician, Iowa: Beyer and Williams, 234.
 Platin limestone, Ordovician, Illinois: Weller, 2523.
 Pleasonton beds, Carboniferous, Kansas: Wooster, 2636.
 Pleasonton shale, Pennsylvanian, Missouri: Shepard, 2194.
 Plum Creek clay, Silurian, Kentucky: Foerste, 883, 884.
 Plum Point marls, Miocene, Maryland: Shattuck *et al.*, 2193.
 Plum Point marls, Tertiary, Maryland: Shattuck, 2185.
 Pocono formation, Carboniferous, Pennsylvania: Butts, 368; Clapp, 475, 477.
 Pocono sandstone, Lower Carboniferous, Pennsylvania: Barrell, 150.
 Pocono sandstone, Carboniferous, West Virginia: Grimsley, 1044.
 Pocono formation, Mississippian, Maryland: Clark and Mathews, 488.
 Pogonip limestone, Ordovician, California and Nevada: Ball, 120.

- Point Pleasant formation, Ordovician, Ohio and Kentucky : Bassler, 156.
- Poison Canyon formation, Cretaceous, Colorado : Darton, 648.
- Polk Bayou limestone, Ordovician, Arkansas : Purdue, 1970.
- Pomfret phyllite, Connecticut : Gregory, 1034; Gregory and Robinson, 1038.
- Poor Mountain zone, Cambrian?, South Carolina : Sloan, 2218.
- Portage member, Devonian, Maryland : Clark and Mathews, 488.
- Port Clarence limestone, Silurian, Alaska : Brooks, 313.
- Porters Creek clay, Cretaceous, Mississippi : Crider, 598.
- Porters Creek clay, Tertiary, Mississippi : Crider, 595; Crider and Johnson, 599.
- Porters Creek (Flatwoods) clay, Eocene, Mississippi : Logan, 1608.
- Porters Creek formation, Tertiary, Illinois : Purdy and DeWolf, 1973.
- Porters Creek formation, Tertiary, Missouri : Shepard, 2194.
- Porters Creek formation, Tertiary, Tennessee, Kentucky, and Illinois : Glenn, 971.
- Port Ewen limestone, Devonian, New York : Grabau, 991.
- Port Hudson formation, Quaternary, Mississippi : Crider, 595; Crider and Johnson, 599.
- Port Hudson formation, Quaternary, Louisiana and Arkansas : Veatch, 2436.
- Port Renfrew series, Vancouver Island : Hall, 1064.
- Potapaco member, Eocene, Maryland : Shattuck *et al.*, 2193.
- Potem formation, Jurassic, California : Diller, 721.
- Potomac formation, Cretaceous, Mississippi : Logan and Hand, 1609.
- Potomac formation, Cretaceous, South Carolina : Pugh, 1963.
- Potomac group, Cretaceous, Maryland and Delaware : Miller, 1749.
- Potomac group, Jurassic? and Cretaceous, Maryland : Shattuck *et al.*, 2193.
- Potomac group, Jurassic-Cretaceous, Maryland : Clark and Mathews, 488.
- Potosi volcanic series, Colorado : Cross *et al.*, 607.
- Potsdam sandstone, Cambrian, Illinois : Weller, 2517, 2524.
- Potsdam sandstone, Cambrian, Wisconsin : Grant, 1017; Weidman, 2512.
- Potsdam series, Cambrian, Iowa : Beyer and Williams, 234.
- Potsdam, Ordovician, Mississippi Valley : Davis, 663.
- Pottsville conglomerate, Lower Carboniferous, Pennsylvania : Barrell, 150.
- Pottsville formation, Carboniferous, Ohio : Carney, 427.
- Pottsville formation, Carboniferous, Pennsylvania : Butts, 368; Clapp, 475, 477; Woolsey, 2634.
- Pottsville formation, Carboniferous, Pennsylvania, Ohio, and West Virginia : Griswold and Munn, 1048.
- Pottsville formation, Pennsylvanian, Maryland : Clark and Mathews, 488.
- Pottsville series, Carboniferous, West Virginia : Grimsley, 1044.
- Poughquag quartzite, Connecticut : Gregory, 1034.
- Poughquag quartzite, Cambrian, Connecticut : Gregory and Robinson, 1038.
- Poughquag quartzite, Cambrian, New York : Berkey, 207.
- Poughquag quartzite, Cambro-Ordovician, Connecticut : Hobbs, 1185.
- Powers Bluff quartzite, pre-Cambrian, Wisconsin : Weidman, 2512.
- Prairie du Chien formation, Ordovician, upper Mississippi Valley : Bain, 99.
- Prairie du Chien limestone, Ordovician, Iowa : Beyer and Williams, 234.
- Prairie du Chien formation, Ordovician, Wisconsin : Grant and Burchard, 1021.
- Prattsburg shales and flags, Devonian, New York : Luther, 1634.
- Pre-Kansan, Quaternary, Iowa : Calvin, 387.
- Preston formation, Cretaceous, Arkansas : Veatch, 2436.
- Preston gabbro-diorite, Connecticut : Gregory and Robinson, 1038.
- Prichard (?) formation, pre-Cambrian, Montana : Emmons, 806.
- Prichard slate, Algonkian, Montana : Walcott, 2470.
- Prospect porphyritic gneiss, Connecticut : Gregory, 1034; Gregory and Robinson, 1038.
- Prospect Mountain quartzite, Cambrian?, Nevada and California : Ball, 120.
- Prosperity limestone, Carboniferous, Pennsylvania : Clapp, 475.
- Prosperity limestone, Carboniferous, Pennsylvania, Ohio, and West Virginia : Griswold and Munn, 1048.
- Prout limestone, Devonian, Ohio : Stauffer, 2277.
- Providence Cove beds, Vancouver Island : Hall, 1064.
- Puente shale, Miocene, California : Eldridge and Arnold, 779.
- Puerco, Tertiary, Wyoming : Veatch, 2439.
- Puerco marls, Eocene, New Mexico : Keyes, 1388.
- Puerco marl, Eocene, Colorado and New Mexico : Shaler, 2176.
- Puerco marls, Eocene, New Mexico : Keyes, 1390.
- Puget group, Cretaceous, Washington : Arnold, 56.
- Puget group, Tertiary, British Columbia : Brooks, 313.
- Pulliam formation, Cretaceous, Texas : Udden, 2408.
- Purgatory conglomerate, Massachusetts : Mansfield, 1674.
- Purisima formation, Tertiary, California : Arnold, 57.

- Putnam gneiss, Connecticut: Gregory, 1034; Gregory and Robinson, 1038.
- Putnam Hill limestone, Carboniferous, Pennsylvania: Stevenson, 2294.
- Quadrant (?) formation, Carboniferous, Montana: Emmons, 806.
- Quadrant formation, Mississippian, Montana: Rowe, 2090.
- Quartermaster formation, Permian, Texas: Gould, 986, 987.
- Quebec group, Canada: Young, 2660.
- Queen Charlotte group, Cretaceous, British Columbia: Brooks, 313.
- Quinalt formation, Tertiary, Washington: Arnold, 56.
- Quincy group, early Carboniferous, or late pre-Carboniferous: Emerson and Perry, 790.
- Racine limestone, Silurian, Wisconsin: Alden, 23.
- Rampart series, Devonian, Alaska: Brooks, 313; Prindle, 1956.
- Ramsay Lake graywacke conglomerate, pre-Cambrian, Ontario: Coleman, 539.
- Ranchoas formation, Cretaceous, Maryland and Delaware: Miller, 1749.
- Raritan clay, Cretaceous, New Jersey: Weller, 2520.
- Raritan formation, Cretaceous, Maryland: Clark and Mathews, 488; Shattuck *et al.*, 2193.
- Raritan formation, Cretaceous, Maryland and Delaware: Miller, 1749.
- Raritan, Cretaceous, New York: Veatch, 2434.
- Rattlesnake beds, Cretaceous, Texas: Udden, 2409.
- Ravalli (?) formation, pre-Cambrian, Montana: Emmons, 806.
- Ravalli series, Algonkian, Montana: Walcott, 2470.
- Red Bank sand, Cretaceous, New Jersey: Weller, 2520.
- Red Beds, Permian, New Mexico: Ordóñez, 1831.
- Red Beds, Triassic?, Colorado: Darton, 648; Gale, 922.
- Red Bluff formation, Quaternary, California: Diller, 721.
- Red Bluff sandstones, Permian, Kansas: Wooster, 2636.
- Red Mountain formation (Clinton), Silurian, Alabama: Smith, 2229.
- Redstone limestone, Carboniferous, Appalachian region: Stevenson, 2295.
- Redstone limestone, Carboniferous, West Virginia: Grimsley, 1044, 1046.
- Rommel granodiorite, Jurassic, Cascade Mountains: Daly, 632.
- Revelt quartzite, Algonkian, Montana: MacDonald, 1658.
- Rhinestreet black shale, Devonian, New York: Luther, 1633, 1634.
- Rib Hill quartzite, pre-Cambrian, Wisconsin: Weidman, 2512.
- Richmond division of the Cincinnati, Ordovician, Illinois: Weller, 2517, 2524.
- Richmond limestone, Ordovician, Illinois: Weller, 2522.
- Richmond limestone and shales, Ordovician, Missouri: Bowman and Reeds, 277.
- Ripley formation, Cretaceous, Alabama: Smith, 2229.
- Ripley formation, Cretaceous, Illinois: Purdy and DeWolf, 1973.
- Ripley formation, Cretaceous, Mississippi: Crider, 595; Crider and Johnson, 599; Logan, 1608.
- Ripley formation, Cretaceous, North Carolina: Stephenson, 2281.
- Ritchie red beds, Carboniferous, Appalachian region: Stevenson, 2295.
- Riverside sandstone, Mississippian, Indiana: Reagan, 1998.
- Roan gneiss, Archean, North Carolina: Keith, 1352, 1354.
- Rochester shale, Silurian, New York: Bassler, 156; Hartnagel, 1085.
- Rockcastle, Carboniferous, Appalachian region: Stevenson, 2295.
- Rockwood (Clinton), Virginia: Eckel, 765.
- Rockwood formation, Silurian, West Virginia: Grimsley, 1044.
- Rocky Mountain quartzite, Carboniferous, Alberta: Dowling, 736.
- Rogersville limestone, Carboniferous, Appalachian region: Stevenson, 2295.
- Rogersville shale, Cambrian, Virginia: Bassler, 158.
- Rome shales, Cambrian, Georgia: Watson, 2483.
- Romney formation, Devonian, Maryland: Clark and Mathews, 488.
- Romney shale, Devonian, West Virginia: Grimsley, 1044.
- Rondout formation, Silurian, New York: Hartnagel, 1084.
- Rondout limestone, Silurian, New York: Grabau, 991.
- Rosalie granite, pre-Cambrian, Colorado: Ball, 118.
- Rosebud beds, Tertiary, South Dakota: Matthew, 1702.
- Rosendale cement rock, Silurian, New York: Grabau, 991.
- Rosiclare sandstone, Mississippian, Illinois: Weller, 2523.
- Roslyn formation, Tertiary, Washington: Smith and Calkins, 2240.
- Roubidoux sandstone, Cambro-Ordovician, Missouri: Shepard, 2194.
- Rove slates, Algonkian, Minnesota: Abbott, 1.
- Roxbury conglomerate, Carboniferous?, Massachusetts: Mansfield, 1674.
- Russell shales, Cambrian, Virginia: Bassler, 158.
- Ruth limestone, Carboniferous, Nevada: Lawson, 1526.
- Rutledge limestone, Cambrian, Virginia: Bassler, 158.
- Sabine formation, Tertiary, Arkansas and Louisiana: Veatch, 2436, 2437.

- Sabine stage, Eocene, Louisiana: Harris, 1079.
- Saddlehorse lentil, Permian, Texas: Gould, 987.
- Saginaw formation, Carboniferous, Michigan: Cooper, 575; Lane, 1516.
- St. Clair limestone, Silurian, Arkansas: Purdue, 1970.
- St. Clair marble, Silurian, Indian Territory: Taff, 2332.
- St. Croix formation, Cambrian, Iowa: Calvin, 387; Leonard, 1559.
- St. Croix sandstone, Cambrian, Iowa: Beyer and Williams, 234.
- St. Joe limestone member, Mississippian, Arkansas: Purdue, 1971.
- St. Joe marble, Carboniferous, Arkansas: Purdue, 1970.
- St. Joe member, Mississippian, Indian Territory: Taff, 2332.
- St. Lawrence formation, Cambrian, Iowa: Calvin, 387.
- St. Lawrence limestone, Cambrian, Iowa: Beyer and Williams, 234.
- St. Louis limestone, Carboniferous, Iowa: Calvin, 387.
- St. Louis limestone, Mississippian, Illinois: Bowman and Reeds, 277; Fenneman, 860; Weller, 2523.
- St. Louis limestone, Mississippian, Mississippi: Crider, 595.
- St. Louis limestone, Mississippian, Missouri: Shepard, 2194.
- St. Louis stage, Mississippian, Iowa: Beyer and Williams, 234.
- St. Mary's formation, Miocene, Maryland: Clark and Mathews, 488; Shattuck, 2185, 2188, 2191.
- St. Mary's formation, Tertiary, Virginia: Clark and Miller, 489.
- St. Peter sandstone, Cambrian, Michigan: Lane and Seaman, 1518.
- St. Peter sandstone, Cambro-Ordovician, Missouri: Shepard, 2194.
- St. Peter sandstone, Ordovician, Illinois: Weller, 2517, 2524.
- St. Peter formation, Ordovician, Iowa: Calvin, 387, 388; Leonard, 1559.
- St. Peter sandstone, Ordovician, upper Mississippi Valley: Bain, 99; Berkey, 205; Davis, 663.
- St. Peter sandstone, Ordovician, Wisconsin: Alden, 23; Grant, 1017; Grant and Burchard, 1021.
- St. Peters sandstone, Ordovician, Illinois: Bowman and Reeds, 277; Weller, 2523.
- St. Regis formation, Algonkian, Montana: MacDonald, 1658; Walcott, 2470.
- St. Stephen's limestone, Eocene, Alabama: Smith, 2229.
- St. Stephen's limestone, Tertiary, Gulf region: Smith, 2226.
- Salem limestone, Carboniferous, Indiana: Cumings and Beede, 612.
- Salem (Bedford) limestone, Mississippian, Indiana: Reagan, 1998.
- Salina formation, Silurian, New York: Hartnagel, 1085.
- Salina member, Silurian, Maryland: Clark and Mathews, 488.
- Salkehatchie marl, Miocene, South Carolina: Sloan, 2218.
- Salt Plain shales, Permian, Kansas: Wooster, 2636.
- Saltsburg sandstone, Carboniferous, Pennsylvania: Butts, 368.
- Saltzburg sandstone, Carboniferous, West Virginia: Grimsley, 1044, 1046.
- Saluda zone, Archean, South Carolina: Sloan, 2218.
- San Bruno limestone, California: Crandall, 591.
- Sandia beds, Carboniferous, New Mexico: Gordon 982.
- Sandia formation, Carboniferous, New Mexico: Keyes, 1377.
- Sandusky formation, Devonian, Ohio: Swartz, 2329.
- Sangamon, Quaternary, Iowa: Calvin, 387.
- San Juan tuff, Colorado: Cross *et al.*, 607.
- Sankaty formation, Quaternary, New York: Veatch, 2434.
- Sankaty Head beds, Pleistocene, Nantucket Island: Wilson, 2610.
- San Lorenzo, Tertiary, California: Arnold, 57.
- San Miguel beds of Eagle Pass formation, Cretaceous, Texas: Udden, 2408.
- San Pablo formation, Tertiary, California: Prindle, 1956.
- San Pedro formation, Pleistocene, California: Prindle, 1956.
- San Pedro shales, California: Crandall, 591.
- Santa Fe sands, Miocene, New Mexico: Keyes, 1388, 1390.
- Santee marl, Eocene, South Carolina: Sloan, 2218.
- Saratoga formation, Cretaceous, Arkansas: Veatch, 2436.
- Savanna formation, Carboniferous, Arkansas: Collier, 556.
- Scarborough beds of Toronto formation, Quaternary, Canada: Coleman, 547.
- Schoharie grit, Devonian, New York: Graebau, 991.
- Scotland schist, Connecticut: Gregory, 1034; Gregory and Robinson, 1038.
- Sea Island sands, Pleistocene, South Carolina: Sloan, 2218.
- Seekonk conglomerate, Massachusetts: Mansfield, 1674.
- Selkirk series, British Columbia: Dawson, 686.
- Sellersburg beds, Devonian, Indiana: Stauffer, 2278.
- Sellersburg limestone, Devonian, Indiana: Blatchley, 246.
- Selma chalk, Cretaceous, Alabama: Smith, 2229.
- Selma chalk, Cretaceous, Mississippi: Crider, 595, 598; Crider and Johnson, 599; Logan, 1608.

- Selma clay, Cretaceous, Tennessee: Glenn, 971.
- Sespe formation, Eocene-Oligocene, California: Arnold, 63; Eldridge and Arnold, 779.
- Sespe formation, Tertiary, California: Arnold and Anderson, 67.
- Sespe sandstone, Eocene or Oligocene, California: Arnold and Anderson, 66.
- Setters quartzite, Algonkian, Maryland: Clark and Mathews, 488.
- Seven Sisters sandstone member, Carboniferous, Kentucky: Ashley and Glenn, 77.
- Severy shales, Carboniferous, Kansas: Wooster, 2636.
- Sevier shales, Ordovician, Virginia: Bassler, 158.
- Sewickley limestone, Carboniferous, West Virginia: Grimsley, 1044, 1046.
- Sewickley sandstone, Carboniferous, Appalachian region: Stevenson, 2295.
- Sewickley sandstone, Carboniferous, West Virginia: Grimsley, 1046.
- Shady limestone, Cambrian, Tennessee: Keith, 1354.
- Shakopee formation, Ordovician, Iowa: Calvin, 387, 388.
- Shakopee formation, Ordovician, upper Mississippi Valley: Bain, 99.
- Shakopee limestone, Ordovician, Iowa: Beyer and Williams, 234.
- Shawangunk conglomerate, Silurian, New York: Hartnagel, 1084.
- Shawangunk grit, Silurian, New York: Clarke, 499; Grabau, 991.
- Shenandoah limestone, Cambro-Ordovician, Maryland: Clark and Mathews, 488.
- Shenandoah limestone, Cambro-Ordovician, Pennsylvania: Stose, 2318.
- Shenandoah limestone, Cambro-Ordovician, West Virginia: Grimsley, 1044.
- Shenandoah limestone group, Cambrian, Virginia: Bassler, 158.
- Sherburne formation, Devonian, New York: Grabau, 991.
- Sherburne flagstone member, Devonian, New York: Williams, 2583.
- Shinarump conglomerate, Triassic, Utah: Cross, 604; Lee, 1544.
- Shuswap series, British Columbia: Dawson, 686.
- Shuswap series, Archean, Yukon Territory: Brooks, 313.
- Siamo slate, pre-Cambrian, Michigan: Lane and Seaman, 1518.
- Siebert Lake beds, Pliocene, Nevada: Ball, 120.
- Sillery formation, Cambrian, Canada: Young, 2660.
- Silver Creek hydraulic limestone, Devonian, Indiana: Blatchley, 246.
- Silver Pipe limestone, Mississippian, New Mexico: Gordon, 981.
- Silver Plume granite, pre-Cambrian, Colorado: Ball, 118.
- Silver Terrace sandstone, California: Crandall, 591.
- Silverton volcanic series, Colorado: Cross *et al.*, 607.
- Similkameen granite, Tertiary, Cascade Mountains: Daly, 632.
- Sioux quartzite, pre-Cambrian, Iowa: Calvin, 387.
- Sioux quartzite, Proterozoic, Iowa: Beyer and Williams, 234.
- Skagit series, Alaska: Brooks, 313.
- Skaneateles shale, Devonian, New York: Luther, 1633.
- Skolai volcanics, Triassic, Alaska: Brooks, 313.
- Skwentna complex, Alaska: Brooks, 313.
- Smithfield limestone member, Cambrian, Rhode Island: Emerson and Ferry, 790.
- Smith River beds, Tertiary, Montana: Rowe, 2090.
- Snoqualmie granodiorite, Tertiary, Washington: Smith and Calkins, 2240.
- Snowbird formation, Cambrian, Tennessee: Keith, 1354.
- Socorro series, Carboniferous, New Mexico: Keyes, 1377.
- Sodus shale, Silurian, New York: Clarke, 494; Hartnagel, 1085.
- Soudan formation, Archean, Minnesota: Abbott, 1.
- Southgate member, Ordovician, Ohio and Kentucky: Bassler, 156.
- Spadra shale, Carboniferous, Arkansas: Collier, 556.
- Spearfish formation, Triassic, Wyoming: Darton and O'Harra, 656.
- Spergen limestone, Mississippian, Illinois: Fenneman, 860; Weller, 2523.
- Spergen limestone, Mississippian, Missouri: Shepard, 2194.
- Spergen Hill limestone, Mississippian, Illinois: Bowman and Reeds, 277.
- Spokane formation, Algonkian, Montana: Barrell, 149.
- Spokane shale, Algonkian, Montana: Rowe, 2090.
- Spring Creek granite, Colorado: Gratton, 1026.
- Springvale beds, Mississippian, Iowa: Beyer and Williams, 234.
- Square Lake limestone, Devonian, New York: Grabau, 991.
- Stafford limestone, Devonian, New York: Luther, 1633.
- Standish shales, Devonian, New York: Luther, 1634.
- Stanton limestone, Carboniferous, Kansas: Beede and Rogers, 181; Wooster, 2636.
- State Quarry limestone, Devonian, Iowa: Beyer and Williams, 234; Calvin, 387.
- Stennett limestone, Pennsylvanian, Iowa: Beyer and Williams, 234.
- Sterling granite-gneiss, Connecticut: Gregory, 1034; Gregory and Robinson, 1038.
- Stockbridge dolomite, Cambro-Ordovician, Connecticut: Hobbs, 1185.
- Stockbridge limestone, Connecticut: Gregory, 1034.

- Stockbridge limestone, Cambro-Ordovician, Connecticut: Gregory and Robinson, 1038.
- Stockton limestone, Carboniferous, West Virginia: Grimsley, 1044.
- Stones River formation, Ordovician, Virginia: Bassler, 158.
- Stones River limestone, Ordovician, Maryland: Clark and Mathews, 488.
- Stones River limestone, Ordovician, Missouri: Bowman and Reeds, 277.
- Stones River limestone, Ordovician, Pennsylvania: Stose, 2318.
- Stony Creek granite-gneiss, Connecticut: Gregory, 1034; Gregory and Robinson, 1038.
- Storm King granite, pre-Cambrian, New York: Berkey, 207.
- Strawn limestone, Carboniferous, Kansas: Wooster, 2636.
- Strawn formation, Carboniferous, Texas: Ries, 2058.
- Striped Peak formation, Algonkian, Montana: Walcott, 2470.
- Strong flints, Permian, Kansas: Wooster, 2636.
- Strong City beds, Permian, Kansas: Wooster, 2636.
- Stuver series, Alaska: Brooks, 313.
- Sucarnochee clay, Eocene, Alabama: Smith, 2229.
- Sunbury or Berea shale, Mississippian, Michigan: Lane, 1516.
- Sunbury shales, Carboniferous, Michigan: Cooper, 575.
- Sundance formation, Jurassic, Wyoming: Darton, 642, 644-647; Darton and O'Harra, 656; Fisher, 873.
- Sunderland formation, Pleistocene, Maryland: Clark and Mathews, 488; Shattuck, 2184, 2185, 2188, 2191; Shattuck *et al.*, 2193.
- Sunderland formation, Quaternary, Maryland and Delaware: Miller, 1749.
- Sunderland formation, Pleistocene, Virginia: Clark and Miller, 489.
- Sunrise formation, pre-Jurassic?, Alaska: Paige and Knopf, 1862.
- Sunrise series, Paleozoic?, Alaska: Moffit, 1762.
- Suslova limestone, Carboniferous, Alaska: Brooks, 313.
- Swanton marble, Cambrian, Vermont: Edson, 774.
- Swauk formation, Tertiary, Washington: Smith and Calkins, 2240.
- Sweetland Creek shales, Devonian, Iowa: Calvin, 387.
- Sylvania sandstone, Michigan: Nattress, 1785.
- Talbot formation, Pleistocene, Maryland: Clark and Mathews, 488; Shattuck, 2184, 2185, 2188, 2191; Shattuck *et al.*, 2193.
- Talbot formation, Quaternary, Maryland and Delaware: Miller, 1749.
- Talbot formation, Pleistocene, Virginia: Clark and Miller, 489.
- Tallahatta buhrstone, Tertiary, Mississippi: Crider, 595; Crider and Johnson, 599.
- Tallahatta buhrstone, Eocene, Alabama: Smith, 2229.
- Tanana schists, Alaska: Brooks, 313.
- Taneum andesite, Tertiary, Washington: Smith and Calkins, 2240.
- Tank volcanics, California: Lawson, 1528.
- Tate layer, Ordovician, Kentucky: Foerste, 884.
- Taylor marls, Cretaceous, Texas: Ries, 2058.
- Teaaway basalt, Tertiary, Washington: Smith and Calkins, 2240.
- Tecovas formation, Triassic, Texas: Gould, 987.
- Tecumseh shales, Carboniferous, Kansas: Wooster, 2636.
- Tehachapi formation, California: Lawson, 1528.
- Tejon formation, Tertiary, California: Arnold, 57; Arnold and Anderson, 67.
- Telegraph Hill sandstone, California: Crandall, 591.
- Tellico sandstone, Ordovician, Tennessee: Keith, 1354.
- Telluride conglomerate, Eocene (?), Colorado: Cross *et al.*, 607.
- Ten-mile limestone, Carboniferous, Appalachian region: Stevenson, 2295.
- Ten Mile sands, Pleistocene, South Carolina: Sloan, 2218.
- Tensleep sandstone, Carboniferous, Wyoming: Darton, 642, 644-647; Fisher, 873.
- Terlingua beds, Cretaceous, Texas: Udden, 2409.
- Terrejon, Tertiary, Wyoming: Veatch, 2439.
- Thayer shales, Carboniferous, Kansas: Wooster, 2636.
- Thaynes formation, Carboniferous, Utah: Boutwell, 271.
- Thomaston granite-gneiss, Connecticut: Gregory, 1034; Gregory and Robinson, 1038.
- Thorofare andesite, Silurian?, Maine: Smith *et al.*, 2241.
- Three Forks shale, Devonian, Montana: Raymond, 1989.
- Tichenor limestone, Devonian, New York: Luther, 1633, 1634.
- Timpas limestone, Cretaceous, Colorado: Darton, 648; Fisher, 869.
- Tinton beds, Cretaceous, New Jersey: Weller, 2520.
- Tisbury (Manhasset) gravel, Quaternary, New York: Veatch, 2434.
- Titelna volcanics, Devonian, Alaska: Brooks, 313.
- Tok sandstone, Tertiary, Alaska: Brooks, 313.
- Tombigbee sands, Cretaceous, Mississippi: Logan and Hand, 1609.
- Tomstown limestone, Cambrian, Maryland: Clark and Mathews, 488.

- Tomstown limestone, Cambrian, Pennsylvania: Stose, 2318.
- Topatopa formation, Eocene, California: Arnold, 63; Eldridge and Arnold, 779.
- Topeka limestone, Carboniferous, Kansas: Wooster, 2636.
- Tordrillo series, Jurassic, Alaska: Brooks, 313.
- Tornillo clays, Cretaceous, Texas: Udden, 2409.
- Toronto formation, Quaternary, Canada: Coleman, 547.
- Torrejon sandstones, Eocene, New Mexico: Keyes, 1388, 1390.
- Totsen series, Alaska: Brooks, 313.
- Townstown limestone, Cambrian, Pennsylvania: Stose, 2318.
- Trangville beds, Tertiary, Yukon Territory: Brooks, 313.
- Traverse group, Devonian, Michigan: Cooper, 575; Lane, 1516.
- Trenton-Galena formation, Ordovician, Illinois: Weller, 2517, 2524.
- Trenton limestone, Ordovician, Iowa: Leonard, 1559.
- Trenton limestone, Ordovician, Missouri and Illinois: Bowman and Reeds, 277.
- Trenton limestone, Ordovician, Ontario: Ellis, 788.
- Trenton limestone, Ordovician, Vermont: Edson, 774.
- Trenton shales, Ordovician, Virginia: Bassler, 158.
- Trinity sand, Cretaceous, Arkansas: Veatch, 2436.
- Trout Creek sandstone member, Cretaceous, Colorado: Fenneman and Gale, 863.
- Troutdale granite, Colorado: Underhill, 2414.
- Trout Lake conglomerate, pre-Cambrian, Ontario: Coleman, 539, 546.
- Trujillo formation, Triassic, Texas: Gould, 987.
- Tule formation, Tertiary, Texas: Gould, 986.
- Tullahoma formation, Mississippian, Mississippi: Crider, 595.
- Tully limestone, Devonian, New York: Luther, 1634; Williams, 2583.
- Tunnel Hill zone, Archean, South Carolina: Sloan, 2218.
- Tusahoma formation, Eocene, Alabama: Smith, 2229.
- Tuscaloosa formation, Cretaceous, Alabama: Smith, 2229.
- Tuscaloosa formation, Cretaceous, Gulf region: Smith, 2226, 2228.
- Tuscaloosa formation, Cretaceous, Mississippi: Crider, 595; Crider and Johnson, 599; Logan, 1608.
- Tuscaloosa clay, Cretaceous, Mississippi: Crider, 598.
- Tuscaloosa formation, Eocene, Alabama: Smith, 2229.
- Tuscan tuff, Tertiary, California: Diller, 721.
- Tuscarora formation, Silurian, Maryland: Clark and Mathews, 488.
- Tuscarora member, Ordovician, Virginia: Bassler, 158.
- Tuscumbia (St. Louis) limestone, Mississippian, Alabama: Smith, 2229.
- Tusquitee quartzite, Cambrian, North Carolina: Keith, 1352.
- Twelvemile beds, Tertiary, Alaska: Brooks, 313.
- Twentymile sandstone member, Cretaceous, Colorado: Fenneman and Gale, 863.
- Two-mile limestone, Carboniferous, West Virginia: Grimsley, 1044.
- Tyger zone, Archean, South Carolina: Sloan, 2218.
- Tyler red beds, Carboniferous, Appalachian region: Stevenson, 2295.
- Tyner formation, Ordovician, Indian Territory: Taff, 2332.
- Tyonok beds, Alaska: Brooks, 313.
- Tyrone, Ordovician, Kentucky: Miller, 1748.
- Uffington shales, Carboniferous, Pennsylvania: Stevenson, 2294.
- Uinta formation, pre-Cambrian, Utah: Weeks, 2506.
- Uinta quartzite, Utah: Emmons, 798.
- Uncompahgre formation, Algonkian, Colorado: Cross *et al.*, 607.
- Unicoi formation, Cambrian, North Carolina and Tennessee: Keith, 1354.
- Uniontown limestone, Carboniferous, Appalachian region: Stevenson, 2295.
- Uniontown limestone, Carboniferous, West Virginia: Grimsley, 1044, 1046.
- Uniontown sandstone, Carboniferous, Appalachian region: Stevenson, 2295.
- Uniontown sandstone, Carboniferous, Pennsylvania: Clapp, 475.
- Upson clay, Cretaceous, Texas: Udden, 2408.
- Utica shale, Ordovician, Pennsylvania: Stose, 2318.
- Utica shale, Ordovician, Virginia: Bassler, 158.
- Valcour limestone, Ordovician, New York: Raymond, 1987.
- Valdez series, Alaska: Brooks, 313.
- Vallenar series, Devonian, Alaska: Brooks, 313; Kindle, 1400.
- Valleytown formation, Cambrian, North Carolina: Keith, 1352.
- Vancouver series, Triassic and Carboniferous?, British Columbia: Brooks, 313.
- Vanport limestone, Carboniferous, Pennsylvania: Butts, 368; Stevenson, 2294; Woolsey, 2634.
- Vanport limestone, Carboniferous, West Virginia: Grimsley, 1046.
- Vaqueros formation, Miocene, California: Arnold, 63; Arnold and Anderson, 66, 67; Eldridge and Arnold, 779.
- Vaqueros sandstone, Tertiary, California: Prindle, 1956.

- Vauchluse zone, Archean, South Carolina: Sloan, 2218.
- Venice member of Columbus formation, Devonian: Swartz, 2329.
- Verdi beds, Mississippian, Iowa; Beyer and Williams, 234.
- Vermilion series, Archean, Minnesota: Abbott, 1.
- Vernon shale, Silurian, New York: Hartnagel, 1085.
- Versailles bed, Ordovician, Kentucky: Foerste, 884.
- Vershire schist, Vermont: Richardson, 2037.
- Vicksburg formation, Oligocene, Mississippi: Logan, 1608.
- Vicksburg formation, Tertiary, Mississippi: Crider, 595, 598; Crider and Johnson, 599.
- Vicksburg limestone, Tertiary, Gulf region: Smith, 2226.
- Vicksburg formation, Tertiary, Louisiana: Veatch, 2436, 2438.
- Vilas shale, Pennsylvanian, Kansas: Schrader and Haworth, 2144; Wooster, 2636.
- Vinalhaven rhyolite, Silurian?, Maine: Smith *et al.*, 2241.
- Vincentown formation, Cretaceous, New Jersey: Weller, 2520.
- Virgin Valley beds, Miocene, Nevada: Merriam, 1716.
- Waccamaw marl, Miocene and Pliocene, South Carolina: Sloan, 2218.
- Waco limestone, Silurian, Kentucky: Foerste, 883, 884.
- Wadmalaw shell-marl, Pleistocene, South Carolina: Sloan, 2218.
- Waits River limestone, Ordovician, Vermont: Richardson, 2037.
- Wales series, Silurian, Alaska: Brooks, 313; Kindle, 1400.
- Wallace formation, Algonkian, Montana: MacDonald, 1658; Walcott, 2470.
- Walsingham formation, Pliocene, Bermuda Islands: Verrill, 2445.
- Wando clays, Pleistocene, South Carolina: Sloan, 2218.
- Wappinger limestone, Cambro-Silurian, New York: Berkey, 207.
- Wapsipinicon formation, Devonian, Iowa: Arey, 53; Calvin, 387, 388; Norton, 1805.
- Warley Hill marl, Eocene, South Carolina: Sloan, 2218.
- Warsaw formation, Mississippian, Illinois: Fenneman, 860; Weller, 2523.
- Warsaw formation, Mississippian, Missouri: Shepard, 2194.
- Warsaw limestone, Mississippian, Illinois: Bowman and Reeds, 277.
- Warsaw shales, Mississippian, Iowa: Beyer and Williams, 234.
- Wasatch beds, Tertiary, Wyoming: Loomis, 1615.
- Wasatch formation, Tertiary, Wyoming: Fisher, 873; Veatch, 2437, 2439.
- Wasatch (?) group, Eocene, Colorado and New Mexico: Shaler, 2176.
- Wasatch group, Eocene, New Mexico: Keyes, 1390.
- Wasatch limestone, Carboniferous, Utah: Emmons, 798.
- Washington formation, Carboniferous, Appalachian region: Stevenson, 2295.
- Washington formation, Carboniferous, Pennsylvania: Clapp, 475-477; Stone and Clapp, 2314.
- Washington formation, Carboniferous, Pennsylvania, Ohio, and West Virginia: Griswold and Munn, 1048.
- Washington limestone, Carboniferous, West Virginia: Grimsley, 1044, 1046.
- Washington limestone, Ordovician, Vermont: Richardson, 2037.
- Washington reds, Carboniferous, Pennsylvania: Stevenson, 2294.
- Washington sandstone, Carboniferous, Appalachian region: Stevenson, 2295.
- Washington sandstone, Carboniferous, West Virginia: Grimsley, 1046.
- Washito group, Cretaceous, Arkansas: Veatch, 2436.
- Waterbury gneiss, Connecticut: Gregory, 1034; Gregory and Robinson, 1038.
- Watauga shale, Cambrian, Tennessee: Keith, 1354.
- Waterford slate, Vermont: Richardson, 2037.
- Waterloo quartzite, pre-Cambrian, Wisconsin: Warner, 2477.
- Waubakee formation, Silurian, Wisconsin: Alden, 23.
- Wausau graywacke, pre-Cambrian, Wisconsin: Weldman, 2512.
- Waynesboro formation, Cambrian, Pennsylvania: Stose, 2318.
- Waynesboro shale and sandstone, Cambrian, Maryland: Clark and Mathews, 488.
- Waynesburg limestone, Carboniferous, West Virginia: Grimsley, 1044.
- Waynesburg limestone, Carboniferous, Appalachian region: Stevenson, 2295.
- Waynesburg limestone, Carboniferous, Pennsylvania: Clapp, 475.
- Waynesburg limestone, Carboniferous, West Virginia: Grimsley, 1046.
- Waynesburg sandstone, Carboniferous, Appalachian region: Stevenson, 2295.
- Waynesburg sandstone, Carboniferous, Pennsylvania: Clapp, 475, 476.
- Waynesburg sandstone, Carboniferous, Pennsylvania, Ohio, and West Virginia: Griswold and Munn, 1048.
- Waynesville sandstone, Carboniferous, West Virginia: Grimsley, 1046.
- Weber conglomerate, Carboniferous, California and Nevada: Ball, 120.
- Weber formation, Carboniferous, Utah: Weeks, 2506.

- Weber quartzite, Carboniferous, Utah: Boutwell, 271.
- Weber quartzite, Ordovician, Utah: Emons, 798.
- Wedington sandstone member, Mississippian, Arkansas: Purdue, 1971.
- Weisner quartzite, Cambrian, Georgia: Watson, 2483.
- Weisner sandstone, Cambrian, Alabama: Smith, 2229.
- Weltchpec schists, California: Hershey, 1133.
- Wellesley formation, Devonian, Alaska: Brooks, 313.
- Wellington beds, Permian, Kansas: Wooster, 2636.
- Wellsburg sandstone member, Devonian, New York: Williams, 2583.
- Wenonah sand, Cretaceous, New Jersey: Weller, 2520.
- Westerly granite, Connecticut: Gregory, 1034.
- Westerville limestone, Pennsylvanian, Iowa: Beyer and Williams, 234.
- West Hill flags and shales, Devonian, New York: Luther, 1634.
- West River shale, Devonian, New York: Luther, 1633, 1634.
- Weverton formation, Cambrian, Maryland: Clark and Mathews, 488.
- Weverton sandstone, Cambrian, Pennsylvania: Stose, 2318.
- Wewe shales, pre-Cambrian, Michigan: Lane and Seaman, 1518.
- Wheeling, Carboniferous, Appalachian region: Stevenson, 2295.
- White Pine shale, Devonian, Nevada: Lawson, 1526.
- Whiteside granite, Post-Cambrian?, North Carolina and South Carolina: Keith, 1353.
- Whitsett limestone lentil, Cretaceous, Oregon: Diller, 724.
- Wichita conglomerate, Permian, Texas: Case, 443.
- Wichita division of the Red Beds, Permian, Texas: Case, 443.
- Wicomico formation, Pleistocene, Maryland: Clark and Mathews, 488; Shattuck, 2184, 2185, 2188, 2191; Shattuck *et al.*, 2193.
- Wicomico formation, Quaternary, Maryland, and Delaware: Miller, 1749.
- Wicomico formation, Pleistocene, Virginia: Clark and Miller, 489.
- Wilbur limestone, Silurian, New York: Grabau, 991.
- Wilcox formation, Eocene, Mississippi: Brown, 326; Logan, 1608.
- Wilcox formation, Tertiary, Mississippi: Crider, 595; Crider and Johnson, 599.
- Williamson shale, Silurian, New York: Clarke, 494; Hartnagel, 1085.
- Willimantic gneiss, Connecticut: Gregory, 1034; Gregory and Robinson, 1038.
- Wills Point clays, Tertiary, Texas: Fenneman, 958; Ries, 2058.
- Wilmore, Ordovician, Kentucky: Miller, 1748.
- Wilson formation, Pennsylvanian, Kansas: Schrader and Haworth, 2144.
- Winchester, Ordovician, Kentucky: Miller, 1748.
- Windy Gap limestone, Carboniferous, Appalachian region: Stevenson, 2295.
- Windy Gap limestone, Carboniferous, West Virginia: Grimsley, 1044.
- Windy Gap limestone, Carboniferous, Pennsylvania: Clapp, 476.
- Winooski or Swanton marble, Cambrian, Vermont: Edson, 774.
- Winslow formation, Carboniferous, Indian Territory: Taff, 2332.
- Winslow formation, Pennsylvanian, Arkansas: Purdue, 1971.
- Winterset limestone, Pennsylvanian, Iowa: Beyer and Williams, 234.
- Wisconsin drift, Pleistocene, Iowa: Calvin, 387; Macbride, 1639; Williams, 2588.
- Wisconsin epoch, Quaternary, New York: Veatch, 2434.
- Wisconsin deposits, Quaternary, Pennsylvania: Woolsey, 2634.
- Wise formation, Carboniferous, Virginia: Stone, 2311.
- Wissahickon phyllites and gneiss, Algonkian, Maryland: Clark and Mathews, 488.
- Wolcott limestone, Silurian, New York: Clarke, 494; Hartnagel, 1085.
- Wolsey shale, Cambrian, Montana: Emons, 806.
- Wolverine sandstone, Algonkian, Michigan: Lane, 1509.
- Wolverine sandstone, Michigan: Lane, 1507.
- Womack gneiss, Colorado: Graton, 1026.
- Woodbine formation, Cretaceous, Arkansas: Veatch, 2436.
- Woodbine formation, Cretaceous, Texas: Ries, 2058.
- Woodbury clay, Cretaceous, New Jersey: Weller, 2520.
- Woodside shale, Carboniferous, Utah: Boutwell, 271.
- Woodstock member, Eocene, Maryland: Shattuck *et al.*, 2193.
- Woodstock quartz schist, Connecticut: Gregory, 1034; Gregory and Robinson, 1038.
- Woonsocket conglomerate, Massachusetts: Mansfield, 1674.
- Wrangell lavas, Tertiary, Alaska: Brooks, 313.
- Wreford limestone, Permian, Kansas: Wooster, 2636.
- Wyoming conglomerate, Tertiary, Wyoming: Sinclair, 2214; Veatch, 2437.
- Yakima basalt, Tertiary, Washington: Smith and Calkins, 2240.
- Yakutat series, Alaska: Blackwelder, 240; Tarr, 2346; Tarr and Martin, 2356.

- Yarmouth, Quaternary, Iowa: Calvin, 387.
 Yegua clays, Eocene, Texas: Penhallow, 1899.
 Yegua clays, Tertiary, Texas: Fenneman, 859; Ries, 2058.
 Yellow Creek sandstone member, Carboniferous, Kentucky: Ashley and Glenn, 77.
 Yellville formation, Ordovician, Indian Territory: Taff, 2332.
 Yogo limestone, Devonian-Silurian, Montana: Emmons, 806.
 Yonkers gneiss, pre-Cambrian, New York: Berkey, 207.
 Yorktown formation, Tertiary, Virginia: Clark and Miller, 489.
 Yukon silts, Quaternary, Alaska: Brooks, 313.

MINERALS DESCRIBED.

- Abriachanite, 1779.
 Actinolite, 1893.
 Agalmatolite, 1437.
 Albite, 2565.
 Allanite, 2478, 2493.
 Allophane, 2081.
 Amber, 1437.
 Amblygonite, 87.
 Amphibole, 28, 1705, 1893, 2565.
 Andalusite, 1437.
 Anglesite, 99, 346, 1017, 2081.
 Anhydrite, 1437.
 Anorthite, 857.
 Apatite, 1437, 2493, 2565.
 Apophyllite, 1437.
 Aragonite, 346.
 Aragoite, 1072.
 Arfvedsonite, 1779.
 Arsenopyrite, 1705.
 Astrophyllite, 251.
 Augite, 2478.
 Aurichalcite, 2081.
 Axinite, 1437.
 Azurite, 1437, 2081.
 Bakerite, 958.
 Barite, 99, 753, 1017, 2081, 2134.
 pisolitic, 2656.
 Barkevikite, 1779.
 Benitoite, 1620.
 Beryl, 753, 888, 1437.
 Biotite, 2478, 2565.
 Bornite, 539, 1705.
 Bronzite, 2478.
 Brookite, 1437, 1863.
 Calamine, 99, 346, 1017, 2081, 2484.
 Calcite, 93, 99, 251, 346, 753, 1017, 1119, 1429, 1437, 2081, 2111, 2565-2567.
 phosphorescent, 1116.
 Caledonite, 2081.
 Calomel, 1161.
 Carinthine, 2242.
 Cassiterite, 1025, 1115, 1437.
 Catapleite, 251.
 Celestite, 1427.
 Cerussite, 99, 346, 1017, 2081, 2484.
 Chalcantite, 2081.
 Chalcedony, 1437.
 Chalcopyrite, 99, 346, 539, 1705, 2081.
 Chalmersite, 1864.
 Chlorite, 2478.
 Chromite, 2478.
 Chrysocolla, 1437, 1705.
 Chrysolite, 2478.
 Chrysoprase, 1437.
 Cinnabar, 1705, 2111.
 Cobaltite, 703.
 Columbite, 753, 2493.
 Columbite-tantalite, 2478.
 Copiapite, 2081.
 Copper, 1912.
 Cordierite, 2478.
 Cordylite, 251.
 Corundum, 1437.
 Covellite, 2081.
 Crocidolite, 1779.
 Crossite, 1779.
 Cuprite, 2081.
 Datolite, 1426, 1437.
 Diamond, 1437, 1440, 1444, 1445.
 Diopside, 1437, 1952, 2242, 2478.
 Dolomite, 99, 346, 1017, 2081.
 Dufrenite, 2493.
 Egglestonite, 1161.
 Elpidite, 251.
 Endlicheite, 274.
 Enstatite, 28, 1437, 2478.
 Epididymite, 251.
 Epidote, 1437, 2242, 2478, 2565.
 Euxenite, 1524.
 Evansite, 2136.
 Feldspar, 1437.
 Fluorite, 93, 1437.
 Fosterite, 28.
 Galena, 99, 346, 539, 1705, 2081.
 Galenite, 1017, 2484.
 Garnet, 1437, 2242, 2478.
 Gastaldite, 1779.
 Gersdorffite, 539.
 Glaucophane, 1779, 2242.
 Goethite, 1437, 2478.
 Goslarite, 2081.
 Greenockite, 346.
 Gypsum, 1437, 2081, 2111.
 Halloysite, 2664.
 Helvite, 2493.
 Hematite, 346, 1705, 2081, 2478, 2565.
 Hornblende, 1705, 1893, 2367, 2478.
 Howlite, 958.
 Hudsonite, 1893.
 Huebnerite, 1115.
 Hydrozincite, 99, 346, 1017, 2081.
 Hypersthene, 2478.
 Ilmenite, 2478.
 Iolite, 2478.
 Irvingite, 2511.
 Jade, 1437.
 Jamesonite, 1115.
 Jasper, 1437.

Karinite, 1779.
 Kleinite, 1161, 2109, 2110.
 Kunzite, 1437, 2258.
 Kupferite, 28.
 Labradorite, 1437.
 Lancelite, 1779.
 Lapis lazuli, 1437.
 Lawsonite, 753, 2242.
 Leadhillite, 346, 2081.
 Lepidolite, 87, 1437.
 Linnaeite, 559.
 Limonite, 99, 346, 1017, 1705, 2081, 2478.
 Linarite, 2081.
 Magnetite, 1705.
 Malachite, 346, 1437, 2081.
 Manganotantalite, 2136.
 Marcasite, 99, 346, 539, 1017, 1538, 2081.
 Marignasite, 2513.
 Melanterite, 99, 2081.
 Meneghinite, 1115.
 Mercury, 1161.
 Microlite, 2493.
 Millerite, 539.
 Mimeteite, 274.
 Molybdenite, 539, 933, 1705, 2565.
 Molybdite, 1053, 2137.
 Monazite, 2478, 2493.
 Montroydite, 1161.
 Napoleonite, 1437.
 Neptunite, 251.
 Niccolite, 539.
 Nickelite, 539.
 Norallite, 1779.
 Octahedrite, 1863.
 Olivine, 1865, 2478.
 Opal, 1437.
 Osannite, 1779.
 Pargasite, 1779, 2242.
 Pectolite, 1437.
 Pentlandite, 539.
 Phenacite, 1864.
 Phlogopite, 2478.
 Polydymite, 539.
 Powellite, 2137.
 Pseudoleucite, 1410, 1997.
 Purpurite, 2136.
 Pyrite, 99, 346, 539, 1017, 1428, 1538,
 1705, 2081, 2390, 2565.

Pyrochlore, 2513.
 Pyromorphite, 346, 2081.
 Pyrolusite, 346, 2081.
 Pyroxene, 28, 2478.
 Pyrrhotite, 539, 1705.
 Quartz, 99, 346, 1437, 1705, 2081, 2478,
 2565.
 Redondite, 1452.
 Rhodosite, 1779.
 Riebeckite, 1779.
 Samarskite, 2478.
 Scapolite, 2535.
 Selenite, 93, 99, 1017.
 Serpentine, 2478.
 Siderite, 2134.
 Sipyrite, 2493.
 Smithsonite, 99, 346, 1017, 2081, 2484.
 Soretite, 1779.
 Sperryite, 539.
 Sphalerite, 99, 346, 1017, 1705, 2081, 2484.
 Spinel, 1437.
 Spodumene, 87, 1437, 2258.
 Staurolite, 2478.
 Stibiotantalite, 1892.
 Stilbite, 2565.
 Strengite, 2493.
 Sulphur, 99, 2081.
 Synchysite, 251.
 Tapolite, 1115.
 Terlingualite, 1161.
 Titanite, 1863, 2242, 2367, 2565.
 Topaz, 1437.
 Tourmaline, 1437, 2136, 2478.
 Tremolite, 1893.
 Turgite, 2478.
 Turquoise, 1437, 2664.
 Vanadinite, 274.
 Vesuvianite, 1437.
 Willemite, 419.
 Wolframite, 1115, 2478.
 Wollastonite, 27, 559, 2645.
 Wurtzite, 2494.
 Yttrocrasite, 1143.
 Zinc blende, 933.
 phosphorescent, 1115.
 Zinnwaldite, 2136.
 Zircon, 2565.
 Zoisite, 849, 1864, 2242.

ROCKS DESCRIBED.

Akerite, 2660.
 Alaskite, 2270, 2271.
 Albite-pyroxene syenite, 159.
 Amphibole gneiss, 1199.
 Amphibole minette, 1199.
 Amphibolite, 1025, 1401.
 Amygdaloid, 2071.
 Analcite trachyte, 1409.
 Andalusite quartzite, 1199.
 Andesite, 607, 1052, 1091, 1199, 1409, 2071,
 2240.
 Anorthosite, 10, 614, 1026.
 Anthophyllite peridotite, 1401.
 Anthracite, 2071.
 Aplite, 149, 1934, 1935, 2271, 2414, 2494.
 Apophyllite, 1193.

Arkose, 2242.
 Augite diorite, 1199.
 Augite porphyrite, 1199.
 Augite trachyte, 1409.
 Auvergnose, 1500, 1815.
 Basalt, 1052, 1091, 2071, 2240, 2447, 2493.
 Belcherose, 1178.
 Biotite granite, 118.
 Biotite granite schist, 2512.
 Biotite-quartz gabbro, 1334.
 Biotite schist, 118.
 Blairmorite, 1409.
 Bostonite, 1935, 2660.
 Breccia, 1026.
 Camptonase, 1935.
 Camptonite, 1934, 1935, 2660.

- Camptonose, 1934.
 Clay, 2071.
 Coal, 2071.
 Concretion, 2071.
 Conglomerate, 539, 2071.
 Cortlandite, 159, 1178.
 Dacite, 1091.
 Diabase, 10, 539, 591, 614, 742, 1025, 1026,
 1199, 1656, 1762, 2240, 2493, 2494, 2512.
 Diallagite, 1178.
 Diopside rock, 1372.
 Diorite, 118, 149, 425, 591, 742, 1178, 1199,
 1815, 2242, 2414, 2447, 2493, 2494, 2512.
 Dolomite, 2071.
 Dunite, 1401.
 Dunose, 1815.
 Eclogite, 1779, 2242.
 Epiamphibole picrite, 1401.
 Epidiorite, 1401.
 Epidote schist, 1779.
 Essexite, 10, 742, 743, 2367, 2660.
 Felsite, 1091, 1199.
 Felsite porphyry, 1199.
 Foyaite, 1935.
 Gabbro, 10, 149, 425, 488, 614, 1178, 1199.
 Garnet epidiorite, 1401.
 Gilfordal camptonose, 1934.
 Glaucophane gneiss, 1779, 2242.
 Glaucophane schist, 425, 591, 1779, 2242.
 Gneiss, 118, 1025, 1026, 1199, 1224, 1656,
 1779, 2242, 2414, 2493, 2494, 2512.
 Gneissoid granite, 118.
 Granite, 10, 118, 159, 164, 488, 539, 614,
 632, 742, 1025, 1026, 1091, 1193, 1199,
 1372, 1656, 1762, 1815, 1934, 2037, 2071,
 2270, 2271, 2414, 2485, 2493, 2494, 2512.
 Granite porphyry, 118.
 Grano-alaskose, 1935.
 Granodiorite, 632, 1178, 2240.
 Granulite, 1199.
 Gravel, 2071.
 Graywacke, 539.
 Greenstone, 1779, 2242, 2271.
 Greenstone schist, 2512.
 Hampshiral camptonose, 1934.
 Harzburgite, 1401.
 Hornblende andesite, 1052, 1091.
 Hornblende gneiss, 118.
 Hornblende kersantite, 1199.
 Hornblende schist, 2242.
 Hornblende trachio-umptekeose, 1935.
 Hornblendic grano-miaskose, 1935.
 Hornblendite, 1178.
 Hypersthene akerrite, 2490.
 Hypersthene andesite, 1091.
 Jasper, 591.
 Kersantite, 1199.
 Labrador porphyrite, 1199.
 Lamprophyre, 603.
 Lassenose, 1815, 1934.
 Latite, 607.
 Latite phonolite, 1026.
 Latite porphyry, 2414.
 Laurdalose, 743.
 Laurellite, 1401.
 Lava, 2271.
 Lawsonite gneiss, 1779.
 Leucite, 1410.
 Leucitophyre, 1026.
 Lignite, 2071.
 Limestone, 10, 1025, 1372, 1656, 2071,
 2494.
 Lincolnose, 1815.
 Liparase, 1934.
 Liparose, 2240.
 Malignite, 632.
 Marble, 10, 1656, 2071, 2494.
 Metarhyolite, 1193.
 Miaskose, 1935.
 Mica andesite, 1091.
 Mica gabbro, 2490.
 Mica schist, 1779, 1815, 2242, 2493.
 Microdiorite, 149.
 Minette, 1526.
 Monchiquite, 1026.
 Monzonite, 1526, 1815.
 Monzonose, 1815.
 Muscovite granite, 2270.
 Nepheline syenite, 10, 2660.
 Nephelinite syenite porphyry, 1935.
 Nordmarkite, 742, 743.
 Nordmarkose, 1934.
 Norite, 488, 539, 1178, 1656.
 Obsidian, 164, 1526.
 Olivine diabase, 1199, 2490.
 Olivine gabbro, 1199, 1401.
 Olivine syenite, 1026.
 Orthoclase granite, 1199.
 Paisanal liparose, 1935.
 Paisanite, 1935.
 Peat, 2071.
 Pegmatite, 118, 149, 488, 1025, 1026, 2414,
 2494.
 Peridotite, 488, 539, 1178, 1401, 2240.
 Phlegrose, 1934.
 Phonolite, 1026.
 Phyro-nordmarkose, 1935.
 Placerose, 1815.
 Plagioclase granite, 1199.
 Plagioclase porphyrite, 1199.
 Porphyrite, 1199.
 Porphyry, 118, 1025, 1193, 1199, 1372,
 1526, 2494.
 Pseudodiabase, 2242.
 Pseudodiorite, 2242.
 Pseudolencite, 1410.
 Prowersose, 159, 603.
 Pulaskite, 742, 1934.
 Pulaskose, 1934.
 Pyroxene andesite, 1091.
 Pyroxenite, 425, 488.
 Quartz, 1526.
 Quartz-augite diorite, 1199.
 Quartz basalt, 1091.
 Quartz-bearing diorite, 118.
 Quartz diabase, 1199.
 Quartz diorite, 1199, 2240.
 Quartz gabbro-diorite, 1334.
 Quartz monzonite, 118.
 Quartz monzonite gneiss, 118.
 Quartz porphyry, 1199, 1372.
 Quartz-sericite schist, 1025.

Quartz syenite schist, 2512.	Syenite-aplite, 2660.
Quartzite, 1199, 1779, 2493.	Syenite-porphyrity, 1199.
Rhyolite, 164, 607, 1026, 1091, 1526, 2240, 2512.	Syenite porphyry, 1199, 1935.
Rhyolite porphyry, 164.	Tinguaite, 742, 1409.
Sand, 2071.	Tonalose, 1815.
Sandstone, 10, 539, 591, 1656, 2071, 2493, 2494.	Trachi-nordmarkose, 1935.
Saxonite, 1401.	Trachiphyro-miaškose, 1935.
Schist, 118, 1025, 1026, 1779, 2071, 2240, 2242.	Trachy-andesite, 1091.
Serpentine, 488, 591, 742, 1334, 1416, 2071, 2240.	Trachydolerite, 1026.
Shale, 2071.	Trachyte porphyry, 1372.
Sitkose, 1815.	Troctolite, 2512.
Slate, 539, 2071.	Tufa, 2071.
Smaragdite-epi-diorite, 1401.	Tuff, 164, 539, 591, 1091, 2071.
Spessartite, 1934.	Umptekite, 1935.
Syenite, 10, 614, 616, 632, 1026, 1779, 1934, 2490, 2493, 2494, 2512.	Umptekose, 1815, 1935.
	Unakite, 2485, 2486, 2493, 2494.
	Uralite diabase, 1199.
	Vogesite, 1026.
	Wöhlerite, 1935.
	Yamaskite, 2660.