DEPARTMENT OF THE INTERIOR UNITED STATES GEOLOGICAL SURVEY

GEORGE OTIS SMITH, DIRECTOR

BULLETIN 552

RESULTS OF TRIANGULATION AND PRIMARY TRAVERSE IN OHIO

1898 TO 1911, INCLUSIVE.

R. B. MARSHALL, CHIEF GEOGRAPHER

Work from 1900 to 1911, inclusive, done in cooperation with the State



WASHINGTON
GOVERNMENT PRINTING OFFICE
1914




CONTENTS.

	Page.
Introduction	5
Cooperation	5
Previous publication	5
Field work	5
Computation	5
Description of work	6
Datum	6
Station marks	6
Topographic maps	7
Primary traverse	8
Primary triangulation	160
Appendix A: Primary triangulation by the United States Lake Survey	193
Appendix B: Primary triangulation by the Coast and Geodetic Survey	210
Index	219

ILLUSTRATIONS.

	Page.
PLATE I. Map showing condition of primary control to January 1, 1912	. 5
II. Geological Survey station marks	6
3	



RESULTS OF TRIANGULATION AND PRIMARY TRAVERSE IN OHIO, 1898 TO 1911, INCLUSIVE.

R. B. MARSHALL, Chief Geographer.

INTRODUCTION.

Cooperation.—The State of Ohio contributed financially to the work in the State during the years 1900 to 1911, inclusive, and was represented by C. N. Brown, inspector, in 1901-2, and by C. E. Sherman, inspector, from 1902 to 1911.

Previous publication.—All results of triangulation and primary traverse in Ohio published in the appendix to the Twenty-first Annual Report of the Director of the United States Geological Survey, in Bulletins 181, 201, 216, 245, 276, 310, 440, and 496, as well as results of primary traverse not previously published, have, when not at first so computed, been corrected to United States standard datum, rearranged by quadrangles, and assembled in this one volume.

Field work.—The field work of primary control, the computed results of which are given in the following pages, was carried on in 1898 by S. S. Gannett, under H. M. Wilson, geographer; in 1899 and 1900 by G. T. Hawkins, under J. H. Renshawe, geographer; in 1900 by W. T. Griswold and E. L. McNair, under H. M. Wilson; in 1901 by A. H. Thompson, under H. M. Wilson, and by Sledge Tatum, G. T. Hawkins, and J. R. Ellis, under J. H. Renshawe; in 1902 by S. S. Gannett and J. R. Ellis, under J. H. Renshawe; in 1903 by S. S. Gannett and C. B. Kendall, under H. M. Wilson, and by G. T. Hawkins and J. R. Ellis, under J. H. Renshawe; in 1904 by J. R. Ellis and C. B. Kendall, under H. M. Wilson; in 1905 and 1906 by J. R. Ellis, under H. M. Wilson; in 1905 and 1906 by J. R. Ellis, under H. M. Wilson; in 1907 by C. B. Kendall, under Frank Sutton; in 1908, 1909, 1910, and 1911 by J. R. Ellis, under W. H. Herron; R. B. Marshall, chief geographer.

Computation.—The office computation of work done from 1898 to 1907, inclusive, was under the supervision of S. S. Gannett, geographer, and since 1907 under E. M. Douglas, geographer. The results were computed by the chiefs of field parties specified above, as well as by several members of the topographic branch detailed from time to

time to this work. The data were compiled for publication by S. S. Gannett, geographer.


Description of work.—Horizontal control in Ohio consists of (1) the triangulation of the United States Lake Survey carried on in 1876 to 1879, inclusive, in the northern part of the State near the south shore of Lake Erie; (2) the transcontinental triangulation of the Coast and Geodetic Survey extended along the thirty-ninth parallel in 1885, 1886, and 1887, in the southern part of the State; (3) the triangulation of the United States Geological Survey in the central part of the State in 1898 and in the southeastern part in 1900 to 1903, inclusive; (4) primary traverse lines run by the United States Geological Survey from 1899 to 1911, inclusive.

The positions of five triangulation stations near Columbus were determined by S. S. Gannett in 1898 and were originally based on the Coast and Geodetic Survey astronomic station near the state-In 1900 a line of primary traverse was run by G. T. Hawkins along the Baltimore & Ohio Southwestern Railroad from Cincinnati to Columbus and two lines along railroads about 15 miles apart from Columbus to Toledo. This traverse was connected in the southern part of the State with Coast and Geodetic Survey transcontinental triangulation, and in the northern part with the lake survey triangulation, and at Columbus with the Geological Survey triangulation above mentioned: It has served as a main control line or base from which other traverse lines have since been extended around the borders of all and through the center of many quadrangles not controlled by triangulation, so that now all the quadrangles in the State (212 in number) are controlled either by triangulation or primary traverse.

Datum.—The positions of all triangulation and traverse stations included in this publication have been computed on or reduced to United States (North American) standard datum.

Station marks.—Permanent marks are placed at all occupied triangulation stations of the Geological Survey and at certain of the primary traverse stations from 3 to 8 miles apart. These marks are of the two forms adopted for leveling bench marks, and the elevations as well as the latitudes and longitudes of many of them have been determined. The first form is a circular bronze or aluminum tablet (C and E, Pl. II), $3\frac{1}{2}$ inches in diameter and $\frac{1}{4}$ inch thick, having a 3-inch stem which is cemented in a drill hole in solid rock, or in the wall of some public building, bridge abutment, or other substantial masonry structure. The second form (F, Pl. II), set in the ground where no masonry or rock is available, consists of a hollow wroughtiron post $3\frac{1}{2}$ inches in outside diameter and 4 feet long. The bottom is spread out to a width of 10 inches in order to give a firm bearing in the earth. A bronze or aluminum-bronze cap is riveted over the

U. S. GEOLOGICAL SURVEY BULLETIN 552 PLATE II



GEOLOGICAL SURVEY STATION MARKS.

A, Tablet used in cooperating States. The State name is inserted at G. B and D, Copper temporary bench mark, consisting of a nail and copper washer. A, C, and E, Tablets for stone or concrete structures. F, Iron post used where there is no rock.

top of the post. The tablets as well as the caps on the iron posts are appropriately lettered, and where States have cooperated in the work the fact of such cooperation is indicated by the addition of the State name (G, Pl. II).

Topographic maps.—Maps of the following quadrangles, wholly or partly in Ohio, have been published by the United States Geological Survey prior to May 1, 1914. They may be obtained for 10 cents each or \$3 for 50, except as noted, on application to the Director of the Survey, at Washington, D. C.:

Alliance. Alvordton (Ohio-Mich.). Andover (Ohio-Pa.). Antrim. Arlington. Ashland. Ashtabula. Athalia (Ohio-W. Va.). Athens. Belleville (W. Va.-Ohio). Bellevue. Berea.1 Bidwell. Blanchester. Bluffton. Bowling Green. Bristolville.2 Brookville.

Bristolville.*
Brookville.
Bryan.
Cadiz.
Cambridge.
Cameron (W. Va.-Ohio-Pa.).
Canton.
Celina.
Chagrin Falls.
Chardon.
Chesterhill.*
Chillicothe.
Cincinnati (Ohio-Ky.) double sheet.
(20 cents.)*

(20 cents.)³
Clarington (Ohio-W. Va.).
Cleveland.¹
Cleveland and vicinity.¹
Columbiana (Ohio-Pa.).
Columbus Grove.
Conesville.
Conneaut (Ohio-Pa.).
Continental.
Dayton.²

Defiance.
Delaware.
Deshler.
Dublin.

East Cincinnati (Ohio-Ky.).⁸

East Columbus.

Elmore.
Era.
Euclid.¹
Findlay.
Flushing.
Fostoria.
Frazeysburg.
Fremont.
Garrettsville.

Glenwood (W. Va.-Ohio).

Granville. Greenville.

Guyandot (W. Va.-Ohio).4

Hamilton.

Huntington (W. Va.-Ohio-Ky.).4

Ironton (Ohio-Ky.).

Jackson.

Jefferson.²

Keno (Ohio-W. Va.).

Kenova (Ky.-W. Va.-Ohio).

Kent.

Kinsman (Ohio-Pa.).

Lima. Lisbon. Logan. London. McClure.

Lancaster.

 ${f McConnells ville}.$

Macksburg.

Marietta (Ohio-W. Va.).

Marion. Mason. Massillon.

¹ Cleveland and vicinity map includes parts of Cleveland, Euclid, and Berea sheets.

² Shows wooded areas.

³ Cincinnati double sheet includes East Cincinnati and West Cincinnati sheets.

⁴ Guyandot sheet shows part of Huntington quadrangle on larger scale.

Maumee Bay (Ohio-Mich.).

Medina.

Mentor.

Miamisburg.

Mount Sterling.

Napoleon.

Navarre.

Newark.

New Comerstown.

New Lexington.

New London.

New Martinsville (W. Va.-Ohio).

New Matamoras (Ohio-W. Va.).

Oak Harbor

Oberlin.

Ottawa.

Oxford.

Parkersburg (Ohio-W. Va.).

Perry.

Philo.

Pioneer.

Point Pleasant (W. Va.-Ohio).

Pomeroy (Ohio-W. Va.).

Put-in-Bay.

Ravenna.

Ravenswood (W. Va.-Ohio).

St. Clairsville.

St. Henry.

St. Marys (W. Va.-Ohio).1

Salineville.

Sandusky.

Scio.

Sciotoville (Ohio-Ky.).

Sidney.

South Charleston.

Springfield.

Steubenville (Ohio-W. Va.-Pa.).

Sycamore.

Thornville.

Thurston.

Tiffin.

Toledo (Ohio-Mich.).

Upper Sandusky.

Vermilion.

Warren.

Wauseon (Ohio-Mich.).

Waverly.

Wellington.

Wellsville (Ohio-W. Va.-Pa.).

West Cincinnati (Ohio-Ky.).2

West Columbus.

Westerville.

West Manchester.

West Salem.

Wheeling (W. Va.-Ohio-Pa.).

Wilkesville.

Woodsfield.

Wooster.

Youngstown (Ohio-Pa.).

Zaleski.¹

Zanesville.

PRIMARY TRAVERSE.

Akron, Alger, Alliance, Alvordton, Andover, Arlington, Ashland, Ashtabula, Athens, Bainbridge, Batavia, Bellevue, Bellefontaine, Berne, Bethel, Bidwell, Blanchester, Bluffton, Bobo, Bowling Green, Brinkhaven, Bristolville, Brookville, Bryan, Bucyrus, Butler, Caldwell, Cambridge, Canal Dover, Canton, Carrollton, Celina, Chagrin Falls, Chardon, Chillicothe, Circleville, Cleveland, Columbiana, Columbus Grove, Conesville, Conneaut, Continental, Coshocton, Covington, Crestline, Cumberland, Dayton, Defiance, Delaware, Delphos, Deshler, Dublin, East Cincinnati, East Liberty, Edon, Elmore, Era, Findlay, Fostoria, Frazeysburg, Fredericktown, Fremont, Gambier, Garrettsville, Garrison, Georgetown, Granville, Greenfield, Greenup, Greenville, Halls Corners, Hamilton, Harrison, Hillsboro, Jackson, Jefferson, Kent, Kenton, Kinsman, Lancaster, Larue, Laurelville, Lawrenceburg, Lebanon, Liberty, Lima, Lisbon, Logan, London, Loramie, Loudonville, Lynn, McClure, McConnelsville, Marengo, Marion, Mason, Massillon, Maumee Bay, Maysville, Mechanicsburg, Medina, Mentor, Miamisburg, Milford Center, Millersburg, Morning View, Mount Gilead, Mount Sterling, Napoleon, Navarre, Newark, New Comerstown, New Lexington, New London, Norwalk, Oak Harbor, Oakhill, Oberlin, Octa, Ottawa, Otway, Oxford, Paulding, Peebles, Perrysville, Philo, Piketon, Pioneer, Portland, Put-in-Bay, Ravenna, Rectorville, Richmond, Richwood, Roxabel, Sabina, St. Henry, St. Paris, Salineville, Sandusky, Sardinia, Sciotoville, Shauck, Siam, Sidney,

¹ Shows wooded areas.

² Cincinnati double sheet includes East Cincinnati and West Cincinnati sheets.

South Charleston, Spencerville, Springfield, Swanton, Sycamore, Thornville, Thurston, Tiffin, Toledo, Troy, Upper Sandusky, Vanceburg, Van Wert, Vermilion, Warren, Wauseon, Waverly, Waynesville, Wellington, West Cincinnati, West Columbus, Westerville, West Manchester, West Salem, West Union, Wooster, Xenia, Youngstown, Zaleski, and Zanesville quadrangles.

ADAMS, ALLEN, ASHLAND, ASHTABULA, AUGLAIZE, BROWN, BUTLER, CARROLL, CHAMPAIGN, CLARK, CLERMONT, CLINTON, COLUMBIANA, COSHOCTON, CRAWFORD, CUYAHOGA, DARKE, DEFIANCE, DELAWARE, FAIRFIELD, FAYETTE, FRANKLIN, FULTON, GALLIA, GEAUGA, GREENE, HAMILTON, HANCOCK, HARDIN, HENRY, HIGHLAND, HOCKING, HOLMES, HURON, JACKSON, KNOX, LAKE, LAWRENCE, LICKING, LOGAN, LORAIN, LUCAS, MADISON, MAHONING, MARION, MEDINA, MERCER, MIAMI, MONTGOMERY, MORGAN, MORROW, MUSKINGUM, OTTAWA, PAULDING, PERRY, PICKAWAY, PIKE, PORTAGE, PREBLE, PUTNAM, RICHLAND, ROSS, SANDUSKY, SCIOTO, SENECA, SHELBY, STARK, SUMMIT, TRUMBULL, TUSCARAWAS, UNION, VAN WERT, VINTON, WARREN, WAYNE, WILLIAMS, WOOD, AND WYANDOT COUNTIES.

The following geographic positions were determined by G. T. Hawkins in 1899, 1900, 1901, and 1903; by E. L. McNair in 1900; by C.B. Kendall in 1903, 1904, and 1907; by Sledge Tatum in 1901; and by J. R. Ellis in 1901, 1902, 1903, 1904, 1905, 1906, 1908, 1909, 1910, and 1911.

AKRON QUADRANGLE.

Along highways north-south through center of quadrangle.

Stations.	Latitude.	Longitude.
Barberton, at right side of main entrance stairway to Barberton Inn, in face of support to veranda; aluminum tablet stamped "Prim. Trav. Sta. No. 50. 981 Cleveland" Barberton, Erie R. R. station Barberton, Erie R. R. station Barberton, I½ miles west of; road crossing on Erie R. R. Loyal Oak, crossroads at; 46 feet northeast to guidepost, 47 feet southeast to northwest corner of porch to hotel. Norton-Copley township line, T road west, 13 feet southwest to south end of culvert, 33 feet northwest to apple tree at corner of fence. Miksch's mills, forks of road north of, 30 feet east to corner of yard fence, 60 feet south to guidepost. Copley, in southwest corner of Disciples Church; aluminum tablet stamped "Prim. Trav. Sta. No. 51. 1049 Cleveland" (elevation 1,049.163). Montrose, crossroads at Copley-Bath township line, 39 feet southeast to cross on telegraph pole, 45 feet northwest to F. Collins's mail box. Ghent, T road west, 24 feet southeast to northwest corner of water trough, 41 feet southwest to northeast corner of porch to store. Bath High School, crossroads at, 25 feet southeast to cross on telegraph pole, 43 feet southwest to cherry tree at corner of fence. Hammonds Corners, crossroads at, 45 feet to northeast corner of porch to Bath Hotel, 39 feet northwest to guidepost. Bath and Richfield townships, crossroads at, 90 feet east to Wm. Miller's mail box, 48 feet southeast to signboard on tree. Richfield Center, 14 miles south of; forks of road, 24 feet west to Park Lee's mail box, 46 feet southeast to guidepost.	41 00 47.0 41 01 13.2 41 01 08.6 41 03 01.6 41 03 43.9 41 04 28.0 41 05 58.5 41 08 08.9 41 09 29.6 41 10 08.4 41 11 20.4 41 12 08.4 41 13 07.0	81 36 39.7 81 36 39.7 81 36 36.5 81 38 19.3 81 38 16.5 81 38 21.4 81 38 39.5 81 38 14.6 81 38 13.4 81 38 13.4 81 38 13.6 81 38 13.6
Along Erie R. R. from Akron to Wadsworth.		
Akron, Union Station. Akron, courthouse grounds, south meridian mark. Akron, courthouse grounds, north meridian mark. Akron, 27 miles west of Erie R. R. station; old canal crossing. Milepost 18, 2,200 feet southwest of; road crossing on Baltimore & Ohio R. R. Barberton station Sherman station.	41 04 47.8 41 02 46.1 41 01 56.4 41 01 13.2 41 00 50.4	81 30 33. 81 31 04. 81 31 04. 81 32 34. 81 34 51. 81 36 35. 81 40 04. 81 43 45.

AKRON QUADRANGLE—Continued.

Along highways near north border of quadrangle.

Stations.	Latit	ude.	Lor	ıgit	ude.
Hinckley, four corners, 400 feet west of, in north end of west abutment of iron	. ,	"	•	,	,,
bridge; bronze tablet stamped "Prim. Trav. Sta. No. 87". Three corners road to south, 45 feet west of bridge. Four corners, 20 feet south to signpost painted "Hinckley, 2 miles; Richfield, 3	41 14 41 14	18.4 22.2			47.6 43.1
miles; Ragatton, 5 miles; Granger, 5 miles"	41 14	22.8	81	42	10.6
House; aluminum tablet stamped "Prim. Trav. Sta. No. 106 A." Elevation "1,279 Cleveland". Richfield, four corners at, 50 feet northeast to cedar tree painted 1148, 35 feet south	41 14	24.0	81	39	20.1
east to corner of store. Furnace Run, east end of bridge, 5 feet north of T. B. M., a chiseled cross and	41 14	23.4	81	38	17.3
square painted "T. B. M. 913". Three corners, road to south at fork to left, 60 feet northwest to telegraph pole,	41 14	25.4	81	36.	51.2
40 feet southwest to large rock	41 14 41 14				27. 1 19. 2
Peninsular, at northwest corner of town hall, in north wall; aluminum tablet, stamped "Prim. Trav. Sta. No. 138 A," elevation 711 Cleveland. Three corners, second-class road to south, 25 feet southeast to mail box, 35 feet	41 14	27.8	81	32	53.4
southwest to corner fence post	41 14	07.9	81	31	39. 4

ALGER QUADRANGLE.

Along Erie R. R. in north part of quadrangle.

Stations.	Latitude.	Longitude.
T. 4 S., Rs. 7 and 8 E., corner of secs. 1, 6, 7, and 12. Westminster station Harrod station Alger station T. 4 S., R. 9 E., corner of secs. 8, 7, 16, and 17. McGuffey station	40 42 57.2 40 42 33.9 40 42 19.1	83 59 38.7 83 59 35.3 83 55 15.9 83.50 37.6 83 50 31.5 83 47 05.3

Along highways near west border of quadrangle.

Santa Fe, crossroads at. Santa Fe, 1½ miles north of; T road west.	40 29 28.4	83 59 37.7
Santa Fe, 1½ miles north of; T road west	40 30 43.8	
T. 6 S., Rs. 7 and 8 E., corner of secs. 7, 12, 13, and 18	1 40 31 40 3	83 59 37.9
T. 6 S., Rs. 7 and 8 E., corner of secs. 1, 6, 7, and 12.5.	40 32 32.7	
T. 6 S., Rs. 7 and 8 E., corner of secs. 1, 6, 7, and 12	40 33 25.2	83 59 37.7
T. 5 S., Rs. 7 and 8 E., corner of secs. 25, 30, 31, and 36	40 34 17.4	83 59 37.8
T. 5 S., Rs. 7 and 8 E., corner of secs. 19, 24, 25, and 30.	40 35 09.8	83 59 37.9
T. 5 S., Rs. 7 and 8 E., corner of secs. 13, 18, 19, and 24	40 36 02.1	
T. 5 S., Rs. 7 and 8 E., corner of secs. 7, 12, 13, and 18	40 36 54.3	83 59 38.2
T. 5 S., Rs. 7 and 8 E., corner of secs. 1, 6, 7, and 12.	40 37 46.6	83 59 38.4
Tos. 4 and 5 S., Rs. 7 and 8 E., corner of secs. 1, 6, 31, and 36	40 38 38 7	83 59 38.5
Tos. 4 and 5 S., R. 8 E., corner of secs. 5, 6, 31, and 32	40 38 39.1	83 58 31.7
T. 4 S., R. 8 E., corner of secs. 29, 30, 31, and 32. T. 4 S., R. 8 E., corner of secs. 19, 20, 29, and 30.	40 39 31.4	83 58 32.2
T. 4 S., R. 8 E., corner of secs. 19, 20, 29, and 30.	40 40 23.6	
Westminster, 7 road east at Westminster, 1 mile northwest of; T road north	40 41 35.9	
Westminster, 1 mile northwest of; T road north	40 42 05.8	83 59 38.6
Westminster station, azimuth of railroad 276° 41'	40 42 57.2	83 59 35.3
Westminster station, T. 4 S., R. 7 E., southeast corner of sec. 1, in southeast	l '	
corner of field of Joseph Craig, northwest corner of his residence bears S. 88° E., distant 62.3 feet, south rail of Erie R. R. at road crossing bears S. 6° E., distant	Ì	1
distant 62.3 feet, south rail of Erie R. R. at road crossing bears S. 6° E., distant		
243,2 feet, in top of a limestone post 30 by 8 by 8 inches set 26 inches in ground;		
aluminum tablet stamped "Prim. Trav. Sta. No. 1"	40 42 59.9	83 59 38.9
Tps. 3 and 4 S., Rs. 7 and 8 E., secs. 1, 6, 31, and 36, at crossroads, 35 feet southeast		l
to cross cut on corner sence post, 34 seet northeast to cross cut on corner sence	1	1
_ post	40 43 52.0	83 59 38.8
T.3 S., R.8 E., corner of secs. 30 and 31 (west corner), at T road east; corner stone.	40 44 44.5	83 59 38.8

PRIMARY TRAVERSE.

ALGER QUADRANGLE—Continued.

North along highways near east border of quadrangle.

Stations.	Latitude.	Longitude.	Distance between stations.
Harmony United Brethren Church, about 0.7 mile south of; T road east. Harmony United Brethren Church, about 0.5 mile north of; T road west. White schoolhouse No. 5, 1 mile south of; T road east. White schoolhouse No. 5, crossroads at.	0 7 77 40 33 13.8 40 34 13.4 40 34 52.4 40 35 41.8	83 45 05.9 83 45 15.5 83 45 21.7 83 45 29.7	Feet. 6,080 3,970 5,040
East along highways near south border of o	uadrangle.	•	
T. 6 S., R. 8 E., corner of secs. 14, 15, 22, and 23. Crossroads at cemetery T road north Captain Dunlap's residence, on south side of T road north, 25 feet north and 15 feet east to center of T road; iron post stamped "Prim. Trav. Sta. No. 91, Ohio, 1910" Logan-Hardin county-line monument on north side of road. T road west. Elder schoolhouse No. 6; crossroads at. T road west. Center of forks of pike. Belle Center, about 200 feet northeast of Cleveland, Cincinnati, Chicago & St. Louis Ry. station; road crossing.	40 30 53. 4 40 31 12. 2 40 31 31. 0 40 31 46. 7 40 31 09. 1 40 30 27. 6	83 50 38.1 83 49 35.6 83 49 18.3	500 7, 820 8, 942 4, 453 6, 146 4, 397 8, 238 9, 795 2, 240

Magnetic declination for east border, 0° 08' E.; for south border, 0° 16' W.

ALLIANCE QUADRANGLE.

Along Pennsylvania R. R. from Portage-Stark county line to Bayard.

Stations.	Lε	tit	ude.	Lon	git	ude.
Portage-Stark county line, road crossing on	40 40 40 40 40 40 40 40	59 56 55 55 54 52 50 47	33. 0 18. 6 17. 1 44. 1 20. 4 14. 8	81 81 81 81 81 81 81 81	06 05 05 05 05 04 04 04	40.2 56.0 03.4 44.0 42.2 12.8 07.3 03.4 13.3 57.4

ALVORDTON QUADRANGLE.

Along Lake Shore & Michigan Southern Ry.

Stations.	Latitude.	Longitude.
Mileposts 38 and 39, east-west road crossing between. Mileposts 39 and 40, north-south road crossing between Mileposts 40 and 41, north-south road crossing between Archbold station Archbold, main street crossing. Mileposts 42 and 43, north-south road crossing between Mileposts 43 and 44, north-south road crossing between Milepost 45, north-south road crossing near Mileposts 45 and 46, north-south road crossing between Mileposts 46 and 47, north-south road crossing between Mileposts 46 and 47, north-south road crossing between Stryker, main street crossing. Stryker station. Milepost 48, north-south road crossing near	41 31 36.8 41 31 25.5 41 31 15.5 41 31 14.1 41 31 02.7 41 30 53.0 41 30 27.6 41 30 18.8 41 30 10.3	84 16 02.8 84 17 12.1 84 18 12.8 84 18 21.9 84 19 31.3 84 20 30.4 84 22 14.7 84 23 05.0 84 23 59.1 84 24 50.9

ALVORDTON QUADRANGLE-Continued.

Along highways near west border of quadrangle.

Stations.	Latitude.	Longitude.
T. 6 N., R. 3 E., north corner of secs. 1 and 2; T road south	0 , , ,, 41 30 50.2	84 28 37.3
T. 7 N., R. 3 E., corner of secs. 25, 26, 35, and 36; crossroads. T. 7 N., R. 3 E., corner of secs. 23, 24, 25, and 26, 0.5 mile north of; T road south.	41 31 42.5	84 28 40.1 84 28 39.8
T. 7 N., R. 3 E., corner of secs. 14, 15, 22, and 23; T road east	41 33 27.5	84 29 48.7 84 29 48.5
T. 7 N., R. 3 E., corner of secs. 10, 11, 14, and 15. T. 7 N., R. 3 E., corner of secs. 2, 3, 10, and 11; crossroads. T. 8 N., R. 3 E., southwest corner of sec. 35, in southwest corner of field of Joseph Eberly, northwest corner of his house bears S. 2° E., distant 91.4 feet, southwest	41 35 11.9	84 29 48.6
corner of Warnick's house bears N. 74° W., distant 76.4 feet; iron post stamped "Prim. Tray. Sta. No. 16, 1905"	41 36 03.1	84 29 50.0
T. 8 N., R. 3 E., north corner of secs. 34 and 35. T. 10 S., R. 2 W., south corner of secs. 1 and 2; crossroads.	41 36 55.0 41 37 19.4	84 29 50.7 84 29 43.6
T. 9 S., R. 2 W., corner of secs. 25, 26, 35, and 36; crossroads. T. 9 S., R. 2 W., corner of secs. 23, 24, 25, and 26; crossroads.	41 39 04.1 41 39 56.8	84 29 43.3 84 29 43.3
T. 9 S., R. 2 W., corner of secs. 13, 14, 23, and 24; crossroads	41 40 49.3	84 29 43.0
Along highways at north border of quadrangle near Ohio-Michig	an State lin	ð.
T. 9 S., R. 2 W., in southeast corner of sec. 11, in southeast corner of field of		
E. Thatcher; iron post stamped "Prim. Trav. Sta. No. 17, 1905" T. 9 S., R. 2 W., east corner of secs. 12 and 13; T road west. T. 9 S., R. 1 W., corner of secs. 7, 8, 17, and 18; crossroads. T. 9 S., R. 1 W., corner of secs. 8, 9, 16, and 17; T road south.	41 41 42.0	84 29 42.2 84 28 32.6
T. 9 S., R. 1 W., corner of secs. 7, 8, 17, and 18; crossroads	41 41 41.3	84 27 23.3
T. 9 S., R. 1 W., corner of secs. 8, 9, 16, and 17; T road south	41 41 41.6	84 26 15.4
south	41 42 18.1	84 25 41.1
		84 24 32.4
T. 9 S., R. I W., corner of secs. 10, 11, 14, and 15; Fulton-Williams county line	41 42 19.7 41 41 42.0	84 24 32.4 84 23 57.2
T. 9 S., R. I W., corner of secs. 10, 11, 14, and 15; Fulton-Williams county line T. 9 S., R. I W., southeast corner of sec. 11, in southeast corner of field of G. S. Wilnor; Iron post stamped "Prim. Trav. Sta. No. 23, 1905".	41 41 42.0 41 41 42.0	84 23 57.2 84 22 47.8
T. 9 S., R. I W., corner of secs. 10, 11, 14, and 15; Fulton-Williams county line T. 9 S., R. 1 W., southeast corner of sec. 11, in southeast corner of field of G. S. Wilnor; iron post stamped "Prim. Trav. Sta. No. 23, 1905" T. 9 S., R. 1 W., east corner of secs. 12 and 13; I road west.	41 41 42.0 41 41 42.0 41 41 42.4	84 23 57.2 84 22 47.8 84 21 36.7
T. 9 S., R. 1 W., east corner of secs. 12 and 13; 1 road west	41 41 42.0 41 41 42.0 41 41 42.4 41 41 42.3	84 23 57.2 84 22 47.8 84 21 36.7 84 19 41.1
T. 9 S., R. I W., corner of secs. 10, 11, 14, and 15; Fulton-Williams county line T. 9 S., R. 1 W., southeast corner of sec. 11, in southeast corner of field of G. S. Wilnor; iron post stamped "Prim. Trav. Sta. No. 23, 1905" T. 9 S., R. 1 W., east corner of secs. 12 and 13; T road west.	41 41 42.0 41 41 42.0 41 41 42.4 41 41 42.3 41 41 44.0 41 41 45.6	84 23 57.2 84 22 47.8 84 21 36.7

ANDOVER QUADRANGLE.

Along Lake Shore & Michigan Southern Rv. between Leon and Jefferson

Stations.	Latitude.	Longitude.
Leon, 1,000 feet north of; road crossing Dorset station, low grade line crossing. Road crossing Jefferson station, 300 feet south of center of east siding at street crossing Along highways near southwest corner of quadrangle	41 44 17.3	80 36 59. 80 40 31. 80 42 47. 80 45 41.
Wade schoolhouse, 0. 75 mile west of; three corners, fork to south	41 30 23.0 41 30 22.7 41 30 38.2 41 30 31.3 41 30 35.4	80 43 22. 80 41 06. 80 39 58. 80 38 52. 80 37 22.

ARLINGTON QUADRANGLE.

From base line crossing along Toledo & Ohio Central Ry. to Dunkirk.

Stations.	Latitude.	Longitude
Base line crossing Milepost 49, 130 feet south of; crossing Milepost 51, 200 feet south of; crossing Corner Tps. 1 and 2 S., Rs. 10 and 11 E Northern Ohio Ry.; crossing on. Arlington station, 180 feet north of; crossing. Milepost 56, 470 feet south of; crossing. Williamstown station, 70 feet south of; crossing. Corner Tps. 2 and 3 S., Rs. 10 and 11 E. Dunkirk station, 900 feet north of; crossing. Pennsylvania R. R.; crossing on.	40 51 46.2 40 50 01.6 40 49 09.7 40 47 24.5	83 38 27. 83 38 33. 83 38 32. 83 39 03. 83 38 48. 83 38 49. 83 38 49. 83 38 49.
Along highways near north border of quadrangle.		
Schoolhouse, crossroads at	40 58 31.8 40 58 53.9 40 58 57.4 40 59 35.5 40 59 35.7 40 59 36.0	83 30 46. 83 33 53. 83 36 47. 83 39 02. 83 40 11. 83 41 54.
Along highways near west border of quadrangle.		
T. 3 S., R. 10 E., corner of secs. 19, 20, 29, and 30. T. 3 S., R. 10 E., corner of secs. 7, 8, 17, and 18. Tps. 2 and 3 S., R. 10 E., quarter corner between secs. 5 and 32. T. 2 S., R. 10 E., corner of secs. 19, 20, 29, and 30. T. 2 S., R. 10 E., corner of secs. 7, 8, 17, and 18. Tps. 1 and 2 S., R. 10 E., corner of secs. 5, 6, 31, and 32. T. 1 S., R. 10 E., corner of secs. 19, 20, 29, and 30. T. 1 S., R. 10 E., corner of secs. 7, 8, 17, and 18. T. 1 S., R. 10 E., corner of secs. 5, 6, 7, and 8. Findlay, about 5 miles southwest of, Lake Erie & Western R. R. crossing.	40 45 42.4 40 47 26.6 40 49 08.9 40 50 53.5 40 52 38.5 40 54 25.5 40 56 10.3 40 57 55.2 40 58 47.7 40 58 54.1	83 44 52. 83 44 51. 83 44 16. 83 44 48. 83 44 48. 83 44 47. 83 44 48. 83 44 48. 83 44 47.
Along highways near east border of quadrangle.		
Quarter corner of sections	40 50 49.0 40 49 06.4	83 30 23.1 83 30 08.
ASHLAND QUADRANGLE.		
Along highways near west border of quadrangle.		
Stations.	Latitude.	Longitude
Crossroads Crossroads Road east. Crossroads Road east. Shenandoah, crossroads at	40 56 20.0 40 55 26.3	82 29 12. 82 29 32. 82 29 31. 82 29 40. 82 29 50. 82 29 57.
Along highways from Mansfield to Hayesville.		
Road crossing Road south Road south Brick schoolhouse Road south Petersburg, road crossing at Road south Road south Hayesville, tablet at southeast corner of street crossing	40 45 29.0 40 45 38.5 40 45 57.4 40 45 57.3 40 45 58.3 40 46 02.7 40 46 02.7 40 46 22.8 40 46 19.5 40 46 19.7 40 46 21.8	82 29 39. 82 28 28. 82 27 18. 82 26 15. 82 25 39. 82 23 51. 82 21 49. 82 20 21. 82 18 57. 82 17 15. 82 15 42.

ASHTABULA QUADRANGLE.

Along highways from Jefferson west to the eighty-first meridian.

Along highways from Jenerson west to the eighty-nist me	,	
Stations.	Latitude.	Longitude
Jefferson, 2.5 miles west of; three corners. Austinburg, four corners at. Austinburg, 2.5 miles west of; four corners. Forks of road, road north. Harpersfield Center, four corners at. Residence of J. H. and L. D. Fowler, four corners at	41 45 08.4 41 46 18.3 41 46 01.9 41 45 46.3 41 45 33.2 41 45 33.2	80 47 57. 80 51 17. 80 53 59. 80 55 17. 80 56 47. 81 00 10.
ATHENS QUADRANGLE. Along highways near Carbon Hill.		
Station.	Latitude.	Longitude
Carbon Hill, 0.75 mile south of station; road crossing on new railroad grade just south of schoolhouse, center of track.	39 29 28.1	82 14 59.0
BAINBRIDGE QUADRANGLE.		
Along highways near north border of quadrangle.		•
Stations.	Latitude.	Longitud
Barrett schoolhouse, No. 12, 0.5 mile south of, 390 feet west of T road north, on south side of Hillsboro-Greenfield pike; iron post stamped "Prim. Trav. Sta. No. 62, 1909, Ohio" Barrett schoolhouse, No. 12, 0.5 mile south of, at southwest corner of T road north; 15 feet north by 10 feet east to center of T road; hub. Bainbridge, 0.8 mile north of, 0.2 mile north of schoolhouse, 20 feet east of forks, just inside field; iron post stamped "Prim. Trav. Sta. No. 70, 1909, Ohio" Stringtown, center of cross pikes at store. Schoolhouse, west of; center of T road south. T road north, center of T road south. T road north, center of T road south. Snake Corners schoolhouse, 0.3 mile west of; center of crossroads. Snake Corners schoolhouse, 0.5 mile east of, at southeast corner of T road south; iron post stamped "Prim. Trav. Sta. No. 71. Ohio, 1909". I. Kinsley's mail box, T road east at; 10 feet north and 10 feet west to locust tree.	39 14 05.7 39 14 32.2 39 14 49.8 39 14 47.8 39 14 44.0	83 29 53. 83 29 48. 83 16 35. 83 29 17. 83 27 01. 83 25 37. 83. 24 15. 83 23 19. 83 20 39.
Along highways along east border of quadrangle.		
Scioto-Pike county-line monument, in front yard. Scioto-Pike county-line stone monument. Scioto-Pike county-line stone, at forks of road south. County-line monument at junction of Adams, Scioto, and Pike counties. Adams-Pike county-line stone, at crossroads at Groom's store. Groom's store, at northeast corner of crossroads; iron post stamped "Prim. Trav. Sta. No. 79, 1909, Ohio". Old store building, center of road opposite, at T road north. Whiteoak Church, center of crossroads; 15 feet southeast to center of triangular mound. Latham, 2.5 miles south of, northeast of Grassy Fork schoolhouse; center of T	39 00 38.8 39 00 52.0 39 00 49.9 39 00 57.1 39 01 13.1 39 01 13.4 39 02 13.8	83 15 08.4 83 15 31.4 83 15 40. 83 16 16.8 83 16 31.4 83 16 31.4 83 15 15.5
mound. Latham, 2.5 miles south of, northeast of Grassy Fork schoolhouse; center of T road southeast. Bainbridge, road crossing west of station. Road northeast along wire fence, 25 feet east to north end of gate Ross-Pike county line, stone on east side of road. Pine Top schoolhouse, 0.5 mile southeast of; center of T road east Auerville, 0.8 mile northwest of; fork in road, 10 feet south to cross on butternut tree.	39 13 53.89 39 12 16.2	83 16 01. 83 16 16. 83 16 05. 83 15 58. 83 16 08. 83 15 13.
Along highways near south border of quadrangle.		-
Schoolhouse, west corner of. Locust Grove, 1.2 miles northwest of; intersection of Sinking Springs-Peebles pike with T road east. Serpent Mound, 0.8 mile southeast of; intersection of pike with T road north. Brish Creek, east fork of, center of steel bridge over. Lovett, post office, center of T road north, at store. Lovett, I mile south of post office; T road east, north of small house on west side of road. Lovett, 1.8 miles south of post office; T road north. Fork in road at corner of garden. John Peterson's residence, east of; center of T road north.	39 01 22.6 39 01 36.6 39 00 47.4 39 00 14.0	83.17 46.5 83 23 48.2 83 25 33.2 83 26 11.1 83 27 10.4 83 27 21.4 83 27 26.3 83 28 06.6 83 29 00.6

BAINBRIDGE QUADRANGLE—Continued.

Along highways east-west through center of quadrangle.

Stations.	Latitude.	Longitude.
Schoolhouse, 0.2 mile west of, at A. W. Seller's mail box; T road north. Marshall, T pike south at blacksmith shop. Marshall, 1.8 miles east of, at Cameron farm; T road north. T road east, cross cut on stone corner at. Carmel, 2 miles south of; center of T road west.	39 09 07.6 39 09 30.9	83 29 06.3 83 27 10.7 83 26 38.1
T road west, center of, at abandoned house Brush Creek, T road north, 0.2 mile west of wooden bridge Sinking Spring, 3.7 miles north of, 0.7 mile north of Sam Butler's store and hotel, in northeast corner of pasture at T road west; iron post stamped "Prim.	39 08 34.5 39.07 32.7	83 24 16.2 83 23 58.4
Intersection of Bainbridge-Sinking Spring pike and east-west road	39 07 57.1 39 08 59.8	83 22 24.8 83.21 51.6
of T road southeast. Ora A. Benner's mail box, southwest point of triangle at fork in road Perry-Mifflin township line, culvert. Newfain, center of road opposite post office. Latham, 2 miles west of, at Sunfish Valley mill; T pike north. Latham, 1 mile west of; forks of pike east of steel bridge, 15 feet south and 15 feet	39 09 22.3 39 08 30.7 39 07 51.2 39 07 16.4 39 05 36.8	83 19 35.4 83 19 24.9 83 19 08.2
west to mail box	39 06 06.4	83 15 52.0

Magnetic declination for north border, 0° 31' W.; for south border, 0° 51' E.; for east border, 1° 56' W.; for west border, 1° 28' E.

BATAVIA QUADRANGLE.

Along highways between Clarence Reliey's residence and Marathon.

		
Stations.	Latitude.	Longitude.
Clarence Reiley's residence, center of crossroads. Center of covered bridge over Clover Creek, north. Tate Township, schoolhouse No. 3, center of T road east just southeast of Bantam, 0.5 mile west of, south side of Bethel-Cincinnati pike, in front of Fred-	9 00 21.8 39 00 22.5 39 00 16.7	° ' '' 84 04 23.3 84 05 57.6 84 06 49.1
erick Ropp's residence; iron post stamped "Prim. Trav. Sta. No. 94. Ohio, 1909" Electric-railroad crossing over public road. Mount Holly, at post office, center of T pike north. Hamlet, Ohio pike at T road south. Amelia, center of T pike southwest at Odd Fellows Hall. Amelia, 0.8 mile southwest of; center of T road west. Perrintown, center of T pike southwest at W. O. Robinson's store. Perrintown, 2 miles north of; center of T road west. Mulberry, northeast of old school building; center of T pike southeast. Barber schoolhouse, No. 9, center of T pike northwest. Union schoolhouse (subdistrict No. 5), center of cross pikes. Schoolhouse No. 7, center of cross pikes. Stone Lick, center of T pike south at Stone Lick, 2 miles east of; center of Perrintown-Marathon pike at road north- south. Boston, in west part of town, 20 feet south and 15 feet east of center of T pike north; iron post stamped "Prim. Trav. Sta. No. 98. Ohio, 1909" Boston, 2 miles east of, at Hutchinson's residence; center of Perrintown-Marathon pike at T road north. Monterey, at Christian Church; center of cross pikes. Monterey, 0.8 mile east of; center of cross pikes.	39 00 30.8 39 00 47.5 39 01 11.2 39 01 49.3 39 01 49.3 39 01 6.4 39 09 58.0 39 11 38.0 39 12 10.2 39 12 10.2 39 12 10.2 39 07 19.8 39 07 09.6 39 07 17.5 39 07 45.9 39 08 08.5	84 09 07.7 84 10 12.4 84 10 53.5 84 12 21.1 84 13 15.7 84 14 12.5 84 14 12.5 84 14 12.5 84 14 25.3 84 14 26.6 84 11 50.7 84 09 44.3 84 08 32.2 84 06 04.0 84 04 52.6 84 06.9 84 06.9 84 06.9 84 06.9 84 06.9 84 06.9 84 06.9
Monterey, 1.7 miles east of; center of T pike south. Marathon, 1 mile west of; center of T pike south.	39 08 12.4 39 08 20.0	84 03 08.4 84 01 31.6
Along highways along east border of quadrangle.		
New Harmony, center of crossroads. Brown-Clermont county-line stone in northeast corner of J. W. Abbot's garden. Henning's mill, 0.5 mile west of; center of T road east. Todds Run schoolhouse, T road west, south of. Williamsburg, 0.5 mile southeast of, at C. P. McKever's residence; center of forks of pike. Williamsburg, third street crossing, on Norfolk & Western Ry., west of station. Center of pike at T road east. Harbold schoolhouse, 1 mile south of; center of crossroads. Harbold schoolhouse, center of crossroads. Brown-Clermont county-line stone, east of T road Marathon, 1.5 miles south of, at W. G. Dougherty's mail box; T road east. Brown-Clermont county-line stone, south of covered bridge.	39 00 49.1 39 02 09.0 39 02 57.3 39 03 27.7 39 05 12.6	84 00 45.9 84 01 17.5 84 02 32.0 84 02 34.4 84 02 48.9 84 03 08.8 84 01 58.8 84 01 04.4 84 00 40.8 84 00 25.0 84 00 25.0 84 00 18.0

BATAVIA QUADRANGLE—Continued.

Along highways along east border of quadrangle-Continued.

Stations.	Latitude.	Longitude.
Marathon, 0.5 mile south of, 20 feet due east to west end of covered bridge; iron post stamped "Prim. Trav. Sta. No. 90, Ohlo, 1909". Brown-Clermont county-line stone Marathon, T road south at, near M. E. Applegate's store Marathon, 0.5 mile north of; forks in pike. Lerado, cross pikes at post office, 20 feet north to south corner of public scales Crossroads, center of. Crossroads, center of, at large brick house. Woodville, in northwest corner of A. W. Garrison's front yard, 20 feet north and 20 feet west to town pump at center of cross pikes; iron post stamped "Prim. Trav. Sta. No. 91. Ohio, 1909". Woodville, at Church, on northeast-southwest pike at T pike north	39 08 27.6 39 08 39.5 39 09 11.5 39 10 29.2 39 12 17.0 39 13 05.6	84 00 15.0 84 00 26.6 84 00 44.8 84 00 30.1 84 01 42.8 84 00 30.5

Magnetic declination for south border, 0° 58' E.; for east border, 1° 2' E.; for west border, 0° 55' E.; for east-west line through center, 0° 48' E.

BELLEVUE QUADRANGLE.

Along highways near south border of quadrangle.

Stations.	ÿ	Lati	tude.	Long	gitu	ıde.
Tps. 3 and 4 N., R. 16 E., corner of secs. 2, 3, 34, and 35; road Tps. 3 and 4 N., R. 16 E., corner of secs. 1, 2, 35, and 36; road Tps. 3 and 4 N., Rs. 16 and 17 E., corner of secs. 1, 6, 31, and 36; Tps. 3 and 4 N., R. 17 E., corner of secs. 5, 6, 31, and 32; road Tps. 3 and 4 N., R. 17 E., corner of secs. 4, 5, 32, and 34; road Tps. 3 and 4 N., R. 17 E., corner of secs. 3, 4, 33, and 34; road Road northeast-southwest. Road northesouth. Lake Shore Ry. Azimuth 207° 25′. Road north-south. Lake Shore Ry. Azimuth 307° 31′.	north-south.; road north-south. north-south. north-south. north-south.	41 15 41 15 41 15 41 15 41 15 41 15 41 15 41 15 41 15 41 15	20. 2 20. 4 20. 2 20. 0 19. 6 19. 2 18. 7 18. 5 18. 3 49. 8 34. 5	82 82 82 82 82 82 82 82 82 82 82 82 82	58 57 56 55 53 52 51 50 48 46	38. 7 29. 8 20. 3 10. 6 01. 3 51. 4 18. 3 31. 7 47. 8 08. 4 57. 6 50. 2

BELLEFONTAINE QUADRANGLE.

Along highways near west border of quadrangle.

Mong nighways near west portes of quantangle.						
Stations.	Latitude.	Longitude.				
	. , ,,	. , ,,				
T. 2 N., R. 8 E., corner of secs. 27, 28, 33, and 34; crossroads	40 22 35.8	.83 58 49.6				
Maplewood, 3 miles east of, southeast corner of crossroads, quarter corner between secs. 27 and 34, T. 2 N., R. 8 E.; iron post stamped "Prim, Tray, Sta. No. 33,		{				
Ohio, 1909"	40 22 36.1	83 58 15.1				
T. 2 N., R. 8 E., quarter corner on north side of sec. 27; T road south near school-	40.00.00.4	00 50 50				
house. T. 7 S., R. 8 E., corner of secs. 19, 20, 29, and 30.	40 23 28.4	83 58 16.4 83 58 27.7				
T. 7 S., R. 8 E., corner of secs. 17, 18, 19, and 20.	40 25 29.6	83 58 28.1				
T. 7S., R. 8 E., corner of secs. 7, 8, 17, and 18; Troad south, 715 feet east of school-	40.00.01.0	00 50 00 5				
house No. 4. T. 7 S., Rs. 7 and 8 E., corner of secs. 7, 12, 13, and 18; crossroads.	40 26 21.6 40 26 21.7	83 58 28.5 83 59 36.9				
T. 7 S., Rs. 7 and 8 E., corner of secs. 1, 6, 7, and 12; T road west. Tps. 6 and 7 S., Rs. 7 and 8 E., corner of secs. 1, 6, 31, and 36; crossroads near	40 27 14.1	83 59 37.0				
Tps. 6 and 7 S., Rs. 7 and 8 E., corner of secs. 1, 6, 31, and 36; crossroads near schoolhouse No. 8.	40 28 06.5	02 50 27 0				
T. 6 S., Rs. 7 and 8 E., corner of secs. 25, 30, 31, and 36; T road west, 22 feet east to	40 28 00.5	83 59 37.2				
dressed stone post	40 28 58.9	83 59 37.4				
Santa Fe, 0.5 mile south of, in top of southwest corner of bridge abutment; aluminum tablet stamped "Prim. Trav. Sta. No. 34, Ohio, 1909"	40 29 06.1	83 59 37.6				
Tps. 1 and 2 N., R. 8 E., corner of secs. 3, 4, 33, and 34; crossroads.		83 58 49.2				
T. 1 N., R. 8 E., corner of secs. 3, 4, 9, and 10; crossroads	40 20 50.9	83 58 48.8				
T. 1 N., R. 8 E., corner of secs. 9, 10, 15, and 16. T. 1 N., R. 8 E., corner of secs. 15, 16, 21, and 22.	40 19 58.2	83 58 48.1 83 58 47.9				
Quincy, crossing of Cleveland, Cincinnati, Chicago & St. Louis Ry. and Detroit,	40 19 00.0	00 00 47.8				
Toledo & Ironton Ry	40 17 51.4					
T. 3 N., R. 13 E., corner of secs. 22, 23, 28, and 29; T road west	40 17 10.2	83 58 21.4				
Logan-Champaign county line	40 16 16.1	83 58 26.9				
T. 3 N., R. 13 E, at corner of secs. 20, 21, 26, and 27; Troad east, near schoolhouse.	40 15 23.6	83 58 32.2				
	1	l				

BELLEFONTAINE QUADRANGLE—Continued.

East along highways near north border of quadrangle.

Stations.	Latitude.	Longitude.	Distance between stations.
T. 6 S., R. 8 E., west corner of secs. 19 and 30; T road east (county line). T. 6 S., R. 8 E., corner of secs. 19, 20, 29, and 30; T road north T. 6 S., R. 8 E., corner of secs. 20, 21, 28, and 29; T road south T. 6 S., R. 8 E., corner of secs. 21, 22, 27, and 28. Lakeview, 1 mile north of; Ohio Electric R. R. at east-west road crossing. West along highways through center of qu	40, 29, 55, 9 40, 29, 55, 9 40, 29, 55, 9 40, 29, 55, 9	83 59 37.7 83 58 29.3 83 57 20.7 83 56 11.8 83 55 47.4	5,320
west along nighways through center of qu	adrangie.		
T road east. Northeast corner of Harrison Township, east corner of secs. 1 and 6; T road west. Harrison Township, stone corner of secs. 1, 6, 7, and 12. Bridge over creek, center of. T road north, at quarter corner Harrison Township, quarter corner between secs. 24 and 30; crossroads. Hazleton, 1.25 miles west of, at northwest corner of crossroads at church, 25 feet east and 20 feet south to center of crossroads; iron post stamped "Prim. Trav. Sta. No. 90. Ohio, 1910" Stone at quarter corner, T road north. Quarter corner T road west. T road west. T road west, just north of church and schoolhouse. Fractional township, corner of secs. 25, 26, 35, and 36. Fractional township, north corner of secs. 34 and 35.	40 23 09.6 40 23 15.1 40 23 19.1 40 23 24.5 40 23 27.6 40 23 31.6 40 23 06.2 40 22 41.6	83 46 10.4 83 46 12.1 83 47 20.2 83 48 16.8 83 49 41.9 83 50 51.3 83 52 17.7 83 53 09.8 83 54 37.8 83 55 11.1 83 56 32.5 83 57 41.2	4,701 5,290 4,971 6,610 5,390 6,710 4,044 5,309 2,993 3,587 6,327 5,320
Positions near east border of quadran	ngle.		
T road west. Bellefontaine, intersection of Main and Sandusky streets at Carnegie Library.	40 22 47.4 40 21 45.0	83 45 17.7 83 45 34.4	6, 441

Magnetic declination for north border, 0° 16′ W.; for west border, 0° 10′ E.; for center line, 0° 11′ W.

BERNE QUADRANGLE.

Along highways along and near Ohio-Indiana State line.

Station.	Latitude.	Longitude.
St. Anthony Catholic Church spire. T. 6 S., R. 1 E., west corner of secs. 18 and 19; T road east T. 27 N., R. 15 E., east corner of secs. 22 and 27; T road west T. 27 N., R. 15 E., east corner of secs. 22 and 15; crossroads. T. 6 S., R. 1 E., west corner of secs. 6 and 7; T road east Tps. 5 and 6 S., R. 1 E., west corner of secs. 6 and 31; fence east. T. 27 N., R. 15 E., east corner of secs. 3 and 10; T road west. T. 5 S., R. 1 E., west corner of secs. 19 and 30; T road east. T. 5 S., R. 1 E., west of secs. 18 and 19; T road east. T. 5 S., R. 1 E., sest corner of secs. 22 and 27; T road west. T. 5 S., R. 1 E., 15 feet east and 25 feet south of west corner of secs. 7 and 18; fron post stamped "Prim. Trav. Sta. No. 25. Ohio. 1909"	0 , , ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	84 47 05.3 84 48 09.2 84 48 09.0 84 48 08.7 84 48 08.3 84 48 08.3 84 48 07.1 84 48 07.0
T. 28 N, R. 15 E., east corner of secs. 15 and 22; T road west T. 28 N, R. 15 E., east corner of secs. 10 and 15; T road west Tps. 4 and 5 S, R. 1 E., west corner of secs. 6 and 31; T road east T. 28 N, R. 15 E., east corner of secs. 3 and 10; T road west T. 28 N, R. 15 E., west corner of secs. 30 and 31; T road east Tps. 28 and 29 N, R. 15 E., east corner of secs. 30 and 31; T road east T. 4 S, R. 1 E., west corner of secs. 19 and 30; T road east T. 4 S, R. 1 E., quarter corner between secs. 18 and 19; T road east T. 4 S, R. 1 E., west corner of secs. 6 and 7; T road east T. 29 N, R. 15 E., east corner of secs. (no numbers); T road west T. 29 N, R. 15 E., east corner of secs. (no numbers); fence west Corner of section on State line.	40 38 26. 4 40 38 42. 4 40 39 18. 8 40 39 37. 8 40 40 11. 2 40 41 03. 8 40 42 48. 8 40 43 07. 4 40 43 59. 5	84 48 06.8 84 48 06.9 84 48 06.9 84 48 06.8 84 48 06.8 84 48 07.0 84 47 39.7 84 48 06.7 84 48 06.7 84 48 06.7 84 48 06.7

Magnetic declination for east border, 0° 46′ E.; for north-south line through center, 0° 42′ E.

8702°—Bull. 552—14——2

BETHEL QUADRANGLE.

Along highways from Feesburg to New Harmony.

Along highways from Feesburg to New Harmony.	•	
Stations.	Latitude.	Longitude.
Feesburg, 0.5 mile northwest of, 10 feet west and 10 feet south to center of T road, at Rose Hill Cemetery, on east side of T road southwest; iron post stamped "Prim. Trav. Sta. No. 24. Ohio, 1910". Feesburg, 1 mile north and 1 mile west of; center of T road northeast. Maple, center of crossroads. Maple, Clermont-Brown county line; stone. Maple, 1 mile east and 0.8 mile north of; center of T pike at Maple Dale farm. Hamerstown, 1 mile northwest of; north-south road crossing on electric railroad. John Block's residence, crossing of Hamerstown-Bethel pike and north-south road. Crossing of north-south road and road northwest-southeast, center of Locust Ridge, 15 feet west to north end of bridge; center of crossroads.	38 54 12.1 38 54 12.5 38 54 51.0 38 55 33.1 38 55 59.6 38 57 25.4	84 00 24.4 84 01 00.9 84 02 08.8 84 02 08.8 84 00 58.8 84 00 17.9 84 00 05.6 84 00 27.0
Along highways from Maple west to Point Isobel, thence north via Tate t Bantam.	riangulation	n station to
Maple, 1.2 miles southwest of; center of crossroads. C. F. Swope farm, center of crossroads Center of concrete culvert, Franklin-Tate township line. Mount Olive Church, 1 mile west of, 20 feet north to center of small bridge; center of T road north. Point Isobel, east part of; 20 feet north of center of T road south; iron post stamped "Prim Trav. Sta. No. 25. Ohio, 1910". Point Isobel, center of cross streets. Point Isobel, 1 mile north of; center of crossroads. Saltair, center of cross pikes.	38 53 23.8	84 03 10.1 84 04 05.5 84 05 31.0 84 06 22.2 84 07 39.4 84 07 54.0 84 08 02.7
Saltair, center of cross pixes. Monroe and Washington Townships, corner of gate. Tate-Monroe township line, 0.5 mile east of, on boundary fence separating land of J. Hibbets fron that of Salt, at crossroads near post office. Station marks: Pottery pyramid 3 feet below surface of ground, surmounted by section of sewer pipe 2 feet long filled with hydraulic cement; concrete reaches to surface of ground, and station center is marked by 4-inch fron spike. Reference mark: Four drain tile pipes 4 inches in diameter, filled with concrete (Tate triangulation station). C. J. Paeltz's residence, east-west pike at T road south. South Bantam, north-south road crossing on electric railroad at station. Bantam, north-south road crossing on electric railroad.	38 56 26. 71 38 57 28. 0 38 57 57. 9	84 08 29.5
Along highways from Point Isobel west to Point Pleasant, thence north Spann schoolhouse.	<u> </u>	1
Point Isobel, 1 mile south and 1.5 miles west of, just north of covered bridge over Big Indian Creek; center of triangle in forks of road. Log house with tile chimney, center of T road south. Big Indian Creek, center of stream at ford. Large elm tree on fence line, center of T road south. Washington-Mouroe township line, center of road at. Point Pleasant, 1.3 miles east of; center of triangle in T road east just west of bridge. Point Pleasant, southwest corner of T street east, 25 feet north and 10 feet east to its center; fron post stamped "Prim. Trav. Sta. No. 26. Ohio, 1910". Point Pleasant, 0.8 mile northwest of, at large culvert; center of T road east.	38 52 52.4 38 53 13.2 38 53 17.7 38 53 26.7 38 53 27.8 38.53 32.3	84 09 35.8 84 10 31.2 84 10 55.2 84 11 41.8 84 12 16.4 84 12 28.6 84 13 59.5 84 14 27.5
Along river road from Point Pleasant to point near Higgir	sport.	
Monroe-Washington township stake, on east side of pike Little Indian Creek, 35 feet east and 10 feet south to south end of stone culvert, pike at T road east. Moscow, center of crossroads at Clermont Distilling & Mill Co.'s plant, 12 feet south to center of small bridge. Pike at T road east, at corner of hedge fence. Neville, 0.8 mile northwest of: center of T pike east. Neville, 30 feet east and 10 feet north to front door of public school building, in grounds of; iron post stamped "Prim. Trav. Sta. No. 27. Ohlo, 1910". Neville, center of cross streets at Methodist Church. Neville, 2.8 miles east and 0.5 mile south of; center of small triangle in forks. Chilo, 0.2 mile northwest of, 30 feet north and 60 feet west to center of small bridge, 15 feet west and 5 feet north to south end of stone culvert, set at southeast corner of crossroads; fron post stamped "Prim. Trav. Sta. No. 28. Ohlo, 1910".	38 51 59.9 38 51 28.5 38 50 26.4 38 49 10.7 38 48 36.5 38 48 31.9 38 48 03.2	84 13 32.8 84 13 25.7 84 13 25.8 84 13 22.6 84 12 51.9 84 12 36.8 84 09 33.4
of crossroads; iron post stamped "Prim. Trav. Sta. No. 28. Ohio, 1910"	38 47 47.7 38 47 43.3 38 47 18.6 38 46 40.8	84 08 27.2 84 08 11.5 84 07 14.0 84 05 19.5

BETHEL QUADRANGLE-Continued.

Along river road from Point Pleasant to point near Higginsport-Continued.

Station.	Latitude.	Longitude
Utopia, 15 feet south and 30 feet west of center of crossroads; iron post stamped "Prim. Trav. Sta. No. 29. Ohio, 1910". Brown-Clermont county line, stone on north side of pike. Schoolhouse No. 9, center of pike opposite. Boudesferry, center of crossroads, 20 feet east and 15 feet north to southwest corner of porch of house. Augusta, Ky., cupola of public-school building.	38. 46 42. 8	84 03 26.7 84 03 09.2 84 02 03.1 84 00 27.7 84 00 11.7
Along highways from Utopia north to Feesburg.		
Utopia, 1 mile north of; center of road at short lane to P. T. Barthlow's residence, on top of hill. Cedron, center of covered bridge over Bullskin Creek. Cedron, about 0.3 mile east of; stone on Brown-Clermont county line. Forks of road near forks of Bullskin Creek, 15 feet south and 5 feet east to cross cut on large sycamore tree. Steel bridge over Bullskin Creek, just east of; center of pike at road south, 15 feet south to sycamore tree. A. E. Cooper's mail box, 10 feet north of; pike at dirt road south. Wm. Metzker's mail box, center of pike at T road northeast. Barr's schoolhouse No. 8, center of T pike southwest Barr's schoolhouse No. 8, center of T pike southwest Goslin's mail box; forks of pike. Feesburg, 1 mile southwest of; east point of triangle at forks of pike. Feesburg, center of crossroads.	38 48 37. 2 38 49 09. 4 38 49 25. 7 38 49 05. 8 38 50 15. 4 38 51 02. 1 38 52 02. 3	84 03 16.8 84 02 55.2 84 02 29.4 84 02 32.8 84 01 30.7 84 00 37.7 84 00 08.6 84 00 57.7 84 00 43.7

Magnetic declination for south border, 1° E.; for south half of east border, 1° 05′ E.; for south half of west border, 1° 07′ E.; for north half of east border, 0° 56′ E.; for north half of west border, 0° 53′ E.; for east half of east-west center line, 1° 11′ E.; for west half of east-west center line, 1° E.; for north half of north-south line, 1° 0′ E.

BIDWELL QUADRANGLE.

Along highways near southwest corner of quadrangle.

Stations.	L	Latitude.		Longitud		ıde
T. 6 N., R. 17 W., northeast corner of sec. 26	38		,, 06. 0		8 4	
Near south border of quadrangle.				ı		
Marion Childers's farm, road southeast from pike, 27 feet south to small apple tree, 54 feet northeast to telephone pole	38	47	50. 2	82 2	9 5	8. 6

BLANCHESTER QUADRANGLE.

Along Baltimore & Ohio Southwestern R. R. from Blanchester to blind siding.

Stations.	Latitude.	Longitude.
Blanchester station, crossing 320 feet east of Midland station, crossing 310 feet west of Midland station. Cuba station, 300 feet south of; crossing under railroad Milepost 52, crossing 450 feet north of Wilmington, Baltimore & Ohlo R. R. station at Blind siding, crossing 450 feet west of head block at Northwest-southeast road crossing	39 17 31.4 39 18 13.7	02 54 21 5

BLANCHESTER QUADRANGLE—Continued.

Along highways near south border of quadrangle.

Along nighways near south border of quadrangle.		
Stations.	Latitude.	Longitude.
Road southeast. Pike road southeast. Blanchester, crossroads 2 miles southeast of Road northeast. T road southeast. Road south	39 16 54.1 39 15 42.0 39 16 06.0 39 15 36.7 39 15 58.1 39 16 24.6	83 59 43.1 83 59 19.3 83 58 13.9 83 57 39.7 83 56 37.8 83 55 16.7
Along Baltimore & Ohio Southwestern R. R. from Westboro	to Klocks.	
Westboro station, road crossing 300 feet west of. Crossing of north-south private road. Crossing of north-south private road. Crossing of north-south road. Klocks station, road crossing at Crossing of north-south private road.	39 16 51.3 39 16 35.5 35 16 17.7 39 16 00.6 39 15 24.5 39 15 06.7	83 54 38.6 83 53 48.0 83 52 45.3 83 52 02.7 83 50 14.3 83 49 21.1
Along highways near southeast corner of quadrangle	3.	
T road south Highland-Clinton county line Road east. Bridge, T road north at	39 15 12.9 39 15 49.9 39 16 48.6 39 17 23.2	83 45 55.0 83 46 59.4 83 46 21.8 83 45 55.6
Along Baltimore & Ohio Southwestern R. R.		
Road crossing under trestle. Farmers station, Main Street crossing.	39 19 14.8 39 19 13.9	83 45 12.8 83 45 48.9
Along highways near west border of quadrangle.	-	
Johans Run Church, T road south near. T road west. Hickoryville, T road east, just west of. Road west. Vandervorts crossroads. T road west. Pennsylvania R. R. at private road crossing, azimuth of railroad 60° 01′. Clarksville, crossing of Wilmington-Cincinnati pike and Main Street. Intersection of Wilmington-Cincinnati pike and Blanchester road. T road northwest. Crossroads. T road southeast. Blanchester crossroads, 3 miles northeast of. Road north. T road. Harveysburg, 1.5 miles east of, on north side of pike at Warren-Clinton county line; iron post. Harveysburg, 1.5 miles east of, near St. John's Church; center of T road south St. John's Church in southeast corner of foundation; aluminum tablet stamped "Prim. Trav. Sta. No. 50. Ohio, 1909." elevation 943. Clarksville, about 0.3 mile southwest of station, south switch block. Clarksville, 0.2 mile west of, south side of pike; Clinton-Warren county-line post. Clarksville, intersection of main street with Cincinnati-Wilmington pike. Center of T road east. Deserted camp, 1.5 miles north of, just east of Samuel Speer's residence, 40 feet north and 15 feet west to center of T road east, 15 feet west and 125 feet south to center of T road west; iron post stamped "Prim. Trav. Sta. No. 57. Ohio, 1909".	39 29 08.7 39 27 53.2 39 27 10.4 39 26 39.6 39 24 25.2 39 24 03.3 39 23 40.6 39 22 04.5 39 21 33.8 39 11 45.5 39 18 55.4 39 17 53.1	83 58 59.0 83 58 37.9 83 58 50.6 83 59 15.3 83 58 17.9 83 59 04.2 83 59 37.3 83 58 09.7 83 59 01.4 83 58 48.1 83 58 48.1 83 59 33.5 83 58 48.1 83 59 33.5 83 58 33.5 83 58 48.1
Along highways near east border of quadrangle.		
Bridge, crossroads at. Farmers station, crossroads 3 miles north of. Church, T road northeast at. Lane southeast. T road northeast. T road southeast. T road southeast. T road east. Crossroads.	39 20 16.3 39 21 15.4 39 21 59.0 39 22 46.4 39 24 08.2 39 29 31.3 39 29 54.9 39 29 57.8	83 45 34.3 83 45 33.9 83 46 11.0 83 45 55.5 83 45 19.4 83 45 40.9 83 47 06.4 83 50 27.2

BLUFFTON QUADRANGLE.

Along highways near north border of quadrangle.

Stations.	Latitude.	Longitude.
Tps. 1 N. and 1 S., Rs. 9 and 10 F., corner of secs. 1, 6, 31, and 36. Tps. 1 N. and 1 S., R. 9 E., corner of secs. 3, 4, 33, and 34. Tps. 1 N. and 1 S., R. 9 E., corner of secs. 5, 6, 31, and 32. Tps. 1 N. and 1 S., R. 8 E., corner of secs. 1, 2, 35, 3nd 36. Tps. 1 N. and 1 S., R. 8 E., corner of secs. 3, 4, 33, and 34. Tps. 1 N. and 1 S., R. 8 E., corner of secs. 5, 6, 31, and 32.	40 59 35.4 40 59 35.1 40 59 34.7	83 45 56.3 83 49 23.1 83 51 41.3 83 53 59.1 83 56 17.5 83 58 36.2
Along highways near west border of quadrangle.		
Pennsylvania R. R. at road crossing between Rs. 7 and 8 E., between tracks, azimuth of railroad 82° 21′ 09″. T. 3 S., Rs. 7 and 8 E., corner of secs. 24 and 25 (east corner); corner stone. T. 3 S., Rs. 7 and 8 E., corner of secs. 13, 18, 19, and 24; corner stone. T. 3 S., Rs. 7 and 8 E., corner of secs. 7, 12, 13, and 18, at crossroads; corner stone. T. 3 S., Rs. 7 and 8 E., corner of secs. 1 and 12; corner stone. Lake Erie & Western R. R., road crossing between Rs. 7 and 8 E., azimuth of railroad 229° 10′ 15″. T. 2 S., R. 7 E., northeast corner of sec. 36, in field owned by Louis Roberts, northeast corner of Roberts's residence bears S. 78° E., distant 63.3 feet, nail in telephone pole on south side of pike bears N. 12° 15′ E., distant 63.3 feet, aliminum tablet set in stone 7 by 16 by 24 inches set 20 inches in ground, stamped "Prim. Trav. Sta. No. 2″. T. 2 S., Rs. 7 and 8 E., east corner of secs. 24 and 25, at T road west.	40 48 13.3 40 49 17.4 40 49 57.7 40 50 51.4	83 59 38.7 83 59 38.8 83 59 38.9 83 59 39.5 83 59 39.5 83 59 40.1
T. 2. S., Rs. 7 and 8 E., east corner of secs. 13 and 24, at T road east; corner stone. Tps. 1 and 2 S., Rs. 7 and 8 E., corner of secs. 1, 6, 31, and 36, at T road north, 24 feet southwest to cross cut on telephone pole, 30 feet northwest to arrow on corner fence post. T. 1 S., R. 7 E., corner of secs. 25 and 36, at T road west, 18 feet southwest to cross on south end of culvert, 30 feet northwest to cross on corner fence post. T. 1 S., R. 7 E., in northeast corner of sec. 25 in field owned by John Keine, W. J. Luginbill's mail box bears N. 15° E., distant 39.5 feet, cross cut on third layer of stone retaining wall to culvert bears N. 87° E.; distant 14.5 feet; in top of Bedford limestone post 30 by 16 by 6 inches, set 27 inches in ground, aluminum tablet stamped "Prim. Trav. Sta. No. 3". Northern Ohio Ry. at road crossing between Rs. 7 and 8 E., azimuth of railroad 246° 59′ 59″.	40 51 44.1 40 54 18.8 40 55 11.4 40 56 03.6 40 56 08.9	83 59 41.5 83 59 42.7 83 59 43.1 83 59 43.8 83 59 43.6

BOBO QUADRANGLE.

Along highways on the Indiana-Ohio State line.

Stations.	Latitude.	Longitude.
Tps. 1 N. and 1 S., R. 1 E., west corner of secs. 6 and 31; T road east. T. 29 N., R. 15 E., east corner of secs. 11 and 14; T road west. T. 1 S., R. 1 E., west corner of secs. 6 and 7; T road east. T. 1 S., R. 1 E., west corner of secs. 6 and 7; T road east. T. 1 S., R. 1 E., west corner of secs. 7 and 18; T road east. T. 1 S., R. 1 E., west corner of secs. 23 and 26; T road west T. 1 S., R. 1 E., west corner of secs. 18 and 19; T road east. Tps. 28 and 29 N., R. 15 E., east corner of secs. 19 and 30; T road east. T. 1 S., R. 1 E., west corner of secs. 19 and 30; T road east. T. 28 N., R. 15 E., east corner of secs. 2 and 11; T road west. T. 1 S., R. 1 E., west corner of secs. 30 and 31; T road east. Tps. 1 and 2. S., R. 1 E., west corner of secs. 6 and 31; T road east.	40 58 51. 1 40 58 30. 2 40 57 59. 3 40 57 38. 1 40 57 07. 1 40 56 46. 4 40 56 14. 5 40 55 53. 7 40 55 01. 0	84 48 09.6 84 48 09.4 84 48 09.3
T.28 N., R. 15 E., east corner of secs. 14 and 23; T road west. Wolfcale, 2 miles west of, at southeast corner of T road east, 25 feet north and 20 feet west to west corner of secs. 6 and 7, T. 2 F., R. 1 E.; iron post stamped "Prim. Trav. Sta. No. 20. Ohio, 1909". T. 28 N., R. 15 E., east corner of secs. 23 and 26; T road west, near church. T. 28 N., R. 15 E., east corner of secs. 23 and 35; T road west. T. 28 T., N. 15 E., east corner of secs. 26 and 35; T road west. T. 28 T., N. 15 E., east corner of secs. 26 and 35; T road west. T. 28 N., R. 1 E., west corner of secs. 19 and 30; T road east. T. 27 N., R. 15 E., east corner of secs. 20 and 31; T road east. T. 28 N., R. 15 E., east corner of secs. 30 and 31; T road east. T. 27 N., R. 15 E., east corner of secs. 30 and 31; T road east. T. 27 N., R. 15 E., east corner of secs. 6 and 7; T road east. T. 27 N., R. 15 E., east corner of secs. 30 and 36. Willshire, Ohio, 1.5 miles north of, at northeast corner of T road east; 30 feet south and 20 feet west to west corner of secs. 18 and 19, T. 3 S., R. 1 E.; iron post stamped "Prim. Trav. Sta. No. 21. Ohio, 1909".	40 53 34.3 40 53 16.3 40 52 42.0 40 52 24.4 40 51 49.7 40 50 57.6 10 50 39.8 40 50 05.3 40 49 47.4 40 48 54.7 40 48 20.9	84 48 08.6 84 48 08.3 84 48 08.2 84 48 07.8 84 48 07.2 84 48 07.2 84 48 07.2 84 48 07.2 84 48 06.8 84 48 06.8 84 48 06.8

BOBO QUADRANGLE—Continued.

Near south border of quadrangle.

Stations.	Latitude.	Longitude.
Willshire, Toledo, St. Louis & Western Ry. crossing at east end of bridge over St. Marys River. T. 3 S., R. 1 E., quarter corner between secs. 28 and 29; T road north	40 45 09.3	84 47 31.4 84 45 54.9

Magnetic declination for east border, 0° 13' E.; for State line north-south through center, 0° 03' E.

BOWLING GREEN QUADRANGLE.

From point near Dowling along Toledo & Ohio Central Ry. to point near Mermill.

Stations.	Latitude.	Longitud
lucaria a stalambana lina mad	0 / //	0 / /
Crossing of telephone line road	41 29 50.4	83 35 15 83 35 53
Dowling, 11 miles southeast of; corner of secs. 20, 21, 28, and 29	41 27 27.8	83 36 35
Celephone line road	41 25 13.3	83 37 46
Sowling Green station, 200 leet north of; telephone road crossing	41 22 33.2	83 38 40 83 39 02
Fortage station, crossing 150 feet south of	41 19 35.9	83 38 44
dermill station, crossing 200 feet north of	41 17 51.0	83 38 44
Corner of Tps. 3 and 4 N., Rs. 10 and 11 E.	41 15 14.0	83 39 00
Along highways near west border of quadrangle.		-
2. 4 N., R. 10 E., corner of secs. 28, 29, 32, and 33. 2. 4 N., R. 10 E., corner of secs. 20, 21, 28, and 29. 2. 4 N., R. 10 E., corner of secs. 4, 5, 8, and 9. 2. 4 n., R. 10 E., corner of secs. 4, 5, 32, and 33. 2. 5 N. M. 10 E., corner of secs. 4, 5, 32, and 33.	41 16 09.8	83 43 40
4 N., R. 10 E., corner of secs. 20, 21, 28, and 29	41 17 02.0	83 43 40
'. 4 N., R. 10 E., corner of secs. 4, 5, 8, and 9	41 19 38.8	83 43 41 83 43 42
5 N., R. 10 E., corner of secs. 20, 21, 28, and 29. 5 N., R. 10 E., quarter corner between secs. 8 and 17. ps. 5 and 6 N., R. 10 E., quarter corner between secs. 5 and 32. 6 N., R. 10 E., quarter corner between secs. 29 and 32. 6 N., R. 10 E., quarter corner between secs. 17 and 20.	41 22 18.9	83 43 41
. 5 N., R. 10 E., quarter corner between secs. 8 and 17	41 24 03.8	83 44 16
ps. 5 and 6 N., R. 10 E., quarter corner between secs. 5 and 32	41 25 48.2	83 44 16
6 N., R. 10 E., quarter corner between secs. 29 and 32	41 26 40.1	83 44 17 83 44 17
6 N., R. 10 E., corner of secs. 14, 15, 20, and 27,	41 28 24.0	1 83 41 2
6 N. R. 10 E., corner of secs. 13, 14, 23, and 24	41 28 23.9	83 40 13
	41 29 55.9	go 40 0
. 6 N., R. 10 E., corner of secs. 13, 14, 23, and 24. Vaterville station, about 800 feet southwest of; east-west pike crossing on Clover Leaf Route.		83 43 35

Along highways near Tunnel Hill.

Stations.	Latitude.	Longitude.
Tunnel Hill, 1.5 miles east of; T road north, 27 feet due south to cross on fence post. Tunnel Hill, 2 miles east of, near northwest corner of field of Wm. L. Wright, northeast corner of Wright's house bears S. 14° W., distant 87 feet; iron post stamped "Prim. Trav. Sta. No. 56. 1905"	40 15 29.1 40 15 18.9	82 01 30.1 82 00 32.8
Along Cleveland, Akron & Columbus Ry.		
Tunnel Hill, 1 mile east of; center of T road south, 10 feet south to center of triangle, 40 feet southwest to maple. Tunnel Hill, 1 mile north of; road crossing. Tunnel, north end of. Warsaw, 2.6 miles south of; road crossing 40 feet east to T road west. Warsaw, 1.6 miles south of; road crossing at siding, 200 feet west to covered highway bridge. Warsaw Junction, crossing of the Pittsburgh, Cincinnati, Chicago & St. Louis and Cleveland, Akron & Columbus railways, 100 feet east of station. Baddow Pass, center of highway bridge over Cleveland, Akron & Columbus Ry. at north end of summit cut.		82 02 09.0

BRINKHAVEN QUADRANGLE—Continued.

West along highways.

Stations.		Latitude.	Longitude.
Crossroads near top of hill, 30 feet southwest to corner fence post, 25 feet to corner of fence. Brinkhaven, 1 mile north of; center of triangle at forks of road		o , ,, 40 29 33.7 40 28 58.5	82 09 25.7 82 11 30.3
Along Pennsylvania R. R. near Mohican	River.	·	
Mohican River bridge, center pier.		40 29 48.4	82 11 22.2
Along Pennsylvania R. R. from Warsaw Junction to Walhonding Zuck.	, thence v	vest along h	ighways to
Stations.	Latitude	Longitud	Distance between stations.
Warsaw Junction, 100 feet east of station; center of crossing of Cleveland, Akron & Columbus Ry, and Pennsylvania R. R. Milepost C-11, 530 feet east of; road crossing. Mohawk, opposite semaphore at station; center of track. Walhonding Run, siding west of highway bridge; center of road crossing.	0 / // 40 19 43. 40 19 56. 40 20 11.	4 82 02 08.	8. 7,936
ing at. Township line north-south. Road crossing. Walhonding, in east part of, 75 feet east and 30 feet north to center of triangle in forks of road at Sam Priest's blacksmith shop; iron post stamped "Prim. Trav. Sta. No. 68. Ohio, 1910".	40 21 10. 40 21 13. 40 21 15.	8 82 05 30. 3 82 06 53.	7 522 4 6,401
Rennylvania R. R. crossing. Knox-Coshocton county line, center of road at Relly Chapel, center of crossroads. Gambel schoolhouse, center of T road north, 15 feet north to center of	40 22 32. 40 22 41.	4 82 09 33. 4 82 11 19. 1 82 12 01.	6,013 8,834 7 3,354
triangleZuck, 0.2 mile east of; center of triangle at north end of steel bridge over a river, 25 feet south and 10 feet east to north end of bridge	40 23 02.	1	, , , , , ,
At Zuck.			
Zuck, 0.25 mile east of; center of triangle at north end of bridge over Walhonding River. Zuck, steel bridge over Walhonding River, center of.	40 22 45. 40 22 40.	4 82 14 13. 9 82 14 30.	
Along highways near west border of qua	drangle.		
Stations.		Latitude.	Longitude.
Danville, 1.75 miles southeast of; center of T road east, 200 feet north to northwest, 5 feet east to center of triangle, 40 feet northeast to mail b T road west, 15 feet south to culvert, 30 feet northwest to stump come wire fence.	er post to	0 / " 40 26 02.1 40 25 19.7	° ′ ″ 82 14 39.9 82 14 42.2
white lence. Danville, 3 miles south of; crossroads, 30 feet southeast to oak, 50 feet to corner picket fence. T. 7 N, R. 10 W., stone corner of secs. 17, 18, 23, and 24, north edge of west, 500 feet south of red barn.		40 24 37.8 40 23 59.2	82 14 44.0 82 14 45.5
Two-story white house, 700 feet west of; center of T road north. Zuck, 0.25 mile east of; center of triangle at three corners at north end over Kokosing River. Brush Run, four corners 150 feet northeast of schoolhouse, 10 feet north	or briage	40 22 45.4	82 14 17.5 82 14 13.7
center of plank bridge, 150 feet north to center of Brush Run Bridge. Brush Run schoolhouse, at northeast corner, 150 feet northeast to four iron post stamped "Prim. Trav. Sta. No. 19. Ohio, 1907"		40 22 05.4 40 22 04.2	82 14 34.8 82 14 85.5
southeast. Esto, I mile west of; stone on north edge of east-west road at T road no Esto, T road south, 25 feet southwest to front-yard gate, 45 feet nort	rththwest to	40 21 22.2 40 20 00.8 40 20 03.2	82 14 35.6 82 14 47.5 82 13 48.1
Typs. 5 and 6 N., R. 10 W., stone corner of secs. 2, 3, 22, and 23, on Butle township line. Dennis Chapel, 900 feet east of, corner of secs. 2, 3, 22, and 23, Tps. 5 and 10 W., 0.3 mile south of center of triangle at road forks, 30 feet nor		40 18 43.2	82 13 51.1
locust tree		40 18 25.4	82 13 53.0

BRINKHAVEN QUADRANGLE—Continued.

Along highways near west border of quadrangle-Continued.

Stations.	La	titude.	Longitud	ie.
Dennis Chapel, 0.75 mile southwest of; T road northeast, 30 feet east to center of triangle, 30 feet north to telephone pole	40 40	, ,, 17 55.4 17 13.8 16 21.0	82 14 34 82 14 34	7.8 4.0 4.9

Magnetic declination for north border, 2° 09′ W.; for east border, 2° 12′ W.; for west border, 2° 51′ W.; for west part of center line, 2° 16′ W.

BRISTOLVILLE QUADRANGLE.

Along highways near north border of quadrangle.

Stations.	Latitude.	Longitude.
Forks of road	0 / " 41 29 20.6 41 29 20.3 41 29 20.5	80 53 49.4 80 52 46.3 80 52 05.7
Phalanx post office, crossroads at, 20 feet southeast to guidepost, 18 feet west to stone in road Phalanx post office, Y road 0.5 mile north of; 24 feet north to cross on telephone pole, 30 feet east to cross on gatepost. T. 5 N., R. 5 W., corner of secs. 31, 32, 33, and 34. Crossroads, 40 feet northeast to cross on telephone pole, 40 feet northwest to cross on fence post. T road east. Crossroads at schoolhouse and corner of secs. 1, 2, 3, and 4, T. 5 N., R. 5 W.; 20 feet northeast to E. F. Culp's mail box, 45 feet southeast to milk platform. T. 6 N., R. 5 W., stone at east corner of secs. 2 and 11. West Farmington, 1.5 miles southwest of, in G. A. McKay's orchard, 120 feet northeast of State road at road northeast, southwest corner of McKay's house bears N. 54° 50′ E., distant 211 feet, nail in east face of elm tree on west side of road bears N. 27° 55′ W., distant 48.7 feet; iron post stamped "Prim. Trav. Sta. No. 31". Pennsylvania R. R. at road crossing. Bundysburg, large flag pole at road intersection.	41 15 39.5 41 16 12.6 41 17 38.6 41 18 30.3 41 19 43.2 41 20 21.4 41 21 42.0 41 22 37.1 41 24 09.1 41 25 17.9	80 58 43.9 80 58 38.9 80 59 01.1 80 59 01.0 80 59 00.9 80 59 00.3 80 59 45.4 80 59 24.5 81 00 17.4
Near Phalanx.		·
Phalanx station, 1 mile west of, road crossing of Eric R. R	41 15 12.8	80 58 39,8

BROOKVILLE QUADRANGLE.

Along Pittsburgh, Cincinnati, Chicago & St. Louis Ry. in south part of quadrangle.

Stations.	Latitude.			Longitude.		
Crossing of north-south road. Cincinnati, Hamilton & Dayton Ry., crossing of Milepost 35, road crossing 500 feet west of. Trotwood, crossing of north-south road at. Milepost 33, road crossing \(\frac{1}{2} \) mile west of. Mileposts 31 and 32, road crossing between Airhill, crossing of north-south road. Mileposts 29 and 30, crossing of north-south road Brookville station, road crossing 200 feet west of. Milepost 27, crossing of north-south road.	39 39 39 39 39 39 39	46 46 47 47 48 48 49 49 50	23. 0 50. 1 17. 4 43. 5 10. 5 38. 4 13. 1	84 84 84 84 84 84 84 84	15 15 17 18 19 20 22 23 24	12.5 55.9 33.0 40.6 48.9 53.9 01.0 10.2 36.9 28.4
Dodson, crossing of north-south road.	39	51	02.1	84		40.1

BROOKVILLE QUADRANGLE—Continued. Along the Dayton & Union R. R. between Bachman and milepost 21.

Stations.	Latitude.	Longitude
Bachman, crossing of National road Wengerlawn, crossing of east-west road. Wrights, road crossing. Gillispie's road crossing. West Baltimore, road crossing. Mileposts 20 and 21, north-south road crossing between.	9 51 46. 4 39 52 26. 2 39 53 20. 4 39 53 53 1 39 54 51 1 39 54 12. 6 39 54 41. 5	84 27 29. 84 27 58. 84 27 58. 84 28 40. 84 29 06. 84 29 19. 84 29 40.
Along highways near north border of quadrangle.		
Pittsburgh, crossing of north-south township line road, Pittsburgh azimuth of tangent, "Big Four Route," 89° 26'	20 50 21 0	84 15 27. 84 15 49. 84 17 41. 84 18 36. 84 20 18. 84 21 40. 84 23 34. 84 24 30. 84 25 38. 84 26 47. 84 27 54.
Along highways near west border of quadrangle. Pps. 7 and 8, Rs. 3 and 4, corner of secs. 7, 12, 13, and 18. Germany, schoolhouse, crossroads about 900 feet east of. Prossroads. Schoolhouse No. 6, T road south at. Prossroads at Darke-Montgomery county line. Baltimore, Tps. 6 and 7, Rs. 3 and 4 E., corner of secs. 1, 6, 12, and 7 Pps. 6 and 7, Rs. 3 and 4 E., corner of secs. 7, 12, 13, and 18. Pps. 6 and 7, Rs. 3 and 4 E., corner of secs. 7, 12, 13, and 18. Pps. 6 and 7, Rs. 3 and 4 E., corner of secs. 13, 18, 19, and 24, azimuth of Pennsylvania R. R., 0.5 mile north of national road, 297° 27' Prossing of national road and county line road Pps. 6 and 7, Rs. 3 and 4 E., corner of secs. 25, 30, 31, and 36. Pps. 5 and 6, Rs. 3 and 4 E., corner of secs. 1, 6, 31, and 36. Pps. 5 and 6, Rs. 3 and 4 E., corner of secs. 7, 12, 13, and 18. Pps. 5 and 6, Rs. 3 and 4 E., corner of secs. 1, 18, 19, and 24. Pps. 5 and 6, Rs. 3 and 4 E., corner of secs. 13, 18, 19, and 24. Pps. 5 and 6, Rs. 3 and 4 E., corner of secs. 19, 24, 25, and 30. Pps. 5 and 6, Rs. 3 and 4 E., corner of secs. 25, 30, 31, and 36. Pps. 5 and 6, Rs. 3 and 4 E., corner of secs. 19, 24, 25, and 30. Pps. 5 and 6, Rs. 3 and 4 E., corner of secs. 25, 30, 31, and 36.	39 50 01.5 39 59 07.5 39 54 12.6 39 53 55.1 39 53 20.1 39 52 27.7 39 51 36.5	84 29 13. 84 28 49. 84 28 48. 84 28 58. 84 29 06. 84 29 05. 84 29 02. 84 29 02. 84 29 02. 84 28 58. 84 28 58. 84 28 56. 84 28 56. 84 28 55.

Along Lake Shore & Michigan Southern Ry.

Stations.	Latitude.	Longitude.
Milepost 52, road crossing near. Milepost 53, road crossing near. Road crossing northeast-southwest Mileposts 53 and 54, north-south road crossing between. Lake Shore & Michigan Southern Ry. and Cincinnati Northern R. R. crossing. Bryan, road crossing at. Bryan, road crossing at. Bryan station Road crossing over railroad. Mileposts 56 and 57, north-south road crossing between. Road crossing over railroad. Milepost 59, north-south road crossing near. Melbern station. Milepost 69, north-south road crossing near. Melbern station. Milepost 62, north-south road crossing near. Milepost 62, north-south road crossing near. Milepost 63, north-south road crossing near. Milepost 63, north-south road crossing near. Milepost 64, north-south road crossing near. Milepost 63, north-south road crossing near. Milepost 64, north-south road crossing near. Milepost 64, north-south road crossing near. Milepost 64, north-south road crossing near. Milepost 63, north-south road crossing near. Milepost 64, north-south road crossing near. Milepost 63, north-south road crossing near. Milepost 64, north-south road crossing near. Milepost 63, north-south road crossing near. Milepost 64, north-south road crossing near. Milepost 63, north-south road crossing near. Milepost 64, north-south road crossing near. Milepost 63, north-south road crossing near. Milepost 64, north-south road crossing near. Milepost 65, north-south road crossing near. Milepost 66, north-south road crossing near. Milepost 69, north-south road crossing near.	° ' '' 41 29 14. 9 41 29 07. 1 41 29 02. 0 41 28 57. 9 41 28 54. 3 41 28 50. 0 41 28 48. 8 41 28 49. 2 41 28 36. 1 41 28 23. 8 41 28 12. 1 41 28 23. 8 41 27 49. 7 41 27 49. 7 41 27 25. 5 41 27 13. 8 41 27 13. 8 41 27 02. 6	84 30 27.2 84 31 14.8 84 31 14.2 84 32 10.3 84 32 23.1 84 32 25.3 84 33 02.5 84 33 02.5 84 33 04.9 84 34 21.6 84 35.8 84 36 46.0 84 37 55.1 84 39 01.3 84 39 03.2 84 40 15.0 84 41 27.1 84 42 37.8 84 43 45.9 84 44 42.7 84 44 42.7 84 44 42.7

BRYAN QUADRANGLE-Continued.

Along highways along west border of quadrangle.

Along highways along west border of quadrangle.		
Stations.	Latitude.	Longitude.
Edgerton, 3 miles north of, in southwest corner of yard of schoolhouse No. 22, St. Joseph Township, southwest corner of schoolhouse bears N. 62° 40′ E., distant 61 feet; iron post stamped "Prim. Trav. Sta. No. 21, 1905". T. 6 N., R. 1 E., corner of secs. 9, 10, 15, and 16; T road west. P. 6 N., R. 1 E., corner of secs. 3 and 4; Deflance-Williams county line. T. 5 N., R. 1 E., corner of secs. 3 and 4; Deflance-Williams county line. T. 5 N., R. 1 E., corner of secs. 3 and 4; on township line. T. 5 N., R. 1 E., corner of secs. 3, 4, 9, and 10; crossroads. T. 5 N., R. 1 E., corner of secs. 15, 16, 21, and 22; crossroads. T. 5 N., R. 1 E., corner of secs. 15, 16, 21, and 22; crossroads. T. 5 N., R. 1 E., corner of secs. 21, 22, 27, and 28; crossroads. T. 5 N., R. 1 E., a miles north of Hicksville, northwest corner of sec. 34, northwest corner of yard of schoolhouse No. 9, limestone post 38 by 6 by 4 inches; aluminum tablet stamped "Prim. Trav. Sta. No. 22". T. 5 N., R. 1 E., corner of secs. 3, 4, 9, and 10; crossroads. T. 4 N., R. 1 E., corner of secs. 3, 4, 9, and 10; crossroads. T. 4 N., R. 1 E., corner of secs. 3, 4, 9, and 10; crossroads.	o , , , , , , , , , , , , , , , , , , ,	84 44 58.7 84 44 55.3 84 44 55.3 84 44 55.3 84 44 55.3 84 44 53.1 84 44 53.1 84 44 53.1 84 44 50.7 84 44 45.0 84 44 45.0 84 44 45.0 84 44 45.0 84 44 45.0
Along highways near southeast corner of quadrangle	· · · · · · · · · · · · · · · · · · ·	
Phe Bend, railroad crossing, 60 feet east of station. 7. 4 N., R. 3 E., corner of secs. 15, 16, 21, and 22; cross pikes. 7. 4 N., R. 3 E., corner of secs. 9, 10, 15, and 16; crossroads. 7. 4 N., R. 3 E., corner of secs. 3, 4, 9, and 10; crossroads.	41 16 57.9 41 17 47.4 41 18 39.6 41 19 31.9	84 30 55.4 84 30 55.9 84 30 56.3 84 30 56.6
Along Cincinnati Northern R. R. near east border of quadr	rangle.	
Moats, railway crossing 0.5 mile north of Moats, railway crossing 1.5 miles north of Ney, 0.5 mile south of, in northwest corner of pasture owned by John Burt, at east-west crossing on Baltimore & Ohio R. R., nail in north face of walnut tree bears S. 6° W., distant 18 feet, east rail of track at north-south crossing bears N. 74° W., distant 51 feet; fron post stamped "Prim. Trav. Sta. No. 14, 1905". Ney, east-west railway crossing 1 mile north of. Ney, east-west railway crossing 2 miles north of. Defiance-Williams county line, east-west road crossing on Cincinnati Northern R. R.	41 20 23.6 41 21 16.1	84 31 30.8 84 31 31.5
bears S. 6 W., distant 18 leet, east rail of track at north-south crossing bears N. 74 W., distant 51 feet; iron post stamped "Prim. Trav. Sta. No. 14, 1905". Ney, east-west railway crossing 1 mile north of. Ney, east-west railway crossing 2 miles north of. Defiance Williams county line asst-west road crossing on Cincinnati Northern	41 22 34.5 41 23 53.0 41 24 45.0	84 31 31.9 84 31 33.5 84 31 34.1
R. R Deflance-Williams county line, east-west road crossing 1 mile north of. Bryan, east-west crossing 1.25 miles south of. Bryan, crossing 400 feet south of tank on Cincinnati Northern R. R.	41 25 37.6 41 26 30.1 41 27 22.7 41 28 07.6	84 31 34.7 84 31 35.4 84 31 38.5 84 32 31.7
Near south border of quadrangle.		1
P. 3 N., R. 2 E., northeast corner of sec. 3, in northeast corner of field of Henry Martin, iron post stamped "Prim. Trav. Sta. No. 7, 1905". P. 4 N., R. 2 E., south corner of secs. 32 and 34, T road north. P. 4 N., R. 2 E., south corner of secs. 32 and 33 of T road north. P. 3 N., R. 3 E., south corner of secs. 1, 6, 31, and 36; crossroads. P. 3 N., R. 1 E., north corner of secs. 1 and 2; T road south. P. 4 N., R. 1 E., south corner of secs. 34 and 35.	41 15 10.1 41 15 10.0 41 15 09.8 41 15 09.1 41 15 09.0 41 15 09.1	84 36 40.2 84 37 48.6 84 38 58.2 84 41 20.4 84 42 29.8 84 43 39.4
BUCYRUS QUADRANGLE.		L
Alama hishmissa anna annih maak karrees sa see deessels		

Along highways near southwest corner of quadrangle.

	Stations.	Latitude.		Longitude.		
Northeast-southwest pike road and Marion City, road northeast-south Pennsylvania R. R. crossing, azim	l road southwestuth 34° 22′	40 47 40 46 40 46	38. 8 38. 5 31. 7	82 82 82 82	, 59 59 59	53. 4 52. 7 14. 9

BUCYRUS QUADRANGLE—Continued.

Along highways near northwest corner of quadrangle.

	. Stations.		Latitude.	Longitude.
Tps. 1 N. ar T. 1 S., R. 1 T. 1 S., R. 1 Northern O T. 1 S., R. 1 T. 1 S., R. 1 T. 1 S., R. 1	and 1 S., R. 16 E., corner of secs. 34, 35, 2, and 3; road east-west. 16 E., corner of secs. 3, 2, 11, and 10; road east-west. 16 E., corner of secs. 10, 11, 14, and 15; road east-west. 16 E., corner of secs. 14, 15, 23, and 22; road east-west. 16 E., corner of secs. 22, 23, 26, and 27; road east-west. 16 E., corner of secs. 27, 26, 35, and 34; road east-west. 2 S., R. 16 E., corner of secs. 34, 35, 2, and 3; road east-west	rest	6 7 77 40 59 36.2 40 58 45.3 40 57 52.9 40 57 26.5 40 57 00.2 40 56 07.9 40 55 15.5 40 54 23.4	82 59 49.6 82 59 49.7 82 59 49.7 82 59 49.9 82 59 49.9 82 59 50.0 82 59 50.8
	Along highways from point near Bucyrus to poin	t near Cre	stline.	•
T. 3 S., R. field, T ro T. 3 S., R.	miles southwest of; road crossing on Pennsylvania R. R 16 E., near quarter corner north side of sec. 26, southwest ad east; fron post stamped "Prim. Trav. Sta. No. 20. Ohi 16 E., northeast corner of sec. 25; center of east-west road	at north-	40 46 31.7 40 45 39.6	82 59 14.9 82 59 13.7
south fend Milepost 75 north of	east-west pike crossing on Toledo & Ohio Central Ry.,	0.25 mile	40 45 40.3 40 45 41.0	82 57 30.5 82 56 51.3
T. 16 N., R.	21 W., northeast corner of sec. 28; T road east, 25 feet nort theast to corner fence posts	heast and	40 45 20.8	82 51 27.2
mail box, T. 16 N., R.	theast to corner fence posts 21 W., northeast corner of sec. 27; 24 feet southwest to D. 26 feet northwest to corner fence post. 21 W., northeast corner of sec. 26; 27 feet southwest and 30 fe	et south-	40 45 20.8	82 50 20:5
T. 16 N., R. T. 20 N., R.	mer fence posts		40 45 20.9 40 45 20.0 40 45 19.3 40 45 19.3	82 49 12.0 82 48 02.8 82 46 52.9 82 46 52.8
distant 33			40 46 10.2	82 45 54.5
	Along highways near south border of qu	adrangle.	·	
	Stations.	Latitude	Longitude	Distance between stations.
Prim. Trav. Crestline. 2	Sta. No. 22, 1906. miles southwest of, road crossing, west track of "Big Four	40 46 10.5	82 45 54.5	Feet.
Prim. Trav. Crestline, 2 Route" Center of T	. Sta. No. 22, 1906 miles southwest of, road crossing, west track of "Big Four road north.		82 45 54.5 82 45 34.8	5,270
Prim. Trav. Crestline, 2 Route" Center of T	Sta. No. 22, 1906. miles southwest of, road crossing, west track of "Big Four road north. Along highways east-west through center of	40 46 10.5 40 45 20.4 40 44 34.1	82 45 54.5 4 82 45 34.8 82 45 05.0	5,270
T. 21 N., R. T. 21 N., R. T. 21 N., R. T. 21 N., R. T. 17 N., R. Schoolhouse	Along highways east-west through center of 20 W., stone at corner of secs. 4, 5, 8, and 9 20 W., corner of secs. 5, 6, 7, and 8 20 W., near center of sec. 8; center of crossroads. 20 W., quarter corner west side of sec. 7; T road east 21 W., quarter corner east side of sec. 12 21 W., stone at west corner of secs. 10 and 15, 550 feet	40 46 10.2 40 45 20.4 40 44 34.3 quadrang 40 53 10.1 40 53 11.1 40 52 45.3 40 52 45.3 40 52 34.3	82 45 54.5 4 82 45 34.8 82 45 05.0 1e. 82 45 46.2 82 46 55.4 82 47 31.8 82 48 29.9 82 48 29.9 82 49 37.7	5, 270 5, 227 5, 310 3, 331 4, 460 25 5, 333
T. 21 N., R. T. 17 N., R. Schoolhoust T. 17 N., R. schoolhoust Sulphur Sp. east-west feet north	Along highways east-west through center of 20 W., stone at corner of secs. 4, 5, 8, and 9. 20 W., corner of secs. 5, 6, 7, and 8. 20 W., near center of sec. 8; center of crossroads. 20 W., quarter corner west side of sec. 7; T road east. 21 W., quarter corner east side of sec. 12. 22 W., center of T road south at. 21 W., stone at west corner of secs. 10 and 15, 550 feet rossroads. 21 W., stone at west corner of crossing of Bucyrus pike and street at J. B. Bittikofer's residence, 40 feet west and 10 to cross streets: iron post stamped "Prim. Tray. Sta. No.	40 46 10.2 40 45 20.4 40 44 34.1 quadrang 40 53 10.1 40 53 11.1 40 52 45.2 40 52 45.2 40 52 34.1 40 52 19.1	82 45 54.5 4 82 45 34.8 82 45 05.0 1e. 82 45 46.2 82 46 55.4 82 47 31.8 82 48 29.9 82 48 29.9 82 48 37.7 82 51 17.4	5, 270 5, 227 5, 310 3, 331 4, 460 2, 5 5, 333 7, 816
T. 21 N., R. T. 17 N., R. Schoolhoust T. 17 N., R. schoolhoust Sulphur Sp. east-west feet north	Along highways east-west through center of 20 W., stone at corner of secs. 4, 5, 8, and 9 20 W., corner of secs. 5, 6, 7, and 8 20 W., near center of sec. 8; center of crossroads 21 W., quarter corner west side of sec. 7; T road east 21 W., quarter corner east side of sec. 12 21 W., stone at west corner of secs. 10 and 15, 550 feet rossroads. rings, at southeast corner of crossing of Bucyrus pike and street at J. B. Bittikfofer's residence, 40 feet west and 10 to cross streets; iron post stamped "Prim. Trav. Sta. No. 1910" 17 E., stone at corner of secs. 9, 10, 15, and 16; center of T	40 46 10.2 40 45 20.4 40 44 34.3 quadrang 40 53 10.1 40 53 11.1 40 52 45.3 40 52 45.3 40 52 34.3	82 45 54.5 4 82 45 34.8 82 45 05.0 1e. 82 45 46.2 82 46 55.4 82 47 31.8 82 48 29.9 82 48 29.9 82 49 37.7 82 51 17.4	5, 270 5, 227 5, 310 3, 831 4, 460 25 5, 333 7, 816

BUCYRUS QUADRANGLE—Continued.

Along highways near north border of quadrangle.

	·	
Stations.	Latitude.	Longitude.
T. 22 N., R. 20 W., northeast corner of sec. 5; stone, T road south. T road north, 20 feet west to stone corner. T. 18 N., R. 21 W., northeast corner of sec. 1, stone. T. 18 N., R. 21 W., northeast corner of sec. 2; T road south, 46 feet southeast to corner fence post, 48 feet southwest to telephone pole. T. 18 N., R. 21 W., northeast corner of sec. 3; T road south, 46 feet southeast to corner fence post, 48 feet southwest to telephone pole. T. 18 N., R. 21 W., northeast corner stone of sec. 35, south of road at T road north, 60 feet east of T road south, corner sec. 35 bears N. 6° 15′ W., distant 15.5 feet, nail in lime tree bears N. 72° 45′ E., distant 111.5 feet, iron post stamped "Prim. Trav. Sta. No. 26. Ohio, 1906". T. 1 S., R. 17 E., northeast corner of sec. 3; T road south, 20 feet due north to middle of gate. T. 1 N., R. 17 E., southeast corner of sec. 33; T road north, 36 feet northwest to south end of picket fence, 30 feet northeast to corner of yard fence. T. 1 S., R. 17 E., northeast corner of sec. 4; T road south. Carrothers, 0.33 mile south of; center of crossroads. T. 1 N., R. 17 E., southeast corner stone of sec. 31; T road north T. 1 S., R. 16 E., northeast corner stone of sec. 1; crossroads. T. 1 N., R. 16 E., northeast corner of sec. 2; crossroads, 40 feet southeast to maple tree, 33 feet northeast to guidepost. Southeast corner of crossroads, northeast corner stone sec. 3 bears S. 40° W. 37.7 feet; iron post stamped "Prim. Trav. Sta. No. 27. Ohio, 1906". T. 1 N., R. 16 E., southeast corner stone of sec. 34.	40 59 44.1 40 59 44.8 40 59 45.8 40 59 35.8 40 59 36.0 40 59 35.9 40 59 35.9 40 59 35.9 40 59 35.9	82 45 45.3 82 46 48.7 82 47 47.1 82 48 56.9 82 50 05.5 82 51 44.4 82 52 54.9 82 54 04.1 82 55 24.8 82 56 21.8 82 57 31.1 82 58 40.2 82 59 48.8 82 59 49.6
Near west border of quadrangle.		
T. 20 N., R. 20 W., northeast corner of sec. 17; T road north, 18 feet southwest to telegraph pole, 29 feet northwest to corner fence post T. 20 N., R. 20 W., northeast corner of sec. 8, 20 feet due south to center of small bridge T. 20 N., R. 20 W., northeast corner of sec. 5, 9 feet northwest to corner of rail fence. T. 21 N., R. 20 W., northeast corner of sec. 32; crossroads, 27 feet northwest to corner fence post	40 47 04.2 40 47 56.4 40 48 48.5 40 49 38.2	82 45 54.8 82 45 53.9 82 45 52.0 82 45 50.8

Magnetic declination for north border, 0° 44' W.; for south border, 0° 58' W.; for east border, 1° 03' W.; for east-west center line, 0° 59' W.

BUTLER QUADRANGLE.

Near east border of quadrangle.

Stations.	Latitude.	Longitude.
T. 5 N., R. 1 E., corner of secs. 28, 29, 32, and 33. T. 5 N., R. 1 E., corner of secs. 29, 30, 31, and 32. Hicksville, in southwest part of town, High Street at Antwerp pike south. Hicksville, crossroads 2 miles south of, 25 feet northwest to north end of culvert, 45 feet southeast to cross cut on telephone pole. Antwerp, 5 miles north of, in northwest corner of field of Everett Longsworth, at crossroads, 1.5 feet southeast of large corner fence post; iron post stamped "Prim. Trav. Sta. No. 1, 1905".	41 21 12.8	
Along Ohio-Indiana State line.	<u> </u>	1.000
T. 5 N., R. 1 E., corner on State line between secs. 30 and 31 T. 4 N., R. 1 E., corner of secs. 6 and 7. Road west. Baltimore & Ohio R. R. crossing Roads west and southeast. Road west. Road west. Road west. Road west. Tps. 3 and 4 N., R. 1 E., township corner T, 4 N., R. 1 E., south corner of secs. 31 and 32; T road north.	41 19 29.7 41 18 52.2 41 18 14:7 41 18 00.1 41 17 07.6 41 16 15.8 41 15 23.2 41 15 09.4	84 48 13.1 84 48 12.9 81 48 12.7 84 48 12.3 84 48 12.3 84 48 11.5 84 48 11.5 84 48 11.4 84 48 11.4

BUTLER QUADRANGLE—Continued. Along highways near Ohio-Indiana State line.

Stations.	Latitude.	Longitude.
T. 5 N., R. 1 E., corner of secs. 29, 30, 31, and 32; crossroads	41 22 05.0 41 22 57.1 41 23 11.8 41 24 45.6	84 47 09.3 84 47 09.2 84 48 13.2 84 47 25.7
Tps. 5 and 6 N., R. 1 E., corner of secs. 1, 6, 31, and 36; T lane east. Ohio-Indiana State line, post on, near Lake Shore & Michigan Southern Ry. (Astronomic value, latitude, 41° 26' 13.7"; longitude, 84° 48' 08.6"). Edgerton, road crossing, south rail of north track, Lake Shore & Michigan Southern Ry., 1.5 miles southwest of. Edgerton T road south, 1.5 miles west and 1 mile north of, 25 feet southeast to cross on corner fence post., 27 feet southwest to cross on corner fence post. Ohio-Indiana State line, stone at turn of road and 600 feet south of T road west.	41 25 33.7 41 26 18.7 41 26 34.1 41 27 44.5 41 27 44.1	84 48 13.3 84 46 38.8 84 46 39.1

CALDWELL QUADRANGLE. Along highways from Roxbury Ferry east to Lowell.

Stations.	Latitude.	Longitude.
Roxbury, 1 mile north of ferry, 100 feet east of ford of Mill Creek, road forks northwest and southwest, center of triangle. Roxbury, 1.5 miles northeast of ferry, road forks at top of hill northwest and southwest, 100 feet northwest to large oak tree, 20 feet northeast to walnut tree.	% , ,, 39 32 12.4 39 32 12.5	81 44 56. 2 81 43 56. 7
Swifts, 0.5 mile south of ferry; T road up hill to west, west edge of north-south road. Swifts, ferry across Muskingum River; ferry bell at west landing. Swifts, 50 feet south of station; center of main track Baltimore & Ohio R. R. at	39 32 34. 2 39 33 13. 6	81 43 32.7 81 43 18.8
road crossing. Maple Grove Church, roads north and east; center of triangle. Olive Chapel, large oak tree in northeast corner of crossroads. Olive Chapel, 1.25 miles east of; crossroads, 45 feet south to bridge, 45 feet west	39 33 12.5 39 33 05.8 39 33 13.9	81 42 57.5 81 42 12.0 81 41 04.2
to walnut tree Waterford, 0.5 mile northwest of, 250 feet east of Baltimore & Ohio R. R.; T road	39 33 01.7	81 39 51.9
west, small maple tree in center of triangle. Waterford, intersection of Water and Ferry streets, 40 feet southeast to northeast corner of C. E. Vaughn & Co.'s store, 55 feet southeast to northwest corner of brick store, 90 feet north to south end of highway bridge over Muskingum	39 33 04.0	81 38 52.7
River Beverly, intersection of Ferry and Fifth streets Beverly, in top of west wall at north end of Government canal lock at foot of	39 32 34.3 39 32 52.1	81 38 23.3 81 38 21.2
Fifth Street; aluminum tablet stamped "Prim. Trav. Sta. No. 7. Ohio, 1907". Beverly, 1.25 miles northeast of, T road north; signpost painted "Beverly 1 mile,	39 32 52.3	81 38 32.7
Marietta 19 miles''. Muskingum River, 0.25 mile south of; top of bare hill, the western of two lone trees.	39 33 20.4 39 32 19.6	81 36 52.4 81 35 22.3
Coal Run, T street north, 50 feet northwest to southeast corner of W. P. Steven's store, 40 feet northeast to southwest corner of Ross's store. Coal Run, 1 mile southeast of, 300 feet north of road; cupola of schoolhouse	39 34 02. 2 39 33 32. 1	81 34 47.8 81 33 47.2
Covered bridge over Big Run, 120 feet west of center: T road north, 10 feet south to high telegraph pole, 15 feet north to center of triangle. Big Run, 1.5 miles southeast of bridge, second-class T road north, red brick school-	39 33 08.3	81 33 21.9
house; center of main road. Upper Lowell, west edge of, T street east; center of triangle	39 31 52.0 39 31 53.4	81 32 20.6 81 31 18.5
across Muskingum River, marked "U.S. B	39 31 49.5	81 30 54.2
to elm, 40 feet northwest to corner of dwelling	39 31 38.8	81 30 24.7
stamped "Frim. Trav. Sta. No. 8. Ohio, 1907. Elev. 617". Lowell, junction of Walnut and Canal streets, 25 feet west to high telephone pole, 30 feet southeast to corner of brick store.	39 31 35.4 39 31 42.6	81 30 18.0 81 30 22.6
	<u> </u>	

CALDWELL QUADRANGLE—Continued.

Along highways from Keith west to Meigs Creek.

Stations.	Latitude.	Longitude.
Keith, 1.25 miles southwest of; T road north, center of triangle, 125 feet north to covered bridge over creek, 200 feet east to T road south, 120 feet west to Noble-Morgan county line	39 38 46.2	81 35 09.3
he about on line)	39 38 46.6 39 38 35.7	81 35 10.7
Jordan, 0.5 mile south of schoolhouse; road forks west and south, 30 feet north to corner of fence, 40 feet west to mail box, 50 feet east to creek. Covered bridge over Olive Green Creek, 130 feet west of; T road east, 25 feet west to elm tree, 30 feet north to stream. Covered bridge over Olive Green Creek, 0.5 mile north of; T road west. Smiths School, cupola of schoolhouse. Smiths School, 800 feet west of; road forks north and southwest, center of triangle. Smiths School, 0.7 mile northwest of; road forks south and southeast, ford of	39 38 45.3 39 39 07.7 39 39 29.6 39 39 28.5	81 36 02.9 81 36 27.2 81 36 19.5 81 37 08.5 81 37 18.3
stream. Reinersville, 2.25 miles south of; road forks north, east, and west, 3 feet north to	39 39 24.5 39 39 31.6	81 37 56.8 81 38 48.3
B. F. Welch's mail box in triangle. Reinersville, 2.25 miles south of: stone corner of sec. 4, T. 6 N., R. 10 W., in field north of east-west road, 200 feet west of road forks. Reinersville, 2 miles south of, at junction of Little Olive Green Creek with Allen River, crossroads; large forked elm tree in triangle. Crossroads church, 0.5 mile north of, T road east; mail box in triangle, 50 feet	39 39 31.3	81 38 50.8
Reinersville, 2 miles south of, at junction of Little Olive Green Creek with Allen River, crossroads; large forked elm tree in triangle. Crossroads church 0.5 mile north of Troad east, mail how in triangle, 50 feet	39 39 15.3	81 39 39.3
east to oak tree. Reinersville, 3 miles south of, 450 feet south of crossroads church, in southeast	39 40 23.3	81 41 18.5
east to oak tree. Reimersville, 3 miles south of, 450 feet south of crossroads church, in southeast corner of front-yard fence to residence of C. E. Drake, T road north, iron post stamped "Prim. Trav. Sta. No. 10. Ohio, 1907" Tps. 6, 7, 10, and 11 N., Rs. 10, 11 W., stone corner of secs. 1, 6, 31, and 36. Dyes Fork of Meigs Creek, center of covered bridge over. T. 10 N., R. 11 W., secs. 1 and 2, north-south line between, near Emory Church. 20 feet hourth, 300 feet southwest of, crossroads; center of triangle. Meigs Creek, covered bridge over; crossroads, 50 feet west to end of bridge, 20 feet south to corner of fence. Meigs Creek, 600 feet west of covered bridge over; corner stone sec. 10, T. 10 N.,	39 39 52.6 39 40 03.8 39 39 35.2 39 39 32.9 39 39 40.7 39 39 17.9	81 41 28.3 81 41 58.6 81 42 28.6 81 43 22.7 81 43 45.5 81 44 26.9
R. 11 W., in triangle at second-class T road north.	39 39 18.6	81 44 35.8
Along highways near north border of quadrangle.		
Sharon, T. 6 S., R. 9 W., corner of secs. 5, 6, 7, and 8; crossroads. Sharon, 1.5 miles west of, J. Nicolas's residence, just south of; T road southwest, 9 feet west to J. Wallace's mail box. Olive Green, T road south, 11 feet due south to center of small bridge.	39 44 10.1 39 44 22.9 39 44 38.7	81 33 53.9 81 35 29.9 81 36 53.0
Along highways from Lowell north to Keith.	! <u>-</u>	
Lowell, 0.5 mile north of: T road west, 20 feet southeast to watering trough, 60 feet west to center of bridge over Cras Creek	39 32 12.2	81 30 50.4
White schoolhouse 1.500 feet north of T road west 5 feet west to center of	39 33 17.2	81 31 51.1
triangle, 40 feet south to telephone pole. Fork of second-class road to southeast, 30 feet south to oak tree on bank, 30 feet north to oak tree on north edge of road.	39 34 23.4 39 35 03.1	81 31 58.2 81 31 36.7
Big Run, 30 feet south of bridge over creek; crossroads, 5 feet east to center of triangle. Big Run, 1.4 miles north of; hackberry tree in forks. T. 5 N., R. 9 W., northeast corner stone of sec. 21. Jackson, 0.25 mile north of town house, road forks north and northeast, center of	39 35 33.5 39 36 48.9 39 37 43.7	81 31 54.6 81 31 56.0 81 31 42.9
Keith Fork of Olive Green Creek. I mile southeast of: crossroads. 10 feet south to	39 37 48.7	81 31 54.2
contar of triangle 30 feet southeast to center of hridge	39 38 36.4	81 32 10.0
Keith, 1 mile east of, 500 feet north of Keith Fork of Olive Green Creek; T road west, 5 feet east to center of triangle, 20 feet southwest to cherry tree and sign "Keith 1 mile, Lowell 9 miles, Caldwell 8 miles". Keith, 1 mile east of, 500 feet north of bridge over Keith Fork of Olive Green Creek, at junction with Lowell-Caldwell road, in face of brownstone ledge north of T road west; aluminum tablet stamped "Prim. Trav. Sta. No. 9. Ohio, 1907". Keith, 0.6 mile east of, east side sec. 8. T. 5 N., R. 9 W.; north edge of road at	39 39 15.9	81 32 33.9
	39 39 16.1	81 32 34.1
crossing. Keith, 500 feet east of store; T road north, 35 feet north to south end of covered bridge	39 39 23.3 39 39 26.0	81 32 50.6 81 33 37.1
Magnetic declination for north horder 99 91/ W · for south hor		

Magnetic declination for north border, 2° 21′ W.; for south border, 2° W.; for east border, 2° 12′ W.; for center, 1° 53′ W.

CAMBRIDGE QUADRANGLE.

Along highways near northwest corner of quadrangle.

Stations.	Latitude.	Longitude.
West Lafayette, 2.5 miles south of; forks of road at McClain's schoolhouse, 24	۰, ,,	0 , ,,
feet southeast to guidepost, 22 feet northwest to cross on corner fence post	40 14 37.3	81 44 30.4
cross on telegraph pole	40 13 53.0	81 44 41.2
Plainfield, 0.5 mile west of; crossroads, 30 feet northeast to cross on corner fence	40 13 12.8	81 43 40.6
post, 24 feet southeast to sandstone bowlder. Flowing well, T road northwest at, 14 feet east to flowing well, 21 feet west to	40 12 13.1	81 43 30.1
rlowing well, 1 road northwest at, 14 feet east to flowing well, 21 feet west to cross on corner fence post	40 11 22.2	81 44 10.0
feet west to mound	40 14 53.8	81 37 59.

Magnetic declination for north border, 1° 57' W.; for west border, 2° 10' W.

CANAL DOVER QUADRANGLE.

Along Wheeling & Lake Erie R. R. near New Cumberland.

Stations.	Latitude.	Longitude.
Carroll-Tuscarawas county line, center of road at north-south fence line Large barn at T road south, 27 feet northeast to corner of barn, 26 feet west to corner fence post. New Cumberland, 1.25 miles south of; road crossing. New Cumberland, east-west road crossing.	0 7 7 40 31 31. 2 40 31 24. 7 40 31 35. 6 40 32 38. 4	81 16 00.8 81 16 58.1 81 18 40.4 81 18 52.2
Along highways near south border of quadrangle.		
New Cumberland, 1 mile northwest of, T road north, 25 feet due south to west end of picket fence at gate. Coal shaft, 0.5 mile west of, west end of box culvert at T road north Fairfield, center of road in front of township house Johnston, 0.5 mile west of, 6 miles east of Canal Dover, in southwest corner of stone foundation of G. Burgess's barn; aluminum tablet stamped "Prim. Trav. Sta. No. 34, 1906". Line between Rs. 1 and 2 W., center of road at picket fence south.	40 32 42.5	81 19 56.9 81 20 58.4 81 22 12.9 81 23 09.9 81 25 02.1
Along Pennsylvania R. R. east of Canal Dover.	,	
Wagon bridge over Tuscarawas River; east-west road crossing on Pennsylvania R. R. Milepost No. 28, private road crossing. Canal Dover, street crossing at station. Canal Dover, in northwest part of; east-west road crossing on Baltimore & Ohio R. R. Canal Dover, at southeast corner of T road southwest, just west of steel bridge over Sugar Creek and about 1 mile northwest of Pennsylvania R. R. station, nail in elm tree bears S. 41° E. distant 25.6 feet, nail in wild-cherry tree north of road bears N. 23° 2′ E. distant 53.2 feet, T road northwest bears N. 5° W. distant 44 feet; iron post stamped "Prim. Trav. Sta. No. 42. Ohio, 1906".	40 31 47.5 40 31 01.4 40 31 05.0 40 31 36.5 40 31 42.0	81 25 47.1 81 27 24.6 81 28 39.8 81 29 26.6
Along highways near east border of quadrangle.		
Carroll-Stark county line, center of Waynesburg-Marces road at east-west fence Waynesburg, 170 feet west of station; road crossing on Pennsylvania R. R. T. 17 N., R. 7 W., east side of sec. 16; crossroads at quarter corner. T. 17 N., R. 7 W., northeast corner of sec. 9, center of road at north-south rail fence, short distance west of brick schoolhouse	40 39 02.5 40 40 08.4 40 41 15.1 40 42 34.4	81 15 00.7 81 15 32.2 81 15 33.1 81 15 28.0

CANTON QUADRANGLE.

Along Pennsylvania R. R. near Canton.

Along Pennsylvania R. R. near Canton.			
Stations.	Latitude.	Longitude.	
Road crossing 2.150 feet east of milepost 107. Road crossing 700 feet west of milepost 104. Canton, crossing of Pennsylvania and Baltimore & Ohio railroads.	0 / // 40 47 11.6 40 46 54.1 40 47 24.2	81 27 56.0 81 25 10.3 81 23 01.	
Along Baltimore & Ohio R. R. between Canton and Ak	ron.		
Canton station Milepost 54, road crossing 1,525 feet south of New Berlin station, road crossing 65 feet north of. Greentown station, road crossing 245 feet north of Myersville station, road crossing 245 feet north of Milepost 44, road crossing 280 feet north of.	40 48 01. 5 40 51 16. 8 40 52 54. 0 40 55 42. 5 40 58 34. 0 40 59 41. 9	81 23 15.1 81 24 48.2 81 25 31.3 81 25 9.8 81 25 35.3 81 26 43.3	
Along Wheeling & Lake Erie R. R. between Canton and mil	epost 67.	,	
Canton, crossing of Pennsylvania R. R. Milepost 63, road crossing 1,826 feet west of. Osnaburg station, road crossing 425 feet east of. Milepost 67, road crossing 1,650 feet east of.	40 47 43.3 40 46 26.4 40 47 03.7 40 45 58.0	81 22 06.3 81 19 16.9 81 16 58.6 81 14 50.9	
CARROLLTON QUADRANGLE.			
Along Wheeling & Lake Eric R. R. from Robertsville to Mi	nerva.		
Stations.	Latitude.	Longitude	
Robertsville station, road crossing 90 feet west of. Milepost 73, road crossing 180 feet south of. Milepost 75, road crossing 450 feet south of. Minerva, crossing of Pennsylvania R. R. (New Philadelphia branch) and Pennsylvania R. R. (mainline) Minerva station, Pennsylvania R. R., road crossing about 2,200 feet northeast of.	0 , ,, 40 45 38.9 40 44 54.2 40 43 09.5 40 43 31.5 40 43 40.3	81 11 20.0 81 09 23.0 81 09 10.3 81 06 25.3 81 06 08.5	
Near Lynchburg.			
Lynchburg, road crossing 0.25 mile south of	40 44 19.4	81 00 02.	
Along Wheeling & Lake Erie R. R. near Barracks.	·	!	
Barracks station, north-south road crossing T. 15 N., R. 7 W., corner stone of secs. 10, 11, 16, and 17; north-south fence at fence west	40 32 00.6 40 32 05.4	81 14 44. 81 14 49.	
Near west border of quadrangle.			
T. 15 N., R. 7 W., north corner of secs. 12 and 18, east-west rail fence at picket fence south	40 33 51.5 40 33 51.5 40 34 30.0 40 35 25.8	81 14 45.0 81 14 45.3 81 14 09.0	
Top of hill; T road east, 10 feet southwest to small apple tree, 27 feet southeast to corner fence post. Marces, 0.75 mile south of, 135 feet north of T road east, in southwest part of stone abutment of wagon bridge; aluminum tablet stamped "Prim, Trav, Sta. No.	40 36 21.9	81 14 17.	
33, 1906" Marces, Catholic Church spire. Marces, T road south, 26 feet southwest to S. Hitt's mail box, 53 feet northwest to southwest corner of yard fence. Mapleton, 1.75 miles south of; T road west, 13 feet northwest to north end of cul-	40 37 27.6 40 38 04.0 40 38 06.8	81 14 42. 81 14 34. 81 14 45.	
vert, 21 feet southwest to south end of same culvert. Mapleton, 1 mile south of; crossroads, 15 feet due east to east end of culvert. Mapleton, crossroads, 20 feet southeast to guidepost, 25 feet northwest to corner of schoolhouse grounds. Milepost 67, 1,650 feet east of; east-west road crossing on Wheeling & Lake Erie	40 43 25.4 40 44 04.1 40 44 47.5	81 14 39. 81 14 48.	
R. R.	40 45 58.0	81 14 50.	

CARROLLTON QUADRANGLE—Continued.

Near south border of quadrangle.

Stations.	Lati	tude.	Lor	ıgit	ude.
T. 14 N., R. 5 W., corner of secs. 19, 20, 25, and 26, at junction of fences. Carrollton, main street crossing on Wheeling & Lake Erie R. R. Tps. 14 and 15 N., Rs. 5 and 6 W., corner of secs. 1, 6, 31, and 36, at junction of fences. Bridge No. 30 B., 1 mile west of brick plant, in southeast corner of stone abutment of bridge; aluminum tablet stamped "Prim. Trav. Sta. No. 31. Ohio, 1906". Scotts station, north-south road crossing. Dellroy, 1.5 miles east of, northwest-southeast road crossing. Dellroy station. Atwood station, road crossing bears S. 41° W., distant 20 feet, in northwest corner of stone retaining wall to culvert; aluminum tablet stamped "Prim. Trav. Sta. No. 32, 1906".	40 34 40 33 40 33 40 33 40 33 40 33	" 4 24.7 4 25.0 3 36.5 6 59.4 6 18.9 6 07.0 6 29.1	81 81 81 81 81 81 81	05 05 07 09 10 12	77 15. 0 16. 4 36. 9 49. 4 14. 4 28. 3 06. 9

Magnetic declination for east border, 1° 53' W.; for west border, 2° 20' W.

CELINA QUADRANGLE.

Along Cincinnati Northern R. R.

Stations.	Latitude.	Longitude.
	0 , ,,	· , ,,
Blind siding, road crossing east-west, 200 feet south of	40 30 07.5	84 36 32.1 84 35 05.4
Pike crossing east-west. Celina, main toad crossing in southwest part of town. Cemetery, road crossing east-west at.	40 31 39.4	84 34 35.7
Cemetery, road crossing east-west at	40 33 37.8	84 34 39.6 84 35 09.3
Road crossing east-west Schoolhouse, east-west road crossing 0.25 mile west of.	40 35 49.4 40 36 41.8	84 35 53.5 84 36 23.4
Road crossing east-west. Tana, road crossing east-west.	40 37 34.2	84 36 53.4
Tana, road crossing east-west	40 38 00.3 40 39 18.6	84 37 08.5 84 37 52.2
Road crossing east-west. Rockford, road crossing	40 40 37.3	84 38 32.9 84 38 43.0
Road crossing northeast-southwest.	40 41 52.5	84 38 41.4
Road crossing northeast-southwest. Road crossing north-south Schoolhouse, road crossing east-west 0.25 mile east of	40 42 53.2 40 44 32.2	84 38 16.0 84 37 33.3
		<u> </u>
Along highways near west border of quadrangle.		
T. 3 S., R. 1 E., corner of secs. 26, 27, 34, and 35; T road north	40 44 33.1	84 43 37.3
Township line crossing north-south road; also Van Wert-Mercer county line T. 4S., R. 1 E., center of sec. 2.	40 43 41.0	84 44 11.8 84 43 05.0
T AS R 1 E center of sec. 11: crossroads	40 42 22.0	84 43 04.6
T. 4S., R. 1 E., center of sec. 14; crossroads T. 4S., R. 1 E., corner of secs. 14, 15, 22, and 23; crossroads. T. 4S., R. 1 E., corner of secs. 22, 23, 26, and 27; crossroads.	40 41 29.7 40 41 03.7	84 43 04.3 84 43 38.7
T. 4 S., R. 1 E., corner of secs. 22, 23, 26, and 27; crossroads	40 40 11.3 40 39 18.6	84 43 38.8 84 43 38.6
T. 4S., R. 1 E., corner of secs. 26, 27, 34, and 35; crossroads	40 38 26.1 40 37 33.7	84 43 38.5 84 43 37.8
T. 5 S., R. 1 E., corner of secs. 2, 3, 10, and 11; crossroads	40 37 33.7	. 84 43 37.8
north to corner of secs. 10, 11, 14, and 15, T. 5 S., R. 1 E.; iron post stamped "Prim Tray Sta. No. 22. Ohio, 1909"	40 36 40.9	84 43 38.2
"Prim. Trav. Sta. No. 22. Ohio, 1909". T. 5 S., R. 1 E., corner of secs. 14, 15, 22, and 23; crossroads. T. 5 S., R. 1 E., corner of secs. 22, 23, 26, and 27; T road east.	40 35 48.6 40 34 56.0	84 43 38.5 84 43 36.6
T. 5 S., R. 1 E., corner of secs, 26, 27, 34, and 35; crossroads	40 34 03.4	84 43 37.6
Tps. 5 and 6 S., R. 1 E., corner of secs. 2, 3, 34, and 35. T. 6 S., R. 1 E., corner of secs. 2, 3, 10, and 11; crossroads.	40 32 18.3	84 43 36.7 84 43 36.7
T. 6 S., R. 1 E., corner of secs. 10, 11, 14, and 15; T road west	40 31 25.8	84 43 36.8 84 43 36.8
1. U. N., 200 2 20, Octable Of Book 22, 20, and and octable octable octable.		22 25 50.0

Magnetic declination for west border, 0° 46' E.

8702°-Bull. 552-14---3

CHAGRIN FALLS QUADRANGLE.

Along highways in northwest corner of quadrangle.

•	Stations.	٠,	Latitude.		Longitud		ude.	
North Woodland, f	four corners		。 41	, 29	" 10. 1	81	, 29	,, 52.3
Three corners; road fence Orauga Hill Church	four corners1 to north, 20 feet north to telephone pole, h; four corners, 35 feet northwest to telep	, 25 feet south to high hone pole	41 41	29 29	31. 0 30. 1	81 81	28 26	36.9 18.2

CHARDON QUADRANGLE.

Along highways near east border of quadrangle.

	Stations.		Latitude.	Longitude.		
Folley's four corners Catholic Church, three Trumbull Creek, center	district No. 2, four corners ate corners just south of er of iron highway bridge.		41 39 57.7 41 38 30.4 41 38 08.2	81 00 58.8 81 00 58.6 81 00 59.0 81 00 59.4 81 00 09.9		

Along highways near south border of quadrangle.

Fowlers Mill, 1 mile east of; four corners, 50 feet northeast to signpost, 25 feet southeast to telephone pole.	41	31	42.8	81	14	36.5
Munson Township, school district No. 6, four corners at brick schoolhouse	41	31	45.4			00.1
Munson Township, school district No. 6, southeast corner of brick schoolhouse.	41	31	46.2	81	13	01.2
Munson-Newberry town line		30	00.8	81	12	58.7
East Claridon, 1.5 miles southwest of; four corners, 34 feet northwest to nail in						
maple tree, 23 feet southwest to nail in tree.	41	31	12.9	81	07	32.5
Claridon triangulation station of U. S. Lake Survey	41	30	39.38	81	07	05, 33
Baltimore & Ohio R. R., center of track at road crossing.			18.6			07.0
Bridge 300 feet west of four corners; 45 feet south to 3-pronged cherry tree, 75						
feet north to dead oak tree	41	30	04.2	81	04	17.2
Huntsburg, 2 miles south of, four corners; 50 feet northeast to maple tree, 30 feet				-	-	
southeast to signpost "Huntsburg 2 miles, Middlefield 4 miles"	41	30	35.1	81	03	06.4
Huntsburg, 2.5 miles south of, 0.5 mile east of four corners, in corner stone at	[-	-	0.5	
south end of west abutment of steel bridge over branch of Phelps Creek; bronze						
tablet stamped "Prim. Trav. Sta. No. 122"	41		35.2	81	02	37.3
Ashtabula-Geauga county line; four corners, 1.75 miles west of Iona	41	30	31.1	81	00	11.4

Along highways from a point 1 mile east of Fowlers Mill to Painesville.

Chardon, 1 mile southeast of; forks of road, 25 feet east to signpost	41 3	3 43.2	81 1	2 04.6
Chardon, in first stone of banister to west end of stone steps to south entrance to courthouse; aluminum tablet stamped "Prim. Trav. Sta., No. 14"	41 3	4 57.2	81 1	2 12.2
to telephone pole. Concord station, Baltimore & Ohio R. R., center of main track and road	41 3	7 35.1	81 1	3 12.8
crossing. Concord, in large stone at east end of culvert, 250 feet north of Baltimore & Ohio	41 3	9 55.1	81 1	3 18.2
R. R.; bronze tablet stamped "Elevation, 987, Cleveland". Concord Center, four corners, 30 feet northeast to maple tree, 45 feet southwest to	41 3	9 57.3	}	3 18.7
maple tree		0 28.0		3 27.9
northeast to yard fence, 35 feet southeast to maple tree. Painesville, First Congregational Church spire; located by triangulation of U. S.		2 24.1	-	4 20.1
Lake Survey Painesville, intersection of East Main and North State streets.	41 4	3 33.5	81 1	
Painesville, Episcopal Church spire, located by triangulation of U.S. Lake Survey	41 4	3 40.98	81 1	4 35.16

CHILLICOTHE QUADRANGLE.

Along highways near north border of quadrangle.

Stations.	Latitude.	Longitude.
Scioto River, east end of bridge over Scioto River Bridge, 1 mile east of; nail in hub at T road west, 24 feet east to cross on telephone pole, 27 feet northwest to D. W. Kellenberger's mail box Corner of sees. 1, 2, 35, and 36; 15 feet west to stone between Ross and Pickaway counties, 35 feet southeast to cross out on rail fence. Meado, 1 mile southwest of; T road northwest, 21 feet south to cross on gatepost, 30 feet west to cross on fence post. Oak Grove schoolhouse; crossroads, 37 feet north to A. J. & Guy E. Pouter's mail box, 24 feet southwest to cross on large corner fence post. Whistler, crossroads at church, 36 feet northwest to iron fence post, 34 feet southeast to cross on telephone pole. T.11 N., R. 20 W., corner of sees. 28, 29, 32, and 33. Whistler, 1 mile east of; T road north, 36 feet northwest to George Duhrsten's mail box, 18 feet southeast to south end of easternmost culvert. T.11 N., R. 20 W., corner of sees. 27, 28, 33, and 34; T road north, 21 feet south to cross on fence post, 30 feet north to cross on corner fence post. T.11 N., R. 20 W., corner of sees. 27, 28, 33, and 35; T road north, 21 feet south to cross on fence post, 27 feet northwest to cross on corner fence post. T.11 N., R. 20 W., corner of sees. 27, 28, 33, and 35; T road north, 21 feet south to cross on fence post, 27 feet northwest to cross on corner fence post.	39 28 45.6 39 29 49.0 39 29 43.6	82 58 43.4 82 58 42.4 82 53 29.1 82 50 56.8 82 40 19.7 82 48 46.9 82 48 13.4 82 47 40.0 82 46 33.6 82 45 23.5
Along highways near east border of quadrangle.	!	!
Adelphi, 1 mile south of; T road west, 33 feet northwest to cross on corner fence post, 21 feet to northwest corner of stone culvert. George Haddox's residence; Y road east, 10 feet south to cross on board fence, 30 feet west to cross on post. Summit of hill; center of road, 30 feet north to cross on gatepost. Tedron farm, forks of road near head of Piney Creek; 18 feet northwest to cross on fence post, 24 feet east to cross on fence post. Watson Bobbett's farm, T road north; 21 feet south to cross on rail fence. Intersection of roads, about 0.75 mile north of store; 25 feet southwest to mail box, 25 feet east to cross on corner fence post. Store, 0.33 mile south of; T road west, 27 feet northwest to cross on corner fence post, 25 feet south to J. W. Cunningham's mail box. Schoolhouse; T road northwest, 21 feet south to cross on gatepost, 36 feet northeast to cross on board fence. Gillespieville, in ground owned by George Radcliff, southwest corner of Radcliff's residence bears N. 25° 45′ E., distant 98.9 feet, northeast corner of Radcliff's residence bears N. 25° 45′ E., distant 98.9 feet, northeast corner of Radcliff's residence bears S. 35° W., distant 126.3 feet, in top of sandstone post 6 by 10 by 30 inches; aluminum tablet stamped "Prim. Trav. Sta. No. 11". Gillespieville, 1 mile west of; T road south, 27 feet southwest to mail box, 35 feet southeast to cross on fence post. Gillespieville, about 2 miles west of; T road north, 36 feet northeast to cross on corner fence post, 21 feet southwest to cross on walnut tree. Bridge over Walnut Creek, center of. Vinton-Ross county line, road south. T. 9 N., R. 19 W., stone at northwest corner of sec. 19, on Vinton-Ross county line.	39 18 14.6 39 17 20.5 39 16 51.7 39 16 01.9 39 16 09.5 39 16 33.8 39 16 49.2 39 15 10.2 39 15 07.5	82 45 01.7 82 45 41.8 82 45 58.4 82 46 56.5 82 46 38.7 82 46 31.1 82 46 31.1 82 46 25.2 82 47 24.4 82 48 24.0 82 49 29.7 82 45 30.9 82 45 31.2
	Id Chineou	ie.
Schooley station, in C. E. Harness's pasture, on north side of railroad, nail in cross cut on south face of olm tree bears N. 3° 35′ W., distant 51.1 feet, north rail at center of north-south road crossing, azimuth 8° 26′ 50″, distant 519.8 feet, in top of sandstone post 6 by 8 by 30 inches; aluminum tablet stamped "Prim. Trav. Sta. No. 12″. Milepost 104, 1,500 feet northwest of; private road crossing. Gravel pit, 235 feet northwest of west end of switch; private road crossing. Scioto River Bridge, west end of. Chillicothe-Gillespieville pike crossing. Milepost 99, 820 feet west of; pike crossing. Chillicothe, crossing Baltimore & Ohio Southwestern and Norfolk & Western railroads.	39 15 59.0 39 16 47.9 39 17 35.1 39 18 18.9 39 18 50.7 39 19 42.4 39 20 05.3	82 52 11.0 82 53 19.5 82 54 22.0 82 55 20.0 82 56 02.2 82 57 17.3 82 58 12.7
Along highways near west border of quadrangle.		
Schoolhouse No. 2: T lane west, 22 feet east to cross on board fence, 33 feet southwest to cross on fence post. T road east, 29 feet northeast to A. J. Seney's mail box, 33 feet northeast to guidepost. Hopetown; crossroads, 26 feet northeast to C. W. Down's mail box, 50 feet northeast to southwest corner of P. H. Klatz's shoe shop.	39 21 22.3 39 21 50.9 39 22 43.3	82 58 34.6 82 58 33.5 82 58 29.0

CHILLICOTHE QUADRANGLE—Continued.

Along highways near west border of quadrangle—Continued.

Stations.	Latitude.	Longitude.
Hopetown, 1 mile north of; forks of pike, 18 feet east to cross on fence post, 50 feet northwest to arrow painted on corner fence post.	° ' '' 39 23 31.5	82 58 07.
Hopetown, 2 miles north of; cross pikes, 30 feet south to William Albright's mail box, 24 feet northwest to cross on corner fence post. George Mettler's house, on west side of pike opposite, in northeast corner of field, northwest corner of foundation to cornerib, bears S. 22° 15′ E., distant 78.2 feet,	39 24 27.0	82 58 30.7
nail in west face of black locust tree in front yard bears S. 82° 30′ E., distant 54′ feet; iron post set 40 inches in ground, stamped "Prim. Trav. Sta. No. 13" Road east, 28 feet southeast to David Umstead's mail box, 24 feet northeast to corner of yard fence.	39 26 16.6	82 58 35.5
corner of yard fences.	39 27 26.6	82 58 42.0
Along highways from Chillicothe south to southwest corner of	quadrangle.	
Chillicothe, in stone floor to courthouse porch on right side of main entrance to building; aluminum tablet stamped "Prim. Trav. Sta. No. 14.". Chillicothe, crossing of Cincinnati, Hamilton & Dayton Ry, on Paint Street Chillicothe and Portsmouth pikes, center of, at milepost 2 (Chillicothe) Ludbecks siding; crossroads west of, 24 feet east to mail box, 32 feet northwest to cross on telephone pole. Waller, T road southeast at; water trough about 2 miles north of, 27 feet northeast to Blain's mail box, 18 feet northwest to northeast corner of water trough. Waller, T road northwest, 24 feet south to cross on gatepost, 18 feet east to cross on board fence. Waller, 0.75 mile south of, in northeast corner of field owned by Joseph Deuschle, on west side of Chillicothe-Portsmouth pike, nail in east face of apple tree on fence line bears N. 74° 15′ W., distant 39.3 feet, hitching ring in east face of locust tree in front of Deuschle's store bears S. 26° 15′ W., distant 262.1 feet; iron post set 36 inches in ground, stamped "Prim. Trav. Sta. No. 15".	39 19 20.9 39 18 31.2 39 17 53.4 39 17 23.5 39 16 04.1	\$2 58 56. \$2 58 45. \$2 57 51. \$2 57 12. \$2 56 48.6 \$2 57 51.6
Along highways in southwest part of quadrangle.		
Waller, 0.8 mile south of; iron post, elevation 629 feet. Hopetown, 1 mile north of; on Columbus-Chillicothe pike at pike northwest Hopetown, 2 miles north of, 1 mile east of Ross County Infirmary; center of crossroads. Ross County Infirmary, cupola. Ross County Infirmary, south meridian stone.	39 23 31.5	82 58 10.3 82 58 07.4 82 58 30.3 82 59 53. 82 59 58.3

CIRCLEVILLE QUADRANGLE.

Along highways near south border of quadrangle.

Stations.	Latitude.	Longitude.
Nash's Corners; crossroads at, 33 feet southwest to Vernon Estill's mail box, 30	0 / //	0 1 11
feet southeast to cross on corner of fence post	39 30 31.1	82 58 20.7
Nash's Corners, 1 mile east of: T road south, 17 feet northeast to Manger's mail box, 18 feet northwest to cross on gatepost. Nash's Corners, 1.5 miles east of: T road west at small bridge, 3 feet northwest	39 30 29.4	82 57 15.2
to southwest corner of bridge, 15 feet east to southeast corner of bridge	39 30 27.9	82 56 40.
Elmwood station, about 900 feet east of; T road west, 22 feet east to cross on gatepost, 50 feet northwest to cross on telephone pole	39 30 01.6	82 55 28.0
corner of grocery store	39 30 25.1	82 52 55.5
Meade, in West corner of schoolhouse yard, west corner of water table to schoolhouse bears N. 46° 45′ E., distant 38.3 feet, east corner of brick foundation to G. W. Greeg's residence bears S. 25° W., distant 116.3 feet; in top of sandstone block 6 by 12 by 36 inches; aluminum tablet stamped "Prim. Tray. Sta. No.		
Meade, 0.75 mile southeast of; T road southwest, 16 feet southwest to David	39 30 18.0	82 52 40.5
Polling's mail box, 21 feet north to cross on fence post at end of hedge fence Stringtown, in southwest corner of William Ballard's pasture, southeast corner of Levi Imer's store bears N. 24° W., distant 62.4 feet, cross cut on east end of stone culvert bears S. 18° W., distant 38.5 feet, in top of sandstone post 6 by 10	39 30 00.3	82 52 04.3
by 36 inches; aluminum tablet stamped "Prim. Trav. Sta. No. 9"	39 30 03.5	82 46 27.

CIRCLEVILLE QUADRANGLE—Continued.

Along highways in west-central part of quadrangle.

Stations.	Latitude.	Longitude.
Circleville, about 3 miles northwest of; center of standpipe Thomas Brown's field, 150 feet south of entrance to yard, forks of pike at old tollgate; iron post stamped "Prim. Trav. Sta. No. 76. Ohio, 1909". Circleville, north side of courthouse grounds; iron post stamped "Prim. Trav. Sta. No. 4. Ohio, 1906".	39 37 14.2 39 35 54.4 39 36 02.8	82 58 21.0 82 58 20.4 82 56 46.2
Along highways near east border of quadrangle.		
Royalton, at southeast corner of public-school building, northwest corner of foundation of church bears N. 55° E., distant 59.6 feet, southeast corner of foundation of school building bears N. 43° 15′ W., distant 6.3 feet; fron post stamped "Prim Trav. Sta. No. 6. Ohio, 1906". Royalton, 1.33 miles south of; crossroads, 21 feet northwest to willow tree at corner of fence, 27 feet southwest to telephone pole. Royalton Cemetery, crossroads, 23 feet northeast to telephone pole, 27 feet southeast to corner fence post. Royalton Cemetery, 1 mile south of; forks of road, 34 feet east to cross on corner fence post, 39 feet southeast to telephone pole. Royalton Cemetery, about 2 miles south of; road west, 23 feet southwest to osage orange tree, 23 feet southeast to telephone pole. Royalton Cemetery, about 2 miles south of; road west, 23 feet southwest to osage orange tree, 23 feet southeast to telephone pole. Royalton Cemetery, about 2 miles south of; road west, 23 feet southwest to osage orange tree, 23 feet southeast to telephone pole. Royalton Cemetery, about 2 miles south of; road west, 24 feet northwest to sage orange tree, 25 feet southeast to telephone pole. Royalton Cemetery, about 2 miles south of; road west, 24 feet southwest to osage orange tree, 25 feet southeast to telephone pole. Royalton Cemetery, about 2 miles south of; road west, 24 feet northwest to mile box 85, 45 feet southwest to corner blacksmith shop. Crossroads on line between sections, 30 feet northwest and 36 feet southwest to corner fence posts. Clear Creek Township, on Fairfield-Pickaway county line; southeast corner stone of see, 34, T. 12 N., R. 20 W., 16 feet south to cross on gatepost. Tailton-Stringtown pike crossing on Columbus & Southern Ry. Salt Creek, north corner of bridge over. Stringtown, in southwest corner of William Ballard's pasture, southeast corner of Levi Imer's store bears N. 24° W., distant 62.4 feet, cross cut on east end of stone culvert bears S. 18° W., distant 38.5 feet, in top of sandstone post 6 by 10 by 36 inches,	39 33 24.2 39 33 23.8 39 32 18.7 39 31 35.3 39 30 03.5 39 30 46.7 39 30 43.0	82 45 59.0 82 45 46.4 82 45 46.2 82 46 08.2 82 45 37.0 82 45 07.6 82 45 21.1 82 45 34.6 82 46 10.4 82 46 12.8 82 46 17.3 82 46 22.7 82 46 22.7 82 46 22.7
Along Norfolk & Western Ry. from Ashville to Circlevi	lle.	
Ashville, main street crossing on Norfolk & Western Ry. Milepost 25, 575 feet north of; east-west road crossing. T. 2 N., R. 22 W., northeast corner stone of sec. 25. Ritts crossing, 9 feet west of west rail of Norfolk & Western Ry.; iron post stamped "Prim. Trav. Sta. No. 3. Ohio, 1906". East-west township-line crossing. Milepost 29, center of track opposite.	39 42 46. 4 39 41 00. 7 39 40 59. 3 39 39 20. 2 39 39 15. 7 39 37 30. 8	82 57 17. 5 82 57 21. 4 82 56 47. 3 82 57 27. 7 82 57 26. 9 82 56 50. 4
Along highways near west border of quadrangle.		. —
T road east on township line, 36 feet northeast to J. B. Deon's mail box, 24 feet west to old gatepost. Section corners. T road west, 39 feet northwest to corner fence post, 40 feet southwest to D. E. Phillips's mail box. Bridge over creek flowing southwest, center of. Nashs Corners, crossroads.	39 34 00.8 39 34 00.8 39 32 16.0 39 31 31.7 39 30 31.0	82 57 16.8 82 57 30.2 82 58 00.4 82 58 02.5 82 58 20.7

CIRCLEVILLE QUADRANGLE—Continued.

Along highways near north border of quadrangle.

Stations.	Lat	itude.	Lor	ıgit	ude.
South Bloomfield, in southeast corner of public-school grounds, southeast corner of schoolhouse bears N. 39° W., distant 73.1 feet, corner iron fence post bears 69° E., distant 4.5 feet; iron post stamped "Prim. Trav. Sta. No. 2. Ohio, 1906''. Bridge over canal, center of.	39 4	,, 2 58. 4 2 49. 8	82		19.6
Ashville, 0.5 mile east of; T road west on range line, 24 feet due east to cross on fence post. Tps. 2 and 9 N., Rs. 21 and 22 W., corner of sections. Greenfield School, crossroads at north-south range line between Rs. 21 and 22, 36 feet northwest to corner of schoolhouse fence, 39 feet southwest to north end	39 49	2 49.8 2 50.4 2 44.4	82	56	31.5 39.3 39.3
of hedge fence. Schoolhouse, about 700 feet south of crossroads; 24 feet southeast and 22 feet	39 43	3 23.5	82	56	36.6
southwest to corner fence posts. T. 9 N., R. 21 W., northeast corner of sec. 9 T. 9 N, R. 21 W., about 0.25 mile south of, northeast corner of sec. 10, east of road	39 43	3 21.2 3 36.3	82	53	13.5 26.5
at T road east; fron post stamped "Prim. Trav. Sta. No. 5. Ohio, 1906" Crossroads, 27 feet southwest to corner fence post, 25 feet southeast to G. W. Payne's mail box.		3 25. 5 3 22. 7			16.1 05.1
Fairfield-Pickaway county line, crossroads, 27 feet southeast to corner fence post, 33 feet northwest to guidepost. Bridge over creek flowing southwest, center of. T. 13 N., R. 20 W., northeast corner stone of sec. 5.	39 43 39 43	3 21.6 3 31.2 1 02.8	82 82	49 48	52.0 30.9 29.0

Magnetic declination for north border, 0° 38′ E.; for east border, 0° 10′ W.; for west border, 1° 17′ E.

CLEVELAND QUADRANGLE.

Between Warrensville triangulation station of the United States Lake Survey and Bedford, along highways.

Stations.	L	Latitude.		Latitude. Lo		Longitude.	
Warrensville triangulation station. Randall station on Erie R. R., about one-fourth mile west of; road crossing near post office. Bedford station on Pennsylvania R. R.	41	28 25	29. 01 42. 6 24. 1	81 81	30 32	11.96	
Along Pennsylvania R. R. between Bedford and Macedo	nia.						
A. B. & C. Electric Ry. crossing. Macedonia, 1 mile north of; road crossing. Macedonia station.	41	20	04. 4 08. 2 48. 3	81	1 30	36. 5 53. 4 36. 3	

COLUMBIANA QUADRANGLE.

Along Pittsburgh, Lisbon & Western R. R. in south part of quadrangle.

Stations.	Latitude.		Latitude.		Latitude.		Latitude.		Latitude.		Longitude.	
American Pipe Co., road crossing 0.25 mile east of Road crossing under trestle Elkton, north-south road crossing at station Newhouse, block of switch to mine Summit, second road crossing south of station Rogers, road crossing 1 mile west of Rogers, in southeast corner of Ida M. Rogers's farm, on north side of Pittsburg, Lisbon & Western R. R., southeast abutment to wagon bridge bears N. 9° 45 W., distant 202.8 feet, cross on northeast corner of foundation to D. M. Miller's	40 40 40 40 40 40 40 40	6 02.3 5 55.8 5 52.8 6 51.8 7 53.7 7 38.1	80 44 80 42 80 41 80 41	16.7 34.2								
residence bears S. 4° 40′ E., distant 644 feet, in sandstone post; aluminum tablet stamped "Prim. Trav. Sta. No. 46". Rogers, road crossing 0.75 mile east of. Millrock station, road crossing. Private road crossing at spur. Negley, north-south road crossing at station. Ohio-Pennsylvania State line monument No. 81, stone is 25 feet east of center of north-south road.	40 47 40 47 40 47	7 35. 6 7 42. 1 7 56. 1 7 55. 5 7 27. 5 7 49. 98	80 36 80 35 80 34 80 32	58.5 31.2 30.8 20.5								

COLUMBUS GROVE QUADRANGLE.

Along highways near west border of quadrangle.

Stations.	Latitude.	Longitude
T. 1 S., Rs. 5 and 6 E., corner of secs. 1, 6, 7, and 12. T. 1 S., R. 5 E., corner of secs. 11, 12, 13, and 14. T. 1 S., R. 5 E., corner of secs. 23, 24, 25, and 26. Tps. 1 and 2 S., R. 5 E., corner of secs. 1, 2, 35, and 36. T. 2 S., R. 5 E., corner of secs. 13, 14, 23, and 24. T. 2 S., R. 5 E., corner of secs. 25, 26, 35, and 36. T. 3 S., R. 5 E., corner of secs. 1, 2, 11, and 12. T. 3 S., R. 5 E., corner of secs. 13, 14, 23, and 24.	40 57 42.6 40 55 58.8 40 54 14.5 40 51 35.6 40 49 51.9 40 48 07.8	84 14 37. 84 14 37. 84 14 36.
Along highways near east border of quadrangle.		
Rockport, crossroads at, 25 feet northeast to pump, 33 feet northwest to cross cut on telephone pole. T. 2 S., R. 7 E., quarter corner between secs. 1 and 12; crossroads. T road south at small bridge, 18 feet southeast to cross cut on south end of bridge, 25 feet southeast to cross cut on corner fence post. Schoolhouse of subdistrict No. 1, intersection of roads, 18 feet southwest to south end of stone culvert, 15 feet west to cross on telephone pole. T. 1 S., R. 7 E., north corner of secs. 1 and 2; T road south, 32 feet southwest to cross on corner fence post, 45 feet southeast to cross on telephone pole.	40 52 17. 5 40 53 26. 8 40 57 48. 9 40 58 41. 5 40 59 34. 2	84 00,00.0 84 00 15.8 84 00 01.3 84 00 46.8 84 00 53.6

CONESVILLE QUADRANGLE.

Along Wheeling & Lake Erie R. R. near Ellis.

Stations.	Latitude.	Longitude.
Milepost 5, north-south road crossing	40 01 46.9	
Along highways near east border of quadrangle.		
Seth McCleary's residence, 0.25 mile east of; T road north, 16 feet north to mail box, 24 feet northeast to cross on corner fence post. Wills Creek, W. Roderick's bridge over, north end of T. 4 N., R. 5 W., quarter corner between secs. 23 and 24, stone. Otsego, 2 miles north of; crossroads, 9 feet southeast to J. E. Simmons's mail box, 18 feet east to cross on fence post. Otsego, in southwest corner of public-school grounds; iron post stamped "Prim. Trav. Sta. No. 59, 1905". Otsego, 2.5 miles south of, 0.25 mile northeast of covered bridge; crossroads, 27 feet northwest to cross on telegraph pole, 22 feet southwest to cross on gatepost. D. W. Ross's mail box, T road west. Corner of sections (no numbers).	40 10 00.7 40 09 41.5 40 08 55.5 40 07 04.3 40 05 06.4 40 03 29.8	81 45 37.9 81 46 20.0 81 46 22.2 81 46 07.7 81 45 59.0 81 46 01.2 81 46 26.3 81 46 11.0

Magnetic declination for north border, 0° 34′ E.; for south border, 1° 52′ W.; for east border, 2° 10′ W.

CONNEAUT QUADRANGLE.

Along bighways from Jefferson east to milepost 15 on Ohio-Pennsylvania State line.

Stations.	Latitude.	Longitude.
Jefferson, Lake Shore & Michigan Southern Ry., 1.37 miles east of, forks of road to southeast. Forks of road. Lake Shore & Michigan Southern Ry. low-grade line, crossing. Four corners. Giddings post office, four corners at. Gould post office, three corners at church just north of. Bridge over creek, center of. Pierpont, three corners at soldiers' monument. Pierpont, 1.75 miles east of; four corners. Milepost 15, Ohio-Pennsylvania State line, three corners near. Milepost 15	41 45 06.5 41 45 03.8 41 45 04.5 41 45 05.4 41 45 07.4 41 45 03.9 41 45 08.4 41 45 09.7	80 43 34.8 80 42 18.8 80 41 07.8 80 40 04.0 80 37 22.0 80 36 05.7 80 34 13.4

CONTINENTAL QUADRANGLE.

Along Cincinnati, Hamilton & Dayton Ry.

inong omonium, indicate to buy ton My.		
Stations	Latitude.	Longitude
Road crossing, north-south Grover Hill station Grover Hill, main street crossing T. 1 N., Rs. 3 and 4 E., corner of secs. 19, 30, 24, and 25. Road crossing, north-south Roselms station. Road crossing, north-south Road crossing, north-south Road crossing, north-south Erie Canal crossing. T. 1 N., Rs. 4 and 5 E., corner of secs. 19, 30, 24, and 25. Road crossing, north-south	41 01 08.4 41 01 08.4 41 01 09.9 41 01 09.3 41 01 09.6 41 01 10.0 41 01 10.3 41 01 11.1 41 01 12.2 41 01 11.2 41 01 12.2 41 01 12.2 41 01 12.3 41 01 12.3 41 01 12.3	84 29 44. 84 28 38. 84 28 34. 84 27 25. 84 25 47. 84 23 58. 84 23 24. 84 20 31. 84 19 21. 84 18 46. 84 18 17 24. 84 17 38. 84 17 14. 84 15 54.
Along highways near west border of quadrangle.	<u>' </u>	
T. 1 N., R. 3 E., at crossroads 1 mile north and 1 mile west of Grover Hill, in southeast corner of field owned by F. M. Saul; iron post stamped "Prim. Trav. Sta. No. 4, 1965". T. 1 N., R. 3 E., corner of secs. 10, 11, 14, and 15; crossroads. T. 1 N., R. 3 E., corner of secs. 2, 3, 10, and 11; crossroads. T. 1 N., R. 3 E., corner of secs. 26, 27, 33, and 34; crossroads. T. 2 N., R. 3 E., corner of secs. 26, 27, 33, and 34; crossroads. T. 2 N., R. 3 E., corner of secs. 22, 23, 26, and 27; crossroads. T. 2 N., R. 3 E., corner of secs. 22, 23, 26, and 27; crossroads. T. 2 N., R. 3 E., corner of secs. 10, 11, 14, and 15; crossroads. T. 2 N., R. 3 E., corner of Secs. 10, 11, 14, and 15; crossroads. T. 2 N., R. 3 E., corner of secs. 10, 11, 14, and 15; crossroads. T. 2 N., R. 3 E., corner of secs. 10, 11, 14, and 15; crossroads. T. 2 N., R. 3 E., corner of secs. 24, 27, 34, and 10; crossroads. T. 3 N., R. 3 E., corner of secs. 26, 27, 34, and 35; crossroads. T. 3 N., R. 3 E., corner of secs. 26, 27, 34, and 37; center of bridge over canal. Sixmile Creek, center of bridge over T. 3 N., R. 3 E., corner of secs. 20, 23, 26, and 27; center of bridge over canal. Sixmile Creek, center of bridge over T. 3 N., R. 3 E., corner of secs. 23, 10, and 11; crossroads. T. 3 N., R. 3 E., corner of secs. 23, 10, and 15; T road west. T. 3 N., R. 3 E., corner of secs. 23, 10, and 11; crossroads. T. 3 N., R. 3 E., corner of secs. 23, 10, and 11; crossroads. T. 3 N., R. 3 E., corner of secs. 23, 10, and 11; crossroads.	41 02 53.9 41 03 46.3 41 04 39.1 41 05 31.5 41 06 24.3 41 07 17.0 41 08 09.2 41 09 01.7 41 09 01.3 41 10 47.9	84 29 44. 84 29 42. 84 29 43. 84 29 43. 84 29 43. 84 29 43. 84 29 44.
Near Grover Hill.		•
Grover Hill, 1 mile south and 1 mile west of, at southwest corner of crossroads, 20 feet east and 25 feet north to T. 1 N., R. 3 E., corner of secs. 26, 27, 34, and 35, crossroads; iron post stamped "Prim. Trav. Sta. No. 12. Ohio, 1909"	41 00 16.7	84 29 44.

COSHOCTON QUADRANGLE.

Along Cleveland, Akron & Columbus Ry. from Warsaw to Killbuck.

Stations.	L	Latitude.		Latitude. I		Longitude		ude.
Warsaw, 1 mile northeast of; road crossing. Warsaw, 1.33 miles northeast of; road crossing. Warsaw, 1.75 miles northeast of; road crossing. Killbuck Creek, center of iron bridge over. Metham, 500 feet northwest of station; north end of road crossing Metham, 1.25 miles northeast of station; center of iron bridge over Killbuck Creek. Blissfield, road crossing on main track 150 feet west of station Blissfield, in northwest corner of C. W. Lepley's front yard, 25 feet south of station, 150 feet southwest of road crossing, 12 feet southeast to northwest corner of Dr. Lepley's office; iron post stamped "Prim, Trav. Sta. No. 15, 1907"	40 40 40 40 40 40	20 20 21 22 23 24	07. 3 11. 5 30. 9 19. 8 05. 9 00. 3 01. 2	81 81 81 81 81 81	58 57 57 59 58 58	21. 6 12. 7 37. 4 38. 6 05. 6 10. 7 11. 2		

PRIMARY TRAVERSE.

COSHOCTON QUADRANGLE—Continued.

Along Cleveland, Akron & Columbus Ry. from Warsaw to Killbuck-Continued.

Stations.	Latitude.	Longitude.
Helmick station, road crossing. Layland Sand & Stone Co.'s works, opposite northeast corner of; main track Layland, road crossing just north of station. Layland, 1.25 miles north of station, center pier of iron railroad bridge over Killbuck Creek. Killbuck, 1.66 miles south of; second-class road crossing. Killbuck, at south edge of; road crossing.	40 26 12.0	81 56 42.9 81 57 40.3 81 57 59.3 81 58 16.3 81 58 41.4 81 58 59.3
Along highways near north border of quadrangle.		
Killbuck, 0.75 mile southeast of; center of triangle at T road west, 20 feet south to large stone. Killbuck, 1.25 miles east of; in triangle at T road south guidepost "Coshocton 21 miles" T. 9 N., R. 13 W., corner of secs. 7, 8, 13, and 14. T road west opposite F. C. Shepler's residence, 15 feet east to front gate, 30 feet north to telegraph pole.	40 29 22.4 40 29 25.3 40 29 39.6 40 29 26.0	81 58 39.7 81 57 59.6 81 56 59.3 81 55 41.5
. Along highways near south border of quadrangle.		
Guidepost "Coshocton 7 miles," road south, 60 feet southeast to guidepost, 24 feet northeast to cross on corner of rail fence. Center of Sixmile bridge at crossroads. Pleasant Hill Church, 1 mile east of; road to southwest, 42 feet southwest to A. C. Warren's mail box, 28 feet northwest to peach tree. Coshocton, 3.5 miles west of, just northwest of Joseph Kirker's residence; T road north, 21 feet southeast to cross on fence post, 21 feet west to cross on rail fence. Junction of Mount Vernon and Tyrone roads, 300 feet south of, center of iron bridge over creek. Roscoe, center of bridge over Ohio Canal. Coshocton, in southeast corner of Coshocton County courthouse; aluminum tablet stamped "Prim. Trav. Sta. No. 57, 1905".	40 15 10.8 40 15 03.7 40 15 01.2 40 15 47.7 46 16 18.6 40 16 45.2 40 16 28.0	81 59 07.4 81 57 40.7 81 56 12.2 81 55 07.8 81 53 31.2 81 52 33.0 81 51 57.4
Along Pennsylvania R. R.		
Milepost 71, 0.25 mile west of; road crossing on siding south of main track	40 17 17.2 40 17 03.7 40 16 52.5 40 16 42.7	81 50 08.3 81 48 52.3 81 47 44.8 81 46 07.4

Magnetic declination for north border, 2° 37′ W.; for south border, 0° 34′ E.; for east border, 2° 18′ W.; for west border, 2° 12′ W.

COVINGTON QUADRANGLE.

Along highways near west border of quadrangle.

Stations.	Lati	tude.	Lon	gitu	ide.
Tps. 7, 8, and 9 N., Rs. 3 and 4 E., corner of secs. 1, 6, 31, and 36. Tps. 8 and 9 N., Rs. 3 and 4 E., corner of secs. 25, 30, 31, and 36. Tps. 8 and 9 N., Rs. 3 and 4 E., corner of secs. 19, 24, 25, and 30. Tps. 8 and 9 N., Rs. 3 and 4 E., corner of secs. 13, 18, 19, and 24. Tps. 8 and 9 N., Rs. 3 and 4 E., corner of secs. 7, 12, 13, and 18. Tps. 8 and 9 N., Rs. 3 and 4 E., corner of secs. 1, 6, 7, and 12. Tps. 8, 9, and 10 N., Rs. 3 and 4 E., corner of secs. 1, 6, 31, and 36. Gettysburg, crossing of Main Street and north-south road. Gettysburg, crossroads 0.5 mile north of Pennsylvania R. R. at north-south road crossing, 400 feet east of milepost 87, azimuth 103° 20'. Oakland Church, T road south, 0.25 mile east of.	40 00 40 01 40 02 40 03 40 03 40 04 40 05 40 06 40 07	07.9 00.5 53.0 45.2 43.2	84 84 84 84 84 84 84 84	29 29 29 29 29 29 29 29 29 29 29 29 29 2	" 16. 3 17. 8 19. 4 21. 1 22. 8 24. 3 26. 1 44. 4 50. 9 53. 1 53. 6

COVINGTON QUADRANGLE—Continued.

Along highways near north border of quadrangle.

Stations.	Lati	tude.	Lon	gitı	ıde.
F. 7 N., B. 6 E., west corner of secs. 18 and 19. F. 9 N., R. 5 E., east corner of secs. 13 and 24. Bunker Flat schoolhouse, 0.5 mile east of; crossroads. F. 9 N., R. 5 E., corner of secs. 10, 11, 14, and 15; crossroads. F. 9 N., R. 5 E., corner of secs. 9, 10, 15, and 16, near schoolhouse, at fence north-south; east-west road. Bouston, in south part of, at E. C. Mitchell's store; T road west, 15 feet south and 15 feet east to guidepost "Piqua 9 miles, Russia 4 miles". Houston, 1 mile west of, in top of southeast corner of abutment of railway bridge; aluminum tablet stamped "Prim. Trav. Sta. No. 30. Ohio, 1909". F. 10 N., R. 4 E., corner of secs. 9, 10, 15, and 16, Shelby-Darke county line; T road south. Catholic cemetery, T road south. Versailles, 1 mile north of, at southeast corner of T road east, 20 feet north and 20	40 13 40 14 40 14 40 14 40 14 40 14 40 14	3 42.6 3 41.0 4 20.0 4 32.2 4 31.8 4 57.0 4 56.2 4 28.1 4 27.4	84 84 84 84 84 84 84	15 16 18 19 20 21 26	77 42. 5 42. 6 18. 1 01. 2 08. 9 06. 5 20. 2 00. 6 54. 2
feet east of its center; iron post stamped "Prim. Trav. Sta. No. 31. Ohio, 1909".	40 14	1 27.2	84	29	03.5

Along highways east-west through center of quadrangle.

Tps. 6 and 8 N., Rs. 5 and 6 E., quarter corner between secs. 13 and 18	40 08 52.8 40 08 52.6	84 15 34.3 84 16 08.3
Piqua corporation line, T road north	40 08 52.4	84 16 42.6
T. 8 N., R. 5 E., quarter corner between secs. 14 and 15; crossroads.	40 08 51.8	84 17 54.4
T. 8 N., R. 5 E., quarter corner between secs. 15 and 16; T road south		84 19 01.6
T. 8 N., R. 5 E., quarter corner between secs. 16 and 17; T road south	40 08 48.7	84 20 10.0
Covington, 2 miles north of, at southeast corner of crossroads, 25 feet west and 15	10 00 10.7	01 20 10.0
feet north of crossroads; fron post stamped "Prim. Trav. Sta. No. 38, 1909,		
Ohio"	40 08 50.5	84 21 08.9
T. 8 N., R. 5 E., corner of secs. 17, 18, 19, and 20.		84 21 18.0
Quarter corner, T. 8 N., R. 5 E., secs. 19 and 20; T road west	40 07 55.6	84 21 17.6
Covington large steel water tank		84 21 21.9
Covington, large steel water tank T. 8 N., R. 5 E., quarter corner on west side of sec. 19; T road east	40 07 54.2	84 22 25.6
T. 9 N., R. 4 E., quarter corner on east side of sec. 24; T road west	40 07 53.8	84 22 25.6
T. 9 N., R. 4 E., quarter corner between secs. 23 and 24; crossroads.	40 07 53.0	84 23 34.7
T. 9 N., R. 4 E., corner of secs. 13, 14, 22, and 29; crossroads	40 08 18 6	84 24 43.8
T. 9 N., R. 4 E., corner of secs. 15, 16, 21, and 22, on Miami-Darke county line	40 08 17.8	
T. 9 N., R. 4 E., corner of secs. 16, 17, 20, and 21; crossroads	40 08 16.8	
T. 9 N., R. 4 E., corner of secs. 17, 18, 19, and 20.	40 08 15.6	84 28 08.9
Bradford, 2.5 miles west and 0.5 mile north of, on south side of east-west road,	1 20 00 20.0	00-00.0
765 feet east of quarter corner between secs. 18 and 19, T. 9 N., R. 4 E., at cross-	1	
roads, about 3 feet north of east-west fence; iron post stamped "Prim. Trav.	i l	
Sta. No. 39. Ohio, 1909".	40 08 14.9	84 28 33.3
	<u>'</u>	

Magnetic declination for north border, 0° 04′ E.; for east border, 0° 12′ E.; for center line through quadrangle, 0° 02′ E.

CRESTLINE QUADRANGLE.

Along highways east-west through center of quadrangle.

Stations.	Latitude.	Longitude.	Distance between stations.
Shenandoah, 1.25 miles south and 0.25 mile west of; center of T road east. Shenandoah, 2 miles south and 0.8 mile west of, at northeast corner of forks of road, 25 feet south and 30 feet west to northeast point of	0 / // 40 53 40.6	82 30 17.2	Fect.
triangle formed by roads; iron post stamped "Prim. Trav. Sta. No. 50. Ohio, 1910" T. 22 N., R. 18 W., stone at corner of secs. 4, 5, 8, and 9; center of T	40 53 09.0 40 53 14.5	82 30 47.0 82 31 57.6	3,927
road east. Ganges, 1 mile south of, center of crossroads. T.22 N., R. 18 W., quarter corner between secs. 1 and 2. Fred Bricker's mail box, center of T road west.	40 53 39.9	82 33 21.7 82 34 17.3 82 34 17.3	5, 450 6, 959 4, 272 875
Bunkerhill schoolhouse, just south of; crossing of New State road and east-westroad. Shelby, 2 miles east of, at northwest corner of London Cemetery, 35	40 53 00.5	82 35 24.5	5, 572
feet west and 20 feet north to stone in center of crossroads; iron post stamped "Prim. Trav. Sta. No. 51. Ohio, 1910"	40 53 10.3	82 37 19.4	8, 823
south fence line at schoolhouse No. 2	40 53 09.9	82 37 46.2	2,060

CRESTLINE QUADRANGLE—Continued.

Along highways east-west through center of quadrangle—Continued.

Stations.	Latitude.	Longitude.	Distance between stations.
•	0 , ,,	0 / //	Feet.
T. 22 N., R. 19 W., stone at corner of secs. 4, 5, 8, and 9	40 53 09.1	82 38 54.5	5, 249
St. Louis R. R., east track. Tps. 22 and 23 N., Rs. 19 and 20 W., stone at corner of secs. 1, 6, 7,	40 53 10.3	82 39 39.6	3,470
and 12	40 53 09.0	82 41 09.1	6,880
Troad north, center of	40 53 09.3	82 41 09.1	35
T. 21 N., R. 20 W., quarter corner between secs. 1 and 2; T road north T. 21 N., R. 20 W., quarter corner between secs. 2 and 3; Richland-	40 53 37.4	82 42 19.4	6, 120
Crawford county line T. 21 N., R. 20 W., quarter corner between secs. 3 and 4; center of T	40 53 37.0	82 43 29.0	5, 350
road east.	40 53 36.3	82 44 37.6	5, 270
Prim. Trav. Sta. No. 24, 1906	40 52 58.50	82 44 33.40	

Along highways near east border of quadrangle.

Stations.	Latitude.	Longitude.
United Brethren Church Road west. Road east. Road east Crossroads Road west. Road east. Mansfield, flagstaff of State reformatory.	40 52 22.7 40 50 55.1 40 49 21.3 40 47 57.0	82 30 27. 2 82 30 15. 8 82 30 46. 5 82 30 49. 6 82 30 48. 2 82 30 47. 1 82 30 47. 7 82 30 10. 3

Along highways near south border of quadrangle.

			,
T. 20 N., R. 20 W., northeast corner of sec. 21, T road south at schoolhouse, 30			
feet southwest to corner fence post, 25 feet west to large white-oak tree	40 4	6 09.8	82 44 45
Crawford-Richland county line	40 4	6 09.2	82 43 35
south fence at schoolhouse No. 3		6 08.8	82 42 28
Schoolhouse No. 10, road north, 20 feet north to center of box culvert	40 4	5 58.2	82 40 01
Trav. Sta. No. 23. Ohio, 1906"	40 4	5 36.9	82 38 51
Ontario, 0.66 mile east of; T road north, 30 feet northwest to telephone pole, 39 feet northeast to corner fence post	40 4	5 35.9	82 37 59
Ontario, 1.75 miles east of; east-west road crossing on Erie R.R	40 4	5 35.0	82 36 25
to north end of culvert, 24 feet southeast to south end of culvert		5 34.0	82 35 25
T. 21 N., R. 19 W., quarter-corner stone east side of sec. 19. Milepost 271, 645 feet east of; north-south road crossing on Erie R.R.		5 33.6 6 13.9	82 34 16 82 33 06
Mansfield, crossing of Erie and Baltimore & Ohio railroads, just east of Erie			
station		5 59.4 6 59.2	82 31 01 82 30 11
			i

Near north border of quadrangle.

New Pittsburg, T. 1 N., R. 24 W., south corner of secs. 1 and 4; T road north at hotel. T. 22 N., R. 20 W., north corner of secs. 2 and 3; corner of Richland and Crawford	40 5	43.3	82 43 49.	. 1
counties at Huron County line T. 22 N., R. 20 W., north corner of secs. 1 and 2: wire fence south		9 43.2 9 42.8	82 43 29. 82 42 20.	
T. 22 N., R. 20 W., north corner of secs. 1 and 6; wire fence south	40 5	9 42.4	82 41 12. 82 39 57.	. 8
Plymouth, 0.75 mile east of; county-line road crossing on Northern Ohio Ry Plymouth, 2 miles east of, T. 1 N., Rs. 22 and 23 W., south corner stone of secs. 1		9 40.7.	82 39 00.	
and 4 bears N. 12° 15′ W. 18. 5 feet, nail in blaze on cherry tree bears N. 57° 40′ E. 76. 6 feet; iron post stamped "Prim. Trav. Sta. No. 28. Ohio, 1906''	40.5	39.5	82 37 50.	6
T. 22 N., R. 19 W., north corner of secs. 3 and 4; wire fence south	40 5	9 39.8	82 37 47. 82 36 38.	. 8
T. 1 N., R. 22 W., south corner of secs. 1 and 4; crossroads, 30 feet southwest to W. Hulburt's mail box, 33 feet northwest to large corner fence post.		38.1	82 34 57.	
11. Indibates man box, so less not mess to large corner lence post	10 0	, 00.1	02 04 07.	

CRESTLINE QUADRANGLE-Continued.

Along west border of quadrangle.

Stations.	Latit	ude.	Lon	git	ıde.
choolhouse No. 4, 0. 25 mile north of; crossroads, 21 feet southeast to telegraph pole, 26 feet northwest to corner fence post. 21 N., R. 20 W., northeast corner stone of sec. 28. 21 N., R. 20 W., northeast corner stone of sec. 21. 21 N., R. 20 W., northeast corner stone of sec. 21. 22 N., R. 20 W., northeast corner of sec. 16, 9 feet south to center of culvert. 21 N., R. 20 W., northeast corner of sec. 12, 22 feet, nail in maple tree bears S. 18* 15* W. 50.8 feet; iron post stamped "Prim. Trav. Sta. No. 24. 21 N., R. 20 W., northeast corner stone of sec. 4. 22 N., R. 20 W., southeast corner of sec. 33. 22 N., R. 20 W., northeast corner of sec. 28; crossroads, 27 feet northwest to mail box, 33 feet northeast to corner fence post. 22 N., R. 20 W., northeast corner of sec. 21; crossroads, 27 feet southwest to corner fence post, 27 feet northwest to telegraph pole. 22 N., R. 20 W., northeast corner of sec. 16; east-west fence. 22 N., R. 20 W., northeast corner of sec. 9; crossroads, 25 feet due south to center of box culvert. filepost 325, about 300 feet east of; north-south road crossing on Northern Ohio Ry 22 N., R. 20 W., northeast corner of sec. 4, T road south; Crawford-Huron	° , 40 49 40 50	54. 2 33. 8 24. 4 17. 4 58. 5 04. 2 04. 2 49. 1 41. 6 34. 7 27. 4 57. 1	\$2 \$2 \$2 \$2 \$2 \$2 \$2 \$2 \$2 \$2	-, 44 44 44 44 44 44 44	

Magnetic declination for north border, 1° 34′ W.; for south border, 1° 52′ W.; for west border, 1° 03′ W.; for east-west center line, 2° 03′ W.

CUMBERLAND QUADRANGLE.

Along highways near south border of quadrangle.

Stations.	Latitude.	Longitude.
Morgan County, at northeast corner of, on west side of road opposite cemetery, stone corner, about 2 feet from corner of rail fence	39 45 09.8 39 45 28.8	81 38 24.5 81 40 20.4 81 41 28.2 81 42 55.6 81 44 03.0 81 44 57.9

Magnetic declination for south border, 2° 21′ W.; for west border, 1° 38′ W.

DAYTON QUADRANGLE.

Near milepost 376 on Erie R. R.

Stations.	Latitude.	Longitude.
Mileposts 376 and 377, on Eric R. R., road crossing halfway between	。 , ,, 39 51 28.1	84 00 37.9

Along Cleveland, Cincinnati, Chicago & St. Louis Ry. between Osborn and Dayton.

Osborn, road crossing 1 mile north of station Osborn, road crossing north of station Osborn, north-south road crossing. Gravel road and telephone road crossing at Simms, road crossing at Pike and telephone road crossing, east-west. Harshman, road crossing at Street-car trestle, road crossing at Dayton, Third Street car track, crossing of Dayton, first street-car line east of station, crossing of	39 50 39. 2 39 50 33. 9 39 49 43. 4 39 48 35. 8 39 47 12. 9 39 46 54. 8 39 46 41. 2	84 01 58.8 84 02 05.7 84 03 04.8 84 04 23.9 84 06 42.6 84 07 14.7 84 08 22.9
--	---	--

DAYTON QUADRANGLE—Continued.

Along Pittsburgh, Cincinnati, Chicago & St. Louis Ry. near Dayton.

Stations.	Latitude.	Longitude.
Dayton, Germantown Street, crossing of. Dayton, Third Street car line, crossing of. Wagon-bridge crossing, at north end of.	9 45 04.1 39 45 20.6 39 46 01.5	84 12 24. 0 84 12 57. 2 84 14 09. 9
Along highways near south border of quadrangle.		
Beaver Creek schoolhouse, T road south, \(\frac{1}{2}\) mile north of. Beaver Creek schoolhouse, T road south, \(\frac{1}{2}\) mile south of. T. 3 N., R. 7 E., quarter corner between secs. 22 and 28. T. 3 N., R. 7 E., quarter corner between secs. 28 and 34. Big Woods schoolhouse, crossroads at. T road north. Montgomery-Greene county line, at Fifth Street road. Cincinnati, Hamilton & Dayton Ry. at Fifth Street road crossing. East Dayton, intersection of Smithville road and Huffman Avenue. Dayton, crossing of Huffman and Linden avenues. Dayton, crossing of Dayton & Union R. R. on Third Street. Dayton, crossing of Third and Main streets. West Dayton, West Third Street crossing on Cincinnati, Hamilton & Dayton Ry.	39 45 11. 1 39 45 17. 2 39 45 17. 2 39 45 19. 3 39 45 24. 4 39 45 29. 7 39 45 34. 7 39 45 32. 2 39 45 40. 3	84 00 43. 4 84 00 47. 6 84 01 28. 6 84 02 31. 2 84 03 14. 3 84 04 37. 4 84 06 00. 9 84 07 18. 7 84 08 18. 6 84 09 32. 6 84 10 55. 5 84 11 30. 3 84 14 23. 1
Along highways near west border of quadrangle.		
Dayton, northwest part of; intersection of Salem and Oxford avenues. Dayton, intersection of Salem Avenue and Catalpa Drive T. 2 N., R. 6 E., corner of secs. 17, 18, 19, and 20. T. 2 N., R. 6 E., corner of secs. 7, 8, 17, and 18. Shiloh Church, crossroads at Tps. 2, 3, 4, and 5 N., Rs. 5 and 6 E., corner of secs. 31, 36, 1, and 6. T. 3 N., R. 6 E., quarter corner between secs. 30 and 31. Spanker, crossroads at Spanker, T road east 1 mile north of. Crossing of National road and north-south road. T. 3 N., R. 6 E., quarter corner between secs. 6 and 7. Tps. 3 and 4 N., R. 6 E., quarter corner between secs. 6 and 31, on Montgomery-Miami county line. T. 4 N., R. 6 E., quarter corner between secs. 31 and 32. Schoolhouse No. 5, intersection of northeast-southwest road and road south. Troy, crossroads 5 miles southwest of.	39 46 56.9 39 47 27.7 39 48 20.6 39 49 11.4 39 50 01.4 39 50 53.8 39 51 33.0 39 52 16.6 39 53 13.4 39 54 28.3	84 12 40.9 84 13 31.7 84 14 06.0 84 14 05.9 84 14 07.4 84 15 15.2 84 14 44.0 84 14 42.3 84 14 43.6 84 14 45.1 84 14 45.1 84 14 45.1 84 14 46.8 84 14 12.8 84 14 12.8
Along highways near north border of quadrangle.		
T. 4 N., R. 6 E., corner of secs. 4, 5, 8, and 9, on west side of north-south road, just north of crossroads; iron post stamped "Prim. Trav. Sta. No. 40. Ohio, 1909". T. 4 N., R. 6 E., corner of secs. 4, 5, 8, and 9, crossroads near. T. 4 N., R. 5 E., corner of secs. 5, 6, 7, and 8. Troy, crossroads, 4 miles southwest of. T. 4 N., R. 6 E. corner of secs. 9, 10, 15, and 16. Schoolhouse No. 11, crossroads near. Lost Creek, center of bridge over. Grayson, road crossing on Cleveland, Cincinnati, Chicago & St. Louis Ry., azimuth 312° 40'. Ragtown, T road south at. T. 2 N., R. 10 E., corner of secs. 14, 15, 20, and 21. T. 2 N., R. 10 E., corner of secs. 8, 9, 14, and 15. T. 2 N., R. 10 E., corner of secs. 2, 3, 8, and 9. Crossroads. Alcong, 3 miles east by 1 mile south of, at northwest corner of Troy-Springfield pike and north-south road, 25 feet north and 20 feet west of crossroads near terms of the power interpret of the prior of the proper described between the proper described prior stamped (Frim Tray Str. No. 42, Ohio 1009).	39 59 44.9 39 59 44.6 39 59 43.0 39 58 51.5 39 58 52.3 39 58 53.5 39 59 07.4 39 59 57.4 39 59 57.4 39 59 49.1 39 59 42.4	84 13 20.1 84 13 19.9 84 14 19.7 84 13 20.4 84 12 17.4 84 11 08.1 84 09 40.9 84 08 39.3 84 07 29.5 84 05 47.2 84 04 39.1 84 63 31.6 84 00 02.5
pike and north-south road, 25 feet north and 20 feet west of crossroads near township house; iron post stamped "Prim. Trav. Sta. No. 43, Ohio, 1909"	39 59 42.7	84 00 02.7
Along highways near east border of quadrangle.		
T. 3 N., R. 10 E., corner of secs. 21, 22, 27, and 28. T. 3 N., R. 10 E., corner of secs. 20, 21, 26, and 27. Midway, crossing of pikes at Tecumseh Hotel	39 55 17. 7 39 54 25. 2 39 52 55. 6	84 00 29.9 84 00 35.6 84 00 35.0

DEFIANCE QUADRANGLE. Along Lake Shore & Michigan Southern Ry.

Stations.	Latitude.	Longitude.
Mileposts 48 and 49, north-south road crossing between. Milepost 49, north-south road crossing near. Mileposts 49 and 50, north-south road crossing between. Mileposts 50 and 51, north-south road crossing between. Mileposts 51 and 52, north-south road crossing between.	41 29 58. 2 41 29 50. 5 41 29 43. 9 41 29 32. 9 41 29 21. 4	84 26 05.3 84 26 52.0 84 27 31.7 84 28 38.9 84 29 48.5
In northwest corner of quadrangle.		
T. 6 N., R. 3 E., northeast corner of sec. 11, in northwest corner of field owned by S. J. Bowman, southwest corner of schoolhouse bears N. 26° 30′ E., distant 161 feet; iron post stamped "Prim. Trav. Sta. No. 15, 1905"	41 29 59.5	84 28 38.8
Along Wabash R. R. and Baltimore & Ohio R. R. near south bord	er of quadr	angle.
Ashwood, 1 mile west of station; crossing of north-south road on section line	41 17 11.7	84 28 34.7 84 27 25.3 84 26 16.6 84 22 43.3 84 21 39.6 84 21 03.5 84 18 49.7 84 17 41.6 84 15 57.1 84 29 45.3 84 29 34.6
Near northeast corner of quadrangle.	·	,
Ridgeville corners, crossroads.	41 26 15.8	84 15 26.0
DELAWARE QUADRANGLE.		
Along highways near east border of quadrangle.		
Stations.	Latitude.	Longitude.
Marion-Morrow county line Corner of lots 15, 14, 20, and 21; road east-west. T. 7 N., R. 18 W., corner of lots 21, 22, 20, and 19; crossroads. T. 6 N., R. 18 W., corner of lots 13, 8, 7, and 14, pike east-west, schoolhouse Crossroads, corner of lot 15 at turn east. Road crossing on Big Four Route. T. 5 N., R. 18 W., sec. 3, lots 22 and 23, Edin-Delaware Pike northeast-southwest. Pike east-west, old railroad crossing. On pike southeast-northwest, road south. Road east-west.	40 29 08.1 40 28 20.1 40 27 21.6 40 24 43.0 40 23 49.9 40 19 53.6 40 18 32.7 40 17 46.6 40 17 17.7 40 16 08.1	83 00 25.9 83 00 27.9 83 00 32.0 83 00 04.2 83 00 10.6 83 00 33.0 83 00 37.8 83 00 59.2 83 00 02.2
From milepost 103 along Hocking Valley Ry. to a point near l	Prospect.	
Milepost 103, crossing 340 feet south of	40 15 12.6 40 17 18.3	83 05 08.5 83 04 59.8
Azimuth 185° 10' Delaware, north azimuth stone, 105 feet north of center of street and 72 feet east of railroad; limestone post, 36 by 6 by 6 inches, set 30 inches in ground, copper bolt cemented in center of top. Azimuth 5° 10' Delaware station, crossing 50 feet north of. Siding, crossing 150 feet south of south end of. Milepost 95, crossing 200 feet north of. Radnor station, crossing 160 feet north of. Milepost 90 and 91, crossing halfway between. Prospect station, crossing at. Crossing, four corners.	40 17 34.5 40 17 47.0 40 17 58.7 40 20 00.3 40 21 51.6 40 23 09.6 40 25 22.7 40 27 06.1 40 29 28.0	83 04 58.4 83 04 56.9 83 04 57.4 83 06 03.3 83 07 15.9 83 08 06.0 83 09 39.1 83 10 45.7 83 09 59.3

DELAWARE QUADRANGLE—Continued.

Along highways near west border of quadrangle.

Stations.	Latitude.	Longitude.	Distance between stations.
New Dover, 2.5 miles east of, in northeast corner of stone abutment to bridge over Mill Creek at T road south; aluminum tablet stamped "Prim. Trav. Sta. No. 74. Ohio, 1910". T road south Delaware-Union county line, stone at Delaware-Union county line, pike at T road north at brick schoolhouse. Magnetic Springs, 1 mile north and 1.5 miles east of, on north side of road, 15 feet north of center of T road south; iron post stamped "Prim. Trav. Sta. No. 82. Ohio, 1910". Delaware-Union county line, stone monument. Roads east, west, and north near schoolhouse. Roads north, east, and south. Hoskins and State road crossing.	40 15 02. 0 40 15 02. 1 40 21 10. 5 40 21 02. 4 40 21 52. 9 40 20 01. 0 40 21 53. 5 40 22 54. 5	83 14 59.6 83 14 18.9 83 14 14.4 83 14 59.6 83 13 51.0 83 14 58.9	3, 270 5, 113

Along highways near southeast corner of quadrangle.

Stations.	Latitude.	Longitude.
Intersection of roads north and south and west, about 800 feet below bridge over Olentangy River T. 4 N., R. 19 W., sees. 1, 2, 3, 4, corner of, road north and south Hocking Valley Ry. road crossing, 340 feet south of milepost 103	40 15 10.4 40 15 12 1	83 03 46.7 83 04 56.4 83 05 08.5

DELPHOS QUADRANGLE.

Along public roads from Elgin to Grover Hill.

Stations.	Latitude.	Longitude.
Elgin, 1.25 miles north of, at T road west, 30 feet east and 15 feet south to center	0 / //	0 / //
of T road; iron post stamped "Prim. Trav. Sta. No. 10. Ohio, 1909"	40 45 45.2	84 28 32.7
Elgin, 1.25 miles north and 0.5 mile west of, 10 feet south to stone; crossroads	40 45 39.6	
Toledo, St. Louis & Western R. R. crossing on north-south road; center of track	40 46 54.5	84 29 06.9
T. 3 S., R. 3 E., corner of secs. 1, 2, 11, and 12, at T road north, near schoolhouse;		
section corner stone	40 48 00.0	84 28 32.5
T.2S., R.3 E., south corner of secs. 35 and 36; T road north	40 48 56.7	84 28 31.8
T. 3 S., R. 3 E., north corner of sees. 1 and 2; T road south	40 48 56.7	84 28 32.7
T. 2 S., R. 3 E., corner of secs. 25, 26, 35, and 36; T road east	40 49 48.6	84 28 31.9
T. 2 S., R. 3 E., corner of secs. 23, 24, 25, and 26. Middlepoint, 1.5 miles west of, 270 feet east of milepost 197, north-south road	40 50 41.0	84 28 31.9
Middlepoint, 1.5 miles west of, 270 feet east of milepost 197, north-south road	40 51 00 5	04 00 00 0
crossing on Pennsylvania R. R.; center of north track	40 51 30.5	84 28 32.0
T. 2 S., R. 3 E., quarter corner between secs. 11 and 14.	40 52 25.2	84 29 07.6
Van Wert County poor farm, 0.25 mile west of, at southeast corner of crossroads,		
30 feet north and 20 feet west to center of crossroads; iron post stamped "Prim.	40 52 42.9	84 29 07.5
Trav. Sta. No. 11. Ohio, 1909"	40 53 43.7	84 29 07. 9
T road east, just west of schoolhouse		84 29 42.2
r. 1 S., R. 3 E., north corner of sees. 2 and 3; 1 road south	40 54 11.2	84 29 41.3
r. 1 S., R. 3 E., south corner of sees. 34 and 35, 1 food not at 1. T. 1 S., R. 3 E., corner of sees. 26, 27, 34, and 35; crossroads	40 55 03.8	84 29 41.3
T. 1 S., R. 3 E., corner of secs. 22, 23, 26, and 27; crossroads	40 55 55.6	84 29 41.6
T. 1 S., R. 3 E., corner of secs. 14, 15, 22, and 23; crossroads.	40 56 47.4	84 29 42.9
1. 1 S., R. 3 E., corner of secs. 14, 15, 22, and 25, crossroads		84 29 42.4
1. 1 S., R. 3 E., corner of sees. 10, 11, 14, and 15, crossroads.	40 58 31.6	84 29 43.1
Tps. 1 S. and 1 N., R. 3 E., corner of secs. 2, 3, 34, and 35; crossroads on Paulding-	10 00 01.0	01 20 40.1
Van Wert county line.	40 59 24.6	84 29 43.6
Grover Hill, 1.25 n.iles south and 1 mile west of, in southeast corner of stone	30 00 24.0	01 20 30.0
retaining wall to bridge; aluminum tablet stamped "730 Ohio"	40 59 40.9	84 29 43.5

DELPHOS QUADRANGLE-Continued.

Along public roads through center of Delphos quadrangle east from Primary Traverse Station No. 11.

Station.	Latitude.	Longitude.
	0 / //	° ' ''
Cemetery, T road north	40 52 43.6	84 28 15.3
Dog Creek, 1 mile north of, near range line, T road east	40 53 17.9	84 27 18.0
T. 2 S., R. 4 E., west corner of secs. 6 and 7.	40 53 17.9	84 27 23.4
T. 2 S., R. 3 E., east corner of secs. 1 and 12	40 53 19.3	84 27 23.4
T. 2 S., R. 4 E., corner of secs. 5, 6, 7, and 8; center of bridge at schoolhouse	40 53 18.2	84 26 11.2
T. 2 S., R. 4 E., corner of secs. 4, 5, 8, and 9; crossroads. T. 2 S., R. 4 E., corner of secs. 3, 4, 9, and 10; crossroads at Bethel Church and	40 53 18.5	84 25 02.8
schoólhouse. T. 2 S., R. 4 E., corner of secs. 2, 3 10, and 11.	40 53 18.5	84 23 53.3
T. 2 S., R. 4 E., corner of secs. 2, 3 10, and 11. T. 2 S., R. 4 E., corner of secs. 1, 2, 11, and 12, at schoolhouse No. 8.	40 53 18.8	84 22 45.2
T. 2 S., R. 4 E., COTHET OF SECS. 1, 2, 11, and 12, 26 SCHOOLHOUSE NO. 6.	40 53 19.1 40 53 20.2	
Miami & Erie Canal, bridge over, at range line. Delphos, 3 miles north of, in southeast corner of east-west road crossing of the Cincinnati, Hamilton & Dayton Ry., 25 feet south and 35 feet east to crossing;	40 55 20.2	84 20 27.0
Cincipact Hamilton & Dayton By 25 feet couth and 25 feet act to sain of the		
iron post stamped "Prim. Trav. Sta. No. 13. Ohio, 1909"	40 53 18.6	84 20 07.6
Fort Jennings, 0.8 mile southwest of, northeast-southwest pike at crossing on	10 00 10.0	01 20 01.0
Cincinnati, Hamilton & Dayton Ry.; center of track.	40 53 45.2	84 18 31.8
Fort Jennings, center of steel bridge over Ottawa River.	40 54 09.6	84 17 44.7
Fort Jennings, 0.8 mile southeast of; T road north		
T. 2 S., R. 5 E., north corner of secs. 2 and 3; T road south.	40 54 14.4	
T. 1 S., R. 5 E., south corner of secs. 34 and 35; T road north.	40 54 14.4	84 15 48.3
Fort Jennings, 3 miles east of, at crossroads on township line, 15 feet south and	20 02 21.1	01 10 30.0
35 feet west to T. 1 S., R. 5 E., south corner of secs. 35 and 36, T road north,		
80 feet east and 30 feet south to T. 2 S., R. 5 E., north corner of secs. 1 and 2, T		
road south; iron post stamped "Prim. Trav. Sta. No. 14. Ohio, 1909"	40 54 14.9	84 14 39.0
T. 1 S., R. 5 E., south corner of secs. 35 and 36; T road north	40 54 14.7	84 14 39.4
T. 1 S., R. 5 E., corner of secs. 25, 26, 35, and 36	40 55 06.8	84 14 39.7

Magnetic declination for south border, 0° 9′ W.; for west border, 6° 1′ W.; for center, 0° 19′ 26″ W.

DESHLER QUADRANGLE.

Along Cincinnati, Hamilton & Dayton Ry., near south border of quadrangle.

Stations.	Latitude.	Longitude
Rs. 7 and 8 E., road crossing between Pike road crossing, north-south	° ' '' 41 01 18.2 41 01 18.2 41 01 18.8 41 01 19.1 41 01 19.1 41 01 19.1 41 01 19.2 41 01 19.3 41 01 19.3 41 01 19.3 41 01 19.4 41 01 19.7 41 01 19.7 41 01 19.7	83 59 45.4 83 58 47.4 83 57 27. 83 55 26. 83 55 19.4 83 55 19.4 83 54 16.4 83 53 59.4 83 54 16.4 83 50 49.5 83 54 49.5
Benton Ridge, road crossing at Benton Ridge, road crossing \(\frac{1}{2} \) mile east of. 8. 9 and 10 E., road crossing between. Road, north-south.	41 01 20.5 41 01 20.7	83 47 57. 83 47 08. 83 45 55. 83 45 04.

Along highways near west border of quadrangle.

T. 1 N., Rs. 7 and 8 E., corner of secs. 7, 18, 13, and 12. T. 2 N., Rs. 7 and 8 E., corner of secs. 25, 30, 31, and 30. T. 2 N., Rs. 7 and 8 E., corner of secs. 18, 19, 24, and 13. T. 2 N., Rs. 7 and 8 E., corner of secs. 1, 6, 7, and 12. T. 3 N., Rs. 7 and 8 E., corner of secs. 25, 30, 31, and 36. T. 3 N., Rs. 7 and 8 E., corner of secs. 25, 30, 31, and 36. T. 3 N., Rs. 7 and 8 E., corner of secs. 18, 19, 24, and 13. T. 3 N., Rs. 7 and 8 E., corner of secs. 18, 19, 24, and 13. T. 3 N., Rs. 7 and 8 E., corner of secs. 1, 6, 7, and 12. Ottawa, 3 miles east of, in southwest corner of James Maidlow's front yard, southwest corner of Maidlow's residence bears N. 44° 30′ E., distant 48 fect, corner post to southwest corner of Maidlow's yard fence bears SW., distant 2 feet, in top of marble post 6 by 6 by 24 inches, set 23 inches in ground; aluminum tablet stamped "Prim. Trav. Sta. No. 4" Cincinnati, Hamilton & Dayton Ry., road crossing between Rs. 7 and 8 E.	41 05 40.1 41 07 24.8 41 09 09.5 41 10 53.0 41 12 37.6 41 14 22.2	83 59 45.5 83 59 46.5 83 59 47.5 83 59 48.0 83 59 50.2 83 59 50.2 83 59 51.2
	, ,	

DESHLER QUADRANGLE—Continued.

Along highways near north border of quadrangle.

Stations.	Latitude.	Longitude.
T. 3 N., R. 8 E., northwest corner of sec. 7, in northwest corner of field; iron post stamped "Prim. Trav. Sta. No. 11, 1905"	41 14 21.9	° ′ ′′ 83 59 50.9
T. 3 N., R. 8 E., corner of secs. 5, 6, 7, and 8; crossroads, 48 feet north to center of bridge over ditch. T. 3 N., R. 8 E., secs. 4, 5, 8, and 9; crossroads. T. 3 N., R. 8 E., west corner of secs. 3 and 10, T road east at schoolhouse; stone.	41 14 22.7 41 14 23.0 41 14 23.6	83 58 41.8 83 57 32.7 83 56 23.3
T. 3 N., R. 8 E., corner of secs. 2, 3, 10, and 11; crossroads, 25 feet west to center of bridgo. T. 3 N., R. 8 E., corner of secs. 1, 2, 11, and 12; 28 feet northwest to John Sher's	41 14 24.4	83 55 13.8
mail box, 30 feet southwest to end of iron bridge. T. 3 N., R. 9 E., west corner of secs. 6 and 7; T road east, 15 feet northwest to small Kentucky coffee tree, Henry-Wood county line, 27 feet northeast to cross on telephone pole. T. 3 N., R. 9 E., northwest corner of sec. 8, in field of Mrs. Rush, southwest corner of schoolhouse bears N. 15° 30′ E., distant 80.8 feet, cross cut on abutment of	41 14 25.1	83 54 04.4 83 52 55.9
bridge bears N. 66° 20′ W., distant 16.8 feet; iron post stamped "Prim. Trav. Sta. No. 12, 1905" T. 3 N., R. 9 E., corner of secs. 4, 5, 8, and 9, 15 feet south to center of bridge over	41 14 26.1	83 51 43.0
ditch, 12 feet north to crossroads. T. 3 N., R. 9 E., corner of secs. 3, 4, 9, and 10, T road west at stone (church and	41 14 26.4	83 50 33.0
schoolhouse), 50 feet south to center of bridge over ditch. T. 3 N., R. 9 E., corner of secs. 2, 3, 10, and 11; crossroads at stone. T. 3 N., R. 9 E., east corner of secs. 2 and 11; crossroads at schoolhouse No. 1,	41 14 26.2 41 14 25.8	83 49 24.4 83 48 14.6
stone	41 14 24.9	83 47 07.2
center of bridge, 21 feét southeast to Mrs. F. A. Lovell's mail box. T. 3 N., R. 10 E., northeast corner of sec. 7, at crossroads at schoolhouse No. 2 cross cut in southwest corner of large stone oulvert bears N. 11° E., distant 17.6 feet, southwest corner of schoolhouse bears N. 48° E., distant 126 feet; iron post stamped "Prim. Trav. Sta. No. 13, 1905"	41 14 26.9 41 14 26.1	83 45 57. 4 83 44 46. 5

DUBLIN QUADRANGLE. From Columbus along Hocking Valley Ry. to Hyatts.

rioni Columbus along Mocking Valley My. to Myatta	•	
Stations.	Latitude.	Longitude.
Columbus, Lane Avenue station; crossing 150 feet south of Olentangy station, crossing under railway 550 feet north of Elmwood station, crossing 200 feet south of Milepost 113, crossing 850 feet north of. Powell station, crossing 160 feet south of. Milepost 107, crossing 170 feet south of. Hyatts station, crossing 1,200 feet south of.	0 / " 40 00 24.3 40 03 48.5 40 05 25.2 40 07 01.8 40 09 29.6 40 11 44.5 40 12 58.3	83 01 55.5 83 02 48.1 83 03 09.4 83 03 09.7 83 04 42.3 83 05 22.7 83 05 17.6
Flag station along Toledo & Ohio Central Ry. to milepos	t 127.	
Flag station, telephone line 200 feet southeast of . Amlin station, crossing 100 feet northwest of . Milepost 122, crossing 300 feet southeast of . Telephone-line crossing . Toledo & Ohlo Central Ry. and Pennsylvania R. R. crossing . Milepost 127, crossing at .	40 01 56.6	83 07 58.4
Along highways near west border of quadrangle.	,	
Pittsburgh, Cincinnati, Chicago & St. Louis Ry., crossing of. Madison-Union county line, stone monument. Fork of road northwest. Schoolhouse No. 9, road west near. Watkins, crossroad in east part of. Roads east, west, and north.	40 05 43.2 40 06 29.8 40 09 50.2 40 11 26.2 40 12 45.5 40 13 53.0	83 14 54.0 83 14 01.3 83 13 44.1 83 14 32.3 83 14 41.0 83 14 46.1

DUBLIN QUADRANGLE—Continued.

Along highways near northeast corner of quadrangle.

Stations.	Latitude.	Longitude
District No. 7 schoolhouse, road south. Cleveland, Cincinnati, Chicago & St. Louis Ry. crossing. Azimuth 176° 56' Columbus-Delaware road.	0 / // 40 14 24.9 40 14 26.0 40 14 31.9	83 00 22. 83 00 46. 83 03 05.
Along highways near east border of quadrangle.		
Delaware-Franklin county line, road east Crossing under Cleveland, Cincinnati, Chicago & St. Louis Ry., turn south on railroad. Flint, road crossing 210 feet north of station Road crossing. Worthington, & mile south of, junction of Pennsylvania and Cleveland, Cincinnati, Chicago & St. Louis railroads. Road crossing. Columbus, intersection of North High Street and West Lane Avenue.	40 05 10.9 40 03 42.0	83 00 16.9 83 00 12.3 83 00 06.4
EAST CINCINNATI QUADRANGLE.		

Stations.	Latitude.	Longitude.
Cincinnati, Mount Lookout astronomic pier. Madisonville station. East Madison ville station. Madeira station. Allandale station. Remington station. Symmes station.	39 09 26.0 39 09 35.3 39 11 17.0	84 25 21.52 84 23 49.0 84 23 10.0 84 21 45.9 84 20 34.4 84 19 26.7 84 17 45.8
Along highways near northwest corner of quadrangle	ı .	
Carthage; crossing of Fifth Street and Cincinnati, Hamilton & Dayton Ry Hartwell, Clark Avenue, east	39 13 18.9	84 28 57.0 84 28 22.6 84 28 15.5
Along highways between Spann and Guinea.		
Spann, 0.2 mile east of; center of T pike south at bridge. Spann, 0.5 mile east of, 91 feet south of south corner of Spann schoolhouse; iron post stamped "Prim. Trav. Sta. No. 95. Ohio, 1909". Wm. Eppert's mail box, center of crossroads. With Eppert's mail box, center of crossroads. Withamsville, Ohio pike at T road north at post office. Withamsville, Ohio pike at T road north at post office. Withamsville, 13 miles north of; east-west pike at center of T road south. Gleniste, north-south pike crossing on Cincinnati, Georgetown & Portsmouth Electric Railroad at station Gleniste, 0.5 mile northwest of; center of T pike north. Dave Hausermann's mail box, bend in road at. Perrintown, 0.7 mile west of, on north side of east-west pike, 10 feet west and 10 feet north of center of T road; iron post stamped "Prim. Trav. Sta. No. 96. Ohio, 1909". Guinea, 0.3 mile northwest of, at store; center of cross pikes.	39 03 52.3 39 05 02.2 39 05 40.1 39 06 21.2 39 07 10.2	84 16 35.4 84 15 46.7 84 16 14.7 84 16 06.9
Guinea, 0.3 mile northwest of, at store; center of cross pikes	39 13 44.7	84 15 22.8

EAST LIBERTY QUADRANGLE. South along highways near west border of quadrangle.

Stations.	Latitud	e. Longitude	Distance between stations.
Belle Center, 1.25 miles south and 1.25 miles east of; crossroads Northwood, in east part of, 20 feet south and 10 feet east to old guidepost; crossroads, on McArthur-Richland township line. Fulton Cemetery; crossroads at. Intersection of Bellefontaine-Northwood pike with east-west road. Intersection of Bellefontaine-Northwood pike with east-west road. Hopewell schoolhouse, T road west at. Bridge over branch, center of. Bellefontaine-New Jerusalem pike at corporation line north-south. Bellefontaine, 1.5 miles east of, at southeast corner of forks of road, 30 feet north and 15 feet west to center of triangle in forks; iron post stamped "Prim. Trav. Sta. No. 92. Ohio, 1910". T road west. Crossroads, 25 feet north to corner fence post. Toledo & Ohio Central Ry. at east-west road crossing. Ludlow pike at pike southeast. T, 14 N., R. 4 E., east corner of secs. 25 and 26; corner of Jefferson, Monroe, and Liberty townships. Road west at schoolhouse. Ludlow pike at pike west. Five Points schoolhouse; crossroads at. Crossroads, guideboard "Bellefontaine 7 miles, Liberty 3 miles". Plat Castle, crossroads at. T road south near old mill.	40 22 03. 40 21 33. 40 20 57. 40 20 16. 40 19 42.	3 83 43 45.8 0 83 43 57.0 0 83 43 40.1 8 83 44 10.8 8 83 44 11.2 9 83 44 68.8 4 83 44 25.3 9 83 43 34.9 1 83 43 34.9 0 83 44 12.7 5 83 43 81.9 0 83 44 12.7 6 83 44 12.7 6 83 44 38.8 1 83 43 83.9 1 83 43 93.9 1 83 43 93.9	0 6,766 1 6,712 5 7,300 8 5,218 8 5,218 3,708 2
East along highways through center of qu	·		· · · · · · · · · · · · · · · · · · ·
Bellefontaine, about 2 miles east of; north meridian stone of Coast and Geodetic Survey. Bellefontaine-New Jerusalem pike, at T road south, at John Karu's mail box. Apple Grove schoolhouse, 0.5 mile east of; T road north. New Jerusalem, T road west at. New Salem Church, road north just east of. Crossroads 130 feet west of township line. North Greenfield, 0.5 mile west of, at northwest corner of crossroads at Hickman schoolhouse, 25 feet south and 25 feet east to center of crossroads; iron post stamped "Prim. Trav. Sta. No. 93. Ohio, 1910". North Greenfield, T road north. Mill Creek schoolhouse, road north at Crossroads. Logan-Union county-line stone.	40 22 17. 40 22 33. 40 22 39. 40 22 30. 40 22 38. 40 23 31. 40 22 33. 40 22 40. 40 22 24. 40 22 02. 40 21 56.	8 83 42 17. 2 5 83 40 40. 6 6 83 39 26. 0 8 83 38 28. 9 0 83 36 55. 9 8 83 36 02. 8 1 83 35 21. 4 83 35 21. 4 83 34 01. 5 8 83 32 57. 0	4,574 7,497 5,844 4,504 7,533 4,939 3,268 6,6,390 5,438
Near north border of quadrangle.			
Big Springs, 1.25 miles west of; crossroads	40 29 53.	6 83 39 28.8	
Near south border of quadrangle.	•		
Moore schoolhouse; crossroads at	40 15 17.	6 83 34 52.2	
Near milepost 83 along Toledo & Ohio Central	Ry. to Lu	nda.	
Stations.		Latitude.	Longitude.
Mileposts 83 and 84; crossing halfway between, 1,450 feet north of creek Milepost 86, crossing 480 feet north of West Mansfield, main road running north from. Milepost 91, crossing 830 feet south of. Lunda station, crossing 400 feet south of.		40 29 21.1 40 27 11.0 40 24 34.3 40 22 59.3 40 21 59.2	83 33 33.6 83 33 16.9 83 32 46.7 83 31 24.0 83 30 31.7
M	ET7 6	, 1:	00 004 77

Magnetic declination for west border, 0° 12′ E. to 0° 13′ W.; for center line, 0° 08′ E.

EDON QUADRANGLE.

Along highways near Ohio-Indiana State line.

Stations.	Lε	ititude.	Long	gitu	ıde.
Tps. 6 and 7 N., R. 1 E., west corner of secs. 6 and 31; T road east. T. 7 N., R. 1 E., stone at corner of secs. 30 and 31. T. 7 N., R. 1 E., west corner of secs. 19 and 30; T road east. Edon, 2 miles west of crossing of Wabash R. R. and Ohio-Indiana State line. T. 7 N., R. 1 E., crossroads at west corner of secs. 7 and 18. T. 7 N., R. 1 E., west corner of secs. 6 and 7; T road east. T. 8 N., R. 1 E., west corner of secs. 30 and 31; T road south Columbia, crossroads. Columbia, road west 1.5 miles north of. Store; T road east just south of, 0.33 mile north of schoolhouse, 33 feet southeast to mail box, 44 feet northeast to apple tree. Ohio-Indiana State line, T road east, 1.25 miles south of northwest corner of Ohio. T road east. Ohio-Indiana-Michigan State corner	41 41 41 41 41 41 41 41 41	32 54.7 34 14.7 35 07.0 36 47.4 37 58.8 39 11.6 40 16.3 40 41.9	84 84 84 84 84 84 84 84 84	48 48 48 48 48 47 47 47 47	15. 2 15. 7 16. 4 16. 7 18. 0 18. 7 20. 0 19. 4 37. 1 45. 0 21. 3 21. 1 21. 1
Near Ohio-Michigan State line.					•
T. 9 S., R. 4 W., corner of secs. 8, 9, 16, and 17; T road north T. 9 S., R. 4 W., corner of secs. 9, 10, 15, and 16; T road north	41 41	41 35.4 41 36.3	84 84		10. 9 01. 1

ELMORE QUADRANGLE.

From Risingsun along Hocking Valley Ry. to a point near Lemoyne.

Stations.	Latitude.		Latitude. Lon		Longitud	
Risingsun station, crossing 130 feet south of T. 4 N, R. 12 E., corner of secs. 11, 12, 13, and 14. Bradner station, crossing 150 feet north of. Milepost 21, crossing 840 feet south of Pemberville station, crossing 80 feet north of. T. 5 N, R. 12 E., corner of secs. 2, 3, 10, and 11 Milepost 16, crossing 480 feet south of. Lemoyne station Pike crossing	41 41 41 41 41	16 18 19 22 24 24	12. 1 28. 6 49. 6	83 83 83 83 83	26 26 26 27 27 27 28	43. 4 14. 6 17. 8 47. 5 11. 3 16. 7 39. 9 25. 7 27. 0

ERA QUADRANGLE.

At Yellowbud.

Latitude. Longitude.

Stations.

Yellowbud, in southeast corner of George Kline's front yard on east side of canal; southeast corner of foundation to Kline's residence bears N. 43° 50′ W., distant 25.9 feet; center of southeast corner fence post of yard bears S. 60° E., distant 3.4 feet; lower hinge of front yard gate bears S. 77° 20′ W., distant 37.4 feet; in 7 by 14 by 26 inch sandstone post; aluminum tablet stamped "Prim. Trav. Sta. No. 7''. Yellowbud, town pump at T road east.		" 0 12.0 0 11.8	83 00 29.8 83 00 35.0
Along highways near south border of quadrangle.			
Schoolhouse No. 9, center of bridge about 1 mile east of. Schoolhouse No. 1, Deerfield township, T road west, 33 feet northwest to cross on board fence, 26 feet southwest to cross on east end of wood steps.		19.1	83 13 49.3 83 12 30.7
Clarksburg, T road north 1.5 miles west of, 30 feet northeast to cross on corner of fence, 33 feet northwest to cross on large corner fence post. Clarksburg, T road northwest 0.75 mile southwest of, 27 feet east to cross on gate-post. 25 feet southeast to cross on telephone pole.		11.4	83 10 46.1 83 09 50.1
Clarksburg, in north corner of James Corcoran's property; southeast corner of foundation of Wilkins's residence bears N. 60° 30′ W., distant 43 feet; northwest corner of brick foundation to James Corcoran's front porch bears S. 30° E., distant 96.3 feet; iron bench-mark post stamped "Prim. Trav. Sta. No. 6"	a39 30	16.2	83 09 11.7

ERA QUADRANGLE—Continued. Along highways near north border of quadrangle.

Stations.	Latitude.	Longitude.
Era, 430 feet west of station; public road crossing on Baltimore & Ohio R. R West Union schoolhouse, 0.5 mile northwest of; road north, 27 feet northwest to corner of yard fence, 15 feet east to corner stone. West Union schoolhouse, 0.33 mile southeast of; T road east, 15 feet to south end of culvert. Saranac, T road northwest, 9 feet south to center of bridge, 24 feet southeast to William Sanderson's mail box. Springdale stock farm, T road southwest, Darby-Millburg township line stone. Big Darby Creek, at ford, on left bank, arrow painted on sycamore tree. Darbyville, 2 miles north of, on east side of Darbyville-Commercial pike at T road west, stone township monument bears S. 72° 14′ W. 14.1 feet; iron post stamped "Prim. Trav. Sta. No. 1, 1906". Shadyside schoolhouse, 1.5 miles east of; stone at T road north Crossroads at Hall's residence, stone. M. L. Thomas's mail box, T road west, 30 feet southwest to elm tree, 34 feet northwest to north end of culvert. Darbyville-South Bloomfield pike, at pike to north, 39 feet east to arrow, 18 feet south to cross on fence post.	39 44 23.2 39 44 07.7 39 43 38.9 39 43 20.4 39 43 56.8 39 43 47.9 30 43 59.6 39 44 40.2 39 44 30.5 39 44 35.1	83 14 38.1 83 12 58.8 83 12 18.6 83 10 45.6 83 09 30.5 83 07 57.1 83 06 14.2 83 04 48.5 83 03 30.6 83 01 25.7 83 01 12.4
Along highways east-west through center of quadrang	le.	
Yankeetown Methodist Episcopal Church, 0.5 mile west of, on Circleville-Yankeetown pike, at T road south. Yankeetown Methodist Episcopal Church, 1 mile east of, on Circleville-Yankeetown pike, at T road north. Monroe township schoolhouse No. 10, on Circleville-Yankeetown pike at road south. Deer Creek, at post office; center of cross pikes. Deer Creek, 1 mile east of post office; center of grass plot at road forks. Peter Justin's mail box, on Circleville-Yankeetown pike, at intersection with T road north. Monroe township schoolhouse No. 1, on Circleville-Yankeetown pike, at intersection with T road south. Williamsport, near; stone on Monroe-Jackson township line. Williamsport, a miles north of, 260 feet east of Monroe-Jackson township line, about 30 feet southwest of T road west; iron post stamped "Prim. Trav. Sta. No. 75, 1909, Ohio" Schoolhouse No. 8, 0.7 mile west of, on Circleville-Yankeetown pike, at T pike north. Schoolhouse No. 8, 2 miles east of, on Circleville-Yankeetown pike, at F. J. Clark's mail box; T pike south. Schoolhouse No. 8, 2 miles east of; T pike north. Circleville, 4.5 miles west of; junction of Circleville-Yankeetown and Circleville-Dayton pikes. Wildwood Parks farm, cross pikes.	39 39 08.1 39 38 35.5 39 38 24.2 39 37 59.8 39 37 38.4 39 37 29.2 39 37 07.4 39 36 48.8 39 36 57.3 39 37 14.0 39 37 24.8 39 37 31.7 39 36 41.8	83 14 44.4 83 12 58.6 83 12 23.0 83 11 05.9 83 10 09.4 83 09 09.8 83 08 24.3 83 07 08.2 83 07 05.0 83 05 54.5 83 04 08.8 83 03 15.1 83 01 40.8 83 01 02.1

Magnetic declination for north border, 1° 56' E.; for center line east-west through quadrangle, 1° 31' W.

FINDLAY QUADRANGLE.

From Cygnet along Toledo & Ohio Central Ry. to milepost 46.

Stations.	L	atit	ude.	Lon	ıgit	ude.
Compatatotica againg 270 fact poeth of			23.5	1		43.3
Cygnet station, crossing 270 feet north of. Milepost 32, crossing at. West corner of sees, 30 and 31, T. 3 N., R. 11 E					38	42.8
West corner of secs. 30 and 31, T. 3 N., R. 11 E	41	10	55. 8 40. 8	83		57.6 42.8
Vanhuren station, crossing 120 feet south of	41	08	17.5	83	38	42.8
Mortimer, road crossing 465 feet south of station	41	06 06	33.4	83		42.9 42.9
Mortimer station Corner Tps. 1 and 2 N., Rs. 10 and 11 E	41	04	49.9	83	38	58.3
North Findlay, crossing of Lake Erie & Western R. R. Findlay, north azimuth stone at 790 feet north of crossing on Cleveland, Cincinnati, Chicago & St. Louis Ry., 320 feet north of street, and 5 feet east of east rail of Toledo & Ohio Central Ry., in limestone post 36 by 7 by 5 inches, set 34	41	02	50.7	83	38	42.2
inches in ground; a copper bolt cemented in top. Findlay, south azimuth stone, 268 feet south of crossing on Cleveland, Cincinnati, Chicago & St. Louis Ry., 4 feet north of sidewalk on Main Street, and 17 feet west of west rail of Toledo & Ohio Central Ry., limestone post 40 by 7 by 5 inches set 36 inches in ground, bronze meridian tablet cemented in center of	41	02	23.4	83	38	38.9
top. Azimuth 178° 02′ 30″ to north stone			13.0 11.0			38. 8 37. 9
Milepost 46, crossing 250 feet south of			20. 4 28. 2			32. 2 28. 2

FINDLAY QUADRANGLE—Continued.

Along Cincinnati, Hamilton & Dayton Ry. near southwest part of quadrangle.

Stations.		Latitude.		Latitude. Long		Latitude. L	tude.
Pike road crossing, northeast-southwest. Road crossing, north-south. Road crossing, north-south. Road crossing, north-south. Road crossing, north-south. Lake Erie & Western R. R. crossing. Road crossing, north-south. Road crossing, north-south. Road crossing, northeast-southwest. Findlay, Main Street crossing. Findlay station.		41 01 41 01 41 01 41 01 41 01 41 01	20.8 20.7 20.7 20.5 20.4 20.4 20.4 20.5 20.5	83 4: 83 4: 83 4 83 4: 83 4: 83 4: 83 3:	4 19.64 4 13.13 3 39.14 2 46.8 1 54.3 1 00.2 0 45.3 0 05.4 9 01.6 8 59.8		

Along highways near west border of quadrangle.

Lake Erie & Western Ry, crossing.	41 00 45.2	83 41 54.5
T. 1 N., R. 10 E., quarter corner between secs. 15 and 16.		83 42 29.2
T. 1 N., R. 10 E., quarter corner between secs. 9 and 10.	41 03 30.9	83 42 29.4
Cincinnati, Hamilton & Dayton Ry. crossing	41 04 59.2	83 43 36.9
T. 2 N., R. 10 E., corner of secs. 28, 29, 32, and 33	41 05 42.6	83 43 37.1
T. 2 N., R. 10 E., corner of secs. 16, 17, 20, and 21		83 43 37.9
Road northeast-southwest	41 09 34.5	83 43 38.43
T. 3 N., R. 10 E., corner of secs. 28, 29, 32, and 33	41 10 58.1	83 43 36.9
T. 3 N., R. 10 E., corner of secs. 20, 21, 28, and 29	41 11 50.1	83 43 37.8
T. 3 N., R. 10 E., corner of secs. 16, 17, 20, and 21		83 43 38, 1
T. 3 N., R. 10 E., corner of secs. 4, 5, 8, and 9	41 14 26.6	83 43 38.5

FOSTORIA QUADRANGLE.

From milepost 45 along Hocking Valley Ry. to a point near Longley.

Stations.	Latitude.	Longitude.
Milepost 45, crossing 900 feet north of. Alvada station, crossing 100 feet north of. Siding, crossing 190 feet south of south end of. Crossing of telephone line. Fostoria, south azimuth stone, 7 feet east of east rail on Hocking Valley Ry., in arch culvert east of Fostoria Bulb & Bottle Co.'s works; bronze meridian tablet cemented in culvert. Azimuth, 179° 35', 25''. Fostoria, north azimuth stone, 500 feet south of Baltimore & Ohio and Hocking	41 05 38.5	83 24 23.1
Valley railroad crossing, and 7 feet east of east rail of Hocking Valley Ry., sandstone post 36 by 8 by 8 inches, set 34 inches in ground; copper bolt cemented in center of top. Fostoria, street-car crossing on Hocking Valley and Toledo & Ohio Central railways Fostoria station, Hocking Valley Ry. Milepost 33, crossing 1,300 feet north of. Longley station, crossing 320 feet north of. T. 3 N., Rs. 12 and 13 E., corner of secs. 7, 18, 13, 12.	41 09 40.7 41 12 11.9	83 24 37.1 83 25 02.2

Near southeast corner of quadrangle.

FRAZEYSBURG QUADRANGLE. Along highways near north border of quadrangle.

. Stations.	Latitude.	Longitude.
Fallsburg, road west at hotel, 42 feet northwest to cross on telegraph pole, 58 feet southeast to stone step to store.	40 12 16.6	82 14 18.
southeast to stone step to store. Secs. 12 and 13, quarter corner between Wakatomika Creek, just east of Eli Frey's residence, east end of covered bridge over	40 12 47.2° 40 13 15.1	82 13 58. 82 13 16.
over Frampton, at schoolhouse, corner stone to secs. 1, 2, 9, and 10 Frampton, 1 mile east of, at Licking-Coshocton county line, T road south; forked	40 13 37.8 40 13 40.6	82 12 11.
post. Crossroads, guidepost ("Bladensburg 8 miles") French Melick's residence, road north at; cross on telegraph pole. West Carlisle, 1.3 miles west of; road south, 15 feet to cross on fence post, 33 feet	40 13 47.0 40 14 13.5 40 14 10.6	82 11 01. 82 09 54. 82 09 21. 82 08 26.
west to cross on telegraph pole. West Carlisle, in southwest corner of lot of H. M. Robinson; northwest corner of Presbyterian Church bears S. 1° 30′ E., distant 123 feet; nall in east face of locust tree bears N. 83° W., distant 46.2 feet; iron post stamped "Prim. Trav. Sta. No. 55, 106.5°.	:	
55, 1905". Cooperdale, 1.66 miles west of; forks of road, 36 feet southwest to cross on fence post, 35 feet southeast to cross on corner of rail fence.	40 13 43.7	82 07 00. 82 05 50.
Along Cleveland, Akron & Columbus Ry. from Cooperdale to I	unnel Hill.	
Cooperdale, 0.33 mile north of; road crossing. Tunnel Hill 1.75 miles south of east-west road crossing.	40 13 22.6 40 14 00.2	82 04 05. 82 03 48.
Cooperdale, 0.33 mile north of; road crossing Tunnel Hill, 1.75 miles south of east-west road crossing Tunnel Hill, 0.75 mile south of; northwest-southeast road crossing Tunnel Hill, road crossing	40 14 47.0 40 15 17.4	82 03 13. 82 02 56.
Along Wheeling & Lake Erie and Cincinnati & Muskingum Valley railr	oads near D	resden.
Vheeling & Lake Erie R. R. milepost No. 11; center of track opposite Dresden, 2 miles south of, just north of milepost No. 4; east-west road crossing of	40 04 40.8	82 00 01.
Cincinnati & Muskingum Valley R. R. Wilenost 3 east-west road crossing 500 feet north of	40 05 41.5 40 06 33.5	82 01 02. 82 00 42.
Dresden, near northwest corner of public-school grounds, northwest corner of schoolhouse bears N. 80° E., distant 137.3 feet; nail in root of maple tree bears S. 30° 30′ E. distant 13 feet; iron post stamped "Prim. Trav. Sta. No. 54, 1905" Canal, road crossing under railroad bridge.	40 07 17.8 40 07 57.6	82 00 49. 82 01 02.
Along Cleveland, Akron & Columbus Ry. from Trinway to Wa	katomika.	
Prinway station, just west of, crossing of Cleveland, Akron & Columbus and Pennsylvania railroads, main line, north track. Prinway, 2 miles north of, northwest-southeast road crossing, at covered bridge Wakatomika, 0.5 mile south of, east-west road crossing. Wakatomika, 0.5 mile north of, road crossing. East-west road crossing.	40 08 36.3 40 10 16.3 40 11 19.2 40 12 06.2 40 12 45.1	82 00 54. 82 01 48. 82 02 19. 82 03 04. 82 03 36.
Along highways near Fallsburg.		
Second-class T road east, 10 feet east to oak tree, 15 feet southeast to oak	40 14 08.3	82 14 01.
Second-class T road east, 10 feet east to oak tree, 15 feet southeast to oak Pallsburg, about 1.5 miles north of, 150 feet east of covered bridge over Wakatomika Creek; Charles Smith's mail box in triangle at forks of road	40 13 18.9	82 14 16.
Along Baltimore & Ohio R. R. from Pleasant Valley to mile	post 85.	
Pleasant Valley, 1.5 miles southeast of, opposite milepost 86; center of track Milepost 85, private-road crossing, 275 feet east of	40 00 09.7 40 00 02.6	82 06 54. 82 05 48.
Along highways near Hanover.		
Reform, 1.5 miles south of; T road east at H. L. Smith's residence, 36 feet southeast to cross on gatepost, 45 feet southwest to H. L. Smith's mail box. Hanover, 1 mile northeast of; five corners, 24 feet southeast to cross on corner fence post, 32 feet east to cross on picket at corner of fence.	40 06 47.1 40 05 34.5	82 14 49. 82 14 53.
Magnetic declination for well-hander 00 (C/ W/ for the hand	}	

Magnetic declination for north border, 0° 46′ W.; for west border, 3° 08′ w

FREDERICKTOWN QUADRANGLE. Along highways near north border of quadrangle.

Along nighways near north border of qua	drangie.		
Stations.	Latitude.	Longitude.	Distance between stations.
Fredericktown, at milepost 84 in north part of, road crossing Baltimore & Ohio Southwestern R. R. Fredericktown, 1.5 miles west and 1 mile north of; center of crossroads. Fredericktown, 3.25 miles west and 1 mile north of; center of T road	° ' '' 40 29 16.8 40 29 42.2 40 29 44.5	82 32 42.8 82 34 34.3 82 36 22.8	Feet. 9,003
north. Fredericktown, 4.8 miles west and 1 mile north of, in south end of concrete culvert at crossroads, 15 feet west and 15 feet north to center of crossroads; aluminum tablet stamped "Prim. Trav. Sta. No. 58. Ohio, 1910". Knox-Morrow county line. Chesterville, 2 miles north and 1.25 miles east of; center of T road south. Crossroads.	40 29 47.3 40 29 48.6 40 29 52.3 40 30 11.4	82 37 42.0 82 38 08.2 82 39 34.0 82 40 29.6	6,131 2,028 6,650 4,710
Along highways east-west through center of	quadrangle	•	
Mount Vernon, 1 mile west of, at northwest corner of T road east at steel bridge over Kokoshing River, 30 feet south to north end of stone water trough, 25 feet south and 65 feet east to northwest corner of bridge, 15 feet east by 35 feet south to center of T road east; iron post stamped "Prim. Trav. Sta. No. 70. Ohio, 1910". Mount Vernon, 2.5 miles west of; center of T road north. Liberty-Clinton township line; center of T road at. Mount Vernon, 4 miles west of, center of crossroads; guide board "Green Valley 14 miles". Liberty Chapel schoolhouse, 0.8 mile west of; center of T road north. Polk schoolhouse, center of crossroads. Polk schoolhouse, center of crossroads 0.8 mile west of. Sparta, 3.5 miles east and 1 mile north of, in northeast corner of schoolhouse yard at crossroads, 30 feet north and 25 feet east to center of crossroads; iron post stamped "Prim. Trav. Sta. No. 71. Ohio, 1910".	40 23 35.1 40 23 55.2 40 24 00.6 40 24 10.3 40 24 10.9 40 24 09.9	82 30 27.7 82 31 54.4 82 32 42.0 82 33 50.3 82 35 02.6 82 35 50.9 82 36 39.1 82 37 56.3	7,015 3,730 5,383 5,594 3,750 3,736 6,008
Knox-Morrow county, line, center of east-west road. Sparta, 2.5 miles east and 0.5 mile north of; stone in center of cross- roads. Sparta, 1.25 miles east of; center of crossroads. Sparta, in northeast part of; junction of northeast-southwest road at road west. T. 6 N., R. 15 W., quarter corner between secs. 6 and 7; center of T road south. T. 6 N., R. 15 W., quarter corner on west side of sec. 6; center of cross- roads.	40 24 09.5 40 24 03.0 40 23 49.8 40 23 54.1 40 23 57.7 40 24 01.12	82 38 32.4 82 39 08.6 82 40 39.7 82 41 43.8 82 43 19.5	2,879 2,885 7,171 4,990 7,419
Along highways near west border of qua	<u> </u>		.,
Knox-Delaware county line, junction of roads on. Centerburg, 2.5 miles west of, at turn of road, 20 feet south to telephone pole; Delaware-Knox county line. Centerburg, 3 miles west of; center of T road north. Valls Corners, guide post. Bloomfield, 1 mile west and 0.5 mile north of, 2.8 miles southwest of Sparta, near southwest corner of J. D. Shorr's yard at T road north, 50 feet south and 20 feet west to center of T road; iron post stamped "Prim Trav. Sta. No. 72. Ohio, 1910" T road west, 10 feet west to northeast corner of triangle. T. 6 N., R. 15 W., stone at corner of secs. 5 and 6; crossroads. Tps. 6 and 7 N., R. 15 W., west corner of secs. 5 and 25. Penlam, 1 mile south of; center of T road north at J. R. Ulery's mail	40 17 03.1 40 18 25.5 40 18 30.6 40 21 54.6 40 22 11.6 40 22 47.2 40 24 36.5 40 25 18.7	82 45 01.4 82 44 55.0 82 45 38.1 82 45 13.7 82 44 40.3 82 44 40.3 82 44 23.1 82 44 19.6	8,357 3,375 3,107 3,611 4,280
box Penlam, stone at center of crossroads. Penlam, 1 mile north of; center of T road north, 60 feet east to T road south. Penlam, 2 miles north of; center of T road south. Stone at center of crossroads, guide board "Maringo 6 miles, Chesterville 3.5 miles, Cardington 7.5 miles".	40 25 53.6	82 44 51.5 82 44 47.5 82 44 44.1 82 44 39.9 82 45 26.0	4,315 5,091 5,106 5,439 3,571
Along highways near east border of qua	drangle.		
Prim. Trav. Sta. No. 38 at Homer. Homer, 1 mile north by 0.25 mile east of; center of crossroads, Knox-Licking county line, 8 feet west to stone. Homer, 2 miles north and 0.25 mile east of; center of T road west. Brandon, 1.5 miles south of; center of T road west. Brandon, t mile north of; center of T road west. Miller-Clinton township line, center of north-south road. Forks of road.	40 16 48.5 40 17 21.1 40 18 44.9 40 19 32.3 40 20 19.7	82 31 20.62 82 31 01.8 82 30 55.0 82 30 50.4 82 30 36.8 82 30 28.8 82 30 24.6 82 20 45.3	5,316 4,920 3,320 8,549 4,836 4,807 5,981

PRIMARY TRAVERSE.

FREDERICKTOWN QUADRANGLE-Continued.

Along highways near southeast corner of quadrangle.

Stations.	Lati	tude.	Lo	ngi	tude,
Homer, 1.66 miles west of, T road south, 42 feet southeast to cross on corner fence post, 40 feet southwest to hickory tree. Otter Creek east, center of covered bridge over. Homer, in northwest part of public-school grounds, northwest corner of school-	40 18 40 18	5 25.5 5 11.0	82	32	
house foundation bears S. 3° 45′ W., distant 78 feet, iron pump bears S. 70° W., distant 11.3 feet; iron post stamped "Prim. Trav. Sta. No. 38, 1905"	40 18	09.60	82	31	20.62

Magnetic declination for north border, 1° 11′ W.; for east border, 1° 15′ W.; for west border, 0° 57′ W.; for east-west line through center, 1° 20′ W.

FREMONT QUADRANGLE.

Along highways near west and south borders of quadrangle.

Stations.	Latitude.	Longitude.
T. 6 N., R. 14 E., corner of secs. 15, 16, 21, and 22; road east-west. Road east-west. Lake Shore Ry. Azimuth 314° 41′ 20″. T. 5 N., R. 14 E., corner of secs. 3, 4, 9, and 10; road east. Hossville, crossing of electric railway in southeast part. Road east-west. T. 5 N., R. 14 E., corner of secs. 26, 27, 34, and 35; road east-west. Tps. 4 and 5 N., R. 14 E., corner of secs. 2, 3, 34, and 35. Corner of secs. 2, 3, 10, and 11; road east-west. Road east-west. Lake Erie & Western R. R. Azimuth 48° 50′. Roads north, south, east, and west. Road southwest. Road northeast. Road northeast. Road north-south. T. 4 N., R. 15 E., center of sec. 33 T. 4 N., R. 15 E., quarter corner between secs. 33 and 34. Tps. 3 and 4 N., R. 15 E., corner of secs. 2, 3, 34, and 35; road north. Tps. 3 and 4 N., R. 15 E., corner of secs. 3, 4, 33, and 34. Tps. 3 and 4 N., R. 15 E., corner of secs. 1, 2, 35, and 36; road north. Tps. 3 and 4 N., R. 15 E., corner of secs. 1, 2, 35, and 36; road north. Tps. 3 and 4 N., R. 16 E., corner of secs. 5, 6, 31, and 32; road north. Tps. 3 and 4 N., R. 16 E., corner of secs. 5, 6, 31, and 32; road north. Tps. 3 and 4 N., R. 16 E., corner of secs. 5, 6, 31, and 32; road north. Tps. 3 and 4 N., R. 16 E., corner of secs. 3, 4, 33, and 34. Tps. 3 and 4 N., R. 16 E., corner of secs. 5, 6, 31, and 32; road north. Tps. 3 and 4 N., R. 16 E., corner of secs. 3, 4, 33, and 34. New York, Chicago & St. Louis R., crossing.	41 27 54.9 41 26 37.0 41 25 58.1 41 24 49.5 41 22 13.4 41 21 21.2 41 10 29.1 41 10 33.0 41 16 55.3 41 16 02.6 41 16 17.2 41 15 43.4 41 15 47.7 41 15 22.1 41 15 23.5 41 15 23.5 41 15 23.7 41 15 23.2 41 15 23.2 41 15 23.2 41 15 23.2 41 15 23.2 41 15 23.2	83 14 27.6 83 14 27.2 83 14 25.7 83 14 25.6 83 14 25.6 83 14 31.8 83 13 23.0 83 13 24.9

GAMBIER QUADRANGLE.

Along highways near west border of quadrangle.

Stations.	Latitude.	Longitude.	Distance between stations.
Brandon, 3 miles north and 0.8 mile east of; center of forks, 35 feet west to corner fence post. Mount Vernon, crossing of Main and Gambier streets. Mount Vernon, center of soldiers' monument in park. Mount Vernon, in north part of; center of Mansfield Avenue and Belmont Avenue west. Clinton schoolhouse, north of; center of T road east. Mount Vernon, 3 miles north of; center of triangle at forks. Mount Vernon, 4 miles north of; center of crossing of Mansfield road and east-west road. Mount Vernon, 5.7 miles north of; center of T road east. Berlin-Morris Township line; center of T road east; 20 feet east to center of small bridge. Fredericktown, 3 miles northeast of; center of crossing of Fredericktown-Amity road and northwest-southeast road at Mrs. M. Barton's residence.	0 , // 40 21 10.6 40 23 30.8 40 23 37.6 40 24 24.2 40 25 10.3 40 26 09.3 40 28 25.1 40 29 15.3	82 29 45.3 82 29 09.5 82 29 08.8 82 29 14.6 82 29 19.8 82 29 09.5 82 29 14.9 82 29 01.8 82 29 00.1	Feet. 14,458 690 4,742 4,679 6,017 4,959 8,861 5,079 3,476

GAMBIER QUADRANGLE—Continued. Along highways east-west through center of quadrangle.

Stations.	Latitude.	Longitude	Distance between stations.
Millwood, 1 mile south and 0.25 mile east of, 10 feet northeast to white cak; forks of road to south and southeast Center of T road east, 20 feet south to west end of sliding gate Howard, 1.5 miles south and 1 mile east of; center of crossroads Howard, 1.5 miles south of; center of T road south Indianfield Run, just east of; center of T road north Gambier, 2 miles east of, in northeast corner of Zion schoolhouse yard, 25 feet south and 20 feet west to northeast corner of schoolhouse; iron	40 22 58.4 40 22 56.4 40 22 53.9 40 22 45.1 40 22 26.8	82 16 55.3 82 18 38.8 82 19 34.2	4,286 8,015 4,384
post stamped "Prim. Trav. Sta. No. 69. Ohio, 1910"	40 22 31.0 40 22 33.4	82 21 11.7 82 22 17.5	3,049 5,104
Gambier, center of junction of Chase Avenue and Wiggins Street, 10 feet south and 5 feet east to old well curbing	40 22 34.0	82 23 50.6	1 '
to white oak tree	40 22 48.5 40 23 10.0		1 /
15 feet north to granite bowlder Gambier, 3.5 miles west and 1 mile north of; center of crossroads Mount Vernon, center of Gambier road at east corporation line	40 23 17.9 40 23 19.2	82 27 51.4	.5,181
Along highways near north border of qua	idrangle.		
Fredericktown, 3.5 miles east and 1.5 miles north of; center of T road north. T. 8 N., R. 12 W., west side of; center of T road north on range line. Amity, 3.7 miles west and 1.8 miles north of; center of crossroads T. 8 N., R. 12 W., corner of secs. 13, 14, 17, and 18. T. 8 N., R. 12 W., stone at corner of secs. 12, 13, 18, and 19, at six points, 25 feet west and 25 feet south to guidepost. T. 8 N., R. 12 W., corner of secs. 11, 12, 19, and 20. Mnity, 1.5 miles north of, near southwest corner of T road south, 15 feet north, and 35 feet east to quarter corner between secs. 11 and 20, T. 8 N., R. 12 W., at T road south; iron post stamped "Prim. Trav. Sta. No. 64. Ohio, 1910." Amity, 1.5 miles northeast of; center of Loudonville-Mount Vernon road at T road northwest. Danville, 2.5 miles north and 1 mile west of; center of forks White schoolhouse, just north of; T road west.	40 29 55. 6 40 29 55. 5 40 29 42. 3 40 29 41. 3 40 29 37. 4 40 29 33. 4 40 29 31. 7 40 29 19. 5 40 29 18. 8	82 27 35.9 82 25 37.3 82 25 22.9 82 24 13.2 82 22 59.0 82 22 24.7 82 21 15.9 82 16 59.0	3, 423 9, 265 1,118 5, 400 5, 749 2, 651 5, 462
Along highways near Danville.			
Stations.		Latitude.	Longitude.
White School, just north of; T road west, 20 feet southwest to center of 10 feet east to telephone pole. Center of triangle at forks, 20 feet west to telegraph pole, 30 feet north to pole. Danville, center of main east-west and north-south streets, 70 feet southwest to corner of brick store, 75 feet southwest to corner of frame store. Danville station, Main Street crossing on Cleveland, Akron & Columb	telephone theast to	0 / // 40 29 18.8 40 28 22.9 40 27 05.4 40 26 42.4	82 15 47.4 82 16 24.2 82 15 37.8 82 15 39.2

Magnetic declination for north border, 2° 01′ W.; for east border, 2° 51′ W.; for west border, 1° 15′ W.; for east-west line through center, 2° 33′ W.

GARRETTSVILLE QUADRANGLE. Along highways from Mantua to Claridon triangulation station.

Stations.	Latitude.		Latitude.		Longitude
Mantua station, Erie R. R. crossing near. Mantua post office, road intersection at. Julia post office, on Portage-Geauga county line. Auburn, road intersection at store. South Newbury post office, 2,000 feet south of, one-half mile south of creamery; electric railroad crossing. Burton, 2‡ miles southeast of; four corners. Burton, street intersection on north side of park. Burton, about 1‡ miles north of; four corners. Claridon triangulation station of United States Lake Survey.	41 1 41 2 41 2 41 2 41 2 41 2 41 2	50 50.8 3 14.0 5 58.4 6 59.7 8 21.3 9 49.3	81 13 18.2 81 13 26.3 81 12 59.2 81 12 31.9 81 10 52.4 81 08 42.9 81 08 42.8		

GARRETTSVILLE QUADRANGLE—Continued. Along highways near north border of quadrangle.

Stations.	Latitude.	Longitude.
Munson township; four corners, 50 feet northeast to small apple tree, 30 feet southwest to telephone pole	0 / // 41 29 41.2	% , ,, 81 13 02.3
50 feet southeast to telephone pole. Aldermon's mill; four corners, 20 feet north to mail box, 25 feet south to tele-	41 29 42.9	81 11 37.2
phone pole. Three corners, road north, 20 feet south to telephone pole. Three corners, forks to west. Four corners, center road of Middlefield township.	41 29 51.6 41 29 49.8 41 28 44.9 41 27 31.3	81 07 37.2
Along Eric R. R. between Mantua and Phalanx.		
Mantua, road crossing north-south on Eric R. R. Mantua, 0.33 mile cast of, in southwest part of grounds of Standard Oil Co. pumping station, southwest corner of foundation to boiler building bears N. 41° 50′ E., distant 135 feet, nail in sugar maple tree bears N. 61° W., distant 35.7 feet,	41 16 52.8	81 13 28.8
and is 2 feet north of Erie R. R. fence; iron post stamped "Prim. Trav. Sta. No. 29".	41 16 59.7	81 13 00.9
Mantua, road crossing 1.75 miles east of. T.5 N., R. 7 W., quarter corner between secs. 41 and 50. Overhead road crossing near milepost 34. Hiram station, road crossing.	41 16 50.6 41 16 51.7 41 16 34.8 41 16 37.4	81.11 32.4 81 10 58.5 81 09 44.0 81 08 42.9
Overhead road crossing north-south Garrettsville, in south part of H. J. Langton's yard, southwest corner of founda- tion to Langton's residence bears N. 30° 45′ W., distant 129 feet, nail in cross mark on west face of cherry tree bears S. 49° 30′ E., distant 6.2 feet; iron post	41 16 45.1	81 07 57.9
stamped "Prim. Trav. Sta. No. 30". Road crossing east-west about 800 feet east of milepost 38. Road crossing east-west 0.50 mile southeast of milepost 39.	41 16 46.4	81 04 02.3
Mahoning, road crossing. Milepost 42, private road crossing 130 feet east of. County line, north-south road crossing.	41 15 29.6	81 01 39.4

Along highway between Portsmouth and Scioto triangulation station of the United States Coast and Geodetic Survey.

Stations.	Latitude.	Longitude.
Bertha, just south of T road northwest, 12 feet north to cross on post, 20 feet east to cross on telephone pole	° , " 38 44 51.5	° ′ ″ 83 01 50.0

Along highways from Portsmouth southwest to McGaw.

Portsmouth, in west part of town; south end of highway bridge over Scioto River.	38 43 53.4	83 00 40.2
Scioto County infirmary, 0.2 mile northeast of; center of forks of pike		83 02 38.6
Schoolhouse, north of; center of T road		83 03 47.9
Dennis, west of; center of crossroads.		83 04 37.3
Friendship, center of T road northwest.	38 41 50.2	83 05 56.1
Old schoolhouse, center of pike at road north.	38 41 28.9	83 06 20.6
Pondrun, at southwest corner of T road northwest, 40 feet east to center of T		
road; iron post stamped "Prim. Trav. Sta. No. 8. Ohio, 1910"	38 39 40.1	83 07 41.4
C. N. Odler's residence, 25 feet east of center of bridge, pike at road northwest	38 37 19.2	83 11 06.2
Private T road south, center of		83 12 05.4
McGaw, center of crossroads at, 110 feet east to center of covered bridge	38 38 15.3	83 13 30.1

GEORGETOWN QUADRANGLE.

Along highways from point near Russellville north to Primary Traverse Station No. 86.

Stations.	Latitude.	Longitude.
Baird schoolhouse, 1.3 miles north and 0.5 mile east of; at turn of private road south.	38 53 20.1	83 45 00.7
Ash Ridge post office, center of crossroads. Ash Ridge, I mile north of small village of Carlisle, on rise of ground clear of trees nearly northwest from church, on turnpike to Carlisle. Station mark, a glass bottle filled with cement, 3 feet below surface of ground. Surface mark, a 6-inch tile pipe 2 feet long, filled with hydraulic-cement concrete. Reference marks, stone monument with cross cut in top, in north-south fence line, 297. 6 feet from triangulation station, azimuth to stone, 271° 17′ 48″; stone monument with cross cut in top on east-west fence line, 347. 3 feet from triangulation station, azimuth to stone 1° 12′ 18″ (Ash Ridge triangulation station, Coast and Geodetic		83 45 32.1
Survey)	38 55 13.43	83 45 22.0 83 45 23.9
of T road east. Schoolhouse No. 5, south end of small bridge; center of crossroads. Milepost 51, Norfolk & Western Ry., at north-south road crossing. Coddaman Church and schoolhouse, 0.8 mile south and 0.2 mile east of; center of T road south.	38 58 40.5 38 59 32.8	83 45 06.0 83 45 06.9 83 45 19.3
Along highways from Baird schoolhouse to Russellvill		<u> </u>
Russellville, 1.7 miles east of, 15 feet north to sycamore tree; pike at road south	38 51 54.8	83 45 23.4
Russellville, 1.7 miles east of, 15 feet north to sycamore tree; pike at road south Russellville, 0.8 mile east of; center of T pike south. Russellville, center of crossing of Main and Columbus streets.	38 52 00.5 38 52 00.6	83 45 23.4 83 46 23.6 83 47 14.2
Along electric railroad from Russellville to Georgetow	n.	
Pike crossing at spur. Georgetown, 2.5 miles east of, 25 feet north and 10 feet east to center of T road southwest, corner of T road west, at west end of electric railroad bridge over	38 52 19.2	83 50 06.1
Pike crossing at spur. Georgetown, 2.5 miles east of, 25 feet north and 10 feet east to center of T road southwest, corner of T road west, at west end of electric railroad bridge over Straight Creek; iron post stamped "Prim. Trav. Sta. No. 23. Ohio, 1910" Crossing of electric railroad and Ohio River & Columbus Ry Georgetown, junction of Main and Ohio streets. Georgetown, dome of courthouse.	38 52 05.5 38 52 14.4 38 52 17.2 38 51 56.33	83 50 53.8 83 53 32.3 83 54 13.5 83 54 14.7
Along public highways from Georgetown west to Feesburg, thence nort		armony.
Georgetown, 1 mile west of; center of triangle in forks. Georgetown, 0.5 mile north and 1.5 miles west of; east point of triangle at forks. Eden Church, forks of road at, 25 feet north to junction of rail and wire fences. Martin schoolhouse No. 6, center of T road northwest Feesburg, 1 mile southeast of; center of T road northeast. Feesburg, center of crossroads. William Baird's farm, center of T road north. Locust Ridge, 1 mile south and 0.5 mile east of; center of crossing of north-south pike and road east-west.	38 51 51.1 38 52 23.2 38 52 08.1 38 52 17.8 38 52 02.5 38 52 42.2 38 54 51.2	83 55 16. 4 83 55 55. 0 83 57 32. 2 83 58 26. 0 83 59 08. 8 83 59 55. 9 83 59 58. 6 83 59 50. 4
Along highways from Mount Ayr schoolhouse to Russell		<u>'</u>
Mount Ayr schoolhouse, southwest corner of yard, 15 feet west and 25 feet south of center of T road north; iron post stamped "Prim. Trav. Sta. No. 31. Ohio, 1910". Mount Ayr schoolhouse, 1 mile north of center of T road west. Mount Ayr schoolhouse, 2 miles north of; center of crossing of Decatur pike and north-south road. C. W. Brown's mail box, center of T road west. Russellville, 2 miles south and 1.5 miles east of, just east of J. M. Moore's residence,	100 40 40.0	83 45 50.5 83 46 00.0 83 45 49.9 83 45 50.5
Russellville, 2 miles south and 1.5 miles east of , just east of J. M. Moore's residence, 15 feet north and 20 feet east of center of crossroads; iron post stamped "Prim. Trav. Sta. No. 32. Ohio, 1910". Jorner of Byrd and Jefferson townships, east end of gate. Russellville, 1 mile south of; center of crossing of north-south pike and east-west road.	38 50 21.9 38 50 26.8	83 45 31.2 83 46 05.9 83 47 13.5
Along highways near north border of quadrangle.	<u>'</u>	
Eagle-Washington township line Sardinia, 2 miles east of	38 59 32.1	83 46 32.9

PRIMARY TRAVERSE.

GEORGETOWN QUADRANGLE—Continued. Along highways from Higginsport east through Ripley to Mount Ayr schoolhouse.

Higginsport, 0.7 mile west of; center of bridge		, ,,	1		
Higginsport, 0.7 mile west of; center of bridge	20.4			,	,,
	33 4	7 17.1			49.4
Higginsport; center of cross streets at Christian Church	38 4	7 24.1			03.8
Bridge over Whiteoak Creek, center of triangle in forks of pike just east of		7 36.7			11.8
Sink Creek, center of pike at road north	38 4	7 13.7	83	55	58.1
of pike at road north.	38 4	7 09.4	83	54	40.6
Milepost 5, 0.2 mile south of; pike crossing Ohio River & Columbus Ry	38 4	6 35.0			49.6
Levanna, 1.2 miles west by 0.6 mile north of; I road north	38 4	6 01.7			24.7
Levanna, 20 feet east by 5 feet north to center of crossroads, at southwest corner					
of crossroads; iron post stamped "Prim. Trav. Sta. No. 30. Ohio, 1910"		5 59.1			01.9
Hornets Run, center of trestle of Ohio River & Columbus Ry., over	38 4	5 17.2	83	51	15.5
Ripley, 1 mile east by 0.5 mile north of; center of covered bridge over Redoak	00.4	- 1- 0		40	00.0
Creek. Ripley, 1. 8 miles east by 0. 5 mile north of, on Ripley-Neal pike at road north-	38 4	5 15.2	83	49	38.9
enet 15 foot each to center of email bridge	38 4	5 12.5	83	18	46.4
east, 15 feet east to center of small bridge. John Greiner's farm, on top of hill; center of T pike.	38 4	5 03.2			02.0
Fred Swalie's residence. Decatur nike at T nike south	38 4	6 03.3			57. 2
Beasley's farm, Decatur pike at road north	38 4	6 34.8		47	08.2
J. H. Self's mail box, forks of road at	38 4	627.2	83	46	26.6

Magnetic declination for north border, 0° 34′ W.; for west half of south border, 0° 52′ E.; for east half of south border, 0° 03′ W.; for south half of east border, 0° 32′ W.; for south half of west border, 1° 05′ E.; for north half of west border, 0° 56′ E.; for north half of east border, 2° 13′ W.; for west half of east-west center line of quadrangle, 0° 40′ E.

GRANVILLE QUADRANGLE.

Along highways near west border of quadrangle.

. Stations.	Latitude.	Longitude.
Road east-west. Road east-west. Road north near Clem Blamer's house. Road northwest-southeast. Road east-west. William Feasels, crossroads.	40 03 07.4 40 10 14.4 40 10 45.2 40 12 27.1	82 44 51.9 82 44 51.1 82 44 18.6 82 44 16.2 82 44 24.4 82 44 17.7
Along highways near north border of quadrangle.		
Croton, 2.5 miles west and 0.5 mile south of, at crossroads at William Farel's residence, in southeast corner of James Wilson's farm, nail in east face of cherry tree bears S. 89° W., distant 20 feet; iron post stamped "Prim. Trav. Sta. No. 40,		,
Croton, 1.25 miles west of; T road east, 36 feet southeast to cross on fence post, 27	40 13 57.1	82 44 18.0
feet northeast to Green's mail box. Croton, Delanon Street crossing on railroad. Croton, I mile east of; T road north, 13 feet due south to cross board at west end	40 14 21.5 40 14 20.7	82 42 49.5 82 41 20.1
of wire fence. Bennington township house, 1.66 miles west of; crossroads 300 feet south of schoolhouse, 21 feet northeast to B. E. Nash's mail box, 36 feet southeast to cross	40 14 27.9	82 39 52.4
on corner fence post. Lock, 2 miles south of, Bennington township house, at northwest corner of, nail in west oak tree bears S. 60° 45′ W., distant 19.8 feet, northwest corner foundation of house bears S. 80° 30′ E., distant 3.5 feet; iron post stamped "Prim.	40 14 22.5	82 38 26.4
Trav. Sta. No. 39. 1905"	40 14 22.8	82 36 22.1
Bennington township house, 1 mile east of; covered bridge over Otter Creek north, center of. Crossroads, 1,500 feet east of, Otter Creek east; center of iron bridge over	40 14 40.5 40 14 48.8	82 35 14.3 82 34 16.3

GRANVILLE QUADRANGLE—Continued. Along highways near east border of quadrangle.

Stations.	Latitude.	Longitude.
Granville, 1 mile south of; T road to west at schoolhouse, 19 feet northeast to cross on corner of fence, 7 feet south to end of culvert. Granville station, north-south street crossing on Toledo & Ohio Central Ry Granville station, 0.75 mile north of; T road west, 35 feet northwest to north end of culvert, 46 feet south to cross on telegraph pole. Schoolhouse No. 8, T road east, 0.5 mile north of, 30 feet southeast to corner of garden fence, 28 feet northeast to cross on telegraph pole. Brushy Creek, south end of iron bridge over. Fredonia, in west part of schoolhouse yard, northwest corner of, foundation of schoolhouse bears S. 72° 30′ E., distant 122.6 feet, southeast foundation to Willard's store bears N. 46° 30′ W., distant 94.5 feet; iron post stamped "Prim. Trav. Sta. No. 37, 1905". Highwater, crossroads, 63 feet south to northwest corner of store porch, 31 feet southwest to guidepost. Highwater, 1 mile north of; crossroads, 27 feet north to cross on corner of board fence, 60 feet north to J. F. Riley's mail box. Union schoolhouse, T road west, 0.5 mile south of, 16 feet due west to W. F.	40 02 53.3 40 03 51.7 40 04 39.1 40 06 34.7 40 07 24.5 40 09 08.6 40 10 34.4 40 11 22.3	82 31 14.8 82 31 18.2 82 31 08.0 82 31 04.5 82 31 12.5 82 31 10.7 82 31 05.2
Wagoner's mail box. Union schoolhouse, 0.5 mile north of; crossroads, post.	40 12 42.3 40 13 37.4	82 31 10.8 82 31 13.6
Along Baltimore & Ohio R. R. near Union.		1
Milepost 24, private-road crossing, south track. Union station, 1.5 miles west of, east-west road crossing. Union station, 0.75 mile west of, crossroads, in southeast corner of Ira Showman's	40 00 08.3 40 00 34.9	82 33 26.6 82 32 26.1
field, cross cut on stone abutment to bridge bears S. 9° 15′ E., distant 47.6 feet; iron post stamped "Prim. Trav. Sta. No. 36, 1905". Union station, 0.5 mile east of; north-south gravel-road crossing.	40 01 15.6 40 01 22.8	82 31 29.2 82 30 22.5

Magnetic declination for north border, 0° 36' W.; for east border, 0° 44' W.

Stations.

GREENFIELD QUADRANGLE.

Along highways near north border of quadrangle.

Latitude.

Longitude.

Plano post office. Pairview, road crossing on Cincinnati, Hamilton & Eayton Ry. Azimuth 282° 58'	39 28 53.5 39 29 27.2 39 28 48.5 39 28 42.1 39 28 49.6	83 15 45.9 83 17 07.2 83 18 15.6 83 19 19.8 83 20 14.1
Along highways and railroad east-west through center of qua	drangle.	
Cast Monroe, just west of station, crossing of Hillsboro pike and Baltimore & Ohio Southwestern R. R. Toad southeast. New Martinsburg, center of cross pikes at new store, 30 feet south and 15 feet east to town pump. New Martinsburg, 0.8 mile east of; crossing of pike and north-south road. New Martinsburg, 2 miles east of; intersection of pike with north-south road. New Martinsburg, 2 miles east of; intersection of pike with north-south road. New Martinsburg, 2 miles east of; intersection of pike with north-south road. New Martinsburg, 2 miles east of; intersection of pike with Toad south, 0.2 mile west of brick schoolhouse. Reenfield, 1.8 miles west of; intersection of pike with Toad south, 0.2 mile west of brick schoolhouse. Reenfield, 0.5 mile east of, at northeast corner of crossroads; iron post stamped "Prim. Trav. Sta. No. 67. Ohio, 1909". Reenfield, 2 miles east of; intersection of Greenfield-Chillicothe pike with T road south. Jyndon, at station, crossing of Baltimore & Ohio Southwestern R. R. and pike. Jyndon, near, center of steel bridge Harpers, about 0.5 mile south of station, at Parrott schoolhouse, in southwest corner of T road south; iron post stamped "Prim. Trav. Sta. No. 68. Ohio, 1909". Harpers, at station, crossing of road and Baltimore & Ohio Southwestern R. R. Toad west, center of. Allison Hires's mail box, intersection of Greenfield-Austin pike with lane southeast. Choolhouse No. 9, intersection of Greenfield-Austin pike with lane southeast. Plano, about 1.2 miles southeast of, at brick schoolhouse No. 10; crossroads. Plano, about 1.2 miles southeast of, at brick schoolhouse No. 10; crossroads. Plano, about 1.2 miles southeast of, at brick schoolhouse grounds; iron post stamped "Prim. Trav. Sta. No. 69. Ohio, 1909" Harpers, 1.8 miles south of station, south of James H. Fuller's mail box; T road	39 21 27.6 39 23 04.2 39 23 47.1 39 23 47.1 39 22 34.4 39 22 10.4 39 21 10.4 39 21 11.7 39 21 12.9 39 21 14.6 39 21 21.7 39 21 54.7 39 21 54.7 39 23 32.2 39 25 09.2 39 25 32.6 39 28 53.5	83 29 57.7 83 29 14.4 83 27 50.0 83 26 50.1 83 25 56.6 83 25 07.9 83 24 05.3 83 23 00.2 83 22 20.0 83 22 20.0 83 18 42.1 83 16 06.8 83 15 41.8 83 15 42.3 83 16 09.1 83 15 04.0 83 15 04.0 83 15 45.9 83 15 15 46.1

GREENFIELD QUADRANGLE-Continued.

Along highways near southwest border of quadrangle.

Stations.	L	atit	ude.	Lon	git	ude.
			,,	ı	,	
Schoolhouse No. 3, road opposite	39	19	53.7	"		15.5
ton's mail box	1 39		56.8			21.6
Crossroads at unpainted frame house, 10 feet east to center of box culvert Cyrus Stork's residence, 900 feet east of, on Fruitdale-Bourneville pike at inter-	39	18	07.7	83	16	27.2
section of T road southwest	39	17	25.0			48.4
Schoolhouse, 0.5 mile south of; crossroads			15.8			45.5
Fork of road north, east of railroad bridge	39	15	01.9	83	17	04.3
Humbold, about 1 mile southeast of, on Bainbridge-Humbold road, at intersection of 7 road southwest near G. W. Chapin's mail box	39	15	55.0	83	18	27.7

Magnetic declination for south border, 0° 31′ W.; for east border, 1° 18′ W.; for west border, 0° 17′ W.; for central line east-west, 0° 39′ W.

GREENUP QUADRANGLE.

Along Norfolk & Western Ry. between Franklin Furnace and Wheelersburg.

Stations.	Latitude.	Longitude.
Franklin Furnace, in northeast corner of Methodist Church yard, cross on northwest corner to foundation to church bears S. 24° 25′ E., distant 26.4 feet; cross on northwest corner to foundation to public school building bears S. 85° 10′ E., distant 130.4 feet; iron bench-mark post set 40 inches in ground, stamped "Prim Trav. Sta. No. 25′. Milepost 113, private-road crossing 900 feet south of. Milepost 112, private-road crossing 935 feet south of. Milepost 111, road crossing east-west 1,400 feet south of. Wheelersburg, private-road crossing at old log house 2 miles south cf. Wheelersburg, private-road crossing east-west 135 feet south of station. Wheelersburg, private-road crossing east-west, just south of signboard "1 mile to water," 1 mile north of "Railroad bridge over Little Scioto River, private-road crossing just south-of.	38 39 48.8 38 40 39.8 38 41 26.4 38 42 14 7	82 50 56.0 82 51 20.7 82 51 34.0 82 51 46.2 82 51 46.2 82 51 46.2 82 52 52.7
Along highways in northeast part of quadrangle.		
T road southwest, 30 feet west to J. Herchman's mail box, 24 feet south to cross on rail fence. Cadot farm, intersection of Lyra-Wheelersburg pike and road southeast to Powellsville, near summit of hill; 36 feet northeast to cross on fence post;	38 44 30.9	82 45 47.0
36 feet southeast to cross on fence post	38 42 59.9	82 45 21.3
on picket fence. Quarter corner between secs. 28 and 32, stone. George Knapp's residence, intersection of roads at, 18 feet northeast to Knapp's	38 42 38.1 38 41 42.2	82 45 22. 6 82 45 52. 1
mail box, 40 feet southwest to cross on large willów tree. Powellsville, about 1 mile northeast of, in orchard owned by Lewis Knapp, north corner of foundation to Knapp's residence bears S. 32° 15′ W., distant 164.5 feet, nail in cross cut in 8-inch black oak tree bears N. 86° 30″ E., distant 85.2 feet: iron bench-mark post stamped "Prim. Trav. Sta. No. 24″ Powellsville, crossroads at, 24 feet southeast to Rase Bros.' mail box, 50 feet south-	38 40 51.5	82 45 27.3
85.2 feet; iron bench-mark post stamped "Prim. Trav. Sta. No. 24"	38 40 30.4 38 40 00.3	82 46 05.9 82 47 01.3
west to northeast corner of Rase Bros.' store. Covered bridge over Piney Creek, intersection of roads 200 feet southeast of, 18 feet north to cross on post. H. Stacker's farm, T road northwest at, 30 feet east to cross on beech tree, 32 feet	38 39 10.0	82 48 08.0
H. Stacker's larm, I road northwest at, 30 leet east to cross on Deech tree, 32 leet west to cross on corner fence post. Franklin Furnace, T road west on top of hill, 1.5 miles east of, 27 feet north to	38 38 07.6	82 49 02.1
cross on black-oak sapling, 40 feet west to cross on stump	38 38 34.0	82 49 17.4
Along Norfolk & Western Ry. near Portsmouth.		,
New Boston, road crossing just west of Burgess steel plant, south track. Norfolk & Western Ry. shops, road crossing north-south, south track. Portsmouth, Gallia Street crossing, south track. Portsmouth, northeast corner of Tracy Park, northwest corner of brick foundation to residence on southeast corner of Tenth and Findlay streets bears S. 80° 15′ E., distant 101.1 feet; northeast corner to foundation of Tracy monument bears S. 63° 30′ W., distant 261.9 feet; iron post stamped "Prim. Trav. Sta.	38 44 50.7 38 44 28.6 38 44 15.4	82 56 08.6 82 57 25.8 82 58 35.4
bears S. 63° 30′ W., distant 261.9 feet; iron post stamped "Prim. Trav. Sta. No. 27". Chillicothe-Portsmouth pike crossing.	38 44 17.1 38 44 44.5	82 59 40.3 82 59 32.

GREENUP QUADRANGLE-Continued.

Along highways near Haverhill.

Stations.	Latitude.	Longitude.
	o , ,,	0 / //
Franklin Furnace, 1 mile south of; T road west. Pike crossing on Norfolk & Western Ry. T pike southwest at schoolhouse.	38 38 13.3 38 35 05.0	82 50 51.1
Haverhill, 1.5 miles southeast of, on north side of pike; Scioto-Lawrence county- line monument. • • • • • • • • • • • • • • • • • • •	38 34 23.6	
Hanging Rock, pike crossing on Norfolk & Western Ry. at north end of siding. Hanging Rock, near north end of siding, in top of south end of stone culvert, 350 feet east of pike crossing on Norfolk & Western Ry.; aluminum tablet stamped	38 33 51.8	
"Prim. Trav. Sta. No. 4. Ohio, 1910". Haverhill, 1.5 miles north of, on west side of pike, in J. Oaks & Sons Tile Co.'s	38 33 50.3	82 45 15.8
grounds, 50 feet north of entrance to grounds; iron post stamped "Prim. Trav. Sta. No. 5. 546, Ohio, 1910"	38 36 19.6	82 50 32.9

Magnetic declination for southeast corner, 1° 24' W.

GREENVILLE QUADRANGLE.

Along Dayton & Union R. R. in south part of quadrangle.

Stations.	La	tit	ude.	Lon	git	ude.
Iron bridge, east-west road crossing	40 40 40 40 40	00 01 01 02 03	55.4 47.9	84 84 84 84 84	33 34 34 35 36	54. 6 25. 2 33. 0 50. 0 29. 0 33. 3

Along Cincinnati Northern R. R. between Greenville and Ansonia.

Greenville, crossing of Dayton & Union and Pennsylvania railroads	40 05 43.5	84 37 38.2
Greenville, crossing north of Dayton & Union R. R. station.	40 05 58.8	84 37 40.0
Greenville, crossing of Dayton & Union R. R.	40 06 30.1	84 38 23.3
Road crossing northwest-southeast	40 07 19.6	84 38 47.6
Road crossing east-west	40 08 10.2	84 38 47.8
Road crossing east-west	40 09 02.8	84 38 48.0
Church, road crossing 500 feet west of	40 09 55,6	84 38 47.9
Meekers, crossing of Pennsylvania and Dayton & Union railroads	40 10 16.6	84 38 47.9
House, east-west road crossing 200 feet southeast of	40 11 35, 1	84 38 37.0
Road crossing east-west		84 38 24.9
Ansonia, crossing of Cleveland, Cincinnati, Chicago & St. Louis and Dayton &	10 12 21.0	01 00 21.0
Union railroads	40 12 43.4	84 38 24.9
Road crossing east-west.	40 13 31.4	
Troate crossing case well-	10 10 01.4	01 00 00.2
		l ,

Along highways near east border of quadrangle.

Oakland Church, T road east 1 mile north of Webster crossroads, 1 mile west of T. 11 N., R. 3 E., quarter corner between secs. 25 and 36 T. 11 N., R. 3 E. quarter corner between secs. 24 and 25	40 10 53.0 40 11 45.5	84 30 03. 9 84 30 04. 8 84 30 10. 2 84 30 11. 2
T. 11 N., R. 3 E., corner of secs. 13, 14, 23, and 24. Versailles, 2 miles northwest of; crossing of Versailles-Brock pike and north-south	40 13 29.8	84 30 46.0 84 30 47.4
road. Frenchtown, crossroads 0.5 mile east of. Frenchtown, T road south 0.5 mile west of. Frenchtown, crossroads 2 miles west of. T. 11 N., R. 3 E., center of sec. 12.	40 14 48.5 40 14 47.1 40 14 45.3	84 30 48.6 84 30 49.2 84 32 15.9 84 34 00.6 84 30 14.2

GREENVILLE QUADRANGLE—Continued.

Along highways near north border of quadrangle.

Stations.		Latitude.	Longitude.
T. 13 N., R. 2 E., quarter corner between secs. 8 and 9. T. 13 N., R. 2 E., quarter corner between secs. 7 and 8; crossroads near T. 13 N. Rs. 1 and 2 E., quarter corner between secs. 7 and 12. T. 13 N. R. 1 E., quarter corner between secs. 11 and 12. T. 13 N., R. 1 E., quarter corner between secs. 10 and 11.		40 14 36.3 40 14 36.7 40 14 37.1 40 14 40.6 40 14 40.7	84 40 17. 84 41 36. 84 42 32. 84 43 40. 84 44 48.
Along highways near west border of quad	lrangle.		
T. 13 N., R. 1 E., corner of secs. 11, 12, 13, and 14. T. 13 N., R. 1 E., corner of secs. 13, 14, 23, and 24. T. 13 N., R. 1 E., corner of secs. 23, 24, 25, and 26; 900 feet south of this Cl Cincinnati, Chicago & St. Louis Ry. azimuth=84° 29'. T. 13 N., R. 1 E., corner of secs. 25, 26, 35, and 36; one-half mile sout Pennsylvania R. R. azimuth=103° 19'. Tps. 12 and 13 N., R. 1 E., quarter corner between secs. 1, 2, 35, and 36 T. 12 N., Rs. 1 and 2 E., quarter corner between secs. 1, 6, 7, and 12. T. 12 N., Rs. 1 and 2 E., west corner of secs. 7 and 18. Coletown, center of bridge 0.25 mile west of. Coletown, four corners 1.5 miles southwest of. Greenville-Spartansburg and Coletown-New Manchester pikes, crossing ferenville-Winchester and Coletown-New Manchester pikes, crossing of T. 11 N., Rs. 1 and 2 E., corner of secs. 1, 6, 7, and 12. T. 11 N., R. 1 E., corner of secs. 1, 2, 11, and 12. T road west. T. 11 N., R. 1 E., corner of secs. 25, 26, 35, and 36.	eveland. h of this	40 14 14.3 40 13 21.8 40 12 29.3 40 12 29.3 40 10 43.7 40 10 43.7 40 09 55.5 40 09 02.6 40 07 17.6 40 06 23.4 40 06 23.4 40 04 38.5 40 04 38.5 40 03 45.7 40 02 33.7 40 01 08.3	84 43 40. 84 43 39. 84 43 39. 84 43 39. 84 43 39. 84 42 29. 84 42 22. 84 42 26. 84 42 25. 84 43 20. 84 43 27. 84 43 27. 84 43 27.
Along Cleveland, Cincinnati, Chicago & St. Louis Ry. near sou	thwest co	rner of quad	irangle.
Charles station, road crossing 1 mile southeast of Crossing of north-south pike under trestle. Pennsylvania R. R., crossing of.		40 00 15.7 40 00 05.4 39 59 23.0	84 42 37. 84 42 18. 84 41 02.
Along highway near west border of quad	rangie.		
Station.	Latitude.	Longitude	Distance between stations.
Γ . 11 N., R. 1 E., corner of secs. 26, 27, 34, and 35; center of crossroads.	° ′ ′′ 40 01 08.5	84 44 34.1	Feet. 3,57
HALLS CORNERS QUADRANGI	Æ.		
Along Cincinnati, Hamilton & Dayton	Ry.		
Stations.		Latitude.	Longitude.
Baldwin station Road crossing, north-south Section corner. Road crossing, north-south McGill station. Road crossing, north-south		0 , , ,, 41 01 04.3 41 01 04.5 41 01 07.5 41 01 04.5 41 01 04.6 41 01 04.7	84 48 09.0 84 47 00.3 84 47 00.3 84 46 26.3 84 46 25.3 84 45 35.3
Near south border of quadrangle.		'	
T. 29 N., R. 15 E., at east corner of secs. 2 and 35, on State line; T road Baldwin, 1 mile south of, near T road east, 20 feet south and 15 feet wes corner of secs. 30 and 31, T. 1 N., R. 1 E.; iron post stamped "Pri Sta. No. 19. Ohio, 1909"	west t to west m. Trav.	41 00 35.0	84 48 10. 84 48 10.
8702°—Bull, 552—14——5			

HALLS CORNERS QUADRANGLE—Continued.

Along highway south along Indiana-Ohio State line to Baldwin (corrected mean of two lines).

Stations.	Latitude.	Longitude.	Distance between stations.
T. 3 N., R. 1 E., corner of secs. 6 and 7; T road east, on Indiana-Ohio State line. T. 3 N., R. 1 E., west corner of secs. 7 and 8: T road east. T. 3 N., R. 1 E., west corner of secs. 18 and 19; center of crossroads. T road east at church. T road east at church. T road east at church. Maumee River, center of middle span of bridge over. North-south road at road southwest along canal. T. 2 N., R. 1 E., corner of secs. 6 and 7; stone. Wabash R. R., road crossing on. T. 2 N., R. 1 E., corner of secs. 6 and 19; T road east. T. 2 N., R. 1 E., secs. 7 and 18; center of T road east. T. 2 N., R. 1 E., secs. 19 and 30; center of T road east. T. 2 N., R. 1 E., corner of secs. 30 and 31; center of T road east. T. 1 N., R. 1 E., secs. 6 and 7; T road east. T. 1 N., R. 1 E., secs. 6 and 7; T road east. T. 1 N., R. 1 E., secs. 6 and 7; T road east. T. 1 N., R. 1 E., secs. 8 and 19; T road east. T. 1 N., R. 1 E., secs. 8 and 19; T road east. Malong highways near east border of quadratic properties of the second of the second of the second east. Along highways near east border of quadratic properties of the second east.	41 10 26.9 41 10 12.8 41 09 49.4 41 09 42.1 41 09 02.3 41 08 55.2 41 08 09.9 41 07 17.4 41 06 25.1 41 03 45.0 41 02 52.8 41 02 52.8 41 02 00.1 41 01 04.3	84 48 11. 4 84 48 11. 0 84 48 11. 2 84 48 40. 5 84 48 40. 5 84 48 11. 2 84 48 11. 3 84 48 11. 4 84 48 11. 3 84 48 11. 0 84 48 11. 0 84 48 10. 8 84 48 10. 8 84 48 10. 8	Feet. 5,320 5,300 8,660 3,700 2,628 2,370 2,351 4,030 720 4,660 5,315 5,275 5,320 5,330 5,590 5,330 5,642
Crossing of pike and east-west road. Antwerp, 3 miles north of; crossroads.	41 14 14.3	84 45 17.0 84 45 05.7	5,369

Magnetic declination for east border, 17' W.; for Indiana-Ohio State line, 11' W.

HAMILTON QUADRANGLE.

Along highways near north and west borders of quadrangle.

Stations.	Latitude.	Longitude.
Road crossing, north-south	39 29 04. 7 39 29 30. 4 39 29 38. 6 39 29 38. 6 39 29 36. 9 39 29 36. 9 39 29 35. 8 39 27 29. 1 39 26 58. 2 39 27 29. 1 39 26 27 29. 1 39 26 38. 2 39 29 32. 2 39 21 147. 1 39 20 15. 1	84 30 42.7 84 30 42.7 84 33 07.6 84 33 07.6 84 38 14.9 84 38 14.9 84 40 51.0 84 41 48.4 84 40 51.1 84 43 18.4 84 43 18.4 84 43 45.4 84 43 45.4 84 44 31.1 84 44 21.9 84 44 22.2 84 44 23.3
Crossing on Cold Wall pixe T road south (gravel) Preston post office, one-half mile east of; west end of bridge T. 2 N., R. 1 E., corner of secs. 14, 15, 22, and 23 T. 2 N., Rs. 1 and 2 E., corner of secs. 7, 12, 13, and 18	39 18 59.3 39 16 32.2 39 15 40.2 39 16 32.4	84 44 23.3 84 43 50.8 84 43 52.2 81 44 25.5 84 42 11.7
Corner of sections (numbers not given) Sater post office, north end of iron bridge. Sater post office, corner of section 1 mile southeast of	39 16 32.5 39 15 49.5	84 41 04.1 84 40 02.8

HARRISON QUADRANGLE (OHIO-IND.). Along highways near State line and from Harrison east to Preston.

Stations.	Latitude.	Longitude:	Distance between stations.
	0 / //	0 , ,,	Feet.
T. 7 N., R. 1 W., corner of secs. 24 and 25 Harrison, 0.8 mile south of, on west side of Ohio-Indiana State line pike ast pike east, 15 feet east and 15 feet south to junction of pikes;			
fron post stamped "Prim. Trav. Sta. No. 33. Ohio, 1910"	39 15 05.5 39 15 39.3	84 49 12.3 84 49 11.5	1,465 3,420
Harrison, 3 miles east and 0.5 mile south of; center of T road west T. 2 N., R. 1 E., stone at corner of secs. 15 16, 21, and 22	39 15 16.7 39 15 41.8	84 46 00.1 84 45 52.5	6,049 2,594
Harrison, 4.2 miles from; center of T pike southeast at guidepost "Harrison 4.2 miles, Venice 6.8 miles".	39 16 08.7	84 45 05:8	4,561
North along highways.	· · · · · · · · · · · · · · · · · · ·	7	I
Harrison, crossing of Broadway and State Street			
T. 2 N., R. 1 E., west corner of secs. 18 and 19; State line	39 15 42.8	84 49 11.5	350
State line	39 15 43.3	84 49 11.5	50
Tps. 2, 3, 7, and 8 N., Rs. 1 E. and 1 W., west corner of secs. 1, 6, 31,	39 17 11.6	84 47 58.7	10,608
and 36; center of T road north	39 18 19.0	84 49 09.7	8,811
State line	39 19 11.4	84 49 08.8	5,317
T. 3 N., R. 1 E., west corner of secs. 19 and 30; State line	39 20 03.2 39 20 55.4	84 49 07.9 84 49 07.2	5,238 5,280
T. 8 N., R. 1 W., east corner of secs. 13 and 24; State line	39 20 56.5 39 21 47.7	84 49 07.2 84 49 06.1	110 5,180
T. 3 N., R. 1 E., west corner of secs. 7 and 18; State line	39 21 49.2 39 21 44.3	84 49 06.0	150
Okeana, 2 miles west and 1 mile north of; center of cross pikes Schoolhouse No. 3, just west of; crossing of north-south pike and pike		84 47 41.9	6,624
northwest-southeast. Sciplo, in southwest part of town, 20 feet east and 5 feet north to southwest corner of Town Hall building, in Town Hall yard; fron post	39 22 32.4	84 47 41.0	4,871
stamped "Prim. Trav. Sta. No. 35." Ohio, 1910"	39 23 30.1 39 23 31.0	84 49 00.7 84 49 03.6	8, 553 250
Tps. 3 and 4 N., R. 1 E., west corner of secs. 6 and 31; State line	39 23 30.8	84 49 03.6	25
T. 9 N., R. 1 W., east corner of secs. 25 and 36; State line	39 24 22.9 39 24 23.3	84 49 02.2 84 49 02.2	5,274 40
T road west, center of; State line	39 25 36.7 39 26 08.5	84 49 00.6 84 48 59.9	7,420
T. 4 N., R. 1 E., west corner of secs. 18 and 19; State line			3,220
line T. 4 N., R. 1 E., west corner of secs. 7 and 18; center of T road east at	39 26 08.9	84 48 59.9	40
State line	39 26 59.8 39 27 53.5	84 48 59.1 84 48 58.2	5,151 5,430
T. 9 N., R. 1 E., east corner of secs. 1 and 12; State line	39 27 54.5	84 48 58.2	5,430 100
Tps. 4 and 5 N., R. 1 E., corner of secs. 6 and 31; State line	39 28 46.1 39 29 18.5	84 48 57.4 84 49 28.9	5,220 4,107
Mixersville, center of cross pikes (in Indiana) Tps. 5 N. and 10 N., Rs. 1 E. and 1 W., corner of secs. 30, 31, 25, and 36: T road north at State line	39 29 38.6	84 48 56.2	3,270
00, 1.1000 20101 00 50000 11100111111111111111	JJ 20 00.0	01 10 00.2	0,210

Magnetic declination for southeast border, 1° 26′ E.; along Ohio-Indiana State line, 1° 45′ E.

HILLSBORO QUADRANGLE. Along highways near north border of quadrangle.

Stations.	La	titude.	Lon	git	ude.
Dallas, 1.5 miles north of, at southeast corner of crossroads, 20 feet west to inter-		, ,,	1		"
section of roads; nail in hub. Hillsboro, 4 miles northeast of; Hillsboro-East Munroe pike at road east, 15 feet west to Mrs. W. K. Wright's mail box. Hillsboro, about 3 miles northeast of, on Hillsboro-East Munroe pike; center of		14 00.2 14 58.0			15.8 34.8
steel bridge over Clear Creek Mr. Shepard's residence, 0.7 mile north of T road south. James Elliott's residence, center of Samantha pike, at road west.	39 39	13 52.8 14 46.8 14 41.0	83 83	35 36	34.5 14.0 19.2
Careytown-Hillsboro pike at road east Hillsboro, 4 miles northwest of, near Persimmon Ridge schoolhouse, at northeast corner of intersection of Hillsboro-Vienna pike and road east; iron post stamped "Prim. Trav. Sta. No. 63. Ohio, 1909".		14 28.8 14 43.2		•	45.1 05.2
Dunn's Chapel, 0.2 mile east of; center of crossing of Hillsboro-Lynchburg pike and east-west road. Dunn's Chapel, 1.5 miles west of; T road south.	39 39	14 20.7 14 02.0 13 49.2	83 83	40 42	51.6 36.5 32.4

HILLSBORO QUADRANGLE-Continued.

Along highways near south border of quadrangle.

Stations.	Latitude.	Longitude.
Mayhill, 0.8 mile south of; forks of road in branch Mayhill, center of road at township line. Mayhill, south corner of crossroads, 25 feet north and 10 feet east to center of roads; iron post stamped "Prim. Trav. Sta. No. 82. Ohio, 1909". Jesup, 1 mile south of; north-south pike at T road west. Greenbrier schoolhouse, west of; T road southeast. Buckrun post office, 0.2 mile south of; on Seaman-Fairfax pike, at road northeast. Emerald, center of crossroads. Emerald, 0.8 mile west of; T road south. Pencastle Cemetery, center of pike at T road southeast.	e , , ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	83 30 51. 83 30 15. 83 30 28. 83 32 13. 83 33 50. 83 34 55. 83 39 29. 83 40 17. 83 42 42.
Along highways near east border of quadrangle.		
Jesup, center of crossroads. Jesup, 0.6 mile northeast of; Highland-Adams county-line monument, in J. H. Moore's front yard. J. W. Moore's mail box, crossroads, 10 feet southwest to telephone pole. Bell, 0.8 mile southeast of post office, north point of grass triangle at forks. Bell, center of T road east at post office. Brush Creek, center of bridge over. Pleasant schoolhouse, 0.2 mile north of; center of T road west, 5 feet north and 15 feet west to center of mound. T road west, north of small store. Berryville, 2.5 miles east of, 15 feet south to center of T road; iron post stamped "Prim. Trav. Sta. No. 83. Ohio, 1909". Marshall, 1 mile west of; stone at crossroads. Marshall, 1 mile northwest of; intersection of Hillsboro-Marshall pike and north-south road. Dallas, 1.7 miles south of; cross pikes at Beechwoods schoolhouse. Dallas, center of crossroads, 20 feet north to town pump	39 01 30.7 39 02 00.2 39 02 32.6 39 03 25.6 39 03 46.9 39 04 50.7 39 05 30.1 39 06 41.9 39 07 27.2 39 08 52.2 39 09 31.0 39 11 32.8 39 12 55.2	83 31 59. 83 31 44. 83 31 12. 83 31 36. 83 31 58. 83 30 47. 83 30 45. 83 30 50. 83 30 22. 83 30 20. 83 30 30.
Along highways near west border of quadrangle.		
Mowrystown, crossing of main streets. Mowrystown, 1.8 miles north of; on Mowrystown-Taylorsville pike, at T road west. Taylorsville, 0.2 mile west of; center of T pike south. T road south, at northwest corner of wooded field. D. C. Marconet's residence 0.2 mile northeast of; center of T road southeast. Danville, 0.5 mile southwest of, at southwest side of Cincinnati road at road west to Pricetown, 50 feet east and 25 feet north to center of forks; iron post stamped "Prim, Trav. Sta. No. 87. Ohio, 1909". Danville, center of T pike southeast. Danville, 1 mile north of; center of T road east. Danville, 2 miles north of, just north of C. E. Lewis's residence; center of T road west. T road east, just south of church. Fairview, center of cross pikes in west part of town. Fairview, 1 mile west of; center of Cincinnati pike, at road northwest.	39 02 18.2 39 03 43.1 39 04 41.3 39 05 44.1 39 06 41.3 39 08 28.2 39 08 31.9 39 09 30.4 39 10 18.0 39 11 03.7 39 12 15.3 39 12 15.4	83 44 55. 83 44 45. 83 44 30. 83 44 46. 83 44 59. 83 44 26. 83 44 26. 83 44 26. 83 44 08. 83 44 38. 83 44 39.
Along highways east-west through center of quadrang	;le.	
Danville, 0.5 mile southeast of, forks in road, 20 feet east to center of culvert Newmarket, at station; crossing of east-west road and Norfolk & Western Ry Newmarket, 2 miles east of, northeast corner of Harrisonville schoolhouse, 40 feet east and 10 feet north to center of crossroads; iron post stamped "Prim. Trav. Sta. No. 88. Ohio, 1909". Berryville, 2 miles west of; intersection of Hillsboro-West Union road and old State road. Berryville, 1.5 miles west of; T road southeast on top of hill Berryville, 0.5 mile northwest of, at Prospect Church; center of cross pikes	39 08 21. 2 39 08 14. 8 39 08 07. 8 39 07 44. 5 39 07 37. 7 39 07 49. 9 39 08 06. 0	83 43 52.4 83 41 53.1 83 40 07.1 83 37 57.1 83 36 01.1 83 35 09.1 83 33 50.1

Magnetic declination for north border, 0° 14′ W.; for south border, 0° 36′ W.; for east border, 1° 28′ E.; for west border, 1° 41′ W.; for center line east-west, 0° 18′ W.

JACKSON QUADRANGLE. Along highways near east border of quadrangle

Stations.	Latitude.	Longitude.
Pawpaw School, 2.5 miles south of, 20 feet southwest to corner of rail fence, 31 feet southeast to black-oak tree. F. W. Hatfield's residence, about 500 feet east of; T road north, 12 feet east to gate post.	0 , ,, 39 14 25.5	82 32 40.3
post. Road south just east of bridge. T. 8 N., R. 18 W., northeast corner stone of sec. 1 Hamden Junction, 1.5 miles north of; T road west, 18 feet due west to center of small bridge.	39 12 16.9 39 11 43.4	82 32 48.1 82 32 33.1 82 32 05.4 82 31 30.2
0		<u> </u>
Along Baltimore & Ohio Southwestern R. R. from Hamden June	tion to Berli	n.
Hamden Junction, 820 feet north of station; road crossing on Baltimore & Ohio Southwestern R. R. Vinton-Jackson county line, south rail of track. Hamden Junction 0.75 mile south of, northwest corner of John Potter's field at pike crossing, center of crossing bears N. 9° 30′ W. 74.6 feet; iron post stamped "Prim. Trav. Sta. No. 13. Ohio, 1906" Wellston, pike crossing 0.8 mile north of station.	39 09 37.6 39 08 37.5	82 31 23.9 82 31 59.4
"Prim. Trav. Sta. No. 13. Ohio, 1906". Wellston, pike crossing 0.8 mile north of station. Wellston, road crossing on Cincinnati, Hamilton & Dayton Ry. at cement plant. Mellston, road crossing on Cincinnati, Hamilton & Dayton Ry. at cement plant. Berlin, road crossing on Cincinnati, Hamilton & Dayton Ry.	39 06 42.4	82 31 56.6 82 31 47.9 82 32 09.2 82 32 12.3 82 32 16.1 82 32 33.5
Along Cincinnati, Hamilton & Dayton Ry. from Berlin to Ro	ļ	
Milepost 48, north-south pike crossing Milton-Bloomfield township line Burris station, 0.25 mile north of road crossing T. 8 N., R. 17 W., northeast corner of sec. 7 Ridgeland station, pike crossing Rocky Hill, road crossing 1 mile north of station	39 03 50. 4 39 02 28. 9 39 01 42. 0 39 01 35. 8 39 00 50. 9 39 00 05. 8	82 32 22.3 82 32 05.4 82 31 43.4 82 31 49.5 82 31 30.5 82 32 21.7
Along highways east and west through center of quadra	ngle.	
T. 7 N., R. 20 W., quarter corner between secs. 29 and 32, road north-south at fence east-west. Valley Chapel, point on Chillicothe pike and road west, 20 feet south to sycamore snag. Covered bridge, north of, Chillicothe-Jackson pike at T road south. Green's store, Chillicothe-Jackson pike and road northeast, 10 feet northeast to center of triangular grass plat.	39 08 07.1 39 08 30.4	82 44 30.7 82 43 28.8
Covered bridge, north of, Chillicothe-Jackson pike at T road south. Green's store, Chillicothe-Jackson pike and road northeast, 10 feet northeast to center of triangular grass plat. J. C. Randall's residence, T road north, 10 feet northeast to mail box. Leo, 0.2 mile southwest of; section corner. Leo, T road south just east of schoolhouse. Leo and Coalton pike, crossing of line between Rs. 18 and 19 W. T. 7 N. R. 18 W., corner of secs. 29, 30, 31, and 32. Coalton, 1.5 miles northwest of, in stone 30 by 12 by 6 inches at southwest corner of T road south, just east of John Wilson's house, 20 feet east and 20 feet north to center of T road; aluminum tablet stamped "Prim. Trav. Sta. No. 1. Ohio, 1910" Garfield, T pike west at station. T. 8 N., R. 18 W., quarter corner on south side of sec. 33, crossroads at Sach's Hotel, Coalton. Glenray, T road south at school Electric park, T road north. Wellston, large stone monument on west line of town.	39 08 00.0 39 07 48.9 39 08 30.1 39 08 47.9 39 08 49.7 39 08 34.2 39 07 42.5	82 42 47.1 82 42 01.9 82 41 05.6 82 40 30.7 82 40 01.0 82 39 22.5 82 38 18.7
center of T road; aluminum tablet stamped "Prim. Trav. Sta. No. 1. Ohio, 1910" 3arfield, T pike west at station. 1. 8 N., R. 18 W., quarter corner on south side of sec. 33, crossroads at Sach's Hotel, Coalton Glenray, T road south at school. Electric park, T road north. Wellston, large stone monument on west line of town.	39 07 27.2 39 07 26.5 39 06 49.9 39 06 47.2 39 07 01.1 39 06 59.8	82 37 58.2 82 37 11.4 82 36 40.8 82 34 55.8 82 33 45.3 82 33 28.2

Magnetic declination for north border, $+0^{\circ}$ 25' W.; for east border, -0° 03' E.; for south border, -0° 01' E.; for east-west center line, 0° 25' W.

JEFFERSON QUADRANGLE.

Along highways from Jefferson south to Colebrook.

Stations.	Latitude.	Longitude.
fefferson station, 0.6 mile south of; fork of road to southeast. Lenox, 1 mile north of; four corners. Lenox, four corners. New Lyme, Lenox township line, four corners. Four corners. Four corners. New Lyme, four corners near hotel. Four corners at.	41 41 40.7 41 40 47.8 41 38 35.4 41 37 27.3	80 45 51 80 45 41 80 45 41 80 45 39 80 45 46 80 46 49 80 46 12 80 45 45
Along highways near south border of quadrangle.		
Four corners. Forks of road to northwest Frand River, center of covered bridge over. Frand River, center of covered bridge over. Frand River, center of covered bridge over. Forwell, I mile south of; T road east. Fennsylvania R. R. crossing. Fhree corners, road north. Fhree corners. Fhree corners. Fhree corners. Fhree corners. Fhree corners. Fhree corners. Friven price corners at. Friumph, 0.75 mile north of, in southeast corner of Mrs. E. P. Priar's farm, on west side of Jefferson road, northeast corner of W. Cleat's residence bears S. 37° 20′ W., distant 48.6 feet, southwest corner of O. B. Humphrey's house bears N. 29° E., distant 129.4 feet, in stone post, aluminum tablet stamped "Prim. Trav. Sta. No. 35"	41 30 30.0 41 30 18.1 41 31 16.1 41 31 16.0 41 31 16.2 41 31 20.0 41 31 19.6	80 56 21. 80 55 16.6 80 54 28.6 80 52 04.6 80 50 53.3 80 49 47. 80 48 36.6 80 47 26.6 80 47 24.6
Trav. Sta. No. 35"	41 30 08.1	80 45 03.0
Along highways near west border of quadrangle.		
Phree corners. Mill Creek, center of bridge over. Four corners. Schoolhouse, Hartsgrove district No. 4; three corners. Four corners at signpost "Hartsgrove 2 miles". Schoolhouse, district No. 7; four corners. Fhree corners, south edge of east-west road. Stoneville, 0.25 mile west of; four corners. Windsor Mills, three corners at top of hill near church. Windsor Mills, south end of covered highway bridge over Phelps Creek. Phree corners, forks to east. Iona post office, four corners at.	41 44 33.6 41 42 45.4 41 41 54.7 41 37 58.7 41 37 08.7 41 36 19.8 41 35 30.7 41 33 50.3 41 33 14.2 41 32 06.7 41 31 58.3 41 31 22.7 41 30 30.7	80 59 47. 80 59 32. 80 59 32. 80 59 32. 80 59 32. 80 59 32. 80 59 32. 80 57 44. 80 57 50. 80 57 54. 80 57 54.
KENT QUADRANGLE.		
Along Pennsylvania R. R. from Hudson to a point near Ea	rlville.	1
Stations.	Latitude.	Longitude
Hudson, observatory of Western Reserve Academy	41 12 45.3 41 11 21.0	81 26 13. 81 23 32. 81 20 41. 81 18 39.
Along Cleveland, Akron & Columbus Ry. from Hudson to	Akron.	
Flag station, road crossing at, 1,770 feet south of milepost 3 Road crossing 1,370 feet north of milepost 6. Cuyahoga Falls station. Road crossing 1,925 feet south of milepost 10. Baltimore & Ohio R. R. crossing, stone arch.	41 11 52.4 41 09 50.3 41 08 06.9 41 06 08.1 41 05 08.5	81 27 52. 81 28 09. 81 28 51. 81 29 22. 81 29 23.
On Baltimore & Ohio R. R. near Krumroy.		
Krumroy station, road crossing 225 feet south of	41 00 55.3	81 28 41.

KENTON QUADRANGLE.

From milepost 64 along Toledo & Ohio Central Ry. to Ridgeway.

Stations.		Latitude.	Longitude.
Milepost 64, crossing 910 feet south of. Blanchard station, 150 feet north of; telephone line road crossing. Milepost 67, crossing 500 feet south of. Milepost 69, crossing under railroad 450 feet south of. Pike crossing. Kenton, northwest azimuth stone 9 feet south of south rail on Toled Central Ry. and 12 feet northwest of switch block, sandstone post 30	o & Ohio bv 6 bv 6	0 / // 40 44 46.5 40 43 54.2 40 42 14.0 40 40 30.3 40 39 19.2	83 38 34.9 83 38 35.6 83 38 36.1 83 38 35.1 83 37 59.9
inches, set 28 inches in ground; bronze meridian tablet cemented in top. Azimuth 273° 48° 22" to southeast stone	center of	40 38 40.8	83 36 58.1
of stonework Kenton station, street crossing 140 feet east of Erie R. R. crossing Siding, crossing 70 feet north of north end of. Big Four Route crossing Ridgeway station, crossing 175 feet south of	or in top	40 38 40.0 40 38 36.9 40 38 00.6 40 34 35.9 40 31 09.6 40 30 57.9	83 36 42.2 83 36 29.2 83 35 47.2 83 34 29.9 83 33 47.6 83 33 46.1
Along highways in central and western part o	f quadrang	tle.	
Roads north, east, and west. Henpeck schoolhouse, road crossing at. Corner of sections Kenton, 1.5 miles west of; crossing of Big Four Route. Kenton, 4.5 miles west of; crossing of Big Four Route. Big Four Route and north-south road crossing. T. 3 S., R. 10 E., corner of secs. 5, 6, 31, and 32. Foraker station.		40 37 24.1 40 38 04.5 40 38 39.2 40 38 48.3 40 39 30.7 40 40 09.6 40 43 57.2 40 40 46.6	83 30 57. 4 83 33 09.0 83 34 34.0 83 38 20.6 83 40 30.2 83 42 28.9 83 44 52.6 83 44 21.8
North along highways near east border of o	uadrangle		
Stations.	Latitude.	Longitude	Distance between stations.
Mount Victory, 1.25 miles southeast of; northwest-southeast pike at road west. Mount Victory, Erie R. R. at Main Street crossing. Hale-Dudley township stone in center of north-south road. Mount Victory, 2 miles north of; crossroads. Otterbein United Brethren Church; crossroads. T road east. T road east. Pfeiffer, 1 mile west of, at south side of T road north, 16 feet north to center of T road; iron post stamped "Prim. Trav. Sta. No. 86. Ohio, 1910".	40 31 01.9 40 32 00.1 40 33 23.2 40 33 54.5 40 35 02.6 40 35 59.4 40 37 24.0	83 31 14. 83 30 42. 83 30 32. 83 30 19. 83 30 14.	6,878 8,773 7 3,250 4 6,962 4 5,770
West along Cleveland, Cincinnati, Chicago & St. Louis Ry. (Big south border of quadrangle.	Four Rout	te) and hig	hways near
Mount Victory, 1.25 miles southwest of; north-south road crossing Milepost 124, north-south road crossing at Ridgeway 175 feet south of station; east-west road crossing on Toledo.	40 31 35.2 40 31 21.7	83 32 29.9 83 33 10.3	3,439
Milepost 124, north-south road crossing at. Ridgeway, 175 feet south of station; east-west road crossing on Toledo & Ohio Central Ry. Logan-Hardin county-line post. Beechdale schoolhouse, in southeast corner of grounds, 25 feet east by 20 feet south to center of crossroads; iron post stamped "Prim.	40 30 57.9 40 30 48.7	83 33 46.1 83 34 50.8	5,083
Trav. Sta. No. 87. Ohio, 1910". Van, east-west pike crossing on Cleveland, Cincinnati, Chicago & St. Louis Ry. Big Springs, 0.25 mile north of; cross pikes at schoolhouse. Crossroads. White Town schoolhouse No. 8, crossroads at. Rush Creek-Richland township line, center of pike. Belle Center, 1 mile east of, at northwest corner of Fairview Cemetery,	40 30 14.1 40 30 08.3 40 30 01.1 40 30 20.4 40 30 14.4 40 30 16.5	83 36 55.3 83 38 10.8	3 4,769 5,880 4,906
White Town schoolhouse No. 8, crossroads at. Rush Creek-Richland township line, center of pike. Belle Center, 1 mile east of, at northwest corner of Fairview Cemetery, 25 feet west by 20 feet north to center of T road south; iron post stamped "Prim. Trav. Sta. No. 88. Ohio, 1910". Belle Center, in southeast part of; crossroads.	40 30 13.8 40 30 14.6	83 43 52.9 83 44 37.0	

KENTON QUADRANGLE—Continued.

North along highways near west border of quadrangle.

Stations.	Latitude.	Longitude.	Distance between stations.
Logan-Hardin county-line stone Graystone schoolhouse, 630 feet south of, T road west McDonald-Lynn township line, T road north Gurn schoolhouse No. 2; crossroads T road east. T road east. Foraker, 2 miles south of, in northwest corner of Flynn schoolhouse	40 32 02.1	83 44 46.7 83 44 54.0 83 44 05.9 83 43 02.5 83 43 13.0	Feet. 6,648 4,314 5,080 6,599
grounds, 45 feet north by 30 feet west to center of crossroads; iron post stamped "Prim. Trav. Sta. No. 89. Ohio, 1910"	40 38 35.5 40 39 30.1	83 43 25.2 83 43 34.4	7,893 5,569

Magnetic declination for south border, 0° 23′ E.; for east border, 1° 20′ E.; for west border, 0° 08′ E.

KINSMAN QUADRANGLE.

Along highways near north border of quadrangle.

Stations.	Latitude.	Longitude.
Stanhope creamery, three corners at Pennsylvania R. R. crossing Pennsylvania R. R. crossing, 0.5 mile east of; four corners. Four corners Stratton Creek, center of bridge over Cornelian, four corners at Ohio-Pennsylvania State line, milepost 33.	41 29 54.3	80 36 17.1 80 35 50.2 80 34 12.8 80 33 28.0 80 31 50.7 80 31 09.6
Along highways near west border of quadrangle.		
Schoolhouse, T road east, 21 feet southeast to W. B. King's mail box, 21 feet northwest to west end of stone culvert. Road northeast, 90 feet north to guidepost "Cortland 4 miles" T road east, 35 feet northeast to corner fence post, 34 feet southeast to corner fence post. T. 5 N., R. 3 W., corner of secs. 47, 48, 53, and 54; T road south, 13 feet north to A. Barnard's mail box, 40 feet southeast to C. W. Kennedy's mail box. T. 5 N., R. 3 W., corner of secs. 14, 15, 27, and 28; crossroads, 37 feet southwest to corner fence post, 42 feet northwest to guidepost. Cortland, 2 miles north of; guidepost at Y road north Mecca, 1 mile south of, in west part of schoolhouse yard; nail in east face of maple tree bears S. 55° W., distant 73.5 feet; and in south face of maple tree near fence bears N. 19° E., distant 79.8 feet; iron post stamped "Prim. Trav. Sta. No. 34". Mecca, corner stone in center of park. Crossroads, 40 feet northwest to guidepost, 40 feet southwest to cross on fence post. T. 7 N., R. 3 W., corner of secs. 44, 45, 46, and 47; T road east, 10 feet northeast to milk platform. Crossroads, center of bridge. Kenilworth, crossroads 0.5 mile west of, 40 feet northeast to telephone pole, 66 feet southeast to maple tree. Triumph, 1 mile south of, T road east, 27 feet west to wild-cherry tree, 70 feet southeast to maple tree. Triumph, crossroads, 57 feet southwes. to northeast corner of shop, 40 feet southeast to C. M. Rice's mail box.	41 15 40.2 41 16 31.6 41 17 02.8 41 18 29.7 41 19 48.6 41 21 11.1 41 21 53.2 41 23 22.7 41 25 07.9 41 25 58.1 41 26 51.4 41 27 43.4 41 28 36.7 41 29 28.4	80 44 26.9 80 44 27.1 80 44 27.4 80 44 28.2 80 44 13.5 80 44 13.5 80 44 13.3 80 44 13.7 80 44 13.8 80 44 47.7 80 44 48.2 80 44 48.2

LANCASTER QUADRANGLE.

Along Hocking Valley Ry. between Lancaster and Hooker.

Stations.	L	atit	ude.	Lo	ngi	tude.
		,	"	•	,	,,
Lancaster, crossing of Fair Avenue and Columbus Street	39	43	26.4	82	36	15. 10
track, township line follows railroad northwest. Water tank, spout between tracks Hooker station, 350 feet northwest of, on north side of east-west road, near south-	39		30. 1 16. 1			40.60 43.30
east corner of field of Mike Vase, southwest corner of foundation to house bears N. 43° 15′ E., distant 29 feet; iron post stamped "Prim. Trav. Sta. No. 48, 1905".	39	44	51.5	82	39	47.60

LANCASTER QUADRANGLE-Continued.

Along highways near Hooker.

Mong man mont in the control of the		
Stations.	Latitude.	Longitude.
Hooker, 1.75 miles west of, 22 feet northwest to R. V. Allen's mail box, 25 feet northeast to cross on fence post	。 , ,, 39 44 52.7	82 41 51.7
apple tree on top of steep bank, west of intersection of crossroads; iron post stamped "Prim. Trav. Sta. No. 49, 1905"	39 44 59.3	82 42 47.1
Along highways near south border of quadrangle.		·
Gibisonville, east of, crossroads at schoolhouse, 63 feet north to corner of fence, 60 feet northwest to corner fence post. Mouad Crossing school, in front yard of, southeast corner of foundation of schoolhouse bears N. 44° E., distant 40.5 feet, north corner of lower step of entrance to front yard bears S. 12° E., distant 71.6 feet; fron post stamped "Prim. Trav.	39 30 02.6	82 33 36.8
Sta. No. 8. Ohio, 1906". Laurel township, northwest corner of sec. 19, T. 12 N., R. 18 W. Perry, northeast corner of sec. 24, T. 12 N., R. 19 W.; gatepost corner T. 11 N., R. 20 W., northeast corner of sec. 24; Hocking-Pickaway county line, at T road west, 18 feet northwest to mail box 21, 25 feet southwest to arrow on	39 30 22.0 39 30 21.8 39 30 24.5	82 37 25.2 82 37 25.8 82 37 25.6
post. Perry township, northwest corner of sec. 19, T. 12 N., R. 19 W.	39 30 39.3 39 30 42.5	82 44 10.5 82 44 10.5
Along highways near west border of quadrangle.		
Amanda, 0.75 mile east of, east of pike at T pike west, cross cut on southwest corner of stone culvert bears N. 12° W., distant 36.5 feet, cross cut on southeast corner of stone culvert bears N. 22° 15′ E., distant 26.9 feet; iron post stamped "Prim. Trav. Sta. No. 7. Ohio, 1906". Road east on township line between Tps. 12 and 13. Amanda, Clear Creek, Hocking, and Madison townships, common corner of; northeast corner of sec. 1, T. 12 N. R. 20 W. Crossroads, 225 feet west of northeast corner of sec. 14.	39 38 44. 4 39 38 34. 6	82 43 37.9 82 43 46.0
northeast corner of sec. 1, T. 12 N., R. 20 W. Crossroads, 225 feet west of northeast corner of sec. 14. T. 12 N., R. 20 W., northeast corner of sec. 14.	39 38 33.2 39 36 52.1 39 36 52.1	82 43 22.8 82 44 43.4 82 44 40.6
LARUE QUADRANGLE.	<u>' </u>	
Along highways near southeast corner of quadrangle		
Stations.	Latitude.	Longitude.
Road crossing, east-west	40 30 46.4 40 31 47.2 40 33 04.0 40 33 20.3 40 35 09.5 40 35 52.5	83 15 22.2 83 15 56.0 83 16 07.6 83 15 20.0 83 15 21.2 83 15 20.4

Along highways near west border of quadrangle.

Near west border of quadrangle.

40 44 41.7 40 42 04.8 40 40 19.4 40 38 34.0

40 30 15.3 40 37 09.6 83 29 48.7 83 29 45.7 83 29 45.1 83 29 46.3

83 29 50.3 83 29 58.8

T. 3 S., R. 12 E., corner of secs. 28, 29, 32, and 33.
T. 4 S., R. 12 E., corner of secs. 8, 9, 16, and 17.
T. 4 S., R. 12 E., corner of secs. 20, 21, 28, and 29.
Tps. 4 and 5 S., R. 12 E., corner of secs. 4, 5, 32, and 33.

Union-Hardin county-line monument.
Steel bridge over Scioto River, center of.

LARUE QUADRANGLE—Continued.

East along highways near south border of quadrangle.

Stations.	Latitude.	Longitude.	Distance between stations.
Arbela, 1 mile north by 1 mile east of: T road south	40 30 04.3 40 30 12.6 40 30 20.5	83 24 55.7 83 23 47.7 83 22 55.4	Feet. 5,328 4,121
by 15 feet south to center of T road; iron poststamped "Prim. Trav. Sta. No. 84. Ohio, 1910". T road south. Schoolhouse No. 8 (brick), 0.25 mile northwest of; on northwest-southeast road at road west.	40 30 02.6 40 30 03.7 40 30 10.4	83 22 05.8 83 20 49.9 83 19 57.5	4,245 5,869 4,111

Magnetic declination for south border, 1° 04' W.

LAURELVILLE QUADRANGLE.

Along highways near west border of quadrangle.

Stations.	Latitude.	Longitude.
Adelphi, crossing of Main and Concord streets, 40 feet southeast to lamp-post, 36 feet northwest to telephone pole at general store	39 27 58.9 39 25 28.7	82 44 52.3 82 44 38.5
shop, 30 feet northwest to small apple tree. Tom Pritchard's residence, intersection of roads, 15 feet north to cross cut on small cottonwood tree. Feightner, 2 miles south of, in northeast corner of T. B. Pritchard's front yard, northeast corner to foundation of porch of Pritchard's residence bears S. 73° 15'	39 24 45.4 39 23 39.0	82 44 48.2 82 43 28.4
W., distant 49.2 feet, nail in north face of cottonwood tree in front yard bears S. 15° E., distant 7.7 feet, in top of sandstone post 6 by 10 by 36 inches set 32 inches in ground, aluminum tablet stamped "Prim. Trav. Sta. No. 10" T road southwest, 18 feet south to cross on corner fence post, 20 feet northeast to cross on fence post. Pike Run, T road east at, 25 feet northeast to cross on telephone pole, 25 feet	39 23 36.8 39 22 19.2	82 43 28.8 82 43 47.9
southeast to corner of old store building. Pike Run, crossroads 0.75 mile south of, 18 feet northwest to cross on corner fence post, 22 feet southwest to south end of box culvert. Pike Run, intersection of roads at bridge about 1 mile west of, 10 feet east to north corner of bridge, 10 feet south to southwest corner of bridge.	39 21 11.8 39 20 40.3 39 21 19.2	82 43 19.8 82 43 26.6 82 44 22.2
 Along highways near south border of quadrangle. 		
Pawpaw school, T road north 1 mile south of schoolhouse, 27 feet west to small bridge McArthur, 3.75 miles northwest of, 0.25 mile west of J. T. Hartley's residence, north side of old State road, nail in apple tree bears S. 35° 45′ W., distant 53.7	39 15 44.0	82 32 26.9
feet, nail in gum tree bears N. 56° 30′ W., distant 25.3 feet; iron post stamped "Prim. Trav. Sta. No. 11. Ohio, 1906''. Schoolhouse, just west of, rail fence south of old State road; T road north Allensville, northeast corner of sec. 8, T. 9 N., R. 18 W.; stone in schoolhouse yard. Allensville, center of crossroads Allensville, 1.33 miles west of; T road north, 21 feet east to southwest corner of	39 16 40.1 39 16 13.9 39 16 23.9 39 16 21.4	82 32 09.0 82 34 31.7 82 36 13.3 82 36 24.0
covered bridge. Line between Rs. 18 and 19 W., center of old State road, rail fence south. Allensville, 2.5 miles west of, south side of old State road, one-sixth mile west of James Anderson's residence, 30 feet east of T road south; iron post stamped "Prim. Trav. Sta. No. 12. Ohio, 1906"	39 16 28.4 39 16 16.8	82 37 48.2 82 38 37.1 82 39 04.7
T road north, 30 feet east to center of small bridge. T, 9 N., R. 19 W., northeast corner of sec. 15; stone, lane south. Private road south in hollow. Gillespieville, 4 miles east of; T road south, 15 feet south to guidepost.	39 15 04.4	82 39 46.0 82 40 57.6 82 42 33.7 82 43 33.5

LAURELVILLE QUADRANGLE—Continued.

Along highways near east border of quadrangle.

Stations.	Lat	itude.	Long	gitı	ude.
Stone on township line at posth and of wise force	0, /		0		39.8
Stone on township line at north end of wire fence. Joseph Earnhart's blacksmith shop, about 400 feet northeast of; T road east, 45 feet east to southwest corner of bridge, 26 feet northeast to cross on fence	ľ	6 29.7 5 10.6			23.4
Old residence site, T road south, 33 feet north to cross on board fence, 29 feet		4 06.0	1		02.3
southeast to corner of old yard. T. 11 N., R. 18 W., northeast corner of sec. 25; stake at junction of fences T. 12 N., R. 17 W., northwest corner of sec. 6; stone at topped hickory Hue, at northwest corner of H. S. Honnold's yard, nail in locust tree bears N.	39 2	3 56.4 3 44.8	82	30	52. 4 52. 4
62° 15' W. distant 9.6 feet, nail in locust tree bears N. 20° E. distant 6 feet; iron post stamped "Prim. Trav. Sta. No. 10, 1906". Hocking-Vinton county line, center of road, at east-west rail fence, about 700 feet	39 2	3 25.1	82	31	06.7
north of N. R. Pettit's residence. Millharm school, road forks, 15 feet north to large white oak. Stella, crossroads, 27 feet southeast to northwest corner of old building, 43 feet		2 12.9 1 22.0			03. 2 39. 4
Stella, crossroads, 27 feet southeast to northwest corner of old building, 43 feet southwest to sassafras stump. Stella, 1.25 miles southeast of; road forks, 15 feet south to Frank Allen's mail box,	39 2	0 55.1	82	33	05.0
30 feet northwest to stump. Centenary Church, about 0.25 mile northeast of; T road south, 9 feet south to	39 1	9 59.4	82	32	18. 2
center of small bridge, 18 feet west to E. Reinhart's mail box. T. 11 N., R. 17 W., northwest corner of sec. 6, west side of Mr. Davis's farm, 27	39 1	9 12.4	82	32	33.0
feet north of junction of fences. H. J. Westcoat's residence. T road north, 37 feet northwest to arrow on fence, 26	39 1	8 24.5	82	31	23.1
leet southeast to guidepost		8 14.9			37. 6
small bridge. T road west, 9 feet southeast to west end of box culvert.		7 45.1 6 59.6			30.0 17.7
Along highways near north border of quadrangle.					
T. 12 N., R. 19 W., about 0.33 mile west of northeast corner of sec. 30; T road east, 27 feet northwest to cross on large sycamore tree, 24 feet northeast to J. C.					
Anderson's mail box T road north on section line, 27 feet southeast to wooden mail box, 18 feet south to	39 2	9 45.3	82	43	30.0
G. H. McClelland's mail box. T. 12 N., R. 19 W., northeast corner of sec. 29.	39 29	9 48.0 9 41.8	82	42	00.8 00.8
South Perry, south end of bridge at crossroads South Perry, 1 mile east of; T road north, 15 feet south to cross on fence post Rockhouse, T road north, 27 feet northwest to end of board fence, 32 feet north-		9 47.8 9 51.9	82	40 39	$19.3 \\ 11.2$
east to corner of picket fence	39 29	38.8	82	36	53.7
18 feet southwest to west end of gate. Gibisonville, 1 mile east of, just south of M. N. McCowen's residence, west of road, nail in locust tree bears N. 30° E. distant 44.3 feet, nail in locust tree bears S. 40° 30′ E., distant 33.9 feet; iron post stamped "Prim. Trav. Sta. No. 9.	39 29	54.1	82	35	21.0
Ohio, 1906" Bridge over Pine Creek, just northeast of; T road north, cross on fence post Zion Church, T road east, 20 feet south to center of bridge, 18 feet east to arrow		54.2 3 10.3			41. 2 06. 0
cut on board fence. Laurel township, northeast corner of sec. 36, T. 12 N., R. 18 W.		3 31.3 3 13.8			34. 6 30. 2

Magnetic declination for north border, 0° 29' E.; for south border, 0° 25' W.; for east border, 0° 28' W.

LAWRENCEBURG QUADRANGLE (OHIO-IND.). Along highways to a point near Harrison.

Stations.	Latitude.	Longitude.	Distance between stations.
Elizabethtown, 1.1 miles southwest of, at northeast corner of T pike north at Indiana-Ohio State line, 4 feet south and 1 foot east to large stone monument, 20 feet west and 35 feet south to center of T pike; iron post stamped "Prim. Trav. Sta. No. 32. Ohio, 1910". Elizabethtown, street crossing on electric railroad. Elizabethtown, about 1 mile east '. State line, 200 meters northwest of Cleveland, Cincinnati, Chicago & St. Louis Ry. station; stone astronomical pier. Astronomic value (Coast and Geodetic Survey).	39 08 57 2 39 09 29 7 39 09 32 2 39 09 28 54		6 5 419
Suspension bridge, just west of; center of T pike east	39 10 58.7	84 47 41.8	$ \left\{ \begin{array}{c} 5,412 \\ 9,444 \end{array} \right. $
Harrison, 2 miles from; center of T road south, 25 feet south and 15 feet east to guidepost "Locust Grove Church 2 miles, Harrison 2 miles". T. 7 N., R. 1 W., east corner of secs. 24 and 25; Ohio-Indiana State line. Harrison, 1.8 miles east and 1 mile south of; center of pike at north-south road.	39 14 05.6 39 14 51.0 39 14 52.9	84 48 27.8 84 49 12.4 84 47 10.7	19, 256 5, 774 10, 604
NOUILL TOWARD AND AND AND AND AND AND AND AND AND AN	00 11 02.0	01 11 10.1	10,001

Magnetic declination for north half of border of quadrangle along Ohio-Indiana State line, 1° 12' E.

LEBANON QUADRANGLE.

Along Baltimore & Ohio Southwestern R. R. from Camp Ground to Windsor.

Stations.	Latitude.	Longitude.
Camp Ground station. Loveland, crossing of Pennsylvania and Baltimore & Ohio Southwestern railroads. Hills station, crossing 340 feet west of. Cozaddale station, crossing 80 feet west of. Pleasant Plain station, crossing 110 feet west of. Windsor station, crossing 40 feet west of.	9 15 18.2 39 16 00.6 39 15 18.7 39 16 15.2 39 16 47.5 39 17 04.6	84 16 47.5 84 15 31.9 84 11 17.7 84 09 39.9 84 06 43.6 84 02 59.5
Along Pennsylvania R. R. near west border of quadran	gle.	
Road crossing north-south Road crossing northeast-southwest	39 21 05.1 39 22 17.2	84 14 27.8 84 14 4243
Along highways near west border of quadrangle.		
Crossroads. Road crossing north-south Road southeast Bridge over creek south Red Lioa, T. 3 E., R. 4 N., center of sec. 15	39 23 30.0 39 24 34.0 39 26 54.6 39 28 06.1 39 29 28.2	84 14 52.9 84 14 35.4 84 14 06.4 84 14 16.2 84 14 55.4
Along highways near southeast corner of quadrangle).	-
Road northwest. Woodville, intersection of roads 0:25 mile east of.	39 15 51.4 39 15·19.2	84 00 09.2 84 00 26.3
· Along highways near north border of quadrangle.	<i></i>	<u> </u>
Red Lion, 0.5 mile east of, north of pike, 15 feet south and 25 feet east to center of small bridge over branch to north, 10 feet north to southeast corner of E. W. Decker's garden; iron post stamped "Prim. Trav. Sta. No. 48. Ohio, 1909". Red Lion, 1.5 miles from; T road north, 20 feet south to guidepost "Springfield 5 miles". Red Lion, 2.5 miles east of, 3.5 miles north of Lebanon; center of crossroads. Red Lion, 3.5 miles east of; corner of secs. 27, 28, 33, and 34, T. 4, R. 4. Utica, corner of secs. 21, 22, 27, and 28, T. 4, R. 4, 10 feet west and 10 feet south to center of crossroads. Yale, 4.5 miles from, 4 miles from Waynesville; center of crossroads and section corner. Schoolhouse, center of T road south at section corner. Waynesville, 3.5 miles southwest of, on east side of T road west at Ellis Ivin's residence, 10 feet west and 25 feet south to center of stone culvert; iron post stamped "Prim. Trav. Sta. No. 49. Ohio, 1909". Waynesville, 2.5 miles southwest of; center of steel bridge over Little Miami River. Wayne township schoolhouse No. 10, 0.2 mile south of, 10 feet south to center of triangular grass plat.	39 29 25.5 39 29 14.1 39 29 06.2 39 29 29.1 39 29 40.0 39 29 34.9 39 29 31.0 39 29 22.1 39 29 51.0	84 14 17.3 84 13 10.6 84 12 09.2 84 10 47.6 84 09 37.7 84 08 29.0 84 07 18.0 84 06 34.9 84 06 06.6
triangular grass plat.	39 29 57.8	84 04 36.8
Along highways east-west through center of quadrang Hopkinsville, 0.5 mile southwest of; center of Foster-Morrow pike at pike south. Hopkinsville, at northeast corner of cross pikes, 300 feet south and 20 feet west to center of pikes; iron post stamped "Prim. Trav. Sta. No. 51. Ohio, 1909". Hopkinsville, 1 mile northeast of; on Foster-Morrow pike at pike north. Zoar Methodist Episcopal Church, west of; center of cross pikes. Foster-Morrow pike at T pike north. Morrow, crossing of north-south street and Cincinnati & Muskingum Valley R. R. Milepost 147, 550 feet east of, just southeast of intersection of northeast-southwest road and Cincinnati & Muskingum Valley R. R., on east side of wagon road; iron post stamped "Prim. Trav. Sta. No. 52. Ohio, 1909" Milepost 146, private road crossing. Milepost 145, 0.2 mile west of, near east end of bridge; pike crossing under rail- road. Hicks, northwest-southeast road crossing at station. Milepost 143, overhead road crossing. Spur to sawmill, east-west road crossing at Clarksville, 2.3 miles southwest of, on east side of Cincinnati & Muskingum Valley R. R., 50 feet west and 15 feet south to center of road crossing; iron post stamped	39 20 02. 1 39 20 20. 4 39 20 47. 5 39 21 02. 9 39 21 21. 8 39 21 15. 0 39 20 33. 1 39 20 43. 2 39 21 01. 2 39 21 29. 9 39 22 34. 2	84 13 43.0 84 13 07.9 84 12 19.0 84 11.26.4 84 10 28.5 84 07 57.9 84 06 10.4 84 05 15.2 84 04 26.5 84 03 19.4 84 02 36.7 84 01 57.7
"Print Trav. Sta. No. 53. Ohio, 1909". Milepost 140, 0.2 mile south of, crossing of northeast-southwest road	39 22 57.0 39 23 10.7	84 01 00.8 84 00 07.9

LEBANON QUADRANGLE—Continued. At Loveland.

	Stations.	Latitude.	Longitude.
Loveland, about 0.5 mile southeast post stamped "Prim. Trav. Sta. N	of, at southeast corner of T pike east; iron No. 97. Ohio, 1909"	° , " 39 15 30.9	84 14 57.6

Magnetic declination for north border, 0° 28' E.; for center line east-west, 0° 45' E.

LIBERTY QUADRANGLE (OHIO-IND.).

Along highway north on State line.

Stations.	Latitude.	Longitude.	Distance between stations.
	0 / //	0 / //	Fcet.
Tps. 5 and 10 N., Rs. 1 E. and 1 W., corner of secs. 30, 31, 26, and 36 Tps. 5 and 10 N., Rs. 1 E. and 1 W., 20 feet south and 45 feet west of corner of secs. 19, 24, 25, and 30, 4 miles west of Oxford, in northeast			
corner of Frank Hausel's field, at T road south on Ohio-Indiana	39 30 30, 6	84 48 55.9	E 250
State line; iron post stamped "Prim. Trav. Sta. No. 36. Ohio, 1910". T. 5 N., R. 1 E., corner of secs. 19, 20, 29, and 30	39 30 30.6	84 47 47.2	5,259 5,379
Oxford, 2.8 miles west of; center of T road north	39 30 30.4	84 47 22.1	1,970
T. 5 N., R. 1 E., stone at corner of secs. 20, 21, 28, and 29		84 46 38.7	3,390
T. 5 N., R. 1 E., corner of secs. 21, 22, 27, and 28	39 30 29.6	84 45 31.0	5, 291
To tie point 2.8 miles west of Oxford			5,213
T.5 N., R.1 E., corner of secs. 17, 18, 19, and 20; center of T road north at schoolhouse No. 4.	20 21 02 1	04 47 46 0	5 050
T. 5 N., R. 1 E., corner of secs. 7, 8, 17, and 18; center of T road west	39 31 23.1	84 47 46.0 84 47 44.8	5,656 5,331
Tps. 5, 6, 10, and 11 N., Rs. 1 W. and 1 E., corner of secs. 1, 6, 31, and	00 02 10.0	01.41.41.0	0,001
36, Butler, Preble, and Union counties; State line	39 34 04.4	84 48 53.5	12, 230
T. 6 N., R. 1 E., west corner of secs. 19 and 30; center of T road east,	ì		
State line	39 35 49.5	84 48 53.2	10,635
T.6N.,R.1E., west corner of secs. 18 and 19; T road east, State line. $T.11N.,R.1W.$, east corner of secs, 13 and 24; T road west, State line.	39 36 37.0 39 36 37.4	84 48 52.7 84 48 52.7	4,810
T. 11 N., R. 1 W., east corner of secs. 12 and 13, 10 feet west to center	35 30 31.4	04 40 02.1] 30
of T road west; State line	39 37 29.9	84 48 52.3	5,310
of T road west; State line	1		'
Ohio-Indiana State line, 20 feet south and 20 feet west to center of T			
road; iron post stamped "Prim. Trav. Sta. No. 37. Ohio, 1910" T. 11 N., R. 1 W., east corner of secs. 1 and 12; Troad west, State line	39 38 16.8 39 38 22.5	84 48 52.0 84 48 52.2	4,744 580
Tps. 6 and 7 N., R. 1 E., west corner of secs. 6 and 31; center of T road	39 30 22.3	04 40 02.2	360
east, State line.	39 39 21.6	84 48 51.8	5,980
T. 7 N., R. 1 E., west corner of secs. 30 and 31; State line	39 40 14.7	84 48 51.9	5,370
T. 12 N., R. 1 W., east corner of secs. 24 and 25; center of T road west,	00 10 50 0		
State line. T. 12 N., R. 1 W., east corner of secs. 13 and 24; State line	39 40 58.6 39 41 51.2	84 48 51.9 84 48 51.5	4,440
T. 7 N., R. 1 E., west corner of secs. 18 and 19; State line	39 41 51.2	84 48 51.5	5,320 880
T. 12 N., R. 1 W., east corner of secs. 12 and 13; center of T road west,	03 11 03.3	01 10 01.1	000
State line	39 42 43.6	84 48 51.1	4,420
T. 7 N., R. 1 W., west corner of secs. 7 and 18; center of T road east,			
State line.	39 42 52.7	84 48 51.1	920
T. 12 N., R. 1 W., stone at east corner of secs. 1 and 12, junction of Union, Wayne, and Preble county lines; State line	39 43 35.9	84 48 51.0	4,370
T. 7 N., R. 1 E., west corner of secs. 6 and 7; center of T road east,	00 3D 00.0	0.7 40 01.0	,,,,,,,
State line	39 43 46.0	84 48 51.0	1,020
Tps. 7 and 8 N., R. 1 E., 27 feet north and 15 feet east of corner of sees.		i	i
1 and 6, at northeast corner of crossroads, 3 miles west of West Flor-	20 41 27 7	94 49 50 0	5 007
ence; iron post stamped "Prim. Trav. Sta. No. 38. Ohio, 1910"	39 44 37.7	84 48 50.9	5,227

Along highways east from Primary Traverse Station No. 38 to tie east of West Florence.

T. 7 N., R. 1 E., north corner of secs. 5 and 6; center of T road south	39 44 37.5	84 47 51.2	4,629
T. 7 N., R. 1 E., north corner of secs. 4 and 5.	39 44 37.6	84 46 42.9	5,300
T. 7 N., R. 1 E., north corner of secs. 3 and 4; center of T road south	39 44 37.7	84 45 34.4	5,160
T. 8 N., R. 1 E., south corner of secs. 33 and 34; center of T road north.			
Corner of secs. 3 and 4 to tie point east of West Florence			5,243

Along highways near east border of quadrangle.

Stations.	La	tit	ude.	Lon	git	ude.
Schoolhouse No. 2, 560 feet east of; center of T road south	39 39	33	16.6 04.3	84	45	15. 2 27. 3
and 10 feet east to center of grass plot.		34	50.3	84	45	30.0

Magnetic declination along Ohio-Indiana State line, 1° 14′ E.; along line near southeast border of quadrangle, 1° 35′ E.

LIMA QUADRANGLE.

Along Erie R. R. and highways near north border of quadrangle.

Stations.	Latitude.	Longitude.
Kemp station (Kempton post office) Road crossing, northeast-southwest Lima station. Detroit, Toledo & Ironton Ry. crossing. T. 4 S., R. 7 E., corner of secs. 3, 4, 9, and 10. T. 3 S., R. 5 E., corner of secs. 25, 26, 35, and 36. Tps. 3 and 4 S., R. 5 E., corner of secs. 1, 2, 35, and 36.	40 43 25.6 40 43 34.7 40 43 26.4 40 43 26.5 40 43 00.7 40 44 38.5 40 43 46.1	84 13 27.6 84 08 56.7 84 06 21.9 84 05 10.5 84 03 06.3 84 14 33.3 84 14 32.8
Along highways near west border of quadrangle.		
Kempton. Azimuth of railroad, 267° 26′. Kempton, crossroads 0.5 mile south of. I. 4 S., Rs. 5 and 6 E., corner of secs. 7, 12, 13, and 18. I. 4 S., Rs. 5 and 6 E., corner of secs. 13, 18, 19, and 24 I. 7 road west. I. 4 S., R. 6 E., quarter corner between secs. 29 and 30. Hume, crossroads 0.5 mile south of. Azimuth of Lake Erie & Western R. R.,	40 43 25.6 40 42 52.9 40 42 01.9 40 41 09.6 40 40 17.4 40 39 51.6	84 13 27.6 84 13 23.3 84 13 22.7 84 13 22.3 84 13 21.9 84 12 13.0
T. 5 S., R. 6 E., corner of secs. 7, 8, 17, and 18. T road east. T. 5 S., R. 6 E., quarter corner between secs. 19 and 20. Wapakoneta, crossing of Blackhoof and Auglaize streets. Wapakoneta, Piqua pike at crossroads 1 mile south of. Schoolhouse, crossroads at. T road west. Schoolhouse, road east one-third mile north of. Schoolhouse, road east one-third mile north of. Buckland, 1.5 miles east of, at southeast corner of crossroads, 35 feet west and 10 feet north to center of crossroads; iron post stamped "Prim. Trav. Sta. No. 5.	40 39 12.2 40 36 48.8 40 35 56.3 40 35 29.9 40 34 14.6 40 33 18.8 40 32 00.2 40 31 07.7 40 30 41.3	84 12 12.4 84 12 11.2 84 12 10.4 84 12 10.4 84 11 46.2 84 11 55.7 84 12 09.3 84 12 13.0
feet north to center of crossroads; iron post stamped "Prim. Trav. Sta. No. 5. Ohio, 1909" T. 5 S., Rs. 5 and 6 E., near corner of secs. 1, 6, 7, and 12; T road north T. 5 S., R. 6 E., near corner of secs. 5, 6, 7, and 8, near church and schoolhouse; crossroads	40 37 40.1 40 57 40.1 40 37 41.4	84 14 08.6 84 13 19.8 84 12 11.9
LISBON QUADRANGLE. Along the Pittsburgh, Lisbon & Western R. R. at Lisb	on	<u>'</u>
Stations.	Latitude.	Longitude.
Lisbon, street crossing of Pittsburgh, Lisbon & Western R. R., just south of	o , ,, 40 46 16.5	80 45 27.
Along Erie R. R. in northeast part of quadrangle.		<u> </u>
T road south, 90 feet west to east-west road crossing, on Erie R. R. Corner of secs. 1, 2, 11, and 12, at crossroads. Corner of secs. 11, 12, 13, and 14, at crossroads, 21 feet southeast to mail box, 18 feet southwest to west end of culvert. Crossroads at schoolhouse, corner of secs. 13, 14, 23, and 24. Corner of secs. 23, 24, 25, and 26. Schoolhouse, T road west, at 14 feet north to east end of stone culvert, 21 feet northwest to west end of culvert. Washingtonville, Main Street crossing on Erie R. R.	40 59 17.8 40 58 21.5 40 57 29.8 40 56 38.0 40 55 46.1 40 55 01.3 40 54 02.6	80 45 49.2 80 45 49.5 80 45 50.3 80 45 50.8 80 45 51.4 80 45 50.5
Along highways in southeast part of quadrangle.		
Leetonia, 0.5 mile northwest of, in southwest corner of city reservoir grounds, cross cut on stone foundation of left side of ventilator bears N. 52° 10′ E., distant 50.3 feet, cross cut on northeast corner of foundation to Mont Stover's residence bears S. 89° W., distant 106.4 feet; iron post stamped "Prim. Trav. Sta. No. 44". Leetonia, north-south road crossing on Pennsylvania R. R. at Salem Iron	40 53 14. 4 40 52 22. 7 40 51 03. 0 40 50 33. 7 40 49 40. 8 40 48 48. 7	80 45 52.8 80 45 53.6 80 45 54.3

LISBON QUADRANGLE—Continued.

Along highways near south border of quadrangle.

Stations.	Latitude.	Longitude.
Lisbon, in southwest corner of eastmost park, east corner of foundation to mounted gun bears N. 79° 15′ W., distant 78.8 feet, bronze tablet in northeast corner of courthouse bears S. 48° 05′ W., distant 119.9 feet; iron post stamped "Prim. Trav. Sta. No. 45′." T. 14 N. R. 3 W. corner of secs. 15. 16. 21. and 22.	0 / // 40 46 20.3 40 46 12.3	80 46 04.6 80 48 13.6
T. 14 N., R. 3 W., corner of secs. 15, 16, 21, and 22. Lisbon, Troad south, 2.5 miles west of, 39 feet southwest to P. Joseph's mail box, 36 feet east to large white-oak tree.	40 46 07.0	80 48 59.7
36 feet east to large white-oak tree. T. 14 N., R. 3 W., corner of secs. 17, 18, 19, and 20, at crossroads, 18 feet northeast to mail box, 36 feet southeast to 4-mile post. Lisbon, 5.5 miles west of, in southwest corner of Charles Miller's stable lot, cross on southwest corner of foundation to residence bears N. 56° 20′ E., distant 111 feet, cross on southwest corner of stable foundation bears S. 66° E., distant 106 feet, cemented in sandstone post; aluminum tablet stamped "Prim.	40 46 12.5	80 50 30.0
Hanoverton, T road 3 miles northeast of, 46 feet northeast to guidepost, 10 feet	40 45 55.9	80 51 56.8
Hangverton groups and 2.5 miles east of 18 feet south to mail how 24 feet north-	40 45 58.4	80 52 42.6
west to mail box. Hanoverton, T road north, 1.25 miles east of, 53 feet northeast to telephone pole,	40 45 47.1	80 53 36.7
west to mail box. Hanoverton, T road north, 1.25 miles east of, 53 feet northeast to telephone pole, 36 feet, northwest to cross on rail fence. Hanoverton, crossing of Canal and First streets; 60 feet northeast to southwest corner of Wilhelm Hotel, 241 feet northwest to lamp-post.	40 15 21.0	80 54 11.6
corner of Wilhelm Hotel, 241 feet northwest to lamp-post	40 45 03.7	80 56 12.7
Along highways near west border of quadrangle.		
J. C. Thomas's field, in northwest corner of, on east side of north-south road and just south of road to east, cross on northeast corner of foundation to Thomas's residence bears N. 66° W., distant 54.5 feet, nail in west face of locust tree on east-west fence line bears N. 87° 10′ E., distant 117.6 feet, in top of sandstone post; aluminum tablet stamped "Prim. Trav. Sta. No. 48". Road west, 18 feet north to guidepost, 24 feet south to corner stone. Section corner, T road east, 15 feet northwest to fence post, 27 feet northeast to guidepost. Corner of secs. 1, 2, 11, and 12, T road east at schoolhouse. New Alexander, crossroads 2 miles north of, 39 feet southwest to guidepost, 9 feet east to stone in center of east-west road.	40 45 38.3 40 46 14.6 40 47 06.6 40 47 59.0 40 48 50.1	80 59 58.3 80 59 43.3 80 59 38.8 80 59 38.4 80 59 32.0
feet east to stone in center of east-west road. North Georgetown, crossroads 1 mile south of, 28 feet northeast to east end of stone culvert, 30 feet northwest to cross on telephone pole. North Georgetown crossroads, 30 feet southwest to guidepost, 32 feet northwest	40 49 42.6	80 59 20.7
North Georgetown crossroads, 30 feet southwest to guidepost, 32 feet northwest to American Hotel signpost. Section corner stone to sees. 14 and 23, T. 6 N., R. 5 W.; T road west at Section coraer stone, crossroads at. T road east, 33 feet southeast to northwest corner of schoolhouse, 19 feet north-	40 52.20.4	80 59 10.1 80 59 39.0 80 59 39.1
east to north end of culvert. Westville, on land of R. F. Randolf, northwest corner of Randolf stable bears S. 25° E., distant 15.2 feet, northwest corner of tile foundation to blacksmith shop bears N. 59° 40′ W., distant 65 feet; iron post stamped "Prim. Trav.	40 53 13.2	80 59 39.0
Sta. No. 49" Beloit, north-south road crossing on Pennsylvania R. R. Croner of secs. 23 and 24, T road west. Crossroads, 31 feet northeast to cross on telephone pole, 22 feet northwest to cross on milk platform. Snodes station, corner of secs. 11, 12, 13, and 14, road crossing on Pennsylvania R. R.	40 54 08.0 40 55 14.7 40 55 50.0	80 59 38.8 80 59 37.6 80 59 37.4
on milk platform. Snodes station, corner of secs. 11, 12, 13, and 14, road crossing on Pennsylvania	40 56.42.1	80 59 37.2
R. R. Corner of secs. 1, 2, 11, and 12. Corner of secs. 1 and 2, at T road south. Christie's pottery, crossroads at, 42 feet southwest to mail box, 39 feet southeast to cross on tolephone pole.	40 59 16.2	80 59 37.0 80 59 36.9 80 59 36.8 80 59 08.9

LOGAN QUADRANGLE.

Along Cincinnati & Muskingum Valley R. R. near Junction City.

Stations.	Lε	tit	ude.	Lon	gitı	ude.
	•	,	,,			"
Milepost 42, 0.33 mile east of, road crossing. Junction City, near Stalzenbach & Harris's store, on north line between Cincinnati & Muskingum Valley R. R. and property of Junction City, southwest corner of store bears N. 26° 50′ W., distant 78.9 feet, north rail of track at road crossing bears S. 43° 45′ W., distant 53 feet; iron post stamped "Prim.	39	43	23. 5			43.8
Trav. Sta. No. 66, 1905" Milepost 13, road crossing			13.4 24.6			57. 0 00. 6
McElroys, 1 mile south of, road crossing at spur McElroys station, road crossing	39 39	44 44	00.8 57.3	82 82	20	19.3 53.2

LONDON QUADRANGLE.

Along highways near east border of quadrangle.

Stations.	Latitude.	Longitude.
Roads, north, east, and south Loubgert Creek, bridge over. Wrightsville-Kiousville pike, 300 feet east of W. McNeff's house. Wrightsville, crossroads. Lilly Chapel-Georgesville road and road north. Lilly Chapel-Georgesville and West Jefferson crossroads. Nathonal pike, crossroads on. Road east. Schoolhouse, road southwest	9 45 11.9 39 47 09.3 39 48 58.2 39 51 39.3 39 53 13.0 39 55 51.3 39 56 45.4 39 58 24.9 39 59 53.5	83 15 11. 83 14 53. 83 16 26. 83 14 52. 83 15 06. 83 16 54. 83 15 36. 83 15 36. 83 15 36.
Along Pittsburgh, Cincinnati, Chicago & St. Louis Ry. from West Jeff	rson to Lo	ndon.
Pike and telephone road crossing. West Jefferson station, road crossing. West Jefferson, national road crossing. Milepost 19, north-south road crossing 350 feet west of. Milepost 20, north-south road crossing 100 feet east of. Milepost 22, north-south road crossing 0.25 mile west of. London, crossing of Big Four Route.	39 57 16.8 39 56 48.6 39 56 40.3 39 55 08.5 39 54 49.1 39 54 01.7 39 53 04.7	83 15 16. 83 16 08. 83 16 23. 83 20 34. 83 21 31. 83 23 48. 83 26 33.
Along Cleveland, Cincinnati, Chicago & St. Louis Ry. near I		
London, road crossing west of station	39 53 03.2 39 53 01.5	83 26 45. 83 27 08.
Along highways near north border.		·
West Jefferson, 4 miles north of; T road southwest at schoolhouse. T road northeast. T road northeast. T road northeast. Gillivan post office, crossroads. Little Darby Creek, center of bridge. Urbana pike and pike northeast-southwest, crossing of. Deer Creek on Jefferson-Monroe township line; stone monument. Road north. Crossroads. Schoolhouse, crossroads. Schoolhouse, crossroads. Summerford, crossroads.	39 58 50. 4 39 59 19. 0 39 58 18. 4 39 57 59. 7 39 58 15. 3 39 58 29. 6 39 58 46. 6 39 59 35. 6	83 15 50. 83 17 02. 83 17 30. 83 19 39. 83 20 13. 83 21 45. 83 22 14. 83 22 15. 83 23 32. 83 25 14. 83 29 52. 83 29 30.
Along highways near southwest border of quadrangle		
South Charleston-London pike, T road north. Union-Paint township line, stone monument. Pennsylvania R. R., north-south road crossing. T road north. Walnut Run, intersection of pike 1 mile north of Walnut Run, crossing of pikes. T road west. Creighton schoolhouse, T road east. Sedalia, cross streets.	1 39 DU UD. /	83 29 40. 83 29 45. 83 29 45. 83 29 49. 83 27 57. 83 27 54. 83 28 28. 83 28 53. 83 28 36.

LORAMIE QUADRANGLE.

Along highways near west border of quadrangle.

Stations. Latit		Latitude.		tude. Longitu		ude.
Chickasaw, Main Street crossing Maria Stein station, road crossing. T, 7 S, R, 3 E., corner of secs. 26, 27, 34, and 35. Tps. 7 and 8 S., R, 3 E., corner of secs. 2, 3, 34, and 35. Tps. 7 and 8 S., R, 3 E., corner of secs. 2, 3, 11, and 12. Osgood station, street crossing 75 feet south of. Tps. 1 and 12 N, Rs. 3 and 4 E., secs. 7, 12, 13, and 18. Road crossing east-west near schoolhouse. Road crossing about 500 feet east of quarter corner between secs. 25 and 30, T. 11 N., Rs. 3 and 4 E.	40 40 40 40 40 40 40	26 24 23 22 21 20 19 18	42.7	84 84 84 84 84 84 84	29 29 29 29 29 29 29 29	50. 2 35. 5 36. 4 36. 6 42. 5 42. 0 42. 7 42. 1 37. 0

LORAMIE QUADRANGLE—Continued. Along highways through center of quadrangle.

	<u> </u>	1
Stations.	Latitude.	Longitude.
Maria Stein, 2 miles south of, in southeast corner of foundation of bridge on east-west road, 0.2 mile east of section corner; aluminum tablet stamped	0, ,,	. , ,,
east-west road, 0.2 mile east of section corner; aluminum tablet stamped "Prim Trav. Sta. No. 26. Ohio, 1909". Tps. 7 and 8 S., R. 3 E., corner of secs. 1, 2, 35, and 36; crossroads. Tps. 7 and 8 S., Rs. 3 and 4 E., corner of secs. 1, 6, 31, and 36; Mercer-Aughaize county line. Tps. 7 and 8 S., R. 4 E., corner of secs. 5, 6, 31, and 32, Mercer-Aughaize county line; T road west. Troad south.	40 22 42.5 40 22 42.5	84 29 21.8 84 28 27,9
county line. Tps. 7 and 8 S., R. 4 E., corner of secs. 5, 6, 31, and 32, Mercer-Auglaize county	40 22 42.3	84 27 19.1
line; T road west. T road south. Largenia Catholia Church crise	40 22 42.4 40 22 29.2 40 21 04.5	84 26 01.8 84 24 53.2 84 22 17.4
Loramie, Catholic Church spire. Minster, corner of secs. 26, 27, 34, and 35, T. 7 S., R. 4 E.; cross streets. Minster, 1 mile east of, in southeast abutment of bridge over ditch, 40 feet west and 10 feet south from corner of secs. 25, 26, 35, and 36, T. 7 S., R. 4 E., at T road south; aluminum tablet stamped "Prim Trav. Sta. No. 27. Ohio, 1909"	40 23 35.5	84 22 35.4
	40 23 36.0	84 21 27.4
road west. T. 7 S., R. 5 E., west corner of secs. 30 and 31, Auglaize-Shelby county line; T road east	40 23 36.6	84 20 18.7 84 20 18.7
T. 7 S., R. 5 E., corner of secs. 29, 30, 31, and 32; T road north T. 7 S., R. 5 E., corner of secs. 28, 29, 32, and 33; crossroads T. 7 S., R. 5 E., corner of secs. 27, 28, 33, and 34, near schoolhouse No. 6; T road	40 23 38.2 40 23 39.4	84 18 59.5 84 17 50.4
south. Tps. 7 and 8 S., R. 5 E., corner of secs. 3, 4, 33, and 34; T road east. Tps. 7 and 8 S., R. 5 E., corner of secs. 2, 3, 34, and 35; crossroads.	40 23 39.7 40 22 47.0 40 22 48.0	84 16 42.0 84 16 41.6 84 15 32.9
Along highways near south border of quadrangle.		
T. 9 N., R. 5 E., corner of secs. 5, 6, 7, and 8; T road west	40 15 22.0 40 15 21.4	84 21 27.2 84 22 35.3
T. 9 N., R. 5 E., corner of secs. 5, 6, 7, and 8; T road west T. 9 N., R. 5 E., west corner of secs. 6 and 7; near crossroads. T. 9 N., R. 4 E., east corner of secs. 1 and 12; near crossroads. T. 10 N., R. 4 E., corner of secs. 1, 2, 11, and 12; T road north. T. 10 N., R. 4 E., corner of secs. 2, 3, 10, and 11; crossroads. T. 10 N., R. 4 E., corner of secs. 3, 4, 9, and 10, Shelby-Darke county line; T road	40 15 21.6 40 15 21.1 40 15 20.7	84 22 35.3 84 23 43.9 84 24 52.6
east	40 15 20.4	84 26 01.5
Along highways near north border of quadrangle.		
New Knoxville, 3 miles east and 1 mile south of, at southwest corner of crossroads,		
15 feet north and 25 feet east to corner of secs. 26, 27, 34, and 35, T. 6 S., R. 5 E.; iron post stamped "Prim. Trav. Sta. No. 6. Ohio, 1909"	40 28 54.4	84 15 34.5
T. 6 S., R. 5 E., corner of secs. 28, 29, 32, and 33; T road south (Shelby-Auglaize	40 28 54.4 40 28 53.5	84 16 42.7 84 17 51.5
county line)	40 28 52.8	84 17 51.5
T. 6 S., R. 5 E., west corner of secs. 30 and 31; T road east (northwest corner of Shelby County).	40 28 52.3	84 20 20.7
T. 6 S., R. 4 E., east corner of secs. 25 and 36; T road west. New Knoxville, 2 miles southwest of, northeast corner of schoolhouse No. 4; aluminum tablet stamped "918, Adj., 1905. Prim. Trav. Sta. No. 7. Ohio,	40 28 51.2	84 20 20.7
1909". T. 6 S., R. 4 E., corner of secs. 25, 26, 35, and 36; crossroads T. 6 S., R. 4 E., corner of secs. 26, 27, 34, and 35; crossroads	40 28 50.5 40 28 50.8 40 28 50.6 40 28 50.4	84 21 05.2 84 21 29.7 84 22 37.8 84 23 46.9
T. 6 S., R. 4 E., corner of secs. 27, 28, 33, and 34. St. Marys, 4 miles south of, in northwest corner of schoolhouse No. 1; aluminum		
1909" T. 6 S., R. 4 E., corner of secs. 25, 26, 35, and 36; crossroads T. 6 S., R. 4 E., corner of secs. 26, 27, 34, and 35; crossroads T. 6 S., R. 4 E., corner of secs. 27, 28, 33, and 34. St. Marys, 4 miles south of, in northwest corner of schoolhouse No. 1; aluminum tablet stamped "912 Adj., 1905. Prim. Trav. Sta. No. 8. Ohio, 1909". T. 6 S., R. 4 E., corner of secs. 28, 29, 32, and 33; crossroads T. 6 S., R. 4 E., corner of secs. 20, 21, 28, and 29; crossroads T. 6 S., R. 4 E., corner of secs. 29, 30, 31, and 32; crossroads near schoolhouse No. 8. No. 8.	40 28 49.9 40 28 50.2 40 29 42.8	84 23 51.5 84 24 55.4 84 24 55.6
T. 6 S., R. 3 E., east corner of secs. 25 and 26, on Mercer-Auglaize county line Montezuma, 3 miles east of, 25 feet east and 20 feet south to T road north; iron	40 28 50.0 40 28 49.8	84 26 03.8 84 27 17.8
post stamped "Prim. Trav. Sta. No. 9. Ohio, 1909"	40 29 15.5	84 29 18.5

Magnetic declination for north border, 0° 05′ W.; for east border, 0° 24′ W.; for south border, 0° 04′ E.; for east-west line through center, 0° 08′ W.

8702°-Bull. 552-14--6

LOUDONVILLE QUADRANGLE.

Near northeast corner of quadrangle.

Stations.	Latitude.	Longitude.
	• , ,,	0 / //
Road crossing	40 44 43.3 40 43 51.4	82 02 52.0 82 01 26.1
Along highways near west border of quadrangle.		!
Courth Tourisms that in a way at mate in the mate of Main Chart and in		
South Loudonville station, cross streets just west of Main Street crossing on Pennsylvania R. R., 35 feet southwest to telephone pole, 35 feet northwest to		
maple tree. Loudonville, near center of southeast quarter of city park, 115 feet east of center	40 38 08,7	82 14 26.7
of Market Street, 150 feet south of center of Main Street, northwest corner of First Presbyterian Church bears S. 21° 15′ E., distant 188.6 feet, northeast		
Loudonville, near center of southeast quarter of city park, 115 feet east of center of Market Street, 150 feet south of center of Main Street, northwest corner of First Presbyterian Church bears S. 21° 15′ E., distant 188.6 feet, northeast corner of First Baptist Church bears S. 68° 15′ W., distant 103.3 feet; iron post stamped "Prim. Trav. Sta. No. 20. Ohio, 1907". Loudonville, north edge of; cross streets, 40 feet southwest to water trough, 30	40 38 06.4	82 13 59.2
Loudonville, north edge of; cross streets, 40 feet southwest to water trough, 30		
Loudonville, 1 mile north of: crossroads, 40 feet southwest to apple tree, 30 feet	40 38 25.7	82 13 50.2
northeast to telephone pole. Loudonville, 2 miles north of; angle of forks 300 feet north of brick schoolhouse, and the prescribe of the school of the schoo	40 39 10.5	82 13 39.3
	40 40 04.2	82 14 03.6
McKay 3 miles" Loudonville, 3 miles north of, triangle at four corners, guidepost marked "Hayes- villa 7 miles Loudonville 3 miles Mohican 4 miles Tylertown 8 miles	٠.	
ville 7 miles, Loudonville 3 miles, Mohican 4 miles, Tylertown 8 miles"	40 40 42.8 40, 41 48.8	82 14 14.5 82 14 34.2
McKay, crossroads, 30 feet southwest to northwest corner of store, 12 feet north, i	40 41 48.8	82 14 26.2
west to southeast corner of scale house	40 42 22.3 40 43 07.8	82 14 34.1 82 14 27.0
McKay, 1.25 miles north of; crossroads, center of quadrangle formed by four		
Hayesville, 2.5 miles southeast of; center of triangle at road fork, 30 feet north-	40 43 32.8.	82 14 27.2
west to guidepost marked "Jeromes 5 miles, Loudonville 7 miles"	40 44 19.5 40 30 11.5	82 14 27.4 82 15 33.7
Wesley Chapel Cemetery, at southeast corner of, west of Danville-Loudonville road, 3.6 miles portheast to Greer, 4 miles south to Danville; iron post stamped		
stones set about 5 feet apart. Hayesville, 2.5 miles southeast of; center of triangle at road fork, 30 feet north- west to guidepost marked "Jeromes 5 miles, Loudonville 7 miles". Wesley Chapel, 200 feet northeast of; center of triangle at four corners. Wesley Chapel Cemetery, at southeast corner of, west of Danville-Loudonville 7 road, 3.6 miles northeast to Greer, 4 miles south to Danville; iron post stamped "Prim. Trav. Sta. No. 18. Ohio, 1907".	40 30 10.0	82 15 34.3
Along Cleveland, Akron & Columbus Ry. from Killbuck to Gle	nmont.	
77	10.00.45.7	
Killbuck, 1 mile west of; road crossing, 250 feet east to milepost C 76	40 30 15.5 40 30 33.2	82 00 21.0 82 01 45.0
Killbuck, 1.5 miles west of station; road crossing. Milepost C 73, 1,000 feet east of; road crossing. Stone works, second-class road crossing at siding. Henmont, in northeast corner of grass plot at northwest corner of station, 40.	40 30 28.0 40 30 42.7	82 03 17.9 82 04 20.5
Glenmont, in northeast corner of grass plot at northwest corner of station, 40		0- 000
feet north of center of main track; iron post stamped "Prim. Trav. Sta. No. 17. Ohio, 1907"	40 31 02.4	82 05 26.5
Henmont, 1 mile west of station, 200 feet west to milepost C 70; road crossing	40 30 39.0 40 30 01.8	82 06 28.6 82 08 05.7
Along Pennsylvania R. R. near Greersville.		
Mohican River, highway bridge over; road crossing about 500 feet south of	40 30 32.8	82 11 04.6
Mohican River, highway bridge over; road crossing about 500 feet south of Edlam, Main Street crossing 75 feet south of station	40 31 21.2	82 11 59.9
Along highways.		
Triangle at T road south, center of, 200 feet west of another T road south	40 30 58.4	82 12 20.4
Greer, 1.5 miles southwest of post office, telephone pole and T. E. Greer's mail box in center of triangle at T road west	40 30 43.2	82 12 51.1
f road north, center of triangle. Froad southeast, 5 feet southeast to center of triangle, 40 feet south to guide-	40 30 29.9	82 13 53.1
road southeast, 5 feet southeast to center of triangle, 40 feet south to guide- board "Millersburg 14 miles, Holmesville 7 miles, Wooster 7 miles". hreve, 1 mile north of; crossroads, 20 feet northwest to large maple tree, 30 feet	40 42 45.8	82 00 28.4
Shreve, 1 mile north of; crossroads, 20 feet northwest to large maple tree, 30 feet southeast to dead mulberry tree.	40 41 50.8	82 01 11.0
southeast to dead mulberry tree. Shreve, 100 feet east of station, Market Street crossing on Pennsylvania R. R. Shreve, 1 mile south of, T road south; center of triangle, Wayne-Holmes county	40 40 57.9	82 01 21.6
line	40 40 05.3	82 01 19.9
onreve, 2 miles south of; center of triangle at forks of road, 35 feet south to guide- post "Holmesville 6 miles, Shreve 2 miles, Welcome 9 miles"	40 39 16.1	82 01 03.3
miles. Big Prairie 5 miles. Welcome 8 miles. Shreve 3.5 miles." 25 feet north-1	40.20.10.0	00.01.15.0
west to corner of wire fence.	±0 00 19.0	82 01 15.8

LOUDONVILLE QUADRANGLE—Continued.

Along highways-Continued.

Stations.	Latitude.	Longitude.
Shreve, 4 miles south of, 6 miles west of Holmesville, 5 miles east of Danville, guidepost at junction of Holmesville-Loudonville road with road south to Killbuck; iron post stamped "Prim. Trav. Sta. No. 23. Ohio, 1907". Center of triangle at T road south, 30 feet southeast to Prim. Trav. Sta. No. 23. Hopewell Church, crossroads, 25 feet northeast to southwest corner of cemetery fence, 30 feet southeast to northwest corner of buggy shed, 80 feet northwest to southeast corner of church. Center of triangle at three corners, 450 feet north of iron bridge over Paint Creek,	0 7 7 40 37 26.5 40 37 26.7 40 36 20.7	82 01 28.8 82 01 28.0 82 01 28.8
30 feet northeast to guideboard "Millersburg 6 miles, Paint Valley 1.5 miles, Holmesville 7 miles, Shreve 7 miles, Nashville 6 miles, Welcome 3 miles" Welcome, 2 miles north of; east end of watering trough at crossroads, 50 feet	40 35 25.7	82 01 17.6
southwest to guideboard "Welcome 2 miles, Paint Valley 1.5 miles, Millersburg 6 miles, Nashville 5 miles," 25 feet east to hickory tree. Center of triangle at T road north, 40 feet west to guideboard "Welcome 1 mile, Millersburg 6 miles, Paint Valley 2 miles, Shreve 9 miles," 40 feet east to hickory	40 34 36.2	82 01 17.4
tree Welcome, 130 feet west of Anderson's store, crossroads; 40 feet southeast to bridge	40 33 29,0	82 00 56.4
over Hog Run, 40 feet southwest to guidepost "Killbuck 4 miles, Nashville 5 miles, Glenmont 5 miles, Millersburg 6 miles". Welcome, 1 mile southeast of; oak tree in center of triangle at road forks	40 32 47.4 40 32 00.1	82 01 21.1 82 00 49.5

Along highways east-west through center of quadrangle.

Stations.	Latitude.	Longitude.	Distance between stations.
Loudonville, Prim. Trav. Sta. No. 20. Ohio, 1907. Loudonville, 0.8 mile east of; center of east-west road at Ashland-Holmes county line. Loudonville, 1 mile east of; center of T road south Lake Fork of Mohican River; center of Steel bridge over. Philip Heffinger's residence, T road east just south of, 20 feet west and 5 feet south to corner fence post. T. 19 N., R. 15 W., quarter corner between secs. 16 and 17. Nashville, 3 miles west by 0.5 mile north of; center of crossroads. T. 19 N., R. 15 W., quarter corner between secs. 15 and 16. Nashville, 1.5 miles west by 0.8 mile north of; center of T road south, 10 feet south to mail box. T. 19 N., R. 15 W., quarter corner between secs. 10 and 15. Nashville, in public school grounds; iron post stamped "Prim. Trav. Sta. No. 67. Ohio, 1910". Nashville, center of cross streets. Nashville, 2.5 miles north by 1 mile east of; center of northeast-south-west road at road east. Nashville, 2.5 miles northeast of, crossing of Loudonville-Holmesville road and Shreve-Nashville road; center of small bridge. T. 17 N., R. 14 W., corner of secs. 4, 5, 8, and 9; T lane north. T. 17 N., R. 14 W., corner of secs. 3, 4, 9, and 10; T road north. Prim. Trav. Sta. No. 23. Ohio, 1907.	40 37 10.8 40 36 25.1 40 36 11.2 40 36 10.7 40 36 10.6 40 36 31.5 40 35 47.3 40 35 48.1 40 37 27.8 40 37 27.8 40 37 27.8	82 10 57. 4 82 10 11. 1 82 09 49. 7 82 09 16. 0 82 09 16. 0 82 06 55. 1 82 06 50. 2 82 05 44. 4	Feet. 3, 410 1, 310 10, 061 4, 748 2, 503 3, 581 1, 670 3, 349 400 11, 766 398 9, 001 3, 177 4, 780 5, 240 8, 017

Magnetic declination for east border, 1° 55′ W.; for west border, 2° 12′ W.; for south border, 2° 09′ W.; for east-west center line, 2° 29′ W.

LYNN QUADRANGLE (OHIO-IND.).

Along highways east from Primary Traverse Station No. 40 to tie north of Noggle.

Stations.	Latitude.	Longitude.	Distance between stations.
Hollandsburg, cross streets Glen Karn, 0.7 mile north of station, 0.8 mile east of Ohio-Indiana State line, 20 feet south and 20 feet west to center of crossroads, at southwest corner of schoolhouse yard; iron post stamped "Prim. Trav. Sta. No. 40. Ohio, 1910". T.11 N., R. 1 E., corner of secs. 28, 29, 32, and 33, east-west road at fence line north-south.	40 01 11.4 40 01 10.0	84 47 51.9 84 46 50.4	Feet. 7,851 4,787
T. 11 N., R. 1 E., corner of secs. 27, 28, 38, and 34; east-west road at fence north-south. Schoolhouse, center of T road south at	40 01 09.4 40 01 09.1	84 45 42.1 84 45 20.0	5,316 1,720

LYNN QUADRANGLE (OHIO-IND.) - Continued.

North along Ohio-Indiana State line.

Stations.	Latitude.	Longitude.	Distance between stations.
T.11 N., R.1 E., west corner of fractional secs. 30 and 31; Ohio-Indiana State line. Tampico, center of crossroads. T.11 N., R.1 E., corner stone of secs. 7, 8, 17, and 18; crossroads at cemetery. T.11 N., R.1 E., west fractional corner of secs. 7 and 18; Ohio-Indiana State line. T.11 N., R.1 E., stone at west fractional corner of secs. 6 and 7. Tps. 11 and 12 N., R.1 E., west corner of secs. 6 and 31; east-west road, State line. T.12 N., R. 1 E., west corner of secs. 31 and 30; T road north, State line. T.12 N., R.1 E., west corner of secs. 19 and 30; T road east, State line. T.12 N., R.1 E., west corner of secs. 18 and 19; State line. T.12 N., R.1 E., west corner of secs. 18 and 19; State line. T.12 N., R.1 E., west corner of secs. 18 and 19; Troad east, State line. T.12 N., R.1 E., west corner of secs. 6 and 7; Troad east, State line. T.12 N., R.1 E., west corner of secs. 6 and 7; Troad east, State line. Tps. 17 and 18 N., R.1 W., east corner of secs. 1 and 36; Troad west, State line. Union City; crossing of State-line road and Pear Street. Union City, crossing of State-line road and Pear Street. T.13 N., R.1 E., west corner of secs. 13 and 24; T road east, State line. T.18 N., R.1 E., west corner of secs. 13 and 24; T road east, State line. T.13 N., R.1 E., west corner of secs. 13 and 24; T road east, State line. T.13 N., R.1 E., west corner of secs. 8 and 17; center of crossroads, State line.	40 08 11.8 40 09 04.8 40 09 57.3 40 10 49.7 40 11 58.3 40 13 26.3	84 48 36. 4 84 47 40. 3 84 47 57. 5 84 48 32. 5 84 48 31. 7 84 48 30. 8 84 48 29. 6 84 48 28. 1 84 48 26. 8 84 48 23. 8 84 48 23. 8 84 48 22. 4 84 48 18. 3 84 48 18. 3	Feet. 3, 460 10, 675 5, 541 2, 706 5, 270 5, 170 5, 303 5, 300 5, 310 5, 369 5, 311 5, 301 6, 940 8, 901 80 5, 310
Union City, 3 miles north of, just south of crossroads at blacksmith shop, in northeast corner of concrete abutment of bridge; aluminum tablet stamped "Prim. Trav. Sta. No. 42. Ohio, 1910"	40 14 44.1 40 14 45.9	84 48 16.2 84 48 16.2	2,502 , 180

Magnetic declination along Ohio-Indiana State line, 1° 49′ E.

Near northeast corner of quadrangle.

Station.	Latitude.	Longitude.
T. 13 N., R. 1 E., center of sec. 9; crossroads near.	40 14 43.2	84 46 30.6

McCLURE QUADRANGLE.

Along highways near west border of quadrangle.

Stations.	Latitude.	Longitude.
Tps. 3 and 4 N., Rs. 7 and 8 E., corner of secs. 1, 6, 31, and 36. T. 4 N., Rs. 7 and 8 E., corner of secs. 19, 30, 24 and 25. T. 4 N., R. 7 E., corner of secs. 7, 18, 13, and 12. Tps. 4 and 5 N., R. 7 E., corner of secs. 1, 6, 31, and 36. T. 5 N., Rs. 7 and 8 E., corner of secs. 19, 30, 24, and 25. T. 5 N., R. 7 E., corner of secs. 7, 18, 13, and 12. Iron bridge over creek of southeast, center of T. 6 N., Rs. 7 and 8 E., corner of secs. 19, 30, 24, and 25. T. 6 N., Rs. 7 and 8 E., corner of secs. 19, 30, 24, and 25. T. 6 N., R. 7 E., corner of secs. 7, 18, 13, and 12.	41 16 59. 4 41 18 44. 4 41 20 30. 1 41 22 14. 9 41 23 59. 3 41 25 59. 1 41 27 26. 9	83 59 54.0 83 59 56.0 83 59 58.2 83 59 57.7 83 59 57.0 83 59 56.0 83 59 55.6

Along highways near north border of quadrangle.

	_					
Waterville, 3.5 miles west of, on Waterville-Neapolis pike, T road north in, southeast corner of field of John Lichales; iron post stamped "Prim. Trav. Sta.		,	. "		,	"
No. 29, 1905". Waterville, 2 miles west of: crossroads at schoolhouse, 44 feet southwest of guide-	41	29	43.8	83	46	58.6
	41	29	44.1	83	46	00.9
house, 44 feet northeast to school pump, 33 feet northwest to guidepost	41	29	43.1	83	48	26.6
box, 23 feet northwest to northwast corner stone of culvert. Crossroads at schoolhouse, 28 feet northwest to cross on corner fence post, 39 feet	41	29	42.6	83	49	36.0
Southwest to S. Jewell's mail box. Neapolis, road crossing			42. 0 32. 9			44.6 23.9

McCLURE QUADRANGLE—Continued.

Along highways near north border of quadrangle—Continued.

Stations.	•	Lati	tude.	Lon	gitı	ude.
T. 6 N., R. 8 E., sec. 12, southeast corner of, in southeast Mary A. Long; iron post stamped "Prim. Trav. Sta. No. T. 6 N., R. 8 E., corner of secs. 11, 12, 13, and 14; stone at cr. T. 6 N., R. 8 E., corner of secs. 10, 11, 14, and 15; crossroads, H. Leneman's mail box, 36 feet southwest to board on sme T. 6 N., R. 8 E., corner of secs. 9, 10, 15, and 16; stone at cro. Troad north, T. 6 N., R. 8 E., corner of secs. 8, 9, 16, and 17, F. C. March's mail box, 24 feet south to cross on fence post T. 6 N., R. 8 E., corner of secs. 7, 8, 17, and 18; crossroads, 3 mail box, 31 feet southwest to cross on telephone pole	30, 1905" ssroads. 29 feet northwest to 11 tree sroads. 22 feet southeast to 6 feet northwest to	41 29 41 29 41 29 41 29	" 14.5 13.1 13.1 12.9 12.5	83 83 83 83 83	52 54 55 56 57	58. 4 08. 6 18. 1 27. 8 37. 6 47. 0

McCONNELLSVILLE QUADRANGLE. Along highways from Bishopville east to Roxbury.

to the state of th		
Stations.	Latitude.	Longitude.
Mountville, 0.8 mile southwest of, forks 180 feet east of bridge over creek;	tele- ° ′ ′′	0 / //
phone pole in center of triangle. Mountville, west edge of, T road north; center of triangle, 35 feet northwes	39 31 11.3	81 59 55.3
southeast corner of schoolhouse. Mountville, 0. 5 mile southeast of; crossroads, 20 feet west to hickory tree, 80	1 30 31 05 4	81 59 07.8
Moduly 116, 0.3 mile southeast of; crossroads, 20 feet west to incker tree, so northeast to corner of small divelling. Moody school (No. 14), 150 feet north of, 400 feet west of covered bridge over 1	39 30 43.0	81 58 41.2
eral Creek, T road east; Charlie Preu's mail box	39 31 09.7	81 57 54.3
Elliotts crossroads, 40 feet southwest to store door, 30 feet north to corner of bl smith shop.	ack- 39 31 50.5	81 56 34.7
Elliotts crossroads, 0.75 mile northeast of; 3 corners, roads north and east, 40 southeast to walnut tree, 20 feet northeast to corner of fence, 50 feet east	feet st to	
stream crossing Elliotts crossroads, 1.5 miles northeast of; road forks south and southwest, 25	39 32 19.2 feet	
Westland, 1.3 miles west of; forks at top of hill, roads south and northeast, 20	feet 39 32 13.1	1
southeast to telephone pole, 50 feet southwest to northeast corner of house.	39 32 34.1	
Westland, at northeast corner of Westland Grange hall (No. 121); iron	post	
stamped "Prim. Trav. Sta. No. 5. Ohio, 1907". Wolf Creek, east corner of south end of covered bridge over, at roads northe northwest, and south	east, 39 32 58.6	
Pennsville, junction of Washington and Columbus streets, 40 feet west to corn	erof	
store, 50 feet north to corner of dwelling, 40 feet east to locust tree		81 51 04.9
Pennsville, 0.7 mile southeast of: T road south, 60 feet southeast to teleph	ione	1
pole in triangle, 30 feet west to corner fence post	st to 39 34 08.0	1
corner post of wire fence. Stockport, 1.5 miles west of, on top of ridge; crossroads 35 feet northeast to po	39 33 47.8 plar	81 49 49.0
tree, 90 feet south to corner of dwelling	39 32 52.8	
Stockport, U.S. Engineer Corps bench mark, in southeast corner of capstor drawbridge pier of highway bridge over Muskingum River, marked "US"	e to B	,
M 657. 66". Stockport, 1. 5 miles southeast of; second-class T road northeast, 20 feet northeast.	h to 39 32 52.2	1
corner of house, 20 feet northeast to corner of fence. Roxbury, ferry across Muskingum River, 450 feet north of north landing, ir		81 46 20.4
angle at junction of river road north and road south across river to Roxb iron post stamped "Prim. Trav. Sta. No. 6. Ohio, 1907"	ury; 39 31 28.1	81 45 04.2
From Roxbury west to McConnelsville.		
	1 00 00 70 0	T
Schoolhouse, 600 feet east of, T road to south near top of hill; center of main re Schoolhouse, 0.5 mile west of, public roads northwest and southwest; cent	er of	
triangle at forks, 20 feet west and 20 feet north to corner fence posts Bridge over Fourmile Run, 270 feet east of; T road south, 15 feet south to ce	nter	1
of bridge	39 38 45.9	
McConnelsville, 3 miles east of, in angle at road forks, 70 feet west of south corner of McKendree Methodist Episcopal Church on the center road; iron	west post	
stamped "Prim. Trav. Sta. No. 11. Ohio, 1907". McKendree Church, 0.9 mile west of; T road north, 15 feet northeast to mail	39 39 25.9	81 48 29.9
20 feet south to plank fence. McConnelsville, southeast corner of veranda of Morgan County courthouse;	39 39 14.6	81 49 23.9
post stamped "Prim. Trav. Sta. No. 12, 1907". McConnelsville, center of; cross streets 100 feet southwest of courthouse	39 38 57.2	

McCONNELLSVILLE QUADRANGLE—Continued.

From McConnelsville west to Portersville.

Stations.	Lati	tude.	Lon	gitt	ıde.
Malta, center of intersection of Main and Bell streets. Malta, road forks 300 feet west of sash and door factory, 40 feet west to signpost. Malta 3 miles, Pennsville 8 miles, Portersville 7 miles," 40 feet southwest to corner of rail fence. Joetown, Troad east, 15 feet west to signboard "Morgansville, 3 miles, Tridelphia 3 miles, Malta 4 miles" Deerfield Church, 400 feet southeast of, east side of sec. 27, T. 9 N., R. 13 W.; center of road 350 feet east of crossroads. Deerfield Church, 400 feet south of; crossroads, 10 feet west to center of bridge, 15 feet southeast to mail box. Wolf Creek, 40 feet northeast of northeast end of covered bridge, road forks southeast and northwest; center of triangle. Portersville, 3 miles southeast of, T road south; ford of small stream, 40 feet northwest to sign "Portersville 3 miles," 40 feet southeast to oak tree.	39 39 39 39 39 40 39 39 39 39	7, 52.0 04.3 24.9 01.7 48.0 48.2 52.2 51.5	81 81 81 81 81 81 81	, 51 51 54 55 57 57	35. 1 58. 1 25. 6 29. 3 14. 9 19. 2 57. 2 18. 2
Portersville, 1.8 miles southeast of, in southeast corner of crossroads; iron post stamped "Prim. Trav. Sta. No. 13. Ohio, 1907"	39 39	59.4	81	59	51.1

Magnetic declination for south border, 1° 06' W.; for center line, 1° 02' W.

MARENGO QUADRANGLE.

Along highways near east border of quadrangle.

Stations.	Latitude.	Longitude.	Distance between stations.
Center of crossroads. Delaware, Knox, and Licking counties, junction of. Knox-Delaware county line, junction of roads on. Centerburg, 3 miles west of; center of T road north. East Liberty, 2.5 miles east of; center of crossroads. Peerless, 0.8 mile southeast of; north-south road crossing on Toledo & Ohio Central Ry. Morrow-Delaware county line; center of T road north. Vails Corners, guidepost at. Crossroads, stone at center of; guideboard "Marengo 6 miles, Chesterville 3.5 miles, Cardington 7.5 miles". Center of northeast-southwest road at road east. Prim. Trav. Sta. No. 59. Ohio, 1910.	40 16 37.5 40 17 03.1 40 18 30.6 40 19 18.9 40 20 29.3 40 21 00.4 40 21 54.6 40 28 29.7 40 29 22.5	82 45 38.1 82 45 33.4 82 45 27.7 82 45 17.2 82 45 13.7 82 45 26.0 82 45 05.3	5,580

Along highways east-west through center of quadrangle.

Marengo, 3 miles southeast of, east-west road crossing on Toledo & Ohio Central Ry. Marengo, 3 miles south and 1 mile east of; center of crossroads Pagetown, 0.5 mile east of; center of crossroads Bennington-Peru township line, stone in road at Pagetown, 2 miles west of, in southwest part of Hawkins schoolhouse	40 21 54.0 40 21 44.6 40 21 25.3 40 21 29.0	82 46 36.8 82 47 31.2 82 48 28.0 82 50 24.2	4,300 4,821 9,007
yard, 30 feet south and 50 feet west to center of crossroads; iron post stamped "Prim. Trav. Sta. No. 73. Ohio, 1910". Pagetown, 3.5 miles west of; center of T road north. White Hall schoolhouse, center of T road southeast. Tps. 5 and 6 N., R. 18 W., east corner of secs. 1 and 4, southwest corner of Morrow County; stone. Leonardsburg, 2.5 miles east and 0.5 mile south of; junction of north-	40 21 32.2	82 51 19.4	4, 295
	40 21 38.1	82 53 04.6	8, 180
	40 22 01.4	82 54 28.1	6, 883
	40 21 34.5	82 55 46.1	6, 635
east-southwest road at road west, 15 feet south to small telephone pole Leonardsburg, north end of; east-west road crossing Big Four Route Leonardsburg, In stone step of hardware store just southeast of road crossing on Big Four Route; bronze tablet stamped "971". Leonardsburg, 1 mile southeast of, road crossing on Big Four Route	40 21 04.8	82 56 30.9	4,596
	40 21 26.2	82 59 20.1	13,283
	40 21 25.7	82 59 19.9	52
	40 20 39.4	82 59 50.3	5,245

MARENGO QUADRANGLE-Continued.

Along highways near north border of quadrangle.

Stations.	Latitude.		Lo	ngi	tude.	Distance between stations.	
Troad south. Chestnut Grove Church, 1 mile east and 0.25 mile north of; center of Troad north. Chestnut Grove Church, center of Troad north. Chestnut Grove Church, center of Troad north. Cardington, 4 miles east of, 4 miles south of Mount Gilead; center of crossroads. Cardington, 2.5 miles east of, 4 miles south of Mount Gilead; center of crossroads. Cardington, 2.25 miles east of, 1 northeast corner of stone abutment to bridge just west of crossroads, 730 feet east of Olentangy River bridge; aluminum tablet stamped "Prim. Trav. Sta. No. 60. Ohio, 1910" Cardington, 1.25 miles west of; center of Troad north. T. 6 S., R. 17 E., south corner of sees. 20 and 21. Crossroads. T. 6. S., R. 16 and 17 E., corner of sees. 19, 24, 25, and 30, Marion-Morrow county line, 0.25 mile west of; center of crossroads. T. 6. S., R. 16 E., corner of sees. 22, 23, 26, and 27; crossroads at St. Johns Church. Claridon, 5.5 miles south of, 8 by 10 by 24 inches set 20 inches in ground at northwest corner of crossroads at St. Johns Church, 20 feet south by 25 feet east to center of crossroads; tablet in stone stamped "Prim. Trav. Sta. No. 61. Ohio, 1910"	40 40 40 40 40 40 40 40 40 40 40 40 40	30 29 29 29 29 30 29 30 29 29 30 29 29 30	25.5 51.9 38.1 42.7 46.7 50.3 55.9 901.4 56.3 10.4 59.4 56.3 55.9 6.0	82 82 82 82 82 82 82 82 82 82 82 82 82 8	46 47 49 50 51 52 53 55 56 57 57 58 59	" 18.1 20.2 28.8 12.1 16.3 09.1 26.6 46.0 10.8 21.2 30.0 47.0 38.2 44.2	Feet. 3, 400 5, 485 8, 000 4, 980 4, 099 6, 021 6, 168 6, 556 310 5, 506 5, 432 1, 320 3, 960 5, 108
				1			

a This tablet removed.

Along highways near west border of quadrangle.

Stations.	Lat	itude.	Longitude.
T. 6 S., R. 16 E., corner of secs. 22, 23, 26, and 27, road east-west, at church. Road east-west. T. 7 N., R. 18 W., corner of lots 12, 9, 8, and 13, road north-south. Westfield, one-quarter mile west of; center of bridge over Whetstone River. Schoolhouse at turn south. Leonardsburg, 840 feet northeast of Big Four Route station. Leonardsburg, 1 mile southwest of; road crossing. Road northeast-southwest. Corner of lots 19, 12, 11, and 20.	40 2 40 2 40 2 40 2 40 2 40 2 40 2 40 1	9 56. 0 9 29. 7 17 18. 2 25 56. 8 3 48. 8 1 34. 5 50 39. 4 9 58. 3 9 53. 7	82 59 44.6

Magnetic declination for north border, 1° 20′ W.; for east border, 0° 57′ W.; for eastwest center line, 0° 52′ W.

MARION QUADRANGLE.

From Owen along the Hocking Valley Ry. to Harpster.

Stations.	Latitude.	Longitude.
Owen station, crossing 600 feet north of. Mileposts 79 and 80, crossing halfway between. Marion station, 140 feet south of Main Street crossing. Marion, south azimuth stone, 225 feet north of Big Four Route crossing, 45 feet north of tool house, between Y tracks and main line of Hocking Valley Ry., limestone post, 40 by 7 by 6 inches, set 40 inches in ground; bronze meridian tablet cemented in center of top. Distant mark is spire of Catholic Church.	40 34 31.3	83 08 30.8
Azimuth of same is 259° 11′ 30″ Crossing under railroad Morral station, crossing 160 feet north of. T. 3 S., R. 14 E., quarter corner between secs. 33 and 34. Harpster station.	40 38 01.5 40 41 12.4 40 44 17.6	83 10 25.1 83 12 45.6 83 14 44.8

MARION QUADRANGLE—Continued.

Along highways near northwest border of quadrangle.

		
Stations.	Latitude.	Longitude.
T. 5 S., R. 14 E., quarter corner between secs. 15 and 16. T. 5 S., R. 14 E., corner of secs. 3, 4, 9, and 10. Tps. 4 and 5 S., R. 14 E., quarter corner between secs. 3 and 34. Tpke road crossing, northeast-southwest. School house, road crossing east-west, near. Crossing, east-west road with Harpster and Marion road.	0 7 77 40 36 28.8 40 37 47.1 40 38 39.3 40 38 54.7 40 40 23.9 40 42 08.4	83 14 47.0 83 14 46.1 83 14 11.1 83 13 13.4 83 13 55.7 83 14 53.1
Along highways near northeast corner of quadrangle		
Crawford-Marion county line, road east-west. Kirkpatrick, road east-west. T. 4 S., R. 16 E., corner of secs. 21, 22, 28, and 27; road east-west. Road east-west. Erie R. R. crossing. Azimuth, 248° 04′. T. 5 S., R. 16 E., quarter corner between secs. 15 and 10.	40 42 11. 1 40 41 18. 9 40 40 26. 3 40 39 07. 4 40 37 05. 3 40 36 56. 8	83 00 15.6 83 00 30.7 85 00 53.6 83 01 08.7 83 01 44.8 83 00 18.4
MASON QUADRANGLE.		<u>'</u>
Along Pennsylvania R. R. between Loveland and Fost	er.	
Stations.	Latitude.	Longitude.
Loveland, road crossing	39 16 00.6 39 16 51.3 39 18 27.7 39 19 19.0	84 15 31.9 84 15 35.1 84 15 23.8 84 15 03.4
Along highways near north border of quadrangle.		
T road south. T road north. Crossroads. Blue Ball, crossroads. T road west. Cincinnati, Lebanon & Northern Ry., road crossing on T. 3 E., R. 4 N., corner of secs. 20, 26, 25, 19 Electric-railway crossing. Trenton, crossing of State Street on Cincinnati, Hamilton & Dayton Ry. Tps. 4 and 5 N., Rs. 3 and 4 E., corner of. Tps. 4 and 5 N., R. 3 E., corner of secs. 1, 2, 35, 36.	39 29 31. 1 39 29 35. 6 39 29 36. 5 39 29 37. 3 39 28 25. 8 39 28 29. 7 39 28 51. 7 39 28 52. 2 39 28 50. 6 39 28 49. 4	84 16 23.8 84 17 32.3 84 19 00.3 84 20 09.8 84 20 32.4 84 21 49.4 84 23 45.2 84 27 10.4 84 28 36.4 84 29 44.2
Along highways near west border of quadrangle.		
T. 3 N., R. 1 E., corner of secs. 4, 5, 10, 11; Sullivan road, east. Springdale, Banklick road, east-west. Butler-Hamilton county line, road east. Jones, road crossing on Cincinnati, Hamilton & Dayton Ry. Flockton, road crossing on Pennsylvania R. R. Hamilton-Princeton pike, east-west. Flenners Corners, road northeast-southwest. Wooddale, road intersection. Tps. 4 and 5 N., Rs. 3 and 4 E., corner of. Trenton, Tps. 1 and 2, 2 and 3 N., Rs. 3 and 4 E., 1 mile west of. Tps. 2 and 3, Rs. 3 and 4 E., corner of secs. 25, 30, 31, and 36.	39 15 28.9 39 17 13.8 39 18 06.9 39 19 20.3 39 21 08.7 39 23 22.9 39 24 58.1 39 25 58.4 39 28 51.0 39 29 43.3	84 28 09.7 84 29 04.9 84 29 37.5 84 29 25.6 84 28 48.6 84 28 31.5 84 28 35.8 84 28 36.5

MASSILLON QUADRANGLE.

Along Wheeling & Lake Erie R. R. between Orrville and Massillon.

Stations. Latitude. Longitude.	Stations.
.t west of	Burton City station
Near Massillon.	Nea
mped "Prim. Trav. Sta. No. 36. Ohio, 1906". 40 45 08. 1 81 31 54.4 40 46 50.4 81 31 10. Lake Erie and Baltimore & Ohio railroads. 40 47 43.5 81 31 40.	Navarre, 2.25 miles north of, 26 feet northwest t & Lake Erie R. R.; iron post stamped "Prim. Columbia station Massillon, crossing of Wheeling & Lake Erie an T road east, 24 feet northeast to corner fence pos
MAUMEE BAY QUADRANGLE.	MAUMEE 1
along Wheeling & Lake Erie R. R. to Trowbridge.	From Ironville along Wheel
Stations. Latitude. Longitude.	Stations.
41 37 04.7 83 22 06.	Ironville station, crossing at Booth station, crossing east of. Curtis, crossing 1,000 feet east of Trowbridge, crossing 150 feet east of
oridge along Hocking Valley Ry. to Lemoyne.	From Walbridge along
	Walbridge, first crossing south of Lemoyne, crossing 2 miles north of Lemoyne, crossing of pike at
MAYSVILLE QUADRANGLE.	MAYSVIL
er road from Ripley southeast to Aberdeen.	Along river road from
Stations. Latitude. Longitude.	Stations.
east of; center of bridge	Ripley, center of main street at crossing of Ohic Ripley, 1.2 miles south by 1 mile east of; center Ripley, 1.8 miles south by 1.2 miles east of; center Damson orchard, telephone pole at forks of road O'Connor, 500 feet north of schoolhouse No. 3; of
east of; center of bridge	Ripley, 1.2 miles south by 1 mile east of; center Ripley, 1.8 miles south by 1.2 miles east of; center Damson orchard, telephone pole at forks of roar O'Connor, 500 feet north of schoolhouse No. 3; c

38 39 19.9

38 39 42.0

83 45 42.4

83 45 40.8

MECHANICSBURG QUADRANGLE. West along highways near north border of quadrangle.

Latitude.	Longitude.	Distance between stations.
0 / // 40 13 42.1 40 13 40.4 40 13 26.1 40 13 47.0 40 14 31.5	83 30 00. 6 83 31 22. 4 83 33 23. 2 83 33 33. 2 83 34 12. 1	Fcet. 6,34 9,48 2,24 5,42
40 14 05.6 40 14 03.7 40 14 46.2 40 14 09.6 40 14 11.1 40 14 01.1 40 13 43.7	83 37 26. 2 83 37 25. 5 83 37 43. 2 83 38 41. 9 83 39 51. 6 83 41 04. 0 83 42 27. 9	19 4,51 5,86 5,40 5,70 6,74
40 14 04.2 40 14 29.8	83 43 39.6 83 43 37.5	5, 93 2, 59
uadrangle.		<u> </u>
40 13 11.0 40 12 47.2 40 11 54.7 40 11 37.2 40 11 00.3 40 10 10.2 40 09 18.0 40 08 26.0 40 07 32.6	83 43 45.3 83 44 22.9 83 44 28.2 83 44 29.9 83 43 57.6 83 44 04.5 83 44 10.0 83 44 15.6 83 44 20.9	3, 79; 5, 34(1, 79) 4, 50; 5, 10; 5, 31(5, 29) 5, 43(
40 06 26.5 40 05 45.3 40 04 52.1 40 04 00.4 40 03 08.3 40 02 16.0	83 44 23.5 83 43 57.7 83 44 02.8 83 44 08.2 83 44 13.8 83 44 20.0	6, 700 4, 620 5, 399 5, 240 5, 299 5, 320
40 02 13.7 40 01 21.6 40 00 29.4	83 43 45.2 83 43 50.3 83 43 56.0	2,719 5,29 5,30
40 06 24.3 40 06 23.8 40 06 30.7 40 06 25.7 40 06 26.8 40 06 45.4 40 06 35.1	83 43 45.7 83 42 44.0 83 42 09.0 83 40 57.4 83 40 04.6 83 38 44.8 83 37 50.1	4,793 2,813 5,590 4,107 6,486 4,379
40 06 17.1 40 06 08.7 40 05 48.6 40 06 04.0 40 06 45.9 40 07 12.2 40 07 15.6	83 36 47.5 83 35 48.7 83 34 46.9 83 32 35.1 83 31 14.8 83 30 11.3 83 30 04.6	5, 196 4, 650 5, 213 10, 368 7, 543 5, 613 620
	l	
40 04 15.1 40 03 40.9	83 30 12.7 83 30 38.8	4,008
	0 , , , , , , , , , , , , , , , , , , ,	40 13 42.1 83 30 00.6 40 13 40.4 83 31 22.4 40 13 26.1 83 33 23.2 40 14 31.5 83 31 22.4 40 13 47.0 83 33 33.2 40 14 31.5 83 37 26.2 40 14 06.2 83 37 43.2 40 14 46.2 83 37 43.2 40 14 11.1 83 39 51.6 40 14 01.1 83 41 04.0 40 13 43.7 83 42 27.9 40 14 40.2 83 43 39.6 40 14 29.8 83 43 37.5 40 14 29.8 83 43 37.5 40 14 29.8 83 43 37.5 40 11 37.2 83 44 22.9 40 11 37.2 83 44 22.9 40 11 37.2 83 44 22.9 40 11 54.7 83 44 28.2 40 11 37.2 83 44 29.9 40 11 00.3 83 43 57.6 40 09 18.0 83 44 15.6 40 07 32.6 83 44 20.9 40 00 213.7 83 44 20.9 40 00 213.7 83 44 22.9 40 01 21.6 83 44 02.8 40 04 02.1 83 44 02.8 40 02 16.0 83 44 10.0 40 02 13.7 83 43 45.2 40 00 21.6 83 44 20.0 40 02 13.7 83 43 56.0 40 06 25.7 83 40 57.4 40 06 25.7 83 40 57.4 40 06 25.7 83 40 57.4 40 06 25.7 83 40 57.4 40 06 25.7 83 40 57.4 40 06 25.7 83 40 57.4 40 06 25.7 83 40 57.4 40 06 25.7 83 40 57.4 40 06 25.7 83 40 57.4 40 06 25.7 83 40 57.4 40 06 25.7 83 40 57.4 40 06 25.7 83 40 57.4 40 06 25.8 83 34 44.0 46 45.4 40 06 45.4 83 33 34 47.5 40 06 25.7 83 40 57.4 40 06 26.8 83 34 40.6 83.1 40 06 45.4 83 33 35 35.1 40 06 45.4 83 33 35 35.1 40 06 45.4 83 33 35 35.1 40 06 45.9 83 31 11.3 83 30 04.6 83 30

Magnetic declination for north border, 0° 40′ E.; for west border, 0° 13′ E.; along center line, 0° 16′ E. to 0° 52′ W.

MEDINA QUADRANGLE.

Along the Baltimore & Ohio R. R. from Seville to Grafton triangulation station of the United States Lake Survey.

Stations.	1	atit	ude.	Lo	ngit	tude.
Seville station. Road crossing 2,340 feet south of milepost 39. Flag station 400 feet south of milepost 37. Road crossing 250 feet north of milepost 34. Medina station. Road crossing 2,150 feet south of milepost 29. Lester station. Erhart station. Grafton triangulation station of United States Lake Survey.	4 - 4 - 4 - 4 - 4	1 00 1 02 1 04 1 07 1 08 1 10 1 10	30. 5 39. 8 37. 6 16. 1 18. 8 01. 9 48. 2 55. 2 43. 97	81 81 81 81 81 81 81	51 53 53 53 52 55 56 58	20.1

Along highways near north border of quadrangle.

· · · · · · · · · · · · · · · · · · ·		
Grafton \triangle station, 0.5 mile southeast of; crossing on Baltimore & Ohio R. R., near four corners.	41 12 25.9	81 59 02.2
Grafton, four corners 1 mile northwest of, 31 feet northeast to nail in mail-box post, 34 feet west to nail in telegraph pole.		
Four corners, 45 feet southeast to corner of hedge fence, 50 feet northwest to cor-	41 13 20.0	82 00 13.2
ner fence post marked with brass tacks.	41 14 13.8	82 00 11.8
Lorain and Medina counties, road to north between; three corners Liverpool, in north wall of Lutheran Church, 1 foot to left of entrance; bronze	41 14 14.6	81 58 29.0
tablet stamped "Prim. Trav. Sta. No. 62 A"	41 14 13.8	81 55 38.3
Liverpool, road crossing 200 feet south of station of Baltimore & Ohio R. R		81 54 29.9
Four corners, 45 feet southeast to telegraph pole, 40 feet northwest to signboard. Three corners, road to north, 35 feet northwest to maple tree, 40 feet northeast	41 14 15.2	81 52 42.4
to maple tree	41 14 17.0	81 49 25.8
Four corners, Hinckley-Brunswick township line, 25 feet northeast to pump,	41 14 17 7	01 47 00 0
20 feet southeast to elm tree	41 14 17.5	81 47 06.6
near corner of house	41 14 17.9	81 45 52.7
	<u> </u>	!

MENTOR QUADRANGLE. Along highways near south border of quadrangle.

Stations.	Latitude.	Longitude.
Mayfield, street-car station on State road, 35 feet south to center of car track, 40 feet south to northwest corner of street-car station	° ′ ″ 41 31 12.0	81 26 19.7
River; aluminum tablet stamped "Prim. Trav. Sta. No. 22 A. 729 Cleveland". Three corners, road to south, 35 feet northwest to telephone pole, 60 feet south to signpost "Chester Crossroads, 2.5 miles; Cleveland, 16 miles; Chagrin Falls,	41 31 02.9	81 24 13.5
7 miles". Scotland station, 50 feet northwest of; center of trolley-car track. Chester triangulation station of United States Lake Survey. (No station or	41 31 10.5 41 31 20.3	81 23 27.1 81 21 33.4
reference marks could be found. Approximate location of center identified by ruins of observation tripod). Chesterland post office, H. C. Cottrell & Sons' store, in west wall at northwest corner of stone foundation; bronze tablet stamped "Prim. Trav. Sta. No. 37 A.	41 32 02.7	81 21 16.3
1,217 Cleveland". Chesterland post office, four corners, 1 mile east of, 35 feet southeast to signpost, 25 feet northeast to mail hox	41 31 19.0 41 31 17.6	81 20 15.4 81 18 48.1
Four corners, 30 feet east to signpost, 40 feet northwest to corner fence post, 35 feet south to corner fence post. Fowlers Mill, bridge over Chagrin River west of, in coping stone at north end of west abutment; tablet stamped "Prim. Trav. Sta. No. 51 A. 1,111 Cleve-	41 31 17.1	81 16 55.0
land"	41 31 31.4	81 15 39.2

MIAMISBURG QUADRANGLE.

Along highways near west border of quadrangle.

Stations.	Latitude.	Longitude
T. 2 N., R. 4 E., T. 3 N., R. 3 E., corner of secs. 19, 24, 25, and 30 T road east T. 4 N., R. 3 E., quarter corner between secs. 35 and 36 T. 4 N., R. 3 E., corner of secs. 23, 24, 25, and 26 T. 3 N., R. 4 E., T. 4 N., R. 3 E., quarter corner between secs. 19 and 24; T road near T road east Crossing of Germantown-Winchester and Farmersville-Middletown pikes T. 3 N., R. 4 E., T. 4 N., R. 3 E., corner of secs. 1, 6, 7, and 12 T. 3 N., R. 4 E., T. 4 N., R. 3 E., corner of secs. 1 and 6 (north corner) T road east Cincinnati Northern R. R., at crossing of north-south county-line road T. 4 N., R. 4 E., T. 5 N., R. 3 E., quarter corner between secs. 13 and 18. Crossing of county-line road and West Alexandria-Germantown pike. Tps. 4 and 5 N., R. 3 and 4 E., corner of secs. 1, 6, 7, and 12 Tps. 4 and 5 N., R. 4 E., Tps. 5 and 6 N., R. 3 E.	39 35 46.7 39 36 15.6 37 37 16.3 39 38 09.8 39 38 30.4 39 39 26.2 39 40 39.4 39 41 53.1 39 42 30.6 39 43 33.1	84 28 37. 84 29 49. 84 29 49. 84 29 51. 84 28 43. 84 28 45. 84 28 45. 84 28 45. 84 28 47. 84 28 49. 84 28 51. 84 28 52. 84 28 52.
Along highways near north border of quadrangle.	39 44 42.1	84 28 53
Troad south	39 44 43.7 39 44 44.4 39 44 44.9	84 27 41. 84 26 44. 84 25 21. 84 24 13. 84 23 05. 84 21 58. 84 20 50. 84 19 42. 84 18 34. 84 18 55. 84 15 10.

MILFORD CENTER QUADRANGLE.

From Marysville along Toledo & Ohio Central Ry. to Arnold.

Stations.	Latitude.	Longitude.
Marysville station, crossing 100 feet east of	% / // 40 14 25.7	83 22 13.5
feet north of north end of Y, 200 feet north of east-west road, 16 feet east of east rail of Toledo & Ohio Central Ry., sandstone post 30 by 6 by 6 inches, set 26 inches in ground; copper bolt cemented in center of top	40 14 12.8	83 21 15.7
inches, set 28 inches in ground; bronze meridian tablet cemented in center of top. Azimuth, 139° 43′ 20″ to north stone. Milepost 106, 330 feet south of pike and telephone line crossing. Milepost 108, crossing 1,350 feet south of . Blind siding, crossing 20 feet northwest of head block. Milepost 113, pike crossing 530 feet southeast of. Arnold station, 580 feet southeast of pike and telephone line crossing.	40 12 08.2 40 10 06.4	83 20 36.1 83 19 00.5 83 16 48.5 83 15 30.0
Along highways near southeast corner of quadrangle	•	
Worthington store, road east at	40 02 30.5 40 04 08.1 40 05 27.3	83 15 49.9 83 15 05.6 83 15 23.4
Along highways near southwest corner of quadrangle		
Tradersville, crossroads 2 miles northeast of Tradersville, intersection of roads 1 mile northeast of Tradersville, crossroads at	40 01 02.8 40 00 24.2 40 00 00.7	83 27 56.6 83 28 52.2 83 29 54.9

MILFORD CENTER QUADRANGLE—Continued. West along highways near north border of quadrangle.

Stations.	Latitude.			ude. Longitude.			Distance between stations.	
New Dover, 1.5 miles east of, 0.25 mile south of brick schoolhouse; T road west			53.3			53.3	Feet.	
Dover Station, 0.5 mile east of; Cleveland, Cincinnati, Chicago & St.			53.6			29.0	7,439	
Louis Ry. at road crossing. Covered bridge, center of T road north	40 40	14	51.4 28.2			54.8 15.1	6,674 6,658	
Toledo & Ohio Central Ry, at road crossing, 740 feet north of Cleveland, Cincinnati, Chicago & St. Louis Ry, crossing	40	14	11.3	83	21	14.0	4,895	
tablet stamped "Prim. Trav. Sta. No. 75. Ohio, 1910"			$\begin{array}{c} 06.6 \\ 34.2 \end{array}$			06. 2 48. 0	4,073 8,381	
United Brethren Church, 0.25 mile south of; crossroads	40	14	55. 1 59. 3	83	25	03. 1 53. 4	6, 197	
Allen Center, at west side of T road southwest, 40 feet due west of center of T road; iron post stamped "Prim. Trav. Sta. No. 94. Ohio, 1910"	40	14	26.3	83	28	34.7	4, 214	

South along highways and Cleveland, Cincinnati, Chicago & St. Louis Ry. near west border of quadrangle.

			
T road south	40 13 27.8	83 27 20.3	
Crossroads, signboard "Marysville 4½ miles, Milford Center 2½ miles,		1	
Pottersburg 5 miles"	40 12 28.5	83 26 48.7	6,491
Crossroads	40 11 53.7	83 27 55.4	6, 249
T road southwest	40 11 13.3	83 27 33.6	4,430
Milford Center, State Street crossing on Cleveland, Cincinnati, Chicago			
& St. Louis Ry	40 10 45.0	83 26 10.6	7,054
Milepost 138, 1,040 feet south of; road crossing	40 09 27.8		9,757
Milepost 139, 1,030 feet south of; northeast-southwest pike crossing			5,269
Private-road crossing	40 08 12.7	83 28 34.1	3,999
Irwin, at east edge of Cleveland, Cincinnati, Chicago & St. Louis Ry.			
property line, I foot south of south edge of sidewalk on south side of			
Main Street, 3 feet west and 9 feet south to northwest corner of Irwin			
Hardware Store (concrete building), 45 feet north and 25 feet west		i .	
to Main Street crossing on railroad; iron post stamped "Prim. Trav.			
Sta. No. 76. Ohio, 1910"	40 07 20.9	83 29 20.4	6,359
Union-Madison county line, center of track, 35 feet east to stone monu-	40.00.41.1	00 00 55 0	
ment	40 06 41 1	83 29 57.2	4,936
North-south pike at private road west, 10 feet west to Wm. Larnell's	40.00.00.0	02 00 22 0	4.500
mail box	40 06 00.6	83 29 33.2	4,500
Tradersville, at west corner of crossroads, 23 feet east to center of cross-	40 00 00.7	83 29 55, 2	
roads; iron post stamped "Prim. Trav. Sta. No. 77. Ohio, 1910"	40 00 00.7	03 29 33.2	
		<u> </u>	<u></u>

East along highways through center of quadrangle.

	1	í	1
Irwin, 1 mile east of; T road south	40 07 05.2	83 28 11.4	ł
Little Darby Creek, center of covered bridge over.	40 07 18.1	83 27 21.7	4,085
Little Darby Creek, just south of covered bridge over; T road north			8,854
Chuckery, southwest of: Union-Madison county-line monument	40 06 37.6		8,654
Chuckery, south of store; Union-Madison county-line monument	40 06 37.5	83 23 31.3	897
	40 00 37.3	00 20 01.0	897
Chuckery, 1 mile northeast of, at northwest corner of T road north, 20		1	[.
feet east by 25 feet south to center of T road; iron post stamped			
"Prim. Trav. Sta. No. 78. Ohio, 1910"	40 07 03.8	83 22 22.8	5,963
Chuckery, 2 miles east of; T road south	40 06 54.5	83 21 25.6	4,543
Chuckery, 2.8 miles east of; crossroads	40 06 51.7	83 20 25.3	4,696
T road south.	40 06 55.4	83 19 01.3	6,539
Post road at road northwest, 20 feet east by 15 feet north to north end		1	′
of culvert.	40 06 47.1	83 17 43.9	6,078
T road northeast	40 06 42.2	83 16 54.3	3,891
Big Darby Creek, center pier of bridge over.	40 07 20.2		5, 224
Robinson River, center of steel bridge over	40 07 43.6	83 16 14.2	2,401
Arnold station, 0.25 mile west of, at northwest corner of T road north;	10 01 1010	00 10 1112	-, 101
iron post stamped "Prim, Trav. Sta. No. 79. Ohio, 1910"	40 08 20.4	83 15 15.7	5,880
11011 post stamped 111111, 11av. 5ta. 140. 75. O1110, 1510	40 00 20.4	00 10 10.1	3,000
	1	1	i

Magnetic declination for north border, 0° 21' E. to 0° 29' W.; for west border, 0° 34' W.; for center line, 0° 55' W. to 0° 36' E.

MILLERSBURG QUADRANGLE.

Near northwest corner of quadrangle.

Stations.	Latitude.	Longitud
Pennsylvania R. R. bridge No. 121, near Millbrook; copper bolt in abutment at northwest corner of bridge.	0 / // 40 43 59.9	81 58 23.
. Along Pennsylvania R. R. near Millbrook.		
Road crossing 100 feet east of bridge No. 121 Overhead road crossing	40 44 00.7 40 44 51.8	81 58 22. 81 57 40.
Along highways near east border of quadrángle.		
T road south, 15 feet northwest to north end of culvert	40 35 40.6	81 45 07.
south road Berlin, 2 miles north and 2 miles east of; stone at T road east. T road west, just south of creek at red barn, 39 feet east to arrow on gatepost, 31	40 35 37.3 40 34 15.7	81 45 43 81 45 10
feet south to northeast corner of barn	40 33 22.4	81 45 12 81 45 08
northwest to telephone pole, 21 feet south to picket fence	40 31 26.3	81 45 05 81 45 07
Along highways near north border of quadrangle.		<u> </u>
r. 16 N., R. 11 W., northeast corner of sec. 36. Kidron, 1.5 miles west of; crossroads, 25 feet southwest to guideboard "Orrville 7 miles, Mount Hope 7 miles, Apple Creek 3.5 miles, West Lebanon 7 miles,"	40 44 28.4	81 45 57
25 feet southeast to 2 mail boxes. Kidron, 2 miles west of; northeast corner of sec. 35, T. 16 N., R. 12 W.; cross-	40 44 28.5	81 46 32
	40 44 28.0	81 47 07
Apple Creek, 1.25 miles southeast of; center of crossroads, 40 feet southwest to guidepost "Fredericksburg 6.25 miles, Orrville 8 miles, West Lebanon 10.75 miles, Apple Creek 1.25 miles, "50 feet northeast to oak tree Apple Creek, 1 mile southeast of; T road south, guidepost "Apple Creek 1 mile, West Lebanon 11 miles, Mount Eaton 8 miles". Apple Creek, highway crossing on Cleveland, Akron & Columbus Ry., 300 feet	40 44 27.6	81 48 59 81 49 28
	40 44 56.0	81 50 09
Road forks, center of triangle at northwest edge of Apple Creek road, 35 feet northwest to guidepost "Moorland 8 miles, Fredericksburg 5 miles, Wooster 5.5 miles, Apple Creek 0.5 mile". Froad south, 10 feet south to plank bridge, 25 feet southwest to guidepost "Fred-	40 45 19.9	81 51 04
oriolechure 4 miles Moorland 7 miles Apple (Took I mile)	40 44 43.7 40 44 30.6	81 51 50 81 52 38
The No. R. 12 W., corner of secs. 25, 26, 30, and 31. Apple Creek, 3 miles west of; northeast corner of sec. 36, T. 15 N., R. 13 W., crossroads; iron post stamped "Prim. Trav. Sta. No. 21. Ohio, 1907" Apple Creek, about 4 miles west of; Troad east at east line of sec. 35, 25 feet northeast to guidepost "Apple Creek 3 miles, Wooster Road 2 miles, Moorland 4.5 miles, Gerstout to accept the incide."	40 44 29.8	81 52 38
east to guidepost "Apple Creek 3 miles, Wooster Koad 2 miles, Moorland 4.5 miles," 5 feet east to center of triangle	40 44 12.7	81 53 47
to guideboard "Wooster 5 miles, Fredericksburg 4 miles, Apple Creek 3.5 miles, Moorland 4 miles" 1. 15 N., R. 13 W., quarter corner stone, east side of sec. 34, 25 feet south to center	40 44 00.3	81 53 56
of T road south. fillbrook, I mile east of; crossroads, center of sec. 33, T. 15 N., R. 13 W., 20 feet southwest to large oak tree, 30 feet north to telephone pole. fillbrook, I mile northeast of; 5 miles southwest of Wooster, at T road east, west	40 43 46.7	81 54 56 81 56 40
fillbrook, 1 mile northeast of; 5 miles southwest of Wooster, at T road east, west of Wooster-Shreve road, at northeast corner of Chas. Part's field; iron post stamped "Prim. Trav. Sta. No. 22. Ohio, 1907". fillbrook, 0.5 mile southeast of; east edge of main road at T road northwest, 35	40 43 59.6	81 59 33
Millbrook, 0.5 mile southeast of; east edge of main road at T road northwest, 35 feet north to corner of fence, 50 feet southwest to guideboard "Blachleyville 5 miles, Moorland 3 miles, Wooster 6 miles, Shreve 3 miles," 100 feet southwest to T road east.		
to T road east	40 43 19.5	81 59 56

PRIMARY TRAVERSE.

MILLERSBURG QUADRANGLE—Continued.

Along highways near south border of quadrangle.

Stations.	Latitude.	Longitude.
Killbuck, 1 mile north and 0.5 mile west of; center of triangle at crossroads, 40 feet north to Smith's mail box, 50 feet east to pump	40 31 04.4	81 59 42.3
Killbuck, 0.25 mile northwest of; center of triangle at road forks	40 30 24.0	81 59 10.5
to corner of picket fence, 45 feet southeast to telephone pole	40 30 03.9	81 55 27.9
feet south to telephone pole, 40 feet east to walnut tree	40 30 01.5	81 53 39.9
15 feet west to center of north-south road. Grade, 1 mile east of; roads to east, west, and south, second-class road north,	40 30 27.0	81 53 21.1
25 feet southeast to picket fence, 60 feet west to forks. Saltillo, 0.75 mile southwest of; road forks southwest and west, 40 feet southwest	40 30 29.3	81 52 22.1
to mail box, 15 feet northwest to wire fence. Saltillo, outside of; fence corner in angle of road forks east and southeast, at black-	40 30 40.1	81 51 18.0
smith shop; iron post stamped "Prim. Trav. Sta. No. 24. Ohio, 1907"	40 31 15.2 40 31 15.2	81 50 53.2 81 50 53.6
Saltillo, 1 mile southeast of; four corners, public road northeast, second-class road southwest, 50 feet northeast to southwest corner of schoolhouse, 50 feet	01 2012	02 00 00.0
south to elm tree	40 30 46.3	81 50 11.2
to farm gate. Trayer's wool factory, center of iron bridge over Dowdys Fork.	40 30 33.4 40 30 09.7	81 49 30.9 81 48 21.9
Trayer's wool factory, 0.5 mile northeast of; center of triangle at T road west, 25 feet north to corner fence post, 30 feet southeast to forked hickory	40 30 19.5	81 48 04.2
Charm, T road east; 30 feet west to office door, 25 feet northeast to telephone pole. Charm, 1 mile east of; center of triangle at T road north, 170 feet west of T road	40 30 24.0	81 47 08.3
South	40 30 22.7	81 46 13.7
Akron & Columbus Ry. bridge across Killbuck Creek; aluminum tablet stamped "Prim. Trav. Sta. No. 16, 1907".	40 30 11.8	81 58 59.1

Magnetic declination for north border, 2° 14′ W.; for south border, 2° 37′ W.; for west border, 1° 55′ W.

MORNING VIEW QUADRANGLE.

Along highways from Point Pleasant north through New Richmond to Spann schoolhouse.

Stations.	Latitude.	Longitude.
Clermontville, T pike north at; 20 feet south and 5 feet east to northeast corner of platform scales. Clermontville 0.8 mile northwest of; center of pike at road southeast up hill. New Richmond, center of intersection of Front and Walnut streets. Twelvemile Creek, center of steel bridge over. Steel bridge over creek, center of T pike east, just north of, just east of electric railroad. George Neep's mail box, center of T road northeast at.	38 57 03.0 38 57 42.2 38 59 07.5	84 15 50.1 84 17 01.3 84 17 13.8 84 17 24.3

MOUNT GILEAD QUADRANGLE.

Along highways near south border of quadrangle.

Stations.	Latitude.	Longitude.	Distance between stations.
Mount Gilead, 3 miles south by 2.5 miles east of; T road south at R. E. George's mail box	40 30 25. 5 40 30 01. 4 40 30 10. 4	82 53 46.0	Fcet.

MOUNT GILEAD QUADRANGLE-Continued.

Along highways east-west through center of quadrangle.

Stations.	Latitude	Longitude	Distance between stations.
T. 5 S., R. 16 E., quarter corner between secs. 10 and 15; crossroads Caledonia, 1.5 miles south by 2 miles west of, 240 feet west of corner of secs. 10, 11, 14, and 15, T. 5 S., R. 16 E., in southwest corner of stone foundation of bridge abuntment: aluminum tablet stamped	40 36 56.	8 83 00 18.4	Feet.
stone foundation of bridge abutment; aluminum tablet stamped "Prim. Trav. Sta. No. 62. Ohio, 1910". T. 5S., R. 16 E., corner of secs. 10, 11, 14, and 15. T road east, center of. T. 5S., R. 17 E., west corner of secs. 6 and 7; Marion-Morrow county line.	40 36 57. 40 36 57. 40 37 24.	82 59 47. 4 7 82 59 44. 3 5 82 58 02. 2	240
line T. 5 S., R. 17 E., corner of secs. 5, 6, 7, and 8 T. 5 S., R. 17 E., corner of secs. 4, 5, 8, and 9; center of crossroads at church and schoolburse.	40 37 49. 40 37 50.		3,70: 5,560
T. 5 S., R. 17 E., corner of secs, 3, 4, 9, and 10; center of T road south Climax, east-west road crossing on Toledo & Ohio Central Ry	40 37 50. 40 37 49. 40 37 49.	82 55 05.6 82 53 59.5 82 53 20.0	5.100
Climax, 0.5 mile east of, in northwest corner of stone abutment of steel bridge over Thorns Run, 30 feet west by 10 feet south to corner of secs. 2, 3, 10, and 11, T. 5 S., R. 17 E.; aluminum tablet stamped "Prim. Trav. Sta. No. 63. Ohio, 1910" T. 14 N., R. 21 W., corner of secs. 3 and 10; center of T road east T. 14 N., R. 21 W., corner of secs. 2, 3, 10, and 11; center of crossroads. T. 14 N., R. 21 W., corner of secs. 1, 2, 11, and 12; center of crossroads. T. 18 N., R. 21 W., corner of secs. 1, 6, 7, and 12; center of crossroads. T. 18 N., R. 20 W., stone at corner of secs. 5, 6, 7, and 8; center of crossroads at schoolbouse.	40 37 49.0 40 37 30.1 40 37 30.1 40 37 30.1 40 37 29.3	5 82 51 37.3 5 82 50 31.2 2 82 49 22.6 8 82 48 14.5	5,100 5,290 5,260
T. 18 N., R. 20 W., stone at corner of secs. 4, 5, 8, and 9; center of cross-	40 37 28.		1
roads. Prim. Trav. Sta. No. 54, 1910.	40 37 28. 40 37 27.	82 45 57.6 82 44 50.3	
Along highways near east border of quad	drangle.		
Galion, 0.8 mile north by 1.5 miles east of: center of T road north. Galion, 1.25 miles east of; center of T road north. T road west, center of. T, 20 N., R. 20 W., south corner of secs. 32 and 33. T. 19 N., R. 20 W., north corner of secs. 4 and 5. T. 19 N., R. 20 W., corner of secs 3, 4, 9, and 10, crossroads at schoolhouse; Crawford-Marion county line.	40 44 34.1 40 43 59.8 40 43 33.3 40 43 33.3 40 42 40.8	82 45 45.4 82 45 53.5 82 45 53.2 82 45 53.9	4,688 2,735 25 55 7,460
Along highways near west border of qua	drangle.		
Stations.		Latitude.	Longitude.
Road east-west. Tps. 3 and 4 S., R. 16 E., corner of secs. 34, 35, 2, and 3; road west Road east-west. S. 5 S., R. 16 E., corner of secs. 15, 14, 23, and 22.	henst	40 44 47. 4 40 43 55. 0 40 43 03. 9 40 36 04. 6 40 35 12. 2 40 33 43. 1	82 59 29.9 82 59 42.5 82 59 59.4 82 59 44.1 82 59 48.5 82 59 44.9
I ps. a and 4 S., R. 16 E., corner of secs. 34, 33, 2, and 3, road west R. 5 S., R. 16 E., corner of secs. 15, 14, 23, and 22. R. 5 S., R. 16 E., corner of secs. 22, 23, 26, and 27, due east of; road nort Road east-west. R. 6 S., R. 16 E., corner of secs. 3, 2, 11, and 10. R. 6 S., R. 16 E., corner of secs. 10, 11, 14, and 15; road east-west. R. 6 S., R. 16 E., corner of secs. 15, 14, 23, and 22; road east-west.		40 32 34. 0 40 31 42. 0 49 30 48. 9	82 59 44.1 82 59 44.2 82 59 43.8
P. 5 S., R. 16 E., corner of secs. 22, 23, 26, and 27, due east of; road nort.		40 32 34.0 40 31 42.0	82 59 44.1 82 59 44.2
P. 5 S., R. 16 E., corner of secs. 22, 23, 26, and 27, due east of; road nort Road east-west. P. 6 S., R. 16 E., corner of secs. 3, 2, 11, and 10 P. 6 S., R. 16 E., corner of secs. 10, 11, 14, and 15; road east-west. P. 6 S., R. 16 E., corner of secs. 15, 14, 23, and 22; road east-west.	drangle. o Central church rail fence	40 32 34.0 40 31 42.0	82 59 44.1 82 59 44.2

Magnetic declination for south border, 1° 20′ W.; for east border, 1° 19′ W.; for east-west line through center, 1° 05′ W.

MOUNT STERLING QUADRANGLE.

Along Baltimore & Ohio Southwestern R. R. from milepost 69 to Mount Sterling.

Stations.	Latitude.	Longitude.
Milepost 69, crossing 800 feet west of	39 30 12.2 39 30 41.8 39 31 08.0	83 35 19.4 83 33 09.4 83 31 14.4
Milepost 69, crossing 800 feet west of Rattlesnake, crossing over railroad at Jasper Mills, crossing at Washington Court House, south azimuth stone 1,400 feet south of Baltimore & Ohio Southwestern R. R. station, near coal chutes 6 feet east of main track, 11 feet from end of bulkhead leading to elevated tracks; limestone post, 36 by 8 by 8 inches, set 33 inches in ground, bronze meridian tablet cemented in center of top. Distant mark is a copper bolt cemented in east abutment of wagon bridge. Azimuth, 218° 12° 45°. Distance from south stone 1,093 feet Washington Court House, crossing of Baltimore & Ohio Southwestern and Cincinnati, Hamilton & Dayton railroads. Fayette station. Bloomingburg station, crossing 300 feet east of. Madison Mills station, crossing 30 feet east of. Cook station, crossing 200 feet east of.	39 32 04.0 39 32 13.3 39 34 09.9 39 36 22.7 39 39 13.5 39 40 59.4	83 26 53.7 83 26 43.4 83 25 13.7 83 23 17.4 83 20 21.4 83 18 24.3
Along highways near east border of quadrangle.		
Mount Sterling, Main Street crossing on Baltimore & Ohio Southwestern R. R. (Hawkins traverse, 1900). Mount Sterling, road southwest to Washington Court House. Fayette-Madison county line. Jones schoolhouse No. 5, center of road. Old Yankeetown, east-west road. Schoolhouse No. 2, road. Waterloo, in northwest corner of yard of Christian Church; iron post stamped "Prim. Trav. Sta. No. 74. Ohio, 1909". Waterloo, near, Fayette-Pickaway county-line stone. Waterloo, in front of Methodist Church. Fayette-Pickaway county line, stone monument. Road north-south. Bridge near Chauncey Dick's. Pike, northwest-southeast. Pickaway-Fayette county-line road. New Holland, Main Street crossing on Cincinnati & Muskingum Valley R. R. Road southwest. Ross-Pickaway county line. Schoolhouse No. 9, in tersection of roads. Schoolhouse No. 9, in northeast corner of yard, northeast corner of schoolhouse bears S. 53° 45′ W., distant 51.2 feet, in top of sandstone post 5 by 10 by 30 inches; aluminum tablet stamped "Prim. Trav. Sta. No. 5′′.	39 43 17.6 39 42 59.3 39 41 47.3 39 40 51.0 39 39 41.1 39 38 50.6 39 37 39.2 39 38 20.2 39 37 701.4 39 36 09.4 39 35 29.9 39 34 08.0 39 33 32.8 39 33 32.8	83 16 03.7 83 16 06.2 83 16 16.6 83 16 16.6 83 16 05.8 83 16 16.3 83 15 58.2 83 15 55.5 83 15 55.5 83 16 04.9 83 16 14.9 83 15 15.0 83 16 14.9 83 15 26.2 83 15 26.2
Ross-Pickaway county line. Schoolhouse No. 9, intersection of roads. Schoolhouse No. 9, in northeast corner of yard, northeast corner of schoolhouse bears S. 53° 45′ W., distant 30.4 feet, center of wooden pump in schoolhouse yard bears N. 71° 15′ W., distant 51.2 feet, in top of sandstone post 5 by 10 by 30 inches; aluminum tablet stamped "Prim. Trav. Sta. No. 5". Along highways near south border of quadrangle.	39 30 55.6 39 30 15.2 39 30 15.0	83 14 56.7 83 15 03.4 83 15 03.5
		
Pleasant Grove, southwest corner of schoolhouse yard; road north. Blacksmith shop, road north-south Bridge over drain south. Washington Court House, 1 mile south of; north end of bridge over Middle Fork Paint Creek. Detroit, Toledo & Ironton Ry. crossing near trestle, 480 feet southeast of 102-mile post. Washington Court House, 2 miles south of; crossroads on Greenfield pike. Leesburg pike, north-south Snow Hill pike, Ingles schoolhouse, 20 feet north Snow Hill pike, center of, at road northwest, 0.3 mile southwest of schoolhouse.	39 30 02.2 39 30 32.8 39 30 50.6 39 31 04.4 39 30 55.1 39 30 34.2 39 30 16.3 39 30 19.6 39 30 11.4	83 21 36.6 83 22 39.8 83 23 57.1 83 25 01.5 83 25 06.5 83 26 28.8 83 28 22.3 83 29 43.1 83 29 58.4
Along highways near north border of quadrangle.		· · · · ·
	39 44 01.4 39 44 00.5 39 43 55.9 39 43 55.5 39 43 48.8 39 43 52.0 39 43 51.6 39 43 49.7 39 43 48.8	83 29 52. 4 83 29 17. 4 83 29 06. 5 83 28 36. 7 83 25 45. 2 83 25 31. 7 83 23 37. 4 83 21 216. 6 83 21 25. 1 83 21 19.53. 9 83 19. 11. 5

NAPOLEON QUADRANGLE.

Along highways near west border of quadrangle.

Stations.	Latitude.	Longitude.
T. 6 N., R. 5 E., corner of secs. 13, 14, 23, and 24. T. 5 N., R. 5 E., corner of secs. 1, 2, 11, and 12. T. 5 N., R. 5 E., corner of secs. 13, 14, 23, and 24. T. 5 N., R. 5 E., corner of secs. 25, 26, 35, and 36. T. 4 N., R. 5 E., corner of secs. 1, 2, 11, and 12. T. 4 N., R. 5 E., corner of secs. 13, 14, 23, and 24. T. 4 N., R. 5 E., corner of secs. 13, 14, 23, and 24. T. 4 N., R. 5 E., corner of secs. 25, 26, 35, and 36. Tps. 3 and 4 N., R. 5 E., corner of secs. 1, 2, 35, and 36.	<u>'</u>	84 14 52.8 84 14 50.7 84 14 49.3 84 14 48.0 84 14 48.0 84 14 47.9 84 14 47.8
Along highways near northeast corner of quadrangle	i.	,
T. 6 N., R. 7 E., northeast corner of sec. 13, at crossroads, in northeast corner of orchard owned by Edna Cline; iron post stamped "Prim. Trav. Sta. No. 31, 1905" T. 6 N., R. 7 E., north corner of secs. 11 and 12; T road south, 31 feet southwest to cross on corner fence post, 30 feet northwest to E. M. Smith's mail box. T. 6 N., R. 7 E., corner of secs. 10, 11, 14, and 15; crossroads, 33 feet southwest to end of wire fence, 37 feet northwest to cross on gatepost.	41 29 10.5 41 29 10.9 41 29 11.5	84 00 30.7 84 01 05.5 84 02 15.2
NAVARRE QUADRANGLE.		
Along Baltimore & Ohio R. R. from Canal Dover to Stras	burg.	
Stations.	Latitude.	Longitude.
Shovel works, 1.25 miles north of; east-west road crossing	6 / // 40 32 58. 1 40 33 43. 3 40 34 55. 1 40 36 07. 4	81 30 03.8 81 30 13.1 81 31 04.2 81 31 45.1
Along highways near east border of quadrangle.		
Strasburg, 1 mile north of, south of road at forks, cross on west end of stone culvert bears S. 74° W., distant 8.4 feet, southwest corner of residence bears N. 19° 30′ E., distant 135 feet; iron post stamped "Prim. Trav. Sta. No. 35. Ohio, 1906" T. 10 N., R. 3 W., corner of secs. 9, 10, 11, and 12; oak tree at cross fences. Schoolhouse, crossroads, 30 feet northeast to guidepost, 32 feet northwest to corner fence post. Tuscarawas-Stark county line, 510 feet north of; stone in center of T road west T. 9 N., R. 9 W., northeast corner stone of sec. 29. T. 9 N., R. 9 W., northeast corner of sec. 20; center of north-south road at eastwest rail fence.	40 36 55.0 40 37 43.5 40 38 15.2 40 39 01.9 40 40 21.0 40 41 14.5	81 31 28.7 81 31 44.6 81 31 19.8 81 31 14.8 81 30 39.7 81 30 39.3
Along Wheeling & Lake Erie R. R. in Navarre.	<u>'</u>	'
Navarre, east track of Wheeling & Lake Erie R. R., at crossing of electric railroad, just south of station	40 43 05.5 40 43 21.2	81 31 22.2 81 31 51.2
Along highways near north border of quadrangle.		
Pigeon Run, T road north. T. 12 N., R. 10 W., northeast corner stone of sec. 34, at schoolhouse T. 12 N., R. 10 W., northeast corner of sec. 33; center of road at rail fence north. West Lebanon, 2 miles northeast of, Massillon-Millersburg road, crossroad bears east, distant 20 feet, nail in blaze on white oak bears S. 66° 45′ E., distant 67 feet; iron post stamped 'Prim. Trav. Sta. No. 37, 1996'' Stark-Wayne county line, center of Millersburg road	40 44 57.2 40 44 58.3 40 45 00.7 40 44 27.7	81 34 35.1 81 35 09.1 81 36 19.4
T. 11 N., R. 10 W., northeast corner of sec. 6; junction of fence, Stark-Wayne	40 44 05.3 40 44 13.9	81 38 06.0 81 38 55.8 81 38 55.8
West Lebanon, 0.5 mile north of: crossroads, 15 feet southeast to guidenost, 24 feet	40 44 01.0	81 40 07.1
to south end of culvert West Lebanon, 0.5 mile north and 1.5 miles west of; crossroads, 24 feet northwest to guidepost, 33 feet northeast to fence post Kidron, 0.75 mile east of; crossroads, 27 feet southeast to guidepost, 24 feet south- west for south end of how culvert	40 44 01.4	81 41 51.3
Kidron, 0.75 mile east of; crossroads, 27 feet southeast to guidepost, 24 feet south- west to south end of box culvert. Kidron, southwest corner of crossroads, northwest corner of foundation to cream- ery bears 8.68° E., distant 72 feet, cross cut on southeast corner of foundation to warehouse bears N. 44° 15′ W., distant 86.2 feet; iron post stamped "Prim, Trav. Sta. No. 38, 1906".	40 44 12.1 40 44 28.4	81 43 53.0 81 44 44.5
	<u> </u>	<u>' </u>

NAVARRE QUADRANGLE—Continued.

Along highways near west border of quadrangle.

Stations.	Latitude.	Longitude.
T. 16 N., R. 11 W., northeast corner of sec. 31; crossroads. T. 15 N., R. 11 W., northeast corner of sec. 6. Frame schoolhouse, crossroacs, 36 feet northeast to guidepost, 48 feet northwest to mail box No. 50. Gordin School, 0.75 mile north of; crossroads, 39 feet northwest to east gatepost 25 feet northeast to north end of stone culvert. Gordin School, crossroads, 22 feet northeast to corner fence post, 39 feet northwest to mail box No. 49. Wayne-Holmes county line. Wayne-Holmes county line, 1 mile south of; crossroads, 30 feet northwest to guidepost, 19 feet southwest to west end of culvert. Small cemetery, just south of; crossroads, 25 feet southeast to east end of hedge fence, 12 feet southwest to south end of culvert. Fairview, southeast corner of crossroads at schoolhouse, halfway between Mount	0 / // 40 44 28.7 40 43 35.9 40 42 39.4 40 41 36.2 40 40 57.3 40 40 04.7 40 39 12.1 40 38 35.0	81 44 44.3 81 44 43.8 81 44 48.0 81 44 47.4 81 44 47.1 81 44 28.5 81 43 50.0 81 44 46.6
Hope and Winesburg, nail in east face of large white-oak tree bears S. 73°30′ W. distant 47.2 feet; iron post stamped "Prim. Trav. Sta. No. 39, 1906". Crossroads, at northwest corner of triangle formed by roads, 9 feet northwest to northwest end of box culvert. Schoolhouse No. 3, 500 feet east of, south of Charm-Sugarcreek road at fork to northeast, cross cut on bowlder bears N. 20°30′ W. distant 24.3 feet, iron post stamped "Prim. Trav. Sta. No. 40, 1906". Along highways near south border of quadrangle.	40 37 07.0 40 35 53.1 40 30 21.7	81 44 40.2 81 44 58.7 81 44 50.6
T. 8 N., R. 5 W., corner of secs. 1, 2, 9, and 10; junction of fence Sugarcreek, Main Street crossing of Wheeling & Lake Erie R. R., 215 feet south of station. Sugarcreek, about 0.75 mile northeast of; T road north, 36 feet northwest to corner fence post, 48 feet northeast to corner fence post. Union Hill Church, 0.33 mile north of, at southwest corner of crossroads, northeast corner of E. Crite's residence bears S. 57° 20′ W. distant 23.3 feet, cross cut on west end of culvert bears N. 11° 15′ E. distant 35 feet; iron post stamped "Prim. Trav. Sta. No. 41, 1906". T road north Sugarcreek, Dover township line, northeast corner of sec. 4. Schoolhouse No. 2, T road north, 10 feet southwest to south end of bridge. Canal Dover, 2.75 miles west of; crossroads, 21 feet northwest to north end of stone culvert, 29 feet southwest to south end of same culvert.	40 30 13.4 40 30 07.3 40 30 29.3 40 30 29.4 40 30 26.6 40 30 52.8 40 30 44.4 40 30 30.9	81 43 36.3 81 38 24.4 81 37 25.2 81 36 38.0 81 35 45.1 81 34 17.4 81 33 00.9 81 31 28.5

NEWARK QUADRANGLE.

Along highways near north border of quadrangle.

Stations.	Latitude	Longitude.
	0 / //	. , ,,
Homer, 1.33 miles southeast of; large sugar-maple tree in center of road	40 14 39.	
Road southwest, 24 feet south to cross on black-oak tree	40 13 55.	
Utica, in southeast part, east-west road crossing on Baltimore & Ohio R. R	40 13 57.	2 82 26 52.4
Licking-Knox county line, road west, 27 feet northwest to cross on gatepost, 27 feet southeast to cross on rail fence.	40 14 35.	0 00 05 04 0
Hill Church, 0.5 mile west of; T road north, 28 feet northwest to telephone pole,	40 14 33.	8 82 25 04.2
22 feet southwest to cross on fence post	40 14 32.	4 82 23 44,6
Martinsburg, 1.5 miles south of, at crossroads, in northeast corner of field of W. P.		-
Harrison; iron post stamped "Prim. Trav. Sta. No. 41, 1905"	40 14 53.	7 82 21 36.2
Martinsburg, about 2 miles southeast of; crossroads, 10 feet southeast to gum tree,		
21 feet northeast to mail box	40 14 50.	8 82 20 18.1
roads, 38 feet north to large white-oak tree, 38 feet northeast to cross on fence		
post	40 14 49.	6 82 19 14.8
County line, 0.5 mile north of, at A. J. Blount's farm; T road west, 29 feet north-	10 11 10.	02 10 11.0
east to cross on fence post, 30 feet southeast to cross on telegraph pole	40 14 48.	6 82 17 06.4
Henpeck Corners, crossroads, 28 feet southeast to guidepost, 27 feet northwest to		_
Benbow Simpkins's mail box	40 14 02.	2 82 16 52.7
Henpeck Corners, 1 mile southeast of, 2 miles northwest of Fallsburg, just north of schoolhouse, in southeast corner of W. H. Kidd's farm, at T road northeast;		ŀ
iron post stamped "Prim. Trav. Sta. No. 42, 1905"	40 13 44	4. 82 16 03.7
Fallsburg, 1 mile northwest of; T road east, 200 feet north of scales, 16 feet east to	10 10 11	02 10 00.7
Matt Frost's mail box.	40 12 51.	1 82 15 26.8
Corner of secs. 14, 15, 16, and 17, cross on top of stone	40 11 56.	

NEWARK QUADRANGLE—Continued.

Along highways near south border of quadrangle.

Stations.	Latitude.	Longitude
Fulton schoolhouse, 0.25 mile east of; T road north, 22 feet south to cross on red	0 / //	。,,,,
gate Lloyds Corners, 1 mile west of; T road south, 21 feet east to east end of tile culvert,	40 01 21.5	82 26 41.
19 feet southwest to west end of same. Newark, about 3 miles south of, at Lloyds Corners; crossroads, 13 feet southeast to	40 00 54.1	82 25 24.
Newark, about 3 miles south of, at Lloyds Corners; crossroads, 13 feet southeast to ring on telephone pole, 31 feet northeast to cross on picket fence	40 00 49.7	82 24 14.
section. Newark, 4.5 miles southeast of, in Lutheran school grounds, southeast corner of schoolhouse foundation bears N. 25° 15′ W. distant 11.9 feet; northwest corner of Lutheran Church foundation bears S. 37° 30′ W. distant 67.6 feet; iron post	40 00 48.7	82 22 54.
stamped "Prim. Trav. Sta. No. 45, 1905" ohn Fry's farm, at southwest corner of: crossroads, 30 feet northeast to cross on	40 00 16.6	82 22 04.
stamped "Prim. Trav. Sta. No. 45, 1905". ohn Fry's farm, at southwest corner of; crossroads, 30 feet northeast to cross on post at south end of wire fence, 46 feet northwest to T. J. Moore's mail box 3. S. Sigler's residence, T road south, 10 feet northeast to mail box, 30 feet south-	40 00 00.8	82 21 01.
west to guidepost. F. 1 N., R. 11 W., stone at corner of secs. 1, 2, 9, and 10. Boodle schoolhouse, 1.33 miles southeast of; road south, 13 feet north to cross on	40 00 50.3 40 00 46.1	82 19 58. 82 18 34.
Boodle schoolhouse, 1.33 miles southeast of; road south, 13 feet north to cross on gatepost, 36 feet southwest to mail box. Clay Lick, about 4 miles south of, in south part of grounds of Boodle schoolhouse, southwest corner of schoolhouse foundation bears N. 9° 15′ E. distant 57 feet, nail in root of maple tree bears N. 84° 30′ E. distant 60.1 feet; iron poststamped	40 00 04.8	82 16 57.
nail in root of maple tree bears N. 84° 30′ E. distant 60.1 feet; iron post stamped	40 00 58.7	82 17 23.
"Prim. Trav. Sta. No. 44, 1905" Boodle schoolhouse, about 1.38 miles southeast of; road to south, 13 feet north to cross on gatepost, 36 feet southwest to mail box.	40 00 04.8	82 16 57.
7. W. Scott's residence, intersection of roads; mail box	40 10 38.4	82 16 03.
G. W. Scott's residence, intersection of roads; mail box	40 10 38.4	82 16 03.
box Reform, 0.66 mile northwest of; crossroads, 25 feet northeast to F. Priest's mail	40 10 01.2	82 15 29.
Reform, 0.66 mile northwest of; crossroads, 25 feet northeast to F. Priest's mail box, 29 feet northwest to cross on corner fence post. Reform crossroads, 21 feet southeast to R. S. Paine's mail box, 30 feet northeast to	40 08 53.1	82 15 14.
willow tree. Reform, 0.75 mile south of, in southwest corner of field of John W. Gardner, oppo-	40 08 16.6	82 15 02.
site Methodist Church, fron post stamped "Prim. Trav. Sta. No. 43, 1965" Ianover, in northwest part of; center of road crossing under Pennsylvania R. R. Ianover electric railroad station, road crossing, Newark & Zanesville Electric	40 07 34.0 40 04 34.2	82 15 05. 82 15 47.
R. R. Clay Lick, 0.5 mile north of, just south of electric railroad station; center of	40 03 53.4	82 16 03.
bridge over old ()hio ('angl	40 03 54.0 40 02 52.7	82 17 27. 82 17 29.
lay Lick, 1 mile south of; T road west. lay Lick, 2 miles south of; road to southwest at Jonathan Intow's residence, 12 feet southwest to J. R. Shepherd's mail box.	40 01 36.1	82 17 38.
	_	
Along Toledo & Ohio Central Ry. near Central City.		
Along Toledo & Ohio Central Ry. near Central City. dilepost 28, 240 feet east of, east-west gravel-road crossing; north track central City, 0.75 mile south of, 105 feet north of milepost 14; east-west gravel-road crossing. dilepost 13, just north of; private-road crossing.	40 01 43.1 40 01 30.2	82 29 25. 82 28 26.

Magnetic declination for north border, 2° 31′ W.; for south border, 1° 05′ W.; for east border, 3° 08′ W.; for west border, 0° 36′ W.

NEW COMERSTOWN QUADRANGLE.

Along highways near west border of quadrangle.

Stations.		
Farmerstown, 0.5 mile west of, quarter corner between secs. 9 and 12, T. 8 N., R. 5 W.; T road east. Farmerstown, telephone pole in center of triangle of crossroads, 50 feet east to top of hill. Farmerstown, 1.5 miles south of; four corners, 20 feet southwest to guideboard "New Bedford 2.5 miles, Baltic 3 miles, Sugarcreek 5 miles," 20 feet southeast to west end of stone at north end of culvert.	40 29 21.6 81.44 40 29 14.1 81.43	12.9 42.6

NEW COMERSTOWN QUADRANGLE-Continued.

Along highways near Baltic.

40 27 35.6 40 26 42.4 40 26 42.4 40 26 26.3 40 26 26.5 40 26 26.5 40 22 34.2 40 24 37.6 40 22 59.2 40 22 08.0 40 22 08.3 40 21 19.2 40 20 39.2	81 43 43. 81 42 46. 81 42 18. 81 42 18. 81 42 18. 81 43 13. 81 43 33. 81 43 39. 81 43 38. 81 44 05. 81 44 05.
40 25 34.2 40 24 37.6 40 22 59.2 40 22 08.0	81 43 13.3 81 43 05.4 81 43 39.2 81 43 38.6 81 44 05.5
40 24 37.6 40 22 59.2 40 22 08.0	81 43 13.3 81 43 05.4 81 43 39.2 81 43 38.6 81 44 05.5
40 22 08.3 40 21 19.2 40 20 39.2	81 44 05.5
40 22 08.3 40 21 19.2 40 20 39.2 40 20 00.2 40 19 11.6 40 18 16.9 40 17 51.9 40 16 36.5 40 16 33.3	81 44 33.7 81 44 38.7 81 44 50.8 81 44 53.2 81 45 04.2 81 44 50.2
leta.	
40 15 29.8 40 16 33.3 40 16 24.3 40 16 18.5 40 16 18.3	81 44 27.6 81 44 50.2 81 43 04.4 81 41 51.8 81 40 24.8
40 15 50.2	81 39 25.5
40 29 49.0 40 29 26.4 40 29 40.2 40 29 50.8	81 42 02.5 81 40 54.7 81 40 05.7 81 39 15.8
	40 17 51.9 40 16 36.5 40 16 33.3 leta. 40 15 29.8 40 16 24.3 40 16 18.5 40 16 18.5 40 15 50.2

Magnetic declination for south border, 1° 57′ W.; for west border, 2° 18′ W.

NEW LEXINGTON QUADRANGLE.

Along highways near north border of quadrangle.

Stations.	Latitude.	Longitude.
Deavertown, cross streets, 48 feet northwest to southeast corner of post office, 48 feet southwest to northeast corner of store at pump. T. 14 S., R. 14 W., north corner of secs. 34 and 35. Deavertown station, road crossing on Zanesville & Western Ry. Stringtown crossroads, guidepost.	39 44 28.2 39 44 20.6	82 03 37.0 82 04 36.0

NEW LEXINGTON QUADRANGLE—Continued.

Along Cincinnati & Muskingum Valley R. R. between McLuney and New Lexington.

Along Cincinnati & Muskingum Valley R. R. between McLuney and	New Texin	gton.
Stations.	Latitude.	Longitude.
McLuney, near station, on land of Charles Myers, southeast corner of station bears S. 71° W., distant 71.5 feet; northwest corner of store bears S. 81° 40′ E., distant 10 feet; iron post stamped "Prim. Trav. Sta. No. 65, 1905". Lyondale station, road crossing. Milepost 35, 0.5 mile west of; north-south road crossing. Wilburn station, road crossing New Lexington, 1 mile northeast of; north-south road crossing New Lexington étation, center of track opposite. Milepost 40, 900 feet west of; road crossing.	39 44 26. 2 39 43 54. 8 39 43 29. 1 39 43 26. 7 39 43 16. 0 39 43 08. 7 39 43 20. 9	82 06 27.8 82 08 13.8 82 09 47.6 82 10 38.1 82 11 45.6 82 13 00.0 82 14 35.7
Along highways from New Lexington south near west border of	quadrangle	•
New Lexington, center of main track of Cincinnati & Muskingum Valley R. R., opposite station. New Lexington, Perry County courthouse, in east face at southeast corner; aluminum tablet stamped "Prim. Trav. Sta. No. 1. Ohio, 1907". New Lexington, 0.7 mile south of courthouse, T. 15 N., R. 15 W., section corner under corner of outhouse 150 feet east of public road. New Lexington, 2.2 miles south of, road forks south and southeast; center of triangle.	39 43 08.7 39 42 50.3 39 42 15.9 39 41 55.8	82 13 00.0 82 12 29.4 82 12 25.1 82 12 43.3
Bristol, about 1.25 miles north of; T. 15 N., R. 15 W., quarter section corner stone (no numbers) Bristol, at east edge of; T road north, center of triangle. Bristol, at west edge of; four corners at store and schoolhouse, 80 feet southwest to northeast corner of schoolhouse Bristol, 1 mile south of, road forks east and southwest; center of triangle. Bristol, 1.5 miles south of, second-class T road east; east-west section line, T. 15 N., R. 15 W. Pike-Salt Lick, east-west township line, center of main road 110 feet north of	39 40 58.8 39 40 07.4 39 40 08.0 39 39 30.1 39 39 15.8	82 13 05.9 82 13 24.3 82 13 46.2 82 13 57.4 82 13 48.4
second-class road west. McCuneville, 0.75 mile north of; road crossing on Baltimore & Ohio R. R. spur track to Jobs mines. McCuneville, at northeast edge of; road crossing on Baltimore & Ohio R. R. spur track to Jobs mines. McCuneville, at northwest edge of, 2 feet in front of east end of schoolhouse; iron post stamped "Prim. Trav. Sta. No. 2. Ohio, 1907".	39 38 49.1 39 38 17.6 39 37 42.8 39 37 43.5	82 13 44.1 82 13 30.2 82 14 00.0 82 14 09.3
Along highways near west border of quadrangle.		
MoCuneville, 1 mile southeast of, road crossing on Baltimore & Ohio R. R.; center of track. Shawnee, Shawnee-Straitsville road, at crossing on Zanesville & Western Ry., between freight and passenger stations; center of main track. Shawnee, 0.5 mile southwest of; stone section corner, T. 14 N., R. 15 W., on hill, about 300 feet northeast of private coal mine. Shawnee, 0.7 mile southeast of; four corners on east-west section line, T. 14 N., R. 15 E. Shawnee, 0.7 mile southeast of; 775 feet west of stone corner on section line, T. 14 N., R. 15 E. New Straitsville, 0.75 mile northeast of; stone section corner, T. 14 N., R. 15 W., on hill, 450 feet west of road, Salt Lick-Straitsville township line. New Straitsville, Main and Clark streets, opposite Columbus & Hocking Coal & Iron Co.'s office. New Straitsville, at southeast edge of, public-road forks south and southeast, 140 feet south to mine-motor road crossing, 40 feet southeast to signboard, "Colgate 2 miles, Murry City 5 miles, Crawford schoolhouse 1.25 miles". New Straitsville, 1.5 miles southeast of, public-road forks south and southeast; signpost. New Straitsville, 1.75 miles southeast of, northeast corner (tile) sec. 6, T. 13 N., R. 15 W., 120 feet east of center of road, in small field; Perry-Hocking county line. Perry-Hocking county line, 0.75 mile south of, public-road forks south and southeast; center of triangle. Sandrun, 2.5 miles north of; T road east, center of bridge on north-south road. Sandrun, at north edge of, road forks north and northwest; center of triangle.	39 36 48.2 39 36 09.6 39 35 59.0 39 35 44.7 39 35 19.2 39 34 40.4 39 33 42.2 39 33 35.1 39 32 56.9 39 31 57.6 39 31 10.2	82 13 49,9 82 12 45,5 82 13 10,2 82 13 18,2 82 13 28,0 82 13 30,1 82 14 14,7 82 13 22,8 82 13 22,9 82 13 24,5 82 13 38,1 82 14 19,0
Sandrun, at northwest corner of public schoolhouse; iron post stamped "Prim. Trav. Sta. No. 3. Ohio, 1907". Carbon Hill, at north edge of; road forks north and northwest, 10 feet east to corner of garden, 50 feet northwest to telephone pole. Carbon Hill, 200 feet west of railroad station, road crossing on Hocking Valley Ry.; center of track.	39 30 49.0 39 30 16.7 39 30 03.5	82 14 12.5 82 14 55.0 82 14 47.4

NEW LEXINGTON QUADRANGLE—Continued.

Along highways from New Straitsville east.

Stations.	Latitude.	Longitude.
37 Ch. 14. 11. 1 mm 13 1	0 / //	
New Straitsville, 1.75 miles southeast of, Hocking-Perry county line; New Straitsville-Murray road crossing.	39 33 34.2	82 13 15, 1
Coalgate, 0.25 mile north of, road forks north and west; center of small bridge	39 33 14.3	82 12 11.2
Coalgate, about 0.5 mile south of, second-class road north up valley; center of small bridge	39 32 42.0	82 11 30,6
Murray, 0.5 mile north of station, road crossing on Hocking Valley Ry.; center		
of track	39 31 15.8	82 10 01.9
crossing	39 30 51.0	82 09 58.2
Murray, 0.75 mile northeast of, forks of road on ridge, second-class T road to southwest; center of main road	20 21 02 7	00 00 04 5
Murray, 1.5 miles northeast of; road north on top of hill 300 feet southeast of dwelling, 110 feet north to bending oak, 20 feet east to top of hill, 15 feet south	39 31 23.5	82 09 34,5
to stump	39 31 51.0	82 09 02.8
Dwelling on top of ridge, T road south, 10 feet south to corner of picket fence, 25 feet northwest to southeast corner of dwelling	39 32 04.2	82 07 53.4
James Brinten's mail hav in triangle at I road south	39 31 59.3 39 32 09.1	82 07 26.7
McLeish, road crossing on Zanesville & Western Ry.; center of main track	39 31 56.6	82 06 07.4 82 06 07.6
	39 32 05.8	82 05 15.6
T. 11 N., R. 14 W., north-south section line; center of road at crossing	39 32 04.5 39 31 46.8	82 05 11.5 82 04 22.5
T. 11 N., R. 14 W., north-south section line; center of road at crossing		ľ
east of covered bridge over creek; center of track. Bishopville, 0.6 mile northwest of; west entrance to tunnel. Bishopville, Main Street crossing on Marietta, Columbus & Cleveland R. R.;	39 31 30.0 39 31 08.8	82 04 16.9 82 03 15.8
Bishopville, Main Street crossing on Marietta, Columbus & Cleveland R. R.;	1	
	39 30 46.4	82 02 53.2
Bishopville, at southeast corner of Christian Church and Masonic Hall; iron post stamped "Prim. Trav. Sta. No. 4. Ohio, 1907". Bishopville, 0.8 mile east of; road fork east, pike to northeast, 30 feet to locust	39 30 47.2	82 02 58.6
Bishopville, 0.8 mile east of; road fork east, pike to northeast, 30 feet to locust	39 30 40.6	82 02 11.9
tree, 40 feet west to walnut tree. Bishopville, 1.25 miles northeast of, at five corners; walnut tree on west edge of pike.		
pike Bishopville, 2.1 miles northeast of, T road east, 25 feet north to oak tree, 35 feet	39 30 57.8	82 01 37,1
southwest to locust tree; center of triangle	39 31 26.4	82 01 24.3
Along highways from Portersville west to McCuneville).	
Portersville, at east edge of; Morgan-Perry county line	39 40 21.6	82 01 42.3
Portersville, at east edge of; Morgan-Perry county line Portersville, at north edge of, T road west; center of triangle, 30 feet northwest to telephone pole. 25 feet east to telephone pole. Portersville, 1 mile west of; T road north, 30 feet northeast to small dwelling, 12	39 40 39.3	82 01 51.8
Portersville, 1 mile west of; T road north, 30 feet northeast to small dwelling, 12		
feet south to wire fence. Sayre, 1.5 miles south of, T road north; center of triangle, 20 feet northwest to sign "Sayre station 1.5 miles," 20 feet northeast to sign "Moxahala 6 miles, Portersville 2 miles".	39 40 18.6	82 02 46 9
sign "Sayre station 1.5 miles," 20 feet northeast to sign "Moxahala 6 miles,	00 10 10 1	
Portersville, 3.25 miles west of; T road east, 50 feet south to oak tree, 10 feet west	39 40 12.1	82 03 38.0
to oak tree	39 39 54.2	82 04 45.4
Road crossing on Marietta, Columbus & Cleveland R. R.; center of track Oakfield, 1.5 miles northeast of, road forks southwest, east, and north; center of	39 40 05.8	82 04 56.2
triangle	39 40 27.1	82 05 50.6
Oakfield, T road north; center of triangle, 10 feet north to telephone pole, 60 feet southwest to corner of dwelling	39 39 33.7	82 06 57.1
Oakfield at west edge of at southwest corner of Oakfield brick school house. 200 I		
feet northeast of three corners; iron post stamped "Prim. Trav. Sta. No. 14. Ohio, 1907"	39 39 31.8	82 07 14.1
Oakfield, 1 mile southwest of, 1 mile south of Moxahala; T road south, 30 feet northeast to forked walnut tree, 40 feet southwest to small walnut tree, 15 feet	1	
west to T road north	39 39 03.0	82 07 45.0
west to T road north Moxahala, 2 miles southwest of; T road east, 5 feet east to center of triangle, 20	39 38 35.8	82 08 51.8
feet southeast to corner of fence		
corner of para	39 38 33.0 39 38 19.1	82 09 51.0 82 10 43.8
Jobs mines, 1.8 miles east of, T road east; center of triangle		
	39 38 37.4	82 11 36.2
Jobs mines, forks of road 310 feet north of company store, 10 feet west to buggy house, 100 feet north to front door of old dwelling in road forks. McCuneville, northeast edge of; road crossing on Baltimore & Ohio R. R. spur	39 38 22.8	82 12 40.9
McCuneville, northeast edge of; road crossing on Baltimore & Ohio R. R. spur track to Jobs mines.	39 37 42.84	82 13 59.98
VAN		

Magnetic declination for south border, 0° 38' W.; for west border, 0° 34' W.; for center line, 0° 56' W.

NEW LONDON QUADRANGLE,

Along Baltimore & Ohio R. R. in south part of quadrangle.

Stations.	Latitude.	Longitude.
Road crossing Rereford station Rumley station Road crossing	41 02 33.7 41 03 19.4 41 03 34.3 41 03 03.7	82 15 35.8 82 16 49.5 82 18 17.5 82 19 33.6 82 20 45.3 82 22 31.9 82 23 37.1 82 26 07.9 82 29 08.5
Along highways near northeast corner of quadrangle.		
Wheeling & Lake Erie R. R., crossing of Brighton, crossroads Road west.	41 10 10.1 41 10 15.8 41 12 55.1	82 16 30. 2 82 18 33. 3 .82 18 21. 8
Along highways near northwest corner of quadrangle		
Road east. Crossroads.	41 13 19.0 41 10 31.0	82 29 29.1 82 29 24.8
Along highways near north border of quadrangle.		
Road north-south T. 4 N., Rs. 20 and 21 W., corner of secs. 1, 2, 3, and 4 Wakeman, road north through center. T. 4 N., R. 20 W., corner of secs. 1, 2, 3, and 4 Road north-south Road north Road north T. 4 N., R. 19 W., lots 29, 28, 4, and 5, corner between subdistricts 3 and 4. Road north-south T. 4 N., Rs. 18 and 19 W., corner between subdistricts 3 and 4. Road north-south Road north-south	41 14 51.0 41 14 51.5 41 14 16.8 41 14 15.7 41 14 15.3 41 14 15.3 41 14 14.7	82 28 01.0 82 26 31.8 82 24 07.6 82 23 30.3 82 21 40.0 82 20 49.7 82 19 55.5 82 18 15.4 82 17 22.0 82 16 06.1 82 15 22.3

NORWALK QUADRANGLE.

Along highways east-west through center of quadrangle.

Stations.	Latitude.	Longitude.	Distance between stations.
Havana, "Prim. Trav. Sta. No. 29, 1906". Havana, 0. 2 mile south by 0. 5 mile east of; center of T road west Schoolhouse, center of crossroads. T. 2 N., R. 23 W., north corner of secs. 2 and 3; center of T road east. T. 2 N., R. 23 W., south corner of secs. 1 and 4. Macksville, 1. 8 miles south by 0. 2 mile west of; center of crossroads Tps. 2 and 3 N., Rs. 22 and 23 W., stone at corner of secs. 1, 2, 3, and 4, crossroads; sign "Macksville 12 miles, Fairfield 4 miles" North Fairfield, 2 miles north of, near southeast corner of crossroads, 60 feet west by 25 feet north to stone at center of crossroads; iron post stamped "Prim. Trav. Sta. No. 48. Ohio, 1910" Tps. 2 and 3 N., Rs. 22 W., corner of secs. 1, 2, 3, and 4; center of crossroads at frame schoolhouse, center of T road south Tps. 2 and 3 N., Rs. 21 and 22 W., corner of secs. 1, 2, 3, and 4; center of crossroads. Olena, 2 miles southeast of, 3 miles northwest of Fitchville, at northeast corner of Norwalk-Fitchville road, at road east, 30 feet south by 5 feet west to center of intersection of roads; iron post stamped "Prim. Trav. Sta. No. 49. Ohio, 1910" Fitchville, 2 miles northwest of, Norwalk-Fitchville road at road south Fitchville, 1. 2 miles west and 0. 8 mile north of; center of crossroads.	41 08 27. 2 41 08 25. 8 41 08 25. 2 41 08 23. 5 41 08 22. 9 41 08 22. 1 41 08 21. 4	82 44 49.2 82 44 09.7 82 43 05.8 82 41 14.9 82 41 14.7 82 39 19.0 82 38 19.2 82 36 45.2 82 35 18.6 82 33 54.0 82 32 18.5	7,200 6,640 7,320 5,370 4,348 7,143

NORWALK QUADRANGLE—Continued.

Along Baltimore & Ohio R. R. and highway near Greenwich.

Stations.	Latitude.	Longitude.
Road crossing. Greenwich station, street crossing 100 feet east Road west.	41 02 05.9 41 02 04.7 41 00 40.6	82 30 00. 2 82 30 39. 3 82 30 35. 8
Along highways near east border of quadrangle.		
Road west Road west Crossroads Road east Greenwich, bronze tablet in base of standpipe at city waterworks.	41 08 40.1 41 07 49.0 41 06 08.6 41 03 53.4 41 01 37.3	82 30 50. 4 82 31 12. 4 82 30 48. 8 82 30 44. 0 82 31 12. 7
Along highways near north border of quadrangle.		
Road north-south Norwalk, corner of Whittsey and Washington streets Norwalk, junction of Wheeling & Lake Erie and Lake Shore & Michigan Southern railroads 1, 3 N , R . 22 E., corner of secs. 1, 2, 3, and 4 Road north-south Road north-south Road north-south Cownsend, U. S. Lake Survey triangulation station	41 14 59.5 41 14 58.7 41 14 58.9 41 14 58.9 41 14 56.7 41 14 53.5 41 15 43.26	82 39 54.4 82 37 11.8 82 36 08.8 82 35 25.0 82 33 56.8 82 31 57.2 82 29 30.0 82 28 59.7
Along highways near west border of quadrangle.	41 01 07.0	82 43 53.
ps. 1 and 2 N., Rs. 23 and 24 W., corner of secs. 1, 2, 3, and 4; crossroads, 42 feet northwest to guidepost, 28 feet northeast to corner fence post	1	82 43 54.
Chicago Junction, range-line road crossing on main line of Baltimore & Ohio R. R. Cownship line, road crossing. Lavana, east line of Baltimore & Ohio R. R. property, just south of road crossing, northwest corner of stone porch bears S. 23° E. distant 117.7 feet, northeast corner of foundation to Flath & Gross's undertaking establishment bears S. 52° 45′ W. distant 74.9 feet; iron post stamped "Prim. Trav. Sta. No. 29. Ohio, 1906".	.	82 43 59.: 82 44 11.0
43° W. distant 74. 9 feet; fron post stamped "Prim. Trav. Sta. No. 29. Onlo, 1906" Iavana, 0. 3 mile north of; township-line road crossing. 1. 3 N., Rs. 23 and 24 W., corner stone of sees. 1, 2, 3, and 4. dilepost 22, 0. 33 mile north of; east-west road crossing. filepost 20, 1,090 feet south of; road crossing. Ontiac, road crossing just south of station. dilepost 18, 1,435 feet north of; east-west road crossing. Conroeville, crossing of Baltimore & Ohio and Lake Shore & Michigan Southern railroads.	41 08 12. 2 41 08 30. 4 41 08 29. 8 41 09 23. 0 41 10 32. 4 41 11 18. 9 41 12 35. 3	82 44 49. 82 44 41. 82 44 10. 82 44 18. 82 43 48. 82 43 28. 82 42 55.
Ionroeville, north part of, north of road crossing, at east property line, small maple tree in corner of yard bears S. 63° 30′ E. distant 46.7 feet, center of Baltimore & Ohio R. R. track at road crossing bears S. 57° W. distant 30 feet; iron post stamped "Prim. Trav. Sta. No. 30, 1906".	41 14 25.4	82 42 08. 82 41 52.
Near Greenwich. filepost 58, 1, 080 feet northeast of; north-south road crossing on Big Four Route. filepost 57, 0.5 mile northeast of; east-west road crossing	41 00 08.6 41 00 50.8	82 33 32. 82 32 30.

Magnetic declination for south border, 1° 34′ W.; for west border, 1° 14′ W.; for east-west center line, 1° 27′ W.

OAK HARBOR QUADRANGLE.

From Trowbridge along Wheeling & Lake Erie R. R. to Oak Harbor.		
Stations.	Latitude.	Longitude.
Trowbridge, 4½ miles southeast of; crossing 900 feet west of head block	41 33 00.3 41 31 11.8	83 12 46.0 83 08 43.6
At Lacarne on Lake Shore & Michigan Southern Ry	•	
Lacarne, crossing 1,000 feet east of station.	41 31 09.9	83 02 22.0
OAKHILL QUADRANGLE.		•
Along highways near north border of quadrangle.		
Stations.	Latitude.	Longitude.
Rocky Hill station, pike crossing on Baltimore & Ohio R. R. Rocky Hill station, 0.75 mile south of, northeast corner of J. N. Evans's field at east-west road crossing, center of road crossing bears N. 44° 15′ E., distant 27.2 feet; iron post stamped "Prim. Trav. Sta. No. 14. Ohio, 1906" T. 6 N., R. 18 W., quarter corner east side of sec. 13; road west act log. T road north near quarter corner east side of sec. 14, 9 feet south to south end of	38 59 21.5 38 58 58.8 38 59 02.3	82 32 40.6 82 32 39.6 82 33 33.0
box culvert. Keystone station, pike crossing on Baltimore & Ohio R. R.	38 59 10.5 38 59 16.4	82 34 41.2 82 36 19.4
Asystone, 1.00 miles west of station, in southwest corner of win. Cloar's field at T road east, cross cut on southeast corner of bridge abutment bears S. 50° W., distant 37.5 feet, junction of roads bears S. 7° W., distant 34 feet; iron post stamped "Prim." Trav. Sta. No. 15. Ohio, 1906". Franklin Grange Hall, 0.2 mile southwest of; Jackson-Mabee pike, at road northeast, 18 feet southeast to mail box No. 14, 21 feet west to center of gate	38 59 23.4 38 58 30.7 38 59 08.1	82 38 13.1 82 39 35.6 82 40 22.7
Fairview School, 0.5 mile northwest of; T road south, 22 feet northwest to walnut tree, 25 feet southeast to cross cut on small gum tree. Jackson pike at road south, 27 feet southwest to white oak tree, 21 feet southeast to corner of wire fence	38 59 24.9	82 41 12.9 82 43 28.1
Along highways near east border of quadrangle.		
Coal shaft, road crossing at siding Rempel, 600 feet north of station, in rock cut; tablet stamped "688" "Prim. Trav. Sta. No. 16. Ohio, 1906". Milepost 37, 0.3 mile southwest of; north-south road crossing. McKittericks, 700 feet north of; road crossing. T. 7 N., R. 17 W., northeast corner stake sec. 19, 20 feet southwest to large white oak tree. Milepost 34, 60 feet north of; east-west road crossing. Kitchen, road crossing just south of station bears N. 85° 30' W., distant 81 feet, at southwest corner of T road west; iron post stamped "Prim. Trav. Sta. No. 17. Ohio, 1906". Kitchen, I mile south of; road crossing. Jackson-Gallia county line. Milepost 30, north-south road crossing 300 feet east of. Gallia station, road crossing just south of water tank. Road fork, "Elev. 851.8" painted on north end of culvert.	38 57 35.6 38 56 28.3 38 55 34.7 38 54 33.2 38 53 41.5 38 52 12.3 38 51 33.0 38 51 32.0 38 50 31.7 38 49 49.3 38 48 21.0	82 31 56.3 82 31 21.6 82 31 37.7 82 32 28.6 82 32 52.0 82 32 38.3 82 32 31.9 82 32 13.1 82 31 47.9 82 31 21.5 82 31 04.9 82 29 18.3
Along highways near south border of quadrangle.	<u></u>	!
Gallia-Lawrence county line, 0.25 mile north of, south corner of crossroads, 3.5 miles west of Wagner triangulation station, nail in maple tree bears N. 21°W., distant 40 feet, nail in hickory tree bears S. 25°W., distant 30.8 feet; iron post stamped "Prim. Trav. Sta. No. 18. Ohio, 1906" T road north, 24 feet west to apple tree, 21 feet southeast to dead tree. Lloyd's store, 0.25 mile northeast of, T road northeast; small apple tree in triangle. Cincinnati, Hamilton & Dayton Ry. at Gallia-Lawrence county line. Tps. 4, and 5 N., R. 18 W., northeast corner of sec. 1, approximate southwest corner of Gallia County; blazed black oak tree. Olive Furnace, 0.5 mile northeast of station, north of Cincinnati, Hamilton & Dayton Ry. at road crossing, joint of south rail at crossing bears S. 45° 30′ E., distant 39.5 feet; iron post stamped "Prim. Trav. Sta. No. 19. Ohio, 1906". Olive Furnace, 1 mile southwest of; crossroads, 26 feet northwest to small elm tree, 39 feet north to small sycamore tree.	38 47 16.1 38 46 53.1 38 47 07.4 38 46 42.5 38 46 44.1 38 45 36.1 38 45 22.6	82 31 12.5 82 31 44.8 82 33 44.2 82 34 50.5 82 34 58.3 82 37 24.2 82 38 40.4

OAKHILL QUADRANGLE-Continued.

Along highways near south border of quadrangle—Continued.

Stations.	Latitude.	Longitude.
Lawrence-Scioto north-south county line, 14 feet east to maple tree, 26 feet north to junction of fences at road southeast. Madland, northeast corner of sec. 6, T. 3 N., R. 18 W.; large white oak tree just east of post office. Bridge over Piney Creek, about 600 feet northeast of; T road east, 30 feet north	% / // 38 45 25.8 38 45 48.1	82 39 43.6 82 40 49.7
to gate hinge, 25 feet northwest to cross on board fence. Andre, 1 milenorth of station; private-road crossing on Detroit, Toledo & Ironton Rv.	38 46 15.7 38 45 37.2	82 42 19.6 82 43 38.6
Andre, road crossing 70 feet south of station. Andre, northeast corner stone of sec. 9, T. 3 N., R. 19 W., at junction of fences 1 mile northwest of station. T road west, 24 feet northwest to E. Strickland's mail box, 24 feet southwest to	38 44 47.6 38 45 08.8	82 44 06. 2 82 45 00. 8
Along highways east-west through center of quadrang	38 45 22.7	82 46 38.0
Along nighways east-west through center of quadrang		
T road east. Oak Hill, 500 feet south of station; pike crossing on Baltimore & Ohio R. R. T. 5 N., R. 18 W., quarter corner between secs. 13 and 14. Mount Orab Church, north of; crossroads. Jefferson Furnace, 1.5 miles northwest of, in southeast corner of foundation of Homer schoolhouse; aluminum tablet stamped "Prim. Trav. Sta. No. 2.	38 52 53.5 38 53 38.3 38 53 48.2 38 54 12.2	82 34 05.4 82 34 24.7 82 35 17.6 82 36 43.2
T. 5 N., R. 18 W., corner of secs. 9, 10, 15, and 16, 15 feet west to center of T road	38 54 24.0	82 37 20.0
south Homer schoolhouse, 0.8 mile southwest of; forks of road. A. C. Arthur's house, crossroads. Forks of road 7. 5 N. R. 19 W., quarter corner between secs. 13 and 24.	38 53 24.2 38 53 10.8	82 37 27.4 82 38 14.0 82 39 40.2 82 41 18.6 82 41 26.0
T. 5 N., R. 19 W., quarter corner between secs. 13 and 24. T. 5 N., R. 19 W., corner of secs. 13, 14, 23, and 24. Mabee, T road south. Covered bridge, west of; T road east.	38 53 45.7 38 54 11.5 38 52 58.9	82 41 54.5 82 43 10.5 82 44 39.7

Magnetic declination for north border, 0° 01' E.; for south border, 0° 24' W.; for southeast border, 0° 35' E.; for line east-west through center of quadrangle, 0° 10' W.

OBERLIN QUADRANGLE.

Near southwest part of quadrangle.

Stations.	Latitude.	Longitude.
Road east-west Crossing on Lake Shore & Michigan Southern Ry Road east-west T. 5 N., R. 18 W., corner of lots 53, 54, 63, and 64; road east South Amherst, crossroads.	41 16 53.1	82 14 11.8

OCTA QUADRANGLE.

Along highways near east border of quadrangle.

		tude.	Lon	gitı	ıde.
Jasper Mills, Baltimore & Ohio R. R. crossing, three-fourths mile east of. Azimuth, 253° 36. Sugarcreek church, intersection of Palmer pike east-west and road north, about 300 feet west of. Johnstown schoolhouse. Township line, stone post. Luray siding on Cincinnati, Hamilton & Dayton Ry.; east switch block. Hagler, Detroit, Toledo & Ironton Ry. crossing. Washington-Jefferson pike, northwest-southeast. Blackoak schoolhouse, platform in front of. Paint Creek, west end of bridge over. McDill's blacksmith shop, road east-west. Paint Creek, conter of bridge over. Paint Creek, south end of iron bridge over. Pike west af small bridge. Maple Grove schoolhouse. Fayette-Madison county line, stone monument. Stokes-Range township monument. Sedalia, 2 miles west of; center of South Solon pike, in front of Jim Chapman's gate.	39 32 39 33 39 34 39 35 39 35 39 36 39 37 39 38 39 39 39 40 39 44 39 44	19. 1 54. 1 59. 5 28. 5 36. 3 16. 8 41. 1 08. 6 10. 1 58. 3 35. 3 49. 9 31. 3 47. 6 29. 9 02. 8	83 83 83 83 83 83 83 83 83 83 83 83 83 8	30 30 30 30 30 30 30 30 30 30 30 30 30 3	27. 0 27. 5 19. 6 46. 4 55. 7 46. 2 29. 8 17. 2 01. 1 16. 7 15. 7 15. 7 10. 1 07. 8

OCTA QUADRANGLE—Continued.

Along highways near north border of quadrangle.

Stations.	Latitude.	Longitude
T road north. Y road east. Grasse Point church, T road north at. Paint Creek, center of covered bridge over T road south. T road north T road north Thomas schoolhouse, T road south at. South Solon, Main Street crossing on Detroit, Toledo & Ironton Ry. South Solon, crossing of Main and Washington streets. South Solon, T road south 1 mile west of. Madison-Green county line, stone monument. T road southwest. Shiloh Academy, T road north 0.5 mile east of. Grad northwest. Gladstone, intersection of pikes one-fourth mile south of. Gladstone, intersection of roads 1 mile north of.	9 44 02.7 39 44 02.7 39 43 50.2 39 43 58.2 39 44 07.8 39 44 11.4 39 44 12.4 49 44 15.5 39 44 12.4 49 44 36.7 39 44 36.7 39 43 55.1 39 43 55.1 39 44 18.5 39 45 17.7	83 30 01. 83 31 32. 83 32 30. 83 32 31. 83 32 50. 83 34 51. 83 36 34. 83 36 36. 83 36 39. 83 39 47. 83 41 03. 83 41 15.
Along highways east-west through center of quadrang		00 12 201
famestown, 2 miles south of, southeast corner of crossroads; iron post stamped		
"Prim Trov Sto No 55 Ohio 1000"	39 37 33.9 39 38 20.8	83 43 51. 83 43 48.
amestown, 1 mile south of; center of T road east amestown, about 500 feet west of station; crossing of Cincinnati, Hamilton & Dayton Ry, and pite. Oak Grove schoolhouse No. 3, 0.8 mile southeast of; Jamestown-Cedarville pike	39 39 22.4	83 44 06.
at road northwest. Dak Grove schoolhouse, 0.7 mile northwest of; Jamestown-Cedarville pike at intersection with road southwest, 15 feet southwest to east corner of triangular	39 40 45.1	83 44 20.
intersection with road southwest, 15 feet southwest to east corner of triangular grass plat. Center of pike on east-west Silver Creek-Jefferson township line. T road east, center of. Bowersville, center of cross streets, at town well. North-south road crossing. Greene-Clinton county-line stone post, near road. Bowersville, 2.5 miles south of, 0.5 mile south of Greene-Clinton county line;	39 41 50.8 39 37 01.8 39 35 46.7 39 34 49.5 39 34 30.6 39 33 16.9	83 44 56. 83 43 38. 83 43 22. 83 43 28. 83 44 01. 83 44 28.
center of crossroads amestown, about 2.5 miles southeast of, T road south; center of triangular plat Pleasant Valley schoolhouse, center of T road south Rosemoor, near station, road crossing on Cincinnati, Hamilton & Dayton Ry Preches a process of the county-line post, center of Cincinnati, Hamilton & Dayton Ry	39 32 53.7 39 37 19.4 39 37 06.4 39 37 43.3	83 44 47. 83 42 15. 83 41 07. 83 40.00.
Edgefield, road crossing on Cincinnati, Hamilton & Dayton Ry Edgefield, 1 mile north of, at Maple Grove schoolhouse: center of Troad south	39 37 37.1 39 37 04.7 39 38 03.2	83 39 45. 83 38 31. 83 38 13.
West Lancaster, in southwest part of town, southwest corner of intersection of roads at T road south; iron post stamped "Prim. Trav. Sta. No. 58. Ohio, 1909". Jasper-Jefferson township line, 10 feet south to center of T road south	39 37 22.6 39 36 37.2 39 36 24.0	83 36 43. 83 35 12. 83 33 54.
Gaull's mail box asper township, northeast corner of; center of north-south road at wire fence west Parrott, near station, road crossing on Detroit, Toledo & Ironton Ry. Parrott, 1.25 miles east of station, north side of T road south; iron post stamped "Prim. Trav. Sta. No. 59. Ohio, 1909".	39 36 01.4 39 36 34.3 39 36 51.8	83 33 08. 83 32 51. 83 31 53.
"Prim. Trav. Sta. No. 59. Ohio, 1909". Blackoak schoolhouse, center of road opposite. Hagler, crossing of Detroit, Toledo & Ironton Ry. and northeast-southwest road	39 36 56.7 39 36 08.7 39 35 16.8	83 30 29. 83 30 29. 83 30 55.
Along highways near southwest corner of quadrangle		
Jasper Mills, Baltimore & Ohio R. R. crossing northeast of	39 31 19.1 39 31 09.0 39 30 01.2	83 30 27. 83 30 27. 83 30 38.
M	<u> </u>]

Magnetic declination of center line east-west through quadrangle, 0° 11' W.

OTTAWA QUADRANGLE.

Along Cincinnati, Hamilton & Dayton Ry. near south border of quadrangle.

<u></u>		,
Stations.	Latitude.	Longitude.
Road crossing, north-south. Rs. 5 and 6 E., road crossing between. Detroit, Toledo & Ironton Ry. crossing. Criswell station. Road crossing, north-south. Road crossing, north-south. Avis, road crossing, north-south. Road crossing, north-south. Road crossing, north-south. Road crossing, north-south. Rs. 6 and 7 E., road crossing between. Road crossing, north-south. Clandorf, road crossing. Glandorf, road crossing. Glandorf, road crossing. Ottawa, crossing on Cincinnati, Hamilton & Dayton Ry. Ottawa, station of former Findlay, Fort Wayne & Western Ry. Road crossing, north-south. Detroit, Toledo & Ironton Ry. crossing.	41 01 14.1 41 01 14.5 41 01 15.0 41 01 15.0 41 01 15.0 41 01 15.4 41 01 15.4 41 01 15.8 41 01 15.8 41 01 16.8 41 01 17.0 41 01 17.1 41 01 17.1 41 01 17.2 41 01 17.2 41 01 17.2 41 01 17.4 41 01 17.7 41 01 17.8 41 01 17.8 41 01 17.8	84 14 45.4 84 13 36.3 84 12 59.6 84 11 58.1 84 11 52.7 84 10 09.7 84 08 25.8 84 08 07.2 84 08 07.3 84 08 42.1 84 04 42.1 84 04 23.4 84 02 39.4 84 02 39.4 84 02 39.4
Along highways near west border of quadrangle.		
T. 3 N., R. 5 E., corner of secs. 11, 12, 13, and 14 T. 3 N., R. 5 E., corner of secs. 23, 24, 25, and 26 Tps. 2 and 3 N., R. 5 E., corner of secs. 1, 2, 35, and 36 T. 2 N., R. 5 E., corner of secs. 11, 12, 13, and 14 T. 2 N., R. 5 E., corner of secs. 23, 24, 25, and 26 Tps. 1 and 2 N., R. 5 E., corner of secs. 1, 2, 35, and 36 T. 1 N., Rs. 5 and 6 E., corner of secs. 1, 6, 7, and 12 T. 1 N., Rs. 5 and 6 E., corner of secs. 25, 30, 31, and 36	41 13 26. 1 41 11 41. 7 41 09 57. 3 41 08 13. 0 41 06 28. 1 41 04 43. 4 41 03 52. 0 41 00 22. 3	84 14 48.6 84 14 49.8 84 14 50.2 84 14 49.7 84 14 44.7 84 14 47.2 84 13 37.7 84 13 35.9
Near southeast corner of quadrangle.		
T. 1 N., R. 7 E., west corner of secs. 25 and 36; center of road at fence east	41 00 26.7	84 00, 54.8
Along Baltimore & Ohio R. R. between Holgate and Han	ıler.	
Holgate, crossing of Baltimore & Ohio R. R. and Clover Leaf Route. Holgate, 1 mile east of, in northwest corner of field at T road south, T. 3 N., R. 7 E., west quarter corner to sec. 6 is 30 feet west and 35 feet north of station; iron post stamped "Prim. Trav. Sta. No. 10, 1905" Holgate, 2 miles east of; road crossing north-south. Hamler, 2.5 miles west of, section line; road crossing north-south. T. 3 N., R. 7 E., corner of secs. 4, 5, 8, and 9; stone at crossroads. Hamler, 1.25 miles west of, road crossing north-south. Hamler, crossing of Baltimore & Ohio and Detroit, Toledo & Ironton railroads. Road crossing northeast-southwest, south track	41 14 53.9 41 14 46.0 41 14 30.0 41 14 17.4 41 14 21.0 41 14 04.1 41 13 46.7 41 13 31.1	84 06 47.7 84 05 34.6 84 04 28.8 84 04 28.8 84 03 18.9 84 01 47.4 84 00 25.4
OTWAY QUADRANGLE. Along Norfolk & Western R. R. near northeast corner of qua	lrangle.	All Sales and Al
	Latitude.	Longitude.
Milepost 88, private-road crossing 1,080 feet south of, Milepost 87, Chillicothe-Portsmouth pike crossing northwest-southeast 630 feet north of . Clifford station Wakefield, road crossing east-west 1 mile south of. Wakefield, road crossing Wakefield, road crossing Wakefield Chillicothe-Portsmouth pike crossing 1 mile north of.	38 53 45 3 38 54 48 0 38 55 29 3 38 57 14 3 38 58 13 1 38 58 57 7 38 59 38 0	83 00 44.4 83 01 12.4 83 01 22.6 83 01 14.2 83 01 19.5 83 01 21.0

OTWAY QUADRANGLE—Continued.

Along highways.

Stations.	Latitude.	Longitude.
Dead Construed at and act along the second at the second a	0 / //	0 / //
Pond Creek road at road east along ridge, 5 feet west to small white oak tree	38 45 31.7	83 04 13.3
Davis's residence, 25 feet west to stump Pond Creek Baptist Church, west of T road south, 15 feet west and 30 feet south to A. J. Carter's mail box.	38 46 48.1	83 05 24.4
A. J. Carter's mail box. Bertha, about 5 miles northwest of, in southwest corner of foundation of W. S. Newman's residence on Pond Creek; aluminum tablet stamped "Prim Trav.	38 46 44.9	83 06 32.6
Sta. No. 6. Ohio, 1910". Grant de Mint's residence, front-yard gate. Pond Creek-Bear Creek divide, top of; forks of road. Forks of Bear Creek, north side of triangle in forks of road: James Morgan's mail	38 46 50.3 38 46 30.6 38 46 34.8	83 07 50.1 83 08 50.7 83 09 51.5
box	38 47 33.3	83 11 31.1
A. J. Carter's mail box. Bertha, about 5 miles northwest of, in southwest corner of foundation of W. S. Newman's residence on Pond Creek; aluminum tablet stamped "Prim Trav. Sta. No. 6. Ohio, 1910". Grant de Mint's residence, front-yard gate. Pond Creek-Bear Creek divide, top of, forks of road. Forks of Bear Creek, north side of triangle in forks of road; James Morgan's mail box. William Rousch's residence, 0.25 mile south of; T road west at house, 15 feet north to southeast corner of yard fence. M. M. Smith's mail box, stump at forks of road. New Amsterdam schoolhouse; center of T road aortheast. Pink, 3 miles north of; center of T road east at Halve's residence. Pink, 3.5 miles north of; center of T road east. J. W. Smith's mail box at privateroad southeast. Otway, 0.8 mile southwest of, just north of bridge over Brush Creek; center of forks of road.	38 46 46.7 38 47 08.5 38 47 35.7 38 48 22.0 38 48 51.9 38 50 50.0	83 12 43.3 83 13 21.2 83 13 49.4 83 14 51.0 83 14 30.4 83 12 39.5
Otway, 0.8 mile southwest of, just north of bridge over Brush Creek; center of forks of road.	38 51 18.1	83 12 13.5
Otway, 730 leet southeast of station, road crossing on Norlolk & Western Ry. Otway Brush township line. Otway, 1 mile northwest of; road crossing. Rarden-Brush Creek township line. Milepost 24, track opposite. Rarden, road crossing at station. Rarden, 1.8 miles north of; center of T road northeast in Dry Fork Creek. Harmon, 1 mile southwest of; center of T road north. Harmon, 1 mile southwest of; center of T road north. Atkins's store, center of pike at road northwest. James Jones's residence, forks of road. Otway, 2 miles northeast of; center of T road northwest at top of hill Comstock, pike at road southwest, 15 feet southeast to forked apple tree. Comstock, 1 mile east of, south side of pike at road north, 10 feet north to center of T road; iron poststamped "Prim. Trav. Sta. No. 7. Ohio, 1910".	38 51 50.1 4 38 52 37.9 38 53 37.5 38 53 55.6 38 55 55.6 38 55 16.8 38 56 47.4 38 51 59.5 38 59 55.4 38 51 59.5 38 53 37.5	83 11 15.5 83 11 29.1 83 11 29.1 83 11 56.9 83 12 22.1 83 13 38.1 83 14 35.9 83 14 51.9 83 14 52.0 83 14 02.0 83 13 27.0 83 14 58.8 83 10 05.8 83 10 55.7 83 06 56.8
Crabtree, I mile southeast of, 30 feet east to center of bridge; pike at road south	38 52 53.7 38 52 45.1 38 51 49.8 38 51 04.1	83 03 50.8 83 04 54.4 83 03 42.9 83 02 23.2
Crabtree, lorse of road at T. F. Crowe's store, 10 leet morthwest to not in end of stone culvert. Crabtree, 1 mile southeast of; 45 feet east to center of bridge; pike at road south John Noel's residence, center of pike at T road south. Rush Free Baptist Church, west of; pike at road northeast. Owensville, center of T road north at McDaniel's store. Owensville, 0.8 mile southeast of, just west of bridge over Dutch Run, 24 feet north to east end of stone culvert; forks of pike. Racetown, center of T pike west at old church building. Racetown, 1.5 miles north of; pike at T road west. Lucasville, 1 mile west of; center of T pike east at bridge over canal.	38 50 30.9 38 50 32.6 38 51 54.5 38 52 30.4	83 01 48.0 83 01 14.6 83 00 53.0 83 00 57.3
Along highways near north border of quadrangle.		
Harmon, 0.3 mile east of; Scioto-Pike county-line monument McKinley residence, 0.2 mile east of; Scioto-Pike county-line monument Scioto-Pike county-line monument in field. J. E. Teeter's residence, just north of; T road east. Scioto-Pike county-line monument in field. Ladd, center of crossroads at post office. Ladd, 1 mile south of post office, southwest point of triangle formed by forks of road, crossroad is just north of forks. Ladd, near center of T road south at large barn. Star schoolhouse, 0.5 mile west of; center of T road north, 65 feet west to center of steel bridge near Creek Fork. Camp, 1 mile west of post office, northeast corner of Jerry Star's farm, southwest corner of T road north at Star schoolhouse, iron post stamped "Prim Tray	38 59 52.2 38 59 36.7 38 59 20.0 38 59 15.5 38 59 13.8 38 59 12.9 38 58 16.6 38 58 29.2 38 58 55.6	83 13 37.4 83 13 11.9 83 12 49.7 83 12 50.1 83 12 49.3 83 10 53.4 83 10 52.5 83 09 31.1 83 08 35.3
Star schoolhouse, 0.5 mile west of; center of 1 road north, so feet west to center of steel bridge near Creek Fork. Camp, 1 mile west of post office, northeast corner of Jerry Star's farm, southwest corner of T road north at Star schoolhouse; iron post stamped "Prim. Trav. Sta. No. 80. Ohio, 1909". Camp, center of crossroads. Camp, near T road south at John M. Jones's mail box. Coopersville, 1 mile west of; road east at west point of grove. Coopersville, bridge over canal, center of crossroads west of Wakefield, south of; Columbus-Portsmouth pike at road west.	38 58 46. 6 38 58 27. 8 38 58 26. 2 38 58 20. 6 38 57 40. 5 38 58 04. 6	83 08 01.3 83 06 56.9 83 04 56.3 83 03 53.1 83 02 39.3 83 01 19.9

Magnetic declination for north border, 2° 24' W.; for south border, 1° 08' W.; for west border, 1° 06' W.; for center line, 1° 50' W.

OXFORD QUADRANGLE.

Near southeast corner of quadrangle.

Stations.	Latitude.	Longitude.
Jacksonboro, T road east 1.5 miles south of	° ' " 39 31 00.7 38 32 19.7	84 30 14.5 84 30 07.1
Along highways near north border of quadrangle.		
Tps. 5 and 6 N., R. 3 E., corner of secs. 1, 2, 35, and 36. Tps. 5 and 6 N., R. 3 E., corner of secs. 2, 3, 34, and 35. West Alexandria, crossing of Dayton and Main streets. Azimuth of Cincinnati Northern R. R. in West Alexandria is 336° 32′. Tps. 5 and 6 N., R. 3 E., corner of secs. 4, 6, 32, and 33. T. 8 N., R. 3 E., corner of secs. 31 and 32. T. 8 N., R. 2 and 3 E., corner of secs. 31 and 36. Tps. 7 and 8 N., R. 3 E., corner of secs. 1, 2, 35, and 36. Eaton, crossing of Pennsylvania R. R. and Main Street. Azimuth of railroad, 168° 28′.		84 30 01.0 84 31 09.4 84 31 54.5 84 33 25.3 84 34 32.8 84 35 40.1 84 36 45.8
Eaton, crossing of Pennsylvania R. R. and Main Street. Azimuth of railroad, 168° 28' Eaton, in west part of; intersection of Main Street and Richmond pike. Tps. 7 and 8 N., R. 2 E., corner of secs. 4, 5, 32, and 33. Tps. 7 and 8 N., Rs. 1 and 2 E., corner of secs. 1, 6, 31, and 36. T. 8 N., R. 1 E., corner of secs. 35 and 36.	1 39 44 38 9	81 37 47.4 84 38 27.0 84 40 08.3 84 42 11.5 84 43 18.8
Along highways near west border of quadrangle.		
T. 5 N., R. 1 E., near northeast corner of sec. 36; T road east. T. 5 N., R. 1 E., northeast corner of sec. 25; T road north. Fourmile Creek, center of covered bridge over T. 5 N., R. 1 E., northeast corner stone of sec. 26. Oxford, in southwest corner of City Hall; aluminum tablet stamped "Prim.	39 30 30.1 39 30 34.6 39 30 28.5	84 41 48. 4 84 42 08. 7 84 43 03. 2 84 43 16. 0
Trav. Sta. No. 1, 1908". Oxford, north end of College A venue at center of junction with east-west street T. 6 N., R. 1 E., northeast corner of sec. 34; center of T road east T. 6 N., R. 1 E., northeast corner of sec. 22. Ramsey School No. 2 in northwest corner of schoolhouse; aluminum tablet (ele-	39 30 37.4 39 30 55.6	84 44 25.2 84 44 42.7 84 44 28.7 84 44 27.8
vation 1,038) stamped "Prim. Trav. Sta. No. 2, 1908" T. 6 N., R. 1 E., northeast corner of sec. 15; center of crossroads. T. 6 N., R. 1 E., northeast corner of sec. 10; center of crossroads. T. 6 N., R. 1 E., northeast corner of sec. 3; crossroads. T. 7 N., R. 1 E., southeast corner of sec. 34; crossroads. T. 7 N., R. 1 E. northeast corner of sec. 34; center of crossroads.	1 39 39 21.3	84 44 27.1 84 44 27.5 84 44 27.5 84 44 27.1 84 44 26.8 84 14 26.4
T. 7 N., R. 1 E., quarter corner east side of sec. 27; aluminum tablet in northeast corner of concrete bridge just south of crossroads (elevation 1,093). T. 7 N., R. 1 E., northeast corner of sec. 27. T. 7 N., R. 1 E., northeast corner of sec. 15; center of T road west. T. 7 N., R. 1 E., northeast corner of sec. 15; center of crossroads. T. 7 N., R. 1 E., northeast corner of sec. 10; center of crossroads. Eaton, 6 miles west and 0.8 mile south of, 850 feet north of northeast corner of sec. 10; aluminum tablet in southwest corner of foundation of bridge (elevation	39 41 59.4	84 44 26.6 84 44 27.1 84 44 27.4 84 44 26.9 81 44 27.0
10; aluminum tablet in southwest corner of foundation of bridge (elevation 1,119). Eaton, 6 miles west of, in southeast corner of foundation of concrete bridge; aluminum tablet stamped "Prim. Trav. Sta. No. 4. Ohio, 1908". T. 7 N., R. 1 E., northeast corner of sec. 3; center of crossroads Tps. 7 and 8 N., R. 1 E., southeast corner of sec. 35; T road north.	39 43 53.3 39 44 37.9 39 44 37.9 39 44 37.8	84 44 27. 2 84 44 26. 9 84 44 27. 4 84 43 18. 8

Magnetic declination for west border, 1° 05' E.

PAULDING QUADRANGLE.

Along Cincinnati, Hamilton & Dayton Ry.

Stations.	Latitude.	Longitude.
Batson station Road crossing, north-south. Road crossing, north-south. T. 1 N., Rs. 1 and 2 E., corner of secs. 19, 30, 24, and 25. Tipton, road crossing. Road crossing, north-south. Road crossing, north-south. Road crossing, north-south.	0 / " 41 01 04 9 41 01 05 0 41 01 05 0 41 01 05 3 41 01 07 9 41 01 06 1 41 01 06 3 41 01 06 6	

PAULDING QUADRANGLE—Continued. Along Cincinnati, Hamilton & Dayton Ry.—Continued.

Stations.		Latitude.	Longitude.
Road crossing, north-south. Road crossing, north-south. Haviland, crossing of Cincinhati Hamilton & Dayton Ry. and Cincinnation R. R. T. 1 N., Rs. 2 and 3 E., corner of secs. 19, 30, 24, and 25. Road crossing, north-south. Road crossing, north-south. Road crossing, north-south.	ti North-	41 01 06.7 41 01 06.8 41 01 06.9 41 01 07.3 41 01 07.5 41 01 07.8	84 36 05.4 84 35 30.6 84 34 55.6 84 34 21.2 84 33 11.6 84 32 02.4 84 30 53.6
On Cincinnati Northern R. R.	<u>'</u>		
Crossing of east-west road		41 00 10.4	£4 34 55. (
Along highways near north border of que	drangle.		
Section line at north-south road crossing. T. 3 N., R. 3 E., corner of secs. 4, 5, 8, and 9; crossroads. T. 3 N., R. 3 E., corner of secs. 5, 6, 7, and 8; crossroads. T. 3 N., R. 2 and 3 E., crossing of Cincinnati Northern R. R. just east of secs. 1, 6, 7, and 12. T coad south. T. 3 N., R. 2 E., center of sec. 2 T road west.	of corner	41 14 25.9 41 14 16.5 41 14 15.6 41 14 15.6 41 13 54.7 41 13 52.2 41 14 41.4	84 30 55.1 84 32 02.9 84 33 11.8 84 34 08.8 84 34 56.8 84 36 06.3 84 36 05.1
Along west border of quadrangle (corrected mea	n of two l	ines).	
Stations.	Latitude	Longitud	Distance between stations.
Crossroads at schoolhouse No. 2 T. 3 N., R. 1 E., corner of secs. 15, 16, 21, and 22 Antwerp, Main Street crossing on Wabash R. R. Antwerp, 0.9 mile southeast of; bridge over ditch T. 2 N., R. 1 E., corner of secs. 2, 3, 10, and 11; crossroads. T. 2 N., R. 1 E., 30 feet north by 25 feet east of corner of secs. 10, 11, 13, and 14, about 3.5 miles southeast of Antwerp, in southwest corner of Pugh schoolhouse yard; iron post stamped "Prim. Trav. Sta. No. 44, 1910"	41 12 29.6 41 12 29.6 41 10 51.0 41 10 00.1 41 09 02.7	84 44 54.1 84 44 47.1 84 44 42.1 84 44 04.1 84 43 36.1	550 10,122 5,375
T. 2 N., R. 1 E., corner of secs. 10, 11, 14, and 15; crossroads at school-house. T. 2 N., R. 1 E., corner of secs. 14, 15, 22, and 23, 10 feet north to center of crossroads.	41 08 09.9 41 07 17.3	84 43 36.	1
T. 2 N., R. 1 E., northwest corner of sec. 23, at crossroads at bridge over ditch, in northwest corner of field owned by E. H. Amspough; iron post stamped "Prim. Trav. Sta. No. 2, 1905". T. 2 N., R. 1 E., corner of secs. 22, 23, 26, and 27; crossroads. T. 2 N., R. 1 E., corner of secs. 26, 27, 34, and 35; crossroads. Payne, Main Street crossing on Nashville, Chattanooga & St. Louis Ry. Tps. 1 and 2 N., R. 1 E., corner of secs. 2, 3, 34, and 35. T. 1 N., R. 1 E., corner of secs. 2, 3, 10, and 11. Crossroads at schoolhouse No. 2. T. 1 N., R. 1 E., corner of secs. 10, 11, 14, and 15; crossroads. T. 1 N., R. 1 E., corner of secs. 10, 11, 14, and 16; crossroads. T. 1 N., R. 1 E., corner of secs. 14, 15, 22, and 23; crossroads. T. 1 N., R. 1 E., corner of secs. 14, 15, 22, and 23; crossroads at school-	41 07 16. 9 41 06 24. 4 41 05 31. 8 41 04 50. 3 41 04 39. 3 41 03 45. 8 41 03 39. 4 41 02 52. 9 41 02 00. 4	7 84 43 35.6 2 84 43 35.6 5 84 43 35.6 7 84 44 45.6 9 84 43 35.2 0 84 44 45.8	5,34(5,33(0,4,17(0,1,16(1,16(5,44(0,1) 2,5,32(3,33(
house. T. 1 N., R. 1 E., corner of secs. 22, 23, 26, and 27; crossroads. Batson, southwest corner of G. H. Chapman's front yard, at crossroads; iron post stamped "Prim. Trav. Sta. No. 3". Batson, 1 mile east of, road crossing on Cincinnati, Hamilton & Dayton Ry.	41 02 00.3 41 01 07.3 41 01 08.0 41 01 05.0	84 43 34.	5,330
Near east border of quadrangle.	. 260 	ad a distriction of the second	erio en
T.3 N., R. 1 E., north corner of secs. 3 and 4; jog in road	41 09 54.7 41 10 47.	84 30 54.8	de no leo. duor a leo. de maisse

PAULDING QUADRANGLE-Continued.

Along highways through center of quadrangle.

Stations.	Latitude.	Longitude.	Distance between stations.	
T. 2 N., R. 1 E., corner of secs. 11, 12, 13, and 14; crossroads T. 2 N., R. 1 E., east corner of secs. 12 and 13, 5 feet north of center of crossroads. Crossroads. T. 2 N., R. 2 E., west corner of secs. 7 and 18, 15 feet south of center of crossroads. T. 2 N., R. 2 E., corner of secs. 7, 8, 17, and 18; crossroads at school house. T. 2 N., R. 2 E., corner of secs. 8, 9, 16, and 17; T road north. T. 2 N., R. 2 E., corner of secs. 9, 10, 15, and 16; crossroads Paulding, 2 miles west of, at southeast corner of crossroads, 20 feet south and 20 feet east of quarter corner; iron post stamped "Prim. Trav. Sta. No. 45. Ohio, 1910" T. 2 N., R. 2 E., corner of secs. 10, 11, 14, and 15. T. 2 N., R. 2 E., corner of secs. 11, 12, 13, and 14; T road south. Paulding, cross streets; southeast corner of public square. T. 2 N., R. 3 E., west corner of secs. 7 and 18; crossroads. T. 2 N., R. 3 E., west corner of secs. 18 and 19; T road east. T. 2 N., R. 3 E., corner of secs. 17, 18, 19, and 20; crossroads at schoolhouse. T. 2 N., R. 3 E., corner of secs. 16, 17, 20, and 21; crossroads. T. 2 N., R. 3 E., corner of secs. 15, 16, 21, and 22; crossroads at schoolhouse.	e , , ,,, 41 08 09. 2 41 08 08. 8 41 08 08. 7 41 08 08. 6 41 08 07. 9 41 08 07. 6 41 08 07. 2 41 08 07. 2 41 08 07. 1 41 08 07. 8 41 07 15. 8 41 07 15. 8 41 07 16. 2	84 35 33.2 84 34 45.1	5,390 5,040 5,310 5,310 2,654 2,630 5,340 3,748 1,729 5,310 5,370 5,360 5,370	

Near southwest corner of quadrangle.

Stations.	Latitude.	Longitude.
Batson, 1 mile south and 1.3 miles east of, at southeast corner of crossroads, 20 feet north and 20 feet east to corner of secs. 26, 27, 31, and 35, T. 1 N., R. 1 E., near St. Paul's Church; iron post stamped "Prim. Trav. Sta. No. 18. Ohio, 1909".	• , ,, 41 00 15.1	84 43 34.3

Magnetic declination for west border, 17' W.; for center line, 23' W.

PEEBLES QUADRANGLE.

Along highways near north border of quadrangle.

Stations.	L	atit	ude.	Lo	ngit	ude.
Adams-Scioto county-line monument, at Mustard farm. Adams-Scioto county-line monument. Sycamore tree in triangle at forks. Old frame schoolhouse, center of crossroads at. Locust Grove, 1.5 miles east of; center of T road north. Locust Grove, in north part of town, southeast corner of Bratton's blacksmith shop, northwest corner of T road west; iron post stamped "Prim. Trav. Sta. No. 81. Ohio, 1909"	38 38 38 38 38	58 58 59 59 59	00. 7 10. 8 30. 7 12. 2 06. 9	83 83 83 83 83	16 16 18 19 21	10. 2 10. 3 49. 6 49. 2 01. 0
Along highways near southeast corner of quadrangle	•			'		
M. M. Corrill's residence, on top of hill northwest of, forks of road; 10 feet north to charred stump. Pink, at post office, in southeast corner of garden, on north side of road at W. B. Evans's store; iron post stamped "Prim. Trav. Sta. No. 10. Ohio, 1910" Scioto-Adams county-line monument. Perry Chapel grounds, front gate. Forks, 0.2 mile north of store, 15 feet west to Kenton Lawson's mail box	38 38 38	45 45 46	28. 9 21. 4 21. 1 07. 1 36. 3	83 83 83	16 16 15	14.8 11.6 06.0 42.6 23.1

PEEBLES QUADRANGLE-Continued.

Along highways east from point near Scioto-Adams county line to point near Unity.

Stations.	Lat	itude.	Lon	gitı	ıde.
Scioto-Adams county line, 0.2 mile east of, on south side of Otway-Wamsley pike,		, ,,		,	
just east of road south, opposite W. H. Jones's residence; iron post stamped "Prim. Trav. Sta. No. 11. Ohio, 1910". W. H. Jones's residence, on Otway-Wamsley pike, at road south, 20 feet west to		0 28.7			48.9
center of bridge	38 5	0 28.5	83	15	49.6
Scioto-Adams county line, at center of Otway-Wamsley pike	38 5	0 21.2 0 19.0			06. 9 53. 1
Wamsley, 0.5 mile northeast of; center of forks of pike. Old store building, forks of pike, south point of grass triangle.	38 5	1 41.8			28. 9
Mineral Springs, center of forks of pike	38 5	3 12.3	83	19	46.5
point of triangle. Mineral Springs, 2 miles northwest of, on ridge, on land of James Miller, north-	38 5	3 53.0	83	20	42. 5
west of his house; underground station mark a pottery pyramid (Peach Mount triang. sta., C. & G. S.), surface mark a section of 6-inch draintile pipe filled	ĺ				•
triang. sta., C. & G. S.), surface mark a section of 6-inch draintile pipe filled with concrete.	38.5	3 43, 52	83.2	21 4	3. 44
Atkins's store, just outside of Christ Church grounds, 10 feet northwest to corner	""	0 10101			
of church yard, 30 feet west and 5 feet north to center of pike at road northeast; iron post stamped "Prim. Trav. Sta. No. 12. Ohio, 1910"	38 5	3 15.8	83 2	22 3	1.9
iron post stamped "Prim. Trav. Sta. No. 12. Ohio, 1910". Old steam furnace, center of T pike east, 20 feet north and 5 feet west to J. R. Shoemaker's mail box.	20 5	4 21.5	83 2		0.0
Old steam furnace, 0.8 mile northwest of; center of T road north, 35 feet north to					
small sycamore tree		4 39.0 4 28.9			
Jacksonville, 1 mile southwest of; center of forks of pike	38 5	3 59.7	83 2	27 (4. 2
Brush Creek, center of T pike east of west end of bridge	38 5	$2\ 06.7$ $1\ 20.2$	83 2		
Dunkinsville, 1 mile northwest of; stone monument on pike at road north	38 5	2 07.4	83 2	28 3	4.6
Unity, 2 miles southeast of; center of T road south at Thomas Sevearingin's farm. Dunkinsville, 0.8 mile southwest of; center of covered bridge over Brush Creek		2 41.9 1 02.4	83 2 83 2		
	<u> </u>				

Along highways from point 2 miles southeast of West Union east via Lynx and Blue Creek to tie at Lower Churn Creek schoolhouse.

Andy Groom's residence, center of east-west road at private road south	38 45 52.2 38 45 59.7	
W. C. Satterfield's mail box, center of crossroads at; 0.2 mile east to covered bridge over Brush Creek.		83 27 18.0
Lynx, center of pike at T road south Lynx, 1 mile east of, on south side of pike at T road north, 15 feet west to center	38 46 19.7	83 25 14.3
of small bridge; iron post stamped ^t ' Prim. Trav. Sta. No. 15. Ohio, 1910'' Copas Hotel, just west of; center of pike at T road south	38 46 19.0	83 23 46.6 83 22 02.0
Copas Hotel, 1 mile east of; center of pike at T road north		83 20 49.0
west to southwest corner of office building. Covered bridge, center of forks at south end of.	38 46 40.8 38 46 16.3	83 19 50.5 83 19 54.5
	l	

Magnetic declination for center line east-west, 1° E.; for south half of west border, 0° 02′ W.; for north half of west border, 0° 35′ E.; for west half of south border, 0° 1′ E.; for east half of north border, 1° 43′ E.; for west half of north border, 0° 51′ E.

PERRYSVILLE QUADRANGLE.

Along highways near south border of quadrangle.

Stations.	Latitude.	Longitude.	Distance between stations.
T road northwest. Northeast-southwest road at road south. Schoolhouse, center of crossroads. Danville, 3.5 miles north by 1.5 miles west of, at northeast corner of		82 21 15.9 82 20 03.2 82 18 22.6	Feet. 8,114 7,837
crossroads, 40 feet west by 15 feet north to center of crossroads; iron post stamped "Prim. Trav. Sta. No. 65. Ohio, 1910"	40 30 06.1 40 29 20.1		5, 462 4, 754

PERRYSVILLE QUADRANGLE—Continued.

Along highways east-west through center of quadrangle.

Stations.	Latitude.	Longitude.	Distance between stations.
Prim. Trav. Sta. No. 20. Ohio, 1907 Loudonville, 1 mile west of, center of T road south Quarter corner between sections, center of T road south Loudonville, 3.25 miles west of, center of T road east at Mount Falls Church, 20 feet west to guide post. Loudonville, 4.5 miles west and 1 mile north of, 10 feet south and 5 feet east to triangle: forks of road Tps. 20 and 22 N., Rs. 16 and 17 W., quarter corner between secs. 31 and 36, at T road north; Ashland-Richland county line. T. 22 N., R 17 W., south corner of secs. 33 and 36. Clear Fork, center of covered bridge over. Newville, 0.8 mile northeast of, on west side of T road east, 12 feet east and 5 feet north to center of T road; iron post stamped "Prim. Trav. Sta. No. 66. Ohio, 1910". Newville, 1.7 miles west and 0.25 mile south of; center of T road south. T. 21 N., R. 17 W., stone at corner of secs. 4, 5, 8, and 9. Slaters Run, 0.25 mile north of schoolhouse, small mound in triangle at forks of road just south of bridge over run. T. 19 N., R. 18 W., east corner of secs. 1 and 12, 20 feet south to road north. T. 21 N., R. 17 W., west corner between secs. 6 and 7. T. 19 N., R. 18 W., stone at corner of secs. 1, 2, 11, and 12.	0 / // 40 38 06.4 40 38 07.2 40 38 07.2 40 38 07.4 40 37 58.3 40 38 57.7 40 38 45.7 40 38 18.6 40 38 18.6 40 37 42.8 40 37 33.0 40 37 24.8 40 37 24.8 40 37 24.8 40 37 24.8	82 13 59.2 82 15 33.3 82 16 42.1 82 17 52.3 82 19 18.6 82 20 19.7 82 21 28.1 82 22 03.6 82 24 54.0 82 24 54.0 82 25 42.3 82 27 11.3 82 27 11.3 82 27 11.3 82 27 11.3	Feet. 7. 250 5, 327 5, 421 8, 954 4, 852 5, 908 2, 725 3, 522 4, 070 7, 854 830 3, 934 6, 990 5, 144
Belleville, 1 mile northeast of, forks of road, 15 feet east to south end of culvert.	40 37 29.3	82 29 41.8	6,455

Along highways near east border of quadrangle.

Stations.	Læ	ıtit	ude.	Lon	git	ude.
Wesley Chapel, 1 mile north of; T road west, 5 feet west to center of triangle, 15		,	03.9	000		
feet southeast to maple tree			00.7			48.9 31.2
tree, 35 feet west to center of triangle, 40 feet east to two mail boxes in triangle. Center of road at Knox-Ashland county line. Junction of Danville-Loudonville and State roads, center of triangle, 30 feet southwest to guidepost "Loudonville 5 miles, Danville 9 miles, Mount Vernon 17			02.0 48.9			34.5 40.0
miles," 30 feet north to telephone pole. T road east, 25 feet north to telegraph pole 328, 45 feet south to peach tree on bank. Loudonville, 3 miles south and 1.5 miles west of; center of triangle at road forks, 180 feet southwest to bridge over Pine Run, 35 feet southwest to guidepost			15.9 49.3			47.3 47.7
"Mount Vernon 19 miles, Loudonville 3 miles," 25 feet north to telegraph pole. Loudonville, 2 miles south of; crossroads, 60 feet north to south end of covered	40	35	42.8	82	16	00.1
bridge over Clear Fork. Loudonville, 1.5 miles southwest of; T road west, 40 feet southwest of telephone	40	36	23.3	82	15	36.4
pole 3163, 35 feet northwest to corner of picket fence	40	37	07.6	82	15	04.3
east to telephone pole painted "1242". Hayesville, primary traverse station tablet stamped "1244 elev.". Hayesville, 1.25 miles south of; four corners, 25 feet southeast to board painted			59.1 21.8			35.8 43.3
"1, 2, 3, 4, 8". Hayesville, center of fountain at intersection of Main, South Locust, and North	40	45	17. 2	82	15	35.7
Mechanic streets	40	4 6	22. 2	82	15	43.7

Magnetic declination for south border, 2° 01′ W.; for east border, 2° 12′ W.; for west border, 1° 52′ W.; for east-west line through center, 1° 44′ W.

PHILO QUADRANGLE.

Along Baltimore & Ohio R. R. between Zanesville and Norwich.

Stations.	Latitude.	Longitude.
Zanesville, 2 miles north of, Zanesville-Gilbert road just west of, between Baltf- more & Ohio and Cincinnati & Muskingum Valley railroads, in southeast cor- ner of field of Mrs. Margaret Clark, in stone post 10 by 12 by 33 inches; alumi- num tablet stamped "Prim. Trav. Sta. No. 62, 1905" Block station, just west of; overhead crossing. Milepost 65, center of track opposite.	39 58 40.7	81 56 31.0

PHILO QUADRANGLE—Continued. Along Baltimore & Ohio R. R. between Zanesville and Norwich—Continued.

Stations.	Latitude.	Longitude.
Sonora station, just northeast of, just inside of railroad right of way, northwest corner of J. A. Rush's residence bears S. 40° 45′ E., distant 25.5 feet, northeast corner of station bears S. 39° W., distant 87.8 feet; iron post stamped "Prim. Trav. Sta. No. 61, 1905". Milepost 67, road crossing Milepost 69, 0.75 mile west of, at road crossing; warning post on north side of track.	39 59 02.3 39 59 25.7	81 54 12.4 81 53 27.4
Norwich station, center of track opposite. Norwich station, 1.25 miles west of, national road crossing. Sundale station, 0.75 mile east of, on north side of Baltimore & Ohio R. R., at north-south road crossing in south west corner of field owned by W. E. Dingley	39 58 51.3 39 58 34.1 39 58 54.4 39 58 39.5 39 58 35.3	81 52 17.2 81 51 07.2 81 50 05.6 81 48 48.3 81 47 36.9
center of railroad at road crossing bears S. 12° 30′ W., distant 48 feet; iron post stamped "Prim. Trav. Sta. No. 60, 1905". Norwich, 0.5 mile east of; crossing of national road and north-south road, 33 feet northwest to cross on telephone pole, 54 feet south to corner yard fence. Wheeling & Lake Erie R. R., 400 feet south of milepost 4; private road crossing.	39 58 54.0 39 59 14.9 39 59 35.3	81 46 47.1 81 46 54.4 81 58 52.1
Along highways near east border of quadrangle.		
Sleepy Hollow schoolhouse, 0.75 mile south of; T road north, 6 feet south to south end of culvert, 39 feet northwest to mail box on fence. Sleepy Hollow, 0.5 mile north of; T road east, 13 feet northeast to elm snag, 27	39 47 35.5 39 48 53.8	81 45 29.2
feet west to cross on fence post. Snowball schoolhouse, 0.33 mile southeast of T road southwest, 15 feet north to cross on large corner fence post, 28 feet southeast to west end of box culvert Highhill post office, just north of; T road east, 16 feet southwest to cross on corner of stable, 33 feet northeast to "MF" cut on stone wall. Freeland, 1.5 miles south of, opposite Lee Warner's mail box; arrow painted on real fance.	39 49 32.6 39 50 00.8	81 45 13.6 81 45 14.2 81 46 04.4
Freeland, 1.5 miles south of, opposite Lee Warner's mail box; arrow painted on rail fence. Freeland, in west corner of George Thorla's field, south rail of narrow-gage rail-road bears N. 31° 45′ W., distant 38 feet, south corner of station bears N. 57° E., distant 152.3 feet; in stone post 12 by 12 by 36 inches, marked "U.S.G.S.," tablet stamped "Prim. Trav. Sta. No. 69". Bridge, center of. Bich Hill, Methodist Church. T road southeast, 10 feet northwest to cross on tele-	39 51 33.4	81 46 16.2
tablet stamped "Prim. Trav. Sta. No. 69". Bridge, center of. Rich Hill, Methodist Church, T road southeast, 10 feet northwest to cross on telegraph pole, 28 feet southeast to guidepost "Rexs Mill 1.5 miles". Rexs Mill, 0.25 mile southeast of; T road west, 32 feet west to cross on fence post,	39 52 51.2 39 53 43.9 39 54 33.9	81 46 31.7 81 45 34.0 81 45 12.1
Rexs Mill, 0.29 mile southeast of; I road west, 32 feet west to cross on fence post, 27 feet southwest to cross on gatepost. Rexs Mill, 1 mile northwest of; crossroads, 21 feet northwest to Lee Davis's mailbox, 22 feet northeast to cross on telegraph pole. Sundale, 1.25 miles east by 0.25 mile south of; T road south, 22 feet southeast to cross on corner fence post, 45 feet north to cross on board fence.	39 55 19.0 39 56 14.0 39 58 11.0	81 44 29.5 81 45 14.0 81 45 57.3
Along Ohio & Little Kanawha Ry. between Brush Creek and	l Dillon.	<u> </u>
Brush Creek bridge, about 1 mile northwest of, 0.25 mile southeast of coal-mine shaft; road crossing. Frazer station, in northeast corner of A. M. Shylock's field, 24 feet north to south real of Ohio & Little Kanawha Ry 31 feet east to center of north-south road:	39 53 22.1	81 59 42.6
iron post stamped "Prim. Trav. Sta. No. 63, 1905". Brush Creek bridge, 0.75 mile south of; overhead road crossing. Ohio & Little Kanawha Ry., 0.33 mile north of milepost 3, north-south road	39 52 41.4 39 52 02.8 39 51 15.2	81 58 50.9 81 59 00.9 81 59 07.3
shaft; road crossing. Frazer station, in northeast corner of A. M. Shylock's field, 24 feet north to south rail of Ohio & Little Kanawha Ry., 31 feet east to center of north-south road; iron post stamped "Prim. Trav. Sta. No. 63, 1905" Brush Creek bridge, 0.75 mile south of; overhead road crossing. Ohio & Little Kanawha Ry., 0.33 mile north of milepost 3, north-south road crossing. Stovertown, road crossing at station. Milepost 1, road crossing. Cannelsville station, Dillon post office, just east of; street crossing on railroad	39 50 19.6 39 49 28.6 39 48 48.9	81 59 12.0 81 59 06.8 81 59 46.0
Along highways from Dillon post office to a point 1.75 miles north of Re	wland post	office.
Dillon post office, 1 mile southeast of; T road west at large elm tree, 15 feet southwest to elm tree, 29 feet northeast to corner fence post	39 48 16.4 39 47 25.2	81 59 15.9 81 58 57.9
No. 46. Bailey Church and schoolhouse, 0.25 mile north of; T road south, 24 feet east to small walnut tree, 35 feet southwest to cross on fence post. Sharp Hill schoolhouse, 0.25 mile east of; T road south, 35 feet southwest to cross on corner fence post, 21 feet northeast to wild-cherry tree. Durant, 0.75 mile west of; T road north, arrow painted on Lewis Fouta's yard fence.	39 45 21.5 39 45 39.4 39 44 57.2	81 59 13.8 81 56 46.3 81 55 37.4

PHILO QUADRANGLE-Continued.

Along highways from Dillon post office to point 1.75 miles north of Rowland post office—Continued.

Stations.	Lati	itude.	Lon	git	ude.
Durant, W. H. Stokes's front yard, south corner of fence bears N. 10° 45′ W., distant 29.7 feet; iron post stamped "Prim. Trav. Sta. No. 67, 1905"	39 44 39 44 39 44 39 44 39 44 39 44	5 02. 9 5 03. 2 4 53. 7 5 10. 7 5 30. 3 5 12. 0 5 04. 2 5 59. 2	81 81 81 81 81	54 53 52 50 49 48 46	" 48. 5 33. 4 19. 3 40. 2 29. 2 31. 8 21. 5 55. 2

Magnetic declination for north border, 1° 52′ W.; for south border, 1° 04′ W. to 1° 22′ W.; for east border, 1° 15′ W. to 1° 38′ W.; for west border, 0° 51′ W.

PIKETON QUADRANGLE.

Along Norfolk & Western Ry. from Piketon to Sargents.

Stations.	Latitude.	Longitude.
Piketon station, road crossing 165 feet north of. Piketon, crossing of Chillicothe-Portsmouth pike 1 mile south of. Switch block to spur Sargents, crossing of east-west road 1 mile north of. Sargents station, 1,200 feet north of, in southwest corner of Mrs. Carrie Sargent's farm, on east side of Chillicothe-Portsmouth pike, wire nail in cross cut in west face of sugar-maple tree bears S. 88° 05′ E., 9 feet southwest to corner post at southwest corner of Mrs. Sargent's farm; iron bench-mark post stamped "Prim.	39 03 51.0 39 03 14.6 39 02 34.9 39 01 20.9	83 00 50.3 83 01 09.9 83 01 35.3 83 01 32.7
southwest corner of Mrs. Sargent's farm; iron bench-mark post stamped "Prim. Trav. Sta. No. 17"	39 00 39.1	83 01 24.8
Along highways near north border of quadrangle.	·	·
Bainbridge, 1.5 miles east of; road crossing on Detroit, Toledo & Ironton Ry Dill, crossing of Chillicothe pike and Detroit, Toledo & Ironton Ry. at station. Yankeetown, intersection of pike and road just southwest of town hall. Yankeetown, 0.7 mile southeast of cemetery; center of crossroads southeast of	39 14 05.6 39 14 42.8 39 14 26.9	83 14 41.6 83 12 44.4 83 03 34.1
Dawson's mail box Waller, about 3 miles southwest of; T road south.	39 14 35.7 39 14 39.6	83 02 23.3 83 01 04.7
Along highways east-west through center of quadrang	le.	
Waverly, 1.2 miles west of; center of T road north	39 07 44.9	83 00 16.5
west. Daleyville, forks of pike at old store, 15 feet east to locust tree in front of store. Peeper Church, 300 feet northwest of; fork in road. Peeper Church, 0.5 mile north of, at frame schoolhouse; fork in road, 20 feet due	39 07 16.2	83 01 42.5 83 03 39.4 83 04 31.3
south to small bridge Troad northeast, at foot of long hill. Ruchanan 15 feet morth and 25 feet west to center of crossroads: from nost stamped	39 07 36.1 39 08 32.9 39 08 59.3	83 04 48.5 83 05 35.0 83 07 25.5
"Prim. Trav. Sta. No. 77. Ohio, 1909" Buchanan, 1 mile west of; T road northeast, 10 feet northwest to guide board on tree marked "Bainbridge 12 miles, No Name bridge 4 miles" Buchanan, near center of T road north at George Key's mail box. Mount Holiness Church, 20 feet south to center of triangle in forks of road. Steel bridge, forks of road east of, 30 feet north to end of board of guard fence.	39 08 33.1 39 08 10 6	83 08 39.5 83 10 00.5 83 10 22.6
Morgantown, 7 road west. Morgantown, 2.2 miles northwest of, at Isaac Wall's farm, on north side of T road southwest: iron post stamped "Prim. Tray. Sta. No. 78. Ohio. 1909"	39 07 45 5 1	83 11 23.2 83 11 53.6 83 14 20.7 83 15 04.3
Benner schoolhouse, 0.2 mile south of; center of T road west. Latham, 1 mile northeast of; intersection of old State road and road northwest to Bainbridge. Latham, at T. O. O. F. building; center of crossroads. Sunfish Creek, 520 feet northeast of bridge.	30 06 51 0	83 14 16.3 83 14 46.7

PIKETON QUADRANGLE—Continued.

Along highways near south border of quadrangle.

Stations.	Latitude.	Longitude.
Scioto-Pike county-line monument, in center of road opposite white-oak tree Scioto-Pike county-line monument, 20 feet south and 20 feet east to T road west. Scioto-Pike county-line monument, on bank, on north side of road. Scioto-Pike county-line monument, in J. W. Campbell's orchard, just north of Harmon. Sargents station, iron post No. 17.	39 00 15.2 39 00 07.5	83 14 09.0 83 13 58.5

Magnetic declination for north border, 1° 26' W.; for south border, 2° 24' W.; for west border, 1° 56' W.; for east-west center line, 1° 24' W.

PIONEER QUADRANGLE.

Along highways near Ohio-Michigan State line.		
Stations.	Latitude.	Longitude.
	0 1 11	. , ,,
T. 9 S., R. 2 W., corner of secs. 10, 11, 14, and 15; T road north	41 41 41.3	84 30 51.8
T. 9 S., R. 2 W., corner of secs. 10, 11, 14, and 15; T road north	41 41 41.0	84 32 01.1
Ohio-Michigan State line, center of north-south road	41 42 09.7	84 32 01.4
nost. 42 feet southwest to cross cut on telephone nole	41 40 48 4	84 32 08.5
post, 42 feet southwest to cross cut on telephone pole	41 40 47.9	84 33 11.5
T. 9 S., R. 2 W., corner of secs. 17, 18, 19, and 20; crossroads	41 40 48.3	84 34 20.9
T. 9 S., R. 2 W., west corner of secs. 18 and 19; Troad east	41 40 48.0	84 35 31.6
T. 9 S., R. 3 W., corner of secs. 13, 14, 23, and 24; crossroads	41 40 47.6	84 36 41.6 84 37 50.9
T. 9 S., R. 3 W., southeast corner of Sec. 10, 4 miles west and 1 mile north of	11 10 11.2	04 01 00.8
Pioneer, in southeast corner of Osborne's farm; iron post stamped "Prim.		1
Tray. Sta. No. 18, 1905"	41 41 39.7	84 37 51.3
Ohio-Michigan State line, T. 9 S., R. 3 W., 349 feet south of quarter corner between secs. 10 and 11.	41 42 02.2	84 37 51:2
T. 9 S. R. 3 W., corner of secs. 9, 10, 15, and 16: T road north	41 41 39.2	84 39 01.3
T. 9 S., R. 3 W., corner of secs. 8, 9, 16, and 17; crossroads. T. 9 S., R. 3 W., north corner of secs. 17 and 18; T road south.	41 41 38.8	84 40 11.4
T. 9 S., R. 3 W., north corner of secs. 17 and 18; T road south	41 41 38.4	84 41 21.4
Northwest Church, T road north. Field owned by F. M. Husghy, in southeast corner of; iron post stamped "Prim.	41 41 37.0	84 43 05.6
Trav. Sta. No. 19, 1905"	41 41 37.1	84 44 50.8
Ohio-Michigan State line, center of north-south road, 3 feet south of southwest		
gatepost	41 41 51.3	84 44 50.6
Along highways near west border of quadrangle.		1
		Γ
T. 9 S., R. 4 W., corner of secs. 14, 15, 22, and 23; crossroads T. 9 S., R. 4 W., corner of secs. 22, 23, 26, and 27; T road west L. 9 S., R. 4 W., corner of secs. 26, 27, 34, and 35; T road west	41 40 44.3	84 44 50.6
T. 9 S., K. 4 W., corner of secs. 22, 23, 20, and 27; road west	41 39 51.9	84 44 50.0 84 44 49.1
Tps. 9 and 10 S., R. 4 W., corner of secs. 20, 27, 34, and 35; 1 road west	41 99 99.9	04 44 49.
crossing at corner	41 38 07.1	84 44 48.

T. 9 S., R. 4 W., corner of secs. 14, 15, 22, and 23; crossroads. T. 9 S., R. 4 W., corner of secs. 22, 23, 26, and 27; T road west. 1: 9 S., R. 4 W., corner of secs. 26, 27, 34, and 35; T road west.	41 40 44.3 41 39 51.9 41 38 59.5	84 44 50.6 84 44 50.6 84 44 49.7
Tps. 9 and 10 S., R. 4 W., corner of secs. 2, 3, 34, and 35; center of north-south road crossing at corner. T. 10 S., R. 4 W., south corner of secs. 2 and 3; T road north T. 8 N., R. 1 E., south corner of secs. 33 and 34; crossroads T. 7 N. R. 1 E., south west corner of secs. 3, in southwest corner of John Fox's gar-		84 44 48.5 84 44 47.6 84 44 58.8
den, southwest corner of schoolhouse bears N. 79° 40′ W., distant 190.7 feet, southwest corner of section 3 bears S. 48° W., distant 30.7 feet; iron post stamped "Prim. Trav. Sta. No. 20, 1905". T. 7 N., R. 1 E., corner of sees. 9, 10, 15, and 16; crossroads. T. 7 N., R. 1 E., corner of sees. 15, 16, 21, and 22; crossroads. T. 7 N., R. 1 E., corner of sees. 21, 22, 27, and 28; crossroads. T. 7 N., R. 1 E., corner of sees. 27, 28, 33, and 34; crossroads. Tps. 6 and 7 N., R. 1 E., corner of sees. 3, 4, 33, and 34; stone.	41 33 23.0 41 32 31.0 41 31 39.0	84 44 58.1 84 44 58.3 84 44 58.3 84 44 58.0 84 44 57.7 84 44 57.3

PORTLAND QUADRANGLE (OHIO-IND.).

North along Ohio-Indiana State line.

. Stations.	Latitude.	Longitude.	Distance between stations.
Blacksmith shop, T road east T. 18 N., R. 1 W., east corner of fractional secs. 1 and 12, lane west; State line. T. 13 N., R. 1 E., west corner of secs. 5 and 8, center of T road east; State line. Tps. 13 and 14 N., R. 1 E., west corner of secs. 5 and 31, center of cross-roads; State line. T. 14 N., R. 1 E., west corner of secs. 30 and 31, T road east; State line. T. 14 N., R. 1 E., west corner of secs. 30 and 32; State line. T. 14 N., R. 1 E., west corner of secs. 19 and 30; State line. T. 19 N., R. 1 W., west corner of fractional secs. 13 and 24. T. 14 N., R. 1 E., west corner of secs. 7 and 18. T road west, center of. T. 14 N., R. 1 E., west corner of secs. 6 and 7, center of T road east; State line. Troad west, center of; State line. Tps. 14 N., R. 1 E., northwest corner of sec. 6, Darke-Mercer county line, T road east; State line. T road west, center of; State line. T road west, center of; State line. T. 15 N., R. 1 E., 25 feet north and 20 feet east of stone at west corner of secs. 29 and 32, center of T road east; State line. T. 15 N., R. 1 E., west corner of secs. 20 and 29, T road east; State line. T. 15 N., R. 1 E., stone at west corner of secs. 30 and 19; State line. T. 15 N., R. 1 E., stone at west corner of secs. 30 and 19; State line. T. 15 N., R. 1 E. west corner of fractional secs. 30 and 19; State line. T. 15 N., R. 1 E. west corner of fractional secs. 30 and 19; State line. T. 15 N., R. 1 E. west corner of fractional secs. 30 and 19; State line. T. 16 N., R. 1 E., west corner of secs. 6 and 31, stone at T road east. Fort Recovery, 2 miles north and 1.2 miles west of; stone at T road east. Fort Recovery, 2 miles north and 1.2 miles west of; stone at T road east. Fort Recovery, 2 miles north and 1.2 miles west of; stone at T road east. Part Recovery, 2 miles north and 1.2 miles west of; stone at T road east.	0 15 11.8 40 15 11.8 40 15 12.4 40 16 56.4 40 17 48.9 40 17 49.6 40 19 26.6 40 19 27.2 40 20 18.5 40 20 19.8 40 21 11.2 40 21 12.3 40 22 54.3 40 23 46.8 40 24 39.1 40 24 42.2 40 25 58.1 40 26 50.9 40 27 56.5	84 48 15.8 84 48 15.7 84 48 14.7 84 48 13.5 84 48 12.8 84 48 12.0 84 48 12.0 84 48 12.0 84 48 12.5 84 48 12.5 84 48 13.1 84 48 13.1 84 48 13.3 84 48 13.3 84 48 13.3 84 48 13.5 84 48 13.5 84 48 13.5 84 48 13.5	
Prim. Trav. Sta. No. 24. Ohio, 1909	40 29 41.3	84 48 09.6	5,801

Along highways near north border of quadrangle.

Stations.	L	atit	ude.	Lor	ıgit	ude.
T. 6 S., R. 1 E., corner of secs. 28, 29, 32, and 33; crossroads T. 6 S., R. 1 E., corner of secs. 29, 30, 31, and 32; crossroads T. 6 S., R. 1 E., 20 feet east and 25 feet south of west corner of secs. 19 and 30, on Indiana-Ohio £tate line; iron post stamped "Prim. Trav. Sta. No. 24. Ohio, 1909" T. 27 N., R. 15 E., east corner of secs. 27 and 34, T road west; Ohio-Indiana State line. Ohio-Indiana State line, near quarter corner between secs. 25 and 30, T. 6 S., Rs. 1 E. and 1 W.	40 40 40	28 29 29	48. 0 48. 4 41. 2 57. 8 06. 1	84 84 84	45 47 48 48	54.1 02.8 09.5 09.5

Magnetic declination along Ohio-Indiana State line, 1° E.

PUT-IN-BAY QUADRANGLE.

Near Lacarne on Lake Shore & Michigan Southern Ry.

Station.	Latitude.	Longitude.
Lacarne crossing, 23 miles east of	0 / // 41 31 09.0	82 59 35.4

RAVENNA QUADRANGLE.

Along Pennsylvania R. R. from Ravenna to Atwater.

Stations.	Latitude.	Longitude
Ravenna, Main Street crossing . Ravenna, crossing on Baltimore & Ohio R. R. Rootstown station, road crossing 150 feet north of . Road crossing 15 feet south of milepost 45 Road crossing 655 feet north of milepost 48 Atwater station, road crossing 295 feet south of	0 / // 41 09 28.0 41 08 56.4 41 06 18.4 41 04 38.2 41 02 21.2 41 01 25.4	81 14 51. 81 14 43. 81 12 51. 81 11 39. 81 10 19. 81 09 49.
Near Shalersville.		·
Shalersville, 2½ miles south of, four corners. Shalersville, intersection of roads at	41 12 07. 4 41 14 19. 8	81 14 46. 81 13 52.
Along highways near south border of quadrangle.		•
T road south at stone culvert Deerfield station, in southeast corner of Hubbards orchard on north side of eastwest road, 418 feet east of road crossing, northeast corner of house owned by Mullen Coal Co. bears S. 51° 15′ E., distant 160. 1 feet, nail in root of black oak tree on south side of road bears S. 42° 15′ W., distant 72 feet; iron post stamped	41 01 28.8	81 00 08.
"Prim. Trav. Sta. No. 38". T road south, 27 feet southeast to telephone pole T. 1 R. 6, corner of secs. 29, 30, 31, and 32 T road south, 36 feet southeast to cross on corner fence post, 13 feet north to A. H.	41 01 29.3 41 01 28.8 41 01 28.5	81 01 11. 81 02 34. 81 03 02.
Legaller's mail box Deerfield, 1.5 mile west of, T. 1, R. 6, corner of secs. 43, 44, 52, 53. T. 1, R. 6, corner of secs. 55 and 56 crossroads, 36 feet southwest to guidepost, 40 feet southeast to large fence post Crossroads, 40 feet northeast to cross on corner yard fence, 40 feet southeast to cross on corner board fence	41 01 28.9 41 01 29.0 41 01 29.0	81 03 54. 81 04 46. 81 05 55.
on corner board fence Atwater, crossroads. Atwater Center, in northeast corner of George Heiser's front lawn; iron post stamped "Prim. Trav. Sta. No. 37" Atwater Center, Pennsylvania R. R., crossing of east-west road	41 01 24.6 41 01 25.2 41 01 25.1 41 01 25.4	81 07 25.0 81 08 53.3 81 09 41.4 81 09 49.4
Along Lake Erie, Alliance & Wheeling R. R. between Newton Falls		eld.
Newton Falls, 2.66 miles south of, in southwest corner of D. T. Hott's farm, at east-west road crossing, nail in root of gum tree bears N. 53° 40′ E., distant 72.4 feet, nail in root of black-oak tree bears S. 79° 55′ E., distant 39.8 feet, in sand-stone post; aluminum tablet stamped "Prim. Trav. Sta. No. 36". Pritchard, road crossing. Road crossing. Diamond post office, road crossing at station. Diamond post office, road crossing i mile south. Davis, road crossing at station. Davis, road crossing at station. Davis, road crossing at station. Schoolhouse, road crossing. Deerfield station, road crossing east-west 70 feet northwest.	41 09 10.8 41 08 03.1 41 06 48.2 41 05 55.5 41 05 14.0 41 04 22.3 41 03 43.8 41 02 47.6 41 01 29.0	81 00 05. 81 00 29. 81 00 51. 81 01 21. 81 01 22. 81 01 16. 81 01 16. 81 01 17.
RECTORVILLE QUADRANGLE.		
Along highways from Wrightsville to Groom's store.		
Stations.	Latitude.	Longitude.

Stations.	Latitude.	Longitude.
Wrightsville, 0.3 mile north of, at northeast corner of cross pikes at Leonard & Sons' general store, 20 feet west and 20 feet south to center of cross pikes; iron post stamped "Prim. Trav. Sta. No. 17. Ohio, 1910"	38 42 28.3 38 43 26.3 38 44 04.4 38 44 48.9	83 31 00.6

RECTORVILLE QUADRANGLE—Continued.

Along highways from point near Groom's store via Bentonville and Clayton to Hickory Church.

Stations.	Latitude.	Longitude.
T road north up branch, center of pike. Catbird schoolhouse No. 10, center of crossroads. T road west, center of. Old house, north of; center of crossroads. Bentonville, center of cross pikes Bentonville, 1 mile west of; in northeast corner of pasture at southwest corner of, T road south, 30 feet east and 20 feet north to center of T road; iron post stamped	38 44 13.4 38 44 24.6 38 44 56.5	83 32 16.8 83 33 20.4 83 33 47.1 83 34.11.3 83 36 47.8
"Prim. Trav. Sta. No. 18. Ohio, 1910". Bentonville, 0.3 mile south by 1.5 miles west of; center of crossroads Ratis Roush farm, center of T road south, 20 feet north and 20 feet west to Ed.	38 45 15.3 38 44 36.8	83 37 55.7 83 38 33.3
West's mail box. Clayton, center of crossroads, 25 feet due east to southwest corner of old house Clayton, 1 mile west of, Adams-Brown county-line monument, on south side of	38 44 05.4	83 39 15.9 83 40 36.1
road	38 44 47.3	83 41 53.0
Along highways from Wrightsville via Manchester to Aber	deen.	
Allen's store, center pike opposite. Lindsey Creek, west of; pike at private road northwest. Manchester, 1 mile east of; center of forks of pike. Manchester, center of crossing of Main and Pike streets. Schoolhouse No. 15, pike opposite. J. C. Rinehart's residence, east side of Manchester-Aberdeen pike, at T road west,	38 41 13.8	83 32 45. 2 83 34 44. 8 83 35 19. 1 83 36 32. 0 83 37 31. 1
10 feet west of center of T road; fron post stamped "Prim. Trav. Sta. No. 19. Ohio, 1910". Jos. D. Mott's mail box, center of Manchester-Aberdeen pike at road south	38 39 15.0 38 38 17.7	83 38 26.9 83 39 17.2
south. Little Threemile Creek, T pike north just east of; 10 feet south to D. Scott & Son's mail box. Manchester-Aberdeen pike at Adams-Brown county line, 10 feet west to culvert. Aberdeen, 0.8 mile east of, near Manchester-Aberdeen pike, at road northeast up	38 38 20.0 38 38 30.5 38 38 41.8	83 40 14.0 83 41 04.9 83 42 20.4
hill, 15 feet south to center of yard gate.	<u> </u>	-83 44 58.3
Along highways from Aberdeen to Hickory Ridge Chur	ch.	
Threemile Creek, at south end of covered bridge over forks of road; 20 feet north to southwest corner of bridge. Schoolhouse No. 5, 0.3 mile north of; center of small triangle at forks of pike Pike at T road north, 20 feet east and 5 feet north to mail box of John Griffith, jr. Heitt, at covered bridge, center of triangle in forks of pike. Hickory Ridge Church, 0.5 mile south of covered bridge, center of forks of road	38 40 21.6 38 41 26.9 38 41 56.2 38 43 12.5 38 44 35.2	83 44 52.6 83 44 43.2 83 44 17.8 83 43 32.1 83 42 42.3

Magnetic declination for west half of north border, 0° 43′ W.; for east half of north border, 0° 27′ W.; for east half of east-west line, 0° 16′ W.; for north half of east border, 0° 10′ E.; for north half of west border, 1° 43′ W.; for west half of east-west line, 1° 18′ W.

RICHMOND QUADRANGLE.

Along spur line from Ebenezer west to Ohio-Indiana State line.

Stations.	Latitude.	Longitude.
Ebenezer (Gettysburg), 1.5 miles west of; crossing of National road and north-south road. Crossing of National road and New Paris-Westerville pike. Crossing of National road and Ohio-Indiana State line.	9 50 19.7 39 50 08.8 39 50 01.9	0 / /// 84 44 47.7 84 47 35.5 84 48 48.0

RICHMOND QUADRANGLE—Continued.

Along highways north along State line.

Stations.	Latitude.			Latitude.		Latitude.		Latitude.		Latitude.		Latitude.			Lo	ngi	itude.	Distance between stations.
Prim. Trav. Sta. No. 38.	•	,	"	•	,	,,	Feet.											
T. 8 N., R. 1 E., west corner of secs. 30 and 31; State line	39	45	30.6	84	48	51.0	5,360											
State line. T. 13 N., R. 1 W., east corner of secs. 13 and 24.	39	47	23.8 07.2	84	48	50.7 50.8	5,380 4,390											
T. 8 N., R. 1 E., stone at west corner of secs. 18 and 19; State line T. 8 N., R. 1 E., west corner of secs. 7 and 18, at stone; State line	39	48	16. 8 08. 4	84	48	50.8 50.2	970 5,220											
Ohio-Indiana State line, crossing of electric railroad at Richmond pike. Tps. 8 and 9 N., R. 1 E., west corner of secs. 6 and 31	39	49	51.9 37.2 48.6	84	48	49.9 49.1 49.0	4,400 4,580 1,152											
New Paris, 1.5 miles south of; center of cross pikes	39	50	08. 5 27. 5	84	47	36. 2 33. 0												
New Paris, 0.8 mile northwest of forks of pike, 15 feet north to north end of culvert. T. 9 N., R. 1 E., west corner of secs. 18 and 19, center of T road north;	39	51	53.8	84	48	08.5	3,836											
State line. Troad west, center of; State line. New Paris, 2.2 miles north and 1 mile west of, 0.5 mile east of Ohio-			$\begin{array}{c} 23.5 \\ 28.0 \end{array}$			46. 6 45. 4	4,233 6,530											
Indiana State line, on south side of Troad north at J. A. Garretson's residence; iron post stamped "Prim. Trav. Sta. No. 39. Ohio, 1910". State line, 0.5 mile east of, 1 mile south of Preble-Darke county line;	39	53	30.1	84	48	18.6	2,098											
center of T road east. Tps. 9 and 10 N., R. 1 E., west corner of secs. 6 and 31; stone at meeting	39	54	05.2	84	48	16.1	3,556											
point of Preble, Darke, and Wayne counties, State line	39	55	02. 4 55. 1 40. 7	84	48	44. 2 34. 5 33. 4	6,185 5,386 10,686											
T road east, center of T. 10 N., R. 1 E., west corner of fractional secs. 18 and 19; State line Hollandsburg, 1.7 miles southwest of; center of T road east Hollandsburg, 1 mile southwest of; forks of pike	39 39	57 58 59	40. 7 33. 3 11. 2	84 84 84	48 48 48	41. 4 21. 0 03. 4	623 5,555 4,072											
Hollandsburg, center of cross streets at post office	39	59	54.8	84	47	35.4	4,919											

Magnetic declination along Ohio-Indiana State line, 1° 34' E.

RICHWOOD QUADRANGLE.

From Raymonds along Toledo & Ohio Central Ry. to siding.

Stations.	Latitude.	Longitude.
Raymonds station, crossing 180 feet northwest of	0 / // 40 19 56. 2 40 18 39. 2 40 18 05. 4 40 16 28. 9	83 28 11. 83 27 04. 83 26 34. 83 25 11.
Roads north, south, east, and west. Road north, west, and south State road, northeast and southwest. Richwood-Prospect pike. East-west pike. Woodland, 570 feet southwest of: crossing on Big Four Route.	40 23 46.7 40 26 10.7 40 27 47.0	83 16 07. 83 15 32. 83 15 04.

RICHWOOD QUADRANGLE—Continued.

North along highways near west border of quadrangle.

Stations.	Latitude.	Longitude.	Distance between stations.
Marysville-Bellefontaine pike at road south. Crossroads. T road south. Peoria, junction of Erie and Toledo & Ohio Central railroads. Broadway, 1 mile southwest of; Erie R. R. at north-south pike crossing. T road north. York, 3 miles south of, on east side of road at T road west, 10 feet west by 5 feet north to center of T road; iron post stamped "Prim. Trav. Sta. No. 80. Ohio, 1910". York, 3 miles south of; crossroads. York, 1.5 miles south of; T road west. York Center, cross pikes. York Center, 2 miles northeast of; crossroads. Greenville treaty line, center of road. Byhalia, cross pikes.	40 16 32.8 40 17 44.0 40 18 39.2 40 19 51.0 40 20 99.4 40 21 50.8 40 22 150.8 40 24 27.9 40 25 26.5 40 26 35.9 40 27 12.8	83 26 23.8 83 26 31.2 83 26 38.3 83 27 04.0 83 25 36.5 83 26 23.3 83 26 09.8 83 27 16.2 83 27 11.0 83 25 49.0 83 26 49.0 83 26 49.0 83 27 19.7 83 27 19.7 83 27 19.7	7, 234 5, 933 9, 941 4, 061 10, 315 5, 136 8, 409 7, 480 8, 682 8, 398 4, 430 4, 430
Pike at road east. Byhalia and county-line road at road east to Arbela Byhalia, 3 miles northwest of, at southeast corner of Byhalia and county-line pike at road east, 35 feet west by 20 feet north to center of intersection; iron post stamped "Prim. Trav. Sta. No. 83. Ohio, 1910".	40 27 49.8 40 28 53.0 40 29 32.4	83 28 43.1	7,570 4,693
East along highways near north border of o	juadrangle.		
Covered bridge over Rush Creek, center of. Arbela, 1 mile north of; crossroad just east of schoolhouse T road north Baldwin schoolhouse No. 5, center of pike at road west. Woodland, 1 mile north of, at southwest corner of T road south, 25 feet east by 20 feet north to center of T road; iron post stamped "Prim. Trav. Sta. No. 85. Ohio, 1910"	40 29 40.0 40 29 48.5	83 27 44.7 83 26 07.7 83 19 05.4 83 17 37.3	7,103 7,587 6,858 9,458
East along highways through center of qu	adrangle.		
North-south road at road southwest, 10 feet west and 10 feet north to hickory tree. T road east at Frank Watt's mail box. Middleton schoolhouse, 0.25 mile east of; crossroads. Crossroads. T road north Erie R. R. at east-west road crossing, 0.5 mile northeast of water tank. Taylor-Leesburg township line, at northwest corner of crossroads, 30 feet east by 30 feet south to center of crossroads; iron post stamped "Prim, Trav. Sta. No. 81. Ohio, 1910"	40 22 20. 5 40 22 44. 2 40 22 38. 9 40 22 26. 3	83 29 34.6 83 28 53.7 83 25 02.2 83 24 18.7 83 23 24.2 83 22 10.7 83 20 54.8 83 19 40.8	4,464 4,144 4,259 5,841 6,161 6,039
Schoolhouse No. 1, T road west at	40 21 33.8 40 21 22.2	83 18 38.4 83 17 54.0 83 15 40.0	5,091 3,644 10,418

Magnetic declination for north border, 1° 04′ W.; for west border, 0° 18′ E. to 0° 12′ W.; for line through center, 0° 24′ W. to 0° 14′ E.

ROXABEL QUADRANGLE.

Along highways near north border of quadrangle.

Stations.	Latitude.	Longitude.
Egypt Church, intersection of roads about 300 feet north of; 27 feet north to cross on corner fence post; 48 feet west to front-yard gate	。,,, 39 2 9 59.0	83 12 10.1
oak tree, 28 feet north to A. L. Lippincott's mail box. Bridge, T road northeast about 400 feet southeast of, on Chillicothe pike, 33 feet	39 29 41.5	83 08 20.6
north to cross on telephone pole, 40 feet east to cross on corner fence post	39 29 11.5	83 07 37.1
Carrie, T road north, 19 feet northwest to north corner of post-office porch, 50 feet east to cross cut on board fence. Deer Creek, south end of covered steel bridge over. T road northeast, 21 feet west to mail box, 30 feet north to cross on corner fence	39 29 36.5 39 29 12.1	83 06 10.8 83 05 06.3
post	39 29 21.1	83 04 32.3
northwest to cross on corner fence post	39 28 55.0	83 03 13.8
yellowbud, T road west to 75 mile south of, 25 feet northeast to cross on telephone pole, 40 feet southwest to cross on corner fence post. Yellowbud, T road east, about 1.75 miles south of, 21 feet southwest to cross on	39 29 28.7	83 00 48.9
telephone pole, 21 feet northeast to cross on fence post	39 28 39.3	83 01 02.5
Along highways near south border of quadrangle.		
T road south. Bourneville, 1 mile southwest of, intersection of Chillicothe and Waverly pikes. Junction of Waverly pike with pike west to Storms station. Schoolhouse No. 10, center of T road south. Andy Miller's store, T road south.	39 15 18.1 39 15 02.4	83 11 25.1 83 10 15.0 83 09 34.6 83 07 52.2 83 06 48.1
Newingburg, on south side of east-west road; iron post stamped "Prim. Trav. Sta. No. 72. Ohio, 1909". Slaughter farm, center of crossroads.	39 16 04.7	83 06 01.5 83 04 36.4
Along highways and railways east-west through center of qu	adrangle.	·
Ross County infirmary, 0.8 mile west of; crossroads, 25 feet north and 10 feet west to V. D. Overly's mail box. Pinto's store, center of crossroads. Store at forks of road south of John O. Byer's residence.	39 24 13.4	83 00 43.8 83 03 01.1 83 04 29.7

Ross County infirmary, 0.8 mile west of; crossroads, 25 feet north and 10 feet		•
west to W. D. Overly's mail box	39 24 27.6	83 00 43.8
Pinto's store, center of crossroads	39 24 13.4	83 03 01.1
Store at forks of road south of John O. Byer's residence.	39 23 57.5	83 04 29.7
Schoolhouse No. 4, on Chillicothe-Frankfort pike; T pike north	39 22 47.0	83 04 38.2
Maple Grove Hotel, flagstaff on water tank	39 22 22.6	83 06 04.8
Baltimore & Ohio Southwestern R. R. and Cincinnati, Hamilton & Dayton	00 22 22.0	00 00 01.0
railway crossing, about 200 feet northeast of, on north side of public road;		1
	39 21 32.7	83 06 25.9
iron post stamped "Prim. Trav. Sta. No. 73. Ohio, 1909"		
Bridge No. 88, road crossing south of		83 07 56.3
Musselman, road crossing at station.	39 22 06. 2	83 08 31.6
Musselman, 1 mile west of station	39 22 37.9	83 09 17.0
Roxabel, at station; center of track opposite telegraph window	39 23 01.7	83 11 07.0
Roxabel, about 1.2 miles southwest of station, 770 feet west of milepost 84 C;	1	
road crossing	39 22 37.1	83 12 22.3
Milepost 83 C, east of; road crossing.	39 22 15.1	83 13 09.2
Crossing on road northwest-southeast.		83 13 52.8
T road north, west of steel bridge, 0.2 mile east of large white house.		83 14 54.8
Austin, forks of road, west of bridge, 25 feet north and 15 feet west to Shaw &	00 22 01.0	00 11 01.0
Haine's store door	39 26 12.5	83 13 23.8
North-south pike crossing on Cincinnati, Hamilton & Dayton Ry., 70 feet west	39 20 12.3	00 10 20.0
	39 27 05.8	83 14 02,4
of west end of bridge 92.	39 21 05.8	55 14 02.4

Magnetic declination for south border, 1° 26′ W.; for west border, 1° 18′ W.; for eastwest line through center, 1° 02′ W.

SABINA QUADRANGLE.

Along Baltimore & Ohio Southwestern R. R. from Melvin to Sabina.

Stations.	Latitud	e. Longitude
Melvin station, crossing 200 feet east of	39 28 24 39 28 57 39 29 33	0 , , ,, 8 83 43 01. 1 83 40 41. 6 83 38 07.

SABINA QUADRANGLE—Continued. . Along highways near west border of quadrangle.

Stations.	Latitude.	Longitude.
Intersection of roads T road southwest. New Antioch, in west part of; T road northeast at church. Union schoolhouse, T road southwest near. T road southwest. T road northwest.	39 23 29.5 39 24 32.0 39 25 53.4 39 26 31.9	83 44 45.6 83 44 55.6 83 44 56.6 83 44 11.6 83 44 21.8
Along highways near east border of quadrangle.	·	,
Bunker Hill schoolhouse, on Snowhill pike, road southeast. Staunton, 1 mile southwest of, on Worthington pike; T road northwest. Worthington pike at junction of Plymouth-Rockville road. Plymouth-Rockville road at junction of Leesburg pike. Washington-Leesburg pike at crossing of Sabina-Greenfield pike; Washington 9 miles. Schoolhouse No. 6, 1.2 miles south of; on Washington-Leesburg pike at road east. Washington-Leesburg pike at crossing of Sabina-East Monroe pike. Olive Chapel (Methodist Episcopal), west of junction of Barger and Stafford pikes Fayette-Highland county line, intersection with Barger pike. East Monroe, 1.25 miles northwest of, on west side of Barger pike at road northeast; iron post stamped "Prim. Trav. Sta. No. 61. Ohio, 1909". Lees Creek, center of steel bridge over. Hillsboro-East Monroe pike at crossing of east-west road. Union schoolhouse, No. 6, 0.2 mile north of, on East Monroe-Hillsboro pike at T pike west. Johnson's blacksmith shop, 0.3 mile south of; crossing of east-west road and East Monroe-Hillsboro pike. T road south. Andy Morrison's residence, 0.2 mile west of; center of T road east. Bridge, center of.	39 28 17.8 39 27 47.2 39 26 50.8 29 25 52.9 39 24 29.6 39 23 53.2 39 23 05.7 39 22 41.5 39 22 39.9 39 19 43.8 39 18 40.0 39 17 02.4 39.16 59.9 39 16 14.3	83 31 29.4 83 30 14.8 83 31 23.0 83 30 49.6 83 31 38.2 83 31 59.6 83 31 08.3 83 30 33.4 83 30 33.4 83 31 14.4 83 32 207.3 83 31 21.4 83 31 21.4
Along highways east-west through center of quadrang	ie.	<u>:</u>
Snowhill, 1.5 miles northwest of, on east side of New Vienna-New Antioch pike, at Troad southwest; iron post stamped "Prim. Trav. Sta. No. 65. Ohio, 1909". Mount Olive schoolhouse, district 10, cross pikes. Snowhill, 2 miles northeast of; center of cross pikes. Joseph Edward's mail box, cross pikes. Joseph Edward's mail box, on north-south pike, pike northeast. T. Morrison's residence, southeast of, on east side of Lexington-Reesville pike at pike southwest; iron post stamped "Prim. Trav. Sta. No. 66. Ohio, 1909". Albert Van Pell's mail box, crossing of road northeast-southwest and Lexington-Reesville pike. H. S. Adams's mail box, on old Urbana pike, road southwest, 20 feet north to center of bridge. Clinton-Payette county-line stone. Morris pike at crossing of Barger pike. Barger pike at crossing of Barger pike. Barger pike at crossing of north-south road. Washington-Leesburg pike at crossing of Barger pike.	39 21 40.8 39 21 35.4 39 22 43.4 39 23 21.8 39 23 55.9 39 23 54.9 39 24 24.2 39 24 25.3 39 23 53.2	83 43 47. 83 42 29. 83 41 08. 83 39.18. 83 38 07. 83 36 32. 83 36 44. 83 35 57. 83 35 44. 83 33 31. 83 31 59.

Magnetic declination for south border, 0° 14′ W.; for east border, 0° 17′ W.; for eastwest center line, 1° 13′ W.

ST. HENRY QUADRANGLE.

Along Cincinnati Northern R. R. from Oaktree to Coldwater.

Stations.	Latitude.	Longitude.
Bridge, east-west road crossing west of	40 15 02.5	84 38 34.7
Jaktree, east-west road crossing 150 feet southwest 61. Rossville, east-west road crossing. Crossing of east-west road	40 16 46.6	84 38 22.8
Trestle, road crossing under railway at south end of	40 18 31.2	84 38 37.1 84 38 36.6
New Weston, road crossing. Gilbert, road crossing Crossing of east-west road.	40 21 07.6	84 38 36.1
Crossing of east-west road	40 23 32.9 40 24 25.3	84 38 36.1
St. Henry, road crossing Crossing of east-west road	40 25 05.0 40 26 10.8	84 38 36.3
Barades, road crossing. Crossing of east-west road Coldwater, road crossing.	40 27 55.9	84 38 36.0 84 38 16.3 84 37 38.0

ST. HENRY QUADRANGLE-Continued.

Along highways near south border of quadrangle.

Stations.	Latitude.	Longitude.
T road south. Schoolhouse No. 6, T road west at. T. 13 N., R. 2 E., quarter corner between secs. 1 and 2 T road east, near quarter corner between secs. 2 and 3, T. 13 N., R. 2 E. Cincinnati Northern R. R. at east-west road crossing. T. 13 N., R. 2 E., corner of secs. 3, 4, 9, and 10.	0 , " 40 15 21.1 40 15 28.3 40 15 28.1 40 15 28.4 40 15 02.5 40 15 02.5	84 35 24.7 84 35 57.6 84 36 52.3 81 38 10.9 84 38 34.7 84 39 08.8
Near northwest corner of quadrangle.		
T. 6 S., R. 1 E., corner of secs. 26, 27, 34, and 35. T. 6 S., R. 1 E., corner of secs. 27, 28, 33, and 34.	40 28 47.9 40 28 47.9	84 43 36.8 84 44 45.7
Along highways near west border of quadrangle.		<u>'</u>
T. 13 N., R. 1 E., corner of secs. 1, 2, 11, and 12. T. 14 N., R. 1 E., corner of secs. 26, 27, 34, and 35. Tps. 13 and 14 N., R. 1 E., corner of secs. 2, 3, 33, and 34. T. 14 N., R. 1 E., corner of secs. 22, 23, 26, and 27. T. 14 N., R. 1 E., quarter corner between secs. 15 and 23. T. 14 N., R. 1 E., corner of secs. 1, 2, 11, and 14. T. 14 N., R. 1 E., corner of secs. 1, 2, 11, and 12. Tps. 14 and 15 N., R. 1 E., corner of secs. 1, 2, 13, and 36. Sharpsburg, crossing of pike and north-south road. Road southwest. T. 15 N., R. 1 E., quarter corner between secs. 24 and 25. T. 15 N., R. 1 E., quarter corner between secs. 13 and 24. Schoolhouse, T road south at. T. 7 S., R. 1 E., corner of secs. 13, 14, 23, and 24. T. 7 S., R. 1 E., corner of secs. 11, 12, 13, and 14. Tps. 6 and 7 S., R. 1 E., corner of secs. 1, 2, 35, and 36.	40 15 06.9 40 16 54.3 40 16 02.0 40 17 40.6 40 18 32.8 40 19 24.3 40 20 16.6 40 21 08.9 40 22 53.2 40 22 53.2 40 22 53.4 40 23 46.7 40 24 15.6 40 25 10.5 40 27 55.4 40 27 02.9	84 43 40 9 84 44 49 8 84 44 49 9 84 44 14 5 84 43 39 5 84 43 39 5 84 43 38 4 84 42 38 8 84 43 08 6 84 43 08 6 84 42 27 5 84 42 27 5 84 42 27 5
Along highways near north border of quadrangle.		
T. 6 S., R. 1 E., corner of secs. 25, 26, 35, and 36. T. 6 S., Rs. 1 and 2 E., corner of secs. 25, 30, 31, and 36. T. 6 S., R. 2 E., corner of secs. 29, 30, 31, and 32. T. 6 S., R. 2 E., corner of secs. 28, 29, 32, and 33. T. 6 S., R. 2 E., corner of secs. 27, 28, 33, and 34. Coldwater, crossing of Cincinnati Northern R. R. and Main Street. T. 6 S., R. 2 E., corner of secs. 26, 27, 34, and 35. Coldwater, crossroads 2 miles east of. Montezuma station, crossroads 1 mile west of. Montezuma station, road crossing on Cincinnati, Hamilton & Dayton Ry. north of. Crossing of east-west road. Tps. 6 and 7 S., R. 2 E., corner of secs. 32, 33, 34, and 35. Crossing of north-south road. Crossing of north-south road.	40 29 01.7	84 42 27.8 84 41 19.2 84 40 00.1 84 38 51.4 84 37 38.5 84 36 34.3 84 35 25.9 84 34 16.5 84 33 10.1 84 32 38.8 84 31 01.8 84 30 27.5
Near southeast corner of quadrangle.		
T road west at center of sec. 36, T. 11 N., R. 3 E.	40 16 28.5	84 30 15.5
Near north border of quadrangle.		!
T. 6 S., R. 3 E., quarter corner between secs. 27 and 28, near township house; crossroads. T. 6 S., R. 3 E., quarter corner between secs. 28 and 29; T road north	40 29 15.3 40 29 15.3	84 30 44.0 84 31 52.9
Along highways near northwest corner of quadrangle	•	
T. 6 S., R. 1 E., corner of secs. 22, 23, 26, and 27, 20 feet north and 20 feet west of, crossroads at section corner; iron post stamped "Prim. Trav. Sta. No. 23. Ohio, 1909". T. 6 S., R. 1 E., corner of secs. 26, 27, 34, and 35; crossroads	40 29 40.7 40 28 48.0	84 43 36.6 84 43 36.6

ST. PARIS QUADRANGLE.

Along highways near west border of quadrangle.

Stations.	Latitude.	Longitude.
St. Paris, 1. 5 miles west of, at southwest corner of crossroads, 25 feet west and 85 feet north of quarter corner between secs. 24 and 30, T. 3, R. 11; iron post stamped "Prim. Trav. Sta. No. 42. Ohio, 1909". T. 3, R. 11, quarter corner between secs. 23 and 29; crossroads. T. 3, R. 11, corner of secs. 22, 23, 28, and 29. T. 3, R. 11, corner of secs. 20, 21, 26, and 27. T. 3, R. 11, corner of secs. 29, 29, and 30; Champaign-Clark county line. T. 3, R. 10, corner of secs. 23, 24, 29, and 30; Champaign-Clark county line. T. 3, R. 10, corner of secs. 21, 22, 27, and 28; crossroads. T. 3, R. 12, corner of secs. 21, 22, 27, and 28; crossroads. T. 3, R. 12, corner of secs. 21, 22, 27, and 26; crossroads. Prince schoolhouse, No. 1, 430 feet south of; T road east. T. 3, R. 12, corner of secs. 21, 22, 27, and 28. T. 3, R. 12, corner of secs. 22, 23, 28, and 29; T road east. T. 3, R. 12, corner of secs. 21, 22, 27, and 28. T. 3, R. 12, corner of secs. 21, 22, 27, and 28. T. 3, R. 12, corner of secs. 21, 22, 27, and 28. T. 3, R. 12, corner of secs. 21, 22, 27, and 28. T. 3, R. 12, corner of secs. 29, 24, 29, and 30. T. 3, R. 12, corner of secs. 23, 24, 29, and 30. T. 3, R. 12 and 13, corner of secs. 19, 24, 25, and 30. Quincy, 4 miles south of, at northeast corner of crossroads, 20 feet east and 20 feet north of corner of secs. 19, 20, 25, and 26, T. 3, R. 13; iron post stamped	40 06 42.0 40 04 57.7 40 04 04.9 40 02 17.5 40 01 24.9 40 00 31.3 40 08 24.6 40 09 17.4 40 10 09.6 40 10 52.3 40 11 54.3	83 59 17.2 83 59 19.9 83 59 35.7 83 59 36.7 83 59 46.7 83 59 52.1 83 59 69.9 83 59 09.9 83 59 08.5 83 59 03.5 83 58 53.6
"Prim. Trav. Sta. No. 35. Ohio, 1909"	40 14 32.1 40 14 35.8	83 58 37.1 83 59 46.2

West along highways near north border of quadrangle.

Stations.	Latitude.	Longitude.	Distance between stations.
Crossroads. T. 13 N., R. 4 E., quarter corner between secs. 7 and 8; crossroads. T. 13 N., R. 4 E., stone corner of secs. 13, 14, 19, and 20; crossroads. T. 13 N., R. 4 E., 10 feet northwest of corner of secs. 19, 20, 25, and 16, at southeast corner of T road east, 20 feet west and 15 feet north to center of T road; iron post stamped "Prim. Trav. Sta. No. 97. Ohio, 1910". Troad north. T. 13 N., R. s. 3 and 4 E., stone at quarter corner between secs. 1 and 31; township line. T. 13 N., R. 3 E., quarter corner between secs. 1 and 7; T road south. T. 13 N., R. 3 E., quarter corner between secs. 7 and 13; T road east at Tremont Church and schoolhouse. T. 13 N., R. 3 E., corner of secs. 13, 14, 19, and 20; crossroads.	40 13 52.1 40 13 56.1 40 14 02.6 40 14 06.4 40 13 44.7 40 13 48.1 40 13 56.8 40 14 27.6	83 47 47.7 83 48 56.6 83 50 37.8 83 51 46.7 83 53 01.0 83 54 06.6 83 55 13.2 83 56 22.2 83 57 28.5	5,360 7,880 5,363 6,175 5,100 5,190 5,370 6,016

East along highways through center of quadrangle.

St. Paris, intersection of Main and Springfield streets	40 07 43.1	83 57 32.8	
Crossroads.	40 07 28.6	83 56 05.5	6,940
T. 11 N., Rs. 3 and 4 E., corner of secs. 5 and 6, 35 and 36	40 07 17.6	83 54 45.2	6,334
T. 11 N., R. 4 E., corner of secs. 29, 30, 35, and 36	40 07 13.8	83 53 37.8	5,250
Nettleton, T road north	40 07 09.9	83 52 28.5	5,395
T. 11 N., R. 4 E., 40 feet west and 15 feet north of quarter corner be-	20 01 0010	00 01 1010	0,000
tween secs. 19 and 23, at northwest corner of T road north; iron			
post stamped "Prim. Trav. Sta. No. 98. Ohio, 1910"	40 06 39.2	83.51 23.2	5,945
T. 11 N., R. 4 E., quarter corner between secs. 11 and 19; crossroads			
at Westville.	40 06 34.9	83 50 14.6	5,349
T. 11 N., R. 4 E., quarter corner between secs. 5 and 11; T road south.	40 06 30.9	83 49 06.8	5,280
T. 11 N., Rs. 4 and 5 E., quarter corner between secs. 5 and 35; T road	20 00 00.0	00 20 0010	0,200
south	40 06 26.9	83 47 57.7	5,380
•	40 06 23.8	83 47 05.0	4,110
Urbana, Main street at north-south road.	40 06 33.6	83 46 11.0	4,313
O I Dana, Mam sureet at north-south foad	40 00.33.0	00 40 11.0	4,313
•	l		1

Magnetic declination for north border, 0° 19′ E. to 0° 10′ W.; for west border, 0° 02′ W.; for center line, 0° 04′ E.

SALINEVILLE QUADRANGLE.

Near northwest corner of quadrangle.

Stations.	Latitude.	Longitude.
East Rochester station, road crossing 700 feet east of. Hanover-West township line. Kensington station, road crossing 150 feet west of. Kensington triangulation station Milepost 50, road crossing 620 feet west of.	40 44 00.5 40 44 05.3 40 43 20.6	80 58 31.0 80 57 22.0 80 56 39.1

SANDUSKY QUADRANGLE.

Along highways near southwest corner of quadrangle.

Stations.	Latitude.	Longitude.
Road northwest	41 15 02.5	82 41 51.4

SARDINIA QUADRANGLE.

Along highways near south border of quadrangle.

Stations.	Latitude.	Longitude.
Sardinia, 2.5 miles east of, at 5 points near Coddaman schoolhouse, 30 feet north and 20 feet west to intersection of roads; iron post stamped "Prim. Trav. Sta. No. 86. Ohio, 1909". County line, fork in road just south of, 10 feet north to center of bridge. Brown-Highland county-line stone, on west side of road. Sardinia, 1 mile east of; road crossing. Sardinia, 1 miles west part of, intersection of Norfolk & Western Ry. and Mount Orab p.ke Sardinia, 1.2 miles west of, on Mount Orab-Sardinia pike; T road north. Whiteoak, 1.2 miles east of station; T road south. Whiteoak, northeast corner of crossroads, 25 feet west and 10 feet south to center of crossroads; iron post stamped "Prim. Trav. Sta. No. 92. Ohio, 1909". T road north. Mount Orab, center of town; cross streets. Maple Grove schoolhouse, 1.25 miles east of; center of T road south. Maple Grove schoolhouse, center of T road south.	39 01 12. 7 39 00 01. 6 39 00 26. 0 39 00 38. 3 39 00 51. 0 39 01 07. 1 39 01 29. 8 39 01 39. 4 39 01 55. 3 39 00 57. 6	83 47 25.5 83 48 40.2 83 49 52.7 83 51 18.6 83 52 38.5 83 54 25.5 83 54 11.9 83 56 31.4

Along highways east-west through center of quadrangle.

7	(1
A. W. Willett's residence, on Cincinnati road at intersection of road east. Danville, 1.7 mile west of, north—south road crossing Horner-Salem township line, at crossing of Danville-Pricetown pike. Pricetown, center of cross pikes. Pricetown, 1 mile west of: center of pike at T road north.	39 08 30. 39 08 32. 39 08 34.	6 83 46 09.1 4 83 46 40.0 4 83 48 09.4
Harwood, center of cross pikes at post office.	39 07 51.	7 83 50 46.8
Harwood, 1 mile west of post office; stone in center of crossroad	39 07 49.	
Harwood, 1.2 miles west of post office; center of road at Highland-Brown county line, 15 feet southwest to road north.	39 07 49. 39 07 50.	
Northtown, 3 miles east of, at southeast corner of Harwood and Fivemile road, at road south, 20 feet west and 10 feet north to stone at forks; iron post stamped		
"Prim. Trav. Sta. No. 89. Ohio, 1909"	l 39 07 28.	5 83 52 52.9
Gum Corner schoolhouse, 0.8 mile east of; T road south	39 07 16.	4 83 54 05.1
Gum Corner schoolhouse, center of crossroads.		
Northtown (Fivemile), center of crossroads.		
Crossing of pike and road.		
Marathon, 2.5 miles east of; center of pike and road crossing	39 07 35.	
Dill, crossing of east-west pike and Baltimore & Ohio Southwestern R. R	39 13 38.	45 02.0 د83 1
	1	1

SARDINA QUADRANGLE-Continued.

Along highways near north border of quadrangle.

Stations.	Latitude.	Longitude.
Lynchburg, in north corner of railroad fork, 29 feet south of store, 74 feet northwest of railroad station; iron post stamped "Prim. Trav. Sta. No. 64. Ohlo, 1909". Lynchburg, crossing of Main Street and Baltimore & Ohio Southwestern R. R. Crossing of north-south road. Lynchburg, Main Street crossing. Crossing of north-south road. M. Brown's mail box; T road southwest. T road southwest.	39 14 30.8 39 14 30.5 39 14 35.0 39 14 30.5 39 14 08.4 39 13 59.5	83 47 32.4 83 47 45.6 83 47 32.4 83 46 28 6

Magnetic declination for south border, 0° 34′ E.; for east border, 1° 41′ W.; for west border, 1° 02′ E.; for east-west center line, 0° 10′ W.

SCIOTOVILLE QUADRANGLE. Along highways near east border of quadrangle.

Stations.	Latitude.	Longitude.
Schoolhouse, T road west just south of, 15 feet east to cross on rail fence, 36 feet	. , ,,	° ' ''
southwest to cross on corner fence post	38 59 21.2	82 46 40.9
T road east, 30 feet southeast to cross on fence post to yard lence	38 58 41.6	82 46 27.0
white-oak tree T. 5, R. 19, corner of secs. 5 and 6. Myrtle post office (discontinued), 0.25 mile north of, in ground in northwest part of Hamilton churchyard, wire nail in cross cut on south face of large white- oak tree on north side of east-west road bears N. 27° E., distant 49.5 feet, cross	38 57 27.2 38 56 46.6	82 46 15.5 82 46 08.4
cut on northwest corner of foundation to church bears S. 15° 45′ E., distant 13.1 feet, iron bench-mark post stamped "Prim. Trav. Sta. No. 21". T. 5, R. 19, quarter corner between sees. 8 and 17. McDaniel's residence, intersection of roads south of, 30 feet north to cross on syca-	38 55 18.8 38 54 54.5	82 45 34.8 82 45 52.5
more tree; 24 feet south to arrow on corner fence post	38 54 38.9	82 46 42.8
"Elevation, 678 feet" J. H. Dever's farm, T road west just north of covered bridge, 27 feet southwest to cross on top board fence, 24 feet east to J. H. Dever's mail box.	38 54 16.1	82 46 42.7
fron bridge over Brushy Fork. I road west, ou feet west to east end of bridge, ou	38 53 43.5	82 46 18.6
feet north to J. D. Martin's mail box. T. 5. R. 20, 0.25 mile west of corner of sees. 28, 30, 32, and 33	38 53 10.8 38 52 12.1 38 51 24.0	82 46 30.0 82 45 59.6 82 46 06.7
Intersection of roads near church, east end of small bridge. Pinkerman, in Liberal Brethren churchyard, southwest corner of foundation to church bears N. 67° E., distant 6.3 feet; northwest corner foundation to church bears N. 45° E., distant 38 feet; iron post set 36 inches in ground stamped "Prim.		
Along Baltimore & Ohio Southwestern R. R. between Webster and	38 50 17.4	82 46 09.9
Along Baltimore & Onio Southwestern R. R. between webster and	SCIOLO FUIL	1
Webster, road crossing Baltimore & Ohio Southwestern R. R. about 0.75 mile southwest of. Trostle No. 374, north-south road crossing under. Scioto Furnace station	38 48 57.4 38 48 28.8 38 47 57.9	82 44 27.0 82 45 35.5 82 45 54.8
Along highways east-west through center of quadrang	le.	
Jackson-Scioto county line, at crossing of pike. Jackson-Scioto county line, T. 5 N., R. 19 W., corner of secs. 20, 21, 27, and 28. Steel bridge over Little Scioto River, T road west. Irwin's store, T road east. Schoolhouse No. 10, northwest of; road south. T. 4 N., R. 20 W., corner of secs. 25, 26, 35, and 36. T. 4 N., R. 20 W., center of sec. 4; T road north. Purdyville, center of sec. 33, T. 4 N., R. 20 W.; crossroads. Purdyville, 0.5 mile west of, 0.8 mile north of Scioto (Harrisonville), in center of top of north retaining wall to concrete culvert; aluminum tablet stamped "Prim. Trav. Sta. No. 3. Ohio, 1910"	38 52 54.0 38 52 30.6 38 52 22.4	82 45 33.5 82 45 35.2 82 46 30.3 82 47 19.0 82 48 19.0 82 49 11.7 82 50 33.2 82 51 48.4
top of north retaining wall to concrete culvert; aluminum tablet stamped "Prim. Trav. Sta. No. 3. Ohio, 1910". Township corner. East-west road at road south, 35 feet east and 10 feet south to John Flower's mail	38 52 01.9 38 51 40.3	82 52 20.4 82 54 23.8
I H Chandler's mail how in triangle at T road southwest	38 52 00 0	82 54 33.8 82 57 21.0 82 57 43.3
Corner of sections. Lucasville, 1.5 miles east of; T road south at church.	38 52 18.2 38 52 35.0	82 57 43.3 82 57 54.9

SCIOTOVILLE QUADRANGLE—Continued.

Along highways near Scioto Furnace.

Stations.	L	atit	ude.	Lon	git	ude.
		,	"		,	,,
Cameron farm, crossroads, 33 feet southeast to cross on apple tree		46	49.1	82	45	17.7
iron bench-mark post stamped "Prim. Trav. Sta. No. 23". T road west, 24 feet northwest to E. Strickland's mail box, 24 feet southeast to	38	45	48.3	82	46	24.4
cross on fence post.	38	45	22.7	82	46	38.0

Along Baltimore & Ohio Southwestern R. R. between Sciotoville and Lilly.

Sciotoville, in east corner of W. M. Price's property, on north side of Baltimore & Ohio Southwestern R. R., just off of right of way, northeast corner of foundation of Sciotoville Milling Co.'s building bears S. 6° 50′ E., distant 168.5 feet,		
northeast corner of Baltimore & Ohio Southwestern R. R. depot bears S. 596		;
W., distant 441.5 feet; iron bench-mark post set 42 inches in ground, stamped		1
"Prim. Trav. Sta. No. 26".	38 45 37.9	82 53 26.9
Milepost 48, crossing of north-south road 600 feet west of	38 46 05.0	82 52 14.2
Slocum, crossing of north-south road west of platform.	38 45 59.8	82 50 32.9
Slocum, crossing of east-west road 1 mile east of	38 45 58.1	82 49 39.6
Milepost 45, road crossing 220 feet south of	38 46 29.8	82 49 16.7
Milepost 45, road crossing 220 feet south of. Trestle No. 387, road crossing under.	38 46 36.3	82 48 27.7
Lilly, road crossing at south end of switch.	38 47 06.5	82 47 46.5
Lilly, 0.75 mile northeast of; overhead road crossing.	38 47 31.8	82 47 09.7
•	1	

Along Norfolk & Western Ry. from Doty to Lucasville.

Junction, road crossing under trestle No. 1068, 700 feet north of, east track. Milepost 97, private road crossing 870 feet north of, west track. Milepost 96, east track Chillicothe-Portsmouth pike at crossing under trestle No. 1081, west track Davis station	38 47 33.0 38 48 38.7 38 49 34.2 38 50 28.0 38 51 07.1 38 52 13.2	82 54 23.9 82 59 28.2 82 59 07.7 82 59 05.6 82 58 57.3 82 59 03.0 82 59 12.0 82 59 38.3
---	--	--

Magnetic declination for east-west line through center of quadrangle, 1° 02' W.

SHAUCK QUADRANGLE.

Along highways near west border of quadrangle.

Stations.	Latitude.	Longitude.	Distance between stations.
T. 19 N., R. 20 W., corner of secs. 3, 4, 9, and 10, crossroads at schoolhouse; Crawford-Morrow county line. T. 19 N., R. 20 W., corner of secs. 9, 10, 15, and 16. T. 19 N., R. 20 W., corner of secs. 15, 16, 21, and 22; center of T road east at schoolhouse. T. 19 N., R. 20 W., corner of secs. 21, 22, 27, and 28; center of crossroads. T. 19 N., R. 20 W., corner of secs. 27, 28, 33, and 34; center of crossroads at schoolhouse. Tps. 18 and 19 N., R. 20 W., stone at corner of secs. 3, 4, 33, and 34; center of crossroads. Shauck, 4. 25 miles west of, 3 miles north and 1 mile west of Williamsport, at northwest corner of crossroads, 0.5 mile north of Mount Pleasant church and schoolhouse, 20 feet east and 20 feet south to corner of secs. 3, 4, 9, and 10, T. 18 N., R. 20 W., crossroads; iron post stamped "Prim, Tray, Sta. No. 54. Ohio, 1910"	40 37 27 4	82 44 46.0 82 44 46.8 82 44 47.7 82 44 48.4 82 44 49.0 82 44 49.4	5,300 5,280 5,260 5,330 5,260

SHAUCK QUADRANGLE—Continued.

Along highways near west border of quadrangle—Continued.

Stations.	Latitude.	Longitude.	Distance between stations.
TI 18 N. P. 20 W. stone of corner of soon 0, 10, 15, and 16, contar of T.	. , ,,	0 , "	77
T. 18 N., R. 20 W., stone at corner of secs. 9, 10, 15, and 16; center of T road west.	40 36 34.5	82 44 51.3	Feet. 5,360
Williamsport, 2 miles north by 1 mile west of; center of T road east	40 36 08.6	82 44 51.8	2,630
Williamsport, 1 mile west by 0.5 mile north of; stone at T road north Williamsport, center of crossroads, 40 feet north to guideboard, 42 feet		82 44 53.0	5,411
Williamsport, center of crossroads, 40 feet north to guideboard, 42 feet west to southeast corner of James Cox's store. Williamsport, 1.5 miles south of, center of crossroads, 12 feet south by 5 feet east to beach tree. Crossroads, center of. T. 17 N., R. 20 W., 350 feet south of quarter corner between secs. 3 and 10. Crossroads, center of. T. 17 N., R. 20 W., 0.25 mile east of corner of secs. 9, 10, 15, and 16 Mount Gilead, 3 miles south by 4 miles east of, in southeast corner of foundation to steel bridge over Middle Fork of Owl Creek, just west	40 34 46.2	82 43 49.5	5,718
Williamsport, 1.5 miles south of, center of crossroads, 12 feet south by	40 33 20 8	82 44 02.8	7,808
Crossroads, center of	40 32 08.6	82 44 19.6	8,329
T. 17 N., R. 20 W., 350 feet south of quarter corner between secs. 3	40 32 08 6	82 44 23.7	320
Crossroads, center of.	40 31 19.3	82 44 31.2	5,023
T. 17 N., R. 20 W., 0.25 mile east of corner of secs. 9, 10, 15, and 16	40 31 19.3	82 44 42.1	840
foundation to steel bridge over Middle Fork of Owl Creek, just west	1		
of crossroads; aluminum tablet stamped "Prim. Trav. Sta. No. 59. Ohio, 1910"	40 30 21.56	82 44 44 04	5,860
Onio, 1510	10 00 21.00	02 11 11.01	0,000
J		•	
Along highways near south border of que	adrangle.		
Ankenytown, 1 mile south of center of crossroads	40 31 16.2	82 30 11.3	
Ankenytown, 1 mile south of, center of crossroads	40 30 40.9	82 31 02.9	5,358
Fredericktown, 1.25 miles north by 0.5 mile east of, in top of granite bowlder at northeast corner of Fredericktown-Wooster road at road	ĺ		ļ
north, 25 feet south by 35 feet west to locust tree in triangle; alumi- num tablet stamped "Prim. Trav. Sta. No. 57. Ohio, 1910"		i .	
num tablet stamped "Prim. Trav. Sta. No. 57. Ohio, 1910" T road south	40 30 04.5	82 31 58.8 82 39 34.0	5,680
Mount Gilead, 10 miles from; center of crossroads, 8 miles to Fred-	1	i	
ericktown	40 30 11.4	82 40 29.6 82 41 59.6	4,710 6,964
Chesterville, 2 miles north by 2 miles west of; center of T road south.	40 30 17.5	82 43 07.1	5,230
Mount Gilead, 3 miles south by 4 miles east of, in southeast corner of		!	
Chesterville, 2 miles north by 1 mile west of; center of T road south Chesterville, 2 miles north by 2 miles west of; center of T road south Mount Gilead, 3 miles south by 4 miles east of, in southeast corner of abutment of steel bridge over Middle Fork of Owl Creek; aluminum tablet stamped "Prim. Trav. Sta. No. 59. Ohio, 1910".	40 30 21.6	82 44 44.0	7,506
Along highways east-west through center of	quadrangle	•	<u></u>
	1	l	
T. 18 N., R. 20 W., corner of secs. 2, 3, 10, and 11; center of crossroads. T. 18 N., R. 20 W., corner of secs. 1, 21, and 12; center of crossroads at schoolhouse No. 5.	40 37 26.6	82 43 42.1	
at schoolhouse No. 5.	40 37 25.2	82 42 33.2	5,320
T. 18 N., R. 20 W., east corner of secs. 1 and 12, 10 feet south to center of crossroads.	40 37 23.5	82 41 25.5	5, 230
of crossroads	40 37 22.3	82 41 25.5	125
snauck, corner of sees. 5, 6, 7, and 8, T. 19 N., R. 19 W.; center of troad west.		82 39 48.1	7,513
Shauck, 1 mile northeast of, on west side of road just north of church	1 40 37 22.2		.,010
	40 37 22.2		
and in front of cemetery, 44 feet northwest to Wilhelm Monument, 52 feet northwest to Craven Monument; iron post stamped "Prim.			
59 feet northwest to Craven Monument, iron nost stamped "Prim		82 38 57 5	4,782
59 feet northwest to Craven Monument, iron nost stamped "Prim		82 38 57.5 82 37 31.8	4,782 6,991
52 feet northwest to Craven Monument; iron post stamped "Prim. Trav. Sta. No. 55. Ohio, 1910". Crossroads, center of. T. 19 N., R. 19 W., corner of secs. 3, 4, 9, and 10; Morrow-Richland county line			
52 feet northwest to Craven Monument; iron post stamped "Prim. Trav. Sta. No. 55. Ohio, 1910" Crossroads, center of. T. 19 N., R. 19 W., corner of secs. 3, 4, 9, and 10; Morrow-Richland county line. Belleville, 5 miles west of, 4 miles south of Lexington; center of cross-	40 37 49. 4 40 37 27. 3 40 37 22. 2 40 37 16 1	82 37 31.8	6, 991
52 feet northwest to Craven Monument; iron post stamped "Prim. Trav. Sta. No. 55. Ohio, 1910" Crossroads, center of. T. 19 N., R. 19 W., corner of secs. 3, 4, 9, and 10; Morrow-Richland county line. Belleville, 5 miles west of, 4 miles south of Lexington; center of cross-	40 37 49. 4 40 37 27. 3 40 37 22. 2 40 37 16 1	82 37 31.8 82 37 31.8	6, 991 520
52 feet northwest to Craven Monument; iron post stamped "Prim. Trav. Sta. No. 55. Ohio, 1910". Crossroads, center of. T. 19 N., R. 19 W., corner of secs. 3, 4, 9, and 10; Morrow-Richland county line. Belleville, 5 miles west of, 4 miles south of Lexington; center of crossroads. Cedar Creek, center of steel bridge over. Cedar Creek, bridge over, just south of schoolhouse; center of T road courts.	40 37 49.4 40 37 27.3 40 37 22.2 40 37 16.1 40 37 05.4	82 37 31.8 82 37 31.8 82 36 45.5	6, 991 520 3, 625
52 feet northwest to Craven Monument; iron post stamped "Prim. Trav. Sta. No. 55. Ohio, 1910". Crossroads, center of. T. 19 N., R. 19 W., corner of secs. 3, 4, 9, and 10; Morrow-Richland county line. Belleville, 5 miles west of, 4 miles south of Lexington; center of crossroads. Cedar Creek, center of steel bridge over. Cedar Creek, bridge over, just south of schoolhouse; center of T road courts.	40 37 49.4 40 37 27.3 40 37 22.2 40 37 16.1 40 37 05.4	82 37 31.8 82 37 31.8 82 36 45.5 82 35 23.9 82 32 54.7 82 31 47.3	6, 991 520 3, 625 6, 391 11, 646 5, 200
52 feet northwest to Craven Monument; iron post stamped "Prim. Trav. Sta. No. 55. Ohio, 1910". Crossroads, center of. T. 19 N., R. 19 W., corner of secs. 3, 4, 9, and 10; Morrow-Richland county line. Belleville, 5 miles west of, 4 miles south of Lexington; center of cross-	40 37 49.4 40 37 27.3 40 37 22.2 40 37 16.1 40 37 05.4	82 37 31.8 82 37 31.8 82 36 45.5 82 35 23.9 82 32 54.7	6, 991 520 3, 625 6, 391 11, 646

SHAUCK QUADRANGLE-Continued.

Along highways near east border of quadrangle.

Stations.	Latitude.	Longitude.	Distance between stations.
Ankenytown, north-south road crossing on Baltimore & Ohio R.R Ankenytown, 0.3 mile north of, center of T road east; on Greenville treaty line. Tps. 18 and 19 N., R. 18 W., corner of secs. 3, 4, 33, and 34, Richland-Knox county line; crossroads. T. 19 N., R. 18 W., stone at corner of secs. 27, 28, 33, and 34; T road north, at Walmut Hill schoolhouse. T. 19 N., R. 18 W., corner of secs. 21, 22, 27, and 28; T road east T. 19 N., R. 18 W., corner of secs. 15, 16, 21, and 22. Belleville, 1.25 miles south of; center of forks Belleville, at turn of concrete walk in front part of public school grounds; iron poststamped "Prim. Trav. Sta. No. 56. Ohio, 1910". Belleville, 1.25 miles north of; center of T road west. Belleville, 2 miles north of; center of T road west. Belleville, 3.7 miles north of; center of T lane east. T. 20 N., R. 18 W., corner of secs. 9, 10, 15, 16; center of crossroads. Schoolhouse, center of T road west. Tps. 20 and 21 N., R. 18 W., corner of secs. 3, 4, 33, and 34. Mansfield, water trough at west side of courthouse.	40 39 07.8 40 39 07.8 40 40 33.2 40 41 44.8 40 42 36.6 40 43 19.4	82 30 36.7 82 30 51.0 82 30 32.7 82 30 44.0 82 30 42.2 82 30 35.1 82 30 42.0 82 30 42.1 82 30 42.4 82 30 43.6 82 30 45.1	3, 052 5, 884 2, 597 6, 080 3, 973 530 8, 661 7, 250 5, 261 4, 350
Mansfield, crossing of Pennsylvania and Erie railroads	40 46 05.79		

Magnetic declination for south border, 1° 11′ W.; for east border, 1° 52′ W.; for west border, 1° 19′ W.; for east-west line through center, 1° 50′ W.

SIAM QUADRANGLE. Along highways east-west through center of quadrangle.

Stations.	Latitude.	Longitude.	Distance between stations.
T. 2 N., R. 16 E., 860 feet east of corner of secs. 14, 15, 22, and 23, 1 mile east of Republic, north side of road; iron post stamped "Prim. Trav. Sta. No. 46. Ohio, 1910". T. 2 N., R. 16 E., corner of secs. 13, 14, 23, and 24; center of crossroads. T. 2 N., R. 16 E., east corner of secs. 13 and 24, 15 feet north to crossroads. T. 2 N., R. 17 E., west corner of secs. 18 and 19.	41 07 28.4 41 07 28.2 41 07 27.9 41 07 28.2	82 59 34.3 82 58 35.2 82 57 26.3 82 57 26.3	Feet. 4,520 5,270 35
T. 2 N., R. 17 E., corner of secs. 17, 18, 19, and 20; center of crossroads at schoolhouse. T. 2 N., R. 17 E., corner of secs. 16, 17, 20, and 21. T. 2 N., R. 17 E., corner of secs. 15, 16, 21, and 22; center of crossroads at frame schoolhouse. T. 2 N., R. 17 E., corner of secs. 14, 15, 22, and 23; T road north. Omar, 0.5 mile east of station, at northwest corner of crossroads, 20 feet south by 60 feet seat to center of crossroads, 10 feet south by 60 feet east to center of crossroads, 10 feet south by 60 feet secs. 14, 15, 22, and 23; T road north.	41 07 28.1 41 07 27.5 41 07 27.4 41 07 26.9	82 56 17.9 82 55 08.9 82 53 59.6 82 52 49.4	5,230 5,280 5,300 5,370
feet east to north end of culvert; iron post stamped "Prim. Trav. Sta. No. 47. Ohio, 1910". T. 2 N., Rs. 17 and 18 E., corner of secs. 13, 18, 19, and 24; center of T road south. Seneca-Huron county line, center of road at fence line north-south. Seneca-Huron county line, 1 mile east of; center of crossroads. Norwich township, crossroads (probably quarter corner between secs.	41 07 26.7 41 07 25.8 41 07 25.8 41 07 30.2	82 51 34.8 82 50 30.5 82 50 03.8 82 48 51.4 82 47 06.7	5,705 4,920 2,040 5,560 8,005

SIAM QUADRANGLE—Continued. Along highways near west border of quadrangle.

Stations.	Latitude.		Latitude.		Latitude.		Latitude.		Latitude.		Latitude.		Lon	git	ude.
T. 3 N., R. 16 E., corner of secs. 3, 2, 11, and 10. T. 3 N., R. 16 E., corner of secs. 10, 11, 14, and 15; road east-west. T. 3 N., R. 16 E., corner of secs. 15, 14, 23, and 22; road east-west, schoolhouse. T. 3 N., R. 16 E., corner of secs. 22, 23, 26, and 27; road east-west, schoolhouse. T. 3 N., R. 16 E., corner of secs. 27, 26, 35, and 34; road east-west, schoolhouse. T. 3 N., R. 16 E., corner of secs. 34, 35, 2, and 3, road east-west (jogs east 50 feet, then turns south). T. 2 N., R. 16 E., corner of secs. 3, 2, 11, and 10. T. 2 N., R. 16 E., corner of secs. 10, 11, 14, and 15. T. 2 N., R. 16 E., corner of secs. 17, 23, 3nd 22; road east-west. T. 2 N., R. 16 E., corner of secs. 27, 26, 35, and 34; road east-west. T. 2 N., R. 16 E., corner of secs. 34, 35, 2, and 3; road east-west. T. 1 N., R. 16 E., corner of secs. 3, 2, 11, and 10; road east. T. 1 N., R. 16 E., corner of secs. 3, 2, 11, and 10; road east. T. 1 N., R. 16 E., corner of secs. 10, 11, 14, and 15; pike east. Bloomville, crossing on Pennsylvania R. R., 290 feet east of switch block. Azimuth of railroad, 308° 55'. T. 1 N., R. 16 E., corner of secs. 22, 23, 26, and 27; road east-west. T. 1 N., R. 16 E., corner of secs. 22, 23, 26, and 27; road east-west. T. 1 N., R. 16 E., corner of secs. 22, 23, 26, and 27; road east-west. T. 1 N., R. 16 E., corner of secs. 22, 23, 26, and 27; road east-west.	41 12 41 11 41 10 41 10 41 09 41 08 41 07 41 03 41 02 41 02 41 02	29. 4 37.0 44.7 51. 4 59. 4 08. 1 12. 8 20. 4 28. 2 43. 5 51. 3 57. 9 05 5 40. 8 13. 3 21. 1 28. 9	82 82 82 82 82 82 82 82 82 82 82 82 82 8	59 59 59 59 59 59 59 59 59 59 59 59	40. 22 40. 6 41. 4 42. 2 43. 4 45. 6 45. 6 45. 6 45. 6 45. 6 45. 6 45. 6 47. 8										
Along Baltimore & Ohio R. R. near Centertown.															
Centertown, road crossing just south of station. Milepost 26, 0.33 mile north of; private road crossing under trestle	41 06	58. 4 03. 4 52. 9	82	45	06. 4 28. 8 23. 9										

Magnetic declination for east-west center line, 0° 55' W.

SIDNEY QUADRANGLE.

Along highways near north border of quadrangle.

inough manufu actual porter or quartenger,		
Stations.	Latitude.	Longitude.
Church, crossroads one-fifth mile north of. Cincinnati, Hamilton & Dayton Ry., at east-west road crossing; azimuth of railroad, 175 '48'. T. 6 S., R. 6 E., corner of secs. 21, 22, 27, and 28. T. 6 S., R. 6 E., corner of secs. 22, 23, 26, and 27. T. 6 S., R. 6 E., corner of secs. 22, 23, 24, 25, and 26. T. 6 S., R. 6 E., corner of secs. 19, 24, 25, and 30. T. 6 S., R. 7 E., corner of secs. 19, 20, 29, and 30. T. 6 S., R. 7 E., corner of secs. 21, 22, 27, and 28. T. 6 S., R. 7 E., corner of secs. 21, 22, 27, and 28. T. 6 S., R. 7 E., corner of secs. 21, 22, 27, and 28. T. 6 S., R. 7 E., corner of secs. 22, 23, 26, and 27. T. 6 S., R. 7 E., corner of secs. 23, 24, 25, and 26.	40 29 49.7 40 29 50.6 40 29 51.9 40 29 51.6 40 29 51.7	84 12 37.0 84 11 17.5 84 09 51.5 84 08 42.6 84 07 34.2 84 06 25.6 84 05 17.1 84 04 08.3 84 02 15.3 84 00 42.9
Along highways near west border of quadrangle.		
Tps. 7 and 8 S., R. 5 E., corner of secs. 1, 2, 35, and 36. Anna, 1 mile south and 2 miles west of, northwest corner of crossroads, 15 feet north and 25 feet west of corner of secs. 1, 6, 31, and 36, Tps. 7 and 8 S., Rs. 5 and 6 E., fron post stamped "Prim. Trav. Sta. No. 28. Ohio, 1909" T. 7 S., Rs. 5 and 6 E., corner of secs. 25, 30, 31 and 36; crossroads. T. 7 S., Rs. 5 and 6 E., corner of secs. 13, 18, 19, and 24; crossroads. T. 7 S., Rs. 5 and 6 E., corner of secs. 13, 18, 19, and 24; crossroads. T. 7 S., Rs. 5 and 6 E., corner of secs. 1, 6, 7, and 12; crossroads. T. 7 S., Rs. 5 and 6 E., corner of secs. 1, 6, 7, and 12; crossroads. T. 7 S., Rs. 5 and 6 E., corner of secs. 1, 6, 31, and 36; Troad south. T. 6 S., Rs. 5 and 6 E., corner of secs. 25, 30, 31, and 36; Shelby-Auglaize county line. T. 6 S., R. 5 E., corner of secs. 25, 26, 35, and 36; crossroads. T. 7 S., Rs. 5 E., south corner of secs. 35 and 36; Troad north. Greenville treaty line, T road north on. T. 8 N., R. 6 E., corner of secs. 3, 4, 9, and 10; crossroads. T. 8 N., R. 6 E., corner of secs. 21, 22, 27, and 28; crossroads. T. 8 N., R. 6 E., corner of secs. 27, 28, 33, and 34; crossroads. T. 8 N., R. 6 E., corner of secs. 27, 22, 33, and 34; crossroads. T. 8 N., R. 6 E., corner of secs. 27, 28, 33, and 34; crossroads. Cleveland, Clincinnati, Chicago & St. Louis Ry., north-south road crossing. Quarter corner between secs. 10 and 11, T. 7 N., R. 6 E., at T road west.	40 23 42.0 40 24 34.7 40 25 26.8 40 26 19.2 40 27 11.7 40 28 04.0 40 28 56.3 40 28 03.1 40 28 03.1 40 22 01.3 40 20 43.6 40 19 51.3 40 18 06.2 40 17 15.4 40 16 23.6	84 14 24.3 84 13 15.9 84 13 15.7 84 13 15.8 84 13 15.8 84 13 15.9 84 13 16.1 84 13 16.1 84 13 16.1 84 14 25.8 84 14 24.9 84 12 30.4 84 12 30.4 84 12 30.4 84 12 27.8 84 12 26.1 84 12 27.8 84 12 26.1 84 11 23.9 84 12 26.1

SIDNEY QUADRANGLE—Continued.

Along highways on east-west line through center of quadrangle.

Stations.	Latitude.	Longitude.
Tps. 7 and 8 S., R. 6 E., corner of secs. 5, 6, 31, and 32, near schoolhouse No. 6; crossroads. T. 7 S., R. 6 E., corner of secs. 32 and 33; fence north at south corner of sections. Tps. 7 and 8 S., R 6 E., corner of secs. 3, 4, 33, and 34, near schoolhouse No. 8. Tps. 7 and 8 S., R. 6 E., corner of secs. 3, 4, 33, and 34. Tps. 7 and 8 S., R. 6 E., corner of secs. 1, 2, 35, and 36. Schoolhouse No. 5, 0.2 mile east of; crossroads. T. 7 S., Rs. 6 and 7 E., south corner of secs. 31 and 36; T road north. Maplewood. 3 miles west of, in southwest corner of abuttment to bridge on Green-	40 22 50.4 40 22 50.7 40 22 51.0 40 22 51.1	84 07 32.6
maplewood, a fines west of, in southwest cornier of acutment to bridge on Green- ville treaty line road at Louis Covault's house; aluminum tablet stamped "Prim. Trav. Sta. No. 32. Ohio, 1909" T. 2 N., R. 7 E., corner of secs. 26, 27, 34, and 35, near schoolhouse No. 9; T road east. T. 2 N., R. 7 E., corner of secs. 25, 26, 35, and 36; crossroads. Maplewood, Main Street crossing on Detroit, Toledo & Ironton Ry. T. 2 N., R. 8 E., corner of secs. 29, 30, 31, and 32; crossroads. Shelby and Logan counties, stone boundary post between	40 22 34.6	

Magnetic declination for south border, 0° 13′ E.; for east border, 0° 10′ E.; for line through center, 0° 17′ E.

SOUTH CHARLESTON QUADRANGLE.

Along highways near north border of quadrangle.

Stations.	Lati	tude.	Longitu	də.
New Moorefield, T road south. T. 5, R. 10, corner of secs. 9, 10, 15, and 16. New Moorefield station. Azimuth of railroad, 220° 41′ Cleveland, Cincinnati, Chicago & St. Louis Ry., at east-west road crossing. Azimuth of railroad, 220° 41′ Tps. 5 and 6, R. 10, corner of secs. 3, 4, 33, and 34. Intersection of east-west road and road northwest. T road south Bridge, west end of. Cemetery, T road east at. T. 6, R. 10, corner of secs. 15, 16, 21, and 22. Catawba, T road west about 1 mile south of. Catawba, T road northeast about 1.75 miles south of. Pleasant Township, schoolhouse, road southeast at. T road southeast. T road southeast. Nation Chapel, Y road 0.25 mile northwest of. Clark and Madison counties, stone monument between	39 58 39 58 58 58 58 58 58 58 58 58 58 58 58 58 5	77. 9 32. 5 9 36. 3 9 17. 0 9 31. 1 9 27. 6 9 35. 2 9 27. 1 9 43. 3 9 15. 4 9 12. 9 9 13. 8 9 15. 4 9 10. 4 9 10. 9 9 38. 8 9 38. 8 9 38. 8 9 38. 8 9 14. 4 9 14. 4	83 44 83 42 83 41 83 40 83 40 83 40 83 83 83 83 83 83 83 83 83 83 83 83 83	05. 5 01. 5 57. 4 41. 5 41. 2 51. 4 41. 2 51. 4 41. 2 50. 1 118. 4 20. 5 00. 6 00. 8 00. 8 0

Along highways near southwest corner of quadrangle.

Along Cleveland, Cincinnati, Chicago & St. Louis Ry. east-west through center of quadrangle.

SOUTH CHARLESTON QUADRANGLE-Continued.

Along highways near east border of quadrangle.

	4		
Stations.		Latitude.	Longitude.
Y road southeast	21'	9 7 77.3 39 57 17.3 39 56 45.5 39 56 00.0 39 54 59.5 39 54 26.0 39 53 45.5 39 53 16.4	83 30 20.5 83 30 09.2 83 30 04.9 83 30 27.3 83 30 28.8 83 30 32.5 83 30 31.0
Along highways near west border of qua	drangle.		
Big Four Route, overhead road crossing north and south. Reeds schoolhouse, crossroads at	nd Tps. 5	39 54 22.2 39 54 45.4 39 55 11.6 39 56 17.9 39 56 55.2 39 58 25.9	83 44 40.0 83 44 33.4 83 44 24.2 83 43 48.4 83 43 44.7 83 43 54.3
Near northwest corner of quadrang	çle.		
Stations.	Latitude.	Longitude	Distance between stations.
T. 5 N., R. 10 E., stone at corner of secs. 9, 10, 15, and 16; T road north, New Moorefield, in southwest corner of public-school building; alu- minum tablet stamped "Prim. Trav. Sta. No. 100. 1054, Ohio, 1910".		i	

SPENCERVILLE QUADRANGLE.

Along west border of quadrangle.

Stations.	Lati	tude.	Lon	git	ude.
T. 3 S., R. 3 E., south corner of secs. 35 and 36; Van Wert-Mercer county line T. 4 S., R. 3 E., north corner of secs. 1 and 2; Van Wert-Mercer county line T. 4 S., R. 3 E., corner of secs. 1, 2, 11, and 12, at Church of God; corner of cross- roads T. 4 S., R. 3 E., corner of secs. 12, 13, 11, and 14, 0.2 mile east of Baptist Church, corner of crossroads. North-south road crossing on Cincinnati, Hamilton & Dayton Ry. T. 4 S., R. 3 E., corner of secs. 13, 14, 23, and 24. T. 4 S., R. 3 E., corner of secs. 24, near Dunkard Church, at crossroads. St. Marys River, center of sec 24, near Dunkard Church, at crossroads. T. 4 S., R. 3 E., corner of secs. 25, 28, 35, and 36; T road south. T. 4 S., R. 3 E., south corner of secs. 35 and 36, near crossroads. T. 5 S., R. 3 E., north corner of secs. 1 and 2, near crossroads. Elm Grove schoolhouse, No. 10, northwest corner of crossroads, 20 feet west and 20 feet south to corner of secs. 1, 2, 11, and 12, T. 5 S., R. 3 E.; iron post stamped "Prim Trav. Sta. No. 3. Ohio, 1909" T. 5 S., R. 3 E., corner of secs. 11, 12, 13, and 14; crossroads.	40 43 40 42 40 41 40 41 40 40 40 39 40 38 40 38 40 38		84 84 84 84 84 84 84 84 84 84	28 28 28 28 28 27 27 27 28 28 28 28 28 28	31.1 31.5 31.2 30.8 30.7 56.2 56.1 30.5 30.4 30.2
T road east. T. 5 S., R. 3 E., quarter corner between secs. 24 and 25; crossroads T. 5 S., R. 3 E., quarter corner between secs. 25 and 36; T road west. Auglaize-Mercer county line; T road north Pump factory, north-south road crossing Lake Erie & Western R. R. Grand Reservoir Lock, west end of bridge over.	40 35 40 34 40 34 40 33 40 32	57. 4 04. 8 04. 1 32. 4 18. 1	84 84 84 84 84	27 27 27 24 25	29. 7 54. 9 54. 8 20. 0 56. 4 18. 2 55. 9

SPENCERVILLE QUADRANGLE—Continued.

Along highways near center of quadrangle.

Stations.	Latitude.	Longitude.
T. 5 S., Rs. 3 and 4 E., corner of secs. 1, 6, 7, and 12, Auglaize-Mercer county line; crossroads. T. 5 S., R. 4 E., corner of secs. 5, 6, 7, and 8; crossroads. T. 5 S., R. 4 E., corner of secs. 4, 5, 8, and 9, near church and schoolhouse; crossroads. T. 5 S., R. 4 E., corner of secs. 3, 4, 9, and 10; crossroads. T. 5 S., R. 4 E., corner of secs. 2, 3, 10, and 11. T. 5 S., R. 4 E., corner of secs. 1, 2, 11, and 12; T road north. T. 5 S., R. 4 E., corner of secs. 1, 2, 11, and 12; T road north. Kossuth, 0.8 mile southeast of, at southwest corner of intersection of northwest-southeast pike with road south, on range line, 15 feet east and 10 feet north to center of intersection; iron post stamped "Prim. Trav. Sta. No. 4. Ohio, 1909". Pike, at road south. Buckland, 1.2 miles west by 0.3 mile north of; crossroads. Buckland, 0.3 mile north of; crossroads.	40 38 29.4 40 38 53.8 40 38 21.1 40 37 51.5	84 27 21.6 84 26 05.7 84 24 56.7 84 23 48.0 84 22 39.2 84 21 30.7 84 20 21.7 84 20 22.0 84 19 22.2 84 17 05.1 84 15 38.0
Along highways from Kemp to Elgin.		
Kemp station, 1 mile west and 0.33 mile north of, at northwest corner of cross- roads, 15 feet south to T. 4 S., R. 5 E., corner of secs. 1 and 2, 15 feet south and 30 feet east to T. 3 S., R. 5 E., corner of secs. 35 and 36; iron post stamped "Prim. Trav. Sta. No. 1. Ohio, 1909" Tps. 3 and 4 S., R. 5 E., corner of secs. 26, 27, 34, and 35; center of crossroads. T. 3 S., R. 5 E., stone at corner of secs. 26, 27, 34, and 35; T road west. T. 3 S., R. 5 E., corner of secs. 27, 28, 33, and 34; center of crossroads. T. 3 S., R. 5 E., corner of secs. 28, 29, 32, and 33; center of T road north. District schoolhouse No. 2, T road west Cincinnait, Hamilton & Dayton Ry., center of road crossing. Spencerville, 1.8 miles north of, northwest corner of crossroads, 33 feet east and 20 feet south to T. 3 S., R. 4 W., quarter corner between secs. 35 and 36, center of crossroads; iron post stamped "Prim. Trav. Sta. No. 2. Ohio, 1909" T. 3 S., R. 4 E., center of secs. 27, 28, 33, and 34; T road west on Allen-Van Wert county line T. 3 S., R. 4 E., corner of secs. 28, 29, 32, and 33; center of crossroads. T. 3 S., R. 4 E., corner of secs. 28, 30, 31, and 32. T. 3 S., R. 4 E., corner of secs. 29, 30, 31, and 32. T. 3 S., R. 4 E., west corner of secs. 25 and 36; railroad spike in bridge. T. 3 S., R. 4 E., west corner of secs. 25, 26, 35, and 36, at Elgin; center of crossroads at schoolhouse.	40 44 37.6 40 44 37.2 40 44 36.6 40 44 10.3 40 44 10.0 40 44 09.9 40 44 09.5 40 44 35.7 40 44 35.7	84 14 33.0 84 15 42.1 84 15 42.1 84 16 51.1 84 18 00.0 84 18 53.3 84 20 21.9 84 21 32.4 84 23 15.4 84 24 58.3 84 26 07.4 84 27 22.4 84 27 22.4 84 28 31.5

Magnetic declination for north border, 0° 9′ W.; for south border, 0° 05′ W.; for west border, 0° 14′ W.; for line through center, 0° 09′ W.

SPRINGFIELD QUADRANGLE.

Along Cleveland, Cincinnati, Chicago & St. Louis Ry. in northeast part of quadrangle.

Stations.	Lat	itude.	Lon	gitu	ıde.
Detroit Southern R. R., crossing of. Gravel road crossing. Detroit, Toledo & Ironton Ry., crossing on Springfield, Limestone street-car line, crossing on. Springfield, national road crossing. Overhead road crossing.	39 5 39 5 39 5 39 5	5 20.2	83 83 83 83	45 46 46 48 50	53. 5 15. 8 33. 5 31. 0 32. 3 41. 6
Along Erie R. R. between Durbin and milepost 376.					
Durbin, milepost 369. Snyderville, road crossing. Enon, road crossing. Mileposts 375 and 376, road crossing halfway between.	39 5 39 5	4 42.5 4 04.7 3 22.6 1 53.1	83 83	54 56	21. 7 48. 1 08. 6 38. 6

PRIMARY TRAVERSE.

SPRINGFIELD QUADRANGLE—Continued. Along highways near north border of quadrangle.

Stations.	Latitude.	Longitude.
T. 5, R. 10, corner of secs. 15, 16, 21, and 22 T. 5, R. 10, corner of secs. 21, 22, 27, and 28 Springfield and Urbana pike, T road east. T road east Erie R. R. at east-west crossing, on long curve Mad River, T road north, near. Blacksmith shop, crossroads at. T road north Lawrenceville, intersection of roads in east part of. T. 4, R. 10, corner of secs. 20, 21, 26, and 27 T. 4, R. 10, corner of secs. 26, 27, 32, and 33 Northampton, road southeast 1 mile east of. Northampton, crossroads at. T. 3, R. 10, corner of secs. 14, 15, 20, and 21 T. 3, R. 10, quarter corner between secs. 20 and 21 T. 7a, R. 10, corner of secs. 14, 15, 20, and 21 T. 7a second for secs. 15, 20, 20, 20, 20, 20, 20, 20, 20, 20, 20	39 59 39.9 39 59 44.0 39 59 50.1 39 58 57.7 39 58 27.9 39 58 41.2 39 58 38.7 39 59 14.6 39 59 18.8 39 59 18.8 39 59 25.5 39 59 36.2 39 59 36.2 39 59 36.2 39 59 36.2 39 59 36.2 39 59 36.2	83 45 10. 83 46 20. 83 48 20. 83 48 42. 83 48 44. 83 49 50. 83 50 31. 83 51 22. 83 52 29. 83 53 19. 83 55 21. 83 56 23. 83 57 28. 83 59 28. 83 59 28. 83 59 28. 83 59 42. 83 59 50.
Along highways near west border of quadrangle.		
Mad River, T road east at. Erie R. R., at north-south road crossing. Azimuth of railroad, 241° 18'. T. 3, R. 8, corner of secs. 16, 17, 22, and 23. T. 3, R. 8, corner of secs. 14, 15, 20, and 22. T. 3, R. 8, corner of secs. 14, 15, 20, and 21. Crossing of Xenia pike and north-south road. T. 3, R. 8, corner of secs. 7, 8, 13, and 14. Byron, road north at. Byron, T road north, 1.5 miles south and 0.5 mile west of. Byron, T road east, 2.5 miles south of, near T. 3, R. 7, quarter corner between secs. 10 and 16. T. 3, R. 7, quarter corner between secs. 4 and 10. Byron, 2.5 miles south of, west side of north-south road, opposite T road east, near quarter-section corner; iron post stamped "Prim. Trav. Sta. No. 44. Ohio, 1909".	39 52 33.3 39 51 53.1 39 50 49.6 39 49 56.0 39 49 04.6 39 48 42.8 39 48 07.2 39 47 08.5 39 45 05.5 39 45 00.9	83 59 42.2 83 59 38.6 83 59 45.2 83 59 51.2 83 59 57.6 83 58 51.6 83 58 54.7 83 59 01.0 83 59 36.3 83 59 15.2 83 58 04.4
Along highways near east border of quadrangle.		
Pitchin, crossroads at Pitchin, road west about 1 mile northwest of. Crossing of Springfield-Selma pike and east-west road Crossroads Crossroads Calvary Cemetery, T road west T. 5, R. 9, quarter corner between secs. 14 and 15. Locust Grove Church, road east.	39 50 34.5 39 51 24.7 39 52 15.8 39 52 38.0 39 53 02.2 39 53 28.4 39 53 35.9	83 45 45.9 83 46 26.8 83 46 43.9 83 45 53.9 83 45 16.9 83 45 14.1 83 45 01.4
Along highways near south border of quadrangle.		
T road southeast Clifton-Xenia and Yellow Springs-Cedarville pikes, crossing of. Cory schoolhouse, one-half mile southeast of; T road northwest Cedarville, about 2.5 miles northwest of; T road southeast Cedarville, 1 mile northwest of; T road northeast	39 45 27.2 39 46 30.6 39 45 30.1 39 45 46.6 39 45 02.9	83 53 52.2 83 52 04.4 83 51 36.1 83 50 45.8 83 49 28.2

SWANTON QUADRANGLE.

Along highways near north border of quadrangle.

Along highways near north border of quadrangle.				
Stations.	Latitude.	Longitude.		
Seward, 2 miles east and 0.5 mile north of, at crossing of township-line road and Lyons-Metamora road, in northwest corner of field of Adam Math; iron post stamped "Prim Tray Sta No 25 1905"	。, ,, 41 42 33.7	83 59 53.2		
stamped "Prim. Trav. Sta. No. 25, 1905". Whiteville, crossroads, 20 feet southwest to E. J. Smith's mail box, 36 feet north to road crossing on Toledo & Western electric road.	41 49 40 3	83 58 34.9		
Whiteville, T road north 1 mile east of, 27 feet north to road crossing on Toledo & Western electric road, 24 feet east to Peter Myer's mail box. Whiteville, T road north 2 miles east of, at stop 27, 39 feet north to road crossing	41 42 45.5	83 57 25.9		
Whiteville, T road north 2 miles east of, at stop 27, 39 feet north to road crossing on electric railroad. Ohio-Michigan State line at north-south road.	41 42 51.0	83 56 15.4		
Metamora, center of bridge over creek. South part of schoolhouse yard at county line; north rail of electric road at switch block bears S. 49° 30′ E., distant 126 feet, southeast corner of schoolhouse bears	41 43 05.9 41 42 41.2	83 56 16.0 83 54 38.0		
N. 0° 15' E., distant 78 feet; from post stamped "Prim. Trav. Sta. No. 26, 1905". Berkey crossroads at stop 55, 1 mile west of 33 feet west to mail box 30 feet.	41 42 42.6	83 52 48,3		
southwest to south end of culvert. Berkey, crossroads, 33 feetsoutheast to crossing on Toledo & Western electric road Berkey, crossing of north-south road and electric road 1 mile east of. Berkey, T road north 2 miles east of. T. 9 S., R. 5 E., sec. 11, northeast part of, 0.25 mile west of electric-railroad junction, in northeast corner of field owned by John S. Clark, at T road south; iron	41 43 01.5 41 42 54.2 41 42 48.5 41 42 55.7	83 51 31.9 83 50 21.9 83 49 11.9 83 48 05.6		
nost stampad " Prim Trav. Sta. No. 2/ 1005"	41 42 56.3 41 43 19.8	83 47 11.7 83 48 06.6		
Ohio-Michigan State line. T. 9 S., R. 5 E., corner of secs. 11, 12, 13, and 14, 0.25 mile west of, mail box of Kate R. Van Norman and Paul Talor; crossroads.	41 42 05.8	83 47 09.2		
Along highways near east border of quadrangle.		<u>'</u>		
T. 9 S., R. 5 E., secs. 13, 14, 23, and 24; crossroads 0.25 mile west of, 19 feet northeast to John G. Taylor's mail box, 18 feet north to east end of small bridge	41 41 12.4	99 47 07 D		
T. 9 S., R. 5 E., sees. 23, 24, 25, and 26; T road north 0.25 mile west of, 30 feet	41 40 22.7	83 47 07.9 83 47 05.4		
T. 9 S., R. 5 E., sees. 23, 24, 25, and 26; T road north 0.25 mile west of, 30 feet north to C. Lochrihler's mail box, 27 feet northeast to east end of stone culvert. T. 9 N., R. 5 E., corner of sees. 22, 23, 26, and 27, T road north, 24 feet northeast to cross on telephone pole, 21 feet northwest to west end of stone culvert.	41 40 22.5	83 47 42.9		
telephone pole. 38 feet southeast to corner fence post: T road south	41 40 21.7	83 49 07.3		
T. 9 S., R. 5 E., corner of secs. 27, 28, 33, and 34; crossroads, 21 feet west to center of bridge, 36 feet northeast to southwest corner of pool hall.	41 39 27.4 41 38 35.9	83 49 05.6 83 49 03.9		
T. 9 S., R. 5 E., corner of secs. 33 and 34; stone at T road north. T. 10 S., R. 5 E., corner of secs. 3, 4, 9, and 10, 32 feet northwest to cross on telephone pole, 31 feet southeast to J. K. Barnes's mail box. T road north at Oak Grove schoolhouse, 18 feet northeast to J. R. Bower's mail	41 37 45.2	83 49 02.3		
Troad north at Oak Grove schoolhouse, 18 feet northeast to J. R. Bower's mail box, 36 feet northwest to arrow on post	41 37 00.9	83 49 00, 6		
box, 36 feet northwest to arrow on post. Holland, 4 miles west of, 0.33 mile south of Lake Shore & Michigan Southern Ry., at crossroads; iron post stamped "Prim. Trav. Sta. No. 28, 1905". T. 7 N., R. 5 E., secs. 11 and 12, quarter corner between, T road east; stone at	41 36 01.0	83 47 34.8		
T. 7 N., R. 5 E., secs. 11 and 12, quarter corner between, 1 road east; stone at intersection of road. T. 7 N., R. 5 E., east corner of secs. 14 and 23; T road west, 21 feet northwest to northeast corner of stone culvert, 23 feet southwest to southeast corner of same	41 34 55.0	83 47 10.5		
northeast corner of stone culvert, 23 feet southwest to southeast corner of same culvert. T. 7 N., R. 5 E., corner of secs. 23, 24, 25, and 26; crossroads at schoolhouse, 25 feet northeast to mail box on post, 33 feet northwest to maple tree at corner of	41 33 36.8	83 47 09.8		
fenne. T. 7 N., R. 5 E., south corner of secs. 35 and 36, stone to; T road north	41 32 44.0 41 30 59.4	83 47 09.4 83 47 09.2		
Along Lake Shore & Michigan Southern Ry.				
Milepost 12, east-west road crossing west of. Mileposts 12 and 13, north-south road crossing between. Mileposts 13 and 14, east-west road crossing between. Mileposts 14 and 15, east-west road crossing between. Mileposts 16 and 17, north-south road crossing between. Mileposts 18 and 19, north-south road crossing between. Swanton station. Swanton, Main Street crossing Mileposts 20 and 21, north-south road crossing between. Mileposts 20 and 21, north-south road crossing between. Mileposts 21 and 22, north-south road crossing between. Mileposts 22 and 23, north-south road crossing between. Mileposts 23 and 24, north-south road crossing between. Mileposts 23 and 24, north-south road crossing between. Mileposts 24 and 25, east-west road crossing between. Delta station. Delta, road crossing west of.	41 36 35.3 41 36 32.4 41 36 24.2 41 36 11.7 41 35 55.9 41 35 44.4 41 35 33.3 41 35 11.0 41 35 11.0 41 35 33.3 41 35 11.0 41 35 03.3 41 35 11.0 41 35 03.3 41 34 59.7 41 34 48.2 41 34 13.3 41 34 25.2 41 34 13.3 41 34 13.3 41 34 13.5	83 45 22.6 83 45 40.3 83 46 31.4 83 47 49.6 83 49 27.6 83 50 39.1 83 51 52 55.9 83 53 22.0 83 54 05.6 83 54 05.6 83 55 15.6 83 56 26.9 83 58 48.3 83 58 48.3 83 59 54.8		

SWANTON QUADRANGLE-Continued.

Along highways near west border of quadrangle.

Stations.	Latitude.	Longitude.
Tps. 6 and 7 N., R. 7 E., quarter corner between secs. 1 and 36. Tps. 7 and 8 N., Rs. 7 and 8 E., corner of secs. 1, 6, 31, and 36. Tps. 9 and 10 S., Rs. 3 and 4 E., corner of secs. 1, 6, 31, and 36. T. 9 S., Rs. 3 and 4 E., corner of secs. 3, 6, 31, and 36. T. 9 S., R. 3 E., corner of secs. 7, 18, 13, and 12. T. 9 S., R. 3 E., corner of secs. 1, 6, 7, and 12.	41 36 10.1 41 38 30.9 41 40 13.8	83 59 54.1 83 59 45.2 83 59 48.6

SYCAMORE QUADRANGLE.

Along highways near west border of quadrangle.

Stations.	Latitude.	Longitude.
Roads, northeast and southwest. Quarter corner sections (no numbers). T. 3 S., R. 14 E., corner of secs. 2, 3, 10, and 11. Tps. 2 and 3 S., R. 14 E., corner of secs. 3, 4, 33, and 34. Roads east, west, and northeast. Sandusky River, bridge over. T. 1 S., R. 14 E., corner of secs. 15, 16, 21, and 22. T. 1 S., R. 14 E., corner of secs. 10, 11, 14, and 15.	40 47 21.6 40 48 13.8 40 49 06.2 40 54 02.0 40 55 41.8 40 56 57 0	83 14 47.2 83 14 47.4 83 14 44.7 83 14 49.5
Along highways near east border of quadrangle.		
Brokensword, crossroads at Tps. 1 and 2 S., R. 16 E., corner of secs. 33, 34, 3, and 4	40 52 38.2 40 51 46.1 40 50 49.8	83 00 59. 9 83 00 59. 8 83 00 59. 5 83 00 59. 4

THORNVILLE QUADRANGLE.

Along Baltimore & Ohio R. R. between milepost 28 and Chalfant.

Stations.	Latitude.	Longitude.
Milepost 28, private-road crossing, 2,000 feet north of. Wellan station, east-west road crossing Road crossing under trestle. Somerset, 0.5 mile south of station; overhead crossing. Brick plant, switch block to spur. Milepost 22, east-west road crossing; 495 feet north of. Milepost 21, road crossing; 440 feet north of. Chalfant station, east-west road crossing in southwest corner of field of N. S. Axline, center of road crossing bears S. 60° 15′ W., distant 33 feet; iron post stamped "Prim. Trav. Sta. No. 52, 1905".	39 46 34.8 39 47.27.2 39 48 18.8 39 49 25.0 39 50 17.6 39 51 08.6	82 18 42. 82 18 20. 82 17 51. 82 17 19. 82 16 43.
Along Zanesville & Western Ry. near Glassrock.		
Glassrock station, north-south road crossing railroad. Milepost 21, 0.5 mile east of; crossing of north-south road. Glassrock station, 2 miles east of, railroad bridge over Jonathan Creek; north-south road crossing, 800 fast east of	39 52 34.7	82 16 06.

THORNVILLE QUADRANGLE—Continued. Along highways near northeast corner of quadrangle.

Stations.	Latitude.	Longitude.
Top of hill, T road east; G. Hartsough's mail box	39 53 57.9 39 54 50.5 39 55 44.8 39 56 49.6 39 59 21.2	82 15 16.8 82 15 12.8 82 15 43.2 82 15 48.8
Along Toledo & Ohio Central Ry. near Hebron.		
Milepost 13, just north of; private-road crossing. Trestle No. 1364 over northeast-southwest gravel road; center of Hebron, crossing of Toledo & Ohio Central Ry. and Ohio Electric Ry.	40 00 38.5 39 59 27.9 39 57 41.2	82 28 38.8 82 28 48.9 82 29 34.1
Along highways near south border of quadrangle.		
Baptist Corners, 1 mile east of; center of bridge at crossroads. West Rushville, crossroads, 46 feet southwest to northeast corner of Dilger Bros.' store, 63 feet southeast to John Dilger's store. Rushville, crossroads at Rushville Hotel; center of intersection. Rushville, 1.1 miles east of; T road north, 27 feet northwest to cross on fence post, 27 feet southwest to cross on telegraph pole. Perry-Fairfield county line, T road south. Rushville, 2.5 miles east of, 2 miles north of Avlon, at crossroads, in southeast corner of John Love's farm; southwest corner of Thos. Griffin's residence bears N. 59° E., distant 45.6 feet; iron post stamped "Prin. Trav. Sta. No. 51, 1905". Ottoman, United Brethren Church, 0.25 mile south of; crossroads, 10 feet west to cross on corner fence post, 24 feet to cross on corner post in wire fence. Top of hill, T road east, 15 feet southeast to Henry Brehm's mail box.	39 46 31.1 39 45 48.9 39 45 52.6 39 46 01.2 39 46 06.4 39 46 09.9 39 45 50.1	82 29 20.4 82 26 51.8 82 25 54.5 82 24 41.3 82 24 06.9 82 22 57.9 82 21 47.4 82 21 06.8
Shoal House, T road west, 12 feet east to cross on small locust tree, 32 feet northwest to southeast corner of coal shed	39 45 21.4	82 20 34.8

Magnetic declination for north border, 1° 05′ W.; for south border, 0° 37′ W.; for east border, 1° 22′ W.; for west border, 0° 15′ W.

THURSTON QUADRANGLE.

Along Pittsburgh, Cincinnati, Chicago & St. Louis Ry. from Summit to Outville.

Stations.	Lati	tude.	Lon	gitı	ıde.
Summit, road crossing at station; north track. Summit, 1 mile east of station; north track at north-south road crossing Summit, 2 miles east of station; north track at east-west road crossing Columbia Center, north-south road crossing Pataskala, street crossing east of station Pataskala, 1.5 miles east of, at road crossing on Pennsylvania R. R., in south-east corner of field of Edward Condit, north rail of north track at road crossing	39 59 39 59 39 59	,, 9 52.6 9 50.7 9 49.3 9 48.0 9 46.2	82 82 82	45 43 42 41	07. 5 45. 4 43. 4 49. 6 31. 1
bears S. 20° 30′ E., distant 60 feet; iron post stamped "Prim. Trav. Sta. No. 35, 1905". Pataskala, 2.5 miles east of, south track at road crossing	39 59	9 44. 2 9 41. 9 9 39. 6 9 44. 0	82 82	37 35	41. 5 32. 6 48. 4 40. 4
Along Toledo & Ohio Central Ry. from milepost 8 to Pleasa	ntville	э.			
Milepost 8, center of track opposite Licking-Fairfield county line, east-west road crossing. Millersport, 1 mile north of, water tank; center of track Millersport, near bridge, in south part of lot owned by Pence & Swisher, 47 feet	39 58	3 49. 4 5 38. 6 4 42. 6	82	31	36. 6 15. 1 43. 7
due west to east rail, cross on corner of bridge abutment bears S. 54° 45′ W., distant 54.7 feet; iron post stamped "Prim. Trav. Sta. No. 46, 1905". Millersport, 2 miles south of; east-west gravel road crossing. Thurston, crossing of Zanesville & Western and Toledo & Ohio Central railways. Thurston, 1.2 miles south of; center of track at east-west road crossing.	39 52 39 50	57.7 2 10.2 3 48.2 9 28.3	82 82	32 32	12. 9 32. 8 39. 7 45. 9
Thurston, 1.2 miles south of, T. 16 S., R. 18 W., corner of secs. 27, 28, 33, and 34, 610 feet west of east-west road crossing		9 28.3 3 33.2			53.8 02.4

* THURSTON QUADRANGLE—Continued.

Along highways from Pleasantville to point 5 miles west of Zine schoolhouse.

Pleasanty He, 1.33 miles east of: crossroads at schoolhouse, 33 feet northeast to cross on telegraph pole, 38 feet northwest to cross on corner fence post	tude.
to cross on telegraph pole, 38 feet northwest to cross on corner fence post	,,
Pleasantville, 2.5 miles south and 0.5 mile east of, in southeast corner of Baptist schoolhouse yard, pump bears west, distant 11 feet; southeast corner of school-	
schoolhouse yard, pump bears west, distant 11 feet; southeast corner of schoolhouse bears N. 44° 20′ W., distant 25.7 feet; fron post stamped "Prim. Trav. Sta. No. 47, 1905". 39 46 22.1 Bridge over creek, 700 feet east of; T road south just east of J. G. Mertz's mail box 15 S., R. 18 W., secs. 16, 17, 20, and 21, corner stone; T road north. 39 46 01.5 82 33	41.8
Lancaster, 3.5 miles north of, Friesner's nursery; crossroads, 30 feet northwest to cross on telegraph pole	6 01. I 2 43. 6
to cross on corner fence post	15.
Along Hocking Valley Ry.	
Carroll station, 0.5 mile southeast of; north-south road crossing on railroad. 39 47 33.8 82 42 Carroll station, crossing of east-west road. 39 48 00.6 82 42 Little Walnut Creek, 0.25 mile south of; crossing of east-west road. 39 49 06.6 82 43 Sherman schoolhouse, 1 mile south of; crossing of north-south road. 39 49 45.2 82 43	35.6
Along highways from Sherman to district 10 schoolhouse.	-
Sherman schoolhouse, crossroads, 35 feet southwest to walnut tree, 23 feet southeast to cross on telegraph pole	22.6
T. 15 S., R. 20 W., secs. 11, 12, 13, and 14; crossroads, 24 feet solutiwest to mail box on fence post, 24 feet northwest to cross on telegraph pole	16.1
distant 13.4 feet; iron post stamped "Prim. Trav. Sta. 50, 1905"	
post, 21 feet southeast to cross on large fence post. 39 54 36.8 8 Violet Chapel, 1.5 miles north of; stone at crossroads. 39 55 46.7 82 43 Wagram, 1 mile south of; crossroads, 23 feet southeast to corner of rail fence, 24 feet northeast to bowlder at end of hedge fence. 39 56 40.6 82 43	35.9
Wagram, at post office, crossing of north-south road and Ohio Electric Ry	50.1
fence, 40 feet northwest to guidepost	

Magnetic declination for west border, 0° 31" W.

TIFFIN QUADRANGLE.

Along highways near west border of quadrangle.

Stations. Lat	Stations. Latitud		Longitude.		
Bettsville, crossing on Pennsylvania R. R. Crossroads at section corner. T. 3 N., R. 14 E., corner of secs. 15, 16, 21, and 22. T. 3 N., R. 14 E., corner of secs. 27, 28, 33, and 34. Tps. 2 and 3, N., R. 14 E., corner of secs. 3, 4, 33, and 34. T 2 N., R. 14 E., corner of secs. 9, 10, 15, and 16. T. 2 N., R. 14 E., corner of secs. 15, 16, 21, and 22. T. 2 N., R. 14 E., corner of secs. 27, 28, 33, and 34. Tps. 1 and 2 N., R. 14 E., corner of secs. 27, 28, 33, and 34. Roads north, south, east, and west.	41 14 41 13 41 10 41 08 41 08 41 08 41 08	3 58.9 2 36 7 5 51.7 9 59.6 8 17.0 7 24.4 5 39.5 4 47.5	83 83 83 83 83 83 83 83	14 : 14 : 14 : 14 : 14 : 14 : 14 :	13.2 42.4 41.0 46.2 49.4 50.6 50.4 51.6 51.6

TOLEDO QUADRANGLE.

Near Toledo.

Stations.	Latitude.	Longitude.
Toledo, St. Mary's Church spire, located by U. S. Lake Survey	0 / // 41 39 32.85 41 39 57.78 41 40 41.8 41 40 04.8	83 32 02.9 83 30 36.4 83 29 49.0 83 30 59.4
From Toledo along Lake Shore & Michigan Southern Ry. to Mich.	Ohio State 1	ne.
Bancroft Street, Michigan Central R. R. crossing. Bancroft Street, Lake Shore & Michigan Southern Ry. crossing. Ottawa Park, forks of road at southwest corner of. Central Avenue, crossing on. Sylvania, crossing 400 feet west. State line, crossing 1 mile north. West Toledo station.	41 39 48.9 41 39 48.7 41 39 47.2 41 40 36.0 41 42 30.8 41 43 30.8 41 44 21.2 41 41 25.7	83 34 21 4 83 34 37 83 36 28 40 16 83 42 05 83 42 33 83 43 26 83 33 23 4
Near northeast part of quadrangle.		
Lake Shore & Michigan Southern Ry., crossing of pike State line, crossing of Lake Shore & Michigan Southern Ry. Schoolhouse, crossing at.	41 41 59.9 41 43 52.3 41 44 23.6	83 32 54.1 83 31 17.4 83 30 50.4
In south part of quadrangle.		
Crossing of Michigan Central and Toledo, St. Louis & Western railroads Crossing 2 miles southwest of last crossing Maumee, crossing 320 feet northeast of station Waterville, crossing 23 miles north Waterville station, first crossing south	41 37 34.4 41 36 16.7 41 33 56.5 41 32 11.3 41 30 01.3	83 34 23.0 83 35 51.3 83 39 19.3 83 42 35.4 83 43 30.3
Near central part of quadrangle.		
Crossing of Toledo, St. Louis & Western and Wabash railroads. Crossing 2 miles southwest of Michigan Central R. R. crossing. Crossing of Michigan Central and Lake Shore & Michigan Southern railroads. Long Bridge, east end of truss. Fassett Street, crossing on.	41.37 18.0 41 36 44.3 41 38 20.9 41 37 53.2 41 37 43.8	83 34 47. 83 35 36. 83 34 24. 83 32 20. 83 31 40.
Along Lake Shore & Michigan Southern Ry. between Toledo and	milepost 12	
Toledo, crossing of Michigan Central and Toledo, St. Louis & Western railroads. Mileposts 4 and 5, north-south road crossing between. Mileposts 5 and 6, north-south road crossing between. Mileposts 6 and 7, north-south road crossing between. Mileposts 7 and 8, north-south road crossing between. Mileposts 8, one-fourth mile east of; east-west road crossing. Mileposts 8 and 9, north-south road crossing between. Holland, north-south road crossing east. Holland, road crossing west. Mileposts 11 and 12, north-south road crossing between. Mileposts 11 and 12, north-south road crossing between.	41 37 33 5 41 38 01 4 41 37 50 4 41 37 39 3 41 37 24 7 41 37 17 0 41 37 00 8 41 37 00 2 41 36 46 3	83 34 23.2 83 36 23.4 83 37 32.4 83 38 42.4 83 39 52.4 83 41 01.8 83 42 11.2 83 42 43.2 83 42 47.2 83 44 14.4
On Toledo & Ohio Central Ry. at Lime City.		
Lime City, crossing of telephone-line road.	41 32 06, 2	83 34 01.8

TROY QUADRANGLE. Along highways near north border of quadrangle.

Stations.	Latitude.	Longitude.
T. 3, R. 13, west corner of secs. 31 and 32; T road on Champaign-Shelby county	0 1 11	0 , ,,
lineT. 2, R. 13, east corner of secs. 1 and 2, Champaign-Shelby county line	40 14 39.7 40 14 32.0	84 01 02.3 84 01 03.0
New Palestine, 0. 5 mile north by 0. 5 mile west of; T road north, 40 feet north of J. H. Loudenback's mail box. T. 2, R. 13, corner of secs. 7, 8, 13, and 14; crossroads. T. 2, R. 13, corner of secs. 13, 14, 19, and 20; T road south. Tps. 1 and 2, R. 13, corner of secs. 19, 20, 25, and 26. Sidney, 3. 5 miles east and 1. 8 miles south of, 25 feet north and 20 feet east of T road north; iron post stamped "Prim. Trav. Sta. No. 36. Ohio, 1909". T. 1, R. 13, corner of secs. 25, 26, 31, and 32; crossroads. T. 1, R. 13, corner of secs. 1, 2, 31, and 32; T road south. T. 1, Rs. 12 and 13, corner of secs. 1, 6, 7, and 12. T road west of schoolhouse. T road east. Sidney, 3 miles south of: center of bridge over Miami River.	40 14 35.6	84 02 11.6
T. 2, R. 13, corner of secs. 7, 8, 13, and 14; crossroads	40 14 39.2 40 14 43.6	84 03 22.2 84 04 30.6
Tps. 1 and 2, R. 13, corner of sees. 19, 20, 25, and 26.	40 14 48.6	84 05 39.6
Sidney, 3.5 miles east and 1.8 miles south of, 25 feet north and 20 feet east of T		
road north; iron post stamped "Prim. Trav. Sta. No. 36. Onio, 1909"	40 14 49.7 40 14 52.4	84 05 51.7 84 06 38.3
T. 1, R. 13, corner of secs. 1, 2, 31, and 32; T road south	40 14 57.9	84 07 48.6
T. 1, Rs. 12 and 13, corner of sees. 1, 6, 7, and 12.	40 14 09.3	84 09 03.3
T road west of schoolhouse	40 13 50.1 40 14 07.0 40 14 38.7	84 09 39.6 84 11 22.7
Sidney, 3 miles south of; center of bridge over Miami River	40 14 38.7	84 10 58.4
Shelby County infirmary, 0. 2 mile southwest of, 20 feet east and 10 feet south of	40 14 52.9	84 12 22.4
T. 7 N R. 6 E., quarter corner between secs. 16 and 17: T road west.	40 14 32. 9 40 14 11.6	84 13 30.6
T road west vest of the content of t	40 14 10.0	84 14 33.5
Along highways near west border of quadrangle.		· · · · · · · · · · · · · · · · · · ·
T 1 R 12 corner of secs. 16 17 22 and 23: T road west	40 12 31 3	84 11 29.8
T. 1, R. 12, corner of secs. 15, and 21; Miami-Shelby county line	40 11 39.3	84 11 34.9
T. 1, R. 12, corner of secs. 14, 15, 20, and 21; crossroads	40 10 46.9	84 11 40.
T. 1, R. 12, corner of secs. 13, 14, 19, and 20; I road east	40 09 53.0	84 11 45.6
20 feet south and 20 feet west to south corner of secs. 13 and 19, T. 1, R. 12; iron		· ·
post stamped "Prim. Trav. Sta. No. 37. Ohio, 1909"	40 09 00.5	84 11 50.8
T. 1, R. 12, corner of secs. 19 and 25; I road north	40 09 04.3	84 12 59.3 84 14 21.8
T. 1, R. 11, corner of secs. 17, 18, 23, and 24, near schoolhouse No. 1; crossroads	40 08 07.8	84 11 51.9
T. 1, R. 11, corner of secs. 16, 17, 22, and 23; crossroads	40 07 15.8	84 11 55.6
T. 1, R. 11, corner of secs. 15, 10, 21, and 22; crossroads	40 06 24.1	84 12 00.1 84 13 08.5
Covered bridge crossing east-west road and electric railway	40 06 28.2	84 13 55.1
Milestone marked "P. 4, T. 3," on west side of pike	40 05 12.7	84 13 23.1 84 12 50.2
Troy, McKay Avenue crossing on Cincinnati, Hamilton & Dayton Ry	40 62 24.0	84 12 50.4
T. 1, R. 12, corner of secs. 16, 17, 22, and 23; T road west. T. 1, R. 12, corner of secs. 15, and 21; Miami-Shelby county line. T. 1, R. 12, corner of secs. 14, 15, 20, and 21; crossroads. T. 1, R. 12, corner of secs. 13, 14, 19, and 20; T road east. Piqua, 2 miles east of, at northeast corner of T road north near schoolhouse No. 7, 20 feet south and 20 feet west to south corner of secs. 13 and 19, T. 1, R. 12; iron post stamped "Prim. Trav. Sta. No. 37. Ohlo, 1909". T. 1, R. 12, corner of secs. 19 and 25; T road north. Piqua, crossing of Main and Ash streets. T. 1, R. 11, corner of secs. 17, 18, 23, and 24, near schoolhouse No. 1; crossroads. T. 1, R. 11, corner of secs. 16, 17, 22, and 23; crossroads. T. 1, R. 11, corner of secs. 15, 16, 21, and 22; crossroads. T. 1, R. 11, corner of secs. 21, 22, 27, and 23; crossroads. Covered bridge crossing east-west road and electric railway. Milestone marked "P. 4, T. 3," on west side of pike. Milestone marked "P. 7, T. 1," 15 feet north of; center of T road west. Troy, McKay Avenue crossing on Cincinnati, Hamilton & Dayton Ry. North-south crossing on Cincinnati, Hamilton & Dayton Ry. Tps. 4 and 5 N., R. 6 E., corner of secs. 4, 5, 32, and 33; crossroads.	40 01 35.0 40 00 37.6	84 13 04.4 84 13 11.4
Along highways east-west through center of quadrang		1
	40.00.70.0	T 04 40 40 4
T. 1, H. 12, corner of secs. 7 and 13	40 08 50.2	84 10 42.1 84 09 35.7
Tps. 1 and 2, R. 12, south corner of secs. 1 and 31	40 08 48.4	84 08 26.0
Tps. 1 and 2, R. 11, north corner of secs. 6 and 36.	40 08 48.3	84 08 23.0
T. 2, R. 12, south corner of secs. 25 and 31	40 08 44.4	84 07 17.7 84 07 14.0
T. 2, R. 12, south corner of secs. 19 and 25; T road north.	40 08 40.5	84 06 10.0
Fletcher, 0.5 mile east of, southeast corner of T road south, 20 feet south and 30]
Tray, Sta. No. 41. Ohio, 1909"	40 08 40.1	84 06 06.0
T. 2, R. 12, south corner of sees. 13 and 19; T road north near schoolhouse	40 08 36.6	84 05 01.6
T. 2, R. 11, north corner of secs. 18 and 24; T road south near schoolhouse	40 08 36.5	84 05 00.0 84 03 53.3
T. 2. R. 11, north corner of secs. 12 and 18; T road south	40 08 32. 7	84 03 52.6
T. 1, R. 12, corner of secs. 7 and 13 Old cemetery, T road north. Tps. 1 and 2, R. 12, south corner of secs. 1 and 31. Tps. 1 and 2, R. 11, north corner of secs. 6 and 36. T 2, R. 12, south corner of secs. 25 and 31. T. 2, R. 12, south corner of secs. 39 and 36. T. 2, R. 12, south corner of secs. 39 and 36. T. 2, R. 12, south corner of secs. 19 and 25; T road north. Fletcher, 0.5 mile east of, southeast corner of T road south, 20 feet south and 30 feet east of north corner of secs. 24 and 30, T. 2, R. 11; iron post stamped "Prim. Tray. Sta. No. 41. Ohio, 1909". T. 2, R. 12, south corner of secs. 13 and 19; T road north near schoolhouse. T. 2, R. 12, south corner of secs. 18 and 24; T road south near schoolhouse. T. 2, R. 11, north corner of secs. 12 and 18; T road north. T. 2, R. 11, north corner of secs. 12 and 18; T road south. T. 2, R. 11, north corner of secs. 12 and 18; T road south. T. 2, R. 11, north corner of secs. 12 and 18; T road south. T. 2, R. 11, north corner of secs. 12 and 18; T road south. T. 2, R. 11, north corner of secs. 10 and 10; T road north. T. 2, R. 11, north corner of secs. 10 and 10; T road north. T. 2, R. 11, north corner of secs. 10 and 10; T road north. T. 2, R. 11, north corner of secs. 10 and 10; T road north. T. 2, R. 11, north corner of secs. 10 and 10; T road north. T. 2, R. 11, north corner of secs. 10 and 10; T road north. T. 2, R. 11, north corner of secs. 10 and 10; T road north. T. 2, R. 11, north corner of secs. 10 and 10; T road north.	40 08 29.1 40 08 25.2	84 02 44.0 84 01 36.2
Along highways near southeast corner of quadrangle		1
Alcony, crossroads 1 mile east of.	40 00 34.0	84 02 33.6
Alcony, crossroads 1 mile east of	40 00 07.8	84 01 12.8

Magnetic declination for north border, 0° 13′ E.; for east border, 0° 02′ W.; for west border, 0° 12′ E.; for center line, 0° 01′ E.

UPPER SANDUSKY QUADRANGLE.

From milepost 63 along Hocking Valley Ry. to a point near Carey.

Stations.	Latitude.	Longitude.
Milepost 63, crossing, 1, 180 feet north of	0 / // 40 47 19.8 40 49 14.8	83 17 12.1 83 17 31.4
of Pennsylvania and Hocking Valley railroads, 11 feet east of Hocking Valley Ry., limestone post 38 by 6 by 6 inches, set 34 inches in ground; copper bolt cemented in center of top. Upper Sandusky station. T. 2 S., R. 14 E., west corner of secs. 19 and 30. Crossing at flag station. Crawford station, crossing. Carey station, crossing south of. Carey, south azimuth stone, in south abutment of bridge north of station, 4 feet	40 49 28.6 40 49 30.0 40 50 49.7 40 53 26.8 40 55 05.2 40 57 04.2	83 17 31.3 83 17 31.3 83 18 16.6 83 19 54.7 83 21 03.8 83 22 28.3
east of east rail; copper boft sunk and cemented in second stone. Azimuth, 151° 40' vo north mark. Carey, north azimuth stone, 339 feet north of Cleveland, Cincinnati, Chicago & St. Louis Ry. crossing, 8 feet southeast of Northern Ohio Ry. crossing, 3\frac{1}{2} feet east of east rail on Hocking Valley Ry., marble post 24 by 8 by 8 inches, set 24 inches in ground; copper bolt cemented in center of top. Quarter corner north of sec. 5 on base line, R. 13 E.	40 57 10.3 40 57 22.9	83 22 32.6 83 22 41.5 83 23 49.1
Along highways near east border of quadrangle.		<u>. </u>
T. 2 S., R. 14 E., quarter corner between secs. 28 and 33. T. 2 S., R. 14 E., quarter corner between secs. 16 and 21 Roads east, west, north, and south. Roads north, west, and south. McCutchenville, crossing of Main Street and Perrysburg road.	40 49 58. 4 40 51 42. 9 40 52 35. 4 40 54 32. 3 40 59 26. 6	83 15 22.5 83 15 23.2 83 15 04.2 83 15 24.6 83 15 36.6
Along highways near north and west borders of quadra	angle.	
T.1 N., Rs. 13 and 14 E., quarter corner between secs. 31 and 36. Tps. 1 N. and 1 S., Rs. 13 E., corner of secs. 3, 4, 33, and 34. Tps. 1 N. and 1 S., Rs. 12 and 13 E., corner of secs. 1, 6, 31, and 36. Roads northeast and southwest. Vanlue, in northwest part of; Main Street crossing on Cleveland, Cincinnati, Chicago & St. Louis Ry. T.1 S., R. 12 E., quarter corner between secs. 16 and 21. T.1 S., R. 12 E., quarter corner between secs. 28 and 33. T.2 S., R. 12 E., quarter corner between secs. 4 and 9. Roads northeast and southwest. Crossing of northeast-southwest road.	40 59 32.3 40 59 30.9 40 59 28.1 40 58 32.6 40 56 53.5 40 55 09.2 40 53 24.7	83 29 10.3 83 29 10.3 83 29 10.7

VANCEBURG QUADRANGLE.

Along highways from Buena Vista north along east border of quadrangle to Pink.

Stations.	Latit	tude.	Lon	gitı	ude.
Buena Vista, 0.5 mile east of, in northwest corner of crossroads, 30 feet east to center of crossroads; iron post stamped "Prim. Trav. Sta. No. 9. Ohio, 1910". Scioto-Adams county line, 10 feet south to sycamore tree. Stone quarry, forks of road, 15 feet to guy wire of derrick. Forks of road, about 35 feet northwest of, corner of fence; cross cut on corner board. Forks of trail on top of hill. Upper Twin Creek-Churn Creek road, at road south, on divide between creeks. Schoolhouse, northeast corner of. Forks of road at junction of State Fork and Churn Creek at Lee Cooper's farm, 15 feet east to sycamore tree at west end of foot log. Lower Churn Creek schoolhouse, southwest corner of, at forks of road.	38 37 38 38 38 39 38 40 38 41 38 42 38 43	752. 4 524. 3 08. 0 28. 5 33. 2 25. 8 28. 6 04. 6 54. 4	83 83 83 83 83 83 83	16 16 18 16 16 17 18	16.8 06.9 47.0 15.7 52.1 50.9 26.4 18.0 02.3

VANCEBURG QUADRANGLE-Continued.

Along highways from adjusted position at Buena Vista west via Rome to Wrightsville.

Stations.	Latitude	. Longitude.
Scioto-Adams county-line monument, on north side of Buena Vista-Rome pike. Foster's residence, 300 feet west of; stone monument on south side of road. Sandy Springs Church crossroads, 5 feet north to large white-oak tree. Sandy Springs Church, 1.3 miles north and 0.8 mile west of road northeast, 5 feet northwest to telephone pole. Forks of road east of small creek, walled spring. Stout (Rome), near southeast corner of cross streets, east of town pump, 50 feet west and 30 feet north to center of crossroads; iron post stamped "Prim. Trav. Sta. No. 16. Ohio, 1910". Stout Run, center of steel bridge over. Stout, 1.5 miles west of; road north, 20 feet east and 5 feet north to telephone pole. Lockhart schoolhouse, No. 5, center of pike. Brush Creek Bridge, 0.5 mile north of; center of small triangle in forks of pike.	38 36 26. 38 36 41. 38 37 53. 38 38 14. 38 39 50. 38 40 02. 38 40 11. 38 40 56.	83 17 30.4 83 17 54.3 9 83 18 42.1 83 19 22.1 5 83 22 51.8 8 83 23 20.5 2 83 24 23.5 2 83 25 49.0 5 83 27 14.1

Magnetic declination of line, 0° 59′ E. at the north, 1° 10′ E. at the south.

Magnetic declination of west half of north border of quadrangle, 0° 01′ E.; east half,
1° 43′ E.; for east border, 1° 02′ W.

VAN WERT QUADRANGLE. Along Cincinnati Northern R. R.

Along Cincinnati Northern R. R.			
Stations.	Latitude.	Longitude.	
Pipe line and road crossing. Ohio City, Toledo, St. Louis & Western R. R. crossing. Ohio City, crossing of telephone line and street.	0 / // 40 45 24.7 40 46 12.0	84 37 10.5 84 36 51.1	
Ohio City, crossing of telephone line and street. Road crossing east-west. Road crossing east-west 100 feet west of pike. Road crossing east-west 100 feet west of pike. Van Wert, crossing of main road in southwest part of town.		84 36 49.0 84 36 27.7 84 36 06.3 84 35 26.4	
Van Wert, Pennsylvania R. R. crossing.	40 52 49.3	84 35 26.0 84 35 26.4 84 35 18.5 84 34 52.6	
Bridge, east-west road crossing 300 feet west of Bridge, east-west road crossing 400 feet west of Cavett station, road crossing Road crossing east-west Sawmill, east-west road crossing Scott, east-west road crossing	40 55 02.3 40 56 20.8 40 56 46.9 40 57 38.3	84 34 52.9 84 34 53.6 84 34 53.8 84 34 54.2	
Sawmill, east-west road crossing Scott, east-west road crossing	40 58 31.5 40 59 23.9	84 34 54.6 84 34 54.8	
Along highways near south border of quadrangle.			
T. 3 S., R. 1 E., quarter corner between secs. 27 and 28, near schoolhouse; cross-roads T. 3 S., R. 1 E., quarter corner between secs. 26 and 27, 0.5 mile south of Schumm;	40 44 59.9	84 44 46.2	
crossroads. T road east. T 3.5. B. 3 E. corner of secs. 21, 22, 27, and 28, near church; crossroads.	40 44 59.2 40 45 39.4 40 45 26.2 40 45 25.7	84 43 37.1 84 30 14.9 84 30 48.8 84 31 57.3	
T. 3 S., R. 3 E., corner of secs. 20, 21, 28, and 29. T. 3 S., R. 3 E., corner of secs. 19, 20, 29, and 30; T road east. T. 3 S., R. 3 E., west corner of secs. 19 and 30. T. 3 S., R. 2 E., east corner of secs. 24 and 25; T road west. T. 3 S., R. 2 E., at corner of secs. 24, 25, and 26; crossroads. T. 3 S., R. 2 E., corner of secs. 22, 24, 25, and 27; crossroads. Ohio City, 1 mile south of; crossing of Cincinnati Northern R. R.	40 45 25.9	84 33 06.0 84 34 16.1 84 34 16.2 84 35 25.5 84 36 33.9 84 37 10.5	
Ohio City, 1 mile south and 0.5 mile west of, at northeast corner of crossroads, 30 feet west and 20 feet south to center of crossroads; iron post stamped "Prim. Trav. Sta. No. 15. Ohio, 1909". T. 3 S., R. 2 E., corner of secs. 21, 22, 27, and 28; T road north. T. 3 S., R. 2 E., corner of secs. 20, 21, 28, and 29; north-south fence. T. 3 S., R. 2 E., corner of secs. 19, 20, 29, and 30; T road north. T. 3 S., R. 2 E., west corner of secs. 19 and 30; T road east. T. 3 S., R. 1 E., east corner of secs. 24 and 25. T. 3 S., R. 1 E., corner of secs. 23, 24, 25, and 26.	40 45 24.4 40 45 24.1 40 45 23.9 40 45 24.2	84 37 32.5 84 37 42.6 84 38 50.5 84 39 59.1	
T. 3 S., R. 2 E., west corner of secs. 19 and 30; T road east. T. 3 S., R. 1 E., east corner of secs. 24 and 25. T. 3 S., R. 1 E., corner of secs. 23, 24, 25, and 26. Schumm, 25 feet west and 25 feet south to Toledo, St. Louis & Western Ry. crossing; iron post stamped "Prim Trav. Sta. No. 16. Ohio, 1909".	40 45 24.1 40 45 24.6 40 45 25.3 40 45 25.7	84 41 18.4 84 41 18.4 84 42 27.3 84 43 36.7	
mb, non possessmipou i i im i iuv. Dom: iv. to. Onio, i voi vi	-5 10 20.1	31 10 30.	

VAN WERT QUADRANGLE—Continued. Along highways near west border of quadrangle.

Stations.	Latitude.	Longitude.
	0 / //	0 / //
T. 3 S., R. 1 E., corner of secs. 14, 15, 22, and 23; crossroads	40 46 17.6	84 43 36.8
T. 3 S., R. 1 E., corner of secs. 10, 11, 14, and 15; crossroads	40 47 00.0	
T.3 S., R.1 E., corner of secs. 2, 3, 10, and 11; crossroads	40 48 02.4	
T. 3 S., R. 1 E., north corner of secs. 2 and 3	40 48 54.4	84 43 36.4
T. 3 S., R. 1 E., north corner of secs. 2 and 3. T. 2 S., R. 1 E., south corner of secs. 34 and 35; T road north	40 48 54.4	
T. 3 S., R. 1 E., north corner of secs. 1 and 2, just west of crossroads	40 48 54.4	
T. 2 S., R. 1 E., south corner of secs. 35 and 36.	40 48 54.5	84 42 26.2
T. 2 S., R. 1 E., quarter corner between secs. 25 and 26; crossroads	40 50 13.1	84 42 25.6
T. 2 S., R. 1 E., corner of secs. 13, 14, 23, and 24, near church and schoolhouse;		
	40 51 31.9	84 42 25.1
crossroads. Convoy, 3.25 miles south of; crossroads.	40 52 11.1	84 42 25.1
T. 2 S., R. 1 E., near schoolhouse, 20 feet south and 20 feet west of corner of secs.		
1, 2, 11, and 12, in southwest corner of crossroads; iron post stamped "Prim.		
Trav. Sta. No. 17. Ohio, 1909"	40 53 16.4	84 42 25.7
T. 2 S., R. 1 E., north cornér of secs. 1 and 2, near crossroads.	40 54 08.8	84 42 25.9
T. 1 S., R. 1 E., south corner of secs. 35 and 36, near crossroads.	40 54 06.6	84 42 24.9
Tps. 1 and 2 S., R. 1 E., corner of secs. 2, 3, 34, and 35; T road north	40 54 08.8	84 43 34.1
T.1S., R.1E., corner of secs. 26, 27, 34, and 35; crossroads	40 55 01.1	84 43 34.0
T. 1 S., R. 1 E., corner of secs. 14, 15, 22, and 23; crossroads.	40 56 45.8	84 43 34 1
T. 1 S., R. 1 E., corner of secs. 10, 11, 14, and 15; crossroads	40 57 38.2	84 43 34.0
T.1S., R.1E., corner of secs. 2, 3, 10, and 11; crossroads	40 58 30.6	84 43 34.2
Tps. 1 S. and 1 N., R. 1 E., corner of secs. 2, 3, 34, and 35; crossroads, at Paulding-		
Van Wert county line	40 59 22.6	84 43 34.5
·		<u> </u>

Magnetic declination for south border, 0° 11' E.; for west border, 0° 13' E.

VERMILION QUADRANGLE. Near Camden triangulation station.

Stations.	L	atit	ude.	Lo	ngi	tude.
Lake Shore & Michigan Southern Ry., road crossing on	41	16	04.3 25.8	82	18	07. 9 45. 86
Along highways near Townsend triangulation station of United Sta	tes	La	ke Sı	ırve	y.	
Townsend triangulation station of United States Lake Survey. Lake Shore & Michigan Southern Ry., road crossing on	41 41	15 15	43. 26 29. 0	82 82	28 29	59.77 30.2
Along highways near Brownhelm triangulation station	a.					
Crossing on Lake Shore & Michigan Southern Ry. at stone quarry No. 6. Crossing on Lake Shore & Michigan Southern Ry. at stone quarry No. 6. Crossroads. Shore Rice, in front of machine shop. T. 6, R. 19, corner of lots 38, 39, 42, and 43, Brownhelm post office. Brownhelm, U. S. Lake Survey triangulation station.	41 41 41 41	$\begin{array}{c} 22 \\ 22 \\ 22 \\ 23 \end{array}$	09. 7 14. 1 42. 8 46. 3 20. 9 18. 24	82 82 82 82	15 15 15 16	10. 2 10. 1 9. 8 26. 1 57. 3 27. 89

WARREN QUADRANGLE.

Along highways near south border of quadrangle.

Stations.	Lat	itude.	L	ong	itude.
Christie's pottery, crossroads 1 mile north of, 35 feet north to cross on board	0 /	"	•	,	,,
fence, 39 feet north to corner fence post	41 0	0 37.1	8	30 5	9 10 7
Berlin Center, crossroads, 1.75 miles west of; schoolhouse, 31 feet southwest to guidepost, 27 feet southeast to A. L. Bardos's mail box. Berlin Center, crossroads, 24 feet southeast to pump, 90 feet northeast to corner	41 0	1 28.1	, 8	30 5	9 11.4
ed atoma morah	41 0	1 28.6	ع [30 5	6 52.2
or score porch Berlin Center, Pennsylvania R. R., east-west road crossing 1 mile east of. Berlin Center, 2 miles east of, in southwest corner of H. C. Beardsley's farm at crossroads, nail in root of hickory tree bears north 57° 30′ E., distant 24.3 feet, nail in root of hickory tree bears N. 26° 30′ W., distant 8.5 feet; iron post		1 28.5	`		5 33.7
stamped "Prim. Trav. Sta. No. 39". Ellsworth, crossroads, 40 feet southwest to guidepost, 100 feet northeast to iron	41 0	1 27.3	{	30 5	4 20.8
pump. Meander Creek, center of bridge over T road south, 42 feet northwest to Peach Hill Coal Co.'s mail box, 32 feet north		1 28.0 1 29.8			1 27.0 0 18.2
to cross on picket fence. Canfield, crossroads 1.5 miles west of; 40 feet southwest to guidepost, 36 feet	41 0	1 28.7	8	80 4	8 34.1
southeast to mail box. Canfield, west end of stone water trough at crossroads.	41 0 41 0	1 29.3 1 29.4			7 16.2 5 38.6

WARREN QUADRANGLE-Continued.

Along highways near east border of quadrangle.

	1	
Stations.	Latitude.	Longitude.
Canfield, crossroads 1 mie north of; 43 feet southwest to guidepost, 36 feet northeast to telephone pole. Canfield, T road west 2 miles north of, 36 feet southwest to corner of hedge fence, 45 feet northwest to hickory post. Smith corners, crossroads, 17 feet southeast to guidepost, 52 feet northeast to churchyard gate. Austintown, crossroads 1 mile south of, 33 feet southeast to corner of yard fence, 35 feet southwest to telephone pole. Austintown, iron pump at crossroads. National Sandstone plant, road crossing tramway to. Ohlstown, road crossing on Erie R. R. Mineral Ridge, in southeast corner of E. R. Edwards's farm on west side of road, northeast corner of Andrew Armalio's residence, bears S. 58° W., distant 20.1 feet, southwest corner of Fer. R. depot, bears N. 2° E., distant 355 feet; iron post stamped "Prim. Trav. Sta. No. 40". Crossing of east-west road Crossing of Niles-Mineral Ridge pike Niles, crossing of Erie R. R. (branch) and Baltimore & Ohio Southwestern R. R. Niles, Cedar Street and Vienna Avenue, 21 feet west to stone hitching post, 45 feet northeast to telephone pole. Crossroads.	41 02 39.2 41 03 20.4 41 04 08.4 41 05 02.6 41 05 58.6 41 06 50.2 41 07 18.8 41 08 19.3 41 08 59.3 41 10 34.0 41 11 22.6 41 12 19.4 41 13 26.2	80 45 38.4 80 45 38.3 80 45 42.0 80 45 46.0 80 45 50.0 80 46 26.1 80 46 47.8 80 46 26.0 80 46 35.6 80 46 35.6 80 46 35.8 80 45 20.3 80 45 11.9 80 44 25.2
Along Erie R. R. near Canfield.		
Canfield, in town park, cross on southwest corner of water trough bears N. 2° 50′ E., distant 32.15 feet, cross on northeast corner of foundation of Farmers National Bank bears N. 47° W., distant 148.4 feet; iron post stamped "Prim. Trav. Sta. No. 143". Canfield, T road east 1 mile south of, 19 feet northeast to end of culvert, 58 feet southeast to cross on telephone pole. Along Erie R. R. near north border of quadrangle.	41 01 26.1 41 00 19.9	80 45 38.6 80 45 38.7
Phalanx station, in southeast corner of G. W. Strong's yard, southeast corner of foundation of Strong's house bears N. 24° 20′ W., distant 95.5 feet, north rail of north track of Erie R. R. at road crossing bears S. 6° 40′ E., distant 157.5 feet; iron post stamped "Prim. Trav. Sta.". Phalanx station, road crossing 1 mile east of. Milepost 48, road crossing 400 feet east of. Milepost 49, road crossing 1,200 feet west of. Leavittsburg, road crossing 1st west of station. Milepost 51, road crossing 500 feet east of. Warren Tile Co., crossing of north-south road.	41 14 55.7 41 14 37.1 41 14 22.8 41 14 17.9 41 14 15.7 41 14 09.7 41 14 01.5	80 57 17.3 80 56 04.4 80 55 03.5 80 54 18.5 80 52 50.3 80 51 38.3 80 50 09.7
Along highways near Warren.		
Warren, copper bolt in south meridian stone in courthouse yard. Warren, Market Street crossing on Baltimore & Ohio R. R. Mosquito Creek, crossroads 0.5 mile west of; 30 feet north to mail box, 36 feet southeast to mail box.	41 14 11.6 41 14 10.8 41 14 13.8	80 49 06.8 80 48 13.0 80 45 58.0
Along Lake Erie, Alliance & Wheeling R. R.		
Briceville, crossing of Lake Erie, Alliance & Wheeling and Erie railroads	41 13 45.6 41 13 16.3 41 11 55.6 41 11 16.5 41 10 34.5	80 57 31.1 80 57 43.6 80 58 03.2 80 58 21.7 80 59 01.7

WAUSEON QUADRANGLE. Along Lake Shore & Michigan Southern Ry. and highways.

Stations.	Latitude.	Longitude
!	0 , ,,	., ,,
Delta, road crossing west of. Delta, road crossing west of. Crossing of northeast-southwest road. Gileposts 27 and 28, north-south road crossing between. Gileposts 28 and 29, north-south road crossing between. Gileposts 29 and 30, north-south road crossing between. Gileposts 31 and 32, north-south road crossing between. Gileposts 32 and 33, north-south road crossing between. Gileposts 32 and 33, north-south road crossing between. Wauseon, main street crossing. Wauseon station.	41 34 13.4	84 00 01.
Delta, road crossing west of	41 34 11.7	84 00 11.
crossing of northeast-southwest road	41 34 01.8	84 01 13.
dileposts 27 and 28, north-south road crossing between	41 33 51.8	84 02 14.
Alleposts 28 and 29, north-south road crossing between	41 33 40.6	84 03 23.
Alleposts 29 and 30, north-south road crossing between	41 33 29.2	84 04 33.
Alleposts 31 and 32, north-south road crossing between.	41 33 06.6 41 32 55.1 41 32 51.1	84 06 52.
Alleposts 32 and 33, north-south road crossing between	41 32 55.1	84 08 02. 84 08 27.
vauseon, main street crossing	41 32 51.1	84 08 27. 84 08 35.
Wauseon station Wauseon, crossing of Lake Shore & Michigan Southern Ry, and Detroit, Toledo & Ironton Ry. Wauseon, north-south road crossing at cemetery.	41 32 49.7	84 08 33.
& Ironton By	41 32 47, 2	84 08 51.
Vaugaan north-gouth road crossing at camatary	41 32 44.0	84 09 11.
Wilenost 34 east-west road crossing at centeroly	41 32 37 5	84 09 50.
filenosts 34 and 35 north-south road crossing between	41 32 32 7	84 10 20.
Mileposts 35 and 36, north-south road crossing between	41 32 21 4	84 11 29.
dileposts 36 and 37, north-south road crossing between	41 32 10.0	84 12 39.
Alleposts 37 and 38, north-south road crossing between	41 31 59.3	84 13 44.
dileposts 38 and 39, north-south road crossing between	41 31 48.0	84 14 53.
1. 9 S., R. 3 E., corner of secs. 2, 3, 10, and 11	41 42 50.3	84 02 13.
P. 9 S., R. 3 E., corner of secs. 5, 6, 7, and 8	41 42 47.3	84 05 43.
Ohio-Michigan State line	41 42 46.5	84 05 43. 84 07 10. 84 08 37.
choolhouse, road crossing	41 42 14.8	84 08 37.
1. 9 S., R. 2 E., corner of secs. 3, 4, 9, and 10; State line	41 42 40.4	84 10 22.
1. 9 S., R. 2 E., corner of secs. 8, 9, 16, and 17.	41 41 48.5	84 11 30.
2. 9 S., Rs. 1 and 2 E., corner of secs. 7, 18, 13, and 12.	41 41 47.4	84 13 49.
Litters, 1.5 miles southeast of, in northwest corner of Hewey Sutton's front yard;		Ĩ
northwest corner of Sutton's house pears S. 79° E., distant 181.2 feet; east rail		
Officer Trans Sta No. 24 1005?	41 41 47 0	84 14 57.
C O C D 1 E corner of seeg 13 14 23 and 24	41 41 47.0	84 14 56.
0 S D 1 E corner of coog 25 26 25 and 26	41 30 00 1	84 14 54.
7 10 S R 1 E corner of secs 1 2 11 and 12	41 37 24 1	84 14 52.
7. 7 N. B. 5 E. corner of secs. 1. 2. 11. and 12.	41 35 12.3	84 14 56.
7 7 N. R. 5 E., corner of secs. 13, 14, 23, and 24	41 33 27 8	81 14 55.
7. 6 N., R. 5 E., corner of secs. 1, 2, 11, and 12.	41 30 00.5	84 11 53.
F. 6 N., R. 5 E., corner of secs. 1, 2, 11, and 12. F. 9 S., R. 1 E., south corner of secs. 1 and 2; center of crossroads.	41 30 00.5 41 42 39.6	84 11 53. 84 14 58.
& Ironton Ry. Wauseon, north-south road crossing at cemetery. dileposts 34, east-west road crossing at. dileposts 34 and 35, north-south road crossing between. dileposts 35 and 36, north-south road crossing between. dileposts 36 and 37, north-south road crossing between. dileposts 37 and 38, north-south road crossing between. dileposts 38 and 39, north-south road crossing between. dileposts 38 and 39, north-south road crossing between. dileposts 38 and 39, north-south road crossing between. 1. 9 S. R. 3 E., corner of secs. 2, 3, 10, and 11. 1. 9 S. R. 3 E., corner of secs. 5, 6, 7, and 8. Dhio-Michigan State line. choolhouse, road crossing. 1. 9 S. R. 2 E., corner of secs. 3, 4, 9, and 10; State line. 1. 9 S. R. 2 E., corner of secs. 8, 9, 16, and 17. 1. 9 S. R. 1 and 2 E., corner of secs. 7, 18, 13, and 12. Ritters, 1.5 miles southeast of, in northwest corner of Hewey Sutton's front yard; northwest corner of Sutton's house bears S. 79° E., distant 181.2 feet; east rail of electric railway at crossing bears N. 67° W., distant 69 feet; iron post stamped "Prim. Trav. Sta. No. 24, 1905" 1. 9 S. R. 1 E., corner of secs. 13, 14, 23, and 24. 1. 9 S. R. 1 E., corner of secs. 12, 2, 11, and 12. 1. 7 N., R. 5 E., corner of secs. 1, 2, 11, and 12. 1. 7 N., R. 5 E., corner of secs. 1, 2, 11, and 12. 1. 7 N., R. 5 E., corner of secs. 1, 2, 11, and 12. 1. 9 S., R. 1 E., corner of secs. 1, 2, 11, and 12. 1. 9 S., R. 1 E., corner of secs. 1, 2, 11, and 12. 1. 9 S., R. 1 E., corner of secs. 1, 2, 11, and 12. 1. 9 S., R. 1 E., corner of secs. 1, 2, 11, and 12. 1. 10 S., R. 1 E., corner of secs. 1, 2, 11, and 12. 1. 2 N., R. 5 E., corner of secs. 1, 2, 11, and 12. 1. 3 N., R. 5 E., corner of secs. 1, 2, 11, and 12. 1. 4 N., R. 5 E., corner of secs. 1, 2, 11, and 12. 1. 5 N., R. 5 E., corner of secs. 1, 2, 11, and 12. 1. 6 N., R. 5 E., corner of secs. 1, 2, 11, and 12. 1. 7 N., R. 5 E., corner of secs. 1, 2, 11, and 12. 1. 8 N., R. 1 E., corner of secs. 1, 2, 11, and 12. 1. 9 S., R. 1 E., corner	41 30 00.5 41 42 39.6	84 11 53. 84 14 58.
Along highways on south border of quadrangle.		
Along highways on south border of quadrangle. C. 6 N., R. 7 E., corner of secs. 2, 3, 10, and 11; crossroads, 22 feet southwest to south end of culvert. 41 feet southeast to cross on corner fence post.	41 30 00.5 41 42 39.6 41 30 03.9	84 11 53. 84 14 58. 84 02 14.
Along highways on south border of quadrangle. C. 6 N., R. 7 E., corner of secs. 2, 3, 10, and 11; crossroads, 22 feet southwest to south end of culvert. 41 feet southeast to cross on corner fence post.	41 30 03.9	84 02 14.
Along highways on south border of quadrangle. 1.6 N., R. 7 E., corner of secs. 2, 3, 10, and 11; crossroads, 22 feet southwest to south end of culvert, 41 feet southeast to cross on corner fence post		
Along highways on south border of quadrangle. C. 6 N., R. 7 E., corner of secs. 2, 3, 10, and 11; crossroads, 22 feet southwest to south end of culvert, 41 feet southeast to cross on corner fence post C. 6 N., R. 7 E., corner of secs. 3, 4, 9, and 10; crossroads, 39 feet southeast to cross on corner fence post, 45 feet southwest to C. S. Frederick's mail box	41 30 03.9 41 30 01.2	84 02 14. 84 03 23.
Along highways on south border of quadrangle. C. 6 N., R. 7 E., corner of secs. 2, 3, 10, and 11; crossroads, 22 feet southwest to south end of culvert, 41 feet southeast to cross on corner fence post C. 6 N., R. 7 E., corner of secs. 3, 4, 9, and 10; crossroads, 39 feet southeast to cross on corner fence post, 45 feet southwest to C. S. Frederick's mail box	41 30 03.9	84 02 14. 84 03 23.
Along highways on south border of quadrangle. C. 6 N., R. 7 E., corner of secs. 2, 3, 10, and 11; crossroads, 22 feet southwest to south end of culvert, 41 feet southeast to cross on corner fence post C. 6 N., R. 7 E., corner of secs. 3, 4, 9, and 10; crossroads, 39 feet southeast to cross on corner fence post, 45 feet southwest to C. S. Frederick's mail box	41 30 03.9 41 30 01.2	84 02 14. 84 03 23.
Along highways on south border of quadrangle. C. 6 N., R. 7 E., corner of secs. 2, 3, 10, and 11; crossroads, 22 feet southwest to south end of culvert, 41 feet southeast to cross on corner fence post. C. 6 N., R. 7 E., corner of secs. 3, 4, 9, and 10; crossroads, 39 feet southeast to cross on corner fence post, 45 feet southwest to G. S. Frederick's mail box. C. 6 N., R. 7 E., corner of secs. 4, 5, 8, and 9; crossroads, 34 feet southeast to cross on corner fence post, 48 feet southwest to cross on fence post. C. 6 N., R. 7 E., corner of secs. 5, 6, 7, and 8; crossroads at schoolhouse, 33 feet northeast to T. L. Ammand's mail box. 35 feet northwest to cross on telephone	41 30 03.9 41 30 01.2 41 30 01.1	84 02 14. 84 03 23. 84 04 34.
Along highways on south border of quadrangle. C. 6 N., R. 7 E., corner of secs. 2, 3, 10, and 11; crossroads, 22 feet southwest to south end of culvert, 41 feet southeast to cross on corner fence post. C. 6 N., R. 7 E., corner of secs. 3, 4, 9, and 10; crossroads, 39 feet southeast to cross on corner fence post, 45 feet southwest to G. S. Frederick's mail box. C. 6 N., R. 7 E., corner of secs. 4, 5, 8, and 9; crossroads, 34 feet southeast to cross on corner fence post, 48 feet southwest to cross on fence post. C. 6 N., R. 7 E., corner of secs. 5, 6, 7, and 8; crossroads at schoolhouse, 33 feet northeast to T. L. Ammand's mail box. 35 feet northwest to cross on telephone	41 30 03.9 41 30 01.2	84 02 14.
Along highways on south border of quadrangle. C. 6 N., R. 7 E., corner of secs. 2, 3, 10, and 11; crossroads, 22 feet southwest to south end of culvert, 41 feet southeast to cross on corner fence post. C. 6 N., R. 7 E., corner of secs. 3, 4, 9, and 10; crossroads, 39 feet southeast to cross on corner fence post, 45 feet southwest to G. S. Frederick's mail box. C. 6 N., R. 7 E., corner of secs. 4, 5, 8, and 9; crossroads, 34 feet southeast to cross on corner fence post, 48 feet southwest to cross on fence post. C. 6 N., R. 7 E., corner of secs. 5, 6, 7, and 8; crossroads at schoolhouse, 33 feet northeast to T. L. Ammand's mail box. 35 feet northwest to cross on telephone	41 30 03.9 41 30 01.2 41 30 01.1 41 30 00.9	84 02 14. 84 03 23. 84 04 34. 84 05 43.
Along highways on south border of quadrangle. C. 6 N., R. 7 E., corner of secs. 2, 3, 10, and 11; crossroads, 22 feet southwest to south end of culvert, 41 feet southeast to cross on corner fence post. C. 6 N., R. 7 E., corner of secs. 3, 4, 9, and 10; crossroads, 39 feet southeast to cross on corner fence post, 45 feet southwest to G. S. Frederick's mail box. C. 6 N., R. 7 E., corner of secs. 4, 5, 8, and 9; crossroads, 34 feet southeast to cross on corner fence post, 48 feet southwest to cross on ence post. C. 6 N., R. 7 E., corner of secs. 5, 6, 7, and 8; crossroads at schoolhouse, 33 feet northeast to T. L. Ammand's mail box, 35 feet northwest to cross on telephone pole. C. 6 N., R. 6 E., east corner of secs. 1 and 12, 31 feet northwest to Val Snyder's mail box, 34 feet southwest to corner of rail fence.	41 30 03.9 41 30 01.2 41 30 01.1	84 02 14. 84 03 23. 84 04 34.
Along highways on south border of quadrangle. C. 6 N., R. 7 E., corner of secs. 2, 3, 10, and 11; crossroads, 22 feet southwest to south end of culvert, 41 feet southeast to cross on corner fence post. C. 6 N., R. 7 E., corner of secs. 3, 4, 9, and 10; crossroads, 39 feet southeast to cross on corner fence post, 45 feet southwest to G. S. Frederick's mail box. C. 6 N., R. 7 E., corner of secs. 4, 5, 8, and 9; crossroads, 34 feet southeast to cross on corner fence post, 48 feet southwest to cross on ence post. C. 6 N., R. 7 E., corner of secs. 5, 6, 7, and 8; crossroads at schoolhouse, 33 feet northeast to T. L. Ammand's mail box, 35 feet northwest to cross on telephone pole. C. 6 N., R. 6 E., east corner of secs. 1 and 12, 31 feet northwest to Val Snyder's mail box, 34 feet southwest to corner of rail fence. C. 6 N., R. 6 E., southwest corner of sec. 1, in southwest corner of schoolhouse	41 30 03.9 41 30 01.2 41 30 01.1 41 30 00.9	84 02 14. 84 03 23. 84 04 34. 84 05 43.
Along highways on south border of quadrangle. C. 6 N., R. 7 E., corner of secs. 2, 3, 10, and 11; crossroads, 22 feet southwest to south end of culvert, 41 feet southeast to cross on corner fence post. C. 6 N., R. 7 E., corner of secs. 3, 4, 9, and 10; crossroads, 39 feet southeast to cross on corner fence post, 45 feet southwest to G. S. Frederick's mail box. C. 6 N., R. 7 E., corner of secs. 4, 5, 8, and 9; crossroads, 34 feet southeast to cross on corner fence post, 48 feet southwest to cross on ence post. C. 6 N., R. 7 E., corner of secs. 5, 6, 7, and 8; crossroads at schoolhouse, 33 feet northeast to T. L. Ammand's mail box, 35 feet northwest to cross on telephone pole. C. 6 N., R. 6 E., east corner of secs. 1 and 12, 31 feet northwest to Val Snyder's mail box, 34 feet southwest to corner of rail fence. C. 6 N., R. 6 E., southwest corner of sec. 1, in southwest corner of schoolhouse	41 30 03.9 41 30 01.2 41 30 01.1 41 30 00.9	84 02 14. 84 03 23. 84 04 34. 84 05 43.
Along highways on south border of quadrangle. C. 6 N., R. 7 E., corner of secs. 2, 3, 10, and 11; crossroads, 22 feet southwest to south end of culvert, 41 feet southeast to cross on corner fence post. C. 6 N., R. 7 E., corner of secs. 3, 4, 9, and 10; crossroads, 39 feet southeast to cross on corner fence post, 45 feet southwest to G. S. Frederick's mail box. C. 6 N., R. 7 E., corner of secs. 4, 5, 8, and 9; crossroads, 34 feet southeast to cross on corner fence post. C. 6 N., R. 7 E., corner of secs. 5, 6, 7, and 8; crossroads at schoolhouse, 33 feet northeast to T. L. Ammand's mail box, 35 feet northwest to cross on telephone pole. C. 6 N., R. 6 E., east corner of secs. 1 and 12, 31 feet northwest to Val Snyder's mail box, 34 feet southwest to corner of rail fence. C. 6 N., R. 6 E., southwest corner of sec. 1, in southwest corner of schoolhouse	41 30 03.9 41 30 01.2 41 30 01.1 41 30 00.9 41 30 02.0	84 02 14. 84 03 23. 84 04 34. 84 05 43. 84 06 52.
Along highways on south border of quadrangle. C. 6 N., R. 7 E., corner of secs. 2, 3, 10, and 11; crossroads, 22 feet southwest to south end of culvert, 41 feet southeast to cross on corner fence post. C. 6 N., R. 7 E., corner of secs. 3, 4, 9, and 10; crossroads, 39 feet southeast to cross on corner fence post, 45 feet southwest to G. S. Frederick's mail box. C. 6 N., R. 7 E., corner of secs. 4, 5, 8, and 9; crossroads, 34 feet southeast to cross on corner fence post. C. 6 N., R. 7 E., corner of secs. 5, 6, 7, and 8; crossroads at schoolhouse, 33 feet northeast to T. L. Ammand's mail box, 35 feet northwest to cross on telephone pole. C. 6 N., R. 6 E., east corner of secs. 1 and 12, 31 feet northwest to Val Snyder's mail box, 34 feet southwest to corner of rail fence. C. 6 N., R. 6 E., southwest corner of sec. 1, in southwest corner of schoolhouse	41 30 03.9 41 30 01.2 41 30 01.1 41 30 00.9	84 02 14. 84 03 23. 84 04 34. 84 05 43. 84 06 52.
Along highways on south border of quadrangle. C. 6 N., R. 7 E., corner of secs. 2, 3, 10, and 11; crossroads, 22 feet southwest to south end of culvert, 41 feet southeast to cross on corner fence post. C. 6 N., R. 7 E., corner of secs. 3, 4, 9, and 10; crossroads, 39 feet southeast to cross on corner fence post, 45 feet southwest to C. S. Frederick's mail box. C. 6 N., R. 7 E., corner of secs. 4, 5, 8, and 9; crossroads, 34 feet southeast to cross on corner fence post, 48 feet southwest to cross on fence post. C. 6 N., R. 7 E., corner of secs. 5, 6, 7, and 8; crossroads at schoolhouse, 33 feet northeast to T. L. Ammand's mail box, 35 feet northwest to cross on telephone pole. C. 6 N., R. 6 E., east corner of secs. 1 and 12, 31 feet northwest to Val Snyder's mail box, 34 feet southwest corner of rail fence. C. 6 N., R. 6 E., southwest corner of sec. 1, in southwest corner of schoolhouse No. 3 yard, crossroads, southwest corner of schoolhouse bears N. 16° 10′ E., distant 79.9 feet; iron post stamped "Prim Trav. Sta. No. 32, 1905". C. 6 N., R. 6 E., corner of secs. 2, 3, 10, and 11; crossroads, 34 feet southeast to	41 30 03.9 41 30 01.2 41 30 01.1 41 30 00.9 41 30 02.0	84 02 14. 84 03 23. 84 04 34. 84 05 43. 84 06 52.
Along highways on south border of quadrangle. C. 6 N., R. 7 E., corner of secs. 2, 3, 10, and 11; crossroads, 22 feet southwest to south end of culvert, 41 feet southeast to cross on corner fence post. C. 6 N., R. 7 E., corner of secs. 3, 4, 9, and 10; crossroads, 39 feet southeast to cross on corner fence post, 45 feet southwest to C. S. Frederick's mail box. C. 6 N., R. 7 E., corner of secs. 4, 5, 8, and 9; crossroads, 34 feet southeast to cross on corner fence post, 48 feet southwest to cross on fence post. C. 6 N., R. 7 E., corner of secs. 5, 6, 7, and 8; crossroads at schoolhouse, 33 feet northeast to T. L. Ammand's mail box, 35 feet northwest to cross on telephone pole. C. 6 N., R. 6 E., east corner of secs. 1 and 12, 31 feet northwest to Val Snyder's mail box, 34 feet southwest corner of rail fence. C. 6 N., R. 6 E., southwest corner of sec. 1, in southwest corner of schoolhouse No. 3 yard, crossroads, southwest corner of schoolhouse bears N. 16° 10′ E., distant 79.9 feet; iron post stamped "Prim Trav. Sta. No. 32, 1905". C. 6 N., R. 6 E., corner of secs. 2, 3, 10, and 11; crossroads, 34 feet southeast to	41 30 03.9 41 30 01.2 41 30 01.1 41 30 00.9 41 30 02.0	84 02 14. 84 03 23. 84 04 34. 84 05 43. 84 06 52.
Along highways on south border of quadrangle. C. 6 N., R. 7 E., corner of secs. 2, 3, 10, and 11; crossroads, 22 feet southwest to south end of culvert, 41 feet southeast to cross on corner fence post. C. 6 N., R. 7 E., corner of secs. 3, 4, 9, and 10; crossroads, 39 feet southeast to cross on corner fence post, 45 feet southwest to C. S. Frederick's mail box. C. 6 N., R. 7 E., corner of secs. 4, 5, 8, and 9; crossroads, 34 feet southeast to cross on corner fence post, 48 feet southwest to cross on fence post. C. 6 N., R. 7 E., corner of secs. 5, 6, 7, and 8; crossroads at schoolhouse, 33 feet northeast to T. L. Ammand's mail box, 35 feet northwest to cross on telephone pole. C. 6 N., R. 6 E., east corner of secs. 1 and 12, 31 feet northwest to Val Snyder's mail box, 34 feet southwest corner of rail fence. C. 6 N., R. 6 E., southwest corner of sec. 1, in southwest corner of schoolhouse No. 3 yard, crossroads, southwest corner of schoolhouse bears N. 16° 10′ E., distant 79.9 feet; iron post stamped "Prim Trav. Sta. No. 32, 1905". C. 6 N., R. 6 E., corner of secs. 2, 3, 10, and 11; crossroads, 34 feet southeast to	41 30 03.9 41 30 01.2 41 30 01.1 41 30 00.9 41 30 02.0 41 30 01.7 41 30 01.3	84 02 14. 84 03 23. 84 04 34. 84 05 43. 84 06 52. 84 08 02. 84 09 12.
Along highways on south border of quadrangle. C. 6 N., R. 7 E., corner of secs. 2, 3, 10, and 11; crossroads, 22 feet southwest to south end of culvert, 41 feet southeast to cross on corner fence post. C. 6 N., R. 7 E., corner of secs. 3, 4, 9, and 10; crossroads, 39 feet southeast to cross on corner fence post, 45 feet southwest to C. S. Frederick's mail box. C. 6 N., R. 7 E., corner of secs. 4, 5, 8, and 9; crossroads, 34 feet southeast to cross on corner fence post, 48 feet southwest to cross on fence post. C. 6 N., R. 7 E., corner of secs. 5, 6, 7, and 8; crossroads at schoolhouse, 33 feet northeast to T. L. Ammand's mail box, 35 feet northwest to cross on telephone pole. C. 6 N., R. 6 E., east corner of secs. 1 and 12, 31 feet northwest to Val Snyder's mail box, 34 feet southwest corner of rail fence. C. 6 N., R. 6 E., southwest corner of sec. 1, in southwest corner of schoolhouse No. 3 yard, crossroads, southwest corner of schoolhouse bears N. 16° 10′ E., distant 79.9 feet; iron post stamped "Prim Trav. Sta. No. 32, 1905". C. 6 N., R. 6 E., corner of secs. 2, 3, 10, and 11; crossroads, 34 feet southeast to	41 30 03.9 41 30 01.2 41 30 01.1 41 30 00.9 41 30 02.0	84 02 14. 84 03 23. 84 04 34. 84 05 43. 84 06 52. 84 08 02. 84 09 12.
Along highways on south border of quadrangle. C. 6 N., R. 7 E., corner of secs. 2, 3, 10, and 11; crossroads, 22 feet southwest to south end of culvert, 41 feet southeast to cross on corner fence post. C. 6 N., R. 7 E., corner of secs. 3, 4, 9, and 10; crossroads, 39 feet southeast to cross on corner fence post, 45 feet southwest to C. S. Frederick's mail box. C. 6 N., R. 7 E., corner of secs. 4, 5, 8, and 9; crossroads, 34 feet southeast to cross on corner fence post, 48 feet southwest to cross on fence post. C. 6 N., R. 7 E., corner of secs. 5, 6, 7, and 8; crossroads at schoolhouse, 33 feet northeast to T. L. Ammand's mail box, 35 feet northwest to cross on telephone pole. C. 6 N., R. 6 E., east corner of secs. 1 and 12, 31 feet northwest to Val Snyder's mail box, 34 feet southwest corner of rail fence. C. 6 N., R. 6 E., southwest corner of sec. 1, in southwest corner of schoolhouse No. 3 yard, crossroads, southwest corner of schoolhouse bears N. 16° 10′ E., distant 79.9 feet; iron post stamped "Prim Trav. Sta. No. 32, 1905". C. 6 N., R. 6 E., corner of secs. 2, 3, 10, and 11; crossroads, 34 feet southeast to	41 30 03.9 41 30 01.2 41 30 01.1 41 30 00.9 41 30 02.0 41 30 01.7 41 30 01.3 41 30 01.3	84 02 14. 84 03 23. 84 04 34. 84 05 43. 84 06 52. 84 08 02. 84 09 12. 84 10 21.
Along highways on south border of quadrangle. C. 6 N., R. 7 E., corner of secs. 2, 3, 10, and 11; crossroads, 22 feet southwest to south end of culvert, 41 feet southeast to cross on corner fence post. C. 6 N., R. 7 E., corner of secs. 3, 4, 9, and 10; crossroads, 39 feet southeast to cross on corner fence post, 45 feet southwest to C. S. Frederick's mail box. C. 6 N., R. 7 E., corner of secs. 4, 5, 8, and 9; crossroads, 34 feet southeast to cross on corner fence post, 48 feet southwest to cross on fence post. C. 6 N., R. 7 E., corner of secs. 5, 6, 7, and 8; crossroads at schoolhouse, 33 feet northeast to T. L. Ammand's mail box, 35 feet northwest to cross on telephone pole. C. 6 N., R. 6 E., east corner of secs. 1 and 12, 31 feet northwest to Val Snyder's mail box, 34 feet southwest corner of rail fence. C. 6 N., R. 6 E., southwest corner of sec. 1, in southwest corner of schoolhouse No. 3 yard, crossroads, southwest corner of schoolhouse bears N. 16° 10′ E., distant 79.9 feet; iron post stamped "Prim Trav. Sta. No. 32, 1905". C. 6 N., R. 6 E., corner of secs. 2, 3, 10, and 11; crossroads, 34 feet southeast to	41 30 03.9 41 30 01.2 41 30 01.1 41 30 00.9 41 30 02.0 41 30 01.7 41 30 01.3	84 02 14. 84 03 23. 84 04 34. 84 05 43. 84 06 52. 84 08 02. 84 09 12. 84 10 21.
Along highways on south border of quadrangle. 1.6 N., R. 7 E., corner of secs. 2, 3, 10, and 11; crossroads, 22 feet southwest to south end of culvert, 41 feet southeast to cross on corner fence post. 1.6 N., R. 7 E., corner of secs. 3, 4, 9, and 10; crossroads, 39 feet southeast to cross on corner fence post, 45 feet southwest to G. S. Frederick's mail box. 1.6 N., R. 7 E., corner of secs. 4, 5, 8, and 9; crossroads, 34 feet southeast to cross on corner fence post, 48 feet southwest to cross on fence post. 1.6 N., R. 7 E., corner of secs. 5, 6, 7, and 8; crossroads at schoolhouse, 33 feet northeast to T. L. Ammand's mail box, 35 feet northwest to cross on telephone pole. 1.6 N., R. 6 E., east corner of secs. 1 and 12, 31 feet northwest to Val Snyder's mail box, 34 feet southwest corner of rail fence. 1.6 N., R. 6 E., southwest corner of sec. 1, in southwest corner of schoolhouse No. 3 yard, crossroads, southwest corner of schoolhouse bears N. 16° 10′ E., distant 79.9 feet; iron post stamped "Prim Trav. Sta. No. 32, 1905". 1.6 N., R. 6 E., corner of secs. 2, 3, 10, and 11; crossroads, 34 feet southeast to	41 30 03.9 41 30 01.2 41 30 01.1 41 30 00.9 41 30 02.0 41 30 01.7 41 30 01.3 41 30 01.3	84 02 14. 84 03 23. 84 04 34. 84 05 43. 84 06 52. 84 08 02. 84 09 12. 84 10 21. 84 11 30.
Along highways on south border of quadrangle. C. 6 N., R. 7 E., corner of secs. 2, 3, 10, and 11; crossroads, 22 feet southwest to south end of culvert, 41 feet southeast to cross on corner fence post. C. 6 N., R. 7 E., corner of secs. 3, 4, 9, and 10; crossroads, 39 feet southeast to cross on corner fence post, 45 feet southwest to G. S. Frederick's mail box. C. 6 N., R. 7 E., corner of secs. 4, 5, 8, and 9; crossroads, 34 feet southeast to cross on corner fence post, 48 feet southwest to cross on fence post. C. 6 N., R. 7 E., corner of secs. 5, 6, 7, and 8; crossroads at schoolhouse, 33 feet northeast to T. L. Ammand's mail box, 35 feet northwest to cross on telephone pole. C. 6 N., R. 6 E., east corner of secs. 1 and 12, 31 feet northwest to Val Snyder's mail box, 34 feet southwest to corner of rail fence. C. 6 N., R. 6 E., southwest corner of sec. 1, in southwest corner of schoolhouse No. 3 yard, crossroads, southwest corner of schoolhouse bears N. 16° 10' E., distant 171.4 feet, northwest corner of foundation of church bears S. 2° 30' E., distant 179.9 feet; iron post stamped "Prim. Trav. Sta. No. 32, 1905". C. 6 N., R. 6 E., corner of secs. 2, 3, 10, and 11; crossroads, 34 feet southeast to cross on corner fence post, 36 feet northeast to cross on yard fence post. C. 6 N., R. 6 E., corner of secs. 3, 4, 9, and 10; crossroads, 34 feet southeast to cross on telephone pole, 39 feet northeast to penalty notice. C. 6 N., R. 6 E., corner of secs. 4, 5, 8, and 9; crossroads, 12 feet southeast to cross on telephone pole, 29 feet southwest to Frank Lea's mail box. C. 6 N., R. 6 E., corner of secs. 5, 6, 7, and 8, 23 feet southwest to iron fence. C. 6 N., R. 6 E., corner of secs. 5, 6, 7, and 8, 23 feet southwest to iron fence. C. 6 N., R. 6 E., corner of secs. 5, 6, 7, and 8, 23 feet southwest to iron fence. C. 6 N., R. 6 E., corner of secs. 5, 6, 7, and 8, 23 feet southwest to iron fence.	41 30 03.9 41 30 01.2 41 30 01.1 41 30 02.0 41 30 01.7 41 30 01.3 41 30 01.2 41 30 00.0	84 02 14. 84 03 23. 84 04 34. 84 05 43. 84 06 52. 84 08 02. 84 09 12. 84 10 21. 84 11 30.
Along highways on south border of quadrangle. C. 6 N., R. 7 E., corner of secs. 2, 3, 10, and 11; crossroads, 22 feet southwest to south end of culvert, 41 feet southeast to cross on corner fence post. C. 6 N., R. 7 E., corner of secs. 3, 4, 9, and 10; crossroads, 39 feet southeast to cross on corner fence post, 45 feet southwest to G. S. Frederick's mail box. C. 6 N., R. 7 E., corner of secs. 4, 5, 8, and 9; crossroads, 34 feet southeast to cross on corner fence post, 48 feet southwest to cross on fence post. C. 6 N., R. 7 E., corner of secs. 5, 6, 7, and 8; crossroads at schoolhouse, 33 feet northeast to T. L. Ammand's mail box, 35 feet northwest to cross on telephone pole. C. 6 N., R. 6 E., east corner of secs. 1 and 12, 31 feet northwest to Val Snyder's mail box, 34 feet southwest to corner of rail fence. C. 6 N., R. 6 E., southwest corner of sec. 1, in southwest corner of schoolhouse No. 3 yard, crossroads, southwest corner of schoolhouse bears N. 16° 10' E., distant 171.4 feet, northwest corner of foundation of church bears S. 2° 30' E., distant 179.9 feet; iron post stamped "Prim. Trav. Sta. No. 32, 1905". C. 6 N., R. 6 E., corner of secs. 2, 3, 10, and 11; crossroads, 34 feet southeast to cross on corner fence post, 36 feet northeast to cross on yard fence post. C. 6 N., R. 6 E., corner of secs. 3, 4, 9, and 10; crossroads, 34 feet southeast to cross on telephone pole, 39 feet northeast to penalty notice. C. 6 N., R. 6 E., corner of secs. 4, 5, 8, and 9; crossroads, 12 feet southeast to cross on telephone pole, 29 feet southwest to Frank Lea's mail box. C. 6 N., R. 6 E., corner of secs. 5, 6, 7, and 8, 23 feet southwest to iron fence. C. 6 N., R. 6 E., corner of secs. 5, 6, 7, and 8, 23 feet southwest to iron fence. C. 6 N., R. 6 E., corner of secs. 5, 6, 7, and 8, 23 feet southwest to iron fence. C. 6 N., R. 6 E., corner of secs. 5, 6, 7, and 8, 23 feet southwest to iron fence.	41 30 03.9 41 30 01.2 41 30 01.1 41 30 02.0 41 30 01.7 41 30 01.3 41 30 01.2 41 30 00.0	84 02 14. 84 03 23. 84 04 34. 84 05 43.
Along highways on south border of quadrangle. 1.6 N., R. 7 E., corner of secs. 2, 3, 10, and 11; crossroads, 22 feet southwest to south end of culvert, 41 feet southeast to cross on corner fence post. 1.6 N., R. 7 E., corner of secs. 3, 4, 9, and 10; crossroads, 39 feet southeast to cross on corner fence post, 45 feet southwest to G. S. Frederick's mail box. 1.6 N., R. 7 E., corner of secs. 4, 5, 8, and 9; crossroads, 34 feet southeast to cross on corner fence post, 48 feet southwest to cross on fence post. 1.6 N., R. 7 E., corner of secs. 5, 6, 7, and 8; crossroads at schoolhouse, 33 feet northeast to T. L. Ammand's mail box, 35 feet northwest to cross on telephone pole. 1.6 N., R. 6 E., east corner of secs. 1 and 12, 31 feet northwest to Val Snyder's mail box, 34 feet southwest corner of rail fence. 1.6 N., R. 6 E., southwest corner of sec. 1, in southwest corner of schoolhouse No. 3 yard, crossroads, southwest corner of schoolhouse bears N. 16° 10′ E., distant 79.9 feet; iron post stamped "Prim Trav. Sta. No. 32, 1905". 1.6 N., R. 6 E., corner of secs. 2, 3, 10, and 11; crossroads, 34 feet southeast to	41 30 03.9 41 30 01.2 41 30 01.1 41 30 00.9 41 30 02.0 41 30 01.7 41 30 01.3 41 30 01.2 41 30 00.0	84 02 14. 84 03 23. 84 04 34. 84 05 43. 84 06 52. 84 08 02. 84 09 12. 84 10 21. 84 11 30. 84 12 41.

WAVERLY QUADRANGLE.

Along highways near west border of quadrangle.

Stations.	Latitude.	Longitude.
		ļ
Massieville, forks of road about 2 miles south of, 45 feet west to G. W. Bender's mail box, 40 feet northeast to cross on telephone pole.	39 14 53.4	82 58 50.9 82 59 03.7
mail box, 40 feet northeast to cross on telephone pole. Milepost, "Waverly, 8 miles," center of Chillicothe-Portsmouth pike. T road west, 15 feet east to cross on gatepost, 27 feet southwest to cross on white-	39 14 06.7	j
Hermit Cave road east near 15 feet northwest to southwest corner of bridge 30	39 13 20.0	82 59 01.9
feet southeast to mail box. Coler's store, T road northeast, 30 feet east to pump, 27 feet to arrow on telephone pole. Alma, T road west about 1 mile south of, 36 feet southeast to cross on telephone	39 11 53.9	82 58 43.7
pole	39 11 02.8	82 58 34.2
polé. Waverly, dirt road northeast, 2 miles north of, 15 feet east to cross on board fence, 21 feet northwest to cross on telephone pole. Waverly, T road west 0.75 mile north of, 15 feet east to cross on telephone pole,	39 10 31.5	82 58 30.6
21 feet northwest to cross on telephone pole. Waverly T road west 0.75 mile north of 15 feet sest to cross on telephone pole.	39 09 05.9	82 58 37.8
18 feet northwest to northeast corner of bridge. We ward a prosect corner of court bouse yeard, west corner of foundation to court	39 08 18.0	82 58 55.9
house yeard News W. 20 feet; ison banch rooth and of inches to court-		
Waverly, in west corner of courthouse yard, west corner of foundation to courthouse ears S. 62° 50′ E., distant 31.7 feet; corner post of iron fence to courthouse yard bears W. 2.9 feet; iron bench-mark post set 36 inches in ground stamped "Prim. Trav. Sta. No. 16".	39 07 33.8	82 59 04.0
Along Norfolk & Western Ry. near Glen Junction.		
Glen Junction, crossing of Norfolk & Western and Detroit, Toledo & Ironton		
railroads	39 06 48.4 39 05 53.6	82 58 41.5 82 58 21.0
Chillicothe-Portsmouth pike crossing. Milepost 634, 600 feet north of; private road crossing. Glen Junction, private-road crossing, 2.75 miles south of.	39 05 09.3 39 04 34.3	82 59 03.0 82 59 39.7
	00 01 0110	
Along Baltimore & Ohio Southwestern R. R. between West June	tion and Vi	go.
West Junction, overhead-road crossing about 0.25 mile east of	39 13 02.6	82 45 50.1 82 46 52.9
West Junction, overhead-road crossing about 0.25 mile east of	39 13 58.3 39 14 52.2	82 46 52.9 82 47 33.5
Along highways near east border of quadrangle.		
Glade, north-south road crossing. Glade, in John Whitman's woods pasture, 440 feet south of road crossing; on east	39 00 48.9	. 82 46 58.4
cide of north-courth road, child in north fees of white-oak tres hears S 14° 11' K		
distant 27.3 feet, spike in white-oak tree bears S. 46° E., distant 31.6 feet; Iron bench-mark post set 40 inches in ground, stamped "Prim. Trav. Sta. No. 20"	39 00 44.6	82 46 58.5
	39 00 04.0	82 47 02.3
Schoolhouse, intersection of roads just south of, 43 feet south to C. L. Grover's		
Vance's store, T road west 1.5 miles south of, 10 feet southwest to M. A. Harper's	39 04 25.6	82 46 11.0
to cross on corner of fence post. Schoolhouse, intersection of roads just south of, 43 feet south to C. L. Grover's mail box, 15 feet southwest to cross on board fence. Vance's store, T road west 1.5 miles south of, 10 feet southwest to M. A. Harper's mail box, 18 feet east to cross on fence post. Vance's store or Eastburn, T road crossing, 15 feet northeast to door of store, 24 feet southwest to mess on front-ward graphoset.	39 04 54.0	82 45 53.1
Bridge, road southeast, 27 feet to northeast corner of bridge, 15 feet northeast to	39 06 14.7	82 45 19.4
cross on small sycamore tree. Limerick, in southeast corner of T. J. Beatty's garden, southeast corner of founda- tion to Beatty's residence bears N. 34° W., distant 81 feet, center of commission- ers' plate on north truss of bridge over Pidgeon Creek bears south 63° 30′ E.	39 06 57.1	82 45 09.6
tion to Beatty's residence bears N. 34° W., distant 81 feet, center of commission-	1	
distant 90.1 leet; from bench-mark post set 40 menes in ground, stamped [39 07 31.4	00 45 01 4
"Prim. Trav. Sta. No. 19". Limerick, intersection of roads 1.5 miles north of, 12 feet southwest to mail box,	1	82 45 01.4
27 feet northeast to cross on locust tree at corner of fence	39 08 43.6	82 45 08.1
feet west to cross on board fence	39 09 46.5	82 45 54.1
to cross on telephone pole. McGill's store, intersection of roads, 40 feet northeast to east corner of bridge, 40 feet	39 10 20.9	82 44 45.2
southwest to store door. Cemetery, intersection of roads about 400 feet east of, 18 feet east to cross on rail	39 11 15.1	82 45 04.5
Froad west at Jackson-Vinton county line, 27 feet southwest to cross on walnut	39 11 28.1	82 45 39.6
tree, 45 feet northwest to cross on corner fence post	39 12 27.6	82 45 39.0

WAVERLY QUADRANGLE—Continued.

Along highways near south border of quadrangle.

Stations.	Latitude.	Longitude.
Shyville, forks of road 0.25 mile southeast of, 24 inches southwest to cross on corner fence post, 18 inches west to south end of culvert. Mount Carmel Church, intersection of roads north of, 27 feet northwest to cross on hickory tree, 27 feet east to cross on small black oak. Bobo, road west about 0.5 mile northeast of, 21 feet west to cross on large whiteoak tree, 22 feet east to cross on corner fence post. Beaver, intersection of roads 5 miles west of, 18 feet southeast to guidepost, 18 feet southwest to cross on small oak tree. Beaver, crossroads at Arminstrout schoolhouse 4 miles west of, 21 feet southeast to corner fence post, 30 feet southwest to cross on board fence. Beaver, 2.5 miles west of, in northeast corner of churchyard at crossroads; cross cut on northeast corner of foundation of church bears S. 56° 15′ W., distant 27.3 feet, 2 nails in blaze on west face of locust tree in northeast corner of churchyard bear S. 82° 30′ E., distant 6.5 feet; iron bench-mark post set 42 inches in ground, stamped "Prim. Trav. Sta. No. 18"	39 00 27.7 39 00 50.1 39 01 40.6 39 02 05.0 39 02 00.2	82 57 05.9 82 56 07.7 82 55 17.8 82 54 05.3
Along Detroit, Toledo & Ironton Ry. between Beaver and	Glade.	1
Beaver, Beaver-Waverly pike crossing on Detroit, Toledo & Ironton Ry., 1.5 miles west of. Beaver, crossing of north-south road, 1 mile west of. Beaver station, crossing of north-south road, 35 feet east of. Beaver, crossing of north-south road at east end of siding. Glade, private-road crossing 0.75 mile west of. Glade, north-south road crossing.	39 01 53.9 39 01 40.6 39 01 25.2 39 01 18.3 39 00 59.2 39 00 48.9	82 51 30.2 82 50 47.6 82 49 39.2 82 49 08.6 82 47 44.1 82 46 58.4
Along highways near south border of quadrangle.		
Salem Church, intersection of roads at bridge, 0.25 mile north of, 35 feet west to northeast corner of bridge. H. B. Hoover's residence, road east through gate at bridge, 18 feet southeast to cross on butternut tree, 16 feet northeast to cross on locust tree. Road southwest, 33 feet southwest to cross on locust tree cross on corner fence post. Bethel Church, T road east at, 22 feet north to mail box, 27 feet west to cross on rail fence. Cove, 0.5 mile southwest of, east-west road at crossing on Detroit, Toledo & Ironton Ry. Glade, in Jno. Whitman's wood pasture, 440 feet south of road crossing, east of north-south road, spike in north face of white-oak tree bears S. 14° 10′ E. 27.3 feet, spike in white-oak tree bears S. 46° E. 31.6 feet; iron post stamped "Prim. Trav. Sta. No. 20"	39 01 34.4 39 02 29.5 39 03 29.0 39 03 48.8 39 00 35.4	82 47 12.9 82 46 42.0 82 46 38.5 82 46 41.2 82 45 09.2

WAYNESVILLE QUADRANGLE.

Along highways near west border of quadrangle.

Stations.	Latitude.	Longitude.
West Dayton, Big Four Route, east-west crossing, 760 feet north of railroad bridge. Azimuth of railroad, 12° 02′. West Dayton, intersection of Springboro pike and road, southwest. West Dayton, Big Four Route at Springboro pike, north-south crossing. T. 1, R. 6, corner of secs. 10, 11, 16, and 17. T. 1, R. 6, quarter corner between secs. 9 and 15. Tps. 1 and 2, R. 6, corner of secs. 7, 12, 13, and 18. T road west. Corner of sections, T road east. Dunkard Church, crossroads at. T. 2, R. 4, corner of secs. 8, 9, 14, and 15. Springboro, crossing of pikes in north part of. Tps. 2 and 3, R. 4, corner of secs. 7, 12, 13, and 18. T. 3, R. 4, corner of secs. 11, 12, 17, and 18. T. 3, R. 4, corner of secs. 11, 12, 17, and 18.	39 43 30.0 39 42 14.0 39 41 40.3 39 40 23.9 39 38 36.9 39 37 43.8 39 36 46.9 39 35 48.9 39 34 30.8 39 33 24.0 39 32 41.7 39 31 47.0	84 12 40.4 84 13 01.6 84 13 08.5 84 13 11.3 84 13 17.7 84 13 27.6 84 13 32.3 84 13 37.6 84 13 42.8 84 13 50.1 84 13 56.8 84 14 01.1 84 14 05.9

WAYNESVILLE QUADRANGLE-Continued.

Along highways east-west through center of quadrangle.

Stations.	Latitude.	Longitude.
Spring Valley, 0.8 mile northwest of; fork at mail box. Pennsylvania R. R. crossing, 220 feet north of milepost C-60. Bellbrook, 3.5 miles east of, north side of lower Bellbrook pike, at road northeast; iron post stamped "Prim. Trav. Sta. No. 45. Ohio, 1909". Little Miami River, center of covered bridge over. Bellbrook, center of cross streets at post office. T. 3, R. 6, corner of secs. 1, 2, 31, and 32. T. 2, R. 6, corner of secs. 1, 2, 7, and 8; center of pike at north-south fence. Greene-Montgomery county line, center of T pike north at corner of secs. 7, 8, 13, and 14, T. 2, R. 6. Bellbrook, 3 miles west of, at northwest corner of T road north; iron post stamped "Prim. Trav. Sta. No. 46. Ohio, 1909". T. 2, R. 6, corner of secs. 19, 20, 25, and 26, center of pike at north-south fence. T. 2, R. 6, quarter corner between secs. 25 and 26, 1 mile north of Centerville; center of crossroads. Centerville, quarter corner between secs. 25 and 30, T. 2, R. 6; center of crossroads. T. 2, R. 6, corner of secs. 25, 30, 31, and 36, 10 feet west of T road north. T. 2, R. 6, corner of secs. 25, 36, 35, and 36, 10 feet east of T road north; section corner stone. Tp. 1 and 2, Rs. 5 and 6, corner of secs. 1, 6, 7, and 12. Intersection of Dayton-Springboro and Centerville-Miamisville pikes, southeast corner of; iron post stamped "Prim. Trav. Sta. No. 47. Ohio, 1909". T. 1, R. 6, corner of secs. 7, 12, 13, and 18.	39 38 10. 0 39 38 02. 5 39 38 17. 6 39 38 17. 1 39 38 35. 8 39 38 37. 9	84 00 05.4 84 00 50.6 84 03 04.9 84 04 13.8
Near south border of quadrangle.		
T pike south, 15 feet south and 5 feet west to D. S. Woollard's mail box	39 30 17.9 39 30 09.9	84 03 23.2 84 02 20.8 84 01 31.1 84 00 00.8

Magnetic declination for south border, 0° 28' E.; for east border, 0° 13' E.; for eastwest center line, 0° 08' E.

WELLINGTON QUADRANGLE. Along highways near east border of quadrangle.

Stations.	Latitude.	Longitude.
Lodi, junction of main line of Baltimore & Ohio R. R. with branch from the	0 / //	. , ,,
south, 75 feet west of tool house.	41 01 39.3	82 01 04.6
Lodi, in stone step at northeast corner of Taylor Inn; bronze tablet stamped 'Prim. Trav. Sta. No. 4''. North-south road at fork to southwest, west edge of, 30 feet southeast to telegraph	41 02 00.3	82 00 45.8
north-south road at fork to southwest, west edge of, so lest southess to telegraph pole. Road to east, west edge of north-south road, 30 feet to William Gusinger's mail	41 04 00.6	82 01 29.8
box, 40 feet southeast to corner of front yard. Chatham Center, in northeast corner of Academy Hall; bronze tablet stamped	41 04 37.2	82 01 29.2
"Prim Trav. Sta. No. 23 A"	41 06 06.2	82 01 29.0
fort months and formall have	41 06 44.6	82 01 27.8
Litchfield, road crossing 300 feet west of Northern Ohio Ry. station	41 09 29.9	82 01 24.2
Litchfield, stone in center of park, said to be center of township	41 10 04.0	82 01 23.3
Medina-Lorain county line, three corners, road to east	41 11 55.8	82 01 25.8
southeast to telephone pole.	41 12 26.7	82 01 25.8
Álong Baltimore & Ohio R. R. (Lodi and Wooster branch) from Erie R.	R. crossing	to Lodi.
Erie R. R. and Baltimore & Ohio R. R., crossing of	40 59 19 4	82 01 32,7

WELLINGTON QUADRANGLE—Continued. Along Baltimore & Ohio R. R. (main line) from Lodi to Sulfivan.

Along Baltimore & Ohio R. R. (main line) from Lodi to Su	ıllivan.	
Stations.	Latitude.	Longitude.
Lodi, junction of main line and branch, 70 feet west of tool house. Road crossing. Road crossing. Road crossing. Homer station, road crossing 770 feet east of. Road crossing. Sullivan station, road crossing west of.	41 00 51.6 41 00 49.5 41 01 05.0 41 01 03.6 41 01 32.4 41 01 50.2	82 01 03.7 82 02 47.2 82 03 16.9 82 04 40.7 82 05 49.8 82 07 15.6 82 08 43.3 82 09 48.8 82 12 05.2 82 13 19.6
Along highways near west border of quadrangle.		
Sullivan, bronze tablet in public-school building. Sullivan, crossing on Baltimore & Ohio R. R. Crossroads. Crossroads. Road east. Crossroads Wellington station, Wheeling & Lake Erie R. R. T. 4, R. 18, T. lots 75, 76, 85, and 86, Center Pittsfield. Crossing of electric railroad, run north on railroad.	41 01 55.0 41 03 27.8 41 05 04.8 41 06 58.5	82 13 06.8 82 13 19.6 82 13 15.6 82 13 15.6 82 13 11.4 82 13 05.2 82 13 29.1 82 13 06.3 82 13 06.0
WEST CINCINNATI QUADRANGLE.		
Along highways in northeast part of quadrangle.		
Stations.	Latitude.	Longitude.
Barnesburg tollgate, crossroads at. Crossroads Grossbeck, crossroads at. T. 3 N., R. 1 E., corner of secs. 26, 32, 31, 25.	39 13 57.7 39 13 15.0 39 13 12.6 39 13 05.0	84 37 41.5 84 36 05.0 84 35 09.7 84 32 57.8
WEST COLUMBUS QUADRANGLE. From Era along Baltimore & Ohio Southwestern R. R. to Co	olumbus.	
Stations.	Latitude.	Longitude.
Era station, crossing 430 feet west of Derby station, crossing 350 feet west of. Morgan station, crossing 100 feet west of. Pleasant Corners station, crossing 100 feet southwest of. Grove City station, crossing 100 feet southwest of. Urban Crest station, crossing 100 feet northeast of. Briggsdale station, crossing 50 feet northeast of. North Base U. S. G. S. triangulation station. Columbus, crossing of Baltimore & Ohio R. R. and Broad Street.	9 44 23. 2 39 46 08. 4 39 48 17. 8 39 50 37. 5 39 52 59. 7 39 53 53. 2 39 55 36. 0 39 55 57. 3 39 57 31. 9	83 14 38.1 83 12 20.5 83 09 19.5 83 07 41.1 83 05 44.3 83 05 00.4 83 03 36.1 83 03 18.6 83 01 54.4
· Along Hocking Valley Ry. near Columbus.	,, ,	
Crossing of Hocking Valley Ry. and east-west pike.	39 59 16.8	83 01 37.1
Along Pennsylvania R. R. from point 5 miles northwest of Columbus to west	border of o	luadrangle.
Columbus, northwest of; crossing of Toledo & Ohio Central and Pennsylvania railroads. Sullivant road crossing, 0.75 mile north of Pike and telephone road crossing. Milepost 6, road crossing 400 feet west of. Milepost 8, road crossing 200 feet east of. Milepost 8 and 9, road crossing between Alton, road crossing. Pike and telephone road crossing northwest-southeast. Overhead road crossing.	40 00 04.5 39 57 58.9 39 57 55.1 39 57 51.7 39 57 42.1 39 57 40.3 39 57 33.2 39 57 27.5	83 05 57.4 83 04 38.8 83 05 43.5 83 06 40.5 83 08 47.5 83 09 27.6 83 10 00.9 83 12 12.0 83 13 57.3

PRIMARY TRAVERSE.

WESTERVILLE QUADRANGLE.

Along highways near south border of quadrangle.

. Stations.		Latitude.	Longitude.
Columbus, Mock road crossing. Road northeast-southwest, electric railway. Cleveland, Akron & Columbus Ry. crossing. Azimuth of railway, 194 Road north-south. Road north-south. Road north-south. Road north-south. The south of bridge over Big Walnut River. The south of the south	° 09'	• , , , , , , , , , , , , , , , , , , ,	82 59 47.9 82 58 03.2 82 57 54.3 82 57 54.3 82 57 24.1 82 56 06.5 82 53 03.1 82 52 48.7 82 50 39.4 82 50 39.4 82 49 08.2 82 49 00.6 82 45 03.2
Along highways near east border of quad	lrangle.		
Intersection of road north and east-west road, south of schoolhouse. Bridge. Beech, crossroads. Road east-west. Bridge over branch running west. Intersection of road north and Johnstown road northeast-southwest. Licking, Franklin, and Delaware counties, corner of, also corner of Tps. Rs. 15 and 16, secs. 1, 2, 3, and 4. Road west at schoolhouse. Roads east, west, and southeast. Road east.	2 and 3,	40 03 02.0 40 03 40.2 40 04 46.2 40 05 50.6 40 06 34.0 40 07 27.6 40 07 33.8 40 08 19.9 40 09 22.6 40 10 17.9	82 45 20.8 82 45 18.0 82 45 13.3 82 45 14.6 82 45 11.6 82 45 07.5 82 45 30.6 82 45 30.8
Along highways near east border of quad	rangle.		
Stations.	Latitude.	Longitude.	Distance between stations.
Delaware-Licking county line, center of crossroads	40 13 57.1 40 13 59.1 40 14 46.5	82 44 18.0 82 45 15.3 82 45 12.2	Fect. 4,455 4,799

Along highways near north border of quadrangle.

· Stations.	Latitude.	Longitude.
Delaware-Licking county line, road north-south. Road north South Condit, crossroads. Road north Cleveland, Akron & Columbus Ry. crossing. Azimuth of railroad, 253° 00′. Big Walnut Creek, center of bridge. Sanbury, Harrison Street and Mount Vernon Road, at Dr. Vankirk's. Road northwest-southeast. Road west to Rome. T. 4 N., R. 17 W., corner of secs. 1, 2, 3, and 4. Rome, intersection of roads at guidepost. Johnnycake schoolhouse, road north-south. Cheshire, road north. Cheshire, Whitman's store. Cheshire, 1 mile west of, station on Green Spring & Columbus line.	40 13 57.7 40 14 52.9 40 14 44.8 40 14 47.4 40 14 48.6 40 14 42.3 40 14 44.4 40 15 01.5 40 14 46.2 40 14 17.0 40 14 17.0 40 14 12.0 40 14 12.0	82 45 15.3 82 47 24.1 82 47 20.4 82 49 48.5 82 50 42.3 82 50 59.3 82 51 14.5 82 52 18.6 82 52 18.6 82 52 18.6 82 52 7 40.0 82 54 48.7 82 57 41.0

WESTERVILLE QUADRANGLE—Continued.

Along highways near west border of quadrangle.

Stations.	L	atit	ude.	Lon	gitu	ıde.
	1 .	,	,,	•	,	,,
Road west to Berlin station	40	15	16.6	82		35. 1
N. 4 N., R. 18 W., secs. 2, 1, 4, and 3	40	14	58.2	82	59	11.
Cheshire, 1 mile west of, State road north-south	40	14	22.4	82	58	45.
N. 4 N., R. 18 W., secs. 2, 1, 4, and 3 Cheshire, 1 mile west of, State road north-south	40	12	59.2	82	59	04.
Road east-west	1 40	11	54.2	82	59	24.
N. 3 N., R. 18 W., corner of secs. 2, 1, 4, and 3	40	10	26.2	82	59	31.
N. 3 N., R. 18 W., corner of secs. 2, 1, 4, and 3	40	09	26.0	82	59	42.
Road east	. 40	08	44.7	82	59	58.
Road crossing	40		58.6		59	52.
Mock road crossing, east-west	40		54.1		59	
Columbus, intersection of North Fourth Street and Wyandotte Avenue	40		36.3		59	

WEST MANCHESTER QUADRANGLE.		
Along Dayton & Union R. R. from Gordon to Arcanus	n.	
Stations.	Latitude.	Longitude.
Gordon, crossing of street-car line and road. Milepost 23, east-west road crossing 1,000 feet north of. Mileposts 24 and 25, east-west road crossing between Mileposts 25 and 26, east and west road crossing between Arcanum, crossing on Big Four Route. Arcanum, road crossing east-west	1 39 08 33.0	84 30 37.7 84 31 16.5 84 31 55.8 84 32 35.2 84 33 07.5 84 33 10.1
Along highways near west border of quadrangle.		
T. 8 N., R. 1 E., corner of secs. 23, 24, 25, and 26. Azimuth of Pennsylvania R. R. between these two positions, 112° 19′. T. 8 N., R. 1 E., corner of secs. 13, 14, 23, and 24. T. 8 N., R. 1 E., corner of secs. 11, 12, 13, and 14. T. 8 N., R. 1 E., corner of secs. 1, 12, 13, and 14. T. 8 N., R. 1 E., corner of secs. 23, 24, 25, and 26. T. 9 N., R. 1 E., corner of secs. 23, 24, 25, and 26. T. 9 N., R. 1 E., corner of secs. 13, 14, 23, and 24. T. 7 Parameter of secs. 13, 14, 23, and 24. T. 9 N., R. 1 E., corner of secs. 1, 2, 11, and 12. Tps. 9 and 10 N., R. 1 E., corner of secs. 1, 2, 35, and 36. New Madison, crossroads 2‡ miles south of. T. 10 N., R. 1 E., corner of secs. 23, 24, and 25.	39 47 16.8 39 48 08.9 39 49 01.1 39 50 26.1 39 51 28.6 39 52 21.6 39 52 52.7 39 54 07.5 39 55 00.2	1
Along Pennsylvania R. R. near New Madison.	_	
New Madison, road crossing 200 feet southwest of	39 58 08.5 39 58 39.1	84 42 41.0 84 41 48.0
Along Cleveland, Cincinnati, Chicago & St. Louis Ry. near north bo	rder of qua	drangle.
T. 10 N., R. 2 E., corner of secs. 4, 5, 8, and 9. Savona, crossing of Cincinnati Northern R. R. Road crossing north-south. Road crossing north-south Greenville-Lewisburg pike crossing. Private-road crossing. Road crossing orth-south.	39 59 13.7 39 59 14.3 39 59 15.0	84 37 53.0 84 36 48.0 84 35 28.4

WEST SALEM QUADRANGLE.

Along highways from a point about $4\frac{1}{2}$ miles east of Hayesville northward via Polk to northwest corner of quadrangle.

Latitude.	Longitude.
40 47 57.9 40 49 39.8 40 52 15.7 40 54 03.7 40 57 00.7 40 58 25.9 40 59 31.7	82 11 37.0 82 12 36.5 82 12 41.5 82 12 47.5 82 12 53.3 82 12 54.4 82 13 22.5
40 46 18.8 40 46 18.1 40 46 14.0 40 45 41.6 40 44 54.8 40 45 13.7 40 45 51.0	82 13 51.8 82 12 45.8 82 11 03.4 82 09 22.8 82 08 25.8 82 04 54.6
rossing to (Overton.
40 59 19.4 40 57 08.3 40 54 42.0 40 51 51.0	82 01 32.7 82 01 26.7 82 00 33.6 82 00 31.3
11.	
Latitude.	Longitude.
38 53 03.2 38 53 30.0 38 53 30.2 38 54 23.8 38 55 28.4 38 56 32.6 38 57 16.2	83 31 25.1 83 30 58.4 83 30 47.7 83 31 36.0 83 32 19.3
38 57 43.3 38 58 48.4	83 31 59.8 83 30 52.5
38 49 59.0 38 48 37.5 38 47 54.6 38 47 42.63 38 47 44.4	83 30 11 4 83 31 19.9 83 31 53.4 83 32 08.8 83 32 37.7
	40 47 57.9 40 49 39.8 40 52 15.7 40 54 03.7 40 57 00.7 40 57 00.7 40 57 00.7 40 57 00.7 40 58 25.9 40 59 31.7 40 46 18.8 40 46 18.1 40 46 18.1 40 46 18.1 40 46 18.1 40 45 51.0 40 57 08.3 40 45 51.0 40 57 18.3 40 54 42.0 40 51 51.0 11. Latitude. . , , , , , , , , , , , , , , , , , ,

WEST UNION QUADRANGLE—Continued.

Along highways from Unity west to point near Russellville, thence north to Tate triangulation station.

Stations.	Latitude.	Longitude.
Unity-Harshasville pike at road northeast Harshasville, center of T pike south at Williamson's store. Harshasville, 13 miles west of; center of cross pikes. Overed bridge over Grace River, near forks of pike at old blacksmith shop North Liberty, 1 mile north and 1 mile east of; center of pike at T road southeast. North Liberty, in north part of town, center of T street east. North Liberty, center of steel bridge over Cherry Fork. Eckmansville, in west part of town, near northwest corner of T road west, just south of gate to W. C. Morrison's yard, 35 feet south and 25 feet east to center of	38 54 08.7 38 54 27.7 38 54 37.7 38 54 56.3 38 54 04.4 38 53 16.0 38 53 04.3	83 32 11.3 83 32 34.5 83 33 55.2 83 34 30.2 83 35 37.4 83 36 52.7 83 36 53.8
T road; iron post stamped "Prim. Trav. Sta. No. 21. Ohio, 1910". Eckmansville, spire of church (Coast and Geodetic Survey triangulation station). Eckmansville, old State road at T road east at F. M. Eyler's farm, 10 feet west to John W. Bailey's mail box. Center of crossing of old State road and North Liberty-Russellville pike. Adams-Brown county-line stone on north side of pike. M. Marshall's residence, North Liberty-Russellville pike at road west. Center of T pike east at large hickory tree, about 800 feet northeast of covered	38 51 57.5 38 51 50.03 38 52 00.6 38 53 06.6 38 53 05.1 38 52 50.9	83 38 42.3 83 38 34.6 83 40 58.8 83 40 33.3 83 41 05.4 83 42 00.4
bridge. Center of North Liberty-Russellville pike at Jackson-Jefferson township line. Russellville, 2 miles east and 0.5 mile north of, near southeast corner of Baird schoolhouse grounds, 25 feet south and 25 feet east to center of crossroads; iron post stamped "Prim. Trav. Sta. No. 22. Ohio, 1910". Macon, 1 mile southwest of; center of crossroads.	38 52 54.3 38 52 26.2 38 52 21.4 38 57 19.7	83 43 20. 4 83 44 19. 7 83 44 31. 1 83 44 58. 5
Along highways from Hickory Ridge Church to Highland	Farm.	
Hickory Ridge Church, center of crossing on north-south pike and east-west road. Bowman's store, center of covered bridge over Eagle Creek Eagle Chapel, center of T pike west. Front gate to cemetery. Highland stock farm, center of crossing on Decatur pike and north-south road	38 46 11.1 38 46 30.4	83 42 48.6 83 42 54.2 83 42 34.8 83 43 21.6 83 44 56.3
Along highways near north border of quadrangle.		
Buckrun schoolhouse, 700 feet south of, on Seaman-Fairfax pike, at road west, 20 feet north and 10 feet west to southeast corner of yard. Calvary Church, 0.3 mile south of; 2 mail boxes at forks just north of blacksmith shop. T road northwest, center of. T road north, center of; 20 feet north to corner of gatepost. Emerald, 0.5 mile east of; at northeast corner of T road north; iron post stamped "Prim. Trav. Sta. No. 85. Ohio, 1909". Adams-Brown county line, center of road at Schoolhouse, 0.2 mile south of; center of crossroads. Fincast, 1 mile west of; center of T road north.	38 59 31.3	83 34 48.1 83 36 50.0 83 37 24.7 83 38 34.4 83 38 52.8 83 40 30.9 83 41 25.4 83 43 43.4

Magnetic declination for north border, 0° 36′ W.; for west half of east-west center line, 0° 51′ W.; for east half of east-west center line, 0° 07′ E.; for south half of west border, 0° 32′ W.; for north half of west border, 2° 13′ W.; for north half of east border, 0° 35′ E.; for south half of east border, 0° 02′ W.; for south border, 0° 35′ W.

WOOSTER QUADRANGLE.

Along Erie R. R. in north part of quadrangle.

Stations.	Latitude.	Longitude.
Road crossing one-half mile west of milepost 217. Rittman station. Sterling, crossing on Baltimore & Ohio R. R. Creston station. Road crossing 370 feet east of water tank. Burbank station.	40 58 10.9 40 58 56.6	81 50 51.7 81 53 32.2 81 57 29.2

PRIMARY TRAVERSE.

WOOSTER QUADRANGLE—Continued.

Along Baltimore & Ohio R. R. near Wooster.

Station.	Latitude.	Longitude.
Road crossing 600 feet south of water tank Wooster fair grounds, south meridian mark. Wooster fair grounds, north meridian mark. Wooster station, Baltimore & Ohio R. R.	40 48 38.1 40 47 50.3 40 47 55.6 40 47 43.6	81 58 50.0 81 57 02.1 81 57 02.1 81 56 54.1
Along Pennsylvania R. R. from Wooster to Orrville.		·
Baltimore & Ohio overhead crossing Wooster station. Stone arch culvert 1,040 feet north of milepost 132 Smithville station. Road crossing about one-third mile east of water tank. Orrville, crossing of Pennsylvania and Cleveland, Akron & Columbus railroads.	40 47 57.0	81 56 46.7 81 55 53.8 81 53 18.6 81 51 39.6 81 48 34.6 81 46 04.8
XENIA QUADRANGLE.		·
Along highways near north border of quadrangle.		
Stations.	Latitude.	Longitude.
Xenia, 4 miles northwest of; intersection of Xenia-Fairfield pike and road west. Oldtown, Pennsylvania R. R., east-west crossing Cedarville, crossing on Pennsylvania R. R. Azimuth of railroad, 235° 24' Schoolhouse, crossroads Schoolhouse, T road northwest, 1.25 miles northeast of	39 44 55.7 39 44 38.3 39 44 23.7 39 43 05.1 39 43 22.4	83 56 30.4 83 55 49.4 83 48 20.9 83 46 31.9 83 45 11.3
Along highways near south border of quadrangle.		
T road north. Intersection of roads. Gurneyville, crossroads 1 mile southeast of. Gurneyville, crossroads. T road north.	39 30 05.5 39 30 24.8 39 30 53.2	83 48 04.1 83 48 56.7 83 51 29.9 83 52 37.3 83 53 43.5
Along Detroit, Toledo & Ironton R. R.	·	·
Private-road crossing. Crossing of north-south road. Kingman road crossing.	39 31 14.2 39 30 42.9 39 29 58.9	83 54 28.9 83 55 14.3 83 56 21.7
Along highways near west border of quadrangle.		
W. W. Mills's residence, center of cross pikes west T road north, 20 feet north to south end of steel bridge. Warren-Clinton county line, stone on hillside on south side of pike, southwest of bridge over branch.	39 31 28.2	83 57 52.3 83 58 48.5 83 58 52.1
bridge over branch. Briar schoolhouse, 0.25 mile north of: stone corner at crossroads. Fork in pike, 25 feet east to corner of fence post. New Burlington, center of cross streets at post office. New Burlington, 0.5 mile west of; stone monument at intersection of Clinton,	39 33 21.7 39 34 04.1	83 58 26.0 83 57 52.4 83 58 01.0 83 58 36.3
Warren and Greene counties		
Warren, and Greene counties. New Burlington, 1 mile west of, at Cornstalk schoolhouse: center of cross pikes. Cornstalk schoolhouse, 1.5 miles north of; center of T pike west. Spring Valley, 1 mile east of; center of T pike south. Xenia, 4.5 miles from T road southeast at guidenost marked "Bellbrook 44 miles.	39 36 25.7	83 59 08.5 83 59 37.3 83 59 27.2
Warren, and Greene counties. New Burlington, 1 mile west of, at Cornstalk schoolhouse; center of cross pikes. Cornstalk schoolhouse, 1.5 miles north of; center of T pike west. Spring Valley, 1 mile east of; center of T pike south. Xenia, 4.5 miles from, T road southeast at guidepost marked "Bellbrook 4½ miles, Xenia, 4 bout 3.5 miles southwest of; on lower Bellbrook pike at pike northwest. T road southwest at R. F. Harper's residence. Rural Home schoolhouse, No. 9, 0.5 mile south of, on upper Bellbrook pike; pike north. Trebeins, at station, north end of wagon bridge over Little Miami River; center	39 36 25.7	83 59 37.3

XENIA QUADRANGLE—Continued.

Along highways east-west through center of quadrangle.

Stations.	Latitude.	Longitude.
Spring Valley, about 1.7 miles northeast of; east-west road at center of Cincinnati	0 / //	0, 7, 7,
pike, 25 feet north and 20 feet west of mail box. Richland Church, T road west. Richland schoolhouse, 0.2 mile east of; on Xenia-New Burlington pike at pike	39 37 32.3 39 37 30.2	
west. Xenia-Spring Valley township-line stone, at T road west. Caesars Creek, south of covered bridge over; north-south pike at road west. Xenia, about 5 miles southeast of, southeast corner of crossroads at Reformed	39 37 21.2	83 55 10.6
Church and schoolhouse; iron post stamped "Prim. Trav. Sta. No. 54. Ohio, 1909". Xenia, 5 miles southeast of, on Xenia-Wilmington pike, at intersection of cross-	39 36 31.6	83 54 23.3
road. Needmore schoolhouse, 600 feet east of; center of T road south. Mount Tabor Church, 0.2 mile west of; at Harvey Field's residence center of	39 36 49.5 39 36 59.9	83 53 11.7 83 51 36.0
grass plat at forks in roads. T road south. Patterson's Corners, 1.3 miles southwest of; intersection of pike and road south.	39 37 35.8	83 48 24.3

Along highways near east border of quadrangle.

Pattersons Corners, center of cross pikes	39 38 12.0 39 42 32.7	88 46 13.1 83 46 14.0
Schoolhouse, center of crossroads	39 43 05.0	83 46 32.1
Cedarville, about 3 miles southeast of, near northwest corner of T road northwest; iron post.	30 43 22 4	83 45 12.2
T road northwest	39 43 22.4	83 45 11.3
Bowersville, 4.5 miles from; center of crossroads. Melvin, 4.5 miles from, at John Atley's residence; center of T road east	39 31 45.4	83 45 59.4
mervin, 4.0 miles from, at John Acrey S residence, center of 1 road east	00 00 00.0	0.07

Magnetic declination for east border, 0° 09′ W.; for west border, 0° 13′ E.; for center line east-west, 0° 28′ E.

YOUNGSTOWN QUADRANGLE.

Along highways near north border of quadrangle.

Stations.	Latit	ude.	Long	gitu	de.
Crossroads, in southwest corner of Z. T. Ewalt's garden on north side of road just west of, northwest corner foundation of Ewalt's new house bears N. 433 30' W., distant 83.6 feet, southwest corner of foundation to porch of Ewalt's old house bears S. 89° 10' E., distant 208.6 feet; iron post stamped "Prim. Trav. Sta. No. 33'". Warren, U. S. B. M. post No. 33, 5 miles east of. T road north at shops, 28 feet northwest to mail box, 42 feet northeast to southwest corner of blacksmith shop. Schoolhouse No. 7, T road north. Vienna crossroads, T. 4 N., R. 2 W., corner of secs. 17, 18, 27, and 28. Vienna, 1.5 miles east of, in northeast corner of Newman's farm at crossroads, nail in west part of large maple tree on north side of road bears N. 64° 20' E., distant 110.4 feet, cross on south end of stone culvert bears N. 75° 30' W., distant 91.0 feet; iron post stamped "Prim. Trav. Sta. No. 41'. Paynes Corners, crossroads, 42 feet northwest to guidepost, 30 feet southwest to west end of stone culvert. T. 4 N., R. 1 W., corner of secs. 14 and 23; T road north, 19 feet northeast to east end of box culvert. Brookfield, T road north, 33 feet northwest to guideboard on telephone pole, 36 feet south to iron pump. Schoolhouse, road north, 33 feet northwest to guideboard on telephone pole, 36 feet south to cross on fence. Sharon, on High Street in west part of; Ohio-Pennsylvania State boundary monument No. 51.	41 14 41 14	18. 0 18. 0 12. 8 17. 8 15. 9 15. 7 13. 2 09. 2 02. 7 07. 6	80 6 80 6 80 6 80 6 80 6 80 6 80 6 80 6	44 2 4 42 4 41 2 39 4 38 1 37 (35 8 34 (31 8	27. 9 27. 9 45. 7

YOUNGSTOWN QUADRANGLE-Continued.

Along highways near south border of quadrangle.

Stations.	La	titude.	Long	gitı	ıde.
Ohio-Pennsylvania State line monument No. 65½	41 41 41 41 41 41	01 27.3 01 25.9 01 25.5 01 25.1 01 25.3 01 27.5 01 27.6 01 28.2 01 28.2 01 28.7 01 29.0	80 80 80 80 80 80 80 80	31 32 34 35 36 38 40	08.9 37.6 03.2 29.5 49.8 04.0 18.3 55.7 40.8 13.2

ZALESKI QUADRANGLE.

Near Barton triangulation station.

Stations.	Latitude.	Longitude.
Barton triangulation station, on a flat cultivated ridge in sec. 18, Washington township, owned by William Barton, who lives 0.25 mile west of station; marble post 30 by 6 by 6 inches set 28 inches in ground over an earthenware pyra-	° , ,, 39 28 05.1	82 29 30.0 82 29 46.50

a Reference marks consist of 3 marble posts, 30 by 4 by 4 inches, as follows: (1) True azimuth 99° 53', distant 140.25 feet; (2) true azimuth 54° 31', distant 175.8 feet; (3) true azimuth 338° 12', distant 437.75 feet.

ZANESVILLE QUADRANGLE.

Along highways near north border of quadrangle.

Stations.	Latitude.	Longitude.
Gratiot, 2.5 miles north of, 2.5 miles east of Clark's blacksmith shop, T road south, 30 feet southeast to large chestnut tree, 17 feet northeast to cross on rail fence. Licking-Muskingum county line, rail fence north-south; center of road, 25 feet south to west end of hedge fence. G. W. Fisher's mail box at Newark, road to northwest. J. Riggles's mail box, center of small bridge. E. T. Smith's mail box, southeast corner of iron bridge. Pleasant Valley station, 2 miles southwest of, just south of Mapdonia Church, in northeast corner of lot, in front of S. W. Wincia's residence; iron post stamped "Prim. Trav. Sta. No. 53, 1905". Dillon station, 0.75 mile north of, on east side of river; T road east, 25 feet southeast to cross on board fence, 27 feet northeast to cross on corner fence post. Harris's farm, crossing of Frostburg road and east-west road, 33 feet southwest to cross on telegraph pole, 27 feet northeast to cross on telegraph pole, 27 feet northeast to cross on telegraph pole, 27 feet northeast to cross on telegraph pole. Zanesville, 3 miles north of, J. N. Blair's farm, T road west, 33 feet northwest to cross on board fence, 16 feet east to cross on gatepost.	39 59 12.2 39 59 16.6 39 59 24.1	82 13 15.9 82 11 48.5 82 11 05.7 82 10 08.7 82 09 20.8 82 08 24.2 82 03 05.6 82 01 01.8 82 00 14.7
Along Wheeling & Lake Erie R. R. near Zanesville.		
Zanesville, Monroe Street Bridge over railroad Licking Creek, center of terminal railway bridge over J. B. Owen Pottery Co.'s plant, just south of, road crossing under trestle Jonathan Creek, road crossing just north of bridge over	39 56 30.6 39 55 35.4	82 01 23.1

ZANESVILLE QUADRANGLE—Continued. Along highways near southeast corner of quadrangle.

Stations.	Latitude.	Longitude.
Muskingum-Morgan county line, center of road, 30 feet due east to dead beech tree at corner of fence. Morgan County line, 0.33 mile south of; stone at crossroads, 25 feet south to cross on fence post, 54 feet northeast to corner of barn. Muskingum-Morgan county line, 0.5 mile south of, in southeast corner of foundations of NLP lites beauty by the contract of the county line of the county	39 46 05.9 39 45 50.7	82 00 15.6 82 00 20.6
tion to brick house of N. H. Pletcher on/the Dillon-Dovertown road; aluminum tablet stamped "Prim. Trav. Sta. No. 64, 1905". Dovertown, 1.5 miles northeast of, at Charles Bush's residence; T road east, 40 feet to C. A. Pletcher's mail box, 9 feet south to west end of box culvert.	39 45 43. Ø 39 45 01. 4	82 00 31.1 82 01 18.7
Along Baltimore & Ohio R. R. near Dillon.		

Milepost 84, 900 feet west of; private-road crossing. Milepost 83, center of track opposite. Dillon station, road crossing.	39 58 57.7	82 04 09.9
		l.

Magnetic declination for east border, 0° 51' W.; for west border, 1° 22' W.

PRIMARY TRIANGULATION.

Antrim, Athalia, Athens, Bidwell, Cadiz, Cambridge, Chesterhill, Clarington, Cumberland, Flushing, Keno, Lancaster, Logan, Macksburg, Marietta, New Comerstown, New Matamoras, New Martinsville, Parkersburg, Perry, Point Pleasant, Pomeroy, Salineville, St. Clairsville, Scio, Steubenville, Summerfield, Uhrichsville, Wellsville, Wilkesville, Woodsfield, and Zaleski quadrangles.

ATHENS, BELMONT, CARROLL, COLUMBIANA, COSHOCTON, FAIRFIELD, FRANK-LIN, GALLIA, GUERNSEY, HARRISON, HOCKING, JACKSON, JEFFERSON, LAW-RENCE, MEIGS, MONROE, MUSKINGUM, NOBLE, TUSCARAWAS, VINTON, AND WASH-INGTON COUNTIES.

The positions of triangulation stations in eastern Ohio result from the field work of W. T. Griswold in 1900, A. H. Thompson in 1901, G. T. Hawkins in 1902, and S. S. Gannett in 1902 and 1903.

Before 1902 these positions depended upon Maryland Heights and Sugar Loaf stations of the United States Coast and Geodetic Survey, near Harpers Ferry, W. Va., but in that year Mr. Gannett extended a belt of triangulation from Wray-Gebhardt stations in the transcontinental belt of the Coast and Geodetic Survey near Huntington, W. Va., up the Ohio River and connected with earlier work near Parkersburg, W. Va. The discrepancies in latitude and longitude were distributed arbitrarily, so as not to disturb figure adjustments, and were applied so as to reduce all positions to the North American standard datum as derived from Wray-Gebhardt.

BALDWIN, TUSCARAWAS COUNTY.

About 7 miles northeast from Uhrichsville, on a bald hill 100 yards east of ridge road, on land owned by David Baldwin.

Station mark: A sandstone post 36 by 6 by 6 inches set 33 inches in the ground, in the center of top of which is countersunk and cemented a bronze triangulation tablet, "Ohio."

[Latitude 40° 27' 01.37". Longitude 81° 17' 28".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Wainwright Bowerston Uhrichsville	308 57 08.21	254 54 15.71 129 01 07.70 175 40 20.53	Meters. 4. 1462651 4. 0493365 3. 9386187

BARNESVILLE SCHOOLHOUSE, BELMONT COUNTY.

(Not occupied.)

High school in village of Barnesville, Warren Township. Station mark: Center of cupola.

[Latitude 39° 59' 21.42". Longitude 81° 10' 45.33".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Steele	80 40 36.44 322 02 20.19	260 38 36.77 142 06 20.66	Meters. 3. 6510482 4. 1604334

BARTON, HOCKING COUNTY.

On a flat cultivated ridge, in section 18, Washington Township, owned by William Barton, who lives one-fourth mile west of station. Selected and occupied by the United States Coast and Geodetic Survey in 1884-85.

Station mark: A marble post 30 by 6 by 6 inches set 28 inches in the ground, over an earthenware pyramid. Top of post marked $\frac{U}{[C.\ \&]} \frac{S.}{[C.\ \&]}$

Reference marks: Three marble posts 30 by 4 by 4 inches, set as follows:

- (1) True azimuth, 99° 53'; distance, 140.25 feet.
- (2) True azimuth, 54° 41'; distance, 175.8 feet.
- (3) True azimuth, 338° 12'; distance, 437.75 feet.

[Latitude 39° 26' 22.32". Longitude 82° 29' 46.50".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Brown Schultz Cook Brooks McDaniel Zaleski	0 / // 146 40 36.24 222 46 20.65 228 57 23.90 257 42 22.62 290 56 26.59 338 05 36.66	326 36 32.15 42 49 24.02 49 03 10.28 77 52 27.11 111 03 09.10 158 09 14.12	Meters. 4. 2220318 4. 0063763 4. 2366543 4. 3666779 4. 2107237 4. 3433070

BEALLSVILLE, MONROE COUNTY.

Situated 3 miles east of the town of Beallsville on the highest point of a bare hill on the farm of the Gale brothers.

Station mark: A cut marble post 48 by 6 by 6 inches set 40 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

[Latitude 39° 50′ 49.76″. Longitude 80° 58′ 49.99″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Gallaway Jacobsburg Myers Riggs Wiedman Newcastle Steele Bryan	221 32 26.97 269 45 19.11 87 09 57.20 118 21 49.78 125 11 13.00	2 29 55. 83 30 28 36. 52 41 39 03. 80 89 53 56. 89 267 02 01. 79 298 18 11. 29 305 01 44. 45 335 13 05. 87	Meters. 4. 2612655 4. 2108474 4. 3447990 4. 2835700 4. 2471021 3. 9639688 4. 4179181 4. 1914760

BOND, ATHENS COUNTY.

On a flat ridge covered with fruit trees in Carthage Township, 7 miles southeast of Guysville. Station is on eastern edge of summit, about 4 feet lower and 200 feet east of highest point, on land owned by William Bond, who lives 300 yards south.

Station mark: A sandstone post 38 by 9 by 9 inches set 36 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

[Latitude 39° 14' 17.07". Longitude 81° 51' 10.74".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Fulton White Southland Nolan Lyons Wigal Melhorn	0 / // 106 34 55. 98 129 06 44. 67 179 06 54. 47 226 08 49. 91 247 00 38. 53 290 51 25. 79 335 49 20. 01	286 28 31. 40 308 58 43. 68 359 06 47. 89 46 14 13. 62 67 02 55. 00 110 58 02. 69 155 53 06. 15	Meters. 4. 1818210 4. 3696920 4. 2068403 4. 2298152 3. 7495497 4. 2074866 4. 3327202

BOOTH, TUSCARAWAS COUNTY.

On a sharp, bald knob, 5 miles southeast from New Comerstown, one-fourth mile south from Booth post office, and 400 feet southeast of Mr. Walter's residence, on land owned by him.

Station mark: A sandstone post 36 by 7 by 7 inches set 34 inches in the ground, in the center of top of which is countersunk and cemented a bronze triangulation tablet, "Ohio."

[Latitude 40° 13′ 26.69". Longitude 81° 32′ 56.37".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Kennedy Widder Wasen Stone Creek Gilmore Midway	103 17 39.33 166 55 12.11 179 22 08.98 228 11 04.90	230 51 07.97 283 15 05.76 346 53 04.26 359 22 03.72 48 15 13.50 172 07 03.12	Meters. 4. 2342578 3. 7615799 4. 2784021 4. 2391088 4. 0860014 4. 2759110

BOWERSTON, HARRISON COUNTY.

Situated on a cleared hill in section 25, Monroe Township, about 2 miles south of the village of Bowerston, on land owned by J. E. Brown.

Station mark: A stone post 40 by 6 by 6 inches set 36 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

ţ

[Latitude 40° 23' 13.23". Longitude 81° 11' 18.71".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Tippecanoe. Jefferson Cadiz Deersville.	260 45 35.42 304 31 25.13	204 19.00.04 80 54 37.31 124 38 35.25 178 23 20.87	Meters. 4. 1880466 4. 3003187 4. 2799048 3. 9461666

BOYS' INDUSTRIAL SCHOOL CHIMNEY, FAIRFIELD COUNTY.

(Not occupied.)

In sections 35 and 36, Hocking Township, 6 miles south of Lancaster. Station mark: Center of tall brick chimney.

[Latitude 39° 38′ 28.64″. Longitude 82° 37′ 36.53″.]

To station—	Azimuth.	Back'azimuth.	Log. distance.
Pleasant (2). Buck. Schultz. Brown.	248 35 57.26		Meters. 3. 9867933 4. 0607701 4. 3707116 3. 9405008

BOYS' INDUSTRIAL SCHOOL WATER TOWER, FAIRFIELD COUNTY.

(Not occupied.)

In sections 35 and 36, Hocking Township, 6 miles south of Lancaster. Station mark: Center of large white water tower.

[Latitude 39° 38′ 32.48″. Longitude 82° 37′ 38.20″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Pleasant (2) Buck Schultz Brown	309 39 00.95	129 47 05.22	Meters. 3. 9820877 4. 0605764 4. 3726735 3. 9466564

BROOKS, HOCKING COUNTY.

A station of the United States Coast and Geodetic Survey, on a wooded ridge near the northern line of section 19, Ward Township, about 3 miles north of Nelsonville.

Station mark: A marble post 29 by 6 by 6 inches set 22 inches in the ground, above

a square earthenware pyramid 5 inches high. Top of post marked $\begin{bmatrix} U \\ C & & \end{bmatrix} \frac{S}{G \cdot S}$

Reference marks: (1) A marble post 30 by 4 by 4 inches set 28 inches in the ground; azimuth from mark, 74° 11′; distance, 110.75 feet. (2) A marble post 30 by 4 by 4 inches set 28 inches in the ground; azimuth from mark, 336° 13′; distance, 275 feet. (3) A marble post 30 by 4 by 4 inches set 28 inches in the ground; azimuth from mark, 200° 35′; distance, 185.4 feet.

[Latitude 39° 29' 01.86". Longitude 82° 13' 55.39".]

To station— .	Azimuth.	Back azimuth.	Log. distance.
McDaniel. Barton Schultz. Cook. Nebo	35 15 15.27 77 52 27.11 99 07 21.22 123 23 44.62 303 54 52.42	0 , , ,, 215 11 53.84 257 42 22.62 279 00 19.77 303 19 26.03 124 00 23.75	Meters. 4.118828 4.3660779 4.2050498 4.0653816 4.1770814

BROWN, HOCKING COUNTY.

On the property of Isaac Brown, in the southeast quarter of section 30, Good Hope Township, 13 miles by road west of Logan, 13 miles south of Lancaster, 5 miles west of Rockbridge. Station has a good view in nearly all directions, being just east of a cemetery which occupies the summit of the hill.

Station mark: A marble post 30 by 6 by 6 inches set 28 inches in the ground, over an earthenware pyramid.

[Latitude 39° 33′ 53.90". Longitude 82° 36′ 10.23".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Boys' Industrial School water tower Boys' Industrial School chimney Buck Cook Schultz Barton	166 16 40. 48 166 20 57. 88 214 20 02. 08 276 38 41. 55 291 55 33. 81 326 36 32. 15	346 15 44.39 346 20 02.87 34 23 53.61 96 48 32.74 112 02 41.69 146 40 36.24	Meters. 3. 9466564 3. 9405008 4. 1858328 4. 3486753 4. 2383235 4. 2220318

BRYAN, BELMONT COUNTY.

Situated on a high, partly cleared hill in Goshen Township, about 2 miles north of Hunter post office and 4 miles a little east of south of Bethesda. Land owned by Mr. Patterson.

Station mark: A stone post 40 by 6 by 6 inches set 36 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

Reference mark: The tall dead signal tree on highest part of hill. Distance from station mark, 6 feet; true azimuth, 355° 13′.

[Latitude 39° 58' 27.33". Longitude 81° 03' 23.94".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Newcastle	9 15 31.48	189 14 48.57	Meters. 3. 9944416 4. 1738583 3. 9231502 4. 1914760
Steele	93 39 27.39	273 33 44.12	
Gallaway	240 30 53.44	60 34 11.06	
Beallsville	335 13 05.87	155 16 01.67	

BUCK, FAIRFIELD COUNTY.

On the farm of Noah Seifert, 7 miles east-southeast of Lancaster, in the southwest part of section 13, Berne Township, on a small mound in a cleared field 100 feet north of the east and west road which crosses summit of hill. Timber obstructs view to the southwest.

Station mark: A marble post 30 by 6 by 6 inches set 28 inches in the ground, over an earthenware pyramid.

[Latitude 39° 40′ 44.49′′. Longitude 82° 30′ 07.18″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Brown. Boys' Industrial School chimney Boys' Industrial School water tower Pleasant (2). Cook. Schultz.	68 40 43.74 122 42 18.23 318 30 42.80	214 20 02.08 248 35 57.26 302 38 44.12 138 36 43.24 158 57 18.49	Meters. 4. 1858328 4. 0607701 4. 0605764 3. 9771162 4. 3091667 4. 3120770

CADIZ, HARRISON COUNTY.

Situated 1½ miles north of the town of Cadiz on a hill locally known as the Sand Lot, on land owned by Louis Rider, at forks of road to Hanover and Rumley.

Theodolite elevated 52 feet.

Station mark: A cut marble post 48 by 6 by 6 inches sunk 36 inches in the ground, in center of top of which is cemented a bronze triangulation tablet, "Ohio:"

[Latitude 40° 17′ 22.36". Longitude 81° 00′ 14.58".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Jefferson Hopedale Mount Pleasant Clarks Hill Sewellsville Deersville Bowerston	196 06 28.74 249 40 19.70 312 57 37.85 350 11 27.43 40 08 03.66 97 22 22.94 124 38 35.25	0 08 19.68 69 46 06.04 133 05 59.66 170 13 03.92 219 59 50.71 277 15 19.98 304 31 25.13	Meters. 4. 1631951 4. 1295800 4. 4004381 4. 3177623 4. 4482271 4. 1923301 4. 2799048

CADIZ COURTHOUSE, HARRISON COUNTY.

(Not occupied.)

Station mark: Center of cupola on courthouse.

[Latitude 40° 16' 22.39". Longitude 80° 59' 52.62".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Hopedale Mount Pleasant.	° ' '' 241 40 48.88 310 31 40.34		Meters. 4. 1388232 4. 3715307

CALLAND, NOBLE COUNTY.

Situated on a high cleared hill in Seneca Township, about 2 miles northeast of village of Summerfield, near the Noble-Monroe county line on land owned by Mrs. Martha Calland.

Station mark: A stone post 40 by 6 by 6 inches set 36 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

[Latitude 39° 48′ 14.31″. Longitude 81° 19′ 22.61″.]

To station—	Azimuth	Back azimuth	Log. distance.
Fulda Pleasant. Tucker Warehime Steele. Wiedman	53 35 25.20 87 36 24.91 142 01 12.68 165 10 18.15 201 35 53.45 251 29 17.30	233 32 02.90 267 31 42.37 321 58 40.51 345 08 11.50 21 39 25.88 71 34 31.64	Meters. 3.9709420 4.0215172 3.9625705 4.2628296 4.3293954 4.0901708

CARROLLTON, CARROLL COUNTY.

Situated 2½ miles east of the town of Carrollton, on the Scroggsfield road, on land owned by Mr. Campbell.

Station mark: A cut marble post 40 by 6 by 6 inches set 30 inches in the ground in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

[Latitude 40° 34′ 35.51". Longitude 81° 01′ 47.82".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Kensington. Elders. Jefferson.	204 06 05.89 262 50 29.70 340 45 32.78	24 09 27.05 82 57 51.91 160 48 24.64	Meters. 4. 2491471 4. 2070630 4. 2772402

CENTENNIAL, BELMONT COUNTY.

A secondary station situated 2½ miles northwest of the city of Bellaire, on land owned by William Nichol.

Station mark: A lone pine tree on highest point of hill.

[Latitude 40° 02' 19.01". Longitude 80° 46' 27.91".]

To station—	Azimuth.	Back azimuth.	Log. distance.
MyersSherrard	31 55 37.0 304 01 30.3	0 / // 211 54 17. 4 124 04 47. 5	

CLARKS HILL, BELMONT COUNTY.

Situated 1 mile east of Bannock station, south of the Baltimore & Ohio R. R., on the summit of a hill owned by the heirs of Mr. Samuel Clark.

Station mark: A cut marble post 6 by 6 inches on top and extending to 6 by 12 inches at bottom. It is 24 inches long, sunk 25 inches in the ground, and set in cement-In the center of the top is cemented a bronze triangulation tablet, "Ohio."

[Latitude 40° 06′ 18.28″. Longitude 80° 57′ 45.02″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Gallaway Cadiz	4 07 10.89 170 13 03.93 257 20 13.51	184 06 50.55 350 11 27.43 77 26 58.01	Meters. 4.0183310 4.3177623 4.1827579

CLAYSVILLE, GUERNSEY COUNTY.

On a bald knob one-fourth mile northwest from village of Claysville.

Station mark: A bottle of ashes 2½ feet below surface, above which is a tile 30 by 4 by 4 inches set 30 inches in the ground.

[Latitude 39° 56′ 25.33". Longitude 81° 40′ 43.04".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Sago. College Midway. Warehime Gregg.	226 49 26, 89 264 12 48, 08	311 50 42.87 13 43 15.84 46 55 37.28 84 24 23.41 110 31 13.35	Meters. 4.0746717 4.0557460 4.2725062 4.4121452 4.2245402

COFFEE KNOB, NOBLE COUNTY.

Situated in Olive Township on summit of hill known locally as Coffee Knob. The land belongs to John Hughes and is covered with a peach orchard.

Station mark: A stone post 40 by 6 by 6 inches set 36 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

To station—	Azimuth.	Back azimuth.	Log. distance.
Gregg Pleasant. Fulda. Coffey. Dovenbecker. Fulda Church		13 43 14.30 45 51 09.15 74 13 26.06 134 02 58.60 158 44 36.15 90 14 41.00	Meters. 4. 2709766 4. 0813436 4. 0823867 4. 1340788 4. 2675872 4. 0496191

COFFEY, NOBLE COUNTY.

Situated in Jefferson Township, about 2 miles east of Macksburg and near the Noble-Washington county line. It is on a knob at the southern end of what is locally known as Coffey Ridge on land belonging to the Coffey brothers. A house surrounded by a peach orchard occupies the whole summit of knob.

Station mark: A stone post 15 by 6 by 6 inches set 15 inches in the ground, with a cross cut on upper surface.

Reference mark: The south chimney of house; distance from station, 69 feet; azimuth, 121° 43'.

Subsurface mark: An aluminum bolt buried 2 feet below surface underneath station mark.

[Latitude 39° 38' 20.51". Longitude 81° 25' 56.23".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Dovenbecker	21 34 03 43 134 02 58 60 188 13 57 47 290 04 00 35	201 32 41, 16 313 58 36, 21 8 14 46, 99 110 10 06, 45	Meters. 3, 9232258 4, 1340788 4, 1102507 4, 1639102

COLLEGE, GUERNSEY COUNTY.

In a field about 400 feet southeast from white schoolhouse, on what is known locally as College Hill, 2.5 miles northwest of Cambridge.

Station mark: A limestone post 40 by 7 by 7 inches set 39 inches in the ground, in center of top of which is countersunk and cemented a bronze triangulation tablet, "Ohio."

[Latitude 40° 02' 23.47". Longitude 81° 38' 49.47".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Claysville Sago. Kennedy Midway.	74 54 42.29 152 47 17.23	193 42 02. 84 254 49 29. 58 332 45 02. 42 80 56 22. 09	Meters. 4. 0557460 4. 0771353 4. 0350419 4. 0455896

COLUMBUS, FRANKLIN COUNTY.

The roof of the statehouse, which was occupied and angles reduced to center of flagpole. A Coast and Geodetic Survey astronomic station.

Station mark: Center of flagpole.

Latitude, approximate U. S. standard, 39° 57′ 41.12″; astronomic C. & G. S., 39° 57′ 40.46″. Longitude, approximate U. S. standard, 82° 59′ 56.93″; astronomic C. & G. S., 82° 59′ 46.26″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Spangler South base North base Asylum Baker.	00 50 03.50 45 51 20.58 56 15 00.73 85 43 35.18 336 06 47.21	80 49 58.86 225 47 59.84 236 12 51.25 265 41 27.41 156 08 01.02	Meters. 4. 0721158 4. 0151152 3. 7603278 3. 6753250 3. 8290019

COLUMBUS INSANE ASYLUM, FRANKLIN COUNTY.

Three miles west of Columbus. The point occupied is on the southern square tower of the main building. The theodolite was set on iron roof just south of flagpole to which angles are reduced. The main central tower is 25 or 30 feet higher, but can not be occupied.

Station mark: Center of flagpole.

[Latitude, approximate U. S. standard, 39° 57' 29.64"; astronomic C. & G. S., 39° 57' 28.98". Longitude, approximate U. S. standard, 83° 03' 15.87"; astronomic C. & G. S., 83° 03' 05.20".]

To station—	Azimuth.	Back azimuth.	Log. distance.
North base South base Columbus. Baker. Spangler	21 30 41.82 265 41 27.41	181 17 57. 13 201 29 28. 77 85 43 35. 18 127 58 48. 64 158 19 50. 71	Meters. 3. 4544326 3. 8676913 3. 6753250 3. 9755769 4. 0907165

COLUMBUS INSANE ASYLUM (CENTRAL TOWER), FRANKLIN COUNTY.

Station mark: Central tower on insane asylum.

[Latitude, approximate U. S. standard, 39° 57′ 30.13″; astronomic C. & G. S., 39° 57′ 29.47″. Longitude, approximate U. S. standard, 83° 03′ 16.33″; astronomic C. & G. S., 83° 03′ 05.66″.]

COLUMBUS NORTH BASE, FRANKLIN COUNTY.

Three and one-half miles by wagon road southwest of Columbus post office, on land owned by H. C. Detwiler, just west of railroad track, on northern prolongation of tangent and 900 feet north of its extremity. Theodolite elevated 31 feet.

Station mark: Limestone post, 46 by 8 by 8 inches set 38 inches in the ground, in center of top of which is cemented a bronze tablet.

Reference marks: Iron bench-mark post on fence line between field and right of way, 29.65 feet distant, the azimuth to it being 302° 19′. Iron bench-mark post set in same direction on eastern side of railroad right of way, 90.55 feet distant.

[Latitude, approximate U. S. standard, 39° 55′ 57.34″; astronomic C. & G. S., 39° 55′ 56.68″. Longitude, approximate U. S. standard, 83° 03′ 18.59″; astronomic C. & G. S., 83° 03′ 07.9?″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
South base	181 17 57.13 236 12 51.25	213 18 30.02 1 17 58.80 56 15 00.73 111 33 39.03	Meters. 3. 6815710 3. 4544326 3. 7603278 3. 9076388

COLUMBUS SOUTH BASE, FRANKLIN COUNTY.

Seven miles by road southwest of Columbus; about 900 feet southwest of Urban Crest station; 280 feet west of Baltimore & Ohio Southwestern R. R. track; about 200 feet west of Henry Newmeister's house. Instrument elevated 31 feet.

Station mark: Limestone post 40 by 8 by 8 inches set 36 inches in ground, in center of top of which is cemented a bronze tablet.

Reference marks: Iron bench-mark post on line between lot and street, 38.70 feet distant, azimuth 96° 59'; iron bench-mark post eastward, 11.20 feet distant; iron bench-mark post southward on line between lot and alley, 30.50 feet distant, azimuth, 2° 16'.

[Latitude, approximate U. S. standard, 39° 53′ 47.19′′; astronomic C. & G. S., 39° 53′ 46.53′′. Longitude, approximate U. S. standard, 83° 05′ 09.69′′; astronomic C. & G. S., 83° 04′ 59.02′′.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Asylum. North base Columbus. Baker. Spangler.	201 29 28.77 213 18 30.02 225 47 59.84 264 04 45.67 302 16 28.18	21 30 41.82 33 19 41.30 45 51 20.58 84 09 20.04 122 19 44.05	Meters. 3. 8676913 3. 6815710 4. 0151152 4. 0092338 3. 9339777

COOK, HOCKING COUNTY.

On the estate of John Cook, in the northeast quarter of section 23, Green Township, 4 miles east of Logan. A good view can be had in all directions excepting north 0° east to north 30° east, which is interfered with by timber at north end of ridge. This station was also occupied by the United States Coast and Geodetic Survey in 1881.

Station mark: A marble post 30 by 6 by 6 inches set 28 inches in the ground, immediately above an earthenware pyramid. Top of post marked $\begin{bmatrix} \overline{U} \\ \overline{C} \\ \overline{C} \\ \end{bmatrix}$ $\begin{bmatrix} \overline{S} \\ \overline{C} \\ \overline{C} \\ \overline{C} \\ \end{bmatrix}$

17 - 114 - 4 - 000 001 00 1111	T
1 Latitude 39° 32′ 29.14′′.	Longitude 82° 20′ 41.83″.1

To station—	Azimuth.	Back azimuth.	Log. distance.
Barton Schultz Brown Buck Brooks McDaniel.	49 03 10.28 57 44 19.75 96 48 32.74 138 36 43.24 303 19 26.03 352 53 21.32	228 57 23.90 237 41 36.70 276 38 41.55 318 30 42.80 123 23 44.62 172 54 18.10	Meters. 4. 236543 3. 8596674 4. 3486753 4. 3091667 4. 0653816 4. 2371864

DAVIS, JACKSON COUNTY.

On a cultivated hill in Bloomfield Township, 12 miles eastward from Jackson, 1½ miles north of Orpheus post office, 3 miles east of Winchester (Rocky Hill post office). Land owned by Evan D. Davis who lives about 500 feet west-southwest of station. An unobstructed view can be had for many miles toward the north, northwest, and west, and comparatively few trees obstruct the view southwest.

Station mark: Center of wild-cherry signal tree about 500 feet east-northeast of Mr. Davis's residence and 13 feet south of an east-west fence.

[Latitude 38° 58′ 54.17". Longitude 82° 28′ 47.63".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Lawler Graham Wagner	200 26 28.47 294 03 37.74 358 19 33.89	20 28 23.27 114 12 13.18 178 19 50.05	Meters. 4. 0984524 4. 3352839 4. 3278387

DEERSVILLE, HARRISON COUNTY.

Situated in the village of Deersville, Franklin Township. Station is the center of cupola of public-school building in the eastern part of the village.

Station mark: Center of cupola.

[Latitude 40° 18′ 26.93". Longitude 81° 11′ 08.13".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Sewellsville. Prospect Tippecanoe. Bowerston Jefferson. Cadiz.	10 06 05.78	186 18 29.97 190 05 23.84 231 40 46.25 358 23 14.06 58 24 40.31 97 22 22.94	Meters. 4.3730446 3.9417489 3.9252612 3.9461666 4.3594835 4.1923301

DILLON, MONROE COUNTY.

Station mark: The chimney on Mr. J. D. Dillon's residence, 1 mile south of Way post office.

[Latitude 39° 37′ 40.67". Longitude 81° 10′ 31.26".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Moore. Laws Tank High Knob. Glass	65 40 13.26 216 55 13.70	199 47 41.01 245 36 29.65 36 57 28.00 102 39 53.00 152 19 54.03	Meters. 4.3215874 3.9630466 3.9554300 4.1253100 3.9758125

DOVENBECKER, WASHINGTON COUNTY.

Situated about 5 miles southwest of Macksburg in pasture field on a high, cleared hill on land owned by William Dovenbecker.

Station mark: A sandstone post 48 by 6 by 6 inches set 48 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

[Latitude 39° 34′ 07.79". Longitude 81° 28′ 05.23".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Coffee Knob. Fulds. Coffey. Laws. Moore.		338 41 35.73 13 29 38.34 21 34 03.43 80 39 58.60 126 08 37.09	Meters. 4. 2675872 4. 3249454 3. 9232258 4. 2307093 4. 3492957

EAST LIVERPOOL CHAPEL, COLUMBIANA COUNTY.

. (Not occupied.)

Memorial Chapel in the cemetery at East Liverpool, Ohio.

Station mark: Cap on monument of soldier.

[Latitude 40° 38′ 15.62″. Longitude 80° 34′ 22.70″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
HammondAllison	° , "	0 / //	Meters.
	114 30 16.57	294 26 23.76	3. 96492
	353 41 30.73	173 41 45.23	3. 67712

ELDERS, JEFFERSON COUNTY.

Situated one-half mile south of the village of Monroeville on land owned by Mr. Elder.

Station mark: A cut marble post 48 by 6 by 6 inches set 40 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

[Latitude 40° 35′ 40.04″. Longitude 80° 50′ 28.10″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Jefferson. Carrollton. Kensington. Hammond. Allison. Wintersville.	82 57 51.91 148 30 40.69 238 50 48.93 269 43 49.10	206 09 16.01 262 50 29.70 328 26 39.02 58 57 24.93 89 54 31.77 156 33 37.87	Meters. 4. 3452306 4. 2070630 4. 2218375 4. 2224370 4. 3659427 4. 3682786

FLUSHING, BELMONT COUNTY.

(Not occupied.)

In village of Flushing, in township of same name.

Station mark: Center of cupola on Dr. Burraclough's house.

[Latitude 40° 08′ 58.90". Longitude 81° 03′ 50.24".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Sewellsville	65 25 32.21 126 53 21.86	0 , ,, 245 19 39.26 306 47 57.45	Meters. 4. 1542888 4. 1720159

FULDA, NOBLE COUNTY.

Situated on a cleared hill in Enoch Township about 2 miles north of Fulda post office on land owned by Mr. Bates.

Station mark: A stone post 40 by 6 by 6 inches set 36 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

[Latitude 39° 45′ 14.16". Longitude 81° 24′ 38.75".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Coffey Dovenbecker Coffee Knob Pleasant Tucker Calland Laws	13 29 38.34 74 13 26.06 149 46 36.80 188 18 59.48 233 32 02.90	188 13 57.47 193 27 26.49 254 08 13.79 329 45 16.75 8 19 49.89 53 35 25.20 146 22 57.69	Meters. 4. 1102507 4. 3249454 4. 0823867 3. 7718484 4. 1112795 3. 9709420 4. 3294759

FULDA CHURCH SPIRE, NOBLE COUNTY.

(Not occupied.)

In village of Fulda.

Station mark: Center of church spire.

[Latitude 39° 43' 26.01". Longitude 81° 24' 56.52".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Coffee Knob	90 14 41.03 187 13 47.17	270 09 40.22 7 13 58.53	Meters. 4. 0496191 3. 5265941

FULTON, ATHENS COUNTY.

A bare hogback ridge in Lodi Township 7 miles southeast of Λ thens on land owned by William Fulton.

Station mark: A sandstone post 36 by 12 by 12 inches, dressed 8 inches square on top, set 34 inches in the ground; in the center of top is cemented a bronze triangulation tablet, "Ohio."

[Latitude 39° 16′ 37.29". Longitude 82° 01′ 18.47".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Townsend (2)	160 49 23.38	283 25 56. 81 340 47 47. 32 50 35 57. 22 106 34 55. 98	Meters. 3. 8121631 4. 0432222 4. 2678598 4. 1818210

GALLAWAY, BELMONT COUNTY.

Situated 4 miles southeast of Belmont and 2 miles south of Lewis Mills, on the summit of a bare hill owned by Mr. Gallaway.

Station mark: A cut marble post 40 by 6 by 6 inches set 36 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

[Latitude 40° 00′ 40.94″. Longitude 80° 58′ 16.52″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Beallsville. Clarks Hill Mount Pleasant Myers. Jacobsburg Newcastle Bryan	2 29 55.83 184 06 50.55 228 38 05.78 276 53 33.03 299 35 16.63 32 41 30.82 60 34 11.06	182 29 34. 33 4 07 10. 89 48 45 10. 24 96 59 49. 03 119 38 37. 92 212 37 30. 44 240 30 53. 45	Meters. 4. 2612655 4. 0183311 4. 3180322 4. 1453970 3. 9318086 4. 2166459 3. 9231502

GILMORE, TUSCARAWAS COUNTY.

On a bald knob one-third mile north of the village of Gilmore, 300 feet from where road elbows to east going from Gilmore.

Station mark: A sandstone post 36 by 6 by 6 inches set 33 inches in the ground in the center of top of which is countersunk and cemented a bronze triangulation tablet, "Ohio."

[Latitude 40° 17′ 50.02″. Longitude 81° 26′ 31.76″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Widder. Port Washington. Stone Creek. Wainwright. Uhrichsville Tippecanoe. Booth.	65 15 18.37 107 14 03.00 134 52 35.59 176 58 27.78 238 12 02.93 284 58 09.52 48 15 13.50	245 08 36.06 287 11 28.00 314 48 21.35 356 58 08.37 58 18 12.91 105 05 05.88 228 11 04.90	Meters. 4.2095562 3.7758890 4.1164240 4.1267768 4.2004975 4.1973700 4.0860014

GLASS, WASHINGTON COUNTY.

On north end of ridge, 0.5 mile east of Glass post office and 100 feet south of road. Reference mark: A sandstone post 36 by 8 by 8 inches set 36 inches in the ground, with cross cut in center of top. Azimuth, 166° 50′; distance, 14.3 feet.

Station mark: Chimney on a small frame house owned by John Newell, 14.3 feet south of reference mark.

To station—	Azimuth.	Back azimuth.	Log. distance.
Moore Laws Dillon Tank High Knob Smith	45 26 59.54 109 48 40.00 152 19 54.03 183 47 44.00 237 39 24.40 276 51 34.5	225 21 53.00 289 42 59.25 332 17 56.67 3 48 12.00 57 43 14.20 96 56 45.4	Meters. 4. 2086840 4. 1324413 3. 9758125 4. 1938000 4. 00798 4. 06987

GRAHAM, GALLIA COUNTY.

A flat, partly timbered ridge 9 miles by road north-northwest of Gallipolis, 1½ miles east of Evergreen post office.

An extensive view can be had in all directions except eastward. Land owned by Charley Graham and rented by Mr. Sparrows.

Station mark: A marble post 30 by 6 by 6 inches, set 28 inches in the ground 7 feet east of signal tree and on south side of rail fence. In center of top is cemented a bronze triangulation tablet. "Ohio."

Reference mark: The oak signal tree on fence line on south side of road. Azimuth from mark, 99° 11′; distance, 7 feet.

[Latitude 38° 54′ 07.25". Longitude 82° 15′ 07.55".]

To station	Azimuth.	Back azimuth.	Log. distance.
Houck	57 07 05.39 114 12-13.18 186 38 36.75 285 15 10.50	95 40 54.83 236 58 47.15 294 03 37.74 6 39 15.03 105 26 39.74	Mcters. 4. 4049004 4. 3584636 4. 3352839 4. 1024633 4. 4386594

GREENLER, MEIGS COUNTY.

On a cultivated ridge in Scipio Township, 2½ miles southeast of Harrisonville and 9 miles northwest of Pomeroy. Land owned by the widow Greenler. An extended view can be had in all directions.

Station mark: A stone post 30 by 8 by 8 inches, set 28 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

[Latitude 39° 06′ 36.10″. Longitude 82° 05′ 37.56″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Leonard	131 06 34.33 179 42 39.02 279 28 14.79	229 17 11.56 311 03 11.43 359 42 36.35 99 41 07.07 157 19 00.37	Meters, 4. 2078401 4. 0103602 4. 3021055 4. 4013817 4. 4750063 4. 5174129

GREGG, NOBLE COUNTY.

Situated on a cleared hill in Wayne Township about 4 miles south of Senecaville and near the Noble-Guernsey county line. Hill partly covered by an orchard. Land owned by Walter Gregg.

Station mark: A bowlder 20 by 10 by 8 inches, set in the ground and having a cross (+) cut on its upper surface.

Subsurface mark: A bronze triangulation tablet buried 2 feet below surface immediately underneath cross on bowlder.

[Latitude 39° 53′ 15.23". Longitude 81° 29′ 41.50".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Coffee Knob	13 43 14.30 229 51 54.19 282 43 32.96 336 31 55.44	93 41 15.25 49 56 24.57 102 47 37.40 156 33 49.16	Meters. 4. 2709766 4. 1165523 3. 9679631 4. 0254160

HALLS KNOB, GUERNSEY COUNTY.

(Not occupied.)

A high knob in northern part of Millwood Township, locally known as Joe Halls Knob.

Station mark: Center of tobacco barn on highest part of knob.

[Latitude 39° 59′ 57.14". Longitude 81° 17′ 15.25".]

To station—	Azimuth.	Back azimuth.	Log. distance.
SewellsvilleSteele	0 / //	0 / //	Meters.
	209 31 02.83	29 33 48.43	4. 0925218
	290 41 37.89	110 43 48.80	3. 7132089

HAMMOND, COLUMBIANA COUNTY.

Situated 2 miles east of the village of Glasgow on the highest point of a knob, known locally as Hammonds Knob.

Station mark: A cut marble post 40 by 6 by 6 inches, set 36 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

[Latitude 40° 40′ 19.50′′. Longitude 80° 40′ 20.06′′.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Wintersville. Elders. Kensington. Allison	58 57 24.93 ·	189 27 36.41	Meters. 4. 4836287 4. 2224370 4. 3739205 4. 0918031

HIGH KNOB, MONROE COUNTY.

About 4 miles by road northwest of Sistersville, W. Va., on a prominent knob having two large wooden tanks on its summit.

Station mark: Wooden projection 5 feet square on southeast side of eastern tank, top about 4 feet higher than top of tank.

[Latitude 39° 36′ 05.63". Longitude 81° 01′ 26.40".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Glass Laws Dillon Flag N. Pollock Smith Owls Head.	230 51 47.3 279 41 54.3 336 01 36.3	50 55 25.0 99 44 56.3 156 02 57.6	Meters. 4.00798 4.33012 4.12445 4.02074 3.83962 3.87521 4.27736

HOPEDALE, JEFFERSON COUNTY.

Situated 2 miles west of Bloomingdale on the north side of the Bloomingdale-Hopedale pike, on the highest point of hill in cleared field belonging to Mr. S. N. Beall.

Station mark: A cut marble post 24 by 4 by 4 inches sunk 24 inches in the ground. "U. S. G. S." marked on top of post.

[Latitude 40° 19′ 53.80". Longitude 80° 51′ 19.20".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Cadiz C. H. Cadiz. Jefferson Wintersville. New Alexander Mount Pleasant.	69 46 06.04	241 40 48.88 249 40 19.70 317 18 11.04 53 36 19.99 110 23 39.92 165 20 26.93	Meters. 4. 1388232 4. 129580 4. 1028039 4. 1166735 4. 1817202 4. 3534510

HOUCK, GALLIA COUNTY.

In Harrison Township, on a bare hill owned by Noah Houck, 3 miles south of Lincoln and one-fourth mile north of Ruby post office. A few locust trees still standing near summit of hill.

Station mark: A sandstone post 30 by 8 by 8 inches set 28 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

Reference mark: The locust signal tree; true azimuth from mark, 268° 05'; distance, 21.2 feet.

[Latitude 38° 40′ 54.17′′. Longitude 82° 19′ 52.51′′.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Wray. Wagner Graham Finlay Kennard Gebhardt.	134 25 23.87 195 40 54.83 242 38 56.49 263 24 39.30	229 30 22,22 314 20 05,14 15 43 53,36 62 53 22,49 83 33 45,05 158 05 28,36	Meters. 4. 1709604 4. 2358550 4. 4049004 4. 5747505 4. 3270505 4. 2608573

JACOBSBURG, BELMONT COUNTY.

Situated on the top of Mr. Robert C. McKelvey's house. Signal was placed on roof within railing. The center comes at edge of second layer of tin from south railing and in center of cupola east and west.

[Latitude 39° 58' 24.01". Longitude 80° 53' 03.37".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Beallsville. Gallaway. Myers.	30 28 36.52 119 38 37.92 248 31 07.18	0 / // 210 24 54.13 299 35 16.63 68 34 01.77	

JEFFERSON, HARRISON COUNTY.

Situated on a bare hill one-fourth mile northwest of the town of Jefferson, between the forks of the New Philadelphia and Carrollton roads, on land owned by Samuel Meed.

Station mark: A cut marble post 42 by 6 by 6 inches sunk 36 inches in the ground, in center of top of which is cemented a bronze triangulation tablet, "Ohio."

[Latitude 40° 24′ 55.88". Longitude 80° 57′ 23.13".]

To station	Azimuth.	Back azimuth.	Log. distance.
Cadiz. Carrollton Elders Wintersville Hopedale. Deersville Bowerston	16 08 19.68 160 48 24.64 206 09 16.01 274 33 35.99 317 18 11.04 58 24 40.31 80 54 37.31	94 42 21 10 137 22 238 15 45.61 26 13 45.61 94 42 21.10 238 25 26.82 238 15 45.68 260 45 35.42	Meters. 4. 1631951 4. 2772402 4. 3452306 4. 2824762 4. 1028039 4. 3594835 4. 3003187

JERUSALEM SCHOOLHOUSE, MONROE COUNTY.

(Not occupied.)

Schoolhouse in Jerusalem, Sunbury Township.

Station mark: Center of cupola.

[Latitude 39° 50′ 54.00′′. Longitude 81° 06′ 06.45′′.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Wiedman	81 59 06.96 208 14 14.47	° ' '' 261 55 51.27 28 15 15.85	Meters. 3.8653255 3.6820293

KENNEDY, GUERNSEY COUNTY.

On east slope of hill, in field owned by Mr. Kennedy, about 5 miles west of Kimbolton and 3 miles northwest of Hopewell village.

Station mark: A sandstone post 40 by 7 by 7 inches set 36 inches in the ground, in center of top of which is countersunk and cemented a bronze triangulation tablet, "Ohio."

[Latitude 40° 07' 36.01". Longitude 81° 42' 18.85".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Sago. Widder. Booth Midway. College	230 51 07.97 296 16 48.49	207 11 33.69 32 21 19.42 50 57 10.87 116 24 01.27 152 47 17.23	Meters. 4. 1566993 4. 1574000 4. 2342578 4. 2495411 4. 0350419

KENSINGTON, CARROLL COUNTY.

Situated 1 mile south of Kensington, on the highest point of a wooded hill. A county road passes over the south side of the hill.

Station mark: A cut marble post 48 by 6 by 6 inches sunk 36 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

[Latitude 40° 43' 20.61". Longitude 80° 56' 39.07".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Carrollton	24 09 27.05 283 34 21.24 328 26 39.02	0 , ,, 204 06 05.89 103 44 59.61 148 30 40.69	Meters. 4. 2491471 4. 3739205 4. 2218375

LAWLER, VINTON COUNTY, NEAR JACKSON COUNTY LINE.

A secondary station on a flat, partly timbered ridge 8 miles by road east-southeast of Wellston post office, on land owned by Frank Lawler and rented by Jim Kennison. Station mark: South chimney on two-story house with red tin roof.

[Latitude 39° 05' 15.32". Longitude 82° 25' 45.35".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Davis. Leonard Graham		0 , ,, 200 26 28.47 115 35 43.20 143 22 07.04	Meters. 4. 0984524 4. 2699658 4. 4097687

LAWS, WASHINGTON COUNTY.

Situated on a high, cleared, flat-topped hill in Liberty Township, about threequarters of a mile south of the village of Lebanon, on land owned by Mr. Laws.

Station mark: A dead oak tree.

Reference mark: A stone post 40 by 6 by 6 inches set 36 inches in the ground, in the center of the top of which is cemented a bronze triangulation tablet, "Ohio." Distance to center of tree, 1.4 feet; true azimuth, 170° 43'.

[Latitude 39° 35′ 37.83". Longitude 81° 16′ 21.98".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Pinkerton Dovenbecker Coffey Fulda Moore	50 51 42.70 80 39 58.60 110 10 06.45 146 22 57.69 355 27 25.12	230 41 51.34 260 32 30.54 290 04 00.35 326 17 40.64 175 27 58.83	Meters. 4. 4572810 4. 2307093 4. 1639102 4. 3294759 4. 2038199

LEONARD, MEIGS COUNTY.

On a partly timbered ridge in Salem Township, 12 miles by road west of Middleport, 4 miles north of Eno post office. Timber interferes with view northeast and southeast, but in other directions the view is particularly good. Land owned by W. H. Leonard, who lives 300 yards north.

Station mark: A sandstone post 36 by 8 by 8 inches set 34 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

Reference mark: The poplar signal tree at roadside. True azimuth from station mark, 322° 19′; distance, 128.1 feet.

To station—	Azimuth.	Back azimuth.	Log. distance.
Graham	6 39 15.03 39 34 55.56 115 35 43.20 151 46 12.85	86 38 36.75 219 25 58.48 295 28 23.01 331 39 56.21	Meters. 4. 1024633 4. 5104457 4. 2699658 4. 4807510
McKnight. Greenler. Finlay.	194 38 18. 41 229 17 11. 56 308 21 37. 63	14 40 16.75 49 22 32.39 128 32 29.47	4. 2510681 4. 2078401 4. 5039347

[Latitude 39° 00′ 55:06″. Longitude 82° 14′ 06.67″.]

LYONS, ATHENS COUNTY.

A bald hill in Troy Township, 1 mile north of Latrobe post office (Coolville station). Land owned by Eli Lyons, who lives 200 yards southeast of station. A good view in nearly all directions except northward, which is limited to 2 miles.

Station mark: A marble post 30 by 6 by 6 inches set 28 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

To station—	Azimuth.	Back azimuth.	Log. distance.
Bond	67 02 55.00 216 30 09.55 308 45 37.51 350 53 46.66	247 00 38.53 36 33 16.71 128 49 58.11 170 55 16.63	Meters. 3, 7495497 4, 0753794 4, 1032825, 4, 3354363

[Latitude 39° 15' 28.16". Longitude 81° 47' 35.04".]

MCBRIDE, GUERNSEY COUNTY.

Situated on a cleared hill about 2 miles northeast of the village of Antrim, in Londonderry Township, on land owned by J. E. McBride.

Station mark: A stone post 40 by 6 by 6 inches set 36 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

tude 81° 20′ 04.72″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Warehime	11 05 17.55 203 13 59.21 226 01 54.41 292 03 17.71 332 03 18.01	91 03 37.47 23 16 45.07 46 06 58.83 112 07 52.73 152 07 18.16	Meters. 4. 2832082 4. 1873542 4. 1902726 4. 0377941 4. 2763262

McDANIEL, HOCKING COUNTY.

Situated in the southern edge of the southwest quarter, section 7, Starr Township, on the estate of George McDaniel, 8 miles southwest of Nelsonville post office, 15 miles southeast of Logan, and 2 miles east of Starr. The knob is quite prominent and has only a few trees on its southwest side to interfere with view. Selected and occupied by the United States Coast and Geodetic Survey in 1882–83.

Station mark: A marble post 26 by 6 by 6 inches set 25 inches in the ground immedi-

ately above a square earthenware pyramid. Top of post marked

U. 8. C. & G. S.

[Latitude 39° 23' 13.57". Longitude 82° 19' 12.52".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Zaleski. Barton. Schultz. Cook Brooks Nebo. White. Townsend (2).	25 29 15.51 111 03 09.10 148 07 04.09 172 54 18.10 215 11 53.84 263 16 04.46 274 32 58.10 298 48 45.11	° ' '' 205 26 11.15 290 56 26.59 328 03 24.55 352 53 21.32 35 15 15.27 83 24 56.70 94 42 43.35 118 57 19.04	Meters. 4. 2098137 4. 2107237 4. 1939372 4. 2371864 4. 1188828 4. 3054151 4. 3453947 4. 3458525

Mcknight, Meigs County.

A cleared ridge in the northwestern part of Scipio Township, 2 miles east of Carpenter post office and 5 miles south of Albany on land owned by Thornton McKnight. Station mark: A bluestone post 40 by 8 by 8 inches set 38 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

[Latitude 39° 10′ 14.34". Longitude 82° 10′ 59.00".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Leonard. Zaleski Townsend (2) Greenler.	14 40 16.75 116 35 39.29 209 42 32.43 311 03 11.43	94 38 18.41 296 27 23.36 29 45 53.05 131 06 34.33	Meters. 4. 2510681 4. 3229316 4. 1858081 4. 0103602

MIDWAY, GUERNSEY COUNTY.

About 6 miles northeast of Cambridge and 1½ miles southeast of village of Midway, 200 feet west of north-south road and 300 feet northwest of schoolhouse, on a prominent hald hill

Station mark: A limestone post 36 by 6 by 6 inches set 30 inches in the ground, in center of top of which is countersunk and cemented a bronze triangulation tablet, "Ohio."

[Latitude 40° 03^{\prime} $20.47^{\prime\prime}$. Longitude 81° 31^{\prime} $06.84^{\prime\prime}$.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Claysville College Kennedy Widder Booth Warehime Gregg	80 56 22.09 116 24 01.27 157 42 44.98	226 49 26.89 260 51 24.41 296 16 48.49 337 39 01.10 352 05 52.54 130 29 19.95 173 49 04.63	Meters. 4. 2725062 4. 0455896 4. 2495411 4. 3353514 4. 2759110 4. 1983205 4. 2735701

MOORE, WASHINGTON COUNTY.

Situated 4 miles north of Newport on a high cleared knob owned by Mr. Moore and known locally as Moores Hill.

Station mark: A sandstone post 48 by 8 by 8 inches set 48 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

[Latitude 39° 27′ 00.99". Longitude 81° 15′ 29.00".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Pinnacle Seffens Pinkerton Dovenbecker Laws Owlshead McCullough Griffith	272 39 24.48	° ', ',' 204 43 50. 23 244 33 51. 52 264 36 14. 56 306 00 36. 00 355 27 25. 12 92 50 53. 05 128 34 48. 44 174 57 55. 01	Meters. 4. 3462483 4. 4743073 4. 3728093 4. 3492957 4. 2038199 4. 4140545 4. 3030833 4. 0637096

MOUNT PLEASANT, BELMONT COUNTY.

Situated near Morningview post office, on the north end of a bare hill on the west side of the Wheeling-Mount Pleasant pike, on land owned by Mr. Goff.

Station mark: A cut marble post 40 by 6 by 6 inches set 30 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

[Latitude 40° 08' 06.07". Longitude 80° 47' 16.28".]

. To station—	Azimuth.	Back azimuth.	Log. distance.
Myers. Gallaway. St. Clairsville. Clarks Hill Cadiz Courthouse Cadiz. Hopedale. New Alexander. Independence. West Liberty. Sherrard.	6 32 00.56 48 45 10.24 58 03 07.29 77 26 58.01 130 39 47.88 133 05 59.66 165 20 26.93 207 17 14.17 238 17 59.54 252 09 09.19 331 35 42.42	0 , , ,, 186 31 12.65 228 38 05.78 237 58 45.00 257 20 13.51 210 31 40.34 312 57 37.85 345 17 50.68 27 21 07.51 58 27 33.56 72 16 23.96 151 39 31.51	Meters. 4. 1908702 4. 3180322 4. 0555471 4. 1827579 4. 3715300 4. 4004381 4. 3534510 4. 2700856 4. 3938130 4. 2241846 4. 2492017

MYERS, BELMONT COUNTY.

Situated 4 miles southwest of the city of Bellaire, on a cleared knob on land owned by Mr. P. B. Myers.

Station mark: A cut marble post 48 by 6 by 6 inches set 40 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

[Latitude 39° 59′ 46.16″. Longitude 80° 48′ 31.67″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Beallsville Jacobsburg Gallaway Mount Pleasant Centennial Clinton Sherrard Riggs	68 34 01.77 96 59 49.03 186 31 12.65 211 54 17.38 224 11 47.70 271 04 45.82	221 32 26.97 248 31 07.18 276 53 33.03 6 32 00.56 31 55 36.99 44 17 52.97 91 09 22.42 164 43 47.81	Meters. 4. 3447990 3. 8405264 4. 1453970 4. 1908702 3. 7445900 4. 2850900 4. 0090858 4. 2327314

NEBO, ATHENS COUNTY.

A small knob in Dover Township, 6 miles by road north of Athens, owned by the Hibbard heirs. Summit covered with a peach orchard (trees mostly dead). A fine view can be had in all directions except eastward. The station was selected and occupied by the United States Coast and Geodetic Survey in 1881.

Station mark: A marble post 30 by 6 by 6 inches set 30 inches in the ground over

a square earthen pyramid 5 inches high. Top of post is marked

υ.	s.
C. &	G. S.

[Latitude 39° 24′ 29.53″. Longitude 82° 05′ 13.90″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Townsend (2)	2 55 47.28 83 24 56.70 124 00 23.75 334 05 08.78	182 55 29.61 263 16 04.46 303 54 52.42 154 06 01.99	Meters. 4. 1162949 4. 3054151 4. 1770814 3. 6620298

NEW ALEXANDRIA, JEFFERSON COUNTY.

Situated 1 mile southwest of the village of New Alexandria in a cleared field on west side of county road one-fourth mile beyond point at which it leaves the New Alexandria-Bloomingdale pike.

Station mark: A cut marble post 24 by 6 by 6 inches sunk 2 feet under surface of the ground; in the center of top of post is cemented a bronze triangulation tablet, "Ohio."

Reference marks: A large tree, true bearing N. 53° 20′ E., distant 272 feet. A small tree, true bearing S. 1° 36′ W., distant 131 feet. An old stump in field, true bearing N. 68° 36′ W., distant 14.7 feet.

To station—	Azimuth.	Back azimuth.	Log. distance.
Mount Pleasant Hopedale. Wintersville Independence West Liberty.	110 23 39.92 164 08 12.73 286 01 22.01	207 17 14.17 290 17 09.61 344 06 30.92 106 07 03.27 147 07 42.89	Meters. 4.2700856 4.1817202 4.1325490 4.1133566 4.1338982

[Latitude 40° 17′ 02.55". Longitude 80° 41′ 15.83".]

NEWCASTLE, BELMONT COUNTY.

Situated on a high, cleared hill in Wayne Township, about one-half mile southeast of the village of Newcastle, on land owned by Benjamin Pitman.

Station mark: A stone post 30 by 6 by 6 inches set 30 inches in the ground on solid rock, in center of top of which is cemented a bronze triangulation tablet, "Ohio."

Reference mark: The tall poplar signal tree; distance from station mark, 8.15 feet; true azimuth, 67° 49'.

[Latitude 39° 53′ 11.37". Longitude 81° 04′ 30.75".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Wiedman Steele. Bryan Gallaway. Beallsville.	61 08 38.37 128 47 53.71 189 14 48.57 212 37 30.44 298 18 11.29	0 / // 241 04 21.24 308 41 53.72 9 15 31.48 32 41 30.82 118 21 49.78	Meters. 4. 0370559 4. 2323159 3. 9944416 4. 2166459 3. 9639688

NOLAN, WASHINGTON COUNTY.

Situated in Dunham Township, about 2 miles west of Veto post office and 4 miles southwest of Vincent railroad station. The summit of hill occupied by house is surrounded by shade and fruit trees. The land is owned by R. E. Sutton.

Station mark: A stone post 40 by 6 by 6 inches set 36 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

Reference mark: Chimney on north end of house; distance from station mark, 34 feet; true azimuth from station mark, 142° 29′ 20′.

[Latitude 39° 20′ 38.11". Longitude 81° 42′ 39.55".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Lyons. Bond. Southland Goff. Wigal.	36 33 16.71 46 14 13.62 109 14 36.48 314 58 46.74 350 54 54.61	216 30 09.55 226 08 49.91 289 09 05.68 135 04 44.31 170 56 08.43	Meters. 4.0753794 4.2298152 4.1212888 4.2822068 4.2486674

PERRYVILLE, CARROLL COUNTY.

(Not occupied.)

Station mark: Center of church spire.

[Latitude 40° 27′ 54.90". Longitude 81° 05′ 53.49".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Jefferson. Cadiz.	94 32 31.88 337 39 22.36		Meters. 4. 1217691 4. 3238587

PINKERTON, WASHINGTON COUNTY.

Situated about 4 miles northwest of Marietta and 2 miles south of Churchtown on Pinkerton farm, 600 feet west of Pinkerton residence.

Station mark: A sandstone post 48 by 8 by 8 inches set 48 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

[Latitude 39° 25′ 50. 23". Longitude 81° 31′ 51. 42".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Goff. Seffens. Nolan Dovenbecker. Laws. Moore. Griffith. Pinnacle.	6 7 77 4 55 52.16 17 59 25.94 58 13 59.25 199 23 14.85 230 41 51.34 264 36 14.56 290 46 50.36 321 34 57.99	184 54 59. 34 197 57 54. 99 238 07 08. 00 19 25 38. 76 50 51 42. 70 84 46 38. 67 110 57 40. 75 141 41 14. 67	Meters. 4. 3666186 4. 0458915 4. 2613741 4. 2113735 4. 4572810 4. 3728093 4. 4191325 4. 3601976

PLEASANT, NOBLE COUNTY.

Situated on a high hill, with a few scattering trees on its summit, in Center Township, about 2 miles southeast of Sarahsville.

Station mark: A stone post 30 by 6 by 6 inches set 30 inches in the ground, in center of top of which is cemented a bronze triangulation tablet, "Ohio."

[Latitude 39° 47' 59.84". Longitude 81° 26' 43.92".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Coffee Knob	45 51 09.15 156 33 49.09 197 40 49.35 212 14 38.28 267 31 42.37 329 45 16.75	225 47 16.75 336 31 55.44 17 43 25.93 32 16 48.80 87 36 24.91 149 46 36.80	Meters. 4. 0813436 4. 0254160 4. 2799538 3. 9579200 4. 0215172 3. 7718484


PLEASANT (2), FAIRFIELD COUNTY.

On summit of a bluff, locally called Mount Pleasant, about 300 feet above and 1 mile north of Lancaster, immediately east of fair grounds, on land owned by F. J. Buschemeyer.

Station mark: Center of iron windmill near western end of summit.

Reference mark: A \triangle cut in sandstone ledge, with arrows cut on edge of bluff pointing to station.

Azimuth from A to center of windmill, 148° 23'; distance, 228 feet.



[Latitude 39° 43′ 30.56″. Longitude 82° 35′ 42.36″.]

			0
To station—	Azimuth.	Back azimuth.	Log. distance.
Boys' Industrial School chimney Boys' Industrial School water tower	0 / // 16 17 55.39 302 38 44.12		Meters. 3. 9867933 3. 9820877 3. 9771162

PORT WASHINGTON, TUSCARAWAS COUNTY.

(Not occupied.)

A lone tree on prominent bald mound about 2 miles south of the village of Port Washington, on east side of river.

Station mark: Center of lone tree.

[Latitude 40° 18′ 47.30′′. Longitude 81° 30′ 33.18′′.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Widder	46 27 45	226 23 39	Meters. 4.09426 4.06184 3.91720 3.77588
Wasen	138 16 26	318 12 55	
Stone Creek	154 24 37	334 22 59	
Gilmore	287 11 28	107 14 03	

PROSPECT HILL, HARRISON COUNTY.

Situated on the summit of a sharp hill about 4 miles northeast of Freeport and just east of the Freeport and Cadiz road. The hill is known locally as Prospect Hill and is the highest point for miles around. Land owned by Robert Moore.

Station mark: A stone post 40 by 6 by 6 inches set 36 inches in the ground, in center of top of which is cemented a bronze triangulation tablet, "Ohio."

[Latitude 40° 13' 47.80". Longitude 81° 12' 12.96".]

· ·	To station—	Azimuth.	Back azimuth.	Log. distance.
McBride Tippecanoe Deersville		46 06 58.83 123 45 44.31 190 05 23.84	184 05 36.80 226 01 54.41 303 43 25.52 10 06 05.78 126 53 22.00	Meters. 4. 1729676 4. 1902726 3. 7857938 3. 9417489 4. 1720159

RUMLEY, HARRISON COUNTY.

(Not occupied.)

Station mark: Spire of Methodist Episcopal Church.

[Latitude 40° 24' 14.72". Longitude 81° 02' 04.54".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Jefferson	259 02 14.82 348 24 50.50	79 05 17.47 168 26 01.90	Meters. 3.8303382 4.1130606

SAGO, MUSKINGUM COUNTY.

. On a bald hill 4 miles southwest of the village of Sago, on land owned by J. W. Carnes.

Station mark: A limestone post 40 by 7 by 7 inches set 39 inches in the ground, in the center of top of which is countersunk and cemented a bronze triangulation tablet, "Ohio."

[Latitude $40^{\circ}\ 00^{\prime}\ 42.40^{\prime\prime}$. Longitude $81^{\circ}\ 46^{\prime}\ 55.70^{\prime\prime}$.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Kennedy. College. Claysville.	254 49 29.58	27 14 31.91 74 54 42.29 131 54 42.28	Meters. 4. 1566993 4. 0771353 4. 0746717

ST. CLAIRSVILLE COURTHOUSE, BELMONT COUNTY.

(Not occupied.)

Station mark: Center of cupola on courthouse.

[Latitude 40° 04' 50.90". Longitude 80° 54' 04.27".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Mount Pleasant	237 58 45.00 297 53 05.27	58 03 07.29 118 01 16.04	Meters. 4.0555471 4.3112543

ST. JOHNS, MONROE COUNTY.

(Not occupied.)

St. John's Church, situated about one-half mile west of village of Miltonburg. Station mark: Center of church spire.

[Latitude 39° 50′ 15.20". Longitude 81° 10′ 32.48".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Steele Newcastle Wiedman	163 40 24.15 237 40 56.39	343 38 16.46 57 44 48.27	Meters. 4. 2252598 4. 0073924 2. 9781631

SCHULTZ, HOCKING COUNTY.

A prominent knob 3 miles south of Logan on the estate of Daniel Schultz, in the west half of the northeast quarter of section 26, Falls Township. Summit has apple and peach trees which interfere somewhat with the view. This station was occupied by the United States Coast and Geodetic Survey in 1885.

Station mark: A marble post 30 by 6 by 6 inches set 28 inches in the ground imme-

diately above an earthenware pyramid. Top of post marked

U. S. G. S.

To station—	Azimuth.	Back azimuth.	Log. distance.
Barton Brown Brown Boys' Industrial School chimney Boys' Industrial School watertower Buck Cook Brooks McDaniel	112 02 41.69 129 37 29.82 129 47 05.22 158 57 18.49 237 41 36.70 279 00 19.77	° ' '' 222 46 20.65 291 55 33.81 309 29 26.62 309 39 00.46 57 44 19.75 99 07 21.22 148 07 04.09	Meters. 4. 0063768 4. 2383235 4. 3707116 4. 3726735 4. 3120770 3. 8596674 4. 2050498 4. 1939372

SEFFENS, WASHINGTON COUNTY.

Situated on the summit of a cleared hill in Dunham Township about 1 mile west of Constitution railroad station. The land is owned by William Seffens.

Station mark: A stone post 30 by 8 by 8 inches set 30 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

Reference mark: The southern one of three trees which occupy the extreme summit of hill; distance from station mark, 3.1 feet; true azimuth from station mark, 46° 22′.

[Latitude 39° 20' 07.43". Longitude 81° 34' 14.77".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Noian Pinkerton Moore Pinnacle Goff	94 31 08.23 197 57 54.99 244 33 51.52 292 39 17.80 353 29 10.61	274 25 48. 26 17 59 25. 94 64 45 45. 97 112 47 04. 89 173 29 48. 59	Meters. 4. 0836942 4. 0458915 4. 4743073 4. 2822967 4. 1032735

SEWELLSVILLE, BELMONT COUNTY.

Situated on the summit of a high, sharp hill in the village of Sewellsville, Kirkwood Township, on land owned by J. R. Shepherd.

Station mark: A stone post 40 by 6 by 6 inches set 36 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

To station—	Azi	mu	ıth.	Back	azi	muth.	Log. distance.
Steele . Warehime . McBride . Tippecanoe . Prospect Hill . Deersville .	5 43 112 167 184 186	46 11 07 35 05 18	28. 38 35. 43 52. 73 37. 71 36. 80 29. 97 50. 71	185 223 292 347 4 6	45 05 03 33 06 19	53. 85 20. 85 17. 71 48. 12 05. 81 40. 88 03. 66	Meters. 4. 102337 4. 305232 4. 037794 4. 271464 4. 172967 4. 373044 4. 448227

SOUTHLAND, ATHENS COUNTY.

On a flat, cultivated ridge owned by W. A. Wagoner, 2 miles northeast of Broadwell post office, in east-central part of the county, one-fourth mile west of the Washington County line.

Station mark: A sandstone post 44 by 8 by 8 inches, set 40 inches in the ground, just south of fence, about 60 yards east of brick house and on opposite side of road. In center of top of post is cemented a bronze triangulation tablet, "Ohio."

[Latitude 39° 22′ 59.09". Longitude 81° 51′ 21.13".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Fulton	50 35 57.22 85 47 06.32 289 09 05.68 359 06 47.89	230 29 38.61 265 39 11.18 109 14 36.48 179 06 54.47	Meters. 4. 2678598 4. 2546960 4. 1212888 4. 2068403

SPANGLER, FRANKLIN COUNTY.

Seven and one-half miles south of Columbus, on High Street extended. A bare hill, about 80 feet higher than surrounding country, commonly known as Spangler Hill from a former owner, but now owned by Mike Duff. Station is on the ridge about 350 feet east of the road, 80 feet south of fence, 100 feet north of and 6 feet lower than highest point of hill.

Station mark: Iron bench-mark post set 3 feet in ground.

Reference mark: Iron bench-mark post set 2 feet south of fence, 78.6 feet distant; true azimuth 181° 32′.

[Latitude, approximate U. S. standard, 39° 51′ 18.36″; astronomic C. & G. S., 39° 51′ 17.70″. Longitude, approximate U. S. standard, 83° 00′ 04.17″; astronomic C. & G. S., 82° 59′ 53.50″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
South base		302 16 28.18 338 17 47.73 0 50 03.50 27 16 07.32	Meters. 3. 9339777 4. 0907165 4. 0721158 3. 8021730

STEELE, BELMONT COUNTY.

Situated on a high, cleared hill in Warren Township, about 3 miles west of Barnesville and a few feet east of the Guernsey County line, on land owned by Isaac Steele.

Station mark: A stone post 36 by 6 by 6 inches set 30 inches in the ground and resting on solid rock. In center of top of post is cemented a bronze triangulation tablet, "Ohio."

[Latitude 39° 58′ 57.84″. Longitude 81° 13′ 51.50″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Calland Tucker Warehime McBride Sewellsville Bryan Beallsville Newcastle Wiedman	• , ,, 21 39 25.88 46 59 57.57 80 21 27.77 152 07 18.16 185 45 53.85 273 33 44.45 305 01 44.45 308 41 53.72 346 36 44.38	0 / // 201 35 53.45 226 53 52.54 260 15 48.03 332 03 18.01 5 46 28.38 93 40 27.39 125 11 13.00 128 47 53.71 166 38 26.80	Meters. 4. 3293954 4. 2667725 4. 1047692 4. 2763262 4. 1023371 4. 1738583 4. 4179181 4. 2323159 4. 2146469

STONE CREEK, TUSCARAWAS COUNTY.

On a bald mound 1½ miles southeast of the village of Stone Creek, 100 yards east of road.

Station mark: A sandstone post 36 by 6 by 6 inches set 34 inches in the ground, in center of top of which is countersunk and cemented a bronze triangulation tablet, "Ohio."

[Latitude 40° 22′ 48.92". Longitude 81° 33′ 04.48".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Widder	18 43 44.26 105 39 23.20 244 04 51.38 314 48 21.35 334 22 59.00 359 22 03.72	9 7 7 7 198 41 15.69 285 37 30.42 64 08 46.51 134 52 35.59 154 24 37.00 179 22 08.98	Meters. 4. 2281117 3. 6297872 3. 9781630 4. 1164240 3. 9172000 4. 2391088

SUMMERFIELD SCHOOLHOUSE, NOBLE COUNTY.

(Not occupied.)

Station mark: Center of schoolhouse in village of Summerfield.

[Latitude 39° 47′ 55.47". Longitude 81° 20′ 16.71".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Tucker	° ' ',' 150 49 58.53 245 41 23.24		Meters. 3, 9516327 3, 1498794

TANK, MONROE COUNTY.

On the highest knob 6 miles south of Woodsfield and 5 miles northeast of Graysville. There are two tanks on top of the knob; the one located is the farthest west and is painted white.

Station mark: Center of tank.

[Latitude 39° 41′ 34.6". Longitude 81° 06′ 43.7".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Glass. Dillon. Laws.	3 48 12 36 57 28 51 27 48	183 47 44 216 55 14 231 21 39	Meters. 4. 19380 3. 95543 4. 24646

TIPPECANOE, HARRISON COUNTY.

Situated on the summit of a high, cleared hill in Washington Township, about 2 miles southeast of the village of Tippecanoe, on land owned by William Welch.

Station mark: A stone post 40 by 6 by 6 inches set 36 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

[Latitude 40° 15′ 37.77". Longitude 81° 15′ 47.79".]

To station—	Azimuth.	Back azimuth.	Log. distance.
McBride Bowerston Deersville Prospect Sewellsville	23 16 45 07 204 19 00 04 231 40 46 25 303 43 25 52 347 33 48 12	203 13 59.21 24 21 54.23 51 43 47.10 123 45 44.31 167 35 37.71	Meters. 4. 1873542 4. 1880466 3. 9252612 3. 7857938 4. 2714644

TOWNSEND (2), ATHENS COUNTY.

In Athens Township, 3 miles by road south of Athens, on a flat, cultivated ridge owned by Mary Townsend. Station about 50 yards east of a north-south road and 32 feet west of line fence.

Station mark: A limestone post 30 by 6 by 6 inches set 28 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

[Latitude 39° 17′ 26.25". Longitude 82° 05′ 41.78".]

To station—	Azimuth.	Back azimuth.	Log. distance.
McKnight Zaleski McDaniel Nebo White Fulton Greenler	81 38 31: 23 118 57 19.04 182 55 29.61 196 40 59.96	209 42 32. 43 261 26 53. 85 298 48 45. 11 2 55 47. 28 16 42 10. 77 103 28 43. 53 179 42 39. 02	Meters. 4. 1858081 4. 4264864 4. 3458525 4. 1162949 3. 9691971 3. 8121631 4. 3021055

TUCKER, NOBLE COUNTY.

Situated on a partly cleared hill in Seneca Township, about 3 miles northeast of Mount Ephraim post office, on land owned by John Tucker.

Station mark: A stone post 40 by 6 by 6 inches set 36 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

[Latitude 39° 52′ 08. 72".	Longitude 81° 23′ 20. 21″.]
----------------------------	-----------------------------

To station—	Azimuth.	Back azimuth.	Log. distance.
Fulda. Pleasant. Gregg Warehime Steele. Calland	8 19 49.89 32 16 48.80 102 47 37.40 185 11 04.50 226 53 52.54 321 58 40.51	188 18 59. 48 212 14 38. 28 282 43 32. 96 5 11 30. 20 46 59 57. 57 142 01 12. 68	Mcters. 4.1112795 3.9579200 3.9679631 4.0219463 4.2667725 3.9625705

UHRICHSVILLE, TUSCARAWAS COUNTY.

On a bald hill about 4 miles nearly east from Uhrichsville, 200 feet west of Ridge road, on land owned by Mr. Cox, and 200 yards north of his residence.

Station mark: The lone white-oak signal tree 14 inches in diameter.

Reference mark: A sandstone post 36 by 6 by 6 inches set 30 inches in the ground, in center of top of which is countersunk and cemented a bronze triangulation tablet, 'Ohio." Distance from tree, 26.6 feet; true azimuth, 56° 10′ 30″.

[Latitude 40° 22′ 20.70″. Longitude 81° 17′ 00. 20″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Gilmore. Walnwright Baldwin Bowerston Tippecanoe.	258 40 32.66	238 12 02.93 289 26 19.17 355 40 02.51 78 44 13.95 172 10 40.33	Meters. 4. 2004975 4. 1775531 3. 9386187 3. 9146861 4. 0986574

WAGNER, GALLIA COUNTY.

A bald hill in Greenfield Township, 1½ miles northwest of Cadmus post office; one-half mile south of the Gallia-Portsmouth pike, at a point 17 miles west of Gallia, on land owned by Jacob Wagner. A bunch of small locust trees on southwest side of hill interferes with view in that direction; in all other directions an extended view can be had.

Station mark: A sandstone post 30 by 15 inches set 28 inches in the ground; top dressed 9 by 9 inches, having cemented in its center a bronze triangulation tablet, "Ohio."

[Latitude 38° 47′ 24.58″. Longitude 82° 28′ 21.88″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Davis. Leonard. Graham. Houck. Wray.	219 25 58.48 236 58 47.15 314 20 05.14	39 34 55.56 57 07 05.39 134 25 23.87	Meters. 4. 3278387 4. 5104457 4. 3584636 4. 2358550 4. 3360952

WAINWRIGHT, TUSCARAWAS COUNTY.

In a field owned by the Wainwright Coal Co., and about $1\frac{1}{2}$ miles west of the mine and post office of same name.

Station mark: A sandstone post 36 by 6 by 6 inches set 34 inches in the ground in the center of top of which is countersunk and cemented a bronze triangulation tablet, "Ohio."

[Latitude 40° 25′ 03. 52". Longitude 81° 27′ 01. 78".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Stone Creek. Wasen. Baldwin. Unrichsville Gilmore.	76 42 24.37 254 54 15.71 289 26 19.17	244 04 51.38 256 36 36.39 75 00 27.85 109 32 49.03 176 58 27.78	Meters. 3. 9781630 4. 1142974 4. 1462651 4. 1775531 4. 1267768

WAREHIME, GUERNSEY COUNTY.

Situated on a high, cleared hill in Richland Township, about 2½ miles southeast of Gibson station on land owned by Albert Warehime.

Station mark: A stone post 40 by 6 by 6 inches set 36 inches in the ground, in center of top of which is cemented a bronze triangulation tablet, "Ohio."

To station—	Azimuth.	Back azimuth.	Log. distance.
Tucker . Pleasant . Gregg . McBride . Sewellsville . Steele . Wiedman . Calland .	5 11 30. 20 17 43 25.93 49 56 24.57 191 03 37.47 223 05 20. 85 260 15 48.06 310 06 46.06 345 08 11.50	0 / // 185 11 04.50 197 40 49.35 229 51 54.19 11 05 17.55 43 11 35.43 80 21 27.72 130 14 07.62 165 10 18.15	Meters. 4. 0219463 4. 2799538 4. 1165523 4. 2832082 4. 3052324 4. 1047692 4. 3304252 4. 2628296

WASEN, TUSCARAWAS COUNTY.

About 2½ miles nearly west from the village of Stone Creek on a high knob in field 400 feet southeast from Mr. Wasen's residence.

Station mark: A sandstone post 36 by 6 by 6 inches set 36 inches in the ground, in center of top of which is countersunk and cemented a bronze triangulation tablet, "Ohio."

[Latitude 40° 23′ 26.19″. Longitude 81° 35′ 58.61″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Widder Wainwright Stone Creek Port Washington Booth	256 36 36.39 285 37 30.42 318 12 55.00	194 22 07.82 76 42 24.37 105 39 23.20 138 16 26.00 166 55 12.11	Meters. 4. 2359074 4. 1142974 3. 6297872 4. 0618400 4. 2784021

WHITE, ATHENS COUNTY.

On a small knob 4 miles northeast of Athens, near the corner of Athens, Canaan, Ames, and Dover townships. The station is in Canaan Township, on land owned by D. C. White, 5.5 feet east of the southeast corner of a private cemetery which occupies the summit of knob.

Station mark: A sandstone post 36 by 14 by 7 inches set 34 inches in the ground. In center of top is cemented a bronze triangulation tablet, "Ohio."

[Latitude 39° 22′ 15.58″. Longitude 82° 03′ 50.06″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Townsend (2). McDaniel. Nebo. Southland. Bond. Fulton	94 42 43.35 154 06 01.99 265 39 11.18	196 40 59.96 274 32 58.10 334 05 08.78 85 47 06.32 129 06 44.67 160 49 23.38	Meters. 3. 9691971 4. 3453947 3. 6620298 4. 2546960 4. 3696920 4. 0432222

WIDDER, COSHOCTON COUNTY.

On land owned by Mr. Charles Widder, 2½ miles nearly south of New Comerstown, 50 feet west of north-south road, 1½ miles west of Baptist Church, and 600 feet southwest of White schoolhouse.

Station mark: A sandstone post 36 by 6 by 6 inches set 36 inches in the ground, in center of top of which is countersunk and cemented a bronze triangulation tablet, "Ohio."

[Latitude 40° 14′ 09 67". Longitude 81° 36′ 54.11".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Kennedy Wasen Store Creek Port Washington Gilmore Booth Midway	32 21 19. 42 184 22 07. 82 198 41 15. 69 226 23 39. 00 245 08 36. 06 283 15 05. 76 337 39 01. 10	212 17 49.89 4 22 43.79 18 43 44.26 46 27 45.00 65 15 18.37 103 17 39.33 157 42 44.98	Meters. 4.1574000 4.2359074 4.2281117 4.0942600 4.2095562 3.7615799 4.3353514

WIEDMAN, MONROE COUNTY.

Situated on a cleared hill in Malaga Township, about 1.5 miles northwest of village of Miltonsburg, on land owned by Mr. Wiedman.

Station mark: A stone post 40 by 6 by 6 inches set 36 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

[Latitude 39° 50′ 20 74″. Longitude 81° 11′ 11.82″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Calland Tucker Warehime Steele Newcastle Beallsville	100 57 09.79	251 29 17.30 280 49 22.91 310 06 46.06 346 36 44.38 61 08 38.37 87 09 57.20	Meters. 4. 0901708 4. 2463136 4. 3304252 4. 2146469 4. 0370559 4. 2471021

WINTERSVILLE, JEFFERSON COUNTY.

Situated 2 miles northwest of the village of Wintersville, on a cone-shaped hill, on land owned by Mr. Mayo. The Wintersville-New Richmond pike passes over east side of hill.

Station mark: A cut marble post 40 by 6 by 6 inches sunk 36 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

[Latitude 40° 24' 05.70". Longitude 80° 43' 53.11".]

To station-	Azimuth.	Back azimuth.	Log. distance.
Hopedale. Jefferson Elder Hammond New Alexandria.	94 42 21.10 156 33 37.87	233 31 31.07 274 33 35.99 336 29 21.35 9 29 54.97 164 08 12.73	Meters. 4. 1166735 4. 2824762 4. 3682786 4. 4836287 4. 1325490

WRAY, LAWRENCE COUNTY.

A station in the transcontinental belt of the United States Coast and Geodetic Survey on Johnson Ridge, 2½ miles east of Marion (Aid post office). Summit nearly cleared, giving a good view in all directions.

Station mark: A pottery pyramid buried 3 feet underground (no surface mark 1902). Reference marks: Draintile pipes 4 inches in diameter, 2 feet long, filled with concrete and buried 22 inches in ground—one north 5.93 feet distant; one south 5.99 feet; one east 5.98 feet; one west 5.92 feet.

[Latitude 38° 35' 42.24". Longitude 82° 27' 38.91".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Wagner Houck Gebhardt.		357 15 02.72 49 35 13.43	Meters. 4.3360952 4.1709604 4.2904979

ZALESKI, VINTON COUNTY.

A knob locally well known as the Pinnacle, 1½ miles south of Zaleski railroad station. Nearly all timber was cut down and one chestnut tree left for signal. An extended view can be had in all directions, except north 30° east to north 55° east, which is limited by a flat, timbered ridge 2 miles distant.

Station mark: A marble post 30 by 6 by 6 inches set 20 inches in the ground, top marked

$$\begin{array}{c|c} U & S \\ \hline C & G & S \end{array}$$

Reference mark: The chestnut signal tree; azimuth from station mark, 237° 08′; distance, 32.8 feet.

[Latitude 59° 15' 18.96". Longitude 82° 24' 03.47".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Barton	261 26 53.85 296 27 23.36	338 05 36 66 25 29 15 51 81 38 31 23 116 35 39 29 151 46 12 85	Meters. 4. 3433070 4. 2098137 4. 4264864 4. 3229316 4. 4807510

APPENDIX A.

PRIMARY TRIANGULATION BY THE UNITED STATES LAKE SURVEY.

Andover, Ashtabula, Bellevue, Berea, Bristolville, Chardon, Cleveland, Conneaut, Euclid, Maumee Bay, Mentor, Oak Harbor, Oberlin, Put-in-Bay, Sandusky, and Vermilion quadrangles.

ASHTABULA, CUYAHOGA, ERIE, GEAUGA, HURON, LAKE, LORAIN, LUCAS, OTTAWA, AND TRUMBULL COUNTIES.

The stations in the following list were established by the United States Lake Survey in 1876 to 1879, inclusive, and furnish partial control for the quadrangles named above:

ANDOVER, ASHTABULA COUNTY.

A station of the United States Lake Survey on the highest point of Owens Mound, in Andover township, 1 mile north of village of West Andover and 2½ miles west of Andover railroad station. Height of station used was 113 feet.

Station mark: A stone post of usual form, $2\frac{1}{2}$ feet below surface, with a stone post set directly over it as a surface mark.

Reference marks: Three stone posts, one S. 73° 59′ E., distant 32.38 meters; one S. 4° 04′ E., distant 10.56 meters; one S. 75° 07′ W., distant 39 meters from geodetic station. Height of ground at station above mean level of Lake Erie is 308.9 feet.

[Latitude 41° 37′ 05.496". Longitude 80° 36′ 29.655".]

To.station—	Azimuth,	Back azimuth.	Log. distance.
Conneaut. Edinboro.	0° , ,, 179 06 33.44 231 15 53.81	359 06 19.49 51 33 01.70	Meters. 4.4923125 • 4.6593138

ASHTABULA BAPTIST CHURCH, ASHTABULA COUNTY.

A station of the United States Lake Survey. Station mark: Center of church spire.

[Latitude 41° 52′ 02.45". Longitude 80° 47′ 00.61".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Conneaut. Thompson.	256 23 10.7 47 18 21.7	76 29 57.9 227 07 58.1	Meters. 4.160407 4.469080

BEREA METHODIST EPISCOPAL CHURCH, CUYAHOGA COUNTY.

A station of the United States Lake Survey.

Station mark: Center of church spire.

[Latitude 41° 21' 46.50". Longitude 81° 51' 11.57".]

To station—	Azimuth,	Back azimuth.	Log. distance.
Royalton. Olmsted.	293 15 04.0 103 13 56.1	113 19 42.6 283 09 51.2	Meters. 4.028457 3.946640

BEREA CHAPEL SPIRE, CUYAHOGA COUNTY.

A station of the United States Lake Survey.

Station mark: Center of chapel spire.

[Latitude 41° 22′ 05.83". Longitude 81° 51′ 05.37".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Olmsted	99 16 00.2 296 27 48.1	279 11 51.2 116 32 22.6	Meters. 3.947866 4.033311

BLACK RIVER LIGHTHOUSE, LORAIN COUNTY.

A station of the United States Lake Survey.

Station mark: Center of lighthouse.

[Latitude 41° 28' 23.67". Longitude 82° 11' 07.39".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Elyria. Brownhelm.	° ' ' '' 332 29 22.5 47 23 11.8	0 / // 152 30 58.0 227 18 20.3	Meters. 3. 860407 4. 143220

BROWNHELM, LORAIN COUNTY.

A station of the United States Lake Survey, situated near the center of Brownhelm *township, about 1½ miles southerly from the railway depot and one-half mile from corner of lots 44, 45, 52, and 53. Height of station was 124 feet.

Station mark: A stone post underground.

Reference marks: Three stone posts, one S. 87° 31′ E., distant 57.5 meters; one S. 10° 06′ W., distant 14.65 meters; and one S. 53° 41′ W., distant 42.35 meters. Height of ground at station above mean level of Lake Erie is 180.8 feet.

[Latitude 41° 23′ 18.241″. Longitude 82° 18′ 27.890″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Elyria Camden	57 31 43.28 355 36 14.11	77 38 09.97 175 36 41.86	Meters. 4. 1432552 4. 1058799

CAMDEN, LORAIN COUNTY.

A station of the United States Lake Survey, situated near the north side of Camden township, one-half mile northeast of village of Kipton and one-third mile south of corner of lots 5 and 6 in Camden Township and 15 and 16 in Henrietta Township. Height of station was 106 feet.

Station mark: A brass wire leaded into the solid rock between the letters "U. S." cut therein, 2½ feet below surface. A stone post is directly over this as a surface mark.

Reference marks: Three stone posts, one N. 83° 18′ E., distant 76.8 meters; one S. 8° 19′ W., distant 99.8 meters; and one 37° 35′ W., distant 44.4 meters. Height of ground at station above mean level of Lake Erie is 318.5 feet.

ude 82° 17′ 45.864′′.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Elyria Olmsted. Royalton Grafton	247 10 30.62 262 55 14.82	38 48 42.01 67 23 58.57 83 17 25.31 105 12 14.95	Meters. 4. 3043293 4. 4892901 4. 6743784 4. 4193410

CEDAR POINT, LUCAS COUNTY.

A station of the United States Lake Survey, near the end of Cedar Point, on the east side of Maumee Bay. Height of station used was 70 feet.

Station mark: A stone post projecting about 6 inches above the surface is set directly over the point as a surface mark.

Reference marks: Three stone posts, one S. 61° 05′ E., distant 28.8′ meters; one N. 61° E., distant 32 meters; and one N. 13° 28′ E., distant 35.5 meters. Height of ground at station above mean level of Lake Erie is 4.5 feet.

[Latitude 41° 42′ 37.595". Longitude 83° 20′ 05.854".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Middle Sister	0 , ,, 240 59 46.89 298 54 58.72		Meters. 4. 5000099 4. 3390423

CEDAR POINT LIGHTHOUSE, ERIE COUNTY.

A station of the United States Lake Survey. Station mark: Center of lighthouse.

[Latitude 41° 29′ 17.18". Longitude 82° 41′ 36.54".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Sandusky	0 , ,, 28 39 29. 2 179 11 32. 7		Meters. 3.997656 4.112967

CHESTER, GEAUGA COUNTY.

A station of the United States Lake Survey, in Chester Township, about three-fourths mile west of Chester crossroads and about 9 meters north of the east-west road from that place. The height of station used was 89 feet.

Station mark: A stone post below surface of ground.

Reference marks: Three stone posts, one S. 63° 03′ W., distant 19.25 meters; one S. 6° 23′ W., distant 9 meters; and one S. 59° 30′ E., distant 17.75 meters, from geodetic point. The height of ground at station above mean level of Lake Erie is 719.2 feet.

Note.—No station or reference marks could be found by the Geological Survey party in 1904.

	100 014 -E 114 - TI	00 05511	T: 4 3	010	01/	10 001//	٠
1	[Latitude 41° 32'	02.000	rongitude.	O1 -	21	10. 201 .	. 1

To station—	Azimuth.	Back azimuth.	Log. distance.
Little Mountain	209 26 34.59 277 20 25.67	0 / // 29 29 46. 15 97 29 49. 77	Meters. 4. 1331641 4. 2987786

CLARIDON, GEAUGA COUNTY.

A station of the United States Lake Survey, in lot 1, section 14, Claridon Township, 1½ miles southerly from village of East Claridon, and 2 miles from railroad station. Height of station used was 100 feet.

Station mark: A stone post underground with a stone post directly over it as a surface mark.

Reference marks: Three stone posts, one S. 83° 38′ E., distant 87.8 meters; one S. 23° 11′ E., distant 65.5 meters; and one S. 3° 41′ W., distant 61.2 meters, from geodetic point. Height of ground at station above mean level of Lake Erie is 793 feet.

[Latitude 41° 30′ 39.379". Longitude 81° 07' 05.334".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Thompson	254 11 08.39	74 31 26.31 124 05 18.71	Meters. 4. 3127774 4. 64513(2 4. 0828488

CLEVELAND, POLISH CATHOLIC CHURCH, CUYAHOGA COUNTY.

A station of the United States Lake Survey.

Station marks: East spire of Polish Catholic Church, Foreman and Tod streets; west spire of Polish Catholic Church, Foreman and Tod streets.

[Latitude, east spire 41° 27′ 31.45″, west spire 41° 27′ 31.46″. Longitude, east spire 81° 38′ 40.08″, west spire 81° 38′ 40.78″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
New England Building. Warrensville. New England Building. Warrensville.	West		4. 0782298 3. 7695984

CLEVELAND, BOHEMIAN CATHOLIC CHURCH, CUYAHOGA COUNTY.

A station of the United States Lake Survey.

Station mark: Bohemian Catholic Church, Broadway and Forrest streets.

[Latitude 41° 28' 44. 26". Longitude 81° 39' 49. 48".]

To station—	Azimuth.	Back azimuth.	Log. distance.
New England Building	0 / // 138 34 47.0 270 38 24.6		Meters. 3, 4964857 4, 1271217

CLEVELAND, ST. PETERS CATHOLIC CHURCH, CUYAHOGA COUNTY.

A station of the United Lake Survey.

Station mark: Center of church spire.

[Latitude 41° 30′ 20.15". Longitude 81° 40′ 52.99".]

To station—	Azimuth.	Back azimuth.	Log. distance.
New England Building	% / //	0 / //	Meters.
	44 49 25.7	224 49 08.5	2. 93189
	97 03 32.5	277 03 10.3	2. 89406

CLEVELAND, CHURCH AT SUPERIOR AND ERIE STREETS, CUYAHOGA COUNTY.

A station of the United States Lake Survey.

Station mark: Center of spire.

[Latitude 41° 30' 22.51". Longitude 81° 41' 19.89".]

To station—	Azimuth.	Back azimuth.	Log. distance.
New England Building	358 10 35. 2 98 45 06. 0		Meters. 2.83207 2.19105

CLEVELAND LIGHTHOUSE, CUYAHOGA COUNTY.

A station of the United States Lake Survey.

Station mark: Center of lighthouse on hill in city.

[Latitude 41° 30' 01.40". Longitude 81° 42' 08.68".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Rockport			Meters. 3.933383 4.465275

CLEVELAND, ALMUCANTAR CASE SCHOOL OBSERVATORY, CUYAHOGA COUNTY.

A station of the United States Lake Survey.

Station mark: Center of observatory.

[Latitude 41° 30′ 10.36". Longitude 81° 36′ 27.60".]

CONNEAUT, ASHTABULA COUNTY.

A station of the United States Lake Survey, situated on South Ridge, in southwest corner of Conneaut Township, about 5 miles southwest of village of Conneaut, 2 miles west of the village of South Ridge, and 3 miles east of the village of Kingsville, on north side of Ridge Road. Height of station used was 115 feet.

Station mark: A stone post of usual form, 2.6 feet below surface.

Reference marks: Three stone posts, one S. 75° 04′ W., distant 29.56 meters; one S. 14° 05′ E., distant 8.1 meters; and one S. 75° 43′ E., distant 33.88 meters, from the geodetic point. Height of ground at station above mean level of Lake Erie is 308.9 feet.

[Latitude 41° 53′ 52.375". Longitude 80° 36′ 50.605".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Houghton Erie Edinboro	0 / // 178 11 18.39 242 43 22.45 273 58 20.84	358 10 06,94	Meters, 4. 8845975 4. 6002852 4. 5583326

DANBURY, OTTAWA COUNTY.

A station of the United States Lake Survey, situated in Danbury Township, about 2 miles northeast of Danbury railroad station, on the Lake Shore & Michigan Southern Ry. and two-thirds of a mile southwest of corner of lots 3, 4, 9, and 10. Height of station used was 116 feet.

Station mark: A stone of usual form set so that its top is 3 feet below surface. Another stone is set directly over it as a surface mark.

Reference marks: Three stone posts, one S. 82° 20′ E., distant 61.57 meters; one N. 57° 24′ E., distant 67.57 meters; and one S. 3° 36′ W., distant 9.84 meters from the geodetic point. Height of ground at station above mean level of Lake Erie is 21.4 feet.

[Latitude 41° 31′ 11.744". Longitude 82° 50′ 19.452".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Kelleys Island	287 00 31.32 297 03 16.31	51 43 02.78 107 06 43.65 117 11 23.59 149 01 41.03	Meters. 4. 1822183 4. 1345506 4. 2827682 4. 1555642

ELYRIA, LORAIN COUNTY.

A station of the United States Lake Survey, situated in the northwest corner of Elyria Township, about 4½ miles west of north of the village of Elyria and 1 mile west of the Baltimore & Ohio R. R. and within the fork of two public roads leading to Charleston and North Amherst. Height of station used was 116 feet.

Station mark: A hole drilled in top of a stone post underground, with a stone post directly over it as a surface mark.

Reference marks: Three stone posts, one N. 19° 44′ E., distant 27.1 meters; one N. 86° 16′ E., distant 9.1 meters; and one S. 12° 35′ E., distant 32.3 meters from the geodetic point. Height of ground at station above mean level of Lake Erie is 182.4 feet.

[Latitude 41° 24' 55.183". Longitude 82° 08' 43.174".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Olmsted. Grafton.	283 26 51.06 330 33 38.13	0 , ,, 103 34 21.47 150 39 38.73	Meters. 4. 2114579 4. 4131222

EUCLID, CUYAHOGA COUNTY.

A station of the United States Lake Survey, situated 2 miles northwest of the village of Euclid, about 350 meters back from Lake Erie shore and 100 meters west of a north-south road leading to the lake.

Station mark: A single stone post.

Reference marks: Two stone posts, one N. 64° 55′ E., distant 318 feet, and one S. 89° 55′ E., distant 293 feet.

[Latitude 41° 35′ 37.09". Longitude 81° 33′ 04.27".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Rockport	54 11 53.8 225 45 49.6	234 02 18.9 45 50 15.0	Meters. 4.394662 4.110432

FAIRPORT LIGHTHOUSE (ON BANK), LAKE COUNTY.

A station of the United States Lake Survey.

Station mark: Center of lighthouse.

[Latitude 41° 45′ 24.57". Longitude 81° 16′ 38.79."]

To station—	Azimuth.	Back azimuth.	Log. distance.
Thompson. Little Mountain.	91 34 06.9 358 51 31.5	0 / // 111 43 27.4 178 51 38.9	Meters. 4.321094 4.111008

FAIRPORT LIGHTHOUSE (ON PIER), LAKE COUNTY.

A station of the United States Lake Survey.

Station mark: Center of lighthouse.

[Latitude 41° 45′ 41.36". Longitude 81° 16′ 47.86".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Thompson Little Mountain	92 39 14.8 358 00 27.2		Meters. 4.329090 4.128274

GENEVA, ASHTABULA COUNTY.

A station of the United States Lake Survey, on the shore of Lake Erie, $4\frac{1}{2}$ miles northwesterly from village of Geneva, $10\frac{3}{4}$ miles from Ashtabula Harbor, and 16 miles from Fairport, on the farm of Jeremiah Seamens. Observations were made from a wooden post about 5 feet high.

Station mark: A hole drilled in top of a stone post set 3 feet below surface. A stone post is directly over it as a surface reference mark.

Reference marks: Three stone posts, one S. 46° 30′ E., distant 137 meters; one S. 1° 31′ W., distant 96.4 meters; and one S. 48° 15′ W., distant 136 meters, from the geodetic point. The station was 32 meters from the lake and 12 feet above it

[Latitude 41° 51′ 13.90". Longitude 80° 59′ 46.10".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Saybrook	252 38 01.6 12 01 31.3		Meters. 4. 155366 4. 276877

GRAFTON, LORAIN COUNTY.

A station of the United States Lake Survey, in northwest part of section 89, in southeast part of Grafton Township, 1 mile northwest of the village of Erhart, and 184.5 meters southwest of the track of the Baltimore & Ohio R. R. Height of station used was 110 feet.

Station mark: A hole drilled in the top of a stone post 27 inches below surface, with a stone post directly over it as a surface mark.

Reference marks: Three stone posts, one N. 46° 18′ W., distant 52 meters; one N. 9° 04′ E., distant 71.8 meters; and one S. 72° 03′ E., distant 43.6 meters, from geodetic point. The height of ground above mean level of Lake Erie is 380.7 feet.

[Latitude 41° 12′ 43.969′′. Longitude 81° 59′ 36.965′′.]

To station—	· Azimuth.	Back azimuth.	Log. distance.
Olmsted	189 29 14.97 239 48 22.85	9 30 44.00 59 58 34.43	Meters. 4. 2791382 4. 3970440

GREEN ISLAND LIGHTHOUSE, OTTAWA COUNTY.

A station of the United State Lake Survey.

Station mark: Center of lighthouse.

[Latitude 41° 38′ 43.75″. Longitude 82° 52′ 03.22″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Locust Point	80 27 06. 4 153 37 22. 3	° ', ',' 260 17 36.9 333 32 00.2	Meters. 4.303806 4.399982

HURON PRESBYTERIAN CHURCH SPIRE, ERIE COUNTY.

A station of the United States Lake Survey.

Station mark: Center of spire.

[Latitude 41° 23' 42.33". Longitude 82° 33' 20.15".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Brownhelm	271 58 16.5	92 08 06.5	Meters. 4.316866 4.203348
Townsend	337 41 41.3	157 44 43.2	

HURON LIGHTHOUSE, ERIE COUNTY.

Station of the United States Lake Survey.

Station mark: Center of lighthouse.

[Latitude 41° 24′ 02.85". Longitude 82° 32′ 50.24".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Kelleys. Brownhelm.	0 , ,, 151 23 18.6 273 51 00.7	331 17 24.6 94 00 30.9	Meters. 4, 412152 4, 302786

KELLEYS ISLAND, ERIE COUNTY.

A station of the United States Lake Survey, somewhat north and east of Kelleys Island, in an open piece of woods, about 670 meters south of bay, 243 meters south of east-west road, 1,080 meters east of road north from landing on south side of island. Height of station used was 76 feet.

Station mark: A brass wire leaded into the solid rock between the letters "U. S." cut into the rock, 16½ inches below surface. A stone post is set for a surface reference mark directly over it.

Reference marks: Three stone posts, one N. 20° 07′ E., distant 32.7 meters; one S. 31° 32′ E., distant 30.3 meters; and one N. 87° 11′ W., distant 45.9 meters. Height of ground at station above mean level of Lake Erie is 41.1 feet.

[Latitude 41° 36'	17.571".	Longitude 82°	41'	44.430".1

To station—	Azimuth.	Back azimuth.	Log. distance.
Brownhelm Townsend East Base West Base. Sandusky.	334 55 59.60 344 15 44.26 355 22 25.44	126 42 42.94 155 04 25.61 164 18 10.52 175 22 56.51 149 01 41.03	Meters. 4. 6057407 4. 6233951 4. 2760813 4. 1296298 4. 1555642

LITTLE MOUNTAIN, LAKE COUNTY.

A station of the United States Lake Survey, situated on Little Mountain, in Mentor Township, 4 miles south of Mentor railway station. Height of station used was 104 feet.

Station mark: An iron bolt leaded into the solid rock.

Reference marks: Three stone posts, one N. 28° 11′ E., distant 95 meters; one S. 81° 41′ E., distant 97.3 meters; and one S. 5° 53′ E., distant 124.2 meters, from the geodetic point. The height of ground at station above mean level of Lake Erie is 674.7 feet.

[Latitude 41° 38′ 26.116″. Longitude 81° 16′ 27.676″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
ThompsonClaridon	254 50 12.90 317 48 39.07		Meters. 4, 2991879 4, 2882057

LOCUST POINT, OTTAWA COUNTY.

A station of the United States Lake Survey, on the south shore of Lake Erie, on Locust Point, about 10 meters back from the lake. Height of station used was 41 feet. Station mark: A stone post of the usual form, 3 feet below the surface of the ground. Reference marks: Three stone posts, one S. 64° 41′ E., distant 45 meters; one S. 18° 26′ W., distant 24.3 meters; and one N. 86° 30′ W., distant 24.3 meters. The height of ground at station above Lake Erie is about 2 feet.

[Latitude 41° 36′ 54.640″. Longitude 83° 06′ 20.540″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Middle Bass Island	° ' ''	° ' ''	Meters.
	251 04 19.37	71 17 01.25	4. 4474880
	295 19 17.71	115 29 55.39	4. 3918742

MARBLEHEAD LIGHTHOUSE, ERIE COUNTY. .

A station of the United States Lake Survey.

Station mark: Center of lighthouse.

[Latitude 41° 32′ 10.75". Longitude 82° 42′ 42.56".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Sandusky East Base.	328 29 57.5 12 56 32.4	148 33 01.3 192 55 00.1	Meters. 4. 092897 4. 159885

MESOPOTAMIA, TRUMBULL COUNTY.

A station of the United States Lake Survey in section 57, Mesopotamia Township, one-third mile east of the west line and one-half mile south of the center line of township, and 4 miles east of village of Middlefield. Height of station used was 70 feet.

Station mark: Marked in usual manner (a stone post underground, with a stone post over it as a surface mark (?)).

Reference marks: Three stone posts, one N. 23° 23′ W., distant 102.6 meters; one N. 9° 51′ E., distant 96 meters; and one S. 20° 40′ E., distant 129.4 meters, from the geodetic point. Height of ground at station above mean level of Lake Erie is 599.2 feet.

[Latitude 41° 26′ 59.746". Longitude 80° 59′ 53.152".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Thompson	• , ,, 171 50 33.52 239 59 55.10		Meters. 4. 4253533 4. 5742703

MIDDLE ISLAND LIGHTHOUSE.

A station of the United States Lake Survey.

Station mark: Center of lighthouse.

[Latitude 41° 41′ 00.02". Longitude 82° 40′ 47.15".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Kelleys Middle Base.	8 39 18.7 99 21 41.7	8 7 77 188 38 40.6 279 17 24.2	Meters. 3. 945182 3. 957722

MIDDLE BASS ISLAND, OTTAWA COUNTY.

A station of the United States Lake Survey situated on Middle Bass Island in western end of Lake Erie, on north side of island, 650 meters from eastern end. The height of station used was 75 feet.

Station mark: A nail leaded into the solid rock 21 feet below surface.

Reference marks: Two stone posts, one N. 79° 26' E., distant 17.5 meters; and one S. 81° 06' W., distant 23.05 meters, from the geodetic point. The height of ground at station above the mean level of Lake Erie is 7.8 feet.

[Latitude 41° 41′ 47.675". Longitude 82° 47′ 14.266".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Kelleys Island. West Base. Danbury.		143 10 51.61 159 45 36.01 192 18 42.87	Meters. 1.1047186 4.4010292 4.3028141

MIDDLE SISTER.

A station of the United States Lake Survey on west side of Middle Sister Island near western end of Lake Erie, 150 meters north of shore end of the island and 15 meters from the lake shore. Height of station used was 55 feet.

Station mark: A nail leaded into the solid rock, 1 or 2 feet below surface.

Reference marks: Two stone posts, one S. 39° 57′ W., distant 21.9 meters; one N. 33° 49′ E., distant 32.8 meters; and one S. 43° 23′ E., distant 21.9 meters. Height of ground at station above Lake Erie is about 10 feet.

[Latitude 41° 50′ 52.848". Longitude 83° 00′ 06.948".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Middle Bass Island			Meters. 4. 3895784 4. 4355823

NORTH ROYALTON METHODIST EPISCOPAL CHURCH, CUYAHOGA COUNTY.

A station of the United States Lake Survey.

Station mark: Center of spire.

[Latitude 41° 19' 28.95". Longitude 81° 44' 09.55".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Olmsted		0 , ,, 288 42 07. 2 348 14 04. 6	Meters. 4. 289109 1. 349

NORTH ROYALTON BAPTIST CHURCH, CUYAHOGA COUNTY.

A station of the United States Lake Survey.

Station mark: Center of spire.

[Latitude 41° 18′ 53.33". Longitude 81° 44′ 09.83".]

To station—	Azimuth.	Back azimuth.	Log. distance.
OlmstedRoyalton	° ', ',' 111 51 32.6 180 06 03.6	91 42 49. 2 00 06 03. 6	

OBERLIN CONGREGATIONAL CHURCH, LORAIN COUNTY.

A station of the United States Lake Survey.

Station mark: Center of spire.

[Latitude 41° 17′ 28.66″. Longitude 82° 13′ 09.63″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
GraftonCamden	94 49 29.1 73 14 29.3	0 / // 114 58 25.0 253 11 27.1	Meters. 4. 319307 3. 827004

OLMSTED, CUYAHOGA COUNTY.

A station of the United States Lake Survey, in section 13, Olmsted Township, about 2 miles west of the village of Olmsted Falls, and one-third mile south of the corner of sections 8, 14, and 13. Height of station used was 119 feet.

Station mark: A stone post of usual form 2.3 feet below surface, with a stone post directly over it as a surface mark.

Reference marks: Three stone posts, one N. 8° 10′ W., distant 90.9 meters; one S. 80° 26′ E., distant 67.7 meters; and one S. 13° 07′ W., distant 71.7 meters, from geodetic point. The height of ground at station above mean level of Lake Erie is 221.5 feet.

[Latitude 41° 22′ 51.955". Longitude 81° 57′ 22.065".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Rockport. Warrensville. Royalton.	254 03 20.27	56 36 08.22 74 21 18.60 108 47 26.67	Meters. 4. 2158948 4. 5947770 4. 2888551

PAINESVILLE CONGREGATIONAL CHURCH, LAKE COUNTY.

A station of the United States Lake Survey.

Station mark: Center of church spire.

[Latitude 41° 43' 25.76". Longitude 81° 14' 43.37".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Thompson	283 33 05.8 14 38 07.3		Meters. 4. 237763 3. 980190

PAINESVILLE EPISCOPAL CHURCH, LAKE COUNTY.

A station of the United States Lake Survey.

Station mark: Center of church spire.

[Latitude 41° 43′ 40.98″. Longitude 81° 14′ 35.16″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
ThompsonLittle Mountain	0 / //	0 / //	Meters.
	285 11 11.4	105 19 09. 4	4. 236066
	15 00 24.7	194 59 09. 9	4. 002450

PERRY, LAKE COUNTY.

A station of the United States Lake Survey in a piece of woods near shore of Lake Erie, $2\frac{1}{2}$ miles nearly due north of Perry railroad station, and $7\frac{1}{3}$ miles east of Fairport. No station erected.

Station mark: A hole drilled in top of a stone post 27 inches below surface. Another post stands over it as a surface mark.

Reference marks: Three stone posts, one N. 78° E., distant 52 meters; one S. 42° E., distant 37.1 meters; and one S. 76° W., distant 17.6 meters from geodetic point. A rail fence running north and south is 123.5 meters distant east of station.

[Latitude 41° 48' 04.50". Longitude 81° 08' 54.65".]

To station—	Azimuth.	Back azimuth,	Log. distance.
ThompsonLittle Mountain.	325 21 19.7 30 26 54.4	0 / // 145 25 31.4 210 21 52.9	Meters. 4.187031 4.315756

ROCKPORT, CUYAHOGA COUNTY.

A station of the United States Lake Survey in section 19, Rockport Township, 6 miles nearly west from Cleveland, one-half mile northwest of the village of Rockport, one-fourth mile northwest of the Lake Shore & Michigan Southern Ry. Intersection of Lake Shore & Michigan Southern and Rocky River railroads is 2,004.11 meters north and 3,124.98 meters east from station. Height of station used was 95 feet.

Station mark: A stone post of usual form, 27 inches below surface.

Reference marks: Three stone posts, one S. 52° 32′ W., distant 364.1 meters; one N. 19° 19′ W., distant 22.7 meters; and one N. 59° 47′ E., distant 194.3 meters, from the geodetic point. Height of ground at station above mean level of Lake Erie is 208.5 feet.

[Latitude 41° 27' 45.704". Longitude 81° 47' 31.393".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Willoughby Warrensville	° ', ',' 231 09 22.61 266 00 15.29	51 23 22.98 86 11 43.63	Meters. 4. 5753660 4. 3833783

ROYALTON, CUYAHOGA COUNTY.

A station of the United States Lake Survey in section 12, Royalton Township, one-half mile north of the village of Royalton on the east side of a north-south highway. Height of station used was 35 feet.

Station mark: A hole drilled in the top of a stone post 28 inches underground, a stone post being placed directly over it as a surface mark. Height of ground above Lake Erie is 699.1 feet.

Reference marks: Three stone posts, one N. 4° 14′ W., distant 50.6 meters; one N. 80° 57′ E., distant 73.2 meters; one S. 35° 28′ W., distant 41.4 meters, from the geodetic point. The northwest corner of a church with a stone foundation is S. 11° 57′ E., distant 17.7 meters.

[Latitude 41° 19' 29.658". Longitude 81° 44' 09.746".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Rockport	° ' ''	0 / //	Meters.
	162 59 51.87	342 57 38.53	4. 2042289
	228 52 21.20	49 01 35.25	4. 4117195

SANDUSKY, ERIE COUNTY.

A station of the United States Lake Survey about 3½ miles southwest of Sandusky, near eastern border of Margaretta Township, 1¾ miles south of corner of Perkins and Portland townships. Height of station was 115 feet.

Station mark: A brass wire leaded into the solid rock, between the letters "U.S." cut in the rock, about 3 feet below surface. A stone post is set directly over this as a surface mark.

Reference marks: Three stone posts, one N. 3° 34′ W., distant 69 meters; one S. 69° 12′ E., distant 50.4 meters; and one S. 71° 40′ W., distant 43.3 meters. Sandusky courthouse is N. 33° 37′ E., distant 5,907 meters. Height of ground at station above mean level of Lake Erie is 59.3 feet.

[Latitude 41° 24' 34.219". Longitude 82° 45' 01.905".]

To station—	Azimuth.	Back azimuth.	Log. distance.
East base Brownhelm Townsend	250 01 30.77 273 28 31.78 306 07 18.33	70 06 07.41 93 46 05.90 126 17 54.79	Meters. 4. 0139954 4. 5694097 4. 4429095

SANDUSKY, COURTHOUSE, ERIE COUNTY.

A station of the United States Lake Survey.

Station mark: Center of cupola.

[Latitude 41° 27′ 13.64". Longitude 82° 42′ 41.05".]

•	To station—	Azimuth.	Back azimuth.	Log. distance.
	base			Meters. 3. 818583 3. 771312

SANDUSKY EAST BASE, ERIE COUNTY.

A station of the United States Lake Survey. This station, marking the southeast end of the Sandusky base line, is situated on the northeast side of Cedar Point, northeasterly from Sandusky, 4½ miles from the Cedar Point light, and 32 meters back from the lake shore. Height of station used was 65 feet.

Station mark: A stone post of the usual form set in a bed of brickwork 3 feet square and about 3 feet deep.

Reference marks: Three stone posts, one bearing S. 13° 52′ E., distant 29.87 meters; one S. 69° 36′ W., distant 24.78 meters; and one N. 50° 57′ W., distant 47.7 meters, from geodetic point. Height of ground at station above mean level of Lake Erie is 5.8 feet.

[Latitude 41° 26′ 28.366″. Longitude 82° 38′ 03.803″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
ElyriaBrownhelm. Townsend. East angle.	282 00 47.53 327 30 53.62	94 11 02.70 102 13 45.39 147 36 53.04 317 23 01.91	Meters. 4. 6125925 4. 4461107 4. 3725430 3. 3347585

SANDUSKY WEST BASE, ERIE COUNTY.

A station of the United States Lake Survey. This station, marking the northwest end of the Sandusky base line, is situated on the northeast side of Cedar Point, about 40 meters from the lake shore and 1,016 meters from the lighthouse at the end of Cedar Point. Height of station used was 70 feet.

Station mark: A stone post of usual form, set in a bed of brickwork 3 feet square and 4 feet deep.

Reference marks: Three stone posts, one S. 8° 02 'E., distant 26.3 meters; one S. 55° 11′ W., distant 19.5 meters; and one N. 64° 21′ W., distant 38.8 meters. An azimuth post line to East Base is S. 40° 23′ E., distant 46.91 meters, from geodetic point. Height of ground at station above mean level of Lake Erie is 6.6 feet.

To station—	Azin	nuth.	Back	azi	muth.	Log. distance.
Sandusky. Elyria. Brownhelm. East base. Townsend.	 34 2 279 2 288 3 319 3	8 59.88 7 03.54 4 45.11 6 42.87 0 28.53	214 99 108 139	26 48 49 38	77 18. 15 24. 02 38. 30 37. 93 22. 96	Meters. 4. 0010200 4. 6584185 4. 5195943 3. 7941893 4. 4736216

[Latitude 41° 29' 02.111". Longitude 82° 40' 57. 571".]

SAYBROOK, ASHTABULA COUNTY.

A station of the United States Lake Survey, on the shore of Lake Erie, about $1\frac{1}{2}$ miles west of Ashtabula Harbor. It is in a small clump of woods between highway and lake. No station erected.

Station mark: A hole drilled in the top of a stone post set 20 inches below surface, with another post set directly over it as surface mark.

Reference marks: Three stone posts, 1 foot above ground, one N. 82° E., distant 76.5 meters; one S. 63° E., distant 19.5 meters; and one S. 51° W., distant 75.8 meters, from geodetic point. In 1876 station was back 42 meters from lake shore, which was a clay bluff rapidly wearing away, so that the station can exist only a few years.

To station—	Azimuth.	Back azimuth.	Log. distance.
Conneaut			Meters. 4. 256988 4. 459007

[Latitude 41° 53′ 31.82″. Longitude 80° 49′ 54.04″.]

THOMPSON, GEAUGA COUNTY.

A station of the United States Lake Survey, situated in Thompson township, one-half mile east of village of Thompson, on Thompson Ledge, 313 meters south along the ledge from road leading east from Thompson. Height of station used was 88.3 feet.

Station mark: A brass rod leaded into the solid rock, 6 inches below surface of coarse, compact, pebbly soil.

Reference marks: Five stone posts, one N. 34° 02′ W., distant 85.4 meters; one N. 81° 42′ E., distant 6.2 meters; one S. 25° 06′ E., distant 36 meters; one S. 19° 34′ W., distant 342 meters; one S. 77° 02′ W., distant 35 meters, from geodetic point.

The bluff is distant 12 meters on the east. The height of ground at station above mean level of Lake Erie is 734.5 feet.

[Latitude 41° 41' 14.129". Longitude 81° 02' 36.527".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Conneaut	° ' '' 236 37 00.44 281 48 03.58	56 54 10.70 102 05 24.95	Meters. 4. 6301944 4. 5688943

TOLEDO, ST. MARY'S CHURCH, LUCAS COUNTY.

A station of the United States Lake Survey.

Station mark: Center of church spire.

[Latitude 41° 39′ 32.853″. Longitude 83° 32′ 02.895″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
BedfordCedar Point	0 / // 158 37 54.43 250 58 01.65	338 34 33.09 71 05 58.51	Meters. 4. 2823242 4. 2439356

TOLEDO STONE LONGITUDE POST, LUCAS COUNTY.

A station of the United States Lake Survey.

Station mark: Center of post.

[Latitude 41° 39′ 04.36". Longitude 83° 32′ 31.".]

TOWNSEND, HURON COUNTY.

A station of the United States Lake Survey, in lot 56, Townsend township, one-half mile northeast of the village of Collins, and one-eighth mile south of the corner of lots 41, 42, 55, and 56. Height of station used was 105 feet.

Station mark: A brass bolt leaded into the solid rock between the letters "U. S." cut therein, about 2½ feet below the surface of the ground.

Reference marks: Three stone posts, one S. 14° 10′ W., distant 42.1 meters; one N. 9° 10′ W., distant 64 meters; and one N. 82° 52′ E., distant 44.1 meters. Height of ground at station above mean level of Lake Erie is 349.6 feet.

[Latitude 41° 15′ 43.256". Longitude 82° 28′ 59.773".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Brownhelm	226 15 22. 22 265 09 15. 93	6 22 19.47 85 16 40.43	Meters. 4.3079552 4.1970359

VERMILION, GERMAN LUTHERAN CHURCH, ERIE COUNTY.

A station of the United States Lake Survey.

· Station mark: Center of church spire.

[Latitude 41° 25′ 12.50". Longitude 82° 21′ 58.54".]

To station—	Azimuth.	Back azimuth.	Log. distance.	
Sandusky east base	96 03 02.7 305 44 54.1	0 / // 275 52 23.9 125 47 13.4	Meters. 4. 352840 3. 780341	

WARRENSVILLE, CUYAHOGA COUNTY.

A station of the United States Lake Survey, in Warrensville Township, about 3 miles northeast of Randall station on the Erie Railroad. Height of station used was 92 feet.

Station mark: A stone post of the usual form, set 20 inches underground.

Reference marks: Three stone posts, one S. 73° 46′ E., distant 56.7 meters; one S. 89° 13′ W., distant 75.5 meters; and one N. 55° 54′ E., distant 66.4 meters, from the geodetic point. Height of ground at station above mean level of Lake Erie is 641.5 feet.

[Latitude 41° 28′ 39.006′′. Longitude 81° 30′ 11.962′′.]

To station—	Azimuth.	Back azimuth.	Log. distance.	
WilloughbyChester	9 7 77	0 , ,,	Meters.	
	193 29 42.56	13 32 13.27	4. 3524100	
	243 07 28.26	63 13 23.25	4. 1436933	

WEST SISTER ISLAND LIGHTHOUSE, LUCAS COUNTY.

Station located by the United States Lake Survey.

Station mark: Center of lighthouse.

[Latitude 41° 44′ 12.94". Longitude 83° 06′ 38.15".]

To station—	Azi	mu	th.	Back a	zin	nuth.	Log. distance.
	358	16	21. 3 13. 6			33. 0 16. 0	Meters. 4. 131245 4. 276440

WILLOUGHBY, LAKE COUNTY.

A station of the United States Lake Survey, situated on the shore of Lake Erie near the mouth of Chagrin River on the west side, and about 3 miles west of north of Willoughby railroad station, in Willoughby Township. Height of station used was 107 feet.

Station mark: A stone post underground.

Reference marks: Three stone posts, one S. 86° 4′ E., distant 10.1 meters; one N. 74° 44′ E., distant 45.6 meters; and one N. 13° 25′ W., distant 27 meters, from the geodetic point. The lake shore on the northwest is distant 80 meters. Height of ground at station above mean level of Lake Erie is 39.7 feet.

[Latitude 41° 40' 28.492". Longitude 81° 26' 24.852".]

To station— Azimuti		Back azimuth.	Log. distance.
Little Mountain	285 13 38.66 335 22 10.08	105 20 15.59 155 25 34.97	Meters. 4. 1560578 4. 2346119

8702°-Bull. 552-14--14

APPENDIX B.

PRIMARY TRIANGULATION BY THE UNITED STATES COAST AND GEODETIC SURVEY.

Athalia, Bethel, Georgetown, Greenup, Ironton, Peebles, Vanceburg, and West Union quadrangles.

ADAMS, BROWN, CLERMONT, DARKE, HAMILTON, LAWRENCE, SCIOTO, AND WILLIAMS COUNTIES.

The stations in the following list were established by the Coast and Geodetic Survey in 1885 to 1887 inclusive and furnish partial control for the quadrangles named above. In this list are included also the positions of three monuments along the Indiana-Ohio boundary line located by astronomic observations.

ASH RIDGE, BROWN COUNTY.

A Coast and Geodetic Survey station situated about 1 mile north of the small village of Carlisle (Ash Ridge post office), on land of Dr. Evans, of Georgetown, Ohio. It is on a rise of ground clear of trees, nearly northwest from the church on the turnpike of Carlisle, and less than 0.25 mile distant. The nearest railroad station is Macon on the Norfolk & Western Ry., 3 miles north, which has telegraph and express service.

Station mark: Center is a glass bottle filled with cement, sunk 3 feet below surface of ground, over which is placed a 6-inch draintile pipe, 2 feet long and filled with hydraulic-cement concrete, and reaching to the surface.

Reference marks: Four 4-inch draintile pipe sections, each 2 feet long and filled with concrete, are sunk nearly level with the surface of the ground, at the following distances and directions: North (true), distant 6.03 feet; south (true), distant 6.02 feet; east (true), distant 6.21 feet; west (true), distant 5.94 feet.

The bearings in azimuth of surrounding points are Carlisle church 327° 10′, Carlisle schoolhouse 309° 33′, John Schwallies's house 226⁸ 06′, James M. Parker's house 153°, Russellville spire 25° 41′ 43″.

[Latitude 38° 55′ 13.430". Longitude 83° 45′ 22.093".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Peach Mount	274 30 47.22 320 27 37.25		Meters. 4. 5352201 4. 5722181

BOUNDARY POST ON INDIANA-OHIO STATE LINE, DEARBORN COUNTY, IND., HAMILTON COUNTY, OHIO.

Station mark: Indiana-Ohio State-line post near Elizabethtown, Hamilton County, Ohio.

BOUNDARY POST ON INDIANA-OHIO STATE LINE, DE KALB COUNTY, IND., WILLIAMS COUNTY, OHIO.

Station mark: Indiana-Ohio State-line post near Butler, De Kalb County, Ind.
[Latitude 41° 26′ 13.73″. Longitude 84° 48′ 08.60″. Astronomic value.]

BOUNDARY POST ON INDIANA-OHIO STATE LINE, RANDOLPH COUNTY, IND., DARKE COUNTY, OHIO.

Station mark: Indiana-Ohio State-line post near Union City, Ind.

[Latitude 40° 11' 51.84". Longitude 84° 48' 24.41". Astronomic value.]

CAVE HILL, ADAMS COUNTY.

A Coast and Geodetic Survey station on Cave Hill, about 4 miles northwest of West Union, the county seat of Adams County, on land owned by John Drennan. The hill is not so high by 8 feet as Clark Hill, 0.25 mile farther west, but it is clear of trees, and all stations could be seen from it without cutting except Minerva and Ash Ridge, which required lines to be opened through trees on Clark Hill. To reach Cave Hill follow the North Liberty pike from West Union about 2.5 miles to the second road north, about 0.5 mile beyond the bridge. Follow this road past the schoolhouse on the slope of Cave Hill and about 0.5 mile farther to the station.

Station mark: Center is marked by a pottery pyramid sunk 3 feet; over this is a draintile pipe 6 inches in diameter, filled with hydraulic-cement concrete, with a spike marking the center.

Reference marks: Four draintile pipes 4 inches in diameter filled with concrete were sunk level with the surface of ground at the following distances and directions: North (true), distant 6.65 feet; south (true), distant 6.70 feet; east (true), distant 6.75 feet; west (true), distant 7.13 feet.

To station—	Azimuth.	Back azimuth.	Log. distance.
Minerva Peach Mount Cherry Ridge	255 56 14.99	240 35 41.44 76 05 08.08 154 32 14.18	Meters. 4. 5043022 4. 3243321 4. 3659205

ECKMANSVILLE CHURCH SPIRE, ADAMS COUNTY.

Located by the Coast and Geodetic Survey.

Station mark: Center of church spire at Eckmansville.

[Latitude 38° 51′ 50.03". Longitude 83° 38′ 34.63". No check on this position.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Peach Mount. Cherry Ridge.	0 / // 261 44 27.6 328 18 35.2	81 55 02.3 148 24 35.7	Meters. 4. 391358 4. 423271

ELIZABETHTOWN ASTRONOMIC STATION, HAMILTON COUNTY.

A Coast and Geodetic Survey station situated about 1 mile east of the State line and about 200 meters northwest of the Cleveland, Cincinnati, Chicago & St. Louis Railway station. The longitude and latitude piers are both built of stone picked up near by, laid in cement; they have foundations $2\frac{1}{4}$ feet in the ground, and rise 3 feet

above ground. The longitude pier is about in center line, and the latitude pier is 50 inches due west. The property east is owned by Mr. Tabow, and that west by Zunn Hayhurst. A meridian line was laid out and marked by two stones 130.65 meters apart, and the magnetic declination as shown by Mr. Haire's (surveyor) compass at 10.45 a. m. October 16, 1891, was 1° 30′ E.

Station was referred to a large cylindrical monument on the State line, marked "1837," about 8 feet tall, with a conical top, by direct measurement along traverse lines, with steel tape twice, and Brumm theodolite No. 68, a 6-inch repeating instrument.

Distances measured from transit: To fence east 2.83 meters; to fence south 5.27 meters; to fence west 17.11 meters; first meridian stone 60.37 meters; second meridian stone 191.02 meters; State-line monument west 1,222.68 meters; State line monument south 1,079.21 meters; Methodist Episcopal Church 28.39 meters west; Methodist Episcopal Church 50.07 meters north; Presbyterian Church 102.06 meters west; Presbyterian Church 302.17 meters north; public school 24.16 meters east; public school 209.88 meters north.

[Latitude 39° 09′ 32.2″, longitude 84° 48′ 21.5″; approximate U. S. Standard. Latitude 39° 09′ 28.54″, longitude 84° 48′ 22.48″; astronomic value.]

FELICITY TOWN HALL, CLERMONT COUNTY.

Located by the Coast and Geodetic Survey.

Station mark: Center of cupola on town hall at Felicity.

To station—	Azimuth.	Back azimuth.	Log. distance.
Flaugher. Tate. Minerva	44 37 02.79 163 56 08.62 313 17 07.88	224 31 51.58 343 54 44.92 133 23 49.66	Meters. 4. 2326288 4. 0645943 4. 3282657

FRADD, LAWRENCE COUNTY.

A station of the Coast and Geodetic Survey near line between Lawrence and Aid townships, in Lawrence County, and about 100 yards south of Marion-Vesuvius Furnace road, about 3 miles from Marion, and very near 1 mile west of white schoolhouse on hill. The station is on land belonging to Charles Fradd, who lives in hollow about 0.3 mile southwest from station. There is a 45-foot tripod and scaffold at this station, standing on a bare hill.

Station mark: Earthen pyramid sunk 2½ feet in the ground, and above it a 6-inch tile pipe 2 feet long filled with cement. A 6-inch spike marks the center.

Reference marks: Four 4-inch tile pipes 2 feet long filled with cement. The tops of the pipes are level with ground. A nail in center of each is point to which the following measurements were made: North (true), 7.63 feet; east (true), 6.00 feet; south (true), 6.50 feet; west (true), 6.00 feet.

[Latitude 38° 35′ 46.927″. Longitude 82° 33′ 06.031″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Oakland. Gebhardt.	0 / // 18 00 13.70 285 51 33.48		Meters. 4. 4352799 4. 4324666

GEORGETOWN COURTHOUSE, BROWN COUNTY.

Located by the Coast and Geodetic Survey. Station mark: Center of dome of courthouse.

[Latitude 38° 51′ 56.326". Longitude 83° 54′ 14.766".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Minerva Flaugher. Ash Ridge.	62 33 20.02	184 06 20. 41 242 20 54. 23 64 42 37. 97	Meters. 4. 2423524 4. 5104910 4. 1523932

GOULD, SCIOTO COUNTY.

A station of the Coast and Geodetic Survey situated on hills east of Ohio River, about 1.5 miles (air line) from the river at Franklin Furnace landing. The land formerly belonged to O. B. Gould, but was sold in 1884 to Means, Kyle & Co., of Hanging Rock. The hill is covered with large timber of second growth, and a tripod 65 feet high with scaffold was erected to see above trees. To reach station from Franklin Furnace take road to Powellsville 1 mile, and turn to right at Mr. Howard's house, following old road to Junior Furnace 0.25 mile; turn to right here up hill to station about 0.5 mile.

Station mark: Pottery pyramid sunk 3 feet below surface. Above this is a piece of sewer pipe 6 inches in diameter, filled with concrete, with nail in its center. Other pieces of sewer pipe 4 inches in diameter, filled with concrete, are sunk at following distances and directions: North (true), 6.08 feet; south (true), 6.11 feet; east (true), 5.78 feet; west (true) is a brass rod one-fourth inch in diameter, driven into smooth top of an oak stump and surrounded by a triangle of nails, distant 5.77 feet.

[Latitude 38° 38' 27.582". Longitude 82° 49' 56.728".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Fradd Buena Vista	281 21 56.10 355 09 35.66		Meters. 4.3970300 4.4368167

NORTH MERIDIAN, SCIOTO COUNTY.

A Coast and Geodetic Survey station. The angle Springville-Scioto was measured here to check closing only. A line was then laid off, making an angle of 40° 47′ 20″ with Springville and 108° 33′ 35″ with Scioto, which is due south from North Meridian, within a few seconds. This meridian line is for the use of the county, and was laid off at the request of the county commissioners, in the grounds of the Children's Home, in the southeastern part of the city of Portsmouth. The ends of this meridian line are marked by large stone posts 12 by 12 inches on top and 8 feet long. The northern one projects about 3.5 feet above the ground and the southern one about 2 feet. Brass bolts are inserted to mark the center.

[Latitude 38° 44′ 38.845″. Longitude 82° 58′ 41.303″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Springville	40 47 18.42 108 33 31.80	220 46 25.62 288 30 47.59	

PEACH MOUNT, ADAMS COUNTY.

A Coast and Geodetic Survey station on the ridge northwest of Mineral Springs and about 2 miles distant by road. It is on land of James Miller a short distance northwest of his house. To reach station from the Mineral Springs railroad station, take the road running to the Springs Hotel, and 0.8 mile before reaching the hotel take road west (old road to Jacktown) to Mr. Miller's house, about 1.25 miles.

Station mark: A pottery pyramid sunk 3 feet, and above this, reaching to the surface of the ground, a section of 6-inch draintile pipe, filled with concrete.

Reference marks: Four 5-inch draintile pipes, 2 feet long, sunk level with the surface at the following distances and directions: North (true), distant 6.02 feet; south (true), distant 6.085 feet; east (true), distant 6.95 feet.

[Latitude 38° 53′ 43.525″. Longitude 83°21′ 43.441″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Scioto Twin Creek			Meters. 4. 4876884 4. 3529044

PORTSMOUTH COURTHOUSE, SCIOTO COUNTY.

Located by the Coast and Geodetic Survey. Station mark: Center of dome of courthouse.

[Latitude 38° 44′ 06.18". Longitude 83° 00′ 01.74". No check on this position.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Springville.	4 01 28.2 125 30 04.2		Meters. 3. 133157 3. 731911

PORTSMOUTH FIRST PRESBYTERIAN CHURCH, SCIOTO COUNTY.

. Located by the Coast and Geodetic Survey.

Station mark: Center of spire on First Presbyterian Church at Third and Court streets.

[Latitude 38° 43′ 56.21". Longitude 83° 00′ 03.98". No check on this position.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Springville	2 15 37.6 128 25 00.9		Meters. 3.020714 3.743176

SCIOTO, SCIOTO COUNTY.

A Coast and Geodetic Survey station on land of George Davis, about 1.5 miles west of his distillery, on the west side of the Scioto River, at a point about 1.5 miles northwest of Portsmouth. Station can be reached from Union Mills (west side) by wagon road up Hygean Creek about 0.8 mile to the last of the row of frame houses, from that point by a very rough road along the side hill northward 0.5 mile to the foot of the main ridge, thence by a very steep rough road up this ridge to top, and thence along top of ridge about a mile to station.

Signal: Floor of scaffold 96 feet high. Theodolite elevated 100 feet from ground. Lines were opened to Peach Mount station (19 miles) by cutting on five ridges, and to Twin Creek station (13 miles) by cutting on two ridges. Fradd, Gould, Howland, Round Top, and Springville stations and the whole of the city of Portsmouth are open.

Station mark: A pottery pyramid sunk below the surface, over which was placed a 6-inch draintile pipe, 2 feet long, filled with concrete. Center is marked by an iron spike.

Reference marks: A 4-inch pipe north 6.29 feet, and similar pipes south, east, and west, 6.18, 6.25, and 6.11 feet distant, respectively, from station. These four pipes were filled with concrete and a nail marks the center of each.

To station—	Azimuth,	Back azimuth.	Log. distance.
Round TopFraddGould	292 56 07.10 305 26 57.47	219 07 22.42 113 14 50.55 125 35 09.49 160 01 08.36	Meters. 4. 3418228 4. 6742640 4. 3684959 4. 1978529

TATE, CLERMONT COUNTY.

A Coast and Geodetic Survey station on the boundary fence separating the land of J. Hibbets on the north from that of Salt on the south, 0.5 mile east of the Tate-Monroe township line and 1.25 miles north of Saltair, a small hamlet of three or four houses at the crossroads, with post office.

Station marks: A pottery pyramid sunk 3 feet below surface of the ground. Over this is placed a section of sewer pipe 2 feet long and 6 inches in diameter, filled with hydraulic-cement concrete, and reaching to the surface of the ground. The station center is marked by a 4-inch iron spike in the concrete.

Reference marks: Four draintile pipes 4 inches in diameter filled with concrete and placed at the following distances and directions: North (true), distant 6.05 feet; south (true), distant 6.01 feet; east (true), distant 6.09 feet; west (true), distant 6 feet.

[Latitude 38° 56′ 26.711″. Longitude 84° 08′ 01.532″.]

To station—	Azimuth.	Back a	zimuth.	Lo	g. distance.
Ash Ridge	273 49 44.66 323 58 19.89	94 (, ,, 03 58. 90 06 25. 69		Meters. 4.5161741 4.5028566
			Distan	ce.	Azimuth.
Felicity town hall E. Frazer's white wood cottage, east gable Salt's brick house, west gable John Tatman's house, east gable Chimney of J. Hibbet's house Williamsburg white spire			0. 0. 0.	. 0 . 5 . 3 . 5	21 11 53 35 12 30 41 10 106 35 214 40 264 51 22
Bethel Baptist Church spire		4	. 2	280 50 30 62 25

TWIN CREEK, ADAMS COUNTY.

A Coast and Geodetic Survey station on the dividing ridge between the headwaters of Upper Twin Creek and Lower Twin Creek, flowing into the Ohio River, and those of Churn Creek, flowing into Brush Creek, and thence into the Scioto. It is on land about 0.5 mile northwest of the house of Wash McGraw, which is on the road along Upper Twin Creek and at the foot of the ridge over which the road passes from Buena Vista to Mineral Springs. In order to reach this house leave the Ohio River turnpike (Portsmouth to Rome) at the bridge over Upper Twin Creek, about 2.5 miles east of Buena Vista, and follow up the creek to McGraw's, 7 miles. The road is rough, but it can be driven over in a wagon.

Signal: An 80-foot scaffold was erected in order to see Scioto and Peach Mount. Cutting to open lines to Scioto was necessary on ridge owned by C. A. Barton, of Portsmouth, about 6 miles from Scioto near Odells Creek.

Station mark: A pottery pyramid sunk 2.5 feet below surface of ground. Over this was placed a 6-inch draintile pipe filled with concrete as a surface mark.

Reference marks: Four 5-inch draintile pipes sunk in ground at the following distances from the center pipe: North (by compass), distant 7.48 feet; south (by compass), distant 7.12 feet; east (by compass), distant 6.98 feet; west (by compass), distant 7.25 feet.

[Latitude 38° 42′ 08.710″. Longitude 83° 16′ 53.681″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Scioto			Meters. 4. 3254307 4. 0790769

UNITY CHURCH SPIRE, ADAMS COUNTY.

Located by the Coast and Geodetic Survey. Station mark: Church spire at Unity.

[Latitude 38° 53′ 30.09″. Longitude 83° 31′ 18.12″. No check on this position.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Cave Hill. Peach Mount.	54 44 20.7 268 14 12.7		Meters. 3. 909220 4. 141629

WEST UNION CHILDREN'S HOME, ADAMS COUNTY.

Located by the Coast and Geodetic Survey.

Station mark: Center of cupola on West Union Children's Home.

[Latitude 38° 47′ 42.631″. Longitude 83° 32′ 08.862.″]

To station—	Azimuth.	Back azimuth.	Log. distance.
Cave Hill. Peach Mount. Cherry Ridge.	233 31 26.24	318 06 18.78 53 37 58.53 162 55 46.09	Meters. 3. 9082209 4. 2728575 4. 1937670

WEST UNION COURTHOUSE, ADAMS COUNTY.

Located by the Coast and Geodetic Survey.

Station mark: Center of dome on courthouse at West Union.

[Latitude 38° 47′ 42.978". Longitude 83° 32′ 46.122".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Cave Hill. Peach Mount. Cherry Ridge.	235 06 58.9	323 09 43. 9 55 13 54. 5 159 50 47. 7	Meters. 3. 8760066 4. 2893215 4. 2019667



A.	Page.
Page.	Auerville14
Aberdeen 89, 121	Auglaize County
Adams County 9, 211, 214, 216–217	Augusta, Ky
Adelphi	Austin
Aid 212	Austinburg14
Airhill24	Austintown
Akron 9	Avis 109
Akron quadrangle 9–10	_
Alcony	В.
Alger	Bachman 25
Alger quadrangle 10–11	Baddow Pass 22
Allandale 50	Bainbridge 14, 117
Allen Center	Bainbridge quadrangle 14-15
Allen County 9	Baldwin (Halls Corners quadrangle) 65,66
Allensville	(Uhrichsville quadrangle) 160-161
Alliance	Baltic 101
Alliance quadrangle	Baltimore
Alma	Baltimore & Ohio Railroad 9, 26,
Alton	28, 32, 34, 43, 46, 53, 54, 55, 62, 70, 89, 91,
Alvada	98, 99, 102, 103, 104, 105, 106, 107, 108,
Amanda	109, 115, 116, 120, 128, 132, 133, 139, 147,
Amelia	151, 152, 155, 156, 157, 166, 169, 198, 200
Amity	Baltimore & Ohio Southwestern Railroad 19,
Amlin 49	20, 35, 46, 50, 56, 62, 69, 76, 97,
Andover	124, 128, 129, 130, 147, 149, 152 Bannock
Andover quadrangle	Bantam 15,18
Andre. 107	Baradees 125
Ankenytown	Barberton9
Anna	Barnesville schoolhouse
Ansonia 64	Barracks 32
Antrim quadrangle 160	Barton
Antwerp 28, 66, 112	Batavia quadrangle 15-16
Apple Creek94	Bath 9
Arbela 74,123	Batson
Arcanum	Bayard 11
Archbold11	Beallsville
Arlington	Beaver 150
Arlington quadrangle	Bedford
Arnold	Beech
Ashland County 9	Bell
Ashland quadrangle 13	Bellbrook. 151
Ash Ridge	Belle Center. 11,51,71
Ashtabula Baptist Church	Bellefontaine 17,51
Ashtabula County 9, 193, 198, 199, 207	Bellefontaine quadrangle 16-17
Ashtabula quadrangle	Belleville
Ashville	Bellevue quadrangle
Ashwood	Belmont
Athalia quadrangle	Belmont County 161, 164,
Athens County 162, 172, 178, 181, 186, 188, 191	166, 171, 172, 176, 180, 181, 184, 186, 187
Athens quadrangle 14, 160	Beloit 79
Atwater 120	Bennington
Atwood	Benton Ridge
Auburn 58	Bentonville 121

	Page.	Pa	ge.
Berea chapel spire	194	Brookfield	158
Berea Methodist Episcopal Church	194	Brooks (Athens quadrangle) 163-	164
Berea quadrangle	193	(South Charleston quadrangle)	134
Berkey	138	Brookville	24
Berlin (Gambier quadrangle)	57	Brookville quadrangle 24	-25
(Jackson quadrangle)	69	Brown	164
(Millersburg quadrangle)	94	Brown County 9,210,	
(Westerville quadrangle)	154	Brownhelm146,	194
Berlin Center (Warren quadrangle)	146		140
Berne	164		110
Berne quadrangle	17	Bryan (Bryan quadrangle) 25	, 26
Berryville	68		164
Bertha		Bryan quadrangle 25	-26
Bethel quadrangle			117
Bettsville	141	Buck 164-	
Beverly	29	Buckland	
Bidwell quadrangle		Buckrun	68
Big Four Route. See Cleveland, Cincinnati,	ļ	Bucyrus	
Chicago & St. Louis Railway.		Bucyrus quadrangle 26	
Big Springs			144
Bishopville	103	Bundysburg	24
Blachleyville		Burbank	
Blackjack			103
Black River Lighthouse		Burris	69
Blanchard	71	Burton (Garrettsville quadrangle)	58
Blanchester	20	Burton City (Massillon quadrangle)	89
Blanchester quadrangle		Butler County	9
Blissfield	40	Butler quadrangle	
Block	115		123
Bloomingdale		Byrd	60
Bloomfield (Fredericktown quadrangle)	56		137
(Jackson quadrangle)	- 1	C.	
Bloomville			165
Blue Ball			165
Blue Creek.		Cadiz quadrangle	160
Bluffton quadrangle		Caledonia29	ںں۔ 96
Bobo		Calland	165
Bobo quadrangle		Cambridge quadrangle	
Bond			195
Booth (Cambridge quadrangle)	l l	Camp	110
(Maumee Bay quadrangle)		Camp Ground	76
Boston			191
Boudesferry		Canal Dover	
Bourneville		Canal Dover quadrangle	,, 33 31
Bowerston 1		Canfield	
Bowersville 1		Cannelsville	116
Bowling Green		Canton	32
Bowling Green quadrangle		Canton quadrangle.	32
Boys' Industrial School chimney		Carbon Hill	-
Boys' Industrial School water tower	163	Cardington	
Bradford	42	Carey	144
Bradner	52	Carmel	15
Brandon	56, 57	Carrie	124
Brandywine	27	Carroll	141
Briceville	147	Carroll County	182
Bridgeville		Carrollton	
Briggsdale		Carrollton quadrangle	2–3 3
Brighton		Carrothers	28
Brinkhaven		Carthage (East Cincinnati quadrangle)	50
Brinkhaven quadrangle		(Keno quadrangle)	162
Bristol		Carysville	127
Bristolville quadrangle		Catawba	134
Broadway		Cave Hill	211
Broadwell		Cavett	145
Brokensword	139	Cecil	112

Page.	Page.
Cedar Point (Erie County) 206, 207	Cleveland, Almucantar Case School observa-
(Lucas County)195	tory 197
Cedar Point Lighthouse 195	Bohemian Catholic Church 197
Cedarville 137, 157, 158	church at Superior and Erie streets 197
Cedron	Polish Catholic Church
Celina	St. Peters Catholic Church
Celina quadrangle	Cleveland, Cincinnati, Chicago & St Louis
Centennial	Railway 11,
Center	13, 16, 25, 27, 43, 44, 45, 46, 50, 53, 57, 64,
Centerburg 56,86	65, 71, 75, 80, 86, 87, 92, 93, 95, 105, 123,
Center Pittsfield	123, 133, 134, 135, 136, 144, 150, 154, 211
Centertown 133	Cleveland Lighthouse
Centerville	Cleveland quadrangle
Central City	Clifford 109
Chagrin Falls quadrangle	Climax
Chalfant	Clinton
Champaign County 9	Clinton County 9
Chardon	Clover Leaf Route. See Toledo, St. Louis &
Chardon quadrangle 34,193	Western Railway.
Charles 65	Coalgate103
Charm	Coal run 29
Chatham Center	Coalton 69
Chenowith	Coast and Geodetic Survey, primary triangu-
Cheshire	lation by 210–217
Chester	Coffee Knob
Chester Hill quadrangle	Coffey
Chesterland 91	Coldwater 125, 126
Chesterville	Colebrook70
Chicago Junction 105	Coletown
Chickasaw80	College
Chili	College Corner 77
Chillicothe	Columbia (Edon quadrangle)
Chillicothe quadrangle	(Massilon quadrangle) 89
Chilo	Columbia Center (Thurston quadrangle) 140
Chuckery 93	Columbiana County 9,170,174
Cincinnati	Columbiana quadrangle
Cincinnati & Muskingum Valley Railroad 55,	Columbus 49,50,152,153,154,168
76, 79, 97, 102, 115	Insane Asylum 168
Cincinnati, Georgetown & Portsmouth Elec-	north base 16
tric Railroad	south base
Cincinnati, Hamilton & Dayton Railway 24,36,	Columbus & Southern Railway
40, 45, 48, 50, 53, 54, 62, 65, 66, 69, 88, 97, 106,	Columbus Grove quadrangle 3
107, 108, 109, 111, 112, 124, 126, 133, 135, 136, 143	Computation, chief and details for 5-4
Cincinnati, Lebanon & Northern Railway 88 Cincinnati Northern Railroad 12.	Comstock 110
25, 26, 33, 64, 92, 112, 125, 126, 145, 154	Concord Wy
25, 25, 35, 64, 62, 112, 125, 126, 126, 137 Circleville	Concord, Ky
Circleville quadrangle	Conneaut 19
Claridon (Chardon quadrangle)	Conneaut quadrangle. 39, 193
(Marengo quadrangle)	Continental quadrangle. 49
Clarington quadrangle	Control, horizontal
Clark County 9	Convoy
Clarksburg	Cook (Logan quadrangle)
Clarks Hill	(Mount Sterling quadrangle) 9
Clarksville	Cooperation.
Clay Lick	Cooperdale
Claysville	Coopersville 11
Clayton	Copley
Clear Creek. 73	Cornelian. 7
Clermont County	Cortland 7
Clermontville	Coshocton 4
Cleveland, Akron & Columbus Railway 22,	Coshocton County
23, 40, 41, 55, 58, 70, 82, 94, 95, 153, 157	Coshocton quadrangle

]	Page.	,	Page.
Cove	15	Dorset	12
Covington	42	Doty	130
Covington quadrangle	,	Douglas, E. M., work of	5
	76	Dovenbecker	170
Cozaddale			
Crabtree	110	Dover (Athens quadrangle)	181
Crawford	144	(Milford Center quadrangle)	93
Crawford County	9	(Navarre quadrangle)	99
Crestline	27	Dovertown	160
Crestline quadrangle	42-44	Dowling	22
Creston	156	Dresden	55
Criswell	109	Dublin quadrangle	49-50
Croton	61	Dudley	71
Cuba	19	Dunham 18	
Cumberland quadrangle		Dunkinsville	
Curtis	89		
	1	Dunkirk	13
Cuyahoga County	9,	Durant	
194, 196–197, 199, 203, 204, 20		Durbin	136
Cuyahoga Falls	70	Ε.	
Cygnet	53	, 13.	
		Eagle	60
D.		Earlville	70
Daleyville	117	Eastburn	149
Dalton	89	East Cincinnati quadrangle	50
Danbury	198	East Claridon	34
Danville (Gambier quadrangle) 23,		East Dayton	45
(Hillsboro quadrangle)		East Liberty	86
Darbyville	53	East Liberty quadrangle	51
			170
Darke County		East Liverpool Chapel	
Datum used	6	East Madisonville	50
Davis (Bidwell quadrangle)	169	East Monroe	
(Ravenna quadrangle)	120	East Rochester	128
(Sciotoville quadrangle)	130	Eaton	111
Dayton	44,45	Ebenezer	21, 154
Dayton & Union Railroad 25, 45, 6	64, 154	Eckmansville	156
Dayton quadrangle	44-45.	Eckmansville church spire	211
Deavertown	101	Edgefield	108
Deer Creek	53	Edgerton	
Deerfield (Era quadrangle)	52	Edlam	, 20, 20 82
_ '	120	Edon	52
(Ravenna quadrangle)			
Deersville	170	Edon quadrangle	52
Defiance	46	Elders	171
Defiance County	9	Elgin	47
Defiance Junction	46	Elizabethtown	75
Defiance quadrangle	46	Elizabethtown astronomic station 2	11-212
Delaware	46	Elkton	38
Delaware County	9	Ellis, J. R., work of	5, 9
Delaware quadrangle		Ellis	39
Delisle		Ellsworth	
Dallas		Elmore quadrangle	
Delphos	48	Elmwood (Circleville quadrangle)	
. = .			49
Delphos quadrangle		(Dublin quadrangle)	
Delroy	33	Elyria	198
Delta		Emerald	
Dennis	59	Enoch	171
Derby	152	Enon	136
Deshler quadrangle	48-49	Era	53, 152
Detroit Southern Railroad	136	Era quadrangle	52-53
Detroit, Toledo & Ironton Railway 16,		Erhart	
107, 108, 109, 117, 134, 136, 148, 149, 1		Erie County 195, 200–201, 202, 206–2	
Diamond	120	Erie Railroad.	
			,
Dill (Piketon quadrangle)	117	43, 44, 58, 59, 70, 71, 78, 88, 9	
(Sardinia quadrangle)	128	123, 126, 137, 147, 151, 155, 1	
Dillon (New Matamoras quadrangle)	170	Espyville	
(Zanesville quadrangle)	116	Essex	
Dillon station (Zanesville quadrangle) 1	59,160	Esto	23
Dodson	24	Euclid	199

]	Page.		Page.
Euclid quadrangle	193	Gambier quadrangle	57-58
Evergreen	173	Ganges	
-		Gannett, S. S., work of 5	,6,160
F.	1	Garfield	69
Fairfield	31	Garrettsville	59
Fairfield County 9, 164–16		Garrettsville quadrangle	58- 59
Fairport lighthouse (on bank)	199	Garrison quadrangle	59
Fairport lighthouse (on pier)	199	Geauga County 9, 196, 2	0 7-2 08
Fairview (Greenfield quadrangle)	62	Geneva	199
(Hillsboro quadrangle)	68	Georgetown	60
(Navarre quadrangle)	99	Georgetown courthouse	213
Falls	185	Georgetown quadrangle	60-61
Fallsburg		Gettysburg (Covington quadrangle)	41
Farmers	20	(West Manchester quadrangle) 1	21,154
Farmerstown	100	Ghent	
Fayette	97	Gibisonville	
Fayette County	9	Giddings	39
Feesburg		Gilbert	
Feightner	74	Gilboa	
Felicity Town Hall	212	Gillespieville	
Field work, assignment of	5	Gillivan	80
Fincast	156	Gilmore	172
Findlay		Glade 1	49,150
Findlay, Fort Wayne & Western Railway	109	Gladstone 1	08,134
Findlay quadrangle	53	Glandorf	109
Fitchville	104	Glasgow	174
Fletcher	143	Glass	
Flint	50	Glassrock	139
Flockton	88	Gleniste	
Flushing	171	Glen Junction	
Flushing quadrangle	160	Glen Karn	
Foraker		Glenmont	
Fort Jennings	48	Glenray	
Fort Recovery	119	Good Hope	
Foster	88	Gordon	. 154
Fostoria	54	Goshen (Mechanicsburg quadrangle)	
Fostoria quadrangle	54	(Woodsfield quadrangle)	
Francisco	212	Gould (Conneaut quadrangle)	
FramptonFranklin	55	(Greenup quadrangle)	
Franklin County	170	Grade	
Franklin Furnace		Grafton	
Frazer	116	Graham	
Frazeysburg quadrangle.	55	Granville	
Fredericktown		Granville quadrangle	
Fredericktown quadrangle		Gratiot	
Fredonia	62	Grayson	
Freeland	116	Green	
Freeport	184	Greene County	
Fremont quadrangle	57	Greenfield (Bidwell quadrangle)(Greenfield quadrangle)	
Frenchtown	64	Greenfield quadrangle	
Fresno	101	Green Island Lighthouse	
Friendship	59	Greenler	
Fulda	171	Green Spring.	. 57
Fulda church spire	171	Greentown	
Fulton	172	Greenup quadrangle	
Fulton County	9	Greenville	
	-	Greenville quadrangle	
G.	ļ	Greenwich.	
Gahanna	153	Greer	
Galatea	53	Greersville	
Galion	. 96	Gregg	
Gallaway	172	Griswold, W. T., work of	
Gallia	106	Grossbeck	
Gallia County 9,173,17	75,189	Grove City	
Gambier	58	Grover Hill	. 40, 47

~ ~ .		ago.	Tag	
Guernsey County		166,		33
	167, 174, 176-177, 178, 179	,190		59
Guinea		50	Hocking	63
Gurley		73	Hocking County 9, 161, 163–164, 169, 179, 18	85
Gurneyville		157		6,
•		}	46, 47, 49, 52, 54, 72, 87, 89, 102, 103, 141, 144, 1	
	H.	- 1		09
Hagler		.108		
Hale		71	Holland 138, 1	
Halls Knob.		174	Hollandsburg	
		ı	Holmes County	9
	gle 6		Homer (Fredericktown quadrangle) 56, 57,	99
Hamden Junction		69	(Wellington quadrangle) 1	52
Hamerstown		18	Homeworth	11
Hamilton County	9, 210, 211	-212	Hooker: 72,	73
Hamilton quadrangle.		66		75
Hamler		109	Hopetown 35,	
Hamlet		15		
Hammond		174	•	76
Hancock County		9		28
		- 1	Houck1	75
Hanging Rock		64	Houston	42
	quadrangle) 55		Howard	58
(Salineville quadra	ngle)	128	Hudson	70
Hanoverton		79		75
Hardin County		9		63
Harmon		110		78
Harpers		62		
Harpersfield		14		34
Harpter		87	Huron County	
-		- 1	Huron Lighthouse	00
Harrison (Athalia qua		175	Huron Presbyterian Church spire 2	00
	drangle)	17	Hyatts	49
	gle) 6		· ·	
Harrison County	. 162–163, 165, 170, 176, 184	, 188	· I.	
Harrison quadrangie		67	Indiana-Ohio State line boundary post 210-2	11
Harrison quadrangie Harrisonville		67 129	Indiana-Ohio State line boundary post 210-2	
Harrisonville		- 1	Iona 34,	70
Harrisonville	······································	129 10	Iona	70 89
Harrisonville Harrod Harshasville		129 10 5, 156	Iona	70 89 93
Harrisonville	155	129 10 5, 156 44	Iona	70 89
Harrisonville	155	129 10 5,156 44 50	Iona	70 89 93
Harrisonville		129 10 5, 156 44 50 0, 151	Iona	70 89 93
Harrisonville	155	129 10 5,156 44 50 0,151 128	Iona	70 89 93
Harrisonville	20 104, 105	129 10 5, 156 44 50 0, 151 128 5, 133	Iona	70 89 93 01
Harrisonville	20 104, 105	129 10 5,156 44 50 0,151 128	Iona	70 89 93 01
Harrisonville	20 104, 105	129 10 5, 156 44 50 0, 151 128 5, 133	Iona	70 89 93 01 30 69
Harrisonville. Harrod. Harshasville. Harshman Hartwell Harveysburg. Harwood. Havana. Haverhill. Haviland.	20 104, 105	129 10 5, 156 44 50 0, 151 128 5, 133 64 112	Iona	70 89 93 01 30 69 11
Harrisonville	155 20 104, 105 of 5, 6, 9	129 10 6,156 44 50 0,151 128 6,133 64 112 0,160	Iona	70 89 93 01 30 69 11
Harrisonville Harrod Harshasville Harshman Hartwell Harveysburg Harwood Havana Haverhill Haviland Hawkins, G. T., work	155 20 104, 105 of 5, 6, 9 13, 82, 115	129 10 5, 156 44 50 0, 151 128 5, 133 64 112 0, 160 5, 155	Iona	70 89 93 01 30 69 11 76
Harrisonville Harrod Harshasville Harshman Hartwell Harveysburg Harwood Havana Haverhill Haviland Hawkin, G. T., work Hayesville Hazleton	155 20 104, 105 of 5, 6, 9 13, 82, 115	129 10 5, 156 44 50 0, 151 128 5, 133 64 112 0, 160 5, 155 17	Iona	70 89 93 01 30 69 14 76 08
Harrisonville	155 20 104, 105 of 5, 6, 9 13, 82, 115	129 10 5, 156 44 50 0, 151 128 5, 133 64 112 0, 160 5, 155 17 140	Iona	70 89 93 01 30 69 14 76 08
Harrisonville. Harrod. Harshasville. Harshasville. Harshman. Hartwell. Harveysburg. Harwood. Havana. Haverhill. Haviland. Hawkins, G. T., work Hayesville. Hazleton. Hebron	155 20 104, 105 of 5, 6, 9 13, 82, 115	129 10 5, 156 44 50 0, 151 128 5, 133 64 112 0, 160 5, 155 17 140 121	Iona	70 89 93 01 30 69 14 76 08 08
Harrisonville Harrod Harshasville Harshasville Harshman Hartwell Harveysburg Harwood Havana Havenill Haviland Hawkins, G. T., work Hayesville Hazleton Hebron Heitt Helmick	155 20 104, 105 of 5, 6, 9 13, 82, 115	129 10 5, 156 44 50 0, 151 128 5, 133 64 112 0, 160 5, 155 17 140 121 41	Iona	70 89 93 01 30 69 14 76 08
Harrisonville. Harrod. Harshasville. Harshman. Hartwell. Harveysburg. Harwood. Havana. Haverhill. Haviland. Hawkins, G. T., work Hayesville. Hazleton. Hebron. Heitt. Helmick.	155 20 104, 105 of 5, 6, 9 13, 82, 115	129 10 5, 156 44 50 0, 151 128 5, 133 64 112 0, 160 5, 155 17 140 121	Iona	70 89 93 01 30 69 14 76 08 08
Harrisonville. Harrod. Harshasville. Harshman. Hartwell. Harveysburg. Harwood. Havana. Haverhill. Haviland. Hawkins, G. T., work Hayesville. Hazleton. Hebron. Heitt. Helmick.	155 20 104, 105 of 5, 6, 9 13, 82, 115	129 10 5, 156 44 50 0, 151 128 5, 133 64 112 0, 160 5, 155 17 140 121 41	Iona	70 89 93 01 30 69 14 76 08 08 07 64
Harrisonville. Harrod. Harshasville. Harshman. Hartwell. Harveysburg. Harwood. Havana. Haverhill. Haviland. Hawkins, G. T., work Hayesville. Hazleton. Hebron. Heitt. Helmick.	155 20 104, 105 of 5, 6, 9 13, 82, 115	129 10 5, 156 44 50 0, 151 128 5, 133 64 112 0, 160 5, 155 17 140 121 41 9	Iona	70 89 93 01 30 69 11 69 14 76 08 07 64 76 51
Harrisonville. Harrod. Harshasville. Harshasville. Harshman. Hartwell. Harveysburg. Harwood. Havana. Haverhill. Haviland. Hawkins, G. T., work Hayesville. Hazleton. Hebron. Heitt. Helmick. Henry County. Hereford. Herron, W. H., work	155 20 104, 105 of 5, 6, 9 13, 82, 115	129 10 5, 156 44 50 0, 151 128 5, 133 64 112 0, 160 5, 155 17 140 121 41 9 104 5	Iona	70 89 93 01 30 69 14 76 08 07 64 76 51 60
Harrisonville. Harrod. Harshasville. Harshasville. Harshman. Hartwell. Harveysburg. Harwood. Havana. Haverhill. Haviland. Hawkins, G. T., work Hayesville. Hazleton. Hebron. Heitt. Helmick. Henry County. Hereford. Herron, W. H., work Hessville.	155 20 104, 105 of 5, 6, 9 13, 82, 115	129 10 5, 156 44 50 0, 151 128 64 112 1, 160 15, 155 17 140 121 41 9 104 5	Iona	70 89 93 01 30 69 14 76 08 07 64 76 51 60 70
Harrisonville. Harrod. Harshasville. Harshasville. Harshman. Hartwell. Harveysburg. Harwood. Havana. Haverhill. Haviland. Hawkins, G. T., work Hayesville. Hazleton. Hebron. Heitt. Helmick. Henry County. Hereford. Herron, W. H., work of Hessville. Hickoryville.	155 20 104, 105 of 5, 6, 9 13, 82, 115	129 10 5, 156 44 50 1, 151 128 5, 133 64 112 0, 160 5, 155 17 140 121 41 9 104 57 20	Iona	70 89 93 01 30 69 14 76 08 07 64 76 51 60 70
Harrisonville. Harrod. Harshasville. Harshasville. Harshman. Hartwell. Harveysburg. Harwood. Havana. Haverhill. Haviland. Hawkins, G. T., work Hayesville. Hazleton. Hebron. Heitt. Holmick. Henry County. Hereford. Herron, W. H., work of Hessville. Hickoryville. Hickoryville.	155 20 104, 105 of 5, 6, 9 13, 82, 115	129 10 5, 156 44 50 0, 151 128 16, 133 64 112 0, 160 5, 155 17 140 121 41 9 104 5 5 7 20 76	Iona	70 89 93 01 30 69 11 69 14 76 64 76 67 67 67
Harrisonville. Harrod. Harshasville. Harshasville. Harshman. Hartwell. Harveysburg. Harwood. Havana. Haverhill. Haviland. Hawkins, G. T., work Hayesville. Hazleton. Hebron. Heitt. Helmick. Henry County. Hereford. Herron, W. H., work of Hessville. Hickoryville. Hicks. Hicksville.	155 20 104, 105 of 5, 6, 9 13, 82, 115	129 10 5, 156 44 50 0, 151 128 5, 133 64 112 0, 160 5, 155 17 140 121 41 9 104 5 57 20 76 26, 28	Iona	70 89 93 01 30 69 14 76 08 07 64 76 67 08
Harrisonville. Harrod. Harshasville. Harshasville. Harshman. Hartwell. Harveysburg. Harwood. Havana. Haverhill. Haviland. Hawkins, G. T., work Hayesville. Hazleton. Hebron. Heitt. Helmick. Henry County. Hereford. Herron, W. H., work Hessyille. Hicksville. Hicks. Hicksville. Hicks. Hicksville.	155 20 104, 105 of	129 10 10, 156 44 50 0, 151 128 15, 133 64 161 162 1, 160 163 17 140 121 140 121 41 57 76 76 76 78 78 61	Iona	70 89 93 01 30 69 14 76 08 07 64 76 67 08 92 70
Harrisonville. Harrod. Harshasville. Harshasville. Harshman. Hartwell. Harveysburg. Harwood. Havana. Haverhill. Haviland. Haviland. Hawkins, G. T., work Hayesville. Hazleton. Hebron. Heitt. Helmick. Helmick. Henry County. Hereford. Herron, W. H., work Hessville. Hickoryville. Hicks. Hicksville. Higginsport. Highhill.	155 20 104, 105 of 5, 6, 9 13, 82, 115	129 10 10, 156 44 44 50 0, 151 128 64 112 0, 160 1, 155 17 140 121 41 19 9 104 5 57 20 66, 28 61 116	Iona	70899301 3006991114766908892706677667766776677667766776677667766776
Harrisonville. Harrod. Harshasville. Harshaman. Hartwell. Harveysburg. Harwood. Havana. Haverhill. Haviland. Hawkins, G. T., work Hayesville. Hazleton. Hebron. Heitt. Helmick. Henry County. Hereford. Herron, W. H., work of Hessville. Hicksyille. Hicksyille. Hicksyille. Hicksyille. Higginsport. Highhill. High Knob.	155 20 104, 105 of 5, 6, 9 13, 82, 115	129 10 10 10 15,156 44 44 50 0,151 128 64 112 1,160 15,155 17 140 1121 41 9 104 5 76 28,28 116 116 1175	Iona	70899301 30699111469 30808 3080 3080 3080 3080 3080 3080 30
Harrisonville. Harrod. Harshasville. Harshaman. Hartwell. Harveysburg. Harwood. Havana. Haverhill. Haviland. Hawkins, G. T., work Hayesville. Hazleton. Hebron. Heitt. Helmick. Henry County. Hereford. Herron, W. H., work of Hessville. Hicksyille. Hicksyille. Hicksyille. Hicksyille. Higginsport. Highhill. High Knob.	155 20 104, 105 of 5, 6, 9 13, 82, 115	129 10 10, 156 44 44 50 0, 151 128 64 112 0, 160 1, 155 17 140 121 41 19 9 104 5 57 20 66, 28 61 116	Iona	708993301 3099111 3099111 447608 5114 5114 5114 5114 5114 5114 5114 511
Harrisonville. Harrod. Harshasville. Harshasville. Harshman. Hartwell. Harveysburg. Harwood. Havana. Haverhill. Haviland. Hawkins, G. T., work Hayesville. Hazleton. Hebron. Hebron. Heitt. Helmick. Henry County. Hereford. Herron, W. H., work of the serville. Hickoryville. Hickoryville. Hicksville. Hicksville. Highishill. High Knob. Highland County.	155 20 104, 105 of 5, 6, 9 13, 82, 115	129 10 10 10 15,156 44 44 50 0,151 128 64 112 1,160 15,155 17 140 1121 41 9 104 5 76 28,28 116 116 1175	Iona	70 89 93 93 91 30 66 91 14 76 60 60 70 66 70 66 86 86 86 86 86 86 86 86 86 86 86 86
Harrisonville. Harrod. Harshasville. Harshasville. Harshman. Hartwell. Harveysburg. Harwood. Havana. Haverhill. Haviland. Hawkins, G. T., work Hayesville. Hazleton. Hebron. Heitt. Helmick. Henry County. Hereford. Herry County. Hereford. Hersville. Hickoryville. Hickoryville. Hicks. Hicksville. Higginsport. Highhill. High Knob. Highland County. Highwater.	155 20 104, 105 of 5, 6, 9 13, 82, 115	129 10 10, 156 44 44 50 0, 151 128 5, 133 64 112 1, 160 5, 155 17 140 9 104 57 20 76 66, 28 61 116 117 118 119 119 119 119 119 119 119	Iona	708993301 3099111 3099111 447608 5114 5114 5114 5114 5114 5114 5114 511
Harrisonville. Harrod. Harshasville. Harshasville. Harshman. Hartwell. Harveysburg. Harwood. Havana. Haverhill. Haviland. Hawkins, G. T., work Hayesville. Hazleton. Hebron. Heitt. Helmick. Henry County. Hereford. Herron, W. H., work of Hessville. Hicksville. Hicksville. Hicks. Hicksville. Higginsport. Highhill. High Knob. Highland County. Highland County. Highland County.	155 20 104, 105 of 5, 6, 9 13, 82, 115	129 10 i, 156 44 44 50 0, 151 128 i, 133 64 112 i), 160 i, 155 17 140 121 120 120 121 120 121 120 121 120 121 120 121 120 121 120 121 120 121 120 120	Iona	70 89 93 93 91 30 66 91 14 76 60 60 70 66 70 66 86 86 86 86 86 86 86 86 86 86 86 86
Harrisonville. Harrod. Harshasville. Harshasville. Harshman. Hartwell. Harveysburg. Harwood. Havana. Haverhill. Haviland. Hawkins, G. T., work Hayesville. Hazleton. Hebron. Heitt. Helmick. Henry County. Hereford. Herron, W. H., work of the same o	155 20 104, 105 of 5, 6, 9 13, 82, 115	129 10 10 10 15,156 44 44 50 0,151 128 133 64 112 120 141 121 40 121 41 57 76 76 61 116 1175 9 62 76 67	Iona	70 89 93 01 30 66 91 11 47 60 60 60 70 60 60 70 60 60 70 60 70 60 70 70 60 70 70 70 70 70 70 70 70 70 70 70 70 70
Harrisonville. Harrod. Harshasville. Harrod. Harshasville. Harshman. Hartwell. Harveysburg. Harwood. Havana. Haverhill. Haviland. Hawkins, G. T., work Hayesville. Hazleton. Hebron. Heitt. Helmick. Henry County. Hereford. Herron, W. H., work of the same of th	155 20 104, 105 of	129 10 10 10 15,156 44 44 50 0,151 128 133 64 112 120 141 121 40 121 41 57 76 76 61 116 1175 9 62 76 67	Iona	70 89 93 93 91 11 66 91 14 76 60 60 70 66 70 66 86 86 86 86 86 86 86 86 86 86 86 86

K.	Page.
Page. Kanawha & Michigan Railway	Liberty (East Liberty quadrangle) 51
Kanawha & Michigan Railway 103 Keith 30	(Fredericktown quadrangle) 56
Kelleys Island. 201	(Macksburg quadrangle)
Kemp	Licking County
Kempton 78	Lilly 130
Kendall, C. B., work of 5,9	Lima 78
Kenilworth	Lima quadrangle
Kennedy	Lime City
Keno quadrangle 160 Kensington 128,177	Limerick
Kent quadrangle70	Lisbon 78,79 Lisbon quadrangle 78–79
Kenton71	Litchfield 151
Kenton quadrangle 71-72	Little Mountain. 201
Keystone 106	Liverpool91
Kidron 94,98	Locust Grove
Killbuck 41,82,95 Kingman 157	Locust Point. 201
Kinsman quadrangle 72	Lodi (Athens quadrangle)
Kirkpatrick 88	(Wellington quadrangle)
Kirkwood	Logan quadrangle 79,160
Kitchen 106	London 80
Klocks	London quadrangle80
Knight	Londonderry 178
Knox County 9	Longley 54
Kossuth	Lorain County
Krumroy 70	Loramie81
L.	Loramie quadrangle80-81
Lacarne	Loudonville 82,83,115 Loudonville quadrangle 82–83
Ladd	Loveland
Lake County 9, 199, 201, 204–205, 209	Lovett
Lake Erie, Alliance & Wheeling Railroad 11,	Lowell
120,147	Lucas County 9, 195, 208, 209
Lake Erie & Western Railroad 13, 21, 54, 57, 78, 135 Lakefork	Lucasville
Lake Shore & Michigan Southern Railway. 11,	Ludlow Falls
12, 16, 25, 29, 39, 46, 57, 105, 106,	Lunda
107, 119, 138, 142, 146, 148, 198	(Sardinia quadrangle)
Lakeview	Lyndon
Lancaster	Lynn
Lancaster quadrangle	Lynn quadrangle 83-84
Larue quadrangle	Lynx
Laura	Lyondale
Laurel	Lyons
Laurelville quadrangle	M .
Lawler	Mabee
Lawrence 212	McArthur74
Lawrence County 9, 192, 212	McBride
Lawrenceburg quadrangle	McClure quadrangle84–85 McConnellsville85
Laws. 177	McConnellsville quadrangle
Layland 41	McCuneville
Leavittsburg 147	McCutchenville 54,144
Lebanon quadrangle	McDaniel
Leesburg	McDonald 72
Leetonia 78	Macedonia
Lemoyne. 52,89 Lenox. 70	McElroys
Leo 69	McGill 65
Leon	McGuffey 10
Leonard	McKay 82
Leonardsburg	McKittericks
Lerado	McKnight 179
Lester	Macksburg quadrangle
97090 Pull 559 14 15	

1	Page.		Page.
Macksville	104	Mesopotamia	202
McLeish	103	Metamora	138
McLuney	102	Metham	40
McNair, E. L., work of	5,9	Miami & Erie Canal	48
Macon	156	Miami County	9
Madeira	50	Miamisburg quadrangle	92
Madison	73	Michigan Central Railroad	142
		Middle Bass Island	202
Madison County	9	Middlefield	
Madison Mills	97		59
Madisonville	50	Middle Island Lighthouse	202
Madland	107	Middlepoint	47
Magnetic Springs 4	7,123	Middle Sister	203
Mahoning	59	Midland	19
Mahoning County	. 9	Midway (Cambridge quadrangle)	179
Malaga	191	(Dayton quadrangle)	45
Malta	86	Milford Center	93
Manchester	121	Milford Center quadrangle	
Mansfield		Millbrook	94
		Millburg	
Mantua			53
Maple	18	Miller	56
Mapleton	32	Millersburg	95
Maplewood	6, 134	Millersburg quadrangle	94–95
Maps, topographic, list of	7-8	Millersport	140
Marathon	6,128	Millrock	38
Marblehead Lighthouse	202	Millwood (Gambier quadrangle)	58
Marces	32	(Summerfield quadrangle)	174
Marengo	86	Milton	69
		Miltonburg	185
Marengo quadrangle		Mineral Ridge	147
Maria Stein		Mineral Springs	
Marietta, Columbus & Cleveland Railroad	103	Minerva	32
Marietta quadrangle	160	Minster	
Marion (Athalia quadrangle)	192		81
(McConnellsville quadrangle)	85	Mixersville	67
		354-	
(Marion quadrangle)	87	Moats	26
	1	Moffitt	48
(Marion quadrangle)	87	Moffitt Mohawk	48 23
(Marion quadrangle) Marion City Marion County	87 26 9	Moffitt	48 23 18
(Marion quadrangle) Marion City Marion County Marion quadrangle 8	87 26 9 87–88	Moffitt	48 23
(Marion quadrangle) Marion City Marion County Marion quadrangle Marshall, R. B., work of	87 26 9 87–88 5	Moffitt	48 23 18
(Marion quadrangle) Marion City Marion County Marion quadrangle 8 Marshall, R. B., work of Marshall 1	87 26 9 87–88 5	Moffitt	48 23 18 51
(Marion quadrangle) Marion City Marion County Marion quadrangle 8 Marshall, R. B., work of Marshall 1 Martinsburg 1	87 26 9 87–88 5 15,68	Moffitt	48 23 18 51 53 162
(Marion quadrangle) Marion City Marion County Marion quadrangle 8 Marshall, R. B., work of 8 Marshall 1 Martinsburg 1 Marysville 9	87 26 9 87–88 5 15, 68 99	Moffitt. Mohawk. Monroe (Bethel quadrangle). (East Liberty quadrangle) (Era quadrangle). (Scio quadrangle). Monroe County. 161	48 23 18 51 53 162 1–162,
(Marion quadrangle) Marion City Marion Quadrangle 8 Marshall, R. B., work of 1 Marshall 1 Martinsburg 1 Marysville 9 Mason quadrangle 9	87 26 9 87–88 5 15,68 99 92,93 88	Moffitt	48 23 18 51 53 162 1–162,
(Marion quadrangle) Marion City Marion Quadrangle 8 Marshall 1 Marshall 1 Martinsburg 1 Marysville 9 Mason quadrangle 4 Massillon 9	87 26 9 87–88 5 15, 68 99	Moffitt	48- 23 18 51 53 162 1-162, 8, 191 5, 128
(Marion quadrangle) Marion City Marion Quadrangle 8 Marshall, R. B., work of 1 Marshall 1 Martinsburg 1 Marysville 9 Mason quadrangle 9	87 26 9 87–88 5 15,68 99 92,93 88	Moffitt	48 23 18 51 53 162 1–162, 8, 191 5, 128
(Marion quadrangle) Marion City Marion Quadrangle 8 Marshall 1 Marshall 1 Martinsburg 1 Marysville 9 Mason quadrangle 4 Massillon 9	87 26 9 87-88 5 15,68 99 92,93 88 89	Moffitt. Mohawk. Monroe (Bethel quadrangle)	48- 23 18 51 53 162 1-162, 8, 191 5, 128 171
(Marion quadrangle) Marion City Marion County Marion quadrangle 8 Marshall, R. B., work of 1 Marshall 1 Martinsburg 1 Marysville 9 Mason quadrangle 1 Massillon 1 Massillon quadrangle 1	87 26 9 87-88 5 15,68 99 92,93 88 89 89	Moffitt. Mohawk. Monroe (Bethel quadrangle) (East Liberty quadrangle) (Scio quadrangle) (Scio quadrangle) Monroe County 170, 174–175, 176, 185, 18 Monroeville (Norwalk quadrangle) (Salineville quadrangle) Monterey Montezuma 8	48- 23 18 51 53 162 1-162, 8, 191 5, 128 171 15
(Marion quadrangle) Marion City Marion County Marion quadrangle Marshall, R. B., work of Marshall Martinsburg Marysville Mason quadrangle Massillon Massillon quadrangle Massiville.	87 26 9 87-88 5 15, 68 99 92, 93 88 89 149 142	Moffitt. Mohawk. Monroe (Bethel quadrangle). (East Liberty quadrangle). (Era quadrangle). (Scio quadrangle). Monroe County. 160 170,174–175,176,185,18 Monroeville (Norwalk quadrangle). (Salineville quadrangle). Monterey. Montezuma. 8 Montgomery County.	48 23 18 51 53 162 1–162, 8, 191 5, 128 171 15
(Marion quadrangle) Marion City Marion County Marion quadrangle Marshall, R. B., work of Marshall Martinsburg Marysville Mason quadrangle Massilon Massilon quadrangle Massieville Massieville Maumee Maumee Maumee Bay quadrangle 89	87 26 9 87-88 5 15,68 99 92,93 88 89 149 142 9,193	Moffitt. Mohawk. Monroe (Bethel quadrangle). (East Liberty quadrangle). (Era quadrangle). (Scio quadrangle). Monroe County. 160 170,174–175,176,185,18 Monroeville (Norwalk quadrangle). (Salineville quadrangle). Monterey. Montezuma. 8 Montgomery County Moore.	48- 23 18 51 53 162 1-162, 8, 191 5, 128 171 15 11, 126 9 180
(Marion quadrangle) Marion City Marion Quadrangle 8 Marshall, R. B., work of 1 Marshall 1 Martinsburg 9 Mason quadrangle 9 Massillon 1 Massillon quadrangle 1 Massillon dassiville 1 Maumee 1 Maumee 1 Mayfield 89	87 26 9 87-88 5 15,68 99 92,93 88 89 149 142 9,193 91	Moffitt. Mohawk. Monroe (Bethel quadrangle). (East Liberty quadrangle). (Era quadrangle). (Scio quadrangle). Monroe County. 160 170,174–175,176,185,18 Monroeville (Norwalk quadrangle). (Salineville quadrangle). Monterey. Monterey. Montezuma. Montgomery County Moore. Morgan.	48- 23 18 51 53 162 1-162, 8, 191 5, 128 171 15 11, 126 9 180 152
(Marion quadrangle) Marion City. Marion County Marion quadrangle Marshall, R. B., work of Marshall Martinsburg Marysville Mason quadrangle Massilon Massilon Massilon quadrangle Massieville Maumee Maumee Maumee Maumee Mayheld Mayhill	87 26 9 87-88 5 15, 68 99 92, 93 88 89 149 142 9, 193 91 68	Moffitt. Mohawk. Monroe (Bethel quadrangle) (East Liberty quadrangle) (Era quadrangle) (Scio quadrangle) Monroe County 16i 170,174–175,176,185,18 Monroeville (Norwalk quadrangle) 10 (Salineville quadrangle) Monterey Montezuma Montgomery County Moore Moorgan Morgan County	48- 23 18 51 53 162 1-162, 8, 191 5, 128 171 15 11, 126 9 180
(Marion quadrangle) Marion City Marion County Marion quadrangle Marshall, R. B., work of Marshall Martinsburg Marysville Mason quadrangle Massillon Massillon Massillon quadrangle Massiville Maumee Maumee Maumee Bay quadrangle Mayfield Mayhill Maysville quadrangle	87 26 9 87-88 5 15,68 99 92,93 88 89 149 142 9,193 91 68 89	Moffitt. Mohawk. Monroe (Bethel quadrangle) (East Liberty quadrangle) (Scio quadrangle) (Scio quadrangle) Monroe County 170, 174–175, 176, 185, 18 Monroeville (Norwalk quadrangle) (Salineville quadrangle) Monterey Montezuma Montgomery County Moore Morgan County Morgan County Morgan Run	48- 23 18 51 53 162 1-162, 8, 191 5, 128 171 15 11, 126 9 180 152
(Marion quadrangle) Marion City Marion County Marion quadrangle Marshall, R. B., work of Marshall Martinsburg Marysville Mason quadrangle Massillon Massillon Massillon quadrangle Maumee Maumee Maumee Bay quadrangle Maybill Maysville Maysville quadrangle Maysville quadrangle Maysville quadrangle Maysville quadrangle Maysville quadrangle Maysville quadrangle Meade	87 26 9 87-88 5 15,68 99 92,93 88 89 149 142 9,193 91 68 89 35,36	Moffitt. Mohawk. Monroe (Bethel quadrangle) (East Liberty quadrangle) (Era quadrangle) (Scio quadrangle) Monroe County 16i 170,174–175,176,185,18 Monroeville (Norwalk quadrangle) 10 (Salineville quadrangle) Monterey Montezuma Montgomery County Moore Moorgan Morgan County	48- 23 18 51 53 162 1-162, 8, 191 5, 128 171 15 11, 126 9 180 152 9
(Marion quadrangle) Marion City Marion County Marion quadrangle Marshall, R. B., work of Marshall Martinsburg Marysville Mason quadrangle Massilon Massillon Massillon quadrangle Massieville Maumee Maumee Maumee Bay quadrangle Maysville quadrangle Maysville quadrangle Maysville Agy and a service	87 26 9 87-88 5 15,68 99 92,93 88 89 149 142 9,193 91 68 89 89 35,36 72	Moffitt. Mohawk. Monroe (Bethel quadrangle) (East Liberty quadrangle) (Scio quadrangle) (Scio quadrangle) Monroe County 170, 174–175, 176, 185, 18 Monroeville (Norwalk quadrangle) (Salineville quadrangle) Monterey Montezuma Montgomery County Moore Morgan County Morgan County Morgan Run	48- 23 18 51 53 162 1-162, 8, 191 5, 128 171 15 11, 126 9 180 152 9 41
(Marion quadrangle) Marion City Marion County Marion quadrangle Marshall, R. B., work of Marshall Martinsburg Marysville Mason quadrangle Massilon Massilon quadrangle Massiville Maumee Maumee Maumee Maumee Mayville quadrangle Mayville Mayville Mayville Mayville Mayville Mayville Mayville Mayville Maybeld Mayhill Maysville quadrangle Meade Mecca Mechanicsburg	87 26 9 87-88 5 15,68 99 92,93 88 89 149 142 9,193 91 68 89 85,36 72 90	Moffitt. Mohawk. Monroe (Bethel quadrangle) (East Liberty quadrangle) (Era quadrangle) (Scio quadrangle) Monroe County 170, 174–175, 176, 185, 18 Monroeville (Norwalk quadrangle) (Salineville quadrangle) Monterey Monterey Montgomery County Moore Morgan County Morgan Run Morgantown	48 23 18 51 53 162 1-162, 8, 191 5, 128 171 15 11, 126 9 180 152 9 41
(Marion quadrangle) Marion City. Marion County Marion quadrangle	87 26 9 9 87-88 5 5,5,68 99 92,93 88 89 149 142 9,193 91 68 89 89 89 72 90 90	Moffitt. Mohawk. Monroe (Bethel quadrangle). (East Liberty quadrangle). (Era quadrangle). (Scio quadrangle). Monroe County. 170,174–175,176,185,18 Monroeville (Norwalk quadrangle). (Salineville quadrangle). Monterey. Montezuma. 8 Montgomery County Moore. Morgan. Morgan County. Morgan Run. Morgantown. Morningview.	48-23 18 51 53 162 1-162, 8, 191 15, 128 171 15 1, 126 9 180 152 9 41 117 180
(Marion quadrangle) Marion City. Marion County Marion quadrangle	87 26 9 87-88 5 15,68 99 92,93 88 89 149 142 9,193 91 68 89 85,36 72 90	Moffitt. Mohawk. Monroe (Bethel quadrangle) (East Liberty quadrangle) (Scio quadrangle) (Scio quadrangle) 170,174–175,176,185,18 Monroeville (Norwalk quadrangle) (Salineville quadrangle) Monterey Montezuma	48- 23 18- 51- 53 162 1-162, 8, 191 15, 128 171 15, 126 9 180 152 9 41 117 180 95 87
(Marion quadrangle) Marion City Marion County Marion quadrangle Marshall, R. B., work of Marshall Martinsburg Marysville Mason quadrangle Massillon Massillon Massillon quadrangle Maumee Maumee Maumee Bay quadrangle Mayfield Mayhill Maysville quadrangle Meade Mecca Mechanicsburg quadrangle Medina County Medina quadrangle	87 26 9 9 87-88 5 5,5,68 99 92,93 88 89 149 142 9,193 91 68 89 89 89 72 90 90	Moffitt. Mohawk. Monroe (Bethel quadrangle) (East Liberty quadrangle) (Scio quadrangle) (Scio quadrangle) Monroe County 170, 174–175, 176, 185, 18 Monroeville (Norwalk quadrangle) 10 (Salineville quadrangle) Monterey Montezuma 8 Montgomery County Moore Morgan County Morgan Run Morgantown Morningview Monring View quadrangle Monral Morris	48-23 18 51 53 162 1-162, 8,191 15,128 171 15 11,126 9 180 152 9 41 117 180 95 87
(Marion quadrangle) Marion City. Marion County Marion quadrangle	87 26 9 87 88 5 5 15,68 99 99 922,93 88 89 149 149 149 149 149 168 89 91 68 89 91 91 91 91 91 91 91 91 91 91 91 91 91	Moffitt. Mohawk. Monroe (Bethel quadrangle) (East Liberty quadrangle) (Era quadrangle) (Scio quadrangle) Monroe County 170, 174–175, 176, 185, 18 Monroeville (Norwalk quadrangle) (Salineville quadrangle) Monterey Montezuma 8 Montgomery County Moore Morgan County Morgan County Morgan Run Morningview Morning View quadrangle Morris Morrow	48-23 18-51 51-62, 8, 191 15, 128-171, 126-9 180-152-9 41-117 180-95-87 57-76
(Marion quadrangle) Marion City Marion County Marion quadrangle Marshall, R. B., work of Marshall Martinsburg Marysville Mason quadrangle Massillon Massillon Massillon quadrangle Massieville Maumee Maumee Maumee Bay quadrangle Mayfield Maysville Maysville quadrangle Medee Mecca Mechanicsburg Medina County Medina quadrangle Meekers	87 26 99 15,68 99 92,93 88 89 149 142 9,193 91 68 89 90 90 90 91 64	Moffitt. Mohawk. Monroe (Bethel quadrangle). (East Liberty quadrangle). (Era quadrangle). (Scio quadrangle). Monroe County. 170,174–175,176,185,18 Monroeville (Norwalk quadrangle). (Salineville quadrangle). Monterey Montezuma. Montezuma. Morgan. Morgan. Morgan. Morgan County. Morgan Run. Morgantown. Morning View quadrangle. Morris. Morrow. Morrow. Morrow. Morrow. Morrow County.	48-23 18 51 51 162 1-162, 8, 191 15, 128 171 15, 126 9 180 9 152 9 41 117 180 95 87 76 9
(Marion quadrangle) Marion City Marion County Marion quadrangle Marshall, R. B., work of Marshall Martinsburg Marysville Mason quadrangle Massilon Massilon quadrangle Massilon quadrangle Maumee Maumee Maumee Maumee Maumee Maysville Mayville Mayville Mayville Mayville Maybrill Maysville Maybrill Maysville quadrangle Meade Mecca Mechanicsburg Medina County Medina quadrangle Meekers Meigs County Meigs County Meigs County Marshall Mary 173,178	87 26 99 15,68 99 92,93 88 89 149 142 9,193 91 68 89 90 90 90 91 64	Moffitt. Mohawk. Monroe (Bethel quadrangle) (East Liberty quadrangle) (Era quadrangle) (Scio quadrangle) Monroe County 16i 170,174–175,176,185,18 Monroeville (Norwalk quadrangle) (Salineville quadrangle) Monterey Montezuma 8 Montgomery County Morgan Morgan County Morgan Run Morgantown Morningview Morning View quadrangle Morris Morrow Morrow Morrow County Mortimer	48 23 18 511 53 162 1-162, 8, 191 15, 128 171 15, 126 9 180 152 9 4 117 180 95 87 76 6 9 53
(Marion quadrangle) Marion City. Marion County Marion quadrangle	87 26 9 99 92, 93 88 99 149 142 9, 193 91 68 89 89 35, 36 72 90 90 91 43, 179	Moffitt. Mohawk. Monroe (Bethel quadrangle) (East Liberty quadrangle) (Scio quadrangle) (Scio quadrangle) 170,174–175,176,185,18 Monroe County 16i 170,174–175,176,185,18 Monroeville (Norwalk quadrangle) (Salineville quadrangle) Monterey Montezuma 8 Montgomery County Moore Morgan County Morgan Run Morgan Run Morgantown Morningview Morning View quadrangle Morrow Morrow Morrow Morrow County Morrow County Morow County Morow County Mortimer Moscow	48-23 18 511 53 162 1-162, 8, 191 5, 128 171 15, 128 171 160 152 9 180 152 9 41 117 180 95 87 76 95 318
(Marion quadrangle) Marion City. Marion County Marion quadrangle	87 26 9 9 92,93 88 99 149 142 9,193 91 68 89 89 89 72 90 90 91 61 83 71 91 91 91 91 91 91 91 91 91 91 91 91 91	Moffitt. Mohawk. Monroe (Bethel quadrangle) (East Liberty quadrangle) (Era quadrangle) (Scio quadrangle) Monroe County 160 170,174-175,176,185,18 Monroeville (Norwalk quadrangle) (Salineville quadrangle) Monterey Montezuma Montgomery County Moore Morgan County Morgan Run Morgantown Morningview Morning View quadrangle Morris Morrow Morrow County Mortimer Moscow Moultrie	48-23 18 51 53 162 1-162, 18,191 15,128 9 180 152 9 41 117 180 957 76 9 53 18 11
(Marion quadrangle) Marion City Marion County Marion quadrangle Marshall, R. B., work of Marshall Martinsburg Marysville Masysville Massillon Maumee Maumee Maumee Maumee Maumee Maumee Maybill Maysville quadrangle Meade Mecca Mecca Mechanicsburg Mechanicsburg quadrangle Mechanicsburg quadrangle Medina County Medina quadrangle Medina County Medina quadrangle Meekers Meigs County 173,178 Melbern Melvin 124 Mentor	87 26 9 99 92,93 88 99 149 142 9,193 91 68 89 955,36 72 90 90 91 64 3,179 91 64 3,179 91 64	Moffitt. Mohawk. Monroe (Bethel quadrangle). (East Liberty quadrangle). (Era quadrangle). (Scio quadrangle). Monroe County. 170, 174–175, 176, 185, 18 Monroeville (Norwalk quadrangle). (Salineville quadrangle). Monterey. Montezuma. 8 Montgomery County Moore. Morgan Morgan County. Morgan Run. Morning View quadrangle. Morning View quadrangle. Morrow. Morrow Morrow Morrow Morrow County Morrimer. Moscow. Moscow. Moscow. Mondultrie. Mount Gilead. 9	48 23 18 51 18 52 162 162 162 162 162 162 163 162 171 165 172 180 152 171 180 175 176 176 176 176 176 176 176 176 176 176
(Marion quadrangle) Marion City Marion County Marion quadrangle Marshall, R. B., work of Marshall Martinsburg Marysville Mason quadrangle Massillon Massillon Massillon quadrangle Massieville Maumee Maumee Maumee Bay quadrangle Maybill Maybill Maysville quadrangle Medea Mecca Mechanicsburg Mechanicsburg Medina County Medina quadrangle Meekers Meigs County Melbern Melvin Melvin Mentor Mentor quadrangle 91	87 26 9 99 92,93 88 89 149 142 9,193 91 68 89 95,5,36 72 90 90 91 64 3,179 91 64 1,158 25 1,158	Moffitt. Mohawk. Monroe (Bethel quadrangle). (East Liberty quadrangle). (Era quadrangle). (Scio quadrangle). Monroe County. 16i 170,174–175,176,185,18 Monroeville (Norwalk quadrangle). (Salineville quadrangle). Monterey. Montezuma. 8 Montgomery County Moore. Morgan. Morgan County. Morgan Run. Morgantown Morning View quadrangle. Morris. Morrow. Morris. Morrow. Mortimer. Moscow. Moultrie Mount Gilead. 9 Mount Gilead quadrangle	48 23 18 511 53 162 1-162, 8, 191 15, 128 9 180 152 9 41 117 180 95 87 57 76 9 53 18 15, 131 95-96
(Marion quadrangle) Marion City Marion County Marion quadrangle Marshall, R. B., work of Marshall Martinsburg Marysville Mason quadrangle Massillon Massillon Massillon quadrangle Massieville Maumee Maumee Maumee Bay quadrangle Mayfield Mayhill Maysville quadrangle Meade Macca Mechanicsburg Medina County Medina quadrangle Meekers Meigs County Melbern Melvin Melvin Melvin Mentor quadrangle Mentor quadrangle Mentor quadrangle Mentor quadrangle Mentor quadrangle Mentor Mentor quadrangle Mentor Mentor quadrangle Mentor quadrangle Mentor Mentor quadrangle Mentor Quadrangle Mentor Quadrangle Mentor	87 26 99 99 992,93 88 89 149 142 9,193 91 68 89 90 90 90 91 64 43,179 25 1,158 9	Moffitt. Mohawk. Monroe (Bethel quadrangle) (East Liberty quadrangle) (Era quadrangle) (Scio quadrangle) Monroe County 170,174–175,176,185,18 Monroeville (Norwalk quadrangle) (Salineville quadrangle) Monterey Montezuma 8 Montgomery County Moore Morgan County Morgan Run Morgantown Morningview Morning View quadrangle Morrow Morrow Morrow Morrow County Morrow County Morrow County Morrow Morrow County Mortimer Moscow Moultrie Mount Gilead 9 Mount Gilead 9 Mount Gilead 9 Mount Gilead 9 Mount Holly	48 23 18 51 52 162 17 180 180 180 180 180 180 180 180 180 180
(Marion quadrangle) Marion City Marion County Marion quadrangle Marshall, R. B., work of Marshall Martinsburg Marysville Mason quadrangle Massillon Massillon Massillon quadrangle Massieville Maumee Maumee Maumee Bay quadrangle Maybill Maybill Maysville quadrangle Medea Mecca Mechanicsburg Mechanicsburg Medina County Medina quadrangle Meekers Meigs County Melbern Melvin Melvin Mentor Mentor quadrangle 91	87 26 9 99 92,93 88 89 149 142 9,193 91 68 89 95,5,36 72 90 90 91 64 3,179 91 64 1,158 25 1,158	Moffitt. Mohawk. Monroe (Bethel quadrangle). (East Liberty quadrangle). (Era quadrangle). (Scio quadrangle). Monroe County. 16i 170,174–175,176,185,18 Monroeville (Norwalk quadrangle). (Salineville quadrangle). Monterey. Montezuma. 8 Montgomery County Moore. Morgan. Morgan County. Morgan Run. Morgantown Morning View quadrangle. Morris. Morrow. Morris. Morrow. Mortimer. Moscow. Moultrie Mount Gilead. 9 Mount Gilead quadrangle	48 23 18 511 53 162 1-162, 8, 191 15, 128 9 180 152 9 41 117 180 95 87 57 76 9 53 18 15, 131 95-96

Page.	Page.
Mount Sterling	Newport (Marietta quadrangle) 180
Mount Sterling quadrangle 97	(West Union quadrangle) 155
Mount Vernon	New Richmond95
Mount Victory	New Richwood
· · · · · · · · · · · · · · · · · ·	New Straitsville
	Newton Falls 120,147
• • • • • • • • • • • • • • • • • • • •	
Moxahala	Newville
Mulberry	New Weston 125
Munson	New York, Chicago & St. Louis Railway 57
Murray	Ney 26
Muskingum County	Niles 147
Musselman 124	Noble County 165, 167, 171, 174, 182-183, 187, 189
Mutual	Noggle
Myers (Clarington quadrangle)	Nolan
(South Charleston quadrangle)	Norfolk & Western Railway 35,
Myersville	37,60,63,64,104,109,117,128,130,149
=	
Myrtle	Northampton 137
N. '	Northern Ohio Railway 13,21,27,43,44,144,151
	North Fairfield
Napoleon quadrangle	North Findlay 53
Nashville83	North Georgetown
Nashville, Chattanooga & St. Louis Railway. 112	North Greenfield
Navarre 89,98	North Lewisburg 90
Navarre quadrangle	North Liberty
Neapolis	North Meridian 213
Nebo	North Newbury
Negley 38	F
Nettleton 127	North Royalton Baptist Church 203
	North Royalton Methodist Episcopal Church 203
Neville 18	Northtown 128
New Alexander 79	Northwood51
New Alexandria	North Woodland34
New Antioch. 125	Norton 9
Newark (Newark quadrangle)	Norwalk 105
Newark (Newark quadrangle)	Norwalk 105 Norwalk quadrangle 104-105
	Norwalk quadrangle 104–105
(Zanesville quadrangle)	Norwalk quadrangle
(Zanesville quadrangle). 159 Newark & Zanesville Electric Railroad. 100 Newark quadrangle. 99-100	Norwalk quadrangle
(Zanesville quadrangle) 159 Newark & Zanesville Electric Railroad 100 Newark quadrangle 99-100 New Berlin 32	Norwalk quadrangle. 104-105 Norwich (Philo quadrangle). 116 (Siam quadrangle). 132
(Zanesville quadrangle) 159 Newark & Zanesville Electric Railroad 100 Newark quadrangle 99-100 New Berlin 32 New Boston 63	Norwalk quadrangle
(Zanesville quadrangle) 159 Newark & Zanesville Electric Railroad 100 Newark quadrangle 99-100 New Berlin 32 New Boston 63 New Burlington 157	Norwalk quadrangle
(Zanesville quadrangle) 159 Newark & Zanesville Electric Railroad 100 Newark quadrangle 99-100 New Berlin 32 New Boston 63 New Burlington 157 New Carlisle 137	Norwalk quadrangle
(Zanesville quadrangle) 159 Newark & Zanesville Electric Railroad 100 New Berlin 32 New Boston 63 New Burlington 157 New Carlisle 137 Newcastle 181	Norwalk quadrangle
(Zanesville quadrangle) 159 Newark & Zanesville Electric Railroad 100 Newark quadrangle 99-100 New Berlin 32 New Boston 63 New Burlington 157 New Carlisle 137 New castle 181 New Comerstown 191	Norwalk quadrangle
(Zanesville quadrangle) 159 Newark & Zanesville Electric Railroad 100 Newark quadrangle 99-100 New Berlin 62 New Boston 63 New Burlington 157 New Carlisle 137 Newcastle 181 New Comerstown 191 New Comerstown quadrangle 100-101,160	Norwalk quadrangle
(Zanesville quadrangle) 159 Newark & Zanesville Electric Railroad 100 Newark quadrangle 99-100 New Berlin 32 New Boston 63 New Burlington 157 New Carlisle 137 Newcastle 181 New Comerstown 191 New Comerstown quadrangle 100-101,160 New Cumberland 31	Norwalk quadrangle
(Zanesville quadrangle) 159 Newark & Zanesville Electric Railroad 100 Newark quadrangle 99-100 New Berlin 32 New Boston 63 New Burlington 157 New Carlisle 137 New castle 181 New Comerstown 191 New Comerstown quadrangle 100-101,160 New Cumberland 31 New Dover 47,93	Norwalk quadrangle
(Zanesville quadrangle) 159 Newark & Zanesville Electric Railroad 100 Newark quadrangle 99-100 New Berlin 32 New Boston 63 New Burlington 157 New Carlisle 137 Newcastle 181 New Comerstown 191 New Comerstown quadrangle 100-101,160 New Cumberland 31	Norwalk quadrangle
(Zanesville quadrangle) 159 Newark & Zanesville Electric Railroad 100 Newark quadrangle 99-100 New Berlin 32 New Boston 63 New Burlington 157 New Carlisle 137 New castle 181 New Comerstown 191 New Comerstown quadrangle 100-101,160 New Cumberland 31 New Dover 47,93	Norwalk quadrangle
(Zanesville quadrangle) 159 Newark & Zanesville Electric Railroad 100 Newark quadrangle 99-100 New Berlin 32 New Boston 63 New Burlington 157 New Carlisle 137 Newcastle 181 New Comerstown 191 New Comerstown quadrangle 100-101,160 New Cumberland 31 New Dover 47,93 Newfain 15	Norwalk quadrangle
(Zanesville quadrangle) 159 Newark & Zanesville Electric Railroad 100 Newark quadrangle 99-100 New Berlin 32 New Boston 63 New Burlington 157 New Carlisle 137 New Carlisle 181 New Comerstown 191 New Comerstown quadrangle 100-101,160 New Cumberland 31 New Dover 47,93 Newfain 15 New Harmony 15,18	Norwalk quadrangle
(Zanesville quadrangle) 159 Newark & Zanesville Electric Railroad 100 Newark quadrangle 99-100 New Berlin 32 New Boston 63 New Burlington 157 New Carlisle 137 Newcastle 181 New Comerstown 191 New Comerstown quadrangle 100-101,160 New Cumberland 31 New Dover 47,93 Newfain 15 New Harmony 15,18 New Holland 97	Norwalk quadrangle
(Zanesville quadrangle) 159 Newark & Zanesville Electric Railroad 100 Newark quadrangle 99-100 New Berlin 32 New Boston 63 New Burlington 157 New Carlisle 137 New castle 181 New Comerstown 191 New Comerstown quadrangle 100-101,160 New Cumberland 31 New Dover 47,93 New Iain 15,18 New Harmony 15,18 New Holland 97 Newhouse 38 Newingburg 124	Norwalk quadrangle
(Zanesville quadrangle) 159 Newark & Zanesville Electric Railroad 100 New Rey quadrangle 99-100 New Berlin 32 New Boston 63 New Burlingtom 157 New Carlisle 137 New castle 181 New Comerstown 191 New Comerstown quadrangle 100-101,160 New Cumberland 31 New Dover 47,93 Newfain 15,18 New Harmony 15,18 New Holland 97 Newhouse 38 Newingburg 124 New Jerusalem 51	Norwalk quadrangle
(Zanesville quadrangle) 159 Newark & Zanesville Electric Railroad 100 New Rey quadrangle 99-100 New Berlin 32 New Boston 63 New Boston 157 New Carlisle 137 New Carlisle 181 New Comerstown 191 New Comerstown quadrangle 100-101,160 New Cumberland 31 New Dover 47,93 Newfain 15,18 New Harmony 15,18 New Holland 97 Newhouse 38 Newingburg 124 New Jerusalem 51 New Knoxville 81	Norwalk quadrangle
(Zanesville quadrangle) 159 Newark & Zanesville Electric Railroad 100 Newark quadrangle 99-100 New Berlin 32 New Boston 63 New Burlington 157 New Carlisle 137 Newcastle 181 New Comerstown 191 New Comerstown quadrangle 100-101,160 New Cumberland 31 New Dover 47,93 Newfain 15 New Harmony 15,18 New Holland 97 Newhouse 38 Newingburg 124 New Jerusalem 51 New Knoxville 81 New Lexington 102	Norwalk quadrangle
(Zanesville quadrangle) 159 Newark & Zanesville Electric Railroad 100 Newark quadrangle 99-100 New Berlin 32 New Boston 63 New Burlington 157 New Carlisle 137 New Carlisle 181 New Comerstown 191 New Comerstown quadrangle 100-101,160 New Cumberland 31 New Dover 47,93 Newfain 15 New Harmony 15,18 New Holland 97 New Holland 97 New Jerusalem 51 New Knoxville 81 New Lexington 102 New Lexington quadrangle 101-103	Norwalk quadrangle
(Zanesville quadrangle) 159 Newark & Zanesville Electric Railroad 100 Newark quadrangle 99-100 New Berlin 32 New Boston 63 New Burlington 157 New Carlisle 137 New Castle 181 New Comerstown 191 New Comerstown quadrangle 100-101,160 New Cumberland 31 New Dover 47,93 New fain 15,18 New Harmony 15,18 New Holland 97 New house 38 Newingburg 124 New Jerusalem 51 New Knoxville 81 New Lexington 102 New Lexington quadrangle 101-103 New London quadrangle 104	Norwalk quadrangle
(Zanesville quadrangle) 159 Newark & Zanesville Electric Railroad 100 New Berlin 32 New Boston 63 New Burlington 157 New Carlisle 137 New Castle 181 New Comerstown 191 New Comerstown quadrangle 100-101,160 New Cumberland 31 New Dover 47,93 New Harmony 15,18 New Holland 97 Newhouse 38 Newingburg 124 New Jerusalem 51 New Knoxville 81 New Lexington quadrangle 101-103 New Lexington quadrangle 101-103 New Lyme 70	Norwalk quadrangle
(Zanesville quadrangle) 159 Newark & Zanesville Electric Railroad 100 Newark quadrangle 99-100 New Berlin 32 New Boston 63 New Burlington 157 New Carlisle 137 Newcastle 181 New Comerstown 191 New Comerstown quadrangle 100-101,160 New Cumberland 31 New Dover 47,93 Newfain 15 New Harmony 15,18 New Holland 97 Newhouse 38 Newingburg 124 New Jerusalem 51 New Knoxville 81 New Lexington 102 New Lexington quadrangle 101-103 New Lexington quadrangle 101-103 New London quadrangle 104 New Lyme 70 New Madison 154	Norwalk quadrangle
(Zanesville quadrangle) 159 Newark & Zanesville Electric Railroad 100 Newark quadrangle 99-100 New Berlin 32 New Boston 63 New Burlington 157 New Carlisle 137 Newcastle 181 New Comerstown 191 New Comerstown quadrangle 100-101,160 New Cumberland 31 New Dover 47,93 Newiain 15 New Harmony 15,18 New Holland 97 New House 38 Newingburg 124 New Jerusalem 51 New Knoxville 81 New Lexington 102 New Lexington quadrangle 101-103 New London quadrangle 104 New Lyme 70 New Madison 154 Newmarket 68	Norwalk quadrangle
(Zanesville quadrangle) 159 Newark & Zanesville Electric Railroad 100 New Berlin 32 New Berlin 32 New Boston 63 New Burlington 157 New Carlisle 137 New castle 181 New Comerstown 191 New Comerstown quadrangle 100-101,160 New Cumberland 31 New Dover 47,93 Newfain 15 New Harmony 15,18 New Holland 97 New Holland 97 New Jerusalem 51 New Knoxville 81 New Lexington 102 New Lexington quadrangle 101-103 New London quadrangle 104 New Lyme 70 New Madison 154 New Martinsburg 62	Norwalk quadrangle
(Zanesville quadrangle) 159 Newark & Zanesville Electric Railroad 100 Newark quadrangle 99-100 New Berlin 32 New Boston 63 New Burlington 157 New Carlisle 137 Newcastle 181 New Comerstown 191 New Comerstown quadrangle 100-101,160 New Cumberland 31 New Dover 47,93 Newiain 15 New Harmony 15,18 New Holland 97 New House 38 Newingburg 124 New Jerusalem 51 New Knoxville 81 New Lexington 102 New Lexington quadrangle 101-103 New London quadrangle 104 New Lyme 70 New Madison 154 Newmarket 68	Norwalk quadrangle
(Zanesville quadrangle) 159 Newark & Zanesville Electric Railroad 100 New Reark & Quadrangle 99-100 New Berlin 32 New Boston 63 New Burlington 157 New Carlisle 137 Newcastle 181 New Comerstown 191 New Comerstown quadrangle 100-101,160 New Cumberland 31 New Dover 47,93 Newfain 15 New Harmony 15,18 New Holland 97 Newhouse 38 Newingburg 124 New Jerusalem 51 New Knoxville 81 New Lexington 102 New Lexington quadrangle 101-103 New London quadrangle 101-103 New London quadrangle 104 New Martinsburg 68 New Martinsville quadrangle 60 New Matamoras quadrangle 160	Norwalk quadrangle
(Zanesville quadrangle) 159 Newark & Zanesville Electric Railroad 100 New Berlin 32 New Boston 63 New Burlington 157 New Carlisle 137 New Castle 181 New Comerstown 191 New Comerstown quadrangle 100-101,160 New Cumberland 31 New Dover 47,93 New Harmony 15,18 New Holland 97 Newhouse 38 Newingburg 124 New Jerusalem 51 New Knoxville 81 New Lexington 102 New Lexington quadrangle 101-103 New London quadrangle 101-103 New Lyme 70 New Madison 154 New Martinsburg 62 New Martinsville quadrangle 160	Norwalk quadrangle
(Zanesville quadrangle) 159 Newark & Zanesville Electric Railroad 100 New Reark & Quadrangle 99-100 New Berlin 32 New Boston 63 New Burlington 157 New Carlisle 137 Newcastle 181 New Comerstown 191 New Comerstown quadrangle 100-101,160 New Cumberland 31 New Dover 47,93 Newfain 15 New Harmony 15,18 New Holland 97 Newhouse 38 Newingburg 124 New Jerusalem 51 New Knoxville 81 New Lexington 102 New Lexington quadrangle 101-103 New London quadrangle 101-103 New London quadrangle 104 New Martinsburg 68 New Martinsville quadrangle 60 New Matamoras quadrangle 160	Norwalk quadrangle
(Zanesville quadrangle) 159 Newark & Zanesville Electric Railroad 100 Newark quadrangle 99-100 New Berlin 32 New Boston 63 New Burlington 157 New Carlisle 137 Newcastle 181 New Comerstown 191 New Comerstown quadrangle 100-101,160 New Cumberland 31 New Dover 47,93 Newfain 15 New Harmony 15,18 New Holland 97 Newhouse 38 Newingburg 124 New Jerusalem 51 New Konxville 81 New Lexington 102 New Lexington quadrangle 101-103 New London quadrangle 104 New London quadrangle 104 New Lyme 70 New Madison 154 New Martinsburg 62 New Martinsville quadrangle 160 New Moorefield 134,135	Norwalk quadrangle
(Zanesville quadrangle) 159 Newark & Zanesville Electric Railroad 100 New Berlin 32 New Berlin 32 New Boston 63 New Burlington 157 New Carlisle 137 Newcastle 181 New Comerstown 191 New Comerstown quadrangle 100-101,160 New Cumberland 31 New Dover 47,93 Newfain 15 New Holland 97 New Holland 97 New How Jerusalem 51 New Kenoxville 81 New Lexington 102 New Lexington quadrangle 101-103 New London quadrangle 104 New Lyme 70 New Madison 154 New Martinsburg 62 New Martinsburg 62 New Martinsburg 62 New Matamoras quadrangle 160 New Matamoras quadrangle 160 New Matamoras quadrangle 160 New Palestine 143	Norwalk quadrangle

Page.	rage.
Orwell	Piqua
Osborn	Pitchin
Osgood 80	Pittsburgh
Osnaburg 32	Pittsburgh, Cincinnati, Chicago & St. Louis
Otsego 39	Railway 22, 24, 45, 49, 66, 80, 140
Ottawa 48,109	Pittsburgh, Lisbon & Western Railroad 38,78
Ottawa County 9, 198, 200, 201, 202	Plainfield31
Ottawa quadrangle	Plano
Ottoman	Plattsburg 134
Otway 110	Pleasant (Lancaster quadrangle) 183
	(South Charleston quadrangle) 134
Otway quadrangle	(Summerfield quadrangle)
Outville	Pleasant Corners 152
Owen	
Owensville	
Oxford 77,111	Pleasant Valley
Oxford quadrangle	Pleasantville
Oxtobys	Plymouth
P.	Point Isobel 18
	Point Pleasant
Pagetown	Point Pleasant quadrangle
Painesville	Poland
Painesville Congregational Church 204	Polk
Painesville Episcopal Church 204	Pomeroy quadrangle
Paint 80	Pondrun
Parkersburg quadrangle	Pontiac 105
Parkplace 50	Portage. 22
Parrott 108	Portage County
Pataskala140	Portersville
Paulding	Portland quadrangle
Paulding County 9	Portsmouth 59,63
Paulding quadrangle	Portsmouth courthouse. 214
Payne	Portsmouth First Presbyterian Church 214
Peach Mount	Port Washington 183
Peebles quadrangle 113-114	-
• •	Powell 49
Peerless 86	Powellsville 63
Peerless	Powellsville 63 Preble County 9
Peerless	Powellsville 63 Preble County 9 Preston 66
Peerless. 86 Pemberville. 52 Peninsular. 10 Penlam. 56	Powellsville 63 Preble County 9 Preston 66 Pricetown 128
Peerless. 86 Pemberville 52 Peninsular 10 Penlam 56 Pennsville 85	Powellsville 63 Preble County 9 Preston 66 Pricetown 128 Primary traverse 8-160
Peerless 86 Pemberville 52 Peninsular 10 Penlam 56 Pennsylvania Railroad 85 Pennsylvania Railroad 11,13,	Powellsville 63 Preble County 9 Prēston 66 Pricetown 128 Primary traverse 8-160 Pritchard 120
Peerless 86 Pemberville 52 Peninsular 10 Penlam 56 Pennsville 85 Pennsylvania Railroad 11, 13, 20, 21, 23, 24, 26, 27, 31, 32, 38, 41, 49,	Powellsville 63 Preble County 9 Prëston 66 Pricetown 128 Primary traverse 8-160 Pritchard 120 Prospect 46
Peerless 86 Pemberville 52 Peninsular 10 Penlam 56 Pennsville 85 Pennsylvania Raiiroad 11, 13, 13, 20, 21, 23, 24, 26, 27, 31, 32, 38, 41, 49, 50, 55, 64, 65, 70, 72, 76, 78, 79, 80, 82, 13, 13, 13, 13, 13, 13, 13, 13, 13, 13	Powellsville 63 Preble County 9 Prëston 66 Pricetown 128 Primary traverse 8-160 Pritchard 120 Prospect 46 Prospect Hill 184
Peerless. 86 Pemberville. 52 Peninsular. 10 Penlam. 56 Pennsville. 85 Pennsylvania Railroad. 11, 13, 20, 21, 23, 24, 26, 27, 31, 32, 38, 41, 49, 50, 55, 64, 65, 70, 72, 76, 78, 79, 80, 82, 88, 89, 94, 101, 111, 120, 133, 134, 140,	Powellsville 63 Preble County 9 Preston 66 Pricetown 128 Primary traverse 8-160 Pritchard 120 Prospect 46 Prospect Hill 184 Publication, previous 5
Peerless. 86 Pemberville. 52 Peninsular. 10 Penlam. 56 Pennsville. 85 Pennsylvania Railroad. 11, 13, 20, 21, 23, 24, 26, 27, 31, 32, 38, 41, 49, 50, 55, 64, 65, 70, 72, 76, 78, 79, 80, 82, 88, 89, 94, 101, 111, 120, 133, 134, 140, 141, 144, 145, 146, 151, 152, 154, 157	Powellsville 63 Preble County 9 Preston 66 Pricetown 128 Primary traverse 8-160 Pritchard 120 Prospect 46 Prospect Hill 184 Publication, previous 5 Purdyville 129
Peerless 86 Pemberville 52 Peninsular 10 Peniam 56 Pennsylile 85 Pennsylvania Railroad 11, 13, 20, 21, 23, 24, 26, 27, 31, 32, 38, 41, 49, 50, 55, 64, 65, 70, 72, 76, 78, 79, 80, 82, 88, 89, 94, 101, 111, 120, 133, 134, 140, 141, 144, 145, 146, 151, 152, 154, 157 Peoria 122, 123	Powellsville 63 Preble County 9 Preston 66 Pricetown 128 Primary traverse 8-160 Pritchard 120 Prospect 46 Prospect Hill 184 Publication, previous 5
Peerless. 86 Pemberville 52 Peninsular 10 Penlam 56 Pennsylle 85 Pennsylvania Railroad 11, 13, 20, 21, 23, 24, 26, 27, 31, 32, 38, 41, 49, 50, 55, 64, 65, 70, 72, 76, 78, 79, 80, 82, 88, 89, 94, 101, 111, 120, 133, 134, 140, 141, 144, 145, 146, 151, 152, 154, 157 Peoria 122, 123 Perrintown 15, 50	Powellsville 63 Preble County 9 Preston 66 Pricetown 128 Primary traverse 8-160 Pritchard 120 Prospect 46 Prospect Hill 184 Publication, previous 5 Purdyville 129
Peerless. 86 Pemberville. 52 Peninsular 10 Penlam 56 Pennsville. 85 Pennsylvania Railroad 11, 13, 20, 21, 23, 24, 26, 27, 31, 32, 38, 41, 49, 50, 55, 64, 65, 70, 72, 76, 78, 79, 80, 82, 88, 89, 94, 101, 111, 120, 133, 134, 140, 141, 144, 145, 146, 151, 152, 154, 157 Peoria 122, 123 Perrintown 15, 50 Perry (Lancaster quadrangle) 73	Powellsville 63 Preble County 9 Preston 66 Pricetown 128 Primary traverse 8-160 Pritchard 120 Prospect 46 Prospect Hill 184 Publication, previous 5 Purdyville 129 Put-in-Bay quadrangle 119,193 Putnam County 9
Peerless. 86 Pemberville. 52 Peninsular. 10 Penlam. 56 Pennsville. 85 Pennsylvania Railroad. 11, 13, 20, 21, 23, 24, 26, 27, 31, 32, 38, 41, 49, 50, 55, 64, 65, 70, 72, 76, 78, 79, 80, 82, 88, 89, 94, 101, 111, 120, 133, 134, 140, 141, 144, 145, 146, 151, 152, 154, 157 Peoria. 122, 123 Perrintown. 15, 50 Perry (Lancaster quadrangle) 73 (Perry quadrangle) 204-205	Powellsville 63 Preble County 9 Prêston 66 Pricetown 128 Primary traverse 8-160 Pritchard 120 Prospect 46 Prospect Hill 134 Publication, previous 5 Purdyville 129 Put-in-Bay quadrangle 119,193 Putnam County 9
Peerless. 86 Pemberville. 52 Peninsular. 10 Penlam. 56 Pennsyille. 85 Pennsylvania Railroad. 11, 13, 20, 21, 23, 24, 26, 27, 31, 32, 38, 41, 49, 50, 55, 64, 65, 70, 72, 76, 78, 79, 80, 82, 88, 89, 94, 101, 111, 120, 133, 134, 140, 141, 144, 145, 146, 151, 152, 154, 157 Peoria. 122, 123 Perrintown. 15, 50 Perry (Lancaster quadrangle) 73 (Perry quadrangle) 204-205 Perry County 9	Powellsville 63 Preble County 9 Preston 66 Pricetown 128 Primary traverse 8-160 Pritchard 120 Prospect 46 Prospect Hill 184 Publication, previous 5 Purdyville 129 Put-in-Bay quadrangle 119,193 Putnam County 9
Peerless. 86 Pemberville. 52 Peninsular. 10 Penlam. 56 Pennsville. 85 Pennsylvania Railroad. 11, 13, 20, 21, 23, 24, 26, 27, 31, 32, 38, 41, 49, 50, 55, 64, 65, 70, 72, 76, 78, 79, 80, 82, 88, 89, 94, 101, 111, 120, 133, 134, 140, 141, 144, 145, 146, 151, 152, 154, 157 Peoria. 122, 123 Perrintown. 15, 50 Perry (Lancaster quadrangle) 73 (Perry quadrangle) 204-205	Powellsville 63 Preble County 9 Prēston 66 Pricetown 128 Primary traverse 8-160 Pritchard 120 Prospect 46 Prospect Hill 184 Publication, previous 5 Purdyville 129 Put-in-Bay quadrangle 119, 193 Putnam County 9 Q Q Quincy 16, 127 R R
Peerless. 86 Pemberville. 52 Peninsular. 10 Penlam. 56 Pennsyille. 85 Pennsylvania Railroad. 11, 13, 20, 21, 23, 24, 26, 27, 31, 32, 38, 41, 49, 50, 55, 64, 65, 70, 72, 76, 78, 79, 80, 82, 88, 89, 94, 101, 111, 120, 133, 134, 140, 141, 144, 145, 146, 151, 152, 154, 157 Peoria. 122, 123 Perrintown. 15, 50 Perry (Lancaster quadrangle) 73 (Perry quadrangle) 204-205 Perry County 9	Powellsville 63 Preble County 9 Preston 66 Pricetown 128 Primary traverse 8-160 Pritchard 120 Prospect 46 Prospect Hill 184 Publication, previous 5 Purdyville 129 Put-in-Bay quadrangle 119, 193 Putnam County 9 Q. Quincy 16, 127
Peerless. 86 Pemberville 52 Peninsular 10 Peninsular 56 Pennsylen 56 Pennsylvania Railroad 11, 13, 20, 21, 23, 24, 26, 27, 31, 32, 38, 41, 49, 50, 55, 64, 65, 70, 72, 76, 78, 79, 80, 82, 88, 89, 94, 101, 111, 120, 133, 134, 140, 141, 144, 145, 146, 151, 152, 154, 157 Peoria 122, 123 Perrintown 15, 50 Perry (Lancaster quadrangle) 73 (Perry quadrangle) 204-205 Perry County 9 Perrysville quadrangle 114-115	Powellsville 63 Preble County 9 Prēston 66 Pricetown 128 Primary traverse 8-160 Pritchard 120 Prospect 46 Prospect Hill 184 Publication, previous 5 Purdyville 129 Put-in-Bay quadrangle 119, 193 Putnam County 9 Q Q Quincy 16, 127 R R
Peerless. 86 Pemberville 52 Peninsular 10 Penlam 56 Pennsylile 85 Pennsylvania Railroad 11, 13, 20, 21, 23, 24, 26, 27, 31, 32, 38, 41, 49, 50, 55, 64, 65, 70, 72, 76, 78, 79, 80, 82, 88, 89, 94, 101, 111, 120, 133, 134, 140, 141, 144, 145, 146, 151, 152, 154, 157 Peoria 122, 123 Perrintown 15, 50 Perry (Lancaster quadrangle) 73 (Perry quadrangle) 204-205 Perry County 9 Perrysville quadrangle 114-115* Perryville 182	Powellsville 63 Preble County 9 Prēston 66 Pricetown 128 Primary traverse 8-160 Pritchard 120 Prospect 46 Prospect Hill 184 Publication, previous 5 Purdyville 129 Put-in-Bay quadrangle 119, 193 Putnam County 9 Q Q Quincy 16, 127 R R Racetown 110
Peerless. 86 Pemberville. 52 Peninsular 10 Penlam 56 Pennsylle. 85 Pennsylvania Railroad 11, 13, 20, 21, 23, 24, 26, 27, 31, 32, 38, 41, 49, 50, 55, 64, 65, 70, 72, 76, 78, 79, 80, 82, 88, 89, 94, 101, 111, 120, 133, 134, 140, 141, 144, 145, 146, 151, 152, 154, 157 Peoria. 122, 123 Perrintown 15, 50 Perry (Lancaster quadrangle) 73 (Perry quadrangle) 204-205 Perry County 9 Perryvville quadrangle 114-115 Perryville 182 Peru 86	Powellsville 63 Preble County 9 Prëston 66 Pricetown 128 Primary traverse 8-160 Prichard 120 Prospect 46 Prospect Hill 184 Publication, previous 5 Purdyville 129 Put-in-Bay quadrangle 119, 193 Putnam County 9 Q. Q. Quincy 16, 127 R. R. Racetown 110 Radnor 46
Peerless. 86 Pemberville. 52 Peninsular 10 Penlam 56 Pennsyille. 85 Pennsylvania Railroad 11, 13, 20, 21, 23, 24, 26, 27, 31, 32, 38, 41, 49, 50, 55, 64, 65, 70, 72, 76, 78, 79, 80, 82, 88, 89, 94, 101, 111, 120, 133, 134, 140, 141, 144, 145, 146, 151, 152, 154, 157 Peoria 122, 123 Perrintown 15, 50 Perry (Lancaster quadrangle) 73 (Perry quadrangle) 204-205 Perry County 9 Perrysville quadrangle 114-115 Perry. 86 Pfeiffer 71 Phalanx 24, 147	Powellsville 63 Preble County 9 Preston 66 Pricetown 128 Primary traverse 8-160 Prichard 120 Prospect 46 Prospect Hill 184 Publication, previous 5 Purdyville 129 Put-in-Bay quadrangle 119, 193 Putnam County 9 Q Q Quincy 16,127 R R Racetown 110 Radnor 46 Ragtown 45 Randall 38
Peerless. 86 Pemberville 52 Peninsular 10 Peninsular 56 Pennsville 85 Pennsylvania Railroad 11, 13, 20, 21, 23, 24, 26, 27, 31, 32, 38, 41, 49, 50, 55, 64, 65, 70, 72, 76, 78, 79, 80, 82, 88, 89, 94, 101, 111, 120, 133, 134, 140, 141, 144, 145, 146, 151, 152, 154, 157 Peoria 122, 123 Perrintown 15, 50 Perry (Lancaster quadrangle) 73 (Perry quadrangle) 204-205 Perry County 9 Perrysville quadrangle 114-115* Peru 88 Pfeiffer 71 Phalanx 24, 147 Philo quadrangle 115-117	Powellsville
Peerless. 86 Pemberville 52 Peninsular 10 Peninsular 56 Pennsville 85 Pennsylvania Railroad 11, 13, 20, 21, 23, 24, 26, 27, 31, 32, 38, 41, 49, 50, 55, 64, 65, 70, 72, 76, 78, 79, 80, 82, 88, 89, 94, 101, 111, 120, 133, 134, 140, 141, 144, 145, 146, 151, 152, 154, 157 Peoria 122, 123 Perrintown 15, 50 Perry (Lancaster quadrangle) 73 (Perry quadrangle) 204-205 Perry County 9 Perrysville quadrangle 114-115 Perry Peru 86 Peru 86 Pfeiffer 71 Phalanx 24, 147 Philo quadrangle 115-117	Powellsville 63 Preble County 9 Prēston 66 Pricetown 128 Primary traverse 8-160 Pritchard 120 Prospect 46 Prospect Hill 184 Publication, previous 5 Purdyville 129 Put-in-Bay quadrangle 119, 193 Putnam County 9 Q Q Quincy 16, 127 R Racetown 110 Raddor 46 Ragtown 45 Randall 38 Range 97, 107 Rarden 110
Peerless. 86 Pemberville. 52 Peninsular 10 Penlam 56 Pennsylle. 85 Pennsylvania Railroad 11, 13, 20, 21, 23, 24, 26, 27, 31, 32, 38, 41, 49, 50, 55, 64, 65, 70, 72, 76, 78, 79, 80, 82, 88, 89, 94, 101, 111, 120, 133, 134, 140, 141, 144, 145, 146, 151, 152, 154, 157 Peoria. 122, 123 Perrintown. 15, 50 Perry (Lancaster quadrangle) 73 (Perry quadrangle) 204-205 Perry County 9 Perry yille quadrangle 114-115 Perry yille 182 Peru 86 Pfeiffer 71 Phalanx 24, 147 Philo quadrangle 115-117 Pickaway County 9 Pierpont 39	Powellsville 63 Preble County 9 Prëston 66 Pricetown 128 Primary traverse 8-160 Pritchard 120 Prospect 46 Prospect Hill 184 Publication, previous 5 Purdyville 129 Put-in-Bay quadrangle 119, 193 Putnam County 9 Q. Q. Quincy 16, 127 R R Racetown 110 Radnor 46 Ragtown 45 Randall 38 Range 97,107 Rarden 110 Rattlesnake 97
Peerless. 86 Pemberville. 52 Peninsular 10 Penlam 56 Pennsylle. 85 Pennsylvania Railroad 11, 13, 20, 21, 23, 24, 26, 27, 31, 32, 38, 41, 49, 50, 55, 64, 65, 70, 72, 76, 78, 79, 80, 82, 88, 89, 94, 101, 111, 120, 133, 134, 140, 141, 144, 145, 146, 151, 152, 154, 157 Peoria. 122, 123 Perrintown 15, 50 Perry (Lancaster quadrangle) 73 (Perry quadrangle) 204-205 Perry County 9 Perryville 182 Peru 86 Pfeiffer 71 Phalanx 24, 147 Philo quadrangle 115-117 Pickaway County 9 Pierpont 39 Pike 102	Powellsville 63 Preble County 9 Pråston 66 Pricetown 128 Primary traverse 8-160 Prichard 120 Prospect 46 Prospect Hill 184 Publication, previous 5 Purdyville 129 Put-in-Bay quadrangle 119, 193 Putnam County 9 Q. Q. Quincy 16, 127 R R Racetown 110 Radnor 46 Ragtown 45 Randall 38 Range 97,107 Rarden 110 Rattlesnake 97 Ravenna 120
Peerless. 86 Pemberville. 52 Peninsular 10 Penlam 56 Pennsville. 85 Pennsylvania Railroad 11, 13, 20, 21, 23, 24, 26, 27, 31, 32, 38, 41, 49, 50, 55, 64, 65, 70, 72, 76, 78, 79, 80, 82, 88, 89, 94, 101, 111, 120, 133, 134, 140, 141, 144, 145, 146, 151, 152, 154, 157 Peoria 122, 123 Perrintown 15, 50 Perry (Lancaster quadrangle) 73 (Perry quadrangle) 9 Perrysville quadrangle 114-115 Perry County 9 Perryville 182 Peru 86 Pfeiffer 71 Phalanx 24, 147 Philo quadrangle 115-117 Pickaway County 9 Pierpont 30 Pike 102 Pike County 9	Powellsville 63 Preble County 9 Präston 66 Pricetown 128 Primary traverse 8-160 Pricetown 120 Primary traverse 46 Prospect 46 Prospect Hill 184 Publication, previous 5 Purdyville 129 Put-in-Bay quadrangle 119, 193 Putnam County 9 Q Q Quincy 16, 127 R R Racetown 110 Radnor 46 Ragtown 45 Randall 38 Range 97, 107 Rarden 110 Rattlesnake 97 Ravenna 120 Ravenna quadrangle 120
Peerless. 86 Pemberville 52 Peninsular 10 Peninsular 56 Pennsyluania 85 Pennsylvania Railroad 11, 13, 20, 21, 23, 24, 26, 27, 31, 32, 38, 41, 49, 50, 55, 64, 65, 70, 72, 76, 78, 79, 80, 82, 88, 89, 94, 101, 111, 120, 133, 134, 140, 141, 144, 145, 146, 151, 152, 154, 157 Peoria 122, 123 Perrintown 15, 50 Perry (Lancaster quadrangle) 73 (Perry quadrangle) 204-205 Perry County 9 Perrysville quadrangle 114-115' Peru 86 Pfeiffer 71 Phalanx 24, 147 Philo quadrangle 115-117 Pickaway County 9 Pike 39 Pike 9 Pike County 9 Piketon 117	Powellsville 63 Preble County 9 Prēston 66 Pricetown 128 Primary traverse 8-160 Pritchard 120 Prospect 46 Prospect Hill 184 Publication, previous 5 Purdyville 129 Put-in-Bay quadrangle 119,193 Putnam County 9 Q 16,127 R Racetown 110 Radnor 46 Ragtown 45 Randall 38 Range 97,107 Rarden 110 Rattlesnake 97 Ravenna 120 Raymonds 122
Peerless. 86 Pemberville 52 Peninsular 10 Peninsular 56 Pennsylvania 85 Pennsylvania Railroad 11, 13, 20, 21, 23, 24, 26, 27, 31, 32, 38, 41, 49, 50, 55, 64, 65, 70, 72, 76, 78, 79, 80, 82, 88, 89, 94, 101, 111, 120, 133, 134, 140, 141, 144, 145, 146, 151, 152, 154, 157 Peoria 122, 123 Perrintown 15, 50 Perry (Lancaster quadrangle) 73 (Perry quadrangle) 204-205 Perry County 9 Perrysville quadrangle 114-115' Perv 86 Pfeiffer 71 Phalanx 24, 147 Philo quadrangle 115-117 Pickaway County 9 Pierpont 39 Pike 102 Pike County 9 Pike ton quadrangle 117-118	Powellsville 63 Preble County 9 Prēston 66 Pricetown 128 Primary traverse 8-160 Pritchard 120 Prospect 46 Prospect Hill 184 Publication, previous 5 Purdyville 129 Put-in-Bay quadrangle 119, 193 Putnam County 9 Q Q Quincy 16, 127 R Racetown 110 Radnor 46 Ragtown 45 Randall 38 Range 97, 107 Rarden 110 Rattlesnake 97 Ravenna 120 Ravenna quadrangle 120 Rectorville quadrangle 120-121
Peerless. 86 Pemberville. 52 Peninsular 10 Penlam. 56 Pennsylvania Railroad. 11, 13, 20, 21, 23, 24, 26, 27, 31, 32, 38, 41, 49, 50, 55, 64, 65, 70, 72, 76, 78, 79, 80, 82, 88, 89, 94, 101, 111, 120, 133, 134, 140, 141, 144, 145, 146, 151, 152, 154, 157 Peoria. 122, 123 Perrintown. 15, 50 Perry (Lancaster quadrangle) 73 (Perry quadrangle) 204-205 Perry County 9 Perry syille quadrangle 114-115 Perry yville. 182 Peru 86 Pfeiffer 71 Phalanx 24, 147 Pickaway County 9 Pierpont 39 Pike 102 Pike County 9 Piketon 117-118 Piketon quadrangle 117-118 Piketon quadrangle 110, 113, 144	Powellsville 63 Preble County 9 Prēston 66 Pricetown 128 Primary traverse 8-160 Pritchard 120 Prospect 46 Prospect Hill 184 Publication, previous 5 Purdyville 129 Put-in-Bay quadrangle 119, 193 Putnam County 9 Q. Q. Quincy 16, 127 R R Racetown 110 Radnor 46 Ragtown 45 Randall 38 Range 97,107 Ravenna 110 Rattlesnake 97 Ravenna quadrangle 120 Raymonds 122 Rectorville quadrangle 120-121 Red Lion 76
Peerless. 86 Pemberville. 52 Peninsular 10 Penlam 56 Pennsylle. 85 Pennsylvania Railroad 11, 13, 20, 21, 23, 24, 26, 27, 31, 32, 38, 41, 49, 50, 55, 64, 65, 70, 72, 76, 78, 79, 80, 82, 88, 89, 94, 101, 111, 120, 133, 134, 140, 141, 144, 145, 146, 151, 152, 154, 157 Peoria. 122, 123 Perrintown 15, 50 Perry (Lancaster quadrangle) 73 (Perry quadrangle) 204-205 Perry County 9 Perryville quadrangle 114-115 Perry Ville 182 Peru 86 Pfeiffer 71 Phalanx 24, 147 Philo quadrangle 115-117 Pick away County 9 Pierpont 39 Pike 102 Pike County 9 Piketon 117-118 Pike ton quadrangle 117-118 Pink 110,113,144 Pinkerman 129 </td <td>Powellsville 63 Preble County 9 Pråston 66 Pricetown 128 Primary traverse 8-160 Pricetown 120 Prospect 46 Prospect 46 Prospect Hill 184 Publication, previous 5 Purdyville 129 Put-in-Bay quadrangle 119, 193 Putnam County 9 Q. Q. Quincy 16, 127 Racetown 110 Radnor 46 Ragtown 45 Randall 38 Range 97, 107 Ravenna 120 Ravenna quadrangle 120 Raymonds 122 Rectorville quadrangle 120-121 Reed Lion 76 Reesville 124</td>	Powellsville 63 Preble County 9 Pråston 66 Pricetown 128 Primary traverse 8-160 Pricetown 120 Prospect 46 Prospect 46 Prospect Hill 184 Publication, previous 5 Purdyville 129 Put-in-Bay quadrangle 119, 193 Putnam County 9 Q. Q. Quincy 16, 127 Racetown 110 Radnor 46 Ragtown 45 Randall 38 Range 97, 107 Ravenna 120 Ravenna quadrangle 120 Raymonds 122 Rectorville quadrangle 120-121 Reed Lion 76 Reesville 124
Peerless. 86 Pemberville 52 Peninsular 10 Peninsular 56 Peninsular 56 Pennsville 85 Pennsville 85 Pennsylvania Railroad 11, 13, 20, 21, 23, 24, 26, 27, 31, 32, 38, 41, 49, 50, 55, 64, 65, 70, 72, 76, 78, 79, 80, 82, 88, 89, 94, 101, 111, 120, 133, 134, 140, 141, 144, 145, 146, 151, 152, 154, 157 Peoria 122, 123 Perrintown 15, 50 Perry (Lancaster quadrangle) 73 (Perry quadrangle) 204-205 Perry County 9 Perrysville quadrangle 114-115 Perry Perry (Lancaster quadrangle) 182 Perry County 9 Perrysville quadrangle 114-115 Perry Perry County 9 Perryville 182 Peru 86 Pfeiffer 71 Phalanx 24, 147 Philo quadrangle 115-117 Pickaway County 9 Pike Coun	Powellsville 63 Preble County 9 Prêston 66 Pricetown 128 Primary traverse 8-160 Pritchard 120 Prospect 46 Prospect Hill 184 Publication, previous 5 Purdyville 129 Put-in-Bay quadrangle 119, 193 Putnam County 9 Q. Q. Quincy 16, 127 R Racetown 110 Radnor 46 Ragtown 45 Randall 38 Range 97, 107 Rarden 110 Ratlesnake 97 Ravenna quadrangle 120 Raymonds 122 Rectorville quadrangle 120-121 Red Lion 76 Reesville 124 Reform 55,100
Peerless. 86 Pemberville. 52 Peninsular 10 Penlam 56 Pennsylle. 85 Pennsylvania Railroad 11, 13, 20, 21, 23, 24, 26, 27, 31, 32, 38, 41, 49, 50, 55, 64, 65, 70, 72, 76, 78, 79, 80, 82, 88, 89, 94, 101, 111, 120, 133, 134, 140, 141, 144, 145, 146, 151, 152, 154, 157 Peoria. 122, 123 Perrintown 15, 50 Perry (Lancaster quadrangle) 73 (Perry quadrangle) 204-205 Perry County 9 Perryville quadrangle 114-115 Perry Ville 182 Peru 86 Pfeiffer 71 Phalanx 24, 147 Philo quadrangle 115-117 Pick away County 9 Pierpont 39 Pike 102 Pike County 9 Piketon 117-118 Pike ton quadrangle 117-118 Pink 110,113,144 Pinkerman 129 </td <td>Powellsville 63 Preble County 9 Pråston 66 Pricetown 128 Primary traverse 8-160 Pricetown 120 Prospect 46 Prospect 46 Prospect Hill 184 Publication, previous 5 Purdyville 129 Put-in-Bay quadrangle 119, 193 Putnam County 9 Q. Q. Quincy 16, 127 Racetown 110 Radnor 46 Ragtown 45 Randall 38 Range 97, 107 Ravenna 120 Ravenna quadrangle 120 Raymonds 122 Rectorville quadrangle 120-121 Reed Lion 76 Reesville 124</td>	Powellsville 63 Preble County 9 Pråston 66 Pricetown 128 Primary traverse 8-160 Pricetown 120 Prospect 46 Prospect 46 Prospect Hill 184 Publication, previous 5 Purdyville 129 Put-in-Bay quadrangle 119, 193 Putnam County 9 Q. Q. Quincy 16, 127 Racetown 110 Radnor 46 Ragtown 45 Randall 38 Range 97, 107 Ravenna 120 Ravenna quadrangle 120 Raymonds 122 Rectorville quadrangle 120-121 Reed Lion 76 Reesville 124

	Page.		Page).
Rempel	106	Sanbury		រវ
Renrock	44	Sandrun	. 10)2
Renshawe, J. H., work of	5	Sandusky		Ю
Republic	132	Sandusky courthouse	20	6
Richfield	9, 10	Sandusky east base		16
Rich Hill	116	Sandusky west base	. 20)7
Richland (Kenton quadrangle)	71	Sandusky County		9
(Summerfield quadrangle)	190	Sandusky quadrangle 1	28, 19	3
Richland County	9	Santa Fe	. 10, 1	6
Richmond quadrangle 12	21-122	Saranac	. 5	3
Richwood quadrangle	22-123	Sardinia	60,12	8
Ridgeland	69	Sardinia quadrangle 1	28-12	9
Ridgeway	71	Sargents 1	17,11	8
Ripley	61,89	Sater	. 6	6
Risingsun	52	Savona	. 15	4
Ritters	148	Saybrook	. 20	7
Rittman	156	Sayre	. 10	13
Robertsville	32	Schooley	. 3	5
Rockford	33	Schultz	. 18	5
Rockhouse	75	Schumm	. 14	5
Rockport (Berea quadrangle)	205	Scio quadrangle	. 16	0
(Columbus Grove quadrangle)	39	Scioto (Otway quadrangle) 2	214-21	.5
Rocky Hill	69, 106	(Sciotoville quadrangle)	. 12	9
Rogers	38	Scioto County 9,213,2	214-21	.5
Rome (Vanceburg quadrangle)	145	Scioto Furnace 1		0
(Westerville quadrangle)	153	Sciotoville	. 13	0
Rootstown	120	Sciotoville quadrangle 1	29-13	0
Roscoe	41	Scipio (Harrison quadrangle)	. 6	7
Roselms	40	(Pomeroy quadrangle) 1		9
Rosemoor	108	Scotland	. 9	1
Ross County	9	Scott		5
Rossville	125	Scotts		-
Rowland	117	Sedalia 80,	97,10	17
Roxabel	124	Seffens	. 18	5
Roxabel quadrangle	124	Selma		
Roxbury		Seneca1	•	
Royalton (Circleville quadrangle)	37	Seneca County		9
(Cleveland quadrangle)	205	Seven-mile		
Rumley (New London quadrangle)	104	Seville		
(Scio quadrangle)	184	Seward		
Rural	18	Sewellsville		
Rush Creek	71	Shalersville		
Russellville	140	Sharon (Caldwell quadrangle)		30
russenvine	30, 130	(Xenia quadrangle)		-
S.		Sharpsburg		
•		Shauck		
Sabina	124	Shauck quadrangle		
Sabina quadrangle		Shelby		
Sago	184	Shelby County		9
St. Charles	66	Shenandoah		
St. Clairsville courthouse	184 160	Sherman		9
St. Clairsville quadrangleSt. Henry	125	Sherwood		
St. Henry quadrangle		Shreve		
St. Johns.	185	Shyville		
St. Joseph	26	Siam quadrangle 1		
St. Marys	81	Sidney		
St. Paris	127	Sidney quadrangle 1	-	
St. Paris quadrangle	127	Silver Creek		
Salem (Pomeroy quadrangle)	178	Simms		14
(Sardinia quadrangle)	128	Sinking Spring	. 1	15
Salineville quadrangle		Sippo	. 8	39
Saltair	18	Sistersville, W. Va		4
Salt Creek	37	Slocum	. 13	
Saltillo	95	Smithville		
Salt Lick	102	Snodes	. 7	79

1	Page.	T.	
Snowhill	125	and the second s	age.
Snyderville	136	Tampico	84
Somerset	139	Tana	33
Sonora	116	Tank	188
South Amherst	107	•	
South Bantam	18	Tatum, Sledge, work of	5,9 123
South Bloomfield	38	Taylorsville	68
South Charleston quadrangle 13	4-135	The Bend.	
South Condit	153	Thompson, A. H., work of	
Southland	186	Thompson. 20	
South Loudonville	82	Thornville quadrangle	
South Newbury	58	Thurston.	140
South Perry	75	Thurston quadrangle 140	
South Solon	108	Tiffin quadrangle	141
Spangler	186	Tippecanoe	188
Spanker	45	Tipton	111
Spann	1	Tiro.	44
Sparta	56	Toledo	142
Spencerville	136	St. Mary's Church	208
Spencerville quadrangle		stone longitude post	208
Springdole	150 88	Toledo & Ohio Central Railway	13,
SpringdaleSpringer	149	22, 27, 49, 51, 53, 54, 62, 71, 86	5, 92,
Springfield.	136	96, 100, 122, 123, 139, 140, 142	2, 152
Springfield quadrangle 13		Toledo & Western Electric Railroad	138
Spring Valley		Toledo quadrangle	142
Stark County	9	Toledo, St. Louis & Western Railway	22,
Starr	179	40, 47, 109, 142	
Station marks, descriptions of	6-7	Townsend (Athens quadrangle)	188
Staunton	125	(Vermilion quadrangle)	208
Steele	187	Tradersville	
Stella	75	Tranquillity	155 157
Sterling	156	Trenton	88
Steubenville quadrangle	160	Trinway	55
Stockport	85	Triumph	
Stokes	107	Trotwood	24
Stone Creek		Trowbridge89	
Stone Lick	15	Troy (Chesterhill quadrangle)	178
Stoneville	70	(Troy quadrangle)45	
Stout	145	Troy quadrangle	143
Stovertown.	116	Trumbull County), 202
Straitsville	102	Tucker	189
Stringtown (Bainbridge quadrangle)	98	Tunnel Hill	22 , 55
(Circleville quadrangle)	14 . 36 37	Tuscarawas County. 9, 160, 162, 172, 183, 187, 189	€, 190
Stryker	11	Twin Creek	216
Sugarcreek. 9	,	U.	
Sullivan	152		
Sullivant	152	Uhrichsville), 189
Sulphur Springs	27	Uhrichsville quadrangle	160
Summerfield quadrangle	160	Union (Granville quadrangle)	62
Summerfield schoolhouse	187	(London quadrangle)	80
Summerford 8	0, 135	(Mechanicsburg quadrangle)	90
Summit (Columbiana quadrangle)	38	Union City	84
(Thurston quadrangle)	140	Union County	9
(Westerville quadrangle)	153	United States Lake Survey, primary triangu-	9 900
Summit County	9	lation by	
Sunbury	176	Unity	216 216
Sundale	116	Upper Sandusky	210 144
Sutton, Frank, work of		Upper Sandusky quadrangle	144
Swanton quadrangle 13	138	Urbana90	
Swifts	8-139 29	Urban Crest	
Sycamore quadrangle.	139	Utica (Lebanon quadrangle)	76
Sylvania	142	(Navarre quadrangle)	99
Symmes	50	Utopia	19
_	,		

	v.	Page.		Page.
Van			Wellington quadrangle	151-152
			Wellston	. 69
			Wellsville quadrangle	
	angle		Wengerlawn	
			West.	
			West Alexandria.	
	y 		West Baltimore	
	angle			
Vermilion, Germa	an Lutheran Church	208	Westboro	
Vermilion quadra	angle	146, 193	West Carlisle	
			West Cincinnati quadrangle	
			West Columbus quadrangle	
			West Dayton	45,150
			Westerville quadrangle	153, 154
vinion county		0,111,102	West Farmington	. 24
	W.		Westfield	
TT 1 1 70		00 110 140	West Florence	. 77
	1 40, 46, 52,		West Jefferson	
			West Junction	
			West Lafayette	
Wagram		141		
Wainwright		190	West Lancaster	
			Westland	
			West Lebanon	. 98
			West Liberty	. 90
			West Manchester quadrangle	. 154
			West Mansfield	
			Westminster	
			West Richfield	
Walnut Creek		94		
Wamsley		114	West Rushville	
Wapakoneta		78	West Salem quadrangle	
Ward		163	West Sister Island Lighthouse	
			West Toledo	. 142
	quadrangle)		West Union 114,	155, 211
•	quadrangle)		West Union Children's Home	. 216
	quaurangie)		West Union courthouse	. 217
•			West Union quadrangle	
	gle		Westville	
			Wheelersburg	
Warsaw Junction	1,	22,23	Wheeling & Lake Erie Railroad	
			32, 33, 39, 41, 55, 89, 98,	
Washington (Bet	hel quadrangle)	18	104, 105, 106, 116, 142,	152, 159
(Georgetown	quadrangle)	60	Whistler	. 35
, ,	quadrangle)		White	. 191
	drangle)		Whitehouse	. 84
	nty 170, 173, 177, 1		Whiteoak	. 128
			Whiteville	
	rt House		Widder	
	•••••		Wiedman	
	•••••		Wilburn	
			Wilkesville quadrangle	
Watkins		49	Williams County	. 9,211
Wauseon		148	Williamsburg	18
Wauseon quadrai	ngle	148	Williamsport (Era quadrangle)	. 53
			(Shauck quadrangle)	130, 131
	ngle		Williamstown	,
	quadrangle)		Willoughby	
			Willshire.	
	d quadrangle)		Wilmington	
	quadrangle)			
	• • • • • • • • • • • • • • • • • • • •		Wilson, H. M., work of	
			Windsor	
			Windsor Mills	
	drangle		Wintersville	
Webster		129	Withamsville	
Welcome		83	Wolfcale	. 2
Wellan		139	Wood	60
			Wood County	
<u>-</u>				

Page.	Y. Page.
Wooddale	Yale
Woodland	Yankeetown (Era quadrangle) 53
Woodsfield quadrangle	(Piketon quadrangle) 117
Woodville	Yellowbud
Wooster	York
Wooster quadrangle 156-157	Young Hickory 44
Worthington	Youngstown quadrangle 158–159
Wray 192	Youngstown Southern Railroad 159
Wrightsville (London quadrangle) 80	Z.
(Rectorville quadrangle) 120, 121	Zaleski. 192
Wyandot County 9	Zaleski quadrangle
37	Zanesville
X.	Zanesville & Western Railway 102, 103, 139, 140
Xenia	Zanesville quadrangle
Xenia quadrangle	Zuck