ALABAMA.

PRIMARY TRAVERSE.

Childersburg, Cooks Springs, Leeds, McFall, and Oneonta quadrangles.

St. CLAIR COUNTY.

The following geographic positions were determined by primary traverse and are based upon positions previously determined by primary traverse (described in Bulletins 245 and 276) upon North American datum.

The work was done by J. R. Ellis in April, 1914.

CHILDERSBURG QUADRANGLE.

Along highways near north border of quadrangle.

> Station.	Latitude.	Longitude.	Distance between stations.
Vandiver, at southwest corner of Whitefield & Boasher's store, iron post stamped "Prim. Trav. Sta. No. 1077". T road north, center of. T road south at northwest corner of fence (road south is dim) Mail box in forks of road. Pisgah Church, forks of road at Goode Bros.' store, 15 feet north to mail box.	33 28 13.7 33 28 50.1	86 30 50. 2 86 29 58. 8 86 28 47. 4 86 27 30. 7 86 19 49. 6	5, 701 6, 165 6, 717

Magnetic declination for north border of quadrangle, 2° 30' E.

COOKS SPRINGS QUADRANGLE.

Along railroad through center of quadrangle.

Station.	La	titı	ide.	Lor	ıgit	ude.	Distance between stations.
•		,	"		,	"	Feet.
Road crossing	33	33	36.2	86	29	59.2	
Quarter corner between secs 6 and 7	33	34	29.3	86	28	23.3	9,729
Brampton, in concrete coping in front of railroad depot; bronze)			, ,,
tablet stamped "Prim Tray Sta No. 1 1914"	33	34	32.7	86	28	20.7	409
Brampton, 0.90 mile east of, under high trestle, public highway		-	-				1
crossing	33	34	30, 6	86	27	25.2	4,700
crossing	33	34	26.9			01.2	2,070
Cooks Springs, about 2.80 miles west of, second-class road crossing.	33	35	21.8	86	25	40.0	
Cooks Springs, at west end of siding, switch block	33	35	30.1	86	24	35.5	5,518
Cooks Springs, 20 feet north of wagon road on south side of trestle,				l			,
in top of old brick culvert: bronze tablet stamped "Prim. Trav.				i			
Sta. No. 2, 1914" Cooks Springs, road crossing at	33	35	31.8			53.7	
Cooks Springs, road crossing at	33		32.6			47.8	499
Tillnnal east and of	33		04.9			12.2	
Road crossing, 530 feet west of spur	33		08.6			03.0	5,870
Road crossing	33		05.6			20.3	3,622
Milepost 783, road crossing at	33		25. 5			54.3	7,551
Eden station, 210 feet west of, road crossing	33		14.3			48. 2	5,707
T. 18 S., R. 3 E., quarter corner between secs. 2 and 3	33		01.6			28. 7	2,090
Pell City station, 2,200 feet west of, road crossing			56.3			35.9	4,498
Pell City station, railroad crossing at			07. 7			03.3	2,989
Milepost 779, track opposite			25.9			11.4	4,750
Milepost 779, about 0.80 mile east of, north and south road crossing.	33	35	24.1	i 86	15	20.8	4,290

COOKS SPRINGS QUADRANGLE—Continued. Along highways near east border of quadrangle.

Station.	Latitude.	Longitude.	Distance between stations.
T road east, center of. Pell City, about 2 miles north and 2 miles east of, 400 feet north of intersection of the Pell City Coal City pike and road south	33 36 06.5	86 15 02.4	Feet.
to Seddon, in ledge; bronze tablet stamped "Prim. Trav. Sta. No. 5, 1914, elev. 580" Pike at road north	33 37 05.0 33 37 12.7	86 15 10.2 86 15 10.7	5, 949 78
Junction of pikes, 15 feet north and 20 feet east to elevation 504 on telephone pole. Coal City Baptist Church, in north part of Old Broken Arrow Willage at southwest corner in ledge, bronze tablet stamped	33 39 17.4	86 15 35.9	12,79
Coal City Baptist Church, in north part of Old Broken Arrow Village, at southwest corner, in ledge; bronze tablet stamped "Prim. Trav. Sta. No. 6, 1914, Elev. 575". Seaboard Air Line R. R. crossing. Concrete culvert under high trestle Milepost R. 696, 400 feet south of, east-west road crossing and Seaboard Air Line R. R. Switch block at spur.	33 39 57.8 33 40 53.5 33 40 56.9 33 41 33.8	86 15 59.1 86 16 30.2 86 16 21.6 86 15 46.8	4,52 6,21 80 4,75
Switch block at spur.	33 42 11.8	86 15 02.9	5,33
Along highway near north border of	quadrangle.		
Coal station, road crossing west of; line leaves railroad at this point and follows wagon road. T. 16 S., R. 3 E., quarter corner between secs. 35 and 36.	33 40 58.9 33 41 09.3	86 17 13.5 86 17 23.3	1,33
Pump house, just west of, on south side of road at T road south; stump. Forks of road, junction of Fox Creek and Broken Arrow Creek	33 41 13.7	86 18 07.0	3,71
roads; south corner of old shop. Top of hill, elevation 812, at negro house, cross roads	33 41 34, 4 33 42 00, 0 33 42 27, 6 33 42 37, 7	86 18 34. 4 86 19 02. 4 86 19 39. 9 86 20 26. 6	3,11 3,50 4,21 4,07
in stone; bronze tablet stamped "Prim. Trav. Sta. No. 8, 1914, Elev. 746". Beaver Valley pike, at T road southeast, 15 feet west to C gate Beaver Valley pike at T road west, 5 feet north and 10 feet east to end of log. Large frame church, road opposite.	33 43 01.6 33 43 44.5 33 44 18.4	86 20 30.8 86 20 40.4 86 20 23.1	2, 44 4, 41 3, 71
	33 44 54,0	86 20 44.7	4,04
Along highway near northwest corner of	or quadrange		Ι
Milepost 118, private road crossing at	33 44 14.30	86 29 45.6	·····
Along highways near south border of	quadrangle.		
T. 18 S., R. 2 E., corner secs. 4, 5, 32, and 33. Dykes Mill, south end of bridge over Kelley Creek. Crossroads, center of. Crossroads, north and south road (second class).	33 30 08.0 33 30 16.4 33 30 24.5 33 31 09.0	86 26 50.8 86 26 49.5 86 25 58.6 86 24 50.6	85 4,38 7,31
Crossroads, north and south road (second class). Pleasant Grove schoolhouse, 50 feet south of southwest corner, T road north. T. 17 S., R. 2 E., center of sec. 26.	33 31 27.0 33 31 27.0	86 24 11.4 86 24 12.3	3,78
T. 17 S., R. 2 E., center of sec. 26. Forks of road, 350 feet south of, opposite brick chimney of residence, center of north and south road. Crossroads, north and south road dim. Wolf Creek, about 2 miles south and 1 mile east of, 250 feet north of G. W. Johnson's residence just north of forks in ledge.	33 31 10.4 33 30 46.2	86 23 39.8 86 23 10.5	3, 22 3, 48
of G. W. Johnson's residence, just north of forks, in ledge; bronze tabletstamped "Prim. Trav. Sta. No. 3, 1914". London, 2 miles north of, center of crossroads. Crossroads, at old shop, center of. Tps. 18 and 19 S., R. 3 E., corner secs. 2, 3, 4, and 35. Forks of road, center of box culvert at. Easonville, center of crossroads at, 10 feet west to center of bridge.	33 30 35.0 33 30 12.7 33 30 03.5 33 30 10.7 33 30 02.3 33 31 22 6	86 22 10.8 86 21 43.2 86 21 03.5 86 19 32.4 86 18 46.1 86 17 16.1 86 17 04.6	5,18 3,24 3,48 4,00
Valley pike, at east and west section line	33 31 22.6 33 31 33.5	86 17 04.6	11,14

ALABAMA.

COOKS SPRINGS QUADRANGLE—Continued.

Spur line to point near southeast corner of quadrangle.

Station.	Latitude.	Longitude.	Distance between stations.
Forks of road, center of	33 31 45.3 33 31 12.5	86 15 51.1 86 15 23.6	Feet. 6,335 4,048
Cropwell, at northwest corner of Robinson & Sons' building; bronze tablet stamped "Prim, Trav. Sta. No. 4, Elev. 478, 1914". Cropwell, in north part of, T road east	33 33 09.3 33 33 19.1	86 16 06.7 86 16 04.0	7,998 1,015
tic R. R.	33 33 32.7	86 15 32.1	3,030

Magnetic declination for north border of quadrangle, 2° 52′ E.; for south border, 2° 30′ E.; for east border, 2° 16′ E.

LEEDS QUADRANGLE.

Along railroad from Leeds to Seddon.

Station.	Latitude.	Longitude.	Distance between stations.
Leeds, 0.6 mile west of, 615 feet west of trestle over East Cahaba River, in limestone 35 feet north of Southern Ry. track; bronze tablet stamped "Prim. Trav. Sta. No. 9, elev. 627 feet" Road crossing Mile post C 120, at road crossing 2,020 feet south of, bronze tablet No. 10, cemented in concrete 18 inches below surface of rail in center of track of Alabama Great Southern R. R.; signboard bears S. 76° ½ W., distant 15.5 feet.	33 32 53.2 33 32 33.9 33 42 25.2	86 32 56.6 86 31 32.0 86 30 57.2	Feet. 7,422

McFALL QUADRANGLE.

Along highways near west border of quadrangle.

Station.	Latitude.	Longitude.	Distance between stations.
Seddon, about 0.75 mile west of, center of road crossing, northwest and southeast. Milepost R. 694, about 700 feet south of, 35 feet north of road crossing, on northeast corner of concrete culvert; cross and "U.S.	° ′ ′′ 33 35 21.3	% / // 86 14 43.0	Feet.
G. S." cut. Seddon, about 1 mile south of, center of forks of road. T. 18 S., R. 4 E., corner secs. 4, 5, 8, and 9.	33 42 29. 1 33 34 17. 7 33 34 38. 2	86 14 15.4 86 14 17.3 86 14 17.4	

Magnetic declination for west border of quadrangle, 2° 16' E.

ONEONTA QUADRANGLE.

Along highways and railroad near south border of quadrangle.

Station.	Latitude.	Longitude.	Distance between stations.
St. Clair Springs, about 3 miles east of, T road south, 10 feet north to tall fence post. Little Canoe Creek, center of middle truss of bridge over Tps. 15 and 16, Rs. 2 and 3 E., corner secs. 1, 6, 31, and 36. St. Clair Springs, about 1 mile east of, intersection of pikes, 5 feet south and 27 feet east to telephone pole. St. Clair Springs, T road south, center of, 10 feet south to telephone pole. St. Clair Springs, about 1.25 miles west of, 48 feet east to telephone pole No. 67, crossroads. Springville, about 2.50 miles northeast of, north-south pike crossing Alabama Great Sputhern R. R. Springville, about 0.70 mile northeast of, road crossing Springville station, opposite semaphore center of track. Springville station, 2 miles southwest of, east and west road crossing.	33 45 37.4 33 45 47.1 33 45 52.9 33 45 44.7 33 45 46.9 33 46 09.5 33 46 54.6	86 21 20.4 86 22 40.8 86 22 35.4 86 23 14.6 86 24 10.0 86 25 24.8 86 27 18.6 86 27 56.9 86 29 10.1	Feet. 6, 863 747 3, 403 4, 688 6, 713 4, 657 8, 671 3, 744 10, 180

Magnetic declination for south border of quadrangle, 2° 52' E.

Goodwater and Weogufka quadrangles.

COOSA, TALLADEGA, AND WEOGUFKA COUNTIES.

The following geographic positions on North American datum were determined by primary traverse in 1914 by J. R. Ellis. They are based on positions described in Bulletins 201 and 276.

WEOGUFKA QUADRANGLE.

From Kahatchee triangulation station of the United States Coast and Geodetic Survey along public highways west to tie at Wilsonville.

· Stations.	Latitude.	Longitude.	Distance between stations.
Kahatchee triangulation station, 4 miles south of Childersburg, on highest point of range of hills, a bottle under a large bowlder Forks of road, 0.8 mile northwest of triangulation station	0 / // 33 13 38.27 33 14 12.5 33 13 44.3	% / // 86-21 36.53 86 22 05.5 86 23 34.5	Feet. 4,255 8,072
Sta. No. 9, 1914"	33 13 25.4	86 24 22.4	4,497
west. Wilsonville, center of covered bridge over Kahatchee Creek, 3.5 miles east of	33 13 31.6 33 14 20.5	86 24 21.6 86 24 54.6	640 5,688
Mountain Grove Church, center of T road south at	33 14 13.8	86 25 54.9	5,162
feet east to black oak tree. Wilsonville, east and west road crossing Southern Ry., 0.8 mile	33 14 15.0	86 27 12.6 86 28 20.4	6,610
northeast of. Wilsonville, "Prim. Trav. Sta. No. 794".	33 14 15.6 33 14 04.10	86 29 02.90	5, 769

From McGowan Ferry south along highways to Fayetteville station, thence along Louisville & Nashville Railroad to tie at Sylacauga.

McGowan Ferry, west end of small bridge at forks of road 1.2 miles south and 0.5 mile east of. Haye Spring Branch, at north and south road crossing	33 13 06.7 33 11 33.5 33 10 51.2 33 10 12.1 33 09 19.3	86 27 02.7 86 26 59.7 86 25 45.6 86 25 00.6 86 24 24.1 86 24 23.1	9,431 7,618 5,508 6,189 3,333
--	--	--	---

WEOGUFKA QUADRANGLE—Continued. Along Louisville & Nashville Railroad.

Station.	Latitude.	Longitude.	Distance between stations.
Fayetteville station, north and south road crossing Louisville & Nashville R. R., about 300 feet east of. Fayetteville station, private road crossing, 0.8 mile east of. Milepost 94A, private road crossing, 0.5 mile east of. Fayetteville station, 2.5 miles east of, in marble outcrop on north side of Louisville & Nashville R. R., 1,000 feet east of road crossing, 25 feet south and 10 feet west to east end of culvert No. 41; bronze tablet stamped "Prim. Trav. Sta. No. 10, 1914". Milepost 92A, east and west road crossing at Milepost 91A, east and west road crossing, 1,350 feet east of. Milepost 90A, road crossing, 300 feet southwest of. Gant Junction, road crossing, 30 feet west of semaphore. Milepost 83A, private road crossing, 210 feet west of. Milepost 87A, north and south road crossing at. Sylacauga, crossing of Louisville & Nashville R. R. and Central of Georgia R. R. at.	33 09 01.5 33 09 23.8 33 09 33.2 33 09 51.0 33 09 45.1 33 09 54.0 33 10 04.7 33 10 05.5 33 10 06.3	86 24 19.0 86 23 33.2 86 22 23.5 86 21 55.4 86 20 53.2 86 18 56.2 86 18 56.2 86 17 53.9 86 16 53.2 86 15 49.4 86 15 01.9	Feet. 354 4,170 6,339 2,568 5,594 6,510 3,577 5,408 3,161 5,432 4,455

From Sylacauga south along highways to point near southeast corner of quadrangle, thence west along south border to Marble Valley and north to Talladega Springs, thence along Louisville & Nashville Railroad to tie at Fayetteville station.

Sylacauga, crossing of Louisville & Nashville R. R. and Central		!	1
of Georgia R. R.	33 10 25.0	86 15 01.9	1
T. 23 S., R. 18 E., corner sections at Sylacauga; iron hub.	33 10 02.7	86 15 03.4	2,253
Sylacauga, center of T road north, 1 mile south of, 15 feet east and	00 10 02.1	00 10 00.1	2,200
10 feet south to mail box.	33 09 18.9	86 15 09.1	4,457
Sylacauga, center of T road west, 2½ miles south of.	33 08 09.0	86 15 17.4	7,090
Sylacauga, 3 miles south of, in ledge of stone on north side of	00 00 00.0	00 10 11.1	1,000
Stewartsville-Sylacauga road, 0.2 mile south of Tanyard branch,			
18 feet from center of road; bronze tablet stamped "Prim. Trav.	,		
Sta. No. 11, 1914"	33 07 31.4	86 15, 15, 0	3,803
Stewartsville, northeast corner of store, at forks of road, 2 miles	00 01 02.1	00 10.10.0	0,000
north and 0.5 mile west of	33 06 26.5	86 15 33.0	6,742
Shelton Creek, center of bridge over	33 05 01.4	86 15 13.5	8,758
T. 24 S., R. 18 E., corner secs. 14, 15, 22, and 23	33 03 36.8	86 15 05.7	1
Mail box No. 39, at T road north	33 01 47.1	86 15 35.2	
Mail box No. 39, at T road north	33, 01, 23. 4	86, 16 13.9	4,072
Weogufka, center of crossroads, on top of hill, 1.3 miles east of	33 01 04.6	86 17 21.4	6,054
Weogufka, bridge at middle of Weogufka Creek, 0.5 mile east of	33 01 07.3	86 18 00.6	3,345
Weogufka, center of crossroads at	33 01 00.1	86 18 42.8	3,670
Weogufka, center of crossroads at. Tps. 24 and 25 S., Rs. 17 and 18 E., corner of, 20 feet south to black		Ì	1 '
oak tree	33 00 58.0	86 19 11.4	2,436
Weogufka, center of crossroads, 1.5 miles west and 0.5 mile south of.	33 00 33.0	86 20 12.6	5,791
Weogufka, 3 miles west of and 0.8 mile south of, in east chimney			
of W. T. Lesley's residence at Unity Church; bronze tablet		ļ	
_stamped "Prim. Trav. Sta. No. 13, 1914"	33 00 20.0	86 21 35.4	7,173
Frog poodle crossroads, center of	33 00 23.3	86 21 47.8	1,110
Weogufka, center of crossroads, 5 miles due west of		86 23 24.6	8,629
Forks of road at top of hill, dim road to southwest	33 01 04.0	86 24 20.3	4,992
Paint Creek, center of crossroad, 0.5 mile east of	33 02 07.6	86 25 08.0	7,643
Marble Valley, center of bridge over Paint Creek, 1.5 miles east and	00 00 14 0	00.07.00.0	
0.5 mile south of	33 02 14.0	86 25 33.3	2, 182
Marble Valley, in brick chimney of J. W. Morris's residence at;	20 00 40 0	00 07 01 0	7 001
bronze tablet stamped "Prim. Trav. Sta. No. 14, 1914"	33 02 40.2	86 27 01.8	7, 991
Marble Valley, center of T road east, 1.5 miles north of and 0.5 mile east of	33 04 01.2	00 00 24 0	0 400
Guide board, "Marble Valley 2 miles," forks of road at, 30 feet	33 04 01.2	86 26 34.9	8,499
south to guide board	33,04 39.2	86 26 18.1	4 102
Looney Mill, center of T road east at	33 05 24.9	86 26 13.0	4, 103 4, 643
Pickerwood Creek, center of bridge over		86 26 43.8	2,816
Talladega-Coosa county line, center of north-south road on		86 26 46.0	3,685
Talladega Springs, in concrete coping at spring house; bronze tab-	00 00 11.0	00 20 10.0	3,000
let stamped "Prim. Trav. Sta. No. 15, 1914"	33 06 56.6	86 26 34.4	4,674
Talladega Springs station, 1 mile northeast of, northeast and south-		00 20 01.1	1,011
west road crossing Louisville & Nashville R. R.	33 07 57.3	86 26 06.2	6,586
Fayetteville station, road crossing east and west, Louisville &	-5 5. 56		1 0,000
Nashville R. R., 0.75 mile southwest of	33 08 30.0	86 25 10.8	5,751
Station 171, tie point	33 08 46.56	86 24 19.08	4,709
,		1] -,

Magnetic declination for west half of north border of quadrangle, 2° 24′ E.; for north half of west border of quadrangle, 2° 31′ E.; for south half of west border of quadrangle, 2° 30′ E.; for south half of east border of quadrangle, 2° 57′ E.; for east half of south border of quadrangle, 3° 07′ E.; for west half of south border of quadrangle, 2° 34′ E.

GOOD WATER QUADRANGLE.

Near Stewartsville.

``	Stations.	Latitude.	Longitude.	Distance between stations.
bridge	ks of road at, 25 feet south to center of sma ter of forks of road, 1 mile south of niles south and 1 mile east of, on west edge anover road, about 800 feet northeast of forks at to blaze on east face of black gum tree, in ledge	33 04 40.3 33 03 51.6	86 14 50.6 86 14 52.2	Feet. 4,918
	e tablet stamped "Prim, Trav. Sta. No. 1	33 02 29.6	86 13 41.3	

NORTH CAROLINA.

PRIMARY TRAVERSE.

Belhaven, Bunyon, Jamesville, and Plymouth quadrangles.

BEAUFORT, MARTIN, AND WASHINGTON COUNTIES.

The following geographic positions on North American datum were determined in 1913 by George T. Hawkins. The line starts from Coast Survey triangulation station Cedar Grove and follows Norfolk Southern Railroad to triangulation station Range South. Circuits are looped from the main line and follow railroads and highways as indicated in the tabulated lists:

BELHAVEN QUADRANGLE.

Along Norfolk Southern Railroad.

· Chattan	T -424 - 1 -	7	Distance
Station.	Latitude.	Longitude.	between stations.
	0 1 11	o , ,,	Feet.
Milepost 15, railroad track opposite	35 44 54.4	76 38 01.7	
Wenona blind siding, head block Old Plymouth, road crossing near water tank	35 43 51.2	76 38 33.6	6,900
Old Plymouth, road crossing near water tank	35 43 05.0	76 38 56.9	5,050
Pike Road station, railroad track opposite	35 41 43.8 35 40 15.4	76 39 32.4 76 39 52.2	8,718
Old log railroad, crossing of	35 38 41.4	76 40 13.2	9,090 9,660
Milepost 7, Norfolk Southern R. R. crossing, drainage ditch 1,150	90 90 41.4	10 40 10.2	8,000
feet south of	35 38 03.5	76 40 21.7	3,900
Bishop, 10 feet east of railroad and 15 feet south of wagon road, 110	00 00 00.0	"" "" "	",""
feet north of railroad station and 60 feet west of old store, iron			i
post stamped "Prim. Trav. Sta. No. 3, 1913"	35 36 39.0	76 40 40.4	8,680
Wilkins station, road crossing 300 feet east of	35 36 27.3	76 42 01.3	6,780
Second-class road crossing, 70 feet southeast to gate	35 36 21.8 35 36 13.5	76 42 57.1 76 44 22.0	4,640
County road crossing, 50 feet northwest to crossing sign	35 35 13.5	76 39 40.3	7,061 a 8,650
Milepost 2, road crossing 1,800 feet southeast of, 15 feet south to	00 00 20.8	10 05 400	, 50,000
crossing sign	35 34 14.2	76 38 43.7	8,886
crossing sign. Belhaven, road crossing 1 mile west of.	35 33 07.6	76 38 16.4	7,110
Belhaven, in northwest corner of railway reservation northeast of			l
station, U. S. drainage bench mark iron post	35 32 24.1	76 37 25.4	6,090
Along highways.			
Belhaven crossing, Main and Haslin streets	35 32 24.5	76 37 24.2	110
Second-class crossroad, 20 feet northwest to 2 mail boxes	35 32 59.4	76 36 14.5	6,755
Three corners, 50 feet southwest to negro cabin, 260 feet southeast			
to old store	35 33 36.4	76 34 39.6	8,690
T road south, 10 feet north to N. W. Sadler's mail box	35 33 35.4 35 33 26.8	76 33 58.0 76 33 09.0	3,440
Leechville, 12 miles west of, at T road north, 14 feet west to J R.	30 33 20. S	10 00 09.0	4,144
Green's mail box, 45 feet southeast to northwest corner of cabin.		l	1
15 feet north to east and west road: iron post stamped "Prim"			
Trav. Sta. No. 5, 1913". Small wooden bridge, three corners at	35 33 53.7	76 32 04.9	5.946
Small wooden bridge, three corners at	35 34 29.1	76 32 04.7	3,580
14-inch pine, blazed on east and west; nail in each blaze	35 35 48.3	76 33 53.0	12,010
rorks of road, 20 feet east to sign, "Pungo 8 miles, Leechville 5 miles"	35 35 47.8	76 24 00 7	
miles"	35 36 12.1	76 34 02.7 76 34 40.5	800
Mr. Swindell's residence, well in front of Gate, road opposite Forks of road, dim road northeast	35 36 38.4	76 35 19.0	3,971 4,144
Forks of road, dim road northeast.	35 37 39.3		7,836
Forks of road, dim road southeast	35 37 57.0		2,305
Forks of road, dim road southeast			
miles"	35 38 01.0	76 36 44.5	853

BELHAVEN QUADRANGLE—Continued.

Along highways-Continued.

Station.	Latitude.	Longitude.	Distance between stations.
County road crossing drainage ditch Forks, second-class road west, 40 feet north to mail box, 150 feet southeast to 2-story frame house. Forks, second-class road at white race church Pungo post office, road opposite. T road north at white race schoolhouse.	35 40 35.8		Feet. 5,733 1,955 4,255 5,322 3,316
T road west, 150 feet northwest to 2-story house. County road crossing drainage ditch Wenona, 300 feet east of Norfolk Southern Ry. on north side of old Plymouth road, stamped "Prim. Trav. Sta. No. 6, 1913." 10 feet	35 41 58.0 35 42 40.9	76 38 07.1 76 38 33.2	6,400 4,840
north of center of road and 3 feet south of ditch	35 35 05.8 35 34 24.6	76 38 54.6 76 38 56.9 76 40 10.3 76 41 20.5 76 41 49.7 76 42 17.3	7,137 3,467
T road southeast, 20 feet north to sign, "Washington 23 miles, Pantego 5 miles". T road northwest, at old store. Yeatesville, three corners at, 40 feet north to store.		76 42 31.5	8, 142 2, 118 5, 904 4, 502
Yeatesville, on north side east and west road, 600 feet west of 3 corners, 60 feet northwest of Mr. Woolard's house, 40 feet northeast of small house; iron post stamped "Prim. Trav. Sta. No. 7, 1913".	35 31 42.3	76 44 33.7	636

BUNYON QUADRANGLE. Along Norfolk Southern Railroad.

Cedar Grove, on sandy point on north side of Pamplico River 1 mile southeast of Washington; it is the next point above Austin Point and 1 mile distant; 1½-inch iron pipe driven in the ground; the station is now about 10 feet from the shore line, in water near 3 feet deep; reference mark, cypress stump, 19.6 feet from station, at water's edge. River Road station, road crossing 35 Bunyon station, road crossing 500 feet south of. 35 Hall Swamp station, road crossing			
mile southeast of Washington; it is the next point above Austin Point and I mile distant; 14-inch iron pipe driven in the ground; the station is now about 10 feet from the shore line, in water near 3 feet deep; reference mark, cypress stump, 19-6 feet from station, at water's edge. River Road station, road crossing. Silumyon station, road crossing 500 feet south of. Alligoods station, road crossing. Slatestone station, road crossing. Walla Watta station, north-south road crossing at. Wilepost 117, railroad track opposite. South of. Pinetown, 54 feet northwest of the northwest corner of station, 30 feet north of northeast corner of frame house, 11 feet west of west rail of main line Norfolk Southern R. R. and 16 feet north of rail-way crossing; iron post stamped "Prim Trav. Sta. No. 1, 1913". Milepost 109, railway track opposite. Milepost 109, railway track opposite. Mizell station, road crossing at. Stevens station, road crossing at. Stevens station, road crossing drainage ditch at. Stevens station, road crossing at east end of.	titude.	Longitude.	Distance between stations.
Second-class road crossing, 150 feet south to white house, 30 feet north to county road	7 77 31 52 58 32 07 2 32 13 1 1 33 00 8 33 29 6 34 17 3 34 34 0 35 59 2 36 37 2 41 37 5 44 51 5 9 42 15 9 44 37 5 5 44 52 2 33 65 43 1 35 54 3 54 3 54 3 54 3 54 3 54 3	77 02 10. 99 76 59 16. 4 76 58 31. 2 76 57 09. 2 76 56 19. 6 76 54 10. 6 76 54 10. 6 76 52 26. 9 76 51 52. 3 76 51 31. 6 76 51 31. 6 76 50 28. 0 76 48 41. 4 76 45 55. 4 76 46 58. 3 76 48 11. 4 76 45 55. 4 76 46 58. 3 76 50 28. 0	## Feet. 14,500 3,786 8,320 5,030 4,193 9,280 5,575 3,870 13,970 8,737 8,690 5,100 6,300 5,231 6,550 5,747 7,288 5,953

BUNYON QUADRANGLE—Continued. Along highways.

Station.	Latitude.	Longitude.	Distance between stations.
T road south, signpost 20 feet southeast reads "Bath 5½ miles" T road north at old store, 100 feet northwest to two-story house. Three corners, on east bank of drainage ditch Crossroads, 200 feet southwest to large house 60 feet northeast to small house. Hunter's bridge, four corners Crossroads, 400 feet south to white schoolhouse, 20 feet southeast to signpost. Crossing of county road and narrow-gage railroad. On north side of east and west road, 60 feet west of T road north, 15 feet southeast to mail box, 300 feet north to two-story house; iron post stamped "Prim. Trav. Sta. No. 8, 1913". Three corners, 20 feet northwest to signpost "Plymouth road 3½ miles". Three corners, 100 feet north to 200 feet southeast to house. Second-class crossroad. County road crossing narrow-gage road. T road southwest, 30 feet south to old store. Bunyon station, road crossing 500 feet south of.	35 31 46.2 35 31 37.4 35 31 28.8 35 31 19.0 35 31 23.8 35 31 32.0 35 31 32.0 35 31 32.0 35 31 32.0 35 31 32.0 35 31 35.3 35 31 35.3	76 45 08.8 76 46 34.7 76 47 21.4 76 48 00.3 76 48 35.3 76 50 33.4 76 51 49.2 76 52 21.8 76 53 04.1 76 54 01.0 76 55 27.5 76 56 32.6 76 57 55.0 76 58 31.2	3,956 3,334 3,053

JAMESVILLE QUADRANGLE. Along Norfolk Southern Railroad, Hinson to Plymouth.

Station.	Latitude.	Longitude.	Distance between stations.
Hinson, 12 feet west of,west rail main line Norfolk Southern R. R., 20 feet south of station, 21 feet southwest of southwest corner of station, and 10 feet northeast of pine tree; iron post stamped "Prim. Trav. Sta. No. 2, 1913." Milepost 101, railroad track opposite. Milepost 100, railroad track opposite. Meno station, railroad track opposite. Mileposts 96 and 97, county road crossing between. Milepost 95, county road crossing, 700 feet northwest of. Plymouth, U. S. C. S. north meridian stone. Jones's value for north meridian stone (not adjusted to this value).	35 46 15.0 35 46 44.5 35 48 14.0 35 49 24.2 35 50 53.4 35 51 40.2	76 46 58.6 76 46 05.8 76 45 52.1 76 45 29.3 76 45 36.0	4,045 5,285 9,120 7,347 9,030 5,070

PLYMOUTH QUADRANGLE. Along Norfolk Southern Railroad.

Station				
Milepost 91, road crossing, 1,400 feet southwest of 35 51 56.8 76 43 37.6 Waters station, second-class road crossing 35 53 14.9 76 43 03.2 Waters station, second-class road crossing 35 54 02.9 76 40 42.3 County road crossing 35 54 02.9 76 40 42.3 County road crossing 35 54 02.9 76 39 26.7 County road crossing 35 54 02.9 76 39 26.7 County road crossing 35 54 02.9 76 39 26.7 County road crossing 35 54 02.9 76 39 26.7 County road crossing 35 54 02.9 76 37 46.7 County road crossing 35 54 02.9 76 37 46.7 County road crossing 35 54 02.9 County road crossing 200 feet southeast to church 35 55 09.8 County road crossing 35 54 02.9 County road crossing	Station.	Latitude.	Longitude.	between
	Waters station, second-class road crossing. Westover station, railway track opposite. County road crossing. Count R. R., on projected line of tangent from south on Belhaven branch. Range South, U. S. C. S. triangulation station at the south end of the Albemarle Sound bridge, Norfolk Southern R. R., between 2 tracks and 575 feet southwest of the end of the bridge; station mark, a small brass bolt in center of top of large block of cement 1 foot square on top, buried flush with ground. Mileposts 26 and 27, Belhaven branch Norfolk Southern R. R. Roper, main street crossing railway. Mileposts 23 and 24, second-class road crossing between, 300 feet east to negro cabin. Milepost 22, railroad track opposite. Milepost 20, railroad track opposite. Milepost 19, railroad track opposite. Milepost 19, railroad track opposite. Milepost 11, railroad track opposite. Milepost 11, railroad track opposite. Milepost 12, railroad track opposite. Milepost 17, railroad track opposite. Milepost 17, railroad track opposite.	35 51 56.8 35 53 14.9 35 54 02.9 35 54 28.9 35 55 09.8 35 55 42.6 35 55 42.6 35 56 19.20 35 53 54.6 35 52 40.0 35 51 43.2 35 50 36.1 35 48 56.3 35 48 08.2 35 47 19.7 36 43 1.4	76 43 37.6 76 43 03.2 76 40 42.3 76 39 26.7 76 37 46.7 76 36 58.9 76 36 14.05 76 36 55.5 76 36 17.8 76 35 36.6 76 35 36.6 76 35 36.6 76 36 48.8 76 36 48.8 76 36 49.2 76 36 49.2	11, 080 8, 234 6, 750 9, 205 5, 146 211, 160 7, 983 6, 522 7, 290 5, 213 5, 264 5, 200 5, 311 5, 280

Belhaven, Bunyon, and Plymouth quadrangles. BEAUFORT AND WASHINGTON COUNTIES.

Positions on approximate North American datum determined from notes of John L. Roper Lumber Co., Land Reclamation Department, which have common points with U. S. Geological Survey primary traverse line. Line follows highways from points on traverse line at Plymouth described in Bulletin 181 and is tied to traverse line at Acre. Line was run in 1913 and computed in 1915.

• PLYMOUTH QUADRANGLE.

Along highways near southwest border of quadrangle.

Station.	Latitude.	Longitude.	Distance between stations.
Plymouth, milepost 92. Plymouth, ½ mile south of; forks of road at cemetery. Plymouth, 1 mile south of; bench mark in 15-inch water oak. Plymouth, 1½ miles south of; bench mark in 20-inch poplar. Plymouth, 1½ miles south of; bench mark in 6-inch gum tree. Plymouth, 3 miles south of, bench mark in 8-inch oak tree. Plymouth, 4 miles south of; bench mark in 15-inch gum tree, near schoolhouse. Plymouth, 4½ miles south of; bench mark in 6-inch pine tree near Mr. Bateman's house. D. G. Darden's house, g mile south of; bench mark in 6-inch gum tree. D. G. Darden's house, i mile south of; bench mark in 6-inch gum tree. D. G. Darden's house, road southwest, 1 mile southwest of. Bench mark in 24-inch oak tree near house. County road crossing drainage ditch. Near where road crosses drainage ditch; bench mark in 15-inch pine tree. Schoolhouse, 650 feet north of; bench mark No. 404, in 24-inch oak tree.	35 50 57.4 35 50 31.6 35 49 49.2 35 49 23.6 35 47 57.9 35 47 42.3 35 46 49.7 35 46 19.4 35 46 06.0 35 45 47.6	76 44 24.7 76 44 12.2 76 44 06.9 76 44 04.1 76 43 23.9 76 43 25.6 76 43 27.3	2,500 3,110 4,414 2,623 4,320 5,472 1,580 1,554 4,120 3,290 1,536

BELHAVEN QUADRANGLE. Near northwest corner of quadrangle.

Station.	Latitude.	Longitude.	Distance between stations.
Plymouth, road crossing Hollis road; bench mark in 12-inch pine near Plymouth, road crossing drainage ditch at edge of woods U. S. B. M. "F 33," at edge of swamp U. S. B. M. "F 32," 500 feet northeast of L. G. Nange's house	35 44 05.7	76 44 30. 9 76 44 27. 9 76 44 36. 3 76 44 53. 0	Feet. 2,360 1,890 2,625

BUNYON QUADRANGLE. Along highways in east part of quadrangle.

Station.	Latitude.	Longitude.	Distance between stations.
Acre, county road crossing railway Acre, 1 mile north of three corners Acre, 2.5 miles northeast of; bench mark in 10-inch pine tree. D. L. Harris's house, U. S. B. M. 600 feet north of. B. T. Bowen's house, four corners, 100 feet southwest of. Milepost "To Plymouth 15 miles," 1,500 feet north of H. A. Bowen's house. J. T. Bownes's house, U. S. B. M. 600 feet northeast of. Milepost, "To Plymouth 14 miles" U. S. Harris's house, U. S. B. M. near Acre Chapel, U. S. B. M. near Acre Chapel, 50-inch oak 1.25 miles northeast of. G. L. Bowen, U. S. B. M. "F 31" near	35 37 44.7 1 35 38 11.2 35 39 15.0 35 40 11.2 35 40 30.6 35 40 58.0 35 41 06.0	76 48 18.6 76 47 45.3 76 47 17.7 76 47 04.1 76 46 47.4 76 46 41.0 76 46 18.9	2,795 7,014 6,120 2,265

Ayden and Kinston quadrangles.

GREENE AND LENGIR COUNTIES.

The following geographic positions on approximate North American datum were determined in 1913 by George T. Hawkins. The positions are based on the corrected value of Grainger station, published on page 146, Bulletin 181.

A circuit was completed by using the traverse line run by Oscar Jones in 1900 from Grainger station along Atlantic Coast Line Railroad to Kinston, thence along Norfolk Southern Railroad to road crossing 280 feet east of milepost 78, thence north along highways to Snow Hill by Hawkins in 1913, thence east along highways from Snow Hill to Ridge Springs by Sledge Tatum in 1902, thence south along highways to Grainger by Hawkins in 1913, the closure error of the circuit being 1.74" in latitude and 1.12" in longitude.

The positions of points along Jones line from Grainger to milepost 78 as published on pages 144-146, Bulletin 181, are changed but slightly.

The latitudes of points along Tatum's line from Snow Hill to Ridge Springs (p. 41, Bulletin 201) are increased 4.3" at Snow Hill and 2.8" at Ormondsville; the longitudes are changed but a few tenths of a second.

KINSTON QUADRANGLE.

Along railroads from Grainger to milepost 78.

			
Station.	Latitude.	Longitude.	Distance between stations.
Grainger, railway opposite telegraph window. Grainger, 6 feet south of post office, 27 feet east of center of highway, 126 feet east of north rail of Atlantic Coast Line R. R., iron post stamped "77 Raleigh, Prim. Trav. Sta. No. 11, 1913". Kinston, crossing of Atlantic Coast Line and Norfolk Southern railroads. Kinston, railway opposite telegraph window of Norfolk Southern R. R. station. Kinston, road crossing 3 miles west of. Falling Creek, railway opposite station. Milepost 78, road crossing 220 feet east of. Milepost 78, road crossing 280 feet east of, 15 feet northeast of, 13 feet of north rail and 2 feet northeast of crossing signpost; iron post stamped "Prim. Trav. Sta. No. 12, 1913"	0 / " 35 19 10.8 35 19 09.6 35 15 31.3 35 15 51.2 35 16 15.7 35 16 34.8 35 17 08.6	77 30 32.0 77 30 32.0 77 30 30.8 77 34 27.2 77 34 53.8 77 38 12.6 77 41 23.4 77 44 06.4	Feet. 148 29,530 2,990 16,670 15,940 13,940
Along highways.			
Three Corners, in front of large white house 60 feet north to artesian well, 30 feet north to hydraulic vane. Three Corners, 40 feet south to post oak between two roads Crossroads, 30 feet northeast to corner of wire fence. Institute, 7 maile north of, 30 feet southwest to crossroads, 110 feet northeast to southwest corner of two-story house, 20 feet east of north and south road and 15 feet north of east and west road; iron post stamped "Prim. Trav. Sta. No. 13, 1913" Three Corners, 30 feet southeast to mail box, 150 feet northeast to new house. Crossroads, 20 feet north to corner of wire fence, first-class roads north, south, and west, second-class road east	35 18 54.0 35 19 30.7 35 20 36.5 35 21 14.6 35 21 59.4 35 23 04.3 35 23 24.9	77 43 48.2 77 42 46.0 77 42 33.1 77 42 46.2 77 42 59.2 77 42 43.9 77 42 23.5	10,780 6,350 6,750 4,010 4,665 6,690 2,687
Arbor, T road west at, 30 feet northeast to store, 70 feet southwest to church	35 24 04.3		· ·

KINSTON QUADRANGLE-Continued.

Along highways-Continued.

Station.	Latitude.	Longitude.	Distance between stations.
Crossroads, 20 feet northeast to signpost "To Lug mill road 2 miles". Crossroads, 40 feet south to signpost "To Snow Hill 1 mile" Snow Hill, courthouse dome. Snow Hill, in wall at north side of entrance to county courthouse; aluminum tablet stamped "64 RALEIGH, Prim. Trav. Sta.	35 25 42.8 35 26 51.9 35 27 21.9		Feet. 10, 495 7, 012 6, 460
No. 14, 1913" Snow Hill, country road opposite entrance to courthouse. Snow Hill, 1.5 miles northeast of, road left. Snow Hill, 2 miles northeast of, road left. Snow Hill, 2.5 miles northeast of, road left. Dixonville post office. Dixonville, 1 mile east of, road right. Dixonville, 2 miles northeast of, road left.	35 28 48.9 35 28 56.9 35 28 51.6 35 28 18.3 35 28 25.6 35 29 07.6	77 40 13. 1 77 40 13. 4 77 38 51. 1 77 38 15. 4 77 36 35. 6 77 35 17. 9 77 35 05. 7 77 34 22. 0	
Road left. Ormondsville, crossroads at Ridge Springs, road right, 2 miles northwest of. Crossroads, near white church, 20 feet southwest to large oak Second-class road, fork to east. Grainger, 5 miles north of, 20 feet northeast of T road north, 18 feet east of north and south road, 20 feet north of east and west road, 6 feet east to Pine, iron post stamped	35 28 17. 1 35 27 55. 8 35 24 35. 9 35 23 51 8	77 32 45.3 77 31 00.8	
"Prim. Trav. Sta. No. 9, 1913". Three Corners, 30 feet south to mail box No. 48. T road east, 10 feet northeast to mail box No. 94. Old Church, three corners near, 60 feet north to southwest corner of graveyard. Grainger station.	35 21 19.4	77 30 13.1 77 30 42.3 77 30 14.6 77 30 13.9 77 30 32.0	4,975 6,840 4,710 5,583 7,550

Magnetic declination on east border of quadrangle, 3° 15′ W.; on west border, 3° 00′ W.

AYDEN QUADRANGLE.

Near Ridge Springs.

Station.	Latitude.	Longitude.	Distance between stations.
Ridge Springs, post office	35 27 25.3	% / // 77 29 18.9	Feet.
iron post stamped "Prim. Trav. Sta. No. 10, 1913". Ridge Springs, 2 miles south of; T road west, 20 feet northwest to 2 mail boxes, 150 feet northwest to large bell.	35 27 24.8 35 25 40.8	77 29 18.5 77 29 44.7	55 10,730