LOUISIANA.

PRIMARY TRAVERSE.

Blanchard, Bossier, Hosston, Keithville, and Plain Dealing quadrangles.

BOSSIER AND CADDO PARISHES.

The following geographic positions on approximate North American datum were determined in 1915 by F. W. Crisp, jr., topographer, and are based upon United States Army Corps of Engineers permanent bench mark 45, near Bossier, and a Coast and Geodetic Survey

bench mark 600 feet east of station at Greenwood.

Positions located in 1905 by Sledge Tatum, topographer, in the Blanchard quadrangle, published in Bulletin 310, have been readjusted and are included.

BLANCHARD QUADRANGLE.

North along highways and Texas & Pacific Railway from Shreveport to Belcher.

Station.	Latitude.	Longitude.	Distance between stations.
Shreveport, Market Street; center of bridge over bayou (outlet of Cross Lake). Shreveport, intersection of La Salle and Arkansas avenues; center of streets.	32 31 09.3 32 31 32.4	93 45 05.9 93 45 15.0	Feet. 2, 462
Shreveport, 2 miles north of, T road south; center of asphalt road Shreveport, 3 miles north of; crossing of Shreveport-Belcher asphalt road with railroad	32 32 03.4 32 32 49.6	93 45 45.9 93 46 17.5	, ,,,,,,
Shraveport, 3.8 miles north of, asphalt road crossing; center of track T road east, center of asphalt road at. T road 70 feet east of railroad Cash Point. 1 mile south of, road crossing; center of track.	32 33 18.7 32 34 00.0 32 34 56.2 32 35 57.5	93 46 11.8 93 46 03.9 93 46 19.5 93 46 14.1	4, 224 5, 833
Cash Point, crossing of road and railroad at. Cash Point, 1.1 miles north of, road crossing; center of track Pickett, 0.8 mile south of; crossing of asphalt road Pickett crossing, 170 feet southeast of north cattle guard, 25 feet southwest of south cattle guard. 20 feet northeast of fence corner	32 36 44.0	93 46 08.8 93 46 37.8 93 46 57.0	4,726 5,778 3,060
on right of way of Texas & Pacific Ry. and 120 feet southeast of sharp turn in levee on west bank of Red River; iron post stamped "Prim. Trav. Sta. No. 8, 1915"	32 38 32.2 32 38 54.9 32 39 23.7	93 47 20.6 93 47 50.2 93 48 34.2	3,723 3,422 4,750
Dixie, 2 miles south of, concrete culvert on Shreveport-Belcher road, top of east end; bronze tablet stamped "Prim. Trav. Sta. No. 9, 1915". Dixie, 0.25 mile south of, 50 feet west of railroad; crossroads Dixie station, 100 feet north of, road crossing; center of main	32 39 53.5 32 41 18.6	93 49 19.3 93 50 02.7 93 50 02.1	4, 895 9, 362
track Hayti crossing, 60 feet west of track; crossroads. Unl, 50 feet north of station, 60 feet west of track; T roads. Public road crossing, center of track at.	32 41 40.1 32 42 46.1 32 44 07.3 32 44 49.3	93 50 02.1 93 50 02.6 93 50 02.4 93 50 01.6	2, 180 6, 665 8, 205 4, 254

BLANCHARD QUADRANGLE—Continued. Along highways near north border of quadrangle from Belcher to Oil City.

Station.	Latitude.	Longitude.	Distance between stations.
Horseshoe Bayou, center of iron bridge over Dooley Bayou, wooden bridge; T road north at west end of T road north; center of intersection. Fence corner, center of road at. Crossroads, center of. Wooden bridge over bayou, 90 feet west of center of; T road north. Crossroads, center of. Stumpy Bayou, T roads in east side of; center of triangle at intersection. Black Bayou; east ferry landing. Crossroads, in woods northeast of oil well. Oil weil, 150 feet southeast of, crossroads and telephone line; center of crossing. Pipe line, second-class road crossing at. Railroad spur track to Arkansas Gas Co.'s plant, center of road crossing on. Oil City station, 0.5 mile south of, crossing of highway and Kansas City Southern Ry.; center of main track.	32 44 47. 4 32 44 47. 1 32 44 46. 0 32 44 45. 4 32 44 45. 0 32 44 45. 0 32 43 52. 0	93 53 10.5 93 53 32.2 93 53 48.6 93 54 29.7 93 54 35.2	Feet. 3, 832 5, 467 1, 347 5, 499 1, 850 1, 410 3, 510 5, 368 2, 280 6, 361 2, 482 2, 070 4, 992 3, 731

Along Kansas City Southern Railway and highways in western part of quadrangle from Oil City via Morningsport to Greenwood.

Milepost 538, 180 feet north of, road crossing; center of track at	32 42 47.8	93 57 36, 2	8, 819
Road crossing, center of track at	32 42 34.4	93 57 31.7	1,410
Ferry Lake, north side of, Southwestern Gas & Electric Co.'s			-,
nower station: road crossing	32 42 21.7	93 57 30.3	1,279
Mooringsport, 100 feet north of station; road crossing	32 41 38.8	93 57 27.0	4,345
Mooringsport, 100 feet north of station; road crossing		ì	,
center of main track	32 41 16.1	93 57 27.0	2,297
Old St. Lee Church, 100 feet southeast of, at crossroads, General	·		,
Land Office, section corner on township line between Tps. 19 [
and 20 N., R. 16 W., probably secs. 1, 2, 35, and 36; iron post stamped "Prim. Trav. Sta. No. 4, 1915"		ŀ	
stamped "Prim. Trav. Sta. No. 4, 1915"	32 40 37.1	93 57 53.3	4,539
T road east: center of intersection	32 40 06.0	93 58 24.9	4, 143
Wooden bridge over bayou, center of	32 39 52, 2	93 58 49.4	2,526
Wooden bridge; center of	32 39 21.2	93 59 18.7	4,009
Wooden bridge; center of	32 39 19.0	93 59 31.1	1,084
Road forks in pine woods.	32 38 44.1	93 58 52.8	4, 816 634
Road forks in pine woods	32 38 38.6	83 58 49.1	
T road east; center of intersection		93 58 50.5	2, 442
Troad southwest, center of main road at		93 58 51.2	1,216
Crossroads, second-class road east-west	32 37 06.8	93 58 58.3	5,658
T road west to Robert Cushman's place, in triangle at intersection			•
of; iron post stamped "Prim. Trav. Sta. No. 5, 1915"	32 36 30.8	93 58 54.5	3,657
Mount Zion Church, 150 feet north of; T road east	32 35 50.9	93 58 48.4	4,066
Mount Zion Church, 0.5 mile south of; crossroads	32 35 21,4	93 58 58.8	3, 110
T road east	32 34 54.8	93 58 54.0	2,716
T road east	32 34 40.6	93 58 51.9	1,450
T road east	32 34 28.2	93 58 39.6	1,638
Private road east	32 34 05.0	93 58 36.0	2,356
Longwood schoolhouse, 0.5 mile south of, in southwest corner of			•
crossroads; iron post stamped "Prim. Trav. Sta. No. 6, 1915" Sojourner post office, 200 feet south of; center of crossroads	32 33 35.2	93 58 37.8	3,018
Sojourner post office, 200 feet south of; center of crossroads	32 32 44.0	93 58 20.9	5,366
T road east	32 32 16.2	93 58 21.0	2, 815
Crossroads, center of	32 31 50.2	93 58 22.9	2,638
T road east	32 31 30, 2	93 58 25.1	2,025
Wooden bridge 200 feet southeast of sawmill, center of	32 31 10.8	93 58 24.7	1,964
Star Light Church, center of road opposite	32 30 38.2	93 58 14.9	3,403
		<u> </u>	

Magnetic declination near north border of quadrangle, 7° 34′ E.; near west border, 8° 12′ E.; along Texas & Pacific Ry., in eastern part, 7° 21′ E.

The following geographic positions in the Blanchard quadrangle, originally published in Bulletin 310, were determined in 1905 by Sledge Tatum. They have been readjusted to fit lines run by F. W. Crisp in 1915.

Along Kansas & Texas Railway near Shreveport.

and an analysis of a court area way area.	. DELOVOPOL.		
Station.	Latitude.	Longitude.	Distance between stations.
Shreveport, near Kansas City Southern Ry. crossing	32 29 34.9 32 29 57.6	93 45 36. 2 93 47 16. 6	
Along Kansas City Southern Railway	near Ananias	•	
Road crossing. Milepost 552, road crossing. Milepost 550. Milepost 549, road crossing 500 feet north of Blanchard, 1,900 feet north of, 35 feet west of track, at south side of wagon-road crossing; iron post stamped "Prim. Trav. Sta, No.	32 32.35.8 32 33 46.7 32 34 25.0	93 49 04.6 93 50 43.6 93 52 11.6 93 52 59.1	
184" station mark. Road crossing. Milepost 544, road crossing. Milepost 542. Mooringsport, 1 mile south of, 36 feet east of track, 340 feet north of road crossing; iron post stamped "Prim. Trav. Sta. No. 213,"	32 35 13.0 32 37 04.7 32 38 06.2 32 39 22.3	93 53 42.8 93 54 45.8 93 55 31.9 93 56 54.1	
station mark. Mooringsport, 100 feet north of station, road crossing. Caddo flag station, road crossing, 30 feet west of track, south of road; iron post stamped "Prim. Trav. Sta. No. 259," station mark. Ananias flag station, road crossing.	32 40 40.4 32 41 38.8 32 45 28.0 32 44 39.1	93 57 14.7 93 57 27.0 93 58 25.3 93 58 14.3	

Positions of the following triangulation stations were taken from blue prints furnished October 20, 1914, by the office of the United States Army Corps of Engineers at Dallas, Tex. They were given on an assumed position for Shreveport courthouse, but from connection made by United States Geological Survey primary traverse in 1915 from bench mark 45, near Shreveport, with Shreveport courthouse a correction of 45.73" has been added to latitudes and 56.92" added to longitudes to reduce them to approximate North American datum. No descriptions of triangulation points are available, but each is marked by a 3-inch galvanized-iron post set in concrete.

	Latitude.	Longitude.	Eleva- tion.
Shreveport courthouse East base West base Noel New Mouth T. S. & N Grindstone Albany Point Albany Flats Howel Gum Springs Cottonwood	32 32 23. 67 32 32 07. 23 32 33 44. 66 32 33 53. 82 32 35 18. 11 32 35 55. 85 32 36 45. 89 32 38 07. 25 32 37 27. 24 32 38 24. 97	93 44 56. 92 93 44 22. 52 93 45 39. 35 93 46 14. 32 93 45 41. 10 93 46 14. 95 93 48 06. 91 93 49 49. 81 93 50 25. 04 93 50 40. 85 93 52 04. 54 93 51 58. 84	Feet. 173. 752 174. 253 210. 818 176. 537 177. 650 212. 680 225. 230 167. 887 221. 858 172. 875 170. 162

BOSSIER QUADRANGLE.

From bench mark 45 along Vicksburg, Shreveport & Pacific and St. Louis Southwestern railways to Alden Bridge.

Station.	Latitude.	Longitude.	Distance between stations.
P. b. m. 45, northwest base of 1892, on west side of levee about 15 feet south of northeast and southwest wagon road on south side of track, b. m. is 840 feet east of Bossier end Vicksburg, Shreveport & Pacific Ry. bridge and 113 feet southeast from railroad; a cottonwood tree in front of W. H. Barbour's house bears S. 32° W. 126 feet, the northeast corner of garden lot of W. H. Barbour's house bears S. 53° the 156 feet. Troad north, center of. Road and railroad crossing, center of track at. Shreveport, 1 mile east of, 120 feet southwest of railroad crossing; forks of macadamized roads. St. Louis Southwestarn and Vicksburg, Shreveport & Pacific railways; center of crossing of. East-west road crossing; center of main track at. Road crossing; center of track at. Honore, road crossing at; center of track. Plantation road crossing, center of track at. Vanceville, 200 feet northwest of station, 85 feet west of center of track, 63 feet east of northeast corner of base of brick chimney in the northeast corner of yard of J. P. McCain; iron post stamped "Prim. Trav. Sta. No. 1, 1915". Macadam road; center of crossroads on. Trestle No. 79, 80 feet northwest of; center of crossroads. Willow Chute station, 0.8 mile south of, crossroads; center of macadam road. Benton station, 1 mile south of, 100 feet east of railroad; center of crossroads. Benton station, 100 feet south of; center of track opposite gate.	32 32 16.9 32 33 26.4 32 34 20.3 32 35 39.3 32 36 57.8 32 37 41.4 32 39 12.1 32 39 58.6 32 41 02.0 32 41 55.1		Feet. 2,710 1,347 1,900 2,627 3,531 2,196 7,207 5,452 7,987 3,484 4,728 4,580 9,341 4,720 6,442 5,511 14,760
Along streets in Shrevepon	rt.		
Marshall and Crockett streets, center of intersection of	32 30 42.1 32 30 45.7 32 30 49.7	93 44 50.6 93 44 56.9 93 44 57.7	660

Magnetic declination along railroad near west border of quadrangle, 8° 15' E.

HOSSTON QUADRANGLE.

Along highways near south border of quadrangle.

Station.	Latitude.	Longitude.	Distance between stations.
Swans Ferry, 1 mile east of; center of crossroads		93 45 39.8 93 46 10.0 93 47 16.4	Feet. 2, 786 5, 746
Telephone line, east side of bayou; center of road at crossing Belcher station, 40 feet south of, 47 feet east of main track of railroad, in southeast corner of station yard; iron post stamped "Prim. Trav. Sta. No. 3, 1915"	32 46 40.7 32 45 10.8	93 49 34.1 93 50 02.1	5, 746 12, 778 9, 391

KEITHVILLE QUADRANGLE.

Along highways near northwest corner of quadrangle.

Station.	Latitude.	Longitude,	Distance between stations.
Lanes east and west, center of main road at. Greenwood, 3 miles north of, T road north, 15 feet south of, intersection; iron post stamped "Prim. Trav. Sta. No. 7, 1915". T road east, center of intersection of. T road west, center of intersection of. Cross Creek, center of wooden bridge over. Greenwood, 600 feet east of station, in concrete abutment; C. & G. S. bench-mark tablet.	32 28 38.7 32 28 18.8	93 58 13.5 93 58 13.0 93 58 42.8 93 58 52.2 93 58 55.9 93 58 18.2	Feet. 4, 405 4, 282 2, 168 1, 148 8, 316

PLAIN DEALING QUADRANGLE.

Along St. Louis Southwestern Railway and highways near southwest corner of quadrangle.

Station.	Latitude.	Longitude,	Distance between stations.
Crossing of abandoned railroad, center of St. Louis Southwestern track at. Alden Bridge, about 400 feet northwest of station, in yard of aban-	° ′ ′′ 32 45 40.2	° ', ',' 93 43 17.4	Feet.
doned house, on east-west fence line 90 feet from corner; U.S.C.E. bench-mark post. Alden Bridge, 1,000 feet northwest of station, 155 feet southwest of ralinoad crossing opposite sawmill, in northeast corner of yard of	32 46 26.5	93 43 06.2	4,782
vacant house; iron post stamped "Prim. Trav. Sta. No. 2, 1914". Alden Bridge, 1 mile northwest of, T roads on east-west road; cen-	32 46 32.9	93 43 02.8	704
ter of intersection	32 47 25.4	93 43 11.1	5,354
T road north; center of intersection.	32 47 24.9	93 44 21.4	6,000
White church, three corners at	32 47 24.4	93 44 50.1	2,448



MISSISSIPPI.

PRIMARY TRAVERSE.

Bovina, Vicksburg, Yokena, and Milliken Bend quadrangles.

WARREN COUNTY.

The following geographic positions were determined by primary traverse and are based on United States Army Corps of Engineers position of courthouse at Vicksburg and bench mark 192 and on United States Geological Survey position of Bovina station and an overhead crossing 3 miles west of same determined in 1902–3, published in Bulletin 216. All positions are on approximate North American datum. This work was done by J. R. Ellis in 1914.

BOVINA QUADRANGLE.

Along highways near west border of quadrangle.

Station.	Latitude.	Longitude.	Distance between stations.
Bovina, 3 miles north and 1 mile west of center of crossroads Bovina, about 2 miles northwest of, opposite front-yard gate at	32 23 31.3	90 45 00.0	Feet.
white house; center of road	32 22 27.2	90 44 26.0	7,099
iron bench-mark post stamped "Prim. Trav. Sta. No. 5, 1914". Bovina station, center of track opposite	32 21 44.0 32 21 06.0	90 43 44.7 90 44 04.0	5,628 4,179

VICKSBURG QUADRANGLE. Along highways near east border of quadrangle.

Station.	Latitude.	Longitude.	Distance between stations.
Redwood, 15 feet north and 15 feet west of center of crossroads, at southeast corner of blacksmith shop; iron bench mark post stamped "Prim Trav. Sta. No. 4, 1914". Redwood, about 1 mile east of, center of bridge over Skilleteliah Creek, near old sawmill. Redwood, 1 mile south and 1½ miles east of, forks of road, about 40 feet south to hackberry tree. Redwood, 2 miles south and 1.6 miles east of, dim road to northeast. Villa Nova post office, center of T road northeast, 25 feet southeast to guide board. Villa Nova post office, about 0.8 mile southwest of, just south of old church, center of forks of road. Villa Nova post office, about 1.4 miles southwest of, at forks of road at Mr. Tucker's residence, 30 feet north to "V" point in angle of forks. Villa Nova post office, 1½ miles south and 1½ miles east of, center of T road south, 10 feet west to center of \(\triangle \). Newman triangulation station, 1.50 miles west of, overhead road crossing of Alabama & Vicksburg R. R. Overhead road crossing Alabama & Vicksburg R. R., center of T road north, center of small bridge at. T road north, center of small bridge at. T road west, center of triangle at.	32 19 05.5 32 18 18.0 32 18 14.8	90 48 20.6 90 47 18.6 90 46 50.8 90 46 41.6 90 46 50.2 90 46 50.2 90 46 54.2 90 46 53.8 90 46 53.8 90 46 53.8 90 46 53.8 90 46 58.8 90 46 58.8 90 47 55.6 90 47 55.0	Fect. 5, 381 4, 639 5, 703 5, 511 4, 101 3, 317 8, 305 1, 511 7, 106 4, 824 6, 084 4, 357 4, 237

VICKSBURG QUADRANGLE—Continued.

Along highways near south border of quadrangle.

Station.

Distance between stations.

Longitude.

Latitude.

	1		
	0 / //	• / //	Feet.
Asbury Church, about 1.5 miles north of, center of forks of road Asbury Church, 0.50 mile north of, 10 feet north and 10 feet east of center of T road west; iron bench mark post stamped "Prim. Trav. Sta. No. 2, 1914". T. 15 N., R. 6 W., corner sees. 20, 21, 28, and 29; iron gas pipe Antioch Church, 1 mile northeast of, T road north. Grange Hall, forks of road at grid nort on earth side of triangle.	32 16 13.7	90 48 50.5	6, 425
Trav. Sta. No. 2, 1914".	32 15 12.0	90 48 37.7	6,337
1. 15 N., R. 6 W., corner secs. 20, 21, 28, and 29; iron gas pipe	32 15 02.4	90 49 24.5 90 49 58.3	4, 139
Grange Hall forks of road at guide post on south side of triangle	32 15 08.7 32 15 25.8	90 49 58.3	2,973
Grange Hall, forks of road at guide post on south side of triangle Intersection of Vicksburg, Fishers Ferry, and Warrenton roads,	02 10 20.0	50 02 10.0	
center of triangle at T road north Mail box 30, center of T road south at Cedar station, east and west road crossing at	32 15 34.3	90 53 07.6	4,338
Mail box 30, center of T road south at	32 15 25.6	90 53 42.1	3,094
Cedar station, east and west road crossing at	32 15 20.5	90 55 30.9	
From Vicksburg to Redwood along Yazoo & Mis	ssissippi Valle	y Railroad.	
Milanost 990 just south of road grossing aget and west	32 16 18.7	90 55 11.9	6 100
Milepost 229, just south of; road crossing east and west	32 16 49.9	90 55 03.1	3 240
Stout station, road crossing at	32 18 01.7	90 53 56.3	6, 102 3, 240 9, 243
Trestle No. L 222–77, creek southwest	32 18 41.2	90 53 41.2	4, 199
Water works, overhead crossing near	32 19 22.6	90 53 41.4	4, 179
Milepost 230, 0.5 mile south of, road crossing east and west. Stout station, road crossing at. Trestle No. L 222-77, creek southwest. Water works, overhead crossing near Overhead crossing of Queen & Crescent Route R. R. at Yazoo & Mississing Vallay B. R	00.00.07.0	00 50 05 0	
Mississippi Valley R. R. Vicksburg, cupola of Warren County courthouse, U. S. Corps of	32 20 07.0	90 53 27.9	4,636
Engineers triangulation point	32 21 07.21	90 52 42.66	7,212
Engineer's triangulation point Vicksburg station, 1 mile north of, road crossing	39 21 54 6	90 52 31.1	4,887
Vicksburg station, 2 miles north of, 25 feet north of wagon road, 20 feet west of railroad track, at Anderson & Tully Co.'s mill; iron bench mark post stamped "Prim. Trav. Sta. No. 3, 1914"	3 3 3	*	[
feet west of railroad track, at Anderson & Tully Co.'s mill; iron			
bench mark post stamped "Prim. Trav. Sta. No. 3, 1914"	32 22 50.8	90 52 04.1	6,142
Vicksburg, 3 miles north of, private road crossing	32 23 29.6 32 24 03.1	90 51 36.6 90 51 12.7	4,568 3,956
Kings station, 1.25 miles northeast of, private road crossing at	32 24 03.1	90 31 12.7	3,930
anation house	32 24 50.6	90 50 21.2	6,519
Milepost 241, 660 feet north of, private road crossing	32 25 29.0	90 49 39.4	6,519 5,279
Blakely station, 0.60 mile southwest of, private road crossing	32 26 26.0	90 49 14.4	6,147
Section noise. Section 1605 feet north of, private road crossing. Blakely station, 0.60 mile southwest of, private road crossing. Blakely station, private road crossing at Blakely station, 1 mile northeast of, road crossing.	32 26 56.8 32 27 48.1	90 49 07.6 90 48 51.3	3, 159 5, 367
	01 2, 20, 2		1 .,,,,,
Along highways to point near northwest co	rner of quadi	rangle.	,
Guide posts at forks of road	32 23 12.9	90 52 24.3	
Chickasaw Bayou, north end of bridge over, at forks of road	32 24 07.0	90 53 00.1	6,276
sweets rerry, 2 miles south and 0.30 mile east of, center of cross	22 24 50 2	90 53 15.2	1 200
roads Sweets Ferry, about 1 mile southwest of, T road northeast	32 24 50.3 32 25 53.7	90 53 43.8	4,55°
Sweets Ferry, 500 feet east of south landing at, and 10 feet north of	02 20 00.1	00 00 40.0	0,00
Sweets Ferry, 500 feet east of south landing at, and 10 feet north of road, U.S. Corps of Engineers bench mark	32 26 46.7	90 53 32.1	5, 45
Sweets Ferry, 220 feet north of north landing at, on north bank			,
of Yazoo River; iron bench-mark post stamped "Prim. Trav.			
Sweets Ferry, 220 feet north of north landing at, on north bank of Yazoo River; iron bench-mark post stamped "Prim. Trav. Sta. No. 6, 1914". Sweets Ferry, 1.2 miles southwest of, on south side of road, in north side of elm tree; cross cut. Sweets Ferry, about 2 miles west of, 150 feet west of slough, on south side of road in north free of one poller tree; cross cut.	32 26 58.9	90 53 39.3	1,378
Sweets Ferry, 1.2 miles southwest of, on south side of road, in north	20 00 45 0	90 54 48.5	6.00
Sweets Ferry about 2 miles west of 150 feet west of slough on south	32 26 45.0	90 04 46.0	6,094
side of road, in north face of poplar tree; cross cut	32 27 10.8	90 55 39.7	5, 100
Sweets Ferry, about 3 miles west of, on south side of road, just east			l . `
of turn in road, in north face of large cottonwood tree; cross cut	32 27 06.4	90 56 36.4	4,876
White oak tree, south side of road; cross cut	32 27 08.0	90 57 43.7	5,768
At east end of graded road, 35 feet south and 20 feet east to hickory	20 07 11 0	00 57 50 0	795
snag (Issaquena-Warren county line)	32 27 11.2 32 26 57.8	90 57 52.2 90 58 24.9	3,11
Holping Landing. 4 mile northwest of Sam Brown's cotton gin at	02 20 01.0	00 00 22.9	, 110
at forks of road, 25 feet north and 15 feet east of 30-inch pecan		ł	
West end of gate at south side of timber Holpina Landing, 4 mile northwest of Sam Brown's cotton gin at, at forks of road, 25 feet north and 15 feet east of 30-inch pecan tree; iron bench-mark post stamped "Prim. Trav. Sta. No. 7,	1		
1914"	32 27 44.3	90 59 52.9	8,88
	<u> </u>	1	

Magnetic declination for south border of quadrangle, 5° 57′ E.; east border, 6° 02′ E.; north border, 6° 12′ E.; center, 6° 10′ E.

MISSISSIPPI.

MILLIKEN BEND QUADRANGLE.

. Station.	Latitude.	Longitude.	Distance between stations.
Mississippi River Commission bench mark $\frac{102}{9}$	。, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	90 01 43.70	Fcet. 9,581

YOKENA QUADRANGLE.

Along highways near north border of quadrangle.

Station.	Latitude.	Longitude.	Distance between stations.
Cedars station, 0.5 mile south of, 20 feet north to center of T road north; from bench-mark post stamped "Prim. Trav. Sta. No. 1, 1914". Antioch Church, forks of road at	32 14 48.6 32 14 46.7	° ' '' 90 55 35.3 90 50 56.5	Feet.

Magnetic declination for north border of quadrangle, 5° 57′ E.

Doloroso, McNair, and Natchez quadrangles.

ADAMS AND JEFFERSON COUNTIES.

The following geographic positions, on approximate North American datum, were determined in 1914 by J. R. Ellis. Two circuits were run based on position of Catholic Church spire at Natchez, a Mississippi River Commission triangulation station.

DOLOROSO QUADRANGLE.

Along highways near north border of quadrangle.

Station.	Latitude.	Longitude.	Distance between stations.
Road forks, center of Natchez, about 6 miles southeast of; 20 feet north and 20 feet east of center of forks, on east side of the Natchez-Kinston road near	° ′ ′′ 31 29 42.8	91 21 37.1	Feet.
second-class road east at Alexander Turner's mail box; iron post stamped "Prim. Trav. Sta. No. 9, 1914"	31 29 19.7	91 21 57.0	2,905

Magnetic declination near north border of quadrangle, 6° 21' E.

McNAIR QUADRANGLE.

Along highways near west border of quadrangle.

Station.	Latitude.	Longitude.	Distance between stations.
	0 / //	0 1 11	Feet.
T road west, center of Church Hill post office, 40 feet north and 15 feet west of center of forks, at north end of old store; fron post stamped "Prim. Tray.	31 42 09.1	91 14 59.4	
Sta. No. 12, 1914"	31 42 56.9	91 14 17.0	6,064
ing; center of T road southwest.	31 41 43.9	91 13 39.4	8,054
Church Hill post office, about 2 miles southeast of; T road east Church Hill post office, about 3 miles southeast of; center of road	31 41 20.0	91 13 23.1	2,796
at driveway to white frame church	31 40 43.4	91 14 00.4	4,906
at drivoway to white frame church. Stanton, 2.9 miles northeast of; center of forks. Stanton, 1.1 miles northeast of; Jefferson-Adams county line;	31 39 24.2	91 13 44.8	8,122
wagon axle on west side of road	31 37 51.9	91 14 0 5.4	9,492
triangle. Station, 35 feet north and 35 feet west of private road crossing at; and at northeast corner of J. N. Carpenter's barn;	31 37 40.0	91 14 08.0	1,224
iron post stamped "Prim. Trav. Sta. No. 13, 1914"	31 36 56.7	91 14 24.2	4,597

Magnetic declination for west border of quadrangle, 6° 28' E.

NATCHEZ QUADRANGLE.

Along Yazoo & Mississippi Valley Railroad.

Station.	Latitude.	Longitude.	Distance between stations.
Natchez, Catholic Church spire, cross on	° ' '' 31 33 30.5	° ′ ′′ 91 24 04.25	Feet.
plant Mississippi Packing Plant, north-south road crossing at. Mississippi Packing Plant, 1.2 miles northeast of; about 0.6 mile north of M. P. 95 J.; private road crossing.	31 33 28.6 31 33 55.4	91 23 08.4 91 22 13.7	4,836 5,450
north of M. P. 95 J.; private road crossing. Private road crossing.	31 34 49.8 31 35 26.8	91 21 34.2 91 21 07.4	6,470 4,398 4,167 3,961 5,710 4,970
Private road crossing M. P. 93 J., 0.25 mile east of; road crossing. Foster station, north-south road crossing at.	31 35 47.5 31 36 03.3	91 20 25.8 91 19 43.8	4,167 3,961
M. P. J. 90, 305 feet east of bridge over branch south	31 36 14.4 31 36 09.9	91 18 39.0 91 17 41.8	5,710 4,970
Selma station, road crossing at. Selma station, 1.2 miles northeast of; 0.23 mile east of M. P. J. 88; private road crossing.	31 36 03.6 31 36 23.8	91 16 42.8 91 15 33.9	5, 141 6, 299
F	01 00 20.0		0,200
Along highways.			
Selma station, 1.30 miles south of; T road east	31 34 59.6	91 17 06.1	11,662
tree Washington, 0.4 mile south of; road southwest to poor farm Washington, 0.85 mile south of; center of steel bridge over creek	31 34 44.2 31 34 23.0	91 17 52.9 91 17 52.5	4,333 2,149
Washington, 1.8 miles southeast of, and about 0.7 mile east of	31 34 02.3	91 18 04.4	2,333
Washington station; road crossing Mississippi Central R. R Washington, about 3.10 miles southeast of; center of forks	31 33 16.5 31 32 33.1	91 17 45.1 91 16 46.9	4,918 6,676
Washington, about 4 miles south of; road north; 10 feet west to sumac sapling. Jeannette, about 3 miles northwest of, and about 1 mile east of	31 31 49.5	91 17 05.0	4,677
Zion Watch Church, in triangle at road fork; iron post stamped "Prim, Trav, Sta, No. 8, 1914".	31 30 36.8 31 30 45.4	91 16 56.3 91 17 43.7	7,385
Zion Watch Church, center of cross roads at	31 30 56.8	91 18 54.8	4, 195 6, 263
of gate. Highland Negro Church, 0.25 mile northeast of; center of triangle	31 30 29.8	91 19 19.8	3,476
St. Catherines Creek bridge, 1.60 miles southe ast of: road south	31 30 12.1 31 30 03.2	91 20 19.1 91 22 12.5	5,442
St. Catherines Creek, just southeast of steel bridge over; 15 feet north of west end of small bridge; T road south. MississippiCentral R. R. crossing of Natchez; Kingston road under	31 30 59.9 31 32 25.3	91 23 27.1 91 23 47.2	8, 626 8, 807
T road east, center of	31 35 02.9	91 21 59.1	
grass triangle at fork in road.	31 36 07.0 31 37 13.1	91 21 57.4	6,477
T road east, center of. Jenkins's store, 150 feet south of; 20 feet southwest of south end of grass triangle at fork in road. Jenkins's store, 1.3 miles north of; T road west Pine Ridge schoolhouse, in northwest corner of grounds of; iron post stamped "Prim. Trav. Sta. No. 10, 1914".	31 37 48.5	91 21 53.6 91 20 53.2	6,69 2 6,331
Pine Ridge schoolhouse, 1.1 miles northeast of; 20 feet north and 35 feet east of northeast corner of store porch; forks.	31 38 44.0	91 20 39.5	5,730
Pine Ridge schoolhouse, 2 miles north of center of gate	31 39 07.9 31 40 31.8	91 21 29.1 91 22 13.2	4,918 9,293
Anna post office, south side of crossroads at; iron post stamped "Prim. Trav. Sta. No. 11, 1914".	31 41 48.8	91 21 06.2	9,706
Anna post office, about 1 mile southeast of; dim road southwest	31 41 14.1	91 20 22.3	5,162
Anna post office, about 1.85 miles southeast of; 30 feet north and 20 feet east of mail box near schoolhouse; crossroads	31 40 50.9	91 19 38.3	4,470
Anna post oince, about 2.55 lines southeast of, center of triangle of road just south of gate	31 41 33.5	91 19 04.0	5,227
Fairchild Creek, Southeast corner of approach to south end of bridge over. Mr. Minjee's residence, 0.25 mile southeast of; 45 feet north of small	31 41 28.9	91 17 30.3	8,114
bridge; forks of road	31 41 17.9	91 15 48.8	8,840

Magnetic declination for north part of north half of quadrangle, 6° 24′ E.; for center, north and south, 6° 19′ E.; for east border, 6° 28′ E.; for south border, 6° 21′ E.