#### TEXAS.

#### TRIANGULATION STATIONS.

Archer City, Eschite, Henrietta, and Walker quadrangles.

ARCHER, CLAY, AND WICHITA COUNTIES.

Late in the season of 1914 J. R. Ellis extended triangulation west from United States Coast and Geodetic Survey stations Cube and Myers on North American datum. Eighteen new stations were occupied and 14 points were located by intersections.

#### ARCHER CITY COURTHOUSE, ARCHER COUNTY, TEX. (Not occupied.)

Sighted from two stations only. Station mark: Center of cupola.

[Latitude 33° 35′ 42.34″. Longitude 98° 37′ 29.84″.]

o station—	Azimuth.	Back azimuth.	Distance.
Schrader Eskridge.	95 06 27 210 22 59	0 / // 15 08 28 30 27 26	Log. meters. 4.33196 13.345 15.234

#### BLUFF, NEAR ARCHER-WICHITA COUNTY LINE, TEX.

On a prominent hill on land owned by Rosa Nitschke, located about 1.2 miles south of the Wichita Falls-Holliday wagon road and about 9 miles southwest of Wichita Falls.

Signal: A 15-foot upright carrying cross arms to which black cloth targets were attached. Signal is 2.2 feet southwest of station mark.

Station mark: A standard iron post projecting 8 inches above surface of ground, under which a small flat stone, with cross cut on one side, was buried.

[Latitude 33° 50′ 24.37". Longitude 98° 38′ 23.28".]

To station—	Azimuth.	Back azimuth.	Distan	ce.
Holliday, Methodist Episcopal Church spire	62 52 40.67 89 22 43 96 42 46.37 126 27 45.16 169 53 24 185 54 39.24	° ' '' 237 32 24 242 48 08.57 269 19 04 276 33 49.03 306 20 54.15 349 52 37 5 55 22.37 65 13 21.06 132 46 00.28	Log. meters. 3. 75913 4. 1502967 4. 00504 4. 3973160 4. 3714888 4. 09058 4. 2844554 4. 1877978 3. 9773246	Miles. 3. 569 8. 783 6. 286 15. 512 14. 616 7. 655 11 962 9. 575 5. 898

#### BURKBURNETT SCHOOLHOUSE, WICHITA COUNTY, TEX. (Not occupied.)

Sighted from two points only. Station mark: Center of cupola.

[Latitude 34° 05' 38.20". Longitude 98° 34' 07.16".]

To station—	Azimuth.	Back azimuth.	Distan	ce.
Lindsey	27 00 11 315 21 52	0 / // 206 58 31 135 25 37	Log. meters. 4.00468 4.16728	Miles. 6. 281 9. 133

#### BYERS OIL DERRICK, NORTHEAST OF PEROLIA, CLAY COUNTY, TEX. (Not occupied.)

Sighted from two stations only.

Station mark: Center of derrick.

[Latitude 34° 01' 35.06". Longitude 98° 11' 42.38".]

To station—	Azimuth.	Back azimuth.	· Distance.
Petrolia. Lone oil derrick near Petrolia.	59 27 42 73 40 05	0 / " 239 26 38 253 38 00	Log. meters. 3. 53413 2. 126 3. 77803 3. 727

#### CUBE, GLAY COUNTY, TEX.

A station of the Coast and Geodetic Survey 9.5 miles south and 2.5 miles west of Henrietta, 3 miles east and 1.5 miles south of Hernville, near southeast corner of a tract of land designated as "Abstract No. 307, Montague County School Land Survey No. E," on land of M. Cueba, on highest part of hill between house and barn.

Azimuth and distances to points are as follows: To reference mark, in southeast corner of Cueba's land, a tile pipe filled with cement and 60-penny nail in top is 333° 16′ 39″, 223.174 meters; to east end of ridge of barn 21° 42′ 07″, 47.66 meters; to southwest corner of stone of chimney of house 236° 21′ 30″, 52.46 meters

Station mark is two tile pipes set one above the other, filled with cement and 60-penny nails in tops, top of pipe even with ground.

[Latitude 33° 55′ 37.314". Longitude 98° 07′ 12.930".]

To station—	Azimuth.	Back azimuth.	Distan	ce.
Henrietta. Jolly Maupin Water tank at pump station Petrolia Monument Benton Blue	81 59 13.72 84 04 06 120 37 28 133 17 28.51 208 35 35.42 229 22 00.48	0 / // 209 29 41.63 261 51 33.31 264 00 48 300 34 07 313 13 53.80 28 42 29.71 49 29 49.40 111 11 33.48	Log. meters. 4. 1510695 4. 3306312 3. 96248 4. 02996 4. 1318464 4. 5969291 4. 4520790 4. 5925657	Miles. 8.799 13.304 5.700 6.657 8.418

#### DUNDEE, ARCHER COUNTY, TEX.

On land owned by Mr. E. E. Griffin, on a small red gravel butte about half a mile east of large stone school building at Dundee. Station is a little nearer east end of butte. Signal: A 15-foot upright, carrying black cloth targets, 2 feet southeast of station

mark.

Station mark: A standard iron post projecting 1 foot above surface.

#### [Latitude 33° 44' 41.71". Longitude 98° 53' 35.02".]

To station—	Azimuth.	Back azimuth.	Distan	ce.
Hamilton. Fowlkes Lone oil derrick. Riggs	238 55 17	354 13 20.87 10 24 09.74 58 58 18 69 21 34.67	Log. meters. 4.1307126 4.3966652 3.99132 4.0655070	Miles. 8.396 15.489 6.091 7.225

### DUNDEE, LONE TREE ON HILL NORTHEAST OF, WICHITA COUNTY, TEX. (Not occupied.)

[Latitude 33° 50′ 20.64″. Longitude 98° 44′ 56.72″.]

To station—	Azimuth.	Back azimuth.	Distan	ce.
Riggs Fowlkes Bluff	21 12 02 147 57 02 269 19 04	201 11 09 327 53 45 89 22 43	Log. meters. 3. 83231 4. 22045 4. 00504	Miles. 4, 223 10, 323 6, 286

#### ELECTRA, WICHITA COUNTY, TEX.

Situated on a high knob in the east part of Electra.

Signal: A 16-foot upright, carrying black cloth targets, 2.6 feet west of station mark. Station mark: A standard iron post projecting 9 inches above surface, under which was buried a square-headed iron bolt  $\frac{3}{4}$  inch in diameter by 9 inches in length.

#### [Latitude 34° 02' 15.14". Longitude 98° 54' 21.13".]

To station—	Azimuth.	Back azimuth.	Distan	ce.
Hamilton Electra elevator Tank in oil derrick New oil derrick Sunshine Lone oil derrick Fowlkes	58 11 26 76 33 40 162 30 48 255 12 51.48 268 48 22	0 / // 180 31 15.78 238 10 56 236 32 56 342 30 29 75 16 31.67 88 49 30 144 28 40.60	Log. meters. 4. 2790717 3. 20988 3. 31325 3. 46821 4. 0182932 3. 49744 3. 9892544	Miles. 11. 815 1. 007 1. 278 1. 826 6. 481 1. 953 6. 062

#### ELECTRA ELEVATOR, WICHITA COUNTY, TEX. (Not occupied.)

Station mark: Center of elevator.

[Latitude 34° 01′ 47.40". Longitude 98° 55′ 14.84".]

To station—	Azimuth.	Back azimuth.	Distan	ce.
Electra Fowlkes. Hamilton.	238 10 56 315 07 06 356 11 51	58 11 26 135 09 40 176 12 20	Log. meters. 3. 20988 3. 99971 4. 26004	Miles. 1. 007 6. 209 11. 308

### ELECTRA, NEW OIL DERRICK NORTHWEST OF, WICHITA COUNTY, TEX. (Not occupied.)

Sighted from two points only. Station mark: Center of derrick.

[Latitude 34° 03' 46.12". Longitude 98° 54' 55.57".]

To station—	Azimuth.	Back azimuth.	Distance.	
Electra	% / //	0 / //	Log. meters.	Miles.
	342 30 29	162 30 48	3. 46821	1. 826

### ELECTRA, TANK IN OIL DERRICK NORTHWEST OF, WICHITA COUNTY, TEX. (Not occupied.)

Sighted from two stations only Station mark: Center of tank.

[Latitude 34° 01' 59.62". Longitude 98° 55' 39.12".]

To station—	Azimuth.	Back azimuth.	Distan	ce.
Electra	0 / // 256 32 56	76 33 40	Log. meters. 3.31325	Miles. 1. 278

#### ELECTRA, LONE OIL DERRICK EAST OF, WICHITA COUNTY, TEX. (Not occupied.)

Sighted from two points only.

Station mark: Center of derrick.

[Latitude 34° 02′ 17.26″. Longitude 98° 52′ 18.60″.]

To station—	Azimuth.	Back azimuth.	Distan	ce.
Electra	88 49 30	0 / // 268 48 22	Log. meters. 3.49744	Miles. 1. 953

#### ESKRIDGE, ARCHER COUNTY, TEX.

On farm owned by Mrs. W. M. Fuller, about 8 miles south of Wichita Falls, about 4 miles south and 3.5 miles west of the northeast corner of Archer County. The southeast corner of residence occupied by Mr. Eskridge bears northwest from the station 185.1 feet.

Signal: A 16-foot upright, with black cloth targets tacked to cross-arms. Signal is 2.8 feet south and 10° W. of station mark.

Station mark: A stamped iron post projecting 8 inches above surface of ground, under which a round brown bottle was buried.

[Latitude 33° 47′ 08.56″. Longitude 98° 29′ 27.86″.]

To station	Azimuth.	Back azimuth.	Distance.	
Archer City courthouse	86 34 33, 54 181 01 49, 72	210 22 59 266 32 06. 51 1 01 54. 59 46 00 56. 47 106 02 14. 97	Log. meters. 4, 38947 3, 8334791 4, 0970216 4, 2606983 4, 2507210	Miles. 15. 234 4. 235 7. 769 11. 325 11. 068

#### FOWLKES, WICHITA COUNTY, TEX.

On a high ridge about 2.5 miles south of Fowlkes station.

Signal: A 15-foot upright, carrying black cloth targets, 2.9 feet north of station mark.

Station mark: A standard iron post projecting 9 inches above surface.

[Latitude 33° 57′ 57. 49". Longitude 98° 50′ 40. 16".]

To station—	Azimuth.	Back azimuth.	Distance.	
Dundee. Hamilton. Electra elevator Electra. Sunshine. Lindsey. Iowa Park elevator. Bluff. Lone tree on hill. Riggs.	27 51 33.88 135 09 40 144 28 40.60 202 38 07.12 255 59 38.00 276 11 28 306 20 54.15 327 53 45	90 7 7 190 22 32 32 207 49 26 82 315 07 06 324 26 37 03 22 39 43 50 76 07 13 13 96 17 32 126 27 45 16 147 57 02 162 41 06 87	Log. meters. 4, 3966652 4, 0977662 3, 99971 3, 9892544 4, 0599447 4, 3330507 4, 22679 4, 3714888 4, 22045 4, 3300916	Miles. 15. 489 7. 782 6. 209 6. 062 7. 133 13. 378 10. 475 14. 616 10. 323 13. 287

#### FRIBERG CHURCH, CLAY COUNTY, TEX.

About 7 miles northeast of Wichita Falls. Theodolite was mounted in church beliry and observations taken during a high wind.

Signal: Center of Friberg Church spire.

Station mark: Center of Friberg Church spire.

[Latitude 33° 59′ 58.55". Longitude 98° 27′ 24.74".]

To station—	Azimuth.	Back azimuth.	Distan	ce.
Wichita Lindsey. Sullivan Burkburnett schoolhouse. Petrolia. Jolly.	126 03 03.04 135 25 37 266 36 23.80	0 / " 194 39 23.45 275 32 09.18 305 57 39.55 315 21 52 86 44 06.61 138 06 39.15	Log. meters. 4. 0644730 4. 1757277 4. 2628997 4. 16728 4. 3277977 4. 1720189	Milcs. 7, 208 9, 313 11, 383 9, 133 13, 217 9, 234

### GLASS FACTORY, WATER TANK, WICHITA COUNTY, TEX. (Not occupied; position not checked.)

On high wooden tower at glass factory southwest of Wichita Falls. Station mark: Center of water tank.

[Latitude 33° 52′ 50.62″. Longitude 98° 32′ 08.37″.]

To station—	Azimuth.	Back azimuth.	Distance	Э.
Schrader	13 43 23 245 42 11	. 193 42 25 65 48 45	Log. meters. 4. 05191 3. 67865	Miles. 7. 003 2. 965

#### HAMILTON, WICHITA COUNTY, TEX.

On a sharp rocky hill on the divide between the forks of Wichita River. On land owned by Mr. Hamilton about half a mile south of his residence.

Signal: A 15-foot upright carrying black cloth targets S. 21° 27′ W. of and 2.2 feet distant from station mark.

Station mark: A bronze tablet set in top of a large bowlder which projects 8 inches above surface.

[Latitude 33° 51′ 58.04". Longitude 98° 54′ 27.87".]

To station—	Azimuth.	Back azimuth.	Distan	ce.
Electra elevator. Electra. Fowlkes. Bluff. Riggs. Dundee.	276 33 49.03	356 11 51 0 31 19 75 27 51 33 88 96 42 46 37 127 23 55 40 174 13 50 27	Log. meters. 4. 26004 4. 2790717 4. 0977662 4. 3973160 4. 1871801 4. 1307126	Miles. 11. 308 11. 815 7. 782 15. 512 9. 562 8. 396

#### HENRIETTA, CLAY COUNTY, TEX.

Signal and station mark: Center of cupola on courthouse.

[Latitude 33° 48′ 57.36". Longitude 98° 11′ 44.36".]

To station—	Azimuth.	Back azimuth.	Distan	ce.
Myers. Edwards. Jolly. Lone oil derrick. Maupin. Petrolia. Cube.	169 17 30 172 22 00.53	0 / // 192 53 10. 25 231 05 35. 59 303 09 18. 63 345 12 18 349 16 43 35? 20 57. 57 29 32 12. 91	Log. meters. 4, 3328974 4, 1191,566 4, 2307367 4, 35022 4, 06340 4, 3384627 4, 1510695	Miles. 13. 374 8. 175 10. 570 13. 918 7. 190 13. 546 8. 799

#### HOLLIDAY M. E. CHURCH SPIRE, ARCHER COUNTY, TEX. (Not occupied.)

Station mark: Center of church spire.

[Latitude 33° 48′ 44.36". Longitude 98° 41′ 31.75".]

To station—	Azimuth.	Back azimuth.	Distanc	е.
Riggs. Bluff. Schrader.	66 27 46 237 32 24 285 50 19	246 24 58 57 34 09 105 54 35	Log. meters. 3. 92595 3. 75913 4. 08948	Miles. 5. 240 3. 569 7. 635

#### IOWA PARK ELEVATOR, WICHITA COUNTY, TEX. (Not occupied.)

[Latitude 33° 56′ 58.00″. Longitude 98° 39′ 47.50″.]

To station—	Azimuth.	Back azimuth.	Distan	ce.
Fowlkes. Lindsey. Bluff.	96 17 32 210 32 51 349 52 37	0 / // 276 11 28 30 34 27 169 53 24	Log. meters. 4. 22679 3. 91132 4. 09058	Miles. 10. 475 5. 066 7. 655

#### JOLLY, CLAY COUNTY, TEX.

On land owned by J. T. White, 2.2 miles due north of Jolly post office. Mr. White's residence is on a prominent hill, and the station is 10 feet north and 4 feet west of his windmill and just west of the residence. Instrument elevated 20 feet.

Signal: Center of steel windmill tower in garden; 10.4 feet distance from signal to station mark.

Station mark: An iron post set in Mr. White's garden 10 feet north and 4 feet west of windmill and well. A round quart bottle was buried under bench-mark post.

[Latitude 33° 53' 59.67". Longitude 98° 20' 58.12".]

To station—	Azimuth.	Back azimuth.	Distance.	
Eskridge. Wichita. Friberg. Lone oil derrick. Petrolia. Maupin. Cube. Henrietta. Edwards.	89 18 11. 01 138 06 39. 15 214 33 33 222 36 35. 71 260 18 07 261 51 33. 31 303 09 18. 63	0 / "/ 225 56 12.58 269 13 31.59 318 03 03.24 34 36 38 42 40 41.98 80 22 29 81 59 13.72 123 14 27.15 167 10 42.26	Log. meters. 4. 2606983 4. 1096878 4. 1720189 4. 17585 4. 2230102 4. 08810 4. 3306312 4. 2307367 4. 2558103	Miles. 11, 325 7, 999 9, 234 9, 315 10, 384 7, 611 13, 304 10, 570 11, 199

#### DUNDEE OIL DERRICK, ARCHER COUNTY, TEX. (Not occupied.)

Lone oil derrick 6 miles northeast of Dundee. Sighted from two points only. Station mark: Center of derrick.

[Latitude 33° 47′ 25.82″. Longitude 98° 48′ 08.69″.]

To station—	Azimuth.	Back azimuth.	Distan	ce.
Dundee	58 58 18 290 58 16		Log. meters. 3. 99132 3. 42439	Miles. 6. 091 1. 651

#### EDWARDS, CLAY COUNTY, TEX.

On land owned by Dr. A. B. Edwards on the east side of the Henrietta-Halsell wagon road, about 3 miles northeast of Halsell station and three-quarters of a mile southwest of the road crossing of the Southwestern Railway at a spur. Perpendicular distance from center of wagon road southeast to station is 208 feet.

Signal: A 12-foot tripod covered on three sides with white cloth and centered over station mark.

Station mark: A stamped iron post set in center of small mound in pasture, under which a small sandstone, with cross cut on one face, was buried.

[Latitude 33° 44' 29.33". Longitude 98° 18' 22.46".]

To station—	Azimuth.	Back azimuth.	Distan	ce.
Eskridge	231 05 35.59	347.09 15.62	Log. meters. 4. 2507210 4. 2558103 4. 1191566 4. 1410935	Miles. 11. 068 11. 199 8. 175 8. 599

#### LINDSEY, WICHITA COUNTY, TEX.

In Mr. Joseph Lindsey's orchard, 7 miles south and 2 miles west of Burkburnett station, is about 2 feet west of the east garden fence and due west of the northwest corner of Mr. Lindsey's residence.

Signal: A 15-foot upright carrying black cloth targets, 2.5 feet northwest of station mark.

Station mark: A standard iron post projecting 9 inches above surface.

[Latitude 34° 00' 45.86". Longitude 98° 37' 06.02".]

To station—	Azimuth.	Back azimuth.	Distan	ce.
Bluff. Iowa Park elevator. Willard oil derrick Fowlkes. Sunshine. Sullivan. Burkburnett schoolhouse. Friberg. Wichita.	30 34 34 75 07 01 76 07 13.13 108 13 47.15 180 33 09.39 206 58 31 275 32 09.18	0 / // 185 54 39.24 210 33 08 255 03 36 255 59 38.00 288 07 47.90 0 33 11.35 27 00 11 95 37 34.28 136 38 30.73	Log. meters. 4. 2844554 3. 91132 3. 98848 4. 3330507 4. 2387939 3. 9690418 4. 00468 4. 1757277 4. 2418001	Miles. 11. 962 5. 066 6. 051 13. 378 10. 768 5. 786 6. 281 9. 313 10. 843

#### MAUPIN, CLAY COUNTY, TEX. (Not occupied.)

Petrolia, 6.5 miles south of, at southeast corner of  $\mathsf{T}$  road south on Petrolia–Henrietta road.

Signal and station mark: A pole nailed to corner fence post.

[Latitude 33° 55′ 06.40". Longitude 98° 13′ 08.08".]

To station—	Azimuth. Back azimuth.		Distance	ce.
Jolly Petrolia Cube Henrietta.	80 22 29 175 49 40 264 00 48 349 16 43	260 18 07 355 49 24 84 04 06 169 17 30	Log. meters. 4,08810 4,01131 3,96248 4,06340	Miles. 7. 611 6. 378 5. 700 7. 190

#### MYERS, CLAY COUNTY, TEX.

A Coast Survey station 14 miles S. 12° 30′ W. of Henrietta, 3.5 miles S. 8° W. of Blue Grove, between Henrietta and Antelope road to northwest and Henrietta and Jacksboro road to east, on wooded ridge, S. 76° W., 413 meters of W. H. Myers's house, and N. 7° 35′ E., 185 meters of broken rocky bluff at end of hill, about 140 meters northeast of highest part of hill, on land known as Carleton Thompson survey, owned by W. H. Myers. Azimuths and distances to points are: Reference mark, in center of a rocky break, 28 meters south of north end of central promontory, is a hole ½ inch in diameter, by 3 inches deep circumscribed by an equilateral triangle (one point directed to station), 10 inches on a side, deeply cut in top surface of a prominent rock and filled with concrete; azimuth, 8° 17′ 57.2″, 156.174 meters; to west gable of Myers's house, 256° 55′, 413 meters.

Station mark: A hole 6 inches deep, 6 inches in diameter, filled with concrete with a spike in it; above this are 2 tile pipes filled with cement, and 6-penny nails in tops, top of top pipe even with ground, and both incased in concrete.

[Latitude 33° 37′ 36.423". Longitude 98° 14′ 50.995".]

To station—	Azimuth.	Back azimuth.	Distance.
Edwards. Lone oil derrick. Henrietta. Cube. Blue.	192 53 10.25	358 43 38 12 54 53.86	Log. meters. 4. 1410935 8. 599 4. 62990 26. 500 4. 3328974 13. 374 4. 5480950 4. 7164528

#### PETROLIA, CLAY COUNTY, TEX.

Flagstaff on center of cupola to Petrolia high school. Instrument was set in school-house belfry.

Signal and station mark: Flagstaff on Petrolia high school.

[Latitude 34° 00' 38.64". Longitude 98° 13' 37.21".]

To station—	Azimuth.	Back azimuth.	Distan	ce.
Jolly Friberg Lone oil derrick Byers oil well Cube Water tank at pumping station. Henrietta. Maupin.	86 44 06.61 91 01 57 239 26 38 313 13 53.80 350 26 34 352 20 57.57	0 / " 222 36 35, 71 266 36 23, 80 271 00 56 59 27 42 133 17 28, 51 170 26 48 172 22 00, 53 175 49 40	Log. meters. 4. 2230102 4. 3277977 3. 44875 3. 53413 4. 1318464 - 3. 58938 4. 3384627 4. 01131	Miles. 10, 384 13, 217 1, 746 2, 126 8, 418 2, 414 13, 546 6, 378

### PETROLIA, WATER TANK AT PUMPING STATION NEAR, CLAY COUNTY, TEX. (Not occupied.)

[Latitude 33° 58' 34.30". Longitude 98° 13' 12.10".]

· To station—	Azimuth.	Back azimuth.	Distance.
Petrolia. Cube.	0 / // 170 26 48 300 34 07	350 26 34 120 37 28	Log. meters. 3. 58938 2. 414 4. 02996 6. 657

#### PETROLIA, LONE OIL DERRICK WEST OF, CLAY COUNTY, TEX. (Not occupied.)

Station mark: Center of derrick.

[Latitude 34° 00′ 40.26". Longitude 98° 15′ 26.70".]

To station—	Azimuth.	Back azimuth.	Distan	ce.
Jolly Byers oil derrick Petrolia. Henrietta.	34 36 38 253 38 00 271 00 56 345 12 18	0 / // 214 33 33 73 40 05 91 01 57 165 14 26	Log. meters. 4.17585 3.77803 3.44875 4.35022	Miles. 9. 315 3. 727 1. 746 13. 918

#### RIGGS, ARCHER COUNTY, TEX.

On the highest part of a ridge of land owned by Mr. H. C. Riggs, about 1 mile east of Mankins station.

Signal: A 15-foot upright carrying black cloth targets, 2.5 feet southeast of station mark.

Station mark: A standard iron post projecting 9 inches above surface, under which a flat conglomerate stone 6 inches in diameter was buried.

[Latitude 33° 46′ 54.95". Longitude 98° 46′ 32.28".]

To station—	Azimuth.	Back azimuth.	Distan	co.
Dundee Lone oil derrick. Hamilton. Fowlkes. Tree on hill. Bluff. Holliday Methodist Episcopal Church. Schrader.	127 23 55.40 162 41 06.87 201 11 09 242 48 08.57 246 24 58	0 / // 249 17 39. 72 290 58 16 307 19 30. 66 342 38 48. 71 21 12 02 62 52 40. 67 66 27 46 90 01 44. 70	Log. meters. 4. 0655070 3. 42439 4. 1871801 4. 3300916 3. 83231 4. 1502967 3. 92595 4. 2912176	Miles. 7, 225 1, 651 9, 562 13, 287 4, 223 8, 783 5, 240 12, 150

#### SCHRADER, ARCHER COUNTY, TEX.

On the highest part of a bare hill on John Schrader's farm, about 1.75 miles northwest of Hoff station and about 0.7 mile north of Schrader's residence.

Signal: A 16-foot upright carrying cross arms, to which black cloth targets were attached. Signal is 2.4 feet southwest of station mark.

Station mark: A standard iron post projecting 9 inches above surface of ground, under which a small bottle was buried.

[Latitude 33° 46′ 55, 27". Longitude 98° 33′ 52, 28".]

To station—	Azimuth.	Back azimuth.	Distance.	
Archer City courthouse	90 01 44.70 105 54 35 132 46 00.28 193 42 25 208 31 30.96	0 / " 195 06 27 269 54 42.12 285 50 19 312 43 29.48 13 43 23 28 34 03.08 86 34 33.54	Log. meters. 4. 33196 4. 2912176 4. 08948 3. 9773246 4. 05191 4. 1672407 3. 8334791	Miles. 13. 345 12. 150 7. 635 5. 898 7. 003 9. 133 4. 235

#### SULLIVAN, WICHITA COUNTY, TEX.

On Mr. J. Sullivan's farm 2 miles southwest of Burkburnett and just north of the Burkburnett-Electra wagon road. Station is about 600 feet west of Mr. Sullivan's residence.

Signal: A 15-foot upright carrying black cloth targets, 2.5 feet southwest of station mark.

Station mark: A standard iron post projecting 9 inches above surface.

[Latitude 34° 05′ 48.07". Longitude 98° 37′ 02.52".]

To station—	Azimuth. Back azimuth.		Distan	ce.
Lindsey Sunshine. Grandview water tower. Devol water tower Friberg.	76 46 21.14 156 26 35 193 49 03	80 33 09.39 256 40 19.54 336 24 19 13 49 59 126 03 03.04	Log. meters. 3.9690418 4.2304723 4.18972 4.03186 4.2628997	Miles. 5. 786 10. 564 9. 618 6. 687 11. 383

#### SUNSHINE, WICHITA COUNTY, TEX.

At southeast corner of Sunshine school yard, on a prominent hill. Station is just north of the Burkburnett-Electra wagon road, about 8 miles northeast of Electra and about 12 miles southwest of Burkburnett, 21 feet east and 18 feet north to corner of school fence.

Signal: A 15-foot upright carrying black cloth targets.

Station mark: A standard iron post projecting 9 inches above surface, under which a brickbat was buried.

[Latitude 34° 03' 41.36". Longitude 98° 47' 47.87".]

To station—	Azimuth.	Back azimuth.	Distan	ce.
Fowlkes Electra Grandview water tower Devol water tower Sullivan Lindsey Willard oil derrick	209 43 25 233 01 48 256 40 19.54 288 07 47.90	0 / " 202 38 07. 12 255 12 51. 48 29 47 12 53 08 44 76 46 21. 14 108 13 47. 15 138 17 07	Log. meters. 4.0599447 4.0182932 4.31886 4.37840 4.2304723 4.2387939 4.02546	Miles. 7. 133 6. 481 12. 948 14. 851 10. 564 10. 768 6. 589

#### WICHITA FALLS ELEVATOR, WICHITA COUNTY, TEX.

Situated in the city of Wichita Falls, on top of the Kemp and Kell concrete grain elevator.

Signal: An upright carrying targets of black cloth, which was centered over the station mark.

Station mark: Center of the iron tubing for supporting flagstaff on top of elevator.

[Latitude 33° 53′ 54.31". Longitude 98° 29′ 19.11".]

To station—	Azimuth.	Back azimuth.	Distan	ce.
Eskridge	28 34 03.08 65 43 45 65 13 21.06 136 38 30.73	0 , , , , , , , , , , , , , , , , , , ,	Log. meters. 4, 0970216 4, 1672407 3, 67865 4, 1877978 4, 2418001 4, 0644730 4, 1096878	Miles. 7. 769 9. 133 2. 965 9. 575 10. 843 7. 208 7. 999

#### WILLARDS OIL DERRICK, WICHITA COUNTY, TEX. (Not occupied.)

Sighted from two stations only.

Station mark: Center of derrick.

[Latitude 33° 59' 24.53". Longitude 98° 43' 12.72".]

To station—	Azimuth.	Back azimuth.	Distan	ce.
SunshineLindsey	0 / // 138 17 07 255 03 36	318 14 33 75 07 01	Log. meters. 4.02546 3.98848	Miles. 6. 589 6. 051

#### PRIMARY TRAVERSE.

#### Dallas quadrangle.

#### DALLAS AND WAXAHATCHIE COUNTIES.

The following geographic positions on approximate North American datum were determined by primary traverse in 1915 by E. L. McNair. They are based on Trinity River traverse of the United States Corps of Engineers.

DALLAS QUADRANGLE.

Along river bottoms on south side of Trinity River.

Station.	Latitude.	Longitude.	Distance between stations.
Crabtree Ferry, about 2 miles below, by road, 500 feet north of a cabin, 10 feet west of river bank and between it and roadway, telephone line passes nearly over bench mark; an iron post 15 inches long set in concrete monument, 4 feet long. It is not as yet marked with elevation or number.  Crabtree Ferry, 2.30 miles below, about 400 feet southeast of negro cabin, at right angle in road and telephone line; in concrete monument 4 feet long and 1 foot square, an iron post 15 inches	° ', ',' 32 32 34, 52	96 31 45.13	Feet.
long. No number or elevation marked on post.  South side of road and telephone line on root of oak tree (tack in)	32 32 32.15	96 31 50, 29	888
notch. Is station No. 108 of "Trinity River Traverse" of 1912 T road corners, in notch on root of oak tree. Is station No. 107 of	32 32 24.40	96 32 05.97	1,552
"Trinity River Traverse" of 1912	32 32 20.14	96 32 15.49	919

DALLAS QUADRANGLE—Continued.

Along river bottoms on south side of Trinity River—Continued.

Station.	Latitude.	Longitude.	Distance between stations.
River bank, 70 feet southwest of, 50 feet southwest of level T. B. M. on hackberry tree, near road and telephone line in (tack) a notch	. , ,,		
cut in root of elm tree. Is station 106 of Trinity River Traverse of 1912.  T. b. m. No. 1 close to edge of woods in wire fence line azimuth of	32 32 30.63	96 32 38.00	Feet. 2, 200
which is 60° and 240°; an elm tree, blazed, scribed, and painted black. "U. S. B. M. No. 1." nail in root of	32 32 36.95	96 33 04,47	2,354
T.b. m. No. 2, at corner of clearing and edge of woods in wire fence azimuth of which is 60° and 240°; in root of hackberry tree, blazed, scribed, and painted black, "U. S. B. M. No. 2," nail T. b. m. No. 3, 30 feet south of road in edge of timber clearing on west; in root of Bois d'Arctree blazed, scribed, and painted black	32 32 37.26	96 33 37.39	2,817
"U. S. B. M. No. 3," nail T. b. m. No. 4, 300 feet east of bridge across Tenmile Creek, just	32 32 42.50	96 34 00.57	2,055
south of road; in root of elm tree blazed, scribed, and painted black "U.S. B. M. No. 4," nail. T. b. m. No. 21, 20 feet south of the Ferris and Crabtree Ferry road, near west side of Trinity River bottom land, 15 feet west	32 32 30.15	96 34 26.44	2,542
of a neignforhood road, running south, steet south of corner post of wire fence and 2 feet east of fence; an iron post stamped "Prim. Trav. Sta. No. 21, 1915" T. b. M. No. 5, in edge of woods, 50 feet north of levee which runs	32 32 17.80	96 34 51.85	2,508
60° and 240° in azimuth, between open field and woods; in root of hackberry tree blazed, scribed, and painted black, "U.S. B.M. No. 5," nail P. b. m. No. 22, on straight road leading to river, between the Ferris-Crabtree Ferry road and road to Lock No. 4, at foot of	32 32 37.13	96 35 21.82	3, 223
hill near edge of bottom, on north side of road, I foot from wire fence and south 54° west and 50 feet distance from a large leaning pecan tree marked with three back; iron post stamped "Prim.			
Trav. Sta. No. 22, 1915"	32 32 40.99	96 35 56.22	2,970
M. No. 6".  T. b. m. No. 7, 0.25 mile northeast from foot hills, on north side of road leading straight northeast from foot hills to Lock No. 4: in	32 33 07.62	96 36 02.97	2,751
root of pecan tree standing alone; tree is blazed, scribed, and painted black, "U. S. B. M. No. 7," nail. P. b. m. No. 23, about 0.75 mile below public road bridge over Ten Mile Creek and about 500 feet north of creek, 20 feet west and 10	32 33 30.01	96 36 20.23	2,702
feet south of corner of house of W. E. Nix, on point of hill be- tween Trinity River and Tenmile Creek bottoms; iron post stamped "Prim. Trav. Sta. No. 23, 1915". T. b. m. No. 8, 1,200 feet northwest of a small graveyard, and at about the edge of foothills and bottom land; in root of large cot-	32 33 55.48	96 36 29.03	2,683
tonwood tree, scribed, blazed, and painted black, "U. S. B. M. No. 8," nail. T. n. m. No. 9, about 0.75 mile below Hurley's store at gravel	32 34 20.77	96 36 47.05	2,983
slough, in root of pecan tree at edge of foothills; tree is blazed, scribed, and painted black, "U. S. B. M. No. 9," nail	32 34 50.99	96 36 39.98	3,114
and 5 feet west of corner of Hurley's store building at Gravel Slough; iron post stamped "Prim. Trav. Sta. No. 24, 1915" T. b. m. No. 10, about 0.25 mile west of Malloy bridge over Trinity River, 0.25 northwest of Mr. Perry's house, in wire fence line; in	32 35 20.90	96 36 20.53	3,451
root of elm tree, blazed, scribed, and painted black, "U. S. B. M. No. 10," nail.  T. b. m. No. 11, about 600 feet south and west of Mr. Perry's house, near small slowed bridge in root of alm tree; blazed, scribed, and	32 35 39.59	96 35 40,65	3,900
near small slough bridge; in root of elm tree; blazed, scribed, and painted black, "U. S. B. M. No. 11," nail. T. b. m. No. 12, near corner of woods, close to wire fence line bearing northeast and southwest on southeast side of road; in root of	32 35 17.79	96 35 28.73	2,427
elm tree, blazed, scribed, and painted black, "U. S. B. M. No. 12," nail. T. b. m. No. 13, about 200 feet west of river bank, 50 feet south of cabin belonging to Mr. Carpenter of Ferris: in root of ook tree	32 35 01.94	96 35 25.29	1,631
cabin belonging to Mr. Carpenter of Ferris; in root of oak tree, blazed, scribed, and painted "U.S. B. M. No. 13," nail. Lock No. 4, in concrete foundation of corner fence post of Government reservation at cross. About 8 inches south of iron pipe in conter of converts and in carts and in ca	32 34 42, 20	96 34 56 69	3,158
ment reservation at cross. About 8 inches south of iron pipe in center of concrete, and is south 37° west and distant 163 feet from southwest corner of lock keeper's house. This point is station No. 89 of U. S. Corps of Engineers, traverse of 1912	32 34 20.79	96 34 33.13	2,960
Station 30 at t. D. III.  T. b. m. No. 14, 1.14 miles S. 60° W. from Lock No. 4, close to middle of Ferris Lock No. 4 road; in root of alm tree blogad	32 33 30.06	96 36 20.16	•••••
and marked in red "U. S. B. M. No. 14," nail. Station 89 (1912 traverse U. S. Corps of Engineers)	32 33 52.51 32 34 20.79	96 35 34.07 96 34 33.13	4,551

# DALLAS QUADRANGLE—Continued. Across river bottom from Trinity River to Parsons Slough.

Station.	Latitude.	Longitude.	Distance between stations.
Dallas, Kaufman, and Ellis counties, corner of, on east line of C. W. Harris's land, at corner of wire fence; marked by a Bois			
C. W. Harris's land, at corner of wire fence; marked by a Bois d'Arc post about 8 inches square, 30 inches above surface of	0 / //	. , ,,	Feet.
ground	32 32 36.87	96 31 22.08	
T. b. m. No. 19, about 700 feet east of river, in woods; in root of oak tree blazed, scribed, and painted black, "U. S. B. M. 19,"			
nail. T. b. m. No. 20, about 150 feet north of river bank; in root of hack- berry tree blazed, scribed, and painted black, "U. S. B. M. 20,"	32 32 12.41	96 31 20.20	2;477
berry tree blazed, scribed, and painted black, "U. S. B. M. 20," nail.	32 32 11.27	96 30 48.62	2,706
T. b. m. No. 21, in thick woods; in root of elm tree blazed, scribed, and painted black "U. S. B. M. 21," nail.			
T. b. m. No. 22, 5 feet from west bank of Parsons Slough; at base	32 32 07.88	96 30 25.11	2,042
of dead ash tree blazed, scribed, and painted black, "U. S. B. M. 22," nail	32 32 05.61	96 30 07.99	1,484
At edge of river bottom on east side of	Parsons Slou	gh.	0
P. b. m. No. 25, 250 feet east of bank of Parsons Slough, above			
thick woods at lower and of Chaster Harlan's field 2 feet north 1			
of wire fence running southwesterly, 10 feet northeast of large oak tree marked with three hacks; iron bench-mark post stamped "Prim. Trav. Sta. No. 25, 1915"			
stamped "Prim. Trav. Sta. No. 25, 1915"	32 32 34.54	96 30 02.89	2,956
and 15 feet west of wire fence line; in root of spotted-oak tree			
and 15 feet west of wire fence line; in root of spotted-oak tree blazed, scribed, and painted black "U. S. B. M. 23," nail	32 32 54.88	96 30 17.59	2,410
west of fence line; in root of dead post-oak tree blazed, scribed, and painted black, "U. S. B. M. 24," nail.	00 00 00 00	00 00 04 00	0.005
P. b. m. No. 26, on the Ferris-Crabtree-Terry and Seagoville	32 33 20.88	96 30 24.02	2,685
road about 3 miles north of Parsons Slough Bridge 50 feet north			
of flat bottom land, 2.5 feet from wire fence line; iron benchmark post stamped "Prim. Trav. Sta. No. 26, 1915". 1. b. m. No. 25, at edge of lowland and open ground; in root of small ash tree blazed, scribed, and painted black "U. S. B. M.	32 33 38.30	96 30 58.41	3,431
r. b. m. No. 25, at edge of lowland and open ground; in root of small ash tree blazed, scribed, and painted black "U. S. B. M.	l		
25," naii	32 34 08.39	96 31 16.39	3,409
Dallas and Kauiman county line, marked by a Bois d'Arc post 8 inches square and 30 inches above ground; post is milepost 28			
and is 2 miles north of county corner	32 34 22.35	96 31 20.80	1,461
to wooden bottom land, about 700 feet north of edge of timber			•
to wooden bottom land, about 700 feet north of edge of timber and 1 foot from fence line; iron bench-mark post stamped "Prim Trav. Sta. No. 27, 1915".  T. b. m. No. 31, about 400 feet S. 70° west from Mr. Tyler's house;	32 34 29.79	96 31 34.39	1,386
T. b. m. No. 31, about 400 feet S. 70° west from Mr. Tyler's house; in root of oak tree blazed, scribed, and painted black, "U. S. B.			
M. 31." nail	32 34 57.85	96 31 48.16	3,071
T. b. m. No. 32, near edge of woods and about 30 feet northwest of wire fence; in root of large pecan tree blazed, scribed, and painted			
wire fence; in root of large pecan tree blazed, scribed, and painted black, "U.S. B. M. 32," nail.  T. b. m. No. 33, 150 feet north of woods, in open field, in root of	32 35 19.87	96 32 08.82	2,843
large pecan tree blazed, scribed, and painted black, "U. S. B. M. 33," nail.	29 25 92 40	96 32 39.25	2,629
P. b. m. No. 28, on road to slough falls crossing, on east side of road, about 60 feet N. 30° W. from Mr. Finley's house, 4 feet	32 35 23.49	90 32 39. 23	2,029
road, about 60 feet N. 30° W. from Mr. Finley's house, 4 feet from fence line, and at approximately high-water mark of 1908;	•		
iron bench-mark post stamped "Prim, Tray, Sta. No. 28, 1915".	32 35 40.57	96 32 58.60	2,392
I. b. m. No. 34, 350 feet east of levee, north 35° east, 65 feet from house in open field; in root of hackberry tree blazed, scribed, and painted black, "U. S. B. M. No. 34," nail.			
and painted black, "U. S. B. M. No. 34," nail	32 36 08.21	96 32 51.55	2,857
southwest; in root of pecan tree blazed, scribed, and painted	20 26 20 01	06 20 45 71	0 555
southwest; in root of pecan tree blazed, scribed, and painted black, "U. S. B. M. 35," nail	32 36 33.01	96 32 45.71	2,555
Seagoville-Ferris Road, 150 feet east of levee, 7 feet west of wire fence, on high ground several feet above high-water mark rising			
to east; iron bench-mark post stamped "Prim. Trav. Sta. No. 29,	20 26 57 00	06 29 40 00	0.470
1905"	32 36 57.06	96 32 40.08	2,479
P. b. m. No. 30, on the Seagoville-Ferris road, 67 feet north from			
P. b. m. No. 30, on the Seagoville-Ferris road, 67 feet north from corner of wagon bridge across Parsons Slough, on top of levee, at gateway 20 feet east of center of road; iron bench mark post stamped "Prim. Trav. Sta. No. 30, 1915"			

#### DALLAS QUADRANGLE—Continued.

#### Across river bottom to point east of Malloy Bridge.

Station.	Latitude.	Longitude.	Distance between stations.
T. b. m. No. 36, about 0.70 mile southwest of Parsons Slough bridge, 50 feet northeast of center of road; in root of hackberry tree blazed, scribed, and painted black, nail	32 36 39.97	96 34 02.01	Feet. 3,458
bridge on north side of road, 25 feet north of road, 4 feet from wire fence; iron bench-mark post stamped "Prim. Trav. Sta. No. 31'' P. b. m. No. 32, 132 feet east of pier at east end of Malloy Bridge	32 36 16.92	96 34 29.27	3, 295
across Trinity River, on grade landing up to bridge and in line with driveway across bridge; iron bench-mark post stamped "Prim. Trav. Sta. No. 32, 1915.	32 35 50.13	96 35 13.10	4,626
From Crabtree Ferry east across river bottom to point	east of Pars	ons Slough B	ridge.
Crabtree Ferry, 100 feet from, 20 feet south of road, close to telephone pole on small levee, river road makes straight angle turn			
near bench mark; concrete monument with 15-inch iron post set in it, no number on elevation (Corps of Engineers b. m.). Crabtree Ferry, 962 feet from above-described bench mark at; 15-inch iron post in concrete monument on top of small levee, no	32 33 12.40	96 32 59.34	
number or elevation (U. S. C. E. M.) Station 103; U. S. Engineer Corps Station 101 (1912). T. b. m. No. 15. about 1.200 feet southeast from Crabtree Ferry.	32 33 04.22 32 33 12.89	96 32 53, 59 96 32 59, 63	962
near negro cabin on north side of road; in root of spotted-oak tree blazed, scribed, and painted black, "U. S. B. M. 15, nail	32 33 10.90	96 32 44.64	1,299
T. b. m. No. 16,6 feet north of wire fence along road, in root of ash tree blazed, scribed, and painted black, "U. S. B. M. 16," nail. T. b. m. No. 17, near right angle in road, 6 feet north of wire fence	32 33 10.35	96 32 14, 55	2,577
line in root of alm tree blazed scribed and painted black	32 33 16.97	96 32 07.81	883
"U. S. B. M. 17," nail.  T. b. m. No. 18, about 0.75 mile west of bridge over Parsons Slough, about middle of east and west road line; in root of ash treeblazed, scribed, and painted black, "U. S. B. M. 18," nail.  T. b. m. No. 26, about 400 feet south of bridge over Parsons Slough;	32 33 16.78	96 31 38.66	2,495
in root of large oak tree on east side of road blazed, scribed, and painted black, "U. S. B. M. 26," nail,	32 33 22.28	96 31 17.90	1,862
Northwest up Bois d'Arc Island to Mall	loy Bridge ro	ad.	
T. b. m. No. 27, in open field; at base of large pecan tree blazed, scribed, and painted black, "U. S. B. M. 27," nail	20 22 40 70	00 00 00 10	
	32 33 40.70 32 34 01.75	96 32 00.10 96 32 23.02	2,893
painted black, "U. S. B. M. 28," nail. T. b. m. No. 29, in north and south wirefenceline, cleared ground to west, brush and timber to south and east; in root of hackberry			2,000
to west, brush and timber to south and east; in root of hackberry tree blazed, scribed, and painted black, "U.S.B.M. 29," nail T.b.m. No. 35, about 1.5 miles east of lock No. 4, about 750 feet north of negro cabin, at north end of clearing, close to fence corner north, east, and west, neighborhood road northeast	32 34 18.47	96 32 47.08	2,665
crossing of slough; iron bench-mark poststamped "Prim. Trav. Sta. No. 35, 1915".  T. b. m. No. 30, 18 feet north of east and west farm roadway and	32 34 44.64	96 33 03.65	3,002
fenceline, woods north, south, and west; in root of large pecan tree blazed, scribed, and painted black, "U.S. B. M. 30," nail T. b. m. No. 39, at edge of small strip of timber, with cleared land and south his root of persimpnent rook blazed scribed and rejuted	32 34 52.77	96 33 34.42	2,759
on south; in root of persimmon tree blazed, scribed, and painted black, "U.S.B. M. 39," nail ron bench-mark post No. 36.	32 35 10.26 32 35 16.99	96 33 44.87 96 33 42.40	1,982 712
T. b. m. No. 38, in thick woods, at base of large dead ash tree	32 35 39.79	96 33 47.93	2,352
T.b.m. No. 37, in thick woods; at base of ash tree, blazed, scribed, and painted black, "U. S. B. M. 37," nail.	32 35 55.74	96 34 11.68	2,594
From Hurley's store to Wilmer	Bridge.		
the second secon			
T. b. m. No. 40, on west side of small slough and east side of culti-			i
T.b.m. No. 40, on west side of small slough and east side of cultivated field; in root of cottonwood tree blazed, scribed, and painted black, "U. S. B. M. 40," T. b. m. 41, about 1 mile above Hurley's store, 100 feet west of road across Gravel Slough, in root of hackberry tree in fence line, line; tree is blazed, scribed, and painted black, "U. S. B. M.	32 35 46.53	96 36 26.76	•••••

## DALLAS QUADRANGLE—Continued. From Hurley's store to Wilmer Bridge—Continued.

Station.	Latitude.	Longitude.	Distance between stations.
T.b.m. No. 42.6 feet north of east end of small bridge across gravel slough; in root of hackberry tree blazed, scribed, and painted black, "U.S. B. M. 42," nail	32 35 53.00	96 37 19.89	Feet. 2,685
large pecan tree blazed, scribed, and painted black, "U. S. B. M. 43," nail. T. b. m. No. 44, 75 feet southeast of right angle turn in road in lane	32 35 56.38	96 37 46.36	2,291
bearing south 40° east; in root of pecan tree blazed, scribed, and painted black, "U.S.B. M. 44," nail. P. b. m. No. 33, about 1.5 miles southwest from river bridge, 70 feet northwest from small bridge, on north side of Wilmer-Lock	32 36 13.35	96 38 08.42	2,550
No. 2 road; from bench-mark post stamped "Prim. Trav. Sta. No. 33, 1915".  Troad north, at center of Wilmer road, at southwest corner of	32 36 17.86	96 38 55.80	4,079
P. b. m. No. 34, about 700 feet west of west approach to Wilmer Bridge, 3 feet southwest of corner fence post at southeast corner junction of roads; iron bench-mark post stamped "Prim. Tray.	32 36 38.40	96 38 04.58	4,849
Sta. 34, 1915"	32 36 55.04	96 37 26.90	3,636
T. b. m. No. 46, 30 feet south of southeast corner of woods; in center of road, in top of Bois d'Arc stump, nail. T. b. m. No. 47, 50 feet west of river bank, 60 feet southeast of concrete well, 150 feet southeast of cabin; in root of pecan tree,	32 36 26.25	96 37 08.72	3,300
T. b. m. No. 48, 50 feet west of southwest corner of clearing and 15 feet southwest of old tramway trestle; in root of Bois d'Arc tree,	32 36 34.72	96 36 22.53	4,042
nail	32 36 19.60	96 35 57.18	2,651
T. b. m. No. 49, open field to south, in wire fence line; in root of hackberry tree, nail	32 36 06.18	96 35 37.06	2, 193

Magnetic declination for district, 9° 08' east.

### Mineola and Willspoint quadrangles.

#### SMITH AND WOOD COUNTIES.

The following geographic positions on approximate North American datum were determined by primary traverse in February, 1915, by E. L. McNair. The line starts at crossing of Texas & Pacific Railway and Cotton Belt Route at Big Sandy, previously located by primary traverse described on page 219, Bulletin 310, and was double chained along Texas & Pacific Railway to Mineola. From Mineola several small circuits were run in the Sabine River bottom lands.

MINEOLA QUADRANGLE.

· Along Texas & Pacific Railway from Big Sandy to Mineola (double chained).

Station.	Latitude.	Longitude.	Distance between stations.
Big Sandy, crossing of Texas & Pacific Ry. and Cotton Belt Route. Route Crossing under Texas & Pacific Ry., 820 feet east of mile-	° ′ ′′ 32 34 53.28	95 06 32.38	Feet.
post 114, at bridge 114 B Mllepost 115, 860 feet east of, 39 feet south of center of track, 30 feet west of gate leading to land south, 300 feet to a cabin; iron	32 34 56.86	95 07 32.76	5,180
post stamped "Prim. Trav. Sta. No. 1, 1915". Upshur-Wood county line, center of track opposite post. Second-class road crossing, at Farmers Spur, 110 feet west of head	32 35 00.13 32 35 02.49	95 08 35.87 95 09 12.27	5,409 3,124
block. Public road crossing. Hawkins station, 1.160 feet east of, 200 feet east of road under rail-	32 35 05.35 32 35 07.75	95 10 02.46 95 10 44.96	4,305 3,646
way, 37 feet north of center of track, 18 inches south of right of way fence, 8 feet south of telephone pole; iron post stamped "Prim. Trav. Sta. No. 2, 1915".	32 35 12.71	95 12 05.95	6,948

#### MINEOLA QUADRANGLE-Continued.

Along Texas & Pacific Railway from Big Sandy to Mineola (double chained)—Continued.

Station.	Latitude.	Longitude.	Distance between stations.
Milepost 119, center of track opposite	32 35 14.74 32 35 18.15	95 12 48.29 95 13 48.83	Feet. 3,629 5,191
No. 3, 1915''	32 35 29.67	95 14 49.24	5, 298
tank. Bryan slding, head block at west end of. Milepost 123, center of track opposite. Fouke Lumber Co.'s spur, 620 feet east of headblock at, nearly opposite small station platform 43 feet south of center of track, at	32 35 41.91	95 15 22.62	3,113
	32 36 01.28	95 16 13.52	4,774
	32 36 12.57	95 16 43.15	2,780
right-of-way fence, 80 feet west of private road crossing; iron post stamped "Prim. Trav. Sta. No. 4, 1915".  Crow station, public road crossing at.  Lake Fork siding, at east end of, switchstand  Lake Fork siding, 0.6 mile northwest of, 75 feet east of milepost 127, 40 feet south of track, on low ground, 1 foot north of right of	32 36 37.65	95 17 50.16	6, 268
	32 26 56.63	95 18 51.62	5, 596
	32 37 22.42	95 19 53.53	5, 902
way fence; iron post stamped "Prim. Trav. Sta. No. 5, 1915"	32 37 34.44	95 20 26.17	3,046
Lake Fork trestle, about 1.2 miles northwest of road crossing  Hoard siding, 1,100 feet west of road crossing at, 120 feet west of switch stand at west end of siding, 38 feet south of center of track, 1 foot north of right-of-way fence, near milepost 130; iron post	32 27 49.33	95 21 29.10	5,588
	32 38 06.58	95 22 36.11	5,990
stamped "Prim Trav. Sta. No. 6, 1915".  Milepost 130, 1.75 miles northwest of, road crossing.  Harts spur, 325 feet west of road crossing, 115 feet west of milepost 133, 50 feet south of main track, 1 foot north of right-of-way	32 38 21.80	95 23 23.08	4,301
	32 38 51.70	95 25 04.94	9,219
fence; iron post stamped "Prim. Trav. Sta. No. 7, 1915".  Harts spur, 1.5 miles northwest of; road crossing.  Mineola station, 1,250 feet east of, 45 feet north of center of track, on bank 18 inches south of right-of-way fence; iron post stamped	32 39 03.58	95 26 23.66	6,838
	32 29 23.72	95 27 52.02	7,824
"Prim. Trav. Sta. No. 8, 1915".  Mineola station, 200 feet west of, street crossing.	32 39 41.18	95 29 07.52	6,692
	32 29 44.46	95 29 24.09	1,456

#### WILLSPOINT QUADRANGLE. Near Mineola.

Station.	Latitude.	Longitude.	Distance between stations.
Mineola, crossing of Texas & Pacific and Missouri, Kansas & Texas railways. Farm crossing, 1,060 feet east of milepost 138. Macks siding, 190 feet southeast of switchstand at east end of, road	32 39 55.32 32 40 08.56	95 30 12.35 95 31 11.13	Feet. 4,270 5,200
crossing under track.  Macks siding, 110 feet west of switchstand at, 20 feet east of milepost 139, 47 feet south of center of track, 18 inches north of right of-way fence; iron post stamped "Prim. Trav. Sta. No. 9, 1915".	32 40 18.45 32 40 23.61	95 31 55.09 95 32 20.07	3,890 2,198
Macks siding, about 0.8 mile northwest of; center of track at tres- tle over creek.	32 40 34.35	95 33 05.44	4,027
Sabine River, west end of bridge over, opposite post between Smith and Wood counties; center of track at.  Milepost 141, 105 feet east of, 870 feet west of Smith and Wood	32 40 14.33	95 34 05.78	5,540
county line post, 45 feet south of track, 23 feet west of fence line southeast; iron post stamped "Prim. Trav. Sta. No. 10, 1915"	32 40 10.64	95 34 14.92	866
On south side of Sabine River, in bo	ottom lands.		
Sabine River, about 0.50 mile south of Texas & Pacific Ry. bridge over; in root of leaning oak tree, blazed, scribed, and painted black, "T. B. M. No. 1," nail Sabine River Bridge, about 1 mile south of, 75 feet west of a creek, on a little higher ground than apparent high water; in root of	32 39 47.61	95 34 19.87	2,367
sweet-gum tree, blazed, scribed, and painted black, "U. S. B. M. No. 2," nail Sabine River Bridge, about 0.60 mile south of; nail in root of water	32 39 39.10	95 34 44.55	2,278
oak, blazed, scribed, and painted "U. S. B. M. No. 3"	32 39 40.35	95 34 16.67	2,387
of river, 100 feet east of creek; in root of a post-oak tree, blazed, scribed, and painted black, "U. S. B. M. No. 4," nail	32 39 48.15	95 33 50.16	. 2, 398

#### TEXAS.

#### WILLSPOINT QUADRANGLE—Continued.

#### Mineola district.

Station.	Latitude.	Longitude.	Distance between stations.
T. b. m. No. 5, 300 feet south of creek, near edge of lowland, in root of post-oak tree, blazed, and painted black, "U. S. T. B. M. No. 5," nail T. b. m. No. 6, 80 feet east of a lake; in root of post-oak tree 30 inches in diameter, blazed, and painted, "U. S. T. B. M. No.	。 , ,, 32 39 37.42	。 , ,, 95 33 49.94	Feet. 1,084
6," nail.  T. b. m. No. 7, 300 feet south of the Callaway Crossing Road; in	32 39 31.39	95 33 22.70	2,406
root of pin-oak tree, about 18 inches in diameter; nail.  Permanent bench mark.  T. b. m. No. 8, 300 feet south of bridge over slough, on east side of Callaway Crossing Road, near edge of overflow; in root of water-oak tree 18 inches in diameter, blazed, scribed, and painted	32 39 06.67 32 38 59.55	95 33 15, 39 95 32 50. 80	2,575 2,223
"U. S. B. M. No. 8". T. b. No. 9, in woods in flat ground, in root of water-oak tree 20 inches in diameter, blazed, scribed, and painted black "U. S.	32 38 25.68	95 33 11.56	3,856
B. M. No. 9," nail.  T. b. m. No. 10, 100 feet north of rising ground, in root of post-oak tree, about 18 inches in diameter, blazed, scribed, and painted	32 38 04.60	95 32 59.08	2,383
black "U. S. B. M. No. 10;" nail.  T. b. m. No. 11, in root of water oak, blazed, scribed, and painted	32 37 44.27	95 32 40.44	2,600
black, "U. S. B. M. No. 11;" nail  T. b. m. No. 13, in root of oak tree, blazed but not painted; nail  Burleson Lake, 0.25 mile southenst of outlet of, about 125 feet south of old ford probably dry at low water, on bank among scrub timber and brush; iron bench-mark post stamped "Prim. Trav. Sta. No. 11, 1915." Reference marks: A 6-inch post-oak tree S. 62° E., distant 17 feet, and an 8-inch red-oak tree, south 10° cast, distant 28 feet; both trees blazed and marked with three	32 37 32.96 32 36 59.59	95 32 10.80 95 31 31.62	2,782 4,754
hacks. T. b. m. No. 14, 250 feet west of cotton field, 200 feet south of slough, in root of elm tree in wire-fence line; tree is blazed, scribed, and	32 36 53.36	95 31 16.75	1,420
painted black, U. S. B. M. No. 14," nail T. b. m. No. 15, 75 feet north of a roadway, 50 feet west of west edge of an open field; in root of gum tree blazed, scribed, and	32 36 56.88	95 30 55.66	1,839
painted black, "U. S. B. M. No. 15," nail	32 36 47.09	95 30 29.26	2,466
blazed, scribed, and painted black, "U. S. B. M. No. 16," nail.	32 36 46.85	95 30 06.37	1,957

#### MINEOLA QUADRANGLE.

#### Mineola district.

Station.	Latitude.	Longitude.	Distance between stations.
P. b. m. No. 12, beside wire fence north of cotton field at approximate right angle in old road, N. 25° E., distant 30 feet to oak tree, and S. 85° W., distant 32 feet to oak tree, south 29° west, 38 feet to oak tree; all blazed and marked with three hacks; iron bench-mark post stamped "Prim. Trav. Sta. No. 12, 1915". T. b. m. No. 17, in root of 8-inch elm tree nearly in middle of bottom road, about 0.50 mile west of south end of "Dump Road": tree is blazed, scribed, and painted black, "U. S. B. M. No. 17, "nail. T. b. m. No. 18, in root of gum tree, about 80 feet east of bridge over slough at south end of "Dump Road," the road leading south from Mincola across the Sabine River bottom; tree is blazed, scribed, and painted black, "U. S. B. M. No. 18," nail. T. b. m. No. 19, 150 feet north of high-water mark, open field on south, 35 feet east of wire fence; in root of "over cup" oak tree,	32 36 43.61 32 36 44.44 32 36 42.46	95 29 51. 13 95 29 21. 76 95 29 07. 61	Feet. 1,345 2,513
blazed, scribed, and painted, "U. S. B. M. No. 19," nail	32 36 21.29 32 36 10.25	95 28 55.36 95 28 25.74	2,383
T. b. m. No. 20, 50 feet north of wire fence at edge of swamp, cotton field on south; tree blazed, scribed, and painted black, "U. S. B. M. No. 20," nail in root of pin-oak trec.  T. b. m. No. 21, in root of pecan tree, 8 feet north of fence close to small creek; tree blazed, scribed, and painted black, "U. S. B.	32 36 16.83	95 28 00.19	2,285
M. No. 21," nail	32 36 18.10	95 27 25,87	2,938

# MINEOLA QUADRANGLE—Continued. Along International & Great Northern Railway to Mineola.

	•		
Station.	Latitude.	Longitude.	Distance between stations.
P. b. m. No. 14, 76 feet east of center of track at Eads flag station, on the International & Great Northern Ry. 15 inches west of wire fence line, 40 feet southeast of corner of cabin, and approximately 200 feet from south end of railroad bridge across Sabine River; iron bench-mark post stamped "Prim. Trav. Sta. No. 14, 1915".  Eads flag station, about 0.30 mile northwest of; north end of long trestle.  Eads flag station, about 1.30 miles northwest of; switch stand at spur to sawmill.  Milepost No. 42, 320 feet northwest of; road crossing.  Milepost No. 43, about 0.25 mile southeast of; private road	32 36 20.74 32 36 36.31 32 37 13.70 32 38 15.18	95 26 53.63 95 27 05.00 95 27 29.82 95 28 13.08	Feet. 2,770 1,849 4,337 7,231
crossing.  Mineola, about 0.75 mile southeast of; switch stand at north end of Y.	32 38 44.12 32 39 17.91	95 28 40.34 95 28 50.78	3,745 3,530
From International & Great Northern Railway up	north side of	Sabine Rive	r.
International & Great Northern milepost No. 42, 2,200 feet southeast of, 37 feet west of center of track, 15 feet east of right of way fence, about 150 feet north of edge of river bottom; iron benchmark post stamped "Prim Trav. Sta. No. 15, 1915"  T. b. m. No. 22, about 100 feet north of brush and timber line, at edge of lowland, in open field; in root of walnut tree, blazed, scribed, and painted black, "U. S. B. M. No. 22," nail	32 37 54.32 32 38 08.85	95 27 57.30 95 28 28.68	3,059
post-oak tree top broken off; tree is blazed, scribed, and painted black, "U. S. B. M. No. 23," nail.  P. b. m. No. 16, on Mineola-Tyler road, at north edge of Sabine River bottom, in line with "Dump Road" going south, 70 feet southwest to center of road and 2 feet south of wire fence; rook bench-mark post stamped "Prim. Tray, Sta. No. 16, 1915"	32 38 00. 22 32 37 52. 33	*95 28 46.34 95 29 03.13	1,744
T. b. m. No. 26, 40 feet south of fence at edge of field, in root of leaning post-oak tree, 24 inches in diameter; tree is blazed, scribed, and painted black, "U. S. B. M. No. 26," nail	32 37 50.38	95 29 27.93	2, 130

#### WILLSPOINT QUADRANGLE.

#### Up north side of Sabine River.

•			
Station.	Latitude.	○ Longitude.	Distance between stations.
P. b. m. No. 17, 150 feet north of level bottom land, at south end of north and south land or private road, 2 feet south of east and west fence line and 3 feet west of corner fence post; iron benchmark post stamped "Prim. Trav. Sta. No. 17, 1915"  T. b. m. No. 28, at edge of woods and overflowed land; in root of gum tree, blazed, scribed, and painted black, "U. S. B. M. No. 28, "nail.  T. b. m. No. 29, at edge of timber line and overflowed ground, 6 feet south of east and west wire fence, south of cotton field; in root of eim tree, blazed, scribed, and painted black, "U. S. B. M.	32 38 09. 23 32 33 15. 05	95 30 25.89 95 30 .55.51	Feet. 2,782 2,602
No. 29," nail.  T. b. m. No. 30, at edge of timber and lowland, 15 feet south of east and west wire fence; nail in root of post-oak tree blazed, scribed, and painted black, "U. S. B. M. No. 30"  T. b. m. No. 31, about 1,000 feet east of Callaway Road, in woods; in root of oak tree blazed, scribed, and painted black, "U. S. B.	32 38 41.63 32 38 56.03	95 31 05.57 95 31 29.74	2,821 2,528
M. No. 31," nail.  P. b. m. No. 18, on Callaway Crossing Road, 50 feet northeast of end of bridge over slough, at foot of hill on north side of bottom, 2 feet from wire fence on north side of road; iron bench-mark post stamped "Prim. Trav. Sta. No. 18, 1915".  T. b. m. No. 32, in lowland, field on east; in root of elm tree, blazed, scribed, and painted black, "U. S. B. M. No. 32," nail.	32 39 01.06 32 39 08.79 32 39 36.90	95 32 09.16 95 32 13.80 95 32 21.09	3,409 875 2,909

## WILLSPOINT QUADRANGLE—Continued. Up north side of Sabine River—Continued.

Station.	Latitude.	Longitude.	Distance between stations.
T. b. m. No. 33, 150 feet east of slough, 10 feet north of wire fence north and west of open field; in root of elm tree blazed, scribed, and painted, "U. S. B. M. No. 33," nail. T. b. m. No. 34, in forest and overflowed land; in root of pin-oak tree, blazed, scribed, and painted black, "U. S. B. M. No. 34," nail. P. b. m. No. 20, 1,500 feet southeast of Texas & Pacific Ry. bridge over Butler Lake, on east side of Sabine River bottom, about 450 feet east along fence from Butler Lake, 3 feet south of east and west wire fence, 5 feet from braced fence post in angle at fence line; fron bench-mark post stamped "Prim. Trav. Sta. No. 20, 1915". T. b. m. No. 35, 300 feet east of Silver Lake, 55 feet south of track,	32 40 01.55 32 40 14.53 32 40 11.84	95 32 38.89 95 33 00.03 95 33 27.61	Feet. 2,921 2,232 2,373
in edge of timber; in root of pin-oak tree blazed, scribed, and painted black, "U. S. B. M. No. 35," nail	32 40 23.20  Dump road.	95 33 48.03	2,088
	1		1
C. b. m. No. 24, 20 feet east of public road; in root of post-oak tree, blazed, sortbed, and painted black, "U. S. B. M. No. 24," nail., b. m. No. 25, 30 feet west of center of road; in root of locust tree	32 37 22.51	95 29 03.57	
blazed, scribed, and painted black, "U. S. B. M. No. 25," nail	32 36 58.78	95 29 05.86	2,400
Cross line near Callaway Bri	idge.		
Sabine River, center of bridge over, at concrete pier at west end. Sabine River Bridge, 1,000 feet west of, 100 feet south of end of small pond, S. 4° 30′ W., distant 45 feet to post-oak tree, north 85° east, distant 32 feet to post-oak tree, N. 33° E., distant 26 feet	32 39 00 54	95 32 38.92	
to post-oak tree; all blazed and marked with 3 hacks; iron bench- mark post stamped "Prim. Trav. Sta. No. 19, 1915"	32 38 59.56	95 32 50.81	1,018

Magnetic declination 8° 7' E.

Addicks, Aldine, Alief, Almeda, Ashford, Bellaire, Burnett Bay, Cedar Bayou, Clodine, Crosby, Cypress, Deepwater, Fauna, Harmaston, Hillendahl, Hockley, Holik, Houston Heights, Huffman, Humble, Katy, La Porte, Louetta, Morgans Point, Mykawa, New Caney, Park Place, Pauli, Rosehill, Scott Ranch, Seabrook, Settegast, Spring, Stuebner, Sugarland, Swanson, Waller, Walley, Webster, and Weedon 74' quadrangles.

#### BRAZORIA, FORT BEND, GALVESTON, HARRIS, AND LIBERTY COUNTIES.

The following geographic positions on North American datum were determined by E. L. McNair in 1915. They are based on positions of stations Thayer, Tory Hill, and Morgans Point of the United States Corps of Engineers as given in Coast and Geodetic Survey Special Publication 17. Starting from these stations in the southeast part of Harris County, lines were run in circuits mostly following public roads and extending over all of Harris County, with a few positions extending over into the adjoining counties mentioned. In all 708 miles of traverse were run and 216 permanent bench marks were established. In addition 22 permanent marks of Coast and Geodetic Survey and United States Corps of Engineers were located.

The elevations were determined by primary leveling and accord with the 1912 adjustment. The leveling was done by R. R. Monbeck in 1915 and by D. S. Birkett in 1916. The work was done in cooperation with Harris County.

ADDICKS QUADRANGLE.

Along highways near east border of quadrangle.

			Distance
Station.	Latitude.	Longitude.	between stations.
Addic's station (Missouri, Kansas & Texas Ry.), 200 feet east of,			
100 feet south and 25 feet east of public-road crossing, on line of right of way, 2 feet northeast of corner fence post; iron post with			
3-inch cap. Coast and Geodetic Survey bench-mark C8: "Prim.	• / //	. • / //	Feet.
Trav. Sta. No. 72, 1915," (not stamped), elevation 96.332 feet	29 47 04.78	95 38 29.49	
rivate road crossing, top of rail; elevation 90.4 feet			
ddicks, 0.8 mile east of, 35 feet north of public road; copper nail in root of lone oak tree, painted "U. S. B. M. 153," elevation			1
82.19 feet	29 47 06.64	95 37 40.09	4,356
ddicks, 1 mile east of, on northwest corner of 200-foot wagon bridge over creek, floor of bridge; elevation 88.62 feet			<b>!</b>
ddicks, 0.8 mile north of, 480 feet north of bridge, 120 feet south			
of another bridge across creek, 10 feet east of road; copper nail in	00 17 17 70	07 80 40 00	{
root of oak tree painted "U.S.B. M. 164," elevation 90.23 feetddicks, 1.75 mi.es north of, 1,200 feet south of German Methodist	29 47 45.78	95 38 42.02	
Church, 30 feet east of road, 6 inches from corner post on fence			
east; copper nail in hub, post painted "U. S. B. M. 165," eleva-	00 40 05 45	05 00 41 50	- 000
tion 98.13 feetddicks, 2.3 miles north of, 2,000 feet north of German Methodist	29 48 35.47	95 38 41.73	5,020
Church, 30 feet west of center of road, 3 feet from corner post on fence line west; iron post stamped "Prim. Trav. Sta. No. 74,			]
fence line west; iron post stamped "Prim. Trav. Sta. No. 74,	00 40 00 04	05 90 49 50	2 10
1915," elevation 104.707 feet	29 49 06.34	95 38 43.58	3,124
west, 4 feet from corner fence post at fence line east, 8 inches from			ļ
telephone pole; copper nail in hub, pole painted "U. S. B. M.	29 49 48, 72	95 38 43.38	4 001
166," elevation 106.96 feet	29 49 48.72	90 38 43.38	4,281
from telephone pole painted "U. S. B. M. 167"; copper nail in			
hub, elevation 115.28 feetddicks, 4.6 miles north of; T road south	29 50 35.02 29 51 06.42	95 38 43.85 95 38 44.48	4,677 3,178
Addicks, 4.6 miles north and 0.4 mile east of, about 150 feet south	29 01 00.42	90 00 11.10	0,110
and 200 feet east of Grigsby schoolhouse, 4 feet from corner fence			l
post; iron post stamped "Prim. Trav. Sta. 75, 1915," elevation 119.170 feet	29 51 06,75	95 38 23.64	1,838
rigsby schoolhouse, about 0.6 miles northeast of, 800 feet north of	29 31 00.73	50 00 20.04	1,00
small bridge at bend of road, 20 feet west of center of road; in			1
root of oak tree painted "U. S. B. M. 168"; copper nail, elevation 109.67 feet	90 51 90 91	05 97 57 06	2 216
rigsby schoolhouse, 0.5 mile east and 1.4 mile north of, 25 feet	29 51 30.81	95 37 57.96	3,31
east of center of road, 6 inches from telephone pole, at corner of			
fence and lane east; t. b. m. 169; copper nail in hub, elevation 124.23 feet	00 50 10 11	05 09 57 70	4 27
124.20 1000	29 52 18.11	95 37 57.78	4,779
Along highways north and west in south-centr	al part of qu	adrangle.	
Barker, 2 miles south of, 220 feet south of bridge over Buffalo Bayou, 60 feet west of road; copper nail in root of oak tree painted			
"U. S. B. M. 91," elevation 85.94 feet	29 45 19.35	95 41 05.82	
Parker 1 mile south of OF foot east of center of read 1 feet from			(

Barker, 2 miles south of, 220 feet south of bridge over Buffalo Bayou, 60 feet west of road; copper nail in root of oak tree painted			
"U. S. B. M. 91," elevation 85.94 feet	29 45 19.35	95 41 05.82	J
Barker, 1 mile south of, 25 feet east of center of road, 1 foot from			i
corner post on fence line east at south end of gate; copper nail in			
hub, post painted "U. S. B. M. 92," elevation 90.11 feet	29 46 11.62	95 41 06.73	5,280
Barker, 20 feet east of station on Missouri, Kansas & Texas Ry.,			<u> </u>
115 feet south of center of track, 35 feet west by 25 feet south of T			l
road south, at corner post of fence; iron post primary traverse			ļ
station No. 43 (not stamped) U. S. Coast and Geodetic Survey			1
bench-mark B8, elevation 105.476 feet	29 47 05.49	95 41 07.90	5,443
Barker, 0.8 mile west of, 250 feet southeast of "Yard Limit" sign-			1
board, about 30 feet south of center of road and about 125 feet			l
south of Missouri, Kansas & Texas Ry., 2 feet north of telephone			ŀ
pole, copper nail in hub, pole painted "Ú. S. B. M. 93," elevation			ŀ
111.15 feet	29 47 05.71	95 41 59.80	4,575
Barker, 1.7 miles west of, 900 feet east of road crossing, 20 feet	· ·		1 .
north of center of public road, about 60 feet south of Missouri,			
Kansas & Texas Ry., 1 foot from telephone pole; copper nail in			
hub, pole painted "U. S. B. M. 94," elevation 115.88 feet	29 47 06.48	95 42 55.04	4,870
Road crossing; top of rail 119.0 feet			l

#### ADDICKS QUADRANGLE—Continued.

#### Along highway north and west in south-central part of quadrangle—Continued.

The state of the s			
Station.	Latitude.	Longitude.	Distance between stations.
Barker, 2.5 miles west of, 980 feet east of switch stand, about 60 feet south of Missouri, Kansas & Texas Ry. track, 20 feet north of center of road, 1.5 feet south of wire fence line, 4 feet east of telephone pole; iron post stamped "Prim. Trav. Sta. No. 44, 1915," elevation 124.051 feet.  Katy, 4.6 miles east of, 115 feet south of Missouri, Kansas & Texas Ry. track, at a point 50 feet west of Delhi flag station, 30 feet south of public road, 2 feet north of corner post on fence line south; a stone post 6 inches square lettered "U. S. B. M." with 0.5-inch deep hole in center. United States Coast and Geodetic	29 47 06.75	95 43 40.05	Feet. 3,968
0.5-inch deep hole in center. United States Coast and Geodetic Survey bench mark A8, primary traverse station No. 45 (not marked); elevation, 124.816 feet.	29 47 06.44	95 44 39.49	5, 240
East along highways to Add	licks.		
Barker, 4,500 feet east of, 25 feet south of center of public road, 6 inches from telephone pole; copper nail in hub, pole painted "U.S. B. M. 151," elevation, 99.04 feet	29 47 05.21	95 40 16.84	
pole; copper nall in hub, pole painted "U. S. B. M. 152," eleva- tion, 97.33 feet	29 47 05.48	95 39 25.68	4,508
Near northwest corner of quad	lrangie.		***************************************
Cypress, 6.8 miles south by 1.9 miles west of, 6 feet south of north-west corner of fence around house; copper nail in hub, fence painted "U. S. B. M. 123," elevation, 140.82 feet	29 52 12.52	95 43 43.05	
Trav. Sta. No. 59, 1915," elevation, 143.839 feet	29 51 53.33	95 44 43.03	5,629
Along highways near north border of	f quadrangle	•	
Brink schoolhouse, 0.2 mile south and 1.8 miles west of, 15 feet south of road; copper nail in hub, witness stake painted "U.S. B. M. 169" (should be 170), elevation, 137.21 feet	29 52 26,00	95 42 47.76	
Brink schoolhouse, 0.2 mile south and 750 feet west of, 30 feet northeast of corner of bridge over Langham Creek, 40 feet west of pine tree 3 feet in diameter; iron post stamped "Prim. Trav. Sta. No. 77, 1915," elevation, 128.303 feet	29 52 26. 72 29 52 26. 81	95 41 53. 24 95 41 08. 22	4,800 3,964

Magnetic declination in quadrangle,  $8^{\circ}$  30′ E.

#### ALDINE QUADRANGLE.

### Near southwest corner of quadrangle.

Station.	Latitude.	Longitude.	Distance between stations.
West Montgomery road, forks of road, road north from North Houston, 1.0 mile east of, 25 feet southwest of West Montgonery Road, at bend, 3 feet east of fence post at angle in fence	29 55 20,06	95 29 51.65	Feet. 2,587
line; fron post stamped "Prim. Trav. Sta. No. 133, 1915," elevation, 110.001 feet	29 55 11.04	95 29 40.09	1,367
fences south and east, 4 inches west of corner fence post painted "U.S.B. M. 296"; copper nail in hub, elevation, 106.47 feet	29 54 35, 70	95, 29 44, 16	3, 589

#### ALDINE QUADRANGLE—Continued.

#### Near southwest corner of quadrangle—Continued.

Latitude.	Longitude.	Distance between stations.
29 53 49.86	95 29 43.59	Fect. 4,632
29 53 18.95	95 29 39.85	3,141
29 53 03.82	95 29 39.62	1,530
29 52 30.30	95 29 40.60	3,389
iblic road.		
29 59 09.01	95 29 49.20	
29 58 15.06 29 58 43.40	95 29 41.94 95 29 29.93	3,052
29 59 26.50	95 29 12.24	4,625
29 59 45.20	95 28 59.02	2, 220
29 59 46.00	95 27 18.98	·····
29 59 14.30	95 26 41.60	4,589
29 58 40.38	95 26 01.97	4,888
29 57 55.86	95 25 07.84	6,551
29 57 57.16	95 24 17.06	4,471
ler of quadra	angle.	
00 50 00 01	07 00 44 99	
		2 000
20 00 00.10		3,820
29 58 13,62	95 23 22.77	5, 103
29 57 56, 21	95 23 19.06	1,789
	29 53 49.86 29 53 18.95 29 53 03.82 29 52 30.30  ablic road.  29 58 15.06 29 58 43.40 29 59 26.50 29 59 45.20 29 59 46.00 29 59 46.00 29 59 14.30 29 58 40.38 29 57 55.86 29 57 57.16  er of quadr 29 59 03.10 29 58 13.62	29 53 49.86 95 29 43.59 29 53 18.95 95 29 39.85 29 53 03.82 95 29 39.62 29 52 30.30 95 29 40.60  ablic road.  29 59 09.01 95 29 49.20 29 58 15.06 95 29 41.94 95 29 29.93 29 59 26.50 95 29 12.24 29 59 45.20 95 28 59.02 29 59 46.00 95 27 18.98 29 59 14.30 95 26 41.60 29 58 40.38 95 26 01.97 29 57 55.86 95 25 07.84 29 57 57.16 95 24 17.06  er of quadrangle.  29 59 03.10 95 23 34.49 29 58 13.62 95 23 22.77

## ALDINE QUADRANGLE—Continued. Along road close to railroad near east border of quadrangle—Continued.

Station.	Latitude.	Longitude.	Distance between stations.
Aldine, 1.75 miles north of, 40 feet east of center of railroad track, 45 feet west of public road, 1 foot east of telegraph pole, painted "U. S. B. M. 240," elevation 87.92 feet.  International & Great Northern Ry. bridge 280, over Green's Bayou, top of rail, 87.4 feet.	。, , ,, 29 57 26. 07	95 23 11.08	Feet. 3, 126
Along road close to railroad near west bor	der of quadr	angle.	
Aldine, 1.10 miles north of, 240 feet south of south end of highway bridge over Greens Bayou, 60 feet east of center of railroad track, 25 feet west of center of road, 8 feet east of telephone pole; iron post stamped "Prim. Trav. Sta. No. 108, 1915," elevation 82.465 feet  Aldine, 1,400 feet north of station, 25 feet west of center of road, 120 feet southwest of store, 1 foot from telegraph pole painted "U.S. B. M. 241"; copper nail in hub, elevation 81.595 feet  Aldine, 75 feet east of station, road crossing the International & Great Northern Ry.; top of rail, 85.7 feet  Aldine, about 0.75 mile south of, 30 feet west of center of road, 50 feet east of railroad track, about 50 feet north of steps over fence, 2 feet east of telephone pole painted "U.S.B. M. 242"; copper nail in hub, elevation 81.56 feet  Aldine, 1.20 miles south of, 55 feet east of center of track, 30 feet west of center of road, 300 feet south of small wooden bridge, 3	29 56 53, 83 29 56 10, 62 29 55 56, 42 29 55 18, 79	95 23 02.77 95 22 52.04 95 22 48.20 95 22 39.05	3,339 4,467 1,474 3,887
feet east of right-of-way fence line; iron post stamped "Frim. Trav. Sta. No. 109, 1915," elevation 81.122 feet	29 54 55, 51	95 22 32.97	2, 412

# ALIEF QUADRANGLE. Along Westhelmer road.

Station.	Latitude.	Longitude.	Distance between stations.
Houston, 6.3 miles west of city limits, on Westheimer road, about 1 mile north and 0.5 mile east of Jeanetta, 25 feet south and 20 feet east of T road corner, 2.5 feet from corner fence post; from poststamped "Prim. Trav. Sta. No. 9, 1915," elevation 72.583 feet. T road corners, roads east, west, and north	29 44 13, 55 29 44 13, 52	95 30 50,58 95 31 15,54	Feet. 2,200
M. No. 17," elevation 74.53 feet.  Houston, 8.3 miles west of city limits, on Westheimer road, 25 feet north of center of road, in line with fence line north, 1 foot from corner fence post; copper nail in hub, painted on post "U.	29 44 13.35	95 31 54.66	3,449
S. B. M. No. 18," elevation 79.36 feet	29 44 12,56 29 44 11.55	95 32 52.99 95 33 35.26	5, 142 3, 728
Alief, 2 miles east of, about 0.5 mile north of San Antonio & Aransas Pass Ry., 20 feet west of center of north and south road, 1 foot from corner fence post, at fence line west; post painted "U.S. B. M. No. 19"; copper nail in hub, elevation 80.48 feet	29 43 31.45	95 33 34.42	4,052
road, north and south road crossing over San Antonio & Aransas Pass Ry	29 43 03 45	95 33 33.56	
nail in hub, elevation 79.80 feet Alief, about 1.1 miles east of, 30 feet south of center of public road, 100 feet south of San Antonio & Aransas Pass Ry., opposite railroad post marked "1 Mile to Station"; iron post stamped "Prim. Trav. Sta. No. 11, 1915," elevation 80.667	29 43 00. 92 29 42 57. 98	95 33 58.88 95 34 27.89	2, 247 2, 575
Brays Bayou, San Antonio & Aransas Pass Ry. bridge over; top of rail, elevation 83.5 feet.  Alief station, 50 feet south and 60 feet east of, 170 feet west of road north, across track, 1 foot north of telephone pole painted "U.S. B. M. No. 21"; copper nail in hub, elevation 79.53 feet	29 42 53.15	95 35 33.41	5, 797

## ALIEF QUADRANGLE—Continued. Along Westheimer road—Continued.

Station.	Latitude.	Longitude.	Distance between stations.
Alief, 1 mile south of, opposite L. L. Holland's residence, 1 foot from gatepost at entrance to barnyard; copper nail in hub,	。,,,,	o , ,,	Feet.
"U. S. B. M. No. 22," elevation 82.09 feet.  Alief, 1.75 miles south of, 25 feet west of center of north and south	29 41 56.38	95 35 45.10	5,827
rrom gatepost at entrance to barnyard; copper hall in hub, "U.S. B. M. No. 22," elevation 82.09 feet.  Alief, 1.75 miles south of, 25 feet west of center of north and south road, 2 feet from gatepost in wire fence line; iron post stamped "Prim, Trav. Sta. No. 12, 1915", elevation 82.533 feet.  Alief, 2.6 miles south of, 25 feet south of east and west road, known as Richmond Road, 2 feet north of gatepost, painted "U.S. B. M. No. 23"; copper nail in hub, elevation 87.09 feet.	29 41 19.60	95, 41, 45, 01	3,715
as Richmond Road, 2 feet north of gatepost, painted "U. S. B. M. No. 23"; copper nail in hub, elevation 87.09 feet	29 40 32.39	95 35 44.05	4,770
Alief, 2.6 miles south by 1.1 miles east of, 25 feet north of center of road, 1,200 feet southwest from two-story white house; copper nail in hub, post painted "U. S. B. M. No. 24." elevation 83.95.			
feet.  Alief, 2.6 miles south and 1.7 miles east of, on Richmond Road, on open prairie, no fences, N. 67° W., distant 0.5 mile to two-story white house with windmill and red barn, 1,200 feet east of small angle in road, 35 feet north of center of road iron post.	29 40 27.31	95 34 28,00	6,729
of small angle in road, 35 feet north of center of road; iron post stamped "Prim. Trav. Sta. No. 13, 1915," elevation 81.593 feet. Alief, 2.6 miles south by 2.4 miles east of, 55 feet north of east and west road; in root of lone tree on prairie; copper nail, tree painted "U. S. B. M. No. 25," elevation 75.05 feet.	29 40 26.91	95 33 53.06	3,082
	29 40 28.94	95 33 24,65	2,516
front of one and one-half story house; copper nail in hub, post painted "U. S. B. M. No. 26," elevation 72.48 feet  Missouri City, about 4.2 miles north of, 60 feet east of road south, in line with road west; iron post stamped "Prim. Trav. Sta. No. 14, 1915," elevation 66.899 feet  Missouri City, 3 miles north and 0.6 mile east of, 35 feet east of center of porth and south road, 6 inches from corner fence post of	29 40 32.79	95 32 15.87	6,080
No. 14, 1915," elevation 66.899 feet.  Missouri City, 3 miles north and 0.6 mile east of, 35 feet east of center of north and south road, 6 inches from corner fence post at	29 40 34.27	95 31 40.80	3,098
center of north and south road, 6 inches from corner fence post at fence line east; copper nail in hub, post painted "U. S. B. M. No. 27," elevation 71. 43 feet.  Missouri City, 2.6 miles north of, 1.25 miles south of Richmond Road, 20 feet north and 25 feet east of right angle in road, 1 foot	29 39 46.15	95 31 40.26	4,861
Road, 20 feet north and 25 feet east of right angle in road, 1 foot east of corner fence post painted "U. S. B. M. No. 25"; copper nail in hub, elevation 73.29 feet.  Missouri City, about 1.7 miles north of, on south side of angle in road to southwest. 30 feet south of wooden bridge over ditch:	29 39 21.82	95 32 10.52	3,628
road to southwest, 30 feet south of wooden bridge over ditch; iron post stamped "Prim. Trav. Sta. No. 15, 1915," elevation 72.764 feet.  Missouri City, 1.2 miles north of, on east side of road, 1.5 feet from	29 38 34.02	95 32 09.07	4,831
corner fence post, fence line southeast; copper nail in hub, post painted "U. S. B. M. No. 29," elevation 74.66 feet	29 38 12.87	95 32 31.82	2,933
from T road corner, I foot from corner fence post painted "U.S. B. M. No. 30"; copper nail in hub, elevation 78.38 feet Missouri City, about 1.75 miles northeast of, on road to Houston, 40 feet northwest of center of road, 40 feet from center of Southern	29 37 42.26	95 32 59.90	3,962
Pacific R. R. track, 1 foot from telephone pole painted "U. S. B. M. No. 32"; copper nail in hub, elevation 70.27 feet. Missouri City, 2 miles northeast of; road crossing top of rail, elevation 74.2 feet.	29 37 43.37	95 30 44.23	4,488
Bellaire, about 3 miles west of, on Richmond road, 10 feet north of center of road, in wetserly one of two mesquite trees; copper nail in notch at base, tree painted "U. S. B. M. No. 79," elevation	00 41 07 24	05 20 20 27	
67.89 feet.  Bellaire, about 2.25 miles west of, on Richmond Road, 45 feet south of center of road, 5 feet from corner fence post at north and south fence line, 10 feet east of gatepost; iron post stamped "Prim. Trav. Sta. No. 39, 1915," elevation 66.650 feet.	29 41 07.34	95 30 39.27	••••
Trav. Sta. No. 39, 1915," elevation 66.650 feet Bellaire, about 2.2 miles west of; Richmond Road, about 0.4 mile north of, at corner of fence in open prairie, 6 inches from corner post painted "U. S. B. M. No. 80"; copper nail in hub, elevation	29 41 26.62	95 30 00.43	3,928
Jeanetta, about 1 mile southeast of, about 150 feet south of old	29 41 47.37	95 30 00.82	2,006
dredging machine in open prairie; copper nail in hub, witness stake painted "U. S. B. M. No. 81," elevation 72.18 feet	29 42 38.67	95 30 05.72	5,200
of long alm tree on prairie, copper half tree painted "U.S. B. M.	29 42 52.55	95 30 07.05	1,403
No. 82," elevation 72.14 feet.  Jeanetta, about 1 mile east of, 50 feet north of San Antonio & Aransas Pass Ry. track, 1 foot from telephone pole painted "U. S. B. M. No. 83"; copper nail in hub, elevation 70.43 feet.	29 43 20.51	95 30 09.70	2,834

## ALIEF QUADRANGLE—Continued. Along Jeanetta-Hillendahl road.

Station.	Latitude.	Longitude.	Distance between stations.
Westheimer road, 1,700 feet north of Jeanetta-Hillendahl road, 25 feet north and 25 feet east of right angle bend in road, 6 inches from corner fence post painted "U. S. B. M. No. 149;" copper nail in hub, elevation 72.22 feet  Buffalo Bayou, Jeanetta-Hillendahl wagon road bridge over; center of floor, elevation 64.8 feet.	29 44 30.71	95 31 22.37	Feet.

Magnetic declination for quadrangle, 8° 21' E.

#### From Alief west along San Antonio & Aransas Pass Railway.

San Antonio & Aransas Pass Ry. bridge No. 15.9; top of rail, elevation 85.2 feet.			
Alief, about 1.1 miles west of, 36 feet north of wagon road, 35 feet south of railroad, 2 feet from telephone pole painted "U. S. B. M. 85"; copper nail in hub, elevation 81.97 feet.  San Antonio & Aransas Pass Ry. bridge No. 15.5; top of rail, elevation 86.2 feet.	29 42 47.65	95 36 40.51	

#### ALMEDA QUADRANGLE.

#### Along International & Great Northern Railway near north border of quadrangle.

Station.	Latitude.	Longitude.	Distance between stations.
Almeda, 0.8 mile north of International & Great Northern Ry.	• , ,,	0 , ,,	Feet.
bridge 13; top of rail above ditch, elevation 56.4 feet  Almeda, 0.9 mile north of, 40 feet east of track; copper nail in hub 1 foot from telephone pole painted "U.S.B.M. 42," elevation 53.44 feet	29 36 59.31 29 36 47.99	95 25 04.05 95 25 09.03	1, 225
post stamped "Prim. Trav. Sta. No. 21, 1915," elevation 61.962 feet.  Almeda, about 0.6 mile east of, T road west.  Almeda, about 0.75 mile southeast of, crossroads 35 feet northeast of; 1.5 feet east of telephone pole painted "U. S. B. M. 43," 2 feet	29 36 14.49 29 36 14.59	95 25 21.25 95 24 47.39	3, 551 2, 990
from corner fence post; copper nail in hub, elevation 63.29 feet Almeda, about 1.5 miles east by 0.3 mile south of, 25 feet north of	29 35 56.13	95 24 47.12	1,865
center of road; 1 foot south of telephone pole painted "U. S. B. M. 44," copper nail in hub, elevation 63.41 feet.  Almeda, about 2.4 miles east by 0.3 mile south of, 30 feet southwest of small bridge over ditch, 35 feet south of east and west road, 25 feet west of ditch, on top of small embankment inside of field; the contract to the contract of t	29 35 57.07	95 23 55.42	4,565
iron post stamped "Prim Trav. Sta. No. 22, 1915," elevation 60.991 feet	29 35 57.10	95 23 02.71	4,654
east and west road; 1 foot from telephone pole painted "U. S. B. M. 45," copper nail in hub, elevation 58.18 feet	29 35 38.36	95 <b>22 36.91</b>	2,962

Magnetic declination near north border of quadrangle, 8° 27' E.

#### ASHFORD QUADRANGLE.

## From a point on Houston & Texas Central Railroad, 1.65 miles northwest of Satsuma, northeast along public road.

Station.	Latitude.	Longitude.	Distance between stations.
Satsuma, 1.5 miles north and 0.5 mile west of, 15 feet south of center of road in open prairie; witness stake painted "U. S. B. M. 288"; copper nail in hub, elevation 128.06 feet. Satsuma. 1.75 miles north of, 50 feet south of public road, 80 feet	0 , ,, 29 55 14.44	95 36 22.73	Feet.
southeast of small bridge; ash tree painted "U. S. B. M. 287"; copper nail in root, elevation 122.46 feet	29 55 29.04	95 35 50.89	3, 167

#### ${\bf ASHFORD\ QUADRANGLE-} Continued.$

From a point on Houston & Texas Central Railroad, 1.65 miles northwest of Satsuma, northeast along public road—Continued.

. Station.	Latitude.	Longitude.	Distance between stations.
Satsuma, 2.3 miles north and 0.8 mile east of, 35 feet north and 20 feet east of crossroads in open prairie; iron post stamped "Prim. Trav. Sta. No. 129, 1915," elevation 127.880 feet.  Satsuma, 2.6 miles north and 1.2 miles east of, 0.5 mile northeast of crossroads, near center line of road; oak free painted "U. S. B.	29 55 57.94	95 35 04.44	Feet. 5, 023
M. 288"; copper nail in root, elevation 128.74 feet	29 56 12.45	95 34 39.92	2,609
copper nail, elevation 129.71 feet. Satsuma, 4 miles north and 2.1 miles east of, 25 feet north and 25 feet east of crossroads; iron post stamped "Prim. Trav. Sta. No.	29 56 36.75	95 34 00.87	4, 223
130, 1915," elevation 128.763 feet.  North Houston, 1.8 miles north and 1.5 miles west of, 1.3 miles west of Trinity & Brazos Valley Ry., 25 feet north of center of road in open prairie; witness stake painted "U. S. B. M. 290"; copper nail in hub, elevation 124.31 feet.	29 57 29.74	95 33 49.47	5,446
North Houston, 1.5 miles north and 1.3 miles west of, 20 feet north and 5 feet east of crossroads, 1 foot from northeast corner of small bridge painted "U. S. B. M. 291"; copper nail in hub, elevation	29 57 12.61	95 32 51.42	5,392
123.26 (Feet Satsuma, 3.4 miles north and about 4 miles east of, T road corners. North Houston, about 1.3 miles northwest of, 215 feet southeast of crossroads of West Montgomery road and Trinity & Brazos Valley Ry., 55 feet east of center of track, 30 feet west of public road, 6 feet from corner fence post: iron post stamped "Prim.	29 57 05.92 29 56 56.34	95 52 28.80 95 31 56.69	2, 190 2, 986
road, 6 feet from corner fence post; iron post stamped "Prim. Trav. Sta. No. 131, 1915," elevation 121.672 feet.  Pemble's store, 5.3 miles southwest of, Trinity & Brazos Valley Ry. and West Montgomery road crossing, 0.9 mile northeast of, 12 feet north of wire fence line which bears N. 57° E., true; oak tree painted "U. S. B. M. 292"; copper nail in root, elevation 121 15 feat	29 56 36 51	95 31 31.80	2,968
121.15 feet. Pemble's store, 4.3 miles southwest of, Trinity & Brazos Valley Ry. and West Montgomery road crossing, 1.1 miles north and 1.4 miles east of, 1.5 miles southwest of "air line" road, 100 feet southeast of Emily Hargreaves' house; mulberry tree painted	29 57 10.13	95 30 53.70	4,774
"U. S. B. M. 293"; copper nail in root, elevation 118.36 feet	29 57 37.41	95 30 05.53	5, 055
In northeast corner of quadrangle alon	g Air-line ro	ad.	
Cypress Creek Bridge, 0.7 mile southeast of, on Air-line road, 20 feet west of center of road, 3 feet from corner post, on fence line west; iron post stamped "Prim. Trav. Sta. No. 122, 1915," elevation 120.421 feet.	29 59 54.65	95 30 22.90	
Southeast from crossing of Trinity & Brazos Valley Rails	way and Wes	st Montgomer	y road.
North Houston station, about 0.7 mile north of, on West Montgomery road, 30 feet northeast of center of road, at junction of wire and board fences, 6 inches from corner fence post, painted "U. S. B. M. 294"; copper nail in hub, elevation 117.90 feet North Houston, about 0.5 mile N. 60° E. from, 20 feet southwest of center of road, 6 inches from corner post; on fence line west, painted "U. S. B. M. 295"; copper nail in hub, elevation	29 56 09.02	95 30 55.61	
west, painted "U. S. B. M. 295"; copper nail in hub, elevation	29 55 36, 73	95 30 13.96	4,906
Along public road.			
Satsuma, 1.7 miles northwest of, 50 feet north of railroad crossing, 30 feet south of road, 18 inches south of corner fence post; copper nail in hub, pole painted "U. S. B. M. 133," elevation 130.54 feet. Satsuma, 0.75 mile northwest of, 800 feet northwest of milepost 19, 50 feet north of railroad, 30 feet south of road; 1 foot from telephone pole painted "U. S. B. M. 134"; copper nail in hub,	29 54 52.51	95 37 11.33	••••
telephone pole painted "U. S. B. M. 134"; copper nail in hub, elevation 124.81 feet.  Satsuma, 75 feet south of store and post office, 150 feet northwest of station signboard, 80 feet north of railroad; iron post stamped "Prim. Trav. Sta. No. 64, 1915," elevation 120.704 feet.	29 54 22, 52	95 36 28.87	4,811
elevation 121.6 feet	29 53 57.75	95 35 52.54	4,060
Satsuma, 1 mile southeast of, 50 feet west of T road north, 60 feet north of railroad, 30 feet south of road; 1 foot from telephone pole painted "U. S. B. M. 135"; copper nail in hub, elevation 117.22 feet.	29 53 22.54	95 35 03.61	5,587

#### ASHFORD QUADRANGLE-Continued.

#### Along public road—Continued.

Station.	Latitude.	Longitude.	Distance between stations.
Satsuma, 2.1 miles southeast of, 60 feet northeast of railroad crossing, 35 feet south of T road southwest; 1 foot from fence corner post painted "U. S. B. M. 136"; copper nail in hub, elevation 11.295 feet.  Satsuma, 2.65 miles southeast of, 35 feet north of center of public road, 4 feet east of telephone pole; iron post stamped "Prim. Tray. Sta. No. 65, 1915," elevation 112.020 feet.	29 52 48.73 29 52 30.37	95 34 15.58 95 33 48.40	Feet. 5,435
Along highways near south border of	quadrangle.		
Brink schoolhouse, about 4.3 miles east of, about 2.5 miles west of Houston & Texas Central R. R., 15 feet south of road, in open prairie; copper nail in hub, witness stake painted "U. S. B. M. 175," elevation 123.94 feet.  Brink schoolhouse, 5.3 miles east of, Houston & Texas Central R. R., 1.4 miles west of, 15 feet south of center of road in open prairie; copper nail in hub, witness stake painted "U. S. B. M.	29 52 44,89	95 36 41.91	
176," elevation 120.24 feet.  Houston & Texas Central R. R., 0.6 mile west of, 20 feet north of center of east and west road, 1 foot from fence line; copper nail in hub; witness stake painted "U. S. B. M. 177," no elevation.	29 52 46.71 29 52 47.90	95 35 41.43 95 34 53.72	5,328 4,201

Magnetic declination for quadrangle, 8°~30' E.

BELLAIRE QUADRANGLE.

Along highway in north half of quadrangle.

Station.	Latitude.	Longitude.	Distance between stations.
Houston, Blodgett subdivision, 320 feet southeast of intersection			
of Southern Pacific R. R. and San Antonio & Aransas Pass Ry.			
tracks, 30 feet from center of and in line with fence on south side	, ,,	. , ,,	
of Fannin Street; iron post stamped "Prim. Trav. Sta. No. 6, 1915," elevation 53.693 feet	29 43 54.36	95 22 59.13	Feet.
Houston, Blodgett subdivision, crossing of Southern Pacific R. R.	29 40 04.00	95 22 59.15	
and San Antonio & Aransas Pass Ry.; top of rall at intersection			
56. 9 feet	29 43 54.56	95 23 02.78	323
Montrose, northeast corner of intersection of Mount Vernon Avenue and Richmond Road; 6 inches from telephone pole			
painted "U. S. B. M. No. 11"; copper nail in hub, elevation			
56.10 feet	29 44 03.15	95 23 36,61	3, 105
Houston, city limits on Richmond Road, 20 feet north of center			
line of road at bend, 28 feet north of mail box No. 13; at corner			İ
post on fence line west; copper nail in hub, "U. S. B. M. No. 12," elevation 56.56 feet	29 44 02,44	95 24 45, 90	6,109
Houston, 1,800 feet west of city limits, intersection of north and	25 11 02.11	20 24 40.00	0,100
south road and Richmond Road	29 43 50.57	95 25 06.70	2, 191
Houston, 1,800 feet west of city limits, 230 feet west of John Smith			
schoolhouse, 25 feet south of Westheimer road, 5 feet from corner of blacksmith shop; iron post stamped "Prim. Trav.			1
Sta. No. 7, 1915," elevation 60.211 feet	29 44 30, 99	95 25 06, 81	4,083
Houston, about 1.25 miles west of city limits, on Westheimer			,
road, on south end of west side of stone culvert; chiseled square,	00 44 00 00		
"U. S. B. M. No. 13," elevation 64.49 feet	29 44 29.82	95 26 00.90	4,770
Houston, about 2.1 miles west of city limits, 80 feet west of railroad,			
20 feet north of road; 1 foot from telephone pole painted "U.S.			
B. M. No. 14;" copper nail in hub, elevation 64.75 feet	29 44 29.01	95 26 53.84	4,668
Houston, 3 miles west of city limit, 200 feet west of Post Oak school- house, opposite Fairview store, 1 foot from fence, 30 feet south			1
of road; iron post stamped "Prim. Trav. Sta. No. 8, 1915,"			
elevation 65.862 feet	29 44 25.64	95 27 41.22	4,190
Houston, 4.1 miles west of city limit, on Westheimer road, 1 mile			
west of Fairview store, 60 feet east of V. S. Ulrich's mail box; 6 inches from telephone pole painted "U. S. B. M. No. 15";			
copper nailin hub, elevation 65.10 feet	29 44 15.06	95 28 37.68	5,091
Houston, 5.2 miles west of city limit, about 2 miles west of Fair-			1
view store, at east end of railing of small wooden bridge; copper	00 44 14 45	05 00 42 05	E 000
nail in hub, "U. S. B. M. No. 16," elevation 70.43 feet	29 44 14.45	95 29 43.85	5,833
mail in into, O. S. D. M. NO. 10, Gievation 10.43 1666	23 44 14.40	vo 2v 40.80	0,830

# BELLAIRE QUADRANGLE—Continued. Along highways in south half of quadrangle.

wiong menasa m south nam of d	ua viangio.		
Station.	Latitude.	Longitude.	Distance between stations.
Missouri City, 2.65 miles northeast of, 25 feet northwest of center of road, 50 feet southeast of center of Southern Pacific R. R. track, 1 foot from wire fence line; iron post stamped "Prim. Trav. Sta. No. 17, 1915," elevation 70.391 feet.  Missouri City, 3.5 miles northeast of, 50 feet southeast of Southern Pacific R. R. track, 40 feet northwest of shell road; 2 feet from	29 38 03.35	95 29 52.12	Feet. 5,022
telephone pole, painted "U. S. B. M. No. 33"; copper nail in hub, elevation 70.30 feet. MissouriCity, 4.4 miles northeast of, 40 feet southeast of Southern Pacific R. R. track, 40 feet northeast of road, 400 feet west of house; 2.5feetfrom telephone pole painted "U. S. B. M. No. 34";	29 38 21.34	95 29 05.71	4,482
copper nail in hub, elevation 69.60 feet.  Missouri City, 5.2 miles northeast of, 25 feet northwest of road, 55 feet southeast from Southern Pacific R. R. track, about 350 feet northeast of signboard "Station 1 mile"; 1 footfrom wire fence; iron post stamped "Prim. Trav. Sta. No. 18, 1915," elevation	29 38 39.31	95 28 19.01	4,502
69.056 feet. Missouri City, 5.6 miles northeast of, 45 feet southeast of Southern Pacific R. R., about 70 feet southeast from shell road crossing of railrad: 3 feet from telephone pole painted "U.S. R. M. No.	29 38 56.08	95 27 35.24	4,218
35;" copper nall in hub, elevation 66.49 feet.  Stella, 2.5 miles southwest of, 2,000 feet southwest of section house, 50 feet southeast of Southern Pacific R. R. track, 20 feet north-	29 39 09.40	95 27 00.88	3,317
"U. S. B. M. No. 36"; copper nail in hub, elevation 65.56 feet. Stella, 1.5 miles southwest of, opposite signboard "1 mile to station," 42 feet southeast of center of Southern Pacific R. R. track; iron post stamped "Prim. Trav. Sta. No. 19, 1915," elevation 60.251 feet.	29 39 27.97	95 26 12.79	4,640
feet southeast of Southern Pacific R. R. track: 1.5 feet from nost	29 39 44.17	95 25 24.21	4,588
in right-of-way fence, painted "U. S. B. M. No. 37"; copper nail in hub, elevation 50.04 feet. Stella station; top of rail opposite semaphore, elevation 56.7 feet. Pierce Junction, center of tracks at; top of rail, elevation 55.2 feet.	29 40 01.93	95 24 25.02 95 23 47.16	3,551
Along International & Great Northe	ern Railway.		
Pierce Junction, 332 feet south of, 35 feet east of track, 35 feet west of center of public road; 1 foot from telephone pole painted "U.S.B.M. No. 38"; copper nail in hub, elevation 52.45 feet Pierce Junction, 0,9 mile south of, 40 feet east of track, 150 feet south of sign "1 mile to R.R. crossing"; 1 foot from telephone	29 40 10.63	95 23 47.99	332
post painted "U. S. B. M. No. 39"; copper nail in hub, eleva- tion 59.28 feet.  Plerce Junction, 1.75 miles south of, 900 feet south of switch, 40 feet east of track; 1 foot from telephone pole painted "U. S. B. M.	29 39 28.52	95 24 04.70	4, 492
No. 40"; copper nall in hub, elevation 56.92 feet.  Almeda, 2.6 miles north of, 48 feet east of track, opposite mile board  No. 9, nearly opposite white house west of road; iron post stamped "Prim. Trav. Sta. No. 20, 1915"; elevation 56.100 feet.	29 38 46.53 29 38 27.50	95 24 21.45 95 24 28.91	4,501
rail, elevation 55.9 feet	25 03 27.50	50 24 26. 51	2,030
house, 35 feet east of track; 1 foot from telephone pole painted "U.S. B. M. No. 41"; copper nail in hub, elevation 55.46 feet Blodgett, 1 mile south of, on south end of east side of Southern Pacific R. R. bridge 5 C; copper nail and washer painted "U.S.	29 37 44.09	95 24 46.29	4,645
B. M. No. 66," elevation 52.94 feet. Southern Pacific R. R. bridge over Brays Bayou, No. 6 A; top of rail, elevation 51.4 feet.	29 43 05.80	95 22 48.45	
Along Southern Pacific Railr	road.	<u> </u>	<u>·</u>
Blodgett, 2 miles south of, 50 feet north of T road west, 30 feet west of Almeda road; 1 foot from telephone pole painted "U.S. B. M. No. 67"; copper nail in hub, elevation 48.37 feet	29 42 14.29	95 23 05.60	5, 418
elevation 50.934 feet.  Pierce Junction, about 1 mile northeast of, on east side of track and westside of Almeda road, 1 foot from telephone pole painted "U.S. B. M. No. 68"; copper nail in hub, elevation 50.59 feet	29 41 49.77	95 23 13.27 95 23 29.78	2,567 4,889
			•

#### BELLAIRE QUADRANGLE—Continued.

#### Along Southern Pacific Railroad-Continued.

Station.	Latitude.	Longitude.	Distance between stations.
Pierce Junction, about 0.3 mile north and 0.9 mile east of, 80 feet south of signboard "R. R. crossing 1 mile," 45 feet southeast from center of railroad track; iron post stamped "Prim. Trav. Sta. No. 34, 1915," elevation 52.612 feet. Jeannetta, about 1.5 miles east of, 0.4 mile north of railroad track, in open prairie, 50 feet west of drainage ditch; copper nail in	29 40 29. 97	95 22 51.80	Feet.
hub, witness stake painted "U. S. B. M. No. 84," elevation 69.95 feet	29 43 42.97	95 29 44.12	
Near north border of quadran	igle.		
Houston, intersection of Westheimer and Shepherd dam roads, 30 feet north and 30 feet west of, 6 inches from corner fence post painted "U. S. B. M. 148"; copper nail in hub, elevation 58.63 feet.	29 44 32.55	95 24 38.54	

Magnetic declination in quadrangle, 8° 13' E.

# BURNETT BAY QUADRANGLE. Along public road between Crosby and Lynchburg.

Station.	Latitude.	Longitude.	Distance between stations.
Crosby, 3.0 miles south and 0.4 mile east of, 25 feet west of road, 30 feet south of drain pipe under road, 1 foot east of telephone pole painted "U.S.B. M. 382"; copper nail in hub, elevation 46.01 feet	° , ,, 29 51 55.86	95 03 40.50	Feet.
in road, 25 feet west of road and 15 feet north of gateway, 2½ feet from wire fence; iron post stamped "Prim. Trav. Sta. No. 164, 1915," elevation 49.148 feet	29 51 30.09	95 03 34.44	2, 658
residence, 25 feet west of road at wire fence line; pine tree painted "U. S. B. M. 383"; copper nail in root, elevation 46.80 feet Crosby, 5.3 miles south and 0.6 mile east of, 140 feet south of south	29 50 54.26	95 03 30.50	3, 638
end of bridge, 25 feet east of road; willow tree painted "U. S. B. M. 384"; copper nail in root, elevation 22.76 feet.  Elena post office, 250 feet south of, 150 feet south of canal at San Jacinto Rice Co.'s plantation, 25 feet west of road and 10 feet south	29 49 55.21	95 03 27.06	5,971
of gateway iron post stamped "Prim. Trav. Sta. No. 165, 1915," elevation 44.723 feet. Elena, 0.6 mile south of; crossroads. Elena, 0.9 mile south of, 1,870 feet, south of crossroads, 25 feet east	29 49 35.28 29 49 06.89	95 03 27.06 95 03 26.50	2,015 2,871
of road; persimmon tree painted "U. S. B. M. 385"; copper nail in root, elevation 41.03 feet.  Elena, 1.9 miles south and 0.1 mile east of, 25 feet west of road; oak tree painted "U. S. B. M. 386"; copper nail in root, elevation	29 48 48.55	95 03 25.64	1,856
39.40 feet.  Lynchburg, 1.75 miles north and 1.25 miles east of, 25 feet west and 20 feet north of T road east, 3 feet from fence line; iron post	29 47 57.94	95 03 22.18	5, 122
stamped "Prim. Trav. Sta. No. 166, 1915," elevation 39.431 feet. Lynchburg, 1 mile north and 0.9 mile east of, 35 feet west of center of road, in woods; ash tree painted "U. S. B. M. 387";	29 47 22.89	95 03 28,16	3, 581
copper nail in root, elevation 4.08 feet. Lynchburg, 0.1 mile north and 1,800 feet east of, on what is known as Tory Hill, the northeast corner of fence around the residence of E. Sandow is distant 102 feet and the southeast corner of fence is distant 54.5 feet. Station is marked by a U. S. Corps of Engineers standard station mark, elevation 28.121 feet. There are two U. S. Corps of Engineers standard reference marks set flush with the ground, one 105.6 feet N. 89° 40′ W., in line with a large cedar tree 138 feet from the station, and the other 83.6 feet N. 0° 50′ W., in line with a large hackberry tree, 34 feet from the	29 46 41.35	95 03 49.63	4,604
station Lynchburg, about 0.4 mile south and 0.5 mile west of, about 1,500 feet north of San Jacinto battleground reservation, 200 feet north of schoolhouse, 70 feet north of road to ferry and 140 feet west of Lynchburg-Deer Park road; cottonwood tree painted	29 45 57.47	95 04 23.51	5,347
"U. S. B. M. 388"; copper nail in root, elevation 5.90 feet	29 45 33.35	95 05 15,76	5, 210

# BURNETT BAY QUADRANGLE—Continued. Along public road between Crosby and Lynchburg—Continued.

Latitude.	Longitude.	Distance between stations.
29 45 45.40	95 05 57.10	Feet. 3,841
29 46 09.04	95 06 48.42	5, 116
ıgle.		
29 47 11.44	95 07 28.23	7,214
29 48 06.14	95 07 25.97	5, 528
29 52 26.12	95 06 48.05	
rangle.		
29 52 15.30	95 01 02.33	
29 52 00.29	95 00 44.88	2,159
road.		
29 45 03.24	95 02 09.28	
29 45 43.83	95 01 55.10	4,286
29 46 19.55	95 01 55.16	3,608
	1	l
29 47 12.13	95 01 55.63	5,311
	29 45 45.40 29 46 09.04  1gle. 29 47 11.44 29 48 06.14 29 52 26.12  rangle. 29 52 15.30 29 52 00.29  road. 29 45 03.24 29 45 43.83	29 45 03.24 95 02 09.28 29 45 43.83 95 01 55.10

Magnetic declination for west side of quadrangle,  $8^{\circ}$  15′ E.; for center,  $8^{\circ}$  10′ E.; for northeast quarter,  $8^{\circ}$  10′ E.; for southeast quarter,  $8^{\circ}$  10′ E.

#### CEDAR BAYOU QUADRANGLE.

#### Along Crosby-Cedar Bayou road.

Station.	Latitude.	Longitude.	Distance between stations.
Cedar Bayou post office, 7 miles north and 4.2 miles west of, 25 feet northeast of road, 30 feet northwest of gateway at entrance to farmyard; 1 foot from telephone pole painted "U. S. B. M. 425"; copper nail in hub, elevation 40.58 feet.  Cedar Bayou post office, 6.4 miles north and 3.5 miles west of, 1,170 feet northwest of angle in road, 25 feet southwest of road, 10 feet southeast of gateway, nearly opposite frame house across road;	29 51 20.33	94 59 59,51	Feet.
southeast of gateway, nearly opposite frame house across road; iron post stamped "Prim. Trav. Sta. No. 179, 1915," elevation 41.265 feet.  Cedar Bayou post office, 6.4 miles north and 2.6 miles west of, 25 feet north and 25 feet east of T road south, under wire fence	29 59 42,75	94 59 17.59	5, 295
line; 2 feet east of telephone pole painted "U. S. B. M. 426"; copper nail in hub, elevation 36.00 feet. Cedar Bayou post office, 5.5 miles north and 2.4 miles west of, 30 feet northeast of center of road, opposite frame house across road;	29 50 42.42	94 58 23,66	4,750
18 inches northeast of telephone pole painted "U. S. B. M. 427"; copper nail in hub, elevation 37.32 feet.  Cedar Bayou post office, 4.6 miles north and 2.3 miles west of, 40 feet south and 10 feet west of crossroads, 12 feet southwest of	29 49 52.36	94 58 12.90	5,145
corner of small bridge; fron post stamped "Prim. Trav. Sta. No. 180, 1915," elevation 37.039 feet	29 49 24,41	94 58 07.56	2,863
elevation 38.00 feet	29 48 27, 89	94 57 53.53	5, 842
Cedar Bayou post office, 3.8 miles north and 2 miles west of, Troad south	29 48 28, 10	94 57 43.85	855
"U. S. B. M. 429"; copper nall in hub, elevation 32.50 feet Cedar Bayou post office, 2.15 miles north and 1.5 miles west of, 45 feet east and 20 feet south of crossroads, 3 feet north of corner fence post; iron poststamped "Prim. Trav. Sta. No. 181, 1915."	29 47 49,84	94 57 35.17	3,940
elevation 34.970 feet	29 47 27.50 29 46 50.99	94 57 17.19 94 56 47.99	2, 757 4, 497
M. 430"; copper nail in hub, elevation 30.57 feet.  Cedar Bayou post office, 0.9 mile north and 0.6 mile west of, 30 feet north and 30 feet west of crossroads; 1 foot south of large corner fence post painted "U. S. B. M. 431"; copper nail in hub, eleva-	29 46 43.65	94 56 41.68	926
tion 32.16 feet. Cedar Bayou post office, 1 mile north of, 30 feet north of center of road and just west of angle in road; oak tree painted "U. S. B. M.	29 45 56.17	94 56 22.75	5,079
432"; copper nail in root, elevation 25.24 feet.  Cedar Bayou post office, 1 mile north and 0.6 mile east of,  1 mile east of ferry across bayou, at forks of road, 115 feet S.  16° W. from corner of R. J. Tompkin's house; iron post	29 46 02.04	94 55 45.29	3,355
stamped "Prim. Trav. Sta. No. 182, 1915," elevation 23.553 feet. Cedar Bayou post office, 0.3 mile north and 0.2 mile east of, 900 feet north east of Masonic Hall, 15 feet southeast of road on top of concrete culvert wall, painted "U.S. B. M. 433"; chiseled square,	29 46 04.54	94 55 12.35	2,914
centrate curvet wan painted 5.5.5. M. 455, clineated square, elevation 21.03 feet.  Cedar Bayou post office, about 550 feet northeast of, in top of east end of concrete culvert; chiseled square painted "U. S. 6.3  B. M.," elevation 6.41 feet.	29 45 25.54	94 55 36.54	4, 480

Magnetic declination for center of quadrangle, 8° 07′ E.; for south side, 8° 02′ E.

#### CLODINE QUADRANGLE.

#### Along San Antonio & Aransas Pass Railway.

Station.	Latitude.	Longitude.	Distance between stations.
Alief, 2 miles west of, 30 feet north of wagon road, 40 feet south of railroad, 1 foot from telephone pole milepost 17; copper nail in hub, pole painted "U.S.B.M. 86"; elevation 83.52.  Clodine, 2.7 miles east of, 45 feet northeast of T road north, 55 feet southeast of railroad crossing north and south road, 1 foot from	29 42 43.15	。 / // 95 37 35.41	Feet.
fence corner, 200 feet west of milepost 18; iron post stamped "Prim. Trav. Sta. 40, 1915, 85," elevation 85.498	29 42 38.08	95 38 36.98	5.453

#### CLODINE QUADRANGLE—Continued.

#### Along San Antonio & Aransas Pass Rallway-Continued.

Station.	Latitude.	Longitude.	Distance between stations.
San Antonio & Aransas Pass Ry. bridge 18.5 top of rail, elevation	0 , ,,	. , ,,	Feet.
89.1 Clodine, 1.7 miles east of, 50 feet northeast of T road north, 40 feet southeast of railroad crossing, 1 foot from fence corner post, 250 feet northeast of a small bungalow; copper nail in hub, post	00 10 00 00		
painted "U. S. B. M. 87," elevation 89.850	29 42 33.20	95 39 36.70	5,290
of wagon road, about 200 feet south of small yellow house; copper nail in hub, "U. S. B. M. 88," elevation 93.53.  Clodine station, about 1,000 feet northeast of, at corner of county; a concrete monument 12 inches square and 15 inches above	29 42 30.93	95 40 16.10	3, 483
ground marked "10 miles," no elevation	29 42 34.62	95 41 09.23	4,700
of San Antionio & Aransas Pass Ry. station, 25 feet west of center of north and south road and about 1.5 feet from corner fence post;			
iron post stamped "Prim. Trav. Sta. No. 41, 1915," elevation 95.202 feet	29 42 22.98	95 41 17.10	1,364
Along Clodine-Barker roa	d.		
Clodine, 1 mile north of, 25 feet west of center of road, 3 feet south			
of fence corner at fence line west; copper nail in hub, post painted "U. S. B. M. 89," elevation 93.24	29 43 16.59	95 41 16, 59	5,416
roads east, west, and north, 1 foot from fence post; copper nail in hub, post painted "U. S. B. M. 90," elevation 92.12. Clodine, about 2.7 miles north of, 2.6 miles south of Barker, 0.7 mile south of bridge over Buffalo Bayou, on east side of road, close	29 44 05.06	<b>95 41 16.</b> 30	4,896
to wire fence, opposite small wooden bridge; iron post stamped "Prim. Trav. Sta. No. 42, 1915," elevation 87.716.	29 44 46.61	95 41 06.17	4, 291

Magnetic declination for north half of quadrangle, 8° 30' E.

## CROSBY QUADRANGLE. Along Huffman-Crosby road.

MIONE MUNICIPALITY			
Station.	Latitude.	Longitude.	Distance between stations.
Crosby, 5.5 miles north and 1.4 miles west of, 20 feet west of center of road, on south side of private road west, opposite gate on east side of road, 1 foot north of telephone pole, painted "U.S.B.M. 336;" wire nail in hub, elevation 63.58 feet.  Crosby, 4.6 miles north and 1.2 miles west of, 100 feet north of a	29 59 20.44	95 05 29.33	Feet.
fence corner 25 feet west of road, 1 foot east of telephone pole painted "U. S. B. M. 337;" wire nail in hub, elevation 64.37 feet. Crosby, 4.1 miles north and 1.1 miles west of, 30 feet east and 30 feet south of T road east, 3 feet southeast of corner fence post; iron post stamped "Prim. Trav. Sta. No. 146, 1915," elevation	29 58 35.27	95 05 18,60	4,66
60.778 feet	29 58 08.97	95 05 11.92	2,72
Gulley schoolhouse.  Crosby, 3.2 miles north and 0.8 mile west of, 3,000 feet south of Gum Gulley schoolhouse, 30 feet west of center of road, at north	29 57 45.17	95 05 07.45	2, 43
end of gate, 6 inches from gate post, painted "U. S. B. M. 338;" wire nail in hub, elevation 57.48 feet.  Crosby, 2.5 miles north and 0.4 mile west of, 50 feet east of road at angle; gum tree painted "U. S. B. M. 339;" wire nail in root,	29 57 19.10	95 04 53.46	2,90
elevation 55.77 feet.  Crosby, 1.5 miles north and 0.3 mile west of, 30 feet west of public road and nearly opposite a residence on east side of road, 10 feet north of gate into field, and 4 feet west of fence line; iron post	29 56 44,44	95 04 32.37	3,96
stamped "Prim. Trav. Sta. No. 147, 1915," elevation 53.907feet. Crosby, 0.7 mile north of, 160 feet south of Troad east, 40 feet west of center of road; pine tree painted "U.S. B. M. 340;" wire nail	29 55 52.00	95 04 22,86	5,36
in root, elevation 50.07 feet	29 55 10.05	95 04 14.68	4,30
public road crossing.  Crosby, 410 feet southeast of road crossing, on top of concrete culvert guard wall, east side of culvert, 6 inches from north end of wall; chiseled square painted "U. S. B. M. 341," elevation 49.35	29 54 34.11	95 04 06.12	3,710
feet	29 54 31.03	95 04 03.14	40

## CROSBY QUADRANGLE—Continued. Along Crosby-Houston road.

Station.	Latitude.	Longitude.	Distance between stations.
Crosby, 1.1 miles south and 0.3 mile east of, 30 feet west of center of road, 15 feet east of fence line, 3 feet northwest of telephone pole; iron post stamped "Prim. Trav. Sta. No. 148, 1915," elevation 49.913 feet.	, , , ,, 29 53 36.82	95 03 48.67	Feet. 5,62:
Crosby, 2 miles south and 0.3 mile east of, 30 feet south and 25 feet east of intersection of roads; top of wing wall of concrete culvert, painted "U. S. B. M. 342;" chiseled square, elevation 45.88 feet. Crosby, 2.1 miles south and 0.8 mile west of, about 0.8 mile east of San Jacinto River, 30 feet south of public road near bend; gum tree painted "J. S. B. M. 343;" wire nail in root, elevation 19.17	29 52 46.40	95 03 47.43	5,090
feet. Crosby, 2.3 miles south and 1.7 miles west of 680 feet west of center pier of iron bridge over San Jacinto River, 20 feet north of center	29 52 45.83	95 04 54.01	5,86
of road; iron post stamped "Prim. Trav. Sta. No. 149, 1915," elevation 27.407 feet	29 52 33.64	95 05 47.08	4,83
Near southeast corner of quad	rangle.		
Sheldon, about 0.5 mile north and 1,000 feet west of, 6 feet east of road in woods; oak tree painted "U. S. B. M. 348;" wire nail in root, elevation 29.51 feet.	29 52 46.10	95 07 17.53	
Along road toward Cedar Bayou and north near	east side of	quadrangle.	·····
Crosby, 2.0 miles south and 1.25 miles east of, 25 feet south of road			
at lane south; 8 inches south of telephone pole painted "U. S. B. M. 422;" copper nail in hub, elevation 54.68 feet	29 52 47.00	95 <b>02 4</b> 9.37	
"U. S. B. M. 423;" copper nail in hub, elevation 48.90 feet Crosby, 2.3 miles south and 2.7 miles east of; at angle in road, 35 feet northeast of center of road going to Cedar Bayou and 65 feet east of T road north, 4 feet west of corner fence post at angle in	29 52 35.25	9 <b>5 02</b> 08.58	3,78
fence; iron post stamped "Prim. Trav. Sta. No. 178, 1915," elevation 47.051 feet. Crosby, 1.5 miles south and 2.7 miles east of, 25 feet north and 25	29 52 35.57	95 <b>01 24</b> .56	3,87
feet west of crossroads; 1 foot north of corner fence post painted "U. S. B. M. 479;" copper nail in hub, elevation 49.43 feet Crosby, 0.75 mile south of, and 2.6 miles east of, 100 feet southwest of schoolhouse, 25 feet north and 25 feet east of T road north;	29 53 15.63	95 01 25.97	4,050
6 inches southwest of corner fence post, painted "U. S. B. M. 480;" copper nail in hub, elevation 50.98 feet. Crosby, 2.5 miles east of, 30 feet north and 30 feet east of T road west, in open prairie; iron post stamped "Prim. Trav. Sta. No. 200, 1915," elevation 53.753 feet.	29 53 54.91	95 01 29.38	3,98
Crosby, 0.9 mile north and 2.3 miles east of, 20 feet east of road at fence lines north and east; 1 foot west of corner fence post painted	29 54 40.20	95 01 39.47	4,66
"U. S. B. M. 481;" copper nail in hub, elevation 55.23 feet	29 55 21.96	95 01 48.89	4,30
nail in hub, elevation 55.55 feet. Crosby, 2.3 miles north and 2.7 miles east of, 30 feet south of public road and 75 feet west of corner of schoolhouse, 8 feet northeast of	29 56 09.90	95 02 00.18	4,94
corner fence post; iron post stamped "Prim. Trav. Sta. No. 201, 1915," elevation 51.718 feet. Crosby, 2.9 miles north and 3.7 miles east of, 60 feet south of Texas & New Orleans R. R., 20 feet north of public road, at southwest	29 56 35.82	95 01 25.48	4,02
end of gate; 1 foot south of gate post painted "U. S. B. M. 483;" copper nail in hub, elevation, 57.18 feet. Crosby, 3.5 miles north and 4 miles east of, 40 feet south of center of road; pine tree painted "U. S. B. M. 484;" copper nail in root,	29 57 06.25	95 00 46.65	4,59
Crosby, 3.6 miles north and 3.4 miles east of, 90 feet west of road; sassairas tree painted "U. S. B. M. 485;" copper nail in root,	29 57 36. 17	95 00 05.76	4,69
elevation, 60.19 feet  Crosby, 3.5 miles north and 2.8 miles east of; T road corner east, west, and north  Crosby, 3.8 miles north and 2.8 miles east of, 30 feet east of road:	29 57 40.52 29 57 37.79	95 00 44.56 95 01 16.21	3,44 2,79
Crosby, 3.8 miles north and 2.8 miles east of, 30 feet east of road; 6 inches west of corner fence post painted "U. S. B. M. 486;" copper nail in hub, elevation 60.30 feet. Crosby, 4.8 miles north and 2.8 miles east of, 35 feet west of road,	29 57 55.25	95 01 17.43	1,76
Crosby, 4.8 miles north and 2.8 miles east of, 35 feet west of road, on small mound in open prairie; iron post stamped "Prim. Trav. Sta. No. 203, 1915," elevation 65.594 feet. Crosby, 5.6 miles north and 2.6 miles east of, 830 feet west of right angle in road, 35 feet north of road; ash tree painted "U.S. B. M.	29 58 47.25	95 01 18.95	5,25
487," copper nail in root, elevation 62.38 feet.	29 59 28 87	95 01 28 60	4,29

## CROSBY QUADRANGLE—Continued. On prairie west of Cedar Bayou.

•		
Latitude.	Longitude.	Distance between stations.
29 59 29.15 29 59 48.79	95 02 07.89 95 02 42.42	Feet. 3, 45
7-Huffman ro	ad.	
29 56 56.18 29 56 55.86 29 56 53.02 29 56 52.28		3, 218 5, 253 4, 424
	29 59 29.15 29 59 48.79 y-Huffman ro 29 56 56.18 29 56 55.86 29 56 53.02	29 59 29.15 95 02 07.89 29 59 48.79 95 02 42.42 7-Huffman road. 29 56 56.18 95 04 39.73 29 56 55.86 95 05 16.31 29 56 53.02 95 06 15.92

Magnetic declination for northwest quarter of quadrangle, 8° 30' E.; for center, 8° 26' E.; for east side, 8° 23' E.; for south side; 8° 23' E.

## CYPRESS QUADRANGLE. Along Washington road.

Station.	Latitude.	Longitude.	Distance between stations.
Cypress, 3.3 miles northwest of, about 800 feet east of mile board "1 mile to Swanson," 25 feet south of center of road and 50 feet north of railroad, 6 inches from telephone pole; copper nail in hub, pole painted "U. S. B. M. 114," elevation 157.83 feet	29 59 22.21 25 59 04.30	95 44 46.91 95 43 59.45	Feet.
equals 233° 50".  Cypress, 1.2 miles northwest of, 60 feet north of Houston & Texas Central R. R., 50 feet south of public road, 1 foot from telephone pole; copper nail in hub, pole painted "U. S. B. M. 115," elevation 154.13 feet.  Cypress, 0.5 mile northwest of, 25 feet south of wagon road, 60 feet north of track, 1 foot from telephone pole; copper nail in hub, pole painted "U. S. B. M. 116," elevation 152.14 feet.  Cypress, 140 feet east of station, Houston & Texas Central R. R., 50 feet north of center of track, 20 feet south of center of road, 3 feet west of telephone post, 3 feet north of fence line, 60 feet southwest of corner of Jnergen's saloon; iron post stamped "Frim. Tray. Sta. No. 56, 1991," elevation 150,275 feet.	29 58 39.14 29 58 25.63 29 58 08.21	95 42 52.96 95 42 17.79 95 41 52.05	6,377 3,381 2,869

## CYPRESS QUADRANGLE—Continued. Along Washington road—Continued.

Station.	Latitude.	Longitude.	Distance between stations.
Cypress, 0.9 mile southeast of, 30 feet south of road, 40 feet north of railroad, 6 inches from telephone pole; copper nail in hub, pole painted "U. S. B. M. 129," elevation 142.58 feet. Cypress, 1.8 miles southeast of, 35 feet south of road, 60 feet north of railroad, 1,000 feet east of Big Cypress Creek, 18 inches from	29 57 38.64	95 41 09.34	Feet. 4,800
telephone pole; copper nall in hub; pole painted "U. S. B. M. 130," elevation 145.27 feet.  Cypress, 2.8 miles southeast of, 35 feet north of road, 130 feet north of Houston & Texas Central R. R., 4 feet east of corner fence	29 57 11.13	95 40 29.62	4,462
post; iron post stamped "Prim. Trav. Sta. No. 62, 1915," elevation 143.018 feet.  Cypress, 3.3 miles southeast of, T road south; top of rail at road crossing, elevation 144.3 feet.	29 56 38.31	95 39 41.19	5,398
Cypress, 3.7 miles southeast of, 30 feet south of road, 70 feet north of railroad, 40 feet south of T road north, 1 foot from telephone pole; copper nail in hub, pole painted "U.S. B. M. 131," elevation 140.35 feet.	29 56 07,68	95 38 58,21	4,886
Cypress, 4.4 miles southeast of, 100 feet east of railroad crossing, 25 feet south of road, 60 feet north of railroad, 1 foot from tele- phone pole; copper nail in hub, pole painted "U.S. B. M. 132,"		·	
elevation 136.37 feet. Satsuma, 2.6 miles southwest of, 400 feet east of milepost 21, 5 feet west of corner fence post, 30 feet north of road, 100 feet north of railroad; iron post stamped "Prim. Trav. Sta. No. 63, 1915,"	29 55 44.24	95 38 24, 82	3,774
elevation 134.619 feet.	29 55 23.62	95 37 54.49	3,385
From Cypress south and southwest along highways to s	southwest cor	ner of quadr	angle.
Cypress, 4,200 feet southwest of, about 1,000 feet east of house, 1 foot from north gatepost; copper nail in hub (T. B. M. 117), no elevation.  Cypress, 1 mile southwest of, on road to Bain's ranch, 2,200 feet	29 57 51.70	95 42 32.93	
south to t. b. m. 117, by north gatepost; copper nail in hub, elevation 145.89 feet. Cypress, 1 mile south by 0.8 mile west of, 400 feet north of Cypress		•	
Creek, at ranch of Mr. Anderson (Mr. Bain, lessee), at corner of barbed and woven wire fence, in root of water oak; copper nail, tree painted "U. S. B. M. 118," elevation 143.68 feet	29 57 13.45	95 42 40.48	3,922
Cypress, 2.9 miles south by 0.9 mile west of, 1.7 miles south of Bain ranch, in open pasture about 60 feet west of roadway leading	29 56 22.82	95 42 39.91	5,115
through, on slight knoll; wire nail in hub, witness stake painted "U. S. B. M. 119," elevation 149.82 feet	29 55 36.63	95 45 45.23	4,690
feet.  Cypress, 4.5 miles south by 1.2 miles west of, in open prairie on small mound; wire nail in hub with witness stake painted	29 55 01.17	95 42 52,12	3,633
"U. S. B. M. 121"  Cypress, 5.2 miles south by 1.4 miles west of, 3 feet south of east and west line, 25 feet west of gateway; iron post stamped "Prim. Trav. Sta. 58, 1915," elevation 144.653 feet.	29 54 15.84 29 53 38.27	95 43 05.15	4,722
Cypress, 6.2 miles south by 1.7 miles west of, in open prairie, 3,500 feet north, 12° W. of house (true bearing); wire nail in hub, witness stake painted "U. S. B. M. 122," elevation 140.16 feet	29 52 46. 23	95 43 19.50 95 43 33.45	4,000 5,400
Along highways near south border of	f quadrangle.		1
Brink schoolhouse, T road east at  Brink schoolhouse, 2,250 feet east of, 20 feet north of center of road; copper nail in hub; witness stake painted "171" (should be 172),	29 52 42.83	95 40 59.43	1, 794
elevation 130.58 feet Brink schoolhouse, 1.5 miles east of, 15 feet south of road in open	29 52 43:16	95 40 33.99	2 <b>, 2</b> 40
Prink schoolhouse, 2.6 miles east of, 20 feet south of center of east and west road; copper nail in hub, 6 inches from telephone pole painted "U. S. B. M. 174," elevation 127.23 feet.  Brink schoolhouse, 3 miles east of, T road south.  Brink schoolhouse, 3.4 miles east of, 180 feet west of center of wood hydga with radiing 25 feet south of center of wood hydga with radiing 25 feet south of center of wood hydga with radiing 25 feet south of center of wood hydga with radiing 25 feet south of center of wood a feet morth of	29 52 43.20	95 39 25.84	6,000
fence line; iron post stamped "Prim. Tray. Sta. No. 76, 1915."	29 52 43.80 29 52 44.29	95 38 24.55 95 37 58.37	5, 397 2, 305
elevation 119.162 feet	29 52 44.36	95 37 33.01	2, 233

# CYPRESS QUADRANGLE—Continued. Northeast from Cypress along public road toward Louetta.

Station.	Latitude.	Longitude.	Distance between stations.
Cypress, 0.8 mile northeast of, center of crossroads.  Cypress, 1 mile northeast of, 45 feet north of center of road; small lone oak tree painted "U. S. B. M. 253"; copper nail in root, ele-	29 58 23.15	95 41 13.33	Feet. 3,726
vation 148.82 feet	29 58 26.91	95 41 00.82	1, 163
public road; oak tree painted "U. S. B. M. 254"; copper nail in root, elevation 148.72 feet. Cypress, 1 mile north, and 2.5 miles east of, in open prairie, 35	29 58 47.20	95 40 00.21	5,712
feet south and 10 feet west of public crossroads; iron post stamped "Prim. Trav. Sta. No. 115, 1915," elevation 143.215 feet. Cypress, 1.65 miles north and 3 miles east of, 10 feet north of road;	29 59 03.37	95 39 24.61	3,532
oak tree painted "U. S. B. M. 255"; copper nail in root, eleva- tion 146.62 feet.	29 59 34.32	95 38 52.43	4,218
Along highways in northern part of	quadrangle.		
Cypress, 1.80 miles north of; T road north. Cypress, about 1.60 miles north of, 900 feet south of T road south,	29 59 48.70	95 41 50.58	
30 feet west of center of road: 1 foot east of fence post painted "U.S. B. M. 213"; copper nail in hub, elevation 153.36 feet	29 59 38.83	95 41 57.44	1, 162
south of large corner fence post painted "U. S. B. M. 214"; copper nail in hub, elevation 151.62 feet.	29 58 51.40	95 41 56.85	4,792
Cypress, 140 feet east of station, 50 feet north of center of track, 20 feet south of center of road, 3 feet west of telephone pole, 3 feet	20 00 02. 40	00 41 00 00 I	7,102
north of fence line: iron post stamped "Prim. Trav. Sta. No. 56, 1915," elevation 150.275 feet	29 58 08.21	95 41 52.05	4,384

Magnetic declination in quadrangle, 8° 45' E.

## DEEPWATER QUADRANGLE. Along highways in north half of quadrangle.

Station.	Latitude.	Longitude.	Distance between stations.
Deer Park, 0.9 mile west of, 250 feet southeast of bungalow, on north side of road; 1 footfrom fence post painted "U.S. B. M.B."; copper nail in hub, elevation 36.1'	° ' '' 29 42 41.49	95 08 21.28	. Feet.
on north side of road; I footfrom fence post painted "U.S.B.M. C"; copper nail in hub, elevation 3/49 feet. Deep; water station, 320 feet west of, 50 feet north of center of track, 28 feet south and 40 feet west of intersection of roads, about 4	29 42 42.80	95 09 12.36	4,507
feet from telephone pole; iron post stamped "Prim. Trav. Sta. No. 1, 1915," elevation 38.967 feet. Deepwater, about 0.75 mile west of, 140 feet west of private T road	29 42 43.96	95 10 17.90	5,779
north; 2 feet from telephone pole painted "U.S.B.M.No.1," in hub; copper nail and washer, elevation 35.76 feet	29 42 45.14	95 11 01.93	3,884
"U. S. B. M. No. 2," in hub; copper nail, elevation 33.12 feet Pasadena, 300 feet west of railroad station, 56 feet north of railroad track, about 5 feet from telephone pole; iron post stamped	29 42 43.56	95 11 56.05	4,774
"Prim. Trav. Sta. No. 2, 1915," ele ation 31.489 feet. Pasadena, about 1.1 miles west of, 20 feet east of crossroads, 2 feet from telephone pole painted "U. S. B. M. No. 3," in hub; copper	29 42 39.82	95 12 36.93	3,625
nail, ele ation 32.81 feet.  Pa:adena, 2.2 miles west of, about 350 feet east of road crossing Southern Pacific R. R., at El Buey flag station, 60 feet east of small station shelter; 6 inches from telephone pole painted	29 42 33.86	95 13 41.34	5,711
"U. S. B. M. No. 4;" hub with copper naîl and washer, eleva- tion 35.07 feet	29 42 23.49	95 14 43.47	5,504

# DEEPWATER QUADRANGLE—Continued. Along highways and interurban railway in south half of quadrangle.

Station.   Latitude.   Longitude.	stations.	Longitude	[	
feet north of center of road, 75 feet west of corner of house, 2 feet from gate post painted "U.S. B. M. No. 53"; copper nail in hub, elevation 47.82 feet.  Genoa, 0.4 mile north by 0.8 mile west of station on interurban railway, 25 feet north of center of road, at southeast corner of yard fence at residence painted "U.S. B. M. 64"; copper nail in hub, elevation 42.77 feet.  Genoa, 0.5 mile northwest of interurban station, road crossing interurban railway; top of rail, elevation 50 feet.  Genoa, 5.6 mile northwest of interurban station, road crossing interurban railway; top of rail, elevation 50 feet.  Station, 1,200 feet west of right angle in road, 25 feet south of road; copper nail in hub, witness stake painted "U.S. B. M. No. 56," elevation 46.03 feet.  Genoa station, about 1.4 miles east and 0.25 mile north of, about 0.4 mile east of right angle in road, but and south feet; from post and wasted "Frim Tray Sta. No. 28, 1915," elevation 43.679 feet.  Genoa station, about 2.3 miles east and 0.25 mile north of, 25 feet north of center of road, on small knoll; copper nail in hub, with witness stake painted "U.S. B. M. No. 55," elevation 32.7 miles east by 0.4 mile north of, 25 feet north of center of road, copper nail in hub, witness stake painted "U.S. B. M. No. 58," elevation 38.80 feet.  Genoa station, 4 miles east by 0.4 mile north of, 1 mile west of Middle Bayou, 25 feet north of center of untraveled road; iron post stamped "Prim Tray Sta. No. 29, 1915," elevation 30.419 feet.  Deer Park, about 3 miles south and 0.3 mile west of, 30 feet north and 30 feet west of intersection of Red Bluff road and Main Street and La Porte road; 2 feet from corner fence post painted "U.S. B. M. 416"; copper nail; north of, 40 feet west of road, are painted "U.S. B. M. 416"; copper nail; elevation 5.50 feet.  Deepwater, 2 miles north and 0.9 mile east of, 20 feet east of center of road at angle in road, in root of cak tree painted "U.S. B. M. 416"; copper nail; elevation 5.50 feet.  Deepwater, 1 Meles. North and 0.9 mile eas	reet.		Latitude.	Station.
Genoa, 0.4 mile north by 0.8 mile west of station on interurban railway, 25 feet north of center of road, at southeast corner of yard fence at residence painted "U. S. B. M. 54"; copper nail in hub, elevation 30, 25 feet north of center of road, at south and construction of center of road; copper nail in hub, witness stake painted "U. S. B. M. No. 50," elevation 40, 80 feet	38.08	]	1	feet north of center of road, 75 feet west of corner of house, 2 feet from gate post painted "U.S.B.M.No. 53"; copper nail in hub, elevation 47.82 feet
Genoa, 0.5 mile northwest of interurban station, road crossing interurban railway; top of rail, elevation 50 feet	47.07	07.40.47.0		Genoa, 0.4 mile north by 0.8 mile west of station on interurban railway, 25 feet north of center of road, at southeast corner of yard fence at residence painted "U. S. B. M. 54"; copper nail
Genoa, 0.8 mile east of Galveston, Houston & Henderson R. R. station, 1,200 feet west of right angle in road, 25 feet south of road; copper nail in hub, witness stake painted "U. S. B. M. No. 56," elevation 46,03 feet.  Genoa station, about 1.4 miles east and 0.25 mile north of, about 0.4 mile east of right angle in road, 80 feet north of center of east and west road, 1 foot west of north and south fence; iron post stamped "Prim. Trav. Sta. No. 28, 1915." elevation 43,479 feet.  Genoa station, about 2.3 miles east and 0.25 mile north of, 25 feet north of center of road, on small knoll; copper nail in hub, with witness stake painted "U. S. B. M. No. 57," elevation 48,07 feet.  Genoa station, 3.2 miles east by 0.3 mile north of, about 900 feet west of end of road at north and south wire fence, 25 feet north of center of road; copper nail in hub, witness stake painted "U. S. B. M. No. 58," elevation 38.80 feet.  "U. S. B. M. No. 58," elevation 38.80 feet.  "U. S. B. M. No. 68," elevation 38.80 feet.  Along highways in western part of northeast quarfer of quadrangle.  Deepwater, 0.85 mile north of, 45 feet west of road, in pasture; in root of cottonwood tree painted "U. S. B. M. 414"; copper nail, elevation, 34.64 feet.  Deepwater, 1.8 miles north and 0.9 mile east of, 20 feet east of center of gateway leading to old pump hous; 6 inches east of gatepost painted "U. S. B. M. 416"; copper nail, elevation 5.50 feet.  Deepwater, 2 miles north and 0.9 mile east of, 20 feet east of center of road, at angle in road, in root of oak tree painted "U. S. B. M. 416"; copper nail, elevation 5.50 feet.  Penn City Ferry, 575 feet west of, on north side of Buffalo Bayou, 75 feet from bank, in open pasture, U. S. Corps of Engineers permanent bench mark (their station 79+642); a concrete monument of inches square, with a bronze tablet marked "U. S. B. M. 416"; copper nail, elevation 35.49 feet.  Spur line down ship channel. (Checked.)	47.35 4,479	95 13 47.3	29 37 39.06	General O.5 mile northwest of interpretary station road crossing
No. 56," elevation 46.03 feet.  Geno a station, about 1.4 miles east and 0.25 mile north of, about 0.4 mile east of right angle in road, 80 feet north of center of east and west road, 1 foot west of north and south fence; iron post stammed "Prim. Trav. Sta. No. 28, 1915," elevation 43,479 feet.  Genoa station, about 2.3 miles east and 0.25 mile north of, 25 feet north of center of road, on small knoll; copper nail in hub, with witness stake painted "U. S. B. M. No. 57," elevation 41.60 feet.  Genoa station, 32 miles east by 0.3 mile north of, about 900 feet west of end of road at north and south wire fence, 25 feet north of center of road; copper nail in hub, witness stake painted "U. S. B. M. No. 58," elevation 38.80 feet.  Genoa station, 4 miles east by 0.4 mile north of, 1 mile west of Middle Bayou, 25 feet north of center of untraveled road; iron post stamped "Prim. Trav. Sta. No. 29, 1915," elevation 30.419 feet.  Deer Park, about 3 miles south and 0.3 mile west of, 30 feet north and 30 feet west of intersection of Red Bluff road and Main Street and La Porte road; 2 feet from corner fence post painted "U. S. B. M. No. 62"; copper nail in hub, elevation 33.73 feet.  Along highways in western part of northeast quarter of quadrangle.  Deepwater, 0.85 mile north of, 40 feet west of road, at north end of gateway leading to old pump house; 6 inches east of gatepost painted "U. S. B. M. 418"; copper nail in hub, elevation 26.90 feet.  Deepwater, 1.8 miles north and 0.9 mile east of, 20 feet east of center of road at angle in road, in root of oak tree painted "U. S. B. M.  29 44 18.87 95 10 20.21 Deepwater, 2 miles north and 0.9 mile east of, 20 feet east of center of road at angle in road, in root of oak tree painted "U. S. B. M.  29 44 09.24 95 09 35.89 encounter monument of inches square, with a bronze tablet marked "U. S. B. M.  29 44 25.84 95 09 23.70 Peen City ferry, 375 feet west of, on north side of Buffalo Bayou, 75 feet from bank, in open pasture, U. S. Corps of Engineers permanent bench mark (heli stati	2,870	95 13 14.8	29 37 39.60	interurban railway; top of rail, elevation 50 feet Genoa, 0.8 mile east of Galveston, Houston & Henderson R. R. station, 1,200 feet west of right angle in road, 25 feet south of
Genoa station, about 2.3 miles east and 0.25 mile north of, 25 feet north of center of road, on small knoll; copper nail in hub, with witness stake painted "U. S. B. M. No. 57," elevation 41.60 feet. Genoa station, 3.2 miles east by 0.3 mile north of, about 900 feet. West of end of road at north and south wire fence, 25 feet north of center of road; copper nail in hub, witness stake painted "U. S. B. M. No. 85," elevation 38.80 feet	10.00	95 11 10.0	29 37 35.44	No. 56," elevation 46.03 feet. Genoa station, about 1.4 miles east and 0.25 mile north of, about 0.4 mile east of right angle in road, 80 feet north of center of east
Genoa station, 3.2 miles east by 0.3 mile north of, about 900 feet west of end of road at north and south wire fence, 25 feet north of center of road; copper nail in hub, witness stake painted "U. S. B. M. No. 58," elevation 38.80 feet.  Genoa station, 4 miles east by 0.4 mile north of, 1 mile west of Middle Bayou, 25 feet north of center of untraveled road; iron post stamped "Prim. Trav. Sta. No. 29, 1915," elevation 30.419 feet.  Deer Park, about 3 miles south and 0.3 mile west of, 30 feet north and 30 feet west of intersection of Red Bluff road and Main Street and La Porte road; 2 feet from corner fence post painted "U. S. B. M. No. 62"; copper nail in hub, elevation 33.73 feet.  Along highways in western part of northeast quarter of quadrangle.  Deepwater, 0.85 mile north of, 45 feet west of road, in pasture; in root of cottonwood tree painted "U. S. B. M. 414"; copper nail, elevation, 34.64 feet.  Deepwater, 1.8 miles north of, 40 feet west of road, at north end of gateway leading to old pump house; 6 inches east of gatepost painted "U. S. B. M. 415"; copper nail in hub, elevation 29.90 feet.  Deepwater, 2 miles north and 0.9 mile east of, 20 feet east of center of road at angle in road, in root of oak tree painted "U. S. B. M. 416"; copper nail, elevation 5.50 feet.  Deepwater, 2 miles north and 0.9 mile east of, 20 feet east of center of road at angle in road, in root of oak tree painted "U. S. B. M. 416"; copper nail, elevation 5.50 feet.  Deepwater, 2 miles north and 0.9 mile east of, 20 feet east of center of road at angle in road, in root of oak tree painted "U. S. B. M. 416"; copper nail, elevation 5.50 feet.  Deepwater of part of the root of past tree, U. S. Corps of Engineers permanent bench mark (their station 79+642); a concrete monument 6 inches square, with a bronze tablet marked "U. S. Eng. Dept.," in top of, elevation 16.950 feet.  Spur line down ship channel. (Checked.)	30.77 3,747	95 10 30.7	29 37 49.62	Genoa station, about 2.3 miles east and 0.25 mile north of, 25 feet
"U. S. B. M. No. 58," elevation 38.80 feet.  Genoa station, 4 miles east by 0.4 miles north of, 1 mile west of Middle Bayou, 25 feet north of center of untraveled road; iron post stamped "Prim. Trav. Sta. No. 29, 1915," elevation 30.419 feet.  Deer Park, about 3 miles south and 0.3 mile west of, 30 feet north and 30 feet west of intersection of Red Bluff road and Main Street and La Porte road; 2 feet from corner fence post painted "U. S. B. M. No. 62"; copper nail in hub, elevation 33.73 feet.  Along highways in western part of northeast quarter of quadrangle.  Deepwater, 0.85 mile north of, 45 feet west of road, in pasture; in root of cottonwood tree painted "U. S. B. M. 414"; copper nail, elevation, 34.64 feet.  Deepwater, 1.8 miles north of, 40 feet west of road, at north end of gateway leading to old pump house; 6 inches east of gatepost painted "U. S. B. M. 415"; copper nail in hub, elevation 26.90 feet.  Penn City Ferry, 575 feet west of, on north side of Buffalo Bayou, 75 feet from bank, in open pasture, U. S. Corps of Engineers permanent bench mark (their station 79+642); a concrete monument 6 inches square, with a bronze tablet marked "U. S. Eng. Dept.," in top of, elevation 16.950 feet.  Penn City ferry, about 0.7 mile north of, 30 feet east of road at northwest corner of yard around two-story brick schoolhouse; chiseled square on top of concrete monnument post painted "U. S. B. M. 417," elevation 35.49 feet.  Spur line down ship channel. (Checked.)	35.74 4,858	95 09 35.7	29 37 50.38	Genoa station, 3.2 miles east by 0.3 mile north of, about 900 feet west of end of road at north and south wire fence, 25 feet north
Deer Park, about 3 miles south and 0.3 mile west of, 30 feet north and 30 feet west of intersection of Red Bluff road and Main Street and La Porte road; 2 feet from corner fence post painted "U. S. B. M. No. 62"; copper nail in hub, elevation 33.73 feet.  Along highways in western part of northeast quarfer of quadrangle.  Deepwater, 0.85 mile north of, 45 feet west of road, in pasture; in root of cottonwood tree painted "U. S. B. M. 414"; copper nail, elevation, 34.64 feet.  Deepwater, 1.8 miles north of, 40 feet west of road, at north end of gateway leading to old pump house; 6 inches east of gatepost painted "U. S. B. M. 415"; copper nail in hub, elevation 26.90 feet.  Deepwater, 2 miles north and 0.9 mile east of, 20 feet east of center of road at angle in road, in root of oak tree painted "U. S. B. M. 416"; copper nail, elevation 5.50 feet.  Deepwater, 2 miles north and 0.9 mile east of, 20 feet east of center of road at angle in road, in root of oak tree painted "U. S. B. M. 416"; copper nail, elevation 5.50 feet.  Penn City Ferry, 675 feet west of, on north side of Buffalo Bayou, 75 feet from bank, in open pasture, U. S. Corps of Engineers permanent bench mark (their station 79+642); a concrete monument 6 inches square, with a bronze tablet marked "U. S. Eng. Dept.," in top of, elevation 16.950 feet.  Penn City ferry, about 0.7 mile north of, 30 feet east of road at northwest corner of yard around two-story brick schoolhouse; chiseled square on top of concrete monnument post painted "U. S. B. M. 417," elevation 35.49 feet.  Spur line down ship channel. (Checked.)	42.98 4,658	95 08 42.9	29 37 51.63	"II S B M No 58." elevation 38.80 feet
Street and La Porte road; 2 feet from corner fence post painted "U. S. B. M. No. 62"; copper nail in hub, elevation 33.73 feet.  Deepwater, 0.85 mile north of, 45 feet west of road, in pasture; in root of cottonwood tree painted "U. S. B. M. 414"; copper nail, elevation, 34.64 feet.  Deepwater, 1.8 miles north of, 40 feet west of road, at north end of gateway leading to old pump house; 6 inches east of gatepost painted "U. S. B. M. 415"; copper nail in hub, elevation 26.90 feet.  Deepwater, 2 miles north and 0.9 mile east of, 20 feet east of center of road at angle in road, in root of oak tree painted "U. S. B. M. 416"; copper nail, elevation 5.50 feet.  Penn City Ferry, 575 feet west of, on north side of Buffalo Bayou, 75 feet from bank, in open pasture, U. S. Corps of Engineers permanent bench mark (their station 79+642); a concrete monument 6 inches square, with a bronze tablet marked "U. S. Eng. Dept.," in top of, elevation 16.950 feet.  Penn City ferry, about 0.7 mile north of, 30 feet east of road at northwast corner of yard around two-story brick schoolhouse chiseled square on top of concrete monnument post painted "U. S. B. M. 417," elevation 35.49 feet.  Spur line down ship channel. (Checked.)	53. 21 4, 463	95 07 53.2	29 37 59.45	Deer Park, about 3 miles south and 0.3 mile west of, 30 feet north
Deepwater, 0.85 mile north of, 45 feet west of road, in pasture; in root of cottonwood tree painted "U. S. B. M. 414"; copper nail, elevation, 34.64 feet	57.94	95 07 57.9	29 39 48.16	Street and La Porte road; 2 feet from corner fence post painted
elevation, 34.64 feet.  Deepwater, 1.8 miles north of, 40 feet west of road, at north end of gateway leading to old pump house; 6 inches east of gatepost painted "U. S. B. M. 415"; copper nail in hub, elevation 26.90 feet.  Deepwater, 2 miles north and 0.9 mile east of, 20 feet east of center of road at angle in road, in root of oak tree painted "U. S. B. M. 416"; copper nail, elevation 5.50 feet.  PennCity Ferry, 575 feet west of, on north side of Buffalo Bayou, 75 feet from bank, in open pasture, U. S. Corps of Engineers permanent bench mark (their station 79+642); a concrete monument 6 inches square, with a bronze tablet marked "U. S. Eng. Dept.," in top of, elevation 16.950 feet.  Penn City ferry, about 0.7 mile north of, 30 feet east of road at northwest corner of yard around two-story brick schoolhouse; chiseled square on top of concrete monument post painted "U. S. B. M. 417," elevation 35.49 feet.  Spur line down ship channel. (Checked.)	.e.	adrangle.	quarter of qu	
painted "U. S. B. M. 415"; copper nail in hub, elevation 26.90 feet	19. 13	95 10 19.13	29 43 29.12	elevation, 34.64 feet
of road af angle in road, in root of oak tree painted "U.S.B.M. 416"; copper nail, elevation 5.50 feet	20. 21 5,062	95 10 20, 21	29 44 18.87	painted "U. S. B. M. 415"; copper nail in hub, elevation 26.90 feet.
ment 6 inches square, with a bronze tablet marked "U. S. Eng.  Dept.," in top of, elevation 16.950 feet	35. 89 4,026	95 09 35.89	29 44 09.24	of road as angle in road, in root of oak tree painted "U. S. B. M. 416"; copper nail, elevation 5.50 feet.  Penn City Ferry, 575 feet west of, on north side of Buffalo Bayou,
Penn City ferry, about 0.7 mile north of, 30 feet east of road at northwest corner of yard around two-story brick schoolhouse; chiseled square on top of concrete monmuent post painted "U. S. B. M. 417," elevation 35.49 feet	23.70 1,990	95 09 23 70	20 44 25 84	ment 6 inches square, with a bronze tablet marked "U.S. Eng.
Spur line down ship channel. (Checked.)				Penn City ferry, about 0.7 mile north of, 30 feet east of road at northwest corner of yard around two-story brick schoolhouse:
	18. 52 3, 273	95 09 18.52	29 44-57.92	"U. S. B. M. 417," elevation 35.49 feet
These bench marks are probably all bronze tablets marked "U.S. Engineer Department," set in top of concrete posts, 6 inches square on top and protruding above ground. The letters R and L of the descriptions refer to right and left bank going			hecked.)	Spur line down ship channel. (C
downstream and the distances given are probably the approxi-				These bench marks are probably all bronze tablets marked "U.S. Engineer Department," set in top of concrete posts, 6 inches square on top and protruding above ground. The letters R and L of the descriptions refer to right and left bank going downstream and the distances given are probably the approximate distances from the bank.
Station 107-526, 300 R, elevation 21.797 feet. Station 107-4331, 300 R, elevation 16.006 feet. Station 104+691, 300 R, elevation 12.316 feet.				Station 107+526, 300 R, elevation 21.797 feet
Station 94+267, 300 R, elevation 15.094 feet				Station 94+267, 300 R, elevation 15.094 feet
Station 92+769, 300 R, elevation 14.986 feet.				Station 92+769, 300 R, elevation 14.986 feet.
STREAM VI 4-947, SIN R. Alevation 14 571 feet				Station 91+947, 300 R, elevation 14.571 feet
Station 91+190, 300 R, elevation 14,138 feet.				G4-41 00 : 000 000 D

## DEEPWATER QUADRANGLE—Continued.

# Spur line down ship channel-Continued.

Station.	Latitude.	Longitude.	Distance between stations.
Station 89+186, 300 R, elevation 9.109 feet. Station 88+010, 300 R, elevation 12.503 feet. Station 88+010, 300 R, elevation 12.503 feet. Station 88+4519, 300 R, elevation 12.503 feet. Station 86+459, 300 R, elevation 11.296 feet. Station 84+608, 250 R, elevation 11.296 feet. Station 84+042, 250 R, elevation 9.670 feet. Station 114+685, 300 L, elevation 9.670 feet. Station 114+685, 300 L, elevation 10.285 feet. Station 114+793, 300 L, elevation 10.248 feet Station 111+230, 300 L, elevation 10.248 feet Station 110+404, 300 L, elevation 10.248 feet Station 109+500, 300 L, elevation 15.446 feet Station 109+500, 300 L, elevation 15.446 feet Station 109+500, 300 L, elevation 16.103 feet Station 109+500, 300 L, elevation 16.103 feet Station 109+503, 300 L, elevation 17.941 feet Station 109+503, 300 L, elevation 12.368 feet Station 109+503, 300 L, elevation 12.368 feet Station 109+503, 300 L, elevation 19.973 feet Station 109+295, 300 L, elevation 19.973 feet Station 109+299, 300 L, elevation 19.98 feet Station 99+299, 300 L, elevation 16.292 feet Station 98+293, 200 L, elevation 16.292 feet Station 98+283, 200 L, elevation 10.854 feet Station 89+863, 300 L, elevation 10.854 feet Station 89+863, 300 L, elevation 19.98 feet Station 89+863, 300 L, elevation 10.854 feet Station 89+863, 300 L, elevation 10.854 feet Station 89+486, 300 L, elevation 10.985 feet. Station 89+496, 300 L, elevation 9.995 feet. Station 89+696, 300 L, elevation 9.995 feet. Station 79+696, 300 L, elevation 9.995 feet. Station 79+696, 300 L, elevation 9.995 feet. Station 79+696, 300 L, elevation 9.995	0 , ,,	0 / //	Feet.
Station 89+186, 300 R, elevation 9.109 feet			
Station 88+010, 300 R, elevation 12.503 feet			
Station 87+310, 300 R, elevation 8.644 feet			
Station 85±200 200 P. elevation 11 858 feet	• •		
Station 84+608 250 R. elevation 11 206 feet	••		
Station 84+042, 250 R, elevation 9,670 feet.			}
Station 114+685, 300 L, elevation 12.856 feet			
Station 113+791, 300 L, elevation 8.804 feet			
Station 112+730, 300 L, elevation 10.248 feet	· .		
Station 111+230, 300 L, elevation 17.341 feet	· .		
Station 110+404, 300 L, elevation 11.956 feet		· · · · · · · · · · · · · · · · · · ·	
Station 109+500, 300 L, elevation 15.446 feet	••		
Station 107 + 596 200 L elevation 16 102 feet	· ·   · · · · · · · · · · · · · · · ·		
Station 104_601 200 L, elevation 17 041 feet		· · · · · · · · · · · · · · · · · · ·	
Station 103+231, 300 L, elevation 23 992 feet	• •   • • • • • • • • • • • • • • • • •		
Station 102+051, 300 L. elevation 12 368 feet			
Station 101+295, 300 L, elevation 12.278 feet		1.	
Station 100+133, 300 L, elevation 19.973 feet			(
Station 99+299, 300 L. elevation 9.198 feet			1
Station 98+223, 200 L, elevation 9.032 feet			1
Station 96+864, 300 L, elevation 16.292 feet			1
Station 89+186, 300 L, elevation 17.322 feet			
Station 89+453, 300 L, elevation 12.227 feet			
Station 88+010, 300 L, elevation 10.854 feet			
Station 87+310, 300 L, elevation 9.119 feet			
Station 86 + 900, 200 L, elevation 14.095 feet	••		;
Station 85.1.200, 200 I., elevation 7.502 feet			1
Station 84+608, 300 L. elevation 9,047 feet			j
Station 84+496, 400 L. elevation 10.082 feet			1
Station 84+042, 400 L. elevation 8.517 feet	• • • • • • • • • • • • • • • • • • • •		1
Station 82+042, 400 L, elevation 4.808 feet			
Station 80+036, 400 L, elevation 19.388 feet			
Station 79+642, 400 L, Penn City Ferry, 575 feet west of, o	n j	İ	
north side of Buffalo Bayou, 75 feet from bank, in ope	n [		į.
pasture, top of concrete monument 6 inches square, pronz	e		
Station 78.149.200 T. elevation 10.002 feet	20 44 12 00	05 00 12 54	
Station 77±010 300 L, elevation 10.055 feet	29 44 13.90	95 09 15.54	159
Station 76-4919 300 L. elevation 7 374 feet	29 44 09 88	95 09 12.42	843
Station 76+146, 300 L. elevation 4.928 feet	29 44 10.54	95 08 55 50	703
Station 74+646, 300 L, elevation 2.844 feet	29 44 11.97	95 08 38 56	1.500
Station 73+612, 300 L, elevation 2.640 feet	29 44 12.95	95 08 26,89	1,034
Station 72+553, 300 L, elevation 5.020 feet	29 44 11.84	95 08 13.71	1,167
Station 71+776, 300 L, elevation 7.076 feet	29 44 08.31	95 08 04.86	860
Station 71+003, 300 L, elevation 6.834 feet			
Station 70+553, 300 L, elevation 9.356 feet	29 44 02.37	95 07 53.51	1,167
Station 70+083, 300 L, elevation 9.572 feet	29 44 01.18	95 07 49.04	413
Station 69+786, 300 L, elevation 9.694 feet	29 44 00.59	95 07 45.74	297
Station 68+965, 300 L, elevation 5.994 feet			
Colvecton Houston & Handerson D. D. 190 feet northwest		1	1
mile heard 10 on steel and concrete bridge 6 feet northeast of	if I	}	
the tracks, in the center of the horizontal surface of the nort	h	1	
abutment; copper bolt (Coast and Geodetic Survey benc	ĥ l		
mark "P8"), elevation 38.287 feet		.1	.}
enoa, 3.25 mfles northwest of, 27 feet southwest of mile board 1	l,	1	1
on range with the telegraph poles outside of the right-of-wa	у	1	1
fence; bottom of hole in top of stone post; (Coast and Ge	<b>)-</b> {	1	į
detic Survey bench mark "Q8"), elevation 37.212 feet	••		
enoa, 2.25 miles northwest of, on the right of way of the Ga	I-	1	1
the tracks, in the center of the horizontal surface of the nort abutment; copper bolt (Coast and Geodetic Survey benc mark "P8"), elevation 38.287 feet	10	1	1
Doard 12 and 50 feet southwest of the tracks; cross on top	11	1	1
	. 1	1	1
section rail (Coast and Geodetic Survey bench mark "M. M. 12"), elevation 41.306 feet		1	

Magnetic declination of quadrangle, 7° 18' E.; in northwest quarter, 8° 14' E.

# FAUNA QUADRANGLE. Along highways near south border of quadrangle.

Station.	Latitude.	Longitude.	Distance between stations.
Carpenters Bayou, 1.1 miles east of, 280 feet west of T road north, 25 feet north of road; in root of oak tree painted "U. S. B. M. 390"; copper nail, elevation 33.02 feet.	0 / // 29 46 18,10	。 , ,, 95 07 30.69	Feet.
Bridge over small creek; center of floor, elevation 20.6 feet.  Carpenters Bayou, 1,000 feet east of crossing, about 20 feet north of road; in root of oak tree, painted "U.S. B. M. 391"; copper nail, elevation 28.00 feet	29, 46 16. 72	95 08 24.57	4,751
Carpenters Bayou Bridge, floor of; elevation 2.03 feet. Carpenters Bayou, 3,450 feet west of, 25 feet north of road; iron post stamped "Prim Trav. Sta. No. 168, 1915," elevation 25,315 feet. Carpenters Bayou, 1,55 miles west of, 20 feet south of center of	29 46 16 30	95 09 13.63	4,323
Carpenters Bayou, 1.55 miles west of, 20 feet south of center of road; in root of oak tree painted "U. S. B. M. 392"; copper nail, elevation 34.03 feet.  Greens Bayou, 0.7 mile east of lower ferry, 25 feet north of center of road, on position a poly in root of eat tree pointed "U. S. B. M.	29 46 14,70	95 10 07.68	4,767
road, opposite a cabin, in root of oak tree painted "U. S. B. M. 333"; copper nail, elevation 32.58 feet. Greens Bayou, 600 feet west of lower ferry, 20 feet south of road; iron post stamped "Prim. Trav. Sta. No. 169, 1915," elevation	29 46 14.14	95 10 55, 85	4,246
Greens Bayou, 1 mile west of lower ferry, 15 feet north of center of road, in root of pine tree painted "U.S.B.M. 394"; copper nail, elevation 36 feet.	29 46 07.11 29 46 02.36	95 11 35, 33 95 12 26, 69	3, 552 4, 551
Greens Bayou, 1.9 miles west of lower ferry across, 400 feet east of small creek, 35 feet south of center of road; in root of pine tree painted "U. S. B. M. 395"; copper nail, elevation 28.49 feet Greens Bayou, about 2.3 miles west of lower ferry. 45 feet south of	29 45 59.31	95 13 21.00	4,797
center of road, at edge of timber; in root of small oak tree painted "U.S.B.M.396"; copper nail, elevation 33.63 feet. Greens Bayou, about 2.7 miles west of lower ferry, 25 feet north of center of road, 6 feet east of corner fence post; iron post stamped	29 46 02.42	95 13 43, 49	2,007
"Prim. Trav. Sta. No. 170, 1915," elevation 36.297 feet.  Penn City Ferry, about 1.7 miles north of, 30 feet west of center of road at edge of woods; in root of oak tree painted "U. S. B. M. 418"; copper nail, elevation 35.92 feet.	29 46 02.74 29 45 49,20	95 14 11.72 95 09 20.74	2, 489
Along public road beside Texas & New Orleans Railroa	<u> </u>		louston.
Sheldon, 3,000 feet southwest of, 500 feet northeast of a road south, 25 feet northwest of center of road, 30 feet southwest of milepost 346, between fence post and telephone pole; painted "U. S. B. M. 345"; wire nail in hub, elevation 47.20 feet.	29 52 05, 89	95 07 36.83	
sheldon, 0,000 feet southwest of, 340 feet southwest of curvert, 35 feet southeast of center of road, 2 feet from wire fence; iron post stamped "Prim. Trav. Sta. No. 150, 1915," elevation 45.418 feet. Sheldon, 2.25 miles southwest of, 25 feet northwest of center of road,	29 51 51.76	95 08 08, 21	3, 109
in stump of old telephone pole; I foot east of pole painted "U. S. B. M. 346": wire nail, elevation 46.71 feet	29 51 30,60	95 08 58,83	4,943
2 feet from standing pole painted "U. S. M. B. 347"; wire nail, elevation 43.67 feet.	29 51 05.73	95 09 56,65	5,678
Along public road beside Texas & New Orleans Railroa	d from Sheld	on toward H	ouston.
Fauna flag station, Texas & New Orleans R. R., 0.3 mile northeast of, nearly opposite a residence on southeast side of road, 30 feet northwest of center of road, 5 feet from telephone pole; from post			.
northwest of center of road, 5 feet from telephone pole; iron post stamped "Prim. Trav. Sta. No. 151, 1915," elevation 46.674 feet. Fauna, 0.5 mile southwest of, 45 feet south of road; large pine tree painted "U. S. B. M. 363"; copper nail in root, elevation 44.01 feet.	29 50 50.71 29 50 30.65	95 10 31.83 95 11 16.27	3,449
Fauna, 1.5 miles southwest of, 80 feet south of mile post 351, 45 feet south of center of road; live-oak tree painted "U.S.B. M. 364"; copper nail in toot, elevation 42.00 feet.	29 50 09.69		

FAUNA QUADRANGLE—Continued.

Along public road beside Texas & New Orleans Railroad from Sheldon toward Houston-Contd.

Station.	Latitude.	Longitude.	Distance between stations.
Fauna, 2.25 miles southwest of, 1.1 miles northeast of Greens Bayou Bridge, 30 feet south of road, 3 feet from fence; 13 feet west of pine tree painted "U. S. P. B. M."; iron post stamped "Prim. Trav. Sta. No. 156, 1915," elevation 42.762 feet Greens Bayou Bridge, 700 feet northeast of center of, 30 feet south of road; concrete abutment of drain pipe, painted "U. S. B. M. 365"; chiseled square on north end of, elevation 36.93 feet Green's crossing, 550 feet northeast of, 45 feet north of T road south; 6 inches from fence post painted "U. S. B. M. 366"; copper nail in hub, elevation 43.12 feet	° ', '' 29 49 51.93	95 12 47.20	Feet. 4,090
365"; chiseled square on north end of, elevation 36.93 feet Green's crossing, 550 feet northeast of, 45 feet north of T road south; 6 inches from fence post painted "U. S. B. M. 366"; conver pull in hull elevation 22.12 feet.	29 49 29.50 29 49 10.05	95 13 39.31 95 14 26.26	5,119 4,580
South from Green's crossis	<u> </u>	9.5 11 20.20	4,500
	- <b>-</b>		
Green's crossing, 1.1 miles south and 0.1 mile west of, 35 feet west of road, pine tree painted "U. S. B. M. 412"; copper nail in root, elevation 42.77 feet Green's crossing, 1.8 miles south and 0.6 mile west of, 50 feet north of road and 75 feet east of small house, 8 feet east of gate and	29 48 16.40	95 14 26.05	5,418
wooden bridge over road ditch; small oak tree painted "U.S. B. M. 411;" copper nail in root, elevation 39.16 feet. Greens, top of railnearest signboard, elevation 47.9 feet.	29 47 40.13	95 14 55.13	4,470
Unchecked spur line north from	Fauna.		
Fauna, opposite station, top of nearest rail, elevation 49.6 feet			
Fauna, 1 mile west and about 0.8 mile north of, along woods road, just north of a small clearing, 15 feet west of road; pine tree painted "U. S. B. M. 420"; copper nail in root, elevation 50.24	29 50 52.53	95 11 19.48	
feet. Fauna, 1.5 miles north and 1.25 miles west of, along woods road, 3 feet west of wagon track; pine tree painted "U. S. B. M. 421"; copper nail in root, elevation 52.41 feet.	29 51 25.40 29 52 05.32	95 11 50.85 95 12 05.91	4,320 4,245
Fauna, 1.9 miles north and 1.1 miles west of, in small farm clearing, 160 feet east of a cabin, 100 feet southeast of well and 2 feet north of wire fence line; iron post stamped "Prim. Trav. Sta. No. 177, 1915," elevation 52.623 feet	29 52 23.60	95 11 53.45	2. 148
Along east border of quadra	ngle.		<u> </u>
Sheldon, 3,500 feet southwest of, at T road south, on southwest corner of wooden culvert, in plank; copper nail painted "U. S.		•	
47.3 B. M.," elevation 47.43. Sheldon, 0.6 mile west and 0.3 mile south of, T road south Sheldon, 0.6 mile west and 1.25 miles south of, 50 feet south of bridge over old irrigation canal, 25 feet east of road, 1 foot west of gatepost at north end of gate painted "U. S. B. M. 409"; copper nail in hub, elevation 44.55 feet	29 52 03.62	95 07 41.65	
copper nail in hub, elevation 44.55 feet Sheldon, 0.6 mile west and 2.1 miles south of, 25 feet west of road, in line with fence east, private road east along fence, 4 feet east of fence, iron post stamped "Prim. Trav. Sta. No. 176, 1915", elevation 45.672 feet	29 51 12.55	95 07 40.49	5, 162
Sheidon, 0.6 mile west and 3.2 miles south of, 35 feet west of road, 15 feet north of a fence line east; oak tree painted "U.S. B. M. 408"; one of a group of four trees; copper nall in root, elevation	29 50 27.76 29 49 32.85	95 07 40.16	4,525
46.74 feet.  Sheldon, 0.55 mile west and 3.6 miles south of; center of crossroads. Sheldon, 0.5 mile west and 4.2 miles south of, about 290 feet west of road, in small grove of trees, about 200 feet south of small wooden bridge; gum tree painted "U. S. B. M. 407"; copper nail in root, elevation 41.25 feet.	29 49 32.85 29 49 13.06	95 07 39.15 95 07 38.12	5,550 2,000
in the second of	29 48 38.75	95 07 34.99	3,477

Magnetic declination for north half of quadrangle,  $8^{\circ}$  30′ E.; for east side,  $8^{\circ}$  15′ E.; for south side,  $8^{\circ}$  20′ E.

# HARMASTON QUADRANGLE. Along public highways between Humble and Huffman.

Station.	Latitude.	Longitude.	Distance between stations.
Humble, 2.25 miles south and 1.5 miles east of, 1.75 miles northeast of forks of road, on east end of concrete culvert, painted "U.S.B.M.327"; hollow square chiseled in concrete, elevation 75.32 feet  Humble, 1.75 miles south and 2.15 miles east of, 80 feet east of concrete culvert at angle of road, 20 feet south of center of road; pring tree pointed "U.S.B.M. 328"; comparing in roat elevations.	. , , ,, 29 57 54.09	95 14 25. 22	Feet.
pine tree painted "U. S. B. M. 328"; copper nail in root, elevation 79.27 feet  Humble, 1.25 miles south and 3 miles east of, 1,000 feet west of angle in road, 20 feet north of road in line with telephone poles; iron post stamped "Prim. Trav. Sta. No. 142, 1915", elevation	29 58 20.96	95 13 45.84	4,401
76.077 feet.  Humble, 0.9 mile south and 3.8 miles east of, 20 feet south of road, oak tree painted "U.S.B.M. 329"; copper nail in root, elevation 70.82 feet.	29 58 47.83	95 12 57.03	5,078
tion 70.82 feet. Humble, 0.6 mile south and 4.6 miles east of, 37 feet north of road: pine tree painted "U. S. B. M. 330"; copper nail in root, eleva-	29 59 05.36	95 12 09.15	4,568
tion 71.74 feet	29 59 22.98	95 11 18.28	4,815
rick, 20 feet south of center of road; iron post stamped "Prim. Trav. Sta. No. 143, 1915", elevation 69.515 feet.  Humble, 6.15 miles east of, just east of a bend in road, 25 feet north of road; pine tree painted "U.S.B. M. 331"; copper nail in root,	29 59 35, 44	95 10 38, 80	3,684
Humble, 7 miles east of, \(\frac{1}{4}\) mile west of house on south side of road, 25 feet north of road; oak tree painted "U. S. B. M. 332":	29 59 52, 52	95 09 45,18	5,027
copper nail in root, elevation 59.04 feet.  Humble, 7.7 miles east of, 0.5 mile west of San Jacinto River, 25 feet north of road; iron post stamped "Prim. Trav. Sta. No. 144,	29 59 51, 24	95 08 51,78	4,700
1915, "elevation 40.186 feet. Huffman, 1.9 miles south and 2.5 miles west of, 750 feet east of ferry across San Jacinto River, 50 feet south of road; gum tree	29 59 49.08	95 08 09.85	3,694
painted "U. S. B. M. 333"; copper nail in root, elevation 30.38 feet.	29 59 50, 28	95 07 32.43	3, 292
Along second-class road between Sheld	on and Victo	r.	
Sheldon, 0.6 mile north by 0.6 mile west of, 50 feet south of road, on top of old trail pump, copper nail; painted "U.S.51.7 B.M.,"			
elevation 51.87 feet.  Sheldon, 0.7 mile north and 0.7 mile west of, 10 feet south of a winding woods road; elm tree painted "U. S. B. M. 349"; wire nail in root; not found in 1916.  Sheldon, 0.7 mile north and 1.1 miles west of, 600 feet east of a fenced clearing on a newly cleared right of way for road; gum	29 52 51.88	95 07 46.39	
fenced clearing on a newly cleared right of way for road; gum tree painted "U.S. B.M. 350"; wire nail in root, elevation 50.38 feet Sheldon, 0.9 mile north and 1.7 miles west of, 15 feet north of a	29 53 00.67	95 08 14.97	2, 588
cleared east and west right of way for road; iron post stamped "Prim. Trav. Sta. No. 152, 1915," elevation 55.628 feet.  Sheldon, 0.8 mile north and 2.4 miles west of, 500 feet east of a greenhouse, 4 feet south of an east and west wire fence; gum tree (one of a group) painted "U. S. B. M. 351"; wire nail in	29 53 08.71	95 08 49,97	3,187
tree (one of a group) painted "O. S. B. M. 351"; wire nail in root, elevation 52.67 feet.  Sheldon, 1.4 miles north and 2.8 miles west of, 30 feet west of prairie road; gum tree painted "U. S. B. M. 352"; wire nail in root,	29 53 00, 22	95 09 30.66	3,683
Chalden 2.2 miles north and 2.5 miles west of 700 feet northwest	29 53 35, 15	95 09 57.04	4, 225
of bend in road, 1,200 feet southeast of edge of woods, 25 feet northeast of road, near small group of pine trees; iron post stamped "Prim. Trav. Sta. No. 153, 1915," elevation 56.818 feet. Victor, 0.9 mile south and 1.2 miles east of, 55 feet southwest of road at edge of prairie and timber; pine tree painted "U. S. B. M. 353;" wire nail in root, elevation 56.77 feet.	29 54 22,74	95 10 39.29	6,078
B. M. 353;" wire nail in root, elevation 56.77 feet	29 54 53.40 29 55 08.84	95 11 24.32 95 11 54.55	5,030
large oak tree painted "U.S.B.M.354", Wire nail in root, elevation 54.67 feet.  Victor stiling, Beaumont, Sour Lake & Western Ry, 470 feet northeast of road crossing, 55 feet southeast of track, opposite	29 90 08. 54	99 II 94.99	3,085
siding sign post, 2 feet from fence line; iron post stamped "Prim. Trav. Sta. No. 154, 1915," elevation 57.424 feet	29 55 39.22	95 12 37.16	4,817

HARMASTON QUADRANGLE—Continued.

Along Beaumont, Sour Lake & Western Railway from Victor to Harmaston.

Station.	Latitude.	Longitude.	Distance between stations.
Victor, 1 mile northeast of, 40 feet southeast of center of track; 8 inches from telegraph pole painted "U.S.B. M. 355"; wire nail in hub, elevation 58.27 feet.  Victor, 1.9 miles northeast of, 40 feet southeast of center of track; 1	° , ,, 29 56 15.01	95 12 00.35	Fect. 4,854
foot from telegraph pole painted "U.S.B. M. 356;" wire nail in hub, elevation 59.51 feet.  Spencer, opposite signpost, top of rail, elevation 64.6 feet.  Victor, 2.8 miles northeast of, 50 feet northwest of center of track; hickory tree painted "U.S.B. M. 357"; wire nail in root, eleva-	29 56 50.53	95 11 23.74	4,821
hickory tree painted "U. S. B. M. 357"; wire nail in root, elevation 63.01 feet.  Victor, 3.7 miles northeast of, 50 feet southeast of center of track; oak tree painted "U. S. B. M. 358"; wire nail in root, elevation	29 57 25.71	95 10 48.88	4,694
66.75 feet.  Harmaston, 660 feet northeast of signboard, 40 feet southeast of center of track, near road crossing, 10 feet from corner of fence	29 57 59.29	95 10 12.65	4,654
at section house, 2½ feet from telegraph pole; iron post stamped "Prim. Trav. Sta. No. 155, 1915," elevation 68,919 feet.  Harmaston, 1 mile northeast of, 38 feet southeast of center of track, 8 inches from telegraph pole painted "U. S. B. M. 359"; copper nail in hub, elevation 55,24 feet.	29 58 37.37 29 59 10.93	95 09 33.53 95 08 47.20	, ,
Trestle 336-5, middle of, top of rail, elevation 50.4 feet.  Harmaston, 2.1 miles northeast of, 15 feet southwest of southwest corner of trestle, 10 feet from center of track; in top of square post beside warning sign post painted "U.S. B. M. 360"; copper nail,	•••••		5,300
elevation 48.63 feet	29 59 36.94 rangle.	95 07 50.29	5, 653
Dyersdale station, Beaumont, Sour Lake & Western Ry., about 500 feet south of, 70 feet east and 20 feet south of public-road	·		
crossing; iron post stamped "Prim. Trav. Sta. No. 161, 1915," elevation 56.972 feet  Dyersdalestation, 800 feet south and 1 mile east of; oak tree painted	29 53 29.47	95 14 50.70	
"U. S. B. M. 413"; copper nail in root (not found, 1916)	29 53 25.61	95 14 19.23	2, 79

Magnetic declination for quadrangle, 8° 30' E.

# HILLENDAHL QUADRANGLE.

## Along Washington road.

Station.	Latitude.	Longitude.	Distance between stations.
Fairbanks, 2.1 miles northwest of, 65 feet east of railroad crossing, 25 feet south of road, 2 feet from corner fence post; copper nail in hub, t. b. m. 137, elevation 103.16 feet	° ' '' 29 52 01.74	° ' '' 95 33 08.84	Fcet.
pole painted "U. S. B. M. 138"; copper nail in hub, elevation 99.51 feet. Pairbanks station (Houston & Texas Central R. R.), about 350 feet northwest of, 35 feet north of public road, 50 feet south of	29 51 32.61	95 32 27.48	4,683
store and post office, 2 feet from telephone pole; iron post stamped 'Prim. Trav. Sta. 66, 1915,' elevation, 96.113 feet Fairbanks, about 0.8 mile southeast of, 500 feet east of milepost 12, 25 feet south of center of road; 6 inches from telephone pole	29 50 53.01	95 31 30.84	6,393
painted "U. S. B. M. 139"; copper nail in hub, elevation 92.86 feet.  Fairbanks, about 1.6 miles southeast of, 150 feet northwest of mile-post 11, 65 feet east of railroad crossing, 25 feet south of road; 6	29 50 24, 10	95 30 51.06	4,561
inches from telephone pole painted "Ü. S. B. M. 140"; copper nail in hub, elevation 87.00 feet	29 49 57.54	95 30 13.71	4,245

# HILLENDAHL QUADRANGLE—Continued. Along Jeanetta-Hillendahl road.

Station.	Latitude.	Longitude.	Distance between stations.
Hillendahl, 1 mile east by 2.2 miles south of, about 0.7 mile north- east of Buffalo Bayou bridge, 60 feet east of angle in road; copper nail in root of oak tree in edge of timber, tree painted "U.S. B. M. 150," elevation 71.59 feet Hillendahl, 1 mile east by 1.2 miles south of, 30 feet east of center of north and south road, 2.5 feet southwest of corner fence post, timber on both sides of road; iron post stamped "Prim. Trav.	29 45 02.65	95 31 01.92	Feet.
Sta. No. 70, 1915," elevation 80,655 feet.  Hillendahl, 1 mile east of, 65 feet northeast of intersection of main shell road and railroad track, 50 feet north of track, in line with right-of-way fence; iron post with 3-inch cap (not stamped) is a Coast and Geodetic Survey bench mark; also "Prim. Trav. Sta. No. 71, 1915," elevation 78,628 feet.	29 45 57.90 29 47 03.71	95 31 01.98 95 30 48.91	5, 58 6, 74
Along Hillendahl-Fairbanks 1	oa d		','
			1
Hillendahl, 0.9 mile north and 1 mile east of, 6 inches from corner fence post, painted "U.S. B. M. 160"; copper nail in hub, elevation 83,62 feet.  Hillendahl, 1.3 miles north and 1.8 miles east of, 30 feet north of	29 47 51.07	95 30 55.19	4,81
center of east and west road; in root of oak tree painted "U. S. B. M. 161"; copper nail, elevation 83.99 feet	29 48 10.14	95 30 06.68	4,68
Along Missouri, Kansas & Texas	Railway.		<u> </u>
Addicks, 1.5 miles east of 240 feet east of T road north, 20 feet			
Addicks, 1.5 miles east of, 240 feet east of T road north, 20 feet south of public road, 50 feet north of Missouri, Kansas & Texas Ry.; iron post stamped "Prim. Trav. Sta. No. 73, 1915," elevation 91.600 feet Addicks, about 2 miles east of, 20 feet north of road; in root of oak tree close to fence line; copper nail, tree painted "U. S. B. M. 154," elevation 86.39 feet.	29 47 05.83	95 36 58.66	
tree close to lence line; copper hall, tree painted "U.S.B.M. 154," elevation 86.39 feet	29 47 06.17	95 36 33.90	2, 18
Missouri, Kansas & Texas Ry.; T road south. Addicks, about 2.8 miles east of, 25 feet south of road; 6 inches from telephone pole painted "U. S. B. M. 155"; copper nail in	29 47 05.74	95 36 07.80	2,300
hub, elevation 93.11 feet. Addicks, about 3.7 miles east of, 25 feet south of road; 6 inches from telephone pole painted "U. S. B. M. 156"; copper nail in hub, elevation 93.24 feet.	29 47 05.46	95 35 42.49 95 34 48.07	2,230 4,790
Along public road.	J		· · · · · · · · · · · · · · · · · · ·
Hillandahl 2 miles west of 820 feet east of milehoard 1071, 75 feet	1		
Hillendahl, 2 miles west of, 820 feet east of mileboard 1071, 75 feet. west of small bridge, 2.5 feet south of telephone pole; copper nail in hub under wire fence, pole painted <sup>74</sup> U. S. B. M. 157," elevation 81.92 feet.  Hillendahl, 1.3 miles west of, 25 feet south of public road, 400 feet	29 47 04.81	95 33 55.02	4,678
Hillendahl, 1.3 miles west of, 25 feet south of public road, 400 feet east of mileboard 1072, 6 inches from telephone pole painted "U. S. B. M. 153"; copper nail in hub, elevation 88.11 feet Hillendahl, 0.7 mile west of, on top of center of north end of concrete culvert; chiseled square (probably a Coast and Geodetic	29 47 04.51	95 33 00.24	4,82
Survey bench mark), elevation 87.073 feet.  Billendahl, 0.3 mile east of, 30 feet south of road, 6 inches from telephone pole painted "U. S. B. M. 159"; copper nail in hub, elevation 83.02 feet.	29 47 04.00 29 47 03.89	95 32 24.32 95 31 32.36	3, 164 4, 579
Hillendahl, 0.9 mile east of, T road south; top of rail at crossing, elevation 82.7 feet	20 11 00.00		
Along wagon road in northeast corner	of quadrangle	9.	
Fairbanks, 1.25 miles north and 1 mile east of, 20 feet north of east- and-west road and 25 feet east of road north, 6 inches from corner fence post; copper nail in hub, "T. B. M. 284," elevation 94.13	20 51 55 3	05.00.04.5	
feet Fairbanks, 3,500 feet north and 0.5 mile east of, 4,500 feet N. 30° E. from water tank, 125 feet south of small creek in open prairie; copper nail in hub, "T. B. M. 285," elevation 92.55 feet	29 51 55.6 29 51 23.0	95 30 24.1 95 30 54.3 95 31 30.8	4,787
Fairbanks, iron post No. 66	29 50 53.0		4,423

# HOCKLEY QUADRANGLE. From point near Hockley southeast along highway to southeast corner of quadrangle.

<u>*</u>		-	•
Station.	Latitude.	Longitude.	Distance between stations.
Hockley, 1.7 miles west by 0.4 mile south of, 150 feet southwest of white house, 20 feet north by 25 feet west of T road north, 8 inches from corner fence post; copper nail in hub, post painted "U. S. B. M. 191," elevation 233.05 feet	0 / // 30 01 17.55	95 52 24.63	Feet.
intersection of roads, 6 inches from telephone pole; copper nail in hub, pole painted "U. S. B. M. 180," elevation 238.65 feet Hockley, 1.1 miles northwest of, 120 feet south of Houston & Texas Central R. R. track, 25 feet south of center of public road, 6 inches	30 02 13.50	95 52 25.71	5,653
from corner post, on fence line south; copper nail in hub, post painted "U. S. B. M. 179," elevation 227,68 feet.  Hockley, 600 feet west of Houston & Texas Central R. R. station, opposite milepost 36, 105 feet south of main track, 30 feet south of center of public road; iron post stamped "Prim. Trav. Sta. No. 78, 1915," elevation 221,210 feet.	30 01 56.49	95 51 40.28	4,346
of center of public road; iron post stamped "Prim. Trav. Sta. No. 78, 1915," elevation 221.210 feet. Hockley depot, opposite semaphore; top of rail, elevation 223 feet.	30 01 36.79	95 50 48.19	4,993
Hockley, 1 mile southeast of, 1 foot from telephone pole opposite railroad sign "1 mile to Hockley," 25 feet south of road; copper nail in hub, pole painted "U. S. B. M. 178," elevation 213.99 feet.	30 01 14.61	95 49 44.94	5, 994
Hockley, 1.9 miles southeast of, 120 feet north by 20 feet west of road crossing Houston & Texas Central R. R., 25 feet north of shell road, 1 foot from telephone pole; copper nail in hub, pole painted "U. S. B. M. 110," elevation 207.91 feet	30 00 56.00	95 48 54.16	4,844
about 60 feet north of center of Houston & Texas Central R. R., 1 foot from telephone pole; copper nail in hub, pole painted "U. S. B. M. 111," elevation 202.94 feet	30 00 37.26	95 48 05.89	4,647
feet north of section house; copper nail in root of china berry tree, tree painted "U. S. B. M. 112," elevation 203.05 feet	30 00 15.33	95 47 05.78	5,730
Along highway north near center of south h	border of qua	drangle.	
Hockley, 1 mile south of Houston & Texas Central R. R., at a crossing 1.9 miles southeast of station, 2,400 feet north of right-angle turn in road, 30 feet east of center of roadway, 2 feet from fence post; iron post stamped "Prim. Trav. Sta. No. 53, 1915," elevation 203.814 feet	,	-	
elevation 203.814 feet	30 00 06.27 30 00 56.00	95 48 53.41 95 48 54.16	5,024
Along highways through center of o	quadrangle.		
Hockley, 3.75 miles north and 1 mile west of, 25 feet south of center of road, opposite house of Charles Imhol, 3.5 feet from corner fence post; iron post stamped "Prim. Trav. Sta. No. 88, 1915," elevation 274.862 feet.			
elevation 274.862 feet.  Hockley, 3.7 miles north and 0.2 mile west of, 30 feet north of road, 150 feet west of T road south, 8 inches from fence post; copper nail in hub, witness stake painted "U. S. B. M. 200," elevation	30 04 53.71	95 51 57.22	
273.49 feet  Hockley, 3.7 miles north and 0.3 mile east of, 170 feet south of T road west, 25 feet west of center of road; in root of oak tree painted "U. S. B. M. 201;" copper nail, elevation 224.47 feet	30 04 54.48 30 04 52.81	95 51 09.39 95 50 30.05	3, 461
Hockley, 2.90 miles north and one-fourth mile east of, T road east. Hockley, 2.90 miles north and 0.60 mile east of, 1,800 feet east of T road east, 25 feet north of center of road, 4 feet south of wire fence; iron post stamped "Prim. Trav. Sta. No. 89, 1915," ele-	30 04 08.08	95 50 29.30	4,521
Hockley, 2.9 miles north and 1.5 miles east of, 1,550 feet west of	30 04 08.55	95 50 08.47	1,831
ost on fence line north; copper nail in hub painted "U.S.B.M. 202," elevation 241.74 feet	30 04 09.11	95 49 13.38	
"U. S. B. M. 203"; copper nail in hub, elevation 236.96 feet Hockley, 2.70 miles north and 2.90 miles east of, 30 feet west of T road east, 4 feet southeast of gatepost, 2 feet from wire fence line; iron post stamped "Prim. Trav. Sta. No. 90, 1915," elevation	30 04 09.19	95 48 16.63	
227.768 feet	. 30 03 58.92	95 47 54.63	2, 193

# HOCKLEY QUADRANGLE-Continued.

## Along highways through center of quadrangle—Continued.

Station.	Latitude.	Longitude.	Distance between stations.
Hockley, 2.70 miles north and 3.80 miles east of, 700 feet west of T road west, 20 feet south of center of road, at corner fence post painted "U. S. B. M. 204"; copper nail in hub, elevation 216.46 feet.  Hockley, 3 miles north and 4.2 miles east of, 25 feet south of Hockley-Rosehill road; 1 foot from east gatepost and corner post on fence line south; copper nail in hub, "U. S. B. M. 205," elevation 230.80 feet.  Rosehill, 3 miles west of, on the Rosehill-Hockley road, 20 feet north of road at point where a dim road crosses north and south; 750 feet southwest of fence corner; iron post stamped "Prim. Trav. Sta. No. 91, 1915," elevation 230.891 feet.	30 04 17.82 30 04 38.02	95 47 00.70 95 46 14.70 95 45 30.21	Feet. 4,740 4,442 4,411

Magnetic declination for south half of quadrangle, 8° 30' E.

# HOUSTON HEIGHTS QUADRANGLE.

## Along public road.

<u>, , , , , , , , , , , , , , , , , , , </u>	<del></del>		
Station.	Latitude.	Longitude.	Distance between stations.
Fairbanks station, 2.4 miles southeast of, about 1,000 feet northwest of mile post 10, 40 feet north of road; 7 feet from corner fence post; iron post stamped "Prim. Trav. Sta. No. 67, 1915," elevation 81.077 feet.  Fairbanks station, 3.3 miles southeast of, 850 feet northwest of	29 49 31.00	95 29 35.38	Feet.
railroad crossing, 20 feet south of road; 6 inches from telephone pole painted "U. S. B. M. 141"; copper nail in hub, elevation 82.54 feet.  Fairbanks, 4.2 miles southeast of, 2,100 feet northwest of milepost 8, 20 feet south of road; 6 inches from telephone pole painted	29 49 00.38	95 28 53.73	4,798
"U. S. B. M. 142"; copper nail in hub, elevation 77.80 feet Eureka, 1.75 miles northwest of, about halfway between mileposts 7 and 8, 60 feet north and 30 feet west of forks of road at T road north; 5 feet from fence corner; iron post stamped "Prim.	29 48 31.18	95 28 13.59	4,604
Trav. Sta. No. 68, 1915," elevation 76.615 feet.  Eureka, 0.8 mile northwest of, 125 feet east of culvert, "R. R. 6 c," 20 feet south of road; 1 foot from telephone pole painted "U. S. B. M. 143"; copper nail in hub, elevation 72.01 feet.	29 48 00.83 29 47 29.44	95 27 31.21 95 26 49.06	4,831 4,883
Eureka, crossing of Missouri, Kansas & Texas Ry, and Houston & Texas Central R. R., about 84 feet east and 15 feet north of, 6 feet east of cattle guard at road crossing, 25 feet south of public road; in 3-inch by 4-inch post, 4 inches above ground; copper	20 10 20.11	00 20 10:00	1,000
nail; pole painted "U. S. B. M. 144," elevation 68.82 feet Eureka, crossing of Houston & Texas Central R. R. and Missouri, Kansas & Texas Ry Eureka, 480 feet east of intersection of Missouri, Kansas & Texas	29 47 01.22 29 47 01.11	95 26 10.03 95 26 10.97	4, 467  85
Ry. and Houston & Texas Central R. R. tracks, block signal at north side of Missouri, Kansas & Texas track; bottom of square hole in concrete foundation, Coast and Geodetic Survey bench mark, "H8," elevation 65.595 feet.			
Eureka, 0.9 mile southeast of, 25 feet south of center of Washington Road; 6 inches from telephone pole painted "U. S. B. M. 145"; copper nail in hub, elevation 62.23 feet	29 46 27.92	95 25 34.18	4,663
post stamped "Prim. Trav. Sta. No. 69, 1915," elevation 60.259 feet	29 46 14.98	95 25 18.25	1,918
Houston city limits, at center of Washington Avenue  Houston, about 270 feet east of city limit, 0.4 mile south of Washington Avenue. 20 feet west of center of Roy Street; in root of	29 46 12.58	95 24 47.76	2,696
oak tree 2 feet in diameter; copper nail and washer; telephone painted "U.S. B. M. 146," elevation 61.28 feet.  Buffalo Bayou, center of iron truss bridge on Shepherd Dam road.  Buffalo Bayou Bridge, on Shepherd Dam road, 150 feet south of south end of bridge; east end of concrete spillway; chiseled square, elevation 46.14 feet.	29 45 51.34 29 45 37.14	95 24 44.35 95 24 31.02	2,168 1,855

# HOUSTON HEIGHTS QUADRANGLE—Continued.

Along public road—Continued.

Station.	Latitude.	Longitude.	Distance between stations.
Buffalo Bayou Bridge, on Shepherd Dam road, 0.4 mile southwest of, 0.8 mile north of Westheimer road, 18 feet east of center of Shepherd Dam road, 20 feet south of fence corner; 6 inches from fence post painted "U.S.B. M. 147"; copper nail in hub, elevation 60.07 feet.  Hillendahl, 1.8 miles north and 2.1 miles east of, 150 feet south of house, 30 feet north of road, 30 feet east of lane north; in root of	° ', ',' 29 45 16 16	95 24 37.70	Feet. 2,200
house, 30 feet north of road, 30 feet east of lane north; in root of oak tree painted "U. S. B. M. 162"; copper nail, elevation 76.94 feet.  Hillendahl, 1.8 miles north and 2.8 miles east of, 25 feet south of	29 48 09.37	95 29 05,40	
center of road opposite white house; in root of mulberry tree painted "U.S.B. M. 163"; copper nail, elevation 76.42 feet Durkee schoolhouse, 0.7 mile east of, 0.4 mile east of East Mont- gomery Road, 40 feet north of road; in root of lone oak tree on	29 48 08.97	95 28 24.36	3,615
prairie; copper nail (t. b. m. 278), elevation 83.15 feet	29 52 11.66 29 52 11.00	95 22 40.87 95 23 05.16	4,734 2,140
Durkee schoolhouse, 500 feet west of, 40 feet east and 30 feet north of crossroads; in root of poplar tree at fence line; copper nail	29 52 11.02	95 23 27.55	1,970
Durkee schoolhouse, 1.25 miles west of, 30 feet west of Houston-Steubner "air line" road, 15 feet south of T road east; iron post stamped "Prim. Trav. Sta. No. 126, 1915," elevation 88.413 feet. Durkee schoolhouse, about 1.75, miles west of, in open field about halfway between "air line" road and West Montgomery road;	29 52 09.86	95 24 34.82	5,924
m root of tone persiminant tree, painted (t. b. in. 250); copper nail, elevation 85,42 feet  West Montgomery road; T road west.  West Montgomery road, about 0.4 mile west of, at point 1.5 miles north of junction of "air line" and West Montgomery roads, 30 feet south of center of road and 4 feet north of fence line; iron	29 51 54.13 29 51 47.77	95 24 59.56 95 25 41.26	2,697 3,729
post stamped "Prim. Trav. Sta. No. 127, 1915," elevation 91.885 feet West Montgomery road, 1.25 miles west of, 1.8 miles east of Trinity & Brazos Valley R. R., on Fairbanks and Montgomery link	29 51 47.30	95 26 06.94	2,262
road, 40 feet south of road; in root of pine tree painted "U.S.B. M. 281"; copper nail, elevation 89.18 feet. West Montgomery road, 2 miles west of, 1 mile east of Trinity & Brazos Valley R. R., on Fairbanks-Montgomery link Road, 25 feet south of road at bend; in root of oak tree painted "U.S.B.	29 51 45.74	95 26 57.47	4,452
M. 282"; copper nail (t. b. m. 282), elevation 82.02 feet.  T road corners, road southeast.  Fairbanks, 1 mile north and 2.7 miles east of, about 930 feet south and 590 feet east of public road crossing of Trinity & Brazos Valley R. R., northeast side of road at right angle, 120 feet east of Trinity & Brazos Valley R. R.; 3 feet from corner fence post; iron post stamped "Prim. Trav. Sta. No. 128, 1915, "elevation 87.049	29 51 46.86 29 51 46.70	95 27 45.66 95 28 24.25	4,245 3,398
feet Fairbanks, 1.25 miles north and 2.25 miles east of 1.550 feet west of	29 51 46.88	95 28 46.96	2,000
Trinity & Brazos Valley R. R.; crossroads Fairbanks, 1.2 miles north and 1.9 miles east of, 0.6 mile west of Trinity & Brazos Valley R. R.; 25 feet south of public road and	29 51 55.98	95 29 11.25	2,329
6 inches west of corner fence post; copper nail in hub (t. b. m. 283), elevation 90.56 feet.	29 51 55.45	95 29 29.70	1,626
Along Missouri, Kansas & Texas Railway in south	east quarter	of quadrangl	le.
Houston, in 1st Ward, 600 feet west of Taylor Street, 32 feet north of center of Missouri, Kansas & Texas Ry, track, 4 feet south of fence line; in root of pecan tree painted "U.S.B.M. 251"; copper			·
Houston, at northwest corner of city limits, 240 feet east of Oxford Street and between Tenth and Eleventh streets Houston	29 46 29.76	95 22 59.94	
Heights; concrete monument, 8 inches square, with hole in top.  Houston Heights, on boulevard, center of parking, 84 feet south of center of Missouri, Kansas & Texas Ry, track, midway between the two electric tracks; iron post top flush with ground; Coast and Geodetic Survey bench mark "18," "Prim. Trav.	29 47 23.43	95 23 28.14	3,339
Sta. No. 114," elevation 61.017 feet.  Houston, 140 feet south and 35 feet west of Brunner Avenue crossing of Missouri, Kansas & Texas Ry.; on root of oak tree painted "U.S. B. M. 252"; copper nail, elevation 58.34 feet.  Houston, Missouri, Kansas & Texas Ry. trestle over White-oak	29 46 58.47	95 23 50.80	5,340
"U. S. B. M. 252"; copper nail, elevation 58.34 feet	29 46 57.38	95 24 35.00	3,898

# HUFFMAN QUADRANGLE. From southeast corner of quadrangle to Huffman.

Station.	Latitude.	Longitude.	Distance between stations.
Tuffman 1 4 miles south and 1 75 miles went of 900 feet and 1			
Huffman, 1.4 miles south and 1.75 miles west of, 200 feet east of crossing of Beaumont. Sour Lake & Western Rv., 30 feet south			İ
crossing of Beaumont, Sour Lake & Western Ry., 30 feet south of center of road; oak tree painted "U. S. B. M. 334"; wire nail	0 / "	0 / //	Feet.
In root, elevation 58.00 feet	30 00 13.38	95 06 50.57	
T road corners, 30 feet north of center of road; oak tree painted "U.S.B.M. 335"; wire nail in root, elevation 71.32 feet	30 00 14.56	95 06 00.78	4,380
road corners, 2 feet from wire fence; iron post stamped "Prim. Trav. Sta. No. 145, 1915," elevation 70.708 feet Huffman, 0.7 mile south and 0.5 mile west of, 300 feet south of	30 00 14.60	,95 05 35.38	2, 233
pipe line crossing road, 20 feet east of road; gum tree painted "U.S.B.M.442"; copper nail in root, elevation 68.92 feet	30 00 51.59	95 05 32.80	3,744
Huffman, 700 feet south and 1,600 feet west of, public road cross- ing Beaumont, Sour Lake & Western Railway	30 01 19.23	95 05 24.50	2, 885
From Huffman north to Austin Scott's farm	ıs, near coun	ty line.	
Huffman, 0.35 mile north and 0.2 mile west of, about 600 feet north			
of schoolhouse, 30 feet east of road, opposite dwelling house; cottonwood tree painted "U.S.B.M. 443"; copper nail in root,	30 01 44.51	95 05 16.87	0.60
elevation 70.91 feet. Huffman, 1 mile north and 0.25 mile west of, 300 feet northeast of church, 20 feet west of road and 6 feet south of a fence corner;	30 01 44.31	95 05 16.87	2,637
iron post stamped "Prim. Trav. Sta. No. 187, 1915," elevation 74.117 feet	30 02 22.39	95 05 21.84	3,852
Huffman, 1.2 miles north of, by 0.25 mile west of T road west, west side of north-south road, northeast corner of small wooden bridge, in plank; copper nail painted "U. S. 73.1 B. M.," elevation 73.12			
feet. Huffman, 2 miles north and 0.1 mile west of, 15 feet west of road at angle; gum tree painted "U. S. B. M. 444"; copper nail in			
root, elevation 74.11 leet. Huffman, 2.3 miles north and 0.5 mile east of, 70 feet north of pub- lic road in pasture, about 400 feet southeast of Mr. J. J. Simmon's	30 03 10.39	95 05 13.84	4,900
house; lone oak tree painted "U. S. B. M. 445"; copper nail in root, elevation 74.99 feet.  Huffman, 3.3 miles north and 0.4 mile east of, 20 feet north of dim road and 25 feet north of large oak tree painted "U. S. P. B. M.";	30 03 26.33	95 04 36.39	3,664
iron post stamped "Prim. Trav. Sta. No. 188, 1915," elevation 76.155 feet. Huffman, 3.5 miles north and 0.4 mile west of, 200 feet south of ford	30 04 17.57	95 04 42.68	5, 205
crossing Loose Bayou, 5 feet north of road; oak tree painted "U. S. B. M. 446"; copper nail in root, elevation 50.70 feet Huffman, 4 miles north and 0.9 mile west of, 0.9 mile northwest of	30 04 27.98	95 05 30.57	4,338
Loose Bayon ford, 10 feet west of road, magnolia tree painted "U. S. B. M. 447"; copper nail in root; not found in 1916 Huffman, 4 miles north by 0.9 mile west of, 0.9 mile northwest of	30 04 58.33	95 06 00.66	4,049
Loose Bayou ford, 5 feet west of road, in root of oak tree; wire nail painted erroneously "U. S. 72.9 B. M.," elevation 75.92 feet. Huffman, 4.9 miles north and 0.9 mile west of, 15 feet south of double gate in east and west fence line, 8 feet east of road; oak			
tree painted "U. S. B. M. 448"; copper nail in root, elevation 79.96 feet	30 05 33.44	95 06 02.15	3, 550
double gate just east of wagon road; fron post stamped "Prim. Trav. Sta. No. 189, 1915," elevation 83.852 feet	30 05 49.76	95 06 01.07	1,653
Huffman, 6.7 miles north and 1.3 miles west of, 5 feet northeast	30 06 33.94	95 06 01.95	4,464
of road; pine tree painted "U.S.B.M. 450"; copper nail in root, elevation 96.66 feet.	30 07 07.17	95 06 23.66	3,861
From Huffman northwest on old roa	d to Porter.	,	
Huffman, 1.3 miles north and 1 mile west of, 5,000 feet west of gate			
at public road, at south side of wagon track; oak tree painted "US.B. M. 460"; wire nail in root, elevation 70.29 feet	30 02 36.12	95 06 04.43	
of road, gum tree painted "U. S. B. M. 461"; copper nail in root, elevation 63.06 feet. Huffman, 1.4 miles north and 2.3 miles west of, 150 feet east of San	30 02 33.68	95 06 46.90	3,740
Jacinto River, just below mouth of Loose Bayou; large gum tree painted "U. S. B. M. 462"; copper nail in root, elevation	30 02 24.18	95 07 25.60	3,53
Jacinto River, just below mouth of Loose Bayou; large gum tree painted "U.S.B.M. 462"; copper nail in root, elevation 34.08 feet	30 02 24.18	95 07 25.60	3,5

## HUFFMAN QUADRANGLE—Continued.

# East and north of Huffman, mostly on prairie.

Station.	Latitude.	Longitude.	Distance between stations.
Huffman, 1 mile south and 1.85 miles east of, probably just on east side of Cedar Bayou, which is here indefinite, on west side of a grove of gum trees surrounded by a group of haw trees and bushes; small gum tree painted "U.S.B.M.490"; copper nail in root, elevation 64.98 feet  Huffman, 0.2 mile south and 2.1 miles east of, 2,000 feet north of pipe line, on east side of a grove of about 100 small gum trees;	30 00 36.87	95 03 15.08	Feet.
one painted "U. S. B. M. 491"; a copper nail in root, elevation 66.47 feet. Huffman, 0.6 mile north and 2.5 miles east of, on prairie near small	30 01 15.66	95 03 00.42	4,126
round concrete-lined reservoir for stock-water supply, on south- east corner of concrete watering trough painted <sup>12</sup> U. S. B. M. 492; <sup>12</sup> a chiseled mark, elevation 71.82 feet. Hufiman, 0.8 mile north and 1.8 miles east of, opposite west end of small bridge across Cedar Bayou, which is line between Harris	30 02 00.39	95 02 39.08	4,893
and Liberty counties, 54 feet north of center of Beaumont, Sour Lake & Western Ry, track; elm tree painted "U.S. B. M. 493"; copper nail in root, elevation 69.71 feet.  Huffman, 1 mile north and 0.75 mile east of, 100 feet north of east and west road on south side of group of gum trees, one of which	30 02 08.31	95 03 16.20	3,361
is painted "U. S. B. M. 494"; copper nail in root, elevation 68.90 feet.	30 02 18.63	95 04 19.73	5, 682

a T. b. ms. 491 and 492 are in Liberty County.

Magnetic declination for quadrangle, 8° 27' E.

## WEEDEN QUADRANGLE.

## Along Westfield-Humble road.

Mong Wosmord-Mambro 10			
Station.	Latitude.	Longitude.	Distance between stations.
Westfield, 0.25 mile south and 1.8 miles east of, 50 feet north of center of road; lone pine tree painted "U.S.B.M. 309"; copper nail in root, elevation 95.44 feet.  Westfield, 0.5 mile south and 2.7 miles east of, 30 feet south of center of road, 6 feet north of fence post at angle in fence line;	30 01 07.90	95 22 22.92	Feet.
iron post stamped "Prim. Trav. Sta. No. 136, 1915," elevation 90.117 feet.	30 00 57.53	95 21 28.97	4,857
Westfield, 0.5 mile south and 3.1 miles east of; forks of road; road southwest. Westfield, 0.6 mile south and 3.7 miles east of, 45 feet north of road.	30 00 53.56	95 21 04.15	2, 218
nearly north of small wooden bridge; large pine tree painted "U. S. B. M. 310"; copper nail in root, elevation 90.77 feet	30 00 47.91	95 20 29.36	3, 112
in root, elevation 93.83 feet	30 00 35.48	95 19 36.60	4,806
of road; iron post stamped "Prim. Trav. Sta. No. 137, 1915," elevation 93.623 feet	30 00 24.84 30 00 10.93	95 19 08.84 95 18 31.96	2, 667 3, 535
center of road at angle; gum tree painted "U. S. B. M. 312"; copper nail in root, elevation 91.89 feet. Humble, 0.2 mile north and 1.5 miles west of, 40 feet north of center	30 00 02.89	95 18 12.37	1,905
of road; gum tree painted "U.S.B.M. 313"; copper nail in root, elevation 89.58 feet. Humble, 0.2 mile north and 0.7 mile west of, 100 feet east of angle	20 00 04.15	95 17 27.36	3,960
in road; 30 feet north of center of road; iron post stamped "Prim. Trav. Sta. No. 138, 1915," elevation 88.965 feet	30 00 04.35	95 16 36.44	4,477

# WEEDEN QUADRANGLE-Continued.

# From Spring to Humble through woods and along log tramroad.

Station.	Latitude.	Longitude.	Distance between stations.
Spring, 0.75 mile south and 3 miles east of, 400 feet N. 78° W. from residence of Mrs. Reardon, 120 feet south of a fence corner, 25 feet west of roadway; oak tree painted "U. S. B. M. 306"; copper nail in root, elevation 108.21 feet.  Spring, 0.85 mile south and 3 miles east of, about 400 feet south 40° west from residence of Mrs. Reardon; 15 feet northwest of	0 04 05.37	95 21 59.16	Feet.
large oak tree; iron post stamped "Prim. Trav. Sta. No. 135, 1915," elevation 108.363 feet.  Spring, 0.9 mile south and 3.8 miles east of, about 0.3 mile northwest of Mr. Scanlon's house; in woods, at south side of road; oak tree painted "U. S. B. M. 307;" copper nail in root, eleva-	30 04 01.17	95 21 57.16	459
tion 105.19 feet.  Spring, 1.15 miles south and 4.2 miles east of, 1,100 feet southeast of Mr. Scanlon's house, 20 feet south of fence corner at southeast corner of his field; pine tree painted "U. S. B. M. 316"; copper	30 04 00.04	95 21 11.92	3,978
nail in root, elevation 98.99 feet Humble, 4 miles north and 4.6 miles west of, 2.2 miles northwest of tramway crossing of Cypress Creek, 35 feet southwest of center of tramroad, in clearing; live-oak tree painted "U. S. B. M. 317"; copper nail in root, elevation 99.68 feet	30 03 46.06	95 20 48.02	2,532
Humble, 3.4 miles north and 4 miles west or, 50 feet east of tram- road and 90 feet north of a dim road crossing; oak tree painted "U. S. B. M. 318"; copper nail in root, elevation 102.66 feet	30 03 23.62 30 02 51.16	95 20 31.46 95 19 57.89	2,693 4,412
Humble, 2.63 miles north by 3.6 miles west of, 0.3 mile northwest of crossing of Cypress Creek, 12 feet south of tramway, in top of stump 15 inches high; copper nail painted "U. S. 80.4 B. M.," elevation 80.40 feet  Humble, 2.65 miles north and 3.7 miles west of, 0.4 mile northwest			
of crossing of Cypress Creek, 8 feet east of tramroad; oak tree painted "U. S. B. M. 319"; copper nail in root not found in 1916.  Humble, 2.3 miles north and 3.45 miles west of, 100 feet northwest.	30 02 12.10	95 19 38.65	4,293
of center of tramroad, bridge across Cypress Creek, 13 feet west of track; gum tree painted "U. S. B. M. 320," copper nail in root, elevation 61.05 feet. Humble, 1.85 miles north and 3 miles west of, 3,300 feet southeast of tramroad crossing of Cypress Creek, 15 feet west of track; oak	30 01 56.23	95 19 22.11	2,166
tree painted "U. S. B. M. 321"; copper nail in root, elevation 97.78 feet.  Humble, 1.4 miles north and 2.6 miles west of, 15 feet north of tramroad track; pine tree painted "U. S. B. M. 322"; copper nail in root, elevation 98.46 feet.	30 01 32.21 30 01 08.88	95 18 57.13 95 18 30.97	3,274 3,293
Humble, 1.25 miles north and 2.1 miles west of, 115 feet west of dim settlement road crossing tramway (road leads to Evans ford on Spring Creek), 17 feet south of track in small clearing; iron post stamped "Prim. Trav. Sta. No. 139, 1915," elevation	30 01 08.83	90 10 00.91	0,200
96.985 feet. Humble, 0.9 mile north and 1.3 miles west of, 15 feet south of center of track; oak tree painted "U. S. B. M. 323"; copper nail in root, elevation 90.73 feet	30 01 01.66 30 00 42.73	95 18 01.43 95 17 14.65	2,699 4,537
Humble, 0.6 mile north and 0.6 mile west of, 8 feet north of tram- road; oak tree painted "U. S. B. M. 324"; copper nail in root, elevation 89.28 feet	30 00 24.49	95 16 31.18	4, 243
Along Houston, East & West Texa	s Railway.		
Humble, 1 mile north of, about 200 feet north of post marked "1 mile to Humble," 70 feet east of center of track; at edge of woods; gum tree painted "U. S. B. M. 472"; copper nail in root,	90.00.44.22	05.15.95.55	
elevation 65.88 feet. Humble, 1.9 miles north of, opposite south end of trestle approach to bridge across San Jacinto River, 50 feet east of track and 20 feet lower in corner of right-of-way fence; iron post stamped "Prim. Trav. Sta. No. 196, 1915," elevation 48.359 feet	30 00 44.28	95 15 35.55	4 000
stand, 50 feet east of center of track at road crossing, pine tree	30 01 29.61 30 01 49.42	95 15 17.98 195 15 11.17	4,833 2,089
Weeden, opposite sign post Houston East & West Texas Ry., top of rail, elevation 62.9 feet.			•

# KATY QUADRANGLE.

From point near northeast corner of quadrangle south, west, and north in northern part of quadrangle.

quadrangie.			
Station.	Latitude.	Longitude.	Distance between stations.
Katy, 5.4 miles north by 4 miles east of, 20 feet north by 20 feet east of T road, corners, roads north, south, and east; 6 inches from corner fence post; wire nail in hub; post painted "U. S. B. M. 124," elevation 145.76 feet	。, , ,, 29 51 52.95	95 45 24.66	Fcet.
Katy, 4.1 miles north by 3.5 miles east of, 0.5 mile east of Stockdick schoolhouse, 25 feet south of road, 3 feet from corner fence post at	29 51 02.04 29 50 45.39	95 45 24.62 95 45 24.19	5,141 1,682
north and south fence line; iron post stamped "Prim. Trav. Sta. No. 60, 1915," elevation 142.479 feet. Stockdick schoolhouse, crossreads at. Katy, 4.1 miles north by 2.6 miles east of, 1,957 feet west of crossroads at Stockdick schoolhouse, 30 feet north of center of east	29 50 44.91 29 50 44.97	95 45 54.07 95 46 24.06	2, 635 2, 645
and west road; 1 foot from telephone pole; copper nail in hub; painted "U.S. B. M. 126," elevation 145.81 feet. Katy, 4.1 miles north by 1.8 miles east of, 6,641 feet west of Stock-dick schoolhouse, 30 feet north of center of road; 1 foot from telephone pole; copper nail in hub; witness stake painted "U.S. B.	29 50 45.08	95 46 46.25	1,957
M. 127," elevation 149.86 feet. Katy, 4.1 miles north by 1 mile east of, 25 feet south by 25 feet east of center of crossroads, 2.5 feet from fence corner; iron post stamped "Prim. Trav. Sta. No. 61, 1915," elevation 154.086 feet	29 50 44.71	95 47 39.41	4,684
stamped "Prim. Trav. Sta. No. 61, 1915," elevation 154.086 feet Katy, 4.1 miles north of, 633 feet east of crossroads, 30 feet north of road, 1 foot from corner fence post at fence north; copper nail in hub; witness stake painted "U. S. B. M. 128," elevation 157.45	29 50 43.88	95 48 23.48	3,885
feet. Katy, 4.1 miles north of; center of crossroads Katy, 4.5 miles north of, 25 feet east of center of road, 6 inches from gatepost at north end of gate, near house painted green below and yellow above; copper nail in hub; post painted "U. S. B. M. 101," elevation 160.04 feet	29 50 43.91 29 50 43.50	95 49 16.77 95 49 23.93	4,696 633
and yellow above; copper hall in full; post painted "U. S. B. M. 101," elevation 160.04 feet	29 51 09.93	95 49 23.93	2,671
Katy. 6.1 miles north of, 300 feet north of schoolhouse; at cross-	29 52 02.07	95 49 24.36	5, 268
roads, center of culvert, elevation 160.18 feet	29 52 28. 28	95 49 24.95	2,649
Texas Ry.; 6 inches from telephone pole; copper nail in hub; pole painted "U.S. B. M. 95," elevation 130.36 feet Katy, 2.6 miles east of, about 50 feet south of Missouri, Kansas & Texas Ry., about 1.5 feet north of telephone pole, close to wire fence; 25 feet north of public road; pole painted "U.S. P. B. M.,"  Neither Sector Control Conditions was benefit mark primary	29 47 07.30	95 45 37.38	
traverse station No. 46, 1915, elevation 134.488 feet	29 47 07.58	95 46 35.08	5,086
Katy, 1.8 miles east of, about 50 feet south of railroad track, 25 feet north of center of road; 6 inches from telephone pole; copper nail in hub; pole painted "U.S. B. M. 96," elevation 135.46 feet. Katy, 0.9 mile east of, about 60 feet south of center of Missouri, Kansas & Texas Ry., 25 feet north of center of road, 6 inches	29 47 07.77	95 47 26.11	4,499
Katy, 0.9 mile east of, about 60 feet south of center of Missouri, Kansas & Texas Ry., 25 feet north of center of road, 6 inches from telephone pole; copper nail in hub; pole painted "U. S. B. M. 97," elevation 137.73 feet. Katy, 520 feet west of station, Missouri, Kansas & Texas Ry., 42 feet south of center of track; 4 feet east by 2 feet south of telephone pole; iron post stamped "Prim. Trav. Sta. No. 47, 1915," alevation 140 924 feet.	29 47 07.97	95 48 17.14	4,499
Katy, in southwest corner foundation of water tank of Katy Rice Milling Co., about 175 meters (574 feet) west by 100 meters (328 feet) south of station corpore holts at in lead (Coast and Geo-	29 47 08.32	95 49 18.65	5,423
detic Survey bench mark) "×7"), elevation 141.355 feet	29 47 05.41	95 49 19.57	305
stone monument (no elevation).  Katy, 0.8 mile north of, 20 feet west of center of road, 100 feet north of road forks. 600 feet south of white house with windmill on	29 47 17.96	95 49 32.40	1,700
west side of road; 6 inches from cedar telephone pole; copper nail in hub; pole painted "U.S.B.M. 98," elevation 145.91 feet. Katy, 1.7 miles north of, 20 feet west of center of road, opposite small house on west; copper nail in hub painted "U.S.B.M. 99," and the state of 10.72 feet.	29 47 52.00	95 49 29.03 95 49 29.55	3, 453 4,748
elevation 149.77 feet	1 40 70 00.00	1 50 40 40.00	1 2,420

#### KATY QUADRANGLE-Continued.

From point near northeast corner of quadrangle south, west, and north in northern part of quadrangle—Continued.

Station.	Latitude.	Longitude.	Distance between stations.
Katy, 2.8 miles north of, 20 feet east of center of road; close to fence line directly opposite a one and one-half story unpainted house on west side of road and about 800 feet north of red barn with star in each gable end on east side of road; iron post stamped "Prim. Trav. Sta. No. 48," elevation 156,620 feet.  Katy, 3.7 miles north of, about 20 feet west of center of road, 0.5 foot from telephone pole, 3,160 feet north of crossroads; copper nail in hub; pole painted "U. S. B. M. 100," elevation 156,47	° , ,, 29 49 35.61	95 49 23.10	Feet. 5,752

Magnetic declination in quadrangle, 8° 45' E.

HUMBLE QUADRANGLE.

Along public roads from Humble to Dyersdale.

· · · · · · · · · · · · · · · · · · ·			
Station.	Latitude.	Longitude.	Distance between stations.
Humble, station Houston East & West Texas Ry., 250 feet north of, 20 feet north of water tank, 12 feet east of center of track; 1 foot east of distance post to tank; copper nail in hub; post painted "U. S. B. M. 314," elevation 92.36 feet	° ' '' 29 59 54.78	95 15 55.80	Feet.
Humble-Houston road; 3 inches west of telephone pole; painted "U.S. B. M. 315"; copper nail in hub, elevation 87.35 feet	29 59 10.74	95 15 32.33	4,906
iron post stamped "Prim. Trav. Sta. No. 140, 1915," elevation 84.045 feet.  Humble, 2.3 miles south of, 30 feet east of center of road, close to lane east; 1 foot from telephone pole painted "U. S. B. M. 325";	29 58 37.40	95 15 41.47	3,464
371;" copper nail in hub, elevation 75.25 feet	29 57 53.84	95 15 50.93	4,479
in hub, elevation 66.96 feet.  Humble, 3.4 miles south and 0.5 mile west of, crossroads.  Humble, 3.8 miles south and 0.9 mile west of, 15 feet southeast of center of road; at base of double pine tree painted "U. S. B. M.	29 57 20.87 29 56 55.26	95 15 58.58 95 16 26.67	3,398 3,578
371"; copper nail in hith, elevation 73.58 feet.  Humble, 4.2 miles south and 1.35 miles west of forks of road  Humble, 4.6 miles south and 1.3 miles west of, 1,200 feet south 35° east from crossing of Houston-Humble road and Houston, East & West Texas Ry. 25 feet east of center of road, at small	29 56 34.24 29 56 10.23	95 16 49.42 95 17 15.65	2,919 3,349
wooden bridge; iron post stamped "Prim. Trav. Sta. No. 159, 1915," elevation 67.903 feet.  Humble, 5.6 miles south and 1.3 miles west of, in edge of timber, 20 feet west of road; gum tree painted "U. S. B. M. 372"; copper	29 55 50.03	95 17 14.75	2,043
nail in hub, elevation 58.48 feet	29 54 55.99	95 17 14.54	5,459
65.42 feet.  Humble, 6.5 miles south and 1.3 miles west of, T road north.  Dyersdale, 0.5 mile north and 2 miles west of, 1,900 feet east of T road north, 10 feet north of road; iron post stamped "Prim.	29 54 10.58 29 53 56.89	95 17 13.79 95 17 13 40	4,589 1,384
Trav, Sta. No. 160, 1915," elevation 68.848 feet.  Dyersdale, 0.5 mile north and 1 mile west of, 10 feet north of road; oak tree painted "U. S. B. M. 374"; copper nail in root, eleva-	29 53 57.22	95 16 51.60	1,920
tion 62.70 feet.  Dyersdale, 0.5 mile north and 0.15 mile west of, 350 feet southeast of forks of road, 20 feet southwest of center of road; oak tree painted "U. S. B. M. 375"; copper nail in root, elevation 57.36	29 53 57.97	95 15 50.74	5,357
feet	29 53 55.70	95 15 00.83	4,399
Along Beaumont, Sour Lake & Wes	tern Railway	<b>'.</b>	
Dyersdale, 0.5 mile south and 0.15 mile west of, 50 feet northwest of center of track, just outside right of way fence; pine tree painted "U. S. B. M. 376"; copper nail in root.  Tree fallen down in 1916; copper rail in tree, elevation 61.27	29 52 51.85	95 15 31.22	

# **HUMBLE QUADRANGLE**—Continued.

# On unchecked spur line near east border of quadrangle.

·	-	_	
Station.	Latitude.	Longitude.	Distance between stations.
Humble, 3.4 miles south and 0.2 mile west of, 1,500 feet east of crossroads; in pasture; pine tree painted "U. S. B. M. 361"; copper nail in root.  Humble, 4 miles south and 0.5 mile east of, 10 feet south of gate at	29 56 56.53	95 16 09.43	Feet.
south end of private lane, fences north, south, and west; 6 inches from first fence post south of gate; painted "U. S. B. M. 362"; copper nail in hub.  Humble, 2.5 miles south and 0.7 mile east of, 4,500 feet northeast of forks on Houston-Humble Road. 20 feet west of T road north.	29 56 25.94	95 15 26.46	4,883
12 feet north of road in top of east end of concrete culvert; bronzé tablet stamped "Prim. Trav. Sta. No. 141, 1915," elevation 68.884 feet	29 57 41.56	95 15 13.50	
Along highways near west border of	quadrangle.	•	·
Aldine, 2.15 miles south of, 5 feet south and 50 feet east of public			
road crossing International & Great Northern Ry., 1 foot east			
road crossing International & Great Northern Ry., I foot east of corner fence post; copper nail in hub; painted "U.S. B. M. 243" on corner post brace, elevation 76.77 feet	29 54 06.57	95 22 20.74	
tion 79 feet			
feet west of center of road, 1 foot east of fence line; 15 feet east of telegraph pole painted "U. S. B. M. 244"; copper nail in hub,			
elevation 74.77 feet	29 53 18.46	95 22 08.73	4,974
west of center of road, at gate in right-of-way fence 4 feet east of l			
north gate post; iron post stamped "Prim. Trav. Sta. No. 110, 1915," elevation 77,935 feet.	29 52 49.44	95 22 01.44	3,002
International & Great Northern Rv., 1 mile southwest of Halls			
Bayou, top of west end of concrete culvert; chiseled square painted "U. S. 73.1 B. M.," elevation 73.10 feet			
painted of S. 1012 S. III., Olevanou 10110 lectors			
From point 5 miles south of Humble, southwest to point	int 4 miles no	rth of Housto	n.
Houston-Humble road, 4 miles south of Humble, east side of road,			
top of concrete milepost 14, elevation 75.82 feet			
Humble, 4.2 miles south by 1.35 miles west of, 500 feet north of road crossing Houston East & West Texas Ry., at forks of road,		0	
northeast corner of small bridge, in plank; copper nail painted "U. S. 70.7 B. M.," elevation 70.36 feet			
Humble, 6 miles south of, about 1 mile south of Houston East & i			
West Texas Ry. crossing, in bottom railing, east end of bridge; copper nail painted "U. S. 74.0 B. M.," elevation 73.32 feet			
Humble, 7 miles south of, 1,200 feet south of bridge over large drainage ditch, 25 feet east of road, 1 foot east of telephone pole			
painted "U. S. 69.0 B. M.," elevation 68.89 feet			
Humble, 7 miles south of, 1,200 feet south of bridge over large drainage ditch, 25 feet east of road, 1 foot east of telephone pole painted "U. S. 69.0 B. M.," elevation 68.89 feet.  Humble, 7.25 miles south of, 0.5 mile south of bridge over large drainage ditch near T road west, in top of east head wall of brick			
culvert, at angle in road; chiseled square painted "U. S. 73 B. M.," elevation 72.38 feet			
Humble, 3 miles south of, 0.75 mile north of crossroads, 600 feet north of angle in road, in top of west brick head wall of culvert.			
north of angle in road, in top of west brick head wall of culvert; chiseled square painted "U. S. 73 B. M.," elevation 73.00 feet			
Humole, 8.75 miles south of, 0.6 mile southwest of Mount Houston station on Houston East & West Texas Ry., at crossroads,			
station on Houston East & West Texas Ry., at crossroads, opposite concrete highway milepost 10, in bottom railing, east end of bridge; copper nail painted "U. S. 70 B. M.," elevation			
70. 15 feet			
Houston, 9 miles north of, on Humble road, 190 feet southwest of concrete milepost 9, in top of east end of brick culvert; chiseled square painted "U. S. 67 B. M.," elevation 66.68 feet			
square painted "U. S. 67 B. M.," elevation 66.68 feet			,

Magnetic declination for quadrangle, 8° 30' E.

## SEABROOK QUADRANGLE.

# Along road from La Porte to Seabrook.

Station.	Latitude.	Longitude.	Distance between stations.
La Porte, 3.15 miles south of, 450 feet north of small wooden bridge, 25 feet west of road; 18 inches east of fence line; iron post stamped "Prim. Trav. Sta. No. 207, 1915," elevation 13.982 feet. La Porte, 4 miles south of, 30 feet east of road, at south end of gate; 1 foot west of gate post painted "U. S. B. M. 503"; copper nail in	29:37 09.50	95 01 06.23	Feet.
nub, elevation 14.55 feet.	29 36 23.40	95 01 12.46	4,690
Seaprook, 2 miles north of, 490 feet north of small wooden bridge, 30 feet east of road, 10 feet north of fence corner; 1 foot west of post painted "U. S. B. M. 504"; copper nail in hub, elevation 16.37 feet.  Seabrook, 1.25 miles north of, 50 feet east of Southern Pacific R. R., 30 feet west of road, 50 feet south of gate and private road crossing,	29 35 37.99	95 01 30.31	4,850
opposite white house; 3 feet west of wire fence; iron post stamped "Prim. Trav. Sta. No. 208, 1915;" elevation 22.514 feet Seabrook, 1,840 feet north of, 30 feet west of road; 4 inches east of telephone pole painted "U.S.B.M. 505"; copper nail in hub,	29 34 54.83	95 01 44.56	4,538
elevation 17.46 feet	29 34 07.81	95 01 36.74	4,801
Pacific R. R. Seabrook, opposite station of Southern Pacific R. R.; top of rail, elevation 14.48 feet.	29 33 49.57	95 01 34.35	1,855
Seabrook, 1.7 miles north of, 100 feet southeast of road crossing Southern Pacific R. R., in bottom railing, west end of small wooden bridge, at angle in road; copper nail painted "U. S. 19.8 B. M.," elevation 19.90 feet.			
From Seabrook to Webster along p	oublic road.	<u> </u>	<u>!</u>
Sanhranic station 0.5 mile southwest of 20 feet south of read on			
Seabrook station, 0.5 mile southwest of, 30 feet south of road, on top of concrete fence wall at fence corner, painted "U S. B. M. 506"; circle chiseled around corner, elevation 2.95 feet	29 33 32.35	95 01 55.24	2,537
30 feet north of road, 10 feet west of advertising signboard marked "Houston 27 mi."; fron poststamped "Prim. Trav. Sta. No. 209, 1915." elevation 15.378 feet.  Seabrook, 1.6 miles west of, 85 feet east of end of bridge over Taylor's Bayen, 20 feet portboard of service of roads on the roads and the services of the section of the services of the section of the sect	29 33 44.91	95 02 37.95	3,980
lor's Bayou, 20 feet northeast of center of road; oak tree painted "U.S.B. M. 507"; copper nail in root, elevation 15.30 feet Seabrook, 2.5 miles west of, 25 feet north of road, 3 feet north of fence line; oak tree painted "U.S.B. M. 508"; copper nail in	29 33 53.95	95 03 13.57	3,275
Webster, 1.4 miles north and 2.6 miles east of, 200 feet northeast of a bungalow, 100 feet west of end of Clear Lake, at approximate	29 33 55.05	95 04 03.55	4,415
right angle in road, in line of road west; iron post stamped "Prim. Trav. Sta. No. 210, 1915," elevation 15.737 feet	29 33 20.25	95 04 29.60	4, 202
hub, elevation 19.13 feet.  Webster, 0.7 mile north and 1 mile east of, 150 feet east of white house, 65 feet north of road, 35 feet north of gate; oak tree painted "U.S. B. M. 510"; copper nail in root, elevation 18.14 feet	29 33 05.22	95 05 17.69	4,511
"U.S. B. M. 510"; copper nail in root, elevation 18.14 feet	29 32 50.49	95 06 05.14	4, 447
No. 211, 1915," elevation 25.734 feet.  Webster, 0.3 mile southeast of, on right of way of Galveston,  Houston & Henderson R. R., 40 feet southeast of mile board  22. 50 feet southwest of tracks: cross on ton of section reil (C. &	29 32 20.03	95 06 57.88	5, 584
G. S. b. m. MM22), elevation 26.943 feet. Webster, public road crossing Galveston, Houston & Henderson R. R.	29 32 15.43	95 07 03.80	700
From Seabrook toward Deepwater alon	g public road	1.	
Seabrook, 1.7 miles north and 0.25 mile west of, public road crossing Southern Pacific R. R Seabrook, 1.8 miles north and 0.6 mile west of, 65 feet south of road only tree period of 1.5 R. M. 53.2. copper neil in root	29 35 18 36	95 01 49.00	
road, oak tree painted "U. S. B. M. 531"; copper nail in root, elevation 16.80 feet	29 35 23.37	95 02 10.33	1,950
B. M. 532"; copper nail in root, elevation 13.86 feet	29 35 21.46	95 02 47.65	3,301

# SEABROOK QUADRANGLE—Continued. From Seabrook toward Deepwater along public road—Continued.

Station.	Latitude.	Longitude.	Distance between stations.
Seabrook, 1.9 miles north and 1.7 miles west of, 2,000 feet northwest of a right angle in road, 1,700 feet northeast of a house; 25 feet northeast of road beside wire fence which bears N. 50° E.; iron post stamped "Prim. Trav. Sta. No. 219, 1915," elevation 17.046 feet.  Seabrook, 2.3 miles north and 2.25 miles west of, about 400 feete sonthwest of road, in field; oak tree 4 feet in diameter painted "U. S. B. M. 533"; copper nail in root, elevation 16.89 feet.  Seabrook, 3.1 miles north and 3.1 miles west of, 50 feet southwest of road, at edge of woods; oak tree painted "U. S. B. M. 534"; copper nail in root, elevation 20.57 feet.  Seabrook, 3.3 miles north and 3.35 miles west of, 970 feet northeast. Seabrook, 3.5 miles north and 3.36 miles west of, 970 feet northeast of bridge, 20 feet southwest of road, at edge of woods; iron post stamped "Prim. Trav. Sta. No. 220, 1915," elevation 20.213 feet. Seabrook, 4 miles north and 4.1 miles west of, 35 feet northeast of road; oak tree painted "U. S. B. M. 535"; copper nail in root, elevation 19.54 feet.	29 35 27.87 29 35 49.59 29 36 32.07 29 36 42.50 29 36 54.29 29 37 16.46	95 03 14.91 95 03 49.80 95 04 41.41 95 04 54.60 95 05 10.78 95 05 39.16	Feet. 2, 492 3, 781 6, 259 1, 570 1, 859 3, 360

Magnetic declination for quadrangle,  $8\,^{\circ}$  10' E.

# LOUETTA QUADRANGLE. Mostly along public roads.

Station.	Latitude.	Longitude.	Distance between stations.
Cypress, 3 miles north and 5 miles east of 1.5 miles west of West Montgomery road, 55 feet north of center of road; pine tree painted "U. S. B. M. 257"; copper nail in root, elevation 148.01 feet.  Kohrville, about 0.5 mile north and 0.8 mile west of, 0.5 mile west of West Montgomery road, at north side of road; in root of oak	<b>3</b> 0 00 45.13	95 36 51.33	Feet. 4,641
tree painted "U. S. B. M. 258;" copper nail, elevation 144.63 feet Culvert, 30 feet south of crossroads, on West Montgomery road; top of painted bolt at northeast corner of culvert, elevation 144.1 feet.	30 00 45 07	95 35 55.70	4,891
Kohrville, about 3 mile north and 4 mile west of, T road west at junction with West Montgomery road Kohrville, 0.5 mile north of, 300 feet north of a church, 25 feet west of road and 25 feet south of road west; iron post stamped	30 00 45 60	95 35 24.26	2,765
"Prim, Trav, Sta. No. 117, 1915," elevation 142, 128 feet. Louetta, 0.3 mile north of Trinity, Brazos Valley Ry, crossing, 90 feet south and 45 feet west of, 40 feet south of public road; in root	30 00 45.49	95 35 07.93	1,440
of oak tree painted "U. S. B. M. 259"; copper nail, elevation 141.31 feet. Louetta, 3 mile northeast of, 40 feet north of Cypress-Spring road; pine tree painted "U. S. B. M. 266"; copper nail in root, eleva-	30 01 19.71	95 34 14.24	5,850
tion 140.30 feet. Louetta, 1.5 miles northeast of, on Cypress-Spring road, 1.15 miles west of Stuebner "air line" road, 30 feet south of road, 25 feet east of fence corner; iron post stamped "Prim. Trav. Sta. No.	30 01 42.05	95 33 36.94	3,981
120, 1915," elevation 144.007 feet Spring, 3 miles south and 7.5 miles west of, 2,300 feet southwest of Stuebner "air line" road, north side of bridge across creek, at west end of bridge railing; painted "U. S. B. M. 267"; copper	30 02 07.18	95 33 09.74	3,488
nail in hub, elevation 139.11 feet.  Spring, 2.8 miles south and 7.15 miles west of; crossroads.  Spring, 2 miles south and 6.6 miles west of, 0.6 mile east of Stuebner "air line" road, 300 feet southeast of white house, 25 feet north	30 02 32.14 30 02 43.77	95 32 40.92 95 32 18.07	3,574 2,327
of road and 6 feet west of corner fence post; iron post stamped "Prim. Trav. Sta. No. 199, 1915," elevation 139,348 feet.  Spring, 2.2 miles south and 6.2 miles west of, 450 feet south of a T road northwest at edge of pine woods; in root of pine tree painted	30 02 58.83	95 31 37.24	3,898
"U. S. B. M. 478"; copper nail, elevation 132.94 feet Spring, 2.5 miles south and 5.4 miles west of, 0.2 mile west of white church, 25 feet south of center of road and 6 inches from large	30 02 50.70	95 31 12.17	2;352
corner fence post painted "U.S.B.M. 477"; copper nail in hub, elevation 128.93 feet.	30 02 34 05	95 30 26.57	4,348

# LOUETTA QUADRANGLE—Continued. Along Air Line road near Cypress Creek.

1		
Latitude.	Longitude.	Distance between stations.
0 , ,, 30 02 17.67	95 32 12.64	Fcet.
30 01 35.60	95 31 48.44	4,751
30 01 04.08	.95 31 12 38	4, 492
30 00 23.38	95 30 44.06	4,807
al & Great N	orthern Rail	way.
30, 06 28. 83	95 32 59.19	
30 07 05.80	95 33 14.68	3,975
rangle.	,	
30 07 27.70	95 30 15.53	
half of quad	rangle.	
30 05 55.28 30 06 07.68	95 36 50.33 95 36 08.59	5, 383 3, 876
30 06 50.25	95 35 58.91	4,383
30 07 19.24	95 35 46.69	3,118
ern Railway.		
30 07 06.41	95 35 33.70	1,726
30 06 41.91	95 34 41.50	5, 211
30 06 22.76	95 33 47.28	5, 141
	30 01 35.60 30 01 35.60 30 01 04.08 30 00 23.38  al & Great N  30 06 28.83 30 07 05.80  Irangle.  30 07 27.70  half of quad 30 05 55.28 30 06 07.68 30 06 50.25 30 07 19.24  ern Railway.	30 02 17.67 95 32 12.64 30 01 35.60 95 31 48.44 30 01 04.08 95 31 12.38 30 00 23.38 95 30 44.06  al & Great Northern Rail  30 06 28.83 95 32 59.19  30 07 27.70 95 30 15.53  half of quadrangle.  30 05 55.28 95 36 50.33 30 06 07.68 95 36 08.59 30 06 50.25 95 35 58.91 30 07 19.24 95 35 46.69  ern Railway.

# LOUETTA QUADRANGLE—Continued.

# Along International & Great Northern Railway-Continued.

Station.	Latitude.	Longitude.	Distance between stations.
Hufsmith, 2.60 miles east of, 0.30 mile east of mile post 9, 30 feet south of track, 850 feet east of a private road crossing 2½ feet north of telegraph pole; iron post stamped "Prim. Trav. Sta. No. 101, 1915," elevation 150.938 feet	° ′ ′′ 30 06 19.58	95 33 29.35	Feet. 1,606
Sign post particular and the second s	30 06 11.30	95 32 42.20	4,226
Hulsmith, 4.30 miles east of, 280 feet east of road crossing, 32 feet south of track; 6 inches from telegraph pole (milepost 7) painted "U. S. B. M. 228"; copper nail in hub, elevation 145.92 feet.  Hulsmith, 5.40 miles east of, 65 feet east of east end of "Avonak siding," 45 feet south of track; 10 feet south of milepost 6; iron post stamped "Prim. Trav. Sta. No. 102, 1915," elevation	30 06 01.77	95 31 49.54	4,725
143.855 feet	30 05 50.28 30 05 46.85	95 30 45.76 95 30 23.95	5,722 1,947

## MORGANS POINT QUADRANGLE.

## Near Cedar Bayou.

•			
Station.	Latitude.	Longitude.	Distance between stations.
Cedar Bayou post office, 0.2 mile south and 0.35 mile west of, 400 feet east of brick schoolhouse, 20 feet south and 20 feet east of T road south; hackberry tree in fence corner painted "U. S. B. M. 434"; copper nail in root, elevation 25.90 feet.  Cedar Bayou post office, 0.2 mile south and 1.35 miles west of, 25 feet north of road, opposites mail frame house; 6 feet south of	0 , ,, 29 44 58.71	94 56 08.88	Fect.
fence line; iron post stamped "Prim. Trav. Sta. No. 183, 1915", elevation 38, 211 feet	29 44 57.37	94 57 08.41	5,250
vation 30.67 feet. Cedar Bayou post office, 0.4 mile south and 3 miles west of, 25 feet north of east end of wooden bridge, at edge of timber; oak tree painted "U. S. B. M. 436"; copper nail in root, elevation 24.01	29 44 50.88	94 57 50.07	3,731
feet. Cedar Bayou post office, 0.6 mile south and 3.75 miles west of, 0.6 mile west of Goose Creek at angle in road where rice irrigating canal crosses the road; 10 feet north of road and in line of canal; iron post stamped "Prim. Trav. Sta. No. 184, 1915", elevation	29 44 47.43	94 58 50.91	5,374
28.648 feet	29 44 57.24	94 59 32.31	3,782
Near west border of quadra	ngle.		
La Porte, 1.7 miles northeast of, on road to Morgans Point, 400 feet southwest of railroad crossing; oak tree painted "U. S. B. M. 520"; copper nail in root, elevation 29.25 feet	29 40 36.09	94 59 38.47	
and 3 feet below the ground by a rock with a copper wire in the center. There are two standard U. S. Corps of Engineers reference marks, one on range between the house on north end of Atkinsons Island and the station distant 18.29 meters; the other distant 18.41 meters in azimuth 358° 09′, elevation of station mark 28.042 feet.	29 40 51.41	94 59 09.57	2,98

Magnetic declination for north side of quadrangle,  $8^{\circ}$  02′ E.

# MYKAWA QUADRANGLE. Along highways in north half of quadrangle.

Station.	Latitude.	Longitude.	Distance between stations.
Minnetax schoolhouse, 1.6 miles south and 0.45 mile west of, 20 feet south and 20 feet west of T road south, 1 foot from corner fence post painted "U. S. B. M. No. 46"; copper nail in hub, elevation 56.59 feet.  Minnetax schoolhouse, 1 mile south and 0.25 mile east of, 500 feet north of road west. 25 feet east of north and south road known.	0 / // 29 35 34.74	° , ,, 95 21 46.55	Feet.
north of road west, 25 feet east of north and south road, known as "Chocolate road"; iron post stamped "Prim. Trav. Sta. No. 23, 1915," elevation 55.560 feet. Minnetax schoolhouse, 0.6 mile south and 0.25 mile east of, 10 feet north of T road south, 28 feet east of northeast corner of bridge	29 35 39.91	95 21 03.42	3,843
over ditch; copper nail in http, witness stake, "U.S. B. M. No. 47" painted on bridge, elevation 58.93 feet	29 36 27.25	95 21 05.06	4,784
6 inches from fence post with braces on each side; copper nail in hub, post painted "U. S. B. M. No. 48," no elevation.  Minnetax schoolhouse, 0.9 mile east of, Minnetax farmhouse, 900 feet west of, 40 feet north of culvert over drainage ditch, along-side fence post with two braces; spike in hub at foot of east brace, "T. B. M. 48 A.," elevation 51.96 feet.	29 36 59.10	95 20 49.54	3,497
"T. B. M. 48 A.," elevation 51.96 feet.  Mykawa, 2 miles west of, 25 feet north of T road south, 1.5 feet from wire fence; iron post stamped "Prim. Trav. Sta. No. 24, 1915," elevation 50.729 feet.  Mykawa, 1.2 miles west of, 25 feet north of center of east and west	29 37 14.91	95 20 14.71	3,466
myrkwa, 1.2 lines west of, 25 feet into the order of east and west road, 1 foot from telephone pole painted "U.S. B. M. No. 49"; copper nail in hub, elevation 53.44 feet.  Myrkawa, 0.25 mile west of, 400 feet southwest of brick schoolhouse, 25 feet north of center of road, 1.5 feet south of telephone pole painted "U.S. B. M. No. 50"; copper nail in hub, elevation	29 37 14.71	95 19 23, 05	4,560
56.04 1001	29 37 14.53	95 18 30.76	4,616
Mykawa station, 75 feet north of; Santa Fe R. R. at road crossing, elevation top of rail 57.5 feet.  Mykawa station, 1,270 feet east of, 25 feet south of east and west road, 15 feet east of corner fence post, 150 feet southeast of house; iron post stamped "Prim. Trav. Sta. No. 25, 1915," elevation	29 37 14.26	95 18 15.61	1,337
56.672 feet.  Mykawa station, about 1.15 miles east of, 500 feet south of T road east, 20 feet northeast of small wooden bridge, 6 inches from fence post in north and south fence line; copper nail in hub, bridge painted "U. S. B. M. No. 51," elevation 53.20 feet.	29 37 13.83 29 37 14.11	95 18 01.25 95 17 06.92	1,268 4,796
In northeast quarter of quadra	angle.		<u>'</u>
Friendswood, 1.8 miles north and 3.6 miles west of, 180 feet southeast of large ditch crossing road, 25 feet northeast of road, 1 foot west of gatepost, at northwest end of gate, painted "U. S. B. M. 526"; copper nail in hub, elevation 47.53 feet Friendswood, 2 miles north and 4 miles west of, T road corners,	29 33 15.46	95 15 35.50	
road northeast. Friendswood, 2.35 miles north and 3.7 miles west of, 0.5 mile S. 35° W. from new bridge across Clear Creek, nearly 0.5 mile N. 35° E. from Friendswood-Pearland road, 20 feet north- west of road at fence line: iron post stamped "Prim. Tray. Sta.	29 33 25.59	95 16 00.80	2,458
No. 217, 1915." elevation 47.590 feet. Genoa, 4.1 miles south and 3.5 miles west of, center of new bridge across Clear Creek.	29 33 43.24 29 34 02.56	95 15 41.80 95 15 20.36	2,449 2,720
North across prairie.			
Genoa, 3.3 miles south and 3.5 miles west of, in open prairie, at wire fence line which bears S. 35° W., about 1,000 feet northeast of point where fence meets Clear Creek, 6 inches east of fence post, not regind, marked, with red level (U.S. B. M. 3202); corresponding to the control of the			
not painted, marked with red keel "U. S. B. M. 530"; copper nail in hub, elevation 44.97 feet.  Genoa, 2.3 miles south and 3.5 miles west of, in open prairie 0.25 mile east of Clear Creek, 6 inches south of gate post at double gate found down, peat not pointed mysled with red keel "U. S.	29 34 31.95	95 15 24.57	2,992
B. M. 529"; copper nail in hub, elevation 46.78 feet	29 35 20.41	95 15 25.78	4,896
2 feet above level of prairie; iron post stamped "Prim. Trav. Sta. No. 218, 1915", elevation 50.053 feet.	29 35 47.70	95 15 07.44	3, 197

#### MYKAWA QUADRANGLE—Continued.

## North across prairie-Continued.

Station.	Latitude.	Longitude.	Distance between stations.
Genoa, 1.2 miles south and 3.2 miles west of group of mulberry trees, four out of six blown over by recent storm, most easterly tree partly blown over in 1915, painted "U. S. 53.2 B. M;" copper nail in root; elevation, 53.17 feet.  Genoa, 0.4 mile south and 3.2 miles west of, 3,600 feet south of Genoa-Mykawa road on east and west fence line, between posts 55 and 56 east from fence corner; copper nail in hub; no painting; elevation, 48.26 feet.	9 36 19.53 29 37 00.95	95 15 05. 25 . 95 15 05. 08	Feet. 3,221 4,184

Magnetic declination for quadrangle 8° 15' E.

#### NEW CANEY QUADRANGLE.

## Near Scotts Ranch.

Station.	Latitude.	Longitude.	Distance between stations.
Scotts Ranch, 0.75 mile southwest of; oak tree painted "U.S.B.M. 452," copper nail in root, elevation 67.21 feet.	% / // 30 07 35.03	95 07 43.84	Fect.

Magnetic declination for quadrangle, 8° 30' E.

#### SCOTTS RANCH QUADRANGLE.

#### Near Scotts Ranch.

Station.	Latitude.	Longitude.	Distance between stations.
Scotts Ranch, 0.5 mile south and 0.4 mile east of, 5 feet south of road; oak tree painted "U. S. B. M. 451," copper nail in root, elevation 97.48 feet	30 07 35.90	95 06 48.88	Feet.
Austin Scott, 40 feet south of fence, east side of road; iron post stamped "Prim. Trav. Sta. No. 190, 1915," elevation 73.105 feet.	30 07 59.65	95 07 11.07	3,091

Magnetic declination for quadrangle,  $8^{\circ}$  30′ E.

# HOLIK QUADRANGLE.

## Near east border north from center line of quadrangle.

29 56 02.59 29 56 51.17	95 52 35.49 95 52 56.62	Fcet. 5,247
29 57 27.69	95 53 10.84	3,895 4,593
2	29 56 02.59 29 56 51.17	29 56 02.59 95 52 35.49 29 56 51.17 95 52 56.62 29 57 27.69 95 53 10.84

Distance

## HOLIK QUADRANGLE-Continued.

# Near east border north from center line of quadrangle—Continued.

Station.	Latitude.	Longitude.	Distance between stations.
Hockley, 2.8 miles south by 2.5 miles west of, on top of what is known as "The Mound," a small hill having an elevation of about 15 feet above the surrounding prairie, 35 feet N. 40° E. (true bearing) from the most easterly one of two lone chinaberry trees; iron post stamped "Prim. Trav. Sta. No. 83, 1915," elevation 244.869 feet	29 59 31.83	95 52 53.05	Feet. 5,993

Magnetic declination in northeast quarter of quadrangle, 8° 30' E.

# PARK PLACE QUADRANGLE.

# Along highways in northern part of quadrangle.

Station.	Latitude.	Longitude.	between stations.
Pasadena, 3 miles west of, 125 feet west of west approach to bridge over Simms Bayou, 20 feet north of center of road; iron post stamped "Prim. Trav. Sta. No. 3, 1915," elevation 19.827 feet Pasadena, 3.75 miles west of, 130 feet south of Southern Pacific R. R., 20 feet east of private road south, 1 foot from telephone pole painted "U. S. B. M. No. 5"; copper nail in hub, elevation	0 / // 29 42 37.89	95 15 25.37	Feet.
35.27 feet	29 42 51.97 29 42 51.61	95 16 06.38 95 16 41.51	3,886 3,098
Along Galveston, Houston & Henderson Railroad fr	rom Harrisbu	rg to Housto	on.
Harrisburg station, 0.3 mile north of, center of railroad bridge over Brays Bayou, elevation 27.9 feet.  Harrisburg station, 0.6 mile north of, on east side of track, center of top surface of concrete culvert; copper bolt set in lead and lettered "U.S.B. M." (Coast and Geodetic Survey bench mark "N8"), elevation 23.359 feet.	29 43 38.45	95 16 42.96	4,734
Harrisburg station, 1.2 miles northwest of, 270 feet east of point where Forest Hill boulevard passes under Galveston, Houston & Henderson R. R., 50 feet north of center of railroad track, 4 feet from fence line; iron post stamped "Prim. Trav. Sta. No. 4, 1915," elevation 39.215 feet. Houston, Second Street crossing of Galveston, Houston & Henderson R. R., 50 feet west of line of Fifteenth Street, about 30 feet south of center of railroad track, 2 feet from telephone pole painted "U. S. B. M. No. 7"; copper nail in hub, elevation 39.61	29 43 54.43	95 17 49.87	6, 116
feet. Houston, intersection of Houston Belt & Terminal and Galveston, Houston & Henderson R. R.; top of rail, elevation 42.2 feet. Houston, road crossing 80 feet northeast of entrance to Evergreen	29 44 07.16	95 18 32.98	2,388
Cemetery; top of rail, elevation 45 feet.  Houston, Dumble Street crossing of Galveston, Houston & Henderson R. R., 25 feet south and 50 feet west of center of track; 1 foot from telephone pole painted "U. S. B. M. No. 8"; copper nail in hub, elevation 43.07 feet.  Houston, Eastwood Avenue crossing.  Houston, Milby Street crossing, 300 feet northeast of Houston Belt & Terminal R. R.; top of rail, elevation 48.6 feet.  Houston, about 0.75 mile southeast of International & Great	29 44 25.92 29 44 30.75	95 19 32.29 95 19 46.85	5, 561 1, 375
Northern Ry, station, in line with long tangent east on Galveston, Houston & Henderson R. R., 48 feet S. 17° 20′ E. of intersection of Galveston, Houston & Henderson R. R. and San Antonio & Aransas Pass Ry, freight spur to packing house; iron post stamped "Prim. Sta. No. 5, 1915," elevation 48, 631 feet International & Great Northern Ry, and San Antonio & Aransas Pass Ry, branch to packing house, intersection of, elevation top of rail 49.4 feet.	29 44 47.32 29 44 34.22	95 20 39.51 95 20 52.72	4, 935 1, 761
Houston, at intersection of International & Great Northern Ry. and Pierce Avenue, between tracks of Galveston-Houston Interurban Ry.; 1 foot from power-line pole, 27 fee distan from crossing; copper nail in hub; "T. B. M. No. 9," elevation 46.97 feet		95 21 07.05	

PARK PLACE QUADRANGLE—Continued.

Along Galveston, Houston & Henderson Railroad from Harrisburg to Houston—Continued.

Station.	Latitude.	Longitude.	Distance between stations.
Houston, intersection of San Antonio & Aransas Pass Ry. and Galveston-Houston Interurban tracks; top of rail, elevation	0 / //	• / //	Feet.
51.1 feet			2.050
Ry. Houston, S. 27° E. and 35 feet distant from intersection of McGowan Avenue and San Antonio & Aransas Pass Ry.; 2 feet from tele- phone pole painted "U. S. B. M. No. 10," 15 feet from corner of yard fence; copper nail in hub, elevation 47.11 feet	29 44 32.77 29 44 18.90	95 21 34.55 95 21 48.17	2, 950 1, 844
J, 0.0, 0.0, pp. 1.0.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.	0		
Along highways in southern part of	quadrangle.		
Mykawa, about 1.5 miles northeast of; right-angle turn in road  Mykawa, 1.7 miles east by 0.2 mile north of, 1,000 feet east of right angle in road, 20 feet south of center of east and west road; 1 foot from post painted "U. S. B. M. No. 52"; copper nail in hub,	29 37 32.38	95 16 42.32	
elevation 50.65 feet  Mykawa, 2.6 miles east by 0.2 mile north of, 35 feet north of center of east and west road, 2.5 feet from corner fence post at small cemetery; iron post stamped "Prim. Trav. Sta. No. 26, 1915,"			
elevation 51.727 feet	29 37 35.50	95 15 39.53	5, 551
Along Southern Pacific Railroad	l cut-off.		
Pierce Junction, 1.8 miles northeast of, 25 feet south of milepost			
No. 2, 60 feet west of crossroads; nail in hub, "T. B. M. No. 69," elevation 48.72 feet	29 40 44.71	95 22 02.66	
Pierce Junction, 2.8 miles northeast of, 800 feet northeast of road crossing, 48 feet south of center of track, 1 foot from fence post:	20 10 1111		
copper nail in hub; "T. B. M. No. 70," elevation 46.06 feet	29 40 59.75	95 21 12.60	4,668
of track; iron post stamped "Prim. Trav. Sta. No. 35, 1915," elevation 45.412 feet.	29 41 08.46	95 20 43.49	2,713
Santa Fe R. R. crossing, 0.4 mile west of; 50 feet south of center			
of track, 40 feet west of double gate; copper nail in hub; post painted "U. S. B. M. No. 71," elevation 42.08 feet	29 41 31.40	95 19 52.52	5,057
risburg, elevation top of rail 44.3 feet Brookline, crossing of Galveston-Houston electric line and South- ern Pacific cut-off, 1 mile southwest of, 11 feet from center of	29. 41 42. 49	95 19 35,90	1,844
track; chiseled square on corner of concrete foundation of sema- phore post, "t. b. m. No. 72," elevation 44.13 feet.———————————————————————————————————	29 42 00.77	95 19 07,11	3,140
on west side of wagon road, 2 feet from fence corner; iron post stamped "Prim. Trav. Sta. No. 36, 1915," elevation 42.193 feet Brookline, intersection of Galveston-Houston Interurban and Southern Pacific cut-off tracks; top of rail, elevation 43.1 feet	29 42 21.64	95 18 31.82	3,759
Along highways.			
Brookline, 0.6 mile northeast of, 30 feet northwest of center of			<u> </u>
public road, 1 foot from fence corner; post painted "U. S. B. M. No. 73": copper pail in hub, elevation 40.14 feet.	29 42 46.94	95 17 48.46	4,599
Harrisburg station, crossing of Galveston, Houston & Hender-	29 43 08.33		4,098
Harrisburg station, 40 feet northeast of crossing of Galveston, Houston & Henderson R. R., 15 feet north of corner of station, nearly under fence line; copper nail in hub, "U.S. B. M. No. 74",		95 17 08.49	43
elevation 39.68 feet	. 29 43 08.45	30 11 00.49	43
elevation 38.400 feet.  Brookline, 0.9 mile south of, on Alvin road, 280 feet south of wooden bridge, 4 feet south of mail box No. 117, 12 feet west of center of road; copper nail in hub; post painted "U. S. B. M. No. 75," elevation 37.64 feet.			
No. 75," elevation 37.64 feet.	. 29 41 52.17	95 18 05.13	l

# PARK PLACE QUADRANGLE—Continued.

# Along highways—Continued.

Station.	Latitude.	Longitude.	Distance between stations.
Brookline, 1.9 miles south of, Park Place, 1 mile west of, 40 feet southeast of road forks; 1 foot from corner fence post painted "U.S. B. M. No. 76"; copper nail in hub, elevation 40.20 feet  Brookline, 2.8 miles south of, 420 feet south of bridge over Simms Bayou, 15 feet, west of center of road, opposite private lane to	° ' '' 29 41 05.25	° ' '' 95 17 46.17	Feet. 5,024
Bayou, 15 feet west of center of road, opposite private lane to Ed. Drouet's house; iron post stamped "Prim. Trav. Sta. No. 37, 1915," elevation 34.270 feet.  Brookline, 3.8 miles south of, Simms Bayou Bridge, about 1 mile south of, 25 feet east of center of road, 6 inches from corner of	29 40 21.02	95 17 21.17	4,979
fence post at fence line east; copper nail in hub, post painted "U. S. B. M. No. 77," elevation 43.82 feet	29 39 27.97	95 17 19.72	5,360
copper nail in hub; post painted "U. S. B. M. No. 78," elevation 47.21 feet.  Mykawa, 1.1 miles east by 1 mile north of, 38 feet east of center	29 38 46.56	95 17 19.54	4,182
of road, 12 feet east of north and south fence line; 2 feet north of east and west fence line; iron post stamped "Prim. Trav. Sta. No. 38, 1915," elevation 49.121 feet.	29 38 08.91	95 17 08.00	3,934

# Magnetic declination of quadrangle, 8° 13' E.

# Along highways near northeast corner of quadrangle.

	·		
Fidelity addition, 1.1 miles north of Houston-Clinton road, about 800 feet southwest of a small white cabin, 20 feet west of main north-south graded road; iron post stamped "Prim. Trav. Sta. No. 171, 1915," elevation 35.614 feet	29 44 51.41	95 15 19.61	
north, on southwest corner of base of east concrete monument; chiseled mark, "U. S. B. M. 399," painted on wooden bridge, elevation 37.87 feet.  Fidelity addition, 0.8 mile northwest of, 30 feet southwest of Houston-Clinton road, 500 feet southeast of a private road cross-	29 43 54.59	95 15 18.14	5,741
ing on railway; in roof of pine tree painted "U. S. B. M. 400"; copper nail, elevation 35.12 feet.  Crossing of Galveston, Harrisburg & San Antonio Ry. and Houston Belt & Terminal Ry., 1.9 miles southeast of, 25 feet northeast of of Houston-Clinton road and 10 feet west of dim road	29 44 15.13	95 16 02.64	4, 440
crossing; iron post stamped "Prim. Trav. Sta. No. 172, 1915," elevation 37.762 feet.  Port Houston, 555 feet south 47° west from city limit post at angle of Clinton road, about 900 feet southwest from public road crossing on Galveston, Harrisburg & San Antonio Ry., and a little	29 44 35.03	95 16 31.92	3,271
below turning basin of ship channel; a stone post with a tablet marked "U. S. Engrs." B. M." set in top; post is painted on one side "300" "132+291.4," elevation 37.425 feet	29 44 51.61 29 44 58.45	95 17 07.10 95 17 00.94	3,526 878
red metal cap stamped "U. S. Coast & Geodetic Survey B. M. 'Og," elevation 37.503 feet  Harrisburg, 3.75 miles southeast of, on the right of way of Galveston, Houston & Henderson B. B., 50 feet southeast of mile board 9 and 50 feet southwest of track; cross on end of section of rail driven in ground (Coast and Geodetic Survey bench mark			
"M9"), elevation 35.308 feet			

# PARK PLACE QUADRANGLE—Continued.

# U.S. Corps of Engineers bench marks along Buffalo Bayou.

Station.	Latitude.	Longitude.	Distance between stations.
These bench marks are probably all bronze tablets marked "U. S.			
Engineer Department " set in top of concrete posts 6 inches			
Engineer Department," set in top of concrete posts, 6 inches square on top and protruding above ground. The letters R and L of the descriptions refer to right and left bank going down-			
L of the descriptions refer to right and left bank going down-	· ·	1	
stream, and the distances given are probably the approximate	1		
distances from the bank.	0 / //	• / //	Feet.
Station 132+291, 300 R, elevation 25.797 feet.  Station 131+027, 300 R, elevation 29.898 feet.  Station 130+092, 300 R, elevation 15.897 feet.  Station 128+822, 300 R, elevation 15.281 feet.  Station 127+244, 300 R, elevation 8.086 feet.			
Station 131+027, 300 R, elevation 29.898 feet		,	
Station 130+092, 300 R, elevation 15.897 feet			
Station 128+822, 300 R, elevation 15.281 feet			
Station 127+244, 300 R, elevation 8.086 feet			
Station 126+987, 300 R, elevation 16.392 feet			
Houston Launch Clue, in southeast corner, railroad iron, ele-		1	
Vation 101   046 200 D. aleration 0 450 fact			
Station 110 + 700, 200 P. elevation 19, 452 feet			
Station 12:+244, 300 R, elevation 8.086 feet. Station 126+987, 300 R, elevation 16.392 feet. Houston Launch Clut, in southeast corner, railroad iron, elevation 26.53 feet. Station 121+846, 300 R, elevation 9.452 feet. Station 119+799, 300 R, elevation 18.760 feet. Station 119+258, 300 R, elevation 21.123 feet. Station 117+281, 300 R, elevation 26.636 feet. Station 117+281, 300 R, elevation 24.312 feet.			
Station 117 ± 781 200 P. alevation 26 628 feet			
Station 117 ± 981 300 R alevation 24 319 feet			
Station 116 ± 281 300 R. elevation 13 576 feet			
Station 115+436, 300 R, elevation 17,846 feet			
Station 114+685 300 R elevation 23 244 feet			
Station 132+291, 300 L. elevation 37,425 feet	<u> </u>		
Station 131+804, 300 L. elevation 22,741 feet			
Station 131+027, 300 L, elevation 22,996 feet.			
Station 130+292, 300 L, elevation 17,116 feet.			
Station 128+822, 300 L, elevation 18.362 feet	1		
Station 127+844, 300 L, elevation 27.487 feet			
Station 126+967, 300 L, elevation 23.296 feet			
Station 126+293, 300 L, elevation 15.037 feet	]		
Station 125+588, 300 L, elevation 21.534 feet			
Station 117+781, 300 R, elevation 26.636 feet. Station 117+281, 300 R, elevation 24.312 feet. Station 116+281, 300 R, elevation 13.576 feet. Station 115+436, 300 R, elevation 13.576 feet. Station 114+685, 300 R, elevation 23.244 feet. Station 131+291, 300 L, elevation 23.244 feet. Station 131+894, 300 L, elevation 27.741 feet Station 131+027, 300 L, elevation 22.741 feet Station 130+292, 300 L, elevation 17.116 feet. Station 128+822, 300 L, elevation 17.116 feet. Station 129+822, 300 L, elevation 27.487 feet. Station 129+844, 300 L, elevation 23.296 feet. Station 126+987, 300 L, elevation 23.296 feet. Station 126+983, 300 L, elevation 21.534 feet. Station 125+588, 300 L, elevation 21.534 feet. Station 124+846, 300 L, elevation 21.534 feet. Station 124+846, 300 L, elevation 31.624 feet. Station 121+846, 300 L, elevation 26.636 feet. Station 120+730, 300 L, elevation 26.636 feet.			
Station 123+346, 300 L, elevation 31.624 feet			
Station 121+846, 300 L, elevation 22.636 feet			
Station 120+730, 300 L, elevation 21.672 feet. Station 119+999, 300 L, elevation 22.883 feet.			
514110H 119+999, 300 L, elevation 22.883 feet			
	L 1		l

## PAULI QUADRANGLE.

# Between Huffman and Ford's farm, along little-used woods road from Huffman to Porter.

Station.	Latitude.	Longitude.	Distance between stations.
Huffman, 2.7 miles west and 1.4 miles north of, 0.5 mile northwest of ford across San Jacinto River, near mouth of Loose Bayou, 20 feet north of dim road in timber; gum tree painted "U.S. B. M."; iron post stamped "Prim. Trav. Sta. No. 193, 1915," elevation 52.648 feet.  Huffman, 3.3 miles west and 1.6 miles north of, at north side of road; oak tree painted "U.S. B. M. 463"; copper nail in root, elevation 58.70 feet.  Huffman, 3.9 miles west and 2.1 miles north of, 50 feet north of road; oak tree painted "U.S. B. M. 464"; copper nail in root, elevation 62.94 feet.  Huffman, 4.4 miles west by 3 miles north of, in fork of dim woods road, in notch at base of 2-foot oak tree; wire nail painted	30 02 38.77 30 02 50.96 30 03 19.10	95 07 46.80 95 08 25.19 95 09 01.16	Feet. 3,591 4,251
"U. S. 52.5 B. M.," elevation 52.49 feet	30 03 57. 93 30 04 22. 01 30 04 34. 52 30 04 47. 79	95 09 26.81 95 09 43.62 95 10 21.85 95 10 54.81	4,524 2,846 3,588 3,190

## PAULI QUADRANGLE—Continued.

Southwest from Scott's ranch, close to Harris-Montgomery County line, to county line crossing of Houston, East & West Texas Ry. all through woods.

Station.	Latitude.	Longitude.	Distance between stations.
Scott's ranch, 1.4 miles southwest of, 1,000 feet northerly from			
house in clearing, 25 feet east of road, and 25 feet east of gate in wire fence, magnolia tree painted "U.S.B.M. 453"; copper nail	. , ,,	. , ,,	Feet.
in root, elevation 70.70 feet	30 07 17.28	95 08 17.68	rect.
scott's ranch, 2 miles southwest of; large gum tree notched 4 times	00 01 21120		
in 3 sides supposed to be on Harris-Montgomery county line,	30 07 08.03	95 08 45, 47	0.014
ground elevation 66.8 feet	30 07 08.03	95 08 45.47	2,614
M. 454"; copper nail in root, elevation 67.32 feet	30 07 01.76	95 08 53.84	971
Scott's ranch, 3 miles southwest of; near magnolia tree painted			ļ
"U. S. P. B. M."; iron post stamped "Prim. Trav. Sta. No. 191,	30 06 35, 68	95 09 27, 23	3,943
1915," elevation 66.296 feet	00 00 00.00	00 00 21.20	0,040
M. 455"; copper nail in root, elevation 69.23 feet	30 06 08.25	95 10 04.72	4,304
Scott's ranch, 4.5 miles southwest of; magnolia tree painted "U.S.B. M."; copper nail in root, elevation 56.90 feet	30 05 41.56	95 10 38.76.	4,026
Scott's ranch, 5.3 miles southwest of; oak tree painted "U.S.B.M.	30 00 11.00	20 10 33.70.	4,020
457"; copper nail in root, elevation 71.38 feet	30 05 12.24	95 11 09.23	3,992
Scott's ranch, 5.6 mile southwest of, 0.5 mile southeast of Mr.			
Ford's farm, 15 feet east of road; iron post stamped "Prim. Trav. Sta. No. 192, 1915," elevation 73.125 feet	30 05 00, 58	95 11 23.80	1,740
dumble, 5.4 miles north and 4 miles east of, 300 feet south of a	00 00 00.00	00 11 20.00	1,110
clearing; maple tree painted "U. S. B. M. 458"; copper nail in			
root, elevation 72.69 feet	30 04 35.26	95 11 57.04	3,883
S. B. M. 459"; copper nail in root, elevation 80.11 feet	30 04 16.42	95 12 37.31	4,018
Humble, 4.5 miles north and 2.7 miles east of; large oak tree			,
painted "U. S. B. M. 468"; copper nail in root, elevation 80.31 feet	30 03 49.13	95 13 16.00	4 977
Humble, 4 miles north and 2 miles east of; near tree painted "U.S.	30 03 45.13	93 13 10.00	4,377
B. M."; iron post stamped "Prim. Trav. Sta. No. 195, 1915,"	i		]
elevation 78.970 feet	30 03 23.39	95 13 51.62	4,069
0.4 mile east of road crossing at McCarthys spur; pine tree			
painted "U. S. B. M. 469"; copper nail in root, elevation 79.07			
feet	30 03 04.30	95 14 24.83	3,498
Humble, 3.5 miles north by 1.1 miles east of, 0.5 mile northeast of Harris-Montgomery county line, 70 feet east of road crossing, at		, :	
McCarthy's spur, in top of wooden bulkhead, south side of			ŀ
cattle guard 21 D; copper nail painted "U. S. 82.6 B. M.,"	,		l
elevation 82.42 feet			
ing Houston East & West Texas Ry. at McCarthys spur	30 02 59.41	95 14 50.95	2,348
Tumble, 3.1 miles north and 0.9 mile east of, center of Houston			-,010
East & West Texas Ry. track, opposite post marked "Harris	20 00 25 10	05 14 50 30	0.505
County-Montgomery County".  County line post, 6 inches east of; copper nail in hub, t. b. m. 470,	30 02 35.10	95 14 59.38	2,565
elevation 81.01 feet	30 02 35, 20	95 14 59.80	38

Magnetic declination for quadrangle, 8° 30' E.

#### ROSEHILL QUADRANGLE.

Along highways near north and east borders of southeast quarter of quadrangle.

Station.	Latitude.	Longitude.	Distance between stations.
Rosehill, 2.15 miles west of, on road to Hockley, 20 feet south of road; 1 foot from corner post on fence line south, painted "U. S. B. M. 206"; copper nail in hub, elevation 231.09 feet	30 04 44.39 30 04 47.86	95 44 37.63 95 44 09.33	Feet.
of fence post painted "U. S. B. M. 207"; copper nail in hub, elevation 225.20 feet.  Rosehill, 0.7 mile west of, on Hockley Road, about 500 feet southwest of yellow house, 35 feet north of center of road, 6 feet from	30 04 52.69	95 43 43.83	2, 293
corner of fence post; iron post stamped "Prim. Trav. Sta. No. 92, 1915," elevation 219.825 feet.  Rosehill, about 0.70 mile north of church, 15 feet south and 15 feet east of crossroads; 1 foot from corner fence post painted "U.S. B. M. 268"; copper nail in hub, elevation 215, 72 feet.	30 04 50.22 30 04 43.95	95 43 09.68 95 42 31.53	3,012 3,412

ROSEHILL QUADRANGLE—Continued.

Station.	Latitude.	Longitude.	Distance between stations.
Rosehill, about 0.50 mile east of church, 10 feet south and 15 feet west of T road west, at northeast corner of bridge on road west, 1 foot east of railing post; copper nail in hub, bridge painted "U.S. B. M. 209".  (NOTE.—A new bridge has been built and the prim. trav. hub destroyed. A level bench mark was established at southeast corner of bridge, 1 foot east of railing post; copper nail in timber,	0 / // 30 04 14.26	• / // 95 41 59.71	Feet. 4,099
elevation 197.60 feet.) Rosehill Church, about 0.75 mile southeast of; T road south. Rosehill Church, about 0.70 mile south and 0.70 mile east of, 2,350 feet south of T road south, 20 feet east of center of road, 2 feet from fence line; iron post stamped "Prim. Trav. Sta. No. 93, 1915," elevation 188.444 feet	30 04 00.05	95 41 49.79	1,679
Cypress, 5.1 miles north of, 20 feet west of center of road, opposite gate on east side of road. 20 feet north of corner post on fence line	30 03 36.84	95 41 49,20	2,346
west; iron casting 6 inches in diameter set in ground and painted "U. S. B. M. 210"; fence post 20 feet south has "B. M." painted on it, top of casting, elevation 169.24 feet. Cypress, 4.1 miles north of, 25 feet east of center of road; 1 foot west of large corner fence post painted "U. S. B. M. 211"; copper nail	30 02 40.38	95 41 50.79	5,706
in hub, elevation 165.60 feet. Cypress, 3.8 miles north of; crossroads. Cypress, 3.2 miles north of, 700 feet north of bridge over Little Cypress Creek, 20 feet west of center of road, in group of oak trees; iron post stamped "Prim. Trav. Sta. No. 94, 1915," elevation	30 01 49.28 30 01 27.23	95 41 49.66 95 41 49.72	5,163 2,228
161.270 feet.  Cypress, 2.40 miles north of, 520 feet north of culvert, 25 feet west of center of road, 1 foot east of fence post painted "U. S. B. M. 212"; copper nail in hub, elevation 162.63 feet.	30 01 03.42	95 41 49.53	2,405
Along highways near south border of northeast	30 00 19.79 quarter of q	95 41 51.87 uadrangle.	4,413
Rosehill schoolhouse, about 50 feet north of, 25 feet south of center of road, at wire fence line; in root of chinaberry tree painted "U. S. B. M. 218," elevation 222.95 feet	30 04 49.04	95 41 46.33	
feet east of crossroads; 6 inches from corner fence post painted "U.S. B. M. 219," elevation 220.51 feet.  Rosehill schoolhouse, about 1.35 miles east of, 25 feet south and 15 15 feet east of T road south and 75 feet east of T road north, 3 feet west of corner fence post; iron post stamped "Prim. Trav. Sta.	30 04 44.90	95 40 53.35	4,675
No. 97, 1915," elevation 191.215 feet.  Rosehill schoolhouse, 1.9 miles east of; T road west.  Rosehill schoolhouse, 2.15 miles east of, 75 feet north of center of road; 6 inches from corner post on fence line north, painted "U.  S. B. M. 220"; copper nail in hub, elevation 177, 83 feet.	30 04 44.52 30 04 15.03	95 40 24.57 95 39 50.85	2,529 2,965
conter of road 2 feet west of mail how 2 feet east of corner fance	30 04 51.98	95 39 35.15	1,546
post; 6 inches from telephone pole painted "Ü. S. B. M. 221"; copper nail in hub, elevation 174.52 feet	30 05 14.11	95 39 06.43	3,370
tion 180,446 feet	30 05 20.57	95 38 25.26	3,677
southwest of corner fence post; 6 inches from telephone pole painted "U. S. B. M. 222," elevation 187.07 feet	30 05 24.02 toward Lou	95 37 39.95 ———————————————————————————————————	3,996
Cypress, 2.4 miles north and 3.75 miles east of, 110 feet N. 38°	20 00 14 50	05.00.00.50	, F00
Cypress, 2.4 miles north and 3.75 miles east of, 110 feet N. 38° E., from crossroads, oak tree painted "U. S. B. M. 256"; copper nail in root, elevation 148.12 feet	30 00 14.70 30 00 42.50	95 38 06.52 95 38 31.10	5,739 3,544

# SETTEGAST QUADRANGLE.

# Along highways and railroad in southwest quarter of quadrangle.

Station.	Latitude.	Longitude.	Distance between stations.
Houston, in second ward, 800 feet northwest of Houston Packing Co.'s plant, 1180 feet southwest of drawbridge over Buffalo Bayou, 35 feet northwest of San Antonio & Aransas Pass Ry, track; in root of oak tree, copper nail, painted "U. S. B. M. 215," elevation 39.66 feet	29 45 30.29	95 20 09.28	Feet.
bridge; top of rail, elevation 41.2 feet	29 45 38.23	95 19 59.37	1,183
& Aransas Pass Ry. branch; top of rail, elevation 46.0 feet	29 45 56.94	95 19 43.06	2,373
copper nail, elevation 47.07 feet.  Intersection of San Antonio & Aransas Pass Transfer and Lyons Avenue car line tracks; top of rail, elevation 51.6 feet.  Concrete post on old city limit boundary, 300 feet south of Lyons Avenue, 700 feet east of San Antonio & Aransas Pass Transfer	29 46 02.28	95 19 42,13	544
Avenue, 700 feet east of San Antonio & Aransas Pass Transfer track; paint mark on top surface, elevation 50.58 feet			
50.999 feet. Houston, in fifth ward, 30 feet east of center of Clark Street at point 200 feet north of end of car line; 6 inches west of telephone pole, painted "U. S. B. M. 217;" copper nail in hub, elevation 52.01	29 46 54.42	95 19 42.95	5, 267
feet.  Houston, in Taylor Park, 270 feet west of Clark Street, opposite post on east side of street marked "City Lunits"; a concrete post on the control of	29 47 03.32	95 20 30.30	4,270
ground, in top of which is set a bronze tablet stamped "Prim. Trav. Sta. No. 96, 1915," elevation 53.382 feet.  Houston, at city limits, 245 feet east of intersection of Hayes Street and East Montgomery road, at entrance to Hollywood Cemetery, 48 feet south of eats and west road; in root of pine tree painted "U. S. B. M. 250," copper nail, elevation 51.92 feet	29 47 23.04	95 20 33.94	2,017
Houston, Intersection of Hogan and North Main streets  Houston, 280 feet northeast of south end of Missouri, Kansas &  Texas Ry, trestle across White-oak Bayou, 3 feet south of side- walk line on north side of west end of Hogan Street, where	29 47 21.56 29 46 32.98	95 21 34.59 95 21 41.63	5,346 4,949
ground breaks off to bayou; iron post stamped "Prim. Trav. Sta. No. 113, 1915," elevation 44.341 feet. Houston, at northeast corner of Willow and Baker streets; in center of supporting pillar at southeast corner of building of Peden Iron and Steel Co., red metal disk (Coast and Geodetic Survey bench mark "J3"), elevation 45.006 feet	29 46 28.21	95 21 55.08	5,685
Houston, in First Ward, intersection of Houston Avenue and Missouri, Kansas & Texas Ry. track.	29 46 29.81	95 22 20.33	2, 234
Along highways near west border of	quadrangle.		
Road crossing, 100 feet west of crossroads; top of rail, elevation 79.3 feet.			
Aldine, 4.6 miles south of, 100 feet east of center of track, 25 feet east of center of road, 2 feet southwest of corner post on fence line east; copper nail in hub, brace painted "U. S. B. M. 245," elevation 74.775 feet	29 52 00.42	95 21 48.67	
Aldine, 5.50 miles south of, 30 feet east of center of track, 40 feet west of public road, 350 feet north of trestle, 2.5 feet east of telephone pole painted "U. S. B. M. 245"; copper nail in hub, elevation 72.26 feet.	29 51 13.82	95 21 37.78	4,805
Houston, 3.80 miles north of city limits, 20 feet south and 60 feet east of road crossing, 25 feet west of center of road, 2.5 feet east of corner fence post; iron post stamped "Prim. Trav. Sta. No. 111, 1915," elevation 74.796 feet.	29 50 36.62	95 21 28.37	3,850
Houston, 3.35 miles north of city limits, crossroads (no elevation)	29 50 14.32	95 21 22.52	2,313
Road crossing, International & Great Northern Ry, main track, 80 feet west of crossroads; top of rail, elevation 77.5 feet.  Houston, 2.75 miles north of city limits, 125 feet east of International & Great Northern Ry, track, 140 feet north and 80 feet east of road crossing; in root of pine tree painted "U. S. B. M. 247," copper nail, elevation 69.73 feet.  Houston, 2.10 miles north of city limit, about 100 feet west of crossing of International & Great Northern Ry, and Houston Belt & Terminal Ry, about 25 feet north of Houston Belt & Terminal track, and 15 feet west of public road, 1 foot from crossing sign post painted "U. S. B. M. 248"; copper nail in hub, elevation 63.73 feet.	29 49 42.68	95 21 14.31	3, 276
Terminal track, and 15 feet west of public road, 1 foot from crossing sign post painted "U. S. B. M. 248"; copper nail in hub, elevation 63.73 feet.	29 49 10.09	95 21 08.45	3,333

# SETTEGAST QUADRANGLE—Continued.

# Along highways near west border of quadrangle—Continued.

Station.	Latitude.	Longitude.	Distance between stations.
Houston, 2.10 miles north of city limit, crossing of International & Great Northern Ry. and Houston Belt Terminal Ry.  Houston, 1.6 miles north of city limit, 20 feet south of road, 65 feet east of road crossing, 3 feet east of corner fence post; iron post stamped "Prim. Trav. Sta. No. 112, 1915," elevation 59.485	o , ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	95 21 07.39	Feet. 95
Houston, 0.6 mile north of city limit, 40 feet north of corner post on right-of-way fence, 24 feet west of center of track, 2.5 feet from telegraph pole; copper nail in stub of telegraph pole painted	29 48 46.40	95 21 00.86	2,441
"U. S. B. M. 249," elevation 53,92 feet	29 47 54.44	95 20 48.78	5,355
Ry	29 47 36.21	95 20 45.44	1,868
Along Beaumont, Sour Lake & Western Rai	lway near Se	ttegast.	
Settegast, 1.75 miles northeast of, 20 feet east of a road crossing, 6 inches from crossing; signpost painted "U. S. B. M. 377," copper nail in hub, elevation 59.05 feet	29 52 16.60	95 16 06.54	
elevation 56.547 feet.  Settegast, 0.25 mile southwest of, 70 feet southeast of center of track, opposite gate; pine tree painted "U. S. B. M. 378," cop-	29 51 29.78	95 16 54.26	6,328
per nail în root, elevation 50.81 feet	29 50 57.52	95 17 27.09	4,358
Across country from Beaumont, Sour Lake & Wester	n Railway to	East Houst	on.
East Houston, 2.3 miles north and 1.6 miles west of, 15 feet west of a north and south ditch and in line with a ditch west, 40 feet north of a bridge over ditch, 15 inches west of a telephone pole painted "U. S. B. M. 379"; copper nail in hub, elevation 51.88			0
feet	29 50 26.32	95 17 13.24	3,380
vation 51,777 feet	29 49 51.77	95 16 47.34	4,170
tion 48.22 feet East Houston, 0.2 miles north and 0.7 mile west of, 2,200 feet from road crossing on Texas & New Orleans Ry. in open prairie, 6 inches from a small pine tree painted "U. S. B. M. 381;" copper	29 49 21.39	95 16 50.85	3,084
nail in hub, elevation 47.80 feet.	29 48 46.02	95 16 19.06	4,540
From Settegast west to International & Great Northern Rail	way through	woods and al	ong road.
Settegast, about 1.15 miles north and 0.25 mile east of, in prairie near edge of timber, 40 feet west of a large ditch, at base of pine tree painted "U. S. B. M. 537"; copper nail in hub, elevation			
61.59 feet Settegast, about 1.15 miles north and 0.5 mile west of, 160 feet west of a pole bridge over ditch, gum tree painted "U. S. B. M.	29 52 07.81	95 17 03.46	
538"; copper nail in hub, elevation 64.68 feet. Settegast, 1 mile north and 1.5 miles west of, 20 feet south of road, and 25 feet southeast of corner of bridge over ditch 2.2 feet from corner fence post; iron post stamped "Prim. Trav. Sta. No. 221,	29 52 09.62	95 17 48.35	3,958
1915," elevation 68.920 feet. Settegast, 1 mile north and 2.3 miles west of, 1,630 feet east of Houston-Humble road, 50 feet north of center of road, pine tree painted "U. S. B. M 539"; copper nail in root, elevation 60.04	29 52 01.33	95 18 47.15	. 5, 247
feet  Houston-Humble road, T road east from  Houston-Humble road, 30 feet east of, 400 feet northeast of a T  road west, large pine tree painted "U. S. B. M. 540"; copper  nail in root, elevation 61.55 feet.	29 51 59.08 29 51 58.47	95 19 36.83 95 19 55.50	4,382 1,647
nail in root, elevation 61.55 feet.  Houston-Humble road, 0.4 mile west of, 25 feet south and 20 feet east of second-class crossroads, inside fence, 4 feet from corner fence post; iron post stamped "Prim. Trav. Sta. No. 222, 1915,"	29 51 36.33	95 20 07.95	2,490
fence post; iron post stamped "Prim. Trav. Sta. No. 222, 1915," elevation 65,882 feet	29 51 32,72	95 20 34.82	2,396

# SETTEGAST QUADRANGLE—Continued.

From Settegast west to International & Great Northern Railway through woods and along road—  ${\bf Continued.}$ 

Continuou.			
Station.	Latitude.	Longitude.	Distance between stations.
Houston-Aldine road via Clark Street, T road east from. Houston-Aldine road via Clark Street, 75 feet east of, at point 400 feet south of angle in road, just south of vacant house; willow tree painted "U.S. B. M. 541" (tree used as gatepost); copper nail in root, elevation 66.78 feet.	29 51 32.80	95 20 59.47	Feet. 2, 173
nail in root, elevation 66.78 feet.	29 51 56.63	95 20 58.83	2,410
Near southeast corner of quad	rangle.	-	
Green's siding, 2.4 miles south and 0.5 mile west of, at intersection of fence lines, north, east, south, and west 6 inches from corner fence post; painted "U.S.B.M.410"; copper nail in hub, elevation 39.00 feet.	29 46 49.62	95 15 04.73	
On public road along Texas & New Or	leans Railroa	d.	1
		<del></del>	1
Green's siding, about 3,500 feet southwest of, 80 feet west of a bungalow, 40 feet south of road, 3 feet from fence; iron post stamped "Prim. Trav. Sta. No. 157, 1915", elevation 46.893 feet	29 48 51.98	95 15 06.83	,
root, elevation 48.39 feet.  East Houston, railroad crossing at.  East Houston R. R. crossing, 4 mile southwest of, 25 feet east of telephone pole painted "U. S. B. M. 368", west end of north abutment of concrete road culvert, chiseled square, clevation	29 48 29.63 29 48 26.71	95 16 00,49 95 16 08.56	5, 239 770
46.20 feet. Englewood, 3,000 feet northeast of, about 230 feet north of crossing	29 48 10.47	95 16 49.23	3, 940
35 feet south of road and 7 feet north of telephone pole painted "U. S. P. B. M."; iron post stamped "Prim. Trav. Sta. No. 158, 1915", elevation 45.800 feet.  Englewood, 1,800 feet southwest of, 30 feet south of road; 2 feet from telephone pole, painted "U. S. B. M. 369"; copper nail in bub playstion 40 88 feet	29 47 58.05	95 17 16.81	2,735
hub, elevation 49.88 feet. Englewood, 1.25 miles southwest of, 300 feet northeast of public road crossing Texas & New Orleans R. R., 6 inches from tele- phone pole painted "U. S. B. M. 370"; copper nail in hub	29 47 37.04	95 18 05.93	4,821
road, 100 feet east of center of International & Great Montgomery road, 100 feet east of center of International & Great Northern Rv., 25 feet east of center of public road, 2 feet southwest of	29 47 16.08	95 18 54.75	4,794
corner fence post, painted; copper nail in hub	29 52 00.4	95 21 48.7	
Along highways near south border of	quadrangle.		
Houston, on Clinton road, Galveston, Harrisburg & San Antonio Ry, and Houston Belt & Terminal Ry, crossing, 1,800 feet east			
of, 35 feet north and 40 feet east of T road corners at sign "Houston Harbor Additions," about 110 feet north of railway; in root of oak tree painted "U. S. B. M. 401"; copper nail, elevation	į		
Houston Harbor, north side of turning basin, 80 feet south of Galveston, Harrisburg & San Antonio track, 230 feet southeast of dim road crossing, opposite forks of shell road; metal tablet in top of concrete monument (painted 134+418.5) U.S.E.D.B.M.,	29 45 24.81	95 17 38.82	•
Galveston, Harrisburg & San Antonio Rv. and Houston Belt &			
Terminal Ry. crossing.  Jouston, on Clinton road, Galveston, Harrisburg & San Antonio Ry. and Houston Belt & Terminal Ry. crossing, 2,800 feet west of, 60 feet north of public road crossing Galveston, Harrisburg & San Antonio Ry. and in line with public road cast along resilvant iron post stamped "Prim Tray Sta No.	29 45 33.78	95 17 56.25	1, 783
173, 1915," elevation 45.277 feet.  Houston, on Clinton road, Galveston, Harrisburg & San Antonio Rv. and Houston Belt & Terminal Rv. crossing 1.1 miles west	29 45 44.04	95 18 26.34	2,848
Harrisburg & San Antonio Ry, and in line with public road east along railway; iron post stamped "Prim. Trav. Sta. No. 173, 1915," elevation 45.277 feet. Houston, on Clinton road, Galveston, Harrisburg & San Antonio Ry, and Houston Belt & Terminal Ry, crossing, 1.1 miles west of, 30 feet south of center of road, at fence line, in root of pine tree painted "U. S. B. M. 402"; copper nail, elevation 48.42 feet Houston, about 550 feet north of crossing of Galveston, Harrisburg & San Antonio Ry, and San Antonio & Aransas Pass Ry, 40 feet east of San Antonio & Aransas Pass Ry, 40 feet east of San Antonio & Aransas Pass track, 3,100 feet south	29 45 41.21	95 19 13.57	4,226
of Lyons Street; in root of large oak tree painted "U. S. B. M. 216"; copper nail, elevation 47,07 feet	29 46 02 28	95 19 42.13	2,755
695100 D11 644 17 38		9	•

# SETTEGAST QUADRANGLE—Continued.

# Along highways near southeast corner of quadrangle.

. Station.	Latitude.	Longitude.	Distance between stations.
Green Bayou, 3.5 miles west of Lower Ferry, 20 feet south and 30 feet west of T road north, 18 inches west of corner fence post on old picket fence; copper nail in hub; post painted "U.S.B.M. 397," elevation 3.42 feet	° ' '' 29 46 01.50	95 15 04.50	Feet.
of graded road north, in group of oak trees with open prairie northwest; in root of oak tree painted "U.S.B.M.398"; copper nail, elevation 36.54 feet	29 45 21.69	95 15 02.54	4,02
Near Houston.			
Houston, Sims Avenue and Opollusus Street, northwest corner of concrete footing of water tank of Moncrief-Lenoir Manufacturing Co.; chiseled square painted "U. S. 54.2 B. M.," elevation			-
54.18 feet.  Englewood, 1.25 miles southwest, about 360 feet southwest of signal tower, 250 feet northeast of road crossing, on north side of Texas & New Orleans R. R. track, top of concrete base of semaphore signal; chiseled square, elevation 51.64 feet			
Englewood, opposite operator's window, top of nearest rail, eleva- tion 51.7feet			
56.7 feet. Humble road, about 4 miles north of city limits, 100 feet southwest of T road east toward Settegast, west end of concrete and brick culvert; chiseled square painted "U, S. 62.4 B. M.," elevation 62.50 feet.			
Houston-Aldine road, about 8 miles northwest of Houston city limits, 0.25 mile south of vacant house, on top of east end of concrete culvert over drainage ditch; chiseled square, culvert painted "U.S. 68.9 B. M.," elevation 68.97 feet			
Houston, city limits, 3.9 miles northwest of, 1 mile northwest of forks of Houston-Humble road and Houston-Aldine road, on the latter road, 30 feet west of lone pine tree, in top of east end of concrete culvert; chiseled square, elevation 71.69 feet			
Along left bank of Buffalo Ba	you.	l	1
These bench marks are probably all bronze tablets marked	}		
"U. S. Engineers Department," set in top of concrete posts, 6 inches square on top and protruding above the ground. The letters R and L of the descriptions refer to right and left bank going down stream and the distance given are probably the approximate distances from the bank.			
Houston Harbor north side of turning basin, 80 feet south of Galveston, Harrisburg & San Antonio Ry. track 230 feet southeast of dim road, marked "134+418 300" L"			
Station No. 133+024, 300' L			

Magnetic declination near south border of quadrangle, 8° 18' E.

## SPRING QUADRANGLE.

# Along International & Great Northern Railway.

Station.	Latitude.	Longitude.	Distance between stations.
Spring, 4.85 miles west of, 380 feet east of mile post 5 22 feet south of road crossing at "Rotherwood spur," 1 foot from crossing signboard painted "U. S. B. M. 229"; copper nail in hub, elevation 143.76 feet.  Road crossing; top of rail, elevation 141.5 feet.	30 05 39.82	95 29 45.89	Feet. 3, 418
Spring, 3.80 miles west of, 500 feet east of milepost 4, 18 feet south of track at road crossing signpost; copper nail in hub; 1 foot north of post, painted on cattle guard "U. S. B. M. 230," elevation 136.38 feet	30 05 28.96	95 28 44.73	5, 484

# SPRING QUADRANGLE-Continued.

# Along International & Great Northern Railway-Continued.

° Station.	Latitude.	Longitude.	Distance between stations.
Spring, 3.25 miles west of, 1,900 feet west of milepost 3, 45 feet south and 15 feet west of road crossing, 3 feet from corner fence post; iron post stamped "Prim. Trav. Sta. No. 103, 1915," elevation 140.603 feet.  Spring, 2.30 miles west of, 2,300 feet west of milepost 2, 32 feet south	。, ,, 30 05 22.72	95 28 11.33	Feet. 3,002
of track; 1 foot from telegraph pole painted "U. S. B. M. 231"; copper nail in hub, elevation 135.08 feet.  Spring, 1.40 miles west of, 2,300 feet east of milepost 2,970 feet west of road crossing, 30 feet south of track; 6 inches from telegraph pole painted "U. S. B. M. 232"; copper nail in hub, elevation	30 05 13.04	95 27 16.24	4,940
Spring. 1 mile west of, 500 feet west of milepost 1, 66 feet north of track at private road crossing, 4 feet from post at west end of	30 05 03.86	95 26 24.71	4,62
gate; iron post stamped "Prim. Trav. Sta. No. 104, 1915," elevation 128,903 feet. Spring station, 100 feet north of International & Great Northern Ry. depot, 50 feet west of main line track; 1 foot west of telegraph pole painted "U. S. B. M. 233"; copper nail in hub,	30 05 00.34	95 26 <b>00. 4</b> 8	2, 16
elevation 120.63 feet	30 04 45.84	95 25 01.92	5,350
Along public road.			
Spring, 0.9 mile south of, 60 feet west of track, 25 feet east of road, 1 foot west of center post under shanty painted red; copper nail in hub; post painted "U. S. B. M. 234," elevation 118.40 feet  Spring, 2 miles south of, 52 feet west of track, 30 feet east of center	30 03 59.35	95 24 50.32	4,806
of road, 20 feet north of gate; iron post stamped "Prim. Trav. Sta. No. 105, 1915," elevation 109.802 feet Spring, 2.90 miles south of, 55 feet west of road crossing, 30 feet east of road. 1 foot west of corner fence post; copper nail in hub.	30 03 06.69	95 24 37.18	5,44
of road, 1 foot west of corner fence post; copper nail in hub, painted on fence brace, "U. S. B. M. 235," elevation 92.44 feet international & Great Northern Ry. bridge No. 275, top of rail directly above Cypress Creek, elevation 92.1 feet Westfield, 1,200 feet north of, 30 feet west of center of road, corner	30 02 18.20	95 24 25.05	5,01
post on lence line west; 6 inches east of corner post painted. "U. S. B. M. 236"; copper nail in hub, elevation 106.19 feet Westfield, T road corners at, shell road west	30 01 30.88 30 01 20.78	95 24 13.94 95 24 11.04	4,879 1,059
north of corner fence post; iron post stamped "Prim. Trav. Sta. No. 106, 1915," elevation 108,090 feet.  Westfield, 1.1 miles south of, 30 feet west of center of road, about 50 feet east of center of track, 250 feet southeast of International & Great Northern Ry. bridge 277; copper nail in hub; witness	30 01 09.20	95 24 08.07	1,19
stake painted "U. S. B. M. 237," elevation 100.99 feet	30 00 23.43	95 23 55.19	4,760
From Rotherwood spur, International & Great Northern road through woods. (Unchecked		th along se	cond-class
Rotherwood spur, 0.9 mile north of, about 800 feet south of crossing of Willow Creek, 10 feet west of road, in root of large oak tree painted "U. S. B. M. 299"; 4 feet north of body of tree, copper			
nail, elevation 122.62 feet Rotherwood spur, 1.7 miles north of, 0.6 mile north of Willow Creek crossing, 15 feet east of road; in root of oak tree painted	30 06 25.38	95 29 31.99	
U. S. B. M. 300"; copper nail, elevation 124.64 feet	30 07 02.23	95 29 49.00	·····
Along public road from Spring southwest	toward Klei	n.	
Spring, 0.7 mile west of, 300 feet north of shell road and 150 feet east of a white house; large leaning oak tree painted "U. S. B. M. 473"; copper nail in root, elevation 124.70 feet.  Spring, 1.1 miles west and 1,800 feet south of crossroads.	30 04 38.96 30 04 27.94	95 25 49.39 95 26 09.65	2, 10
Spring, 1.5 miles west and 3,000 feet south of, 25 feet north of center of road; 1 foot south of west gatepost and corner post on fence line north painted "U.S.B.M. 474"; copper nail in hub, elevation 122.88 feet.	30 04 15.92	95 26 33.04	2,38
tion 122.88 feet. Spring, 2.4 miles west and 1 mile south of, 1,000 feet east of a grove of trees on south side of road, 25 feet south of center of road; iron post stamped "Prim. Trav. Sta. No. 197, 1915," elevation 130.216 feet.	30 03 54.35	95 27 25.58	
			•

# SPRING QUADRANGLE—Continued.

Along public road from Spring Southwest toward Klein—Continued.

Station.	Latitude.	Longitude.	Distance between stations.
Spring, 3.25 miles west and 1.25 miles south of, 150 feet east of bend in road, 80 feet south of road; in open prairie; small gum tree painted "U.S.B.M. 475"; copper nail in root, elevation 129.88 feet.  Spring, 4 miles west and 1.65 miles south of, on north bank of small creek, 60 feet east of bridge, 40 feet south of road; gum tree	30 03 41.28	95 28 17.90	Feet. 4,78
painted "U. S. B. M. 476"; copper nail in root, elevation 122.15 feet Spring, 4.5 miles west and 2 miles south of, in open prairie, 10 feet north and 25 feet west of crossroads; iron post stamped "Prim.	30 03 19.48	95 28 58.06	4,160
Trav. Sta. No. 198, 1915," elevation 133.85\$ feet		95 29 33.79	3,696
·	Ţi	<del></del>	1
Pemble's store, 0.7 mile southwest of, at east end of a pond, 20 feet southeast of center of road; gum tree painted "U. S. B. M. 273"; copper nail in root, elevation 118.22 feet.  Pemble's store, at intersection of west fork of East Montgomery Road and Erhart road, 10 feet east and 20 feet north of cross-	30 00 04.32	95 28 24.46	
roads; 6 inches from corner fence post painted "U. S. B. M. 274"; copper nail in hub, elevation 117.84 feet		95 27 49, 12	3,705
From Westfield east on road to	Humble.		
Westfield, about 1 mile east of, 425 feet northwest of school build- ing district No. 29, 20 feet south of center of road; pine tree painted "U. S. B. M. 308"; copper nail in root, elevation 108.83 feet Westfield, 1.4 miles east of; crossroads	30 01 15.97	95 23 12.76 95 22 48.15	2, 201
From Spring east on road to Ber	nder Lake.		
<del></del>			
Spring, 0.5 mile south and 0.7 mile east of, in woods, 40 feet north of road; pine tree 2 feet in diameter painted "U. S. B. M. 303"; copper nail in root, elevation 119.86 feet.  Spring, 0.7 mile south and 1.4 miles east of, 400 feet southeast of angle in road rounding fence corner. 15 feet southwest of road:	30 04 21.39	95 24 21.13	
of road; pine tree 2 teet in diameter painted "U. S. B. M. 303"; copper nail in root, elevation 119.86 feet	30 04 21.39	95 24 21.13 95 23 36.30	4, 139

# LA PORTE QUADRANGLE. Along public road from Deer Park to La Porte.

Station.	Latitude.	Longitude.	Distance between stations.
Deer Park, J60 feet north of Southern Pacific R. R. track, 25 feet north and 15 feet west of crossroads, inside plan's railing at culvert; iron post stamped "Prim. Trav. Sta. No. 32, 1915," elevation 36.332 feet.  Deer Park, 0.6 mile east of, 350 feet east of wooden bridge, on north side of road; copper nail in hub, painted "U.S. B. M. 'A.," elevation 33.89 feet.  Thayer triangulation station (U.S. Engineers), about 1.25 miles east of Deer Park station, 467 feet S. 4° E. (true) from road crossing Southern Pacific R. B. between cattle guards 18A and 18B; iron post stamped "U.S. E. D.," reference mark, iron post 124 4 feet southwest (north fererence mark not found), elevation 39.301 feet.  Deer Park, 2.1 miles southeast of, 25 feet south of road; 1 foot south of telephone pole, painted "U.S. B. M. 495"; copper nail in hub, elevation 39.84 feet.  Deer Park, 3 miles southeast of, 25 feet south of road; 6 inches south of telephone pole painted "U.S. B. M. 496"; copper nail	29 42 40.62 29 42 36.36 29 42 19.96 29 42 10.68	95 07 26.59 95 06 49.90 95 06 13.90 95 05 26.62	3,265 3,582 4,272
in hub, elevation 36.03 feet.	29 41 56, 18	95 04 38.57	4,482

# LA PORTE QUADRANGLE—Continued. Along public road from Deer Park to La Porte—Continued.

Station.	Latitude.	Longitude.	Distance between stations.
Deer Park, 3.6 miles southeast of, 75 feet S. 34° E. of road crossing of Southern Pacific R. R., 3 feet south of right-of-way fence; iron post staffiped "Prim. Trav. Sta. No. 204, 1915," elevation 35.866 feet.  La Porte, 1.8 miles north and 2 miles west of, 30 feet south of Southern Pacific R. R., 35 feet north of road; 6 inches south of telephone pole painted "U. S. B. M. 497"; copper nail in hub,	. , ,, 29 41 43.44	95 03 59.96	Feet. 3,639
La Porte, 1.4 miles north and 1.65 miles west of, about 1,500 feet southwest of Strang station, 30 feet north and 20 feet east of	29 41 27.87	95 03 07.61	4,877
crossroads; small ash tree painted "U. S. B. M. 498"; copper nail in root, elevation 27.98 feet. La Porte, 0.3 mile north and 1.6 miles west of, about 2,000 feet north 62° west from La Porte station, 25 feet east of center of	29 41 07.88	95 02 48 44	2,632
road, opposite a T road west; iron post stamped "Prim. Trav. Sta. No. 205, 1915," elevation 28.829 feet. La Porte, 1.2 miles west of, about 140 feet south of La Porte Ry. station and 50 feet east of railroad track; 30 feet south of public	29 40 11.87	95 02 47.07	5,658
road and 8 menes north of telephone pole painted "U.S.B.M. 499"; copper nail in hub, elevation 25.66 feet	29 39 53.27	95 02 20.27	3,019
painted "U. S. B. M. 500"; copper nail in hub, elevation 27.41 feet	29 39 54.17	95 01 28.27	4,587
La Porte, forks of road at; roads to Seabrook, Sylvan Beach, Morgans Point, and Houston.	29 39 54.79	95 01 09.54	1,652
La Porte, 3,300 feet northeast of forks of road, south end of concrete culvert, west end of wall; railing painted "U. S. B. M. 519"; chiseled square, elevation 23.92 feet.  La Porte, at intersection of Main Street, Broadway and San Jacinto Avenue, in top of post 1 foot high; copper nail painted "U. S. 26.3 B. M.," elevation, 26.28 feet.	29 40 10.40	95 00 36.15	3,340
			<u> </u>
Along La Porte-Seabrook r	oad.		
La Porte, 0.7 mile south of, 0.5 mile west of Sylvan station, 200 feet north of a house, 25 feet west of road and 80 feet north of a lane west; fron post stamped "Prim. Trav. Sta. No. 206, 1915,"			
elevation 22.264 feet  La Porte, 1.4 miles south of, 300 feet south of Little Cedar Bayou,	29 39 18.41	95 01 09.00	
45 feet east of road; oak tree painted "U. S. B. M. 501"; copper nail in root, elevation 16.92 feet.  La Porte, 2.25 miles south of, 600 feet south of second-class cross-road, 25 feet east of road; cedar tree painted "U. S. B. M. 502";	29 38 41.84	95 01 07.41	3,697
road, 25 feet east of road; cedar tree painted "U. S. B. M. 502"; copper nail in root, elévation 16.20 feet.	29 37 57.32	95 01 06.62	1,500
			J *
Along Lynchburg-Deer Park	road.		]-
	road.		1-
San Jacinto battle field, 2,000 feet south of, 22 feet east of center of road; in root of backberry tree painted "U.S.B. M. 403"; copper will be the control of the control	road. 29 44 46.76	95 05 23.79	1
San Jacinto battle field, 2,000 feet south of, 22 feet east of center of road; in root of backberry tree painted "U.S.B. M. 403"; copper will be the control of the control		95 05 23. 79 95 05 23. 20	4,854
San Jacinto battle field, 2,000 feet south of, 22 feet east of center of road; in root of hackberry tree painted "U.S.B. M. 403"; copper nail, elevation 25.13 feet.  San Jacinto battle field, 1.4 miles south of, 10 feet south and 25 feet east of T road west; 6 feet north of telephone pole; iron post stamped "Prim. Trav. Sta. No. 174, 1915," elevation 33.833 feet.  Deer Park, about 1.1 miles north and 1.2 miles east of, 60 feet southeast of center of road. in pasture: in root of one of a group	29 44 46.76		4,854
San Jacinto battle field, 2,000 feet south of, 22 feet east of center of road; in root of hackberry tree painted "U. S. B. M. 403"; copper nail, elevation 25.13 feet.  San Jacinto battle field, 1.4 miles south of, 10 feet south and 25 feet east of T road west; 6 feet north of telephone pole; iron post stamped "Prim. Trav. Sta. No. 174, 1915," elevation 33.833 feet.  Deer Park, about 1.1 miles north and 1.2 miles east of, 60 feet southeast of center of road. in pasture; in root of one of a group	29 44 46.76 29 43 58.70	95 05 23.20	ļ .
San Jacinto battle field, 2,000 feet south of, 22 feet east of center of road, in root of hackberry tree painted "U. S. B. M. 403"; copper nail, elevation 25.13 feet	29 44 46.76 29 43 58.70 29 43 46.00 29 43 31.76	95 05 23. 20 95 06 17. 94	4,995
San Jacinto battle field, 2,000 feet south of, 22 feet east of center of road; in root of hackberry tree painted "U.S.B. M. 403"; copper nail, elevation 25.13 feet.  San Jacinto battle field, 1.4 miles south of, 10 feet south and 25 feet east of T road west; 6 feet north of telephone pole; iron post stamped "Prim. Trav. Sta. No. 174, 1915," elevation 33.833 feet.  Deer Park, about 1.1 miles north and 1.2 miles east of, 60 feet southeast of center of road, in pasture; in root of one of a group of seven trees; copper nail; tree painted "U.S.B.M. 404".  Deer Park, 1 mile north and 0.5 mile east of, 25 feet southeast of center of road, close to wire fence line; in root of oak tree painted "U.S.B.M. 405"; copper nail, elevation 30.68 feet.  In northwest corner of quadratic clear the feet east of a bayen con north side of road, 25 feet north of road.	29 44 46.76 29 43 58.70 29 43 46.00 29 43 31.76 angle.	95 05 23.20 95 06 17.94 95 06 59.85	4,995
San Jacinto battle field, 2,000 feet south of, 22 feet east of center of road, in root of hackberry tree painted "U. S. B. M. 403"; copper nail, elevation 25.13 feet.  San Jacinto battle field, 1.4 miles south of, 10 feet south and 25 feet east of T road west; 6 feet north of telephone pole; iron post stamped "Prim. Trav. Sta. No. 174, 1915," elevation 33.833 feet.  Deer Park, about 1.1 miles north and 1.2 miles east of, 60 feet southeast of center of road, in pasture; in root of one of a group of seven trees; copper nail; tree painted "U. S. B. M. 404"  Deer Park, 1 mile north and 0.5 mile east of, 25 feet southeast of center of road, close to wire fence line; in root of oak tree painted "U. S. B. M. 405"; copper nail, elevation 30.68 feet  In northwest corner of quadre Cedar Bayou post office, 0.75 mile south and 5.7 miles west of, 50 feet east of a house on north side of road, 25 feet north of road; oak tree painted "U. S. B. M. 437"; copper nail in root, elevation 29.3 feet.  Cedar Bayou post office, 0.75 mile south and 6.5 miles west of, 20 feet and post office, 0.75 mile south and 6.5 miles west of, 20 feet to the fored at wire ferred to the research and "U. S. B. M. 467"; copper nail in root, elevation 29.3 feet.	29 44 46.76 29 43 58.70 29 43 46.00 29 43 31.76	95 05 23. 20 95 06 17. 94	4,995
San Jacinto battle field, 2,000 feet south of, 22 feet east of center of road; in root of hackberry tree painted "U. S. B. M. 403"; copper nail, elevation 25.13 feet.  San Jacinto battle field, 1.4 miles south of, 10 feet south and 25 feet east of T road west; 6 feet north of telephone pole; iron post stamped "Prim. Trav. Sta. No. 174, 1915," elevation 33.833 feet.  Deer Park, about 1.1 miles north and 1.2 miles east of, 60 feet southeast of center of road, in pasture; in root of one of a group of seven trees; copper nail; tree painted "U. S. B. M. 404".  Deer Park, 1 mile north and 0.5 mile east of, 25 feet southeast of center of road, close to wire fence line; in root of oak tree painted "U. S. B. M. 405"; copper nail, elevation 30.68 feet.  In northwest corner of quadre Cedar Bayou post office, 0.75 mile south and 5.7 miles west of, 50	29 44 46.76 29 43 58.70 29 43 46.00 29 43 31.76 angle.	95 05 23.20 95 06 17.94 95 06 59.85	4,995

# LA PORTE QUADRANGLE—Continued.

## Near west border of quadrangle.

Station.	Latitude.	Longitude.	Distance between stations.
Deer Park, 5.9 miles south and 1.4 miles east of, on Red Bluff road, 50 feet west of road at edge of timber, prairie on east; oak tree painted "U. S. B. M. 536," copper nail in root, elevation 20.99 feet.  Deer Park, 5.4 miles south of, 0.5 mile west of Red Bluff road, 600 feet south of dwelling house, 25 feet north of roadway, 600 feet west of Middle Bayou, 2 feet south of corner fence post;	29 37 33.29	95 06 02.01	Feet.
copper nail in hub; post painted "U. S. B. M. No. 59," eleva- tion 23.18 feet.  Deer Park, 5.25 miles south and 1 mile east of, on Red Bluff road, about 0.4 mile east of Middle Bayou, 30 feet east of road, 4 feet	29 38 00.35	95 06 56.51	5, 533
east of fence line in field; copper nail in hub; witness stake painted "U. S. B. M. No. 60," elevation 25.05 feet	29 38 05.22	95 06 28.29	2,540
No. 61"; copper nail in hub, elevation 25.93 feet  Deer Park, 4.2 miles south of, 150 feet north of Mr. English's house, 30 feet west of road, 1.5 feet from wire fence line; iron post	29 38 4031	95 06 59.72	4, 501
stamped "Prim. Trav. Sta. No. 30, 1915," elevation 31.411 feet Deer Park, 3.35 miles south, 0.4 mile east of, 0.9 mile east of intersection of Red Bluff road and Main Street, La Porte road, 25 feet south of center of east and west road, 1.5 feet from wire fence; copper nail in hub; witness stake painted "U. S. B. M.	29 39 01.48	95 07 18.38	2,698
No. 63," elevation 36.54 feet	29 39 48.57	95 07 03.48	. 4,934
prairie; iron post stamped "Prim. Trav. Sta. No. 31, 1915," witness stake painted "U. S. P. B. M.," elevation 41.162feet Deer Park, 1.5 miles south of, 10 feet west of dim roadway on open prairie; copper pail in hub; witness stake painted "U. S. B. M.	29 40 39.00	95 07 23.58	5,394
prairie; copper nail in hub; witness stake painted "U.S.B.M. No. 64," elevation 39.70 feet. Deer Park, 0.7 mile south of; on west side of road, at edge of embankment made by ditch excavation; copper nail in hub; wit-	29 41 23.53	95 07 24.77	4,499
ness stake painted "U.S.B.M.No.65," elevation 37.47 feet Deer Park, 1.6 miles north of; on north side of ship channel, U.S. Engineers' bench mark, station 67+653; tablet in top of con- crete monument 6 inches square, elevation, determined from	29 42 02.17	95 07 25.64	3,904
leveling by U. S. Corps of Engineers, 7.140 feet	29 44 02.84	95 07 24.68	
Along Buffalo Bayou.			
These bench marks are probably all bronze tablets marked "U. S. Engineer Department," set in top of concrete posts, 6 inches square on top and protruding above ground. The letters R and L of the descriptions refer to right and left bank going downstream and the distances given are probably the approximate distances from the bank.  Station 66+436 300 L, elevation, 5.382 feet.  Station 64+053 300 L, elevation, 8.016 feet.			

Magnetic declination for quadrangle, 8° 10′ E.

## STUEBNER QUADRANGLE.

# Along highways in south part of quadrangle.

Station.	Latitude.	Longitude.	Distance between stations.
Hufsmith, International & Great Northern Ry. crossing; top of rail elevation 170.0 feet.	0 / //	0 / //	Feet.
Huismith, 0.75 mile north of, 400 feet south of bridge over Spring Creek, 15 feet west of public road; gum tree painted "U. S. B. M. 260"; copper nail in root, elevation 151.09 feet.  Huismith, about 0.8 mile north and 0.7 east of, along a woodsroad near Spring Creek. 20 feet south of road and 120 feet west of a	30 07 57.40	95 35 47.71	
bridge over ravine; oak tree painted "U. S. B. M. 261"; copper nail in root, elevation 150.93 feet.	30 08 02.26	95 35 12.92	3,094

#### STUEBNER QUADRANGLE-Continued.

# Along highways in south part of quadrangle—Continued.

Station.	Latitude.	Longitude.	Distance between stations.
Hufsmith, 0.8 mile north and 0.7 mile east of, just on north side of road; iron bar 2.5 inches in diameter and standing 3 feet high, probable land corner.  Hufsmith, 0.9 mile north and 1 mile east of, along road near Spring Creek, 250 feet southwest of cabin, 20 feet north of road, 12 feet	0 / // 30 08 02.50	% , ,, 95 35 04.62	Feet. 730
west of oak tree and 3 feet from fence corner; iron post stamped "Prim. Trav. Sta. No. 118, 1915," elevation 177.882 feet	30 08 07.05	95 34 46.54	1,653
top of bar, elevation 182.35 feet	30 07 47.60	95 34 14.46	3,435
painted "U. S. B. M. 263"; copper nail in root, elevation 172.28 feet. Stuebner, 1 mile east of, 1.5 miles south of crossing of Spring Creek,	30 07 51.26	95 33 32.08	3,741
25 feet éast of center of road at T road west; iron post stamped "Prim. Trav. Sta. No. 119, 1915," elevation 165.409 feet	30 07 51.77	95 33 11.83	1,779
Near southeast corner of quad-	rangle.		-
Rotherwood spur, International & Great Northern Ry., 2.15 miles north and 0.6 mile west of, 2,000 feet northwest of a house, 600 feet north of woods road, along old trail; tree painted "U. S. B. M. 302"; copper nail in root (no elevation determined)	30 07 32.04	95 30 22.07	

# Magnetic declination, 8° 35′ E.

## SUGARLAND QUADRANGLE.

## Near Missouri City.

Station.	Latitude.	Longitude.	Distance between stations.
Missouri City station, opposite southwest end of, 90 feet from public road crossing over track, 30 feet north of center of main road to Houston, 1 foot from right-of-way fence line; iron post stamped "Prim Trav. Sta. No. 16, 1915," elevation 80.250 feet.  Missouri City, 0.8 mile northeast of, 300 feet east of public road crossing, 40 feet northwest of Houston Road, and about 40 feet from center of Southern Pacific R. R. track, 2 feet from tele-	29 37 07.35	。, ,, 95 32 17.34	Feet.
phone pole painted "U. S. B. M. No. 31"; copper nail in hub, elevation 71.98 feet	29 37 25.47	95 31 30.75	4,501

## SWANSON QUADRANGLE.

#### Along highways north through center of quadrangle.

Station.	Latitude.	Longitude.	Distance between stations.
Katy, 6.6 miles north of, 20 feet east of center of road, 0.5 mile north of wnite schoolhouse, 6 inches from corner fence post at fence line east; copper nail in hub; post painted "U. S. B. M. 102," elevation 163.46 feet  Katy, 7.5 miles north of, 20 feet east of center of road, 1 foot from corner fence post at north end of gate; copper nail in hub; post painted "U. S. B. M. 103," elevation 171.64 feet  Katy, 8.1 miles north and 0.2 mile east of, in line with private road north, 20 feet south of center of east and west road, close to corner fence post at fence line south; iron post stamped "Prim.	29 52 54.34 29 53 42.91	95 49 25.10 95 49 25.57	Fect. 4,906
Trav. Sta. No. 50, 1915," elevation 165.046 feet.	29 54 12.70	95 49 10.92	3,274

# SWANSON QUADRANGLE—Continued.

# Along highways north through center of quadrangle—Continued.

Station.	Latitude.	Longitude.	Distance between stations.
Katy, 8.1 miles north by 1 mile east of, 27 feet south by 26 feet west of post set at intersection of roads, 2 feet north of corner fence post; copper nail in hub; post painted "U. S. B. M. 104," elevation 159.42 feet.  Katy, 9 miles north by 1 mile east of, on west side of dim road, 6	0 , ,, 29 54 12.97	95 48 26,46	Feet. 3,91
inches from fence post; copper nail in hub; post painted "U.S. B. M. 105," elevation 162.21 feet.  Katy, 10 miles north by 1 mile east of, 815 feet north of fence corner, 3 feet west of north and south fence line and 20 feet east of dim roadway; iron post stamped "No. 51, 1915," elevation	29 55 01, 13	95 48 26,83	4,86
164.283 feet.  Katy, 10.9 miles north by 1 mile east of, 1,900 feet south of Big Cypress Creek, 30 feet west of center of roadway, 6 inches from fence post; copper nail in hub; post painted "U. S. B. M. 106,"	29 55 49,65	95 48 27, 19	4,900
elevation 160.93 feet.  Katy, 11.3 miles north by 1 mile east of, 100 feet north of Big  Cypress Creek, 25 feet north by 5 feet west of northwest corner of bridge on west side of road; copper nail and washer in root of water oak; corner of bridge painted "U. S. B. M. 107." and	29 56 40.07	95 48 28,94	5,098
with an arrow, elevation 157.24 feet.  Katy, 12.4 miles north by 1 mile east of, 1.1 miles north of Big Cypress Creek, 3.2 miles south of Houston & Texas Central R. R., 30 feet east of center of road, 2 feet from tall fence post; iron post stamped "Prim. Trav. Sta. No. 52, 1915," elevation	29 57 00.11	95 48 29,46	2,024
168.080 feet. Katy, 13.4 miles north by 1 mile east of, 2.1 miles north of Big Cypress Creek, 2.2 miles south of Houston & Texas Central R. R., 30 feet west of center of road, 6 inches from fence corner and gatepost; copper nail in hub; post painted "U. S. B. M. 108,"	29 57 95, 22	95 48 30.11	5,97
elevation 180.23 feet Katy, 14.4 miles north by 1 mile east of, 3.1 miles north of Big Cypress Creek, 30 feet east by 25 feet south of T road south, 1 foot from corner fence post; copper nail in hub; fence painted "U.S.B. M. 109," elevation 198.36 feet	29 58 50.80	95 48 31.25	5,212
Hockley, 6.5 miles south by 1.2 miles east of, 4,500 feet west of Katy and Hockley road, in open prairie; copper nail in hub with witness stake painted "U.S. B. M. 183," elevation 163.30	29 59 42.58	95 48 32.36	5, 231
feet Hockley, 6.5 miles south by 0.6 mile east of, near gateway on a private road across prairie to Hockley, at north end of lane and near the head of timber on Big Cypress Creek, 6 feet west of gate-	29 55 42.25	95 49 18.05	••••••
post and close to wire fence line; copper nail in hub; painted on gate "U. S. B. M. 184," elevation 166.02 feet.  Hockley, 6 miles south of, about 0.8 mile northwest of head of timber of Big Cypress Creek, 4 feet southeast of gatepost at double gateway; iron post stamped "Prim. Trav. Sta. No. 81,	29 55 39.60	95 49 56.58	3,400
1915," elevation 169.512 feet	29 56 04.33	95 50 38.05	4, 422
elevation 171.78 feet	29 56 03.52	95 51 44.77	5, 870
Near Swanson.	<del></del> ,	<del></del>	
Hockley, 4.5 miles southeast of, 0.6 mile northwest of Swanson, 0.6 mile southeast of section house, nearly opposite milepost 31, 55 feet north of Houston & Texas Central R. R. track, 25 feet south of shell road, 2.5 feet north of telephone pole; iron post stamped "Prim. Trav. Sta. No. 54, 1915," elevation 194.546 feet. Swanson, 1,500 feet east of station signboard on Houston & Texas Central R. R., 25 feet south of center of shell road, 50 feet north of track, 600 feet west of milepost 30, 6 inches from telephone pole; copper nail in hub; pole painted "U. S. B. M. 113," elevation	29 59 57.98	95 46 21.62	
187.62 feet	29 59 40.08	95 45 34.24	4,542

Magnetic declination in quadrangle, 8° 45′ E.

# WALLER QUADRANGLE.

# Along public roads in southeast quarter of quadrangle.

Station.	Latitude.	Longitude.	Distance between stations.
Hockley, 2.70 miles northwest of, 15 feet south of center of road, 4 feet from west end and in top of south abutment of concrete culvert; bronze tablet stamped "Prim. Trav. Sta. No. 79, 1915," elevation 246.121 feet.  Waller, 1.75 miles southeast of, about 100 feet west and 65 feet south of road crossing Houston & Texas Central R. R., 30 feet south of public road; in root of sycamore tree painted "U. S. B. M. 181"; copper nail, elevation 262.58 feet.	30 02 30.80	95 53 11.43	Feet. 4, 383
Waller, 1.20 Inlies southeast of, crossroads	30 02 48.33 30 03 00.36	95 53 58.61 95 54 29.99	4,509 3,013
from telephone pole, close to fence line, painted "U. S. B. M. 182"; copper nail in hub, elevation 284.54 feet. Waller station, about 1,900 feet southeast of, 47 feet south of Houston & Texas Central R. R., 23 feet southeast of county line rect. 25 feet next hoffened line; iron post turned (Prim Treas)	30 03 08.39	95 54 51.76	2,078
Sta. No. 80, 1915," elevation 241.632 feet	30 03 16.48	95 55 16.59	2,330
Waller County".  Waller, 0.6 mile north of, 20 feet east of road, at corner of fence where lane turns east, 6 inches from corner fence post; copper nail in hub; post painted "U. S. B. M. 192," elevation 266,29 feet	30 03 16.68	95 55 16.74	23
nail in hub; post painted "U. S. B. M. 192," elevation 266.29 feet T road west, 200 feet north of, top of east end of small wooden culvert, elevation 265.10 feet Waller, 1.6 miles north of, 25 feet south and 25 feet east of T road.	30 03 56.36	95 55 16.31	4,049
east; 6 Inches from corner lence post painted "U.S. B. M. 193"; copper nail in hub, elevation 274.06 feet	30 04 46.98	95 55 17.33	5, 114
300 foot jog, 3 feet north of wire fence, 8 feet west of telephone pole; iron post stamped "Prim. Trav. Sta. No. 85, 1915," elevation 27, 605 feet.  Waller, 3.4 miles north of, 20 feet east of road, at corner post on	30 05 21.92	95 55 14.56	3, 539
fence line east; 6 inches from fence post painted "U. S. B. M. 194"; copper nail in hub, elevation 276.83 feet.  Waller, about 2.9 miles north of and 0.5 mile east of, 920 feet north of T road east and 960 feet north of T road west, 20 feet east of road, 1 foot from corner post on fence line east; copper nail in hub "U. S. B. M. 195," elevation 286.75 feet.	30 06 13.59	95 55 15.42	5, 220
	30 06 42.05	95 54 55.36	3,370
Harris-Montgomery county line, at T road south and in line with road south, 2 feet south of wire fence; fron post stamped "Prim. Trav. Sta. No. 86, 1915," elevation 273,244 feet.  Waller, 3.7 miles north and 1.6 mile east of, 25 feet north of center of road, 100 feet west of point in road opposite Bentford school-house, at east gate post; 6 inches from post painted "U. S. B. M.	30 07 25.68	95 54 56.38	4,409
106"; copper nail in hub, elevation 271.04 feet. Waller, 3.75 miles north and 1.80 miles east of, crossroads Waller, 3.75 miles north and 2.5 miles east of, 400 feet north of old two-story house, 25 feet north of center of road; 6 inches from fence post with 2-inch by 4-inch timber supporting telephone wire painted "U. S. B. M. 197"; copper nail in hub, elevation	30 06 33.83 30 06 33.82	95 53 45.59 95 53 31.97	8,132 1,196
Waller, 3.7 miles north and 2.7 miles east of, 20 feet east of T road	30 06 34.35	95 52 59.77	2,830
west, 3 feet from north and south fence line; iron post stamped "Prim. Trav. Sta. No. 87, 1915," elevation 266, 894 feet. Hockley, 4.7 miles north and 1.7 miles west of, 25 feet west of center of road, 60 feet north of pride at corper of fence on road west.	30 06 34.37	95 52 41.25	1,627
of road, 60 feet north of bridge, at corner of fence on road west; 6 inches from post painted "U.S.B. M. 198"; copper nail in hub Hockley, 3.7 miles north and 1.7 miles west of, 20 feet west and 15 feet south of Troad east. 25 feet north of Charles Schultz's mail	30 05 43.76	95 52 40.80	5, 114
feet south of T road east, 25 feet north of Charles Schultz's mail box; copper nail in hub, "U. S. B. M. 199," elevation 274.12 feet.	30 04 53.61	95 52 39.79	5,066
From point near southeast corner of quadrangle north to	point 1.7 m	iles west of	Hockley.
Hockley, 1.3 miles south by 2.5 miles west of, 1 mile south of T road south 6 inches from corner post on fence line east; copper nail in hub; post painted "U.S. B. M. 190," elevation 230.83 feet Hockley, 0.2 mile south by 2.5 miles west of, at T road south, in line with road south, 20 feet north of center of east and west road, 2 feet from wire fence; iron post stamped "Prim. Trav. Sta. No.	c30 00 24.40	95 52 54.64	
84, 1915," elevation 235.066 feet.	30 01 17.38	95 52 56.15	5,354

Magnetic declination for southeast quarter of quadrangle, 8° 30' E.

# WALLEY QUADRANGLE.

## On unchecked spur line.

Station.	Latitude.	Longitude.	Distance between stations.
Crosby, about 6.3 miles northeast of, on road to Liberty, 125 feet south of Texas & New Orleans R. R., 250 feet west of bridge across Cedar Bayou, 30 feet south of public road and 6 feet north of wire fence; iron post stamped "Prim. Trav. Sta. No. 202, 1915," elevation 54.666 feet.	。, , ,, 29 58 14.90	94 59 16.33	Feet.

Magnetic declination for quadrangle, 8° 23' E.

# WEBSTER QUADRANGLE.

# Along highways near north border of quadrangle.

Station.	Latitude.	Longitude.	Distance between stations.
Genoa station, Galveston & Houston Electric Ry., 90 feet east and 30 feet south of road crossing, 35 feet south of center of road, 2 feet east of right-of-way fence; iron post stamped "Prim. Trav. Sta. No. 27, 1915," elevation 49.112 feet Genoa station, Galveston, Houston & Henderson R. R., about 440 feet north of, 60 feet west of track, 6 feet outside right-of-way	29 37 22.32	95 12 57.20	Feet.
fence; 3 feet from telephone pole painted "U. S. B. M. 55"; copper nail in hub (no elevation).  Genoa station, Galveston, Houston & Henderson R. R., 180 feet north of, 25 feet west of center of track, on south side of water	29 37 25.06	95 11 54.95	5,500
tank, in concrete foundation; bronze tablet; no elevation; stamped "C. and G. S. B. M. R8," elevation 49.846 feet	29 37 23.36	95 11 53.03	242
Along public road between Webster	and Genoa.		
Webster, about 0.75 mile northwest of, 40 feet northeast of center of road; 1 foot west of telephone pole painted "U.S.B. M. 511"; copper nail in hub, elevation 27,921 feet	29 32 44.50	95 07 31.63	
Galveston, Houston & Henderson Ry. track, 25 feet northeast of road; 6 inches west of telephone pole painted "U. S. B. M. 512"; copper nail in hub, elevation 32.78 feet	29 33 18,79	95 08 03.93	4,487
of road; iron post stamped "Prim. Trav. Sta. No. 212, 1915", elevation 35.265 feet	29 33 53.16	95 08 36.07	4,485
R. R., 30 feet northeast of road; 6 inches west of telephone pole painted "U.S. B. M. 513"; coppernail in hub, elevation 29.10 feet. Genoa, 3.4 miles southeast of, 55 feet southwest of Galveston, Houston & Henderson R. R., 25 feet northeast of road; 6 inches southwest of telephone pole painted "U.S. B. M. 514"; copper	29 34 29.72	95 09 10.29	4,772
nail in hub, elevation 29.52 feet. Genoa, 2.6 milessoutheast of, opposite Olcottsiding, 55 feet south- west of Galveston, Houston & Henderson R. R., 25 feet north	29 35 05.02	95 09 43.37	4,609
east of road, 20 feet northwest of steps over wire fence; iron post stamped "Prim. Trav. Sta. No. 213, 1915", elevation 34, 144 feet. Genoa, 1.75 miles southeast of, 25 feet northeast of road; 6 inches	29 35 38.65	95 10 14.94	4,394
south of telephone pole painted "U. S.B. M. 515"; copper nail in stub of old telephone pole, elevation 42.10 feet.  Genoa, about 0.9 mile southeast of, 25 feet northeast of road; 6	29 36 13, 51	95 10 47.70 °	4,557
inchés west of telephone pole painted "U.S. B. M. 516"; copper nail in hub, elevation 41.06 feet	29 36 45.79	95 11 18.04	4,219

# WEBSTER QUADRANGLE—Continued. Along public road between Webster and Friendswood.

Station.	Latitude.	Longitude.	Distance between stations.
Websterstation, Galveston-Houston Interurban R. R., near road crossing at, 10 feet northeast of center of track and 15 feet southeast of center of road; 6 inches from crossing signboard; copper nail in hub (t. b. m. 517), elevation 29.31 feet.  Webster, 1 mile south and 1.25 miles west of, opposite old irrigation pump house, 40 feet north of road, 4 feet from northeast corner of bridge over ditch; 6 inches from post at east end of gate, pointed (H. S. B. M. 518); copper nail in hub elevation 20.46	29 31 53.18	95 07 34.68	Feet.
painted "U.S.B.M. 518"; copper nail in hub, elevation 23.48 feet Webster, 1 mile south and 2.5 miles west of, 700 feet southwest of crossroads, 25 feet southeast of center of road, near fence corner;	29 31 25.32	95 08 14.59	4,511
iron post stamped "Prim. Trav. Sta. No. 214, 1915", elevation 28.648 feet.	29 31 26.62	95 09 31.07	6,757
Webster, 0.6 miles south and 2.8 miles west of; crossroads; shell road north, east, and southwest Webster, 1 miles outh and 3.15 miles west of, 50 feet south of right	29 31 49.73	95 09 47.54	2,751
angle in road; 6 inches north of telephone pole painted "U. S. B. M. 521"; copper naul in hub, elevation 27, 38 feet. Webster, 0.8 mile south and 4 miles west of, 35 feet northwest of road; 6 inches east of telephone pole painted "U. S. B. M. 522";	29 31 30.40	95 10 08.15	2,670
copper nail in hub, elevation 30.35 feet. Webster, 1 mile south and 4.2 miles west of, 300 feet northeast of east end of bridge across Clear Creek, 50 feet northwest of road, 10	29 31 37.00	95 10 55.45	4,231
feet inside fence line at edge of woods; iron poststamped "Prim. Trav. Sta. No. 215, 1915", elevatjon 18.115 feet	29 31 26.29	95 11 09.80	1,667
From Friendswood northwest on Per Friendswood, about 70 feet south of crossroads, concrete post, 5 feet high at corner of fence around Friendswood Academy;	ariand road.		
painted "U. S. B. M. 523"; chiseled square on top of post, eleva- tion 37.50 feet.  Friendswood, 0.9 mile northwest of, 100 feet northwest of entrance to farmyard, 25 feet northeast of center of road; 6 inches west of	29 31 41.26	95 11 59.65	4,655
telephone pole painted "U.S.B.M.524"; copper nail in hub, elevation 32.24 feet. Friendswood, 2.35 miles northwest of, 30 feet south of crossroads, 3 feet north of corner fence post; iron poststamped "Prim. Trav.	29 32 13.62	95 12 38.69	4,752
Sta. No. 216, 1915," elevation 41.855 feet.———————————————————————————————————	29 32 49.61	95 13 54.71	7,635
B. M. 525"; copper nail in root, elevation 43.41 feet	29 32 51.79	95 14 40.13	4,017
Near Genoa and Webster	•	,	
Genoa, 1.75 miles southeast of, top of vertical section rail; chiseled cross (C. & G. S. B. M. M. 16), elevation, 43.573 feet			
Genoa, 1.75 miles southeast of, top of vertical section rail; chiseled cross (C. & G. S. B. M. M. 16), elevation, 43.573 feet			·····
angle in road, 6 inches north of telephone pole; copper nail in hub painted "U. S. 27.4 B. M. 521," elevation, 27.38 feet Genoa, about 3.5 miles southwest of, at south edge of prairie, 800 feet north of edge of timber, on fence line, 18 inches southwest of fence post; wire nail in hub painted "U. S. 33.9 B. M.," elevations of the southwest of fence post; wire nail in hub painted "U. S. 33.9 B. M.," elevations of the southwest of fence post; wire nail in hub painted "U. S. 33.9 B. M.,"			•••••
fence post; wire nail in hub painted "U. S. 33.9 B. M.," elevation, 33.90 feet			
		!	

