DEPARTMENT OF THE INTERIOR FRANKLIN K. LANE, Secretary

ħ

UNITED STATES GEOLOGICAL SURVEY GEORGE OTIS SMITH, Director

Bulletin 691

CONTRIBUTIONS TO ECONOMIC GEOLOGY

(SHORT PAPERS AND PRELIMINARY REPORTS)

1918

PART II.---MINERAL FUELS

DAVID WHITE, G. H. ASHLEY, AND M. R. CAMPBELL GEOLOGISTS IN CHARGE



JANCELLED,

WASHINGTON GOVERNMENT PRINTING OFFICE 1919

c • ₹ · . e r ۰ · · · · 1 . ß • ا ار ، •

•

CONTENTS. [The letters in parentheses preceding the titles are those used to designate the papers for advance

publication.]

•		Page.
	(A) The structure of parts of the central Great Plains, by N. H. Darton (pub-	1 050.
	lished Apr. 2, 1918)	1
	(B) Oil shale of the Uinta Basin, northeastern Utah, by D. E. Winchester	
	(published Apr. 30, 1918)	27
	(B) Results of dry distillation of miscellaneous shale samples, by D. E. Win-	
1	chester (published Apr. 30, 1918)	51
>	(C) Geologic structure of the northwestern part of the Pawhuska quadrangle,	
	Oklahoma, by K. C. Heald (published Feb. 7, 1918)	57
ž	$_{p}$ (D) Geology and oil and gas prospects of the Lake Basin field, Montana, by E.	
	T. Hancock (published July 17, 1918)	101
17	(E) Oil and gas geology of the Birch Creek-Sun River area, northwestern Montana, by Eugene Stebinger (published 1919)	149
	(F) Anticlines in a part of the Musselshell Valley, Musselshell, Meagher, and	110
ź	Sweetgrass Counties, Mont., by C. F. Bowen (published 1919)	185
1	(G) The Nesson anticline, Williams County, N. Dak., by A. J. Collier (pub-	
	lished Aug. 15, 1918)	211
	(H) Geology and oil prospects of the Salinas Valley-Parkfield area, California,	
	by W. A. English (published June 18, 1918)	219
1	(I) The Santo Tomas cannel coal, Webb County, Tex., by G. H. Ashley (pub-	051
•	(J) Asphalt deposits and oil conditions in southwestern Arkansas, by H. D.	251
	Miser and A. H. Purdue (published Aug. 16, 1918)	271
	(K) Coal south of Mancos, Montezuma County, Colo., by A. J. Collier (pub-	211
₩-	lished Feb. 24, 1919)	293
	(L) Geology of the Lost Creek coal field, Morgan County, Utah, by F. R. Clark	
	(published Feb. 26, 1919)	311
	(M) Structure and oil resources of the Simi Valley, southern California, by	
	W. S. W. Kew (published Apr. 9, 1919)	323
	Index	349

ILLUSTRATIONS.

•	Page.
PLATE I. Map of central Great Plains	3
II. Outcrop of chalk of Niobrara formation in southwestern part of	
Shannon County, S. Dak	12
III. Diagram showing structure of parts of Fall River and Shannon	
counties, S. Dak	14
IV. Sections across southeastern Colorado	22
V. A, Asphaltic sandstone near Watson, Utah; B, Concretionary sand-	
stone, Uinta County, Utah	30
VI. A, Desolation Canyon of Green River, Utah; B, Gilsonite vein	
below oil shale near Watson, Utah	31
III	

\mathbf{CO}	N	TE	N	т	S
---------------	---	----	---	---	---

(

PLATE VII.	A, Green River formation on north side of Argyle Canyon, Utah;	Page.
	B, Green River formation on west side of Parachute Creek, Colo	32
VIII.	Fossil vegetable matter of oil shale of Green River formation (gen-	
	eral views)	34
IX.	Fossil vegetable matter of oil shale of Green River formation (de-	
	tailed views)	35
	A, Oil shale northeast of Watson, Utah; B, Thin-bedded oil shale	40
XI.	Abandoned shale retort near Juab, Utah	41
XII.	Map showing distribution of oil shale in Uinta Basin, Utah. In po	ocket.
XIII.	Map of a portion of the Pawhuska quadrangle, Okla., showing	
*****	topography and structure.	58
$\mathbf{X}\mathbf{I}\mathbf{V}$.	Records of wells drilled in the northwest corner of the Pawhuska	
•	quadrangle, Okla., compared with the upper portion of the	•
	record of the Caney deep well and the general stratigraphic sec- tion of the Pennsylvanian rocks in the Independence quad-	
	rangle, Kans	69
vv	Records of deep wells at Caney, Neodesha, and Iola, Kans., show-	62,
Δ.Υ.	ing the character of the upper part of the pre-Pennsylvanian	
	 rocks of southeastern Kansas. 	76
XVI.	Geologic map of Lake Basin field, Mont In po	
	Stratigraphic sections in north-central Wyoming and south-central	·CACO.
	Montana, showing the principal sands in the Colorado shale and	
	the sands that yield oil and gas In po	cket.
XVIII.	Diagrammatic representation of the nonpersistence of lithologic	
	units in the Lake Basin field, Mont	114
XIX.	A, False-bedded Eagle sandstone cut off by a fault in the SE. $\frac{1}{4}$	
	sec. 23, T. 3 N., R. 22 E., Mont.; B, The Judith River formation	
	as it is exposed in the very much dissected area $1\frac{1}{2}$ miles south	
	of Acton, Mont	116
XX.	A, Sandstone at top of ridge in Bearpaw shale near section line	
	between secs. 33 and 34, T. 2 N., R. 21 E., Mont.; B, Basal	
	portion of ridge-forming sandstone in Bearpaw shale near middle	100
37371	of sec. 35, T. 2 N., R. 21 E., Mont	122
AA1.	A, View looking southeast from point of Eagle sandstone near the northeast corner of sec. 9, T. 3 N., R. 20 E., Mont.; B,	
	Northward-sloping hillside where fault cuts through the Eagle,	
	Claggett, and Judith River sandstones into Hailstone Basin,	
	Mont	138
XXII.	A, Small thrust fault in Eagle sandstone in the SE. $\frac{1}{4}$ sec. 18, T.	
	3 N., R. 23 E., Mont.; B, Fault in southwest corner of sec. 7,	
	T. 2 N., R. 24 E., Mont.	140
XXIII.	Faulted anticline of Eagle sandstone, looking southeast from a	
	point on the sandstone in the Bearpaw shale in the northwest	•
	corner of sec. 16, T. 2 N., R. 25 E., Mont	142
XXIV.	Geologic map and sections of Birch Creek-Sun River area,	
~~~~	Mont In po	ocket.
XXV.	Geologic map and sections of a part of the Musselshell Valley,	<b>.</b> .
3737377	Mont In po	ocket.
AX V 1.	Structure map of the Nesson anticline, Williams County, N. Dak.,	
	and sections showing lignite beds of the Fort Union formation exposed near the anticline	212
XXVII	Geologic map of middle Salinas Valley, Cal In po	
	Geologic map of Parkfield district, Cal	220
	Sketch map of productive portion of Santo Tomas coal field,	
	Wehh County Tex	252

IV

CONTENTS.

	Page.
PLATE XXX. A, B, Physiographic features of Santo Tomas coal field, Tex XXXI. A, B, Views showing character of rocks in Santo Tomas coal field,	254
Tex	262
XXXII. A, B, Views of mines in Santo Tomas coal field, Tex	266
XXXIII. Geologic map of part of southwestern Arkansas, showing the loca-	
tion of the asphalt deposits on the north border of the Gulf	
Coastal Plain	272
XXXIV. Map showing the exposures of coal of Mesaverde age near Mancos, Colo	· 294
XXXV. A, View up Weber Canyon, Colo., from its junction with Mancos	
Canyon; B, View down Mancos Canyon, Colo., from Waters	
ranch, at the junction of Weber and Mancos canyons; $C$ , North	
end of Weber Mountain, Colo., from the lower slope of Menefee	
Mountain	296
XXXVI. A, Lone Cone and Point Lookout, near Mancos, Colo., from the	
Government road; B, Cliff House sandstone and Spruce Tree	
House, Mesa Verde, Colo.	297
XXXVII. Sections of the lower part of the Menefee formation, showing its	
variability	298
XXXVIII. Sections of Mesaverde coal beds, group A, near Mancos, Colo	[·] 300
XXXIX. Sections of Mesaverdo coal beds, groups B and C, near Mancos,	
Colo	302
XL. Geologic map of the Lost Creek coal field, Morgan County, Utah.	314
XLI. Geologic map of Simi Valley, Ventura County, Cal	328
XLII. Structure sections in Simi Valley, Cal	336
XLIII. Sketch map of Tapo oil field, Simi Valley, Cal.	340
XLIV. Logs of wells of the Doheny-Pacific Petroleum Co. and the Hidalgo	
Oil Co. along an approximately north-south line across the Simi	
anticline, Simi Valley, Cal	340
FIGURE 1. Sections showing underground relations of rocks along Atchison,	
Topeka & Santa Fe Railway between Strong and Ellinwood,	
Kans	<b>2</b>
2. Section showing underground relations of rocks in plateau north	
of Arkansas River between Spearville and Mansfield, Kans	6
3. Section showing underground relations of rocks along the Atchison,	
Topeka & Santa Fe Railway between Garden City and Medway,	
Kans	6
4. Diagram showing structure of Dakota sandstone in Syracuse and	_
Lakin quadrangles, Kans.	7
5. General section across Nebraska from Omaha to the Rocky Mountains.	9
6. Section along Republican Valley in southern Nebraska	11
7. Sketch section from Pine Ridge Agency, S. Dak., to Black Hills	13
8. Columnar sections of sedimentary rocks underlying South Dakota 9. Section from Black Hills through Fall River County, S. Dak., to	14
Pine Ridge, Nebr	14
10. Section across central South Dakota from the Sioux quartzite	14
region to the Black Hills.	15
11. Diagram showing structure under parts of Harding and Perkins	
counties, S. Dak	18
12. Section along Arkansas Valley from Pueblo to Canon City, Colo	20
13. Section showing relations of wells in Arkansas Valley from Holly to	
Thatcher, Colo	20
14. Diagram showing structure in the Apishapa quadrangle, Las Ani-	<b>.</b>
mas, Huerfano, Pueblo, and Otero counties, Colo	21

(

۷

đ

Ċ.

<u>،</u> ۱

L

		,	Pagé.
FIGURE		Map of the anticline on Old Woman Creek, Converse County, Wyo. Section across the anticline on Old Woman Creek, Converse County,	24
		Wyo	2 <b>5</b>
	17.	Ideal section to show relations of flexures in an older formation,	
		under a monocline of younger rocks	<b>26</b>
	18.	Syncline in older strata persisting, although considerably flattened	
		by a flexure that developed an anticline or dome in the overly-	
		ing younger rocks	26
	19.	Diagram illustrating processes of manufacture in the Scottish	
		mineral-oil industry	44
		Index map of Oklahoma	58
	21.	Hypothetical section illustrating the terracing in the northwestern	
		part of the Pawhuska quadrangle, Okla	59
	22.	Generalized stratigraphic section showing rocks exposed in north-	
	•••	western part of Pawhuska quadrangle, Okla	61
		Cross section illustrating lenticularity of sandstone beds	62
	24.	Sketch of rock fragment showing characteristic shapes of Cryptozoa	<b></b>
	0r	in the Cryptozoon-bearing limestone	65
	25.	Sketch illustrating conditions observed in railroad cut between	05
	90	Pearsons Switch and Blackland, Okla Hypothetical cross section showing changes in the stratigraphy	65
	20.	that would make observations on the outcrops of beds of small	
		value	77
	97	Cross section showing possible position of anticline below valley	71
	21.	and of syncline below hill	77
	28.	Sketch illustrating the importance of contouring lower bed rather	••
		than upper bed when determining structure	79
	29.	Structure contours representing a small anticline, based on 10 ele-	
		vations	81
	30.	Structure contours representing a small syncline, based on the same	
	01	group of elevations that was used in figure 29	. 81
	31.	Key map showing relation of Lake Basin field, Mont., to major structural features of the region	134
	29	Index map showing position of Birch Creek-Sun River area, Mont.	154
		Columnar section of portions of Kootenai formation and Colorado	101
	00.	shale	158
	34.	Diagram illustrating three types of structure produced by reverse	100
		dips on a monocline	170
	35.	Index map showing location of the Salinas Valley-Parkfield	
		area, Cal	222
		Geologic map of Pleyto oil district, Cal.	<b>241</b>
	37.	Map showing general position of the Santo Tomas coal field, Webb	
	00	County, Tex.	253
	20.	Sections showing general stratigraphy of the Santo Tomas coal field, Tex.	261
	39	Detailed sections of rocks exposed in Santo Tomas goal field, Tex.,	201
	00.	as measured in outcrop	264
	40.	Sections of Santo Tomas coal bed	265
		Sections of San Pedro coal bed.	266
		Map of Colorado showing the location of the coal field south of Man-	
		cos, Montezuma County, and coal-mining centers in adjacent	
		counties	293
		General view of the mountain tops near Mancos, Colo	294
		Index map showing location of Lost Creek coal field, Utah	312
	45.	Index map of a part of California, showing oil fields discussed in	324
		reports published by the United States Geological Survey	J24

### CONTRIBUTIONS TO ECONOMIC GEOLOGY, 1918.

#### PART II. MINERAL FUELS.

# DAVID WHITE, G. H. ASHLEY, and M. R. CAMPBELL, Geologists in charge.

#### INTRODUCTION.

The Survey's "Contributions to economic geology" have been pubished annually since 1902. In 1906 the increase in the number of papers coming under this classification made it necessary to divide the contributions into two parts, one including papers on metals and nonmetals except fuels and the other including papers on mineral fuels. In 1915 the year included in the title was changed from the year in which the field work reported in these papers was done to the year of publication, and in consequence there was no volume entitled "Contributions to economic geology, 1914." The subjoined table gives a summary of these bulletins.

, Date in title.	Date of publica- tion.ª	Bulletin No.	Date in title.	Date of publica- tion.ª	Bulletin No.
1902	1904 1905 1906 1907 1907 1908 1909 1909 1910 1910 1911	213 225 280 285 315 340 340 381 380 381 430 431 470 471	1911, Part I.         Part II.         1912, Part I.         Part J.         1913, Part I.         Part II.         1915, Part I.         Part II.         1916, Part I.         Part II.         1917, Part I.         1917, Part I.         Part II.         1918, Part I.         Part II.         1917, Part I.         Part II.         1918, Part I.	1914 1915 1915 1916 1916 1917 1917 1918 1918	530 531 540 541 580 621 640 641 660 661 690 891

United States Geological Survey "Contributions to economic geology."

a The date given is that of the complete volume: beginning with Bulletin 285 the papers have been issued as advance chapters as soon as they were ready.

As the subtitle indicates, the papers included in these volumes are of two classes—(1) short papers giving comparatively detailed descriptions of occurrences that have economic interest but are not

VII

of sufficient importance to warrant a more extended description; (2) preliminary reports on economic investigations the results of which are published later in more detailed form. These papers are such only as have a direct economic bearing, all topics of purely scientific interest being excluded.

Brief abstracts of the publications of the year are given in the annual report of the Director. The complete list of Survey publications affords, by means of finding lists of subjects and of authors, further aid in ascertaining the extent of the Survey's work in economic geology.

The reports on work in Alaska have been printed in a separate series since 1904, the volumes so far issued being Bulletins 259, 284, 314, 345, 379, 442, 480, 520, 542, 592, 622, 642, and 662.