

DELAWARE.

PRIMARY TRAVERSE.

Cape Henlopen, Cedar Creek, Harrington, Millsboro, and Rehoboth quadrangles.

KENT AND SUSSEX COUNTIES.

The following geographic positions on North American datum are based upon U. S. Coast and Geodetic Survey triangulation stations and U. S. Geological Survey primary traverse positions in this locality.

The work was done by J. H. Wilson in 1917.

For additional geographic positions in Delaware, see U. S. Geological Survey Bulletins 181, 245, and 496, and U. S. Coast and Geodetic Survey Report for 1893, Part II. The U. S. Coast and Geodetic Survey also has many unpublished data.

CAPE HENLOPEN QUADRANGLE.

Near Broad Kiln Creek.

Station.	Latitude.	Longitude.	Distance between stations.
	° ' "	° ' "	<i>Fect.</i>
Broad Kiln Creek, 0.75 mile southeast of drawbridge over, at road forks south, on east side of road, 1 foot from fence around small chicken yard; iron post stamped "Prim. Trav. Sta. No. 6, 1917".....	38 47 05.4	75 14 27.8
Road crossing on north-south road; 310 feet east is crossing on east-west road.....	38 46 09.9	75 14 19.9	5,653

CEDAR CREEK QUADRANGLE.

East along highways near north border of quadrangle.

Station.	Latitude.	Longitude.	Distance between stations.
	° ' "	° ' "	<i>Fect.</i>
Browns Branch, center of bridge over.....	38 58 55.4	75 28 49.4
Postles schoolhouse, 1,600 feet south of; road fork to west.....	38 58 42.6	75 27 05.7	8,294
Postles schoolhouse, 0.5 mile north of; road south.....	38 59 22.4	75 26 49.5	4,220
Crossroads.....	38 59 40.6	75 25 26.0	6,847
Thompsonville, at northwest corner of Thompson's store; iron post stamped "Prim. Trav. Sta. No. 4, 1917".....	38 59 57.5	75 23 23.6	9,808
Crossroads.....	38 59 27.9	75 22 17.4	6,027
Road forks.....	38 59 48.1	75 21 28.7	4,351
Stone triangulation station on beach of Delaware Bay, in Kent County, on land of William McColly, 10 miles from town of Milford and 8 miles from Frederica. Station mark: Two joints of drain tile, each 3 feet long and 5 inches in diameter, one above the other, and filled with concrete. Distance from center of station to about high-water mark, 227 feet; distance from station to northwest corner of Ben Needle's house, 750 feet (paced); distance from station to northwest corner of Charles Macklin's house, 234.8 feet.....	39 00 03.70	75 19 40.87	8,660
NOTE.—Station is buried under 1 foot of sand. A piece of an old cookstove was placed over the station as a guide for topographers. (U. S. C. & G. S. station.)			

TRIANGULATION AND PRIMARY TRAVERSE, 1916-1918.

CEDAR CREEK QUADRANGLE—Continued.

East along Pennsylvania Railroad from Harrington to Milford.

Station.	Latitude.	Longitude.	Distance between stations.
	° ' "	° ' "	Feet.
Road crossing.....	38 55 04.2	75 29 33.9
Road crossing, 870 feet west of milepost 6.....	38 55 09.9	75 28 28.8	5,150
Road crossing.....	38 55 08.7	75 27 44.9	3,475
Road crossing.....	38 55 02.4	75 26 58.5	3,722
Road crossing.....	38 54 54.7	75 26 37.4	1,840
Milford, road crossing at depot, between tracks.....	38 54 39.7	75 25 58.5	3,431

South along Pennsylvania Railroad from Milford to Redden.

Road crossing, 630 feet south of milepost 9.....	38 53 57.9	75 25 35.4	4,606
Road crossing, second class, 270 feet north of milepost 10.....	38 53 15.2	75 25 26.8	4,373
Lincoln City, road crossing just south of depot.....	38 52 09.0	75 25 27.0	6,700
Road crossing.....	38 49 56.8	75 25 26.5	13,380
Ellendale, crossing of Pennsylvania and Maryland, Delaware & Virginia railroads.....	38 48 17.8	75 25 23.8	10,010
Milepost 17; center of track.....	38 47 07.5	75 25 21.9	7,120
Robbins, road crossing at depot.....	38 45 43.8	75 25 19.6	8,470
Road crossing.....	38 45 00.3	75 25 18.4	4,400
Redden, 25 feet from northeast corner of station, 57 feet east of center of railroad track, 12 feet south of center of public road; iron post stamped "Prim. Trav. Sta. No. 8, 1910".....	38 44 30.6	75 25 05.5	3,174

East along Maryland, Delaware & Virginia Railway to Ellendale.

Oakley, road crossing at depot.....	38 48 16.5	75 29 19.2
Road crossing.....	38 48 16.9	75 28 04.0	5,950
Road crossing.....	38 48 17.2	75 27 25.6	3,035
Road crossing.....	38 48 17.6	75 26 06.8	6,235
Ellendale, crossing of Pennsylvania and Maryland, Delaware & Virginia railroads.....	38 48 17.8	75 25 23.8	3,400

Southeast along highways and Maryland, Delaware & Virginia Railway in southeastern part of quadrangle.

Lincoln City, road crossing just south of depot.....	38 52 09.0	75 25 27.0
Road forks, 1.25 miles east of Lincoln City.....	38 52 15.3	75 24 00.0	6,918
Road forks, in line with roads northwest and northeast.....	38 51 43.3	75 23 18.0	4,628
Anderson's crossroads, 3.5 miles southeast of Lincoln City, on Milford-Milton road, in southwest corner; iron post stamped "Prim. Trav. Sta. No. 5, 1917".....	38 51 23.0	75 22 13.3	5,519
Calhoun schoolhouse, crossroads just southeast of.....	38 50 37.0	75 21 37.6	5,441
Crossroads, Bennett's mail box is in northeast corner.....	38 50 03.6	75 20 45.5	5,333
T road south, 500 feet east is road northwest.....	38 49 56.7	75 19 38.9	5,316
Waplesold mill, 1,400 feet north of, in center of triangle at road forks; large hickory tree.....	38 49 47.0	75 18 30.2	5,525
T road, east, 250 feet south is road west.....	38 48 57.9	75 18 17.4	5,072
Mail box of John C. Lofland; in center of road forks.....	38 49 12.5	75 17 20.2	4,761
Cades Branch, bridge over.....	38 48 46.0	75 16 56.4	3,275
Zion Church, 0.5 mile east of, at end of drawbridge; center of triangle at road forks.....	38 48 20.5	75 16 16.6	4,079
Broad Kiln Creek, center of drawbridge over.....	38 47 28.7	75 15 04.9	7,725
Beaver Dam Creek, west end of railroad trestle over.....	38 46 10.4	75 15 22.5
Road crossing.....	38 46 11.0	75 16 23.7	4,850
Road crossing at brick yard.....	38 46 11.3	75 17 04.6	3,240
Road crossing, northwest and southeast road.....	38 46 11.6	75 17 40.0	2,800
Milton, road crossing at depot.....	38 46 12.2	75 18 48.5	5,425
Milton, 0.5 mile south of, four corners.....	38 45 55.5	75 18 57.0	1,820

Magnetic declination near north border of quadrangle, 7° 30' W.; for southeast part of quadrangle, 7° 14' W.

HARRINGTON QUADRANGLE.

Southeast along highways near north border of quadrangle.

Station.	Latitude.	Longitude.	Distance between stations.
Kent triangulation station; station is in Kent County, about 1 mile north of the Hollandville post office. It is on farm of Llewellyn Dill, in the potato patch just back or east of the apple orchard and within 75 feet of the cattle pound and barn. Tripod 125 feet high.....	38 59 37.33	75 40 42.62	Feet.
Hollandville, 300 feet northeast of road west; road southeast.....	38 59 07.8	75 39 59.2	4,543
Hollandville, 1.80 miles southeast of, at road forks; center of triangle.....	38 58 12.4	75 38 16.6	9,856
Maston's Corners, 190 feet west of crossroads, at northwest corner of schoolhouse yard; iron post stamped "Prim. Trav. Sta. No. 1, 1917".....	38 58 07.3	75 37 01.6	5,950
William Paskey's mail box; T road north at.....	38 58 32.1	75 36 15.7	4,406
Maston's Corners, 1.60 miles southeast of, at road forks, 20 feet west of mail box, in line with road south; on telephone pole.....	38 58 32.0	75 35 23.2	4,147
Maston's Corners, 2.30 miles east of, at colored schoolhouse, railroad crossing; southbound track.....	38 58 59.1	75 34 46.6	3,985

Along Pennsylvania Railroad.

Milepost 36, railroad crossing; southbound track.....	38 58 19.2	75 34 45.4	4,040
Harrington, 1.50 miles north of, railroad crossing; southbound track.....	38 56 58.2	75 34 42.8	8,199
Harrington, at south end of depot platform; crossing of southbound track.....	38 55 24.6	75 34 39.7	9,480
Milepost 32, at second-class crossing; southbound track.....	38 54 50.6	75 34 38.6	3,440
Milepost 32, 1.20 miles south of, at road crossing; southbound track.....	38 53 48.2	75 34 36.6	6,316
Farmington, 1.20 miles north of; railroad crossing.....	38 53 15.1	75 34 35.5	3,555
Farmington, just north of depot, at road crossing; southbound track.....	38 52 09.7	75 34 47.1	6,481
Farmington, 1 mile south of, at road crossing; northbound track.....	38 51 20.3	75 34 57.4	5,066
Farmington, 2.10 miles south of, at second-class road crossing; northbound track.....	38 50 15.7	75 35 11.1	6,626
Greenwood, 1.80 miles north of, at Kent-Sussex county line; northbound track.....	38 50 04.5	75 35 13.5	1,156
Greenwood, 1 mile north of, at road crossing; northbound track.....	38 49 08.1	75 35 25.4	5,780
Greenwood, junction of Pennsylvania Railroad and Maryland, Delaware & Virginia Railway.....	38 48 32.0	75 35 33.0	3,709
Greenwood, 1.50 miles south of, at road crossing; northbound track.....	38 47 18.4	75 35 48.6	7,541
Greenwood, 2.60 miles south of, at second-class road crossing; northbound track.....	38 46 21.6	75 36 00.6	5,831
Bridgeville, 1.40 miles north of, at road crossing; northbound track.....	38 45 40.7	75 36 09.2	4,195
Bridgeville, 0.70 mile north of, 800 feet north of yard-limit sign, at road crossing; northbound track.....	38 45 07.1	75 36 16.3	3,445
Bridgeville, at railroad station, in doorstep of ladies' waiting room; copper bolt (Pennsylvania Railroad bench mark).....	38 44 31.30	75 36 23.60	3,673

West along highways through center of quadrangle.

T road north.....	38 51 50.4	75 35 47.7
J. P. Griffith's mail box, road south at.....	38 51 34.7	75 36 44.1	4,734
Andrewville, at southwest corner of crossroads; iron post stamped "Prim. Trav. Sta. No. 2, 1917".....	38 51 41.5	75 38 08.4	6,704
Marsh Hope Creek, center of bridge over.....	38 52 10.7	75 39 00.0	5,034
T road southwest.....	38 52 19.8	75 39 17.6	1,673
T road east; center of triangle.....	38 51 52.1	75 40 43.3	7,331
Road forks.....	38 51 43.2	75 40 54.5	1,259
Big Pine, center of crossroads.....	38 51 02.7	75 41 42.4	5,582
Public forks, road north at.....	38 50 56.5	75 42 33.4	4,077
Maryland-Delaware State line, 18 feet west of center of crossroads (State line road belongs to Delaware).....	38 50 48.5	75 43 28.1	4,402
Mail box 57, center of crossroads at (in Maryland).....	38 51 25.1	75 44 02.1	4,585
T road north (in Maryland).....	38 51 27.6	75 45 26.2	6,654
Hobbs, Md., railroad crossing at depot (B. 245).....	38 51 35.60	75 47 06.10	7,942

HARRINGTON QUADRANGLE—Continued.

East along highways near north border of quadrangle.

Station.	Latitude.			Longitude.			Distance between stations.
	°	'	"	°	'	"	
Railroad crossing (sta. 32, previously tabulated).....	38	53	59.1	75	34	46.6
Rice's schoolhouse; T road south at.....	38	59	02.4	75	34	16.0	2,434
Chimney Hill; T road northwest at.....	38	59	26.4	75	32	38.7	8,059
Killeen's mill; bridge over mill race at.....	38	58	57.3	75	31	50.4	4,815
Crossroads.....	38	58	31.1	75	31	36.8	2,867
Law's Church and schoolhouse, crossroads at, in center of triangle; iron post stamped, "Prim. Trav. Sta. No. 3, 1917".	38	58	42.4	75	30	03.3	7,465

East along Pennsylvania Railroad from Harrington.

Harrington, railroad crossing.....	38	55	24.55	75	34	39.73
Milepost 1, second-class road crossing at.....	38	54	53.8	75	33	49.6	5,040
Milepost 2, about 400 feet east of, road crossing.....	38	54	56.6	75	32	38.5	5,630
Road crossing.....	38	55	00.8	75	30	56.6	8,065
Houston, road crossing at depot.....	38	55	02.3	75	30	19.2	2,955

East along Maryland, Delaware & Virginia Railway from Greenwood.

Greenwood, railroad junction at (previously tabulated).....	38	48	31.96	75	35	33.02
Road crossing.....	38	48	21.1	75	34	33.0	4,876
Road crossing.....	38	48	15.0	75	33	36.2	4,535
Road crossing.....	38	48	15.2	75	32	48.4	3,780
Owens, road crossing at station.....	38	48	15.7	75	31	40.8	5,350
Road crossing.....	38	48	16.2	75	30	06.6	7,460

Magnetic declination near north border of quadrangle, $7^{\circ} 19' W.$; through center of quadrangle, $7^{\circ} 07' W.$; for east part of north border of quadrangle, $7^{\circ} 20' W.$

REHOBOTH QUADRANGLE.

East along highways through center of quadrangle.

Station.	Latitude.			Longitude.			Distance between stations.
	°	'	"	°	'	"	
T road south; W. Burton's mail box at.....	38	36	12.4	75	13	51.7
Road forks at road southeast, center of triangle of roads, elevation "21" marked on telephone pole.....	38	36	20.4	75	13	22.4	2,460
T road southeast.....	38	36	24.8	75	12	41.9	3,237
Harmon schoolhouse, crossroads at, 42 feet west of tree marked "21".....	38	36	52.2	75	12	09.6	3,773
Steele's store (old Trinity post office), T lane east at.....	38	37	23.7	75	11	16.5	5,285
Wines crossroads, in center of triangle; iron post stamped "Prim. Trav. Sta. No. 8, 1917".....	38	37	56.9	75	10	55.5	3,755
Road forks, center of timbered triangle formed by roads.....	38	37	42.3	75	09	39.0	6,236
Road forks, 0.5 mile southeast of Wilson's store, Tingle's mail box.....	38	37	20.0	75	08	13.3	7,165
Road south.....	38	37	27.6	75	07	11.1	4,992
Massey triangulation station. Station is on the north side of a wooded ridge on Indian River Neck, on land owned by C. E. Massey, and southwest from the old farmhouse of Peter J. Massey. It may be reached from Rehoboth or Ocean View by water or from the railroad by land. Station mark is a copper triangulation station mark set in cement 3 feet below the surface, and above it is a concrete block, in which is set a 1-inch galvanized-iron pipe 18 inches long, in which is fastened a copper triangulation mark. Reference marks: (1) is cement post with bottle to mark center, 11.335-meters; (2) is cement post with circle and nail to mark center, 13.930 meters.....	38	37	30.30	75	06	12.77	4,634

REHOBOTH QUADRANGLE—Continued.

East along highways near south border of quadrangle.

Station.	Latitude.	Longitude.	Distance between stations.
Frankford, southwest corner of First National Bank building, just above sidewalk; aluminum tablet stamped "Prim. Trav. Sta. No. 7, 1910, 37, 1908"	° ' " 38 31 03.70	° ' " 75 14 07.40	Feet.
Frankford, at east town limits, road forks, just north of school-house.....	38 31 14.9	75 13 39.4	2,493
Road forks.....	38 31 33.0	75 12 59.1	3,693
Omar, northeast corner of Methodist Episcopal Church; iron post stamped "Prim. Trav. Sta. No. 7, 1917".....	38 31 39.6	75 12 01.6	4,613
Road forks at road east.....	38 31 57.9	75 11 28.2	3,236
Crossroads at mail box, painted "61".....	38 32 03.5	75 10 40.7	3,810
Blackwater Creek, culvert crossing; center of road over.....	38 32 08.8	75 09 55.7	3,610
Crossroads, center of, at Layton's mail box, No. 10.....	38 32 15.2	75 08 59.4	4,521
T road north.....	38 32 22.4	75 07 52.2	5,388
Road forks at blacksmith shop.....	38 32 25.7	75 07 04.9	3,766
Millville, Dukes & Holloway's store; T road south.....	38 32 51.2	75 06 47.4	2,933
Road forks.....	38 32 33.0	75 06 05.7	3,780
Bethel Church, at Ocean View; C. & G. S. triangulation station.....	38 32 37.97	75 05 30.65	2,827

Magnetic declination near south border of quadrangle, 6.7° W.

MILLSBORO QUADRANGLE.

From Millsboro along highways to east border of quadrangle.

Station.	Latitude.	Longitude.	Distance between stations.
Millsboro Trust & Safe Deposit Co's brick building, in front face, on right of door, 1 foot above ground; aluminum tablet stamped "Prim. Trav. Sta. No. 11, 1910, 27".....	° ' " 38 35 25.6	° ' " 75 17 32.0	Feet.
Millsboro: center of bridge over Indian River.....	38 35 41.0	75 17 28.9	1,577
Road forks, at Richmond Stone Company's sign board.....	38 36 03.7	75 16 56.1	3,472
Road forks, 40 feet northwest of fence post, painted "X 25"....	38 36 05.1	75 16 16.2	3,168

Magnetic declination for east border of quadrangle, 7° W.

MARYLAND.

PRIMARY TRAVERSE AND PRIMARY LEVELING.

Gunpowder quadrangle.

HARFORD COUNTY.

Positions are based on latitudes and longitudes of Piney Point (2), Lego Point (2), and Maxwell Point (2), triangulation stations of the U. S. Coast and Geodetic Survey, North American Datum. The primary traverse was done by C. F. Urquhart in 1917-18.

Elevations are based on heights of Baltimore & Ohio Railroad bench marks Nos. 58A and 63A, near Van Bibber.

Primary leveling was done by H. S. Senseney in 1918. Each permanent station mark and bench mark is a bronze tablet set in a cement post 6 inches square on top and 4 feet long embedded 3½ feet in the ground.

For additional geographic positions in Maryland, see U. S. Geological Survey Bulletins 122, 181, 201, 245, 276, 440, 496, 644-K, and Part I of the 20th and 21st Annual Reports.

The U. S. Coast and Geodetic Survey has many unpublished data.

GUNPOWDER QUADRANGLE—Continued.

Along Baltimore & Ohio Railroad.

Station.	Latitude.	Longitude.	Distance between stations.
Van Bibber, 0.5 mile west of, in east end of south coping of east abutment of bridge 19A; copper bolt (B. & O. R. R. b. m. 68A). Elevation, 40.418 feet.	° ' "	° ' "	Feet.
McComas, opposite signboard, westbound track; top of north rail. Elevation, 61.1 feet.			
Clayton, opposite station, side track; top of south rail. Elevation, 95.3 feet.			
Joppa, opposite station, westbound track; top of north rail. Elevation, 86.7 feet.			
Bradshaw, opposite station, westbound track; top of north rail. Elevation, 41.0 feet.			
Big Gunpowder bridge, in east end of south coping; copper bolt (B. & O. R. R. b. m. 58A). Elevation, 63.900 feet.			

Along highways from Van Bibber to Edgewood, thence along Pennsylvania Railroad to Magnolia, thence north to Baltimore & Ohio Railroad, thence northeast along same to point of beginning.

Edgewood, about 1 mile north of, 40 feet south of T road west, east side of road, in root of stump; copper nail and washer (not marked). Elevation, 87.49 feet.			
Milepost 75, 390 feet south of, east coping of box culvert; copper bolt (P. R. R. b. m. 72). Elevation, 20.80 feet; adjusted elevation, 20.899 feet.			
Milepost 76, 75 feet north of, southwest coping of box culvert; copper bolt (P. R. R. b. m. 73). Elevation, 36.900 feet.			
Edgewood, 1.4 miles southwest of, at midway post, 75 feet south of guardhouse, 35 feet east of second-class road, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 56, 1918, 41." Elevation, 41.068 feet. (Distance from station 57.)	39 24 22.07	76 18 53.00	1,418.3
Magnolia, 210 feet southeast of railroad crossing, 60 feet southwest of road, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 2, 1918, 20." Elevation, 20.086 feet.	39 24 04.69	76 19 34.19	1,478.5
Magnolia, 1.2 miles north of, at southeast corner of crossroads, in root of tree; copper nail and washer (not marked). Elevation, 100.83 feet.			
Magnolia, 1.8 miles north of, west side of road, at road forks, 12 feet north of gate, in root of tree; copper nail and washer (not marked). Elevation, 115.00 feet.			
Clayton, opposite station; top of south rail. Elevation, 95.3 feet.			

Along highways from Edgewood to Rickett Point (double-run lines between bench mark 9 and Rickett Point).

Edgewood, 230 feet southeast of railroad crossing, on the reservation line, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 25, 1918, 38." Elevation, 37.720 feet. (Distance from station 23.)	39 24 54.51	76 17 36.08	2,095.1
Edgewood, 0.45 mile south of, 30 feet west of stone road, 20 feet north of second-class road, at edge of woods, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 23, 1918, 34." Elevation, 33.625 feet. (Distance from station 22)	39 24 34.14	76 17 40.90	1,625.6
Edgewood, 0.7 mile south of, 80 feet east of stone road, 380 feet south of concrete culvert, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 22, 1918, 35." Elevation, 35.007 feet. (Distance from station 21)	39 24 21.70	76 17 27.75	2,152.9
Edgewood, 1.2 miles south of, 50 feet north by 30 feet east of forks of stone road, 420 feet south of narrow-gage railroad crossing, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 21, 1918, 27." Elevation 27.497 feet. (Distance from station 9)	39 24 00.45	76 17 27.15	2,520.5
Edgewood, 1.7 miles south of, in southwest corner of Flatiron Corners, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 9, 1918, 25." Elevation, 24.958 feet. (Distance from station 41)	39 23 35.54	76 17 26.52	1,551.9
Edgewood, 2.1 miles south of, 100 feet west of where road forks to Beach Point, at edge of field, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 10, 1918, 21." Elevation, 21.516 feet. (Distance from station 42)	39 23 13.30	76 17 22.00	1,597.2

GUNPOWDER QUADRANGLE—Continued.

Along highways from Edgewood to Rickett Point (double-run lines between bench mark 9 and Rickett Point)—Continued.

Station.	Latitude.	Longitude.	Distance between stations.
Edgewood, 2.5 miles south of, 0.3 miles south of where road forks to Beach Point, 25 feet east of road, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 11, 1918, 21." Elevation, 21,530 feet. (Distance from station 91).....	° ' " 39 23 00.88	° ' " 76 17 07.71	<i>Feet.</i> 1,892.7
Edgewood, 2.8 miles south of, on top of hill, 0.3 mile north of gate of road leading to Wilson Point, on east edge of road, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 12, 1918, 24." Elevation, 24,327 feet. (Distance from station 11).....	39 22 45.46	76 17 02.13	1,619.9
Edgewood, 3.1 miles south of, 8 feet south of gate of road leading to Wilson Point, east side of road, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 13, 1918, 20." Elevation, 19,887 feet. (Distance from station 12).....	39 22 30.94	76 17 07.48	1,527.5
Edgewood, 3.4 miles south of, about 0.25 mile west of Dove's Cove, 60 feet west of road, 30 feet east of house, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 14, 1918, 27." Elevation, 27,354 feet. (Distance from station 13).....	39 22 18.26	76 17 19.75	1,604.4
Edgewood, 3.8 miles south of, 300 feet southeast of yellow house, 50 feet west of road, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 15, 1918, 24." Elevation, 23,997 feet. (Distance from station 14).....	39 21 59.96	76 17 26.48	1,925.5
Edgewood, 4.2 miles south of, 40 feet west of road, 50 feet north of Maxwell Gate, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 16, 1918, 16." Elevation, 15,604 feet. (Distance from station 15).....	39 21 42.23	76 17 24.12	1,803.7
Maxwell Gate, 0.3 mile south of, 50 feet west of road, 50 feet south of old private road, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 126, 1918, 18." Elevation, 17,736 feet. (Distance from station 76).....	39 21 25.17	76 17 17.54	1,758.6
Maxwell Gate, 0.7 mile south of, 140 feet west of road, 15 feet north of rail fence, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 76, 1918, 31." Elevation, 30,846 feet. (Distance from station 78).....	39 21 09.99	76 17 06.63	1,637.9
Maxwell Gate, 1 mile south of, 140 feet west of road, 30 feet east of old house, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 77, 1918, 23." Elevation, 22,688 feet. (Distance from station 76).....	39 20 57.88	76 16 51.49	1,707.2
Maxwell Gate, 1.4 miles south of, 240 feet south of road to Bell Farm, 30 feet east of road, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 75, 1918, 23." Elevation, 22,721 feet. (Distance from station 77).....	39 20 48.97	76 16 31.84	1,786.7
Maxwell Gate, 1.7 miles south of, 20 feet east of road forks to Lego Point, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 93, 1918, 11." Elevation, 11,357 feet. (Distance from station 75).....	39 20 33.84	76 16 28.52	1,553.3
Maxwell Gate, 2.0 miles south of, 300 feet southwest of lane northwest to house, 20 feet northwest of road, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 94, 1918, 5." Elevation, 4,688 feet. (Distance from station 93).....	39 20 22.24	76 16 41.02	1,530.8
Maxwell Gate, 2.4 miles south of, 70 feet west of road, 140 feet northwest of old log house, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 95, 1918, 15." Elevation, 15,011 feet. (Distance from station 94).....	39 20 07.48	76 16 50.72	1,676.
Maxwell Gate, 2.7 miles south of, 20 feet west of road where road makes sharp turn to west, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 96, 1918, 12." Elevation, 12,055 feet. (Distance from station 95).....	39 19 52.96	76 16 51.38	1,470.3
Maxwell Gate, 3 miles south of, 600 feet north of G. W. Beal's old residence, 280 feet north of bend in road, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 97, 1918, 20." Elevation, 19,948 feet. (Distance from station 96).....	39 19 52.79	76 17 09.97	1,460.9
Maxwell Gate, 3.2 miles south of, 320 feet south of T lane west, 10 feet east of road, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 99, 1918, 24." Elevation, 23,638. (Distance from station 97).....	39 19 38.71	76 17 04.50	1,487.4
Maxwell Gate, 3.5 miles south of, 45 feet south of road forks, in line with road north, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 100, 1918, 14." Elevation, 13,825 feet. (Distance from station 99).....	39 19 23.15	76 16 54.52	1,758.9
Maxwell Gate, 3.9 miles south of, 170 feet southeast of bend in road, 25 feet southwest of rail fence, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 101, 1918, 31." Elevation, 31,165 feet. (Distance from station 100).....	39 19 08.50	76 17 01.85	1,590.1
Maxwell Gate, 4.4 miles south of, 18 feet west of road, about 0.25 mile south of marsh, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 102, 1918, 5." Elevation, 5,497 feet. (Distance from station 101).....	39 18 51.30	76 17 09.75	1,847.4

GUNPOWDER QUADRANGLE—Continued.

Along highways from Edgewood to Rickett Point (double-run lines between bench mark 9 and Rickett Point)—Continued.

Station.	Latitude.	Longitude.	Distance between stations.
Maxwell Gate, 4.8 miles south of, 30 feet south of gate across road, 12 feet west of road, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 103, 1918, 7." Elevation, 7,187 feet. (Distance from station 102).....	° ' " 39 18 30.24	° ' " 76 17 22.61	Feet. 2,358.6
Maxwell Gate, 5.2 miles south of, about 0.5 mile northeast of Rickett Point, about 700 feet east of house, 240 feet northeast of rail fence, 3 feet east of road, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 104, 1918, 14." Elevation, 13,993 feet. (Distance from station 103).....	39 18 12.83	76 17 33.40	1,955.2
Rickett Point, about 0.5 mile east of, on beach 20 feet north of high water, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 105, 1918, 5." Elevation, 5,258 feet. (Distance from station 106).....	39 18 00.32	76 17 23.72	2,032.6

Along highways from bench mark 9 via bench marks 38, 36, 33, etc., to bench mark 56.

Flatiron Corners, 0.3 mile southwest of, about 0.3 mile east of barracks, 60 feet north of road, on west side of large oak tree, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 41, 1918, 30." Elevation, 29,702 feet. (Distance from station 40).....	39 23 23.02	76 17 37.95	1,904.6
Edgewood Barracks, 870 feet west of barrack No. 1, north side of road, 150 feet southeast of two water towers, on west side of big locust tree, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 38, 1918, 34." Elevation, 33,602 feet. (Distance from station 39).....	39 23 15.79	76 18 22.91	1,408.0
Canal Creek, 0.25 mile east of mouth of, 50 feet north of beach, 6 feet south of road, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 37, 1918, 13." Elevation, 12,986 feet. (Distance from station 38).....	39 23 13.72	76 18 43.38	1,634.4
Canal Creek, 0.15 mile west of mouth of, 0.25 mile southeast of San Domingo Club, 100 feet south of road, 60 feet north of beach, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 36, 1918, 19." Elevation, 19,028 feet. (Distance from station 37).....	39 23 21.47	76 19 11.63	2,235.6
San Domingo Club, 420 feet northwest of, 50 feet northeast of lone pear tree, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 35, 1918, 38." Elevation, 38,423 feet. (Distance from station 34).....	39 23 35.77	76 19 24.84	1,803.0
Magnolia, about 0.4 miles southeast of, about 0.4 mile north of San Domingo Club, 320 feet east of road, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 33, 1918, 37." Elevation, 36,614 feet. (Distance from station 3).....	39 23 51.87	76 19 13.51	1,542.0
Magnolia, about 0.2 mile east of, 25 feet east of road south to San Domingo Club, north side of road, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 3, 1918, 36." Elevation, 36,143 feet. (Distance from station 4).....	39 24 07.02	76 19 15.59	1,595.4
Magnolia, about 0.5 mile east of, 200 feet southeast of farmhouse, north side of road, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 4, 1918, 41." Elevation, 41,065 feet. (Distance from station 5).....	39 24 10.84	76 18 55.86	1,706.4

From bench mark 100 via bench marks 113, 114, and 98 to bench mark 97.

Days Point, 0.8 mile southeast of, 110 feet southeast of house, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 113, 1918, 41." Elevation, 40,634 feet. (Distance from station 101).....	39 19 18.27	76 17 18.79	1,658.6
Days Point, 0.4 mile southeast of, about 0.25 mile southwest of house, 60 feet east of beach, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 114, 1918, 8." Elevation, 7,932 feet. (Distance from station 113).....	39 19 29.88	76 17 37.35	1,875.5
Days Point, 0.4 mile east of, 250 feet northeast of house; 20 feet north of northwest corner of corner, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 98, 1918, 26." Elevation, 26,322 feet. (Distance from station 97).....	39 19 44.28	76 17 29.65	1,770.4

GUNPOWDER QUADRANGLE—Continued.

From bench mark 94 to bench mark 127 (checked spur).

Station.	Latitude.	Longitude.	Distance between stations.
Watson Creek, 0.7 mile southeast of mouth of, about 0.4 mile northwest of house, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 127, 1918, 9." Elevation, 8.564 feet. (Distance from station 94.)	° ' " 39 20 32.35	° ' " 76 17 04.63	Feet. 2, 118.2

From bench mark 76 via bench marks 83 and 82 to bench mark 77.

Old Bell residence, 0.85 mile northwest of, about 0.25 mile west of Cooper Creek, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 83, 1918, 25." Elevation, 25.087 feet. (Distance from station 76.)	39 21 26.12	76 16 55.52	1,850.9
Old Bell residence, 0.50 mile northwest of, 0.2 mile west of Cooper Creek, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 82, 1918, 29." Elevation, 28.681 feet. (Distance from station 83.)	39 21 07.76	76 16 39.90	2,226.1

From bench mark 97 via bench mark 116 to bench mark 98.

Days Point, 0.6 mile northeast of, about 0.3 mile north of house, at edge of woods, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 118, 1918, 24." Elevation, 24.085 feet. (Distance from station 97.)	39 20 04.14	76 17 24.02	1,642.5
Days Point, 0.8 mile northeast of, on east side of old unused road through woods, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 117, 1918, 19." Elevation, 18.683 feet. (Distance from station 118.)	39 20 21.98	76 17 36.65	2,026.8
Days Point, 1.1 miles north of, 0.2 mile south of mouth of Watson Creek, 10 feet east of beach, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 116, 1918, 6." Elevation, 6.504 feet. (Distance from station 117.)	39 20 42.67	76 17 45.86	2,215.2
Days Point, 0.5 mile north of, 30 feet east of beach, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 115, 1918, 10." Elevation, 9.749 feet. (Distance from station 116.)	39 20 08.93	76 17 58.95	3,563.8

From Maxwell Gate to Maxwell Point (checked spur).

Maxwell Gate, 0.5 mile west of, 20 feet north of road, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 17, 1918, 9." Elevation, 8.612 feet. (Distance from station 16.)	39 21 31.76	76 17 53.90	2,567.9
Maxwell Gate, 0.9 mile west of, 30 feet north of road, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 18, 1918, 7." Elevation, 7.213 feet. (Distance from station 17.)	39 21 27.01	76 18 17.83	1,941.1
Maxwell Point, 1 mile southeast of, about 0.5 mile northwest of mouth of Watson Creek, 50 feet north of beach, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 80, 1918, 5." Elevation, 5.379 feet. (Distance from station 19.)	39 21 10.15	76 18 21.22	1,783.7
Maxwell Gate, 1.2 miles west of, 30 feet south of road, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 19, 1918, 6." Elevation, 6.056 feet. (Distance from station 18.)	39 21 21.64	76 18 38.44	1,707.7
Maxwell Gate, 1.6 miles west of, about 0.3 mile east of Maxwell Point, 30 feet north of lower road, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 20, 1918, 14." Elevation, 14.430 feet. (Distance from station 19.)	39 21 24.11	76 19 02.78	1,928.6

From bench mark 126 via bench marks 81, 79, and 78 to bench mark 76.

Maxwell Gate, 0.4 mile southwest of, 120 feet southeast of southeast corner of old Maxwell residence, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 81, 1918, 31." Elevation, 31.498 feet. (Distance from station 126.)	39 21 21.61	76 17 35.66	1,468.3
Watson Creek, 0.2 mile north of mouth of, 50 feet east of beach, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 79, 1918, 11." Elevation, 10.787 feet. (Distance from station 80.)	39 21 02.38	76 17 46.21	2,860.3
Watson Creek, 0.3 mile east of mouth of, about 0.5 mile southeast of old Maxwell residence, in woods, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 78, 1918, 7." Elevation, 6.523 feet. (Distance from station 79.)	39 20 59.87	76 17 22.89	1,849.4

GUNPOWDER QUADRANGLE—Continued.

From bench mark 21 via bench marks 44, 46, etc., to bench mark 48 (checked spur).

Station.	Latitude.	Longitude.	Distance between stations.
Edgewood, about 1.1 miles south of, about 0.3 mile east of stone road, 20 feet north of road to docks, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 44, 1918, 25." Elevation, 25.414 feet. (Distance from station 22).....	° ' " 39 24 09.54	° ' " 76 17 05.45	<i>Fect.</i> 2,139.5
Edgewood, about 1.3 miles southeast of, about 1 mile northwest of docks, 50 feet north of road, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 45, 1918, 13." Elevation, 13.260 feet. (Distance from station 44).....	39 24 04.48	76 16 42.02	1,909.0
Bush River Docks, about 0.4 mile northwest of, 180 feet east of road crossing, in road, 3 feet south of ditch, 6 inches below surface, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 46, 1918, 20." Elevation, 19.683 feet. (Distance from station 45).....	39 23 51.55	76 16 29.10	1,655.3
Bush River Docks, 0.1 mile west of, 70 feet east of house, on hill, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 47, 1918, 26." Elevation, 25.658 feet. (Distance from station 46).....	39 23 44.55	76 16 12.42	1,489.0
Kings Creek, 0.25 mile northeast of mouth of, 25 feet north by 25 feet west of end of telephone line, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 48, 1918, 7." Elevation, 7.047 feet. (Distance from station 50).....	39 23 32.95	76 15 56.12	2,063.1

From bench mark 15 to bench mark 84.

Edgewood, about 3.8 miles south of, about 0.25 mile southwest of yellow house, on main road at Doves Cove, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 84, 1918, 20." Elevation, 19.742 feet. (Distance from station 15).....	39 21 57.36	76 17 44.67	1,452.7
---	-------------	-------------	---------

From bench mark 14 via bench marks 87, 86, and 92 to bench mark 38.

Wright Creek, 0.4 mile southeast of mouth of, about 0.5 mile west of Doves Cove, on south side of old road through woods, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 87, 1918, 20." Elevation, 20.257 feet. (Distance from station 14).....	39 22 18.06	76 17 41.19	1,684.1
Swaderick Creek, 0.6 mile northeast of mouth of, about 1,200 feet south of old unused road, 150 feet south of field, in woods, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 85, 1918, 16." Elevation, 16.099 feet. (Distance from station 84).....	39 22 05.49	76 17 57.91	1,325.3
Swaderick Creek, 0.3 mile north of mouth of, 20 feet east of beach, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 86, 1918, 5." Elevation, 4.771 feet. (Distance from station 85).....	39 21 55.38	76 18 20.03	2,015.2
Wright Creek, 0.14 mile south of mouth of, 60 feet east of beach, on south side of old road through woods, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 88, 1918, 9." Elevation, 8.924 feet. (Distance from station 86).....	39 22 21.84	76 18 06.70	2,874.2
Wright Creek, 0.35 mile north of mouth of, 25 feet east of beach, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 92, 1918, 11." Elevation, 11.178 feet. (Distance from station 88).....	39 22 46.13	76 18 11.43	2,486.7
Edgewood Barracks, about 0.3 mile south of water towers, 60 feet west of road, 30 feet east of beach, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 39, 1918, 16." Elevation, 16.419 feet. (Distance from station 92).....	39 23 02.10	76 18 19.72	1,742.0

From bench mark 23 via bench mark 24 to bench mark 6.

Edgewood, about 0.8 mile southwest of, about 0.4 mile southwest of stone road, at top of hill, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 24, 1918, 39." Elevation, 38.857 feet. (Distance from station 23).....	39 24 22.57	76 18 02.15	2,038.6
---	-------------	-------------	---------

GUNPOWDER QUADRANGLE—Continued.

From bench mark 10 via bench mark 51 to Beach Point.

Station.	Latitude.	Longitude.	Distance between stations.
Beach Point, 0.7 mile southwest of, 8 feet south of road to Philadelphia Club, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 52, 1918, 23." Elevation, 23.188 feet. (Distance from station 10).....	39 23 09.82	76 16 54.34	Feet. 2,200.3
Beach Point, 0.45 mile southwest of, 600 feet west of Philadelphia Club, 30 feet south of road, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 51, 1918, 14." Elevation, 14.030 feet. (Distance from station 52).....	39 23 10.16	76 16 33.70	1,621.0
Beach Point, 670 feet southwest of, 45 feet southeast of Kings Creek, 65 feet north of old road, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 50, 1918, 10." Elevation, 10.483 feet. (Distance from station 51).....	39 23 16.26	76 16 11.23	1,869.1
Beach Point, 0.5 mile southwest of, about 0.4 mile northwest of Wilson Point, 50 feet west of beach, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 53, 1918, 8." Elevation, 8.455 feet. (Distance from station 51).....	39 22 52.19	76 16 32.50	1,820.9

From bench mark 10 to bench mark 49 (checked spur).

Beach Point, 0.4 mile northwest of, 25 feet west of beach, at end of old wood road, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 49, 1918, 7." Elevation, 7.227 feet. (Distance from station 50).....	39 23 28.59	76 16 33.92	2,174.6
--	-------------	-------------	---------

From bench mark 93 to Lego Point.

Lego Point, about 1 mile northwest of, 15 feet north of road, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 119, 1918, 5." Elevation, 4.722 feet. (Distance from station 93).....	39 20 22.71	76 16 14.68	1,565.8
Lego Point, about 0.7 mile west of, 65 feet west of house, 3 feet north of road, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 120, 1918, 8." Elevation, 7.782 feet. (Distance from station 119).....	39 20 10.23	76 15 57.92	1,823.4
Lego Point, about 0.4 mile west of, about 600 feet south of observation tower, 12 feet south of road, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 121, 1918, 5." Elevation, 5.072 feet. (Distance from station 120).....	39 20 15.30	76 15 35.98	1,798.4

From bench mark 75 via Briery and Sandy points and bench mark 122 to point of beginning.

Edgewood, 5.6 miles south of, at southwest corner of old Bell farmhouse, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 74, 1918, 27." Elevation, 26.783 feet. (Distance from station 75).....	39 21 00.21	76 16 07.87	2,201.4
Old Bell farm, about 0.3 mile north of, about 800 feet north of Sunshine Club, 180 feet west of beach, on hill, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 73, 1918, 22." Elevation, 22.262 feet. (Distance from station 74).....	39 21 14.78	76 16 02.89	1,525.2
Briery Point, 80 feet west of, on beach, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 72, 1918, 5." Elevation, 5.409 feet. (Distance from station 73).....	39 21 32.61	76 15 58.13	1,843.9
Sandy Point, 1,150 feet west of, 90 feet southwest of beach, 310 feet southeast of rail fence, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 123, 1918, 8." Elevation, 8.391 feet. (Distance from station 74).....	39 20 51.22	76 15 40.91	2,304.4
Sandy Point, about 0.5 mile southwest of, about 0.4 mile south of the old Bell house, 30 feet east of rail fence, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 122, 1918, 8." Elevation, 7.316 feet. (Distance from station 123).....	39 20 43.13	76 15 59.42	1,668.4

From bench mark 103 to Robins Point.

Robins Point, 0.4 mile northwest of, north side of old unused road through woods, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 106, 1918, 12." Elevation, 12.423 feet. (Distance from station 105).....	39 18 16.96	76 17 09.05	2,032.6
Robins Point, 925 feet north of, 15 feet from beach where old unused road ends, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 107, 1918, 4." Elevation, 3.904 feet. (Distance from station 106).....	39 18 07.97	76 16 54.23	1,472.7

GUNPOWDER QUADRANGLE—Continued.

From bench mark 102 to bench mark 108 (checked spur).

Station.	Latitude.	Longitude.	Distance between stations.
Robins Point, about 0.7 mile north of, about 0.3 mile southwest of Ford Point, on hill 60 feet west of beach, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 108, 1918, 14." Elevation, 14.008 feet. (Distance from station 102).....	° ' "	° ' "	Feet.
	39 18 36.68	76 16 53.39	1,960.0

From bench mark 100 via bench marks 112 and 111 to point of beginning.

Boone Creek, 0.75 mile southwest of mouth of, 1,220 feet north of house, in woods, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 112, 1918, 5." Elevation, 5.192 feet. (Distance from station 100).....	39 19 39.00	76 16 46.52	1,723.1
Boone Creek, 0.45 mile southwest of mouth of, 30 feet west of beach, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 111, 1918, 4." Elevation, 4.080 feet. (Distance from station 112).....	39 19 34.82	76 16 17.76	2,299.1

From bench mark 100 to bench mark 110 (checked spur).

Ford Point, 0.5 mile north of, 10 feet west of beach, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 110, 1918, 7." Elevation, 7.488 feet. (Distance from station 109).....	39 19 16.64	76 16 39.49	2,012.3
--	-------------	-------------	---------

From bench mark 101 to bench mark 109 (checked spur).

Ford Point, 0.22 mile northwest of, on high ground between marshes, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 109, 1918, 9." Elevation, 8.634 feet (distance from station 101).....	39 18 58.29	76 16 49.37	1,424.3
---	-------------	-------------	---------

From bench mark 95 to bench mark 125 (checked spur).

Boone Creek, 0.5 mile west of mouth of, 0.3 mile southeast of old log house, on main road, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 125, 1918, 7." Elevation, 7.008 feet. (Distance from station 95).....	39 19 59.45	76 16 31.52	1,713.3
--	-------------	-------------	---------

From bench mark 9 via bench marks 8, 7, 6, and 5 to bench mark 56.

Flatiron Corners, 0.35 mile northwest of, in angle made by the old Magnolia road and new cutroad, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 8, 1918, 9." Elevation, 9.220 feet. (Distance from station 9).....	39 23 50.35	76 17 39.61	1,817.2
Flatiron Corners, 0.7 mile northwest of, south side of road, 200 feet west of railroad crossing, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 7, 1918, 36." Elevation, 35.738 feet. (Distance from station 8).....	39 24 00.77	76 17 59.42	1,878.8
Flatiron Corners, 0.8 mile northwest of, 10 feet south of road, 240 feet east of railroad crossing, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 6, 1918, 23." Elevation, 22.666 feet. (Distance from station 7).....	39 24 06.73	76 18 16.11	1,441.6
Flatiron Corners, 1.3 miles northwest of, about 0.8 mile east of Magnolia, 350 feet west of old red brick schoolhouse, 10 feet north of road, at road forks, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 5, 1918, 11." Elevation, 11.082 feet. (Distance from station 6).....	39 24 14.07	76 18 34.53	1,625.8

GUNPOWDER QUADRANGLE—Continued.

From Pennsylvania R. R. bench mark 72 via bench marks 26, 61, and 63 to point of beginning.

Station.	Latitude.	Longitude.	Distance between stations.
Edgewood, 0.25 mile northeast of, 30 feet south of south rail, 2 feet north of right of way line, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 26, 1918, 32". Elevation, 31.869 feet. (Distance from station 25).....	° ' "	° ' "	Feet.
	39 25 03.11	76 17 20.25	1,518.7
Edgewood, 0.5 mile northeast of, 30 feet south of south rail, 1 foot south of right of way line, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 60, 1918, 26". Elevation, 25.688 feet. (Distance from station 26).....	39 25 10.42	76 17 02.81	1,556.2
Edgewood, 0.8 mile northeast of, 150 feet south of right of way line, at west edge of woods, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 61, 1918, 20". Elevation, 20.476 feet. (Distance from station 60).....	39 25 16.37	76 16 44.19	1,580.4
Edgewood, 0.8 mile east of, about 0.4 miles southeast of railroad, 80 feet north of Lauderick Creek, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 62, 1918, 6". Elevation, 5.682 feet. (Distance from station 61).....	39 24 57.08	76 16 42.17	1,957.9
Edgewood, 0.5 mile east of, west side of old road to Lauderick Creek, 25 feet east of rail fence, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 63, 1918, 21". Elevation, 21.460 feet. (Distance from station 62).....	39 24 52.31	76 17 00.97	1,551.3
Edgewood, 0.8 miles southeast of, about 0.1 mile north of point made by the upper forks of Lauderick Creek, west side of old road, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 64, 1918, 9". Elevation, 9.038 feet. (Distance from station 63).....	39 24 38.65	76 16 47.28	1,750.3

From bench mark 13 via bench marks 69, 55, and 54 to point of beginning.

Wilson Point, 0.6 miles southwest of, on point on north side of Dove's Cove, 70 feet west of shore line, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 69, 1918, 4". Elevation, 4.232 feet. (Distance from station 14).....	39 22 15.79	76 16 54.68	1,984.0
Wilson Point, 0.4 mile west of, 100 feet south of lane, 460 feet east of house, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 55, 1918, 31". Elevation, 31.268 feet. (Distance from station 69).....	39 22 33.39	76 16 45.25	1,927.5
Wilson Point, 80 feet west of, 0.5 mile east of house on hill, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 54, 1918, 11". Elevation, 10.979 feet. (Distance from station 55).....	39 22 36.86	76 16 20.15	2,001.7

From bench mark 15 to bench mark 71 (checked spur).

Cooper Creek, 0.4 mile west of mouth of, 500 feet southwest of house, at east side of gate, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 70, 1918, 26". Elevation, 26.190 feet. (Distance from station 15).....	39 21 50.22	76 16 49.07	3,099.2
Cooper Creek, 600 feet west of mouth, 30 feet west of beach, 40 feet south of house, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 71, 1918, 12". Elevation, 11.665 feet. (Distance from station 70).....	39 21 46.37	76 16 29.18	1,609.9

From bench mark 9 to bench mark 43 (checked spur).

Flatiron Corners, 0.3 mile east of, 55 feet north of road, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 42, 1918, 11". Elevation, 10.822 feet. (Distance from station 9).....	39 23 39.37	76 17 06.78	1,597.2
Flatiron Corners, 0.6 mile east of, at end of road to Kings Creek, 60 feet east of two-story frame house, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 43, 1918, 14". Elevation, 14.056 feet. (Distance from station 42).....	39 23 38.15	76 16 47.76	1,498.5

From bench mark 8 to bench mark 30 (checked spur).

Flatiron Corners, 0.3 mile west of, 750 feet southwest of road to Magnolia, on west edge of marsh, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 30, 1918, 9". Elevation, 9.099 feet. (Distance from station 8).....	39 23 44.16	76 17 45.62	784.0
--	-------------	-------------	-------

GUNPOWDER QUADRANGLE—Continued.

From bench mark 33 via bench marks 31 and 29 to bench mark 8.

Station.	Latitude.	Longitude.	Distance between stations.
Canal Creek, 0.3 mile north of mouth of, about 0.3 mile northeast of San Domingo Club, in woods, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 34, 1918, 18." Elevation, 17,556 feet. (Distance from station 33).....	° ' " 39 23 37.95	° ' " 76 19 02.05	<i>Feet.</i> 1,670.8
Magnolia, about 0.65 miles southeast of, about 0.45 miles south of road to Flatiron Corners, 105 feet south of big oak tree, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 32, 1918, 36." Elevation, 35,518 feet. (Distance from station 33).....	39 23 47.42	76 18 58.75	1,243.1
Magnolia, about 0.8 miles southeast of, about 0.2 mile southeast of the Cell Building, 100 feet north of marsh, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 31, 1918, 8." Elevation, 7,800 feet. (Distance from station 32).....	39 23 52.64	76 18 38.28	1,691.6
Magnolia, about 1.0 mile southeast of, about 0.25 mile west of large gas tank, 90 feet east of marsh, on top of hill, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 28, 1918, 13." Elevation, 13,440 feet. (Distance from station 31)....	39 23 42.44	76 18 35.49	1,055.0
Magnolia, about 1.5 miles southeast of, 300 feet south of filling plant, 6 feet north of heavy wire fence, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 29, 1918, 11." Elevation, 11,337 feet. (Distance from station 30).....	39 23 34.49	76 18 03.76	1,726.8

From bench mark 45 via bench mark 68 to bench mark 47.

Lauderick Creek, 0.5 mile northwest of mouth of, 60 feet south of creek, on bluff, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 67, 1918, 12." Elevation, 12,041 feet. (Distance from station 65).....	39 24 22.81	76 16 33.55	1,217.4
Lauderick Creek, on point south of mouth of, 25 feet south of beach, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 68, 1918, 9." Elevation, 9,115 feet. (Distance from station 67).....	39 24 09.92	76 16 08.92	2,332.2

From bench mark 22 to bench mark 65 (checked spur).

Edgewood, 0.6 mile southeast of where old road to Lauderick Creek enters woods, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 66, 1918, 30." Elevation, 30,311 feet. (Distance from station 22).....	39 24 32.14	76 17 08.97	1,813.3
Edgewood, 0.9 mile southeast of, 30 feet west of Lauderick Creek, where old road ends, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 65, 1918, 14." Elevation, 13,907 feet. (Distance from station 66).....	39 24 27.80	76 16 47.66	1,730.3

From bench mark 41 via bench marks 40, 124, 90, and 91 to bench mark 11.

Edgewood Barracks, 5.6 feet south by 6.6 feet east of, northwest corner of barrack No. 15, under building, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 40, 1918, 27." Elevation, 27,513 feet. (Distance from station 41)....	39 23 15.42	76 18 00.15	1,904.6
Edgewood Barracks, about 0.3 mile south of barrack No. 16, 10 feet south of sharp bend in trail, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 124, 1918, 15." Elevation, 14,633 feet. (Distance from station 39).....	39 23 05.61	76 17 49.77	2,378.0
Edgewood Barracks, about 0.7 mile south of, 120 feet south of old road through woods, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 90, 1918, 16." Elevation, 16,278 feet. (Distance from station 91).....	39 22 50.17	76 17 51.04	1,700.5
Edgewood Barracks, about 1 mile southeast of, 270 feet south of old road through woods, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 91, 1918, 11." Elevation, 11,171 feet. (Distance from station 11).....	39 22 53.33	76 17 29.76	1,892.7

From bench mark 90 to bench mark 89 (checked spur).

Wright Creek, about 0.5 mile east of mouth of, 240 feet east of marsh, in woods, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 89, 1918, 5." Elevation, 4,974 feet. (Distance from station 90).....	39 22 35.07	76 17 51.22	1,527.7
---	-------------	-------------	---------

GUNPOWDER QUADRANGLE—Continued.

From bench mark 25 via bench marks 59, 58, and 57 to bench mark 56.

Station.	Latitude.	Longitude.	Distance between stations.
Edgewood, 0.3 mile southwest of, on reservation line, just inside of heavy wire fence, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 59, 1918, 43." Elevation, 43.358 feet. (Distance from station 25).....	39° 24' 46.77"	76° 17' 54.45"	Feet. 1,641.1
Edgewood, 0.7 mile southwest of, on reservation line, just inside of heavy wire fence, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 58, 1918, 33." Elevation, 33.323 feet. (Distance from station 59).....	39° 24' 38.86"	76° 18' 13.21"	1,676.4
Edgewood, 1 mile southwest of, on reservation line, just inside of heavy wire fence, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 57, 1918, 33." Elevation, 32.705 feet. (Distance from station 58).....	39° 24' 28.77"	76° 18' 37.13"	2,137.1

From bench mark 2 to bench mark 1.

Magnolia, 0.5 mile southwest of, 900 feet west of road to Piney Point, 55 feet south of south rail, in concrete post; bronze tablet stamped "Prim. Trav. Sta. No. 1, 1918, 30." Elevation, 30.314 feet. (Distance from station 2).....	39° 23' 53.97"	76° 20' 03.27"	2,526.4
--	----------------	----------------	---------

Magnetic declination for quadrangle, 7.0° W.

From Piney Point (2) northeast, south, and west along highways to Maxwell Point.

Piney Point (2) triangulation station of U. S. Coast and Geodetic Survey, on north side of Gunpowder River, 0.5 mile east of the railroad bridge. A chestnut tree 3 feet in diameter stands 17 feet 7 inches from the signal and close to the edge of the bluff, which is about 10 feet high. The chimney of Litchfield's house bears about N. 0.75° E. and is 142.5 feet distant. Point is marked by two 4-inch drain tiles planted vertically, one above the other, the upper end about 8 inches below the surface of the ground. In this a pine stub was placed, the center of the tile and station being marked on it by a large wire nail.....	39° 23' 18.58"	76° 20' 00.76"
---	----------------	----------------	-------

TRIANGULATION STATIONS.

LEGO POINT (2), HARFORD COUNTY, MD.

On marshy point of same name at southern entrance to Bush River, 24 feet from shore line northeast, and 21 feet from shore line south.

Marked by two 4-inch drain tiles planted vertically, the upper end about 8 inches below the surface of the ground. In this a pine stub was placed, the center of the tile and station being marked on it by a large wire nail.

[Latitude 39° 20' 11.24". Longitude 76° 15' 14.67".]

MAXWELL POINT (2), HARFORD COUNTY, MD.

On Maxwell Point, east side of Gunpowder River. The land is about 10 feet high at the station and is protected along the shore by a wall and loose blocks of stone. From the station to the wall at the point the distance is 30 feet, on the northwest 30 feet, and on the southwest 20 feet. The point is marked by two 4-inch drain tiles planted vertically one above the other, the upper end about 8 inches below the surface of the ground. In this a pine stub was placed, the center of the tile and station being marked on it by a large wire nail.

[Latitude 39° 21' 25.07". Longitude 76° 19' 22.58".]

MARYLAND-WEST VIRGINIA.

TRIANGULATION STATIONS.

Davis, Elk Garden, and Keyser quadrangles.

GARRETT COUNTY, MARYLAND; GRANT, PARSONS, MINERAL, AND TUCKER COUNTIES, WEST VIRGINIA.

Triangulation by J. B. Metcalfe, jr., in the spring of 1916, based on Pinnacle-Nat, and checked on Limestone, Shaver, and Backbone. Twelve new stations were occupied, and five old stations were reoccupied, all on North American datum.

For additional positions in West Virginia see U. S. Geological Survey Bulletins 122, 181, 216, 245, 310, 440, 496, 551, 644-R, and Twentieth Annual Report, Part I, also U. S. Coast and Geodetic Survey Special Publication No. 30.

CONNEWAY, GARRETT COUNTY, MD.

On Backbone Ridge, 0.25 mile east of the Old Northwestern pike crossing, on J. M. Conneway's land, 0.25 mile northwest of his residence. The point was heavily timbered, so the timber was cleared on the south and east slopes. The instrument was elevated 35 feet.

Station mark: Bronze tablet set in large flat rock.

Reference mark: Signal tree, which is under center of instrument.

[Latitude $39^{\circ} 18' 16.12''$. Longitude $79^{\circ} 24' 46.95''$.]

To station—	Azimuth.			Back azimuth.		Distance.	
	°	'	''	°	'	Log. meters.	Miles.
Bearden.....	2	58	42.67	182	58	4.3452079	13.758
Pinnacle.....	253	14	26.01	73	27	4.4780913	13.683
Keystone.....	282	16	47.97	102	26	4.3314605	13.329
Snow.....	333	25	38.80	153	29	4.2421769	10.852
Brown.....	347	40	31.79	167	42	4.2070180	10.008
Schell.....	263	46	30.77	83	53	4.17237	9.242

BACKBONE, TUCKER COUNTY, W. VA.

On south end of Backbone Ridge, about 2 miles north of Hendricks post office. From Hendricks a private road leads to Albert Fansler's house, about 0.5 mile distant, and thence about 1.5 miles to signal, which is on a bare rocky ledge.

Station mark: Bronze tablet cemented in solid ledge.

[Latitude $39^{\circ} 06' 23.16''$ (L), $39^{\circ} 06' 23.89''$ (M). Longitude $79^{\circ} 36' 05.85''$ (L), $79^{\circ} 36' 07.335''$ (M).]

To station—	Azimuth.			Back azimuth.		Distance.	
	°	'	''	°	'	Log. meters.	Miles.
Shaver (L).....	28	40	14.67	208	38	3.78782
Limestone (L).....	156	53	38.55	336	51	4.17085
Shaver (M).....	28	40	58.06	208	39	3.7876164	3.818
Limestone (M).....	156	54	12.29	336	51	4.1707874	9.207
Pine (M).....	210	33	04.07	30	34	3.7223066	3.278
Harmon (M).....	289	05	31.96	109	13	4.3068805	12.596
Pointy (M).....	313	35	29.08	133	39	4.0909388	7.661

L indicates positions obtained by W. H. Lovell in 1905; M indicates positions obtained by J. B. Metcalfe, jr., in 1916.

BEARDEN, TUCKER COUNTY, W. VA.

On Bearden Knob, about 3.5 miles southeast of Davis. Can best be reached from the Davis-Canaan Valley road. The point lies about 0.25 mile north of where this road crosses the divide.

Station mark: Copper bolt set in top of stone 5 by 8 by 30 inches, set 24 inches in ground.

Signals: Targets nailed in old hemlock snag. Instrument over center.

Reference mark: Signal, distance, 20.5 feet; true azimuth, $277^{\circ} 30' 26''$.

[Latitude $39^{\circ} 06' 19.09''$. Longitude $79^{\circ} 25' 34.83''$.]

To station—	Azimuth.			Back azimuth.			Distance.	
	°	'	''	°	'	''	Log. meters.	Miles.
Pointy.....	36	56	47.74	216	54	03.08	4.0193268	6.496
Pine.....	110	36	01.89	290	30	33.23	4.1258502	8.302
Conneway.....	182	58	12.41	2	58	42.67	4.3452079	13.758
Brown.....	215	44	01.90	35	46	02.49	3.8951578	4.881
Snow.....	234	04	46.84	54	08	42.45	4.0440251	6.877
Harmon.....	328	45	33.09	148	47	16.52	3.8812672	4.727

BROWN, TUCKER COUNTY, W. VA.

On the highest point of Browns Mountain, a bald rocky point with scattering dead trees, about 5 miles east of Davis. Can be best reached by traversing the old Beaver Creek railroad for about 3 miles out of Davis. Turn up the first old switch to the right after the railroad crosses Beaver Creek and follow this old tram road for about 2.5 miles, and then the point will show on the right in a northeast direction, distant about 0.5 mile. It is 0.25 mile north of the divide between Yellow Creek and Little Blackwater.

Station mark: Bronze tablet set in ledge of sandstone rock. The signals are white targets nailed in small hemlock snag, with a small green hemlock tree nailed in top of same.

Reference mark: Signal, distance, 10.5 feet; true azimuth, $241^{\circ} 21'$.

[Latitude $39^{\circ} 09' 45.82''$. Longitude $79^{\circ} 22' 23.75''$.]

To station—	Azimuth.			Back azimuth.			Distance.	
	°	'	''	°	'	''	Log. meters.	Miles.
Harmon.....	2	53	10.01	182	52	52.99	4.1104924	8.014
Bearden.....	35	46	02.49	215	44	01.90	3.8951578	4.881
Pine.....	84	26	12.01	264	18	42.69	4.2349338	10.673
Conneway.....	167	42	02.36	347	40	31.79	4.2070180	10.008
Snow.....	268	30	47.14	88	32	42.22	3.6411034	2.719

HARMON, TUCKER COUNTY, W. VA.

On the west side of the Alleghany Front, overlooking Canaan Valley, about 10 miles southeast of Davis and 0.75 mile east of Jason Harmon's residence. Can best be reached by riding to field 0.4 mile east of Mr. Harmon's residence, thence walking directly up the mountainside to station.

Station mark: Bronze tablet set in sandstone boulder.

Signal: A small hemlock tree (braced) with white targets. Instrument over center.

Reference mark: Signal tree, distance, 8 feet; true azimuth, $26^{\circ} 21'$.

[Latitude $39^{\circ} 02' 48.12''$. Longitude $79^{\circ} 22' 50.75''$.]

To station—	Azimuth.			Back azimuth.			Distance.	
	°	'	''	°	'	''	Log. meters.	Miles.
Pointy.....	79	46	23.40	259	41	55.50	4.0168692	6.460
Pine.....	124	17	14.88	304	10	02.95	4.2989930	12.369
Bearden.....	148	47	16.52	328	45	33.09	3.8812672	4.727
Brown.....	182	52	52.99	02	53	10.01	4.1104924	8.014
Snow.....	201	08	02.30	21	10	14.27	4.1440065	8.657
Backbone.....	109	13	54.22	289	05	31.96	4.3068805	12.596

KEYSTONE, GRANT COUNTY, W. VA.

On Keystone ridge on the Alleghany Front, about 6 miles south of Hartmansville, on what is known as the old Karscadden place. The large timber on the point was cut off, except one large umbrella pine, which was used as a signal tree. The instrument was elevated 15 feet in order to see over the small timber.

Station mark: Bronze tablet set in top of sandstone rock 8 by 12 by 30 inches set 25 inches in ground.

Reference mark: Signal tree, distance, 7 feet; true azimuth, $312^{\circ} 12'$.

[Latitude $39^{\circ} 15' 47.25''$. Longitude $70^{\circ} 10' 12.64''$.]

To station—	Azimuth.	Back azimuth.	Distance.	
	° ' "	° ' "	Log. meters.	Miles.
Snow.....	50 05 19.72	229 59 32.71	4.2350200	10.675
Conneway.....	102 26 01.55	282 16 47.97	4.3314605	13.329
Schell.....	135 08 44.92	315 06 08.65	3.94117	5.427
Pinnacle.....	210 45 54.07	30 49 22.30	4.1868177	9.554
Twin.....	284 48 21.53	104 55 13.36	4.2082082	10.036

LIMESTONE, PRESTON COUNTY, W. VA.

On high point on Limestone Ridge, 7 miles north of St. George, on land owned by Thomas Fansler. Point is 0.25 mile south of Thomas Fansler's house and 500 feet west of county road.

Station mark: Center of lone maple signal tree.

[Latitude $39^{\circ} 13' 45.1''$ (T), $39^{\circ} 13' 45.81''$ (M). Longitude $79^{\circ} 40' 08.3''$ (T), $79^{\circ} 40' 09.68''$ (M).]

To station—	Azimuth.	Back azimuth.	Distance.	
	° ' "	° ' "	Log. meters.	Miles.
Belington (T).....	39 00 07	218 52 15	4.45623
Laurel (T).....	60 43 55	240 37 54	4.19614
Funk (T).....	133 10 18	313 06 39	4.05638
Rock (T).....	166 21 04	346 18 05	4.45809
Brown (T).....	184 48 30	4 49 07	4.25191
Shaver (T).....	351 22 01	171 23 16	4.28398
Pine (M).....	316 53 09.28	136 56 52.98	4.0947814	7.729
Backbone (M).....	336 51 39.23	156 54 12.29	4.1707878	9.207
Shaver (M).....	351 22 24.05	171 23 39.76	4.2838730	11.946

T indicates positions obtained by Sledge Tatum in 1902; M indicates positions obtained by J. B. Metcalfe, Jr., in 1916.

MICHAEL, MINERAL-HAMPSHIRE COUNTIES, W. VA.

On a high knob 8 miles south of Romney. In the Michael Brothers' orchard, about 1 mile south of the old Braddock road crossing.

Station mark: Rock 10 by 8 by 30 inches, set 24 inches in the ground, with U+S cut in top.

Signal: A small hemlock tree braced with white targets nailed in it.

Reference mark: Signal, distance, 7 feet; true azimuth, $221^{\circ} 49'$.

[Latitude $39^{\circ} 25' 20.54''$. Longitude $78^{\circ} 47' 25.62''$.]

To station—	Azimuth.	Back azimuth.	Distance.	
	° ' "	° ' "	Log. meters.	Miles.
Twin.....	38 15 42.04	218 06 08.28	4.4433612	17.247
Twig.....	92 54 16.73	266 47 54.88	4.1585666	8.952
Nat.....	354 45 17.37	174 46 05.08	4.2954710	12.269

NAT, HAMPSHIRE COUNTY, W. VA.

On the highest part of Nathaniel Mountain, about 10 miles south of Romney. This is an old station. The summit was cleared of timber in 1897, except one large tree, which was trimmed and used as a signal.

Station mark: Signal tree of 1897, not found in 1916.

Reference mark: Copper bolt cemented in rock, distance from station, 3.7 feet; azimuth from signal tree, 212° 09'. (Not found in 1916.)

New description, 1916.

Station mark: 10 by 14 by 24 inch stone set in ground with U+S chiseled in top.

Reference mark: 10-inch signal tree, with a triangle cut on east side with spike driven in center. Distance, 22.3 feet; true azimuth, 124° 30'.

[Latitude 39° 14' 42.93''. Longitude 78° 46' 10.35'']

To station—	Azimuth.			Back azimuth.			Distance.	
	°	'	''	°	'	''	<i>Log. meters.</i>	<i>Miles.</i>
Twin (M).....	83	34	38.25	263	26	17.74	4.2810550	11.869
Pinnacle (M).....	119	45	11.13	299	33	25.53	4.4871668	19.077
Twig (M).....	139	24	19.44	319	17	10.60	4.3957705	15.457
Michael (M).....	174	46	05.08	354	45	17.37	4.2954710	12.269
Pinnacle (H).....	119	45	11.13	299	33	25.53	4.4871668
Dan (H).....	163	35	32.50	343	30	39.72	4.5906124
Warrior (H).....	197	02	07.44	17	07	47.97	4.6399604

H indicates positions obtained by G. T. Hawkins in 1897-98; M indicates positions obtained by J. B. Metcalfe, Jr., in 1916.

PINE, TUCKER COUNTY, W. VA.

On the Backbone Ridge, about 5 miles west of Thomas. Can best be reached by following the Sugar Land road to top of ridge and thence trail south 0.25 mile to signal. The point was heavily timbered, so lines of sight were cut through to observed points. One hemlock tree 16 inches in diameter was left standing for a signal tree. The instrument was elevated 20 feet and was placed over center.

Station mark: Bronze tablet set in boulder.

Reference mark: Signal tree 2 feet distant; true azimuth, 237° 01'.

[Latitude 39° 08' 51.22''. Longitude 79° 34' 15.66'']

To station—	Azimuth.			Back azimuth.			Distance.	
	°	'	''	°	'	''	<i>Log. meters.</i>	<i>Miles.</i>
Backbone.....	30	33	14.54	210	33	04.07	3.7223066	3.278
Limestone.....	136	56	52.98	316	53	09.28	4.0947814	7.729
Brown.....	264	18	42.69	84	26	12.01	4.2349338	10.673
Bearden.....	290	30	33.23	110	36	01.89	4.1258502	8.302
Harmon.....	304	10	02.95	124	17	14.88	4.2989930	12.369
Pointy.....	334	25	36.57	154	28	20.23	4.1602844	8.987

PINNACLE, MINERAL COUNTY, W. VA.

On high point of mountain about 12 miles south of Keyser. The station is on a rock that rises above the timber.

A house (fire station) has been built over this point. Dimensions of house are 10 by 10 by 12 feet. The signal was placed on top of roof and over center.

Station mark: (Set in 1897) bronze tablet cemented in solid rock.

[Latitude 39° 22' 55.53''. Longitude 79° 04' 44.04'']

PINNACLE, MINERAL COUNTY, W. VA.—Continued.

To station—	Azimuth.			Back azimuth.			Distance.	
	°	'	"	°	'	"	Log. meters.	Miles.
Keystone (M).....	30	49	22.30	210	45	54.07	4.1868177	9.554
Schell (M).....	63	28	03.13	243	21	51.75	4.19542	9.745
Conneway (M).....	73	27	08.61	253	14	26.01	4.4780913	18.683
Twig (M).....	250	34	10.32	70	38	47.73	4.0448137	6.889
Nat (M).....	299	33	25.53	119	45	11.13	4.4871668	19.077
Twin (M).....	335	58	23.61	156	01	47.82	4.2785746	11.801
High Rock (H).....	175	02	27.33	355	01	45.68	4.2578313	11.25
Dan (H).....	215	03	45.41	35	10	40.34	4.4331252	16.85
Warrior (H).....	235	54	39.53	56	12	08.98	4.6768319	29.5

H indicates positions obtained by G. T. Hawkins in 1897-98; M indicates positions obtained by J. B. Metcalfe, jr., in 1916.

POINTY, TUCKER COUNTY, W. VA.

On a high bald rocky point southwest of Canaan Valley. The best way to reach the point is to ride to Ash Nives house, thence by trail past Chimney Rock out ridge 1 mile to signal. All the country to the south and southwest can be seen. Instrument was over center.

Signal: A small hemlock tree nailed in top of an old snag.

Station mark: Bronze tablet set in ledge of sandstone rock.

Reference mark: A hole drilled in large flat rock, 40 feet north of tablet, also signal distance, 61 feet; true azimuth, $194^{\circ} 00' 56''$.

[Latitude $39^{\circ} 01' 48.05''$. Longitude $79^{\circ} 29' 56.09''$.]

To station—	Azimuth.			Back azimuth.			Distance.	
	°	'	"	°	'	"	Log. meters.	Miles.
Shaver.....	104	47	41.91	284	42	30.94	4.0890744	7.628
Backbone.....	133	39	23.06	313	35	29.08	4.0909388	7.661
Pine.....	154	28	20.23	334	25	36.57	4.1602844	8.987
Bearden.....	216	54	03.08	36	56	47.74	4.0193268	6.496
Harmon.....	259	41	55.50	79	46	23.40	4.0168692	6.460

SCHELL, MINERAL COUNTY, W. VA.

A secondary station located about 3 miles south of Schell railroad station on the Western Maryland Railway, about 0.25 mile northwest of J. H. Roderick's house. The point is 12 feet east of a north and south fence and about 30 yards from the Mineral and Grant county line.

Signal: A 16-inch hickory tree standing in the field.

Station mark: A cross cut in the top of a sandstone rock 7 by 10 by 30 inches, set 27 inches in the ground.

Reference mark: Signal tree, distance, 8 feet; true azimuth, $243^{\circ} 06'$.

[Latitude $39^{\circ} 19' 07.96''$. Longitude $79^{\circ} 14' 29.77''$.]

To station—	Azimuth.			Back azimuth.			Distance.	
	°	'	"	°	'	"	Log. meters.	Miles.
Snow.....	22	07	55.18	202	04	48.60	4.26927	11.551
Conneway.....	83	53	1.77	263	46	30.77	4.17237	9.242
Pinnacle.....	243	21	51.75	63	28	03.13	4.19542	9.745
Keystone.....	315	06	08.65	135	08	44.92	3.94117	5.427

SHAVER, TUCKER COUNTY, W. VA. °

A high rocky mountain 2 miles south of Hendricks. Can best be reached by crossing river at Hendricks, thence going by trail south about 1 mile, thence over rough, rocky mountain side 1 mile to signal.

Station mark: An aluminum bolt set in solid rock on highest bald summit.

[Latitude 39° 03' 28.6" (T), 39° 03' 29.42" (M). Longitude 79° 38' 08.30" (T), 79° 38' 09.75" (M).]

To station—	Azimuth.			Back azimuth.			Distance.	
	°	'	"	°	'	"	Log. meters.	Miles.
Laurel (T).....	124	21	26	304	14	10	4.30300
Limestone (T).....	171	23	16	351	22	01	4.28398
Limestone (M).....	171	23	39.76	351	22	24.05	4.2838730	11.946
Backbone (M).....	208	39	40.89	28	40	58.06	3.7876164	3.810
Pointy (M).....	284	42	30.94	104	47	41.91	4.0890744	7.628

T indicates positions obtained by Sledge Tatum in 1902; M indicates positions obtained by J. B. Metcalfe, jr., in 1916.

SNOW, ON GRANT-TUCKER COUNTY LINE, W. VA.

On a high rocky point on the divide between Little Blackwater, Beaver Creek, and Stony River. Can best be reached by following the Dobbin log road from Dobbin to the Canaan water tank (about 10 miles), thence going east uphill $\frac{1}{3}$ of a mile to the point.

Station mark: Bronze tablet set in ledge of rock.

Signal: A small hemlock tree braced over center with white targets.

[Latitude 39° 09' 49.46". Longitude 79° 19' 21.53."]

To station—	Azimuth.			Back azimuth.			Distance.	
	°	'	"	°	'	"	Log. meters.	Miles.
Harmon.....	21	10	14.27	201	08	02.30	4.1440065	8.657
Bearden.....	54	08	42.45	234	04	46.84	4.0440251	6.877
Brown.....	88	32	42.22	268	30	47.14	3.6411034	2.719
Conneway.....	153	29	04.63	333	25	38.80	4.2421769	10.852
Schell.....	202	04	48.60	22	07	55.18	4.26927	11.551
Keystone.....	229	59	32.71	50	05	19.72	4.2350200	10.675
Twin.....	256	26	10.69	76	28	48.96	4.4713915	18.397

TWIG, MINERAL COUNTY, W. VA.

On the Knobby Mountain Range, in the highest point of the Twig orchard, about 4.5 miles east of Keyser.

Station mark: Bronze tablet set in limestone rock 8 by 16 by 30 inches, set 24 inches in the ground, 2 feet from a peach tree. The instrument was elevated 15 feet in order to see over the peach tree.

Signal: A pine tree 25 feet high was trimmed, except the top. Distance from mark to signal, 4.5 feet; true azimuth, 358° 34'.

[Latitude 39° 24' 54.90". Longitude 78° 57' 26.98."]

To station—	Azimuth.			Back azimuth.			Distance.	
	°	'	"	°	'	"	Log. meters.	Miles.
Twin.....	7	27	07.20	187	25	54.52	4.3265464	13.179
Pinnacle.....	70	38	47.73	250	34	10.32	4.0448137	6.889
Michael.....	266	47	54.88	86	54	16.73	4.1585666	8.952
Nat.....	319	17	10.60	139	24	19.44	4.3957705	15.457

TWIN, ON GRANT-HARDY COUNTY LINE, W. VA.

On the highest point of Twin Mountain, 0.25 mile east of Twin Mountain railroad station.

Signal: An 18-inch hickory tree. The signal tree has a triangle cut on the south side, and a 60-penny spike is driven in the center of the triangle. The instrument was elevated 25 feet in order to see Michael station.

Station mark: A 4 by 8 by 36-inch limestone rock set 30 inches in the ground with U+S chiseled in top.

Reference mark: Signal tree, distance, 4 feet; true azimuth, $300^{\circ} 30'$.

[Latitude $39^{\circ} 13' 32.90''$. Longitude $78^{\circ} 59' 21.66''$.]

To station—	Azimuth.			Back azimuth.			Distance.	
	°	'	''	°	'	''	<i>Log. meters.</i>	<i>Miles.</i>
Snow.....	76	38	48.96	256	26	10.69	4.4713915	18.397
Keystone.....	104	55	13.36	284	48	21.53	4.2082082	10.036
Pinnacle.....	156	01	47.82	335	58	23.61	4.2785746	11.801
Twig.....	187	25	54.52	7	27	07.20	4.3265464	13.179
Michael.....	218	06	08.28	38	13	42.04	4.4433612	17.247
Nat.....	263	26	17.74	83	34	38.25	4.2810550	11.869