DEPARTMENT OF THE INTERIOR Hubert Work, Secretary

> U. S. GEOLOGICAL SURVEY George Otis Smith, Director

> > **Bulletin 750**

# CONTRIBUTIONS TO ECONOMIC GEOLOGY (SHORT PAPERS AND PRELIMINARY REPORTS)

# 1923-1924

PART I,-METALS AND NONMETALS EXCEPT FUELS

F. L. RANSOME, G. F. LOUGHLIN, G. R. MANSFIELD, AND E. F. BURCHARD GEOLOGISTS IN CHARGE



WASHINGTON GOVERNMENT PRINTING OFFICE 1925

#### NOTE

The Survey's "Contributions to economic geology" are published in two parts, one including papers on metals and nonmetals except fuels and the other including papers on mineral fuels. As the subtitle indicates, most of the papers in these volumes are of three classes—(1) short papers describing as thoroughly as conditions will permit areas or deposits on which no other report is likely to be prepared; (2) brief notes on mining districts or economic deposits whose examination has been merely incidental to other work; and (3) preliminary reports on economic investigations the results of which are to be published later in more detailed form. Although these papers set forth mainly the practical results of economic investigations they include brief theoretical discussions and summary statements of conclusions if these appear to require prompt publication.

u

## CONTENTS

.

ŝ

2

Į

	publication]
(A)	Ilsemannite at Ouray, Utah, by F. L. Hess (published July 6, 1923)
(B)	Origin of certain rich silver ores near Chloride and Kingman, Ariz.,
	by E. S. Bastin (published Feb. 23, 1924)
(C)	Observations on the rich silver ores of Aspen, Colo., by E. S. Bastin
	(published Sept. 22, 1924)
(D)	New and known minerals from the Utah-Colorado carnotite region, by
	F. L. Hess (published Oct. 16, 1924)
(E)	Deposits of magnesia alum near Fallon, Nev., by D. F. Hewett (pub-
	lished Oct. 25, 1924)
(F)	Molybdenite in the Rocky Bar district, Idaho, by F. C. Schrader
	(published Oct. 28, 1924)
(G)	Bauxite in northeastern Mississippi, by E. F. Burchard (published
	January 9, 1925)
Inde	9X
	· III

# ILLUSTRATIONS

IJ

De um I. Dieff of the last and some later on the southmost side of Deckerse
PLATE I. Bluff of shales and sandstones on the southwest side of Duchesne River, 1½ miles northwest of Ouray, Utah
II. Molybdenum-bearing sandstone in an open cut 2 miles north-
west of Ouray, Utah
III. Rich baritic silver ore from Smuggler mine, Aspen, Colo
IV. Cross section of replaced wood in sandstone, Jo Dandy mine,
Paradox Valley, Colo
V. Diagonal section of replaced wood shown in Plate IV
VI. Sandstone impregnated with vanoxite showing peculiar
blotching due to segregation of the vanoxite, Jo Dandy
mine, Paradox Valley, Colo
VII. Vanoxite crystals extending into a gypsum veinlet, Jo Dandy
mine, Paradox Valley, Colo
VIII. Concretion of vanoxite in sandstone, from Beattie & Beattie's
Bill Bryan claim in Wild Steer Canyon, on the south side of Paradox Valley, Colo
IX. A, Underside of the concretion of vanoxite shown in Plate
VIII; B, Crystals of vanoxite in interstices of sandstone,
Jo Dandy mine, Paradox Valley, Colo
X. A, B, Segregation of rauvite in sand in the Shinarump con-
glomerate, Temple Mountain, Utah; C, Shrinkage cracks
due to dehydration of vanoxite between sand grains in a
section from the Kunkle claims, 6 miles west of Gateway,
Colo
XI. Aggregates of zippeite with acicular crystals of gypsum, from
Grand Wash, 2 miles southeast of Fruita, Wayne County,
Utah
XII. A, Specimen from Decker-Hortenstine prospect, Rocky Bar district, Idaho, showing occurrence of molybdenite; B,
Specimen from Rinebold prospect, Rocky Bar district,
Idaho, showing occurrence of molybdenite
FIGURE 1. Map of the vicinity of Ouray, Utah, and outline map showing
location of Ouray
2. Primary (hypogene) intergrowth of proustite with tennantite
and quartz, Empire No. 2 mine, Chloride, Ariz
3. Replacement of proustite by native silver, George Washington
claim, Mineral Park, Ariz
4. Contact relations of proustite and sphalerite with galena,
Queen Bee mine, Mineral Park, Ariz
5. Primary (hypogene) association of proustite and tennantite,
Queen Bee mine, Mineral Park, Ariz
6. Proustite crowded with inclusions of sphalerite and chalcopy-
rite and bordering tennantite essentially free from such
inclusions, Queen Bee mine, Mineral Park, Ariz 7. Inclusions of primary proustite in galena, Queen Bee mine,
Mineral Park, Ariz
********* * # #1#; #11##################

۱. •

### ILLUSTRATIONS

		_ P
FIGURE 8.	Veinlets of proustite following cleavage planes in galena and contacts between galena and quartz, Queen Bee mine, Mineral Park, Ariz	-
9.	Primary (hypogene) intergrowth of proustite and pearceite with tennantite, Kay mine, Mineral Park, Ariz	
10.	Primary intergrowth of proustite with tennantite, sphalerite, etc., Mineral Park, Ariz	
11.	Primary association of proustite and tennantite, Mineral Park, Ariz	
	Primary proustite in association with galena, tennantite, and quartz, Cupel mine, Stockton Hill, Ariz	•
13.	Tennantite traversed by veinlets of chalcopyrite, galena, bornite, sphalerite, and calcite	
14.	Tennantite traversed by late primary replacement veinlets of pearceite, base-metal sulphides, and calcite	
15.	Argentite, pearceite, and tennantite in irregular and appar- ently primary intergrowth	
16.	Replacement of galena by a galena-like mineral, probably a lead-silver sulphide, followed by pearceite	
17.	Replacement of sphalerite stringers in barite by native silver	
	Replacement of barite by native silver	
	Ragged replacement remnants of barite blades in native silver.	
	Native silver replacing sphalerite and barite	
	Association of native silver and pearceite	
22.	Composition diagrams of cool descending mine waters of Aspen, Colo	
23.	Sketch map of western Churchill County, Nev., showing loca- tion of alum deposits near Fallon	
24.	Sketch map showing local relations of alum deposits near Fallon, Nev	
	Index map of Idaho showing position of the Roaring River molybdenite area in the Rocky Bar district	
	Topographic map showing the position of the molybdenite prospects on Roaring River, Rocky Bar district, Idaho	
	Claim map of molybdenite prospects on Roaring River, Rocky Bar district, Idaho	
28.	Map showing distribution and geologic relations of bauxite deposits of northeastern Mississippi	1
29.	Topographic map of Smoky Top bauxite area, Pontotoc County, Miss	1
30.	Cross section of bauxite prospect pits, Smoky Top area, Pontotoc County, Miss	1

v

