

DEGREE QUADRANGLE 41°-42°, 124°-125°




FIGURE 52.—Diagram of degree quadrangle 41°-42°, 124°-125°

CRESCENT CITY QUADRANGLE

[Latitude 41° 30'-42° ; longitude 124°-124° 30']

DEL NORTE COUNTY

Primary leveling by L. F. Biggs in 1915

From Gasquet southwest along highways to Crescent City

	Feet
Gasquet, 2.9 miles southwest of, 200 feet north of bridge, east edge of road, in root of 18-inch bull-pine tree; copper nail, scribed "U. S. 596"-----	595.88
Gasquet, 4 miles southwest of, south edge of road at summit and sharp turn, in root of 44-inch redwood tree; copper nail, scribed "U. S. 839"-----	839.19
Gasquet, 4.6 miles southwest of, 300 feet north of milepost C. O. 13, east edge of road, in vertical wall; bronze tablet stamped "654 1915 15"-----	653.783
Gasquet, 5.8 miles southwest of, 100 feet west of milepost "C. C. 12," in root of 24-inch fir tree; copper nail, scribed "U. S. 610"---	609.65

	Feet
Gasquet, 6.9 miles southwest of, west edge of road, 100 feet south of milepost "C. C. 11," in root of 40-inch fir tree; copper nail, scribed "U. S. 593"-----	593.03
Gasquet, 8 miles southwest of, east side of road, 150 feet south of milepost "C. C. 10," in root of 18-inch fir tree; copper nail, scribed "U. S. 334"-----	333.97
South Fork of Smith River; floor of bridge over-----	162.9
Crescent City, 10.1 miles northeast of, 50 feet south of south end of bridge over South Fork of Smith River; bronze tablet in rock stamped "1650 16 1915"-----	164.501
South Fork bridge, 1 mile southwest of, north edge of road, south bank of river, on boulder; chiseled point, chiseled "U. S. 124"-----	123.78
Crescent City, 8.4 miles northeast of, at junction of road to Bald Hill and Kelsey trail, in root of 72-inch redwood tree; copper nail, scribed "U. S. 160"-----	159.65
Crescent City, 7.3 miles east of, south edge of road, in root of redwood tree 10 feet in diameter; copper nail, scribed "U. S. 159"-----	158.60
Crescent City, 6.3 miles east of, on northwest pier of bridge over Mill Creek; bronze tablet stamped "170 1915"-----	169.814
Crescent City, 5.3 miles east of, on south side of road, 300 feet east of small bridge, in root of 16-inch pine tree; copper nail-----	241.19
Crescent City, 4.5 miles east of, east edge of road, in root of redwood tree 6 feet in diameter; copper nail, scribed "U. S. 300"-----	299.24
Crescent City, 3.7 miles east of, north edge of road, at summit, in root of spruce tree 7 feet in diameter; copper nail, scribed "U. S. 531"-----	530.71
Crescent City, 3.2 miles east of, south edge of road, at foot of hill, in root of 24-inch spruce tree; copper nail, scribed "U. S. 181"-----	180.28
Crescent City, 2 miles east of, at intersection of Elk Valley and Grants Pass roads, in root of 24-inch cypress tree; copper nail, scribed "U. S. 37"-----	39.05
Crescent City, at northeast entrance to Bay Annex, 1 foot south of door; chiseled cross on south walk, chiseled "U. S. + B. M."-----	12.17
Crescent City, at west entrance of Del Norte County Courthouse, in concrete floor; bronze tablet stamped "30 1915 18"-----	29.447
Crescent City Lighthouse, about 140 feet east of; copper plug in rock, probable U. S. C. & G. S. bench mark. (Elevation given on Crescent City Harbor map by U. S. Army Engineers, low water datum 1954)-----	15.840
Crescent City Lighthouse, 60 feet northeast of, in concrete base of flagpole; bronze tablet stamped "58 19 1915"-----	57.760
From point 8.4 miles northeast of Crescent City to Bald Hill triangulation station. (Part of unadjusted line to Clear Creek. See Preston Peak quadrangle)	
Crescent City, 8.4 miles northeast of, at junction of road to Bald Hill and Kelsey trail, in root of 72-inch redwood tree; copper nail, scribed "U. S. 160"-----	159.65
Bald Hill, 2.6 miles west of, on north edge of road, in root of 120-inch redwood tree; copper nail, scribed "U. S. 553"-----	552.84
Bald Hill, 1.8 miles west of, on north edge of road, 200 feet west of bars near small lake, in root of 38-inch fir tree; copper nail, scribed "U. S. 944"-----	944.04

	Feet
Bald Hill, 0.6 mile west of, on north edge of road, in root of 40-inch fir tree; copper nail, scribed "U. S. 1568"-----	1,567.80
Bald Hill ranch house, 1 mile east of, 200 feet south of Kelsey trail, at top of ridge, U. S. C. & G. S. triangulation station on Bald Hill; bronze tablet stamped "1958"-----	1,957.552

Primary leveling by L. F. Biggs in 1915

From Bald Hill east along highways to Clear Creek. (Part of unadjusted line closing 1.589 feet high upon value in Bull. 481, p. 60)

Bald Hill ranch, 2 miles southeast of, on east side of Kelsey trail, just beyond ranger station; chiseled point on rock, painted "U. S. 2,042"-----	2,041.92
Bummer Lake, surface of water, June 12, 1915-----	2,048.4
Bummer Lake, 0.2 mile east of, on south side of trail, at point of ridge, in root of 24-inch pine tree; copper nail, scribed "U. S. 1,989"-----	1,988.67
103248—25—46	