

DEPARTMENT OF THE INTERIOR
Hubert Work, Secretary

U. S. GEOLOGICAL SURVEY
George Otis Smith, Director

Bulletin 784

BIBLIOGRAPHY
OF
NORTH AMERICAN GEOLOGY
FOR
1923-1924

BY
JOHN M. NICKLES

CANCELLED



OHIO STATE
UNIVERSITY

WASHINGTON
GOVERNMENT PRINTING OFFICE
1927

Q675

B9

No. 184-187

Copy 2

STAR 080

YTBXVBU

CONTENTS

	Page
Introduction.....	1
Serials examined.....	3
Bibliography.....	9
Index.....	179
Lists.....	245
Chemical analyses.....	245
Mineral analyses.....	246
Minerals described.....	247
Rocks described.....	248
Geologic formations described.....	249

III

330737



BIBLIOGRAPHY OF NORTH AMERICAN GEOLOGY FOR 1923-1924

BY JOHN M. NICKLES

INTRODUCTION

The bibliography of North American geology, including paleontology, petrology, and mineralogy, for the years 1923 and 1924 contains publications on the geology of the Continent of North America and adjacent islands and on Panama and the Hawaiian Islands. It includes textbooks and papers of general character by American authors, but not those by foreign authors, except papers that appear in American publications.

The papers, with full title and medium of publication and explanatory note if the title is not fully self-explanatory, are listed under the names of their authors, which are arranged in alphabetic order. The author list is followed by an index to the literature listed.

The bibliography of North American geology is comprised in the following bulletins of the United States Geological Survey: No. 127 (1732-1892), Nos. 188 and 189 (1892-1900), No. 301 (1901-1905), No. 372 (1906-7), No. 409 (1908), No. 444 (1909), No. 495 (1910), No. 524 (1911), No. 545 (1912), No. 584 (1913), No. 617 (1914), No. 645 (1915), No. 665 (1916), No. 684 (1917), and No. 698 (1918).¹ These have been cumulated under the title "Geologic literature on North America, 1785-1918," in Bulletin 746 (Part I, Bibliography) and Bulletin 747 (Part II, Index).

The series has been continued in Bulletins Nos. 731 (1919-20), 758 (1921-22), and 784 (1923-24).

¹ The Survey's stock of these bulletins is exhausted; most of those later than No. 301 may be purchased from the Superintendent of Documents, Washington, D. C., to whom inquiries and orders should be addressed.



SERIALS EXAMINED


- Academy of Natural Sciences of Philadelphia: Proceedings, vols. 74, 75. Philadelphia, Pa.
- Academy of Science of St. Louis: Transactions, vol. 24, no. 9, vol. 25, nos. 1-4. St. Louis, Mo.
- Alabama Geological Survey: Bulletin nos. 26, 27; Museum Paper no. 7; County Report no. 1 (Clay County). Montgomery, Ala.
- Alberta, Scientific and Industrial Research Council: Third and Fourth annual reports; Reports nos. 6-10. Edmonton, Alberta.
- American Academy of Arts and Sciences: Proceedings, vols. 58, 59; Memoirs, vol. 14, no. 5; vol. 15, nos. 1, 2. Boston, Mass.
- American Association of Petroleum Geologists: Bulletin, vols. 7, 8.
- American Institute of Mining and Metallurgical Engineers: Transactions, vols. 68-70. New York.
- American Journal of Science, 5th ser., vols. 5-8. New Haven, Conn.
- American Mineralogist, vols. 8, 9. Menasha, Wis.
- American Mining Congress: Reports of 25th and 26th Annual Conventions. Washington, D. C.
- American Museum of Natural History: Bulletin, vols. 46, 48; American Museum Novitates, nos. 53-155. New York.
- American Naturalist, vols. 57, 58. New York.
- American Philosophical Society: Proceedings, vols. 62, 63. Philadelphia, Pa.
- Annales de Paléontologie, t. 12, fasc. 3-4, 13. Paris.
- Annales des Mines, 12th ser., t. 3-6. Paris.
- Annals and Magazine of Natural History, 9th ser., vols. 11-14. London.
- Appalachia, vol. 15, no. 4, vol. 16, no. 1. Boston, Mass.
- Association of American Geographers: Annals, vols. 11-14. New York, N. Y.
- Bernice Pauahi Bishop Museum: Memoirs, vol. 8, no. 5, vol. 9, nos. 1, 2; Bulletin, nos. 2-5. Honolulu, Hawaiian Islands.
- Boston Society of Natural History: Proceedings, vol. 36, nos. 7, 8, vol. 37, nos. 1-4; Occasional Papers, vol. 5, pp. 133-139. Boston, Mass.
- Botanical Gazette, vols. 75-76. Chicago, Ill.
- British Columbia, Bureau of Mines: Annual Report of the Minister of Mines for 1922, 1923. Victoria, B. C.
- Buffalo Society of Natural Science: Bulletin, vol. 13, no. 3. Buffalo, N. Y.
- Bulletins of American Paleontology, vol. 10, no. 41. Ithaca, N. Y.
- California Academy of Sciences: Proceedings, 4th ser., vol. 11, nos. 22-23; vol. 12; vol. 13, nos. 1-28. San Francisco, Calif.
- California State Mining Bureau: Bulletin, nos 91-93. San Francisco, Calif.
- California, University of, Department of Geology: Bulletin, vol. 14, nos. 5-13, vol. 15, nos. 1-4. Seismographic Stations: Bulletin, vol. 2, nos. 3, 4. Berkeley, Calif.
- Canada, Department of Mines, Mines Branch: Summary Report for 1922. Ottawa, Ont.
- Canada, Geological Survey: Memoirs, nos. 133-145; Bulletin, nos. 37, 38; Summary Report for 1922, 1923. Ottawa, Ont.
- Canadian Alpine Journal, vols. 13 and 14. Banff, Alberta.

- Canadian Field Naturalist, vols. 37, 38. Ottawa, Ont.
- Canadian Institute of Mining and Metallurgy: Transactions, vols. 25, 26; Monthly Bulletin, nos. 129-152. Montreal, Quebec.
- Canadian Mining Journal, vols. 44, 45. Toronto and Montreal, Canada.
- Carnegie Institution of Washington: Yearbook nos. 21, 22, 23, for 1922, 1923, 1924. Washington, D. C.
- Carnegie Museum: Annals, vol. 5; Memoirs, vol. 8, no. 3, vol. 9, nos. 3, 4. Pittsburgh, Pa.
- Centralblatt für Mineralogie, etc., 1923, 1924. Stuttgart, Germany.
- Coal Age, vols. 23-26. New York.
- Colorado School of Mines: Magazine, vols. 12, 13; Quarterly, vols. 18, 19. Golden, Colo.
- Colorado Scientific Society: Proceedings, vol. 11, pp. 367-434. Denver, Colo.
- Colorado, University of: Studies, vols. 13 and 14. Boulder, Colo.
- Connecticut Academy of Arts and Sciences: Transactions, vol. 26, pp. 181-332. New Haven, Conn.
- Connecticut State Geological and Natural History Survey: Bulletin, nos. 34 and 35. Hartford, Conn.
- Cuba, Dirección de Montes y Minas: Boletín de Minas, no. 7. Habana, Cuba.
- Delaware County Institute of Science: Proceedings, vol. 9, no. 3. Media, Pa.
- Denison University, Scientific Laboratories: Bulletin, vol. 20, pp. 37-383. Granville, Ohio.
- Economic Geology, vols. 18, 19. Lancaster, Pa.
- Elisha Mitchell Scientific Society: Journal, vol. 38, nos. 3-4, vols. 39, 40. Chapel Hill, N. C.
- Engineering and Mining Journal-Press, vols. 115-118. New York.
- Engineers' Club of Philadelphia: Proceedings, vol. 40.
- Engineers' Society of Western Pennsylvania: Proceedings, vols. 39, 40. Pittsburgh, Pa.
- Florida State Geological Survey: Fifteenth Annual Report, Tallahassee, Fla.
- Franklin Institute: Journal, vols. 195-198. Philadelphia, Pa.
- Geographical Journal, vols. 61-64. London.
- Geographical Review, vols. 13, 14. New York.
- Geographical Society of Philadelphia: Bulletin, vols. 21, 22. Philadelphia, Pa.
- Geological Magazine, vols. 60, 61. London.
- Geological Society of America: Bulletin, vols. 34, 35. New York.
- Geological Society of London: Quarterly Journal, vols. 79, 80. London.
- Geologists' Association of London: Proceedings, vols. 34, 35. London.
- Georgia Geological Survey: Bulletin, nos. 40, 41. Atlanta, Ga.
- Harvard College, Museum of Comparative Zoology: Bulletin, vol. 65, nos. 7-14, vol. 66, pt. 1; Memoirs, vol. 47, no. 4. Cambridge, Mass.
- Hawaiian Volcano Observatory: Bulletin, vols. 9-12. Honolulu, Hawaiian Islands.
- Idaho, Bureau of Mines and Geology: Bulletin, nos. 6-9; Pamphlet, nos. 5-12. Moscow, Idaho.
- Illinois Academy of Science: Transactions, vols. 11-16. Springfield, Ill.
- Illinois State Geological Survey: Bulletin, nos. 43, 44 (extract), 45; Report of Investigations, no. 1. Springfield, Ill.
- Indiana Academy of Science: Proceedings for 1922, 1923. Indianapolis, Ind.
- Indiana, Department of Conservation, Division of Geology: Publication no. 42. Indianapolis, Ind.
- Institution of Mining and Metallurgy: Bulletin, nos. 220-243. London.
- Institution of Mining Engineers: Transactions, vols. 65-68. Newcastle upon Tyne, England.

- Institution of Petroleum Technologists: Journal, vols. 9, 10, nos. 35-47. London.
- Iowa Academy of Sciences: Proceedings, vols. 28-30. Des Moines, Iowa.
- Iowa Geological Survey: Vols. 28, 29 (Annual reports, 1917-8, 1919-20). Des Moines, Iowa.
- Japan, Imperial Earthquake Investigation Committee: Bulletin, vol. 11, no. 1; Seismological notes, nos. 1, 2, 4, 6. Tokyo, Japan.
- Johns Hopkins University: Studies in Geology, nos. 1, 2, 4-7. Baltimore, Md.
- Journal of Geography, vols. 22, 23. Madison, Wis.
- Journal of Geology, vols. 31, 32. Chicago, Ill.
- Kansas State Geological Survey: Bulletin 9; Circular 1. Lawrence, Kans.
- Kansas, University, Science Bulletin, vol. 14, nos. 1-21. Lawrence, Kans.
- Kentucky Geological Survey: 6th ser., vols. 9-11, 13-15, 20, 22; Pamphlets 2-4. Frankfort, Ky.
- Lake Superior Mining Institute: Proceedings, vol. 23. Ishpeming, Mich.
- Maryland Geological Survey: Silurian; vol. 11. Baltimore, Md.
- Mazama, vol. 6, no. 3. Portland, Oreg.
- Meddelelser om Grönland, Bd. 40, 62, 63, 66, 67. Copenhagen, Denmark.
- México, Instituto Geológico: Anales, no. 10; Boletín, nos. 40-42, 44. Mexico City, D. F.
- Michigan Academy of Science: Papers, vols. 1-3. New York.
- Michigan Geological and Biological Survey: Publications 33-35. Lansing, Mich.
- Michigan, University of, Museum of Geology: Contributions, vol. 1, vol. 2, nos. 1-3. Ann Arbor, Mich.
- Mining and Metallurgical Society of America: Bulletin, vols. 16, 17 (nos. 158-172). New York.
- Mining and Metallurgy (American Institute of Mining and Metallurgical Engineers), vols. 4, 5. New York.
- Mining Congress Journal, vols. 9, 10. Washington, D. C.
- Mining Magazine, vols. 28-31. London.
- Minnesota Geological Survey: Bulletin no. 18. Minneapolis, Minn.
- Mississippi State Geological Survey: Bulletin, nos. 18, 19; Ninth Biennial Report. Jackson, Miss.
- Missouri Bureau of Geology and Mines: Biennial Report [1921-2]; 2d ser., vol. 18. Jefferson City, Mo.
- National Academy of Sciences: Proceedings, vols. 9, 10; Memoirs, vols. 17, 18, 20. Washington, D. C.
- National Geographic Magazine, vols. 43-46. Washington, D. C.
- Natural History; the Journal of the American Museum of Natural History, vols. 23, 24. New York.
- Nature, vols. 111-114. London.
- Nautilus, vol. 36, nos. 3-4; vols. 37, 38, nos. 1, 2. Boston, Mass.
- Neues Jahrbuch für Mineralogie, etc., 1923, 1924. Stuttgart, Germany.
- New Jersey Geological Survey: Bulletin 23-25. Trenton, N. J.
- New York State Museum: Bulletin, nos. 245-246, 249-251, 253, 255, 256; Memoir 16. Albany, N. Y.
- North Carolina Geological and Economic Survey: Biennial Report, 1921-22; Bulletin, nos. 30, 32, 33; Economic Paper, no. 54; Circular, nos. 5-10. Raleigh, N. C.
- North Dakota Geological Survey: Bulletins nos. 2 and 3. Grand Forks, N. Dak.
- Nova Scotia Institute of Science: Proceedings and Transactions, vol. 15, pts. 2-4. Halifax, Nova Scotia.
- Ohio Academy of Science: Proceedings, vol. 7, pts. 7-9. Columbus, Ohio.
- Ohio Geological Survey: Fourth series, Bulletin, nos. 26, 27. Columbus, Ohio.
- Ohio Journal of Science, vols. 23, 24. Columbus, Ohio.

- Oklahoma Geological Survey: Bulletin, nos. 28, 32; Circular, no. 12. Norman, Okla.
- Ontario Department of Mines: Report, vols. 31, pts. 4-10; 32, pts. 2, 3, 5. Toronto, Ont.
- Palaeontologische Zeitschrift, Bd. 5, 6. Berlin, Germany.
- Pan-American Geologist, vols. 39-42. Des Moines, Iowa.
- Pennsylvania, Topographic and Geologic Survey: Fourth series, Bulletins M3-5. Harrisburg, Pa.
- Portland Society of Natural History: Proceedings, vol. 3, pt. 3. Portland, Me.
- Quebec, Mines Branch: Report on mining operations, 1922, 1923. Quebec, Canada.
- Rochester Academy of Science: Proceedings, vol. 6, no. 5. Rochester, N. Y.
- Royal Society of Canada: Proceedings and Transactions, Third series, vols. 17, 18. Ottawa, Ont.
- Science, new ser., vols. 57-60. New York.
- Scientific Monthly, vols. 16-19. New York.
- Seismological Society of America: Bulletin, vols. 13, 14. Stanford University, Calif.
- Sierra Club Bulletin, vol. 11, no. 4, vol. 12, no. 1. San Francisco, Calif.
- Smithsonian Institution: Smithsonian Miscellaneous Collections, vol. 67, nos. 8, 9, vol. 73, no. 2, vol. 74, nos. 5-7, vol. 75, nos. 1, 2, vol. 76, nos. 1-13, vol. 77, nos. 1, 3; Annual Report, 1922. Washington, D. C.
- Sociedad Científica "Antonio Alzate," Mem. y Rev., t. 41, 42, 43. México, D. F.
- Société de Géographie de Québec: Bulletin, vols. 17, 18. Quebec, Canada.
- South Dakota Geological Survey: Bulletin, no. 12; Circular, nos. 11-17. Vermillion, S. Dak.
- Southern California Academy of Sciences: Bulletin, vols. 20-23. Los Angeles, Calif.
- Stanford University Publications, University series, Geological Sciences, vol. 1, no. 1. Stanford University, Calif.
- Staten Island Institute of Arts and Sciences: Proceedings, vol. 1, pt. 4, vol. 2. Staten Island, N. Y.
- Tennessee State Geological Survey: Bulletin nos. 27-31. Nashville, Tenn.
- Texas, University of, Bulletin, nos. 2234, 2307, 2327, 2330, 2333, 2340, 2346, 2383, 2433. Austin, Tex.
- Toronto, University of, Studies: Geological series, nos. 15-18. Toronto, Ont.
- Torrey Botanical Club: Bulletin, vols. 50, 51. Lancaster, Pa.
- Torreya, vols. 23, 24. Lancaster, Pa.
- Tschermaks Mineralogische und Petrographische Mitteilungen, Bd. 36, H. 1-2. Wien, Austria.
- Tufts College Studies, vol. 5, no. 4 (Scientific series, no. 43). Tufts College, Mass.
- United States Bureau of Mines: Bulletin, nos. 190, 203, 204, 212-215, 217, 219-221, 223, 225, 227, 228, 230, 232; Technical Paper, nos. 262, 273, 274, 283, 289, 294, 296, 300, 304, 310, 312, 314-316, 319, 321-324, 326-329, 331-334, 336-339, 340, 342, 344, 349-354, 358, 359, 364, 371. Washington, D. C.
- United States Geological Survey: Annual Report, 44th, 45th; Professional Papers 126, 127, 131-135; Bulletins 689, 709, 717, 718, 720, 723, 729-732, 735-741, 743-747, 749, 750 (pts.), 751 (pts.), 752-754, 755 (pts.), 756, 758, 760 (pts.), 761, 762, 764-766, 770; Water-Supply Papers 469, 488, 489, 492-498, 501-506, 510-519, 520 (pts.), 521, 524, 525, 527, 528, 532, 535, 538; Geologic Atlas, folios 215-218; Mineral Resources, 1921-1923 (parts). Washington, D. C.

- United States National Museum: Bulletin, nos. 102 pt. 8, 124, 125. Proceedings, vols. 62-65. Washington, D. C.
- Vermont Geological Survey: Report of the State Geologist for 1921-2, 1923-4. Burlington, Vt.
- Wagner Free Institute of Science: Transactions, vol. 10. Philadelphia, Pa.
- Washington Academy of Sciences: Journal, vols. 13, 14. Washington, D. C.
- Washington Geological Survey: Bulletin, nos. 28-31. Olympia, Wash.
- Washington, University of, Publications in Geology, vol. 1, nos. 3 and 4. Seattle, Wash.
- Western Society of Engineers: Journal, vols. 28, 29. Chicago, Ill.
- West Virginia Geological Survey: County Reports, Tucker County, Mineral and Grant Counties. Morgantown, W. Va.
- Wisconsin Academy of Science, Arts, and Letters: Transactions, vol. 21. Madison, Wis.
- Wisconsin Geological and Natural History Survey: Bulletin, nos 57 pt. 2, 65, 66. Madison, Wis.
- Wyoming Geological Survey: Twelfth Biennial Report of the State Geologist. Cheyenne, Wyo.
- Wyoming Historical and Geological Society, Proceedings and Collections, vols. 17 and 18. Wilkesbarre, Pa.
- Zeitschrift für Praktische Geologie, Jg. 31, 32. Berlin, Germany.
- Zeitschrift für Vulkanologie, Bd. 7, 8, H. 1-3. Berlin, Germany.



BIBLIOGRAPHY

Adams, George I.

1. The formation of bauxite in sink holes: *Econ. Geology*, vol. 18, no. 4, pp. 410-412, June-July, 1923.

Adams, L. A.

2. The shifting of the mammalian faunas as shown by the Pleistocene remains of Illinois: *Illinois State Acad. Sci., Trans.*, vol. 16, pp. 140-144, 1923.

Adams, Leason H.

3. A physical source of heat in springs: *Jour. Geology*, vol. 32, no. 3, pp. 191-194, April-May, 1924.
4. (and Washington, H. S.). The distribution of iron in meteorites and in the earth: *Washington Acad. Sci., Jour.*, vol. 14, no. 14, pp. 333-340, 6 figs., August 19, 1924.
5. Temperatures at moderate depths within the earth: *Washington Acad. Sci., Jour.*, vol. 14, no. 20, pp. 459-472, 2 figs., December 4, 1924.
(with Williamson, E. D.). Density distribution in the earth: *Washington Acad. Sci., Jour.*, vol. 13, no. 19, pp. 413-431, 5 figs., November 19, 1923.

Adkins, W. S.

6. Geology and mineral resources of McLennan County: *Texas, Univ., Bull.* no. 2340, 202 pp., 10 figs., 4 pls. (incl. map), January, 1924.

Agar, William M.

7. Contact metamorphism in the western Adirondacks: *Am. Philos. Soc., Proc.*, vol. 62, no. 3, pp. 95-174, 2 figs., 9 pls., 1923.

Albertson, M.

8. Possible explanation of the large initial production of some wells of the Haynesville field, Louisiana: *Am. Assoc. Petroleum Geologists, Bull.*, vol. 7, no. 3, pp. 295-296, May-June, 1923.

Alcock, Frederick J.

9. Flinflon map area, Manitoba and Saskatchewan: *Canada, Geol. Survey, Summ. Rept.*, 1922, pt. C, pp. 1-36, 6 figs., 3 pls., 2 maps, 1923.
10. Copper prospects in Gaspé Peninsula, Quebec: *Canada, Geol. Survey, Summ. Rept.*, 1923, pt. C 2, pp. 1-12, 4 figs., 1924.
11. The mineral deposits of Gaspé [Quebec]: *Canadian Min. Jour.*, vol. 45, no. 41, pp. 1000-1003, 4 figs., October 10, 1924.
12. Across Gaspé: *Geog. Rev.*, vol. 14, no. 2, pp. 197-214, 20 figs., April, 1924.
13. The Pas mineral belt [Saskatchewan]: *Canadian Min. Jour.*, vol. 45, no. 30, pp. 713-715, 3 figs., July 30, 1924.

Alden, William C.

14. Rate of movement in glaciers of Glacier National Park: *Science*, new ser., vol. 57, p. 268, March 2, 1923.
15. The physical features of central Massachusetts: *U. S. Geol. Survey, Bull.* 760, pp. 13-105, 11 figs., 17 pls., December 16, 1924.

Alden, William C.—Continued.

16. Physiographic development of the northern Great Plains: *Geol. Soc. America, Bull.*, vol. 35, no. 3, pp. 385-423, 12 pls. (incl. map), September 30, 1924; abstract, no. 1, pp. 74-75, March 30, 1924; abstract, *Pan-Am. Geologist*, vol. 41, no. 2, p. 140, March, 1924.
See also Atwood, no. 50; Kay, no. 1135.

Aldrich, H. R.

17. Magnetic surveying on the copper-bearing rocks of Wisconsin: *Econ. Geology*, vol. 18, no. 6, pp. 562-574, 2 figs., September, 1923.

Aldrich, Truman H.

18. Notes on the Clinton group in Alabama: *Am. Inst. Min. and Met. Eng., Trans.* [preprint] no. 1375, 4 pp., 1 fig., October, 1924; abstract, *Mining and Metallurgy*, vol. 5, no. 215, pp. 547-548, November, 1924.

Allan, John A.

19. Geological investigations during 1922: Alberta, Scientific and Industrial Research Council, Third Ann. Rept., pp. 38-41, 1923.
20. Some problems relating to the Cretaceous and Jurassic stratigraphy in Alberta: *Roy. Soc. Canada, Proc. and Trans.*, 3d ser., vol. 17, sec. 4, pp. 117-124, May, 1923.
21. (and Rutherford, Ralph L.). Saunders Creek and Nordegg coal basins, Alberta, Canada: Alberta, Scientific and Industrial Research Council, Rept. no. 6 (4th Ann. Rept. Mineral Resources of Alberta, pt. 1), 66 pp., 9 pls., map, 1923.
22. (and Cameron, Alan E.). An occurrence of iron on Lake Athabaska: Alberta, Scientific and Industrial Research Council, Rept. no. 7 (4th Ann. Rept. Mineral Resources of Alberta, pt. 3), 33 pp., 7 pls., 2 maps, 1923.
23. Geological investigations during 1923: Alberta, Scientific and Industrial Research Council, Fourth Ann. Rept., 1923, pp. 46-58, 1924.
24. (and Rutherford, Ralph L.). Geology along the Blackstone, Brazeau, and Pembina rivers in the foothills belt, Alberta: Alberta, Scientific and Industrial Research Council, Rept. no. 9, 53 pp., 8 pls. (incl. map), 1924.

Allen, E. T.

25. (and Zies, E. G.). A chemical study of the fumaroles of the Katmai region: *Nat. Geog. Soc., Contributed Tech. Papers*, Katmai series no. 2, pp. 75-155, illus., 1923.
(with Day, Arthur L.). The sources of the heat and the sources of the water in the hot springs of the Lassen National Park: *Jour. Geology*, vol. 32, no. 3, pp. 178-190, April-May, 1924.
(with Merwin, H. E., and Lombard, R. H.). Cubanite, identity with chalmersite; magnetic properties: *Am. Mineralogist*, vol. 8, no. 8, pp. 135-138, August, 1923.

Allen, R. C.

26. (and Martin, Helen M.). A brief history of the Geological and Biological Survey of Michigan; 1837 to 1872, by R. C. Allen; 1872 to 1920, by Helen M. Martin: *Michigan History Mag.*, vol. 6, no. 4, pp. 675-750, 3 pls. (portraits), 1922.
27. (and Martin, Helen M.). An abstract of "A history of the Michigan Geological and Biological Survey": *Michigan Acad. Sci., Papers*, vol. 1, pp. 224-247, 2 pls., 1923.

Alling, Harold L.

28. The mineralography of the feldspars; Part II: Jour. Geology, vol. 31, no. 4, pp. 282-305, 3 figs., 2 pls., May-June, no. 5, pp. 353-375, 4 figs., July-August, 1923.
29. The origin of the foliation and the naming of syntectic rocks: Am. Jour. Sci., 5th ser., vol. 8, pp. 12-32, 3 figs., July, 1924.

Allison, E. L.

30. How was placer gold formed?: Eng. and Min. Jour.-Press, vol. 117, no. 19, pp. 771-772, May 10, 1924.

Allison, Vernon C.

31. The growth of stalagmites and stalactites: Jour. Geology, vol. 31, no. 2, pp. 106-125, 16 figs., February-March, 1923.
32. Quaternic and Tertiary chronology: Pan-Am. Geologist, vol. 42, no. 3, pp. 199-216, 2 pls., October, 1924.

American Geographical Society.

33. New York walk book: Am. Geog. Soc., Outing Series no. 2, 217 pp., illus., 1923.

Includes notes on geological features in the vicinity of New York City.

Anderson, J. A.

34. A torsion seismometer: Optical Soc. America, Jour., vol. 8, no. 6, pp. 817-822, 1 fig., June, 1924.

Anderson, John Carter.

35. Economic application of zonal theory of primary deposition of ores (with discussion by Frank L. Nason, J. E. Spurr, James F. Kemp, and others): Am. Inst. Min. and Met. Eng., Trans., vol. 69, pp. 22-35, 5 figs., 1923 [preprint] no. 1209, 9 pp., 5 figs., January, 1923; abstract, Mining and Metallurgy, vol. 4, no. 193, p. 31, 1 fig., January, 1923.

Andrews, E. C.

36. Contribution to the hypothesis of mountain formation: Geol. Soc. America, Bull., vol. 34, no. 2, pp. 381-399, June 30, 1923.

Anrep, A.

37. Investigation of peat bogs in Quebec: Canada, Geol. Survey, Summ. Rept., 1922, pt. D, pp. 13-18, 3 maps, 1923.
38. Investigation of the peat bogs in New Brunswick: Canada, Geol. Survey, Summ. Rept., 1923, pt. C 2, pp. 13-22, 1924.

Antevs, Ernst.

39. Climatic changes: Science, new ser., vol. 58, pp. 420-421, November 23, 1923.
40. On the Pleistocene history of the Great Basin: Carnegie Inst. Washington, Year Book no. 22, p. 323, 1924.

Applin, E. R.

(with Dumble, E. T.). Subsurface geology of Idolo Island, Vera Cruz, Mexico: Pan-Am. Geologist, vol. 41, no. 5, pp. 335-346, June, 1924.

Arizona Bureau of Mines.

41. Geologic map of the State of Arizona prepared by the Arizona Bureau of Mines in cooperation with the U. S. Geological Survey by N. H. Darton and others. Scale 1: 500,000. 1924.

Armstrong, P.

42. Geology and ore deposits of Elbow Lake area, northern Manitoba: Canada, Geol. Survey, Summ. Rept., 1922, pt. C, pp. 37-44, 1 fig., 1923.

Arnold, Ralph.

43. (and English, Walter A.). Canadian oil reserves: Am. Inst. Min. and Met. Eng., Trans., vol. 68, pp. 985-988, 1923; [preprint] no. 1172, 4 pp., July, 1922; abstract, Mining and Metallurgy, no. 187, pp. 40-41, July, 1922.
44. (and others). Symposium on petroleum and gas: Am. Inst. Min. and Met. Eng., Trans. [preprint], no. 1241, pp. 1-134, 12 figs., April, 1923.
45. Two decades of petroleum geology, 1903-22: Am. Assoc. Petroleum Geologists, Bull., vol. 7, no. 6, pp. 603-624, November-December, 1923.
- (with Clark, Bruce L.). Fauna of the Sooke formation, Vancouver Island, with description of a new coral by T. Wayland Vaughan: California, Univ., Dept. Geol. Sci., Bull., vol. 14, no. 5, pp. 123-234, 28 pls., November 6, 1923.
- (with Laughlin, Homer, and Kew, William S. W.). Southern California earthquake of July 22, 1923: Seismol. Soc. America, Bull., vol. 13, no. 3, pp. 105-106, 1 pl., September, 1923.

Ashley, George H.

46. The work of the Pennsylvania Geological Survey, 1919-1922: Pennsylvania, Bur. Topog. and Geologic Survey, 18 pp., 2 figs., 1923.
47. A geologic time scale: Eng. and Min. Jour.-Press, vol. 115, no. 25, pp. 1106-1109, June 23, 1923; Coal Age, vol. 24, no. 3, pp. 102-104, July 19, 1923.
48. Classification of coal. . . : Coal Age, vol. 25, no. 5, pp. 167-171, January 31, 1924.
49. Proposed stratigraphic section and code (abstract, with discussion by J. J. Galloway and Charles Schuchert): Geol. Soc. America, Bull., vol. 35, no. 1, pp. 101-103, March 30, 1924; abstract, Pan-Am. Geologist, vol. 41, no. 2, pp. 150-151, March, 1924.
- See also Pennsylvania G. S., no. 1734; Renick, no. 1852; Swartz, no. 2182; Willis, no. 2483.

Atwood, Wallace W.

50. (and Mather, Kirtley F.). Physiographic history of the San Luis Valley of Colorado and New Mexico (abstract, with discussion by William C. Alden, Andrew C. Lawson, and W. P. White): Geol. Soc. America, Bull., vol. 35, no. 1, pp. 121-123, March 30, 1924; abstract, Pan-Am. Geologist, vol. 41, no. 2, pp. 157-158, March, 1924.

Aurin, F. L.

- (with Clark, G. C.). The Tonkawa [oil] field, Oklahoma: Am. Assoc. Petroleum Geologists, Bull., vol. 8, no. 3, pp. 269-283, 7 figs., 1 pl., May-June, 1924.

Aurousseau, M.

51. The residue from silica in rock analysis: Washington Acad. Sci., Jour., vol. 13, no. 14, pp. 330-332, August 19, 1923.
- (with Bowen, N. L.). Fusion of sedimentary rocks in drill holes (with discussion by Sidney Powers): Geol. Soc. America, Bull., vol. 34, no. 3, pp. 431-448, 3 figs., September 30, 1923.

Ayres, Vincent L.

52. Pyrite from Tucson, Arizona: *Am. Mineralogist*, vol. 9, no. 4, pp. 91-92, 2 figs., April, 1924.

Bagley, Belle W.

53. Cement in 1921: U. S. Geol. Survey, Mineral Resources, 1921, pt. 2, pp. 215-228, January 8, 1923.

Bailey, Gilbert Ellis.

54. Check list of the geologic formation names of California. 15 pp., University of Southern California, 1923.

55. California, a geologic wonderland. 119 pp., 1 pl., Los Angeles, The Times-Mirror Press, 1924.

Bailey, I. W.

56. The problem of identifying the wood of Cretaceous and later dicotyledons; *Paraphyllanthoxylon arizonense*: *Annals Botany*, vol. 38, pp. 439-451, 1 pl., July, 1924.

Bailey, Thomas Laval.

57. The geology and natural resources of Colorado County: Texas, Univ., Bull. no. 2333, 163 pp., 7 figs., 7 pls. (incl. map), November, 1923.

58. Extensive volcanic activity in the middle Tertiary of the south Texas Coastal Plain: *Science*, new ser., vol. 59, pp. 299-300, March 28, 1924.

Bain, George W.

59. Magnesite deposits of Grenville, Quebec: *Am. Inst. Min. and Met. Eng. Trans.*, vol. 69, pp. 60-78, 7 figs., 1923; [preprint] no. 1244, 19 pp., 7 figs., May, 1923; abstract, *Mining and Metallurgy*, vol. 4, no. 197, p. 257, May, 1923.

60. Almandite and its significance in the contact zones of the Grenville limestone: *Jour. Geology*, vol. 31, no. 8, pp. 650-668, 7 figs., November-December, 1923.

61. Alluvial fan deposits in the Upper Huronian: *Am. Jour. Sci.*, 5th ser., vol. 8, pp. 54-60, 2 figs. (maps), July, 1924.

62. Types of magnesite deposits and their origin: *Econ. Geology*, vol. 19, no. 5, pp. 412-433, August, 1924.

Baker, A. A.

- (with Smith, W. R.). The Cold Bay-Chignik district, Alaska: U. S. Geol. Survey, Bull. 755, pp. 151-218, 1 fig., 5 pls. (maps), 1924.

Baker, Charles Lawrence.

63. Caverns in the Guadalupe Mountain range [New Mexico]: *Science*, new ser., vol. 59, p. 379, April 25, 1924.

Baker, Frank Collins.

64. Pleistocene Mollusca from the vicinity of Joliet, Illinois: *Illinois State Acad. Sci., Trans.*, vol. 15, pp. 408-420 [1923].

Baker, M. B.

65. Geology and minerals of the County of Leeds: Ontario Dept. Mines, 31st Ann. Rept., vol. 31, pt. 6, 26 pp., 10 figs., 1 pl., map, 1923.

66. Metallogenesis and the pre-Cambrian of Canada: *Canadian Min. Jour.*, vol. 45, no. 46, pp. 1121-1123, 1 fig., November 14, 1924; abstract, *Pan-Am. Geologist*, vol. 42, no. 1, pp. 71-72, August, 1924.

Baker, William A. jr.

(with Swartz, Charles K.). The coal formations and mines of Maryland, with introduction by Edward Bennett Mathews: Maryland Geol. Survey, vol. 11, pp. 27-288, 10 figs., 7 pls. (incl. map), 1922.

Balcom, S. F.

67. The paleolithic stone age in Indiana: Indiana Acad. Sci., Proc. 38th Ann. Meeting, 1922, pp. 105-117, 6 figs., 1923.

(with Lindgren, Waldemar). Summary of proceedings of the Society of Economic Geologists, 1921-1922. 24 pp. [n. d., 1923?].

Ball, J. R.

68. The intercession of Pike River near Kenosha, Wisconsin: Illinois State Acad. Sci., Trans., vol. 13, pp. 323-326 [1921].

Ball, Max W.

69. Gas and oil near Fort Collins, Colorado: Colorado School of Mines, Alumni Mag., vol. 13, no. 9, pp. 10-16, January, 1924.

70. Gas near Fort Collins, Colorado: Am. Assoc. Petroleum Geologists, Bull., vol. 8, no. 1, pp. 79-87, January-February, 1924.

See also Hintze, no. 944.

Ball, Sydney H.

71. Proceedings of the second annual meeting of the Society of Economic Geologists, held at Ann Arbor, Michigan, December 28-30, 1922: Geol. Soc. America, Bull., vol. 34, no. 1, pp. 143-146, March 30, 1923.

• 72. The mineral resources of Greenland: Meddelelser om Groenland, Bd. 63, pp. 1-60, 23 figs., 1923.

Ballard, Samuel M.

73. Geology and gold resources of Boise Basin, Boise County, Idaho: Idaho Bur. Mines and Geology, Bull. no. 9, 103 pp., 12 figs., 13 pls. (incl. map), December, 1924.

(with Thomson, Francis A.). Geology and gold resources of north central Idaho: Idaho Bur. Mines and Geology, Bull. no. 7, 127 pp., 15 figs., 27 pls. (incl. maps), 1924.

Bancroft, J. Austen.

74. (and Howard, W. V.). The essexites of Mount Royal, Montreal, P. Q.: Roy. Soc. Canada, Proc. and Trans., 3d ser., vol. 17, sec. 4, pp. 13-43, 4 pls., May, 1923.

Bancroft, M. F.

75. Discussion of paper by W. L. Uglow, Quartz veins of Barkerville, Cariboo district, British Columbia: Canadian Inst. Min. and Met., Monthly Bull., no. 129, pp. 63-64, January, 1923.

Banks, C. A.

76. The B. C. Silver Mines [Salmon River valley, British Columbia]: Min. Mag. vol. 31, no. 3, pp. 149-152, 3 figs., September, 1924.

Barnett, Leon H.

77. The chemistry of the earth's core: Jour. Geology, vol. 32, no. 7, pp. 615-635, October-November, 1924.

Barringer, Daniel Moreau.

78. Further notes on Meteor Crater in northern central Arizona (No. 2): Acad. Nat. Sci. Philadelphia, Proc., vol. 76, pp. 275-278, 1 pl., 1924.

Barringer, Daniel Moreau—Continued.

79. Volcanoes or cosmic shell-holes; a discussion of the origin of the craters on the moon and of other features of her surface: *Sci. Am.*, vol. 131, no. 1, pp. 10–11, 62–63, 3 figs., July, no. 2, pp. 102, 142–144, August, 1924.

Bartle, Glenn G.

80. A change of drainage of Raccoon Creek, Parke County, Indiana: *Indiana Acad. Sci., Proc.* 39th Ann. Meeting, 1923, vol. 33, pp. 63–68, 1 fig., 1924.

Bartlett, Albert B.

81. Oil and gas developments of the Laramie and Medicine Bow districts: *Wyoming, State Geologist, Press Bull.* no. 15, 7 pp., April 1, 1924 (mimeographed).
82. Twelfth biennial report of the State geologist [of Wyoming] for the period October 1, 1922, to and including September 30, 1924. 41 pp., map, tables, Cheyenne, Wyoming, 1924.

Bartlett, James.

83. Gravel deposits of the St. Clair River: *Ontario Dept. Mines, 31st Ann. Rept.*, vol. 31, pt. 1, pp. 53–61, 2 figs., 1 pl., 1924.

Bartram, John G.

84. Oil development in southern Wyoming: *Mining and Metallurgy*, vol. 5, no. 216, pp. 583–585, December, 1924.

Bascom, Florence.

85. The resuscitation of the term Bryn Mawr gravel: *U. S. Geol. Survey, Prof. Paper* 132, pp. 117–119, November 12, 1924.

Bassler, R. S.

86. Proceedings of the fourteenth annual meeting of the Paleontological Society, held at Ann Arbor, Michigan, December 28–30, 1922: *Geol. Soc. America, Bull.*, vol. 34, no. 1, pp. 121–142, March 30, 1923.
87. Embayments and overlaps in central Tennessee (abstract): *Geol. Soc. America, Bull.*, vol. 34, no. 1, p. 132, March 30, 1923.
88. The problem of fossil multilamellar invertebrates (abstract): *Geol. Soc. America, Bull.*, vol. 34, no. 1, pp. 133–134, March 30, 1923.
89. Proceedings of the fifteenth annual meeting of the Paleontological Society, held at Washington, D. C., December 27–29, 1923: *Geol. Soc. America, Bull.*, vol. 35, no. 1, pp. 169–200, March 30, 1924.
90. Geological features of the eastern highland rim of Tennessee (abstract): *Geol. Soc. America, Bull.*, vol. 35, no. 1, pp. 186–187, March 30, 1924.
91. Sink-hole structure in central Tennessee (abstract): *Washington Acad. Sci., Jour.*, vol. 14, no. 15, p. 374, September 19, 1924.
- (with Canu, Ferdinand). North American later Tertiary and Quaternary Bryozoa: *U. S. Nat. Mus., Bull.* 135, 302 pp., 38 figs., 47 pls., 1923.
- (with Canu, Ferdinand). American and European Tertiary Bryozoa: *Geol. Soc. America, Bull.*, vol. 35, no. 4, pp. 847–850, December 30, 1924.
- (with Ulrich, E. O.). American Silurian formations: *Maryland Geol. Survey, Silurian*, pp. 233–270, 8 figs., 1923.

Bassler, R. S.—Continued.

(with Ulrich, E. O.). Paleozoic Ostracoda; their morphology, classification, and occurrence: Maryland Geol. Survey, Silurian, pp. 271-391, 18 figs., 1923.

Bastin, Edson S.

92. Supergene processes at Neihart, Montana: Econ. Geology, vol. 18, no. 1, pp. 87-93, January-February, 1923.

93. Origin of certain rich silver ores near Chloride and Kingman, Arizona: U. S. Geol. Survey, Bull. 750, pp. 17-39, 12 figs., February 23, 1924.

94. Observations on the rich silver ores of Aspen, Colorado: U. S. Geol. Survey, Bull. 750, pp. 41-62, 10 figs., 1 pl., September 19, 1924.

95. Primary native silver ores of South Lorraine near Cobalt, Ontario (abstract, with discussion by T. L. Walker): Geol. Soc. America, Bull., vol. 35, no. 1, pp. 126-127, March 30, 1924; abstract, Pan-Am. Geologist, vol. 41, no. 2, pp. 159-160, March, 1924.

96. Geology—a growing science: Eng. and Min. Jour.-Press, vol. 118, no. 15, pp. 578-579, October 11, 1924.

See also Bateman, no. 98.

Bateman, Alan M.

97. Primary chalcocite; Bristol copper mine, Connecticut: Econ. Geology, vol. 18, no. 2, pp. 122-166, 6 figs., March, 1923.

98. An Arizona asbestos deposit (with discussion by G. F. Loughlin, E. S. Bastin, H. M. Chance, J. E. Spurr, and A. C. Spencer): Econ. Geology, vol. 18, no. 7, pp. 663-683, 3 figs., October-November, 1923.

99. The Eötvös torsion balance: Econ. Geology, vol. 19, no. 1, pp. 84-86, January-February, 1924.

100. Geology of the Beatson copper mine, Alaska: Econ. Geology, vol. 19, no. 4, pp. 338-368, 3 figs., June-July, 1924.

101. Angular inclusions and replacement deposits (with discussion by J. E. Spurr and L. C. Graton): Econ. Geology, vol. 19, no. 6, pp. 504-520, 6 figs., September-October, 1924.

Bateman, G. C.

102. The Cobalt [Ontario] silver district: Canadian Min. Jour., vol. 45, no. 25, pp. 595-597, 3 figs., June 20, 1924.

Bather, F. A.

103. Habits of some North American cystids (abstract): Pan-Am. Geologist, vol. 42, no. 1, p. 69, August, 1924.

Bauer, Clyde Max.

104. (and Robinson, Ernest Guy). Comparative stratigraphy in Montana: Am. Assoc. Petroleum Geologists, Bull., vol. 7, no. 2, pp. 159-178, 3 figs., March-April, 1923.

105. The Ekalaka lignite field, southeastern Montana: U. S. Geol. Survey, Bull. 751, pp. 231-267, 1 fig., 5 pls. (incl. maps), December 12, 1924.

Bayley, W. S.

106. The magnetic iron ores of east Tennessee and western North Carolina: Tennessee, Division of Geology, Bull. 29, 252 pp., 28 figs., 23 pls., 1923.

107. Studying mines with a microscope: Illinois State Acad. Sci., Trans., vol. 16, pp. 27-28, 1923.

108. The occurrence of rutile in the titaniferous magnetites of western North Carolina and eastern Tennessee: Econ. Geology, vol. 18, no. 4, pp. 382-392, 1 pl., June-July, 1923.

Beach, L. M.

109. Sand and gravel in 1922: U. S. Geol. Survey, Mineral Resources, 1922, pt. 2, pp. 187-194, December 18, 1923.
110. (and Coons, A. T.). Abrasive materials in 1922: U. S. Geol. Survey, Mineral Resources, 1922, pt. 2, pp. 221-225, December 3, 1923.

Beard, Donald Putnam.

111. The impact origin of the moon's craters: Popular Astronomy, vol. 25, no. 3, pp. 167-177, 1 fig., 1 pl., March, 1917.

Becker, George E.

112. Mechanics of the Panama Canal slides: Nat. Acad. Sci., Mem., vol. 18, pp. 67-77, 1924.

Beckner, Lucien.

113. Eastern Kentucky's seashore (abstract): Science, new ser., vol. 58, p. 184, September 7, 1923; Kentucky Acad. Sci., Trans., vol. 1, p. 139, 1924.
114. Kentucky petroleum problems (abstract): Kentucky Acad. Sci., Trans., vol. 1, p. 110, 1924.

Beede, J. W.

115. Report on the oil and gas possibilities of the University Block 46 in Culberson County: Texas, Univ., Bull., no. 2346, 16 pp., 2 pls., December 8, 1923 [February, 1924].

Behre, Charles H., jr.

116. Structures in the slates of northeastern Pennsylvania (abstract): Geol. Soc. America, Bull., vol. 35, no. 1, pp. 100-101, March 30, 1924; Pan-Am. Geologist, vol. 41, no. 2, pp. 149-150, March, 1924.

Beidelman, J. C.

117. Developing zinc and lead deposits in Gaspé Peninsula: Canadian Inst. Min. and Met., Monthly Bull., no. 143, pp. 129-147, 8 figs., March, 1924; Trans., vol. 27, pp. 258-277, 8 figs. [1925].

Bell, Charles N.

118. Mining methods of the Telluride district [Colorado]: Am. Inst. Min. and Met. Eng., Trans. [preprint] no. 1295, 15 pp., 2 figs., February, 1924; abstract, Mining and Metallurgy, vol. 5, no. 206, pp. 91-93, 1 fig., February, 1924.

Bell, H. W.

119. (and Haury, P. S., and Kelly, R. B.). Preliminary report on the eastern part of the Smackover, Arkansas, oil and gas field. 48 pp., illus., map, published by Arkansas State Bureau of Mines . . . Little Rock, Arkansas [1923].
120. Subsurface conditions in the heavy oil producing area of Smackover, Arkansas: Am. Assoc. Petroleum Geologists, Bull., vol. 7, no. 6, pp. 672-683, 2 figs., November-December, 1923.

Bell, J. Mackintosh.

121. The occurrence of silver ores in South Lorrain, Ontario, Canada: Inst. Min. and Met., Trans., vol. 31, pp. 304-332, 4 figs., 1922.
122. Deep-seated oxidation and secondary enrichment at the Keeley silver mine [near Cobalt, Ontario]: Econ. Geology, vol. 18, no. 7, pp. 684-694, October-November, 1923; Min. Mag., vol. 29, no. 6, pp. 373-376, 2 figs., December, 1923; Canadian Min. Jour., vol. 44, no. 51, pp. 998-1000, December 21, 1923.

Bell, J. Mackintosh—Continued.

123. (and Thomson, Ellis). The effect of deep-seated alteration upon the mineralogical and geological features of the Keeley silver mine [Cobalt]: Toronto, Univ., Studies, Geol. ser., no. 17, pp. 18-37, 1924; abstract, Pan-Am. Geologist, vol. 42, no. 1, p. 72, August, 1924.
124. South Lorrain silver district, Ontario: Am. Inst. Min. and Met. Eng., Trans., vol. 70, pp. 1043-1052, 4 figs., 1924; [preprint] no. 1286, 9 pp., 4 figs., January, 1924; abstract, Mining and Metallurgy, vol. 5, p. 33, January, 1924.
125. Canada's great mineral heritage: Canadian Min. Jour., vol. 45, no. 5, pp. 113-116, February 1, 1924.
126. (and Dorfman, André). Carbonaceous matter at Porcupine [Ontario]: Inst. Min. and Met., Bull. no. 236, 15 pp., May, 1924; discussion, no. 237, pp. 1-15, June, 1924; Min. Mag., vol. 30, no. 6, pp. 377-379, June, 1924.

Bell, Olin G.

127. A preliminary report on the clays of Florida (exclusive of fuller's earth): Florida State Geol. Survey, 15th Ann. Rept., 1922-1923, pp. 53-260, 55 figs., 1924.

Bell, W. A.

128. Stratigraphy of Great Bras d'Or coal district, Victoria County, Cape Breton [Nova Scotia]: Canada, Geol. Survey, Mem. 133, pp. 90-104, 1 fig., 1923.
129. Correlation of the Minto coal horizon [Nova Scotia]: Canada, Geol. Survey, Summ. Rept. 1923, pt. C 2, pp. 23-32, 1924.
130. Investigations of coal-bearing formations in Nova Scotia: Canada, Geol. Survey, Summ. Rept. 1923, pt. C 2, pp. 33-40, 1924.
131. The subdivision of the Carboniferous rocks of the maritime provinces: Canadian Inst. Min. and Met., Monthly Bull., vol. 152, pp. 886-894, December, 1924; Trans., vol. 27, pp. 607-615 [1925]; Canadian Min. Jour., vol. 45, no. 47, pp. 1138-1141, 2 figs., November 21, 1924.
- (with Hayes, A. O.). The southern part of the Sydney coal field, Nova Scotia: Canada, Geol. Survey, Mem. 133, pp. 1-89, 2 figs., map, 1923.

Bensley, Benjamin Arthur.

132. A musk ox skull from Iroquois Beach deposits at Toronto; *Ovibos proximus*, sp. nov.: Toronto, Univ., Studies, Biol. ser., no. 23, 11 pp., 2 pls., 1923.

Berkey, Charles P.

133. Proceedings of the thirty-fifth annual meeting of the Geological Society of America, held at Ann Arbor, Michigan, Thursday-Saturday, December 28-30, 1922: Geol. Soc. America, Bull., vol. 34, no. 1, pp. 1-116, 3 pls., March 30, 1923.
134. Proceedings of the thirty-sixth annual meeting of the Geological Society of America, held at Washington, D. C., Thursday-Saturday, December 27-29, 1923: Geol. Soc. America, Bull., vol. 35, no. 1, pp. 1-160, 5 pls., March 30, 1924.
135. The new petrology: New York State Mus. Bull. no. 251, pp. 105-118, 1924.

Berkey, Charles P.—Continued.

136. Edmund Otis Hovey (1862–1924): Science, new ser., vol. 60, pp. 559–560, December 19, 1924.

(and Sanborn, James F.). Engineering geology of the Catskill water supply: Am. Soc. Civil Eng., Trans., vol. 86, pp. 1–91, 17 figs., 3 pls., 1923. See bibliography for 1921–22, no. 134, U. S. Geol. Survey, Bull. 758, p. 17, 1924.

See also Jonas, no. 1113.

Berry, Edward Wilber.

137. Tree ancestors; a glimpse into the past. 270 pp., 48 figs., 1 pl., Baltimore, Williams & Wilkins Company, 1923.
138. Pathological conditions among fossil plants. In Moodie, Roy L., Paleopathology, pp. 99–108, Urbana, 1923.
139. Miocene plants from southern Mexico: U. S. Nat. Mus., Proc., vol. 62, art. 19, 27 pp., 1 fig., 7 pls., 1923.
140. The Pennsylvanian of north-central Texas: Science, new ser., vol. 57, pp. 690–692, June 15, 1923.
141. The age of the supposed Lower Cretaceous of Alabama: Washington Acad. Sci., Jour., vol. 13, no. 20, pp. 433–443, 6 figs., December 4, 1923.
142. The middle and upper Eocene floras of southeastern North America: U. S. Geol. Survey, Prof. Paper 92, 206 pp., 9 figs., 65 pls., 1924.
143. The fossil swamp deposit at the Walker Hotel site, Connecticut Avenue and De Sales Street, Washington, D. C.; organic remains other than diatoms from the excavation: Washington Acad. Sci., Jour., vol. 14, no. 1, pp. 12–25, 3 pls., January 4, 1924.
144. A cucurbitaceous fruit from the Tertiary of Texas: Torreya, vol. 24, no. 1, pp. 5–7, 2 figs., January–February, 1924.
145. A fossil flower from the Miocene of Trinidad: Am. Jour. Sci., 5th ser., vol. 7, pp. 103–108, 2 figs., February, 1924.
146. Paleobotany at the New York State Museum: Science, new ser., vol. 69, pp. 336–337, April 11, 1924.
147. An early Eocene florule from central Texas: U. S. Geol. Survey, Prof. Paper 132, pp. 87–92, 1 fig., 1 pl., April 10, 1924.
148. *Ophioglossum hastatifforme* Ckl. not an *Ophioglossum*: Torreya, vol. 24, no. 3, pp. 49–50, May–June, 1924.
149. The Mississippi Gulf in the middle and upper Eocene: Sci. Monthly, vol. 19, no. 1, pp. 30–42, 7 figs., July, 1924.
150. Fossil plants and Unios in the red beds of Wyoming: Jour. Geology, vol. 32, no. 6, pp. 488–497, 7 figs., August–September, 1924.
151. Age and area as viewed by the paleontologist: Am. Jour. Botany, vol. 11, no. 9, pp. 547–557, 16 figs., November, 1924.
152. A *Sparanium* from the middle Eocene of Wyoming: Bot. Gazette, vol. 78, no. 3, pp. 342–348, 7 figs., November, 1924.
153. American Tertiary terrestrial plants and their interdigitation with marine deposits: Geol. Soc. America, Bull., vol. 35, no. 4, pp. 767–784, 2 figs., December, 1924.

See also Hobbs, no. 953.

Best, J. Boyd.

154. Some probable relations of structure to production [of petroleum] in Kansas: Am Assoc. Petroleum Geologists, Bull., vol. 7, no. 1, pp. 75–76, January–February, 1923.

Bevan, Arthur.

155. Summary of the geology of the Beartooth Mountains, Montana: *Jour. Geology*, vol. 31, no. 6, pp. 441-465, 12 figs. (incl. maps), September-October, 1923.

Binney, Edwin, Jr.

156. Petroleum-bearing concretions: *Econ. Geology*, vol. 18, no. 6, pp. 600-603, September, 1923.

Birch, Stephen.

157. Geology and mining methods of Kennecott mines [Chitina district, Alaska]: *Am. Inst. Min. and Met. Eng., Trans.* [preprint] no. 1287, 12 pp., 2 figs., January, 1924; abstract, *Mining and Metallurgy*, vol. 5 pp. 29-30, January, 1924.

158. Geology and mining methods of Beatson mine [Prince William Sound district, Alaska]: *Am. Inst. Min. and Met. Eng., Trans.* [preprint] no. 1288, 7 pp., 4 figs., January, 1924; abstract, *Mining and Metallurgy*, vol. 5, no. 205, pp. 30-31, January, 1924.

Birdseye, Claude H.

159. (and Moore, Raymond C.). A boat voyage through the Grand Canyon of the Colorado: *Geog. Rev.*, vol. 14, no. 2, pp. 177-196, 18 figs., April, 1924.

Birk, R. A.

160. The Sayre [oil] field, Beckham County, Oklahoma: *Am. Assoc. Petroleum Geologists, Bull.*, vol. 8, no. 3, pp. 347-349, 1 fig., May-June, 1924.

Bishop, Sherman C.

161. (and Clarke, Noah T.). A scientific survey of Turners Lake, Isle-au-Haut, Maine . . . 1922; with special examinations and notes by John M. Clarke and others. 29 pp., 22 pls., New York State Museum, Albany, N. Y., August, 1923, published privately. Also issued with New York State Museum Bulletin no. 251, 1924.

Bissell, Malcolm H.

162. Postglacial history of the Connecticut River near Middletown, Connecticut (abstract): *Geol. Soc. America, Bull.*, vol. 35, no. 1, pp. 75-76, March 30, 1924.

Blackwelder, Eliot.

163. Supposed glacial formations in the pre-Cambrian terranes of the Rocky Mountains (abstract): *Geol. Soc. America, Bull.*, vol. 35, no. 1, pp. 70-71, March 30, 1924; *Pan-Am. Geologist*, vol. 41, no. 2, p. 139, March, 1924.

164. Suggestions for the improvement of our geologic terminology (abstract): *Geol. Soc. America, Bull.*, vol. 35, no. 1, p. 103, March 30, 1924; *Pan-Am. Geologist*, vol. 41, no. 2, p. 151, March, 1924.

See also Twenhofel, no. 2294.

Boalich, E. S.

165. Notes on iron occurrences in California: *California State Min. Bur., Mining in California*, vol. 18, no. 3, pp. 110-113, March, 1922.

166. Bibliography of coal in California: *California State Min. Bur., Mining in California*, vol. 18, no. 4, pp. 152-157, April, 1922.

Böse, Emil.

167. Algunas faunas cretácicas de Zacatecas, Durango y Guerrero: Mexico, Inst. Geol., Bol., no. 42, 219 pp., 19 pls., 1923.
168. Vestiges of an ancient continent in northeast Mexico: Am. Jour. Sci., 5th ser., vol. 6, pp. 127-136, 196-214, 310-337, 4 figs., August-October, 1923.

Boezinger, H.

169. The minor oil fields of Kern County; Belridge and North Belridge oil fields: California State Min. Bur., Summary of Operations California Oil Fields, vol. 10, no. 1, pp. 11-18, 1 pl. (map), July, 1924.

Bollinger, C. J.

170. A preliminary interpretation of certain peculiarities of the North and South Canadian River basins in the red beds area of Oklahoma: Oklahoma Acad. Sci., Proc., vol. 3 (Oklahoma, Univ., Bull., new ser. no. 271), pp. 117-120, October 1, 1923.

Bonillas, Ignacio S.

171. Descripción petrográfica de las rocas eruptivas y de contacto de las Sierras de Minillas, Cerro Prieto, Pichagua y Sierra de Ramfrez: Mexico, Inst. Geol., Bol. no. 42, pp. 47-58, 1923.

Bonine, C. A. See Twenhofel, no. 2294.

Bonnell, Clarence.

172. The effects of faults and dikes in the Saline County coal field (abstract): Illinois State Acad. Sci., Trans., vol. 14, pp. 219-220 [1922].
173. Description of a boulder near the southern limit of glaciation in Illinois: Illinois State Acad. Sci., Trans., vol. 15, pp. 405-407 [1923].

Bowen, N. L.

174. (and Auroousseau, M.). Fusion of sedimentary rocks in drill holes (with discussion by Sidney Powers): Geol. Soc. America, Bull., vol. 34, no. 3, pp. 431-448, 3 figs., September 30, 1923.
175. The genesis of melilite: Washington Acad. Sci., Jour., vol. 13, no. 1, pp. 1-4, January 4, 1923.
176. Mullite, a silicate of alumina: Washington Acad. Sci., Jour., vol. 14, no. 9, pp. 183-191, May 4, 1924.
177. The system $\text{Al}_2\text{O}_3\text{-SiO}_2$ (abstract): Geol. Soc. America, Bull., vol. 35, no. 1, p. 123, March 30, 1924; Pan-Am. Geologist, vol. 41, no. 2, pp. 158-159, March, 1924.

Bowie, William.

178. The yielding of the earth's crust: Smithsonian Inst., Ann. Rept., 1921, pp. 235-247, 9 figs., 1922.
179. The present status of the geodetic work in the United States and its value to geology: Am. Jour. Sci., 5th ser., vol. 5, pp. 378-382, May, 1923; abstract, Geol. Soc. America, Bull., vol. 34, no. 1, p. 74, March 30, 1924.
180. Some recent progress in isostatic investigations: Washington Acad. Sci., Jour., vol. 13, no. 13, pp. 267-270, July 19, 1923; abstract, Nat. Research Council, Bull., vol. 7, pt. 5, no. 41, pp. 95-96, January, 1924.
181. Earth movements in California: U. S. Coast and Geodetic Survey, Special Pub. no. 106, 22 pp., 6 figs., 1924.
182. Abnormal densities in the earth's crust disclosed by analysis of geodetic data: Geog. Jour., vol. 63, no. 1, pp. 26-33, January, 1924.

Bowie, William—Continued.

183. Earth movements in California as disclosed by triangulation (abstract, with discussion by Arthur Keith, L. C. Graton, and A. C. Lawson): *Geol. Soc. America, Bull.*, vol. 35, no. 1, pp. 60-62, March 30, 1924; abstract, *Pan-Am. Geologist*, vol. 41, no. 2, pp. 134-135, March, 1924.
 184. The bearing of the theory of isostasy on some major geological problems: *Franklin Inst., Jour.*, vol. 198, no. 2, pp. 181-200, 12 figs., August, 1924.
 185. On the size of the block of the earth's crust which may be independently in isostatic equilibrium: *Washington Acad. Sci., Jour.*, vol. 14, no. 15, pp. 355-362, September 19, 1924.
- See also Shepard, no. 2050.

Bowles, Oliver.

186. Marble quarrying industry in Tennessee: Tennessee, Dept. Education, Div. Geology, *Bull.* 28, pp. 163-264, 29 figs., 16 pls., 1924.

Bowman, Isaiah. See Texas, Attorney General, no. 2202.

Bownocker, J. A.

187. Iron-molding sands in Ohio: *Ohio Jour. Sci.*, vol. 23, no. 1, pp. 25-40, January-February, 1923.

Bradley, J. H., jr.

188. Geology of the Philipsburg region of Quebec, with notes on correlations within the Beekmantown: *Jour. Geology*, vol. 31, no. 4, pp. 314-335, 2 figs. (incl. map), May-June, 1923.

Bradley, P. R.

189. Estimation of ore reserves and mining methods in Alaska Juneau mine: *Am. Inst. Min. and Met. Eng., Trans.* [preprint] no. 1329, 19 pp., 2 figs., March, 1924.

Bradley, W. H.

190. Fossil caddice fly cases from the Green River formation of Wyoming: *Am. Jour. Sci.*, 5th ser., vol. 7, pp. 310-312, April, 1924.
191. An oil shale and its microorganisms from the Fuson formation of Wyoming: *Am. Jour. Sci.*, 5th ser., vol. 8, pp. 228-234, 4 figs., September, 1924.
(with Sears, J. D.). Relations of the Wabash and Green River formations in northwestern Colorado and southern Wyoming: *U. S. Geol. Survey, Prof. Paper* 132, pp. 93-107, 2 figs., 2 pls. (incl. map), November 6, 1924.

Bradley, Walter W.

192. California mineral production for 1922: California State Min. Bur., *Bull.* no. 93, 188 pp., 12 figs., September, 1923.
193. California mineral production for 1923: California State Min. Bur., *Bull.* no. 94, 162 pp., 6 figs., September, 1924.

Bragg, William H.

194. Analysis of crystal structure by X-rays: *Pan-Am. Geologist*, vol. 42, no. 3, pp. 173-198, 2 pls., October, 1924.

Bramlette, M. N.

195. Bentonite in the Upper Cretaceous of Louisiana: *Am. Assoc. Petroleum Geologists, Bull.*, vol. 8, no. 3, pp. 342-344, May-June, 1924.
196. Volcanic rocks in the Cretaceous of Louisiana: *Am. Assoc. Petroleum Geologists, Bull.*, vol. 8, no. 3, pp. 344-346, May-June, 1924.

Branner, George C.

197. Arkansas' mineral resources: The South's Development, Manufacturers Record, vol. 86, no. 24, pt. 2, pp. 356-361, 5 figs., December 11, 1924.

Branson, E. B.

198. (and Williams, James S.). Evolution of *Stropheodonta demissa* (Conrad) in the Snyder Creek shales of Missouri (abstract): Geol. Soc. America, Bull., vol. 34, no. 1, pp. 134-135, March 30, 1923.
199. The Devonian of Missouri: Missouri Bur. Geology and Mines, 2d ser., vol. 17, 279 pp., 10 figs., 79 pls., map [1924].
200. Paleozoic formation margins in Missouri: Am. Jour. Sci., 5th ser., vol. 8, pp. 317-322, 1 fig., October, 1924.

Brantly, J. E.

201. Résumé of the geology of the Gulf Coastal Plain: Am. Assoc. Petroleum Geologists, Bull., vol. 8, no. 1, pp. 21-28, January-February, 1924.

Bray, Harriet G.

202. (and Emery, Alden H.). Mineralization along the dikes of southern Vermont: Ohio Jour. Sci., vol. 23, no. 2, pp. 83-88, March-April, 1923.

Breeze, Frederick J.

203. Abandoned channels in Randolph and Delaware counties, Indiana: Indiana Acad. Sci., Proc. 38th Ann. Meeting, 1922, pp. 95-98, 1 fig., 1923.

Breger, C. L.

204. Bacteria, ores, and oil deposits: Eng. and Min. Jour.-Press, vol. 116, no. 1, pp. 4-5, July 7, 1923.

Bretz, J. Harlen.

205. Geology and mineral resources of the Kings quadrangle: Illinois State Geol. Survey, Bull. no. 43, pp. 205-304, 34 figs., 3 pls. (incl. map), 1923.
206. Glacial drainage on the Columbia Plateau (with discussion by M. M. Leighton and O. E. Meinzer): Geol. Soc. America, Bull., vol. 34, no. 3, pp. 573-608, 12 figs., September 30, 1923.
207. The channeled scablands of the Columbia Plateau: Jour. Geology, vol. 31, no. 8, pp. 617-649, 13 figs., 1 pl. (map), November-December, 1923.
208. The Dalles type of river channel: Jour. Geology, vol. 32, no. 2, pp. 139-149, 8 figs., February-March, 1924.
209. Modern conceptions of earth history: Sci. Monthly, vol. 18, no. 3, pp. 239-256, March, 1924.
210. The age of the Spokane glaciation: Am. Jour. Sci., 5th ser., vol. 8, pp. 336-342, 1 fig., October, 1924.

Brewer, W. M.

211. Some ore deposits of the Coast Range [British Columbia]: Canadian Inst. Min. and Met., Monthly Bull., no. 127, pp. 1176-1191, November, 1922; Trans., vol. 25, pp. 183-198 [1923].

Bridge, Josiah.

212. Ebb and flow springs in the Ozarks: Missouri, Univ., School of Mines and Metallurgy, Bull., pp. 17-26, 6 figs., 3 pls., November, 1923.
- (with Dake, C. L.). Subterranean stream piracy in the Ozarks: Missouri, Univ., School of Mines and Metallurgy, Bull., vol. 7, no. 1, pp. 3-14, 7 figs., 8 pls., November, 1923.

Bridgman, P. W.

213. The thermal conductivity and compressibility of several rocks under high pressures: *Am. Jour. Sci.*, 5th ser., vol. 7, pp. 81-102, 4 figs., February, 1924.

Brigham, Albert Perry.

214. The Appalachian Valley: *Scottish Geog. Mag.*, vol. 40, no. 4, pp. 218-230, July 15, 1924.

Brock, R. W.

215. The education of a geologist: *Econ. Geology*, vol. 18, no. 6, pp. 595-597, September, 1923.
216. Conditions affecting mining in British Columbia: *Canadian Inst. Min. and Met.*, *Monthly Bull.* no. 149, pp. 597-607, September, 1924.
217. Scientific ore finding: *Econ. Geology*, vol. 19, no. 7, pp. 674-676, November, 1924.

Brockway, E. R.

218. (and Owens, H. J.). Notes on the area lying between the northwestern edge of the Arbuckle Mountains and the Wildhorse sandstone: *Oklahoma Acad. Sci., Proc.*, vol. 3 (Oklahoma, Univ., *Bull.*, new ser. no. 271), pp. 95-96, October 1, 1923.

Brooks, Alfred H.

219. (and Capps, Stephen R.). The Alaska mining industry in 1922: *U. S. Geol. Survey, Bull.* 755, pp. 3-49, 1923.
See also Williams, no. 2475.

Brouwer, H. A.

220. The movement of the central Atlantic ridge: *Science*, new ser., vol. 57, p. 235, February 23, 1923.

Brown, Barnum.

- (with Matthew, W. D.). The family Deinodontidae with notice of a new genus from the Cretaceous of Alberta: *Am. Mus. Nat. Hist.*, *Bull.*, vol. 46, pp. 367-385, 1 fig., 1922.
(with Matthew, W. D.). Preliminary notices of skeletons and skulls of Deinodontidae from the Cretaceous of Alberta: *Am. Mus. Novitates*, no. 89, 10 pp., 5 figs., October 11, 1923.

Brown, I. O.

- (with Hager, D. S.). The Minerva oil field, Milam County, Texas: *Am. Assoc. Petroleum Geologists, Bull.*, vol. 8, no. 5, pp. 632-640, 3 figs., September-October, 1924.

Brown, John S.

221. The Salton Sea region, California; a geographic, geologic, and hydrologic reconnaissance, with a guide to desert watering places: *U. S. Geol. Survey, Water-Supply Paper* 497, 292 pp., 18 figs., 19 pls. (incl. maps), 1923.
222. The hot springs of the Republic of Haiti: *Jour. Geology*, vol. 32, no. 5, pp. 384-399, July-August, 1924.
(with Woodring, W. P., and Burbank, W. S.). *Geology of the Republic of Haiti*. 631 pp. (French edition, 710 pp.), 37 figs, 40 pls. (incl. maps), Republic of Haiti, Department of Public Works, Port-au-Prince, 1924.

Brown, Ralph H.

223. A "Blue Ridge" in New England: *Am. Jour. Sci.*, 5th ser., vol. 6, pp. 15-21, 2 figs., July, 1923.

Bruce, E. L.

- 224. Iron formation of Lake St. Joseph: Ontario Dept. Mines, 31st Ann. Rept., vol. 31, pt. 8, pp. 1-32, 12 figs., map, 1923.
- 225. Eastern part of Lake St. Joseph: Ontario Dept. Mines, 31st Ann. Rept., vol. 31, pt. 8, pp. 33-38, 4 figs., map, 1923.
- 226. Area south of the west end of Lake St. Joseph: Ontario Dept. Mines, 31st Ann. Rept., vol. 31, pt. 8, pp. 39-40, 1923.
- 227. Geology of the upper part of the English River valley: Ontario Dept. Mines, 33d Ann. Rept., vol. 33, pt. 4, pp. 1-11, 1 fig., map, 1924.
- 228. Geology of the basin of Red Lake, District of Patricia: Ontario Dept. Mines, 33d Ann. Rept., vol. 33, pt. 4, pp. 12-39, 11 figs., map, 1924.
- 229. Mineral possibilities of northern Saskatchewan: Canadian Min. Jour., vol. 45, no. 26, pp. 618-621, 8 figs., June 27, 1924.
- 230. (and Greenland, C. W.). A low iron epidote from Porcupine [Ontario]: Am. Mineralogist, vol. 9, no. 10, pp. 199-201, 1 fig., October, 1924.

Brues, Charles T.

- 231. Ancient insects; fossils in amber and other deposits: Sci. Monthly, vol. 17, no. 4, pp. 289-304, 13 figs., October, 1923.

Brunton, Stopford.

- 232. Jamaica, its geology and mining possibilities: Min. Mag., vol. 26, no. 4, pp. 203-208, 1 fig. (map), April, 1922.
- 233. Gowganda silver district [Ontario]: Canadian Min. Jour., vol. 45, no. 19, pp. 452-453, 4 figs., May 9, 1924.
- 234. Nova Scotian geology; new facts elicited by petrographical investigation: Canadian Min. Jour., vol. 45, no. 29, pp. 689-693, 15 figs. (incl. map), July 18, 1924.
- 235. Gold mining in Nova Scotia: Canadian Min. Jour., vol. 45, no. 20, pp. 475-476, 1 fig., May 16, 1924.
- 236. The gold fields of northwestern Quebec: Min. Mag., vol. 31, no. 3, pp. 137-146, 8 figs., September, 1924.
- 237. Minerals in Jamaica: Canadian Min. Jour., vol. 45, no. 51, pp. 1236-1241, 2 figs., December 19, 1924.
- 238. Nova Scotian geology: Min. Mag., vol. 31, no. 6, pp. 339-342, 1 fig., December, 1924.

Bryan, Kirk.

- 239. Geology and ground-water resources of Sacramento Valley, California: U. S. Geol. Survey, Water-Supply Paper 495, 285 pp., 10 figs., 19 pls. (incl. maps), 1923.
- 240. [Geological features of the Lees Ferry, Arizona, dam site]: Am. Soc. Civil Eng., Trans., vol. 86, pp. 228-240, 5 figs. (incl. map), 1923.
- 241. Wind erosion near Lees Ferry, Arizona: Am. Jour. Sci., 5th ser., vol. 6, pp. 291-307, 4 figs., October, 1923.
- 242. The hot springs of Arkansas: Jour. Geology, vol. 32, no. 6, pp. 449-459, August-September, 1924.
- 243. Pedestal rocks in the arid Southwest: U. S. Geol. Survey, Bull. 760, pp. 1-11, 5 pls., December 15, 1923.
(with Longwell, C. R., and others). Rock formations in the Colorado Plateau of southeastern Utah and northern Arizona: U. S. Geol. Survey, Prof. Paper 132, pp. 1-23, 1 fig., 10 pls., July 27, 1923.

Bryant, William L.

- 244. A new species of *Bothriolepis* from the upper Devonian of Canada: Buffalo Soc. Nat. Sci., Bull., vol. 13, no. 3, pp. 54-55, 2 pls., 1924.

Bucher, Walter H.

- 245. Further experiments on the fracturing of hollow brittle spheres and their bearing on major diastrophism (abstract with discussion by W. H. Hobbs): *Geol. Soc. America, Bull.*, vol. 34, no. 1, pp. 81-82, March 30, 1923.
- 246. Jephtha Knobs of Shelby County (abstract): *Science*, new ser., vol. 58, p. 184, September 7, 1923; *Kentucky Acad. Sci., Trans.*, vol. 1, p. 140, 1924.
- 247. The pattern of the earth's mobile belts: *Jour. Geology*, vol. 32, no. 4, pp. 265-290, 16 figs., May-June, 1924.

Buddington, A. F.

- 248. An association of kaolinite with miarolitic structure: *Jour. Geology*, vol. 31, no. 2, pp. 149-151, February-March, 1923.
- 249. Alaskan nickel minerals: *Econ. Geology*, vol. 19, no. 6, pp. 521-541, 1 pl., September-October, 1924.

Budelman, Herman D.

- 250. Tonopah, Nevada's best-known silver district: *Eng. and Min. Jour.-Press*, vol. 118, no. 1, pp. 5-10, 5 figs., July 5, 1924.

Buehler, H. A.

- 251. Geological map of Missouri: *Missouri, Bur. Geology and Mines*, 1922. Scale 1:500,000.
- 252. Biennial report of the State geologist ... [work of the Bureau of Geology and Mines for 1921 and 1922]: *Missouri Bur. Geology and Mines*, 133 pp., 5 pls., map [1923].
- 253. Mineral resources of Missouri: *The South's Development, Manufacturers Record*, vol. 86, no. 24, pt. 2, pp. 393-396, 6 figs., December 11, 1924.

Bullard, Fred M.

- 254. Notes on the paleontology of the Comanchean of Love County, Oklahoma: *Oklahoma Acad. Sci., Proc.*, vol. 3, (Oklahoma, Univ., Bull., new ser. no. 271), pp. 88-91, October 1, 1923.

Burbank, Wilbur S.

- (with Woodring, W. P., and Brown, J. S.). *Geology of the Republic of Haiti*. 631 pp. (French edition, 710 pp.), 40 pls. (incl. maps), Republic of Haiti, Department of Public Works, Port-au-Prince, 1924.

Burchard, Ernest F.

- 255. (and Davis, Hubert W.). Iron ore, pig iron, and steel in 1921: *U. S. Geol. Survey, Mineral Resources*, 1921, pt. 1, pp. 565-597, 4 figs., April 23, 1923.
- 256. (and Davis, Hubert W.). Iron ore, pig iron, and steel in 1922: *U. S. Geol. Survey, Mineral Resources*, 1922, pt. 1, pp. 341-376, 4 figs., January 25, 1924.
- 257. Bauxite associated with siderite: *Geol. Soc. America, Bull.*, vol. 35, no. 3, pp. 437-448, September 30, 1924; abstract, vol. 35, no. 1, p. 109, March 30, 1924; *Pan-Am. Geologist*, vol. 41, no. 2, pp. 153-154, March, 1924.
- 258. Iron-ore resources of the South: *The South's Development, Manufacturers Record*, vol. 86, no. 24, pt. 2, pp. 283-289, 1 fig., December 11, 1924.

Burchard, Ernest F.—Continued.

259. (and Bagley, B. W.). Cement in 1923: U. S. Geol. Survey, Mineral Resources, 1923, pt. 2, pp. 293–325, 1 fig., 1 pl. (map), December 26, 1924.

Burling, Lancaster D.

260. Cambro-Ordovician section near Mount Robson, British Columbia: Geol. Soc. America, Bull., vol. 34, no. 4, pp. 721–748, December 30, 1923.

Burroughs, E. H.

261. Bibliography of petroleum and allied substances in 1919 and 1920: U. S. Bur. Mines, Bull. 216, 374 pp., 1923.
262. Bibliography of petroleum and allied substances, 1921: U. S. Bur. Mines, Bull. 220, 230 pp., 1923.

Burroughs, Wilbur Greeley.

263. A Pottsville-filled channel in the Mississippian: Kentucky Geol. Survey, ser. 6, vol. 10, pp. 115–126, 2 figs., map, 1923.

Burrows, A. G.

264. Porcupine gold deposits [Ontario]: Canadian Min. Jour., vol. 44, no. 33, pp. 641–645, 5 figs., August 17, 1923.
265. The Porcupine area [Ontario]: Mining and Metallurgy, vol. 4, no. 201, pp. 474–475, September, 1923.

Burwash, E. M.

266. Geology of Ontario-Manitoba boundary; from Winnipeg River to Blood-vein River, 1921: Ontario Dept. Mines, 32d Ann. Rept., vol. 32, pt. 2, pp. 1–47, 14 figs., map, 1923.

Bushnell, T. M.

267. The development of soil survey: Indiana Acad. Sci., Proc. 39th Ann. Meeting, 1923, vol. 33, pp. 69–72, 1924.

Butler, B. S.

268. (and others). Discussion of the deposits of native copper (abstract): Eng. and Min. Jour.-Press, vol. 115, no. 1, pp. 27–28, January 6, 1923.
269. A suggested explanation of the high ferric oxide content of limestone contact zones: Econ. Geology, vol. 18, no. 4, pp. 398–404, 1 fig., June–July, 1923.

Butts, Charles.

270. The Loyahanna limestone of southwestern Pennsylvania especially with regard to its age and correlation: Am. Jour. Sci., 5th ser., vol. 8, pp. 249–257, 4 figs., September, 1924.

Buwalda, John P.

271. A preliminary reconnaissance of the gas and oil possibilities of southwestern and south-central Idaho: Idaho, Bur. Mines and Geology, Pamphlet no. 5, 10 pp., July, 1923 [mimeographed].
272. Proceedings of the twenty-second annual meeting of the Cordilleran section of the Geological Society of America, held at Berkeley, California, March 17, 1923: Geol. Soc. America, Bull., vol. 35, no. 1, pp. 161–168, March 30, 1924.
273. Even-crested ridges as evidences of former peneplanation (abstract): Geol. Soc. America, Bull., vol. 35, no. 1, p. 167, March 30, 1924.
274. The age of the Payette formation and the old erosion surface in Idaho: Science, new ser., vol. 60, pp. 572–573, December 19, 1924.

Buzzard, G. A.

275. The mineral resources of the region about La Salle: Illinois State Acad. Sci., Trans., vol. 16, pp. 367-371, 1923.

Byerly, Perry, jr.

276. Dispersion of energy without dispersion of frequencies in transverse elastic waves in the earth: Seismol. Soc. America, Bull., vol. 14, no. 2, pp. 91-135, 11 figs., June, 1924.
(with Macelwane, James B.). The registration of earthquakes at the Berkeley Station and at the Lick Observatory Station from October 1, 1921, to March 31, 1922: California, Univ., Seismographic Stations, Bull., vol. 2, no. 3, pp. 29-54, March 15, 1924.
(with Macelwane, James B.). The registration of earthquakes at the Berkeley Station and at the Lick Observatory Station from April 1, 1922, to September 30, 1922: California, Univ., Seismographic Stations, Bull., vol. 2, no. 4, pp. 55-66, October 13, 1924.

Cabeen, Charles K.

- (with Richardson, C. H.). The geology and petrography of Randolph, Vermont: Vermont, State Geologist, Thirteenth Rept., 1921-1922, pp. 109-142, 1 pl. (map), 1923.

Cady, Gilbert H.

277. The microscope and the decadence of geology: Eng. and Min. Jour. Press, vol. 118, no. 8, pp. 303-304, August 23, 1924.

Cahen, Edward.

278. Selenium: Mineral Foote-Notes, vol. 3, no. 5, pp. 5-16, 5 figs., September-October, 1919.

Cairnes, C. E.

279. Geological explorations in Yale and Similkameen mining divisions, southwestern British Columbia: Canada, Geol. Survey, Summ. Rept., 1922, pt. A, pp. 88-126, 1 fig., 3 maps, 1 pl., 1923.
280. Lucky Four mining property, Cheam Range, British Columbia: Canada, Geol. Survey, Summ. Rept., 1922, pt. A, pp. 127-133, 1 pl., 1923.
281. Coquihalla area, British Columbia: Canada, Geol. Survey, Mem. 139, 187 pp., 8 figs., 10 pls., map, 1924.
282. Reconnaissance of Silver Creek, Skagit and Similkameen rivers, Yale district, B. C.: Canada, Geol. Survey, Summ. Rept., 1923, pt. A, pp. 46-80, 2 figs., 3 pls., map, 1924.
283. Hillsbar gold claims, Yale district, B. C.: Canada, Geol. Survey, Summ. Rept., 1923, pt. A, pp. 81-83, 1924.
284. An occurrence of nickel ore in Yale mining division, British Columbia: Canadian Min. Jour., vol. 45, no. 48, p. 1164, November 28, 1924.

Calhoun, F. H. H.

285. Mineral resources of South Carolina: The South's Development, Manufacturers Record, vol. 86, no. 24, pt. 2, pp. 410-411, December 11, 1924.

Calkins, F. E.

286. Principles of copper deposits: Mining and Metallurgy, vol. 4, no. 202, pp. 507-512, October, 1923.

Calvache Dorado, Antonio.

287. El manganeso de Bueycito: Cuba, Dirección de Montes y Minas, Bol. Minas, no. 7, pp. 78-84, 1923.

Calvert, W. R.

288. Gas at Farnham, Utah: *Am. Assoc. Petroleum Geologists, Bull.*, vol. 7, no. 3, pp. 293-295, May-June, 1923.

Cameron, Alan E.

- (with Allan, John A.). An occurrence of iron on Lake Athabasca: Alberta, Scientific and Industrial Research Council, Rept. no. 7 (4th Ann. Rept. Mineral Resources of Alberta, pt. 2), 33 pp., 7 pls., 2 maps, 1923.

Campbell, A. M.

289. A new deposit of high-potash feldspar in Ontario: *Eng. and Min. Jour.-Press*, vol. 115, no. 22, pp. 979-980, 1 fig., June 2, 1923.

Campbell, J. Morrow.

290. Origin of the iron formation of the Mesabi range (discussion): *Econ. Geology*, vol. 18, no. 2, pp. 195-197, March, 1923.

Campbell, Marius R.

291. The Twentymile Park district of the Yampa coal field, Routt County, Colorado: *U. S. Geol. Survey, Bull.* 748, 82 pp., 11 figs., 13 pls., (incl. map), 1923.
292. The coal fields of Ohio: *U. S., Bur. Mines, Tech. Paper* 344, pp. 1-5, 2 figs., 1923.
293. (and Holden, R. J.). Broad thrust fault in the central Appalachians (abstract): *Geol. Soc. America, Bull.*, vol. 35, no. 1, p. 115, March 30, 1924.
294. Value of airplane photographs in geologic mapping (abstract): *Washington Acad. Sci., Jour.*, vol. 14, no. 7, p. 163, April 4, 1924.
- See also Eby, no. 621.

Campbell, R. B.

- (with Holman, E.). The Bellevue oil field, Louisiana: *Am. Assoc. Petroleum Geologists, Bull.*, vol. 7, no. 6, pp. 645-652, 1 fig., November-December, 1923.

Campbell, Stewart.

295. Twenty-fourth annual report of the mining industry of Idaho for the year 1922. 209 pp. [1923].
296. Twenty-fifth annual report of the mining industry of Idaho for the year 1923. 121 pp., illus. [1924].

Canada, Department of Mines.

297. Natural resources map of parts of Ontario and Quebec showing itinerary of American Institute of Mining and Metallurgical Engineers ... 1923; scale 35 miles to 1 inch: *Mining and Metallurgy*, vol. 4, no. 202, October, 1923.

Canada, Geological Survey.

298. Reported discovery of placer gold in Labrador: *Canadian Min. Jour.*, vol. 44, no. 21, pp. 396-397, May 25, 1923.

Canu, Ferdinand.

299. (and Bassler, Ray S.). North American later Tertiary and Quaternary Bryozoa: *U. S. Nat. Mus., Bull.* 125, 302 pp., 38 figs., 47 pls., 1923.
300. (and Bassler, Ray S.). American and European Tertiary Bryozoa: *Geol. Soc. America, Bull.*, vol. 35, no. 4, pp. 847-850, December 30, 1924.

Capps, Stephen R.

301. Geology and mineral resources of the region traversed by the Alaska Railroad: U. S. Geol. Survey, Bull. 755, pp. 73-150, 1 fig., 7 pls., 1924.
302. An early Tertiary placer deposit in Alaska (abstract): Washington Acad. Sci., Jour., vol. 14, no. 15, pp. 373-374, September 19, 1924.
(with Brooks, Alfred H.). The Alaska mining industry in 1922: U. S. Geol. Survey, Bull. 755, pp. 3-49, 1923.

Case, E. C.

303. Study of the vertebrate fauna and paleogeography of North America in the Permian period, with especial reference to world relations [report of progress]: Carnegie Inst. Washington, Year Book no. 21, 1922, p. 395, 1923.
304. Study of the vertebrate fauna and paleogeography of North America in the Permian period, with special reference to world relations: Carnegie Inst. Washington, Year Book no. 22, p. 349, 1924.
305. A possible explanation of fenestration in the primitive reptilian skull, with notes on the temporal region of the genus *Dimetrodon*: Michigan, Univ., Mus. Geology, Contr., vol. 2, no. 1, pp. 1-12, 5 figs., July 10, 1924.

Case, J. B.

306. Report on Santa Fe Springs oil field: California State Min. Bur., Summary of Operations California Oil Fields, vol. 8, no. 11, pp. 5-19, 4 pls. (incl. map), May, 1923.
307. (and Keyes, Robert L.). Report on the Long Beach oil field: California State Min. Bur., Summary of Operations California Oil Fields, vol. 9, no. 4, pp. 5-17, 3 pls., October, 1923.
308. (and Wilhelm, V. H.). Report on Huntington Beach oil field: California State Min. Bur., Summary of Operations California Oil Fields, vol. 9, no. 6, pp. 5-16, 5 pls. (incl. map), December, 1923.

Cathcart, S. H.

- (with Ferguson, H. G.). Major structural features of some western Nevada ranges (abstract): Washington Acad. Sci., Jour., vol. 14, no. 15, pp. 376-379, September 19, 1924.

Cave, H. S.

- (with Prettyman, T. M.). Petroleum and natural gas possibilities in Georgia: Georgia Geol. Survey, Bull. no. 40. 167 pp., 13 figs., 8 pls., map, 1923.

Chadbourn, Charles Henry.

309. Paragenesis of the ores of the Silver Islet mine, Thunder Bay region, Lake Superior; Econ. Geology, vol. 18, no. 1, pp. 77-82, 1 pl., January-February, 1923.

Chadwick, George Halcott.

310. Glacial lake problems: Geol. Soc. America, Bull., vol. 34, no. 3, pp. 499-506, 1 fig., September 30, 1923.
311. Chemung stratigraphy in western New York (abstract): Geol. Soc. America, Bull., vol. 34, no. 1, pp. 68-69, March 30, 1923.
312. The stratigraphy of the Chemung group in western New York: New York State Mus. Bull. no. 251, pp. 149-157, 1 fig., 1924.
313. (and Dunbar, E. U.). Genesee glacial lakes: Geol. Soc. America, Bull., vol. 35, no. 3, pp. 669-676, September 30, 1924.

Chadwick, George Halcott—Continued.

314. Chagrin formation of Ohio (abstract): *Geol. Soc. America, Bull.*, vol. 35, no. 1, p. 99, March 30, 1924; *Pan-Am. Geologist*, vol. 41, no. 2, pp. 148-149, March, 1924.
315. Kansas Permian unconformity (abstract): *Geol. Soc. America, Bull.*, vol. 35, no. 1, p. 105, March 30, 1924; *Pan-Am. Geologist*, vol. 41, no. 2, p. 152, March, 1924.

See also Parks, no. 1716; Swartz, no. 2182.

Chamberlin, Rollin T.

316. On the crustal shortening of the Colorado Rockies: *Am. Jour. Sci.*, 5th ser., vol. 6, pp. 215-221, 3 figs. (incl. map), September, 1923.
317. (and Shepard, F. P.). Some experiments in folding: *Jour. Geology*, vol. 31, no. 6, pp. 490-512, 17 figs., September-October, 1923.
318. The significance of the framework of the continents: *Jour. Geology*, vol. 32, no. 7, pp. 545-574, 3 figs., October-November, 1924.

Chamberlin, Thomas C.

319. Study of fundamental problems of geology: *Carnegie Inst. Washington, Year Book no. 21*, 1922, pp. 359-365, January, 1923.
320. A venerable climatic fallacy: *Jour. Geology*, vol. 31, no. 3, pp. 179-191, April-May, 1923.
321. Significant ameliorations of present Arctic climates: *Jour. Geology*, vol. 31, no. 5, pp. 376-406, 2 figs., July-August, 1923.
322. Review of British (Terra Nova) Antarctic expedition, 1910-1913, glaciology, by C. S. Wright and R. E. Priestley, London, 1922: *Jour. Geology*, vol. 31, no. 6, pp. 513-524, September-October, 1923.
323. Biographical memoir Charles Richard Van Hise, 1857-1918: *Nat. Acad. Sci., Mem.*, vol. 17, pp. 143-151, portr., 1924.
324. The age of the earth from the geological viewpoint: *Smithsonian Inst., Ann. Rept.*, 1922, pp. 241-261, 1924.
325. Seventy-five years of American geology: *Science*, new ser., vol. 59, pp. 127-135, February 8, 1924.
326. Study of fundamental problems of geology: *Carnegie Inst. Washington, Year Book no. 22*, pp. 324-334, 1924.
327. Review of *Bau und Entstehung der Alpen*, by Leopold Kober: *Jour. Geology*, vol. 32, no. 2, pp. 168-171, February-March, 1924.
328. Review of *The planetesimal hypothesis and the solar system*, by Harry Fielding Reid: *Jour. Geology*, vol. 32, no. 3, pp. 242-262, 1 fig., April-May, 1924.
329. [Review of] *The earth, its origin, history, and physical constitution*, by Harold Jeffries: *Jour. Geology*, vol. 32, no. 8, pp. 696-716, 5 figs., November-December, 1924.
330. Study of fundamental problems of geology: *Carnegie Inst. Washington, Year Book no. 23*, pp. 270-282, 1 fig., December, 1924.

Chambers, A. R.

331. The salt deposits of Malagash, Nova Scotia: *Canadian Inst. Min. and Met., Monthly Bull.* no. 145, pp. 276-285, 4 figs., May, 1924; *Trans.*, vol. 27, pp. 248-257, 4 figs. [1925].
332. Report of progress in paleobotanical research in the Tertiary of the West during the year 1922: *Carnegie Inst. Washington, Year Book no. 21*, pp. 400-401, January, 1923.

Chambers, A. R.—Continued.

- 333. Paleobotanical contributions to the stratigraphy of central Oregon (abstract): Geol. Soc. America, Bull., vol. 34, no. 1, p. 129, March 30, 1923.
- 334. [Fossil floras of the John Day Basin]: Carnegie Inst. Washington, Year Book no. 22, pp. 349-350, 1924.
- 335. Preliminary report on a Tertiary flora from northwestern Nevada (abstract): Geol. Soc. America, Bull., vol. 35, no. 1, pp. 162-163, March 30, 1924.
- 336. Quantitative studies of the Bridge Creek flora: Am. Jour. Sci., 5th ser., vol. 8, pp. 127-144, 2 pls., August, 1924.
- 337. [Studies in paleobotany of Pacific region]: Carnegie Inst. Washington, Year Book no. 23, pp. 292-393, December, 1924.
 (with Clements, F. E.). Researches in sedimentation: Carnegie Inst. Washington, Year Book no. 21, 1922, p. 356, January, 1923.
 (with Clements, F. E.). Methods and principles in palaeo-ecology: Carnegie Inst. Washington, Year Book no. 22, p. 319, 1924.

Chapman, Lewis C.

- 338. The Hockley salt dome [Harris County, Texas]: Am. Assoc. Petroleum Geologists, Bull., vol. 7, no. 3, pp. 297-299, 1 fig., May-June, 1923.

Christie, M. G.

- 339. Geology as an aid to air navigation: Aviation, vol. 14, no. 23, pp. 609-611, June 4, 1923.

Churchill, Frederick C.

- 340. Evidence of elevation of the sea coast as shown by fossil deltas near Wolfville, N. S.: Nova Scotian Inst. Sci., Proc. and Trans., vol. 15, pt. 3, pp. 137-140, November 1, 1923.
- 341. Probable change in drainage of the Black and Gaspereau rivers, Kings County, Nova Scotia; Nova Scotian Inst. Sci., Proc. and Trans., vol. 15, pt. 3, pp. 141-144, November 1, 1923.

Clapp, C. H.

- (With Wilson, Roy A., and Lambert, J. S.). Belt series in Montana (abstract, with discussion by Edward Sampson): Geol. Soc. America, Bull., vol. 35, no. 1, pp. 91-92, March 30, 1924; abstract, Pan-Am. Geologist, vol. 41, no. 2, pp. 145-146, March, 1924.

Clapp, F. G. See Hager, no. 831.**Clapp, L. R.**

- 342. Notes on Anyox [British Columbia] mining and metallurgical practice: Canadian Inst. Min. and Met., Monthly Bull., no. 140, pp. 682-700, December, 1923.
- 343. Making copper 600 miles north of Vancouver [Anyox, British Columbia]: Eng. and Min. Jour.-Press, vol. 116, no. 25, pp. 1067-1075, 10 figs., December 22, 1923.

Clark, Austin H.

- 344. A comparative study of the most ancient and the recent marine faunas: Washington Acad. Sci., Jour., vol. 14, no. 21, pp. 487-491, December 19, 1924.

Clark, Bruce L.

- 345. (and Arnold, Ralph). Fauna of the Sooke formation, Vancouver Island, with description of a new coral by T. Wayland Vaughan: California, Univ., Dept. Geol. Sci., Bull., vol. 14, no. 5, pp. 123-234, 28 pls., November 6, 1923.

Clark, Bruce L.—Continued.

346. Revision of the *Rimella*-like gastropods from the west coast of North America: California, Univ., Dept. Geol. Sci., Bull., vol. 14, no. 7, pp. 277-288, 1 pl., October 31, 1923.

Clark, F. L.

347. Coal balls, the "finger prints" that identify coal: Coal Age, vol. 26, no. 19, pp. 656-657, 5 figs., November 6, 1924.

Clark, Frank R.

348. Notes on the Kevin-Sunburst oil field, Montana: Am. Assoc. Petroleum Geologists, Bull., vol. 7, no. 3, pp. 263-276, 1 fig., May-June, 1923.

Clark, G. C.

349. (and Aurin, F. L.). The Tonkawa [oil] field, Oklahoma: Am. Assoc. Petroleum Geologists, Bull., vol. 8, no. 3, pp. 269-283, 7 figs., 1 pl., May-June, 1924.

Clark, K. A.

350. The bituminous sands of northern Alberta: Alberta, Sci. and Industrial Research Council, Third Ann. Rept., pp. 42-58, 1923.

Clark, Thomas H.

351. The paleontology of the Beekmantown series at Levis, Quebec: Bull. Am. Paleontology, vol. 10, no. 41, 135 pp., 9 pls., June 25, 1921.
352. The Devonian limestone at St. George, Quebec: Jour. Geology, vol. 31, no. 3, pp. 217-225, 1 fig. (paleogeographic map), April-May, 1923.
353. New fossils from the vicinity of Boston: Boston Soc. Nat. Hist., Proc., vol. 36, no. 8, pp. 473-485, 2 figs., August, 1923.
354. Geology of Levis, Quebec (abstract): Geol. Soc. America, Bull., vol. 35, no. 1, p. 101, March 30, 1924; Pan-Am. Geologist, vol. 41, no. 2, p. 150, March, 1924.

Clark, William O.

355. Ground water in Santa Clara Valley, California: U. S. Geol. Survey, Water-Supply Paper 519, 209 pp., 20 figs., 19 pls. (incl. maps), 1924.

Clarke, Frank Wigglesworth.

356. (and Washington, Henry Stephens). The composition of the earth's crust: U. S. Geol. Survey, Prof. Paper 127, 117 pp., 28 tables, 1924.
357. The data of geochemistry (fifth edition): U. S. Geol. Survey, Bull. 770, 841 pp., 1924.
358. The evolution and disintegration of matter: U. S. Geol. Survey, Prof. Paper 132, pp. 51-86, 1 pl., April 9, 1924.
359. The composition of the river and lake waters of the United States: U. S. Geol. Survey, Prof. Paper 135, 199 pp., 1924.
360. Mineralogical work [of Joseph Leidy]: Acad. Nat. Sci. Philadelphia, Proc., vol. 75 [Appendix] The Joseph Leidy Commemorative Meeting, pp. 49-52, 1924.

Clarke, John M.

361. L'île Percée, the finial of the St. Lawrence . . . 203 pp., illus., New Haven, Yale University Press, 1923.
362. Boom Beach (Isle-au-Haut, Maine); a sea mill (abstract with discussion by C. K. Wentworth and C. O. Dunbar): Geol. Soc. America, Bull., vol. 34, no. 1, p. 65, March 30, 1923.

Clarke, John M.—Continued.

363. The Burton dictyosponge (abstract); Restoration of the Cohoes mastodon (abstract); Pyorrhoea in the Cohoes mastodon (abstract); Temple Hill mastodon (abstract): Geol. Soc. America, Bull., vol. 34, no. 1, pp. 127-128, March 30, 1923.
364. Eighteenth report of the director of the State Museum and science department: New York State Mus. Bull. no. 251, 192 pp., illus., 1924.
365. A hemiaspidan crustacean from the New York Silurian waterlimes: New York State Mus. Bull. no. 251, pp. 119-120, 2 figs., 3 pls., 1924.
366. The geological age of the Bonaventure formation: New York State Mus. Bull. no. 251, pp. 123-127, 5 figs., 1924.
367. Rosetted trails of the Paleozoic: New York State Mus. Bull. no. 251, pp. 128-130, 1 fig., 1 pl. 1924.
368. Nineteenth report of the director of the State Museum and science department: New York State Mus. Bull. no. 253, pp. 7-25, July, 1924.
369. D. Dana Luther, miller and geologist, 1840-1923: New York State Mus. Bull. no. 253, pp. 117-120, portr., July, 1924.
370. The age of the earth from the paleontological viewpoint: Smithsonian Inst., Ann. Rept., 1922, pp. 261-269, 1924.

Clarke, Noah T.

371. Method of restoring the Cohoes mastodon: New York State Mus. Bull. no. 251, pp. 131-133, 2 pls., 1924.
(with Bishop, Sherman C.). A scientific survey of Turners Lake, Isle-au-Haut, Maine . . . 1922; with special examinations and notes by John M. Clarke and others. 29 pp., 22 pls., New York State Museum, Albany, N. Y., August, 1923, published privately. Also issued with New York State Museum Bulletin no. 251, 1924.

Clements, F. E.

372. (and Chaney, R. W.). Researches in sedimentation: Carnegie Inst. Washington, Year Book no. 21, 1922, p. 356, January, 1923.
373. (and Chaney, R. W.). Methods and principles in palaeo-ecology: Carnegie Inst. Washington, Year Book no. 22, p. 319, 1924.

Cobb, Collier.

374. Permian fossils from the base of the North Carolina Newark (abstract): Elisha Mitchell Sci. Soc., Jour., vol. 29, nos. 1-2, pp. 30-31, August, 1923.
375. The immediate ancestor of our domestic horse found fossil in Halifax County, North Carolina (abstract): Elisha Mitchell Sci. Soc., Jour., vol. 29, nos. 1-2, pp. 31-32, August, 1923.

Cockerell, T. D. A.

376. The oldest mosquitoes: Nature, vol. 103, p. 44, March 20, 1919.
377. *Glossina* and the extinction of Tertiary mammals: Nature, vol. 103, p. 265, June 5, 1919.
378. Zoology [chapter 20, pp. 157-163, Florissant, Colorado, fossils]. 558 pp., illus., New York, World Book Co., 1920.
379. The fossil sawflies of Florissant, Colorado: Entomologist, vol. 55, pp. 49-50, March, 1922.
380. An ancient wasp [*Hoplisus archorytes*, Bear Gulch, Green River formation, Colorado]: Nature, vol. 110, p. 313, September 2, 1922.
381. A fossil cichlid fish from the Republic of Haiti: U. S. Nat. Mus., Proc., vol. 63, art. 7, 2 pp., 1 pl., 1923.

Cockerell, T. D. A.—Continued.

- 382. The supposed plumage of the Eocene bird *Diatryma*: Am. Mus. Novitates, no. 62, 4 pp., 2 figs., March 16, 1923.
- 383. The scales of the fossil fish *Eobrycon*: Science, new ser., vol. 57, p. 418, April 6, 1923.
- 384. Fossil insects from the Eocene of Texas: Am. Jour. Sci., 5th ser., vol. 5, pp. 397-400, 2 figs., May, 1923.
- 385. The Laramie flora: Torreya, vol. 23, no. 3, pp. 52-53, May-June, 1923.
- 386. Fossil mammals at the Colorado Museum of Natural History: Sci. Monthly, vol. 17, no. 3, pp. 271-277, 7 figs., September, 1923.
- 387. A new genus of May flies from the Miocene of Florissant, Colorado [*Siphurites*]: Psyche, vol. 30, no. 5, pp. 170-172, October, 1923.
- 388. Two fossil Hymenoptera from Florissant [Colorado] (Vespidæ, Magachilidæ): Entomological News, vol. 34, no. 9, pp. 270-271, November, 1923.
- 389. Fossil insects in the United States National Museum: U. S. Nat. Mus., Proc., vol. 64, art. 13, 15 pp., 2 figs., 2 pls., 1924.
- 390. A genuine fossil *Ophioglossum* [Tertiary, Wyoming]: Torreya, vol. 24, no. 1, pp. 10-11, 1 fig., January-February, 1924.
- 391. An ancestor of the Agromyzidae [*Eomyza holoptera*, Green River Eocene, Roan Mountains, Colorado]: Entomologist, vol. 57, pp. 199-201, September, 1924.

Cockfield, W. E.

- 392. Explorations in southern Yukon: Canada, Geol. Survey, Summ. Rept., 1922, pt. A, pp. 1-8, 1923.
- 393. Recent mining developments in the Mayo district, Yukon: Canadian Min. Jour., vol. 44, no. 50, pp. 980-981, 1 fig., December 14, 1923.
- 394. Geology and ore deposits of Keno Hill, Mayo district, Yukon: Canada, Geol. Survey, Summ. Rept., 1923, pt. A, pp. 1-21, 4 figs., map, 1924.
- 395. Silver-lead deposits of Beaver River area, Yukon: Canada, Geol. Survey, Summ. Rept., 1923, pt. A, pp. 22-28, 2 figs., 1924.
- 396. The Mayo silver-lead district, Yukon: Canadian Min. Jour., vol. 45, no. 37, pp. 891-893, 1 fig., September 12, 1924; Min. Mag., vol. 30, no. 2, pp. 122-123, 2 figs., February, 1924.

Colburn, Frona Eunice (Wait).

- 397. The kingship of Mt. Lassen . . . 69 pp., illus., San Francisco, Calif., Nemo Publishing Company, 1922.

Cole, Arthur A.

- 398. Cobalt, bonanza silver district of Ontario: Eng. and Min. Jour.-Press, vol. 118, no. 9, pp. 325-330, 7 figs., August 30, 1924.

Cole, Grenville A. J.

- 399. The floor of the Valley of Ten Thousand Smokes [Alaska]: Nature, vol. 112, p. 251, August 18, 1923.

Cole, L. Heber.

- 400. Silica in Canada; its occurrence, exploitation, and uses; Part I, Eastern Canada: Canada, Dept. Mines, Mines Branch, 126 pp., 16 figs., 15 pls., 7 maps, 1923.
- 401. Alkali deposits of western Canada: Canada, Mines Branch, Summ. Rept., 1921, pp. 18-34, 1923.
- 402. Alkali deposits, western Canada: Canada, Mines Branch, Summ. Rept., 1922, pp. 9-15, 1924.

Cole, L. Heber—Continued.

- 403. Volcanic ash near Waldeck, Saskatchewan: Canada, Mines Branch, Summ. Rept., 1922, pp. 15-20, 1 fig., 1924.
- 404. Sodium and magnesium salts of western Canada: Canadian Inst. Min. and Met., Monthly Bull., no. 143, pp. 100-128, 8 figs., March, 1924; (with discussion) Trans., vol. 27, pp. 209-247, 8 figs. [1925].
- 405. Sodium and magnesium salts of western Canada: Canada, Mines Branch, Investigations of Mineral Resources and the Mining Industry, 1923, pp. 47-53, 1924.

Coleman, Arthur P.

- 406. Pleistocene and recent ice conditions in northeastern Labrador (abstract): British Assoc. Adv. Sci., Rept. 90th meeting, p. 363, 1923.
 - 407. Glacial features of Canada. In Handbook of Canada, pp. 375-379, Toronto, 1924.
 - 408. Ice ages and the drift of continents: Am. Jour. Sci., 5th ser., vol. 7, pp. 398-404, May, 1924.
 - 409. Evidences of pre-Cobalt glaciation: Canadian Min. Jour., vol. 45, no. 18, p. 420, May 2, 1924.
 - 410. Pleistocene deposits of Toronto region (abstract): Pan-Am. Geologist, vol. 42, no. 1, p. 67, August, 1924.
 - 411. Raised beaches as related to thickness of ice sheets (abstract): Pan-Am. Geologist, vol. 42, no. 1, p. 74, August, 1924.
 - 412. Pre-Cambrian climates (abstract): Pan-Am. Geologist, vol. 42, no. 4, p. 309, November, 1924.
 - 413. Geology of the Sudbury nickel deposits: Econ. Geology, vol. 20, no. 6, pp. 565-576, September-October, 1924.
 - 414. Mining possibilities in Labrador: Canadian Min. Jour., vol. 45, no. 36, pp. 868-870, 4 figs., September 5, 1924.
- See also Daly, no. 504.

Collier, Arthur J.

- 415. The Scobey lignite field, Valley, Daniels, and Sheridan counties, Montana: U. S. Geol. Survey, Bull. 751, pp. 157-230, 3 figs., 9 pls. (incl. map), November 17, 1924.

Collingwood, D. M.

- 416. Oil and gas development in the vicinity of Jacksonville: Illinois State Geol. Survey, Extract from Bull. no. 44, 30 pp., 3 figs., 1923.
- 417. Oil production in Illinois: Illinois State Acad. Sci., Trans., vol. 16, pp. 372-385, 1 fig., 1923.
- 418. Oil developments of 1922 in Illinois: Am. Assoc. Petroleum Geologists, Bull., vol. 7, no. 1, pp. 78-82, January-February, 1923.
- 419. Further consideration of prospects for oil in the Decatur area: Illinois State Geol. Survey, Report of Investigations, no. 1, 44 pp., 1 fig., 1 pl. (map), 1924.
- 420. Extension of Allendale oil field: Illinois State Geol. Survey, Press Bull., 4 pp., map, May 17, 1924.

Collins, R. Lee.

- 421. Travertine deposits in Virginia: Pan-Am. Geologist, vol. 41, no. 2, pp. 103-106, 1 fig., March, 1924.

Collins, W. D.

- 422. Mineral waters in 1921: U. S. Geol. Survey, Mineral Resources, 1921, pt. 2, pp. 229-236, February 5, 1923.

Collins, W. D.—Continued.

- 423. Mineral waters in 1922: U. S. Geol. Survey, Mineral Resources, 1922, pt. 2, pp. 207–220, December 20, 1923.
- 424. Mineral waters in 1923: U. S. Geol. Survey, Mineral Resources, 1923, pt. 2, pp. 109–124, 1 fig., November 6, 1924.

Collins, W. H.

- 425. Geological survey [report for 1922–23]: Canada, Dept. Mines, Rept. . . . 1923, pp. 7–25, 1923.
- 426. Field work of the geological survey [of Canada]: Canadian Min. Jour., vol. 44, no. 28, pp. 530–533, July 13, 1923.
- 427. The geology and physical geography of Canada. *In* Handbook of Canada, pp. 346–374, 2 figs., Toronto, 1924.

Collom, R. E.

- 428. Notes on California oil field practice: Am. Assoc. Petroleum Geologists, Bull., vol. 7, no. 2, pp. 114–130, 3 figs., March–April, 1923.

Colony, R. J.

- 429. The magnetite iron deposits of southeastern New York: New York State Museum Bull., nos. 249–250, 161 pp., 13 figs., 15 pls., 1923.
- 430. The final consolidation phenomena in the crystallization of igneous rock: Jour. Geology, vol. 31, no. 3, pp. 169–178, 12 figs., April–May, 1923.
- 431. An unusual quartz-diamond intergrowth: Am. Jour. Sci., 5th ser., vol. 5, pp. 400–402, 2 figs., May, 1923.

Condit, D. Dale.

- 432. Economic geology of the Summerfield and Woodsfield quadrangles, Ohio, with descriptions of coal and other mineral resources except oil and gas: U. S. Geol. Survey, Bull. 720, 156 pp., 5 figs., 12 pls. (incl. maps), 1923.
- 433. Phosphate deposits in the Wind River Mountains, near Lander, Wyoming: U. S. Geol. Survey, Bull. 764, 39 pp., 1 fig., 3 pls. (incl. map), 1924.

Connolly, J. P. See Ward, no. 2391.

Cook, Charles W.

- 434. Study of capillary relationships of oil and water: Econ. Geology, vol. 18 no. 2, pp. 167–172, 1 fig., March, 1923.
- 435. Attempt to study the actual capillary relationships of oil and water (abstract): Geol. Soc. America, Bull., vol. 34, no. 1, p. 100, March 30, 1923.
- 436. Marcasite from the Racine dolomite, Racine, Wisconsin: Am. Mineralogist, vol. 9, no. 7, pp. 151–152, July, 1924.

Cook, John H.

- 437. The disappearance of the last glacial ice sheet from eastern New York: New York State Mus. Bull., no. 251, pp. 158–176, 1 fig., 1924.

Cooke, C. Wythe.

- 438. The relative dependableness of different kinds of fossils and some suggestions to collectors: Am. Assoc. Petroleum Geologists, Bull., vol. 7, no. 2, pp. 183–187, March–April, 1923; Oil Engineering and Finance, vol. 4, no. 84, pp. 173–174, August 18, 1923.
- 439. American and European Eocene and Oligocene mollusks: Geol. Soc. America, Bull., vol. 35, no. 4, pp. 851–856, December 30, 1924; abstract, no. 1, p. 174, March 30, 1924.

Cooke, H. C.

440. Opasatika map area, Timiskaming County, Quebec: Canada, Geol. Survey, Summ. Rept., 1922, pt. D, pp. 19-74, 9 figs., map, 1923.
441. The Quebec gold field: Canadian Min. Jour., vol. 44, no. 15, pp. 276-278, 1 fig., April 13, 1923; Min. Mag., vol. 28, no. 6, pp. 382-383, 1 fig., June, 1923.
442. Exploration for gold in northern Quebec: Canadian Min. Jour., vol. 44, no. 21, pp. 390-392, 1 fig., May 25, 1923; Min. Mag., vol. 29, no. 1, pp. 49-51, 1 fig., July, 1923.
443. Character and origin of the ore deposits, Argonaut gold mine, Gauthier township, Timiskaming district, Ontario: Canada, Geol. Survey, Summ. Rept., 1923, pt. C 1, pp. 42-60, 5 figs., 1924.
444. Recent gold discoveries at Larder Lake, Timiskaming district, Ontario: Canada, Geol. Survey, Summ. Rept. 1923, pt. C 1, pp. 61-73, 4 figs., 1 pl., 1924.
445. Some gold deposits of western Quebec: Canada, Geol. Survey, Summ. Rept. 1923, pt. C 1, pp. 76-125, 15 figs., 1924.
446. Folding and mountain-building in pre-Cambrian of northern Ontario and Quebec (abstract): Pan-Am. Geologist, vol. 42, no. 4, pp. 308-309, November, 1924.

Coons, A. T.

447. Sand and gravel in 1923: U. S. Geol. Survey, Mineral Resources, 1923, pt. 2, pp. 149-159, November 5, 1924.

Copaux, H.

448. The beryllium industry: Mineral Foote-Notes, vol. 4, no. 2, pp. 3-6, March-April, 1920.

Copp, W. W.

449. (and Godde, H. A.). Report on southeastern portion of Thirty-five anticline, Sunset oil field, Kern County, California: California State Min. Bur., Summary of Operations California Oil Fields, vol. 9, no. 5, pp. 5-33, 7 pls. (incl. maps), November, 1923.

Corbin, J. Ross. See Pennsylvania G. S., no. 1734.

Corless, C. V.

450. Some of Canada's national problems and their physiographic cause: Canadian Min. Jour. vol. 44, no. 17, pp. 314-317, 1 fig., no. 18, pp. 338-342, May 4, 1923.
451. The mineral wealth of the pre-Cambrian: Canadian Inst. Min. and Met., Monthly Bull. no. 146, pp. 366-392, June, 1924; Trans., vol. 27, pp. 174-208 [1925].
452. Mineral wealth of the pre-Cambrian in Canada: Canadian Min. Jour., vol. 45, nos. 30-33, pp. 719-721, 737-739, 773-775, 796-798, July 25, August 1, 8, and 15, 1924.
453. The mineral wealth of Ontario (abstract): Canadian Min. Jour., vol. 45, no. 14, pp. 332-333, April 4, 1924.

Corral, José Isaac.

454. Reconocimiento geológico de la mina "San José," situada en Malezas, cuartón de San Gil, término municipal de Santa Clara: Cuba, Dirección de Montes y Minas, Bol. Minas, no. 7, pp. 42-50, 1923.

Cottingham, Kenneth.

455. Subsurface conditions on portion of Arches Fork anticline [Roane and Calhoun counties, West Virginia] (with discussion): *Am. Inst. Min. and Met. Eng., Trans.*, vol. 68, pp. 1138-1145, 4 figs., 1923; [preprint] no. 1115, 5 pp., 3 figs., January, 1922; [preprint] no. 1169, 1 fig., June, 1922 (discussion by David B. Reger); abstract, *Mining and Metallurgy*, no. 181, pp. 35-36, 1 fig., January, 1922.

Cotton, Leo A.

456. Some fundamental problems of diastrophism and their geological corollaries with special reference to polar wanderings: *Am. Jour. Sci.*, 5th ser., vol. 6, pp. 453-503, December, 1923.

Cottrell, K. W.

457. Peat in 1922: U. S. Geol. Survey, *Mineral Resources*, 1922, pt. 2, pp. 5-6, May 31, 1923.
458. Asphalt and related bitumens in 1922: U. S. Geol. Survey, *Mineral Resources*, 1922, pt. 2, pp. 7-13, July 19, 1923.
459. Salt, bromine, and calcium chloride in 1922: U. S. Geol. Survey, *Mineral Resources*, 1922, pt. 2, pp. 23-29, August 9, 1923.
460. Gypsum in 1922: U. S. Geol. Survey, *Mineral Resources*, 1922, pt. 2, pp. 133-139, October 18, 1923.
461. Gypsum in 1923: U. S. Geol. Survey, *Mineral Resources*, 1923, pt. 2, pp. 63-68, September 27, 1924.
462. Peat in 1923: U. S. Geol. Survey, *Mineral Resources*, 1923, pt. 2, pp. 69-70, September 27, 1924.
463. Salt, bromine, and calcium chloride in 1923: U. S. Geol. Survey, *Mineral Resources*, 1923, pt. 2, pp. 125-134, October 18, 1924.
464. Asphalt and related bitumens in 1923: U. S. Geol. Survey, *Mineral Resources*, 1923, pt. 2, pp. 135-142, October 20, 1924.

Cox, Flemin W.

465. Pleistocene deposits in Lawrence County: *Illinois State Acad. Sci., Trans.*, vol. 16, pp. 347-352, 1923.

Craddock, W. N.

466. The Ventura (Avenue) [oil] field [Ventura County], California: *Am. Assoc. Petroleum Geologists, Bull.*, vol. 8, no. 6, pp. 821-829, 1 fig., November-December, 1924.

Crane, Guy W.

467. Geological and mineralogical conditions prevailing in the Tintic district, Utah: *Salt Lake Min. Rev.*, vol. 25, no. 10, pp. 13-14, August 30, 1923.

Crane, W. R.

468. Red iron ore mining methods in the Birmingham district [Alabama]: *Am. Inst. Min. and Met. Eng., Trans.* [preprint] no. 1368, 33 pp., 20 figs., September, 1924; abstract, *Mining and Metallurgy*, vol. 5, no. 214, pp. 501-503, October, 1924.

Crawford, R. D.

469. A contribution to the igneous geology of central Colorado: *Am. Jour. Sci.*, 5th ser., vol. 7, pp. 365-388, 1 fig., May, 1924.

Crider, A. F.

470. Relation of Upper Cretaceous to Eocene structures in Louisiana and Arkansas (with discussion): *Am. Assoc. Petroleum Geologists, Bull.*, vol. 7, no. 4, pp. 379-383, July-August, 1923.

471. Volcanic ash in northern Louisiana: *Am. Assoc. Petroleum Geologists, Bull.*, vol. 8, no. 4, pp. 524-525, July-August, 1924.

Crocker, William.

472. Association of ores and dikes: *Eng. Min. Jour.-Press*, vol. 117, no. 1, p. 21, January 5; no. 5, p. 213, February 2, 1924.

Crook, A. R.

473. The origin of the Cahokia mounds: *Illinois State Mus., Bull.*, 26 pp., 22 figs., Springfield, May, 1922.

Crosby, Irving B.

474. The earthquake risk in Boston: *Boston Soc. Civil Eng., Jour.*, vol. 10, no. 10, pp. 421-430, 1 pl. (map), December, 1923.

475. The physiographic history of Pinkham Notch [White Mountains, New Hampshire]: *Appalachia*, vol. 15, no. 4, pp. 462-468, 1 pl., April, 1924.

(with Crosby, W. O.). Keystone faults (abstract): *Geol. Soc. America, Bull.*, vol. 35, no. 1, p. 94, March 30, 1924; *Pan-Am. Geologist* vol. 41, no. 2, p. 147, March, 1924.

Crosby, W. O.

476. (and Crosby, Irving B.). Keystone faults (abstract): *Geol. Soc. America, Bull.*, vol. 35, no. 1, p. 94, March 30, 1924; *Pan-Am. Geologist*, vol. 41, no. 2, p. 147, March, 1924.

477. Soils of Coos County [New Hampshire]: *Boston Soc. Nat. Hist., Proc.*, vol. 37, no. 3, pp. 54-68, 1 fig., July, 1924.

Cross, Whitman.

478. Historical sketch of the landslides of Gaillard Cut [Panama Canal]: *Nat. Acad. Sci., Mem.*, vol. 18, pp. 23-43, 1924.

Crump, Malcolm H.

479. The Harvard summer school of geology [Cumberland Mountain, Kentucky, 1875]: *Science*, new ser., vol. 60, pp. 421-423, November 7, 1924.

Culver, Harold E.

480. Geology and mineral resources of the Morris quadrangle: *Illinois State Geol. Survey, Bull.* no. 43, pp. 95-204, 32 figs., 3 pls. (maps), 1923 (published as abstract in 1922).

481. Note on the occurrence of Fusulinas in the Pennsylvanian rocks of Illinois: *Illinois State Acad. Sci., Trans.*, vol. 15, pp. 421-425 [1923].

482. Pennsylvanian correlation in northwestern Illinois: *Geol. Soc. America, Bull.*, vol. 35, no. 2, pp. 321-328, 3 figs., June 30, 1924; abstract, no. 1, p. 116, March 30, 1924; *Pan-Am. Geologist*, vol. 41, no. 2, p. 157, March, 1924.

Cundall, Frank.

482a. Description of Jamaica, pp. 26-33, 1 pl. (geological map). *In The Handbook of Jamaica for 1923*, Kingston, Government Printing Office, 1923.

Cuno, John B.

483. The mystery of a buried forest [in an excavation in Washington, D. C.]: *Am. Forestry*, vol. 29, pp. 105-106, 1 fig., February, 1923.

Currier, Louis Wade.

484. Geology of northeastern Adams County: Illinois State Geol. Survey, Bull. no. 43, pp. 305-323, 4 figs., 2 pls. (maps), 1923 (published as abstract in 1922).
485. Fluorspar deposits of Kentucky; a description and interpretation of the geologic occurrence and industrial importance of Kentucky fluor-spar: Kentucky Geol. Survey, ser. 6, vol. 13, 198 pp., 41 figs., map, 1923.

Cushman, Joseph A.

486. (and Trager, Earl A.). New formation in the Tampico Embayment region (abstract, with discussion by Joseph T. Singewald, jr.): Geol. Soc. America, Bull., vol. 35, no. 1, p. 100, March 30, 1924; abstract, Pan-Am. Geologist, vol. 41, no. 2, p. 149, March, 1924.
487. A new genus of Eocene Foraminifera: U. S. Nat. Mus., Proc., vol. 66, art. 30, 4 pp., 2 pls., 1924.
488. The use of Foraminifera in geologic correlation: Am. Assoc. Petroleum Geologists, Bull., vol. 8, no. 4, pp. 485-491, July-August, 1924.

Dahlblom, Th.

489. The permeability of rocks: Econ. Geology, vol. 19, no. 4, pp. 389-392, June-July, 1924.

Dahlgren, B. E.

490. A fossil flower [cycad]: Field Mus. Nat. Hist., Dept. Botany, Leaflet no. 5, 16 pp., 10 figs., 1924.

Dake, C. L.

491. Memorial of Guy H. Cox: Geol. Soc. America, Bull., vol. 34, no. 1, pp. 15-18, portr., March 30, 1923.
492. (and Bridge, Josiah). Subterranean stream piracy in the Ozarks: Missouri, Univ., School of Mines and Metallurgy, Bull., vol. 7, no. 1, pp. 3-14, 7 figs., 8 pls., November, 1923.
493. The scope of geologic teaching in mining engineering: Engineering Education, vol. 18, no. 8, pp. 527-536, 1923.

Dale, Nelson C.

494. The box vein of Lyonsdale, Lewis County, New York: New York State Mus. Bull. no. 251, pp. 134-148, 1 fig., 4 pls., 1924.

Dale, T. Nelson.

495. The commercial granites of New England: U. S. Geol. Survey, Bull. 738, 488 pp., 96 figs., 34 pls. (incl. maps), 1923.
496. The lime belt of Massachusetts and parts of eastern New York and western Connecticut: U. S. Geol. Survey, Bull. 744, 71 pp., 23 figs., 8 pls. (incl. maps), 1923.
497. Constitution and adaptation of the Holston marble of east Tennessee: Tennessee, Dept. Education, Div. Geology, Bull. 28, pp. 87-160, 10 figs., 15 pls., 1924.

Dall, William Healey.

498. Report on Tertiary fossils from Brock River; Report on the Pleistocene fossils collected on the Arctic coast: Canadian Arctic Expedition, 1913-1918, Rept., vol. 11, pt. 4, pp. 27-28, 30-33, July 8, 1924.
499. Note on the discovery of *Orygoceras* in the Idaho Tertiaries: Nautilus, vol. 37, no. 3, pp. 97-98, January, 1924.
500. Notes on molluscan nomenclature: Biol. Soc. Washington, Proc., vol. 37, pp. 87-90, February 21, 1924.

Dall, William Healey—Continued.

501. Discovery of a Balkan fresh-water fauna in the Idaho formation of Snake River valley, Idaho: U. S. Geol. Survey, Prof. Paper 132, pp. 109-115, 1 pl., November 10, 1924.

Daly, Reginald A.

502. The earth's crust and its stability: Am. Jour. Sci., 5th ser., vol. 5, pp. 349-371, May, 1923.
503. Decrease of the earth's rotational velocity and its geological effects: Am. Jour. Sci., 5th ser., vol. 5, pp. 373-377, May, 1923.
504. Earth's crust and its evolution (abstract with discussion by W. H. Hobbs, A. P. Coleman, and J. A. Udden): Geol. Soc. America, Bull., vol. 34, no. 1, pp. 61-62, March 30, 1923.
505. A critical review of the Taylor-Wegener hypothesis (abstract): Washington Acad. Sci., Jour., vol. 13, no. 20, pp. 447-448, December 4, 1923.
506. Earth's elastic and non-elastic deformation, caused by the waxing and waning of ice caps (abstract): Pan-Am. Geologist, vol. 42, no. 1, pp. 72-73, August, 1924.

Daly, William B.

507. (and others). Mining methods in the Butte district [including an account of the geology]: Am. Inst. Min. and Met. Eng., Trans. [preprint] no. 1225, 55 pp., March, 1923; abstract, Mining and Metallurgy, vol. 4, no. 196, pp. 207-208, April, 1923.

Dana, Edward S.

508. Biographical memoir George Jarvis Brush, 1831-1912: Nat. Acad. Sci., Mem., vol. 17, pp. 105-112, portr., 1924.

Darton, N. H.

509. The Grand Canyon as an object lesson in geology: Wyoming Hist. and Geol. Soc., Proc. and Coll., vol. 17, pp. 1-20, 6 figs., 10 pls., 1920.
510. Geysers of Yellowstone National Park: Geologische Charakterbilder (K. André), Heft 23 [8 pp.], 1 fig., 6 pls., Berlin, 1920.
511. Grand Canyon of the Colorado River: Geologische Charakterbilder (K. André) [16 pp.], 3 figs., 10 pls., Berlin, 1924.
512. (and others). Geologic map of the State of Arizona, prepared by the Arizona Bureau of Mines in cooperation with the U. S. Geological Survey. Scale 1:500,000. 1924.

Davenport, Frank B.

513. Virginia anthracite [Pulaski, Wythe, Montgomery, and Roanoke counties]: Mining and Metallurgy, vol. 4, no. 203, p. 554, November, 1923.

Davidson, Pirie,

514. *Alticamelus alexandrae*, a new camel from the Barstow upper Miocene of the Mohave Desert: California, Univ., Dept. Geol. Sci., Bull., vol. 14, no. 12, pp. 397-408, 16 figs., November 20, 1923.

Davis, Darrell Haug.

515. The geography of the Jackson Purchase: Kentucky Geol. Survey, ser. 6, vol. 9, 185 pp., 32 figs., 68 pls., 1923.

Davis, H. R.

516. The new Romney [Ontario] oil well: Canadian Inst. Min. and Met., Monthly Bull. no. 145, pp. 286-298, 1 fig., May, 1924.

Davis, Hubert W.

- 517. Fluorspar and cryolite in 1922: U. S. Geol. Survey, Mineral Resources, 1922, pt. 2, pp. 15-22, August 10, 1923.
- 518. Fluorspar and cryolite in 1923: U. S. Geol. Survey, Mineral Resources, 1923, pt. 2, pp. 27-40, July 25, 1924.

Davis, R. O. E. See Twenhofel, no. 2294.

Davis, Watson.

- 519. The story of copper. 385 pp., illus., New York, The Century Co. [1924].

Davis, William Morris.

- 520. Memoir of Frederic Putnam Gulliver: Assoc. Am. Geographers, Annals, vol. 11, pp. 112-116 [1922?].
- 521. The cycle of erosion and the summit level of the Alps: Jour. Geology, vol. 31, no. 1, pp. 1-41, January-February, 1923.
- 522. Drowned coral reefs south of Japan: Nat. Acad. Sci., Proc., vol. 9, no. 2, pp. 58-62, February, 1923.
- 523. The marginal belts of the coral seas: Nat. Acad. Sci., Proc., vol. 9, no. 8, pp. 292-296, August, 1923.
- 524. The depth of coral-reef lagoons: Nat. Acad. Sci., Proc., vol. 9, no. 8, pp. 296-301, August, 1923.
- 525. The marginal belts of the coral seas: Am. Jour. Sci., 5th ser., vol. 6, pp. 181-195, September, 1923.
- 526. The island of Oahu: Jour. Geography, vol. 22, no. 9, pp. 354-357, 3 figs., December, 1923.
- 527. The formation of the Lesser Antilles: Nat. Acad. Sci., Proc., vol. 10, no. 6, pp. 205-211, June 15, 1924.
- 528. A tilted-up, beveled-off atoll: Science, new ser., vol. 60, pp. 51-56, 2 figs., July 18, 1924; abstract, vol. 59, p. 544, May 16, 1924; Pan-Am. Geologist, vol. 42, no. 1, p. 74, August, 1924.
- 529. Modification of Darwin's theory of coral reefs by the glacial-control theory (abstract): Pan-Am. Geologist, vol. 42, no. 1, pp. 73-74, August, 1924.
- 530. Gilbert's theory of laccoliths (abstract): Washington Acad. Sci., Jour., vol. 14, no. 15, p. 375, September 19, 1924.
- 531. Shaded topographic maps: Science, new ser., vol. 60, pp. 325-327, October 10, 1924.
- 532. Classification of oceanic islands (abstract): Pan-Am. Geologist, vol. 42, no. 4, p. 319, November, 1924.
- 533. The progress of geography in the United States: Assoc. Am. Geographers, Annals, vol. 14, no. 4, pp. 159-215, December, 1924.

Davison, Charles.

- 534. Notes on some seismological terms: Seismol. Soc. America, Bull., vol. 14, no. 1, pp. 26-37, March, 1924.

Davy, W. Myron.

- (with Lindgren, Waldemar). Nickel ores from Key West mine, Nevada: Econ. Geology, vol. 19, no. 4, pp. 309-319, 2 pls., June-July, 1924.

Day, Arthur L.

- 535. Geophysical laboratory [report of the director]: Carnegie Inst. Washington, Year Book no. 21, 1922, pp. 127-150, January, 1923.
- 536. (and others). Seismology; report of the advisory committee: Carnegie Inst. Washington, Year Book no. 21, 1922, pp. 390-394, January, 1923. Seismol. Soc. America, Bull., vol. 12, no. 4, pp. 231-237, December, 1922.

Day, Arthur L.—Continued.

- 537. (and others). Report of the advisory committee on seismology of the Carnegie Institution of Washington: *Seismol. Soc. America, Bull.*, vol. 13, no. 4, pp. 159-169, December, 1923.
- 538. The year's progress in volcanology: *Nat. Research Council, Bull.*, vol. 7, pt. 5, no. 41, pp. 71-73, January, 1924.
- 539. Report of the advisory committee on seismology: *Carnegie Inst. Washington, Year Book* no. 22, pp. 362-368, 1924.
- 540. The volcano Kilauea in action (abstract): *Kentucky Acad. Sci., Trans.*, vol. 1, pp. 51-56, 2 pls., 1924.
- 541. (and Allen, E. T.). The sources of the heat and the source of the water in the hot springs of the Lassen National Park: *Jour. Geology*, vol. 32, no. 3, pp. 178-190, April-May, 1924.
- 542. Hot springs and fumaroles of "The Geysers" region, California: *Jour. Geology*, vol. 32, no. 6, pp. 459-460, August-September, 1924.
- 543. (and Willis, Bailey). Cooperation in seismology: *Science, new ser.*, vol. 60, pp. 217-218, September 5, 1924.
- 544. (and others). Report of the advisory committee on seismology of the Carnegie Institution of Washington: *Seismol. Soc. America, Bull.*, vol. 14, no. 3, pp. 201-212, September, 1924.
- 545. [Report of the] Geophysical Laboratory: *Carnegie Inst. Washington, Year Book* no. 23, pp. 53-65, December, 1924.
- 546. (and others). Seismology; report of the advisory committee: *Carnegie Inst. Washington, Year Book* no. 23, pp. 306-313, December, 1924.

Decker, C. E.

- 547. Preliminary notes on a new geologic map of the Arbuckle Mountains of Oklahoma: *Oklahoma Acad. Sci., Proc.*, vol. 3 (Oklahoma, Univ., Bull., new ser. no. 271), pp. 91-94, October 1, 1925.

De Golyer, E.

- 548. Cooperation in geology: *Econ. Geology*, vol. 18, no. 1, pp. 83-86, January-February, 1923.
- 549. Notes on the salt domes of North America (abstract): *Geol. Soc. America, Bull.*, vol. 34, no. 1, p. 66, March 30, 1923.
- 550. What is an economic geologist?: *Econ. Geology*, vol. 19, no. 4, pp. 473-474, August, 1924.
- 551. The occurrence of vanadium and nickel in petroleum (with discussion by G. Steiger, E. T. Erickson, F. L. Nason, and D. F. Hewett): *Econ. Geology*, vol. 19, no. 6, pp. 550-558, September-October, 1924.
- 552. The geologist and the petroleum industry: *Am. Petroleum Inst., Bull.*, vol. 5, no. 75, pp. 24-27, December 31, 1924.

DeKalb, H. Leonard.

- 553. A guide to the geology of Fergus County, Montana. 48 pp., 10 figs., Lewiston, Mont., Argus Printing & Supply Co. [1923?].

De Landero, Carlos F.

- 554. Correlación de las formaciones diatomíferas y los yacimientos de petróleo de Alta California: *Soc. cient. "Antonio Alzate," Mem. y Rev.*, t. 43, nos. 1-2, pp. 95-101, January-February, 1924.

Denis, Théo. C.

- 555. Report on mining operations in the Province of Quebec during the year 1922: Quebec (Province), Dept. of Colonization, Mines, and Fisheries, 138 pp., 1923.

Denis, Théo. C.—Continued.

556. Prospects for gold in northwestern Quebec: Eng. and Min. Jour.-Press, vol. 115, no. 15, pp. 674-675, April 14, 1923.
557. Report on mining operations in the Province of Quebec during the year 1923: Quebec (Province), Department of Colonization, Mines, and Fisheries, 24 pp., illus., 1924.

Denison, A. R.

558. The Robberson field, Garvin County, Oklahoma: Am. Assoc. Petroleum Geologists, Bull., vol. 7, no. 6, pp. 625-644, 9 figs., November-December, 1923.

DeWolf, F. W.

559. The outlook for geology and geography: Illinois State Acad. Sci., Trans., vol. 12, pp. 47-54 [1920].
560. Relation of topographic and geologic mapping of Illinois to professional engineering: Western Soc. Eng., Jour., vol. 28, no. 1, pp. 18-26, 4 figs. (maps), January, 1923.

Díaz Lozano, Enrique.

561. Sierra del Novillo ó Trinchera, Distrito Sur, Baja California: Mexico, Inst. Geol., Bol. no. 39, pp. 71-92, 31 pls. (incl. maps), 1922.

Dille, Glenn S.

562. Notes on the occurrence of a black bituminous shale near Palo, Linn County, Iowa: Iowa Acad. Sci., Proc., vol. 30, pp. 441-443 [1924].

Diller, J. S.

563. Did Crater Lake, Oregon, originate by a volcanic subsidence or an explosive eruption?: Jour. Geology, vol. 31, no. 3, pp. 226-227, 1 fig., April-May, 1923.
564. (and Kay, G. F.). Description of the Riddle quadrangle [Oregon]: U. S. Geol. Survey, Geol. Atlas U. S., Riddle folio, Oregon (no. 218), 8 pp., 8 figs., 3 maps, 1924.

Dobbel, Lillian M.

565. Magnesite crystals from Orangedale, Nova Scotia: Am. Mineralogist, vol. 8, no. 12, pp. 223-228, 3 figs., December, 1923.

Dobbin, C. E.

566. (and Reeside, J. B., jr.). The Lance-Fox Hills contact in eastern Montana and the Dakotas (abstract): Washington Acad. Sci., Jour., vol. 14, no. 7, pp. 165-166, April 4, 1924.
- (with Thom, W. T., jr.). Correlation of the Lebo member of the Fort Union with Cannonball member of the Lance (abstract): Washington Acad. Sci., Jour., vol. 14, no. 7, p. 165, April 4, 1924.
- (with Thom, W. T., jr.). Stratigraphy of Cretaceous-Eocene transition beds in eastern Montana and the Dakotas: Geol. Soc. America, Bull., vol. 34, no. 3, pp. 481-505, 4 figs., 3 pls., September 30, 1924; abstract, no. 1, p. 98, March 30, 1924; Pan-Am. Geologist, vol. 41, no. 2, p. 148, March, 1924.

Dolan, E. P.

567. The contact-metamorphic zone of Mount Royal, Montreal, P. Q.: Roy. Soc. Canada, Proc. and Trans., 3d ser., vol. 17, sec. 4, pp. 127-151, May, 1923.

Dolmage, Victor.

568. Coast and islands of British Columbia between Douglas Channel and the Alaskan boundary: Canada, Geol. Survey, Summ. Rept., 1922, pt. A, pp. 9-34, 2 maps, 1923.
569. Post-Pleistocene volcanics of the British Columbia coast: Jour. Geology, vol. 32, no. 1, pp. 36-48, 9 figs., January-February, 1924.
570. The work of the Geological Survey [of Canada] in British Columbia: Canadian Min. Jour., vol. 45, no. 9, pp. 211-212, 1 fig., February 29, 1924.
571. Prospecting: Canadian Min. Jour., vol. 45, no. 17, pp. 391-396, April 25, 1924.
572. The western mineral belt of British Columbia: Canadian Min. Jour., vol. 45, no. 26, pp. 614-617, June 27, 1924.
573. The B. C. silver mine [Stewart district, British Columbia]: Canadian Min. Jour., vol. 45, no. 30, pp. 711-712, 3 figs., July 25, 1924; Min. Mag., vol. 31, no. 3, p. 188, September, 1924.

Donoghue, David.

574. Absence of metamorphosed sedimentary rocks in the Texas Panhandle: Am. Assoc. Petroleum Geologists, Bull., vol. 8, no. 2, pp. 241-242, March-April, 1924.

Dorfman, André.

- (with Bell, J. Mackintosh). Carbonaceous matter at Porcupine [Ontario]: Inst. Min. Met., Bull. no. 236, 15 pp., May, 1924; discussion, no. 237, pp. 1-15, June, 1924; Min. Mag., vol. 30, no. 6, pp. 377-379, June, 1924.

Douglas, G. Vibert.

575. Spectroscopy applied to mineral determination: Econ. Geology, vol. 19, no. 8, pp. 766-768, December, 1924.

Douglas, George M.

576. Copper deposits of Arctic Canada: Eng. and Min. Jour.-Press, vol. 118, no. 3, pp. 85-89, 5 figs., July 19, 1924; Min. Mag., vol. 31, no. 3, pp. 178-180, 1 fig., September, 1924.

Douglas, J. M. See Hintze, no. 944.**Douglass, Earl.**

577. Oil problems in the Uinta Basin, Utah: Salt Lake Min. Rev., vol. 24, no. 21, pp. 17-18, February 15, 1923; vol. 25, no. 3, pp. 18-20, May 15, 1923.

Douvillé, H.

578. Les orbitoïdes en Amérique: Soc. Géol. France, Compt. Rend. Somm., nos. 10-11, pp. 106-107, 1923.
579. Les orbitoïdes et leur évolution en Amérique: Soc. Géol. France, Bull., 4^e sér., t. 23, nos. 7-8, pp. 369-376, 4 figs., 1 pl., 1924.

Dove, Leonard P.

580. The prospecting and evaluation of lignite lands in North Dakota: North Dakota, Univ., Quart. Jour., vol. 14, no. 1, pp. 60-69, November, 1923.

Dowell, Norah E.

- (with Meinzer, O. E.). New hydrologic laboratory in the United States Geological Survey (abstract): Geol. Soc. America, Bull., vol. 35, no. 1, pp. 106-107, March 30, 1924; Pan-Am. Geologist, vol. 41, no. 2, p. 152, March, 1924.

Dowling, D. B.

581. Investigation of artesian water, coal, petroleum, and natural gas: Canada, Geol. Survey, Summ. Rept., 1922, pt. B, pp. 101-126, 2 pls., map, 1923.

582. Bow River coal basin within the Rocky Mountains, Alberta: Canada, Geol. Survey, Summ. Rept., 1923, pt. B, pp. 63-85, 4 figs., 1924.

Downing, Eliot Rowland.

583. A naturalist in the Great Lakes region. 328 pp., 452 figs., Chicago, University of Chicago Press, 1922.

Dubendorf, H. H.

(with Schwennesen, A. T., and Overbeck, R. M.). The Long Beach oil field [California] and its problems: Am. Assoc. Petroleum Geologists, Bull., vol. 8, no. 4, pp. 403-423, 6 figs., 1 pl., July-August, 1924.

Drane, Brent S.

584. North Carolina's mineral resources and their development: The South's Development, Manufacturers Record, vol. 86, no. 24, pt. 2, pp. 398-401, December 11, 1924.

Dresser, John A.

585. Mining in Quebec: Canadian Min. Jour., vol. 44, no. 33, pp. 645-647, 1 fig., August 17, 1923.

Driver, H. L.

(with Hanna, G. D.). The study of subsurface formations in California oil field development: California State Min. Bur., Summary of Operations California Oil Fields, vol. 10, no. 3, pp. 5-26, 10 figs., September, 1924.

Duce, James Terry.

586. Carbon dioxide from wells in Colorado: Am. Assoc. Petroleum Geologists, Bull., vol. 8, no. 6, p. 831, November-December, 1924.

Dufresne, A. O.

587. An occurrence of native gold in calcite [Dorchester County, Quebec]: Canadian Inst. Min. and Met., Monthly Bull., no 128, pp. 1227-1228, December, 1922; Min. Mag., vol. 28, no. 1, pp. 59-60, January, 1923. Descubrimiento de oro nativo en calcita: Cuba, Dirección de Montes y Minas, Bol. Minas, no. 7, pp. 87-88, 1923.

588. Gold in northwestern Quebec: Canadian Min. Jour., vol. 44, no. 33, pp. 647-649, 3 figs., August 17, 1923.

Dumble, E. T.

589. Foraminiferal guides to Texas coast deposits: Pan-Am. Geologist, vol. 39, no. 1, pp. 61-63, February, 1923.

590. Oil well stratigraphy on Gulf coastal plains: Pan-Am. Geologist, vol. 39, no. 2, pp. 95-100, March, 1923.

591. Marine Wilcox in Mexico: Science, new ser., vol. 57, p. 31, July 13, 1923.

592. Memorial of Anthony Wayne Vogdes: Geol. Soc. America, Bull., vol. 35, no. 1, pp. 37-42, portr., March 30, 1924.

593. (and Applin, E. R.). Subsurface geology of Idolo Island, Vera Cruz, Mexico: Pan-Am. Geologist, vol. 41, no. 5, pp. 335-346, June, 1924.

594. A revision of the Texas Tertiary section with special reference to the oil-well geology of the coast region: Am. Assoc. Petroleum Geologists, Bull., vol. 8, no. 4, pp. 424-444, July-August, 1924.

Dunbar, Carl Owen.

595. Kansas Permian insects, Part 2; *Paleolimulus*, a new genus of Paleozoic Xiphosura, with notes on other genera: Am. Jour. Sci., 5th ser., vol. 5, pp. 443-454, 8 figs., June, 1923.
596. Kansas Permian insects, Part 1, The geologic occurrence and the environment of the insects: Am. Jour. Sci., 5th ser., vol. 7, pp. 171-209, 3 figs., March, 1924.
597. Phases of cephalopod adaptation. In Organic Adaptation to Environment, pp. 187-223, 4 figs., New Haven, Yale University Press, 1924.
598. Memorial of Thomas A. Bostwick: Geol. Soc. America, Bull., vol. 35, no. 1, p. 181, March 30, 1924.
599. Was there Pennsylvanian-Permian glaciation in the Arbuckle and Wichita mountains of Oklahoma?: Am. Jour. Sci., 5th ser., vol. 8, pp. 241-248, September, 1924.

See also Clarke, no. 362.

Dunbar, E. U.

(with Chadwick). Genesee glacial lakes: Geol. Soc. America, Bull., vol. 35, no. 3, pp. 669-676, September 30, 1924.

Dunlop, J. P.

600. Gold and silver in 1921 (general report): U. S. Geol. Survey, Mineral Resources, 1921, pt. 1, pp. 429-466, January 26, 1923.
601. Gold, silver, copper, lead, and zinc in the Eastern States in 1922 (mines report): U. S. Geol. Survey, Mineral Resources, 1922, pt. 1, pp. 7-14, June 12, 1923.
602. (and Begeman, F.). Silver, copper, lead, and zinc in the Central States in 1922: U. S. Geol. Survey, Mineral Resources, 1922, pt. 1, pp. 137-168, October 10, 1923.
603. Secondary metals in 1922: U. S. Geol. Survey, Mineral Resources, 1922, pt. 1, pp. 173-191, November 7, 1923.
604. Gold and silver in 1922 (general report): U. S. Geol. Survey, Mineral Resources, 1922, pt. 1, pp. 595-635, 1 fig., 1 pl., June 4, 1924.
605. Gold, silver, copper, lead, and zinc in the Eastern States in 1923; (mines report): U. S. Geol. Survey, Mineral Resources, 1923, pt. 1, pp. 1-7, July 7, 1924.
606. (and Begeman, F.). Silver, copper, lead, and zinc in the Central States in 1923 (mines report): U. S. Geol. Survey, Mineral Resources, 1923, pt. 1, pp. 47-78, September 30, 1924.

Dunn, J. A.

607. Origin of metallic concentrations by magmatism: Econ. Geology, vol. 19, no. 6, pp. 577-582, September-October, 1924.

Dunn, Robert.

608. Discovery of bauxite in British Columbia: Canadian Min. Jour., vol. 44, no. 48, pp. 947-948, November 30, 1923.

Dyer, W. S.

609. The Minto coal basin of New Brunswick: Canadian Inst. Min. and Met., Monthly Bull. no. 145, pp. 251-275, 8 figs., May, 1924; Trans., vol. 27, pp. 385-409, 8 figs. [1925]; Canadian Min. Jour., vol. 45, no. 45, pp. 1091-1096, 4 figs., November 7, 1924.
- (with Parks, W. A.). The stratigraphy and paleontology of Toronto and vicinity; Part 2, The Molluscoidea: Ontario Dept. Mines, 30th Ann. Rept., vol. 30, pt. 7, 43 pp., 7 pls., 1922.

Eakle, Arthur S.

610. Minerals of California: California State Min. Bur., Bull. no. 91, 328 pp., 1923.

Eardley-Wilmot, V. L.

611. Canadian feldspar in 1922; fluorspar in 1922; graphite in Canada, 1922; talc and soapstone in Canada, 1922; the molybdenum situation in Canada in 1922: Canada, Mines Branch, Summ. Rept. 1922, pp. 21-44, 1924.
612. Natural abrasive materials in Canada: Canada, Mines Branch, Investigations of Mineral Resources and the Mining Industry, 1923, pp. 12-15, 1924.
613. Molybdenum and its future prospects in Canada: Canadian Min. Jour., vol. 45, no. 33, pp. 787-788, August 15, 1924.
614. The origin and uses of diatomaceous earth: Canadian Min. Jour., vol. 45, no. 38, pp. 918-920, September 19, 1924.

Earle, Kenneth W.

615. Report on the geology of Antigua. 28 pp., Government Printing Office, Antigua, Leeward Islands, 1923.
616. Preliminary report on geology of Windward and Leeward islands (abstract): Pan-Am. Geologist, vol. 40, no. 4, p. 320, November, 1923.
617. The geology of the British Virgin Islands: Geol. Mag., vol. 61, no. 8, pp. 339-351, 1 fig., 1 pl. (maps), August, 1924.

Eaton, George F.

618. Vertebrate fossils from the Mina Erupción [Chihuahua, Mexico]: Am. Jour. Sci., 5th ser., vol. 6, pp. 229-238, 9 figs., September, 1923.

Eaton, H. N.

619. A Vernon shale (Silurian) fauna in central New York: New York State Mus. Bull. no. 253, pp. 111-118, 1 pl., July, 1924.

Eaton, J. E.

620. Structure of Los Angeles Basin and environs: Oil Age, Los Angeles, California, vol. 20, no. 6, pp. 8-9, 52, 2 figs., December, 1923; vol. 21, no. 1, pp. 16-18, 52, 54, 3 figs., January, 1924.

Eby, J. Brian.

621. (with chapters by M. R. Campbell and G. W. Stose). The geology and mineral resources of Wise County and the coal-bearing portion of Scott County, Virginia: Virginia Geol. Survey, Bull. no. 24, 617 pp., 55 figs., 45 pls. (incl. maps), 1923.
622. The possibilities of oil and gas in southwest Virginia as inferred from isocarbs: Am. Assoc. Petroleum Geologists, Bull., vol. 7, no. 4, pp. 421-426, 1 fig., July-August, 1923.
623. The carbonization of some Colorado coals by igneous intrusion (abstract): Washington Acad. Sci., Jour., vol. 14, no. 15, p. 376, September 19, 1924.

Edson, Fanny Carter.

624. Notes on the Simpson formation, Oklahoma (with discussion): Am. Assoc. Petroleum Geologists, Bull., vol. 7, no. 5, pp. 558-564, 3 figs., September-October, 1923.

Edwards, E. M.

- (with Kindle, E. M.). Literature of ripplemark: Pan-Am. Geologist, vol. 41, no. 3, pp. 191-203, April, 1924.

Edwards, W. N.

- 625. Origin of certain filamentous forms from Eocene beds: *Nature*, vol. 112, p. 9, July 7, 1923.
- 626. On the cuticular structure of the Devonian plant *Psilophyton*: *Linnean Soc., Jour., Botany* vol. 46, no. 310, pp. 377-385. 5 figs., 1 pl., April 16, 1924.

Ehlers, G. M.

- 627. (and Hussey, R. C.). A new gastropod and a new cephalopod from the Devonian of Michigan: *Michigan Acad. Sci., Papers*, vol. 1, pp. 248-252, 2 pls., 1923.
- 628. (and Leighly, J. B.). *Lipsanocystis traversensis*, a new cystid from the Devonian of Michigan: *Michigan Acad. Sci., Papers*, vol. 2, pp. 155-158, 3 figs., 1923.
- 629. The presence of Cataract strata in Michigan supported by fossil evidence: *Michigan Acad. Sci., Papers*, vol. 3, pp. 281-283, 1924.
(with Ruedemann, R.). Occurrence of the Collingwood formation in Michigan: *Michigan, Univ., Mus. Geology, Contr.*, vol. 2, no. 2, pp. 13-18, July 10, 1924; abstract, *Geol. Soc. America, Bull.*, vol. 35, no. 1, p. 186, March 30, 1924.

Elles, Gertrude L.

- 630. Evolutional paleontology in relation to the lower Paleozoic rocks: *Pan-Am. Geologist*, vol. 40, no. 4, pp. 259-288, November, 1923; *British Assoc. Adv. Sci., Rept. 91st Meeting*, 1923, pp. 83-107, 5 figs., 1924.

Ellis, A. J.

- 631. (and Meinzer, O. E.). Ground water in Musselshell and Golden Valley counties, Montana: *U. S. Geol. Survey, Water-Supply Paper* 518, 92 pp., 11 figs., 5 pls. (incl. map), 1924.

Ellis, Robert Walpole.

- 632. Oil and gas in New Mexico in 1923: *New Mexico, State Univ., Bull.*, no. 112, *Geol. ser.* 3, 29 pp., May, 1923.
- 633. Tables for determining common minerals and rocks: *New Mexico, State Univ., Bull., Geol. ser.*, vol. 3, no. 6, 46 pp., September, 1923.

Ells, S. C.

- 634. Cretaceous shales of Manitoba and Saskatchewan as a possible source of crude petroleum: *Canada, Mines Branch, Summ. Rept.*, 1921, pp. 34-41, 2 maps, 1923.
- 635. Oil shales of Canada: *Canada, Mines Branch, Summ. Rept.*, 1921, pp. 41-55, 1923.
- 636. Bituminous sands of northern Alberta: *Canada, Mines Branch, Summ. Rept.*, 1922, pp. 44-46, 1924.
- 637. Bituminous sands of northern Alberta: *Canada, Mines Branch, Investigations of Mineral Resources and the Mining Industry*, 1923, pp. 4-11, 1924.
- 638. Bituminous sands of northern Alberta: *Canadian Min. Jour.*, vol. 45, nos. 13 and 17, pp. 298-304, 400-403, 6 figs., March 28 and April 25, 1924.
- 639. Bituminous sands of northern Alberta: *Inst. Petroleum Technologists, Jour.*, vol. 10, no. 43, pp. 358-359, June, 1924.
- 640. Bituminous sands of northern Alberta: *Inst. Petroleum Technologists, Jour.*, vol. 10, no. 45, pp. 710-717, 2 pls., September, 1924.

Ellsworth, H. V.

641. Recent discoveries of radioactive minerals in Ontario: Canada, Geol. Survey, Summ. Rept., 1923, pt. C 1, pp. 6-20, 2 figs., 5 pls., 1924.
642. The blue corundum of the Bancroft area [Hastings County, Ontario]: Canadian Min. Jour., vol. 45, no. 41, pp. 1009-1010, 1 fig., October 10, 1924.
643. Atomic disintegration as a measure of geologic time: Pan-Am. Geologist, vol. 42, no. 4, pp. 273-280, November, 1924.
644. Radioactive minerals of pre-Cambrian strata in geologic age determinations (abstract): Pan-Am. Geologist, vol. 42, no. 4, p. 320, November, 1924.
- (with Poitevin, E.). New optical data for analyzed sussexite: Am. Mineralogist, vol. 9, no. 9, pp. 188-190, September, 1924.

Elsing, Morris Jesup.

645. The Bisbee mining district [Arizona]: Eng. and Min. Jour.-Press, vol. 115, no. 4, pp. 177-184, 5 figs., January 27, 1923.

Elworthy, R. T.

646. Natural gas in Alberta: Canada, Mines Branch, Investigations of Mineral Resources and the Mining Industry, 1923, pp. 16-46, 1924.
647. Helium in Canada: Canadian Min. Jour., vol. 45, no. 51, pp. 1233-1235, December 19, 1924.

Ely, Fred B.

648. Concerning theories [respecting occurrence, etc., of petroleum]: Am. Assoc. Petroleum Geologists, Bull., vol. 8, no. 1, pp. 94-96, January-February, 1924.

Emery, Alden H.

- (with Bray, Harriet G.). Mineralization along the dikes of southern Vermont: Ohio Jour. Sci., vol. 23, no. 2, pp. 83-88, March-April, 1923.

Emig, W. H.

649. Mosses as rock builders: Oklahoma, Univ., Bull. (Proc. Oklahoma Acad. Sci., 1910-1920), new ser. no. 220, pp. 38-40, July 15, 1921.

Emmons, William H.

650. (and Larsen, Esper S.). Geology and ore deposits of the Creede district, Colorado: U. S. Geol. Survey, Bull. 718, 198 pp., 32 figs., 12 pls. (incl. maps), 1923.
651. Geology of prospecting: Eng. and Min. Jour.-Press, vol. 115, no. 3, pp. 122-123, January 20, 1923.
652. Primary downward changes in ore deposits (with discussion by J. E. Spurr): Am. Inst. Min. and Met. Eng., Trans., vol. 70, pp. 964-997, 13 figs., 1924; [preprint] no. 1319, 29 pp., 13 figs., March, 1924; abstract, Mining and Metallurgy, vol. 5, no. 207, pp. 140-141, March, 1924; no. 209, pp. 245-246, May, 1924.

Engineering and Mining Journal-Press.

653. Applications of the zonal theory: Eng. and Min. Jour.-Press, vol. 117, no. 10, p. 393, March 8, 1924.
654. The microscope and the decadence of geology: Eng. and Min. Jour.-Press, vol. 118, no. 3, pp. 82-83, July 19, 1924.

English, Leon.

655. Robberson oil field, Garvin County, Oklahoma: Oklahoma Acad. Sci., Proc., vol. 2 (Oklahoma, Univ., Bull., new ser. no. 247), pp. 85-86, October 1, 1922.

English, Walter A.

656. Some plane-table methods (with discussion): Am. Assoc. Petroleum Geologists, Bull., vol. 8, no. 1, pp. 47-54, 3 figs., January-February, 1924.
(with Arnold, Ralph). Canadian oil reserves: Am. Inst. Min. and Met. Eng., Trans., vol. 68, pp. 985-988, 1923; [preprint] no. 1172, 4 pp., July, 1922; abstract, Mining and Metallurgy, no. 187, pp. 40-41, July, 1922.

Ernst, Walter S.

657. Statistics of the mineral production of Alabama for 1922: Alabama Geol. Survey, Bull. no. 27, 139 pp., 1924.

Escher, B. G.

658. On the hot "lahar" (mud flow) of the Valley of Ten Thousand Smokes, Alaska: K. Akad. Wetensch. Amsterdam, Proc. Sec. Sci., vol. 24, pp. 282-293, 3 figs., March, 1922.

Estabrook, Edward L.

659. Faulting in Wyoming oil fields: Am. Assoc. Petroleum Geologists, Bull., vol. 7, no. 2, pp. 95-102, 1 fig., March-April, 1923.
660. Occurrences of oil and gas in Wyoming: Am. Assoc. Petroleum Geologists, Bull., vol. 8, no. 4, p. 515, July-August, 1924.

Evans, George Watkin.

661. Coal mining in the State of Washington during 1923: Washington, Division of Geology, Bull. no. 30, pp. 184-215, 1924.

Evans, Isabel P.

662. Recent publications on quicksilver: U. S. Geol. Survey, Mineral Resources, 1922, pt. 1, pp. 121-124, September 18, 1923.
See also Ross, no. 1915.

Evans, Oren F.

663. Some observation on erosion and transportation in the Wichita Mountain area: Oklahoma Acad. Sci., Proc., vol. 2 (Oklahoma, Univ., Bull., new ser. no. 247), pp. 77-79, October 1, 1922.
664. A study of some conglomerates near the eastern limits of the red beds of Oklahoma: Oklahoma Acad. Sci., Proc., vol. 3 (Oklahoma, Univ., Bull., new ser. no. 271), pp. 94-95, October 1, 1923.
665. Some observations on the South Canadian River near Norman: Oklahoma Acad. Sci., Proc., vol. 3 (Oklahoma, Univ., Bull., new ser. no. 271), pp. 120-123, October 1, 1923.

Fairbanks, Ernest E.

666. Notes on mineragraphic technique: Econ. Geology, vol. 19, no. 2, pp. 213-214, March, 1924.
667. The identification of manganese minerals: Econ. Geology, vol. 19, no. 8, pp. 769-770, December, 1924.

Fairchild, Herman L.

668. The Pinnacle Hills or the Rochester kame moraine: Rochester Acad. Sci., Proc., vol. 6, no. 5, pp. 141-194, 5 figs., 54 pls., November, 1923.
669. The development of geologic science: Sci. Monthly, vol. 19, no. 1, pp. 77-101, July, 1924.

Fath, A. E.

670. (and Moulton, G. F.). Oil and gas fields of the Lost Soldier-Ferris district, Wyoming: U. S. Geol. Survey, Bull. 756, 57 pp., 2 figs., 8 pls. (incl. map), 1924.

Fearing, Frederick C.

671. Manganese deposits of Lunenburg County, Nova Scotia: Eng. and Min. Jour.-Press, vol. 115, no. 1, pp. 11-15, 8 figs., January 6, 1923; no. 11, pp. 482-483, March 17, 1923; no. 23, pp. 1008-1009, June 9, 1923.

Feilding, Rowland C.

672. Notes on the geology and ore occurrences of the Porcupine gold field [Ontario]: Inst. Min. and Met., Bull. no. 231, 10 pp., December, 1923; no. 232 (discussion), pp. 9-20, January, 1924; discussion by H. H. Knox, Min. Mag., vol. 30, no. 2, pp. 120-122, 2 figs., February, 1924. Extracts, Canadian Min. Jour., vol. 45, no. 3, pp. 75-76, January 18, 1924, no. 16, pp. 372-373, April 18, 1924.

Feliciano, José María.

673. The relation of concretions to coal seams: Jour. Geology, vol. 32, no. 3, pp. 230-239, April-May, 1924.

Fenneman, Nevin M.

674. Recent work in paleobotany: Science, new ser., vol. 57, pp. 44-45, January 12, 1923.

Fenner, Clarence N.

675. The origin and mode of emplacement of the great tuff deposit in the Valley of Ten Thousand Smokes: Nat. Geog. Soc., Contributed Technical Papers, Katmai series, no. 1, 74 pp., illus., 1923; abstract, Science, new ser., vol. 57, pp. 446-447, April 13, 1923.
676. Moving pictures of the Valley of Ten Thousand Smokes, Alaska (abstract): Geol. Soc. America, Bull., vol. 35, no. 1, p. 112, March 30, 1924; Pan-Am. Geologist, vol. 41, no. 2, p. 156, March, 1924.

Fenton, Carroll Lane.

677. (and Fenton, Mildred Adams). The stratigraphy and fauna of the Hackberry stage of the Upper Devonian: Michigan, Univ., Contr. Mus. Geology, vol. 1, 260 pp., 9 figs., map, 45 pls., 1924.
678. (and Fenton, Mildred Adams). Some Black River brachiopods from the Mississippi Valley: Iowa Acad. Sci., Proc. 1922, vol. 29, pp. 67-77, 2 pls. [1924?].

Fenton, Mildred Adams.

- (with Fenton, Carroll Lane). The stratigraphy and fauna of the Hackberry stage of the Upper Devonian: Michigan, Univ., Contr. Mus. Geology, vol. 1, 260 pp., 9 figs., map, 45 pls., 1924.
- (with Fenton, Carroll Lane). Some Black River brachiopods from the Mississippi Valley: Iowa Acad. Sci., Proc. 1922, vol. 29, pp. 67-77, 2 pls. [1924?].

Ferguson, Henry Gardiner.

679. Geology and ore deposits of the Manhattan district, Nevada: U. S. Geol. Survey, Bull. 723, 163 pp., 15 figs., 18 pls. (incl. maps), 1924.
680. (and Cathcart, S. H.). Major structural features of some western Nevada ranges (abstract): Washington Acad. Sci., Jour., vol. 14, no. 15, pp. 376-379, September 19, 1924.

Ferguson, Jim G.

681. Minerals in Arkansas. 160 pp., illus., Little Rock, Ark., 1922.

Ferguson, R. N.

682. (and Willis, C. G.). Dynamics of oil-field structure in southern California: Am. Assoc. Petroleum Geologists, Bull., vol. 8, no. 5, pp. 576-583, 2 figs., September-October, 1924.

Fermor, L. L.

683. The pitch of rock folds: Econ. Geology, vol. 19, no. 6, pp. 559-562, September-October, 1924.

Fettke, Charles R.

684. Oil resources in coal and carbonaceous shales of Pennsylvania: Pennsylvania Geol. Survey, 4th ser., 119 pp., 16 figs., 6 pls., 1923.

685. Cannel coal and carbonaceous shale deposits of Pennsylvania (with discussion): Am. Inst. Min. and Met. Eng., Trans., vol. 69, pp. 1167-1181, 7 figs., 1923 [preprint], no. 1233, 15 pp., 7 figs., February, 1923; abstract, Mining and Metallurgy, vol. 4, no. 194, p. 93, February, 1923.

686. The geology of the Humacao district, Porto Rico: New York Acad. Sci., Scientific Survey of Porto Rico and the Virgin Islands, vol. 2, pt. 2, pp. 117-197, 53 figs., map, 1924.

687. Magnetite deposits of eastern Porto Rico (with discussion by S. Harbert Hamilton and A. K. Knickerbocker): Am. Inst. Min. and Met. Eng., Trans., vol. 70, pp. 1024-1042, 6 figs., 1924 [preprint], no. 1294, 15 pp., 6 figs., February, 1924; abstract, Mining and Metallurgy, vol. 5, no. 208, pp. 195-196, April, 1924.

Fieldner, A. C.

688. (and others). Analyses of Ohio coals: U. S., Bur. Mines, Tech. Paper 344, 40 pp., 1923.

Fillman, Louise.

689. Classification of lenses (abstract): Iowa Acad. Sci., Proc., 1922, vol. 29, p. 128 [1924?].

690. Origin of limestone conglomerates (abstract): Iowa Acad. Sci., Proc. 1922, vol. 29, p. 128 [1924?].

Finch, R. H.

691. Seismic sequences of the explosive eruption of Kilauea in May, 1924: Seismol. Soc. America, Bull., vol. 14, no. 4, pp. 217-222, 1 fig., 3 pls., December, 1924.

- (with Jaggar, T. A.). The explosive eruption of Kilauea in Hawaii, 1924: Am. Jour. Sci., 5th ser., vol. 8, pp. 353-374, 14 figs., November, 1924.

Finger, Charles J.

692. The ice age. Ten cent pocket series no. 327, edited by E. Haldeman-Julius. 63 pp., Girard, Kansas, Haldeman-Julius Company, 1922.

Fisher, D. J.

693. The teaching of crystallography: Jour. Geology, vol. 32, no. 6, pp. 529-542, 5 figs., August-September, 1924.

Fisher, Norman B.

694. The Quebec asbestos industry: Canadian Min. Jour., vol. 44, no. 33, pp. 649-655, 9 figs., August 17, 1923.

Flint, Richard Foster.

695. A brief view of Rocky Mountain structure: *Jour. Geology*, vol. 32, no. 5, pp. 410-431, 9 figs., July-August, 1924.

Foerste, Aug. F.

696. Notes on Medinan, Niagaran, and Chester fossils: *Denison Univ., Sci. Lab., Jour.*, vol. 20, pp. 37-120, 13 pls., June, 1923.
697. Upper Ordovician faunas of Ontario and Quebec: *Canada, Geol. Survey, Mem.* 138, 255 pp., 14 figs., 46 pls., 1924.
698. Silurian cephalopods of northern Michigan: *Michigan, Univ., Mus. Geology, Contr.*, vol. 2, no. 3, pp. 19-120, 2 figs., 17 pls., July 10, 1924.
699. Notes on American Paleozoic cephalopods: *Denison Univ., Sci. Lab., Jour.*, vol. 20, pp. 193-267, 22 pls., December, 1924.
(with Slocum, Arthur Ware). New echinoderms from the Maquoketa beds of Fayette County, Iowa: *Iowa Geol. Survey*, vol. 29, pp. 315-382, 5 figs., 6 pls. [1924].

Foos, F. Julius.

700. (and Robinson, Heath M.). Structural study of a part of northeast Texas with some stratigraphic sections (abstract): *Geol. Soc. America, Bull.*, vol. 34, no. 1, pp. 70-71, March 30, 1923.
701. Structural and stratigraphic data of northeast Texas petroleum area: *Econ. Geology*, vol. 18, no. 8, pp. 709-731, 1 fig., 3 pls. (incl. map), December, 1923.

Foshag, William F.

702. Catapleite from Magnet Cove, Arkansas: *Am. Mineralogist*, vol. 8, no. 4, pp. 70-72, April, 1923.
703. Famous mineral localities: Furnace Creek, Death Valley [California]: *Am. Mineralogist*, vol. 9, no. 1, pp. 8-10, January, 1924.
704. Priceite from Furnace Creek, Inyo County, California: *Am. Mineralogist*, vol. 9, no. 1, pp. 11-13, January, 1924.
705. Centrallasite from Crestmore, California: *Am. Mineralogist*, vol. 9, no. 4, pp. 88-90, April, 1924.
706. The world's biggest borax deposits [California and Nevada]: *Eng. and Min. Jour.-Press*, vol. 118, no. 11, pp. 419-421, 6 figs., September 13, 1924.
707. (and Gage, R. B.). Chlorophoenicite, a new mineral from Franklin Furnace, New Jersey; *Washington Acad. Sci., Jour.*, vol. 14, no. 15, pp. 362-363, September 19, 1924.

Foye, Wilbur G.

708. The New England intercollegiate geological excursion: *Science*, new ser., vol. 58, pp. 344-345, November 2, 1923.
709. Abnormal dips near the eastern boundary fault of the Connecticut Triassic: *Science*, new ser., vol. 60, p. 240, March 7, 1924.
710. Anterior range of Connecticut (abstract, with discussion by A. C. Lawson): *Geol. Soc. America, Bull.*, vol. 35, no. 1, p. 87, March 30, 1924; abstract, *Pan-Am. Geologist*, vol. 41, no. 2, p. 143, March, 1924.
711. Pillow structure in the Triassic basalts of Connecticut: *Geol. Soc. America, Bull.*, vol. 35, no. 2, pp. 329-346, 12 figs., June 30, 1924.
712. The New England intercollegiate geologic excursion: *Science*, new ser., vol. 60, p. 378, October 24, 1924.

Foyles, Edward J.

713. Preliminary report on the Ordovician formations of Vermont: Vermont, State Geologist, Thirteenth Rept., 1921-1922, pp. 71-86, 3 figs., 4 pls., 1923.

714. The geology of Shoreham, Bridport, and Fort Cassin, Vermont: Vermont, State Geologist, Fourteenth Rept., 1923-1924, pp. 204-217, 3 pls., 1924.

Fréchette, Howells.

715. Iron oxide pigments in Ontario: Canada, Mines Branch, Summ. Rept., 1921, pp. 9-12, 1923.

716. Mineral pigments: Canada, Mines Branch, Summ. Rept., 1922, pp. 7-9, 1924.

Freeman, O. W.

717. New occurrence of the Belt terrane in Montana: Science, new ser., vol. 57, p. 418, April 6, 1923.

Friedlaender, Immanuel.

718. Die Insel Kaula in der Hawaii Gruppe: Zeitschr. Vulkanologie, Bd. 7, H. 2, pp. 107-108, 1 fig., 2 pls., July, 1923.

719. (and Sonder, Richard A.). Ueber das Vulkangebiet von San Martin Tuxtla in Mexiko: Zeitschr. Vulkanologie, Bd. 7, H. 3, pp. 162-187, 3 figs., 8 pls. (incl. map), November, 1923.

Fritz, Madeleine.

(with Parks, W. A.). The stratigraphy and paleontology of Toronto and vicinity; Part III, Gastropoda, Cephalopoda, and Vermes: Ontario Dept. Mines, 31st Ann. Rept., vol. 31, pt. 9, 45 pp., 6 pls., 1923.

Fuller, Margaret Bradley.

720. The physiographic development of the Big Thompson River valley in Colorado: Jour. Geology, vol. 31, no. 2, pp. 126-137, 7 figs., February-March, 1923.

721. General features of pre-Cambrian structure along the Big Thompson River in Colorado: Jour. Geology, vol. 32, no. 1, pp. 49-63, 11 figs., January-February, 1924.

722. An occurrence of witherite in the Altyn limestone at Many Glacier, Montana: Am. Mineralogist, vol. 9, no. 7, p. 154, July, 1924.

Gage, R. B.

(with Foshag, William F.). Chlorophoenicite, a new mineral from Franklin Furnace, New Jersey: Washington Acad. Sci., Jour., vol. 14, no. 15, pp. 362-363, September 19, 1924.

Galloway, J. J. See Ashley, no. 49.

Galpin, S. L.

723. The Rockford geodes (abstract): Iowa Acad. Sci., Proc. 1922, vol. 29, pp. 128-129 [1924?].

Gálvez, Vicente.

724. Exploración en la Península de Baja California por la Comisión Exploradora del Pacífico: Mexico, Inst. Geol., Bol. no. 39, 108 pp., 67 pls., 1922.

Gardner, James H.

725. Volcanic ash in North Canadian Valley, Oklahoma: Am. Assoc. Petroleum Geologists, Bull., vol. 7, no. 5, pp. 576-578, September-October, 1923.
726. Some factors influencing Kentucky as an oil State (abstract): Kentucky Acad. Sci., Trans., vol. 1, pp. 48-50, 1924.

Gardner, Julia A.

727. New species of Mollusca from the Eocene deposits of southwestern Texas: U. S. Geol. Survey, Prof. Paper 131, pp. 109-115, 5 pls., February 12, 1923.
728. Fossiliferous marine Wilcox in Texas: Am. Jour. Sci., 5th ser., vol. 7, pp. 141-145, February, 1924.
729. Coastal Plain and European Miocene and Pliocene mollusks: Geol. Soc. America, Bull., vol. 35, no. 4, pp. 857-866, December 30, 1924; abstract, no. 1, p. 175, March 30, 1924.

Gardner, Nathaniel Lyon.

730. Two new fossil algae from the Miocene: Acad. Nat. Sci. Philadelphia, Proc., vol. 75, pp. 361-363, 1 fig., 1 pl., 1924.

Garfias, Valentin R.

731. Petroleum resources of the world. 243 pp., maps, New York, John Wiley & Sons, 1923.

Gaylord, E. G.

732. (and Taff, J. A.). Geological organization of an oil company: Am. Assoc. Petroleum Geologists, Bull., vol. 8, no. 5, pp. 651-661, September-October, 1924.
- (with Hanna, G. D.). Description of a new genus and species of fresh-water gastropod mollusk (*Scalez petrolia*) from the Etchegoin Pliocene of California: California Acad. Sci., Proc., 4th ser., vol. 13, no. 9, pp. 147-149, 2 figs., March 18, 1924.

Geijer, Per.

733. Replacement and folding: Econ. Geology, vol. 19, no. 3, pp. 281-285, April-May, 1924.

Geis, W. H.

734. The origin of light oils in the Rocky Mountain region (with discussion): Am. Assoc. Petroleum Geologists, Bull., vol. 7, no. 5, pp. 488-506, 1 fig., September-October, 1923.

George, R. D.

735. Memorial of Richard Charles Hills: Geol. Soc. America, Bull., vol. 35, no. 1, pp. 43-46, portr., March 30, 1924.

George, William O.

736. The relation of the physical properties of natural glasses to their chemical composition: Jour. Geology, vol. 32, no. 5, pp. 353-372, 5 figs., July-August, 1924.

Gerry, C. N.

737. Gold, silver, copper, lead, and zinc in Idaho (mines report): U. S. Geol. Survey, Mineral Resources, 1921, pt. 1, pp. 399-420, February 12, 1923.
738. Gold, silver, copper, lead, and zinc in Washington (mines report): U. S. Geol. Survey, Mineral Resources, 1921, pt. 1, pp. 421-428, February 12, 1923.

Gerry, C. N.—Continued

- 739. Gold, silver, copper, lead, and zinc in Idaho in 1922 (mines report): U. S. Geol. Survey, Mineral Resources, 1922, pt. 1, pp. 217-244, December 18, 1923.
- 740. Gold, silver, copper, lead, and zinc in Washington in 1922 (mines report): U. S. Geol. Survey, Mineral Resources, 1922, pt. 1, pp. 245-256, December 18, 1923.
- 741. Gold, silver, copper, lead, and zinc in Montana in 1922 (mines report): U. S. Geol. Survey, Mineral Resources, 1922, pt. 1, pp. 453-488, March 12, 1924.

Gester, S. H.

- 742. Huntington Beach oil field, Orange County, California: Am. Assoc. Petroleum Geologists, Bull., vol. 8, no. 1, pp. 41-46, 2 figs., January-February, 1924.

Gidley, James Williams.

- 743. Paleocene primates of the Fort Union, with discussion of relationships of Eocene primates: U. S. Nat. Mus., Proc., vol. 63, art. 1, 38 pp., 4 figs., 5 pls., 1923.

Gilbert, Geoffrey.

- 744. Oxidation and enrichment at Ducktown, Tennessee (with discussion): Am. Inst. Min. and Met. Eng., Trans., vol. 70, pp. 998-1023, 12 figs., 1924; [preprint] no. 1318, 23 pp., 2 figs., March, 1924; abstract, Mining and Metallurgy, vol. 5, no. 212, pp. 393-394, August, 1924.
- 745. The relation of hardness to sequence of the ore minerals: Econ. Geology, vol. 19, no. 7, pp. 668-673, November, 1924.

Gilliatt, J. B.

- 746. Folding and faulting of the Wabana ore deposits: Canadian Inst. Min. and Met., Monthly Bull., no. 152, pp. 895-913, 10 figs., 3 pls., December, 1924; Trans., vol. 27, pp. 616-634 [1925].

Gilluly, James.

- 747. (and Heald, K. C.). Stratigraphy of the El Dorado oil field, Arkansas, as determined by drill cuttings: U. S. Geol. Survey, Bull. 736, pp. 241-248, 1 pl., February 9, 1923.

Gilmore, Charles W.

- 748. A new horned dinosaur from Canada; the *Styracosaurus albertensis*, with a 6-foot skull bristling with horns: Sci. Am. Monthly, vol. 3, no. 1, pp. 7-8, 2 figs., January, 1921.
- 749. An extinct sea lizard from western Kansas [*Tylosaurus proriger*]: Sci. Am., vol. 124, no. 14, pp. 273, 280, 3 figs., April 2, 1921.
- 750. A new species of *Corythosaurus* with notes on other Belly River Dinosauria: Canadian Field-Naturalist, vol. 37, no. 3, pp. 46-52, 1 fig., 5 pls., March, 1923.
- 751. A new species of *Aspideretes* from the Belly River Cretaceous of Alberta, Canada: Roy. Soc. Canada, Proc. and Trans., 3d ser., vol. 17, sec. 4, pp. 1-11, 5 pls., May, 1923.
- 752. A new species of *Laosaurus*, an ornithischian dinosaur from the Cretaceous of Alberta: Roy. Soc. Canada, Proc. and Trans., 3d ser., vol. 18, sec. 4, pp. 1-7, 2 pls., May, 1924.

Gilmore, Charles W.—Continued.

753. Contributions to vertebrate paleontology: A new coelurid dinosaur from the Belly River Cretaceous of Alberta: A new species of hadrosaurian dinosaur from the Edmonton formation (Cretaceous) of Alberta: On the genus *Stephanosaurus*, with a description of the type specimen of *Lambeosaurus lambei* Parks: On the skull and skeleton of *Hypacrosaurus*, a helmet-crested dinosaur from the Edmonton Cretaceous of Alberta: Canada, Geol. Survey, Bull. no. 38, 89 pp., 17 figs., 12 pls., March 6, 1924.
754. On *Troodon validus*, an orthopodous dinosaur from the Belly River Cretaceous of Alberta, Canada: Alberta, Univ., Dept. Geology, Bull. no. 1, 43 pp., 3 figs., 15 pls., March 29, 1924.
755. The Dinosaur National Monument and its fossils (abstract): Washington Acad. Sci., Jour., vol. 19, no. 15, p. 381, September 19, 1924.

Girty, George H.

756. Observations on the faunas of the Greenbrier limestone and adjacent rocks: West Virginia Geol. Survey, Tucker County, pp. 450-488, 1923.
757. (and Roundy, P. V.). Notes on the Glenn formation of Oklahoma with consideration of new paleontologic evidence (with discussion by W. L. Goldston, jr.): Am. Assoc. Petroleum Geologists, Bull., vol. 7, no. 4, pp. 331-349, July-August, 1923.

Girvin, H. H.

758. Geology of the Onaman gold area [Ontario]: Canadian Min. Jour., vol. 45, no. 37, pp. 899-900, 1 fig., September 12, 1924.

Glenn, Leonidas Chalmers.

759. The geology and coals of Webster County ...: Kentucky Geol. Survey, ser. 6, vol. 5, 249 pp., 31 figs., map, 1922.
See also Texas, Attorney General, no. 2202.

Glock, Waldo S.

760. Algae as limestone makers and climatic indicators: Am. Jour. Sci., 5th ser., vol. 6, pp. 377-408, November, 1923.

Glover, Sheldon L.

761. Geology of the clays of Washington: Washington, Univ., Bull., Eng. Exper. Sta. ser., Bull. no. 18, pp. 22-28, October, 1923.

Godde, H. A.

762. Oil fields of Ventura County: California State Min. Bur., Summary of Operations California Oil Fields, vol. 10, no. 5, pp. 5-24, 4 pls. (maps), November, 1924.
(with Copp, W. W.). Report on southeastern portion of Thirty-five anticline, Sunset oil field, Kern County, California: California State Min. Bur., Summary of Operations California Oil Fields, vol. 9, no. 5, pp. 5-33, 7 pls. (incl. maps), November, 1923.

Goldman, Marcus I.

763. "Black shale" formation in and about Chesapeake Bay: Am. Assoc. Petroleum Geologists, Bull., vol. 8, no. 2, pp. 195-201, March-April, 1924.

Goldring, Winifred.

764. The Devonian crinoids of the State of New York: New York State Mus., Memoir 16, 670 pp., 63 figs., 60 pls., 1923.
765. The Upper Devonian forest of seed ferns in eastern New York: New York State Mus. Bull. no. 251, pp. 50-92, 7 figs., 11 pls., 1924.

Goldthwait, J. W.

766. Physiography of Nova Scotia: Canada, Geol. Survey, Mem. 140, 179 pp., 18 figs., 28 pls. (incl. map), 1924.

Goldston, W. L., jr. See Girty, no. 757.

Goodwin, Ralph Talbot.

767. The organic content of oil shales: Colorado School of Mines, Quart., vol. 18, no. 1, Supplement A, 41 pp., 13 figs., January, 1923.

Goodwin, W. M.

768. Lake Fortune gold [northwestern Quebec]: Canadian Min. Jour., vol. 44, no. 40, pp. 776-779, 5 figs., October 5, 1923; Min. Mag., vol. 29, no. 5, pp. 303-305, 1 fig., November, 1923.
769. Developments in the Quebec gold belt: Canadian Inst. Min. and Met., Monthly Bull., no. 143, pp. 188-198, 3 figs., March, 1924.
770. The outliers of Porcupine; a study of the eastward extension of the Porcupine gold field [Ontario]: Canadian Min. Jour., vol. 45, no. 14, pp. 324-326, 1 fig., April 4, 1924; Min. Mag., vol. 30, no. 5, pp. 310-312, 1 fig., May, 1924.

Goranson, Roy W.

771. A correlation of the Mesozoic formations of the Pacific coast of North America: Am. Jour. Sci., 5th ser., vol. 8, pp. 61-78, July, pp. 159-182, August, 1924.

Gordon, C. H.

772. History, occurrence, and distribution of the marbles of east Tennessee: Tennessee, Dept. Education, Div. Geology, Bull. 28, pp. 15-86, 13 figs., 10 pls. (incl. maps), 1924.

Gordon, Clarence E.

773. Studies in the geology of western Vermont (second paper): Vermont, State Geologist, Thirteenth Rept., 1921-1922, pp. 143-285, 7 pls., 1923.
774. Studies in the geology of western Vermont (third paper): Vermont, State Geologist, Fourteenth Rept., 1923-1924, pp. 218-259, 1924.

Gordon, Samuel G.

775. Crystallographic notes on glaucochroite, willemite, celestite, and calcite from Franklin, New Jersey: Acad. Nat. Sci. Philadelphia, Proc., vol. 74, pp. 105-112, 7 figs., 1923.
776. Crystallographic notes on wavellite from Bolivia, Pennsylvania, Arkansas, and Bohemia: Acad. Nat. Sci. Philadelphia, Proc., vol. 74, pp. 113-119, 4 figs., 1923.
777. A correction: recently described crystals of glaucochroite from Franklin, New Jersey, are tephroite: Am. Mineralogist, vol. 8, no. 2, pp. 33-34, February, 1923.
778. Recently described "bisbeeite" from the Grand Canyon is cyanotrichite: Am. Mineralogist, vol. 8, no. 5, pp. 92-93, May, 1923.
779. Optical notes on thomsonite: Am. Mineralogist, vol. 8, no. 7, pp. 125-127, July, 1923.
780. Crystallographic notes on hodgkinsonite, datolite, and calciiothomsonite from Franklin, New Jersey: Acad. Nat. Sci. Philadelphia, Proc., vol. 75, pp. 271-274, 2 figs., 1924.
781. The composition of thomsonite: Acad. Nat. Sci. Philadelphia, Proc., vol. 76, pp. 103-107, 1 fig., 1924.

Gordon, Samuel G.—Continued.

782. Minerals obtained in Greenland on the second Academy-Vaux expedition, 1923: Acad. Nat. Sci. Philadelphia, Proc., vol. 76, pp. 249-268, 3 figs., 2 pls., 1924.

See also Merwin, no. 1546.

Gore, F. D.

783. Oil shale in Santa Barbara County, California: California State Min. Bur., Mining in California, vol. 19, no. 4, pp. 211-224, 5 figs., 2 pls. (maps), September, 1923.

784. Oil shale in Santa Barbara County, California: Am. Assoc. Petroleum Geologists, Bull., vol. 8, no. 4, pp. 459-472, 5 figs., July-August, 1924.

Gould, Charles N.

785. *Platanus occidentalis*: Oklahoma, Univ., Bull. (Proc. Oklahoma Acad. Sci., 1910-1920), new ser. no. 220, pp. 40-43, July 15, 1921.

786. Crystalline rocks of the plains (with discussion by R. S. Knappen): Geol. Soc. America, Bull., vol. 34, no. 3, pp. 541-560, 3 figs., September 30, 1923.

787. Buried mountain ranges in Oklahoma: Oklahoma Acad. Sci., Proc., vol. 3 (Oklahoma, Univ., Bull., new ser. no. 271), pp. 123-125, October 1, 1923.

788. A new classification of the Permian red beds of southwestern Oklahoma: Am. Assoc. Petroleum Geologists, Bull., vol. 8, no. 3, pp. 322-341, 1 fig. (map), May-June, 1924.

789. Oklahoma's hidden treasures: The South's Development, Manufacturers Record, vol. 86, no. 24, pt. 2, pp. 403-407, 7 figs., December 11, 1924.

Grabau, Amadeus W.

790. Principles of stratigraphy. 2d ed., 1185 pp., 264 figs., New York, A. G. Seller, 1924.

Gradenwitz, Alfred.

791. Searching the interior of the earth's crust: Eng. and Min. Jour.-Press, vol. 118, no. 2, pp. 54-56, 3 figs., July 12, 1924.

Graeber, C. K.

- (with Honess, A. P.). A new occurrence of an igneous dike in southwestern Pennsylvania: Am. Jour. Sci., 5th ser., vol. 7, pp. 313-315, April, 1924.

Graham, R. P. D.

792. Mines and mineral deposits of Canada: Canadian Inst. Min. and Met., Monthly Bull. no. 151, pp. 715-830, 2 pls. (maps), November, 1924; Trans., vol. 27, pp. 19-134, 2 pls. (maps), [1925]; Canadian Min. Jour., vol. 45, nos. 35 and 36, pp. 845-849, 878-881, 3 figs., August 29 and September 5, 1924; Inst. Min. and Met., Bull. no. 248, 98 pp., 2 pls. (maps), May, 1925; discussion, no. 249, pp. 21-28, June, 1925.

Grant, U. S.

793. Possible horizons for oil and gas in northeastern Illinois: Illinois State Acad. Sci., Trans., vol. 15, pp. 389-392 [1923].

Graton, L. C. See Bateman, no. 101; Bowie, no. 183; Hewett, no. 922.

Grawe, Oliver R.

794. *Septaria* from the Pennsylvanian shale [St. Louis, Mo.]: Washington Univ. Studies, vol. 11, no. 1, pp. 65-69, 1 pl., July, 1923.

Gray, John P.

795. (and others). Horace Vaughan Winchell: Mining and Metallurgy, vol. 4, no. 201, pp. 463-464, portr., September, 1923.

Green, Frederick E.

796. Vicissitudes of silver mining at Newburyport, Massachusetts: Eng. and Min. Jour.-Press, vol. 115, no. 11, pp. 483-484, March 17, 1923.

Green, W. F.

797. Geology of base line running west from near mile 19, western boundary of the Nipigon forest reserve: Ontario Dept. Mines, 32d Ann. Rept., vol. 32, pt. 3, 1923, pp. 1-7, 4 pls., 1924.

Greene, Frank C.

798. Origin of oil in northern Mid-Continent [field]: Oil and Gas Jour., vol. 21, no. 51, pp. 18, 111, 112, May 17, 1923.

799. Are there "red beds" of Chester age in the Mid-Continent region?: Am. Assoc. Petroleum Geologists, Bull., vol. 7, no. 6, pp. 696-697, November-December, 1923.

See also Sawyer, no. 1970.

Greenland, C. W.

- (with Bruce, E. L.): A low-iron epidote from Porcupine [Ontario]: Am. Mineralogist, vol. 9, no. 10, pp. 199-201, 1 fig., October, 1924.

Gregory, Herbert Ernest.

800. Geology. In The development of the sciences, edited by L. L. Woodruff, pp. 169-213, 5 pls. (portraits), New Haven, Yale University Press, 1923.

801. Geologic relations [of the granites of Connecticut]: U. S. Geol. Survey, Bull. 738, pp. 355-361, 1 pl. (map), 1923.

802. (and Noble, Levi F.). Notes on a geological traverse from Mohave, California, to the mouth of San Juan River, Utah: Am. Jour. Sci., 5th ser., vol. 5, pp. 229-238, March, 1923.

803. Memorial of Joseph Barrell: Geol. Soc. America, Bull., vol. 34, no. 1, pp. 18-28, portr., March 30, 1923.

Gregory, William K.

804. The origin and evolution of the human dentition. 548 pp., 353 figs., Baltimore, Williams & Wilkins Company, 1922.

805. (and Hellman, Milo). Notes on the type of *Hesperopithecus harold-cookii* Osborn: Am. Mus. Novitates, no. 53, 16 pp., 6 figs., January 6, 1923.

806. A Jurassic fish fauna from western Cuba, with an arrangement of the families of holostean ganoid fishes: Am. Mus. Nat. Hist., Bull., vol. 48, pp. 223-242, 5 figs., 1 pl., 1923.

807. (and Miner, R. W., and Noble, G. K.). The carpus of *Eryops* and the structure of the primitive chiropterygium: Am. Mus. Nat. Hist., Bull., vol. 48, pp. 279-288, 4 figs., 1923.

808. Further notes on the molars of *Hesperopithecus* and *Pithecanthropus*: Am. Mus. Nat. Hist., Bull., vol. 48, pp. 509-526, 13 figs., 1923.

809. A fossil ganoid fish (*Lepidotus*?) *lacotanus*, new species from the Lower Cretaceous of South Dakota: Am. Mus. Novitates, no. 134, 8 pp., 2 figs., October 10, 1924.

Gregory, William K.—Continued.

810. (and Hellman, Milo). Dentition of *Dryopithecus* and the origin of man (abstract): Pan-Am. Geologist, vol. 42, no. 4, pp. 307-308, November, 1924.

Greig, J. W.

811. Immiscibility in silicate melts (abstract): Geol. Soc. America, Bull., vol. 35, no. 1, p. 124, March 30, 1924; Pan-Am. Geologist, vol. 41, no. 2, p. 158, March, 1924.

Griggs, Robert F.

812. Observations on the incandescent sand flow of the Valley of Ten Thousand Smokes: K. Akad. Wetensch. Amsterdam, Proc. Sec. Sci., vol. 25, pp. 42-50, 5 figs., March, 1923.

813. The cause of earthquakes: Nat. Geog. Mag., vol. 44, no. 4, pp. 443-452, 1 fig., 2 pls., October, 1923.

Grinnell, George Bird.

814. An old-time bone hunt; an account of the expedition undertaken by Prof. O. C. Marsh in 1870 to the then wild West: Natural History, vol. 23, no. 4, pp. 329-336, 2 figs., July-August, 1923.

Grizzle, M. A.

815. Geochemical relationship of waters encountered in the Huntington Beach field: California State Min. Bur., Summary of Operations California Oil Fields, vol. 9, no. 6, pp. 17-28, December, 1923.

Grout, F. F.

816. Magnetite pegmatites of northern Minnesota (with discussion by W. J. Miller): Econ. Geology, vol. 18, no. 3, pp. 253-269, 4 figs., April-May, 1923.

817. Occurrences of ladder veins in Minnesota: Econ. Geology, vol. 18, no. 5, pp. 494-505, 1 fig., August, 1923.

818. The relation of texture and composition of clays: Am. Ceramic Soc., Jour., vol. 7, no. 2, pp. 122-140, February, 1924.

819. Notes on biotite: Am. Mineralogist, vol. 9, no. 8, pp. 159-165, 1 fig., August, 1924.

820. (and Thiel, George A.). Notes on stilpnomelane: Am. Mineralogist, vol. 9, no. 11, pp. 228-231, 1 fig., November, 1924.

Gruner, John W.

821. Algae, believed to be Archean: Jour. Geology, vol. 31, no. 2, pp. 146-148, 3 figs., February-March, 1923.

822. Contributions to the geology of the Mesabi Range, with special reference to the magnetites of the iron-bearing formation west of Mesaba [Minnesota]: Minnesota Geol. Survey, Bull. 19, 71 pp., 17 figs., 13 pls., 1924.

Guild, F. N.

823. Bornite as a furnace product: Am. Mineralogist, vol. 9, no. 10, pp. 201-205, October, 1924.

Gunter, Herman.

824. Comanchan backbone of Florida: Pan-Am. Geologist, vol. 39, no. 1, pp. 66-67, February, 1923.

825. Administrative report: Florida State Geol. Survey, 15th Ann. Rept., 1922-1923, pp. 5-13, 1924.

Gunter, Herman—Continued.

826. Statistics on mineral production in Florida during 1921 and 1922: Florida State Geol. Survey, 15th Ann. Rept., 1922-1923, pp. 14-23, 1924.
827. Mineral resources of Florida: The South's Development, Manufacturers Record, vol. 86, no. 24, pt. 2, pp. 363-366, 9 figs., December 11, 1924.

Haanel, B. F.

828. Facts about peat: Canada, Mines Branch, 48 pp., 1924.

Hager, D. S.

829. (and Brown, I. O.). The Minerva oil field, Milam County, Texas: Am. Assoc. Petroleum Geologists, Bull., vol. 8, no. 5, pp. 632-640, 3 figs., September-October, 1924.

Hager, Dorsey.

830. The Holbrook area, Arizona: Min. and Oil Bull., vol. 8, no. 9, p. 523, September, 1922.
831. The Sunburst oil and gas field, Montana (with discussion by F. G. Clapp): Am. Inst. Min. and Met. Eng., Trans., vol. 69, pp. 1101-1120, 5 figs., 1923; [preprint], no. 1218, 19 pp., 5 figs., February, 1923; abstract, Mining and Metallurgy, vol. 4, no. 194, pp. 84-85, 1 fig., February, 1923.
832. Stratigraphy, northeast Arizona, southeast Utah: Min. and Oil Bull., vol. 10, no. 2, pp. 135, 137, 139, 167, 1 fig., February, no. 4, pp. 383, 385, 423, 439, 2 figs., April, 1924.

Hale, Sydney A.

- (with Tryon, F. G.). Coal in 1919, 1920, and 1921: U. S. Geol. Survey, Mineral Resources, 1921, pt. 2, pp. 445-662, 13 figs., 1 pl., October, 24, 1923.
- (with Tryon, F. G.). Coal in 1922: U. S. Geol. Survey, Mineral Resources, 1922, pt. 2, pp. 439-669, October 2, 1924.

Haley, Charles Scott.

833. Dry placers of southern California: California State Min. Bur., Mining in California, vol. 18, no. 7, pp. 321-324, July, 1922.
834. Tertiary sluice robbers: California State Min. Bur., Mining in California, vol. 18, no. 10, pp. 550-553, October, 1922.
835. Gold placers of California: California State Min. Bur., Bull. 92, 167 pp., 36 figs., 7 pls., June, 1923.
836. Primary and secondary gold concentrations: California State Min. Bur., Mining in California, vol. 19, no. 1, pp. 38-40, January, 1923; Mining and Metallurgy, vol. 4, no. 203, p. 564, November, 1923.

Hall, D. A.

- (with Locke, Augustus, and Short, M. N.). Rôle of secondary enrichment in genesis of Butte chalcocite (with discussion by G. M. Schwartz): Am. Inst. Min. and Met. Eng., Trans., vol. 70, pp. 933-963, 17 figs., 1924; [preprint] no. 1308, 30 pp., 17 figs., March, 1924; abstract, Mining and Metallurgy, vol. 5, no. 210, pp. 292-293, June, 1924.

Hall, George M.

837. Description of fire clay localities. [in Maryland]: Maryland Geol. Survey, vol. 11, pp. 349-375, 1922.

(with Swartz, Charles K.). Stratigraphy of the Carboniferous of Maryland: Maryland Geol. Survey, vol. 11, pp. 337-348, 1922.

Hamilton, Fletcher.

838. California's mineral resources and the State Mining Bureau: California State Min. Bur., Mining in California, vol. 18, no. 11, pp. 618-627, November, 1922.

Hamilton, S. Harbert. See Fettke, no. 687.

Hamlin, Homer.

839. Report on geological examination of Iron Canyon dam and reservoir site. In Report on Iron Canyon Project, California, by Homer J. Gault and W. F. McClure: U. S. Reclamation Service in cooperation with the State of California and the Iron Canyon Project Association, pp. 41-59, 9 pls., Washington, Government Printing Office, 1921.

Hance, James H.

840. Work of the Illinois State Geological Survey: Illinois State Acad. Sci., Trans., vol. 14, pp. 207-212 [1922].

Haney, Marshall.

841. Petroleum: Sci. Monthly, vol. 17, no. 6, pp. 548-562, December, 1923.

Hanna, G. Dallas.

842. Upper Miocene lacustrine mollusks from Sonoma County, California: California Acad. Sci., Proc., 4th ser., vol. 12, no. 3, pp. 31-41, 3 pls., January 2, 1923.

843. Results of preliminary examination of seven samples of sediments from near Lomita [California]: Southern California Acad. Sci., Bull., vol. 22, pt. 2, pp. 64-65, July, 1923.

844. Pleistocene fresh-water mollusks from north-central Texas: Nautilus, vol. 37, no. 1, pp. 25-26, July, 1923.

845. Some Eocene Foraminifera near Vacaville, California: California, Univ., Dept. Geol. Sci., Bull., vol. 14, no. 9, pp. 319-328, 2 pls., October 31, 1923.

846. (and Gaylord, E. G.). Description of a new genus and species of fresh-water gastropod mollusk (*Scaez petrolia*) from the Etchegoin Pliocene of California: California Acad. Sci., Proc., 4th ser., vol. 13, no. 9, pp. 147-149, 2 figs., March 18, 1924.

847. Rectifications of nomenclature: California Acad. Sci., Proc., 4th ser., vol. 13, no. 10, pp. 151-186, March 18, 1924.

848. Smaller Foraminifera for stratigraphy: Am. Assoc. Petroleum Geologists, Bull., vol. 8, no. 2, pp. 246-250, March-April, 1924.

849. (and McLellan, Mary E.). A new species of whale from the type locality of the Monterey group: California Acad. Sci., Proc., 4th ser., vol. 14, pp. 237-241, 5 pls., June 14, 1924.

850. (and Driver, H. L.). The study of subsurface formations in California oil field development: California State Min. Bur., Summary of Operations California Oil Fields, vol. 10, no. 3, pp. 5-26, 10 figs., September, 1924.

851. (and Hanna, Marcus A.). Foraminifera from the Eocene of Cowlitz River, Lewis County, Washington: Washington, Univ., Pub. in Geology, vol. 1, no. 4, pp. 57-62, 1 pl., October, 1924.

Hanna, G. Dallas—Continued.

852. Gigantic amphibian from Kansas coal measures: *Pan-Am. Geologist*, vol. 42, no. 3, pp. 235-236, October, 1924.

See also Weaver, no. 2417.

Hanna, Marcus A.

- (with Hanna, G. Dallas). Foraminifera from the Eocene of Cowlitz River, Lewis County, Washington: *Washington, Univ., Pub. in Geology*, vol. 1, no. 4, pp. 57-62, 1 pl., October, 1924.

Hannibal, Harold.

- (with Jordan, David Starr). Fossil sharks and rays of the Pacific slope of North America: *Southern California Acad. Sci., Bull.*, vol. 22, pt. 2, pp. 27-68, 5 figs., 10 pls., July, 1923.

Hanson, George.

853. Reconnaissance between Kitsult River and Skeena River, British Columbia: Canada, *Geol. Survey, Summ. Rept.*, 1922, pt. A, pp. 35-50, 2 figs. (maps), 1923.

854. The Dolly Varden mine [Nass River mining division, British Columbia]: *Canadian Inst. Min. and Met., Monthly Bull.*, no. 124, pp. 887-895, 1 fig., August, 1922; *Trans.*, vol. 25, pp. 212-220, 1 fig. [1923].

855. The Premier mine [northwestern British Columbia]: *Canadian Inst. Min. and Met., Trans.*, vol. 25, pp. 225-232 [1923].

856. Reconnaissance between Skeena River and Stewart, British Columbia: Canada, *Geol. Survey, Summ. Rept.*, 1923, pt. A, pp. 29-45, 3 figs. (maps), 1924.

857. Mining activity in the area between Portland Canal and Skeena River [British Columbia]: *Canadian Min. Jour.*, vol. 45, no. 9, pp. 198-199, 2 figs., February 29, 1924.

858. Northwestern British Columbia: *Canadian Min. Jour.*, vol. 45, no. 22, pp. 521-524, 5 figs., May 30, 1924.

(with Schofield, S. J.). The Salmon River district, British Columbia: *Min. Mag.*, vol. 28, no. 4, pp. 203-214, 9 figs., April, 1923.

Harkness, R. B.

859. Natural gas in 1922 and petroleum in 1922: *Ontario Dept. Mines, 32d Ann. Rept.*, vol. 32, pt. 5, 99 pp., illus., 1924.

860. Oil and gas in Ontario: *Canadian Inst. Min. and Met., Monthly Bull.*, no. 143, pp. 148-156, 1 fig., March, 1924; (with discussion), *Trans.*, vol. 27, pp. 374-384, 1 fig. [1925].

Harrington, G. L.

- (with Mertie, J. B., jr.). The Ruby-Kuskokwim region, Alaska: *U. S. Geol. Survey, Bull.* 754, 129 pp., 2 figs., 5 pls. (incl. maps), 1924.

Harrison, Thomas S.

861. Porphyry at Amarillo [Texas]: *Am. Assoc. Petroleum Geologists, Bull.*, vol. 7, no. 4, pp. 434-439, July-August, 1923.

862. Some ideas regarding oil accumulation in the Rocky Mountain region (with discussion): *Am. Assoc. Petroleum Geologists, Bull.*, vol. 7, no. 6, pp. 661-671, November-December, 1923.

Harshberger, John W.

863. The origin of columnar holes in wandering dunes: *Science, new ser.*, vol. 57, pp. 727-728, June 22, 1923.

Harvie, Robert.

864. Dufresnoy map area, Abitibi district, Quebec: Canada, Geol. Survey, Summ. Rept., 1923, pp. 145-150, 1924.
865. Dufresnoy Lake map area; report on part of the gold belt of northwestern Quebec: Canadian Min. Jour., vol. 45, no. 16, pp. 364-366, 2 figs., April 18, 1924.

Haseltine, R. H.

866. Iron ore deposits of Georgia: Georgia, Geol. Survey, Bull. no. 41, 222 pp., 7 figs., 10 pls., 1924.

Havenor, H. E.

867. Mining camps of North America; Tintic, Utah: Eng. and Min. Jour.-Press, vol. 117, no. 9, pp. 355-361, 10 figs., March 1, 1924.

Hawkins, Alfred C.

868. (and Shannon, Earl V.). Canbyite, a new mineral [Wilmington, Delaware]: Am. Mineralogist, vol. 9, no. 1, pp. 1-5, January, 1924.
869. Alternative interpretations of some crystalline schists in southeastern Pennsylvania: Am. Jour. Sci., 5th ser., vol. 7, pp. 355-364, 1 fig., May, 1924.

Hawkins, Herbert L.

870. Some Cretaceous Echinoidea from Jamaica: Geol. Mag., vol. 60, no. 5, pp. 199-216, 1 pl., May, 1923.
871. Notes on a new collection of fossil Echinoidea from Jamaica: Geol. Mag., vol. 61, no. 7, pp. 312-324, 1 pl., July, 1924.

Hawley, G. W.

872. Analyses of Illinois coals: Illinois State Geol. Survey, Cooperative Mining Series, Bull. no. 27, extract A, 68 pp., 1 fig., 1923.

Hay, Oliver P.

873. Anthropologic Scraps. No. 1, pp. 1-4, September 10, 1919 [issued Oct. 20, 1919]; no. 2, pp. 5-8, December 3, 1919; no. 3, pp. 9-12, March 29, 1920. Washington, D. C. [Private publication.]
874. Report on work done on the Pleistocene epoch and its vertebrate fossils: Carnegie Inst. Washington, Year Book no. 21, 1922, p. 395, January, 1923.
875. The Pleistocene of North America and its vertebrated animals from the States east of the Mississippi River and from the Canadian provinces east of longitude 95°. 499 pp., 25 figs., 41 pls., Carnegie Inst. Washington, Pub. no. 322, February, 1923.
876. Description of remains of *Bison occidentalis* from central Minnesota: U. S. Nat. Mus., Proc., vol. 63, art. 5, 8 pp., 2 pls., 1923.
877. Characteristics of sundry fossil vertebrates: Pan-Am. Geologist, vol. 39, no. 2, pp. 101-120, 2 figs., 3 pls., March, 1923.
878. Oligocene sea turtles of South Carolina: Pan-Am. Geologist, vol. 40, no. 1, pp. 29-31, 2 pls., August, 1923.
879. Description of some fossil vertebrates from the upper Miocene of Texas: Biol. Soc. Washington, Proc., vol. 37, pp. 1-19, 2 figs., 6 pls., January 29, 1924.
880. Notes on the osteology and dentition of the genera *Desmostylus* and *Cornwallius*: U. S. Nat. Mus., Proc., vol. 65, art. 8, 8 pp., 2 figs., 2 pls., 1924.

Hay, Oliver P.—Continued.

881. On the geological age of the Walker Hotel swamp deposit, in Washington, D. C., and on the origin and the ages of the Coastal Plain terraces in general: *Washington Acad. Sci., Jour.*, vol. 14, no. 12, pp. 255-264, June 19, 1924.
882. The Pleistocene of the middle region of North America and its vertebrated animals. 385 pp., 5 figs., 29 maps, Carnegie Inst. Washington [Publication no. 322A], October, 1924.

Hayes, A. O.

883. (and Bell, W. A.). The southern part of the Sydney coal field, Nova Scotia: Canada, *Geol. Survey, Mem.* 133, pp. 1-89, 2 figs., map, 1923.

Hayford, John F.

884. The establishment of isostasy: *Western Soc. Eng., Jour.*, vol. 29, no. 9, pp. 350-362, 2 figs., September, 1924.

Hazlitt, Henry S.

885. Origin of ore deposits: *Eng. and Min. Jour.-Press*, vol. 117, no. 10, p. 413, March 8, 1924.

Headden, William P.

886. Phosphorescence and luminescence in calcites: *Am. Jour. Sci.*, 5th ser., vol. 5, pp. 314-328, April, 1923.
887. Deportment of calcites toward radium radiations: *Am. Jour. Sci.*, 5th ser., vol. 6, pp. 247-264, 8 figs., September, 1923.
888. The relation of composition, color, and radiation to luminescence in calcites: *Colorado Sci. Soc., Proc.*, vol. 11, pp. 399-434, December, 1923.
889. Luminescence in the Ingleside calcites affected by acids: *Am. Jour. Sci.*, 5th ser., vol. 8, pp. 509-517, December, 1924.

Heald, K. C.

890. The National Research Council and oil geology: *Am. Assoc. Petroleum Geologists, Bull.*, vol. 7, no. 5, pp. 467-472, September-October, 1923.
891. Contribution to stratigraphy of western Kansas: *Am. Assoc. Petroleum Geologists, Bull.*, vol. 8, no. 2, pp. 242-243, March-April, 1924.
892. Oil geology and science: *Am. Assoc. Petroleum Geologists, Bull.*, vol. 8, no. 4, pp. 473-484, July-August, 1924.
893. Sandstone inclusion in salt in mine on Avery's Island: *Am. Assoc. Petroleum Geologists, Bull.*, vol. 8, no. 5, pp. 674-676, September-October, 1924.
- (with Gilluly, James). Stratigraphy of the El Dorado oil field, Arkansas, as determined by drill cuttings: *U. S. Geol. Survey, Bull.* 736, pp. 241-248, 1 pl., February 9, 1923.
- See also Mills, no. 1588.

Heck, N. H.

894. A deep off the coast of Mexico and Central America: *Seismol. Soc. America, Bull.*, vol. 14, no. 3, p. 200, September, 1924.

Heikes, Victor C.

895. Gold, silver, copper, lead, and zinc in Nevada in 1921 (mines report): *U. S. Geol. Survey, Mineral Resources*, 1921, pt. 1, pp. 369-398, February 10, 1923.
896. Bismuth, selenium, and tellurium in 1922: *U. S. Geol. Survey, Mineral Resources*, 1922, pt. 1, pp. 15-25, July 16, 1923.

Heikes, Victor C.—Continued.

- 897. (and Loughlin, G. F.). Arsenic in 1922: U. S. Geol. Survey, Mineral Resources, 1922, pt. 1, pp. 53-76, 2 figs., September 17, 1923.
- 898. (and Loughlin, G. F.). Arsenic deposits in the United States: U. S., 68th Cong., 1st Sess., Sen. Doc. no. 27, 7 pp., 1924.
- 899. Gold, silver, copper, lead, and zinc in Nevada in 1922 (mines report): U. S. Geol. Survey, Mineral Resources, 1922, pt. 1, pp. 305-339, January 14, 1924.
- 900. Gold, silver, copper, lead, and zinc in Utah in 1922 (mines report): U. S. Geol. Survey, Mineral Resources, 1922, pt. 1, pp. 377-403, March 8, 1924.
- 901. Gold, silver, copper, lead, and zinc in Arizona in 1922 (mines report): U. S. Geol. Survey, Mineral Resources, 1922, pt. 1, pp. 489-518, March 15, 1924.
- 902. Bismuth, selenium, and tellurium in 1923: U. S. Geol. Survey, Mineral Resources, 1923, pt. 1, pp. 105-111, October 14, 1924.
- 903. (and Loughlin, G. F.). Arsenic in 1923: U. S. Geol. Survey, Mineral Resources, 1923, pt. 1, pp. 159-181, 2 figs., November 13, 1924.

Hellman, Milo.

- (with Gregory, William K.). Notes on the type of *Hesperopithecus haroldcookii* Osborn: Am. Mus. Novitates, no. 53, 16 pp., 6 figs., January 6, 1923.
- (with Gregory, W. K.). Dentition of *Dryopithecus* and the origin of man (abstract): Pan-Am. Geologist, vol. 42, no. 4, pp. 307-308, November, 1924.

Henderson, Charles W.

- 904. Gold, silver, copper, lead, and zinc in New Mexico (mines report): U. S. Geol. Survey, Mineral Resources, 1921, pt. 1, pp. 467-476, March 15, 1923.
- 905. Silver and copper in Texas: U. S. Geol. Survey, Mineral Resources, 1921, pt. 1, p. 477, March 15, 1923.
- 906. Gold, silver, copper, lead, and zinc in Colorado in 1921 (mines report): U. S. Geol. Survey, Mineral Resources, 1921, pt. 1, pp. 479-511, March 16, 1923.
- 907. Gold, silver, and lead in South Dakota in 1922 (mines report): U. S. Geol. Survey, Mineral Resources, 1922, pt. 1, pp. 193-196, November 20, 1923.
- 908. Gold, silver, and copper in Wyoming in 1922 (mines report): U. S. Geol. Survey, Mineral Resources, 1922, pt. 1, pp. 197-198, November 20, 1923.
- 909. Gold, silver, copper, lead, and zinc in New Mexico in 1922 (mines report): U. S. Geol. Survey, Mineral Resources, 1922, pt. 1, pp. 199-213, November 28, 1923.
- 910. Silver, copper, and lead in Texas in 1922 (mines report): U. S. Geol. Survey, Mineral Resources, 1922, pt. 1, p. 215, November 28, 1923.
- 911. Gold, silver, copper, lead, and zinc in Colorado in 1922 (mines report), U. S. Geol. Survey, Mineral Resources, 1922, pt. 1, pp. 519-556, March 20, 1924.

Henderson, Junius.

- 912. The glacial geology of Grand Mesa, Colorado: Jour. Geology, vol. 31, no. 8, pp. 676-678, November-December, 1923.
- 913. Footprints in Pennsylvanian sandstones of Colorado: Jour. Geology, vol. 32, no. 3, pp. 226-229, 3 figs., April-May, 1924.

Henderson, Junius—Continued.

914. The origin of the Green River formation: *Am. Assoc. Petroleum Geologists, Bull.*, vol. 8, no. 5, pp. 662-668, December-October, 1924.

Hess, Frank L.

915. Ilsemannite at Ouray, Utah: *U. S. Geol. Survey, Bull.* 750, pp. 1-16, 1 fig., 2 pls., June 28, 1923.
916. Molybdenum deposits: a short review: *U. S. Geol. Survey, Bull.* 761, 35 pp., 4 figs., 10 pls., 1924.
917. Cobalt, molybdenum, nickel, tantalum, titanium, tungsten, radium, uranium, and vanadium in 1922: *U. S. Geol. Survey, Mineral Resources*, 1922, pt. 1, pp. 557-583, March 14, 1924.
918. New and known minerals from the Utah-Colorado carnotite region: *U. S. Geol. Survey, Bull.* 750, pp. 63-78, 8 pls., October 14, 1924.
919. Rare metals; cobalt, molybdenum, nickel, tantalum, titanium, tungsten, radium, uranium, and vanadium in 1923: *U. S. Geol. Survey, Mineral Resources*, 1923, pt. 1, pp. 235-258, November 29, 1924.

Hewett, D. F.

920. Carnotite in southern Nevada: *Eng. and Min. Jour.-Press*, vol. 115, no. 5, pp. 232-235, 4 figs., February 3, 1923.
921. Structure of the Spring Mountain Range, southern Nevada (abstract): *Geol. Soc. America, Bull.*, vol. 34, no. 1, pp. 89-90, March 30, 1923.
922. Dolomitization in southern Nevada (abstract, with discussion by James F. Kemp, R. B. Sosman, and L. C. Graton): *Geol. Soc. America, Bull.*, vol. 35, no. 1, pp. 124-125, March 30, 1924; abstract, *Pan-Am. Geologist*, vol. 41, no. 2, p. 159, March, 1924.
923. Dolomitization near Goodsprings, Nevada (abstract): *Washington Acad. Sci., Jour.*, vol. 14, no. 7, pp. 164-165, April 4, 1924.
924. Deposits of magnesia alum near Fallon, Nevada: *U. S. Geol. Survey, Bull.* 750, pp. 79-86, 2 figs., October 23, 1924.

Higgins, D. F.

925. Determination of dip and strike from any two components, and the inverse problem: *Econ. Geology*, vol. 18, no. 1, pp. 26-52, 16 figs., 2 pls., January-February, 1923.

See also Leith, no. 1359.

Hill, James M.

926. The Los Burros district, Monterey County, California: *U. S. Geol. Survey, Bull.* 735, pp. 323-329, 1923.
927. Clay deposits of the Alberhill Coal and Clay Company: *California State Min. Bur., Mining in California*, vol. 19, no. 4, pp. 185-210, 19 figs., September, 1923.
928. Bauxite and aluminum in 1922: *U. S. Geol. Survey, Mineral Resources*, 1922, pt. 1, pp. 87-96, August 6, 1923.
929. (and Loughlin, G. F.) Magnesium and its compounds in 1922: *U. S. Geol. Survey, Mineral Resources*, 1922, pt. 2, pp. 41-57, September 20, 1923.
930. Platinum and allied metals in 1922: *U. S. Geol. Survey, Mineral Resources*, 1922, pt. 1, pp. 125-135, October 8, 1923.
931. Gold, silver, copper, lead, and zinc in California in 1922 (mines report): *U. S. Geol. Survey, Mineral Resources*, 1922, pt. 1, pp. 405-438, March 10, 1924.

Hill, James M.—Continued.

932. Gold, silver, copper, and lead in Oregon in 1922 (mines report): U. S. Geol. Survey, Mineral Resources, 1922, pt. 1, pp. 439-451, March 10, 1924.
933. Bauxite and aluminum in 1923: U. S. Geol. Survey, Mineral Resources, 1923, pt. 1, pp. 23-24, July 21, 1924.
934. (and Loughlin, G. F.). Magnesium and its compounds in 1923: U. S. Geol. Survey, Mineral Resources, 1923, pt. 2, pp. 7-21, July 28, 1924.
935. Platinum and allied metals in 1923: U. S. Geol. Survey, Mineral Resources, 1923, pt. 1, pp. 9-22, August 9, 1924.

Hill, Robert T.

936. Data on the geographic nomenclature of the southern California and Texas regions (abstract): Geol. Soc. America, Bull., vol. 34, no. 1, p. 67, March 30, 1923.
937. Further contributions to the knowledge of the Cretaceous of Texas and northern Mexico (abstract): Geol. Soc. America, Bull., vol. 34, no. 1, pp. 72-73, March 30, 1923.
938. Sand rivers of Texas and California and some of their accompanying phenomena (abstract): Geol. Soc. America, Bull., vol. 34, no. 1, p. 95, March 30, 1923.
939. Summary of physiographic investigations made in connection with the Oklahoma-Texas boundary suit: Texas, Univ., Bull., no. 2327, pp. 157-172, August, 1923.
- (with Sellards, E. H., and Tharp, B. C.). Investigation on the Red River made in connection with the Oklahoma-Texas boundary suit: Texas, Univ., Bull., no. 2327, 174 pp., 2 figs., 9 pls., 6 maps, August, 1923.

See also Texas, Attorney General, no. 2202.

Hill-Tout, Charles.

940. The phylogeny of man from a new angle: Roy. Soc. Canada, Proc. and Trans., 3d ser., vol. 15, sec. 2, pp. 47-82, 6 pls., 1921.
941. Man closer to ancestral type than anthropoid apes (abstract): Pan-Am. Geologist, vol. 42, no. 3, p. 236, October, 1924.

Hillebrand, W. F.

942. Carnotite and tyuyamunite and their ores in Colorado and Utah: Am. Jour. Sci., 5th ser., vol. 8, pp. 201-216, September, 1924; abstract, Science, new ser., vol. 59, p. 444, May 16, 1924.

Hills, Victor G.

943. Petrified wood carrying silver at Creede, Colorado: Eng. and Min. Jour.-Press, vol. 117, no. 16, p. 647, April 19, 1924.

Hintze, F. F.

944. Oil accumulation in relation to periods of folding (with discussion by J. M. Douglas, Max Ball, and Glen Ruby): Am. Assoc. Petroleum Geologists, Bull., vol. 7, no. 1, pp. 58-66, January-February, 1923.

Hirschi, H.

945. Radioaktivität zweier Eruptivgesteine und ihre genetische Beziehung zur Pechblende von Central City, Colorado: Schweizerische Mineralogische und Petrographische Mitteilungen, Bd. 3, H. 3-4, pp. 240-252, 1923.

Hite, M. P.

946. Some observations of storm effects on ocean inlets [Atlantic coast, Maryland, North Carolina]: *Am. Jour. Sci.*, 5th ser., vol. 7, pp. 319-326, 4 figs., April, 1924.

Hixon, Hiram W.

947. Origin of petroleum: *Eng. and Min. Jour.-Press*, vol. 117, no. 9, pp. 370-371, March 1, 1924.
 948. Deep-seated ore chemistry: *Eng. and Min. Jour.-Press*, vol. 118, no. 7, p. 263, August 16, 1924.
 949. Magma: *Eng. and Min. Jour.-Press*, vol. 118, no. 24, pp. 942-943, December 13, 1924.

Hobbs, William Herbert.

950. A significant contrast between the Atlantic and Pacific coastal regions (abstract): *Assoc. Am. Geographers, Annals*, vol. 11, pp. 124-125 [1922?].
 951. The southwestern Michigan meteor of November 26, 1919: *Michigan Acad. Sci., Papers*, vol. 1, pp. 253-268, 3 figs., 1923.
 952. The rate of movement in vertical earth adjustments connected with the growth of mountains: *Am. Philos. Soc., Proc.*, vol. 62, no. 2, pp. 63-73, 2 figs., 1923.
 953. Correspondence between the Gondwana system of Hindustan and the Newark system of the eastern United States (abstract with discussion by E. W. Berry, C. K. Wentworth, Sidney Powers, George C. Martin, and David White): *Geol. Soc. America, Bull.*, vol. 34, no. 1, pp. 82-85, March 30, 1923.
 954. The Asiatic arcs: *Geol. Soc. America, Bull.*, vol. 34, no. 2, pp. 243-252, 3 figs., June 30, 1923.
 955. De Montessus de Ballore: *Seismol. Soc. America, Bull.*, vol. 14, no. 3, pp. 177-180, September, 1924.
 See also Bucher, no. 245; Daly, no. 504; Shepard, no. 2050; Stose, no. 2163; Woodring, no. 2536.

Hodge, Edwin T.

956. Proposed quantitative and mineralogical classification of igneous rocks (abstract): *Geol. Soc. America, Bull.*, vol. 35, no. 1, pp. 164-165, March 30, 1924.
 957. A proposed classification of igneous rocks: *Oregon, Univ., Pub.*, vol. 2, no. 7, 72 pp., 16 figs., November, 1924.

Hodgson, Ernest A.

958. A proposed research into the possibilities of earthquake prediction: *Seismol. Soc. America, Bull.*, vol. 13, no. 3, pp. 100-104, September, 1923.
 959. System for recording seismologic data at the Dominion Observatory, Ottawa, Canada: *Seismol. Soc. America, Bull.*, vol. 14, no. 4, pp. 265-273, 1 fig., 2 pls., December, 1924.

Hoffman, Robert.

- (with Wandke, Alfred). A study of the Sudbury [Ontario] ore deposits *Econ. Geology*, vol. 19, no. 2, pp. 169-204, 3 figs., 2 pls., March, 1924.

Holden, Edw. F.

960. The color of three varieties of quartz: *Am. Mineralogist*, vol. 8, no. 7, pp. 117-121, July, 1923.

Holden, Edw. F.—Continued.

961. "Ceruleofibrite" is connelite: *Am. Mineralogist*, vol. 9, no. 3, pp. 55-56, March, 1924.
962. The cause of color in rose quartz: *Am. Mineralogist*, vol. 9, no. 4, pp. 75-88, April, no. 5, pp. 101-108, May, 1924.
963. Further note on sarcopsid: *Am. Mineralogist*, vol. 9, no. 10, pp. 205-207, October, 1924.

Holden, R. J.

- (and Campbell, M. R.). Broad thrust fault in the central Appalachians (abstract): *Geol. Soc. America, Bull.*, vol. 35, no. 1, p. 115, March 30, 1924.

See also Merwin, no. 1546.

Holland, W. J.

964. Description of the type of *Uintasaurus douglassi* Holland: *Carnegie Mus., Annals*, vol. 15, nos. 2 and 3, pp. 119-138, 7 figs., 5 pls., July, 1924.
965. The skull of *Diplodocus*: *Carnegie Mus., Mem.*, vol. 9, no. 3, pp. 379-403, 11 figs., 4 pls., November, 1924.

Hollick, Arthur.

- 966 The taxonomic and morphologic status of *Ophioglossum allenii* Lesquereux: *Torrey Bot. Club, Bull.*, vol. 50, no. 6, pp. 207-213, 3 pls., June, 1923.
967. Cycads, living and extinct: *New York Bot. Garden, Jour.*, vol. 24, no. 283, pp. 135-140, 1 fig., July, 1923.
968. A review of the fossil flora of the West Indies, with descriptions of new species: *New York Bot. Garden, Bull.*, vol. 12, no. 45, pp. 259-323, 1 fig., 15 pls., September 13, 1924.

Holman, E.

969. (and Campbell, R. B.). The Bellevue oil field, Louisiana: *Am. Assoc. Petroleum Geologists, Bull.*, vol. 7, no. 6, pp. 645-652, 1 fig., November-December, 1923.

Holmes, Arthur.

970. The basaltic rocks of the Arctic region: *Mineral. Mag.*, vol. 18, pp. 180-223, 2 pls., August, 1918.

Holtedahl, Olaf.

971. On the rock formations of Novaya Zemlya, with notes on the Paleozoic stratigraphy of other Arctic lands: Report of the scientific results of the Norwegian Expedition to Novaya Zemlya 1921, no. 22, 183 pp., 44 pls., Videnskapsselskapet i Kristiania, 1924.

Holway, R. S.

972. Stream and ocean terraces in relation to recent earth movements (abstract): *Assoc. Am. Geographers, Annals*, vol. 11, pp. 125-126 [1922?].

Honess, Arthur P.

973. Some interesting chalcedony pseudomorphs from Big Badlands, South Dakota: *Am. Jour. Sci.*, 5th ser., vol. 5, pp. 173-174, February, 1923.
974. (and Graeber, C. K.). A new occurrence of an igneous dike in southwestern Pennsylvania: *Am. Jour. Sci.*, 5th ser., vol. 7, pp. 313-315, April, 1924.

Honess, C. W.

975. Geology of the southern Ouachita Mountains of Oklahoma; Part I, Stratigraphy, structure, and physiographic history, 278 pp., 6 figs., 92 pls. (incl. map); Part II, Geography and economic geology, 76 pp., 3 figs., 28 pls.: Oklahoma Geol. Survey, Bull. 32, Norman, April, 1923.

976. Geology of southern Leflore and northwestern McCurtain counties, Oklahoma: Bureau of Geology, Norman, Oklahoma, Circular no. 3, 23 pp., 2 figs., 5 pls. (incl. map), Norman, January, 1924.

Hopkins, Oliver B.

977. Some structural features of the plains area of Alberta caused by Pleistocene glaciation: Geol. Soc. America, Bull., vol. 34, no. 3, pp. 419-430, 10 figs., September 30, 1923.

Hopkins, Percy E.

978. Ontario gold deposits; their character, distribution, and productiveness: Canadian Inst. Min. and Met., Monthly Bull., no. 118, pp. 173-188, February, 1922; Trans., vol. 25, pp. 32-47, 1 fig. [1923].

979. The Kirkland Lake gold area, Ontario: Mining and Metallurgy, vol. 4, no. 200, pp. 392-394, 2 figs., August, 1923.

Hore, Reginald E.

980. Porcupine, premier gold district of northern Ontario: Eng. and Min. Jour.-Press, vol. 115, no. 8, pp. 359-363, 8 figs., February 24, 1923.

981. The Rouyn-Boischatel gold area, Temiskaming County, Quebec: Canadian Min. Jour., vol. 45, no. 31, pp. 745-748, 5 figs., August 1, 1924.

Hoskins, J. Hobart.

982. A Paleozoic angiosperm from an American coal ball: Bot. Gazette, vol. 75, no. 4, pp. 390-399, 7 figs., 1 pl., June, 1923.

Hosted, J. O.

983. (and Wright, L. B.). Geology of the Homestake ore bodies and the Lead area of South Dakota: Eng. and Min. Jour.-Press, vol. 115, nos. 18 and 19, pp. 783-799, 836-843, 21 figs., May 5 and 12, 1923.

Hosterman, J. F.

984. The Tonkawa oil and gas field, Oklahoma: Am. Assoc. Petroleum Geologists, Bull., vol. 8, no. 3, pp. 284-300, 3 figs., May-June, 1924.

Hotchkiss, W. O.

985. Report of the director of the survey: Wisconsin, Geol. and Nat. Hist. Survey, 13th Bienn. Rept. of the Commissioners, 37 pp., 3 figs., 1922.

986. Exploration methods on the Gogebic Range: Am. Inst. Min. and Met. Eng., Trans., vol. 68, pp. 287-293, 1923; [preprint] no. 995, 7 pp., 1920; abstract, Mining and Metallurgy, no. 163, pp. 29-30, July, 1910.

987. Magnetic methods for exploration and geologic work: Am. Inst. Min. and Met. Eng., Trans., vol. 69, pp. 36-47, 3 figs., 1923; [preprint] no. 1232, 12 pp., 3 figs., February, 1923; abstract, Mining and Metallurgy, vol. 4, no. 194, pp. 94-95, 1 fig., February, 1923.

988. Geology of the Baraboo gneiss deposits: Am. Ceramic Soc., Jour., vol. 6, no. 11, pp. 1160-1166, 4 figs., November, 1923.

989. Recent developments in the geology of the Gogebic range (with discussion by A. C. Lane): Lake Superior Min. Inst., 23d Ann. Meeting Proc., vol. 23, pp. 47-55, 1923.

Hotchkiss, W. O.—Continued.

990. The Lake Superior geosyncline: *Geol. Soc. America, Bull.*, vol. 34, no. 4, pp. 669-678, December 30, 1923.

Hovey, Edmund Otis.

991. A new meteorite from Michigan: *Natural History*, vol. 23, no. 1, pp. 87-88, January-February, 1923.
992. Aerolite from Rose City, Michigan (abstract): *Geol. Soc. America, Bull.*, vol. 34, no. 1, p. 97, March 30, 1923.
993. Earthquakes: *Natural History*, vol. 23, no. 5, pp. 457-461, September-October, 1923.
994. Geology of northwest Greenland and its relation to the flora, fauna, and people of the region: *Am. Jour. Sci.*, 5th ser., vol. 8, pp. 189-200, September, 1924.

Howard, W. V.

- (with Bancroft, J. Austen). The Essexites of Mount Royal, Montreal, P. Q.: *Roy. Soc. Canada, Proc. and Trans*, 3d ser., vol. 17, sec. 4, pp. 13-43, 4 pls., May, 1923.

Howe, Ernest.

995. The gold ores of Grass Valley, California (with discussion by A. M. Bateman, Waldemar Lindgren, J. E. Spurr, and the author): *Econ. Geology*, vol. 19, no. 7, pp. 595-622, 2 pls., November, 1924.

Howe, Henry V.

996. The Arkadelphia formation; historical summary: *Louisiana State Univ., Univ. Bull.*, new ser., vol. 16, no. 5, pt. 1, 10 pp., June, 1924.
997. The Arkadelphia formation, stratigraphy: *Louisiana State Univ., Univ. Bull.*, new ser., vol. 16, no. 5, pt. 2, 17 pp., June, 1924.
998. The Nacatoch formation: *Louisiana State Univ., Univ. Bull.*, new ser., vol. 16, no. 5, pt. 3, 25 pp., June, 1924.
999. Louisiana's mineral resources, past and present: *The South's Development, Manufacturers Record*, vol. 86, no. 24, pt. 2, pp. 378-381, December 11, 1924.

Howell, Jesse V.

1000. Petroleum and natural gas in Iowa: *Iowa Geol. Survey*, vol. 29, pp. 1-48, 4 pls. (incl. map) [1924].

Hrdlicka, A.

1001. Antiquity of man in America in light of recent discoveries (abstract): *Pan-Am. Geologist*, vol. 42, no. 4, p. 319, November, 1924.

Hubbard, Bela.

1002. The geology of the Lares district, Porto Rico: *New York Acad. Sci., Scientific Survey of Porto Rico and the Virgin Islands*, vol. 2, pt. 1, pp. 1-115, 42 figs., 4 pls., map, 1923.

Hubbard, George D.

1003. Biographical sketch of George Frederick Wright: *Ohio Acad. Sci., Proc.*, vol. 7, pt. 7, pp. 243-247, March 1, 1923.
1004. Geology of a small tract in south central Vermont [Whittingham area]: *Vermont, State Geologist, Fourteenth Rept.*, 1923-1924, pp. 260-343, 6 figs., 8 pls. (incl. maps), 1924.
1005. Dimensions of the Cincinnati anticline: *Ohio Jour. Science*, vol. 24, no. 3, pp. 161-166, 2 pls., May, 1924.

Hubbs, Carl L.

1006. Recent contributions to our knowledge of the fossil fishes of California: Science, new ser., vol. 60, pp. 177-179, August 22, 1924.

Hudson, F. S.

1007. The South Mountain oil field [Ventura County; California]: Am. Assoc. Petroleum Geologists, Bull., vol. 8, no. 6, pp. 810-820, 1 fig., November-December, 1924.

Hudson, George H.

1008. A preliminary paper concerning the fault systems of the northern Champlain Valley: Vermont, State Geologist, Thirteenth Rept., 1921-1922, pp. 87-92, 5 pls. (incl. maps), 1923.

Huggins, Maurice L.

1009. Crystal cleavage and crystal structure: Am. Jour. Sci., 5th ser., vol. 5, pp. 303-313, 7 figs., April, 1923.

Huguenin, E.

1010. The minor oil fields of Kern County; Devils Den field: California State Min. Bur., Summary of Operations California Oil Fields, vol. 9, no. 12, pp. 5-11, 1 pl. (map), June, 1924.

Hull, J. P. D.

1011. Notes on the stratigraphy of producing sands in northern Louisiana and southern Arkansas (with discussion): Am. Assoc. Petroleum Geologists, Bull., vol. 7, no. 4, pp. 362-369, July-August, 1923.
1012. Plans for compilation of Louisiana-Arkansas geology: Am. Assoc. Petroleum Geologists, Bull., vol. 8, no. 3, pp. 350-351, May-June, 1924.

Hume, G. S.

1013. Geology of the Norman oil fields and a reconnaissance of a part of Liard River: Canada, Geol. Survey, Summ. Rept., 1922, pt. B, pp. 47-64, 2 pls., map, 1923.
1014. A Kinderhook fauna from the Liard River, N. W. T., Canada: Am. Jour. Sci., 5th ser., vol. 6, pp. 48-52, 1 fig. (map), July, 1923.
1015. Recent developments in the Fort Norman oil area [Mackenzie River]: Canadian Min. Jour., vol. 44, no. 48, pp. 939-940, 1 fig., November 30, 1923.
1016. Mackenzie River area, district of Mackenzie, Northwest Territories: Canada, Geol. Survey, Summ. Rept., 1923, pt. B, pp. 1-15, 1 fig., 1 pl., map, 1924.
1017. Clay deposits on Athabasca River, Alberta: Canada, Geol. Survey, Summ. Rept., 1923, pt. B, pp. 16-20, 1924.
1018. The Wainwright oil and gas area, Alberta: Inst. Petroleum Technologists, Jour., vol. 10, no. 41, pp. 83-84, February, 1924.
1019. The oil situation and prospects in Canada: Inst. Petroleum Technologists, Jour., vol. 10, no. 41, pp. 84-86, February, 1924.
1020. Liquid fuels in Canada (abstract): Pan-Am. Geologist, vol. 42, no. 1, pp. 75-76, August, 1924.
1021. The Wainwright-Irma oil and gas area, Alberta: Canadian Min. Jour., vol. 45, no. 52, pp. 1259-1264, 4 figs., December 26, 1924.

Hummel, K.

1022. Neuere amerikanische Ansichten über Erdöllagerstätten: Geol. Rundschau, Bd. 15, H. 1, pp. 52-75, May 20, 1924.

Humphreys, W. J.

1023. Status and needs of seismology: Nat. Research Council, Bull., vol. 7, pt. 5, no. 41, pp. 52-54, January, 1924.

Hunt, Herbert A.

1024. Agricultural aspects of rock weathering: Pan-Am. Geologist, vol. 42, no. 4, pp. 245-258, November, 1924.

Hunt, Richard N.

1025. The ores in the limestones at Bingham, Utah: Am. Inst. Min. and Met. Eng., Trans., vol. 70, pp. 856-883, 9 figs., 1924; [preprint] no. 1323, 28 pp., 9 figs., March, 1924; abstract, Mining and Metallurgy, vol. 5, no. 212, pp. 392-393, August, 1924.

Hunt, Walter F.

1026. Assaying with the blowpipe; lead, copper, and silver ores: Am. Mineralogist, vol. 9, no. 7, pp. 145-150, July, 1924.
1027. An improved Wentworth recording micrometer: Am. Mineralogist, vol. 9, no. 9, pp. 190-193, 2 figs., September, 1924.

Huntington, Ellsworth.

1028. Earth and sun; an hypothesis of weather and sun spots. xxv, 296 pp., 53 figs., New Haven, Yale University Press, 1923.
1029. Solar cyclonic explanation of glaciation: Pan-Am. Geologist, vol. 39, no. 1, pp. 25-42, February, 1923.
1030. Problem of mild geological climates (abstract): Geol. Soc. America, Bull., vol. 34, no. 1, p. 81, March 30, 1923.
1031. Environment and racial character. In Organic Adaptation to Environment, pp. 281-299, New Haven, Yale University Press, 1924.

Huntley, L. G.

1032. The Sabine uplift [Arkansas-Louisiana]: Am. Assoc. Petroleum Geologists, Bull., vol. 7, no. 2, pp. 179-181, 2 figs., March-April, 1923.
1033. Geological features illustrated by models: Am. Assoc. Petroleum Geologists, Bull., vol. 8, no. 1, pp. 89-93, 3 figs., January-February, 1924.

Huntley, Stirling.

1034. Oil development on the Isthmus of Tehuantepec: Am. Inst. Min. and Met. Eng., Trans., vol. 69, pp. 1150-1166, 5 figs., 1923; [preprint] no. 1227, 17 pp., 5 figs., February, 1923; abstract, Mining and Metallurgy, vol. 4, no. 194, pp. 90-91, February, 1923.

Huntoon, Louis D.

1035. Porcupine ore deposits [northern Ontario] (with discussion): Am. Inst. Min. and Met. Eng., Trans., vol. 69, pp. 48-59, 1923; [preprint] no. 1272, 6 pp., August, 1923; abstract, Mining and Metallurgy, vol. 4, no. 201, p. 480, September, 1923.

Hussey, R. C.

- (with Ehlers, G. M.). A new gastropod and a new cephalopod from the Devonian of Michigan: Michigan Acad. Sci., Papers, vol. 1, pp. 248-252, 2 pls., 1923.

Hylander, C. J.

1036. A mid-Devonian *Callixylon* [Eighteenmile Creek, New York]: Am. Jour. Sci., 5th ser., vol. 4, pp. 315-321, 6 figs., October, 1922. Notice by G. R. Wieland, Torreyia, vol. 23, no. 2, pp. 32-33, March-April, 1923.

Ickes, E. L.

1037. Similar, parallel, and neutral surface types of folding: *Econ. Geol.*, vol. 18, no. 6, pp. 575-591, 9 figs., September, 1923.

Imbeaux, Édouard.

1038. Les grands bassins artésiens des États-Unis: *Acad. Sci. Paris, Compt. Rend.*, t. 179, pp. 726-729, 1 fig., October 20, pp. 799-802, October 27, 1924.

Inman, O. L.

1039. Iron-depositing bacteria: *Science*, new ser., vol. 57, p. 13, July 6, 1923.

Irwin, J. S.

1040. Oil and gas possibilities of eastern Alberta: *Am. Assoc. Petroleum Geologists, Bull.*, vol. 7, no. 2, pp. 147-158, 1 fig., March-April, 1923.

Israelsky, Merle C.

1041. Some new forms of west coast fossil Echinoidea: *California, Univ., Dept. Geol. Sci., Bull.*, vol. 14, no. 11, pp. 377-396, 6 pls., November 7, 1923.

1042. Notes on some echinoids from the San Rafael and Tuxpam beds of the Tampico region, Mexico: *California Acad. Sci., Proc.*, 4th ser., vol. 13, no. 8, pp. 137-145, 3 pls., March 18, 1924.

Jacobs, Elbridge C.

1043. The geology of Westmore, Brownington, and Charleston [Orleans County]: *Vermont, State Geologist, Thirteenth Rept.*, 1921-1922, pp. 93-108, 8 pls. (incl. maps), 1923.

Jaggard, T. A.

1044. [Observations on Hawaiian volcanoes, chiefly on Halemaumau]: *Hawaiian Volcano Observatory, Monthly Bull.*, vols. 9-12, 1921-1924.

1045. Activity of Kilauea Volcano: *Science*, new ser., vol. 60, supplement, pp. x, xii, September 5, 1924.

1046. (and Finch, R. H.). The explosive eruption of Kilauea in Hawaii, 1924: *Am. Jour. Sci.*, 5th ser., vol. 8, pp. 353-374, 14 figs., November, 1924.

James, W. F.

1047. Duparquet map area, Quebec: Canada, Geol. Survey, Summ. Rept., 1922, pt. D, pp. 75-96, map, 1923.

1048. Rouyn map area, Timiskaming County, Quebec: Canada, Geol. Survey, Summ. Rept., 1923, pt. C 1, pp. 126-144, 1 fig., 1 map, 1924.

1049. The Rouyn map area; report on part of the Quebec gold belt: *Canadian Min. Jour.*, vol. 45, no. 18, pp. 421-425, 4 figs., May 2, 1924.

Jacques, H. E.

1050. Some proboscidean remains found in Henry County: *Iowa Acad. Sci., Proc.* 1921, vol. 28, pp. 65-68, 4 figs. [1923].

Jeffrey, Edward Charles.

1051. The structure and origin of coking coals: *Science*, new ser., vol. 58, pp. 285-286, October 12, 1923.

1052. The origin and organization of coal: *Am. Acad. Arts and Sci., Mem.*, vol. 15, no. 1, 52 pp., 13 pls., November 10, 1924.

Jelliff, Fred R.

1053. Fishing with a hammer [occurrence of fossils in coal measures shales near Galesburg, Illinois]: Illinois State Acad. Sci., Trans., vol. 16, pp. 335-341, 1 fig., 6 pls., 1923.

Jenison, H. A. C.

1054. (and Meyer, H. M.). Sulphur and pyrites in 1922: U. S. Geol. Survey, Mineral Resources, 1922, pt. 2, pp. 177-181, November 16, 1923.
 1055. (and Meyer, H. M.). Manganese and manganiferous ores in 1922: U. S. Geol. Survey, Mineral Resources, 1922, pt. 1, pp. 585-594, 1 fig., February 25, 1924.
 1056. Copper in 1922 (general report): U. S. Geol. Survey, Mineral Resources, 1922, pt. 1, pp. 257-304, 2 figs., February 29, 1924.

Jenkins, Olaf P.

1057. Verde River lake beds near Clarkdale, Arizona: Am. Jour. Sci., 5th ser., vol. 5, pp. 65-81, 7 figs. (incl. map), January, 1923.
 1058. Geological investigation of the coal fields of western Whatcom County, Washington: Washington, Dept. Conservation, Div. Geology, Bull. no. 28, 135 pp., 2 figs., 4 pls. (incl. map), 1923.
 1059. Geological investigation of the coal fields of Skagit County, Washington: Washington, Dept. Conservation, Division of Geology, Bull. no. 29, 63 pp., 5 figs., 7 pls. (incl. map), 1924.
 1060. Lead deposits of Pend Oreille and Stevens counties, Washington: Washington, Dept. Conservation, Div. Geology, Bull. no. 31, 153 pp., 15 figs., 3 pls., 1924.
 1061. Unconformity between the Ringold and Ellensburg formations, Washington: California, Univ., Dept. Geol. Sci., Bull., vol. 15, no. 2, pp. 45-47, 1 fig., 1 pl., September 17, 1924.

Jennison, W. F.

1062. Manganese deposits in Nova Scotia: Eng. and Min. Jour.-Press, vol. 115, no. 17, p. 746, April 28, 1923.

Jillson, Willard Rouse.

1063. A bibliography of the geology and paleontology of the John Day region, Oregon. 7 pp., Frankfort, Kentucky, 1923 [private publication].
 1064. Administrative report for the (Sixth) Kentucky Geological Survey (years 1922 and 1923), 30 pp., 2 pls., (incl. map), 1923.
 1065. A bibliography of the Mammoth Cave of Kentucky: Kentucky Geol. Survey, ser. 6, vol. 10, pp. 149-156, 1923.
 1066. Geological research in Kentucky; a summary account of the several geological surveys of Kentucky, including a complete list of their publications and a general bibliography of 806 titles pertaining to Kentucky geology: Kentucky Geol. Survey, ser. 6, vol. 15, 228 pp., 10 pls. (maps and portraits), 1923.
 1067. Emory River overthrust of east Tennessee: Pan-Am. Geologist, vol. 39, no. 5, pp. 373-378, 2 pls. (incl. map), June, 1923.
 1068. The Haddix-Coalburg geosyncline (abstract): Science, new ser., vol. 58, p. 184, September 7, 1923; Kentucky Acad. Sci., Trans., vol. 1, pp. 144-145, 1924.
 1069. Land of ten thousand sinks (abstract): Science, new ser., vol. 58, pp. 184-185, September 7, 1923; Kentucky Acad. Sci., Trans., vol. 1, pp. 143-144, 1924.

Jillson, Willard Rouse—Continued.

1070. A gigantic slate slide [Burdine, Letcher County, Kentucky] (abstract): Science, new ser., vol. 58, p. 185, September 7, 1923; Kentucky Acad. Sci., Trans., vol. 1, p. 146, 1924.
1071. New Tennessee oil pool: Pan-Am. Geologist, vol. 40, no. 3, pp. 197-202, 2 pls., October, 1923.
1072. An isothrustic hypothesis: Pan-Am. Geologist, vol. 40, no. 4, pp. 251-258, 1 pl., November, 1923.
1073. Unique Devonian sandbar [Cheatham County, Tennessee]: Pan-Am. Geologist, vol. 40, no. 5, pp. 333-337, 1 pl., December, 1923.
1074. Kentucky State parks; a brief presentation of the geology and topography of some proposed State park areas based upon original field investigation. 92 pp., 32 pls. and figs., Kentucky Geol. Survey, Frankfort, Ky., 1924.
1075. A bibliography of the several books, reports, papers, and maps principally relating to geology written and prepared by Willard Rouse Jillson: Kentucky Geol. Survey, ser. 6, Pamphlet no. 4, 17 pp., 1924.
1076. The coal industry in Kentucky: Kentucky Geol. Survey, ser. 6, vol. 20, 164 pp., 42 figs. and pls., map, 1924.
1077. New fossil invertebrates from a new fossil horizon in the coal measures of eastern Kentucky (abstract): Kentucky Acad. Sci., Trans., vol. 1, p. 68, 1924.
1078. A mica deposit in eastern Kentucky (abstract): Kentucky Acad. Sci., Trans., vol. 1, p. 71, 1924.
1079. Asphalt coal: Kentucky Acad. Sci., Trans., vol. 1, pp. 78-81, 1924.
1080. The occurrence of Cretaceous sediments between the Cumberland and Tennessee rivers in western Kentucky: Kentucky Acad. Sci., Trans., vol. 1, pp. 81-83, 1924.
1081. Depletion of Kentucky crude oils: Kentucky Acad. Sci., Trans., vol. 1, pp. 122-127, 1924.
1082. Fault pattern of Kentucky: Pan-Am. Geologist, vol. 41, no. 1, pp. 31-32, February, 1924.
1083. New relief map of Kentucky: Pan-Am. Geologist, vol. 41, no. 1, pp. 75-76, February, 1924.
1084. Kentucky cannel coals: Pan-Am. Geologist, vol. 41, no. 2, pp. 97-98, March, 1924.
1085. Primeval tracts in Kentucky: Pan-Am. Geologist, vol. 41, no. 3, pp. 169-175, 1 pl., April, 1924.
1086. Kentucky rock asphalt: Pan-Am. Geologist, vol. 41, no. 4, pp. 251-258, 3 pls., May, 1924.
1087. Glacial pebbles in eastern Kentucky: Science, new ser., vol. 60, pp. 101-102, August 1, 1924.
1088. American karst country: Pan-Am. Geologist, vol. 42, no. 1, pp. 37-44, 4 pls., August, 1924.
1089. Glaciation in eastern Kentucky: Pan-Am. Geologist, vol. 42, no. 2, pp. 125-132, 3 pls., September, 1924.
1090. Outlook for mineral development in Kentucky: The South's Development, Manufacturers Record, vol. 86, no. 24, pt. 2, pp. 374-375, December 11, 1924.

See also Randolph, no. 1791.

Johannsen, Albert.

- 1091. Petrological abstracts and reviews: *Jour. Geology*, vol. 31, no. 1, pp. 80-85, January-February, 1923; vol. 32, no. 4, pp. 337-343, May-June, no. 5, pp. 443-446, July-August, 1924.
- 1092. (and Phemister, T. C.). A new method for measuring the optic angle of minerals: *Jour. Geology*, vol. 24, no. 1, pp. 81-84, 1 fig., January-February, 1924.

Johnson, Bertrand Leroy.

- 1093. Coal resources of the Pan-Pacific region: *Mid-Pacific Mag.*, vol. 25, no. 6, pp. 519-536, illus., June, 1923.
- 1094. Tin in 1922: *U. S. Geol. Survey, Mineral Resources*, 1922, pt. 1, pp. 169-172, October 11, 1923.
- 1095. Tin in 1923: *U. S. Geol. Survey, Mineral Resources*, 1923, pt. 1, pp. 101-103, September 26, 1924.

Johnson, Douglas W.

- 1096. Rectilinear shore lines of the New England-Acadian region (abstract): *Geol. Soc. America, Bull.*, vol. 34, no. 1, p. 57, March 30, 1923.
- 1097. Some analogous shore lines of partially submerged Triassic lowlands, (abstract): *Assoc. Am. Geographers, Annals*, vol. 13, no. 4, p. 211, December, 1923.
- 1098. (and Stofus, M. A.). The submerged coastal plain and oldland of New England: *Science*, new ser., vol. 60, pp. 291-293, March 28, 1924.
- 1099. La morphologie sous-marine du golfe du Maine: *Annales de Géographie*, ann. 33, no. 84, pp. 313-328, 4 figs., July 15, 1924.

Johnson, J. Harlan.

- 1100. Bibliography of the geology of the Denver Basin of Colorado: *Colorado School of Mines, Circular of Information*, 7 pp. [1923].
- 1101. Tertiary man; a partial summary of present opinion and knowledge on the subject: *Colorado School of Mines, Alumni Mag.*, vol. 13, no. 7, pp. 8-10, November, 1923.
- 1102. Pleistocene man: *Colorado School of Mines, Alumni Mag.*, vol. 13, no. 11, pp. 8-13, March, 1924.
- 1103. Bibliography of the geology of northwestern Colorado: *Colorado School of Mines, Circular of Information*, 7 pp. [1924].
- 1104. Bibliography of the geology of southwestern Colorado: *Colorado School of Mines, Circular of Information*, 7 pp., September, 1924.
- 1105. (and Waldschmidt, W. A.). Mining districts in Colorado: *Colorado School of Mines, Circular of Information*, 4 pp., Golden, Colo., November, 1924.

Johnson, Meredith E. See *Pennsylvania G. S.*, no. 1734.**Johnston, Ivan Murray.**

- 1106. Expedition of the California Academy of Sciences to the Gulf of California in 1921; the botany [geology, pp. 952-957]: *California Acad. Sci., Proc.*, 4th ser., vol. 12, no. 30, pp. 951-1218, May 31, 1924.

Johnston, W. A.

- 1107. Geology of Fraser River Delta map area [British Columbia]: *Canada, Geol. Survey, Mem.* 135, 87 pp., 6 pls., map, 1923.
- 1108. Placer mining in Cedar Creek area, British Columbia: *Canada, Geol. Survey, Summ. Rept.*, 1922, pt. A, pp. 68-81, 2 figs., 1 pl., 1923.

Johnston, W. A.—Continued.

1109. Gold-dredging possibilities in the Barkersville area, British Columbia: Canadian Inst. Min. and Met., Monthly Bull., no. 118, pp. 151-167, February, 1922; Trans., vol. 25, pp. 165-182 [1923].
1110. Placers in Cobalt conglomerate: Canadian Min. Jour., vol. 45, no. 2, p. 56, January 11, 1924.
(with Uglow, W. L.). Origin of the placer gold of the Barkerville area, Cariboo district, British Columbia, Canada: Econ. Geology, vol. 18, no. 6, pp. 541-561, 3 figs., September, 1923.
See also Twenhofel, no. 2294.

Jolly, John.

1111. The age of the earth: Sci. Monthly, vol. 16, no. 2, pp. 205-216, 2 figs., February, 1923.

Jonas, Anna I.

1112. Rocks of the McCalls Ferry quadrangle, Pennsylvania: Pennsylvania, Bur. Topographic and Geol. Survey, Bull. no. 62, 6 pp., map, February 3, 1923 [mimeographed].
1113. Cambrian rocks of the western Piedmont of Maryland: Geol. Soc. America, Bull., vol. 35, no. 2, pp. 355-363, 1 fig., June 30, 1924; abstract, with discussion by C. P. Berkey and Arthur Keith, vol. 35, no. 1, pp. 90-91, March 30, 1924; Pan-Am. Geologist, vol. 41, no. 2, p. 145, March, 1924.
(with Stose, George W.). Ordovician overlap in the Piedmont province of Pennsylvania and Maryland: Geol. Soc. America, Bull., vol. 34, no. 3, pp. 507-524, 17 figs. (incl. maps), September, 1923.
(with Knopf, Eleanora Bliss). Stratigraphy of the crystalline schists of Pennsylvania and Maryland: Am. Jour. Sci., 5th ser., vol. 5, pp. 40-62, 3 figs., January, 1923.
See also Pennsylvania G. S., no. 1734; Stose, no. 2163.

Jones, Arthur Taber.

1114. The temperature of a black spherical meteorite: Am. Jour. Sci., 5th ser., vol. 5, pp. 247-255, March, 1923.

Jones, E. L., jr.

- (with Umpleby, Joseph B.). Geology and ore deposits of Shoshone County, Idaho: U. S. Geol. Survey, Bull. 732, 156 pp., 8 figs., 16 pls. (incl. maps), 1923.

Jones, J. Claude.

1115. Suggestive evidence on the origin of petroleum and oil shale: Am. Assoc. Petroleum Geologists, Bull., vol. 7, no. 1, pp. 67-72, January-February, 1923.

Jones, O. T.

1116. Ordovician-Silurian boundary in Britain and North America (abstract): Pan-Am. Geologist, vol. 42, no. 4, p. 316, November, 1924.

Jones, Richard A.

1117. The relation of the Reynosa Escarpment to the oil and gas fields of Webb and Zapata counties, Texas (with discussion): Am. Assoc. Petroleum Geologists, Bull., vol. 7, no. 5, pp. 532-545, 1 fig., September-October, 1923.
1118. Large gas well in Jim Hogg County, Texas: Am. Assoc. Petroleum Geologists, Bull., vol. 8, no. 5, pp. 676-677, September-October, 1924.

Jones, William F.

1119. Aspectos geológicos generales de la región de Tabasca en su relación con la existencia de petróleo: Bol. Petróleo, Mexico, vol. 17, no. 5, pp. 349-352, May, 1924.

Jones, William R.

1120. The recent discovery of cassiterite in British Honduras: Min. Mag., vol. 31, no. 4, pp. 206-208, 3 figs. (incl. map), October, 1924.

Joralemon, Ira B.

1121. The microscope and the decadence of geology: Eng. and Min. Jour.-Press, vol. 118, no. 8, p. 304, August 23, 1924.

Jordan, David Starr.

1122. The fish fauna of the California Tertiary: Stanford Univ. Pub., Univ. ser., Biological Sciences, vol. 1, no. 4, 300 pp., 57 pls., 1921.
1123. A classification of fishes including families and genera as far as known: Stanford Univ. Pub., Univ. ser., Biological Sciences, vol. 3, no. 2, 243, x pp., 1923.
1124. (and Hannibal, Harold). Fossil sharks and rays of the Pacific slope of North America: Southern California Acad. Sci., Bull., vol. 22, pt. 2, pp. 27-68, 5 figs., 10 pls., July, 1923.
1125. Description of Miocene fishes from southern California: Southern California Acad. Sci., Bull., vol. 23, pt. 2, pp. 42-50, 8 figs., March-April, 1924.
1126. Description of a recently discovered fossil sculpin from Nevada regarded as *Cottus beldingi*: U. S. Nat. Mus., Proc., vol. 65, art. 6, 2 pp., 1 pl., September 12, 1924.

Jordan, Eric Knight.

1127. Quaternary and recent molluscan faunas of the west coast of Lower California: Southern California Acad. Sci., Bull., vol. 23, pt. 5, pp. 145-156, October 25, 1924.

Kaiser, C. L.

1128. The minor oil fields of Kern County; Wheeler Ridge field: California State Min. Bur., Summary of Operations California Oil Fields, vol. 9, no. 12, pp. 25-29, 2 pls., June, 1924.
1129. The minor oil fields of Kern County; Poso Creek field: California State Min. Bur., Summary of Operations California Oil Fields, vol. 10, no. 1, pp. 19-22, 1 pl. (map), July, 1924.

Katz, Frank J.

1130. Feldspar in 1922: U. S. Geol. Survey, Mineral Resources, 1922, pt. 2, pp. 251-259, 1 fig., March 6, 1924.
1131. Silica in 1923: U. S. Geol. Survey, Mineral Resources, 1923, pt. 2, pp. 235-237, November 28, 1924.

Kauenhowen, W.

1132. Geologie und Technik der nordamerikanischen Helium-Vorkommen: Petroleum, Zeitschr. . . . , Berlin-Wien, Bd. 20, no. 1, pp. 3-6, 1 fig., January 1, 1924.

Kay, George F.

1133. Twenty-eighth and twenty-ninth annual reports of the State geologist: Iowa Geol. Survey, vol. 29, pp. iii-xx [1924].
1134. Some recent interpretations of glacial deposits in Iowa (abstract): Pan-Am. Geologist, vol. 42, no. 1, p. 68, August, 1924.

Kay, George F.—Continued.

1135. Recent studies of the Pleistocene in western Iowa (abstract, with discussion by W. C. Alden): *Geol. Soc. America, Bull.*, vol. 35, no. 1, pp. 71-74, March 30, 1924; *Pan-Am. Geologist*, vol. 41, no. 2, pp. 139-140, March, 1924.

(with Diller, J. S.). Description of the Riddle quadrangle [Oregon]: U. S. Geol. Survey, *Geol. Atlas U. S.*, Riddle folio, Oregon (no. 218), 8 pp., 8 figs., 3 maps, 1924.

Keele, Joseph.

1136. Notes on clays of the Missinaibi River: Ontario Dept. Mines, 31st Ann. Rept., vol. 31, pt. 10, pp. 95-96, 1923.

1137. Preliminary report on the clay and shale deposits of Ontario: Canada, Geol. Survey, Mem. 142, 176 pp., 11 figs., 9 pls., 1924.

Keeley, F. J.

1138. Additional notes on igneous rocks of Ogunquit, Maine: *Acad. Nat. Sci. Philadelphia, Proc.*, vol. 75, pp. 105-109, 1924.

Keith, Arthur.

1139. Cambrian succession of northwestern Vermont: *Am. Jour. Sci.*, 5th ser., vol. 5, pp. 97-139, 1 fig. (map), February, 1923; *Vermont, State Geologist, Fourteenth Rept.*, 1923-24, pp. 105-136, 1924.

1140. Outlines of Appalachian structure: *Geol. Soc. America, Bull.*, vol. 34, no. 2, pp. 309-380, 1 pl. (map), June 30, 1923.

See also Bowie, no. 183; Jonas, no. 1113.

Kellogg, Remington.

1141. Description of two squalodonts recently discovered in the Calvert Cliffs, Maryland; and notes on the shark-toothed cetaceans: *U. S. Nat. Mus., Proc.*, vol. 62, art. 16, 69 pp., 3 figs., 20 pls., 1923.

1142. Description of an apparently new toothed cetacean from South Carolina: *Smithsonian Misc. Coll.*, vol. 76, no. 7, 7 pp., 2 pls., July 25, 1923.

1143. A fossil porpoise from the Calvert formation of Maryland: *U. S. Nat. Mus., Proc.*, vol. 63, art. 14, 39 pp., 18 pls., 1924.

1144. Description of a new genus and species of whalebone whale from the Calvert Cliffs, Maryland: *U. S. Nat. Mus., Proc.*, vol. 63, art. 15, 14 pp., 6 pls., 1924.

1145. Tertiary pelagic mammals of eastern North America: *Geol. Soc. America, Bull.*, vol. 35, no. 4, pp. 755-766, December, 1924.

Kelly, Sherwin F.

1146. Electrical prospecting in Canada: *Canadian Inst. Min. and Met., Monthly Bull.*, no. 143, pp. 166-187, 14 figs., March, 1924.

Kemnitzner, L. E.

1147. The Salinas earthquake of December 27, 1924 [California]: *Seismol. Soc. America, Bull.*, vol. 14, no. 4, pp. 230-232, 1 fig., December, 1924.

Kemp, James Furman.

1148. Memorial of Levi Holbrook: *Geol. Soc. America, Bull.*, vol. 34, no. 1, pp. 51-52, March 30, 1923.

1149. On veins from intrusive magmas with contrasted contents of metals: *Econ. Geology*, vol. 18, no. 8, pp. 772-774, December, 1923.

1150. Albert Reid Ledoux: *Am. Inst. Min. and Met. Eng., Trans.*, vol. 70, pp. 1207-1212, portr., 1924.

Kemp, James Furman—Continued.

- 1151. Memorial of Horace Vaughn Winchell: Geol. Soc. America, Bull., vol. 35, no. 1, pp. 46-56, portr., March 30, 1924.
- 1152. Edmund Otis Hovey, 1862-1924: Natural History (Am. Mus. Nat. Hist., Jour.), vol. 24, no. 6, pp. 705-709, portr., November-December, 1924.
- 1153. The pegmatites: Econ. Geology, vol. 19, no. 8, pp. 697-723, December, 1924.

See also Anderson, no. 35; Hewett, no. 922.

Kerr, Paul F.

- 1154. The determination of opaque ore minerals by X-ray diffraction patterns: Econ. Geology, vol. 19, no. 1, pp. 1-34, 6 figs., 2 pls. January-February, 1924.
- 1155. A magmatic sulphide ore, Chicagof Island, Alaska: Econ. Geology, vol. 19, no. 4, pp. 369-376, 2 figs., June-July, 1924.
- 1156. A simple rotation apparatus [for measuring axial angles]: Am. Mineralogist, vol. 9, no. 8, pp. 169-171, 1 fig., August, 1924.

Kew, William S. W.

- 1157. Geologic formations of a part of southern California and their correlation: Am. Assoc. Petroleum Geologists, Bull., vol. 7, no. 4, pp. 411-420, July-August, 1923.
- 1158. Geologic evidence bearing on the Inglewood earthquake of June 21, 1920: Seismol. Soc. America, Bull., vol. 13, no. 4, pp. 155-158, 1 fig., December, 1923.
- 1159. Geology and oil resources of a part of Los Angeles and Ventura counties, California: U. S. Geol. Survey, Bull. 753, 202 pp., 7 figs., 17 pls. (incl. maps), 1924.
- 1160. Faulting in the western part of San Gabriel Mountains (abstract): Geol. Soc. America, Bull., vol. 35, no. 1, pp. 165-166, March 30, 1924.
(with Laughlin, Homer, and Arnold, Ralph). Southern California earthquake of July 22, 1923: Seismol. Soc. America, Bull., vol. 13, no. 3, pp. 105-106, 1 pl., September, 1923.

Keyes, Charles Rollin.

- 1161. Geological conquest of the air: Scientia (Bologna, Italy), vol. 30, no. 116, pp. 439-446, supplement (French translation) 59-66, December 1, 1921; abstract by author, Revue de Géologie, ann. 4, no. 1, pp. 59-60, January, 1923.
- 1162. The mechanics of laccolithic intrusion (presented before the Geological Society of America, St. Louis meeting). 36 pp., 14 figs., Washington, 1922. Abstract by author in Revue de Géologie, ann. 4, no. 1, pp. 39-40, January, 1923.
- 1163. Discovery of volcanic ash in Iowa: Iowa Acad. Sci., Proc. 1921, vol. 28, pp. 49-53, 3 figs. [1923].
- 1164. Geological age of the terrepleins of Utah's plateaux: Iowa Acad. Sci., Proc. 1921, vol. 28, pp. 54-56, 1 fig. [1923].
- 1165. Batholithic veinings of the Sierra de las Cucaras in Baja California (abstract): Iowa Acad. Sci., Proc. 1921, vol. 28, pp. 57-58, 1 fig. [1923].
- 1166. Orogenic exigencies of a rotary earth (abstract): Geol. Soc. America, Bull., vol. 34, no. 1, p. 62, March 30, 1923.
- 1167. Glacial work of James Edward Todd: Pan-Am. Geologist, vol. 39, no. 1, pp. 1-14, portr., February, 1923.

Keyes, Charles Rollin—Continued.

1168. Contraposed criteria of geological classification: Pan-Am. Geologist, vol. 39, no. 1, pp. 51-54, February, 1923.
1169. Biotic resolution of Red Wall limestone of Grand Canyon: Pan-Am. Geologist, vol. 39, no. 1, pp. 57-61, February, 1923.
1170. Belt of maximum epirotic deposition; Eolian sands as interglacial deposits: Pan-Am. Geologist, vol. 39, no. 1, pp. 63-65, 65-66, 1 fig., February, 1923.
1171. Mid-Ordovician nomenclature in Missouri; Devonian unconformity in Arizona; Reconstruction of Iowa's geology: Pan-Am. Geologist, vol. 39, no. 1, pp. 67-70, 70-72, 72, February, 1923.
1172. Brass ore in nature; Dialytic rôle of selvages; Rare metals from New Mexico: Pan-Am. Geologist, vol. 39, no. 1, pp. 75-76, 77-79, 79-80, February, 1923.
1173. Transplantation of English terrane classification to America by David Dale Owen: Pan-Am. Geologist, vol. 39, no. 2, pp. 81-94, 1 pl. (portr.), March, 1923.
1174. Taxonomic differentiation of American pre-Cambrian rocks: Pan-Am. Geologist, vol. 39, no. 2, pp. 125-140, 2 pls., March, 1923.
1175. Creative productivity of our geological surveys: Pan-Am. Geologist, vol. 39, no. 2, pp. 141-148, March, 1923.
1176. Cosmical derivation of metals; Midget coal field of America [O'Mara district, New Mexico]; Localization of ore values in gouge materials; Tres Amigos gold veins of Arizona: Pan-Am. Geologist, vol. 39, no. 2, pp. 152-154, 154-156, 1 fig., 156-159, 159-160, 1 fig., March, 1923.
1177. Extension of the New York system through the West, by James Hall: Pan-Am. Geologist, vol. 39, no. 3, pp. 161-168, 1 pl. (portr.), April, 1923.
1178. Metallic content of rocks: Pan-Am. Geologist, vol. 39, no. 3, pp. 201-238, April, 1923.
1179. Uniformity in geological classifications: Pan-Am. Geologist, vol. 39, no. 3, pp. 239-246, April, 1923.
1180. Low rim point of Bonneville Lake basin; Withdrawal of marginal drainage in desert development; Climatic changes of later geological times; Lake ancestry in arid lands: Pan-Am. Geologist, vol. 39, no. 3, pp. 247-248, 249-251, 1 pl., 251-252, 252-254, 254-256, April, 1923.
1181. Microscopical petrography in the interpretation of rock metamorphism as introduced into America by George Huntington Williams: Pan-Am. Geologist, vol. 39, no. 4, pp. 257-272, 1 pl. (portr.), May, 1923.
1182. Circumstate correlations of Iowa's geological formations: Pan-Am. Geologist, vol. 39, no. 4, pp. 317-326, May, 1923.
1183. Current digest of geological literature; Some unusual aspects of Green River coals: Pan-Am. Geologist, vol. 39, no. 4, pp. 327-332, May, 1923.
1184. Incorporation of meteoritic metals in terrestrial ores; Depths of metallic contact mineralization: Pan-Am. Geologist, vol. 39, no. 4, pp. 333-336, May, 1923.
1185. Gustavus Detlef Hinrichs, mineralogist, meteorologist, and physical chemist: Pan-Am. Geologist, vol. 39, no. 5, pp. 337-352, 1 pl. (portr.), June, 1923.
1186. Evolution of through-flowing rivers in arid regions: Pan-Am. Geologist, vol. 39, no. 5, pp. 379-386, June, 1923.

Keyes, Charles Rollin—Continued.

1187. Taxonomy of the Mississippian section; Earliest geographic title for the early Carbonic section of Mississippi Valley; Four-group arrangement of early Carbonic terranes: *Pan-Am. Geologist*, vol. 39, no. 5, pp. 387-390, 390-395, 395-398, June, 1923.
1188. Water table of the loess (abstract): *Science*, new ser., vol. 57, p. 148, August 24, 1923.
1189. Stratigraphic position of Sweetland black shales (abstract): *Science*, new ser., vol. 57, p. 148, August 24, 1923.
1190. Numerical limitations to glacial epochs (abstract): *Science*, new ser., vol. 57, pp. 147-148, August 24, 1923.
1191. Foundation of American stratigraphy by Ebenezer Emmons: *Pan-Am. Geologist*, vol. 40, no. 1, pp. 1-14, 1 pl. (portr.), August, 1923.
1192. Geology of Nevada: *Pan-Am. Geologist*, vol. 40, no. 1, pp. 35-64, 4 pls., August, 1923.
1193. Taconic question fifty years after: *Pan-Am. Geologist*, vol. 40, no. 1, pp. 65-68, August, 1923.
1194. Genetic classification of American early Carbonic terranes; Invalidity of Madison limestone as terranal title; Type localities for sundry Nevada terranes: *Pan-Am. Geologist*, vol. 40, no. 1, pp. 69-75, 1 pl., 75-77, 77-80, August, 1923.
1195. Thomas Chrowder Chamberlin at fourscore: *Pan-Am. Geologist*, vol. 40, no. 2, pp. 81-94, 2 pls. (portraits), September, 1923.
1196. Isostatic aspects of southern Rocky Mountains: *Pan-Am. Geologist*, vol. 40, no. 2, pp. 139-150, 1 pl., September, 1923.
1197. Taxonomy of the periods in geology: *Pan-Am. Geologist*, vol. 40, no. 2, pp. 151-156, September, 1923.
1198. Primary origin of metallic content of ores: *Pan-Am. Geologist*, vol. 40, no. 2, pp. 157-158, September, 1923.
1199. American copper mining in the stone age: *Pan-Am. Geologist*, vol. 40, no. 2, pp. 158-160, September, 1923.
1200. Horace Vaughan Winchell, mining geologist: *Pan-Am. Geologist*, vol. 40, no. 3, pp. 161-180, portr., October, 1923.
1201. Structure of Dodge gypsum basin [Iowa]: *Pan-Am. Geologist*, vol. 40, no. 3, pp. 215-234, 4 figs., 3 pls., October, 1923.
1202. Field geology as a necessary adjunct to rock oil discovery: *Pan-Am. Geologist*, vol. 40, no. 3, pp. 238-240, October, 1923.
1204. Raphael Pumpelly, premier explorer: *Pan-Am. Geologist*, vol. 40, no. 4, pp. 241-250, 1 pl. (portr.), November, 1923.
1205. Phenomenal deposition of desert gypsum: *Pan-Am. Geologist*, vol. 40, no. 4, pp. 289-298, 1 fig., 3 pls., November, 1923.
1206. Geology by proxy [abstracting geologic literature]: *Pan-Am. Geologist*, vol. 40, no. 4, pp. 299-302, November, 1923.
1207. Prediction of earthquakes in the premises: *Pan-Am. Geologist*, vol. 40, no. 4, pp. 302-304, November, 1923.
1208. Geological pioneering of Jules Marcou: *Pan-Am. Geologist*, vol. 40, no. 5, pp. 321-332, December, 1923.
1209. Cubist method of geological correlation: *Pan-Am. Geologist*, vol. 40, no. 5, pp. 357-374, 3 pls., December, 1923.
1210. Preparation in geological communication: *Pan-Am. Geologist*, vol. 40, no. 5, pp. 375-379, December, 1923.
1211. Black Mesa iron deposits of Plumosa district of Arizona: *Pan-Am. Geologist*, vol. 40, no. 5, pp. 383-384, December, 1923.

Keyes, Charles Rollin—Continued.

1212. Rarest stone lilies [notice of Frank Springer's *Crinoidea Flexibilia* and some account of his life]: *Annals of Iowa*, 3d ser., vol. 14, no. 4, pp. 273-280, 2 pls. (incl. portr.), April, 1924.
1213. Laramian hiatus around the southern Rockies: *Iowa Acad. Sci., Proc.* 1922, vol. 29, pp. 101-103 [1924?].
1214. Horizontal movement in oblique faulting of inclined strata: *Iowa Acad. Sci., Proc.* 1922, vol. 29, p. 104 [1924?].
1215. Taxonomic rank of Pennsylvanian groupings: *Iowa Acad. Sci., Proc.* 1922, vol. 29, pp. 105-106 [1924?].
1216. James Edward Todd and Iowa geology: *Iowa Acad. Sci., Proc.*, vol. 30, pp. 35-42, portr. [1924].
1217. The crystallographic work of Gustavus Hinrichs: *Am. Mineralogist*, vol. 9, no. 1, pp. 5-8, January, 1924.
1218. Cubist school in terranal classification (abstract): *Geol. Soc. America, Bull.*, vol. 35, no. 1, pp. 77-78, March 30, 1924; *Pan-Am. Geologist*, vol. 41, no. 2, pp. 141-142, March, 1924.
1219. Grand staircase of Utah: *Pan-Am. Geologist*, vol. 41, no. 1, pp. 33-68, 6 figs., 9 pls., February, 1924.
1220. Latter day trend in geologic paleontology; Formative conditions of ore deposition; Porphyry coppers of Palomas Range of western Arizona; Delimitation of sundry rock terranes of Nevada; Zacatecas copper deposits associated with acidic eruptives: *Pan-Am. Geologist*, vol. 41, no. 1, pp. 69-72, 73-75, 76-78, 78-79, 79-80, February, 1924.
1221. Last of geological pioneers: Ferdinand Vandiveer Hayden: *Pan-Am. Geologist*, vol. 41, no. 2, pp. 81-96, portr., March, 1924.
1222. Genetic significance of desert range: *Pan-Am. Geologist*, vol. 41, no. 2, pp. 131-132, March, 1924.
1223. Anthony Wayne Vogdes: *Pan-Am. Geologist*, vol. 41, no. 3, pp. 161-168, portr., April, 1924.
1224. Denudation of the desert: *Pan-Am. Geologist*, vol. 41, no. 3, pp. 205-218, April, 1924.
1225. Basin range structure in the Great Basin: *Pan-Am. Geologist*, vol. 41, no. 3, pp. 219-224, April, 1924.
1226. Ore deposits of New Mexico: *Pan-Am. Geologist*, vol. 41, no. 3, pp. 227-233, April, 1924.
1227. Razing of ancestral Rockies: *Pan-Am. Geologist*, vol. 41, no. 4, pp. 277-314, 1 fig., 3 pls., May, 1924.
1228. Merging of Devonian and Silurian periods: *Pan-Am. Geologist*, vol. 41, no. 4, pp. 315-316, May, 1924.
1229. Global concurrence on geological periods of time: *Pan-Am. Geologist*, vol. 4, no. 4, pp. 317-320, May, 1924.
1230. Mastery of winds in land sculpture: *Pan-Am. Geologist*, vol. 41, no. 5, pp. 321-334, 2 pls., June, 1924.
1231. Recency of Iowa gypsum deposition: *Pan-Am. Geologist*, vol. 41, no. 5, pp. 367-380, 1 pl., June, 1924.
1232. Simplicity in geological classification: *Pan-Am. Geologist*, vol. 41, no. 5, pp. 381-384, June, 1924.
1233. Recessional streams of arid regions: *Pan-Am. Geologist*, vol. 42, no. 1, pp. 30-36, August, 1924.
1234. Toronto meeting of British Association for Advancement of Science: *Pan-Am. Geologist*, vol. 42, no. 1, pp. 63-66, August, 1924.

Keyes, Charles Rollin—Continued.

- 1235. Soil transport through the air and the deposition of loess: *Pan-Am. Geologist*, vol. 42, no. 2, pp. 133-148, September, 1924.
- 1236. Solar initiation of glaciation?: *Pan-Am. Geologist*, vol. 42, no. 2, pp. 149-150, September, 1924.
- 1237. Exploratory coal stratigraphy of John James Stevenson: *Pan-Am. Geologist*, vol. 42, no. 3, pp. 161-172, October, 1924.
- 1238. End of deflation: *Pan-Am. Geologist*, vol. 42, no. 3, pp. 219-228, October, 1924.
- 1239. Genetic basis of geological classification: *Pan-Am. Geologist*, vol. 42, no. 3, pp. 229-232, October, 1924.
- 1240. Saint John and the fishes: *Pan-Am. Geologist*, vol. 42, no. 3, pp. 233-235, October, 1924.
- 1241. Dumble silver plaque: *Pan-Am. Geologist*, vol. 42, no. 4, pp. 241-244, 2 pls. (incl. portr.), November, 1924.
- 1242. Working plans in geological field operations: *Pan-Am. Geologist*, vol. 42, no. 4, pp. 281-296, November, 1924.
- 1243. Trend in university instruction; Geological science in its decadence?: *Pan-Am. Geologist*, vol. 4, no. 2, pp. 297-301, 301-305, November, 1924.
- 1244. Shifting of the continental masses: *Pan-Am. Geologist*, vol. 42, no. 4, pp. 305-306, November, 1924.
- 1245. Edmund Otis Hovey: *Pan-Am. Geologist*, vol. 42, no. 5, pp. 321-330, 2 pls., December, 1924.
- 1246. What is our American Permian?: *Pan-Am. Geologist*, vol. 42, no. 5, pp. 357-370, 2 pls., December, 1924.
- 1247. Physiography of Missouri: *Pan-Am. Geologist*, vol. 42, no. 5, pp. 371-372, December, 1924.
- 1248. Inapplicability of term Pennsylvanian to Iowa coal measures (abstract): *Pan-Am. Geologist*, vol. 42, no. 5, p. 379, December, 1924.
- 1249. Easternmost extension of western deserts (abstract): *Pan-Am. Geologist*, vol. 42, no. 5, p. 380, December, 1924.
- 1250. Recent light on significance of early Devonian hiatus in Iowa (abstract): *Pan-Am. Geologist*, vol. 42, no. 5, pp. 379-380, December, 1924.
- 1251. Is geology in the doldrums?: *Eng. and Min. Jour.-Press*, vol. 118, no. 14, pp. 541-542, October 4, 1924.

Keyes, Robert L.

(with Case, J. B.). Report on the Long Beach oil field: California State Min. Bur., Summary of Operations California Oil Fields, vol. 9, no. 4, pp. 5-17, 3 pls., October, 1923.

Kidder, S. J.

- 1252. Mining methods in Mogollon district, New Mexico: *Am. Inst. Min. and Met. Eng., Trans.* [preprint] no. 1314, 21 pp., 8 figs., March, 1924; abstract, *Mining and Metallurgy*, vol. 5, no. 207, pp. 142-143, March, 1924.

Kindle, E. M.

- 1253. A tree three million years old [Red Deer Valley, Alberta]: *Illustrated Canadian Forestry Mag.*, vol. 17, no. 7, pp. 381-382, 408-409, 2 figs., September, 1921.
- 1254. Canadian streams with some unusual features: *Canadian Field Naturalist*, vol. 37, no. 2, pp. 21-22, February, 1923.

Kindle, E. M.—Continued.

1255. Unusual type of sand bar: *Pan-Am. Geologist*, vol. 39, no. 1, pp. 15-16, 1 pl., February, 1923.
1256. Notes on mud crack and ripple mark in recent calcareous sediments: *Jour. Geology*, vol. 31, no. 2, pp. 138-145, 4 figs., 1923.
1257. A note on mud crack and associated joint structure: *Am. Jour. Sci.*, 5th ser., vol. 5, pp. 329-330, 1 fig., April, 1923.
1258. The physical and biological characteristics of certain types of marlite balls from Manitoba and Michigan: *Roy. Soc. Canada, Proc. and Trans.*, 3d ser., vol. 17, sec. 4, pp. 105-114, 3 pls., May, 1923.
1259. Nomenclature and genetic relations of certain calcareous rocks: *Pan-Am. Geologist*, vol. 39, no. 5, pp. 365-372, 5 pls., June, 1923.
1260. Range and distribution of certain types of Canadian Pleistocene concretions (with discussion by T. T. Quirke): *Geol. Soc. America, Bull.*, vol. 34, no. 3, pp. 609-648, 4 figs., 8 pls., September 30, 1923; abstract, no. 1, pp. 64-65, March 30, 1923.
1261. Geography and geology of Lake Melville district, Labrador Peninsula: Canada, *Geol. Survey, Mem.* 141, 105 pp., 10 figs., 17 pls., 1924.
1262. Geology of a portion of the northern part of Moose River basin, Ontario: Canada, *Geol. Survey, Summ. Rept.* 1923, pt. C 1, pp. 21-41, 3 pls., 1924.
1263. Observations on ice-borne sediments by the Canadian and other Arctic expeditions: *Am. Jour. Sci.*, 5th ser., vol. 7, pp. 251-286, 2 figs., April, 1924.
1264. (and Edwards, E. M.). Literature of ripple mark: *Pan-Am. Geologist*, vol. 41, no. 3, pp. 191-203, April, 1924.
1265. Note on a mammoth tusk from the Arctic Archipelago: *Am. Jour. Sci.*, 5th ser., vol. 8, pp. 183-185, 3 figs., August, 1924.
1266. Standard Paleozoic section of Rocky Mountains near Banff, Alberta: *Pan-Am. Geologist*, vol. 42, no. 2, pp. 113-124, 2 pls., September, 1924.
1267. The terraces of the Lake Melville district, Labrador: *Geog. Rev.*, vol. 14, no. 4, pp. 597-602, 3 figs., October, 1924.
1268. Three new Devonian fossils from Alberta: *Pan-Am. Geologist*, vol. 42, no. 3, pp. 217-218, 1 pl., October, 1924.
1269. Edward J. Whittaker [obituary notice]: *Canadian Inst. Min. and Met., Monthly Bull.* no. 151, pp. 256-258, portr., November, 1924.
1270. Certain types of sedimentation now in progress on or near the Atlantic coast of North America (abstract): *Pan-Am. Geologist*, vol. 42, no. 4, p. 311, November, 1924.

See also Twenhofel, no. 2294.

King, Philip B.

1271. Physiography of southwestern South Dakota (abstract): *Pan-Am. Geologist*, vol. 42, no. 5, pp. 378-379, December, 1924.

Kirk, Edwin. See Slocum, no. 2070.

Kirkham, Virgil R. D.

1272. Notes on the geology of eastern Bear Lake County, Idaho, with reference to oil possibilities: Idaho, *Bur. Mines and Geology, Pamphlet* no. 7, 6 pp., November, 1923 [mimeographed].

Kirkham, Virgil R. D.—Continued.

1273. Geology and oil possibilities of Bingham, Bonneville, and Caribou counties, Idaho: Idaho, Bur. Mines and Geology, Bull., no. 8, 116 pp., 8 pls. (maps), September, 1924.
(with Laney, F. B., and Piper, A. M.). Ground-water supply at Moscow, Idaho: Idaho, Bur. Mines and Geology, Pamphlet no. 8, 13 pp., 2 pls., December, 1923 [mimeographed].

Klem, Mary J.

1274. Hambach of the blastoids: Pan-Am. Geologist, vol. 40, no. 1, pp. 32-34, August, 1923.

Knapp, G. N.

1275. The foundry sands of Minnesota: Minnesota Geol. Survey, Bull. no. 18, 105 pp., 13 figs., 1923.

Knight, Cyril W.

1276. The chemical composition of the norite micropegmatite, Sudbury, Ontario, Canada: Econ. Geology, vol. 18, no. 6, pp. 592-594, September, 1923.
1277. Geology of the mine workings of Cobalt and South Lorraine silver areas: Ontario Dept. Mines, 31st Ann. Rept., vol. 31, pt. 2, pp. x-xiv, 1-238, 321-358, 56 figs., and maps, plans, and sections, 1924. [Pp. 189-237 also issued as Bull. no. 48, 1923.]

Knight, Nicholas.

1278. A chemical study of dolomites: Iowa Acad. Sci., Proc. 1921, vol. 28, pp. 37-45 [1923].

Knight, Samuel Howell.

1279. Eolian abrasion of quartz grains (abstract): Geol. Soc. America, Bull., vol. 35, no. 1, pp. 107-108, March 30, 1924; Pan-Am. Geologist, vol. 41, no. 2, p. 153, March, 1924.

Knopf, Adolph.

1280. Geology and ore deposits of the Rochester district, Nevada: U. S. Geol. Survey, Bull. 762, 78 pp., 5 figs., 4 pls. (incl. map), 1924.
1281. Bibliography of isostasy. 39 pp., issued in mimeographed form by the Division of Geology and Geography, National Research Council, Washington, D. C., 1924.

Knopf, Eleanora Bliss.

1282. (and Jonas, Anna I.). Stratigraphy of the crystalline schists of Pennsylvania and Maryland: Am. Jour. Sci., 5th ser., vol. 5, pp. 40-62, 3 figs., January, 1923.
1283. Relation of former drainage channels to the topography of eastern Pennsylvania and Maryland (abstract): Geol. Soc. America, Bull., vol. 35, no. 1, p. 77, March 30, 1924; Pan-Am. Geologist, vol. 41, no. 2, p. 141, March, 1924.
1284. Correlation of residual erosion surfaces in the eastern Appalachian highlands: Geol. Soc. America, Bull., vol. 35, no. 3, pp. 633-668, 15 figs., September 30, 1924.

Knowlton, F. H.

1285. Revision of the flora of the Green River formation with descriptions of new species: U. S. Geol. Survey, Prof. Paper 131, pp. 133-182, 5 pls., March 30, 1923.

Knowlton, F. H.—Continued.

1286. Fossil plants from the Tertiary lake beds of south-central Colorado: U. S. Geol. Survey, Prof. Paper 131, pp. 183-197, 4 pls., March 31, 1923.

1287. Flora of the Animas formation: U. S. Geol. Survey, Prof. Paper 134, pp. 71-98, 13 pls., 1924.

Koch, Lauge.

1288. Some new features in the physiography and geology of Greenland: Jour. Geology, vol. 31, no. 1, pp. 42-65, 8 figs., January-February, 1923.

1289. Preliminary report upon the geology of Peary Land, Arctic Greenland: Am. Jour. Sci., 5th ser., vol. 5, pp. 189-199, 2 figs. (maps), March, 1923.

Krampert, E. W.

1290. The oil fields of the Rawlins-Lost Soldier district, Wyoming: Am. Assoc. Petroleum Geologists, Bull., vol. 7, no. 2, pp. 131-146, 4 figs., March-April, 1923.

1291. Reported oil strikes in Hanna Basin and Red Desert, Wyoming: Am. Assoc. Petroleum Geologists, Bull., vol. 7, no. 5, pp. 575-576, September-October, 1923.

Kraus, Edward H.

1292. Some unusual specimens of "float" copper [from Michigan]: Am. Mineralogist, vol. 9, no. 2, pp. 23-26, 6 figs., February, 1924.

Krey, Frank.

1293. Structural reconnaissance of the Mississippi Valley area from Old Monroe, Missouri, to Nauvoo, Illinois: Illinois State Geol. Survey, Bull. no. 45, 86 pp., 18 pls. (incl. map), 1924; Missouri Bur. Geology and Mines, 2d ser., vol. 18, 86 pp., 18 pls. (incl. map), 1924.

Kümmel, Henry B.

1294. Report of the State geologist [1921-23]: New Jersey, Dept. Conservation, Ann Rept. 1922-23, pp. 21-36, 3 pls., 1923.

Ladd, Henry S.

1295. Maquoketa shales in Jackson County (abstract): Pan-Am. Geologist, vol. 42, no. 5, pp. 377-378, December, 1924.

(with Stainbrook, M. A.). Fauna of State beds (abstract): Pan-Am. Geologist, vol. 42, no. 5, p. 382, December, 1924.

Ladoo, Raymond B.

1296. Talc and soapstone; their mining, milling, products, and uses: U. S., Bureau of Mines, Bull. 213, 133 pp., 23 figs., 15 pls., 1923.

1297. Barytes; occurrence, mining, uses: Eng. and Min. Jour.-Press, vol. 115, no. 7, pp. 319-324, 8 figs., February 17, 1923.

LaForge, Laurence.

1298. The fossil swamp deposit at the Walker Hotel site, Connecticut Avenue and De Sales Street, Washington, D. C.; the geographic and historical evidence: Washington Acad. Sci., Jour., vol. 14, no. 1, pp. 33-41, 2 figs., January 4, 1924.

Lahee, Frederic H.

1299. Field geology. Second edition, 649 pp., 457 figs., 1 pl., New York, McGraw-Hill Book Company, 1923.

Lahee, Frederic H.—Continued.

1300. The Currie field, Navarro County, Texas: *Am. Assoc. Petroleum Geologists, Bull.*, vol. 7, no. 1, pp. 25–36, 8 figs., January–February, 1923.
1301. Sericitization and dolomitization compared with the fixed carbon ratio of coal as indices of metamorphism in oil-bearing formations: *Am. Assoc. Petroleum Geologists, Bull.*, vol. 7, no. 3, pp. 291–293, May–June, 1923.
1302. The New Richland [oil] field, Navarro County, Texas: *Mining and Metallurgy*, vol. 5, no. 212, pp. 379–380, August, 1924.
1303. Note on the origin of petroleum: *Am. Assoc. Petroleum Geologists, Bull.*, vol. 8, no. 5, pp. 669–671, 2 figs., September–October, 1924.
1304. Structural and stratigraphic data of northeast Texas: *Econ. Geology*, vol. 19, no. 6, pp. 563–565, September–October, 1924.
1305. The education of the geologist: *Econ. Geology*, vol. 19, no. 7, pp. 684–686, November, 1924.
1306. The permeability of rocks: *Econ. Geology*, vol. 19, no. 8, pp. 768–769, December, 1924.
 (with Pratt, Wallace E.). Faulting and petroleum accumulation at Mexia, Texas (with discussion): *Am. Assoc. Petroleum Geologists, Bull.*, vol. 7, no. 3, pp. 226–236, 3 figs., 1 pl., May–June, 1923.
 (with Pratt, Wallace E.). Faulting and petroleum accumulation at Mexia, Texas: *Oil Engineering and Finance*, vol. 4, no. 82, pp. 119–122, 4 figs., August 4, 1923.
 See also Mills, no. 1588.

Laizure, C. McK.

1307. Bibliography of limestone deposits in California: *California State Min. Bur., Mining in California*, vol. 18, no. 12, pp. 751–754, December, 1922.

Lajous, Luis F.

1308. Informe sobre los terrenos petrolíferos de la región Tabasco-Chiapas, en las zonas de Pichucalco, Macuspana, El Salto, La Trinidad, San Pedro Sabana, Palenque, Montecristo y Tenosique: *Bol. Petróleo, Mexico*, vol. 16, no. 5, pp. 305–324, 1 pl. (map), November, 1923.
1309. Condiciones geológicas necesarias para la formación y conservación del petróleo: *Bol. Petróleo, Mexico*, vol. 6, no. 6, pp. 357–368, December, 1923.

Lake, Francis Wilbur.

- (with Phelps, Robert William). *Petroleum engineering*. 574 pp., 107 figs., Houston, Texas, Gulf Publishing Company, 1924.

Lamar, J. Everts.

1310. Notes on the Waterloo anticline: *Illinois Acad. Sci., Trans.*, vol. 15, pp. 398–404 [1923].
1311. The use of the microscope in the study of subsurface stratigraphy: *Illinois State Acad. Sci., Trans.*, vol. 16, pp. 353–358, 1923.

Lambert, J. S.

- (with Wilson, Roy A., and Clapp, C. H.). Belt series in Montana, (abstract, with discussion by Edward Sampson): *Geol. Soc. America, Bull.*, vol. 35, no. 1, pp. 91–92, March 30, 1924; abstract, *Pan-Am. Geologist*, vol. 41, no. 2, pp. 145–146, March, 1924.

Lambert, Walter D.

- 1312. Elastic yielding of the earth's crust under a load of sedimentary deposits: *Geol. Soc. America, Bull.*, vol. 34, no. 2, pp. 305-308, June 30, 1923.
- 1313. The mechanics of the Taylor-Wegener hypothesis of continental migration (abstract): *Washington Acad. Sci., Jour.*, vol. 13, no. 20, pp. 448-450, December 4, 1923.
- 1314. Forces tending to cause movements in the earth's crust (abstract): *Nat. Research Council, Bull.*, vol. 7, pt. 5, no. 41, p. 93, January, 1924.

Lamborn, R. E.

- (with Stout, Wilber). *Geology of Columbiana County: Ohio Geol. Survey, Fourth ser., Bull.* 28, 408 pp., 3 figs., 6 pls. (incl. maps), 1924.

Landero, Carlos F.

- 1315. Correlación de las formaciones diatomíferas y los yacimientos de petróleo de Alta California: *Bol. Petróleo, Mexico*, vol. 16, no. 3, pp. 158-161, September, 1923.

Lane, Alfred C.

- 1316. Keweenaw geothermal gradients and the ice age (abstract): *Geol. Soc. America, Bull.*, vol. 34, no. 1, p. 86, March 30, 1923.
- 1317. Solvents and precipitants in the Michigan copper lodes (abstract): *Geol. Soc. America, Bull.*, vol. 34, no. 1., p. 100, March 30, 1923.
- 1318. [Terms for shapes of valley]: *Jour. Geology*, vol. 31, no. 4, p. 348, May-June, 1923.
- 1319. The temperature of mines: *Science, new ser.*, vol. 57, p. 142, August 24, 1923.
- 1320. Geotherms of Lake Superior copper country: *Geol. Soc. America, Bull.*, vol. 34, no. 4, pp. 703-720, 1 pl., December 30, 1923.
- 1321. The importance of water analyses: *Am. Assoc. Petroleum Geologists, Bull.*, vol. 8, no. 1, pp. 87-88, January-February, 1924.
- 1322. Memorial of Marshman E. Wadsworth: *Geol. Soc. America, Bull.*, vol. 35, no. 1, pp. 15-25, portr., March 30, 1924.
- 1323. Native silver in an iron mine (abstract): *Geol. Soc. America, Bull.*, vol. 35, no. 1, pp. 127-128, March 30, 1924; *Pan-Am. Geologist*, vol. 41, no. 2, p. 160, March, 1924.
- 1324. The geologic time scale: *Eng. and Min. Jour.-Press*, vol. 118, no. 20, p. 778, November 15, 1924.

Laney, F. B.

- 1325. (and Kirkham, V. R. D., and Piper, A. M.). Ground water supply at Moscow, Idaho: *Idaho, Bur. Mines and Geology, Pamphlet* no. 8, 13 pp., 2 pls., December, 1923 [mimeographed].

Lang, Walter B.

- 1326. Terms of the geologic column; their origin and significance. *In* *The development of the sciences*, edited by L. L. Woodruff, pp. 312-314, New Haven, Yale University Press, 1923.

Langley, A. G.

- 1327. Mining in the Kootenays: *Canadian Min. Jour.*, vol. 44, no. 25, pp. 472-474, June 22, 1923.

Large, Thomas.

- 1328. Drainage changes in northeastern Washington and northern Idaho since extravasation of Columbia basalts: *Pan-Am. Geologist*, vol. 41, no. 4, pp. 259-270, 4 pls., May, 1924.

Larsen, Esper S.

1329. The identity of eakleite and xonotlite: *Am. Mineralogist*, vol. 8, no. 10, pp. 181-182, September, 1923.

1330. (and Shannon, Earl V.) Ganophyllite from Franklin Furnace, New Jersey: *Am. Mineralogist*, vol. 9, no. 12, pp. 238-240, December, 1924.

(with Emmons, W. H.). Geology and ore deposits of the Creede district, Colorado: *U. S. Geol. Survey, Bull.* 718, 198 pp., 32 figs., 12 pls. (incl. maps), 1923.

Laughlin, Homer.

1331. (and Arnold, Ralph, and Kew, William S. W.). Southern California earthquake of July 22, 1923: *Seismol. Soc. America, Bull.*, vol. 13, no. 3, pp. 105-106, 1 pl., September, 1923.

Lawler, T. W.

1332. On the occurrence of sandstone dikes and chalcedony veins in the White River Oligocene: *Am. Jour. Sci.*, 5th ser., vol. 5, pp. 160-172, 5 figs., February, 1923.

Lawson, Andrew C.

1333. Report on geology of Iron Canyon [Sacramento River, California]. In Report on Iron Canyon Project, California, by Homer J. Gault and W. F. McClure: *U. S. Reclamation Service in cooperation with the State of California and the Iron Canyon Project Association*, pp. 71-76, Washington, Government Printing Office, 1921.

1334. The prediction of earthquakes: *Univ. California Chronicle*, vol. 24, no. 3, pp. 315-336, 9 figs., July, 1922.

1335. Work of the division of geology and geography of the National Research Council: *Geol. Soc. America, Bull.*, vol. 35, no. 1, pp. 80-83, March 30, 1924.

1336. The continental shelf of the coast of California: *Nat. Research Council, Bull.*, vol. 8, pt. 2, no. 44, 23 pp., 1 fig., April, 1924.

1337. The geological implications of the doctrine of isostasy: *Nat. Research Council, Bull.*, vol. 8, pt. 4, no. 46, 22 pp., June, 1924.

See also Atwood, no. 50; Bowie, no. 183; Foye, no. 710; Quirke, no. 787; Stose, no. 2163; Woodring, no. 2536.

Lawson, C. C.

(with Schairer, J. F.). Copiapite from the Santa Maria Mountains, eastern Riverside County, California: *Am. Mineralogist*, vol. 9, no. 12, pp. 242-244, December, 1924.

Lee, R. J.

1338. The lignites of Saskatchewan: *Canadian Inst. Min. and Met., Monthly Bull.* no. 131, *Trans.* pp. 62-74, 7 figs., March, 1923; *Trans.*, vol. 26, pp. 192-205, 7 figs. [1924].

Lee, Wallace.

(with Rogers, G. Sherburne). Geology of the Tullock Creek coal field, Rosebud and Big Horn counties, Montana: *U. S. Geol. Survey, Bull.* 749, 181 pp., 5 figs., 16 pls., 1923.

Lee, Willis T.

1339. Continuity of some oil-bearing sands of Colorado and Wyoming: *U. S. Geol. Survey, Bull.* 751, pp. 1-22, 3 figs., 6 pls., April 24, 1923.

1340. Building of the southern Rocky Mountains: *Geol. Soc. America, Bull.*, vol. 34, no. 2, pp. 285-300, 4 figs., June 30, 1923.

Lee, Willis T.—Continued,

- 1341. Coal resources of the Raton coal field, Colfax County, New Mexico: U. S. Geol. Survey, Bull. 752, 254 pp., 18 figs., 22 pls., 1924.
- 1342. Geography, geology, and physiography of the Great Salt Lake basin: U. S. Geol. Survey, Water-Supply Paper 517, pp. 3-9, 1924.
- 1343. A visit to Carlsbad Cavern [Guadalupe Mountains, New Mexico]: Nat. Geog. Mag., vol. 45, no. 1, pp. 1-40, 42 figs., January, 1924.
- 1344. Erosion and fill (abstract, with discussion by I. C. White): Geol. Soc. America, Bull., vol. 35, no. 1, p. 99, March 30, 1924; abstract Pan-Am. Geologist, vol. 41, no. 2, p. 149, March, 1924.

Lees, James H.

- 1345. Mineral production in Iowa for 1917 and 1918: Iowa Geol. Survey vol. 28, pp. 3-46 [1923].
- 1346. Some Pleistocene exposures in Des Moines: Iowa Acad. Sci., Proc. 1921, vol. 28, pp. 59-63 [1923].
- 1347. An unusual well record in northwestern Iowa: Iowa Acad. Sci., Proc. vol. 30, pp. 445-450, 1 fig. [1924]; abstract, Science, new ser. vol. 57, p. 147, August 24, 1923.
- 1348. Mineral production in Iowa in 1919 and 1920: Iowa Geol. Survey vol. 29, pp. xxi-xlvi [1924].
- 1349. The structure of the Fort Dodge beds: Iowa Acad. Sci., Proc. 1922 vol. 29, pp. 113-120, 4 figs. [1924?].

Legraye, Michel.

- 1350. Note sur les gisements de pétrole de Californie: Revue Universelle des Mines, ser. 7, t. 4, no. 3, pp. 149-155, November, 1924.

Leighly, J. B.

- (with Ehlers, G. M.). *Lipsanocystis traversensis*, a new cystid from the Devonian of Michigan: Michigan Acad. Sci., Papers, vol. 2, pp. 155-158, 3 figs., 1923.

Leighton, Morris M.

- 1351. The glacial history of the Sangamon River valley at Decatur and its bearing on the reservoir project: Illinois State Acad. Sci., Trans., vol. 14, pp. 213-218, 1 pl. [1922].
- 1352. The origin of the Cahokia mounds (abstract): Illinois State Acad. Sci., Trans., vol. 16, p. 327, 1923.
- 1353. Pleistocene of northwestern Illinois: a graphic presentation of some of the chief lines of evidence (abstract); Fossiliferous loess beneath tilted Galena dolomite at the border of the Belvidere lobe in northwestern Illinois (abstract): Geol. Soc. America, Bull., vol. 34, no. 1, p. 90, March 30, 1923.
- 1354. The differentiation of the drift sheets in northwestern Illinois: Jour. Geology, vol. 31, no. 4, pp. 265-281, 4 figs., May-June, 1923.
- 1355. Geology and the Decatur [Illinois] dam and reservoir project: Eng. News-Record, vol. 91, no. 7, pp. 264-266, 2 figs., August 16, 1923.
- 1356. The geological aspects of some of the Cahokia (Illinois) mounds: Illinois, Univ., Bull., vol. 21, no. 6, pp. 57-97, 8 figs., October 8, 1923.
- 1357. Modern geology and its contribution to engineering: Western Soc. Eng., Jour., vol. 28, no. 11, pp. 491-506, 5 figs., November, 1923.
See also Bretz, no. 206.

Leith, C. K.

- 1358. Structural geology; revised edition. 390 pp., 103 figs., New York, Henry Holt and Company, 1923.
- 1359. A layman's view of the theory of isostasy (abstract with discussion by D. F. Higgins and T. P. Shepard): *Geol. Soc. America, Bull.*, vol. 34, no. 1, p. 57, March 30, 1923.
- 1360. Field versus laboratory evidence in the identification of metamorphic rocks: *Econ. Geology*, vol. 18, no. 3, pp. 288-290, April-May, 1923.
- 1361. Oscar Rohn: *Am. Inst. Min. and Met. Eng., Trans.*, vol. 70, p. 1232, portr., 1924.
- 1362. A sedimentary problem [formation of iron deposits]: *Econ. Geology*, vol. 19, no. 4, pp. 382-385, June-July, 1924.

Lenher, Victor.

- 1363. Occurrence, chemistry, and uses of selenium and tellurium (with discussion): *Am. Inst. Min. and Met. Eng., Trans.*, vol. 69, pp. 1035-1057, 1923; [preprint] no. 1198, 20 pp., January, 1923.

Leonard, A. G.

- 1364. Gravel deposits of North Dakota suitable for road surfacing and construction work: *North Dakota, Univ., Quart. Jour.*, vol. 14, no. 4, pp. 383-393, June, 1924.

Leverett, Frank.

- 1365. Memorial of James E. Todd: *Geol. Soc. America, Bull.*, vol. 34, no. 1, pp. 44-51, portr., March 30, 1923.
- 1366. Glacial deposits of Missouri and adjacent districts (abstract): *Geol. Soc. America, Bull.*, vol. 34, no. 1, pp. 91-92, March 30, 1923.
- 1367. Map of the surface formations of the southern peninsula of Michigan: Michigan, *Geol. Survey Division*, 1924. Scale 1:750,000.
- 1368. Oldest (Nebraskan?) drift in western Illinois and southeastern Missouri in relation to "Lafayette gravel" and drainage and development (abstract): *Geol. Soc. America, Bull.*, vol. 35, no. 1, p. 69, March 30, 1924; *Pan-Am. Geologist*, vol. 41, no. 2, p. 138, March, 1924.

Lewis, J. Volney.

- 1369. A manual of determinative mineralogy, with tables for the determination of minerals by means of I, their physical characters, II, blow-pipe and chemical characters. Third edition, 298 pp., 81 figs., New York, John Wiley & Sons, 1921.
 - 1370. The ghost of the "molten magma": *Eng. and Min. Jour.-Press*, vol. 118, no. 7, p. 250, August 16, 1924.
 - 1371. Fissility of shale; some factors concerned in its development (abstract): *Geol. Soc. America, Bull.*, vol. 34, no. 1, pp. 63-64, March 30, 1923.
 - 1372. Fissility of shale and its relations to petroleum: *Geol. Soc. America, Bull.*, vol. 35, no. 3, pp. 557-590, September 30, 1924.
- See also Twenhofel, no. 2294.

Ley, Henry A.

- 1373. The relation of quality of oil to structure at El Dorado, Arkansas (with discussion): *Am. Assoc. Petroleum Geologists, Bull.*, vol. 7, no. 4, pp. 350-361, 1 fig., July-August, 1923.
- 1374. Subsurface observations in southeast Kansas: *Am. Assoc. Petroleum Geologists, Bull.*, vol. 8, no. 4, pp. 445-453, July-August, 1924.

Lilley, Ernest R.

1375. Petroleum provinces of the United States: Eng. and Min. Jour.-Press, vol. 116, no. 6, pp. 243-245, 1 fig. (map), August 11, 1923.
1376. Coal as an aid in oil exploration: Eng. and Min. Jour.-Press, vol. 117, no. 25, pp. 1009-1012, 3 figs., June 21, 1924.

Lillibridge, H. E.

1377. Foraker limestone in Lincoln County (abstract): Oklahoma Acad. Sci., Proc., vol. 2 (Oklahoma, Univ., Bull., new ser. no. 247), p. 89, October 1, 1922.

Lincoln, Francis Church.

1378. Mining districts and mineral resources of Nevada. 295 pp., map, Reno, Nevada Newsletter Publishing Company, 1923.

Lindgren, Waldemar.

1379. (and Ball, Sydney H.). Summary of proceedings of the Society of Economic Geologists, 1921-1922. 24 pp [n. d., 1923?].
1380. The education of the geologist: Econ. Geology, vol. 18, no. 4, pp. 405-409, June-July, 1923.
1381. Concentration and circulation of the elements from the standpoint of economic geology: Econ. Geology, vol. 18, no. 5, pp. 419-442, August, 1923.
1382. The colloid chemistry of minerals and ore deposits. In Bogue, Robert Herman (editor), The theory and application of colloidal behavior, chapter 18, vol. 2, pp. 445-465, New York, McGraw-Hill Book Company, 1924.
1383. (and Davy, W. Myron). Nickel ores from Key West mine, Nevada: Econ. Geology, vol. 19, no. 4, pp. 309-319, 2 pls., June-July, 1924.
1384. Contact metamorphism at Bingham, Utah: Geol. Soc. America, Bull., vol. 35, no. 3, pp. 507-534, 1 fig., September 30, 1924.
1385. Microchemical reactions: Econ. Geology, vol. 19, no. 8, pp. 762-764, December, 1924.

Lindly, John M.

1386. Pyrite in coal: Iowa Acad. Sci., Proc. 1922, vol. 29, pp. 107-109, 3 figs. [1924?].
1387. Winfield's deep well: Iowa Acad. Sci., Proc. 1922, vol. 29, pp. 110-112 [1924?].
1388. Deep well at Brighton (abstract): Pan-Am. Geologist, vol. 42, no. 5, p. 380, December, 1924.

Little, George.

1389. Memoirs of George Little. 125 pp., Tuscaloosa [Alabama], Weatherford Printing Company, 1924.

Littlefield, Max.

1390. Lake Huron winter beach forms: Iowa Acad. Sci., Proc., vol. 30, pp. 451-453, 2 figs. [1924].

Lloyd, E. Russell.

1391. Igneous rocks [of the Hot Springs district, Arkansas]: U. S. Geol. Survey, Geol. Atlas U. S., Hot Springs folio, Arkansas (no. 215), pp. 7-8, 1923.

Lloyd, Stewart J.

1392. Oil prospecting in Alabama: Alabama Geol. Survey, Leaflet no. 2, 3 pp., map, February, 1920.

Lobeck, Armin Kohl.

1393. The physiography of Porto Rico: Scientific Survey of Porto Rico and the Virgin Islands, vol. 1, pt. 4, pp. 301-379, 41 figs., map, New York Academy of Sciences, 1922.
1394. Block diagrams and other graphic methods used in geology and geography. 206 pp., 287 figs., New York, John Wiley and Sons, 1924.

Locke, Augustus.

1395. Present tendencies in exploration for new mines (with discussion): Am. Inst. Min. and Met. Eng., Trans., vol. 69, pp. 3-21, 10 figs., 1923.
1396. (and Hall, D. A., and Short, M. N.). Rôle of secondary enrichment in genesis of Butte chalcocite (with discussion by G. M. Schwartz): Am. Inst. Min. and Met. Eng., Trans., vol. 70, pp. 933-963, 17 figs., 1924; [preprint] no. 1308, 30 pp., 17 figs., March, 1924; abstract, Mining and Metallurgy, vol. 5, no. 210, pp. 292-293, June, 1924.
- (with Merwin, H. E., and Posnjak, E.). Sulphate minerals formed by oxidation of pyritic ore at Bisbee, Arizona (abstract): Geol. Soc. America, Bull., vol. 35, no. 1, pp. 125-126, March 30, 1924; Pan-Am. Geologist, vol. 41, no. 2, p. 159, March, 1924.
- (with Morse, H. W.). Recent progress with leached ore capping: Econ. Geology, vol. 19, no. 3, pp. 249-258, April-May, 1924.

Loewinson-Lessing, F.

1397. The problem of the anorthosites and other mono-mineral igneous rocks: Jour. Geology, vol. 31, no. 2, pp. 89-105, February-March, 1923.

Logan, C. A.

1398. Notes on the West Point district, Calaveras County: California State Min. Bur., Mining in California, vol. 18, no. 1, pp. 15-21, January, 1922.

Logan, W. N.

1399. The geology of McCormick's Creek Canyon: Indiana, Dept. of Conservation, Division of Lands and Waters, Pub. no. 38, pp. 17-19, 1923.
1400. Peat deposits of Indiana: Am. Peat Soc., Jour., vol. 16, no. 1, pp. 22-29, January, 1923.
1401. Outlines of Indiana geology: Pan-Am. Geologist, vol. 40, no. 2, pp. 111-138, 1 fig., 5 pls. (maps), September, 1923.
1402. Geological conditions in the oil fields of southwestern Indiana: Indiana, Dept. Conservation, Pub. no. 42, 125 pp., 6 figs., 1924.
1403. Refractory clays and shales of Indiana: Am. Ceramic Soc., Jour., vol. 7, no. 3, pp. 201-206, March, 1924.

Lombard, R. H.

- (with Merwin, H. E., and Allen, E. T.). Cubanite, identity with chalmersite; magnetic properties: Am. Mineralogist, vol. 8, no. 8, pp. 135-138, August, 1923.

Longwell, Chester R.

1404. (and Miser, H. D., Moore, R. C., Bryan, Kirk, and Paige, Sidney). Rock formations in the Colorado Plateau of southeastern Utah and northern Arizona: U. S. Geol. Survey, Prof. Paper 132, pp. 1-23, 1 fig., 10 pls., July 27, 1923.
1405. Kober's theory of orogeny: Geol. Soc. America, Bull., vol. 34, no. 2, pp. 231-241, 9 figs., June 30, 1923.

Longwell, Chester R.—Continued.

1406. Thrust faults and faults [in error for flaws] in southern Nevada (abstract): *Geol. Soc. America, Bull.*, vol. 35, no. 1, pp. 64-65, March 30, 1924; *Pan-Am. Geologist*, vol. 41, no. 2, p. 136, March, 1924.
See also Stille, H., no. 2148.

Lonsdale, John T.

1407. Some effects of heat on the properties of minerals: *Am. Mineralogist*, vol. 8, no. 8, pp. 141-147, August, 1923.

Loomis, Frederic Brewster.

1408. Field book of common rocks and minerals; for identifying the rocks and minerals for the United States and interpreting their origins and meanings. xviii, 278 pp., 73 pls., New York, G. P. Putnam's Sons, 1923.
1409. Oreodons of the lower Harrison beds: *Am. Jour. Sci.*, 5th ser., vol. 6, pp. 222-228, 5 figs., September, 1923.
1410. The oreodonts of the lower Oligocene: *Carnegie Mus., Annals*, vol. 15, nos. 2 and 3, pp. 369-378, 3 figs., 3 pls., July, 1924.
1411. Artifacts associated with the remains of a Columbian elephant at Melbourne, Florida: *Am. Jour. Sci.*, 5th ser., vol. 8, pp. 503-508, 2 figs., December, 1924.

Loomis, Harve.

1412. The Burket-Seeley pool, Greenwood County, Kansas: *Am. Assoc. Petroleum Geologists, Bull.*, vol. 7, no. 5, pp. 482-487, 3 figs., September-October, 1923.

Louderback, George D.

1413. Basin range structure in the Great Basin: *California, Univ., Dept. Geol. Sci., Bull.*, vol. 14, no. 10, pp. 329-376, 2 figs., 9 pls., November 8, 1923.
1414. Geologic section across the Coast Ranges of California (abstract, with discussion by Robin Willis): *Geol. Soc. America, Bull.*, vol. 35, no. 1, p. 95, March 30, 1924; abstract, *Pan-Am. Geologist*, vol. 41, no. 2, p. 147, March, 1924.
1415. Period of scarp production in the Great Basin: *California, Univ., Dept. Geol. Sci., Bull.*, vol. 15, no. 1, pp. 1-44, 3 figs., 3 pls., May 22, 1924.
See also Twenhofel, no. 2294.

Loughlin, G. F.

1416. (and Coons, A. T.). Stone in 1921: *U. S. Geol. Survey, Mineral Resources*, 1921, pt. 2, pp. 175-213, January 22, 1923.
1417. (and Clark, Martha B.). Mineral resources of the United States in 1922 (preliminary summary): *U. S. Geol. Survey, Mineral Resources*, 1922, pp. 1A-124A, August 15, 1923.
1418. (and Coons, A. T.). Slate in 1922: *U. S. Geol. Survey, Mineral Resources*, pt. 2 pp. 165-175, November 6, 1923.
1419. Notes on ground waters: *Econ. Geology*, vol. 19, no. 1, pp. 62-71, 2 figs., January-February, 1924.
1420. (and Coons, A. T.). Stone in 1922: *U. S. Geol. Survey, Mineral Resources*, 1922, pt. 2, pp. 261-344, 3 figs., April 10, 1924.
1421. (and Coons, A. T.). Slate in 1923: *U. S. Geol. Survey, Mineral Resources*, 1923 pt. 2 pp. 49-61, 3 figs., September 25, 1924.
1422. (and Coons, A. T.). Stone in 1923: *U. S. Geol. Survey, Mineral Resources*, 1923, pt. 2, pp. 205-234, December 18, 1924.

Loughlin, G. F.—Continued.

1423. (and Coons, A. T.). Lime in 1923: U. S. Geol. Survey, Mineral Resources, 1923, pt. 2, pp. 275–284, December 19, 1924.
 (with Heikes, V. C.). Arsenic in 1922: U. S. Geol. Survey, Mineral Resources, 1922, pt. 1, pp. 53–76, 2 figs., September 17, 1923.
 (with Heikes, V. C.). Arsenic deposits in the United States: U. S., 68th Cong., 1st Sess., Sen. Doc. no. 27, 7 pp., 1924.
 (with Heikes, V. C.). Arsenic in 1923: U. S. Geol. Survey, Mineral Resources, 1923, pt. 1, pp. 159–181, 2 figs., November 13, 1924.
 (with Hill, J. M.). Magnesium and its compounds in 1922: U. S. Geol. Survey, Mineral Resources, 1922, pt. 2, pp. 41–57, September 20, 1923.
 (with Hill, J. M.). Magnesium and its compounds in 1923: U. S. Geol. Survey, Mineral Resources, 1923, pt. 2, pp. 7–21, July 28, 1924.
 See also Bateman, no. 98; Morse, no. 1636.

Lovering, T. S.

1424. The leaching of iron protores; solution and precipitation of silica in cold water: Econ. Geology, vol. 18, no. 6, pp. 523–540, 1 fig., September, 1923.
 1425. Magmatic chalcopryrite, Park County, Montana: Econ. Geology, vol. 19, no. 7, pp. 636–640, November, 1924.

Lowe, E. N.

1426. Ninth biennial report, 1921–1923, of the director of the State Geological Survey to the Mississippi Legislature, pp. 3–14 [1923].
 1427. (and others). Petroleum prospecting in Mississippi: Ninth Biennial Report, 1921–1923, of the director of the State Geological Survey to the Mississippi Legislature, pp. 15–190, 1 fig. (sketch map) [1923].
 1428. A questionnaire on the mineral resources of Mississippi and the work of the State Geological Survey: Mississippi State Geol. Survey, Bull. no. 18, 32 pp., March, 1923.
 1429. Mineral resources of Mississippi: The South's Development, Manufacturers Record, vol. 86, no. 24, pt. 2, pp. 389–390, December 11, 1924.

Ludlum, A. C.

1430. Chester Wells Purington: Mining and Metallurgy, vol. 4, no. 203, pp. 578–579, portr., November, 1923; Am. Inst. Min. and Met. Eng., Trans., vol. 70, pp. 1235–1237, portr., 1924.

Lutgens, Rudolf.

1431. Geographische und geologische Beobachtungen in Nordwest-Haiti: Geog. Gesell. in Hamburg, Mitt., Bd. 32, pp. 41–90, 10 figs., 4 pls. (incl. map), 1919.

Lull, Richard Swann.

1432. Biographical memoir Samuel Wendell Williston, 1852–1918: Nat. Acad. Sci., Mem., vol. 17, pp. 113–141, portr., 1924.
 1433. Dinosaurian climatic response. In Organic Adaptation to Environment, pp. 225–279, 13 figs., 1 pl., New Haven, Yale University Press, 1924.
 1434. Probable reptilian footprints from the Maryland Carboniferous: West Virginia Geol. Survey, Mineral and Grant counties, pp. 731–734, 6 pls., 1924.

Lunt, Horace F.

1435. Ore deposition at Creede, Colorado: Eng. and Min. Jour.-Press, vol. 117, no. 24, p. 973, June 14, 1924.

Lupton, Charles T.

1436. Results and prospects of deeper drilling in the Rocky Mountain fields: Am. Assoc. Petroleum Geologists, Bull., vol. 7, no. 4, pp. 400-410, July-August, 1923.

Lyon, Marcus Ward, jr.

1437. *Goniobasis livescens* Menke, a Pleistocene shell in Furnessville Blowout, dunes of Porter County: Indiana Acad. Sci., Proc. 38th Ann. Meeting, 1922, pp. 123-124, 1 fig., 1923.

McBride, R. S.

1438. (and Sievers, E. G.). Natural gas in 1919-1921: U. S. Geol. Survey, Mineral Resources, 1921, pt. 2, pp. 335-369, 13 figs., May 22, 1923.

Macbride, Thomas H.

1439. Section of late Tertiary and Quaternary marls near DeLand, Florida (abstract): Pan-Am. Geologist, vol. 42, no. 5, p. 382, December, 1924.

McCabe, R. E.

1440. The minor oil fields of Kern County; Lost Hills oil field: California State Min. Bur., Summary of Operations California Oil Fields, vol. 10, no. 1, pp. 5-10, 2 pls. (incl. map), July, 1924.

McCallie, S. W.

1441. The mineral resources of Georgia: The South's Development, Manufacturers Record, vol. 86, no. 24, pt. 2, pp. 369-373, 3 figs., December 11, 1924.

McCaughey, William J.

1442. Mineralogical examination of coal formation clays: Ohio Geol. Survey, 4th ser., Bull. 26, pp. 516-522, 1923.

MacClintock, Paul.

1443. The breaking of waves in shallow water: Jour. Geology, vol. 32, no. 5, pp. 407-409, 3 figs., July-August, 1924.

MacDonald, Donald F.

1444. (and others). Informe final geológico y geográfico de Costa Rica: Revista de Costa Rica (San Jose, Costa Rica), año 2, no. 1, pp. 28-32, September; no. 2, pp. 50-57, October; no. 4, pp. 106-111, December, 1920; no. 5, pp. 139-148, January, 1921.

1445. The geology of the Panama Canal with special reference to the slides: Nat. Acad. Sci., Mem., vol. 18, pp. 45-67, 1924.

Macelwane, James B.

1446. A study of the relation between the periods of elastic waves and the distance traveled by them, based upon the seismographic records of the California earthquake, January 31, 1922: Seismol. Soc. America, Bull., vol. 13, no. 2, pp. 14-69, 6 figs., 1 pl., June, 1923.

1447. The Corralitos [California] earthquake, September 19, 1923: Seismol. Soc. America, Bull., vol. 13, no. 3, pp. 109-112, 1 pl., September, 1923.

1448. Eureka earthquake, January 31, 1922 (abstract): Geol. Soc. America, Bull., vol. 35, no. 1, p. 165, March 30, 1924.

Macelwane, James B.—Continued.

1449. The interior of the earth: *Seismol. Soc. America, Bull.*, vol. 14, no. 2, pp. 81–89, 2 figs., June, 1924.
1450. (and Byerly, Perry, jr.). The registration of earthquakes at the Berkeley Station and at the Lick Observatory Station from October 1, 1921, to March 31, 1922: *California, Univ., Seismographic Stations, Bull.*, vol. 2, no. 3, pp. 29–54, March 15, 1924.
1451. (and Byerly, Perry, jr.). The registration of earthquakes at the Berkeley Station and at the Lick Observatory Station from April 1, 1922, to September 30, 1922: *California, Univ., Seismographic Stations, Bull.*, vol. 2, no. 4, pp. 55–56, October 13, 1924.

McCollom, C. R.

- (with Templeton, R. R.). Santa Fe Springs field, California (with discussion): *Am. Assoc. Petroleum Geologists, Bull.*, vol. 8, no. 2, pp. 178–194, 1 fig., 1 pl., March–April, 1924.

McKinstry, Hugh E.

- (and Warren, Charles H.). The granites and pegmatites of Cape Ann, Massachusetts: *Am. Acad. Arts and Sci., Proc.*, vol. 59, no. 14, pp. 315–357, 5 pls., September, 1924.

McLellan, Mary E.

- (with Hanna, G. Dallas). A new species of whale from the type locality of the Monterey group: *California Acad. Sci., Proc.*, 4th ser., vol. 14, pp. 237–241, 5 pls., June 14, 1924.

McFarland, R. S.

1452. Stroud oil field, Oklahoma: *Mining and Metallurgy*, vol. 5, no. 211, pp. 334–335, 1 fig., July, 1924.

Macfarlane, John Muirhead.

1453. The evolution and distribution of fishes. 564 pp., 72 figs., New York, The Macmillan Company, 1923.
1454. Fishes the sources of petroleum. 451 pp., 51 figs., New York, The Macmillan Company, 1923.

McGill, William M.

1455. Gold and silver mining in Ontario: *Colorado School of Mines, Alumni Mag.*, vol. 14, no. 5, pp. 10–16, September, no. 6, pp. 12–18, October, 1924.

Machamer, G. W.

- (with Van Tuyl, F. M.). Physical history of the Colorado Front Range (abstract): *Geol. Soc. America, Bull.*, vol. 34, no. 1, pp. 87–88, March 30, 1923.

McKay, Guy R.

1456. Park City, a lead-silver district in Utah: *Eng. and Min. Jour.-Press*, vol. 116, no. 1, pp. 7–14, 8 figs., July 7, 1923.

MacKenzie, J. D.

1457. The coal measures of Cumberland and vicinity, Vancouver Island (with discussion): *Canadian Inst. Min. and Met., Monthly Bull.* no. 122, pp. 667–693, 13 figs., June, 1922; *Trans.*, vol. 25, pp. 382–411, 13 figs., [1923].
1458. Alberni area, Vancouver Island, British Columbia: *Canada, Geol. Survey, Summ. Rept.*, 1922, pt. A, pp. 51–67, map, 1923.
1459. Descriptions of clastic sediments (discussion): *Econ. Geology*, vol. 18, no. 2, pp. 194–195, March, 1923.

McKinstry, H. E.

1460. A protractor for plotting dips on inclined sections: *Econ. Geology*, vol. 18, no. 4, pp. 393-397, 4 figs., June-July, 1923.

McLearn, Frank Harris.

1461. Peace River canyon coal area, British Columbia: Canada, Geol. Survey, Summ. Rept., 1922, pt. B, pp. 1-46, 2 figs. (incl. map), 1 pl., 1923.
1462. Paleontology of the Silurian rocks of Arisaig, Nova Scotia: Canada, Geol. Survey, Mem. 137, 179 pp., 1 fig. (map), 30 pls., 1924.
1463. New pelecypods from the Fernie formation of the Alberta Jurassic: *Roy. Soc. Canada, Proc. and Trans.*, 3d ser., vol. 18, sec. 4, pp. 39-61, 9 pls., 1924.

McLellan, Roy D.

1464. The Devonian Orcas group of Washington: *Am. Jour. Sci.*, 5th ser., vol. 8, pp. 217-222, September, 1924.

MacLeod, G. W.

1465. The Goudreau gold area [District of Algoma, Ontario]: *Canadian Min. Jour.*, vol. 44, no. 16, pp. 295-297, 1 fig., April 30, 1923.

MacVicar, John.

1466. Preliminary investigation of coal deposits on Smoky, Hay, and Berland rivers, Alberta: Canada, Geol. Survey, Summ. Rept., 1923, pt. B, pp. 21-62, 7 figs. (incl. maps), 4 pls., 1924.

Majorelle, Jean.

1467. Les champs de pétrole de l'est des États-Unis: *Revue de l'Industrie Minérale*, no. 55, pp. 177-196, 15 figs., April 1, 1923.

Malcolm, Wyatt.

1468. Contributions to the economic geology of Canada, 1922: *Canadian Min. Jour.*, vol. 44, no. 1, pp. 27-29, January 5, 1923.
1469. Joseph Keele; an appreciation: *Canadian Min. Jour.*, vol. 44, no. 25, p. 475, June 22, 1923.
1470. Contributions to the economic geology of Canada: *Canadian Min. Jour.*, vol. 45, no. 1, pp. 15-18, January 4, 1924.
1471. The mineral industry of Canada. In *Handbook of Canada*, pp. 384-396, 5 figs., Toronto, 1924.

Mann, Albert.

1472. The fossil swamp deposit at the Walker Hotel site, Connecticut Avenue and De Sales Street, Washington, D. C.; diatom deposit found in the excavation: *Washington Acad. Sci., Jour.*, vol. 14, no. 1, pp. 26-32, 1 pl., January 4, 1924.

Mansfield, George Rogers.

1473. The geography of part of southeastern Idaho (abstract): *Assoc. Am. Geographers, Annals*, vol. 11, pp. 128-129 [1922?].
1474. The potash field in western Texas: *Industrial and Eng. Chemistry*, vol. 15, no. 5, pp. 494-497, map, May, 1923.
1475. Structure of the Rocky Mountains in Idaho and Montana: *Geol. Soc. America, Bull.*, vol. 34, no. 2, pp. 263-284, 3 figs., June 30, 1923.
1476. Nitrates in 1922: *U. S. Geol. Survey, Mineral Resources*, 1922, pt. 2, pp. 39-40, August 24, 1923.
1477. Potash in 1922: *U. S. Geol. Survey, Mineral Resources*, 1922, pt. 2, pp. 87-107, October 12, 1923.
1478. Phosphate rock in 1922: *U. S. Geol. Survey, Mineral Resources*, 1922, pt. 2, pp. 109-132, October 16, 1923.

Mansfield, George Rogers—Continued.

1479. Tertiary planation in Idaho: *Jour. Geology*, vol. 32, no. 6, pp. 472-487, 5 figs., August-September, 1924; abstract, *Assoc. Am. Geographers, Annals*, vol. 14, no. 1, p. 43, March, 1924.
1480. (and Boardman, Leona). Potash in 1923: *U. S. Geol. Survey, Mineral Resources*, 1923, pt. 2, pp. 167-204, 1 fig., 2 pls., December 12, 1924.
1481. Phosphate rock in 1923: *U. S. Geol. Survey, Mineral Resources*, 1923, pt. 2, pp. 239-273, December 20, 1924.

Mansfield, Wendell C.

1482. A contribution to the late Tertiary and Quaternary paleontology of northeastern Florida: *Florida State Geol. Survey, 15th Ann. Rept.*, 1922-1923, pp. 25-51, 2 pls., 1924.
(with Woodring, Wendell P.). Some new middle Eocene and lower Miocene mollusks: *Geology of the Republic of Haiti*, pp. 611-613, illus., 1924.

Margerie, Emmanuel de.

1483. Une mission d'enseignement géologique aux États-Unis: *Soc. Géol. Belgique, Livre Jubilaire*, pp. 215-226, 1924.

Martens, James H. C.

1484. Study of the igneous rocks of Ithaca, New York, and vicinity (abstract): *Geol. Soc. America, Bull.*, vol. 34, no. 1, p. 99, March 30, 1923.
1485. Scordite from Putnam County, New York: *Am. Mineralogist*, vol. 9, no. 2, pp. 27-28 February, 1924.
1486. Igneous rocks of Ithaca, New York, and vicinity: *Geol. Soc. America, Bull.*, vol. 35, no. 2, pp. 305-320, 1 fig., June 30, 1924.

Martin, G. C. See Hobbs, no. 953.**Martin, Helen M.**

- (with Allen, R. C.). A brief history of the Geological and Biological Survey of Michigan; 1837 to 1872, by R. C. Allen; 1872 to 1920, by Helen M. Martin: *Michigan History Mag.*, vol. 6, no. 4, pp. 675-750, 3 pls. (portraits), 1922.
- (with Allen, R. C.). An abstract of "A history of the Michigan Geological and Biological Survey": *Michigan Acad. Sci., Papers*, vol. 1, pp. 224-247, 2 pls., 1923.
- (with Smith, R. A.). Mineral resources of Michigan . . . : *Michigan Dept. Conservation, Geol. Survey Div.*, 138 pp. [1923?].

Martin, Lawrence.

1487. A Pennsylvanian's discovery of the Driftless Area: *Geog. Soc. Philadelphia, Bull.*, vol. 31, no. 4, pp. 32-39 (140-147), 1 fig., October, 1923.
1488. (and Williams, Frank E.). An ice-eroded fiord; the mode of origin of Lynn Canal, Alaska: *Geog. Rev.*, vol. 14, no. 4, pp. 576-596, 22 figs., October, 1924.

Mather, Kirtley F.

1489. The underground migration of oil and gas: *Denison Univ., Sci. Lab., Jour.*, vol. 20, pp. 155-185, 1 fig., June, 1923.

Mather, Kirtley F.—Continued.

1490. Geologic factors in organic evolution: *Ohio Jour. Sci.*, vol. 24, no. 3, pp. 117-145, May, 1924.

(with Atwood, Wallace W.). Physiographic history of the San Luis Valley of Colorado and New Mexico (abstract): *Geol. Soc. America, Bull.*, vol. 35, no. 1, pp. 121-123, March 30, 1924; *Pan-Am. Geologist*, vol. 41, no. 2, pp. 157-158, March, 1924.

Mathews, Edward Bennett.

1491. Origin, distribution, and uses of clay with special reference to the fire clays of western Maryland: *Maryland Geol. Survey*, vol. 11, pp. 291-336, 1922.

1492. Catalogue of published bibliographies in geology, 1896-1920: *Nat. Research Council, Bull.*, vol. 6, pt. 5, no. 36, October, 1923.

1493. Maryland [mineral resources]: *The South's Development, Manufacturers Record*, vol. 86, no. 24, pt. 2, pp. 384-386, December 11, 1924.

See also Swartz, no. 2175.

Matley, C. A.

1494. Report on the work of the Government geologist and on the progress of the geological surveys in Jamaica for economic purposes: Supplement to the *Jamaica Gazette*, vol. 46, no. 9, pp. 225-231, July 4, 1923; *Jamaica, Ann. Gen. Rept. for 1922*, pp. 77-83, 1924.

1495. Report on the hydrology of the Liguanea plain and on the possibilities of irrigating it. 5 pp. [issued with (?) *The Jamaica Gazette, Extraordinary*, no. 45, August 10, 1923].

1496. Some recent contributions to the geology of Jamaica, with a bibliography. In Cundall, Frank, *The Handbook of Jamaica for 1923*, pp. 676-688, Kingston, Government Printing Office, 1923. Excerpt 16 pp., 1923.

1497. Report by the Government geologist on the progress of the geological surveys in Jamaica in connection with its water resources for the period June, 1923, to April, 1924: Supplement to the *Jamaica Gazette*, vol. 47, no. 7, pp. 45-48, May 23, 1924; *Jamaica, Ann. Gen. Rept. for 1923*, pp. 18-21, 1925.

1498. Report by the government geologist on the progress of the geological surveys in Jamaica for economic purposes (except as regards water resources) for the period June, 1923, to April, 1924: *Jamaica Gazette, Supplement*, vol. 47, no. 12, pp. 128-130, July, 1924.

1499. Recent geological work in Jamaica (abstract): *Pan-Am. Geologist*, vol. 42, no. 4, pp. 311-313, November, 1924.

1500. Reconnaissance geological survey of Cayman Islands, British West Indies (abstract): *Pan-Am. Geologist*, vol. 42, no. 4, pp. 313-315, November, 1924.

Matthes, F. E.

1501. Evidences of two glacial stages in the Sierra Nevada (abstract): *Geol. Soc. America, Bull.*, vol. 35, no. 1, pp. 69-70, March 30, 1924; *Pan-Am. Geologist*, vol. 41, no. 2, pp. 138-139, March, 1924.

1502. Hanging side valleys of the Yosemite and the San Joaquin Canyon (abstract): *Washington Acad. Sci., Jour.*, vol. 14, no. 15, pp. 379-380, September 19, 1924.

Matthew, W. D.

1503. (and Brown, Barnum). The family Deinodontidae with notice of a new genus from the Cretaceous of Alberta: Am. Mus. Nat. Hist., Bull., vol. 46, pp. 367-385, 1 fig., 1922.
1504. Stratigraphy of the Snake Creek fossil quarries and the correlation of the faunas (abstract): Geol. Soc. America, Bull., vol. 34, no. 1, p. 131, March 30, 1923.
1505. Fossil bones in the rock; the fossil quarry near Agate, Sioux County, Nebraska: Natural History, vol. 23, no. 4, pp. 359-369, 11 figs., July-August, 1923.
1506. Recent progress and trends in vertebrate paleontology (presidential address): Geol. Soc. America, Bull., vol. 34, no. 3, pp. 401-418, September 30, 1923; Smithsonian Inst., Ann. Rept., 1923, pp. 273-289, 1925.
1507. (and Brown, Barnum). Preliminary notices of skeletons and skulls of Deinodontidae from the Cretaceous of Alberta: Am. Mus. Novitates, no. 89, 10 pp., 5 figs., October 11, 1923.
1508. Memorial of George F. Matthew: Geol. Soc. America, Bull., vol. 35, no. 1, pp. 181-182, March 30, 1924.
1509. A new link in the ancestry of the horse [*Plesippus*]: Am Mus. Novitates, no. 131, 2 pp., September 23, 1924.

Maynard, J. E.

- (with Wallace, R. C.). The clays of the Lake Agassiz basin: Roy. Soc. Canada, Trans., 3d ser., vol. 18, sec. 4, pp. 9-30, 7 figs., 1 pl., May, 1924.

Maynard, T. Poole.

1510. (and others). Directory of commercial minerals in Georgia and Alabama along the Central of Georgia Railway. 154 pp., illus., issued by Industrial Department, Central of Georgia Railway, Savannah, Georgia, n. d. [1923?].

Mayor, Alfred Goldsborough.

1511. Biographical memoir Samuel Hubbard Scudder, 1837-1911: Nat. Acad. Sci., Mem., vol. 17, pp. 79-104, portr., 1924.

Mead, W. J.

1512. (and Swanson, C. O.). X-ray determination of minerals: Econ. Geology, vol. 19, no. 5, pp. 486-489, August, 1924.

Meek, Charles E.

1513. Notes on the stratigraphy and Pleistocene fauna from Peard Bay, Arctic Alaska: California, Univ., Dept. Geol. Sci., Bull., vol. 14, no. 13, pp. 409-422, 1 fig., 5 pls., November 23, 1923.

Meigs, C. C.

1514. (and others). Report on Texas alkali lakes: Texas, Univ., Bull., no. 2234, 60 pp., 9 figs., 9 pls., September 8, 1922 [1923].

Meinzer, Oscar Edward.

1515. The occurrence of ground water in the United States, with a discussion of principles: U. S. Geol. Survey, Water-Supply Paper 489, 321 pp., 110 figs., 31 pls. (incl. maps), 1923.
1516. Outline of ground-water hydrology, with definitions: U. S. Geol. Survey, Water-Supply Paper 494, 71 pp., 35 figs., 1923.
1517. Ground water in Pahsimeroi Valley, Idaho: Idaho, Bur. Mines and Geology, Pamphlet no. 9, 35 pp., 5 figs., 3 pls., February, 1924 [mimeographed].

Meinzer, Oscar Edward—Continued.

1518. (and Dowell, Norah E.). New hydrologic laboratory in the United States Geological Survey (abstract): *Geol. Soc. America, Bull.*, vol. 35, no. 1, pp. 106-107, March 30, 1924; *Pan-Am. Geologist*, vol. 41, no. 2, p. 152, March, 1924.
1519. Origin of the thermal springs of Nevada, Utah, and southern Idaho: *Jour. Geology*, vol. 32, no. 4, pp. 295-303, 4 figs., May-June, 1924.
1520. Structure of the rocks and its meaning to drillers: *Howell Drillers News*, vol. 3, no. 6, pp. 1-2, 6, 3 figs., June, no. 7, pp. 1, 3, 9, July, 1924. (with Ellis, A. J.). Ground water in Musselshell and Golden Valley counties, Montana: U. S. Geol. Survey, Water-Supply Paper 518, 92 pp., 11 figs., 5 pls. (incl. map), 1924.
See also Bretz, no. 206.

Meland, Norman.

- (with Reed, R. D.). The Verden sandstone [Oklahoma]: *Jour. Geology*, vol. 32, no. 2, pp. 150-167, 4 figs., February-March, 1924.

Melcher, A. F.

1521. Texture of oil sands with relation to the production of oil: *Am. Assoc. Petroleum Geologists, Bull.*, vol. 8, no. 6, pp. 716-774, 13 figs., November-December, 1924.

Merriam, John C.

1522. (and others). [Report on] continuation of paleontological researches: *Carnegie Inst. Washington, Year Book no. 21*, pp. 398-400, January, 1923.
1523. The cats of Rancho La Brea [California] (abstract): *Washington Acad. Sci., Jour.*, vol. 13, no. 11, p. 238, June 4, 1923.
1524. (and others). [Studies of the John Day region]: *Carnegie Inst. Washington, Year Book no. 22*, pp. 351-353, 1924.
1525. Present status of investigations concerning antiquity of man in California: *Science, new ser.*, vol. 60, pp. 1-2, July 4, 1924.
1526. (and others). [Paleontological researches in the Pacific region]: *Carnegie Inst. Washington, Year Book no. 23*, pp. 293-296, December, 1924.

Merrill, George P.

1527. Report on the department of geology: U. S. Nat. Mus., Report on the Progress and Condition of the United States National Museum for the year ending June 30, 1922, pp. 75-90, 1922.
1528. The department of geology of the U. S. National Museum: *Smithsonian Inst., Ann. Rept.*, 1921, pp. 261-302, 1 fig., 20 pls., 1922.
1529. Report on the department of geology: U. S. Nat. Mus., Report on the Progress and Condition of the United States National Museum for the year ending June 30, 1923, pp. 81-96, 1923.
1530. A meteoric metabolite from Dungannon, Virginia: U. S. Nat. Mus., *Proc.*, vol. 62, art. 18, 2 pp., 2 pls., 1923.
1531. Recently found meteoric irons from Mesa Verde Park, Colorado, and Savannah, Tennessee: U. S. Nat. Mus., *Proc.*, vol. 63, art. 18, 4 pp., 3 pls., 1923.
1532. On a recently found meteoric iron from Glasgow, Barren County, Kentucky: *Am. Jour. Sci.*, 5th ser., vol. 5, pp. 63-64, January, 1923.
1533. New meteoric irons: *Am. Jour. Sci.*, 5th ser., vol. 5, p. 92, January, 1923.
1534. A newly found iron meteorite from Somerset County, Pennsylvania: *Am. Jour. Sci.*, 5th ser., vol. 5, pp. 175-176, February, 1923.

Merrill, George P.—Continued.

1535. The St. John paleontological collection: *Am. Jour. Sci.*, 5th ser., vol. 5, pp. 438–439, May, 1923.
1536. A new meteoric iron [McDowell County, North Carolina]: *Am. Jour. Sci.*, 5th ser., vol. 5, p. 519, June, 1923.
1537. Report of the department of geology: U. S. Nat. Mus., Report on the Progress and Condition of the United States National Museum for the year ended June 30, 1924, pp. 73–88, 1924.
1538. The first one hundred years of American geology. 773 pp., 130 figs., 36 pls., New Haven, Yale University Press, 1924.
1539. Quartz in meteoric stones: *Am. Mineralogist*, vol. 9, no. 5, pp. 112–113, 1 fig., 1924.
1540. On a stony meteorite from Anthony, Harper County, Kansas, and a recently found meteoric iron from Mejillones, Chile: *Nat. Acad. Sci., Proc.*, vol. 10, no. 7, pp. 306–312, 5 figs., July, 1924.
1541. On a meteoric iron from Four Corners, San Juan County, New Mexico: *Nat. Acad. Sci., Proc.*, vol. 10, no. 7, pp. 312–318, 5 figs., July, 1924.

Merritt, C. A.

1542. The function of colloids in pegmatitic growths: *Roy. Soc. Canada, Proc. and Trans.*, 3d ser., vol. 17, sec. 4, pp. 61–68, May, 1923.
1543. The function of gels in the formation of quartz and carbonate veins: *Roy. Soc. Canada, Proc. and Trans.*, 3d ser., vol. 18, sec. 4, pp. 85–90, 2 figs., 1924.

Mertie, J. B., jr.

1544. (and Harrington, G. L.). The Ruby-Kuskokwim region, Alaska: U. S. Geol. Survey, Bull. 754, 129 pp., 2 figs., 5 pls. (incl. maps), 1924.
(with Moffit, Fred H.). The Kotsina-Kuskulana district, Alaska: U. S. Geol. Survey, Bull. 745, 149 pp., 8 figs., 19 pls. (incl. maps), 1923.

Merwin, H. E.

1545. (and Lombard, R. H., and Allen, E. T.). Cubanite, identity with chalmersite; magnetic properties: *Am. Mineralogist*, vol. 8, no. 8, pp. 135–138, August, 1923.
1546. (and Locke, Augustus, and Posnjak, E.). Sulphate minerals formed by oxidation of pyritic ore at Bisbee, Arizona (abstract, with discussion by R. C. Wells, Samuel G. Gordon, and R. J. Holden): *Geol. Soc. America, Bull.*, vol. 35, no. 1, pp. 125–126, March 30, 1924; abstract, *Pan-Am. Geologist*, vol. 41, no. 2, p. 159, March, 1924.
1547. Note on the hydrated sulphates of magnesia in hot springs (abstract): *Washington Acad. Sci., Jour.*, vol. 14, no. 15, p. 382, September 19, 1924.
(with Washington, H. S.). Note on enstatite, hypersthene, and actinolite: *Am. Mineralogist*, vol. 8, no. 4, pp. 63–67, April, 1923.
(with Washington, H. S.). On babingtonite: *Am. Mineralogist*, vol. 8, no. 12, pp. 215–223, 1 fig., December, 1923.
(with Washington, H. S.). Acmite and aegirite (abstract): *Geol. Soc. America, Bull.*, vol. 35, no. 1, pp. 109–110, March 30, 1924; *Pan-Am. Geologist*, vol. 41, no. 2, p. 154, March, 1924.

Merwin, H. E.—Continued.

(with Wyckoff, Ralph W. G.). The crystal structure of dolomite: *Am. Jour. Sci.*, 5th ser., vol. 8, pp. 447-461, 8 figs., December, 1924; abstract, *Geol. Soc. America, Bull.*, vol. 35, no. 1, p. 111, March 30, 1924; *Pan-Am. Geologist*, vol. 41, no. 2, p. 155, March, 1924.

(with Wyckoff, Ralph W. G., and Washington, H. S.). X-ray diffraction patterns of the pyroxenes (abstract): *Geol. Soc. America, Bull.*, vol. 35, no. 1, pp. 110-111, March 30, 1924; *Pan-Am. Geologist*, vol. 41, no. 2, pp. 154-155, March, 1924.

Metcalf, Woodbridge.

1548. An ancient pine cone [Oakland, California]: *Am. Forestry*, vol. 29, p. 172, 1 fig., March, 1923.

Meunier, Stanislas.

1549. Observations sur deux météorites tombées aux États-Unis: *Soc. géol. France, Compte rendu Séances*, ann. 1921, pp. 145-146, 1921.

Mexico, Instituto Geológico.

1550. Catálogo sistemático de especies minerales de México y sus aplicaciones industriales: Mexico, *Inst. Geol., Bol.* 40, 290 pp., 1923.

1551. Catálogo geográfico de las especies minerales de México: Mexico, *Inst. Geol., Bol.* no. 41, 152 pp., 1923.

Mexico. Secretaría de Agricultura y Fomento.

1552. Atlas geográfico de la República Mexicana construido y editado en la Dirección de Estudios geográficos y climatológicos con la cooperación del Instituto Geológico de México, 1919-1921. Atlas geográfico y geológico. 32 sheets and additional unnumbered sheets including geologic maps of the Republic on the scale 1:6,500,000 and of the individual States on various scales. Other editions omit geologic maps of the individual States.

Meyer, Helena M.

1553. Sulphur and pyrites in 1923: U. S. Geol. Survey, Mineral Resources, 1923, pt. 2, pp. 1-6, April 21, 1924.

1554. Manganese and manganiferous ores in 1923: U. S. Geol. Survey, Mineral Resources, 1923, pt. 1, pp. 145-158, 1 fig., November 5, 1924.

1555. Copper in 1923 (general report): U. S. Geol. Survey, Mineral Resources, 1923, pt. 1, pp. 183-234, 3 figs., December 13, 1924.

Michigan Geological and Biological Survey.

1556. Catalog and table of contents of the publications of the Geological and Biological Survey division of the Michigan Department of Conservation, with a list of publications of the United States Geological Survey relating to Michigan; 1838-1922. 36 pp., 1 p.l [1923].

Middleton, Jefferson.

1557. Fuller's earth in 1922: U. S. Geol. Survey, Mineral Resources, 1922, pt. 2, pp. 69-71, September 15, 1923.

1558. Clay in 1922: U. S. Geol. Survey, Mineral Resources, 1922, pt. 2, pp. 73-80, October 10, 1923.

1559. Clay in 1923: U. S. Geol. Survey, Mineral Resources, 1923, pt. 2, pp. 71-78, October 13, 1924.

Middleton, Jefferson—Continued.

- 1560 Graphite in 1923: U. S. Geol. Survey, Mineral Resources, 1923, pt. 2, pp. 91-97, October 17, 1924.
1561. Fuller's earth in 1923: U. S. Geol. Survey, Mineral Resources, 1923, pt. 2, pp. 99-107, 1 fig., October 17, 1924.
1562. Feldspar in 1923: U. S. Geol. Survey, Mineral Resources, 1923, pt. 2, pp. 285-291, 1 fig., December 22, 1924.

Mijares, Carlos G.

1563. Las publicaciones del Instituto geológico de México: Mexico, Inst. Geol., Anales, no. 10, 19 pp., 1923.

Miller, A. H.

1564. Gravity results in the Mackenzie Basin: Am. Jour. Sci., 5th ser., vol. 7, pp. 411-412, May, 1924.

Miller, Arthur McQuiston.

1565. Recent cave explorations in Kentucky for animal and human remains: Kentucky Geol. Survey, ser. 6, vol. 10, pp. 107-113, 2 figs., 1923.
1566. Meteorites: Sci. Monthly, vol. 17, no. 5, pp. 435-448, 7 figs., November, 1923.
1567. Faulting in north-central Kentucky (abstract): Kentucky Acad. Sci., Trans., vol. 1, pp. 29-30, 1924.
1568. Some historic fish remains (abstract): Kentucky Acad. Sci., Trans., vol. 1, pp. 37-38, 1924.
1569. History and present status of opinions in regard to the origin and antiquity of man (abstract): Kentucky Acad. Sci., Trans., vol. 1, pp. 44-46, 1924.
1570. The geologic structure which explains the accumulation of oil in the Irvine field (abstract): Kentucky Acad. Sci., Trans., vol. 1, p. 47, 1924.
1571. The McCreary County aerolite (abstract): Kentucky Acad. Sci., Trans., vol. 1, p. 71, 1924.

Miller, Benjamin LeRoy.

1572. Coal resources of the Americas. 24 pp., 14 pls. (incl. map), The Pan American Union, Washington, Government Printing Office, 1923.
1573. Lead and zinc ores of Pennsylvania: Pennsylvania Geol. Survey, 4th ser., Bull. M5, 91 pp., 7 figs. (maps), 5 pls., 1924.
See also Pennsylvania G. S., no. 1734.

Miller, Gerrit S., jr.

1574. Notes on the casts of the *Pithecanthropus* molars: Am. Mus. Nat. Hist., Bull., vol. 48, pp. 527-530, 2 figs., 1923.

Miller, Willet G.

1575. Geology's debt to the mineral industry: Science, new ser., vol. 57, pp. 247-252, March 2, 1923; Min. Mag., vol. 28, no. 5, pp. 311-314, May, 1923.
1576. The Matachewan series and its pre-Cambrian relations [northeastern Ontario]: Canadian Min. Jour., vol. 44, no. 16, pp. 298-299, April 20, 1923.
1577. Ontario's triumvirate of great mining areas; a remarkable triangle: Canadian Min. Jour., vol. 44, no. 25, pp. 470-471, 1 fig., June 22, 1923.
1578. Geology of northeastern Ontario: Canadian Min. Jour., vol. 44, no. 33, pp. 622-625, 4 figs., August 17, 1923.

Miller, Willet G.—Continued.

- 1579. Discovery and development of Cobalt [Ontario]: Mining and Metallurgy, vol. 4, no. 201, pp. 475-477, September, 1923.
- 1580. The Sudbury-Cobalt-Porcupine area [Ontario]: Mining and Metallurgy, vol. 4, no. 202, pp. 523-525, October, 1923.
- 1581. Uranium minerals in Haliburton district, Ontario: Canadian Min. Jour., vol. 45, no. 2, p. 44, January 11, 1924.
- 1582. Pre-Cambrian rocks of Canada (abstract): Pan-Am. Geologist, vol. 42, no. 1, pp. 76-78, August, 1924.

Miller, William John.

- 1583. Geology of the Luzerne quadrangle: New York State Mus. Bull., nos. 245, 246, 66 pp., 14 figs., 11 pls., 1923.
- 1584. Zion Canyon National Park, Utah: Jour. Geography, vol. 22, no. 5, pp. 161-171, 7 figs., May, 1923.
- 1585. Pre-Cambrian folding in North America: Geol. Soc. America, Bull., vol. 34, no. 4, pp. 679-702, December 30, 1923.
- 1586. An introduction to physical geology with special reference to North America. 435 pp., 351 figs., 1924.
- 1587. The geological history of New York State [second edition]: New York State Mus. Bull., no. 255, 148 pp., 39 figs. (incl. map), 52 pls., 1924.

See also Grout, no. 816.

Mills, R. Van A.

- 1588. Natural gas as a factor in oil migration and accumulation in the vicinity of faults (with discussion by Leon J. Pepperberg, F. H. Lahee, and K. C. Heald): Am. Assoc. Petroleum Geologists, Bull., vol. 7, no. 1, pp. 14-24, January-February, 1923.

Milner, Henry B.

- 1589. The study and correlation of sediments by petrographic methods: Min. Mag., vol. 28, no. 2, pp. 80-92, 2 figs., 2 pls., February, 1923.
- 1590. The oil fields of the Los Angeles Basin, southern California: Min. Mag., vol. 29, no. 6, pp. 329-336, 5 figs., December, 1923, vol. 30, no. 1, pp. 9-16, 5 figs., January, 1924.

Miner, R. W.

- (with Gregory, W. K., and Noble, G. K.). The carpus of *Eryops* and the structure of the primitive chiropterygium: Am. Mus. Nat. Hist., Bull., vol. 48, pp. 279-288, 4 figs., 1923.

Miser, Hugh D.

- 1591. Geology and general topographic features of Arkansas. In Ferguson, Jim G., Minerals in Arkansas, pp. 11-34, Little Rock, Ark., 1922.
- 1592. (and Ross, Clarence S.). Diamond-bearing peridotite in Pike County, Arkansas: U. S. Geol. Survey, Bull. 735, pp. 279-322, 3 figs., 8 pls. (incl. maps), 1923.
- 1593. (and Trimble, K. W., and Paige, Sidney). The Rainbow Bridge, Utah: Geog. Rev., vol. 13, no. 4, pp. 518-531, 12 figs., October, 1923.
- 1594. The San Juan Canyon, southeastern Utah: a geographic and hydrographic reconnaissance: U. S. Geol. Survey, Water-Supply Paper 538, 80 pp., 3 figs., 22 pls. (incl. map), 1924.
- 1595. Temperature of Oklahoma's deepest well: Am. Assoc. Petroleum Geologists, Bull., vol. 8, no. 4, pp. 525-526, July-August, 1924.

Miser, Hugh D.—Continued.

1596. A new areal geologic map of Oklahoma (abstract): *Washington Acad. Sci., Jour.*, vol. 14, no. 15, p. 382, September 19, 1924.
1597. Geologic structure of San Juan Canyon and adjacent country, Utah: *U. S. Geol. Survey, Bull.* 751, pp. 115-155, 1 fig., 6 pls. (incl. map), December 10, 1924.
(with Longwell, C. R., and others). Rock formations in the Colorado Plateau of southeastern Utah and northern Arizona: *U. S. Geol. Survey, Prof. Paper* 132, pp. 1-23, 1 fig., 10 pls., July 27, 1923.
(with Purdue, A. H.). Description of the Hot Springs district: *U. S. Geol. Survey, Geol. Atlas U. S., Hot Springs folio*, Arkansas (no. 215), 12 pp., 8 figs., 3 maps, section and illustrations sheets, 1923.

Mitchell, Graham John.

1598. Geology of the Ponce district, Porto Rico: *New York Acad. Sci., Scientific Survey of Porto Rico and the Virgin Islands*, vol. 1, pt. 3, pp. 229-300, 9 figs., 4 pls. (incl. map), 1922.
1599. Diamond deposits in Arkansas: *Eng. and Min. Jour.-Press*, vol. 116, no. 7, pp. 285-287, 5 figs., August 18, 1923.
1600. Capping as a guide to copper deposits: *Eng. and Min. Jour.-Press*, vol. 116, no. 21, pp. 891-893, 5 figs., November 24, 1923.
1601. Primary chalcocite at Cananea, Mexico: *Eng. and Min. Jour.-Press*, vol. 117, no. 22, pp. 880-882, 10 figs., May 31, 1924.

Moffit, Fred H.

1602. (and Mertie, J. B., jr.). The Kotšina-Kuskulana district, Alaska: *U. S. Geol. Survey, Bull.* 745, 149 pp., 8 figs., 19 pls. (incl. maps), 1923.
1603. The metalliferous deposits of Chitina Valley, Alaska: *U. S. Geol. Survey, Bull.* 755, pp. 57-72, 1923.

Mohorovičić, A.

1604. A critical review of the seismic instruments used to-day and of the organizations of seismic service: *Seismol. Soc. America, Bull.*, vol. 14, no. 1, pp. 38-59, 1 fig., March, 1924.

Monnett, V. E.

1605. The Finger Lakes of central New York: *Am. Jour. Sci.*, 5th ser., vol. 8, pp. 33-53, 6 figs. (incl. maps), July, 1924.

Moodie, Roy L.

1606. The antiquity of disease. 148 pp., 36 figs., Chicago, Illinois, University of Chicago Press, 1923.
1607. Paleopathology; an introduction to the study of ancient evidences of disease. 567 pp., 117 figs., and pls., University of Illinois Press, Urbana, Illinois, 1923.
1608. The paleopathology of the fossil invertebrates: *Science*, new ser., vol. 57, p. 85, January 19, 1923.
1609. An unusual form of Pliocene pathology: *Am. Jour. Sci.*, 5th ser., vol. 5, pp. 334-336, 1 fig., April, 1923.
1610. Pachyostosis: *Science*, new ser., vol. 58, p. 351, November 2, 1923.

Mook, Charles C.

1611. A new species of alligator from the Snake Creek beds [Agate, Nebraska]: *Am. Mus. Novitates*, no. 73, 13 pp., 5 figs., May 8, 1923.
1612. A new crocodilian from the Wasatch beds [of Wyoming]: *Am. Mus. Novitates*, no. 137, 4 pp., 2 figs., October 16, 1924.

Mook, Charles C.—Continued.

1613. Further notes on the skull characters of *Gavialosuchus americana* (Sellards): Am. Mus. Novitates, no. 155, 2 pp., 1 fig., December 30, 1924.

Moore, E. S.

1614. [American Association for the Advancement of Science; proceedings of] Section E—Geology and geography: Science, new ser., vol. 57, pp. 112-113, January 26, 1923.
1615. (and Taylor, T. G.). The silica refractories of Pennsylvania: Pennsylvania Geol. Survey, 4th ser., Bull. M3, 100 pp., 10 figs. (incl. maps), 16 pls., 1924.
1616. American Association for the Advancement of Science [Report of meeting of] Section E (Geology and geography): Science, new ser., vol. 59, pp. 89-90, January 25, 1924.
1617. The American Association for the Advancement of Science; the section of geology: Science, new ser., vol. 60, p. 250, September 12, 1924.

Moore, John Irwin.

1618. A review of the present knowledge of fossil scorpions with the description of a new species from the Pottsville formation of Clay County, Indiana: Indiana Acad. Sci., Proc. 38th Ann. Meeting, 1922, pp. 125-134, 2 pls., 1923.

Moore, Raymond C.

1619. Stratigraphy of northeastern Arizona: Min. and Oil Bull., vol. 8, no. 6, pp. 322-323, 1 fig., June, 1922.
1620. Quantitative criteria in paleogeography (abstract with discussion by C. Schuchert): Geol. Soc. America, Bull., vol. 34, no. 1, pp. 85-86, March 30, 1923.
1621. Structural features of the Colorado Plateau and their origin (abstract): Geol. Soc. America, Bull., vol. 34, no. 1, pp. 88-89, March 30, 1923.
1622. Physiography of the Paria River valley, southern Utah (abstract): Geol. Soc. America, Bull., vol. 34, no. 1, p. 94, March 30, 1923.
1623. Early Mississippian formations of the type region along Mississippi River, in Iowa, Illinois, and Missouri (abstract): Geol. Soc. America, Bull., vol. 34, no. 1, pp. 128-129, March 30, 1923.
1624. The Shreveport meeting [of the American Association of Petroleum Geologists, March, 1923]: Am. Assoc. Petroleum Geologists, Bull., vol. 7, no. 2, pp. 202-209, March-April, 1923.
1625. Geological observations on a traverse through the Grand Canyon of the Colorado (abstract): Geol. Soc. America, Bull., vol. 35, no. 1, pp. 85-87, March 30, 1924; Pan-Am. Geologist, vol. 41, no. 2, p. 143, March, 1924.
- (with Birdseye, Claude H.). A boat voyage through the Grand Canyon of the Colorado: Geog. Rev., vol. 14, no. 2, pp. 177-196, 18 figs., April, 1924.
- (with Longwell, C. R., and others). Rock formations in the Colorado Plateau of southeastern Utah and northern Arizona: U. S. Geol. Survey, Prof. Paper 132, pp. 1-23, 1 fig., 10 pls., July 27, 1923.

Moore, Richard B.

1626. Helium, a natural asset: Am. Inst. Min. and Met. Eng., Trans., vol. 69, pp. 110-122, 1923.
1627. Measurement of geologic time by atomic disintegration: Mining and Metallurgy, vol. 5, no. 210, p. 263, June, 1924.

Moran, Robert B.

1628. The rôle of the geologist in the development of the California oil fields: *Am. Assoc. Petroleum Geologists, Bull.*, vol. 8, no. 1, pp. 73-78, January-February, 1924.

Morey, George W.

1629. Relation of crystallization to the water content and vapor pressure of water in a cooling magma: *Jour. Geology*, vol. 32, no. 4, pp. 291-295, May-June, 1924.

Morgan, George D.

1630. Arkose of the northern Arbuckle area: *Oklahoma Acad. Sci., Proc.*, vol. 2, pp. 87-88 (*Oklahoma, Univ., Bull.*, new ser. no. 247), pp. 87-88, October 1, 1922.
1631. A Siluro-Devonian oil horizon in southern Oklahoma (abstract): *Oklahoma Acad. Sci., Proc.*, vol. 2 (*Oklahoma, Univ., Bull.*, new ser. no. 247), pp. 88-89, October 1, 1922.
1632. Geology of the Stonewall quadrangle, Oklahoma: Bureau of Geology, *Bull. no. 2*, 248 pp., 1 fig., 53 pls. (incl. map), January, 1924.
1633. Boggy unconformity and overlap in southern Oklahoma: Bureau of Geology, Norman, Oklahoma, Circular no. 2, 8 pp., 2 pls. (maps), Norman, January, 1924.
1634. Stratigraphic position of the Franks and Seminole formations of Oklahoma: *Oklahoma Geol. Survey, Circular no. 12*, 17 pp. 1 pl., March, 1923.

Morningstar, Helen.

1635. Catalogue of type fossils in the geological museum at the Ohio State University: *Ohio Jour. Sci.*, vol. 24, no. 1, pp. 31-64, January, 1924.

Morse, H. W.

1636. (and Locke, Augustus). Recent progress with leached ore capping (with discussion by G. F. Loughlin and H. W. Morse): *Econ. Geology*, vol. 19, no. 3, pp. 249-258, April-May, 1924.

Morse, Paul Franklin.

1637. The bauxite deposits of Mississippi: *Mississippi State Geol. Survey, Bull. no. 19*, 208 pp., 14 maps, December, 1923.
1638. Petroleum prospecting in Mississippi: *Am. Assoc. Petroleum Geologists, Bull.*, vol. 7, no. 6, pp. 684-695, November-December, 1923.

Morse, Roy R.

1639. A note on jointage and the application of the strain ellipsoid: *Jour. Geology*, vol. 31, no. 8, pp. 669-675, 4 figs., November-December, 1923.

Morse, W. C.

1640. Appalachian field trip: *Science*, new ser., vol. 57, pp. 142-143, February 2, 1923.
1641. A geological field trip: *Science*, new ser., vol. 59, pp. 523-524, June 13, 1924.

Moulton, Gail F.

1642. Oil and gas prospects in southern Perkins County: *South Dakota Geol. and Nat. Hist. Survey, Circular 14*, 12 pp., 2 figs., December, 1923.

Moulton, Gail F.—Continued.

1643. Faulting south of Billings, Montana: Jour. Geology, vol. 32, no. 6, pp. 511-523, 7 figs., August-September, 1924.
 (with Fath, A. E.). Oil and gas fields of the Lost Soldier-Ferris district, Wyoming: U. S. Geol. Survey, Bull. 756, 57 pp., 2 figs., 8 pls. (incl. map) 1924.
 (with Ward, Freeman). Field conditions in southern Haakon County: South Dakota Geol. and Nat. Hist. Survey, Circular 17, 4 pp., May, 1924.
 See also Ward, no. 2391.

Murray, J. C.

1644. Joseph Burr Tyrrell: Eng. and Min. Jour.-Press, vol. 115, no. 6, p. 277, portr., February 10, 1923.
 1645. Charles Camsell: Eng. and Min. Jour.-Press, vol. 115, no. 10, p. 455, portr., March 10, 1923.

Musset, R.

1646. La production de la bauxite aux États-Unis: Soc. géol. minér. Bretagne, Bull., t. 2, fasc. 2, pp. 264-273, January, 1922.

Myers, W. M.

1647. Advantages of oblique illumination in mineragraphy: Am. Mineralogist, vol. 9, no. 9, pp. 177-188, 10 figs., September, 1924.

Mylius, L. A.

1648. Stratigraphy of the southern half of the La Salle anticline: Illinois State Acad. Sci., Trans., vol. 14, pp. 221-228 [1922].
 1649. Oil and gas development and possibilities in parts of eastern Illinois: Illinois State Geol. Survey, Extract from Bull. 44, 64 pp., 3 figs., 7 pls. (incl. map), 1923.

Nason, Frank L.

1650. Sedimentary phases of Adirondack magnetites: Econ. Geology, vol. 19, no. 3, pp. 288-295, April-May, 1924.
 See also Anderson, no. 35.

National Academy of Sciences.

1651. Report of the committee of the National Academy of Sciences on Panama Canal slides: Nat. Acad. Sci., Mem., vol. 18, 84 pp., 51 pls., 19 figs., 1924.

National Research Council.

1652. Transactions of the American Geophysical Union, fourth annual meeting, April, 1923, Washington, D. C.: Nat. Research Council, Bull., vol. 7, pt. 5, no. 41, 150 pp., January, 1924.

Nebel, M. L.

- (with Savage, T. E.). Geology and mineral resources of the La Harpe and Good Hope quadrangles: Illinois State Geol. Survey, Bull, no. 43, pp. 9-93, 11 figs., map, 1923.

Nelson, Richard N.

1653. Geology of the hydrographic basin of the upper Santa Ynez River, California (abstract): Geol. Soc. America, Bull., vol. 35, no. 1, pp. 166-167, March 30, 1924.

Nelson, Wilbur A.

1654. Administrative report of the State geologist, 1921-1922, 45 pp., Nashville, Tennessee, 1923.

Nelson, Wilbur A.—Continued.

1655. Geologic map of Tennessee. Third edition. Tennessee State Geol. Survey, 1923. Scale 1:500,000.
1656. Appalachian bauxite deposits: Geol. Soc. America, Bull., vol. 34, no. 3, pp. 525-539, 4 figs., September 30, 1923.
1657. Reelfoot—an earthquake lake [western Tennessee]: Nat. Geog. Mag., vol. 45, no. 1, pp. 95-114, 20 figs., January, 1924.
1658. Oil developments along the Kentucky-Tennessee line during 1923: Am. Assoc. Petroleum Geologists, Bull., vol. 8, no. 4, pp. 454-458, July-August, 1924.
1659. The oil horizons of Kentucky, northeastern Mississippi, and Tennessee: Am. Assoc. Petroleum Geologists, Bull., vol. 8, no. 5, pp. 621-631, September-October, 1924.
1660. Mascot, Tennessee, zinc area: Mining and Metallurgy, vol. 5, no. 214, pp. 469-471, October, 1924.
1661. Ducktown, Tennessee, copper district: Am. Inst. Min. and Met. Eng., Trans. [preprint] no. 1378, 5 pp., October, 1924.
1662. What are Tennessee's mineral resources: The South's Development, Manufacturers Record, vol. 86, no. 24, pt. 2, pp. 414-418, 5 figs., December 11, 1924.

Neumann, Fred Robert.

1663. The southern Appalachian earthquake of October 20, 1924: Seismol. Soc. America, Bull., vol. 14, no. 4, pp. 223-229, 1 fig., December, 1924.

Newland, D. H.

1664. Sedimentary phases of Adirondack magnetites (discussion): Econ. Geology, vol. 18, no. 3, pp. 291-296, April-May, 1923.

Newman, M. A.

1665. Nonmetallic minerals of southern California; gypsum: California State Min. Bur., Mining in California, vol. 18, no. 5, pp. 230-234, May, 1922.

Nichols, H. G.

1666. (and Uglow, W. L.). British Columbia as a mining province: Min. Mag., vol. 29, no. 2, pp. 73-81, 1 fig., August, 1923.

Nickles, John M.

1667. Geologic literature on North America, 1785-1918; Part I, Bibliography: U. S. Geol. Survey, Bull. 746, 1,167 pp., 1923 [March, 1924]; Part II, Index, Bull. 747, 658 pp., 1924.
1668. Bibliography of North American geology for 1921-1922: U. S. Geol. Survey, Bull. 758, 273 pp., 1924.

Nicolas, Frank J.

1669. Index to separate reports 1906-1910 and summary reports 1905-1916: Canada, Geol. Survey, 305 pp., 5 maps, 1923.

Noble, G. K.

- (with Gregory, W. K., and Miner, R. W.). The carpus of *Eryops* and the structure of the primitive chiropterygium: Am. Mus. Nat. Hist., Bull., vol. 48, pp. 279-288, 4 figs., 1923.

Noble, Levi F.

- (with Gregory, Herbert E.). Notes on a geological traverse from Mohave, California, to the mouth of San Juan River, Utah: Am. Jour. Sci., 5th ser., vol. 5, pp. 229-238, March, 1923.

Noé, Adolph Charles.

- 1670. Fossil flora of Braidwood, Illinois: Illinois State Acad. Sci., Trans., vol. 15, pp. 396-397 [1923].
- 1671. The flora of the western Kentucky coal field: Kentucky Geol. Survey, ser. 6, vol. 10, pp. 127-148, 24 figs., 1923.
- 1672. Coal balls: Science, new ser., vol. 57, p. 385, March 30, 1923.
- 1673. A Paleozoic angiosperm: Jour. Geology, vol. 31, no. 4, pp. 344-347, 2 figs., May-June, 1923.

Nowels, Kenneth B.

- 1674. Preliminary report on water conditions in the First Wall Creek sand, Salt Creek oil field, Wyoming: Am. Assoc. Petroleum Geologists, Bull., vol. 8, no. 4, pp. 492-504, 3 figs., July-August, 1924.

Oakes, M. C.

- 1675. Building materials of Oklahoma: Oklahoma Acad. Sci., Proc. vol. 3 (Oklahoma, Univ., Bull., new ser. no. 271), pp. 113-117, October 1, 1923.

Obregón, Mariano B.

- 1676. Carbón y petróleo en los estados unidos mexicanos; sus yacimientos, origen, distribución y manera de utilizarlos: Soc. cient. "Antonio Alzate," Mem. y Rev., t. 43, pp. 157-299, 1924.

O'Connell, Majorie.

- 1677. Phylogeny of the ammonite genus *Ochetoceras*: Am. Mus. Nat. Hist., Bull., vol. 46, pp. 387-411, 1922.

O'Harra, C. C.

- 1678. Materials used in the making of Portland cement: Black Hills Engineer, vol. 12, no. 2, pp. 59-64, 1 pl., March, 1924.

Oklahoma Geological Survey.

- 1679. Robberson oil and gas field, Garvin County, Oklahoma: Oklahoma Geol. Survey, Press Bulletin no. 10, text and map [1922].

Oldroyd, Ida S.

- 1680. Description of a new fossil species of a clam of the genus *Crassatellites* [Pleistocene, near Lomita, Los Angeles County, California]: Southern California Acad. Sci., Bull., vol. 23, pt. 1, p. 10, 1 fig., January-February, 1924.

Oldroyd, T. S.

- 1681. The fossils of the lower San Pedro fauna of Nob Hill cut, San Pedro, California: U. S. Nat. Mus., Proc., vol. 65, art. 22, 39 pp., 2 pls., 1924.

O'Neill, J. J.

- 1682. The geology of the Arctic coast of Canada west of the Kent Peninsula: Canadian Arctic Expedition 1913-18, Rept., vol. 11, pt. A, 107 pp., 6 figs., 35 pls., 3 maps, July 8, 1924.

Ontario Department of Mines.

- 1683. Ontario's mines and mineral resources. 87 pp., illus., Ontario Department of Mines, Toronto, Canada, 1924.

Ontario Iron Ore Committee.

- 1684. Report of the Ontario iron ore committee, with appendix, 1923: Ontario, Dept. Mines, 306 pp., 52 figs., Toronto, 1924.

Orcutt, W. W.

1685. Early oil development in California: Am. Assoc. Petroleum Geologists, Bull., vol. 8, no. 1, pp. 61-72, January-February, 1924.

Osborn, Henry Fairfield.

1686. Mastodons of the Hudson Highlands: Natural History, vol. 23, no. 1, pp. 3-24, 14 figs., January-February, 1923.
1687. A new genus and species of Ceratopsia from New Mexico, *Pentaceratops sternbergii*: Am. Mus. Novitates, no. 93, 3 pp., 1 fig., October 18, 1923.
1688. New subfamily, generic, and specific stages in the evolution of the Proboscidea: Am. Mus. Novitates, no. 99, 4 pp., December 27, 1923.
1689. Joseph Leidy, founder of vertebrate paleontology in America: Science, new ser., vol. 59, pp. 173-176, February 22, 1924.
1690. Joseph Leidy, founder of vertebrate paleontology in America: Acad. Nat. Sci. Philadelphia, Proc., vol. 75 [Appendix] The Joseph Leidy Commemorative Meeting, pp. 54-61, 1924.
1691. *Parelephas* in relation to phyla and genera of the family Elephantidae: Am. Mus. Novitates, no. 152, 7 pp., 2 figs., December 20, 1924.
1692. Additional generic and specific stages in the evolution of the Proboscidea: Am. Mus. Novitates, no. 154, 5 pp., 2 figs., December 24, 1924.

Osborne, Clarence B.

1693. A theory to account for occurrence of oil in the vesicular cavities of igneous intrusions: Am. Assoc. Petroleum Geologists, Bull., vol. 7, no. 3, pp. 288-290, May-June, 1923.

Overbeck, R. M.

- (with Schwennesen, A. T., and Dubendorf, H. H.). The Long Beach oil field [California] and its problems: Am. Assoc. Petroleum Geologists, Bull., vol. 8, no. 4, pp. 403-423, 6 figs., 1 pl., July-August, 1924.

Owens, H. J.

- (with Brockway, E. R.). Notes on the area lying between the north-western edge of the Arbuckle Mountains and the Wildhorse sandstone: Oklahoma Acad. Sci., Proc., vol. 3 (Oklahoma Univ., Bull., new ser. no. 271), pp. 95-96, October 1, 1923.

Pack, Frederick J.

1694. Torrential potential of desert waters [Utah]: Pan-Am. Geologist, vol. 40, no. 5, pp. 349-356, 5 pls., December, 1923.

Packard, Earl L.

1695. An aberrant oyster from the Oregon Eocene: Oregon, Univ., Pub., vol. 2, no. 4, 6 pp., 4 pls., December, 1923.

Pagliuchi, F. D.

1696. A mining reconnaissance from Mazatlan [Sinaloa, Mexico]: Eng. and Min. Jour.-Press, vol. 115, no. 12, pp. 542-546, 9 figs., March 24, 1923.

Paige, Sidney.

1697. The geology of the Homestake mine [Lead, South Dakota]: Econ. Geology, vol. 18, no. 3, pp. 205-237, 13 figs. (incl. map), April-May, 1923.

Paige, Sidney—Continued.

1698. Geology of the region around Lead, South Dakota, and its bearing on the Homestake ore body: U. S. Geol. Survey, Bull. 765, 58 pp., 19 figs., 11 pls., 1924.
 (with Longwell, C. R., and others). Rock formations in the Colorado Plateau of southeastern Utah and northern Arizona: U. S. Geol. Survey, Prof. Paper 132, pp. 1-23, 1 fig., 10 pls., July 27, 1923.
 (with Miser, H. D., and Trimble, K. W.). The Rainbow Bridge, Utah: Geog. Rev., vol. 13, no. 4, pp. 518-531, 12 figs., October, 1923.

Palache, Charles.

1699. A new mode of occurrence of struvite: Am. Mineralogist, vol. 8, no. 4, pp. 72-73, 1 fig., April, 1923.
 1700. (and Pinger, A. W.). The scapolite deposit of Bolton, Massachusetts: Am. Mineralogist, vol. 8, no. 9, pp. 153-157, September, 1923.
 1701. The chrysoberyl pegmatite of Hartford, Maine: Am. Mineralogist, vol. 9, no. 11, pp. 217-221, 1 fig., November, 1924.

Palmer, Chase.

1702. California oil-field waters: Econ. Geology, vol. 19, no. 7, pp. 623-635, November, 1924.

Palmer, Dorothy Bryant Kemper.

1703. A fauna from the middle Eocene shales near Vacaville, California: California, Univ., Dept. Geol. Sci., Bull., vol. 14, no. 8, pp. 289-318, 6 pls., November 3, 1923.

Palmer, Howard.

1704. Observations on the Freshfield Glacier, Canadian Rockies: Jour. Geology, vol. 32, no. 5, pp. 432-441, 8 figs., July-August, 1924.
 1705. The Freshfield Glacier, Canadian Rockies: Smithsonian Misc. Coll., vol. 76, no. 11, 16 pp., 1 fig., 9 pls., August 2, 1924.

Palmer, Katherine Van Winkle.

1706. Marine Pleistocene fossils from New York City: Science, new ser., vol. 57, pp. 585-586, May 18, 1923.
 1707. Foraminifera and a small molluscan fauna from Costa Rica: Bull. Am. Paleontology, vol. 10, no. 40, 18 pp., 2 pls., June 13, 1923.
 (with Weaver, Charles E.). Fauna from the Eocene of Washington: Washington, Univ., Pub. in Geology, vol. 1, no. 3, 55 pp., 5 pls., June, 1922.

Paredes, Trinidad.

1708. La cuenca artesiana de Zavala, Hacienda de Gorgorrón, San Luis Potosí: Soc. Cient. "Antonio Alzate," Mem. y Rev., t. 41, no. 4, pp. 161-183, February, 1923.

Parks, E. M.

1709. Migration of oil and water, a further discussion: Am. Assoc. Petroleum Geologists, Bull., vol. 8, no. 6, pp. 697-715, November-December, 1924.

Parks, William A.

1710. (and Dyer, W. S.). The stratigraphy and paleontology of Toronto and vicinity; Part 2, The Molluscoidea: Ontario Dept. Mines, 30th Ann. Rept., vol. 30, pt. 7, 43 pp., 7 pls., 1922.

Parks, William A.—Continued.

1711. (assisted by Madeleine Fritz). The stratigraphy and paleontology of Toronto and vicinity; Part III, Gastropoda, Cephalopoda, and Vermes: Ontario Dept. Mines, 31st Ann. Rept., vol. 31, pt. 9, 45 pp., 6 pls., 1923.
1712. *Corythosaurus intermedius*, a new species of trachodont dinosaur [from the Belly River formation of Red Deer River valley, Alberta]: Toronto, Univ., Studies, Geol. ser., no 15, 57 pp., 13 figs., 6 pls., 1923.
1713. New species of crested trachodont dinosaur (abstract): Geol. Soc. America, Bull., vol. 34, no. 1, p. 130, March 30, 1923.
1714. *Dyoplosaurus acutosquameus*, a new genus and species of armoured dinosaur; and notes on a skeleton of *Prosaurolophus maximus*: Toronto, Univ., Studies, Geol. ser., no. 18, 35 pp., 2 figs., 5 pls., 1924.
1715. The dinosaurs of Alberta: In Handbook of Canada, pp. 380–383, 1 fig., Toronto, 1924.
1716. Upper Ordovician at Toronto, Ontario (abstract, with discussion by George H. Chadwick): Geol. Soc. America, Bull., vol. 35, no. 1, pp. 103–104, March 30, 1924; abstract, Pan-Am. Geologist, vol. 41, no. 2, pp. 151–152, March, 1924.
1717. Paleozoic strata at Toronto (abstract): Pan-Am. Geologist, vol. 42, no. 1, pp. 67–68, August, 1924.
1718. Dinosaurs of Alberta (abstract): Pan-Am. Geologist, vol. 42, no. 1, pp. 68–69, August, 1924.

Parry, John.

1719. Minerals deposited by bacteria in mine water: Eng. and Min. Jour.-Press, vol. 115, no. 23, pp. 1011–1016, 6 figs., June 9, 1923.

Parsons, Arthur B.

1720. Operations of the Mesabi Iron Co.: Eng. and Min. Jour.-Press, vol. 117, no. 4, pp. 157–167, 12 figs., January 26, 1924.

Parsons, Arthur Leonard.

1721. The formation of kaolin at moderate depths: Am. Mineralogist, vol. 8, no. 9, pp. 157–162, September, 1923.
1722. Xanthoconite from Cobalt, Ontario: Toronto, Univ., Studies, Geol. ser., no. 17, pp. 11–12, 1924.
1723. Pectolite and apophyllite from Thetford mines, Quebec: Toronto, Univ., Studies, Geol. ser., no. 17, pp. 55–57, 1924.
1724. The Royal Ontario Museum of Mineralogy: Canadian Min. Jour., vol. 45, no. 23, pp. 554–555, 2 figs., June 6, 1924.
 (with Walker, T. L.). The North Mountain basalt of Nova Scotia; glaciation, tubular amygdaloid, mordenite, and louisite: Toronto, Univ., Studies, Geol. ser., no. 16, pp. 5–12, 3 pls., 1923.
 (with Walker, T. L.). Ellsworthite and associated minerals from Hybla, Ontario: Toronto, Univ., Studies, Geol. ser., no. 16, pp. 13–20, 1 fig., 1923.
 (with Walker, T. L.). Hatchettolite and associated minerals from Hybla, Ontario: Toronto, Univ., Studies, Geol. ser., no. 16, pp. 21–24, 1923.
 (with Walker, T. L.). Shattering of minerals and rocks about inclusions: Toronto, Univ., Studies, Geol. ser., no. 16, pp. 25–28, 1923.
 (with Walker, T. L.). Notes on Canadian minerals—allanite, axinite, columbite, and sillimanite: Toronto, Univ., Studies, Geol. ser., no. 16, pp. 29–37, 1923.

Parsons, Arthur Leonard—Continued.

- (with Walker, T. L.). Skutterudite and loellingite from the La Rose mine, Cobalt, Ontario: Toronto, Univ., Studies, Geol. ser., no. 17, pp. 9-10, 3 pls., 1924.
- (with Walker, T. L.). The arsenates of cobalt, nickel, and iron observed at Cobalt, Ontario: Toronto, Univ., Studies, Geol. ser., no. 17, pp. 13-17, 1924.
- (with Walker, T. L.). Pegmatite minerals from New Ross, Nova Scotia: Toronto, Univ., Studies, Geol. ser., no. 17, pp. 46-50, 1924.

Parsons, C. S.

1725. Bathurst iron mine [New Brunswick]: Canadian Min. Jour., vol. 45, no. 49, pp. 1193-1194, December 5, 1924.

Pastor Giraud, Antonio.

1726. Exploración geológica en la región de La Purísima: Mexico, Inst. Geol., Bol. no. 39, pp. 93-108, 6 pls. (incl. maps and sections), 1922.

Patton, Horace Bushnell.

1727. Merging of Carlile shale and Timpas limestone formations in southeastern Colorado: Geol. Soc. America, Bull., vol. 34, no. 3, pp. 495-498, 2 figs., September 30, 1923.

Patton, Leroy T.

1728. The geology of Potter County: Texas, Univ., Bull., no. 2330, 184 pp., 4 figs., 9 pls. (incl. map), November, 1923.
1729. Geology and the location of dams in west Texas: Econ. Geology, vol. 19, no. 8, pp. 756-761, December, 1924.

Patton, Raymond Stanton.

1730. Coast erosion (abstract): Geol. Soc. America, Bull., vol. 35, no. 1, pp. 76-77, March 30, 1924; Pan-Am. Geologist, vol. 41, no. 2, p. 141, March, 1924.

Pearson, Helga S.

1731. Some skulls of *Perchoerus* (*Thinohyus*) from the White River and John Day formations: Am. Mus. Nat. Hist., Bull., vol. 48, pp. 61-96, 17 figs., 1923.

Peattie, Roderick.

1732. Geography of Ohio: Ohio Geol. Survey, 4th ser., vol. 27, 137 pp., 28 figs., 8 pls., 1923.

Peck, Albert B.

1733. Note on andalusite from California; a new use and some thermal properties: Am. Mineralogist, vol. 9, no. 6, pp. 123-129, 1 fig., June, 1924; California State Min. Bur., Mining in California, vol. 20, no. 2, pp. 149-154, 1 fig., April, 1924.

Pennsylvania, Bureau of Topographic and Geological Survey.

1734. Bulletin, nos. 60-85 [mimeographed]:

60. Geologic structure of the Pittsburgh quadrangle, Pa., by M. E. Johnson. January 15, 1923.
61. Magnetite in Pennsylvania, by J. Ross Corbin. January 22, 1923.
62. Rocks of the McCalls Ferry quadrangle, Penna., by Anna I. Jonas. February 3, 1923.
63. Brown iron ores in Pennsylvania, by J. Ross Corbin. February 15, 1923.
64. Coal beds in southern Somerset County, Pennsylvania, by James D. Sisler. February 20, 1923.
65. Lead and zinc ores in Blair County, Penna., by Benjamin LeRoy Miller. March 5, 1923.
66. Oil and gas development in Pennsylvania in 1922, by M. E. Johnson. March 6, 1923.
67. Lead and zinc ores near Phoenixville, Chester County, Pennsylvania, by Benjamin LeRoy Miller. March 19, 1923.

Pennsylvania, Bureau of Topographic and Geological Survey—Continued.

1734. Bulletin, nos. 60-85—Continued.

- 68. Lead and zinc ores in Lancaster County, Pennsylvania, by Benjamin LeRoy Miller. March 17, 1923.
- 69. Lead and zinc ores in Bucks County, Pennsylvania, by Benjamin LeRoy Miller. March 15, 1923.
- 70. Zinc ores at Friedensville, Lehigh County, Penna., by Benjamin LeRoy Miller. March 20, 1923.
- 71. Copper ores in Pennsylvania, by J. Ross Corbin. April 2, 1923.
- 72. Flagstone industry in northeastern Pennsylvania, by R. W. Stone. April 5, 1923.
- 73. Oil and gas sands in the north half of the Pittsburgh quadrangle, Penna., by M. E. Johnson. April 20, 1923.
- 74. Chromite in Pennsylvania, by J. Ross Corbin. April 20, 1923.
- 75. Rocks of the Quarryville quadrangle, Penna., by Anna I. Jonas. April 25, 1923.
- 76. Calcareous marl in Pennsylvania south of the terminal moraine, by J. B. R. Dickey. May 3, 1923.
- 77. Gold in Pennsylvania, by J. Ross Corbin. May 5, 1923.
- 78. Gas in Leidy Township, Clinton County, Penna., by Meredith E. Johnson. June 12, 1923.
- 79. Tidioute oil pool, Warren County, Pa., by Meredith E. Johnson. July 17, 1923.
- 80. Coal beds in northern Somerset County, Pennsylvania, by James D. Sisler. September 15, 1923.
- 81. Volatile matter in Pennsylvania coals, by James D. Sisler. November 1, 1923.
- 82. Roofing granules industry in southeastern Pennsylvania, by R. W. Stone. November 10, 1923.
- 83. The living earth, by Geo. H. Ashley. January 10, 1924.
- 84. Coal reserves in Clarion County, Pennsylvania, by James D. Sisler. March 10, 1924.
- 85. Coal reserves in Jefferson County, Pennsylvania, by James D. Sisler. March 20, 1924.

Pepperberg, Leon J.

- 1735. Thermal currents as a factor in oil accumulation: *Am. Assoc. Petroleum Geologists, Bull.*, vol. 7, no. 4, pp. 429-431, July-August, 1923.

See also Mills, no. 1588.

Perkins, Edward H.

- 1736. A new graptolite locality in central Maine; with notes on the graptolites by Rudolf Ruedemann: *Am. Jour. Sci.*, 5th ser., vol. 8, pp. 223-227, September, 1924.

Perkins, George H.

- 1737. History and summary of geological work in Vermont, 1810-1923: *Vermont, State Geologist, Thirteenth Rept.*, 1921-1922, pp. 1-70, 1923.
- 1738. Mineral resources: *Vermont, State Geologist, Thirteenth Rept.*, 1921-1922, pp. 329-338, 1923.
- 1739. The geology of Grand Isle County: *Vermont, State Geologist, Fourteenth Rept.*, 1923-1924, pp. 63-71, 1924.
- 1740. Mineral resources: *Vermont, State Geologist, Fourteenth Rept.*, 1923-1924, pp. 344-351, 1924.

Perkins, T. A.

- 1741. As to the filling of veins: *Eng. and Min. Jour.-Press*, vol. 116, no. 23, p. 991, December 8, 1923.

Perry, Gene.

- 1742. Subsurface structure of eastern Kentucky: *Am. Assoc. Petroleum Geologists, Bull.*, vol. 8, no. 2, pp. 152-157, 4 figs., March-April, 1924.

Peterson, O. A.

- 1743. A fossil-bearing slab of sandstone from the Agate Spring quarries of western Nebraska exhibited in the Carnegie Museum: *Carnegie Mus., Annals*, vol. 15, no. 1, pp. 91-93, 1 fig., 1 pl., March, 1923.

Peterson, O. A.—Continued.

1744. The hyoid arch of the Miocene camel *Stenomylus*: Carnegie Mus., Annals, vol. 15, no. 1, pp. 94-95, 1 pl., March, 1923.
1745. Restoration of *Merychius elegans* subsp. *minimus* Peterson: Carnegie Mus., Annals, vol. 15, no. 1, pp. 96-103, 10 figs., 2 pls., March, 1923.
1746. Discovery of fossil mammals in the Brown's Park formation of Moffat County, Colorado: Carnegie Mus., Annals, vol. 15, nos. 2 and 3, pp. 299-304, 3 figs., July, 1924.
1747. Osteology of *Dolichorhinus longiceps* Douglass, with a review of the species of *Dolichorhinus* in the order of their publication: Carnegie Mus., Mem., vol. 9, no. 4, pp. 405-472, 18 figs., 14 pls., November, 1924.

Peterson, Orrin P.

1748. Some geological features and court decisions of the Utah Apex-Utah Consolidated controversy, Bingham district [Utah]: Am. Inst. Min. and Met. Eng., Trans., vol. 70, pp. 904-932, 13 figs., 1924; [pre-print] no. 1341, 29 pp., 13 figs., June, 1924; abstract, Mining and Metallurgy, vol. 5, no. 216, pp. 597-598, December, 1924.

Peterson, William.

1749. Dinosaur tracks in the roofs of coal mines; a strange phenomenon noted in Utah and Colorado: Natural History (Am. Mus. Nat. Hist., Jour.), vol. 24, no. 3, pp. 388-391, 4 figs., May-June, 1924.

Petrasccheck, W.

1750. Metallogenetic zones: Econ. Geology, vol. 18, no. 8, pp. 777-778, December, 1923.

Phelps, Robert William.

1751. (and Lake, Francis Wilbur). Petroleum engineering. 574 pp., 107 figs., Houston, Texas, Gulf Publishing Company, 1924.

Phemister, T. C.

1752. The determination of 2V in sections perpendicular to an optic axis: Jour. Geology, vol. 32, no. 5, pp. 400-406, 7 figs., July-August, 1924.
1753. A note on the Lancaster Gap mine, Pennsylvania: Jour. Geology, vol. 32, no. 6, pp. 498-510, 8 figs., August-September, 1924.
(with Johannsen, Albert). A new method for measuring the optic angle of minerals: Jour. Geology, vol. 24, no. 1, pp. 81-84, 1 fig., January-February, 1924.

Phillips, Alexander H.

1754. Thomsonite from Peekskill, New York: Am. Mineralogist, vol. 9, no. 12, pp. 240-241, December, 1924.

Pike, F. H.

1755. On the difficulties encountered in the evolution of air-breathing vertebrates: Science, new ser., vol. 59, pp. 402-403, May 2, 1924.

Pilsbry, Henry A.

1756. Recent and fossil Bermudan snails of the genus *Poecilozonites*: Acad. Nat. Sci. Philadelphia, Proc., vol. 76, pp. 1-9, 6 figs., 1924.
1757. Miocene and Pleistocene Cirripedia from Haiti: U. S. Nat. Mus. Proc., vol. 65, art. 2, 3 pp., 1 pl., 1924.

Pinger, A. W.

- (with Palache, C.). The scapolite deposit of Bolton, Massachusetts: *Am. Mineralogist*, vol. 8, no. 9, pp. 153-157, September, 1923.

Piper, Arthur M.

1758. Geology and water resources of the Goose Creek basin, Cassia County, Idaho: Idaho, Bur. Mines and Geology, Bull. no. 6, 78 pp., 6 pls. (incl. map), 1923.
1759. Geology and water resources of the Bruneau River basin, Owyhee County, Idaho: Idaho, Bur. Mines and Geology, Pamphlet no. 11, 56 pp., maps (n. d., 1924?) [mimeographed].
1760. Possibilities of petroleum in Power and Oneida counties, Idaho: Idaho, Bur. Mines and Geology, Pamphlet no. 12, 24 pp., 1 fig., 4 pls. (maps), December, 1924 [mimeographed].
(with Laney, F. B., and Kirkham, R. V. D.). Ground water supply at Moscow, Idaho: Idaho, Bur. Mines and Geology, Pamphlet no. 8, 13 pp., 2 pls., December, 1923 [mimeographed].

Poitevin, Eugène.

1761. Platiniferous rocks from Tulameen map area, Yale district, British Columbia, and Ural Mountains, Russia: Canada, Geol. Survey, Summ. Rept., 1923, pt. A., pp. 84-101, 5 figs. (incl. maps), 2 pls., 1924.
1762. (and Ellsworth, H. V.). New optical data for analyzed suscepites: *Am. Mineralogist*, vol. 9, no. 9, pp. 188-190, September, 1924.
1763. A new occurrence of lansfordite from Atlin, British Columbia: *Am. Mineralogist*, vol. 9, no. 11, pp. 225-228, 2 figs., November, 1924.

Ponton, Gerald M.

1764. (and Whitehurst, John W.). The Spring Hill-Sarepta gas field, Webster and Bossier parishes, Louisiana: *Am. Assoc. Petroleum Geologists*, Bull., vol. 7, no. 5, pp. 546-554, 1 fig., September-October, 1923.

Porter, Charles A.

1765. Minor crustal movements and ore deposits: *Eng. and Min. Jour.-Press*, vol. 118, no. 20, pp. 781-782, 1 fig., November 15, 1924.
1766. Intersecting fracture zones and mineral districts: *Eng. and Min. Jour.-Press*, vol. 118, no. 17, pp. 650-652, 2 figs., October 25, 1924.

Porter, William W., II.

1767. The New England earthquake of January 7, 1925: *Seismol. Soc. America*, Bull., vol. 14, no. 4, pp. 233-239, 1 fig., December, 1924 [1925].

Posnjak, E.

- (with Merwin, H. E., and Locke, Augustus). Sulphate minerals formed by oxidation of pyritic ore at Bisbee, Arizona (abstract): *Geol. Soc. America*, Bull., vol. 35, no. 1, pp. 125-126, March 30, 1924; *Pan.-Am. Geologist*, vol. 41, no. 2, p. 159, March, 1924.

Powers, Sidney.

1768. New geological map of Oklahoma: *Am. Assoc. Petroleum Geologists*, Bull., vol. 8, no. 2, p. 240, March-April, 1924.
1769. Cotton Valley oil and gas field, Webster Parish, Louisiana: *Am. Assoc. Petroleum Geologists*, Bull., vol. 8, no. 2, pp. 244-246, 1 fig., March-April, 1924.

Powers, Sidney—Continued.

1770. Stroud oil field, Oklahoma: Mining and Metallurgy, vol. 5, no. 208, pp. 184-185, 1 fig., April, 1924.

See also Bowen, no. 174; Hobbs, no. 953.

Pratt, Joseph Hyde.

1771. Biennial report of the State geologist and director, 1921-1922: North Carolina Geol. and Econ. Survey, 104 pp., Raleigh, 1923.

Pratt, Wallace E.

1772. Oil at Luling, Caldwell County, Texas: Am. Assoc. Petroleum Geologists, Bull., vol. 7, no. 2, pp. 182-183, March-April, 1923.

1773. (and Lahee, F. H.). Faulting and petroleum accumulation at Mexia, Texas (with discussion): Am. Assoc. Petroleum Geologists, Bull., vol. 7, no. 3, pp. 226-236, 3 figs., 1 pl., May-June, 1923.

1774. Oil and gas in the Texas Panhandle (with discussion): Am. Assoc. Petroleum Geologists, Bull., vol. 7, no. 3, pp. 237-249, 3 figs., May-June, 1923.

1775. (and Lahee, F. H.). Faulting and petroleum accumulation at Mexia, Texas: Oil Engineering and Finance, vol. 4, no. 82, pp. 119-122, 4 figs., August 4, 1923.

Prettyman, T. M.

1776. (and Cave, H. S.). Petroleum and natural gas possibilities in Georgia: Georgia Geol. Survey, Bull. no. 40, 167 pp., 13 figs., 8 pls., map, 1923.

Price, George McCready.

1777. The new geology; a textbook for colleges, normal schools, and training schools; and for the general reader. 726 pp., 452 figs., Pacific Publishing Association, Mountain View, California [1923].

1778. Geology and its relation to scripture revelation: Victoria Inst., Jour. of Trans., vol. 56, pp. 97-123, 1924.

Price, W. Armstrong.

1779. Description of members, Chemung series: general account, Portage series: West Virginia, Tucker County, pp. 245-257, 1923.

Prommel, H. W. C.

1780. Geology and structure of portions of Grand and San Juan counties, Utah: Am. Assoc. Petroleum Geologists, Bull., vol. 7, no. 4, pp. 384-399, 2 figs., 1 pl., July-August, 1923.

Prouty, William Frederick.

1781. (and Swartz, C. K.). Sections of the Rose Hill and McKenzie formations: Maryland Geol. Survey, Silurian, pp. 53-104, 3 pls., 1923.

1782. Geology and mineral resources of Clay County, with special reference to the graphite industry: Alabama Geol. Survey, County Rept. no. 1, 190 pp., 53 figs., 26 pls., map (in separate cover), 1923.

See also Swartz, no. 2181.

Prutzman, Paul W.

1783. Chemical characteristics of California petroleum: Am. Assoc. Petroleum Geologists, Bull., vol. 8, no. 5, pp. 560-575, September-October, 1924.

Purdue, A. H.

1784. (and Miser, H. D.). Description of the Hot Springs district: U. S. Geol. Survey, Geol. Atlas U. S., Hot Springs folio, Arkansas (no. 215), 12 pp., 8 figs., 3 maps, section and illustrations sheets, 1923.

Quirke, Terence Thomas.

1785. Parallel folds and boudinage (abstract): Geol. Soc. America, Bull., vol. 34, no. 1, pp. 59-60, March 30, 1923.
1786. Boudinage, an unusual structural phenomenon: Geol. Soc. America, Bull., vol. 34, no. 4, pp. 649-660, 9 figs., December, 30, 1923.
1787. Huronian complex near Killarney, Ontario (abstract, with discussion by A. C. Lawson): Geol. Soc. America, Bull., vol. 35, no. 1, pp. 89-90, March 30, 1924; abstract, Pan-Am. Geologist, vol. 41, no. 2, pp. 144-145, March, 1924.
1788. Correlation of Huronian and Grenville rocks: Jour. Geology, vol. 32, no. 4, pp. 316-335, 8 figs., May-June, 1924.
1789. Correlation of Huronian and Grenville rocks of southeastern Ontario (abstract): Pan-Am. Geologist, vol. 42, no. 4, p. 308, November, 1924.
- See also Kindle, no. 1260.

Eae, Colin C.

1790. A possible origin of oil: Am. Inst. Min. and Met. Eng., Trans., vol. 68, pp. 1112-1120, 1923; [preprint] no. 1132, 4 pp., February, 1922; abstract, Mining and Metallurgy, no. 182, pp. 64-65, February, 1922.

Randall, H. R.

- (with Turner, Homer G.). A preliminary report on the microscopy of anthracite coal: Jour. Geology, vol. 31, no. 4, pp. 306-313, 11 figs., May-June, 1923.

Randolph, Helen F.

1791. Mammoth Cave and the cave region of Kentucky; with bibliography of Mammoth Cave by Willard Rouse Jillson. 153 pp., illus., Louisville, Ky., The Standard Printing Company, 1924.

Ransome, F. L.

1792. Description of the Ray quadrangle [Arizona]: U. S. Geol. Survey, Geol. Atlas U. S., Ray folio, Arizona (no. 217), 24 pp., 13 figs., 4 maps, illustration sheet, 1923.
1793. Geology of the Oatman gold district, Arizona; a preliminary report: U. S. Geol. Survey, Bull. 743, 58 pp., 7 figs., 12 pls. (incl. map), 1923.
1794. Ancient high-level potholes near the Colorado River (abstract): Science, new ser., vol. 57, p. 593, May 18, 1923.
1795. Quicksilver in 1922; with a supplementary bibliography by Isabel P. Evans: U. S. Geol. Survey, Mineral Resources, 1922, pt. 1, pp. 113-124, September 18, 1923.

Rastall, R. H.

1796. Metallogenetic zones: Econ. Geology, vol. 18, no. 2, pp. 105-121, 3 figs., March, 1923.

Bathbun, Mary J.

1797. Decapod crustaceans from the Upper Cretaceous of North Carolina: North Carolina Geol. Survey, vol. 5, pt. 1, pp. 403-408, 2 pls., 1923.
 1798. Fossil crabs from the Republic of Haiti: U. S. Nat. Mus., Proc., vol. 63, art. 9, 6 pp., 2 pls., 1923.

Rayburn, J. M.

1799. The deposit of double-thick Upper Freeport coal situated in the valley of the Allegheny River in Allegheny, Butler, and Westmoreland counties, Pennsylvania: Engineers' Soc. Western Pennsylvania, Proc., vol. 40, no. 1, pp. 27-44, 6 figs., February, 1924.

Rayleigh, Lord.

1800. (and others). The age of the earth: Smithsonian Inst., Ann. Rept., 1921, pp. 249-260, 1922.

Raymond, Percy E.

1801. Report on invertebrate paleontology: Harvard Coll., Mus. Comp. Zoology, Ann. Rept. for 1922-1923, pp. 21-22, 1923.
 1802. New fossils from the Chapman sandstone: Boston Soc. Nat. Hist., Proc., vol. 36, no. 7, pp. 467-472, 1 pl., June, 1923.
 1803. Report on invertebrate paleontology: Harvard College, Mus. Comp. Zoology, Ann. Rept. for 1923-1924, pp. 22-23, 1924.
 1804. New Upper Cambrian and lower Ordovician trilobites from Vermont: Boston Soc. Nat. Hist., Proc., vol. 37, no. 4, pp. 389-406, 3 pls., July, 1924; Vermont, State Geologist, Fourteenth Rept., 1923-1924, pp. 137-203, 3 pls., 1924.
 1805. The oldest coral reef: Vermont, State Geologist, Fourteenth Rept., 1923-1924, pp. 72-76, 1924.

Reagan, Albert B.

1806. Cretacic Mollusca of Pacific slope: Pan-Am. Geologist, vol. 41, no. 3, pp. 179-189, 4 pls., April, 1924.
 1807. Stratigraphy of the Hopi Buttes volcanic field, Arizona: Pan-Am. Geologist, vol. 41, no. 5, pp. 347-354, June, 1924.
 1808. Recent changes in the plateau region: Science, new ser., vol. 60, pp. 283-285, September 26, 1924.
 1809. Stream aggradation through irrigation: Pan-Am. Geologist, vol. 42, no. 5, pp. 335-344, December, 1924.
 1810. Geology of Fort Apache region, Arizona (abstract): Pan-Am. Geologist, vol. 42, no. 5, p. 375, December, 1924.

Redfield, Arthur H.

1811. Petroleum reserves of Central America: Am. Inst. Min. and Met. Eng., Trans., vol. 68, pp. 1004-1013, 1923; [preprint] no. 1178, 10 pp., July, 1922; abstract, Mining and Metallurgy, no. 187, pp. 35-36, July, 1922.
 1812. Petroleum reserves of the West Indies (with discussion): Am. Inst. Min. and Met. Eng., Trans., vol. 68, pp. 1082-1090, 1923; [preprint] no. 1166, 6 pp., June, 1922; abstract, Mining and Metallurgy, no. 186, p. 39, June, 1922.
 1813. Graphite in 1922: U. S. Geol. Survey, Mineral Resources, 1922, pt. 2, pp. 63-68, September 11, 1923.
 1814. The petroleum possibilities of Costa Rica: Econ. Geology, vol. 18, no. 4, pp. 354-381, 2 figs., June-July, 1923; Revista Económica, San Salvador, año 11, no. 3, pp. 117-118, January, no. 4, pp. 174-178, 1 pl., February, no. 5, pp. 230-236, March, 1924.

Redfield, Arthur H.—Continued.

1816. The petroleum possibilities of Honduras: *Econ. Geology*, vol. 18, no. 5, pp. 474-493, 1 fig., August, 1923; *Revista Económica*, año 11, no. 7, pp. 341-346, May; no. 8, pp. 397-401, 1 fig., June; no. 9, pp. 453-455, July, 1924.

Reed, R. D.

1816. Subsurface studies: *Oklahoma Acad. Sci., Proc.*, vol. 2 (Oklahoma, Univ., Bull., new ser. no. 247), pp. 80-85, October 1, 1922.
1817. Some suggestions in regard to Pennsylvania paleogeography in the Henryetta district, Oklahoma: *Am. Assoc. Petroleum Geologists, Bull.*, vol. 7, no. 1, pp. 50-57, 2 figs., January-February, 1923.
1818. (and Meland, Norman). The Verden sandstone [Oklahoma]: *Jour. Geology*, vol. 32, no. 2, pp. 150-167, 4 figs., February-March, 1924.
1819. Some methods for heavy mineral investigations: *Econ. Geology*, vol. 19, no. 4, pp. 320-337, 1 fig., June-July, 1924.
1820. Rôle of heavy minerals in the Coalinga Tertiary formations: *Econ. Geology*, vol. 19, no. 8, pp. 730-749, 2 figs., December, 1924.

Reeds, Chester A.

1821. Geology of New York City and its vicinity: *Am. Mus. Nat. Hist., Guide Leaflet series no. 58*, 15 pp., 13 figs., [1923?] (Reprinted from *Natural History*, vol. 22, no. 5, pp. 1-15, 1922.)
1822. Banded postglacial clay near New York City (abstract): *Geol. Soc. America, Bull.*, vol. 34, no. 1, pp. 92-93, March 30, 1923.
1823. Seasonal records of geologic time as noted in annual rings of trees, banded glacial clays, and certain deposits made during periods of arid climate: *Natural History*, vol. 23, no. 4, pp. 371-380, 8 figs., July-August, 1923.
1824. Postglacial clays at Little Ferry, New Jersey (abstract, with discussion by E. O. Hovey): *Geol. Soc. America, Bull.*, vol. 35, no. 1, pp. 66-67, March 30, 1924; abstract, *Pan-Am. Geologist*, vol. 41, no. 2, pp. 136-137, March, 1924.
- See also Sayles, no. 1973.

Reeside, John B., jr.

1825. The fauna of the so-called Dakota formation of northern central Colorado and its equivalent in southeastern Wyoming: *U. S. Geol. Survey, Prof. Paper 131*, pp. 199-207, 6 pls., April 23, 1923.
1826. A new fauna from the Colorado group of southern Montana: *U. S. Geol. Survey, Prof. Paper 132*, pp. 25-33, 11 pls., November 5, 1923.
1827. Notes on the geology of Green River valley between Green River, Wyoming, and Green River, Utah: *U. S. Geol. Survey, Prof. Paper 132*, pp. 35-50, 6 figs., November 30, 1923.
1828. Upper Cretaceous and Tertiary formations of the western part of the San Juan Basin of Colorado and New Mexico: *U. S. Geol. Survey, Prof. Paper 134*, pp. 1-70, 5 figs., 4 pls. (incl. map), 1924.
1829. A new nautiloid cephalopod, *Eutrephoceras sloani*, from the Eocene of South Carolina: *U. S. Nat. Mus., Proc.*, vol. 65, art. 5, 4 pp., 2 pls. 1924.
1830. A rare Cretaceous sea urchin, *Scutellaster cretaceus* Cragin: *U. S. Nat. Mus., Proc.*, vol. 66, art. 20, 4 pp., 2 figs., 1 pl., 1924.
- (with Dobbin, C. E.). The Lance-Fox Hills contact in eastern Montana and the Dakotas (abstract): *Washington Acad. Sci., Jour.*, vol. 14, no. 7, pp. 165-166, April 4, 1924.

Robinson, Ernest Guy.

- (with Bauer, C. Max). Comparative stratigraphy in Montana: Am. Assoc. Petroleum Geologists, Bull., vol. 7, no. 2, pp. 159-178, 3 figs., March-April, 1923.

Reeves, Frank.

1831. Oil fields of central Montana: [U. S. Geol. Survey], [Press Notice], 6 pp., map [1921?]. [Mimeographed.]
 1832. Oil fields of central Montana: U. S. Geol. Survey, [Press Notice], 4 pp., April 22, 1921. [Mimeographed.]
 1833. Oil fields of central Montana: U. S. Geol. Survey, [Press Notice], 3 pp., map, May 16, 1921. [Mimeographed.]
 1834. Geology of northern Fergus County, Montana: U. S. Geol. Survey, Press Notice, 7 pp., map [1922?]. [Mimeographed.]
 1835. The structure of the Bearpaw Mountains, Montana: Am. Jour. Sci., 5th ser., vol. 8, pp. 296-311, 5 figs. (incl. maps), October, 1924; abstract, Geol. Soc. America, Bull., vol. 35, no. 1, p. 93, March 30, 1924; Pan-Am. Geologist, vol. 41, no. 2, p. 146, March, 1924.
 1836. Geology and possible oil and gas resources of the faulted area south of the Bearpaw Mountains, Montana: U. S. Geol. Survey, Bull. 751, pp. 71-114, 5 figs., 5 pls. (incl. map), October 13, 1924.

Reeves, John R.

1837. Oil shales of Indiana: Indiana University, Department of Geology, 92 pp., June, 1923. [Mimeographed.]

Reger, David B.

1838. Tucker County: West Virginia Geol. Survey, 542 pp., 11 figs., 16 pls., 2 maps, 1923.
 1839. Mineral and Grant counties: West Virginia Geol. Survey, 866 pp., 31 figs., 43 pls., 4 maps (in atlas), 1924.

Reid, Harry Fielding.

1840. Note on the record of surface waves: Seismol. Soc. America, Bull., vol. 13, no. 3, pp. 107-108, September, 1923.
 1841. The movement in the slides [Panama Canal Zone]: Nat. Acad. Sci., Mem., vol. 18, pp. 77-84, 1924.
 1842. The planetesimal hypothesis and the solar system: Am. Jour. Sci., 5th ser., vol. 7, pp. 37-64, 4 figs., January, 1924.
 1843. The seismograph and friction (abstract): Nat. Research Council, Bull., vol. 7, pt. 5, no. 41, pp. 97-98, January, 1924.

Reid, J. A.

1844. Origin of manganese deposits of Lunenburg County, Nova Scotia: Eng. and Min. Jour.-Press, vol. 115, no. 7, pp. 307-308, February 17, 1923.

Reid, John T.

1845. Hanging rocks and earthquakes: Eng. and Min. Jour.-Press, vol. 118, no. 8, p. 305, August 23, 1924.

Reinholt, Oscar H.

1846. Oildom; its treasures and tragedies (illustrated) . . . Part 1, 128 pp., Washington, National Publishing Co., copyright, 1924.

Reiter, A. F.

1847. Present status of copper mining in Garfield County: Oklahoma, Univ., Bull. (Proc. Oklahoma Acad. Sci., 1910-1920), new ser. no. 220, p. 67, July 15, 1921.

Reiter, A. F.—Continued.

- 1848. Manganese deposits in Custer County: Oklahoma, Univ., Bull. (Proc. Oklahoma Acad. Sci., 1910-1920), new ser. no. 220, p. 68, July 15, 1921.
- 1849. Anticlinal folds in central Custer County: Oklahoma, Univ., Bull. (Proc. Oklahoma Acad. Sci., 1910-1920), new ser. no. 220, pp. 68-69, July 15, 1921.

Renick, B. Coleman.

- 1850. Correlation of the Pottsville and lower Allegheny formations in western Pennsylvania (abstract with discussion by G. H. Ashley): Geol. Soc. America, Bull., vol. 34, no. 1, pp. 68-69, March 30, 1923.
- 1851. The correlation of the lower Allegheny-Pottsville section in western Pennsylvania: Jour. Geology, vol. 32, no. 1, pp. 64-80, 4 figs., January-February, 1924.
- 1852. Base exchange in ground water by silicates as illustrated in Montana: U. S. Geol. Survey, Water-Supply Paper 520, pp. 53-72, 1 fig., 3 pls., 1924.
- 1853. Additional ground-water supplies for the city of Enid, Oklahoma: U. S. Geol. Survey, Water-Supply Paper 520, pp. 15-26, 3 figs. (incl. map), 1924.
- 1854. Some geochemical relations of ground water and associated natural gas in the Lance formation, Montana: Jour. Geology, vol. 32, no. 8, pp. 668-684, 3 figs., November-December, 1924.
- 1855. Ground water in Sandoval County, New Mexico: [U. S. Geol. Survey], [Press Notice], 2 pp., December 26, 1924. [Mimeographed.]

Resser, C. E.

- 1856. Memorial of Anthony W. Vogdes: Geol. Soc. America, Bull., vol. 35, no. 1, p. 184, March 30, 1924.
- 1857. Subdivisions of the Cambrian (abstract): Geol. Soc. America, Bull., vol. 35, no. 1, pp. 185-186, March 30, 1924.

Rice, George S.

- 1858. Some problems in ground movement and subsidence: Am. Inst. Min. and Met. Eng., Trans., vol. 69, pp. 374-393, 14 figs., 1923; [pre-print] no. 1271, pp. 1-20, 14 figs., September, 1923.

Rich, John L.

- 1859. Shoestring sands of eastern Kansas: Am. Assoc. Petroleum Geologists, Bull., vol. 7, no. 2, pp. 103-113, 6 figs., March-April, 1923.
- 1860. Further notes on the hydraulic theory of oil migration and accumulation: Am. Assoc. Petroleum Geologists, Bull., vol. 7, no. 3, pp. 213-225, 1 fig., May-June, 1923.
- 1861. Further notes on the hydraulic theory of oil migration and accumulation: Nat. Petroleum News, vol. 15, no. 28, pp. 75-76, 1 fig., July 11, 1923.

Richards, Esther E. See Vaughan, no. 2340.

Richardson, Charles Henry.

- 1862. The building stones of Kentucky: Kentucky Geol. Survey, ser. 6, vol. 11, 355 pp., 85 figs., 1923.
- 1863. (and Cabeen, Charles K.) The geology and petrography of Randolph, Vermont: Vermont, State Geologist, Thirteenth Rept., 1921-1922, pp. 109-142, 1 pl. (map), 1923.
- 1864. The terranes of Bethel, Vermont: Vermont, State Geologist, Fourteenth Rept., 1923-1924, pp. 77-103, 10 pls. (incl. map), 1924.

Richardson, Charles Henry—Continued.

1865. The road materials of Kentucky: Kentucky Geol. Survey, ser. 6, vol. 22, 209 pp., 48 figs. and pls., 1924.

Richardson, G. B.

1866. Petroleum in 1919-1921: U. S. Geol. Survey, Mineral Resources, 1921, pt. 2, pp. 253-333, 6 figs., May 26, 1923.
 1867. Natural gas in 1922: U. S. Geol. Survey, Mineral Resources, 1922, pt. 2, pp. 353-358, April 26, 1924.
 1868. Petroleum in 1922: U. S. Geol. Survey, Mineral Resources, 1922, pt. 2, pp. 359-438, 7 figs., 2 pls., July 15, 1924.

Richarz, Stephen.

1869. Some inclusions in basalt: Jour. Geology, vol. 32, no. 8, pp. 685-689, November-December, 1924.

Rickaby, H. C.

1870. Geology of Ontario-Manitoba boundary: from Bloodvein River to Twelfth base line, 1922: Ontario Dept. Mines, 32d Ann. Rept., vol. 32, pt. 2, pp. 49-59, 8 figs., map, 1923.
 1871. The mineral association of the salt deposits at Malagash; Nova Scotia: Toronto, Univ., Studies, Geol. ser., no. 16, pp. 46-52, 1 fig., 1923.

Rickard, T. A.

1872. Petroleum geologists meet at Los Angeles: Eng. and Min. Jour.-Press, vol. 116, no. 15, pp. 643-644, October 13, 1923.
 1873. The Chino enterprise, III; geology of Santa Rita [New Mexico]: Eng. and Min. Jour.-Press, vol. 116, no. 23, pp. 981-985, 1 fig. (map), December 8, 1923.
 1874. A great mining adventure [Jerome district, Yavapai County, Arizona]: Eng. and Min. Jour.-Press, vol. 117, no. 24, pp. 959-963, 2 figs., June 14, 1924.
 1875. The Ahumada lead mine and the ore deposits of the Los Lamentos Range, in Mexico: Eng. and Min. Jour.-Press, vol. 118, no. 10, pp. 365-374, 9 figs., September 6, 1924.

Ries, H.

1876. Zirconium; history and chemistry: Mineral Foote-Notes, vol. 3, no. 6, pp. 3-7, November-December, 1919.

Rigaud, F.

1877. Les gisements de pétrole d'Amérique; les États-Unis et le Canada: La Nature, ann. 51, no. 2547, pp. 51-54, 2 figs., January 27, 1923.

Ring, A. E.

1878. Silver-bearing petrified wood [Creede, Colorado]: Eng. and Min. Jour.-Press, vol. 117, no. 22, pp. 891-892, May 31, 1924.

Roberts, Hugh M.

1879. Gold veins of central Idaho: Eng. and Min. Jour.-Press, vol. 118, no. 19, pp. 741-742, November 8, 1924.

Roberts, Joseph K.

1880. Triassic basins of northern Virginia: Pan-Am. Geologist, vol. 39, no. 3, pp. 185-200, 1 pl., April, 1923.
 1881. Jurassic (?) intrusives of Piedmont Virginia: Pan-Am. Geologist, vol. 39, no. 4, pp. 289-296, 2 pls., May, 1923.
 1882. Petrographic analysis of Triassic sandstones: Pan-Am. Geologist, vol. 41, no. 1, pp. 22-30, 1 pl., February, 1924.

Robertson, William Fleet.

1883. Annual report of the minister of mines [of British Columbia] for the year ending 31st December, 1922. . . . 373 pp., illus., map, Victoria, B. C., 1923.

1884. Annual report of the minister of mines [of British Columbia] for the year ending 31st December, 1923. . . . 409 pp., illus., map, Victoria, B. C., 1924.

Robinson, A. H. A.

1885. Current activities in zinc-lead mining in British Columbia: Canada, Mines Branch, Investigations of Mineral Resources and the Mining Industry, 1923, pp. 54-68, 1924.

Robinson, Ernest Guy.

1886. Some notes on the Upper Cretaceous paleogeography of Montana: Am. Assoc. Petroleum Geologists, Bull., vol. 8, no. 5, pp. 554-559, 4 figs., September-October, 1924.

Robinson, Heath M.

1887. The origin of the structure [of northeast Texas petroleum area]: Econ. Geology, vol. 18, no. 8, pp. 722-731, December, 1923.

(with Fohs, F. Julius). Structural study of a part of northeast Texas with some stratigraphic sections (abstract): Geol. Soc. America, Bull., vol. 34, no. 1, pp. 70-71, March 30, 1923.

Robinson, H. S.

1888. Geology of the Pearl Lake area, Porcupine district, Ontario: Econ. Geology, vol. 18, no. 8, pp. 753-771, 5 figs., December, 1923.

Robinson, W. I.

1889. Folds resulting from vertically acting forces: Jour. Geology, vol. 31, no. 4, pp. 336-343, 2 figs., May-June, 1923.

1890. Some remarks on the care of well samples: Am. Assoc. Petroleum Geologists, Bull., vol. 7, no. 4, pp. 432-434, July-August, 1923.

1891. The ancestry of the Hexacoralla: Am. Jour. Sci., 5th ser., vol. 6, pp. 424-426, November, 1923.

Rogers, Austin F.

1892. The use of plans and elevations in the study of geometrical crystallography: Am. Mineralogist, vol. 8, no. 2, pp. 19-31, 7 figs., February, 1923.

1893. Proceedings of the twenty-first annual meeting of the Cordilleran section of the Geological Society of America, held at Stanford University, California, April 29, 1922: Geol. Soc. America, Bull., vol. 34, no. 1, pp. 117-120, March 30, 1923.

1894. The crystallography of hydromagnesite: Am. Jour. Sci., 5th ser., vol. 6, pp. 37-47, 10 figs., July, 1923.

1895. Euhedral magnesite crystals from San Jose, California: Am. Mineralogist, vol. 8, no. 8, pp. 138-140, 2 figs., August, 1923.

1896. Mineralogy and petrography of fossil bone: Geol. Soc. America, Bull., vol. 35, no. 3, pp. 535-556, 3 figs., 4 pls., September 30, 1924; abstract, no. 1, p. 108, March 30, 1924; Pan-Am. Geologist, vol. 41, no. 2, p. 153, March, 1924.

1897. The crystallography of searlesite: Am. Jour. Sci., 5th ser., vol. 7, pp. 498-502, 4 figs., June, 1924.

1898. Kempite, a new manganese mineral from California: Am. Jour. Sci., 5th ser., vol. 8, pp. 145-150, 3 figs., August, 1924.

1899. Clinzoisite from Lower California: Am. Mineralogist, vol. 9, no. 11, pp. 221-224, 1 fig., November, 1924.

Rogers, G. Sherburne.

1900. (and Lee, Wallace). Geology of the Tullock Creek coal field, Rosebud and Big Horn counties, Montana: U. S. Geol. Survey, Bull. 749, 181 pp., 5 figs., 16 pls., 1923.

Rogers, R. G.

1901. The minor oil fields of Kern County; Sunset Extension field: California State Min. Bur., Summary of Operations California Oil Fields, vol. 9, no 12, pp. 18-24, 3 pls. (incl. map), June, 1924.

Rohlfing, D. P.

1902. Iron-ore deposits of southern Utah: Eng. and Min. Jour.-Press, vol. 115, no. 16, pp. 716-719, 7 figs., April 21, 1923.

Romer, Alfred Sherwood.

1903. The ilium in dinosaurs and birds: Am. Mus. Nat. Hist., Bull., vol. 48, pp. 141-145, 2 figs., 1923.
 1904. The pelvic musculature of saurischian dinosaurs: Am. Mus. Nat. Hist., Bull., vol. 48, pp. 605-617, 8 figs., 1923.
 1905. A radial exostosis in the fossil canid *Daphoenus*: Am. Jour. Sci., 5th ser., vol. 8, pp. 235-240, 1 fig., September, 1924.

Roque Allende, —.

1906. Estudio técnico de los yacimientos minerales de Isla de Pinos: Cuba, Dirección de Montes y Minas, Bol. Minas, no. 7, pp. 51-67, 5 pls., 1923.
 1907. Yacimientos minerales de Pinar del Río: Cuba, Dirección de Montes y Minas, Bol. Minas, no. 7, pp. 68-77, 1923.

Rose, B.

1908. Structure in the Crowsnest coal area, Alberta: Canadian Inst. Min. and Met., Monthly Bull., no. 150, pp. 609-619, 1 pl., October, 1924; Trans., vol. 27, pp. 484-494, 1 pl. [1925].

Ross, Clarence S.

1909. Leverrierite and related minerals: U. S. Geol. Survey, Water-Supply Paper 520, pp. 60-61, 1924.
 1910. (and Shannon, Earl V.). Mordenite and associated minerals from near Challis, Custer County, Idaho: U. S. Nat. Mus., Proc., vol. 64, art. 19, 19 pp., 3 pls., 1924.
 1911. A method of preparing thin sections of friable rock: Am. Jour. Sci., 5th ser., vol. 7, pp. 483-485, June, 1924.
 1912. Evidences of slumping previous to consolidation in the Pennsylvanian of Oklahoma: Am. Assoc. Petroleum Geologists, Bull., vol. 8, no. 4, pp. 505-510, 2 figs.; July-August, 1924.
 (with Miser, Hugh D.). Diamond-bearing peridotite in Pike County, Arkansas: U. S. Geol. Survey, Bull. 735, pp. 279-322, 3 figs., 8 pls. (incl. maps), 1923.

Ross, Clyde P.

1913. The geology of a part of the Ammonoosuc mining district, New Hampshire: Am. Jour. Sci., 5th ser., vol. 5, pp. 267-302, 3 figs. (incl. maps), April, 1923.
 1914. A new copper district near Salmon, Idaho: Eng. and Min. Jour.-Press, vol. 118, no. 6, pp. 205-208, 5 figs., August 9, 1924.
 1915. Quicksilver in 1923; with supplementary bibliography by Isabel P. Evans: U. S. Geol. Survey, Mineral Resources, 1923, pt. 1, pp. 35-46, September 29, 1924.

Rothrock, E. P.

1916. Sand and gravel deposits in eastern South Dakota: South Dakota Geol. and Nat. Hist. Survey, Circular 15 (South Dakota, Univ., Bull., ser. 24, no. 4), 31 pp. 5 figs. (incl. map), February, 1924.
See also Ward, no. 2391.

Round, Eda M.

1917. A modern plant fossil: Torrey Bot. Club, Bull., vol. 49, no. 3, pp. 63-64, 1 fig., March, 1922.
1918. *Annularia* with *Paleostachya* fruit: Bot. Gazette, vol. 73, no. 4, pp. 326-328, 1 fig., April, 1922.
1919. Correlation of fossil floras of Rhode Island and New Brunswick: Bot. Gazette, vol. 78, no. 1, pp. 116-118, 4 figs., September, 1924.

Roundy, P. V.

- (with Girty, George H.). Notes on the Glenn formation of Oklahoma with consideration of new paleontologic evidence: Am. Assoc. Petroleum Geologists, Bull., vol. 7, no. 4, pp. 331-349, July-August, 1923.

Rubey, W. W.

1920. Progress report on a subsurface study of the Pershing oil and gas field, Osage County, Oklahoma: U. S. Geol. Survey, Bull. 751, pp. 23-70, 9 figs., 3 pls. (incl. map), July 18, 1923.

Ruby, Glen M.

1921. Reflected buried hills and petroleum geology: Econ. Geology, vol. 18, no. 1, pp. 93-96, January-February, 1923.
1922. Peculiar phases of oil saturation in certain sandstones: Am. Assoc. Petroleum Geologists, Bull., vol. 7, no. 5, pp. 473-481, 2 figs., September-October, 1923.
See also Hintze, no. 944.

Rude, G. T.

1923. Shore changes at Cape Hatteras: Assoc. Am. Geographers, Annals, vol. 12, pp. 87-95, 2 figs. [1923?].

Ruedemann, Rudolf.

1924. Fundamental lines of North American geologic structure: Am. Jour. Sci., 5th ser., vol. 6, pp. 1-10, 4 figs., July, 1923; New York State Mus. Bull. no. 260, pp. 71-80, 4 figs., 1925.
1925. An ancestral acorn barnacle: New York State Mus. Bull. no. 251, pp. 93-104, 1 fig., 2 pls., 1924.
1926. Recent publications on the origin and habitat of the Eurypterida: Am. Jour. Sci., 5th ser., vol. 7, pp. 227-232, March, 1924.
1927. (and Ehlers, G. M.). Occurrence of the Collingwood formation in Michigan: Michigan Univ., Mus. Geology, Contr., vol. 2, no. 2, pp. 13-18, July 10, 1924; abstract, Geol. Soc. America, Bull., vol. 35, no. 1, p. 186, March 30, 1924.
See also Perkins, no. 1736.

Russell, J. W.

1928. Evidences of quite recent extinction of American mastodon (abstract): Pan-Am. Geologist, vol. 42, no. 1, pp. 74-75, August, 1924.
1929. Recent extinction of American mastodon (abstract): Pan-Am. Geologist, vol. 42, no. 3, p. 235, October, 1924.

Russell, William L.

1930. The camptonite dikes in the Connecticut Triassic: *Am. Jour. Sci.*, 5th ser., vol. 5, pp. 409-416, 3 figs., May, 1923.
1931. Some experiments on capillarity and oil migration: *Econ. Geology*, vol. 19, no. 1, pp. 35-61, January-February, 1924.

Rutherford, Ralph L.

1932. Corrosion by saline waters: *Roy. Soc. Canada, Proc. and Trans.*, 3d ser., vol. 18, sec. 4, pp. 31-37, 1 pl., 1924.
1933. A convenient method for checking the index of a liquid: *Am. Mineralogist*, vol. 9, no. 10, pp. 207-208, October, 1924.
1934. Some coal-seam correlation problems in Alberta: *Canadian Inst. Min. and Met., Monthly Bull.*, no. 152, pp. 942-951, 3 figs., December, 1924; *Trans.*, vol. 27, pp. 550-559, 3 figs. [1925].
(with Allan, John A.). Saunders Creek and Nordegg coal basins, Alberta, Canada: Alberta, Scientific and Industrial Research Council, Rept. no. 6, (4th Ann. Rept. Mineral Resources of Alberta, pt. 1), 66 pp., 9 pls., map, 1923.
(with Allan, John L.). Geology along the Blackstone, Brazeau, and Pembina rivers in the foothills belt, Alberta: Alberta, Scientific and Industrial Council, Rept. no. 9. 53 pp., 8 pls. (incl. map), 1924.

Rybár, Stephen.

1935. The Eötvös torsion balance and its application to the finding of mineral deposits: *Econ. Geology*, vol. 18, no. 7, pp. 639-662, 15 figs., October-November, 1923.

Salazar Salinas, Leopoldo.

1936. (and others). Memoria relativa al terremoto mexicano del 3 de enero de 1920: Mexico, *Inst. Geol., Bol.* no. 38, 107 pp., 66 pls., 1922.
1937. (and others). El Cerro de Mercado, Durango: Mexico, *Inst. Geol., Bol.* no. 44, 90 pp., 20 pls., 1923.
1938. Algunas observaciones sobre el origen del criadero de fierro de Durango, llamado Cerro de Mercado: *Soc. Cient. "Antonio Alzate," Mem. y Rev.*, t. 43, no. 9-12, pp. 621-638, September-December, 1924.

Salton, G. H.

1939. Mining practice at Sterling Hill mine [Franklin Furnace district], New Jersey Zinc Company: *Canadian Inst. Min. and Met., Monthly Bull.*, no. 137, pp. 567-593, 22 figs., September, 1923.

Sampson, Edward.

1940. Chromite in 1922: U. S. Geol. Survey, Mineral Resources, 1922, pt. 1, pp. 107-112, 1 fig., August 27, 1923.
1941. Asbestos in 1922: U. S. Geol. Survey, Mineral Resources, 1922, pt. 2, pp. 31-37, 1 fig., August 29, 1923.
1942. The ferruginous chert formations of Notre Dame Bay, Newfoundland: *Jour. Geology*, vol. 31, no. 7, pp. 571-598, 4 figs., October-November, 1923.
1943. Talc and soapstone in 1922: U. S. Geol. Survey, Mineral Resources, 1922, pt. 2, pp. 81-86, October 11, 1923.
1944. Note on the determination of anisotropism in metallic minerals: *Econ. Geology*, vol. 18, no. 8, pp. 775-777, December, 1923.
1945. Arizona asbestos deposits: *Econ. Geology*, vol. 19, no. 4, pp. 386-388, 1 fig., June-July, 1924.
1946. (and Meyer, H. M.). Chromite in 1923: U. S. Geol. Survey, Mineral Resources, 1923, pt. 1, pp. 113-117, October 29, 1924.
- See also Wilson, no. 2507.

Sanborn, James F.

- (with Berkey, Charles P.). Engineering geology of the Catskill water supply: Am. Soc. Civil Eng., Trans., vol. 86, pp. 1-91, 17 figs., 3 pls., 1923.

Sánchez Roig, Mario.

1947. Revisión de los equínidos fósiles cubanos: Soc. Cubana Hist. Nat. "Felipe Poey," Mem., vol. 6, nos. 1-2, pp. 6-92, 14 pls., 1924; also separate, 68 pp., 14 pls., Habana, G. López Salas, 1924.

Sanderson, J. O. G.

1948. Criteria for the determination of sandstones of Upper Cretaceous age in Alberta (abstract): Roy. Soc. Canada, Proc. and Trans., 3d ser., vol. 17, sec. 4, pp. 124-125, May, 1923.

Sands, J. M.

1949. Burbank field, Osage County, Oklahoma: Am. Assoc. Petroleum Geologists, Bull., vol. 8, no. 5, pp. 584-592, 2 figs., September-October, 1924.

Sansom, C. A.

1950. The history and geology of the oil fields of Mexico: Inst. Petroleum Technologists, Jour., vol. 10, no. 43, pp. 306-310, June, 1924.

Sardeson, Frederick W.

1951. Cone domes of Sunburst oil field: Pan-Am. Geologist, vol. 39, no. 1, pp. 17-22, 2 figs., 1 pl., February, 1923.
1952. Portland cement materials in Minnesota: Pan-Am. Geologist, vol. 39, no. 2, pp. 121-124, March, 1923.
1953. Geology of the name Minnesota: Pan-Am. Geologist, vol. 39, no. 4, pp. 273-281, 1 pl., May, 1923.
1954. Crude aspects of the petroleum genesis problem: Pan-Am. Geologist, vol. 40, no. 1, pp. 19-28, August, 1923.
1955. Minnesota eskers and sundry kames: Pan-Am. Geologist, vol. 40, no. 2, pp. 95-101, 1 fig., September, 1923.
1956. History of Mille Lacs, Minnesota: Pan-Am. Geologist, vol. 40, no. 3, pp. 181-196, 3 pls., October, 1923.
1957. Glacial origin of the Buffalo Plains of Minnesota: Pan-Am. Geologist, vol. 40, no. 5, pp. 339-348, 1 pl. (map), December, 1923.
1958. Tetradium and coral evolution: Pan-Am. Geologist, vol. 41, no. 1, pp. 1-16, 1 pl., February, 1924.
1959. Type outcrops of Minnesota River valley: Pan-Am. Geologist, vol. 41, no. 2, pp. 107-122, 1 pl. (map), March, 1924.
1960. Volcanic ash in Ordovician rocks of Minnesota: Pan-Am. Geologist, vol. 42, no. 1, pp. 45-52, August, 1924.
1961. Selective teaching in geology: Pan-Am. Geologist, vol. 42, no. 4, pp. 263-272, November, 1924.
1962. Habit of an Ordovician pelecypod: Pan-Am. Geologist, vol. 42, no. 5, pp. 345-356, 1 pl., December, 1924.

Saunders, L. W.

1963. The minor oil fields of Kern County: Hovey Hills field: California State Min. Bur., Summary of Operations California Oil Fields, vol. 9, no. 12, pp. 11-18, 2 pls. (incl. map), June, 1924.

Savage, T. E.

- 1964. New species of Devonian fossils from western Illinois: Illinois State Acad. Sci., Trans., vol. 14, pp. 197-206, 4 pls. [1922].
- 1965. (and Nebel, M. L.). Geology and mineral resources of the La Harpe and Good Hope quadrangles: Illinois State Geol. Survey Bull. no. 43, pp. 9-93, 11 figs., map, 1923 (published as extract in 1921).
- 1966. The paleontologist's view of evolution: Illinois State Acad. Sci., Trans., vol. 16, pp. 39-43, 1923.
- 1967. Oriskany limestone in Illinois (abstract): Geol. Soc. America, Bull., vol. 35, no. 1, p. 106, March 30, 1924.
- 1968. Marine invertebrate fossils as horizon markers in the Pennsylvanian rocks of Illinois: Jour. Geology, vol. 32, no. 7, pp. 575-582, October-November, 1924.
- 1969. Richmond rocks of Iowa and Illinois: Am. Jour. Sci., 5th ser., vol. 8, pp. 411-427, November, 1924.

Sawyer, Roger W.

- 1970. Areal geology of a part of southwestern Oklahoma (with discussion by F. C. Greene and others): Am. Assoc. Petroleum Geologists, Bull., vol. 8, no. 3, pp. 312-321, 2 figs. (maps), May-June, 1924.

Sayles, R. W.

- 1971. Report on the geological collections: Harvard College, Mus. Comp. Zoology, Ann. Rept. for 1922-1923, 1923.
 - 1972. Report on the geological collections: Harvard Coll., Mus. Comp. Zoology, Ann. Rept. for 1923-1924, pp. 22-23, 1924.
 - 1973. Variability of summer deposition in glacial varves (abstract, with discussion by C. A. Reeds): Geol. Soc. America, Bull., vol. 35, no. 1, pp. 67-68, March 30, 1924; abstract, Pan-Am. Geologist, vol. 41, no. 2, p. 137, March, 1924.
 - 1974. Are some fossil soils in Bermuda recorders of interglacial episodes? (abstract): Geol. Soc. America, Bull., vol. 35, no. 1, pp. 68-69, March 30, 1924.
- See also Twenhofel, no. 2294.

Sayre, Robert H.

- 1975. Arsenical ore deposits in the United States: Eng. and Min. Jour.-Press, vol. 118, no. 24, pp. 929-932, 6 figs., December 13, 1924.

Schairer, J. F.

- 1976. (and Lawson, C. C.). Copiapite from the Santa Maria Mountains, eastern Riverside County, California: Am. Mineralogist, vol. 9 no. 12, pp. 242-244, December, 1924.

Schaller, Waldemar T.

- 1977. Argentojarosite, a new silver mineral [from Dividend, Utah]: Washington Acad. Sci., Jour., vol. 13, no. 11, p. 233, June 4, 1923.

Scheffel, Earl R.

- 1978. "Soot" in coal: Science, new ser., vol. 59, pp. 212-213, February 29, 1924.

Schempp, C. A.

- 1979. Argentojarosite, a new silver mineral [from Utah]: Am. Jour. Sci., 5th ser., vol. 6, pp. 73-75, July, 1923.

Schilling, Karl H.

- (with Wagner, Carroll M.). The San Lorenzo group of the San Emigdio region, California: California, Univ., Dept. Geol. Sci., Bull., vol. 14, no. 6, pp. 235-276, 8 pls., November 3, 1923.

Schmitt, Harrison A.

1980. Possible potash production from Minnesota shale: *Econ. Geology*, vol. 19, no. 1, pp. 72-83, 1 fig., January-February, 1924.

Schneider, H. G.

1981. Smackover oil field, Ouachita and Union counties, Arkansas: *Am. Inst. Min. and Met. Eng., Trans.*, vol. 70, pp. 1076-1099, 3 figs., 1924; [preprint] no. 1326, 24 pp., 3 figs., March, 1924.

Schoewe, Walter H.

1982. Origin and history of extinct Lake Calvin (abstract): *Geol. Soc. America, Bull.*, vol. 34, no. 1, pp. 93-94, March 30, 1923.
1983. The temporary Mississippi River: *Jour. Geology*, vol. 31, no. 5, pp. 420-432, 1 fig. (map), July-August, 1923.
1984. Glacial geology of Kansas: *Pan-Am. Geologist*, vol. 40, no. 2, pp. 102-110, 1 pl. (map), September, 1923.
1985. The origin and history of extinct Lake Calvin: *Iowa Geol. Survey*, vol. 29, pp. 49-222, 32 figs., 14 pls. (incl. maps) [1924].
1986. Till-like deposits south of Kansas River in Douglas County, Kansas: *Iowa Acad. Sci., Proc.* 1922, vol. 29, pp. 61-65, 1 fig. [1924?].

Schofield, Stuart J.

1987. The geological record of the Cordillera in Canada: *Roy. Soc. Canada, Proc. and Trans*, 3d ser., vol. 17, sec. 4, pp. 79-103, May, 1923.
1988. (and Hanson, George). The Salmon River district, British Columbia: *Min. Mag.*, vol. 28, no. 4, pp. 203-214, 9 figs., April, 1923.
1989. Geological record in British Columbia (abstract): *Geol. Soc. America, Bull.*, vol. 35, no. 1, p. 164, March 30, 1924.

Schrader, Frank C.

1990. The Jarbidge mining district, Nevada, with a note on the Charleston district: *U. S. Geol. Survey, Bull.* 741, 86 pp., 19 figs., 20 pls. (incl. maps), 1923.
1991. Antimony in 1922: *U. S. Geol. Survey, Mineral Resources*, 1922, pt. 1, pp. 97-105, August 7, 1923.
1992. Molybdenite in the Rocky Bar district, Idaho: *U. S. Geol. Survey, Bull.* 750, pp. 87-99, 3 figs., 1 pl., October 25, 1924.
(with Stose, G. W.). Manganese deposits of east Tennessee: *U. S. Geol. Survey, Bull.* 737, 154 pp., 45 figs., 34 pls. (incl. maps), 1923.

Schuchert, Charles.

1993. Sites and nature of the North American geosynclines (presidential address): *Geol. Soc. America, Bull.*, vol. 34, no. 2, pp. 151-229, 17 figs. (paleogeographic maps), June 30, 1923.
1994. A textbook of geology for use in universities, colleges, schools of science, etc., and for the general reader, Part II, second, revised edition. 724 pp., 237 figs., 47 pls., map, 1924. Review by Arthur Holmes, *Nature*, vol. 114, pp. 376-377, September 13, 1924.
1995. The value of micro-fossils in petroleum exploration: *Am. Assoc. Petroleum Geologists, Bull.*, vol. 8, no. 5, pp. 539-553, September-October, 1924.

See also Ashley, no. 49; Moore, no. 1620; Woodring, no. 2536.

Schwartz, G. M.

1996. Chalmersite at Fierro, New Mexico, with a note on its occurrence at Parry Sound, Ontario: *Econ. Geology*, vol. 18, no. 3, pp. 270-277, 2 figs., 1 pl., April-May, 1923.

Schwartz, G. M.—Continued.

1997. Solving metallurgical problems with the reflecting microscope: Eng. and Min. Jour.-Press, vol. 116, no. 6, pp. 237-238, 4 figs., August 11, 1923.
1998. New ore of the east Mesabi range: Eng. and Min. Jour.-Press, vol. 116, no. 10, pp. 409-412, 9 figs., September 8, 1923.
1999. Stannite, its associated minerals and their paragenesis: Am. Mineralogist, vol. 8, no. 9, pp. 162-164, 2 figs., September, 1923.
2000. An occurrence of xonotlite in Minnesota: Am. Mineralogist, vol. 9, no. 2, pp. 32-33, 2 figs., February, 1924.
2001. The contrast in the effect of granite and gabbro intrusions on the Ely greenstone: Jour. Geology, vol. 32, no. 2, pp. 89-138, 11 figs., February-March, 1924.
2002. Primary relationships and unusual chalcopyrite in copper deposits at Parry Sound, Ontario: Econ. Geology, vol. 19, no. 2, pp. 209-213, 2 figs., March, 1924.
2003. On the nature and origin of hisingerite from Parry Sound, Ontario: Am. Mineralogist, vol. 9, no. 7, pp. 141-144, 2 figs., July, 1924.
2004. Contact effects of gabbro and granite on ore deposition: Econ. Geology, vol. 19, no. 7, pp. 681-684, November, 1924.

Schwennesen, A. T.

2005. (and Overbeck, R. M., and Dubendorf, H. H.). The Long Beach oil field [California] and its problems: Am. Assoc. Petroleum Geologists, Bull., vol. 8, no. 4, pp. 403-423, 6 figs., 1 pl., July-August, 1924.

Scott, Gayle.

2006. Some gerontic ammonites of the Duck Creek formation: Texas Christian Univ. Quart., vol. 1, no. 1, 31 pp., 9 pls., April, 1924.
(with Winton, Hortense, and Winton, W. M.). Fossils; Natural history manual of the T. C. U. [Texas Christian University] vicinity [Tarrant County, Texas] (fourth edition): Texas Christian Univ. Bull., vol. 20, no. 2, pp. 47-58, 1 pl., March, 1924.

Scott, William B.

2007. Leidy's paleontological and geological work: Sci. Monthly, vol. 18, no. 4, pp. 433-439, April, 1924.
2008. Paleontological and geological work [of Joseph Leidy]: Acad. Nat. Sci. Philadelphia, Proc., vol. 75 [Appendix] The Joseph Leidy Commemorative Meeting, pp. 36-43, 1924.

Searight, Walter V.

2009. Fossil annelid jaws from the Iowa Devonian: Iowa Acad. Sci., Proc., vol. 30, pp. 433-436, 1 pl. [1924].

Sears, Julian D.

2010. Geology and oil and gas prospects of part of Moffat County, Colorado, and southern Sweetwater County, Wyoming: U. S. Geol. Survey, Bull. 751, pp. 269-319, 3 figs., 3 pls. (incl. map), December 13, 1924.
2011. Relations of the Browns Park formation and the Bishop conglomerate and their rôle in the origin of Green and Yampa rivers: Geol. Soc. America, Bull., vol. 35, no. 2, pp. 279-304, 11 figs., 1 pl., June 30, 1924; abstract, no. 1, p. 93, March 30, 1924; Pan-Am. Geologist, vol. 41, no. 2, p. 146, March, 1924.

Sears, Julian D.—Continued.

2012. (and Bradley, W. H.). Relations of the Wabash and Green River formations in northwestern Colorado and southern Wyoming: U. S. Geol. Survey, Prof. Paper 132, pp. 93-107, 2 figs., 2 pls. (incl. map), November 6, 1924.

Seashore, Robert H.

2013. Geology about Belton in northwestern Montana (abstract): Pan-Am. Geologist, vol. 24, no. 5, p. 374, December, 1924.

Secrist, Mark Howard.

2014. Zinc deposits of east Tennessee: Tennessee, Dept. Education, Div. Geology, Bull. 31, 165 pp., 14 figs., 24 pls. (incl. map), 1924.

Segsworth, Walter E.

- (with Wright, Douglas G. H.). Extension of the Porcupine gold belt into Quebec: Eng. and Min. Jour.-Press, vol. 117, no. 19, pp. 763-764, 1 fig., May 10, 1924.

Sellards, E. H.

2015. The Oklahoma-Texas boundary suit: Science, new ser., vol. 57, pp. 346-349, March 23, 1923.
2016. (and Tharp, B. C., and Hill, R. T.). Investigation on the Red River made in connection with the Oklahoma-Texas boundary suit: Texas, Univ., Bull., no. 2327, 174 pp., 2 figs., 9 pls., 6 maps, August, 1923.
2017. The Luling oil field in Caldwell County, Texas: Am. Assoc. Petroleum Geologists, Bull., vol. 8, no. 6, pp. 775-788, 2 figs., November-December, 1924.
2018. Mineral resources of Texas: The South's Development, Manufacturers Record, vol. 86, no. 24, pt. 2, pp. 421-423, December 11, 1924.
- See also Texas, Attorney General, no. 2202.

Sen, Janshi.

2019. Genetic classification of rocks: Pan-Am. Geologist, vol. 41, no. 3, pp. 176-178, April, 1924.
2020. Natural arrangement in crystal symmetry: Pan-Am. Geologist, vol. 42, no. 5, pp. 331-334, December, 1924.

Seward, A. C.

2021. A supposed Paleozoic angiosperm [from the coal measures of Illinois]: Bot. Gazette, vol. 76, no. 2, p. 215, October, 1923.
2022. On a new species of *Tempskya* from Montana, *Tempskya knowltoni*, sp. nov.: Annals of Botany, vol. 38, pp. 485-507, 3 figs., 2 pls., July, 1924.

Shannon, C. W.

2023. An Oklahoma meteorite: Oklahoma, Univ., Bull. (Proc. Oklahoma Acad. Sci., 1910-1920), new ser. no. 220, pp. 66-67, July 15, 1921.

Shannon, Earl V.

2024. On siderite and associated minerals from the Columbia River basalt at Spokane, Washington: U. S. Nat. Mus., Proc., vol. 62, art. 12, pp. 1-19, 14 figs., 3 pls., 1923.
2025. Crystallographic notes on stephanite in a silver ore from Mexico: U. S. Nat. Mus., Proc., vol. 63, art. 11, 6 pp., 4 figs., 1923.
2026. Note on leuchtenbergite from Philipsburg, Montana: Am. Mineralogist, vol. 8, no. 1, pp. 8-10, January, 1923.

Shannon, Earl V.—Continued.

2027. Note on cobaltiferous gahnite from Maryland: *Am. Mineralogist*, vol. 8, no. 8, pp. 147-148, August, 1923.
2028. Barrandite from Manhattan, Nevada: *Am. Mineralogist*, vol. 8, no. 10, pp. 182-184, October, 1893.
2029. Benjaminitite, a new sulphosalt mineral of the klaprotholite group: *U. S. Nat. Mus., Proc.*, vol. 65, art. 24, 9 pp., 3 figs., 1924.
2030. The mineralogy and petrology of intrusive diabase at Goose Creek, Loudoun County, Virginia: *U. S. Nat. Mus., Proc.*, vol. 66, art. 2, 86 pp., 32 figs., 9 pls., 1924.
2031. An occurrence of iron-cobalt-bearing gersdorffite in Idaho: *Washington Acad. Sci., Jour.*, vol. 14, no. 13, pp. 275-277, July 19, 1924.
2032. Chromium-colored margarite from Montgomery County, Maryland: *Am. Mineralogist*, vol. 9, no. 9, pp. 194-195, September, 1924.
2033. An iron amphibole similar to hudsonite from Custer County, Idaho: *Am. Jour. Sci.*, 5th ser., vol. 8, pp. 323-324, October, 1924.
2034. The present status of the mineral remingtonite: *Am. Mineralogist*, vol. 9, no. 10, pp. 208-209, October, 1924.
 (with Hawkins, A. C.). Canbyite, a new mineral [Wilmington, Delaware]: *Am. Mineralogist*, vol. 9, no. 1, pp. 1-5, January, 1924.
 (with Larsen, Esper S.). Ganophyllite from Franklin Furnace, New Jersey: *Am. Mineralogist*, vol. 9, no. 12, pp. 238-240, December, 1924.
 (with Ross, Clarence S.). Mordenite and associated minerals from near Challis, Custer County, Idaho: *U. S. Nat. Mus., Proc.*, vol. 64, art. 19, 19 pp., 3 pls., 1924.

Shepard, F. P.

- (with Chamberlin, R. T.). Some experiments in folding: *Jour. Geology*, vol. 31, no. 6, pp. 490-512, 17 figs., September-October, 1923.

Shaw, Eugene Wesley.

2035. Description of the Carlyle and Centralia quadrangles [Illinois]: *U. S. Geol. Survey, Geol. Atlas U. S., Carlyle-Centralia folio*, Illinois (no. 216), 10 pp., 5 figs., 4 maps, 1923.
2036. Memorial of Joseph William Winthrop Spencer: *Geol. Soc. America, Bull.*, vol. 35, no. 1, pp. 25-37, portr., March 30, 1924.

Shaw, John W.

2037. Ore horizons at Cobalt: *Eng. and Min. Jour.-Press*, vol. 115, no. 18, p. 791, May 5, 1923.

Shaw, S. F.

2038. The ore deposits of Sierra Mojada, Coahuila, Mexico (with discussion): *Am. Inst. Min. and Met. Eng., Trans.*, vol. 68, pp. 556-586, 3 figs., 1923; [preprint] no. 1182, 17 pp., 3 figs., August, 1922; abstract, *Mining and Metallurgy*, no. 188, pp. 33-34, 2 figs., August, 1922.

Shead, A. C.

2039. An Oklahoma meteorite: *Oklahoma Acad. Sci., Proc.*, vol. 2 (Oklahoma, Univ., Bull., new ser. no. 247), p. 79, October 1, 1922.
2040. Phosphate rocks in Oklahoma: *Oklahoma Acad. Sci., Proc.*, vol. 3 (Oklahoma, Univ., Bull., new ser. no. 271), pp. 97-102, 3 figs., October 1, 1923.

Shead, A. C.—Continued.

2041. Notes on barite in Oklahoma with chemical analyses of sand barite rosettes: *Oklahoma Acad. Sci., Proc.*, vol. 3 (Oklahoma, Univ., Bull., new ser. no. 271), pp. 102–106, October 1, 1923.
2042. "Drillite" and its significance to the geologist: *Oklahoma Acad. Sci., Proc.*, vol. 3 (Oklahoma, Univ., Bull., new ser. no. 271), pp. 107–108, October 1, 1923.
2043. Notes on the Black Mesa basalt: *Oklahoma Acad. Sci., Proc.*, vol. 3 (Oklahoma, Univ., Bull., new ser. no. 271), pp. 108–113, 2 figs., October 1, 1923.

Shedd, Solon.

2044. Topography and geology of the Okanogan Highlands and Columbia Plateau of Washington (abstract): *Geol. Soc. America, Bull.*, vol. 34, no. 1, p. 75, March 30, 1923.
2045. The mineral resources of Washington: Washington, Division of Geology, Bull. no. 30, pp. 1–183, 3 figs., 1924.

Shepard, Francis Parker.

2046. Isostasy as a result of earth shrinkage: *Jour. Geology*, vol. 31, no. 3, pp. 208–216, 4 figs., April–May, 1923; abstract, *Geol. Soc. America, Bull.*, vol. 34, no. 1, pp. 62–63, March 30, 1923.
2047. Indications of important horizontal compression in the Colorado Rockies: *Am. Jour. Sci.*, 5th ser., vol. 5, pp. 403–408, 5 figs., May, 1923.
2048. To question the theory of periodic diastrophism: *Jour. Geology*, vol. 31, no. 7, pp. 599–613, 2 figs., October–November, 1923.
2049. The bearing of normal faults on the hypothesis of a shrinking earth: *Am. Jour. Sci.*, 5th ser., vol. 7, pp. 146–154, 5 figs., February, 1924.
2050. Mountain building without loss of isostatic equilibrium (abstract, with discussion by William Bowie and W. H. Hobbs): *Geol. Soc. America, Bull.*, vol. 35, no. 1, pp. 62–63, March 30, 1924; abstract, *Pan-Am. Geologist*, vol. 41, no. 2, p. 135, March, 1924.

Shepard, T. P. See Leith, no. 1359.

Sherzer, W. H.

2051. Explosive eruptions of Kilauea: *Science*, new ser., vol. 57, pp. 459–461, April 20, 1923.

Shideler, W. H.

2052. Some faunal correlations of the Richmond (abstract): *Geol. Soc. America, Bull.*, vol. 34, no. 1, p. 130, March 30, 1923.
2053. The basal Richmond of the Cincinnati province (abstract): *Geol. Soc. America, Bull.*, vol. 34, no. 1, p. 132, March 30, 1923.

Shimer, Hervey W.

2054. Some forces in man's social evolution: *Science*, new ser., vol. 60, pp. 199–203, February 29, 1924.

Shipton, Washburne D.

2055. A new exposure of Mississippian strata near Saint Louis, Missouri: *Washington Univ. Studies*, vol. 11, no. 1, pp. 59–63, 2 pls., July, 1923.
2056. The occurrence of Nebraskan drift in northern Missouri: *Washington Univ. Studies*, vol. 12, Scientific ser., no. 1, pp. 53–71, 1924.

Short, M. N.

- (with Locke, Augustus, and Hall, D. A.). Rôle of secondary enrichment in genesis of Butte chalcocite (with discussion by G. M. Schwartz): *Am. Inst. Min. and Met. Eng., Trans.*, vol. 70, pp. 933-963, 17 figs., 1924; [preprint] no. 1308, 30 pp., 17 figs., March, 1924; abstract, *Mining and Metallurgy*, vol. 5, no. 210, pp. 292-293, June, 1924.

Shuler, Ellis W.

2057. Occurrence of human remains with Pleistocene fossils, Lagow sand pit, Dallas, Texas: *Science*, new ser., vol. 57, pp. 333-334, March 16, 1923.

Siebenthal, C. E.

2058. (and Stoll, A.). Cadmium in 1922: *U. S. Geol. Survey, Mineral Resources*, 1922, pt. 1, pp. 1-5, May 22, 1923.
 2059. (and Stoll, A.). Lead in 1922 (general report): *U. S. Geol. Survey, Mineral Resources*, 1922, pt. 1, pp. 27-36, 1 fig., July 17, 1923.
 2060. (and Stoll, A.). Zinc in 1922: *U. S. Geol. Survey, Mineral Resources*, 1922, pt. 1, pp. 37-52, 2 figs., July 18, 1923.
 2061. (and Stoll, A.). Lead and zinc pigments and salts in 1922: *U. S. Geol. Survey, Mineral Resources*, 1922, pt. 1, pp. 77-85, 2 figs., July 25, 1923.
 2062. (and Stoll, A.). Zinc in 1923 (smelter report): *U. S. Geol. Survey, Mineral Resources*, 1923, pt. 1, pp. 79-99, 2 figs., October 10, 1924.
 2063. (and Phillips, E. R.). Barytes and barium products in 1923: *U. S. Geol. Survey, Mineral Resources*, 1923, pt. 2, pp. 79-88, 1 fig., October 16, 1924.
 2064. (and Stoll, A.). Lead and zinc pigments and salts in 1923: *U. S. Geol. Survey, Mineral Resources*, 1923, pt. 1, pp. 119-128, 2 figs., November 3, 1924.
 2065. (and Stoll, A.). Lead in 1923 (smelter report): *U. S. Geol. Survey, Mineral Resources*, 1923, pt. 1, pp. 129-144, 1 fig., November 4, 1924.

Sievers, E. G.

- (with McBride, R. S.). Natural gas in 1919-1921: *U. S. Geol. Survey, Mineral Resources*, 1921, pt. 2, pp. 335-369, 13 figs., May 22, 1923.

Sonder, Richard A.

- (with Friedlaender, Immanuel). Ueber das Vulkangebiet von San Martin Tuxtla in Mexiko: *Zeitschr. Vulkanologie*, Bd. 7, H. 3, pp. 162-187, 3 figs., 8 pls. (incl. map), November, 1923.

Simpson, Howard E.

2066. Artesian-water conditions in North Dakota: *North Dakota Geol. Survey, Bull.* no. 2, 7 pp., Grand Forks, 1923.

Sinclair, William J.

2067. The faunas of the concretionary zones of the *Oreodon* beds, White River Oligocene: *Am. Philos. Soc., Proc.*, vol. 63, no. 1, pp. 94-133, 10 figs., 1 pl., 1924.

Singewald, Joseph T., jr. See Cushman, no. 486.

Singewald, Quentin Dreyer.

2068. Origin and distribution of rock oil: *Pan-Am. Geologist*, vol. 39, no. 4, pp. 282-288, May, 1923.

Sisler, James D.

2069. Bituminous-coal losses and mining methods in Pennsylvania, including thickness, character, and reserves of coal: Pennsylvania Geol. Survey, 4th ser. [Bull. M4], 216 pp., 29 figs. [1924].
See also Pennsylvania G. S., no. 1734.

Slocum, Arthur Ware.

2070. (and Foerste, August F.). New echinoderms from the Maquoketa beds of Fayette County, Iowa [with description of *Pleurocystites multistriatus* by E. O. Ulrich and Edwin Kirk]: Iowa Geol. Survey, vol. 29, pp. 315-382, 5 figs., 6 pls. [1924].

Smith, Arthur H. De Witt.

2071. Mining methods of Verde mining district [Arizona]: Am. Inst. Min. and Met. Eng., Trans. [preprint], no. 1309, 43 pp., 12 figs., March, 1924.

Smith, Edward S. C.

2072. The Rangeley conglomerate [Maine]: Am. Jour. Sci., 5th ser., vol. 5, pp. 147-154, 1 fig., February, 1923.

Smith, Ernest Rice.

2073. Three new brackish-water Pliocene Mollusca from Louisiana: Indiana Acad. Sci., Proc., 38th Ann. Meeting, 1922, pp., 135-136, 5 figs., 1923.
2074. A case of stream piracy near Greencastle, Indiana: Indiana Acad. Sci., Proc., 39th Ann. Meeting, vol. 33, pp. 73-75, 3 figs., 1924.

Smith, Eugene A.

2075. Mineral industries of Alabama: The South's Development, Manufacturers Record, vol. 86, no. 24, pt. 2, pp. 350-354, December 11, 1924. Reprint, 14 pp.

Smith, George Otis.

2076. The occurrence of granite in Maine: U. S. Geol. Survey, Bull. 738, pp. 205-209, 1 pl. (map), 1923.
2077. Forty-fourth annual report of the Director of the United States Geological Survey to the Secretary of the Interior for the fiscal year ended June 30, 1923. 89 pp., 1 pl. (map), Washington, 1923.
2078. Forty-fifth annual report of the Director of the United States Geological Survey to the Secretary of the Interior for the fiscal year ended June 30, 1924. 83 pp., 1 pl. (map), Washington, 1924.

Smith, Isabel F.

2079. Anorthosite in the Piedmont province of Pennsylvania. Dissertation, Bryn Mawr College, 40 pp., 5 figs., Bryn Mawr, Pennsylvania, 1923.

Smith, James Perrin.

2080. John Casper Branner: Jour. Geology, vol. 32, no. 3, pp. 240-241, April-May, 1924.

Smith, John E.

2081. Three glacial tills at Ames, Iowa: Iowa Acad. Sci., Proc. 1921, vol. 28, pp. 47-48, 1 fig. [1923].
2082. Algona recessional stages of Wisconsin glaciation in Iowa (abstract): Pan-Am. Geologist, vol. 42, no. 5, p. 376, December, 1924.
2083. Fort Dodge stages of retreating glaciers (abstract): Pan-Am. Geologist, vol. 42, no. 5, pp. 376-377, December, 1924.
2084. Preliminary State map of Wisconsin glacial till [in Iowa] (abstract): Pan-Am. Geologist, vol. 42, no. 5, p. 377, December, 1924.

Smith, John E.—Continued.

2085. Theoretical stage in retreat of Iowa glaciers (abstract): *Pan-Am. Geologist*, vol. 42, no. 5, p. 377, December, 1924.

Smith, R. A.

2086. (and Martin, Helen M.). Mineral resources of Michigan . . . : Michigan, Dept. Conservation, Geol. Survey Div., 138 pp., [1923?].
 2087. Oil development in Michigan and the anticline at Seul Choix Point: *Michigan Acad. Sci., Papers*, vol. 1, pp. 269-272, 1923.
 2088. Mineral resources of Michigan with statistical tables of production and value for 1922 and prior years: *Michigan Geol. Survey, Pub. 34* (geol. ser. 28), 146 pp. [1924].

Smith, Richard W.

2089. Mining and washing phosphate rock in Tennessee: *Eng. and Min. Jour.-Press*, vol. 115, no. 5, pp. 221-236, 8 figs., February 3, 1923.
 2090. Geology and utilization of Tennessee phosphate rock: *Am. Inst. Min. and Met. Eng., Trans.* [preprint] no. 1373, 20 pp., 5 figs., September, 1924.

Smith, W. R.

2091. (and Baker, A. A.). The Cold Bay-Chignik district, Alaska: *U. S. Geol. Survey, Bull. 755*, pp. 151-218, 1 fig., 5 pls. (maps), 1924.

Smith, Warren Dupre.

2092. Geology and our civilization: *Sci. Monthly*, vol. 18, no. 2, pp. 168-180, February, 1924.
 2093. Petroleum possibilities of western Oregon: *Econ. Geology*, vol. 19, no. 5, pp. 455-465, August, 1924.
 2094. Physical and economic geography of Oregon: *Oregon, Univ., Commonwealth Review*, new ser., vol. 6, nos. 2 and 3, pp. 21-31, April-July, no. 4, pp. 56-89, 6 figs. (incl. map), 4 pls., December, 1924.

Smithsonian Institution.

2095. Explorations and field work of the Smithsonian Institution in 1922: *Smithsonian Misc. Coll.*, vol. 74, no. 5, 153 pp., 145 figs., 1923.
 2096. Explorations and field work of the Smithsonian Institution in 1923: *Smithsonian Misc. Coll.*, vol. 76, no. 10, 128 pp., 123 figs., 1924.

Sohon, F. W.

2097. A graphical determination of the actual amplitude of the earth's motion from seismographical data: *Seismol. Soc. America, Bull.*, vol. 14, no. 3, pp. 185-196, 5 figs., September, 1924.

Soley, John C.

2098. Sources of volcanic energy. 247 pp., illus., New York, G. P. Putnam's Sons, 1924.

Somers, R. E.

2099. Origin, migration, and accumulation of petroleum: *Eng. and Min. Jour.-Press*, vol. 115, no. 2, pp. 66-69, 5 figs., January 13, 1923.

Sosman, Robert B.

2100. An outline of geophysical-chemical problems: *Smithsonian Inst., Ann. Rept.*, 1921, pp. 225-234, 1922.
 2101. Status and problems of geophysical chemistry: *Nat. Research Council, Bull.*, vol. 7, pt. 5, no. 41, pp. 74-77, January, 1924.
 2102. Symposium on hot springs (abstract): *Nat. Research Council, Bull.*, vol. 7, pt. 5, no. 41, pp. 149-150, January, 1924.

Sosman, Robert B.—Continued.

2103. Notes on the papers presented in the symposium on hot springs; General summary of the symposium on hot springs: *Jour. Geology*, vol. 32, no. 6, pp. 464–471, August–September, 1924.

See also Hewett, no. 922.

Spearman, Charles.

2104. Gold in an altered basic dike [Dubuissou Township, northwestern Quebec]: *Canadian Min. Jour.*, vol. 45, no. 4, p. 87, January 25, 1924.
2105. The significance of the middle Eozoic sediments of Ontario and Quebec: *Canadian Min. Jour.*, vol. 45, no. 8, pp. 169–170, February 22, 1924.
2106. The Kirkland Lake ore bodies [Ontario]: *Canadian Min. Jour.*, vol. 45, nos. 28 and 29, pp. 668–669, 694–695, 7 figs., July 11 and 18, 1924.

Speckman, W. N.

2107. Marengo Cave, Marengo, Indiana: *Illinois State Acad. Sci., Trans.*, vol. 16, pp. 393–395, 2 pls., 1923.
2108. Lake Abram, Berea, Ohio: *Illinois State Acad. Sci., Trans.*, vol. 16, pp. 396–398, 1923.

Spence, H. S.

2109. Investigation of miscellaneous nonmetallic minerals: Canada, Mines Branch, *Summ. Rept.*, 1921, pp. 12–18, 1923.
2110. Bentonite; Feldspar: Canada, Mines Branch, *Investigations of Mineral Resources and the Mining Industry*, 1923, pp. 1–3, 1924.
2111. An addition to the mineral resources of western Canada: bentonite or colloidal clay: *Inst. Petroleum Technologists, Jour.*, vol. 10, no. 45, pp. 707–709, September, 1924.
2112. Canada's barytes resources: *Canadian Min. Jour.*, vol. 45, no. 46, pp. 1116–1118, 2 figs., November 14, 1924.

Spencer, A. C. See Bateman, no. 98; Stose, no. 2163.

Springer, Frank.

2113. On the fossil crinoid family Catillocrinidae: *Smithsonian Misc. Coll.*, vol. 76, no. 3, 41 pp., 5 pls., August 3, 1923.
2114. A Tertiary crinoid from the West Indies: *U. S. Nat. Mus., Proc.*, vol. 65, art. 3, 8 pp., 1 pl., 1924.
2115. A remarkable fossil echinoderm fauna in the East Indies: *Am. Jour. Sci.*, 5th ser., vol. 8, pp. 325–335, October, 1924.

Includes notes on the distribution of Crinoidea in America.

Spurr, Josiah Edward.

2116. The ore magmas; a series of essays on ore deposition. 2 vols., 915 pp., 175 figs., New York, McGraw-Hill Book Company, 1923.
2117. The filling of fissure veins: *Eng. and Min. Jour.-Press*, vol. 116, no. 8, pp. 329–330, 2 figs., August 25, 1923.
2118. The gold ores of Porcupine [Ontario]: *Eng. and Min. Jour.-Press*, vol. 116, no. 15, pp. 633–638, 6 figs., October 13, 1923.
2119. The pre-Cambrian veins of Kirkland Lake, Ontario: *Eng. and Min. Jour.-Press*, vol. 116, no. 16, pp. 671–672, 1 fig., October 20, 1923.
2120. The origin of metallic concentrations by magmation: *Econ. Geology*, vol. 18, no. 7, pp. 617–638, October–November, 1923.
2121. The content of metals in intrusive magmas: *Econ. Geology*, vol. 19, no. 1, pp. 89–92, January–February, 1924.

Spurr, Josiah Edward—Continued.

2122. Upper Mississippi lead and zinc ores: Eng. and Min. Jour.-Press, vol. 117, nos. 6 and 7, pp. 246-250, 287-292, 16 figs., February 9 and 16, 1924.
2123. Ore injection at Edwards, New York: Eng. and Min. Jour.-Press, vol. 117, no. 17, pp. 684-689, 7 figs., April 26, 1924.
2124. Ore deposition at the Creighton nickel mine, Sudbury, Ontario: Econ. Geology, vol. 19, no. 3, pp. 275-280, 1 fig., April-May, 1924.
2125. Ore magmas (abstract): Canadian Min. Jour., vol. 45, no. 45, p. 1099, November 7, 1924.
2126. Alfred Hulse Brooks: Eng. and Min. Jour.-Press, vol. 118, no. 22, p. 871, portr., November 29, 1924.
See also Anderson, no. 35; Bateman, no. 98, 101; Emmons, no. 652; Gray, no. 795.

Stadnichenko, T.

- (with White, David). Some mother plants of petroleum in the Devonian black shales: Econ. Geology, vol. 18, no. 3, pp. 238-252, 5 pls., April-May, 1923.

Stainbrook, Merrill A.

2127. Apparent fossil fruits from the Fort Union beds of North Dakota: Iowa Acad. Sci., Proc., vol. 30, pp. 455-458, 2 figs. [1924].
2128. (and Ladd, H. S.). Fauna of State beds (abstract): Pan-Am. Geologist, vol. 42, no. 5, p. 382, December, 1924.
(with Thomas, A. O.). Status of certain rhynchonellid brachiopods from the Devonian of Iowa: Iowa Acad. Sci., Proc. 1922, vol. 29, pp. 93-98, 2 figs., 1 pl. [1924?].

Stalder, Walter.

2129. A section of the Monterey (Salinas) shales in Pine Canyon, Monterey County, California: Am. Assoc. Petroleum Geologists, Bull., vol. 8, no. 1, pp. 55-60, 1 fig., January-February, 1924.

Stansfield, J.

2130. Banded precipitates of vivianite in a Saskatchewan fire clay: Geol. Mag., vol. 59, no. 8, pp. 356-358, 1 pl., August, 1922.
2131. Extensions of the Monteregian petrographical province to the west and northwest [Quebec]: Geol. Mag., vol. 60, no. 10, pp. 433-453, 2 figs., October, 1923.
2132. Nomenclature and relations of the lamprophyres: Geol. Mag., vol. 60, no. 12, pp. 550-554, December, 1923.

Staub, Walther.

2133. Beiträge zur Landeskunde des nordöstlichen Mexico: Gesell. Erdkunde Berlin, Zeitschr., 1923, no. 5-7, pp. 187-212, 3 figs., 1923.

Stauffer, Clinton R.

2134. The fossil elephants of Minnesota: Science, new ser., vol. 60, pp. 40-41, July 11, 1924.

Stearns, Harold T.

2135. Note on the first discovery of vanadinite in Idaho: Am. Mineralogist, vol. 8, no. 7, pp. 127-128, July, 1923.
2136. The origin of a niter deposit near Dubois, Idaho: Am. Mineralogist, vol. 9, no. 6, pp. 135-137, June, 1924.
2137. Craters of the Moon National Monument [Idaho]: Geog. Rev., vol. 14, no. 3, pp. 362-372, 9 figs., July, 1924.

Stearns, Harold T.—Continued.

2138. Igneous geology of the Mud Lake Basin, Idaho (abstract): Washington Acad. Sci., Jour., vol. 19, no. 15, pp. 380-381, September 19, 1924.

Steele, L. L.

2139. Notes on two fossil coal resins: Am. Jour. Sci., 5th ser., vol. 7, pp. 389-392, May, 1924.

Stefanini, G.

2140. Relations between American and European Tertiary echinoid faunas: Geol. Soc. America, Bull., vol. 35, no. 4, pp. 827-846, 4 figs., December 30, 1924.

Stefansson, Vilhjalmur.

2141. Polar temperatures and coal measures: Nature, vol. 112, p. 162, August 4, 1923.

Steinmayer, R. A.

2142. "Surface indicators of oil" in Louisiana: Louisiana Eng. Soc., Proc., vol. 10, no. 6, pp. 257-268, 2 figs., December, 1924.

Stephenson, Lloyd William.

2143. The Cretaceous formations of North Carolina; Part I, Invertebrate fossils of the Upper Cretaceous formations: North Carolina Geol. Survey, vol. 5, pt. 1, 604 pp., 102 pls. (incl. map), 1923.

Sternberg, Charles M.

2144. Notes on the Lance formation of southern Saskatchewan: Canadian Field-Naturalist, vol. 38, no. 4, pp. 66-70, April, 1924.

Sterrett, Douglas B.

2145. Mica deposits of the United States: U. S. Geol. Survey, Bull. 740, 342 pp., 96 figs., 29 pls. (incl. maps), 1923.

Stevens, John B.

2146. A comparative study of the San Joaquin Valley oil fields: Am. Assoc. Petroleum Geologists, Bull., vol. 8, no. 1, pp. 29-40, 3 figs., January-February, 1924.

Stewart, Grace Anne.

2147. The fauna of the Little Saline limestone in Ste. Genevieve County: Missouri Bur. Geology and Mines, 2d ser., vol. 17, pp. 213-269, 15 pls. [1924].

Stille, Hans.

2148. The shrinkage of the earth (abstract by Chester R. Longwell of an address entitled "Die Schrumpfung der Erde . . ."): Am. Jour. Sci., 5th ser., vol. 6, pp. 168-172, August, 1923.

Stillwell, F. L.

2149. A Bendigo problem and its bearing on force of crystallization: Econ. Geology, vol. 18, no. 5, pp. 506-510, 2 figs., August, 1923.

Stock, Chester.

2150. A recent discovery of human remains in Los Angeles, California: Science, new ser., vol. 60, pp. 2-5, July 4, 1924.

Stockdale, Paris B.

2151. Solutive genesis of stylolitic structures: Pan-Am. Geologist, vol. 39, no. 5, pp. 353-364, 3 figs., 3 pls., June, 1923.

Stoddard, B. H.

2152. Mica in 1922: U. S. Geol. Survey, Mineral Resources, 1922, pt. 2, pp. 153-164, November 14, 1923.
2153. Mica in 1923: U. S. Geol. Survey, Mineral Resources, 1923, pt. 2, pp. 143-148, October 8, 1924.
2154. Talc and soapstone in 1923: U. S. Geol. Survey, Mineral Resources, 1923, pt. 2, pp. 161-165, 1 fig., November 6, 1924.

Stoess, P. C.

2155. Arsenic deposits near Seattle, Washington: Eng. and Min. Jour.-Press, vol. 118, no. 21, pp. 821-822, November 22, 1924.

Stolfus, M. A.

- (with Johnson, D. W.). The submerged coastal plain and oldland of New England: Science, new ser., vol. 60, pp. 291-293, March 28, 1924.

Stone, R. W.

2156. Meteorites found in Pennsylvania (abstract): Geol. Soc. America, Bull., vol. 35, no. 1, p. 107, March 30, 1924; Pan-Am. Geologist, vol. 41, no. 2, pp. 152-153, March, 1924.
- See also Pennsylvania G. S., no. 1734.

Storm, Willis.

2157. The carbon ratio: Am. Assoc. Petroleum Geologists, Bull., vol. 7, no. 3, p. 291, May-June, 1923.
2158. Carbon ratios of Cretaceous coals in New Mexico in their possible relation to oil: Am. Assoc. Petroleum Geologists, Bull., vol. 8, no. 4, pp. 519-524, 1 fig., July-August, 1924.
- (with Tomlinson, C. W.). The Graham field, Oklahoma: Am. Assoc. Petroleum Geologists, Bull., vol. 8, no. 5, pp. 593-620, 10 figs., September-October, 1924.

Stose, G. W.

2159. (and Schrader, F. C.). Manganese deposits of east Tennessee: U. S. Geol. Survey, Bull. 737, 154 pp., 45 figs., 34 pls. (incl. maps), 1923.
2160. (and Jonas, Anna I.). Ordovician overlap in the Piedmont province of Pennsylvania and Maryland: Geol. Soc. America, Bull., vol. 34, no. 3, pp. 507-524, 17 figs. (incl. maps), September 30, 1923.
2161. Strontium in 1922: U. S. Geol. Survey, Mineral Resources, 1922, pt. 2, pp. 59-61, September 12, 1923.
2162. Barytes and barium products in 1922: U. S. Geol. Survey, Mineral Resources, 1922, pt. 2, pp. 141-152, November 3, 1923.
2163. New type of structure in the Appalachians: Geol. Soc. America, Bull., vol. 35, no. 3, pp. 465-480, 8 figs., September 30, 1924; abstract (with discussion by W. H. Hobbs, E. T. Wherry, A. C. Lawson, A. I. Jonas, and A. C. Spencer), no. 1, pp. 63-64, March 30, 1924; abstract, Pan-Am. Geologist, vol. 41, no. 2, pp. 135-136, March, 1924.
2164. The black shale of southwestern Virginia: Jour. Geology, vol. 32, no. 4, pp. 311-315, 1 fig., May-June, 1924.
2165. Strontium in 1923: U. S. Geol. Survey, Mineral Resources, 1923, pt. 2, pp. 23-26, July 19, 1924.
2166. Notes on the origin of Clinton hematite ores: Econ. Geology, vol. 19, no. 5, pp. 405-411, 2 figs., August, 1924.
- See also Eby, no. 621.

Stout, Wilber.

2167. (and others). Coal-formation clays of Ohio: Ohio Geol. Survey, 4th ser., Bull. 26, 588 pp., 5 figs., 15 pls., map, 1923.

2168. Origin of coal-formation clays: Ohio Geol. Survey, 4th ser., Bull. 26, pp. 532-568, 1923.

2169. (and Lamborn, R. E.). Geology of Columbiana County: Ohio Geol. Survey, 4th ser., Bull. 28, 408 pp., 3 figs., 6 pls. (incl. maps) 1924.

Strauss, H. A.

2170. To help lay the ghost of the "molten magma": Eng. and Min. Jour.-Press, vol. 118, no. 11, p. 422, September 13, 1924.

Stroud, Ben K.

2171. The Monroe gas field, Louisiana: Am. Assoc. Petroleum Geologists Bull., vol. 7, no. 5, pp. 565-574, September-October, 1923.

Stull, R. T.

2172. Distribution of kaolin and bauxite of the Coastal Plain of Georgia: Am. Ceramic Soc., Jour., vol. 7, no. 7, pp. 513-522, 2 figs., July 1924.

Swanson, C. O.

2173. The origin, distribution, and composition of laterite: Am. Ceramic Soc., Jour., vol. 6, no. 12, pp. 1248-1260, 1 fig., December, 1923.

(with Mead, W. J.). X-ray determination of minerals: Econ. Geology, vol. 19, no. 5, pp. 486-489, August, 1924.

Swanson, W. L.

2174. Geology of certain base and meridian lines west of Lake Nipigon: Ontario Dept. Mines, 32d Ann. Rept., vol. 32, pt. 3, 1923, pp. 8-22, 3 pls., 1924.

Swartz, Charles K.

2175. (and Baker, Wm. A., jr.). The coal formations and mines of Maryland, with introduction by Edward Bennett Mathews: Maryland Geol. Survey, vol. 11, pp. 27-288, 10 figs., 7 pls. (incl. map), 1922.

2176. Distribution and stratigraphy of the coal measures of Maryland; Correlation of the coal measures of Maryland; The coal basins of Maryland: Maryland Geol. Survey, vol. 11, pp. 35-126, 1922.

2177. (and Hall, George M.). Stratigraphy of the Carboniferous of Maryland: Maryland Geol. Survey, vol. 11, pp. 337-348, 1922.

2178. Geologic relations and geographic distribution of the Silurian strata of Maryland; Stratigraphic and paleontologic relations of the Silurian strata of Maryland: Maryland Geol. Survey, Silurian, pp. 19-23, 25-51, 1 fig., 4 pls., 1923.

2179. Sections of the Wills Creek and Tonoloway formations: Maryland Geol. Survey, Silurian, pp. 105-181, 1 pl., 1923.

2180. Correlation of the Silurian formations of Maryland with those of other areas: Maryland Geol. Survey, Silurian, pp. 183-232, 1923.

2181. (and others). Systematic paleontology; Silurian [Coelenterata, Mollusca, Trilobita, by C. K. Swartz and W. F. Prouty; Vermes and Brachiopoda, by W. F. Prouty and C. K. Swartz; Bryozoa, by R. S. Bassler; Ostracoda, by E. O. Ulrich and R. S. Bassler; Mero-stomata, by C. K. Swartz]: Maryland Geol. Survey, Silurian, pp. 393-778, 59 pls., 1923.

Swartz, Charles K.—Continued.

2182. Earlier Silurian formations of Pennsylvania (abstract, with discussion by George H. Ashley and George H. Chadwick): *Geol. Soc. America, Bull.*, vol. 35, pp. 104-105, March 30, 1924; abstract, *Pan-Am. Geologist*, vol. 41, no. 2, p. 152, March, 1924.

(with Prouty, W. F.). Sections of the Rose Hill and McKenzie formations: *Maryland Geol. Survey, Silurian*, pp. 53-104, 3 pls., 1923.

Swartz, Joel H.

2183. The age of the Chattanooga shale of Tennessee: *Am. Jour. Sci.*, 5th ser., vol. 7, pp. 24-30, January, 1924.

Sweet, P. W. K.

(with Wright, Albert, jr.). The Jurassic as a source of oil in western Cuba: *Am. Assoc. Petroleum Geologists, Bull.*, vol. 8, no. 4, pp. 516-519, July-August, 1924.

Taber, Stephen.

2184. Some criteria used in recognizing active faults: *Geol. Soc. America, Bull.*, vol. 34, no. 4, pp. 661-668, 1 fig., December 30, 1923.

2185. The origin of veins of fibrous minerals: *Econ. Geologist*, vol. 19, no. 5, pp. 475-486, 5 figs., August, 1924.

2186. The Inglewood fault zone [California]: *Seismol. Soc. America, Bull.*, vol. 14, no. 3, pp. 197-199, September, 1924.

Taff, J. A.

(with Gaylord, E. G.). Geological organization of an oil company: *Am. Assoc. Petroleum Geologists, Bull.*, vol. 8, no. 5, pp. 651-661, September-October, 1924.

Taliaferro, N. L.

2187. Notes on the geology of Ventura County, California: *Am. Assoc. Petroleum Geologists, Bull.*, vol. 8, no. 6, pp. 789-810, 1 fig., 1 pl., November-December, 1924.

Tams, E.

2188. Erdbeben und Ausbruch des Katmai: *Zeitschr. Vulkanologie*, Bd. 8, H. 3, pp. 137-149, 1 pl. (map), October, 1924.

Tansey, V. O.

2189. The fauna and the correlation of the Bailey limestone in the Little Saline Creek area of Ste. Genevieve County, Missouri: *Missouri Bur. Geology and Mines*, 2d ser., vol. 17, pp. 166-212, 17 pls. [1924.]

Tanton, T. L.

2190. Palladium-bearing nickel deposit at Shebandowan Lake, Thunder Bay district, Ontario: *Canada, Geol. Survey, Summ. Rept.*, 1922, pt. D, pp. 1-8, 2 figs., 1923.

2191. Gold occurrence at Makwa, Sudbury district, Ontario: *Canada, Geol. Survey, Summ. Rept.*, 1922, pt. D, pp. 9-12, 1 fig., 1923.

2192. The effect of glaciation on prospecting for mineral deposits in the Laurentian Plateau: *Geog. Rev.*, vol. 13, no. 1, pp. 107-111, 1 fig., January, 1923.

2193. Iron formation at Gravel Lake, Thunder Bay district, Ontario: *Canada, Geol. Survey, Summ. Rept.* 1923, pt. C 1, pp. 1-5, 1924.

Tarr, W. A.

2194. A high-temperature vein in Madison County, Missouri (abstract): *Geol. Soc. America, Bull.*, vol. 34, no. 1, p. 99, March 30, 1923.

Tarr, W. A.—Continued.

2195. Intrrenched and incised meanders of some streams on the northern slope of the Ozark Plateau in Missouri: *Jour. Geology*, vol. 32, no. 7, pp. 583-600, 8 figs., October-November, 1924.
See also Twenhofel, no. 2294.

Taylor, Frank B.

2196. The lateral migration of land masses (abstract): *Washington Acad. Sci., Jour.*, vol. 13, no. 20, pp. 445-447, December 4, 1923.
2197. Moraines of the St. Lawrence Valley: *Jour. Geology*, vol. 32, no. 8, pp. 641-667, 12 figs., 1 pl. (map), November-December, 1924.

Taylor, T. G.

- (with Moore, E. S.). The silica refractories of Pennsylvania: *Pennsylvania Geol. Survey*, 4th ser., Bull. M3, 100 pp., 10 figs. (incl. maps), 16 pls., 1924.

Teas, L. P.

2198. Differential compacting the cause of certain Claiborne dips [in the north Louisiana-south Arkansas district] (with discussion): *Am. Assoc. Petroleum Geologists, Bull.*, vol. 7, no. 4, pp. 370-378, 6 figs., July-August, 1923.

Teller, Mrs. Edgar E.

2199. Memorial of Edgar E. Teller: *Geol. Soc. America, Bull.*, vol. 35, no. 1, pp. 182-184, March 30, 1924.

Templeton, R. R.

2200. (and McCollom, C. R.). Santa Fe Springs field, California (with discussion): *Am. Assoc. Petroleum Geologists, Bull.*, vol. 8, no. 2, pp. 178-194, 1 fig., 1 pl., March-April, 1924.

Termier, Pierre.

2201. Une visite au Grand Cañon du Colorado: *Revue Univ.*, t. 19, no. 17, pp. 553-569, December, 1924.

Texas, Attorney General.

2202. (and others). [Suit to ascertain the boundary line between the State of Oklahoma and the State of Texas along Red River.] In the Supreme Court of the United States, October term, 1921. In Equity, Original No. 20. The State of Oklahoma, Complainant, v. the State of Texas, Defendant. Brief for Defendant . . . April 24, 1922. Part I, Statement of case and argument, 472 pp.; Part II, Abstract of the evidence, 766 pp. [Expert testimony by Robert T. Hill, pp. 255-343; by E. H. Sellards, pp. 353-434; by L. C. Glenn, pp. 577-641; by Isaiah Bowman, pp. 642-662].

Contains various data regarding the behavior of rivers, particularly the Red River, and the geologic and physiographic features of the Red River and its banks, more especially in the Big Bend region.

Tharp, B. C.

- (with Sellards, E. H., and Hill, R. T.). Investigation on the Red River made in connection with the Oklahoma-Texas boundary suit: *Texas, Univ., Bull.*, no. 2327, 174 pp., 2 figs., 9 pls., 6 maps, August, 1923.

Thiel, George A.

2203. The manganese minerals; their identification and paragenesis: *Econ. Geology*, vol. 19, no. 2, pp. 107-145, 3 figs., 2 pls., March, 1924.

Thiel, George A.—Continued.

2204. The precipitation of manganese from meteoric solutions: *Am. Jour. Sci.*, 5th ser., vol. 7, pp. 457-472, June, 1924.
2205. High temperature manganese veins of the Cuyuna range [Minnesota]: *Econ. Geology*, vol. 19, no. 4, pp. 377-381, June-July, 1924.
2206. Iron sulphides in magnetic belts near the Cuyuna range: *Econ. Geology*, vol. 19, no. 5, pp. 466-472, 1 fig., August, 1924.
2207. Study of polished surfaces: *Econ. Geology*, vol. 19, no. 6, pp. 582-584, September-October, 1924.
2208. Commercial possibilities of the magnetite slates of the Cuyuna range [Minnesota]: *Eng. and Min. Jour.-Press*, vol. 118, no. 19, pp. 735-738, 7 figs., November 8, 1924.
(with Grout, Frank F.). Notes on stilpnomelane: *Am. Mineralogist*, vol. 9, no. 11, pp. 228-231, 1 fig., November, 1924.

Thiessen, Reinhardt.

2209. The origin and constitution of coal: *Wyoming Hist. and Geol. Soc., Proc. and Coll.*, vol. 19, preprint, 44 pp., 21 pls., Wilkes-Barre, Pa., 1924.

Thom, W. T., jr.

2210. The relation of deep-seated faults to the surface structural features of central Montana: *Am. Assoc. Petroleum Geologists, Bull.*, vol. 7, no. 1, pp. 1-13, 2 figs., 1 pl., January-February, 1923.
2211. (and Dobbin, C. E.). Correlation of the Lebo member of the Fort Union with Cannonball member of the Lance (abstract): *Washington Acad. Sci., Jour.*, vol. 14, no. 7, p. 165, April 4, 1924.
2212. (and Dobbin, C. E.). Stratigraphy of Cretaceous-Eocene transition beds in eastern Montana and the Dakotas: *Geol. Soc. America, Bull.*, vol. 35, no. 3, pp. 481-505, 4 figs., 3 pls., September 30, 1924; abstract, no. 1, p. 98, March 30, 1924; *Pan-Am. Geologist*, vol. 41, no. 2, p. 148, March, 1924.
2213. "Direct synthesis of higher from lower hydrocarbons": *Am. Assoc. Petroleum Geologists, Bull.*, vol. 8, no. 6, pp. 830-831, November-December, 1924.
2214. Production and potentialities of the South's coal fields: *The South's Development, Manufacturers Record*, vol. 86, no. 24, pt. 2, pp. 297-303, December 11, 1924.

Thomas, A. O.

2215. The geographic distribution of Iowa Devonian echinoderms (abstract): *Science*, new ser., vol. 57, p. 147, August 24, 1923.
2216. Some giant *Stromatopora* from near Iowa City, Iowa (abstract): *Science*, new ser., vol. 57, p. 147, August 24, 1923.
2217. Echinoderms of the Iowa Devonian: *Iowa Geol. Survey*, vol. 29, pp. 385-550, 21 figs., 20 pls. [1924].
2218. Some new Paleozoic glass sponges from Iowa: *Iowa Acad. Sci., Proc.* 1922, vol. 29, pp. 85-90, 1 pl. [1924?]
2219. (and Stainbrook, M. A.). Status of certain rhynchonellid brachiopods from the Devonian of Iowa: *Iowa Acad. Sci., Proc.* 1922, vol. 29, pp. 93-98, 2 figs., 1 pl. [1924?].
2220. Notes on some mammalian remains reported in Iowa during the past year (abstract): *Iowa Acad. Sci., Proc.* 1922, vol. 29, p. 129 [1924?].
2221. The geographic distribution of Iowa Devonian echinoderms: *Iowa Acad. Sci., Proc.*, vol. 30, pp. 463-465 [1924].

Thomas, A. O.—Continued.

2222. Some large colonies of *Stromatopora* found near Iowa City, Iowa: Iowa Acad. Sci., Proc., vol. 30, pp. 467–470, 1 fig. [1924].
2223. Some fossils from an outcrop in Des Moines: Iowa Acad. Sci., Proc., vol. 30, pp. 471–479, 2 pls. [1924].
2224. Some Goniatites from the Paleozoics of Iowa (abstract): Pan-Am. Geologist, vol. 42, no. 5, p. 381, December, 1924.
2225. Pleistocene mammalian remains recently found in Iowa (abstract): Pan-Am. Geologist, vol. 42, no. 5, pp. 381–382, December, 1924.
2226. Fossil pine cone from drift of northern Iowa (abstract): Pan-Am. Geologist, vol. 42, no. 5, p. 382, December, 1924.

Thomas, E. T.

2227. The effect of pressure on the migration of oil: Am. Assoc. Petroleum Geologists, Bull., vol. 8, no. 4, pp. 527–528, July–August, 1924.

Thomson, Ellis.

2228. Mineralography as an aid to milling: Am. Mineralogist, vol. 8, no. 6, pp. 99–104, 8 figs., June, 1923.
2229. Ores of the Silver Islet mine [Lake Superior]: Econ. Geology, vol. 18, no. 5, pp. 516–517, August, 1923.
2230. A mineralographic study of germanite: Toronto, Univ., Studies, Geol. ser., no. 17, pp. 62–65, 1924.
2231. The tellurides: Canadian Min. Jour., vol. 45, no. 49, pp. 1187–1190, 4 figs., December 5, 1924.
(with Bell, J. Mackintosh). The effect of deep-seated alteration upon the mineralogical and geological features of the Keeley silver mine [Cobalt, Ontario]: Toronto, Univ., Studies, Geol. ser., no. 17, pp. 18–37, 1924; abstract, Pan-Am. Geologist, vol. 42, no. 1, p. 72, August, 1924.

Thomson, Francis A.

2232. (and Ballard, Samuel M.). Geology and gold resources of north central Idaho: Idaho Bur. Mines and Geology, Bull. no. 7, 127 pp., 15 figs., 27 pls. (incl. maps), 1924.
2233. Gold veins of sundry areas in the Idaho batholith: Eng. and Min. Jour.-Press, vol. 118, no. 14, pp. 533–540, 10 figs., October 4, 1924.

Thornbury, Delmar L.

2234. California's redwood wonderland, Humboldt County [geology, chapter 7, pp. 43–50]. 167 pp., illus. [San Francisco, California, June, 1923].

Thorpe, Malcolm Rutherford.

2235. Notes on the Bridger (Eocene) Carnivora: Am. Jour. Sci., 5th ser., vol. 5, pp. 23–39, January, 1923.
2236. New species of Uinta Carnivora from White River, Utah: Am. Jour. Sci., 5th ser., vol. 5, pp. 218–224, 4 figs., March, 1923.
2237. The hyoid apparatus of Merycoidodon: Am. Jour. Sci., 5th ser., vol. 5, pp. 225–228, 1 fig., March, 1923.
2238. New reconstructions in the Yale Peabody Museum: Am. Jour. Sci., 5th ser., vol. 6, pp. 91–99, 6 pls., August, 1923.
2239. The primitive and carnivore-like characters of the Merycoidodontidae: Am. Jour. Sci., 5th ser., vol. 6, pp. 239–246, September, 1923.
2240. The generic distinctions between *Merycochoerus* Leidy and *Dromerycochoerus* Douglass: Am. Jour. Sci., 5th ser., vol. 7, pp. 121–131, February, 1924.

Thorpe, Malcolm Rutherford—Continued.

2241. White River (Oligocene) Eporeodons: Am. Jour. Sci., 5th ser., vol. 7, pp. 219-226, March, 1924.
2242. Additional notes on *Oreodontoides oregonensis* Thorpe: Am. Jour. Sci., 5th ser., vol. 7, pp. 316-318, 3 figs., April, 1924.
2243. A new species of extinct peccary from Oregon: Am. Jour. Sci., 5th ser., vol. 7, pp. 393-397, 4 figs., May, 1924.

Thurston, A. W.

2244. Correlations of well drillings in northern Illinois with outcroppings of early Paleozoic beds in Wisconsin: Illinois State Acad. Sci., Trans., vol. 16, pp. 342-346, 1923.

Thwaites, F. T.

2245. The Paleozoic rocks found in deep wells in Wisconsin and northern Illinois: Jour. Geology, vol. 31, no. 7, pp. 529-555, 2 figs., October-November, 1923; abstract, Geol. Soc. America, Bull., vol. 34, no. 1, p. 73, March 30, 1923.

Tickell, F. C.

2246. The correlative value of the heavy minerals: Am. Assoc. Petroleum Geologists, Bull., vol. 8, no. 2, pp. 158-168, 12 figs., March-April, 1924.

Tieje, A. J.

2247. The red beds of the Front Range in Colorado; a study in sedimentation: Jour. Geology, vol. 31, no. 3, pp. 192-207, April-May, 1923.
2248. New earliest known vertebrates (abstract): Geol. Soc. America, Bull., vol. 35, no. 1, p. 162, March 30, 1924.

Tillyard, R. J.

2249. The lower Permian insects of Kansas; preliminary announcement: Entomological News, vol. 34, pp. 292-295, December, 1923.
2250. Description of a new paleodictyopterid [from Permian of Kansas]: Am. Jour. Sci., 5th ser., vol. 7, pp. 203-207, 1 fig., 2 pls., March, 1924.
2251. Kansas Permian insects; Part 3, The new order Protohymenoptera: Am. Jour. Sci., 5th ser., vol. 8, pp. 113-122, 5 figs., 1 pl., August, 1924.

Tilton, John L.

2252. Observations on coal swamps in northern West Virginia where Permian conditions prevail (abstract): Geol. Soc. America, Bull., vol. 34, no. 1, p. 72, March 30, 1923.
2253. The Missouri series of the Pennsylvanian system in southwestern Iowa: Iowa Geol. Survey, vol. 29, pp. 223-313, 17 figs., 9 pls. (incl. maps) [1924].

Tingley, Richard Hoadley.

2254. Alunite and its products: Eng. and Min. Jour.-Press, vol. 115, no. 11, pp. 494-497, 5 figs., March 17, 1923.

Todd, E. W.

2255. The estimation of niobium, tantalum, and titanium in minerals: Toronto, Univ., Studies, Geol. ser., no. 16, pp. 40-45, 1923.
2256. The quartz spectrograph in mineral analysis: Toronto, Univ., Studies, Geol. ser., no. 17, pp. 66-68, 1 pl., 1924.
2257. Kenogamissi Lake area including townships of Denton and Keefer: Ontario Dept. Mines, 32d Ann. Rept., vol. 32, pt. 3, pp. 23-35, 2 figs., 2 pls., map, 1924.

Todd, James E.

2258. Glacial diversion of the Missouri River: *Pan-Am. Geologist*, vol. 39, no. 3, pp. 169-184, April, 1923.
2259. Is the channel of the Missouri River through North Dakota of Tertiary origin?: *Geol. Soc. America, Bull.*, vol. 34, no. 3, pp. 469-493, 6 figs., September 30, 1923.

Toepelman, W. C.

2260. The possibilities of oil in eastern Harding County: *South Dakota Geol. and Nat. Hist. Survey, Circular* 12, 12 pp., 3 figs., March, 1923.

Tomlinson, C. W.

2261. (and Storm, Willis). The Graham field, Oklahoma: *Am. Assoc. Petroleum Geologists, Bull.*, vol. 8, no. 5, pp. 593-620, 10 figs., September-October, 1924.

Tondorf, Francis A.

2262. How the earth telegraphed its Tokyo quake to Washington: *Nat. Geog. Mag.*, vol. 44, no. 4, pp. 453-454, 1 pl., October, 1923.

Torrey, Ray Ethan.

2263. The comparative anatomy and phylogeny of the Coniferales; part 3, Mesozoic and Tertiary coniferous woods: *Boston Soc. Nat. Hist., Mem.*, vol. 6, no. 2, pp. 39-106, 1 fig., 8 pls., April, 1923.

Trager, Earl A.

2264. Underground stratigraphic characteristics of eastern Oklahoma: *Am. Jour. Sci.*, 5th ser., vol. 5, pp. 140-146, February, 1923.
2265. Kerogen and its relation to the origin of oil: *Am. Assoc. Petroleum Geologists, Bull.*, vol. 8, no. 3, pp. 301-311, 4 figs., 3 pls., May-June, 1924.
- (with Cushman, J. A.). New formation in the Tampico Embayment region (abstract, with discussion by Joseph T. Singewald, jr.): *Geol. Soc. America, Bull.*, vol. 35, no. 1, p. 100, March 30, 1924; abstract, *Pan-Am. Geologist*, vol. 41, no. 2, p. 149, March, 1924.

Trask, Parker D.

2266. Unique garnet sand forming along the beach at the mouth of the Sur River, Monterey County, California (abstract): *Geol. Soc. America, Bull.*, vol. 35, no. 1, p. 165, March 30, 1924.

Trechmann, C. T.

2267. The Yellow limestone of Jamaica and its Mollusca: *Geol. Mag.*, vol. 60, no. 710, pp. 337-367, 5 pls., August, 1923.
2268. The carbonaceous shale or Richmond formation of Jamaica: *Geol. Mag.*, vol. 61, no. 1, pp. 2-19, 2 pls., January, 1924.
2269. The Cretaceous limestones of Jamaica and their Mollusca: *Geol. Mag.*, vol. 61, no. 9, pp. 385-410, 1 fig., 4 pls., September, 1924.

Trelease, William.

2270. The American oaks: *Nat. Acad. Sci., Mem.*, vol. 20, 255 pp., 7 figs., 420 pls., 1924.

Includes sections on the geologic history and evolution of the oaks.

Trimble, K. W.

- (with Miser, H. D., and Paige, Sidney). The Rainbow Bridge, Utah: *Geog. Rev.*, vol. 13, no. 4, pp. 518-531, 12 figs., October, 1923.

Tristán, J. Fid.

2271. The activity of the volcano Irazú in Costa Rica: Zeitschr. Vulkanologie, Bd. 7, H. 2, pp. 93-104, 1 fig., 9 pls., July, 1923.

Trowbridge, Arthur C.

2272. A geologic reconnaissance in the Gulf Coastal Plain of Texas near the Rio Grande: U. S. Geol. Survey, Prof. Paper 131, pp. 85-107, 1 pl. (map), February 12, 1923.
2273. Tertiary stratigraphy in the lower Rio Grande region (abstract): Geol. Soc. America, Bull., vol. 34, no. 1, p. 75, March 30, 1923.
2274. Sedimentation at the mouths of the Mississippi River—preliminary report (abstract): Geol. Soc. America, Bull., vol. 34, no. 1, p. 95, March 30, 1923.
2275. The status of sedimentation in Iowa (abstract): Iowa Acad. Sci., Proc. 1922, vol. 29, p. 127 [1924?].
- See also Twenhofel, no. 2294.

Troxell, Edward Leffingwell.

2276. American rhinoceroses and the evolution of *Diceratherium* (abstract): Geol. Soc. America, Bull., vol. 34, no. 1, p. 134, March 30, 1923.
2277. *Pauromys perditus*, a small rodent [Bridger formation, Wyoming]: Am. Jour. Sci., 5th ser., vol. 5, pp. 155-156, 1 fig., February, 1923.
2278. *Diplolophus*, a new genus of rodents: Am. Jour. Sci., 5th ser., vol. 5, pp. 157-159, 5 figs., February, 1923.
2279. The Eocene rodents *Sciuravus* and *Tillomys*: Am. Jour. Sci., 5th ser., vol. 5, pp. 383-396, 23 figs., May, 1923.
2280. The Apatemyidae: Am. Jour. Sci., 5th ser., vol. 5, pp. 503-506, 6 figs., June, 1923.
2281. A new marsupial [*Herpetotherium marsupium*, Bridger Basin, Wyoming]: Am. Jour. Sci., 5th ser., vol. 5, pp. 507-510, 4 figs., June, 1923.
2282. Geological features of city parks: Science, new ser., vol. 60, pp. 308-309, October 3, 1924.

Tryon, F. G.

2283. (and Hale, Sydney A.). Coal in 1919, 1920, and 1921: U. S. Geol. Survey, Mineral Resources, 1921, pt. 2, pp. 445-662, 13 figs., 1 pl., October 24, 1923.
2284. (and Hale, Sydney A.). Coal in 1922: U. S. Geol. Survey, Mineral Resources, 1922, pt. 2, pp. 439-669, October 2, 1924.

Tucker, W. Burling.

2285. Economic minerals of the Avawatz Mountains: California State Min. Bur., Mining in California, vol. 18, no. 3, pp. 114-117, March, 1922.
2286. Gold lodes of the East Fork mining district, Trinity County: California State Min. Bur., Mining in California, vol. 18, no. 6, pp. 270-273, June, 1922.
2287. Silver lodes of the South Fork mining district, Shasta County: California State Min. Bur., Mining in California, vol. 18, no. 7, pp. 313-321, 2 figs., July, 1922.
2288. Copper resources of Shasta County: California State Min. Bur., Mining in California, vol. 20, no. 4, pp. 419-447, 13 figs., 1 pl. (map), October, 1924.

Tucker, W. M.

2289. History of the lakes near La Porte, Indiana: Indiana Acad. Sci., Proc. 38th Ann. Meeting, 1922, pp. 83-94, 5 figs., 1923.

Turner, Henry W.

2290. Origin of Wilshire gold ore [California]: Eng. and Min. Jour.-Press, vol. 118, no. 5, p. 172, August 2, 1924.

Turner, Homer G.

2291. (and Randall, H. R.). A preliminary report on the microscopy of anthracite coal: Jour. Geology, vol. 31, no. 4, pp. 306-313, 11 figs., May-June, 1923.

Twenhofel, W. H.

2292. Development of shrinkage cracks in sediments without exposure to the atmosphere (abstract): Geol. Soc. America, Bull., vol. 34, no. 1, p. 64, March 30, 1923.
2293. The negligible oil possibilities of Wisconsin: Am. Assoc. Petroleum Geologists, Bull., vol. 7, no. 6, pp. 653-660, 1 fig. (map), November-December, 1923.
2294. (and others). Report of the committee on sedimentation. 65 pp., Issued in mimeograph form by the National Research Council, Washington, D. C., 1924.
2295. The geology and invertebrate paleontology of the Comanchean and "Dakota" formations of Kansas: Kansas, State Geol. Survey, Bull. 9, 135 pp., 23 pls. (incl. maps), 1924.

Twitchell, M. W.

2296. The mineral industries of New Jersey in 1921 and 1922: New Jersey, Dept. Conservation and Development, Ann. Rept. 1922 and 1923, pp. 37-45, 1923.

Tyrrell, J. B.

2297. Mining in Canada: Science, new ser., vol. 57, pp. 31-38, January 12, 1923.
2298. Preglacial oxidation in northern Ontario (discussion): Econ. Geology, vol. 18, no. 3, pp. 296-297, April-May, 1923.
2299. Dinosaurs and coal in the Red Deer country, Alberta: Science, new ser., vol. 57, pp. 457-459, April 20, 1923.

Udden, J. A.

2300. The "rim rock" of the High Plains: Am. Assoc. Petroleum Geologists, Bull., vol. 7, no. 1, pp. 72-74, January-February, 1923.
2301. Laminated structure of anhydrite beds: Pan-Am. Geologist, vol. 41, no. 3, p. 227, April, 1924.
2302. Laminated anhydrite in Texas: Geol. Soc. America, Bull., vol. 35, no. 2, pp. 347-354, 4 pls., June 30, 1924; abstract, no. 1, p. 114, March 30, 1924.
- See also Daly, no. 504; Twenhofel, no. 2294.

Uglow, W. L.

2303. The Eocene coal basin at Chu Chua, British Columbia (with discussion): Canadian Inst. Min. and Met., Monthly Bull., no. 124, pp. 896-907, August, 1922; Trans., vol. 25, pp. 370-381 [1923].
2304. Quartz veins of Barkerville, Cariboo district, British Columbia (with discussion by M. F. Bancroft): Canadian Inst. Min. and Met. Monthly Bull., no. 127, pp. 1165-1175, November, 1922; Trans., vol. 25, pp. 152-164 [1923].
2305. Bedrocks and quartz veins of Barkerville map area, Cariboo district, British Columbia: Canada, Geol. Survey, Summ. Rept., 1922, pt. A, pp. 82-87, 1923.

Uglow, W. L.—Continued.

2306. (and Johnston, W. A.). Origin of the placer gold of the Barkerville area, Cariboo district, British Columbia, Canada: *Econ. Geology*, vol. 18, no. 6, pp. 541-561, 3 figs., September, 1923.
2307. Cretaceous age and early Eocene uplift of a peneplain in southern British Columbia: *Geol. Soc. America, Bull.*, vol. 34, no. 3, pp. 561-572, 4 figs., September 30, 1923.
2308. The Windpass gold mine, Chu Chua, British Columbia: *Canadian Min. Jour.*, vol. 45, no. 2, pp. 47-49, 4 figs., January 11, 1924.
2309. Ore problems and the microscope: *Canadian Inst. Min. and Met., Monthly Bull.*, no. 147, pp. 495-502, July, 1924.
2310. Undiscovered mines of British Columbia: *Canadian Inst. Min. and Met., Monthly Bull.*, no. 138, pp. 595-613, October, 1923; *Trans.*, vol. 26, pp. 300-318 [1924].
(with Nichols, H. G.). British Columbia as a mining province: *Min. Mag.*, vol. 29, no. 2, pp. 73-81, 1 fig., August, 1923.

Ulrich, E. O.

2311. (and Bassler, R. S.). American Silurian formations: Maryland Geol. Survey, Silurian, pp. 233-270, 8 figs., 1923.
2312. (and Bassler, R. S.). Paleozoic Ostracoda; their morphology, classification, and occurrence: Maryland Geol. Survey, Silurian, pp. 271-391, 18 figs., 1923.
2313. New classification of the "Heterocrinidae": Canada, Geol. Survey, Mem. 138, pp. 82-101, 11 figs., 1924.
2314. *Modiodesma* n. gen. Ulrich, and the genotype of *Modiolopsis* Hall: Canada, Geol. Survey, Mem. 138, pp. 183-190, 1924.
2315. Notes on new names in table of formations and on physical evidence of breaks between Paleozoic systems in Wisconsin: *Wisconsin Acad. Sci., Trans.*, vol. 21, pp. 71-107, 1924.
See also Slocom, no. 2070; Swartz, no. 2181.

Umpleby, Joseph B.

2316. (and Jones, E. L., jr.). Geology and ore deposits of Shoshone County, Idaho: U. S. Geol. Survey, Bull. 732, 156 pp., 8 figs., 16 pls. (incl. maps), 1923.
2317. Some structural features of northern Idaho (abstract): *Geol. Soc. America, Bull.*, vol. 34, no. 1, p. 66, March 30, 1923.
2318. The Osburn fault, Idaho: *Jour. Geology*, vol. 32, no. 7, pp. 601-614, 4 figs., October-November, 1924.

U. S. Senate, Committee on Agriculture and Forestry.

2319. Investigation of potash deposits. Hearing before the Committee on Agriculture and Forestry, United States Senate, 68th Cong., 1st sess. on S. 1925. 47 pp. Washington, Government Printing Office, 1924.

Van de Putte, J.

2320. Phénomènes séismiques et volcaniques au Guatemala. 143 pp., Bruxelles, 1924. [Not seen.] Abstract, *Rev. Géologie*, 5th ann., no. 4, p. 238, April, 1924.

Vanderleck, Lawrence.

2321. Memoranda on asphalt and bituminous sand deposits of California: California State Min. Bur., *Mining in California*, vol. 18, no. 5, pp. 228-230, May, 1922.

Vanderwilt, John W.

2322. A drill core section of the Salina below the salt bed of the Detroit Rock Salt Company mine: Michigan Acad. Sci., Papers, vol. 3, pp. 285-287, 1 pl., 1924.

Van Horn, Frank R.

2323. Third annual meeting of the Mineralogical Society of America [Ann Arbor, December 29, 1922]: Am. Mineralogist, vol. 8, no. 3, pp. 46-55, March, 1923.
2324. Proceedings of the third annual meeting of the Mineralogical Society of America, held at Ann Arbor, Michigan, December 29, 1922: Geol. Soc. America, Bull., vol. 34, no. 1, pp. 147-150, March 30, 1923.
2325. Fourth annual meeting of the Mineralogical Society of America [Washington, D. C., December, 1923]: Am. Mineralogist, vol. 9, no. 3, pp. 56-71, March, 1924.

Van Lennep, David.

2326. Great Green River coal deposits: Pan-Am. Geologist, vol. 39, no. 4, pp. 297-316, May, 1923.

Van Orstrand, C. E.

2327. Deep-earth temperatures in the United States (abstract): Washington Acad. Sci., Jour., vol. 13, no. 4, p. 65, February 19, 1923.
2328. Notes on isostasy: Geol. Soc. America, Bull., vol. 34, no. 2, pp. 300-305, 2 figs., June 30, 1923.
2329. Some phases of the resistance of the earth's material to changes (abstract): Nat. Research Council, Bull., vol. 7, pt. 5, no. 41, pp. 94-95, January, 1924.
2330. Apparatus for the measurement of temperatures in deep wells by means of maximum thermometers: Econ. Geology, vol. 19, no. 3, pp. 228-248, 11 figs., April-May, 1924.
2331. Temperatures in some springs and geysers in Yellowstone National Park: Jour. Geology, vol. 32, no. 3, pp. 194-225, 5 figs., April-May, 1924.

Van Tuyl, F. M.

2332. (and Machamer, G. W.). Physical history of the Colorado Front Range (abstract): Geol. Soc. America, Bull., vol. 34, no. 1, pp. 87-88, March 30, 1923.
2333. Elements of petroleum geology. 275 pp.; 34 figs., Denver, Colorado, The Petroleum Publishing Co. of Colorado [c. 1924].
2334. Notes on the origin of petroleum: Colorado School of Mines, Alumni Mag., vol. 14, no. 1, pp. 8-12, May, 1924.

Vaughan, Thomas Wayland.

2335. The study of the earth sciences, its purpose and its interrelations with medicine: U. S. Naval Medical Bull., vol. 18, no. 1, pp. 3-16, 1923.
2336. Studies of fossils from Walu Bay, Fiji; corals and bottom samples from the Bahamas and Florida: Carnegie Inst. Washington, Year Book no. 21, pp. 187-190, January, 1923.
2337. The work of Joseph Barrell on problems in sedimentation: Geol. Soc. America, Bull., vol. 34, no. 1, pp. 28-44, March 30, 1923.
2338. Studies of the larger Tertiary Foraminifera from tropical and subtropical America: Nat. Acad. Sci., Proc., vol. 9, no. 7, pp. 253-257, July, 1923.

Vaughan, Thomas Wayland—Continued.

2339. Stratigraphy of the Virgin Islands of the United States and of Culebra and Vieques islands, and notes on eastern Porto Rico: Washington Acad. Sci., Jour., vol. 13, no. 14, pp. 303-317, August, 1923.
2340. On the relative value of species of smaller Foraminifera for the recognition of stratigraphic zones (with discussion by Esther E. Richards): Am. Assoc. Petroleum Geologists, Bull., vol. 7, no. 5, pp. 517-531, September-October, 1923.
2341. Report of the committee on sedimentation and marine deposits: Nat. Research Council, Bull., vol. 7, pt. 5, no. 41, pp. 136-138, January, 1924.
2342. Oceanography in its relations to other earth sciences: Washington Acad. Sci., Jour., vol. 14, no. 14, pp. 307-333, 2 pls., August 19, 1924.
2343. Criteria and status of correlation and classification of Tertiary deposits: Geol. Soc. America, Bull., vol. 35, no. 4, pp. 677-742, 3 pls. (correlation tables), December, 1924; abstract, no. 1, pp. 171-172, March 30, 1924.
2344. American and European Tertiary larger Foraminifera: Geol. Soc. America, Bull., vol. 35, no. 4, pp. 785-822, 6 figs., 7 pls., December, 1924; abstract, no. 1, pp. 173-174, March 30, 1924.
2345. American and European Tertiary corals: Geol. Soc. America, Bull., vol. 35, no. 4, pp. 823-825, December 30, 1924.
See also Clark, no. 345; Twenhofel, no. 2294.

VerWiebe, Walter A.

2346. The stratigraphy of the petroliferous area of eastern Mexico: Am. Jour. Sci., 5th ser., vol. 8, pp. 277-295, 385-394, 481-502, October-December, 1924.

Visher, Stephen Sargent.

2347. Special physiographic features in South Dakota: Pan.-Am. Geologist, vol. 41, no. 5, pp. 347-354, June, 1924.

Vivar, Gonzalo.

2348. Conclusiones principales del informe que acerca de algunos terrenos de los estados de Chiapas y Tabasco . . . : Bol. Petróleo, Mexico, vol. 17, no. 4, pp. 291-295, April, 1924.

Vogt, J. H. L.

2349. Nickel in igneous rocks: Econ. Geology, vol. 18, no. 4, pp. 307-353, June-July, 1923.
2350. The physical chemistry of the crystallization and magmatic differentiation of igneous rocks: Jour. Geology, vol. 31, no. 3, pp. 233-252, 3 figs., April-May, no. 5, pp. 407-419, July-August, 1923.

Wade, W. R.

2351. (and Wandké, Alfred). A big zinc mine in New York State at Edwards, St. Lawrence County: Eng. and Min. Jour.-Press, vol. 116, no. 3, pp. 95-99, 5 figs., July 21, 1923.

Wagner, Carroll M.

2352. (and Schilling, Karl H.) The San Lorenzo group of the San Emigdio region, California: California, Univ., Dept. Geol. Sci., Bull., vol. 14, no. 6, pp. 235-276, 8 pls., November 3, 1923.

Wagner, Emanuel.

2353. Prospecting with the Eötvös balance: Eng. and Min. Jour.-Press, vol. 116, no. 14, pp. 583-589, 6 figs., October 6, 1923.

Waitz, Paul.

2354. Ascensión al cráter del volcán de Sta. María, Guatemala, en Agosto de 1922: Soc. Cient. Ant. Alz, Mem. y Rev., t. 41, nos. 7-9, pp. 343-351, 13 pls., October, 1923.

Walcott, Charles D.

2355. Cambrian geology and paleontology, IV; No. 8, Nomenclature of some post-Cambrian and Cambrian Cordilleran formations (2): Smithsonian Misc. Coll., vol. 67, no. 8, pp. 457-476, March 5, 1923.
2356. Cambrian geology and paleontology, IV; No. 9, Cambrian and Ozarkian Brachiopoda, Ozarkian Cephalopoda and Notostraca: Smithsonian Misc. Coll., vol. 67, no. 9, pp. 477-554, 21 pls., June 3, 1924.
2357. Cambrian geology and paleontology, V; No. 1, Geological formations of Beaverfoot-Brisco-Stanford Range, British Columbia, Canada: Smithsonian Misc. Coll., vol. 75, no. 1, pp. 1-51, 11 figs., 8 pls., June 28, 1924.
2358. Cambrian geology and paleontology, V; No. 2, Cambrian and lower Ozarkian trilobites: Smithsonian Misc. Coll., vol. 75, no. 2, pp. 53-60, 6 pls., July 19, 1924.
2359. La discordance de stratification et la lacune stratigraphique pré-dévonienne dans les provinces Cordillères d'Alberta et de Colombie Britannique, Canada: Soc. Géol. Belgique, Livre Jubilaire, pp. 119-123, 1 fig., 2 pls., 1924.

Waldschmidt, W. A.

2360. Phosgenite from the Terrible mine, near Ilse, Custer County, Colorado: Am. Mineralogist, vol. 8, no. 2, pp. 31-33, February, 1923.
2361. Titanium-bearing jefferisite from Westcliffe, Custer County, Colorado: Am. Mineralogist, vol. 9, no. 5, pp. 113-116, May, 1924.
2362. The microscope in mining, metallurgy, and geology: Colorado School of Mines, Alumni Mag., vol. 14, no. 8, pp. 8-9, December, 1924.
(with Johnson, J. Harlan). Mining districts in Colorado: Colorado School of Mines, Circular of Information, 4 pp., Golden, Colo., November, 1924.

Walker, R. T.

2363. A glacially transported mine: Eng. and Min. Jour.-Press, vol. 118, no. 8, pp. 295-296, 1 fig., August 23, 1924.

Walker, Thomas L.

2364. The development of mineralogical methods: Am. Mineralogist, vol. 8, no. 3, pp. 41-46, March, 1923.
2365. (and Parsons, A. L.). The North Mountain basalt of Nova Scotia; glaciation, tubular amygdaloid, mordenite, and louisite: Toronto, Univ., Studies, Geol. ser., no. 16, pp. 5-12, 3 pls., 1923.
2366. (and Parsons, A. L.). Ellsworthite and associated minerals from Hybla, Ontario: Toronto, Univ., Studies, Geol. ser., no. 16, pp. 13-20, 1 fig., 1923.
2367. (and Parsons, A. L.). Hatchettolite and associated minerals from Hybla, Ontario: Toronto, Univ., Studies, Geol. ser., no. 16, pp. 21-24, 1923.
2368. (and Parsons, A. L.). Shattering of minerals and rocks about inclusions: Toronto, Univ., Studies, Geol. ser., no. 16, pp. 25-28, 1923.

Walker, Thomas L.—Continued.

2369. (and Parsons, A. L.). Notes on Canadian minerals—allanite, axinite-columbite, and sillimanite: Toronto, Univ., Studies, Geol. ser., no. 16, pp. 29-37, 1923.
2370. Trevorite, a distinct mineral species: Toronto, Univ., Studies, Geol. ser., no. 16, pp. 53-54, 1923.
2371. Huronite from Gowganda, Ontario: Toronto, Univ., Studies, Geol. ser., no. 16, pp. 55-57, 1 pl., 1923.
2372. Chapmanite, a new hydrous ferrous silicoantimonate, from South Lorrain, Ontario: Toronto, Univ., Studies, Geol. ser., no. 17, pp. 5-8, 1924.
2373. (and Parsons, A. L.). Skutterudite and loellingite from the La Rose mine, Cobalt, Ontario: Toronto, Univ., Studies, Geol. ser., no. 17, pp. 9-10, 3 pls., 1924.
2374. (and Parsons, A. L.). The arsenates of cobalt, nickel, and iron observed in the silver-bearing veins at Cobalt, Ontario: Toronto, Univ., Studies, Geol. ser., no. 17, pp. 13-17, 1924.
2375. Chemical and microscopic examination of ferric and ferrous vein materials, and of chert from the Keeley mine [Cobalt district, Ontario]: Toronto, Univ., Studies, Geol. ser., no. 17, pp. 38-41, 1924.
2376. Uraninite from Cardiff Township, Ontario: Toronto, Univ., Studies, Geol. ser., no. 17, pp. 42-45, 1924.
2377. (and Parsons, A. L.). Pegmatite minerals from New Ross, Nova Scotia: Toronto, Univ., Studies, Geol. ser., no. 17, pp. 46-50, 1924.
2378. The age of some Canadian pegmatites: Toronto, Univ., Studies, Geol. ser., no. 17, pp. 51-54, 1924.
2379. Hastingsite from Dungannon Township, Hastings County, Ontario: Toronto, Univ., Studies, Geol. ser., no. 17, pp. 58-61, 1924.
- See also Bastin, no. 95.

Wallace, R. C.

2380. The distribution of the colloidal products of weathering: Roy. Soc. Canada, Proc. and Trans., 3d ser., vol. 17, sec. 4, pp. 69-77, May, 1923.
2381. Manitoba's contribution to Canada's mining opportunities: Canadian Inst. Min. and Met., Monthly Bull., no. 143, pp. 90-99, 2 figs. (maps), March, 1924.
2382. and Maynard, J. E.). The clays of the Lake Agassiz basin: Roy. Soc. Canada, Proc. and Trans., 3d ser., vol. 18, sec. 4, pp. 9-30, 7 figs., 1 pl., May, 1924.
2383. An unusual occurrence of cyanite [Reed-Wekusko map-area, northern Manitoba]: Am. Mineralogist, vol. 9, no. 6, pp. 129-135, 2 figs., June, 1924.

Walter, O. T.

2384. An Iowa Cambrian eurypterid (abstract): Iowa Acad. Sci., Proc. 1922, vol. 29, pp. 126-127 [1924?].

Walton, J.

2385. On the structure of a Middle Cambrian Alga from British Columbia. (*Marpolia spissa* Walcott): Cambridge Philos. Soc., Proc., Biol. Sci., vol. 1, no. 1, pp. 59-62, 1 fig., 1 pl., August, 1923.

Wandke, Alfred.

2386. (and Hoffman, Robert). A study of the Sudbury [Ontario] ore deposits: *Econ. Geology*, vol. 19, no. 2, pp. 169-204, 3 figs., 2 pls., March, 1924.

(with Wade, W. R.). A big zinc mine in New York State at Edwards, St. Lawrence County: *Eng. and Min. Jour.-Press*, vol. 116, no. 3, pp. 95-99, 5 figs., July 21, 1923.

Wanless, Harold R.

2387. The stratigraphy of the White River beds of South Dakota: *Am. Philos. Soc., Proc.*, vol. 62, no. 4, pp. 190-269, 10 figs., 9 pls., 1923.

Ward, Freeman.

2388. Dome structures in South Dakota: *Pan-Am. Geologist*, vol. 39, no. 2, pp. 149-151, 2 pls., March 30, 1923.

2389. Note on mud cracks: *Am. Jour. Sci.*, 5th ser., vol. 6, pp. 308-309, 1 fig., October, 1923.

2390. The Lance problem in South Dakota: *Am. Jour. Sci.*, 5th ser., vol. 7, pp. 65-68, January, 1924; abstract, *Geol. Soc. America, Bull.*, vol. 30, no. 1, p. 71, March, 1923.

2391. (and others). The natural resources of South Dakota: *South Dakota Geol. and Nat. Hist. Survey, Circular 16*, 28 pp., April, 1924.

2392. (and Moulton, Gail F.). Field conditions in southern Haakon County: *South Dakota Geol. and Nat. Hist. Survey, Circular 17*, 4 pp., May, 1924.

(with Wilson, Roy A.). The possibilities of oil in northern Ziebach County: *South Dakota Geol. and Nat. Hist. Survey, Circular 13*, 11 pp., 4 figs., April, 1923.

Waring, G. A.

2393. Use of the sketching case in geologic work: *Am. Assoc. Petroleum Geologists, Bull.*, vol. 8, no. 5, pp. 672-674, 1 fig., September-October, 1924.

Warner, Thor.

2394. An anticlinorium on the southern California coast: *Oil Age*, Los Angeles, California, vol. 19, no. 26, pp. 12-14, 3 figs., June 27, 1923.

Warren, Charles H.

2395. (and McKinstry, Hugh E.). The granites and pegmatites of Cape Ann, Massachusetts: *Am. Acad. Arts and Sci., Proc.*, vol. 59, no. 14, pp. 315-357, 5 pls., September, 1924.

Washburne, Chester W.

2396. Colin C. Rae's "Organic material of carbonaceous shales": *Am. Assoc. Petroleum Geologists*, vol. 7, no. 4, pp. 440-442, July-August, 1923.

2397. Capillary relationships of oil and water: *Econ. Geology*, vol. 18, no. 6, pp. 598-600, September, 1923.

Washington, H. S.

2398. (and Merwin, H. E.). Note on enstatite, hypersthene, and actinolite: *Am. Mineralogist*, vol. 8, no. 4, pp. 63-67, April, 1923.

2399. Petrology of the Hawaiian Islands; I, Kohala and Mauna Kea, Hawaii: *Am. Jour. Sci.*, 5th ser., vol. 5, pp. 465-502, 1 fig., June, 1923.

2400. Petrology of the Hawaiian Islands; II, Hualalai and Mauna Loa: *Am. Jour. Sci.*, 5th ser., vol. 6, pp. 100-126, August, 1923.

Washington, H. S.—Continued.

2401. Petrology of the Hawaiian Islands; III, Kilauea and general petrology of Hawaii: *Am. Jour. Sci.*, 5th ser., vol. 6, pp. 338-367, October, 1923.
2402. Petrology of the Hawaiian Islands; IV, The formation of aa and pahoehoe: *Am. Jour. Sci.*, 5th ser., vol. 6, pp. 409-423, 3 figs., November, 1923.
2403. Comagmatic regions and the Wegener hypothesis: *Washington Acad. Sci., Jour.*, vol. 13, no. 15, pp. 339-347, September 19, 1923.
2404. The density of the earth as calculated from the densities of Mauna Kea and Haleakala: *Washington Acad. Sci., Jour.*, vol. 13, no. 21, pp. 453-456, December 19, 1923.
2405. (and Merwin, H. E.). On babingtonite: *Am. Mineralogist*, vol. 8, no. 12, pp. 215-223, 1 fig., December, 1923.
2406. The densities of deep-seated material of the earth's crust, as determined by chemical analysis, and the bearing of such densities on the theory of isostasy (abstract): *Nat. Research Council, Bull.*, vol. 7, pt. 5, no. 41, p. 92, January, 1924.
2407. (and Merwin, H. E.). Acmite and aegirite (abstract): *Geol. Soc. America, Bull.*, vol. 35, no. 1, pp. 109-110, March 30, 1924; *Pan-Am. Geologist*, vol. 41, no. 2, p. 154, March, 1924.
2408. The radial distribution of certain elements in the earth: *Washington Acad. Sci., Jour.*, vol. 14, no. 19, pp. 435-442, November 19, 1924.
- (with Adams, L. H.). The distribution of iron in meteorites and in the earth: *Washington Acad. Sci., Jour.*, vol. 14, no. 14, pp. 333-340, 6 figs., August 19, 1924.
- (with Clarke, F. W.). The composition of the earth's crust: *U. S. Geol. Survey, Prof. Paper* 127, 117 pp., 28 tables, 1924.
- (with Wyckoff, Ralph W. G., and Merwin, H. E.). X-ray diffraction patterns of the pyroxenes (abstract): *Geol. Soc. America, Bull.*, vol. 35, no. 1, pp. 110-111, March 30, 1924; *Pan-Am. Geologist*, vol. 41, no. 2, pp. 154-155, March, 1924.
- See also Zambonini, no. 2558.

Watanabé, Manjirô.

2409. Zonal precipitation of ores from a mixed solution: *Econ. Geology*, vol. 19, no. 6, pp. 497-503, 1 fig., September-October, 1924.

Watson, Thomas L.

2410. A contribution to the geology of the Virginia emery deposits: *Econ. Geology*, vol. 18, no. 1, pp. 53-76, 5 figs. (incl. map), 1 pl., January-February, 1923.
2411. The Sharps meteorite, Richmond County, Virginia: *U. S. Nat. Mus., Proc.*, vol. 64, art. 2, 4 pp., 2 pls., 1923.
2412. Native copper deposits of the south Atlantic States compared with those of Michigan: *Econ. Geology*, vol. 18, no. 8, pp. 732-752, 1 fig. (map), December, 1923.
2413. Thermal springs of the southeast Atlantic States: *Jour. Geology*, vol. 32, no. 5, pp. 373-384, 2 figs., July-August, 1924.
2414. The mineral resources of Virginia: *The South's Development, Manufacturers Record*, vol. 86, no. 24, pt. 2, pp. 426-428, December 11, 1924.

Watts, Arthur S.

2415. (and others). The fire clays of Maryland: *Maryland Geol. Survey* vol. 11, pp. 289-539, 107 figs., 4 pls., 1922.

Watts, W. W.

2416. Geology in the service of man: Canadian Min. Jour., vol 45, no. 33, pp. 792-795, August 15, 1924; Pan-Am. Geologist, vol. 42, no. 1, pp. 1-29, August, 1924.

Weaver, Charles E.

2417. (and Palmer, Katherine Van Winkle). Fauna from the Eocene of Washington: Washington, Univ., Pub. in Geology, vol. 1, no. 3, 55 pp., 5 pls., June, 1922. Critical review by notes on the paper by G. Dallas Hanna, Nautilus, vol. 36, no. 4, pp. 141-142, April, 1923.

Webb, Arthur Lovat.

2418. The future of Canada as a gold producer: Min. Mag., vol. 28, no. 3, pp. 150-155, 3 figs., March, 1923.

Weed, Walter Harvey.

2419. West Shining Tree gold prospects [Ontario]: Eng. and Min. Jour.-Press, vol. 116, no. 2, pp. 68-69, 1 fig., July 14, 1923.

Wegener, Alfred.

2420. The origin of continents and oceans. Translated from the third German edition by J. G. A. Skerl. 212 pp., 44 figs., New York, E. P. Dutton and Company, n. d. [1923?].

Weidman, Samuel.

2421. Evidence of glaciation in the Arbuckle region: Oklahoma Acad. Sci., Proc., vol. 2 (Oklahoma, Univ., Bull., new ser. no. 247), pp. 73-74, October 1, 1922.
2422. Physiographic history of the Arbuckle Mountains: Oklahoma Acad. Sci., Proc., vol. 2 (Oklahoma, Univ., Bull., new ser. no. 247), pp. 74-77, October 1, 1922.
2423. Was there Pennsylvanian-Permian glaciation in the Arbuckle and Wichita mountains of Oklahoma?: Jour. Geology, vol. 31, no. 6, pp. 466-489, 16 figs., September-October, 1923.

Weigel, W. M.

2424. Mining ocher at Cartersville, in Georgia; Eng. and Min. Jour.-Press, vol. 116, no. 20, pp. 854-856, 2 figs., November 17, 1923.

Weller, Stuart.

2425. Some events in the geological history of southern Illinois: Illinois State Acad. Sci., Trans., vol. 14, pp. 21-35 [1922].
2426. Geology of the Princeton quadrangle: Kentucky Geol. Survey, ser. 6, vol. 10, pp. 1-105, 12 figs., section and map, 1923.

Wells, Roger C.

2427. Sodium sulphate; its sources and uses: U. S. Geol. Survey, Bull. 717, 43 pp., 13 figs., 1923.
2428. Chemical suggestions concerning the origin of Lake Superior copper ores (abstract): Geol. Soc. America, Bull., vol. 34, no. 1, p. 100, March 30, 1923.
2429. Reaction between ferrous salts and cuprous salts: Am. Jour. Sci., 5th ser., vol. 8, pp. 428-433, November, 1924.
See also Merwin, no. 1546.

Wentworth, Chester K.

2430. Late Tertiary and Pleistocene terrace plains of the middle Atlantic Coastal Plain (abstract): Geol. Soc. America, Bull., vol. 34, no. 1, p. 91, March 30, 1923.

Wentworth, Chester K.—Continued.

2431. An improved recording micrometer for rock analysis: *Jour. Geology*, vol. 31, no. 3, pp. 228-232, 2 figs., April-May, 1923.
2432. The fossil swamp deposit at the Walker Hotel site, Connecticut Avenue and De Sales Street, Washington, D. C.; formations exposed in the excavation: *Washington Acad. Sci., Jour.*, vol. 14, no. 1, pp. 1-11, 7 figs., January 4, 1924.
2433. Note on a cobble of peculiar shape: *Jour. Geology*, vol. 32, no. 6, pp. 524-528, 2 figs., August-September, 1924.
See also Clarke, no. 362; Hobbs, no. 953.

Weston-Dunn, J. A.

2434. Some relations between metal content, lode filling, and country rock: *Econ. Geology*, vol. 18, no. 5, pp. 443-473, 1 fig., August, 1923.

Wetmore, Alexander.

2435. Bird remains from the caves of Porto Rico: *Am. Mus. Nat. Hist., Bull.*, vol. 46, pp. 297-333, 25 figs., 1922.
2436. Avian fossils from the Miocene and Pliocene of Nebraska: *Am. Mus. Nat. Hist., Bull.*, vol. 48, pp. 483-507, 20 figs., 1923.
2437. Fossil birds from southeastern Arizona: *U. S. Nat. Mus., Proc.*, vol. 64, art. 5, 18 pp., 9 figs., 1924.

Wheeler, Arthur O.

2438. Motion of the Robson Glacier [British Columbia]: *Canadian Alpine Jour.*, vol. 13, pp. 158-159, 1923.

Wheeler, H. A.

2439. Some facts about Teapot dome [Wyoming]: *Eng. and Min. Jour.-Press*, vol. 117, no. 12, pp. 480-482, 1 fig., March 22, 1924.

Wherry, Edgar T.

2440. Volume isomorphism in the silicates: *Am. Mineralogist*, vol. 8, no. 1, pp. 1-8, January, 1923.
2441. Note on the composition of thomsonite: *Am. Mineralogist*, vol. 8, no. 7, pp. 121-125, 1 fig., July, 1923.
2442. Classified list of minerals described or discredited during 1921: *Am. Mineralogist*, vol. 9, no. 2, p. 34, February, 1924.
2443. At the surface of a crystal: *Am. Mineralogist*, vol. 9, no. 3, pp. 45-54, 12 figs., March, 1924.
2444. Surface of a crystal: *Pan-Am. Geologist*, vol. 41, no. 4, pp. 241-250, 1 fig., 1 pl., May, 1924.
2445. Further notes on atomic volume isomorphism: *Am. Mineralogist*, vol. 9, no. 8, pp. 165-169, August, 1924.
See also Stose, no. 2163.

White, Charles Henry.

2446. Desert varnish: *Am. Jour. Sci.*, 5th ser., vol. 7, pp. 413-420, May, 1924.
2447. Supergene enrichment of copper below a lean pyritic zone [at Cananea, Mexico]: *Econ. Geology*, vol. 19, no. 8, pp. 724-729, December, 1924.

White, David.

2448. (and Stadnichenko, T.). Some mother plants of petroleum in the Devonian black shales: *Econ. Geology*, vol. 18, no. 3, pp. 238-252, 5 pls., April-May, 1923.
2449. Radioactivity and oil-field location: *Am. Assoc. Petroleum Geologists, Bull.*, vol. 7, no. 3, pp. 290-291, May-June, 1923.

White, David—Continued.

2450. Oil reserves of the United States: *Am. Inst. Min. and Met. Eng., Trans.*, vol. 68, pp. 953-958, 1923; [preprint] no. 1165, 6 pp., June, 1922; abstract, *Mining and Metallurgy*, no. 186, pp. 37-38, June, 1922.
2451. Some needed peat investigations: *Am. Peat Soc., Jour.*, vol. 17, no. 2, pp. 45-56, April, 1924.
2452. Gravity observations from the standpoint of the local geology: *Geol. Soc. America, Bull.*, vol. 35, no. 2, pp. 207-277, 1 pl., June 30, 1924.
2453. Researches in geology of finding and recovery of oil: *Nat. Petroleum News*, vol. 16, no. 43, pp. 85, 87, October 22, 1924.
2454. Proposed oceanographic research by the navy: *Jour. Geology*, vol. 32, no. 8, pp. 690-695, November-December, 1924.
- See also Hobbs, no. 953.

White, I. C.

2455. The natural resources of West Virginia: The South's Development, *Manufacturers Record*, vol. 86, no. 24, pt. 2, pp. 432-434, December 11, 1924.
- See also Lee, no. 1344.

White, W. P.

2456. Quartz inversion in chalcedony (abstract): *Geol. Soc. America, Bull.*, vol. 35, no. 1, p. 112, March 30, 1924; *Pan.-Am. Geologist*, vol. 41, no. 2, pp. 155-156, March, 1924.
- See also Atwood, no. 50; Wyckoff, no. 2551.

Whitehurst, John W.

- (with Ponton, Gerald M.). The Spring Hill-Sarepta gas field, Webster and Bossier parishes, Louisiana: *Am. Assoc. Petroleum Geologists, Bull.*, vol. 7, no. 5, pp. 546-554, 1 fig., September-October, 1923.

Whitlock, Herbert P.

2457. A list of new crystal forms of minerals: *Am. Mus. Nat. Hist., Bull.*, vol. 46, pp. 89-278, 1922.
2458. Crystallographic studies of pyrite: *Am. Mus. Novitates*, no. 112, 8 pp., 7 figs., May 28, 1924.

Whitson, A. R.

2459. (and others). Soil survey of Outagamie County, Wisconsin: *Wisconsin Geol. and Nat. Hist. Survey, Bull.* no. 54D (Soil ser. no. 26), 78 pp., 2 figs., 2 pls., map, 1921.
2460. (and others). Soil survey of Rock County, Wisconsin: *Wisconsin Geol. and Nat. Hist. Survey, Bull.* no. 53B, 80 pp., 5 pls., map, 1922.
2461. (and others). Soil survey of Jackson County, Wisconsin: *Wisconsin Geol. and Nat. Hist. Survey, Bull.* no. 54B (Soil ser. no. 24), 85 pp., 2 figs. 5 pls., map, 1923.

Whittaker, E. J.

2462. Mackenzie River district between Providence and Simpson, Northwest Territories: Canada, *Geol. Survey, Summ. Rept.*, 1922, pt. B, pp. 88-100, 2 figs., 2 pls. 1923.

Whittemore, C. R.

2463. Geology and metallurgical treatment of the Sullivan zinc ore [Trail, East Kootenay district, British Columbia]: *Canadian Inst. Min. and Met., Monthly Bull.*, no. 136, pp. 509-545, August, 1923; *Trans.*, vol. 26, pp. 441-477 [1924].

Wieland, G. R.

2464. [Report on investigations of cycadeoids]: Carnegie Inst. Washington, Year Book no. 21, pp. 396-397, January, 1923.

2465. Fossil plants as evidence for resistance to environment. In *Organic Adaptation to Environment*, pp. 149-185, 3 pls., New Haven, Yale University Press, 1924.

2466. Progress in study of cycadeoids: Carnegie Inst. Washington, Year Book no. 22, pp. 353-354, 1924.

2467. Recent achievements in paleobotany: *Science*, new ser., vol. 60, pp. 233-235, September 12, 1924.

2468. [Studies on fossil cycads]: Carnegie Inst. Washington, Year Book no. 23, pp. 296-298, December, 1924.

See also Hylander, no. 1036.

Wilder, Frank A.

2469. Gypsum; its occurrence, origin, technology, and uses, with special chapters devoted to gypsum in Iowa: *Iowa Geol. Survey*, vol. 28, pp. 47-537 [1923].

Wilhelm, V. H.

(with Case, J. B.). Report on Huntington Beach oil field: *California State Min. Bur., Summary of Operations California Oil Fields*, vol. 9, no. 6, pp. 5-16, 5 pls. (incl. map), December, 1923.

Willard, Daniel E.

2470. The story of the prairies, or the landscape geology of North Dakota. Tenth edition, revised, 375 pp., 170 figs., Saint Paul, Minn., Webb Publishing Company, 1923.

Williams, Frank E.

(with Martin, Lawrence). An ice-eroded fiord; the mode of origin of Lynn Canal, Alaska: *Geog. Rev.*, vol. 14, no. 4, pp. 576-596, 22 figs., October, 1924.

Williams, Ira A.

2471. Underground waters in arid valleys of Oregon: *Pan-Am. Geologist*, vol. 39, no. 1, pp. 76-77, February, 1923.

2472. The lava river tunnel [Deschutes County, Oregon]: *Natural History*, vol. 23, no. 2, pp. 162-171, 7 figs., March-April, 1923.

Williams, James S.

(with Branson, E. B.). Evolution of *Stropheodonta demissa* (Conrad) in the Snyder Creek shales of Missouri (abstract): *Geol. Soc. America, Bull.*, vol. 34, no. 1, pp. 134-135, March 30, 1923.

Williams, Merton Yarwood.

2473. Reconnaissance across northeastern British Columbia and the geology of the northern extension of Franklin Mountains, Northwest Territories: *Canada, Geol. Survey, Summ. Rpt.*, 1922, pt. B, pp. 65-87, 1923.

2474. Oil prospects in southern Alberta: *Canadian Min. Jour.*, vol. 44, no. 48, pp. 949-950, November 30, 1923.

2475. Franklin Mountains [Mackenzie]: *Geol. Soc. America, Bull.*, vol. 35, no. 3, pp. 449-464, 3 figs., September 30, 1924; abstract, with discussion by Alfred H. Brooks, no. 1, pp. 96-98, March 30, 1924; abstract, *Pan-Am. Geologist*, vol. 41, no. 2, pp. 147-148, March, 1924.

Williamson, E. D.

2476. (and Adams, L. H.). Density distribution in the earth: Washington Acad. Sci., Jour., vol. 13, no. 19, pp. 413-431, 5 figs., November 19, 1923.

Willis, Bailey.

2477. (and Wood, H. O.). Fault map of the State of California compiled from data assembled by the Seismological Society of America . . . Compilation of faults by Bailey Willis and H. O. Wood. Scale 1:506,880. 1922.
2478. A fault map of California: Seismol. Soc. America, Bull., vol. 13, no. 1, pp. 1-12, map, March, 1923.
2479. (and Wood, H. O.). A fault map of California: Science, new ser., vol. 59, pp. 310-311, April 4, 1924.
2480. Geologic structures. 295 pp., 121 figs., 10 pls., New York, McGraw-Hill Book Company, 1923.
2481. Earthquakes: Science, new ser., vol. 57, pp. xii, xiv, January 19, 1923.
2482. Dynamics of faulting and folding (abstract): Geol. Soc. America, Bull., vol. 34, no. 1, p. 58, March 30, 1923.
2483. Fault map of California; Faults of the Coast Ranges of California (abstract with discussion by G. H. Ashley and the author): Geol. Soc. America, Bull., vol. 34, no. 1, pp. 58-59, March 30, 1923.
2484. Memorial tribute to Raphael Pumpelly: Geol. Soc. America, Bull., vol. 35, no. 1, pp. 42-43, March 30, 1924.
2485. Earthquake risk in California: Seismol. Soc. America, Bull., vol. 13, no. 3, pp. 89-99, 5 figs., September, 1923; no. 4, pp. 147-154, 1 fig., 1 pl., December, 1923; vol. 14, no. 1, pp. 9-25, 1 fig., 4 pls., March, 1924; no. 2, pp. 150-164, 2 figs., June, 1924; no. 4, pp. 256-264, December, 1924.
- (with Day, Arthur L.). Cooperation in seismology: Science, new ser., vol. 60, pp. 217-218, September 5, 1924.

Willis, C. G.

- (with Ferguson, R. N.). Dynamics of oil-field structure in southern California: Am. Assoc. Petroleum Geologists, Bull., vol. 8 no. 5, pp. 576-583, 2 figs., September-October, 1924.

Willis, Robin. See Louderback, no. 1414.

Wilmarth, M. Grace.

2486. Geologic time classification of United States Geological Survey compared with other classifications: U. S. Geol. Survey, Bull. 769, plate I, 1924 [issued separately].

Wilmore, A. N.

2487. Barbados, a key to the physical history of the West Indies and Caribbean regions: Geographical Teacher, London, no. 69, vol. 12, pt. 5, pp. 357-363, summer, 1924.

Wilson, Alfred W. G.

2488. Coalmont amber [British Columbia]: Canada, Mines Branch, Summ. Rept., 1921, pp. 1-2, 1923.
2489. Precious metals in Canada: In Handbook of Canada, pp. 397-407, 1 fig., Toronto, 1924; Canadian Min. Jour., vol. 45, nos. 20 and 21, pp. 471-474, 495-498, 7 figs., May 16 and 23, 1924.

Wilson, Alice E.

2490. A new genus and a new species of gastropod from the upper Ordovician of British Columbia: *Canadian Field-Naturalist*, vol. 38, no. 8, pp. 150-151, 2 figs., 2 pls., October, 1924.

Wilson, Ben H.

2491. Deductions from the occurrence and character of two large quartzose conglomerate boulders of unknown origin found in the Kansas drift sheet at Centerville, Iowa: *Iowa Acad. Sci., Proc.* 1922, vol. 29, pp. 121-126, 2 figs., [1924?].
2492. An excellent example of high clay bank erosion in Lee County, Iowa: *Iowa Acad. Sci., Proc.*, vol. 30, pp. 425-431, 5 figs. [1924].

Wilson, Hewitt.

2493. (and Bennett, A. Lee, and Heath, Fred T.). Preliminary report on the residual kaolin and feldspar in the Pacific Northwest: *Am. Ceramic Soc., Jour.*, vol. 6, no. 3, pp. 475-490, 9 figs., March, 1923.
2494. The clays and shales of Washington; their technology and uses: *Washington, Univ., Bull., Eng. Exper. Sta. ser., Bull. no. 18*, 224 pp., October, 1923.

Wilson, John H.

2495. An occurrence of carnotite near Denver: *Eng. and Min. Jour.-Press*, vol. 116, no. 6, pp. 239-240, 1 fig., August 11, 1923.
2496. Microscopic subsurface work in the Rocky Mountain region: *Mining and Metallurgy*, vol. 5, no. 216, p. 582, December, 1924.

Wilson, Malcolm Earl.

2497. The occurrence of oil and gas in Missouri: *Missouri Bur. Geology and Mines*, 2d ser., vol. 16, 284 pp., 11 pls. (incl. maps), 1922.

Wilson, Morley E.

2498. Arnprior-Quyon and Maniwaki areas, Ontario and Quebec: Canada, *Geol. Survey, Mem.* 136, 152 pp., 17 pls., 4 maps, 1924.
2499. A discovery of copper-bearing minerals in Petite Nation seignior, Papineau County, Quebec: Canada, *Geol. Survey, Summ. Rept.* 1923, pt. C 1, pp. 74-75, 1924.
2500. Ontario's lead mine [Kingdon lead mine, Galetta, Ontario]: *Canadian Min. Jour.*, vol. 45, nos. 20 and 21, pp. 477-478, 501-502, May 16 and 23, 1924.
2501. Grenville pre-Cambrian subprovince (abstract): *Pan-Am. Geologist*, vol. 42, no. 1, pp. 79-80, August, 1924.

Wilson, Philip D.

2502. The British Columbia batholith and related ore deposits: *Am. Inst. Min. and Met. Eng., Trans.*, vol. 68, pp. 536-551, 1 fig., 1923; [pre-print] no. 1183, 16 pp., 1 fig., August, 1922; abstract, *Mining and Metallurgy*, no. 188, pp. 34-37, 1 fig., August, 1922.
2503. Deposition of copper carbonate from mine water: *Am. Inst. Min. and Met. Eng., Trans.*, vol. 68, pp. 552-555, 1923; abstract, *Mining and Metallurgy*, no. 188, p. 37, August, 1922.

Wilson, Roy A.

2504. The possibilities of oil in northern Dewey County: *South Dakota Geol. and Nat. Hist. Survey, Circular* 10, 9 pp., 3 figs., December, 1922.
2505. (and Ward, Freeman). The possibilities of oil in northern Ziebach County: *South Dakota Geol. and Nat. Hist. Survey, Circular* 13, 11 pp., 4 figs., April, 1923.

Wilson, Roy A.—Continued.

2506. The bearing of geologic features in South Dakota upon oil possibilities: *Am. Assoc. Petroleum Geologists, Bull.*, vol. 7, no. 5, pp. 507–516, 1 fig., September–October, 1923.
2507. (and Lambert, J. S., and Clapp, C. H.). Belt series in Montana (abstract, with discussion by Edward Sampson): *Geol. Soc. America. Bull.*, vol. 35, no. 1, pp. 91–92, March 30, 1924; abstract, *Pan-Am. Geologist*, vol. 41, no. 2, pp. 145–146, March, 1924.

Winchell, A. N.

2508. Studies in the pyroxene group: *Am. Jour. Sci.*, 5th ser., vol. 6, pp. 504–520, 7 figs., December, 1923.
2509. Studies in the amphibole group: *Am. Jour. Sci.*, 5th ser., vol. 7, pp. 287–310, 4 figs., April, 1924.
2510. The properties of scapolite: *Am. Mineralogist*, vol. 9, no. 5, pp. 108–112, 1 fig., May, 1924.
2511. Petrographic studies of limestone alterations at Bingham [Utah] (with discussion): *Am. Inst. Min. and Met. Eng., Trans.*, vol. 70, pp. 884–903, 9 figs., 1924; [preprint] no. 1322, 16 pp., 9 figs., March, 1924; abstract, *Mining and Metallurgy*, vol. 5, no. 211, p. 350, July, 1924.
2512. The composition of melilite: *Am. Jour. Sci.*, 5th ser., vol. 8, pp. 375–384, November, 1924.
2513. Isotropic quartz: *Am. Mineralogist*, vol. 9, no. 12, pp. 235–237, 2 figs., December, 1924.

Winchester, Dean E.

2514. Distribution and importance of the oil-shale deposits of the United States: *American Min. Congress, Twenty-fifth Ann. Convention, Rept. of Proc.*, pp. 756–758, 1922.
2515. Oil shale of the Rocky Mountain region: *U. S. Geol. Survey, Bull.* 729, 204 pp., 4 figs., 18 pls. (incl. maps), 1923.

Wingard, J. H.

2516. Statistics of the mineral production of Alabama for 1921: *Alabama Geol. Survey, Bull.* no. 26, 111 pp., 1923.

Winton, Hortense.

2517. (and Winton, W. M., and Scott, Gayle). Fossils; Natural history manual of the T. C. U. [Texas Christian University] vicinity [Tarrant County, Texas] (fourth edition): *Texas Christian Univ. Bull.*, vol. 20, no. 2, pp. 47–58, 1 pl., March, 1924.

Winton, W. M.

- (with Winton, Hortense, and Scott, Gayle). Fossils; Natural history manual of the T. C. U. [Texas Christian University] vicinity [Tarrant County, Texas] (fourth edition): *Texas Christian Univ. Bull.*, vol. 20, no. 2, pp. 47–58, 1 pl., March, 1924.

Wisconsin Geological Survey.

2518. Fourteenth biennial report of the Commissioners of the Geological and Natural History Survey covering the period from July 1, 1922, to June 30, 1924. 44 pp., Madison, Wisconsin, 1924.

Withers, Thomas H.

2519. On a new brachyurous crustacean from the Upper Cretaceous of Jamaica: *Annals and Mag. Nat. Hist.*, 9th ser., vol. 10, pp. 534–541, 2 pls., November, 1922.

Withers, Thomas H.—Continued.

2520. Some Cretaceous and Tertiary decapod crustaceans from Jamaica: *Annals and Mag. Nat. Hist.*, 9th ser., vol. 13, pp. 81-93, 3 pls., January, 1924.
2521. Some decapod crustaceans (*Calianassa* and *Yanina*) from the Oligocene of Washington State, U. S. A.: *Annals and Mag. Nat. Hist.*, 9th ser., vol. 14, pp. 121-127, 1 pl., July, 1924.
2522. Decapod crustaceans from the Oligocene of Anguilla: *Annals and Mag. Nat. Hist.*, 9th ser., vol. 14, pp. 225-233, 1 pl., August, 1924.

Wittich, Ernst.

2523. Geologie und Nutzmineralien. *In* Mexiko; kurzer Bericht über die wirtschaftlichen Fortschritte im letzten Jahrzehnt mit statistischen Angaben, graphischen Darstellungen, und Karten. Consulado general de México en Alemania, Hamburgo, 1923.
2524. Beitrag zur Geologie der Golfregion von Mexiko: *Naturh.-medizin. Ver. Heidelberg, Verh.*, N. F., Bd. 15, Beilageheft 2, pp. 1-4, 1923.
2525. Los minerales de Huautla, Morelos, y Chiautla, Puebla: *Bol. Minero*, t. 15, no. 3, pp. 320-345, 8 pls. (incl. map), March, 1923.

Wolf, Albert G.

2526. The origin of salt domes: *Eng. and Min. Jour.-Press*, vol. 115, no. 9, pp. 412-414, March 3, 1923.

Wood, H. O.

2527. Earthquake reports: *Seismol. Soc. America, Bull.*, vol. 14, no. 1, pp. 60-64, March, 1924.
- (with Willis, Bailey). Fault map of the State of California compiled from data assembled by the Seismological Society of America. Compilation of faults by Bailey Willis and H. O. Wood. Scale 1:506,880. 1922.
- (with Willis, Bailey). A fault map of California: *Science*, new ser., vol. 59, pp. 310-311, April 4, 1924.

Wood, Horace Elmer, 2d.

2528. The problem of the *Uintatherium* molars: *Am. Mus. Nat. Hist., Bull.*, vol. 48, pp. 599-604, 4 figs., 1923.

Woodard, John.

2529. Origin of prairies in Illinois: *Illinois State Acad. Sci., Trans.*, vol. 16, pp. 259-263, 1923.

Woodford, Alfred Oswald.

2530. The Catalina metamorphic facies of the Franciscan series: California, Univ., Dept. Geol. Sci., *Bull.*, vol. 15, no. 3, pp. 49-68, 2 figs., 3 pls., September 19, 1924.

Woodring, Wendell P.

2531. Tertiary mollusks of the genus *Orthaulax* from the Republic of Haiti, Porto Rico, and Cuba: *U. S. Nat. Mus., Proc.*, vol. 64, art. 1, 12 pp., 1 pl., 1923.
2532. An outline of the results of a geological reconnaissance of the Republic of Haiti: *Washington Acad. Sci., Jour.*, vol. 13, no. 7, pp. 117-129, April 4, 1923.
2533. (and Brown, John S., and Burbank, Wilbur S.). Geology of the Republic of Haiti. 631 pp. (French edition, 710 pp.), 37 figs., 40 pls. (incl. maps), Republic of Haiti, Department of Public Works, Port-au-Prince, 1924.

Woodring, Wendell P.—Continued.

2534. Some new Eocene Foraminifera of the genus *Dictyoconus*: Geology of the Republic of Haiti, pp. 608–610, illus., 1924.
2535. (and Mansfield, Wendell C.). Some new middle Eocene and lower Miocene mollusks: Geology of the Republic of Haiti, pp. 611–613, illus., 1924.
2536. Tertiary history of the north Atlantic Ocean: Geol. Soc. America, Bull., vol. 35, no. 3, pp. 425–435, September 30, 1924; abstract, with discussion by Charles Schuchert, A. C. Lawson, W. M. Bowie, and W. H. Hobbs, no. 1, pp. 84–85, March 30, 1924; abstract, Pan-Am. Geologist, vol. 41, no. 2, pp. 142–143, March, 1924.
2537. West Indian, Central American, and European Miocene and Pliocene mollusks: Geol. Soc. America, Bull., vol. 35, no. 4, pp. 867–886, 4 figs., December 30, 1924; abstract, no. 1, pp. 175–176, March 30, 1924.

Woodward, Robert S.

2538. The compressibility of the earth (abstract): Washington Acad. Sci., Jour., vol. 13, no. 3, pp. 44–45, February 4, 1923.

Woodworth, J. B.

2539. Cross section of the Appalachians in southern New England: Geol. Soc. America, Bull., vol. 34, no. 2, pp. 253–261, June 30, 1923.

Wright, Albert, jr.

2540. (and Sweet, P. W. K.). The Jurassic as a source of oil in western Cuba: Am. Assoc. Petroleum Geologists, Bull., vol. 8, no. 4, pp. 516–519, July–August, 1924.

Wright, Douglas G. H.

2541. Geology of the Watabeag area, districts of Timiskaming and Cochrane: Ontario Dept. Mines, 31st Ann. Rept., vol. 31, pt. 7, 33 pp., 15 figs., map, 1922.
2542. (and Segsworth, Walter E.). Extension of the Porcupine gold belt into Quebec: Eng. and Min. Jour.-Press, vol. 117, no. 19, pp. 763–764, 1 fig., May 10, 1924.

Wright, F. E.

2543. Methods for distinguishing natural from cultivated pearls: Washington Acad. Sci., Jour., vol. 13, no. 13, pp. 282–287, 2 figs., July 19, 1923.
2544. Stereoscopic photography in geological field work: Washington Acad. Sci., Jour., vol. 14, no. 3, pp. 63–72, 2 figs., February 4, 1924; abstract, Geol. Soc. America, Bull., vol. 35, no. 1, p. 113, March 30, 1924; Pan-Am. Geologist, vol. 41, no. 2, p. 156, March, 1924.

Wright, J. F.

2545. Brockville-Mallorytown map area, Ontario: Canada, Geol. Survey, Mem. 134, 63 pp., 2 figs., 4 pls., map, 1923.
2546. Rice Lake map area, southeastern Manitoba: Canada, Geol. Survey, Summ. Rept., 1922, pt. C, pp. 45–82, 5 figs., 3 pls., map, 1923.
2547. Geology and mineral prospects of the northern part of Beresford Lake map area, southeast Manitoba: Canada, Geol. Survey, Summ. Rept., 1923, pt. B, pp. 86–104, 1 fig., map, 1924.
2548. Wabigoon and Trap Lake soapstone deposits, Ontario: Canadian Min. Jour., vol. 45, no. 36, pp. 871–872, September 5, 1924.

Wright, L. B.

- (with Hosted, J. O.). Geology of the Homestake ore bodies and the Lead area of South Dakota: Eng. and Min. Jour.-Press, vol. 115, nos. 18 and 19, pp. 793-799, 836-843, 21 figs., May 5 and 12, 1923.

Wuensch, C. Erb.

2549. Secondary enrichment at Eagle mine, Bonanza, Colorado: Am. Inst. Min. and Met. Eng., Trans., vol. 69, pp. 96-109, 1 fig., 1923; [preprint] no. 1251, 14 pp., 1 fig., June, 1923; abstract, Mining and Metallurgy, vol. 4, no. 198, pp. 307-308, 1 fig., June, 1923.

Wykoff, Ralph W. G.

2550. A survey of existing crystal structure data: Franklin Inst., Jour., vol. 195, no. 2, pp. 183-210, no. 3, pp. 349-365, no. 4, pp. 531-552, 20 figs., February, March, and April, 1923.
2551. (and Merwin, H. E., and Washington, H. S.). X-ray diffraction patterns of the pyroxenes (abstract, with discussion by W. P. White): Geol. Soc. America, Bull., vol. 35, no. 1, pp. 110-111, March 30, 1924; abstract, Pan-Am. Geologist, vol. 41, no. 2, pp. 154-155, March, 1924.
2552. (and Merwin, Herbert E.). The crystal structure of dolomite: Am. Jour. Sci., 5th ser., vol. 8, pp. 447-461, 8 figs., December, 1924; abstract, Geol. Soc. America, Bull., vol. 35, no. 1, p. 111, March 30, 1924; Pan-Am. Geologist, vol. 41, no. 2, p. 155, March, 1924.

Wysor, D. C.

2553. Diaspore clay of Arkansas and Missouri: Am. Ceramic Soc., Jour., vol. 6, no. 3, pp. 501-505, 1 fig., March, 1923.

Young, G. A.

2554. Proposals regarding a time scale for the pre-Cambrian: Roy. Soc. Canada, Proc. and Trans., 3d ser., vol. 17, sec. 4, pp. 45-59, May, 1923.

Young, Jacob W.

2555. The filling of fissure veins: Eng. and Min. Jour.-Press, vol. 116, no. 15, pp. 639-640, October 13, 1923.
2556. The Sudbury [Ontario] ore deposits: Econ. Geology, vol. 19, no. 7, pp. 677-681, November, 1924.
2557. Origin of certain carbonaceous materials: Eng. and Min. Jour.-Press, vol. 118, no. 25, pp. 982-983, December 20, 1924.

Zambonini, Ferruccio.

2558. The isomorphism of albite and anorthite (abstract by H. S. Washington): Am. Mineralogist, vol. 8, no. 5, pp. 81-92, May, 1923.

Zapffe, Carl.

2559. Manganiferous iron ores of Cuyuna district, Minnesota: Am. Inst. Min. and Met. Eng., Trans. [preprint] no. 1390, 11 pp., December, 1924.

Zies, E. G.

2560. The fumarolic incrustations in the Valley of Ten Thousand Smokes: Nat. Geog. Soc., Contributed Technical Papers, Katmai ser., vol. 1, no. 1, pp. 157-179, 2 figs, 1924.
2561. Fumarolic incrustations of the Katmai region (abstract): Geol. Soc. America, Bull., vol. 35, no. 1, p. 123, March 30, 1924; Pan-Am. Geologist, vol. 41, no. 2, p. 158, March, 1924.

Zies, E. G.—Continued.

2562. Hot springs of the Valley of Ten Thousand Smokes: Jour. Geology, vol. 32, no. 4, pp. 303-310, 1 fig., May-June, 1924.
(with Allen, E. T.). A chemical study of the fumaroles of the Katmai region: Nat. Geog. Soc., Contributed Tech. Papers, Katmai series, no. 2, pp. 75-155, illus., 1923.

Anonymous.

2563. Charles D. Walcott, president of the American Association for the Advancement of Science for the year 1923: Science, new ser., vol. 57, pp. 120-121, January 26, 1923.
2564. The late Dr. J. D. Mackenzie, M. C.: Canadian Inst. Min. and Met., Monthly Bull., no. 129, pp. 65-67, portr., January, 1923.
2565. Economic geologists meet at Ann Arbor [December, 1922]: Eng. and Min. Jour.-Press, vol. 115, no. 1, pp. 27-28, January 6, 1923.
2566. Economic geologists hold annual technical meeting [in New York City, May 18 and 19, 1923]: Eng. and Min. Jour.-Press, vol. 115, no. 21, pp. 942-944, May 26, 1923.
2567. Horace V. Winchell [obituary notice]: Eng. and Min. Jour.-Press, vol. 116, no. 5, p. 203, portr., August 4, 1923.
2568. Petroleum possibilities in deep sands near Osage field, Wyoming: Eng. and Min. Jour.-Press, vol. 116, no. 9, p. 376, September 1, 1923.
2569. Obituary, Professor Raphael Pumpelly: Am. Jour. Sci., 5th ser., vol. 6, pp. 375-376, October, 1923.
2570. A prominent Canadian geologist, Willet G. Miller: Eng. and Min. Jour.-Press, vol. 116, no. 16, p. 664, portr., October 20, 1923.
2571. Smoky River coal field [northwestern Alberta]: Canadian Min. Jour., vol. 45, no. 13, pp. 308-310, 2 figs., March 28, 1924.
2572. Nova Scotia's mineral resources: Canadian Min. Jour., vol. 45, no. 14, pp. 328-331, April 4, 1924.
2573. Dr. Frank Dawson Adams: Canadian Min. Jour., vol. 45, no. 21, pp. 493-494, portr., May 23, 1924.
2574. Earthquake in northern California, January 22, 1923: Seismol. Soc. America, Bull., vol. 14, no. 2, pp. 165-168, June, 1924.
2575. Geologists of note: Hoyt Stoddard Gale: Eng. and Min. Jour.-Press, vol. 118, no. 16, p. 604, portr., October 18, 1924.
2576. Obituary, Edmund Otis Hovey: Am. Jour. Sci., 5th ser., vol. 8, p. 445, November, 1924.
2577. Oil and gas in northeastern Colorado; prospects of developing new fields: Colorado School of Mines, Alumni Mag., vol. 14, no. 7, pp. 13-18, November, 1924.

INDEX

(The numbers refer to entries in the bibliography)

Abrasive materials.

Canada: Eardley-Wilmot, 612.

General: Beach, 110.

Abstracting geologic literature: Keyes, 1206.

Addresses.

At the surface of a crystal: Wherry, 2443.

Evolutional paleontology in relation to the lower Paleozoic rocks: Elles, 630.

Forces in man's social evolution: Shimer, 2054.

Geologic factors in evolution: Mather, 1490.

Geologist and petroleum industry: DeGolyer, 552.

Geology in the service of man: Watts, 2416.

Geology's debt to the mineral industry: Miller, 1575.

North American geosyncline: Schuchert, 1993.

Oceanography in its relation to other earth sciences: Vaughan, 2342.

Origin and antiquity of man: Miller, 1569.

Progress and trends in vertebrate paleontology: Matthew, 1506.

Seventy-five years of American geology: Chamberlin, 325.

Studying mines with a microscope: Bayley, 107.

Age of the earth. *See* Earth, age.

Agricultural aspects of rock weathering: Hunt, 1024.

Alabama.

Areas described.

Clay County: Prouty, 1782.

Economic geology.

Bauxite, formation in sink holes: Adams, 1.

Clinton ore, Birmingham district: Crane, 468.

Iron, Clinton formation: Aldrich, 18.

Mineral resources: Ernst, 657; Maynard, 1510; Smith, 2075; Wingard, 2518.

Oil prospecting: Lloyd, 1392.

Historical geology.

Clinton formation: Aldrich, 18.

Cretaceous, eastern Alabama: Berry, 141.

Paleontology.

Hantkenia, Eocene foraminifer: Cushman, 487.

Alaska.

Areas described.

Alaska Railroad region: Capps, 301.

Chitina Valley: Moffit, 1603.

Cold Bay-Chignik district: Smith, 2091.

Kotsina-Kuskulana district: Moffit, 1602.

Ruby-Kuskokwim region: Mertie, 1544.

Economic geology.

Beatson copper mine: Bateman, 100.

Beatson mine, Prince William Sound district: Birch, 158.

Chitina Valley: Moffit, 1603.

Early Tertiary placer deposit: Capps, 302.

Juneau district: Bradley, 189.

Kennecott mines, Chitina district: Birch, 157.

Alaska—Continued.

Economic geology—Continued.

Magmatic sulphide ore, Chicagof Island: Kerr, 1155.

Mining industry, 1922: Brooks, 219.

Nickel minerals: Buddington, 249.

Historical geology.

Mesozoic formations: Goranson, 771.

Peard Bay region: Meek, 1513.

Mineralogy.

Nickel minerals: Buddington, 249.

Paleontology.

Peard Bay region, Pleistocene: Meek, 1513.

Physical geology.

Kaolinite associated with miarolitic structure: Buddington, 248.

Katmai, earthquakes and eruption, 1912: Tams, 2188.

Katmai region, fumaroles, chemical study: Allen, 25.

fumarolic incrustations: Zies, 2560, 2561.

tuff deposits, Valley of Ten Thousand Smokes: Escher, 658; Fenner, 675; Griggs, 812.

Valley of Ten Thousand Smokes, floor: Cole, 399.

hot springs: Zies, 2562.

moving pictures: Fenner, 676.

Physiographic geology.

Lynn Canal region: Martin, 1488.

Alberta.

Red Deer region: Tyrrell, 2299.

Report of geological investigations, 1922: Allan, 19.

Smoky, Hay, and Berland rivers: MacVicar, 1466.

Areas described.

Blackstone, Brazeau, and Pembina rivers, foothills belt: Allan, 24.

Saunders Creek and Nordegg coal basins: Allan, 21.

Economic geology.

Bituminous sands, northern Alberta: Clark, 350; Ellis, 636, 637, 638, 639, 640.

Bow River coal basin: Dowling, 582.

Clay, Athabasca River: Hume, 1017.

Coal, Crows nest area: Rose, 1908.

Red Deer region: Tyrrell, 2299.

Smoky, Hay, and Berland rivers: MacVicar, 1466.

Coal-seam correlation: Rutherford, 1934.

Crowsnest coal area: Rose, 1908.

General: Allan, 23.

Natural gas: Elworthy, 646.

Oil and gas possibilities, eastern Alberta: Irwin, 1040.

Oil prospects, southern Alberta: Williams, 2474.

Smoky River coal field: Anon., 2571.

Alberta—Con

Economic geology—Continued.

Wainwright oil and gas area: Hume, 1018.

Wainwright-Irma oil and gas area: Hume, 1021.

Historical geology.

Banff section: Keyes, 1242.

Cordilleran formations, nomenclature: Walcott, 2355.

Cretaceous and Jurassic stratigraphy: Allan, 20.

Ozarkian system: Walcott, 2355.

Pre-Devonian deposits: Walcott, 2359.

Southern Alberta: Dowling, 581.

Paleontology.

Aspideretes, Belly River Cretaceous: Gilmore, 751.

Corythosaurus, Red Deer River: Gilmore, 750; Parks, 1712.

Deinodontidae, Cretaceous: Matthew, 1503, 1507.

Devonian: Kindle, 1268.

Dinosaurs: Parks, 1715, 1718.

Belly River formation: Gilmore, 750, 753.

Edmonton Cretaceous: Gilmore, 753.

Dyoplosaurus acutosquameus, armored dinosaur: Parks, 1714.

Laosaurus, Cretaceous: Gilmore, 752.

Pelecypoda, Fernie formation: McLearn, 1463.

Prosaurolophus maximus: Parks, 1714.

Stephanosaurus, crested dinosaur: Parks, 1713.

Styracosaurus, Red Deer River: Gilmore, 748.

Tree, Red Deer Valley: Kindle, 1253.

Troodon validus, Belly River formation: Gilmore, 754.

Petrology.

Sandstones, criteria for age determination: Sanderson, 1948.

Physical geology.

Corrosion by saline waters, Salt Prairie: Rutherford, 1932.

Crowsnest coal area, structure: Rose, 1908.

Freshfield Glacier: Palmer, 1704, 1705.

Structural features produced by Pleistocene glaciation: Hopkins, 977.

Underground water.

Southern Alberta, artesian area: Dowling, 581.

Algae.

Archean: Gruner, 821.

California, Los Angeles, Miocene: Gardner, 730.

Wyoming, Fuson oil shale: Bradley, 191.

Algae as limestone makers and climatic indicators: Glock, 760.

Algonkian. *See* Pre-Cambrian.

Alkali deposits.

Canada, western: Cole, 401, 402, 404.

Texas, western: Meigs, 1514.

Alluvial fan deposits in Upper Huronian: Bain, 61.

Almandite and its significance in the contact zones of the Grenville limestone: Bain, 60.

Alum.

Nevada, Fallon, magnesite alum: Hewett, 924.

Aluminum: Hill, 928, 933.

Alunite. *See also* Potash.

Utah, Marysvale: Tingley, 2254.

Amber.

British Columbia, Coalmont: Wilson, 2488.

Ammonoosuc mining district. New Hampshire: Ross, 1913.

Amphibia.

Colorado, Pennsylvanian sandstones, footprints: Henderson, 913.

Eryops, carpus: Gregory, 807.

Kansas, footprints: Hanna, 852.

West Virginia, footprints: Lull, 1434.

Anguilla.

Paleontology.

Decapod crustaceans, Oligocene: Withers, 2522.

Annelida.

Iowa, Devonian: Searight, 2009.

Anorthosites, formation: Loewinson, 1397.

Anthozoa.

Hexacoralla, ancestry: Robinson, 1891.

Tertiary: Vaughan, 2345.

Tetradiam and coral evolution: Sardeson, 1958.

Vermont, Chazy coral reef: Raymond, 1805.

Antigua.

Geology: Earle, 615.

Antimony.

Alaska, Alaska Railroad region: Capps, 301.

General: Schrader, 1991.

Antilles. *See* West Indies.

Appalachian field trip: Morse, 1640.

Appalachians.

Cross-section in southern New England: Woodworth, 2539.

New structural type in: Stose, 2163.

Structure: Keith, 1140.

Arachnida.

Paleolimulus, Permian xiphosuran, Kansas: Dunbar, 595.

Archean. *See* Pre-Cambrian.

Arctic regions.

Arctic coast of Canada: O'Neill, 1682.

Historical geology.

General: Høltedahl, 971.

Paleontology.

Mammoth tusk, Banks Island: Kindle, 1265.

Pleistocene, Arctic coast: Dall, 498.

Tertiary fossils, Brock River: Dall, 498.

Petrology.

Basaltic rocks: Holmes, 970.

Physical geology.

Ice, characteristics: Kindle, 1263.

Sediments, distribution by Arctic ice: Kindle, 1263.

Arizona.

Areas described.

Oatman district: Ransome, 1793.

Economic geology.

Asbestos: Sampson, 1945.

Sierra Ancha: Bateman, 98.

Bisbee district: Elsing, 645.

Black Mesa iron deposits, Plumas district: Keyes, 1211.

Deposition of copper carbonate from mine water: Wilson, 2503.

Gold, Oatman district: Ransome, 1793.

Gold, silver, copper, lead, and zinc: Helkes, 901.

Jerome district: Rickard, 1874.

Porphyry coppers, Palomas Range: Keyes, 1220.

Ray quadrangle: Ransome, 1792.

Silver ores, Chloride and Kingman, origin: Bastin, 93.

Tres Amigos gold veins: Keyes, 1176.

Verde mining district: Smith, 2071.

Arizona—Continued.

Historical geology.

Colorado Plateau, northern Arizona: Longwell, 1404.

Devonian: Keyes, 1171.

Fort Apache region: Reagan, 1810.

General: Keyes, 1209.

Geologic map: Ariz. Bur. Mines, 41; Darton, 512.

Geological traverse, Mohave to San Juan River: Gregory, 802.

Grand Canyon: Darton, 511; Moore, 1625.

Holbrook area: Hager, 830.

Hopi Buttes volcanic field: Reagan, 1807.

Jerome district: Smith, 2071.

Lees Ferry region: Bryan, 240.

Northeastern Arizona: Hager, 832; Moore, 1619.

Palomas Range: Keyes, 1220.

Redwall limestone: Keyes, 1169.

Verde River lake beds: Jenkins, 1057.

Mineralogy.

Cyanotrichite, Grand Canyon: Gordon, 778.

Pyrite, Tucson: Ayres, 52.

Sulphate minerals, Bisbee: Merwin, 1546.

Paleontology.

Bird remains, Benson: Wetmore, 2437.

Paraphyllanthoxylon arizonense: Bailey, 56.

Physical geology.

Colorado Plateau, structural features: Moore, 1621.

Pedestal rocks: Bryan, 243.

Stream aggradation through irrigation: Reagan, 1809.

Wind erosion: Bryan, 241.

Physiographic geology.

Grand Canyon of the Colorado: Birdseye, 159; Darton, 509, 511; Termier, 2201.

Meteor Crater: Barringer, 78, 79.

Arkadelphia formation, stratigraphy: Howe, 997.

Arkansas.

Areas described.

Hot Springs district: Purdue, 1784.

Economic geology.

Diamond deposits: Mitchell, 1599.

Diamond-bearing peridotite area, Pike County: Miser, 1592.

Diaspore clay: Wysor, 2553.

El Dorado, Union County: Ley, 1373.

Mineral Resources: Branner, 197; Ferguson, 681.

Oil-producing sands in southern Arkansas: Hull, 1011.

Petroleum-bearing concretions, Newton County: Binney, 156.

Smackover oil and gas field, Ouachita and Union counties: Bell, 119, 120; Schneider, 1981.

Structural features of oil fields, southern Arkansas: Crider, 470.

Historical geology.

Arkadelphia formation: Howe, 996, 997.

Diamond-bearing peridotite area, Pike County: Miser, 1592.

El Dorado oil field: Gilluly, 747.

General: Miser, 1591.

Nacatoch formation: Howe, 998.

Sabine uplift: Huntley, 1032.

Arkansas—Continued.

Historical geology—Continued.

Stratigraphy of oil-producing sands in southern Arkansas: Hull, 1011.

Mineralogy.

Cataplelite, Magnet Cove: Foshag, 702.

Wavellite, Montgomery County: Gordon, 776.

Paleontology.

Trilobite, St. Clair limestone: Foerste, 696.

Petrology.

Hot Springs district, igneous rocks: Lloyd, 1391

Physical geology.

Differential compacting the cause of certain Claiborne dips: Teas, 2198.

Granite in wells: Gould, 786.

Structural features of oil fields, southern Arkansas: Crider, 470.

Underground water.

Hot springs: Bryan, 242.

Arsenic.

General: Heikes, 897, 903.

United States: Heikes, 898; Sayre, 1975.

Washington, Seattle district: Stoess, 2155.

Artesian waters and wells. *See* Underground water.

Arthropoda.

Balanus, Haiti: Pilsbry, 1757.

Scorpions: Moore, 1618.

Articulata. *See* Arthropoda.

Asbestos.

Arizona: Sampson, 1945.

Sierra Ancha: Bateman, 98.

General: Sampson, 1941.

Quebec: Fisher, 694.

Asphalt. *See also* Bituminous rocks and sands.

California: Vanderleck, 2321.

General: Cottrell, 458, 464.

Kentucky, rock asphalt: Jillson, 1086.

Aspidella-like markings, Cambridge slate: Clark, 353.

Associations, meetings.

American Association for the Advancement of Science, proceedings Boston meeting: Moore, 1614.

Section E, Cincinnati meeting, 1923-24: Moore, 1616; geology: Moore, 1617.

American Association of Petroleum Geologists, eighth annual meeting, Shreveport: Moore, 1624.

Los Angeles meeting: Rickard, 1872.

American Geophysical Union, Washington, 1923: National Research Council, 1652.

British Association for the Advancement of Science, Toronto meeting: Keyes, 1234.

Geological Society of America, thirty-fifth annual meeting, Ann Arbor, December, 1922: Berkeley, 133.

thirty-sixth annual meeting, Washington: Berkeley, 134.

Cordilleran section, 21st annual meeting, 1922: Rogers, 1893.

twenty-second annual meeting, proceedings: Buwalda, 272.

Mineralogical Society of America, third annual meeting, Ann Arbor: Van Horn, 2323, 2324.

fourth annual meeting, Washington, 1923: Van Horn, 2325.

Associations, meetings—Continued.

- Paleontological Society, fourteenth annual meeting, Ann Arbor, 1922: Bassler, 86.
fifteenth annual meeting, Washington: Bassler, 89.
- Society of Economic Geologists, proceedings, 1921-1922: Lindgren, 1379.
Ann Arbor meeting: Anon., 2565.
New York City, May, 1923: Anon., 2566.
second annual meeting, Ann Arbor, 1922: Ball, 71.
- Atlantic ridge, central, movement: Brouwer, 1220.
- Aves.
Arizona, Benson: Wetmore, 2437.
Diatryma, plumage: Cockerell, 382.
supposed plumage: Edwards, 625.
Ilium in dinosaurs and birds: Romer, 1903.
Nebraska, Miocene and Pliocene: Wetmore, 2436.
Porto Rico, remains from caves: Wetmore, 2435.
- Bakelite for cementing sections: Ross, 1911.
- Barbados.
Historical geology.
General: Wilmore, 2487.
- Barium, 2162.
- Barrell's work on sedimentation: Vaughan, 2337.
- Barytes.
Canada: Spence, 2112.
General: Ladoo, 1297; Siebenthal, 2063.
Basin range structure: Keyes, 1225.
Basin range structure in the Great Basin: Louderback, 1413.
- Batholiths. *See also* Intrusions.
Colorado, central: Crawford, 469.
- Batrachia. *See* Amphibia.
- Bauxite.
Appalachian bauxite deposits: Nelson, 1656.
Association with siderite: Burchard, 257.
British Columbia: Dunn, 608.
Formation in sink holes: Adams, 1.
General: Hill, 928, 933; Morse, 1637.
Georgia, Coastal Plain: Stull, 2172.
Mississippi: Burchard, 257; Morse, 1637.
Origin: Nelson, 1656.
United States: Morse, 1637; Musset, 1646.
- Beaches. *See* Shore lines; Terraces.
- Beartooth Mountains, Montana: Bevan, 155.
- Bellevue oil field, Louisiana: Holman, 969.
- Bentonite.
Canada: Spence, 2110.
western: Spence, 2111.
In Upper Cretaceous of Louisiana: Bramlette, 195.
- Bermuda.
Paleontology.
Poecilozonites: Pilsbry, 1756.
Physical geology.
Fossil soils: Sayles, 1974. ®
- Beryllium: Copaux, 448.
- Bibliography.
Antigua: Earle, 615.
Arkansas, diamond deposits: Mitchell, 1599.
Hot Springs district: Purdue, 1784.
Barrell, Joseph, writings: Gregory, 803.
Brush, G. J., writings: Dana, 508.

Bibliography—Continued.

- California, coal: Boalch, 166.
limestone deposits: Lazure, 1307.
southeastern: Brown, 221.
- Catalogue of bibliographies in geology, 1896-1920: Mathews, 1492.
- Cement: Burchard, 259.
- Colorado, Denver Basin: Johnson, 1100.
northwestern: Johnson, 1103.
southwestern: Johnson, 1104.
- Concretions: Kindle, 1260.
- Contact metamorphism of basic igneous rocks: Schwartz, 2001.
- Costa Rica: Redfield, 1814.
- Cox, G. H., writings: Dake, 491.
- Cretaceous-Eocene transition beds: Thom, 2212.
- Crinoidea, Devonian, New York: Goldring, 764.
- Geologic literature on North America, 1785-1918: Nickles, 1667.
- Grand Canyon of the Colorado: Darton, 509.
- Greenland: Koch, 1288.
- Gulliver, F. P., writings: Davis, 520.
- Gypsum: Wilder, 2469.
- Haiti: Woodring, 2533.
- Hills, R. C., writings: George, 735.
- Honduras: Redfield, 1815.
- Idaho: Campbell, 295.
- Isostasy: Knopf, 1281.
- Jamaica: Matley, 1496.
- Jillson, W. R., writings: Jillson, 1075.
- Kansas, Cretaceous: Twenhofel, 2295.
Permian: Dunbar, 596.
- Kentucky: Jillson, 1066.
- Labrador: Kindle, 1261.
- Mammoth Cave: Jillson, 1065.
- Mississippi River, drainage problem: Schoewe, 1985.
- Missouri, Devonian: Branson, 199.
- North American geology, 1921-22: Nickles, 1668.
- Oil shales: Reeves, 1837; Winchester, 2515.
- Oregon, John Day region: Jillson, 1063.
- Peat: Haanel, 828.
- Pennsylvania, Piedmont region: Smith, 2079.
- Petroleum: Burroughs, 261, 262.
- Phosphates: Mansfield, 1481.
- Porto Rico, Lares district: Hubbard, 1002.
Ponce district: Mitchell, 1598.
- Potash: Mansfield, 1477, 1480.
- Quebec: Clark, 351.
- Quicksilver: Evans, 662; Ross, 1915.
- Ripplemark: Kindle, 1264.
- Scudder, S. H., writings: Mayor, 1511.
- Spencer, J. W. W., writings: Shaw, 2036.
- Texas, McLennan County: Adkins, 6.
northeastern: Fohs, 701.
- Todd, J. E., writings: Keyes, 1167; Leverett, 1365.
- Van Hise, C. R., writings: Chamberlin, 323.
- Vogdes, A. W., writings: Dumble, 592; Keyes, 1223.
- Wadsworth, M. E., writings: Lane, 1322.
- Williston, S. W., writings: Lull, 1432.
- Winchell, H. V., writings: Kemp, 1151; Keyes, 1200.
- Big Thompson River valley, Colorado, physiographic development: Fuller, 720.

Biography.

- Adams, F. D.: Anon., 2573.
 Barrell, Joseph: Gregory, 803; Vaughan, 2337.
 Bostwick, T. A.: Dunbar, 598.
 Branner, J. C.: Smith, 2080.
 Brooks, A. H.: Spurr, 2126.
 Brush, G. J.: Dana, 508.
 Camsell, Charles: Murray, 1645.
 Chamberlin, T. C.: Keyes, 1195.
 Cox, G. H.: Dake, 491.
 De Montessus de Ballore: Hobbs, 955.
 Dumble, E. T.: Keyes, 1241.
 Emmons, Ebenezer: Keyes, 1191.
 Gale, H. S.: Anon., 2575.
 Gulliver, F. P.: Davis, 520.
 Hambach, Gustav: Klem, 1274.
 Hayden, F. V.: Keyes, 1221.
 Hills, R. C.: George, 735.
 Hinrichs, G. D.: Keyes, 1185, 1217.
 Holbrook, Levi: Kemp, 1148.
 Hovey, E. O.: Berkey, 136; Keyes, 1245; Kemp, 1152; Anon., 2576.
 Keele, Joseph: Malcolm, 1469.
 Ledoux, A. R.: Kemp, 1150.
 Leidy, Joseph: Clarke, 360; Osborn, 1689, 1690; Scott, 2007, 2008.
 Little, George: Little, 1389.
 Luther, D. D.: Clarke, 369.
 Mackenzie, J. D.: Anon., 2564.
 Marcou, Jules: Keyes, 1208.
 Matthew, G. F.: Matthew, 1508.
 Miller, W. G.: Anon., 2570.
 Owen, D. D.: Keyes, 1173.
 Pumpelly, Raphael: Keyes, 1204; Willis, 2484, Anon., 2569.
 Purington, C. W.: Ludlum, 1430.
 Rohn, Oscar: Leith, 1361.
 Scudder, S. H.: Mayor, 1511.
 Spencer, J. W. W.: Shaw, 2036.
 Springer, Frank: Keyes, 1212.
 Stevenson, J. J.: Keyes, 1237.
 Teller, E. E.: Teller, 2199.
 Todd, J. E.: Keyes, 1167, 1216; Leverett, 1365.
 Tyrrell, J. B.: Murray, 1644.
 Van Hise, C. R.: Chamberlin, 323.
 Vogdes, A. W.: Dumble, 592; Keyes, 1223, Resser, 1856.
 Wadsworth, M. E.: Lane, 1322.
 Walcott, C. D.: Anon., 2563.
 Whittaker, E. J.: Kindle, 1269.
 Williams, G. H.: Keyes, 1181.
 Williston, S. W.: Lull, 1432.
 Winchell, H. V.: Gray, 795; Kemp, 1151; Keyes, 1200; Anon., 2567.
 Wright, G. F.: Hubbard, 1003.
- Birds.** *See* Aves.
Bismuth: Cottrell, 458; Heikes, 896, 902.
Bituminous rocks and sands. *See also* Oil shale.
 Alberta, northern, bituminous sands: Clark, 350; Ellis, 636, 637, 638, 639, 640.
 California: Vanderleek, 2321.
 Iowa, Linn County: Dille, 562.
Block diagrams: Lobeck, 1394.
Bonaventure formation, geological age: Clarke, 366.
Bone, fossil, mineralogy and petrography: Rogers, 1896.

Borax.

- California: Foshag, 706.
 Nevada: Foshag, 706.

Borings.

- Alberta, Waterways: Allan, 23.
 Apparatus for measurement of temperatures in deep wells: Van Orstrand, 2330.
 Arizona, Camp Verde: Jenkins, 1057.
 British Columbia, Fraser River Delta: Johnston, 1107.
 Colorado, Fort Collins: Ball, 69, 70.
 Fused sedimentary rocks in drill cores: Bowen, 174.
 Georgia, Coastal Plain: Prettyman, 1776.
 Illinois: Krey, 1293.
 Carlyle-Centralia district: Shaw, 2035.
 Decatur area: Collingwood, 419.
 Jacksonville area: Collingwood, 416.
 Indiana, southwestern: Logan, 1402.
 Iowa, Ida County: Lees, 1347.
 Winfield: Lindly, 1387.
 Kentucky, Bowling Green: Nelson, 1659.
 Princeton quadrangle: Weller, 2426.
 Webster County: Glenn, 759.
 Louisiana, Webster Parish: Ponton, 1764.
 Mexico, Isthmus of Tehuantepec: Huntley, 1034.
 Vera Cruz, Idolo Island: Dumble, 593.
 Michigan, Detroit: Vanderwilt, 2322.
 Mississippi: Lowe, 1427.
 Missouri: Krey, 1293; Wilson, 2497.
 Montana, faulted area south of Bearpaw Mountains: Reeves, 1836.
 Nova Scotia, Sydney coal field: Hayes, 883.
 Oklahoma, Stonewall quadrangle: Morgan, 1632.
 Ontario, Romney: Davis, 516.
 Texas, Amarillo district: Harrison, 861.
 Colorado County: Bailey, 57.
 McLennan County: Adkins, 6.
 Minerva field, Milam County: Hager, 829.
 Potter County: Patton, 1728.
 western: Mansfield, 1474.
 Utah, San Juan field: Miser, 1597.
 Well samples, care of: Robinson, 1890.
 West Virginia, Grant County: Reger, 1839.
 Wisconsin: Thwaites, 2245.

Botany, fossil. *See* Paleobotany.

Boudinage: Quirke, 1786.

Boulders.

Kentucky, glacial boulders: Jillson, 1089.

Brachiopoda.

- Alberta, Devonian: Kindle, 1268.
 Cambrian: Walcott, 2356.
 Ontario, Toronto area: Parks, 1710.
 Ozarkian: Walcott, 2356.
 Pugnoides, Devonian, Iowa: Thomas, 2219.
 Rhynchotrema and Zygospira. Black River: Fenton, 678.
 Stropheodonta demissa, evolution in Snyder Creek shales: Branson, 198.

Brass ore in nature: Keyes, 1172.

British Columbia.

- Coal resin, Coalmont: Steele, 2139.
 General: Dolmage, 570.

British Columbia—Continued.

Reconnaissance, Skeena River to Stewart: Hanson, 856.

Areas described.

Alberni area, Vancouver Island: MacKenzie, 1458.

Cariboo district, Barkerville area: Uglow, 2305.

Cedar Creek area: Johnston, 1108.

Cheam Range: Cairnes, 280.

Coast and islands between Douglas Channel and the Alaskan boundary: Dolmage, 568.

Coquihalla area: Cairnes, 281.

Dewdney Trail: Cairnes, 279.

Fraser River Delta map area: Johnston, 1107.

Kettle Valley: Cairnes, 279.

Kitsault River to Skeena River: Hanson, 853.

Peace River canyon coal area: McLearn, 1461.

Yale district, Silver Creek, Skagit and Similkameen rivers: Cairnes, 282.

Economic geology.

Alberni area, Vancouver Island: MacKenzie, 1458.

Anyox copper deposits: Clapp, 342, 343.

B. C. silver mine, Stewart district: Dolmage, 573.

Bauxite: Dunn, 608.

Cariboo district, Barkerville area: Uglow, 2305.

Cheam Range, Lucky Four ore deposits: Cairnes, 280.

Coal, Vancouver Island: MacKenzie, 1457.

Coalmont amber: Wilson, 2488.

Coast and islands between Douglas Channel and the Alaskan boundary: Dolmage, 568.

Coast Range ore deposits: Brewer, 211.

Dolly Varden mine, Kitsault River district: Hanson, 854.

Eocene coal basin, Chu Chua: Uglow, 2303.

General: Brock, 216; Nichols, 1666; Robertson, 1883, 1884.

Gold, Barkerville area: Johnston, 1109.

Cedar Creek area: Johnston, 1108.

Kootenay region: Langley, 1327.

Lardeau district: Bancroft, 75.

Mineral deposits: Wilson, 2502.

Mining industry, 1922: Robertson, 1883.

1923: Robertson, 1884.

Nickel ore, Yale district: Cairnes, 284.

Northwestern British Columbia: Hanson, 858.

Ore deposits, prospecting: Uglow, 2310.

Peace River canyon coal area: McLearn, 1461.

Placer gold, Barkerville area, Cariboo district, origin: Uglow, 2306.

Platiniferous rocks, Tulameen area, Yale district: Poitevin, 1761.

Portland Canal district: Hanson, 857.

Premier mine, northwestern British Columbia: Hanson, 855.

Quartz veins, Barkerville, Cariboo district: Uglow, 2304.

Salmon River valley: Banks, 76.

Salmon River district: Schofield, 1988.

Southwestern British Columbia, Yale and Similkameen mining divisions: Cairnes, 279.

Western mineral belts: Dolmage, 572.

Windpass gold miChu Chua: Uglow, 2308.

British Columbia—Continued.

Economic geology—Continued.

Yale district, Hillsbar gold claims: Cairnes, 283.

Zinc, East Kootenay district: Whittemore, 2463.

Zinc and lead: Robinson, 1885.

Historical geology.

Barkerville, Cariboo district: Uglow, 2304.

Beaverfoot-Brisco-Stanford Range: Walcott, 2357.

Bow River section, Banff: Kindle, 1266.

Cambro-Ordovician section near Mount Robson: Burling, 260.

Cordillera, geological record: Schofield, 1987.

Cordilleran formations, nomenclature: Walcott, 2355.

Eocene coal basin, Chu Chua: Uglow, 2303.

Geologic record: Schofield, 1989.

Mesozoic formations: Goranson, 771.

North Thompson Valley: Uglow, 2307.

Pre-Devonian deposits: Walcott, 2359.

Sooke formation, Vancouver Island: Clark, 345.

Southwestern British Columbia, Yale and Similkameen mining divisions: Cairnes, 279.

Vancouver Island, coal measures: MacKenzie, 1457.

Mineralogy.

Lansfordite, Atlin: Poitevin, 1763.

Paleontology.

Cambrian: Walcott, 2356.

Cretaceous Mollusca: Reagan, 1806.

Marpolia, Cambrian Alga: Walton, 2385.

Palliseria, upper Ordovician: Wilson, 2490.

Sooke formation, Vancouver Island, fauna: Clark, 345.

Petrology.

Post-Pleistocene volcanics, Milbank Sound region: Dolmage, 569.

Physical geology.

Concretions: Kindle, 1260.

Robson Glacier, motion: Wheeler, 2438.

Physiographic geology.

Cretaceous peneplain, southern British Columbia: Uglow, 2307.

Brockville-Mallorytown area, Ontario: Wright, 2545.

Bromine: Cottrell, 459, 463.

British Honduras.

Economic geology.

Cassiterite: Jones, 1120.

British Virgin Islands, geology: Earle, 617.

Bryozoa.

Carboniferous, Oklahoma: Morgan, 1632.

North American later Tertiary and Quaternary: Canu, 299.

Ontario, Toronto area: Parks, 1710.

Tertiary: Canu, 300.

Building stone. *See also* Granite; Limestone; Sandstone; Stone.

General: Richardson, 1862.

Kentucky: Richardson, 1862.

Oklahoma: Oakes, 1675.

Burbank field, Osage County, Oklahoma: Sands, 1949.

Burket-Seeley oil pool, Greenwood County, Kansas: Loomis, 1412.

Cadmium: Siebenthal, 2058.

Cahokia Mounds, Illinois, geological aspects: Leighton, 1356.

origin: Leighton, 1352.

Calcites, behavior to radium radiations: Headen, 887.

luminescence: Headen, 888.

Calcium chloride: Cottrell, 459, 463.

Caliche: Udden, 2300; formation: Wanless, 2387.

California.

Geologic features: Bailey, 55.

Areas described.

Humboldt County: Thornbury, 2234.

Iron Canyon, Sacramento River: Hamlin, 839; Lawson, 1333.

Los Angeles County: Kew, 1159.

Sacramento Valley: Bryan, 239.

Salton Sea region: Brown, 221.

Ventura County: Kew, 1159.

Economic geology.

Asphalt and bituminous sand deposits: Vanderleck, 2321.

Avawatz Mountains: Tucker, 2285.

Belridge and North Belridge oil fields, Kern County: Boezinger, 169.

Borax: Foshag, 706.

Calaveras County, West Point district: Logan, 1398.

Clay, Alberhill, Riverside County: Hill, 927.

Coal, bibliography: Boalich, 166.

Copper, Shasta, County: Tucker, 2288.

Development of oil fields: Moran, 1628.

Devils Den oil field, Kern County: Huguenin, 1010.

Diatomiferous horizons and petroleum deposits: De Landero, 554.

Dry placers, southern California: Haley, 833.

Early oil development: Orcutt, 1685.

Gold, silver, copper, lead, and zinc: Hill, 931.

Gold, Wilshire district: Turner, 2290.

Gold lodes, East Fork district, Trinity County: Tucker, 2286.

Gold placers: Haley, 835.

Gold ores, Grass Valley: Howe, 995.

Gypsum, southern California: Newman, 1665.

Hovey Hills oil field, Kern County: Saunders, 1963.

Huntington Beach oil field, Orange County: Case, 308; Gester, 742.

Iron ore: Boalich, 165.

Limestone deposits, bibliography: Laizure, 1307.

Long Beach oil field: Case, 307; Schwennesen, 2005.

Los Angeles basin, oil fields: Milner, 1590.

Los Angeles basin, structure: Eaton, 620.

Los Burros district, Monterey County: Hill, 926.

Lost Hills oil field, Kern County: McCabe, 1440.

Mineral production, 1922: Bradley, 192.

1923: Bradley, 193.

Mineral resources: Hamilton, 838.

Oil field waters: Palmer, 1702.

California—Continued.

Economic geology—Continued.

Oil fields: Collom, 428.

Ventura County: 2187.

Oil shale, Santa Barbara County: Gore, 783, 784.

Petroleum: Landero, 1315; Legraye, 1350.

Los Angeles and Ventura counties: Kew, 1159.

Petroleums, chemical characteristics: Prutzman, 1783.

Placers: Haley, 834.

Poso Creek oil field, Kern County: Kaiser, 1129.

Primary and secondary gold concentrations: Haley, 836.

San Joaquin Valley oil fields: Stevens, 2146.

Santa Fe Springs oil field: Case, 306; Templeton, 2200.

Silver lodes, South Fork district, Shasta County: Tucker, 2287.

South Mountain oil field, Ventura County: Hudson, 1007.

Sunset Extension oil field, Kern County: Rogers, 1901.

Thirty-five Anticline, Sunset oil field, Kern County: Copp, 449.

Ventura County oil fields: Godde, 762.

Ventura oil field, Ventura County: Craddock, 466.

Wheeler Ridge oil field, Kern County: Kaiser, 1128.

Historical geology.

Catalina metamorphic facies of Franciscan series: Woodford, 2530.

Coalinga Tertiary formations: Reed, 1820.

Geologic formation names, check list: Bailey, 54.

Geological traverse, Mohave to San Juan River: Gregory, 802.

Lomita beds, constitution and fossils: Hanna, 843.

Mesozoic formations: Goranson, 771.

Monterey (Salinas) shales, Pine Canyon, Monterey County: Stalder, 2129.

San Joaquin Valley: Stevens, 2146.

San Lorenzo group, San Emigdio region: Wagner, 2352.

Santa Ynez River basin: Nelson, 1653.

Southern California: Kew, 1157.

Ventura County: Taliaferro, 2187.

Mineralogy.

Andalusite, Mono County: Peck, 1733.

Centrallastite, Crestmore: Foshag, 705.

Coalinga Tertiary formations, rôle of heavy minerals: Reed, 1820.

Copiapite, Santa Maria Mountains, eastern Riverside County: Schairer, 1976.

Furnace Creek, Death Valley: Foshag, 703.

Hydromagnesite, crystallography: Rogers, 1894.

Kempite, Santa Clara County: Rogers, 1898.

Magnesite, San Jose: Rogers, 1895.

Minerals: Eakle, 610.

Priceite, Furnace Creek, Inyo County: Foshag, 704.

Xonotlite: Larsen, 1329.

California—Continued.

Paleontology.

- Algae, Miocene, Los Angeles: Gardner, 730.
 Alticamelus, San Bernardino County: Davidson, 514.
 Cats, Rancho La Brea: Merriam, 1523.
 Crassatellites, Pleistocene, Los Angeles County: Oldroyd, 1680.
 Cretaceous Mollusca: Reagan, 1806.
 Echinoidea, west coast: Israelsky, 1041.
 Eocene, Vacaville: Palmer, 1703.
 Foraminifera, Eocene, Vacaville: Hanna, 845.
 Fossil fishes: Hubbs, 1006.
 Fishes, Miocene: Jordan, 1122.
 Lompoc, Santa Barbara County: Jordan, 1125.
 Fossil sharks and rays: Jordan, 1124.
 Gastropod, Etchegoin Pliocene: Hanna, 846.
 Human remains, Los Angeles: Stock, 2150.
 Lomita beds, constitution and fossils: Hanna, 843.
 Miocene lacustrine mollusks, Sonoma County: Hanna, 842.
 Pine cone, Oakland: Metcalf, 1548.
 Rimella-like gastropods: Clark, 346.
 San Lorenzo group, San Emigdio region: Wagner, 2352.
 San Pedro fauna, Nob Hill cut, San Pedro: Oldroyd, 1681.
 Whale, Monterey group: Hanna, 849.

Physical geology.

- Anticlinorium, southern coast: Warner, 2394.
 Basin range structure in the Great Basin: Louderback, 1413.
 Correlative value of heavy minerals: Tickell, 2246.
 Earth movements: Bowie, 181, 183.
 Earthquakes: Willis, 2485.
 Corralitos, September 19, 1923: Macelwane, 1447.
 Inglewood, June 21, 1920, geologic evidence: Kew, 1158.
 January 31, 1922: Macelwane, 1446.
 northern California, January 22, 1923: Anon., 2574.
 registration: Macelwane, 1450, 1451.
 Salinas, December 27, 1924: Kemnitzer, 1147.
 southern California, July 22, 1923: Laughlin, 1331.
 Fault map: Willis, 2477, 2478, 2479.
 Faulting, San Gabriel Mountains: Kew, 1160.
 Faults of Coast Ranges: Willis, 2483.
 Fused sedimentary rocks in drill cores: Bowen, 174.
 Garnet sand on beach, Monterey County: Trask, 2266.
 Geologic section across the Coast Ranges: Louderback, 1414.
 Inglewood fault zone: Taber, 2186.
 Jointing, Merced Canyon: Morse, 1639.
 Los Angeles Basin, oil-field structure: Ferguson, 682.
 Mount Lassen: Colburn, 397.
 Seismological investigation: Day, 539.

Physiographic geology.

- Classification and nomenclature of physiographic features: Hill, 936.

California—Continued.

Physiographic geology—Continued.

- Continental shelf off the coast: Lawson, 1336.
 Glacial stages, Sierra Nevada: Matthes, 1501.
 Hanging side valleys, Yosemite Valley, and San Joaquin Canyon: Matthes, 1502.
 Sand rivers: Hill, 938.
 Santa Clara Valley: Clark, 355.
 Scarp production in Great Basin: Louderback, 1415.
Underground water.
 Hot springs, Lassen National Park, source of heat and water: Day, 541.
 Sonoma County: Day, 542.
 Huntington Beach oil field: Grizzle, 815.
 Oil-field waters: Palmer, 1702.
 Sacramento Valley: Bryan, 239.
 Salton Sea region: Brown, 221.
 Santa Clara Valley: Clark, 355.
 Cambrian. *See also* Paleontology, Cambrian.
 Arizona, Ray quadrangle: Ransome, 1792.
 Arkansas: Miser, 1591.
 British Columbia, Beaverfoot-Brisco-Stanford Range: Walcott, 2357.
 Bow River section, Banff: Kindle, 1266.
 Mount Robson region, Cambro-Ordovician section: Burling, 260.
 Colorado: Keyes, 1227.
 Cordilleran formation, nomenclature: Walcott, 2355.
 Greenland, Peary Land: Koch, 1289.
 Illinois: Thwaites, 2245.
 Kings quadrangle: Bretz, 205.
 Iowa, Ida County: Lees, 1347.
 Mackenzie, Franklin Mountains: Williams, 2473.
 Mackenzie River between Norman and Beaver River: Hume, 1013.
 Missouri: Wilson, 2497.
 Montana, Beartooth Mountains: Bevan, 155.
 Nevada: Keyes, 1192.
 Manhattan district: Ferguson, 679.
 New Hampshire, Ammonoosuc district: Ross, 1913.
 New York, Luzerne quadrangle: Miller, 1583.
 Ontario, Brockville-Mallorytown area: Wright, 2545.
 Oklahoma, southern Ouachita Mountains: Honess, 975.
 Stonewall quadrangle: Morgan, 1632.
 Pennsylvania, McCalls Ferry quadrangle: Jonas, 1112.
 Piedmont Plateau: Knopf, 1282.
 southeastern: Hawkins, 869; Stose, 2163.
 Pennsylvania and Maryland, Piedmont province: Stose, 2160.
 Subdivisions: Resser, 1857.
 Tennessee, east: Secrist, 2014.
 Utah: Keyes, 1219.
 Vermont, Bethel Township: Richardson, 1864.
 northwestern: Keith, 1139; Raymond, 1804.
 Orange County, Randolph Township: Richardson, 1863.
 Shoreham and Bridport: Foyles, 714.
 western: Gordon, 773.
 Wisconsin: Thwaites, 2245; Ulrich, 2315.
 Wyoming, Wind River Mountains: Condit, 433.

Canada (general). *See also names of provinces.*

- Central Arctic coast: O'Neill, 1682.
- Field work of Survey: Collins, 426.
- Geological Survey, report: Collins, 425.
- Glaciation, effect on prospecting for mineral deposits: Tanton, 2192.
- Index to reports of Canada Geological Survey: Nicolas, 1669.

Economic geology.

- Abrasive materials: Eardley-Wilmot, 612.
- Alkali deposits, western Canada: Cole, 401, 402.
- Barytes: Spence, 2112.
- Bentonite: Spence, 2110, 2111.
- Copper, Arctic Canada: Douglas, 576.
- Diatomaceous earth: Eardley-Wilmot, 614.
- Feldspar: Eardley-Wilmot, 611; Spence, 2110.
- Fluorspar: Eardley-Wilmot, 611.
- General: Bell, 125; Corless, 450; Malcolm, 1468, 1470.
- Gold: Webb, 2418.
- Graphite: Eardley-Wilmot, 611.
- Helium: Elworthy, 647.
- Liquid fuels: Hume, 1020.
- Metallogenesis and pre-Cambrian: Baker, 66.
- Mineral pigments: Fr  chette, 716.
- Mineral resources: Graham, 792; Malcolm, 1471.
- Mineral wealth of the pre-Cambrian: Corless, 451, 452.
- Mining in Canada: Tyrrell, 2297.
- Molybdenum: Eardley-Wilmot, 611, 613.
- Nonmetallic minerals: Spence, 2109.
- Oil reserves: Arnold, 43.
- Oil shales: Ellis, 635.
- Oil situation and prospects: Hume, 1019.
- Ore deposits, occurrence: Kelly, 1146.
- Precious metals: Wilson, 2489.
- Prospecting: Dolmage, 571.
- Silica, eastern Canada: Cole, 400.
- Sodium and magnesium salts, western Canada: Cole, 404.

Talc and soapstone: Eardley-Wilmot, 611.

Historical geology.

- Climate, pre-Cambrian: Coleman, 412.
- General: Collins, 427.
- Grenville subprovince: Wilson, 2501.
- Pre-Cambrian: Miller, 1582.
- Pre-Cambrian time scale: Young, 2554.

Mineralogy.

- Pegmatites, age: Walker, 2378.

Physical geology.

- Concretions: Kindle, 1260.

Physiographic geology.

- General: Collins, 427; Corless, 450.
- Glacial features: Coleman, 407.

Canal Zone. *See* Panama.

Cannel coal.

Pennsylvania: Fettke, 685.

Cape Breton Island. *See* Nova Scotia.

Capillary relationships of oil and water: Cook, 434.

Carbon dioxide from wells in Colorado: Duce, 586.

Carbonaceous materials, origin: Young, 2557.

Carbonaceous shales, organic material: Washburne, 2396.

Carboniferous. *See also* Paleontology, Carboniferous.

Alaska, Chitina Valley: Moffit, 1603.

Kotsina-Kuskulana district: Moffit, 1602.

Carboniferous—Continued.

- Alberta, Saunders Creek and Nordegg coal basins: Allan, 21.
- Arizona, Hopi Buttes volcanic field: Reagan, 1807.
- northeastern: Moore, 1619.
- Ray quadrangle: Ransome, 1792.
- Arkansas: Miser, 1591.
- Hot Springs district: Purdue, 1784.
- British Columbia, Bow River section, Banff: Kindle, 1266.
- Cariboo district, Barkerville area: Uglov, 2305.
- Coquihalla area: Cairnes, 281.
- southwestern: Cairnes, 279.
- Yale district: Cairnes, 282.
- Cape Breton, Great Bras d'Or coal district: Bell, 128.
- Colorado: Keyes, 1227.
- Moffat County: Sears, 2010.
- red beds of Front Range: Tiele, 2247.
- General: Keyes, 1209.
- Greenland, Peary Land: Koch, 1289.
- Idaho, Bingham, Bonneville, and Caribou counties: Kirkham, 1273.
- Illinois: Culver, 481.
- Adams County, northeastern: Currier, 484.
- Carlyle-Centralia district: Shaw, 2035.
- Jacksonville area: Collingwood, 416.
- La Harpe and Good Hope quadrangles: Savage, 1965.
- Mississippi Valley: Krey, 1293.
- Morris quadrangle: Culver, 480.
- northwestern: Culver, 482; Pennsylvanian correlation: Culver, 482.
- Pennsylvanian marine faunas: Savage, 1968.
- southern: Weller, 2425.
- Waterloo anticline: Lamar, 1310.
- Indiana: Logan, 1401.
- southwestern: Logan, 1402.
- Iowa: Howell, 1000.
- Lake Calvin region: Schoewe, 1985.
- Missouri series: Tilton, 2253.
- Kansas, Permian unconformity: Chadwick, 315.
- Kentucky, Pottsville-filled channel in Mississippian: Burroughs, 263.
- Princeton quadrangle: Weller, 2426.
- Mackenzie, Kinderhook: Hume, 1014.
- Madison limestone: Keyes, 1194.
- Maryland: Swartz, 2176, 2177.
- Mississippi: Morse, 1637.
- Mississippian: Keyes, 1194.
- Mississippian formations, early: Moore, 1623.
- Missouri: Wilson, 2497.
- Mississippi Valley: Krey, 1293.
- St. Louis County, Mississippian section: Shipton, 2055.
- Montana: Bauer, 104.
- Beartooth Mountains, Bevan, 155.
- Kevin-Sunburst oil field: Clark, 348.
- Nevada: Keyes, 1192.
- Manhattan district: Ferguson, 679.
- New Brunswick: Bell, 131.
- Minto coal basin: Dyer, 609.
- North Carolina, Permian at base of Newark: Cobb, 374.

Carboniferous—Continued.

- Nova Scotia: Bell, 131.
 coal-bearing formations: Bell, 130.
 Minto coal horizon: Bell, 129.
 Sydney coal field: Hayes, 883.
- Ohio: Stout, 2167.
 Columbiana County: Stout, 2169.
 Summerfield and Woodsfield quadrangles: Condit, 432.
- Oklahoma, Arbuckle area, Pontotoc series: Morgan, 1630.
 eastern: Trager, 2264.
 Franks and Seminole formations, stratigraphic position: Morgan, 1634.
 Glenn formation: Girty, 757.
 Henryetta district: Reed, 1817.
 Pershing oil and gas field: Rubey, 1920.
 Robberson field: Denison, 558.
 southern: Dunbar, 599.
 southern Ouachita Mountains: Honess, 975.
 southwestern: Gould, 788; Sawyer, 1970.
 Stanley-Jackfork series: Honess, 976.
 Stonewall quadrangle: Morgan, 1632, 1633.
 Tonkawa field: Hosterman, 984.
 Verden sandstone: Reed, 1818.
 Wildhorse area: Brockway, 218.
- Pennsylvania: Sisler, 2069.
 Loyalhanna limestone: Butts, 270.
 lower Allegheny-Pottsville section: Renick, 1851.
- Permian: Keyes, 1246.
 Permian investigations: Case, 303, 304.
 Quebec, Bonaventure formation: Clarke, 366.
 Red beds of Chester age, Mid-Continent region: Greene, 799.
- Redwall limestone, Grand Canyon: Keyes, 1169.
- South Dakota, Black Hills region, Minnekahta limestone: O'Harra, 1678.
- Tennessee: Nelson, 1659.
 Chattanooga shale: Swartz, 2183.
- Texas, Culberson County: Udden, 2302.
 Culberson County, University Block: Beede, 115.
 Potter County: Patton, 1728.
- Utah: Keyes, 1219.
 Grand and San Juan counties: Prommel, 1780.
 San Juan Canyon: Miser, 1594, 1597.
 southeastern: Longwell, 1404.
- Virginia, southwestern, black shale: Stose, 2164.
 Wise and northern Scott counties: Eby, 621.
- West Virginia, Mineral and Grant counties: Reger, 1839.
 Tucker County: Reger, 1838.
- Wyoming, Lost Soldier-Ferris district: Fath, 670.
 Wind River Mountains: Condit, 433.
- Carlyle-Centralia folio, Illinois (no. 216): Shaw, 2035.
- Carnotite. *See also* Radium.
 Colorado, near Denver: Wilson, 2495.
 Nevada, southern: Hewett, 920.
- Cartography.
 Planetable methods: English, 656.
- Caves.
 Carlsbad Cavern, New Mexico: Lee, 1343.

Caves—Continued.

- Indiana, Marengo Cave: Speckman, 2107.
- Kentucky: Jillson, 1088.
 southern: Miller, 1565.
- Mammoth Cave, Kentucky: Randolph, 1791.
 bibliography: Jillson, 1065.
- Missouri, Ozarks: Dake, 492.
- New Mexico, Guadalupe Mountains: Baker, 63.
- Oregon, lava river tunnel: Williams, 2472.
- Cayman Islands, geological survey: Matley, 1500.
- Cement materials: Bagley, 53; Burchard, 259.
- Central America. *See also* Costa Rica, Guatemala, etc.
- Economic geology.*
 Oil reserves: Redfield, 1811.
- Cephalopoda. *See also* Mollusca.
 Colorado group, Montana: Reeside, 1826.
 Eutrophoceras, Eocene, South Carolina: Reeside, 1829.
 Gerontic ammonites, Duck Creek formation, Texas: Scott, 2006.
 Goniatites of Iowa: Thomas, 2224.
 Michigan, Devonian: Ehlers, 627.
 Ochetoceras, phylogeny: O'Connell, 1677.
 Ontario, Toronto area: Parks, 1711.
 Ordovician and Silurian: Foerste, 699.
 Ozarkian: Walcott, 2356.
 Phases of adaptation: Dunbar, 597.
 Silurian, northern Michigan: Foerste, 698.
- Cetacea. *See* Mammalia.
- Chalcedony veins, south Dakota: Lawler, 1332.
- Changes of level. *See also* Beaches; Shore lines; Terraces.
 British Columbia, Fraser River Delta: Johnston, 1107.
- Nova Scotia: Goldthwait, 766.
 Sea coast near Wolfville: Churchill, 340.
- Vertical earth adjustments, rate of movement: Hobbs, 952.
- Chattanooga shale, Tennessee, age: Swartz, 2183.
- Chemical analyses. *See list, p. 245.*
- Chemung group, stratigraphy in western New York: Chadwick, 312.
- Chert. *See also* Flint.
 Newfoundland, ferruginous chert formations: Sampson, 1942.
 Origin: Sampson, 1942.
- Chitina Valley, Alaska: Moffit, 1603.
- Chromite.
 General: Sampson, 1940, 1946.
 Pennsylvania: Pennsylvania G. S., 1734.
- Cincinnati anticline, dimensions: Hubbard, 1005.
- Classification.
 Igneous rocks: Hodge, 956, 957.
 Pisces: Jordan, 1123.
 Rocks, genetic classification: Sen, 2019.
- Clay. *See also* Fire clay.
 Alberta, Athabasca River: Hume, 1017.
 California, Riverside County, Alberhill: Hill, 927.
 Diaspore clay, Arkansas and Missouri: Wysor, 2553.
 Florida: Bell, 127.
 General: Middleton, 1558, 1559; Stout, 2167.
 Indiana: Logan, 1403.
 Manitoba, Lake Agassiz basin: Wallace, 2382.

Clay—Continued.

- Mineralogical examination of coal formation clays: McCaughey, 1442.
- Minnesota: Grout, 818.
- Ohio, coal formation clays: Stout, 2167.
- Columbiana County: Stout, 2169.
- Ontario: Keele, 1137.
- Mississauga River: Keele, 1136.
- Origin of coal formation clays: Stout, 2168.
- Texture and composition, relation: Grout, 818.
- Washington: Glover, 761; Wilson, 2494.
- Climate, geologic. *See* Paleoclimatology.
- Climatic fallacy, venerable: Chamberlin, 320.
- Coal. *See also* Lignite.
- Alaska, Alaska Railroad region: Capps, 301.
- Cold Bay-Chignik district: Smith, 2091.
- Alberta: Rutherford, 1934.
- Blackstone, Brazeau, and Pembina rivers foothills, Allan, 24.
- Bow River coal basin: Dowling, 582.
- Crows nest area: Rose, 1908.
- Saunders Creek and Nordegg coal basins: Allan, 21.
- Smoky, Hay, and Berland rivers: MacVicar, 1466.
- Smoky River field: Anon., 2571.
- British Columbia, Chu Chua, Eocene basin: Uglow, 2303.
- Peace River canyon area: McLearn, 1461.
- Vancouver Island: MacKenzie, 1457; Alberni area: MacKenzie, 1458.
- Cape Breton, Great Bras d'Or coal district: Bell, 128.
- Classification: Ashley, 48.
- Coal resources of the Americas: Miller, 1572.
- Coking coals, structure and origin: Jeffrey, 1051.
- Colorado, Twentymile Park district of Yampa coal field, Routt County: Campbell, 291.
- General: Tryon, 2283, 2284.
- Illinois, analyses: Hawley, 872.
- Carlyle-Centralia district: Shaw, 2035.
- Morris quadrangle: Culver, 480.
- Kentucky: Jillson, 1076.
- asphalt coal: Jillson, 1079.
- cannel coal: Jillson, 1084.
- Webster County: Glenn, 759.
- Maryland: Swartz, 2175.
- Mexico: Obregon, 1676.
- Microscopy of anthracite: Turner, 2291.
- Montana, Tullock Creek coal field: Rogers, 1900.
- New Brunswick, Minto basin: Dyer, 609.
- New Mexico, O'Mara field: Keyes, 1176.
- Raton field: Lee, 1341.
- Nova Scotia, Sydney coal field: Hayes, 883.
- Occurrence, composition, and origin: Fettke, 684.
- Ohio: Campbell, 292.
- analyses: Fieldner, 688.
- Columbiana County: Stout, 2169.
- Summerfield and Woodsfield quadrangles: Condit, 432.
- Oil resources in coal: Fettke, 684.
- Origin and constitution: Thiessen, 2209.
- Origin and formation of coal: Jeffrey, 1052.
- Pan-Pacific region: Johnson, 1093.

Coal—Continued.

- Pennsylvania: Pennsylvania G. S., 1734; Sisler, 2069.
- Allegheny Valley: Rayburn, 1799.
- cannel coal: Fettke, 685.
- "Soot" in coal: Scheffel, 1978.
- South's coal fields: Thom, 2214.
- Virginia, southwestern: Davenport, 513.
- Wise and northern Scott counties: Eby, 621.
- Washington: Evans, 661.
- Skagit County: Jenkins, 1059.
- West Virginia, Mineral and Grant counties: Reger, 1839.
- Tucker County: Reger, 1838.
- Wyoming, Green River field: Van Lennep, 2326.
- Coal balls: Feliciano, 673; Noé, 1672.
- Coal Measures. *See* Carboniferous.
- Coast erosion.
- North Carolina, Cape Hatteras: Rude, 1923.
- Coastal Plain terraces, origin and age: Hay, 881.
- Cobalt: Hess, 917, 919.
- Cobble of peculiar shape: Wentworth, 2433.
- Coelenterata. *See* Anthozoa; Hydrozoa; Invertebrates (general).
- Cold Bay-Chignik district, Alaska: Smith, 2091.
- Collections.
- Colorado Museum, fossil mammals: Cockerell, 386.
- Harvard College, Museum of Comparative Zoology, report on geological collections: Sayles, 1971, 1972; on invertebrate paleontology: Raymond, 1801, 1803.
- U. S. National Museum: Merrill, 1527, 1528, 1529, 1537.
- Colloidal geology: Wallace, 2380.
- Colorado.
- Bibliography, northwestern Colorado: Johnson, 1103.
- southwestern Colorado: Johnson, 1104.
- Geology of the Denver Basin, bibliography: Johnson, 1100.
- Areas described.*
- Creede district: Emmons, 660.
- Moffat County: Sears, 2010.
- Twentymile Park district of Yampa coal field, Routt County: Campbell, 291.
- Economic geology.*
- Carnotite near Denver: Wilson, 2495.
- Creede, ore deposition: Lunt, 1435.
- Gas and oil, Fort Collins: Ball, 69.
- Gold, silver, copper, lead, and zinc: Henderson, 906, 911.
- Mining districts: Johnson, 1105.
- Natural gas, Fort Collins: Ball, 70.
- Oil accumulation in Rocky Mountain region: Harrison, 862.
- Oil and gas prospects, Moffat County: Sears, 2010.
- Oil shale: Winchester, 2515.
- Oil shale deposits, De Beque: Trager, 2265.
- Secondary enrichment, Eagle mine, Bonanza: Wuensch, 2549.
- Silver, Aspen: Bastin, 94.
- Silver-bearing petrified wood, Creede: Hills, 943; Ring, 1878.

Colorado—Continued.

Economic geology—Continued.

- Telluride district: Bell, 118.
 Twentymile Park district of Yampa coal field,
 Routt County: Campbell, 291.

Historical geology.

- Boring, Fort Collins: Ball, 69.
 Browns Park formation and Bishop conglomerate: Sears, 2011.
 Carlile shale and Timpas limestone, merging
 in southeastern Colorado: Patton, 1727.
 Central City district: Hirschi, 945.
 Dakota group: Lee, 1339.
 Front Range, physical history: Van Tuyl, 2332.
 Igneous rocks, central Colorado: Crawford, 469.
 Laramie hiatus, southern Rocky Mountains:
 Keyes, 1213.
 Northeastern Colorado: Anon., 2577.
 Pre-Cambrian structure along Big Thompson
 River: Fuller, 721.
 Red beds of Front Range, sedimentary features:
 Tjele, 2247.
 San Juan Basin: Reeside, 1828.
 South-central Colorado: Knowlton, 1286.
 Wasatch and Green River formations, relations:
 Sears, 2012.

Mineralogy.

- Calcites, luminescence: Headden, 889.
 Carnotite and tyuyamunite: Hillebrand, 942.
 Carnotite region minerals: Hess, 918.
 Jefferisite, Westcliffe, Custer County: Wald-
 schmidt, 2361.
 Meteorite, Mesa Verde Park: Merrill, 1531,
 1533.
 Phosgenite, Ilse, Custer County: Wald-
 schmidt, 2360.

Paleontology.

- Animas formation, flora: Knowlton, 1287.
 Colorado Museum, fossil mammals: Cockerell,
 386.
 Cretaceous, northern central Colorado: Reeside,
 1825.
 Diatryma, plumage: Cockerell, 382.
 Dinosaur tracks, Cretaceous: Peterson, 1749.
 Diplodocus, skull: Holland, 965.
 Eocene Insecta: Cockerell, 389.
 Eomyza holoptera, Green River beds, Roan
 Mountains: Cockerell, 391.
 Eporeodons, White River beds: Thorpe, 2241.
 Florissant fossils: Cockerell, 378.
 Footprints in Pennsylvania sandstone: Hender-
 son, 913.
 Green River flora: Knowlton, 1285.
 Hymenoptera, Florissant: Cockerell, 388.
 Mammalia, Brown's Park: Peterson, 1746.
 Mosquito, Eocene: Cockerell, 376.
 Sawflies, Florissant: Cockerell, 379.
 Scutellaster cretaceous Cragin: Reeside, 1830.
 Siphurites, Miocene May fly, Florissant:
 Cockerell, 387.
 Tertiary lake beds flora: Knowlton, 1286.
 Wasp, *Hoplisis*, Green River formation:
 Cockerell, 380.

Petrology.

- Central City district: Hirschi, 945.
 Igneous rocks, central Colorado: Crawford,
 469.

Colorado—Continued.

Physical geology.

- Carbonization of coals by igneous intrusion,
 Yampa field: Eby, 623.
 Colorado Plateau, structural features: Moore,
 1621.
 Crustal shortening of Colorado Rockies: Cham-
 berlin, 316.
 Horizontal compression in Rockies: Shepard,
 2047.
 Northeastern Colorado, structure: Anon., 2577.
 Red beds of Front Range, sedimentary features:
 Tjele, 2247.
 Rocky Mountains, southern: Lee, 1340.
Physiographic geology.
 Big Thompson River valley, physiographic de-
 velopment: Fuller, 720.
 Grand Mesa, glacial geology: Henderson, 912.
 Green and Yampa rivers, origin: Sears, 2011.
 San Luis Valley, physiographic history: At-
 wood, 50.
 Colorado Plateau, structural features: Moore, 1621.
 Concretions.
 Coal balls: Feliciano, 673.
 Formation and distribution: Kindle, 1260.
 Labrador, Lake Melville district: Kindle, 1261.
 Petroleum-bearing concretions: Binney, 156.
 Septaria, Pennsylvanian shale, Missouri:
 Grawe, 794.
 Congresses. See Associations.
 Coniferales, anatomy and physiology: Torrey, 2263.
 Connecticut.
Economic geology.
 Bristol copper mine: Bateman, 97.
 Granite: Dale, 495; Gregory, 801.
 Lime belt, western Connecticut: Dale, 496.
Petrology.
 Camptonite dikes in Triassic: Russell, 1930.
 Pillow structure in Triassic basalts: Foye, 711.
Physical geology.
 Camptonite dikes in Triassic: Russell, 1930.
 Faulting in Triassic: Foye, 709.
Physiographic geology.
 Connecticut River near Middletown, post-
 glacial history: Bissell, 162.
 Continental shelf off the coast of California: Law-
 son, 1336.
 Continental shifting: Coleman, 408.
 Continents and oceans, origin: Wegener, 2420.
 Copper.
 Alaska, Alaska Railroad region: Capps, 301.
 Beatson mine: Bateman, 100.
 Chitina district: Birch, 157; Moffit, 1603.
 Kotsina-Kuskulana district: Moffit, 1602.
 Price William Sound district: Birch, 158.
 Arizona: Heikes, 901.
 Bisbee district: Elsing, 645.
 Jerome district: Rickard, 1874; Smith, 2071.
 Palomas Range: Keyes, 1220.
 Ray quadrangle: Ransome, 1792.
 British Columbia, Anyox: Clapp, 342, 343.
 coast region: Dolmage, 568.
 Coquihalla area: Cairnes, 281.
 California: Hill, 931.
 Shasta County: Tucker, 2288.
 Canada, central Arctic coast: Douglas, 576;
 O'Neill, 1682.

Copper—Continued.

- Capping as a guide to copper deposits: Mitchell, 1600.
- Central States: Dunlop, 602, 606.
- Chalcocite, primary, Bristol copper mine, Connecticut: Bateman, 97.
- Colorado: Henderson, 906, 911.
- Cuba, Santa Clara, Malezas: Corral, 454.
- Eastern States: Dunlop, 601, 605.
- General: Calkins, 286; Davis, 519; Jenison, 1056; Meyer, 1555.
- Idaho: Gerry, 737, 739.
- Salmon: Ross, 1914.
- Shoshone County: Umpleby, 2316.
- Magnetic surveying on copper-bearing rocks in Wisconsin: Aldrich, 17.
- Mexico, Cananea: Mitchell, 1601; supergene enrichment: White, 2447.
- Zacatecas: Keyes, 1220.
- Montana: Gerry, 741.
- Butte district: Daly, 507.
- Park County: Lovering, 1425.
- Nevada: Heikes, 895, 899.
- New Hampshire, Ammonoosuc district: Ross, 1913.
- New Mexico: Henderson, 904, 909.
- Oklahoma, Garfield County: Reiter, 1847.
- Ontario, Parry Sound: Schwartz, 2002.
- Oregon: Hill, 932.
- Pennsylvania; Pennsylvania G. S., 1734.
- Quebec, Gaspé Peninsula: Alcock, 10.
- Papineau County: Wilson, 2499.
- South Atlantic States: Watson, 2412.
- Tennessee, Ducktown: Gilbert, 744; Nelson, 1661.
- Texas: Henderson, 905, 910.
- Utah: Heikes, 900.
- Bingham district: Hunt, 1025.
- Washington: Gerry, 738, 740.
- Wyoming: Henderson, 908.
- Coquihalla area, British Columbia: Cairnes, 281.
- Coral islands and reefs.
- Atoll, tilted-up, beveled-off: Davis, 528.
- Depth of coral-reef lagoons: Davis, 524.
- Drowned coral reefs: Davis, 522.
- Marginal belts of coral seas: Davis, 523, 525.
- Origin: Davis, 529.
- Cordillera in Canada, geological record: Schofield, 1937.
- Correlation.
- Alaska, southern and southwestern: Moffit, 1602.
- Arizona, northeastern: Hager, 832; Moore, 1619.
- Cambrian-Ozarkian-Ordovician: Walcott, 2355.
- Caribbean region: Vaughan, 2338.
- Cretaceous, Upper, Atlantic and Gulf Coastal Plain: Stephenson, 2143.
- Dakota group, Colorado and Wyoming: Lee, 1339.
- General: Keyes, 1209, 1220.
- Glacial lakes, New York: Chadwick, 310.
- Huronian and Grenville rocks: Quirke, 1788.
- Illinois, Pennsylvanian: Culver, 482; Savage, 1968.
- Iowa, Missouri series: Tilton, 2253.

Correlation—Continued.

- Lebo member of Fort Union and Cannonball member of Lance: Thom, 2211.
- Mackenzie River basin: Hume, 1016.
- Maryland, coal measures: Swartz, 2176.
- Mesozoic, Pacific coast: Goranson, 771.
- Micro-fossils in correlation: Schuchert, 1995.
- Mississippian, West Virginia: Girty, 756.
- Oligocene, Pacific coast: Clark, 345.
- Ordovician: Foerste, 697.
- Pennsylvania, lower Allegheny-Pottsville section: Renick, 1851.
- Permian: Dunbar, 596.
- Representation: Keyes, 1209.
- Silurian: Ulrich, 2311, 2312.
- Maryland: Swartz, 2180.
- Tertiary: Vaughan, 2343.
- Anthozoa: Vaughan, 2345.
- Bryozoa: Canu, 300.
- Echinoidea: Stefanini, 2140.
- Mollusca, Eocene and Oligocene: Cooke, 439.
- Miocene and Pliocene: Gardner, 729; Woodring, 2537.
- pelagic mammals: Kellogg, 1145.
- terrestrial plants: Berry, 153.
- Texas, northeastern, Cretaceous: Fohs, 701.
- Utah, southeastern: Hager, 832.
- Vermont, south central, and Massachusetts, western: Hubbard, 1004.
- Tables.
- Devonian: Branson, 199.
- Gulf Coastal Plain: Prettyman, 1776.
- Ordovician: Foerste, 697.
- Tertiary: Berry, 142.
- Corrosion by saline waters: Rutherford, 1932.
- Costa Rica.
- General: MacDonald, 1444.
- Economic geology.*
- Petroleum possibilities: Redfield, 1814.
- Historical geology.*
- General: Redfield, 1814.
- Paleontology.*
- Foraminifera and Mollusca: Palmer, 1707.
- Physical geology.*
- Volcano Irazu, eruptions: Tristán, 2271.
- Cotton Valley oil and gas field, Webster Parish, Louisiana; Powers, 1769.
- Creede district, Colorado, geology and ore deposits: Emmons, 650.
- Cretaceous. *See also* Paleontology, Cretaceous.
- Alabama, eastern: Berry, 141.
- Alaska, Cold Bay-Chignik district: Smith, 2091.
- Ruby-Kuskokwim region: Mertie, 1544.
- Alberta: Allan, 20.
- Blackstone, Brazeau, and Pembina rivers foothills belt: Allan, 24.
- Saunders Creek and Nordegg coal basins: Allan, 21.
- southern, artesian area: Dowling, 581.
- Arizona, Hopi Buttes volcanic field: Reagan, 1807.
- Arkadelphia formation, Arkansas and Louisiana: Howe, 996, 997.
- Arkansas: Miser, 1591.
- El Dorado oil fields: Gilluly, 747.
- Pike County: Miser, 1592.
- southern: Hull, 1011; Schneider, 1981.

Cretaceous—Continued.

- British Columbia, Coquihalla area: Cairnes, 281.
 Kitsault River to Skeena River: Hanson, 853.
 Peace River canyon area: McLearn, 1461.
 Skeena River to Stewart: Hanson, 856.
 southwestern: Cairnes, 279.
 Vancouver Island: MacKenzie, 1457.
 California, Los Angeles and Ventura counties: Kew, 1159.
 Sacramento Valley: Bryan, 239.
 southern: Kew, 1157.
 Ventura County: Taliaferro, 2187.
 Colorado: Keyes, 1227.
 Fort Collins: Ball, 70.
 Moffat County: Sears, 2010.
 San Juan Basin: Reeside, 1828.
 southeastern, Carlile shale and Timpas limestone, merging: Patton, 1727.
 Costa Rica: Redfield, 1814.
 Cretaceous-Eocene boundary: Thom, 2212.
 Cuba, western: Wright, 2540.
 Dakota group, Colorado and Wyoming: Lee, 1339.
 District of Columbia, excavation on Connecticut Avenue: Wentworth, 2432.
 Florida, in borings: Gunter, 824.
 Georgia, Coastal Plain: Prettyman, 1776.
 Gulf Coastal Plain: Brantly, 201.
 Haiti: Woodring, 2533.
 Idaho, Bingham, Bonneville, and Caribou counties: Kirkham, 1273.
 Jamaica: Trechmann, 2269.
 Kansas: Twenhofel, 2295.
 Kentucky, western: Jillson, 1080.
 Lance formation, southern Saskatchewan: Sternberg, 2144.
 Lance-Fox Hills contact, eastern Montana and Dakotas: Dobbin, 566.
 Laramie hiatus, southern Rocky Mountains: Keyes, 1213.
 Lebo member of Fort Union, correlation with Cannonball member of Lance: Thom, 2211.
 Louisiana, northern: Hull, 1011.
 Mackenzie, Mackenzie River between Norman and Beaver River: Hume, 1013.
 Providence to Simpson: Whittaker, 2462.
 Manitoba: Ellis, 634.
 Mexico, eastern: Ver Wiebe, 2346.
 eastern coast: Wittich, 2524.
 northeastern: Böse, 168.
 northern: Hill, 937.
 Tabasco: Jones, 1119.
 Vera Cruz, Idolo Island: Dumble, 593.
 Zacatecas, Durango, and Guerrero: Böse, 167.
 Mississippi: Morse, 1637.
 Montana: Bauer, 104.
 Beartooth Mountains: Bevan, 155.
 Ekalaka field: Bauer, 105.
 faulted area south of Bearpaw Mountains: Reeves, 1836.
 Fergus County, Winifred area: Reeves, 1834.
 Kevin-Sunburst oil field: Clark, 348.
 Musselshell and Golden Valley counties: Ellis, 631.
 Scobey lignite field: Collier, 415.
 southern, Colorado group: Reeside, 1826.
 Tullock Creek coal field: Rogers, 1900.

Cretaceous—Continued.

- Nacatoch formation: Howe, 998.
 New Mexico, Raton coal field: Lee, 1341.
 San Juan Basin: Reeside, 1828.
 North Carolina: Stephenson, 2143.
 Oklahoma, Love County, Comanchean: Bulard, 254.
 Oregon, Riddle quadrangle: Diller, 564.
 Pacific coast: Goranson, 771.
 Porto Rico, Humacao district: Fetteke, 686.
 Lares district: Hubbard, 1002.
 Ponce district: Mitchell, 1598.
 South Dakota, Black Hills region: O'Harra, 1678.
 Haakon County: Ward, 2392.
 Lance formation: Ward, 2390.
 Perkins County: Moulton, 1642.
 Ziebach County: Wilson, 2505.
 Texas: Hill, 937.
 Luling oil field, Caldwell County: Sellards, 2017.
 McLennan County: Adkins, 6.
 northeastern: Fohs, 701.
 Utah: Keyes, 1219.
 Green River valley: Reeside, 1827.
 San Juan Canyon: Miser, 1597.
 Washington: Whatcom County: Jenkins, 1053.
 West Indies: Vaughan, 2339.
 Wyoming, Black Hills: Bradley, 191.
 Green River valley: Reeside, 1827.
 Lost Soldier-Ferris district: Fath, 670.
 Wind River Mountains: Condit, 433.
 Crinoidea. *See also* Echinodermata.
 Balanocrinus, Tertiary, West Indies: Springer, 2114.
 Catillocrinidae: Springer, 2113.
 Crinoidea Flexibilia: Keyes, 1212.
 Devonian, New York: Goldring, 764.
 Heterocrinidae, revision: Ulrich, 2313.
 Crustacea. *See also* Ostracoda; Trilobita.
 Anguilla, Oligocene: Withers, 2522.
 Calianassa and Ranina, Oligocene, Washington: Withers, 2521.
 Carcineretes, Cretaceous, Jamaica: Withers, 2519.
 Eobalanus, Ordovician, New York: Ruedemann, 1925.
 Haiti, crabs: Rathbun, 1798.
 Hemiaspidan crustacean, Bertie waterlime, New York: Clarke, 365.
 Jamaica, Cretaceous and Tertiary: Withers, 2520.
 North Carolina, Upper Cretaceous decapods: Rathbun, 1797.
 Crustal shortening of Colorado Rockies: Chamberlin, 316.
 Cryolite: Davis, 517, 518.
 Crystal structure, analysis by X-rays: Bragg, 194.
 Crystalline rocks of the plains: Gould, 786.
 Crystallography.
 Amphibole group: Winchell, 2509.
 Babingtonite: Washington, 2405.
 Cyanite, Manitoba: Wallace, 2383.
 Crystal structure data: Wyckoff, 2550.
 Force of crystallization: Stillwell, 2149.
 General: Wherry, 2443.
 Glaucochroite, willemite, celestite, and calcite, Franklin: Gordon, 775.

Crystallography—Continued.

- Hydromagnesite: Rogers, 1894.
 Kempite, California: Rogers, 1898.
 Magnesite crystals, Orangedale, Nova Scotia: Dobbelt, 565.
 Marcasite, Racine dolomite, Wisconsin: Cook, 436.
 Natural arrangement in crystal symmetry: Sen, 2020.
 New crystal forms of minerals: Whitlock, 2457.
 Optic angle of crystal, determination: Plemister, 1752.
 Plans and elevations in study of geometrical crystallography: Rogers, 1892.
 Pyrite: Whitlock, 2458.
 Tucson, Arizona: Ayres, 52.
 Searlesite: Rogers, 1897.
 Stephanite, Sultepec, Mexico: Shannon, 2025.
 Struvite: Palache, 1699.
 Surface of a crystal: Wherry, 2444.
 Teaching: Fisher, 693.
 Thomsonite, optical notes: Gordon, 779.
 Wavellite: Gordon, 776.
 X-ray analysis of crystal structure: Bragg, 194.

Cuba. *See also* West Indies.*Economic geology.*

- Isla de Pinos: Roque Allende, 1906.
 Jurassic as source of oil in western Cuba: Wright, 2540.
 Manganese, Bueycito: Calvache Dorado, 287.
 Pinar del Rio: Roque Allende, 1907.
 Santa Clara, Malezas, San Jose mine: Corral, 454.

Historical geology.

- Western Cuba: Wright, 2540.

Mineralogy.

- Cubanite: Merwin, 1545.

Paleontology.

- Echinoidea: Sánchez Roig, 1947.
 Jurassic fish fauna, western Cuba: Gregory, 806.
 Orthaulax, Tertiary: Woodring, 2531.

Cubist method in geological correlation: Keyes, 1209.

Culebra Island: Vaughan, 2339.

Currie oil and gas field, Navarro County, Texas: Lahee, 1300.

Cycads. *See* Paleobotany.Cystoidea. *See also* Echinodermata.

- Habits and structure: Bather, 103.
 Lipsanocystis traversensis, Devonian, Michigan: Ehlers, 628.

Dalles type of river channel: Bretz, 208.

Decomposition of rocks. *See* Weathering.Deep wells. *See* Borings.

Deflation process: Keyes, 1238.

Delaware.

Mineralogy.

- Canbyite, Wilmington: Hawkins, 868.

Deltas.

- Mississippi River: Trowbridge, 2274.

Denudation. *See* Erosion.

Denudation of the desert: Keyes, 1224.

Deposition. *See* Sedimentation.Deposition of ores. *See* Ore deposits, origin.

Desert varnish: White, 2446.

Devonian. *See also* Paleontology, Devonian.

- Alaska, Ruby-Kuskokwim region: Mertie 1544.

Devonian—Continued.

- Arizona: Keyes, 1171.
 Ray quadrangle: Ransome, 1792.
 Arkansas: Miser, 1591.
 Hot Springs district: Purdue, 1784.
 British Columbia, Beaverfoot-Brisco-Stanford Range: Walcott, 2357.
 Bow River section, Banff: Kindle, 1266.
 Chemung group, stratigraphy in western New York: Chadwick, 312.
 Colorado: Keyes, 1227.
 Illinois, Mississippi Valley: Krey, 1293.
 Oriskany limestone: Savage, 1967.
 western: Savage, 1964.
 Indiana: Logan, 1401.
 Iowa, Hackberry stage: Fenton, 677.
 Lake Calvin region: Schoewe, 1985.
 State beds: Stainbrook, 2128.
 Mackenzie, Franklin Mountains: Williams, 2473, 2475.
 Mackenzie River between Norman and Beaver River: Hume, 1013.
 Providence to Simpson: Whittaker, 2462.
 Maine, Rangeley conglomerate: Smith, 2072.
 Mississippi: Morse, 1637.
 Missouri: Branson, 199; Wilson, 2497.
 Bailey limestone: Tansey, 2189.
 Mississippi Valley: Krey, 1293.
 St. Genevieve County, Little Saline limestone: Stewart, 2147.
 Montana, Beartooth Mountains, Bevan, 155.
 Nevada: Keyes, 1192.
 New Hampshire, Ammonoosuc district: Ross, 1913.
 Oklahoma, southern Ouachita Mountains Honess, 975.
 Stonewall quadrangle: Morgan, 1632.
 Ontario, Moose River basin: Kindle, 1262.
 Orcas group, Washington: McLellan, 1464.
 Oregon, Riddle quadrangle: Diller, 564.
 Quebec, Bonaventure formation: Clarke, 366.
 St. George: Clark, 352.
 Tennessee: Nelson, 1659.
 Cheatham County: Jillson, 1073.
 Utah: Keyes, 1219.
 Virginia, southwestern, black shale: Stose, 2164.
 Wise and northern Scott counties: Eby, 621.
 West Virginia, Mineral and Grant counties: Reger, 1839.
 Tucker County: Price, 1779; Reger, 1838.
 Wisconsin: Thwaites, 2245.
 Wyoming, Wind River Mountains: Condit, 433.

Diamonds.

- Arkansas, Pike County: Miser, 1592; Mitchell, 1599.

Diastrophic movements, table of: Shepard, 2048.

Diastrophism.

- General: Cotton, 456.
 Periodic diastrophism: Shepard, 2048.
 Vertical earth adjustments, rate of movement: Hobbs, 952.

Diatomaceae. *See also* Diatomaceous earth.

- District of Columbia, excavation on Connecticut Avenue: Mann, 1472.

Diatomaceous earth. *See also* Diatomaceae.

- Canada: Eardley-Wilmot, 614.
 General: Eardley-Wilmot, 614.

Dikes.

- Camptonite dikes in Connecticut Triassic: Russell, 1930.
- Idaho, Boise Basin: Ballard, 73.
- Kentucky, western: Currier, 485.
- Maine, Ogunquit: Keeley, 1138.
- New York, Ithaca: Martens, 1486.
- Pennsylvania, southwestern: Honess, 974.
- South Dakota, sandstone dikes: Lawler, 1332.
- Vermont, southern: Bray, 202.
- Dinosaur National Monument: Gilmore, 755.
- Dinosauria. *See* Reptilia.
- Dip, determination: Higgins, 925.
- Protractor for plotting dips: McKinsty, 1460.
- Dislocations. *See* Faulting.
- Distribution. *See* Geographic distribution.
- District of Columbia.
- Historical geology.*
- Excavation at Connecticut Avenue: Cuno, 483; LaForge, 1298; Wentworth, 2432.
- Walker Hotel swamp deposit, age: Hay, 881.
- Paleontology.*
- Diatoms, excavation on Connecticut Avenue: Mann, 1472.
- Pleistocene flora, excavation at Connecticut Avenue: Berry, 143.
- Dolomite.
- Crystal structure: Wyckoff, 2552.
- General: Hill, 934.
- Chemical study: Knight, 1278.
- Dolomitization in southern Nevada: Hewett, 922.
- Drainage changes.
- Colorado, Big Thompson River valley: Fuller, 720.
- Connecticut River near Middletown: Bissell, 162.
- Glacial diversion of the Missouri River: Todd, 2258.
- Great Basin: Keyes, 1180.
- Indiana, Raccoon Creek, Parke County: Bartle, 80.
- Randolph and Delaware counties: Breeze, 203.
- Iowa, Lee County: Wilson, 2492.
- Mississippi River: Schoewe, 1983.
- Massachusetts, central: Alden, 15.
- Minnesota, Minnesota and Mississippi rivers: Sardeson, 1953.
- Mississippi River: Schoewe, 1983.
- Missouri, Ozark region: Tarr, 2195.
- Missouri River channel, age: Todd, 2259.
- New York, Finger Lake region: Monnett, 1605.
- Nova Scotia, Kings County, Black and Gas-pereau rivers: Churchill, 341.
- Ohio, southeastern: Stout, 2169.
- Washington: Large, 1328.
- Drift deposits. *See* Glacial geology; Ice ages (ancient).
- Drillite: Shead, 2042.
- Dufresnoy, area, Abitibi district, Quebec: Harvie, 864.
- Dunes.
- Texas, Red River valley: Sellards, 2016.
- Duparquet area, Quebec: James, 1047.
- Dynamic geology. *See* Physical geology.
- Earth.
- Amplitude of earth's motion: Sohon, 2097.
- Axis of rotation, changes of: Cotton, 456.

Earth—Continued.

- Compressibility: Woodward, 2538.
- Density: Washington, 2404.
- Density distribution in the earth: Williamson, 2476.
- Pole wanderings: Cotton, 456.
- Rotational velocity of earth and its geological effects: Daly, 503.
- Age: Joly, 1111; Rayleigh, 1800.
- Geologic time scale: Lane, 1324.
- Geological viewpoint: Chamberlin, 324.
- Paleontological viewpoint: Clarke, 370.
- Crust.*
- Composition: Clarke, 356.
- Elastic yielding under load of sedimentary deposits: Lambert, 1312.
- Deformation caused by waning ice caps: Daly, 506.
- Framework of the continents, significance: Chamberlin, 318.
- Mobile belts, pattern: Bucher, 247.
- Resistance to change: Van Orstrand, 2329.
- Stability: Daly, 502.
- Interior.*
- Chemistry of the earth's core: Barnett, 77.
- General: Cotton, 456; Macelwane, 1449.
- Iron, distribution: Adams, 4.
- Radial distribution of certain elements: Washington, 2408.
- Origin.*
- Genesis: Chamberlin, 330.
- Planetesimal hypothesis: Chamberlin, 329.
- Temperature.*
- Apparatus for measurement of temperatures in deep wells: Van Orstrand, 2330.
- Earth, temperature: Van Orstrand, 2327.
- Keweenaw geothermal gradients: Lane, 1316.
- Lake Superior region: Lane, 1320.
- Oklahoma, boring: Miser, 1595.
- Temperature in deep mines: Lane, 1319.
- Temperatures at moderate depths: Adams, 5.
- Earth's crust and evolution: Daly, 504.
- Earth movements. *See* Changes of level; Land-slides.
- Earthquakes. *See also* Seismology.
- California, Corralitos, September 19, 1923: Macelwane, 1447.
- Inglewood, June 21, 1920: Kew, 1158.
- January 31, 1922: Macelwane, 1446.
- northern, January 22, 1923: Anon., 2574.
- registration at Berkeley and Lick Observa-tory stations: Macelwane, 1450, 1451.
- Salinas, December 27, 1924: Kemnitzner, 1147.
- southern, July 22, 1923: Laughlin, 1331.
- Cause: Griggs, 813.
- Eureka earthquake: Macelwane, 1448.
- General: Hovey, 993; Willis, 2481, 2485.
- Guatemala: Van de Putte, 2320.
- Katmai, Alaska, 1912: Tams, 2188.
- Kilauea, eruptions, May, 1924, and seismic sequences: Finch, 691.
- Massachusetts, Boston area: Crosby, 474.
- Mexico, January 3, 1920: Salazar, 1936.
- New England, January 7, 1925: Porter, 1767.
- Prediction: Keyes, 1207; Lawson, 1334.
- Possibilities of prediction: Hodgson, 958.
- Southern Appalachian, October 20, 1924: Neumann, 1663.

- Echinodermata. *See also* Asteroidea; Blastoidea; Crinoidea; Cystoidea; Echinoidea; Invertebrates.
 General: Springer, 2115.
 Iowa, Devonian: Thomas, 2217.
 Maquoketa beds: Slocum, 2070.
- Echinoidea. *See also* Echinodermata.
 Cuba: Sánchez Roig, 1947.
 Jamaica: Hawkins, 871.
 Cretaceous: Hawkins, 870.
 Mexico, Tampico region: Israelsky, 1042.
 Scutellaster cretaceus, Colorado: Reeside, 1830.
 Tertiary: Stefanini, 2140.
 West coast: Israelsky, 1041.
- Economic geology (general). *For areal see under the various States. See also* Ore deposits, origin, and the particular products.
 Association of ores and dikes: Crocker, 472.
 Capillary relationships of oil and water: Cook, 434.
 Colloid chemistry of minerals and ore deposits: Lindgren, 1382.
 Concentration and circulation of the elements: Lindgren, 1381.
 Correlative value of heavy minerals: Tickell, 2246.
 Eötvös torsion balance: Bateman, 99; Rybár, 1935; Wagner, 2353.
 Filling of fissure veins: Perkins, 1741; Young, 2555.
 Gels, function in formation of quartz and carbonate veins: Merritt, 1543.
 Geology of prospecting: Emmons, 651.
 Ground water, relation to ore deposits: Loughlin, 1419.
 Helium: Moore, 1626.
 Intersecting fracture zones and mineral districts: Porter, 1766.
 Leached ore capping: Morse, 1636.
 Limestone contact zones, ferric oxide content: Butler, 269.
 Magnesite deposits, types and origin: Bain, 62.
 Manganese minerals: Thiel, 2203.
 Metal content, lode filling, and country rock, relations: Weston-Dunn, 2434.
 Metals in intrusive magmas: Spurr, 2121.
 Methods for heavy mineral investigations: Reed, 1819.
 Mineralography as an aid to milling: Thomson, 2228.
 Opaque ore minerals, determination by X-ray diffraction patterns: Kerr, 1154.
 Ore, examination by reflecting microscope: Schwartz, 1997.
 Ore problems and the microscope: Uglow, 2309.
 Petroleum geology: Lahee, 1305.
 Relation of hardness to sequence of ore minerals: Gilbert, 745.
 Scientific ore finding: Brock, 217.
 Studying mines with a microscope: Bayley, 107.
 Tellurides: Thomson, 2231.
 Torsional balance: Gradenwitz, 791.
 Types of magnesite deposits and their origin: Bain, 62.
 Zonal deposition of ores, application of theory: Anderson, 35.
- Educational. *See also* Textbooks.
 Crystallography, teaching: Fisher, 693.
 Geologic teaching in mining engineering: Dake, 493.
 Petroleum geology: Lahee, 1305.
 Selective teaching in geology: Sardeson, 1961.
- Ekalaka lignite field, Montana: Bauer, 105.
 Elbow Lake area, northern Manitoba: Armstrong, 42.
 El Dorado oil field, Arkansas: Ley, 1373.
 Elevation and subsidence. *See* Changes of level.
 Elk Basin oil field, Wyoming: Estabrook, 659.
 Emery.
 Virginia: Watson, 2410.
- Engineering geology.
 Illinois, Decatur dam site: Leighton, 1355.
 Iron Canyon, Sacramento River, California: Hamlin, 839; Lawson, 1333.
 English River valley, Ontario: Bruce, 227.
 Eolation. *See* Wind work.
 Eolian action. *See* Wind work.
 Eötvös torsion balance: Bateman, 99; Rybár, 1935; Wagner, 2353.
- Erosion. *See also* Glacial erosion; Sedimentation.
 Coast erosion: Patton, 1730.
 Corrosion by saline waters: Rutherford, 1932.
 New Mexico, solution and fill: Lee, 1344.
 Pedestal rocks, arid Southwest: Bryan, 243.
 Plateau region: Reagan, 1808.
 Red River, Texas-Oklahoma: Sellards, 2015.
 Utah, debris of desert torrents: Pack, 1694.
- Erosion cycle: Davis, 521.
 Eruptive rocks. *See* Igneous and volcanic rocks.
 Eskers.
 Minnesota: Sardeson, 1955.
- Eurypterida.
 Eurypterus, Cambrian, Iowa: Walter, 2384.
 Habitat: Ruedemann, 1926.
- Essays. *See* addresses.
- Evolution.
 Acorn barnacles, phylogeny: Ruedemann, 1925.
 Air-breathing vertebrates: Pike, 1755.
 Cephalopod adaptation: Dunbar, 597.
 Dentition: Gregory, 804.
 Dinosaurian climatic response: Lull, 1433.
 Fossil plants as evidence for resistance to environment: Wieland, 2465.
 General: Savage, 1966; Shimer, 2054.
 Geologic factors: Mathers, 1490.
 Human dentition: Gregory, 804.
 Man: Huntington, 1031.
 Stropheodonta demissa, evolution in Snyder Creek shales: Branson, 198.
- Excursions.
 Mississippi College field trip: Morse, 1641.
 New England intercollegiate geological excursion: Foye, 708, 712.
- Experimental investigations.
 Capillarity and oil migration: Russell, 1931.
 Eolian abrasion of quartz grains: Knight, 1279.
 Folding: Chamberlin, 317.
 Fracturing of spheres: Bucher, 245, 247.
 Precipitation of manganese from meteoric solutions: Thiel, 2204.
 Pressure, effect on migration of oil: Thomas, 2227.

Faulting.

- Arizona, Ray quadrangle: Ransome, 1792.
 California, Coast Ranges: Willis, 2483.
 fault map: Willis, 2477, 2478, 2479.
 Inglewood fault zone: Taber, 2186.
 Salton Sea region: Brown, 221.
 San Gabriel Mountains: Kew, 1160.
 Champlain Valley, northern: Hudson, 1008.
 Colorado, Big Thompson River valley: Fuller, 721.
 Connecticut, Triassic: Foye, 709.
 Faults, active, criteria for recognizing: Taber, 2184.
 General: Willis, 2480.
 Great Basin: Louderback, 1415.
 Idaho, northern: Umpleby, 2317.
 Osburn fault: Umpleby, 2318.
 Iowa: Keyes, 1201.
 Kentucky: Jillson, 1082.
 north central: Miller, 1567.
 western: Currier, 485.
 Keystone faults: Crosby, 476.
 Montana, Billings area: Moulton, 1643.
 faulted area south of Bearpaw Mountains: Reeves, 1836.
 Nevada, southern: Keyes, 1214; Longwell, 1406.
 Newfoundland, Wabana ore deposits: Gilliatt, 746.
 New Hampshire, Ammonoosuc district: Ross, 1913.
 Normal faulting, cause: Shepard, 2049.
 Rocky Mountains: Mansfield, 1475.
 overthrust faulting: Flint, 695.
 Tennessee, Emory River overthrust: Jillson, 1067.
 Texas, northeastern: Fohs, 701.
 Vermont, western: Gordon, 773.
 Virginia, Appalachians, broad thrust fault: Campbell, 293.
 Faults, active, criteria for recognizing: Taber, 2184.
Feldspar.
 Canada: Eardley-Wilmot, 611; Spence, 2110.
 General: Katz, 1130; Middleton, 1562.
 Ontario, Lanark County: Campbell, 289.
 Pacific Northwest: Wilson, 2493.
Feldspars, mineralography: Ailing, 28.
Field geology: Lahee, 1299.
Field work.
 Airplane photographs, use in field work: Campbell, 294.
 Field geology: Lahee, 1299.
 Magnetic methods for exploration: Hotchkiss, 987.
 Smithsonian: Smithsonian Institution, 2095, 2096.
 Stereoscopic photography in geologic field work: Wright, 2544.
 Working plans in field operations: Keyes, 1242.
Fjords.
 Alaska, Lynn Canal: Martin, 1488.
 Greenland: Koch, 1288.
Fire clay.
 Maryland: Hall, 837; Watts, 2415.
 western: Mathews, 1491.
Fishes. *See* Pisces.
Fissility of shale: Lewis, 1372.
Fissures. *See* Faulting.

Flinflon area, Manitoba and Saskatchewan: Alcock, 9.

Florida.

- Report of State geologist: Gunter, 825.
Economic geology.
 Clays: Bell, 127.
 Mineral production, 1921 and 1922: Gunter, 826.
 Mineral resources: Gunter, 827.
Historical geology.
 Cretaceous formations of borings: Gunter, 824.
 DeLand sections: Macbride, 1439.
 Tertiary and Quaternary: Mansfield, 1482.
Paleontology.
 Artifacts associated with Elephas, Melbourne: Loomis, 1411.
 Gavialosuchus americana: Mook, 1613.
 Tertiary and Quaternary: Mansfield, 1482.

Fluorspar.

- Canada: Eardley-Wilmot, 611.
 General: Davis, 517, 518.

Folding.

- Experiments in folding: Chamberlin, 317.
 Folds from vertically acting forces: Robinson, 1889.
 Montana, Bearpaw Mountains: Reeves, 1835.
 Newfoundland, Wabana ore deposits: Gilliatt, 746.
 Pre-Cambrian: Miller, 1585.
 Rocky Mountains: Flint, 695.
 Types of folding: Ickes, 1037.

Foliation of rocks, origin: Ailing, 29.

Footprints.

- Colorado, Pennsylvanian sandstones: Henderson, 913.
 Dinosaur tracks, Cretaceous, Utah and Colorado: Peterson, 1749.

Foraminifera.

- California, Vacaville, Eocene: Hanna, 845.
 Caribbean region: Vaughan, 2338.
 Costa Rica, Miocene: Palmer, 1707.
 Fort Dodge beds, Iowa, origin: Lees, 1349.
 Haiti, Eocene: Woodring, 2534.
 Hantkenia, Eocene: Cushman, 487.
 Mexico, Vera Cruz, Idolo Island: Dumble, 593.
 Orbitoides: Douvillé, 578.
 evolution in America: Douvillé, 579.
 Tertiary: Vaughan, 2344.
 Texas, Jackson beds: Dumble, 594.
 Use in correlation: Cushman, 488; Dumble, 590; Hanna, 848.
 Washington, Lewis County, Eocene: Hanna, 851.
 Zonal value: Vaughan, 2340.

Formations. *See* Geologic formations.

Fossil bone, mineralogy and petrography: Rogers, 1896.

Fossil forests. *See* Petrified forests.

Fossils. *See* Paleontology.

Foundry sands.

- Minnesota: Knapp, 1275.
 Franklin Mountains, Mackenzie: Williams, 2475.
 Frazier River Delta map area: Johnston, 1107.
 Fuller's earth: Middleton, 1557, 1561.
Fumaroles.

Alaska, Katmai region, chemical study: Allen, 25.

Ganister.

Wisconsin, Baraboo deposits: Hotchkiss, 988.

Gas. *See* Natural gas.**Gastropoda.** *See also* Mollusca.

Bermuda, Poecilozonites: Pilsbry, 1756.

California, Etchegoin Pliocene, Scaletz: Hanna, 846.

Michigan, Devonian: Ehlers, 627.

Ohio, Guelph formation: Foerste, 696.

Ontario, Toronto area: Parks, 1711.

Orthaulax, Haiti, Porto Rico, and Cuba: Woodring, 2531.

Palliseria, upper Ordovician, British Columbia: Wilson, 2490.

Rimella-like gastropods, west coast: Clark, 346.

San Pedro fauna, Nob Hill cut, California: Oldroyd, 1681.

Texas, Pleistocene fresh-water mollusks: Hanna, 844.

Geanticlines: Schuchert, 1993.**Gels, function in the formation of quartz and carbonate veins:** Merritt, 1543.**Genesis of ores.** *See* Ore deposits, origin.**Geochemistry.**

Alaska, Katmai region, fumaroles: Allen, 25.

Chemistry of the earth's core: Barnett, 77.

Colloid chemistry of minerals and ore deposits: Lindgren, 1382.

Concentration and circulation of the elements: Lindgren, 1381.

Data: Clarke, 357.

Direct synthesis of higher from lower hydrocarbons: Thom, 2213.

Dolomites, chemical study: Knight, 1278.

Evolution and disintegration of matter: Clarke, 358.

Iron protore, leaching of: Lovering, 1424.

Petroleums of California, chemical characteristics: Prutzman, 1783.

Precipitation of manganese from meteoric solutions: Thiel, 2204.

Problems: Sosman, 2100.

Quality of oil, relation to structure: Ley, 1373.

Reaction between ferrous and cuprous salts: Wells, 2429.

River and lake waters, composition: Clarke, 359.

Silica, solution and precipitation in cold water: Lovering, 1424.

Status and problems of geophysical chemistry: Sosman, 2101.

Geodetic work, value to geology: Bowie, 179.**Geographic distribution.**

Iowa, Devonian echinoderms: Thomas, 2221.

Pleistocene mammals: Hay, 882.

Geologic climate. *See* Paleoclimatology.**Geologic formations, tables.** *For geologic formations described see list, p. 249. See also* Correlation.

Alberta: Irwin, 1040.

foothills belt: Allan, 24.

Saunders Creek and Nordegg coal basins: Allan, 21.

Antigua: Earle, 615.

Arkansas, Hot Springs district: Purdue, 1784.

southern: Hull, 1011.

Geologic formations, tables—Continued.

British Columbia, Cariboo district, Barkerville area: Uglow, 2305.

coast region: Dolmage, 568.

Coquihalla area: Cairnes, 281.

Fraser River Delta: Johnston, 1107.

Kitsault River to Skeena River: Hanson, 853.

Vancouver Island, Alberni area: MacKenzie, 1458.

California, southern: Kew, 1157.

Cambrian: Secrist, 2014.

Cambrian-Ozarkian-Ordovician: Walcott, 2355.

Colorado: Keyes, 1227.

Cretaceous, Montana: Robinson, 1886.

Cretaceous, Upper, Atlantic and Gulf Coastal Plain, correlation: Stephenson, 2143.

Geologic time classification of the U. S. Geological Survey: Wilmarth, 2486.

Geologic time scale: Ashloy, 47.

Green River valley, Utah and Wyoming: Reeside, 1827.

Hayti: Woodring, 2532.

Illinois: Keyes, 1182.

Indiana: Logan, 1401.

Iowa, Missouri series: Tilton, 2253.

Louisiana, northern: Hull, 1011.

Mackenzie, Franklin Mountains: Williams, 2473.

Mackenzie River basin: Hume, 1016.

Mackenzie River between Norman and Beaver River: Hume, 1013.

Mesozoic formations, Pacific coast, correlation: Goranson, 771.

Minnesota: Keyes, 1182; Knapp, 1275.

Missouri: Wilson, 2497.

Montana: Bauer, 104.

Beartooth Mountains, Bevan, 155.

Nebraska: Keyes, 1182.

New Mexico, Raton coal field: Lee, 1341.

New York: Miller, 1587.

western, Chemung, correlation table: Chadwick, 311.

Ontario, Brocktown-Mallorytown area: Wright, 2545.

Paleozoic, lower: Secrist, 2014.

Quebec, Dufrenoy area, Abitibi district: Harvie, 864.

Timiskaming County, Opasatika area: Cooke, 440.

western: Cooke, 445.

Rocky Mountain region: Reeves, 1836.

Silurian, correlation: Swartz, 2180; Ulrich, 2311.

South Dakota: Keyes, 1182.

South Dakota and eastern Wyoming: Wilson, 2506.

Tennessee, lower Paleozoic formations: Gordon, 772.

Tertiary, American and European, correlation: Cooke, 439.

correlation charts: Vaughan, 2343.

Texas, northeastern, correlation: Fohs, 701.

Utah: Keyes, 1219.

southeastern: Longwell, 1404.

Uinta Basin: Douglass, 577.

Wisconsin: Keyes, 1182; Ulrich, 2315.

Geologic formations, tables—Continued.

Wyoming: Bartlett, 82.

Lost Soldier-Ferris district: Fath, 670.

Yukon, southern: Cockfield, 392.

Geologic history. *See also* Paleoclimatology; Paleogeography.

Alabama, Clay County: Prouty, 1782.

Alaska, Kotsina-Kuskulana district: Moffit, 1602.

Ruby-Kuskokwim region: Mertie, 1544.

Arizona, Jerome district: Smith, 2071.

Ray quadrangle: Ransome, 1792.

Arkansas Hot Springs district: Purdue, 1784.

British Columbia: Schofield, 1989.

Coquihalla area: Cairnes, 281.

Fraser River Delta: Johnston, 1107.

North Thompson Valley: Uglow, 2307.

California, Salton Sea region: Brown, 221.

Canada: Collins, 427.

Colorado, central: Crawford, 469.

Front Range: Van Tyul, 2332.

northwestern: Sears, 2012.

San Juan Basin: Reeside, 1828.

Connecticut: Gregory, 801.

Cordillera in Canada: Schofield, 1987.

Eocene, southeastern North America: Berry, 142.

Grand Canyon of the Colorado: Darton, 509.

Great Basin, Pleistocene history: Antevs, 40.

Idaho, Boise Basin: Ballard, 73.

Owyhee County, Bruneau River basin: Piper, 1759.

Illinois, Carlyle-Centralia district: Shaw, 2035.

Kings quadrangle: Bretz, 205.

La Harpe and Good Hope quadrangles: Savage, 1965.

La Salle anticline: Mylius, 1648.

Morris quadrangle: Culver, 480.

southern, Carboniferous: Weller, 2425.

Iowa, Lake Calvin region: Schoewe, 1985.

Kansas, Cretaceous: Twenhofel, 2295.

southeastern: Ley, 1374.

Lake Superior geosyncline, Hotchkiss, 990.

Manitoba, Flinflon area: Alcock, 9.

Massachusetts, central, glacial history: Alden, 15.

Minnesota: Meinzer, 1520.

Mississippi Gulf, Eocene: Berry, 149.

Mississippi Valley, Missouri and Illinois: Krey, 1293.

Montana, Bearpaw Mountains: Reeves, 1835.

Beartooth Mountains: Bevan, 155.

Tullock Creek coal field: Rogers, 1900.

Upper Cretaceous: Robinson, 1886.

Nevada, Manhattan district: Ferguson, 679.

Rochester district: Knopf, 1280.

New Mexico, San Juan Basin: Reeside, 1828.

New York: Miller, 1587.

Adirondacks, western: Agar, 7.

Rochester, Pinnacle Hills, glacial history: Fairchild, 668.

North Atlantic Ocean, Tertiary history: Woodring, 2536.

North Carolina, Cretaceous: Stephenson, 2143.

Oklahoma, Arbuckle Mountains: Weidman, 2422.

southern Ouachita Mountains: Honess, 975.

Stonewall quadrangle: Morgan, 1632, 1633.

Geologic history—Continued.

Ontario, Arnprior-Quyon area: Wilson, 2498.

Brocktown-Mallorytown area: Wright, 2545.

English River valley: Bruce, 227.

Lake St. Joseph area: Bruce, 224.

Ontario-Manitoba boundary: Burwash, 266.

Red Lake area, District of Patricia: Bruce, 228.

Oregon: Smith, 2094.

Riddle quadrangle: Diller, 564.

Pennsylvania, Piedmont region: Smith, 2079.

Permian, Great Plains: Dunbar, 596.

Piedmont area, Maryland and Pennsylvania: Stose, 2160.

Porto Rico, Humacao district: Fettke, 686.

Lares district: Hubbard, 1002.

Ponce district: Mitchell, 1598.

Quebec, Arnprior-Quyon area: Wilson, 2498.

Perce: Clarke, 361.

Timiskaming County, Opasatika area: Cooke, 440.

Rocky Mountains: Keyes, 1196, 1227.

South Dakota, Lead area: Hosted, 983.

Uinta Mountains: Sears, 2011.

Vermont, Whitingham area: Hubbard, 1004.

Vermont region: Keith, 1139.

Washington, northeastern: Jenkins, 1060.

West Indies (part): Vaughan, 2339.

West Virginia, Mineral and Grant counties: Reger, 1839.

White River beds, South Dakota: Wanless, 2387.

Wyoming, southern: Sears, 2012.

Yukon, southern: Cockfield, 392.

Geologic maps.

Alabama, Clay County: Prouty, 1782.

Alaska, Alaska Railroad region: Capps, 301.

Chulitna region: Capps, 301.

Cold Bay-Chignik district: Smith, 2091.

Elephant Mountain: Smith, 2091.

Innoko-Iditarod region: Mertie, 1544.

Kantishna district: Capps, 301.

Kejulik Valley: Smith, 2091.

Kotsina-Kuskulana district: Moffit, 1602.

Pearl Creek Dome and Mount Peulik: Smith, 2091.

Ruby district: Mertie, 1544.

Talkeetna Mountains: Capps, 301.

Wide Bay: Smith, 2091.

Alberta, Blackstone, Brazeau, and Pembina rivers foothills belt: Allan, 24.

Saunders Creek and Nordegg coal basins: Allan, 21.

southern, artesian area: Dowling, 581.

Appalachian region: Keith, 1140.

Arizona: Arizona Bur. Mines, 41; Darton, 512.

Grand Canyon: Darton, 511.

Hopi Buttes volcanic field: Reagan, 1807.

Lees Ferry region: Bryan, 240.

Oatman district: Ransome, 1793.

Ray quadrangle: Ransome, 1792.

Verde formation: Jenkins, 1057.

Arkansas, Hot Springs district: Purdue, 1784.

Pike County, Prairie Creek area: Miser, 1592.

Pike, Howard, and Hempstead counties (parts): Miser, 1592.

Geologic maps—Continued.

- British Columbia, coast and islands between
Campania Sound and Port Simpson: Dol-
mage, 568.
coast and islands between Port Simpson and
Stewart: Dolmage, 568.
Dewdney Trail: Cairnes, 279.
Fraser River Delta: Johnston, 1107.
Hope Mountain: Cairnes, 279.
Kettle Valley: Cairnes, 279.
Kitsault River to Skeena River: Hanson,
853.
Peace River canyon area: McLearn, 1461.
Salmon River district: Schofield, 1988.
Vancouver Island, Alberni area: MacKen-
zie, 1458.
Yale district, Silver Creek, Skagit and Similk-
ameen rivers: Cairnes, 282.
Tulameen area: Poitevin, 1761.
British Virgin Islands: Earle, 617.
California, fault map: Willis, 2478.
Salton Sea region: Brown, 221.
Canada: Graham, 792.
central Arctic coast: O'Neill, 1682.
Colorado, Creede district: Emmons, 650.
De Beque oil field: Winchester, 2515.
Moffat County: Sears, 2010.
northwestern: Sears, 2012; Winchester, 2515.
San Juan Basin: Reeside, 1828.
Connecticut: Gregory, 801.
Georgia, Coastal Plain: Prettyman, 1776.
Greenland, Peary Land: Koch, 1289.
Haiti: Woodring, 2533.
northwestern: Lütgens, 1431.
Terre-Neuve region: Woodring, 2533.
Idaho, Boise Basin: Ballard, 73.
Cassia County, Goose Creek basin: Piper,
1758.
Coeur d'Alene district: Umpheby, 2316.
Hell Creek, Fall Creek, Palisade Creek, Mc-
Koy Creek, Grays Lake, and Cranes Flat
quadrangles: Kirkham, 1273.
north central: Thomson, 2232, 2233.
Owyhee County, Bruneau River basin:
Piper, 1759.
Power and Oneida counties: Piper, 1760.
Shoshone County: Umpheby, 2316.
Illinois, Adams County, northeastern: Currier,
484.
Carlyle-Centralia district: Shaw, 2035.
Kings quadrangle: Bretz, 205.
La Harpe and Good Hope quadrangles
Savage, 1965.
Morris quadrangle: Culver, 480.
Indiana and surrounding States: Logan, 1401.
Iowa: Howell, 1000.
Lake Calvin region, Pleistocene: Schoewe,
1985.
Missouri series: Tilton, 2253.
north central: Fenton, 677.
Jamaica: Brunton, 232; Cundall, 482a.
Kansas, northeastern, Pleistocene: Schoewe,
1984.
Kentucky, Princeton quadrangle: Weller, 2426.
Webster County: Glenn, 759.
Louisiana: Hay, 882.

Geologic maps—Continued.

- Mackenzie, Mackenzie River between Nor-
man and Beaver River: Hume, 1013.
Mackenzie River between Wrigley and Nor-
man: Hume, 1016.
Maine: Smith, 2076.
Manitoba, Beresford Lake area: Wright, 2541,
2547.
Flinflon area: Alcock, 9.
Rice Lake district: Wright, 2546.
Maryland, coals of Georges Creek and upper
Potomac basins: Swartz, 2176.
Piedmont Plateau: Knopf, 1282.
Silurian: Swartz, 2178.
western Piedmont: Jonas, 1113.
Massachusetts, Cape Ann, Andrew's Point:
Warren, 2395.
eastern: Warren, 2395.
Ware and Quinsigamond quadrangles: Alden,
15.
Massachusetts and New York, Pittsfield and
Becket quadrangles: Dale, 496.
Mexico: Mexico, Secr. Agr., 1552.
Michigan, surface formations: Leverett, 1367.
Minnesota: Hay, 882.
Vermilion iron range: Schwartz, 2001.
Mississippi: Lowe, 1427.
Missouri: Buehler, 251.
Devonian formations along the Missouri
River: Branson, 199.
Montana, Bearpaw Mountains: Reeves, 1835.
Beartooth Mountains: Bevan, 155.
Ekalaka field: Bauer, 105.
faulted area south of Bearpaw Mountains:
Reeves, 1836.
Fergus County, Winifred area: Reeves, 1834.
Musselshell and Golden Valley counties:
Ellis, 631.
Rosebud County: Renick, 1854.
Scobey lignite field, Valley, Daniels, and
Sheridan counties: Collier, 415.
Nevada, Elko area: Winchester, 2515.
Manhattan district: Ferguson, 679.
Rochester district: Knopf, 1280.
New Hampshire, Ammonoosuc district: Ross,
1913.
New Mexico, Raton coal field: Lee, 1341.
New York: Miller, 1587.
Clove quadrangle: Dale, 496.
New York City: Reeds, 1821.
Plattsburgh quadrangle: Hudson, 1008.
Rouses Point quadrangle: Hudson, 1008.
Skanateles region: Monnett, 1605.
New York, Massachusetts, and Connecticut,
Sheffield and Sandisfield quadrangles: Dale,
496.
New York, Massachusetts, and western Ver-
mont, Greylock, Berlin, and Hoosick quad-
rangles: Dale, 496.
North America: Schuchert, 1994.
North Carolina, Cretaceous: Stephenson, 2143
North Dakota: Willard, 2470.
Northern Great Plains: Alden, 16.
Nova Scotia: Brunton, 234.
Arisaig district: McLearn, 1462.
Cape Breton County, Sydney: Hayes, 883.
(physiographic): Goldthwait, 766.

Geologic maps—Continued.

- Ohio, Summerfield and Woodsfield quadrangles: Condit, 432.
- Oklahoma, Grandfield Bridge sheet: Sellards, 2016.
- Leflore and McCurtain counties: Honess, 976.
- southern, Stonewall quadrangle: Morgan, 1633.
- southwestern: Gould, 788; Sawyer, 1970.
- Ontario: Canada, Dept. Mines, 297.
- Brocktown-Mallorytown area: Wright, 2545.
- Cobalt area: Knight, 1277.
- English River valley: Bruce, 227.
- Kenogamissi Lake area: Todd, 2257.
- Lake St. Joseph, eastern part: Bruce, 225.
- Lake St. Joseph area: Bruce, 224.
- Leeds County: Baker, 65.
- Ontario-Manitoba boundary: Burwash, 266; Rickaby, 1870.
- Red Lake area, District of Patricia: Bruce, 228.
- Watabeag area: Wright, 2541.
- Oregon: Smith, 2094.
- Riddle quadrangle: Diller, 564.
- Pennsylvania, Chester Valley: Stose, 2160.
- McCalls Ferry quadrangle: Jonas, 1112.
- Phoenixville mining district: Miller, 1573.
- Piedmont Plateau: Knopf, 1282.
- Piedmont region, anorthosite area: Smith, 2079.
- southeastern: Stose, 2163.
- Pennsylvania and Maryland, Piedmont province: Stose, 2160.
- Porto Rico, Humacao district: Fettke, 686.
- Juncos-Torre district: Fettke, 687.
- Lares district: Hubbard, 1002.
- physiographic map: Lobeck, 1393.
- Ponce district: Mitchell, 1598.
- Quebec: Canada, Dept. Mines, 297.
- Bristol Township: Wilson, 2498.
- Chatham Township: Bain, 60.
- Dufresnoy area, Abitibi district: Harvie, 804.
- Duparquet area: James, 1047.
- Hull County: Wilson, 2498.
- Onslow Township: Wilson, 2498.
- Philipsburg region: Bradley, 188.
- Quyon area: Wilson, 2498.
- Timiskaming County, Opasatika area: Cooke, 440.
- Rouyn area: James, 1048.
- Saskatchewan, Lake Athabaska: Allan, 22.
- South Dakota, Edmunds County: Rothrock, 1916.
- Lead area: Paige, 1697, 1698.
- Tennessee: Nelson, 1655.
- Brushy Mountain region: Jillson, 1067.
- east: Secrist, 2014; Stose, 2159.
- Friendsville and vicinity: Gordon, 772.
- Knoxville and vicinity: Gordon, 772.
- Texas, Colorado County: Bailey, 57.
- Culberson County, University Block: Beede, 115.
- Grandfield Bridge sheet: Sellards, 2016.
- Gulf Coastal Plain near Rio Grande: Trowbridge, 2272.

Geologic maps—Continued.

Texas—Continued.

- McLennan County: Adkins, 6.
- northeastern: Fohs, 701.
- Potter County: Patton, 1728.
- Uinta Mountains: Sears, 2011.
- United States, petroleum provinces: Lilley, 1375.
- physiographic map: Meinzer, 1515.
- Utah, San Juan Canyon: Miser, 1594.
- Vermont, Bethel Township: Richardson, 1864.
- Bridport: Foyles, 714.
- Orange County, Randolph Township: Richardson, 1863.
- Plattsburgh quadrangle: Hudson, 1008.
- Rouses Point quadrangle: Hudson, 1008.
- Shoreham: Foyles, 714.
- Whitingham area: Hubbard, 1004.
- Virginia, Pittsylvania County: Watson, 2410.
- Wise and northern Scott counties: Eby, 621.
- Washington, Skagit County: Jenkins, 1059.
- Whatcom County, coal measures: Jenkins, 1058.
- West Virginia, Grant County: Reger, 1839.
- Mineral County: Reger, 1839.
- Tucker County: Reger, 1838.
- Wisconsin: Twenhofel, 2293.
- Wyoming, Lost Soldier-Ferris district: Fath, 670.
- southern: Sears, 2012.
- southwestern: Winchester, 2515.
- Sweetwater County: Sears, 2010.
- Wind River Mountains: Condit, 433.
- Geologic structures: Willis, 2490.
- Geologic time.
- Atomic disintegration as a measure of geologic time: Ellsworth, 643.
- General: Allison, 32.
- Measurement by atomic disintegration: Moore, 1627.
- Seasonal records: Reeds, 1823.
- Geological surveys. *See* Surveys.
- Geology, development of: Gregory, 800.
- Geomorphogeny. *See* Physiographic geology.
- Geophysics.
- Alumina and silica: Day, 545.
- Compressibility of the earth: Woodward, 2538.
- Density distribution in the earth: Williamson, 2476.
- Density of rocks from Mauna Kea and Haleakala: Washington, 2404.
- Geophysical Laboratory, report: Day, 545.
- Problems: Sosman, 2100.
- Relation of crystallization to water content and vapor pressure of water in a cooling magma: Morey, 1629.
- Status and problems of geophysical chemistry: Sosman, 2101.
- Georgia.
- Economic geology.*
- Iron ore deposits: Haseltine, 866.
- Kaolin and bauxite, Coastal Plain: Stull, 2172.
- Mineral resources: McCallie, 1441; Maynard, 1510.
- Ocher, Cartersville: Weigel, 2424.
- Petroleum and natural gas possibilities: Prettyman, 1776.

Georgia—Continued.

Historical geology.

Coastal Plain: Prettyman, 1776.

Underground water.

Thermal springs: Watson, 2413.

Geosynclines: Schuchert, 1993.

Geotherms of Lake Superior copper country: Lane, 1320.

Geysers.

Yellowstone National Park: Darton, 510.

Glacial geology. *See also* Glacial lakes; Quaternary.

Alaska, Alaska Railroad region: Capps, 301.

Alberta, structural features produced by Pleistocene glaciation: Hopkins, 977.

British Columbia, Coquihalla area: Cairnes, 281.

Fraser River Delta: Johnston, 1107.

California, Sierra Nevada: Matthes, 1501.

Canada: Coleman, 407.

Chronology: Allison, 32.

Colorado, Grand Mesa: Henderson, 912.

General: Chamberlin, 322; Hay, 875.

Glacial varves, Connecticut Valley, summer deposition: Sayles, 1973.

Great Basin, Pleistocene history: Antevs, 40.

Greenland, Peary Land: Koch, 1289.

Ice age: Finger, 692.

Ice ages and the drift of continents: Coleman, 408.

Illinois, Carlyle-Centralia district: Shaw, 2035.

Decatur area: Leighton, 1355.

Kings quadrangle: Bretz, 205.

La Harpe and Good Hope quadrangles: Savage, 1965.

Lawrence County, Pleistocene: Cox, 465.

Morris quadrangle: Culver, 480.

northwestern, drift sheets: Leighton, 1354.

Saline County: Bonnell, 173.

Sangamon River valley: Leighton, 1351.

Iowa: Kay, 1134.

Algona recessional stages: Smith, 2082.

Ames, glacial tills: Smith, 2081.

Des Moines, Pleistocene exposures: Lees, 1346.

eastern: Schoewe, 1983.

Fort Dodge stages of retreating glaciers: Smith, 2083.

glacial sheets: Keyes, 1190.

southern: Schoewe, 1985.

western, Pleistocene: Kay, 1135.

Kansas, northeastern: Schoewe, 1984.

till-like deposits south of Kansas River: Schoewe, 1986.

Kentucky, eastern, glacial pebbles: Jillson, 1087.

glacial boulders: Jillson, 1089.

Labrador, northeastern: Coleman, 406.

Massachusetts, central: Alden, 15.

Minnesota, Buffalo Plains: Sardeson, 1957.

Mille Lacs area: Sardeson, 1956.

Missouri: Leverett, 1366.

northern, Nebraskan drift: Shipton, 2056.

New Jersey, postglacial laminated clays at Little Ferry: Reeds, 1824.

New York, eastern: Cook, 437.

Luzerne quadrangle: Miller, 1583.

Rochester, Pinnacle Hills: Fairchild, 668.

western, moraines: Chadwick, 313.

Glacial geology—Continued.

Northern Great Plains: Alden, 16.

Nova Scotia: Goldthwait, 766; Walker, 2365.

Ontario, Brocktown-Mallorytown area: Wright, 2545.

Toronto region: Coleman, 410.

Quebec, Timiskaming County, Opasatika area: Cooke, 440.

Raised beaches and thickness of ice sheets: Coleman, 411.

Solar cyclonic explanation of glaciation: Huntington, 1029.

Solar initiation of glaciation?: Keyes, 1236.

Vermont, Whitingham area: Hubbard, 1004.

Washington, Columbia Plateau: Bretz, 207.

east central: Bretz, 206.

Spokane glaciation: Bretz, 210.

Glacial lakes. *See also* Beaches; Shore lines; Terraces.

Iowa, Lake Calvin: Schoewe, 1982, 1983, 1985.

Lake Arikaree: Todd, 2259.

Massachusetts, central: Alden, 15.

New York: Chadwick, 310.

Genesee: Chadwick, 313.

Glacial period. *See* Glacial geology.

Glaciers.

Alberta, Freshfield Glacier: Palmer, 1704.

British Columbia, Robson Glacier, motion: Wheeler, 2438.

Glacier National Park, movement of glaciers: Alden, 14.

Gold.

Alaska, Alaska Railroad region: Capps, 301.

Chitina Valley: Moffit, 1603.

early Tertiary placer deposit: Capps, 302.

Juneau district: Bradley, 189.

Kotsina-Kuskulana district: Moffit, 1602.

Ruby-Kuskokwim region: Mertie, 1544.

Arizona: Heikes, 901.

Oatman district: Ransome, 1793.

Ray quadrangle: Ransome, 1792.

Tres Amigos: Keyes, 1176.

British Columbia, Barkerville area: Johnston, 1109.

Cariboo district: Uglow, 2306.

Cedar Creek area: Johnston, 1108.

Cariboo district, Barkerville quartz veins: Uglow, 2304.

Chu Chua, Windpass mine: Uglow, 2308.

coast region: Dolmage, 568.

Coquihalla area: Cairnes, 281.

Salmon River valley: Banks, 76.

Salmon River district: Schofield, 1988.

Yale district, Hillsbar claims: Cairnes, 283.

California: Haley, 835; Hill, 931.

Monterey County, Los Burros district: Hill, 926.

primary and secondary concentrations: Haley, 836.

southern: Haley, 833.

Trinity County, East Fork district: Tucker, 2286.

Wilshire district: Turner, 2290.

Canada: Webb, 2418; Wilson, 2489.

Colorado: Henderson, 906, 911.

Creede district: Emmons, 650.

Eastern States: Dunlop, 601, 605.

Gold—Continued.

- General: Dunlop, 600, 604.
 Idaho: Gerry, 737, 739.
 batholith: Thomson, 2233.
 Boise Basin: Ballard, 73.
 north central: Thomson, 2232.
 Shoshone County: Umpleby, 2316.
 Manitoba, Beresford Lake area: Wright, 2541, 2547.
 Elbow Lake area: Armstrong, 42.
 Flinflon area: Alcock, 9.
 Rice Lake district: Wright, 2546.
 Montana: Gerry, 741.
 Nevada: Heikes, 895, 899.
 Jarbidge district: Schrader, 1990.
 Manhattan district: Ferguson, 679.
 Rochester district: Knopf, 1280.
 New Hampshire, Ammonoosuc district: Ross, 1913.
 New Mexico: Henderson, 904, 909.
 Nova Scotia: Brunton, 235, 238.
 Ontario: Hopkins, 978; McGill, 1455.
 Goudreau area: MacLeod, 1465.
 Kirkland Lake area: Hopkins, 979.
 Onaman area: Girvin, 758.
 Porcupine district: Burrows, 264, 265; Fielding, 672; Hore, 980; Huntoon, 1035; Robinson, 1888; Spurr, 2118.
 Sudbury district, Makwa: Tanton, 2191.
 Timiskaming district, Argonaut mine: Cooke, 443.
 Larder Lake: Cooke, 444.
 Watabeag area: Wright, 2541.
 West Shining Tree: Weed, 2419.
 Oregon: Hill, 932.
 Riddle quadrangle: Diller, 564.
 Pennsylvania: Pennsylvania G. S., 1734.
 Placer gold, formation: Allison, 30.
 Primary and secondary concentrations: Haley, 836.
 Quebec: Goodwin, 769.
 Dubuisson Township: Spearman, 2104.
 Lake Fortune area: Goodwin, 768.
 northern: Wright, 2542.
 northwestern: Brunton, 236; Dufresne, 588; prospects: Denis, 556.
 Timiskaming County, Opatatika area: Cooke, 440.
 Rouyn area: James, 1048.
 western: Cooke, 445.
 South Dakota: Henderson, 907.
 Homestake mine: Paige, 1697.
 Lead area: Paige, 1698.
 Utah: Heikes, 900.
 Washington: Gerry, 738, 740.
 Wyoming: Henderson, 908.
 Good Hope quadrangle, Illinois: Savage, 1965.
 Graham field, Carter County, Oklahoma: Tomlinson, 2261.
 Grand Canyon. *See* Arizona.
 Granite.
 Connecticut: Gregory, 801.
 General: Dale, 495.
 Maine: Smith, 2076.
 New England: Dale, 495.

Graphite.

- Alabama, Clay County: Prouty, 1782.
 Canada: Eardley-Wilmot, 611.
 General: Middleton, 1560; Redfield, 1813.
 Graptolitoidea.
 Beekmantown series, Levis, Quebec: Clark, 351.
 Evolution: Elles, 630.
 Maine, Waterville: Perkins, 1736.
 Gravel.
 General: Beach, 109; Coons, 447.
 North Dakota: Leonard, 1364.
 Ontario, St. Clair River: Bartlett, 83.
 South Dakota, eastern: Rothrock, 1916.
 Gravity observations from the standpoint of the local geology: White, 2452.
 Greenland.
 Northwestern Greenland: Hovey, 994.
Economic geology.
 Mineral resources: Ball, 72.
Historical geology.
 General: Koch, 1288.
 Northwestern Greenland: Hovey, 994.
 Peary Land: Koch, 1289.
Mineralogy.
 Narsarsuk area: Gordon, 782.
Physical geology.
 Orography: Koch, 1288.
 Ground water. *See* Underground water.
 Guatemala.
Physical geology.
 Earthquake and volcanic phenomena: Van de Putte, 2320.
 Sta. Maria Volcano: Waitz, 2354.
 Gypsum.
 California, southern: Newman, 1665.
 General: Cottrell, 460, 461; Wilder, 2469.
 Iowa: Wilder, 2469.
 age of gypsum deposits: Keyes, 1231.
 Fort Dodge gypsum beds: Keyes, 1201.
 Origin of gypsum deposits: Keyes, 1205.
 Haiti.
 General: Woodring, 2532, 2533.
 Northwestern Haiti: Lütgens, 1431.
Paleontology.
 Cichlid fish, Las Cahobas: Cockerell, 381.
 Crabs: Rathbun, 1798.
 Eocene Foraminifera: Woodring, 2534.
 Miocene and Pleistocene Cirripedia: Pilsbry, 1757.
 Mollusca, Tertiary: Woodring, 2535.
 Orthaulax. Tertiary: Woodring, 2531.
Underground water.
 Hot Springs: Brown, 222.
 Harvard summer school of geology: Crump, 479.
 Hawaiian Islands.
 Kaula Island: Friedlaender, 718.
Petrology.
 Aa and pahoehoe, formation: Washington, 2402.
 Density of rocks from Mauna Kea and Haleakala: Washington, 2404.
 General petrology, Hawaii: Washington, 2401.
 Hualalai and Mauna Loa: Washington, 2400.
 Kilauea: Washington, 2401.
 Kohala and Mauna Kea: Washington, 2399.

Hawaiian Islands—Continued.

Physical geology.

Halimaumau: Jaggar, 1044.

Kilauea: Day, 540; Jaggar, 1044.

activity: Jaggar, 1045.

eruptions, May, 1924, and seismic sequences: Finch, 691.

explosive eruption, 1924: Jaggar, 1046.

explosive eruptions: Sherzer, 2051.

Physiographic geology.

Oahu: Davis, 526.

Helium.

Canada: Elworthy, 647.

General: Moore, 1626.

Geology and occurrence: Kauenhowen, 1132.

Historical (stratigraphic) geology. *For areal see names of States. See also the different systems; Correlation; Geologic formations, tables.*

Boring records, use of: Reed, 1816.

California, geologic formation names, check list: Bailey, 54.

Carboniferous, early: Keyes, 1187.

Criteria of classification: Keyes, 1168.

English terranal classification in America: Keyes, 1173.

Exploration for vertebrates: Grinnell, 814.

Foraminifera, use in stratigraphy: Dumble, 590.

Fossils, relative value in stratigraphy: Cooke, 438.

General: Bretz, 209; Meinzer, 1515; Smithsonian Institution, 2095, 2096.

Geologic column, terms, origin and significance: Lang, 1326.

Geologic terminology: Blackwelder, 164.

Geologic time classification of U. S. Geological Survey: Wilmarth, 2486.

Geologic time scale: Ashley, 47.

Geological classification: Keyes, 1179.

Gulf Coastal Plain: Brantly, 201.

Hall's work in Iowa: Keyes, 1177.

Harvard summer school of geology: Crump, 479.

Major subdivisions: Keyes, 1229.

Michigan, surveys: Allen, 27.

Mississippian section, taxonomy: Keyes, 1187.

Modern conceptions of earth history: Bretz, 209.

North Atlantic Ocean, Tertiary history: Woodring, 2536.

Ordovician-Silurian boundary: Jones, 1116.

Periodic diastrophism: Shepard, 2048.

Pre-Cambrian: Keyes, 1174.

Pre-Cambrian time scale: Young, 2554.

Pre-Devonian deposits, Alberta and British Columbia: Walcott, 2359.

Proposed stratigraphic section and code: Ashley, 49.

St. Louis limestone, nomenclature: Keyes, 1187.

Terranal classification: Keyes, 1218.

Textbook of geology: Schuchert, 1994.

History. *See also Surveys.*

American geology, first one hundred years: Merrill, 1538.

History—Continued.

General: Fairchild, 669.

Geology, development of: Gregory, 800.

Kentucky, geological surveys: Jillson, 1086.

Michigan, surveys: Allen, 28.

Seventy-five years of American geology: Chamberlin, 325.

Vermont, geological work, 1810-1923: Perkins, 1737.

Honduras.

Economic geology.

Petroleum possibilities: Redfield, 1815.

Historical geology.

General: Redfield, 1815.

Hot Springs. *See* Thermal waters.

Hot Springs district, Arkansas: Purdue, 1784.

Icebergs, Greenland, formation: Koch, 1288.

Ice age. *See* Glacial geology.

Ice ages (ancient).

Criteria for glaciation: Hobbs, 953.

General: Coleman, 408.

Oklahoma, Pennsylvanian-Permian glaciation, Arbuckle region: Weidman, 2421.

Ontario, pre-Cobalt: Coleman, 409.

Ordovician, Vermont region: Keith, 1139.

Pennsylvanian-Permian glaciation (?), Arbuckle and Wichita mountains: Dunbar, 599; Weidman, 2423.

Rocky Mountains, pre-Cambrian: Blackwelder, 163.

Table of glacial periods: Chamberlin, 322.

Idaho.

Areas described.

Bear Lake County, eastern: Kirkham, 1272.

Bingham, Bonneville, and Caribou counties: Kirkham, 1273.

Boise Basin, Boise County: Ballard, 73.

Bruneau River basin, Owyhee County: Piper, 1759.

Goose Creek basin, Cassia County: Piper, 1758.

North central Idaho: Thomson, 2232.

Power and Oneida counties: Piper, 1760.

Shoshone County: Umpleby, 2316.

Economic geology.

Coeur d'Alene district: Umpleby, 2316, 2318.

Copper, Salmon: Ross, 1914.

Glacially transported mine, Gilmore: Walker, 2363.

Gold, Boise Basin: Ballard, 73.

Idaho batholith: Thomson, 2233.

north central Idaho: Thomson, 2232.

Gold, silver, copper, lead, and zinc: Gerry, 737, 739.

Gold veins, central Idaho: Roberts, 1879.

Kaolin and feldspar: Wilson, 2493.

Mining industry, 1922, 1923: Campbell, 295, 296.

Molybdenite, Rocky Bar district: Schrader, 1992.

Oil possibilities, Bingham, Bonneville, and Caribou counties: Kirkham, 1273.

southwestern and south-central Idaho:

Buwalda, 271.

Oil shale: Winchester, 2515.

Shoshone County: Umpleby, 2316.

Idaho—Continued.

Historical geology.

- Mud Lake Basin: Stearns, 2138.
 Payette formation, age: Buwalda, 274.
 Rocky Bar district: Schrader, 1992.

Mineralogy.

- Amphibole similar to hudsonite, Custer County: Shannon, 2033.
 Gersdorffite: Shannon, 2031.
 Mordenite and associated minerals, Challis, Custer County: Ross, 1910.
 Niter deposit, Dubois: Stearns, 2136.
 Vanadinite, Lemhi County: Stearns, 2135.

Paleontology.

- Idaho formation, Snake River valley: Dall, 501.

- Orygoceras, Tertiary: Dall, 499.

Physical geology.

- Faulting, northern Idaho: Umpleby, 2317.
 Mud Lake basin, igneous geology: Stearns, 2138.

- Osburn fault: Umpleby, 2318.

- Rocky Mountains, structure: Mansfield, 1475.

Physiographic geology.

- Idaho peneplane, age: Buwalda, 274.
 Moon National Monument: Stearns, 2137.
 Southeastern Idaho: Mansfield, 1473.
 Tertiary planation: Mansfield, 1479.

Underground water.

- Goose Creek basin, Cassia County: Piper, 1758.

- Moscow: Laney, 1325.

- Pahsimeroi Valley: Meinzer, 1517.

- Thermal springs: Meinzer, 1519.

Igneous and volcanic rocks. *See also* Intrusions; Magmas; Petrology.

- Aa and pahoehoe, formation: Washington, 2402.

- Alabama, Clay County: Prouty, 1782.

- Alaska, Alaska Railroad region: Capps, 301.

- Cold Bay-Chignik district: Smith, 2091.

- Kotsina-Kuskulana district: Moffit, 1602.

- Ruby-Kuskokwim region: Mertie, 1544.

- Anorthositic, formation: Loewinson-Lessing, 1397.

- Arizona, Oatman district: Ransome, 1793.

- Ray quadrangle: Ransome, 1792.

- Arkansas, Hot Springs district: Lloyd, 1391.

- Pike County, peridotite: Miser, 1592.

- British Columbia, Coquihalla area: Cairnes, 281.

- Fraser River Delta: Johnston, 1107.

- Milbank Sound region, Post-Pleistocene volcanics: Dolmage, 569.

- Yale district: Cairnes, 282.

- British Virgin Islands: Earle, 617.

- California, Los Angeles and Ventura counties: Kew, 1159.

- Sacramento Valley: Bryan, 239.

- Classification, quantitative and mineralogical: Hodge, 956.

- Colorado, central: Crawford, 469.

- Creede district: Emmons, 650.

- Connecticut, Triassic basalts: Foye, 711.

- Constituents and distribution: Clarke, 356.

- Costa Rica: Redfield, 1814.

- Density in relation to isostasy: Washington, 2406.

Igneous and volcanic rocks—Continued.

- Final consolidation phenomena in the crystallization of igneous rock: Colony, 430.

- Greenland, northwestern: Hovey, 994.

- Hayti: Woodring, 2532, 2533.

- Honduras: Redfield, 1815.

- Idaho, Bingham, Bonneville, and Caribou counties: Kirkham, 1273.

- Cassia County, Goose Creek basin: Piper, 1758.

- north central: Thomson, 2232.

- Shoshone County: Umpleby, 2316.

- Igneous rocks, classification: Hodge, 957.

- Intrusive Triassic diabase, Goose Creek, Loudoun County: Shannon, 2030.

- Kentucky, western: Currier, 485.

- Louisiana, Cretaceous: Bramlette, 196.

- Magmatic differentiation: Vogt, 2350.

- Maine, Ogunquit: Keeley, 1138.

- Manitoba, Beresford Lake area: Wright, 2541, 2547.

- Flinflon area: Alcock, 9.

- Rice Lake area: Wright, 2546.

- Maryland, western Piedmont: Jonas, 1113,

- Massachusetts, Cape Ann: Warren, 2395.

- Mexico, Lower California: Gálvez, 724.

- Minillas, Cerro Prieto, Pichagua, and Sierra de Ramírez: Bonillas, 171.

- Minnesota, granite and gabbro intrusions of Ely greenstone: Schwartz, 2001.

- Montana, Beartooth Mountains, Bevan, 155.

- faulted area south of Bearpaw Mountains: Reeves, 1836.

- Nevada, Jarbidge district: Schrader, 1990.

- Manhattan district: Ferguson, 679.

- Rochester district: Knopf, 1280.

- Newfoundland, Notre Dame Bay: Sampson, 1942.

- New Hampshire, Ammonoosuc district: Ross, 1913.

- New York, Ithaca: Martens, 1484, 1486.

- Luzerne quadrangle: Miller, 1583.

- southeastern: Colony, 429.

- Oklahoma, Cimarron County, Black Mesa basalt: Shead, 2043.

- southern Ouachita Mountains: Honess, 975.

- Ontario, Brocktown-Mallorytown area: Wright, 2545.

- Lake St. Joseph area: Bruce, 224.

- Red Lake area, District of Patricia: Bruce, 228.

- Timiskaming district, Argonaut mine: Cooke, 443.

- Oregon, Riddle quadrangle: Diller, 564.

- Panama Canal Zone: MacDonald, 1445.

- Pennsylvania, McCall's Ferry quadrangle: Jonas, 1112.

- Porto Rico, Humacao district: Fettke, 686.

- Lares district: Hubbard, 1002.

- Ponce district: Mitchell, 1598.

- Quebec, Arnprior-Quyon area: Wilson, 2498.

- Dufresnoy area, Abitibi district: Harvie, 864.

- Duparquet area: James, 1047.

- Monteregian province extensions: Stansfield, 2131.

- Timiskaming County, Rouyn area: James, 1048.

Igneous and volcanic rocks—Continued.

South Dakota, Black Hills: Paige, 1698.

Lead area: Hosted, 983.

Structures: Willis, 2480.

Texas, Amarillo district: Harrison, 861.

Vermont, Bethel Township: Richardson, 1864.

Whitingham area: Hubbard, 1004.

Virginia, Jurassic ? intrusives: Roberts, 1881.

Pittsylvania County: Watson, 2410.

Wyoming, Lost Soldier-Ferris district: Fath, 670.

Igneous intrusion. *See* Intrusions.

Ilsemaniteat Ouray, Utah: Hess, 915.

Illinois.

Boulder, Saline County: Bonnell, 173.

Decatur area: Leighton, 1355.

Geological Survey, work: Hance, 840.

Topographic and geologic mapping in Illinois, relation to engineering: DeWolf, 560.

Areas described.

Adams County, northeastern: Currier, 484.

Carlyle-Centralia district: Shaw, 2035.

Good Hope quadrangle: Savage, 1965.

Kings quadrangle: Bretz, 205.

La Harpe quadrangle: Savage, 1965.

Morris quadrangle: Culver, 480.

Economic geology.

Allendale oil field extension: Collingwood, 420.

Coals, analyses: Hawley, 872.

Mineral resources, LaSalle region: Buzzard, 275.

Oil and gas development, Jacksonville area: Collingwood, 416.

Oil and gas development and possibilities, eastern Illinois: Mylius, 1649.

Oil prospects, Decatur area: Collingwood, 419.

Petroleum: Collingwood, 417.

1922: Collingwood, 418.

Waterloo anticline: Lamar, 1310.

Historical geology.

Carboniferous: Culver, 481.

Decatur area: Collingwood, 419.

Devonian, western Illinois: Savage, 1964.

Drift sheets of northwestern Illinois: Leighton, 1354.

Faunal horizons, Pennsylvanian rocks: Savage, 1968.

Geological section: Keyes, 1182.

Jacksonville area: Collingwood, 416.

La Salle anticline: Mylius, 1648.

Mississippi Valley: Krey, 1293.

Northeastern Illinois: Grant, 793.

Northern Illinois: Thurston, 2244.

Oriskany limestone: Savage, 1967.

Paleozoic rocks in deep wells: Thwaites, 2245.

Pennsylvanian, correlation, northwestern Illinois: Culver, 482.

Pleistocene, Lawrence County: Cox, 465.

Richmond beds: Savage, 1969.

Southern Illinois, geological history: Weller, 2425.

Waterloo anticline: Lamar, 1310.

Paleontology.

Angiosperm, Paleozoic, in coal: Hoskins, 982.

Black River Brachiopoda: Fenton, 678.

Braidwood flora: Noé, 1670.

Coal measures fossils near Galesburg: Jelliff, 1053.

Illinois—Continued.

Paleontology—Continued.

Devonian, western Illinois: Savage, 1964.

Fusulina, distribution: Culver, 481.

Mammalian faunas, shifting: Adams, 2.

Myeloxylon, coal measures: Seward, 2021.

Paleozoic angiosperm, Harrisburg: Noé, 1673.

Pleistocene Mollusca, Joliet: Baker, 64.

Stigmarian root, Chester formation: Foerste, 696.

Petrology.

Microscopic structure of rocks: Lamar, 1311.

Physical geology.

La Salle anticline: Mylius, 1648.

Mississippi Valley, structure: Krey, 1293.

Saline County coal field, faults and dikes: Bonnell, 172.

Physiographic geology.

Cahokia mounds, origin: Crook, 473; Leighton, 1352, 1356.

Chicago area: Downing, 583.

Drift sheets of northwestern Illinois: Leighton, 1354.

Glaciation, western Illinois: Leverett, 1368.

Pleistocene, northwestern Illinois: Leighton, 1353.

Prairies, origin: Woodard, 2529.

Sangamon River at Decatur, glacial history: Leighton, 1351.

Immiscibility in silicate melts: Greig, 811.

Indiana.

McCormick's Creek Canyon: Logan, 1399.

Paleolithic stone age: Balcom, 67.

Soil surveys: Bushnell, 267.

Economic geology.

Clays and shales: Logan, 1403.

Oil fields, southwestern Indiana: Logan, 1402.

Oil shales: Reeves, 1837.

Peat deposits: Logan, 1400.

Historical geology.

Cincinnati anticline, dimensions: Hubbard, 1005.

General: Logan, 1401.

Southwestern Indiana: Logan, 1402.

Paleontology.

Pleistocene shell, Porter County: Lyon, 1437.

Scorpion, Pottsville formation, Clay County: Moore, 1618.

Physical geology.

Marengo Cave: Speckman, 2107.

Physiographic geology.

Abandoned channels, Randolph and Delaware counties: Breeze, 203.

Lakes near La Porte: Tucker, 2289.

Raccoon Creek, Parke County, change of drainage: Bartle, 80.

Stream piracy near Greencastle: Smith, 2074.

Insecta.

Caddice fly cases, Green River formation, Wyoming: Bradley, 190.

Description of material in United States National Museum: Cockerell, 389.

Eocene, Colorado: Cockerell, 389.

Texas: Cockerell, 384.

Eomyza holoptera, Green River beds, Colorado: Cockerell, 391.

General: Brues, 231.

Insecta—Continued.

Hoplisus, Green River formation, Colorado: Cockerell, 380.

Hymenoptera, Florissant, Colorado: Cockerell, 388.

Kansas, Permian: Dunbar, 596; Tillyard, 2249. Mosquitoes, oldest: Cockerell, 376.

Paleodictyopterid, Permian, Kansas: Tillyard, 2250.

Protohymenoptera, Kansas, Permian: Tillyard, 2251.

Sawflies, Florissant, Colorado: Cockerell, 379.

Siphurites, Miocene May fly, Florissant, Colorado: Cockerell, 387.

Intercession, Pike River, Wisconsin: Ball, 68.

Interglacial periods. *See* Glacial geology.

Intrusions. *See* Dikes; Igneous and volcanic rocks; Laccoliths; Magmas.

Invertebrates (general). *See also the classes of invertebrates.*

Beekmantown series, Levis, Quebec: Clark, 351.

British Columbia, Vancouver Island, Sooke formation: Clark, 345.

California, Vacaville, Eocene: Palmer, 1703.

Carboniferous, Oklahoma: Morgan, 1632.

Devonian, western Illinois: Savage, 1964.

Harvard College, Museum of Comparative Zoology, report on invertebrate paleontology: Raymond, 1801, 1803.

Iowa, Des Moines, Carboniferous: Thomas, 2223.

Hackberry stage: Fenton, 677.

Kansas: Twenhofel, 2295.

Permian: Dunbar, 596.

Maine, Chapman sandstone: Raymond, 1802.

Maryland, Silurian: Swartz, 2181.

Missouri, Bailey limestone fauna: Tansey, 2189.

Devonian: Branson, 199.

Ste. Genevieve County, Little Saline limestone: Stewart, 2147.

Multilamellar invertebrates: Bassler, 88.

New York, Vernon shale fauna: Eaton, 619.

North Carolina, Cretaceous: Stephenson, 2143.

Ontario, upper Ordovician: Foerste, 697.

Quebec, upper Ordovician: Foerste, 697.

Silurian: Foerste, 696.

Vermont, Fort Cassin: Foyles, 714.

Iowa.

Conglomerate boulders, Centerville: Wilson, 2491.

State geologist's report: Kay, 1133.

Economic geology.

Gypsum: Wilder, 2469.

Mineral production, 1917 and 1918: Lees, 1345.

Mineral resources: Lees, 1348.

Petroleum and natural gas: Howell, 1000.

Historical geology.

Ames, glacial tills: Smith, 2081.

Black, bituminous shale near Palo, Linn County: Dille, 562.

Boring, Brighton: Lindly, 1388.

Holstein, Ida County: Lees, 1347.

Devonian: Keyes, 1250; Thomas, 2217.

Fort Dodge gypsum beds: Keyes, 1201; Lees, 1349.

Iowa—Continued.

Historical geology—Continued.

General: Howell, 1000; Keyes, 1171.

Gypsum deposits, age: Keyes, 1231.

Hackberry stage: Fenton, 677.

Hall's work in Iowa: Keyes, 1177.

Maquoketa shales, Jackson County: Ladd, 1295.

Missouri series, southwestern Iowa: Tilton, 2253.

Pleistocene, Des Moines: Lees, 1346.

Richmond beds: Savage, 1969.

Sweetland black shales, stratigraphic position: Keyes, 1189.

Volcanic ash, Des Moines: Keyes, 1163.

Windfield, boring: Lindly, 1387.

Paleontology.

Annelid jaws, Devonian: Searight, 2009.

Black River Brachiopoda: Fenton, 678.

Des Moines, Carboniferous: Thomas, 2223.

Devonian echinoderms, geographic distribution: Thomas, 2221.

Echinoderms, Devonian: Thomas, 2217.

Maquoketa beds, Fayette County: Slocum, 2070.

Eurypterus, Cambrian, Lansing: Walter, 2384.

Glass sponges: Thomas, 2218.

Hackberry stage: Fenton, 677.

Mammalian remains: Thomas, 2220.

Missouri series, southwestern Iowa: Tilton, 2253.

Pine cone from drift: Thomas, 2226.

Pleistocene mammalian remains: Thomas, 2225.

Proboscidea, Henry County: Jaques, 1050.

Rhynchonellid brachiopods, Devonian: Thomas, 2219.

Stegomastodon: Osborn, 1692.

State beds: Stainbrook, 2128.

Stromatopora, Iowa City: Thomas, 2216, 2222.

Physical geology.

Clay bank erosion, Lee County: Wilson, 2492.

Eolian sands in interglacial deposits, Des Moines: Keyes, 1170.

Fort Dodge gypsum beds: Keyes, 1201; Lees, 1349.

Rockford geodes: Galpin, 723.

Status of sedimentation studies: Trowbridge, 2275.

Physiographic geology.

Algona recessional stages of Wisconsin glaciation: Smith, 2082.

Ames, glacial tills: Smith, 2081.

Drainage changes, Lee County: Wilson, 2492.

Fort Dodge stages of retreating glaciers: Smith, 2083.

Glacial deposits: Kay, 1134.

Glacial Lake Calvin: Schoewe, 1982.

Glacial sheets: Keyes, 1190.

Lake Calvin, origin and history: Schoewe, 1985.

Mississippi River, temporary course: Schoewe, 1983.

Pleistocene, Des Moines: Lees, 1346.

western Iowa: Kay, 1135.

Stages in retreat of glaciers: Smith, 2085.

Underground water.

Water table of the loess: Keyes, 1188.

Iron.

- Alabama, Birmingham district, Clinton ore:
Crane, 468.
Clinton formation: Aldrich, 18.
Arizona, Plumas district: Keyes, 1211.
California: Boalich, 165.
Distribution in meteorites and in earth: Adams, 4.
General: Burchard, 255, 256.
Georgia: Haseltine, 866.
Gogebic range: Hotchkiss, 989.
Iron ore resources of the South: Burchard, 258.
Iron protodes, leaching of: Lovering, 1424.
Iron-depositing bacteria: Inman, 1039.
Mexico, Cerro de Mercado: Salazar Salinas, 1937.
Minnesota, Cuyuna district, manganiferous ores: Zapffe, 2559.
Cuyuna Range: Thiel, 2208.
Mesabi Range: Gruner, 822; Parsons, 1720; Schwartz, 1998.
northern, magnetites: Grout, 816.
New Brunswick, Bathurst mine: Parsons, 1725.
New York, Adirondack magnetites: Newland, 1664.
southeastern, magnetites: Colony, 429.
North Carolina, western: Bayley, 106.
Ontario: Ontario Iron Ore Committee, 1684.
Lake St. Joseph area: Bruce, 224.
Thunder Bay district: Tanton, 2193.
Pennsylvania: Pennsylvania G. S., 1734.
Porto Rico, eastern, magnetite deposits: Fetzke, 687.
Humacao district: Fetzke, 686.
Quebec, Arnprior-Quyon area: Wilson, 2498.
Saskatchewan, Lake Athabaska: Allan, 22.
Tennessee, eastern: Bayley, 106.
Utah, southern: Rohlfing, 1902.
Virginia, Wise and northern Scott counties: Eby, 621.
Wisconsin, Gogebic Range: Hotchkiss, 986.
- Isostasy.**
Abnormal densities in earth's crust: Bowie, 182.
Base for isostasy: Keyes, 1166.
Bearing on geological problems: Bowie, 184.
Bibliography: Knopf, 1281.
Density of igneous rocks: Washington, 2406.
General: Hayford, 884; Leith, 1359; Van Orstrand, 2328.
Geological implications: Lawson, 1337.
Gravity anomalies: Bowie, 185.
Gravity observations from the standpoint of the local geology: White, 2452.
Gravity results, Mackenzie basin: Miller, 1564.
Isostasy as a result of earth shrinkage: Shepard, 2046.
Isostatic investigations: Bowie, 180.
Periodic diastrophism: Shepard, 2046.
Raised beaches and thickness of ice sheets: Coleman, 411.
Rocky Mountains, isostatic aspects: Keyes, 1196.
Size of block of earth's crust independently in isostatic equilibrium: Bowie, 185.
Yielding of the earth's crust: Bowie, 178.

Jamaica.

- Bibliography: Matley, 1496.
Government geologist, report: Matley, 1494, 1498.
Liguanea plain: Matley, 1495.
Areas described.
General: Brunton, 232; Cundall, 482a.
Economic geology.
Mineral resources: Brunton, 237.
Historical geology.
Cretaceous limestones: Trechmann, 2269.
General: Matley, 1494, 1496, 1499.
Richmond formation: Trechmann, 2268.
Yellow limestone: Trechmann, 2267.
Paleontology.
Crab, Cretaceous: Withers, 2519.
Cretaceous and Tertiary decapod crustaceans: Withers, 2520.
Cretaceous Echinoidea: Hawkins, 870.
Echinoidea: Hawkins, 871.
Yellow limestone: Trechmann, 2267.
Underground water.
General: Matley, 1497.
Jarbridge district, Nevada: Schrader, 1990.
Joining.
California, Merced Canyon: Morse, 1639.
Jurassic. *See also Paleontology, Jurassic.*
Alaska, Cold Bay-Chignik district: Smith, 2091.
Kotsina-Kuskulana district: Moffit, 1602.
Alberta: Allan, 20.
Saunders Creek and Nordegg coal basins: Allan, 21.
Arizona, Hopi Buttes volcanic field: Reagan, 1807.
Lees Ferry region: Bryan, 240.
British Columbia, coast region: Dolmage, 568.
Coquihalla area: Cairnes, 281.
Kitsault River to Skeena River: Hanson, 853.
Skeena River to Stewart: Hanson, 856.
Yale district: Cairnes, 282.
Colorado: Keyes, 1227.
Moffat County: Sears, 2010.
Cuba, western: Wright, 2540.
Idaho, Bingham, Bonneville, and Caribou counties: Kirkham, 1273.
Mexico, eastern coast: Wittich, 2524.
northeastern: Böse, 168.
Montana: Bauer, 104.
Beartooth Mountains, Bevan, 155.
Kevin-Sunburst oil field: Clark, 348.
Nevada: Keyes, 1192.
Oregon, Riddle quadrangle: Diller, 564.
Pacific coast: Goranson, 771.
Utah: Keyes, 1219.
Grand and San Juan counties: Prommel, 1780.
San Juan Canyon: Miser, 1594, 1597.
southeastern: Longwell, 1404.
Wyoming, Lost Soldier-Ferris district: Fath, 670.
Wind River Mountains: Condit, 433.

Kansas.*Economic geology.*

Burket-Seeley oil pool, Greenwood County: Loomis, 1412.

Shoestring sands of eastern Kansas: Rich, 1859.

Historical geology.

Cretaceous: Twenhofel, 2295.

Independence area: Reed, 1816.

Permian insects, environment: Dunbar, 596.

Permian unconformity: Chadwick, 315.

Red beds of Chester age, Mid-Continent region: Greene, 799.

Southeastern Kansas, subsurface conditions: Ley, 1374.

Western Kansas: Heald, 891.

Mineralogy.

Meteorite, Anthony, Harper County: Merrill, 1540.

Paleontology.

Amphibian footprints: Hanna, 852.

Cretaceous, invertebrates: Twenhofel, 2295.

Paleolimulus, Permian xiphosuran: Dunbar, 595.

Permian: Dunbar, 596.

Permian Insecta: Tillyard, 2249.

Protohymenoptera: Tillyard, 2251.

Tylosaurus, western Kansas: Gilmore, 749.

Physical geology.

Granite in wells: Gould, 786.

Shoestring sands of eastern Kansas: Rich, 1859.

Structure, relation to production of oil: Best, 154.

Physiographic geology.

Northeastern Kansas, glacial geology: Schoewe, 1984.

Till-like deposits, Douglas County: Schoewe, 1986.

Kaolin.

Formation: Parsons, 1721.

Georgia, Coastal Plain: Stull, 2172.

Pacific Northwest: Wilson, 2493.

Kaolinite associated with miarolitic structure:

Buddington, 248.

Karsts.

Kentucky: Jillson, 1088.

Kentucky.

Bibliography: Jillson, 1066.

History of geological surveys: Jillson, 1066.

Jackson Purchase: Davis, 515.

McCreary County meteorite: Miller, 1571.

Mammoth Cave, bibliography: Jillson, 1065.

Report of Geological Survey, 1922-23: Jillson, 1064.

State parks: Jillson, 1074.

Webster County: Glenn, 759.

Areas described.

Caldwell County: Weller, 2426.

Princeton quadrangle: Weller, 2426.

Economic geology.

Asphalt coal (Nolin coal): Jillson, 1079.

Building stones: Richardson, 1862.

Cannel coal: Jillson, 1084.

Coal: Jillson, 1076.

Webster County: Glenn, 759.

Fluorspar deposits: Currier, 485.

Mica, eastern Kentucky: Jillson, 1078.

Mineral resources: Jillson, 1090.

Kentucky—Continued.*Economic geology—Continued.*

Oil developments, central southern Kentucky: Nelson, 1658.

Oil horizons: Nelson, 1659.

Petroleum: Gardner, 726.

Petroleum problems: Beckner, 114.

Petroleum production: Jillson, 1081.

Road materials: Richardson, 1865.

Rock asphalt: Jillson, 1086.

Historical geology.

Cincinnati anticline, dimensions: Hubbard, 1005.

Cretaceous sediments, western Kentucky: Jillson, 1080.

Eastern Kentucky: Beckner, 113.

Haddix-Coalburg geosyncline: Jillson, 1068.

Jeptha Knobs, Shelby County: Bucher, 246.

Silurian, east central Kentucky: Foerste, 696.

Webster County: Glenn, 759.

Mineralogy.

Meteorite, Glasgow, Barren County: Merrill, 1532.

Paleontology.

Black River Brachiopoda: Fenton, 678.

Flora, western Kentucky coal field: Noé, 1671.

Mother plants of petroleum in Devonian black shale: White, 2448.

Niagaran, Jeptha Knob: Foerste, 696.

Pottsville faunas: Jillson, 1077.

Physical geology.

Caves, southern Kentucky: Miller, 1565.

Fault pattern: Jillson, 1082.

Faulting, north central Kentucky: Miller, 1567.

Haddix-Coalburg geosyncline: Jillson, 1068.

Irvine oil field, structure: Miller, 1570.

Isosthrustic structure, Jeptha Knob: Jillson, 1072.

Mammoth Cave and cave region: Randolph, 1791.

Pottsville-filled channel in Mississippian: Burroughs, 263.

Slate slide, Letcher County: Jillson, 1070.

Subsurface structure, eastern Kentucky: Perry, 1742.

Western Kentucky, faulting: Currier, 485.

Physiographic geology.

General: Jillson, 1085.

Glacial boulders: Jillson, 1089.

Glacial pebbles, eastern Kentucky: Jillson, 1087.

Karst country: Jillson, 1088.

Relief map: Jillson, 1083.

Sink hole region, western Kentucky: Jillson, 1069.

Kerogen and origin of oil: Trager, 2265.

Kevin-Sunburst oil field, Montana: Clark, 348.

Keystone faults: Crosby, 476.

Kings quadrangle, Illinois: Bretz, 205.

Kirkland Lake gold area, Ontario: Hopkins, 979.

Kotsina-Kuskulana district, Alaska: Moffit, 1602.

Labrador: Canada, G. S., 298.

Lake Melville district: Kindle, 1261.

terraces: Kindle, 1267.

Physical geology.

Concretions: Kindle, 1260.

Sand bar, unusual type: Kindle, 1255.

- Laccoliths: Davis, 530; formation: Keyes, 1162.
 La Harpe quadrangle, Illinois: Savage, 1965.
 Lakes.
 Crater Lake, Oregon, origin: Diller, 563.
 Finger Lakes, New York: Monnett, 1605.
 Great Basin lakes, origin: Keyes, 1180.
 Idaho, Mud Lake: Stearns, 2138.
 Indiana, La Porte area: Tucker, 2289.
 Lake Melville district, Labrador Peninsula:
 Kindle, 1261.
 Minnesota, Mille Lacs: Sardeson, 1956.
 Ohio, Berea, Lake Abram: Speckman, 2108.
 Reelfoot Lake, Tennessee: Nelson, 1657.
 Lakes, extinct. *See also* Glacial lakes.
 Green River lake: Knowlton, 1285.
 Lake Bonneville, origin: Keyes, 1180.
 Lakes, glacial. *See* Glacial lakes.
 Laminated anhydrite, Texas: Udden, 2302.
 Lance problem: Ward, 2390.
 Landslides.
 Kentucky, Letcher County: Jillson, 1070.
 Panama Canal slides: Nat. Acad. Sci., 1651.
 Laramie problem; Thom, 2212.
 Laterite, origin, composition and distribution:
 Swanson, 2173.
 Lava flows.
 Idaho, Moon National Monument: Stearns,
 2137.
 Lead.
 Arizona: Heikes, 901.
 Ray quadrangle: Ransome, 1792.
 British Columbia: Robinson, 1885.
 California: Hill, 931.
 Central States: Dunlop, 602, 606.
 Colorado: Henderson, 906, 911.
 Creede district: Emmons, 650.
 Eastern States: Dunlop, 601, 605.
 General: Siebenthal, 2059, 2061, 2064, 2065.
 Idaho: Gerry, 737, 739.
 Shoshone County: Umpleby, 2316.
 Mexico, Abumada, Chihuahua: Rickard, 1875.
 Missouri: Keyes, 1178.
 Montana: Gerry, 741.
 Nevada: Heikes, 895, 899.
 New Mexico: Henderson, 904, 909.
 Ontario, Arnprior-Quyon area: Wilson, 2498.
 Galletta: Wilson, 2500.
 Oregon: Hill, 932.
 Pennsylvania: Miller, 1573; Pennsylvania G.
 S., 1734.
 Quebec, Gaspe Peninsula: Beidelman, 117.
 South Dakota: Henderson, 907.
 Texas: Henderson, 910.
 Upper Mississippi Valley: Spurr, 2122.
 Utah: Heikes, 900.
 Bingham district: Hunt, 1025.
 Park City district: McKay, 1456.
 Washington: Gerry, 738, 740.
 Pend Oreille and Stevens counties: Jenkins,
 1060.
 Yukon, Beaver River area: Cockfield, 395.
 Mayo district: Cockfield, 396.
 Keno Hill: Cockfield, 394.
 Lead and zinc pigments and salts: Siebenthal, 2061.
 Lenses, classification: Fillman, 689.
 Lesser Antilles, formation: Davis, 527.
 Lignite. *See also* Coal.
 Montana, Ekalaka field: Bauer, 105.
 Scobey field, Valley, Daniels, and Sheridan
 counties: Collier, 415.
 North Dakota: Dove, 580.
 Saskatchewan: Lee, 1338.
 Lime.
 General: Loughlin, 1423.
 Massachusetts, eastern New York, and western
 Connecticut: Dale, 496.
 Limestone.
 Ohio, Summerfield and Woodsfield quadran-
 gles: Condit, 432.
 Limestone alterations at Bingham, Utah: Winchell,
 2511.
 Limestone conglomerates, origin: Fillman, 690.
 Loess.
 Origin: Keyes, 1235.
 Lost Soldier-Ferris district, Wyoming: Fath, 670.
 Louisiana.
 Compilation of Louisiana-Arkansas geology:
 Hull, 1012.
Economic geology.
 Bellevue oil field: Holman, 969.
 Cotton Valley oil and gas field, Webster Parish
 Powers, 1769.
 Haynesville field, explanation of production of
 wells: Albertson, 8.
 Mineral resources: Howe, 999.
 Monroe gas field: Stroud, 2171.
 Spring Hill-Sarepta gas field, Webster and
 Bossier parishes: Ponton, 1764.
 Stratigraphy of oil-producing sands in northern
 Louisiana: Hull, 1011.
 Structural features of oil fields, northern Louisi-
 ana: Crider, 470.
 Surface indications of petroleum: Steinmayer,
 2142.
Historical geology.
 Arkadelphia formation, stratigraphy: Howe,
 997.
 Nacatoch formation: Howe, 998.
 Sabine uplift: Huntley, 1032.
 Stratigraphy of oil-producing sands in northern
 Louisiana: Hull, 1011.
 Volcanic ash, northern Louisiana: Crider, 471.
 Volcanic rocks in Cretaceous: Bramlette, 196.
 Bentonite in Upper Cretaceous: Bramlette,
 195.
Paleontology.
 Pliocene Mollusca: Smith, 2073.
Physical geology.
 Differential compacting the cause of certain
 Clatborne dips: Teas, 2198.
 Sandstone inclusion in salt in mine on Avery's
 Island: Heald, 893.
 Structural features of oil fields, northern Louisi-
 ana: Crider, 470.
 Lower Silurian. *See* Ordovician.
 Luling oil field, Caldwell County, Tex.: Sellards,
 2017.
 Luzerne quadrangle, New York: Miller, 1583.
 McCalls Ferry quadrangle, Pennsylvania: Jonas,
 1112.

Mackenzie.

Areas described.

- Franklin Mountains: Williams, 2473, 2475.
 Mackenzie River between Wrigley and Norman: Hume, 1016.
 Norman oil area: Hume, 1013.
 Providence to Simpson: Whittaker, 2462.

Economic geology.

- Fort Norman oil area: Hume, 1015.

Historical geology.

- Franklin Mountains: Williams, 2475.
 Kinderhook, Liard River: Hume, 1014.

Paleontology.

- Kinderhook, Liard River: Hume, 1014.

Physical geology.

- Gravity results, Mackenzie basin: Miller, 1564.
 Magmas and magmatic differentiation. *See also*
 Intrusions; Laccoliths; Lavas.
 Anorthositic, formation: Loewinson-Lessing, 1397.
 Differentiation: Day, 535.
 Final consolidation phenomena in the crystallization of igneous rock: Colony, 430.
 General: Hixon, 949.
 Igneous rocks: Vogt, 2350.
 Metallic concentrations: Spurr, 2120.
 Metals in intrusive magmas: Spurr, 2121.
 "Molten magma": Lewis, 1370; Strauss, 2170.
 Relation of crystallization to water content and vapor pressure of water in a cooling magma: Morey, 1629.

Magnesite.

- General: Hill, 934.
 Quebec, Grenville: Bain, 59.
 Types of magnesite deposits and their origin: Bain, 62.

Magnesium: Hill, 929.

Magnesium salts.

- Saskatchewan: Cole, 405.

- Western Canada: Cole, 404.

Magnetic methods for exploration: Hotchkiss, 987.

Magnetic surveying on copper-bearing rocks of Wisconsin: Aldrich, 17.

Magnetite. *See* Iron.

Magnetite, fumarolic: Zies, 2560.

Maine.

- Turners Lake, Isle-au-Haut: Bishop, 161.

Economic geology.

- Granite: Dale, 495; Smith, 2076.

Historical geology.

- Graptolite locality, Waterville: Perkins, 1736.
 Rangeley conglomerate: Smith, 2072.

Mineralogy.

- Chrysoberyl pegmatite, Hartford: Palache, 1701.

Paleontology.

- Chapman sandstone: Raymond, 1802.
 Monograptus, Waterville: Perkins, 1736.

Petrology.

- Ogunquit, igneous rocks: Keeley, 1138.

Physiographic geology.

- Gulf of Maine, morphology: Johnson, 1099.

Mammalia.

- Agate fossil quarry, Sioux County, Nebraska: Matthew, 1505.
 Alticamelus, Mohave Desert: Davidson, 514.
 Apatemyidae: Troxell, 2280.

Mammalia—Continued.

- Bison, Minnesota: Hay, 876.
 Bridger Carnivora: Thorpe, 2235.
 Carnivora, Uinta, Utah: Thorpe, 2236.
 Cats, Rancho La Brea, California: Merriam, 1523.
 Cetacean, Xenorhynchus, South Carolina: Kellogg, 1142.
 Colorado, Brown's Park: Peterson, 1746.
 Colorado Museum, fossil mammals: Cockerell, 386.
 Desmostylus: Hay, 877.
 Desmostylus and Cornwallius, osteology and dentition: Hay, 880.
 Diplodocus, skull: Holland, 965.
 Diplophus, Oreadon beds, Nebraska: Troxell, 2278.
 Dolichorhinus: Peterson, 1747.
 Elephant remains, Minnesota: Stauffer, 2134.
 Herpetotherium marsupium, Bridger Basin: Troxell, 2281.
 Hesperopithecus: Gregory, 805.
 Horse remains, North Carolina: Cobb, 375.
 Iowa, Henry County, Proboscidea: Jaques, 1050.
 Mammoth tusk, Banks Island: Kindle, 1265.
 Maryland, Calvert Cliffs, whale: Kellogg, 1144.
 squalodonts: Kellogg, 1141.
 Mastodon, extinction: Russell, 1925, 1929.
 New York: Clarke, 363.
 Merychius, restoration: Peterson, 1745.
 Merycochoerus and Promerycochoerus, distinctions: Thorpe, 2240.
 Merycodon, hyoid apparatus: Thorpe, 2237.
 Merycodontoida, characters: Thorpe, 2239.
 Mexico, Chihuahua, Mina Erupcion: Eaton, 618.
 Muscovy skull, Iroquois Beach, Toronto, Ontario: Bensley, 132.
 New York, Mastodons: Osborn, 1686.
 Oreadon beds faunas, South Dakota: Sinclair, 2067.
 Oreadons of Lower Harrison beds, Wyoming: Loomis, 1409.
 Oreadontoides oregonensis, John Day formation, Oregon: Thorpe, 2242.
 Oreadonts, Oligocene, Montana: Loomis, 1400.
 Parelephas: Osborn, 1691.
 Pauronys, Bridger formation, Wyoming: Troxell, 2277.
 Pelagic mammals: Kellogg, 1145.
 Perchoerus skulls, White River and John Day formations: Pearson, 1731.
 Plesippus, Blanco formation, Texas: Matthew, 1509.
 Primates, Paleocene, Montana: Gidley, 743.
 Proboscidea: Hay, 877.
 evolution: Osborn, 1688.
 Prosthennops (peccary), Oregon: Thorpe, 2243.
 Radial exostosis in Daphnionus: Romer, 1905.
 Rhinoceros: Troxell, 2276.
 Rodentia, Eocene: Troxell, 2279.
 Snake Creek fossil quarries: Matthew, 1504.
 Squalodonts: Kellogg, 1141.
 Stegomastodon, Proboscidea: Osborn, 1692.
 Stenomylus, hyoid arch: Peterson, 1744.
 Texas, Miocene: Hay, 879.

Mammalia—Continued.

- Tertiary Mammalia, extinction: Cockerell, 377.
- Uintatherium molars: Wood, 2528.
- Whale, Monterey group, California: Hanna, 849.
- Zarhachis, Calvert formation, Maryland: Kellogg, 1143.

Man, fossil.

- Ancestry: Hill-Tout, 942.
- Antiquity in America: Hrdlicka, 1001.
- in California: Merriam, 1525.
- Artifacts associated with Elephas, Melbourne: Florida: Loomis, 1411.
- California, Los Angeles: Stock, 2150.
- Evolution: Huntington, 1031.
- General: Balcom, 67; Hay, 873.
- Hesperopithecus and Pithecanthropus molars: Gregory, 808.
- Human dentition, evolution: Gregory, 804.
- Occurrence with Pleistocene fossils, Dallas, Texas: Shuler, 2057.
- Origin: Gregory, 810.
- and antiquity: Miller, 1569.
- Phylogeny of man: Hill-Tout, 940.
- Pithecanthropus molars: Gregory, 808; Miller, 1574.
- Pleistocene man: Johnson, 1102.
- Tertiary man: Johnson, 1101.

Manganese.

- Cuba, Buycito: Calvache Dorado, 287.
- General: Jenison, 1055; Meyer, 1554.
- Minnesota, Cuyuna Range: Thiel, 2205.
- Nova Scotia: Jennison, 1062.
- Lunenburg County: Fearing, 671; Reid, 1844.
- Oklahoma, Custer County: Reiter, 1848.
- Porto Rico, Ponce district: Mitchell, 1598.
- Tennessee, eastern: Stose, 2159.

Manganese minerals: Thiel, 2203.

Manhattan district, Nevada: Ferguson, 679.

Manitoba.

Areas described.

- Beresford Lake area: Wright, 2547.
- Elbow Lake area, northern Manitoba: Armstrong, 42.
- Flinflon area: Alcock, 9.
- Rice Lake area, southeastern Manitoba: Wright, 2546.

Economic geology.

- Clays, Lake Agassiz basin: Wallace, 2382.
- Cretaceous shale: Ellis, 634.
- Mineral resources: Wallace, 2381.

Mineralogy.

- Cyanite, Reed-Wekusko area: Wallace, 2383.

Physical geology.

- Marlite balls: Kindel, 1258.

Map making. See Cartography.

Maps. See Geologic maps; Relief maps.

Marble.

- Constitution, characters, and history: Dale, 497.
- Physical features: Bowles, 186.
- Tennessee, east: Dale, 497; Gordon, 772.

Maryland.

Economic geology.

- Coal: Swartz, 2175.
- Fire clay localities: Hall, 837.
- Fire clays: Watts, 2415.
- western Maryland: Mathews, 1491.
- Mineral resources: Mathews, 1493.

Maryland—Continued.

Historical geology.

- Carboniferous: Swartz, 2177.
- Clinton formations: Ulrich, 2312.
- Coal measures: Swartz, 2176.
- Crystalline schists, eastern Maryland: Knopf, 1282.
- Ordovician overlap, Piedmont province: Stose, 2160.
- Pre-Cambrian, western Piedmont: Jonas, 1113.
- Rose Hill and McKenzie formations, sections: Prouty, 1781.
- Silurian: Swartz, 2178.
- correlation: Swartz, 2180; Ulrich, 2311.
- Wills Creek and Tonoloway formations: Swartz, 2179.

Mineralogy.

- Gahnite, cobaltiferous, Carroll County: Shannon, 2027.
- Margarite, Montgomery County: Shannon, 2032.
- Remingtonite, Carroll County: Shannon, 2034.

Paleontology.

- Silurian: Swartz, 2181.
- Squalodonts, Calvert Cliffs: Kellogg, 1141.
- Whale, Calvert Cliffs: Kellogg, 1144.
- Zarhachis, Calvert formation: Kellogg, 1143.

Physical geology.

- Black shale formation: Goldman, 763.
- Ocean inlets, storm effect: Hite, 946.

Massachusetts.

Economic geology.

- Granite: Dale, 495.
- Lime belt: Dale, 496.
- Silver, Newburyport: Green, 796.

Mineralogy.

- Scapolite deposits, Bolton: Palache, 1700.

Paleontology.

- Aspidella-like markings, Cambridge slate: Clark, 353.

- Boston area, Cambrian: Clark, 353.

Petrology.

- Granites and pegmatites of Cape Ann: Warren, 2395.

Physical geology.

- Boston, earthquake risk: Crosby, 474.
- Earthquake, January 7, 1925: Porter, 1767.
- Keystone fault, Purgatory Chasm, Sutton: Crosby, 476.

Physiographic geology.

- Physical features, central Massachusetts: Alden, 15.

Meandering.

- Missouri, Ozark region, entrenched and incised meanders: Tarr, 2195.

Meetings. See Associations.

Mellite, composition: Winchell, 2512; genesis: Bowen, 175.

Mercury. See Quicksilver.

Mesozoic (undifferentiated).

- Alaska, Alaska Railroad region: Capps, 301.
- Ruby-Kuskokwim region: Mertie, 1544.

Metallic concentrations by magmatism, origin: Spurr, 2120.

Metallogenetic zones: Rastall, 1796.

Metamorphic rocks, identification: Leith, 1360.

Metamorphism.

- Adirondacks, contact metamorphism: Agar, 7.
 California, Catalina Island: Woodford, 2530.
 Crystalline schists, southeastern Pennsylvania and Maryland: Knopf, 1282.
 Grenville limestone, Quebec: Bain, 60.
 Kaolin, formation: Parsons, 1721.
 Limestone alterations at Bingham, Utah: Winchell, 2511.
 Minnesota, Ely greenstone, contact metamorphism: Schwartz, 2001.
 Mount Royal contact-metamorphic zone, Quebec: Dolan, 567.
 Porto Rico, Humacao district: Fettke, 686.
 Utah, Bingham: Lindgren, 1384.
 Vermont, Whitingham area: Hubbard, 1004.

Meteor Crater, Arizona: Barringer, 78.

Meteorites.

- Anthony, Harper County, Kansas: Merrill, 1540.
 Cumberland Falls, Kentucky: Meunier, 1549.
 Dungannon, Virginia: Merrill, 1530.
 Estherville, Iowa: Meunier, 1549.
 Four Corners, San Juan County, New Mexico: Merrill, 1541.
 General: Müller, 1566.
 Glasgow, Barren County, Kentucky: Merrill, 1532.
 McCreary County, Kentucky: Miller, 1571.
 McDowell County, North Carolina: Merrill, 1536.
 Mesa Verde Park, Colorado: Merrill, 1531, 1533.
 New Baltimore, Somerset County, Pennsylvania: Merrill, 1533, 1534.
 Oklahoma: Shannon, 2023.
 Pennsylvania: Stone, 2156.
 Quartz in meteoric stones: Merrill, 1539.
 Rose City, Michigan: Hovey, 991, 992.
 Savannah, Tennessee: Merrill, 1531.
 Sharps, Virginia: Watson, 2411.
 Smithville, Oklahoma: Shead, 2039.
 Temperature: Jones, 1114.

Mexico.

Northeastern Mexico: Staub, 2133.

Areas described.

Cerro de Mercado, Durango: Salazar Salinas, 1937.

Lower California: Gálvez, 724.

Economic geology.

- Ahumadalead mine, Chihuahua: Rickard, 1875.
 Cananea, supergene enrichment of copper: White, 2447.
 Chiautla, Puebla: Wittich, 2525.
 Coal and petroleum: Obregon, 1676.
 Copper deposits, Zacatecas: Keyes, 1220.
 Huautla, Morelos: Wittich, 2525.
 Iron, Cerro de Mercado, Durango: Salazar Salinas, 1938.
 Mineral resources: Wittich, 2523.
 Oil fields: Sansom, 1950.
 Petroleum, Chiapas and Tabasco: Vivar, 2348.
 Isthmus of Tehuantepec: Huntley, 1034.
 Tabasco: Jones, 1119.
 Tabasco and Chiapas: Lajous, 1308.
 Primary chalcocite, Cananea: Mitchell, 1601.
 Sierra Mojada district, Coahuila: Shaw, 2038.
 Sinaloa: Pagliuchi, 1696.

Mexico—Continued.

Historical geology.

- Boring, Idolo Island, Vera Cruz: Dumble, 593.
 Chiapas and Tabasco: Vivar, 2348.
 Cretaceous: Hill, 937.
 Zacatecas, Durango, and Guerrero: Böse, 167.
 East coast: Wittich, 2524.
 Geologic map: Mexico, Secr. Agr., 1552.
 Isthmus of Tehuantepec: Huntley, 1034.
 Lower California: Johnston, 1106.
 Marine Wilcox: Dumble, 591.
 Mesozoic formations: Goranson, 771.
 Northeastern Mexico: Böse, 168.
 Petroliferous area of eastern Mexico: Ver Wiebe, 2346.
 Tabasco: Jones, 1119.
 Velasco formation, Tampico Embayment region: Cushman, 486.

Mineralogy.

- Catalogue of minerals: Mexico, Inst. Geol., 1550.
 Clinzoisite, Lower California: Rogers, 1899.
 Geographic distribution of minerals: Mexico, Inst. Geol., 1551.
 Stephanite, Sultepec: Shannon, 2025.

Paleontology.

- Cretaceous, Zacatecas, Durango, and Guerrero: Böse, 167.
 Echinoids, San Rafael and Tuxpam beds, Tampico region: Israelsky, 1042.
 Miocene plants, southern Mexico: Berry, 139.
 Ochotoceras, phylogeny: O'Connell, 1677.
 Quaternary Mollusca, Lower California: Jordan, 1127.
 Vertebrate fossils, Mina Erupcion, Chihuahua: Eaton, 618.

Petrology.

- Eruptive rocks, Minillas, Cerro Prieto, Pichagua, and Sierra de Ramírez: Bonillas, 171.
 San Martin Tuxtla volcanic area: Friedlaender, 719.

Physical geology.

- Earthquake, January 3, 1920: Salazar, 1936.
 Northeastern Mexico, structure: Böse, 168.
 San Martin Tuxtla volcanic area: Friedlaender, 719.

Veining, Sierra de las Cucaras, Baja California: Keyes, 1165.

Underground water.

- Artesian basin of Zavala, San Luis Potosí: Paredes, 1708.

Mica.

- General: Sterrett, 2145; Stoddard, 2152, 2153.
 Kentucky, eastern: Jillson, 1078.
 United States: Sterrett, 2145.

Michigan.

- History of surveys: Allen, 26, 27.
 Meteor, southwestern Michigan, November 26, 1919: Hobbs, 951.
 Publications relating to Michigan geology: Michigan G. S., 1556.

Economic geology.

- Gogebic iron range: Hotchkiss, 989.
 Mineral resources: Smith, 2086, 2088.
 Oil development: Smith, 2087.

Michigan—Continued.

Historical geology.

- Cataract formation: Ehlers, 629.
- Collingwood formation: Ruedemann, 1927.
- Drill core section, Detroit: Vanderwilt, 2322.
- Salina formation: Vanderwilt, 2322.
- Surface formations, map: Leverett, 1367.

Mineralogy.

- Float copper: Kraus, 1292.
- Isotropic quartz, Iron River: Winchell, 2513.
- Meteorite, Rose City, Ogemaw County: Hovey, 991, 992.

Paleontology.

- Devonian gastropod and cephalopod: Ehlers, 627.
- Lipsanocystis traversensis, Devonian cystid: Ehlers, 628.
- Silurian Cephalopoda, northern Michigan: Foerste, 698.

Physical geology.

- Geotherms of Lake Superior copper country: Lane, 1320.
- Marlite balls: Kindle, 1258.

Physiographic geology.

- Surface formations, map: Leverett, 1367.

Microchemical reactions: Lindgren, 1385.

Micrometer, recording, for rock analysis: Wentworth, 2431.

Mineral analyses. *See list, p. 246.*

Mineral resources (general). *See also Economic geology under names of States.*

- Alabama: Maynard, 1510; Smith, 2075.
- Alaska: Brooks, 219.
- Arkansas: Branner, 197; Ferguson, 681.
- British Columbia: Nichols, 1666.
- California: Bradley, 192; Hamilton, 838.
- Canada: Graham, 702.
- Cuba, Isla de Pinos: Roque Allende, 1906.
- Pinar del Rio: Roque Allende, 1907.
- Florida: Gunter, 827.
- Georgia: McCallie, 1441; Maynard, 1510.
- Greenland: Ball, 72.
- Illinois, LaSalle region: Buzzard, 275.
- Iowa: Lees, 1345, 1348.
- Kentucky: Jillson, 1900.
- Labrador: Coleman, 414.
- Louisiana: Howe, 999.
- Manitoba: Wallace, 2381.
- Maryland: Mathews, 1493.
- Mexico: Wittich, 2523.
- Michigan: Smith, 2086, 2088.
- Mississippi: Lowe, 1429.
- Missouri: Buehler, 252, 253.
- Nevada: Lincoln, 1378.
- New Jersey: Twitchell, 2296.
- North Carolina: Drane, 584.
- Nova Scotia: Anon., 2572.
- Oklahoma: Gould, 789.
- Ontario: Corless, 453; Ontario Dept. Mines, 1683.
- Ohio: Peattie, 1732.
- Quebec: Dresser, 685.
- mineral deposits: Alcock, 11.
- South Carolina: Calhoun, 285.
- South Dakota: Ward, 2391.
- Tennessee: Nelson, 1662.
- Texas: Sellards, 2018.

Mineral resources—Continued.

- United States: Loughlin, 1417.
- Vermont: Perkins, 1738, 1740.
- Virginia: Watson, 2414.
- Washington: Shedd, 2045.
- West Virginia: White, 2455.

Mineral water: Collins, 422, 423, 424.

Mineralization along the dikes of southern Vermont: Bray, 202.

Mineralography of the feldspars: Alling, 28.

Mineralogy (general). *For areal see names of States. For particular minerals see list, p. 247. See also Crystallography; Meteorites; Technique.*

Acmite and aegirite: Washington, 2407.

Amphibole group: Winchell, 2509.

Anisotropism in metallic minerals: Sampson, 1944.

Atomic volume isomorphism: Wherry, 2445.

Babingtonite: Washington, 2405.

Biotite: Grout, 819.

Bornite as a furnace product: Guild, 823.

Calcites, behavior to radium radiations: Headen, 887.

luminescence: Headden, 888, 889.

"Ceruleofibrite" is connellite: Holden, 961.

Chalmersite, occurrence: Schwartz, 1996.

Color in rose quartz, cause: Holden, 962.

Copper deposits, Parry Sound, Ontario: Schwartz, 2002.

Crystal cleavage and crystal structure: Huggins, 1009.

Crystal structure, analysis by X rays: Bragg, 194.

Cubanite, identity with chalmersite: Merwin, 1545.

Determinative mineralogy: Lewis, 1369.

Development of methods: Walker, 2364.

Dolomite, crystal structure: Wyckoff, 2552.

Enstatite, hypersthene, and actinolite: Washington, 2398.

Enstatite and clino-enstatite: Wyckoff, 2551.

Feldspars, mineralography: Alling, 28.

Field book: Loomis, 1408.

Fossil bone: Rogers, 1896.

Germanite: Thomson, 2230.

Heat, effects on properties of minerals: Lonsdale, 1407.

Hydromagnesite, crystallography: Rogers, 1894.

Isomorphism of albite and anorthite: Zamboni, 2558.

Isotropic quartz, Iron River, Michigan: Winchell, 2513.

Manganese minerals: Thiel, 2203.

identification: Fairbanks, 667.

Mellite, composition: Winchell, 2512; genesis: Bowen, 176.

Method for checking index of a liquid: Rutherford, 1933.

Methods for heavy mineral investigations: Reed, 1819.

Mineralogical Society of America, third annual meeting, Ann Arbor: Van Horn, 2323.

fourth annual meeting, Washington, 1923: Van Horn, 2325.

Minerals, determination: Ellis, 633.

Mineralogy—Continued.

- Mullite, silicate of alumina: Bowen, 176.
 New crystal forms of minerals: Whitlock, 2457.
 Niobium, tantalum, and titanium, determination: Todd, 2255.
 Oblique illumination in mineragraphy: Myers, 1647.
 Optic angle of crystal, determination: Phemister, 1752.
 Optic axial angle of minerals, new method for measuring: Johannsen, 1092.
 Pearls: Wright, 2543.
 Phosphorescence and luminescence in calcites: Headen, 886.
 Pyrite, crystallography: Whitlock, 2458.
 Pyroxene group: Winchell, 2508.
 Pyroxenes, X-ray diffraction patterns: Wyckoff, 2551.
 Quartz, color of three varieties: Holden, 960.
 in meteoric stones: Merrill, 1539.
 inversion in chalcidony: White, 2456.
 spectrograph in mineral analysis: Todd, 2256.
 Quartz-diamond intergrowth: Colony, 431.
 Relation of hardness to sequence of ore minerals: Gilbert, 745.
 Rotation apparatus: Kerr, 1156.
 Scapolite, properties: Winchell, 2510.
 Searlesite, crystallography: Rogers, 1897.
 Shattering of minerals and rocks about inclusions: Walker, 2368.
 Sillimanite: Bowen, 177.
 Spectroscopy applied to mineral determination: Douglas, 575.
 Stannite and associated minerals: Schwartz, 1999.
 Surface of a crystal: Wherry, 2444.
 Susselite, optical data: Poitevin, 1762.
 Tellurides: Thomson, 2231.
 Thomsonite, composition: Gordon, 781; Wherry, 2441.
 optical notes: Gordon, 779.
 Trevorite: Walker, 2370.
 Volume isomorphism in silicates: Wherry, 2440.
 Wentworth recording micrometer, improved: Hunt, 1027.
 X-ray determination of minerals: Mead, 1512.
 Minerva oil field, Milam County, Texas: Hager, 829.

Minnesota.

- Minnesota, geology of the name: Sardeson, 1953.

Economic geology.

- Clay: Grout, 818.
 Foundry sands: Knapp, 1275.
 Iron, Mesabi Range: Gruner, 822.
 Iron sulphides in magnetic belts near the Cuyuna Range: Thiel, 2206.
 Magnetite pegmatites, northern Minnesota: Grout, 816.
 Magnetite slates, Cuyuna Range: Thiel, 2208.
 Manganese, Cuyuna Range: Thiel, 2205.
 Manganiferous iron ores, Cuyuna district: Zapffe, 2559.
 Mesabi iron ores: Parsons, 1720; Schwartz, 1998.

Minnesota—Continued.

Economic geology—Continued.

- Native silver in an iron mine, Cuyuna range, Crosby: Lane, 1323.
 Portland cement materials: Sardeson, 1952.
 Potash in shales: Schmitt, 1980.

Historical geology.

- Geologic history: Meinzer, 1520.
 Geological section: Keyes, 1182.
 Lake Superior geosyncline: Hotchkiss, 990.
 Mesabi Range: Gruner, 822.
 Type outcrops, Minnesota River valley: Sardeson, 1959.
 Vermilion granite: Grout, 816.
 Volcanic ash, Ordovician: Sardeson, 1960.

Mineralogy.

- Mesabi Range: Gruner, 822.
 Stilpnomelane: Grout, 820.
 Xonotlite, Mineral Center, Cook County: Schwartz, 2000.

Paleontology.

- Algae, Archean: Gruner, 821.
 Bison: Hay, 876.
 Elephant remains: Stauffer, 2134.
 Ordovician clams, habit: Sardeson, 1962.

Petrology.

- Ely greenstone, granite and gabbro intrusions: Schwartz, 2001.

Physical geology.

- Ladder veins: Grout, 817.

Physiographic geology.

- Buffalo Plains, origin: Sardeson, 1957.
 Eskers: Sardeson, 1955.
 Mille Lacs: Sardeson, 1956.

- Minnesota and Mississippi rivers, drainage changes: Sardeson, 1953.

Miocene. See Tertiary.

Miscellaneous. See also Addresses.

- Abstracting geologic literature: Keyes, 1206.
 Appalachian field trip: Morse, 1640.
 Continents and oceans, origin: Wegener, 2420.
 Cooperation in geology: De Golyer, 548.
 Decadence of geology (?): Bastin, 96; Keyes, 1251.
 Economic geologist: De Golyer, 550.
 Education of a geologist: Brock, 215; Lindgren, 1380.
 Geodetic work, value to geology: Bowie, 179.
 Geologic teaching in mining engineering: Dake, 493.
 Geology, U. S. National Museum: Merrill, 1528.
 Geology a growing science: Bastin, 96.
 Geology as an aid to air navigation: Christie, 339.
 Marking geological features: Troxell, 2282.
 Microscope and the decadence of geology: Cady, 277; Eng. and Min. Jour.-Press, 654; Joralemon, 1121.
 Microscope in geology: Waldschmidt, 2362.
 Modern geology and its contribution to engineering: Leighton, 1357.
 National Research Council, division of geology and geography, work of: Lawson, 1335.
 Oil geology and science: Heald, 892.
 Outlook for geology: DeWolf, 559.
 Preparation in geological communication: Keyes, 1210.

- Mississippi.
 Report of director of geological survey: Lowe, 1426.
Economic geology.
 Bauxite: Morse, 1637.
 Mineral resources: Lowe, 1428, 1429.
 Petroleum prospecting: Lowe, 1427; Morse, 1638.
Historical geology.
 Borings: Lowe, 1427.
 Stratigraphy: Lowe, 1427.
 Mississippi River, temporary course in Iowa: Schoewe, 1983.
 Mississippian. *See* Carboniferous.
 Missouri.
 State geologist, report 1921-22; Buehler, 252.
Economic geology.
 Diaspore clay: Wysor, 2553.
 High temperature vein, Madison County: Tarr, 2194.
 Lead and zinc deposits: Keyes, 1178.
 Mineral deposits: Buehler, 252.
 Mineral resources: Buehler, 253.
 Oil and gas: Wilson, 2497.
Historical geology.
 Bailey limestone, Little Saline Creek area: Tansey, 2189.
 Devonian formations along the Missouri River: Branson, 199.
 Geological map: Buehler, 251.
 Geology and stratigraphy: Wilson, 2497.
 Little Saline limestone, Ste. Genevieve County: Stewart, 2147.
 Mississippi Valley: Krey, 1293.
 Ordovician nomenclature: Keyes, 1171.
 Paleozoic formation margins: Branson, 200.
 Section, Meramec Highlands, St. Louis County: Shipton, 2055.
Paleontology.
 Bailey limestone fauna: Tansey, 2189.
 Black River Brachiopoda: Fenton, 678.
 Devonian: Branson, 199.
 Little Saline limestone fauna, Ste. Genevieve County: Stewart, 2147.
 Stropheodonta demissa, evolution in Snyder Creek shales: Branson, 198.
Physical geology.
 Crystalline rocks of the plains: Gould, 786.
 Mississippi Valley, structure: Krey, 1293.
 Septaria, Pennsylvanian shale, St. Louis: Grawe, 794.
Physiographic geology.
 General: Keyes, 1247.
 Glacial deposits: Leverett, 1366.
 Glaciation, southeastern Missouri: Leverett, 1368.
 Nebraskan drift, northern Missouri: Shipton, 2056.
 Relief map: Keyes, 1245.
 Streams on northern slope of Ozark Plateau: Tarr, 2195.
 Subterranean stream piracy in the Ozarks: Dake, 492.
Underground water.
 Ebb and flow springs, Ozarks: Bridge, 212.
 Molding sand.
 Ohio: Bownocker, 187.
 Mollusca. *See also* Cephalopoda; Gastropoda; Invertebrates (general); Pelecypoda.
 Alaska, Peard Bay region, Pleistocene: Meek, 1513.
 Arctic coast, Pleistocene: Dall, 498.
 British Columbia, Vancouver Island, Sooke formation: Clark, 345.
 California, San Lorenzo group: Wagner, 2352.
 Sonoma County, Miocene lacustrine mollusks: Hanna, 842.
 Canada, Brock River, Tertiary: Dall, 498.
 Costa Rica, Miocene: Palmer, 1707.
 Eocene, southwestern Texas: Gardner, 727.
 Eocene and Oligocene: Cooke, 439.
 Florida, Tertiary and Quaternary: Mansfield, 1482.
 Haiti, Tertiary: Woodring, 2535.
 Idaho formation, Snake River valley: Dall, 501.
 Illinois, Joliet, Pleistocene: Baker, 64.
 Jamaica, Cretaceous: Trechmann, 2269.
 Richmond formation, Tertiary: Trechmann, 2268.
 Yellow limestone: Trechmann, 2267.
 Louisiana, Pliocene: Smith, 2073.
 Mexico, Cretaceous: Böse, 167.
 Lower California, Quaternary: Jordan, 1127.
 Miocene and Pliocene, Coastal Plain: Gardner, 729.
 Nomenclature: Dall, 500.
 Orygoceras, Tertiary, Idaho: Dall, 499.
 Pacific region, Cretaceous: Reagan, 1806.
 Rectifications of nomenclature: Hanna, 847.
 San Pedro fauna, Nob Hill cut, California: Oldroyd, 1681.
 Washington, Eocene: Weaver, 2417.
 West Indian, Central American, and European Miocene and Pliocene: Woodring, 2537.
 Molluscoldea. *See* Brachiopoda; Bryozoa.
 Molybdenum.
 Canada: Eardley-Wilmot, 611, 613.
 General: Hess, 916, 917, 919.
 Idaho, Rocky Bar district: Schrader, 1992.
 Quebec, Arnprior-Quyon area: Wilson, 2498.
 Utah, Ouray: Hess, 915.
 Montana.
Areas described.
 Beartooth Mountains: Bevan, 155.
 Butte district, Silver Bow County: Daly, 507.
 Ekalaka lignite field: Bauer, 105.
 Fergus County: DeKalb, 553.
 Musselshell and Golden Valley counties: Ellis, 631.
 Scobey lignite field, Valley, Daniels, and Sheridan counties: Collier, 415.
Economic geology.
 Butte district, Silver Bow County: Daly, 507.
 Central Montana, examination for oil: Reeves, 1832.
 Cone domes of oil fields: Sardeson, 1951.
 Gold, silver, copper, lead, and zinc: Gerry, 741.
 Kevin-Sunburst oil field: Clark, 348.
 Magmatic chalcopryrite, Park County: Lovering, 1425.
 Oil and gas possibilities, faulted area south of Bearpaw Mountains: Reeves, 1836.
 Petroleum, central Montana: 1831, 1833.

Montana—Continued.

Economic geology—Continued.

Secondary enrichment in genesis of Butte chalcocite: Locke, 1396.

Sunburst oil and gas field: Hager, 831; Sardeson, 1951.

Supergene processes at Neihart: Bastin, 92.
Tullock Creek coal field, Rosebud and Big Horn counties: Rogers, 1900.

Historical geology.

Area south of Bearpaw Mountains: Reeves, 1836.

Bearpaw Mountains: Reeves, 1835.

Belt series: Wilson, 2507.

Belt terrane, Big Snowy Mountains: Freeman, 717.

Belton district, northwestern Montana: Seashore, 2013.

Central Montana, Cat Creek anticline: Reeves, 1831.

Devils Basin anticline: Reeves, 1833.
examination for oil: Reeves, 1832.

Colorado group, southern Montana: Reeside, 1826.

Cretaceous-Eocene transition beds: Thom, 2212.

Fergus County: Reeves, 1834.

Kevin-Sunburst oil field: Clark, 348.

Lance-Fox Hills contact, eastern Montana: Dobbin, 566.

Rosebud County: Renick, 1852, 1854.

Stratigraphy, comparative: Bauer, 104.

Tullock Creek coal field, Rosebud and Big Horn counties: Rogers, 1900.

Upper Cretaceous paleogeography: Robinson, 1896.

Mineralogy.

Leuchtenbergite, Phillipsburg: Shannon, 2026.

Leverrierite: Ross, 1909.

Witherite, Altyn limestone, Many Glacier: Fuller, 722.

Paleontology.

Colorado group, southern Montana: Reeside, 1826.

Cretaceous Mollusca: Reagan, 1806.

Eporeodons, White River beds: Thorpe, 2241.

Oreodonts, Oligocene, Three Forks: Loomis, 1410.

Primates, Sweetgrass County: Gidley, 743.

Tempskya knowltoni: Seward, 2022.

Physical geology.

Bearpaw Mountains, structure: Reeves, 1835.

Faulting south of Bearpaw Mountains: Reeves, 1836.

south of Billings: Moulton, 1643.

Rocky Mountains, structure: Mansfield, 1475.

Structural features, central Montana: Thom, 2210.

Underground water.

Base exchange by silicates in ground water: Renick, 1852.

Ground water and natural gas, relations: Renick, 1854.

Musselshell and Golden Valley counties: Ellis, 631.

Moon's craters, impact origin: Beard, 111.

Moon's surface: Barringer, 79.

Moose River basin, Ontario: Kindie, 1262.

Monroe gas field, Louisiana: Stroud, 2171.

Moraines.

Morris quadrangle, Illinois: Culver, 480.

New York, Rochester, Pinnacle Hills: Fairchild, 668.

St. Lawrence Valley: Taylor, 2197.

western: Chadwick, 313.

Mosses as rock builders: Emig, 649.

Mounds.

Cahokia mounds, Illinois, origin: Crook, 473.

Mountains. *See* Orogeny.

Mud crack: Kindie, 1256; Ward, 2389.

Natural bridges.

Missouri, Ozarks: Dake, 492.

Utah, Rainbow Bridge: Miser, 1593.

Natural gas.

Alberta: Elworthy, 646.

Wainwright area: Hume, 1018.

Wainwright-Irma area: Hume, 1021.

Arkansas, Smackover oil and gas field: Bell, 119.

Colorado, Fort Collins: Ball, 69, 70.

General: McBride, 1438; Richardson, 1867.

Illinois, eastern: Mylius, 1649.

Iowa: Howell, 1060.

Louisiana, Cotton Valley field, Webster County: Powers, 1769.

Monroe gas field: Stroud, 2171.

Spring Hill-Sarepta field: Ponton, 1764.

Migration of oil and gas: Mather, 1489.

Missouri: Wilson, 2497.

Montana, Sunburst field: Hager, 831.

New Mexico: Ellis, 632.

Ohio, Columbiana County: Stout, 2169.

Oklahoma, Pershing oil and gas field: Rubey, 1920.

Sayre field, Beckham County: Birk, 160.

Tonkawa field: Hosterman, 984.

Ontario: Harkness, 860.

Origin: Lewis, 1372.

Pennsylvania: Pennsylvania G. S., 1734.

Production, reserves, etc.: Arnold, 44.

Texas, Amarillo district: Harrison, 861.

Currie field, Navarro County: Lahee, 1300.

Jim Hogg County: Jones, 1118.

Panhandle: Pratt, 1774.

Potter County: Patton, 1728.

Utah, Farnham: Calvert, 288.

Wyoming: Estabrook, 660.

Laramie and Medicine Bow districts: Bartlett, 81.

Lost Soldier-Ferris district: Fath, 670.

Natural gas in oil migration: Mills, 1588.

Nebraska.

Historical geology.

Geological section: Keyes, 1182.

Granite ridge: Ruby, 1921.

Paleontology.

Agate fossil quarry, Sioux County: Matthew, 1505.

Agate Spring quarries, western Nebraska: Peterson, 1743.

Alligator, Snake Creek beds, Agate: Mook, 1611.

Avian fossils, Miocene and Pliocene: Wetmore, 2436.

Diplocephalus, Oreodon beds: Troxell, 2278.

Eporeodonts, White River beds: Thorpe, 2241.

Nebraska—Continued.

Paleontology—Continued.

- Hesperopithecus: Gregory, 805.
 Merycoidodon, hyoid apparatus: Thorpe, 2237.
 Sioux County: Thorpe, 2238.
 Radial exostosis in Daphoenus: Romer, 1905.
 Stegomastodon: Osborn, 1692.
 Stenomylus, hyoid arch, Sioux County: Peterson, 1744.

Physical geology.

- Granite in wells: Gould, 786.

Nevada.

Areas described.

- Charleston district: Schrader, 1990.
 Jarbidge district: Schrader, 1990.
 Manhattan district: Ferguson, 679.

Economic geology.

- Borax: Fosbarg, 706.
 Carnotite, southern Nevada: Hewett, 920.
 Gold, silver, copper, lead, and zinc: Helges, 895, 899.
 Magnesia alum near Fallon: Hewett, 924.
 Mineral resources: Lincoln, 1378.
 Nickel ores, Key West mine: Lindgren, 1383.
 Oil shale: Winchester, 2515.
 Rochester district: Knopf, 1280.
 Tonopah district: Budelman, 250.

Historical geology.

- Davis Creek beds: Chaney, 335.
 Formation names: Keyes, 1220.
 General: Keyes, 1192.
 Geological traverse, Mohave to San Juan River: Gregory, 802.
 Rochester district: Knopf, 1280.
 Spring Mountain Range, southern Nevada: Hewett, 921.
 Type localities of formations: Keyes, 1194.

Mineralogy.

- Barrandite, Manhattan: Shannon, 2028.
 Benjaminites, Round Mountain, Nye County: Shannon, 2029.

Paleontology.

- Davis Creek beds flora: Chaney, 335.
 Sculpin, Lake Lahontan: Jordan, 1126.

Physical geology.

- Basin range structure in the Great Basin: Louderback, 1413.
 Dolomitization in southern Nevada: Hewett, 922.
 near Goodsprings: Hewett, 923.
 Faulting, southern Nevada, Keyes, 1214; Longwell, 1406.
 Lake Lahontan sediments: Jones, 1115.
 Pedestal rock, Pershing County: Reid, 1845.
 Western ranges, structural features: Ferguson, 680.

Physiographic geology.

- Scarp production in Great Basin: Louderback, 1415.

Underground water.

- Thermal springs: Meinzer, 1519.

New Brunswick.

Economic geology.

- Bathurst iron district: Parsons, 1725.
 Minto coal basin: Dyer, 609.
 Peat bogs: Anrep, 38.

Historical geology.

- Carboniferous, subdivision: Bell, 131.
 Minto coal basin: Dyer, 609.

New Brunswick—Continued.

Paleontology.

- Flora, Carboniferous: Round, 1919.
 New England, monadnock divide: Brown, 223.

Newfoundland.

Petrology.

- Chert formations, Notre Dame Bay: Sampson, 1942.

Physical geology.

- Wabana ore deposits, folding and faulting: Gilliat, 746.

Physiographic geology.

- Terraces, Lake Melville district, Labrador: Kindle, 1267.

New Hampshire.

- Soils, Coos County: Crosby, 477.

Economic geology.

- Ammonoosuc mining district: Ross, 1913.
 Granite: Dale, 495.

Historical geology.

- Ammonoosuc mining district: Ross, 1913.

Mineralogy.

- Sarcopside, Deering: Holden, 963.

Physical geology.

- Glacial varves, Connecticut Valley, summer deposition: Sayles, 1973.

Physiographic geology.

- Pinkham Notch, physiographic history: Crosby, 475.

New Jersey.

- State geologist's report, 1921-23: Kummel, 1294.

Economic geology.

- Mineral industries, 1921-22: Twitchell, 2296.
 Zinc, Franklin Furnace district: Salton, 1939.

Historical geology.

- Postglacial laminated clays, Little Ferry: Reeds, 1824.

Mineralogy.

- Chlorophoenicite, Franklin Furnace: Fosbarg, 707.

- Franklin minerals: Gordon, 780.

- Ganophyllite, Franklin Furnace: Larsen, 1330.
 Glaucochroite, willemite, celestine, and calcite, Franklin: Gordon, 775.

- Sussexite, Franklin Furnace: Poltevin, 1762.

- Tephroite, Franklin: Gordon, 777.

Physical geology.

- Postglacial laminated clays, Little Ferry: Reeds, 1824.

Physiographic geology.

- Banded postglacial clay near New York City: Reeds, 1822.

Underground water.

- General: Kummel, 1294.

New Mexico.

Areas described.

- Raton coal field, Colfax County: Lee, 1341.

Economic geology.

- Brass ore in nature: Keyes, 1172.
 Carbon ratios, Cretaceous coals: Storm, 2158.
 Coal, Raton field, Colfax County: Lee, 1341.
 Fierro ores: Schwartz, 1996.
 Gold, silver, copper, lead, and zinc: Henderson, 904, 909.

- Mogollon district: Kidder, 1252.

- Oil and gas in 1923: Ellis, 632.

- O'Mara coal field: Keyes, 1176.

New Mexico—Continued.

Economic geology—Continued.

- Ore deposits: Keyes, 1226.
 Santa Rita district: Rickard, 1873.

Historical geology.

- Laramie hiatus, southern Rocky Mountains: Keyes, 1213.
 San Juan Basin: Reeside, 1828.
 Santa Rita district: Rickard, 1873.

Mineralogy.

- Chalmersite, Fierro: Schwartz, 1906.
 Meteorite, Four Corners, San Juan County: Merrill, 1541.
 Uranium minerals: Keyes, 1172.

Paleontology.

- Pentaceratops: Osborn, 1687.

Physical geology.

- Carlsbad Cavern: Lee, 1343, 1344.
 Colorado Plateau, structural features: Moore, 1621.

Granite in wells: Gould, 786.

Pedestal rocks: Bryan, 243.

Physiographic geology.

- Caverns in Guadalupe Mountains: Baker, 63.
 San Luis Valley, physiographic history: Atwood, 50.

Underground water.

- Ground water, Sandoval County: Renick, 1855.

New York.

- State Museum report: Clarke, 364, 368.

Areas described.

- Luzerne quadrangle: Miller, 1583.
 New York City: Reeds, 1821.

Economic geology.

- Adirondack magnetites: Newland, 1664.
 Lime belt, eastern New York: Dale, 496.
 Magnetite iron deposits, southeastern New York: Colony, 429.
 Ore injection at Edwards: Spurr, 2123.
 Sedimentary phases of Adirondack magnetites: Nason, 1650.
 Zinc, St. Lawrence County: Wade, 2351.

Historical geology.

- Chemung stratigraphy, western New York: Chadwick, 311, 312.
 Clinton formations: Ulrich, 2312.
 Geological history: Miller, 1587.
 Highlands, southeastern New York: Colony, 429.

Marine Pleistocene fossils, New York City: Palmer, 1706.

Pinnacle Hills, Rochester: Fairchild, 668.

Mineralogy.

- Adirondacks, western: Agar, 7.
 Scorodite, Putnam County: Martens, 1485.
 Thomsonite, Peekskill: Phillips, 1754.

Paleontology.

- Barnacles, Ordovician: Ruedemann, 1925.
 Callixylon, Eighteenmile Creek: Hylander, 1036.
 Cohoes mastodon: Clarke, 363.
 Devonian crinoids: Goldring, 764.
 Devonian seed fern forests: Goldring, 765.
 Devonian seed ferns: Berry, 146.
 Dictyosponge, Chautauqua County: Clarke, 363.

New York—Continued.

Paleontology—Continued.

- Hemiaspidan crustacean, Bertie waterline: Clarke, 365.
 Marine Pleistocene fossils, New York City: Palmer, 1706.
 Mastodon, Cohoes, restoration: Clarke, 371.
 Mastodons, Hudson Highlands: Osborn, 1686.
 Temple Hill mastodon: Clarke, 363.
 Vernon shale fauna: Eaton, 619.

Petrology.

- Adirondacks, western: Agar, 7.
 Igneous rocks, Ithaca: Martens, 1484, 1486.
 Origin of foliation and naming of syntectonic rocks: Ailing, 29.

Physical geology.

- Adirondacks, western: Agar, 7.
 Box vein, Lyonsdale, Lewis County: Dale, 494.
 Highlands, southeastern New York: Colony, 429.

Physiographic geology.

- Banded postglacial clay near New York City: Reeds, 1822.
 Finger Lakes: Monnett, 1605.
 General: Miller, 1587.
 Genesee glacial lakes: Chadwick, 313.
 Glacial ice sheet, eastern New York, disappearance: Cook, 437.
 Glacial lakes: Chadwick, 310.
 Moraines, St. Lawrence Valley: Taylor, 2197.
 Skaneateles Lake: Monnett, 1605.

Nickel.

- Alaska: Buddington, 249.
 Chicago Island: Kerr, 1155.
 British Columbia, Yale mining division: Cairnes, 284.
 General: Hess, 917, 919.
 In igneous rocks: Vogt, 2349.
 Nevada, Key West mine: Lindgren, 1383.
 Ontario, Thunder Bay district, Shebandowan Lake: Tanton, 2190.
 Oregon, Riddle quadrangle: Diller, 564.
 Pennsylvania, Lancaster Gap mine: Phemister, 1753.

Nitrates: Mansfield, 1476.

Nomenclature.

- Clastic sediments: MacKenzie, 1459.
 Geologic column, terms, origin and significance: Lang, 1326.
 Geologic periods: Keyes, 1197.
 Geologic terminology: Blackwelder, 164.
 Geological classification: Keyes, 1179.
 Limestones: Kindle, 1259.
 Madison limestone: Keyes, 1194.
 Minnesota, Minnesota River valley formations: Sardeson, 1959.
 Mississippian: Keyes, 1187.
 Missouri, Ordovician: Keyes, 1171.
 Mollusca: Dall, 500.
 Pennsylvanian, taxonomic rank: Keyes, 1215.
 Pennsylvanian in Iowa: Keyes, 1248.
 Pre-Cambrian: Keyes, 1174.
 Proposed stratigraphic section and code: Ashley, 49.
 Rocks: Bowen, 175.
 St. Louis limestone: Keyes, 1187.
 Seismological terms: Davison, 534.

Nomenclature—Continued.

- Shapes of valleys, representation: Lane, 1318.
 Silurian: Keyes, 1228.
 Syntectic rocks: Ailing, 29.
 Time subdivisions: Keyes, 1229.
- North Atlantic Ocean, Tertiary history: Woodring, 2536.
- North Carolina.
 State geologist, report 1921-22: Pratt, 1771.
- Economic geology.*
 Copper deposits: Watson, 2412.
 Magnetic iron ores, western North Carolina: Bayley, 106.
 Mineral resources: Drane, 584.
 Rutile in titaniferous magnetites: Bayley, 108.
- Historical geology.*
 Cretaceous: Stephenson, 2143.
 Permian at base of Newark: Cobb, 374.
- Mineralogy.*
 Meteorite, McDowell County: Merrill, 1536.
- Paleontology.*
 Cretaceous: Stephenson, 2143.
 Decapod Crustacea, Upper Cretaceous: Rathbun, 1797.
 Horse remains: Cobb, 375.
- Physical geology.*
 Ocean inlets, storm effect: Hite, 946.
 Shore changes, Cape Hatteras: Rude, 1923.
- Underground water.*
 Thermal springs: Watson, 2413.
- North Dakota.
Economic geology.
 Gravel: Leonard, 1364.
 Lignite: Dove, 580.
- Historical geology.*
 Cretaceous - Eocene transition beds: Thom, 2212.
 Lance-Fox Hills contact: Dobbin, 566.
- Paleontology.*
 Eporeodons, White River beds: Thorpe, 2241.
 Fruits, Fort Union beds: Stainbrook, 2127.
- Physiographic geology.*
 General: Willard, 2470.
 Missouri River channel, age: Todd, 2259.
- Underground water.*
 Artesian water conditions: Simpson, 2066.
- Northern Great Plains, physiographic development: Alden, 16.
- Notostraca.
 Ozarkian: Walcott, 2356.
- Nova Scotia.
Areas described.
 Great Bras d'Or coal district, Victoria County, Cape Breton: Bell, 128.
 Sydney coal field, southern part: Hayes, 883.
- Economic geology.*
 Coal, Sydney field: Hayes, 883.
 Gold deposits: Brunton, 235, 238.
 Manganese: Jennison, 1062.
 Lunenburg County: Fearing, 671; Reid, 1844.
 Mineral resources: Anon. 2572.
 Salt deposits, Malagash: Chambers, 331.
- Historical geology.*
 Carboniferous, subdivision: Bell, 131.
 Coal-bearing formations: Bell, 130.
 General: Brunton, 234.
 Minto, coal horizon, correlation: Bell, 129.
 Silurian, Arisaig: McLearn, 1462.

Nova Scotia—Continued.

- Mineralogy.*
 Magnesite crystals, Orangedale: Dobbel, 565.
 Mordenite and louisite: Walker, 2365.
 Pegmatite minerals, New Ross: Walker, 2377.
 Salt deposit minerals, Malagash: Rickaby, 1871.
- Paleontology.*
 Silurian, Arisaig: McLearn, 1462.
- Petrology.*
 Amygdaloid, tubular, in traps: Walker, 2365.
 General: Brunton, 234.
- Physical geology.*
 Drainage change, Black and Gaspereau rivers, Kings County: Churchhill, 341.
 Elevation of sea coast near Wolfville: Churchhill, 340.
- Physiographic geology.*
 General: Goldthwait, 766.
 Glaciation: Walker, 2365.
- Oatman district, Arizona, geology: Ransome, 1793.
 Ocean currents, climatic effects: Chamberlin, 321.
 Oceanic islands, classification: Davis, 532.
 Oceanographic research: White, 2454.
 Oceanography: Vaughan, 2342.
 Deep off coast of Mexico and Central America: Heck, 894.
- Ocher.
 Georgia, Cartersville: Weigel, 2424.
- Ohio.
 Geography: Peattie, 1732.
- Areas described.*
 Columbiana County: Stout, 2169.
 Summerfield and Woodsfield quadrangles: Condit, 432.
- Economic geology.*
 Coal fields: Campbell, 292.
 Coal formation clays: Stout, 2167.
 Coals, analyses: Fieldner, 688.
 Mineral resources: Peattie, 1732.
 Molding sand: Bownocker, 187.
 Summerfield and Woodsfield quadrangles: Condit, 432.
- Historical geology.*
 Chagrin formation: Chadwick, 314.
 Cincinnati antiline, dimensions: Hubbard 1005.
 Silurian: Foerste, 696.
- Paleontology.*
 Gastropod, Guelph formation: Foerste, 696.
 Median fauna: Foerste, 696.
 Silurian: Foerste, 696.
 Type fossils in museum of Ohio State University: Morningstar, 1635.
- Physical geology.*
 Isothrustic structure, Adams County: Jillson, 1072.
- Physiographic geology.*
 Lake Abram, Berea: Speckman, 2108.
- Oil. See Petroleum.
- Oil shales.
 Bibliography: Winchester, 2515.
 California, Santa Barbara: Gore, 783, 784.
 Canada: Ellis, 635.
 Distribution in United States: Winchester, 2514.
 General: Fettke, 684; Reeves, 1837.
 Green River formation, Colorado: Sears, 2012.

Oil shales—Continued.

- Indiana: Reeves, 1837.
- Manitoba, Cretaceous shale: Ells, 634.
- Organic content: Goodwin, 767.
- Origin: Jones, 1115.
- Pennsylvania: Fettke, 685.
- Rocky Mountain region: Winchester, 2515.
- Saskatchewan, Cretaceous shale: Ells, 634.

Oklahoma.

- Drillite: Shead, 2042.

Areas described.

- Southern Ouachita Mountains: Honess, 975.
- Stonewall quadrangle: Morgan, 1632.

Economic geology.

- Building materials: Oakes, 1675.
- Burbank field, Osage County: Sands, 1949.
- Copper, Garfield County: Reiter, 1847.
- Graham field, Carter County: Tomlinson, 2261.
- Manganese, Custer County: Reiter, 1848.
- Mineral resources: Gould, 789.
- Oil sands, texture: Melcher, 1521.
- Pershing oil and gas field, Osage County: Rubey, 1920.
- Phosphate rock, Hastings: Shead, 2040.
- Robberson oil and gas field, Garvin County: Denison, 558; English, 655; Oklahoma G. S. 1679.
- Sayre oil and gas field, Beckham County: Birk, 160.
- Siluro-Devonian oil horizon: Morgan, 1631.
- Stroud oil field: McFarland, 1452; Powers, 1770.
- Tonkawa oil and gas field: Clark, 349; Hosterman, 984.

Historical geology.

- Arbuckle Mountains, geologic history: Weidman, 2422.
- mapping: Decker, 547.
- Black Mesa basalt, Cimarron County: Shead, 2043.
- Boggy unconformity and overlap, southern Oklahoma: Morgan, 1633.
- Buried mountain ranges: Gould, 787.
- Comanchean, Love County: Bullard, 254.
- Conglomerates near eastern limits of red beds: Evans, 664.
- Eastern Oklahoma, underground stratigraphy: Trager, 2264.
- Foraker limestone, Lincoln County: Lillibridge, 1377.
- Franks and Seminole formations, stratigraphic position: Morgan, 1634.
- Geologic map in preparation: Miser, 1596; Powers, 1768.
- Glaciation, Pennsylvanian-Permian, Arbuckle region: Weidman, 2421.
- Glenn formation: Girty, 757.
- Leflore and McCurtain counties: Honess, 976.
- Pennsylvanian paleogeography, Henryetta district: Reed, 1817.
- Pennsylvanian-Permian glaciation, Arbuckle and Wichita mountains: Dunbar, 599; Weidman, 2423.
- Permian red beds, southwestern Oklahoma: Gould, 788.
- Pontotoc series, Arbuckle area: Morgan, 1630.
- Simpson formation: Edson, 624.
- Southwestern Oklahoma: Sawyer, 1970.

Oklahoma—Continued.

Historical geology—Continued.

- Stanley-Jackfork series: Honess, 976.
- Verdant sandstone: Reed, 1818.
- Volcanic ash, North Canadian Valley: Gardner, 725.
- Wildhorse area: Brockway, 218.

Mineralogy.

- Barite: Shead, 2041.
- Meteorites: Shannon, 2023.
- Smithville: Shead, 2039.

Paleontology.

- Comanchean, Love County: Bullard, 254.
- Glenn formation: Girty, 757.

Physical geology.

- Anticlinal folds, Custer County: Reiter, 1849.
- Crystalline rocks of the plains: Gould, 786.
- Pershing oil and gas field, Osage County: Rubey, 1920.
- Slumping previous to consolidation in Pennsylvanian: Ross, 1912.
- South Canadian River near Norman: Evans, 665.
- Temperature deepest well: Miser, 1595.
- Wichita Mountain area, erosion and transportation: Evans, 663.

Physiographic geology.

- Arbuckle Mountains, physiographic history: Weidman, 2422.
- North and South Canadian River basins: Bollinger, 170.
- Red River: Tex., Atty. Gen., 2202.
- Underground water.*
- Enid area: Renick, 1853.

Ontario.

- English River valley: Bruce, 227.
- Kenogamissi Lake area: Todd, 2257.
- Museum of Mineralogy, Ontario: Parsons, 1724.
- Preglacial oxidation in northern Ontario: Tyrrell, 2298.
- Red Lake basin, District of Patricia: Bruce, 228.
- Thunder Bay district, base and meridian lines: Swanson, 2174.
- base line: Green, 797.
- Watabeag area, Wright, 2541.

Areas described.

- Arnprior-Quyon area: Wilson, 2498.
- Brockville-Mallorytown area: Wright, 2545.
- Lake St. Joseph, area south of west end: Bruce, 226.
- eastern part: Bruce, 225.
- Lake St. Joseph area: Bruce, 224.
- Leeds County: Baker, 65.
- Moose River basin, northern part: Kindle, 1262.
- Ontario-Manitoba boundary, Bloodvein River to Twelfth base line: Rickaby, 1870.
- Ontario-Manitoba boundary, Winnipeg River to Bloodvein River: Burwash, 266.
- Pearl Lake area, Porcupine district: Robinson, 1888.
- Watabeag area, Timiskaming and Cochrane districts: Wright, 2541.

Economic geology.

- Argonaut gold mine, Gauthier township, Timiskaming district, Cooke, 443.
- Carbonaceous matter at Porcupine: Bell, 126.

Ontario—Continued.

Economic geology—Continued.

- Clay and shale deposits: Keele, 1137.
 Clays, Missinabi River: Keele, 1136.
 Cobalt and South Lorrain silver areas: Knight, 1277.
 Cobalt silver district: Bateman, 102; Cole, 398; Miller, 1579.
 Cobalt ore horizons: Shaw, 2037.
 Copper deposits, Perry Sound: Schwartz, 2002.
 Deep-seated oxidation and secondary enrichment at Keeley silver mine near Cobalt: Bell, 122.
 Feldspar, Lanark County: Campbell, 289.
 Gold: Hopkins, 978.
 Larder Lake, Timiskaming district: Cooke, 444.
 Makwa, Sudbury district: Tanton, 2191.
 Porcupine district: Spurr, 2118.
 Gold and silver: McGill, 1455.
 Goudreau gold area, Algoma: MacLeod, 1465.
 Gowganda silver district: Brunton, 233.
 Gravel deposits, St. Clair River: Bartlett, 83.
 Iron: Ontario Iron Ore Committee, 1684.
 Iron formation at Gravel Lake, Thunder Bay district: Tanton, 2193.
 Lake St. Joseph: Bruce, 224.
 Iron oxide pigments: Fréchette, 715.
 Kirkland Lake gold area: Hopkins, 979.
 Kirkland Lake district: Spurr, 2119.
 Kirkland Lake ore bodies: Spearman, 2106.
 Lead, Galetta: Wilson, 2500.
 Leeds County: Baker, 65.
 Mineral resources: Corless, 433; Ontario Dept. Mines, 1683.
 Mineralization, South Lorrain, Cobalt district: Bell, 123.
 Mining areas, geographical relations: Miller, 1577.
 Natural gas in 1922: Harkness, 859.
 Norite micropegmatite, composition, Sudbury: Knight, 1276.
 Oil and gas: Harkness, 860.
 Onaman gold area: Girvin, 758.
 Ontario, Lake St. Joseph: Bruce, 224.
 Ore deposition at the Creighton mine, Sudbury: Spurr, 2124.
 Palladium-bearing nickel deposit, Shebandowan Lake, Thunder Bay district: Tanton, 2190.
 Pearl Lake area, Porcupine district: Robinson, 1888.
 Petroleum in 1922: Harkness, 859.
 Placers in Cobalt conglomerate: Johnston, 1110.
 Porcupine gold area: Burrows, 264, 265; Fielding, 672; Hore, 980; Huntoon, 1035.
 extension: Goodwin, 770.
 Romney oil well: Davis, 516.
 Silver, South Lorrain: Bastin, 95; Bell, 121.
 Silver Islet ores: Thompson, 2229.
 paragenesis: Chadbourn, 309.
 South Lorrain silver district: Bell, 124.
 Sudbury nickel deposits: Coleman, 413.
 Sudbury ore deposits: Wandke, 2386; Young, 2556.
 Wabigoon and Trap Lake soapstone deposits: Wright, 2548.
 West Shining Tree gold prospects: Weed, 2419.

96779—27—15

Ontario—Continued.

Historical geology.

- Alluvial fan deposits in Upper Huronian: Bain, 61.
 Cobalt and South Lorrain silver areas: Knight, 1277.
 Geologic map showing mineral resources: Canada, Dept. Mines, 297.
 Huronian and Grenville rocks, correlation: Quirke, 1788, 1789.
 Huronian complex near Killarney: Quirke, 1787.
 Matachewan series, northeastern Ontario: Miller, 1576.
 Middle Eozoic sediments: Spearman, 2105.
 Northeastern Ontario: Miller, 1578.
 Ordovician, Toronto: Parks, 1717.
 Pleistocene, Toronto region: Coleman, 410.
 Porcupine area: Bell, 126.
 Pre-Cambrian: Miller, 1580.
 northern Ontario: Cooke, 446.
 Romney, boring: Davis, 516.
 Toronto, upper Ordovician: Parks, 1716.
 Upper Ordovician: Foerste, 697.
Mineralogy.
 Allanite, Sequin Falls: Walker, 2369.
 Arsenates of cobalt, nickel, and iron, Cobalt: Walker, 2374.
 Axinite, Hastings County: Walker, 2369.
 Chalmersite, Parry Sound: Schwartz, 1996.
 Chapmanite, South Lorrain, Cobalt district: Walker, 2372.
 Chert, Keeley mine, Cobalt: Walker, 2375.
 Columbite: Walker, 2369.
 Corundum, blue, Bancroft area: Ellsworth, 642.
 Ellsworthite and associated minerals, Hybla: Walker, 2366.
 Epidote, Porcupine: Bruce, 230.
 Ferric and ferrous vein materials, Keeley mine, Cobalt: Walker, 2375.
 Hastingsite, Dungannon township, Hastings County: Walker, 2379.
 Hatchettolite and associated minerals, Hybla: Walker, 2367.
 Hisingerite, Parry Sound: Schwartz, 2003.
 Huronite, Gowganda: Walker, 2371.
 Mineralization, South Lorrain, Cobalt district: Bell, 123.
 Museum of Mineralogy: Parsons, 1724.
 Radioactive minerals: Ellsworth, 641.
 Skutterudite and loellingite, Cobalt: Walker, 2373.
 Uraninite, Cardiff township: Walker, 2376.
 Uranium minerals, Haliburton: Miller, 1581.
 Xanthoconite, Cobalt: Parsons, 1722.
Paleontology.
 Mastodon, recent extinction: Russell, 1929.
 Molluscoidea, Toronto area: Parks, 1710.
 Muskox skull, Iroquois Beach, Toronto: Bensley, 132.
 Toronto area, Gastropoda, Cephalopoda, and Vermes: Parks, 1711.
 Upper Ordovician faunas: Foerste, 697.
 Whirlpool sandstone: Foerste, 696.
Petrology.
 Norite micropegmatite, composition, Sudbury: Knight, 1276.
 Red Lake basin, District of Patricia: Bruce, 228.

Ontario—Continued.

Physical geology.

Lake Huron winter beach forms: Littlefield, 1390.

Physiographic geology.

Pleistocene, Toronto region: Coleman, 410.

Pre-Cobalt glaciation: Coleman, 409.

Opasatika area, Timiskaming County, Quebec: Cooke, 440.

Orbitoides, evolution in America: Douvillé, 579.

Ordovician. *See also* Paleontology, Ordovician.

Arkansas: Miser, 1591.

Hot Springs district: Purdue, 1784.

British Columbia, Beaverfoot-Brisco-Stanford Range: Walcott, 2357.

Mount Robson region, Cambro-Ordovician section: Burling, 260.

Collingwood formation: Ruedemann, 1927.

Colorado: Keyes, 1227.

Cordilleran formations, nomenclature: Walcott, 2355

Greenland, northwestern: Hovey, 994.

Pearry Land: Koch, 1289.

Illinois: Thwaites, 2245.

Kings quadrangle: Bretz, 205.

Mississippi Valley: Krey, 1293.

Morris quadrangle: Culver, 480.

northern: Thurston, 2244.

Indiana: Logan, 1401.

Iowa: Howell, 1000.

Maquoketa shales: Ladd, 1295.

Manitoba, Flinflon area: Alcock, 9.

Michigan, Cataract formation: Ehlers, 629.

Minnesota: Sardeson, 1960.

Minnesota River valley: Sardeson, 1959.

Missouri: Branson, 200; Keyes, 1171; Wilson: 2497.

Mississippi Valley: Krey, 1293.

Montana, Beartooth Mountains, Bevan, 155.

Nevada: Keyes, 1192.

Manhattan district: Ferguson, 679.

Newfoundland, Notre Dame Bay: Sampson, 1942.

New Hampshire, Ammonoosuc district: Ross, 1913.

Oklahoma, eastern: Trager, 2264.

Simpson formation: Edson, 624.

southern Ouachita Mountains: Honess, 975.

Stonewall quadrangle: Morgan, 1632.

Ontario: Foerste, 697.

Arnprior-Quyon area: Wilson, 2498.

Brocktown-Mallorytown area: Wright, 2545.

Leeds County: Baker, 65.

Toronto: Parks, 1716, 1717.

Ordovician-Silurian boundary: Jones, 1116.

Pennsylvania, southeastern: Stose, 2163.

Pennsylvania and Maryland, Piedmont province: Stose, 2160.

Quebec: Foerste, 697.

Arnprior-Quyon area: Wilson, 2498.

Levis: Clark, 354.

Phillipsburg region: Bradley, 188.

Richmond, basal, of Cincinnati province: Shideler, 2053.

Richmond beds: Savage, 1969.

Richmond "Maquoketa" formations: Shideler, 2052.

Ordovician—Continued.

Tennessee: Nelson, 1659.

central: Bassler, 87.

east: Gordon, 772; Secrist, 2014.

Utah: Keyes, 1219.

Vermont: Foyles, 713.

Bethel Township: Richardson, 1864.

Fort Cassin: Foyles, 714.

Grand Isle County: Perkins, 1739.

northwestern: Keith, 1139; Raymond, 1804.

Orange County, Randolph Township: Richardson, 1863.

Shoreham and Bridport: Foyles, 714.

western: Gordon, 773, 774.

Virginia, Wise and northern Scott counties: Eby, 621.

West Virginia and Grant counties: Reger, 1839.

Wisconsin: Thwaites, 2245; Ulrich, 2315.

Wyoming, Wind River Mountains: Condit, 433.

Ore deposits, origin. *For ore deposits in general see* Economic geology (general).

Alaska, Chicago Island, magmatic sulphide ore: Kerr, 1155.

Angular inclusions and replacement deposits: Bateman, 101.

Asbestos, Sierra Ancha, Arizona: Bateman, 98.

Association of ores and dikes: Crocker, 472.

Bauxite: Burchard, 257.

British Columbia, Kitsault River district: Hanson, 854.

Salmon River district: Schofield, 1988.

Canada, metallogenesis and pre-Cambrian: Baker, 66.

Chalcocite, primary, origin: Bateman, 97.

Colorado, Bonanza, Eagle mine, secondary enrichment: Wuensch, 2549.

central: Crawford, 469.

Creede district: Emmons, 650.

Connecticut, Bristol copper ores: Bateman, 97.

Contact effects of gabbro and granite on ore deposition: Schwartz, 2004.

Copper: Calkins, 286.

Alaska, Beatson mine: Bateman, 100.

Arctic Canada, central: O'Neill, 1682.

Arizona, Ray district: Ransome, 1792.

Lake Superior region: Lane, 1317; Wells, 2428.

Mexico, Cananea: Mitchell, 1601.

Montana, Park County: Lovering, 1425.

native: Butler, 268.

oxidation and enrichment at Ducktown: Gilbert, 744.

secondary enrichment in genesis of Butte chalcocite: Locke, 1396.

South Atlantic States: Watson, 2412.

supergene enrichment, Cananea, Mexico: White, 2447.

Utah, Bingham district: Hunt, 1025.

Cosmical derivation of metals: Keyes, 1176.

Deep-seated ore chemistry: Hixon, 948.

Deep-seated oxidation and secondary enrichment at Kelley silver mine near Cobalt: Bell, 122.

Deposition of copper carbonate from mine water: Wilson, 2503.

Depths of metallic contact mineralization: Keyes, 1184.

Dialytic rôle of selvages: Keyes, 1172.

Ore deposits, origin—Continued.

- Emery, Virginia: Watson, 2410.
 Enrichment, Cobalt district, Ontario: Bell, 123.
 Exploration for ore deposits: Locke, 1395.
 Fibrous minerals, veins of: Taber, 2185.
 Filling of veins: Perkins, 1741.
 Filling of fissure veins: Spurr, 2117; Young, 2555.
 Fluorspar, western Kentucky: Currier, 485.
 General: Keyes, 1220.
 Gold, British Columbia, Barkerville area: Uglow, 2306.
 California, Grass Valley: Howe, 995.
 Idaho, north central: Thomson, 2232.
 Manitoba, Elbow Lake area: Armstrong, 42.
 Ontario, Porcupine area: Fielding, 672; Huntoon, 1035; Spurr, 2118.
 Pearl Lake area: Robinson, 1888.
 Timiskaming district: Cooke, 443.
 South Dakota, Homestake mine: Paige, 1697.
 Lead: Paige, 1698.
 Wilshire district, California: Turner, 2290.
 Idaho, Shoshone County: Umpleby, 2316.
 Iron: Campbell, 290.
 Clinton hematite ores: Stose, 2166.
 Georgia: Haseltine, 866.
 magnetites, eastern Porto Rico: Fettke, 687.
 southeastern New York: Colony, 429.
 Mesabi Range, Minnesota: Gruner, 822; Schwartz, 1968.
 Mexico, Cerro de Mercado: Salazar Salinas, 1937, 1938.
 Minnesota magnetites: Grout, 816.
 Ontario, Lake St. Joseph: Bruce, 224.
 titaniferous magnetites, North Carolina and Tennessee: Bayley, 108.
 Iron ore: Leith, 1362.
 Iron protores, leaching of: Lovering, 1424.
 Leached ore capping: Morse, 1636.
 Lead, Ontario: Wilson, 2498.
 Lead and zinc ores, upper Mississippi Valley: Spurr, 2122.
 Limestone contact zones, ferric oxide content: Butler, 269.
 Localization of ore values in gouge materials: Keyes, 1176.
 Manganese, Minnesota, Cuyuna: Thiel, 2205.
 Nova Scotia: Fearing, 671.
 Manitoba, Flinflon area: Alcock, 9.
 Metal content, lode filling, and country rock, relations: Weston-Dunn, 2434.
 Metallic concentrations by magmatism, origin: Spurr, 2120.
 Metallic content of ores, primary origin: Keyes, 1198.
 of rocks: Keyes, 1178.
 Metallogenic provinces: Emmons, 652.
 Metallogenic zones: Petrascheck, 1750; Rastall, 1796.
 Meteoritic metals, incorporation in terrestrial ores: Keyes, 1184.
 Mexico, Sierra Mojada district, Coahuila: Shaw, 2038.
 Minor crustal movements and ore deposits: Porter, 1765.

Ore deposits, origin—Continued.

- Molybdenite, Quebec: Wilson, 2498.
 Montana, Nelhart, supergene processes: Bastin, 92.
 Nevada, Rochester district: Knopf, 1280.
 New Mexico, Santa Rita district: Rickard, 1873.
 New York, Adirondack magnetites: Newland, 1664.
 Nickel, Lancaster Gap mine, Pennsylvania: Phemister, 1753.
 Ontario, Shebandowan Lake: Tanton, 2190.
 Sudbury: Coleman, 413.
 Ontario, Sudbury ore deposits: Young, 2556.
 Ore deposition at the Creighton mine, Sudbury, Ontario: Spurr, 2124.
 Ore magmas: Spurr, 2116.
 Origin of metallic concentrations by magmatism: Dunn, 607.
 ore deposits: Hazlitt, 385.
 Phosphate, Tennessee: Smith, 2090.
 Polished surfaces of ores: Thiel, 2207.
 Pre-Cambrian veins, Kirkland Lake district, Ontario: Spurr, 2119.
 Precipitation of manganese from meteoric solutions: Thiel, 2204.
 Primary downward changes in ore deposits: Emmons, 652.
 Replacement and folding: Geijer, 733.
 Sedimentary phases of Adirondack magnetites: Nason, 1650.
 Silver, Chloride and Kingman, Arizona: Bastin, 93.
 Cobalt, Ontario: Knight, 1277.
 Colorado, Aspen: Bastin, 94.
 South Lorrain, Ontario: Bell, 121.
 Silver Islet ores, paragenesis: Chadbourn, 309.
 Silver-lead, Mayo district, Yukon: Cockfield, 394.
 Sudbury ore deposits, Ontario: Wandke, 2386.
 Utah, Bingham district: Peterson, 1748.
 Tintic district: Crane, 467.
 Veins from intrusive magmas with contrasted contents: Kemp, 1149.
 Veins of fibrous minerals: Taber, 2185.
 Zinc, east Tennessee: Secrist, 2014.
 Edwards, New York: Spurr, 2123.
 Zonal deposition of ores: Emmons, 652; application of theory: Anderson, 35.
 Zonal precipitation of ores: Watanabé, 2409.
 Zonal theory, applications: Engineering and Mining Journal-Press, 653.
 Ore magmas: Spurr, 2116.
 Ore shoots. *See* Economic geology (general); Ore deposits, origin.
 Oregon.
 John Day region, bibliography: Jillson, 1063.
 Areas described.
 Riddle quadrangle: Diller, 564.
 Economic geology.
 Gold, silver, copper, and lead: Hill, 932.
 Petroleum possibilities: Smith, 2093.
 Historical geology.
 Central Oregon: Chaney, 333.
 Mesozoic formations: Goranson, 771.

Oregon—Continued.

Paleontology.

Bridge Creek flora, quantitative study:
Chaney, 336.

Central Oregon: Chaney, 333.

Cretaceous Mollusca: Reagan, 1806.

Oreodontoides oregonensis, John Day formation:
Thorpe, 2242.

Oyster, aberrant, Eocene: Packard, 1695.

Perchoerus skulls, John Day formation:
Pearson, 1731.

Promerycochoerus: Thorpe, 2240.

Prosthennops (peccary): Thorpe, 2243.

Physical geology.

Lava river tunnel: Williams, 2472.

Physiographic geology.

Crater Lake, origin: Diller, 563.

General: Smith, 2094.

Underground water.

Port Rock valley and Christmas Lake valley:
Williams, 2471.

•Orogeny.

Appalachians, cross-section in southern New
England: Woodworth, 2539.

structure: Keith, 1140.

Basin range structure in the Great Basin
Louderback, 1413.

Crustal shortening of Colorado Rockies: Cham-
berlin, 316.

Franklin Mountains, Mackenzie: Williams,
2475.

General: Andrews, 36; Chamberlin, 327;
Hobbs, 954; Stille, 2148.

Horizontal compression in Colorado Rockies:
Shepard, 2047.

Kober's theory of orogeny: Longwell, 1405.

Montana, central: Thom, 2210.

Mountain building without loss of isostatic
equilibrium: Shepard, 2050.

Nevada, western: Ferguson, 680.

Rocky Mountains, southern: Lee, 1340.
structure: Mansfield, 1475.

Ostracoda.

Paleozoic: Ulrich, 2312.

Overthrusts, Rocky Mountains: Mansfield, 1475.

Ozarkian system: Walcott, 2355.

Pahsimeroi Valley, Idaho, ground water: Meinzer,
1517.

Paleobotany.

Age and area: Berry, 151.

Angiosperm, Paleozoic, in coal: Hoskins, 982.

Anifmas formation, Colorado: Knowlton, 1287.

Annularia with Paleostachya fruit, Rhode
Island: Round, 1918.

Bridge Creek flora, Oregon: Chaney, 336.

Callixylon, New York: Hylander, 1036.

Calycophyoides, cucurbitaceous fruit, Ter-
tiary, Texas: Berry, 144.

Coal balls: Clark, 347.

Colorado, Tertiary lake beds flora: Knowlton,
1286.

Coniferales, anatomy and physiology: Torrey,
2263.

Cretaceous, eastern Alabama: Berry, 141.

Cycads: Dahlgren, 490; Hollick, 967; Wieland,
2468.

Paleobotany—Continued.

Cycadeoids: Wieland, 2466.

monocarp: Wieland, 2464.

Devonian seed ferns, New York: Berry, 146.

District of Columbia, buried forest: Cuno, 483.

Eocene floras of southeastern North America:
Berry, 142.

Fossil plants as evidence for resistance to envi-
ronment: Wieland, 2465.

General: Wieland, 2467.

Green River flora: Knowlton, 1285.

Illinois, Braidwood flora: Noé, 1670.

Chester formation, stigmarian root: Foerste,
696.

John Day Basin: Chaney, 334.

Kentucky, western, coal field flora: Noé, 1671

Laramie flora: Cockerell, 385.

Lecythidoanthus, fossil flower, Trinidad:
Berry, 145.

Marpolia, Cambrian Alga, British Columbia:
Walton, 2385.

Mexico, southern, Miocene: Berry, 139.

Mississippi Gulf, Eocene: Berry, 149.

Modern plant fossil: Round, 1917.

Mother plants of petroleum in Devonian black
shale: White, 2448.

Myeloxylon, coal measures, Illinois: Seward,
2021.

Nevada, Davis Creek beds: Chaney, 335.

New Brunswick, Carboniferous flora: Round,
1919.

New York, Devonian seed fern forests: Gold-
ring, 765.

North Dakota, Fort Union beds, apparent
fruits: Stainbrook, 2127.

Nova Scotia, Minto coal horizon: Bell, 129.

Oaks, geologic history: Trelease, 2270.

Ophioglossum, Tertiary, Wyoming: Cockerell,
390.

Ophioglossum alieni, status: Hollick, 966.

Ophioglossum hastatifforme=Danaea colora-
densis: Berry, 148.

Pacific region: Chaney, 337.

Paleozoic angiosperm: Noé, 1673.

Paraphyllanthoxylon arizonense, Cretaceous,
Arizona: Bailey, 56.

Pathological conditions: Berry, 138.

Pine cone, Oakland, California: Metcalf, 1548.
from drift: Thomas, 2226.

Platanus (sycamore), geologic history: Gould,
785.

Pleistocene flora, District of Columbia: Berry,
143.

Psilophyton, cuticular structure: Edwards, 626.

Recent work: Fenneman, 674.

Rhode Island, Carboniferous flora: Round,
1919.

Sparganium, Eocene, Wyoming: Berry, 152.

Tempskya knowltoni, Montana; Seward, 2022.

Tertiary of the West: Chaney, 332.

Tertiary terrestrial plants: Berry, 153.

Texas, central, Eocene florule: Berry, 147.

Tree, Red Deer Valley, Alberta: Kindle, 1253.

Tree ancestors: Berry, 137.

West Indies: Hollick, 968.

Wyoming, Triassic: Berry, 150.

Paleoclimatology.

- Algae as limestone makers and climatic indicators: Glock, 760.
- Ameliorations of present Arctic climates: Chamberlin, 321.
- California, Coalinga Tertiary formations: Reed, 1820.
- Climatic changes: Antevs, 39.
- Colorado, Carboniferous: Tieje, 2247.
- General: Allison, 32; Chamberlin, 326; Huntington, 1028.
- Kansas, Permian: Dunbar, 596.
- Mild geological climates: Huntington, 1030.
- Ocean, effect on climate: Chamberlin, 320.
- Polar temperatures and coal measures: Stefansson, 2141.
- Pre-Cambrian climate: Coleman, 412.
- Seasonal records of geologic time: Reeds, 1823.
- White River beds, South Dakota: Wanless, 2387.

Paleo-ecology, methods and principles: Clements, 373.

Paleogeographic maps.

- Devonian: Clark, 352.
- North America: Schuchert, 1993.
- Silurian: Ulrich, 2311.

Paleogeography. See also Geologic history; Paleoclimatology; Paleogeographic maps.

- Colorado, Carboniferous: Tieje, 2247.
- Devonian: Clark, 352.
- General: Schuchert, 1993.
- Missouri, Paleozoic: Branson, 200.
- Montana, Upper Cretaceous: Robinson, 1886.
- Oklahoma, Henryetta district, Pennsylvanian: Reed, 1817.
- Permian, Great Plains: Dunbar, 596.
- Pre-Cambrian: Miller, 1585.
- Quantitative criteria: Moore, 1620.
- Silurian: Ulrich, 2311.

Paleontology. For *areal* see *names of States*. See also the *classes of animals and Invertebrates* (general); *Evolution*; *Paleobotany*; *Problematic organisms*; *Restorations*.

- Bone, fossil, mineralogy and petrography: Rogers, 1896.
- Cephalopod adaptation: Dunbar, 597.
- Comparison of most ancient and recent marine faunas: Clark, 344.
- Dinosaurian climatic response: Lull, 1433.
- Evolutional paleontology in relation to the lower Paleozoic rocks: Elles, 630.
- Fossil plants as evidence for resistance to environment: Wieland, 2465.
- Great Basin and Pacific regions: Merriam, 1522.
- John Day region: Merriam, 1524.
- Micro-fossils in correlation: Schuchert, 1995.
- Ozarkian system: Walcott, 2355.
- Pacific region: Merriam, 1526.
- Paleontological researches in Pacific region: Merriam, 1526.
- Rectifications of nomenclature of Mollusca: Hanna, 847.
- St. John collection: Merrill, 1535.
- Type fossils in museum of Ohio State University: Morningstar, 1635.

Cambrian.

- Brachiopoda: Walcott, 2356.
- British Columbia, Marpolia: Walton, 2385.

Paleontology—Continued.

Cambrian—Continued.

- Massachusetts, Boston area: Clark, 353.
- Quebec, Levis: Clark, 351.
- Vermont, northwestern, trilobites: Raymond, 1804.

Carboniferous.

- Annularia with *Paleostachya* fruit, Rhode Island: Round, 1918.
- Colorado, Pennsylvanian sandstones, footprints: Henderson, 913.
- Illinois, Galesburg: Jelliff, 1053.
- Pennsylvanian marine faunas: Savage, 1968.
- Indiana, Porter County, scorpion: Moore, 1618.
- Iowa, Des Moines: Thomas, 2223.
- Kentucky, Pottsville faunas: Jilison, 1077.
- western, coal field flora: Noé, 1671.
- Mackenzie, Kinderhook: Hume, 1014.
- Oklahoma, Glenn formation: Girty, 757.
- Stonewall quadrangle: Morgan, 1632.
- Paleozoic angiosperm, Illinois: Noé, 1763.
- West Virginia, Mineral and Grant counties: Reger, 1839.
- Mississippian: Girty, 756.

Cretaceous.

- Alberta, Laosaurus: Gilmore, 752.
- Colorado group, Montana: Reeside, 1826.
- Dakota, so-called, Colorado and Wyoming: Reeside, 1826.
- Haiti: Woodring, 2533.
- Jamaica: Trechmann, 2269.
- crab: Withers, 2519.
- decapod crustaceans: Withers, 2520.
- Echinoidea: Hawkins, 870, 871.
- Kansas: Twenhofel, 2295.
- Mexico, Zacatecas, Durango, and Guerrero: Böse, 167.
- North Carolina: Stephenson, 2143.
- decapod crustaceans: Rathbun, 1797.
- Oklahoma, Love County, Comanchean: Bulard, 254.
- Pacific region, Mollusca: Reagan, 1806.
- Porto Rico, Ponce district: Mitchell, 1598.
- South Dakota, ganoid fish: Gregory, 809.
- Texas, Duck Creek formation, ammonites: Scott, 2006.

Devonian.

- Alberta, Brachiopoda: Kindle, 1268.
- Bothriolepis, Scaumenac Bay, Quebec: Bryant, 244.
- Iowa, annelid jaws: Searight, 2009.
- Brachiopoda: Thomas, 2219.
- echinoderms: Thomas, 2217.
- Devonian echinoderms, geographic distribution: Thomas, 2221.
- Hackberry stage: Fenton, 677.
- State beds: Stainbrook, 2128.
- Illinois, western: Savage, 1964.
- Maine, Chapman sandstone: Raymond, 1802.
- Michigan, cystid, *Lipsanocystis*: Ehlers, 628.
- gastropod and cephalopod: Ehlers, 627.
- Missouri: Branson, 199.
- Bailey limestone fauna: Tansey, 2189.
- Ste. Genevieve County, Little Saline limestone: Stewart, 2147.
- New York, Devonian crinoids: Goldring, 764.
- Eighteenmile Creek, Callixylon: Hylander, 1036.
- seed fern forests: Goldring, 765.

Paleontology—Continued.

Devonian—Continued.

- Quebec, St. George: Clark, 352.
West Virginia, Mineral and Grant counties:
Reger, 1839.

Jurassic.

- Alberta, Fernie formation, Pelecypoda: McLearn, 1463.
Cuba, western, fish fauna: Gregory, 806.

Ordovician.

- Black River Brachiopods, Mississippi Valley:
Fenton, 678.
British Columbia, upper Ordovician, Palliseria: Wilson, 2490.
Cephalopoda: Foerste, 699.
Iowa, Maquoketa beds, echinoderms: Slocom, 2070.
Ontario: Foerste, 697.
Toronto area: Parks, 1710, 1711.
Quebec: Foerste, 697.
Levis, Beekmantown series: Clark, 351.
Vermont, Chazy coral reef: Raymond, 1805.
Fort Cassin: Foyles, 714.
Grand Isle County: Perkins, 1739.
northwestern, trilobites: Raymond, 1804.
Shoreham and Bridport: Foyles, 714.
Vertebrata: Tieje, 2248.
West Virginia, Mineral and Grant counties:
Reger, 1839.

Ozarkian.

- Brachiopoda, Cephalopoda, Notostraca: Walcott, 2356.

Pre-Cambrian.

- Algae, Archean: Gruner, 821.

Quaternary.

- Alaska, Peard Bay region: Meek, 1513.
Arctic coast, Pleistocene: Dall, 498.
Bryozoa: Canu, 299.
California, Los Angeles County, Pleistocene clam: Oldroyd, 1680.
Echinoidea, west coast: Israelsky, 1041.
Florida, Mollusca: Mansfield, 1482.
Haiti, Balanus: Pilsbry, 1757.
Illinois, Joliet, Pleistocene Mollusca: Baker, 64.
Indiana, Porter County, Pleistocene Mollusca: Lyon, 1437.
Mammalian faunas, shifting: Adams, 2.
Mexico, Lower California, Mollusca: Jordan, 1127.
Minnesota, Bison: Hay, 876.
New York, New York City, Pleistocene: Palmer, 1706.
Ontario, Toronto, muskox skull: Bensley, 132.
Pleistocene: Hay, 874.
middle region of North America: Hay, 882.
Vertebrata: Hay, 876.
San Pedro fauna, Nob Hill cut, California: Oldroyd, 1681.
Texas, Pleistocene freshwater Mollusca: Hanna, 844.

Silurian.

- Arkansas, Trilobita, St. Clair limestone: Foerste, 696.
Cephalopoda, northern Michigan: Foerste, 698, 699.
Maryland: Swartz, 2181.
New York, Vernon shale fauna: Eaton, 619.
Nova Scotia, Arisaig area: McLearn, 1462.

Paleontology—Continued.

Silurian—Continued.

- Ohio, Medinan fauna: Foerste, 696.
Ontario, Whirlpool sandstone: Foerste, 696.
West Virginia, Mineral and Grant counties:
Reger, 1839.

Tertiary.

- Anguilla, Oligocene, decapod crustaceans: Withers, 2522.
Arctic regions, Brock River: Dall, 498.
Arizona, Benson, bird remains: Wetmore, 2437.
Balanocrinus, West Indies: Springer, 2114.
British Columbia, Vancouver Island, Sooke formation: Clark, 345.
Bryozoa: Canu, 300.
later Tertiary: Canu, 299.
California, Los Angeles, Miocene algae: Gardner, 730.
Mohave Desert, Alticamelus: Davidson, 514.
Monterey group, whale: Hanna, 849.
San Lorenzo group: Wagner, 2352.
Santa Barbara County, Miocene fishes: Jordan, 1125.
Sonoma County, Miocene lacustrine mollusks: Hanna, 842.
Vacaville, Eocene: Palmer, 1703.
Caribbean region, Foraminifera: Vaughan, 2338.
Costa Rica, Miocene Foraminifera and Mollusca: Palmer, 1707.
Echinoidea: Stefanini, 2140.
west coast: Israelsky, 1041.
Eocene, Foraminifera, California: Hanna, 845.
Eocene and Oligocene Mollusca: Cooke, 439.
Eutrophoceras, Eocene, South Carolina: Reeside, 1829.
Fishes, Miocene, California: Jordan, 1122.
Florida, Mollusca: Mansfield, 1482.
Foraminifera: Vaughan, 2344.
Green River flora: Knowlton, 1285.
Green River formation, origin: Henderson, 914.
Haiti: Woodring, 2533.
Balanus: Pilsbry, 1757.
cichlid fish, Miocene: Cockerell, 381.
Eocene Foraminifera: Woodring, 2534.
Mollusca: Woodring, 2535.
Idaho formation, Snake River valley: Dall, 501.
Insecta, Eocene, Texas: Cockerell, 384.
Jamaica, decapod crustaceans: Withers, 2520.
Echinoidea: Hawkins, 871.
Richmond formation: Trechmann, 2268.
Yellow limestone: Trechmann, 2267.
Louisiana, Pliocene Mollusca: Smith, 2073.
Maryland, Calvert Cliffs, Miocene whale: Kellogg, 1144.
Zarhachis, Calvert formation: Kellogg, 1143.
Miocene plants, southern Mexico: Berry, 139.
Mollusca, Eocene and Oligocene: Cooke, 439.
Miocene and Pliocene: Woodring, 2537;
Coastal Plain: Gardner, 729.
Montana, Paleocene primates: Gidley, 743.
Nebraska, avian Miocene and Pliocene fossils: Wetmore, 2436.
Pacific slope, sharks and rays: Jordan, 1124.
Pelagic mammals: Kellogg, 1145.
Porto Rico, Lares district: Hubbard, 1002.
Ponce district: Mitchell, 1598.
South Carolina, Oligocene sea turtles: Hay, 878.

Paleontology—Continued.**Tertiary—Continued.**

Terrestrial plants: Berry, 153.

Texas, central, Eocene florule: Berry, 147.

Miocene vertebrates: Hay, 879.

southwestern, Eocene Mollusca: Gardner, 727.

Wilcox group: Gardner, 728.

Washington, Eocene: Weaver, 2417.

Lewis County, Eocene Foraminifera: Hanna, 851.

Oligocene, Crustacea: Withers, 2521.

Triassic.

Wyoming, plants: Berry, 150.

Paleopathology.

Antiquity of disease: Moodie, 1606.

Invertebrata: Moodie, 1608.

Pachyostosis: Moodie, 1610.

Paleopathology: Moodie, 1607.

Pliocene pathology: Moodie, 1609.

Radial exostosis in Daphneus: Romer, 1905.

Paleozoic (undifferentiated).

Alaska, Alaska Railroad region: Capps, 301.

Arctic coast: O'Neill, 1682.

Idaho, Cassia County, Goose Creek basin: Piper, 1758.

Nevada, Jarbidge district: Schrader, 1990.

Palladium.

Ontario, Thunder Bay district, Shebandowan Lake: Tanton, 2190.

Panama (including Canal Zone).**Historical geology.**

Geology with special reference to the slides: MacDonald, 1445.

Physical geology.

Panama Canal slides: Nat. Acad. Sci., 1651.

Paragenesis of minerals.

Colorado, Creede district: Emmons, 650.

Columbia River basalt: Shannon, 2024.

Copper deposits, Parry Sound, Ontario: Schwartz, 2002.

Sudbury ore deposits, Ontario: Wandke, 2386.

Zinc ores: Secrist, 2014.

Peard Bay region, Arctic Alaska: Meek, 1513.**Pearl Lake area, Porcupine district, Ontario: Robinson, 1888.****Peat.**

Formation: White, 2451.

General: Cottrell, 457, 462; Haanel, 328.

Indiana: Logan, 1400.

New Brunswick: Anrep, 38.

Quebec: Anrep, 37.

Pedestal rocks.

Nevada, Pershing County: Reid, 1845.

Southwest: Bryan, 243.

Pegmatites: Kemp, 1153; origin: Merritt, 1542.**Pelecypoda. See also Mollusca.**

Alberta, Fernie formation: McLearn, 1463.

Crassatellites, Pleistocene, California: Oldroyd, 1680.

Modiolodesma: Ulrich, 2314.

Ordovician clams, habit: Sardeson, 1962.

Ostrea oregonensis, Eocene, Oregon: Packard, 1695.

Peneplains.

British Columbia, southern: Uglow, 2307.

Erosion surfaces, eastern Appalachian highlands: Knopf, 1284.

Peneplains—Continued.

Idaho: Mansfield, 1479.

Northern Great Plains: Alden, 16.

Ohio, southeastern: Stout, 2169.

Utah: Keyes, 1164.

West Virginia, Mineral and Grant counties: Reger, 1839.

Pennsylvania.

Geological Survey, work, 1919-22: Ashley, 46.

Areas described.

McCalls Ferry quadrangle: Jonas, 1112.

Economic geology.

Cannel coal and carbonaceous shale deposits:

Fettke, 685.

Carbonaceous shale: Fettke, 684.

Coal: Sisler, 2069.

Allegheny Valley: Rayburn, 1799.

Copper deposits: Watson, 2412.

Lancaster Gap mine: Phemister, 1753.

Lead and zinc ores: Miller, 1573.

Mineral resources: Pennsylvania G. S., 1734.

Oil resources in coal and carbonaceous shales: Fettke, 684.

Petroleum: Majorelle, 1467.

Silica refractories: Moore, 1615.

Historical geology.

Bryn Mawr gravel: Bascom, 85.

Clinton formations: Ulrich, 2312.

Crystalline schists, southeastern Pennsylvania:

Hawkins, 869; Knopf, 1282.

Honeybrook quadrangle: Smith, 2079.

Lower Allegheny-Pottsville section in western Pennsylvania, correlation: Renick, 1851.

Loyalhanna limestone, southwestern Pennsylvania: Butts, 270.

Martinsburg shale: Behre, 116.

Ordovician overlap, Piedmont province: Stose, 2160.

Pottsville and lower Allegheny formations, western Pennsylvania, correlation: Renick, 1850.

Silurian: Swartz, 2182.

Southeastern Pennsylvania: Stose, 2163.

Mineralogy.

Meteorites: Stone, 2156.

New Baltimore, Somerset County: Merrill, 1533, 1534.

Wavellite: Gordon, 776.

Petrology.

Anorthosite, Piedmont province: Smith, 2079.

Igneous dike, southwestern Pennsylvania: Honess, 974.

Physical geology.

Igneous dike, southwestern Pennsylvania: Honess, 974.

Martinsburg shale, structural features: Behre, 116.

Structural features, southeastern Pennsylvania: Stose, 2163.

Physiographic geology.

Erosion surfaces, eastern Appalachian highlands: Knopf, 1284.

Pennsylvanian, taxonomic range: Keyes, 1215.

Pennsylvanian. See Carboniferous.

Pentremites. See Blastoida.

Peridotite.

Arkansas, Pike County: Miser, 1592.

Periodic diastrophism: Shepard, 2048.

Permian. *See* Carboniferous.

Pershing oil and gas field, Osage County, Oklahoma: Rubey, 1920.

Petroleum. *See also* Oil shales.

Accumulation in Rocky Mountain region: Harrison, 862.

Alaska, Cold Bay-Chignik district: Smith, 2091. Alberta, southern: Williams, 2474.

Wainwright area: Hume, 1018.

Wainwright-Irma area: Hume, 1021.

Arkansas, El Dorado field: Ley, 1373.

Smackover oil and gas field: Bell, 119, 120; Schneider, 1981.

southern, oil fields, structural features: Crider, 470.

Bibliography: Burroughs, 261, 262.

California: Collom, 428; Landero, 1315; Legraye, 1350.

chemical characteristics: Prutzman, 1783.

development of oil fields: Moran, 1628.

early oil development: Orcutt, 1685.

Huntington Beach field: Case, 308; Gester, 742.

Kern County, Belridge and North Belridge fields: Boezinger, 169.

Devils Den field: Huguenin, 1010.

Hovey Hills field: Saunders, 1963.

Lost Hills field: McCabe, 1440.

Poso Creek field: Kaiser, 1129.

Sunset field: Copp, 449.

Sunset Extension field: Rogers, 1901.

Wheeler Ridge field: Kaiser, 1128.

Long Beach field: Case, 307; Schwennesen, 2005.

Los Angeles and Ventura counties: Kaw, 1159.

Los Angeles Basin: Eaton, 620.

structural features: Ferguson, 682.

Los Angeles fields: Milner, 1590.

San Joaquin Valley: Stevens, 2146.

Santa Fe Springs field: Case, 306; Templeton, 2200.

South Mountain field, Ventura County: Hudson, 1007.

Ventura County: Godde, 762; Taliaferro, 2187.

Ventura field, Ventura County: Craddock, 466.

Canada: Hume, 1019; Rigaud, 1877.

oil reserves: Arnold, 43.

Capillarity and oil migration: Russell, 1931.

Capillary relationships of oil and water: Cook, 434, 435; Washburne, 2397.

Carbon ratio: Storm, 2157.

Central America, oil reserves: Redfield, 1811.

Coal as an aid in oil exploration: Lilley, 1376.

Cone domes of oil fields: Sardeson, 1951.

Correlative value of heavy minerals: Tickell, 2246.

Costa Rica: Redfield, 1814.

Diatomiferous horizons and petroleum deposits: De Landero, 554.

Differential compacting the cause of certain Claiborne dips: Teas, 2198.

Direct synthesis of higher from lower hydrocarbons: Thom, 2213.

Eastern United States: Majorelle, 1467.

Finding of oil: De Golyer, 552.

Fishes the source of petroleum: Macfarlane, 1454.

Petroleum—Continued.

General: Arnold, 45; Garfias, 731; Haney, 841; Hummel, 1022; Krey, 1293; Phelps, 1751; Prettyman, 1776; Reinholdt, 1846; Richardson, 1866, 1868; Van Tuyt, 2333.

Geological organization of an oil company: Gaylord, 732.

Geologist and petroleum industry: De Golyer, 552.

Geology in finding and recovery of oil: White, 2453.

Honduras: Redfield, 1815.

Hydraulic theory of oil migration and accumulation: Rich, 1860.

Illinois: Collingwood, 417, 418.

Allendale oil field extension: Collingwood, 420.

Carlyle-Centralia district: Shaw, 2035.

Decatur area: Collingwood, 419.

eastern: Mylius, 1649.

Jacksonville area: Collingwood, 416.

Waterloo anticline: Lamar, 1310.

Indiana, southwestern: Logan, 1402.

Isocarb ratio, southwestern Virginia: Eby, 622.

Kansas, Burket-Seeley oil pool: Loomis, 1412.

eastern, shoestring sands: Rich, 1859.

Kentucky: Gardner, 726; Jillson, 1081; Nelson, 1659.

central southern: Nelson, 1658.

Kerogen and origin of oil: Trager, 2265.

Light oils in the Rocky Mountain region, origin: Geis, 734.

Louisiana, Bellevue oil field: Holman, 969.

Cotton Valley field, Webster County: Powers, 1769.

Haynesville field: Albertson, 8.

northern, oil fields, structural features: Crider, 470.

Spring Hill-Sarepta field: Ponton, 1764.

Mackenzie, Mackenzie River between Norman and Beaver River: Hume, 1013.

Mexico: Obregon, 1676; Sansom, 1950.

Chiapas and Tabasco: Vivar, 2348.

Isthmus of Tehuantepec: Huntley, 1034.

Tabasco: Jones, 1119.

Tabasco and Chiapas: Lajous, 1308.

Michigan: Smith, 2087.

Mid-Continent field, origin of oil: Greene, 798.

Migration and accumulation: Rich, 1861.

Migration of oil and gas: Mather, 1489.

Migration of oil and water: Parks, 1709.

Mississippi petroleum prospecting: Morse, 1638.

Missouri: Wilson, 2497.

Montana, central: Reeves, 1831, 1833.

Kevin-Sunburst oil field: Clark, 348.

Sunburst field: Hager, 831.

Mother plants of petroleum in Devonian black shale: White, 2448.

National Research Council and oil geology: Heald, 890.

Natural gas in oil migration: Mills, 1588.

New Mexico: Ellis, 632.

Ohio, Columbiana County: Stout, 2169.

Oil accumulation and periods of folding: Hintze, 944.

Oil-field waters: Palmer, 1702.

Oil geology and science: Heald, 892.

Petroleum—Continued.

- Oil in vesicular cavities of igneous intrusions: Osborne, 1693.
- Oil reserves of the United States: White, 2450.
- Oil saturation in certain sandstones: Ruby, 1922.
- Oklahoma, Burbank field, Osage County: Sands, 1949.
- Graham field, Carter County: Tomlinson 2261.
- Pershing oil and gas field: Rubey, 1920.
- Robberson field, Galvin County: Denison 558; English, 655; Oklahoma G. S., 1679.
- Sayre field, Beckham County: Birk, 160.
- Stroud field: McFarland, 1452; Powers, 1770.
- Tonkawa field: Clark, 349; Hosterman, 984.
- Ontario: Harkness, 860.
- Romney: Davis, 516.
- Oregon, possibilities: Smith, 2093.
- Organic material of carbonaceous shales: Washburne, 2396.
- Origin: Hixon, 947; Jones, 1115; Lahee, 1303; Lajous, 1309; Landero, 1315; Lewis, 1372; Sardeson, 1954; Singewald, 2068; Van Tuyl, 2334.
- humus-acid theory: Rae, 1790.
- migration, and accumulation: Somers, 2099.
- Pennsylvania: Pennsylvania G. S., 1734.
- Petroleum geology: Lahee, 1305.
- Petroleum provinces: Lilley, 1375.
- Petroleum-bearing concretions: Binney, 156.
- Pressure, effect on migration of oil: Thomas, 2227.
- Production, reserves, etc.: Arnold, 44.
- Quality of oil, relation to structure: Ley, 1373.
- Radioactivity and oil field location: White, 2449.
- Rocky Mountain fields, deeper drilling: Lupton, 1436.
- Rocky Mountain region, microscopic subsurface work: Wilson, 2496.
- Sericitization and dolomitization as indices in oil-bearing formations: Lahee, 1301.
- ! South Dakota, geologic features and oil possibilities: Wilson, 2596.
- Surface indications in Louisiana: Steinmayer, 2142.
- Tennessee: Nelson, 1659.
- central northern: Nelson, 1658.
- Willow oil field: Jillson, 1071.
- Texas, Amarillo district: Harrison, 861.
- Caldwell County, Luling: Pratt, 1772.
- Currie field, Navarro County: Lahee, 1300.
- Luling oil field, Caldwell County: Sellards, 2017.
- McLennan County, Adkins, 6.
- Mexia: Pratt, 1773.
- faulting and petroleum accumulation: Pratt, 1775.
- Minerva field, Milam County: Hager, 829.
- New Richland field: Lahee, 1302.
- Panhandle: Pratt, 1774.
- Reynosa Escarpment: Jones, 1117.
- Texture of oil sands and production of oils: Melcher, 1521.
- Theories: Ely, 648.
- ! Thermal currents in oil accumulation: Pepperberg, 1735.

Petroleum—Continued.

- United States: Rigaud, 1877.
- Utah, San Juan field: Miser, 1597.
- Vanadium and nickel in petroleum: De Golyer, 551.
- West Indies: Redfield, 1812.
- Wyoming: Bartlett, 82; Estabrook, 660.
- Elk Basin oil field, faulting: Estabrook, 659.
- Hanna Basin and Red Desert: Krampert, 1291.
- Laramie and Medicine Bow districts: Bartlett, 81.
- Lost Soldier-Ferris district: Fath, 670.
- possibilities near Osage field: Anon., 2568.
- Rawlins-Lost Soldier district: Krampert, 1290.
- Salt Creek oil field, water conditions in First Wall Creek sand: Nowels, 1674.
- southern: Bartram, 84.
- Teapot Dome: Wheeler, 2439.
- Petrology (general). *For areal see names of States.*
- For rocks described see list, p. 248. See also* Igneous and volcanic rocks; Sedimentary rocks; Technique.
- Abstracts and reviews: Johannsen, 1091.
- Anorthosite, origin: Smith, 2079.
- Anorthosites, formation: Loewinson-Lessing, 1397.
- Comagmatic regions and the Wegener hypothesis: Washington, 2403.
- Density of rocks from Mauna Kea and Haleakala: Washington, 2404.
- Dolomites, chemical study: Knight, 1278.
- Field book: Loomis, 1408.
- Final consolidation phenomena in the crystallization of igneous rock: Colony, 430.
- Fossil bone: Rogers, 1896.
- Gels, function in the formation of quartz and carbonate veins: Merritt, 1543.
- Genetic classification of rocks: Sen, 2019.
- Igneous rocks, classification: Hodge, 957.
- Inclusions in basalt: Richarz, 1869.
- Lamprophyres: Stansfield, 2132.
- Limestones, nomenclature: Kindle, 1259.
- Natural glasses, relation of physical properties and chemical composition: George, 736.
- New petrology: Berkey, 135.
- Origin of foliation and naming of syntectic rocks: Alling, 29.
- Pegmatites: Kemp, 1153.
- Pegmatitic growths, function of colloids in: Merritt, 1542.
- Pillow structure in basalts: Foye, 710, 711.
- Pyroxene group: Winchell, 2508.
- Recording micrometer for rock analysis: Wentworth, 2431.
- Residue for silica in rock analysis: Auroousseau, 51.
- Rocks, determination: Ellis, 633.
- Triassic sandstones, petrographic analysis: Roberts, 1882.
- Verden sandstone: Reed, 1818.
- Volatile components of rocks: Day, 545.
- Philipsburg region, Quebec: Bradley, 188.
- Phosphate.
- General: Mansfield, 1478, 1481.
- Tennessee: Smith, 2089, 2090.
- Wyoming, Wind River Mountains: Condit, 433.

Physical geology (general). *For areal see names of States.*

- Alberta, structural features produced by Pleistocene glaciation: Hopkins, 977.
- Algae as limestone makers and climatic indicators: Glock, 760.
- Angular inclusions and replacement deposits: Bateman, 101.
- Appalachians, cross-section in southern New England: Woodworth, 2539.
- new structural type in: Stose, 2163.
- structure: Keith, 1140.
- Bacterial deposition: Breger, 204.
- Basin range structure in the Great Basin: Louderback, 1413.
- Beach cobbles: Clarke, 362.
- Black shale formation: Goldman, 763.
- Breaking waves in shallow water: MacCintock, 1443.
- Capillary relationships of oil and water: Washburne, 2397.
- Carbonization of Colorado coals by igneous intrusion: Eby, 623.
- Cobble of peculiar shape: Wentworth, 2433.
- Colloidal products of rock weathering, distribution: Wallace, 2380.
- Columnar holes in wandering dunes, origin: Harshberger, 863.
- Continents and oceans, origin: Wegener, 2420.
- Differential compacting the cause of certain Claiborne dips: Teas, 2198.
- Dolomitization near Goodsprings, Nevada: Hewett, 923.
- Dynamics of faulting and folding: Willis, 2482.
- Earth's mobile belts, pattern: Bucher, 247.
- Faults, active, criteria for recognizing: Taber, 2184.
- Fissility of shale, origin: Lewis, 1371.
- Folding, types of: Ickes, 1037.
- Folds from vertically acting forces: Robinson, 1889.
- Framework of the continents, significance: Chamberlin, 318.
- Fundamental lines of North American geologic structure: Ruedemann, 1924.
- Fundamental problems of geology: Chamberlin, 319.
- Fused sedimentary rocks in drill cores: Bowen, 174.
- Gels, function in formation of quartz and carbonate veins: Merritt, 1543.
- General: Bretz, 209; Grabau, 790; Meinzer, 1520.
- Geodetic work, value to geology: Bowie, 179.
- Geologic structures: Willis, 2480.
- Glacially transported mine: Walker, 2363.
- Gypsum deposits, origin: Keyes, 1205.
- Horizontal compression in Colorado Rockies: Shepard, 2047.
- Ice ages and the drift of continents: Coleman, 408.
- Isostasy, bearing on geological problems: Bowie, 184.
- Isostatic structure: Jillson, 1072.
- Laccoliths: Davis, 530.
- formation: Keyes, 1162.
- Limestone alterations at Bingham, Utah: Winchell, 2511.

Physical geology (general)—Continued.

- Limestone conglomerates, origin: Fillman, 690.
- Minerals deposited by bacteria in mine waters: Parry, 1719.
- Mosses as rock builders: Emig, 649.
- Movements in the earth's crust: Lambert, 1314.
- Mud crack and associated joint structure: Kindle, 1257.
- Mud crack and ripple mark in recent calcareous sediments: Kindle, 1256.
- Mud cracks: Ward, 2389.
- North American geosyncline: Schuchert, 1993.
- Ocean inlets, storm effects: Hite, 946.
- Origin of foliation and naming of syntectonic rocks: Alling, 29.
- Parallel folding and boudinage: Quirke, 1785.
- Permeability of rocks: Dahlblom, 489.
- Pitch of rock folds: Fermor, 683.
- Pressure, effect on migration of oil: Thomas, 2227.
- Rectilinear shore lines, New England-Acadian region, origin: Johnson, 1096.
- Rivers, action: Hill, 939.
- Rocks, thermal conductivity and compressibility under pressure: Bridgman, 213.
- Rocky Mountain structure: Flint, 695.
- Rotational velocity of earth and its geological effects: Daly, 503.
- Sand bar, unusual type: Kindle, 1255.
- Sandstone inclusion in salt in mine on Avery's Island: Heald, 893.
- Shale, fissility, and its relations to petroleum: Lewis, 1372.
- Shattering of minerals and rocks about inclusions: Walker, 2368.
- Shrinkage cracks, origin: Twenhofel, 2292.
- Shrinkage of the earth: Stille, 2148.
- Slumping previous to consolidation in Pennsylvanian of Oklahoma: Ross, 1912.
- Stalagmites and stalactites, growth: Allison, 31.
- Structural geology: Leith, 1358.
- Styolitic structures, origin: Stockdale, 2151.
- Subsidence: Rice, 1858.
- Textbook: Miller, 1586.
- Thermal conductivity and compressibility of rocks under pressure: Bridgman, 213.
- Veins of fibrous minerals, origin: Taber, 2185.
- Vertical earth adjustments, rate of movement: Hobbs, 952.
- Physiographic geology (general). *For areal see names of States. See also Drainage changes.*
- Appalachian Valley: Brigham, 214.
- Atlantic and Pacific coastal regions, contrast: Hobbs, 950.
- Basin range structure in the Great Basin: Louderback, 1413.
- "Blue Ridge": New England: Brown, 223.
- Dalles type of river channel: Bretz, 208.
- Desert range, genetic significance: Keyes, 1222.
- Erosion cycle: Davis, 521.
- Erosion surfaces, eastern Appalachian highlands: Knopf, 1284.
- Even-crested ridges: Buwalda, 273.
- General: Davis, 533.
- Great Basin lakes, origin: Keyes, 1180.
- Lateral migration of land masses: Daly, 505; Lambert, 1313; Taylor, 2196.

Physiographic geology (general)—Continued.

Northern Great Plains, physiographic development: Alden, 16.

Ocean inlets, storm effects: Hite, 946.

Plateau region changes: Reagan, 1808.

Recessional streams of arid regions: Keyes, 1233.

Rivers in arid regions: Keyes, 1186.

Shaded topographic maps: Davis, 531.

Shapes of valleys, representation: Lane, 1318.

Stream and ocean terraces in relation to recent earth movements: Holway, 972.

Submerged coastal plain and oldland of New England: Johnson, 1098.

Pigments.

Canada: Fréchette, 716.

Pinkham Notch, physiographic history: Crosby, 475.

Pisces.

Bothriolepis, Scatimenac Bay, Quebec: Bryant, 244.

California: Hubbs, 1006.

Miocene: Jordan, 1122.

Santa Barbara County: Jordan, 1125.

Chichlasoma, Haiti: Cockerell, 381.

Classification: Jordan, 1123.

Cuba, western, Jurassic: Gregory, 806.

Eobrycon, scales: Cockerell, 383.

Evolution and distribution: Macfarlane, 1453.

Ganoid fish, Lower Cretaceous, South Dakota: Gregory, 809.

Ganoid fishes: Gregory, 806.

General: Macfarlane, 1454.

Historic fish remains: Miller, 1568.

Pacific slope, sharks and rays: Jordan, 1124.

Saint John collection: Keyes, 1240.

Sculpin, Nevada: Jordan, 1126.

Sources of petroleum: Macfarlane, 1454.

Planetable methods: English, 656.

Planetesimal hypothesis: Chamberlin, 328, 329, 330; Reid, 1842.

Plants, fossil. *See* Paleobotany.

Platinum: Hill, 930, 935.

British Columbia, Yale district, Tulameen area: Poitevin, 1761.

Pleistocene. *See* Glacial geology; Quaternary.

Polyzoa. *See* Bryozoa.

Portland cement. *See* Cement materials.

Porto Rico.**Areas described.**

Humacao district: Fettke, 686.

Lares district: Hubbard, 1002.

Ponce district: Mitchell, 1598.

Economic geology.

Magnetite deposits, eastern Porto Rico: Fettke, 687.

Historical geology.

Eastern Porto Rico: Vaughan, 2339.

Paleontology.

Bird remains from caves: Wetmore, 2435.

Orthaulax, Tertiary: Woodring, 2531.

Physiographic geology.

General: Lobeck, 1393.

Potash. *See also* Alunite.

General: Mansfield, 1477, 1480; U. S. Senate, 2319.

Potash—Continued.

Minnesota, content in shales: Schmitt, 1980.

Texas, Potter County: Patton, 1728.

western: Mansfield, 1474; Meigs, 1514.

Potholes.

Ancient high-level potholes near the Colorado River: Ransome, 1794.

Prairies in Illinois, origin: Woodard, 2529.

Pre-Cambrian. *See also* Paleontology, Pre-Cambrian.

Arctic coast: O'Neill, 1682.

Arizona, Ray quadrangle: Ransome, 1792.

Canada: Baker, 66; Collins, 427; Miller, 1582.

Huronian and Grenville rocks, correlation: Quirke, 1788.

Colorado: Keyes, 1227.

Big Thompson River valley: Fuller, 721.

Folding: Miller, 1585.

General: Keyes, 1181; Miller, 1585.

Greenland, northwestern: Hovey, 994.

Grenville subprovince: Wilson, 2501.

Huronian and Grenville rocks, correlation: Quirke, 1788.

Iowa, Ida County: Lees, 1347.

Idaho, Shoshone County: Umpleby, 2316.

Labrador, Lake Melville district: Kindle, 1261.

Manitoba, Beresford Lake area: Wright, 2547.

Elbow Lake area: Armstrong, 42.

Flinlon area: Alcock, 9.

Rice Lake district: Wright, 2546.

Maryland, Piedmont Plateau: Knopf, 1282.

western Piedmont: Jonas, 1113.

Matatchewan series, northeastern Ontario: Miller, 1576.

Minnesota, Lake Superior geosyncline: Hotchkiss, 990.

Mesabi Range: Gruner, 822.

Missouri: Wilson, 2497.

Montana, Beartooth Mountains: Bevan, 155.

Belt series: Wilson, 2507.

Big Snowy Mountains, Belt terrane: Freeman, 717.

Nevada: Keyes, 1192.

New York, Adirondacks, western: Agar, 7.

Luzerne quadrangle: Miller, 1583.

southeastern: Colony, 429.

Ontario: Miller, 1580.

Arnprior-Quyon area: Wilson, 2498.

Brocktown-Mallorytown area: Wright, 2545.

Cobalt area: Knight, 1277.

English River valley: Bruce, 227.

Huronian and Grenville rocks: Quirke, 1789.

Huronian complex near Killarney: Quirke, 1787.

Kenogamissi Lake area: Todd, 2257.

Lake St. Joseph, eastern part: Bruce, 225.

Lake St. Joseph area: Bruce, 224.

Leeds County: Baker, 65.

middle Eozoic sediments: Spearman, 2105.

northeastern: Miller, 1578.

northern: Cooke, 446.

Ontario-Manitoba boundary: Burwash, 266; Rickaby, 1870.

Porcupine district: Robinson, 1888.

Red Lake basin, District of Patricia: Bruce, 228.

Pre-Cambrian—Continued.

Ontario—Continued.

Thunder Bay district: Swanson, 2174; Tanton, 2193.

Shebandowan Lake: Tanton, 2190.

Watabeag area: Wright, 2541.

western: Bain, 61.

Pennsylvania, McCalls Ferry quadrangle: Jonas, 1112.

Piedmont Plateau: Knopf, 1282.

southeastern: Hawkins, 869.

Quebec, Arnprior-Quyon area: Wilson, 2498.

Dufresnoy area, Abitibi district: Harvie, 864.

Duparquet area: James, 1047.

middle Eozoic sediments: Spearman, 2105.

northern: Cooke, 442.

Timiskaming County, Opasatika area: Cooke, 440, 441.

Rouyn area: James, 1048.

Saskatchewan, Lake Athabaska: Allan, 22.

South Dakota, Black Hills: Paige, 1698.

Lead area: Hosted, 983.

Taconic question: Keyes, 1193.

Taxonomic differentiation: Keyes, 1174.

Time scale: Young, 2554.

Utah: Keyes, 1219.

Wisconsin, Lake Superior geosyncline: Hotchkiss, 990.

Primates. *See* Mammalia.

Proboscidea. *See* Mammalia.

Pseudomorphs.

Chalcedony pseudomorphs, Big Badlands, South Dakota: Honess, 973.

Psilophyton, cuticular structure: Edwards, 626.

Pyrite, crystallography: Whitlock, 2458.

Pyrite in coal: Lindly, 1386.

Pyrites: Jenison, 1054; Meyer, 1553.

Quaternary. *See also* Glacial geology; Paleontology; Quaternary.

Alaska, Peard Bay region: Meek, 1513.

British Columbia, Fraser River Delta: Johnson, 1107.

Coastal Plain terraces, origin and age: Hay, 881.

Costa Rica: Redfield, 1814.

District of Columbia, excavation on Connecticut Avenue: Wentworth, 2432.

Haiti: Woodring, 2533.

Idaho, Bingham, Bonneville, and Caribou counties: Kirkham, 1273.

Illinois, Carlyle-Centralia district: Shaw, 2035.

Lawrence County, Pleistocene: Cox, 465.

Nevada: Keyes, 1192.

New York, New York City, Pleistocene: Palmer, 1706.

Pleistocene: Hay, 874.

eastern North America: Hay, 875.

middle region of North America: Hay, 882.

Quaternary and Tertiary chronology: Allison, 32.

Texas, Colorado County: Bailey, 57.

Gulf Coastal Plain near Rio Grande: Trowbridge, 2272.

McLennan County: Adkins, 6.

Potter County: Patton, 1728.

Quebec.

Areas described.

Arnprior-Quyon area: Wilson, 2498.

Dufresnoy area, Abitibi district: Harvie, 864.

Quebec—Continued.

Areas described—Continued.

Duparquet area: James, 1047.

Lake Melville district, Labrador: Kindle, 1261.

Maniwaki area: Wilson, 2498.

Opasatika area, Timiskaming County: Cooke, 440.

Rouyn area, Timiskaming County: James, 1048.

Economic geology.

Asbestos: Fisher, 694.

Copper prospects, Gaspé Peninsula: Alcock, 10.

Copper-bearing minerals, Papineau County: Wilson, 2499.

Dufresnoy Lake area: Harvie, 865.

Gaspé, mineral deposits: Alcock, 11.

Gold, Dubuison Township: Spearman, 2104.

Lake Fortune area: Goodwin, 768.

northwestern Quebec: Dufresne, 588.

western Quebec: Cooke, 445.

Gold belt: Goodwin, 769.

northern Quebec: Wright, 2542.

Gold fields, northwestern Quebec: Brunton, 236.

Gold prospects, northwestern Quebec: Denis, 556.

Labrador, mineral resources: Coleman, 414.

Magnetite, Grenville: Bain, 59.

Mineral resources: Dresser, 585.

Mining operations, 1922, 1923: Denis, 555, 557.

Northern Quebec: Cooke, 442.

Opasatika area, northern Quebec: Cooke, 441.

Peat bogs: Anrep, 37.

Rouyn area: James, 1049.

Rouyn-Boischatel area, Temiskaming County: Hore, 981.

Zinc and lead deposits, Gaspé Peninsula: Beidelman, 117.

Historical geology.

Bonaventure formation, age: Clarke, 366.

Devonian, St. George: Clark, 352.

Geologic map showing mineral resources; Canada, Dept. Mines, 297.

Levis: Clark, 354.

Middle Eozoic sediments: Spearman, 2105.

Northern Quebec: Cooke, 442.

Opasatika area, northern Quebec: Cooke, 441.

Percé: Clarke, 361.

Philipsburg region: Bradley, 188.

Upper Ordovician: Foerste, 697.

Mineralogy.

Allanite, Labelle County: Walker, 2369.

Native gold in calcite, Dorchester County: Dufresne, 587.

Pectolite and apophyllite, Thetford mines: Parsons, 1723.

Sillimanite, Romaine: Walker, 2369.

Paleontology.

Beekmantown series at Levis: Clark, 351.

Bothriolepis, Scaumenac Bay: Bryant, 244.

Psilophyton, Gaspé: Edwards, 626.

Rosetted trails of worms: Clarke, 367.

Upper Ordovician faunas: Foerste, 697.

Petrology.

Almandite, Grenville limestone, Chatham Township: Bain, 60.

Essexites of Mount Royal: Bancroft, 74.

Quebec—Continued.

Petrology—Continued.

Monteregian province extensions: Stansfield, 2121.

Mount Royal contact-metamorphic zone: Dolan, 567.

Physiographic geology.

Gaspe Peninsula: Alcock, 12.

Ice conditions, northeastern Labrador: Coleman, 406.

Quicksilver.

Bibliography: Evans, 662.

General: Ransome, 1795; Ross, 1915.

Radium.

Carnotite ores, Colorado and Utah: Hillebrand, 942.

Colorado, Central City district, pitchblende: Hirschi, 945.

General: Hess, 917, 919.

Rangeley conglomerate, Maine: Smith, 2672.

Rare metals: Hess, 919.

Rawlins-Lost Soldier district, Wyoming: Krampert, 1290.

Ray quadrangle, Arizona: Ransome, 1792.

Recessional streams of arid regions: Keyes, 1233.

Red Lake basin, District of Patricia, Ontario: Bruce, 228.

Relief maps.

Idaho, southeastern: Kirkham, 1273.

Missouri: Keyes, 1245.

Tennessee, eastern: Stose, 2159.

United States: Meinzer, 1515.

Reptilia.

Alberta, Cretaceous Dinosauria: Gilmore, 753; Parks, 1718.

Alligator, Snake Creek beds, Nebraska: Mook, 1611.

Aspideretes, Belly River Cretaceous, Alberta: Gilmore, 751.

Corythosaurus, Red Deer River, Alberta: Gilmore, 750; Parks, 1712.

Crocodylian, Wasatch beds, Wyoming: Mook, 1612.

Deinodontidae, Cretaceous, Alberta: Matthew, 1503, 1507.

Dimetrodon, skull features: Case, 305.

Dinosaur National Monument: Gilmore, 755.

Dinosaur tracks, Cretaceous, Utah and Colorado: Peterson, 1749.

Dinosauria, Belly River formation, Alberta: Gilmore, 750; Parks, 1715.

Red Deer region: Tyrrell, 2299.

Dinosaurian climatic response: Lull, 1433.

Dromaeosaurus, Alberta: Matthew, 1503.

Dyoplosaurus acutosquameus, Alberta: Parks, 1714.

Gavialosuchus americana: Mook, 1613.

Ilium in dinosaurs and birds: Romer, 1903.

Laosaurus, Cretaceous, Alberta: Gilmore, 752.

Pareiazauroides, West Virginia: Lull, 1434.

Pentaceratops, New Mexico: Osborn, 1687.

Primitive reptilian skull: Case, 305.

Prosaurolophus maximus, Alberta: Parks, 1714.

Saurischian dinosaurs, pelvic musculature: Romer, 1904.

South Carolina, Oligocene sea turtles: Hay, 878.

Reptilia—Continued.

Stephanosaurus, crested dinosaur: Parks, 1713.

Styracosaurus, Alberta: Gilmore, 748.

Texas, tortoises: Hay, 877.

Troodon validus, Belly River formation, Alberta: Gilmore, 754.

Tylosaurus, western Kansas: Gilmore, 749.

Uintasaurus, Utah: Holland, 964.

Resin, fossil: Steele, 2139.

Restorations.

Daphoenus, Sioux County, Nebraska: Thorpe, 2238.

Dolichorhinus: Peterson, 1747.

Eospermatopteris: Goldring, 765.

Fishes, Miocepe, California: Jordan, 1122.

Mastodon: Clarke, 364; Osborn, 1686.

Cohoes, New York: Clarke, 371.

Merychyus, Peterson, 1745.

Merycoidodon, Sioux County, Nebraska: Thorpe, 2238.

Prosaurolophus maximus, Alberta: Parks, 1714.

Sparganium antiquum: Berry, 152.

Styracosaurus, Alberta: Gilmore, 748.

Troodon validus: Gilmore, 754.

Tylosaurus, western Kansas: Gilmore, 749.

Tyrannosaurus, pelvic musculature: Romer, 1904.

Rhode Island.

Economic geology.

Granite: Dale, 495.

Paleontology.

Annularia with Paleostachya fruit: Round, 1918.

Flora, Carboniferous: Round, 1919.

Rice Lake area, southeastern Manitoba: Wright, 2546.

Riddle quadrangle, Oregon: Diller, 564.

Ripple mark: Kindle, 1256.

Literature: Kindle, 1264.

River capture. *See* Stream capture.

Rivers.

Arid regions: Keyes, 1186.

Dalles type of river channel: Bretz, 208.

Glacial diversion of the Missouri River: Todd, 2258.

Intercision, Pike River, Wisconsin: Ball, 68.

Missouri River channel, age: Todd, 2259.

Physiographic features: Hill, 939.

Recessional streams of arid regions: Keyes, 1233.

Red River, Oklahoma-Texas: Hill, 939; Sellards, 2015, 2016; Tex., Atty. Gen., 2202.

Sand Rivers: Hill, 938.

South Canadian River near Norman, Oklahoma: Evans, 665.

Road materials.

Kentucky: Richardson, 1865.

Robberson field, Garvin County, Oklahoma: Denison, 558.

Rochester district, Nevada, geology and ore deposits: Knopf, 1280.

Rock oil, origin: Singewald, 2068.

Rocky Bar district, Idaho: Schrader, 1992.

Rocky Mountain structure: Flint, 695.

Rotational velocity of earth and its geological effects: Daly, 503.

Rouyn area, Timiskaming County, Quebec: James, 1048.

- Sacramento Valley, California: Bryan, 239.
 Saline domes. *See* Salt domes.
 Saline lakes. *See* Soda lakes.
 Salt.
 General: Cottrell, 459.
 Nova Scotia, Malagash: Chambers, 331.
 Salt domes.
 General: De Golyer, 549.
 Origin: Wolf, 2526.
 Texas, Hockley dome, Harris County: Chapman, 338.
 Salton Sea region, California: Brown, 221.
 Sand. *See also* Glass sand; Silica.
 General: Beach, 109; Coons, 447.
 Minnesota: Knapp, 1275.
 South Dakota, eastern: Rothrock, 1916.
 San Juan Canyon, southeastern Utah: Miser, 1594, 1597.
 San Lorenzo group, San Emigdio region, California: Wagner, 2352.
 Sandstone dikes, South Dakota: Lawler, 1332.
 Saskatchewan.
 Areas described.
 Flinflon area: Alcock, 9.
 Economic geology.
 Cretaceous shale: Ells, 634.
 Iron, Lake Athabaska: Allan, 22.
 Lignites: Lee, 1338.
 Northern Saskatchewan: Bruce, 229.
 Sodium and magnesium salts: Cole, 405.
 The Pas mineral belt: Alcock, 13.
 Volcanic ash near Waldeck: Cole, 403.
 Historical geology.
 Lance formation, southern Saskatchewan: Sternberg, 2144.
 Physical geology.
 Banded precipitates of vivianite in fireclay, Claybank: Stansfield, 2130.
 Corrosion by saline waters, Senlac Lake: Rutherford, 1932.
 Saunders Creek and Nordegg coal basins, Alberta: Allan, 21.
 Sayre oil and gas field, Beckham County, Oklahoma: Birk, 160.
 Scablands of Columbia Plateau, Washington: Bretz, 207.
 Scobey lignite field, Valley, Daniels, and Sheridan counties, Montana: Collier, 415.
 Seasonal records of geologic time: Reeds, 1823.
 Secondary enrichment. *See* Ore deposits, origin.
 Sedimentary rocks. *See* Petrology.
 Sedimentation. *See also* Conglomerate; Erosion.
 Algae as limestone makers and climatic indicators: Glock, 760.
 Arcticice, distribution of sediments by: Kindle, 1263.
 Atlantic coast sediments: Kindle, 1270.
 Bacterial deposition: Breger, 204; Parry, 1719.
 Bahamas, bottom samples: Vaughan, 2336.
 Barrell's work on sedimentation: Vaughan, 2337.
 Black shale formation: Goldman, 763.
 Caliche, formation: Udden, 2300.
 Clastic sediments, nomenclature: MacKenzie, 1459.
 Colloidal products of rock weathering, distribution: Wallace, 2380.
 Continental: Keyes, 1238.
 Sedimentation—Continued.
 Correlative value of heavy minerals: Tickell, 2246.
 General: Clements, 372; Twenhofel, 2294; Vaughan, 2342.
 Investigation of marine sediments: Vaughan, 2341.
 Iowa, status of sedimentation studies: Trowbridge, 2275.
 Lake Huron winter beach forms: Littlefield, 1390.
 Laminated anhydrite, Texas: Udden, 2302.
 Limestones, nomenclature: Kindle, 1259.
 Marlite balls: Kindle, 1258.
 Microscopic structure of rocks: Lamar, 1311.
 Minerals deposited by bacteria in mine waters: Parry, 1719.
 Oklahoma, Red River: Evans, 663.
 Organic material of carbonaceous shales: Washburne, 2396.
 Red beds of Front Range of Colorado: Tjele, 2247.
 Shale, fissility, and its relations to petroleum: Lewis, 1372.
 Shoestring sands, origin: Rich, 1859.
 Stream aggradation through irrigation: Reagan, 1809.
 Study and correlation by petrographic methods: Milner, 1589.
 Terrestrial: Keyes, 1238.
 Utah, debris of desert torrents: Pack, 1694.
 Verden sandstone, Oklahoma: Reed, 1818.
 Seismology. *See also* Earthquakes.
 California, seismological investigation: Day, 539.
 Committee on seismology, report: Day, 537.
 Cooperation in seismology: Day, 543.
 Dispersion of energy without dispersion of frequencies in transverse elastic waves in the earth: Byerly, 376.
 General: Day, 546.
 Prediction of earthquakes: Keyes, 1207.
 Record of surface waves: Reid, 1840.
 Recording seismologic data at Ottawa: Hodgson, 959.
 Report of advisory committee on seismology: Day, 536, 544.
 Reports of earthquakes: Wood, 2527.
 Seismic instruments and seismic service: Mohorovicic, 1604.
 Seismograph and friction: Reid, 1843.
 Seismological terms: Davison, 534.
 Status and needs: Humphreys, 1023.
 Torsion seismometer: Anderson, 34.
 Selenium: Cahen, 278; Heikes, 896, 902.
 Occurrence: Lenher, 1363.
 Septaria, Pennsylvanian shale, Missouri: Grawe, 794.
 Shaded topographic maps: Davis, 531.
 Shale.
 Fissility, and its relations to petroleum: Lewis, 1372.
 origin: Lewis, 1371.
 Indiana: Logan, 1403.
 Ontario: Keele, 1137.
 Washington: Wilson, 2494.
 Shore lines. *See also* Beaches; Terraces.
 North Carolina, Cape Hatteras: Rude, 1923.

Shore lines (abandoned). *See* Glacial lakes; Terraces.

Shrinkage of the earth: Stille, 2148.

Silica.

Canada, eastern: Cole, 400.

General: Katz, 1131.

Pennsylvania: Moore, 1615.

Solution and precipitation in cold water: Lovring, 1424.

Silurian. *See also* Paleontology, Silurian. *For Lower Silurian see* Ordovician.

Alabama, Clinton formation: Aldrich, 18.

Arkansas: Miser, 1591.

Hot Springs district: Purdue, 1784.

British Columbia, Beaverfoot-Brisco-Stanford Range: Walcott, 2357.

General: Ulrich, 2311.

Greenland, Peary Land: Koch, 1289.

Illinois, Mississippi Valley: Krey, 1293.

Indiana: Logan, 1401.

Iowa, Lake Calvin region: Schoewe, 1985.

Kentucky, east central: Foerste, 696.

Mackenzie, Franklin Mountains: Williams 2473.

Mackenzie River between Norman and Beaver River: Hume, 1013.

Maine: Perkins, 1736.

Maryland: Prouty, 1781; Swartz, 2178, 2179.

Michigan, Salina formation: Vanderwilt, 2322, Missouri: Wilson, 2497.

Mississippi Valley: Krey, 1293.

Nevada: Keyes, 1192.

Newfoundland, Notre Dame Bay: Sampson. 1942.

New Hampshire, Ammonoosuc district: Ross, 1913.

New York, Clinton formations: Ulrich, 2312.

Nova Scotia, Arisaig area: McLearn, 1462.

Oklahoma, southern Ouachita Mountains: Honess, 975.

Stonewall quadrangle: Morgan, 1632.

Ordovician-Silurian boundary: Jones, 1116.

Pennsylvania: Swartz, 2182.

Tennessee: Nelson, 1659.

Virginia, Wise and northern Scott counties: Eby, 621.

West Virginia, Mineral and Grant counties: Reger, 1839.

Wisconsin: Ulrich, 2315; Thwaites, 2245.

Silver.

Alaska, Chitina Valley: Moffit, 1603.

Kotsina-Kuskulana district: Moffit, 1602.

Arizona: Heikes, 901.

Chloride and Kingman, origin of ores: Bastin, 93.

Ray quadrangle: Ransome, 1792.

British Columbia, Coquihalla area: Cairnes, 281.

Salmon River district: Banks, 76; Schofield, 1988.

Stewart district: Dolmage, 573.

California: Hill, 931.

Shasta County, South Fork district: Tucker, 2287.

Canada: Wilson, 2489.

Central States: Dunlop, 602, 606.

Silver—Continued.

Colorado: Henderson, 906, 911.

Aspen: Bastin, 94.

Bonanza, Eagle mine, secondary enrichment: Wuensch, 2549.

Creede district: Emmons, 650; Hills, 943; Ring, 1878.

Eastern States: Dunlop, 601, 605.

General: Dunlop, 600, 604.

Idaho: Gerry, 737, 739.

Shoshone County: Umpleby, 2316.

Massachusetts, Newburyport: Green, 796.

Montana: Gerry, 741.

Nevada: Heikes, 895, 899.

Jarbridge district: Schrader, 1990.

Rochester district: Knopf, 1280.

Tonopah: Budelman, 250.

New Mexico: Henderson, 904, 909.

Ontario: McGill, 1455.

Cobalt district: Bateman, 102; Bell, 122, 123; Cole, 398.

Cobalt and South Lorraine areas: Knight, 1277.

South Lorrain: Bell, 121, 124.

Oregon: Hill, 932.

South Dakota: Henderson, 907.

Texas: Henderson, 905, 910.

Utah: Heikes, 900.

Park City district: McKay, 1456.

Tintic: Havenor, 867.

Washington: Gerry, 738, 740.

Wyoming: Henderson, 908.

Yukon, Beaver River area: Cockfield, 395.

Mayo district: Cockfield, 394, 396.

Sink holes.

Kentucky: Jillson, 1088.

western: Jillson, 1069.

Tennessee, central: Bassler, 91.

Sketching case, use in geologic work: Waring, 2393.

Slate: Loughlin, 1418, 1421.

Slides. *See also* Landslides.

Kentucky, Letcher County: Jillson, 1070.

Smackover oil field, Arkansas: Bell, 120; Schneider, 1981.

Soapstone: Ladoo, 1296; Sampson, 1943; Stoddard, 2154.

Societies. *See* Associations.

Sodium salts.

Saskatchewan: Cole, 405.

Western Canada: Cole, 404.

Sodium sulphate: Wells, 2427.

Soil transport through the air: Keyes, 1235.

Soils.

New Hampshire, Coos County: Crosby, 477.

Soil surveys, development: Bushnell, 267.

Wisconsin, Jackson County: Whitson, 2461.

Outagamie County: Whitson, 2459.

Rock County: Whitson, 2460.

Solar cyclonic explanation of glaciation: Huntington, 1029.

Sooke formation, Vancouver Island, fauna: Clark, 345.

"Soot" in coal: Scheffel, 1978.

South Carolina.

Economic geology.

Mineral resources: Calhoun, 285.

South Carolina—Continued.

Paleontology.

Capybara: Hay, 877.

Cetacean, *Xenorhynchus*, Berkeley County: Kellogg, 1142.

Eutraphoceras, Eocene: Reeside, 1829.

Oligocene sea turtles: Hay, 878.

Turtle, Eocene marl: Hay, 877.

South Dakota.

Areas described.

Lead region: Paige, 1698.

Economic geology.

Geologic features and oil possibilities: Wilson, 2506.

Gold, silver, and lead: Henderson, 907.

Homestake ore bodies: Hosted, 983.

Homestake ores, Lead: Paige, 1697, 1698.

Mineral resources: Ward, 2391.

Oil and gas prospects, southern Perkins County: Moulton, 1642.

Oil possibilities, eastern Harding County: Toepelman, 2260.

northern Dewey County: Wilson, 2504.

Ziebach County: Wilson, 2505.

Portland cement materials: O'Harra, 1678.

Sand and gravel deposits, eastern South Dakota: Rothrock, 1916.

Historical geology.

Cretaceous-Eocene transition beds: Thom, 2212.

Dewey County: Wilson, 2504.

Geological section: Keyes, 1182.

Haakon County, southern, field conditions: Ward, 2392.

Harding County: Toepelman, 2260.

Lance formation: Ward, 2390.

Lance-Fox Hills contact: Dobbin, 566.

Lead area: Hosted, 983; Paige, 1697.

Minnekahta limestone: O'Harra, 1678.

Oreodon beds: Sinclair, 2067.

Perkins County, southern part: Moulton, 1642.

White River beds, stratigraphy: Wanless, 2387.

Ziebach County: Wilson, 2505.

Paleontology.

Eporeodons, White River beds: Thorpe, 2241.

Ganoid fish, Lower Cretaceous: Gregory, 809.

Oreodon beds faunas: Sinclair, 2067.

Perchoerus skulls, White River formation: Pearson, 1731.

Physical geology.

Chalcedony pseudomorphs, Big Badlands: Honess, 973.

Dome structures: Ward, 2388.

Mud cracks, Missouri River flood plain: Ward, 2389.

Sandstone dikes and chalcedony veins in White River Oligocene: Lawler, 1332.

Physiographic geology.

Missouri River channel, age: Todd, 2259.

Physiographic features: Visser, 2347.

Southwestern South Dakota: King, 1271.

South Lorrain silver district, Ontario: Bell, 124.

South Mountain oil field, Ventura County, California: Hudson, 1007.

Spokane glaciation, Washington, age: Bretz, 210.

Spongiae.

Dictyosponge, Chautauqua County, New York: Clarke, 363.

Iowa, glass sponges: Thomas, 2218.

Spring Hill-Sarepta gas field, Webster and Bossier parishes, Louisiana: Ponton, 1764.

Springs.

Missouri, Ozarks, periodic springs: Bridge, 212.

Stalagmites and stalactites, growth: Allison, 31.

Stone: Loughlin, 1416, 1420, 1422. *See also* Building stone.Stratigraphic geology. *See* Historical geology.

Stream capture.

Indiana, Greencastle area: Smith, 2074.

Missouri, Ozarks, subterranean: Dake, 492.

South Dakota: Visser, 2347.

Strike, determination: Higgins, 925.

Stromatoporoidea.

Iowa, Iowa City: Thomas, 2222.

Strontium: Stose, 2161, 2165.

Structural geology. *See* Physical geology.Structural materials. *See* Building stone; Clay; etc.Study and teaching. *See also* Educational.

Education of a geologist: Brock, 215.

Education of the geologist: Lindgren, 1380.

Stylolites: Dale, 497.

Origin: Stockdale, 2151.

Subsidence: Rice, 1858. *See also* Changes of level.Subterranean water. *See* Underground water.

Sulphur: Jenison, 1054; Meyer, 1553.

Sunburst oil and gas field, Montana: Hager, 831.

Surveys.

Canada, Geological Survey, report: Collins, 425.

Florida, State geologist's report, 1922-1923: Gunter, 825.

Jamaica, Government geologist's report: Matley, 1494.

Kentucky, Geological Survey, Rept., 1922-23: Jillson, 1064.

Michigan, history of surveys: Allen, 26, 27.

Mississippi, report of director: Lowe, 1426.

Missouri, report State geologist 1921-22: Buehler, 252.

New Jersey, State geologist's report, 1921-23: Kimmel, 1294.

North Carolina, State geologist, biennial report 1921-22: Pratt, 1771.

Pennsylvania, work in 1919-22: Ashley, 46.

Tennessee, report of State geologist, 1921-2: Nelson, 1654.

United States Geological Survey, annual report, 1922-23, 1923-24: Smith, 2077, 2078.

Vermont, geological work, 1810-1923: Perkins, 1737.

Wisconsin, Geological and Natural History Survey, report 1920-22: Hotchkiss, 985.

Wyoming, State geologist's report, 1922-24: Bartlett, 82.

Sweetland black shales, stratigraphic position: Keyes, 1189.

Tables of formations. *See* Geologic formations, tables.

Taconic question: Keyes, 1191, 1193.

Talc.

Canada: Eardley-Wilmot, 611.

General: Ladoo, 1296; Sampson, 1943; Stoddard, 2154.

Tantalum: Hess, 917, 919.

Taylor-Wegener hypothesis: Daly, 505; Lambert, 1313; Taylor, 2196.

Teaching. *See* Educational.

Technique.

Airplane photographs, use in field work: Campbell, 294.

Apparatus for measurement of temperatures in deep wells: Van Orstrand, 2330.

Block diagrams: Lobeck, 1394.

Dip and strike, determination: Higgins, 925.

Éotvös balance for prospecting: Wagner, 2353.

Examination of well borings: Hanna, 850.

Geological features illustrated by models: Huntley, 1033.

Manganese minerals, identification: Fairbanks, 667.

Method for checking index of a liquid: Rutherford, 1933.

Methods for heavy mineral investigations: Reed, 1819.

Microchemical reactions: Lindgren, 1385.

Microscopy of anthracite: Turner, 2291.

Mineragraphic technique: Fairbanks, 666.

Oblique illumination in mineragraphy: Myers, 1647.

Opaque ore minerals, determination by X-ray diffraction patterns: Kerr, 1154.

Optic axial angle of minerals, new method for measuring: Johannsen, 1092.

Planetable methods: English, 656.

Polished surfaces of ores: Thiel, 2207.

Protractor for plotting dips: McKinstry, 1460.

Quartz spectograph in mineral analysis: Todd, 2256.

Recording micrometer for rock analysis: Wentworth, 2431.

Rotation apparatus: Kerr, 1156.

Sections of friable rock: Ross, 1911.

Sketching case, use in geologic work: Waring, 2393.

Spectroscopy applied to mineral determination: Douglas, 575.

Stereoscopic photography in geologic fieldwork: Wright, 2544.

Torsion seismometer: Anderson, 34.

Torsional balance: Gradenwitz, 791.

Well samples, care of: Robinson, 1890.

Wentworth recording micrometer, improved: Hunt, 1027.

Tellurium.

General: Heikes, 896, 902.

Occurrence: Lenher, 1363.

Tennessee.

State geologist, report, 1921-1922: Nelson, 1654.

Economic geology.

Appalachian bauxite deposits: Nelson, 1656.

Copper, Ducktown, oxidation and enrichment: Gilbert, 744.

Ducktown copper district: Nelson, 1661.

Holston marble: Dale, 497.

Manganese, eastern Tennessee: Stose, 2159.

Tennessee—Continued.

Magnetic iron ores, eastern Tennessee: Bayley, 106.

Marbles, east Tennessee: Gordon, 1772.

Mascot zinc area: Nelson, 1660.

Mineral resources: Nelson, 1662.

Oil developments, northern Tennessee: Nelson, 1658.

Oil horizons: Nelson, 1659.

Oxidation and enrichment at Ducktown: Gilbert, 744.

Phosphate: Smith, 2089, 2090.

Rutile in titaniferous magnetites: Bayley, 108.

Willow Grove oil field: Jillson, 1071.

Zinc, east Tennessee: Secrist, 2014.

Historical geology.

Central Tennessee: Bassler, 87.

Chattanooga shale, age: Swartz, 2183.

Cheatham County: Jillson, 1073.

Cincinnati anticline, dimensions: Hubbard, 1005.

Eastern highland rim: Bassler, 90.

Eastern Tennessee: Secrist, 2014.

Geologic map: Nelson, 1655.

Mineralogy.

Meteorite, Savannah, Hardin County: Merrill, 1531.

Physical geology.

Emory River overthrust, eastern Tennessee: Jillson, 1067.

Isoclinal structure, Wells Creek Basin: Jillson, 1072.

Sink holes, central Tennessee: Bassler, 91.

Physiographic geology.

Reelfoot Lake: Nelson, 1657.

Terrace plains, middle Atlantic Coastal Plain: Wentworth, 2430.

Terraces. *See also* Beaches; Shore lines.

Coastal Plain terraces, origin and age: Hay, 881.

Labrador, Lake Melville district: Kindle, 1261, 1267.

Northern Great Plains: Alden, 16.

Stream and ocean terraces in relation to recent earth movements: Holway, 972.

West Virginia, Mineral and Grant counties: Reger, 1839.

Tertiary. *See also* Paleontology, Tertiary.

Alaska, Alaska Railroad region: Capps, 301.

Cold Bay-Chignik district: Smith, 2091.

Ruby-Kuskokwim region: Mertie, 1644.

Antigua: Earle, 615.

Arizona, Oatman district: Ransome, 1793.

Verde formation: Jenkins, 1057.

Arkansas: Miser, 1591.

El Dorado oil field: Gilluly, 747.

southern: Schneider, 1981.

British Columbia, Coquihalla area: Cairnes, 281.

Fraser River Delta: Johnston, 1107.

North Thompson Valley: Uglow, 2307.

Skeena River to Stewart: Hanson, 856.

southwestern: Cairnes, 279.

Vancouver Island, Sooke formation: Clark, 345.

Yale district: Cairnes, 282.

Browns Park formation and Bishop conglomerate: Sears, 2011.

Bryn Mawr gravel, Pennsylvania: Bascom, 85.

Tertiary—Continued.

- California, Coalinga district: Reed, 1820.
 Los Angeles and Ventura counties: Kew, 1159.
 Monterey County, Pine Canyon: Stalder, 2129.
 Sacramento Valley: Bryan, 239.
 Salton Sea region: Brown, 221.
 San Lorenzo group: Wagner, 2352.
 Santa Ynez River basin: Nelson, 1653.
 southern: Kew, 1157.
 Ventura County: Taliaferro, 2187.
 Caribbean region: Vaughan, 2338.
 Colorado: Keyes, 1227.
 Creede district: Emmons, 650.
 Moffat County: Sears, 2010.
 San Juan Basin: Reeside, 1828.
 south central: Knowlton, 1286.
 Costa Rica: Redfield, 1814.
 Cretaceous-Eocene transition beds: Thom, 2212.
 General: Vaughan, 2343.
 Georgia, Coastal Plain: Prettyman, 1776.
 Green River formation, origin: Henderson, 914.
 Gulf Coastal Plain: Brantly, 201.
 Hayti: Woodring, 2532, 2533.
 Honduras: Redfield, 1815.
 Idaho, Bingham, Bonneville, and Caribou counties: Kirkham, 1273.
 Cassia County, Goose Creek basin: Piper, 1758.
 Owyhee County, Bruneau River basin: Piper, 1759.
 Payette formation: Buwalda, 274.
 Jamaica, Richmond formation: Trechmann, 2268.
 Yellow limestone: Trechmann, 2267.
 Mackenzie, Franklin Mountains: Williams, 2475.
 Mexico, eastern: VerWiebe, 2346.
 Tabasco: Jones, 1119.
 Vera Cruz, Idolo Island: Dumble, 593.
 Mississippi: Morse, 1637.
 Montana, Beartooth Mountains: Bevan, 155.
 Ekalaka field: Bauer, 105.
 Faulted area south of Bearpaw Mountains: Reeves, 1836.
 Musselshell and Golden Valley counties: Ellis, 631.
 Rosebud County: Renick, 1852, 1854.
 Scooby lignite field: Collier, 415.
 Tullock Creek coal field: Rogers, 1900.
 Nevada: Keyes, 1192.
 Jarbidge district: Schrader, 1990.
 New Mexico, Raton coal field: Lee, 1311.
 San Juan Basin: Reeside, 1828.
 North Atlantic Ocean, Tertiary history: Woodring, 2536.
 Oregon, Riddle quadrangle: Diller, 564.
 Panama Canal Zone: MacDonald, 1445.
 Porto Rico, Lares district: Hubbard, 1002.
 Ponce district: Mitchell, 1598.
 Snake Creek fossil quarries: Matthew, 1504.
 Texas, coast deposits: Dumble, 589.
 Colorado County: Bailey, 57.
 Gulf Coastal Plain: Dumble, 590.
 near Rio Grande: Trowbridge, 2272.
 McMullen County, Gueydan tuff: Bailey, 58.
 Reynosa Escarpment: Jones, 1117.

Tertiary—Continued.

Texas—Continued.

- Potter County: Patton, 1728.
 Wilcox group: Gardner, 728.
 Texas section: Dumble, 594.
 Utah: Keyes, 1219.
 Green River valley: Reeside, 1827.
 southeastern: Longwell, 1404.
 Washington, Skagit County: Jenkins, 1059.
 Whatcom County: Jenkins, 1058.
 West Indies: Vaughan, 2339.
 Wyoming, Green River valley: Reeside, 1827.
 Sweetwater County: Sears, 2010.
 Wind River Mountains: Condit, 433.
 Texas.
 Geology of dam sites in western Texas: Patton, 1729.
 Areas described.
 Colorado County: Bailey, 57.
 Gulf Coastal Plain near Rio Grande: Trowbridge, 2272.
 McLennan County: Adkins, 6.
 Potter County: Patton, 1728.
 Economic geology.
 Alkali lakes, western Texas: Meigs, 1514.
 Amarillo district, oil and gas: Harrison, 861.
 Currie oil and gas field, Navarro County: Lahee, 1300.
 Faulting and petroleum accumulation at Mexia: Pratt, 1775.
 Gas well, Jim Hogg County: Jones, 1118.
 Hockley salt dome, Harris County: Chapman, 338.
 Luling oil field, Caldwell County: Sellards, 2017.
 Mexia, faulting and petroleum accumulation: Pratt, 1773.
 Mineral resources: Sellards, 2018.
 Minerva oil field, Milan County: Hager, 829.
 New Richland oil field, Navarro County, Lahee, 1302.
 Northeast Texas petroleum area: Fohs, 701.
 Oil and gas in Panhandle: Pratt, 1774.
 Petroleum, Luling, Caldwell County: Pratt, 1772.
 Potash, western Texas: Mansfield, 1474.
 Reynosa Escarpment, oil and gas fields: Jones 1117.
 Silver and copper: Henderson, 905.
 Silver, copper, and lead: Henderson, 910.
 Historical geology.
 Big Bend area: Tex., Atty. Gen., 2202.
 Borings, Colorado County: Bailey, 57.
 Potter County: Patton, 1728.
 Culberson County: Udden, 2302.
 University Block: Beede, 115.
 Cretaceous: Hill, 937.
 Gueydan tuff, McMullen County: Bailey, 58.
 Gulf Coastal Plain: Dumble, 590.
 Igneous rock in wells in Panhandle: Donoghue: 574.
 Marine Wilcox: Dumble, 591.
 Nacatoch formation: Howe, 998.
 Northeast Texas, petroleum area: Fohs, 701.
 stratigraphy and structure: Fohs, 700.
 Pennsylvanian, north central Texas: Berry, 140.
 Red River valley: Sellards, 2016.

Texas—Continued.

Historical geology—Continued.

Tertiary, lower Rio Grande region: Trowbridge, 2273.

Tertiary deposits, foraminiferal guides: Dumble, 589.

Tertiary section: Dumble, 594.

Paleontology.

Anancus, Brazos River: Hay, 877.

Calycophysoidea, cucurbitaceous fruit, Tertiary, Foard County: Berry, 144.

Eocene florule, central Texas: Berry, 147.

Ft. Worth area: Winton, 2517.

Gerontic ammonites, Duck Creek formation: Scott, 2006.

Human remains with Pleistocene fossils, Dallas: Shuler, 2057.

Insecta, Eocene: Cockerell, 384.

Miocene vertebrates: Hay, 879.

Mollusca, Eocene, southwestern Texas: Gardner, 727.

Pleistocene fresh-water Mollusca, north central Texas: Hanna, 844.

Plesippus, Blanco formation: Matthew, 1509.

Tortoises, Brazos River: Hay, 877.

Wilcox, marine: Gardner, 728.

Physical geology.

Crystalline rocks of the plains: Gould, 786.

Laminated structure of anhydrite beds: Udden, 2301, 2302.

Northeastern Texas fault zones: Lahee, 1304.

tectonic features: Fohs, 701; Robinson, 1887.

Red River Valley: Sellards, 2016.

Rim rock of High Plains: Udden, 2300.

Physiographic geology.

Classification and nomenclature of physiographic features: Hill, 936.

Red River valley: Hill, 939; Tex., Atty. Gen., 2202.

Sand rivers: Hill, 938.

Textbooks.

Determinative mineralogy: Lewis, 1369.

Field geology: Lahee, 1299.

Geology: Price, 1777; Schuchert, 1994.

Physical geology: Miller, 1586.

Principles of stratigraphy: Grabau, 790.

Structural geology: Leith, 1358.

Thermal currents in oil accumulation: Pepperberg, 1735.

Thermal waters.

Alaska, Valley of Ten Thousand Smokes: Zies, 2562.

Arkansas, Hot Springs district: Bryan, 242; Purdue, 1784.

California, Sonoma County: Day, 542.

General: Sosman, 2103.

Great Basin region: Meinzer, 1519.

Haiti: Brown, 222.

Heat in springs, a physical source of: Adams, 3.

Hot Springs: Sosman, 2102.

Relation of crystallization to water content and vapor pressure of water in a cooling magma: Morey, 1629.

Southeastern Atlantic States: Watson, 2413.

Tin.

British Honduras: Jones, 1120.

General: Johnson, 1094, 1095.

Titanium: Hess, 917, 919.

Tonkawa oil field, Oklahoma: Clark, 349; Hosterman, 984.

Topographic and geologic mapping in Illinois, relation to engineering: DeWolf, 560.

Trails.

Rosetted trails of worms: Clarke, 367.

Travertine: Emig, 649.

Virginia, Augusta County: Collins, 421.

Tree ancestors: Berry, 137.

Triassic. *See also* Paleontology, Triassic.

Alaska, Chitina Valley: Moffit, 1603.

Cold Bay-Chignik district: Smith, 2091.

Kotsina-Kuskulana district: Moffit, 1602.

Arizona, Hopi Buttes volcanic field: Reagan, 1807.

northeastern: Hager, 832.

British Columbia, Bow River section, Banff: Kindle, 1266.

Coquihalla area: Cairnes, 281.

southwestern: Cairnes, 279.

Yale district: Cairnes, 282.

Colorado: Keyes, 1227.

Moffat County: Sears, 2010.

Idaho, Bingham, Bonneville, and Caribou counties: Kirkham, 1273.

Montana: Bauer, 104.

Beartooth Mountains, Bevan, 155.

Nevada: Keyes, 1192.

Rochester district: Knopf, 1280.

Newark system: Hobbs, 953.

Pacific coast: Goranson, 771.

Pennsylvania, southeastern: Stose, 2163.

Texas, Potter County: Patton, 1728.

Utah: Keyes, 1219.

Grand and San Juan counties: Prommel, 1780.

San Juan Canyon: Miser, 1594, 1597.

southeastern: Longwell, 1404.

Virginia, northern basins: Roberts, 1880.

Wyoming, Wind River Mountains: Condit, 433.

Triassic sandstones, petrographic analysis: Roberts, 1882.

Trilobita.

Arkansas, St. Clair limestone: Foerste, 696.

Cambrian and lower Ozarkian: Walcott, 2358.

Dipharus, Boston area, Massachusetts: Clark, 353.

Vermont, northwestern: Raymond, 1804.

Trinidad.

Paleontology.

Lecythidoanthus, fossil flower: Berry, 145.

Tullock Creek coal field, Montana: Rogers, 1900.

Tungsten: Hess, 917, 919.

Turtles. *See* Reptilia.

Twentymile Park district of Yampa coal field, Routt County, Colorado: Campbell, 291.

Unconformities.

Cretaceous-Eocene transition beds: Thom, 2212.

Devonian, Arizona: Keyes, 1171.

Paleozoic systems in Wisconsin: Ulrich, 2315.

Tennessee, Cheatham County: Jillson, 1073.

Washington, Ringold-Ellensburg formations: Jenkins, 1061.

Underground water (general). *For areal see names of States. See also* Geysers; Mineral water; Springs; Thermal water.

Artesian basins of United States: Imbeaux, 1038.

Composition of ocean water: Lane, 1321.

Ground water, relation to ore deposits: Loughlin, 1419.

Ground-water hydrology, with definitions: Meinzer, 1516.

Hot springs: Sosman, 2103.

Hydrated sulphates of magnesia in hot springs: Merwin, 1547.

Hydrologic laboratory: Meinzer, 1518.

Occurrence of ground water: Meinzer, 1515.

Permeability of rocks: Dahlblom, 489; Lahee, 1306.

Water analyses, importance: Lane, 1321.

Ungulata. *See* Mammalia.

United States Geologic Survey, annual report, 1922-23: Smith, 2077; 1923-24: Smith, 2078.

Upper Silurian. *See* Silurian.

Uranium: Hess, 917, 919. *See also* Carnotite.

New Mexico: Keyes, 1172.

Utah.

Coal resin, Hiawatha: Steele, 2139.

San Juan Canyon, southeastern Utah: Miser, 1594, 1597.

Economic geology.

Alunite, Marysville: Tingley, 2254.

Bingham district: Peterson, 1748.

ores in limestones: Hunt, 1025.

Gold, silver, copper, lead, and zinc: Heikes, 900.

Iron, southern Utah: Rohlfing, 1902.

Natural gas, Farnham: Calvert, 288.

Oil possibilities, Grand and San Juan counties: Prommel, 1780.

Oil shale: Winchester, 2515.

Park City district: McKay, 1456.

Petroleum indications, Uinta Basin: Douglass, 577.

San Juan oil field: Miser, 1597.

Tintic district: Crane, 467; Havenor, 867.

Historical geology.

Bingham district: Peterson, 1748.

Browns Park formation and Bishop conglomerate: Sears, 2011.

Colorado Plateau, southeastern Utah: Longwell, 1404.

General: Keyes, 1219.

Geological traverse, Mohave to San Juan River: Gregory, 802.

Grand and San Juan counties: Prommel, 1780.

Great Salt Lake basin: Lee, 1342.

Green River valley: Reeside, 1827.

Southeastern Utah: Hager, 832.

Uinta Basin: Douglass, 577.

Mineralogy.

Argentofarosite, Dividend: Schaller, 1977; Schempp, 1979.

Carnotite and tyuyamunite: Hillebrand, 942.

Carnotite region minerals: Hess, 918.

Ilsemanite at Ouray: Hess, 915.

Paleontology.

Diplodocus, skull: Holland, 965.

Dolichorhinus: Peterson, 1747.

Utah—Continued.

Paleontology—Continued.

Dinosaur tracks, Cretaceous: Peterson, 1749.

Uinta Carnivora, White River: Thorpe, 2236.

Uintasaurus, Uinta County: Holland, 964.

Petrology.

Limestone alterations at Bingham: Winchell, 2511.

Physical geology.

Colorado Plateau, structural features: Moore, 1621.

Contact metamorphism at Bingham: Lindgren, 1384.

Débris of desert torrents: Pack, 1694.

Grand and San Juan counties: Prommel, 1780.

Physiographic geology.

Great Salt Lake basin: Lee, 1342.

Green and Yampa rivers, origin: Sears, 2011.

Lake Bonneville, origin: Keyes, 1180.

Paria River valley, southern Utah: Moore, 1622.

Rainbow natural bridge: Miser, 1593.

Terreplains of plateaus, geological age: Keyes, 1164.

Zion Canyon National Park: Miller, 1584.

Underground water.

Thermal springs: Meinzer, 1519.

Valleys.

Shapes of valleys, representation: Lane, 1318.

Vanadium: Hess, 917, 919.

Veins.

Box vein, Lyonsdale, Lewis County; Dale, 494.

Ladder veins, Minnesota: Grout, 817.

South Dakota, chalcodony veins: Lawler, 1332.

Ventura oil field, Ventura County, California: Craddock, 466.

Verden sandstone, Oklahoma: Reed, 1818.

Vermes. *See also* Invertebrates (general).

Ontario, Toronto area: Parks, 1711.

Rosetted trails of worms: Clarke, 367.

Vermont.

Geological work in Vermont, 1810-1923: Perkins, 1737.

Areas described.

Orange County, Randolph Township: Richardson, 1863.

Orleans County, Westmore, Brownington, and Charleston townships: Jacobs, 1043.

Economic geology.

Granite: Dale, 495.

Mineral resources: Perkins, 1738, 1740.

Historical geology.

Bethel Township: Richardson, 1864.

Cambrian, northwestern Vermont: Keith, 1139.

Chazy coral reef: Raymond, 1805.

Fort Cassin: Foyles, 714.

Grand Isle County: Perkins, 1739.

Northwestern Vermont: Raymond, 1804.

Ordovician formations: Foyles, 713.

Shoreham and Bridport: Foyles, 714.

Western Vermont: Gordon, 773, 774.

Whitingham area: Hubbard, 1004.

Paleontology.

Fort Cassin: Foyles, 714.

Trilobites, Cambrian and Ordovician: Raymond, 1804.

Vermont—Continued.

Petrology.

Orange County, Randolph Township: Richardson, 1863.

Orleans phyllite: Jacobs, 1043.

Whitingham area: Hubbard, 1004.

Physical geology.

Fault systems, northern Champlain Valley: Hudson, 1008.

Faulting, western Vermont: Gordon, 773.

Glacial varves, Connecticut Valley, summer deposition: Sayles, 1973.

Mineralization along the dikes of southern Vermont: Bray, 202.

Vertebrata (general). *See also* Amphibia; Aves; etc.

Chiropterygium, primitive: Gregory, 807.

Exploration for vertebrates: Grinnell, 814.

Nebraska, western, Agate Spring quarries: Peterson, 1743.

Ordovician: Tieje, 2248.

Oreodon beds faunas, South Dakota: Sinclair, 2067.

Progress and trends in vertebrate paleontology: Matthew, 1506.

Vieques Island: Vaughan, 2339.

Virgin Islands: Vaughan, 2339.

Virginia.

Areas described.

Wise and northern Scott counties: Eby, 621.

Economic geology.

Clinton hematite ores, origin: Stose, 2166.

Coal, southwestern Virginia: Davenport, 513.

Copper deposits: Watson, 2412.

Emerald deposits: Watson, 2410.

Mineral resources: Watson, 2414.

Oil and gas possibilities, southwestern Virginia: Eby, 622.

Historical geology.

Black shale, southwestern Virginia: Stose, 2164.

Jurassic ? intrusives: Roberts, 1881.

Triassic basins of northern Virginia: Roberts, 1880.

Mineralogy.

Intrusive Triassic diabase, Goose Creek, Loudoun County: Shannon, 2030.

Meteorite, Dungannon, Scott County: Merrill, 1530.

Sharps, Richmond County: Watson, 2411.

Petrology.

Intrusive Triassic diabase, Goose Creek, Loudoun County: Shannon, 2030.

Jurassic ? intrusives: Roberts, 1881.

Triassic sandstones: Roberts, 1882.

Physical geology.

Thrust fault in Appalachians: Campbell, 293.

Travertine deposits, Augusta County: Collins, 421.

Underground water.

Thermal springs: Watson, 2413.

Volcanic ash.

Cordilleran region: Wanless, 2387.

Iowa, Des Moines: Keyes, 1163.

Louisiana, northern: Crider, 471.

Minnesota, Ordovician: Sardeson, 1860.

Oklahoma, North Canadian Valley: Gardner, 725.

Saskatchewan, Waldeck: Cole, 403.

Volcanism. *See also* Volcanoes

General: Day, 535; Soley, 2098.

Progress: Day, 538.

Volcanoes. *See also* Volcanism.

Alaska, Katmai region, fumaroles: Allen, 25.

California, Mt. Lassen: Colburn, 397.

Guatemala: Van de Putte, 2320.

St. Maria Volcano: Waitz, 2354.

Hawaiian: Jaggar, 1044.

Irazu, Costa Rica: Tristán, 2271.

Katmai, Alaska, eruption, 1912: Tams, 2188.

Valley of Ten Thousand Smokes, floor: Cole, 399.

fumarolic incrustations: Zies, 2560.

moving pictures: Fenner, 676.

tuff deposits: Escher, 658; Fenner, 675; Griggs, 812.

Kilauea, Hawaiian Islands, :Day, 540.

activity: Jaggar, 1045.

eruptions, May, 1924, and seismic sequences: Finch, 691.

explosive eruptions: Sherzer, 2051.

explosive eruption, 1924: Jaggar, 1046.

Mexico, San Martin Tuxtla area: Friedlaender, 719.

Washington.

Areas described.

Whatcom County, western: Jenkins, 1058.

Economic geology.

Arsenic, Seattle district: Stoess, 2155.

Clays, geology: Glover, 761.

Clays and shales: Wilson, 2494.

Coal: Evans, 661.

Skagit County: Jenkins, 1059.

Coal fields, western Whatcom County: Jenkins, 1058.

Gold, silver, copper, lead, and zinc: Gerry, 738, 740.

Kaolin and feldspar: Wilson, 2493.

Lead deposits, Pend Oreille and Stevens counties: Jenkins, 1060.

Mineral resources: Shedd, 2045.

Historical geology.

Columbia River basalt: Shannon, 2024.

Mesozoic formations: Goranson, 771.

Oreos group, Devonian: McLellan, 1464.

Skagit County: Jenkins, 1059.

Spokane: Shannon, 2024.

Unconformity between Ringold and Ellensburg formations: Jenkins, 1061.

Mineralogy.

Columbia River basalt: Shannon, 2024.

Paleontology.

Beetle near Spokane: Cockerell, 389.

Callianassa and Ranina, Oligocene: Withers, 2521.

Cretaceous Mollusca: Reagan, 1806.

Eocene fauna: Weaver, 2417.

Foraminifera, Eocene, Lewis County: Hanna, 851.

Rimella-like gastropods: Clark, 346.

Physical geology.

Glacier National Park, movement of glaciers: Alden, 14.

Physiographic geology.

Dalles type of river channel: Bretz, 208.

Drainage changes: Large, 1328.

Eastern Washington: Shedd, 2044.

Washington—Continued.

Physiographic geology—Continued.

Glacial drainage on Columbia Plateau: Bretz, 206.

Okanogan trench and its delta terraces: Keyes, 1180.

Scablands of Columbia Plateau: Bretz, 207.

Spokane glaciation, age: Bretz, 210.

Watabeag area, Ontario: Wright, 2541.

Water, underground. *See* Underground water.

Waves, breaking in shallow water: MacClintock, 1443.

Weathering.

Agricultural aspects of rock weathering: Hunt, 1024.

Colloidal products of rock weathering, distribution: Wallace, 2380.

Wegener hypothesis: Washington, 2403.

Well records. *See* Borings.

Well samples, care of: Robinson, 1890.

West Indies (general). *See also* names of islands.

Barbados: Wilmore, 2487.

Economic geology.

Petroleum reserves: Redfield, 1812.

Historical geology.

British Virgin Islands: Earle, 617.

Cayman Islands, geological survey: Matley, 1500.

Windward and Leeward islands: Earle, 616.

Paleontology.

Balanocrinus, Tertiary: Springer, 2114.

Flora: Hollick, 968.

Physical geology.

Formation of the Lesser Antilles: Davis, 527.

West Virginia.

Areas described.

Mineral and Grant counties: Reger, 1839.

Tucker County: Reger, 1838.

Economic geology.

Mineral resources: White, 2455.

Historical geology.

Devonian: Price, 1779.

Permian coal swamps: Tilton, 2252.

Paleontology.

Footprints, amphibian: Lull, 1434.

Mississippian faunas: Girty, 756.

Physical geology.

Arches Fork anticline, Roane and Calhoun counties, subsurface structural features: Cottingham, 455.

White River beds, South Dakota, stratigraphy: Wanless, 2387.

Wind work.

Denudation of the desert: Keyes, 1224.

Eolian abrasion of quartz grains: Knight, 1279: General: Bryan, 241; Keyes, 1161, 1230, 1235, 1238.

Locus of wind deposition: Keyes, 1170.

Wisconsin.

Geological and Natural History Survey, report 1920-22: Hotchkiss, 985.

Geological Survey, biennial report: Wis. Geol. Survey, 2518.

Soils, Jackson County: Whitson, 2461.

Outagamie County: Whitson, 2459.

Rock County: Whitson, 2460.

Wisconsin—Continued.

Economic geology.

Baraboo gneiss deposits: Hotchkiss, 988.

Gogebic Range: Hotchkiss, 986, 989.

Lead and zinc ores: Spurr, 2122.

Magnetic surveying on copper-bearing rocks: Aldrich, 17.

Historical geology.

Borings: Thwaites, 2245.

General: Twenhofel, 2293.

Geological section: Keyes, 1182.

Gogebic Range: Hotchkiss, 986.

Lake Superior geosyncline: Hotchkiss, 990.

Paleozoic rocks in deep wells: Thwaites, 2245.

Paleozoic systems and breaks between them: Ulrich, 2315.

Southern Wisconsin: Thurston, 2244.

Mineralogy.

Marcasite, Racine dolomite: Cook, 436.

Paleontology.

Black River Brachiopoda: Fenton, 678.

Physiographic geology.

Driftless Area: Martin, 1487.

Interclision, Pike River, Kenosha: Ball, 68.

Wolframite. *See* Tungsten.

Wyoming.

Report of State geologist, 1922-24: Bartlett, 82.

Areas described.

Sweetwater County: Sears, 2010.

Economic geology.

Elk Basin oil field, faulting: Estabrook, 659.

Gold, silver, and copper: Henderson, 908.

Green River coal deposits: Van Lennep, 2326.

Light oils in the Rocky Mountain region, origin: Geis, 734.

Oil and gas developments, Laramie and Medicine Bow districts: Bartlett, 81.

Oil and gas occurrences: Estabrook, 660.

Oil and gas prospects, Sweetwater County: Sears, 2010.

Oil and gas sands, texture: Melcher, 1521.

Oil fields, Rawlins-Lost Soldier district: Krampert, 1290.

Oil shale: Winchester, 2515.

Oil saturation in certain sandstones: Ruby, 1922.

Petroleum: Lupton, 1436.

Hanna Basin and Red Desert: Krampert, 1291.

possibilities near Osage field: Anon., 2568.

southern Wyoming: Bartram, 84.

Phosphate near Lander: Condit, 433.

Salt Creek oil field, water conditions in First Wall Creek sand: Nowels, 1674.

Teapot Dome: Wheeler, 2439.

Historical geology.

Browns Park formation and Bishop conglomerate: Sears, 2011.

Dakota group: Lee, 1339.

Green River valley: Reeside, 1827; Van Lennep, 2326.

Lost Soldier-Ferris district: Fath, 670.

Pre-Cambrian glaciation: Blackwelder, 163.

Rawlins-Lost Soldier district: Krampert, 1290.

Wasatch and Green River formations, relations: Sears, 2012.

Wind River Mountains: Condit, 433.

Wyoming—Continued.

Palaeontology.

- Alga, Fuson oil shale: Bradley, 191.
 Apatemys, Bridger Basin: Troxell, 2280.
 Bridger Carnivora: Thorpe, 2235.
 Caddice fly cases, Green River formation: Bradley, 190.
 Cretaceous Mollusca: Reagan, 1806.
 southeastern Wyoming: Reeside, 1825.
 Crocodilian, Wasatch beds: Mook, 1612.
 Green River flora: Knowlton, 1285.
 Herpetotherium marsupium, Bridger Basin: Troxell, 2281.
 Merycochoerus: Thorpe, 2240.
 Ophioglossum, Tertiary, Tipperary: Cockerell, 390.
 Ophioglossum hastatiforme=Danaea coloradensis: Berry, 148.
 Oreadons of Lower Harrison beds: Loomis, 1409.
 Paumomys, Bridger formation: Troxell, 2277.
 Plants, Triassic: Berry, 150.
 Rodentia, Eocene: Troxell, 2279.
 Sparganium, Eocene: Berry, 152.

Physical geology.

- Elk Basin oil field, faulting: Estabrook, 659.
 Fuson oil shale: Bradley, 191.

Physiographic geology.

- Green and Yampa rivers, origin: Sears, 2011.
 Yellowstone National Park.
 Geysers: Darton, 510.
 Temperatures in springs and geysers: Van Orstrand, 2331.

Yukon.

Areas described.

- Keno Hill, Mayo district: Cockfield, 394.

Economic geology.

- Mayo district: Cockfield, 393, 396.
 Silver-lead deposits, Beaver River area: Cockfield, 395.
 Southern Yukon: Cockfield, 392.

Yukon—Continued.

Historical geology.

- Southern Yukon: Cockfield, 392.

Palaeontology.

- Equus lambei: Hay, 877.

Zinc.

- Arizona: Helkes, 901.
 British Columbia: Robinson, 1885.
 East Kootenay district: Whittemore, 2463.
 California: Hill, 931.
 Central States: Dunlop, 602, 606.
 Colorado: Henderson, 911.
 Eastern States: Dunlop, 601, 605.
 General: Siebenthal, 2060, 2062.
 Idaho: Gerry, 737, 739.
 Shoshone County: Umpleby, 2316.
 Missouri: Keyes, 1178.
 Montana: Gerry, 741.
 Nevada: Heikes, 895, 899.
 New Jersey, Franklin Furnace district: Salton, 1939.
 New Mexico: Henderson, 904, 909.
 New York, Edwards: Spurr, 2123.
 St. Lawrence County: Wade, 2351.
 Pennsylvania: Miller, 1573; Pennsylvania G. S., 1734.
 Quebec, Gaspé Peninsula: Beidelman, 117.
 Tennessee, east: Secrist, 2014.
 Mascot area: Nelson, 1660.
 Upper Mississippi Valley: Spurr, 2122.
 Utah: Helkes, 900.
 Washington: Gerry, 738, 740.
 Zirconium: Ries, 1876.

LISTS.

(The numbers refer to entries in bibliography)

CHEMICAL ANALYSES.

- Actinolite, 2398.
 Akerite, 2395.
 Alaskite, 679.
 Analcite, 1910.
 Albite, 28, 2377.
 Alkali, 401.
 Allanite, 2369.
 Alnoite, 1486, 2131.
 Amblygonite, 2377.
 Amphibole, 7, 2033.
 Andalusite, 1733.
 Andesite, 1793, 2399.
 Anhydrite, 1871.
 Anorthosite, 2079.
 Aplite, 1280.
 Apophyllite, 1723, 2030.
 Aragonite, 1573.
 Argento-jarosite, 1979.
 Asbestos, 98, 1698.
 Augite, 74.
 Axinite, 2369.
 Babingtonite, 2405.
 Barbierite, 28.
 Barrandite, 2028.
 Basalt, 856, 970, 2399, 2400, 2401, 2402, 2412.
 Bauxite, 257, 1637, 1656.
 Benjaminite, 2029.
 Bentonite, 257, 1656.
 Biotite, 60, 819.
 Biotite gneiss, 60.
 Biotite granite, 816.
 Bravoite, 249.
 Braunitz, 2203.
 Brine, 2169.
 Buchite, 174.
 Calcite, 1910, 2366.
 Canbyite, 868.
 Carnotite, 918, 942.
 Cassinite, 28.
 Centallasite, 705.
 Cerussite, 2360.
 Chapmanite, 2372.
 Chert, 1839, 1942, 2204.
 Chlorate, 1698.
 Chlorite, 1910.
 Chlorophoenicite, 707.
 Clay, 15, 127, 257, 818, 1137, 1839, 2167, 2169, 2204, 2365, 2382, 2387.
 Clinzoisite, 1899.
 Coal, 291, 432, 582, 609, 621, 688, 759, 872, 883, 1058, 1076, 1341, 1458, 1461, 1466, 1838, 1839, 2035, 2091, 2169.
 Coal resin, 2139.
 Collophane, 1896.
 Columbite, 641, 2369.
 Concretions, 673.
 Copiapite, 1976.
 Core from boring, 174.
 Cummingite, 1698.
 Cyrtolite, 641, 2367.
 Dawsonite, 567.
 Diabase, 1881, 2030.
 Diabase (altered), 1277.
 Diabase aplite, 2030.
 Diopside, 7.
 Diorite, 564, 975, 1792.
 Dolomite, 496, 1728.
 Drillite, 2042.
 Dunite, 1761.
 Ellsworthite, 641, 2366.
 Emery, 2410.
 Enstatite, 2398.
 Epidote, 230.
 Fire clay, 1839.
 Fossil bone, 1896, 2016.
 Gabbro, 106, 1277, 1761, 2001, 2400.
 Gahnite, 2027.
 Ganophyllite, 1330.
 Garnet, 60, 280, 567.
 Garnet rock, 60.
 Gersdorffite, 2031.
 Gneiss, 65, 2383.
 Granite, 281, 495, 945, 1047, 1280, 1792, 1863, 2001, 2395, 2410.
 Granite gneiss, 60.
 Granoblast, 2001.
 Granodiorite, 1792, 2412.
 Greenstone, 281, 564, 2001.
 Greenstone schist, 2412.
 Gypsum, 2469.
 Halite, 1871.
 Hastingsite, 2033, 2379.
 Hatchettolite, 641, 2367.
 Hausmannite, 2203.
 Heulandite, 1910.
 Hisingerite, 868, 2003.
 Hornblende, 74, 1698.
 Hornblende, 724.
 Hudsonite, 2033.
 Hureonite, 2371.
 Hydromagnesite, 1894.
 Hypersthene, 2398.
 Hypoperthite, 28.
 Iron ore, 106, 866, 1839, 2178, 2559.
 Iron ore, titaniferous, 108.
 Iron sandstone, 2178.
 Jefferisite, 2361.
 Kaolin, 1137, 1656.

- Kempite, 1898.
 Kimberlite, 1486.
 Koswite, 1761.
 Landsfordite, 1763.
 Lanthanite, 1573.
 Latite, 1793.
 Laumontite, 2030.
 Lepidolite, 2377.
 Leuchtenbergite, 2026.
 Lignite, 105, 1656.
 Limburgite, 1486.
 Limestone, 59, 432, 496, 567, 1384, 1792, 1838, 1839, 2169.
 Limonite, 1598.
 Loellingite, 2373.
 Loess, 1275.
 Magnesite, 62, 565, 1895.
 Magnetite pegmatite, 816.
 Malchite, 174.
 Manganapatite, 2377.
 Manganite, 2203.
 Marble, 497.
 Margarite, 2032.
 Meta-torbernite, 918.
 Meteorites, 1530, 1534, 2411.
 Mine waters, 915, 1719.
 Molybdenite ore, 2498.
 Mordenite, 1910, 2365.
 Mud, 2342.
 Mullite, 176.
 Muscovadite, 2001.
 Natural gas, 288, 1854.
 Niter, 2136.
 Nordmarkite, 2395.
 Norite, 2349.
 Norite micropegmatite, 1276.
 Novaculite, 1784.
 Oil shale, 634, 784, 2515.
 Okaite, 2131.
 Oligoclasite, 2399.
 Olivine, 74, 1486.
 Olivine diabase, 2043.
 Olivine gabbro, 2001.
 Orthoclase, 28.
 Pargasite, 1863.
 Peat, 37, 38.
 Pectolite, 1723.
 Pegmatite, 1581.
 Pentlandite, 249.
 Peridotite, 564, 1486.
 Petroleum, 670, 1679.
 Phosphate rock, 2040.
 Phyllite, 1043.
 Plagioclase, 74.
 Platinum ore, 1761.
 Porphyry, 1792, 1793.
 Pricelite, 704.
 Psilomelane, 2203.
 Pyrolusite, 2203.
 Pyroxene, 7, 2030.
 Quartz diorite, 174.
 Quartz monzonite, 469, 2079.
 Quartz syenite, 2498.
 Quartzite, 65, 988, 1615.
 Rauvite, 918.
 Rhyolite, 650, 1990.
 Sand, 65, 1275.
 Sand barite rosettes, 2041.
 Sandstone, 57, 400, 2545.
 Sandstone, molybdfiferous, 915.
 Sandstone, vanadiferous, 918.
 Schist, 1792, 2410.
 Scorodite, 1485.
 Serpentine, 281, 1598.
 Shale, 673, 794, 1000, 1137, 1275, 1678, 1728, 1838, 1839, 1980, 2204, 2387.
 Siderite, 2024.
 Silica sand, 400.
 Sillimanite, 2369.
 Skutterudite, 2373.
 Slate, 988, 1698, 2204.
 Stilpnomelane, 820.
 Sussexite, 1762.
 Syenite, 2541.
 Talc, 1296.
 Thomsonite, 781, 1754.
 Thuringite, 650.
 Trachyte, 1280, 1793, 2400.
 Trevorite, 2370.
 Tridymite latite, 650.
 Tuff, 975.
 Tyuyamunite, 918, 942.
 Uraninite, 641, 2376.
 Uraninites, 643.
 Vesuvianite, 567.
 Volcanic glass, 569.
 Water, 94, 161, 359, 650, 686, 815, 1517, 1698, 1784, 1854, 2427.
 Water, thermal, 2413.
 Xanthoconite, 1722.
 Xonotlite, 1329, 2000.
 Zinc ore, 1573, 2014.
 Zinnwaldite, 2377.
 Zippeite, 918.

MINERAL ANALYSES

- Actinolite, 2509.
 Amphibolite, 2509.
 Andesite, 2399.
 Anorthosite, 2079.
 Anthophyllite, 2509.
 Barkevikeite, 2509.
 Basalt, 970, 2399, 2400, 2401.
 Biotite gneiss, 60.
 Collophane, 1896.
 Cossyrite, 2509.
 Diabase, 2030, 2545.
 Diabase aphte, 2030.
 Diorite, 1583, 2545.
 Esserite, 74.
 Feldspar, 28.
 Gabbro, 2400.
 Glaucoaphane, 2509.
 Gneiss, 2545.
 Granite, 1583, 2395, 2545.
 Granodiorite, 2545.
 Greenstone, 2001.
 Gruenerite, 2509.
 Hornblende, 2509.
 Limestone, 60, 1384.
 Monzonite, 1583.
 Okaite, 2131.
 Oligoclasite, 2399.
 Pargasite, 2509.

Pyroxenite, 2545.
 Quartz monzonite, 2079.
 Quartzite, 2545.
 Rhyolite, 650.

Syenite, 1583, 2541, 2545.
 Trachyte, 2400.
 Tremolite, 2509.
 Tridymite latite, 650.

MINERALS DESCRIBED ¹

Actinolite, 2398, 2530.
 Aegirite, 782.
 Akermanite, 2512.
 Alabandite, 2203.
 Albite, 782, 2377, 2530.
 Allanite, 2369.
 Altaite, 2231.
 Amblygonite, 2377.
 Amphibole, 2033.
 Analcite, 1910.
 Ancyllite, 782.
 Andalusite, 1733.
 Anhydrite, 1871.
 Antimony, 1009.
 Apatite, 782.
 Aphanitic, 2427.
 Apophyllite, 1723.
 Aragonite, 1009, 2024.
 Argentojarosite, 1977, 1979.
 Axinite, 2369.
 Babingtonite, 2405.
 Baddeleyite, 1876.
 Barite, 485, 2024.
 Barrandite, 2028.
 Benjaminite, 2029.
 Biotite, 819.
 Bisbeeite, 778.
 Bismuth, 1009.
 Bixbyite, 2203.
 Bloedite, 2427.
 Bornite, 823.
 Braunitz, 2203.
 Bravoite, 249.
 Calaverite, 2231.
 Calciocathomsonite, 780.
 Calcite, 485, 567, 775, 1009, 1910, 2024, 2366.
 Canbyite, 868.
 Carnotite, 942.
 Catapleite, 702, 782.
 Celsite, 775.
 Centrallite, 705.
 Ceruleobrite, 961.
 Chalcophanite, 2203.
 Chalmersite, 1545, 1996.
 Chapmanite, 2372.
 Chlorite, 1910, 2530.
 Chlorophenite, 707.
 Chrysoberyl, 1701.
 Clinzoisite, 1899.
 Coloradite, 2231.
 Columbite, 2367, 2369.
 Connellite, 961.
 Copiapite, 1976.
 Cordylite, 782.
 Corundum, 642.
 Cristobalite, 2024.
 Crossite, 2530.
 Cubanite, 1545.
 Cyanite, 2383.
 Cyanotrichite, 778.

Cyrtolite, 2367.
 Datolite, 780.
 Dawsonite, 567.
 Diamond, 1009.
 Diopside, 567.
 Eakleite, 1329.
 Ellsworthite, 641, 2366.
 Enstatite, 2398.
 Epididymite, 782.
 Epidote, 230, 567, 2530.
 Eudialyte, 782.
 Feldspar, 1701.
 Ferricite, 2024.
 Fluorite, 782.
 Fluorspar, 485.
 Franklinite, 2203.
 Gahnite, 2027.
 Galena, 485.
 Ganophyllite, 1330.
 Garnet, 567, 2367.
 Gehlenite, 2512.
 Germanite, 2230, 2256.
 Gersdorffite, 2031.
 Glauberite, 2427.
 Glaucocroite, 775, 777.
 Glaucofanite, 2530.
 Graphite, 1009.
 Halite, 1871.
 Hanksite, 2427.
 Hastingsite, 2033, 2079.
 Hatchettolite, 2367.
 Hausmannite, 2203.
 Hematite, 2203.
 Hessite, 2231.
 Heulandite, 1910.
 Hisingerite, 868, 2003.
 Hodgkinsonite, 780.
 Hudsonite, 2033.
 Huronite, 2371.
 Hydromagnesite, 1894.
 Hypersthene, 2398.
 Jacobsite, 2203.
 Jefferisite, 2361.
 Kalithomsonite, 782.
 Kempite, 1898.
 Krennerite, 2231.
 Lansfordite, 1763.
 Lawsonite, 2530.
 Lepidolite, 2377.
 Leuchtenbergite, 2026.
 Leverrierite, 195, 1909.
 Limonite, 2203.
 Loellingite, 2373.
 Louisite, 2365.
 Magnesite, 565, 1871, 1895.
 Magnetite, 2024, 2203.
 Manganapatite, 2377.
 Manganite, 2203.
 Manganosite, 2203.
 Marcasite, 436.

¹ The minerals in Eakle, No. 610, are not included in this list.

Margarite, 2032.
 Melilite, 2512.
 Melonite, 2231.
 Meta-torbernite, 918.
 Microcline, 2366.
 Mirabilite, 2427.
 Molybdenum, 915.
 Mordenite, 1910, 2365.
 Mullite, 176.
 Muscovite, 567, 1701, 2530.
 Nagyagite, 2231.
 Natrolite, 782.
 Neptunite, 782.
 Niter, 2136.
 Oligoclase, 2366.
 Opal, 2024.
 Parisite, 782.
 Pectolite, 1723.
 Pennine, 2530.
 Pentlandite, 249.
 Perovskite, 567.
 Petzite, 2231.
 Phlogopite, 567.
 Phosgenite, 2360.
 Plagioclase, 2024.
 Polydymite, 249, 1383.
 Priceite, 704.
 Psilomelane, 2203.
 Pyrite, 52, 485, 1009, 2024, 2458.
 Pyrolusite, 2203.
 Pyrrhotite, 2366.
 Quartz, 485, 960, 962, 2366, 2513.
 Rauvite, 918.
 Remingtonite, 2034.
 Rickardite, 2231.
 Rinkite, 782.
 Rose quartz, 962.
 Sarcinite, 2512.
 Sarcoside, 963.

Scapolite, 567, 1700, 2510.
 Scorodite, 1485.
 Searlesite, 1897.
 Siderite, 2024.
 Sillimanite, 177, 2369.
 Smithsonite, 485.
 Sodium chloride, 1009.
 Sphalerite, 485, 1009.
 Stannite, 1999.
 Stephanite, 2025.
 Stilpnomelane, 820.
 Struvite, 1699.
 Stützite, 2231.
 Sussexite, 1762.
 Sylvanite, 2231.
 Sylvite, 1871.
 Tephroite, 777.
 Tetradymite, 2231.
 Thenardite, 2427.
 Thomsonite, 779, 781, 1751, 2441.
 Titanite, 2366, 2530.
 Trevorite, 2370.
 Tyuyamunite, 918, 942.
 Uraninite, 1581, 2376.
 Vanadinite, 2135.
 Vanoxite, 918.
 Vesuvianite, 567.
 Wavellite, 776.
 Willemite, 775.
 Witherite, 722.
 Wolframite, 2203.
 Wollastonite, 567.
 Wurtzite, 1009.
 Xanthoconite, 1722.
 Xonotlite, 1329, 2000.
 Zinnwaldite, 2377.
 Zippeite, 918.
 Zircon, 782, 1701, 1876, 2366.

ROCKS DESCRIBED

Alnoite, 1486, 2131, 2132.
 Amphibolite, 1048, 1698, 1913.
 Andesine-gabbro, 74.
 Andesite, 650, 686, 1002, 1598, 1792, 2399.
 Anorthosite, 2079.
 Aplite, 1280, 2232.
 Augite porphyrite, 1598.
 Augitite, 2232.
 Basalt, 564, 650, 970, 1280, 1792, 2399, 2400, 2401, 2402.
 Breccia, 2530.
 Camptonite, 1930.
 Dacite, 686, 1792, 2232.
 Diabase, 1598, 1881, 2232, 2545.
 Diabase-gabbro, 74.
 Diorite, 74, 686, 1598, 1792, 1863, 2545.
 Dunite, 1761.
 Felsite, 686.
 Gabbro, 686, 1048, 1761, 2400.
 Gabbro-diorite, 74.
 Gneiss, 1913, 2545.
 Granite, 686, 1048, 1280, 1698, 1792, 1863, 2232, 2395, 2545.
 Granodiorite, 2232, 2545.
 Greenstone, 564.
 Keratophyre, 1280.
 Kimberlite, 1486.
 Koswite, 1761.

Lamprophyre, 1930.
 Latite, 650.
 Metadiorite, 1280.
 Okaite, 2131.
 Oligoclasite, 2399.
 Pegmatite, 1698, 2272.
 Peridotite, 564, 1863.
 Phyllite, 1043, 1863.
 Polzenite, 175.
 Porphyry, 564, 650, 1002, 1792, 1930, 2232.
 Prasinites, 2530.
 Pyroxenite, 1761, 1863, 2545.
 Quartz-albite schist, 2530.
 Quartz diorite, 1598.
 Quartz monzonite, 469.
 Quartz schist, 2530.
 Quartzite, 2232, 2530, 2545.
 Rhyolite, 564, 650, 686, 1280, 2232.
 Saxinite, 564.
 Schist, 1792, 2232.
 Serpentine, 564, 1002.
 Syenite, 1048, 1863, 2545.
 Trachy-andesite, 1598.
 Trachyte, 1280, 2400.
 Tuff, 686, 1280, 1598.
 Wehrlite, 74.

GEOLOGIC FORMATIONS DESCRIBED

- Abitibi River limestone, Devonian, Ontario: Kindle, 1262.
- Ackerman clay, Eocene, Mississippi: Morse, 1637.
- Ackerman division, Eocene, Mississippi: Lowe, 1427.
- Ackerman formation, Eocene, Mississippi: Burchard, 257; Vaughn, 2343.
- Ada formation, Pennsylvanian, Oklahoma: Morgan, 1632, 1633, 1634.
- Adamsian, pre-Cambrian: Keyes, 1174.
- Adolphus limestone, Cambrian, British Columbia: Burling, 260.
- Aftonian deposits, Pleistocene, Iowa: Schoewe, 1985.
- Agathla sandstone, Triassic, Arizona: Hager, 832.
- Agathla shale, Triassic, Arizona: Hager, 832.
- Alamosa terrane, Tertiary, Colorado: Keyes, 1227.
- Alazan clay, Oligocene, Mexico: Vaughan, 2343.
- Alazan formation, Eocene, Mexico: VerWiebe, 2346.
- Alazan shales, Eocene, Mexico: Dumble and Applin, 593.
- Alboroto group, Miocene, Colorado: Emmons and Larsen, 650.
- Alboreto formation, Tertiary, Colorado: Knowlton, 1286.
- Albright limestone, Pennsylvanian, Maryland: Swartz, 2177.
- Albright limestone, Pennsylvanian, West Virginia: Reger, 1838, 1839.
- Aleyone trachyte, Tertiary, Arizona: Ransome, 1793.
- Alexandrian group, Silurian: Ulrich and Bassler, 2311.
- Alexandrian series, Silurian, Missouri and Illinois: Krey, 1293.
- Alger clay, Silurian, Kentucky: Foerste, 696.
- Algomie, pre-Cambrian: Keyes, 1174.
- Alibates dolomite, Permian, Texas: Patton, 1728.
- Allegheny formation, Pennsylvanian, Maryland: Swartz, 2177.
- Allegheny formation, Pennsylvanian, Ohio: Stout and Lamborn, 2169.
- Allegheny group, Pennsylvanian, Pennsylvania: Renick, 1851.
- Allegheny series, Pennsylvanian, West Virginia: Reger, 1838, 1839.
- Allison formation, Cretaceous, Alberta: Keyes, 1242; Rose, 1908.
- Almy formation, Tertiary, Colorado: Keyes, 1227.
- Alum Bluff formation, Miocene, Georgia: Prettyman and Cave, 1776.
- Alum Bluff group, Miocene, Florida: Vaughan, 2343.
- Amargosan series, Tertiary, Nevada: Keyes, 1192.
- Amazonia limestone bed, Pennsylvanian, Missouri: Wilson, 2497.
- Ames limestone, Pennsylvanian, Ohio: Condit, 432; Stout and Lamborn, 2169.
- Ames limestone and shale, Pennsylvanian, Maryland: Swartz, 2177.
- Ames limestone and shale, Pennsylvanian, West Virginia: Reger, 1838, 1839.
- Amisk series, pre-Cambrian, Manitoba: Armstrong, 42.
- Amsden formation, Mississippian, Wyoming: Condit, 433.
- Amsden formation, Pennsylvanian(?), Montana: Bauer and Robinson, 104.
- Amsden formation, Pennsylvanian, Wyoming: Fath and Moulton, 670.
- Anamosa dolomite member, Silurian, Iowa: Schoewe, 1985.
- Anguilla formation, Oligocene, Anguilla, West Indies: Vaughan, 2343.
- Anianic, pre-Cambrian: Keyes, 1174.
- Anianic period, pre-Cambrian, Colorado: Keyes, 1227.
- Animas formation, Tertiary(?), New Mexico: Reeside, 1828.
- Animikie group, pre-Cambrian, Minnesota: Gruner, 822.
- Annona chalk, Cretaceous, Arkansas: Schneider, 1981.
- Annona chalk, Cretaceous, Arkansas and Louisiana: Hull, 1011.
- Antietam quartzite, Cambrian, Pennsylvania: Knopf and Jonas, 1282; Stose, 2163.
- Antietam schist, Cambrian, Pennsylvania: Jonas, 1112.
- Antigua formation, Miocene, Antigua: Earle, 615.
- Antigua formation, Oligocene, Antigua, West Indies: Vaughan, 2343.
- Apache group, Cambrian, Arizona: Ransome, 1792.
- Apache sandstone, Arizona: Hager, 832.
- Apishapa terrane, Cretaceous, Colorado: Keyes, 1227.
- Aquia formation, Eocene, Virginia: Vaughan, 2343.
- Arbuckle limestone, Cambrian and Ordovician, Oklahoma: Morgan, 1632.
- Archaeozoic time, pre-Cambrian: Young, 2554.
- Archeluta terrane, Tertiary, Colorado: Keyes, 1227.
- Arctomys formation, Cambrian, Alberta: Walcott, 2355.
- Arecibo group, Tertiary, Porto Rico: Hubbard, 1002.
- Arikaree(?), Miocene(?), Montana: Bauer, 105.
- Arikaree(?) formation, Miocene(?), South Dakota: Toepelman, 2260.
- Arikaree terrane, Tertiary, Colorado: Keyes, 1227.
- Arisaig series, Silurian, Nova Scotia: McLearn, 1462.
- Arkadelphia formation, Cretaceous, Arkansas: Howe, 996; Miser, 1591; Schneider, 1981.
- Arkadelphia formation, Cretaceous, Arkansas and Louisiana: Howe, 996, 997.
- Arkadelphia formation, Cretaceous, Texas: Fohs, 701.
- Arkansas novaculite, Devonian, Arkansas: Miser, 1591; Purdue and Miser, 1784.
- Arkansas novaculite, Devonian, Oklahoma: Hones, 975.
- Arriba series, Tertiary, Colorado: Keyes, 1227.
- Artibonite group, Miocene, Haiti: Vaughan, 2343; Woodring, 2533.
- Asher formation, Permian, Oklahoma: Morgan, 1632.
- Ashland series, Alabama: Prouty, 1782.
- Athabasca series, pre-Cambrian, Saskatchewan: Allan and Cameron, 22.
- Athens shale, Ordovician, Tennessee: Gordon, 772; Secrist, 2014.
- Atoka formation, Pennsylvanian, Arkansas: Miser, 1591.

- Atoka formation, Pennsylvanian, Oklahoma: Morgan, 1632.
- Atwater Creek shale, Ordovician, New York: Ruedemann and Ehlers, 1927.
- Aubreyan series, Carboniferous, Colorado: Keyes, 1227.
- Austin chalk, Cretaceous, Arkansas: Miser, 1591.
- Austin formation, Cretaceous, Texas: Adkins, 6; Fohs, 701; Sellards, 2017.
- Aux Vases sandstone, Mississippian, Illinois: Shaw, 2035.
- Aux Vases sandstone, Mississippian, Missouri: Wilson, 2497.
- Aylmer limestone, Ordovician, Ontario: Wilson, 2498.
- Aylmer shale, Ordovician, Ontario: Wilson, 2498.
- Aztec series, Tertiary, Colorado: Keyes, 1227.
- Bailey limestone, Devonian, Missouri: Tansey, 2189; Wilson, 2497.
- Bainbridge limestone, Silurian, Missouri: Wilson, 2497.
- Baitoa formation, Miocene, Dominican Republic: Vaughan, 2343.
- Bakerville gabbro, pre-Cambrian, North Carolina: Bayley, 106.
- Bald Mountain lake beds member, Tertiary, Nevada: Ferguson, 679.
- Baltimore gneiss, pre-Cambrian, Maryland: Jonas, 1113.
- Baltimore gneiss, pre-Cambrian, Maryland and Pennsylvania: Knopf and Jonas, 1282.
- Banff limestone and dolomite, Devonian, British Columbia: Kindle, 1266.
- Banff shale, Mississippian, British Columbia: Kindle, 1266.
- Banffian series, Devonian, Alberta: Keyes, 1242.
- Barnes conglomerate, Cambrian, Arizona: Ramsome, 1792.
- Barnwell formation, Eocene, Georgia: Prettyman and Cave, 1776.
- Barton red shale, Pennsylvanian, Maryland: Swartz, 2177.
- Barton sandstone, Pennsylvanian, Maryland: Swartz, 2177.
- Barton sandstone, Pennsylvanian, West Virginia: Reger, 1839.
- Bashi formation, Eocene, Alabama: Vaughan, 2343.
- Bashi (Woods Bluff) formation, Eocene, Mississippi: Morse, 1637.
- Bas Obispo formation, Tertiary, Panama Canal Zone: MacDonald, 1445.
- Basswood granite, pre-Cambrian, Minnesota: Schwartz, 2001.
- Bastion, pre-Cambrian: Keyes, 1174.
- Batesville sandstone, Mississippian, Arkansas: Miser, 1591.
- Bear Creek shale, Silurian, New York: Ulrich and Bassler, 2312.
- Bear Mountain formation, Silurian, Mackenzie: Hume, 1013.
- Bearpaw shale, Cretaceous, Montana: Collier, 415; Ellis and Meinzer, 631; Reeves, 1836; Rogers and Lee, 1900.
- Bear River formation, Jurassic (?), British Columbia: Dolmage, 568.
- Bear River series, Carboniferous, British Columbia: Uglov, 2305.
- Beaumont clay, Pleistocene, Texas: Trowbridge, 2272.
- Beaumont formation, Pleistocene, Texas: Bailey, 57.
- Beauvais sandstone, Devonian, Missouri: Wilson, 2497.
- Beaver Bend limestone, Mississippian, Indiana: Logan, 1402.
- Beaverfoot formation, Silurian (?), British Columbia: Walcott, 2355, 2357.
- Beaver River group, Pennsylvanian, Pennsylvania: Renick, 1851.
- Beavertail limestone, Devonian, Mackenzie: Hume, 1013, 1016.
- Beavertown marl, Silurian, Ohio: Foerste, 696.
- Bechler formation, Cretaceous, Idaho: Kirkham, 1273.
- Beech Creek formation, Mississippian, Indiana: Logan, 1402.
- Beechhill formation, Silurian, Nova Scotia: McLearn, 1462.
- Beekmantown, Ordovician, Quebec: Bradley, 188.
- Beekmantown, Ordovician, Vermont: Foyles, 713.
- Beekmantown formation, Ordovician, Ontario: Wright, 2545.
- Beekmantown formation, Ordovician, Quebec and Ontario: Wilson, 2498.
- Beekmantown formation, Ordovician, Vermont: Foyles, 714.
- Beekmantown limestone, Ordovician, Pennsylvania: Stose, 2163; Stose and Jonas, 2160.
- Belfast bed, Silurian, Ohio: Foerste, 696.
- Bell Springs, Permian, Wyoming: Fath and Moulton, 670.
- Belle City limestone, Pennsylvanian, Oklahoma: Morgan, 1632, 1633, 1634.
- Bellyan series, Cretaceous, Alberta: Keyes, 1242.
- Beloit formation, Ordovician, Wisconsin and Minnesota: Sardeson, 1960.
- Belt series, pre-Cambrian, Montana: Wilson *et al.*, 2507.
- Belt terrane, Algonkian, Montana: Freeman, 717.
- Belvidere formation, Cretaceous, Kansas: Twenhofel, 2295.
- Bennington limestone, Comanchean, Oklahoma: Bullard, 254.
- Benson formation, Cretaceous, British Columbia: Goranson, 771.
- Benton formation, Cretaceous, Alberta: Rose, 1908.
- Benton shale, Cretaceous, Montana: Bauer, 105.
- Benwood limestone, Pennsylvanian, Maryland: Swartz, 2177.
- Benwood limestone, Pennsylvanian, Ohio: Condit, 432.
- Berkshire schist, Vermont: Gordon, 774.
- Berland River shales, Cretaceous, Alberta: MacVicar, 1466.
- Bethany Falls limestone, Pennsylvanian, Iowa: Tilton, 2253.
- Bethany Falls limestone, Pennsylvanian, Missouri: Wilson, 2497.
- Bethel sandstone, Mississippian, Kentucky: Weller, 2426.
- Big Buffalo series, Ordovician, Wisconsin: Thwaites, 2245.
- Big Elk sandstone, Cretaceous, Montana: Bauer and Robinson, 104.

- Bigford formation, Eocene, Texas: Trowbridge, 2272, 2273.
- Bigfork chert, Ordovician, Arkansas: Miser, 1591; Purdue and Miser, 1784.
- Bigfork chert, Ordovician, Oklahoma: Honess, 975.
- Bighorn dolomite, Cambrian, Wyoming: Condit, 433.
- Bighorn dolomite, Ordovician, Montana: Bevan, 155.
- Bighorn formation, Cretaceous, Alberta: Allan and Rutherford, 21, 24.
- Big Stone Gap shale, Devonian and Carboniferous, Virginia: Eby (Stose), 621; Stose, 2164.
- Big Thompson schists, pre-Cambrian, Colorado: Fuller, 721.
- Bingen formation, Cretaceous, Arkansas: Miser, 1591; Miser and Ross, 1592.
- Birmingham red shale, Pennsylvanian, Maryland: Swartz, 2177.
- Birmingham shale, Pennsylvanian, West Virginia: Reger, 1838, 1839.
- Bisber formation, Silurian, Ohio: Foerste, 696.
- Bisher member, Silurian, Kentucky: Foerste, 696.
- Bisher member, Silurian, Ohio: Ulrich and Bassler, 2312.
- Bishop conglomerate, Tertiary, Colorado: Sears, 2010.
- Bishop conglomerate, Tertiary, Wyoming: Sears, 2011.
- Bishop sandstone, Jurassic, Colorado: Keyes, 1227.
- Bitter Creek group, Tertiary, Colorado: Keyes, 1227.
- Biwabik formation, pre-Cambrian, Minnesota: Gruner, 822.
- Black Creek formation, Cretaceous, North Carolina: Stephenson, 2143.
- Black Hill shale, Cretaceous, Kansas: Twenhofel, 2295.
- Black River formation, Ordovician, Ontario: Wilson, 2498.
- Black River formation, Ordovician, Vermont: Foyles, 714.
- Black River group, Ordovician, Wisconsin: Thwaites, 2245.
- Blackstone formation, Cretaceous, Alberta: Allan and Rutherford, 21, 24.
- Blackwater shale and limestone, Pennsylvanian, West Virginia: Reger, 1838.
- Blaine gypsum, Permian, Oklahoma: Gould, 788.
- Blakely sandstone, Ordovician, Arkansas: Miser, 1591; Purdue and Miser, 1784.
- Blakely sandstone, Ordovician, Oklahoma: Honess, 975.
- Blaylock sandstone, Silurian, Arkansas: Miser, 1591; Purdue and Miser, 1784.
- Blaylock sandstone, Silurian, Oklahoma: Honess, 975.
- Bloomsburg red sandstone member, Silurian, Maryland: Swartz, 2178.
- Bloomsburg red shale, Silurian, West Virginia: Reger, 1839.
- Blossom formation, Cretaceous, Arkansas: Schneider, 1981.
- Blossom sand, Cretaceous, Arkansas and Louisiana: Hull, 1011.
- Blount group, Ordovician, Tennessee: Gordon, 772.
- Blue Cut shale, Cretaceous, Kansas: Twenhofel, 2295.
- Blue Gate sandstone, Cretaceous, Utah: Longwell *et al.*, 1404.
- Bluegate terrane, Cretaceous, Colorado: Keyes, 1227.
- Boggy formation, Pennsylvanian, Oklahoma: Morgan, 1632, 1633.
- Bohio conglomerate, Tertiary, Panama Canal Zone: MacDonald, 1445.
- Bois d'Arc limestone, Devonian, Oklahoma: Morgan, 1632.
- Bokchito formation, Comanchean, Oklahoma: Bullard, 254.
- Bolivar clay, Pennsylvanian, Ohio: Stout and Lamborn, 2169.
- Bolivar fire clay, Pennsylvanian, West Virginia: Reger, 1839.
- Bonilla formation, Miocene, Costa Rica: Redfield, 1814.
- Bonne Terre formation, Cambrian, Missouri: Wilson, 2497.
- Boone chert, Mississippian, Oklahoma: Trager, 2264.
- Boone formation, Mississippian, Arkansas: Miser, 1591.
- Boone formation, Mississippian, Missouri: Wilson, 2497.
- Border conglomerates, Triassic, Virginia: Roberts, 1880.
- Bossardville limestone, Silurian, West Virginia: Reger, 1829.
- Bosworth formation, Devonian, Mackenzie: Hume, 1013.
- Bosworth sandstone and shale, Devonian, Mackenzie: Hume, 1016.
- Bosworthian series, Cambrian, Alberta: Keyes, 1242.
- Boundary Bay formation, Tertiary, British Columbia: Johnston, 1107.
- Bowden formation, Miocene, Jamaica: Vaughan, 2343.
- Bowling Green dolomite, Silurian, Missouri and Illinois: Krey, 1293.
- Bowling Green member, Silurian, Missouri: Wilson, 2497.
- Brainerd shales, Ordovician, Iowa: Thwaites, 2245.
- Brandywine formation, Pleistocene, Pennsylvania and Maryland: Bascom, 85.
- Brassfield limestone, Silurian, Arkansas: Miser, 1591.
- Brassfield limestone, Silurian, Indiana: Logan, 1401.
- Brassfield limestone, Silurian, Kentucky, Ohio, and Indiana: Foerste, 696.
- Brazer limestone, Mississippian, Idaho: Kirkham, 1273; Piper, 1760.
- Brazil division, Pennsylvanian, Indiana: Logan, 1402.
- Bridger formation, Tertiary, Colorado: Sears, 2010.
- Bridgerian series, Tertiary, Colorado: Keyes, 1227.
- Brigham quartzite, Cambrian, Idaho: Piper, 1760.
- Brisco formation, Silurian, British Columbia: Walcott, 2357.
- Bristol series, pre-Cambrian, Quebec: Wilson, 2498.

- Bristow shale and sandstones, Mississippian, Indiana: Logan, 1402.
- Brito beds, Eocene, Costa Rica: Redfield, 1814.
- Brook shale, Triassic, California: Goranson, 771.
- Brockville granite, pre-Cambrian, Ontario: Wright, 2545.
- Brookville clay, Pennsylvanian, Ohio: Stout and Lamborn, 2169.
- Brownian series, Tertiary, Colorado: Keyes, 1227.
- Browns Park formation, Tertiary, Colorado: Sears, 2010.
- Browns Park formation, Tertiary, Utah and Colorado: Sears, 2011.
- Brownstown formation, Cretaceous, Arkansas: Schneider, 1981.
- Brownstown marl, Cretaceous, Arkansas: Miser, 1591; Miser and Ross, 1592.
- Brule terrane, Tertiary, Colorado: Keyes, 1227.
- Brush shales and sandstones, Jurassic, Colorado: Keyes, 1227.
- Brush Creek clay, Pennsylvanian, Ohio: Stout and Lamborn, 2169.
- Brush Creek limestone and shale, Pennsylvanian, Maryland: Swartz, 2177.
- Brush Creek limestone and shale, Pennsylvanian, Ohio: Stout and Lamborn, 2169.
- Brush Creek limestone and shale, Pennsylvanian, West Virginia: Regar, 1838, 1839.
- Bryant limestone, Ordovician, Missouri: Keyes, 1171.
- Bryn Mawr gravel, Pliocene, Pennsylvania and Maryland: Bascom, 85.
- Buckingham series, pre-Cambrian, Quebec: Wilson, 2498.
- Buda formation, Comanchean, Texas: Adkins, 6.
- Buda formation, Cretaceous, Texas: Fohs, 701; Sellards, 2017.
- Buffalo sandstone, Pennsylvanian, Maryland: Swartz, 2177.
- Buffalo sandstone, Pennsylvanian, Ohio: Stout and Lamborn, 2169.
- Buffalo sandstone, Pennsylvanian, West Virginia: Reger, 1838, 1839.
- Buffalo Wallow shales, Mississippian, Indiana: Logan, 1402.
- Bullhead Mountain formation, Cretaceous, British Columbia: McLearn, 1461.
- Bull Run shales, Triassic, Virginia: Roberts, 1880.
- Burgen sandstone, Ordovician, Oklahoma: Edson, 624.
- Burgoon sandstone member, Mississippian, Pennsylvania: Butts, 270.
- Burke formation, Algonkian, Idaho: Umpleby and Jones, 2316.
- Burlingame limestone, Pennsylvanian, Iowa: Tilton, 2253.
- Burlington limestone, Mississippian, Missouri: Wilson, 2497.
- Burlington (Lower) formation, Mississippian, Iowa: Schoewe, 1985.
- Burlington-Keokuk limestone, Mississippian, Missouri and Illinois: Krey, 1293.
- Burrard formation, Eocene, British Columbia: Johnston, 1107.
- Burroughs dolomite, Silurian, Illinois: Thwaites, 2245; Ulrich, 2315.
- Bushberg sandstone, Mississippian, Missouri: Wilson, 2497.
- Byram calcareous marl, Oligocene, Mississippi: Vaughan, 2343.
- Byron formation, Silurian, Wisconsin: Thwaites, 2245.
- Cabo Rojo stage, Quaternary, Porto Rico: Hubbard, 1002.
- Cache Creek formation, Carboniferous, British Columbia: Cairnes, 279, 281.
- Caddo formation, Comanchean, Oklahoma: Bullard, 254.
- Cadwallader series, Triassic, British Columbia: Goranson, 771.
- Caimito formation, Tertiary, Panama Canal Zone: MacDonald, 1445.
- Calhoun shale, Pennsylvanian, Missouri: Wilson, 2497.
- Callaway limestone, Devonian, Missouri: Branson, 199, 200; Krey, 1293; Wilson, 2497.
- Caloosahatchee marl, Pliocene, Florida: Vaughan, 2343.
- Calvert formation, Miocene, Maryland: Vaughan, 2343.
- Calvin sandstone, Pennsylvanian, Oklahoma: Morgan, 1632.
- Cambridge limestone, Pennsylvanian, Ohio: Condit, 432; Stout and Lamborn, 2169.
- Cambridge limestone, Pennsylvanian, West Virginia: Reger, 1839.
- Cambridge shale, Pennsylvanian, Maryland: Swartz, 2177.
- Camden series, Tertiary, Arkansas: Howe, 996.
- Campbell Mountain rhyolite, Miocene, Colorado: Emmons and Larsen, 650.
- Campbell Mountain rhyolite, Tertiary, Colorado: Knowlton, 1286.
- Caney shale, Carboniferous, Oklahoma: Girty and Roundy, 757.
- Caney shale, Mississippian, Oklahoma: Morgan, 1632.
- Cannon limestone, Ordovician, Tennessee: Nelson, 1658.
- Cannon limestone, Ordovician, Virginia: Eby (Stose), 621.
- Cannonball marine member, Cretaceous or Eocene, Northern Great Plains: Thom and Dobbin, 2211.
- Canyon Largo terrane, Tertiary, Colorado: Keyes, 1227.
- Cape Dauphin formation, Pennsylvanian, Nova Scotia: Bell, 128.
- Caprina limestone, Cretaceous, Mexico: VerWiebe, 2346.
- Carbondale formation, Pennsylvanian, Illinois: Shaw, 2035.
- Cardenas formation, Cretaceous, Mexico: VerWiebe, 2346.
- Cardiff conglomerate, pre-Cambrian, Maryland and Pennsylvania: Knopf and Jonas, 1282.
- Caribbean limestone, Tertiary, Panama Canal Zone: MacDonald, 1445.
- Cariboo series, pre-Cambrian(?), British Columbia: Uglow, 2305.
- Carlile shale, Cretaceous, Montana: Reeside, 1826.
- Carlile shale, Cretaceous, Wyoming: Fath and Moulton, 670.

- Carlile terrane, Cretaceous, Colorado: Keyes, 1227.
- Carlinville limestone member, Pennsylvanian, Illinois: Shaw, 2035.
- Carmichael sand, Pennsylvanian, Oklahoma: Hosterman, 984.
- Carrizo sandstone, Eocene, Texas: Berry, 142; Trowbridge, 2272.
- Carsonian series, Quaternary, Nevada: Keyes, 1192.
- Cartersville formation, Mississippian, Missouri: Wilson, 2497.
- Casanna schists, California: Woodford, 2530.
- Caseyville formation, Pennsylvanian, Kentucky: Weller, 2426.
- Cason shale, Ordovician, Arkansas: Miser, 1591.
- Cassada Garden gravels, Miocene, Antigua: Earle, 615.
- Castile gypsum, Permian, Texas: Udden, 2302.
- Catahoula sandstone, Oligocene, Louisiana: Vaughan, 2343.
- Catahoula sandstone, Oligocene, Mississippi: Lowe, 1427.
- Catalina metamorphic facies of the Franciscan series, California: Woodford, 2530.
- Cathedral Bluffs member, Tertiary, Colorado: Sears and Bradley, 2012.
- Cathedralian series, Cambrian, Alberta: Keyes, 1242.
- Catheys limestone, Ordovician, Virginia: Eby (Stose), 621.
- Catskill series, Devonian, West Virginia: Reger, 1838, 1839.
- Caulfield formation, Paleozoic (?), British Columbia: Johnston, 1107.
- Cayuga limestone, Silurian, Virginia: Eby (Stose), 621.
- Cayugan series, Silurian: Ulrich and Bassler, 2311.
- Cayugan series, Silurian, Maryland: Swartz, 2178.
- Cedar Cliff limestone lens, Silurian, Maryland: Swartz, 2178.
- Cedar Creek limestone, Pennsylvanian, Iowa: Tilton, 2253.
- Cedar District formation, Cretaceous, British Columbia: Goranson, 771.
- Cedar Valley formation, Devonian, Iowa: Schoewe, 1985.
- Cedar Valley limestone, Devonian, Illinois: Savage, 1964.
- Cedar Valley stage, Devonian, Iowa: Thomas, 2217.
- Cedarville sandstone, Pennsylvanian, Maryland: Swartz, 2177.
- Cedarville sandstone, Pennsylvanian, West Virginia: Reger, 1839.
- Cement terrane, Ordovician, Colorado: Keyes, 1227.
- Cement City limestone member, Pennsylvanian, Missouri: Wilson, 2497.
- Cercado formation, Miocene, Dominican Republic: Vaughan, 2343.
- Cerro formation, Pleistocene, Colorado: Atwood and Mather, 50.
- Cerro Gordo substage, Devonian, Iowa: Fenton and Fenton, 677.
- Cerros de Sal formation, Miocene, Dominican Republic: Vaughan, 2343.
- Chaco terrane, Tertiary, Colorado: Keyes, 1227.
- Chacra terrane, Cretaceous, Colorado: Keyes, 1227.
- Chadron terrane, Tertiary, Colorado: Keyes, 1227.
- Chainman terrane, Devonian, Nevada: Keyes, 1192.
- Chaman series, Tertiary, Colorado: Keyes, 1227.
- Champion shell bed, Cretaceous, Kansas: Twenhofel, 2295.
- Chancellorian series, Cambrian, Alberta: Keyes, 1242.
- Chanute shale, Pennsylvanian, Iowa: Tilton, 2253.
- Chanute shale, Pennsylvanian, Missouri: Wilson, 2497.
- Chaquaqua terrane, Jurassic, Colorado: Keyes, 1227.
- Charlton formation, Pliocene(?), Georgia: Prettyman and Cave, 1776.
- Chattahoochee formation, Oligocene, Florida: Vaughan, 2343.
- Chattahoochee formation, Oligocene, Georgia: Prettyman and Cave, 1776.
- Chattanooga shale, Devonian, Arkansas: Miser, 1591.
- Chattanooga shale, Mississippian, Oklahoma: Trager, 2264.
- Chazy formation, Ordovician, Ontario: Wilson, 2498.
- Chazy formation, Ordovician, Vermont: Foyles, 714.
- Chemung series, Devonian, West Virginia: Reger, 1838, 1839.
- Chemung shale, Devonian, Virginia: Stose, 2164.
- Cherokee shale, Pennsylvanian, Missouri: Wilson, 2497.
- Cherry terrane, Ordovician, Nevada: Keyes, 1192.
- Cherryvale shale, Pennsylvanian, Iowa: Tilton, 2253.
- Cherryvale shale, Pennsylvanian, Missouri: Wilson, 2497.
- Cheshire quartzite, Cambrian, Vermont: Keith, 1139.
- Chester group, Mississippian, Illinois: Shaw, 2035.
- Chester group, Mississippian, Missouri: Wilson, 2497.
- Chester series, Mississippian, Kentucky: Weller, 2426.
- Cheswalla sandstone, Pennsylvanian, Oklahoma: Rubey, 1920.
- Chetang limestones, Cambrian, British Columbia: Burling, 260.
- Cheyenne formation, Cretaceous, Kansas: Twenhofel, 2295.
- Chickamauga limestone, Ordovician, Tennessee: Seerist, 2014.
- Chickasha formation, Permian, Oklahoma: Gould, 788.
- Chickies formation, Cambrian, Pennsylvania: Moore and Taylor, 1615.
- Chickies quartzite, Cambrian, Maryland and Pennsylvania: Knopf and Jonas, 1282.
- Chickies quartzite, Cambrian, Pennsylvania: Stose, 2163.
- Chico formation, Cretaceous, California: Bryan, 239; Goranson, 771; Kew, 1157, 1159; Tallafarro, 2187.
- Chico formation, Cretaceous, Oregon: Diller and Kay, 564.

- Chicontepec formation, Cretaceous, Mexico: Dumble and Applin, 593.
- Chicontepec formation, Eocene, Mexico: VerWiebe, 2346.
- Chicontepec formation, Mexico: Cushman and Trager, 486.
- Chieftain Hill volcanics, Tertiary, Yukon: Cockfield, 392.
- Chignik formation, Cretaceous, Alaska: Smith and Baker, 2091.
- Chilliwack batholith, Tertiary, British Columbia: Cairnes, 282.
- Chimneyhill limestone, Silurian, Oklahoma: Morgan, 1632.
- Chinle formation, Triassic, Arizona: Reagan, 1807.
- Chinle formation, Triassic, Colorado: Keyes, 1227.
- Chinle formation, Triassic, Utah: Longwell *et al.*, 1404; Miser, 1594, 1597; Prommel, 1780.
- Chipola formation, Miocene, Florida: Vaughan, 2343.
- Chisik conglomerate, Jurassic, Alaska: Goranson, 771.
- Chitina shale, Jurassic, Alaska, Goranson, 771.
- Chitstone limestone, Triassic, Alaska: Goranson, 771; Moffit, 1603; Moffit and Mertie, 1602.
- Choctawhatchee marl, Miocene, Florida: Vaughan, 2343.
- Choptank formation, Miocene, Maryland: Vaughan, 2343.
- Chouteau limestone, Mississippian, Missouri: Wilson, 2497.
- Chouteau limestone, Mississippian, Missouri and Illinois: Krey, 1293.
- Chugwater formation, Permian and Triassic, Wyoming: Fath and Moulton, 670.
- Chugwater formation, Triassic(?), Montana: Bauer and Robinson, 104.
- Chugwater formation, Triassic, Montana: Bevan, 155.
- Chugwater formation, Triassic, Wyoming: Condit, 433.
- Chushina formation, Ozarkian, British Columbia: Walcott, 2355.
- Cibao limestone, Tertiary, Porto Rico: Hubbard, 1002.
- Citronelle formation, Pliocene, Alabama: Vaughan, 2343.
- Citronelle formation, Pliocene, Mississippi: Lowe, 1427.
- Claiborne formation, Eocene, Arkansas and Louisiana: Teas, 2198.
- Claiborne formation, Eocene, Mexico: VerWiebe, 2346.
- Claiborne group, Eocene, Alabama: Berry, 142; Vaughan, 2343.
- Claiborne group, Eocene, Georgia: Prettyman and Cave, 1776.
- Claiborne group, Eocene, Mississippi: Lowe, 1427.
- Claiborne group, Eocene, Texas: Trowbridge, 2272.
- Claiborne group, Tertiary, Arkansas: Schneider, 1981.
- Claiborne stage, Tertiary, Texas: Dumble, 594.
- Claggett formation, Cretaceous, Montana: Ellis and Meinzer, 631.
- Claggett shale, Cretaceous, Montana: Reeves, 1836; Rogers and Lee, 1900.
- Clarion clay, Pennsylvania, Ohio: Stout and Lamborn, 2169.
- Clarion formation, Pennsylvanian, Pennsylvania: Renick, 1851.
- Clarksburg limestone, Pennsylvanian, Maryland: Swartz, 2177.
- Clarksburg limestone, Pennsylvanian, Ohio: Stout and Lamborn, 2169.
- Clarksburg red shale, Pennsylvanian, Maryland: Swartz, 2177.
- Clarksburg red shale, Pennsylvanian, West Virginia: Reger, 1839.
- Clarysville sandstone, Pennsylvanian, Maryland: Swartz, 2177.
- Clayton formation, Eocene, Alabama: Vaughan, 2343.
- Clayton formation, Eocene, Mississippi: Morse, 1637.
- Clear Creek chert, Devonian, Missouri: Wilson, 2497.
- Clermont shale, Ordovician, Iowa: Thwaites, 2245.
- Cliff House sandstone, Cretaceous, Colorado: Reeside, 1828.
- Clifty limestone, Devonian, Arkansas: Miser, 1591.
- Clinch sandstone, Silurian, Virginia: Eby (Stose), 621.
- Clinton formation, Silurian, Virginia: Eby (Stose), 621.
- Clinton group, Silurian: Ulrich and Bassler, 2311, 2312.
- Clinton group, Silurian, Maryland: Swartz, 2178.
- "Clinton" or Neda formation, Ordovician, Wisconsin: Thwaites, 2245.
- Clinton series, Silurian, West Virginia: Reger, 1839.
- Clore limestone, Mississippian, Illinois: Shaw, 2035.
- Clore limestone, Mississippian, Kentucky: Weller, 2426.
- Cloud Chief formation, Permian, Oklahoma: Gould, 788.
- Cloverly formation, Cretaceous, Montana: Bauer and Robinson, 104; Reeside, 1826.
- Cloverly formation, Cretaceous, Wyoming: Fath and Moulton, 670.
- Coama tuff limestone, Cretaceous, Porto Rico: Mitchell, 1598.
- Coast Range batholith, Jurassic, British Columbia: Dolmage, 568.
- Coast Range intrusives, Jurassic-Cretaceous, Yukon: Cockfield, 392.
- Cobalt series, pre-Cambrian, Ontario: Wright, 2541.
- Cocalico shale, Ordovician, Pennsylvania: Stose, 2163; Stose and Jonas, 2160.
- Cochahee sandstone, Pennsylvanian, Oklahoma: Rubey, 1920.
- Cockeysville marble, pre-Cambrian, Maryland: Jonas, 1113.
- Cockeysville marble, pre-Cambrian, Maryland and Pennsylvania: Knopf and Jonas, 1282.
- Cockfield formation, Eocene, Arkansas and Louisiana: Teas, 2198.
- Coconino beds, Permian, Arizona: Hager, 832.
- Coconino sandstone, Permian, Utah: Longwell *et al.*, 1404; Miser, 1594, 1597.
- Coetas formation, Pliocene, Texas: Patton, 1728.
- Coetas formation, Tertiary, Texas: Patton, 1728.

- Coeymans limestone, Devonian, West Virginia: Reger, 1839.
- Colchester formation, Cambrian, Vermont: Keith, 1139.
- Colfax series, Jurassic, California: Goranson, 771.
- Colgate sandstone member, Cretaceous, Northern Great Plains: Thom and Dobbin, 2211.
- Collier shale, Cambrian, Arkansas: Miser, 1591.
- Collier shale, Cambrian, Oklahoma: Honess, 975.
- Collingwood formation, Ordovician, Ontario and Michigan: Ruedemann and Ehlers, 1927.
- Collingwood shale, Ordovician, Ontario and Quebec: Foerste, 697.
- Collores limestone, Porto Rico: Fettke, 686.
- Colorado group, Cretaceous, Alberta: Allan and Rutherford, 21, 24.
- Colorado group, Cretaceous, Montana: Bauer and Robinson, 104.
- Colorado shale, Cretaceous, Montana: Bevan, 155; Clark, 348; Ellis and Meinzer, 631; Reeves, 1836.
- Coloradan series, Cretaceous, Alberta: Keyes, 1242.
- Coloradan series, Cretaceous, Colorado: Keyes, 1227.
- Columbia group, Pleistocene, Georgia: Prettyman and Cave, 1776.
- Comanchan series, Cretaceous, Colorado: Keyes, 1227.
- Comanchean, Kansas: Twenhofel, 2295.
- Comanchean system, Mexico: VerWiebe, 2346.
- Comanche Peak formation, Comanchean, Texas: Adkins, 6.
- Comanche Peak formation, Cretaceous, Texas: Fohs, 701.
- Combs terrane, Nevada: Keyes, 1192.
- Conasauga shale, Cambrian, Tennessee: Secrist, 2014.
- Conejo volcanics, Tertiary, California: Taliaferro, 2187.
- Conemaugh formation, Pennsylvanian, Maryland: Swartz, 2177.
- Conemaugh formation, Pennsylvanian, Ohio: Condit, 432; Stout and Lamborn, 2169.
- Conemaugh series, Pennsylvanian, West Virginia: Reger, 1838, 1839.
- Conestoga limestone, Ordovician, Pennsylvania: Knopf and Jonas, 1282; Stose, 2163.
- Connellsville sandstone, Pennsylvanian, Maryland: Swartz, 2177.
- Connellsville sandstone, Pennsylvanian, Ohio: Stout and Lamborn, 2169.
- Connellsville sandstone, Pennsylvanian, West Virginia: Reger, 1839.
- Connellsville (Lower) sandstone, Pennsylvanian, West Virginia: Reger, 1838, 1839.
- Connoquenessing formation, Pennsylvanian, Pennsylvania: Renick, 1851.
- Connoquenessing (Lower) sandstone, Pennsylvania, Maryland: Swartz, 2177.
- Connoquenessing (Lower) sandstone, Pennsylvanian, West Virginia: Reger, 1839.
- Connoquenessing (Upper) sandstone, Pennsylvanian, Maryland: Swartz, 2177.
- Connoquenessing (Upper) sandstone, Pennsylvanian, West Virginia: Reger, 1838, 1839.
- Conococheague limestone, Cambrian, Pennsylvania: Stose, 2163; Stose and Jonas, 2160.
- Cook Mountain beds, Tertiary, Texas: Dumble, 594.
- Cook Mountain formation, Eocene, Texas: Berry, 142; Trowbridge, 2272; Vaughan, 2343.
- Cooper limestone, Devonian, Missouri: Branson, 199; Krey, 1293; Wilson, 2497.
- Coppermine River series, pre-Cambrian, Arctic Canada: O'Neill, 1682.
- Corinth sandstone, Pennsylvanian, Maryland: Swartz, 2177.
- Coquihalla series, Tertiary: British Columbia: Cairnes, 279, 281.
- Corral formation, Cambrian, Alberta: Keyes, 1242.
- Corral sandstone, Cretaceous, Kansas: Twenhofel, 2295.
- Corrigan formation, Oligocene, Texas: Bailey, 57.
- Corwin series, Jurassic, Alaska: Goranson, 771.
- Cotter dolomite, Ordovician, Arkansas: Miser, 1591.
- Cotter formation, Canadian, Missouri: Wilson, 2497.
- Couchichingan, pre-Cambrian: Keyes, 1174.
- Cougarian, pre-Cambrian: Keyes, 1174.
- Crab Orchard shale, Silurian, Ohio: Ulrich and Bassler, 2312.
- Craghead Creek shale, Devonian, Missouri: Wilson, 2497.
- Cranberry formation, Cretaceous, British Columbia: Goranson, 771.
- Cranberry granite, pre-Cambrian, North Carolina: Bayley, 106.
- Credit member, Ordovician, Ontario: Parks, 1716, 1717.
- Creede formation, Miocene, Colorado: Emmons and Larsen, 650.
- Creede formation, Tertiary, Colorado: Knowlton, 1286.
- Cresaptown iron sandstone, Silurian, Maryland: Swartz, 2178; Ulrich and Bassler, 2312.
- Crowsnest volcanics, Cretaceous, Alberta: Rose, 1908.
- Crystal Mountain sandstone, Ordovician: Arkansas: Miser, 1591.
- Crystal Mountain sandstone, Ordovician (?), Oklahoma: Honess, 975.
- Cucaracha formation, Tertiary, Panama Canal Zone: MacDonald, 1445.
- Cuchara beds, Tertiary, Colorado: Keyes, 1227.
- Culebra formation, Oligocene, Panama Canal Zone: Vaughan, 2343.
- Culebra formation, Tertiary, Panama Canal Zone: MacDonald, 1445.
- Cullom limestone, Pennsylvanian, Iowa: Tilton, 2253.
- Cultus formation, Triassic, British Columbia: Goranson, 771.
- Custer granite gneiss, Jurassic, British Columbia: Cairnes, 282.
- Cutler formation, Permian, Utah: Prommel, 1780.
- Cynthiana limestones, Ordovician, Indiana: Logan, 1401.
- Cypress formation, Mississippian, Indiana: Logan, 1402.
- Cypress sandstone, Mississippian, Illinois: Shaw, 2035.

- Cypress sandstone, Mississippian, Kentucky: Weller, 2426.
- Cyrene dolomite, Silurian, Missouri and Illinois: Krey, 1293.
- Cyrene member, Silurian, Missouri: Wilson, 2497.
- Cyril gypsum, Permian, Oklahoma: Sawyer, 1970.
- Dakota formation, Cretaceous, Alberta: Allan and Rutherford, 21.
- "Dakota" formation, Cretaceous, Kansas: Twenhofel, 2295.
- Dakota sandstone, Cretaceous, Colorado: Reeside, 1828; Sears, 2010.
- Dakota sandstone, Cretaceous, Montana: Bauer and Robinson, 104.
- Dakota (?) sandstone, Cretaceous, Utah: Longwell *et al.*, 1404.
- Dakota sandstone, Cretaceous, Wyoming: Bradley, 191.
- Dakota terrane, Cretaceous, Colorado: Keyes, 1227.
- Darby formation, Cambrian, Wyoming: Condit, 433.
- Davenport member, Ordovician, Ontario: Parks, 1716, 1717.
- Davenport (Lower) beds, Devonian, Illinois: Savage, 1964.
- Davenport (Lower) member, Devonian, Iowa: Schoewe, 1985.
- Davenport (Upper) beds, Devonian, Illinois: Savage, 1964.
- Davenport (Upper) member, Devonian, Iowa: Schoewe, 1985.
- Davis formation, Cambrian, Missouri: Wilson, 2497.
- Davis Creek beds, Tertiary, Nevada: Chaney, 335.
- Day Creek dolomite, Permian, Oklahoma: Gould, 788; Sawyer, 1970.
- Dayton limestone, Silurian, Kentucky and Ohio: Foerste, 696.
- De Cew limestone member, Silurian, New York: Ulrich and Bassler, 2312.
- De Chelly, sandstone, Carboniferous, Arizona: Reagan, 1807.
- De Chelly sandstone, Permian, Arizona: Hager, 832.
- De Chelly sandstone, Triassic, Utah: Miser, 1597.
- Decorah formation, Ordovician, Iowa: Howell, 1000.
- Decorah formation, Ordovician, Missouri: Wilson, 2497.
- Decorah shale, Ordovician, Wisconsin: Thwaites, 2245.
- Decorah shales, Ordovician, Wisconsin and Minnesota: Sardeson, 1960.
- DeCourcy formation, Cretaceous, British Columbia: Goranson, 771.
- Deer Creek limestone, Pennsylvanian, Missouri: Wilson, 2497.
- Deer River shale, Ordovician, New York: Ruessmann and Ehlers, 1927.
- Deese member, Carboniferous, Oklahoma: Girty and Roundy, 757.
- Degonia sandstone, Mississippian, Illinois: Shaw, 2035.
- Degonia sandstone, Mississippian, Kentucky: Weller, 2426.
- De Kalb limestone, Pennsylvania, Iowa: Tilton, 2253.
- Del Rio formation, Comanchean, Texas: Adkins, 6.
- Del Rio formation, Cretaceous, Texas: Sellards, 2017.
- DeNay limestone, Pennsylvanian, Oklahoma: Morgan, 1632.
- Denay limestone member, Pennsylvanian, Oklahoma: Morgan, 1634.
- Denison formation, Cretaceous, Texas: Fohs, 701.
- Denton member, Comanchean, Texas: Adkins, 6.
- Denver terrane, Tertiary, Colorado: Keyes, 1227.
- De Queen limestone member, Cretaceous, Arkansas: Miser and Ross, 1592.
- Derby formation, Cambrian, Missouri: Wilson, 2497.
- Desamparados formation, Cretaceous (?), Costa Rica: Redfield, 1814.
- Desecheo (Lower) stage, Quaternary, Porto Rico: Hubbard, 1002.
- Desecheo (Upper) stage, Quaternary, Porto Rico: Hubbard, 1002.
- De Smet formation, pre-Cambrian, South Dakota: Hosted and Wright, 983.
- Des Moines formation, Pennsylvanian, Iowa: Howell, 1000.
- Des Moines group, Pennsylvanian, Missouri: Wilson, 2497.
- Des Moines sandstone, Pennsylvanian, Iowa: Schoewe, 1985.
- Devils Lake formation, Cambrian, Wisconsin: Thwaites, 2245.
- Dewdney series, Jurassic, British Columbia: Cairnes, 279.
- Dewdney Creek series, Jurassic, British Columbia: Cairnes, 281, 282.
- Diamond King member, Tertiary, Nevada: Ferguson, 679.
- Diamondian series, Carboniferous, Nevada: Keyes, 1192.
- Dierks limestone lentil, Cretaceous, Arkansas: Miser and Ross, 1592.
- Dinwoody formation, Triassic, Wyoming: Condit, 433.
- Dockum beds, Triassic, Texas: Patton, 1728.
- Documan series, Triassic, Colorado: Keyes, 1227.
- Doe Run formation, Cambrian, Missouri: Wilson, 2497.
- Dog Creek shale, Permian, Oklahoma: Gould, 788; Sawyer, 1970.
- Doloresian series, Triassic, Arizona: Reagan, 1807.
- Doloresian series, Triassic, Colorado: Keyes, 1227.
- Domino gneiss, pre-Cambrian, Labrador: Kindle, 1261.
- Don River member, Ordovician, Ontario: Foerste, 697.
- Dothan formation, Jurassic, Oregon: Diller and Kay, 564.
- Double Mer sandstone, Paleozoic, Labrador: Kindle, 1261.
- Douglas formation, Pennsylvanian, Missouri: Wilson, 2497.
- Douglas stage, Pennsylvanian, Iowa: Tilton, 2253.
- Draney limestone, Cretaceous, Idaho: Kirkham, 1273.
- Dresbach formation, Cambrian, Wisconsin and Illinois: Thwaites, 2245.
- Dripping Spring quartzite, Cambrian, Arizona: Ransome, 1792.

- Drum limestone, Pennsylvanian, Missouri: Wilson, 2497.
- Dubuque dolomite, Ordovician, Iowa: Thwaites, 2245.
- Duchesne shales and limestone, Jurassic, Colorado: Keyes, 1227.
- Duck Creek formation, Cretaceous, Texas: Fohs, 701.
- Duck Creek member, Comanchean, Texas: Adkins, 6.
- Duluth gabbro, pre-Cambrian, Minnesota: Schwartz, 2001.
- Duncan sandstone, Permian, Oklahoma: Gould, 788; Sawyer, 1970.
- Dundas formation, Ordovician, Ontario: Parks, 1716, 1717.
- Dunderbergian series, Cambrian, Nevada: Keyes, 1192.
- Duplin marl, Miocene, Georgia: Prettyman and Cave, 1776.
- Duplin marl, Miocene, North Carolina: Vaughan, 2343.
- Durango stage, Pleistocene, Colorado: Atwood and Mather, 50.
- Durbin formation, Silurian, Ohio: Foerste, 696.
- Dyer Bay dolomite, Silurian, Ontario: Ulrich and Bassler, 2312.
- Eagle diorite, Cretaceous, British Columbia: Cairnes, 281.
- Eagle formation, Cretaceous, Montana: Bevan, 155.
- Eagle granodiorite, Cretaceous, British Columbia: Cairnes, 279, 282.
- Eagle sandstone, Cretaceous, Montana: Bauer and Robinson, 104; Clark, 348; Ellis and Meinzer, 631; Reeside, 1826; Reeves, 1836.
- Eagle Ford clay, Cretaceous, Arkansas and Louisiana: Hull, 1011.
- Eagle Ford formation, Cretaceous, Arkansas: Schneider, 1981.
- Eagleford formation, Cretaceous, Texas: Adkins, 6; Fohs, 701; Sellards, 2017.
- East Lynn sandstone, Pennsylvanian, West Virginia: Reger, 1838, 1839.
- East Lynn (Upper) sandstone, Pennsylvanian, West Virginia: Reger, 1839.
- Eau Claire formation, Cambrian, Wisconsin: Thwaites, 2245.
- Eden formation, Ordovician, Ontario: Foerste, 697.
- Edgewood formation, Silurian, Missouri: Wilson, 2497.
- Edgewood formation, Silurian, Missouri and Illinois: Krey, 1293.
- Edwards formation, Comanchean, Texas: Adkins, 6; Fohs, 701; Sellards, 2017.
- Egan limestone, Ordovician, Nevada: Keyes, 1220.
- Egan terrane, Ordovician, Nevada: Keyes, 1192.
- Elbert terrane, Devonian, Colorado: Keyes, 1227.
- Elbrook limestone, Cambrian, Pennsylvania: Stose, 2163; Stose and Jonas, 2160.
- Elden terrane, Carboniferous, Nevada: Keyes, 1192.
- Eldonian series, Cambrian, Alberta: Keyes, 1242.
- Eldoradan series, Cambrian, Nevada: Keyes, 1192.
- Elgin limestones, Ordovician, Iowa: Thwaites, 2245.
- Elgin sand, Pennsylvanian, Oklahoma: Hosterman, 984.
- Elgin sandstone, Pennsylvanian, Oklahoma: Rubey, 1920.
- Elk Creek beds, Cretaceous, Kansas: Trenchhofel, 2295.
- Elko limestone, Cambrian, British Columbia: Walcott, 2357.
- Ellensburg formation, Miocene, Washington: Jenkins, 1061.
- Ellerslie sandstone, Pennsylvanian, Maryland: Swartz, 2177.
- Ellis formation, Cretaceous, Montana: Reeves, 1836.
- Ellis formation, Jurassic, Montana: Bevan, 155; Clark, 348.
- Ellison formation, pre-Cambrian, South Dakota: Hosted and Wright, 983.
- El Pasan series, Ordovician, Colorado: Keyes, 1227.
- Elvins formation, Cambrian, Missouri: Wilson, 2497.
- Elwren formation, Mississippian, Indiana: Logan, 1402.
- Ely greenstone, pre-Cambrian, Minnesota: Schwartz, 2001.
- Embar formation, Permian (?), Montana: Bauer and Robinson, 104.
- Embar formation, Permian, Wyoming: Fath and Moulton, 670.
- Embar formation, Permian and Triassic, Wyoming: Condit, 433.
- Eminence formation, Ozarkian, Missouri: Wilson, 2497.
- Emperador limestone, Oligocene, Panama Canal Zone: Vaughan, 2343.
- Emperador limestone, Tertiary, Panama Canal Zone: MacDonald, 1445.
- Endicott sand series, Pennsylvanian, Oklahoma: Hosterman, 984.
- English River gritstone member, Mississippian, Iowa: Schoewe, 1985.
- Ensenada shale, Cretaceous, Porto Rico: Mitchell, 1598.
- Eparchaeozoic interval, pre-Cambrian: Young, 2554.
- Ephraim formation, Cretaceous, Idaho: Kirkham, 1273.
- Epiproterozoic interval, pre-Cambrian: Young, 2554.
- Epworth dolomite, pre-Cambrian, Arctic Canada: O'Neill, 1682.
- Equity quartz latite, Miocene, Colorado: Emmons and Larsen, 650.
- Equity quartz latite, Tertiary, Colorado: Knowlton, 1286.
- Escamela formation, Cretaceous, Mexico: Verwiebe, 2346.
- Esmeralda formation, Tertiary, Nevada: Ferguson, 679; Louderback, 1415.
- Esperanza trachyte, Tertiary, Arizona: Ransome, 1793.
- Estevan beds, Saskatchewan: Sternberg, 2144.
- Euphemia dolomite, Silurian, Ohio: Foerste, 696.
- Eureka shale, Mississippian, Missouri: Wilson, 2497.
- Eureka shales, Mississippian, Missouri: Branson, 199.
- Eureka terrane, Ordovician, Nevada: Keyes, 1192.

- Eutaw formation, Cretaceous, Georgia: Prettyman and Cave, 1776.
- Eutaw formation, Cretaceous, Mississippi: Lowe, 1427; Morse, 1637.
- Evanston formation, Cretaceous, Colorado: Keyes, 1227.
- Everton formation, Ordovician, Missouri: Wilson, 2497.
- Everton limestone, Ordovician, Arkansas: Miser, 1591.
- Ewing limestone, Pennsylvanian, Maryland: Schwartz, 2177.
- Ewing limestone, Pennsylvanian, West Virginia: Reger, 1838.
- Extension formation, Cretaceous, British Columbia: Goranson, 771.
- Fairfax limestone, Pennsylvanian, West Virginia: Reger, 1838, 1839.
- Fairview formation, Cambrian, Alberta: Keyes, 1242.
- Fargolimestone, Pennsylvanian, Iowa: Tilton, 2253.
- Farley limestone lens, Pennsylvanian, Missouri: Wilson, 2497.
- Farmington sandstone member, Cretaceous, New Mexico: Reeside, 1828.
- Fayette beds, Tertiary, Texas: Dumble, 594.
- Fayette sandstone, Eocene, Texas: Trowbridge, 2272.
- Fayetteville shale, Mississippian, Arkansas: Miser, 1591.
- Fernando group, Pliocene, California: Kew, 1159.
- Fernando group, Pliocene and Pleistocene, California: Kew, 1157.
- Fernando group, Tertiary, California: Taliaferro, 2187.
- Fern Glen formation, Mississippian, Missouri: Wilson, 2497.
- Fern Glen formation, Mississippian, Missouri and Illinois: Krey, 1293.
- Fernie formation, Jurassic, Alberta: Allan and Rutherford, 21; Keyes, 1242; Rose, 1908.
- Fernie shale, Jurassic, British Columbia: Goranson, 771.
- Fernvale limestone, Ordovician, Arkansas: Miser, 1591.
- Fernvale limestone, Ordovician, Missouri: Wilson, 2497.
- Fisher quartz latite, Miocene, Colorado: Emmons and Larsen, 650.
- Fisher quartz latite, Tertiary, Colorado: Knowlton, 1286.
- Fishhaven dolomite, Ordovician, Idaho: Piper, 1760.
- Fitzgerald dolomite, Silurian, Mackenzie: Hume, 1016.
- Flaming Gorge beds, Jurassic, Colorado: Keyes, 1227.
- Flathead formation, Cambrian, Montana: Bevan, 155.
- Flathead sandstone, Cambrian, Wyoming: Condit, 433.
- Flat-top terrane, Carboniferous, Colorado: Keyes, 1227.
- Flaxville gravel, Miocene or Pliocene, Montana: Collier, 415.
- Flaxville gravel, Tertiary, Montana: Reeves, 1836.
- Fleming clays, Tertiary, Texas: Dumble, 594.
- Foraker limestone, Oklahoma: Lillibridge, 1377.
- Foraker limestone, Pennsylvanian, Oklahoma: Hosterman, 984.
- Fordham gneiss, pre-Cambrian, New York: Alling, 29.
- Forest Hill sand, Oligocene, Mississippi: Vaughan, 2343.
- Fort Atkinson limestone, Ordovician, Iowa: Thwaites, 2245.
- Fort Creek shale, Devonian, Mackenzie: Hume, 1013, 1016.
- Fort Scott limestone member, Pennsylvanian, Missouri: Wilson, 2497.
- Fort Union formation, Cretaceous (?), Montana: Bevan, 155.
- Fort Union formation, Cretaceous, South Dakota: Ward, 2390.
- Fort Union formation, Cretaceous or Eocene, Northern Great Plains: Thom and Dobbin, 2211.
- Fort Union formation, Eocene, Montana: Bauer, 105; Collier, 415; Renick, 1854.
- Fort Union formation, Tertiary, Montana: Ellis and Meinzer, 631; Renick, 1852; Rogers and Lee, 1900.
- Fort Union formation, Tertiary, Wyoming: Condit, 433.
- Fort Worth limestone, Cretaceous, Texas: Fohs, 701.
- Fort Worth member, Comanchean, Texas: Adkins, 6.
- Fountain formation, Pennsylvanian, Colorado: Tieje, 2247.
- Fourmile sandstone, Pennsylvanian, Oklahoma: Rubey, 1920.
- Fowkes volcanic ash, Tertiary, Colorado: Keyes, 1227.
- Fox Hills formation, Cretaceous, South Dakota: Wilson and Ward, 2505.
- Fox Hills sandstone, Cretaceous, Montana: Bauer, 105; Collier, 415.
- Fox Hills sandstone, Cretaceous, Northern Great Plains: Thom and Dobbin, 2211.
- Foxian series, Cretaceous, Alberta: Keyes, 1242.
- Foxian series, Cretaceous, Colorado: Keyes, 1227.
- Francis formation, Pennsylvanian, Oklahoma: Morgan, 1632, 1633, 1634.
- Franciscan formation, California: Hill, 926.
- Franciscan formation, Jurassic, California: Goranson, 771.
- Franciscan series, California: Woodford, 2530.
- Franconia formation, Cambrian, Minnesota and Wisconsin: Ulrich, 2315.
- Franconia formation, Cambrian, Wisconsin: Thwaites, 2245.
- Franklin Mountain formation, Silurian, Mackenzie: Hume, 1016; Williams, 2473, 2475.
- Franks conglomerate, Pennsylvanian, Oklahoma: Dunbar, 599; Morgan, 1632, 1634; Weldman, 2422, 2423.
- Fredericksburg division, Comanchean, Texas: Adkins, 6.
- Fredonia oolite member, Mississippian, Kentucky: Weller, 2426.
- Freeport (Lower) fire clay, Pennsylvanian, West Virginia: Reger, 1839.
- Freeport (Lower) limestone, Pennsylvanian, Maryland: Swartz, 2177.

- Freeport (Lower) limestone, Pennsylvanian, Ohio: Stout and Lamborn, 2169.
- Freeport (Lower) limestone, Pennsylvanian, West Virginia: Reger, 1838.
- Freeport (Lower) sandstone, Pennsylvanian, Ohio: Stout and Lamborn, 2169.
- Freeport (Lower) sandstone, Pennsylvanian, West Virginia: Reger, 1838, 1839.
- Freeport (Upper) clay, Pennsylvanian, Ohio: Stout and Lamborn, 2169.
- Freeport (Upper) limestone, Pennsylvanian, Maryland: Swartz, 2177.
- Freeport (Upper) limestone, Pennsylvanian, Ohio: Stout and Lamborn, 2169.
- Freeport (Upper) limestone, Pennsylvanian, West Virginia: Reger, 1838, 1839.
- Freeport (Upper) sandstone, Pennsylvanian, Maryland: Swartz, 2177.
- Freeport (Upper) sandstone, Pennsylvanian, Ohio: Stout and Lamborn, 2169.
- Freeport (Upper) sandstone, Pennsylvanian, West Virginia: Reger, 1838, 1839.
- Fremont terrane, Ordovician, Colorado: Keyes, 1227.
- Frio clay, Eocene, Texas: Trowbridge, 2272.
- Frio formation, Eocene, Texas: Bailey, 57.
- Frio group, Tertiary, Texas: Dumble, 594.
- Frontier formation, Cretaceous, Montana: Bauer and Robinson, 104; Reeside, 1826.
- Frontier formation, Cretaceous, Wyoming: Fath and Moulton, 670.
- Fruitland formation, Cretaceous, New Mexico: Reeside, 1828.
- Fullington shales, Cretaceous, Kansas: Twenhofel, 2295.
- Funeral terrane, Tertiary, Nevada: Keyes, 1192.
- Furnacean series, Tertiary, Nevada: Keyes, 1192.
- Furnaceville iron ore, Silurian, New York: Ulrich and Bassler, 2312.
- Fuson formation, Cretaceous, Wyoming: Bradley, 191.
- Fuson terrane, Jurassic, Colorado: Keyes, 1227.
- Gabriola formation, Cretaceous, British Columbia: Goranson, 771.
- Galena formation, Ordovician, Iowa: Howell, 1000.
- Galena limestone, Ordovician, Illinois: Bretz, 205.
- Galesburg shale, Pennsylvanian, Missouri: Wilson, 2497.
- Galice formation, Jurassic, Oregon: Diller and Kay, 564.
- Galisteo sandstones, Tertiary, Colorado: Keyes, 1227.
- Galisteo terrane, Tertiary, Colorado: Keyes, 1227.
- Gallatin formation, Cambrian, Montana: Bevan, 155.
- Gallatin limestone, Cambrian, Wyoming: Condit, 433.
- Gannett group, Cretaceous, Idaho: Kirkham, 1273.
- Garden City limestone, Ordovician, Idaho: Piper, 1760.
- Garfield formation, pre-Cambrian, South Dakota: Hosted and Wright, 983.
- Garrett terrane, Cretaceous, Colorado: Keyes, 1227.
- Gasconade formation, Ozarkian, Missouri: Wilson, 2497.
- Gates formation, Cretaceous, British Columbia: McLearn, 1461.
- Gatun formation, Miocene, Costa Rica: Redfield, 1814.
- Gatun formation, Miocene, Panama Canal Zone: Vaughan, 2343.
- Gatun formation, Tertiary, Costa Rica: Redfield, 1814.
- Gatun formation, Tertiary, Panama Canal Zone: MacDonald, 1445.
- Genesee series, Devonian, West Virginia: Reger, 1839.
- Genesee shale, Devonian, Virginia: Eby (Stose), 621; Stose, 2164.
- Georgia formation, Ordovician (?), Vermont: Raymond, 1804.
- Georgia slate, Ordovician (?), Vermont: Keith, 1139.
- Georgetown formation, Comanchean, Texas: Adkins, 6.
- Georgetown formation, Cretaceous, Texas: Sel lards, 2017.
- Gering terrane, Tertiary, Colorado: Keyes, 1227.
- Gething member, Cretaceous, British Columbia: McLearn, 1461.
- Ghost River formation, Alberta: Walcott, 2355.
- Giants Range granite, pre-Cambrian, Minnesota: Gruner, 822; Schwartz, 2001.
- Gila conglomerate, Pleistocene, Arizona: Ransome, 1792.
- Gilbert shale, Pennsylvanian, West Virginia: Reger, 1838.
- Gilbert (Lower) sandstone, Pennsylvanian, West Virginia: Reger, 1838.
- Girardeau limestone, Silurian, Missouri: Wilson, 2497.
- Gladeville sandstone, Pennsylvanian, Virginia: Eby, 621.
- Glenarm series, pre-Cambrian, Maryland: Jonas, 1113.
- Glenarm series, pre-Cambrian, Maryland and Pennsylvania: Knopf and Jonas, 1282.
- Glenarm series, pre-Cambrian, Pennsylvania: Hawkins, 869.
- Glendale shale, Mississippian, Tennessee: Swartz, 2183.
- Glen Dean formation, Mississippian, Indiana: Logan, 1402.
- Glen Dean limestone, Mississippian, Kentucky: Weller, 2428.
- Glendon formation, Oligocene, Alabama: Vaughan, 2343.
- Glendon formation, Oligocene, Georgia: Prettyman and Cave, 1776.
- Glen Eyrie shale, Pennsylvanian, Colorado: Tiejé, 2247.
- Glenn formation, Carboniferous, Oklahoma: Girty and Roundy, 757.
- Glenogle formation, Ordovician, British Columbia: Walcott, 2355, 2357.
- Glen Park limestone, Mississippian, Missouri: Wilson, 2497.
- Glenrose formation, Comanchean, Texas: Adkins, 6.
- Glen Rose formation, Cretaceous, Arkansas and Louisiana: Hull, 1011.
- Glen Rose formation, Cretaceous, Texas: Fohs, 701.
- Gloucester formation, Ordovician, Ontario: Ruedemann and Ehlers, 1927.
- Gloucester shale, Ordovician, Ontario and Quebec: Foerste, 697.

- Golconda formation, Mississippian, Indiana: Logan, 1402.
- Golconda limestone, Mississippian, Kentucky: Weller, 2426.
- Gold Hill formation, Cambrian (?), Nevada: Ferguson, 679.
- Goldiva terrane, Tertiary, Colorado: Keyes, 1227.
- Gold Road latite, Tertiary, Arizona: Ransome, 1793.
- Goodland limestone, Comanchean, Oklahoma: Bullard, 254.
- Goodland limestone, Cretaceous, Arkansas: Miser, 1591.
- Goodridge formation, Pennsylvanian, Utah: Longwell *et al.*, 1404; Miser, 1594, 1597.
- Goodsir series, Ordovician, Alberta: Keyes, 1242.
- Goose Bay formation, Jurassic (?), British Columbia: Dolmage, 568.
- Goodwin formation, Ozarkian, Nevada: Walcott, 2355.
- Goodwinian series, Cambrian, Nevada: Keyes, 1192.
- Gosport sand, Eocene, Alabama: Berry, 142; Vaughan, 2343.
- Goulburn quartzite, pre-Cambrian, Arctic Canada: O'Neill, 1682.
- Gower limestone formation: Silurian, Iowa: Schoewe, 1985.
- Gowganda formation, pre-Cambrian, Ontario: Bain, 61.
- Grafton sandstone, Pennsylvanian, West Virginia: Regar, 1838, 1839.
- Grafton (Lower) sandstone, Pennsylvanian, Maryland: Swartz, 2177.
- Grafton (Upper) sandstone, Pennsylvanian, Maryland: Swartz, 2177.
- Grafton (Upper) shale, Pennsylvanian, West Virginia: Reger, 1838, 1839.
- Grainger shale, Mississippian, Tennessee: Swartz, 2183.
- Grand Tower limestone, Devonian, Missouri: Wilson, 2497.
- Graneros terrane, Cretaceous, Colorado: Keyes, 1227.
- Graneros shale, Cretaceous, South Dakota: O'Harra, 1678.
- Granite Mountain porphyry, Mesozoic, Arizona: Ransome, 1792.
- Grapevine terrane, Jurassic, Nevada: Keyes, 1192.
- Grassy Creek shale, Mississippian, Missouri: Branson, 199; Krey, 1293; Wilson, 2497.
- Gray Medina sandstone, Silurian, West Virginia: Reger, 1839.
- Greenbrier limestone lentil, Mississippian, Pennsylvania: Butts, 270.
- Greenbrier series, Mississippian, West Virginia: Reger, 1838, 1839.
- Greene formation, Permian, Maryland: Swartz, 2177.
- Greenhorn terrane, Cretaceous, Colorado: Keyes, 1227.
- Greenian series, Tertiary, Colorado: Keyes, 1227.
- Greenleaf member, Cretaceous, Kansas: Twenhofel, 2295.
- Green River formation, Tertiary, Colorado and Wyoming: Sears, 2010; Sears and Bradley, 2012.
- Green River formation, Tertiary, Colorado, Utah, Wyoming, and Idaho: Henderson, 914.
- Green River formation, Tertiary, Wyoming, Colorado, and Utah: Knowlton, 1285.
- Greenwater terrane, Tertiary, Nevada: Keyes, 1192.
- Greer formation, Permian, Texas: Patton, 1728.
- Grenada formation, Eocene, Mississippi: Vaughan, 2343.
- Grenada-Hatchetigbee division, Eocene, Mississippi: Lowe, 1427.
- Greenville series, pre-Cambrian, New York: Miller, 1583.
- Grenville series, pre-Cambrian, Ontario: Wright, 2545.
- Grenville series, pre-Cambrian, Ontario and Quebec: Wilson, 2498.
- Grenvillian, pre-Cambrian: Keyes, 1174.
- Gros Ventre formation, Cambrian, Wyoming: Condit, 433.
- Guallaba formation, Oligocene, Costa Rica: Redfield, 1814.
- Guayabal limestone, Cretaceous, Porto Rico: Mitchell, 1598.
- Gurabo formation, Miocene, Dominican Republic: Vaughan, 2343.
- Guertie sand, Permian, Oklahoma: Morgan, 1632.
- Gueydan tuff, Oligocene (?), Texas: Bailey, 58.
- Gunter sandstone, Ozarkian, Missouri: Wilson, 2497.
- Guyandot sandstone, Pennsylvanian, West Virginia: Reger, 1838, 1839.
- Hackberry stage, Devonian, Iowa: Fenton and Fenton, 677.
- Hades terrane, Devonian, Colorado: Keyes, 1227.
- Haida formation, Cretaceous, British Columbia: Goranson, 771.
- Halifax chlorite schist, Ordovician, Vermont: Hubbard, 1004.
- Hall series, Triassic, British Columbia: Goranson, 771.
- Hambergian series, Cambrian, Nevada: Keyes, 1192.
- Hamburgian series, Cambrian, Nevada: Keyes, 1192.
- Hamden member, Pennsylvanian, Ohio: Stout and Lamborn, 2169.
- Hamilton series, Devonian, West Virginia: Reger, 1839.
- Hannibal shale, Mississippian, Missouri: Wilson, 2497.
- Hannibal shale, Mississippian, Missouri and Illinois: Krey, 1293.
- Haragan shale, Devonian, Oklahoma: Morgan, 1632.
- Hardgrave sandstone, Jurassic, California: Goranson, 771.
- Harding terrane, Ordovician, Colorado: Keyes, 1227.
- Hardinsburg formation, Mississippian, Indiana: Logan, 1402.
- Hardinsburg sandstone, Mississippian, Kentucky: Weller, 2426.
- Hardman fire clay, Pennsylvanian, West Virginia: Reger, 1839.

- Harlan sandstone, Pennsylvanian, Virginia: Eby, 621.
- Harlem clay, Pennsylvanian, Ohio: Stout and Lamborn, 2169.
- Harmon, Ordovician, Indiana: Logan, 1401.
- Harpers phyllite, Cambrian, Maryland and Pennsylvania: Knopf and Jonas, 1282.
- Harpers schist, Cambrian, Pennsylvania: Jonas, 1112; Stose, 2163.
- Hart limestone member, Permian, Oklahoma: Morgan, 1632.
- Hartley augen gneiss, pre-Cambrian, Maryland and Pennsylvania: Knopf and Jonas, 1282.
- Hartridge black shale, Pennsylvanian, West Virginia: Reger, 1838, 1839.
- Hartselle sandstone, Mississippian, Mississippi: Morse, 1637.
- Hartshorne sandstone, Pennsylvanian, Arkansas: Miser, 1591.
- Hartshorne sandstone, Pennsylvanian, Oklahoma: Morgan, 1632.
- Haslam formation, Cretaceous, British Columbia: Goranson, 771.
- Hatchetigbee formation, Eocene, Alabama: Vaughan, 2343.
- Hatchetigbee (Grenada) formation, Eocene, Mississippi: Morse, 1637.
- Hattiesburg clay, Oligocene, Mississippi: Lowe, 1427.
- Hay River beds, Devonian, Mackenzie: Whittaker, 2462.
- Hay River limestone, Devonian, Mackenzie: Hume, 1016.
- Hazleton formation, Jurassic, British Columbia: Hanson, 853.
- Hazleton group, Jurassic, British Columbia: Hanson, 856.
- Heartwellville schist, Ordovician, Vermont: Hubbard, 1004.
- Hedwig breccia member, Tertiary, Nevada: Ferguson, 679.
- Helderberg limestone, Devonian, Virginia: Eby (Stose), 621.
- Helderberg limestone, Devonian, West Virginia: Reger, 1839.
- Hellam conglomerate, Cambrian, Maryland and Pennsylvania: Knopf and Jonas, 1282.
- Hellam conglomerate member, Cambrian, Pennsylvania: Stose, 2163.
- Hell Creek member, Cretaceous or Eocene, Northern Great Plains: Thom and Dobbin, 2211.
- Hell Creek member, Eocene (?), Montana: Renick, 1854.
- Hell Creek member, Tertiary (?), Montana: Bauer, 105; Collier, 415; Renick, 1852.
- Hendricks sandstone, Devonian, West Virginia: Reger, 1838.
- Henrietta formation, Pennsylvanian, Missouri: Wilson, 2497.
- Henryan series, Cretaceous, Alberta: Keyes, 1242.
- Henryan series, Cretaceous, Colorado: Keyes, 1272.
- Henry Fork formation, Cretaceous, Colorado: Keyes, 1227.
- Henryhouse shale, Silurian, Oklahoma: Morgan, 1632.
- Herington limestone, Permian, Oklahoma: Hosterman, 984.
- Hermosa formation, Carboniferous, Colorado: Keyes, 1227.
- Hermosa formation, Carboniferous, Utah: Prommel, 1780.
- Hertha limestone, Pennsylvanian, Iowa: Tilton, 2253.
- Hertha limestone, Pennsylvanian, Missouri: Wilson, 2497.
- Highgate formation, Ordovician (?), Vermont: Raymond, 1804.
- Highgate slate, Cambrian, Vermont: Keith, 1139.
- Highland Boy limestone, Carboniferous, Utah: Lindgren, 1384.
- Hillabee schist, Alabama: Prouty, 1782.
- Hinche formation, Pliocene, Haiti: Woodring, 2533.
- Hinchman tuff and sandstone, Jurassic, California: Goranson, 771.
- Hinsdale basalt, Colorado: Atwood and Mather, 50.
- Hinsdale volcanic series, Tertiary, Colorado: Knowlton, 1286.
- Hinshaw terrane, Cretaceous, Colorado: Keyes, 1227.
- Hinton limestone, Mississippian, West Virginia: Reger, 1838, 1839.
- Hitka formation, Cambrian, British Columbia: Burling, 260.
- Hoffman limestone, Pennsylvanian, Maryland: Swartz, 2177.
- Hoffman limestone, Pennsylvanian, West Virginia: Reger, 1838.
- Hoffman sandstone, Pennsylvanian, Maryland: Swartz, 2177.
- Hoh formation, Jurassic, Washington: Goranson, 771.
- Holdenville formation, Pennsylvanian, Oklahoma: Morgan, 1632, 1634.
- Holly Springs division, Eocene, Mississippi: Lowe, 1427.
- Holly Springs sand, Eocene, Mississippi: Morse, 1637; Vaughan, 2343.
- Holston marble, Ordovician, Tennessee: Gordon, 772.
- Homer limestone member, Pennsylvanian, Oklahoma: Morgan, 1632, 1634.
- Homestake formation, pre-Cambrian, South Dakota: Hosted and Wright, 983.
- Homewood formation, Pennsylvanian, Pennsylvania: Renick, 1851.
- Homewood sandstone, Pennsylvanian, Maryland: Swartz, 2177.
- Homewood sandstone, Pennsylvanian, West Virginia: Reger, 1838, 1839.
- Honaker limestone, Cambrian, Tennessee: Secrist, 2014.
- Honna formation, Cretaceous, British Columbia: Goranson, 771.
- Hoover sand, Pennsylvanian, Oklahoma: Hosterman, 984.
- Horn River shale, Devonian, Mackenzie: Hume, 1016.
- Horsetown formation, Cretaceous, California: Bryan, 239.
- Horsetown formation, Cretaceous, California and Oregon: Goranson, 771.
- Horsetown formation, Cretaceous, Oregon: Diller and Kay, 564.

- Hosselkus limestone, Triassic, California: Goranson, 771.
- Hota formation, Cambrian, British Columbia: Burling, 260.
- Hot Springs sandstone, Mississippian, Arkansas: Miser, 1591; Purdue and Miser, 1784.
- Houten terrane, Tertiary, Colorado: Keyes, 1227.
- Howard limestone, Pennsylvanian, Missouri: Wilson, 2497.
- Hoxbar member, Carboniferous, Oklahoma: Girty and Roundy, 757.
- Hozameen series, Carboniferous, British Columbia: Cairnes, 279, 282.
- Huerfano beds, Tertiary, Colorado: Keyes, 1227.
- Huerto formation, Tertiary, Colorado: Knowlton, 1286.
- Humber member, Ordovician, Ontario: Parks, 1716, 1717.
- Humber River member, Ordovician, Ontario: Foerste, 697.
- Hunton terrane, Silurian and Devonian, Oklahoma: Morgan, 1632.
- Huronian series, pre-Cambrian, Minnesota: Gruner, 882.
- Huronian time, pre-Cambrian: Young, 2554.
- Hygiene sandstone, Cretaceous, Colorado: Ball, 70.
- Iaeger shale, Pennsylvanian, West Virginia: Reger, 1838.
- Iatan limestone, Pennsylvanian, Iowa: Tilton, 2253.
- Iatan limestone, Pennsylvanian, Missouri: Wilson, 2497.
- Idaho Springs, pre-Cambrian, Colorado: Keyes, 1227.
- Idolo beds, Eocene, Mexico: Dumble and Applin, 593.
- Iles formation, Cretaceous, Colorado: Sears, 2010.
- Illinoian drift, Pleistocene, Iowa: Schoewe, 1985.
- Independence member, Devonian, Iowa: Schoewe, 1985.
- Independence shales, Devonian, Iowa: Thomas, 2217.
- Indian Fields formation, Silurian, Kentucky: Foreste, 696.
- Indian Spring sandstone, Silurian, Maryland: Swartz, 2178.
- Indian Springs formation, Mississippian, Indiana: Logan, 1402.
- Indio formation, Eocene, Texas: Trowbridge, 2272.
- Inglefield sandstone, Pennsylvanian, Indiana: Logan, 1402.
- Interior formation, Cretaceous, South Dakota: Wanless, 2387.
- Inyoan series, Triassic, Nevada: Keyes, 1192.
- Iola limestone, Pennsylvanian, Missouri: Wilson, 2497.
- Iola limestone member, Pennsylvanian, Iowa: Tilton, 2253.
- Ione formation, Tertiary, California: Bryan, 239.
- Iowa series, Mississippian: Weller, 2426.
- Irondale limestone, Pennsylvanian, Maryland: Swartz, 2177.
- Irondequoit limestone, Silurian, New York: Ulrich and Bassler, 2312.
- Ironton sandstone member, Cambrian, Wisconsin: Ulrich, 2315.
- Ironwood formation, pre-Cambrian, Wisconsin and Minnesota: Hotchkiss, 990.
- Irving terrane, pre-Cambrian, Colorado: Keys, 1227.
- Isabela stage, Quaternary, Porto Rico: Hubbard, 1002.
- Jackfork sandstone, Mississippian, Arkansas: Miser, 1591.
- Jackfork sandstone, Carboniferous, Oklahoma: Honess, 975, 976.
- Jackfork sandstone, Mississippian, Arkansas: Miser, 1591.
- Jackson beds, Tertiary, Texas: Dumble, 594.
- Jackson formation, Eocene, Mississippi: Lowe, 1427; Vaughan, 2343.
- Jan Lew sandstone, Pennsylvanian, West Virginia: Reger, 1838, 1839.
- Jasper limestone, Ordovician, Arkansas: Miser, 1591.
- Jefferson limestone, Devonian, Idaho: Piper, 1760.
- Jefferson City dolomite, Ordovician, Arkansas: Miser, 1591.
- Jefferson City formation, Canadian, Missouri: Wilson, 2497.
- Jefferson City group, Ordovician, Missouri and Illinois: Krey, 1293.
- Joachim dolomite, Ordovician, Missouri: Branson, 200.
- Joachim dolomite, Ordovician, Missouri and Illinois: Krey, 1293.
- Joachim formation, Ordovician, Missouri: Wilson, 2497.
- Joachim limestone, Ordovician, Arkansas: Miser, 1591.
- Joana terrane, Devonian, Nevada: Keyes, 1192.
- Johnstown limestone, Pennsylvanian, West Virginia: Reger, 1838, 1839.
- Jolly limestone member, Pennsylvanian, Oklahoma: Morgan, 1632.
- Jollytown limestone, Permian, Maryland: Swartz, 2177.
- Jordan formation, Cambrian, Wisconsin: Thwaites, 2245.
- Jordan sandstone, Cambrian, Minnesota, Wisconsin and Iowa: Ulrich, 2315.
- Jordan sandstone, Minnesota: Sardeson, 1959.
- Juana Diaz formation, Tertiary, Porto Rico: Mitchell, 1598.
- Judith River formation, Cretaceous, Montana: Ellis and Meinzer, 631; Reeves, 1836; Rogers and Lee, 1900.
- Julian dolomite, Ordovician, Missouri: Keyes, 1171.
- Juncos gabbro, Porto Rico, Fettke, 686.
- Junction shales and limestones, Jurassic, Colorado: Keyes, 1227.
- Kagawong member, Ordovician, Ontario: Foerste, 697.
- Kaibab limestone, Permian, Arizona: Hager, 832.
- Kaibab limestone, Permian, Utah: Longwell *et al.*, 1404.
- Kaminis granite, pre-Cambrian, Manitoba: Armstrong, 42.
- Kanawha black flint, Pennsylvanian, West Virginia: Reger, 1839.

- Kanawha group, Pennsylvanian, West Virginia: Reger, 1838.
- Kansan drift, Pleistocene, Iowa: Schoewe, 1985.
- Kansas City formation, Pennsylvanian, Missouri: Wilson, 2497.
- Kansas City stage, Pennsylvanian, Iowa: Tilton, 2253.
- Kanuyak formation, pre-Cambrian, Arctic Canada: O'Neill, 1682.
- Kanwaka shale, Pennsylvanian, Missouri: Wilson, 2497.
- Keefer sandstone member, Silurian, Maryland: Swartz, 2178.
- Keefer sandstone member, Silurian, Pennsylvania: Ulrich and Bassler, 2312.
- "Keene" gneiss, pre-Cambrian, New York: Ailing, 29.
- Keewatin, pre-Cambrian, Ontario: Bain, 61.
- Kenwood sandstones, Mississippian, Indiana: Logan, 1401.
- Keokuk limestone, Mississippian, Missouri: Wilson, 2497.
- Keweenaw series, pre-Cambrian, Minnesota: Gruner, 822.
- Keweenaw time, pre-Cambrian: Young, 2554.
- Keyser limestone, Devonian, West Virginia: Reger, 1839.
- Kialagvik formation, Jurassic, Alaska: Smith and Baker, 2091.
- Kiamichi formation, Comanchean, Oklahoma: Bullard, 254.
- Kiamichi formation, Cretaceous, Texas: Fohs, 701.
- Kiamitia member, Comanchean, Texas: Adkins, 6.
- Killarnean, pre-Cambrian, Ontario: Quirke, 1789.
- Killarney granite, pre-Cambrian, Ontario: Bain, 61; Quirke, 1788.
- Killarney granites, pre-Cambrian: Keyes, 1174.
- Kimmswick limestone, Ordovician, Arkansas: Miser, 1591.
- Kimmswick limestone, Ordovician, Missouri: Branson, 200; Keyes, 1171; Wilson, 2497.
- Kimmswick ("Trenton") limestone, Ordovician, Missouri and Illinois: Krey, 1293.
- Kinderhook formation, Mississippian, Iowa: Howell, 1000.
- Kinderhook group, Mississippian, Missouri: Wilson, 2497.
- Kinderhook series, Mississippian, Iowa: Schoewe, 1985.
- Kinderhook series, Mississippian, Missouri and Illinois: Krey, 1293.
- Kinderhookian limestone, Mississippian, Oklahoma: Trager, 2264.
- King limestone, Mississippian, Missouri: Wilson, 2497.
- Kinkaid limestone, Mississippian, Illinois: Shaw, 2035.
- Kinkaid limestone, Mississippian, Kentucky: Weller, 2426.
- Kinzers formation, Cambrian, Pennsylvania: Knopf and Jonas, 1282; Stose, 2163; Stose and Jonas, 2160.
- Kiowa member, Cretaceous, Kansas: Twenhofel, 2295.
- Kiowa terrane, Cretaceous, Colorado: Keyes, 1227.
- Kirby member, Cretaceous, Kansas: Twenhofel, 2295.
- Kirkland formation, Silurian, New York: Ulrich and Bassler, 2312.
- Kirtland shale, Cretaceous, New Mexico: Reeside, 1828.
- Kitsalas formation, Jurassic or Triassic, British Columbia: Hanson, 853.
- Kitsalas formation, Triassic, British Columbia: Goranson, 771.
- Kitsault River formation, Jurassic(?), British Columbia: Dolmage, 568.
- Kitsilano formation, Tertiary, British Columbia: Johnston, 1107.
- Kittanning sandstone, Pennsylvanian, West Virginia: Reger, 1838, 1839.
- Kittanning (Lower) clay, Pennsylvanian, Ohio: Stout and Lamborn, 2169.
- Kittanning (Lower) fire clay, Pennsylvanian, West Virginia: Reger, 1839.
- Kittanning (Lower) sandstone, Pennsylvanian, Ohio: Stout and Lamborn, 2169.
- Kittanning (Middle) clay, Pennsylvanian, Ohio: Stout and Lamborn, 2169.
- Kittanning (Upper) fire clay, Pennsylvanian, West Virginia: Reger, 1839.
- Knight clays and shaly sandstones, Tertiary, Colorado: Keyes, 1227.
- Knox dolomite, Cambro-Ordovician, Tennessee: Secrist, 2014.
- Knox dolomite, Ordovician, Tennessee: Gordon, 772.
- Knoxville formation, Cretaceous, California: Bryan, 239; Goranson, 771.
- Knoxville formation, Cretaceous, Oregon: Diller and Kay, 564.
- Kolpato formation, Nevada: Knopf, 1280.
- Kolpatoan, Triassic, Nevada: Keyes, 1192.
- Konawa formation, Permian, Oklahoma: Morgan, 1632.
- Kootenai formation, Cretaceous, Montana: Bauer and Robinson, 104; Bevan, 155; Clark, 348; Ellis and Meinzer, 631; Reeves, 1836.
- Kootenay coal measures, Cretaceous, Alberta: MacVicar, 1466.
- Kootenay formation, Cretaceous, Alberta: Allan and Rutherford, 21; Rose, 1908.
- Kootenay group, Cretaceous, Alberta: Allan and Rutherford, 24.
- Kootenayan series, Cretaceous, Alberta: Keyes, 1242.
- Kuskulana formation, Triassic, Alaska: Moffit, 1603; Moffit and Mertie, 1602.
- Kyle terrane, Tertiary, Nevada: Keyes, 1192.
- Labadie(?) limestone, Pennsylvanian, Oklahoma: Rubey, 1920.
- Laberge series, Cretaceous, British Columbia: Goranson, 771.
- Laberge series, Cretaceous or Jurassic, Yukon: Cockfield, 392.
- Labette shale member, Pennsylvanian, Missouri: Wilson, 2497.
- Ladner series, Jurassic, British Columbia: Cairnes, 281.

- Ladore shale, Pennsylvanian, Missouri: Wilson, 2497.
- Lafayette gravel, Tertiary, Kentucky: Weller, 2423.
- Lafferty limestone, Silurian, Arkansas: Miser, 1591.
- Lagarto formation, Pliocene, Texas: Bailey, 57.
- Lahontan series, Quaternary, Nevada: Keyes, 1192.
- Lake Fork breccia, Tertiary, Colorado: Knowlton, 1283.
- Lakemont formation, Silurian, Pennsylvania: Ulrich and Bassler, 2312.
- Laketown dolomite, Silurian, Idaho: Piper, 1760.
- Lakota formation, Cretaceous, Wyoming: Bradley, 191.
- Lakota terrane, Jurassic, Colorado: Keyes, 1227.
- Lamotte sandstone, Cambrian, Missouri: Wilson, 2497.
- Lamoureux terrane, Devonian, Nevada: Keyes, 1192.
- Lance formation, Cretaceous(?), Montana: Bevan, 155.
- Lance formation, Cretaceous, Saskatchewan: Sternberg, 2144.
- Lance formation, Cretaceous, South Dakota: Toepelman, 2260; Ward, 2390; Wilson and Ward, 2505.
- Lance formation, Cretaceous or Eocene, Northern Great Plains: Thom and Dobbin, 2211.
- Lance formation, Eocene(?), Montana: Renick, 1854.
- Lance formation, Tertiary (?), Montana: Bauer, 105; Collier, 415; Ellis and Meinzer, 631; Reeves, 1836; Renick, 1852; Rogers and Lee, 1900.
- Lane shale, Pennsylvanian, Iowa: Tilton, 2253.
- Lane shale, Pennsylvanian, Missouri: Wilson, 2497.
- Laney shale member, Tertiary, Colorado: Sears, 2010; Sears and Bradley, 2012.
- Lanphier beds, Cretaceous, Kansas: Twenhofel, 2295.
- Lansing formation, Pennsylvanian, Missouri: Wilson, 2497.
- Lansing stage, Pennsylvanian, Iowa: Tilton, 2253.
- Lapara member, Pliocene, Texas: Bailey, 57.
- La Plata sandstones, Jurassic, Arizona: Reagan, 1807.
- LaPlata terrane, Jurassic, Nevada: Keyes, 1192.
- Laramian series, Cretaceous, Colorado: Keyes, 1227.
- "Laramie" formation, Cretaceous, Colorado: Sears, 2010.
- Lares formation, Tertiary, Porto Rico: Hubbard, 1002.
- Larimer sandstone, Cretaceous, Colorado: Ball, 70.
- Las Cahobas formation, Miocene, Haiti: Vaughan, 2343; Woodring, 2533.
- Las Cascadas agglomerate, Tertiary, Panama Canal Zone: MacDonald, 1445.
- Lauderdale chert, Mississippian, Mississippi: Morse, 1637.
- Laurencic, pre-Cambrian: Keyes, 1174.
- Laurentian, pre-Cambrian, Ontario: Bain, 61.
- Lawrence shale, Pennsylvanian, Iowa: Tilton, 2253.
- Lawrence shale, Pennsylvanian, Missouri: Wilson, 2497.
- Layton sand, Pennsylvanian, Oklahoma: Hosterman, 984.
- Leadville terrane, Carboniferous, Colorado: Keyes, 1227.
- Lebo andesitic member, Cretaceous or Eocene, Northern Great Plains: Thom and Dobbin, 2211.
- Lebo shale, Eocene, Montana: Renick, 1854.
- Lebo shale member, Eocene, Montana: Collier, 415.
- Lebo shale member, Tertiary, Montana: Rogers and Lee, 1900.
- Le Claire dolomite member, Silurian, Iowa: Schoewe, 1985.
- Lecompton limestone, Pennsylvanian, Missouri: Wilson, 2497.
- Ledger dolomite, Cambrian, Pennsylvania: Knopf and Jonas, 1282; Stose, 2163; Stose and Jonas, 2160.
- Lee formation, Ordovician, Virginia: Eby, 621.
- Leech River group, Carboniferous, Washington: McLellan, 1464.
- Lennepe sandstone, Cretaceous, Northern Great Plains: Thom and Dobbin, 2211.
- Lenoir limestone, Ordovician, Tennessee: Gordon, 772.
- Leona formation, Pleistocene, Texas: Trowbridge, 2272.
- Leptauchenia beds, Tertiary, South Dakota: Wanless, 2387.
- Le Roux limestone, Triassic, Arizona: Reagan, 1807.
- LeRoux terrane, Triassic, Colorado: Keyes, 1227.
- Levis formation, Ordovician, Quebec: Clark, 354.
- Lewis shale, Cretaceous, Colorado: Reeside, 1828; Sears, 2010.
- Lewis shale, Cretaceous, Wyoming: Fath and Moulton, 670.
- Lime Creek beds, Devonian, Iowa: Thomas, 2217.
- Limon beds, Cretaceous, Mexico: Dumble and Applin, 593.
- Linley conglomerate, Montana: Bevan, 155.
- Lipan beds, Tertiary, Texas: Dumble, 594.
- Lisbon formation, Cambrian or Ordovician, New Hampshire: Ross, 1913.
- Lisbon formation, Eocene, Alabama: Berry, 142; Vaughan, 2343.
- Lisbon formation, Eocene, Mississippi: Lowe, 1427.
- Lisburne formation, Mississippian, Alaska: Moffit and Mertie, 1602.
- Lissie formation, Pleistocene, Texas: Bailey, 57.
- Lissie gravel, Pleistocene, Texas: Trowbridge, 2272.
- Little Falls formation, Ordovician, Vermont: Foyles, 714.
- Little Saline limestone, Devonian, Missouri: Stewart, 2147; Wilson, 2497.
- Littleton argillite, Devonian, New Hampshire: Ross, 1913.
- Livingston formation, Cretaceous, Montana: Bevan, 155.
- Lockport dolomite, Silurian, New York: Ulrich and Bassler, 2312.
- Lockport group, Silurian: Ulrich and Bassler, 2311.
- Lodi dolomite, Cambrian, Wisconsin: Thwaites, 2245.
- Lodi shale member, Cambrian, Wisconsin: Ulrich, 2315.
- Loganian time, pre-Cambrian: Young, 2554.
- Lonaconing sandstone, Pennsylvanian, Maryland: Swartz, 2177.
- Lone terrane, Silurian, Nevada: Keyes, 1192.
- Lone Land formation, pre-Cambrian, Mackenzie: Williams, 2475.

- Lone Mountain dolomite, Silurian, Mackenzie: Hume, 1016.
- Lone Mountain formation Silurian, Mackenzie: Williams, 2473, 2475.
- Long Rapids shale, Devonian, Ontario: Kindle, 1262.
- Longs Peak granite, pre-Cambrian, Colorado: Fuller, 721.
- Lorrain formation, pre-Cambrian, Ontario: Bain, 61.
- Los Esteros formation, Eocene, Mexico: VerWiede, 2346.
- Los Puertos limestone, Tertiary, Porto Rico: Hubbard, 1002.
- Louise formation, Cambrian, Alberta: Keyes, 1242.
- Louisiana limestone, Mississippian, Missouri: Wilson, 2497.
- Louisiana limestone, Mississippian, Missouri and Illinois: Krey, 1293.
- Louisville limestone, Pennsylvanian, Iowa: Tilton, 2253.
- Loupian series, Tertiary, Colorado: Keyes, 1227.
- Lourian, pre-Cambrian: Keyes, 1174.
- Lovelockian series, Jurassic, Nevada: Keyes, 1192.
- Lower Magnesian group, Ordovician, Wisconsin and Illinois: Thwaites, 2245.
- Lowville limestone, Ordovician, Virginia: Eby (Stose), 621.
- Loyalhanna limestone, Mississippian, Pennsylvania: Butts, 270.
- Ludlow lignite member, Tertiary(?), Montana: Bauer, 105.
- Ludlow lignitic member, Cretaceous, South Dakota: Teepelman, 2260.
- Ludlow lignitic member, Cretaceous or Eocene, Northern Great Plains: Thom and Dobbin, 2211.
- Lukachukai sandstone, Triassic, Arizona: Reagan, 1807.
- Lukachukai terrane, Triassic, Colorado: Keyes, 1227.
- Lusk limestone, Mississippian, Indiana: Logan, 1401.
- Lyell formation, Cambrian, Alberta: Walcott, 2355.
- Lyell formation, Cambrian, British Columbia: Walcott, 2357.
- Lykins formation, Permo-Carboniferous and Triassic(?), Colorado: Tiejé, 2247.
- Lyman formation, Silurian, New Hampshire: Ross, 1913.
- Lynx formation, Cambrian, British Columbia: Burling, 260.
- Lyons formation, Pennsylvanian, Colorado: Tiejé, 2247.
- Lyons sandstone, Pennsylvanian, Colorado: Henderson, 913.
- McAdam formation, Silurian, Nova Scotia: McLearn, 1462.
- McAlester formation, Pennsylvanian, Oklahoma: Morgan, 1632.
- McAlester group, Pennsylvanian, Arkansas: Miser, 1591.
- McBean formation, Eocene, Georgia: Prettyman and Cave, 1776.
- McCarthy formation, Triassic, Alaska: Goranson, 771.
- McCarthy shale, Triassic, Alaska: Moffit, 1603.
- Maccrady formation, Mississippian, Virginia: Eby (Stose), 621.
- McCune dolomite, Ordovician, Missouri: Keyes, 1171.
- McDermott formation, Cretaceous, Colorado: Reeside, 1828.
- McElmo formation, Cretaceous(?), Utah: Longwell *et al.*, 1404; Miser, 1594, 1597.
- McElmo formation, Jurassic, Utah: Prommel, 1780.
- McElmo shales, Jurassic, Arizona: Reagan, 1807.
- McElmo terrane, Jurassic, Colorado: Keyes, 1227.
- McElmo terrane, Jurassic, Nevada: Keyes, 1192.
- Machuca formation, Eocene, Costa Rica: Redfield, 1814.
- McKenzie formation, Silurian, Maryland: Swartz, 2178.
- McKissick Grove shale, Pennsylvanian, Iowa: Tilton, 2253.
- McLeansboro formation, Pennsylvanian, Illinois: Shaw, 2035.
- McLeod member, Cretaceous, Alberta: Allan and Rutherford, 24.
- McNaughton sandstones, Cambrian, British Columbia: Burling, 260.
- Madame Joie formation, Miocene, Haiti: Vaughan, 2343; Woodring, 2533.
- Madera diorite, pre-Cambrian, Arizona: Ransome, 1792.
- Madison formation, Cambrian, Wisconsin: Thwaites, 2245.
- Madison limestone, Mississippian, Idaho: Kirkham, 1273; Piper, 1760.
- Madison limestone, Mississippian, Montana: Bevan, 155; Clark, 348.
- Madison limestone, Mississippian, Wyoming: Condit, 433; Fath and Moulton, 670.
- Magnesian (Lower) limestone, Minnesota: Sarde-son, 1959.
- Mahoning clay, Pennsylvanian, Ohio: Stout and Lamborn, 2169.
- Mahoning limestone, Pennsylvanian, Ohio: Stout and Lamborn, 2169.
- Mahoning red shale, Pennsylvanian, Maryland: Swartz, 2177.
- Mahoning red shale, Pennsylvanian, West Virginia: Reger, 1838, 1839.
- Mahoning (Lower) sandstone, Pennsylvanian, Maryland: Swartz, 2177.
- Mahoning (Lower) sandstone, Pennsylvanian, Ohio: Stout and Lamborn, 2169.
- Mahoning (Lower) sandstone, Pennsylvanian, West Virginia: Reger, 1839.
- Mahoning (Upper) sandstone, Pennsylvanian, Maryland: Swartz, 2177.
- Mahoning (Upper) sandstone, Pennsylvanian, Ohio: Stout and Lamborn, 2169.
- Mahoning (Upper) sandstone, Pennsylvanian, West Virginia: Reger, 1838, 1839.
- Mahto sandstones, Cambrian, British Columbia: Burling, 260.
- Mainstreet member, Comanchean, Texas: Adkins, 6.
- Maissade tongue, Miocene, Haiti: Vaughan, 2343; Woodring, 2533.

- Mallett dolomite, Cambrian, Vermont: Keith, 1139.
- Mallorytown granite, Cambrian, Ontario: Wright, 2545.
- Maltata formation, Comanchean, Mexico: Ver-Wiebe, 2346.
- Mammoth Mountain rhyolite, Miocene, Colorado: Emmons and Larsen, 650.
- Manasses sandstone, Triassic, Virginia: Roberts, 1880.
- Mancos formation, Cretaceous, Arizona: Reagan, 1807.
- Mancos shale, Cretaceous, Colorado: Reeside, 1828; Sears, 2010.
- Mancos shale, Cretaceous, Wyoming: Condit, 433.
- Mancos shales, Cretaceous, Colorado: Keyes, 1227.
- Manitou terrane, Ordovician, Colorado: Keyes, 1227.
- Mansfield formation, Pennsylvanian, Indiana: Logan, 1402.
- Manzanilla beds, Oligocene, Costa Rica: Redfield, 1814.
- Manzano group, Carboniferous, Colorado: Keyes, 1227.
- Mao clay, Miocene, Dominican Republic: Vaughan, 2343.
- Mao Andentro limestone Miocene, Dominican Republic: Vaughan, 2343.
- Maple Mill shale member, Mississippian, Iowa: Schoewe, 1985.
- Maplewood shale, Silurian, New York: Ulrich and Bassler, 2312.
- Maquoketa formation, Ordovician, Iowa: Howell, 1000.
- Maquoketa shale, Ordovician, Iowa: Thwaites, 2245.
- Maquoketa shale, Ordovician, Missouri and Illinois: Krey, 1293.
- Marble Bay limestone, Triassic, British Columbia: Goranson, 771.
- Marcellus series, Devonian, West Virginia: Reger, 1839.
- Marianna limestone, Oligocene, Florida: Vaughan, 2343.
- Mariposa formation, Jurassic, California: Goranson, 771.
- Marks Head marl, Miocene, Georgia: Prettyman and Cave, 1776.
- Marland sand, Ordovician, Oklahoma: Trager, 2264.
- Marlbrook formation, Cretaceous, Arkansas: Schneider, 1981.
- Marlbrook marl, Cretaceous, Arkansas: Miser, 1591.
- Marlbrook marl, Cretaceous, Texas: Howe, 996.
- Marlow formation, Permian, Oklahoma: Sawyer, 1970.
- Maroon conglomerate, Carboniferous, Colorado: Keyes, 1227.
- Marquettan, pre-Cambrian: Keyes, 1174.
- Martin limestone, Devonian, Arizona: Ransome, 1792.
- Martínez formation, Eocene, California: Kew, 1157, 1159.
- Martínez formation, Tertiary, California: Taliaferro, 2187.
- Martinsburg shale, Ordovician, West Virginia: Reger, 1839.
- Mary River formation, Cretaceous, Albert: Keyes, 1242.
- Marysville limestone, Cambrian, Tennessee: Secrist, 2014.
- Mason clay, Pennsylvanian, Ohio: Stout and Lamborn, 2169.
- Mason City dolomite, Devonian, Iowa: Thomas, 2217.
- Masuk sandstone, Cretaceous, Utah: Longwell *et al.*, 1404.
- Masukian series, Cretaceous, Colorado: Keyes, 1227.
- Matachewan series, pre-Cambrian, Ontario: Wright, 2541.
- Mauch Chunk formation, Mississippian, Pennsylvania: Butts, 270.
- Mauch Chunk series, Mississippian, West Virginia: Reger, 1838, 1839.
- Maude formation, Jurassic, British Columbia: Goranson, 771.
- Maury shale, Mississippian, Tennessee: Swartz, 2183.
- Maxwell terrane, Tertiary, Colorado: Keyes, 1227.
- Maya terrane, Tertiary, Colorado: Keyes, 1227.
- May Creek formation, Devonian(?), Oregon: Diller and Kay, 564.
- Mayflower schist, Ordovician (?), Nevada: Ferguson, 679.
- Maysville formation, Ordovician, Indiana: Logan, 1401.
- Maysville formation, Ordovician, Ontario: Foerste, 697.
- Mayville formation, Silurian, Wisconsin: Thwaites, 2245.
- Mazarn shale, Ordovician, Arkansas: Miser, 1591; Purdue and Miser, 1784.
- Mazarn shale, Ordovician, Oklahoma: Honess, 975.
- Mazomanie sandstone, Cambrian, Wisconsin and Illinois: Thwaites, 2245.
- Meadow limestone, Pennsylvania, Iowa: Tilton, 2253.
- Meadow marble, Ordovician, Tennessee: Gordon, 772.
- Meaford member, Ordovician, Ontario: Foerste, 697.
- Meakin sand, Cretaceous, Arkansas: Schneider, 1981.
- Medicine beds, Cretaceous, Kansas: Twenhofel, 2295.
- Medina (Gray) sandstone, Silurian, West Virginia: Reger, 1839.
- Medina (Red) sandstone, Silurian, West Virginia: Reger, 1839.
- Medina (White) limestone, Silurian, West Virginia: Reger, 1839.
- Medinan series, Silurian: Ulrich and Bassler, 2311.
- Medinan series, Silurian, Maryland: Swartz, 2178.
- Meganos formation, Eocene, California: Kew, 1157, 1159.
- Meganos formation, Tertiary, California: Taliaferro, 2187.

- Memphremagog group, Vermont: Richardson, 1864.
- Memphremagog slates, Ordovician, Vermont: Richardson, 1863.
- Menard limestone, Mississippian, Illinois: Shaw, 2035.
- Menard limestone, Mississippian, Kentucky: Weller, 2426.
- Mendez formation, Eocene, Mexico: VerWiebe, 2346.
- Mendota formation, Cambrian, Wisconsin: Thwaites, 2245.
- Menefee formation, Cretaceous, Colorado: Reeside, 1828.
- Mentor beds, Cretaceous, Kansas: Twenhofel, 2295.
- Meramec group, Mississippian, Missouri: Wilson, 2497.
- Meramec series, Mississippian, Missouri and Illinois: Krey, 1293.
- Merom sandstone, Pennsylvanian, Indiana: Logan, 1402.
- Mercer formation, Pennsylvanian, Pennsylvania: Renick, 1851.
- Mercer (Upper) limestone, Pennsylvanian, Ohio: Stout and Lamborn, 2169.
- Mercer (Upper) shale, Pennsylvanian, Maryland: Swartz, 2177.
- Mesa Negra beds, Tertiary, Nevada: Keyes, 1192.
- Mesa Verde formation, Cretaceous, Arizona: Reagan, 1807.
- Mesaverde formation, Cretaceous, Wyoming: Condit, 433; Fath and Moulton, 670.
- Mesaverde group, Cretaceous, Colorado: Sears, 2010.
- Mesaverde group, Cretaceous, Colorado and New Mexico: Reeside, 1828.
- Mesa Verde terrane, Cretaceous, Colorado: Keyes, 1227.
- Mescal limestone, Cambrian, Arizona: Ransome, 1792.
- Meson formation, Oligocene, Mexico: Vaughan, 2343; VerWiebe, 2346.
- Messines formation, Devonian, British Columbia: Walcott, 2357.
- Meyersdale red shale, Pennsylvanian, Maryland: Swartz, 2177.
- Meyersdale red shale, Pennsylvanian, West Virginia: Reger, 1838, 1839.
- Midway formation, Eocene, Georgia: Prettyman and Cave, 1776.
- Midway formation, Eocene, Mexico: VerWiebe, 2346.
- Midway formation, Eocene, Texas: Fohs, 701; Trowbridge, 2272.
- Midway formation, Tertiary, Arkansas: Schneider, 1981.
- Midway group, Eocene, Alabama: Vaughan, 2343.
- Midway group, Eocene, Mississippi: Lowe, 1427.
- Midway series, Eocene, Mississippi: Morse, 1637.
- Miette sandstones, pre-Cambrian, British Columbia: Burling, 260.
- Millet clays, Tertiary, Nevada: Keyes, 1192.
- Millwood series, Cretaceous, Manitoba: Ellis, 634.
- Milton dolomite, Cambrian, Vermont: Keith, 1139.
- Milton formation, Cambrian, Vermont: Raymond, 1804.
- Milton formation, Jurassic, California: Goranson, 771.
- Milwaukee formation, Devonian, Wisconsin: Thwaites, 2245.
- Mineola limestone, Devonian, Missouri: Branson, 199, 200; Krey, 1293.
- Minnekahta limestone, Carboniferous, South Dakota: O'Harra, 1678.
- Minnewaste terrane, Jurassic, Colorado: Keyes, 1227.
- Mint Canyon formation, Miocene, California: Kew, 1157, 1159.
- Mint Spring calcareous marl member, Oligocene, Mississippi: Vaughan, 2343.
- Missi (Upper) series, pre-Cambrian, Manitoba: Alcock, 9.
- Missisquoi group, Cambrian, Vermont: Richardson, 1864.
- Mississippian series, Carboniferous, Colorado: Keyes, 1227.
- Missouri formation, Pennsylvanian, Iowa: Howell, 1000.
- Missouri group, Pennsylvanian, Missouri: Wilson, 2497.
- Missouri Mountain shale, Silurian, Arkansas: Purdue and Miser, 1784.
- Missouri Mountain slate, Silurian, Arkansas: Miser, 1591.
- Missouri Mountain slate, Silurian, Oklahoma: Honess, 975.
- Modelo formation, Miocene, California: Kew, 1157, 1159.
- Modin formation, Jurassic, California: Goranson, 771.
- Moencopian series, Carboniferous, Colorado: Keyes, 1227.
- Moenkopi formation, Permian, Utah: Prommel, 1780.
- Moenkopi formation, Triassic, Utah: Longwell *et al.*, 1404; Miser, 1594, 1597.
- Moenkopi beds, Triassic, Arizona: Hager, 832.
- Molas formation, Carboniferous, Colorado: Keyes, 1227.
- Monkton quartzite, Cambrian, Vermont: Keith, 1139.
- Monon series, Cambrian, Nevada: Keyes, 1192.
- Monongahela formation, Pennsylvanian, Ohio: Condit, 432.
- Monongahela series, Pennsylvanian, West Virginia: Reger, 1838, 1839.
- Mons formation, Cambrian, Alberta: Keyes, 1242.
- Mons formation, Ozarkian, Alberta: Walcott, 2355.
- Mons formation, Ozarkian, British Columbia: Walcott, 2357.
- Montana group, Cretaceous, Alberta: Allan and Rutherford, 21; Rogers and Lee, 1900.
- Montell sandstone, Pennsylvanian, Maryland: Swartz, 2177.
- Monterey series, Tertiary, California: Taliaferro, 2187.
- Monument Valley shales, Permian(?), Utah and Arizona: Hager, 832.
- Moorefield shale, Mississippian, Arkansas: Miser, 1591.
- Mooretown formation, Mississippian, Indiana: Logan, 1402.
- Moose, pre-Cambrian: Keyes, 1174.

- Moosebar formation, Cretaceous, British Columbia: McLearn, 1461.
- Morgantown sandstone, Pennsylvanian, Maryland: Swartz, 2177.
- Morgantown sandstone, Pennsylvanian, Ohio: Stout and Lamborn, 2169.
- Morgantown sandstone, Pennsylvanian, West Virginia: Reger, 1838, 1839.
- Morien series, Pennsylvanian, Nova Scotia: Bell, 128; Hayes and Bell, 883.
- Morman sandstone, Jurassic, California: Goranson, 771.
- Morning Glory limestone, Cambrian, Nevada: Ferguson, 679.
- Morrison formation, Cretaceous (?), Colorado: Sears, 2010.
- Morrison formation, Cretaceous, Montana: Bauer and Robinson, 104; Bevan, 155.
- Morrison formation, Cretaceous (?), Wyoming: Bradley, 191; Condit, 433; Fath and Moulton, 670.
- Morrison formation, Jurassic, Colorado: Goranson, 771.
- Morrisonian series, Jurassic, Colorado: Keyes, 1227.
- Morrow group, Pennsylvanian, Arkansas: Miser, 1591.
- Mosby sandstone, Cretaceous, Montana: Bauer and Robinson, 104; Reeves, 1836.
- Mosheim limestone, Ordovician, Tennessee: Gordon, 772.
- Moss porphyry, Tertiary, Arizona: Ransome, 1793.
- Mountain shales, Cretaceous, Mackenzie: Whitaker, 2462.
- Mount Cap formation, Cambrian, Mackenzie: Hume, 1016; Williams, 2473, 2475.
- Mount Charles formation, Devonian, Mackenzie: Williams, 2475.
- Mount Clark formation, Cambrian, Mackenzie: Hume, 1016; Williams, 2473, 2475.
- Mount Kindle formation, Silurian, Mackenzie: Hume, 1016; Williams, 2473, 2475.
- Mount Murray sills, Jurassic (?), British Columbia: Uglov, 2305.
- Mount Olympus granite, pre-Cambrian, Colorado: Fuller, 721.
- Mount Pleasant shales and sandstones, Mississippian, Indiana: Logan, 1402.
- Mount Savage fire clay, Pennsylvanian, West Virginia: Reger, 1839.
- Mount Savage sandstone, Pennsylvanian, Maryland: Swartz, 2177.
- Mount Selman formation, Eocene, Texas: Berry, 142; Trowbridge, 2272; Vaughan, 2343.
- Mount Simon formation, Cambrian, Wisconsin: Thwaites, 2245.
- Mount Stevens group, pre-Cambrian, Yukon: Cockfield, 392.
- Mount Wilson quartzite, Alberta: Walcott, 2355.
- Mount Whyte (?) formation, Cambrian, British Columbia: Walcott, 2357.
- Mowrie beds, Cretaceous, South Dakota: O'Harra, 1678.
- Mowry shale, Cretaceous, Montana: Bauer and Robinson, 104; Reeside, 1826; Reeves, 1836.
- Mowry shale, Cretaceous, Wyoming: Fath and Moulton, 670.
- Moydart formation, Silurian, Nova Scotia: McLearn, 1462.
- Mumm limestones, Cambrian, British Columbia: Burling, 260.
- Mural limestone formation, Cambrian, British Columbia: Burling, 260.
- Murchison formation, Cambrian, Alberta: Walcott, 2355.
- Muttleberry terrane, Jurassic, Nevada: Keyes, 1192.
- Myrtle formation, Cretaceous, Oregon: Goranson, 771.
- Nacatoch formation, Cretaceous, Arkansas: Schneider, 1981.
- Nacatoch formation, Cretaceous, Arkansas and Louisiana: Hull, 1011.
- Nacatoch formation, Cretaceous, Arkansas, Louisiana, and Texas: Howe, 998.
- Nacatoch formation, Cretaceous, Texas: Fohs, 701.
- Nacatoch sand, Cretaceous, Arkansas: Miser, 1591.
- Nacatoch sand, Cretaceous, Texas: Howe, 996.
- Nacimietan series, Tertiary, Colorado: Keyes, 1227.
- Nacimiento group, Tertiary, New Mexico and Colorado: Reeside, 1828.
- Nacogdoches beds, Tertiary, Texas: Dumble, 594.
- Naheola formation, Eocene, Alabama: Vaughan, 2343.
- Naknek formation, Jurassic, Alaska: Goranson, 771; Smith and Baker, 2091.
- Nakumian, pre-Cambrian: Keyes, 1174.
- Nanafalia formation, Eocene, Alabama: Vaughan, 2343.
- Nanaimo series, Cretaceous, British Columbia: Goranson, 771; Mackenzie, 1458.
- Nanjemoy formation, Eocene, Maryland: Vaughan, 2343.
- Nashua marl, Pliocene, Florida: Mansfield, 1482.
- Navajo sandstone, Jurassic, Utah: Longwell *et al.*, 1404; Miser, 1594, 1597.
- Navajo terrane, Cretaceous, Colorado: Keyes, 1227.
- Navajo (Lower) sandstone, Jurassic, Utah: Prommel, 1780.
- Navarro formation, Cretaceous, Texas: Fohs, 701.
- Nazlini beds, Triassic, Arizona: Reagan, 1907.
- Nebraskan drift, Pleistocene, Iowa: Schoewe, 1985.
- Necoxilla formation, Comanchean, Mexico: Ver Wiebe, 2346.
- Neda formation, Ordovician, Wisconsin: Thwaites, 2245.
- Negli Creek limestone, Mississippian, Indiana: Logan, 1402.
- Negra terrane, Tertiary, Nevada: Keyes, 1192.
- Nebawka limestone, Pennsylvanian, Iowa: Tilton, 2253.
- Nelson Mountain quartz latite, Miocene, Colorado: Emmons and Larsen, 650.
- Nelson Mountain quartz latite, Tertiary, Colorado: Knowlton, 1286.
- Nemenish formation, pre-Cambrian, Quebec: Quirke, 1789.
- Nenzel rhyolite breccia, Triassic, Nevada: Knopf, 1280.
- Nevadan series, Devonian, Nevada: Keyes, 1192.
- Newcastle formation, Cretaceous, British Columbia: Goranson, 771.

- Newkirk sand, Pennsylvanian, Oklahoma: Hosterman, 984.
- Newland ("Wallace") formation, Algonkian, Idaho: Umpleby and Jones, 2316.
- New Richmond beds, Wisconsin: Sardeson, 1959.
- New Richmond sandstone, Ordovician, Iowa: Howell, 1000.
- New Richmond sandstone, Ordovician (Canadian), Wisconsin: Thwaites, 2245.
- New River group, Pennsylvanian, West Virginia: Reger, 1838.
- New Scotland chert, Devonian, West Virginia: Reger, 1839.
- Niagara limestone, Silurian, West Virginia: Reger, 1839.
- Niagaran series, Silurian: Ulrich and Bassler, 2311.
- Niagaran series, Silurian, Maryland: Swartz, 2178.
- Niagaran series, Silurian, Wisconsin and Illinois: Thwaites, 2245.
- Nicola series, Triassic, British Columbia: Goranson, 771.
- Nikolai greenstone, Carboniferous or Triassic, Alaska: Moffit and Mertie, 1602.
- Nikolai greenstone, Triassic (?), Alaska: Moffit, 1603.
- Niobrara formation, Cretaceous, Montana: Reeside, 1826.
- Niobrara shale, Cretaceous, Montana: Bauer, 105.
- Niobrara shale, Cretaceous, Wyoming: Fath and Moulton, 670.
- Nisicoulithian, pre-Cambrian: Keyes, 1174.
- Niverton shale, Pennsylvanian, Maryland: Swartz, 2177.
- Nizina limestone, Triassic, Alaska: Goranson, 771; Moffit, 1603.
- Noel shale, Mississippian, Missouri: Wilson, 2497.
- Noix dolomite, Silurian, Missouri and Illinois: Krey, 1293.
- Nolichucky shale, Cambrian, Tennessee: Secrist, 2014.
- Nora limestone, Devonian, Iowa: Thomas, 2217.
- Northumberland formation, Cretaceous, British Columbia: Goranson, 771.
- Northwestern formation, pre-Cambrian, South Dakota: Hosted and Wright, 983.
- Norton formation, Pennsylvanian, Virginia: Eby, 621.
- Norwalk sandstone, Cambrian, Wisconsin: Thwaites, 2245.
- Norwalk sandstone member, Cambrian, Wisconsin: Ulrich, 2315.
- Noxini terrane, Triassic, Colorado: Keyes, 1227.
- Nugget sandstone, Jurassic, Colorado: Sears, 2010.
- Nugget sandstone, Jurassic, Idaho: Kirkham, 1273.
- Nussbaum terrane, Tertiary, Colorado: Keyes, 1227.
- Nuttall sandstone, Pennsylvanian, West Virginia: Reger, 1838, 1839.
- Oak Grove sand, Miocene, Florida: Vaughan, 2343.
- Oak Hill clay, Pennsylvanian, Ohio: Stout and Lamborn, 2169.
- Oakville beds, Tertiary, Texas: Dumble, 594.
- Oakville formation, Miocene, Texas: Bailey, 57.
- Oakville sandstone, Miocene, Texas: Trowbridge, 2272.
- Oatman andesite, Tertiary, Arizona: Ransome, 1793.
- Ocala limestone, Eocene, Florida: Vaughan, 2343.
- Ocala limestone, Eocene, Georgia: Prettyman and Cave, 1776.
- Odannah shales, Cretaceous, Manitoba: Ellis, 1227.
- Ogalala terrane, Tertiary, Colorado: Keyes, 1227.
- Ohara (Lower) member, Mississippian, Kentucky: Weller, 2426.
- Ojo Alamo sandstone, Tertiary (?), New Mexico: Reeside, 1828.
- Okaw formation, Mississippian, Illinois: Shaw, 2035.
- Okaw formation, Mississippian, Missouri: Wilson, 2497.
- Okefenokee formation, Pleistocene, Georgia: Prettyman and Cave, 1776.
- Oldham limestone, Silurian, Kentucky: Foerste, 696.
- Oneota dolomite, Ordovician, Iowa: Howell, 1000.
- Oneota dolomite, Ordovician (Ozarkian), Wisconsin: Thwaites, 2245.
- Oneota limestone, Minnesota: Sardeson, 1959.
- Onslow syenite, pre-Cambrian, Quebec and Ontario: Wilson, 2498.
- Orabai sandstone, Cretaceous, Arizona: Reagan, 1807.
- Orcas group, Devonian, Washington: McLellan, 1464.
- Oread limestone, Pennsylvanian, Missouri: Wilson, 2497.
- Oread limestone, Pennsylvanian, Oklahoma: Rubey, 1920.
- Oreana terrane, Jurassic, Nevada: Keyes, 1192.
- Oreodon beds, Tertiary, South Dakota: Wanless, 2387.
- Oreopolis limestone, Pennsylvanian, Iowa: Tilton, 2253.
- Oriskany sandstone, Devonian, West Virginia: Reger, 1839.
- Orleans phyllite, Vermont: Jacobs, 1043.
- Osage group, Mississippian, Missouri: Wilson, 2497.
- Osage series, Mississippian, Iowa: Schoewe, 1985.
- Osage series, Mississippian, Missouri and Illinois: Krey, 1923.
- Oswego sandstone, Ordovician, Pennsylvania and New York: Foerste, 697.
- Otis beds, Devonian, Iowa: Thomas, 2217.
- Otis limestone, Devonian, Illinois: Savage, 1964.
- Otis member, Devonian, Iowa: Schoewe, 1985.
- Ottertailian series, Cambrian, Alberta: Keyes, 1242.
- Otterville limestone, Carboniferous, Oklahoma: Girty and Roundy, 757.
- Ottose shale, Ordovician, Tennessee: Gordon, 772.
- Ouray terrane, Devonian, Colorado: Keyes, 1227.
- Outlet Tunnel quartz latite, Miocene, Colorado: Emmons and Larsen, 650.
- Outlet Tunnel quartz latite, Tertiary, Colorado: Knowlton, 1286.
- Owen substage, Devonian, Iowa: Fenton and Fenton, 677.
- Ozarkian system: Walcott, 2355.
- Ozuluama beds, Oligocene, Mexico: VerWiebe, 2346.
- Paget formation, Cambrian, Alberta: Keyes, 1242.
- Pahala series, Hawaiian Islands: Clark and Noble in Washington, 2400.
- Pahrnagat terrane, Ordovician, Nevada: Keyes, 1192.

- Paint Creek formation, Mississippian, Illinois: Shaw, 2035.
- Paint Creek formation, Mississippian, Missouri: Wilson, 2497.
- Paint Creek limestone, Mississippian, Kentucky: Weller, 2426.
- Paint Lick member, Ordovician, Kentucky: Foerste, 697.
- Palestine sandstone, Mississippian, Illinois: Shaw, 2035.
- Palestine sandstone, Mississippian, Kentucky: Weller, 2426.
- Palisade andesite, Tertiary, Colorado: Knowlton, 1286.
- Palms quartz slate, pre-Cambrian, Wisconsin and Minnesota: Hotchkiss, 990.
- Paluxy formation, Cretaceous, Texas: Fohs, 701.
- Pamella limestone, Ordovician, Ontario: Kindle, 1259.
- Panama formation, Tertiary, Panama Canal Zone: MacDonald, 1445.
- Panamintan series, Cambrian, Nevada: Keyes, 1192.
- Paoli formation, Mississippian, Indiana: Logan, 1402.
- Papagallo formation, Cretaceous, Mexico: Ver-Wiebe, 2346.
- Park City formation, Pennsylvanian and Permian, Colorado: Sears, 2010.
- Parsons Bay group, Triassic, British Columbia: Goranson, 771.
- Pasayten series, Cretaceous, British Columbia: Cairnes, 282.
- Pasayten series, Cretaceous, British Columbia and Washington: Goranson, 771.
- Pascagoula clay, Miocene, Mississippi: Lowe, 1427.
- Patillas quartz monzonite, Porto Rico: Fettke, 686.
- Patuxent formation, Cretaceous, District of Columbia: Wentworth, 2432.
- Patuxent formation, Cretaceous, North Carolina: Stephenson, 2143.
- Pawhuska limestone, Pennsylvanian, Oklahoma: Hosterman, 984.
- Pawnee limestone member, Pennsylvanian, Missouri: Wilson, 2497.
- Payette formation, Neocene, Idaho: Buwalda, 274.
- Peach Bottom slate, pre-Cambrian, Maryland and Pennsylvania: Knopf and Jonas, 1282.
- Peedee formation, Cretaceous, North Carolina: Stephenson, 2143.
- Pennington shale, Mississippian, Virginia: Eby (Stose), 621.
- Penters chert, Devonian, Arkansas: Miser, 1591.
- Pefuelas shale, Cretaceous, Porto Rico: Mitchell, 1598.
- Peorian interglacial deposits, Pleistocene, Iowa: Schoewe, 1985.
- Perkins volcanics, Cretaceous, Yukon: Cockfield, 392.
- Petersburg division, Pennsylvanian, Indiana: Logan, 1402.
- Peters Creek formation, pre-Cambrian, Pennsylvania: Jonas, 1112.
- Peters Creek schist, pre-Cambrian, Maryland: Jonas, 1113.
- Peters Creek schist, pre-Cambrian, Maryland and Pennsylvania: Knopf and Jonas, 1282.
- Peterson limestone, Cretaceous, Idaho: Kirkham, 1273.
- Phelps sandstone, Mississippian, Missouri: Branson, 199; Wilson, 2497.
- Phoenix Park quartz latite, Miocene, Colorado: Emmons and Larsen, 650.
- Phoenix Park quartz latite, Tertiary, Colorado: Knowlton, 1286.
- Phosphoria formation, Carboniferous, Montana: Bevan, 155.
- Phosphoria formation, Pennsylvanian, Idaho: Kirkham, 1273.
- Phosphoria formation, Triassic, Wyoming: Condit, 433.
- Pico formation, Pliocene, California: Kew, 1157, 1159.
- Picturecliff terrane, Tertiary, Colorado: Keyes, 1227.
- Pictured Cliffs sandstone, Cretaceous, New Mexico: Reeside, 1828.
- Piedra formation, Tertiary, Colorado: Knowlton, 1286.
- Piedra group, Miocene, Colorado: Emmons and Larsen, 650.
- Pierre formation, Cretaceous, South Dakota: O'Harra, 1678; Wilson and Ward, 2505.
- Pierre shale, Cretaceous, Montana: Bauer, 105.
- Pierre shale, Cretaceous, New Mexico: Lee, 1341.
- Pierre shale, Cretaceous, South Dakota: Wanless, 2387; Ward and Moulton, 2392.
- Pierrean series, Cretaceous, Colorado: Keyes, 1227.
- Pikian series, pre-Cambrian, Colorado: Keyes, 1227.
- Pinal schist, pre-Cambrian, Arizona: Ransome, 1792.
- Pinean series, Devonian, Nevada: Keyes, 1192.
- Pine Creek limestone, Pennsylvanian, West Virginia: Reger, 1838, 1839.
- Pine Nut limestone, Cambrian, Nevada: Ferguson, 679.
- Pine Point limestone, Devonian, Mackenzie: Hume, 1016.
- Pineville sandstone, Pennsylvanian, West Virginia: Reger, 1838.
- Pintoan series, Cambrian, Nevada: Keyes, 1192.
- Pinyon series, Ordovician, Nevada: Keyes, 1192.
- Pioneer shale, Cambrian, Arizona: Ransome, 1792.
- Pipestone formation, Devonian, British Columbia: Walcott, 2357.
- Piran series, Cambrian, Alberta: Keyes, 1242.
- Pit shales, Triassic, California: Goranson, 771.
- Pitkin limestone, Mississippian, Arkansas: Miser, 1591.
- Pittsburgh red shale, Pennsylvanian, Maryland: Swartz, 2177.
- Pittsburgh red shale, Pennsylvanian, West Virginia: Reger, 1838, 1839.
- Pittsburgh sandstone, Pennsylvanian, West Virginia: Reger, 1839.
- Pittsburgh (Lower) limestone, Pennsylvanian, Maryland: Swartz, 2177.
- Pittsburgh (Lower) sandstone, Pennsylvanian, Maryland: Swartz, 2177.
- Pittsburgh (Lower) sandstone, Pennsylvanian, West Virginia: Reger, 1838, 1839.
- Pittsburgh (Upper) limestone, Pennsylvanian, Maryland: Swartz, 2177.

- Pittsburgh (Upper) sandstone, Pennsylvanian, West Virginia: Reger, 1838.
- Piutean series, Tertiary, Nevada: Keyes, 1192.
- Plaisance limestone, Eocene, Haiti: Vaughan, 2343; Woodring, 2533.
- Platteville formation, Ordovician, Iowa: Howell, 1000.
- Platteville limestone, Ordovician, Wisconsin: Thwaites, 2245.
- Platteville limestone, Ordovician, Wisconsin and Minnesota: Sardeson, 1960.
- Platteville (Trenton) limestone, Ordovician, Illinois: Bretz, 205.
- Plattin formation, Ordovician, Missouri: Wilson, 2497.
- Plattin limestone, Ordovician, Arkansas: Miser, 1591.
- Plattin limestone, Ordovician, Missouri: Branson, 200; Keyes, 1171.
- Plattin limestone, Ordovician, Missouri and Illinois: Krey, 1293.
- Plattsburg limestone, Pennsylvanian, Iowa: Tilton, 2253.
- Plattsburg limestone, Pennsylvanian, Missouri: Wilson, 2497.
- Pleasanton shale, Pennsylvanian, Missouri: Wilson, 2497.
- Pleisto formation, Oligocene, California: Wagner and Schilling, 2352.
- Pluma formation, pre-Cambrian, South Dakota: Hosted and Wright, 983.
- Plum Creek clay, Silurian, Kentucky: Foerste, 696.
- Pochuck gneiss, pre-Cambrian, New Jersey: Alling, 29.
- Pocono formation, Mississippian, Pennsylvania: Butts, 270.
- Pocono series, Mississippian, West Virginia: Reger, 1838, 1839.
- Pogonipan series, Ordovician, Nevada: Keyes, 1192.
- Point Edward formation, Pennsylvanian, Nova Scotia: Hayes and Bell, 883.
- Point Grey formation, Pleistocene, British Columbia: Johnston, 1107.
- Point Lookout sandstone, Cretaceous, Colorado: Reeside, 1828.
- Poison Canyon beds, Tertiary, Colorado: Keyes, 1227.
- Pokegama quartzite, pre-Cambrian, Minnesota: Gruner, 822.
- Polk Creek shale, Ordovician, Arkansas: Miser, 1591; Purdue and Miser, 1784.
- Polk Creek shale, Ordovician, Oklahoma: Honess, 975.
- Ponce formation, Tertiary, Porto Rico: Mitchell, 1593.
- Pontotoc series, Pennsylvanian, Oklahoma: Dunbar, 599; Morgan, 1630, 1634.
- Pontotoc terrane, Carboniferous, Oklahoma: Morgan, 1632.
- Portage shale, Devonian, Virginia: Eby (Stose), 621; Stose, 2164.
- Portage series, Devonian, West Virginia: Reger, 1838, 1839.
- Porters Creek clay, Eocene, Mississippi: Buchard, 257; Morse, 1637.
- Portersville limestone, Pennsylvanian, West Virginia: Reger, 1839.
- Portersville limestone and shale, Pennsylvanian, Ohio: Stout and Lamborn, 2169.
- Post-Huronian interval, pre-Cambrian: Young, 2554.
- Post-Loganian interval, pre-Cambrian: Young, 2554.
- Potem formation, Jurassic, California: Goranson, 771.
- Potosi dolomite, Ozarkian, Missouri: Wilson, 2497.
- Potosi volcanic series, Miocene, Colorado: Emmons and Larsen, 650.
- Potosi volcanic series, Tertiary, Colorado: Knowlton, 1286.
- Potsdam formation, Cambrian, Ontario: Wright, 2545.
- Potsdam or Croixan sandstone, Cambrian, Illinois: Bretz, 205.
- Potsdam quartzite, Cambrian (?), Vermont: Keith, 1139.
- Potter formation, Pliocene (?), Texas: Patton, 1728.
- Pottsville formation, Pennsylvanian, Illinois: Shaw, 2035.
- Pottsville formation, Pennsylvanian, Maryland: Swartz, 2177.
- Pottsville formation, Pennsylvanian, Ohio: Stout and Lamborn, 2169.
- Pottsville series, Pennsylvanian, Pennsylvania: Renick, 1851.
- Pottsville series, Pennsylvanian, West Virginia: Reger, 1838, 1839.
- Powell formation, Canadian, Missouri: Wilson, 2497.
- Powell limestone, Ordovician, Arkansas: Miser, 1591.
- Prairie du Chien, Minnesota: Sardeson, 1959.
- Prairie du Chien formation, Ordovician, Iowa: Howell, 1000.
- Prairie du Chien formation, Ordovician, Wisconsin and Illinois: Thwaites, 2245.
- Prairie du Chien (Lower Magnesian) limestone, Ordovician, Illinois: Bretz, 205.
- Presqu'île dolomite, Devonian, Mackenzie: Hume, 1016.
- Preston beds, Cretaceous, Texas: Fohs, 701.
- Preston limestone member, Pennsylvanian, Iowa: Tilton, 2253.
- Preuss formation, Jurassic, Idaho: Kirkham, 1273.
- Price sandstone, Mississippian, Virginia: Eby (Stose), 621.
- Prichard formation, Algonkian, Idaho: Umpleby and Jones, 2316.
- Prince Rupert formation, Carboniferous or Triassic, British Columbia: Dolmage, 568.
- Princeton conglomerate, Mississippian, West Virginia: Reger, 1838.
- Proctor formation, Ozarkian, Missouri: Wilson, 2497.
- Proserpine dykes and sills, British Columbia: Uglov, 2305.
- Prospect Point eruptives, post-Eocene, British Columbia: Johnston, 1107.
- Prospectan series, Cambrian, Nevada: Keyes, 1192.

- Protection formation, Cretaceous, British Columbia: Goranson, 771.
- Proterozoic time, pre-Cambrian: Young, 2554.
- Puerco formation, Tertiary, New Mexico and Colorado: Reeside, 1828.
- Puerco terrane, Tertiary, Colorado: Keyes, 1227.
- Purgatoire formation, Cretaceous, Colorado: Keyes, 1227.
- Quadrant formation, Carboniferous, Montana: Bevan, 155.
- Quadrant formation, Pennsylvanian (?), Montana: Bauer and Robinson, 104.
- Quakertown black shale, Pennsylvanian, West Virginia: Reger, 1838, 1839.
- Quakertown shale, Pennsylvanian, Maryland: Swartz, 2177.
- Quartermaster formation, Permian, Oklahoma: Gould, 788; Sawyer, 1970.
- Quartermaster formation, Permian, Texas: Patton, 1728.
- Quebradillas limestone, Tertiary, Porto Rico: Hubbard, 1002.
- Queen Charlotte series, Cretaceous, British Columbia: Goranson, 771.
- Queenston member, Ordovician, Ontario: Foerste, 697.
- Queenston shale, Ordovician, New York and Ontario: Foerste, 697.
- Rabbitskin sandstone, Cretaceous, Mackenzie: Whittaker, 2462.
- Rabble Run red sandstone member, Silurian, Maryland: Swartz, 2178.
- Raleigh (Upper) sandstone, Pennsylvanian, West Virginia: Reger, 1838.
- Ramparts limestone, Devonian, Mackenzie: Hume, 1013, 1016.
- Rangeley conglomerate, Devonian (?), Maine: Smith, 2072.
- Raton formation, Eocene, New Mexico: Lee, 1341.
- Raton Hills formation, Tertiary, Colorado: Keyes, 1227.
- Ratonan series, Tertiary, Colorado: Keyes, 1227.
- Rat Creek quartz latite, Miocene, Colorado: Emmons and Larsen, 650.
- Rat Creek quartz latite, Tertiary, Colorado: Knowlton, 1286.
- Rawenscrag beds, Saskatchewan: Sternberg, 2144.
- Raytown limestone member, Pennsylvanian, Missouri: Wilson, 2497.
- Readsboro schist, Ordovician, Vermont: Hubbard, 1004.
- Red Bluff clay, Oligocene, Mississippi: Vaughan, 2343.
- Red Creek beds, pre-Cambrian, Colorado: Keyes, 1227.
- Redhill sandstone, Tertiary, Nevada: Keyes, 1192.
- Red Medina series, Silurian, West Virginia: Reger, 1839.
- Redstone sandstone, Pennsylvanian, Maryland: Swartz, 2177.
- Red Wall limestone, Mississippian, Arizona: Keyes, 1169.
- Reeder sandstone, Cretaceous, Kansas: Twenhofel, 2295.
- Reedsville shale, Ordovician, Virginia: Eby (Stose), 621.
- Reelsville formation, Mississippian, Indiana: Logan, 1402.
- Rommel batholith, Cretaceous (?), British Columbia: Cairnes, 282.
- Renault formation, Mississippian, Illinois: Shaw, 2035.
- Renault formation, Mississippian, Missouri: Wilson, 2497.
- Renault limestone, Mississippian, Kentucky: Weller, 2426.
- Revett quartzite, Algonkian, Idaho: Umpleby and Jones, 2316.
- Reynales limestone, Silurian, New York: Ulrich and Bassler, 2312.
- Reynosa formation, Pliocene, Mexico: VerWiebe, 2346.
- Reynosa formation, Pliocene (?), Texas: Trowbridge, 2272.
- Rican series, Carboniferous, Colorado: Keyes, 1227.
- Rice Lake formation, pre-Cambrian, Ontario: Burwash, 266.
- Richard sandstone, Cretaceous, Colorado: Ball, 70.
- Richmond formation, Ordovician, Ontario and Quebec: Foerste, 697.
- Richmond formation, Tertiary, Jamaica: Trechman, 2268.
- Richmond group, Ordovician, Wisconsin and Illinois: Thwaites, 2245.
- Richmond group, Silurian: Ulrich and Bassler, 2311.
- Richter sand, Pennsylvanian, Oklahoma: Hosterman, 984.
- Rico formation, Carboniferous, Utah: Prommel, 1780.
- Ridgeley sandstone, Devonian, West Virginia: Reger, 1839.
- Ringold formation, Pliocene (?), Washington: Jenkins, 1061.
- Rio Blanco series, Cretaceous, Porto Rico: Hubbard, 1002.
- Rio Culebrinas series, Cretaceous, Porto Rico: Hubbard, 1002.
- Rio Yauco series, Cretaceous, Porto Rico: Hubbard, 1002.
- Rio Yauco shale, Cretaceous, Porto Rico: Mitchell, 1598.
- Ripley formation, Cretaceous, Georgia: Prettyman and Cave, 1776.
- Ripley formation, Cretaceous, Mississippi: Lowe, 1427; Morse, 1637.
- Riverside sandstones, Mississippian, Indiana: Logan, 1401.
- Roan gneiss, pre-Cambrian, North Carolina: Bayley, 106.
- Roberts iron ore, Silurian, Maryland: Swartz, 2178.
- Robinson shales, Nevada: Keyes, 1220.
- Robinson terrane, Devonian, Nevada: Keyes, 1192.
- Robson limestones, Ordovician, British Columbia: Burling, 260.
- Rochester formation, Silurian, Maryland: Swartz, 2178.
- Rochester shale, Silurian, New York: Ulrich and Bassler, 2312.
- Rochester trachyte, Triassic, Nevada: Knopf, 1280.
- Rockford limestone, Mississippian, Indiana: Logan, 1401.

- Rockport terrane, Cretaceous, Colorado: Keyes, 1227.
- Rocky Mountain quartzite, Pennsylvanian, British Columbia: Kindle, 1266.
- Rocky Ridge sandstone, Cretaceous, Colorado: Ball, 70.
- Rogersville shale, Cambrian, Tennessee: Secrist, 2014.
- Rondout waterlime, Silurian, West Virginia: Reger, 1839.
- Rosebud beds, Tertiary, South Dakota: Wanless, 2387.
- Rosedale member, Ordovician, Ontario: Parks, 1716, 1717.
- Rose Hill formation, Silurian, Maryland: Swartz, 2178.
- Rosiclare sandstone member, Mississippian, Kentucky: Weller, 2426.
- Ross Brook formation, Silurian, Nova Scotia: McLearn, 1462.
- Rossian, pre-Cambrian: Keyes, 1174.
- Rossland group, Triassic, British Columbia: Goranson, 771.
- Roubidoux, Canadian, Missouri: Wilson, 2497.
- Round Knob shale, Pennsylvanian, Ohio: Stout and Lamborn, 2169.
- Round Rock member, Tertiary, Nevada: Ferguson, 679.
- Rubyan series, Cambrian, Nevada: Keyes, 1192, 1220.
- Rulo limestone, Pennsylvanian, Iowa: Tilton, 2253.
- Rundle limestone, Pennsylvanian, British Columbia: Kindle, 1266.
- Rundlian, Carboniferous, Alberta: Keyes, 1242.
- Rustler formation, Permian, Texas: Udden, 2302.
- Rutland dolomite, Cambrian, Vermont: Keith, 1139.
- Rutledge limestone, Cambrian, Tennessee: Secrist, 2014.
- Saenich granodiorite, Jurassic, British Columbia: Mackenzie, 1458.
- Sabine formation, Cambrian, British Columbia: Walcott, 2357.
- Sac limestone, Mississippian, Missouri: Wilson, 2497.
- Saganaga granite, pre-Cambrian, Minnesota: Schwartz, 2001.
- Sage Hen sandstone, Cretaceous, Montana: Bauer and Robinson, 104.
- Sailor Canyon formation, Triassic, California: Goranson, 771.
- Saint Bartholomew limestone, Eocene, Saint Bartholomew, West Indies: Vaughan, 2343.
- St. Clair limestone, Silurian, Arkansas: Miser, 1591.
- St. Croix group, Cambrian, Wisconsin: Thwaites, 2245.
- St. Genevieve limestone, Mississippian, Kentucky: Weller, 2426.
- St. Genevieve limestone, Mississippian, Missouri and Illinois: Krey, 1293.
- St. Laurent limestone, Devonian, Missouri: Wilson, 2497.
- St. Lawrence dolomite, Cambrian, Wisconsin: Thwaites, 2245.
- St. Lawrence formation, Cambrian, Minnesota: Ulrich, 2315.
- Saint Lawrence formation, Minnesota: Sardeson, 1959.
- St. Louis limestone, Mississippian, Kentucky: Weller, 2426.
- St. Louis Limestone, Mississippian, Missouri: Shipton, 2055; Wilson, 2497.
- St. Louis limestone, Mississippian, Missouri and Illinois: Krey, 1293.
- Saint Marys formation, Miocene, Maryland: Vaughan, 2343.
- St. Maurice formation, Eocene, Louisiana: Berry, 142.
- Saint Maurice formation, Louisiana: Vaughan, 2343.
- St. Maurice formation, Eocene, Arkansas and Louisiana: Teas, 2198.
- St. Peter formation, Ordovician, Iowa: Howell, 1000.
- St. Peter formation, Ordovician, Wisconsin and Illinois: Thwaites, 2245.
- St. Peter group, Ordovician, Missouri and Illinois: Krey, 1293.
- Saint Peter sandstone, Minnesota: Sardeson, 1959.
- St. Peter sandstone, Ordovician, Arkansas: Miser, 1591.
- St. Peter sandstone, Ordovician, Illinois: Bretz, 205.
- St. Peter sandstone, Ordovician, Missouri: Branson, 200; Wilson, 2497.
- St. Regis formation, Algonkian, Idaho: Umpleby and Jones, 2316.
- Salem formation, Mississippian, Missouri: Shipton, 2055.
- Salem limestone, Mississippian, Missouri: Wilson, 2497.
- Salem limestone, Pennsylvanian, Ohio: Stout and Lamborn, 2169.
- Saline River formation, Cambrian, Mackenzie: Hume, 1016; Williams, 2473, 2475.
- Salmon, pre-Cambrian: Keyes, 1174.
- Salt Lake formation, Pliocene, Idaho: Kirkham, 1273; Piper, 1760.
- Saltsburg sandstone, Pennsylvanian, Maryland: Swartz, 2177.
- Saltsburg sandstone, Pennsylvanian, West Virginia: Reger, 1838, 1839.
- Sample sandstone, Mississippian, Indiana: Logan, 1402.
- San Augustine formation, Tertiary, Texas: Dumble, 594.
- Sandy Huff shales, Pennsylvanian, West Virginia: Reger, 1838.
- San Emigdio formation, Oligocene, California: Wagner and Schilling, 2352.
- San Felipe formation, Cretaceous, Mexico: VerWiebe, 2346.
- San Fernando formation, Eocene, Trinidad: Vaughan, 2343.
- Sangamon deposits, Pleistocene, Iowa: Schoewe, 1985.
- San German limestone, Cretaceous, Porto Rico: Mitchell, 1598.
- San Juan formation, Cretaceous, Mexico: Dumble and Applin, 593; VerWiebe, 2346.
- San Juan formation, Quaternary, Porto Rico: Hubbard, 1002; Mitchell, 1598.
- San Juan series, Paleozoic, Washington: McLellan, 1464.

- San Juan tuff, Tertiary, Colorado: Knowlton, 1286.
 San Juan Raya formation, Cretaceous, Mexico: VerWiebe, 2346.
 San Lorenzo group, Oligocene, California: Wagner and Schilling, 2352.
 San Lorenzo quartz diorite, Porto Rico: Fettke, 686.
 San Miguel limestone, Cretaceous or Tertiary, Costa Rica: Redfield, 1814.
 San Pablo formation, Tertiary, California: Louderback, 1415.
 San Pedro formation, Pleistocene, California: Kew, 1157.
 San Rafael formation, Oligocene, Mexico: Vaughan, 2343; VerWiebe, 2346.
 San Sebastian shale, Tertiary, Porto Rico: Hubbard, 1002.
 San Simon terrane, Carboniferous, Nevada: Keyes, 1192.
 Santa Fe terrane, Tertiary, Colorado: Keyes, 1227.
 San Tamaulipas formation, Cretaceous, Mexico: Dumble and Applin, 593.
 Sarbach formation, Ordovician, Alberta: Walcott, 2355.
 Sarbach ? formation, Ordovician, British Columbia: Walcott, 2357.
 Sarceen series, Ozarkian: Walcott, 2355.
 Sasakwa limestone member, Pennsylvanian, Oklahoma: Morgan, 1632, 1634.
 Satilla formation, Pleistocene, Georgia: Prettyman and Cave, 1776.
 Saugus formation, Pliocene and Pleistocene, California: Kew, 1157, 1159.
 Saunders formation, Cretaceous, Alberta: Allan and Rutherford, 24.
 Saunders group, Cretaceous, Alberta: Allan and Rutherford, 21.
 Saunders (Lower) formation, Cretaceous, Alberta: Allan and Rutherford, 21.
 Saunders (Upper) formation, Cretaceous, Alberta: Allan and Rutherford, 21.
 Sauquoit formation, Silurian, New York: Ulrich and Bassler, 2312.
 Savanna formation, Pennsylvanian, Arkansas: Miser, 1591.
 Savanna sandstone, Pennsylvanian, Oklahoma: Morgan, 1632.
 Saverton shale, Mississippian, Missouri: Wilson, 2497.
 Sawatchan series, Cambrian, Colorado: Keyes, 1227.
 Sawback limestone, Cambrian, British Columbia: Kindle, 1266.
 Sawbackian series, Cambrian, Alberta: Keyes, 1242.
 Scanlan conglomerate, Cambrian, Arizona: Ransome, 1792.
 Seranton shale, Pennsylvanian, Missouri: Wilson, 2497.
 Schell shales, Ordovician, Nevada: Keyes, 1220.
 Schell terrane, Ordovician, Nevada: Keyes, 1192.
 Seaforth limestone, Tertiary, Antigua: Earle, 615.
 Secretan series, Cambrian, Nevada: Keyes, 1192, 1220.
 Selingsgrove limestone, Devonian, West Virginia: Reger, 1839.
 Selkirkie period, pre-Cambrian, Colorado: Keyes, 1227.
 Selma chalk formation, Cretaceous, Mississippi: Lowe, 1427.
 Selma chalk, Cretaceous, Mississippi: Morse, 1637.
 Seminole conglomerate, Pennsylvanian, Oklahoma: Dunbar, 599; Morgan, 1634.
 Seminole formation, Pennsylvanian, Oklahoma: Morgan, 1632.
 Senora formation, Pennsylvanian, Oklahoma: Morgan, 1632.
 Sentinel Butte shale member, Eocene, Northern Great Plains: Thom and Dobbin, 2211.
 Sequatchie formation, Ordovician, Virginia: Eby (Stose), 621.
 Sespe formation, Oligocene (?), California: Kew, 1157, 1159.
 Sespe formation, Tertiary, California: Taliaferro, 2187.
 Setters formation, pre-Cambrian, Maryland and Pennsylvania: Knopf and Jones, 1282.
 Setters quartzite, pre-Cambrian, Maryland: Jonas, 1113.
 Severy shale, Pennsylvanian, Missouri: Wilson, 2497.
 Sewickley limestone, Pennsylvanian, Maryland: Swartz, 2177.
 Sewickley limestone, Pennsylvanian, West Virginia: Reger, 1839.
 Sewickley sandstone, Pennsylvanian, West Virginia: Reger, 1839.
 Sewickley (Lower) sandstone, Pennsylvanian, Maryland: Swartz, 2177.
 Sewickley (Upper) sandstone, Pennsylvanian, Maryland: Swartz, 2177.
 Sextant formation, Devonian, Ontario: Kindle, 1262.
 Sexton Creek formation, Silurian, Missouri: Wilson, 2497.
 Sexton Creek limestone, Silurian, Missouri and Illinois: Krey, 1293.
 Shady limestone, Cambrian, Tennessee: Secrist, 2014.
 Skakopee dolomite, Ordovician, Iowa: Howell, 1000.
 Skakopee dolomite, Ordovician (Canadian), Wisconsin and Illinois: Thwaites, 2245.
 Skakopee limestone, Minnesota: Sardeson, 1959.
 Shannon sandstone, Cretaceous, Wyoming: Bauer and Robinson, 104.
 Sharon sandstone, Pennsylvanian, Maryland: Swartz, 2177.
 Sharon sandstone, Pennsylvanian, West Virginia: Reger, 1839.
 Shawnee formation, Pennsylvanian, Missouri: Wilson, 2497.
 Shawnee stage, Pennsylvanian, Iowa: Tilton, 2253.
 Sheffield formation, Devonian, Iowa: Fenton and Fenton, 677.
 Sheguiandah member, Ordovician, Ontario: Foerste, 697.
 Shelburne marble, Cambrian, Vermont: Keith, 1139.
 Shellkof formation, Jurassic, Alaska: Smith and Baker, 2091.

- Shelton Cliff sandstone, Pennsylvanian, Indiana: Logan, 1402.
- Shenandoah limestone, Cambro-Ordovician, Pennsylvania: Stose and Jonas, 2160.
- Sherbrookian series, Cambrian, Alberta: Keyes, 1242.
- Sherman marble, Ordovician, Vermont: Hubbard, 1004.
- Sheroli formation, Miocene, Costa Rica: Redfield, 1814.
- Shinarump conglomerate, Triassic, Arizona: Hager, 832; Reagan, 1807.
- Shinarump conglomerate, Triassic, Utah: Longwell *et al.*, 1404; Miser, 1594, 1597.
- Shinarump conglomerate series, Triassic, Utah: Prommel, 1780.
- Shinarump terrane, Triassic, Colorado: Keyes, 1227.
- Shoal Creek limestone member, Pennsylvanian, Illinois: Shaw, 2035.
- Shoal River formation, Miocene, Florida: Vaughan, 2343.
- Shriver chert, Devonian, West Virginia: Reger, 1839.
- Shuswap granites, pre-Cambrian: Keyes, 1174.
- Siberia limestone, Mississippian, Indiana: Logan, 1402.
- Sicamous, pre-Cambrian: Keyes, 1174.
- Sicker series, Jurassic, British Columbia: Goranson, 771.
- Sillery formation, Ordovician, Quebec: Clark, 354.
- Silverton volcanic series, Tertiary, Colorado: Knowlton, 1286.
- Simpson formation, Devonian, Mackenzie: Williams, 2473.
- Simpson formation, Ordovician, Oklahoma: Edson, 624; Morgan, 1632.
- Simpson shale, Devonian, Mackenzie: Hume, 1016; Williams, 2475.
- Sinclair formation, Ordovician, British Columbia: Walcott, 2357.
- Skagit volcanic formation, Tertiary, British Columbia: Cairnes, 282.
- Skelt shale, Pennsylvanian, West Virginia: Reger, 1838.
- Skeena formation (?), Cretaceous, British Columbia: Hanson, 853, 856.
- Skeena series, Cretaceous, British Columbia: Goranson, 771.
- Skidegate formation, Cretaceous, British Columbia: Goranson, 771.
- Slave Point limestone, Devonian, Mackenzie: Hume, 1016.
- Snow Hill calcareous member, Cretaceous, North Carolina: Stephenson, 2143.
- Snyder Creek shales, Devonian, Missouri: Branson, 199, 200.
- Sodus shale, Silurian, New York: Ulrich and Bassler, 2312.
- Sooke formation, Tertiary, British Columbia: Clark and Arnold, 345.
- Soultan, pre-Cambrian: Keyes, 1174.
- Spence Bridge series, Tertiary, British Columbia: Cairnes, 279.
- Spergen or Salem limestone, Mississippian, Kentucky: Weller, 2426.
- Spokane glaciation, Pleistocene, Washington: Bretz, 207.
- Sprayan series, Triassic, Alberta: Keyes, 1242.
- Spray River formation, Triassic, British Columbia: Kindle, 1266.
- Spring Creek member, Cretaceous, Kansas: Twenhofel, 2295.
- Springer member, Carboniferous, Oklahoma: Girty and Roundy, 757.
- Springfield dolomite, Silurian, Ohio: Foerste, 696.
- Stanley shale, Carboniferous, Oklahoma: Honess, 974.
- Stanley shale, Mississippian, Arkansas: Purdue and Miser, 1784.
- Stanley shale, Pennsylvanian, Oklahoma: Honess, 975, 976.
- Stanton limestone, Pennsylvanian, Iowa: Tilton, 2253.
- Stanton limestone, Pennsylvanian, Missouri: Wilson, 2497.
- Staran series, Triassic, Nevada: Keyes, 1192, 1220.
- Star Peak formation, Triassic, Nevada: Knopf, 1280.
- Star Peak limestone, Triassic, Nevada: Keyes, 1192.
- State Quarry beds, Devonian, Iowa: Thomas, 2217.
- State Quarry limestone, Devonian, Iowa: Schoewe, 1985.
- Staunton division, Pennsylvanian, Indiana: Logan, 1402.
- Steele shale, Cretaceous, Wyoming: Fath and Moulton, 670.
- Stephensian series, Cambrian, Alberta: Keyes, 1242.
- Steptoean series, Ordovician, Nevada: Keyes, 1192, 1220.
- Stokes Hill sandstone, Cretaceous, Kansas: Twenhofel, 2295.
- Stonehouse formation, Silurian, Nova Scotia: McLearn, 1462.
- Stratford formation, Permian, Oklahoma: Morgan, 1632.
- Strelina formation, Mississippian (?), Alaska: Moffit, 1603.
- Strelina formation, Mississippian, Alaska: Moffit and Mertie, 1602.
- Striped Peak formation, Algonkian, Idaho: Umpleby and Jones, 2316.
- Stuart shale, Pennsylvania, Oklahoma: Morgan, 1632.
- Stump formation, Jurassic, Idaho: Kirkham, 1273.
- Sturm limestone, Pennsylvanian, Iowa: Tilton, 2253.
- Sucarnochee clay, Eocene, Alabama: Vaughan, 2343.
- Sullivan formation, Cambrian, Alberta: Walcott, 2355.
- Sullivanian series, Cambrian, Alberta: Keyes, 1242.
- Sulphur Springs formation, Mississippian, Missouri: Wilson, 2497.
- Summitville andesite, Tertiary, Colorado: Knowlton, 1286.
- Sundance formation, Jurassic, Wyoming: Condit, 433; Fath and Moulton, 670.
- Sundance terrane, Jurassic, Colorado: Keyes, 1227.

- Sundance-Ellis formation, Jurassic, Montana: Bauer and Robinson, 104.
- Sunset sandstone, Cretaceous, Alberta: MacVicar, 1466.
- Supai (?) formation, Permian, Utah: Miser, 1594, 1597.
- Supaian series, Carboniferous, Colorado: Keyes, 1227.
- Superioric period, pre-Cambrian, Colorado: Keyes, 1227.
- Suretka conglomerate, Tertiary, Costa Rica: Redfield, 1814.
- Sutton limestone, Pennsylvanian, West Virginia: Reger, 1838, 1839.
- Sutton limestone, Triassic, British Columbia: Goranson, 771.
- Swan Peak quartzite, Ordovician, Idaho: Piper, 1760.
- Swanton conglomerate, Ordovician, Vermont: Keith, 1139.
- Swearinger slate, Triassic, California: Goranson, 771.
- Sweetland Creek shale, Devonian, Illinois: Krey, 1293.
- Swift Water formation, Cambrian (?), New Hampshire: Ross, 1913.
- Sycamore limestone, Mississippian, Oklahoma: Morgan, 1632.
- Sylamore sandstone, Mississippian, Missouri: Branson, 199.
- Sylvan shale, Silurian, Oklahoma: Morgan, 1632.
- Tah formation, Cambrian, British Columbia: Burling, 260.
- Talladega (Ocoee) series, Carboniferous (in part), Alabama: Prouty, 1782.
- Tallahatta division, Mississippi: Lowe, 1427.
- Tallahatta formation, Eocene, Alabama: Berry, 142; Vaughan, 2343.
- Tamasopa formation, Cretaceous, Mexico: Dumble and Applin, 593; VerWiede, 2346.
- Tamaulipas (?) formation, Cretaceous, Mexico: Dumble and Applin, 593.
- Tamesi formation, Cretaceous, Mexico: Dumble and Applin, 593.
- Tampa formation, Oligocene, Florida: Vaughan, 2343.
- Tanlajas formation, Eocene, Mexico: VerWiede, 2346.
- Tantalus conglomerate, Cretaceous, British Columbia: Goranson, 771.
- Tantalus conglomerate, Jurassic, Yukon: Cockfield, 392.
- Tantoyuca formation, Eocene, Mexico: VerWiede, 2346.
- Tarkio limestone, Pennsylvanian, Iowa: Tilton, 2253.
- Tarkio limestone, Pennsylvanian, Missouri: Wilson, 2497.
- Tar Springs formation, Mississippian, Indiana: Logan, 1402.
- Tar Springs sandstone, Mississippian, Kentucky: Weller, 2426.
- Tatay limestones, Cambrian, British Columbia: Burling, 260.
- Tate member, Ordovician, Kentucky: Foerste, 697.
- Tatei limestones, Cambrian, British Columbia: Burling, 260.
- Taylor formation, Cretaceous, Texas: Adkins, 6; Fohs, 701; Sellards, 2017.
- Tazin series, pre-Cambrian, Saskatchewan: Allan and Cameron, 22.
- Teapot Mountain porphyry, Mesozoic, Arizona: Ransome, 1792.
- Tecovas formation, Triassic, Texas: Patton, 1728.
- Tecumseh shale, Pennsylvanian, Missouri: Wilson, 2497.
- Tejon formation, Eocene, California: Kew, 1157, 1159.
- Tejon formation, Tertiary, California: Takiarferro, 2187.
- Telegraph Creek formation, Cretaceous, Montana: Reeside, 1826.
- Tellico formation, Ordovician, Tennessee: Gordon, 772.
- Telluride conglomerate, Tertiary, Colorado: Knowlton, 1286.
- Temapache beds, Oligocene, Mexico: VerWiede, 2346.
- Temiscaminian time, pre-Cambrian: Young, 2554.
- Tempoal formation, Eocene, Mexico: VerWiede, 2346.
- Tempoal shales, Eocene, Mexico: Dumble and Applin, 593.
- Tensleep sandstone, Pennsylvanian (?), Montana: Bauer and Robinson, 104.
- Tensleep sandstone, Pennsylvanian, Wyoming: Condit, 433; Fath and Moulton, 670.
- Terry sandstone, Cretaceous, Colorado: Ball, 70.
- Thaynes (?) formation, Triassic, Colorado: Sears, 2010.
- Thaynes group, Triassic, Idaho: Kirkham, 1273.
- Thebes-Maquoketa formation, Ordovician, Missouri: Wilson, 2497.
- Thermopolis shale, Cretaceous, Montana: Reeside, 1826.
- Thermopolis shale, Cretaceous, Wyoming: Fath and Moulton, 670.
- Thomas limestone, Pennsylvanian, Maryland: Swartz, 2177.
- Thomas sandstone, Pennsylvanian, Maryland: Swartz, 2177.
- Thomas sandstone, Pennsylvanian, West Virginia: Reger, 1839.
- Thomonde formation, Miocene, Haiti: Vaughan, 2343; Woodring, 2533.
- Thompson formation, Cambrian, Alberta: Keyes, 1242.
- Thompson formation, Jurassic, California: Goranson, 771.
- Thornton fire clay, Pennsylvanian, West Virginia: Reger, 1839.
- Thorold sandstone, Silurian, New York: Ulrich and Bassler, 2312.
- Threeforks limestone, Devonian, Idaho: Piper, 1760.
- Thurman sandstone, Pennsylvanian, Oklahoma: Morgan, 1632.
- Times porphyry, Tertiary, Arizona: Ransome, 1793.
- Timiskamian, pre-Cambrian: Keyes, 1174.
- Timpahutan series, Silurian, Nevada: Keyes, 1192, 1220.
- Timpas terrane, Cretaceous, Colorado: Keyes, 1227.
- Tippah sandstone, Eocene, Mississippi: Morse, 1637.

- Tipton shale member, Tertiary, Colorado: Sears and Bradley, 2012.
- Tipton tongue, Tertiary, Colorado and Wyoming: Sears, 2010.
- Titanotherium beds, Tertiary, South Dakota: Wanless, 2387.
- Titikana limestones, Cambrian, British Columbia, Burling, 260.
- Tocito sandstone, Cretaceous, Colorado: Reeside, 1828.
- Todilto(?) formation, Jurassic, Utah: Longwell *et al.*, 1404; Miser, 1594, 1597.
- Todilto formation, Jurassic, Utah: Prommel, 1780.
- Todilto limestones, Jurassic, Arizona: Reagan, 1807.
- Todilto terrane, Jurassic, Colorado: Keyes, 1227.
- Tongue River member, Cretaceous or Eocene, Northern Great Plains: Thom and Dobbin, 2211.
- Tongue River member, Eocene, Montana: Bauer, 105; Collier, 415.
- Tonkawa sand, Pennsylvanian, Oklahoma: Hosterman, 984.
- Tonoloway formation, Silurian, Maryland: Swartz, 2178.
- Topanga formation, Miocene, California: Kew, 1157, 1159.
- Topeka limestone, Pennsylvanian, Missouri: Wilson, 2497.
- Toquima formation, Ordovician, Nevada: Ferguson, 679.
- Tordrillo formation, Jurassic, Alaska: Goranson, 771.
- Tornado limestone, Carboniferous, Arizona: Ransome, 1792.
- Toronto formation, Pleistocene, Ontario: Coleman, 410.
- Torrejon formation, Tertiary, New Mexico: Reeside, 1828.
- Torrejon terrane, Tertiary, Colorado: Keyes, 1227.
- Trabuco formation, Cretaceous, California: Kew, 1157.
- Travester terrane, Jurassic, Colorado: Keyes, 1227.
- Travis Peak formation, Cretaceous, Texas: Fohs, 701.
- Treasure Mountain latite, Tertiary, Colorado: Knowlton, 1286.
- Trempealeau formation, Cambrian, Wisconsin: Ulrich, 2315.
- Trempealeau formation, Cambrian, Wisconsin and Illinois: Thwaites, 2245.
- Trenton formation, Ordovician, Ontario: Wilson, 2498.
- Trenton formation, Ordovician, Vermont: Foyles, 714.
- Trenton group, Ordovician, Wisconsin: Thwaites, 2245.
- Tribes Hill formation, Ordovician, Vermont: Foyles, 714.
- Trinidad sandstone, Cretaceous, New Mexico: Lee, 1341.
- Trinity division, Comanchean, Texas: Adkins, 6.
- Trinity formation, Cretaceous, Arkansas: Miser, 1591; Miser and Ross, 1592.
- Trinity sand, Comanchean, Oklahoma: Bullard, 254.
- Trinity sand, Cretaceous, Oklahoma: Honess, 975.
- Troy quartzite, Cambrian, Arizona: Ransome, 1792.
- Truckee beds, Tertiary, Nevada: Louderback, 1415.
- Trujillo formation, Triassic, Texas: Patton, 1728.
- Trujillo terrane, Triassic, Colorado: Keyes, 1227.
- "Trumbull" gneiss, pre-Cambrian, New York: Alling, 29.
- Truxton terrane, Carboniferous, Nevada: Keyes, 1192.
- Tseax River lava flow, Recent, British Columbia: Hanson, 856.
- Tshinakian, pre-Cambrian: Keyes, 1174.
- Tucumcari shales, Cretaceous, Kansas: Twenhofel, 2295.
- Tulameen group, Triassic(?), British Columbia: Cairnes, 281.
- Tulameen group, Triassic, British Columbia: Goranson, 771.
- Tulameen series, Triassic, British Columbia: Cairnes, 279, 282.
- Tullock member, Cretaceous or Eocene, Northern Great Plains: Thom and Dobbin, 2211.
- Tullock member, Eocene(?), Montana: Renick, 1854.
- Tullock member, Tertiary(?), Montana: Collier, 415; Renick, 1852; Rogers and Lee, 1900.
- Tununk sandstone, Cretaceous, Arizona: Reagan, 1807.
- Tununk sandstone, Cretaceous, Colorado: Keyes, 1227.
- Tununk sandstone, Cretaceous, Utah: Longwell *et al.*, 1404.
- Tuscahoma formation, Eocene, Alabama: Vaughan, 2343.
- Tuscaloosa formation, Cretaceous, Mississippi: Lowe, 1427; Morse, 1637.
- Tuscan tuff, Tertiary, California: Bryan, 239.
- Tuscarora formation, Silurian, Maryland: Swartz, 2178.
- Tuscarora formation, Silurian, Pennsylvania: Moore and Taylor, 1615.
- Tuscumbia limestone, Mississippian, Mississippi: Morse, 1637.
- Tuxpam beds, Miocene, Mexico: VerWiebe, 2346.
- Tuxpam formation, Miocene, Mexico: Vaughan, 2343.
- Tuxedni sandstone, Jurassic, Alaska: Goranson, 771.
- Twin Creek limestone, Jurassic, Colorado: Sears, 2010.
- Twin Creek limestone, Jurassic, Idaho: Kirkham, 1273.
- Two medicine formation, Cretaceous, Montana: Clark, 348.
- Tygee formation, Cretaceous, Idaho: Kirkham, 1273.
- Tyler formation, pre-Cambrian, Wisconsin and Minnesota: Hotchkiss, 990.
- Tyner shale, Ordovician, Oklahoma: Edson, 624.
- Uffington shale, Pennsylvanian, West Virginia: Reger, 1838, 1839.
- Umpqua formation, Tertiary, Oregon: Diller and Kay, 564.
- Uncas shale, Permian, Oklahoma: Hosterman, 984.

- Uncompahgre terrane, pre-Cambrian, Colorado: Keyes, 1227.
- Uniontown sandstone, Pennsylvanian, Maryland: Swartz, 2177.
- Unkpapa terrane, Jurassic, Colorado: Keyes, 1227.
- Uscari formation, Miocene, Costa Rica: Vaughan, 2343.
- Uscari shale, Miocene, Costa Rica: Redfield, 1814.
- Utica formation, Ordovician, Ontario and Quebec: Foerste, 697.
- Vallecito terrane, pre-Cambrian, Colorado: Keyes, 1227.
- Vamoosa formation, Pennsylvanian, Oklahoma: Morgan, 1632, 1634.
- Vancouver group, Jurassic and Triassic, British Columbia: Mackenzie, 1458.
- Vanoss formation, Pennsylvanian, Oklahoma: Morgan, 1632, 1633.
- Vanport limestone, Pennsylvanian, Ohio: Stout and Lamborn, 2169.
- Vanport limestone, Pennsylvanian, West Virginia: Reger, 1839.
- Vaqueros formation, Miocene, California: Kew, 1157, 1159.
- Varennesic, pre-Cambrian: Keyes, 1174.
- Velasco formation, Mexico: Cushman and Trager, 486.
- Ventana sandstone, Triassic, Arizona: Reagan, 1807.
- Ventana terrane, Triassic, Colorado: Keyes, 1227.
- Verdan series, Carboniferous, Nevada: Keyes, 1192, 1220.
- Verde formation, Tertiary, Arizona: Jenkins, 1057.
- Verden sandstone, Permian, Oklahoma: Reed and Meland, 1818.
- Vermejo formation, Cretaceous, New Mexico: Lee, 1341.
- Vermilion granite, pre-Cambrian, Minnesota: Grout, 816; Schwartz, 2001.
- Vermilion Creek beds, Tertiary, Colorado: Keyes, 1227.
- Vermont formation, Vermont: Gordon, 774.
- Vicksburg formation, Oligocene, Mississippi: Lowe, 1427.
- Vicksburg group, Oligocene, Georgia: Prettyman and Cave, 1776.
- Vicksburg group, Oligocene, Mississippi: Vaughan, 2343.
- Victoria limestone, Comanchean, Mexico: Ver-Wiebe, 2346.
- Vienna limestone, Mississippian, Kentucky: Weller, 2426.
- Vilas shale, Pennsylvanian, Iowa: Tilton, 2253.
- Vilas shale, Pennsylvanian, Missouri: Wilso, 2497.
- Vintage dolomite, Cambrian, Pennsylvania: Jonas, 1112; Knopf and Jonas, 1282; Stose, 2163; Stose and Jonas, 2160.
- Viola limestone, Ordovician, Oklahoma: Morgan, 1632.
- Virgelle sandstone, Cretaceous, Montana: Bauer and Robinson, 104.
- Virgin series, Tertiary, Nevada: Keyes, 1192, 1220.
- Virginia slate, pre-Cambrian, Minnesota: Gruner, 822.
- Wabaunsee formation, Pennsylvanian, Missouri: Wilson, 2497.
- Wabaunsee stage, Pennsylvanian, Iowa: Tilton, 2253.
- Waccamaw marl, Pliocene, South Carolina: Vaughan, 2343.
- Waco limestone, Silurian, Kentucky: Foerste, 696.
- Waits River limestone, Ordovician, Vermont: Richardson, 1863, 1864.
- Walnut formation, Comanchean, Texas: Adkins, 6.
- Walnut formation, Cretaceous, Texas: Fohs, 701.
- Waltersburg sandstone, Mississippian, Kentucky: Weller, 2426.
- Wanipigow formation, pre-Cambrian, Ontario: Burwash, 266.
- Wapanucka formation, Pennsylvanian, Oklahoma: Morgan, 1632.
- Wapanucka limestone, Carboniferous, Oklahoma: Girty and Roundy, 757.
- Wapiabi formation, Cretaceous, Alberta: Allan and Rutherford, 24.
- Wapiabi shales, Cretaceous, Alberta: Allan and Rutherford, 21.
- Wapsipinicon formation, Devonian, Iowa: Schoewe, 1985.
- Wapsipinicon limestone, Devonian, Illinois: Savage, 1964.
- Wapsipinicon stage, Devonian, Iowa: Thomas, 2217.
- Warsaw formation, Mississippian, Missouri: Wilson, 2497.
- Warsaw-Spergen formations, Mississippian, Missouri and Illinois: Krey, 1293.
- Wasatch formation, Eocene, Northern Great Plains: Thom and Dobbin, 2211.
- Wasatch(?) formation, Eocene, Utah: Longwell, *et al.*, 1404.
- Wasatch formation, Tertiary, Colorado: Keyes, 1227.
- Wasatch formation, Tertiary, Colorado and Wyoming: Sears, 2010; Sears and Bradley, 2012.
- Wasatch formation, Tertiary, New Mexico and Colorado: Reeside, 1828.
- Washakie terrane, Tertiary, Colorado: Keyes, 1227.
- Washington formation, Pennsylvanian, Ohio: Condit, 432.
- Washington formation, Permian, Maryland: Swartz, 2177.
- Washington greensand, Cretaceous, Arkansas: Howe, 998.
- Washington (Upper) limestone, Permian, Maryland: Swartz, 2177.
- Washingtonville member, Pennsylvanian, Ohio: Stout and Lamborn, 2169.
- Washita division, Comanchean, Texas: Adkins, 6.
- Washita group, Cretaceous, Arkansas: Miser, 1591.
- Wassonville limestone member, Mississippian, Iowa: Schoewe, 1985.
- Watauga shale, Cambrian, Tennessee: Secrist, 2014.
- Waubakee dolomite, Silurian, Wisconsin: Thwaites, 2245.
- Waukesha formation, Silurian, Wisconsin: Thwaites, 2245.
- Wayan formation, Cretaceous, Idaho: Kirkham, 1273.

- Waynesburg limestone, Pennsylvanian, Maryland: Swartz, 2177.
- Waynesburg sandstone, Permian, Maryland: Swartz, 2177.
- Weaver rhyolite, Triassic, Nevada: Knopf, 1280.
- Weber quartzite, Pennsylvanian, Colorado: Sears, 2010.
- Weberian series, Carboniferous, Nevada: Keyes, 1192.
- Weberian series, Carboniferous, Colorado: Keyes, 1227.
- Webster Springs sandstone, Mississippian, West Virginia: Reger, 1838, 1839.
- Weeping Water limestone, Pennsylvanian, Iowa: Tilton, 2253.
- Wekwemikongsing member, Ordovician, Ontario: Foerste, 697.
- Welch sandstone, Pennsylvanian, West Virginia: Reger, 1838.
- Wellsburg limestone, Pennsylvanian, Maryland, Swartz, 2177.
- Wellington shale, Permian, Oklahoma: Hosterman, 984.
- Wells formation, Pennsylvanian, Idaho: Kirkham, 1273; Piper, 1760.
- Weno member, Comanchean, Texas: Adkins, 6.
- Westernport sandstone, Pennsylvanian, Maryland: Swartz, 2177.
- West Ledge formation, pre-Cambrian, South Dakota: Hosted and Wright, 983.
- Weston shale, Pennsylvanian, Iowa: Tilton, 2253.
- Weston shale, Pennsylvanian, Missouri: Wilson, 2497.
- Westwater terrane, pre-Cambrian, Colorado: Keyes, 1227.
- Wetumka shale, Pennsylvanian, Oklahoma: Morgan, 1632.
- Wewoka formation, Pennsylvanian, Oklahoma: Morgan, 1632.
- Wheaton River volcanics, Tertiary, Yukon: Cockfield, 392.
- Whiskey Gap, Permian, Wyoming: Fath and Moulton, 670.
- Whitean series, Tertiary, Colorado: Keyes, 1227.
- White Caps limestone, Cambrian, Nevada: Ferguson, 679.
- Whitecliff terrane, Jurassic, Colorado: Keyes, 1227.
- Whitehorse sandstone, Permian, Oklahoma: Gould, 788; Sawyer, 1970.
- White Medina sandstone, Silurian, West Virginia: Reger, 1839.
- Whitemud beds, Saskatchewan: Sternberg, 2144.
- White River formation, Oligocene, Montana: Bauer, 105.
- White River formation, Oligocene, South Dakota: Topelman, 2260.
- Whitetail conglomerate, Tertiary (?), Arizona: Ransome, 1792.
- Whitingham schist, Ordovician, Vermont: Hubbard, 1004.
- Whitsett beds, Tertiary, Texas: Dumble, 594.
- Whitsett limestone, Cretaceous, Oregon: Goranson, 771.
- Whyte formation, Cambrian, Alberta: Keyes, 1242.
- Wilcox formation, Eocene, Georgia: Prettyman and Cave, 1776.
- Wilcox formation, Eocene, Texas: Fohs, 701; Sel-lards, 2017.
- Wilcox formation, Tertiary, Arkansas: Schneider, 1981.
- Wilcox group, Eocene, Alabama: Vaughan, 2343.
- Wilcox group, Eocene, Mississippi: Lowe, 1427.
- Wilcox group, Eocene, Texas: Trowbridge, 2272.
- Wilcox group, Tertiary, Texas: Gardner, 728.
- Wilcox sand, Ordovician, Oklahoma: Trager, 2264.
- Wilcox series, Eocene, Mississippi: Morse, 1637.
- Wildhorse sandstone, Permian, Oklahoma: Brock-way and Owens, 218.
- Willgus clay, Pennsylvanian, Ohio: Stout and Lam-born, 2169.
- Williams Fork formation, Cretaceous, Colorado: Sears, 2010.
- Williams Island limestone, Devonian, Ontario: Kindie, 1262.
- Williamson shale, Silurian, New York: Ulrich and Bassler, 2312.
- Williamsport sandstone, Silurian, West Virginia: Reger, 1839.
- Williston limestone, Cambrian, Vermont: Keith, 1139.
- Willow limestone, Ordovician, Nevada: Keyes, 1220.
- Willow terrane, Ordovician, Nevada: Keyes, 1192.
- Willow Creek rhyolite, Miocene, Colorado: Emmons and Larsen, 650.
- Willow Creek rhyolite, Tertiary, Colorado: Knowl-ton, 1286.
- Willow River limestone, Wisconsin: Sardeson, 1959.
- Wills Creek formation, Silurian, Maryland: Swartz, 2178.
- Wind River formation, Tertiary, Wyoming: Condit, 433.
- Windsor series, Mississippian, Nova Scotia: Bell, 128; Hayes and Bell, 883.
- Windy Gulch rhyolite, Tertiary, Colorado: Knowl-ton, 1286.
- Windy Gulch rhyolite breccia, Miocene, Colorado: Emmons and Larsen, 650.
- Winfield limestone, Permian, Oklahoma: Hosterman, 984.
- Wingate sandstone, Jurassic, Arizona: Reagan, 1807.
- Wingate sandstone, Jurassic, Utah: Longwell *et al.*, 1404; Miser, 1594, 1597; Prommel, 1780.
- Wingate terrane, Jurassic, Colorado: Keyes, 1227.
- Winifrede limestone, Pennsylvanian, West Virginia: Reger, 1838.
- Winnipeg River granite, pre-Cambrian, Ontario: Burwash, 266.
- Winona sand, Eocene, Mississippi: Lowe, 1427.
- Winooski marble, Cambrian, Vermont: Keith, 1139.
- Winterset limestone, Pennsylvanian, Iowa: Tilton, 2253.
- Winterset limestone, Pennsylvanian, Missouri: Wilson, 2497.
- Winthrop sandstone, Cretaceous, Washington: Goranson, 771.
- Wisconsin deposits, Pleistocene, Iowa: Schoewe, 1985.

- Wise formation, Pennsylvanian, Virginia: Eby, 621.
 Wissahickon formation, Ordovician, Maryland: Jonas, 1113.
 Wissahickon formation, pre-Cambrian, Maryland: Jonas, 1113.
 Wissahickon formation, pre-Cambrian, Maryland and Pennsylvania: Knopf and Jonas, 1282.
 Wissahickon schist, pre-Cambrian, Pennsylvania: Jonas, 1112.
 Wolcott limestone, Silurian, New York: Ulrich and Bassler, 2312.
 Womble formation, Ordovician, Oklahoma: Edson, 624.
 Womble sandstone, Ordovician, Oklahoma: Honess, 975.
 Womble shale, Ordovician, Arkansas: Miser, 1591; Purdue and Miser, 1784.
 Wonah quartzite, Silurian, British Columbia: Walcott, 2357.
 Woodbine formation, Cretaceous, Arkansas: Schneider, 1981.
 Woodbine formation, Cretaceous, Texas: Adkins, 6; Fohs, 701.
 Woodbine sand, Cretaceous, Arkansas and Louisiana: Hull, 1011.
 Woodford formation, Devonian and Mississippian, Oklahoma: Morgan, 1632.
 Woodpecker limestones, Nevada: Keyes, 1220.
 Woodpecker terrane, Devonian, Nevada: Keyes, 1192.
 Woodside shale, Triassic, Colorado: Sears, 2010.
 Woodside shale, Triassic, Idaho: Kirkham, 1273.
 Word formation, Permian, Texas: Udden, 2302.
 Wykoff limestone, Ordovician, Iowa: Thwaites, 2245.
 Wynona sandstone, Pennsylvanian, Oklahoma: Rubey, 1920.
 Wyoming terrane, Tertiary, Colorado: Keyes, 1227.
 Yabucoa granite, Porto Rico: Fettke, 686.
 Yakoun formation, Jurassic, British Columbia: Goranson, 771.
 Yampa limestone, Carboniferous, Utah: Lindgren, 1384.
 Yankeetown chert, Mississippian, Illinois: Shaw, 2035.
 Yankeetown formation, Mississippian, Missouri: Wilson, 2497.
 Yaque group, Miocene, Dominican Republic: Vaughan, 2343.
 Yarmouth interglacial deposits, Pleistocene, Iowa: Schoewe, 1985.
 Yegua formation, Eocene, Louisiana and Texas: Berry, 142.
 Yegua formation, Eocene, Texas: Trowbridge: 2272; Vaughan, 2343.
 Yegua series, Tertiary, Texas: Dumble, 594.
 Yellow Creek beds, Devonian, Mississippi: Morse, 1637.
 Yorktown formation, Miocene, Virginia: Vaughan, 2343.
 Yulean series, Ordovician, Colorado: Keyes, 1227.
 Zanzibar limestone, Ordovician (?), Nevada: Ferguson, 679.
 Zapotitlan formation, Comanchean, Mexico: VerWiede, 2346.
 Zuni series, Triassic, Arizona: Reagan, 1807.
 Zunian series, Jurassic, Colorado: Keyes, 1227.
 Zunian series, Jurassic, Nevada: Keyes, 1192.



ADDITIONAL COPIES

OF THIS PUBLICATION MAY BE PROCURED FROM
 THE SUPERINTENDENT OF DOCUMENTS
 GOVERNMENT PRINTING OFFICE
 WASHINGTON, D. C.
 AT

40 CENTS PER COPY