UNITED STATES DEPARTMENT OF THE INTERIOR Ray Lyman Wilbur, Secretary GEOLOGICAL SURVEY George Otis Smith, Director

Bulletin 811

CONTRIBUTIONS TO ECONOMIC GEOLOGY

(SHORT PAPERS AND PRELIMINARY REPORTS)

1929

PART I.-METALS AND NONMETALS EXCEPT FUELS

G. F. LOUGHLIN, G. R. MANSFIELD, AND E. F. BURCHARD GEOLOGISTS IN CHARGE



SA MERITAR

UNITED STATES GOVERNMENT PRINTING OFFICE WASHINGTON: 1930



CONTENTS

•

[The letters in parentheses preceding the titles are those used to designate the papers for advance publication] Page

(A)	The New World or Cooke City mining district, Park County, Mont.,	- 4
(B)	by T. S. Lovering Recent mining developments in the Creede district, Colo., by E. S.	
()	Larsen	8
(C)	Indiana oolitic limestone; relation of its natural features to its com- mercial grading, by G. F. Loughlin	11
(D)	The Rawlins, Shirley, and Seminoe iron-ore deposits, Carbon County, Wyo., by T. S. Lovering	20
(E)	Tertiary volcanic tuffs and sandstones used as building stones in the	
	upper Salmon River Valley, Idaho, by C. H. Behre, jr	23
Ind	ex	2

ILLUSTRATIONS

1. Topographic and geologic map and sections of the New	
mining district, Mont. Wyo	
2. Cooke, Mont	N
3. View looking north from the top of Sheep Mountain, 1	
4. A, Corinnes Lake, a steep-walled tarn near Grasshopp cier, Mont.; B, Scotch Bonnet Mountain, Mont	
5. A, Hayden Falls, Woody Creek, Mont.; B, Coarse-t	extured
Archean basalt porphyry near Cooke, Mont	
6. Correlation diagram of the New World mining distr surrounding region	
7. A, Cross-bedded Flathead quartzite on Republic Creek,	Mont.;
B, Mottled limestone, the lower massive cliff-forming	g mem-
ber of the Gallatin formation; C , Columnar weather	ering of
limestone in the upper member of the Gallatin forma	tion on
Republic Mountain, Mont	
8. A, White crackled limestone member of the Bighorn do	olomite,
Sheep Creek Basin, Mont.; B, Typical exposure of the	he dark
massive cliff-forming lower part of the Bighorn do	
Silver Mountain, Mont.; C, Characteristic exposure	
massive buff rough-surfaced member of the I	3ighorn
dolomite	
9. A, Woody Mountain, Mont.; B, Unconformity between	
son limestone and Eocene early acidic breccia, west	side of
Woody Mountain	
10. A , Poikilitic intergrowth of biotite and labradorite in	
gabbro; B , Horizontal sheeting developed in the bioti	
bro forming the top of Scotch Bonnet Mountain, Mon	1ţ
オノンロントン	ш

Page

CONTENTS

• •

1

Plate 11.	A, Henderson Mountain looking southwest from Sheep Moun- tain, Mont.; B, East front of Sheep Mountain	Page
12.	A, Differential metamorphism of Gros Ventre limestone on east side of Henderson Mountain, Mont.; B, View looking west down the valley of Goose Creek, Mont	
13.	Ice front of Grasshopper Glacier, Mont	42
	Crown Butte, Mont	42
	A, Silver Mountain from Republic Mountain, Mont.; B, Detail of fault zone shown on left in A	42
	Map showing location of principal mines in New World district and relation of deposits to intrusive rocks	50
	Photomicrographs of ore from Copper King mine, New World district	58
	Mine map of Homestake property, New World district	58
	A, Photomicrograph of pyritic copper ore from Glengarry mine, New World district; B, Concentric and radial textures in ore from Republic mine, New World district	66
20.	Galena and quartz in sphalerite	66
	Map of Irma mine, New World district	82
22.	Nodular ore from Irma mine, New World district	82
23.	A, Detail of sphalerite border shown in Plate 22; B, Relation of a 150-mesh screen to fine-grained lead-zinc ore from New World district	82
24.	Sulphide nodules from Irma mine, New World district	82
25.	Field relations of bog copper deposit in New World district	82
26.	Map of Creede district, Colorado, showing principal mines and prospects and mineralized faults and veins	102
27.	 A, Face of abandoned quarry showing cross lamination along a weathered fracture, also spalling due to frost action; B, Part of Perry, Matthews & Buskirk quarry of Indiana Quarries Co., Oolitic, Ind., showing an unevenly broken bed of hard limestone or marble above the channeled wall 	122
28.	Map showing the portion of east-central North America cov- ered by a shallow sea during the part of the Mississippian epoch when the Indiana oolitic limestone and closely related	100
	formations were deposited	122
	Map showing extent of the Indiana oolitic limestone in Indiana. A, Photomicrograph of very fine-grained buff limestone of "statuary" or AA grade; B, Photomicrograph of medium- grained light-gray limestone from the Shea & Donnelly	122
	quarry, near Bedford, Ind	138
31.	A, Photomicrograph of rather fine-grained dark-gray limestone from the Shea & Donnelly quarry, near Bedford, Ind.; B, Photomicrograph of limestone with oolitic coatings of grains usually well developed	138
32.	A, Photomicrograph of a coarse, uneven-grained buff lime- stone; B , Photomicrograph of a medium-grained limestone more thoroughly cemented and therefore somewhat harder	
33.	than the average A, Photomicrograph of very hard limestone from top bed in quarry of Bedford Stone & Construction Co., northeast of Bedford, Ind.; B, Photomicrograph of a stylolite or "crow- foot" in stone from the Blue Hole quarry, on the east side of Bedford, Ind	138 138

3

> | | | | | |

y x

		Page
Plate 34.	A, View of abandoned quarry at Stonington, Ind., showing	
	undulating stylolites or "crowfeet"; B, Closer view in the	
	abandoned quarry at Stonington, Ind., showing stylolites,	
	cross fractures or "dry seams," and the variation in grain of	
	the cross-bedded stone	138
35.	A, Part of Perry, Matthews & Buskirk quarry of Indiana	
	Limestone Quarries Co., Oolitic, Ind., showing typical	
	mud seams developed along inclined fissures; B, Part of	
	Dark Hollow quarry (1917) of Consolidated Stone Co.,	
	showing inclined mud seam connecting downward with a	
	horizontal mud seam or small cave along bedding	138
36.	West end of Doyle quarry, Dark Hollow, Ind. (1917), showing	
••••	mud seams in the Mitchell and Indiana oolitic limestones	138
37.	A, Part of Shea & Donnelly quarry, near Bedford, Ind. (1917),	
••••	showing mud seams of various dimensions; B, Eroded surface	
	of Indiana oolitic limestone at Peerless quarry, 4 miles	
	north of Bedford, Ind. (1917), exposed after removal of	
	overlying residual soil by hydraulicking	139
28	Indiana oolitic limestone before and after treatment with car-	100
00.	bonated water	154
20	Blocks cracked by frost action on swampy floor of abandoned	101
09.	quarry just north of Bedford, Ind.: A, Stone of inferior	
	quality with comparatively few weak layers opened by frost	
	action; B, Stone of inferior quality with a very "rifty"	
		170
40	structure	170
40.	A, View showing one step in the quarrying of Indiana oolitic	
	limestone; B, Dark Hollow quarry of former Consolidated	170
	Stone Co., now Indiana Limestone Co	170
	Texture of different grades of Indiana oolitic limestone	186
42.	Crushing strength of different grades of Indiana oolitic lime-	100
40	stone, arranged to conform with the texture diagram	186
43.	Crushing strength of different grades of Indiana oolitic lime-	
	stone, arranged in order of increasing strength of dry cubes	100
	crushed on bed	186
44.	Transverse strength of different grades of Indiana oolitic	100
45	limestone	186
40.	Porosity, absorption, and specific gravity of different grades of Indiana oolitic limestone	100
16	Map showing the topography and geology of Bradley Peak	186
40.	area, Carbon County, Wyo	222
47	Panorama of Bradley Peak from the south	$\frac{222}{222}$
	A, Deweese Creek from north spur of Bradley Peak, showing	444
	the effect of the northwest-southeast fault in determining	
	the stream course; B , Test pit in hard ore one-third of a	
	mile west of Iron Hill, Wyo	222
40	A, Hematite jasper showing dark-colored magnetite almost com-	222
10.	pletely replaced by lighter-colored hematite; B, Magnetite-	
	hematite jasper showing beginning of replacement of dark-	
	colored magnetite by lighter-colored hematite; C, Magnetite	
	 band in specimen shown in Plate 50, A 	222
50	Typical specimens of magnetite jasper and hematite jasper	222
	A, Episcopal Church, Salmon, Idaho, built of Tertiary sand-	220
01.	stone; B, Old quarry in sandstone bluff 3 miles southwest of	
	Salmon	244

V

,

7

در س

* .

	Page
PLATE 52. A, View northward toward Garden Creek, Idaho; B, View ac Garden Creek at Challis from point 1 mile south of Chall	is 244
53. A, Schoolhouse, Challis, Idaho; B, Corner of McGowan's st	•
Challis	
FIGURE 1. Index map showing location of New World mining distribution	
Mont	
2. Columnar section of the New World mining district	
3. Relations of fault systems in New World mining district	
4. Ore from Copper King mine, New World district	
5. Mine map of Glengarry property, New World district	
 6. Mine map of Tredennick property, New World district 7. Map of Republic mine, New World district 	
8. Plan of level 3 of the Bachelor and Commodore mines, Cre	
district, Colorado, showing branches of Amethyst vein	
veins in hanging wall	
9. Plan of parts of the Commodore and Bachelor mines, Cre	
district, Colorado, showing branches of Amethyst vein	
veins in hanging wall	
10. Map of the Resurrection tunnel, Creede district, Colorado.	
11. Map of the Equity mine, Creede district, Colorado	
12. Stope of the Equity mine, Creede district, Colorado	
-13. Map of the Oxford tunnel, Creede district, Colroado	
14. Geologic map of the Monon Hill area, Creede district, (orado	Col-
15. Composite level map of the Monon, Manitoba, and adjoir mines, Creede district, Colorado	ning
16. Cross section along the vein of the Monon mine, Creede distr Colorado	rict,
17. Oolites	
18. Cross lamination	
19. Local unconformity	
20. East-west section through Smithville, Ind	
21. An unusual quarry block from the Empire quarry, Sand district, Indiana	ders
22. Upper channeled walls in part of Peerless quarry (1917) miles north of Bedford, Ind), 4
23. Effects of oxidation on the color of the Mitchell limestone.	
24. Wall of Shea & Donnelly quarry, west of Bedford, Ind. (19) showing relation of buff color to fissures	17),
25. Apparatus used in tower experiment to determine the amo of corrosion on Indiana oolitic limestone by carbona water	ount ated
26. Crushing strength of Indiana oolitic limestone determined different laboratores	l at
27. Index map of Wyoming, showing the location of the Rawl Seminoe, and Shirley iron-ore deposits	ins,
28. Outline map of Custer and Lemhi Counties, Idaho	

VI