

UNITED STATES DEPARTMENT OF THE INTERIOR
Harold L. Ickes, Secretary
GEOLOGICAL SURVEY
W. C. Mendenhall, Director

Bulletin 890-B

SPIRIT LEVELING IN SOUTH CAROLINA

PART 2. SOUTHERN
SOUTH CAROLINA, 1896-1938

J. G. STAACK
Chief Topographic Engineer



UNITED STATES
GOVERNMENT PRINTING OFFICE
WASHINGTON 1940

CONTENTS

	Page
Introduction.....	457
Scope of report.....	457
History and cooperation.....	457
Classification of leveling.....	458
Adjustments.....	459
Benchmarks.....	459
Preservation and restoration of benchmarks.....	462
Datum.....	462
Index map.....	462
Personnel.....	463
Descriptions of benchmarks.....	464
Supplemental elevations.....	748
Index.....	757

ILLUSTRATIONS

	Page
PLATE 1. Geological Survey benchmarks.....	462
2. Index map of South Carolina showing the quadrangles into which the State has been divided and the routes followed by levelmen of the Geological Survey.....	In pocket

SPIRIT LEVELING IN SOUTH CAROLINA

PART 2. SOUTHERN SOUTH CAROLINA, 1896-1938

J. G. STAACK, *Chief Topographic Engineer*

INTRODUCTION

Scope of report.—This bulletin, which is published in two parts, contains the complete results of all spirit leveling done in South Carolina by the Geological Survey of the United States Department of the Interior, including those heretofore published.¹ The 34th parallel of latitude, passing through Columbia, serves to divide the State into two sections, each of which is represented by one of the parts of the bulletin. Part 1 deals with the section lying north of the 34th parallel, designated as northern South Carolina, and part 2 deals with the section lying south of that parallel, designated as southern South Carolina. In each part descriptions of the points for which figures of elevation have been determined are listed according to the quadrangles in which the points occur, and the quadrangles are arranged in alphabetic order. Altogether, 151 quadrangles are listed—77 in the northern section of the State and 74 in the southern section—and this number includes those that lie partly in other States and those whose outer boundaries extend beyond the coast line into the Atlantic Ocean. The bulletin contains the results of about 400 linear miles of first-order leveling and about 14,000 linear miles of third-order leveling.

As a supplement to the descriptions of benchmarks given in the two parts of the bulletin, a tabulated list of approximate elevations for other points of interest in the State is appended at the end of each part.

Results of leveling other than that done by the Geological Survey, except some of the elevations listed in the supplementary table, are not included.

History and cooperation.—The history of spirit leveling by the Geological Survey in South Carolina may be divided into three general

¹ See Results of spirit leveling in Alabama, Georgia, North Carolina, South Carolina, and Tennessee, 1896 to 1909, inclusive—South Carolina: U. S. Geol. Survey Bull. 441, pp. 99-108, 1911.

periods—1896–1906, 1917–19, and 1933–35. The first lines were run in 1896 in the part of Greenville County now included in Caesars Head quadrangle. These lines, of third-order accuracy, were extended from North Carolina, and the figures of elevation were determined from a first-order line at Asheville. In 1900 a line of first-order leveling was run from Newton, N. C., to Columbia, S. C., and additional third-order lines were run in Cherokee, Chester, Fairfield, Greenville, Lexington, Richland, Spartanburg, Union, and York Counties. The entire expense of the work done during this period was borne by the Geological Survey.

In 1917 the Geological Survey, in cooperation with the War Department, began an extensive mapping project that included quadrangles in Aiken, Allendale, Bamberg, Barnwell, Beaufort, Berkeley, Charleston, Clarendon, Colleton, Dorchester, Hampton, Jasper, Orangeburg, and Richland Counties. Most of the leveling was of third-order accuracy and was supplementary to the following lines of first-order leveling, which were run in 1918: Augusta, Ga., to Columbia, Columbia to Charleston, and the South Carolina part of a line from Savannah, Ga., to Augusta, Ga. The field work for this project was completed in 1919, shortly after the close of the World War. The Coast and Geodetic Survey, also, did some first-order leveling in South Carolina at this time, having run a line from Savannah, Ga., to Moncure, N. C., by way of Columbia.

In 1933, under an allotment of funds from the Public Works Administration and in cooperation with the South Carolina Emergency Relief Administration, the Geological Survey began a project of transit traverse and third-order leveling in the State. The purpose of the project was twofold—to provide work for unemployed engineers resident in the State and to extend the nets of control surveys throughout the State. It was completed in 1935, when enough lines had been run to provide adequate control for future topographic mapping.

Classification of leveling.—Spirit leveling is classified according to the degree of refinement in the instruments and methods used and according to the closure errors.

First-order leveling² consists of leveling done with the most improved instruments, all sections being leveled twice, in opposite directions, under varying conditions. Closures are not allowed to exceed the amount in feet represented by the formula

$$0.017\sqrt{\text{length of section in miles.}}$$

All corrections for rod error, temperature, and unbalanced sights are applied, as well as the orthometric corrections for convergence toward the poles of level surfaces of different elevations.

² See Avers, H. G., Manual of first-order leveling: U. S. Coast and Geodetic Survey Special Pub. 140, 1929.

Second-order leveling, according to regulations of the Geological Survey, comprises lines leveled twice with reliable instruments, though not necessarily of the most improved type. Closures are not allowed to exceed $0.035\sqrt{\text{length of section in miles}}$.

Third-order leveling is made up of lines that are run, either with first-order equipment or with an engineer's wye level and rods of the New York type, in single-line circuits that are required to close within the limits, in feet, of $0.05\sqrt{\text{length of circuit in miles}}$. This is equivalent to $0.071\sqrt{\text{length of section in miles}}$ if the line is leveled twice.

All leveling done by the Geological Survey in South Carolina is of third-order accuracy except as otherwise stated.

Adjustments.—The adjustment of a net of leveling begins with the first-order lines. Most of these lines in both the United States and Canada have already been combined in a general net, and the orthometric differences derived from the observed values by correction for the convergence of level planes toward the north have been adjusted by the mathematical method of least squares to remove accidental closure errors. An adjustment of this kind was made in 1929 by the Coast and Geodetic Survey and is known as the "1929 general adjustment" of first-order leveling. Additional leveling in 1935 and 1936 indicated that local revisions of the general adjustment would be desirable in that portion of the general net included in the Carolinas and adjacent States. This revision was accomplished through the medium of the "Southeastern supplementary adjustment of 1936" by the Coast and Geodetic Survey and included the first-order lines in South Carolina. Thus the elevations derived are the fundamental references for elevations determined by second- and third-order nets. The third-order leveling of the Geological Survey in South Carolina has been adjusted by determining weighted mean elevations for new junction points and prorating the errors of each link. The weights are taken as the reciprocals of lengths of links. The third-order net has thus been brought into agreement with the best information available for the results of the fundamental first-order leveling, although the published figures of elevation may be changed slightly by future adjustments of the level net.

Benchmarks.—The benchmarks used by the Geological Survey (pl. 1) are of two general classes—principal and supplementary. Principal benchmarks are placed at more or less regular intervals along a level line and are established with the aim of making them as nearly permanent as practicable. They are usually bronze or aluminum tablets, iron posts, or copper bolts. Supplementary or auxiliary benchmarks are less formal in design and are placed between the principal benchmarks. Some of the supplementary benchmarks in common use are

copper nails fitted with washers, spikes, and marks cut with a chisel on rock or masonry.

The tablets are circular in shape, measure $3\frac{7}{8}$ inches in diameter, and taper from a thickness of three-eighths of an inch at the center to about a quarter of an inch near the rounded edge. During a short period in the earlier years of the Survey's leveling the tablets set were made of aluminum. The softness of this metal, however, made them susceptible to damage, so that aluminum as a material for tablets was soon discarded. The earliest tablets set and those now being placed are made of bronze, and bronze is the material now specified for standard tablets. Each tablet is cast with a 3-inch shank extending from the center of its reverse side, by means of which it is cemented in place, and each bears an inscription on its face. The inscriptions on the tablets already placed differ in many details because of changes in design at various times. The face of every tablet, however, is cast with the words "U. S. Geological Survey," a cross at the center, which indicates the fiducial point for position or elevation, and the words "Elevation above sea." On some tablets the inscription indicates that they were set in connection with a project in which a State or other organization cooperated; on some the inscription includes a triangle, which signifies a located point, enclosing the cross at the center. Tablets bearing a triangle enclosing a cross may be used not only as benchmarks but also as triangulation- or traverse-station marks. The inscription on most of the tablets already set includes the warning "250 dollars fine for disturbing this mark," but the latest design omits this phrase and adds the sentence "For information write the Director, Washington, D. C."

If the tablet is to mark a transit-traverse station the traverseman stamps upon it with steel dies letters indicating this use, such as "Prim Trav Sta," "P T S," or "T T," as well as his own identifying letter or letters, the serial number of the station, and the year. If the tablet is set as a benchmark, the levelman stamps it with his identifying letter or letters, the serial number, and the year. He may at the same time stamp upon it the figures of elevation to the nearest foot, or these figures may be added later. Tablets that serve as benchmarks may have been set as such, or they may have been set to mark traverse stations. Thus some of them serve a dual purpose, but each bears only one date and one identifying designation—those stamped upon it by the engineer who established it.

The figures of elevation that appear on a tablet are usually those determined by field computation only. It is sometimes found, therefore, that they do not represent the latest information. This has happened either because they refer to some independent datum temporarily adopted before first-order trunk lines made standard

datum available or because a later adjustment made in the office has rendered necessary an appreciable change in the figures as determined in the field. It is assumed that engineers and others who require accurate figures of elevation for the marks will use those printed in a bulletin such as this one, instead of accepting the stamped figures. If the appropriate bulletin is not conveniently accessible, a request for the desired information may be addressed to the Director, Geological Survey, United States Department of the Interior, Washington, D. C.

The tablets, of whatever style, are cemented into holes drilled in solid rocks or in the walls of public buildings, bridge abutments, or other masonry structures. Where masonry or rock is not available, the tablets are set in the tops of reinforced concrete posts, which may be either precast or mixed and molded at the selected site. The posts are about 8 inches square or 8 inches in diameter at the top and larger at the base. They vary in length between 36 and 48 inches and are generally set so as to project about 6 inches above ground.

Antedating the concrete posts which are now constructed to hold the tablets, in places where masonry or rock is not available, are wrought-iron posts, to the tops of which are riveted bronze caps similar in design to the tablets. These iron posts measure 4 feet in length and $3\frac{1}{2}$ inches in outer diameter and are set about 3 feet in the ground. The bottom of the post spreads out to a width of about 10 inches in order to give it a firm footing in the earth. No iron posts have been set in recent years; they have proved impracticable, as they are easily disturbed and are subject to rust at the ground level, which eventually destroys them.

The third form of principal benchmark, set only in the early leveling, is a copper bolt, designed to be wedged into a drill hole in rock or masonry and perhaps further secured with lead or cement. This bolt measures 4 inches in length and 1 inch in diameter and has a slot at one end into which fits a brass wedge. The wedge serves to expand the bottom end of the bolt, so that after the bolt has been driven to almost its full length into the hole it cannot be easily removed. The exposed end of the bolt bears an appropriate inscription, stamped upon it with steel dies. This inscription is made up of the letters "U S G S," the letters indicating the datum used, the figures of elevation, and the abbreviated word "Ft."

Supplementary benchmarks are of many kinds. One kind consists of a copper nail $1\frac{1}{2}$ inches long supplied with a copper washer seven-eighths of an inch in diameter, through which the nail is driven into the root of a tree or some timber structure or cemented into rock. The designation "U S G S B M" is stamped on each washer, and on some washers the abbreviation of the name of the cooperating State is added. Another kind of supplementary benchmark is a chiseled


square, used on the horizontal surface of rocks or masonry structures, or a chiseled cross, used on a vertical surface. Nails, track spikes, and small capped iron pipes also serve as supplementary benchmarks, and easily described and recognized points, such as doorsills and tops of hydrants, are occasionally used.

Preservation and restoration of benchmarks.—Any person who finds that a principal benchmark has been damaged, disturbed, or destroyed or that it should be reset or redescribed on account of highway or other improvements will render a public service by communicating the facts to the Director, Geological Survey, United States Department of the Interior, Washington, D. C., before taking any action affecting the location or elevation of the mark. A proper form, accompanied by a return-addressed, franked envelope, will be sent for use in reporting the action taken and in recording the revised description of the mark, if any, and the notes made in obtaining the revised elevation.

Datum.—All elevations determined by the Geological Survey and those determined by the Coast and Geodetic Survey for inland mapping are referred to mean sea level, which is the level that the sea would assume if the influence of winds, tides, and currents were eliminated. This level is not the elevation determined from the mean of the highest and lowest tides, nor is it the half sum of the mean of all the high tides and the mean of all the low tides, which is called the half-tide level. *Mean sea level is the average height of the water, all stages of the tide being considered.* It is determined from observations made by means of tidal gages placed at stations where local conditions, such as those due to long, narrow bays, rivers, and like features, will not affect the height of the water. To obtain even approximately correct results these observations must extend over at least one lunar month, and if accuracy is desired they must extend over several years. At ocean stations the half-tide level and the mean sea level usually differ but little. It is assumed that there is no difference between the mean sea levels determined from observations made in the Atlantic Ocean, the Gulf of Mexico, and the Pacific Ocean.³

Index map.—The accompanying index map of South Carolina (pl. 2) shows the relative position of the quadrangle areas that make up the State. A quadrangle is the unit of topographic survey adopted by the Geological Survey in mapping for dividing the area of the United States. All the quadrangles that appear on this map measure 15

³ See Jones, E. L., *Hypsometry—Use of mean sea level as the datum for elevations*: U. S. Coast and Geodetic Survey Special Pub. 41, 1917; *Manual of tide observations*: U. S. Coast and Geodetic Survey Special Pub. 196, 1935.



GEOLOGICAL SURVEY BENCHMARKS.

A and *B*, Standard tablets, principal benchmarks, used where masonry or rock is available to hold them. *A* is used in cooperating States; the State name is inserted at *a*. *C*, Under side of *A* and *B*, showing shank used to hold tablet in place. *D* and *E*, Two views of copper nail and copper washer, a supplementary benchmark, used for points lying between those marked by standard tablets. *F*, Standard iron post fitted with bronze cap similar in design to the standard tablet, formerly used where no rock or masonry was available; superseded by concrete post with tablet set in top.

minutes in latitude by 15 minutes in longitude except 14 in the southeastern part of the State, which measure $7\frac{1}{2}$ minutes in each direction. These $7\frac{1}{2}$ -minute quadrangles are recent subdivisions of 15-minute quadrangles. Names of both the large and the small quadrangles appear on the index map, but quadrangle maps of these areas are now available only in the $7\frac{1}{2}$ -minute sheets. The descriptions of benchmarks in these areas, however, are grouped according to the larger quadrangles. The line drawn along the 34th parallel has been made conspicuous because it marks the division of the State into two sections, called for convenience northern and southern South Carolina.

Maps of many of the quadrangles in southern South Carolina and of Charlotte, Gaffney, Kings Mountain, and Sharon quadrangles, in northern South Carolina, may be purchased from the Geological Survey at 10 cents each retail or 6 cents each in lots of 50 or more. A few early maps of 30-minute areas, made up of 15-minute quadrangles for which no maps have yet been published, may also be obtained. Prepayment is required and may be made by money order, payable to the Director of the Geological Survey, or in cash—the exact amount, at sender's risk. Postage stamps should not be sent.

Personnel.—The leveling of the Geological Survey in South Carolina before 1933 was done under the general supervision of the several chief geographers or chief topographic engineers who were in administrative charge of the topographic branch during the years when the lines were run. The leveling in 1933 and 1935 was done under the general direction of J. G. Staack, chief topographic engineer, and under the immediate supervision of C. B. Kendall, associate geodetic engineer. During part of this period there were as many as eight field parties working concurrently. The name of the levelman who ran a particular line and the date when it was run immediately follow the designation of the route of that line and form part of the heading which precedes the descriptions of benchmarks.

The adjustment of the third-order level net, which included the adjustment of the recent leveling and readjustment of the earlier work, was made by S. R. Archer, associate engineer, and Clarence Norris and E. W. Tibbott, computers. The revision, correlation, and compilation of the descriptions and figures of elevation of the benchmarks and the assembling of the lists were done mainly by R. G. Clinite, associate geodetic engineer. The adjustment and compilation were made in the Washington office under the supervision of R. M. Wilson, chief of the section of computing, under the general direction of J. G. Staack, chief topographic engineer.

DESCRIPTIONS OF BENCHMARKS

AIKEN QUADRANGLE

[Latitude 33°30'-33°45'; longitude 81°30'-81°45']

AIKEN AND EDGEFIELD COUNTIES

From Warrentville quadrangle east and southeast along Southern Railway
into Talatha quadrangle (by P. W. McMillen in 1918)

Aiken, 2.3 mi. W. of Southern Ry. freight sta., 40 ft. NE. of Aiken-Augusta highway crossing over Ry. track; iron post stamped "405" (recovered by U. S. C. & G. S. in 1935)-----	Feet 404. 753
Aiken, 1.2 mi. W. of freight sta., 0.2 mi. W. of overhead highway bridge, 50 ft. S. of track, in root on N. side of 24-in. pine tree; copper nail and washer-----	448. 75
Aiken, 125 ft. W. of freight sta., 20 ft. S. of track; iron post stamped "Prim Trav Sta No 96 Mac 1918 504"-----	504. 281
Aiken, 2.1 mi. SE. of, 2.5 mi. NW. of Montmorenci, on S. side of U. S. Highway 78, opposite Level Baptist Church, in root on N. side of 16-in. oak tree; copper nail and washer-----	502. 42
Montmorenci, 2.1 mi. NW. of, 15 ft. SE. of rd. crossing; iron post stamped "499"-----	499. 409
Montmorenci, 1.1 mi. NW. of, 0.2 mi. W. of Ry. signboard reading "Station 1 mile," 50 ft. S. of highway, in root on N. side of 24-in. oak tree; copper nail and washer-----	491. 31
Montmorenci, 125 ft. W. of sta., 60 ft. N. of track; iron post stamped "Prim Trav Sta No 95 Mac 1918 490"-----	490. 180
Montmorenci, 1.0 mi. SE. of, 2.0 mi. NW. of Oakwood, 400 ft. W. of Ry. signboard reading "Station 1 mile," on S. side of rd., in root on N. side of 16-in. oak tree; copper nail and washer-----	483. 21
Oakwood, at sta., opposite waiting room, 20 ft. N. of track; iron post stamped "449"-----	449. 533
Oakwood, 1.2 mi. SE. of, 500 ft. E. of Ry. signboard reading "Station 1 mile," on N. side of highway, in root on S. side of 16-in. pine tree; copper nail and washer-----	426. 52
Apia, 1.2 mi. NW. of, on N. side of rd., in root on S. side of 18-in. pine tree; copper nail and washer-----	426. 73
Apia, 50 ft. W. of signal tower, 30 ft. N. of track; iron post stamped "416" (recovered by U. S. C. & G. S. in 1935)-----	415. 944

From Talatha quadrangle northeast along Windsor-Wagener road into Seivern
quadrangle (by P. W. McMillen in 1918)

Windsor, 2.2 mi. NE. of, on W. side of rd., in root on N. side of 24-in. pine tree; copper nail and washer-----	417. 10
Windsor, 3.2 mi. NE. of, 3.2 mi. SW. of Kitchings Mills, in NW. angle of crossroads; iron post stamped "385"-----	384. 824

From Aiken northeast along U. S. Highway 1 about 5 miles, thence generally
northwest along roads by way of Croft and Palmetto Farms store into War-
renville quadrangle (by P. W. McMillen in 1918)

Aiken, 1.0 mi. N. of Southern Ry. passenger sta., 60 ft. E. of Ry. crossing, at signboard reading "Station 1 mile," in root on W. side of 10-in. oak tree; spike and copper washer-----	532. 81
---	---------

Aiken, 2.1 mi. N. of, 2.3 mi. S. of Shaw Creek, 1,000 ft. N. of mile-post 2, on E. side of highway, in root on E. side of 20-in. pine tree; spike and copper washer-----	<i>Feet</i> 525. 18
Shaw Creek, 1.1 mi. S. of crossing of, at top of long hill, at rd. forks, on W. side of rd.; iron post stamped "477"-----	476. 975
Shaw Creek, 0.3 mi. N. of crossing of, 1.9 mi. SE. of Croft, on E. side of rd., in root on W. side of 18-in. pine tree; spike and copper washer-----	353. 38
Croft, 0.8 mi. SE. of Ry. sta., 300 ft. E. of wooden bridge over small stream, on E. side of second-class rd. E. from sta., in root on S. side of 20-in. pine tree; spike and copper washer-----	375. 61
Croft, 350 ft. W. of Ry. sta., 60 ft. SE. of crossing of Southern Ry.; iron post stamped "Prim Trav Sta No 5 Y 1918 362"-----	362. 157
Palmetto Farms store, 500 ft. SE. of, N. of Shiloh School, in rd. forks, in root on W. side of 24-in. pine tree; spike and copper washer-----	516. 63
Palmetto Farms store, 0.9 mi. NW. of, 0.2 mi. NW. of Palmetto Farms dairy, in NW. angle of crossroads; iron post stamped "440"-----	440. 199
Palmetto Farms store, 2.0 mi. NW. of, 2.6 mi. SE. of Milledgeville flag sta. on Southern Ry., 0.5 mi. N. of abandoned Clearview sta., 60 ft. W. of rd. forks, on N. side of E.-W. rd., in root on W. side of 24-in. hickory tree; spike and copper washer-----	379. 20
Milledgeville, 1.5 mi. SE. of, 200 ft. W. of track of Southern Ry., on E. side of rd., in root on S. side of 24-in. pine tree; copper nail and washer-----	420. 44
Milledgeville, 0.8 mi. SE. of, on W. side of rd.; iron post stamped "506"-----	505. 826

From Seivern quadrangle near Kitchings Mills west, northwest, and southwest along roads by way of Merritts Bridge over South Fork of Edisto River to Palmetto Farms store (by P. W. McMillen in 1918)

Livingstons Mill, 250 ft. E. of store, in center of triangle of rd. forks; iron post stamped "321"-----	321. 703
Livingstons Mill, 1.4 mi. NW. of, 300 ft. N. of junction of T-rd. E., on E. bank at N. end of long cut, in root on W. side of 24-in. forked oak tree; spike and copper washer-----	342. 01
Livingstons Mill, 2.3 mi. NW. of, 0.4 mi. SE. of Red post office, 600 ft. W. of rd. forks, near point where rd. turns W., at top of cut, on S. bank, in root on W. side of 10-in. oak tree; spike and copper washer-----	349. 70
Livingstons Mill, 2.7 mi. NW. of, 1.2 mi. SW. of Round Top School, on Coleman Bridge rd., at Red post office (discontinued), 65 ft. N. and 20 ft. E. from NE. corner of Shaw dwelling, 20 ft. S. of center line of rd.; iron post stamped "355"-----	355. 796
Rocky Spring Church, 2.0 mi. SE. of, 1.7 mi. N. of Red post office, about 0.5 mi. NW. of large white dwelling, 0.3 mi. S. of Cooks Pond, on E. side of rd., in W. edge of timber line, on E. side of large cultivated field, in root on W. side of 12-in. forked oak tree; spike and copper washer-----	391. 48
Rocky Spring Church, 1.0 mi. S. of, about 0.5 mi. NW. of Cooks Pond, on E. side of rd., in root on W. side of 30-in. pine tree; spike and copper washer-----	304. 69
Rocky Spring Church, 200 ft. W. of, on S. side of rd., at rd. forks, in root on N. side of 18-in. oak tree; spike and copper washer-----	332. 80

Rocky Spring Church, 1.3 mi. N. of, about 0.5 mi. SE. of abandoned post office in village of Earle, just W. of Coleman Pond, 200 ft. E. of Coleman cotton gin and grist mill, on W. side of rd., in root on S. side of 24-in. oak tree; spike and copper washer-----	Feet 294. 90
Rocky Spring Church, 1.8 mi. N. of, 0.2 mi. NE. of abandoned Earle post office, at top of long cleared ridge, in rd. forks; iron post stamped "Prim Trav Sta No 10 Y 1918 407"-----	407. 466
Rocky Spring Church, 2.8 mi. NW. of, at junction of second-class rd. NW. to Merritts Bridge over South Fork of Edisto River, 100 ft. W. of dwelling, at W. end of long cleared ridge, on S. side of rd., in root on N. side of 18-in. pine tree; copper nail and washer-----	441. 78
Rocky Spring Church, 4.3 mi. NW. of, 0.8 mi. SE. of junction of rd. with old Columbia rd. (Two Notch rd.), 400 ft. E. of abandoned schoolhouse, on N. side of rd. at junction of second-class rd. E., in root on E. side of 18-in. pine tree; spike and copper washer-----	424. 21
McLauren School, about 0.5 mi. S. of, 0.7 mi. NE. of McNolans Church, 0.9 mi. SW. of intersection of old Wagener rd. and old Columbia rd., in SW. angle of junction of T-rd. NW.; iron post stamped "484"-----	484. 201
McNolans Church, 0.2 mi. SW. of, 1.0 mi. NE. of Merritts Bridge, on E. side of old Columbia rd., at rd. forks, in W. side of 10-in. oak tree; spike and copper washer-----	383. 74
Merritts Bridge over South Fork of Edisto River, 0.2 mi. W. of, on S. side of rd., in root on W. side of 12-in. pine tree; spike and copper washer-----	301. 79
Merritts Bridge, 1.0 mi. SW. of, on W. side of rd., at top of steep hill, in root on E. side of 20-in. pine tree; spike and copper washer-----	373. 14
Merritts Bridge, 1.2 mi. SW. along old Columbia rd., thence 1.2 mi. along woods rd. W. from, on S. side of woods rd., in root on N. side of 24-in. pine tree; spike and copper washer-----	408. 96
Merritts Bridge, 3.5 mi. by route SW. of, 4.1 mi. NE. of Palmetto Farms store, on woods rd., at point 1.7 mi. NE. of junction with U. S. Highway 1 (Aiken-Columbia rd.), at top of hill, at crossroads, on S. side of rd., in root on N. side of 12-in. oak tree; spike and copper washer-----	481. 39
Palmetto Farms store, 1.7 mi. NE. of, on E. side of U. S. Highway 1 at point 1,000 ft. S. of milepost 8, at crossroads, in root on W. side of 16-in. oak tree; spike and copper washer-----	487. 18
Palmetto Farms store, 1.2 mi. NE. of, 0.8 mi. E. of Round Branch Church, 50 ft. S. of crossroads, on W. side of U. S. Highway 1, in root on E. side of 24-in. pine tree; spike and copper washer-----	509. 46
Palmetto Farms store, 0.4 mi. NE. of, 500 ft. NE. of Round Branch Church, at junction of NE.-SW. second-class rd. with second-class rd. E., on W. side of NE.-SW. rd., in root on W. side of 12-in. oak tree; spike and copper washer-----	497. 63

From Warrenville quadrangle near Eureka northeast along road by way of Hildridge Branch School into Batesburg quadrangle (by F. L. Shalibo in 1918; leveled twice)

Hildridge Branch School, 1.6 mi. SW. of, 2.8 mi. NE. of Eureka, 300 ft. N. of bend in rd., 50 ft. SW. of center of crossroads; iron post stamped "569"-----	570. 460
Hildridge Branch School, 0.5 mi. SW. of, 400 ft. N. of farmhouse, in SE. angle of second-class crossroads, in root of 14-in. oak tree; copper nail-----	549. 48

From point 1.7 miles on U. S. Highway 1 northeast of Ergle Bridge over South Fork of Edisto River south along highway to its junction with second-class road northeast to Merritts Bridge (by F. L. Shalibo in 1918)

Ergle Bridge, 0.5 mi. NE. of, 1.3 mi. SW. of primary traverse sta. 13 at intersection of U. S. Highway 1 and old Wagener rd., in front of farmhouse, opposite store, on E. side of highway, in root of large tree; copper nail.....	Feet 396. 90
Ergle Bridge, 0.6 mi. SW. of, 2.3 mi. SW. of intersection of U. S. Highway 1 and old Wagener rd., 1.1 mi. NE. of Givens Pond, at top of hill, 50 ft. S. of country store, on E. side of highway, in root of small oak tree; copper nail.....	478. 89
Givens Pond, 1.5 mi. S. of, on S. side of highway, in large pine tree; copper nail.....	494. 67

From point 1.7 miles on U. S. Highway 1 northeast of Ergle Bridge over South Fork of Edisto River southeast along old Wagener road to junction with old Columbia road, thence southwest along latter road to point 0.5 mile south of McLauren School and 2.1 miles northeast of Merritts Bridge (by F. L. Shalibo in 1918)

Ergle Bridge, 1.7 mi. NE. of, 3.2 mi. NW. of Jordans Pond, in NW. angle of intersection of old Wagener rd. and U. S. Highway 1; iron post stamped "Prim Trav Sta No 13 Y 1918 538".....	539. 540
Jordans Pond, 1.3 mi. NW. of, on S. side of rd., in root of large pine tree; copper nail.....	383. 80
Jordans Pond, 0.1 mi. SE. of, near mill of H. D. Jordan, 3 ft. N. of dwelling; iron post stamped "348".....	348. 992
Jordans Pond, 1.1 mi. SE. of, 1.4 mi. W. of intersection of old Columbia rd. and old Wagener rd., on S. side of old Wagener rd., at sharp bend, in root of small tree; copper nail.....	397. 34
Jordans Pond, 1.9 mi. SE. of, 0.6 mi. W. of intersection of old Columbia rd. and old Wagener rd., in SE. angle of second-class crossroads, in root of small oak tree; copper nail.....	459. 70

From crossroads on old Columbia road 2.5 miles east of Jordans Pond east along old Wagener road to New Holland, thence southwest along New Holland-Aiken road to Rocky Spring Church (by F. L. Shalibo in 1918)

[Line jogs into Seivern quadrangle]

Jordans Pond, 3.3 mi. E. of, 1.3 mi. W. of bridge over Rocky Spring Creek, 0.8 mi. E. of intersection of old Columbia rd. and old Wagener rd., in NW. angle of second-class rd. forks, in root of small oak tree; copper nail.....	462. 00
New Holland, about 4 mi. W. of, 300 ft. E. of bridge over Rocky Spring Creek, on S. side of old Wagener rd., at NE. corner of farmhouse; iron post stamped "367".....	367. 855
New Holland, 1.0 mi. SW. of, in SE. angle of junction of rd. to Aiken and T-rd. S., in root of small oak tree; copper nail.....	522. 92
New Holland, 2.0 mi. SW. of, 3.5 mi. NE. of Rocky Spring Church, 200 ft. S. of crossing of woods rd., at bottom of hill, on tile culvert; point on W. end of culvert.....	383. 98
Rocky Spring Church, 2.2 mi. NE. of, in triangle at junction of New Holland-Aiken rd. and rds. W. and N., 10 ft. from edge of rd.; iron post stamped "396".....	397. 133
Rocky Spring Church, 200 ft. W. of, about 0.3 mi. E. of South Fork of Edisto River, on S. side of rd. at rd. forks, in root on N. side of 18-in. oak tree; wire spike and copper washer.....	332. 80

From Aiken south along Whisky road into Talatha quadrangle (by H. L. Hudson in 1918)

Aiken, 0.9 mi. SW. of Southern Ry. freight sta., in NE. corner of school grounds, on cement culvert; chiseled square.....	<i>Feet</i> 512. 91
Aiken, 1.6 mi. S. of, on W. side of rd., opposite T-rd. E., on culvert; top surface.....	502. 6
Aiken, 2.6 mi. S. of, in S. angle of junction of Whisky and Silver Bluff rds., 100 ft. N. of dwelling, in root of oak tree; nail.....	511. 83
Aiken, 3.4 mi. S. of, 0.3 mi. SE. of intersection of Whisky rd. and old Tory Trail, 300 ft. W. of dwelling, on E. side of Whisky rd., in root of oak tree; nail.....	485. 40
Aiken, 4.4 mi. S. of, 250 ft. E. of dwelling, on W. side of rd., in root of cedar tree; nail.....	486. 69
Aiken, 4.8 mi. S. of, about 1.8 mi. N. of Fairview School, 400 ft. N. of dwelling, in SW. angle of crossroads; iron post stamped "Prim Trav Sta No 14 Y 1918 488".....	488. 157

From Warrenville quadrangle at point near Aiken-Edgefield county line southeast and southwest along Johnston-Eureka road to intersection with east-west road at point 2.8 miles northeast of Eureka (by J. J. Sitton, Jr., in 1934)

Central School, 3.0 mi. SE. of, 3.6 mi. NE. of Eureka, 100 ft. NW. of junction of T-rd. E., 40 ft. E. of center line of rd., in root on NW. side of 24-in. oak tree; copper nail and washer.....	579. 74
--	---------

From Seivern quadrangle west along Coleman Bridge road to point near Round Top School (by W. G. Shull in 1934)

Round Top School, 1.0 mi. E. of, 8.8 mi. W. of Wagener, 20 ft. S. of center line of Coleman Bridge rd., in front yard of dwelling of Henry Bodie, in root on W. side of 48-in. oak tree; wire nail and bottle cap.....	313. 44
--	---------

ALLENDALE QUADRANGLE⁴

[Latitude 33°00'–33°15'; longitude 81°15'–81°30']

ALLENDALE AND BARNWELL COUNTIES

From Peeples quadrangle northwest along Charleston & Western Carolina Railway into Ellenton quadrangle (first-order leveling by C. H. Semper in 1918)

Allendale, 335 ft. W. of Ry. sta., near intersection of Main Street and Railroad Avenue, 100 ft. W. of Main Street, on N. margin of Railroad Avenue, 25 ft. SW. of intersection of Charleston & Western Carolina and Southern Rys.; iron post stamped "191 1918" (recovered by U. S. C. & G. S. in 1918 and designated "WA"; reported in 1934 as destroyed).....	191. 263
Allendale, 0.5 mi. W. of, at rd. crossing; top of rail.....	193. 1
Appleton, 1.2 mi. SE. of, 2.8 mi. NW. of Allendale, 610 ft. NW. of milepost 50, 35 ft. NW. of rd. crossing, 18 ft. NE. of track; iron post stamped "246".....	246. 266
Appleton, 90 ft. E. of sta., 35 ft. N. of rd.; iron post stamped "259".....	259. 350
Beldoc sta. (Baldock post office), 1.2 mi. SE. of, at rd. crossing, 20 ft. N. of track, 15 ft. E. of rd.; iron post stamped "141".....	141. 128
Beldoc sta., 150 ft. SE. of, 20 ft. S. and 25 ft. E. from rd. crossing; iron post stamped "Prim Trav Sta No 100 Mac 1918 121".....	121. 460

⁴ A very small area in the southwest corner of this quadrangle, west of the Savannah River, lies in Georgia.

Beldoc sta., 1.9 mi. W. of, 1.6 mi. E. of Martin, 3,157 ft. W. of milepost 43, at crossing of farm rd., 22 ft. N. of track, 15 ft. W. of rd.; iron post stamped "103"-----	<i>Feet</i> 102. 969
Martin, 777 ft. E. of sta., on N. side at third bent E. from W. end of Ry. trestle, in top of cap; copper nail-----	90. 99

From Allendale north along Southern Railway to Barnwell (by D. S. Birkett in 1918)

Allendale, 0.8 mi. N. of, opposite Ry. water tank, in coal chute; copper nail-----	188. 16
Allendale, 1.7 mi. N. of, 0.9 mi. S. of Seigling sta., 90 ft. SW. of rd. crossing, in root of large pine tree; copper nail-----	176. 68
Seigling (Seiglingville post office), 70 ft. E. of sta., on N. side of rd.; iron post stamped "216 1918"-----	216. 382
Cave (Thomas post office), 90 ft. S. of sta., 50 ft. W. of main-line track, on S. side of rd.; iron post stamped "267 1918"-----	267. 196
Kline, 750 ft. N. of sta., 70 ft. E. of rd. crossing; iron post stamped "Prim Trav Sta No 11 S 1918 247"-----	247. 738
Kline, 1.4 mi. N. of, 2.6 mi. S. of Yenome, at rd. crossing, 8 ft. W. of track, in top of small culvert; copper nail-----	252. 06
Yenome, 1.1 mi. S. of, at rd. crossing, 40 ft. W. of track, 30 ft. S. of rd.; iron post stamped "216 1918"-----	215. 917
Yenome, 1.3 mi. N. of, 2.8 mi. S. of Barnwell, 0.6 mi. S. of R. R. bridge over Salkehatchie River, 60 ft. SE. of crossing of NW.-SE. rd., 40 ft. E. of track; iron post stamped "190 1918"-----	189. 768
Barnwell, 2.2 mi. S. of, at N. end of R. R. bridge over Salkehatchie River, on E. side of track, on top of concrete abutment; chiseled square-----	181. 62
Barnwell, 1.3 mi. S. of, at crossing of private rd., 40 ft. E. of track, in top of small bridge; copper nail-----	195. 68

From Allendale along road generally east 3.6 miles, thence north along winding roads into Williston quadrangle (by D. S. Birkett in 1918)

[Line jogs into Olar quadrangle]

Allendale, 2.3 mi. NE. of, in forks of rd., in root of oak tree; copper nail-----	181. 84
Allendale, 3.6 mi. E. of, 3.1 mi. SW. of Sycamore, at junction of T-rd. N. across Jackson Branch; iron post stamped "170 1918"-----	169. 767
Sycamore, 2.3 mi. SW. of, 4.4 mi. NE. of Allendale, 400 ft. N. of bridge over Jackson Branch, on E. side of rd., in root of sweet-gum tree; copper nail-----	129. 34
Sycamore, 2.3 mi. W. of, 5.9 mi. NE. of Allendale, 100 ft. E. of dim crossroads, in root of large pine tree; copper nail-----	174. 31
Sycamore, 2.8 mi. W. of, 70 ft. N. of crossroads, in root of hickory tree; copper nail-----	181. 12
Sycamore, 3.0 mi. NW. of, about 4.5 mi. SW. of Ulmers, 1.6 mi. SE. of Hayes Crossing, 30 ft. SW. of Priester Crossroads; iron post stamped "179 1918"-----	178. 706
Mount Calvary Church, 1.9 mi. NW. of, 1.3 mi. N. of gin of Sumter-Barnwell Co., 0.4 mi. SE. of Wells Branch, 0.2 mi. N. of junction of T-rd. SW., in root of pine tree; copper nail-----	194. 49

Mount Calvary Church, 2.8 mi. NW. of, 1.9 mi. SW. of Allen's Chapel, 2.2 mi. N. of gin of Sumter-Barnwell Co., 70 ft. N. of rd. forks, in root of large pine tree; copper nail.....	Feet 217. 06
Allen's Chapel, 0.7 mi. W. of, on property of W. H. Thomas, 200 ft. S. of old gin, in root of oak tree; copper nail.....	216. 53
Big Forks School, 150 ft. SW. of, 5.0 mi. NE. of Kline, at junction of T-rd. SW., in root of oak tree; copper nail.....	219. 94
Big Forks School, 1.1 mi. NE. of, 0.7 mi. S. of Salkehatchie River, in forks of rd., in root of small oak tree; copper nail.....	187. 01
Big Forks School, 2.8 mi. NE. of, 8.0 mi. SE. of Barnwell, 2.0 mi. NW. of Rushes old mill, about 550 ft. W. of Hercules Creek, at junction of T-rd. SW., on NE. side of rd.; iron post stamped "154 1918".....	154. 581
Oak Grove School, 1.2 mi. NW. of, 3.9 mi. SW. of Hilda, 550 ft. N. of crossroads, on E. side of rd., in pine tree; rail spike.....	200. 30
Hilda, 2.4 mi. SW. of, at junction of T-rd. SE., in root of large oak tree; copper nail.....	225. 71

From Williston quadrangle southwest and west along Atlantic Coast Line
Railroad to Snellings (by D. S. Birkett in 1918)

Barnwell, about 100 ft. SE. of Atlantic Coast Line R. R. sta., 60 ft. S. of and 3 ft. higher than main track, 100 ft. W. of rd. crossing; iron post stamped "Prim Trav Sta No 102 Mac 1918 188".....	187. 908
Barnwell, 2.1 mi. W. of, in foundation of water tank; rail spike.....	174. 53
Barnwell, 3.0 mi. W. of, 2.8 mi. E. of Snellings sta., 0.2 mi. SW. of junction of Barnwell-Snellings rd. and Barnwell-Patterson Mill rd., 40 ft. NW. of crossing of Barnwell-Patterson Mill rd.; iron post stamped "199 1918".....	198. 759
Snellings sta., 0.4 mi. E. of, 25 ft. S. of track, on top of concrete culvert; chiseled square.....	226. 74
Snellings, 60 ft. E. of sta., 50 ft. S. of main track, 30 ft. W. of mile-post 84; iron post stamped "Prim Trav Sta No 103 Mac 1918 230".....	230. 493

From Snellings south along roads by way of Patterson Mill School and Martin
to crossroads 0.8 mile east of White Womans Point on Savannah River (by
D. S. Birkett in 1918)

Snellings sta., 1.2 mi. S. of, at junction of dim T-rd. E., in front of cabin, in root of large sycamore tree; copper nail.....	234. 41
Snellings, 2.0 mi. S. of, 2.9 mi. N. of Patterson Mill School, at junction of T-rd. W., on E. side of main rd., in root of large pine tree; copper nail.....	231. 57
Patterson Mill School, 1.8 mi. N. of, 40 ft. SW. of dim crossroads, in root of pine tree; copper nail.....	259. 07
Patterson Mill School, 1.2 mi. NE. of, 40 ft. N. of junction of rd. NE. to Barnwell, in root of pine tree; copper nail.....	250. 76
Patterson Mill School, 500 ft. S. of, 30 ft. S. of junction of rd. E., on hillside; iron post stamped "172 • 1918".....	172. 496
Patterson Mill School, 1.5 mi. S. of, 1.3 mi. N. of Salem Church, at crossroads, on E. side of N.-S. rd., in root of gum tree; copper nail.....	141. 44
Salem Church, 0.3 mi. N. of, 200 ft. S. of junction of dim rd. NE., on W. side of rd., in root of oak tree; rail spike.....	258. 99

Salem Church, 0.4 mi. S. of, 12 ft. N. and 15 ft. W. from crossroads; iron post stamped "Prim Trav Sta No 10 S 1918 248"-----	<i>Feet</i> 248. 276
Salem Church, 1.2 mi. S. of, 100 ft. N. of rd. forks, 25 ft. S. of mail box 10, in root of oak tree; 60-penny spike-----	307. 63
Salem Church, 2.2 mi. S. of, 2.9 mi. N. of Mount Hope Church, on W. side of rd. at junction of T-rd. E., in root of oak tree; rail spike----	237. 97
Mount Hope Church, 1.5 mi. NW. of, 130 ft. NW. of another church, 20 ft. NW. of crossroads; iron post stamped "156 1918"-----	155. 508
Mount Hope Church, 1.0 mi. NW. of, 0.8 mi. NW. of rd. forks, 60 ft. N. of rd. to dwelling, at fence corner, in root of large pine tree; large nail-----	202. 92
Mount Hope Church, 70 ft. S. of, 0.8 mi. N. of Martin, on W. side of rd., in hickory tree; 60-penny nail-----	133. 35
Martin, 0.7 mi. S. of, on E. side of main rd. at junction of rd. W., in base of oak tree; 60-penny spike-----	186. 02
Martin, 1.7 mi. S. of, 40 ft. NE. of crossroads, 15 ft. E. of very large oak tree; iron post stamped "167 1918"-----	167. 454
Martin, 3.0 mi. S. of, 370 ft. S. of Smiths Lake Creek, at fork in rd., in sweetgum tree; rail spike-----	96. 62
White Womans Point, about 1 mi. E. of, 3.8 mi. S. of Martin, 250 ft. N. of crossroads, on E. side of rd., in root of sweetgum tree; 60-penny spike-----	168. 51
White Womans Point, 0.8 mi. E. of, 4.4 mi. S. of Martin, 7.3 mi. NW. of Milbury, 15 ft. N. and 15 ft. W. from crossroads; iron post stamped "Prim Trav Sta No 9 S 1918 158"-----	158. 342

From Patterson Mill School, at junction of Snellings-Martin road with road to Kline, southeast along roads to point 0.7 mile east of Kline, thence northeast to Big Forks School (by D. S. Birkett in 1918)

Patterson Mill School, 0.6 mi. E. of, along rd. to Kline, at rd. forks, in root of large oak tree; copper nail-----	196. 79
Patterson Mill School, 2.1 mi. E. of, 0.5 mi. W. of church, 100 ft. W. of Harley Branch, at rd. forks, in root of black-gum tree; copper nail-----	133. 28
Patterson Mill School, 3.0 mi. SE. of, 1.0 mi. S. of Jordan Church, 40 ft. NE. of another church, at crossroads; iron post stamped "224 1918"-----	224. 244
Owens Crossroads, 1.3 mi. NW. of, 4.1 mi. SE. of Patterson Mill School, 1.1 mi. E. of church, 90 ft. E. of dim crossroads, in root of hickory tree; copper nail-----	217. 03
Owens Crossroads, 0.5 mi. NW. of, 340 ft. SE. of junction of T-rd. NE., 30 ft. S. of rd., in root of large pine tree; copper nail-----	249. 13
Owens Crossroads, 0.7 mi. E. of, 3.9 mi. NW. of Kline, 20 ft. NW. of dim crossroads; iron post stamped "220 1918"-----	219. 960
Owens Crossroads, 1.6 mi. SE. of, 2.9 mi. NW. of Kline, 0.8 mi. NW. of Green Savannah Lake, 300 ft. SE. of junction of rd. S., 50 ft. NW. of dwelling, in root of hickory tree; copper nail-----	238. 61
Kline, 1.2 mi. NW. of, at junction of Allendale-Barnwell rd., in large oak tree; rail spike-----	238. 74
Big Forks School, 1.8 mi. SW. of, 3.3 mi. NE. of Kline, on property of Carrie Barker, about 1,000 ft. W. of dwelling, 30 ft. SE. of crossroads; iron post stamped "234 1918"-----	234. 409
Big Forks School, 1.0 mi. SW. of, 200 ft. E. of private burial grounds, in root of walnut tree; copper nail-----	221. 22

From Allendale along winding roads generally west to crossroads 0.8 mile east of White Womans Point on Savannah River (by D. S. Birkett in 1918)

[Line jogs into Peeples quadrangle]

Allendale, 1.5 mi. SW. of intersection of Southern and Charleston & Western Carolina Rys. at, 2.0 mi. NE. of Woods Crossroads, 30 ft. S. of rd. forks, in root of large pine tree; copper nail-----	Feet 196. 88
Beautiful Gate Church, 0.4 mi. E. of, 5.4 mi. W. of Allendale, at dim crossroads, in root of oak tree; copper nail-----	230. 55
Beautiful Gate Church, 0.8 mi. NW. of, 150 ft. E. of crossroads, 50 ft. N. of rd., in base of large pine tree; large spike-----	214. 24
Beautiful Gate Church, 1.5 mi. by route W. of, 1.7 mi. NE. of Concord Church, 90 ft. W. of junction of rd. SW. to Concord Church, 20 ft. S. of rd. W. to White Womans Point, in root of oak tree; rail spike--	181. 37
Concord Church, 0.8 mi. by direct rd. N. of, 2.3 mi. W. of Beautiful Gate Church, 6.0 mi. S. of Beldoc sta. on Charleston & Western Carolina Ry., on Beldoc-Milbury rd., 500 ft. S. of Middleton's gin, 30 ft. NW. of crossroads; iron post stamped "227 1918"-----	226. 826
Middleton's gin, 1.0 mi. NW. of, 350 ft. W. of Stony Creek, at junction of T-rd. S., in root of pine tree; 60-penny spike-----	182. 81
Middleton's gin, 1.6 mi. NW. of, 3.1 mi. E. of White Womans Point, 0.7 mi. W. of Stony Creek, 20 ft. NE. of rd. forks, in root of small pine tree; rail spike-----	238. 45
White Womans Point, 1.9 mi. E. of, 2.0 mi. NE. of Johnsons landing, 20 ft. NW. of crossroads, in root of oak tree; 60-penny spike-----	260. 56

At White Womans Point (single-spur line by D. S. Birkett in 1918)

White Womans Point, about 200 ft. W. of cabin, 20 ft. S. of fence, in concrete post; U. S. C. E. tablet stamped "74 10.52 24" and designated "M"-----	72. 017
---	---------

From Williston quadrangle south along Elko-Barnwell road to Barnwell (by C. H. Semper in 1919)

Barnwell, in center of public square, on NE. corner of concrete base of sun dial at point 5 in. from shaft; chiseled square-----	226. 73
--	---------

AUGUSTA QUADRANGLE¹

[Latitude 33°15'-33°30'; longitude 81°45'-82°00']

AIKEN COUNTY

From Greens Cut quadrangle northwest along Charleston & Western Carolina Railway into Georgia at point near Augusta (first-order leveling by C. H. Semper in 1918)

Bush, in front of sta.; top of rail-----	121. 0
Bush, 0.9 mi. NW. of, at crossing of farm rd., 1,825 ft. E. of milepost 18, 15 ft. E. of rd., 20 ft. S. of rail; iron post stamped "140 1918"-----	139. 652
Bush, 2.9 mi. NW. of, 1.6 mi. S. of primary traverse sta. 97 at Jackson, at crossing of rd. from Grays landing on Savannah River; top of rail-----	126. 9
Jackson, in front of sta.; top of rail-----	134. 5
Jackson, 460 ft. W. of sta., at crossing of rd. to Hankinson, 30 ft. N. of track, 15 ft. W. of rd.; iron post stamped "Prim Trav Sta No 97 Mac 1917 134"-----	133. 901

¹ Part of this quadrangle lies in Georgia.

	<i>Feet</i>
Jackson, 0.4 mi. NW. of, at rd. crossing; top of rail-----	149. 8
Jackson, 0.9 mi. NW. of, 1.4 mi. SE. of Hankinson, at rd. crossing; top of rail-----	153. 6
Hankinson, at crossing of rd. from Silver Bluff on Savannah River, at sta. sign; top of rail-----	151. 9
Kathwood, 33 ft. SE. of sta., 28 ft. S. of rail of main track; iron post stamped "144 1918" (recovered by U. S. C. & G. S. in 1933)----	144. 360
Kathwood, in front of sta.; top of rail-----	141. 9
Kathwood, 1.3 mi. NW. of, at rd. crossing; top of rail-----	152. 9
Kathwood, 2.0 mi. NW. of, at rd. crossing; top of rail-----	155. 9
Kathwood, 3.0 mi. NW. of, 2.9 mi. SE. of Beech Island sta., 2,400 ft. NW. of milepost 9, at crossing of farm rd., 20 ft. SW. of track, 15 ft. SE. of rd.; iron post stamped "141 1918" (recovered by U. S. C. & G. S. in 1933)-----	141. 073
Beech Island, 2.4 mi. SE. of, 0.2 mi. SE. of Twiggs, 125 ft. W. of mile- post 8, 9 ft. NE. of N. rail, at SE. end of iron pipe under Ry. track; top of bell end of pipe (recovered by U. S. C. & G. S. in 1933)----	148. 005
Beech Island, 1.0 mi. SE. of, at rd. crossing; top of rail-----	135. 5
Beech Island, in front of sta.; top of rail-----	135. 0
Beech Island, 175 ft. NW. of sta., at rd. crossing, 20 ft. E. of rd., 15 ft. SE. of rail; iron post stamped "138 1918" (recovered by U. S. C. & G. S. in 1933)-----	138. 153
Beech Island, 0.3 mi. NW. of, at rd. crossing; top of rail-----	134. 3
Beech Island, 1.0 mi. NW. of, at rd. crossing; top of rail-----	140. 7
Beech Island, 1.4 mi. NW. of, at rd. crossing; top of rail-----	137. 7
Beech Island, 1.7 mi. NW. of, on SE. end of Ry. trestle over Savannah River, on N. end of E. bent cap; copper nail-----	140. 10

From Augusta, Georgia, northeast along Southern Railway into Warrenville
quadrangle (first-order leveling by C. H. Semper in 1918)

Augusta, on Southern Ry. bridge, in downstream capstone of first pier from Georgia shore; U. S. C. E. bronze tablet designated "B. M. No. 1" (recovered by U. S. C. & G. S. in 1933)-----	138. 940
Hamburg, 0.3 mi. W. of sta., 0.6 mi. NE. of Southern Ry. bridge over Savannah River, at Ry. crossing; top of rail-----	142. 5
Horse Creek sta., 0.3 mi. SW. of, at rd. crossing, 20 ft. N. of track; iron post stamped "136 1918"-----	136. 306
Horse Creek sta., in front of; top of rail-----	136. 9

From point 0.7 miles northeast of Augusta, Georgia, northeast along Southern
Railway into Warrenville quadrangle (by D. S. Birkett in 1918)

Hamburg, 0.7 mi. NE. of Southern Ry. bridge over Savannah River, 100 ft. E. of point where Augusta-Aiken rd. crosses Ry., on top of iron right-of-way marker; chiseled cross-----	144. 82
---	---------

In North Augusta (by D. S. Birkett in 1918)

North Augusta, on W. side of Meriwether monument, at edge of granite base; top of concrete sub-base-----	275. 93
North Augusta, about 500 ft. NE. of E. end of Thirteenth Street bridge over Savannah River, 40 ft. NE. of corner of brick ware- house, in power pole; rail spike-----	136. 32

From point 2.8 miles south of Langley northeast along Pinelog road to Pentecost Church, thence southeast along road by way of Craig sawmill to junction of Silver Bluff road, thence southwest to Kathwood (by D. S. Birkett in 1918)

[Line jogs into Warrenville quadrangle]

Langley, 2.8 mi. S. of, 2.2 mi. SW. of Pine Grove Church, 100 ft. E. of junction of Pinelog rd. and rd. from Langley, 400 ft. E. of dwelling on Franklin place, on S. side of rd.; iron post stamped "463 1918"	Feet 463. 264
Pine Grove Church, 0.9 mi. SW. of, 0.2 mi. W. of R. R. spur to kaolin plant, on S. side of rd., 30 ft. E. of blacksmith shop, in root of oak tree; copper nail-----	446. 45
Craig sawmill, about 150 ft. NW. of, 80 ft. N. of main rd., 10 ft. N. of private rd., in root of pine tree; copper nail-----	305. 48
Craig sawmill, 1.0 mi. SE. of, 0.3 mi. NW. of junction of Silver Bluff rd., 30 ft. NW. of rd., in root of large pine tree; copper nail-----	460. 08
Craig sawmill, 1.2 mi. SE. of, 6.0 mi. SW. of Aiken, 1.9 mi. NE. of Good Hope Church, about 1,000 ft. N. of dwelling of S. Holley, at junction of Silver Bluff and plantation rds., on W. side of Silver Bluff rd., on S. side of plantation rd.; iron post stamped "469 1918"	468. 591
Good Hope Church, 1.0 mi. NE. of, 50 ft. E. of Silver Bluff rd., 40 ft. N. of plantation rd. E., in root of 10-in. cherry tree; copper nail---	445. 21
Good Hope Church, in front of, on W. side of rd., in root of large oak tree; copper nail-----	427. 04
Good Hope School, 80 ft. W. of, 30 ft. E. of Silver Bluff rd.; iron post stamped "393 1918"	392. 119
Good Hope School, 0.8 mi. SW. of, 40 ft. NE. of intersection of Williston-Augusta and Silver Bluff rds., in root of pine tree; copper nail---	333. 52
Good Hope School, 2.1 mi. SW. of, 0.8 mi. N. of old Ransey mill, at crossing of second-class rd., in front of dwelling of George Widner, in root of small oak tree; copper nail-----	272. 34
Good Hope School, 2.8 mi. SW., thence 0.3 mi. SE. from, 500 ft. E. of bridge over Holley Creek, near site of old Ransey mill, in junction of Augusta-Silverton and Augusta-Talatha wagon rds.; iron post stamped "Prim Trav Sta No 16 Y 1918 190"	190. 138
Old Ransey mill, 1.1 mi. SW. of, 2.5 mi. NE. of Murray store, 40 ft. E. of Silver Bluff rd., near top of hill, in root of large pine tree; copper nail-----	292. 78
Murray store, 1.2 mi. NE. of, at point near middle of W. side of bridge over Town Creek; nail-----	167. 98
Murray store, 0.9 mi. NE. of, 3.0 mi. SW. of old Ransey mill, on N. side of rd., at top of hill, in root of large pine tree; copper nail-----	252. 04
Murray store, 1.3 mi. NE. of Kathwood, 40 ft. NE. of intersection of Augusta-Charleston rd., in edge of field; iron post stamped "355 1918"	354. 850
Kathwood, 1.9 mi. N. of, 1.2 mi. SW. of Murray store, on W. side of rd., at top of hill, in cherry tree; copper nail-----	334. 56
Kathwood, 0.6 mi. N. of, 35 ft. E. of rd., in root of large pine tree; copper nail-----	168. 46

From intersection of Augusta-Charleston and Silver Bluff roads near Murray store southeast along road to Silverton, thence southwest to Jackson (by D. S. Birkett in 1918)

Mount Zion Church, 0.2 mi. NW. of, 1.2 mi. SE. of Murray store, in front of dwelling, 40 ft. W. of rd., in root of large oak tree; copper nail-----	Feet 271. 83
Silverton, 1.6 mi. NW. of, about 2 mi. SE. of Mount Zion Church, on W. side of rd., in front of property of H. D. Baker; iron post stamped "334 1918"-----	333. 656
Silverton, 0.8 mi. NW. of, in front of property of J. N. Rickenbaker, in root of oak tree; copper nail-----	340. 20
Silverton, 25 ft. NE. of intersection of Talatha-Jackson rd., 75 ft. NE. of store; iron post stamped "212 1918"-----	212. 210
Jackson School, about 400 ft. NE. of, about 0.6 mi. W. of Silverton, 30 ft. SW. of crossroads, in root of hickory tree; copper nail-----	203. 50

AWENSDAW QUADRANGLE

[Latitude 33°00'-33°15'; longitude 79°30'-79°45']

BERKELEY AND CHARLESTON COUNTIES

From Cordesville quadrangle northeast along Seaboard Air Line Railway into Trio quadrangle (by C. H. Semper in 1917)

Bethera, 3.1 mi. NE. of, 4.9 mi. SW. of Jamestown, at fifth telegraph pole SW. of milepost 130, 10 ft. S. and 40 ft. W. from track; iron post stamped "52"-----	51. 534
---	---------

From Bulls Island quadrangle northeast along Georgetown road to Awendaw (by H. L. Hudson in 1918; leveled twice)

Awendaw, 2.1 mi. SW. of, 6.3 mi. NE. of Freeman, on N. side of rd., 100 ft. W. of milepost marked "Mt P 22," in root of 15-in. pine tree; copper nail and washer-----	18. 09
Awendaw, 1.0 mi. SW. of, on S. side of rd., 200 ft. W. of milepost marked "Mt P 23," in root of 12-in. pine tree; copper nail and washer-----	16. 47
Awendaw, 100 ft. W. of post office, on W. side of rd., in root of 10-in. oak tree; copper nail and washer-----	10. 59
Awendaw, 300 ft. S. of Awensdaw Creek, 50 ft. W. of rd., in angle of fence around yard; iron post stamped "10" (reset at same elevation by F. W. Ford, McClellanville, S. C., July 29, 1930)-----	11. 234

From Santee quadrangle northwest along road across Wambraw Creek into Cordesville quadrangle near Eccles Church (by J. J. Sitton, Jr., in 1934)

McClellanville, 2.5 mi. NW. of; U. S. C. & G. S. and State Survey standard disk designated "C T 113 1934"-----	24. 629
McClellanville, 3.5 mi. NW. of; U. S. C. & G. S. and State Survey standard disk designated "C T 116 1934"-----	18. 471
McClellanville, 4.8 mi. NW. of; U. S. C. & G. S. and State Survey standard disk designated "C T 117 1934"-----	15. 278
McClellanville, 5.6 mi. NW. of; U. S. C. & G. S. and State Survey standard disk designated "C T 119 1934"-----	19. 686
McClellanville, 6.4 mi. NW. of, 50 ft. SW. of intersection of State Highway 179, about 1,000 ft. S. of Palmer Bridge, 25 ft. W. of center line of highway, in root on NE. side of 18-in. pine tree; wire nail and washer-----	11. 02

McClellanville, 7.5 mi. NW. of, 1.0 mi. W. of Palmer Bridge along rd. to Thompson Bridge, 50 ft. S. of center line of rd., in root on N. side of 18-in. oak tree; wire nail and washer-----	Feet 24. 85
McClellanville, 8.5 mi. NW. of, 30 ft. S. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "S N 35 1934 26"---	26. 006
Reference mark, 12 ft. N. of tablet, 25 ft. S. of center line of rd., in root on NW. side of 8-in. oak tree; wire nail and washer-----	25. 91
McClellanville, 9.5 mi. NW. of, 4.4 mi. E. of Halfway Creek School, 15 ft. N. of center line of rd., in root on S. side of 10-in. twin oak tree; wire nail and washer-----	25. 95
Halfway Creek School, 4.0 mi. E. of, 1.2 mi. S. of Thompson Bridge, 50 ft. N. of T-rd. junction, in root on SE. side of 16-in. oak tree; wire nail and washer-----	27. 83
Halfway Creek School, 3.0 mi. E. of, about 1,000 ft. S. of Thompson Bridge, 30 ft. E. of center line of rd., in root on W. side of 15-in. oak tree; wire nail and washer-----	17. 02
Halfway Creek School, 1.9 mi. E. of, 12.1 mi. NW. of McClellanville, 0.6 mi. N. of Thompson Bridge, in SW. angle of T-junction of rd., 60 ft. W. of N.-S. rd., in 7- by 7-in. concrete post; standard tablet stamped "S N 36 1934 28"-----	28. 389
Reference mark, 25 ft. N. of tablet, 50 ft. W. of N.-S. rd., in root on SE. side of 24-in. oak tree; wire nail and washer-----	29. 19
Halfway Creek School, 1.5 mi. E. of, 130 ft. S. of center line of rd., in root on NW. side of 18-in. pine tree; wire nail and washer-----	35. 30
Halfway Creek School, 0.5 mi. E. of, 40 ft. S. of center line of rd., in root on N. side of 10-in. oak tree; wire nail and washer-----	38. 63
Halfway Creek School, 0.5 mi. W. of, on edge of Hell Hole Bay, 50 ft. S. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "S N 37 1934 38"-----	38. 393
Reference mark, 45 ft. N. and 60 ft. W. from tablet, 50 ft. S. of center line of rd., in root on E. side of 10-in. pine tree; wire nail and washer-----	37. 21
Schuler triangulation sta.; U. S. C. & G. S. standard disk designated "Schuler 1932"-----	40. 841
Halfway Creek School, 2.3 mi. W. of, 20 ft. N. of center line of rd., in root on S. side of 8-in. black-gum tree; wire nail and washer----	38. 49
Halfway Creek School, 3.4 mi. W. of, 30 ft. N. of center line of rd., in root on S. side of 18-in. pine tree; wire nail and washer-----	35. 869
Halfway Creek School, 4.4 mi. W. of, 3.0 mi. E. of Eccles Church, 50 ft. N. of center line of rd., in root on S. side of 18-in. pine tree; wire nail and washer-----	35. 22
Eccles Church, 2.5 mi. E. of, 10.0 mi. SE. of Bethera, 65 ft. E. of center of crossroads, in 7- by 7-in. concrete post; standard tablet stamped "S N 38 1934 34"-----	34. 188
Reference mark, 25 ft. N. of tablet, 65 ft. E. of crossroads, in root on W. side of 8-in. water-oak tree; wire nail and washer-----	34. 40
Eccles Church, 1.5 mi. E. of, 30 ft. N. of center line of rd., in root on S. side of 18-in. pine tree; wire nail and washer-----	31. 95
Eccles Church, 0.5 mi. E. of, 20 ft. N. of center line of rd., in root on S. side of 18-in. water-oak tree; wire nail and washer-----	23. 74

From Trio quadrangle southeast along roads into Santee quadrangle (by J. J. Sitton, Jr., in 1934)

Echaw triangulation sta.; U. S. C. & G. S. standard disk designated "Echaw 1934"-----	25. 758
---	---------

Jamestown, 8.0 mi. SE. of, 10 ft. S. of center line of rd., in root on N. side of 12-in. oak tree; wire nail and washer-----	<i>Feet</i> 20. 42
Jamestown, 9.2 mi. SE. of, 0.5 mi. W. of fishing camp of L. E. Wilson, along S. bank of Echaw Creek, on W. edge of abandoned rd., in root on E. side of 12-in. water-oak tree; wire nail and washer-----	10. 32
Jamestown, 10.0 mi. SE. of, about 4.5 mi. NE. of Honeyhill, 70 ft. SW. of SW. corner of hunting lodge of L. E. Wilson, 0.8 mi. S. of Echaw Creek, 20 ft. W. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "S N 1 1934 27"-----	26. 792
Reference mark, 25 ft. N. and 10 ft. E. from tablet, 50 ft. SW. of SW. corner of hunting lodge of L. E. Wilson, 10 ft. W. of center line of rd., in root on N. side of 12-in. live-oak tree; wire nail and washer--	27. 74

From Trio quadrangle south along State Highway 179 to junction of McClellanville-Bethera road (by J. J. Sitton, Jr., in 1934)

Jamestown, 3.3 mi. SE. of; U. S. C. & G. S. and State Survey standard disk designated "B K 26"-----	30. 212
Jamestown, 4.4 mi. S. of; U. S. C. & G. S. and State Survey standard disk designated "B K 29"-----	32. 037
Jamestown, 5.3 mi. S. of, 2.1 mi. N. of Bethany Church, 20 ft. W. of center line of highway, in root on N. side of 12-in. pine tree; wire nail-----	33. 91
Bethany Church, 1.1 mi. N. of, 500 ft. N. of store of J. C. White, 25 ft. E. of center line of rd., in root on SE. side of 10-in. pine tree; wire nail-----	36. 32
Bethany Church, 60 ft. N. of, 25 ft. E. of center line of rd., in root on W. side of 24-in. pine tree; wire nail-----	33. 56
Bethany Church, 1.0 mi. S. of, 0.4 mi. N. of New Hope School, 25 ft. E. of center line of rd., in root on W. side of 10-in. water-oak tree; wire nail-----	35. 99
New Hope School, 200 ft. S. of, at SE. fence corner, 20 ft. W. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "S N 5 1935 34"-----	34. 274
Reference mark, 3 ft. S. and 10 ft. W. from tablet, 20 ft. W. of center line of rd., in root on SW. side of 8-in. oak tree; wire nail-----	33. 92
New Hope School, 1.0 mi. S. of, 20 ft. W. of center line of rd., in root on E. side of 18-in. pine tree; wire nail-----	32. 36
New Hope School, 2.0 mi. S. of, 40 ft. W. of center line of rd., in root on E. side of 10-in. pine tree; wire nail-----	34. 93
New Hope School, 3.1 mi. S. of, 250 ft. S. of crossroads, 30 ft. E. of center line of rd., in root on N. side of 10-in. pine tree; wire nail--	49. 56

From Cordesville quadrangle near Berkeley-Charleston county line northeast and northwest along roads and back into Cordesville quadrangle (by E. B. Williams in 1935)

Cainhoy (Wando), 5.9 mi. NE., thence 0.9 mi. N. from, 25 ft. SE. of center line of rd., in root on SE. side of 12-in. pine tree; wire nail and bottle cap-----	43. 22
Cainhoy, 5.9 mi. NE., thence 1.9 mi. N. from, about 700 ft. E. of small dwelling, 25 ft. SE. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "L 21 WS 1935"-----	50. 760
Reference mark, 10 ft. N. of tablet, 15 ft. SE. of center line of rd., in root on NE. side of 12-in. pine tree; wire nail and bottle cap-----	50. 38
Cainhoy, 5.9 mi. NE., thence 2.9 mi. N. from, 5 ft. W. of center line of rd., in root on S. side of 12-in. pine tree; wire nail and bottle cap-	49. 08

Cainhoy, 5.9 mi. NE., thence 3.9 mi. N. from, 10 ft. W. of center line of rd., in root on W. side of 10-in. pine tree; wire nail and bottle cap-----	Feet 48. 48
Cainhoy, 5.9 mi. NE., thence 5.0 mi. N. from, 25 ft. SE. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "L 22 WS 1935"-----	40. 140
Reference mark, 10 ft. N. of tablet, 15 ft. SE. of center line of rd., in root on W. side of 8-in. oak tree; wire nail and bottle cap-----	40. 50
Cainhoy, 5.9 mi. NE., thence 6.0 mi. N. from, 20 ft. SE. of center line of rd., in root on NE. side of 12-in. pine tree; wire nail and bottle cap-----	32. 61

BAMBERG QUADRANGLE

[Latitude 33°15'-33°30'; longitude 81°00'-81°15']

BAMBERG, BARNWELL, AND ORANGEBURG COUNTIES

From Bamberg southwest along Olar road into Olar quadrangle (by H. L. Hudson in 1918)

Bamberg, 0.7 mi. SW. of Bamberg, Ehrhardt & Walterboro Ry. sta., on S. side of rd., opposite milepost marked "Bamberg 1 mile," in root of oak tree; nail-----	151. 66
Bamberg, 1.9 mi. SW. of, on S. side of rd., on cement culvert; chiseled square-----	158. 89
Bamberg, 2.9 mi. SW. of, 0.4 mi. NE. of crossing of Grapevine Branch of Lemon Creek, on N. side of rd., 50 ft. E. of milepost marked "Bamberg 3 miles," in root of pine tree; nail-----	150. 55
Bamberg, 3.9 mi. SW. of, 0.6 mi. SW. of crossing of Grapevine Branch of Lemon Creek, 700 ft. N. of dwelling, 500 ft. E. of milepost reading "Bamberg 4 miles," on N. side of rd., in root of hickory tree; nail-----	181. 76
Bamberg, 5.1 mi. SW. of, 5.8 mi. by rd. NE. of Govan, 0.7 mi. NE. of crossing of Lemon Creek, in NE. angle of crossroads; iron post stamped "Prim Trav Sta No 15 S 1918 194"-----	193. 938
Govan, 4.8 mi. NE. of, 0.3 mi. SW. of crossing of Lemon Creek, 100 ft. W. of dwelling, on N. side of rd., in root of oak tree; nail-----	195. 06
Govan, 3.7 mi. NE. of, 0.4 mi. SE. of Flat Pond, 250 ft. W. of dwelling, in E. angle of crossroads, in root of pine tree; nail-----	197. 48

From Bamberg south along Ehrhardt road into Olar quadrangle (by H. L. Hudson in 1918)

Bamberg, 1.0 mi. SE. of Southern Ry. sta., 100 ft. N. of milepost reading "Bamberg 1 mile," on E. side of rd., 75 ft. N. of dwelling, in root of pine tree; nail-----	155. 77
Bamberg, 2.2 mi. S. of, 75 ft. W. of dwelling, on E. side of rd., in root of oak tree; nail-----	137. 27
Bamberg, 3.1 mi. S. of, 0.4 mi. SW. of crossing of Lemon Creek, on E. side of rd., 700 ft. N. of Hill dwelling, 100 ft. W. of another dwelling; iron post stamped "131"-----	130. 784

From Bamberg along roads generally north by way of Cope and Bolen into Woodford quadrangle (by C. H. Semper in 1919)

[Line jogs into Orangeburg quadrangle]

Bamberg, 1,200 ft. N. of Southern Ry. sta., on E. side of Orangeburg rd., in root of 36-in. oak tree; copper nail-----	162. 94
Bamberg, 0.9 mi. N. of, on E. side of rd., in root of pine tree; copper nail-----	160. 02

Bamberg, 1.7 mi. N. of, 20 ft. E. of rd., in root of 12-in. pine tree; copper nail.....	<i>Feet</i> 154. 74
Bamberg, 2.1 mi. N. of, in NW. angle of intersection of Charleston-Augusta rd., in root of 48-in. pine tree; copper nail.....	150. 52
Bamberg, 2.7 mi. N. of, on W. side of rd., in root of oak tree; copper nail.....	142. 01
Bamberg, 3.1 mi. N. of, at sharp turn to W. in rd., 35 ft. E. of S. end of New Bridge over South Fork of Edisto River, on E. side of rd.; iron post stamped "142".....	141. 272
Bamberg, 4.0 mi. N. of, 2.5 mi. SW. of Cope, 0.7 mi. NE. of bridge over South Fork of Edisto River, 600 ft. S. of milepost 4, on E. side of rd., in root of sweetgum tree; copper nail.....	143. 04
Cope, 1.9 mi. by rd. SW. of, at top of small hill, on E. side of rd. at junction of rd. to Cope, in root of 60-in. oak tree; copper nail.....	161. 68
Cope, 1.2 mi. S. of, about 500 ft. SW. of junction of rd. to Cope, in front of farmhouse of W. O. Tatum, in root of oak tree; copper nail..	177. 08
Cope, 150 ft. E. of Atlantic Coast Line R. R. sta., on W. side of rd., on top of brick water trough; chiseled square.....	199. 25
Cope, 0.9 mi. N. of, 35 ft. N. of crossing of private rd., on E. side of rd., in root of 15-in. pine tree; copper nail.....	200. 73
Cope, 2.3 mi. N. of, at junction of Bennecker Bridge rd.; iron post stamped "264 1919".....	263. 470
Cope, 4.7 mi. N. of, 3.1 mi. S. of Bolen, on W. side of rd., in front of dwelling, in root of oak tree; copper nail.....	273. 05
Bolen, 2.3 mi. S. of, in SW. angle of crossing of second-class rd., in root of tree; copper nail.....	281. 03
Bolen, 1.9 mi. S. of, in SW. angle of junction of Orangeburg-Norway rd.; iron post stamped "273 1919".....	272. 878
Bolen, 0.8 mi. S. of, at T-junction of rd. NW. to Bolen, in root of oak tree; copper nail.....	242. 73
Bolen, at intersection of Holman Bridge rd.; iron post stamped "297".....	296. 818
Bolen, 0.6 mi. along rd. to Neeses N. of, in front of dwelling of J. S. Rollings, in root of 12-in. pine tree; copper nail.....	306. 41
Bolen, 0.8 mi. N. of, at junction of cut-off rd. SE., in plug at base of telephone pole; copper nail.....	305. 55
Bolen, 1.5 mi. NW. of, on S. side of rd., in front of dwelling, in plug in ground at base of mail box; copper nail.....	302. 95

From Orangeburg quadrangle near St. George School west along road to Bolen (by C. H. Semper in 1919)

Bolen, 0.5 mi. E. of, 8.3 mi. W. of Orangeburg, 150 ft. W. of junction of rd. to Pine Hill, on N. side of rd., in root of pine tree; copper nail.....	272. 54
---	---------

From Bolen along road generally west to point on Seaboard Air Line Railway 1.5 miles north of Norway (by C. H. Semper in 1919)

Bolen, 1.1 mi. W. of, 1.0 mi. E. of Middle Willow School, 60 ft. W. of bridge over Twomile Swamp, on N. side of rd., in root of 24-in. pine tree; copper nail.....	219. 20
Bolen, 2.1 mi. W. of, in front of Middle Willow School, in root of 18-in. pine tree; copper nail.....	268. 56
Bolen, 3.3 mi. W. of, on S. side of rd., in front of farmhouse of Dan Williamson, in root of 16-in. oak tree; copper nail.....	247. 31
Bolen, 3.5 mi. W. of, 51 ft. S. of rd. at junction of rd. NW., 60 ft. W. of W. end of Williamson farmhouse; iron post stamped "275 1919".....	274. 060

Bolen, 4.6 mi. W. of, about 0.6 mi. SE. of North Willow School, in front of farmhouse of U. V. Brown, in root of oak tree; copper nail.....	<i>Feet</i> 284. 61
Bolen, 5.7 mi. W. of, 1.4 mi. E. of Seaboard Air Line Ry., 40 ft. NE. of junction of Evergreen rd., in root of pine tree; copper nail.....	298. 45
Bolen, 7.1 mi. W. of, about 1.5 mi. N. of Norway, at Seaboard Air Line Ry., 500 ft. N. of milepost 400, 15 ft. E. of track; iron post stamped "247".....	246. 016

From point on Bamberg-Orangeburg road 1.3 miles northeast of New Bridge over South Fork of Edisto River along roads generally northwest to Norway (by C. H. Semper in 1919)

Cope, about 1 mi. SW. of, 1.2 mi. NW. of junction of route rd. with Bamberg-Orangeburg rd., 0.6 mi. S. of crossing of Atlantic Coast Line R. R., 300 ft. E. of cotton gin, at corner of blacksmith shop, in front of dwelling of J. D. Croft, in root of 36-in. oak tree; copper nail.....	187. 75
Cope, 0.4 mi. along R. R. W. of, on S. side of rd., in root of 54-in. oak tree; copper nail.....	192. 45
Cope, 1.3 mi. along R. R. and rd. W. of, 1.0 mi. SE. of point where rd. crosses Roberts Swamp, in front of farmhouse of H. N. Crutley, at fence line; iron post stamped "197".....	196. 384
Cope, 2.4 mi. NW. of, at W. side of Roberts Swamp, on N. side of rd., in root of sweetgum tree; copper nail.....	163. 62
Cope, 3.5 mi. NW. of, 0.3 mi. SE. of Old Union Church, 0.5 mi. NE. of junction of rd. W. to Bennecker Bridge, in front of farmhouse of H. H. Houck, in root of chinaberry tree; copper nail.....	192. 37
Cope, 4.7 mi. NW. of, 0.9 mi. NW. of Old Union Church, 500 ft. E. of Sucksand Branch, in NE. angle of crossroads; iron post stamped "199".....	198. 612
Cope, 5.9 mi. NW. of, 0.7 mi. S. of Bethel Church, at T-junction of second-class rd. W., in root of oak tree; copper nail.....	222. 90
Cope, 6.6 mi. NW. of, 4.3 mi. SE. of Norway, 140 ft. S. and 30 ft. E. from E. side of crossroads at Bethel Church, in root of black-gum tree; copper nail.....	249. 55
Norway, 3.5 mi. SE. of, 0.8 mi. W. of Bethel Church, in front of dwelling of Eugene Gue, 12 ft. E. of house line, at edge of rd.; iron post stamped "250".....	249. 086
Norway, 2.7 mi. SE. of, in front of farmhouse of M. L. Blake, on S. side of rd., in root of oak tree; copper nail.....	231. 18
Norway, 200 ft. S. of Seaboard Air Line Ry. sta., at rd. crossing, 20 ft. E. of track, in center of rd., in root of oak tree; copper nail.....	235. 27
U. S. C. & G. S. standard disk stamped "R 1 1918" ⁶	240. 229

From Woodford quadrangle southwest along Springfield-Neeses road into Williston quadrangle (by C. H. Semper in 1919)

Neeses, 6.9 mi. SW. of, 3.0 mi. NE. of Springfield, in NE. angle of intersection of N.-S. second-class rd., 3 ft. E. of telephone pole; iron post stamped "Prim Trav Sta No 53 H 1918 277".....	279. 421
Springfield, 2.5 mi. E. of, on N. side of rd. at junction of rd. SE. to Norway, in root of oak tree; copper nail.....	251. 85
Springfield, 1.9 mi. E. of, on S. side of rd., 150 ft. W. of sharp curve, in root of pine tree; copper nail.....	211. 89

⁶ In 1934 this mark was reported destroyed.

**From Norway northwest along Springfield road to junction with road from
Neeses (by C. H. Semper in 1919)**

Norway, 1.1 mi. NW. of, on N. side of rd., in front of dwelling, in root of oak tree; copper nail.....	<i>Feet</i> 247. 17
Norway, 2.5 mi. NW. of, in SW. angle of intersection of rd. S. to Holman Bridge; iron post stamped "286".....	285. 562
Norway, 3.4 mi. NW. of, on N. side of rd., in yard of dwelling of Negro family; top of 12- by 12-in. granite monument projecting 18 in. above ground.....	302. 12
Norway, 4.6 mi. NW. of, 1.2 mi. E. of Rocky Swamp Creek, 500 ft. W. of milepost 6, in front of dwelling of Negro family, in root of chinaberry tree; copper nail.....	292. 22
Norway, 5.5 mi. NW. of, 300 ft. E. of Rocky Swamp Creek, at junction of rd. SE. to Holman Bridge, in apex of rd. forks; iron post stamped "201".....	200. 428
Norway, 5.9 mi. NW. of, about 0.4 mi. W. of Rocky Swamp Creek, in SW. angle of crossroads, in root of 48-in. oak tree; copper nail.....	234. 07
Norway, 6.9 mi. NW. of, 1.1 mi. SE. of junction of Springfield-Neeses rd., on E. side of rd. at junction of second-class rd. SW., in plug at base of chinaberry tree; copper nail.....	290. 14

From Orangeburg quadrangle northwest along road paralleling Southern Railway to Denmark, thence southwest and northwest along Blackville road into Williston quadrangle (by C. H. Semper in 1919)

Bamberg, 90 ft. N. of Bamberg, Ehrhardt & Walterboro Ry. sta., 350 ft. N.54°W. of city water tower, at crossing of street and Ry., 20 ft. N. of center line of street, 18 ft. W. of center line of tracks; iron post stamped "Prim Trav Sta No 89 Mac 1917 162" (recovered by U. S. C. & G. S. in 1934).....	162. 011
Bamberg, 1.7 mi. NW. of, 1,000 ft. E. of milepost 2, on S. side of rd., in front of dwelling, in root of oak tree; copper nail.....	195. 18
Bamberg, 2.5 mi. NW. of, at Ry. crossing; top of rail.....	202. 9
Bamberg, 2.8 mi. NW. of, 3.9 mi. SE. of Denmark, 75 ft. W. of milepost 3, on N. side of rd., at corner of wire fence; iron post stamped "204".....	202. 959
Denmark, 2.2 mi. SE. of, 40 ft. W. of milepost 5, on S. side of rd., in root of pecan tree; copper nail.....	228. 23
U. S. C. & G. S. standard disk stamped "M 1 1918".....	258. 687
Denmark, at union sta. of Southern and Seaboard Air Line Rys., 25 ft. N. of Southern Ry. tracks, 25 ft. E. of Seaboard Air Line Ry. tracks; iron post stamped "Prim Trav Sta No 88 Mac 1917 253" (recovered by U. S. C. & G. S. in 1934 and designated "L 1").....	252. 290
Denmark, 2.1 mi. SW. of, on S. side of rd., in front of dwelling, in root of oak tree; copper nail.....	254. 81
Denmark, 3.0 mi. SW. of, 0.3 mi. E. of Ghents Branch Church, in triangle at junction of rd. SE. to Luther; iron post stamped "196".....	195. 496
Denmark, 4.4 mi. W. of, 4.7 mi. SE. of Blackville, about 1 mi. NW. of Ghents Branch Church, on S. side of rd., in front of small white dwelling, in root of oak tree; copper nail.....	240. 48
Blackville, 3.6 mi. SE. of, on N. side of rd., in root of sweetgum tree; copper nail.....	253. 92
Blackville, 2.8 mi. SE. of, on S. side of rd. at junction of rd. NE. to Lees; iron post stamped "271".....	270. 563

From intersection of Denmark-Blackville and Holman Bridge-Barnwell roads near Ghents Branch Church southwest along roads to Hilda (by C. H. Semper in 1919)

Ghents Branch Church, 0.8 mi. SW. of, at bend in rd., in yard of dwelling, in root of cedar tree; copper nail-----	<i>Feet</i> 254. 22
Ghents Branch Church, 2.0 mi. SW. of, 0.6 mi. NE. of Opossum College, 150 ft. S. of T-junction of second-class rd. SE., on E. side of rd., in root of chinaberry tree; copper nail-----	255. 58
Opossum College, in SE. angle of crossroads; iron post stamped "248 1919"-----	247. 604
Opossum College, 1.0 mi. SW. of, 1.4 mi. along second-class rd. NE. of Hilda, on Beaverdam Bridge rd. 300 ft. SE. of junction with Denmark-Barnwell rd., in front of dwelling, in root of oak tree; copper nail-----	262. 38
Hilda, 430 ft. W. of Atlantic Coast Line R. R. sta., 250 ft. W. of rd. crossing, 100 ft. S. of main-line track; iron post stamped "Prim Trav Sta No 101 Mac 1918 257" (recovered by U. S. C. & G. S. in 1933)-----	256. 784

BATESBURG QUADRANGLE

[Latitude 33°45'-34°00'; longitude 81°30'-81°45']

AIKEN, EDGEFIELD, LEXINGTON, AND SALUDA COUNTIES

From Edgefield quadrangle east and northeast along Southern Railway into Lexington quadrangle (first-order leveling by C. H. Semper in 1918; supplemented by third-order releveling by J. F. Covington in 1934)

Ward, in front of sta.; top of rail-----	668. 9
Ward, 273 ft. E. of sta., 8 ft. N. of main track and switch; iron post stamped "Prim Trav Sta No 50 H 1918 666"-----	666. 708
Ward, 1.8 mi. E. of, at Ry. crossing; top of rail-----	645. 2
Ward, 3.2 mi. E. of, 40 ft. SE. of rd. crossing at milepost 150; iron post stamped "637 1918"-----	637. 617
Ridge Spring, in front of sta.; top of rail-----	635. 9
Ridge Spring, 400 ft. E. of sta., in telegraph pole opposite milepost 149; spike-----	⁷ 635. 47
Monetta, 120 ft. W. of sta., 15 ft. N. of rail; iron post stamped "Prim Trav Sta No 51 H 1918 633"-----	633. 558
Hibernia, 235 ft. NE. of sta., 10 ft. NW. of track, on SW. side of highway; iron post stamped "636 1918"-----	636. 469
Batesburg, in front of sta.; top of rail-----	647. 6
Batesburg, 105 ft. NE. of NE. corner of sta., 25 ft. SE. of rail; iron post stamped "647 1918"-----	647. 443
Batesburg, 150 ft. NE. of NE. corner of sta., 25 ft. SE. of rail, in 7- by 7-in. concrete post; standard tablet stamped "C 37 1934"-----	647. 098
Summerland, 35 ft. NW. of rd. crossing, 1.2 mi. NE. of Batesburg, 1.2 mi. SW. of Leesville, in root on N. side of 24-in. pine tree; copper nail and washer (1934)-----	644. 46
Summerland sta., at rd. crossing; top of rail-----	651. 3
Leesville, 105 ft. W. of W. side of sta., 8 ft. S. of track; iron post stamped "Prim Trav Sta No 49 H 1918 656"-----	655. 809
Leesville, in front of sta.; top of rail-----	655. 7

⁷ For figures of elevation for this mark as recovered in 1934, see p. 487.

From Aiken quadrangle near Hildridge Branch School northeast along road to junction of old Wagener road, thence southeast and back into Aiken quadrangle (by F. L. Shalibo in 1918)

	<i>Feet</i>
Eureka, 5.7 mi. NE. of, 200 ft. S. of mill, 150 ft. N. of stream crossing, on W. side of rd.; iron post stamped "421"-----	422. 450
Eureka, 7.2 mi. NE. of, 20 ft. S. of SW. corner of wooden bridge over South Fork of Edisto River, 10 ft. W. of rd., in root of large tree; copper nail-----	394. 44
Eureka, 8.0 mi. NE. of, 0.2 mi. N. of church, at junction of T-rd. E., on W. side of rd., in root of large tree; copper nail-----	509. 94
Eureka, 8.6 mi. NE. of, 70 ft. E. of Creeds Mill, 15 ft. N. of old Wagener rd.; iron post stamped "415"-----	416. 504
Eureka, 9.7 mi. NE. of, 1.1 mi. E. of Creeds Mill, 40 ft. E. of crossroads, on N. side of rd., in root of small oak tree; copper nail-----	552. 13

From Aiken quadrangle northwest along New Holland-Batesburg road 8.2 miles (by H. L. Hudson in 1918; part of single-spur line)

New Holland, 4.5 mi. NW. of, 150 ft. E. of Hall dwelling, on E. side of rd., in root of oak tree; nail-----	506. 44
New Holland, 5.0 mi. NW. of; principal B. M., not described ⁸ -----	486. 164
New Holland, 5.7 mi. N. of, 150 ft. W. of dwelling, on E. side of rd., in root of oak tree; nail-----	440. 06
New Holland, 6.5 mi. N. of, on W. side of rd., in root of 24-in. pine tree; nail-----	413. 56
New Holland, 8.2 mi. N. of; principal B. M., not described ⁹ -----	381. 010

From Prosperity quadrangle near Fairview School southwest along road 3.9 miles, thence west and northwest along roads and back into Prosperity quadrangle near Saluda (by S. L. Parker in 1919)

Fairview School, 2.4 mi. SW. of, 0.9 mi. W. of farmhouse of W. A. Mathews, in SE. angle of crossroads, in root on N. side of 16-in. red-oak tree; copper nail and washer-----	520. 17
Fairview School, 3.9 mi. SW. of, 9.1 mi. E. of Saluda, in SE. angle of crossroads; iron post stamped "559 1919"-----	558. 712
Saluda, 7.1 mi. E. of, 460 ft. SE. of crossroads at Mount Willing, 250 ft. SW. of center line of U. S. Highway 178, 200 ft. SE. of dwelling of Hugh L. Wheeler, 50 ft. SE. of rd. forks; iron post stamped "Prim Trav Sta No 3 Mac 1919 481" (recovered in 1934)-----	480. 810
Saluda, 5.9 mi. E. of, 60 ft. N. of crossroad, 10 ft. E. of center line of rd., on side of red clay hill, in root on W. side of 12-in. walnut tree; copper nail and washer-----	433. 89
Saluda, 4.9 mi. E. of, in SE. angle of junction of T-rd. S., on top of 6-ft. boulder extending 1 ft. above ground; chiseled square-----	465. 16
Saluda, 4.2 mi. E. of, 500 ft. N. of center line of U. S. Highway 178, on farm of Frank Long, 120 ft. W. of NW. corner of dwelling; iron post stamped "477 1919" (recovered in 1934)-----	476. 886
Saluda, 3.1 mi. E. of, 100 ft. SW. of farmhouse of W. R. Price, on N. side of rd., in root on S. side of 24-in. white-oak tree; copper nail and washer-----	455. 87

⁸ No description of this mark is available. Any person who can furnish one will render a public service by sending it to the Director, Geological Survey, U. S. Department of the Interior, Washington, D. C.

⁹ No description of this mark is available. Any person who can furnish one will render a public service by sending it to the Director, Geological Survey, U. S. Department of the Interior, Washington, D. C.

Saluda, 2.4 mi. E. of, 450 ft. W. of rd. forks, 80 ft. E. of bank of Little Saluda River, 20 ft. S. of center line of public rd., in root on N. side of 36-in. white-oak tree; copper nail and washer.....	Feet 389. 55
--	-----------------

From Batesburg northwest and north along roads into Prosperity quadrangle
near Fairview School (by S. L. Parker in 1919)

Batesburg, 1.0 mi. along Mount Willing rd. NW. of, in SW. angle of junction of T-rd. W., on top of 8- by 8-in. granite block set in place and extending 1.5 ft. above ground; chiseled square.....	618. 39
Batesburg, 1.9 mi. NW. of, 8 ft. N. and 25 ft. W. from center of junction of second-class rd. W., in root on W. side of 12-in. gum tree; copper nail and washer.....	513. 76
Batesburg, 2.8 mi. NW. of, 140 ft. SE. of dwelling of V. H. Wyse, in SW. angle of junction of T-rd. SW.; iron post stamped "548 1919".....	547. 245
Batesburg, 4.1 mi. along route NW. of, 25 ft. S. of SE. corner of cross-roads, in root on N. side of 22-in. red-oak tree; copper nail and washer.....	557. 46
Batesburg, 5.0 mi. N. of, 50 ft. S. of junction of second-class rd., in line of wire fence, in root on E. side of 10-in. pine tree; copper nail and washer.....	532. 56
Batesburg, 6.0 mi. N. of, in SW. angle of junction of T-rd. W.; iron post stamped "522 1919".....	521. 178
Batesburg, 6.5 mi. N. of, 20 ft. N. of junction of T-rd. E., 5 ft. N. of 10-in. granite boulder, on W. side of rd., in root on N. side of 22-in. white-oak tree; copper nail and washer.....	503. 34
Batesburg, 7.9 mi. N. of, 50 ft. NE. of rd. forks, in root on W. side of 10-in. apple tree; copper nail and washer.....	430. 29
Batesburg, 8.3 mi. N. of, 100 ft. S. of SW. corner of crossroads, 15 ft. W. of center line of public rd., in root on E. side of 22-in. pine tree; copper nail and washer.....	473. 54

From Ridge Spring north and northwest along roads to point 9.2 miles south-
east of Saluda (by S. L. Parker in 1919)

Ridge Spring, 1.0 mi. N. of, 20 ft. S. of SW. corner of second-class cross-roads, in root on E. side of 19-in. pine tree; copper nail and washer.....	590. 88
Ridge Spring, 2.6 mi. N. of, 35 ft. N. of rd. fork; iron post stamped "574 1919".....	573. 349
Ridge Spring, 3.1 mi. N. of, 25 ft. SW. of SW. corner of farmhouse of Louis Boatwright, on W. side of rd., in root on S. side of 14-in. red-oak tree; copper nail and washer.....	578. 70
Ridge Spring, 3.8 mi. N. of, in SE. angle of junction of T-rd. S., in root on W. side of 41-in. water-oak tree; copper nail and washer.....	584. 84
Ridge Spring, 4.0 mi. N. of, 60 ft. SW. of SW. corner of crossroads, in root on N. side of 48-in. white-oak tree; copper nail and washer.....	562. 81
Ridge Spring, 5.5 mi. N. of, 320 ft. NE. of dwelling of Marion Padgett, in SW. angle of junction of T-rd. S.; iron post stamped "508 1919".....	507. 828
Ridge Spring, 7.1 mi. N. of, 270 ft. W. of bridge over Crooked Creek, near rd. forks, 15 ft. S. of S. fork, in root on S. side of 12-in. pine tree; 20-penny spike.....	461. 23
Ridge Spring, 9.2 mi. N. of, 15 ft. W. of center line of rd., at point directly opposite second-class rd. E., in root on N. side of 18-in. pine tree; copper nail and washer.....	547. 04
Ridge Spring, 10.2 mi. N. of, 20 ft. SW. of SW. corner of Jones Cross-roads, in root on N. side of 19-in. white-oak tree; copper nail and washer.....	535. 52

From Ward northwest along Augusta Northern Railway into Edgesfield quadrangle (by S. L. Parker in 1919; second-order leveling of U. S. Coast and Geodetic Survey in 1934 followed the same route)

Ward, 1.8 mi. N. of, 110 ft. SW. of rd. crossing, 50 ft. W. of center line of track, 10 ft. W. of center line of second-class rd., in root on E. side of 17-in. pine tree; copper nail and washer-----	Feet 578. 53
Spigener Crossing, 3.2 mi. N. of Ward, 25 ft. E. of center line of track, 20 ft. S. of center line of rd.; iron post stamped "485 1919" (recovered by U. S. C. & G. S. in 1934)-----	484. 632
Spigener Crossing, 2.0 mi. N. of, 1.2 mi. S. of Bells Crossing, 25 ft. S. and 60 ft. E. from center of crossing, on S. bank of small stream, in root on W. side of 16-in. white-oak tree; copper nail-----	448. 78
Bells Crossing, 35 ft. E. of center line of track, 15 ft. N. of center line of rd.; iron post stamped "433 1919" (recovered by U. S. C. & G. S. in 1934)-----	433. 211

From point 7 miles north of Ridge Spring west along road to Bells Crossing (by S. L. Parker in 1919)

Bells Crossing, 5.0 mi. E. of, 8.1 mi. NW. of Ridge Spring, 1.0 mi. NW. of bridge over Crooked Creek, 25 ft. N. of NE. corner of crossroads, on W. side of 17-in. pine tree at point 1 in. above ground; spike-----	559. 62
Bells Crossing, 4.5 mi. E. of, 150 ft. S. of Woodman Hall, 50 ft. N. of junction of T-rd. E., 15 ft. W. of center line of rd., in root on N. side of 13-in. white-oak tree; copper nail and washer-----	536. 32
Bells Crossing, 3.2 mi. E. of, 1.3 mi. NW. of Woodman Hall, in SE. angle of crossroads; iron post stamped "524 1919"-----	523. 510
Bells Crossing, 1.9 mi. E. of, 900 ft. N. of Pine Grove School, 120 ft. N. of dwelling of U. S. Forres, 15 ft. E. of center line of rd., in root on W. side of 48-in. post-oak tree; copper nail and washer---	546. 18
Bells Crossing, 0.9 mi. E. of, 2 ft. S. of E.-W. wire fence, at junction of lane N., in root on N. side of 17-in. pine tree; copper nail and washer-----	505. 58

From Prosperity quadrangle south along State Highways 391 and 245 to Leesville (by S. L. Parker in 1919 and releveled by J. F. Covington in 1934)

Leesville, 6.3 mi. N. of, 120 ft. N. of rd. forks, 15 ft. W. of center line of highway, in root on N. side of 31-in. red-oak tree; copper nail and washer-----	540. 57
Leesville, 5.6 mi. N. of, 50 ft. E. of center line of highway, in root on W. side of 24-in. twin water-oak tree; copper nail and washer (1934)-----	513. 25
Leesville, 5.0 mi. N. of, 35 ft. S. of junction of T-rd. E., 25 ft. E. of center line of highway, in root on W. side of 28-in. white-oak tree; copper nail and washer-----	526. 18
Leesville, 5.2 mi. N. of, in NE. angle of crossroads, 20 ft. from center line of highway, in N. head wall of pipe culvert; chiseled square (1934)-----	539. 98
Leesville, 3.3 mi. N. of, at St. John's Church, in NW. corner of churchyard; iron post stamped "471 1919"-----	470. 500
Leesville, 4.1 mi. N. of; on top of hill, 100 ft. N. of junction of lane W., 20 ft. W. of center line of highway, in root on E. side of 14-in. cedar tree; copper nail and washer-----	452. 18

Leesville, 2.0 mi. NW. of, in NE. angle of intersection of State Highways 391 and 245, on top of head wall of pipe culvert; chiseled square (1934).....	<i>Feet</i> 532. 64
Leesville, 2.1 mi. N. of, 250 ft. S. of junction of T-rd. W., 15 ft. E. of center line of highway, in root on S. side of 13-in. elm tree; copper nail and washer.....	533. 83
Leesville, 1.4 mi. NW. of, 25 ft. N. of center line of highway, in front of dwelling of Mrs. A. V. Trotter, in root on N. side of 24-in. hackberry tree; copper nail and washer (1934).....	639. 15
Leesville, 1.4 mi. NW. of, in NW. angle of junction of T-rd. W., in root on N. side of 12-in. black-oak tree; copper nail and washer.....	615. 35
Leesville, 1.0 mi. N. of, 120 ft. N. of dwelling of J. R. Bryan, 25 ft. E. of center line of highway, in root on W. side of 16-in. pine tree; copper nail and washer.....	651. 33

From Lexington quadrangle northwest along Ridge road across northeast corner of Batesburg quadrangle into Prosperity quadrangle (by J. F. Covington in 1934)

Leesville, 6.0 mi. N. of, 3.5 mi. NW. of Cedar Grove Lutheran Church, in yard of dwelling of J. A. Bedenbaugh, in root on E. side of 18-in. cedar tree; copper nail and washer.....	530. 31
---	---------

From Edgefield quadrangle east along U. S. Highway 178 to crossroads at Mount Willing (by J. J. Sitton, Jr., in 1934)

Saluda, 2.2 mi. SE. of, at County Farm, 80 ft. W. of NW. corner of dwelling of superintendent, 50 ft. S. of center line of highway, in root on N. side of 15-in. oak tree; wire nail.....	462. 71
Saluda, 3.1 mi. SE. of, 40 ft. N. of center line of highway, in root on E. side of 10-in. forked pine tree; wire nail.....	473. 91
Saluda, 4.6 mi. E. of, 450 ft. E. of H. L. Calk filling sta., 70 ft. N. of center line of highway, in root on S. side of 10-in. elm tree; wire nail.....	473. 18
Saluda, 5.6 mi. E. of, about 1,200 ft. E. of bridge over Richland Creek, 40 ft. N. of center line of highway, in root on W. side of 10-in. cedar tree; wire nail.....	424. 92

From crossroads on U. S. Highway 178 at Mount Willing north along road into Prosperity quadrangle (by J. J. Sitton, Jr., in 1934)

Mount Willing, 0.6 mi. NW., thence 0.7 mi. NE. from, 60 ft. NW. of NW. corner of Mount Moses Church, 50 ft. E. of center line of rd., in root on W. side of 10-in. oak tree; wire nail.....	455. 54
---	---------

From Monetta southeast and northeast along roads into Lexington quadrangle (by J. J. Sitton, Jr., in 1934)

Monetta, 1.0 mi. SE. of, 50 ft. E. of center line of State Highway 39, 25 ft. NW. of NW. corner of tenant house, in root on W. side of 10-in. myrtle tree; copper nail and washer.....	634. 18
Monetta, 2.3 mi. SE. of, 75 ft. E. of center line of State Highway 39, 20 ft. W. of dwelling of Mrs. Cato, in root on SW. side of 26-in. oak tree; copper nail and washer.....	618. 44
Monetta, 2.9 mi. SE. of, 3.4 mi. NW. of Mount Ebal Church, 140 ft. E. of junction of T-rd., 50 ft. W. of tenant house of Edgar Fox, in 7- by 7-in. concrete post; standard tablet stamped "SN 18 1934 624".....	624. 110

Reference mark, 2 ft. S. and 5 ft. E. from tablet, 20 ft. S. of center line of rd., in root on W. side of 18-in. pine tree; copper nail and washer.....	<i>Feet</i> 623. 79
Monetta, 3.8 mi. SE. of, 2.5 mi. W. of Mount Ebal Church, 50 ft. NE. of center line of rd., in root on SW. side of 10-in. oak tree; copper nail and washer.....	499. 62
Mount Ebal Church, 1.3 mi. W. of, 15 ft. S. of center line of rd., at junction of T-rd., in root on N. side of 10-in. pine tree; copper nail and washer.....	423. 80
Mount Ebal Church, 75 ft. SE. of SE. corner of, 7.0 mi. S. of Batesburg, on State Highway 391, in SE. corner of fence, in 7- by 7-in. concrete post; standard tablet stamped "SN 19 1934 408".....	408. 066
Reference mark, 5 ft. S. and 4 ft. E. from tablet, 80 ft. SE. of SE. corner of church, in root on W. side of 12-in. oak tree; copper nail and washer.....	407. 70
Mount Ebal Church, 1.3 mi. N. of, 75 ft. E. of NE. corner of tenant house, 40 ft. W. of center line of wire rd., ¹⁰ in root on E. side of 18-in. locust tree; copper nail and washer.....	471. 13
Mount Ebal Church, 2.0 mi. N. of, 30 ft. S. of center line of wire rd., in root on NW. side of 24-in. pine tree; copper nail and washer.....	446. 23

From Aiken quadrangle near Jerusalem Church north along U. S. Highway 1 and roads to Ridge Spring (by J. J. Sitton, Jr., in 1934)¹¹

Jerusalem Church, 50 ft. E. of, in yard, 70 ft. W. of center line of highway, in root on E. side of 18-in. oak tree; copper nail and washer.....	569. 94
Jerusalem Church, 1.2 mi. N. of, 80 ft. N. of crossroads, 50 ft. E. of center line of highway, in root on W. side of 24-in. oak tree; copper nail and washer.....	549. 75
Jerusalem Church, 1.9 mi. N. of, about 100 ft. SE. of SE. corner of dwelling of J. M. Willis, 40 ft. W. of center line of highway, in 7- by 7-in. concrete post; standard tablet stamped "SN 21 1934 598".....	597. 228
Reference mark, 15 ft. E. and 20 ft. S. from tablet, 25 ft. W. of center line of highway, on S. end of concrete head wall; chiseled square....	593. 99
Jerusalem Church, 2.9 mi. N. of, 3.1 mi. S. of Ridge Spring, 150 ft. NE. of dwelling of Mrs. Mattie Egle, 25 ft. W. of center line of rd., in root on NE. side of 12-in. oak tree; copper nail and washer.....	627. 36
Ridge Spring, 2.0 mi. S. of, 70 ft. W. of tenant house of Tom Smith, 20 ft. W. of center line of rd., in root on SE. side of 40-in. oak tree; copper nail and washer.....	615. 78
Ridge Spring, 1.0 mi. S. of, 100 ft. NE. of NE. corner of dwelling of Norris Timmerman, 70 ft. SW. of Y-rd. junction, 20 ft. W. of N.-S. rd., in 7- by 7-in. concrete post; standard tablet stamped "SN 22 1934 639".....	638. 719
Reference mark, 20 ft. N. of tablet, 50 ft. SW. of Y-rd. junction, in root on W. side of 30-in. oak tree; copper nail and washer.....	638. 53
Ridge Spring, 400 ft. E. of, in telegraph pole opposite milepost 149; spike.....	¹² 633. 84

¹⁰A wire road, as the term is used in this bulletin, is a road along which there are telephone or telegraph wires.

¹¹This is an unadjusted line closing 1.63 feet low at Ridge Spring. See p. 482.

¹²This mark, established by C. H. Semper in 1918, was apparently disturbed before 1934; possibly the pole was lowered.

From Prosperity quadrangle at point on State Highway 391 about 7 miles northwest of Leesville southwest 2.1 miles along highway, thence northwest along road and back into Prosperity quadrangle (by J. J. Sitton, Jr., in 1934)

Fairview School, 5.9 mi. SE. of, 50 ft. E. of center line of highway, in root on W. side of 24-in. twin water-oak tree; copper nail and washer.....	Feet..... 513. 28
Fairview School, 5.0 mi. SE. of, 100 ft. NE. of dwelling of J. A. Parrott, 35 ft. SW. of center line of rd., in root on NE. side of 18-in. oak tree; copper nail and washer.....	550. 33
Fairview School, 4.2 mi. SE. of, 7.0 mi. N. of Batesburg, on Leesville rd., on property of S. J. Hare, 45 ft. S. and 36 ft. E. from well, 3 ft. N. and 6 ft. E. from SE. corner of fertilizer building, 18 ft. N. of center line of second-class rd., in 7- by 7-in. concrete post; standard tablet stamped "T T 27 R 1934 473".....	472. 107
Fairview School, 3.2 mi. SE. of, 70 ft. S. of SE. corner of dwelling of A. W. Black, 25 ft. S. of center line of rd., in root on E. side of 20-in. water-oak tree; copper nail and washer.....	432. 60

From Leesville southeast along road into Lexington quadrangle near Mims Crossroads (by J. J. Sitton, Jr., in 1934)

Leesville, 1.1 mi. S. of Southern Ry. sta., 20 ft. E. of center line of rd., 20 ft. W. of tenant house of B. B. Shealey, in root on N. side of 12-in. twin chinaberry tree; copper nail and washer.....	645. 93
Leesville, 2.2 mi. S. of, 30 ft. W. of junction of Y-rd., in root on E. side of 12-in. pine tree; copper nail and washer.....	592. 60
Leesville, 3.1 mi. S. of, on property of R. A. Hutto, 50 ft. N. of NW. corner of dwelling, 50 ft. W. of center line of rd., 9 ft. NW. of NW. corner of fence, in 7- by 7-in. concrete post; standard tablet stamped "SN 23 1934 510".....	509. 869
Reference mark, 50 ft. N. of tablet, 20 ft. NE. of center line of rd., in root on SW. side of 12-in. twin oak tree; copper nail and washer....	508. 35
Leesville, 4.0 mi. S. of, on property of A. S. Clark, 100 ft. N. of dwelling, 25 ft. N. of center line of rd., in root on S. side of 18-in. pine tree; copper nail and washer.....	492. 60
Leesville, 5.2 mi. S. of, 1.2 mi. N. of Mims Crossroads, 20 ft. SE. of crossroads, in root on E. side of 24-in. pine tree; copper nail and washer.....	558. 73

From Ward west along State Highway 39 into Edgefield quadrangle (by J. J. Sitton, Jr., in 1934)

Ward, 1.0 mi. W. of, 75 ft. SE. of SE. corner of dwelling of Harry Bell, 25 ft. W. of center line of State Highway 39, in root on E. side of 24-in. elm tree; copper nail and washer.....	671. 40
---	---------

From Edgefield quadrangle southeast along road to Spigener Crossing, thence south along Augusta Northern Railway to Ward (by J. J. Sitton, Jr., in 1934)

U. S. C. & G. S. standard disk stamped "C 19 1934".....	483. 234
---	----------

BLUFFTON QUADRANGLE¹³

[Latitude 32°00'–32°15'; longitude 80°45'–81°00']

BEAUFORT COUNTY

From Bluffton west and northwest along Hardeeville road into Okatie quadrangle (by R. G. Clinite in 1918)

Bluffton, 4 blocks N. and 1 block E. from post office, in SW. angle of rd. forks, 2 ft. N. and 4 ft. W. from two-story frame store building; iron post stamped "Prim Trav. Sta No 6 S 1918 24".....	Feet 24. 531
Bluffton, 1.1 mi. W. of, on S. side of rd., in root of 20-in. hickory tree; copper nail.....	26. 84
Bluffton, 2.1 mi. W. of, on E. side of rd., 4 ft. W. of base of 24-in. pine tree; copper nail.....	29. 30
Bluffton, 3.2 mi. W. of, 3.2 mi. SE. of Pritchardville, 1,000 ft. W. of turn in rd., in root of 18-in. pine tree on N. side of rd.; copper nail.....	19. 71
Pritchardville, 2.4 mi. SE. of, on S. side of rd., at summit of small ridge just E. of tidewater marsh, 1 ft. N. of wire fence; iron post stamped "14 1918".....	13. 366
Pritchardville, 1.2 mi. SE. of, in SE. angle of rd. forks, in root of 14-in. sweetgum tree; copper nail.....	14. 45
Pritchardville, 800 ft. E. of post office, 350 ft. SW. of schoolhouse, at rd. forks, in root of 2-in. pine tree; copper nail.....	39. 03
Pritchardville, 0.8 mi. W. of, in NE. angle of junction of Bluffton-Hardeeville and Savannah-Charleston rds., 100 ft. E. of rd. forks, 30 ft. W. of fence corner; iron post stamped "Prim Trav Sta No 7 S 1918 27".....	27. 274

BONNEAU QUADRANGLE

[Latitude 33°15'–33°30'; longitude 79°45'–80°00']

BERKELEY AND WILLIAMSBURG COUNTIES

From Kingstree quadrangle southwest along Atlantic Coast Line Railroad into Cordesville quadrangle (first-order leveling by C. H. Semper in 1918)

Gourdin, about 0.1 mi. SW. of, 22 ft. N. of center of rd. crossing, 23 ft. W. of W. rail of W. track, 7 ft. SE. of pole; iron post stamped "69 1918".....	69. 560
Gourdin, 1.1 mi. SW. of, opposite milepost C 50, on SE. corner of concrete base of semaphore; chiseled square.....	48. 77
Gourdin, 2.2 mi. SW. of, at S. end of steel bridge over Santee River, on W. side of track, on concrete retaining wall; chiseled square.....	48. 22
Gourdin, 3.5 mi. SW. of, about 0.1 mi. S. of milepost C 48, at S. end of long trestle, 4.5 ft. E. of E. rail, about 1.5 ft. S. of concrete retaining wall; iron post stamped "45 1918".....	44. 852
Gourdin, 4.2 mi. SW. of, 200 ft. N. of milepost C 47, on S. abutment of trestle, on E. side of track, on top of retaining wall; chiseled square.....	44. 18
Gourdin, 5.2 mi. SW. of, 400 ft. N. of milepost 46, on semaphore, W. of track; chiseled square.....	63. 54
St. Stephens, in front of sta.; top of rail.....	79. 1

¹³ The small part of this quadrangle that lies south of the Savannah River is in Georgia.

St. Stephens, 75 ft. S. of sta., 60 ft. W. of W. rail, about 50 ft. S. of rd.; iron post stamped "Prim Trav Sta No 20 Mac 1917 78" ¹⁴ -----	Feet 78. 235
St. Stephens, 1.2 mi. SW. of, 0.1 mi. N. of milepost C 44, 10 ft. W. of rail, on SE. corner of base of semaphore; chiseled square-----	74. 40
St. Stephens, 2.2 mi. SW. of, 470 ft. N. of milepost C 43, on semaphore, W. of track; chiseled square-----	61. 27
St. Stephens, 3.4 mi. SW. of, about 300 ft. S. of milepost C 42, at rd. crossing, 25 ft. W. of W. rail, 6 ft. S. of rd., in line with row of poles; iron post stamped "55 1918"-----	54. 856
St. Stephens, 4.3 mi. SW. of, 200 ft. N. of milepost C 41, on semaphore, W. of track; chiseled square-----	62. 04
St. Stephens, 5.3 mi. SW. of, 140 ft. N. of milepost C 40, on semaphore, W. of track; chiseled square-----	60. 38
St. Stephens, 6.3 mi. SW. of, at milepost C 39, on concrete base of semaphore, W. of track; chiseled square-----	53. 02
Bonneau, about 8 ft. S. of S. end of sta., 73 ft. W. of W. rail of W. track, 18 ft. W. of center line of rd.; iron post stamped "Prim Trav Sta No 19 Mac 1917 58"-----	58. 468
Bonneau, in front of sta.; top of rail-----	59. 2
Bonneau, 1.5 mi. SW. of, 210 ft. S. of milepost 37, in concrete base of semaphore, W. of track; chiseled square-----	61. 64
Bonneau, 2.5 mi. SW. of, 210 ft. S. of milepost C 36, in concrete base of semaphore, W. of track; chiseled square-----	61. 40
McBeth, 93 ft. N. of N. end of sta., 21 ft. W. of W. rail of W. track, opposite switch stand, 12 ft. N. of center of rd. crossing; iron post stamped "65 1918"-----	64. 908
McBeth, 0.8 mi. SW. of, 300 ft. S. of milepost C 35, on concrete base of semaphore W. of track; chiseled square-----	57. 42

From Trio quadrangle northwest along Seaboard Air Line Railway into Kings-
tree quadrangle (by C. H. Semper in 1917)

Blakely, in front of sta.; top of rail-----	57. 6
Blakely, 0.5 mi. W. of, 1.0 mi. E. of Taft, 5 ft. W. of milepost 29, 20 ft. N. of track; iron post stamped "56"-----	56. 027

From McBeth northwest along road about 2.5 miles into Chicora quadrangle
(by P. W. McMillen in 1919)

McBeth, 1.0 mi. W. of, 150 ft. W. of rd. forks, on N. side of rd., in root on S. side of 36-in. pine tree; wire spike-----	71. 02
McBeth, 2.0 mi. NW. of, on E. side of rd., in root on W. side of 12-in. elm tree; wire spike-----	33. 94

From Chicora quadrangle about 2 miles northeast of Pineville southeast
along road to St. Stephens (by P. W. McMillen in 1919)

Pineville, 2.8 mi. NE. of, 500 ft. S. of Tavern Bridge, at rd. forks, on E. side of rd., in root on W. side of twin gum tree; copper nail and washer-----	39. 93
Pineville, 4.2 mi. SE. of, 0.7 mi. W. of Peru Plantation, on S. side of rd., in root on N. side of 10-in. hickory tree; copper nail and washer-----	92. 06
St. Stephens, 3.5 mi. NW. of, 350 ft. E. of Peru Plantation house, at rd. forks, on S. side of rd.; iron post stamped "77"-----	77. 620

¹⁴ It was reported in 1934 that this post had been moved. If this report is true the present elevation is unknown.

St. Stephens, 2.4 mi. NW. of, on N. side of rd., opposite St. Mathew's Church, in root on S. side of 24-in. oak tree; copper nail and washer.	<i>Feet</i> 73. 10
St. Stephens, 1.3 mi. NW. of, 300 ft. W. of dwelling of John Bell, on N. side of rd., in root on S. side of 8-in. oak tree; copper nail and washer.	75. 71

From Chicora quadrangle about 1.6 miles east of Blackoak Church east 0.2 mile to road fork, thence northwest along road 1.6 miles and back into Chicora quadrangle (by P. W. McMillen in 1919)

Blackoak Church, 1.8 mi. E. of, 2.4 mi. NW. of Bonneau, at rd. forks, on N. side of rd. E. to Bonneau, in S. side of 4-in. twin oak tree; copper nail and washer.	87. 06
Blackoak Church, 1.8 mi. E., thence 1.1 mi. N. from, on E. side of rd., in root on W. side of 24-in. pine tree; copper nail and washer.	82. 59

From Cordesville quadrangle about 1.5 miles north of Frend Windham Place northeast along road to Providence Church, thence southeast and back into Cordesville quadrangle about 1 mile southeast of bridge over Whiskinboo Creek (by F. J. McMaugh in 1919; leveled twice)

Frend Windham Place, 2.1 mi. NE. of, about 400 ft. E. of dwelling, 7 ft. E. of rd. at junction of dim rd. E., in root of 5-in. oak tree; copper nail and washer.	34. 75
Bonneau, about 5 mi. SE. of, 3.3 mi. NE. of Frend Windham Place, 120 ft. SW. of Providence Church, 20 ft. W. of New rd. at junction of Ten Mile rd.; iron post stamped "Prim Trav Sta No 72 Mac 1917 28"	29. 265
Providence Church, 0.9 mi. SE. of, 10 ft. N. of rd., 4 ft. N. of bridge, in 10-in. pine tree; nail.	38. 93
Providence Church, 2.0 mi. SE. of, at SE. end of bridge over Whiskinboo Creek, on abutment; copper nail and washer.	31. 86

From Blakely south and southeast along road about 2.5 miles into Trio quadrangle near west end of Camp Pond Bay (by P. A. Wattlely in 1934)

Blakely, 54 ft. E. of SE. corner of Seaboard Air Line Ry. sta., 27 ft. N. and 36 ft. E. from crossroads, in 7- by 7-in. concrete post; standard tablet stamped "W 38 1934 58"	58. 274
Reference mark, 100 ft. NW. of dwelling, in yard, 110 ft. S. of center line of rd., in root on NW. side of 18-in. oak tree; wire nail and bottle cap.	59. 09
Blakely, 1.4 mi. S. of, 30 ft. E. of center line of Blakely-Sutton School rd., in root on W. side of 18-in. pine tree; wire nail and bottle cap.	60. 75
Blakely, 2.4 mi. SE. of, at crossroads, 40 ft. E. of Blakely-Sutton School rd., in root on W. side of 10-in. oak tree; wire nail and bottle cap.	61. 21

From Trio quadrangle about 1 mile northeast of Sutton School southwest along road 0.7 mile to Santee River road, thence northwest to Gourdin (by P. A. Wattlely in 1934)

Blakely, 6.5 mi. S. of, 1 ft. N. and 8 ft. E. from NE. corner of Sutton School, 41 ft. W. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "W 62 1934 48"	48. 089
Reference mark, 170 ft. NE. of school, 20 ft. E. of center line of rd., in root on N. side of 22-in. oak tree; wire nail and bottle cap.	49. 55

Sutton School, 0.7 mi. SW. of, 0.7 mi. SE. of Santee Church, on Santee River rd., at junction of rd. N. to Blakely, 30 ft. S. of center line of rd., in root on NW. side of 20-in. pine tree; wire nail and bottle cap-----	Feet 53. 46
Sutton Church, 0.5 mi. NW. of, 10 ft. NE. of center line of rd., in root on S. side of 22-in. pine tree; wire nail and bottle cap-----	57. 92
Sutton Church, 1.9 mi. NW. of, 8.6 mi. SE. of Gourdin, 21 ft. SW. of center line of rd., opposite dwelling of Deida Milford, in 7- by 7-in. concrete post; standard tablet stamped "W 63 1934 50"-----	49. 858
Reference mark, 140 ft. S. of dwelling, 30 ft. S. of center line of rd., in root on N. side of 30-in. oak tree; wire nail and bottle cap-----	50. 59
Gourdin, 7.0 mi. SE. of, 150 ft. NW. of Jerusalem Church, in yard, 20 ft. SW. of center line of rd., in root on N. side of 20-in. oak tree; wire nail and bottle cap-----	59. 88
Gourdin, 6.0 mi. SE. of, 120 ft. N. of dwelling, in yard, 20 ft. SW. of center line of rd., in root on N. side of 10-in. oak tree; wire nail and bottle cap-----	65. 18
Gourdin, 5.3 mi. SE. of, 6 ft. N. and 84 ft. W. from center of junction of Y-rd., in 7- by 7-in. concrete post; standard tablet stamped "W 64 1934 66"-----	65. 549
Reference mark, 70 ft. W. of rd. junction, opposite dwelling, in root on S. side of 12-in. oak tree; wire nail and bottle cap-----	64. 73
Gourdin, 4.0 mi. SE. of, 200 ft. N. of dwelling, in yard, 20 ft. SW. of center line of rd., in root on NE. side of 18-in. oak tree; wire nail and bottle cap-----	70. 79
Gourdin, 2.7 mi. SE. of, 110 ft. SE. of dwelling, in yard, 20 ft. SW. of center line of rd., in root on NE. side of 18-in. oak tree; wire nail and bottle cap-----	70. 14
Gourdin, 1.5 mi. SE. of, in yard of dwelling of Mose Gallashaw, 21 ft. SW. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "W 65 1934 70"-----	70. 307
Reference mark, 150 ft. N. of dwelling, in yard, 240 ft. SW. of center line of rd., in root on N. side of 22-in. hickory tree; wire nail and bottle cap-----	73. 28

From St. Stephens along State Highway 45 southeast 8.1 miles, thence southwest to Bonneau (by P. A. Wattle in 1934)

St. Stephens, 1.3 mi. SE. of, 20 ft. S. of center line of highway, in root on N. side of 30-in. sycamore tree; wire nail and bottle cap-----	78. 76
St. Stephens, 2.5 mi. SE. of, 100 ft. S. of dwelling, in yard, 30 ft. N. of center line of highway, in root on S. side of 20-in. pine tree; wire nail and bottle cap-----	70. 02
St. Stephens, 3.0 mi. SE. of, opposite dwelling of Lavenia Mathew, 35 ft. N. of center line of highway, in 7- by 7-in. concrete post; standard tablet stamped "W 66 1934 56"-----	56. 146
Reference mark, 100 ft. SE. of tablet, 40 ft. N. of center line of highway, in root on NE. side of 25-in. pine tree; wire nail and bottle cap-----	56. 13
St. Stephens, 5.2 mi. SE. of, 30 ft. N. of center line of highway, in root on E. side of 12-in. pine tree; wire nail and bottle cap-----	49. 37
St. Stephens, 6.5 mi. SE. of, 20 ft. S. of center line of highway, in root on N. side of 25-in. oak tree; wire nail and bottle cap-----	53. 43
St. Stephens, 7.3 mi. SE. of, 24 ft. N. and 14 ft. E. from NE. corner of Laurel Hill Church, in yard, 26 ft. S. of center line of highway, in 7- by 7-in. concrete post; standard tablet stamped "W 67 1934 45"-----	44. 752

Reference mark, 80 ft. NE. of church, 30 ft. S. of center line of highway, in root on NW. side of 15-in. oak tree; wire nail and bottle cap.	Feet 44. 28
St. Stephens, 8.1 mi. SE. of, 10.9 mi. NE. of Bonneau, 400 ft. S. of junction of T-rd., 15 ft. E. of center line of highway, opposite dwelling, in root on W. side of 15-in. hickory tree; wire nail and bottle cap.	44. 66
Bonneau, 9.7 mi. NE. of, 1.2 mi. SW. of junction of highway and rd. to Bonneau, 30 ft. E. of center line of rd., in root on W. side of 35-in. oak tree; wire nail and bottle cap.	56. 65
Bonneau, 9.0 mi. NE. of, 30 ft. S. and 350 ft. W. from SW. corner of dwelling of C. F. Eden, in yard, 29 ft. SE. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "W 68 1934 58"	58. 065
Reference mark, 50 ft. E. of tablet, 350 ft. W. of dwelling, 30 ft. SE. of center line of rd., in root on W. side of 25-in. pine tree; wire nail and bottle cap.	57. 41
Bonneau, 7.8 mi. NE. of, 30 ft. S. of center line of Bonneau-Gravel Hill-Jamestown rd., in root on N. side of 15-in. oak tree; wire nail and bottle cap.	54. 66
Bonneau, 6.9 mi. NE. of, 15 ft. E. of center line of rd., in root on W. side of 25-in. pine tree; wire nail and bottle cap.	55. 83
Bonneau, 5.9 mi. NE. of, 20 ft. S. and 70 ft. W. from SW. corner of dwelling of Lizia Admore, 24 ft. W. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "W 69 1934 55"	54. 994
Reference mark, 30 ft. W. of center line of rd., opposite dwelling, in root on E. side of 8-in. oak tree; wire nail and bottle cap.	54. 04
Bonneau, 4.9 mi. NE. of, 10 ft. E. of center line of rd., in root on N. side of 20-in. pine tree; wire nail and bottle cap.	48. 95
Bonneau, 3.9 mi. NE. of, 20 ft. E. of center line of rd., in root on W. side of 18-in. twin oak tree; wire nail and bottle cap.	38. 30
Bonneau, 3.0 mi. NE. of, 30 ft. S. and 21 ft. W. from center of junction of T-rd., opposite dwelling, in 7- by 7-in. concrete post; standard tablet stamped "W 70 1934 38"	37. 165
Reference mark, 200 ft. N. of dwelling, 40 ft. N. of center line of rd., in root on NW. side of 10-in. oak tree; wire nail and bottle cap.	37. 10
Bonneau, 1.9 mi. NE. of, 50 ft. E. of center line of rd., in root on W. side of 15-in. oak tree; wire nail and bottle cap.	42. 36
Bonneau, 0.4 mi. NE. of, at crossroads, 50 ft. E. of center line of rd., in root on N. side of 15-in. chinaberry tree; wire nail and bottle cap.	57. 81

From point 8.1 miles southeast of St. Stephens southeast along State Highway 45 to junction of State Highway 179, thence southeast into Trio quadrangle about 4 miles northwest of Jamestown (by P. A. Wattleley in 1934)

St. Stephens, 9.1 mi. SE. of, 60 ft. NE. of center line of highway, in root on S. side of 20-in. pine tree; wire nail and bottle cap.	34. 24
St. Stephens, 10.1 mi. SE. of, 50 ft. NE. of center line of highway, in root on S. side of 20-in. oak tree; wire nail and bottle cap.	23. 42
St. Stephens, 10.7 mi. SE. of, 8.3 mi. NW. of Jamestown, 3 ft. S. and 3 ft. E. from SE. corner of Holly Hill Church, 36 ft. N. of center line of highway, in 7- by 7-in. concrete post; standard tablet stamped "W 71 1934 45"	44. 743
Reference mark, in churchyard, 90 ft. N. of center line of highway, in root on S. side of 20-in. oak tree; wire nail and bottle cap.	45. 16

Jamestown, 7.3 mi. NW. of, 40 ft. N. of center line of highway, in root on S. side of 15-in. pine tree; wire nail and bottle cap-----	<i>Feet</i> 39. 22
Jamestown, 6.2 mi. NW. of, 40 ft. N. of center line of highway, in root on S. side of 15-in. oak tree; wire nail and bottle cap-----	36. 79
Jamestown, 5.2 mi. NW. of, 250 ft. N. of dwelling of Mrs. Iva Glanz, 27 ft. S. of center line of highway, in 7- by 7-in. concrete post; standard tablet stamped "W 72 1934 40"-----	40. 256
Reference mark, 240 ft. N. of dwelling, in yard, 50 ft. S. of center line of highway, in root on N. side of 40-in. twin sycamore tree; wire nail and bottle cap-----	39. 81
Jamestown, 4.2 mi. NW. of, at junction of State Highways 45 and 179, 50 ft. S. of center line of State Highway 179, in root on NE. side of 20-in. oak tree; wire nail and bottle cap-----	36. 80

From point 3.9 miles northeast of Bonneau south along road to Providence Church (by P. A. Wattlely in 1934)

Providence Church, 3.4 mi. N. of, about 1.3 mi. S. of Gravel Hill, 300 ft. W. of dwelling, 20 ft. E. of center line of rd., in root on W. side of 20-in. oak tree; wire nail and bottle cap-----	41. 31
Providence Church, 2.4 mi. N. of, 20 ft. E. of center line of rd., in root on W. side of 15-in. pine tree; wire nail and bottle cap-----	41. 73
Providence Church, 0.7 mi. N. of, 10 ft. E. of center line of rd., on NE. corner of bridge over swamp; chiseled cross-----	25. 72

From point 0.7 mile southwest of Sutton School southeast along Santee River road about 1 mile into Trio quadrangle (by E. B. Williams in 1934)

Sutton School, 0.7 mi. SW., thence 1.0 mi. SE. from, 1.0 mi. NW. of Nazareth Church, 110 ft. SE. of store of A. L. Hinnant, 20 ft. NE. of center line of rd., in root on SE. side of 18-in. pine tree; wire nail and bottle cap-----	56. 88
--	--------

From McBeth east and northeast along roads to Providence Church (by E. B. Williams in 1934)

McBeth, 1.0 mi. E. of, 110 ft. E. of center line of rd., in root on N. side of 12-in. oak tree; wire nail and bottle cap-----	52. 50
McBeth, 2.2 mi. E. of, 12 ft. N. of center line of rd., in root on W. side of 12-in. oak tree; wire nail and bottle cap-----	46. 60
McBeth, 3.2 mi. E. of, 2.0 mi. SW. of Providence Church, about 500 ft. NE. of small dwelling, 25 ft. N. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "L 9 WS 1935"-----	40. 990
Reference mark, 10 ft. S. of tablet, 15 ft. N. of center line of rd., in root on S. side of 12-in. pine tree; wire nail and bottle cap-----	40. 51
Providence Church, 1.0 mi. SW. of, 25 ft. N. of center line of rd., in root on S. side of 12-in. oak tree; wire nail and bottle cap-----	30. 63

From Kingstree quadrangle near Taft southeast along road to Blakely (by P. A. Wattlely in 1934)

Taft, 1.1 mi. SE. of, 40 ft. S. of center line of rd., in root on E. side of 20-in. pine tree; wire nail and bottle cap-----	55. 45
--	--------

BOWMAN QUADRANGLE

[Latitude 33°15'-33°30'; longitude 80°30'-80°45']

CALHOUN, DORCHESTER, AND ORANGEBURG COUNTIES

From Eutawville quadrangle near Oak Grove School northwest along road east of Providence Swamp to crossroads about 1.5 miles northwest of Friendship Church, thence northeast to point on State Highway 45 about 0.6 mile east of Parler, thence east and back into Eutawville quadrangle (by H. P. Kilby in 1919)

Oak Grove School, 0.7 mi. NW. of, 3.1 mi. NW. of Carson School and Wells Plantation, 0.5 mi. SE. of intersection of Vance rd., 250 ft. W. of bridge over small creek, near junction of second-class rd. E., 20 ft. E. of center line of rd.; iron post stamped "120 1919"-----	119. 417
Friendship Church, 1.5 mi. SE. of, 0.5 mi. NW. of intersection of Vance rd., at junction of second-class rd. SW., 50 ft. S. of dwelling, 30 ft. W. of small store, 8 ft. W. of center line of rd., in base of 30-in. sweetgum tree; copper nail-----	126. 37
Friendship Church, 0.4 mi. S. of, 40 ft. NE. of dwelling of Negro family, 20 ft. W. of center line of rd., in root of 20-in. oak tree; copper nail-----	130. 86
Friendship Church, 0.6 mi. NW. of, 0.9 mi. SE. of intersection of rd. to Parler, 20 ft. N. of dwelling of R. Hamilton, 15 ft. W. of center line of rd., in fence line W. of mail box; iron post stamped "132 1919"-----	131. 258
Friendship Church, 1.5 mi. NW. of, 2.4 mi. SW. of Parler, at intersection of rd. to Parler, 60 ft. W. of dwelling, 10 ft. E. of rd., in root on W. side of 50-in. oak tree; copper nail-----	142. 78
Parler, 0.5 mi. SE. of crossroads at, at junction of rd. NW. to Parler, 0.4 mi. SW. of crossing of Atlantic Coast Line R. R., 0.6 mi. SW. of intersection of U. S. Highway 45, 14 ft. E. of center line of rd., opposite dwelling of David Dantzler, in fence line; iron post stamped "154 1919"-----	153. 894

From St. George quadrangle northeast along road 0.3 mile to U. S. Highway 178, thence southeast along highway 1 mile and back into St. George quadrangle (by R. G. Clinite in 1919)

Rosinville, 6.0 mi. NE. of St. George, 0.6 mi. NE. of Indian Field Church, 0.5 mi. NW. of Indian Field School, 100 ft. NW. of intersection of highway, 60 ft. SW. of dwelling, 5 ft. E. of group of seven mail boxes; iron post stamped "Prim Trav Sta No 7 Mac 1918 96"-----	95. 560
Rosinville, 1.0 mi. SE. of, 0.6 mi. E. of Indian Field School, 0.5 mi. NW. of White Pond School, on SW. side of highway at curve 150 ft. SW. of farmhouse, at edge of small cotton patch, in root of 14-in. post-oak tree; copper nail-----	94. 04

From St. George quadrangle at point 3.8 miles northeast of Reevesville northeast along road 0.5 mile to junction of road southeast on southwest side of Indian Field Swamp, thence southeast 0.6 mile and back into St. George quadrangle (by R. G. Clinite in 1919)

Reevesville, 4.1 mi. NE. of, 0.9 mi. SW. of Indian Field Swamp, 300 ft. NE. of junction of rd. SE. to Pine Forest School and St. George, on W. side of rd., at dwelling of Mrs. J. L. Wimberly, 2 ft. N. and 1 ft. E. from SE. corner of fence around yard; iron post stamped "109 1919"-----	108. 686
---	----------

From Eutawville quadrangle northwest along State Highway 31 into Elloree quadrangle (by F. J. McMaugh in 1919)

Holly Hill, 7.1 mi. NW. of, 1.7 mi. NW. of Carson School, 2.0 mi. SE. of Providence School, 50 ft. E. of store, on S. side of highway, in root of oak tree at point about 6 in. outside wire fence; copper nail-----	<i>Feet</i> 104. 78
Providence School, 0.7 mi. SE. of, 600 ft. NW. of dwelling of Dr. Wannamaker, on N. side of highway, in root of red-oak tree; copper nail-----	112. 28
Providence School, about 600 ft. NW. of, 0.6 mi. SE. of Mount Olive School, 30 ft. S. of T-junction of rd. SW. across Four Hole Swamp and Cow Castle Creek, in field, inside fence; iron post stamped "114"-----	113. 274
Mount Olive School, 0.4 mi. NW. of, 90 ft. NW. of dwelling, 12 ft. NW. of gateway, on S. side of highway at curve, in root of large oak tree; copper nail-----	125. 14
Mount Olive School, 3.6 mi. NW. of, about 1.3 mi. SE. of Felderville School, 560 ft. SE. of T-junction of rd. NE., on W. side of rd., in root of small black-gum tree; copper nail-----	137. 51
Felderville School, 1.1 mi. SE. of, 300 ft. SE. of dwelling occupied by Negro family, 260 ft. NW. of junction of second-class rd. NE., 20 ft. SE. of junction of second-class rd. SW., on W. side of highway; iron post stamped "141"-----	140. 500
Felderville School, 1,000 ft. SE. of, about 0.3 mi. SE. of margin of Goodbys Swamp, 300 ft. SE. of cabin on E. side of highway, 20 ft. W. of highway, in root of large pine tree; copper nail-----	148. 28
Felderville School, 0.6 mi. NW. of, 1,000 ft. NW. of bridge across Goodbys Swamps, at top of hill, on W. side of highway, opposite dwelling, in root of red-oak tree; copper nail-----	150. 52
Felderville School, 1.4 mi. NW. of, 0.9 mi. SE. of Calhoun-Orangeburg county line, 40 ft. S. of junction of Five Chop rd., on W. side of highway, in root of large live-oak tree; copper nail-----	149. 76
Felderville School, 1.9 mi. NW. of, 300 ft. SW. of dwelling on E. side of rd., 20 ft. W. of grass triangle at T-junction of second-class rd. W., at corner of wire fence, in root of gum tree; copper nail-----	152. 03
Felderville School, 2.8 mi. NW. of, 20 ft. N. of junction of rd. NE. to Elloree, 3 ft. W. of telephone pole; iron post stamped "Prim Trav Sta No 73 J 1919 159"-----	158. 739
Felderville School, 3.9 mi. NW. of, 1.4 mi. SE. of crossroads near Cedar Grove School, opposite cabin, 20 ft. E. of highway, in root of oak tree; copper nail-----	159. 38

From Elloree quadrangle near Cedar Grove School southwest along road south of Bull and Little Bull Swamps into Orangeburg quadrangle (by F. J. McMaugh in 1919)

Cedar Grove School, 1.1 mi. SW. of, 2.8 mi. E. of Four Hole School, about 0.3 mi. NE. of Four Hole Swamp and Calhoun-Orangeburg county line, 100 ft. SW. of edge of field, 30 ft. S. of main rd. at junction of dim woods rd., in root of white-oak tree; copper nail-----	128. 36
Four Hole School, 1.8 mi. E. of, 0.7 mi. W. of Four Hole Swamp, 30 ft. N. of curve in rd., at SW. corner of fence, in root of water-oak tree; copper nail-----	156. 42
Four Hole School, 1.3 mi. E. of, 80 ft. S. of curve in rd., 2 ft. E. of corner of fence around yard; iron post stamped "158"-----	157. 186

Four Hole School, 0.4 mi. E. of, 30 ft. N. of rd., near gin and sawmill, in root of red-oak tree; copper nail.....	Feet 155. 68
Four Hole School, 0.1 mi. W. of, at Four Hole Church, at steps of SE. tower entrance; SE. corner of top of fourth step from ground.....	167. 25
Four Hole Church, 1.8 mi. W. of, 140 ft. W. of dwelling of M. M. Riddle, in center of grass triangle at junction of rd. N.; iron post stamped "178".....	176. 869
From road forks 0.5 mile southeast of Parler northwest to Parler, thence west and northwest along State Highway 45 into Elloree quadrangle (by F. J. McMaugh in 1919)	
Parler, 0.5 mi. W. of, 100 ft. W. of junction of woods rd. N., 100 ft. E. of sharp curve NW. in highway, on N. side of highway, in root of pine tree; copper nail.....	144. 38
From Elloree quadrangle at point about 3 miles southwest of Elloree along road generally southwest to junction with State Highway 31 (by F. J. McMaugh in 1919)	
Elloree, 3.7 mi. SW. of, 110 ft. S. of Hickory Grove Church, 2.6 mi. NE. of junction of State Highway 31, on E. side of rd., 260 ft. NW. of sharp curve, in root of hickory tree; copper nail.....	164. 38
Hickory Grove Church, 1.1 mi. SW. of, on Orangeburg-Calhoun county line 600 ft. NE. of right-angle turn to SE., 100 ft. N. of dwelling, on SE. side of rd., in root of hickory tree; copper nail....	160. 39
Hickory Grove Church, 2.1 mi. SW. of, 0.5 mi. NE. of junction of State Highway 31, 140 ft. SW. of junction of dim rd. SE., 20 ft. S. of rd., in root of pine tree; copper nail.....	154. 93
From Rosinville northwest along Charleston-Orangeburg road, U. S. Highway 178, into Orangeburg quadrangle (by F. J. McMaugh in 1919)	
Rosinville, 1.0 mi. NW. of, 0.3 mi. SE. of Brown School, 150 ft. SE. of white dwelling on N. side of rd., 50 ft. NE. of T-junction of rd. SW., 20 ft. N. of rd., in root of sweetgum tree; copper nail.....	96. 66
Rosinville, 2.0 mi. NW. of, 0.7 mi. NW. of Brown School, 80 ft. NW. of intersection of NE.-SW. rd., 40 ft. N. of rd., in root of black-gum tree; copper nail.....	99. 63
Rosinville, 2.7 mi. NW. of, 1.2 mi. SE. of Shady Grove Church, at crossing of narrow-gage logging R. R.; top of E. rail.....	104. 6
Shady Grove Church (new building), 50 ft. S. and in line with E. side of, 0.8 mi. SE. of Dorchester-Orangeburg county line, 70 ft. SW. of old church building, 25 ft. N. of rd.; iron post stamped "114".....	113. 285
Shady Grove Church, 1.2 mi. NW. of, 0.4 mi. NW. of Orangeburg-Dorchester county line, on S. side of rd., in root on S. side of pine tree; copper nail.....	113. 23
Shady Grove Church, 2.3 mi. NW. of, 5.3 mi. SE. of Bowman, 30 ft. E. of bridge over Mill Branch, 15 ft. N. of rd., in root of sweetgum tree; copper nail.....	112. 00
Bowman, 3.2 mi. SE. of, 57 ft. NW. of small bridge, about 20 ft. NW. of junction of field rd. SW., on NE. side of rd.; iron post.....	128. 600
Reference mark, 6 ft. SE. of post, on NE. side of rd., in root of water-oak tree in fence line; copper nail.....	128. 56
Bowman, 2.6 mi. SE. of, 200 ft. E. of Smith sawmill, 70 ft. S. of rd., in root of oak tree; copper nail.....	137. 81

Bowman, 1.7 mi. SE. of, 40 ft. E. of center of junction of rd. NE. to Whetsell, in root of oak tree; copper nail.....	<i>Feet</i> 138. 97
Bowman, 0.7 mi. SE. of Branchville & Bowman R. R. sta., 45 ft. E. of T-junction of rd. S. to small church, on N. side of rd., in root of black-gum tree; copper nail.....	132. 69
Bowman, 108 ft. S.52°E. of Knight & Sons store, just N. of sta., about 15 ft. W. of end of track; iron post stamped "Prim Trav Sta No 8 Mac 1918 139".....	138. 639
Bowman, 1.2 mi. NW. of sta., at S. side of wooden bridge over Buck Branch, in floor, 6 ft. NW. of SE. end; copper nail.....	130. 66
Bowman, 1.5 mi. NW. of, about 0.4 mi. NW. of bridge over Buck Branch, on N. side of rd., 140 ft. NE. of dwelling on S. side of rd., in root of black-walnut tree; copper nail.....	143. 59
Bowman, 2.6 mi. NW. of, at Berry farm, 25 ft. N. of rd., in root of hickory tree; copper nail.....	155. 83
Bowman, 3.5 mi. NW. of, 70 ft. S. of bridge, 20 ft. W. of crossroads; iron post stamped "153".....	152. 485
Bowman, 4.5 mi. NW. of, 1.4 mi. SE. of West Middle School, 40 ft. NW. of junction of rd. SW., at sawmill, 40 ft. SE. of gate, in root of water-oak tree; copper nail.....	162. 95
Bowman, 5.6 mi. NW. of, 1,600 ft. SE. of T-junction of rd. NE. at West Middle School, 1.2 mi. SE. of Bethel Church, 140 ft. NW. of junction of field rd. NE., 8 ft. SE. of gateway to yard of cabin, in root of live-oak tree; copper nail.....	168. 49

From point on State Highway 31 between Providence and Mount Olive Schools southwest along roads across Four Hole Swamp and Cow Castle Creek to point on Charleston-Orangeburg road 1.7 miles southeast of Bowman (by F. J. McMaugh in 1919)

Providence School and Church, 1.1 mi. SW. of, at sharp curve in rd., at entrance to yard of dwelling, in base of W. gatepost; copper nail.....	111. 51
Providence School, 1.5 mi. SW. of, about 0.7 mi. NE. of NE. margin of Four Hole Swamp, at sharp curve in rd., in root of large oak tree; copper nail.....	108. 85
Providence School, 3.2 mi. SW. of, 240 ft. W. of westernmost bridge over Four Hole Swamp, 10 ft. S. of angle in rd.; iron post stamped "95".....	94. 672
Reference mark, 70 ft. S. of iron post, in tree; copper nail.....	95. 31
Providence School, 3.9 mi. SW. of, 2.7 mi. NE. of Ebenezer Church, about halfway between Four Hole Swamp and Cow Castle Creek, 300 ft. NW. of dwelling, on S. side of rd., at two mail boxes, in root of tall lone pine tree; copper nail.....	103. 06
Ebenezer Church, 1.9 mi. NE. of, 20 ft. W. of wooden bridge, at crossing of narrow-gage logging R. R.; top of E. rail.....	97. 6
Ebenezer Church, 0.9 mi. E. of, 0.7 mi. W. of Whetsell, 20 ft. NE. of junction of rd. to Whetsell, in top of pine post; copper nail.....	115. 13
Ebenezer Church, 6 ft. W. of NE. corner of; U. S. Dept. Agr. iron post stamped "120.7" (drainage B. M.).....	119. 625
Ebenezer Church, 1.7 mi. W. of, on N. side of rd. at junction of field rd. N., 40 ft. W. of mail box on S. side of rd. at junction of rd. SW.; top of granite boundary stone.....	115. 51

At Parler (by W. W. Mayes in 1934)

Parler, 50 ft. W. of SW. corner of Moorer store, 35 ft. NE. of center line of State Highway 45, 24 ft. S. and 21 ft. W. from center of junction of T-rd. N., in concrete post; standard tablet stamped "T T 12 W 1934"-----	Feet 156. 565
U. S. C. & G. S. standard disk stamped "Q 27 1934"-----	151. 506

BULLS ISLAND QUADRANGLE ,

[Latitude 32°45'-33°00'; longitude 79°30'-79°45']

BERKELEY AND CHARLESTON COUNTIES

From Charleston quadrangle northeast along Georgetown road, U. S. Highway 701, into Awensdaw quadrangle (by H. L. Hudson in 1917; section of line northeast of Freeman plantation leveled twice) ¹⁵

Mount Pleasant, 11.4 mi. NE. of, 5.1 mi. SW. of Freeman plantation, 100 ft. SW. of junction of T-rd. SE., on S. side of rd., in root of 36-in. oak tree; copper nail-----	22. 12
Freeman plantation, 4.2 mi. SW. of, 100 ft. S. of store, about 250 ft. SW. of crossroads, on SE. side of rd., in root of 9-in. oak tree; copper nail-----	22. 68
Freeman plantation, 3.6 mi. SW. of, 38 ft. E. of center line of rd., opposite mail box of C. Whitesides, at entrance to Wando Hunt Club; iron post stamped "23" (recovered by U. S. C. & G. S. in 1933) ¹⁶ -----	25. 098
Freeman plantation, 2.6 mi. SW. of, in W. angle of crossroads, in root of 24-in. pine tree; copper nail and washer-----	25. 00
Freeman plantation, 1.8 mi. S. of, on SE. side of tramway and rd., in root of 12-in. oak tree; copper nail and washer-----	13. 13
Freeman plantation, 0.8 mi. SW. of, in SE. corner of triangle formed by rd. forks, 100 ft. W. of dwelling; iron post stamped "Prim Trav Sta No 1 J 1917 13"-----	13. 436
Freeman plantation, about 400 ft. W. of Freeman dwelling, in root of 24-in. pine tree; copper nail and washer-----	15. 22
Freeman plantation, 1.0 mi. NE. of, 100 ft. SE. of junction of rd. NW., in root of 18-in. pine tree; copper nail and washer-----	19. 25
Freeman plantation, 2.0 mi. NE. of, in front of church, on E. side of rd. at rd. fork, in root of 24-in. maple tree; copper nail and washer-----	20. 25
Freeman plantation, 3.1 mi. NE. of, on E. side of rd., in root of 8-in. maple tree; copper nail and washer-----	19. 04
Freeman plantation, 4.2 mi. NE. of, in front of Eighteen Mile School, 600 ft. W. of milepost 20, in root of 8-in. maple tree; copper nail and washer-----	22. 38
Freeman plantation, 5.3 mi. NE. of, 1,500 ft. E. of dwelling of George W. Union, 200 ft. NE. of milepost marked "Mt. P. 21, McC. 15," 30 ft. E. of crossroads, 8 in. above grade of highway; iron post stamped "21" (recovered by U. S. C. & G. S. in 1933)-----	21. 348

From Freeman plantation generally northwest along Cainhoj road into Charleston quadrangle (by H. L. Hudson in 1917)

Freeman plantation, 1.1 mi. NW. of, 100 ft. W. of junction of rd. N., on S. side of rd., in root of 9-in. oak tree; copper nail and washer-----	5. 23
Freeman plantation, 1.2 mi. NW. of, 400 ft. E. of Wards Bridge over Wando River, on S. side of rd.; iron post stamped "4"-----	5. 217

¹⁵ An excessive error in this line has been corrected by adjustment.

¹⁶ In 1930, this mark was reset at the same elevation.

Freeman plantation, 2.2 mi. NW. of, 2.0 mi. SE. of Guerin Bridge over Guerin Creek, on N. side of rd. at bend, in root of 8-in. oak tree; copper nail and washer-----	Feet 5. 51
---	---------------

CHARLESTON QUADRANGLE

[Latitude 32°45'-33°00'; longitude 79°45'-80°00']

BERKELEY AND CHARLESTON COUNTIES

From Ravenels quadrangle southeast along Atlantic Coast Line Railroad to
Charleston (first-order leveling by C. H. Semper in 1918) ¹⁷

Ashley Junction, 0.5 mi. SE. of, on concrete base of semaphore 3891; chiseled square-----	32. 91
Ashley Junction, 1.3 mi. SE. of, 4.7 mi. N. of union sta. at Charleston, at rd. crossing, 400 ft. N. of milepost 5, in crossing signpost; spike ¹⁸ -----	22. 05
Charleston, 2.7 mi. N. of, at rd. crossing, 400 ft. N. of milepost 3, 22 ft. E. of tracks, 3 ft. N. of rd., 35 ft. W. of car line; iron post stamped "15 1918" ¹⁹ -----	14. 961
Charleston, 0.9 mi. N. of sta., 400 ft. N. of Town Creek Tower, on base of semaphore; chiseled square-----	7. 25
Charleston, on E. side of customhouse, on N. end of bottom step; chiseled cross (U. S. C. E. B. M. designated "Tidal 1")-----	9. 295
Charleston, on E. side of customhouse, in bottom step; standard tablet stamped "9 1918" (recovered by U. S. C. & G. S. in 1933)-----	9. 311

From Charleston northwest along Atlantic Coast Line Railroad into Ravenels
quadrangle (by H. S. Senseney in 1917)

Charleston, 0.8 mi. NW. of union sta., in front of Town Creek Tower, at intersection of Seaboard Air Line Ry.; top of E. rail-----	7. 4
Charleston, 1.2 mi. NW. of sta., 225 ft. E. of sawmill of A. H. Fischer Co., in NW. angle of rd. crossing, on SW. corner of base of warning signal; top of bolt head-----	12. 48
Charleston, 1.6 mi. NW. of sta., at signal tower at Magnolia sta., 15 ft. S. of center line of Magnolia Lane, 57 ft. E. of center line of northbound main track, in root of 30-in. oak tree; copper nail and washer (recovered by U. S. C. & G. S. in 1933)-----	13. 402
Ashley Junction, 5.9 mi. NW. of Charleston, 60 ft. N. of rd. crossing, at Kestler store, on E. side of track, at NW. corner of base of sema- phore; top of bolt head-----	23. 31
Ashley Junction, 0.5 mi. NW. of, in vicinity of Seven Mile, about 300 ft. E. of intersection of Southern Ry., 75 ft. E. of Southern Ry. signal tower, 25 ft. N. of N. rail and 1 ft. higher than top of rail, 15 ft. W. of rd.; iron post stamped "Prim Trav Sta No 15 Mac 1917 25" (recovered by U. S. C. & G. S. in 1933)-----	25. 230

At Mount Pleasant (by C. H. Semper in 1917)

Mount Pleasant, at Von Kolentz cistern, about 3 blocks E. of ferry landing; center of top of N. wall (U. S. C. E. B. M. designated "32")-----	15. 069
Mount Pleasant, 30 ft. S. of Von Kolentz cistern, in root of oak tree; copper nail-----	10. 11

¹⁷ For additional marks previously established by third-order leveling over the same route, see the follow-
ing line by H. S. Senseney.

¹⁸ Reported destroyed prior to 1934.

¹⁹ Reported missing in 1934.

Mount Pleasant, on E. end of Horlbeck breakwater, on top of wall; unmarked point.....	<i>Feet</i> 5. 70
Mount Pleasant, about 1 block W. of ferry landing, at SW. corner of Horlbeck breakwater; top of wall (U. S. C. E. B. M. designated "33").....	5. 455

From Mount Pleasant northeast along Georgetown road, U. S. Highway 701, into Bulls Island quadrangle (by C. W. Stump and H. L. Hudson in 1917)

Mount Pleasant, 54 ft. W. of intersection of Georgetown rd. and Sullivan Island highway, 45 ft. SW. of Daughters of American Revolution memorial to George Washington, 39 ft. S. of center line of rd.; iron post stamped "22" ²⁰	20. 443
Mount Pleasant, 2.2 mi. NE. of E. end of Horlbeck breakwater, 100 ft. S. of cotton gin, in root of large pine tree; nail.....	18. 48
Mount Pleasant, 3.1 mi. NE. of, W. of junction of rd. NW. to Shem Creek, in root of 9-in. elm tree; copper nail and washer.....	17. 24
Mount Pleasant, 4.2 mi. NE. of, near Four Mile School, 200 ft. NE. of Matthews Church, on E. side of rd., in root of 24-in. oak tree; copper nail and washer (recovered by U. S. C. & G. S. in 1933).....	17. 772
Mount Pleasant, 5.4 mi. NE. of, on W. side of rd., at crossroads, in root of 24-in. pine tree; copper nail and washer.....	16. 66
Mount Pleasant, 6.2 mi. NE. of, at Christ Church, 30 ft. W. of SE. corner of cemetery, 6 ft. N. of fence and level with rd.; iron post stamped "21" (recovered by U. S. C. & G. S. in 1933).....	20. 974
Mount Pleasant, 7.1 mi. NE. of, on SE. side of rd., at junction of private rd. SE., in root of 9-in. berry tree; copper nail and washer..	22. 42
Mount Pleasant, 7.7 mi. NE. of, 0.4 mi. SW. of Seven Mile School, at junction of rd. N., in yard of filling sta., 45 ft. SE. of center line of rd., in root on S. side of 30-in. pine tree; copper nail and washer (recovered by U. S. C. & G. S. in 1933).....	23. 944
Mount Pleasant, 8.9 mi. NE. of, in SE. angle of crossroads, in root of 24-in. pine tree; copper nail and washer.....	15. 27
Mount Pleasant, 10.1 mi. NE. of, about 700 ft. SW. of Christ Church Academy, in S. angle of junction of third-class rd. SE.; iron post stamped "24" ²¹	23. 984

From Bulls Island quadrangle northwest along road north of Wando River to junction of McClellanville road, thence southwest along McClellanville and Cainho roads to southwestern extremity of Thomas Island (by H. L. Hudson in 1917)

Guerin Bridge over Guerin Creek, 0.8 mi. SE. of, 1.9 mi. SW. of Wards Bridge over Wando River, on E. side of rd., in root of 9-in. oak tree; copper nail and washer.....	5. 90
Guerin Bridge, 0.5 mi. NW. of, on W. side of rd., in root of 10-in. maple tree; copper nail and washer.....	5. 03
Guerin Bridge, 1.6 mi. NW. of, 5.1 mi. NE. of Cainho, in NW. angle of junction of Mount Pleasant and McClellanville rds., at Berkeley-Charleston county line; iron post stamped "Prim Trav Sta No 52 Mac 1917 28".....	28. 528
Cainho, 3.9 mi. NE. of, in W. angle of crossroads, in root of 8-in. oak tree; copper nail and washer.....	33. 42

²⁰ This post was originally set at an elevation of 21.890 ft. It was reset at the same elevation in 1930 and recovered by the U. S. Coast and Geodetic Survey in 1933. In 1936 it was reset at its present elevation.

²¹ The elevation given for this mark may be 1 ft. low.

Cainhoy, 3.1 mi. NE. of, on SE. side of rd. at junction of rd. W.; iron post stamped "34"-----	Feet 34. 439
Cainhoy, 2.0 mi. NE. of, on SE. side of rd., about 0.3 mi. SW. of crossing of Old House Creek, in root of 12-in. pine tree; copper nail and washer-----	17. 02
Cainhoy, 0.9 mi. NE. of, in NE. angle of rd. junction, in root of 8-in. oak tree; copper nail and washer-----	19. 27
Cainhoy, 50 ft. from building, in NE. angle of junction of rd. NW.; iron post stamped "17"-----	17. 663
Cainhoy, 1.1 mi. SW. of, about 0.5 mi. NE. of St. Paul's Church, 100 ft. W. of dipping vat, on E. side of rd., in root of 12-in. pine tree; copper nail and washer-----	33. 54
Cainhoy, 3.1 mi. SW. of, 0.2 mi. SW. of St. Mark's Hall, S. of junction of rd. NW.; iron post stamped "29"-----	28. 815
Cainhoy, 4.4 mi. SW. of, 280 ft. NE. of crossroads, on NW. side of rd., in root of 12-in. pine tree; copper nail and washer-----	37. 72
Cainhoy, 5.5 mi. SW. of, 1.3 mi. NE. of Mary Ann Church, 150 ft. SW. of crossroads and gate across rd., on SE. side of rd.; iron post stamped "44"-----	44. 179
Mary Ann Church, 0.4 mi. NE. of, 100 ft. SW. of crossroads, on SE. side of Cainhoy rd., in root of 15-in. pine tree; copper nail-----	30. 63
Mary Ann Church, 0.6 mi. S. of, 200 ft. S. of church near NE. end of Thomas Island, on E. side of rd., in root of 24-in. pine tree; copper nail and washer-----	6. 61
Mary Ann Church, 1.5 mi. S. of, at SW. end of Thomas Island, near junction of Beresford and Clouter Creeks, at margin of swamp, 200 ft. S. of dwelling, in root of 20-in. oak tree; copper nail and washer-----	5. 75
From point on Cainhoy road 0.4 mile northeast of Mary Ann Church southeast along roads across Daniel Island to Wando River (by H. L. Hudson in 1917)	
Mary Ann Church, 0.4 mi. NE., thence 1.4 mi. SE. from, 7.9 mi. SW. of Cainhoy, on W. side of Daniel Island, on SW. side of rd. opposite junction of rd. NE., in front of dwelling, in root of 12-in. maple tree; copper nail and washer-----	8. 12
Mary Ann Church, 0.4 mi. NE., thence 2.9 mi. SE. from, on SE. side of Daniel Island, 0.3 mi. SW. of mouth of Ralston Creek, 200 ft. S. of Attnam dwelling, 100 ft. NW. of NW. bank of Wando River; iron post stamped "11"-----	11. 000
From Cainhoy northwest 3 miles to crossroads, thence northeast along Clements Ferry road into Cordesville quadrangle (by H. L. Hudson in 1917; unchecked spur line, partly double-run)	
Cainhoy, 1.1 mi. NW. of, 200 ft. SE. of center of crossroads, on W. side of rd., in root of 14-in. pine tree; copper nail and washer-----	49. 04
Cainhoy, 2.1 NW. of, at rd. fork, in root of 10-in. oak tree; copper nail and washer-----	25. 37
Cainhoy, 2.6 mi. NW. of, in SW. angle of intersection of Clements Ferry rd., 0.3 mi. NE. of crossing of Flag Creek; iron post stamped "36"-----	36. 415
Cainhoy, 3.3 mi. NW. of, in NW. angle of junction of rd. SW., in root of 12-in. pine tree; copper nail and washer-----	34. 90
Cainhoy, 4.3 mi. NW. of, about 100 ft. N. of junction of rd. SW., on W. side of rd., in root of 24-in. pine tree; copper nail-----	19. 00

From Charleston west along Charleston-Savannah road into Ravenels quadrangle (by H. L. Hudson in 1917)

Charleston, 217 N. Rutledge Avenue, on top surface of concrete base around northernmost iron fence post; unmarked point (U. S. C. E. B. M.)	Feet 11. 56
Charleston, 1.9 mi. W. of, near St. Andrews, in SE. angle of junction of Kings rd., in front of garage, in root of live-oak tree; copper nail and washer	12. 80
Charleston, 2.6 mi. W. of, in NW. angle of junction of Albemarle and Old Town rds., at blacksmith shop, in root of 30-in. pine tree; copper nail and washer	10. 22
Charleston, 3.3 mi. W. of, on N. side of junction of rd. SE., in root of 30-in. pine tree; copper nail and washer	12. 39

From point on Charleston-Savannah road near St. Andrews south along Kings road into James Island quadrangle (by H. L. Hudson in 1917)

St. Andrews, 2.1 mi. S. of., on James Island, about 1.2 mi. S. of draw-bridge over Wappoo Creek, 500 ft. W. of rd. fork, in root of 10-in. oak tree; copper nail	10. 61
--	--------

From Cordesville quadrangle near Charity Church south and southeast along roads to Cainhoy, thence northeast along McClellanville road to Berkeley-Charleston county line (by E. B. Williams in 1935)

Cainhoy, 5.2 mi. NW. of, 0.9 mi. S. of store of H. L. Johnson, 2 ft. E. of SE. corner of Charity Church, 90 ft. W. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "L 17 WS 1935"	27. 441
Reference mark, 130 ft. E. of tablet, 40 ft. E. of center line of rd., in root on SW. side of 18-in. pine tree; wire nail and bottle cap	26. 66
Cainhoy, 4.1 mi. NW. of, 200 ft. W. of center line of rd., in root on NE. side of 12-in. tupelo tree; wire nail and bottle cap	24. 90
Cainhoy, 3.1 mi. NW. of, 20 ft. W. of center line of rd., in root on E. side of 8-in. pine tree; wire nail and bottle cap	35. 35
Cainhoy, 2.1 mi. NW. of, about 0.3 mi. SE. of St. Thomas Church, 30 ft. E. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "L 18 WS 1935"	36. 387
Reference mark, 5 ft. S. of tablet, 35 ft. E. of center line of rd., in root on SW. side of 24-in. pine tree; wire nail and bottle cap	35. 79
Cainhoy, 1.1 mi. NW. of, 30 ft. E. of center line of rd., in root on NE. side of 18-in. pine tree; wire nail and bottle cap	47. 95
Cainhoy, 120 ft. W. of junction of rd. S. to Wando River, in root on SE. side of 36-in. oak tree; wire nail and bottle cap	17. 98
Cainhoy, 1.0 mi. NE. of, 40 ft. SW. of junction of woods rd. SE., in 7- by 7-in. concrete post; standard tablet stamped "L 19 WS 1935"	18. 193
Reference mark, 15 ft. NW. of tablet, 20 ft. S. of center line of rd., in root on N. side of 24-in. pine tree; wire nail and bottle cap	18. 10
Cainhoy, 2.0 mi. NE. of, 30 ft. NW. of center line of rd., in root on SW. side of 6-in. oak tree; wire nail and bottle cap	19. 66
Cainhoy, 3.1 mi. NE. of, 20 ft. NW. of center line of rd., in root on SE. side of 18-in. oak tree; wire nail and bottle cap	34. 74
Cainhoy, 4.0 mi. NE. of, 30 ft. E. of junction of private rd. SE., 25 ft. NE. of large gate, in 7- by 7-in. concrete post; standard tablet stamped "L 20 WS 1935"	32. 631

Reference mark, 10 ft. N. of tablet, 20 ft. SE. of center line of rd., in root on NW. side of 8-in. oak tree; wire nail and bottle cap----	<i>Feet</i> 32. 09
Cainhoy, 5.1 mi. NE. of, 30 ft. NW. of center of crossroads, in root on NW. side of 10-in. oak tree; wire nail and bottle-cap-----	28. 64

From Ravenels quadrangle at point about 1.3 miles southwest of Stokes Mill
generally northeast about 1.4 miles along road into Cordesville quadrangle
(by E. B. Williams in 1935; double-run spur line)

Stokes Mill, 1.3 mi. SW., thence 1.0 mi. E. from, about 1 mi. in air line NE. of Liberty Hill Clubhouse, 5 ft. S. of center line of rd., in root on NE. side of 10-in. pine tree; wire nail and bottle cap--	34. 28
--	--------

CHICORA QUADRANGLE

[Latitude 33°15'-33°30'; longitude 80°00'-80°15']

BERKELEY, CLARENDON, ORANGEBURG, AND WILLIAMSBURG COUNTIES

From Summerville quadrangle near Pinopolis northwest along Congaree
road, State Highway 46, to point near Hog Swamp School, thence generally
west along Sandridge-Moneks Corner road into Eutawville quadrangle
(by R. G. Clinite in 1918)

Pinopolis, 2.6 mi. NW. of, about 0.9 mi. SE. of junction of Sandridge- Moneks Corner rd., 0.7 mi. SE. of Hog Swamp School, 60 ft. N. of gate, on S. side of rd. at turn, in root of 18-in. pine tree; copper nail-----	70. 08
Hog Swamp Plantation, about 0.2 mi. N. of Hog Swamp School, at junction of Sandridge-Moneks Corner rd., 140 ft. E. of sawmill, 75 ft. W. of store; iron post stamped "68 1918"-----	67. 959
Hog Swamp Plantation, 1.1 mi. W. of, 2.0 mi. E. of Mission School, on S. side of rd., 300 ft. S. of cabin, in root of 16-in. pine tree; copper nail-----	71. 14
Mission School, 0.3 mi. W. of, 0.9 mi. E. of Chicora, on S. side of rd. at point 250 ft. W. of turn, in root of 20-in. pine tree; copper nail-----	71. 07
Chicora, 0.3 mi. NW. of crossroads, 160 ft. SE. of dwelling of T. A. Weatherford, on N. side of rd., 1 ft. S. of fence; iron post stamped "72 1918"-----	71. 134
Chicora, 2.5 mi. NW. of, 0.6 mi. E. of junction of rd. S. to Calamas Pond, on S. side of rd., 400 ft. E. of curve to NW., in root of 8-in. oak tree; copper nail-----	70. 15
Chicora, 3.0 mi. NW. of, 0.8 mi. E. of Cross School, 20 ft. S. and 80 ft. E. from junction of rd. S. to Calamas Pond, 4 ft. N. of picket fence, at dwelling of I. B. Marshe; iron post stamped "Prim Trav Sta No 68 Mac 1917 77"-----	76. 385
Chicora, 4.1 mi. NW. of, 0.4 mi. W. of Cross School, 0.9 mi. E. of Legare Church, 250 ft. W. of branch, on S. side of rd., in root of 14-in. pine tree; copper nail-----	80. 99
Legare Church, 700 ft. E. of, on N. side of rd. at curve, in root of 22-in. pine tree; copper nail-----	86. 43
Legare Church, 0.9 mi. W. of, on S. side of rd., in root of 14-in. pine tree; copper nail-----	94. 49
Legare Church, 1.7 mi. W. of, 300 ft. W. of mail box of Olive Groom, 10 ft. S. of center line of rd., at edge of woods; iron post stamped "97 1918"-----	96. 287

Legare Church, 2.9 mi. W. of, 0.4 mi. E. of Legare School, 0.8 mi. E. of intersection of New rd., 80 ft. NE. of rd. forks, in root of 24-in. pine tree; copper nail-----	Feet 92. 33
From Eutawville quadrangle near Waner Grove School southeast along Congaree road, State Highway 46, to point 3.5 miles northwest of Prioleau, thence south and southwest along New road and back into Eutawville quadrangle (by H. P. Kilby in 1919)	
Waner Grove School, 2.0 mi. SE. of, 3.5 mi. NW. of Prioleau, 3.2 mi. along New rd. N. of St. Paul's Church, at junction of New rd., 15 ft. S. of rd., in 15-in. pine tree; copper nail-----	87. 54
St. Paul's Church, 2.2 mi. N. of, 1.0 mi. S. of Congaree rd., 40 ft. S. of mail box, 30 ft. W. of rd., in 20-in. pine tree; copper nail----	89. 33
St. Paul's Church, 1.9 mi. N. of, at intersection of NW.-SE. second-class rd., 10 ft. E. of rd., on E. side of box of B. Honnson; iron post stamped "90 1919"-----	89. 252
St. Paul's Church, about 500 ft. NW. of, 1.3 mi. NE. of junction of rd. NW. to Eutawville, at rd. forks, 10 ft. W. of rd., 6 ft. S. of mail box of J. F. Rogers; iron post stamped "Prim Trav Sta No 70 J 1919 92"-----	91. 394
From point 0.5 mile east of Blackoak Church along roads generally southwest to point on Congaree road, State Highway 46, 0.2 mile north of Hog Swamp School (by P. W. McMillen in 1919)	
Blackoak Church, 0.7 mi. by rd. SW. of, 800 ft. S. of junction of T-rd. E., on W. side of rd., in root on N. side of 24-in. pine tree; copper nail and washer-----	46. 83
Blackoak Church, 1.6 mi. S. of, 0.3 mi. N. of Moultrie Canal in Biggin Swamp, 200 ft. S. of junction of second-class rd. NE., on W. side of rd., in root on E. side of 30-in. hickory tree; copper nail and washer-----	39. 67
Blackoak Church, 2.5 mi. S. of, 1.4 mi. E. of Rockaway Church, 0.5 mi. S. of Moultrie Canal, on W. side of rd. at junction of second-class rd. W., in root on E. side of 36-in. pine tree; copper nail and washer-----	32. 90
Rockaway Church, 0.4 mi. along Congaree rd. S. of, 1.1 mi. N. of Hog Swamp School, 0.9 mi. N. of junction of Sandridge-Moncks Corner rd., on S. side of E.-W. rd., 80 ft. W. of intersection, at store building, in root on E. side of 20-in. pine tree; copper nail and washer-----	61. 29
From Hog Swamp School northwest along Congaree road, State Highway 46, to point 3.5 miles southeast of Prioleau (by P. W. McMillen in 1919)	
Rockaway Church, 0.5 mi. NW. of, 0.4 mi. SE. of Ophir Canal in Ferguson Swamp, on W. side of highway, in root of 36-in. oak tree; copper nail-----	43. 97
Rockaway Church, 1.5 mi. NW. of, 1.3 mi. SE. of Emmanuel Church, on N. side of highway, in root on N. side of 12-in. gum tree; copper nail and washer-----	49. 36
Emmanuel Church, 60 ft. NW. of, 1.1 mi. SE. of Jerusalem Church, on S. side of highway, at corner of wire fence; iron post stamped "61.0"-----	60. 995
Jerusalem Church, 200 ft. N. of, on S. side of highway, in root on E. side of 31-in. pine tree; copper nail and washer-----	59. 84

Jerusalem Church, 1.1 mi. NW. of, on N. side of highway, in root on W. side of 16-in. gum tree; copper nail and washer-----	Feet 64.65
Jerusalem Church, 1.9 mi. NW. of, 800 ft. NW. of crossroads, on N. side of highway, in root on S. side of 36-in. pine tree; copper nail and washer-----	70.66
Jerusalem Church, 2.7 mi. NW. of, 3.5 mi. SE. of Prioleau, in SE. angle of crossroads, in line with rd. N., 200 ft. E. of store of W. K. Cross; iron post stamped "Prim Trav Sta No 69 J 1919 84"-----	83.595
From Bonneau quadrangle near Mcbeth northwest along Biggin Church and Blackoak roads to point 0.8 mile northwest of Eadytown, thence northeast and east along River road (State Highway 45) and back into Bonneau quadrangle (by P. W. McMillen in 1919)	
Mcbeth, 3.2 mi. NW. of, 2.2 mi. SE. of Blackoak Church, on E. side of rd., in root on W. side of 14-in. oak tree; spike-----	45.60
Blackoak Church, 1.3 mi. SE. of, in NE. angle of intersection of second-class rd.; iron post stamped "62"-----	61.440
Blackoak Church, 0.5 mi. E. of, in SW. angle of junction of Blackoak and Biggin Church rds., in root on NE. side of 36-in. oak tree; copper nail and washer-----	43.57
Blackoak Church, 0.7 mi. NW. of, 1.0 mi. SE. of Whitebridge School, on E. side of rd., in root on W. side of 26-in. pine tree; copper nail and washer-----	66.14
Blackoak Church, 1.8 mi. NW. of, 300 ft. N. of Whitebridge School, 0.2 mi. S. of Theorent store, on W. side of rd.; iron post stamped "49"-----	49.244
Blackoak Church, 2.9 mi. NW. of, 1.8 mi. SE. of Good Shepherd Church, on E. side of rd., in root on W. side of 24-in. pine tree; copper nail and washer-----	51.91
Good Shepherd Church, 0.6 mi. SE. of, on W. side of rd., in root on E. side of 12-in. oak tree; copper nail and washer-----	61.08
Good Shepherd Church, 0.6 mi. NW. of, 0.8 mi. SE. of Greenhill School, 400 ft. N. of crossing of abandoned Santee Canal, on W. side of rd.; iron post stamped "66"-----	65.933
Good Shepherd Church, 1.6 mi. NW. of, 0.4 mi. NW. of Greenhill School, on E. side of rd., in root on W. side of 24-in. pine tree; copper nail and washer-----	73.68
Good Shepherd Church, 2.8 mi. NW. of, 2.8 mi. E. of cut-off rd. N. in Eadytown, on S. side of rd., in root on N. side of 20-in. pine tree; copper nail and washer-----	78.68
Eadytown, 1.7 mi. E. of, on N. side of rd., in root on S. side of 24-in. gum tree; copper nail and washer-----	80.57
Eadytown, 0.8 mi. E. of, on N. side of rd., in root on S. side of 24-in. pine tree; copper nail and washer-----	84.01
Eadytown, 0.7 mi. W. of, 1.5 mi. SW. of St. Luke's Church, at junction of River rd.; iron post stamped "83"-----	83.066
St. Luke's Church, 600 ft. SW. of, on S. side of River rd., in root on NE. side of 16-in. tree; copper nail and washer-----	70.90
St. Luke's Church, 1.0 mi. NE. of, about 0.4 mi. SW. of abandoned Santee Canal, on N. side of rd., in root on N. side of 24-in. pine tree; copper nail and washer-----	76.80
St. Luke's Church, 2.0 mi. NE. of, 0.4 mi. W. of Bellisle School, on N. side of rd., in root on S. side of 30-in. pine tree; copper nail and washer-----	68.12

St. Luke's Church, 3.2 mi. NE. of, 3.4 mi. NW. of Pineville, 0.8 mi. E. of Bellisle School, on N. side of rd., in root on S. side of 24-in. pine tree; copper nail and washer-----	Feet 79. 53
Pineville, 2.6 mi. NW. of, 0.5 mi. NW. of Redeemer School, about 1 mi. E. of entrance to Belle Isle Plantation, 22 ft. N. and 21 ft. E. from center of junction of second-class T-rd. N. to Oakland Club, in front of dwelling of W. H. Sinkler; iron post stamped "79" (recovered by U. S. C. & G. S. in 1935)-----	79. 229
Pineville, 1.7 mi. NW. of, 0.4 mi. SE. of Redeemer School, on N. side of rd., in root on S. side of 24-in. pine tree; copper nail and washer--	78. 94
Pineville, 0.7 mi. NW. of, on N. side of rd., in root on S. side of 24-in. pine tree; copper nail and washer-----	82. 80
Pineville, about 600 ft. E. of Redeemer Episcopal Church, 200 ft. N. of Presbyterian Church, 16 ft. S. and 25 ft. E. from center of junction of Pineville-Bonneau second-class rd. S.; iron post stamped "Prim Trav Sta No 68 J 1919 83" (recovered by U. S. C. & G. S. in 1935)-----	82. 644
Pineville, 1.0 mi. E. of post office, about 12 mi. W. of St. Stephen, on S. side of rd., in root on N. side of 4-in. gum tree; copper nail and washer-----	80. 73
From point 0.5 mile east of Blackoak Church east along Blackoak road about 1.8 miles with jog into Bonneau quadrangle, thence along second-class roads generally northwest to Pineville (by P. W. McMillen in 1919)	
Blackoak Church, 1.8 mi. E. along Blackoak rd., thence 2.1 mi. N. along second-class rd. from, 0.4 mi. SE. of crossing of Fountain Branch, on W. side of rd., in root on E. side of 36-in. pine tree; copper nail and washer-----	65. 56
Blackoak Church, 1.8 mi. E. along Blackoak rd., thence 3.1 mi. N. along second-class rd. from, 0.2 mi. N. of crossing of Fountain Branch, in NE. angle of rd. forks, at gate; iron post stamped "62"-----	61. 817
Blackoak Church, 2.4 mi. in air line and 5.0 mi. along route NE. of, 7.0 mi. S. of Pineville, 1.6 mi. in air line NE. of Whitebridge School, 0.6 mi. NW. of crossing of Fountain Branch, on W. side of rd., in root on E. side of 24-in. pine tree; copper nail and washer-----	64. 89
Pineville, 5.8 mi. along second-class rd. S. of, on E. side of Warwick Swamp, on W. side of rd., at forks, in root on E. side of 24-in. pine tree; copper nail and washer-----	61. 00
Pineville, 4.8 mi. S. of, 3.7 mi. S. of Crawl School, 200 ft. S. of creek, on W. side of rd., at N. end of cleared field, in root on E. side of 24-in. pine tree; copper nail and washer-----	64. 78
Pineville, 3.5 mi. S. of, 2.4 mi. S. of Crawl School, 1.0 mi. N. of Wood-lawn Plantation, on E. side of rd., at rd. forks; iron post stamped "72"-----	71. 549
Pineville, 2.3 mi. S. of, 1.2 mi. S. of Crawl School, 0.2 mi. N. of Negro settlement, on N. side of rd., in root on S. side of 20-in. pine tree; copper nail and washer-----	77. 62
Pineville, 1.1 mi. S. of, about 500 ft. N. of Crawl School, 250 ft. N. of Jehovah Church, on W. side of rd., in root on NE. side of 24-in. tree; spike-----	75. 55

From point on River road, State Highway 45, 0.8 mile northwest of Eadytown south along road to point on Congaree road, State Highway 46, 3.5 miles south-east of Prileau (by F. J. McMaugh in 1919)

Hickory Hill Church, 130 ft. SE. of, 20 ft. W. of rd., in root of white-oak tree; copper nail-----	Feet 78. 24
Hickory Hill Church and School, about 0.9 mi. S. of, 20 ft. SE. of junction of second-class rd. W., in root of oak tree; copper nail----	80. 73
Hickory Hill Church, 1.3 mi. S. of, 30 ft. E. of crossroads, in pine tree; copper nail-----	85. 59
Hickory Hill Church, 1.3 mi. S. of, in center of grass triangle at cross-roads; iron post stamped "85"-----	84. 799
Hickory Hill Church, 2.4 mi. SE. of, 20 ft. E. of rd., in root of tall pine tree; copper nail-----	82. 52
Hickory Hill Church, 3.5 mi. S. of, 0.8 mi. N. of junction of Congaree rd., 130 ft. SE. of cabin, in root of pine tree; copper nail-----	84. 00

CLARKS HILL QUADRANGLE ²²

[Latitude 33°30'-33°45'; longitude 82°00'-82°15']

AIKEN, EDGEFIELD, AND McCORMICK COUNTIES

From Charleston & Western Carolina Railway bridge over Savannah River at point 0.1 mile south of Woodlawn northwest along railway to Modoc (by L. F. Biggs in 1918)

Woodlawn, 0.1 mi. S. of, in top of N. granite abutment of main steel bridge over Savannah River; U. S. C. E. tablet stamped "22 199 LLW Pulaski USAEC"-----	197. 032
Woodlawn, in front of sta.; top of rail-----	201. 7
Meriwether, 60 ft. S. of sta., 30 ft. W. of track; iron post stamped "339 1918 B" (recovered by U. S. C. & G. S. in 1933) ²³ -----	339. 438
Meriwether, in front of sta.; top of rail-----	331. 4
Clarks Hill, 50 ft. S. of sta., 50 ft. E. of track, in base of 18-in. oak tree scribed "U. S. 452"; copper nail-----	451. 91
Clarks Hill, about 500 ft. NE. of sta., 100 ft. W. of highway, in orchard at top of hill, on concrete block set flush with ground; chiseled square-----	488. 04
Clarks Hill, 0.5 mi. N. of, 100 ft. S. of milepost 24, 20 ft. E. of track, N. of rd. crossing; iron post stamped "420 1918 B" (recovered by U. S. C. & G. S. in 1933)-----	420. 157
Modoc, 0.3 mi. along Charleston & Western Carolina Ry. S. of, 35 ft. N. and 4 ft. E. from crossing of State Highway 20 and sidetrack, 71 ft. E. of center line of highway, 20 ft. E. of track; iron post stamped "405 1918 B" (as reset by S. C. Highway Dept.; recovered by U. S. C. & G. S. in 1933)-----	404. 999

From Savannah River at Gilchrist Ferry northeast along roads by way of Modoc and Millers Crossroads into Parksville quadrangle (by L. F. Biggs in 1918)

Gilchrist Ferry, 150 ft. E. of Savannah River, on S. side of rd., in base of 18-in. tree scribed "U. S. 220"; copper nail-----	219. 49
Gilchrist Ferry, 1.0 mi. NE. of, 1.2 mi. W. of Modoc, at junction of rd. NW., on N. side of rd., in base of 24-in. pine tree; copper nail--	363. 28
Modoc sta., in front of waiting-room door, on top of marble slab; chiseled square-----	401. 43

²² Part of this quadrangle lies in Georgia.

²³ It was reported in 1933 that this mark had been moved during road improvements.

Modoc, 1.0 mi. E. of, at junction of rd. NE., on N. side of rd., in base of 12-in. tree; spike-----	<i>Feet</i> 327. 13
Modoc, 1.5 mi. E. of, at bridge over Stevens Creek; top of SW. concrete pier-----	239. 16
Modoc, 3.6 mi. E. of, on S. side of rd., opposite large white dwelling, in base of large oak tree; copper nail-----	436. 26
Modoc, 4.7 mi. NE. of, 0.6 mi. NW. of Flat Rock School, at junction of rd. SE. across Gundy Creek, 15 ft. NE. of rd.; iron post stamped "Prim Trav Sta No 21 Y 1918 404"-----	403. 956
Modoc, 5.4 mi. NE. of, 2.2 mi. SW. of Millers Crossroads, in front of Flat Rock School; highest point on boulder-----	428. 21
Millers Crossroads, 1.1 mi. SW. of, 1.1 mi. E. of Flat Rock School, in front of large dwelling, in base of 18-in. tree; copper nail-----	480. 74
Millers Crossroads, 4.0 mi. SW. of Antioch, in NW. angle of intersection of Key and Scott Ferry rds., in concrete post; standard tablet not stamped ²⁴ -----	458. 782

From Parksville quadrangle southeast along Five Notch road into Warrenville quadrangle (by L. F. Biggs in 1918)

Antioch, 3.0 mi. SE. of, 0.5 mi. NW. of Cedar Creek, on E. side of rd., in base of 24-in. pine tree scribed "U. S. 365"; spike-----	364. 35
Antioch, 3.8 mi. SE. of, 800 ft. W. of ford across Horn Creek, 35 ft. W. of center of triangle at rd. forks, 55 ft. W. of two mail boxes marked "No 52 C H Mims" and "No 53 W B Butler," 10 ft. N. of center line of rd.; iron post stamped "Prim Trav Sta No 8 Y 1918 271"-----	270. 306

From Millers Crossroads southeast 1.2 miles along Key road, thence along road southwest to Dorn School, thence southeast along Garrett and Martin-town roads to Meriwether Agricultural Hall (by L. F. Biggs in 1918)

Millers Crossroads, 1.2 mi. S. of, 60 ft. SW. of junction of T-rd. SW. to Clarks Hill, in base of 24-in. pine tree scribed "U. S. 432"; spike-----	431. 30
Millers Crossroads, 1.2 mi. S., thence 0.8 mi. SW. from, 2.9 mi. NE. of Dorn School, on S. side of rd. at junction of second-class rd. SE., in base of 24-in. pine tree scribed "U. S. 418"; nail-----	417. 45
Dorn School, 1.6 mi. NE. of, 0.3 mi. SW. of Poplar Springs Church, 3.0 mi. SW. of Millers Crossroads, on E. side of rd., in base of 24-in. pine tree scribed "U. S. 414"; nail-----	413. 90
Dorn School, 0.9 mi. E. of, opposite Dorn farmhouse, on E. side of rd.; iron post stamped "443 1918 B"-----	443. 015
Dorn School, 0.9 mi. SE. of, 2.0 mi. NW. of Cary Hill Church, at junction of rd. NE., in base of 18-in. tree; copper nail-----	369. 07
Cary Hill Church, 1.0 mi. NW. of, on E. side of rd., in base of 12-in. tree scribed "U. S. 310"; copper nail-----	310. 05
Cary Hill Church, 0.4 mi. W. of, 150 ft. SE. of Lloyd Creek, on NE. side of rd., in base of 18-in. tree scribed "U. S. 218"; spike-----	217. 28
Cary Hill Church, 0.9 mi. SE. of, on S. side of rd., opposite junction of T-rd. N.; iron post stamped "387 1918 B"-----	385. 445
Cary Hill Church, 2.2 mi. SE. of, 1.5 mi. NW. of Piney Grove Church, on E. side of rd., at dwelling, in base of 24-in. chinaberry tree scribed "U. S. 324"; copper nail-----	323. 74

²⁴This tablet was set in 1937 to replace an iron post established in 1918 and described as follows: Antioch, 4.0 mi. SW. of, 40 ft. NE. of crossing of Key and Scott Ferry rds.; iron post stamped "460 1918 B" [elevation 459.383 ft.].

	<i>Feet</i>
Horn Creek, under Garrett rd. bridge; surface of water July 11, 1918.....	187. 7
Piney Grove Church, 0.4 mi. E. of, 30 ft. SW. of Y-junction of Martin- town and Garrett rds.; iron post stamped "375 1918 B".....	374. 436
Piney Grove Church, 1.2 mi. SE. of, 2.8 mi. NW. of Shaw and McKie Ferry over Stevens Creek, on W. side of rd., in base of 18-in. pine tree; nail.....	322. 90
Shaver Creek; surface of backwater July 18, 1918.....	183. 5
Shaw and McKie Ferry, 0.2 mi. NE. of, at junction of T-rd. W. to ferry, in root of oak tree scribed "U. S. 231"; copper nail.....	231. 19
Stevens Creek, at Shaw and McKie Ferry; surface of water July 12, 1918.....	183. 5
Meriwether Agricultural Hall, 800 ft. N. of, at junction of Martin- town and Currytown rds.; iron post stamped "Prim Trav Sta No 7 Y 1918 303".....	302. 549

From Stevens Creek at Shaw and McKie Ferry west and northwest by way of
Hopewell Church to Meriwether (by L. F. Biggs in 1918)

Shaw and McKie Ferry, 1.0 mi. W. of, 1.2 mi. NE. of Spring Grove Church, on S. side of rd. at junction of rd. S., in base of 10-in. oak tree scribed "U. S. 313"; nail.....	313. 06
Spring Grove Church, in front of, on N. side of rd.; iron post stamped "365 1918 B".....	365. 079
Spring Grove Church, 1.4 mi. W. of, 3.4 mi. E. of Hopewell Church, on S. side of rd. at junction of T-rd. SE., in base of mail box stand; nail.....	444. 64
Hopewell Church, 1.9 mi. E. of, at junction of second-class rd. NW., in base of 24-in. pine tree scribed "U. S. 330 B. M."; copper nail.....	329. 53
Hopewell Church, 0.5 mi. SE. of, on S. side of rd., W. of drain, in base of 18-in. oak tree scribed "U. S. 216"; spike.....	215. 82
Hopewell Church, 200 ft. N. of, in base of 24-in. oak tree scribed "U. S. 297"; copper nail.....	296. 86
Hopewell Church, 1.0 mi. NW. of, 3.2 mi. SE. of Meriwether, on E. side of rd. at junction of rd. NE., opposite large dwelling; iron post stamped "Prim Trav Sta No 22 Y 1918 548".....	547. 486
Meriwether, 2.1 mi. SE. of, 0.4 mi. SE. of Bethany Church, on N. side of rd. at junction of Y-rd., in base of 18-in. oak tree scribed "U. S. 476"; spike.....	475. 83
Meriwether, 1.0 mi. SE. of, on S. side of rd. at junction of rd. to Clarks Hill, in base of 18-in. oak tree scribed "U. S. 434.2"; copper nail.....	434. 03

From Warrenville quadrangle west along Currytown road to junction with
Martintown road, thence south and southeast and back into Warrenville
quadrangle (by D. S. Birkett in 1918)

Meriwether Agricultural Hall, 0.7 mi. S. of, 0.4 mi. S. of Hardy Church, 1.9 mi. N. of Poverty Hill, on W. side of rd., at top of hill, in front of dwelling of W. H. Briggs, Jr., in root of chinaberry tree; copper nail.....	281. 69
Poverty Hill, 1.1 mi. N. of, 30 ft. SW. of Corley blacksmith shop, in root of mulberry tree; copper nail.....	236. 24
Poverty Hill, 1.1 mi. S. of Corley blacksmith shop, 500 ft. S. of small store, 80 ft. NW. of junction of rd. NE. to Currytown, on W. side of rd.; iron post stamped "376 1918".....	375. 514

Poverty Hill, 0.8 mi. SE. of, 4.8 mi. N. of North Augusta, about 250 ft. S. of gin of H. L. Bunch, on E. side of rd., in root of 36-in. oak tree; copper nail-----	<i>Feet</i> 323. 32
North Augusta, 4.0 mi. N. of, on E. side of rd., at top of high red hill, in root of 24-in. pine tree; copper nail-----	297. 59

At Dry Creek near Ropers Crossroads—a jog from Warrenville quadrangle
(by D. S. Birkett in 1918)

Ropers Crossroads, 1.4 mi. N. of, about 50 ft. NW. of Dry Creek, 20 ft. SE. of rd. fork, in root of small sycamore tree; copper nail----	267. 57
--	---------

From Modoc north along Charleston & Western Carolina Railway into Parksville quadrangle (by C. E. Reick in 1929)

Modoc, 1.1 mi. N. of, 2.9 mi. S. of Parksville, on E. end of concrete culvert; chiseled square-----	378. 58
---	---------

From Parksville quadrangle southeast along Five Notch road to point near Horn Creek, thence northeast into Warrenville quadrangle (by J. J. Sitton, Jr., in 1934)

Antioch Church, 2.3 mi. SE. of, on property of Metropolitan Insurance Co., formerly owned by H. A. Sanders, 100 ft. E. of NE. corner of tenant house, 30 ft. W. of center line of Five Notch rd., in 7- by 7-in. concrete post; standard tablet stamped "SN 10 1934 411"-----	410. 597
Reference mark, 80 ft. N. and 50 ft. E. from tablet, 30 ft. E. of center line of rd., in root on NW. side of 36-in. oak tree; wire nail-----	407. 38
Antioch Church, 3.5 mi. SE. of, 20 ft. W. of center line of Five Notch rd., in root on E. side of 12-in. pine tree; wire nail-----	284. 54

CONWAY QUADRANGLE

[Latitude 33°45'–34°00'; longitude 79°00'–79°15']

HORRY AND MARION COUNTIES

From Oakton quadrangle at Hughs landing on Little Pee Dee River east along road to Jordanville (by W. B. Sykes in 1934)

Jordanville Church, 1.0 mi. SW. of, 150 ft. NE. of tramway crossing, 10 ft. S. of center line of rd., in root on N. side of 8-in. pine tree; wire nail-----	18. 80
---	--------

From Nichols quadrangle at point near Bayboro south along U. S. Highway 701 and county roads to Conway, thence southeast and south along U. S. Highway 117²⁵ by way of Centenary Church into Yauhannah quadrangle (by C. T. Duke in 1934)

[Line jogs into Nixonville quadrangle]

Bayboro, 1.3 mi. along U. S. Highway 701 S. of, 60 ft. W. of center line of highway, in root on N. side of 22-in. gum tree; nail and stopper (S. C. Highway Dept. B. M.)-----	85. 03
Bayboro, 2.5 mi. S. of, 670 ft. S. of dwelling of Coit Bell, 30 ft. E. of center line of highway, in root on W. side of 18-in. pine tree; wire nail-----	99. 34
Bayboro, 3.6 mi. S. of, 1.3 mi. NW. of Adrian, 210 ft. W. of center line of highway, 5 ft. E. of NE. corner of dwelling of Hamp Tompkins, in concrete post; standard tablet stamped "2 DE 1934"-----	70. 581

²⁵ Later numbering designates this as U. S. Highway 501.

Reference mark 1, 33 ft. E. of tablet, 175 ft. W. of center line of highway, in root on E. side of 14-in. crapemyrtle tree; wire nail.....	<i>Feet</i> 69. 92
Reference mark 2, 18 ft. S. and 15 ft. E. from tablet, 185 ft. W. of center line of highway, in root on N. side of 26-in. chinaberry tree; wire nail.....	70. 94
Adrian, 0.5 mi. W. of Atlantic Coast Line R. R. sta. at, 4.4 mi. S. of Bayboro, 500 ft. E. of intersection of U. S. Highway 701 with county rd. from Adrian, 20 ft. E. of center line of county rd., in root on S. side of 12-in. oak tree; wire nail.....	73. 20
U. S. C. & G. S. standard disk stamped "A 15 1933".....	70. 978
Adrian, 1.0 mi. SE. of, 1.5 mi. N. of Maple Church, about 700 ft. S. of S. bridge in Poplar Swamp, 15 ft. E. of center line of farm rd., in root on SW. side of 18-in. pine tree; wire nail.....	44. 75
Adrian, 2.2 mi. SE. of, 0.3 mi. N. of Maple Church, about 600 ft. S. of dwelling of J. Hamp Long, 15 ft. E. of center line of farm rd., in root on SW. side of 18-in. pine tree; wire nail.....	47. 28
Maple Church, 210 ft. W. of W. corner of, 180 ft. S. of S. corner of Maple School, 6.7 mi. NE. of Conway, about 1.5 mi. SE. along R. R. from Allen, in S. angle of crossroads, 20 ft. W. of N.-S. county rd., in concrete post; standard tablet stamped "3 DE 1934".....	45. 807
Reference mark 1, 45 ft. N. and 45 ft. W. from tablet, 40 ft. W. of center line of rd., in root on E. side of 16-in. pine tree; wire nail.....	45. 51
Reference mark 2, 10 ft. S. and 6 ft. W. from tablet, 30 ft. W. of rd., in root on W. side of 18-in. pine tree; wire nail.....	46. 03
Conway, 5.7 mi. NE. of, 600 ft. S. of dwelling of Benny Bell, 15 ft. E. of center line of rd., in root on W. side of 18-in. pine tree; wire nail.....	40. 12
Conway, 4.4 mi. NE. of, 20 ft. S. of center line of rd., in root on W. side of 16-in. pine tree; wire nail.....	24. 83
Conway, 3.4 mi. NE. of, 15 ft. W. of center line of rd., in root on S. side of 14-in. pine tree; wire nail.....	19. 13
Conway, 3.0 mi. NE. of, 85 ft. W. of center line of rd., on property of Tom Borough, 45 ft. S. and 75 ft. E. from SE. corner of dwelling of James Roach, in concrete post; standard tablet stamped "4 DE 1934".....	18. 293
Reference mark 1, 65 ft. N. and 160 ft. E. from tablet, 15 ft. E. of center line of rd., in root on W. side of 12-in. persimmon tree; wire nail.....	19. 37
Reference mark 2, 30 ft. W. of tablet, 115 ft. W. of center line of rd., in root on E. side of 24-in. oak tree; wire nail.....	18. 38
Conway, 2.0 mi. N. of, about 300 ft. S. of bridge over creek in Crab Tree Swamp, 15 ft. W. of center line of rd., in root on E. side of 16-in. gum tree; wire nail.....	7. 42
Conway, 0.9 mi. N. of, 500 ft. S. of Gulf Refining Co. storage plant, 48 ft. W. of center line of Atlantic Coast Line R. R. track, in root on E. side of 12-in. pine tree; wire nail.....	23. 80
U. S. C. & G. S. standard disk stamped "Conway 1933".....	24. 495
Conway, 1.0 mi. E. of, 120 ft. S. of center line of Atlantic Coast Line R. R. track, 150 ft. S. of S. bank of Waccamaw River, 70 ft. S. of center line of U. S. Highway 117, in root on N. side of 28-in. oak tree; wire nail.....	5. 19
Conway, 2.1 mi. SE. of, 170 ft. NW. of junction of U. S. Highway 117 and State Highway 90, 100 ft. W. of center line of Highway 117, 40 ft. W. of center line of track, in root on E. side of 16-in. oak tree; wire nail.....	14. 31

Conway, 3.0 mi. SE. of, 6 ft. S. and 30 ft. E. from SE. corner of Savannah Bluff Church, 0.4 mi. W. of Savannah Bluff School, 195 ft. W. of center line of highway, in concrete post; standard tablet stamped "5 DE 1934"	Feet 43. 689
Reference mark 1, 33 ft. N. and 95 ft. E. from tablet, 100 ft. W. of center line of highway, in root on W. side of 12-in. pine tree; wire nail	43. 41
Reference mark 2, 36 ft. N. and 24 ft. E. from tablet, 57 ft. E. of NE. corner of church, in root on E. side of 16-in. pine tree; wire nail	43. 81
Conway, 3.4 mi. SE. of, 500 ft. W. of Savannah Bluff School, 60 ft. SW. of intersection of highway and county rd. from Cox Ferry to Salem Church, in root on N. side of 18-in. pine tree; wire nail	43. 89
Conway, 4.5 mi. SE. of, 1.1 mi. S. of Savannah Bluff School, 0.9 mi. N. of Centenary Church, 780 ft. N. of fire-observation tower, 20 ft. E. of center line of highway, in root on W. side of 20-in. pine tree; wire nail	38. 94
Conway, 5.6 mi. SE. of, about 0.3 mi. S. of Centenary Church, 30 ft. W. of center line of highway, in root on E. side of 20-in. pine tree; wire nail	42. 92
Conway, 6.0 mi. SE. of, 5.8 mi. N. of Socastee, 0.7 mi. S. of Centenary Church, 55 ft. E. of center line of highway, 7 ft. N. and 13 ft. E. from NW. corner of service sta. of J. H. Johnson, in concrete post; standard tablet stamped "6 DE 1934"	34. 776
Reference mark 1, 36 ft. N. and 10 ft. W. from tablet, 45 ft. E. of center line of highway, in root on W. side of 18-in. pine tree; wire nail	33. 41
Reference mark 2, 6 ft. N. and 15 ft. W. from tablet, 40 ft. E. of center line of highway, in root on N. side of 10-in. hickory tree; wire nail	34. 30
From Nichols quadrangle at point near Bayboro west along roads and U. S. Highway 38 and back into Nichols quadrangle (by C. T. Duke in 1934)	
Bayboro Baptist Church, 1.2 mi. along U. S. Highway 701 W. of, 20 ft. S. of center line of Bayboro-Cools Mill rd., in root on N. side of 16-in. pine tree; wire nail	107. 08
Bayboro Church, 2.2 mi. W. of, 30 ft. S. and 180 ft. E. from center of crossroads, in root on N. side of 12-in. pine tree; wire nail	108. 57
Bayboro Church, 2.8 mi. W. of, 4.3 mi. E. of Cool Springs, about 200 ft. W. of Valley Ford School, 20 ft. N. of center line of county rd., in root on S. side of 14-in. pine tree; wire nail	107. 92
Cool Springs, 3.2 mi. E. of, 20 ft. N. of center line of county rd., in front yard of dwelling of Sam Altman, in root on S. side of 14-in. sycamore tree; wire nail	107. 99
Cool Springs, about 3 mi. NE. of, on SW. side of Cool Springs-Bayboro rd., on property of S. J. Holder, in 7- by 7-in. concrete post; standard tablet stamped "T T 166 SJ 1934"	96. 134
Cool Springs, 2.2 mi. E. of, 35 ft. SE. of crossroads, 25 ft. S. of center line of E.-W. rd., in root on N. side of 10-in. pine tree; wire nail	101. 76
Cool Springs, 1.5 mi. E. of, 175 ft. W. of Y-rd. junction, 15 ft. S. of center line of E.-W. rd., in root on N. side of 12-in. pine tree; wire nail	99. 02
Cool Springs, 0.5 mi. E. of, 20 ft. N. of center line of county rd., in root on S. side of 14-in. pine tree; wire nail	100. 74
Cool Springs, 160 ft. NE. of center line of State Highway 38, 15 ft. NW. of county rd., in root on S. side of 12-in. twin oak tree; wire nail	101. 49

Cool Springs, 3 ft. N. and 2 ft. E. from NW. corner of Atlantic Coast Line R. R. sta., on S. side of State Highway 38; standard tablet stamped "T T 165 SJ 1934"-----	Feet: 101. 627
Cool Springs, 0.6 mi. NW. of, on State Highway 38, 28 ft. from E. corner of concrete bridge over Chinnners Swamp, on NE. end wall; chiseled square-----	68. 04
Cool Springs, 1.5 mi. NW. of, 2.8 mi. SE. of Aynor, in front of burned dwelling of Bud Cannon, 27 ft. N. of center line of highway, in root on S. side of 12-in. pine tree; wire nail-----	96. 26
Aynor, 1.7 mi. SE. of, 140 ft. N. of dwelling of W. J. Parker, 30 ft. N. of center line of highway, in root on S. side of 14-in. oak tree; wire nail-----	87. 48
Aynor, 0.6 mi. SE. of, 25 ft. NE. of center line of highway, in root on S. side of 10-in. hickory tree; wire nail-----	102. 05
From Oakton quadrangle at point about 7 miles northwest of Jordanville generally south along county road to Jordanville, thence southeast along county roads and U. S. Highway 701 to Conway (by C. T. Duke in 1934)	
Jordanville, 6.2 mi. NW. of, 1.1 mi. S. of Red Hill Church, 20 ft. E. of county rd., 200 ft. N. of dwelling of Ima Floyd, in root on S. side of 12-in. oak tree; wire nail-----	58. 01
Jordanville, 4.7 mi. N. of, in SE. angle of junction of rd. SE. to Conway, 40 ft. E. of county rd., 6 ft. S. and 36 ft. W. from NW. corner of dwelling of J. N. Jenkins, in concrete post; standard tablet stamped "16 DE 1934"-----	46. 958
Reference mark 1, 18 ft. N. and 21 ft. W. from tablet, 20 ft. E. of center line of rd., in root on N. side of 20-in. oak tree; wire nail-----	46. 42
Reference mark 2, 30 ft. S. and 27 ft. W. from tablet, 18 ft. E. of center line of rd., in root on NW. side of 20-in. gum tree; wire nail-----	45. 79
Jordanville, 3.5 mi. N. of, 30 ft. E. of center line of rd., in root on E. side of 18-in. gum tree; wire nail-----	50. 58
Jordanville, 2.5 mi. N. of, 15 ft. E. of center line of rd., in root on W. side of 20-in. gum tree; wire nail-----	32. 72
Jordanville, 1.4 mi. N. of, about 150 ft. W. of dwelling of Martha Stevens, 22 ft. E. of center line of rd., in concrete post; standard tablet stamped "17 DE 1934"-----	35. 241
Reference mark 1, 10 ft. N. and 10 ft. W. from tablet, 14 ft. E. of center line of rd., in root on NW. side of 20-in. pine tree; wire nail-----	34. 67
Reference mark 2, 14 ft. S. and 7 ft. W. from tablet, 14 ft. E. of center line of rd., in root on NW. side of 20-in. pine tree; wire nail-----	34. 97
Jordanville, 800 ft. N. of Atkinson store, 150 ft. N. of Y-rd. forks, 20 ft. E. of center line of rd., in root on E. side of 12-in. chinaberry tree; wire nail-----	30. 55
Jordanville, 0.5 mi. S. of Atkinson store at, 135 ft. N. of Jordanville Methodist Church, 35 ft. S. of rd. E. to Conway, in root on N. side of 12-in. gum tree; wire nail-----	30. 49
Jordanville, 1.8 mi. SE. of, 1 ft. N. and 5 ft. E. from NE. corner of High Point Church, 50 ft. S. of center line of rd., in concrete post; standard tablet stamped "18 DE 1934"-----	74. 607
Reference mark 1, 8 ft. N. and 63 ft. E. from tablet, 15 ft. S. of center line of rd., in root on N. side of 12-in. pine tree; wire nail-----	74. 34
Reference mark 2, 6 ft. N. and 75 ft. E. from tablet, 15 ft. S. of center line of rd., in root on S. side of 16-in. pine tree; wire nail-----	74. 52

Jordanville, 2.8 mi. SE. of, 1.0 mi. E. of High Point Church, 15 ft. N. of center line of rd., 10 ft. S. of barn, in root on SW. side of 14-in. oak tree; wire nail.....	<i>Feet</i> 67. 61
Jordanville, 4.0 mi. SE. of, 100 ft. N. of T-rd. junction, 15 ft. E. of center line of rd., in root on W. side of 16-in. pine tree; wire nail.....	41. 69
Jordanville, 4.4 mi. SE. of, 170 ft. E. of Y-rd. fork, 25 ft. N. of center line of rd., in root on W. side of 14-in. pine tree; wire nail.....	44. 74
Jordanville, 5.0 mi. SE. of, 3.4 mi. W. of Four Mile School at Mary, 42 ft. N. of center line of rd., 32 ft. S. and 5 ft. E. from SE. corner of dwelling of Lewis Jordan, in concrete post; standard tablet stamped "19 DE 1934".....	57. 815
Reference mark 1, 25 ft. S. and 6 ft. W. from tablet, 18 ft. N. of center line of rd., in root on S. side of 10-in. hickory tree; wire nail.....	56. 84
Reference mark 2, 45 ft. W. of tablet, 40 ft. N. of center line of rd., in root on E. side of 16-in. oak tree; wire nail.....	56. 94
Mary, 2.5 mi. W. of, 20 ft. W. of center line of rd., in root on N. side of 12-in. pine tree; wire nail.....	61. 48
Mary, 1.6 mi. W. of, 500 ft. W. of dwelling of Jim Jordan, 20 ft. S. of center line of rd., in root on N. side of 10-in. oak tree; wire nail.....	55. 14
Mary, 0.5 mi. W. of, 85 ft. N. of center line of rd., 5 ft. S. and 6 ft. W. from SW. corner of dwelling of Roy Sessions, in concrete post; standard tablet stamped "20 DE 1934".....	41. 665
Reference mark 1, 50 ft. S. and 35 ft. E. from tablet, 32 ft. N. of center line of rd., in root on S. side of 10-in. oak tree; wire nail.....	40. 92
Reference mark 2, 70 ft. S. and 50 ft. E. from tablet, 15 ft. N. of center line of rd., in root on S. side of 14-in. oak tree; wire nail.....	40. 61
Mary, 0.6 mi. SE. of Four Mile School at, 330 ft. SE. of dwelling of John Sessions, 15 ft. W. of center line of rd., in root on N. side of 12-in. pine tree; wire nail.....	34. 22
Mary, 1.0 mi. SE., thence 0.6 mi. NE. from, 0.6 mi. NE. of El Bethel Church, 20 ft. N. of center line of rd., in root on S. side of 14-in. pine tree; wire nail.....	38. 06
El Bethel Church, 1.8 mi. NE. of, 3.1 mi. NW. of Conway, 0.5 mi. E. of dwelling of H. H. Lee, 20 ft. S. and 28 ft. W. from crossroads, in concrete post; standard tablet stamped "21 DE 1934".....	33. 897
Reference mark 1, 6 ft. N. and 14 ft. E. from tablet, 20 ft. S. of crossroads, in root on N. side of 20-in. pine tree; wire nail.....	33. 53
Reference mark 2, 10 ft. S. and 200 ft. E. from tablet, 200 ft. E. of crossroads, in root on N. side of 14-in. pine tree; wire nail.....	34. 00
Conway, 2.3 mi. along U. S. Highway 701 NW. of, 0.6 mi. N. of bridge over Crab Tree Swamp, 30 ft. S. and 20 ft. W. from center of highway intersection, in root on N. side of 16-in. pine tree; wire nail.....	20. 10
Conway, 1.4 mi. NW. of, 100 ft. W. of North Conway service sta. of Standard Oil Co., 20 ft. W. of center line of highway, in root on N. side of 30-in. oak tree; wire nail.....	23. 58
From Jordanville southeast along county road into Yauhannah quadrangle at point about 2 miles southeast of Pawley Swamp School (by C. T. Duke in 1934)	
Jordanville, 1.5 mi. SE. of Jordanville Methodist Church, in NE. angle of junction of T-rd., 20 ft. E. of center line of rd., in root on W. side of 14-in. pine tree; wire nail.....	42. 97
Jordanville, 2.8 mi. SE. of, 1,400 ft. S. of bridge over main stream in Brown Swamp, 35 ft. E. of center line of rd., in root on W. side of 16-in. pecan tree; wire nail.....	45. 34

Jordanville, 3.8 mi. SE. of, 15 ft. N. and 55 ft. E. from NE. corner of dwelling of J. S. Todd, in concrete post; standard tablet stamped "22 DE 1934 63"-----	Feet 62. 554
Reference mark 1, 4 ft. N. and 55 ft. E. from tablet, 21 ft. W. of center line of rd., in root on N. side of 16-in. elm tree, 3 ft. from tree; wire nail-----	62. 82
Reference mark 2, 27 ft. S. and 55 ft. E. from tablet, 25 ft. W. of center line of rd., in root on W. side of 12-in. elm tree, 3 ft. from tree; wire nail-----	63. 91
Jordanville, 4.3 mi. SE. of, 2.5 mi. W. of Cedar Grove Church at Forney, at store of Ernest Johnson, 48 ft. S. and 30 ft. E. from crossroads, in root on SW. side of 14-in. oak tree; wire nail-----	45. 42
Jordanville, 5.4 mi. SE. of, 5.1 mi. NW. of Pawley Swamp School, 20 ft. E. of center line of rd., in front yard of dwelling, in root on SW. side of 16-in. elm tree; wire nail-----	60. 84
Pawley Swamp School, 4.1 mi. NW. of, 1.5 mi. N. of bridge over Hunting Swamp, 15 ft. W. of center line of rd., in root on E. side of 8-in. gum tree; wire nail-----	38. 22
Pawley Swamp School, 3.7 mi. NW. of, 40 ft. S. and 60 ft. W. from SW. corner of dwelling of J. F. Hendrick, 85 ft. E. of center line of rd., in concrete post; standard tablet stamped "23 DE 1934"-----	43. 077
Reference mark 1, 55 ft. N. and 70 ft. W. from tablet, 15 ft. E. of center line of rd., in root on S. side of 14-in. oak tree, 3 ft. from tree; wire nail-----	42. 86
Reference mark 2, 20 ft. N. and 70 ft. W. from tablet, 15 ft. E. of center line of rd., in root on W. side of 10-in. oak tree; wire nail---	42. 30
Pawley Swamp School, 2.5 mi. NW. of, 325 ft. S. of S. end of bridge in Hunting Swamp, 12 ft. W. of center line of rd., in root on E. side of 18-in. pine tree; wire nail-----	14. 70
Pawley Swamp School, 1.4 mi. NW. of, 150 ft. S. of junction of T-rd. E., 15 ft. W. of center line of rd., in root on SE. side of 18-in. oak tree; wire nail-----	18. 26
Pawley Swamp School, 0.2 mi. N. of, 3.5 mi. E. of Punch Pole Landing on Little Pee Dee River, 43 ft. E. of center line of rd., 6 ft. N. of NW. corner of dwelling of Mack Miller, in concrete post; standard tablet stamped "24 DE 1934 21"-----	20. 860
Reference mark 1, 24 ft. S. and 18 ft. W. from tablet, 25 ft. E. of center line of rd., in root on E. side of 32-in. oak tree; wire nail---	20. 28
Reference mark 2, 30 ft. S. and 28 ft. W. from tablet, 15 ft. E. of center line of rd., in root on SW. side of 32-in. oak tree; wire nail--	18. 53
Pawley Swamp School, 0.8 mi. SE. of, 220 ft. W. of dwelling of H. B. Brown, 15 ft. S. of center line of rd., in root on N. side of 20-in. gum tree; wire nail-----	18. 49
Pawley Swamp School, 1.6 mi. SE. of, 55 ft. S. and 45 ft. E. from junction of rd. NE. to Greenwood Church and Conway, 22 ft. S. of center line of rd., in root on W. side of 12-in. gum tree; wire nail-----	25. 96

From point 4.3 miles southeast of Jordanville southeast and southwest along roads to point about 2 miles southwest of Greenwood Church (by C. T. Duke in 1934)

Jordanville, 5.5 mi. SE. of, 0.5 mi. SE. of Juniper Bay School, 15 ft. E. of center line of county rd., in root on W. side of 24-in. pine tree; wire nail-----	63. 63
--	--------

Juniper Bay School, 1.7 mi. SE. of, 1.4 mi. NW. of Cedar Grove School, 20 ft. W. of center line of rd., in root on N. side of 16-in. pine tree; wire nail-----	Feet 48. 38
Cedar Grove School, 0.7 mi. NW. of, 20 ft. NE. of NE. corner of dwelling of R. O. Jordan, in root on E. side of 14-in. chinaberry tree; wire nail-----	40. 89
Cedar Grove School, 6 ft. S. of S. end of steps of, 100 ft. E. of center line of rd., in concrete post; standard tablet stamped "11 DE 1934 37"-----	36. 249
Reference mark 1, 30 ft. N. and 90 ft. W. from tablet, 50 ft. E. of center line of rd., in root on E. side of 12-in. oak tree; wire nail---	35. 89
Reference mark 2, 33 ft. S. and 75 ft. W. from tablet, 15 ft. E. of center line of rd., in root on E. side of 20-in. pine tree; wire nail---	36. 18.
Cedar Grove School, 1.1 mi. W. of crossroads SE. of, about 2 mi. E. of Cedar Grove Church at Forney, 0.5 mi. W. of store of Noah Skipper, 40 ft. S. of center line of rd., in root on N. side of 16-in. pine tree; wire nail-----	33. 57
Forney, 1.8 mi. E., thence 0.4 mi. S. from, 0.7 mi. W., thence 0.4 mi. S. from Skipper store, 4.1 mi. NW. of Evergreen School, 20 ft. E. of center line of rd., in root on S. side of 14-in. pine tree; wire nail---	30. 79
Evergreen School, 3.3 mi. NW. of, 5 ft. N. and 3 ft. W. from NW. corner of dwelling of H. C. Hughes, in concrete post; standard tablet stamped "12 DE 1934 39"-----	38. 301
Reference mark 1, 55 ft. N. and 65 ft. W. from tablet, 33 ft. W. of center line of rd., in root on NE. side of 20-in. oak tree; wire nail---	36. 70
Reference mark 2, 180 ft. N. and 20 ft. W. from tablet, 14 ft. W. of center line of rd., in root on E. side of 18-in. oak tree; wire nail---	37. 61
Evergreen School, 2.4 mi. NW. of, 600 ft. S. of dwelling of Furman Thompkins, 15 ft. W. of center line of rd., in root on E. side of 8-in. pine tree; wire nail-----	33. 77
Evergreen School, 1.5 mi. NW. of, 70 ft. S. of center line of rd. from Conway to Punch Hole Landing, in root on W. side of 16-in. pine tree; wire nail-----	38. 71
Evergreen School, 0.4 mi. NW. of, 18 ft. NE. of center line of rd., in root on W. side of 14-in. pine tree; wire nail-----	46. 13
Evergreen School, 0.8 mi. SW. of, 1.0 mi. NE. of Greenwood Church, 40 ft. N. of junction of driveway to dwelling on H. H. Woodward chicken farm, in concrete post; standard tablet stamped "13 DE 1934 57"-----	56. 324
Reference mark 1, 85 ft. S. and 45 ft. W. from tablet, 20 ft. S. of center line of rd., in root on N. side of 16-in. pine tree; wire nail---	55. 54
Reference mark 2, 150 ft. S. and 120 ft. W. from tablet, 20 ft. S. of center line of rd., in root on N. side of 18-in. pine tree; wire nail---	55. 60
Greenwood Church, 600 ft. NE. of, 15 ft. S. of center line of rd., in root on N. side of 12-in. pine tree; wire nail-----	54. 05
Greenwood Church, 0.9 mi. SW. of, 15 ft. S. of center line of rd., in root on S. side of 12-in. pine tree; wire nail-----	48. 80
Greenwood Church, 1.8 mi. SW. of, about 10 mi. SW. of Conway, 20 ft. E. of center line of rd., in root on E. side of 16-in. pine tree; wire nail-----	28. 62

From Conway northeast along county road into Nixonville quadrangle (by C. T. Duke in 1934)

Conway, 0.9 mi. NE. of, at old Civilian Conservation Corps camp, 30 ft. E. of center line of rd., in root on W. side of 72-in. oak tree; wire nail.....	Feet 14. 37
Conway, 2.0 mi. NE. of, 2.8 mi. SW. of Fairtraid, about 350 ft. NW. of Y-rd. forks, 20 ft. SE. of center line of rd., in root on W. side of 12-in. pine tree; wire nail.....	22. 62

From point 0.6 mile northwest of Cool Springs north along road into Nichols quadrangle (by J. H. Goddard in 1934)

Cool Springs, 0.7 mi. NW., thence 1.0 mi. N. from, along county rd. to Sandy Bluff bridge, 100 ft. E. of frame dwelling of L. J. Carroll, in root on E. side of 20-in. oak tree; wire nail.....	96. 72
---	--------

CORDESVILLE QUADRANGLE

[Latitude 33°00'-33°15'; longitude 79°45'-80°00']

BERKELEY COUNTY

From Bonneau quadrangle southwest along Atlantic Coast Line Railroad into Summerville quadrangle (first-order leveling by C. H. Semper in 1918)

McBeth, 1.8 mi. SW. of, 400 ft. S. of milepost 34, on W. side of track, on concrete base of semaphore; chiseled square.....	48. 04
McBeth, 2.7 mi. SW. of, 90 ft. N. of milepost C 33, on S. abutment of bridge; chiseled square.....	20. 72
McBeth, 2.7 mi. SW. of, 89 ft. N. of milepost C 33, at bridge over Santee Canal, 4 ft. W. of W. rail of E. track, 5 ft. E. of E. rail of W. track, 3 ft. S. of S. edge of S. abutment of bridge; iron post stamped "22 1918".....	21. 952
McBeth, 3.9 mi. SW. of, 600 ft. S. of milepost 32, on W. side of track, on concrete base of semaphore; chiseled square.....	27. 90
McBeth, 4.9 mi. SW. of, 0.8 mi. NE. of Moncks Corner, 600 ft. S. of milepost C 31, on W. side of track, on concrete base of semaphore; chiseled square.....	43. 94

From Summerville quadrangle northeast along Seaboard Air Line Railway into Awensdaw quadrangle (by R. G. Clinite, C. H. Semper, and F. L. Shalibo in 1917)

Pine Grove flag sta., 2.5 mi. SW. of, 2.8 mi. N. of Poppenheim Crossing, 0.6 mi. S. of Stokes Mill, 50 ft. W. of track, in root of 18-in. pine tree; copper nail.....	27. 73
Pine Grove flag sta., 1.9 mi. SW. of, at Stokes Mill, in NW. angle of intersection of Seaboard Air Line Ry. and Buxton Lumber Co. R. R.; iron post stamped "34".....	33. 787
Pine Grove flag sta., 10 ft. N. and 25 ft. W. from rd. crossing; iron post stamped "Prim Trav Sta No 28 Mac 1917 29".....	28. 605
Kittredge, at rd. crossing; top of rail.....	21. 8
Kittredge, 1.3 mi. NE. of, directly opposite sign reading "Drawbridge 1 mile," 40 ft. W. of track; iron post stamped "8" (recovered in 1935).....	8. 253
Kittredge, 2.3 mi. NE. of, at drawspan of trestle over West Branch of Cooper River; top of rail.....	12. 1

Kittredge, 2.4 mi. NE. of, 3.7 mi. SW. of Cordesville sta., 465 ft. E. of trestle over West Branch of Cooper River, 100 ft. S. of rail, in root of large poplar tree; rail spike-----	Feet 16. 56
Cordesville, 1.8 mi. SW. of sta., 0.4 mi. S. of milepost 142, 15 ft. S. and 35 ft. W. from rd. crossing; iron post stamped "48"-----	48. 057
Cordesville sta., 25 ft. S. and 95 ft. W. from rd. crossing, about 50 ft. NW. of center line of track, near right-of-way line; iron post stamped "Prim Trav Sta No 27 Mac 1917 54" (recovered in 1935)-----	53. 918
Cordesville, 4.2 mi. NE. of sta., 3.0 mi. SW. of Betheria, 510 ft. N. of N. tank signpost, 40 ft. W. of track; iron post stamped "59" (recovered in 1935)-----	58. 808
Betheria, in front of sta.; top of rail-----	52. 0
Betheria, 140 ft. E. of sta., 18 ft. N. of track, 20 ft. W. of rd.; iron post stamped "Prim Trav Sta No 26 Mac 1917 56" ²⁶ -----	56. 220
From Charleston quadrangle at point about 6 miles north of Cainhoy north 1 mile along Clements Ferry road (by H. L. Hudson in 1917; unchecked spur line)	
Cainhoy (Wando), 5.8 mi. NW. of, on E. side of rd., in root of 18-in. pine tree; copper nail and washer-----	25. 99
Cainhoy, 6.6 mi. NW. of, on E. side of rd., 700 ft. N. of store, in root of 8-in. pine tree; copper nail and washer-----	18. 72
From Summerville quadrangle near Moncks Corner alternately northeast and southeast along roads by way of Wadboo Bridge over West Branch of Cooper River and Frend Windham Place to Betheria (by F. J. McMaugh in 1919; leveled twice)	
[Line jogs into Bonneau quadrangle]	
Moncks Corner, 0.9 mi. NE. of Atlantic Coast Line R. R. sta., 70 ft. W. of Grace Chapel, 10 ft. E. of rd., in root of oak tree; copper nail-----	47. 10
Moncks Corner, 2.1 mi. NE. of, 250 ft. N. of gate, 20 ft. W. of rd., in root of oak tree; copper nail-----	32. 03
Moncks Corner, 2.9 mi. N. of, 1.4 mi. NW. of Wadboo Bridge, 100 ft. E. of old Biggin Church, in churchyard, in Y-rd. fork; iron post stamped "Prim Trav Sta No 70 Mac 1917 37"-----	38. 073
Wadboo Bridge, 0.4 mi. NW. of, at junction of second-class rd. S., 20 ft. S. of center line of rd., in root of 10-in. oak tree; copper nail-----	5. 49
Wadboo Bridge, at NW. abutment; top of NE. corner-----	8. 13
Wadboo Bridge, 1.7 mi. NE. of, 6 ft. S. of gate across rd., 10 ft. W. of rd.; iron post stamped "37 1919"-----	38. 712
Wadboo Bridge, 2.7 mi. NE. of, 2.4 mi. along second-class rd. N. of Cordesville, 30 ft. E. of rd., 5 ft. SW. of horse shed, in 15-in. pine tree used as corner post in fence; copper nail-----	34. 40
Wadboo Bridge, 3.8 mi. NE. of, 1.0 mi. SW. of Frend Windham Place, 10 ft. W. of rd., opposite gate to field, in root of 12-in. pine tree; copper nail-----	34. 98
Frend Windham Place, at Kane Gully, 100 ft. E. of dwelling, 30 ft. W. of rd. near fence, near dipping vat; iron post stamped "36 1919"-----	37. 588
Frend Windham Place, 1.0 mi. NE. of, 650 ft. SW. of schoolhouse, 30 ft. E. of bridge, 8 ft. E. of rd., in root of pine tree; copper nail--	36. 21

²⁶ It was reported in 1934 that this post had been reset. Its elevation at the new position is 53.951 ft.

Bethera, 4.5 mi. NW. of, 1.6 mi. SE. of bridge over Whiskinboo Creek, 30 ft. N. of rd., 7 ft. N. of small bridge, 500 ft. S. of dwelling; iron post stamped "40 1919"-----	<i>Feet</i> 40. 808
Bethera, 3.4 mi. NW. of, 5 ft. S. of rd., in S. side of pine tree; copper nail-----	40. 50
Bethera, 2.4 mi. NW. of, 4 ft. S. of rd., in pine tree; copper nail-----	45. 10
Bethera, 1.9 mi. NW. of, in angle of crossroads; iron post stamped "54 1919"-----	54. 836
Bethera, 120 ft. N. of Seaboard Air Line Ry. sta., at rd. crossing; top of rail-----	52. 6

From Awensdaw quadrangle near Eccles Church northwest along road to Bethera (by J. J. Sitten, Jr., in 1934)

Eccles Church, 30 ft. E. of SE. corner of, 6.5 mi. SE. of Bethera, 40 ft. NW. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "SN 39 1934 31"-----	31. 410
Reference mark, 50 ft. S. and 30 ft. W. from tablet, 50 ft. S. of SE. corner of church, in root on N. side of 10-in. hickory tree; wire nail and washer-----	31. 04
Eccles Church, 1.1 mi. NW. of, 20 ft. E. of center line of rd., in root on W. side of 18-in. pine tree; wire nail and washer-----	32. 06
Eccles Church, 2.0 mi. NW. of, 40 ft. W. of center line of rd., in root on N. side of 12-in. pine tree; wire nail and washer-----	33. 67
Eccles Church, 3.0 mi. NW. of, 3.6 mi. SE. of Bethera, 20 ft. W. of center line of rd., in root on E. side of 18-in. water-oak tree; wire nail and washer-----	30. 75
Bethera, 2.6 mi. SE. of, 50 ft. W. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "SN 40 1934 26"-----	27. 015
Reference mark, 4 ft. S. and 25 ft. W. from tablet, 20 ft. W. of center line of rd., in root on E. side of 18-in. water-oak tree; wire nail and washer-----	26. 69
Bethera, 1.5 mi. SE. of, 20 ft. N. of center line of rd., in root on S. side of 12-in. water-oak tree; wire nail and washer-----	29. 72
Bethera, 0.6 mi. SE. of, 15 ft. W. of center line of rd., in root on E. side of 24-in. pine tree; wire nail and washer-----	46. 92

From Frend Windham Place along roads southwest and south 3.8 miles to point 1 mile north of Cordesville, thence southeast along Three Mile Head road to Seaboard Air Line Railway, thence northeast to Witherbee station (by E. B. Williams in 1935; leveled twice)

Frend Windham Place, 1.0 mi. SW. of, 40 ft. NW. of center line of rd., in root on S. side of 18-in. pine tree; nail and washer-----	35. 17
Frend Windham Place, 2.2 mi. SW. of, 30 ft. SE. of center line of rd., in root on W. side of 8-in. oak tree; nail and bottle cap-----	30. 99
Frend Windham Place, 3.2 mi. SW. of, 50 ft. W. of center line of rd., in root on E. side of 8-in. pine tree; nail and bottle cap-----	23. 38
Frend Windham Place, 3.8 mi. SW. of, 5.4 mi. NW. of Witherbee, 1.0 mi. N. of Cordesville, 160 ft. E. of intersection of Three Mile Head rd., 5 ft. N. of fence post at NW. corner of property of Frank Windham, in 7- by 7-in. concrete post; standard tablet stamped "L 23 WS 1934"-----	41. 654
Reference mark 1, 20 ft. E. of tablet, 180 ft. E. of intersection, in root on N. side of 24-in. oak tree; nail and bottle cap-----	41. 17
Reference mark 2, 60 ft. E. of tablet, in root on W. side of 8-in. oak tree; nail and bottle cap-----	41. 02

Witherbee, 4.4 mi. NW. of, 15 ft. S. of rd., in root on N. side of 20-in. pine tree; nail and bottle cap-----	<i>Feet</i> 31. 92
Witherbee, 3.4 mi. NW. of, 20 ft. S. of center line of rd., in root on NW. side of 20-in. pine tree; nail and bottle cap-----	47. 79
Witherbee, 2.8 mi. NW. of, 30 ft. S. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "L 10 WS 1935"-----	60. 737
Reference mark, 40 ft. W. of tablet, 15 ft. S. of center line of rd., in root on NW. side of 8-in. pine tree; nail and bottle cap-----	60. 42
Witherbee, 2.3 mi. NW. of, 20 ft. N. of center line of rd., in root on S. side of 15-in. pine tree; wire nail and bottle cap-----	47. 63
Witherbee, 1.2 mi. W. of, 20 ft. S. of center line of rd., in root on N. side of 10-in. oak tree; wire nail and bottle cap-----	59. 52
U. S. C. & G. S. standard disk stamped "BK 8"-----	58. 811

From Stokes Mill on Seaboard Air Line Railway southwest 1.3 miles along railway, thence generally northeast along roads to point on Soney plantation about 1 mile west of Back River (by E. B. Williams in 1935; double-run spur line)

[Line jogs into Summerville, Ravenels, and Charleston quadrangles]

Stokes Mill, 1.3 mi. SW., thence 2.9 mi. NE. from, 5 ft. N. of center line of rd., at small stream, in root on SW. side of 15-in. gum tree; wire nail-----	23. 66
Stokes Mill, 1.3 mi. SW., thence 3.3 mi. NE. from, about 1 mi. W. of Back River, 15 ft. S. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "L 26 WS 1935"-----	33. 564
Reference mark, 10 ft. N. of tablet, 5 ft. S. of center line of rd., in root on N. side of 12-in. pine tree; wire nail-----	32. 78

From Summerville quadrangle about 1.5 miles west of Promised Land Church east along Strawberry road to point 3.1 miles northeast of Pine Grove (by E. B. Williams in 1935)

Promised Land Church, 1.4 mi. W. of, 2.0 mi. by rd. E. of Strawberry, in root on NW. side of 20-in. pine tree; wire nail and bottle cap-----	27. 46
Promised Land Church, 2 ft. N. of NE. corner of, 75 ft. S. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "L 11 WS 1935"-----	13. 331
Reference mark, 40 ft. NE. of tablet, 30 ft. S. of center line of rd., in root on W. side of 20-in. hickory tree; wire nail and bottle cap-----	13. 47
Promised Land Church, 1.1 mi. NE. of, 30 ft. S. of center line of rd., in root on N. side of 30-in. oak tree; wire nail and bottle cap-----	4. 86

From Cordesville flag station on Seaboard Air Line Railway generally east along roads to Eccles Church (by E. B. Williams in 1935)

Cordesville, 1.0 mi. SE. of sta., at entrance to Bonneau Ferry plantation, 30 ft. N. of center line of rd., in root on SW. side of 18-in. pine tree; wire nail and bottle cap-----	41. 02
Cordesville, 1.0 mi. SE., thence 1.1 mi. E. from sta., 60 ft. N. of center line of rd., in root on S. side of 8-in. pine tree; wire nail and bottle cap-----	28. 01
Cordesville, 1.0 mi. SE., thence 2.2 mi. E. from sta., about 200 ft. S. of dwelling of James Borden, 45 ft. N. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "L 12 WS 1935"-----	25. 724
Reference mark, 12 ft. E. of tablet, 45 ft. N. of center line of rd., in root on S. side of 24-in. pine tree; wire nail and bottle cap-----	24. 88

Cordesville, 1.0 mi. SE., thence 3.3 mi. NE. from sta., 4.8 mi. NW. of Eccles Church, 25 ft. S. of center line of rd., in root on E. side of 18-in. oak tree; wire nail and bottle cap-----	<i>Feet</i> 23. 82
Eccles Church, 0.5 mi. NW., thence 3.1 mi. W. from, about 1,300 ft. S. of Huger Bridge over East Branch of Cooper River, 30 ft. W. of junction of T-rd. E., in 7- by 7-in. concrete post; standard tablet stamped "L 13 WS 1935"-----	25. 817
Reference mark, 10 ft. N. of tablet, 30 ft. W. of junction of T-rd. E., in root on SE. side of 18-in. oak tree; wire nail and bottle cap-----	25. 76
Eccles Church, 0.5 mi. NW., thence 2.6 mi. W. from, 15 ft. N. of center line of rd., in root on W. side of 18-in. pine tree; wire nail and bottle cap-----	25. 55
Eccles Church, 0.5 mi. NW., thence 1.6 mi. W. from, 15 ft. N. of center line of rd., in root on SE. side of 15-in. pine tree; wire nail and bottle cap-----	30. 88
Eccles Church, 0.5 mi. NW., thence 0.5 mi. W. from, 30 ft. S. of center line of rd., in root on SW. side of 18-in. oak tree; wire nail and bottle cap-----	25. 10
From Eccles Church southwest along road by way of Huger to Zion Church, thence south into Charleston quadrangle (by E. B. Williams in 1935)	
Eccles Church, 1.1 mi. SW. of, 30 ft. S. of center line of rd., in root on NW. side of 18-in. pine tree; wire nail and bottle cap-----	32. 55
Eccles Church, 2.2 mi. SW. of, 40 ft. SE. of center line of rd., in root on NW. side of 10-in. gum tree; wire nail and bottle cap-----	32. 69
Eccles Church, 3.2 mi. SW. of, 20 ft. S. of center line of rd., in root on NE. side of 18-in. pine tree; wire nail and bottle cap-----	28. 97
Eccles Church, 3.7 mi. SW. of, 1.5 mi. NE. of Huger, 1.0 mi. NE. of New Hope Church, 0.2 mi. NE. of bridge over Quimby Creek, 160 ft. NE. of general merchandise store of G. D. McKnight, 110 ft. E. of crossroads, in 7- by 7-in. concrete post; standard tablet stamped "L 14 WS 1935"-----	32. 331
Reference mark, 10 ft. N. of tablet, 20 ft. SE. of center line of rd., in root on W. side of 24-in. pine tree; wire nail and bottle cap-----	32. 20
Huger, 0.5 mi. NE. of, 200 ft. W. of New Hope Church, 20 ft. N. of center line of rd., in root on SW. side of 24-in. gum tree; wire nail and bottle cap-----	30. 21
Huger, 0.7 mi. SW. of, 40 ft. W. of junction of rd. NW. to Pompein Hill Chapel, 20 ft. W. of chapel signpost, in 7- by 7-in. concrete post; standard tablet stamped "L 15 WS 1935"-----	29. 325
Reference mark, 60 ft. SW. of tablet, 30 ft. SE. of center line of rd., in root on N. side of 24-in. pine tree; wire nail and bottle cap-----	28. 75
Huger, 1.7 mi. SW. of, 1.5 mi. NE. of Zion Church, 20 ft. W. of center line of rd., in root on E. side of 24-in. twin oak tree; wire nail and bottle cap-----	33. 71
Zion Church, 0.4 mi. NE. of, 20 ft. E. of center line of rd., in root on W. side of 8-in. pine tree; wire nail and bottle cap-----	33. 64
Zion Church, 0.7 mi. S. of, 100 ft. S. of large wire gate, 35 ft. W. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "L 16 WS 1935"-----	33. 013
Reference mark, 15 ft. E. of tablet, 20 ft. W. of center line of rd., in root on SW. side of 18-in. pine tree; wire nail and bottle cap-----	32. 76
Zion Church, 1.7 mi. S. of, 120 ft. SW. of bridge over French Quarter Creek, 15 ft. W. of center line of rd., in root on S. side of 24-in. cypress tree; wire nail and bottle cap-----	4. 80

Zion Church, 3.0 mi. S. of, 400 ft. N. of store of H. L. Johnson, 20 ft. W. of center line of rd., in root on E. side of 24-in. pine tree; wire nail and bottle cap-----	Feet 24. 69
--	----------------

From Awensdaw quadrangle about 2.3 miles southeast of Northampton School northwest along road to point 1.5 miles northeast of Huger (by E. B. Williams in 1935)

Northampton School, 2.1 mi. SE. of, 20 ft. NE. of center line of rd., in root on W. side of 22-in. pine tree; wire nail and bottle cap-----	33. 58
Northampton School, 1.0 mi. SE. of, about 700 ft. N. of small creek, 40 ft. W. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "L 23 WS 1935"-----	37. 467
Reference mark, 10 ft. S. of tablet, 40 ft. W. of center line of rd., in root on E. side of 18-in. pine tree; wire nail and bottle cap-----	36. 98.
Northampton School, 600 ft. NW. of, 20 ft. NE. of center line of rd., in root on NE. side of 18-in. pine tree; wire nail and bottle cap---	39. 28
Northampton School, 1.2 mi. NW. of, 20 ft. NE. of center line of rd., in root on S. side of 10-in. sycamore tree; wire nail and bottle cap-----	33. 00
Northampton School, 2.3 mi. NW. of, 1.5 mi. NE., thence 0.5 mi. SE. from Huger, 0.5 mi. SE. of store of G. D. McKnight, 10 ft. N. of center line of rd., in root on S. side of 24-in. pine tree; wire nail and bottle cap-----	30. 98

From Witherbee southeast along road to point about 3.5 miles east of Cordesville station on Seaboard Air Line Railway (by E. B. Williams in 1935)

Witherbee post office, 0.2 mi. SE. of, at Civilian Conservation Corps Camp F-3, 30 ft. NE. of center line of rd., in root on S. side of 12-in. pine tree; wire nail and bottle cap-----	50. 77
Witherbee, 1.3 mi. SE. of, 25 ft. S. of center line of rd., in root on N. side of 8-in. pine tree; wire nail and bottle cap-----	30. 21
Witherbee, 2.4 mi. SE. of, 20 ft. E. of center line of rd., in root on W. side of 30-in. white-oak tree; wire nail and bottle cap-----	16. 20

From point 1 mile southeast of Cordesville station on Seaboard Air Line Railway south along road to East Branch of Cooper River (by E. B. Williams in 1935; double-run spur line)

Cordesville sta., 2.0 mi. S. of, along private rd. to G. A. Ellis plantation, 280 ft. S. of junction of rd. SE., 45 ft. E. of center line of rd., in root on SW. side of 12-in. pine tree; wire nail and bottle cap---	32. 84
Cordesville sta., 3.1 mi. S. of, 40 ft. NW. of center line of rd., in root on SW. side of 12-in. pine tree; wire nail and bottle cap-----	27. 81
Cordesville sta., 3.6 mi. S., thence 0.5 mi. W. from, 20 ft. SW. of center of crossroads, in 7- by 7-in. concrete post; standard tablet stamped "L 24 WS 1935"-----	32. 008
Reference mark, 60 ft. NE. of tablet, 40 ft. NE. of center of crossroads, in root on W. side of 24-in. twin gum tree; wire nail and bottle cap--	32. 71
Cordesville sta., 4.7 mi. SW. of, about 400 ft. NE. of small summer dwelling on N. bank of East Branch of Cooper River, in root on E. side of 18-in. hackberry tree; wire nail and bottle cap-----	5. 51

From store of H. L. Johnson at point about 3 miles south of Zion Church west along road to Mooreland landing on Cooper River (by E. B. Williams in 1935; double-run spur line)

Mooreland landing, 2.2 mi. E. of, 1.0 mi. W. of store of H. L. Johnson, 100 ft. S. of center line of rd., in root on NE. side of 30-in. pine tree; wire nail and bottle cap.....	<i>Feet</i> 36. 99
Mooreland landing, 1.1 mi. E. of, 5 ft. N. of center line of rd., in root on NW. side of 10-in. pine tree; wire nail and bottle cap.....	34. 41
Mooreland landing, 45 ft. N. of center line of rd. at, in 7- by 7-in. concrete post; standard tablet stamped "L 25 WS 1935".....	5. 915
Reference mark, 40 ft. S. of tablet, 5 ft. N. of center line of rd., in root on NE. side of 24-in. oak tree; wire nail and bottle cap.....	6. 73

COTTAGEVILLE QUADRANGLE

Latitude 32°45'-33°00'; longitude 80°15'-80°30'

CHARLESTON, COLLETON, AND DORCHESTER COUNTIES

From Ravenels quadrangle west along Atlantic Coast Line Railroad into Walterboro quadrangle (by H. S. Senseney and R. G. Clinite in 1917)

Adams Run, near sta., 6.2 mi. W. of Ravenels, 30 ft. N. and 30 ft. E. from rd. crossing, in root of tree; copper nail and washer.....	30. 80
Adams Run, in front of sta.; top of N. rail.....	31. 9
Adams Run, 70 ft. N. and 120 ft. E. from sta.; iron post stamped "32 1918" (recovered by U. S. C. & G. S. in 1933).....	31. 775
Adams Run, 1.1 mi. W. of, 1.7 mi. E. of Parkers Ferry, 150 ft. S. of track, 60 ft. N. of rd., in base of 36-in. pine tree; spike.....	18. 14
Parkers Ferry, in front of sta.; top of rail.....	22. 2
Parkers Ferry, at crossing of Williston rd., 65 ft. S. of track, 15 ft. W. of center line of rd., at fence corner; iron post stamped "Prim Trav Sta No 45 Mac 1917 19" (recovered by U. S. C. & G. S. in 1933).....	19. 022
Parkers Ferry, 1.2 mi. W. of, 1.0 mi. E. of Pon Pon, on N. side of track, in root of 20-in. pine tree; spike.....	7. 69
Pon Pon, in front of sta.; top of rail.....	13. 5
Pon Pon, 140 ft. W. of sta., on corner of concrete base of semaphore; chiseled square.....	12. 75
Edisto River, at R. R. bridge; surface of water at 3:30 p. m. Aug. 25, 1917.....	2. 8
Jacksonboro, in front of sta.; top of rail.....	18. 5
Jacksonboro, 50 ft. N. and 150 ft. E. from sta.; iron post stamped "Prim Trav Sta No 7 Mac 1917 18" (as reset by U. S. C. & G. S. in 1933).....	18. 150
Jacksonboro, 2.6 mi. W. of, in front of stop signal at Edash sawmill; top of rail.....	13. 6

From Walterboro quadrangle about 3 miles east of Round O along road east and southeast to Cottageville, thence northeast to Redoak Corners, thence northwest along road west of Big Bay Swamp into Ridgeville quadrangle (by F. L. Shalibo in 1917)

Cottageville, 1.0 mi. NW. of, 3.3 mi. E. of Round O post office, on S. side of rd. opposite T-rd. N., in root of large tree; copper nail.....	47. 16
Cottageville, at SW. corner of public school; iron post stamped "Prim Trav Sta No 41 Mac 1917".....	51. 480
Cottageville, 1.0 mi. NE. of, on N. side of rd., in root of 10-in. pine tree; copper nail.....	48. 24

Cottageville, 1.6 mi. NE. of, in SW. angle of rd. fork, in root of 10-in. pine tree; copper nail.....	Feet 48. 13
Cottageville, 2.5 mi. NE. of, at Redoak Corners, in E. angle of cross-roads, in front of building; iron post stamped "54".....	54. 174
Redoak Corners, 1.0 mi. N. of, about 0.7 mi. SE. of Redoak School, on E. side of rd. at junction of rd. SW., in root of 20-in. beech tree; copper nail.....	39. 58
Redoak Corners, 1.7 mi. N. of, near Redoak School, 100 ft. N. of church, on W. side of rd. at junction of T-rd. SW., in root of 18-in. pine tree; copper nail.....	48. 25

From Redoak Corners northeast and north along roads west of Edisto River into Ridgeville quadrangle (by F. L. Shalibo in 1917; single-spur line)

Redoak Corners, 1.1 mi. NE. of, 3.6 mi. NE. of Cottageville, 0.8 mi. SW. of crossing of Sandy Run, 10 ft. S. of center line of rd., W. of cabin, in root of 15-in. pine tree; copper nail.....	32. 96
Redoak Corners, 2.1 mi. NE. of, 180 ft. N. of junction of rd. to Edisto River, on W. side of rd., in root of 16-in. pine tree, 3 ft. from base; copper nail.....	31. 25

From Cottageville along roads generally south by way of Gloverville and Burnt Church Crossroads to Jacksonboro station on Atlantic Coast Line Railroad (by F. L. Shalibo in 1917 and 1918)

[Line jogs into Walterboro quadrangle]

Cottageville, 1.0 mi. SW. of, 300 ft. W. of church, on S. side of rd., in root of 18-in. pine tree; copper nail.....	41. 05
Cottageville, 3.6 mi. SW. of, 0.5 mi. SE. of Gloverville School, on E. side of rd., in front of farmhouse, in root of sycamore tree; copper nail.....	42. 37
Gloverville School, 1.7 mi. SE. of, at S. margin of swamp near Baptist Church Branch, on W. side of rd., in root of large tree; copper nail.....	15. 71
Gloverville School, 2.5 mi. SE. of, 4.5 mi. N. of Burnt Church Crossroads, in NW. angle of Irons Crossroads; iron post stamped "35".....	34. 667
Burnt Church Crossroads, 3.4 mi. N. of, N. of St. John's Swamp, 150 ft. S. of junction of rd. E., on E. side of rd., in front of farmhouse, in root of 18-in. oak tree; copper nail.....	21. 89
Burnt Church Crossroads, 2.3 mi. N. of, at N. margin of swamp, 15 ft. E. of rd., in root of 24-in. beech tree; copper nail.....	20. 80
Burnt Church Crossroads, 1.6 mi. N. of, 0.6 mi. N. of Trinity School, in SE. angle of junction of rd. to farmhouse, 1 ft. from fence; iron post stamped "22".....	22. 519
Burnt Church Crossroads, 0.7 mi. N. of, 0.5 mi. S. of Trinity School, on E. side of rd., in root of large tree; copper nail.....	25. 86
Burnt Church Crossroads, 1.0 mi. SE. of, 3.1 mi. NW. of Jacksonboro sta., in NW. angle of junction of Charleston-Savannah rd., between two large pine trees; iron post stamped "33".....	32. 738
Jacksonboro, 2.1 mi. NW. of sta., on W. side of rd., in root of large pine tree; copper nail.....	33. 36
Jacksonboro, 1.1 mi. NW. of sta., 250 ft. NW. of junction of rd. SW., on NE. side of rd., in root of small tree; copper nail.....	31. 31

From Ridgeville quadrangle southwest along Rehoboth School-Wesley Church road into Walterboro quadrangle (by F. L. Shalibo in 1917)

Rehoboth School, 0.5 mi. SW. of, 2.8 mi. NE. of Wesley Church, 3.1 mi. NE. of Rickenbocker, 20 ft. S. of rd. at junction of second- class rd. SE., near farmhouse, 15 ft. W. of fence corner; iron post stamped "72"-----	Feet 71. 726
--	-----------------

From Cottageville southeast along road to Sullivans Ferry Crossroads, thence south along Willtown road to Parkers Ferry station on Atlantic Coast Line Railroad (by F. L. Shalibo in 1917)

Cottageville, 0.9 mi. SE. of, on N. side of rd., in front of dwelling of I. R. Reeves, in root of 10-in. pine tree; copper nail-----	51. 77
Cottageville, 2.2 mi. SE. of, about 0.1 mi. SE. of Sandhill School, in NW. angle of junction of rd. NW.; iron post stamped "60"-----	59. 949
Cottageville, 3.3 mi. SE. of, about 1.5 mi. NW. of Sullivans Ferry across Edisto River, in SW. angle of junction of rd. S., in root of 6-in. gum tree; copper nail-----	28. 48
Sullivans Ferry, 0.4 mi. NW. of, 200 ft. W. of rd. fork, on S. side of rd., in root of 6-in. pine tree; copper nail-----	23. 99
Sullivans Ferry, 50 ft. from W. bank of Edisto River, on E. side of rd., in root of 10-in. oak tree; copper nail-----	18. 52
Sullivans Ferry Crossroads, 0.4 mi. W. of, 1.0 mi. SE. of Sullivans Ferry, on N. side of rd., in root of 6-in. oak tree; copper nail-----	18. 12
Sullivans Ferry Crossroads, near, 1.4 mi. SE. of Sullivans Ferry, 60 ft. N. of intersection of second-class rd., 15 ft. W. of Willtown rd.; iron post stamped "Prim Trav Sta No 44 Mac 1917 25"-----	25. 150
Sullivans Ferry Crossroads, 1.2 mi. S. of, 0.4 mi. S. of Sullivans Church, on E. side of rd., in root of 6-in. oak tree; copper nail-----	18. 83
Sullivans Ferry Crossroads, 2.1 mi. S. of, 1.4 mi. N. of Parkers Ferry Crossroads, in SE. angle of junction of T-rd. E., in root of 10-in. oak tree; copper nail-----	16. 55
Sullivans Ferry Crossroads, 3.5 mi. S. of, 0.9 mi. E. of Parkers Ferry landing on Edisto River, in NE. angle of Parkers Ferry crossroads, at Dorchester-Charleston county line; iron post stamped "20"-----	19. 310
Sullivans Ferry Crossroads, 4.6 mi. S. of, 5.7 mi. N. of Parkers Ferry sta., 600 ft. S. of junction of rd. E. to farmhouse, 10 ft. W. of center line of rd., in root of 14-in. pine tree; copper nail-----	13. 32
Parkers Ferry sta., 4.7 mi. NW. of, 50 ft. N. of junction of rd. to farmhouse, on W. side of rd.; copper nail-----	15. 81
Parkers Ferry sta., 3.6 mi. NW. of, 0.2 mi. SE. of Fishburn landing on Edisto River, in center of triangle formed by junction of second- class rd. W.; iron post stamped "18"-----	17. 905
Parkers Ferry sta., 2.9 mi. N. of, 250 ft. S. of junction of rd. to dwelling of H. B. Perry, on E. side of rd., in root of 10-in. pine tree; copper nail-----	25. 55
Parkers Ferry sta., 1.9 mi. N. of, 400 ft. S. of Parkers Ferry School, on W. side of rd., in root of 20-in. oak tree; copper nail-----	15. 48

From Sullivans Ferry Crossroads north along Edisto River road to point 2 miles south of Givhans Bridge, thence east along road to junction with Beech Hill road (by F. L. Shalibo in 1917)

[Line jogs into Ridgeville quadrangle]

Sullivans Ferry Crossroads, 1.0 mi. N. of, on W. side of rd., in root of 8-in. oak tree; copper nail-----	28. 18
--	--------

Sullivans Ferry Crossroads, 2.0 mi. N. of, at edge of rd., in root of 8-in. oak tree; copper nail.....	<i>Feet</i> 31. 62
Sullivans Ferry Crossroads, 2.0 mi. N. of, 15 ft. W. of center line of rd.; iron post stamped "34".....	33. 399
Sullivans Ferry Crossroads, 4.0 mi. N. of, 20 ft. E. of junction of rd. SW. to Kelsey Cove landing, in root of 16-in. pine tree; copper nail...	32. 16
Sullivans Ferry Crossroads, 5.1 mi. N. of, 1.2 mi. NW. of Beech Hill School, at junction of rd. NW. to Norman landing on Edisto River, in root of 8-in. oak tree; copper nail.....	47. 88
Sullivans Ferry Crossroads, 6.1 mi. N. of, 2.6 mi. SE. of Givhans Bridge, 1.2 mi. in air line NE. of Norman landing, in front of Banister dwelling, 15 ft. W. of rd.; iron post stamped "55".....	54. 274
Sullivans Ferry Crossroads, 7.5 mi. NE. of, 2.2 mi. SW. of Givhans, 0.7 mi. E. of Edisto River rd., on N. side of second-class rd., 150 ft. E. of farmhouse, in root of 18-in. pine tree; copper nail.....	63. 83
Givhans, 1.5 mi. along Beech Hill rd. SW. of, in NW. angle of junction of T-rd. W.; iron post stamped "58".....	57. 792

From Ridgeville quadrangle southeast and east along roads by way of Coachmans Corners into Ravenels quadrangle (by F. L. Shalibo in 1917)

Givhans, 2.3 mi. SE. of, on E. side of rd., 700 ft. S. of farmhouse, at N. margin of swamp, in root; copper nail.....	48. 30
Coachmans Corners, 1.0 mi. N. of, 3.2 mi. SE. of Givhans, 20 ft. W. of rd., in front of farmhouse, in root of 24-in. pine tree; copper nail...	48. 55
Coachmans Corners, 4.2 mi. SE. of Givhans, in triangle formed by junction of rd. W.; iron post stamped "Prim Trav Sta No 56 Mac 1917 40".....	39. 516
Coachmans Corners, 1.1 mi. SE. of, in triangle formed by junction of second-class rd. SW., in root of small pine tree; copper nail....	19. 42
Coachmans Corners, 2.3 mi. E. of, 1.2 mi. W. of Blands Bridge over Ashley River, 30 ft. S. of rd., in root of 15-in. pine tree; copper nail...	16. 03
Blands Bridge over Ashley River, 40 ft. NE. of, 30 ft. W. of rd., 7 ft. from telephone pole; iron post stamped "14".....	13. 842

From Ravenels quadrangle near Ravenels northwest along road to Deleamar Crossroads, thence northeast along Bacon Bridge road and back into Ravenels quadrangle (by H. L. Hudson in 1917)

Ravenels, 1.1 mi. NW. of, 100 ft. N. of rd. junction, on NE. side of rd., in root of 15-in. pine tree; copper nail and washer.....	42. 99
Ravenels, 1.8 mi. NW. of, 0.4 mi. SE. of Stono Church, in SW. angle of intersection of Charleston-Savannah rd., in root of 10-in. pine tree; copper nail.....	44. 82
Stono Church, 1.2 mi. NW. of, 1.3 mi. SE. of Warren Crossroads, at N. margin of Caw Caw Swamp, on W. side of rd., in root of 10-in. oak tree; copper nail and washer.....	10. 90
Warren Crossroads, 0.4 mi. SE. of, 75 ft. N. of bridge, on W. side of rd., in hollow, in root of 15-in. pine tree; copper nail and washer....	22. 86
Warren Crossroads, 0.5 mi. SE. of Warren School, 150 ft. S. of store; iron post stamped "34".....	33. 851
Warren Crossroads, 0.5 mi. NW. of, near Warren School, 1.0 mi. SE. of Dorham Crossroads, on N. side of rd., at abandoned church, in root of 20-in. oak tree; copper nail and washer.....	39. 30

Dorham Crossroads, 0.6 mi. SE. of Delemar Crossroads, 0.4 mi. SE. of Dwight School, at Dorchester-Charleston county line, in NW. angle of intersection of Charleston rd., 200 ft. W. of store, in root of 24-in. oak tree; copper nail and washer.....	<i>Feet</i> 28. 25
Delemar Crossroads, 15 ft. W. of intersection, 175 ft. W. of Carroll dwelling; iron post stamped "Prim Trav Sta No 46 Mac 1917 28".....	27. 544
Delemar Crossroads, 1.5 mi. along Bacon Bridge rd. NE. of, on NW. side of rd. at junction of second-class rd. SE., in root of 24-in. cedar tree; copper nail and washer.....	31. 43
Delemar Crossroads, 3.0 mi. NE. of, in NW. angle of junction of second-class rd. NW., 200 ft. N. of log house, in root of 8-in. pine tree; copper nail and washer.....	25. 92
Delemar Crossroads, 3.5 mi. NE. of, at foot of hill, in N. angle of intersection of second-class rd., in root of 12-in. oak tree; copper nail and washer.....	14. 00

CUMMINGS QUADRANGLE

[Latitude 32°45'-33°00'; longitude 80°45'-81°00']

COLLETON AND HAMPTON COUNTIES

From Walterboro quadrangle at point about 6.2 miles southwest of Walterboro southwest along road 0.8 mile, thence southeast 1.1 miles and back into Walterboro quadrangle (by F. L. Shalibo in 1917)

Caney Branch School, 0.6 mi. S. of, 6.7 mi. NW. of Hendersonville, about 7 mi. SW. of Walterboro, at sawmill and dwelling of Frank Thompson, 1 ft. W. of SW. corner of picket fence around yard of dwelling; iron post stamped "Prime Trav Sta No 39 Mac 1917 86".....	85. 861
--	---------

From Varnville quadrangle north of Moselle Swamp east and southeast along road by way of Bells Crossroads into Walterboro quadrangle (by D. S. Birkett in 1918)

Moselle, 2.0 mi. NE. of, 3.3 mi. W. of Crosson Crossroads, about 1.2 mi. E. of Wymans School, at crossing of Hampton & Branchville R. R., 100 ft. E. of milepost 11, on S. side of rd., at fence corner; iron post stamped "117 1918" (recovered by U. S. C. & G. S. in 1935).....	116. 621
Crosson Crossroads, 2.3 mi. W. of, 1.0 mi. E. of R. R. crossing, on S. side of rd., at edge of grove of trees, in root of 18-in. oak tree; copper nail.....	108. 88
Crosson Crossroads, 1.6 mi. W. of, 40 ft. NE. of crossroads, in root of oak tree; copper nail.....	101. 16
Crosson Crossroads, 0.5 mi. W. of, on N. side of rd., in root of oak tree; copper nail.....	74. 74
Crosson Crossroads, at group of mail boxes; iron post stamped "78 1918".....	77. 858
Crosson Crossroads, 0.9 mi. E. of, 2.6 mi. W. of Stevens Crossroads, 400 ft. SE. of dwelling of L. McMillan, 8 ft. S. of rd., in root of persimmon tree; copper nail.....	74. 69
Stevens Crossroads, 1.2 mi. W. of, on N. side of rd., near Caldwell dwelling, about 500 ft. E. of gin, in root of large white-oak tree; copper nail.....	71. 17
Stevens Crossroads, 30 ft. SW. of, at fence corner; iron post stamped "75 1918".....	74. 275

Stevens Crossroads, 0.4 mi. SE. of, 1.8 mi. NW. of Bells Crossroads, 0.4 mi. W. of Little Salkehatchie River, at crossing of logging R. R. of Cypress Lumber Co.; top of rail.....	Feet 54. 7
Bells Crossroads, 0.9 mi. NW. of, 0.5 mi. SE. of Little Salkehatchie River, 0.2 mi. W. of church, in front of dwelling on property of Able Bennett, on S. side of rd., in root of oak tree; copper nail....	77. 13
Bells Crossroads, 30 ft. NE. of, at fence corner; iron post stamped "80 1918".....	79. 999
Bells Crossroads, 1.0 mi. SE. of, in front of Little Rock School, on N. side of rd., in root of pine tree; copper nail.....	75. 10
Bells Crossroads, 2.2 mi. SE. of, 150 ft. W. of junction of dim rd. N., on N. side of rd. at bend, in root of small pine tree; copper nail....	77. 72
Bells Crossroads, 3.2 mi. SE. of, 1.1 mi. NW. of Tabor School, on S. side of rd. at junction of private rd. N., 30 ft. E. of mail box of B. A. Hemdon, in root of small pine tree; copper nail.....	82. 36
Tabor School, 500 ft. S. of, on N. side of rd., at fence corner; iron post stamped "86 1918".....	85. 582
Tabor School, 1.1 mi. SE. of, 0.2 mi. E. of old store, S. of dwelling, in root of oak tree; copper nail.....	84. 46
Tabor School, 1.8 mi. SE. of, 1.5 mi. W. of Doctors Creek Church, 0.2 mi. E. of crossing of Perry Creek, in root of small gum tree; nail.....	70. 05

From Bells Crossroads generally south along road east of Little Salkehatchie River, old Columbia-Savannah road, into Yemassee quadrangle (by D. S. Birkett in 1918)

Bells Crossroads, 1.1 mi. S. of, opposite cabin, on E. side of rd., in root of oak tree; copper nail.....	74. 96
Bells Crossroads, 2.1 mi. S. of, 0.9 mi. N. of Bethel School, 500 ft. SE. of dwelling, on E. side of rd., in root of large pine tree; copper nail.....	74. 90
Bells Crossroads, 3.0 mi. S. of, about 600 ft. N. of Bethel School, 400 ft. NE. of Bethel Church, on E. side of rd. at junction of T-rd. E., at corner of picket fence; iron post stamped "78 1918".....	77. 366
Bells Crossroads, 4.0 mi. S. of, 1.4 mi. N. of Indian Creek Church, on W. side of rd. at junction of T-rd. E., in root of persimmon tree; copper nail.....	83. 90
Bells Crossroads, 5.9 mi. S. of, 0.5 mi. S. of Indian Creek Church, 0.6 mi. N. of Sniders Crossroads, on W. side of rd. opposite junction of T-rd. E., in root of large pine tree; copper nail.....	73. 44
Sniders Crossroads, in NW. corner of field; iron post stamped "70 1918".....	70. 033
Sniders Crossroads, 0.9 mi. S. of, 1.2 mi. N. of Shiloh Church, 0.2 mi. S. of Paggett's store, 30 ft. E. of rd., in front of dwelling, in root of oak tree; copper nail.....	71. 97
Sniders Crossroads, 2.1 mi. S. of, 150 ft. SE. of Shiloh Church, on E. side of rd., in root of oak tree; copper nail.....	76. 21
Sniders Crossroads, 4.2 mi. S. of, near Marys Church, at junction of rd. SE. to Hendersonville, 100 ft. NE. of old Garvin School; iron post stamped "92 1918".....	92. 550
Marys Church, 1.2 mi. SW. of, 200 ft. N. of mail box 43, 30 ft. E. of rd., in root of pine tree; copper nail.....	39. 02
Marys Church, 2.1 mi. S. of, on E. side of rd., in root of large pine tree; copper nail.....	32. 30

Marys Church, 3.2 mi. S. of, 0.6 mi. NW. of Polly Bottom School, on E. side of rd. near junction of rd. E., 800 ft. S. of mail box 35, in root of large pine tree; copper nail.....	<i>Feet</i> 67. 96
Marys Church, 4.2 mi. S. of, 0.3 mi. SE. of Polly Bottom School, 0.8 mi. N. of Black Creek, 15 ft. W. of rd. at junction of rd. NE.; iron post stamped "69 1918".....	69. 063
Marys Church, 5.3 mi. S. of, 1.8 mi. N. of Jonesville School, 0.4 mi. SE. of Black Creek, in front of dwelling of W. J. Crosby, on W. side of rd., in root of small oak tree; copper nail.....	64. 06
Jonesville, 0.7 mi. N. of, 10 ft. E. of rd., at rd. forks; top of section of iron rail marking land corner.....	73. 60

From Walterboro quadrangle near Remick and Bluehouse Swamp west and northwest along road across Black Creek to Marys Church (by D. S. Birkett in 1918)

Hendersonville, 3.2 mi. NW. of school, 1.0 mi. SE. of Black Creek Church, on S. side of rd. at junction of T-rd. N., in front of dwelling of J. G. Nettle; iron post stamped "90 1918".....	90. 477
Black Creek Church, 500 ft. NE. of, opposite fence corner, on N. side of rd., in root of oak tree; copper nail.....	72. 15
Black Creek Church, 1.1 mi. NW. of, 0.2 mi. SE. of crossroads, on N. side of rd., in root of pine tree; copper nail.....	92. 34
Black Creek Church, 2.2 mi. NW. of, 1.3 mi. SE. of New Hope School, 0.2 mi. E. of dwelling, 30 ft. N. of rd., in root of large pine tree; copper nail.....	96. 26
Black Creek Church, 3.4 mi. NW. of, about 750 ft. E. of New Hope School, 0.6 mi. E. of Marys Church and junction of old Columbia-Savannah rd., in root of small oak tree; copper nail.....	89. 42

From Sniders Crossroads northwest along road north of Salkehatchie River into Varnville quadrangle (by D. S. Birkett in 1918)

Sniders Crossroads, 0.8 mi. W. of, 0.3 mi. E. of Little Salkehatchie River, on E. margin of swamp, on S. side of rd., in root of sweetgum tree; copper nail.....	37. 49
Sniders Crossroads, 1.6 mi. W. of, 700 ft. NE. of Peniel Church, 0.5 mi. W. of Little Salkehatchie River, on W. margin of swamp, 25 ft. W. of logging R. R. of Colleton Lumber Co., on N. side of rd.; iron post stamped "38 1918".....	37. 301
Sniders Crossroads, 3.6 mi. NW. of, 1.7 mi. E. of Islandton, 500 ft. E. of crossroads, on S. side of rd., at dwelling of G. H. All, in root of pine tree; copper nail.....	88. 46
Islandton, in front of Baptist Church, 15 ft. SE. of well; iron post stamped "61 1918".....	60. 980
Islandton, 1.2 mi. NW. of, 0.6 mi. SE. of Tobys Bluff Church, 250 ft. NW. of cabin, on SW. side of rd., in root of gum tree; copper nail.....	75. 52
Islandton, 2.5 mi. NW. of, 0.7 mi. NW. of Tobys Bluff Church, 600 ft. W. of junction of second-class rd. S., at farm of M. Freeman, in root of large pine tree; copper nail.....	81. 17
Islandton, 2.8 mi. NW. of, 3.5 mi. SE. of Moselle, on S. side of rd. at junction of T-rd. SW. to Varnville, at fence corner; iron post stamped "81 1918".....	80. 352
Moselle, about 2 mi. SE. of, opposite cabin of Aleck Capen, on W. side of rd., in root of large pine tree; copper nail.....	77. 67

From point on Moselle-Islandton road 2.8 miles northwest of Islandton along roads southwest, southeast, and southwest into Varnville quadrangle near Camp Branch (by D. S. Birkett in 1918)

[Line jogs into Varnville quadrangle]

Islandton, 2.8 mi. NW., thence 1.2 mi. SW. from, near Tobys Bluff on Salkehatchie River, on S. side of rd. to Hampton, in front of dwelling of Henry Rentz, at angle in fence, in root of magnolia tree; copper nail.....	Feet 71. 08
Tobys Bluff, 1.8 mi. SW., thence 0.8 mi. SE. from, 1.3 mi. NW. of St. John's Church, on W. side of rd. at T-junction of rd. SW. to Varnville, in root of pine tree; copper nail.....	79. 99
St. John's Church, about 1.2 mi. NW. of, at junction of rd. W. to Crockettville, 6 ft. S. of signpost reading "Broxton 10 miles, Barnwell 35 miles, Yemassee 17.5 miles"; iron post stamped "Prim Trav Sta No 2 S 1917 84".....	83. 888
St. John's Church, in front of, on S. side of rd., in root of black-gum tree; copper nail.....	81. 57
St. John's Church, 1.6 mi. SE. of, 0.8 mi. NW. of Padgett gin, 250 ft. N. of mail box 28, on E. side of rd., in root of pine tree; copper nail.....	84. 93
Padgett gin, 200 ft. SE. of, at junction of rd. SW., on E. side of rd.; iron post stamped "79 1918".....	78. 832
Padgett gin, 0.8 mi. SE. of, on E. side of rd., in front of cabin, in root of sweetgum tree; copper nail.....	76. 22
Padgett gin, 1.9 mi. SE. of, 1.9 mi. NE. of Huggins Oak School, on E. side of rd. at T-junction of rd. SW. to Camp Branch, on property of J. J. Weekley, in root of oak tree; copper nail.....	68. 84
Huggins Oak School, 250 ft. N. of, W. of junction of rd. S., at fence line; iron post stamped "76 1918".....	75. 154
Huggins Oak School, 0.9 mi. W. of, on S. side of rd. to Camp Branch, opposite mail box 90, in root of pine tree; copper nail.....	88. 82
Huggins Oak School, 2.4 mi. SW. of, about 1.3 mi. NE. of old McNeil sta. on Charleston & Western Carolina Ry., 0.9 mi. SE., thence 1.3 mi. NE. from Camp Branch on Coosawhatchie River, at crossroads, in root of pine tree; copper nail.....	92. 73

From Yemassee quadrangle northwest along Charleston & Western Carolina Railway into Varnville quadrangle (by D. S. Birkett in 1918)

Fechtig, 30 ft. SE. of SE. corner of sta., 40 ft. N. of track; iron post stamped "87 1917".....	86. 851
Cummings, 70 ft. NW. of sta., 35 ft. N. of track, in front of grocery store; iron post stamped "Prim Trav Sta No 74 Mac 1917 76" (recovered by U. S. C. & G. S. in 1935).....	76. 204

DANBURG QUADRANGLE²⁷

[Latitude 33°45'-34°00'; longitude 82°30'-82°45']

MCCORMICK COUNTY

From Lincolnton quadrangle northwest along Charleston & Western Carolina Railway into Lowndesville quadrangle (by C. E. Reick in 1929)

Mount Carmel, 1.0 mi. SE. of, 200 ft. N. of Ry. track, on S. end of highway culvert; chiseled square.....	538. 08
---	---------

²⁷ Most of this quadrangle lies in Georgia.

From Lowndesville quadrangle near Mount Carmel southwest along Mount Carmel-Lisbon road to Savannah River (by C. E. Reick in 1929)

Mount Carmel, 1.4 mi. SW. of, on N. side of rd., in root of 24-in. oak tree; copper nail and washer.....	<i>Feet</i> 581. 96
Mount Carmel, 2.4 mi. SW. of, 125 ft. E. of Spring Grove Church, in root of 20-in. oak tree; copper nail and washer.....	527. 49
Mount Carmel, 3.4 mi. SW. of, 30 ft. N. of junction of rd. SE., in root of 24-in. oak tree; copper nail and washer.....	466. 47
Mount Carmel, 4.2 mi. SW. of, 30 ft. NW. of center line of rd., 50 ft. S. of summit, in sandstone ledge; standard tablet stamped "R 49 1929".....	449. 653
Mount Carmel, 5.3 mi. SW. of, 250 ft. NE. of old Lisbon ferry landing, 100 ft. NW. of dwelling, in root of 36-in. elm tree; copper nail and washer.....	314. 16

EDGEFIELD QUADRANGLE

[Latitude 33°45'-34°00'; longitude 81°45'-82°00']

EDGEFIELD, GREENWOOD, AND SALUDA COUNTIES

From Warrenville quadrangle north and northeast along Southern Railway into Batesburg quadrangle (first-order leveling by C. H. Semper in 1918)

Trenton, 0.4 mi. N. of, 2.6 mi. S. of Bouknight, at rd. crossing; top of rail.....	612. 7
Bouknight, 0.4 mi. S. of, at rd. crossing; top of rail.....	575. 4
Bouknight, 0.4 mi. S. of, 300 ft. N. of milepost 162, at rd. crossing, 15 ft. E. of rd., 15 ft. W. of track; iron post stamped "623".....	623. 673
Bouknight sta., at rd. crossing; top of rail.....	638. 7
Bouknight, 2.5 mi. N. of, 1.4 mi. SW. of Johnston, 165 ft. S. of milepost 159, at rd. crossing, on N. side of rd., 15 ft. E. of track; iron post stamped "652 1918".....	652. 597
Johnston, 1.2 mi. SW. of, at rd. crossing; top of rail.....	656. 8
Johnston, in front of sta.; top of rail.....	661. 3
Johnston, 1.6 mi. NE. of, 150 ft. SW. of milepost 156, at rd. crossing, 5 ft. N. of rd., 15 ft. W. of rail; iron post stamped "665".....	665. 107
Johnston, 3.2 mi. NE. of, at rd. crossing; top of rail.....	659. 6

From Warrenville quadrangle near Trenton northwest along road to point 1 mile south of Edgefield, thence southwest and back into Warrenville quadrangle (by D. S. Birkett in 1918)

Trenton, 1.9 mi. NW. of, 4.4 mi. SE. of Edgefield, 50 ft. N. of intersection of private rd. and Edgefield branch of Southern Ry., in root of pine tree; copper nail.....	655. 55
Edgefield, 2.6 mi. SE. of, about 300 ft. S. of intersection of rd. and Ry. at Park Hill sta., 30 ft. N. of Trenton-Edgefield rd.; iron post stamped "566 1918".....	566. 134
Edgefield, 0.8 mi. S., thence 0.4 mi. E. from, 30 ft. SW. of dwelling of Sheriff W. R. Swearingen, on S. side of rd., in root of holly tree; copper nail.....	544. 82
Edgefield, about 0.8 mi. S. of, 30 ft. NE. of crossroads, at corner of iron fence around Thum dwelling; iron post stamped "547 1918".....	547. 239
Edgefield, 1.4 mi. S. of, 50 ft. W. of rd. forks, in top of sandstone rock; chiseled square.....	516. 31
Edgefield, 3.6 mi. SW. of, 0.4 mi. W. of crossing of Cedar Creek, at top of hill, on N. side of rd., in front of cabin, in root of oak tree; copper nail.....	490. 82

From Batesburg quadrangle northwest and north along Augusta Northern
Railway into Saluda quadrangle (by S. L. Parker in 1919)

Saluda, 3.5 mi. S. of, 1.0 mi. NW. of Bells Crossing, 50 ft. E. of center of rd. crossing, 18 ft. S. of rd., in root on W. side of 18-in. red-oak tree; copper nail and washer-----	<i>Feet</i> 427. 41
Saluda, 2.3 mi. of S. of, 50 ft. E. of center of rd. crossing, 15 ft. N. of lane to small frame dwelling; iron post stamped "467 1919" (recovered by U. S. C. & G. S. in 1934)-----	466. 741
Saluda, 1.6 mi. S. of, at Attaway Crossing, 100 ft. NW. of center of rd. crossing, in fence line, in root on N. side of 16-in. lone cedar tree; copper nail and washer (recovered by U. S. C. & G. S. in 1934) ..	446. 502
Saluda, 0.3 mi. S. of, at rd. crossing, on W. side of track, 15 ft. S. of center line of rd., on highest point at W. end of 2-ft. drain tile under Ry. track; chiseled square-----	412. 71

From point near Johnston northwest along roads to Steedham Crossroads,
thence east to Plum Branch School (by S. L. Parker in 1919)

Johnston, 1.0 mi. NE. of, 50 ft. S. of NE. corner of junction of rd. N., in root on N. side of 14-in. forked locust tree; copper nail and washer-----	659. 57
Johnston, 1.0 mi. N. of N. limits of, 50 ft. NW. of center of crossroads, in root on E. side of 18-in. red-oak tree; 40-penny spike-----	614. 64
Johnston, 1.6 mi. NW. of, 90 ft. NW. of rd. fork, 20 ft. E. of center line of rd., in root on S. side of 23-in. red-oak tree; copper nail and washer-----	616. 51
Johnston, 2.9 mi. NW. of, 30 ft. NW. of rd. fork, 15 ft. W. of center line of rd. W.; iron post stamped "597 1919"-----	596. 165
Johnston, 4.2 mi. NW. of, 60 ft. NE. of center of crossroads, in root on W. side of 41-in. pine tree; copper nail and washer-----	600. 78
Johnston, 5.1 mi. NW. of, 40 ft. N. of junction of T-rd. E., 18 ft. E. of center line of N.-S. rd., in root on W. side of 28-in. pine tree; copper nail and washer-----	582. 44
Johnston, 6.0 mi. NW. of, 0.2 mi. SE. of Oak Grove School, in NW. angle of junction of T-rd. W.; iron post stamped "555 1919"-----	554. 273
Johnston, 7.0 mi. NW. of, 0.8 mi. NW. of Oak Grove School, 70 ft. N. of rd. fork, 18 ft. E. of center line of rd., in root on W. side of 24-in. pine tree; copper nail and washer-----	501. 08
Johnston, 7.8 mi. NW. of, 2.2 mi. SE. of Fruit Hill School, 100 ft. SE. of rd. fork, 15 ft. SW. of center line of rd., in root on N. side of 18-in. red-oak tree; copper nail and washer-----	532. 16
Fruit Hill School, 1.2 mi. SE. of, at foot of hill, in NE. angle of crossing of second-class rd., in root on W. side of 12-in. jack-oak tree; copper nail and washer-----	502. 13
Fruit Hill School, 0.6 mi. SE. of, 20 ft. NW. of center of rd. fork; iron post stamped "531 1919"-----	530. 380
Fruit Hill School, 0.3 mi. NW. of, 1.0 mi. SE. of Steedham Crossroads, 20 ft. W. of center line of rd. at junction of lane E., in root on E. side of 18-in. red-oak tree; copper nail and washer-----	530. 54
Steedham Crossroads, in NW. angle of, in root on N. side of 16-in. red-oak tree; copper nail and washer-----	554. 67
Steedham Crossroads, 1.0 mi. E. of, 5.3 mi. SW. of Saluda, on S. side of rd. at junction of lane SE., in root on N. side of 24-in. pine tree; copper nail and washer-----	529. 31

Saluda, 4.6 mi. SW. of, 0.2 mi. SE. of Plum Branch School, at site of abandoned Limp post office, in SE. angle of crossroads, 150 ft. E. of dwelling of John Davis; iron post stamped "Prim Trav Sta No 5 Mac 1919 521" (recovered by U. S. C. & G. S. in 1934) ----- Feet
520. 534

From Parksville quadrangle near Pleasant Lane post office northeast along roads to Pleasant Lane station on Georgia & Florida Railroad, thence southeast 3.2 miles along railroad, thence west along roads and back into Parksville quadrangle (by W. D. Leech in 1930)

Pleasant Lane sta., 130 ft. S. of intersection of Georgia & Florida R. R., 50 ft. SE. of rd., in root of 10-in. oak tree; copper nail and washer ----- 419. 79
 Pleasant Lane sta., 1.3 mi. S. of, 3 ft. W. of W. rail of trestle over Turkey Creek, on N. back wall; chiseled square ----- 370. 43
 Pleasant Lane sta., 2.4 mi. S. of, 110 ft. SE. of crossing of farm rd., in root of 12-in. tree; copper nail and washer ----- 397. 82
 Pleasant Lane sta., 3.2 mi. SE. of, 500 ft. N. of overhead bridge, 60 ft. W. of track, in root of 10-in. pine tree; copper nail and washer ----- 429. 80
 Pleasant Lane sta., 3.2 mi. SE., thence 1.0 mi. W. from, 2.1 mi. SE. of bridge over Turkey Creek, 230 ft. NE. of store of S. M. Watson, 40 ft. NE. of junction of rd. N., in root of 16-in. pine tree; copper nail and washer ----- 427. 17

From Saluda quadrangle southeast along U. S. Highway 178 into Batesburg quadrangle (by J. J. Sifton, Jr., in 1934)

Saluda, 1.0 mi. SE. of Saluda County courthouse, 0.2 mi. E. of bridge over Little Saluda River, 40 ft. N. of center line of highway, in root on E. side of 10-in. water-oak tree; wire nail ----- 426. 96

From Saluda quadrangle about 6 miles north of Pleasant Lane station on Georgia & Florida Railroad alternately southeast and north along roads to Owdoms, thence northeast along State Highway 43 and back into Saluda quadrangle (by J. J. Sifton, Jr., in 1934)

Faulkners Corner, 0.9 mi. NW. of, 30 ft. W. of center line of rd., in root on N. side of 12-in. oak tree; wire nail ----- 536. 19
 Faulkners Corner, 0.5 mi. SE. of Celestia School, 150 ft. E. of dwelling of Ed. Faulkner, at junction of rd. W., 15 ft. NW. of center line of rd.; iron post stamped "Prim Trav Sta No 6 Mac 1919" ----- 521. 186
 Faulkners Corner, 1.1 mi. SE. of, about 250 ft. S. of dwelling of M. B. Outz, 20 ft. S. of center line of rd., in root on N. side of 24-in. oak tree; wire nail ----- 456. 91
 Faulkners Corner, 2.2 mi. SE. of, 25 ft. W. of center line of rd., in root on E. side of 6-in. elm tree; wire nail ----- 484. 36
 Faulkners Corner, 2.8 mi. SE. of, 1.7 mi. N. of Meeting Street Crossroads, 50 ft. N. of rd. junction, in NW. angle, in root on W. side of 24-in. pine tree; wire nail ----- 480. 18
 Meeting Street Crossroads, 2.5 mi. N. of, at Saluda-Edgefield county line, in NW. angle of crossroads, in 7- by 7-in. concrete post; standard tablet stamped "T T 1 E 1933 539" ----- 538. 137
 Meeting Street Crossroads, 3.5 mi. N. of, 3.6 mi. W. of Owdoms, 10 ft. E. of center line of rd., in root on E. side of 12-in. oak tree; wire nail ----- 486. 83
 Owdoms, 2.6 mi. NW. of, about 150 ft. W. of dwelling of G. W. Pol-latty, 40 ft. W. of center line of rd., in root on E. side of 24-in. oak tree; wire nail ----- 519. 04

Owdoms, 1.0 mi. NW. of, 15 ft. N. of center line of rd., in root on W. side of 10-in. oak tree; wire nail.....	<i>Feet</i> 507. 71
Owdoms, 0.6 mi. NW. of, 100 ft. SE. of dwelling of B. C. Kitchings, 25 ft. SW. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "T T 2 E 1933 516".....	515. 211
Owdoms, 0.5 mi. NE. of, 25 ft. SW. of Steedham Crossroads, 100 ft. W. of J. A. Adams filling sta., 30 ft. S. of center line of highway, in 7- by 7-in. concrete post; standard tablet stamped "T T 3 E 1933 552".....	551. 930
Owdoms, 3.0 mi. NE. of, 3.8 mi. SW. of Saluda, in NE. angle of intersection of old Charleston rd., in root on W. side of 15-in. pine tree; copper nail and washer.....	502. 40
Saluda, 2.6 mi. SW. of, 45 ft. N. of center line of highway, in root on S. side of 6-in. elm tree; copper nail and washer.....	457. 01
Saluda, 1.8 mi. SW. of, 30 ft. S. of center line of highway, in root on N. side of 15-in. pine tree; copper nail and washer.....	463. 48
Saluda, 1.7 mi. SW. of, 50 ft. N. of center line of highway, 75 ft. S. of dwelling of Ben Lee Able, in front yard, in 7- by 7-in. concrete post; standard tablet stamped "T T 4 E 1933 479".....	478. 372
Saluda, 1.0 mi. W. of Saluda County courthouse, at city limits, 100 ft. S. of highway, in root on N. side of 20-in. hickory tree; copper nail and washer.....	484. 02

From Saluda quadrangle southwest and southeast along roads and U. S. Highway 25 by way of Pleasant Lane post office to point 0.8 mile south of Edgefield (by J. J. Sitton, Jr., in 1934)

[Line jogs into Parksville quadrangle]

Pittsburgh, 1.0 mi. NE. of, 20 ft. SE. of center line of rd., in root on NE. side of 10-in. pine tree; wire nail and copper washer.....	487. 9
Pleasant Lane post office, 1.0 mi. SE. of, 1,150 ft. SE. of steel bridge over Turkey Creek, 30 ft. W. of center line of rd., in root on W. side of 18-in. pine tree; wire nail and washer.....	326. 75
Pleasant Lane, 2.2 mi. SE. of, 1,600 ft. N. of junction of U. S. Highway 25, 20 ft. E. of center line of rd., in root on NW. side of 18-in. sweetgum tree; wire nail and washer.....	427. 66
Pleasant Lane, 3.2 mi. SE. of, 6.5 mi. NW. of Edgefield, 11 ft. W. of center line of U. S. Highway 25, at concrete bridge over Log Creek, on NW. end of abutment; standard tablet stamped "SN 4 1934 375".....	373. 999
Reference mark, 22 ft. E. of tablet, 11 ft. E. of center line of highway, at NE. end of bridge, on top of abutment; chiseled circle.....	373. 96
Edgefield, 5.5 mi. NW. of, on property of R. H. Nickolson, 30 ft. W. of center line of highway, in root on S. side of 24-in. sugarberry tree; wire nail and washer.....	450. 93
Edgefield, 4.6 mi. NW. of, 40 ft. W. of center line of highway, in root on E. side of 24-in. oak tree; wire nail and washer.....	473. 89
Edgefield, 3.4 mi. NW. of, 450 ft. S. of SE. corner of Pleasant Grove Church, 40 ft. E. of center line of highway, in 7- by 7-in. concrete post; standard tablet stamped "SN 5 1934 511".....	510. 154
Reference mark, 15 ft. N. and 15 ft. W. from tablet, 40 ft. E. of center line of highway, in root on W. side of 18-in. pine tree; wire nail and washer.....	509. 41

Edgefield, 2.1 mi. NW. of, 50 ft. NE. of center line of highway, 10 ft. NW. of NW. corner of filling sta., in root on NW. side of 18-in. pine tree; wire nail and washer-----	Feet 537. 20
Edgefield, 1.0 mi. NW. of courthouse, at city limits, 30 ft. E. of center line of highway, in root on SW. side of 12-in. water-oak tree; wire nail and washer-----	544. 87
Edgefield, in NW. corner of public square, 100 ft. E. of SE. corner of Edgefield County courthouse, 30 ft. N. and 30 ft. W. from Confederate monument, in 7- by 7-in. concrete post; standard tablet stamped "SN 6 1934 530"-----	529. 703
Reference mark, 50 ft. W. of tablet, at E. entrance to courthouse, on sidewalk at NE. corner of steps; chiseled square-----	528. 49

From point on U. S. Highway 25, 4.6 miles northwest of Edgefield, west along Vienna road into Parksville quadrangle (by J. J. Sitton, Jr., in 1934)

Edgefield, 5.6 mi. NW. of, 4.2 mi. E. of Brunson Crossroads, 40 ft. S. of center line of rd., in root on W. side of 10-in. pine tree; wire nail and washer-----	471. 51
Brunson Crossroads, 3.0 mi. E. of, 125 ft. SW. of SW. corner of dwelling of R. W. Christie, 70 ft. N. of center line of rd., in root on SE. side of 12-in. oak tree; wire nail-----	477. 42

From point 2.1 miles south of Pleasant Lane post office along winding roads generally northeast into Batesburg quadrangle (by J. J. Sitton, Jr., in 1934)

Bereah Church, 1.0 mi. E. of, 2.6 mi. E. of Cartledge School, 30 ft. S. of center line of rd., in root on N. side of 10-in. pine tree; wire nail and washer-----	454. 50
Bereah Church, 1.8 mi. E. of, 200 ft. SE. of Nickolson place owned by Mrs. J. W. Thurmond, 20 ft. N. of center line of rd., in root on W. side of 24-in. pine tree; wire nail and washer-----	436. 61
Bereah Church, 2.9 mi. E. of, 4.5 mi. SW. of Tompkins Crossroads, on property of Mrs. Ellen Strother, 110 ft. SW. of tenant house, 15 ft. NE. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "SN 11 1934 437"-----	436. 260
Reference mark, 100 ft. N. and 50 ft. W. from tablet, 10 ft. W. of center line of rd., in root on N. side of 12-in. pine tree; wire nail and washer-----	434. 10
Tompkins Crossroads, 2.6 mi. S. of, about 5 mi. N. of Edgefield, 40 ft. E. of center line of Meeting Street rd., in root on S. side of 10-in. elm tree; wire nail and washer-----	453. 80
Tompkins Crossroads, 1.2 mi. S. of, 4.5 mi. W. of Mathews Crossroads, 60 ft. NW. of junction of rd. E., 30 ft. W. of center line of Meeting Street rd., on estate of H. F. Green, 120 ft. SE. of SE. corner of tenant house, in 7- by 7-in. concrete post; standard tablet stamped "SN 12 1934 436"-----	435. 215
Reference mark, 30 ft. S. and 20 ft. E. from tablet, 40 ft. W. of center line of rd., in root on E. side of 12-in. oak tree; wire nail and washer-----	435. 69
Mathews Crossroads, 3.5 mi. W. of, 20 ft. W. of center line of rd., in root on S. side of 30-in. pine tree; wire nail and washer-----	444. 16
Mathews Crossroads, 2.5 mi. W. of, 350 ft. NE. of dwelling of P. M. Timmerman, 15 ft. N. of center line of rd., in root on W. side of 12-in. hickory tree; wire nail and washer-----	471. 75

Mathews Crossroads, 1.2 mi. W. of, 100 ft. SE. of junction of rd. N., 40 ft. NE. of center line of rd., in root on NW. side of 8-in. pine tree; wire nail and washer-----	<i>Feet</i> 522. 17
Mathews Crossroads, in SE. angle of, 1.2 mi. S. of Oak Grove School; iron post stamped "Prim Trav Sta No 91 J 1919" (recovered and reset in 1934)-----	540. 467
Mathews Crossroads, 1.2 mi. NE. of, 130 ft. SE. of SE. corner of Oak Grove School, 15 ft. W. of center line of rd., in root on SE. side of 10-in. elm tree; wire nail and washer-----	499. 64
Mathews Crossroads, 2.3 mi. NE. of, 150 ft. NW. of dwelling of W. J. Johnston, 30 ft. E. of center line of rd., in root on W. side of 24-in. oak tree; wire nail and washer-----	521. 38
Mathews Crossroads, 3.2 mi. NE. of, 0.7 mi. N. of Oak Grove Holiness Church, 100 ft. S. of junction of rd. W., 150 ft. SW. of dwelling of Mrs. S. F. Quarrels, 20 ft. E. of center line of rd., in root on W. side of 10-in. elm tree; wire nail and washer-----	504. 83
Oak Grove Holiness Church, 1.0 mi. E. of, 15 ft. N. of center line of rd., in root on W. side of 10-in. ash tree; copper nail and washer--	548. 01
Oak Grove Holiness Church, 2.3 mi. E. of, 70 ft. E. of center line of State Highway 19, on property of L. B. Shaw, 30 ft. N. of NW. corner of tenant house, in root on W. side of 30-in. oak tree; copper nail and washer-----	578. 51
Oak Grove Holiness Church, 3.0 mi. NE. of, about 6 mi. along State Highway 19 SW. of Saluda, 20 ft. W. of center line of highway; U. S. C. & G. S. and State Survey standard disk stamped "S 291 1934"-----	560. 723
Reference mark, 170 ft. N. of tablet, 60 ft. NE. of NE. corner of store building, 30 ft. N. and 30 ft. W. from junction of rd. W., in root on E. side of 12-in. hickory tree; copper nail and washer-----	564. 96
Oak Grove Holiness Church, 3.9 mi. NE. of, 4.6 mi. NW. of Reedy Branch Church, 50 ft. S. and 10 ft. E. from crossroads, 30 ft. E. of center line of State Highway 19, in root on NW. side of 24-in. oak tree; copper nail and washer-----	529. 94
Reedy Branch Church, 3.3 mi. NW. of, 30 ft. E. of center line of rd., in root on N. side of 10-in. pine tree; copper nail and washer-----	500. 12
Reedy Branch Church, 2.2 mi. NW. of, on property of P. D. Haltiwanger, 90 ft. N. of NE. corner of dwelling, 30 ft. SW. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "SN 13 1934 513"-----	512. 611
Reference mark, 12 ft. S. and 25 ft. W. from tablet, 60 ft. SW. of center line of rd., in root on N. side of 24-in. elm tree; copper nail and washer-----	514. 22
Reedy Branch Church, 1.2 mi. NW. of, 30 ft. S. of center line of rd., in root on N. side of 8-in. pine tree; copper nail and washer-----	534. 62
Reedy Branch Church, 4.0 mi. NW. of Ward, 300 ft. W. of church, in yard, 20 ft. E. of center line of Mount Willing rd., in 7- by 7-in. concrete post; standard tablet stamped "SN 14 1934 550"-----	549. 542
Reference mark, 12 ft. W. of tablet, 10 ft. E. of center line of rd., in root on E. side of 10-in. oak tree; copper nail and washer-----	549. 35

From Batesburg quadrangle near Ward southwest and south along roads into Warrenville quadrangle (by J. J. Sitton, Jr., in 1934)

Ward, 2.0 mi. SW. of, 2.5 mi. NE. of Johnston, 50 ft. N. of center line of State Highway 39, in fence corner, in root on SE. side of 24-in. pine tree; copper nail and washer-----	657. 25
--	---------

Johnston, 1.6 mi. NE. of, 150 ft. W. of milepost 156, 40 ft. SE. of crossing of Southern Ry., 30 ft. S. of S. rail, in 7- by 7-in. concrete post; standard tablet stamped "SN 15 1934 669"-----	<i>Feet</i> 669. 097
Johnston, 1.2 mi. E. of, on property of Wilbur Yonce, 75 ft. W. of dwelling, 15 ft. W. of center line of rd., in root on E. side of 14-in. oak tree; copper nail and washer-----	655. 49
Johnston, 2.0 mi. SE. of, 60 ft. W. of center line of rd., 20 ft. S. of tenant house, in root on E. side of 18-in. oak tree; copper nail and washer-----	633. 03
Johnston, 3.0 mi. SE. of, 3.2 mi. N. of Central School, 50 ft. SE. of SE. corner of Yonce mill, 30 ft. SW. of rd. junction, 20 ft. W. of rd., in 7- by 7-in. concrete post; standard tablet stamped "SN 16 1934 488"-----	487. 551
Reference mark, 30 ft. N. of tablet, 10 ft. W. of center line of rd., in root on E. side of 24-in. twin sweetgum tree; copper nail and washer-----	486. 52
Central School, 2.1 mi. N. of, on property of Thomas Holmes, 30 ft. W. of center line of rd., 20 ft. E. of tenant house, in root on NE. side of 30-in. water-oak tree; copper nail and washer-----	580. 51
Central School, 1.0 mi. N. of, on property of Mrs. Gayne Rutledge, 40 ft. W. of tenant house, 10 ft. E. of center line of rd., in root on W. side of 40-in. oak tree; copper nail and washer-----	591. 17
Central School, 3 ft. N. of NE. corner of porch at N. entrance, in yard, in 7- by 7-in. concrete post; standard tablet stamped "SN 17 1934 602"-----	601. 569
Reference mark, 15 ft. W. of tablet, on NW. corner of bottom step of N. entrance to school; chiseled square-----	602. 10
Central School, 1.2 mi. SE. of, on property of A. B. Franklin, 50 ft. SW. of SE. corner of dwelling, 20 ft. NE. of center line of rd., in root on SW. side of 12-in. oak tree; copper nail and washer-----	587. 42

EDISTO ISLAND QUADRANGLE

[Latitude 32°30'-32°45'; longitude 80°15'-80°30']²⁸

CHARLESTON AND COLLETON COUNTIES

From Green Pond quadrangle northeast along Seaboard Air Line Railway into Wadmalaw Island quadrangle (by R. G. Clinite in 1917)

Ashepoo siding, 450 ft. N. and 25 ft. E. from rd. crossing, 15 ft. E. of center line of rd., 2 ft. from wire fence; iron post stamped "Prim Trav Sta No 36 Mac 1917 38"-----	37. 629
Fenwick, on NW. side of main tract, opposite N. wye of spur track to Fenwick Island, 30 ft. NE. of milepost 199; iron post stamped "4 1917"-----	3. 944
Edisto River; surface of water at 2:15 p. m. Dec. 11, 1917 (tidewater).-----	- 0. 7
Edisto River bridge, 1.6 mi. NE. of, 500 ft. SW. of milepost 195, 300 ft. S. of sawmill, in SE. angle of rd. crossing, in line with telegraph poles; iron post stamped "10 1917"-----	9. 535
White Point Crossing, 100 ft. NE. of crossing of Charleston-Savannah rd., 25 ft. N. of track; iron post stamped "Prim Trav Sta No 37 Mac 1917 9"-----	8. 216
White Point Crossing, 2.7 mi. NE. of, 4.0 mi. SW. of Meggett, 300 ft. W. of milepost 190, 55 ft. NE. of rd. crossing; iron post stamped "9 1917"-----	8. 237

²⁸ The published map of this quadrangle includes an overhang of 1'45" along its south side.

From White Point Crossing south along roads to Whooping Island (by R. G. Clinite in 1917)

White Point Crossing, 0.9 mi. S. of, 130 ft. NW. of Mount Haw Church, in root of lone 32-in. pine tree; copper nail-----	<i>Feet</i> 23. 06
White Point Crossing, 1.9 mi. S. of, on Slanns Island, in SW. angle of rd. fork, opposite store, in root of 36-in. oak tree; copper nail-----	8. 26

From Whooping Island southwest and southeast along roads to Murrays Corner on Edisto Island (by R. G. Clinite in 1917; leveled twice)

Whooping Island, near S. side of, 4.5 mi. S. of White Point Crossing, about 500 ft. N. of wooden bridge over Whooping Island Creek, on E. side of rd., on high ground; iron post stamped "9 1917"-----	8. 395
Whooping Island, about 1,150 yd. SE. of Edisto Ferry landing, about 600 ft. E. of curve in rd., at 8-in. soil pipe filled with concrete enclosing 1-in. galvanized pipe; top of galvanized pipe (U. S. C. & G. S. Tidal B. M. 10)-----	4. 530
Little Edisto, 1.8 mi. NW. of, opposite junction of rd. E., 20 ft. N. of gate, in root of 20-in. gum tree; wire nail-----	9. 43
Little Edisto, about 0.7 mi. NW. of dwelling of J. Swinton Whaley at, 1.8 mi. along rd. N. of Borough School on Edisto Island, 0.6 mi. NE. of crossing of Russel Creek, 170 ft. W. of rd. fork, in root of lone oak tree; copper nail-----	6. 48
Borough School, 0.3 mi. W. of, at Red Top plantation, in NE. angle of T-junction of rd. to Murrays Corner, in root of 12-in. gum tree; copper nail-----	10. 61
Borough School, 0.3 mi. W. of, at Red Top plantation, 15 ft. N. and 40 ft. E. from center of rd. junction; iron post stamped "12 1917"-----	12. 022
Borough School, 0.8 mi. SE. of, 3.1 mi. W. of Murrays Corner, 50 ft. N. of junction of dim rd. S., in root of 30-in. oak tree; copper nail-----	13. 57
Murrays Corner, 1.9 mi. W. of, 1.0 mi. NW. of Vennings store, 60 ft. NW. of junction of T-rd. N., in root of 22-in. pine tree; copper nail---	13. 74
Murrays Corner, 0.9 mi. W. of, 150 ft. W. of Vennings store, on N. side of rd., at boundary line of school districts, on top of granite block; highest point-----	18. 08
Murrays Corner, 25 ft. S. of center line of Edisto Beach rd., 25 ft. W. from second-class rd. SW., in front of and across rd. from Posner store, diagonally across rd. corner from Edisto Presbyterian Church; iron post stamped "Prim Trav Sta No 47 Mac 1917 16" ²⁹ -----	15. 653

From Fenwick, on main line of Seaboard Air Line Railway, generally south along spur track to Fenwick Island, thence southeast along road to Ashepoo Terminal on canal connecting South Edisto and Ashepoo Rivers (by R. G. Clinite in 1918)

Beards Island, at S. end of, 4.5 mi. S. of junction of Seaboard Air Line Ry. spur and main line, 400 ft. NE. of trestle, 50 ft. N. of center line of track, 22 ft. S. of lone 15-in. pine tree; iron post stamped "9 1918"-----	8. 134
Musseboro Island, near N. end of, 2.0 mi. NW. of Johnson store at Fenwick Island, on W. side of track, 450 ft. SE. of trestle, in root of 18-in. pine tree; copper nail-----	5. 44
Fenwick Island, 170 ft. NE. of store of T. P. Johnson, 50 ft. S. of S. end of trestle, in root of 27-in. pine tree; copper nail-----	5. 61

²⁹ This mark was recovered by the U. S. Coast and Geodetic Survey in 1935 and the post was set in concrete.

Fenwick Island, 1.0 mi. SE. of Johnson store, 1.5 mi. NW. of Ashepoo Terminal, 100 ft. SE. of cleared field, on SW. side of rd., in root of 14-in. pine tree; copper nail.....	Feet 10. 52
Ashepoo Terminal, about 500 ft. E. of, about 0.8 mi. NE. of Seabrook; top of galvanized pipe (U. S. C. & G. S. Tidal B. M. 12).....	9. 028

From Cottageville quadrangle south along road on west side of Edisto River to Clifford plantation (by R. G. Clinite in 1918; double-run spur line)

Jacksonboro, 1.2 mi. S. of Atlantic Coast Line R. R. sta., at church, on E. side of rd., in root of 22-in. gum tree; wire nail and copper washer.....	11. 31
Jacksonboro, 2.2 mi. S. of, on E. side of rd., in root of 36-in. oak tree; nail.....	11. 10
Jacksonboro, 3.9 mi. S. of, 500 ft. W. of Clifford plantation, 40 ft. S. of turn in rd., 25 ft. W. of fence corner; iron post stamped "8 1918".....	7. 929

EDMUND QUADRANGLE

[Latitude 33°45'–34°00'; longitude 81°00'–81°15']

CALHOUN, LEXINGTON, AND RICHLAND COUNTIES

From Irmo quadrangle southwest along Southern Railway to Columbia (first-order leveling by C. H. Semper in 1900)

Columbia, on Blanding Street, at Presbyterian Theological Seminary, at NW. corner of main building, in front wall; aluminum tablet stamped "305 Columbia 1900" (recovered in 1934).....	303. 172
---	----------

From Lexington quadrangle east and northeast along Southern Railway to Columbia, thence southeast along Atlantic Coast Line Railroad into Hopkins quadrangle (first-order leveling by C. H. Semper in 1918; supplemented by third-order releveling by J. F. Covington in 1934)

Lexington, near Southern Ry. sta., 3 ft. N. of track of main line; U. S. C. & G. S. and State Survey standard disk (1934).....	358. 698
Lexington, 100 ft. N. of R. R. sta., 10 ft. E. of rail; iron post stamped "Prim Trav Sta. No 47 H 1918 359".....	359. 199
Lexington, 2.8 mi. E. of, 2.6 mi. W. of Arthur, 4 ft. N. of milepost 118, 12 ft. W. of track; iron post stamped "405 1918".....	404. 993
Arthur sta., 1.6 mi. W. of, 120 ft. S. of milepost 117, 60 ft. E. of track, in root on W. side of 15-in. pine tree; copper nail and washer (1934)....	391. 96
Arthur, about 0.6 mi. W. of, 170 ft. S. of milepost 116, 80 ft. E. of track, in root on W. side of 12-in. pine tree; copper nail and washer (1934).....	351. 83
Arthur, in front of sta.; top of rail.....	338. 5
Arthur, about 0.2 mi. E. of sta., at rd. crossing, 30 ft. E. of track, 20 ft. S. of rd.; iron post stamped "Prim Trav Sta No 52 H 1918 318"....	317. 719
Arthur, 3.4 mi. E. of, about 2 mi. W. of Cayce, near crossing of rd. at milepost 112, 180 ft. N. of rd., 15 ft. E. of rail; iron post stamped "263.191 1918".....	263. 139
Cayce, 0.8 mi. SW. of, opposite milepost 111, 70 ft. N. of Southern Ry. track, in root on S. side of 15-in. oak tree; copper nail and washer (1934).....	230. 64
Cayce, in front of Southern Ry. sta.; top of rail.....	188. 0
U. S. C. & G. S. standard disk stamped "M 2".....	174. 084
Cayce, 40 ft. E. of Southern Ry. sta., in root on E. side of elm tree; copper nail and washer (1934).....	187. 15
Columbia, in front of Southern Ry. sta.; top of rail.....	205. 6

Columbia, at Southern Ry. sta., in SE. angle of Main Street crossing of track, 25 ft. S. of track; top of fire hydrant (1934)-----	<i>Feet</i> 207. 80
Columbia, at NW. corner of Sumter and Washington Streets; top of rim of fire hydrant (1934)-----	316. 68
U. S. C. & G. S. standard disk stamped "P 2 1918"-----	314. 458
Columbia, 2.6 mi. SE. of, on NW. side of rd. between yard track and main track of Atlantic Coast Line R. R., at first rd. crossing NW. of milepost 4; iron post stamped "178 1918"-----	178. 162

From Lexington south and southwest along roads into Lexington quadrangle
(by F. L. Shalibo in 1919)

Red Bank, 2.7 mi. SW. of Lexington, at Saxe Gotha Mills, 100 ft. SW. of mill, at NE. corner of office building; iron post stamped "290"---	289. 538
--	----------

From Lexington quadrangle near Pelion southeast along roads to Pelion (by
F. L. Shalibo in 1919)

Pelion, 100 ft. S. of Southern Ry. sta., 10 ft. E. of track, 20 ft. S. of dirt rd.; iron post stamped "391"-----	390. 441
--	----------

From Woodford quadrangle near Swansea northeast along roads into Hopkins
quadrangle (by F. L. Shalibo in 1919)

Swansea, about 1 mi. N. of, in triangle at intersection of Swansea-Gaston and Neeses Ford rds.; iron post stamped "413"-----	412. 117
Swansea, 1.5 mi. NE. of, on Neeses Ford rd., in NW. angle of crossroads, in root of 10-in. oak tree; wire nail-----	361. 66
Swansea, 2.3 mi. NE. of, on Neeses Ford rd. at point 1.1 mi. W. of its intersection with Pine Plain rd., in SE. angle of crossroads, in root of 6-in. oak tree; wire nail-----	431. 41
Swansea, 3.4 mi. NE. of, 2.9 mi. SW. of crossing of Sandy Run, at intersection of Neeses Ford and Pine Plain rds., in front of farmhouse of W. B. Rasp, 1 ft. from fence around house; iron post stamped "T T 24 SM 1934 432"-----	431. 190
Swansea, 4.4 mi. NE. of, 1.9 mi. SW. of crossing of Sandy Run, on N. side of Baker Mill rd., in root of large pine tree; wire nail-----	388. 48
Swansea, 5.2 mi. NE. of, about 1 mi. W. of crossing of Sandy Run, on Baker Mill rd., at top of hill, in forks at three corners, in root of small oak tree; wire nail-----	346. 14
Swansea, 6.3 mi. NE. of, 800 ft. NE. of crossing of Sandy Run, on Baker Mill rd., in NE. angle of crossroads; iron post stamped "185"-----	184. 505
Swansea, 6.9 mi. NE. of, on Baker Mill rd., in NW. angle of crossroads, in root of small oak tree; wire nail-----	210. 64
Swansea, 8.2 mi. NE. of, 2.3 mi. SW. of junction of old State rd., near Taylor dwelling, at three corners, 6 ft. N. of rd., in root of small oak tree; wire nail-----	298. 79
Swansea, about 9.5 mi. NE. of, 11.3 mi. SE. of Cayce, 1.2 mi. SW. of junction of old State rd., at top of hill, in SW. angle of crossroads, in root of pine tree; copper nail-----	247. 44

From Hopkins quadrangle northwest along old State road to Cayce (by F. L. Shalibo in 1919)

Cayce, 9.3 mi. SE. of, 11.5 mi. NE. of Swansea, 10 ft. E. of old State rd. at point opposite T-rd. W., in root of large oak tree; copper nail--	186. 57
Cayce, 8.6 mi. SE. of, on W. side of rd., 50 ft. S. of stream crossing, in base of large pine tree; copper nail-----	124. 85

	<i>Feet</i>
Cayce, 8.0 mi. SE. of, in SW. angle of intersection of State rd. and second-class rd., in root of large oak tree; copper nail.....	169. 06
Cayce, 7.2 mi. SE. of, 50 ft. N. of junction of T-rd. NE., midway between forks; iron post stamped "180".....	179. 331
Cayce, 6.5 mi. SE. of, at N. margin of small swamp, 10 ft. E. of rd., in root of large pine tree; copper nail.....	129. 03
Cayce, 4.6 mi. SE. of, at S. margin of swamp, 400 ft. E. of farmhouse, 10 ft. E. of rd., 1 ft.-S. of gatepost; iron post stamped "128".....	127. 107
Cayce, 2.6 mi. SE. of, in NE. angle of junction of T-rd. E., in root of large oak tree; copper nail.....	129. 56
Cayce, 2.2 mi. SE. of, in NE. corner of driveway to farmhouse, near large oak tree; iron post stamped "138".....	137. 397

From Columbia southeast along Southern Railway and Bluff road into Hopkins quadrangle (by F. L. Shalibo in 1919)

Columbia, 400 ft. N. of union sta., in SE. angle of intersection of Assembly Street and another street, 10 ft. S. of water hydrant, on top of section of old rail set vertically; chiseled cross.....	222. 89
Columbia, 0.9 mi. SE. of union sta., on S. side of Southern Ry. track, opposite milepost 2, at W. end of switch near rd. forks, on end of guard rail; marked point.....	177. 94
Columbia, 3.4 mi. SE. of, on Bluff rd. at point 800 ft. S. of stream crossing, in SE. angle of T-junction of second-class rd. E., in root of 14-in. tree; copper nail.....	182. 82
Columbia, 4.1 mi. SE. of, in village of Arthur, on W. side of Bluff rd., at SE. corner of dwelling; iron post stamped "169".....	168. 371

From Woodford quadrangle north along Jones Bridge and other roads to crossing of Southern Railway near Arthur station (by F. L. Shalibo in 1919)

Swansea, 3.5 mi. NW. of, on W. side of Jones Bridge rd. at point 1.0 mi. NE. of junction of Neeses Ford rd., in front of dwelling of J. M. Williams, in root of 6-in. oak tree; copper nail.....	345. 14
Swansea, 4.1 mi. NW. of, on Jones Bridge rd. at point 1.6 mi. NE. of junction of Neeses Ford rd., at NE. corner of bridge over small stream, in root of oak tree; copper nail.....	329. 96
Swansea, 4.6 mi. NW. of, 1.0 mi. W., thence 3.1 mi. S. from Gaston, 2.1 mi. NE. of junction of Neeses Ford rd., in NE. angle of junction of T-rd. E., at head of Brooker mill pond; iron post stamped "341".....	341. 033
Gaston, 1.0 mi. W., thence 2.5 mi. S. from, in triangle at junction of T-rd. E., in front of farmhouse, in root of 12-in. oak tree; copper nail.....	420. 88
Gaston, 1.0 mi. W., thence 0.9 mi. S. from, in SE. angle of intersection of second-class rd., in root of small gum tree; copper nail.....	437. 15
Gaston, 1.0 mi. W. of, 100 ft. S. of intersection of Blackville rd., on E. side of Jones Bridge rd., 1 ft. from NW. corner of fence around yard; iron post stamped "474".....	473. 410
Gaston, 1.0 mi. W., thence 1.0 mi. N. from, on Jones Bridge rd., in NE. angle of crossroads, in root of pine tree; copper nail.....	423. 41
Gaston, 1.0 mi. W., thence 2.0 mi. N. from, on settlement rd. at edge of cleared field, at foot of small hill, 10 ft. W. of rd., in root of old pine tree; copper nail.....	315. 78
Gaston, 1.0 mi. W., thence 3.4 mi. N. from, on W. side of rd., at Germany's mill pond, at SW. corner of wagon shed; iron post stamped "261".....	260. 762

Gaston, 1.0 mi. W., thence 3.8 mi. N. from, 600 ft. S. of creek, in NE. angle of triangle at three corners, in root of small pine tree; copper nail-----	<i>Feet</i> 266. 13
Gaston, 1.0 mi. W., thence 4.7 mi. N. from, at N. margin of swamp, on E. side of second-class rd., in root of small oak tree; copper nail-----	234. 63
Gaston, 1.0 mi. W., thence 5.3 mi. N. from, in NW. angle of intersection of N.-S. rd. and old Augusta rd.; iron post stamped "232"-----	231. 184
Gaston, 1.0 mi. W., thence 6.8 mi. N. from, 1.2 mi. SE. of Ebenezer Church, at Shumpert's mill pond, in triangle at rd. forks, in root of 8-in. oak tree; copper nail-----	197. 62
Ebenezer Pentecostal Church, near, 1.2 mi. SW. of Styx sta. on Southern Ry., in SE. angle of five corners; iron post stamped "266"-----	265. 155
Ebenezer Church, 0.4 mi. N. of, in NE. angle of crossroads, in root of large pine tree; copper nail-----	189. 90
Ebenezer Church, 1.1 mi. N. of, 4.8 mi. S. of Arthur sta., in forks on E. side of rd., at junction of T-rd. E., in root of small hickory tree; copper nail-----	167. 10
Arthur, 3.8 mi. S. of, 0.9 mi. S. of Kinsler Bridge, in NW. angle of junction of T-rd. W.; iron post stamped "245"-----	244. 388
Arthur, 2.9 mi. S. of, 500 ft. N. of Kinsler Bridge, in front of dwelling of J. Sox, at rd. forks, on E. side of rd., in root of 10-in. oak tree; copper nail-----	207. 07
Arthur sta., about 2 mi. SE. of, on settlement rd., in NE. angle of crossroads, in root of small oak tree; copper nail-----	297. 93

From intersection of Jones Bridge and Blackville roads about 1 mile west of Gaston northeast along roads to old State road (by F. L. Shalibo in 1919)

Gaston, 500 ft. W. of R. R. crossing, in NW. angle of junction of T-rd. W., in root of small oak tree; copper nail-----	506. 59
Gaston, 0.6 mi. NE. of, in hollow, in NE. angle of junction of T-rd. E., in root of 10-in. tree; copper nail-----	441. 47
Gaston, 1.5 mi. NE. of, in center of junction of second-class rds.; iron post stamped "376"-----	375. 341
Gaston, 2.5 mi. NE. of, at top of hill, at junction of T-rd. S., 6 ft. S. of S. end of barnyard fence, in root of large tree; copper nail-----	453. 90
Gaston, 3.9 mi. NE. of, at junction of Pine Plain rd. and rd. SW. to Gaston, on E. side of rd., in root of large pine tree; copper nail----	257. 64
Gaston, 5.4 mi. NE. of, near top of hill, in SW. angle of intersection of Pine Plain rd. and second-class rd.; iron post stamped "330"-----	329. 501
Gaston, 6.5 mi. NE. of, 0.6 mi. W. of old State rd., on N. side of rd., in root of large pine tree; copper nail-----	218. 53

From intersection of Jones Bridge and Blackville roads, about 1 mile west of Gaston west along Blackville and other roads to Macedon, thence west along Bresha Bay road into Lexington quadrangle (by F. L. Shalibo in 1919)

Gaston, 1.8 mi. W. of, at junction of T-rd. S., on N. side of rd., in root of small oak tree; copper nail-----	448. 40
Gaston, 2.8 mi. W. of, in SW. angle of crossroads, in root of old pine tree; copper nail-----	469. 22
Gaston, 3.4 mi. W. of, 3.4 mi. E. of Macedon sta. on Southern Ry., 100 ft. E. of crossroads, in front of dwelling of B. G. Fallow, 30 ft. S. of rd., at W. side of cotton house; iron post stamped "494"-----	493. 078
Macedon, 2.8 mi. E. of, on S. edge of triangle, at junction of T-rd. E., near old schoolhouse, in root of small oak tree; copper nail-----	499. 96

Macedon, 1.9 mi. E. of, 50 ft. S. of crossroads, in root of large pine tree; copper nail.....	<i>Feet</i> 509. 83
Macedon, 1.4 mi. E. of, in NW. angle of intersection of E.-W. rd. and clay rd. to Lexington, in root of small oak tree; copper nail....	511. 29
Macedon, 20 ft. N. of Southern Ry. sta., 40 ft. E. of track; iron post stamped "488".....	487. 897
Macedon sta., 2.1 mi. W. of, at crossroads, 10 ft. S. of Bresha Bay rd., in root of 14-in. oak tree; copper nail.....	461. 84

From Macedon northeast along Southern Railway to point near Styx station (by F. L. Shalibo in 1919)

Edmund, 100 ft. N. of sta., in NE. angle of crossing of public rd., 1 ft. from crossing sign; iron post stamped "Prim Trav Sta No 58 H 1918 461".....	460. 813
Edmund, 2.0 mi. NE. of, 50 ft. NE. of track, in root of large tree; copper nail.....	371. 38
Edmund, 2.9 mi. NE. of, at NE. corner of Shuler sta.; iron post stamped "326".....	325. 783

From Columbia west and northwest along U. S. Highway 1 and Leaphart road into Irmo quadrangle (by J. F. Covington in 1934)

Congaree B triangulation sta.; U. S. C. & G. S. standard disk designated "Congaree B".....	259. 192
Columbia, in SW. angle and 75 ft. SW. of intersection of Lady and Wayne Streets, in root on S. side of 30-in. elm tree; copper nail and washer.....	213. 21
Columbia, on Gervais Street, on NE. corner of concrete bridge over Congaree River; chiseled square.....	165. 95
Columbia, 1.5 mi. W. of intersection of Main and Washington Streets, at New Brookland, 70 ft. SW. of intersection of U. S. Highways 1 and 21, on concrete curb; chiseled square.....	191. 63
New Brookland, 1.1 mi. W. of, 1.4 mi. W. of highway bridge over Congaree River, 675 ft. SW. of intersection of U. S. Highways 1 and 21, 28 ft. S. of center line of highway, in top of 7- by 7-in. concrete post; standard tablet stamped "C 38 1934 280".....	279. 787
Reference mark, 48 ft. E. of tablet, 640 ft. SW. of intersection of highways, 50 ft. S. of center line of U. S. Highway 1, in root on W. side of 10-in. oak tree; copper nail and washer.....	280. 42
New Brookland, 1.5 mi. W. of, 140 ft. W. of dwelling of D. McCarty, 33 ft. N. of center line of highway, in concrete post; U. S. C. & G. S. and State Survey standard disk not stamped.....	346. 695
New Brookland, 2.2 mi. SW. of, 120 ft. NE. of center of junction of Leaphart rd., 45 ft. E. of SE. corner of Hook Cemetery, in root on S. side of 15-in. pine tree; copper nail and washer.....	290. 42
New Brookland, 2.3 mi. SW. of, in NW. angle of junction of Leaphart rd., 20 ft. N. of center line of highway, near Hook's store, in concrete post; U. S. C. & G. S. and State Survey standard disk.....	294. 849
New Brookland, 3.5 mi. W. of, 1.0 mi. SE. of Mount Hebron Church, on Leaphart rd., in yard of D. H. Wilson, in root on E. side of 20-in. sugarberry tree; copper nail and washer.....	297. 52
Mount Hebron Church, 405 ft. SE. of SW. corner of, 27 ft. N. and 33 ft. W. from junction of Leaphart rd. and second-class rd. N., in 7- by 7-in. concrete post; standard tablet stamped "C 39 1934 325"....	324. 805

Reference mark, 12 ft. S. and 12 ft. E. from tablet, 15 ft. N. and 21 ft. W. from rd. forks, in root on S. side of 6-in. oak tree; copper nail and washer-----

Feet
324.97

From Irmo quadrangle alternately southwest and northwest along county road to State Highway 6, thence south along highway to Lexington station (by J. F. Covington in 1934)

[Line jogs into Irmo quadrangle]

Lexington, 1.5 mi. along rd. NE. of, at junction of rd. NW. to County Home, at SW. corner of barn of C. W. Caughman, in 7- by 7-in. concrete post; standard tablet stamped "C 41 1934 393"----- 392.721
Reference mark, 25 ft. SE. of tablet, 90 ft. W. of rd. junction, 25 ft. S. of SE. corner of barn, in root of 40-in. oak tree; copper nail and washer----- 392.68
Lexington, 1.0 mi. N. of Southern Ry. sta., in courthouse grounds, in SE. corner of concrete base of Confederate monument; chiseled square----- 394.06
Lexington, 0.5 mi. N. of sta., at highway bridge over mill pond, on NW. corner of concrete walkway; chiseled square----- 300.20

ELLENTON QUADRANGLE³⁰

[Latitude 33°00'-33°15'; longitude 81°30'-81°45']

AIKEN, ALLENDALE, AND BARNWELL COUNTIES

From Allendale quadrangle northwest along Charleston & Western Carolina Railway into Greens Cut quadrangle (first-order leveling by C. H. Semper in 1918)

Millett (Millettville post office), 1.7 mi. SE. of, 2.0 mi. NW. of Martin, 600 ft. N. of milepost 39, at rd. crossing, 20 ft. S. of track, 10 ft. E. of rd.; iron post stamped "129"----- 129.613
Millett, 0.3 mi. SE. of sta., at rd. crossing; top of rail----- 145.6
Millett, in front of sta.; top of rail----- 139.4
Millett, 0.4 mi. NW. of sta., at rd. crossing; top of rail----- 138.0
Millett, 1.1 mi. NW. of, 850 ft. E. of milepost 36, at crossing of rd. to mill, 20 ft. E. of rd., 20 ft. N. of track; iron post stamped "138"--- 138.057
Millett, 1.9 mi. NW. of, at rd. crossing; top of rail----- 134.8
Millett, 2.0 mi. NW. of, 2.8 mi. SE. of Hattievile, 0.2 mi. E. of milepost 35, on N. side of track, at third bent from E. side of trestle, in top of cap; copper nail----- 130.22
Hattievile, 1.5 mi. SE. of, 100 ft. W. of milepost 34, at E. bent of trestle, in S. end of cap; copper nail----- 124.31
Hattievile, 0.6 mi. SE. of, at rd. crossing, 210 ft. W. of milepost 33, 12 ft. E. of rd., 25 ft. S. of track; iron post stamped "130"----- 129.970
Hattievile, in front of sta.; top of rail----- 129.4
Hattievile, 1.7 mi. NW. of, 1.8 mi. SE. of Robbins, at rd. crossing; top of rail----- 121.2
Robbins, 1.3 mi. SE. of, 1,310 ft. S. of milepost 30, at rd. crossing, 35 ft. E. of rd., 20 ft. S. of track; iron post stamped "118"----- 117.808
Robbins, 460 ft. E. of union sta., 20 ft. N. of track of Charleston & Western Carolina Ry. and 20 ft. S. of track of Atlantic Coast Line R. R.; iron post stamped "Prim Trav Sta No 99 113"----- 113.126
Robbins, in front of sta.; top of rail----- 117.4
Robbins, 0.3 mi. NW. of, at rd. crossing; top of rail----- 121.7

³⁰ Part of this quadrangle lies in Georgia.

	<i>Feet</i>
Robbins, 2.0 mi. NW. of, at rd. crossing; top of rail.....	118. 1
Robbins, 2.1 mi. NW. of, 5.1 mi. SE. of Ellenton, 655 ft. E. of mile- post 27, 40 ft. E. of rd. crossing, 35 ft. S. of track; iron post stamped "111".....	110. 741
Ellenton, 2.1 mi. SE. of, at milepost 24, at rd. crossing, 20 ft. E. of rd., 20 ft. S. of track; iron post stamped "142".....	142. 546
Ellenton, 0.3 mi. SE. of sta., near Aiken-Barnwell county line, at rd. crossing; top of rail.....	154. 4
Ellenton, in front of sta.; top of rail.....	152. 1
Ellenton sta., 120 ft. NW. of rd. crossing, 40 ft. NE. of center line of track; iron post stamped "Prim Trav Sta No 98 Mac 154".....	153. 720
Ellenton, 0.5 mi. NW. of sta., at rd. crossing; top of rail.....	145. 5

From Talatha quadrangle south and southeast along Whisky road to Ellenton
(by H. L. Hudson in 1918)

Ellenton, 2.0 mi. NW. of, about 0.5 mi. NW. of Upper Three Runs, in SW. angle of junction of Whisky rd. with old river rd. W.; iron post stamped "155".....	155. 137
Ellenton, 1.2 mi. NW. of, 300 ft. S. of Bune Church, on E. side of rd., in root of pine tree; nail.....	153. 76

From Robbins northeast along Atlantic Coast Line Railroad into Allendale
quadrangle (by H. L. Hudson in 1918)

Meyers Mill, 50 ft. W. of sta., 10 ft. S. of track; iron post stamped "168".....	168. 107
Dunbarton, 0.6 mi. SW. of, on S. side of track, on switch ladder; head of bolt.....	240. 40
Dunbarton, 150 ft. E. of sta., 15 ft. N. of track; iron post stamped, erroneously, "151".....	250. 593
Kendall sta. (Donora village), on S. side of track, on trestle; head of bolt.....	181. 28

From Dunbarton northwest along road 1 mile, thence northeast along Joyce
Branch Church road into Talatha quadrangle (by H. L. Hudson in 1918)

Dunbarton, 1.2 mi. by rds. N. of, 2.8 mi. SW. of Joyce Branch Church, in SE. angle of crossroads, 100 ft. N. of dwelling, in root of oak tree; nail.....	285. 64
--	---------

ELLOREE QUADRANGLE

[Latitude 33°30'-33°45'; longitude 80°30'-80°45']

CALHOUN, CLARENDON, ORANGEBURG, AND SUMTER COUNTIES

From Bowman quadrangle northwest along State Highway 45 to point 0.6 mile
southeast of Elloree, thence southwest along roads and back into Bowman
quadrangle (by F. J. McMaugh in 1919)

Jerusalem Church, 0.6 mi. SE. of, 1.8 mi. NW. of Parler, in triangle at rd. forks, 20 ft. W. of highway, in root of red-oak tree; copper nail.....	155. 71
Jerusalem Church, about 1,200 ft. NW. of, 60 ft. S. of crossroads, 180 ft. N. of two-story dwelling; iron post stamped "156".....	155. 408
Jerusalem Church, 0.7 mi. NW. of, 1.6 mi. SE. of Elloree, on E. side of highway, at edge of woods, in root of pine tree; copper nail.....	150. 89

Elloree, about 0.6 mi. SE. of, 600 ft. NW. of bridge over creek, on E. side of highway, opposite dwelling, 15 ft. SE. of gate, in root of red-oak tree; copper nail.....	<i>Feet</i> 166. 06
Elloree, 2.3 mi. SW. of, 1.4 mi. NE. of Hickory Grove Church, on rd. connecting State Highway 45 with Charleston-Columbia State Road (State Highway 31), 35 ft. S. of rd., in cotton field, in root of eastern-most of two oak trees; copper nail.....	165. 39
Hickory Grove Church, 0.9 mi. NE. of, 200 ft. E. of curve in rd., 30 ft. N. of rd., at fence corner, in root of water-oak tree; copper nail....	160. 53
Hickory Grove Church, 0.7 mi. NE. of, 3.3 mi. NE. of junction of Charleston-Columbia State Road, 0.3 mi. W. of cotton gin and sawmill, 40 ft. W. of small plank bridge, in triangle at rd. forks; iron post stamped "149.0".....	148. 118
At Cedar Grove School—a jog from Bowman quadrangle (by F. J. McMaugh in 1919)	
Cedar Grove School, 120 ft. E. of, on rd. to Four Hole School at point 60 ft. SW. of intersection of Charleston-Columbia State Road, in root of white-oak tree; copper nail.....	147. 42
Cedar Grove School, 2 ft. N. of corner of, on rd. to Four Hole School at point 150 ft. SW. of intersection of State Road; iron post stamped "150".....	148. 815
From Fort Motte west along road into St. Matthews quadrangle (by F. L. Shalibo in 1919)	
Fort Motte, 500 ft. along track S. of Southern Ry. sta., 10 ft. W. of track, 3 ft. from signpost at rd. crossing; iron post stamped "Prim Trav Sta No 84 J 1919 125".....	124. 754
Fort Motte, 1.1 mi. W. of, 100 ft. W. of junction of T-rd. N., on S. side of rd., in root of 8-in. gum tree; copper nail.....	255. 36
Fort Motte, 2.2 mi. W. of, 2.5 mi. E. of junction of rd. from St. Matthews, on S. side of rd., opposite T-rd. N., in root of large pine tree; copper nail.....	253. 52
From Fort Motte quadrangle south along Wedgefield-Fulton road to Fulton, thence east along Fulton-Pinewood road into Rimini quadrangle (by H. S. Senseney in 1919)	
St. Mark's Chapel, 1.5 mi. NE. of Fulton, 30 ft. N. of junction of T-rd. W., on E. side of rd., in root of oak tree; copper nail and washer....	214. 04
Fulton, 3.0 mi. W. of Pinewood, 10 ft. S. and 15 ft. E. from cross-roads; iron post stamped "Prim Trav Sta No 55 J 1918 193".....	193. 226
Reference mark, 640 ft. E. of iron post, on S. side of rd., in root of small blazed oak tree; copper nail and washer.....	197. 10
From St. Matthews quadrangle near St. Matthews southeast and southwest along roads and back into St. Matthews quadrangle at point near Metts Crossroads (by E. B. Williams in 1934)	
St. Matthews, 1.7 mi. SE. of courthouse, 110 ft. S. of center line of rd., in root on E. side of 24-in. pine tree; wire nail.....	257. 92
St. Matthews, 2.5 mi. SE. of, 20 ft. SW. of center line of rd., 40 ft. E. of tenant house of G. R. Bowman, in 6- by 6-in. concrete post; standard tablet stamped "T T 7 SM 1934".....	260. 247
Reference mark, 60 ft. SW. of tablet, 20 ft. SE. of tenant house, 80 ft. SW. of center line of rd., in root on SW. side of 4-in. chinaberry tree; wire nail.....	258. 07

St. Matthews, 3.8 mi. SE. of, 25 ft. W. of center line of rd., 200 ft. SE. of tenant house, 70 ft. E. of barn, in root on SE. side of 12-in. twin-oak tree; wire nail.....	Feet 261. 93
St. Matthews, 4.8 mi. SE. of, 25 ft. W. of center line of rd., 160 ft. S. of dwelling of L. W. Rickenbacker, in root on E. side of 10-in. oak tree; wire nail.....	257. 32
St. Matthews, 5.6 mi. SE. of, 10.5 mi. NE. of Orangeburg, at Metts Crossroads (intersection of State Highway 31 and NE.-SW. rd.), 260 ft. E. of dwelling of L. P. Metts, 2 ft. SW. of stone monument, in 7- by 7-in. concrete post; standard tablet stamped "T T 5 W 1934".....	224. 884
Reference mark, 60 ft. NE. of tablet, 30 ft. N. of crossroads, on concrete head wall of culvert; chiseled square.....	223. 12
Metts Crossroads, 1.0 mi. SW. of, 9.4 mi. NE. of Orangeburg, 70 ft. S. of dwelling of Raymond Bright, 25 ft. NW. of center line of rd., in root on SW. side of 40-in. oak tree; wire nail.....	221. 41
From Metts Crossroads along road northeast to State Highway 45 at point 4.1 miles northwest of Creston, thence southeast along highway to point 2.1 miles southeast of Creston, thence along roads generally southwest to Cedar Grove School on State Highway 31 (by E. B. Williams in 1934)	
Metts Crossroads, 2.1 mi. NE. of, 2.1 mi. SW. of Crossroads School at intersection of SW.-NE. rd. with State Highway 45, 15 ft. E. of center line of rd., in root on SW. side of 20-in. pine tree; wire nail..	223. 04
Metts Crossroads, 3.1 mi. NE. of, 1.1 mi. SW. of Crossroads School, 35 ft. N. of center line of rd., in root on NW. side of 26-in. pine tree; wire nail.....	242. 86
Metts Crossroads, 4.2 mi. NE. of, 4.1 mi. NW. of Creston, on State Highway 45 at point 45 ft. SE. of intersection of SW.-NE. rd., 30 ft. N. of NW. corner of Crossroads School, in 7- by 7-in. concrete post; standard tablet stamped "T T 6 W 1934".....	257. 138
Reference mark, 70 ft. SE. of tablet, 10 ft. E. of SE. corner of school, 40 ft. S. of center line of highway, in root on SW. side of 30-in. chinaberry tree; wire nail and bottle cap.....	257. 26
Creston, 2.9 mi. NW. of, 40 ft. S. of center line of highway, 200 ft. NW. of dwelling of W. C. Holman, in root on NE. side of 15-in. pine tree; wire nail and bottle cap.....	208. 65
Creston, 1.7 mi. NW. of, 35 ft. N. of N. corner of St. Paul's Church, 170 ft. NE. of center line of highway, in root on S. side of 30-in. oak tree; wire nail and bottle cap.....	201. 60
Creston, 120 ft. SE. of store of F. T. Murray, 20 ft. SW. of dwelling, 45 ft. NE. of center line of highway, in root on N. side of 24-in. chinaberry tree; wire nail and bottle cap.....	185. 53
U. S. C. & G. S. standard disk stamped "Y 27 1934".....	159. 553
Creston, 1.2 mi. SE. of Atlantic Coast Line R. R. sta., 40 ft. SW. of center line of highway, 150 ft. N. of dwelling of Mrs. Ann Shoemaker, in root on N. side of 24-in. black-walnut tree; wire nail and bottle cap.....	183. 16
Creston, 2.1 mi. along highway SE., thence 800 ft. along rd. SW. from, 40 ft. NW. of center line of rd., in root on NE. side of 18-in. gum tree; wire nail and bottle cap.....	170. 00
Creston, 2.1 mi. SE., thence 1.3 mi. SW. from, 50 ft. NW. of center line of rd., in root on SE. side of 15-in. pine tree; wire nail and bottle cap.....	177. 54

Creston, 2.1 mi. SE., thence 2.3 mi. SW. from, 140 ft. NE. of crossroads, 140 ft. SE. of tenant house of J. M. Faker, 30 ft. NW. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "L 10 WS 1934"-----	Feet 170. 782
Reference mark, 10 ft. E. of tablet, 150 ft. NE. of crossroads, 150 ft. SE. of tenant house, 20 ft. NW. of center line of rd., in root on S. side of 15-in. oak tree; wire nail and bottle cap-----	170. 38
Creston, 2.1 mi. SE., thence 3.4 mi. SW. from, 4.1 mi. NE. of Cedar Grove School, 1.1 mi. NW. of junction of rd. E. to Elloree, 30 ft. SW. of center line of rd., in root on NE. side of 10-in. pine tree; wire nail and bottle cap-----	169. 92
Cedar Grove School, 2.9 mi. NE. of, 3.2 mi. W. of Elloree, 75 ft. N. of junction of county rd. E. to Elloree, 90 ft. SE. of tenant house of Mrs. Blanche Parler, in root on S. side of 30-in. oak tree; wire nail and bottle cap-----	168. 01
Cedar Grove School, 1.7 mi. NE. of, 0.5 mi. W. of Midway School, 20 ft. NW. of center line of rd., on concrete head wall of culvert; chiseled square-----	162. 17
Cedar Grove School, 0.7 mi. NE. of, 40 ft. NW. of center line of rd., in root on SW. side of 8-in. oak tree; wire nail and bottle cap-----	146. 60

From road junction 3.2 miles west of Elloree east along county road to Elloree
(by E. B. Williams in 1934)

Elloree, 2.5 mi. W. of, 0.7 mi. E. of junction of rd. SW. to Cedar Grove School, 140 ft. S. of rd., 2 ft. W. of NW. corner of tenant house of Mrs. Willie Strock, in 7- by 7-in. concrete post; standard tablet stamped "L 11 WS 1934"-----	171. 471
Reference mark, 120 ft. N. of tablet, 20 ft. S. of center line of rd., in root on N. side of 24-in. gum tree; wire nail and bottle cap-----	170. 76
Elloree, 1.3 mi. W. of, 30 ft. S. of center line of rd., in root on NE. side of 12-in. pine tree; wire nail and bottle cap-----	168. 02
U. S. C. & G. S. standard disk stamped "T 27 1934"-----	169. 822

From Lone Star station on Atlantic Coast Line Railroad northwest along road to point 0.3 mile north of bridge over Buck Head Creek, thence southwest along roads to Fort Motte (by E. B. Williams in 1934)

[Line jogs into Fort Motte quadrangle]

Lone Star, 76 ft. W. of W. corner of sta., 65 ft. NW. of main line track, 12 ft. SW. of E. corner of Haigler property, 0.5 ft. SE. of fence, in concrete post; standard tablet stamped "T 26 1934" (recovered by U. S. C. & G. S. in 1934)-----	170. 958
Lone Star, 0.3 mi. along R. R. tracks SW. of, 0.9 mi. S. of Pine Grove Church, at rd. crossing, 26 ft. NW. of center line of track, 18 ft. SW. of center line of rd.; iron post stamped "Prim Trav Sta No 64 J 1919"-----	171. 436
Pine Grove Church, 900 ft. S. of, 1.2 mi. N. of Lone Star, 30 ft. E. of center line of rd., in root on SW. side of 40-in. oak tree; wire nail and bottle cap-----	191. 77
Pine Grove Church, 0.8 mi. N. of, 20 ft. E. of center line of rd., on concrete head wall of culvert; chiseled square-----	174. 64
Pine Grove Church, 1.6 mi. N. of, 120 ft. W. of center line of rd., 3 ft. N. of NE. corner of house owned by Edisto National Bank, in 7- by 7-in. concrete post; standard tablet stamped "L 12 WS 1934"-----	196. 489

Reference mark, 100 ft. NE. of tablet, 20 ft. W. of center line of rd., in root on SE. side of 24-in. hickory tree; wire nail and bottle cap.....	Feet 193. 40
Pine Grove Church, 2.8 mi. NW. of, 20 ft. NE. of Y-junction of rd. W., in root on S. side of 24-in. twin chinaberry tree; wire nail and bottle cap.....	166. 48
Pine Grove Church, 4.2 mi. NW. of, 30 ft. NE. of center line of rd., in root on S. side of 24-in. pine tree; wire nail and bottle cap.....	160. 20
Pine Grove Church, 5.1 mi. NW. of, 25 ft. NE. of center line of rd., in root on W. side of 24-in. oak tree; wire nail and bottle cap.....	214. 93
Pine Grove Church, 5.6 mi. NW. of, 2.8 mi. SE. of intersection of State Highway 52, 200 ft. W. of dwelling of L. M. Keefe, 30 ft. E. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "L 13 WS 1934".....	222. 921
Reference mark, 90 ft. E. of tablet, 110 ft. W. of dwelling, 120 ft. E. of center line of rd., in root on NE. side of 10-in. hickory tree; wire nail and bottle cap.....	222. 83
Pine Grove Church, 6.8 mi. NW. of, 1.5 mi. SE. of intersection of State Highway 52, 25 ft. NE. of center line of rd., in root on SE. side of 46-in. oak tree; wire nail and bottle cap.....	231. 97
Pine Grove Church, 8.4 mi. NW. of, about 2.8 mi. along State Highway 52 NE. of Fort Motte, at intersection of Pine Grove Church rd. and State Highway 52, 50 ft. E. of center line of highway, in root on NW. side of 10-in. pine tree; wire nail and bottle cap.....	230. 83
Fort Motte, 1.1 mi. NE. of, 30 ft. NW. of center line of rd., in root on SE. side of 15-in. sassafras tree; wire nail and bottle cap.....	123. 66

EUTAWVILLE QUADRANGLE

[Latitude 33°15'-33°30'; longitude 80°15'-80°30']

BERKELEY, CLARENDON, DORCHESTER, AND ORANGEBURG COUNTIES

From Chicora quadrangle southwest along Moncks Corner road to Sandridge, thence southeast along Charleston-Columbia State Road, State Highway 31, into Ridgeville quadrangle (by R. G. Clinite in 1918)

Sandridge, 3.0 mi. NE. of, 1.7 mi. SW. of Legare School, 1.0 mi. SW. of store of Wallace Smith at intersection of New rd., 300 ft. E. of T-junction of second-class rd. SE., on N. side of rd., in base of 14-in. pine tree; copper nail.....	93. 13
Sandridge, at the Singleterry Place, 35 ft. SW. of junction of Charleston-Columbia State Road; iron post stamped "80 1918".....	79. 506

From Eutawville southeast and south along roads to junction of New and Moncks Corner roads near store of Wallace Smith (by H. P. Kilby in 1919)

Eutawville, 120 ft. E. of freight shed of Atlantic Coast Line R. R., 30 ft. W. of rd. crossing, in wye of tracks; iron post stamped "115 1919".....	115. 046
Eutawville, 0.8 mi. SE. of, 160 ft. N. of center line of rd., at junction of rd. SE., in field, in 30-in. pine tree; copper nail.....	115. 18
Eutawville, 1.9 mi. SE. of, 30 ft. N. of farm building, 8 ft. N. of center line of rd., in base of 50-in. oak tree; copper nail.....	101. 96
Eutawville, 2.9 mi. SE. of, 15 ft. S. of center line of rd. at junction of second-class rd. SW., 60 ft. NE. of corner of log house, S. of mail box of W. P. Stroman; iron post stamped "96 1919".....	95. 419
Eutawville, 3.8 mi. SE. of, 25 ft. W. of two mail boxes, 15 ft. S. of center line of rd., in base of 30-in. pine tree; copper nail.....	90. 69

Eutawville, 4.8 mi. SE. of, 30 ft. S. of rd. at junction of second-class rd. S., in 18-in. pine tree; copper nail-----	<i>Feet</i> 89. 68
Eutawville, 5.6 mi. SE. of, at turn to E. in rd., in Y-junction of rd. S., on plantation of L. G. Jackson; iron post stamped "88 1919"-----	87. 561
Eutawville, 8.1 mi. SE. of, 2.6 mi. N. of Black Creek Church, 1.3 mi. S. of St. Paul's Church, at junction of rd. from Eutawville with New rd., on Orangeburg-Berkeley county line, 50 ft. E. of mail box of J. F. Ritter, 30 ft. E. of New rd., in base of 18-in. pine tree; copper nail-----	91. 61
Black Creek Church, 1.8 mi. N. of, on Orangeburg-Berkeley county line, at crossing of bed of abandoned Moncks Corner R. R., on property of N. M. Adkins, 30 ft. E. of rd., 10 ft. S. of two mail boxes; iron post stamped "94 1919"-----	93. 612
Black Creek Church, 1.0 mi. N. of, 600 ft. S. of Black Creek and Berkeley-Orangeburg county line, 25 ft. E. of rd., in base of 20-in. pine tree; copper nail-----	87. 07
Black Creek Church, 160 ft. NE. of, 0.6 mi. N. of intersection of New and Moncks Corner rds., on W. side of rd., at Y-junction of rd. NW., in 20-in pine tree; copper nail-----	89. 57

From junction of Charleston-Columbia State Road and Moncks Corner road at Sandridge northwest along State Road to Holly Hill (by H. P. Kilby in 1919)

Sandridge, 1.2 mi. NW. of, at Singleterry Place, at point where Gail-lard rd. leaves State rd. to turn S., 50 ft. N. of rd., 150 ft. S. of dwelling of Negro family, in root of 10-in. red-oak tree; copper nail--	86 34
Sandridge, 2.2 mi. NW. of, 1.3 mi. SE. of Briner Church, 0.2 mi. SE. of Berkeley-Orangeburg county line, at SE. margin of Dean Swamp, in SW. abutment of bridge; copper nail-----	62. 08
Briner Church, 0.4 mi. SE. of, 38 ft. NE. and 30 ft. NW. from center of junction of county rd. NE.; iron post stamped "78 1919" (as reset Oct. 27, 1937, by the State Highway Dept.; the previous elevation was 78.079 ft.)-----	80. 695
Briner Church, 0.8 mi. NW. of, 2.8 mi. SE. of Holly Hill, 60 ft. NE. of center line of road at junction of second-class rd. NE., in base of 12-in. oak tree; copper nail-----	79. 32
Holly Hill, 1.7 mi. SE. of R. R. sta. at, 40 ft. S. of house, 20 ft. SW. of highway, in base of 30-in. oak tree; copper nail-----	91. 51
Holly Hill, 1 ft. E. of NE. corner of Bethel A. M. E. Church; iron post stamped "101 1919"-----	100. 592

From Holly Hill northwest along Charleston-Columbia State Road to Carson School, thence north and northwest along road to Parler into Bowman quadrangle (by H. P. Kilby in 1919)

Holly Hill, about 1 mi. NW. of Atlantic Coast Line R. R. sta., about 300 ft. SE. of junction of State rd. with Camden rd., at dwelling of S. M. Johnson, 15 ft. S. of center line of highway, 10 ft. E. of mail box, in base of 15-in. chinaberry tree; copper nail-----	110. 32
Holly Hill, 2.8 mi. NW. of, 2.7 mi. SE. of Carson School and Wells plantation, 0.3 mi. SE. of Target Swamp, 20 ft. S. of center line of State rd. at intersection of second-class rd., 400 ft. S. of large white dwelling, at fence corner; iron post stamped "102 1919"-----	101. 421

Carson School, 1.9 mi. SE. of, 0.5 mi. NW. of Target Swamp, 50 ft. N. of dwelling, 30 ft. S. of center line of rd., at mail box 17, in base of 8-in. oak tree; copper nail.....	Feet 108. 47
Carson School, 1.5 mi. SE. of, 200 ft. S. of dwelling, 156 ft. NW. of garage, in Y-junction of rd. SE. to Target Church, in root of 10-in. sycamore tree; copper nail.....	112. 70
Carson School, 0.5 mi. SE. of, 70 ft. W. of store of L. A. Carson, 50 ft. S. of dwelling, in 30-in. oak tree; copper nail.....	109. 97
Carson School, 50 ft. NW. of, at Wells plantation, 15 ft. S. of center line of rd. at junction of rd. N. to Parler, 15 ft. E. of fence corner; iron post stamped "Prim Trav Sta No 72 J 1919 102".....	101. 428
Carson School, 1.0 mi. N. of, on rd. to Parler, in top of NE. end of S. head wall of bridge over creek; copper nail.....	96. 38

From Ridgville quadrangle northeast along Atlantic Coast Line Railroad to Eutawville (by H. P. Kilby in 1919)

Harleyville, about 3 mi. N. of, 3.7 mi. SW. of Bowyer, in top of NE. abutment of trestle over creek in Four Hole Swamp; copper nail.....	69. 41
Bowyer, 2.8 mi. S. of, near N. margin of Four Hole Swamp, 200 ft. S. of water tank, in top of NE. end of trestle; copper nail.....	68. 15
Bowyer, 2.0 mi. S. of, at rd. crossing, 30 ft. E. of center line of track; iron post stamped "78 1919".....	77. 660
Bowyer, 0.9 mi. S. of, in NW. corner of abutment of bridge over Home Branch; copper nail.....	79. 31
Bowyer, in front of sta.; top of rail.....	72. 8
Bowyer, about 400 ft. N. of sta., in switchstand; copper nail.....	94. 04
Holly Hill, on lawn at dwelling of W. A. Jeffers, in base of 15-in. oak tree; copper nail.....	104. 67
Holly Hill, in front of sta.; top of rail.....	103. 0
Holly Hill, 500 ft. N. of sta., at crossing of State Highway 31, 15 ft. W. of track; iron post stamped "Prim Trav Sta No 71 J 1919 104".....	103. 747
Connors, in front of sta.; top of rail.....	115. 0
Connors, 8 ft. S. of sta., 40 ft. E. of track; iron post stamped "116 1919".....	115. 407
Connors, 2.0 mi. NE. of, 600 ft. S. of milepost 24, in E. side of N. abutment of bridge over Sandy Run Creek; copper nail.....	110. 16

From Bowman quadrangle near Parler east and southeast along River road, State Highway 45, to Eutawville (by H. P. Kilby in 1919)

Milligans Cemetery, 0.9 mi. NW. of, 2.6 mi. SE. of Parler, 1.0 mi. E. of Chapel Branch, 100 ft. E. of junction of rd. NW. to cotton gin, 25 ft. N. of center line of rd., in base of 30-in. twin cedar tree; nail.....	128. 59
Milligans Cemetery, 25 ft. N. of center line of rd. at junction of rd. SW.; iron post stamped "123 1919".....	121. 996
Milligans Cemetery, 1.2 mi. SE. of, 0.6 mi. NW. of Liveoak Church, 20 ft. NW. of farm building, 20 ft. S. of rd., in base of 25-in. oak tree; copper nail.....	130. 92
Liveoak Church, 60 ft. SE. of, 20 ft. N. of rd., in base of 40-in. oak tree; copper nail.....	136. 78
Liveoak Church, 0.7 mi. SE. of, 1.4 mi. NW. of Vance, in Y-junction of rd., 100 ft. SE. of dwelling; iron post stamped "134 1919".....	134. 264
Liveoak Church, 1.6 mi. SE. of, 2.5 mi. NW. of Springfield Church, 50 ft. N. of mail box of W. Wright, 30 ft. N. of rd., in base of 30-in. oak tree; copper nail.....	132. 45

Springfield Church, 0.5 mi. NW. of, 200 ft. E. of rd. forks, 30 ft. E. of mail box, 20 ft. S. of dwelling, in 15-in. gum tree; copper nail....	Feet 126. 98
Springfield Church, 150 ft. N. of, 20 ft. N. of center line of rd.; iron post stamped "123 1919".....	123. 185
Springfield Church, 0.8 mi. SE. of, 60 ft. W. of mail box, 40 ft. N. of rd., in base of 20-in. pine tree; copper nail.....	118. 38
Springfield Church, 1.8 mi. SE. of, 1.8 mi. NW. of wye of tracks of Atlantic Coast Line R. R. at Eutawville, 10 ft. S. of center line of rd., at intersection of rd. S. to Eutawville, at fence corner; iron post stamped "Prim Trav Sta No 66 J 1919".....	109. 958

From Eutawville northeast along roads to point 0.9 mile east of Ferguson. thence southeast along roads into Chicora quadrangle (by H. P. Kilby in 1919)

Eutawville, 0.9 mi. NE. of wye of tracks of Atlantic Coast Line R. R., 2.4 mi. SW. of Eutaw Springs, 10 ft. W. of center line of rd. at junction of second-class rd. SE., in 4-in. oak tree; copper nail.....	101. 36
Eutaw Springs, 1.4 mi. SW. of, 15 ft. N. of center line of rd. at junction of second-class rd. NW., in base of 25-in. oak tree; copper nail.....	75. 50
Eutaw Springs, 0.5 mi. W. of, at junction of State Highway 45, in 20-in. oak tree; copper nail.....	89. 89
Eutaw Springs, 0.8 mi. SW. of Dorchee, 80 ft. S. of Battle Monument, 30 ft. N. of rd., at gate; iron post stamped "84 1919".....	84. 094
Dorchee, 30 ft. SE. of intersection of rd. to Nelsons Ferry, 120 ft. SE. of Atlantic Coast Line R. R. track, in 24-in. oak tree; copper nail.....	75. 22
Ferguson, at R. R. sta.; top of rail.....	76. 3
Ferguson, 0.9 mi. E. of, 2.2 mi. N. of Waner Grove School, at cross-roads, 20 ft. N. of E.-W. rd., 40 ft. E. of mail box 22; iron post stamped "71 1919".....	70. 855
Waner Grove School, 1.1 mi. N. of, 6 ft. W. of rd. at intersection of rd. from Eutaw Springs, 5 ft. N. of mail box of T. L. Connors, in base of 15-in. pine tree; copper nail.....	82. 67
Waner Grove School, 0.2 mi. NE. of, on E. side of rd. at Connors plantation, 20 ft. S. of fence corner, in 25-in. oak tree; copper nail.....	91. 80
Waner Grove School, 0.7 mi. SE. of, in Y-junction of rd. from Nelsons Ferry with rd. S., 26 ft. E. of rd. S.; iron post stamped "94 1919".....	94. 000
Waner Grove School, 1.4 mi. SE. of, 3.2 mi. SE. of Eutaw Springs, at junction of and 15 ft. N. of Congaree rd., in base of 21-in. pine tree; copper nail.....	88. 06

From Carson School west along Charleston-Columbia State Road into Bowman quadrangle (by F. J. McMaugh in 1919)

Carson School, 1.0 mi. W. of, 80 ft. N. of white dwelling, 15 ft. N. of rd., in root of 5-in. oak tree; copper nail.....	104. 14
--	---------

From Rimini quadrangle near Tawcaw Creek southwest along road across Savanna Branch to Goodwill Church (by F. J. McMaugh in 1919; double-run spur line)

Bethlehem Church, 2.2 mi. SW. of, 1.2 mi. NE. of Goodwill Church, 340 ft. SW. of junction of T-rd. SE., on NW. side of rd., in root of small water-oak tree; copper nail and washer.....	72. 50
Goodwill Church, 300 ft. SW. of, 9.0 mi. SE. of St. Paul, 20 ft. S. of junction of rds. from Bethlehem Church, Santee Church, and Summerton; iron post stamped "73" (recovered in 1934).....	72. 579

From Rimini quadrangle southeast along Summerton-Goodwill Church road to Goodwill Church, thence northwest and back into Rimini quadrangle (by W. W. Mayes in 1934)

Goodwill Church, 0.5 mi. along rd. to Summerton NW. of, 0.4 mi. S. of crossing of Savanna Branch, 40 ft. E. of center line of rd., in root on E. side of 10-in. pine tree; copper nail and washer-----	Feet 75. 87
Goodwill Church, 1.0 mi. W. of, 35 ft. N. of center line of rd., in root on S. side of 24-in. pine tree; copper nail and washer-----	78. 19
Goodwill Church, 2.1 mi. NW. of, 10 ft. S. of center line of rd., in root on NW. side of 24-in. oak tree; copper nail and washer-----	89. 14
Goodwill Church, 3.2 mi. NW. of, about 2.8 mi. SE. of junction of U. S. Highway 401, 400 ft. E. of center of crossing of Brooklyn-Cooperdale logging R. R., 35 ft. S. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "L T 15 MS 1934 87"-----	87. 010
Reference mark 1, 25 ft. S. of tablet, 400 ft. E. of R. R. crossing, 10 ft. S. of center line of rd., in root on N. side of 24-in. oak tree; copper nail and washer-----	88. 44
Reference mark 2, 40 ft. W. of reference mark 1, 12 ft. S. of center line of rd., in root on N. side of 24-in. oak tree; copper nail and washer-----	86. 40

From Rimini quadrangle southwest along U. S. Highway 401 to Parler Crossroads, thence west along State Highway 45 into Bowman quadrangle (by W. W. Mayes in 1934)

Parler, 2.8 mi. NE. of, about 0.9 mi. SW. of bridge over Santee River, 45 ft. E. of center line of highway, in root on W. side of 15-in. pine tree; copper nail and washer-----	103. 92
Parler, 2.0 mi. NE. of, at Parler Crossroads, 40 ft. NE. of center of intersection of U. S. Highway 401 and State Highway 45, 40 ft. SW. of SW. corner of Santee service sta., in 7- by 7-in. concrete post; standard tablet stamped "L T 17 MS 1934 123"-----	123. 075
Reference mark 1, 160 ft. NW. of center of crossroads, 110 ft. N. of NE. corner of Watkins service sta., on top of right-of-way marker of State Highway Dept.; chiseled square-----	120. 42
Reference mark 2, 70 ft. E. of reference mark 1, 160 ft. N. of center of crossroads, on top of pipe; chiseled square-----	119. 06
Parler, 1.0 mi. E. of, 15 ft. S. of center line of highway, on W. end of concrete head wall of culvert; chiseled square-----	137. 45

FORT FREMONT QUADRANGLE

[Latitude 32°15'-32°30'; longitude 80°30'-80°45']

BEAUFORT COUNTY

From Okatie quadrangle southeast along Charleston & Western Carolina Railway to Beaufort (by R. G. Clinite in 1917)

Grays Hill, 1.1 mi. SE. of, 160 ft. N. of milepost 103, in SE. corner of small trestle; rail spike-----	34. 12
Grays Hill, 1.9 mi. SE. of, 2.4 mi. NW. of Burton, in SW. angle of rd. crossing, in S. end of wooden culvert; rail spike-----	33. 80
Burton, 0.8 mi. NW. of, 60 ft. N. of crossing of Beaufort-Yemassee rd., 4 ft. N. of warning signal; iron post stamped "7 1917"-----	6. 849
Burton, in front of sta.; top of rail-----	18. 8

Burton, 0.2 mi. E. of, 140 ft. SW. of crossing of Beaufort-Yemassee rd., in root of 18-in. gum tree; nail.....	<i>Feet</i> 15. 51
Beaufort, 0.9 mi. NW. of, at milepost 107, at E. end of N. side of trestle; top of bolt head.....	9. 13
Beaufort, 75 ft. NE. of sta., on E. side of rd., in root of clump of alder trees; copper nail and washer.....	19. 28
Beaufort, in NE. corner of Beaufort County courthouse yard; iron post stamped "26 1917".....	25. 812
Beaufort, on N. side of courthouse, on SE. corner of top step; small cross cut (U. S. C. & G. S. B. M. designated "Tidal 4").....	28. 481

From Beaufort station south along Charleston & Western Carolina Railway to Port Royal (by R. G. Clinite in 1917; single spur line)

Beaufort, in front of sta.; top of rail.....	19. 1
Beaufort, 1.0 mi. S. of, 3.2 mi. N. of Port Royal, opposite milepost 109, in root of 26-in. pine tree; nail.....	14. 08
Port Royal, in front of sta.; top of rail.....	8. 4
Port Royal, 150 ft. SE. of Sta., 30 ft. SW. of old brick store; in root of 12-in. oak tree; square head nail.....	8. 50
Port Royal, 270 ft. S. of sta., 29 ft. E. of main track, 2 ft. S. of fence corner; iron post stamped "8 1917".....	7. 905

From Beaufort southeast along roads on Ladies Island by way of Frogmore into St. Helena Sound quadrangle (by R. G. Clinite in 1918)

Beaufort, at McDonald Wilkins wharf, on E. side of driveway, on top of concrete retaining wall; chiseled square.....	7. 54
Ladies Island, about 1,000 ft. W. of ferry landing, about 30 ft. back of high-tide line, on prominent timbered point extending into marsh, at 6-in. concrete-filled soil pipe enclosing a protruding 1-in. galvanized pipe; top of galvanized pipe (surface of surrounding concrete marked with triangle, letters "U. S.," and figure "4")..	4. 965
Ladies Island, about 1.7 mi. SE. of ferry landing, 3.6 mi. NW. of Frogmore, 100 ft. S. of rd. fork, in root of 28-in. pine tree; copper nail and washer.....	7. 95
Frogmore, 2.2 mi. W. of, on S. parapet wall of concrete bridge over Chowan Creek, 8 ft. from W. end of wall; chiseled square.....	11. 06
Frogmore, about 180 ft. SW. of store of McDonald Wilkins, 500 ft. W. of rd. fork, on S. side of rd., near large pine tree; iron post stamped "9 1917".....	8. 725
Frogmore, 1.1 mi. SE. of, 10 ft. NW. of rd. fork, in root of easternmost tree of row of sycamore trees; copper nail and washer.....	25. 50
Frogmore, 2.2 mi. SE. of, 120 ft. E. of rd. fork, on E. edge of marsh, in root of 7-in. oak tree; copper nail and washer.....	5. 16
Frogmore, 3.4 mi. SE. of, 0.7 mi. W. of Pinckney Church, 300 ft. S. of unpainted cabin at edge of marsh, 250 ft. E. of junction of dim rd. S., on N. side of rd., in root of 11-in. lone oak tree; copper nail and washer.....	10. 72
Pinckney Church, 300 ft. N. of, 65 ft. E. of rd. fork, 20 ft. NW. of 38-in. pine tree; iron post stamped "12 1918".....	11. 675
Pinckney Church, 1.1 mi. E. of, 50 ft. S. of entrance to Ward store, in root of 50-in. live-oak tree; copper nail and washer.....	12. 20

From wharf at Parris Island Marine Barracks west and south along road to lighthouse on southern end of Parris Island (by R. G. Clinite in 1918; leveled twice)

Parris Island Marine Barracks, about 300 yd. outside NW. gate of former naval sta., 68 ft. from SW. corner of dwelling of Ellen Simmons, in top of concrete slab enclosed in terra cotta tile; point of nail (U. S. C. & G. S. B. M. designated "Tidal 3"; also triangulation sta. mark designated "Brooklyn")-----	Feet 8. 994
Parris Island Marine Barracks, at corner of Tripoli and Mexico Streets, in front of dwelling of commandant, in top surface of concrete horse block; standard tablet stamped "10 1918" (recovered by U. S. C. & G. S. in 1933; designated "Tidal G" and reported battered)-----	11. 000
Parris Island, 1.9 mi. along rd. W. from dry dock, near First Gospel Help Society Hall, on E. side of rd., in root of 22-in. oak tree; copper nail-----	16. 20
Parris Island, 2.9 mi. along rd. SW. from dry dock, 2.2 mi. N. of dwelling of lighthouse tender, 200 ft. SW. of schoolhouse, 24 ft. E. of church, 100 ft. N. of rd.; iron post stamped "6 1918"-----	6. 730
Reference mark, 10 ft. N. of post, 190 ft. S. of schoolhouse, in root of 8-in. lone oak tree; copper nail-----	6. 70
Parris Island, 0.6 mi. NW. of dwelling of lighthouse tender, about 0.5 mi. NW. of troop maneuver grounds, 600 ft. SE. of rd. section sign between sections 7 and 8, in root of 38-in. oak tree; copper nail----	7. 79
Parris Island, in line with and 65 ft. SE. of NE. gable of dwelling of lighthouse tender, 13 ft. N. of gate, 27 in. inside of fence; iron post stamped "6 1918"-----	6. 434
Reference mark, 500 ft. NW. of post, 7 ft. SE. of guard tent, in root of 10-in. tree; nail-----	7. 38

From Frogmore southwest along road to Fort Fremont, thence across country to mouth of Station Creek (by R. G. Clinite in 1918)

Fort Fremont, at NE. corner of base of observation tower; top of bolt-----	12. 88
Fort Fremont, about 1 mi. S. of, near telephone line, at land boundary marker; top of granite monument-----	11. 15
Fort Fremont, about 2 mi. S. of, near southernmost extremity of St. Helena Island, on NW. side of Station Creek, near three palmetto trees, 5 ft. 7 in. from blazed triangle on middle tree, in top of soil pipe filled with and surrounded by concrete; U. S. C. & G. S. standard disk designated "Tidal 3"-----	8. 160

FORT MOTTE QUADRANGLE

[Latitude 33°45'-34°00'; longitude 80°30'-80°45']

CALHOUN, RICHLAND, AND SUMTER COUNTIES

From Hopkins quadrangle southeast and northeast along Atlantic Coast Line Railroad into Sumter quadrangle (first-order leveling by C. H. Semper in 1918)

Congaree, 3.2 mi. SE. of, 3.3 mi. NW. of Eastover, 60 ft. S. of milepost "19, 25 ft. W. of W. rail; iron post stamped "198 1918" ³¹ -----	198. 543
Eastover, 46 ft. W. of W. end of sta., about 26 ft. N. of N. rail of main track; iron post stamped "Prim Trav Sta No 58 J 1918 190" (recovered in 1934)-----	189. 701
Eastover, in front of sta.; top of rail-----	189. 6

³¹ It was reported in 1934 that this benchmark had been disturbed and mutilated.

	<i>Feet</i>
Acton, in front of sta.; top of rail.....	177. 5
Acton, 25 ft. E. of sta., 10 ft. W. of rd., 10 ft. N. of N. rail; iron post stamped "177 1918" ³² (recovered in 1934).....	176. 809
Acton, 2.4 mi. E. of, 1.6 mi. SW. of Malta, 100 ft. E. of milepost 27, on S. side of track, in top of bent cap; copper nail.....	105. 33
Malta, 98 ft. E. of, 7 ft. S. of S. rail of main track; iron post stamped "105 1918".....	105. 462
Malta, 0.5 mi. E. of, 1.5 mi. SW. of Foxville, 300 ft. E. of milepost 29, on E. end of long trestle, on S. side, in top of bent cap; copper nail..	104. 29
Foxville (formerly Camden Junction), 13 ft. W. of NW. corner of front porch of sta., 38 ft. W. of intersection of Southern Ry. and Atlantic Coast Line R. R., 18 ft. S. of A. C. L. R. R. track; iron post stamped "133 1918".....	132. 936
Wedgfield, 71 ft. W. of semaphore tower in front of sta., 20 ft. N. of N. rail of main track; iron post stamped "Prim Trav Sta No 54 J 1918 251".....	250. 974
Wedgfield, in front of sta.; top of rail.....	248. 4

From Hagood quadrangle southwest along Leesburg road into Hopkins quadrangle (by L. F. Biggs in 1918)

Leesburg, 3.0 mi. SW. of, 7.0 mi. N. of St. Matthew's Church, 150 ft. S. of Andrew Campbell's grist mill, 250 ft. SW. of bridge over Colonels Creek, 40 ft. SW. of rd. forks; iron post stamped "Prim Trav Sta No 72 H 1918 190" (recovered in 1934).....	190. 914
---	----------

From point on Atlantic Coast Line Railroad 2.3 miles northwest of Eastover alternately southwest and southeast along roads to point near Kingville (by H. S. Senseney in 1919; single spur line)

[Line jogs into Hopkins quadrangle]

Eastover, 3.0 mi. W. of, 3.3 mi. NE. of Gadsden, about 1 mi. along rd. SW. of R. R. milepost C 20, 80 ft. N. of rd. forks, on W. side of rd., in root of oak tree; copper nail and washer.....	185. 17
Gadsden, 2.0 mi. E. of, about 3 mi. NW. of Kingville, at SW. corner of cemetery at Forks Church; iron post stamped "122".....	121. 534
Kingville, 1.8 mi. NW. of, 1.3 mi. S. of Forks Church, 50 ft. E. of cross-roads, in root of pine tree; copper nail and washer.....	122. 65

From Sumter quadrangle at point 1.5 miles southwest of Catchall south along road by way of Wedgfield into Elloree quadrangle near St. Mark's Chapel (by H. S. Senseney in 1919)

Catchall, 2.5 mi. SW. of, 25 ft. W. of old rd. S., on S. side of rd., in root of gum tree; spike.....	233. 69
Catchall, 3.7 mi. SW. of, 25 ft. E. of junction of T-rd. N., on N. side of rd., at top of hill, in root of tree; copper nail and washer.....	261. 52
Catchall, 4.3 mi. SW. of, about 1.5 mi. N. of Statesburg, in SE. angle of junction of T-rd. E.; iron post stamped "163".....	162. 361
Reference mark, 215 ft. S. of iron post, on W. side of rd., in root of oak tree; copper nail and washer.....	160. 53
Statesburg, 210 ft. S. of Episcopal Church, on W. side of rd., in root of large pine tree; copper nail and washer.....	319. 60

³² This post has been disturbed, and the figures given represent its present elevation. Its elevation at its original position was 177.444 ft.

Statesburg, 1.0 mi. SE. of, 25 ft. S. of rd. forks, on E. side of rd., at store of R. A. Hair; iron post stamped "372"-----	Feet 371. 513
Statesburg, about 2 mi. S. of, about 2.5 mi. N. of Wedgefield, in SW. angle of junction of T-rd. W. to Dixie, in root of oak tree; copper nail and washer-----	323. 67
Wedgefield, 1.2 mi. N. of, 40 ft. S. of field rd. W., on W. side of rd., in root of oak tree; copper nail and washer-----	325. 21
Wedgefield, 1.1 mi. S. of, 40 ft. S. of driveway to dwelling of G. T. Giddings, on W. side of rd., in root of oak tree; copper nail and washer-----	229. 48
Wedgefield, 2.1 mi. S. of, 730 ft. S. of Orange Hill Church, 25 ft. S. of rd. forks, on E. side of rd.; iron post stamped "214" (recovered in 1934)-----	213. 310
Wedgefield, 3.2 mi. S. of, 720 ft. S. of small creek, on W. side of rd., in root of hickory tree; copper nail and washer-----	196. 24
Wedgefield, 4.3 mi. S. of, about 0.5 mi. W. of Manchester, 25 ft. S. and 25 ft. W. from R. R. crossing; iron post stamped "198" (recovered in 1934)-----	198. 019
Wedgefield, 5.5 mi. S. of, at rd. forks, on W. side of rd., in root of oak tree; copper nail and washer-----	208. 32
Wedgefield, 6.4 mi. S. of, at Rosemary Church, 30 ft. S. and 12 ft. E. from rd. forks; iron post stamped "209" (recovered in 1934)-----	208. 308
Wedgefield, 7.4 mi. S. of, 40 ft. S. of old rd. W., on W. side of rd., in root of small oak tree; copper nail and washer-----	232. 28
Wedgefield, 8.6 mi. S. of, 1.6 mi. N. of St. Mark's Chapel, 18 ft. S. and 12 ft. E. from crossroads; iron post stamped "227" (recovered in 1934)-----	226. 652

From Hopkins quadrangle southeast and south along Southern Railway into
Ellore quadrangle (by F. L. Shalibo in 1919; single spur line)

Kingville, 300 ft. E. of sta., at NW. corner of store of S. C. Copes; iron post stamped "Prim Trav Sta No 88 J 1919 96" (recovered in 1934)-----	95. 887
Kingville, 2.2 mi. SE. of, at N. end of long trestle over Congaree River, on W. edge of track, in wooden support; copper nail-----	99. 66
Kingville, 3.5 mi. SE. of, 150 ft. S. of bridge over Congaree River, opposite northern end of Moy sta., on E. side of track; iron post stamped "104"-----	103. 381
Kingville, 4.4 mi. SE. of, 2.5 mi. N. of Fort Motte, at crossing of rd., on E. side of track, on N. end of tile culvert; marked point-----	106. 69
Fort Motte, 1.0 mi. N. of, at rd. crossing, on W. side of track, on N. end of culvert; marked point-----	114. 18

From Sumter quadrangle northwest along road into Hagood quadrangle about
1 mile southeast of Horatio (by T. T. Bobbitt in 1933)

Horatio, 2.8 mi. SE. of, about 3 mi. in air line N. of Statesburg, about 1 mi. SE. of Statesburg-Camden rd., on property of Mrs. George Sanders, 4 ft. N. and 25 ft. E. from SE. corner of tenant house, in 7- by 7-in. concrete post; standard tablet stamped "T T 16 B 1933 208"-----	208. 076
Reference mark, 36 ft. N. of tablet, in root of 18-in. oak tree; nail---	208. 28
Horatio, 1.8 mi. SE. of, W. of junction of T-rd., in root of 36-in. oak tree; nail-----	182. 83

From Acton northwest and west along roads into Hopkins quadrangle near St. Matthew's Church (by E. B. Williams in 1934)

Acton, 1.1 mi. W. of, 1.4 mi. SE. of Eastover, 130 ft. N. of R. R. track, 40 ft. N. of center line of rd., in root on S. side of 36-in. gum tree; wire nail and bottle cap-----	Feet 177. 54
Eastover, 1.1 mi. along concrete highway NW. of, 9 ft. N. of center line of pavement, on concrete; chiseled square-----	191. 25
Eastover, 2.2 mi. NW. of, 60 ft. W. of center line of highway, on property of Brown Homer, in root on SE. side of 26-in. pine tree; wire nail and bottle cap-----	203. 30
Eastover, 3.0 mi. along highway NW., thence 0.2 mi. along county rd. W. from, 70 ft. N. of center line of rd., 2 ft. S. of dwelling of Eloise Gibbs, in 7- by 7-in. concrete post; standard tablet stamped "L 22 WS 1934"-----	232. 798
Reference mark, 30 ft. S. of tablet, 40 ft. N. of center line of rd., in root on S. side of 28-in. oak tree; wire nail and bottle cap-----	232. 36
Eastover, 4.6 mi. NW. of, 0.3 mi. SE. of St. Matthew's Church, 150 ft. W. of tenant house, 15 ft. NE. of center line of rd., in root on W. side of 24-in. mulberry tree; wire nail and bottle cap-----	222. 64

From Hopkins quadrangle at point about 5 miles north of St. Matthew's Church along road northeast to Campbell's grist mill, thence southeast along road to U. S. Highway 76, thence east to point 2 miles east of Crossroads School (by E. B. Williams in 1934)

Andrew Campbell's grist mill, 1.3 mi. S. of, 5.8 mi. N. of St. Matthew's Church, 350 ft. NE. of tenant house of Jim Wilson, 35 ft. NW. of center line of rd., in root on SE. side of 8-in. oak tree; wire nail and bottle cap-----	372. 99
Andrew Campbell's grist mill, 1.0 mi. SE. of, 850 ft. W. of dwelling of Chester McLaughlin, 3 ft. S. of center line of rd., in root on SW. side of 12-in. pine tree; wire nail and bottle cap-----	219. 31
Andrew Campbell's grist mill, 2.3 mi. SE. of, about 0.5 mi. W. of Murray Pond, 10 ft. S. of center line of rd., in root on NW. side of 24-in. pine tree; wire nail and bottle cap-----	195. 93
Andrew Campbell's grist mill, 2.9 mi. SE. of, 3.1 mi. NW. of Crossroads School, 0.2 mi. S. of Murray Pond, about 800 ft. SE. of dwelling of S. P. Darlington, 30 ft. W. of center line of old Camden highway, in 7- by 7-in. concrete post; standard tablet stamped "L 25 WS 1934"-----	201. 478
Reference mark, 30 ft. S. of tablet, 30 ft. W. of center line of highway, in root on SE. side of 10-in. pine tree; wire nail and bottle cap-----	202. 38
Crossroads School, 2.0 mi. N. of, 1.4 mi. SE. of Murray Pond, 25 ft. SW. of center line of rd., in root on NE. side of 12-in. pine tree; wire nail and bottle cap-----	217. 96
Crossroads School, 0.7 mi. N. of, 15 ft. E. of concrete pipe line, 15 ft. NE. of center line of rd., in root on S. side of 12-in. birch tree; wire nail and bottle cap-----	219. 20
Crossroads School, 2 ft. W. of S. corner of, 160 ft. NW. of U. S. Highway 76, in 7- by 7-in. concrete post; standard tablet stamped "L 26 WS 1934"-----	379. 873
Reference mark, 120 ft. S. of tablet, 35 ft. NW. of center line of highway, in root on SW. side of 24-in. oak tree; wire nail and bottle cap-----	373. 78

Crossroads School, 1.1 mi. E. of, 50 ft. N. of center line of highway, in root on N. side of 8-in. pine tree; wire nail and bottle cap-----	Feet 285. 39
Crossroads School, 2.0 mi. E. of, 35 ft. SW. of intersection of U. S. Highway 76 and State Highway 52, on concrete head wall; chiseled square-----	158. 68
From point on U. S. Highway 76 about 2 miles east of Crossroads School south-east along road by way of Acton to Wateree (by E. B. Williams in 1934)	
Crossroads School, 2.0 mi. E., thence 1.0 mi. S. from, 6.1 mi. N. of Acton, 1.0 mi. S. of intersection of U. S. Highway 76 and State Highway 52, 120 ft. N. of junction of T-rd. E., 70 ft. NW. of center line of rd., 20 ft. S. of tenant house of Helen Freeman, in 7- by 7-in. concrete post; standard tablet stamped "L 27 WS 1934"-----	251. 673
Reference mark, 10 ft. N. and 10 ft. E. from tablet, 60 ft. NW. of center line of rd., in root on S. side of 18-in. hickory tree; wire nail and bottle cap-----	251. 43
Acton, 5.5 mi. NW. of, 0.3 mi. S. of dwelling of Mrs. J. M. Freeman, 15 ft. W. of center line of rd., in root on SW. side of 15-in. elm tree; wire nail and bottle cap-----	258. 26
Acton, 4.5 mi. NW. of, 250 ft. SE. of crossroads, 150 ft. W. of tenant house of Mrs. J. M. Freeman, in root on NW. side of 30-in. china-berry tree; wire nail and bottle cap-----	259. 90
Acton, 3.6 mi. NW. of, on property of Mrs. J. M. Freeman, 5 ft. E. of center line of rd., in root on W. side of 6-in. oak tree; wire nail and bottle cap-----	225. 72
Acton, 2.8 mi. NW. of, 120 ft. S. of junction of woods rd. W., 30 ft. S. of dwelling of Benjamin Bailey, in 7- by 7-in. concrete post; standard tablet stamped "L 28 WS 1934"-----	248. 428
Reference mark, 9 ft. N. and 6 ft. W. from tablet, 20 ft. S. of dwelling, in root on E. side of 12-in. hickory tree; wire nail and bottle cap--	248. 14
Acton, 1.4 mi. NW. of, 20 ft. E. of center line of old Camden highway, in root on NW. side of 15-in. cherry tree; wire nail and bottle cap--	260. 08
Acton, 2 ft. E. of SE. corner of A. C. L. R. R. sta., 70 ft. NW. of R. R. crossing old Camden highway, 30 ft. N. of center line of main track, in 7- by 7-in. concrete post; standard tablet stamped "L 29 WS 1934"-----	176. 520
Acton, 1.1 mi. S. of, 200 ft. NW. of St. Paul's Church, 40 ft. E. of center line of rd., in root on S. side of 10-in. hickory tree; wire nail and bottle cap-----	166. 57
Acton, 2.1 mi. SE. of, 900 ft. W. of dwelling of A. P. Young, 50 ft. S. of center line of rd., in root on NE. side of 24-in. oak tree; wire nail and bottle cap-----	166. 07
Acton, 3.0 mi. SE. of, 2.2 mi. N. of Wateree, 30 ft. SW. of center line of rd., 2 ft. NW. of old store, on property of Alex Ball, in 7- by 7-in. concrete post; standard tablet stamped "L 30 WS 1934"-----	157. 767
Reference mark, 60 ft. N. of tablet, 20 ft. NE. of center line of rd., in root on SE. side of 28-in. hackberry tree; wire nail and bottle cap-----	157. 40
Wateree, 1.3 mi. N. of, 240 ft. E. of center line of rd., 10 ft. W. of tenant house of Alex Ball, in root on N. side of 40-in. chinaberry tree; wire nail and bottle cap-----	149. 68

From point on U. S. Highway 76 about 2 miles east of Crossroads School east along highway to Statesburg, thence southeast and south along road to Wedgefield (by E. B. Williams in 1934)

Crossroads School, 3.4 mi. E. of, at highway bridge over Wateree River, 10 ft. S. of center line of highway, in W. end of bridge; bolt-----	Feet 122. 97
Bridge over Wateree River, 1,500 ft. E. of E. end of, 50 ft. S. of center line of highway, in root on SE. side of 12-in. gum tree; wire nail and bottle cap-----	104. 06
Bridge over Wateree River, 1.5 mi. E. of, 4.8 mi. W. of Statesburg, 60 ft. SE. of center line of highway at bridge No. 11, in 7- by 7-in. concrete post; standard tablet stamped "L 31 WS 1934"-----	103. 877
Reference mark, 20 ft. E. of tablet, 60 ft. SE. of bridge, 60 ft. SE. of center line of highway, in root on NW. side of 40-in. oak tree; wire nail and bottle cap-----	103. 52
Statesburg, 3.6 mi. W. of, about 400 ft. from bridge No. 6, 30 ft. SW. of center line of highway, in root on W. side of 8-in. elm tree; wire nail and bottle cap-----	104. 25
Statesburg, 1.7 mi. W. of, 55 ft. NW. of center line of highway, 2 ft. S. of store of W. A. Carpenter, in 7- by 7-in. concrete post; standard tablet stamped "L 32 WS 1934"-----	132. 150
Reference mark, 55 ft. S. and 160 ft. W. from tablet, 25 ft. N. of center line of highway, in root on SE. side of 8-in. oak tree; wire nail-----	128. 34
Statesburg, 0.7 mi. W. of, 70 ft. N. of highway, in root on S. side of 8-in. pine tree; wire nail and bottle cap-----	240. 42
Statesburg, 0.3 mi. SE. of, 200 ft. SE. of church, 30 ft. NE. of center line of rd., in root on W. side of 36-in. oak tree; wire nail and bottle cap-----	327. 60
Statesburg, 2.2 mi. SE. of, 2.5 mi. N. of Wedgefield, 50 ft. E. of center line of rd., in root on W. side of 24-in. pine tree; wire nail and bottle cap-----	324. 30
Wedgefield, 1.3 mi. N. of, at crossing of woods rd., 30 ft. E. of center line of rd., in root on W. side of 30-in. pine tree; wire nail and bottle cap-----	324. 62
Wedgefield, 1.0 mi. N. of, 110 ft. W. of center line of rd., 2 ft. NW. of W. corner of Bethel Church, in 7- by 7-in. concrete post; standard tablet stamped "L 33 WS 1934"-----	284. 304
Reference mark, 250 ft. NW. of tablet, 40 ft. E. of center line of rd., in root on E. side of 30-in. pine tree; wire nail and bottle cap-----	284. 23

From Kingsville east along Atlantic Coast Line Railroad to Sumter Junction, thence along roads northeast and north to Orange Hill Church (by E. B. Williams in 1934)

Kingsville, 0.8 mi. E. of, 150 ft. S. of yard limit post on R. R., in root on NE. side of 12-in. tupelo tree; wire nail and bottle cap-----	103. 31
Kingsville, 1.9 mi. E. of, 60 ft. S. of crossing of woods rd., in root on N. side of 15-in. gum tree; wire nail and bottle cap-----	100. 25
Wateree, 0.9 mi. NW. of, 3.0 mi. E. of Kingsville, 160 ft. NE. of State Highway 48, 3 ft. SE. of Mount Nebo Baptist Church, in 7- by 7-in. concrete post; standard tablet stamped "L 34 WS 1934"-----	98. 599
Reference mark, 50 ft. SE. of tablet, 150 ft. NE. of highway, in root on SW. side of 36-in. oak tree; wire nail and bottle cap-----	99. 33
Wateree, 135 ft. N. of sta., 60 ft. E. of junction of highway and Bluff rd., 25 ft. W. of store of J. B. Bates, in root on S. side of 30-in. oak tree; wire nail and bottle cap-----	113. 08

Wateree, 1.2 mi. E. of, at Wateree sand pit, 35 ft. N. of track, 2 ft. E. of section-house, in 7- by 7-in. concrete post; standard tablet stamped "L 35 WS 1934"-----	Feet 102. 551
Reference mark, 55 ft. NE. of tablet, 50 ft. N. of center line of track, in root on S. side of 24-in. elm tree; wire nail and bottle cap-----	102. 73
Wateree, 2.2 mi. E. of, 2.5 mi. W. of Sumter Junction, 100 ft. E. of milepost 6, 15 ft. S. of center line of track, on E. rail rack; top of rack-----	102. 62
Sumter Junction, 1.3 mi. W. of, 60 ft. E. of post S. B. 72, 10 ft. N. of center line of track, on trestle; bolt-----	98. 95
Sumter Junction, 0.3 mi. W. of, 10 ft. from E. end of trestle, 10 ft. S. of center line of track; bolt-----	98. 94
Sumter Junction, 20 ft. NW. of sta., 10 ft. S. of NE. track, in side post for wooden curb; spike-----	100. 56
Sumter Junction, 0.4 mi. E. of, 500 ft. N. of A. C. L. R. R. track to Manchester, 20 ft. S. of woods rd., in 7- by 7-in. concrete post; standard tablet stamped "L 36 WS 1934"-----	155. 427
Reference mark, 10 ft. S. of tablet, 20 ft. S. of center line of woods rd., in root on N. side of 10-in. oak tree; wire nail and bottle cap-----	154. 70
Sumter Junction, 1.3 mi. E. of, 3.0 mi. SW. of Orange Hill Church, 10 ft. N. of center line of rd., in root on E. side of 30-in. oak tree; wire nail and bottle cap-----	259. 36
Orange Hill Church, 2.1 mi. SW. of, 150 ft. NW. of dwelling of J. D. Rowland, 5 ft. S. of center line of rd., in root on N. side of 30-in. oak tree; wire nail and bottle cap-----	237. 41
Orange Hill Church, 0.9 mi. SW. of, 15 ft. N. of center line of rd., in root on S. side of 6-in. hickory tree; wire nail and bottle cap-----	220. 98
From Elloree quadrangle alternately northwest and southwest along State Highway 52 and back into Elloree quadrangle (by E. B. Williams in 1934)	
Fort Motte, 2.4 mi. NE. of, 8.8 mi. NW. of Pine Grove Church, 0.3 mi. N. of bridge over Buck Head Creek, 100 ft. SW. of intersection of State Highway 52 and rd. to Fort Motte, 30 ft. NW. of rd., in 7- by 7-in. concrete post; standard tablet stamped "L 14 WS 1934"-----	102. 839
Reference mark, 20 ft. SE. of tablet, in root on N. side of 40-in. oak tree; wire nail and bottle cap-----	103. 14
From Wedgefield south and east along roads into Sumter quadrangle near Thomas Chapel (by W. W. Mayes in 1934)	
Wedgefield, 2.1 mi. S. of, 150 ft. SW. of Orange Hill Church, 100 ft. NE. of Orange Hill School, 40 ft. W. of center line of rd. to Pine-wood, in root of 40-in. oak tree; nail and copper washer-----	207. 25
Wedgefield, 3.2 mi. S. of, at intersection of wire rd., 20 ft. E. of center line of rd., in root on W. side of 24-in. oak tree; nail and copper washer-----	196. 68
Wedgefield, 3.7 mi. S. of, 90 ft. W. of center line of Wedgefield-Pine-wood rd., in small graveyard, in root of 24-in. beech tree; nail and copper washer-----	208. 82
Wedgefield, 4.0 mi. S. of, in triangle at junction of rds. at old grist mill, in root on SW. side of 24-in. oak tree; copper nail and washer--	206. 03
Wedgefield, 4.5 mi. S. of, 15 ft. W. of center of intersection of Southern Ry. and Wedgefield-Pinewood rd.; surface of rd-----	200. 8

Wedgefield, 5.0 mi. S. of, 1.6 mi. W. of Thomas Chapel, 40 ft. E. of center line of Wedgefield-Pinewood rd., in root of 15-in. pine tree; nail and copper washer.....	<i>Feet</i> 209. 80
Thomas Chapel, 0.6 mi. W. of, 20 ft. S. of center line of rd., in root of 8-in. oak tree; nail and copper washer.....	206. 99
Thomas Chapel, 20 ft. E. of E. corner of, in root of 8-in. oak tree; nail and copper washer.....	206. 23

From point about 5 miles south of Wedgefield southwest and east along roads to Rosemary Church (by W. W. Mayes in 1934)

Wedgefield, 6.5 mi. SW. of, 30 ft. E. of center line of old Kings highway, in 7- by 7-in. concrete post; standard tablet stamped "T T 179 SJ 1934 207".....	206. 696
Reference mark 1, 80 ft. W. of tablet, in root on E. side of 8-in. oak tree; copper nail and washer.....	207. 00
Reference mark 2, 100 ft. E. of tablet, 60 ft. E. of center line of rd., in root on W. side of 8-in. hickory tree; copper nail and washer.....	205. 37
Wedgefield, 7.1 mi. S. of, 80 ft. NE. of junction of T-rd. E., in front of dwelling of R. M. Barwick, in root of 12-in. pine tree; copper nail and washer.....	203. 20
Wedgefield, 8.2 mi. S. of, 1.7 mi. SW. of Rosemary Church, 20 ft. S. of center line of rd., in root on S. side of 8-in. oak tree; copper nail and washer.....	196. 12
Rosemary Church, about 1 mi. in air line SW. of, on Riggins property, 100 ft. S. of tenant house, in 7- by 7-in. concrete post; standard tablet stamped "T T 182 SJ 1934 200".....	200. 474
Reference mark 1, 8 ft. N. of tablet, 80 ft. S. of dwelling of J. H. MacIntosh, in root of 24-in. oak tree; copper nail and washer.....	200. 51
Reference mark 2, 40 ft. W. of reference mark 1, in root of 18-in. oak tree; copper nail and washer.....	200. 68

From Rosemary Church 6.4 miles south of Wedgefield south along road to point 1.6 miles north of St. Mark's Chapel (by W. W. Mayes in 1934)

Rosemary Church, 1.0 mi. S. of, 2.8 mi. N. of St. Mark's Chapel, 15 ft. E. of center line of rd., in root on W. side of 10-in. oak tree; copper nail and washer.....	232. 79
--	---------

From Rosemary Church east along road into Sumter quadrangle (by W. W. Mayes in 1934)

Rosemary Church, 500 ft. SW. of, about 9 mi. SE. of Wedgefield, at Rose Mary fire tower (U. S. Forest Service), in SW. footing of tower; standard tablet stamped "T T 183 SJ 1934 228".....	228. 411
Reference mark 1, 20 ft. N. of tablet, in N. base of tower; chiseled square.....	228. 38
Reference mark 2, 20 ft. E. of reference mark 1, in E. base of tower; chiseled square.....	228. 38

From point about 7 miles south of Wedgefield near Barwick's store south along roads to point 1.6 miles north of St. Mark's Chapel (by W. W. Mayes in 1934)

Barwick's store, 1.1 mi. S. of, 30 ft. E. of center line of rd., in root on E. side of 8-in. oak tree; copper nail and washer.....	190. 88
Barwick's store, 2.2 mi. S. of, 40 ft. W. of junction of Y-rd., in 7- by 7-in. concrete post; standard tablet stamped "L T 2 MS 1934 201".....	200. 505

Reference mark, 10 ft. N. of center line of rd., in root of 8-in. twin oak tree; copper nail and washer.....	<i>Feet</i> 201. 28
Barwick's store, 3.2 mi. S. of, 3.0 mi. N. of St. Mark's Chapel, 40 ft. W. of junction of rd., in root on N. side of 10-in. oak tree; copper nail and washer.....	200. 27
St. Mark's Chapel, 2.0 mi. N. of, 50 ft. S. of center line of rd., 50 ft. S. of tenant house, in root on N. side of 48-in. water-oak tree; copper nail and washer.....	214. 37

GEORGETOWN QUADRANGLE

[Latitude 33°15'–33°30'; longitude 79°15'–79°30']

GEORGETOWN COUNTY

From Trio quadrangle southeast along Seaboard Air Line Railway to Georgetown (by C. H. Semper in 1917)

Andrews, 3.7 mi. SE. of, 0.7 mi. NW. of Kent, 3 ft. W. of milepost 13, on N. side of track; iron post stamped "32".....	31. 595
Olin, in front of sta.; top of rail.....	31. 5
Olin, 1.0 mi. SE. of, 396 ft. E. of milepost 10, 29 ft. N. of N. rail, 32 ft. NE. of center of rd. crossing; iron post stamped "48" (recovered by U. S. C. & G. S. in 1935).....	47. 907
Olin, 4.0 mi. SE. of, 40 ft. S. of track, directly opposite milepost 7; iron post stamped "15".....	14. 964
Olin, 6.3 mi. SE. of, at rd. crossing; top of rail.....	17. 1
Graves, 0.5 mi. NW. of, at rd. crossing; top of rail.....	21. 0
Graves, at rd. crossing; top of rail.....	17. 8
Graves, 0.2 mi. SE. of, at rd. crossing; top of rail.....	17. 1
Graves, 0.7 mi. SE. of, 3.0 mi. NW. of Georgetown post office, 975 ft. E. of milepost 3, 25 ft. N. of N. rail; iron post stamped "20" (recovered by U. S. C. & G. S. in 1933).....	19. 311
Georgetown, near Front Street crossing of Ry., 75 ft. E. of center line of U. S. Highway 701, in SE. corner of yard of Standard Oil Company, 4 ft. W. of fence, 15 ft. W. of W. rail; iron post stamped "10" (recovered by U. S. C. & G. S. in 1933).....	9. 800
Georgetown, in SW. corner of post office building, in water table; chiseled cross.....	15. 88

From point 2.8 miles south of Georgetown on U. S. Highway 701 south along road to Belle Isle Gardens and west along road to Six Mile House on U. S. Highway 701, thence north along Turkey Creek road about 3 miles, thence generally northwest along Pennyroyal road by way of Sampit River bridge and dirt road to Kent (by W. B. Sykes in 1934)

U. S. C. & G. S. standard disk stamped "A 16 1933".....	19. 826
St. Peter's Baptist Church, 1.2 mi. N. of, 3.8 mi. S. of Georgetown, 1.0 mi. S. of intersection of U. S. Highway 701 and Belle Isle Gardens rd., 15 ft. E. of center line of rd., in root on N. side of 18-in. pine tree; wire nail.....	26. 24
St. Peter's Church, 90 ft. NE. of NE. corner of, 30 ft. W. of center line of rd., in root on E. side of 18-in. pine tree; wire nail.....	16. 46
St. Peter's Church, 0.9 mi. S. of, 20 ft. SE. of center line of rd., 40 ft. S. of junction of rd. SE. to Hope estate, in 7- by 7-in. concrete post; standard tablet stamped "SY 54 1934".....	10. 989
Reference mark, 6 ft. S. of tablet, in root on E. side of 18-in. sweetgum tree; wire nail.....	10. 36

St. Peter's Church, 1.9 mi. SW. of, 2.1 mi. NE. of Six Mile House, 40 ft. S. of center line of rd., in root on S. side of 8-in. hickory tree; wire nail.....	Feet 23. 17
Six Mile House, 1.0 mi. NE. of, 25 ft. N. of center line of rd., in root on S. side of 10-in. oak tree; wire nail.....	25. 13
Six Mile House, 28 ft. E. of center line of U. S. Highway 701 at, in root on W. side of 50-in. oak tree; wire nail.....	37. 76
U. S. C. & G. S. standard disk stamped "C 16 1933".....	35. 069
Six Mile House, 0.9 mi. NW. of, 30 ft. NW. of bridge over Turkey Creek, 20 ft. NE. of center line of Turkey Creek rd., in root on SW. side of 20-in. triple ash tree; wire nail.....	16. 28
Six Mile House, 2.0 mi. NW. of, 25 ft. SW. of center line of rd., in root on NW. side of 10-in. pine tree; wire nail.....	24. 09
Six Mile House, 3.1 mi. N. of, 1.7 mi. SE. of Pennyroyal School, 5.0 mi. SW. of Georgetown, 30 ft. NE. of junction of Pennyroyal and Turkey Creek rds., 350 ft. NE. of church, 80 ft. SE. of corner post of fence around graveyard, in 7- by 7-in. concrete post; standard tablet stamped "SY 55 1935".....	15. 599
Reference mark, 6 ft. E. of tablet, on S. side of 14-in. pine tree; wire nail.....	15. 23
Pennyroyal School, 0.8 mi. SE. of, 15 ft. SW. of center line of Pennyroyal rd., 12 ft. NW. of tobacco barn, opposite dwelling, in root on N. side of 10-in. oak tree; wire nail.....	16. 42
Pennyroyal School, 60 ft. W. of, 0.3 mi. NW. of bridge over Pennyroyal Creek, 60 ft. N. of center line of rd., in NW. angle of intersection of private rd., in root on E. side of 24-in. pine tree; wire nail.....	8. 93
Pennyroyal School, 1.1 mi. W. of, 35 ft. S. of center line of rd., in root on N. side of 8-in. pine tree; wire nail.....	15. 56
Pennyroyal School, 2.1 mi. W. of, 3.8 mi. SE. of bridge over Sampit River, 60 ft. W. of drainage ditch N., 15 ft. N. of center line of rd., on property of F. R. Courdert, Jr., in 7- by 7-in. concrete post; standard tablet stamped "SY 56 1935".....	12. 983
Reference mark, 25 ft. N. of tablet, in root on N. side of 10-in. pine tree; wire nail.....	11. 23
Sampit River bridge, 2.8 mi. SE. of, 3.3 mi. W. of bridge over Pennyroyal Creek, 20 ft. S. of center line of rd., in root on N. side of 30-in. pine tree; wire nail.....	15. 44
Sampit River bridge, 1.6 mi. SE. of, on property of Henderson Green, 40 ft. NE. of center of junction of Pennyroyal rd. with driveways to houses N. and S., in root on S. side of 12-in. pine tree; wire nail.....	17. 05
Sampit River bridge, 0.6 mi. SE. of, 1.0 mi. W. of Cumberland Church, 70 ft. S. of junction of driveway N. to tenant house, 20 ft. SE. of center line of rd., in root on W. side of 10-in. pine tree; wire nail.....	19. 44
Sampit River bridge, 900 ft. SW. of, about 5 mi. SE. of Kent, along third-class rd. to dwelling of B. B. Smith, 50 ft. E. of center of junction of Pennyroyal and third-class rds., in 7- by 7-in. concrete post; standard tablet stamped "SY 57 1935".....	6. 310
Reference mark, 35 ft. E. of tablet, in root on SW. side of 14-in. pine tree; wire nail.....	4. 86
Sampit River bridge, 0.8 mi. NW. of, on dirt rd. paralleling highway and leading toward Kent, 20 ft. W. of center of junction of driveway to dwelling, in root on NE. side of 30-in. water-oak tree; wire nail.....	21. 50

Sampit River bridge, 1.8 mi. NW. of, 3.0 mi. SE. of Kent, 200 ft. E. of dwelling of Alfred Porter, 15 ft. NE. of center line of rd., in root on SW. side of 14-in. pine tree; wire nail-----	<i>Feet</i> 25. 40
Kent, 2.1 mi. SE. of, 40 ft. SW. of center of intersection of U. S. Highway 521 and Sampit-Kent rd., in 7- by 7-in. concrete post; standard tablet stamped "SY 58 1935"-----	24. 178
Reference mark, 10 ft. N. of tablet, in root on NE. side of 20-in. oak tree; wire nail-----	23. 69
Kent, 1.0 mi. S. of, 1.0-mi. N. of intersection of U. S. Highway 521 and Sampit-Kent rd., 150 ft. N. of culvert over swamp, 15 ft. N. of junction of T-rd. W., 25 ft. E. of center line of rd., in root on SW. side of 14-in. pine tree; wire nail-----	26. 94
From Sampit River bridge southwest along road into Trio quadrangle near Summons Creek (by W. B. Sykes in 1934)	
Sampit River bridge, 1.0 mi. along third-class rd. SW. of, 0.5 mi. SW. of Smiths Crossroads, 35 ft. N. of center line of rd., in root on S. side of 14-in. pine tree; wire nail-----	53. 59
Sampit triangulation sta.; U. S. C. & G. S. standard disk stamped "Sampit 1934"-----	45. 597
From Rhems quadrangle about 3.5 miles southwest of Mount Carmel Church along roads alternately southwest and southeast by way of Pea House Ferry to Kent (by W. B. Sykes in 1934)	
Mount Carmel Church, 4.0 mi. SW. of, about 1.5 mi. NW. of Pea House Ferry, 25 ft. E. of center line of rd., in yard of tenant house belonging to Ed Evans, in root on SW. side of 40-in. oak tree; wire nail-----	36. 98
Pea House Ferry landing on Black River, 0.2 mi. N. of, on W. bank of river, 40 ft. SE. of dwelling, in root on N. side of 12-in. pine tree; wire nail-----	10. 87
Pea House Ferry landing, on W. bank of Black River, in base on E. side of 40-in. cypress tree; wire nail-----	5. 24
Pea House Ferry landing, 570 ft. SE. of, on E. bank of Black River, 300 ft. SE. of pumping sta. of Atlantic Coast Lumber Corp., 85 ft. SW. of pipe line to Georgetown, in 7- by 7-in. concrete post; standard tablet stamped "SY 51 1934"-----	24. 237
Reference mark, 8 ft. N. of tablet, in root on NE. side of 20-in. twin water-oak tree; wire nail-----	23. 90
Pea House Ferry landing, 1.0 mi. along rd. SE. of, 60 ft. SW. of deserted tenant house, 20 ft. NE. of center line of rd., in root on SW. side of 30-in. oak tree; wire nail-----	46. 67
Pea House Ferry landing, 2.0 mi. S. of, on Indian Hut rd., 20 ft. E. of center line of rd., in root on W. side of 18-in. crooked pine tree; wire nail-----	32. 52
Pea House Ferry landing, 3.0 mi. S. of, 3.0 mi. by rds. NE. of Kent, on Indian Hut rd., 1.0 mi. NE. of junction of Indian Hut rd. and Gapway rd., 15 ft. SE. of junction of T-rd., in 7- by 7-in. concrete post; standard tablet stamped "SY 52 1934"-----	37. 927
Reference mark, 10 ft. NE. of tablet, in root on E. side of 20-in. pine tree; wire nail-----	37. 83
Kent, 0.9 mi. NW., thence 1.0 mi. E. from, along Indian Hut rd., about 600 ft. E. of bridge over creek, 20 ft. S. of center line of Gapway rd., in root on NE. side of 12-in. pine tree; wire nail-----	7. 69

Kent, 0.7 mi. NW. of, 20 ft. SW. of center line of third-class rd., on inside of curve, in root on E. side of 30-in. pine tree; wire nail-----	Feet 37. 15
Kent, 66 ft. NE. of center line of Seaboard Air Line Ry., 20 ft. W. of center line of third-class rd. NW. toward Gapway rd., in root on S. side of 14-in. oak tree; wire nail-----	39. 51

From Campfield northwest along State Highway 51 into Rhems quadrangle
(by W. B. Sykes in 1934)

Campfield, 0.5 mi. NW. of junction of U. S. Highway 701, 60 ft. N. of center line of State Highway 51, 4 ft. above grade, 3 ft. W. of old Campfield store; U. S. C. & G. S. reference disk to Campfield triangulation sta. stamped "Campfield U. S. C. & G. S."-----	19. 321
Campfield, 0.7 mi. NW. of old store, opposite T-junction of State Highway 51 and field rd. N., 50 ft. SW. of center line of highway; U. S. C. & G. S. reference disk to Campfield triangulation sta. stamped "Campfield No 3"-----	20. 313
Campfield, 1.0 mi. NW. of old store, 40 ft. NE. of center line of highway, in root on SW. side of 8-in. pine tree; wire nail-----	16. 25

From Rhems quadrangle 2.5 miles southeast of Munnerlyns Ferry on Black River southeast along roads to point on Seaboard Air Line Railway 0.7 mile southeast of Graves (by W. B. Sykes in 1935)

Munnerlyns Ferry, 2.9 mi. along third-class rd. SE. of, 50 ft. S. of center of Y-junction of rd., on property of Sheriff Bruerton, in 7- by 7-in. concrete post; standard tablet stamped "SY 59 1934"-----	21. 691
Reference mark, 40 ft. S. of tablet, in root on SW. side of 12-in. pine tree; wire nail-----	20. 96
Munnerlyns Ferry, 4.0 mi. SE. of, 20 ft. E. of center line of rd. to Graves, in root on NW. side of 6-in. oak tree; wire nail-----	18. 70
Munnerlyns Ferry, 5.1 mi. SE. of, 350 ft. SE. of center of junction of McDonald rd. and driveway W. to dwelling, 20 ft. E. of center line of McDonald rd., in root on W. side of 10-in. pine tree; wire nail---	18. 38
Munnerlyns Ferry, 6.2 mi. SE. of, 5.5 mi. N. of Graves, 0.7 mi. SE. of brick church, 18 ft. E. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "SY 60 1935"-----	15. 154
Reference mark, 10 ft. E. of tablet, in root on W. side of 18-in. pine tree; wire nail-----	14. 95
Graves, 4.5 mi. N. of, 20 ft. SW. of center line of rd., in root on NE. side of 12-in. pine tree; wire nail-----	19. 40
Graves, 3.5 mi. N. of, 20 ft. SW. of center line of rd., in root on SE. side of 30-in. oak tree; wire nail-----	24. 39
Graves, 2.5 mi. NW. of, 250 ft. E. of old house site, 30 ft. S. of center line of rd., in root on W. side of 10-in. pine tree; wire nail-----	20. 48
Graves, 1.5 mi. N. of, 0.2 mi. S. of junction of rd. SE. to Georgetown and farm rd. W., 20 ft. W. of center line of rd., 10 ft. W. of fence, in 7- by 7-in. concrete post; standard tablet stamped "SY 61 1935"-----	20. 703
Reference mark, 15 ft. E. of tablet, in root on SE. side of 40-in. oak tree; wire nail-----	21. 02
Graves, 0.5 mi. along rd. N. of, 120 ft. S. of old store building, 20 ft. W. of center line of rd., in root on E. side of 15-in. oak tree; wire nail--	20. 06

From Santee quadrangle about 2 miles south of Galilee Church north along road to point 5 miles south of Georgetown (by J. J. Sifton, Jr., in 1934)

Galilee Church, 2.0 mi. SE. of, 9.5 mi. S. of Georgetown, 800 ft. NW. of entrance to Estherville plantation, 30 ft. N. of center line of rd., in root on SW. side of 18-in. sweetgum tree; wire nail.....	Feet 12. 89
Galilee Church, 1.0 mi. SE. of, 1.0 mi. NW. of entrance to Estherville plantation, 30 ft. W. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "SN 8 1935 18".....	18. 329
Galilee Church, 300 ft. N. of, 7.5 mi. S. of Georgetown, 25 ft. E. of center line of rd., in root on N. side of 24-in. pine tree; wire nail.....	19. 11
Galilee Church, 1.0 mi. NW. of, 6.5 mi. S. of Georgetown, 25 ft. E. of rd., in root on W. side of 18-in. gum tree; wire nail.....	7. 61

From point 0.5 mile north of Graves south along road 2.2 miles to Sampit River (by W. B. Sykes in 1935; double-run spur line)

Graves, 1.0 mi. S. of, 20 ft. W. of center line of private rd. S. to old fish mill, in root on N. side of 6-in. pine tree; wire nail.....	10. 78
Graves, 2.2 mi. S. of, along private rd. S. to old fish mill, 300 ft. N. of N. bank of Sampit River, on concrete base of stationary engine used at mill, on NW. corner; chisel cut.....	7. 90

From Sampit triangulation station 1.7 miles southwest of bridge over Sampit River along road south to Friendship Church, thence east to Britton Neck road; thence northwest to Sampit triangulation station (by W. B. Sykes in 1935)

Sampit River bridge, 2.6 mi. SW. of, 1.0 mi. SE. of Smiths Crossroads, 160 ft. SE. of old church, 28 ft. SE. of center of junction of rd. NE.. in root on W. side of 8-in. pine tree; wire nail.....	52. 19
Smiths Crossroads, 2.0 mi. SE. of, 35 ft. E. of center line of Britton Neck rd., 140 ft. NE. of No. 2 store, on Boatright property, in root on NE. side of 20-in. live oak tree; wire nail.....	54. 95
Smiths Crossroads, 3.0 mi. S. of, 1.8 mi. N. of Friendship Church, 720 ft. S. of Y-junction of rd. SW. to Santee Swamp, 25 ft. W. of tenant house, 40 ft. E. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "SY 62 1935".....	57. 046
Reference mark, 28 ft. W. of tablet, in root on W. side of 24-in. live-oak tree; nail.....	56. 88
Friendship Church, 0.8 mi. N. of, 5 ft. E. of center line of rd., in root on W. side of 14-in. pine tree; wire nail.....	51. 66
Friendship Church, 55 ft. SE. of SE. corner of, in SE. angle of triangle formed by junction of rds.; iron post stamped "Prim Trav Sta No 6".....	33 48. 941
Reference mark, 40 ft. SE. of SE. corner of church, in root on NE. side of 24-in. pine tree; wire nail.....	49. 21
Friendship Church, 1.1 mi. E. of, about 0.2 mi. W. of junction of Britton Neck rd., 400 ft. W. of six-room dwelling, 15 ft. S. of center line of rd., in root on W. side of 12-in. pine tree; wire nail.....	49. 79
Friendship Church, 1.2 mi. E., thence 1.0 mi. N. from, 1.7 mi. along Britton Neck rd. S. of No. 2 store, 25 ft. W. of center line of rd., in root on E. side of 10-in. pine tree; wire nail.....	47. 58

³³ These figures represent the elevation of the southeast side of the cap of the post, which is leaning to the northwest.

Friendship Church, 1.2 mi. E., thence 2.0 mi. N. from, 2.6 mi. SE. of Smiths Crossroads, 0.6 mi. S. of No. 2 store, 50 ft. SW. of junction of T-rd. W., in root on E. side of 12-in. pine tree; wire nail-----	Feet 53. 14
From Pennyroyal School north along private road to Sampit River (by W. B. Sykes in 1935; double-run spur line)	
Pennyroyal School, 1.2 mi. N. of, 5 ft. E. of center line of rd., in root on W. side of 12-in. pine tree; wire nail-----	15. 64
Pennyroyal School, 1.7 mi. N. of, about 0.7 mi. W. of old fish mill on N. bank of Sampit River, 100 ft. NE. of old plantation house, 70 ft. S. of S. bank of river, in root on W. side of 40-in. live-oak tree; wire nail-----	10. 31
From Campfield northeast along old River road into Waverly Mills quadrangle (by W. B. Sykes in 1935)	
U. S. C. & G. S. standard disk stamped "U 15 1933"-----	13. 898

GREEN POND QUADRANGLE

[Latitude 32°30'–32°45'; longitude 80°30'–80°45']

BEAUFORT AND COLLETON COUNTIES

From Walterboro quadrangle southwest along Atlantic Coast Line Railroad into Yemassee quadrangle (by R. G. Clinite in 1917)

Ashepool, 35 ft. S. of SE. corner of sta.; iron post stamped "Prim Trav Sta No 8 Mac 1917 14"-----	14. 365
Ashepool, in front of sta.; top of rail-----	14. 4
Ashepool River, surface of water at 2 p. m. Aug. 27, 1917 (tidewater)---	—0. 4
Green Pond, in front of sta.; top of rail-----	29. 0
Green Pond, 600 ft. W. of sta., 120 ft. N. of water tank; iron post stamped "Prim Trav Sta No 6 Mac 1917 31" (reset by U. S. C. & G. S. in 1933)-----	30. 581
Whitehall, 1.3 mi. NE. of, 10 ft. N. and 30 ft. E. from milepost "Chn. 50," on N. side of track; iron post stamped "20 1917" (reset by U. S. C. & G. S. in 1933)-----	20. 226
Whitehall, in front of sta.; top of rail-----	16. 0
Whitehall, 1.5 mi. SW. of, at Harris and Cannons sawmill, 30 ft. SW. of highway crossing; iron post stamped "Prim Trav Sta No 5 Mac 1917 16"-----	15. 295
From Yemassee quadrangle northeast along Seaboard Air Line Railway into Edisto Island quadrangle (by R. G. Clinite in 1917)	
Lobeco, 500 ft. SW. of sta., 27 ft. SE. and 57 ft. NE. from rd. crossing; iron post stamped "Prim Trav Sta No 33 Mac 1917 23"-----	22. 268
Dale sta., 460 ft. NE. of, opposite point of switch, 25 ft. NW. of center line of track, 20 ft. SW. of rd. crossing; iron post stamped "13 1917"-----	13. 187
Dale sta., 1.0 mi. NE. of, on SE. side of track, in root of 22-in. pine tree; copper nail-----	6. 20
Dale sta., 4.6 mi. NE. of, 3.9 mi. SW. of Wiggins sta., 165 ft. SE. of center line of track, 200 ft. N. of edge of marsh, in edge of pine woods, 16 ft. N. of blazed 12-in. pine tree; iron post stamped "6 1917"-----	5. 859

Wiggins sta., 1,033 ft. NE. of intersection of Seaboard Air Line Ry. and Savannah Lumber Co. R. R., 130 ft. E. of rd. crossing, 25 ft. SE. of track; iron post stamped "Prim Trav Sta No 34 Mac 1917 16"-----	Feet 15. 235.
Wiggins sta., 1.2 mi. NE. of, 0.2 mi. NE. of trestle over Chehaw River, on N. side of track, in root of 14-in. pine tree; spike-----	8. 62

From Yemassee quadrangle near Blake siding on Atlantic Coast Line Railroad southeast along roads to Dale station on Seaboard Air Line Railway (by R. G. Clinite in 1917)

Bluff Farm (Combahee Corporation), at N. entrance, 3.2 mi. SE. of Blake siding, 15 ft. W. of gate; iron post stamped "19 1917"-----	18. 357
Combahee River; surface of water at 10:45 a. m. Nov. 12, 1917-----	3. 0
Combahee Ferry over Combahee River, about 3.6 mi. NW. of, 1.7 mi. S. of Bluff Farm, 280 ft. E. of farmhouse of M. Reed, 4 ft. N. of gate on private rd. S. to Yemassee-Combahee Ferry rd., in root of 12-in. elm tree; copper nail-----	7. 06
Combahee Ferry, about 2.5 mi. NW. of, on S. side of rd., opposite two-story frame dwelling, in root of 54-in. oak tree; copper nail-----	7. 43
Combahee Ferry, 1.3 mi. NW. of, 200 ft. E. of crossroads, on N. side of rd., in root of 16-in. lone pine tree; nail-----	5. 30
Combahee Ferry, 600 ft. W. of, 40 ft. S. of junction of old Savannah-Charleston and Yemassee-Combahee Ferry rds., 3 ft. W. of gate; iron post stamped "Prim Trav Sta No 35 Mac 1917 10"-----	9. 563
Combahee Ferry, 1.0 mi. SW. of, in open woods, on NW. side of rd., in root of 20-in. pine tree; copper nail-----	7. 85
Combahee Ferry, 2.5 mi. SW. of, on NW. side of junction of Savannah-Charleston and True Blue rds., at base of mail box of William White, in root of tree; nail-----	13. 08
Combahee Ferry, 2.5 mi. SW., thence 0.7 mi. SE. from, on E. side of True Blue rd., opposite private rd. W., in root of 16-in. oak tree; nail-----	12. 49
Combahee Ferry, 4.0 mi. by rd. SW. of, 4.3 mi. N. of Dale sta., 40 ft. S. of center of junction of True Blue rd. and rd. W.; iron post stamped "15 1917"-----	14. 504
Dale sta., 3.4 mi. N. of, 500 ft. S. of branch, on W. side of True Blue rd., in root of 26-in. pine tree; nail-----	11. 17
Dale sta., 2.1 mi. N. of, 200 ft. S. of rd. junction, 130 ft. SE. of white-washed cabin, in root of 48-in. lone oak tree; nail-----	12. 83
Dale sta., 0.9 mi. N. of, about 400 ft. NW. of school, at curve in rd., in root of 12-in. hickory tree; copper nail-----	11. 17

From Wiggins station on Seaboard Air Line Railway northwest along road to Green Pond (by R. G. Clinite in 1917)

Wiggins sta., 2.5 mi. NW. of, 20 ft. NE. of store of Paul Walters, 12 ft. W. of tramway crossing, in root of 40-in. oak tree; copper nail----	15. 50
Wiggins, 3.7 mi. NW. of, opposite N. fork of wye in private rd. NE., 14 ft. W. of main rd.; iron post stamped "21 1917"-----	20. 168
Wiggins, 4.7 mi. NW. of, 45 ft. NW. of tramway crossing, in root of 38-in. oak tree; copper nail-----	17. 26
Wiggins, 5.8 mi. NW. of, 4.4 mi. S. of Green Pond, 35 ft. W. of mail box of Frances Warren, on W. side of rd., in root of 38-in. oak tree; copper nail-----	13. 97

Green Pond, 3.3 mi. S. of, at summit of hill, 3 ft. W. of fence, on E. side of rd.; iron post stamped "24 1917"-----	<i>Feet</i> 23. 469
Green Pond, 2.1 mi. S. of, 75 ft. NW. of intersection of tramroad and old Charleston-Savannah rd., in root of 16-in. pine tree; copper nail and washer-----	20. 80
Green Pond, 0.9 mi. S. of; on W. side of rd., in root of 14-in. pine tree; copper nail-----	21. 21

GREENS CUT QUADRANGLE²⁴

[Latitude 33°00'–33°15'; longitude 81°45'–82°00']

AIKEN AND BARNWELL COUNTIES

From Ellenton quadrangle northwest along Charleston & Western Carolina Railway into Augusta quadrangle (first-order leveling by C. H. Semper in 1915)

Ellenton, 1.8 mi. NW. of, at crossing of old River rd.; top of rail----	124. 5
Ellenton, 2.3 mi. NW. of, at R. R. crossing; top of rail-----	118. 4

HARDEEVILLE QUADRANGLE²⁵

[Latitude 32°15'–32°30'; longitude 81°00'–81°15']

BEAUFORT AND JASPER COUNTIES

From Okatie quadrangle northwest along Bluffton-Hardeeville road to Hardeeville, thence northeast along Atlantic Coast Line Railroad and back into Okatie quadrangle (by R. G. Clinite in 1918)

Hardeeville, 2.4 mi. SE. of, on N. side of rd., in root of 18-in. live-oak tree; copper nail and washer-----	22. 40
Hardeeville, 1.2 mi. SE. of, on N. side of rd., in root of 11-in. pine tree "boxed" for turpentine; copper nail and washer-----	16. 86
Hardeeville, about 800 ft. S. of Atlantic Coast Line R. R. sta., 30 ft. N. and 60 ft. W. from Main Street crossing; iron post stamped "Prim Trav Sta No 1 Mac 1917 20" (recovered by U. S. C. & G. S. in 1933)-----	19. 613
Hardeeville, 1.2 mi. NE. of, at NE. end of trestle, in W. end of sleeper; copper nail and washer-----	19. 37
Hardeeville, 3.5 mi. NE. of, 120 ft. S. of trestle, 45 ft. W. of center line of track; iron post stamped "19 1918"-----	18. 785
Hardeeville, 4.6 mi. NE. of, 10 ft. outside of E. right-of-way fence, in root of 16-in. pine tree; copper nail and washer-----	16. 34
Hardeeville, 5.8 mi. NE. of, 5.5 mi. SW. of Switzerland, at N. end of trestle, in W. end of sleeper; copper nail and washer-----	18. 80
Switzerland, 4.3 mi. SW. of, about 0.5 mi. S. of S. end of Ferebee siding, 10 ft. outside of W. right-of-way fence, in root of 26-in. pine tree; copper nail and washer-----	16. 18
Switzerland, 3.7 mi. SW. of, about 370 ft. NE. of S. end of Ferebee siding, 100 ft. SE. of main track, 70 ft. S. of gate, 20 ft. E. of fence; iron post stamped "20 1917"-----	19. 583
Switzerland, 2.4 mi. SW. of, 160 ft. SE. of rd. crossing, 5 ft. S. of rd., at gate, in root of 18-in. pine tree; copper nail and washer-----	18. 26

²⁴ Most of this quadrangle lies in Georgia. The South Carolina portion consists of an area north and east of the Savannah River adjacent to the town of Ellenton.

²⁵ Part of this quadrangle lies in Georgia.

Switzerland, 0.8 mi. SW. of, 80 ft. W. of crossing of second-class rd., in root of 12-in. maple tree; copper nail and washer-----	Feet 28. 28
Switzerland post office (R. R. name Okeetee); 75 ft. E. of center line of track, 320 ft. N. of rd. crossing; iron post stamped "50 1918"-----	50. 284

From Pineland quadrangle southeast along Tarboro-Ridgeland road into
Okatie quadrangle (by F. L. Shalibo in 1918)

Ridgeland, 2.7 mi. along Tarboro-Ridgeland rd. E. of, 150 ft. SE. of church, in NW. angle of rd. fork, in root of 10-in. gum tree; copper nail-----	45. 47
---	--------

HOPKINS QUADRANGLE

[Latitude 33°45'-34°00'; longitude 80°45'-81°00']

CALHOUN, LEXINGTON, AND RICHLAND COUNTIES

From Edmund quadrangle southeast along Atlantic Coast Line Railroad into
Fort Motte quadrangle (first-order leveling by C. H. Semper in 1918)

Columbia, 3.5 mi. SE. of, at R. R. bridge, 1,200 ft. W. of milepost 5, on W. side of N. abutment; top of retaining wall-----	148. 73
Columbia, 5.0 mi. SE. of, at crossing of rd.; top of rail-----	177. 6
Columbia, 5.1 mi. SE. of, in front of Sims sta.; top of rail-----	178. 9
Columbia, 5.8 mi. SE. of, 2.4 mi. NW. of Lykes sta., at crossing of rd., 28 ft. E. of center line of rd., 3 ft. W. of milepost 7, 12 ft. W. of track; iron post stamped "167 1918"-----	166. 771
Lykes, in front of sta.; top of rail-----	215. 0
Lykes, 50 ft. S. of sta., 3.8 mi. NW. of Bruner sta., 40 ft. W. of W. rail; iron post stamped "214 1918"-----	214. 357
Bruner (James Crossing), in front of sta.; top of rail-----	213. 4
Bruner, 84 ft. E. of sta., 2.6 mi. NW. of Congaree sta., 14 ft. W. of switch stand, 12 ft. S. of S. rail; iron post stamped "214 1918"-----	214. 448
Congaree, in front of sta.; top of rail-----	232. 3
Congaree, 40 ft. E. of sta., 61 ft. W. of crossing of rd., 27 ft. N. of N. rail, 5 ft. SE. of pole; iron post stamped "Prim Trav Sta No 59 J 1918 232"-----	232. 480
Congaree, 1.1 mi. SE. of, at bridge 300 ft. N. of milepost 17, on S. bent, in E. side of bent cap; copper nail-----	204. 02

From Fort Motte quadrangle southwest along Leesburg road to Garners Ferry
road (by L. F. Biggs in 1918)

Union School, 3.3 mi. E. of, 300 ft. W. of granite milepost 17, on S. side of rd.; top of concrete post 11-14-----	289. 07
Union School, 2.3 mi. E. of, on S. side of rd., 5 ft. E. of milepost 16; iron post stamped "Prim Trav Sta No 73 H 1918 281"-----	281. 196
Union School, 1.3 mi. E. of; top of granite milepost 15-----	328. 31
Union School, in front of, on N. side of rd.; iron post stamped "Prim Trav Sta No 74 H 1918 313"-----	312. 775
Union School, 0.8 mi. SW. of; top of granite milepost 13-----	252. 02
Union School, 1.4 mi. SW. of, on S. side of rd. midway between mile- posts 12 and 13; iron post stamped "Prim Trav Sta No 75 H 1918 287"-----	286. 932
Union School, 1.8 mi. SW. of, 1.6 mi. NE. of Browns Chapel School; top of granite milepost 12-----	293. 75
Browns Chapel School, in front of, on N. side of rd.; iron post stamped "Prim Trav Sta No 76 H 1918 441"-----	441. 478

	<i>Feet</i>
Browns Chapel School, 0.4 mi. SW. of; top of granite milepost 10.....	424. 81
Browns Chapel School, 1.5 mi. SW. of, 400 ft. E. of milepost 9, in front of dwelling, on S. side of rd.; iron post stamped "Prim Trav Sta No 77 H 1918 359".....	358. 794
Browns Chapel School, 2.6 mi. SW. of.; top of granite milepost 8 (recovered in 1934).....	273. 98
Browns Chapel School, 3.0 mi. SW. of; top of granite milepost 7 (recovered in 1934).....	294. 06
Browns Chapel School, 3.8 mi. SW. of, 0.2 mi. W. of milepost 7, on N. side of rd., at crossroads; iron post stamped "Prim Trav Sta No 78 H 1918 312" (recovered in 1934).....	311. 700
Browns Chapel School, 4.7 mi. SW. of; top of granite milepost 6.....	280. 66

From point near Sims on Atlantic Coast Line Railroad north along Camp Jackson spur tracks to Garners Ferry road, thence northwest along latter road into Killian quadrangle (by L. F. Biggs in 1918)

Browns Chapel School, 5.7 mi. SW. of, 1.9 mi. SE. of Idlewood Mill, along Garners Ferry rd.; top of granite milepost 5.....	258. 97
Idlewood Mill, 1.0 mi. SE. of, on S. side of rd., 0.3 mi. E. of rd. to Camp Jackson, in deep cut at summit of grade; iron post stamped "Prim Trav Sta No 79 H 1918 251".....	251. 225
Idlewood Mill, on N. side of rd.; top of W. end of brick culvert.....	215. 90
Idlewood Mill, 1.6 mi. NW. of, 3.8 mi. E. of State Capitol building, on Trenholm rd., at culvert over Penn Branch; top of E. retaining wall.....	165. 69

From Edmund quadrangle southeast and east along Bluff road to Gadsden thence north and northwest to Congaree (by F. L. Shalibo in 1919)

Columbia, 4.8 mi. SE. of, 200 ft. S. of junction of T-rd. E., on E. end of cement culvert; chiseled square.....	139. 77
Columbia, 5.7 mi. SE. of, in NW. angle of crossroads, 60 ft. N. of store, in root of large oak tree; copper nail.....	139. 46
Columbia, 6.0 mi. SE. of, 150 ft. N. of junction of T-rd. E., on W. side of rd., near signboard; iron post stamped "Prim Trav Sta No 87 J 1919 154".....	153. 236
Columbia, 6.4 mi. SE. of, 100 ft. N. of crossroads, on W. end of cement culvert; chiseled square.....	139. 81
Columbia, 7.4 mi. SE. of, 100 ft. S. of junction of T-rd. E., on E. end of cement culvert; chiseled square.....	142. 79
Columbia, 8.5 mi. SE. of, at Mill Creek Pond, at SE. corner of bridge over millrace, in cement abutment; chiseled square.....	131. 38
Columbia, 9.9 mi. SE. of, 70 ft. N. of Rock Hill Church, at junction of T-rd., on W. side of rd., in root of 14-in. gum tree; copper nail.....	145. 76
Columbia, 11.0 mi. SE. of, at NW. corner of chapel, at junction of T-rd. W.; iron post stamped "Prim Trav Sta No 86 J 1919 140".....	139. 777
Columbia, 11.6 mi. SE. of, 200 ft. S. of country store, in NE. angle of crossroads, in root of 10-in. gum tree; copper nail.....	140. 76
Columbia, 12.7 mi. SE. of, at large plantation, in SW. angle of crossroads, in root of large oak tree; copper nail.....	136. 28
Columbia, 13.8 mi. SE. of, 100 ft. S. of junction of T-rd. E., on W. side of rd., in root of oak tree; copper nail.....	127. 86
Columbia, 15.3 mi. SE. of, 6.5 mi. NW. of Gadsden, at NW. corner of church; iron post stamped "129" (recovered in 1934).....	129. 088

Gadsden, 5.5 mi. NW. of, in SW. corner of bridge, in 8- by 8-in. beam; copper nail	<i>Feet</i> 107. 98
Gadsden, 4.5 mi. W. of, 300 ft. S. of junction of T-rd. S., on S. side of rd., in root of large tree; copper nail	127. 11
Gadsden, 3.9 mi. W. of, at top of hill, in NW. angle of junction of rd. N., in root of 8-in. holly tree; copper nail	143. 70
Gadsden, 2.9 mi. W. of, at junction of T-rd. N., at N. end of steps of Mount Moriah Church; iron post stamped "128"	127. 791
Gadsden, 1.7 mi. W. of, 100 ft. S. of store, on W. side of rd., in root of 48-in. tree; copper nail	150. 58
Gadsden, 0.8 mi. W. of, at milepost 20; top of post	154. 04
Gadsden, 600 ft. N. of sta., at R. R. crossing, on W. edge of track, 4 ft. from signpost; iron post stamped "Prim Trav Sta No 85 J 1919 150"	149. 949
Gadsden, 1.2 mi. NE. of, on S. side of public rd., in root of 36-in. pine tree; copper nail	163. 80
Gadsden, 1.8 mi. NE. of, 150 ft. N. of junction of Garners Ferry rd. and rd. to Congaree, in front of Mount Arack Church, on W. side of rd., in root of 8-in. oak tree; copper nail	160. 92
Gadsden, 3.1 mi. N. of, 2.4 mi. SE. of Congaree, at NW. corner of porch of Gadsden School; iron post stamped "182"	181. 962
Congaree, 1.0 mi. SE. of, on E. side of rd., in front of store, in root of small tree; copper nail	205. 16

From Gadsden southeast along Southern Railway into Fort Motte quadrangle
(by F. L. Shalibo in 1919; single spur line)

Gadsden, 1.0 mi. SE. of, 40 ft. W. of track, 10 ft. S. of rd. crossing, in root of 14-in. tree; copper nail	139. 03
Gadsden, 1.8 mi. SE. of, 50 ft. N. of rd. crossing, in root of 12-in. pine tree; copper nail	118. 09

From Edmund quadrangle northeast along road from Swansea to junction with old State road, thence northwest and back into Edmund quadrangle (by F. L. Shalibo in 1919)

Cayce, 10.1 mi. along old State rd. SE. of, 10.7 mi. NE. of Swansea, at junction of rd. SW.; iron post stamped "228"	227. 372
--	----------

From Fort Motte quadrangle at point on Atlantic Coast Line Railroad about 2.3 miles northwest of Eastover southwest along road to Arack Church, thence southeast and back into Fort Motte quadrangle near Red Hill Church (by H. S. Senseney in 1919)

Gadsden, 2.4 mi. NE. of, 3.5 mi. in air line W. of Eastover, 0.5 mi. NE. of Toms Creek, at rd. forks, in root of pine tree; copper nail and washer	164. 82
Gadsden, 1.9 mi. NE. of, 600 ft. SE. of Arack Church, 530 ft. SW. of crossing of Toms Creek, 12 ft. N. and 12 ft. W. from rd. forks; iron post stamped "157"	156. 431
Gadsden, 0.8 mi. E. and 0.8 mi. N. from, 300 ft. SE. of Red Hill Church, on NE. side of rd., in root of pine tree; copper nail and washer	156. 77

From Browns Chapel School south along roads by way of New Bethel Church into St. Matthews quadrangle at point about 11 miles northwest of St. Matthews (by E. B. Williams in 1934)

Browns Chapel School, 1.1 mi. S. of, 40 ft. W. of center line of rd., in root on E. side of 8-in. pine tree; wire nail and bottle cap	355. 27
---	---------

Browns Chapel School, 2.5 mi. S. of, 3.7 mi. N. of Hopkins, 150 ft. SW. of sugar cane mill, 30 ft. W. of center line of rd., in root on E. side of 12-in. oak tree; wire nail and bottle cap-----	<i>Feet</i> 304. 28
Hopkins, 2.9 mi. N. of, at intersection of U. S. Highway 76 and county rd., 4 ft. N. and 2 ft. E. from NW. corner of consolidated school No. 1, in 7- by 7-in. concrete post; standard tablet stamped "L 15 WS 1934"-----	250. 895
Reference mark, 75 ft. N. and 40 ft. E. from tablet, on W. side of concrete wall of basement steps; chiseled square-----	250. 02
Hopkins, 1.9 mi. N. of, 120 ft. S. of Atlantic Coast Line R. R. crossing, 20 ft. W. of center line of rd., in root on SW. side of 12-in. persimmon tree; wire nail and bottle cap-----	218. 36
Hopkins, 0.5 mi. NE. of, 60 ft. NW. of W. corner of Hopkins Grammar School, 12 ft. SE. of center line of rd., in root on SW. side of 20-in. gum tree; wire nail and bottle cap-----	167. 71
Hopkins, 200 ft. NW. of Southern Ry. sta., 60 ft. N. of center line of rd., 50 ft. S. of center line of track, in 7- by 7-in. concrete post; standard tablet stamped "L 16 WS 1934"-----	167. 597
Reference mark, 15 ft. NW. of tablet, 60 ft. N. of center line of rd., 50 ft. S. of center line of track, in root on SW. side of 18-in. oak tree; wire nail and bottle cap-----	167. 08
Hopkins, 1.1 mi. S. of, 70 ft. E. of dwelling of Mary Newton, 15 ft. E. of center line of rd., in root on W. side of 15-in. oak tree; wire nail and bottle cap-----	149. 33
Hopkins, 2.2 mi. S. of, 20 ft. NW. of center line of rd., in root on SE. side of 8-in. pine tree; wire nail and bottle cap-----	134. 50
Hopkins, 2.9 mi. SW., thence 0.2 mi. SE. from, 1.3 mi. NW. of New Bethel Church, 20 ft. NE. of State Highway 48, in 7- by 7-in. concrete post; standard tablet stamped "L 17 WS 1934"-----	133. 549
Reference mark, 7 ft. NW. of tablet, 20 ft. NE. of center line of highway, in root on SW. side of 12-in. oak tree; wire nail and bottle cap-----	132. 94
New Bethel Church, 700 ft. SE. of, 25 ft. NE. of center line of rd., in root on N. side of 15-in. pine tree; wire nail and bottle cap-----	119. 90
New Bethel Church, 1.7 mi. SE. of, 500 ft. W. of Cedar Creek, 45 ft. S. of center line of rd., in root on SW. side of 18-in. pine tree; wire nail and bottle cap-----	116. 38
New Bethel Church, 1.7 mi. SE., thence 1.2 mi. S. from, 5 ft. S. of center line of rd., in root on NE. side of 8-in. ash tree; wire nail and bottle cap-----	105. 13
New Bethel Church, 1.7 mi. SE., thence 2.1 mi. S. from, 5 ft. W. of center line of rd., in root on NE. side of 15-in. oak tree; wire nail and bottle cap-----	106. 90
New Bethel Church, 1.7 mi. SE., thence 2.4 mi. S. from, 60 ft. NE. of Congaree River, in 7- by 7-in. concrete post; standard tablet stamped "L 19 WS 1934" ³⁶ -----	
Reference mark, 20 ft. S. of tablet, 40 ft. NE. of Congaree River, in root on NE. side of 20-in. maple tree; wire nail and bottle cap-----	107. 86
New Bethel Church, 1.7 mi. SE., thence 3.1 mi. S. from, 0.7 mi. S. of crossing of Congaree River, in root on N. side of 10-in. ash tree; wire nail and bottle cap-----	105. 40
New Bethel Church, 1.7 mi. SE., thence 4.3 mi. S. from, 1.8 mi. S. of crossing of Congaree River, 5 ft. N. of logging rd., in root on SE. side of 18-in. maple tree; wire nail and bottle cap-----	106. 59

³⁶ The elevation of this mark has not been determined.

New Bethel Church, 1.7 mi. SE., thence 5.5 mi. S. from, 2.4 mi. S., thence 2.0 mi. E. from Red Store, 3.0 mi. S. of crossing of Congaree River, 60 ft. N. of center line of rd., 5 ft. S. of SW. corner of tenant house of Dr. Fairy, in 7- by 7-in. concrete post; standard tablet stamped "L 20 WS 1934"	Feet 158.316
Reference mark, 45 ft. S. of tablet, 15 ft. N. of center line of rd., in root on SE. side of 15-in. hickory tree; wire nail and bottle cap	154.05
New Bethel Church, 1.7 mi. SE., thence 6.9 mi. S. from, 30 ft. E. of center line of rd., in root on W. side of 15-in. hickory tree; wire nail and bottle cap	344.83
New Bethel Church, 1.7 mi. SE., thence 7.9 mi. S. from, 2.7 mi. S. of Red Store, 20 ft. E. of center line of U. S. Highway 21, on concrete head wall; chiseled square	309.44
New Bethel Church, 1.7 mi. SE., thence 8.4 mi. S. from, 3.2 mi. S. of Red Store, 14.3 mi. NW. of St. Matthews, 70 ft. S. of dwelling of B. W. Wise, 40 ft. E. of center line of U. S. Highway 21, in 7- by 7-in. concrete post; standard tablet stamped "L 21 WS 1934"	324.364
Reference mark, 60 ft. E. of tablet, 100 ft. SE. of dwelling, 100 ft. E. of center line of highway, in root on NW. side of 18-in. oak tree; wire nail and bottle cap	323.34
St. Matthews, 12.9 mi. NW. of, 4.6 mi. S. of Red Store, 0.3 mi. SE. of Big Beaver Creek, 40 ft. NE. of center line of U. S. Highway 21, on concrete head wall; chiseled square	181.26

From point near Hopkins east along road to Bruner (by E. B. Williams in 1934)

Hopkins, 1.4 mi. NE. of, 1.6 mi. W. of Bruner (James Crossing), 25 ft. N. of center line of rd., in top of 20-in. pine stump; wire nail and bottle cap	183.61
--	--------

From Browns Chapel School southwest along roads to point on Atlantic Coast Line Railroad 5.8 miles southeast of Columbia (by E. B. Williams in 1934)

Browns Chapel School, 1.5 mi. W. of, 100 ft. SE. of dwelling of A. W. Davis, 40 ft. N. of center line of rd., 2 ft. E. of SE. corner of store, in 7- by 7-in. concrete post; standard tablet stamped "L 18 WS 1934"	357.895
Reference mark, 10 ft. S. of tablet, 30 ft. N. of center line of rd., on concrete base of pump; chiseled square	357.59
Browns Chapel School, 2.6 mi. W. of, 15 ft. N. of center line of rd., on concrete head wall; chiseled square	274.13
Browns Chapel School, 4.3 mi. SW. of, 0.5 mi. S. of Leesburg rd., 20 ft. SW. of center line of rd., in root on NE. side of 6-in. oak tree; wire nail and bottle cap	312.14
Browns Chapel School, 4.8 mi. W. of, 7.3 mi. SE. of Columbia, 30 ft. E. of center line of rd., 20 ft. W. of tenant house of Mr. Whiteside, in root on W. side of 30-in. mulberry tree; wire nail and bottle cap	260.59

From Fort Motte quadrangle near St. Matthew's Church north along roads about 5 miles and back into Fort Motte quadrangle (by E. B. Williams in 1934)

St. Matthew's Church, 0.8 mi. N. of, 20 ft. N. of center line of rd., in root on NE. side of 15-in. pine tree; wire nail and bottle cap	242.38
St. Matthew's Church, 1.7 mi. N. of, about 500 ft. E. of dwelling of Katy Tisdell, 35 ft. SW. of junction of field rd. SE., in 7- by 7-in. concrete post; standard tablet stamped "L 23 WS 1934"	254.827
Reference mark, 50 ft. E. of tablet, 50 ft. SE. of rd. junction, in root on W. side of 6-in. twin locust tree; wire nail and bottle cap	253.24

St. Matthew's Church, 2.9 mi. N. of, 60 ft. W. of intersection of U. S. highway 76, in root on E. side of 12-in. pine tree; wire nail and bottle cap.....	<i>Feet</i> 302. 69
St. Matthew's Church, 4.2 mi. N. of, 260 ft. E. of bridge over Toms Creek, 60 ft. NW. of center line of rd., in root on NE. side of 15-in. oak tree; wire nail and bottle cap.....	239. 14
St. Matthew's Church, 4.8 mi. N. of, 120 ft. W. of center line of rd., 20 ft. E. of tenant house of Stylier Taylor, in 7- by 7-in. concrete post; standard tablet stamped "L 24 WS 1934".....	315. 274
Reference mark, 60 ft. S. of tablet, 35 ft. S. of tenant house, in root on NE. side of 24-in. oak tree; wire nail and bottle cap.....	313. 94

HYMAN QUADRANGLE

[Latitude 33°45'-34°00'; longitude 79°30'-79°45']

FLORENCE, MARION, AND WILLIAMSBURG COUNTIES

From Coward south along U. S. Highway 52, Florence-Lake City road, to Scranton, thence southwest into Scranton quadrangle (by P. A. Wattlely in 1934)

Coward, 1.1 mi. S. of, 9 ft. W. of center line of highway, on concrete curb; chiseled square.....	88. 55
Coward, 2.1 mi. S. of, 12 ft. W. of center line of highway, on concrete head wall of culvert; chiseled cross.....	86. 48
Coward, 3.3 mi. S. of, 50 ft. W. of center line of highway, in root on E. side of 14-in. pine tree; wire nail and bottle cap.....	85. 75
Scranton, 30 ft. NE. of post office, in root on NE. side of 20-in. maple tree; wire nail and bottle cap.....	94. 05
Scranton, 36 ft. S. and 12 ft. E. from SW. corner of Atlantic Coast Line R. R. sta., 27 ft. E. of E. rail of northbound track, in 7- by 7-in. concrete post; standard tablet stamped "W 7 1934".....	95. 359
Reference mark, 130 ft. W. of sta., in root on SE. side of 18-in. twin maple tree; wire nail and bottle cap.....	94. 51
Scranton, 1.1 mi. SW. of, 2.4 mi. NE. of Lake City, 30 ft. E. of center line of highway, in root on S. side of 18-in. pine tree; wire nail and bottle cap.....	80. 42

From Scranton quadrangle near Cades along roads southeast into Indiantown quadrangle at point about 4 miles southeast of Cades (by P. A. Wattlely in 1934)

Cades, 1.5 mi. along Cades-Hemingway rd. SE.; thence 2.0 mi. S. from, 40 ft. S. of center line of rd., 40 ft. N. of dwelling, in yard, in root on S. side of 30-in. water-oak tree; wire nail and bottle cap.....	67. 28
From Oakton quadrangle southwest and southeast along road and back into Oakton quadrangle near Daniels School (by W. B. Sykes in 1934)	
U. S. C. & G. S. standard disk stamped "F L 187 1934".....	72. 513
Salem, 0.5 mi. along rd. to Hannah SW. of, 0.5 mi. W. of Y-rd. forks, 40 ft. S. of center line of rd., on N. side of 12-in. pine tree; copper nail and washer.....	68. 77
Daniels School, 0.6 mi. along Old Creek rd. E. of, 20 ft. S. of rd. on property of A. E. Evans, in root on N. side of 30-in. chinaberry tree; wire nail.....	61. 77
Daniels School, 1.6 mi. E. of, 880 ft. E. of crossroads, 30 ft. SW. of Y-rd. forks, 20 ft. S. of center line of Old Creek rd., in root 5 ft. NW. of 10-in. pine tree; wire nail.....	75. 08

From point 0.5 mile south of New Hope south along U. S. Highway 52 to Coward
(by W. B. Sykes in 1934)

New Hope, 1.0 mi. S. of, 9 ft. W. of center line of highway, on W. curb; chiseled cross.....	Feet 80. 58.
New Hope, 2.0 mi. S. of, 30 ft. W. of center line of highway, in root on E. side of 24-in. pine tree; wire nail.....	79. 33.
Coward, 40 ft. E. of center of junction of T-rd., on L. M. Young estate, on concrete base of gas pump; chiseled cross.....	85. 51.

From Hyman west and southwest along roads to Coward (by W. B. Sykes in
1934)

Hyman, 140 ft. NE. of post office, 50 ft. N. of center line of State Highway 51, in root on SW. side of 24-in. oak tree; wire nail.....	84. 87
Hyman, 1.0 mi. W. of, 20 ft. N. of center line of rd., on property of Turner Lumber Co., in root on S. side of 10-in. sweetgum tree; wire nail.....	92. 73.
Hyman, 2.0 mi. W. of, 20 ft. N. of center line of rd., in root on S. side of 6-in. pine tree; wire nail.....	90. 45.
Hyman, 3.0 mi. SW. of, 30 ft. S. of center line of rd., on property of Pee Dee Gun Club, in root on S. side of 15-in. pine tree; wire nail.....	88. 72.
Hyman, 4.0 mi. SW. of, 20 ft. N. of center line of rd., in base on S. side of 8-in. poplar tree; wire nail.....	81. 92.
Hyman, 4.8 mi. SW. of, 5.0 mi. E. of Coward, at Brooks Crossroads, 150 ft. SW. of center of intersection of rds. E. to Claussen, S. to Johnson- ville, W. to Coward, and N. to Effingham, 15 ft. N. and 4 ft. E. from NE. corner of porch of dwelling of A. W. Brown, in 7- by 7-in. con- crete post; standard tablet stamped "SY 16 1934".....	89. 585.
Reference mark, 60 ft. NE. of tablet, in root on E. side of 72-in. oak tree; wire nail.....	89. 78
Coward, 4.0 mi. E. of, 1,920 ft. W. of wooden bridge over Lynches River, 15 ft. N. of center line of Coward-Claussen rd., in top of 20-in. oak stump; wire nail.....	61. 20
Coward, 3.0 mi. E. of, 2,000 ft. W. of Coward store and crossroads, 30 ft. S. of center line of rd., in root on N. side of 20-in. black-gum tree; wire nail.....	61. 91
Coward, 2.0 mi. E. of, 0.5 mi. E. of Arail Crossroads, 30 ft. E. of SE. corner of Hicks Church, in root on W. side of 4-in. hickory tree; wire nail.....	69. 88
Coward, 0.8 mi. E. of, 200 ft. E. of Y-rd. forks, 20 ft. N. of center line of rd., in root on S. side of 20-in. pine tree; wire nail.....	81. 04
Coward, 175 ft. S. of Atlantic Coast Line R. R. sta., 22 ft. N. of cross- ing of R. R. and Coward-Claussen rd., 4 ft. W. of W. rail of W. track on main line (double track); iron post stamped "T T AJ 1918"....	88. 243.

From Scranton quadrangle near Lake City along roads northeast and east to
Hannah, thence north to Hyman (by W. B. Sykes in 1934)

Lake City, 1.4 mi. along Huggins rd. NE. of, 1,680 ft. E. of Godwin Crossroads, 30 ft. N. of center line of rd., on property of H. I. Godwin, in root on NW. side of 10-in. locust tree; copper nail and washer.....	74. 51
Lake City, 2.3 mi. NE. of, 30 ft. S. of center line of rd., on property of Herbert Williams, 25 ft. N. of tenant house, in root on N. side of 30-in. pecan tree; copper nail and washer.....	81. 05.

Lake City, 2.6 mi. NE. of, in E. angle of Y-rd. junction, 2 ft. S. of SW. corner of Cameron Church, in yard, in 7- by 7-in. concrete post; standard tablet stamped "SY 17 1934"-----	Feet 82. 212
Reference mark, 50 ft. SE. of tablet, in root on N. side of 14-in. pine tree; copper nail and washer-----	82. 27
Cameron Church, 1.0 mi. E. of, 60 ft. S. of center line of Huggins rd., on property of Dr. M. D. Nesmith, in root on E. side of 36-in. oak tree; copper nail and washer-----	76. 08
Cameron Church, 2.0 mi. E. of, 40 ft. N. of center line of old Johnsonville rd., on property of Mrs. R. B. Gaskins, in root on W. side of 20-in. chinaberry tree; copper nail and washer-----	73. 52
Cameron Church, 3.2 mi. E. of, 1.0 mi. E. of Gaskins store, 0.4 mi. W. of Lees Crossroads, 30 ft. S. of center line of old Johnsonville rd., on Tomlin property, in root on W. side of 20-in. pine tree; copper nail and washer-----	73. 74
Lees Crossroads, 60 ft. NW. of center of, 2 ft. S. of SE. corner of store building of A. L. James, in 7- by 7-in. concrete post; standard tablet stamped "SY 18 1934"-----	73. 912
Reference mark, 120 ft. NE. of tablet, in root on SW. side of 24-in. pine tree; wire nail-----	73. 15
Lees Crossroads, 1.0 mi. S. of, 0.5 mi. S. of New Zion Church, 20 ft. S. and 75 ft. E. from center of junction of T-rd., on property of McLamb Wise, in base on NE. side of 6-in. oak tree; copper nail and washer-----	75. 98
Lees Crossroads, 2.2 mi. S. of, 90 ft. SE. of SE. corner of Liberty Church, in yard, 40 ft. N. of center line of third-class rd., in root on SW. side of 12-in. pine tree; copper nail and washer-----	72. 82
Liberty Church, 1.2 mi. SE. of, 20 ft. SW. of center line of Huggins rd., on property of J. S. Evans, in root on N. side of 12-in. chinaberry tree; copper nail and washer-----	57. 85
Liberty Church, 1.8 mi. SE. of, 370 ft. E. of Gaskins store, in triangle formed by intersection of Huggins rd. (E.-W.) and Smiths Bridge rd. (N.-S.); iron post stamped "T T 38 J 1918"-----	55. 975
Gaskins store, 1.2 mi. NE. of, 120 ft. W. of site of old county bridge over Lynches River, 30 ft. N. of center line of Smiths Bridge rd., in root on S. side of 20-in. oak tree; copper nail and washer-----	41. 44
Gaskins store, 2.0 mi. NE. of, 0.8 mi. SW. of Hannah, at site of old Smiths Bridge over Lynches River, on left bank of river, in root on NW. side of 14-in. cypress tree; copper nail and washer-----	38. 08
Hannah, 2 ft. N. of W. corner of Methodist Church, in yard, in 7- by 7-in. concrete post; standard tablet stamped "SY 19 1934"-----	65. 360
Reference mark, 20 ft. SW. of tablet, in root on N. side of 20-in. oak tree; copper nail and washer-----	65. 62
Hannah, 1.2 mi. along Hannah-Hyman rd. N. of, 30 ft. W. of center line of rd., on property of Burton Rodgers, in root on SE. side of 8-in. oak tree; copper nail and washer-----	73. 21
Hannah, 2.0 mi. N. of, 25 ft. E. of center line of rd., on property of W. B. Hearne, in root on W. side of 36-in. chinaberry tree; copper nail and washer-----	75. 26
Hannah, 3.0 mi. N. of, 5.8 mi. S. of Hyman, 750 ft. N. of Boggy Swamp, 60 ft. SE. of junction of T-rd. E., in yard of farmhouse of A. L. Coleman, 55 ft. NW. of NW. corner of porch, in 7- by 7-in. concrete post; standard tablet stamped "SY 20 1934"-----	69. 457

Reference mark, 90 ft. S. of tablet, in root on W. side of 30-in. china-berry tree; copper nail and washer-----	<i>Feet</i> 68. 36
Hyman, 4.8 mi. S. of post office, 15 ft. W. of center line of rd., in root on E. side of 36-in. pine tree; copper nail and washer-----	73. 39
Hyman, 3.8 mi. S. of, 300 ft. E. of Blossom School, 20 ft. NW. of center line of rd., in base on NE. side of 10-in. pine tree; copper nail and washer-----	63. 84
Hyman, 2.8 mi. S. of, 1.0 mi. N. of Blossom School, on property of W. A. Coleman, in yard of farmhouse occupied by B. N. Ard, 2 ft. E. of SE. corner of porch, in 7- by 7-in. concrete post; standard tablet stamped "SY 21 1934"-----	80. 787
Reference mark, 160 ft. E. of tablet, in root on NW. side of 30-in. oak tree; copper nail and washer-----	80. 35
Hyman, about 1.8 mi. S. of, 60 ft. SW. of Prosperity Church, 15 ft. E. of center line of rd., in root on W. side of 20-in. hickory tree; copper nail and washer-----	73. 88
Hyman, 0.8 mi. S. of post office, 85 ft. E. of center line of rd., on private property, in root on W. side of 30-in. chinaberry tree; copper nail and washer-----	87. 28

From Oakton quadrangle near Salem west along road to Hannah (by W. B. Sykes in 1934)

Salem, 0.5 mi. SW. of, 0.5 mi. W. of Y-rd. forks, 40 ft. S. of center line of rd., in root on N. side of 12-in. pine tree; copper nail and washer--	68. 77
Salem, 1.5 mi. W. of, on E. end of westernmost of three bridges over Big Swamp, on N. side of bridge, in top of 8- by 8-in. piling supporting wooden bulkhead; copper nail and washer-----	42. 10
Hannah, 2.0 mi. E. of, 2.5 mi. W. of Salem, on property of J. Heland Poston, 2 ft. N. of farmhouse occupied by M. F. Creel, in 7- by 7-in. concrete post; standard tablet stamped "SY 23 1934"-----	65. 540
Reference mark, 40 ft. NW. of tablet, in root on N. side of 50-in. oak tree; copper nail and washer-----	65. 27
Hannah, 1.0 mi. E. of, 20 ft. S. of center line of rd., on property of A. B. Poston, in root on N. side of 10-in. varnish tree; copper nail and washer-----	65. 58

From Hyman east along State Highway 51 and roads into Oakton quadrangle near Evans Crossroads (by W. B. Sykes and D. G. Ruff in 1934)

Hyman, 1.0 mi. E. of, 300 ft. W. of W. limits of Pamplico, 60 ft. S. of center line of highway, on property of Mrs. Lena Cain, 60 ft. N. of dwelling, in root on N. side of 30-in. oak tree; wire nail-----	85. 18
Pamplico, 400 ft. NW. of Seaboard Air Line Ry. milepost 354, 33 ft. W. of grade crossing, 33 ft. W. of center of T-rd. junction, in N. angle; iron post stamped "T T 6 J 1918"-----	84. 545
Pamplico, 1.0 mi. E. of, on public second-class rd. E., 30 ft. S. of center line of rd., in root on NE. side of 10-in. oak tree; wire nail--	80. 94
Pamplico, 2.0 mi. E. of, 30 ft. E. of center of junction of N.-S. rd., on property of Dr. Fink, in base of 8-in. sweetgum tree; wire nail----	79. 58
Pamplico, 3.0 mi. E. of, at DeWitts Bluff on right bank of Big Pee Dee River, 120 ft. S. of end of rd., 30 ft. W. of edge of bluff, in 7- by 7-in. concrete post; standard tablet stamped "T T 122 D S 1934"-----	78. 539

Reference mark, at DeWitts Bluff on right bank of Big Pee Dee River, in root on E. side of 6-in. sycamore tree; rail spike.....	Feet 29. 51
Pamplico, 4.0 mi. SE. of, 0.2 mi. NW. of Evans Crossroads, 540 ft. along old Georgetown rd. S. of Forrestville School, 30 ft. E. of center line of rd., on property of Dr. M. B. Finkley, in root on W. side of 20-in. hickory tree; copper nail and washer	68. 53
Evans Crossroads, 60 ft. due S. of center of, 4.2 mi. SE. of Pamplico, 2 ft. S. and 5 ft. E. from SE. corner of old store building, in 7- by 7-in. concrete post; standard tablet stamped "T T 137 D S 1934" ..	76. 00
Reference mark, 58 ft. NE. of tablet, in root on W. side of 10-in. pine tree; copper nail and washer.....	76. 48
Evans Crossroads, 0.7 mi. along rd. to Myer's landing E. of, at top of bluff, on property of M. T. Evans, in root on NE. side of 10-in. blazed sweetgum tree; copper nail and washer.....	70. 08
From Evans Crossroads southeast along road into Oakton quadrangle about 5 miles northwest of Kingsburg (by W. B. Sykes in 1934)	
Evans Crossroads, 1.3 mi. along old Georgetown rd. S. of, 20 ft. E. of center line of rd., in root on N. side of 12-in. hickory tree; wire nail ..	62. 87
Evans Crossroads, 1.8 mi. S. of, in McWhite Cemetery, 30 ft. W. of center line of old Georgetown rd., in root on E. side of 10-in. blazed cherry tree; wire nail.....	66. 46
From Indiantown quadrangle north west along Cooper-Cades road into Scranton quadrangle (by W. B. Sykes in 1934)	
Indiantown High School, 5.0 mi. NW. of, 20 ft. N. of center line of Cades-Cooper rd., in root on E. side of 14-in. sweetgum tree; copper nail and washer.....	50. 18
Indiantown High School, 5.8 mi. NW. of, 1.0 mi. SE. of Bethesda Church, 40 ft. S. of center line of rd., 10 ft. E. of drive to farmhouse of Mrs. J. W. Snowden, in 7- by 7-in. concrete post; standard tablet stamped "SY 24 1934".....	54. 627
Reference mark, 20 ft. N. of tablet, in root on E. side of 36-in. pine tree; copper nail and washer.....	55. 31
Bethesda M. E. Church, 55 ft. S. of, 20 ft. N. of center line of rd., in root on N. side of 24-in. sweetgum tree; copper nail and washer....	57. 55
Bethesda Church, 1.0 mi. W. of, 580 ft. W. of T-junction, 40 ft. S. of center line of rd., in root on N. side of 14-in. pine tree; copper nail and washer.....	75. 38
Bethesda Church, 2.0 mi. NW. of, 0.4 mi. SE. of Rough Branch Church, 40 ft. N. of center line of rd., in base on N. side of 10-in. pine tree; copper nail and iron washer.....	74. 09
Rough Branch Church, 4.0 mi. SE. of Cades, 2 ft. N. of NW. corner of building, in yard, 120 ft. S. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "SY 25 1934".....	66. 775
Reference mark, 90 ft. N. of tablet, in root on N. side of 30-in. pine tree; copper nail and washer.....	66. 03
Cades, 3.0 mi. SE. of, 30 ft. N. of center line of rd., on property of H. J. McFadden, in root on S. side of 30-in. chinaberry tree; wire nail.....	63. 07

From Gaskins store south along roads by way of St. Mark's Church into Indiantown quadrangle about 1.5 miles southeast of Bartells Crossroads (by W. B. Sykes in 1934)

Gaskins store, 1.0 mi. along third-class public rd. S. of, 120 ft. NE. of NE. corner of Leo School, 30 ft. W. of center line of rd., in root on E. side of 10-in. oak tree; wire nail.....	<i>Feet</i> 62. 87
Gaskins store, 2.0 mi. S. of, on State Highway 341 at point 2,010 ft. W. of junction of T-rd., 60 ft. N. of center line of highway, on property of Edward McAlister, in root on NE. side of 10-in. chinaberry tree; wire nail.....	59. 34
Gaskins store, 3.0 mi. S. of, 0.1 mi. E. of junction of State Highway 341 and rd. S. to Indiantown, 210 ft. N. of center line of highway, 2 ft. S. of porch and 2 ft. W. of steps to dwelling owned by C. Prosser and occupied by J. O. Owens, in 7- by 7-in. concrete post; standard tablet stamped "SY 26 1934".....	64. 963
Reference mark, 100 ft. S. of tablet, in root on N. side of 10-in. chinaberry tree; wire nail.....	65. 74
Bartells Crossroads, 4.7 mi. N. of, 4.6 mi. S. of Gaskins store, 0.5 mi. S. of Lake Swamp, 20 ft. E. of center line of old Georgetown rd., on property of Clinton Gaskins, in root on W. side of 40-in. oak tree; wire nail.....	67. 51
Bartells Crossroads, 4.1 mi. N. of, 50 ft. W. of center line of rd., in root on E. side of 12-in. pine tree; wire nail.....	78. 97
Bartells Crossroads, 3.3 mi. N. of, 40 ft. E. of center line of rd., on property of Federal Land Bank, 2 ft. W. of NW. corner of frame building, in 7- by 7-in. concrete post; standard tablet stamped "SY 27 1934".....	83. 430
Reference mark, 80 ft. E. of tablet, in root on N. side of 36-in. oak tree; wire nail.....	84. 05
Bartells Crossroads, 2.3 mi. N. of, 25 ft. W. of center line of rd., on Diggs & McElveen property, in root on E. side of 8-in. pine tree; wire nail.....	77. 77
Bartells Crossroads, 1.0 mi. N. of, 3.8 mi. S. of Lake Swamp, 40 ft. W. of center line of rd., on property of L. Bartell, in root on E. side of 20-in. pine tree; wire nail.....	60. 00
Bartells Crossroads, 0.2 mi. N. of, 3.0 mi. N. of Indiantown, 2 ft. S. and 2 ft. W. from SE. corner of St. Mark's A. M. E. Church, in yard, in 7- by 7-in. concrete post; standard tablet stamped "SY 28 1934".....	55. 726
Reference mark, 50 ft. SE. of tablet, in root on NE. side of 36-in. pine tree; wire nail.....	56. 12
Bartells Crossroads, 1,500 ft. along third-class rd. W. of, 20 ft. N. of center line of rd., in W. angle of junction of rd. and approach to house, in root on SE. side of 30-in. pine tree; wire nail.....	45. 54
Bartells Crossroads, 1.2 mi. E. of, 20 ft. N. of center line of third-class rd., 0.5 mi. NE. of junction with State Highway 175, in root on S. side of 20-in. pine tree; wire nail.....	45. 19

INDIANTOWN QUADRANGLE

[Latitude 33°30'–33°45'; longitude 79°30'–79°45']

GEORGETOWN AND WILLIAMSBURG COUNTIES

From Trio quadrangle 1.5 miles northeast of Trio northeast along road to U. S. Highway 521, thence southeast along highway and back into Trio quadrangle (by P. A. Wattley in 1934)

Trio, 2.5 mi. NE. of, along rd. to Boyd's store, 5 ft. E. of center line of rd., in root on SE. side of 8-in. oak tree; wire nail and bottle cap.	Feet 53. 43
Trio, 4.1 mi. NE. of, 3.5 mi. NW. of Spring Gully Church, on U. S. Highway 521 at point 63 ft. S. and 39 ft. E. from junction with T-rd. S., in 7- by 7-in. concrete post; standard tablet stamped "W 44 1934 51"-----	50. 620
Reference mark, 80 ft. S. of center line of highway, in root on S. side of 12-in. pine tree; wire nail and bottle cap-----	50. 47
Spring Gully Church, 2.4 mi. NW. of, on U. S. Highway 521, in SW. corner of concrete bridge over Spring Valley Swamp; chiseled square.	34. 56
Spring Gully Church, 1.0 mi. NW. of, 30 ft. E. of center line of highway, in root on NW. side of 30-in. pine tree; wire nail and bottle cap.	45. 95
Spring Gully Church, 35 ft. N. and 15 ft. W. from NE. corner of, 30 ft. S. of center line of highway, in 7- by 7-in. concrete post; standard tablet stamped "W 45 1934 46"-----	45. 937
Reference mark, 30 ft. NE. of church, 50 ft. S. of center line of highway, in root on N. side of 10-in. oak tree; wire nail and bottle cap--	46. 21
U. S. C. & G. S. standard disk stamped "W — 1934"-----	38. 190

From Trio quadrangle at point on U. S. Highway 521 near Harmony Church northeast along roads across Black River to point near Asbury Church, thence northwest along Warsaw-Kingstree road to Callehans Crossroads, thence northeast along second-class road to Cedar Grove Church, thence southwest to point 1.5 miles northeast of Nexson (by P. A. Wattley in 1934)

Spring Gully Church, 1.6 mi. SE. along highway, thence 1.4 mi. NE. along rd. from, 2.3 mi. NW. along Warsaw-Kingstree rd., thence 1.8 mi. SW. from Warsaw, 10 ft. E. of center line of rd., in root on W. side of 8-in. wild-cherry tree; wire nail and bottle cap-----	11. 67
Black River; surface of water Oct. 31, 1934-----	1. 3
Warsaw, 2.3 mi. NW., thence 0.8 mi. SW. from, on N. bank of Black River, in root on W. side of 8-in. cypress tree; wire nail and bottle cap-----	11. 84
Warsaw, 2.6 mi. NW. of, 1 ft. S. and 5 ft. E. from SE. corner of Asbury Church, 70 ft. N. of center line of Warsaw-Kingstree rd., in 7- by 7-in. concrete post; standard tablet stamped "W 47 1934 31"-----	31. 346
Reference mark, 40 ft. W. of church, in yard, 110 ft. N. of center line of rd., in root on S. side of 18-in. pine tree; wire nail and bottle cap.	31. 06
Warsaw, 3.7 mi. NW. of, 1.5 mi. SE. of Bloomingvale School, 200 ft. SE. of Mount Zion Church, in yard, 15 ft. N. of center line of rd., in root on SW. side of 18-in. pine tree; wire nail and bottle cap---	38. 57
Bloomingvale School, 160 ft. NW. of, 20 ft. S. of center line of rd., in root on N. side of 40-in. twin-oak tree; wire nail and bottle cap---	50. 82
Bloomingvale School, 1.2 mi. NW. of, 15 ft. S. of center line of Warsaw-Kingstree rd., 55 ft. N. and 18 ft. E. of NE. corner of dwelling of A. G. Foster, in yard, in 7- by 7-in. concrete post; standard tablet stamped "W 48 1934 56"-----	56. 156

Reference mark, 100 ft. NW. of dwelling, in yard, 20 ft. S. of center line of rd., in root on N. side of 25-in. oak tree; wire nail and bottle cap-----	Feet 54. 61
Bloomingvale School, 2.5 mi. SE. of, 40 ft. S. of center line of rd., 70 ft. N. of dwelling, in yard, in root on NE. side of 15-in. oak tree; wire nail and bottle cap-----	53. 70
Bloomingvale School, 3.5 mi. SE. of, 1.9 mi. SE. of Callehans Crossroads, 30 ft. S. of center line of rd., in root on N. side of 8-in. pine tree; wire nail and bottle cap-----	50. 98
Callehans Crossroads, 0.6 mi. SE. of, 50 ft. S. of center line of rd., 110 ft. N. of dwelling, in yard, in root on N. side of 10-in. sycamore tree; wire nail and bottle cap-----	49. 69
Callehans Crossroads, at, 5.3 mi. SW. of Cedar Grove Church, 39 ft. S. of center line of Warsaw-Kingstree rd., 144 ft. S. and 36 ft. W. from NW. corner of dwelling of R. M. Callehan, in 7- by 7-in. concrete post; standard tablet stamped "W 49 1934 59"-----	58. 837
Reference mark, 250 ft. N. of dwelling, in yard, 20 ft. S. of center line of rd., in root on NW. side of 15-in. pine tree; wire nail and bottle cap-----	58. 43
Cedar Grove Church, 4.0 mi. SW. of, 40 ft. E. of center line of rd., opposite dwelling, in root on W. side of 15-in. pine tree; wire nail and bottle cap-----	54. 19
Cedar Grove Church, 2.9 mi. SW. of, 30 ft. E. of center line of rd., in root on W. side of 10-in. oak tree; wire nail and bottle cap-----	55. 18
Cedar Grove Church, 1.3 mi. S. of, 110 ft. E. of center line of rd., 60 ft. SW. of dwelling, in yard, in root on W. side of 22-in. mulberry tree; wire nail and bottle cap-----	54. 30
Cedar Grove Church, 81 ft. N. of NE. corner of, 22 ft. W. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "W 50 1934 53"-----	52. 707
Reference mark, 50 ft. N. of church, in yard, 50 ft. W. of center line of rd., in root on W. side of 8-in. oak tree; wire nail and bottle cap-----	51. 87
Cedar Grove Church, 1.0 mi. W. of, 140 ft. NW. of Cedar Swamp School, 110 ft. S. of center line of rd. to Kingstree, in root on S. side of 24-in. oak tree; wire nail and bottle cap-----	53. 76
Cedar Grove Church, 2.0 mi. W. of, 20 ft. N. of center line of rd., 70 ft. S. of dwelling, in yard, in root on S. side of 25-in. cedar tree; wire nail and bottle cap-----	61. 49
Cedar Grove Church, 3.0 mi. W. of, 24 ft. N. of center line of rd., 90 ft. S. and 6 ft. E. from SW. corner of dwelling of York McClery, in yard, in 7- by 7-in. concrete post; standard tablet stamped "W 51 1934 68"-----	67. 519
Reference mark, 70 ft. S. of McClery dwelling, in yard, 60 ft. N. of center line of rd., in root on S. side of 20-in. chinaberry tree; wire nail and bottle cap-----	67. 31
Cedar Grove Church, 4.1 mi. SW. of, 20 ft. N. of center line of rd., in root on S. side of 12-in. pine tree; wire nail and bottle cap-----	64. 76
Cedar Grove Church, 5.0 mi. W. of, 20 ft. S. of center line of rd. to Kingstree, 60 ft. N. of dwelling, in root on N. side of 10-in. oak tree; wire nail and bottle cap-----	66. 99

From point 2.6 miles northwest of Warsaw southeast along Warsaw-Kingstree road to Warsaw, thence northeast along Warsaw-Gapway road into Rhems quadrangle (by P. A. Wattlely in 1934)

Warsaw, 1.4 mi. NW. of, 20 ft. N. of center line of Warsaw-Kingstree rd., in root on S. side of 25-in. pine tree; wire nail and bottle cap--	<i>Feet</i> 32. 20
Warsaw, 0.2 mi. W. of, 20 ft. S. of center line of rd., 170 ft. N. of dwelling, in yard, in root on N. side of 25-in. oak tree; wire nail and bottle cap-----	34. 16
Warsaw, 200 ft. S. of Seaboard Air Line Ry. sta., 90 ft. N. of Ry. crossing, 27 ft. W. of track; iron post stamped "Prim Trav Sta No 34 J 1918"-----	36. 637
Reference mark, 200 ft. W. of Ry. crossing, at crossroads, 30 ft. N. of center line of E.-W. rd., in root on S. side of 12-in. cedar tree; wire nail and bottle cap-----	35. 62
Warsaw, 0.8 mi. NE. of, 10 ft. N. of center line of rd. to Gapway, 15 ft. S. of tobacco barn, in root on S. side of 10-in. dogwood tree; wire nail and bottle cap-----	38. 23
Warsaw, 1.8 mi. NE. of, 10 ft. N. of center line of rd., 300 ft. S. of dwelling, in yard, in root on S. side of 25-in. oak tree; wire nail and bottle cap-----	41. 01
Warsaw, 2.9 mi. NE. of, 21 ft. E. of center line of rd., 4 ft. N. and 44 ft. W. from NW. corner of dwelling of John Moore, in yard, in 7- by 7-in. concrete post; standard tablet stamped "W 52 1934 41"-----	41. 293
Reference mark, 20 ft. W. of center line of rd., in root on NE. side of 12-in. pine tree; wire nail and bottle cap-----	40. 56
Warsaw, 4.2 mi. NE. of, 1.9 mi. SW. of Gapway, 15 ft. S. of center line of rd., 30 ft. N. of dwelling, in yard, in root on S. side of 18-in. oak tree; wire nail and bottle cap-----	37. 22

From Rhems quadrangle at point about 4 miles northwest of Rhems generally northwest along Rhems-Nesmith road to Nesmith, thence northwest along Kingstree-Nesmith road 7.3 miles, thence southwest along road to Cedar Grove Church (by P. A. Wattlely in 1934)

Nesmith, 2.1 mi. SE. of, 15 ft. N. of center line of Rhems-Nesmith rd., 20 ft. S. of dwelling, in yard, in root on S. side of 24-in. twin oak tree; wire nail and bottle cap-----	40. 52
Nesmith, 1.0 mi. SE. of, 50 ft. S. of center line of rd., 100 ft. NE. of dwelling, in yard, in root on NE. side of 30-in. oak tree; wire nail and bottle cap-----	38. 76
Nesmith, 89 ft. E. of Seaboard Air Line Ry. tracks, 33 ft. N. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "W 56 1934 50"-----	49. 801
Reference mark, 40 ft. N. of center line of rd., 50 ft. E. of center line of Ry. tracks, in root on SW. side of 18-in. oak tree; wire nail and bottle cap-----	49. 50
Nesmith, 1.1 mi. NW. of, 20 ft. S. of center line of Nesmith-Kingstree rd., in root on NE. side of 8-in. oak tree; wire nail and bottle cap----	51. 68
Nesmith, 2.1 mi. NW. of, 1.1 mi. E. of Friendship Church, in SW. corner of bridge over Nesmith Swamp; wire nail and bottle cap----	37. 23
Friendship Church, 2 ft. N. and 33 ft. E. from, in yard, 84 ft. N. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "W 57 1934 55"-----	54. 757
Reference mark, 110 ft. E. of church, in yard, 180 ft. N. of junction of rd., in root on S. side of 12-in. oak tree; wire nail and bottle cap----	55. 02

Friendship Church, 1.3 mi. W. of, 30 ft. S. of center line of rd., 120 ft. N. of dwelling, in yard, in root on N. side of 30-in. oak tree; wire nail and bottle cap-----	<i>Fert</i> 56. 36
Friendship Church, 2.0 mi. NW. of, 15 ft. N. of center line of rd., 170 ft. S. of dwelling, in yard, in root on N. side of 20-in. sycamore tree; wire nail and bottle cap-----	54. 27
Friendship Church, 3.3 mi. W. of, 60 ft. N. of center line of rd., 50 ft. S. of dwelling, in yard, in root on N. side of 12-in. chinaberry tree; wire nail and bottle cap-----	52. 78
Friendship Church, 4.1 mi. NW. of, 4.2 mi. NE. of Cedar Grove Church, 40 ft. S. and 30 ft. W. from junction of Kingstree-Nesmith rd. and rd. SW., in 7- by 7-in. concrete post; standard tablet stamped "W 58 1934 48"-----	47. 164
Reference mark, 150 ft. NW. of rd. junction, in root on NW. side of 20-in. oak tree; wire nail and bottle cap-----	46. 22
Cedar Grove Church, 2.8 mi. NE. of, 15 ft. E. of center line of rd., 150 ft. SW. of dwelling, in yard, in root on W. side of 30-in. oak tree; wire nail and bottle cap-----	55. 22
Cedar Grove Church, 1.6 mi. NE. of, 30 ft. W. of center line of rd., in yard of dwelling, in root on W. side of 12-in. chinaberry tree; wire nail and bottle cap-----	42. 95

From road junction 4.2 miles northeast of Cedar Grove Church northwest along Nesmith-Kingstree road and southwest along State Highway 175 to point 9.5 miles northeast of Kingstree (by P. A. Wattley in 1934)

Nesmith, 8.3 mi. NW. of, 4.2 mi. NE., thence 1.0 mi. NW. from Cedar Grove Church, 50 ft. N. of center line of Nesmith-Kingstree rd., 200 ft. S. of dwelling, in yard, in root on SW. side of 30-in. oak tree; wire nail and bottle cap-----	53. 73
Nesmith, 9.9 mi. NW. of, 70 ft. S. of center line of rd., 60 ft. NW. of dwelling, in yard, in root on N. side of 20-in. triple chinaberry tree; wire nail and bottle cap-----	51. 68
Nesmith, 10.8 mi. W. of, on Nesmith-Kingstree rd. at point 500 ft. E. of junction with State Highway 175, in root on W. side of 30-in. oak tree; wire nail and bottle cap-----	58. 05
U. S. C. & G. S. standard disk stamped "G 32 1934"-----	52. 798

From Nesmith northeast along Nesmith-Henry road into Rhems quadrangle (by P. A. Wattley in 1934)

Nesmith, 1.0 mi. NE. of, 1.4 mi. SW. of Henry, in SW. corner of bridge over Black Mingo Swamp; wire nail and bottle cap-----	15. 53
--	--------

On Blakely-Kingstree road—a jog from Kingstree quadrangle (by P. A. Wattley in 1934)

Blakely, 3.8 mi. N. of, 57 ft. S. and 63 ft. E. from junction of Kingstree-Georgetown rd. and rd. S. to Blakely, in 7- by 7-in. concrete post; standard tablet stamped "W 39 1934 52"-----	51. 809
Reference mark, 120 ft. S. of junction of rd., 30 ft. E. of center line of rd., in root on NW. side of 30-in. pine tree; wire nail and bottle cap--	52. 02

From Kingtree quadrangle 1.6 miles northeast of Nexson north and northwest along roads and back into Kingtree quadrangle near White Oak Bay (by P. A. Wattley in 1934)

Nexson, 1.6 mi. NE. of, 4.8 mi. W. of Cedar Swamp School, 40 ft. S. of center line of rd., 20 ft. N. of dwelling, in yard, in root on NE. side of 22-in. oak tree; wire nail and bottle cap-----	Feet 65. 62
Nexson, 1.6 mi. NE. along Nexson-Cedar Grove Church rd., thence 1.9 mi. along rd. NE. from, 1.7 mi. S. of junction of State Highway 175, 22 ft. E. of center line of rd., 22 ft. S. and 14 ft. W. from SW. corner of dwelling of Isabelle Calhoun, in yard, in 7- by 7-in. concrete post; standard tablet stamped "W 32 1934 69"-----	68. 560
Reference mark, 60 ft. W. of dwelling, in yard, 40 ft. E. of center line of rd., in root on W. side of 8-in. sycamore tree; wire nail and bottle cap-----	68. 44
Nexson, 1.6 mi. along Nexson-Cedar Grove Church rd., thence 2.9 mi. NE. from, 5.5 mi. along State Highway 175, thence 0.8 mi. S. from Kingtree, 15 ft. E. of center line of rd., 120 ft. SW. of dwelling, in yard, in root on W. side of 30-in. oak tree; wire nail and bottle cap--	69. 40
Kingtree, 5.5 mi. NE. along State Highway 175, 38 ft. N. of center line of highway, 220 ft. SW. of dwelling of Julian McCutcheon, 3 ft. S. and 28 ft. E. from SE. corner of filling sta., in 7- by 7-in. concrete post; standard tablet stamped "W 33 1934 67"-----	66. 458
Reference mark, 220 ft. SW. of dwelling, 40 ft. N. of center line of rd., in root on S. side of 8-in. oak tree; wire nail and bottle cap--	66. 05
Kingtree, 5.2 mi. NE. along State Highway 175, thence 1.0 mi. N. along rd. from, 40 ft. E. of center line of rd., in root on W. side of 15-in. oak tree; wire nail and bottle cap-----	72. 65
Kingtree, 5.2 mi. NE. along State Highway 175, thence 1.6 mi. N. along rd. from, 120 ft. W. of center line of rd., 80 ft. S. of church, in churchyard, in root on N. side of 12-in. pine tree; wire nail and bottle cap-----	73. 71

From Hyman quadrangle at point about 5 miles southeast of Cades southwest along roads into Kingtree quadrangle at point about 4.8 miles east of Brockington (by P. A. Wattley in 1934)

Cades, 1.5 mi. E. along Cades-Hemingway rd., thence 3.1 mi. SE. from, 280 ft. SE. of Browns Crossroads, 1.6 mi. NE. of Wilson Chapel, 26 ft. E. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "W 15 1934 88"-----	87. 902
Reference mark, 300 ft. SE. of crossroads, in root on W. side of 10-in. pine tree; wire nail and bottle cap-----	87. 38
Browns Crossroads, 1.4 mi. SW. of, near Wilson Chapel, 20 ft. W. of center line of rd., 70 ft. E. of dwelling, in yard, in root on E. side of 30-in. sycamore tree; wire nail and bottle cap-----	83. 71

From Rhems quadrangle at point about 3 miles west of Hemingway west along State Highway 175 and road into Hyman quadrangle (by W. B. Sykes in 1934)

Hemingway, 3.2 mi. SW. of, 35 ft. N. of center line of State Highway 175, in base on S. side of 4-in. sweetgum tree; copper nail and washer-----	50. 66
U. S. C. & G. S. standard disk stamped "B 32 1934"-----	51. 342
Hemingway, 4.0 mi. SW. of, 3.4 mi. NE. of Indiantown High School, 150 ft. E. of store, in root on N. side of 8-in. oak tree; copper nail and washer-----	50. 55

Indiantown High School, 2.2 mi. NE. of, 33 ft. N. of center line of highway, on property of W. O. Stuskey, in root on N. side of 30-in. oak tree; copper nail and washer-----	<i>Feet</i> 32. 22
U. S. C. & G. S. standard disk stamped "C 32 1934"-----	48. 146
U. S. C. & G. S. standard disk stamped "D 32 1934"-----	59. 688
Indiantown High School, 1.2 mi. NW. of, 40 ft. N. of center line of State Highway 175, on property of Ralph Pulitzer, in root on S. side of 10-in. oak tree; copper nail and washer-----	50. 92
U. S. C. & G. S. standard disk stamped "E 32 1934"-----	42. 277
Indiantown High School, 3.0 mi. NW. of, 30 ft. N. of center line of Cooper-Cades rd., in root on SE. side of 20-in. twin gum tree; copper nail and washer-----	37. 43
Indiantown High School, 3.8 mi. NW. of, 30 ft. N. of center line of Cooper-Cades rd., in root on S. side of 48-in. oak tree; copper nail and washer-----	52. 43

JAMES ISLAND QUADRANGLE

[Latitude 32°37'30"-32°45'00"; longitude 79°52'30"-80°00'00"]

CHARLESTON COUNTY

From Charleston quadrangle about 4 miles southwest of Charleston southeast along roads by way of Payne Chapel to Kings road, thence northeast to Agricultural School (by H. L. Hudson in 1917)

James Island, 1.4 mi. NW. of, 0.3 mi. W. of Payne Chapel, in NW. angle of junction of T-rd. NE., 100 ft. W. of dwelling, in root of 24-in. oak tree; copper nail and washer-----	13. 88
James Island, near abandoned post office, in SE. angle of intersection of Kings rd. and Payne Chapel-Riverland rd., in front of frame church, in root of 30-in. oak tree; copper nail and washer---	15. 40
James Island, 0.4 mi. along Kings rd. NE. of, at SE. corner of lot belonging to James Island Agricultural Society; iron post stamped "17.38"-----	14. 381

KINGSTREE QUADRANGLE

[Latitude 33°30'-33°45'; longitude 79°45'-80°00']

BERKELEY, CLARENDON, AND WILLIAMSBURG COUNTIES

From Manning quadrangle southeast along Atlantic Coast Line Railroad to Lanes, thence southwest into Bonneau quadrangle (first-order leveling by C. H. Semper in 1918)

Greelyville, in front of sta.; top of rail-----	80. 0
Greelyville, 1.1 mi. SE. of, 0.3 mi. E. of milepost L 7, at rd. crossing, 25 ft. N. of track, 12 ft. W. of center line of rd.; iron post stamped "75 1918"-----	75. 236
Edwards, in front of sta.; top of rail-----	69. 6
Heineman, 62 ft. E. of SE. corner of sta., 23 ft. from the center of crossing of State Highway 171, 10 ft. W. of W. side of highway, 11 ft. N. of N. rail; iron post stamped "73 1918"-----	73. 340
Heineman, in front of sta.; top of rail-----	73. 3
Heineman, 2.1 mi. SE. of, 2.0 mi. NW. of Lanes, 6 ft. E. of milepost L 2, 19 ft. N. of N. rail; iron post stamped "76 1918"-----	76. 476
Lanes, in front of sta.; top of rail-----	71. 68
Lanes, 250 ft. S. of sta., in front of Lanes Hotel, 20 ft. E. of E. rail, 20 ft. N. and 50 ft. E. from rd. crossing; iron post stamped "Prim Trav Sta No 21 Mac 1917 69" ³⁷ -----	69. 048

³⁷ It was reported in 1934 that this benchmark had been covered with dirt.

Lanes, 1.6 mi. S. of, on R. R. culvert opposite milepost 52, on top of S. head wall; chiseled square -----	Feet 69. 33
--	----------------

From Bonneau quadrangle northwest along Seaboard Air Line Railway to
Lanes (by C. E. Semper in 1917)

Taft, in front of sta.; top of rail -----	62. 8
Taft, 2.0 mi. W. of, 5 ft. W. of milepost 32, 25 ft. N. of track; iron post stamped "65" (recovered by U. S. C. & G. S. in 1935) -----	64. 862

From point on Atlantic Coast Line Railroad 1.1 miles southeast of Greelyville
southwest about 4 miles along roads into Manning quadrangle near St. John's
School (by F. J. McMaugh in 1919)

Greelyville, 0.3 mi. S. of R. R. crossing, 125 ft. SE. of Methodist Church, 25 ft. NW. of junction of T-rd. E., 8 ft. N. of fence corner, set vertically in ground; top of section of steel rail -----	83. 00
Greelyville, 2.9 mi. S. of, 20 ft. S. and 40 ft. E. from junction of T-rd. N., 3 ft. E. of gatepost at NW. corner of cemetery; iron post stamped "87" -----	87. 279
Greelyville, 3.6 mi. SW. of, 0.8 mi. W. of cemetery, 30 ft. E. of edge of clearing on S. side of rd., in root of tree; copper nail -----	73. 21

From Bonneau quadrangle near Blakely north 3.8 miles, thence northwest
along Kingstree-Georgetown road to point 3.5 miles southeast of Kingstree,
thence northeast to point near Nexson on Kingstree-Warsaw road (by P. A.
Wattley in 1934)

[Line jogs into Indiantown quadrangle]

Blakely, 1.1 mi. N. of, 10 ft. W. of center line of Blakely-Kingstree rd., 10 ft. NE. of dwelling, in yard, in root on E. side of 22-in. pine tree; wire nail and bottle cap -----	56. 84
Blakely, 2.8 mi. N. of, 20 ft. W. of center line of rd., 20 ft. E. of dwelling, in yard, in root on NE. side of 15-in. chinaberry tree; wire nail and bottle cap -----	55. 71
Blakely, 3.8 mi. N., thence 1.0 mi. NW. from, 250 ft. NW. of Ox Swamp Church, in yard, 50 ft. S. of center line of Kingstree-Georgetown rd., in root on NE. side of 14-in. oak tree; wire nail and bottle cap -----	56. 89
Blakely, 3.8 mi. N., thence 2.0 mi. NW. from, 50 ft. N. of center line of rd., in root on W. side of 18-in. pine tree; wire nail and bottle cap -----	69. 85
Blakely, 3.8 mi. N., thence 3.5 mi. NW. from, 8.2 mi. SE. of Kingstree, 33 ft. N. of center line of rd., 60 ft. W. of SW. corner of tobacco barn, in yard of dwelling, in 7- by 7-in. concrete post; standard tablet stamped "W 40 1934 64" -----	63. 649
Reference mark, 50 ft. N. of center line of rd., 200 ft. SE. of dwelling, in root on S. side of 15-in. oak tree; wire nail and bottle cap -----	63. 37
Kingstree, 7.0 mi. SE. of, 60 ft. N. of center line of rd., 100 ft. S. of dwelling, in yard, in root on SE. side of 18-in. pecan tree; wire nail and bottle cap -----	62. 14
Kingstree, 6.4 mi. SE. of, 2.5 mi. SE. of Salters, near Bryan Crossroads, 160 ft. S. of Y-junction of U. S. Highway 521 and State Highway 261, 800 ft. S. of Black River, in 7- by 7-in. concrete post; standard tablet stamped "W 41 1934 58" -----	57. 398
Reference mark, 200 ft. S. of Y-junction of highways, in root on NE. side of 8-in. sycamore tree; wire nail and bottle cap -----	57. 61

Kingstree, 5.3 mi. SE. of, 1.2 mi. N. of Bryan Crossroads, 50 ft. N. of center line of rd., 80 ft. SE. of dwelling, in yard, in root on S. side of 15-in. oak tree; wire nail and bottle cap-----	Feet 45. 78
Kingstree, 4.1 mi. along Kingstree-Georgetown rd. SE. of, 2.4 mi. N. of Bryan Crossroads, 30 ft. E. of center line of rd., 60 ft. W. of dwelling, in yard, in root on S. side of 14-in. hickory tree; wire nail and bottle cap-----	59. 22
Kingstree, 3.3 mi. along Kingstree-Warsaw rd. SE., thence 1.2 mi. SW. from, 0.5 mi. W., thence 1.2 mi. SW. from Nexson, 40 ft. SW. of school, in yard, 15 ft. E. of center line of NE.-SW. rd., in root on W. side of 18-in. hickory tree; wire nail and bottle cap-----	57. 81

From Kingstree southeast along Kingstree-Warsaw road to point near Nexson, thence northeast 1.5 miles into Indiantown quadrangle (by P. A. Wattlely in 1934)

Kingstree, 1.1 mi. SE. of, 20 ft. N. of center line of rd., 30 ft. S. of dwelling, in yard, in root on S. side of 48-in. oak tree; wire nail and bottle cap-----	69. 17
Kingstree, 2.1 mi. SE. of, 30 ft. N. of center line of rd., 20 ft. SE. of dwelling, in yard, in root on S. side of 12-in. sycamore tree; wire nail and bottle cap-----	63. 88
Kingstree, 3.0 mi. SE. of, 70 ft. N. of center line of rd., 50 ft. S. of dwelling, in yard, in root on E. side of 15-in. sycamore tree; wire nail and bottle cap-----	60. 70
Kingstree, 3.3 mi. SE. of, 0.5 mi. NW. of Nexson, at junction of rd. SW., 25 ft. S. of center line of rd., 5 ft. N. and 10 ft. E. from NE. corner of dwelling of H. Howard, in 7- by 7-in. concrete post; standard tablet stamped "W 31 1934 53"-----	52. 485
Reference mark, 40 ft. S. of center line of rd., 30 ft. E. of dwelling, in root on W. side of 10-in. sycamore tree; wire nail and bottle cap---	51. 43
Kingstree, 3.8 mi. SE., thence 0.8 mi. NE. from, 0.8 mi. NE. of Nexson, 20 ft. N. of center line of rd., 110 ft. S. of dwelling, in yard, in root on N. side of 20-in. oak tree; wire nail and bottle cap-----	62. 43

From point 0.4 mile west of Lanes north along roads to Belser Crossroads, 4.1 miles southwest of Kingstree (by P. A. Wattlely in 1934)

Lanes, 1.0 mi. NW. of, 80 ft. SE. of Antioch Church, in yard, 10 ft. W. of center line of State Highway 261, in root on E. side of 18-in. pine tree; wire nail and bottle cap-----	76. 24
Antioch Church, 1.0 mi. NW. of, 10 ft. N. of center line of rd. to Belser Crossroads, in root on SW. side of 10-in. oak tree; wire nail and bottle cap-----	73. 46
Antioch Church, 2.3 mi. NW. of, 10 ft. N. of center line of rd., in root on S. side of 15-in. pine tree; wire nail and bottle cap-----	71. 82
Antioch Church, 3.8 mi. NW. of, 15 ft. S. of center line of rd., in root on SE. side of 22-in. sycamore tree; wire nail and bottle cap-----	72. 14
Antioch Church, 4.8 mi. NW. of, 5.7 mi. SW. of Belser Crossroads, 3.6 mi. along State Highway 171 SW. of Salters, 26 ft. N. and 24 ft. W. from intersection of highway, in 7- by 7-in. concrete post; standard tablet stamped "W 42 1934 71"-----	70. 435
Reference mark, 10 ft. NE. of center line of rd., in root on SW. side of 20-in. pine tree; wire nail and bottle cap-----	70. 28
Belser Crossroads, 4.2 mi. SW. of, 300 ft. S. of Rocky Ford Creek, 20 ft. NE. of center line of rd., in root on S. side of 22-in. sycamore tree; wire nail and bottle cap-----	46. 52

Belser Crossroads, 3.0 mi. SW. of, 30 ft. E. of center line of rd., in root on SW. side of 18-in. sycamore tree; wire nail and bottle cap-----	<i>Feet</i> 50. 64
Belser Crossroads, 1.8 mi. S. of, 36 ft. S. and 25 ft. W. from junction of T-rd. W., in 7- by 7-in. concrete post; standard tablet stamped "W 43 1934 59"-----	58. 841
Reference mark, 200 ft. E. of center line of rd., 30 ft. S. of dwelling, in yard, in root on W. side of 30-in. oak tree; wire nail and bottle cap---	55. 68
Belser Crossroads, 0.6 mi. S. of, 4.1 mi. SW. of Kingstree, 40 ft. N. of center line of rd., 175 ft. SE. of dwelling, in yard, in root on SW. side of 25-in. oak tree; wire nail and bottle cap-----	59. 84

From crossroads 3.6 miles southwest of Salters east along State Highway 171 to Bryan Crossroads (by P. A. Wattlely in 1934)

Salters, 2.5 mi. SW. of, 40 ft. S. of center line of highway, in root on N. side of 8-in. pine tree; wire nail and bottle cap-----	59. 71
Salters, 1.2 mi. SW. of, 60 ft. N. of center line of highway, in root on S. side of 15-in. hickory tree; wire nail and bottle cap-----	72. 69
U. S. C. & G. S. standard disk stamped "R 32 1934"-----	74. 974
Salters, 1.4 mi. SE. of, 1.1 mi. NW. of Bryan Crossroads, in NE. corner of highway bridge over Thorntree Swamp; wire nail and bottle cap-----	37. 37

From Indiantown quadrangle near Browns Crossroads alternately northwest and southwest along roads to Sandy Bay School, thence along Sandy Bay and Black River roads into Manning quadrangle (by P. A. Wattlely in 1934)

[Line jogs into Scranton quadrangle]

Browns Crossroads, 1.4 mi. SW. of, 1.0 mi. N., thence 1.6 mi. E. from Brockington, 20 ft. N. of center line of Brockington-Wilson Chapel rd., in root on S. side of 20-in. water-oak tree; wire nail and bottle cap-----	79. 63
Brockington, 1.0 mi. N., thence 1.0 mi. E. from, 600 ft. W. of dwelling, 20 ft. S. of center line of rd., in root on N. side of 30-in. oak tree; wire nail and bottle cap-----	66. 85
Brockington, 1.0 mi. N. of, 30 ft. W. of center line of U. S. Highway 52, 79 ft. S. of SE. corner of filling sta. of T. S. Kelly, in 7- by 7-in. concrete post; standard tablet stamped "W 26 1934 64"-----	63. 800
Reference mark, 60 ft. W. of center line of highway, in root on E. side of 12-in. pine tree; wire nail and bottle cap-----	63. 41
Sandy Bay School, 1.2 mi. NE. of, 40 ft. N. of center line of Sandy Bay School-Cades rd., 40 ft. E. of branch, in root on S. side of 20-in. sycamore tree; wire nail and bottle cap-----	65. 79
Sandy Bay School, 60 ft. N. and 1 ft. E. from NW. corner of, in 7- by 7-in. concrete post; standard tablet stamped "W 17 1934 72"-----	71. 561
Reference mark 1, 110 ft. N. of school, 15 ft. S. of center line of rd., in root on NW. side of 8-in. sycamore tree; wire nail and bottle cap-----	71. 88
Reference mark 2, 50 ft. N. of school, 50 ft. S. of center line of rd., in root on N. side of 12-in. sycamore tree; wire nail and bottle cap-----	71. 46
Sandy Bay School, 1.2 mi. W. of, 2.3 mi. NE. of St. Mary's Church, 30 ft. N. of center line of rd., across rd. from dwelling, in root on S. side of 24-in. water-oak tree; wire nail and bottle cap-----	73. 51
St. Mary's Church, 1.2 mi. NE. of, 12 ft. S. of center line of rd., in root on N. side of 18-in. pine tree; wire nail and bottle cap-----	70. 16
St. Mary's Church, 0.8 mi. NE. of, 60 ft. SW. of crossroads, in root on S. side of 15-in. pine tree; wire nail and bottle cap-----	73. 52

St. Mary's Church, 800 ft. E. of, in root on E. side of 18-in. sycamore tree; wire nail and bottle cap-----	Feet 72. 79
St. Mary's Church, 5 ft. S. and 1 ft. W. from SW. corner of, 6.0 mi. NW. of Kingtree, along Black River rd., in 7- by 7-in. concrete post; standard tablet stamped "W 18 1934 74"-----	74. 504
Reference mark, 180 ft. S. of church, 20 ft. N. of center line of rd., in root on SW. side of 22-in. oak tree; wire nail and bottle cap-----	74. 11
St. Mary's Church, 1.1 mi. along Black River rd. NW. of, 0.7 mi. E. of Mouzon, on SW. corner of bridge over Clapp Swamp; chiseled cross-----	54. 44
Mouzon, 0.6 mi. SW. of, 30 ft. S. of center line of rd., in root on N. side of 22-in. oak tree; wire nail and bottle cap-----	52. 61
Mouzon, 1.8 mi. SW. of, 150 ft. S. of center line of rd., 70 ft. E. of dwelling, in yard, in root on E. side of 45-in. oak tree; wire nail and bottle cap-----	71. 00
Mouzon, 1.8 mi. along Black River rd. SW. of, 36 ft. N. and 19 ft. W. from NW. corner of dwelling of W. W. Kenedy, in 7- by 7-in. concrete post; standard tablet stamped "W 19 1934 70"-----	70. 368
Reference mark, 100 ft. N. of dwelling, 100 ft. S. of center line of rd., in root on W. side of 18-in. wild-cherry tree; wire nail and bottle cap-----	70. 43
Mouzon, 3.2 mi. W. of, 30 ft. N. of center line of rd., in root on S. side of 18-in. pine tree; wire nail and bottle cap-----	74. 16
Mouzon, 4.5 mi. W. of, 15 ft. SW. of center line of rd., in root on E. side of 20-in. pine tree; wire nail and bottle cap-----	85. 19

From Indiantown quadrangle near White Oak Bay northwest along roads to point 1.2 miles west of Wilson Chapel (by P. A. Wattlely in 1934)

Kingtree, 5.0 mi. NE., thence 2.0 mi. NW. from, 1.2 mi. W., thence 1.2 mi. SE. from Wilson Chapel, 40 ft. W. of center line of rd., in root on E. side of 10-in. oak tree; wire nail and bottle cap-----	85. 52
--	--------

From crossroads 0.8 mile northeast of St. Mary's Church southeast along Kingtree-Hebron road to Kingtree (by P. A. Wattlely in 1934)

Kingtree, 5.9 mi. NW. of, at junction of Y-rd., 40 ft. W. of center line of rd., in root on E. side of 15-in. pine tree; wire nail and bottle cap-----	67. 21
Kingtree, 4.5 mi. NW. of, 30 ft. W. of center line of rd., in root on NW. side of 6-in. oak tree; wire nail and bottle cap-----	73. 50
Kingtree, 3.5 mi. NW. of, 115 ft. E. of center line of rd., 12 ft. N. and 21 ft. W. from NW. corner of dwelling of E. E. David, in yard, in 7- by 7-in. concrete post; standard tablet stamped "W 27 1934 64"-----	63. 040
Reference mark, 20 ft. W. of dwelling, 110 ft. E. of rd., in root on NW. side of 6-in. twin wild-cherry tree; wire nail and bottle cap-----	62. 35
Kingtree, 2.2 mi. NW. of, 10 ft. W. of center line of rd., 40 ft. E. of dwelling, in yard, in root on E. side of 18-in. hickory tree; wire nail and bottle cap-----	54. 85
Kingtree, 0.8 mi. NW. of, 150 ft. E. of State Highway 175, 40 ft. N. of center line of rd., 60 ft. S. of dwelling, in yard, in root on SW. side of 15-in. pine tree; wire nail and bottle cap-----	63. 35
Kingtree, 75 ft. N. of N. end of Atlantic Coast Line R. R. sta., 25 ft. W. of main line track, 1 ft. S. of curb on S. side of main street crossing tracks; cap on top of 4-in. iron post stamped "Prim Trav Sta No 1 J 1918"-----	47. 959

From Kingtree southwest along U. S. Highway 52 and west along roads to point about 5 miles north of Greelyville, thence north along Greelyville-Workman road to point 1.8 miles southwest of Mouzon (by P. A. Wattley in 1934)

	<i>Feet</i>
U. S. C. & G. S. standard disk stamped "N 32 1934"-----	62. 802
Kingtree, 0.4 mi. W. of sta., opposite stream gaging sta. of water resources branch, in NE. corner of highway bridge over Black River; chiseled square-----	48. 44
Kingtree, 1.5 mi. W. of, along highway, in NE. corner of wooden bridge over swamp; wire nail and bottle cap-----	46. 00
Kingtree, 2.5 mi. W. of, in NE. corner of highway bridge over swamp; wire nail and bottle cap-----	46. 00
U. S. C. & G. S. standard disk stamped "W 12 1934"-----	44. 602
Kingtree, 4.1 mi. SW. of, at Belser Crossroads, 48 ft. NW. of center line of highway, 140 ft. N. of filling sta.; U. S. C. & G. S. precast monument-----	65. 604
Kingtree, 5.1 mi. SW. of, 20 ft. N. of center line of highway, in root on SE. side of 8-in. sycamore tree; wire nail and bottle cap-----	54. 42
Kingtree, 6.2 mi. along U. S. Highway 52 SW. of, 500 ft. S. of Dickie Swamp, 30 ft. N. and 15 ft. W. from junction of T-rd. W., in 7- by 7-in. concrete post; standard tablet stamped "W 28 1934 54"---	53. 895
Reference mark, 10 ft. S. of center line of rd., in NE. corner of concrete head wall; chiseled cross-----	53. 79
Kingtree, 6.2 mi. SW. along highway, thence 1.2 mi. W. along rd. from, 15 ft. S. of center line of rd., in root on NW. side of 20-in. pine tree; wire nail and bottle cap-----	67. 61
Kingtree, 6.2 mi. SW. along highway, thence 2.2 mi. W. along rd. from, 15 ft. N. of center line of rd., 20 ft. S. of dwelling, in yard, in root on S. side of 20-in. oak tree; wire nail and bottle cap-----	63. 76
Kingtree, 6.2 mi. SW. along highway, thence 3.4 mi. W. along rd. from, 20 ft. S. of center line of highway, in root on N. side of 20-in. oak tree; wire nail and bottle cap-----	69. 75
Kingtree, 6.2 mi. SW. along highway, thence 4.0 mi. along Rock Branch rd. from, 24 ft. N. of center line of rd., 70 ft. S. and 30 ft. W. from SW. corner of dwelling of J. M. Johnson, in yard, in 7- by 7-in. concrete post; standard tablet stamped "W 29 1934 73"---	72. 396
Reference mark, 130 ft. SW. of dwelling, 20 ft. N. of center line of rd., in root on SE. side of 18-in. oak tree; wire nail and bottle cap----	72. 04
Kingtree, 11.0 mi. W. of, 5.0 mi. N. of Greelyville, 4.0 mi. SW. of Martins Crossroads, 500 ft. N. of Kings Crossroads, 15 ft. W. of center line of Greelyville-Workman rd., at junction of Y-rd., in root on E. side of 18-in. oak tree; wire nail and bottle cap-----	79. 16
Martins Crossroads, 2.5 mi. SW. of, 30 ft. W. of center line of rd., 200 ft. E. of dwelling, in root on E. side of 15-in. sycamore tree; wire nail and bottle cap-----	87. 80
Martins Crossroads, 1.3 mi. SW. of, 30 ft. E. of center line of rd., in root on N. side of 12-in. oak tree; wire nail and bottle cap-----	85. 28
Martins Crossroads, 0.3 mi. S. of, 20 ft. E. of center line of rd., in root on W. side of 18-in. pine tree; wire nail and bottle cap-----	87. 46
Martins Crossroads, 0.5 mi. N. of, 6 ft. N. and 4 ft. E. from NW. corner of Mount Vernon Church, in 7- by 7-in. concrete post; standard tablet stamped "W 30 1934 84"-----	83. 893
Reference mark, 20 ft. E. of center line of rd., in root on W. side of 12-in. oak tree; wire nail and bottle cap-----	83. 82

Martins Crossroads, 2.3 mi. NW. of, in SE. corner of bridge over Black River; wire nail and bottle cap-----	<i>Feet</i> 53. 89
From Kings Crossroads south to Greelyville, thence southeast along State Highway 261 and northeast along road to Lanes, thence southeast along roads into Bonneau quadrangle near Taft (by P. A. Wattlely in 1934)	
Greelyville, 3.7 mi. N. of, 1.0 mi. S. of Kings Crossroads, 60 ft. E. of center line of rd., 30 ft. W. of dwelling, in yard, in root on W. side of 24-in. oak tree; wire nail and bottle cap-----	78. 60
Greelyville, 2.7 mi. N. of, 18 ft. W. of center line of rd., 12 ft. N. and 18 ft. E. from NE. corner of tobacco barn, in 7- by 7-in. concrete post; standard tablet stamped "34 1934 78"-----	77. 489
Reference mark, 60 ft. W. of center line of rd., in root on S. side of 8-in. oak tree; wire nail and bottle cap-----	77. 24
Greelyville, 1.4 mi. N. of, 15 ft. E. of center line of rd., in root on W. side of 9-in. oak tree; wire nail and bottle cap-----	76. 87
Greelyville, 0.3 mi. NE. of, at junction of rd. NE., 40 ft. SE. of center line of rd., 30 ft. W. of dwelling, in root on N. side of 18-in. oak tree; wire nail and bottle cap-----	78. 86
Greelyville, 70 ft. S. of Atlantic Coast Line R. R. sta., 20 ft. S. of track, 2 ft. E. of crossing sign; iron post stamped "Prim Trav Sta No 35 J 1918"-----	79. 806
Greelyville, 1.1 mi. S. of, 80 ft. E. of center line of State Highway 261, 60 ft. W. of church, in yard, in root on W. side of 18-in. oak tree; monel-metal rivet-----	75. 33
Greelyville, 2.4 mi. SE. of, 40 ft. W. of center line of highway, 50 ft. E. of dwelling, in yard, in root on E. side of 10-in. oak tree; wire nail and bottle cap-----	79. 22
Greelyville, 4.0 mi. S. of, 30 ft. W. of center line of highway, in root on E. side of 12-in. pine tree; wire nail and bottle cap-----	74. 37
Greelyville, 5.7 mi. S. of, 70 ft. E. of center line of highway, at junction of U. S. Highway 52 and State Highway 261, in top of concrete monument; monel-metal rivet designated "W 270"-----	68. 689
Greelyville, 6.9 mi. SE. of, 4.3 mi. SW. of Lanes, 70 ft. SW. of Bethel Church, in yard, 20 ft. N. of center line of State Highway 261, in root of 15-in. oak tree; wire nail and bottle cap-----	73. 30
Lanes, 3.2 mi. SW. of, 0.6 mi. NE. of junction of State Highway 261 and rd. NE., 10 ft. E. of center line of rd., in root on N. side of 22-in. pine tree; wire nail and bottle cap-----	69. 10
Lanes, 1.8 mi. SW. of, 25 ft. S. and 20 ft. W. from junction of T-rd. W., in 7- by 7-in. concrete post; standard tablet stamped "W 35 1934 73"-----	72. 876
Reference mark, 10 ft. W. of center line of rd., in root on SE. side of 18-in. pine tree; wire nail and bottle cap-----	72. 73
Lanes, 0.4 mi. W. of, 5 ft. S. of center line of Lanes-Greelyville rd., in root on W. side of 8-in. oak tree; wire nail and bottle cap-----	66. 34
U. S. C. & G. S. standard disk stamped "U 32 1934"-----	71. 260
Lanes, 1.1 mi. E. of, 40 ft. N. of center line of Lanes-Trio rd., in root on S. side of 7-in. pine tree; wire nail and bottle cap-----	67. 90
Lanes, 1.9 mi. SE. of, 60 ft. S. of center line of rd., in root on N. side of 22-in. pine tree; wire nail and bottle cap-----	66. 65.
Lanes, 3.4 mi. SE. of, 2.9 mi. NW. of Taft, 80 ft. S. of SW. corner of dwelling of John Dozier, in yard, 25 ft. N. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "W 36 1934 67"-----	66. 817

Reference mark, 110 ft. S. of dwelling, 50 ft. N. of center line of rd., in root on S. side of 18-in. sycamore tree; wire nail and bottle cap.....	<i>Feet</i> 66. 92
Taft, 1.9 mi. NW. of, 100 ft. N. of center line of rd., in root on NW. side of 14-in. pine tree; wire nail and bottle cap.....	64. 77
Taft, 0.9 mi. NW. of, 60 ft. S. of center line of rd., in root on S. side of 24-in. pine tree; wire nail and bottle cap.....	63. 00
Taft, 165 ft. S. and 72 ft. W. from SW. corner of dwelling of W. L. Twitty, in yard, 30 ft. N. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "W 37 1934 64".....	63. 45½
Reference mark, 200 ft. SW. of dwelling, 110 ft. N. of center line of rd., in root on S. side of 15-in. elm tree; wire nail and bottle cap.....	63. 54

LEXINGTON QUADRANGLE

[Latitude 33°45'-34°00'; longitude 81°15'-81°30']

AIKEN AND LEXINGTON COUNTIES

From Batesburg quadrangle near Leesville east along Southern Railway into
Edmund quadrangle about 0.6 mile southwest of Lexington (first-order
leveling by C. H. Semper in 1918; supplemented by third-order leveling
by J. F. Covington in 1934)

Leesville, 0.8 mi. E. of, at rd. crossing; top of rail.....	652. 9
Leesville, 1.4 mi. E. of, 44 ft. N. of track, 35 ft. W. of milepost 137, in root of 15-in. pine tree; copper nail and washer (1934).....	636. 47
Fredonia, 15 ft. W. of sta., 15 ft. N. of track; iron post stamped "595 1918".....	595. 274
Summit, in front of sta.; top of rail.....	614. 8
Gilbert, in front of sta.; top of rail.....	529. 7
Gilbert, 95 ft. W. of crossing of rd., 18 ft. N. of N. rail of main track, 4 ft. W. of semaphore; iron post stamped "Prim Trav Sta No 48 H 1918 528".....	³⁸ 528. 556
Reference mark, on NE. corner of NE. foundation of water tank of Southern Ry.; chiseled square (1934).....	527. 42
Gilbert, 1.0 mi. E. of, 350 ft. W. of milepost 130, 50 ft. N. of rail, in root on E. side of 12-in. pine tree; copper nail and washer (1934) ..	538. 16
Gilbert, about 1.5 mi. E. of, in front of sta. sign at Hayes; top of rail..	538. 6
Gilbert, 2.0 mi. E. of, 100 ft. W. of milepost 129, 60 ft. S. of rail, in root on E. side of 18-in. pine tree; copper nail and washer (1934) ..	541. 64
Gilbert, about 2.5 mi. E. of, at Fowler sta. sign; top of rail.....	543. 9
Gilbert, 2.8 mi. E. of, 1,000 ft. W. of milepost 128, at second-class crossroads, 25 ft. N. of rail, 25 ft. E. of rd.; iron post stamped "524 1918".....	524. 412
Gilbert, 3.3 mi. E. of, in front of sta. at Elsie; top of rail.....	513. 0
Gilbert, 4.0 mi. E. of, 360 ft. N. and 55 ft. W. from milepost 127, in root on N. side of 12-in. pine tree; spike (1934).....	501. 70
Ethon, 1.3 mi. SW. of Barr, 5.0 mi. E. of Gilbert, 605 ft. W. of mile- post 126, 100 ft. N. of track, in root of cluster of four oak trees; copper nail and washer (1934).....	468. 53
Barr, 0.2 mi. SW. of, 1.1 mi. NE. of Ethon, 7 ft. E. of milepost 125, 10 ft. S. of rail; iron post stamped "443".....	443. 306
Barr sta., at rd. crossing; top of rail.....	451. 0

³⁸ As moved and reset by J. F. Covington in 1934. This benchmark is 72 ft. west of and .690 ft. higher than its original position.

Barr, 70 ft. E. of SE. corner of sta., 25 ft. N. of main line of Southern Ry., in 7- by 7-in. concrete post; standard tablet stamped "C 44 1934 451"-----	Feet 450. 706
Barr, 60 ft. NE. of sta.; top of iron clearance signpost (1934)-----	452. 13
Barr, 0.8 mi. NE. of, 120 ft. N. of track opposite milepost 124, in root on S. side of 15-in. pine tree; copper nail and washer-----	426. 15
Barr, 1.8 mi. NE. of, 75 ft. S. of track opposite milepost 123, in root on E. side of 12-in. pine tree; copper nail and washer (1934)-----	388. 00
Barr, 3.0 mi. NE. of, 800 ft. E. of milepost 122, at private rd. crossing, 28 ft. S. of rail, 15 ft. W. of rd.; iron post stamped "403 1918"-----	403. 231

From Edmund quadrangle at point 3.5 miles southwest of Lexington southwest and south along roads to Florence Church, thence southeast and back into Edmund quadrangle (by F. L. Shalibo in 1918)

Red Bank, 1.4 mi. SW. of, in center of Y-rd. forks, in root of 20-in. oak tree; wire nail-----	384. 32
Red Bank, 2.4 mi. SW. of, at top of long hill, on E. side of rd., in root of 12-in. pine tree; wire nail-----	444. 31
Red Bank, 2.8 mi. SW. of, in NW. angle of crossroads; iron post stamped "Prim Trav Sta No 15 S 1919 483"-----	482. 711
Red Bank, 4.1 mi. SW. of, in front of dwelling of J. F. Younginer, on E. side of rd., in root of 10-in. oak tree; wire nail-----	398. 45
Red Bank, 5.0 mi. SW. of, 1.1 mi. N. of Sheeley's Mill, 300 ft. N. of cemetery, at SW. corner of barnyard fence; iron post stamped "303"-----	302. 996
Sheeley's Mill, at dam, on cross beam of millrace; wire nail-----	328. 47
Sheeley's Mill, 1.8 mi. S. of, 5.7 mi. NW. of Pelion, 1.1 mi. NW. of Florence Church, in front of dwelling of L. Kaiser, at rd. forks, 6 ft. from large oak tree; iron post stamped "553"-----	552. 746
Pelion, 3.5 mi. NW. of, at crossing of old Charleston rd., in NE. angle of rd. forks; iron post stamped "442"-----	442. 043
Pelion, 2.4 mi NW. of, in NE. angle of Y-rd. forks, in front of farmhouse, in root of 10-in. pine tree; wire nail-----	429. 32

From Edmund quadrangle west along Breshea Bay road to point 1.1 miles northwest of Florence Church (by F. L. Shalibo in 1919)

Macedon sta., 2.6 mi. W. of, 30 ft. S. and 30 ft. W. from intersection of Dunbar rd.; iron post stamped "482"-----	481. 522
Macedon, 3.3 mi. W. of, in SE. angle of crossroads, 40 ft. W. of dwelling, in root of 10-in. oak tree; copper nail-----	515. 56

From Chapin quadrangle about 3.2 miles southwest of St. John's Church alternately south west and northwest along Priceville-Brooks road and Ridge road into Batesburg quadrangle (by J. F. Covington in 1934)

Cedar Grove Lutheran Church, 2.7 mi. E. of, 12.2 mi. NW. of Lexington, on Priceville-Brooks rd., 54 ft. W. of Little Horse Creek, in root on N. side of 18-in. hickory tree; copper nail and washer-----	391. 95
Cedar Grove Church, 2.0 mi. E. of, in front yard of dwelling of T. I. Amick, in root of 15-in. pine tree; copper nail and washer-----	442. 97
Cedar Grove Church, 1.6 mi. E. of, 0.2 mi. E. of Big Horse Creek, near tenant house on farm of Kelly Dreher, in root on N. side of 15-in. sweetgum tree; copper nail and washer-----	433. 39
Cedar Grove Church, 0.5 mi. E. of, 40 ft. W. of SW. corner of Addy's store, on N. side of 18-in. pine tree; copper nail and washer-----	484. 23

Cedar Grove Church, in yard of, 70 ft. N. and 100 ft. E. from NE. corner of schoolhouse, 530 ft. SE. of crossroads, 127 ft. SW. of center line of county rd., in boulder; standard tablet stamped "T T 77 R 1934 432"-----	Feet 431. 993
Cedar Grove Church, 1.1 mi. NW. of, on farm of J. F. Shealy, in front yard of tenant house, in root on E. side of 20-in. oak tree; copper nail and washer-----	447. 15
Cedar Grove Church, 2.0 mi. NW. of, 15 ft. S. of center line of Ridge rd., in front yard of dwelling of H. M. Caughman, in root on N. side of 18-in. oak tree; copper nail and washer-----	520. 47
Cedar Grove Church, 2.5 mi. NW. of, 7.0 mi. NE. of Leesville, 66 ft. NW. of center line of rd., 6 ft. S. and 25 ft. E. from NE. corner of dwelling of J. C. Bedenbaugh, 90 ft. W. of center of junction of T-rd. S., 6 ft. SE. of NW. corner of garden, 27 ft. N. and 40 ft. E. from well, in 7- by 7-in. concrete post; standard tablet stamped "T T 78 R 1934 507"-----	507. 214
Reference mark, in front yard of dwelling of J. C. Bedenbaugh, in root on E. side of 24-in. oak tree; copper nail and washer-----	507. 72
From Gilbert south along Gilbert-Fairview road to Fairview School (by J. J. Sifton, Jr., in 1934)	
Gilbert, 1.0 mi. S. of, 60 ft. E. of center line of rd., in root on W. side of 12-in. oak tree; copper nail and washer-----	522. 10
Gilbert, 2.1 mi. S. of, 30 ft. W. of center line of rd., 15 ft. S. of junction of T-rd., in root on NW. side of 8-in. oak tree; copper nail and washer-----	454. 50
Gilbert, 3.0 mi. S. of, 200 ft. W. of dwelling, 30 ft. E. of center line of rd., in root on NW. side of 24-in. wild-cherry tree; wire nail and washer-----	511. 95
Gilbert, 4.4 mi. S. of, along Gilbert-Fairview rd., about 0.2 mi. W. of Pond Branch Church, 50 ft. NW. of crossroads, on property of E. M. Smith, in 7- by 7-in. concrete post; standard tablet stamped "SN 29 1934 453"-----	453. 040
Reference mark, 20 ft. N. and 20 ft. E. from tablet, 30 ft. W. of N.-S. rd., in root on E. side of pine stump; wire nail and washer-----	452. 54
Gilbert, 5.3 mi. S. of, 100 ft. SW. of center line of rd., 150 ft. S. of dwelling, in root on E. side of 24-in. oak tree; wire nail and washer-----	495. 82
Gilbert, 6.3 mi. S. of, 50 ft. E. of center line of rd., in root on S. side of 12-in. pine tree; wire nail and washer-----	495. 67
Gilbert, 7.2 mi. S. of, in SE. angle of crossroads, 250 ft. S. of bridge over millpond; iron post stamped "Prim Trav Sta No 90 J 1919"-----	370. 591
Gilbert, 8.2 mi. S. of, 0.5 mi. N. of Oak Grove Church, 1,200 ft. SE. of Wateree School, 20 ft. W. of center line of rd., in root on N. side of 8-in. oak tree; wire nail and washer-----	450. 32
Fairview School, 3.5 mi. N. of, 0.5 mi. S. of Oak Grove Church, 35 ft. E. of center line of rd., in root on N. side of 10-in. pine tree; wire nail and washer-----	465. 34
Fairview School, 2.8 mi. N. of, on property of Mrs. Leslie Leaphart, 50 ft. SW. of dwelling, 30 ft. E. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "SN 30 1934 424"-----	424. 665
Reference mark, 25 ft. S. and 45 ft. W. from tablet, 15 ft. W. of center line of rd., in root on E. side of 6-in. oak tree; wire nail and washer--	424. 79
Fairview School, 1.7 mi. N. of, 40 ft. W. of center line of rd., in root on N. side of 10-in. oak tree; wire nail and washer-----	452. 08

Fairview School, 0.5 mi. N. of, 15 ft. E. of center line of rd., 50 ft. W. of dwelling of G. O. Shumpert, in root on SW. side of 24-in. oak tree; wire nail and washer-----	Feet 495. 25
---	-----------------

From Batesburg quadrangle about 2.2 miles south of Leesville east along road to point 5 miles southwest of Red Bank (by J. J. Sitton, Jr., in 1934)

Poplar Springs School, 0.5 mi. W. of, 2.2 mi. S., thence 1.0 mi. E. from Leesville, 30 ft. S. of center line of rd., in root on E. side of 12-in. pine tree; wire nail and washer-----	487. 84
Poplar Springs School, 0.5 mi. E. of, 60 ft. N. of dwelling, 40 ft. N. of center line of rd., in root on S. side of 30-in. oak tree; wire nail and washer-----	466. 15
Poplar Springs School, 1.6 mi. E. of, 0.7 mi. E. of Providence Baptist Church, on E. bank of Lightwood Knot Creek, 15 ft. N. of center line of rd., in root on W. side of 18-in. black-gum tree; wire nail and washer-----	422. 54
Poplar Springs School, 2.4 mi. E. of, 3.5 mi. W. of Pond Branch Church, 6.0 mi. E. of Leesville, in NE. angle of intersection of Two Notch rd. and rd. NW. to Leesville, on property of D. N. Senn, 200 ft. S. of dwelling, 20 ft. E. of Two Notch rd., in 7- by 7-in. concrete post; standard tablet stamped "SN 31 1934 572"-----	571. 532
Pond Branch Church, 2.6 mi. W. of, 80 ft. N. of center line of rd., 30 ft. S. of dwelling, in root on SE. side of 12-in. sycamore tree; wire nail and washer-----	541. 40
Pond Branch Church, 1.3 mi. W. of, 30 ft. S. of center line of rd., in root on N. side of 12-in. pine tree; wire nail and washer-----	541. 53
Pond Branch Church, 1.0 mi. E. of, 20 ft. E. of center line of rd., in root on S. side of 8-in. oak tree; wire nail and washer-----	481. 89
Pond Branch Church, 2.0 mi. E. of, 30 ft. S. of center line of rd., in root on S. side of 12-in. triple oak tree; wire nail and washer-----	386. 81
Pond Branch Church, 3.3 mi. E. of, 0.8 mi. W. of Boiling Springs School, in NE. angle of crossroads, 20 ft. N. of E.-W. rd., in 7- by 7-in. concrete post; standard tablet stamped "SN 32 1934 510"-----	509. 834
Reference mark, 50 ft. S. and 30 ft. E. from tablet, in SE. angle of crossroads, 20 ft. S. of E.-W. rd., in root on NW. side of 10-in. pine tree; wire nail and washer-----	509. 60
Boiling Springs School, 0.2 mi. NE. of, 30 ft. S. of center line of rd., in root on E. side of 10-in. pine stump; wire nail and washer-----	565. 89
Boiling Springs School, 1.3 mi. NE. of, 5.7 mi. SW. of Red Bank, 40 ft. N. of center line of rd., in root on NE. side of 18-in. pine tree; wire nail and washer-----	411. 29

From Batesburg quadrangle at point about 2.5 miles north of Mount Ebal Church south and east along roads and U. S. Highway 178 by way of Raydin to point about 2 miles east of Fairview (by J. J. Sitton, Jr., in 1934)

Mount Ebal Church, 3.1 mi. N. of, 220 ft. W. of Samaria Church, in SE. angle of Mims Crossroads, 70 ft. S. of intersection, in 7- by 7-in. concrete post; standard tablet stamped "SN 20 1934 483"-----	482. 936
Reference mark, 25 ft. S. and 25 ft. W. from tablet, 50 ft. E. of center line of rd., in root on N. side of 8-in. oak tree; copper nail and washer-----	482. 93
Samaria, 0.7 mi. N. of, 1.0 mi. SE. of Mims Crossroads, 20 ft. W. of center line of rd., in root on N. side of 18-in. pine tree; copper nail and washer-----	441. 72

Samaria, 40 ft. SE. of rd. crossing, 25 ft. S. of corner post of yard fence at dwelling of W. Westmoreland, 20 ft. E. of center line of track; iron post stamped "Prim Trav Sta No 11 Mac 1919"-----	<i>Feet</i> 414. 672
Samaria, 1.0 mi. S. of, 60 ft. NE. of tenant house, 15 ft. E. of center line of rd., in root on E. side of 24-in. walnut tree; copper nail and washer-----	416. 68
Samaria, 2.0 mi. S. of, about 2.5 mi. SW. of Chinquepin Creek, 15 ft. NW. of center line of rd., in root on SE. side of 8-in. oak tree; copper nail and washer-----	384. 94
Samaria, 2.8 mi. S. of, on property of Quincey Hall, 70 ft. E. of SW. corner of dwelling, 20 ft. W. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "SN 24 1934 398"-----	397. 852
Reference mark, 12 ft. S. and 30 ft. E. from tablet, 10 ft. E. of center line of rd., in root on N. side of 10-in. pine tree; copper nail and washer-----	397. 51
Samaria, 3.8 mi. S. of, 10 ft. E. of center line of rd., in root on N. side of 18-in. pine tree; copper nail and washer-----	443. 45
Samaria, 4.8 mi. S. of, 10 ft. E. of center line of rd., in root on N. side of 8-in. oak tree; copper nail and washer-----	384. 38
Samaria, 5.7 mi. S. of, 4.6 mi. W. of Rayflin, on property of A. M. Thornton, 30 ft. SW. of SW. corner of dwelling, 20 ft. N. of center line of rd., in SW. fence corner, in 7- by 7-in. concrete post; standard tablet stamped "SN 25 1934 397"-----	396. 911
Reference mark, 35 ft. E. of tablet, 10 ft. N. of center line of rd., in root on S. side of 18-in. mockorange tree; copper nail and washer--	395. 28
Rayflin, about 3.6 mi. W. of, 1.2 mi. N. of Edisto Kaolin Mines, 15 ft. N. of center line of rd., in root on S. side of 18-in. oak tree; copper nail and washer-----	380. 76
Rayflin, 2.6 mi. W. of, at Edisto Kaolin Mines, 20 ft. W. of SW. corner of old store building, 30 ft. N. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "SN 26 1934 502"-----	501. 362
Reference mark, 100 ft. E. of tablet, 50 ft. N. of center line of rd., in root on SW. side of 8-in. oak tree; copper nail and washer-----	500. 00
Rayflin, 1.6 mi. W. of, 1.0 mi. E. of Edisto Kaolin Mines, 20 ft. N. of center line of rd., in root on W. side of 12-in. pine tree; copper nail and washer-----	399. 42
Rayflin, 0.7 mi. W. of, 40 ft. N. of center line of rd., in root on SW. side of 10-in. oak tree; copper nail and washer-----	335. 26
Rayflin, in angle of Y-rd. forks, 150 ft. SW. of dwelling of J. T. Gantt, 100 ft. NE. of old store building, 10 ft. W. of center line of N.-S. rd., in 7- by 7-in. concrete post; standard tablet stamped "SN 27 1934"-----	331. 367
Reference mark, 10 ft. N. of tablet, in angle of forks of Y-rd., 10 ft. W. of center line of N.-S. rd., in root on N. side of 10-in. water-oak tree; copper nail and washer-----	331. 27
Rayflin, 1.0 mi. NE. of, 20 ft. N. of center line of rd., in root on S. side of 18-in. pine tree; copper nail and washer-----	412. 63
Rayflin, 2.1 mi. NE. of, 1,400 ft. SW. of Pine Grove Church, 15 ft. S. of center line of rd., in root on N. side of 8-in. twin oak tree; copper nail and washer-----	409. 08

Rayflin, 2.8 mi. NE. of, 1.0 mi. W. of Fairview School, 60 ft. SW. of center line of U. S. Highway 178, on property of Frank Pagett, 50 ft. E. of NE. corner of dwelling, in 7- by 7-in. concrete post; standard tablet stamped "SN 28 1934 470"-----	Feet 469. 418
Reference mark, 75 ft. N. and 125 ft. E. from tablet, 60 ft. NE. of center line of highway, in root on S. side of 8-in. oak tree; copper nail and washer-----	468. 43
Fairview School, 700 ft. E. of, 100 ft. W. of store, 100 ft. NE. of crossroads, 60 ft. NE. of center line of highway, in root on SW. side of 10-in. oak tree; copper nail and washer-----	481. 58
Fairview, 1.1 mi. E. of, 50 ft. S. of center line of highway, in root on E. side of 12-in. pine tree; copper nail and washer-----	404. 40

From Edmund quadrangle near Pelion west along U. S. Highway 178 to point 2 miles east of Fairview, thence southwest along roads into Seivern quadrangle (by W. G. Shull in 1934)

Pelion, 1.0 mi. W. of, 40 ft. N. of center line of highway, in root on N. side of 12-in. pine tree; wire nail and bottle cap-----	439. 12
Pelion, 2.3 mi. W. of, 50 ft. N. and 60 ft. W. from Y-rd. forks, in root on E. side of 12-in. oak tree; wire nail and bottle cap-----	429. 13
Pelion, 2.7 mi. W. of, 250 ft. S. of center line of highway, 70 ft. N. of N. corner of dwelling of H. S. Baggott, in front yard, in 7- by 7-in. concrete post; standard tablet stamped "18 SL 1934 457"-----	457. 187
Reference mark 1, 10 ft. N. and 4 ft. E. from tablet, in root on NW. side of 18-in. sycamore tree; wire nail and bottle cap-----	457. 26
Reference mark 2, 20 ft. N. and 90 ft. W. from tablet, in root on W. side of 18-in. sycamore tree; wire nail and bottle cap-----	459. 68
Pelion, 3.7 mi. W. of, 40 ft. S. of center line of highway, in root on E. side of 12-in. pine tree; wire nail and bottle cap-----	473. 23
Pelion, 4.9 mi. W. of, on W. end of N. side of bridge over Black Creek; steel bolt-----	297. 23
Pelion, 5.9 mi. W. of, 2.0 mi. E. of Fairview, on U. S. Highway 178, 45 ft. S. and 15 ft. E. from crossroads, in 7- by 7-in. concrete post; standard tablet stamped "19 SL 1934 392"-----	392. 183
Reference mark 1, 38 ft. S. and 5 ft. W. from tablet, in root on S. side of 16-in. pine tree; wire nail and bottle cap-----	392. 15
Reference mark 2, 6 ft. S. and 8 ft. E. from tablet, in root on W. side of 15-in. pine tree; wire nail and bottle cap-----	391. 95
Fairview, 2.0 mi. E., thence 1.1 mi. S. from, 6.9 mi. N. of Wagener, 1.5 mi. N. of bridge over Edisto River, 20 ft. N. of center line of Sand Dam rd., in root on S. side of 18-in. oak tree; wire nail and bottle cap-----	311. 73

LINCOLNTON QUADRANGLE ³⁹

[Latitude 33°45'-34°00'; longitude 82°15'-82°30']

GREENWOOD AND McCORMICK COUNTIES

From Parksville quadrangle northwest along Charleston & Western Carolina Railway by way of Bordeaux into Danburg quadrangle (by C. E. Reick in 1930)

Plum Branch, 1.6 mi. SE. of, 3.7 mi. NW. of Parksville, 35 ft. E. of track, 450 ft. N. of crossroads, on W. end of highway culvert; chiseled square-----	419. 49
--	---------

³⁹ Part of this quadrangle lies in Georgia.

Plum Branch, 0.9 mi. S. of, 190 ft. N. of crossing of farm rd., 30 ft. W. of track, on E. end of highway culvert; chiseled square-----	<i>Feet</i> 425. 42
Plum Branch, 250 ft. N. of sta., 30 ft. E. of main track, in NW. corner of brick building; standard tablet stamped "R 42 1929" (recovered by U. S. C. & G. S. in 1933)-----	466. 138
Reference mark, 450 ft. S. of tablet, on SE. pedestal base of water tank; chiseled square (recovered by U. S. C. & G. S. in 1933)-----	457. 155
Plum Branch, 1.0 mi. N. of, 400 ft. N. of crossing of farm rd., on E. side of track, on top of concrete post; chiseled mark (recovered by U. S. C. & G. S. in 1933)-----	443. 178
Plum Branch, 2.3 mi. NW. of, 3.2 mi. SE. of McCormick, 140 ft. E. of track, in root of 48-in. twin oak tree; copper nail and washer (recovered by U. S. C. & G. S. in 1933)-----	484. 212
McCormick, 1.5 mi. SE. of, 10 ft. W. of track, at rd. crossing, on S. end of tile drain; chiseled square (recovered by U. S. C. & G. S. in 1933)-----	498. 798
McCormick, in front of sta.; top of rail-----	522. 9
McCormick, 1,280 ft. N. of sta., 40 ft. W. of main track, in N. corner of large brick corn mill; standard tablet stamped "R 43 1929" (recovered by U. S. C. & G. S. in 1933)-----	530. 947
McCormick, 0.9 mi. NW. of, in triangle at junction of two branches of Ry., 50 ft. E. of rd., in large flat rock; drill hole-----	517. 14
McCormick, 2.0 mi. NW. of, on S. side of track, on SE. corner of head wall of culvert; chiseled square-----	491. 45
McCormick, 3.3 mi. NW. of, 5.1 mi. E. of Bordeaux, 100 ft. NE. of rd. crossing, in flat boulder; standard tablet stamped "R 44 1929" (recovered by U. S. C. & G. S. in 1933)-----	492. 702
Reference mark, 160 ft. SE. of tablet, on rock; chiseled square-----	489. 11
Bordeaux, 4.0 mi. SE. of, 10 ft. S. of track, at crossing of farm rd., on small boulder; chiseled square-----	417. 90
Bordeaux, 3.5 mi. E. of, 75 ft. NW. of Petigru sta., on boulder; chiseled square (recovered by U. S. C. & G. S. in 1933)-----	403. 319
Bordeaux, 2.2 mi. SE. of, on SE. abutment of steel bridge over Little River; chiseled square (recovered by U. S. C. & G. S. in 1933)-----	335. 094
Bordeaux, 2.2 mi. SE. of, at Little River, under bridge; surface of water Nov. 29, 1929-----	298. 1
Bordeaux, 1.0 mi. SE. of, 65 ft. NE. of rd. crossing, 25 ft. N. of track, in concrete post; standard tablet stamped "R 45 1929" (recovered by U. S. C. & G. S. in 1933)-----	394. 940
Reference mark, 130 ft. NE. of tablet, in root of 36-in. oak tree; copper nail-----	398. 90
Bordeaux, 60 ft. S. of sta., in rd. fork, in root of 30-in. oak tree; copper nail (recovered by U. S. C. & G. S. in 1933)-----	421. 111
Bordeaux, 0.9 mi. NW. of, 275 ft. W. of rd. crossing, in root of 36-in. lone pine tree; copper nail-----	372. 08
Bordeaux, 2.5 mi. NW. of, 2.2 mi. SE. of Willington, 60 ft. NE. of rd. crossing, in concrete post; standard tablet stamped "R 46 1929" (recovered by U. S. C. & G. S. in 1933)-----	421. 079
Reference mark, 20 ft. W. of tablet, on head wall of culvert; chiseled square (recovered by U. S. C. & G. S. in 1933)-----	421. 138
Willington, 0.9 mi. SE. of, 110 ft. NE. of rd. crossing 60, ft. N. of track, on NW. end of large tile culvert; chiseled square-----	468. 63
Willington, at SE. corner of Presbyterian Church, in bottom concrete step of entrance; standard tablet stamped "R 47 1929" (recovered by U. S. C. & G. S. in 1933)-----	483. 385

Reference mark, 200 ft. NW. of sta., on S. end of highway culvert; chiseled square (recovered by U. S. C. & G. S. in 1933)-----	<i>Feet</i> 477. 499
Willington, 1.7 mi. NW. of, 2.8 mi. SE. of Mount Carmel, 220 ft. N. of track, 10 ft. S. of rd., in root of 30-in. sweetgum tree; copper nail and washer (recovered by U. S. C. & G. S. in 1933)-----	516. 862

From Willington northeast and southeast along roads to Long Cane Creek, thence southwest to point 2.2 miles southeast of Willington (by W. D. Leech in 1930)

Willington, 0.9 mi. NE. of, 100 ft. E. of junction of woods rd. NE., 30 ft. S. of rd., in root of 10-in. pine tree; copper nail and washer-----	428. 45
Willington, 1.9 mi. NE. of, 0.6 mi. SW. of bridge over Little River, on S. side of rd., 100 ft. W. of sharp curve to NE., in root of 14-in. pine tree; copper nail and washer-----	376. 04
Willington, 2.5 mi. NE. of, 40 ft. SW. of center line of bridge over Little River, in trunk of 16-in. leaning poplar tree; copper nail and washer-----	329. 16
Willington, 3.5 mi. NE. of, 40 ft. N. of rd., in concrete post; standard tablet stamped "L 11 1930"-----	463. 615
Reference mark, 80 ft. SE. of tablet, in root of 14-in. oak tree; copper nail and washer-----	463. 82
Willington, 3.8 mi. NE. of, 0.6 mi. SW. of State Highway 20, 30 ft. NW. of junction of rd. S., in root of 36-in. poplar tree; copper nail and washer-----	469. 53
Willington, 4.3 mi. NE. of, 6.5 mi. E. of Mount Carmel, 2.6 mi. NW. of bridge over Long Cane Creek, 0.2 mi. NW. of State Highway 20, 30 ft. S. of junction of rd. SW., in root of 16-in. oak tree; copper nail and washer (recovered in 1934)-----	495. 07
Long Cane Bridge, 1.6 mi. NW. of, 100 ft. S. of top of hill, 15 ft. W. of rd., in root of 14-in. double cedar tree; copper nail and washer-----	489. 98
Long Cane Bridge, 1.0 mi. NW. of, 15 ft. E. of rd., directly in front of dwelling, in root of 36-in. oak tree; copper nail and washer-----	452. 43
Long Cane Bridge, 130 ft. N. of, 30 ft. E. of junction of State Highways 20 and 82, in boulder; standard tablet stamped "L 10 1930"-----	326. 389
Reference mark, 170 ft. N. of tablet, on SW. wing wall of highway bridge; chiseled square-----	322. 77
Long Cane Bridge, 1.0 mi. W. of, 1.8 mi. NE. of Cades Mill, about 100 ft. W. of dwelling N. of rd., on S. side of rd., on concrete head wall; chiseled square-----	433. 52
Cades Mill, 1.0 mi. NE. of, 100 ft. W. of stream crossing, 50 ft. S. of rd., in root of 12-in. pine tree; copper nail and washer-----	378. 08
Cades Mill, 3.0 mi. SE. of Willington, 50 ft. E. of E. end of bridge over Little River, 5 ft. N. of rd., on boulder; chiseled square-----	345. 16

From Petigru station on Charleston & Western Carolina Railway northwest along roads to bridge over Long Cane Creek (by W. D. Leech in 1930)

Petigru sta., 1.0 mi. NW. of, 2.8 mi. SE. of Long Cane Bridge, 140 ft. E. of junction of rd. NE., in root of 14-in. hickory tree; copper nail and washer-----	421. 64
Long Cane Bridge, 1.7 mi. SE. of, 0.3 mi. S. of State Highway 20, 50 ft. W. of dwelling, 20 ft. E. of rd., on boulder; chiseled square-----	462. 73
Long Cane Bridge, 1.4 mi. SE. of, 30 ft. S. and 130 ft. W. from junction of rd. S., in root of 30-in. pine tree; copper nail and washer-----	470. 97
Long Cane Bridge, 0.6 mi. SE. of, on NE. side of rd., directly in front of dwelling of Mrs. M. K. Britt, in root of 36-in. oak tree; copper nail and washer-----	396. 31

From point 1.4 miles southeast of bridge over Long Cane Creek east and south along roads to Petigru station on Charleston & Western Carolina Railway (by W. D. Leech in 1930)

Long Cane Bridge, 2.1 mi. SE. of, at concrete bridge over stream, on NW. pedestal of small parapet; chiseled square-----	<i>Feet</i> 376. 71
Long Cane Bridge, 3.3 mi. SE. of, 1.3 mi. N. of Petigru sta., on S. end of E. abutment of bridge over creek; chiseled square-----	385. 66

From point 1 mile north of bridge over Long Cane Creek northeast along road into Watts quadrangle (by W. D. Leech in 1930)

Long Cane Bridge, 1.9 mi. NE. of, 270 ft. E. of stream crossing, 40 ft. N. of rd., in root of 24-in. pine tree; copper nail and washer-----	340. 49
Long Cane Bridge, 2.3 mi. NE. of, 90 ft. SE. of junction of rd. E., in concrete post; standard tablet stamped "L 12 1930"-----	399. 123
Reference mark, 110 ft. W. of tablet, on W. side of rd., in root of 14-in. oak tree; copper nail and washer-----	402. 61

From Watts quadrangle near Young School southwest along roads to point 2.3 miles northeast of bridge over Long Cane Creek (by W. D. Leech in 1930)

Young School, 1.2 mi. SW. of, 70 ft. W. of junction of woods rd. NE., 10 ft. N. of rd., in trunk of 14-in. oak tree; copper nail and washer--	460. 56
Young School, 2.0 mi. SW. of, 50 ft. W. of junction of private rd. S., 15 ft. S. of rd., in root of 12-in. poplar tree; copper nail and washer----	410. 82
Young School, 2.6 mi. SW. of, 200 ft. E. of abandoned bridge over Long Cane Creek, 30 ft. N. of rd., on boulder; chiseled square----	339. 27
Young School, 2.7 mi. SW. of, at abandoned bridge over Long Cane Creek, about 140 ft. W. of water, 20 ft. N. of rd., in root of 30-in. pine tree; copper nail and washer-----	332. 46

From point about 3 miles east of Troy west along road to Troy, thence north into Watts quadrangle (by J. J. Sitton, Jr., in 1934)

Troy, 3.0 mi. E. of, 3.8 mi. SE. of Bradley, on property of J. H. Kennedy, 600 ft. N. of dwelling, at NE. corner of yard fence, 20 ft. W. of center line of rd., in root on E. side of 24-in. oak tree; copper nail and washer-----	543. 58
Troy, 1.8 mi. E. of, 30 ft. S. of center line of rd., on property of Annie Lyons, 100 ft. NE. of NE. corner of dwelling, in root on N. side of 24-in. oak tree; copper nail and washer-----	492. 95
Troy, 0.9 mi. E. of, 60 ft. N. of center line of rd., on property of John B. Kennedy, 150 ft. S. of tenant house, in root on SE. side of 36-in. oak tree; copper nail and washer-----	562. 18
Troy, 300 ft. SW. of Charleston & Western Carolina Ry. sta., 100 ft. N. of Ry. crossing, 20 ft. W. of switch frog, in 5- by 5-in. concrete post; U. S. C. & G. S. and State Survey standard disk stamped "T 6"-----	518. 021
Troy, 145 ft. E. of SE. corner and 245 ft. E. of SW. corner of Troy Public School, in yard, 175 ft. W. of center line of Ry., in 7- by 7-in. concrete post; standard tablet stamped "T T 57 R 1934 511"-----	510. 573
Reference mark, 10 ft. N. and 4 ft. W. from tablet, in root on NW. side of 24-in. oak tree; copper nail and washer-----	511. 18

From Watts quadrangle west of Long Cane Creek southwest and northwest along winding road to State Highway 20 and back into Watts quadrangle (by J. J. Sitten, Jr., in 1934)

Troy, about 5 mi. in air line W. of, 2.2 mi. NE. of Long Cane Bridge, 3.8 mi. W. of Lower Long Cane Church, 20 ft. N. of center line of rd., in root on S. side of 6-in. oak tree; copper nail and washer-----	Feet 397. 48
Troy, about 6 mi. in air line W. of, 5.5 mi. NE. of Willington, 3.3 mi. by rd. N. of Long Cane Bridge, 100 ft. S. of SW. corner of tenant house, 15 ft. SW. of center line of rd., in root on N. side of 24-in. oak tree; copper nail and washer-----	475. 76
Willington, 4.0 mi. NE. of, 7.0 mi. SE. of Mount Carmel, 3.0 mi. NW. of Long Cane Bridge, 34 ft. W. of center line of State Highway 20, 190 ft. S. and 45 ft. W. from junction of rd. SW., 27 ft. E. of old highway, in 7- by 7-in. concrete post; standard tablet stamped "T T 13 R 1934 518"-----	517. 227

LODGE QUADRANGLE

[Latitude 33°00'-33°15'; longitude 80°45'-81°00']

BAMBERG, COLLETON, DORCHESTER, AND ORANGEBURG COUNTIES

From Olar quadrangle near Ehrhardt southeast along Atlantic Coast Line Railroad to Lodge, thence northeast along road by way of Carter Ford Church to Smoaks (by C. H. Semper in 1919)

Ehrhardt, 1.0 mi. SE. of, on S. side of E. end of R. R. culvert, in end of guard rail; top of bolt head-----	147. 29
Ehrhardt, 2.0 mi. SE. of, 2.0 mi. NW. of Lodge, at rd. crossing, 60 ft. W. of rail, in angle of rd. forks; iron post stamped "113"-----	112. 129
Lodge, 90 ft. E. of sta., on E. side of rd., 20 ft. N. of rail; iron post stamped "111"-----	110. 552
Lodge, near sta., at street crossing; top of rail-----	110. 8
Lodge, 1.2 mi. NE. of, 1.2 mi. W. of Little Salkehatchie River, 0.7 mi. W. of Carter Ford Church, on S. side of rd., in front of small dwelling, in root of 48-in. oak tree; copper nail-----	121. 85
Lodge, 3.1 mi. NE. of, 0.8 mi. W. of Little Swamp Church, 0.7 mi. E. of Little Salkehatchie River, 8 ft. S. of rd. near junction of private rd. S. to dwelling about 600 ft. S. of main rd.; iron post stamped "89"-----	88. 962
Lodge, 3.8 mi. NE. of, near Little Swamp Church, at E. margin of Little Swamp, 10 ft. E. of bridge, on S. side of rd., in root of cypress tree; copper nail-----	75. 98
Lodge, 4.7 mi. NE. of, 3.8 mi. SW. of Smoaks, 0.9 mi. NE. of Little Swamp Church, 1,100 ft. E. of milepost 4, on S. side of rd., 75 ft. E. of dwelling, in root of pine tree; copper nail-----	113. 54
Smoaks, 3.0 mi. SW. of, 400 ft. W. of milepost 3, on S. side of rd., opposite dwelling of Negro family, in root of 36-in. oak tree; copper nail-----	122. 62
Smoaks, 2.6 mi. SW. of, 0.2 mi. SW. of Strickland School, on S. side of rd., 25 ft. W. of W. side of farmhouse of Jennie Strickland; iron post stamped "120" (recovered by U. S. C. & G. S. in 1935)-----	119. 370
Smoaks, 2.1 mi. SW. of, 0.3 mi. NE. of Strickland School, on N. side of rd., 12 ft. E. of milepost 2, in root of pine tree; copper nail-----	117. 07
Smoaks, 1.1 mi. W. of, on N. side of rd., in front of dwelling, in root of oak tree; copper nail-----	110. 00
Smoaks, in center of square, in root of tree; copper nail-----	106. 10

Smoaks, 70 ft. S. of SW. corner of post office, in SE. angle of junction of U. S. Highway 21 and rd. E., 45 ft. E. of center line of highway, 34 ft. S. of rd.; iron post stamped "Prim Trav Sta No 5 Mac 1918 109" (recovered by U. S. C. & G. S. in 1935)-----	Feet 108. 435
--	------------------

From Lodge north to Gateman Church, thence northeast to Hunters Chapel, thence northwest and north into Orangeburg quadrangle near Pine Grove School (by C. H. Semper in 1919)

Lodge, 1.2 mi. N. of Atlantic Coast Line R. R. sta., 0.7 mi. S. of Bamberg-Colleton county line, on E. side of rd. at intersection of NE.-SW. farm rd., in root of pine tree; copper nail-----	115. 00
Lodge, 2.1 mi. N. of, 0.3 mi. N. of Bamberg-Colleton county line, on W. side of rd. at crossing of log rd., in root of pine tree; copper nail--	117. 63
Lodge, 3.2 mi. N. of, at junction of rd. SW. to Ehrhardt, in front of farmhouse of J. Williams Carter; iron post stamped "129"-----	128. 777
Lodge, 4.0 mi. N. of, 0.8 mi. S. of Oak Grove School (northernmost one of two schools of that name W. of Little Salkehatchie River), 200 ft. E. of main rd., 100 ft. N. of T-rd. E., in root of oak tree; copper nail-----	144. 47
Lodge, 5.0 mi. N. of, 30 ft. S. of Oak Grove School, 25 ft. E. of rd., in root of oak tree; copper nail-----	144. 26
Lodge, 5.6 mi. N. of, 0.6 mi. NE. of Oak Grove School, in SE. angle of T-junction of second-class rd. E. to Little Salkehatchie River, in front of farmhouse of J. M. McKinsey; iron post stamped "140"--	139. 427
Lodge, 8.1 mi. N. of, 500 ft. E. of Gateman Church, about 0.3 mi. W. of Lemon Creek and near its confluence with Little Salkehatchie River, in triangle at junction of rd. NW.; iron post stamped "108"--	107. 726
Gateman Church, 2.3 mi. NE. of, 80 ft. S. of Hunters Chapel, at five corners, opposite rd. NE. to Branchville, 20 ft. W. of rd. S., 45 ft. S. of rd. NW. to Midway; iron post stamped "143"-----	142. 538
Hunters Chapel, 1.0 mi. NW. of, about 2.5 mi. SE. of Fish Pond Church, on NE. side of rd., in root of 24-in. cypress tree; copper nail-----	138. 44
Fish Pond Church, about 1.3 mi. SE. of, on W. side of rd., about 500 ft. NW. of junction of rd. NE. to Piney Grove Church, in front of whitewashed dwelling occupied by Negro family, in root of 48-in. sweetgum tree; copper nail-----	145. 06
Fish Pond Church, about 500 ft. along second-class rd. E. of, in NE. angle of crossroads, 15 ft. W. of small store; iron post stamped "144 1919"-----	143. 168
Fish Pond Church, 1.3 mi. NW. of, on E. side of rd., in root of pine tree; copper nail-----	145. 55
Fish Pond Church, about 2 mi. by rd. NW. of, 3.2 mi. S. of Midway, 15 ft. E. of junction of rd. NW. to Bamberg; iron post stamped "149"-----	148. 250

From Smoaks north along Walterboro-Branchville road (present U. S. Highway 21) to Branchville (by C. H. Semper in 1919)

Smoaks, 1.0 mi. N. of, 1.6 mi. S. of Tabernacle Church, 100 ft. S. of sawmill, on W. side of rd. at junction of second-class rd. E., in root of oak tree; copper nail-----	119. 42
Smoaks, 2.0 mi. N. of, 0.6 mi. S. of Tabernacle Church, 100 ft. S. of milepost 2, on W. side of rd., in root of twin oak tree; copper nail--	107. 10

Smoaks, 2.8 mi. N. of, 0.2 mi. N. of Tabernacle Church, in SE. angle of crossroads; iron post stamped "116"-----	<i>Feet</i> 115. 551
Smoaks, 3.8 mi. N. of, 1.2 mi. N. of Tabernacle Church, on W. side of rd., in farmyard of E. W. Kinard, 75 ft. S. of dwelling, in root of oak tree; copper nail-----	122. 15
Smoaks, 5.0 mi. N. of, 1.3 mi. S. of Sandy Island Bridge over Edisto River, 300 ft. N. of rd. forks, directly across rd. from milepost 5, in root of 12-in. pine tree; copper nail-----	132. 98
Smoaks, 6.7 mi. N. of, about 6 mi. S. of Southern Ry. sta. at Branchville, 700 ft. S. of Sandy Island Bridge and Bamberg-Colleton county line, in NE. angle of crossroads, 10 ft. E. of rd.; iron post stamped "Prim Trav Sta No 9 Mac 1918 110"-----	109. 317
Branchville, 5.8 mi. S. of, 50 ft. S. of Sandy Island Bridge, 30 ft. E. of rd.; center of top of 6-in. iron pipe filled with concrete-----	95. 76
Branchville, 5.0 mi. S. of, 0.8 mi. N. of Sandy Island Bridge, about 1,000 ft. N. of milepost 4, on W. side of rd., in root of 30-in. pine tree; copper nail-----	91. 63
Branchville, 3.5 mi. S. of, 25 ft. S. of junction of old Charleston-Augusta rd.; iron post stamped "119 1919"-----	119. 287
Branchville, 2.5 mi. S. of, 180 ft. N. of milepost 2, on E. side of rd., in root of 12-in. oak tree; copper nail-----	124. 21
Branchville, 1.0 mi. S. of Southern Ry. sta., 80 ft. S. of junction of rd. SE., opposite milepost 1, in root of 15-in. sweetgum tree; copper nail-----	112. 74

From St. George quadrangle northwest along Southern Railway into Orangeburg quadrangle (by R. G. Clinite in 1919)

Dorange, about 2.3 mi. NW. of, 3.6 mi. SE. of Branchville, at passing sta. known as Fifty Eight, 50 ft. N. of rd. crossing, in root of 28-in. pine tree; copper nail-----	139. 02
Branchville, 3.0 mi. SE. of, 2.9 mi. NW. of Dorange, 60 ft. N. and 10 ft. W. from rd. crossing; iron post stamped "140 1919"-----	139. 732
Branchville, 2.0 mi. SE. of, 120 ft. NW. of milepost reading "Reevesville 10, Branchville 2," 40 ft. S. of track, in root of 14-in. pine tree; copper nail-----	131. 66
Branchville, 1.0 mi. E. of Southern Ry. sta., 180 ft. E. of highway milepost, 60 ft. S. of track, on N. side of wagon rd., in root of 18-in. pine tree; copper nail-----	126. 92

From St. George quadrangle southwest along road across Bear Branch to Smoaks (by R. G. Clinite in 1919)

Mount Olive Church, 3.5 mi. NE. of Smoaks, 600 ft. NE. of milepost marked "Bank of Smoaks 3 miles," in churchyard, at SE. corner fence; iron post stamped "114 1919"-----	113. 510
Smoaks, 1.2 mi. E. of, 100 ft. S. of entrance to Bethel Church, 5 ft. N. and 15 ft. W. from junction of rd. NE., in root of 8-in. pine tree; copper nail-----	117. 76

MANNING QUADRANGLE

[Latitude 33°30'-33°45'; longitude 80°00'-80°15']

BERKELEY, CLARENDON, AND WILLIAMSBURG COUNTIES

From Mayesville quadrangle southeast along Atlantic Coast Line Railroad into Kingstree quadrangle (first-order leveling by C. H. Semper in 1918)

	<i>Feet</i>
Alcolu, in front of sta.; top of rail.....	117. 0
Alcolu, 0.3 mi. S. of, 3.5 mi. N. of Manning, at rd. crossing, 15 ft. N. of section tool-house, 20 ft. W. of main track; iron post stamped "117 1918" (reported in 1934 as not found).....	117. 109
Manning, about 57 ft. N. of N. end of sta., 44 ft. S. of center of rd. crossing, 14 ft. E. of E. rail of main track; iron post stamped "Prim Trav Sta No 46 J 1918 94".....	94. 636
Manning, in front of sta.; top of rail.....	94. 9
Manning, 2.5 mi. SE. of, 3.1 mi. NW. of Wilson, 0.4 mi. N. of U. S. Highway 521 overpass, at S. side of old highway crossing, about 800 ft. N. of milepost L 20, 23 ft. W. of W. rail; iron post stamped "89 1918".....	88. 953
Wilson, 82 ft. N. of N. end of Wilsons Mill sta., at rd. crossing, 16 ft. N. of center line of rd., 18 ft. E. of E. rail, 2 ft. W. of crossing sign; iron post stamped "Prim Trav Sta No 45 J 1918 119".....	118. 809
Wilson, in front of Wilsons Mill sta.; top of rail.....	118. 6
Foreston, in front of sta.; top of rail.....	94. 5
Foreston, 22 ft. S. of S. end of sta., at rd. crossing, 41 ft. N. of center line of rd., 17 ft. E. of E. rail of main track, 3 ft. SW. of pole; iron post stamped "95 1918".....	95. 065
Foreston, 3.3 mi. SE. of, 2.1 mi. NW. of Greelyville, 450 ft. S. of milepost L 10, at rd. crossing, 10 ft. S. of center line of rd., 18 ft. W. of W. rail, 3 ft. S. of crossing sign; iron post stamped "80 1918".....	80. 167

From Manning southwest along Summerton road 2 miles to crossroads, thence southeast and southwest along roads to point near Davis station on Northwestern Railroad of South Carolina, ⁴⁰ thence east and northeast along railroad to Wilson (by E. V. Perkinson in 1919)

[Line jogs into Rimini quadrangle]

Manning, at intersection of Summerton rd. and second street W. of courthouse, on culvert; chiseled cross.....	124. 08
Manning, 1.4 mi. SW. of grade school, on N. side of rd. at junction of T-rd. SE., in small tree; copper nail and washer.....	120. 43
Manning, 2.9 mi. SW. of, at first red dwelling SE. of Summerton rd., on W. side of Raccoon rd., in root of tree; copper nail and washer.....	124. 21
Manning, 3.4 mi. SW. of, on E. side of rd., in sill of bridge over Fellowship Branch; copper nail and washer.....	100. 04
Manning, 3.6 mi. SW. of, on SW. side of rd., in root of large oak tree; copper nail and washer.....	124. 72
Manning, 4.1 mi. SW. of, 10 ft. E. of well at Wells farm, on W. side of rd., in root of large oak tree; nail.....	121. 99
Manning, 4.1 mi. SW. of, about 4 mi. NE. of Davis sta., 3.7 mi. along rd. NW. of Jordan, 0.8 mi. N. of Elizabeth School, in W. angle of intersection of Raccoon rd. and rd. SW. to Davis sta., 600 ft. S. of Wells dwelling, 500 ft. NW. of crossing of Davis Branch; iron post stamped "117 1919".....	116. 417

⁴⁰ The Northwestern Railroad of South Carolina, formerly a subsidiary of the Atlantic Coast Line Railroad, was discontinued in 1935.

	<i>Feet</i>
Jordan, 2.2 mi. W. of, 0.5 mi. E. of Davis sta., at intersection of rd. and R. R., at second dwelling E. of water tank; top of S. rail.....	139. 0
Jordan, 2.0 mi. W. of, at rd. crossing; top of S. rail.....	139. 9
Jordan, 1.6 mi. W. of, at junction of second-class rd.; top of rail.....	136. 1
Jordan, 0.8 mi. W. of, 5 ft. W. of rd. crossing; top of S. rail.....	127. 4
Jordan, 0.6 mi. W. of, at rd. crossing; top of S. rail.....	123. 7
Jordan, in W. end of switch; bolt.....	119. 2
Jordan, 4 ft. S. of post office, 45 ft. N. of track, 10 ft. E. of direct rd. N. to Manning; iron post stamped "121 1919".....	121. 128
Jordan, 1.3 mi. NE. of, at rd. crossing; top of S. rail.....	136. 0
Jordan, 1.6 mi. NE. of, 1.5 mi. SW. of Bloomville, at rd. crossing; top of S. rail.....	134. 7
Bloomville, 0.7 mi. SW. of; top of S. rail.....	135. 1
Bloomville, 0.3 mi. SW. of, at church, at rd. crossing; top of S. rail..	131. 7
Bloomville, at rd. crossing; top of N. rail.....	131. 7
Bloomville, 125 ft. N. of sta., at SW. corner of storage house, 75 ft. NE. of rd. crossing; iron post stamped "132 1919".....	132. 158

From Kingtree quadrangle west along Santee River road into Rimini quadrangle (by F. J. McMaugh in 1919)

Greelyville, 4.2 mi. SW. of, 4.5 mi. SE. of Spring Grove Church, about 600 ft. NW. of St. John's School, about 900 ft. NE. of Mount Hope Swamp, 25 ft. N. of rd., in root of large sweetgum tree; copper nail.....	48. 08
Spring Grove Church, 2.4 mi. SE. of, 0.2 mi. W. of 5-mile post, 2 ft. E. of SE. corner of Hunter School, 30 ft. N. of rd.; iron post stamped "81".....	80. 868
Spring Grove Church, 1.5 mi. SE. of, 0.9 mi. W. of Hunter School, 0.4 mi. W. of small wooden bridge, 110 ft. SW. of cabin N. of rd., 15 ft. S. of rd., in root of tree; copper nail.....	85. 18
Spring Grove Church, 970 ft. E. of, about 750 ft. W. of Clarendon-Williamsburg county line, 300 ft. W. of crossing of swamp, 20 ft. S. of rd., in root of water-oak tree; copper nail.....	69. 70
Spring Grove Church, 1.6 mi. NW. of, 1.2 mi. W. of crossing of Doctor Branch, 150 ft. NW. of cabin, in NE. angle of junction of rd. NW., in root of red-oak tree; copper nail.....	110. 15
Spring Grove Church, 2.2 mi. W. of, 0.3 mi. SW. of crossing of Mill Branch, in NE. angle of junction of Raccoon rd., on bank; iron post stamped "Prim Trav Sta No 61 J 1919 121".....	120. 565
Spring Grove Church, 3.3 mi. W. of, about 5 mi. E. of Wyboo Church, 0.9 mi. NE. of Rehoboth Church, 1,020 ft. E. of crossing of Bennett Branch, 100 ft. W. of junction of rd. N., 20 ft. N. of rd., opposite cabin, in root of hickory tree; copper nail.....	101. 05
Wyboo Church, 3.9 mi. E. of, 10 ft. S. of rd., in root of double red-oak tree; copper nail.....	123. 57
Wyboo Church, 3.5 mi. E. of, 350 ft. NW. of abandoned house on S. side of rd., 220 ft. E. of junction of T-rd. N., 40 ft. W. of small bridge, 12 ft. N. of rd., in woods; iron post stamped "123".....	123. 010
Wyboo Church, 2.9 mi. E. of, 20 ft. S. of rd., in pine woods, in root of double-oak tree; copper nail.....	133. 78
Wyboo Church, 1.8 mi. E. of, 50 ft. NW. of crossing of Church Branch, 430 ft. E. of schoolhouse, 20 ft. N. of rd., in trunk of leaning willow tree; copper nail.....	69. 82

Wyboo Church, 0.9 mi. E. of, about 5 mi. S. of Jordan, in center of grass triangle at junction of rd. N.; iron post stamped "96"-----	<i>Feet</i> 95. 656
Wyboo Church, 0.2 mi. W. of, 300 ft. W. of westernmost of three bridges over Wyboo Swamp, 20 ft. N. of rd., in root of water-oak tree; copper nail-----	54. 85
Wyboo Church, 1.3 mi. W. of, 0.3 mi. E. of St. Mark's Church, 400 ft. W. of store, 20 ft. N. of rd.; in trunk of mulberry tree; copper nail--	96. 47

From Rimini quadrangle southeast along Lower Sumter road to Manning (by H. S. Senseney in 1919)

Manning, 3.1 mi. NW. of, 200 ft. E. of crossing of creek, on NE. side of rd., in root of oak tree; copper nail and washer-----	116. 72
Manning, 2.4 mi. NW. of, in W. angle of junction of second-class rd. S., about 400 ft. S. of milepost 3; iron post stamped "126"-----	125. 838
Manning, 1.2 mi. NW. of, at SW. corner of bridge over Belt Branch, in stringer; copper nail and washer-----	98. 93

From Mayesville quadrangle about 0.4 mile northwest of Cypress Forks Church generally southwest and west along roads to Alcolu (by H. S. Senseney in 1919)

Cypress Forks Church, 0.8 mi. SW. of, 3.5 mi. SW. of Midway Church, about 4 mi. SE. of St. Mark's Church, in NE. angle of crossroads; iron post stamped "Prim Trav Sta No 48 J 1918 94"-----	93. 983
St. Mark's Church, 1.6 mi. E. of, near crossing of Mill Creek, 1,000 ft. E. of dwelling of Henry Morris, on N. side of rd., in root of gum tree; copper nail and washer-----	86. 97
St. Mark's Church, 300 ft. E. of, 3.9 mi. SE. of Alcolu, in SW. angle of rd. junction; iron post stamped "126"-----	125. 378
Alcolu, 2.7 mi. SE. of, 1.1 mi. E. of Trinity Church, 30 ft. E. of junction of second-class rd. N., on N. side of rd., in root of pine tree; copper nail and washer-----	103. 24
Alcolu, 1.5 mi. along rd. SE. of, about 550 ft. SW. of Trinity Church, in SE. angle of crossroads at Trinity School, in root of large oak tree; copper nail and washer-----	111. 17

From Rimini quadrangle near Davis station east along road to Jordan (by W. W. Mayes in 1934)

Davis sta., 1.0 mi. E. of, 25 ft. S. of center line of rd., in root on N. side of 12-in. pine tree; nail and copper washer-----	135. 03
Jordan, 1.0 mi. W. of, 2.1 mi. E. of Davis sta., 20 ft. S. of center line of rd., in root on W. side of 12-in. pine tree; nail and copper washer--	124. 92

From Rimini quadrangle northeast along State Highway 4 to Manning (by W. W. Mayes in 1934)

Manning, 2.3 mi. SW. of Atlantic Coast Line R. R. sta., 20 ft. N. of center line of highway, in W. end of concrete head wall; chiseled square-----	112. 68
Manning, 1.0 mi. SW. of, 50 ft. N. of center line of highway, in root on S. side of 10-in. gum tree; nail and bottle cap-----	120. 07

From Kingstree quadrangle northwest along Black River road into Mayesville quadrangle (by P. A. Wattle in 1934)

Mouzon, 6.2 mi. NW. of, 1.0 mi. SE. of Friendship School at junction of rd. SE., 42 ft. SE. of SE. corner of house, in 7- by 7-in. concrete post; standard tablet stamped "W 20 1934"-----	92. 731
--	---------

Reference mark 1, 75 ft. SE. of rd. junction, 150 ft. S. of house, in root on E. side of 12-in. oak tree; wire nail and bottle cap-----	Feet 92. 83
Reference mark 2, 40 ft. W. of rd. junction, 70 ft. W. of house, in root on SW. side of 15-in. water-oak tree; wire nail and bottle cap-----	92. 85

MAYESVILLE QUADRANGLE

[Latitude 33°45'-34°00'; longitude 80°00'-80°15']

CLARENDON, LEE, AND SUMTER COUNTIES

From Sumter quadrangle southeast along Atlantic Coast Line Railroad into Manning quadrangle (first-order leveling by C. H. Semper in 1918)

Harvin, 1.0 mi. NW. of, 2.5 mi. SE. of Brogden sta., about 159 ft. S. of sign reading "Station 1 mile," 6 ft. W. of milepost L 29, 7 ft. E. of E. rail; iron post stamped "133 1918"-----	133. 471
Harvin, in front of sta.; top of rail-----	127. 7

From Sumter quadrangle northeast along Atlantic Coast Line Railroad to point 1.5 miles southwest of Mayesville, thence northwest along road and back into Sumter quadrangle (by H. S. Senseney in 1919)

Mayesville, 1.5 mi. SW. of, 30 ft. S. and 12 ft. W. from Atlantic Coast Line R. R. grade crossing, near junction of Sumter rd.; iron post stamped "Prim Trav Sta No 51 J 1918 133" (recovered in 1934)-----	132. 165
Reference mark, 660 ft. W. of post, in root of gum tree; copper nail and washer-----	133. 52
Mayesville, 1.5 mi. SW., thence 1.0 mi. NW. from, on S. side of rd., in root of gum tree; copper nail and washer-----	142. 31

From Sumter quadrangle about 1 mile northeast of Brogden generally northeast by way of Frierson store to McBride Corners, thence northwest along Black River road to Scottsville, thence west and northwest to point on Atlantic Coast Line Railroad 1.5 miles southwest of Mayesville (by H. S. Senseney in 1919)

Brogden, 2.3 mi. NE. of, 2.6 mi. SW. of Brunson store, on E. side of rd., 40 ft. N. of junction of second-class rd. E.; iron post stamped "145"-----	144. 699
Brunson store, 20 ft. N. and 20 ft. W. from crossroads; iron post stamped "141"-----	140. 994
Brunson store, 1.0 mi. NE. of, 0.7 mi. SW. of store of J. E. Frierson, on W. side of rd. at junction of lane W. to dwelling, in root of pine tree; copper nail and washer-----	142. 43
Frierson store, at crossroads, 12 ft. N. of Sumter rd. and 14 ft. W. of NE.-SW. rd.; iron post stamped "142"-----	141. 420
Frierson store, 1.0 mi. E. of, 150 ft. E. of rd. junction, on S. side of rd., in root of oak tree; copper nail and washer-----	130. 22
Frierson store, 1.1 mi. SE. of, on NE. side of Sumter rd., at junction of rd. SE.; iron post stamped "122"-----	121. 816
Frierson store, 2.1 mi. SE. of, 2.0 mi. SW. of McBride Corners, at McBride Crossing of Black River Swamp, 215 ft. W. of westernmost bridge, on S. side of rd., in root of oak tree; copper nail and washer--	101. 16
McBride Corners, 1.0 mi. SW. of, at McBride Crossing of Black River Swamp, at SE. corner of easternmost bridge, in base of gum tree; spike-----	102. 17
McBride Corners, 0.4 mi. SE. of Goodwill Church, 20 ft. N. and 15 ft. W. from intersection of Black River and Sumter rds.; iron post stamped "Prim Trav Sta No. 49 J 1918 123"-----	123. 057

McBride Corners, 1.1 mi. NW. of, 0.7 mi. NW. of Goodwill Church, on NE. side of rd. at junction of second-class rd. NW., in root of gum tree; copper nail and washer-----	<i>Feet</i> 127. 63
McBride Corners, 2.3 mi. NW. of, 0.9 mi. SE. of Scottsville, 90 ft. S. of junction of T-rd. W., on W. side of rd., at store of J. H. Wilson, in root of oak tree; copper nail and washer-----	129. 81
Scottsville, 0.7 mi. E. of E. margin of Black River Swamp, 15 ft. S. of junction of T-rd. W., on E. side of rd.; iron post stamped "136"-----	136. 106
Scottsville, 1.3 mi. SW. of, about 3 mi. S. of Mayesville, 0.5 mi. W. of W. margin of Black River Swamp, in N. angle of junction of rd. NW., in root of chinaberry tree; copper nail and washer-----	134. 94
Mayesville, about 2 mi. SE. of, 20 ft. N. of junction of farm rd. E., on E. side of rd.; iron post stamped "136"-----	135. 857
Mayesville, 0.6 mi. S. of, in triangle formed by rd. forks, in root of oak tree; copper nail and washer-----	143. 36

From McBride Corners southeast along Black River road to road junction near Midway Church, thence south west by way of Midway Crossing into Manning quadrangle (by H. S. Senseney in 1919)

McBride Corners, 1.2 mi. SE. of, 25 ft. N. of junction of second-class rd. E., on E. side of rd., in root of gum tree; copper nail and washer-----	119. 48
McBride Corners, 3.1 mi. SE. of, 0.2 mi. SE. of Clarendon-Sumter county line, 15 ft. N. of junction of farm rd. W., on SW. side of rd.; iron post stamped "115"-----	114. 845
McBride Corners, 5.4 mi. SE. of, 5.7 mi. NW. of Midway Church, near Malina School, 35 ft. E. of junction of T-rd. E., at SW. corner of tobacco barn of F. E. Du Bose; iron post stamped "103"-----	102. 922
Midway Church, 3.6 mi. NW. of, in E. angle of junction of T-rd. NE., 0.3 mi. NW. of Gamble Chapel; iron post stamped "99"-----	98. 831
Midway Church, 2.3 mi. NW. of, 0.2 mi. SE. of dwelling of E. D. Player, on NE. side of rd., in root of gum tree; copper nail and washer-----	108. 37
Midway Church, 1.0 mi. NW. of, in NE. angle of crossroads, at dwelling of Hugh McFadden, in root of pine tree; copper nail and washer-----	105. 32
Midway Church, about 500 ft. N. of, 12 ft. N. and 18 ft. E. from junction of T-rd. SW. to Midway Crossing over Black River Swamp; iron post stamped "99"-----	98. 790
Midway Church, 0.9 mi. SW. of, at NE. end of Midway Crossing over Black River Swamp, 60 ft. SW. of junction of rd. N., on SE. side of rd., in root of gum tree; copper nail and washer-----	71. 02
Midway Church, 2.0 mi. SW. of, near SW. end of Midway Crossing over Black River Swamp, on NE. side of rd., 75 ft. NW. of sharp curve, in root of hickory tree; copper nail and washer-----	80. 11

From Brunson store southeast to Manning road, thence northeast by way of Gilliard Crossing over Black River Swamp to point on Black River road 0.5 mile south of Sardinia (by H. S. Senseney in 1919)

Brunson store, 1.1 mi. SE. of, on NE. side of rd., in root of pine tree; copper nail and washer-----	137. 72
Brunson store, 2.3 mi. SE. of, 25 ft. N. of junction of second-class rd. E., on NE. side of rd., in root of pine tree; copper nail and washer-----	138. 39
Brunson store, 3.4 mi. SE. of, 1.3 mi. N. of Westminster Church, about 400 ft. NW. of Clarendon-Sumter county line, 12 ft. S. and 30 ft. E. from crossroads; iron post stamped "129"-----	129. 114

Westminster Church, 70 ft. S. of, 65 ft. W. of rd., in root of oak tree; copper nail and washer-----	<i>Feet</i> 121. 73
Westminster Church, 1.2 mi. SE., thence 0.4 mi. NE. from, 30 ft. W. of crossing of Alcolu R. R., on S. side of rd.; iron post stamped "121"-----	120. 880
Westminster Church, 1.2 mi. SE., thence 1.5 mi. NE. from, 0.8 mi. SE., thence 0.7 mi. SW. from Durant, on E. margin of Tearcoat Branch Swamp, 130 ft. SE. of junction of old rd. N., in root of pine tree; copper nail and washer-----	93. 84
Durant, 0.8 mi. SE. of, at dwelling of R. H. Reaves, in SW. angle of junction of NW.-SE. rd., in root of oak tree; copper nail and washer-----	106. 14
Durant, 1.8 mi. SE. of, at dwelling of E. M. McElvee, in S. angle of junction of second-class rd. SW., in root of hickory tree; copper nail and washer-----	100. 84
Durant, about 3 mi. SE. of, 0.4 mi. SE., thence 2.2 mi. SW. from Gable, 0.2 mi. SW. along Manning rd. from SW. end of Gilliard Crossing over Black River Swamp, 20 ft. S. and 25 ft. W. from crossroads; iron post stamped "101"-----	100. 758
Gable, 0.4 mi. SE. of, 0.9 mi. SW. of junction of Manning and Black River rds., in N. angle of junction of T-rd. NW., in root of pine tree; copper nail and washer-----	100. 68

From road junction near Midway Church southeast along Black River road to Friendship School, thence northeast, northwest and north along roads by way of New Zion and Turbeville to Shiloh, thence northeast along Olanta road into Scranton quadrangle (by H. S. Senseney in 1919)

[Line jogs into Scranton quadrangle]

Friendship School, 0.6 mi. SE. of Midway Church, 110 ft. N. of junction of rd. NE., on NE. side of rd., in root of pine tree; copper nail and washer-----	94. 65
Friendship School, 1.4 mi. NE. of, on NW. side of rd., in root of pine tree; copper nail and washer-----	104. 64
New Zion, 1.9 mi. S., thence 1.2 mi. E. from, 1.7 mi. NW. of Union School, in triangle formed by rd. forks, in root of pine tree; copper nail and washer-----	90. 11
New Zion, 1.9 mi. S. of, 12 ft. N. and 18 ft. E. from rd. junction; iron post stamped "95"-----	95. 085
New Zion, 1.1 mi. S. of, on E. side of rd. at junction of T-rd. W., in root of pine tree; copper nail and washer-----	98. 57
New Zion, 35 ft. S. and 20 ft. W. from crossroads; iron post stamped "99"-----	98. 907
Reference mark, 35 ft. E. of post, in SE. angle of crossroads, in root of oak tree; copper nail and washer-----	99. 10
New Zion, 0.8 mi. N. of, in NE. angle of crossroads, at W. side of Trussler Branch of Pudding Swamp, in root of oak tree; copper nail and washer-----	86. 18
New Zion, 1.8 mi. N. of, 1.6 mi. S. of Turbeville, in SW. angle of junction of rd. W., in root of persimmon tree; copper nail and washer-----	95. 42
Turbeville, 0.8 mi. S. of, in N. angle of junction of rd. NW., in root of oak tree; copper nail and washer-----	99. 50

Turbeville, near Bank of Turbeville, 29 ft. N. and 25 ft. W. from crossroads; iron post stamped "131" ⁴ -----	<i>Feet</i> 130. 342
Turbeville, at Pine Grove Church, at rd. forks, in root of oak tree; copper nail and washer-----	132. 92
Turbeville, 1.5 mi. NW. of, in front of dwelling of E. R. Robinson, on SW. side of rd. at junction of second-class rd. SW., in root of pine tree; spike-----	121. 74
Turbeville, 2.5 mi. NW. of, 1.4 mi. SE. of Shiloh, 0.2 mi. NW. of Clarendon-Sumter county line, on E. side of rd., in front of cabin, in root of large oak tree; copper nail and washer-----	127. 17
Shiloh, 0.7 mi. S. of, 15 ft. S. and 18 ft. E. from junction of rd. S., at dwelling of W. T. Green; iron post stamped "120"-----	119. 674
Shiloh, at Shiloh Church, on E. side of Lynchburg rd., 90 ft. N. of junction of Olanta rd., in root of large oak tree; copper nail and washer-----	125. 44
Shiloh, 0.9 mi. along Olanta rd. NE. of, on NW. side of rd. at junction of second-class rd. SE., in root of pine tree; copper nail and washer--	132. 05
Shiloh, 1.6 mi. NE. of, in E. angle of junction of T-rd. SE., at dwelling of H. O. Goodman, in root of pine tree; copper nail and washer---	136. 92
Shiloh, 2.6 mi. NE. of, 20 ft. N. and 8 ft. W. from rd. fork, at dwelling of S. C. Carraway; iron post stamped "135"-----	134. 641

From Scranton quadrangle about 5 miles northwest of Shiloh generally west by way of Trinity Crossroads to crossing of Church Branch, thence southwest along Lynchburg road to Scottsville (by H. S. Senseney in 1919)

Shiloh, 1.9 mi. N., thence 1.7 mi. NE. from, in bend of rd. at junction of rd. NW., in root of sycamore tree; copper nail and washer-----	132. 17
Shiloh, 1.9 mi. N., thence 0.7 mi. E. from, 170 ft. W. of junction of second-class rd. SW., on S. side of rd., in root of large oak tree; copper nail and washer-----	131. 54
Shiloh, 1.9 mi. N. of, 0.3 mi. N. of Asbury Church, 18 ft. S. and 10 ft. W. from crossroads; iron post stamped "131"-----	130. 313
Shiloh, 2.7 mi. N., thence 1.0 mi. NW. from, 1.2 mi. NE. of Trinity Crossroads, 0.7 mi. NE. of Trinity Church, 35 ft. N. and 10 ft. W. from crossroads, at dwelling of Emory Keel; iron post stamped "133"-----	132. 582
Trinity Crossroads, in E. angle of, 0.5 mi. SW. of Trinity Church, in root of oak tree; copper nail and washer-----	133. 79
Trinity Crossroads, 1.5 mi. NW. of, 600 ft. W. of blacksmith shop of J. O. Mixson, 10 ft. N. and 20 ft. W. from intersection of second-class rd.; iron post stamped "141"-----	140. 32
Scottsville, 3.1 mi. along Lynchburg rd. NE. of, 4.3 mi. NW. of Trinity Crossroads, 0.2 mi. E. of crossing of Church Branch, on N. side of rd., 25 ft. W. of rd. fork; iron post stamped "143"-----	142. 556

From Scranton quadrangle west along Lake City-Turbeville highway to Turbeville (by P. A. Wattley in 1934)

Turbeville, 0.9 mi. E. of, 20 ft. S. of center line of highway, 40 ft. NW. of dwelling, in yard, in root on N. side of 30-in. oak tree; wire nail and bottle cap-----	118. 08
---	---------

⁴ This post was reset in January 1936. Its previous elevation was 130.665 ft.

From Manning quadrangle northwest along Black River road to Midway Church (by P. A. Wattley in 1934)

Friendship School, near, 0.6 mi. S. of church, 30 ft. NE. of center line of rd., in root on S. side of 15-in. sycamore tree; wire nail and bottle cap-----	Feet 95. 67
--	----------------

From Elliott quadrangle southwest along U. S. Highway 76 to Mayesville, thence north and back into Elliott quadrangle (by W. B. Sykes in 1934)

Mayesville, 40 ft. NE. of Trinity Presbyterian Church, in yard, 30 ft. S. of center line of highway, in root on N. side of 30-in. oak tree; copper nail and washer-----	143. 90
---	---------

From Sumter quadrangle northeast along U. S. Highway 76 into Elliott quadrangle (by J. F. Covington in 1934)

Mayesville, about 3 mi. SW. of, 1.2 mi. NE. of crossing of Rocky Bluff Swamp, 70 ft. S. of center line of highway, in root of 20-in. pine tree; copper nail and washer-----	133. 66
Mayesville, 2.3 mi. SW. of, on SW. corner of bridge over Scape Oer Swamp, on wheel guard; chiseled square-----	128. 91
Mayesville, 75 ft. E. of S. boundary, on edge of pavement; chiseled square-----	141. 58
Mayesville, 126 ft. N. of sign reading "City Limits," 15 ft. S. of center line of highway, in 6- by 6-in. concrete post; U. S. C. & G. S. and State Survey standard disk designated "ST 369"-----	143. 165
Mayesville, 1.0 mi. NE. of, on SE. corner of bridge No. 8 over Black River Swamp, on wheel guard; chiseled square-----	122. 98
Mayesville, 1.2 mi. NE. of, at SW. end of bridge No. 10 over swamp, in N. curb rail; top of bolt head-----	122. 93

MYRTLE BEACH QUADRANGLE

[Latitude 33°30'-33°45'; longitude 78°45'-79°00']

HORRY COUNTY

From Myrtle Beach west along U. S. Highway 501 into Yauhannah quadrangle (by J. H. Goddard in 1934)

Brown triangulation sta.; U. S. C. & G. S. standard reference disk stamped "Brown No 3"-----	30. 613
Myrtle Beach, 1.1 mi. W. of, 70 ft. E. of store of Park Owen, 100 ft. N. of center line of highway, in root on S. side of 20-in. pine tree; wire nail-----	22. 05
Myrtle Beach, 2.2 mi. W. of, 250 ft. N. of Crump's frame dwelling, 40 ft. S. of center line of highway, in root on N. side of 12-in. walnut tree; wire nail-----	34. 98
Myrtle Beach, 2.9 mi. W. of, 120 ft. S. of center line of highway, in root on NE. side of 18-in. pine tree; wire nail-----	21. 55
U. S. C. & G. S. and State Survey standard disk designated "H 21"---	18. 160
Reference mark, 50 ft. S. and 30 ft. W. from tablet, in root on NW. side of 10-in. oak tree; wire nail-----	17. 70
Myrtle Beach, 5.0 mi. W. of, 70 ft. S. and 15 ft. W. from center of junction of T-rd. S., in root on S. side of 8-in. pine tree; wire nail---	18. 45
U. S. C. & G. S. and State Survey standard disk designated "H 27"---	12. 534

From Nixonville quadrangle southeast along Atlantic Coast Line Railroad to Pine Island, thence southwest along Pine Island-Socastee road into Yauhannah quadrangle (by C. T. Duke in 1934)

	<i>Feet</i>
U. S. C. & G. S. standard disk stamped "E 34 1934"-----	24. 672
U. S. C. & G. S. standard disk stamped "F 34 1934"-----	25. 866
Pine Island, 1.2 mi. SW. of, 4.7 mi. NE. of Socastee, about 800 ft. SW. of church and school, 15 ft. N. of center line of rd., in root on E. side of 16-in. pine tree; wire nail-----	19. 56
Pine Island, 2.2 mi. W. of, 3.6 mi. NE. of Socastee, 150 ft. NE. of junction of T-rd. S., 15 ft. N. of center line of rd., in root on E. side of 18-in. pine tree; wire nail-----	16. 29
Socastee, 2.7 mi. NE. of, on property of S. G. Singleton, 42 ft. S. and 15 ft. E. from SE. corner of dwelling of Talmage Piver, 57 ft. N. of center line of county rd., in concrete post; standard tablet stamped "35 DE 1934"-----	15. 702
Reference mark, 12 ft. S. and 9 ft. W. from tablet, 50 ft. N. of center line of county rd., in root on E. side of 18-in. pecan tree; wire nail---	14. 96
Socastee, 1.6 mi. NE. of, 15 ft. N. of center line of county rd., in root on S. side of 16-in. pine tree; wire nail-----	15. 16

From Pine Island northeast and southeast along roads to Ocean Forest Hotel (by C. T. Duke in 1934)

[Line jogs into Nixonville quadrangle]

Pine Island, 1.1 mi. E. of, 150 ft. W. of old field, 25 ft. S. of fourth-class Y-rd. forks, in root on W. side of 10-in. pine tree; wire nail-----	26. 11
Pine Island, 2.1 mi. NE. of, in N. edge of Wither's Big Swamp, 15 ft. N. of center line of fourth-class rd., in root on E. side of 14-in. pine tree; wire nail-----	29. 70
Ocean Forest Hotel on U. S. Highway 17, 1.5 mi. N. of, in SE. edge of Loblolly Swamp, 10 ft. NE. of center line of fourth-class rd., in root on SW. side of 12-in. pine tree; wire nail-----	27. 97
Ocean Forest Hotel, 3.8 mi. NE. of Myrtle Beach, 65 ft. N. and 45 ft. W. from fire hydrant, in SW. angle of junction of hotel driveway and U. S. Highway 17, on NW. curb; chiseled square-----	25. 21
U. S. C. & G. S. standard disk stamped "R 34 1934"-----	18. 169

NIXONVILLE QUADRANGLE

[Latitude 33°45'-34°00'; longitude 78°45'-79°00']

HORRY COUNTY

From Loris quadrangle near Daisy generally southwest along roads by way of Shell Crossroads, Nixonville, and True Vine Church into Myrtle Beach quadrangle near Pine Island (by C. T. Duke in 1934)

Daisy, 1.0 mi. NW. of, 1,150 ft. W. of Daisy School, 4.1 mi. SE. of Allsbrook, 20 ft. N. of center line of county rd., in root on S. side of 8-in. oak tree; wire nail-----	96. 31
Daisy, 3 ft. S. of SE. corner of store and filling sta. of L. T. Carter, in SW. angle of crossroads, in concrete post; standard tablet stamped "15 DE 1934" ⁴² -----	91. 947
Reference mark 1, 45 ft. N. and 27 ft. E. from tablet, 1 ft. W. of SE. corner of old store of Joe Carter, in NW. angle of crossroads, in sill; wire nail-----	92. 95

⁴² A standard iron post with bronze cap set in 1918 by Oscar Jones is 6 ft. north and 25 ft. east from tablet. Figures of elevation for the post were not determined.

Reference mark 2, 130 ft. S. and 30 ft. E. from tablet, 65 ft. E. of center line of N.-S. county rd., in root on N. side of 14-in. hickory tree; wire nail-----	Feet 91. 53
Daisy, 1.0 mi. SW. of, 15 ft. E. of center line of Daisy rd., in front yard of dwelling of Zadie Smith, in root on S. side of 16-in. sycamore tree; wire nail-----	65. 19
Daisy, 2.0 mi. SW. of, 80 ft. S. of dwelling of Thurmond Boyd, 20 ft. W. of center line of rd., in root on NW. side of 10-in. pine tree; wire nail-----	53. 18
Daisy, 2.9 mi. SW. of, 0.6 mi. S. of Beulah Church, in front yard of dwelling of Leon Gaskin, 10 ft. E. of center line of rd., in root on E. side of 36-in. oak tree; wire nail-----	42. 60
Daisy, 3.6 mi. SW. of, 1.4 mi. SW. of Beulah Church, 60 ft. E. of center line of rd., on property of M. D. Cox, 45 ft. N. and 105 ft. W. from NW. corner of dwelling of Lilly Gause, in concrete post; standard tablet stamped "27 DE 1934 42"-----	40. 415
Reference mark, 12 ft. N. and 6 ft. E. from tablet, 60 ft. E. of center line of rd., in root on W. side of 18-in. oak tree; wire nail-----	40. 12
Daisy, 4.9 mi. SW. of, 2.1 mi. NW. of Shell Crossroads, 30 ft. N. of junction of T-rd., 100 ft. N. of dwelling of M. F. Boyd, in root on E. side of 24-in. elm tree; wire nail-----	38. 90
Shell Crossroads, 1.3 mi. NW. of, 60 ft. NE. of junction of T-rd. W., 125 ft. NE. of dwelling of S. A. Doyle, in root on W. side of 12-in. gum tree; wire nail-----	34. 99
Shell Crossroads, in NE. angle of, 0.2 mi. NE. of Shell School, 180 ft. N. of dwelling of S. W. Vereen, in concrete post; standard tablet stamped "28 DE 1934"-----	49. 131
Reference mark, 20 ft. N. and 15 ft. W. from tablet, 15 ft. E. of center line of county rd., in root on W. side of 30-in. oak tree; wire nail----	40. 27
Shell Crossroads, 0.5 mi. SE. of, 6 ft. S. of center line of farm rd., 30 ft. N. of dwelling, in root on NE. side of 10-in. oak tree; wire nail-----	39. 07
Shell Crossroads, 1.4 mi. S. of, 8 ft. W. of center line of farm rd., 200 ft. N. of dwelling, in root on E. side of 16-in. gum tree; wire nail-----	12. 73
Shell Crossroads, 2.4 mi. S. of, about 900 ft. S. of dwelling, 80 ft. W. of bank of Waccamaw River, in root on W. side of 18-in. oak tree; wire nail-----	11. 58
Shell Crossroads, 3.5 mi. S. of, 3.1 mi. N. of Nixonville, 4 ft. N. of center line of farm rd., 70 ft. S. of S. bank of Waccamaw River, 750 ft. N. of Bear Bluff landing, in root on SW. side of 20-in. oak tree; wire nail-----	10. 59
Nixonville, 2.0 mi. N. of, about 100 ft. W. of W. bank of Waccamaw River, 0.3 mi. N. of Reeves landing, in root on N. side of 20-in. maple tree; wire nail-----	8. 34
Nixonville, 1.7 mi. N. of, at Reeves landing on W. bank of Waccamaw River, about 3 ft. from water, in trunk of 10-in. oak tree; wire nail--	3. 15
Nixonville, 1.6 mi. N. of, about 170 ft. E. of E. bank of Waccamaw River, at Reeves landing, 6 ft. S. of extreme W. corner of tenant house, in concrete post; standard tablet stamped "29 DE 1934"-----	12. 600
Reference mark, 10 ft. S. and 17 ft. W. from tablet, 16 ft. S. and 17 ft. W. from extreme W. corner of tenant house, in root on E. side of 12-in. twin oak tree; wire nail-----	12. 23
Nixonville, about 150 ft. N. of school, 30 ft. NW. of junction of Y-rd., in root on N. side of 20-in. pine tree; wire nail-----	31. 11

Nixonville post office, 0.8 mi. SW. of, 500 ft. SW. of dwelling of M. Watson, 40 ft. S. of center line of State Highway 90, in root on N. side of 14-in. pine tree; wire nail-----	Feet: 40. 06
Nixonville, 1.7 mi. SW. of, 4 ft. N. and 1 ft. W. from NW. corner of True Vine Church, 58 ft. S. of center line of State Highway 90, in concrete post; standard tablet stamped "30 DE 1934"-----	43. 913
Reference mark, 27 ft. N. and 20 ft. E. from tablet, 20 ft. S. of center line of highway, in root on N. side of 16-in. pine tree; wire nail-----	44. 01
True Vine Church, 1.0 mi. S. of, at intersection of Burroughs rd., 10 ft. SE. of center line of rd., in root on S. side of 16-in. pine tree; wire nail-----	48. 04
True Vine Church, 2.0 mi. SW. of, 25 ft. N. of center line of fourth-class rd., in root on S. side of 16-in. pine tree; wire nail-----	37. 51
True Vine Church, 2.9 mi. SW. of, 40 ft. S. of center line of rd., in root on N. side of 12-in. pine tree; wire nail-----	39. 80
True Vine Church, 3.1 mi. SW. of, 10 ft. S. and 45 ft. E. from crossing of old tram rd., in concrete post; standard tablet stamped "31 DE 1934 41"-----	40. 274
Reference mark, 35 ft. N. and 30 ft. W. from tablet, 27 ft. N. and 20 ft. E. from crossroads, in root on E. side of 12-in. pine tree; wire nail-----	39. 28
True Vine Church, 3.1 mi. SW., thence 1.0 mi. E. from, 1.2 mi. NW., thence 4.1 mi. NE. from Pine Island, 30 ft. N. of center line of rd., in root on W. side of 10-in. pine tree; wire nail-----	43. 53
Pine Island, 1.2 mi. NW., thence 3.3 mi. NE. from, 30 ft. W. of center line of rd., in root on SW. side of 14-in. pine tree; wire nail---	40. 75
Pine Island, 1.2 mi. NW., thence 2.7 mi. NE. from, 9 ft. S. and 39 ft. E. from junction of Y-rd., in concrete post; standard tablet stamped "32 DE 1934"-----	39. 565
Reference mark, 48 ft. W. of tablet, 9 ft. S. and 9 ft. W. from junction of Y-rd., in root on E. side of 12-in. pine tree; wire nail-----	38. 21
Pine Island, 1.2 mi. NW., thence 1.5 mi. NE. from, 8 ft. W. of center line of rd., in root on E. side of 12-in. pine tree; wire nail-----	30. 54
Pine Island on Atlantic Coast Line R. R., 1.2 mi. NW., thence 0.4 mi. NE. from, 10 ft. W. of center line of rd., in root on E. side of 10-in. pine tree; wire nail-----	26. 91
From Conway quadrangle about 3 miles northeast of Conway northeast along Conway-Whiteville road to point 0.3 mile northeast of Fairtraid, thence southeast along road to Reeves Ferry on Waccamaw River (by C. T. Duke in 1934)	
Fairtraid, 1.3 mi. SW. of, 3.2 mi. NE. of Conway, 50 ft. N. and 35 ft. W. from NW. corner of dwelling of Mrs. Wm. Johnson, 57 ft. E. of center line of rd., in concrete post; standard tablet stamped "33 DE 1934"-----	21. 60
Reference mark, 40 ft. N. and 25 ft. E. from tablet, 25 ft. S. of center line of rd., in root on N. side of 16-in. oak tree; wire nail-----	21. 56
Fairtraid, 0.3 mi. SW. of, about 80 ft. SW. of sta. of Perry Hardy, 25 ft. NW. of center line of rd., in root on S. side of 16-in. gum tree; wire nail-----	39. 82
Fairtraid, 0.3 mi. NE., thence 0.3 mi. SE. from, 0.3 mi. SE. of junction of Conway-Whiteville rd. and rd. SE. to Reeves Ferry, 0.3 mi. in air line SE. of Hickory Grove School, about 420 ft. E. of dwelling of Ed. Bracher, 12 ft. S. of center line of county rd., in root on N. side of 12-in. pine tree; wire nail-----	48. 21

Fairtraid, 1.4 mi. SE. of, 3.8 mi. NW. of Reeves Ferry on Waccamaw River, 25 ft. S. and 35 ft. E. from NE. corner of dwelling of Tom Price, 50 ft. SW. of center line of rd., in concrete post; standard tablet stamped "34 DE 1934"-----	Feet 37. 251
Reference mark, 40 ft. N. and 10 ft. W. from tablet, 25 ft. SW. of center line of rd., in root on E. side of 48-in. oak tree; wire nail-----	36. 33
Reeves Ferry, 2.6 mi. NW. of, at Pine Grove Church, 12 ft. SW. of center line of rd., in root on E. side of 18-in. pine tree; wire nail-----	33. 30
Reeves Ferry, 1.5 mi. NW. of, in front yard of dwelling of Frank Southerland, in root on W. side of 18-in. pine tree; wire nail-----	35. 03
Reeves Ferry on Waccamaw River, 0.5 mi. NW. of, 15 ft. NE. of center line of abandoned rd., in root of 12-in. pine tree; wire nail-----	10. 93
From Loris quadrangle southeast 0.5 mile along State Highway 9, thence southwest along county road to junction of Star Bluff road, thence southeast and south to Star Bluff Crossroads, thence west along State Highway 9 ^a to Nixonville (by C. T. Duke in 1934)	
Sweet Home Church, 0.4 mi. SE. of, 30 ft. W. of center line of State Highway 9, 30 ft. S. of Y-junction of county rd. SW., in root on N. side of 12-in. gum tree; wire nail-----	34. 66
Sweet Home Church, 0.4 mi. SE., thence 1.0 mi. SW. from, 20 ft. NW. of center line of county rd., in root on S. side of 14-in. pine tree; wire nail-----	38. 70
Sweet Home Church, 0.4 mi. SE., thence 1.5 mi. SW. from, 100 ft. N. and 60 ft. W. from NE. corner of dwelling of J. M. Smith, 3 ft. S. of extreme S. corner of garage, 45 ft. S. of center line of county rd., in concrete post; standard tablet stamped "38 DE 1934"-----	41. 890
Reference mark, 90 ft. N. and 15 ft. E. from tablet, 15 ft. N. of center line of rd., in root on E. side of 20-in. pine tree; wire nail-----	41. 18
Sweet Home Church, 0.4 mi. SE., thence 2.6 mi. SW. from, 40 ft. NW. of center line of rd., in root on S. side of 14-in. pine tree; wire nail-----	42. 10
Sweet Home Church, 0.4 mi. SE., thence 3.6 mi. SW. from, 3.0 mi. NW. of Mount Leon School, 70 ft. S. of junction of Star Bluff rd., in root on NE. side of 16-in. pine tree; wire nail-----	33. 11
Mount Leon School, 2.0 mi. NW. of, 15 ft. NE. of center line of rd., in root on NW. side of 14-in. pine tree; wire nail-----	38. 77
Mount Leon School, 1.6 mi. NW. of, 25 ft. S. and 10 ft. W. from junction of fourth-class rd. W., in concrete post; standard tablet stamped "39 1934"-----	41. 389
Reference mark, 5 ft. N. and 45 ft. E. from tablet, 15 ft. E. of center line of rd., in root on W. side of 24-in. pine tree; wire nail-----	41. 20
Mount Leon School, 0.6 mi. N. of, 35 ft. SW. of center line of rd., in root on W. side of 14-in. pine tree; wire nail-----	42. 60
Mount Leon School, 10 ft. S. and 40 ft. W. from, at crossing of Hammond-Longs rd., 27 ft. W. of center line of Star Bluff rd., in concrete post; U. S. C. & G. S. standard reference disk stamped "Leon No 1 1932"-----	41. 942
Reference mark, 320 ft. S. and 45 ft. E. from disk, in NE. angle of Chestnut Crossroads, in root on E. side of 16-in. pine tree; wire nail-----	41. 28
Mount Leon Church, 1.6 mi. S. of, 1.7 mi. N. of Star Bluff Ferry on Waccamaw River, 15 ft. E. of center line of rd., in root on SW. side of 16-in. pine tree; wire nail-----	16. 42

Star Bluff Ferry, 0.6 mi. N. of, about 300 ft. SW. of old sawmill site, 60 ft. E. of center line of rd., in root on N. side of 24-in. oak tree; wire nail-----	Feet 15. 10
Star Bluff Ferry on Waccamaw River, 85 ft. S. of S. bank of river, 3 ft. S. and 6 ft. E. from NE. corner of barn of Coy Causey, in concrete post; standard tablet stamped "40 DE 1934"-----	16. 796
Reference mark, 15 ft. N. and 50 ft. E. from tablet, 70 ft. S. of S. bank of river, in root on SW. side of 36-in. oak tree; wire nail.---	17. 80
Star Bluff Ferry, 1.0 mi. S. of, 10 ft. W. of center line of rd., in root on E. side of 14-in. pine tree; wire nail-----	25. 90
Star Bluff Ferry, 1.6 mi. SE. of, 1.4 mi. SW. of Wampee, in NE. angle of Star Bluff Crossroads, 150 ft. N. of center line of State Highway 90, in root on W. side of 18-in. oak tree; wire nail.----	37. 86
Star Bluff Crossroads, 0.9 mi. W. of, about 200 ft. SE. of Poplar Church, 35 ft. S. of center line of highway, in root on N. side of 16-in. pine tree; wire nail.-----	36. 20
Star Bluff Crossroads, 1.8 mi. W. of, on property of Martha Moore, 6 ft. N. and 27 ft. E. from NE. corner of tenant house, 57 ft. S. of center line of highway, in concrete post; standard tablet stamped "41 DE 1934"-----	33. 498
Reference mark, 75 ft. N. and 40 ft. W. from tablet, 30 ft. S. of center line of highway, in root on E. side of 16-in. oak tree; wire nail.---	34. 87
Star Bluff Crossroads, 3.0 mi. W. of, at Sharon Church, 35 ft. N. of center line of highway, in root on W. side of 20-in. pine tree; wire nail-----	29. 37
Star Bluff Crossroads, 3.9 mi. W. of, 4.4 mi. NE. of Nixonville, about 0.2 mi. W. of United Church, 20 ft. S. of center line of highway, in root on NW. side of 20-in. oak tree; wire nail.-----	32. 35
Nixonville, 3.5 mi. NE. of, 0.2 mi. SW. of Dogwood Neck School, 120 ft. E. of tobacco barn, 20 ft. N. of center line of highway, in root on SE. side of 14-in. oak tree; wire nail.-----	24. 80
Nixonville, 2.6 mi. NE. of, 57 ft. SE. of center line of highway, 6 ft. N. and 20 ft. W. from NW. corner of dwelling of W. I. Inman, in concrete post; standard tablet stamped "42 DE 1934"---	27. 339
Reference mark, 25 ft. N. and 8 ft. W. from concrete post, 40 ft. SE. of center line of highway, in root on W. side of 16-in. oak tree; wire nail.-----	26. 81
Nixonville, 1.6 mi. E. of, 25 ft. N. of center line of highway, 200 ft. SW. of log cabin, in root on SW. side of 12-in. pine tree; wire nail-----	42. 08
Nixonville, 0.8 mi. E. of, 25 ft. S. of center line of highway, 400 ft. W. of dwelling, in root on E. side of 18-in. pine tree; wire nail.---	36. 35
From Myrtle Beach quadrangle about 3 miles northeast of Pine Island northeast and southeast along roads and back into Myrtle Beach quadrangle about 2 miles northwest of Ocean Forest Hotel (by C. T. Duke in 1934)	
Pine Island, 3.1 mi. NE. of, 150 ft. N. of N. edge of Big Withers Swamp, 0.6 mi. W. of Black Creek, 10 ft. S. of center line of fourth-class rd., in root on E. side of 16-in. pine tree; wire nail.-----	29. 09
Loblolly triangulation sta.; U. S. C. & G. S. standard disk stamped "Loblolly 1934"-----	31. 307
Pine Island, 4.6 mi. NE. of, 3.5 mi. NW. of Ocean Forest Hotel, on SW. side of Burroughs rd., 55 ft. E. of junction of Y-rd., in root on N. side of 12-in. pine tree; wire nail-----	37. 02

Ocean Forest Hotel on U. S. Highway 17, 2.5 mi. NW. of, 15 ft. E. of center line of Burroughs rd., in trunk on W. side of 10-in. gum tree; wire nail-----	Feet 30. 54
---	----------------

OAKTON QUADRANGLE

[Latitude 33°45'-34°00'; longitude 79°15'-79°30']

FLORENCE, GEORGETOWN, HORRY, MARION, AND WILLIAMSBURG COUNTIES

From Hyman quadrangle at point about 2 miles southeast of Evans Crossroads south and southwest along roads by way of Bostic Crossroads and back into Hyman quadrangle about 1 mile northeast of Salem Crossroads (by W. B. Sykes in 1934)

Bostic Crossroads, in W. angle of intersection of Pamplico-Kingsburg rd. and Salem-Bostic landing rd., about 4.0 mi. NW. of Kingsburg, (4.5 mi. NE. of Salem Crossroads, 2 ft. S. of E. corner of old store, in 7- by 7-in. concrete post; standard tablet stamped "SY 29 1934")-----	67. 711
Reference mark, 85 ft. E. of tablet, in root on N. side of 40-in. oak tree; spike (U. S. C. E. B. M.)-----	67. 78
Bostic Crossroads, 1.0 mi. S. of, 0.5 mi. S. of crossing of Seaboard Air Line Ry., 15 ft. SE. of center line of third-class rd., 10 ft. N. of NW. corner of store and filling sta., in root on N. side of 22-in. oak tree; wire nail-----	66. 81
Bostic Crossroads, 2.1 mi. SW. of, 2.4 mi. NE. of Salem Crossroads, 30 ft. S. of center of junction of T-rd., on property of Mansion Gordon, in root on N. side of 18-in. pine tree; wire nail-----	65. 89

From Hyman quadrangle at point about 3 miles southeast of Salem Crossroads south along roads and State Highway 341 into Rhems quadrangle about 2 miles southwest of Hemingway (by W. B. Sykes in 1934)

Daniels School, 2.0 mi. in air line SE. of, on property of Herman Graham, 40 ft. NW. of tenant house, in root on S. side of 24-in. hickory tree; wire nail-----	46. 91
Daniels School, 2.2 mi. in air line SE. of, 0.5 mi. SE. of dwelling of Sep Ard, on S. bank of Lynches River, in root on NW. side of 10-in. cypress tree; wire nail-----	26. 89
Daniels School, 2.9 mi. SE. of, 0.2 mi. S. of Lynches River, 1,000 ft. S. of Pig Pen Lake, at edge of swamp, at N. end of field rd. leading S. across property of W. L. Abrams to intersection of State Highway 341 and rd. to Halfmoon, in root on W. side of 20-in. beech tree; wire nail-----	27. 67
Daniels School, 4.0 mi. SE. of, 4.0 mi. W., thence 0.6 mi. N. from Johnsonville, 1.2 mi. S. of Lynches River, along field rd. S. to State Highway 341, 0.6 mi. N. of highway, on property of W. L. Abrams, 70 ft. W. of deserted house, in root on W. side of 24-in. oak tree; wire nail-----	35. 23
Johnsonville, 4.0 mi. along State Highway 341 W. of, 160 ft. SE. of Y-junction of rd. NW. to Halfmoon, on property of Hydrick Adkinson, 2 ft. N. of NW. corner of dwelling and 3 ft. W. of porch, in 7- by 7-in. concrete post; standard tablet stamped "SY 30 1934")-----	34. 976
Reference mark, 110 ft. W. of tablet, in root on W. side of 20-in. oak tree; wire nail-----	34. 48
Johnsonville, 3.0 mi. W. of, along State Highway 341, 1.7 mi. N. of Cox Crossroads, in E. end of N. curb rail of westernmost of two bridges over Lake Swamp; bolt head-----	38. 04

Cox Crossroads, 0.9 mi. N. of, on property of G. P. Taylor, 20 ft. E. of center line of public third-class rd., in root on W. side of 14-in. sweetgum tree; wire nail-----	<i>Feet</i> 82. 79
Cox Crossroads, 1,200 ft. SE. of, 15 ft. W. of center line of public third-class rd., on property of Federal Land Bank, in root on S. side of 24-in. pine tree; wire nail-----	73. 97
Cox Crossroads, 1.1 mi. SW. of, 0.8 mi. N. of St. Johns Crossroads, 25 ft. E. of center line of Indiantown rd., 40 ft. W. of porch of Donnelly two-story frame dwelling, in angle formed by hedge of S. border of path to dwelling, in 7- by 7-in. concrete post; standard tablet stamped "SY 31 1934"-----	55. 611
Reference mark, 10 ft. SW. of tablet, in root on N. side of 8-in. oak tree; wire nail-----	55. 19
St. Johns Crossroads, 25 ft. S. of center of, on property of E. H. Stone, 20 ft. NE. of store, in root on N. side of 20-in. hickory tree; wire nail-----	56. 25
St. Johns Crossroads, 1.0 mi. S. of, 140 ft. N. of junction of T-rd., 30 ft. E. of center line of second-class rd., in root on S. side of 8-in. black-gum tree; wire nail-----	53. 45
Brunson Crossroads, about 0.5 mi. N. of, 2.0 mi. S. of St. Johns Crossroads, 30 ft. W. of center line of second-class rd., in root on E. side of 10-in. oak tree; wire nail-----	55. 50

From Poston southwest along State Highway 175 to point 0.5 mile southwest of Kingsburg, thence northwest along State Highway 51 into Hyman quadrangle (by W. B. Sykes in 1934)

U. S. C. & G. S. standard disk stamped "U 30 1934"-----	69. 724
Kingsburg, 110 ft. SW. of SW. corner of Seaboard Air Line Ry. sta., 1.2 mi. SW. of Poston, 110 ft. SW. of track, on property of J. R. Gaskins, in root on N. side of 10-in. oak tree; copper nail and washer-----	58. 70
Kingsburg, 0.9 mi. NW. of, 0.5 mi. NW. of junction of State Highways 51 and 175, 60 ft. N. of center line of State Highway 51, in root on S. side of 36-in. pine tree; copper nail and washer-----	75. 06
Kingsburg, 1.9 mi. NW. of, 2.0 mi. SE. of Salem Crossroads, 50 ft. NW. of farmhouse of Peter McWhite, 40 ft. S. of center line of highway, in 7- by 7-in. concrete post; standard tablet stamped "SY 22 1934"-----	82. 367
Reference mark, 10 ft. N. of tablet, in root on N. side of 40-in. twin cedar tree; copper nail and washer-----	81. 85
Salem Crossroads, 1.0 mi. E. of, on property of Napoleon Altman, 30 ft. S. of center line of highway, in root on NE. side of 30-in. chinaberry tree; copper nail and washer-----	73. 35

From Kingsburg northeast along State Highway 175 to Gresham, thence along roads southeast to Browns store, thence generally east into Conway quadrangle near Hughs landing on Little Pee Dee River (by W. B. Sykes in 1934)

Kingsburg, 1.1 mi. N. of, 40 ft. E. of center line of highway, in root on E. side of 10-in. pine tree; wire nail-----	76. 90
Kingsburg, 2.0 mi. NE. of, 200 ft. S. of highway bridge over Pee Dee River (formerly Godfrey Ferry), on property of State Highway Dept., on NW. side of 20-in. oak tree; nail (U. S. C. E. B. M.)-----	70. 73
Kingsburg, 2.8 mi. N. of, 1.6 mi. SW. of Gresham, at N. end of highway bridge across swamp, in W. curb rail; bolt head-----	39. 84
U. S. C. & G. S. standard disk stamped "R 30 1934"-----	50. 505

Gresham, 0.8 mi. SE. of, 12 ft. N. of center line of public fourth-class rd., on property of Napoleon White, in root on S. side of 20-in. pine tree; wire nail.....	Feet 56.42
Gresham, 1.8 mi. SE. of, 15 ft. N. of center line of Sand Hill rd., on property of Atlantic Coast Lumber Corp., in root on S. side of 6-in. oak tree; wire nail.....	56.67
Gresham, 2.8 mi. SE. of, 2.4 mi. NW. of Browns store, along Sand Hill rd., 30 ft. NW. of old tram rd., on property of Atlantic Coast Lumber Corp., in root on S. side of 40-in. oak tree; wire nail.....	39.80
Browns store, 1.0 mi. NW. of, 1.5 mi. E. of camp of Atlantic Coast Lumber Corp., 30 ft. E. of center line of public third-class rd., on property of Mrs. H. G. Richardson, in root on W. side of 30-in. sweetgum tree; wire nail.....	41.04
Browns store, 12 ft. S. of SE. corner of, 800 ft. S. of Central Church, 30 ft. W. of center line of Marion-Conway rd., in 7- by 7-in. concrete post; standard tablet stamped "SY 32 1934".....	35.411
Reference mark, 85 ft. NE. of tablet, in root on SW. side of 12-in. pine tree; wire nail.....	34.78
Browns store, 1.0 mi. SE. of, 0.5 mi. E. of intersection of Jordanville Ferry rd. with Marion-Conway rd., 15 ft. N. of center line of Jordanville Ferry rd., in root on S. side of 12-in. pine tree; wire nail.....	33.07
Browns store, 2.0 mi. SE. of, 900 ft. NW. of sawmill site, 700 ft. NW. of junction of T-rd. N., 10 ft. N. of center line of public third-class rd., in root on S. side of 12-in. oak tree; wire nail.....	25.08
Browns store, 3.1 mi. SE. of, 1.8 mi. W. of Johnson Ferry, on property of Clyde Holden, 15 ft. S. of center line of public third-class rd., in root on N. side of 20-in. oak tree; wire nail.....	26.44
Johnson Ferry, 0.9 mi. NW. of, along public third-class rd. which is parallel to Little Pee Dee River and leads to Potato Bed Ferry, in triangle formed by junction of old rd. NE. leading to Hughs landing, 12 ft. NE. of center of junction, in 7- by 7-in. concrete post; standard tablet stamped "SY 33 1934".....	23.939
Johnson Ferry on Little Pee Dee River about 1 mile N. of Hughs landing, on W. bank of river, in root on E. side of 15-in. cypress tree; wire nail.....	17.88
Johnson Ferry, 1.0 mi. S. of, at Hughs landing on Little Pee Dee River, about 2 mi. SW. of Jordanville, on W. bank of river, in root of 10-in. oak tree; wire nail.....	16.45

From Gresham northeast along State Highway 175 to point 2 miles east of Eulonia (by W. B. Sykes in 1934)

Gresham, 1.2 mi. E. of, 120 ft. E. of center of junction of rd. SE., 75 ft. E. of center line of highway, in root on W. side of 24-in. gum tree; wire nail.....	35.56
Gresham, 2.1 mi. NE. of, 40 ft. W. of center line of highway, in root on W. side of 8-in. pine tree; wire nail.....	35.47
Gresham, 3.2 mi. NE. of, 40 ft. W. of center line of highway, in root on E. side of 12-in. pine tree; wire nail.....	36.53
Eulonia, 2.8 mi. SE. of, 4.2 mi. NE. of Gresham, 40 ft. W. of center line of highway, in root on E. side of 12-in. pine tree; wire nail....	34.15
Eulonia, 2.0 mi. E. of, 80 ft. SW. of center of junction of T-rd. W., 50 ft. W. of center line of highway, in root on N. side of 12-in. pine tree; wire nail.....	39.09

From Rhems quadrangle near Jerusalem Church northeast to point on east bank of Pee Dee River opposite Smiths Mills, thence northwest along Britton Ferry road, Marion-Conway road, and other roads to Browns store (by W. B. Sykes in 1934)

Jerusalem Church, 1.3 mi. along county-line rd. NE. of, 2.4 mi. SW. of Smiths Mills on Pee Dee River, 3.0 mi. NE. of Outland Crossroads, 40 ft. NE. of center of junction of fourth-class rd. E., in 7- by 7-in. concrete post; standard tablet stamped "SY 35 1934"---	<i>Feet</i> 46. 442
Reference mark, 14 ft. SW. of tablet, in root on W. side of 8-in. oak tree; wire nail-----	46. 48
Smiths Mills, 1.2 mi. SW. of, 15 ft. SE. of center line of public third-class rd., on property of Atlantic Coast Lumber Corp., in root on NW. side of 8-in. pine tree; wire nail-----	44. 79
Smiths Mills, 0.4 mi. SW. of, 1,800 ft. E. of crossroads, along public third-class rd., 30 ft. S. of center of junction of T-rd., in root on S. side of 10-in. pine tree; wire nail-----	74. 36
Smiths Mills on Pee Dee River, 0.3 mi. SW. of site of, in NE. corner of county-line rd., 25 ft. N. of gate; iron post stamped "Prim Trav Sta No 16 J 1918"-----	74. 113
Smiths Mills, opposite, on E. bank of Pee Dee River, in root on N. side of 30-in. oak tree; wire nail-----	16. 53
Smiths Mills, 1.5 mi. NE. of, 70 ft. N. of N. shore of lake, in horseshoe bend, in root on S. side of 30-in. pecan tree; wire nail-----	15. 33
Smiths Mills, 2.5 mi. NE. of, 15 ft. S. of center line of old Smiths Mills rd., in root on E. side of 8-in. elm tree; wire nail-----	19. 62
Smiths Mills, 3.6 mi. NE. of, about 4 mi. S. of Forest Service observation tower, 1,000 ft. S. of junction of private T-rd. leading to two-story farmhouse, 12 ft. SW. of center line of public fourth-class rd., in root on N. side of 20-in. pine tree; wire nail-----	20. 58
Forest Service observation tower, 3.5 mi. S. of, 20 ft. E. of center line of Britton Ferry rd., on property of A. M. McDuffy, 250 ft. NE. of tenant house, 75 ft. N. of old tobacco barn, in 7- by 7-in. concrete post; standard tablet stamped "SY 36 1934"-----	21. 174
Reference mark, 25 ft. S. of tablet, in root on S. side of 12-in. hickory tree; wire nail-----	22. 40
Forest Service observation tower, 2.5 mi. S. of, 20 ft. E. of center line of Britton Ferry rd., on property of Atlantic Coast Lumber Corp., in root on W. side of 12-in. oak tree; wire nail-----	21. 14
Forest Service observation tower, 1.5 mi. S. of, 15 ft. W. of center line of Britton Ferry rd., in root on E. side of 30-in. sweetgum tree; wire nail-----	23. 32
Forest Service observation tower, 0.5 mi. S. of, 15 ft. E. of center line of Britton Ferry rd., in root on N. side of 8-in. pine tree; wire nail--	24. 06
Forest Service observation tower, 2.9 mi. SE. of Browns store, about 500 ft. W. of tower, in triangle formed by junction of Britton Ferry rd. and Marion-Conway rd., 50 ft. SW. of center line of Marion-Conway rd., 100 ft. W. of graveyard fence, in 7- by 7-in. concrete post; standard tablet stamped "SY 37 1934"-----	45. 287
Reference mark, 50 ft. SW. of tablet, in root on SW. side of 12-in. pine tree; wire nail-----	43. 17
Forest Service observation tower, 1.0 mi. NW. of, 2.1 mi. SE. of Browns store, 20 ft. E. of center line of Marion-Conway rd., on property of Manuel Tindal, in root on W. side of 30-in. pine tree; wire nail----	43. 76

Browns store, 1.1 mi. S. of, 0.5 mi. S. of Central Church, 40 ft. W. of center of Marion-Conway rd., on Farworth estate, in root on SE. side of 44-in. oak tree; wire nail-----	Feet 38. 88
---	----------------

From point 1.2 miles east of Gresham southeast along Gresham-Potato Bed Ferry road to Browns store (by W. B. Sykes in 1934)

Gresham, 2.2 mi. SE. of, 80 ft. N. of center line of rd., in root on S. side of 10-in. pine tree; wire nail-----	34. 12
Gresham, 3.2 mi. SE. of, 50 ft. S. of center line of rd., in root on W. side of 10-in. pine tree; wire nail-----	34. 17
Gresham, 4.2 mi. SE. of, 1.3 mi. NW. of Browns store, 40 ft. S. of center line of rd., in root on N. side of 8-in. black-gum tree; wire nail-----	38. 45

From point 4 miles south of Forest Service observation tower southeast along Britton Ferry road into Rhems quadrangle (by W. B. Sykes in 1934; double-run spur line)

Forest Service observation tower, 5.1 mi. SE. of, 0.5 mi. SE. of junction of Smiths Mill rd., 10 ft. S. of center line of rd., on property of Atlantic Coast Lumber Corp., in root on N. side of 6-in. hickory tree; wire nail-----	23. 06
Forest Service observation tower, 6.0 mi. SE. of, on property of Atlantic Coast Lumber Corp., 25 ft. S. of center line of rd., in root on W. side of 24-in. pine tree; wire nail-----	26. 67
Forest service observation tower, 7.0 mi. S. of, 7.2 mi. NW. of Britton Ferry on Pee Dee River, on property of Atlantic Coast Lumber Corp., 250 ft. NE. of Hucks dwelling, 20 ft. SW. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "SY 38 1934 32"-----	31. 383
Reference mark, 10 ft. W. of tablet, in root on N. side of 24-in. oak tree; wire nail-----	31. 12

From Hemingway east and southeast along State Highway 51 into Rhems quadrangle (by W. B. Sykes in 1924; double-run line)

U. S. C. & G. S. standard disk stamped "Z 30 1934"-----	52. 815
Hemingway, 1.0 mi. E. of, 35 ft. S. of center line of State Highway 51, on property of Jack Huggins, in base on W. side of 12-in. persimmon tree; wire nail-----	51. 47
U. S. C. & G. S. standard disk stamped "W 305 1934"-----	52. 114
Hemingway, 2.1 mi. E. of, 60 ft. S. of center line of highway, on property of E. W. Rodgers, in root on NW. side of 8-in. sweetgum tree; wire nail-----	52. 94
U. S. C. & G. S. standard disk stamped "W 32 1934"-----	55. 866

From Marion quadrangle about 6 miles southwest of Galivants Ferry on Little Pee Dee River, west along roads into Hyman quadrangle about 6 miles southwest of Eulonia (by D. G. Ruff in 1934)

[Line jogs into Marion quadrangle]

Galivants Ferry, 6.3 mi. SW. of, 100 ft. W. of log barn, 15 ft. E. of center line of rd., in root on N. side of 10-in. oak tree; wire nail--	35. 49
Galivants Ferry, 6.8 mi. SW. of, 7.8 mi. SE. of Eulonia sta. on Seaboard Air Line Ry., 600 ft. W. of junction of T-rd., on property of Jim Roberts, 150 ft. S. and 50 ft. E. from dwelling, on N. side of second-class rd., in 7- by 7-in. concrete post; standard tablet stamped "T T SJ 1934"-----	33. 640

Reference mark, 35 ft. SE. of tablet, 15 ft. SE. of center line of rd., in root on NW. side of 10-in. oak tree; wire nail-----	<i>Feet.</i> 32. 91
Eulonia, 6.7 mi. SE. of, 15 ft. N. of center line of rd., in root on SW. side of 12-in. oak tree; wire nail-----	27. 60
Eulonia, 5.6 mi. SE. of, 1.5 mi. E. of Little Pee Dee River, in Little Pee Dee River Swamp, 10 ft. SE. of center line of trail, in root on W. side of 6-in. oak tree; wire nail-----	28. 14
Eulonia, 4.1 mi. SE. of, about 5 mi. SE. of Centenary, on property of J. C. Davis, 20 ft. N. and 15 ft. E. from SE. corner of tenant house, on W. bank of Little Pee Dee River, in 7- by 7-in. concrete post; standard tablet stamped "T T 167 SJ 1934"-----	30. 774
Reference mark, 16 ft. E. of tablet, 15 ft. W. of W. bank of river, in root on E. side of 36-in. oak tree; wire nail-----	28. 27
Eulonia, 3.1 mi. SE. of, 60 ft. N. of center of junction of rd., in root on NW. side of 6-in. pine tree; wire nail-----	31. 90
Eulonia sta., 0.5 mi. E. of, 15 ft. S. of center line of rd., in root on S. side of 8-in. pine tree; wire nail-----	41. 29
Eulonia sta. on Seaboard Air Line Ry., on NW. side of track, 18 ft. SW. of center of grade crossing, in 7- by 7-in. concrete post; standard tablet stamped "T T 134 DS 1934"-----	43. 531
Reference mark, 20 ft. W. of tablet, 60 ft. NW. of center line of track, in root on E. side of 12-in. oak tree; wire nail-----	41. 83
Eulonia, 1.2 mi. NW. of, 15 ft. NE. of center line of rd., in root on S. side of 12-in. pine tree; wire nail-----	42. 78
Eulonia, 7.0 mi. by road W. of, 4.5 mi. NE. of Evans Crossroads, about 2 miles NE. of Catfish landing, 4 ft. W. of edge of field rd., at N. edge of field and woods, in 7- by 7-in. concrete post; standard tablet stamped "T T 136 DS 1934"-----	36. 380
Reference mark, 80 ft. E. of tablet, 10 ft. SE. of center line of rd., in root on NE. side of 24-in. pine tree; wire nail-----	33. 88
Evans Crossroads, 3.2 mi. NE. of, 0.5 mi. NE. of Pee Dee River, in swamp, in root on W. side of 36-in. poplar tree; wire nail-----	28. 70
Evans Crossroads, 2.7 mi. NE. of, on E. bank of Pee Dee River, in root on W. side of 36-in. cypress tree; wire nail-----	29. 52

From Marion quadrangle at point about 5 miles southeast of Galivants Ferry southeast along county road into Conway quadrangle about 6 miles northwest of Jordanville (by C. T. Duke in 1934)

Jordanville, 5.2 mi. NW. of, 3.7 mi. SW. of Samaritan Army Emergency Camp, 0.2 mi. S. of Red Hill School and Church, 30 ft. W. of center line of county rd., in root on W. side of 16-in. pine tree; wire nail-----	48. 34
---	--------

OKATIE QUADRANGLE

[Latitude 32°15'-32°30'; longitude 80°45'-81°00']

BEAUFORT AND JASPER COUNTIES

From Yemassee quadrangle southwest along Seaboard Air Line Railway to Fairlawn, thence west and north along roads by way of Ridgeland into Yemassee quadrangle (by R. G. Clinite in 1917)

Fairlawn, 0.9 mi. NE. of, at Seaboard Air Line Ry. construction camp, 100 ft. W. of rd. crossing, in root of 36-in. oak tree; wire nail and copper washer-----	15. 26
Fairlawn, 15 ft. N. of store, in root of 30-in. oak tree; wire nail and copper washer-----	32. 81

Fairlawn, 1.2 mi. W. of, 300 ft. S. of whitewashed cabin, at curve in rd., in root of 12-in. hickory tree; wire nail and copper washer.....	<i>Feet</i> 21. 10
Oldhouse, 0.3 mi. NE. of, 2.6 mi. SW. of Fairlawn, 55 ft. E. of center of crossroads, 40 ft. W. of schoolhouse; iron post stamped "12 1917".....	11. 958
Oldhouse, 1.2 mi. W. of, 15 ft. S. and 35 ft. E. from crossroads, in root of 11-in. hickory tree; copper nail and washer.....	12. 43
Oldhouse, 2.6 mi. W. of, 3.4 mi. E. of Ridgeland, in SE. angle of crossroads, in root of 30-in. pine tree; nail.....	20. 69
Ridgeland, 2.8 mi. E. of, on S. side of rd. opposite junction of dim rd. N., 20 ft. N. of 18-in. pine tree; iron post stamped "39 1917"....	38. 689
Ridgeland, 1.6 mi. E. of, in NW. angle of rd. fork, at fence corner, in root of 10-in oak tree; wire nail and copper washer.....	51. 04
Ridgeland, 0.7 mi. E. of, 450 ft. E. of branch, on S. side of rd., in root of 20-in. cedar tree; wire nail.....	41. 49
Ridgeland, 100 ft. E. of Atlantic Coast Line R. R. sta., about 180 ft. S. of crossing of Main Street, 50 ft. E. of center line of northbound main track, at SW. corner of Waring Park, about 9 ft. higher than track; iron post stamped "Prim Trav Sta No 2 Mac 1917 62" (recovered by U. S. C. & G. S. in 1933).....	61. 591
Ridgeland, 1.1 mi. NW. of, 250 ft. SW. of cabin, on E. side of rd., in root of 16-in. pine tree; nail.....	72. 87

From Yemassee quadrangle southeast along Charleston & Western Carolina
Railway into Fort Fremont quadrangle (by R. G. Clinite in 1917)

Grays Hill, in front of sta.; top of rail.....	43. 8
Grays Hill, 55 ft. E. of S. end of sta., 4 ft. W. of telephone pole; iron post stamped "43 1917".....	43. 193

From Oldhouse south along Charleston-Savannah road to point 2 miles south
of Okatie, thence southeast along Bluffton road into Bluffton quadrangle
(by R. G. Clinite in 1918)

Oldhouse, 1.0 mi. S. of, 400 ft. N. of Seaboard Air Line Ry. bridge, on E. side of rd., in root of 30-in. pine tree; copper nail and washer...	24. 54
Oldhouse, 2.2 mi. S. of, at Cooler store, on W. side of rd. fork, in root of twin oak tree; copper nail and washer.....	21. 30
Oldhouse, 3.2 mi. S. of, 18 ft. E. of center line of rd., at curve, 30 ft. S. of 30-in. pine tree; iron post stamped "13 1918".....	12. 305
Oldhouse, 4.7 mi. S. of, 120 ft. SE. of church, on W. side of rd., in root of 18-in. hickory tree; copper nail and washer.....	26. 30
Oldhouse, 5.2 mi. S. of, 4.7 mi. N. of Okatie, 20 ft. S. and 10 ft. E. from junction of rd. W. to Okeetee sta. on Atlantic Coast Line R. R.; iron post stamped "Prim Trav Sta No 5 S 1918 31".....	31. 051
Okatie, 3.4 mi. N. of, on E. side of rd., in root of 15-in. pine tree; copper nail and washer.....	21. 06
Okatie, 2.4 mi. N. of, 100 ft. S. of junction of dim rd. W., 270 ft. N. of gate, on W. side of rd., in root of 37-in. pine tree; copper nail and washer.....	21. 46
Okatie, 1.5 mi. N. of, 110 ft. S. of second-class rd. W., about 1,200 ft. N. of church, on W. side of rd., at curve; iron post stamped "21 1918".....	21. 022
Okatie, 0.4 mi. N. of discontinued post office, 600 ft. N. of schoolhouse, on E. side of rd., in root of 32-in. pine tree; copper nail and washer.....	19. 05

Okatie, 0.6 mi. S. of discontinued post office, on W. side of rd., in root of 34-in. pine tree; copper nail-----	<i>Feet</i> 13. 62
Okatie, 2.0 mi. S. of, on W. side of rd. at junction of Charleston-Savannah rd. and rd. S. to Bluffton, in front of farmhouse, 1 ft. outside of fence; iron post stamped "17 1918"-----	16. 384
Okatie, 3.4 mi. SE. of, 110 ft. SE. of schoolhouse, in root of 40-in. pine tree; copper nail and washer-----	23. 85
Okatie, 4.3 mi. SE. of, 900 ft. NW. of church, at curve in rd., in root of 14-in. pine tree; copper nail and washer-----	20. 89
Okatie, 5.6 mi. SE. of, 4.0 mi. NW. of Bluffton, on SW. side of rd., at edge of woods, in root of 14-in. pine tree; copper nail and washer--	23. 58
Bluffton, 3.4 mi. NW. of, 300 ft. E. of junction of dim rd. S., at sharp turn in shell-surfaced rd., 500 ft. W. of farmhouse, 30 ft. S. of gate; iron post stamped "29 1918"-----	28. 824
Bluffton, 2.3 mi. NW. of, 12 ft. S. and 12 ft. E. from crossroads, 250 ft. N. of curve in rd., in root of 11-in. oak tree; copper nail and washer-----	29. 43
Bluffton, 1.4 mi. NW. of, on E. side of rd. at curve, in root of 20-in. pine tree; copper nail and washer-----	22. 70

From Bluffton quadrangle near Pritchardville northwest along Bluffton-Hardeeville road into Hardeeville quadrangle (by R. G. Clinite in 1918)

Pritchard, about 450 ft. N. of Seaboard Air Line Ry. sta., in NW. angle of highway crossing; top of galvanized drain pipe-----	11. 22
Pritchard, 1.4 mi. W. of, on W. side of rd. at junction of Charleston-Savannah rd. and rd. NW. to Hardeeville, at "Old Sign Store," in root of 28-in. pine tree; copper nail and washer-----	5. 96
Pritchard, 2.6 mi. W. of, on SW. side of rd., at corner of rail fence, in root of 18-in. pine tree; copper nail and washer-----	10. 45
Hardeeville, 3.4 mi. E. of, 30 ft. SW. of gate to private rd., at sharp turn in rd., 100 ft. SW. of cabin, 4 ft. outside of fence; iron post stamped "23 1918"-----	22. 426

From Hardeeville quadrangle northeast along Atlantic Coast Line Railroad to Ridgeland (by R. G. Clinite in 1918)

Ridgeland, 2.6 mi. SW. of, 100 ft. SE. of crossing of private rd., in root of 28-in. charred pine tree; copper nail and washer-----	44. 11
Ridgeland, 1.0 mi. SW. of, on N. side of rd. crossing, on W. side of track, in root of 20-in. pine tree; copper nail and washer-----	43. 33

From Hardeeville quadrangle southeast along Tarboro-Ridgeland road to Ridgeland (by F. L. Shalibo in 1918)

Ridgeland, 1.9 mi. NW. of, on S. side of rd. at crossroads, 50 ft. S. of store, in root of 10-in. tree; copper nail-----	47. 42
--	--------

OLAR QUADRANGLE

[Latitude 33°00'–33°15'; longitude 81°00'–81°15']

ALLENDALE, BAMBERG, BARNWELL, COLLETON, AND HAMPTON COUNTIES

From Varnville quadrangle northeast along Seaboard Air Line Railway to Govan (by H. L. Hudson in 1918) ⁴³

Sycamore, 1.2 mi. SW. of, 4.0 mi. N. of Fairfax, at NW. corner of trestle; head of bolt-----	126. 57
--	---------

⁴³ Supplementary to U. S. C. & G. S. first-order line of 1918—Savannah, Ga., to Moncure, N. C.

Sycamore, 200 ft. NE. of sta., 20 ft. E. of track; iron post stamped "Prim Trav Sta No 84 Mac 1917 152" (designated "B 1" by U. S. C. & G. S.)	Feet 152. 595
Ulmers, 100 ft. E. of sta., 250 ft. S. of rd. crossing; iron post stamped "Prim Trav Sta No 86 Mac 1917 163" (designated "D 1" by U. S. C. & G. S.) ⁴⁴	163. 212
Ulmers, 1.0 mi. NE. of, at SW. end of trestle; head of bolt	138. 54
Schofield, 0.7 mi. SW. of, 2.0 mi. NE. of Ulmers, at NW. end of trestle; head of bolt	116. 73
Schofield, 100 ft. N. of rd. crossing, on SE. pillar of water tank; chiseled square	132. 11
U. S. C. & G. S. standard disk stamped "F 1 1918"	133. 084
U. S. C. & G. S. standard disk stamped "G 1 1918" ⁴⁵	205. 751
Govan, 1.0 mi. SW. of, at crossing, on W. side of tracks; head of bolt	233. 24
Govan, opposite N. end of sta., 115 ft. S. of rd. crossing, 27 ft. E. of center line of track; iron post stamped "Prim Trav Sta No 87 Mac 1917" (designated "H 1 A" by U. S. C. & G. S.)	243. 100

From Ulmers northwest along road into Allendale quadrangle near Rosemary Church (mostly by H. L. Hudson and partly by D. S. Birkett in 1918)

Ulmers, 1.2 mi. NW. of, 200 ft. W. of dwelling, on W. side of rd., in root of oak tree; nail	173. 73
Ulmers, 2.3 mi. NW. of, 0.3 mi. NW. of Wells Branch, on W. side of rd., opposite T-rd. E., in root of 10-in. pine tree; nail	160. 77
Ulmers, 3.3 mi. NW. of, at Allen Chapel, on NE. side of rd. at junction of rd. W.; iron post stamped "Prim Trav Sta No 12 S 1918 170"	169. 861
Rosemary Church, about 400 ft. N. of, 4.0 mi. NW. of Ulmers, 30 ft. SE. of crossroads, in root of oak tree; copper nail	220. 55

From Olar along roads southeast to road junction 1.9 miles east of Kearse Chapel, thence south across Salkehatchie River into Varnville quadrangle (by H. L. Hudson in 1918)

Olar, 0.9 mi. SE. of Seaboard Air Line Ry. sta., on W. side of rd., opposite junction of rd. E., in root of 30-in. pine tree; nail	166. 30
Olar, 1.8 mi. SE. of, in NE. angle of junction of rd. E., at SW. margin of cypress swamp, in root of cypress tree; nail	178. 84
Olar, 2.6 mi. SE. of, 3.4 mi. NW. of Kearse Chapel, 4.7 mi. NE. of Ulmers, 200 ft. S. of mill, in NW. corner of crossroads; iron post stamped "174"	174. 510
Kearse Chapel, 2.4 mi. NW. of, on N. side of rd., in bridge over small drain; nail	163. 65
Kearse Chapel, about 1.4 mi. NW. of, on S. side of rd., in root of small tree; nail	170. 33
Kearse Chapel, 0.2 mi. W. of, on N. side of rd. at junction of rd. S.; iron post stamped "165"	165. 764
Kearse Chapel, 1.9 mi. E. of, 4.2 mi. N. of Memorial Church, 200 ft. N. of junction of N.-S. rd., on W. side of rd., 150 ft. W. of dwelling, in root of maple tree; nail	156. 30

⁴⁴ In 1934 this benchmark was reported tilted to such a degree as to change its elevation.

⁴⁵ Reported destroyed sometime before 1934.

Kearse Chapel, 2.7 mi. SE. of, 3.3 mi. N. of Memorial Church, about 5.3 mi. W. of Ehrhardt, on S. side of E.-W. rd. at junction of rd. NE., 100 ft. N. of dwelling of J. Cast, in corner of yard; iron post stamped "152"-----	Feet 152. 662
Memorial Church, 2.0 mi. NW. of, 0.4 mi. SW. of crossing of Threemile Branch, on E. side of rd., 200 ft. W. of dwelling, in root of 24-in. oak tree; nail-----	147. 01
Memorial Church and School, 100 ft. S. of, 0.2 mi. W. of Threemile Branch, on N. side of rd., at memorial grounds; iron post stamped "117"-----	117. 600
Memorial Church, 1.1 mi. SW. of, 0.1 mi. NE. of Rivers Bridge over Salkehatchie River, 200 ft. N. of tram R. R., on W. side of rd., in root of oak tree; nail-----	96. 72
Jennys, 1.0 mi. N. of, 1.0 mi. SW. of Rivers Bridge, on N. side of junction of rd. S., in root of 10-in. oak tree; nail-----	110. 00
Jennys, 100 ft. N. of store of J. W. Jenny & Co.; iron post stamped "138"-----	138. 240
Jennys, 1.0 mi. SW. of, in SE. angle of junction of T-rd. S., 100 ft. NW. of dwelling, in root of sycamore tree; nail-----	132. 57
Jennys, 2.2 mi. S. of, 500 ft. S. of Allendale-Hampton county line, 200 ft. S. of swamp, on W. side of rd., 10 ft. N. of old dwelling, in root of oak tree; nail-----	127. 26

From road junction 1.9 miles east of Kearse Chapel along roads north to intersection 0.4 mile north of Sweet Gum School, thence southeast to Hughes (by H. L. Hudson in 1918)

Sweet Gum School, 1.9 mi. S. of, on E. side of rd., 200 ft. W. of dwelling, in root of 24-in. elm tree; nail-----	161. 80
Sweet Gum School, 0.4 mi. N. of, 1.4 mi. NW. of Macedonia Church, about 7 mi. NW. of Ehrhardt, 15 ft. N. and 12 ft. E. from crossroads; iron post stamped "Prim Trav Sta No 14 S 1918"-----	161. 649
Macedonia Church, 0.5 mi. W. of, in SE. angle of junction of T-rd. S., 300 ft. N. of dwelling, in root of 10-in. oak tree; nail-----	156. 89
Macedonia Church, 0.5 mi. E. of, on S. side of rd., 400 ft. E. of dwelling, 300 ft. W. of another dwelling, in root of elm tree; nail--	144. 62
Macedonia Church, 1.3 mi. SE. of, 2.7 mi. NW. of Hughes, 300 ft. N. of dwelling, on SW. side of rd. at junction of rd. SE., in root of pine tree; nail-----	145. 36
Hughes, 2.0 mi. NW. of, 150 ft. W. of dwelling, 100 ft. E. of junction of second-class rd. SW., on NE. side of rd., in root of oak tree; nail--	149. 88
Hughes, 0.6 mi. NW. of, 200 ft. N. of Hughes dwelling, in root of 30-in. oak tree; nail-----	144. 24

From Varnville quadrangle near Wymans School along roads generally north by way of Ehrhardt and Hughes into Bamberg quadrangle (by H. L. Hudson in 1918)

Wymans School and Crossroads, 1.0 mi. N. of, 300 ft. NW. of junction of rd. N., 400 ft. W. of dwelling, on E. side of rd., in root of 10-in. pine tree; nail-----	106. 58
Wymans Crossroads, 1.9 mi. N. of, in SE. angle of rd. fork, at N. margin of swamp, in root of pine tree; nail-----	111. 09
Wymans Crossroads, 3.1 mi. N. of, 5.5 mi. SW. of Ehrhardt, 0.3 mi. E. of Wesley Chapel, in NE. angle of crossroads, in root of small forked tree; nail-----	116. 78

Ehrhardt, 3.6 mi. S. of, 300 ft. S. of Bamberg-Colleton county line, on W. side of rd., 100 ft. E. of dwelling; iron post stamped "119"-----	<i>Feet</i> 119. 076
Ehrhardt, 3.1 mi. S. of, on E. side of rd., in root of 15-in. pine tree; nail-----	122. 57
Ehrhardt, 2.3 mi. SW. of, on E. side of rd., 200 ft. N. of dwelling, in root of oak tree; nail-----	135. 46
Ehrhardt, 1.0 mi. S. of, 400 ft. N. of rd. forks, on W. side of rd., 50 ft. E. of dwelling, in root of oak tree; nail-----	144. 64
Ehrhardt, 200 ft. N. 56° W. from Atlantic Coast Line R. R. sta., about 22 ft. S. of center line of main track, 6 ft. SE. of fence corner; iron post stamped "Prim Trav Sta No 90 Mac 1917 145"-----	145. 131
Ehrhardt, 1.1 mi. N. of, 200 ft. W. of St. Luke's Church, on W. side of rd., in root of 20-in. pine tree; nail-----	146. 20
Ehrhardt, 2.1 mi. N. of, 1.2 mi. S. of Hughes, in NE. angle of junction of rd. E., 500 ft. N. of dwelling, in root of 24-in. pine tree; nail-----	151. 73
Hughes, near crossing of Bamberg, Ehrhardt & Walterboro Ry. and rd., 20 ft. E. of tracks, 10 ft. S. of rd.; iron post stamped "148"-----	148. 405
Hughes, 1.1 mi. N. of, 0.5 mi. N. of Mount Pleasant Church, on W. side of rd., in bridge over swamp at Little Salkehatchie River; nail-----	105. 50
Hughes, 2.0 mi. N. of, on E. side of rd., 100 ft. N. of dwelling, in root of walnut tree; nail-----	146. 54
Hughes, 3.0 mi. N. of, near rd. fork, on E. side of rd.; iron post stamped "144"-----	143. 981
Hughes, 4.0 mi. N. of, on S. side of rd. at junction of T-rd. E., 75 ft. E. of dwelling, in root of pine tree; nail-----	144. 45
Hughes, 5.0 mi. N. of, 6.5 mi. S. of Bamberg, 0.7 mi. E., thence 0.3 mi. S. from Whetstone, at N. margin of cypress swamp, on E. side of rd., in root of pine tree; nail-----	146. 94
Bamberg, 4.0 mi. S. of, 3.0 mi. by rd. N. of Whetstone, 600 ft. N. of swamp, on W. side of rd., in root of pine tree; nail-----	147. 74

From Govan northeast along Olar-Bamberg road to crossroads 0.4 mile southeast of Flat Pond, thence southeast by way of Springtown Church to junction of Bamberg-Ehrhardt road 0.7 mile east of Whetstone (by H. L. Hudson in 1918)

[Line jogs into Bamberg quadrangle]

Govan, 1.8 mi. NE. of, 0.9 mi. S. of Little Salkehatchie River, 500 ft. W. of swamp, at top of hill, on E. side of rd., in root of oak tree; nail-----	198. 52
Govan, 2.7 mi. NE. of, about 0.5 mi. N. of Little Salkehatchie River, 200 ft. N. of dwelling, on S. side of rd.; iron post stamped "184"-----	183. 602
Springtown Church, 2.3 mi. NW. of, about 3 mi. SE. of Luther, on SW. side of rd., 100 ft. N. of dwelling, in root of chinaberry tree; nail-----	197. 00
Springtown Church, 0.3 mi. W. of, 0.4 mi. NE. of Little Salkehatchie River, on E. side of Orangeburg rd., on N. side of E.-W. second-class rd., 100 ft. S. of dwelling; iron post stamped "186"-----	186. 009
Springtown Church, 0.9 mi. E. of, 2.8 mi. W. of Whetstone, 1.2 mi. W. of Orange Grove Church, on SW. side of rd., at junction of second-class rd. SW., in root of oak tree; nail-----	179. 22
Orange Grove Church, at intersection of Colston rd., in SW. corner of churchyard, in root of oak tree; nail-----	166. 46
Whetstone, 1.1 mi. W. of, 0.6 mi. SE. of Orange Grove Church, on N. side of rd., in root of 20-in. pine tree; nail-----	162. 15
Whetstone, 20 ft. E. of Bamberg, Ehrhardt & Walterboro Ry. tracks, 20 ft. S. of rd.; iron post stamped "158"-----	158. 499

Along roads northeast and northwest by way of Mount Calvary Church—a jog from Allendale quadrangle (by D. S. Birkett in 1918)

Mount Calvary Church, 0.6 mi. SW. of, 0.8 mi. NE. of Hickory Hill School, 2.4 mi. SW. of Ulmers, at rd. junction, in root of large oak tree; copper nail.....	<i>Feet</i> 192. 24
Mount Calvary Church, about 750 ft. N. of, 50 ft. S. of rd. forks, in root of black-gum tree; copper nail.....	182. 21
Mount Calvary Church, 0.4 mi. NW. of, 3.0 mi. by rd. W. of Ulmers, about 500 ft. NW. of Sumter Barnwell Co. gin, 70 ft. W. of store; iron post stamped "200 1918".....	200. 634

From Allendale quadrangle at point near crossing of Barnwell-Schofield road and Hercules Creek southeast along road 0.4 mile, thence along roads generally north to Oak Grove School, thence west and back into Allendale quadrangle (by D. S. Birkett in 1918)

Rushes old mill, 1.8 mi. NW. of, 8.4 mi. SE. of Barnwell, 3.1 mi. by rd. S. of Oak Grove School, on Barnwell-Schofield rd. at junction of rd. N., in root of oak tree; copper nail.....	164. 33
Oak Grove School, 2.3 mi. S. of, 2.4 mi. by rd. NW. of Rushes old mill, at crossroads, 20 ft. S. of mail box of H. A. Padgett, in root of oak tree; copper nail.....	201. 86
Oak Grove School, 1.8 mi. S. of, 1.5 mi. E. of Friendship Church, 20 ft. NE. of crossroads, in root of oak tree; rail spike.....	226. 46
Oak Grove School, 1.1 mi. S. of, at crossroads, in oak tree; rail spike.....	219. 18
Oak Grove School, in front of, about 5 mi. S. of Hilda, in corner of iron fence; iron post stamped "235 1918".....	235. 190

ORANGEBURG QUADRANGLE

[Latitude 33°15'–33°30'; longitude 80°45'–81°00']

BAMBERG AND ORANGEBURG COUNTIES

From Lodge quadrangle northwest along Southern Railway to point near Branchville station (by R. G. Clinite in 1919)

Branchville, opposite E. end of sta.; top of rail.....	124. 3
Branchville, 120 ft. S. of W. end of sta., on S. side of street, 130 ft. E of center line of main N.-S. street, in root of 27-in. oak tree; copper nail.....	124. 38
Branchville, 1,300 ft. W. of sta., 200 ft. NE. of W. end of wye formed by junction of Augusta-Branchville and Charleston-Columbia branches of Southern Ry., 110 ft. W. of 28-in. pine tree standing midway between tracks; iron post stamped "Prim Trav Sta No 2 Mac 1918".....	124. 452

From Branchville northwest along Southern Railway into Bamberg quadrangle (by C. H. Semper in 1919)

Branchville, 2.0 mi. NW. of, 2.5 mi. SE. of Embree, 30 ft. N. of milepost 2, 40 ft. N. of track, in root of pine tree; copper nail.....	108. 49
Embree, 1.5 mi. SE. of, 1.3 mi. E. of crossing of Edisto River, 3 ft. N. of milepost 3; iron post stamped "109" (recovered by U. S. C. & G. S. in 1934).....	108. 484
Embree, 1.2 mi. E. of, about 1 mi. E. of crossing of Edisto River, at point where narrow-gage N.-S. logging R. R. crosses Southern Ry.; top of rail.....	109. 0

Embree, about 0.2 mi. E. of, 320 ft. W. of milepost 4, on N. side of trestle over Edisto River, in retaining timber; top of bolt-----	<i>Feet</i> 112. 92
Embree, in front of sta.; top of rail-----	114. 5
Embree, 1.3 mi. NW. of, 3.9 mi. SE. of Midway, 5 ft. E. of milepost 6, 10 ft. N. of track; iron post stamped "118" (recovered by U. S. C. & G. S. in 1934)-----	117. 303
Midway, directly opposite W. end of sta., 18 ft. N. of track; iron post stamped "Prim Trav Sta No 1 Mac 1918 152" (recovered by U. S. C. & G. S. in 1934)-----	151. 620

From Lodge quadrangle near Pine Grove School north along road to Midway
(by C. H. Semper in 1919)

Midway, 2.0 mi. S. of, 0.8 mi. N. of junction of rd. NW. to Bamberg, on E. side of rd., opposite dwelling occupied by Negro family, in root of westernmost one of two oak trees; copper nail-----	153. 48
Midway, 1.2 mi. S. of, about 0.1 mi. NE. of junction of second-class rd. NW., on W. side of rd., in root of 24-in. pine tree; copper nail--	154. 40

From Bamberg quadrangle near Cope northeast along Bamberg-Orangeburg road to junction with Folman Bridge road about 2 miles west of Orangeburg, thence northwest along Holman Bridge and Ninety Six roads into St. Matthews quadrangle (by C. H. Semper in 1919)

Cope, 0.8 mi. SE. of Atlantic Coast Line R. R. sta. at, 0.1 mi. W. of Snake Swamp, on W. side of Bamberg-Orangeburg rd. at junction with rd. E. from Cope; iron post stamped "168"-----	167. 341
Cope, 1.9 mi. NE. of, 0.9 mi. NE. of junction of Bamberg-Orangeburg rd. with rd. SE. to Branchville, 700 ft. SW. of crossing of Atlantic Coast Line R. R., on SE. side of rd., in root of pine tree; copper nail--	191. 55
Cope, 3.2 mi. NE. of, 0.4 mi. SW. of junction of rd. W. to Bryant's Academy, on E. side of rd., in root of pine tree; copper nail-----	206. 22
Cope, 4.5 mi. NE. of, 0.8 mi. NE. of junction of rd. W. to Bryant's Academy, 115 ft. N. of N. side of dwelling of R. A. Walters, 5 ft. W. of rd.; iron post stamped "268.5" (recovered by U. S. C. & G. S. in 1935)-----	267. 811
Cope, 5.6 mi. NE. of, 1.7 mi. SW. of junction of Bennecker Bridge rd., on W. side of rd., near dwelling, in root of oak tree; copper nail----	283. 50
Cope, 6.7 mi. NE. of, 0.6 mi. SW. of junction of Bennecker Bridge rd., in front of cotton gin, on W. side of rd., in root of pecan tree; copper nail-----	305. 13
Cope, 7.3 mi. NE. of, 5.4 mi. SW. of abandoned Orangeburg R. R. sta. in Orangeburg, in SW. angle of junction of Bennecker Bridge rd.; iron post stamped "303"-----	302. 295
Orangeburg, 4.3 mi. SW. of, near junction of rd. NW., 50 ft. N. of N. side of church, in yard, 35 ft. W. of rd., in root of oak tree; copper nail-----	301. 88
Orangeburg, 2.9 mi. SW. of, on E. side of rd. at junction of private rd. SE., in root of oak tree; copper nail-----	240. 06
Orangeburg, 2.0 mi. W. of abandoned Orangeburg R. R. sta., in W. angle of junction of Holman Bridge rd., 20 ft. W. of stone monument; iron post stamped "229"-----	228. 287
Orangeburg, 3.3 mi. NW. of, 0.7 mi. NW. of junction of Ninety Six and Holman Bridge rds., on SW. side of Ninety Six rd. near junction of rd. SW., in root of pine tree; copper nail-----	272. 51
Orangeburg, 4.3 mi. NW. of, 40 ft. W. of bridge over Fourmile Creek, on S. side of rd., in root of poplar tree; copper nail-----	184. 73

From Orangeburg west along Holman Bridge road into Bamberg quadrangle
near Bolen (by C. H. Semper in 1919)

Orangeburg, 100 ft. W. of abandoned Orangeburg R. R. sta., at NW. corner of Cannon Street and Seaboard Avenue, in center of concrete-filled 5-in. pipe; small copper bolt (recovered by U. S. C. & G. S. in 1935; U. S. C. E. River Survey B. M.)-----	Feet 198. 645
Orangeburg, 1.1 mi. W. of, about 0.5 mi. W. of North Fork of Edisto River, on NW. side of rd. at bend, in root of sweetgum tree; copper nail-----	162. 55
Orangeburg, 3.2 mi. W. of, 1.1 mi. SE. of Poplar Spring School, 0.9 mi. W. of junction of Ninety Six rd., on N. side of rd. near summit of long hill, in root of pine tree; copper nail-----	303. 55
Orangeburg, 4.1 mi. W. of, 0.3 mi. E. of Poplar Spring School, 75 ft. W. of bridge over small creek, on N. side of rd., in root of sweetgum tree; copper nail-----	212. 73
Poplar Spring School, 4.4 mi. W. of Orangeburg, 8 ft. E. of E. side of schoolhouse, on S. side of rd.; iron post stamped "257"-----	255. 811
Poplar Spring School, 1.1 mi. SW. of, 2.2 mi. E. of St. George School, 425 ft. W. of Fourmile Creek, on S. side of rd., in root of pine tree; copper nail-----	242. 96
St. George School, 1.2 mi. E. of, in NW. angle of intersection of NE.-SW. rd., in front of dwelling, in root of small oak tree; copper nail--	324. 26
St. George School, 300 ft. W. of, 1.4 mi. E. of Bolen, at junction of T-rd. N.; iron post stamped "315"-----	314. 525

From Orangeburg south along road near Southern Railway (present U. S. Highway 21) to Branchville (by C. H. Semper in 1919)

Orangeburg, at post office, in SE. corner of yard; iron post stamped "245" (recovered by U. S. C. & G. S. in 1935)-----	244. 314
Orangeburg, in front of Southern Ry. sta.; top of rail-----	245. 4
Orangeburg, at Southern Ry. bridge over Atlantic Coast Line R. R. tracks, at E. end of N. abutment, on bridge seat, on top of capstone; chiseled square-----	221. 00
Orangeburg, 2.6 mi. S. of, 0.5 mi. S. of junction of Charleston rd., at junction of farm rd. E., in front of deserted cabin, in root of sycamore tree; copper nail-----	195. 99
Orangeburg, 3.2 mi. S. of, on E. side of rd. at bend, 8 ft. N. of small store; iron post stamped "195"-----	194. 511
Orangeburg, 4.7 mi. S. of, 4.3 mi. N. of Rowesville, 250 ft. S. of milepost 4, on W. side of rd., in root of 24-in. pine tree; copper nail-----	188. 70
Rowesville, 3.4 mi. N. of, 250 ft. N. of milepost 5, on E. side of rd., S. of junction of rd. E., in root of 24-in. pine tree; copper nail-----	187. 42
Rowesville, 3.0 mi. N. of, on E. side of rd., 30 ft. S. of S. side of farmhouse of N. R. Barton; iron post stamped "187"-----	186. 685
Rowesville, 2.2 mi. N. of, about 0.5 mi. N. of St. George Church, opposite farmhouse of W. B. King, on E. side of rd., in root of sweetgum tree; copper nail-----	182. 00
Rowesville, 1.2 mi. N. of 0.5 mi. S. of St. George Church, on E. side of rd., in front of dwelling occupied by Negro family, in root of 54-in. oak tree; copper nail-----	176. 82
Rowesville, 510 ft. N. of Southern Ry. sta., 20 ft. E. of E. rail; iron post stamped "Prim Trav Sta No 11 Mac 1918 166"-----	165. 734
Rowesville, near sta., at grade crossing; top of rail-----	167. 8

Rowesville, 1.1 mi. S. of, on W. side of rd., in front of dwelling occupied by Negro family, in root of sweetgum tree; copper nail-----	<i>Feet</i> 146. 37
Rowesville, 2.1 mi. S. of, on E. side of rd., at junction of rd. E., in front of dwelling occupied by Negro family, in root of oak tree; copper nail-----	153. 61
Rowesville, 2.7 mi. S. of, about 0.2 mi. S. of junction of second-class rd. NW. to Rowesville Bridge, on E. side of rd. at T-junction of second-class rd. E.; iron post stamped "150"-----	149. 660
Rowesville, 3.7 mi. S. of, 180 ft. E. of rd., 75 ft. N. of cabin of Negro family, in root of 54-in. oak tree; copper nail-----	147. 74
Rowesville, 4.8 mi. S. of, 4.6 mi. N. of Branchville, on E. side of rd., opposite two log buildings on W. side of rd., in root of sweetgum tree; copper nail-----	134. 64
Branchville, 3.4 mi. N. of, in NW. angle of intersection of second-class rd.; iron post stamped "139"-----	138. 065
Branchville, 2.5 mi. N. of, on E. side of rd., in root of pine tree; copper nail-----	127. 64
Branchville, about 1.3 mi. N. of Southern Ry. sta., on W. side of rd., 200 ft. S. of white dwelling, in root of pine tree; copper nail-----	126. 03
From Orangeburg southeast along Five Chop road about 5 miles, thence generally southwest to Rowesville (by C. H. Semper in 1919)	
Orangeburg, 1.4 mi. SE. of post office, 0.3 mi. W. of Waring Church, on N. side of rd., 80 ft. E. of small barn at edge of rd., in root of oak tree; copper nail-----	204. 66
Orangeburg, 2.5 mi. SE. of, on N. side of rd., in front of two-story dwelling occupied by Negro family, in root of oak tree; copper nail-----	192. 45
Orangeburg, 3.3 mi. SE. of, in front of farmhouse of J. E. Earley, 20 ft. W. of house line, on N. side of rd.; iron post stamped "190"-----	188. 896
Orangeburg, 4.4 mi. SE. of, 500 ft. S. of junction of rd. NE., on W. side of rd., in root of pine tree; copper nail-----	166. 18
Orangeburg, 4.9 mi. SE. of, on N. side of rd. at junction of second-class rd. SW., 100 ft. W. of farmhouse of J. F. Bozard; iron post stamped "178"-----	177. 352
Orangeburg, 4.9 mi. SE., thence 1.0 mi. SW. from, 0.9 mi. NE. of Cow Castle Creek, 1.1 mi. NE. of junction of Orangeburg-Charleston rd., on E. side of rd., in front of small red dwelling occupied by Negro family, in root of oak tree; copper nail-----	183. 20
Orangeburg, 5.5 mi. by direct rd. and 7.0 mi. by route SE. of, 0.3 mi. SW. of Cow Castle Creek, at junction of Orangeburg-Charleston rd., 200 ft. W. of farmhouse of J. R. Smoak, on S. side of rd., in root of oak tree; wire nail-----	182. 75
Orangeburg, 6.3 mi. along Charleston rd. SE. of, 1.9 mi. NW. of Bethel Church, in front of farmhouse of Dr. J. D. S. Fairey, at W. corner of fence around yard, in root of sycamore tree; wire nail-----	178. 40
Orangeburg, 6.8 mi. SE. of, 5.7 mi. NE. of Rowesville, 40 ft. S. of center line of rd. at intersection of second-class rd. to Rowesville, 30 ft. E. of canal; iron post stamped "172" (as reset Dec. 19, 1930, by M. D. Alexander, State Highway Dept.; the previous elevation was 171.020 ft.)-----	169. 204
Reference mark, 55 ft. N. of post, 75 ft. E. of bridge over Crum Branch, 15 ft. N. of center line of rd., in oak tree; wire nail-----	168. 64
Rowesville, 4.6 mi. NE. of, 2.0 mi. NE. of Canaan Church, 0.2 mi. N. of crossing of small stream, 500 ft. S. of large sawdust pile, in root of pine tree; copper nail-----	176. 44

Rowesville, 2.6 mi. NE. of, opposite and 10 ft. S. of S. side of Canaan Church, on N. side of rd. near intersection of NW.-SE. second-class rd.; iron post stamped "175"-----	<i>Feet</i> 174. 626
Reference mark, in yard of church, in root of pine tree; copper nail-----	174. 27
Rowesville, 1.7 mi. NE. of, on SE. side of rd., in field, in root of larger one of two pine trees; copper nail-----	175. 72
Rowesville, 0.7 mi. NE. of Southern Ry. sta., 1,300 ft. W. of rd. junction, in root of sweetgum tree; copper nail-----	169. 59
Rowesville, at New Hope Church, at steps at front entrance; point on E. end of lower step-----	167. 49

From Rowesville southeast along roads to point about 0.2 mile south of East Branchville School, thence southwest to Branchville (by C. H. Semper in 1919)

Rowesville, 0.8 mi. SE. of Southern Ry. sta., on E. side of rd., in lone sweetgum tree; copper nail-----	165. 46
Rowesville, 2.2 mi. SE. of, 0.7 mi. NW. of St. Luke's Church, on W. side of rd. at junction of second-class T-rd. S., in front of dwelling occupied by Negro family, in root of oak tree; copper nail-----	163. 44
Rowesville, 3.1 mi. SE. of, 0.3 mi. SE. of St. Luke's Church, 0.4 mi. NW. of Duke School, in front of farmhouse of D. S. Funchess, at line of fence around yard; iron post stamped "167"-----	166. 620
Rowesville, 4.1 mi. SE. of, 0.7 mi. SE. of Duke School, on N. side of rd., in front of dwelling occupied by Negro family, in root of oak tree; copper nail-----	155. 44
Rowesville, 5.0 mi. SE. of, 0.8 mi. W. of Cattle Creek, 50 ft. S. of white dwelling, on NE. side of rd. to Sandy Run, in root of pine tree; copper nail-----	152. 19
Rowesville, 6.0 mi. SE. of, 6.0 mi. NE. of Branchville, 0.8 mi. NW. of East Branchville School, in SE. angle of crossroads, near dwelling of E. V. Murray; iron post stamped "152"-----	151. 877
Reference mark, in yard of dwelling of E. V. Murray, in root of tree; copper nail-----	151. 18
Branchville, 5.2 mi. NE. of, opposite East Branchville School, on E. side of rd. about 0.2 mi. N. of sharp turn to SW., in root of pine tree; copper nail-----	151. 72
Branchville, 4.2 mi. NE. of, at junction of second-class rd. E., in front of farmhouse of O. W. Whitstone, in root of 36-in. oak tree; copper nail-----	149. 63
Branchville, 3.2 mi. NE. of, in NE. angle of junction of rd. NE. to Bowman; iron post stamped "144" (reported destroyed)-----	143. 314
Branchville, 1.9 mi. NE. of, 50 ft. W. of milepost 2, on S. side of rd., in root of 24-in. pine tree; copper nail-----	139. 41
Branchville, 0.9 mi. NE. of Southern Ry. sta., about 600 ft. SW. of crossing of Pen Branch, on S. side of rd., in root of 12-in. sweetgum tree; copper nail-----	134. 45

From point 1.2 miles east of Cope southeast along Norway-Branchville road to intersection of logging railroad 1.2 miles southeast of Fork Bridge over North Fork of Edisto River, thence south to Southern Railway (by C. H. Semper in 1919)

Cope, 2.0 mi. SE. of, on E. side of rd., in front yard of dwelling of Negro family, in root of 24-in. oak tree; copper nail-----	181. 75
Cope, 3.3 mi. SE. of, on W. side of rd., in front of dwelling occupied by Negro family, in root of 30-in. oak tree; copper nail-----	176. 54

Cope, 4.3 mi. SE. of, 1.5 mi. N. of intersection of Midway-Orangeburg rd., in front of farmhouse of J. A. Myer, at NW. corner of fence around yard; iron post stamped "171"-----	<i>Feet</i> 170. 497
Cope, 5.2 mi. SE. of, 1.4 mi. NW. of Emmanuel Church, on E. side of rd. at lane to sawmill, in root of pine tree; copper nail-----	160. 85
Emmanuel Church, 0.8 mi. NW. of, in SW. angle of intersection of rd. to Cannon Bridge over South Fork of Edisto River; iron post stamped "Prim Trav Sta No 76 1919 162"-----	161. 955
Emmanuel Church, 0.4 mi. SE. of, on E. side of rd., in front of dwelling occupied by Negro family, in root of oak tree; copper nail-----	147. 92
Emmanuel Church, 1.6 mi. SE. of, on E. side of rd., 30 ft. N. of dwelling occupied by Negro family, in root of oak tree; copper nail-----	141. 91
Emmanuel Church, 2.4 mi. SE. of, 2.5 mi. NW. of Fork Bridge over North Fork of Edisto River, on E. side of rd., in front of dwelling occupied by Negro family, in root of hickory tree; copper nail-----	128. 88
Fork Bridge, 1.6 mi. NW. of, 200 ft. S. of bend to SE. in rd., on E. side of rd., in front of tenant house of Henry Brabant; iron post stamped "119"-----	118. 801
Fork Bridge, 0.6 mi. NW. of, on E. side of rd., in root of pine tree; copper nail-----	113. 11
Fork Bridge, about 0.6 mi. SE. of, on E. side of rd., in root of twin oak tree; copper nail-----	110. 08
Fork Bridge, 1.2 mi. SE. of, 3.8 mi. NW. of Southern Ry. sta. at Branchville, at crossing of narrow-gage logging R. R., 12 ft. S. of track, 10 ft. E. of rd.; iron post stamped "112"-----	111. 532

From Bowman quadrangle west 1.2 miles along road south of Little Bull Swamp, thence south along road across Middle Pen Creek to junction with Five Chop road, thence west to point 4.9 miles southeast of Orangeburg (by F. J. McMaugh in 1919)

Four Hole Church, 2.7 mi. W. of, 950 ft. E. of junction of rd. S. at W. edge of timber, on S. side of rd., in root of black-gum tree; copper nail-----	179. 89
Four Hole Church, 2.9 mi. W., thence 0.8 mi. S. from, 0.9 mi. N. of junction of Five Chop rd. from Orangeburg, 0.7 mi. N. of crossing of Middle Pen Creek, 0.3 mi. S. of dwelling of H. S. Bozard, 20 ft. E. of rd., in front of cabin, in root of pine tree; copper nail-----	178. 95
Orangeburg, 5.6 mi. SE. of, about 0.2 mi. S. of crossing of Middle Pen Creek, 25 ft. NE. of junction of Five Chop rd., in root of white-oak tree; copper nail-----	160. 56
Orangeburg, 5.5 mi. SE. of, 0.6 mi. SE. of junction of second-class rd. SW., 15 ft. N. of rd., opposite white dwelling on S. side of rd., in root of black-walnut tree; copper nail-----	172. 53

From Bowman quadrangle northwest along Charleston-Orangeburg road to crossroads 6.8 miles southeast of Orangeburg (by F. J. McMaugh in 1919)

Bowman, 6.7 mi. NW. of, at SW. corner of Bethel Church, 130 ft. N. and 200 ft. E. from intersection of rd. SW. to Rowesville; U. S. Dept. Agr. Drainage Survey iron post stamped "172.1"-----	170. 855
Bethel Church, 1.0 mi. NW. of, 7.2 mi. SE. of Orangeburg, 0.4 mi. SE. of bridge over Crum Branch and junction of second-class rd. SW. to Rowesville, at junction of second-class rd. N., on N. side of rd., near corner of fence, in root of oak tree; copper nail-----	173. 74

From St. Matthews quadrangle southwest along State Highway 69 to junction with State Highway 4, thence east to Orangeburg (by E. B. Williams in 1934)

Orangeburg, 1.2 mi. W. of post office, 0.2 mi. W. of city limits, 15 ft. S. of center line of State Highways 4 and 69, on concrete gutter; chiseled square-----	Feet 252. 63
---	-----------------

PARKSVILLE QUADRANGLE ⁶⁶

[Latitude 33°45'-34°00'; longitude 82°00'-82°15']

EDGEFIELD, GREENWOOD, AND McCORMICK COUNTIES

From Clarks Hill quadrangle near Millers Crossroads northeast along Scott Ferry road to Antioch, thence southeast along Five Notch road and back into Clarks Hill quadrangle (by L. F. Biggs in 1918)

Antioch, 2.6 mi. SW. of, 1.8 mi. NE. of Millers Crossroads, on NW. side of rd., at Prescott store, in base of 24-in. oak tree; copper nail-----	492. 58
Antioch, 1.5 mi. SW. of, 100 ft. W. of West store, 40 ft. W. of intersection of Martintown rd.; iron post stamped "511 1918 B"-----	510. 574
Antioch, 60 ft. SW. of intersection of Five Notch rd., in base of 12-in. pine tree; spike-----	524. 93
Antioch, 1.4 mi. SE. of, in front of Cedar Grove Church, on W. side of rd., in base of 18-in. oak tree; copper nail-----	482. 24

From Clarks Hill quadrangle northwest along Charleston & Western Carolina Railway into Lincolnton quadrangle (by C. E. Reick in 1929)

Modoc, 1.1 mi. N. of, 2.9 mi. SE. of Parksville, on E. side of track, on end of concrete culvert; chiseled square-----	378. 58
Parksville, 1.5 mi. SE. of, 130 ft. E. of track, on E. end of concrete culvert under highway; chiseled square-----	348. 69
Parksville, 0.3 mi. SE. of, at rd. crossing; top of rail-----	338. 4
Parksville, 300 ft. N. of sta., at SW. corner of Parksville Bank, in concrete walk; standard tablet stamped "R 40 1929" (recovered by U. S. C. & G. S. in 1933)-----	345. 350
Reference mark, 110 ft. NW. of tablet, 10 ft. W. of track, in large granite block; drill hole-----	348. 13
Parksville, 1.0 mi. NW. of, 30 ft. W. of track, 30 ft. E. of rd., 10 ft. E. of 40-in. hickory tree, in rock outcrop; drill hole (recovered by U. S. C. & G. S. in 1933)-----	383. 503
Parksville, 2.0 mi. NW. of, 35 ft. E. of track, on property of William Self, in top of rock outcrop; standard tablet stamped "R 41 1929" (recovered by U. S. C. & G. S. in 1933)-----	426. 521
Reference mark, 1,800 ft. N. of milepost 60 S, 100 ft. E. of track, 20 ft. E. of rd., in root of 20-in. lone oak tree; copper nail-----	425. 52

From Lincolnton quadrangle east along Plum Branch-Moultrie Mill road about 4 miles, thence southeast along road by way of Keys Bridge over Turkey Creek to Cold Spring (by W. D. Leech in 1930)

Plum Branch, 1.1 mi. E. of, on N. side of rd., in root of 14-in. hickory tree; copper nail and washer-----	421. 96
Plum Branch, 2.0 mi. E. of, in E. pier at N. end of bridge over Stevens Creek, on top of bolt; chiseled cross-----	344. 29

⁶⁶ A very small area in the southwest corner of this quadrangle, south and west of the Savannah River, lies in Georgia.

Plum Branch, 2.9 mi. E. of, 90 ft. E. of stream crossing, 20 ft. S. of rd., on ledge; chiseled square-----	Feet 350. 03
Plum Branch, 3.6 mi. E. of, 4.5 mi. N. of Parksville, 70 ft. NE. of crossroads, in root of 30-in. oak tree; copper nail and washer-----	410. 34
Plum Branch, 4.6 mi. E. of, 200 ft. E. of crossing of Bird Creek, 10 ft. N. of rd., in root of 10-in. poplar tree; copper nail and washer-----	326. 49
Plum Branch, 5.1 mi. E. of, 130 ft. W. of hill, about 500 ft. E. of dwelling on N. side of rd., 20 ft. N. of rd., in rock ledge; standard tablet stamped "L 2 1930"-----	410. 056
Reference mark, 530 ft. SE. of tablet, on SW. side of rd., in root of 30-in. oak tree; copper nail and washer-----	409. 87
Plum Branch, 5.6 mi. SE. of, 4.3 mi. NW. of Keys Bridge over Turkey Creek, about 250 ft. E. of dwelling, 20 ft. W. of rd., in root of 16-in. hickory tree; copper nail and washer-----	391. 71
Keys Bridge, 3.7 mi. NW. of, 0.6 mi. W. of crossroads, 30 ft. W. of junction of private rd. SW., in root of 10-in. hickory tree; copper nail and washer-----	366. 28
Keys Bridge, 3.1 mi. NW. of, 90 ft. NW. of crossroads, 20 ft. N. of rd., in root of 14-in. pine tree; copper nail and washer-----	333. 66
Keys Bridge, 2.3 mi. NW. of, 50 ft. S. of junction of T-rd. SW., in concrete post; standard tablet stamped "L 3 1930"-----	371. 290
Reference mark, 60 ft. N. of tablet, 40 ft. NE. of junction of T-rd. SW., in root of 10-in. pine tree; copper nail and washer-----	374. 48
Keys Bridge, 1.2 mi. NW. of, 50 ft. N. of hill, 15 ft. W. of rd., in root on W. side of 12-in. pine tree; copper nail and washer-----	354. 42
Keys Bridge, 0.2 mi. NW. of, on E. side of rd., in root on N. side of 14-in. pine tree; copper nail and washer-----	283. 88
Keys Bridge, on W. end of S. bridge seat; chiseled square-----	258. 68
Keys Bridge, 1.0 mi. SE. of, 2.2 mi. NW. of Cold Spring, 25 ft. S. and 50 ft. E. from crossing of woods rd., in concrete post; standard tablet stamped "L 4 1930"-----	362. 186
Reference mark, 60 ft. NW. of tablet, 30 ft. N. of crossroads, at W. side of woods rd. N., in root of large double oak tree; copper nail and washer-----	359. 26
Cold Spring, 1.3 mi. NW. of, 300 ft. SE. of junction of T-rd. NE., 50 ft. NE. of rd., in root of 14-in. pine tree; copper nail and washer-----	369. 97
Cold Spring (Red Hill), about 100 ft. S. of store of T. W. Quarles, 110 ft. E. of junction of rd. NE., in concrete block; standard tablet stamped "L 6 1930"-----	477. 835
Reference mark, 60 ft. W. of tablet, in root on W. side of 14-in. pine tree; copper nail and washer-----	475. 21

From point 2.5 miles southeast of Parksville northeast along road by way of Blairs Ford across Stevens Creek to Cold Spring (by W. D. Leech in 1930)

Parksville, 2.5 mi. SE., thence 0.8 mi. NE. from, 1.9 mi. NE. of Modoc, about 250 ft. SW. of dwelling, on N. side of rd., in root on S. side of 14-in. pine tree; copper nail and washer-----	365. 52
Parksville, 2.5 mi. SE., thence 1.6 mi. NE. from, 4.5 mi. SW. of Cold Spring, 0.5 mi. W. of Blairs Ford, 20 ft. NE. of junction of woods rd. S., in root of 10-in. hickory tree; copper nail and washer-----	308. 83
Cold Spring, 3.8 mi. W. of, about 100 ft. S. of Blairs Ford, 40 ft. SE. of old rd., 2 ft. S. of wire fence, in trunk of 14-in. leaning ash tree, 2 ft. above ground; copper nail and washer-----	226. 94

Cold Spring, 3.9 mi. W. of, 50 ft. NW. of Blairs Ford, in trunk of 20-in. leaning willow tree; wire nail-----	<i>Feet</i> 223. 87
Cold Spring, 2.8 mi. W. of, 30 ft. E. of rail fence, 15 ft. S. of rd., in 16-in. pine tree; copper nail and washer-----	322. 05
Cold Spring, 2.3 mi. W. of, at hill, about 250 ft. S. of dwelling on N. side of rd., 30 ft. S. of rd., in concrete post; standard tablet stamped "L 5 1930"-----	392. 395
Reference mark, 100 ft. E. of tablet, in root of 8-in. pine tree; copper nail and washer-----	387. 02
Cold Spring; 1.3 mi. W. of, 60 ft. E. of junction of woods rd. S., 10 ft. N. of rd., in root of 12-in. pine tree; copper nail and washer-----	428. 60
Cold Spring, 0.8 mi. SW. of, 100 ft. SW. of rd. junction, in root of double poplar tree; copper nail and washer-----	431. 18

From Parksville northeast and north along Parksville-Longmire road to intersection with Plum Branch-Moultrie Mill road (by W. D. Leech in 1930)

Parksville, 1.0 mi. NE. of, about 300 ft. S. of dwelling W. of rd., 3 ft. E. of corn crib, on W. side of rd., in root of 10-in. locust tree; copper nail and washer-----	344. 48
Parksville, 1.9 mi. NE. of, about 250 ft. SW. of bridge over Stevens Creek, 40 ft. S. of rd., in root on NW. side of 30-in. oak tree; copper nail and washer-----	274. 73
Parksville, 3.1 mi. NE. of, 50 ft. E. of rd., 25 ft. S. of junction of private rd. E. to dwelling of James Morgan, in concrete post; standard tablet stamped "L 1 1930"-----	382. 878
Reference mark, 20 ft. NW. of tablet, in root of 10-in. hickory tree; copper nail and washer-----	383. 88
Parksville, 4.2 mi. NE. of, 280 ft. S. of junction of rd. W. to dwelling, 10 ft. E. of rd., in root of 12-in. pine tree; copper nail and washer--	399. 22

From point near Cold Spring along roads generally north to Moultrie Mill, thence northwest and southwest to point 2.3 miles northwest of Keys Bridge over Turkey Creek (by W. D. Leech in 1930)

Cold Spring (Red Hill), 1.3 mi. NW., thence 1.3 mi. NE. from, 90 ft. SE. of bridge over Beaverdam Creek, 15 ft. SW. of rd., in root of 12-in. poplar tree; copper nail and washer-----	264. 43
Cold Spring, 1.3 mi. NW., thence 2.2 mi. NE. from, 2.7 mi. S. of Moultrie Mill, 45 ft. NW. of junction of woods rd. N., in concrete post; standard tablet stamped "L 7 1930"-----	352. 368
Reference mark, 10 ft. SE. of tablet, in root of 14-in. oak tree; copper nail and washer-----	352. 20
Moultrie Mill, 1.8 mi. S. of, about 500 ft. E. of stream crossing, 20 ft. SW. of junction of trail W., in root of 10-in. pine tree; copper nail and washer-----	313. 42
Moultrie Mill, 0.9 mi. SE. of, 2.8 mi. SW. of Brunson Crossroads, 70 ft. E. of rd. junction, in root of 12-in. pine tree; copper nail and washer-----	366. 99
Moultrie Mill, 0.2 mi. SE. of, 130 ft. W. of hill and curve, 20 ft. N. of rd., in concrete post; standard tablet stamped "L 8 1930"-----	341. 190
Reference mark, 30 ft. NE. of tablet, in root of forked oak tree; copper nail and washer-----	343. 73
Moultrie Mill (Cochran), at E. end of bridge over Turkey Creek, on top of N. steel-covered concrete pier; chiseled cross on bolt head--	270. 28
Moultrie Mill, 1.2 mi. NW. of, 540 ft. SE. of junction of rd. NE.; 20 ft. NE. of rd., in root of 20-in. oak tree; copper nail and washer-----	354. 68

Moultrie Mill, 2.3 mi. NW. of, 50 ft. SW. of crossroads, in concrete post; standard tablet stamped "L 9 1930"-----	Feet 400. 054
Reference mark, 50 ft. N.20°W. of tablet, in root of 10-in. oak tree; copper nail and washer-----	398. 39
Moultrie Mill, 2.3 mi. NW., thence 0.8 mi. SW. from, 3.1 mi. by rd. N. of Keys Bridge, 30 ft. NE. of center of stream crossing, in root of 16-in. maple tree; copper nail and washer-----	349. 69
From point 0.9 mile southeast of Moultrie Mill east and northeast by way of Brunson Crossroads to point 0.4 mile northwest of Turkey Creek Bridge, on U. S. Highway 25, thence southwest to point 1.2 miles northwest of Moultrie Mill (by W. D. Leech in 1930)	
Moultrie Mill, 1.8 mi. SE. of, 1.8 mi. SW. of Brunson Crossroads, 20 ft. S. of junction of private rd. SE., in westernmost of group of five poplar trees; copper nail and washer-----	405. 69
Brunson Crossroads, 0.5 mi. SW. of, 70 ft. E. of junction of private rd. NW., 40 ft. SE. of rd., in root of 14-in. pine tree; copper nail and washer-----	424. 41
Brunson Crossroads, 90 ft. NW. of center of, in root of 10-in. locust tree; copper nail and washer-----	423. 99
Brunson Crossroads, 1.0 mi. N. of, 190 ft. N. of rd. junction, 30 ft. NE. of rd., in root of 10-in. elm tree; copper nail and washer-----	409. 18
Brunson Crossroads, about 2 mi. NE. of, 3.4 mi. SW. of bridge over Turkey Creek, 70 ft. W. of center of stream crossing, on N. side of rd., in root of 10-in. poplar tree; copper nail and washer-----	303. 86
Turkey Creek Bridge, 2.5 mi. SW. of, 70 ft. W. of stream crossing, 15 ft. NW. of rd., in root of 14-in. oak tree; copper nail and washer---	341. 54
Turkey Creek Bridge, 1.6 mi. SW. of, 50 ft. SE. of junction of private rd. S. to sawmill, in root of 10-in. pine tree; copper nail and washer-	383. 15
Turkey Creek Bridge, 1.1 mi. by rd. S. of, on W. end of S. back wall of bridge over Log Creek; chiseled square-----	330. 76
Turkey Creek Bridge, 0.7 mi. SE. of, 130 ft. NW. of junction of U. S. Highway 25, on SW. side of highway, on head wall; chiseled square-	385. 51
Turkey Creek Bridge, on W. end of S. back wall; chiseled square----	318. 36
Turkey Creek Bridge, 0.4 mi. NW. of, 2.6 mi. NE. of Gilgal Church, 30 ft. NE. of junction of T-rd. SW., in root of 10-in. double walnut tree; copper nail and washer-----	388. 77
Gilgal Church, 1.7 mi. NE. of, about 500 ft. SW. of dwelling on N. side of rd., 30 ft. SE. of rd., in root of small double oak tree; copper nail and washer-----	397. 50
Gilgal Church, 0.7 mi. NE. of, 80 ft. NE. of hill, 20 ft. NW. of rd., in root of 12-in. pine tree; copper nail and washer-----	410. 85
Gilgal Church, about 400 ft. SW. of, 130 ft. N. of crossroads, in root of 30-in. oak tree; copper nail and washer-----	412. 10
Gilgal Church, 0.8 mi. SW. of, about 60 ft. E. of crossing of Rocky Creek, 30 ft. SE. of rd., in root of 30-in. forked oak tree; copper nail and washer-----	303. 85
Gilgal Church, 2.0 mi. SW. of, 0.5 mi. SE. of Liberty Springs Church, 60 ft. N. of intersection of Five Notch rd., in root on E. side of 12-in. double pine tree; copper nail and washer-----	371. 82
Gilgal Church, 3.0 mi. SW. of, about 240 ft. S. of old barn on E. side of rd., 15 ft. W. of rd., in root of 10-in. pine tree; copper nail and washer-----	365. 80
Gilgal Church, 4.0 mi. SW. of, 50 ft. NE. of woods rd. crossing, 5 ft. NW. of rd., in root of 14-in. pine tree; copper nail and washer-----	345. 24

Gilgal Church, 4.8 mi. SW. of, 1.2 mi. NW., thence 0.6 mi. NE. from Moultrie Mill, 20 ft. E. of center of bridge over Siple Creek, in root of 30-in. oak tree; copper nail and washer-----	Feet 278. 78
--	-----------------

From point near Turkey Creek Bridge on U. S. Highway 25 northeast along road into Edgefield quadrangle near Pleasant Lane station on Georgia & Florida Railroad (by W. D. Leech in 1930)

Pleasant Lane post office, 1.3 mi. SW. of, 0.4 mi. NW., thence 0.4 mi. NE. from Turkey Creek Bridge, 30 ft. E. of center of Mountain Creek, at abandoned bridge, in base of 14-in. poplar tree; copper nail and washer-----	304. 59
---	---------

Pleasant Lane sta., 100 ft. N. of crossroads, 40 ft. W. of center line of rd., in root on S. side of 36-in. oak tree; copper nail and washer (recovered in 1934)-----	399. 42
---	---------

From Brunson Crossroads south along Five Notch road 1.4 miles to crossing of Beaverdam Creek (by W. D. Leech in 1930; double-run spur line)

Brunson Crossroads, 1.4 mi. S. of, 190 ft. S. of Beaverdam Creek, 50 ft. W. of junction of rd. SW., in root of 10-in. poplar tree; copper nail and washer-----	326. 85
--	---------

From point 1 mile north of Brunson Crossroads along road north to Gilgal Bridge over Turkey Creek (by W. D. Leech in 1930; double-run spur line)

Brunson Crossroads, 1.9 mi. N. of, 0.7 mi. SE. of Gilgal Bridge, 110 ft. NW. of crossroads, in root of 14-in. maple tree; copper nail and washer-----	360. 49
---	---------

Gilgal Bridge, on W. end of S. abutment; chiseled square-----	271. 49
---	---------

From Greenwood quadrangle about 2 miles south of Kirksey alternately southwest and northwest along roads by way of Bethel Church and Mount Harmony Crossroads into Lincolnton quadrangle (by J. J. Sitten, Jr., in 1934)

[Line jogs into Greenwood quadrangle]

Kirksey, 3.2 mi. along rd. SW. of, 4.4 mi. SE. of Bethel Church; 27 ft. N. of county rd., 32 ft. from SW. corner of dwelling of N. E. Manly, 45 ft. NW. of large oak tree, in 7- by 7-in. concrete post; standard tablet stamped "T T 33 R 1934"-----	524. 518
---	----------

Reference mark, 25 ft. S. and 12 ft. W. from tablet, in root on SW. side of 18-in. elm tree; copper nail and washer-----	524. 73
--	---------

Bethel Church, 3.2 mi. SE. of, 40 ft. S. of center line of rd., on property of Ivey Stockman, 20 ft. E. of tenant house, in root on NE. side of 18-in. cedar tree; copper nail and washer-----	492. 66
--	---------

Bethel Church, 2.5 mi. SE. of, 75 ft. E. of junction of T-rd. N., 10 ft. S. of center line of rd., on property of Dr. Self, in root on NW. side of 18-in. oak tree; copper nail and washer-----	485. 43
---	---------

Bethel Church, 1.0 mi. SE. of, 50 ft. S. of Y-rd. junction, 85 ft. NW. of NW. corner of dwelling of S. A. Rogers, in root on NE. side of 18-in. oak tree; copper nail and washer-----	487. 57
---	---------

Bethel Church, 2.0 mi. SW. of, 3.5 mi. NW. of Mount Harmony Crossroads, 1.5 mi. SW. of Bold Springs Church, 50 ft. N. of center line of Bradley-Charleston rd., in root on S. side of 36-in. oak tree; copper nail and washer-----	511. 27
--	---------

Mount Harmony Crossroads (formerly Winterseat), 2.5 mi. along old Ridge rd. NE. of, 285 ft. SW. of junction of second-class T-rd. SE., 22 ft. S. and 36 ft. E. from E. chimney of dwelling of E. D. Moore, 27 ft. S. and 12 ft. W. from well, 27 ft. N. of center line of rd., in 7-by 7-in. concrete post; standard tablet stamped "T T 35 R 1934"...	<i>Feet</i> 563. 018
Reference mark, 180 ft. SW. of tablet, 15 ft. N. of center line of rd., on E. end of concrete head wall; chiseled square.....	558. 58
Mount Harmony Crossroads, 1.4 mi. NE. of, 50 ft. S. of center line of rd., on property of J. A. Bannister, at NE. corner of tenant house, in root on N. side of 10-in. chinaberry tree; copper nail and washer...	504. 40
Mount Harmony Crossroads, 0.2 mi. NE. of, 1,200 ft. NE. of store of E. L. Hollingsworth, 90 ft. SE. of SE. corner of Mount Harmony School, 50 ft. N. of center line of rd., in root on S. side of 10-in. water-oak tree; copper nail and washer.....	481. 45
Mount Harmony Crossroads, 0.7 mi. NW. of, 100 ft. SE. of wooden bridge over Hard Labor Creek, 40 ft. S. of center line of rd., in root on E. side of 36-in. sweetgum tree; copper nail and washer.....	413. 31
Mount Harmony Crossroads, 1.3 mi. NW. of, 40 ft. S. of junction of third-class rd. N., 40 ft. S. of center line of second-class rd., 20 ft. N. and 12 ft. W. from NW. corner of tenant house of K. Downtin, in 7-by 7-in. concrete post; standard tablet stamped "T T 36 R 1934"...	473. 594
Reference mark, 10 ft. N. and 8 ft. W. from tablet, 40 ft. NW. of NW. corner of tenant house, 30 ft. S. of center line of rd., in root on E. side of 10-in. water-oak tree; copper nail and washer.....	472. 52
Mount Harmony Crossroads, 2.7 mi. NW. of, 60 ft. N. of NE. corner of Tranquil Church, 30 ft. S. of center line of rd., in root on N. side of 10-in. water-oak tree; copper nail and washer.....	479. 30

From Greenwood quadrangle near Bethel Church southeast along Five Notch road to point 0.5 mile southeast of Liberty Springs Church (by J. J. Sittin, Jr., in 1934)

Bethel Church, 1.1 mi. along Five Notch rd. SE. of, 150 ft. E. of dwelling of E. V. Hinton, 20 ft. W. of center line of rd., in root on E. side of 24-in. oak tree; copper nail and washer.....	532. 67
Bethel Church, 2.3 mi. SE. of, 15 ft. W. of center line of rd., in root on S. side of 10-in. pine tree; wire nail and copper washer.....	528. 79
Bethel Church, 3.2 mi. SE. of, 3.0 mi. NW. of Sullivan School, 300 ft. S. of wooden bridge over Cuffytown Creek, 50 ft. N. and 20 ft. W. from junction of rd. E., 20 ft. W. of center line of rd., in 7-by 7-in. concrete post; standard tablet stamped "SN 1 1934 403".....	402. 858
Reference mark, 30 ft. W. of tablet, 50 ft. W. of rd., in root on E. side of 10-in. sweetgum tree; copper nail and washer.....	402. 54
Sullivan School, 2.0 mi. NW. of, 100 ft. W. of SW. corner of dwelling of Richard Gilchrist, 40 ft. NE. of center line of rd., in root on E. side of 50-in. oak tree; wire nail and washer.....	492. 56
Sullivan School, 1.1 mi. NW. of, in NE. angle of Mayson Crossroads, 20 ft. E. of N.-S. rd., 20 ft. N. of E.-W. rd., in 5-by 5-in. concrete post; standard tablet stamped "T T 5 PR 1934".....	536. 258
Sullivan School, 100 ft. S. of SE. corner of, in yard, 30 ft. W. of center line of rd., in root on NW. side of 24-in. sweetgum tree; wire nail and copper washer.....	532. 47
Sullivan School, 1.0 mi. SE. of, 2.8 mi. NW. of Liberty Springs Church, 40 ft. E. of center line of rd., in root on SW. side of 12-in. pine tree; wire nail and copper washer.....	514. 52

Liberty Springs Church, 1.8 mi. NW. of, on property of W. A. Reynolds, 30 ft. E. of center line of rd., 10 ft. S. and 10 ft. W. from NW. corner of tenant house, in 7- by 7-in. concrete post; standard tablet stamped "SN 2 1934 461"-----	Feet 460. 946
Reference mark, 100 ft. N. of tablet, 90 ft. NE. of center line of rd., 60 ft. NW. of NE. corner of tenant house, in root on W. side of 18-in. mulberry tree; wire nail and copper washer-----	459. 60
Liberty Springs Church, 0.8 mi. NW. of, 80 ft. W. of center line of rd., in root on N. side of 12-in. pine tree; wire nail and copper washer--	426. 39
Liberty Springs Church, 1,350 ft. SE. of, 2.0 mi. SW., thence 0.3 mi. NW. from Gilgal Church, 20 ft. W. of center line of rd., in root on E. side of 20-in. pine tree; wire nail and copper washer-----	400. 86

From Edgefield quadrangle west along Vienna road to Brunson Crossroads, thence south and southeast along Five Notch road into Clarks Hill quadrangle (by J. J. Sitton, Jr., in 1934)

Brunson Crossroads, 2.2 mi. E. of, 7.5 mi. NW. of Edgefield, 40 ft. S. of center line of rd., 200 ft. N. of dwelling on property of J. B. Corley, in 7- by 7-in. concrete post; standard tablet stamped "SN 7 1934 429"-----	427. 803
Reference mark, 50 ft. S. of tablet, 90 ft. S. of center line of rd., in root on NE. side of 36-in. oak tree; wire nail-----	427. 63
Brunson Crossroads, 1.1 mi. E. of, 40 ft. S. of center line of rd., in root on E. side of 10-in. elm tree; wire nail-----	459. 13
Brunson Crossroads, 1.1 mi. S. of, 0.6 mi. N. of China Grove Church, 20 ft. W. of center line of Five Notch rd., in 7- by 7-in. concrete post; standard tablet stamped "SN 8 1934 382"-----	380. 986
Reference mark, 20 ft. N. of tablet, 10 ft. W. of center line of rd., in root on E. side of 10-in. water-oak tree; wire nail-----	381. 27
Brunson Crossroads, 2.1 mi. S. of, 25 ft. E. of center line of rd., in root on W. side of 18-in. water-oak tree; wire nail-----	387. 72
Brunson Crossroads, 3.1 mi. S. of, 0.8 mi. N. of Barrs Chapel, 25 ft. W. of center line of rd., in root on E. side of 18-in. pine tree; wire nail-----	486. 10
Brunson Crossroads, 3.9 mi. S. of, 1.0 mi. W. of Antioch Church, 110 ft. N. of NW. corner of Barrs Chapel, 75 ft. SE. of junction of T-rd. W., in 7- by 7-in. concrete post; standard tablet stamped "SN 9 1934 520"-----	518. 975
Reference mark, 50 ft. W. of tablet, 50 ft. SE. of junction of T-rd. W., 20 ft. E. of center line of rd., in root on N. side of 18-in. twin pine tree; wire nail-----	519. 58
Antioch Church, opposite, 50 ft. S. of Antioch School, in yard, in root on SW. side of 12-in. oak tree; wire nail-----	533. 70
Antioch Church, 0.6 mi. SE. of, 100 ft. SE. of SE. corner of dwelling on property of Metropolitan Insurance Co., 15 ft. SW. of center line of rd., in root on N. side of 10-in. pine tree; wire nail-----	495. 87

From Edgefield quadrangle near Pittsburgh southwest along road to Pittsburgh, thence southeast and back into Edgefield quadrangle near Pleasant Lane (by J. J. Sitton, Jr., in 1934)

Pittsburgh, 150 ft. E. of Georgia & Florida R. R., 800 ft. W. of school, 20 ft. S. of center line of rd., in root on N. side of 12-in. oak tree; wire nail and copper washer-----	497. 70
---	---------

Pittsburgh, 1.2 mi. SE. of, on property of Elbert Dorn, 4 ft. N. and 20 ft. W. from SW. corner of dwelling, 25 ft. E. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "SN 3 1934 457"-----	<i>Feet</i> 456. 668
Reference mark, 50 ft. W. of tablet, 25 ft. W. of center line of rd., 10 ft. N. of garage, in root on N. side of 24-in. oak tree; wire nail and copper washer-----	456. 47
Pittsburgh, 2.3 mi. SE. of, 3.5 mi. NW. of Pleasant Lane post office, at junction of Big Mountain and Little Mountain Creeks, on W. bank of Big Mountain Creek, 100 ft. W. of rd. fork, 30 ft. S. of E.-W. rd., in root on NE. side of 36-in. oak tree; wire nail and copper washer-----	387. 13
Pleasant Lane, 2.5 mi. NW. of, 700 ft. S. of store of R. M. Harling, 50 ft. E. of center line of rd., in root on W. side of 18-in. oak tree; wire nail and copper washer-----	448. 84
Pleasant Lane, 1.5 mi. N. of, 0.2 mi. SE. of Pleasant Lane Baptist Church, on property of W. H. Hollaway, 70 ft. W. of SW. corner of tenant house, 50 ft. E. of center line of rd., in root on W. side of 24-in. water-oak tree; wire nail and washer-----	453. 52
Pleasant Lane, 110 ft. N. of Timmerman store, 35 ft. W. of center line of rd., 2 ft. SE. of electric light pole; iron post stamped "Prim Trav Sta No 7 Mac 1919"-----	402. 084

PEEPLS QUADRANGLE ⁴⁷

[Latitude 32°45'-33°00'; longitude 81°15'-81°30']

ALLENDALE AND HAMPTON COUNTIES

From Varnville quadrangle northwest along Charleston & Western Carolina Railway into Allendale quadrangle (first-order leveling by C. H. Semper in 1918)

Fairfax, 2.5 mi. NW. of, 600 ft. W. of Yonnian switch, at rd. crossing, 15 ft. S. of track, 15 ft. W. of rd.; iron post stamped "149" (recovered by U. S. C. & G. S. in 1918 and designated "VA")-----	148. 799
From Varnville quadrangle near Estill west along road to point 0.7 mile south of Thompson Chapel, thence southwest along roads into Shirley quadrangle (by F. L. Shalibo in 1918)	
Estill, 1.0 mi. W. of Seaboard Air Line Ry. sta., on S. side of rd. at junction of T-rd. N., in root of tree; copper nail-----	116. 16
Estill, 2.5 mi. W. of, 50 ft. S. of junction of rd. SW., 1 ft. from fence line; iron post stamped "133"-----	132. 912
Estill, 3.8 mi. W. of, on S. side of rd., near edge of woods opposite tenant house, in root of 8-in. pine tree; copper nail-----	110. 27
Estill, 6.0 mi. W. of, 0.8 mi. S. of Thompson Chapel, at three corners, on W. side of N.-S. rd.; iron post stamped "84"-----	84. 541
Thompson Chapel, 1.7 mi. S. of, on S. side of rd. at junction of second-class rd. W., 100 ft. W. of corner, in root of 18-in. pine tree; copper nail-----	85. 30

⁴⁷ Part of this quadrangle lies in Georgia.

From Shirley quadrangle northwest along Augusta road and second-class roads by way of Milbury into Allendale quadrangle near Johnsons landing on Savannah River (by F. L. Shalibo in 1918)

Springfield Church, 0.9 mi. S. of, 6.6 mi. SE. of Ruddell, 0.4 mi. N. of Long Branch, in NE. angle of junction of T-rd. E., in root of large tree; copper nail-----	<i>Feet</i> 72. 08
Springfield Church, 0.5 mi. S. of, at red clay hill, in triangle of crossroads, in root of small tree; copper nail-----	91. 27
Springfield Church, about 0.2 mi. N. of, in NE. angle of crossroads, in root of 30-in. oak tree; copper nail-----	83. 36
Springfield Church, 1.2 mi. NW. of, 4.5 mi. SE. of Ruddell, in SW. angle of crossroads, 1 ft. from cherry tree; iron post stamped "78"-----	78. 753
Ruddell, 3.6 mi. SE. of, 30 ft. S. of small wooden bridge, in SE. angle of rd. forks, in root of large tree; copper nail-----	69. 81
Ruddell, 2.5 mi. SE. of, 1.2 mi. SE. of St. Matthew's Church, 400 ft. NW. of crossroads, at summit of small hill, on E. side of rd., in root of 30-in. oak tree; copper nail-----	100. 00
Ruddell, 1.4 mi. SE. of, in front of St. Matthew's Church, on W. side of rd. at rd. junction, in root of large oak tree; copper nail----	82. 54
Ruddell, 220 ft. E. of store of S. Pender, on S. side of rd. at junction of rd. to Cohens Bluff landing on Savannah River; iron post stamped "Prim Trav Sta No 8 S 1918 79"-----	79. 474
Ruddell, 0.7 mi. NW. of, 0.3 mi. NW. of Barnwell-Hampton county line, at crossroads, in front of dwelling on W. side of rd., in root of small oak tree; copper nail-----	72. 36
Ruddell, 1.6 mi. NW. of, 20 ft. W. of rd., in front of farmhouse; in root of 30-in. tree; copper nail-----	83. 52
Ruddell, 2.9 mi. NW. of, 0.6 mi. S. of St. Paul's Church, 50 ft. E. of rd. at T-junction of second-class rd. W., 20 ft. N. of driveway to farmhouse, in root of large tree; copper nail-----	104. 29
St. Paul's Church, at NW. corner of; iron post stamped "92"-----	92. 324
St. Paul's Church, 0.9 mi. N. of, 1.6 mi. S. of Milbury, on E. side of Augusta rd. at junction of direct rd. N. to Milbury, in root of 24-in. pine tree; copper nail-----	99. 93
Milbury, at dwelling of Duncan Sans, on S. side of rd., near gate across rd., 1 ft. W. of fence; iron post stamped "131"-----	131. 879
Milbury, 1.2 mi. NW. of, 0.4 mi. S. of Little Brier Mars Branch, on E. side of Martin-Milbury rd., in front of old dwelling, in root of 16-in. pine tree; copper nail-----	88. 16
Milbury, 1.7 mi. NW. of, 0.3 mi. S. of Blue Spring Creek, on W. side of rd. at crossroads, in root of large tree; copper nail-----	86. 18
Milbury, 3.3 mi. NW. of, 300 ft. S. of Brier Creek, in NE. angle of junction of rd. E.; iron post stamped "87"-----	87. 177
Milbury, 6.3 mi. NW. of, about 5 mi. SE. of Martin, 0.7 mi. SE. of junction of rd. from White Womans Point landing on Savannah River, 40 ft. S. and 10 ft. W. from junction of rd. W. to Johnsons landing, 1 ft. inside fence line, in root of 18-in. oak tree; copper nail-----	119. 92

From Allendale quadrangle near Allendale southwest along road by way of Moores Crossroads to St. Paul's Church on Augusta road (by F. L. Shalibo in 1918)

Allendale, 1.4 mi. SW. of crossing of two railroads at, 1.4 mi. N. of Moores Crossroads, 80 ft. S. of junction of rd. E., on E. side of rd. opposite junction of rd. W., in root of 14-in. oak tree; copper nail-----	160. 45
---	---------

Moores Crossroads, 0.5 mi. N. of, in triangle at intersection of second-class NE.-SW. rd., in root of 20-in. pine tree; copper nail-----	<i>Feet</i> 195. 94
Moores Crossroads, at intersection of Revolutionary Trail, in NW. angle of, 50 ft. W. of rd.; iron post stamped "177"-----	177. 145
Moores Crossroads, 1.5 mi. SW. of, 2.0 mi. NE. of Smyrna Church, in NE. angle of junction of rd. E., in root of 10-in. gum tree; copper nail-----	152. 85
Smyrna Church, in front of, 15 ft. E. of rd.; iron post stamped "166"-----	165. 941
Smyrna Church, 0.9 mi. SW. of, on W. side of rd. at junction of T-rd. E., in front of log cabin, in root of 24-in. oak tree; copper nail----	166. 34
Smyrna Church, 1.8 mi. SW. of, 0.6 mi. NE. of Sweet Bethel Church, 30 ft. S. of junction of rd. W., on W. side of rd., in root of 16-in. pine tree; copper nail-----	191. 30
Smyrna Church, 3.3 mi. SE. of, 2.3 mi. NE. of St. Paul's Church, 1.1 mi. SW. of Sweet Bethel Church, 1.0 mi. NE. of Box store, at junction of rd. S., 40 ft. W. of rd., at SE. corner of yard around dwelling of Sam Garvin; iron post stamped "168"-----	167. 996
St. Paul's Church, 1.3 mi. NE. of, 150 ft. SW. of crossroads at Box store, 40 ft. W. of farmhouse, in root of 36-in. oak tree; copper nail-----	131. 52
From Ruddell, on Augusta road, along road southwest to Cohens Bluff landing on Savannah River (by F. L. Shalibo in 1918; double-run spur line)	
Cohens Bluff landing on Savannah River, 1.2 mi. SW. of store of S. Pender at Ruddell, 250 ft. E. of river, between a large gum and a large pine tree; U. S. C. E. iron post stamped "Pulaski No 26 69.63"-----	67. 246
From Allendale quadrangle near Allendale southwest along road to Woods Crossroads, thence northwest along Revolutionary Trail and back into Allendale quadrangle (by D. S. Birkett in 1918)	
Woods Crossroads, 40 ft. W. of, in fence line; iron post stamped "240 1918"-----	240. 526
Woods Crossroads, 0.8 mi. NW. of, 1.1 mi. SE. of Beautiful Gate Church, in NW. angle of crossroads, in root of sweetgum tree; copper nail-----	227. 18
From Varnville quadrangle near Luray west and southwest along roads to Solomons Crossroads, thence northwest to point on Augusta road near St. Matthew's Church (by H. L. Hudson in 1918)	
Luray, 1.0 mi. W. of, at rd. junction, 75 ft. W. of Southern Ry. track, in root of oak tree; nail-----	139. 22
Luray, 2.0 mi. W. of, on N. side of rd., at W. margin of swamp, in root of pine tree; nail-----	132. 44
Luray, 2.7 mi. W. of, 150 ft. E. of dwelling, in SW. angle of intersection of Fairfax rd., in root of oak tree; nail-----	145. 92
Luray, 3.6 mi. SW. of, 2.1 mi. NE. of Solomons Crossroads, 150 ft. W. of dwelling, on S. side of rd.; iron post stamped "149"-----	148. 698
Solomons Crossroads, 0.9 mi. NE. of, 250 ft. E. of dwelling, on NW. side of rd., in forks of dim rd., in root of pine tree; nail-----	150. 30
Solomons Crossroads, in NE. angle of, 100 ft. W. of church, in root of oak tree; nail-----	148. 10
Solomons Crossroads, 1.2 mi. NW. of, 150 ft. E. of Solomons store, on S. side of rd.; iron post stamped "153"-----	153. 485
Solomons Crossroads, 2.1 mi. NW. of, 150 ft. W. of storehouse, on N. side of rd., in root of pine tree; nail-----	123. 95

Solomons Crossroads, 3.1 mi. NW. of, on N. side of rd., in root of persimmon tree; nail-----	<i>Feet</i> 108. 24
Solomons Crossroads, 3.8 mi. NW. of, 1.2 mi. SE. of St. Matthew's Church, 1.1 mi. SE. of junction of Augusta rd., in SE. angle of crossroads, in root of maple tree; nail-----	84. 37

From Varnville quadrangle near Gifford northwest along road to point near Emanuel Church, thence southwest along Cohens Bluff landing road to Ruddell (by H. L. Hudson in 1918)

Emanuel Church, 0.5 mi. SW. of crossroads near, 0.2 mi. SW. of Mount Zion Church, 300 ft. W. of Southern Ry. track, in SW. angle of intersection of Fairfax rd.; iron post stamped "122"-----	123. 062
Emanuel Church, 1.6 mi. SW. of, about 0.1 mi. E. of rd. forks, on N. side of rd., 50 ft. S. of dwelling, in root of oak tree; nail-----	141. 02
Emanuel Church, 2.5 mi. SW. of, in NE. angle of T-junction of second-class rd. NW., in root of oak tree; nail-----	135. 30
Emanuel Church, 3.5 mi. SW. of, 5.5 mi. NE. of Ruddell, 0.2 mi. NE. of junction of second-class rd. S. to Cherry Hill School, 75 ft. N. of dwelling of J. S. Brunson, in root of oak tree; nail-----	148. 55
Ruddell, 4.7 mi. NE. of, 1.8 mi. NE. of St. James' Church, 0.6 mi. SW. of junction of second-class rd. S. to Cherry Hill School, 200 ft. W. of swamp, in NW. angle of junction of second-class rd. NW.; iron post stamped "139"-----	139. 513
Ruddell, 2.9 mi. NE. of, 0.2 mi. W. of St. James' Church, 0.5 mi. E. of King Creek School, on N. side of rd. at junction of second-class rd. S., at margin of swamp, in root of 24-in. pine tree; nail-----	131. 59
Ruddell, 2.4 mi. NE. of, 50 ft. E. of King Creek School, 1.2 mi. NE. of Trinity Church, on S. side of rd., in root of oak tree; nail-----	138. 80
Ruddell, 1.2 mi. E. of, 300 ft. W. of Trinity Church, on S. side of rd., in root of pine tree; nail-----	121. 81

PINELAND QUADRANGLE⁴⁸

[Latitude 32°30'-32°45'; longitude 81°00'-81°15']

HAMPTON AND JASPER COUNTIES

From Shirley quadrangle northeast and north along Seaboard Air Line Railway into Varnville quadrangle (first-order leveling by C. H. Semper in 1918)⁴⁹

Cosby sta., about 1.5 mi. S. of Garnett, about 0.2 mi. N. of water tank of Badham Lumber Co., 407 ft. S. of switch stand of side track leading to lumber mill, 300 ft. N. of only street crossing in village, 28 ft. E. of E. rail of main track, 3 ft. E. of E. rail of side track; iron post stamped "54 1918" (designated "C" by U. S. C. & G. S.)-----	54. 012
Cosby, 0.3 mi. N. of, 1.2 mi. S. of Garnett, at rd. crossing; top of rail-----	59. 0
Garnett, 0.8 mi. S. of, at rd. crossing; top of rail-----	60. 5
Garnett, in sta. yard, 88 ft. N. of center of water tank, 48 ft. E. of E. edge of sta. platform, 25 ft. E. of E. rail of main track; iron post stamped "Prim Trav Sta No 79 Mac 1917 78" (designated "D" by U. S. C. & G. S.)-----	77. 821
Garnett, in front of sta.; top of rail-----	77. 0

⁴⁸ A small area in the southwest corner of this quadrangle, south and west of the Savannah River, lies in Georgia.

⁴⁹ A portion of the U. S. C. & G. S. first-order line, Savannah, Ga., to Moncure, N. C., which was run later in 1918, follows the same route.

Garnett, 3.4 mi. N. of, 1.8 mi. S. of Scotia, 240 yd. N. of milepost 457, 45 ft. W. of State Highway 33, about 22 ft. S. of rd. crossing, 33 ft. E. of E. rail; iron post stamped "82 1918" (designated "F" by U. S. C. & G. S.; reported in 1934 as tilted)-----	Feet 81. 870
Scotia, in front of sta.; top of rail-----	95. 0
Scotia, at N. end of sta., 35 ft. W. of track, 1 ft. N. of platform; U. S. Dept. Agr. iron post stamped "96.74" (designated "G" by U. S. C. & G. S.; reported in 1934 as destroyed)-----	95. 111
Scotia, 0.7 mi. N. of sta., at rd. crossing, top of rail-----	100. 2
Scotia, 1.0 mi. N. of sta., about 0.2 mi. S. of milepost 454, about 35 ft. NE. of rd. crossing, 20 ft. E. of E. rail, 16 ft. N. of center line of wagon rd.; iron post stamped "104 1918" (designated "H" by U. S. C. & G. S.)-----	104. 009
Scotia, 2.8 mi. N. of, 2.2 mi. S. of Estill; top of milepost 187 (U. S. Dept. Agr. B. M.)-----	114. 08
Estill, 2.0 mi. S. of sta., at rd. crossing; top of rail-----	117. 1
Estill, 0.2 mi. S. of sta., at rd. crossing; top of rail-----	113. 2

From Yemassee quadrangle about 2.3 miles west of Ricetown along winding road generally north to Grays, thence northeast and back into Yemassee quadrangle (by R. G. Clinite in 1917)

[Line jogs into Yemassee quadrangle]

Ridgeland, 3.2 mi. NW. of, 0.4 mi. NW. of Liveoak School, on E. side of rd., 15 ft. S. of gate to farmyard of James Long; iron post stamped "84 1917"-----	83. 387
Liveoak School, 1.5 mi. NW. of, 50 ft. S. of rd. fork, in root of 14-in. pine tree; nail-----	83. 63
Liveoak School, 2.5 mi. NW. of, 2.5 mi. SW. of Little Rock Church, 15 ft. S. of junction of dim rd. W., in root of 10-in. pine tree; nail-----	89. 10
Little Rock Church, 0.9 mi. SW. of, on SE. side of rd., in edge of woods, directly opposite SW. corner of clearing, 16 ft. W. of 20-in. pine tree; iron post stamped "89 1917"-----	88. 543
Little Rock Church, 0.5 mi. NE. of, 1.9 mi. S. of Gillisonville, 450 ft. W. of Negro cabin, at fence corner, in root of northernmost one of two pine trees; wire nail-----	89. 45
Gillisonville, at school, 55 ft. N.28°W. from SE. corner of fence around schoolyard; iron post stamped "Prim Trav Sta No 29 Mac 1917 72"-----	71. 966
Gillisonville, 1.7 mi. N. of, 3.2 mi. SE. of Grays, on W. side of rd., in front of farmhouse of W. M. Saul, in root of 14-in. hickory tree; wire nail-----	72. 36
Grays, 2.2 mi. SE. of, about 1 mi. SE. of crossing of Beaverdam Branch, 40 ft. N. of junction of rd. SW., in root of 26-in. pine tree; nail-----	90. 63
Grays, 1.0 mi. SE. of, 0.3 mi. NW. of crossing of Beaverdam Branch, on E. side of rd. at mail box of W. W. Tuten, in root of 34-in. oak tree; nail-----	66. 63
Grays, 30 ft. N. and 25 ft. W. from center of crossroads; iron post stamped "Prim Trav Sta No 30 Mac 1917 94"-----	93. 600
Grays, 1.0 mi. NE. of, in SE. corner of floor of bridge over Beaverdam Creek; spike-----	36. 30

From Varnville quadrangle near Lena southeast along road by way of Nixville to point 1.5 miles southeast of Mount Carmel School, thence northeast and back into Varnville quadrangle near Red Hill School (by F. L. Shalibo in 1918)

Lena, 1.4 mi. SE. of, 1.6 mi. NW. of Nixville School, on S. side of rd. at T-junction of second-class rd. SW., near driveway to farmhouse, in gatepost; copper nail-----	Feet 111. 67
Nixville School, 1.2 mi. NW. of, in NW. angle of crossroads, 40 ft. from center line of rd.; iron post stamped "112"-----	112. 073
Nixville School, 0.9 mi. W. of Nixville, 20 ft. N. of center line of rd. at T-junction of second-class rd. N., in front of schoolhouse, in root of 16-in. pine tree; copper nail-----	114. 06
Nixville, in SE. angle of crossroads, 1 ft. from NW. corner of dwelling; iron post stamped "105"-----	105. 524
Nixville, 1.1 mi. SE. of, 1.3 mi. N. of Mount Carmel Church, 150 ft. N. of store, on S. side of rd., in root of large tree; copper nail-----	106. 52
Mount Carmel Church, 130 ft. NE. of, 0.7 mi. NW. and across Cane Gall from Mount Carmel School, in SE. angle of crossroads, in root of 8-in. oak tree; copper nail-----	105. 96
Mount Carmel School, 0.7 mi. SE. of, in SW. angle of junction of rd. S., in root of 18-in. oak tree; copper nail-----	69. 65
Mount Carmel School, 1.4 mi. SE. of, 2.0 mi. N. of White Oak Ford across Cypress Creek, 0.8 mi. NW. of Hampton-Jasper county line, 20 ft. S. and 10 ft. E. from crossroads; iron post stamped "Prim Trav Sta No 3 S 1917 88"-----	88. 161
Mount Carmel School, 1.4 mi. SE., thence 1.2 mi. NE. from, at bend in rd., 20 ft. E. of large gate to driveway to farmhouse on S. side of rd., in root of 18-in. pine tree; copper nail-----	75. 46
Mount Carmel School, 1.4 mi. SE., thence 2.3 mi. NE. from, 6.6 mi. SW. of Cummings, at three corners, in front of dwelling of A. W. Walker, 3 ft. N. of fence around yard, in root of 16-in. oak tree; copper nail-----	84. 92
Cummings, 5.7 mi. SW. of, in SE. angle of intersection of second-class rd.; iron post stamped "91"-----	90. 753
Cummings, 4.6 mi. SW. of, at Horse Gall Crossroads, in NW. angle of crossing, at SE. corner of storehouse, in wooden support; copper nail-----	91. 72

From crossroads 1.5 miles southeast of Mount Carmel School southwest by way of Pine Savannah School to Garnett-Gillisonville road, thence southeast along road to Gillisonville (by F. L. Shalibo in 1918)

Cypress Creek Church, 1.2 mi. in air line SE. of, 1.1 mi. SW. of crossroads, 0.9 mi. NE. of White Oak Ford across Cypress Creek, 0.2 mi. N. of Hampton-Jasper county line, 20 ft. S. of rd. at junction of rd. W., in field, in root of 16-in. twin pine tree; copper nail-----	86. 30
White Oak Ford, 150 ft. SW. of, 20 ft. S. of rd., in root of 36-in. pine tree; copper nail-----	48. 18
White Oak Ford, 0.8 mi. SW. of, 2.2 mi. NE. of Pine Savannah School, on E. side of rd. at junction of second-class rd. W., in root of 15-in. pine tree; copper nail-----	100. 08
Pine Savannah School, 2.0 mi. NE. of, in NE. angle of junction of rd. E. to Grays; iron post stamped "102"-----	102. 346
Pine Savannah School, 1.1 mi. NE. of, on NW. side of rd. opposite junction of second-class rd. SE., in root of 30-in. pine tree; copper nail-----	100. 06

Pine Savannah School, 0.2 mi. SW. of, 2.2 mi. SE. of Stafford, 40 ft. W. of mill, in triangle at junction of rd. from Cummings with Stafford-Gillisonville rd.; iron post stamped "97"-----	<i>Feet</i> 96. 865
Pine Savannah School, 1.2 mi. SE. of, on W. side of rd. at intersection of second-class NE.-SW. rd., 10 ft. N. of gate, in root of small pine tree; copper nail-----	101. 74
Pine Savannah School, 2.5 mi. SE. of, 6.7 mi. NW. of Gillisonville, about 3.5 mi. NE. of Pineland, 15 ft. S. of center of crossroads; iron post stamped "94"-----	94. 583
Gillisonville, 5.7 mi. NW. of, 100 ft. E. of junction of second-class rd. SW., 50 ft. W. of lane to farmhouse, on S. side of rd., in root of 10-in. oak tree; copper nail-----	97. 76
Gillisonville, 4.6 mi. NW. of, on N. side of rd., in root of twin pine tree; copper nail-----	95. 90
Gillisonville, 4.3 mi. NW. of, 0.7 mi. W. of Beaverdam Branch, at crossroads, in NW. angle of crossing of tracks of old tram line, 30 ft. N. of rd., in root of pine tree; copper nail-----	96. 56
Gillisonville, 3.6 mi. NW. of, 750 ft. W. of bridge over Beaverdam Branch, in N. angle of crossroads, 15 ft. N. of rd.; iron post stamped "79"-----	79. 833
Gillisonville, 2.6 mi. NW. of, in E. angle of crossroads, in root of 12-in. pine tree; copper nail-----	89. 49
Gillisonville, 1.9 mi. NW. of, 20 ft. NE. of rd. at junction of second-class rd. SW., in root of small pine tree; copper nail-----	80. 49
Gillisonville, 0.9 mi. W. of public school, at top of hill, on N. side of rd., in front of gate to farmhouse, in root of 12-in. oak tree; copper nail--	75. 41

From Garnett southeast and northeast along Garnett-Gillisonville road to crossroads 3.6 miles northeast of Pineland (by F. L. Shalibo in 1918)

Garnett, 1.2 mi. E. of, 2.2 mi. NW. of Robertville, at Hampton-Jasper county line; top of cement post-----	74. 71
Robertville, 1.2 mi. NW. of, in NW. angle of rd. fork, in root of large tree; copper nail-----	68. 55
Robertville, 0.8 mi. NW. of, on W. side of rd. at junction of rd. NE., in root of large pine tree; copper nail-----	71. 19
Robertville, at junction of Garnett-Gillisonville rd. and rd. SE. to Tarboro, at SW. corner of store of J. C. Richardson; U. S. Dept. Agr. iron post stamped "72.0"-----	70. 300
Robertville, 1.0 mi. NE. of, 1.0 mi. SW. of Bethel Church, 100 ft. E. of junction of rd. N. to Titi School, in root of 20-in. pine tree; copper nail-----	66. 01
Bethel Church, 125 ft. W. of, 1.1 mi. by indirect rd. W. of Pineland, 0.7 mi. SW. of crossing of Southern Ry., 20 ft. S. of center line of rd., in root of large pine tree; copper nail-----	71. 66
Bethel Church, 1.3 mi. NE. of, 0.4 mi. along Ry. NW., thence 0.6 mi. along rd. NE. from Pineland, on S. side of rd. at junction of second-class rd. N., inside fence, in root of large tree; copper nail-----	75. 66
Pineland, 0.4 mi. along Ry. NW., thence 1.9 mi. along rd. NE. from, 1.3 mi. SW. of intersection of rd. SE. from Pine Savannah School to Nazarene Church, 15 ft. S. and 15 ft. E. from junction of rd. SE.; iron post stamped "Prim Trav Sta No 25 1918 97"-----	97. 621

From road crossing 0.4 mile northwest of Pineland southeast along Southern Railway to Tarboro station, thence southeast along road into Hardeeville quadrangle (by F. L. Shalibo in 1918)

Pineland, at rd. crossing, 15 ft. W. of track, on N. side of rd., 1 ft. from warning sign; iron post stamped "72"-----	<i>Feet</i> 71. 938
Pineland, 1.9 mi. SE. of, at crossing of second-class rd.; top of rail---	69. 4
Pineland, 2.7 mi. SE. of, 2.3 mi. NW. of Tarboro sta., at crossing of NE.-SW. second-class rd., 40 ft. from store, on E. side of rd.; iron post stamped "65"-----	65. 509
Tarboro sta., 1.6 mi. NW. of, at crossing of second-class E.-W. rd.; top of E. rail-----	67. 7
Tarboro sta., 100 ft. SW. of, at NE. corner of vacant store building; iron post stamped "66"-----	66. 001
Tarboro sta., 3.0 mi. along Tarboro-Ridgeland rd. SE. of, 25 ft. N. of rd., between two large pine trees; iron post stamped "61"-----	61. 223
Tarboro sta., 3.9 mi. SE. of, 6.3 mi. NW. of Ridgeland, on S. side of rd., in root of 20-in. pine tree; copper nail-----	56. 59
Ridgeland, 4.7 mi. NW. of, 0.3 mi. W. of Great Swamp, 20 ft. S. of rd. at junction of second-class rd. W.; iron post stamped "56"-----	56. 316
Ridgeland, 4.2 mi. NW. of, in NW. angle of junction of second-class rd. NW., in root of 12-in. tree; copper nail-----	54. 72

RAVENELS QUADRANGLE

[Latitude 32°45'-33°00'; longitude 80°00'-80°15']

BERKELEY, CHARLESTON, AND DORCHESTER COUNTIES

From Summerville quadrangle south and southeast along Atlantic Coast Line Railroad into Charleston quadrangle (first-order leveling by C. H. Semper in 1918) ⁵⁰

Otranto, 2.1 mi. N. of, 2.5 mi. S. of Mount Holly, 60 ft. NE. of rd. crossing, 70 ft. E. of tracks, in root of pine tree; spike-----	41. 72
Otranto, 1.5 mi. N. of, on concrete base of semaphore 3800; chiseled square-----	22. 01
Otranto, 0.5 mi. N. of, on concrete base of semaphore 3808; chiseled square-----	17. 16
Otranto, about 86 ft. S. of sta., 80 ft. N. of switch stand, 24 ft. E. of E. rail of E. track, at E. edge of deep ditch; iron post stamped "Prim Trav Sta No 16 Mac 1917 32"-----	31. 585
Otranto, in front of sta.; top of rail-----	31. 7
Otranto, 0.5 mi. S. of, on concrete base of semaphore 3816; chiseled square-----	36. 10
Otranto, 1.5 mi. SE. of, on concrete base of semaphore 3824; chiseled square-----	14. 16
Otranto, 2.5 mi. SE. of, 0.9 mi. NW. of Saxon, on concrete base of semaphore 3832; chiseled square-----	40. 58
Saxon, 50 ft. S. of sta., 1.4 mi. NW. of The Farms, at rd. crossing, 8 ft. E. of E. rail; iron post stamped "36 1918" ⁵¹ -----	36. 181
The Farms, about 21 ft. S. of S. end of sta., at rd. crossing, 35 ft. N. of center line of rd., 24 ft. W. of W. rail of W. track; iron post stamped "46 1918"-----	46. 247

⁵⁰ For additional marks previously established by third-order leveling over the same route, see the line run by R. G. Clinite and F. L. Shalibo in 1917 (p. 652).

⁵¹ Reported missing in 1934.

The Farms, 0.6 mi. SE. of, 400 ft. S. of rd. crossing, on concrete base of semaphore; chiseled square.....	<i>Feet</i> 25. 54
The Farms, 1.4 mi. SE. of, 1.4 mi. NE. of Ashley Junction, 1,000 ft. S. of milepost 8, on concrete base of semaphore 3873; chiseled square.....	27. 66

From Charleston quadrangle northwest along Atlantic Coast Line Railroad to point 0.8 mile north of Otranto, thence generally east along road to Poppenheim Crossing, thence north along Seaboard Air Line Railway into Summer-ville quadrangle (by R. G. Clinite and F. L. Shalibo in 1917)

Ashley Junction, 1.1 mi. NW. of, 1.5 mi. SE. of The Farms, 100 ft. N. of rd. crossing, on E. side of tracks, on SW. corner of concrete semaphore; chiseled square.....	28. 34
The Farms, 0.5 mi. SE. of, at intersection of Atlantic Coast Line R. R. and branch of Southern Ry., on SE. corner of concrete foundation of signal tower; chiseled square.....	29. 00
Saxon, in front of sta.; top of E. rail.....	36. 9
Saxon sta., 160 ft. N. of rd. crossing, on E. side of track, in base of switch lever; spike.....	35. 78
Saxon, 2.0 mi. NW. of, 1.5 mi. SE. of Otranto, 300 ft. N. of bridge over Peters Creek, on W. side of tracks, on SE. corner of concrete base of semaphore; chiseled square.....	14. 29
Otranto, 0.5 mi. S. of, on W. side of tracks, on SE. corner of concrete base of semaphore; chiseled square.....	37. 02
Otranto, 0.7 mi. N. of, 110 ft. W. of tracks, at rd. crossing, on N. side of rd., in 8-in. maple tree; nail.....	8. 29
Otranto, about 1 mi. NE. of, 2.2 mi. NW. of Poppenheim Crossing, at NE. corner of bridge over Goose Creek, in support; head of bolt.....	7. 89
Poppenheim Crossing, 1.3 mi. NW. of, on S. side of rd., in root of tree; copper nail.....	37. 68
Poppenheim Crossing, on E. side of Seaboard Air Line Ry., on N. side of rd.; iron post stamped "31".....	30. 341
Poppenheim Crossing, 0.9 mi. N. of, on E. side of track, at crossing of private rd.; top of S. end of metal culvert.....	18. 85
Poppenheim Crossing, 1.9 mi. N. of, on W. side of bridge over Foster Creek, in 10- by 10-in. support; copper nail.....	8. 19

From Charleston quadrangle southwest along Atlantic Coast Line Railroad into Cottageville quadrangle (by H. S. Senseney in 1917)

Bennett, in front of sta.; top of S. rail of main-line track.....	33. 1
Drayton, 0.2 mi. NE. of, on bridge over Ashley River, at center of drawspan; top of N. rail.....	12. 1
Ashley River; surface of water at 10:28 a. m. Aug. 3, 1917 (tidewater).....	0. 7
Drayton, in front of sta.; top of S. rail.....	15. 0
Drayton, 2.8 mi. SW. of, 2.1 mi. NE. of Johns Island, 0.6 mi. SW. of milepost 14, 9 ft. NW. of NW. rail of southbound main track, 6 ft. S. of center line of dirt rd.; iron post stamped "14" (recovered by U. S. C. & G. S. in 1933).....	14. 475
Johns Island, 70 ft. E. of sta., on N. side of track, between ties supporting mail crane; iron post stamped "Prim Trav Sta No 14 Mac 1917 9".....	8. 840
Johns Island, in front of sta.; top of N. rail.....	9. 4
Johns Island, 1.5 mi. SW. of, 1.1 mi. NE. of Rantowles, on bridge over Rantowles Creek, at center of drawspan; top of N. rail.....	15. 1

Rantowles, 1.0 mi. NE. of sta., 360 ft. W. of W. end of bridge over Rantowles Creek, on S. side of track, at NW. corner of base of semaphore; head of bolt-----	<i>Feet</i> 14. 00
Rantowles, 20 ft. W. of sta., in root of tree; copper nail and washer--	21. 37
Rantowles, in front of sta.; top of N. rail-----	21. 4
Berry Hill, in front of sta.; top of N. rail-----	10. 0
Berry Hill, 200 ft. W. of sta., on N. side of track; iron post stamped "7"-----	6. 892
Ravenels, in front of sta.; top of S. rail of main-line track-----	39. 3
Ravenels, near sta., 70 ft. N. and 40 ft. W. from rd. crossing; iron post stamped "Prim Trav Sta No 12 Mac 1917 36"-----	35. 524
Reference mark, 20 ft. NE. of post, in root of tree; copper nail and washer-----	34. 61

From Cottageville quadrangle northeast along Bacon Bridge Road into Summerville quadrangle (by H. L. Hudson in 1917)

Cooke Crossroads, 3.3 mi. SW. of, 100 ft. N. of junction of T-rd. NW., on W. side of rd., in root of 28-in. pine tree; copper nail and washer-----	15. 86
Cooke Crossroads, 3.0 mi. SW. of, 50 ft. W. of dipping vat, on W. side of rd.; iron post stamped "21"-----	20. 839
Cooke Crossroads, 1.7 mi. SW. of, on E. side of rd. at bend, in root of 15-in. elm tree; copper nail and washer-----	13. 78
Cooke Crossroads, 0.4 mi. SW. of, on W. side of rd., 250 ft. SW. of dwelling, in root of 15-in. pine tree; copper nail and washer-----	30. 88
Cooke Crossroads, in NW. angle of intersection of Ashley River rd.; iron post stamped "23"-----	23. 273
Cooke Crossroads, 1.5 mi. N. of, 2.5 mi. SW. of Stallsville, 0.6 mi. N. of Bacon Bridge over Ashley River, in NW. angle of intersection of Augusta-Charleston rd., 150 ft. W. of dwelling, in root of 24-in. oak tree; copper nail and washer-----	53. 99
Stallsville, 1.0 mi. SW. of, 50 ft. E. of milepost reading "Summerville 3 miles," on E. side of rd., in root of 12-in. pine tree; copper nail and washer-----	70. 73
Stallsville, 1.8 mi. SW. of Summerville, in NW. angle of rd. junction, 150 ft. W. of dwelling, in corner of field; iron post stamped "79"---	78. 485

From Otranto northwest along roads to Ladson, thence along Southern Railway into Summerville quadrangle (by H. L. Hudson in 1917)

Otranto, 1.6 mi. NW. of, in NE. angle of crossroads; in root of 15-in. pine tree; copper nail and washer-----	45. 87
Otranto, 3.0 mi. NW. of, 1.7 mi. SE. of Ladson, 400 ft. NW. of bridge over Goose Creek Swamp, on S. side of rd. opposite rd. junction, in root of 8-in. oak tree; copper nail and washer-----	10. 74
Ladson, 0.5 mi. E. of, 200 ft. W. of church, on N. side of rd., in root of 24-in. pine tree; copper nail and washer-----	48. 29
Ladson, 200 ft. N. of Southern Ry. sta., 150 ft. E. of store, at fence corner; iron post stamped "45" (recovered by U. S. C. & G. S. in 1934)-----	45. 148
Ladson, 2.0 mi. NW. of, at rd. crossing, on NE. side of tracks, on SW. side of rd., in root of 12-in. pine tree; copper nail and washer-----	60. 27

From Charleston quadrangle northwest along Charleston-Savannah road to crossing of Atlantic Coast Line Railroad (by H. L. Hudson in 1917)

Dupont, 200 ft. SE. of crossing of Seaboard Air Line Ry., on NE. side of rd.; iron post stamped "16"-----	<i>Feet</i> 15. 921
Dupont, 0.9 mi. NW. of, 250 ft. N. of milepost C 7, in root of oak tree; copper nail and washer-----	12. 77
Dupont, 2.0 mi. NW. of, 75 ft. W. of milepost C 8, at junction of T-rd., in root of oak tree; copper nail and washer-----	15. 97
Dupont, 3.0 mi. NW. of, 75 ft. E. of milepost C 9, on N. side of rd., in root of elm tree; copper nail and washer-----	8. 50
Dupont, 4.2 mi. NW. of, 0.7 mi. NE., thence 0.7 mi. SE. from Johns Island, 0.2 mi. SE. of St. Peter's Church, 300 ft. W. of milepost C 10, on S. side of rd., in root of oak tree; copper nail and washer-----	9. 61

From Cottageville quadrangle east along Augusta-Charleston road to intersection of Bacon Bridge road 2.5 miles southwest of Stallville (by F. L. Shalibo in 1917)

Stallville, 2.5 mi. SW., thence 2.8 mi. W. from, 0.4 mi. E. of Blands Bridge over Ashley River, at junction of rd. NE. to Slandville, 10 ft. S. of rd., in root of 12-in. oak tree; copper nail-----	60. 12
Stallville, 2.5 mi. SW., thence 1.6 mi. W. from, on N. side of rd., at edge of woods, in root of large pine tree; copper nail-----	65. 12
Stallville, 2.5 mi. SW., thence 0.7 mi. W. from, on N. side of rd. at junction of T-rd. N., in root of 24-in. oak tree; copper nail-----	63. 75

From crossroads 2.5 miles southwest of Stallville southeast along Augusta-Charleston road to point on Atlantic Coast Line Railroad near Bennett (by H. L. Hudson in 1917-18)

Old Dorchester, 1.0 mi. NW. of, 2.5 mi. SW., thence 1.2 mi. SE. from Stallville, in NW. angle of junction of rd. NE., in root of 30-in. pine tree; copper nail and washer-----	22. 17
Old Dorchester, 0.6 mi. NW. of, 50 ft. SW. of old store building, on NE. side of rd., in root of 24-in. live-oak tree; copper nail and washer-----	34. 78
Old Dorchester, 75 ft. E. of cemetery, at gate, on S. side of rd. at bend; iron post stamped "Prim Trav Sta No 54 Mac 1917 19"-----	19. 269
Old Dorchester, 1.0 mi. SE. of, about 0.3 mi. SE. of bridge over Eagle Creek, at summit of grade, on W. side of rd., in root of 18-in. pine tree; copper nail and washer-----	26. 23
Old Dorchester, 2.2 mi. SE. of, 2.6 mi. NW. of Ashley Church, 0.9 mi. NW. of St. Mary's Church, on N. side of rd., in root of 8-in. pine tree; copper nail and washer-----	26. 57
Ashley Church, 1.6 mi. NW. of, 300 ft. NW. of St. Mary's Church, on W. side of rd., at junction of second-class rd. N.; iron post stamped "29"-----	29. 086
Ashley Church, 0.6 mi. SE. of, 208 ft. SE. of bend in rd., on N. side of rd., in root of 12-in. pine tree; copper nail and washer-----	27. 13
Ashley Church, 1.5 mi. SE. of, 0.1 mi. NW. of crossing of Popperdam Creek, 0.4 mi. SE. of Dorchester-Berkeley county line, at top of hill, 200 ft. S. of dwelling, on N. side of rd., in line with telephone poles; iron post stamped "31"-----	31. 045
Ashley Church, 2.6 mi. SE. of, 0.3 mi. NW. of Berkeley-Charleston county line, 500 ft. S. of dwelling, 50 ft. N. of rd. fork, on E. side of rd., in root of 24-in. pine tree; copper nail and washer-----	35. 66

Ashley Church, 3.5 mi. SE. of, 4.1 mi. NW. of Bennett, in NW. angle of crossroads near Lambs, in root of 30-in. ash tree; copper nail and washer-----	Feet 29. 19
Bennett, 3.6 mi. NW. of, in W. angle of R. R. crossing, 15 ft. N. of tracks, 200 ft. W. of dwelling, on SW. side of rd.; iron post stamped "19"-----	18. 741
Bennett, 2.3 mi. W. of, 1,000 ft. S. of abandoned store, on SW. side of rd., in root of 24-in. oak tree; copper nail and washer-----	15. 08
Bennett, 1.2 mi. SW. of, 33 ft. SW. of Atlantic Coast Line R. R. crossing, 54 ft. S. of center line of northbound track, 1 ft. higher than rail; iron post stamped "30" (recovered by U. S. C. & G. S. in 1933)-----	30. 007

From Cooke Crossroads southeast along Ashley River road to crossing of Atlantic Coast Line Railroad (by H. L. Hudson in 1917-18)

Cooke Crossroads, 1.1 mi. SE. of, 50 ft. SE. of junction of second-class rd. SW., on SW. side of rd., in root of 6-in. oak tree; copper nail and washer-----	26. 05
Cooke Crossroads, 2.4 mi. SE. of, on SW. side of rd. at junction of dim rd. NE., in root of 20-in. pine tree; copper nail and washer-----	26. 81
Cooke Crossroads, 3.4 mi. SE. of, at gate across rd., on SW. side of rd.; iron post stamped "32"-----	31. 529
Cooke Crossroads, 4.8 mi. SE. of, near Middleton Garden, 150 ft. N. of cemetery, at milepost marked "C 17 S 10," on NE. side of rd., in root of 8-in. oak tree; copper nail and washer-----	30. 86
Cooke Crossroads, 5.6 mi. SE. of, 0.4 mi. SE. of Charleston-Dorchester county line, 100 ft. W. of old store, 800 ft. N. of milepost marked "C 16 S 11," on SW. side of rd., in root of 12-in. oak tree; copper nail and washer-----	42. 46
Cooke Crossroads, 6.9 mi. SE. of, 2.1 mi. NW. of Bulls Chapel, on NE. side of rd. opposite junction of rd. SW.; iron post stamped "25"-----	25. 081
Bulls Chapel, 1.2 mi. NW. of, in NW. angle of crossroads, at S. entrance to Runnymede, in root of 60-in. oak tree; copper nail-----	20. 16
Bulls Chapel, 300 ft. S. of R. R. crossing NW. of, 1,000 ft. W. of dwelling, on E. side of rd., in root of 36-in. live-oak tree; nail-----	34. 69
Bulls Chapel, 0.8 mi. SE. of, on E. side of rd. at Andrews, in root of 36-in. live-oak tree; nail-----	16. 66
Bulls Chapel, 2.1 mi. SE. of, 0.3 mi. SW., thence 0.4 mi. NW. from Drayton, 200 ft. S. of old store, on W. side of rd., in root of 24-in. live-oak tree; nail-----	18. 11
Drayton, 0.3 mi. SW. of, 400 ft. N. of rd. crossing, 40 ft. SE. of center line of northbound main track, 2 ft. lower than top of rail; iron post stamped "19" (recovered by U. S. C. & G. S. in 1933)-----	19. 124

From Johns Island south along Inland road into Wadmalaw Island quadrangle (by H. L. Hudson in 1918)

Johns Island, 1.2 mi. S. of, at junction of River rd., 100 ft. S. of store, in front of dwelling, in root of tree; nail-----	10. 45
Johns Island, 2.1 mi. S. of, 300 ft. S. of milepost C 14, on W. side of rd., in root of 12-in. oak tree; nail-----	12. 70
Johns Island, 2.4 mi. S. of, at crossing of Seaboard Air Line Ry., 10 ft. N. of tracks; iron post stamped "Prim Trav Sta No 49 Mac 1917 14"-----	13. 441
Johns Island, 3.1 mi. S. of, 25 ft. N. of milepost C 15, on W. side of rd., in front of store, in root of 20-in. oak tree; copper nail-----	20. 29

From Wadmalaw Island quadrangle northwest along River road to intersection of Inland road 1.2 miles south of Johns Island (by H. L. Hudson in 1918)

Miller Hill, 3.0 mi. NW. of, 5.0 mi. SE. of Johns Island, on SW. corner of abutment of bridge over swamp; chiseled square-----	Feet 6. 07
Johns Island, 2.9 mi. SE. of, 400 ft. SE. of crossing of Seaboard Air Line Ry., in front of store, in root of 50-in. oak tree; copper nail---	15. 35
Johns Island, 2.2 mi. SE. of, in middle of NE. side of bridge over creek; nail-----	9. 80

From Summerville quadrangle south along Seaboard Air Line Railway 0.2 mile, thence northeast along road into Charleston quadrangle (by E. B. Williams in 1935; double-run spur line)

Poppenheim Crossing, 1.5 mi. N. of, 1.3 mi. SW. of Stokes Mill, 120 ft. W. of crossing of rd. to Liberty Hill Clubhouse, in root on NE. side of 8-in. oak tree; wire nail-----	16. 01
--	--------

RHEMS QUADRANGLE

[Latitude 33°30'-33°45'; longitude 79°15'-79°30']

GEORGETOWN, MARION, AND WILLIAMSBURG COUNTIES

From Indiantown quadrangle about 4 miles northeast of Warsaw northeast along Warsaw-Gapway road and back into Indiantown quadrangle about 3 miles southeast of Nesmith (by P. A. Wattley in 1934)

Warsaw, 5.0 mi. NE. of, 1.1 mi. SW. of Gapway, 15 ft. N. of center line of rd., in root on S. side of 25-in. pine tree; wire nail and bottle cap--	35. 33
Gapway, at, 25 ft. S. of center line of rd., 42 ft. N. and 18 ft. W. from NW. corner of dwelling of W. J. Elliott, in 7- by 7-in. concrete post; standard tablet stamped "W 53 1934 37"-----	37. 143
Reference mark, 10 ft. E. of center line of rd., 200 ft. NW. of dwelling, in root on SW. side of 25-in. pine tree; wire nail and bottle cap----	36. 64
Gapway, 1.4 mi. NW. of, 8.2 mi. SE. of Nesmith, 30 ft. E. of center line of rd., 50 ft. W. of dwelling, in yard, in root on SW. side of 10-in. oak tree; wire nail and bottle cap-----	39. 30
Nesmith, 7.4 mi. SE. of, 20 ft. E. of center line of rd., in root on W. side of 20-in. oak tree; wire nail and bottle cap-----	35. 22
Nesmith, 6.2 mi. SE. of, 25 ft. E. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "W 54 1934 35"-----	35. 466
Reference mark, 30 ft. E. of center line of rd., in root on W. side of 18-in. pine tree; wire nail and bottle cap-----	35. 10
Nesmith, 5.4 mi. SE. of, 3.5 mi. W. of Black Mingo Church, 300 ft. N. of crossroads, 30 ft. E. of center line of rd., in root on W. side of 8-in. oak tree; wire nail and bottle cap-----	41. 13
Nesmith, 4.5 mi. SE. of, 20 ft. W. of center line of rd., in root on S. side of 15-in. oak tree; wire nail and bottle cap-----	47. 24
Nesmith, 3.9 mi. SE. of, 15 ft. N. and 25 ft. W. from rd. forks, in 7- by 7-in. concrete post; standard tablet stamped "W 55 1934 57"-----	56. 642
Reference mark, 200 ft. W. of rd. forks, 15 ft. N. of center line of rd., in root on S. side of 22-in. pine tree; wire nail and bottle cap-----	56. 74

From Indiantown quadrangle near Henry northeast along roads to point 2 miles south of Hemingway, thence northwest to Carters Crossroads (by P. A. Wattlely in 1934)

Henry, 200 ft. S. of junction of T-rd., 15 ft. W. of center line of rd., in root on NE. side of 20-in. oak tree; wire nail and bottle cap	Feet 48. 36
Henry, 1.5 mi. NE. of, 35 ft. N. and 25 ft. E. from junction of T-rd., in 7- by 7-in. concrete post; standard tablet stamped "W 59 1934 30"	30. 048
Reference mark, 50 ft. E. of center line of rd., in root on NW. side of 11-in. sycamore tree; wire nail and bottle cap	30. 27
Henry, 2.8 mi. NE. of, 80 ft. E. of center line of rd., in root on W. side of 18-in. walnut tree; wire nail and bottle cap	41. 90
Henry, 4.0 mi. NE. of, 30 ft. W. of center line of rd., 70 ft. E. of dwelling, in yard, in root on E. side of 30-in. oak tree; wire nail and bottle cap	55. 15
Henry, 5.3 mi. NE. of, 2.8 mi. SE. of Carters Crossroads, 2.0 mi. S. of Hemingway, 30 ft. W. of center line of rd., opposite dwelling, in 7- by 7-in. concrete post; standard tablet stamped "W 60 1934 52"	51. 499
Reference mark, 50 ft. W. of center line of rd., in root on E. side of 17-in. hickory tree; wire nail and bottle cap	50. 87
Carters Crossroads, 1.6 mi. SE. of, 300 ft. E. of Seaboard Air Line Ry. track, 60 ft. N. of center line of rd. to Carters Crossroads, in root on S. side of 10-in. oak tree; wire nail and bottle cap	54. 22
Carters Crossroads, 0.4 mi. SE. of, 50 ft. N. of center line of rd., in root on S. side of 6-in. oak tree; wire nail and bottle cap	51. 89
U. S. C. & G. S. standard disk stamped "A 32 1934"	51. 660

From Good Hope Church southeast 1.4 miles, thence southwest along roads to road junction southwest of Carvers Bay store, thence northwest along old Squirrel Run road to Oaks, thence southwest 3.5 miles along State Highway 511, thence west along road into Indiantown quadrangle (by W. B. Sykes in 1934)

U. S. C. & G. S. standard disk stamped "C 33 1934"	37. 733
Carvers Bay store, 3.0 mi. NE. of, 1.4 mi. SE. of Good Hope Church, 60 ft. W. of junction of T-rd., 20 ft. W. of center line of rd., 10 ft. E. of tobacco barn, in root on E. side of 18-in. sycamore tree; wire nail	47. 98
Carvers Bay store, 2.0 mi. NE. of, along rd. on NW. side of Carvers Bay, 20 ft. NW. of center line of rd., in root on S. side of 12-in. pine tree; wire nail	51. 36
Carvers Bay store, 1.0 mi. NE. of, 15 ft. E. of center line of rd., 90 ft. W. of corner of Mount Zion Church, in root on W. side of 20-in. pine tree; wire nail	51. 13
Carvers Bay store, 50 ft. E. of front of old store building, on NW. edge of Carvers Bay, 20 ft. E. of center of intersection of State Highway 51 and old Pee Dee rd., in 7- by 7-in. concrete post; standard tablet stamped "SY 44 1934"	51. 825
Reference mark, 30 ft. S. of tablet, in root on NW. side of 36-in. oak tree; wire nail	51. 46
Carvers Bay store, 1.0 mi. NW. of, along old Squirrel Run rd., 25 ft. SW. of center line of rd., in root on N. side of 10-in. pine tree; wire nail	46. 45
Carvers Bay store, 2.0 mi. NW. of, 4.6 mi. SE. of Oaks, 20 ft. NE. of center line of rd., in root on S. side of 8-in. pine tree; wire nail	35. 56

Oaks, 3.6 mi. SE. of, 20 ft. SW. of center line of rd. and 200 ft. NW. of curve, on property of B. M. Baruch, 36 ft. SW. of fence around pasture, in 7- by 7-in. concrete post; standard tablet stamped "SY 45 1934"-----	Feet 22. 642
Reference mark, 8 ft. NE. of tablet, in root on NW. side of 20-in. twin water-oak tree; wire nail-----	22. 14
Oaks, 2.6 mi. SE. of, 10 ft. S. of center line of rd., 30 ft. SW. of crossing of private rd., on SE. edge of pine grove, in root on S. side of 24-in. pine tree; wire nail-----	31. 88
Oaks, 1.6 mi. SE. of, 15 ft. S. of center line of rd., in root on S. side of 8-in. oak tree; wire nail-----	34. 44
Oaks, 85 ft. NW. of center of intersection of State Highway 511 and old Squirrel Run rd., 80 ft. W. of front of old post office building, 20 ft. W. of center line of highway, in concrete post; U. S. C. & G. S. standard disk (not stamped)-----	39. 852
Oaks, 1.0 mi. S. of, 45 ft. W. of center line of highway, on property of W. N. Bench, in root on E. side of 18-in. pine tree; wire nail-----	30. 94
Oaks, 2.1 mi. SW. of, 0.4 mi. S. of Union Church, 50 ft. E. of center line of highway, in root on E. side of 10-in. pine tree; wire nail----	31. 94
Oaks, 2.9 mi. SW. of, 0.7 mi. E., thence 0.4 mi. NE. from Black-Mingo Church, at bridge over Black Mingo Creek, in N. end of W. curb rail; wire nail-----	9. 73
Black Mingo Church, 2 ft. W. of SW. corner of, 800 ft. NE. of Jacks Creek, in 7- by 7-in. concrete post; standard tablet stamped "SY 46 1934"-----	24. 620
Reference mark, 60 ft. SW. of tablet, in root on W. side of 30-in. pine tree; wire nail-----	25. 87
Black Mingo Church, 1.0 mi. W. of, 25 ft. N. of center line of second-class rd., in root on S. side of 10-in. water-oak tree; wire nail-----	35. 29
Black Mingo Church, 2.0 mi. W. of, 6.7 mi. SE. of Nesmith, 35 ft. S. of center line of second-class rd., on property of Wm. Hemingway, in root on N. side of 20-in. elm tree; wire nail-----	42. 22
From Carvers Bay store generally southwest along State Highways 51 and 512 and roads by way of Munnerlyns and Browns Ferries on Black River into Georgetown quadrangle about 3.5 miles southwest of Mount Carmel Church (by W. B. Sykes in 1934)	
Carvers Bay store, 1.1 mi. along State Highway 51 S. of, in N. end of N. curb rail of bridge over stream; bent wire nail-----	26. 53
Carvers Bay store, 2.0 mi. S. of, 15 ft. W. of center of junction of rd. SE. to Plantersville, in concrete post; U. S. C. & G. S. and State Survey standard disk stamped "G 560"-----	22. 191
Carvers Bay store, 3.2 mi. SW. of, 80 ft. W. of center line of highway, in root on E. side of 8-in. pine tree; wire nail-----	19. 57
Carvers Bay store, 4.1 mi. SW. of, 50 ft. W. of center line of State Highway 51, on E. side of 24-in. pine tree; wire nail-----	20. 27
Carvers Bay store, 5.0 mi. SW. of, 3.2 mi. NE. of Munnerlyns Ferry, 0.7 mi. W. of junction of State Highways 51 and 512, 15 ft. S. of center line of State Highway 512, 60 ft. NE. of NE. corner of dwelling of A. B. Williams, 10 ft. W. of fence, in 7- by 7-in. concrete post; standard tablet stamped "SY 47 1934"-----	17. 997
Reference mark, 50 ft. W. of tablet, in root on N. side of sweetgum tree; wire nail-----	18. 18
Munnerlyns Ferry, 2.2 mi. along rd. NE. of, 12 ft. N. of center line of rd., in root on S. side of 8-in. pine tree; wire nail-----	19. 83

Munnerlyns Ferry, 1.0 mi. NE. of, 15 ft. W. of center line of highway, in root on SE. side of 14-in. red-oak tree; wire nail.....	<i>Feet</i> 14. 07
Munnerlyns Ferry landing on W. bank of Black River, 0.2 mi. SW. of, 1.0 mi. SE. of Browns Ferry, 40 ft. NE. of center line of second-class rd. to Georgetown, 160 ft. NW. of gate to Hunting Lodge of G. L. Amos, in hog lot, in 7- by 7-in. concrete post; standard tablet stamped "SY 48 1934".....	35. 398
Reference mark, 10 ft. W. of tablet, in root on S. side of 40-in. oak tree; wire nail.....	34. 81
Browns Ferry, on E. bank of Black River, 8 ft. S. of center line of rd., on S. side of 48-in. cypress tree used as mooring post for ferry; rail spike.....	4. 48
Browns Ferry, 1.0 mi. SW. of, 1.1 mi. NE. of Mount Carmel Church, 8 ft. S. of center line of fourth-class rd., in root on NE. side of 8-in. oak tree; wire nail.....	53. 23
Mount Carmel Church, 2 ft. NW. of NW. corner of, 2.2 mi. SW. of Browns Ferry, at crossroads, 30 ft. E. of center line of fourth-class rd. SW., in 7- by 7-in. concrete post; standard tablet stamped "SY 49 1934".....	42. 398
Reference mark, 60 ft. W. of tablet, in root on S. side of 20-in. twin oak tree; wire nail.....	42. 53
Mount Carmel Church, 1.0 mi. SW. of, 30 ft. E. of center line of rd., in root on W. side of 16-in. pine tree; wire nail.....	38. 13
Mount Carmel Church, 2.0 mi. SW. of, 20 ft. NW. of center line of rd., in root on SE. side of 10-in. pine tree; wire nail.....	50. 46
Mount Carmel Church, 3.0 mi. S. of, 1.5 mi. NE. of junction of Pea House Ferry rd., 12 ft. NW. of center line of rd., 350 ft. N. of abandoned tenant house, on NE. edge of clearing, in 7- by 7-in. concrete post; standard tablet stamped "SY 50 1934".....	42. 836
Reference mark, 6 ft. E. of tablet, in root on SE. side of 12-in. pine tree; wire nail.....	42. 39

From Georgetown quadrangle northwest along State Highway 51 to point 3 miles south of Carvers Bay store (by W. B. Sykes in 1934)

Campfield, 2.0 mi. NW. of, 60 ft. W. of center of junction of T-rd. NE., in root on S. side of 10-in. pine tree; wire nail.....	14. 08
Campfield, 3.0 mi. NW. of, 40 ft. NE. of center line of highway, 36 ft. SW. of S. corner of two-story farm dwelling of George Jacobs, in 7- by 7-in. concrete post; standard tablet stamped "SY 53 1934".....	21. 228
Reference mark, 18 ft. SE. of tablet, in root on SW. side of 25-in. oak tree; wire nail.....	21. 70
Campfield, 4.0 mi. NW. of, in yard of Hopewell Baptist Church, 60 ft. NE. of center line of highway, in root on SW. side of 20-in. pine tree; wire nail.....	20. 68
Campfield, 5.0 mi. NW. of, in yard of New Nazareth Church, 70 ft. NE. of center line of highway, in root on W. side of 18-in. oak tree; wire nail.....	21. 88
Campfield, 6.1 mi. NW. of, about 0.4 mi. SE. of Choppee Creek, 3.6 mi. SW. of Carvers Bay store, 70 ft. SW. of center line of highway, in base on E. side of 12-in. pine tree; wire nail.....	16. 86

From Oakton quadrangle at point 1.3 miles northeast of Jerusalem Church southeast along roads by way of Pine Bluff Church into Yauhannah quadrangle near Pitch landing on Pee Dee River (by W. B. Sykes in 1934)

Pine Bluff Church, 1.0 mi. NW. of, 2.3 mi. NE. of Jerusalem Church, 200 ft. SE. of junction of Y-rd., 12 ft. S. of center line of rd., in root on N. side of 8-in. red-oak tree; wire nail.....	Feet 60. 54
Pine Bluff Church, 110 ft. SW. of, about 2 mi. NE. of Smiths Mills on Pee Dee River, 15 ft. E. of center line of rd., in root on NW. side of hickory tree; wire nail.....	63. 31
Pine Bluff Church, 1.0 mi. SE. of, 18 ft. W. of center of junction of T-rd. NW. to dwelling of Ed. Lawrimore, about 300 ft. SE. of dwelling, in 7- by 7-in. concrete post; standard tablet stamped "SY 41 1934".....	55. 626
Reference mark, 50 ft. SE. of tablet, in root on N. side of 40-in. poplar tree; wire nail.....	56. 08
Pine Bluff Church, 2.0 mi. SE. of, 85 ft. S. of wooden bridge over swamp, 15 ft. W. of center line of rd., in base on E. side of 14-in. pine tree; wire nail.....	50. 12
Pine Bluff Church, 3.1 mi. SE. of, 15 ft. E. of center line of rd., in base on E. side of 10-in. persimmon tree; wire nail.....	56. 65
Pine Bluff Church, 4.0 mi. SE. of, 4.1 mi. W. of Pitch landing, on property of J. H. Tindall, 2 ft. W. of NW. corner of dwelling of J. G. Powers, in 7- by 7-in. concrete post; standard tablet stamped "SY 42 1934".....	43. 103
Reference mark, 100 ft. NW. of tablet, in root on SE. side of 30-in. chinaberry tree; wire nail.....	43. 62
Pitch landing, 3.1 mi. SW. of, 1.5 mi. E. of center line of rd., in root on E. side of 10-in. pine tree; wire nail.....	22. 47
Pitch landing, 2.1 mi. SW. of, 15 ft. N. of center line of rd., in root on S. side of 12-in. pine tree; wire nail.....	37. 12
Pitch landing, 1.1 mi. SW. of, 20 ft. S. of center line of rd., in root on N. side of 10-in. oak tree; wire nail.....	39. 48
Pitch landing on Pee Dee River, 0.5 mi. SW. of, 1.2 mi. NE. of Petersfield, in NW. angle of crossroads; iron post stamped "Prim Trav Sta No 15 J 1918".....	34. 947

From Oakton quadrangle southeast along State Highway 51 to Outland Crossroads, thence northeast along county-line road and back into Oakton quadrangle near Jerusalem Church (by W. B. Sykes in 1934; double-run line)

Hemingway, 3.1 mi. SE. of, 35 ft. S. of center line of highway, on property of P. Rodgers, in root on N. side of 8-in. pine tree; wire nail.....	59. 63
Hemingway, 4.0 mi. SE. of, 65 ft. SW. of center line of highway, on property of H. B. Ginn, 2 ft. S. and 2 ft. E. from NE. corner of tenant house, in 7- by 7-in. concrete post; standard tablet stamped "SY 34 1934".....	38. 075
Reference mark, 25 ft. NE. of tablet, in root on N. side of 15-in. oak tree; wire nail.....	37. 81
U. S. C. & G. S. standard disk stamped "X 32 1934".....	39. 675
Outland Crossroads, at 5.2 mi. SE. of Hemingway, 35 ft. NE. of center of intersection, in root on W. side of 30-in. dead pine tree; wire nail.....	61. 40

Outland Crossroads, 1.0 mi. NE. of, along county rd. to Smiths Mills, 0.5 mi. SW. of Jerusalem Church, on estate of William Beech, 10 ft. SE. of center line of rd., in root on S. side of 10-in. pine tree; wire nail.....	Feet 41. 30
Jerusalem Church, 0.3 mi. NE. of, 2.9 mi. SW. of Smiths Mills, 15 ft. NW. of center line of rd., in base on S. side of 8-in. gum tree; wire nail.....	41. 78

From Oakton quadrangle southeast about 3 miles along Britton Ferry road
into Yauhannah quadrangle (by W. B. Sykes in 1934; double-run spur line)

Britton Ferry landing on Pee Dee River, 6.0 mi. NW. of, 1.2 mi. SE. of Hucks place, 15 ft. NE. of center line of rd., on property of Atlantic Coast Lumber Corporation, in root on NW. side of 8-in. oak tree; wire nail.....	32. 51
Britton Ferry landing, 5.1 mi. NW. of, 15 ft. W. of rd., on property of Colonel Mungry, 70 ft. E. of dwelling of T. M. Larrimore, in root on N. side of 12-in. oak tree; wire nail.....	28. 66

From Hemingway southwest along State Highway 175 into Indiantown quad-
rangle (by W. B. Sykes in 1934)

Hemingway, 1.0 mi. SW. of, 30 ft. N. of center line of highway, in root on S. side of 8-in. ash tree; copper nail and washer.....	51. 01
Hemingway, 2.0 mi. SW. of, 50 ft. S. of center line of highway, on property of B. Brown, in root on N. side of 40-in. oak tree; copper nail and washer.....	53. 67

From Munnerlyns Ferry on Black River southeast along road into Georgetown
quadrangle (by W. B. Sykes in 1935)

Munnerlyns Ferry, 1.0 mi. SE. of, 30 ft. SW. of center line of third- class rd., in root on NE. side of 20-in. pine tree; wire nail.....	19. 80
Munnerlyns Ferry, 2.1 mi. SE. of, 400 ft. NW. of bridge over Lanes Creek, 50 ft. SW. of center of junction of T-rd., 50 ft. NW. of center line of rd., in root on NE. side of 20-in. pine tree; wire nail..	13. 57

RIDGEVILLE QUADRANGLE

[Latitude 33°00'-33°15'; longitude 80°15'-80°30']

BERKELEY, COLLETON, AND DORCHESTER COUNTIES

From Cottageville quadrangle north along Edisto River road to road junction
2.2 miles south of Givhans Bridge, thence east 1.5 miles, thence northeast
along Beech Hill road to Givhans, thence southeast and back into Cottage-
ville quadrangle (by F. L. Shalibo in 1917)

[Line jogs into Cottageville quadrangle]

Sullivans Ferry Crossroads, 6.8 mi. N. of, 2.2 mi. S. of Givhans Bridge, in center of triangle at junction of Edisto River rd. and T-rd. E., in root of large tree; copper nail.....	63. 41
Givhans, 0.5 mi. along Beech Hill rd. SW. of, on W. side of rd., in root of 20-in. pine tree; copper nail.....	41. 49
Givhans, in SE. angle of junction of Charleston-Augusta rd. and rd. SW., just W. of cotton gin, in root of 12-in. oak tree; copper nail..	58. 13
Givhans, 0.5 mi. SE. of, on S. side of rd., at junction of rd. N. to Ridgeville, near fence, in root of large oak tree; copper nail.....	53. 86
Givhans, 1.3 mi. SE. of, at SE. corner of church; iron post stamped "42".....	41. 661

From Cottageville quadrangle northwest 0.3 mile along road on west side of Big Bay Swamp, thence generally west to Rehoboth School, thence southwest and back into Cottageville quadrangle (by F. L. Shalibo in 1917)

Rehoboth School, 2.0 mi. E. of, 3.2 mi. N. of Redoak Corners, about 6 mi. N. of Cottageville, at three corners, on W. side of rd., 3 ft. from fence; iron post stamped "55"-----	Feet 54. 759
Rehoboth School, 3.7 mi. E. of Rickenbocker, at crossroads, 100 ft. SE. of church, in root of pine tree; copper nail-----	70. 07

From Cottageville quadrangle north along road west of Edisto River to point about 2 miles southwest of Givhans Bridge (by F. L. Shalibo in 1918; single-spur line)

Cottageville, 7.7 mi. NE. of, about 2 mi. SW. of Givhans Bridge, 100 ft. E. of dwelling, near fence, on SE. side of rd., in root of 24-in. oak tree; copper nail-----	34. 88
---	--------

From Eutawville quadrangle southeast along Charleston-Columbia State Road (State Highway 31) into Summerville quadrangle (by R. G. Clinite in 1918)

Sandridge, 1.0 mi. SE. of, 3.8 mi. NW. of Mudville School, at farm of W. A. Jeffers, on SW. side of rd., in root of 28-in. pine tree; copper nail-----	93. 86
Mudville School, 2.8 mi. NW. of, 600 ft. NW. of store of John Single-terry, 25 ft. N. of junction of rd. W. to Spring Hill Church, at dipping vat, in root of 28-in. pine tree; copper nail-----	85. 35
Mudville School, 1.8 mi. NW. of, on SW. side of rd., 700 ft. E. of curve, in root of 20-in. pine tree; copper nail-----	91. 48
Mudville School, 0.7 mi. NW. of, at Exo Rudd Place, on SW. side of rd., 15 ft. S. of gate; iron post not stamped-----	90. 167
Mudville School, 0.1 mi. SE. of, 7.0 mi. NW. of Long Ridge Crossroads, at junction of Millpond rd. NE., 15 ft. SW. of center line of rd., 2 ft. from wire fence, 15 ft. NW. of gate; iron post stamped "Prim Trav Sta No 59 Mac 1917 87"-----	86. 787

From Summerville quadrangle northwest along Southern Railway into St. George quadrangle (by R. G. Clinite in 1919)

Jedburg sta., 2.2 mi. NW. of, 3.0 mi. SE. of Ridgeville, on E. margin of Cypress Swamp, 115 ft. S. of center line of track, 14 ft. N. of fence, 50 ft. E. of blazed 20-in. gum tree; iron post stamped "43 1919" (recovered by U. S. C. & G. S. in 1934)-----	42. 634
Ridgeville, 1.3 mi. SE. of, 50 ft. N. of rd. crossing, in root of 14-in. pine tree; copper nail-----	55. 44
Ridgeville, directly opposite sta., 60 ft. W. of street crossing, 30 ft. N. of center line of track; iron post stamped "Prim Trav Sta No 61 Mac 1917 78" (recovered by U. S. C. & G. S. in 1934)-----	78. 054
Ridgeville, 2.1 mi. NW. of, 3.5 mi. SE. of Dorchester, 70 ft. N. of track, at E. margin of Four Hole Swamp, in root of 5-in. oak tree; copper nail-----	42. 07
Dorchester, 2.5 mi. SE. of, about 0.3 mi. W. of main channel of Four Hole Swamp, 50 ft. N. of center line of track, 10 ft. S. of edge of woods, 30 ft. W. of 17-in. blazed oak tree; iron post stamped "44 1919" (recovered by U. S. C. & G. S. in 1934)-----	43. 727
Dorchester, 1.5 mi. SE. of, 250 ft. E. of farmhouse, 60 ft. S. of track, in root of 14-in. pine tree; copper nail-----	70. 31
Dorchester, in front of sta.; top of rail-----	106. 8

Dorchester, directly opposite sta., 40 ft. S. of center line of track, 20 ft. N. of center line of rd.; iron post stamped "Prim Trav Sta No 62 Mac 1917 107" (recovered by U. S. C. & G. S. in 1934)-----	Feet 106. 355
Dorchester, 1.1 mi. NW. of, in milepost 38, 50 ft. S. of track, 50 ft. N. of rd., in root of 12-in. pine tree; copper nail-----	91. 99
Dorchester, 2.0 mi. NW. of, 2.3 mi. SE. of Pregnall, 350 ft. SE. of milepost 39, between track and rd., in root of 6-in. pine tree; copper nail-----	105. 82
Pregnall, 1.1 mi. SE. of, 330 ft. W. of milepost 40, 60 ft. N. of track, in swamp, in root of 8-in. oak tree; copper nail-----	83. 42
Pregnall, in front of sta.; top of rail-----	88. 2
Pregnall, directly opposite sta., 50 ft. S. of center line of track, 40 ft. N. of rd., 7 ft. W. of pine tree; iron post stamped "Prim Trav Sta No 63 Mac 1917 88"-----	87. 071
Pregnall, 2.1 mi. NW. of, 1.0 mi. SE. of Byrd, on S. side of trestle over Indian Field Creek, in stringer; top of bolt-----	69. 77

From Pregnall southwest along road to crossroads 0.4 mile south of Sand Ridge Church, thence northwest along Charleston-Augusta road into St. George quadrangle (by R. G. Clinite in 1919)

Pregnall, 0.6 mi. S. of, 20 ft. S. and 15 ft. W. from crossroads, in root of 15-in. pine tree; copper nail-----	82. 01
Pregnall, 1.6 mi. SW. of, 25 ft. N. and 15 ft. W. from junction of private rd. E., 3 ft. E. of fence, in root of oak tree; copper nail-----	81. 68
Pregnall, 2.4 mi. SW. of, 20 ft. N. and 15 ft. W. from center of rd. fork; iron post stamped "111 1919"-----	110. 305
Pregnall, 4.1 mi. SW. of, 0.6 mi. N. of Sand Ridge Church, in edge of woods, on W. side of rd., in root of 18-in. pine tree; copper nail-----	101. 79
Sand Ridge Church, about 0.4 mi. S. of, 10 ft. S. and 50 ft. W. from intersection of Charleston-Augusta rd.; iron post stamped "Prim Trav Sta No 64 Mac 1919 106"-----	105. 928
Sand Ridge Church, 0.4 mi. S., thence 1.0 mi. NW. from, 5.9 mi. SE. of Grover, 5 ft. N. and 60 ft. E. from rd. forks, 200 ft. W. of farmhouse, on N. side of Charleston-Augusta rd., in root of 12-in. oak tree; copper nail-----	94. 62

From crossroads 0.4 mile south of Sand Ridge Church southeast along Charleston-Augusta road to Givhans (by R. G. Clinite in 1919)

Harley Bridge over Four Hole Swamp, 2.8 mi. NW. of, 2.9 mi. SE. of Sand Ridge Church, 15 ft. N. and 15 ft. E. from center of junction of rd. NE. to Zion Church, opposite farmhouse, in fenced field, 4 ft. SE. of corner fence post; iron post stamped "74 1919"-----	73. 951
Harley Bridge, 1.9 mi. NW. of, opposite telephone pole 1672, on SW. side of rd., in root of 18-in. pine tree; copper nail-----	41. 58
Harley Bridge, on N. side of, 20 ft. W. of E. end, in bridge floor; spike-----	38. 02
Harley Bridge, 1,800 ft. E. of, 380 ft. W. of junction of direct rd. NE. to Ridgeville, on S. side of rd., 50 ft. E. of gate, 3 ft. N. of fence corner; iron post stamped "69 1919"-----	68. 252
Harley Bridge, 1.5 mi. SE. of, about 1.6 mi. N. of Givhans Bridge over Edisto River, 150 ft. E. of church, 60 ft. W. of rd. fork, on SW. side of rd., in root of 8-in. oak tree; copper nail-----	61. 02
Givhans Bridge, 1.0 mi. by rd. NE. of, 0.6 mi. N. of rd. junction, on E. side of rd., in woods, in root of 20-in. pine tree; copper nail-----	61. 28

Givhans Bridge, 0.4 mi. SE. of, 2.6 mi. NW. of Givhans, 5 ft. N. and 30 ft. E. from junction of rd. NW. across Edisto River; iron post stamped "Prim Trav Sta No 55 Mac 1917 62"-----	Feet 61. 325
Givhans, 1.5 mi. NW. of, on S. side of rd., 65 ft. NW. of dwelling, 35 ft. W. of mail box, in root of 15-in. pine tree; copper nail-----	64. 73
Givhans, 0.3 mi. NW. of, 110 ft. SE. of crossing of small stream, on S. side of rd., 3 ft. NW. of blazed 5-in. pine tree, in root of tree; nail--	47. 57

From Givhans northeast and north along road west of Cypress Swamp to Ridgeville (by R. G. Clinite in 1919)

Givhans, 0.5 mi. SE., thence 0.9 mi. NE. from, 230 ft. N. of junction of rd. W., 70 ft. N. of junction of dim rd. SE., on SE. side of rd., in root of 14-in. pine tree; copper nail-----	50. 73
Givhans, 0.5 mi. SE., thence 1.9 mi. NE. from, 50 ft. N. of junction of dim rd. NW., on W. side of rd., in root of 15-in. pine tree; copper nail-----	58. 41
Givhans, 0.5 mi. SE., thence 3.0 mi. N. from, 3.2 mi. S. of Ridgeville, on W. side of rd., 120 ft. NW. of abandoned farmhouse on E. side of rd., 24 ft. N. of corner of woven wire fence; iron post stamped "53 1919"-----	53. 079
Ridgeville, 2.1 mi. S. of, 110 ft. NW. of milepost 2, on W. side of rd., in front of cabin, in root of 20-in. oak tree; copper nail-----	53. 28
Ridgeville, 1.1 mi. S. of, 320 ft. N. of milepost 1, on W. side of rd., in root of 18-in. pine tree; copper nail-----	62. 20

From point on Charleston-Augusta road near Givhans Bridge northwest along road on south side of Edisto River into St. George quadrangle near Maple Cane Church (by R. G. Clinite in 1919)

Givhans Bridge, 0.4 mi. NW. of, on S. side of rd., in woods, opposite pig pen, in root of 14-in. pine tree; copper nail-----	34. 94
Givhans Bridge, 2.5 mi. NW. of, 120 ft. E. of rd. fork, on S. side of E.-W. rd., in root of 10-in. oak tree; copper nail-----	38. 39
Givhans Bridge, 3.3 mi. NW. of, about 3 mi. SE. of Maple Cane Church, on N. side of rd., 150 ft. E. of line between two houses on opposite sides of rd., in root of 14-in. sweetgum tree; copper nail--	42. 47
Maple Cane Church, 2.1 mi. E. of, 200 ft. W. of junction of rd. NE., 180 ft. E. of cabin, 15 ft. N. of rd., in root of 27-in. pine tree; copper nail-----	42. 80
Maple Cane Church, 1.0 mi. E. of, 10 ft. N. and 15 ft. E. from crossroads, in root of 12-in. oak tree; copper nail-----	45. 54
Maple Cane Church, 40 ft. SE. of crossroads at, 7.9 mi. E. of Canady Crossroads, 45 ft. N. of church, 25 ft. S. of rd.; iron post stamped "Prim Trav Sta No 40 Mac 1917 57"-----	55. 992

From St. George quadrangle southeast along Orangeburg road to Harleyville, thence northeast 4.7 miles, thence south along road west of Four Hole Swamp to Dorchester (by R. G. Clinite in 1919)

Harleyville, 2.5 mi. NW. of, about 1.5 mi. SE. of White Pond School, 0.1 mi. SE. of Spring Branch, at NW. corner of farmyard fence, on S. side of rd., in root of 10-in. elm tree; copper nail-----	88. 67
Harleyville, 1.2 mi. NW. of, 600 ft. SE. of junction of rd. NE., on N. side of rd., in front of 34-in. red-cedar tree; copper nail-----	87. 69
Harleyville, in front of Atlantic Coast Line R. R. sta.; top of rail----	91. 2

Harleyville, 1,230 ft. S. of sta., about 265 ft. W. of brick public school, opposite main entrance, 40 ft. E. of center line of track, 12 ft. E. of center line of rd.; iron post stamped "Prim Trav Sta No 66 Mac 1917 88" (recovered by U. S. C. & G. S. in 1934)-----	Feet 87. 900
Harleyville, 1.0 mi. NE. of, about 15 ft. W. of junction of three rds., at fence line, in root of 20-in. pine tree; copper nail-----	82. 37
Harleyville, 1.9 mi. NE. of, 15 ft. N. and 15 ft. W. from intersection of Sevenmile rd., in root of 10-in. wild-cherry tree; copper nail----	89. 18
Harleyville, 2.9 mi. NE. of, 100 ft. S. and 50 ft. W. from crossroads, in root of 20-in. sycamore tree; copper nail-----	82. 43
Harleyville, about 3.9 mi. NE. of, 4.4 mi. NW. of Bethel Church, 10 ft. S. of center of rd. junction, opposite gate, 350 ft. W. of another rd. fork, in root of 16-in. pine tree; copper nail-----	81. 44
Bethel Church, 3.5 mi. NW. of, 1.0 mi. N. of Bell School, 400 ft. SW. of farmhouse, 280 ft. N. of rd. fork, on W. side of rd. at turn, in SW. corner of site of wrecked or burned building; iron post stamped "81 1919"-----	81. 016
Bethel Church, 1.0 mi. NW. of, 1.4 mi. SE. of Bell School, 900 ft. NW. of rd. junction, on SW. side of rd. at turn, 60 ft. E. of barn, on top of brick head wall of culvert; unmarked point-----	89. 2
Bethel Church, 140 ft. S.63°17'E. from SE. corner of, 50 ft. W. of center line of rd.; iron post stamped "Prim Trav Sta No 67 Mac 1917 85"-----	84. 881
Bethel Church, 1.2 mi. S. of, 5.2 mi. NE. of Dorchester, about 200 ft. N. of Mizell School, on W. side of rd., in root of 22-in. pine tree; copper nail-----	105. 73
Dorchester, 4.2 mi. NE. of, 1.0 mi. S. of Mizell School, 250 ft. S. of small swamp, 20 ft. W. of rd., in root of 12-in. pine tree; copper nail-----	100. 63
Dorchester, 3.4 mi. NE. of, 40 ft. N. and 5 ft. E. from junction of three rds., in root of 20-in. pine tree; copper nail-----	103. 10
Dorchester, 2.1 mi. NE. of, 0.1 mi. E. of Limestone Church, 20 ft. S. and 12 ft. E. from intersection of Orangeburg rd., in root of 5-in. oak tree; copper nail-----	87. 13
Dorchester, 0.9 mi. NE. of, on NW. side of main rd. 500 ft. SW. of junction of second-class rd. SE., in root of 11-in. pine tree; copper nail--	99. 23
From Ridgeville north along Gailard road east of Four Hole Swamp to road fork 0.9 mile north of Spring Hill Church, thence northeast to point on Charleston-Columbia State Road, State Highway 31, 0.7 mile, southeast of Sandridge (by H. P. Kilby in 1919)	
Ridgeville, 0.4 mi. N. of Southern Ry. sta., at junction of rd. E. to Summerville, on N. head wall of brick culvert under rd.; chiseled square-----	74. 96
Ridgeville, 1.0 mi. N. of, 175 ft. S. of milepost 1, 20 ft. W. of center line of rd., in root of 30-in. pine tree; copper nail-----	59. 44
Ridgeville, 1.4 mi. N. of, 30 ft. N. of center line of rd., at junction of Orangeburg rd., 10 ft. N. of small creek; copper nail-----	51. 73
Ridgeville, 3.3 mi. N. of, 2 ft. S. of SW. corner of Mount Pisgah Church, 0.2 mi. NE. of Berkeley-Dorchester county line; iron post stamped "60 1919"-----	59. 395
Ridgeville, 4.4 mi. N. of, 1.1 mi. N. of Mount Pisgah Church, 150 ft. S. of rd. fork, 40 ft. N. of bridge, 20 ft. E. of center line of rd., in base of 8-in. sweetgum tree; copper nail-----	64. 38
Ridgeville, 5.0 mi. N. of, at Y-junction of settlement rd. NE., 20 ft. N. of two mail boxes, in base of 50-in. oak tree in wye; copper nail-----	85. 26

Ridgeville, 6.1 mi. N. of, at gate to Smoaks plantation, 200 ft. S. of bridge, 15 ft. E. of center line of rd., in base of 30-in. oak tree; copper nail.....	Feet 69. 11
Ridgeville, 6.5 mi. N. of, about 4.2 mi. SE. of Spring Hill Church, opposite and 60 ft. E. of dwelling of Dantzer Ayers, 15 ft. E. of center line of rd., 3 ft. E. of mail box, in fence line; iron post stamped "75 1919".....	74. 403
Spring Hill Church, 2.8 mi. SE. of, 0.8 mi. SE. of Merkel Branch, at plantation of W. A. Jeffers, 50 ft. W. of dwelling, 50 ft. E. of rd.; iron post stamped "96 1919".....	95. 896
Spring Hill Church, 1.1 mi. SE. of, 70 ft. E. of dwelling of Lee Bozard, 50 ft. W. of center line of rd., in base of 14-in. oak tree; copper nail.....	101. 18
Spring Hill Church, 300 ft. E. of, 30 ft. W. of center line of rd., in base of 20-in. pine tree; copper nail.....	81. 67
Spring Hill Church, 0.9 mi. N. of, 10 ft. W. of junction of T-rd. NE. to State Road; iron post stamped "Prim Trav Sta No 65 Mac 1917 79".....	78. 663
Spring Hill Church, 1.8 mi. NE. of, 0.7 mi. SE. of Sandridge, 50 ft. E. of State Road, in base of 30-in. pine tree; copper nail.....	86. 05
From Harleyville north, along Atlantic Coast Line Railroad into Eutawville quadrangle (by H. P. Kilby in 1919)	
Harleyville, 2.0 mi. N. of, at crossing of second-class rd., on top of S. end of 15-in. tile pipe under rd.; chiseled square.....	84. 77

RIMINI QUADRANGLE

[Latitude 33°30'–33°45'; longitude 80°15'–80°30']

CLARENDON, ORANGEBURG, AND SUMTER COUNTIES

From Ellore quadrangle near Fulton east along roads to Paxville, thence northeast about 0.5 mile into Sumter quadrangle (by H. S. Senseney in 1919)

Pinewood, 2.0 mi. W. of, 1.0 mi. E. of Fulton, on S. side of rd., in root of large pine tree; copper nail and washer.....	211. 44
Pinewood, at sta., 35 ft. N. and 100 ft. W. from grade crossing of Atlantic Coast Line R. R. and rd.; iron post stamped "190".....	190. 754
Pinewood, in front of R. R. sta., on main-line track; top of E. rail.....	193. 2
Pinewood, 680 ft. E. of sta., on N. side of rd. opposite first dwelling E. of church, in root of oak tree; copper nail and washer.....	191. 22
Pinewood, 2.3 mi. E. of, in NE. angle of Hodges crossroads, in root of tree; copper nail and washer.....	178. 15
Pinewood, 3.2 mi. E. of, 50 ft. E. of rd. forks at Calvary Baptist Church, on N. side of rd., in root of pine tree; copper nail and washer.....	175. 03
Pinewood, 3.6 mi. E. of, 3.1 mi. NW. of Paxville, 900 ft. E. of Sammy Swamp, on N. side of rd., 25 ft. W. of lane leading S. to dwelling; iron post stamped "176" ⁵²	176. 775
Paxville, 2.4 mi. NW. of, at rd. forks, on N. side of rd., in root of large oak tree; copper nail and washer.....	178. 68

⁵² A recovery of this iron post in 1934 disclosed that the figures of elevation previously given for it were not in accord with those given for adjacent benchmarks. It is therefore presumed that this post has been disturbed.

Paxville, 1.2 mi. NW. of, in front of dwelling of J. B. Pack, on N. side of rd., in root of chinaberry tree; copper nail and washer.....	<i>Feet</i> 187. 13
Paxville, 760 ft. W. of grade crossing of Northwestern R. R. of South Carolina, ⁵³ in front of dwelling of Joe Mims, on N. side of rd., in root of oak tree; copper nail and washer.....	187. 31
Paxville sta., 25 ft. N. and 25 ft. E. from R. R. crossing; iron post stamped "Prim Trav Sta No 56 J 1918 185" (reset by State Highway Dept.).....	184. 929

From Manning quadrangle at point 1.6 miles southwest of Bethlehem Church southwest along road to point near Davis station, thence east along Northwestern Railroad of South Carolina and back into Manning quadrangle (by E. V. Perkinson in 1919)

Davis sta., 1.2 mi. N. of, on E. side of rd., in root of oak tree; copper nail and washer.....	129. 24
--	---------

From point 0.5 mile north of Davis station south and southeast along road to junction of Charleston-Camden road (by F. J. McMaugh in 1919)

Davis sta., in front of, on main track of Northwestern R. R. of South Carolina; top of S. rail.....	141. 3
Davis sta., 0.5 mi. S. of; 500 ft. S. of cabins on E. and W. sides of rd., on W. side of rd., at turn, in root of pine tree; copper nail.....	137. 96
Davis sta., 2.1 mi. SE. of, 60 ft. S. of junction of field rd. E., 15 ft. SE. of drain at small bridge, in trunk of cypress tree; nail.....	109. 33
Davis sta., 2.2 mi. SE. of, 0.2 mi. S. of sharp turn in rd., 13 ft. E. of intersection of NW.-SE. rd., 3 ft. SE. of telephone pole; iron post stamped "111".....	110. 396
Davis sta., 3.2 mi. SE. of, 270 ft. N. of junction of rd. W., 60 ft. N. of gate to Rodger dwelling, 4 ft. E. of corner of fence, on W. side of rd., in root of water-oak tree; copper nail.....	102. 72
Davis sta., 5.2 mi. SE. of, on Charleston-Camden rd., at junction of T-rd. N., in center of grass triangle, 20 ft. SE. of mail box; iron post stamped "Prim Trav Sta No 60 J 1918 '88".....	88. 088

From point on Charleston-Camden road 5.2 miles south of Davis station west and southwest along roads into Eutawville quadrangle at point about 1.7 miles southwest of Bethlehem Church (by F. J. McMaugh in 1919; part of spur line leveled twice)

Davis sta., 5.2 mi. S., thence 1.0 mi. W. from, 2.1 mi. NE. of Bethlehem Church, 0.2 mi. W. of Potato Creek, 150 ft. SW. of church, 30 ft. N. of rd., in root of oak tree; copper nail.....	83. 58
Bethlehem Church, 1.0 mi. NE. of, 0.4 mi. W. of Richards store, 100 ft. W. of rd. N. through burned area, 15 ft. N. of rd., in root of oak tree; copper nail.....	82. 72
Bethlehem Church, at SE. corner of, 100 ft. N. of rd.; iron post stamped "72".....	71. 636
Bethlehem Church, 0.8 mi. SW. of, 100 ft. W. of store, 60 ft. N. of rd., in root of live-oak tree; copper nail.....	82. 46
Bethlehem Church, 1.2 mi. SW. of, 60 ft. E. of ditch, at turn in rd., in root of sweetgum tree; copper nail.....	79. 13

⁵³ A subsidiary of Atlantic Coast Line Railroad; discontinued in 1935.

From Pinewood along roads southwest to Rimini, thence southeast and north-east to Summerton (by W. W. Mayes in 1934)

	Feet
U. S. C. & G. S. standard disk stamped "Z 26 1934"-----	195. 771
Pinewood, 0.7 mi. W. of sta., 40 ft. S. of center line of rd., in root on N. side of 18-in. gum tree; copper nail and washer-----	184. 54
Pinewood, 1.2 mi. W. of, 40 ft. N. of center line of rd., in root on E. side of 10-in. oak tree; copper nail and washer-----	197. 09
Pinewood, 1.7 mi. SW. of, 15 ft. S. of center line of rd., in root on NW. side of 10-in. pine tree; wire nail and bottle cap-----	212. 10
Pinewood, 2.7 mi. SW. of, 20 ft. S. of center line of rd., in root on W. side of 15-in. pine tree; copper nail and washer-----	196. 52
Pinewood, 4.0 mi. SW. of, 3.4 mi. N. of Rimini, 70 ft. NE. of tenant house, 25 ft. W. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "L T 3 MS 1934"-----	183. 555
Reference mark 1, 100 ft. NE. of tenant house, 20 ft. W. of center line of rd., in root on W. side of 48-in. oak tree; copper nail and washer-----	183. 15
Reference mark 2, 60 ft. S. of reference mark 1, 20 ft. W. of center line of rd., in root on E. side of 18-in. oak tree; copper nail and washer-----	182. 64
Rimini, 2.2 mi. N. of, 90 ft. W. of center of crossroads, in root on SE. side of 36-in. water-oak tree; copper nail and washer-----	180. 19
Rimini, 1.0 mi. N. of, 65 ft. E. of SE. corner of Little Antioch Church, 30 ft. W. of center line of rd., in root on E. side of 18-in. holly tree; copper nail and washer-----	169. 41
U. S. C. & G. S. standard disk stamped "W 26 1934"-----	125. 987
Reference mark, 40 ft. S. of tablet, 30 ft. W. of SW. corner of Atlantic Coast Line R. R. sta., 6 ft. W. of center line of track, at foot of mail crane; copper nail and washer-----	127. 32
Rimini, 1.1 mi. E. of, 20 ft. S. of center line of rd., in root on N. side of 24-in. pine tree; copper nail and washer-----	99. 13
Rimini, 2.0 mi. SE. of, 30 ft. E. of center line of rd., in root on E. side of 12-in. water-oak tree; copper nail and washer-----	94. 20
Rimini, 3.1 mi. SE. of, 25 ft. E. of center line of rd., in root on NW. side of 36-in. cedar tree; copper nail and washer-----	98. 90
Rimini, 3.5 mi. SE. of, 2 ft. E. of E. corner of Thomas Chapel, 30 ft. W. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "L T 5 MS 1934 96"-----	96. 366
Reference mark 1, 45 ft. E. of E. corner of Thomas Chapel, 10 ft. NE. of center line of rd., in root on SW. side of 8-in. oak tree; copper nail and washer-----	93. 86
Reference mark 2, 150 ft. S. of reference mark 1, 15 ft. W. of center line of rd., in root on E. side of 10-in. oak tree; copper nail and washer-----	93. 57
Rimini, 4.6 mi. SE. of, 1.1 mi. S. of Thomas Chapel, 10 ft. W. of center line of rd., in root on E. side of 10-in. chinaberry tree; copper nail and washer-----	94. 25
Rimini, 5.5 mi. SE. of, in yard of Besler's old commissary, 60 ft. W. of center of crossroads, in root on N. side of 60-in. oak tree; copper nail and washer-----	92. 99
Rimini, 6.1 mi. SE. of, 7.0 mi. NW. of Summerton, 4 ft. N. of NE. corner of St. Phillip's Methodist Church, 65 ft. E. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "L T 6 MS 1934 90"-----	90. 123

Reference mark 1, 65 ft. NE. of NE. corner of St. Phillip's Church, in yard, 60 ft. E. of center line of rd., in root on NE. side of 18-in. pine tree; copper nail and washer-----	Feet 89. 47
Reference mark 2, 40 ft. W. of reference mark 1, 20 ft. E. of center line of rd., in root on N. side of 18-in. pine tree; copper nail and washer--	88. 91
Summerton, 6.0 mi. NW. of, 20 ft. S. of center line of rd., in root on S. side of 12-in. pecan tree; copper nail and washer-----	120. 50
Summerton, 5.0 mi. NW. of, 30 ft. N. of center line of rd., in root on S. side of 36-in. mulberry tree; copper nail and washer-----	133. 72
Summerton, 4.0 mi. W. of, 6 ft. W. of SW. corner of small store, NW. of junction of T-rd., in 7- by 7-in. concrete post; standard tablet stamped "L T 7 MS 1934 138"-----	137. 523
Reference mark 1, 35 ft. NW. of junction of T-rd., in root on S. side of 30-in. oak tree; copper nail and washer-----	136. 55
Reference mark 2, 45 ft. NE. of reference mark 1, 45 ft. N. of junction of T-rd., in foundation beam at SE. corner of small store; copper nail and washer-----	136. 71
Summerton, 2.8 mi. W. of, 85 ft. N. of center of junction of Y-rd., in root on S. side of 30-in. water-oak tree; copper nail and washer-----	122. 43
Summerton, 1.4 mi. W. of, at crossing of Northwestern R. R. of South Carolina, 40 ft. SE. of center line of rd., 40 ft. W. of center line of R. R., in root on NW. side of 10-in. pine tree; copper nail and washer-----	129. 87
Summerton, 70 ft. S. of SW. corner of cotton platform of sta. of Northwestern R. R. of South Carolina, 60 ft. NE. of center of intersection of U. S. Highway 401 and State Highway 4, in 7- by 7-in. concrete post; standard tablet stamped "L T 8 MS 1934 139"-----	139. 364
Reference mark 1, 30 ft. NE. of center of intersection, in concrete head wall; chiseled square-----	137. 98
Reference mark 2, 75 ft. SE. of reference mark 1, 65 ft. SE. of center of intersection, 10 ft. NE. of NE. corner of Sinclair service sta., in concrete coping; chiseled square-----	140. 19
From Paxville south along U. S. Highway 401 to Summerton, thence east along roads into Manning quadrangle near Davis station (by W. W. Mayes in 1934)	
Paxville, 1.1 mi. S. of, 50 ft. W. of center line of highway, in root on E. side of 12-in. pine tree; copper nail and washer-----	179. 91
Paxville, 2.2 mi. S. of, 90 ft. SE. of center of junction of T-rd., in root on E. side of 12-in. pine tree; copper nail and washer-----	174. 29
Paxville, 3.0 mi. S. of, 1.3 mi. N. of Silver, 45 ft. E. of SE. corner of Oak Grove School, in yard, 40 ft. W. of center line of highway, in 7- by 7-in. concrete post; standard tablet stamped "L T 9 MS 1934 166"-----	165. 941
Reference mark 1, 30 ft. SE. of SE. corner of school, 40 ft. W. of highway, in root on N. side of 8-in. oak tree; copper nail and washer-----	166. 31
Reference mark 2, 40 ft. NE. of reference mark 1, 20 ft. W. of center line of highway, on concrete pipe; chiseled square-----	164. 32
Silver, 0.2 mi. N. of, on Bryant estate, 40 ft. W. of center line of highway, in root on E. side of 15-in. elm tree; copper nail and washer-----	161. 29
Silver, 0.7 mi. S. of, 70 ft. W. of center line of highway, in root on E. side of 18-in. gum tree; copper nail and washer-----	159. 10
Silver, 1.2 mi. S. of, 100 ft. N. of tenant house, 40 ft. E. of center line of highway, in 7- by 7-in. concrete post; standard tablet stamped "L T 10 MS 1934 159"-----	160. 029

Reference mark 1, 30 ft. E. of center line of highway, on concrete head wall; chiseled square.....	<i>Feet</i> 157. 51
Reference mark 2, 45 ft. N. of reference mark 1, 5 ft. N. of well, 45 ft. E. of center line of highway, in root on S. side of 8-in. mulberry tree; copper nail and washer.....	160. 16
Silver, 2.2 mi. S. of, 2.5 mi. N. of Summerton, 20 ft. E. of center line of highway, on NE. head wall of culvert; chiseled square.....	153. 60
Summerton, 1.3 mi. N. of, 40 ft. W. of center line of highway, in top of 12-in. cypress stump; copper nail and washer.....	146. 53
Summerton, 0.5 mi. N. of, 35 ft. E. of center line of highway, in root on W. side of 15-in. oak tree; copper nail and washer.....	146. 19
Summerton, 1.3 mi. E. of, 1,000 ft. E. of Tawcaw Church, 20 ft. W. of center line of rd., in root on E. side of 30-in. pine tree; nail and bottle cap.....	130. 38
Summerton, 3.4 mi. E. of, 40 ft. N. of center line of rd., in root on S. side of 8-in. gum tree; nail and bottle cap.....	133. 80
Summerton, 3.0 mi. SE. of, 3 ft. E. of SE. corner of St. Joseph's Church, 50 ft. N. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "L T 11 MS 1934 139".....	139. 400
Reference mark 1, 45 ft. NE. of SE. corner of St. Joseph's Church, 65 ft. N. of center line of rd., in root on SE. side of 30-in. oak tree; nail and bottle cap.....	140. 42
Reference mark 2, 50 ft. SE. of reference mark 1, 20 ft. N. of center line of rd., in root on N. side of 30-in. pine tree; nail and bottle cap...	139. 57
Summerton, 4.0 mi. SE. of, 2.0 mi. W. of Davis sta., 150 ft. S. of center line of rd., in root on E. side of 12-in. pecan tree; nail and copper washer.....	142. 30
Davis sta., 1.3 mi. W. of, 55 ft. S. of small store, 30 ft. S. of center line of rd., in root on N. side of 18-in. hickory tree; nail and copper washer.....	141. 17
Davis sta., 35 ft. SW. of NW. corner of cotton platform of R. R. sta., 20 ft. S. of center line of tracks, in 7- by 7-in. concrete post; standard tablet stamped "L T 12 MS 1934 141".....	141. 998
Reference mark 1, on NW. corner of cotton platform, in foundation beam, 6 ft. S. of R. R. track; nail and copper washer.....	141. 52
Reference mark 2, 60 ft. E. of reference mark 1, 10 ft. S. of center line of tracks, in foundation of sta. steps; nail and copper washer.....	141. 52

From Summerton south along Summerton-Goodwill Church road into Eutawville quadrangle about 1 mile north of Goodwill Church (by W. W. Mayes in 1934)

Summerton, 1.1 mi. S. of, 8 ft. W. of center line of rd., in front of tobacco barn, in root on W. side of 18-in. pine tree; nail and copper washer.....	132. 77
Summerton, 2.1 mi. S. of, 20 ft. W. of center line of rd., in root on E. side of 10-in. sweetgum tree; nail and copper washer.....	102. 40
Summerton, 3.1 mi. S. of, 20 ft. SW. of SW. corner of dwelling of Frank Tuxbeery, in yard, 120 ft. N. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "L T 13 MS 1934 110".....	109. 831
Reference mark 1, 65 ft. S. of SE. corner of dwelling, 80 ft. N. of center line of rd., in root on S. side of 36-in. oak tree; nail and copper washer.....	109. 10
Reference mark 2, 40 ft. W. of reference mark 1, 65 ft. S. of dwelling, 80 ft. N. of center line of rd., in root on E. side of 24-in. oak tree; nail and copper washer.....	108. 42

Summerton, 4.0 mi. S. of, 10 ft. W. of center line of rd., in root on NE. side of 8-in. sweetgum tree; nail and copper washer.....	Feet 89. 12
Summerton, 5.1 mi. S. of, 20 ft. NW. of center line of rd., in root on E. side of 10-in. oak tree; nail and copper washer.....	84. 62
Goodwill Church, 4.5 mi. N. of, 6.1 mi. S. of Summerton, on property of Julius King, 25 ft. W. of tenant house, 250 ft. E. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "L T 14 MS 1934 87".....	86. 786
Reference mark 1, 10 ft. W. of SW. corner of tenant house, 10 ft. N. of center line of rd., in root on S. side of 18-in. mulberry tree; nail and copper washer.....	86. 02
Reference mark 2, 15 ft. N. of reference mark 1, 15 ft. W. of NW. corner of tenant house, in root on W. side of 10-in. twin mulberry tree; nail and copper washer.....	86. 14
Goodwill Church, 3.5 mi. N. of, 12 ft. E. of center line of rd., in root on W. side of 12-in. oak tree; nail and copper washer.....	83. 12
Goodwill Church, 2.5 mi. N. of, 12 ft. W. of center line of rd., in root on SE. side of 15-in. oak tree; nail and copper washer.....	77. 24
Goodwill Church, 1.5 mi. N. of, 25 ft. W. of center line of rd., in root on NE. side of 15-in. oak tree; nail and copper washer.....	75. 27

From Eutawville quadrangle near Santee Church northwest along road to junction with U. S. Highway 401, thence southwest along highway and back into Eutawville quadrangle (by W. W. Mayes in 1934)

Goodwill Church, 4.2 mi. NW. of, about 1.2 mi. NW. of Santee Church, 10 ft. E. of center line of rd., in root on E. side of 12-in. water-oak tree; copper nail and washer.....	83. 02
Santee Church, about 2.2 mi. NW. of, 7.3 mi. NE. of Parler, about 0.8 mi. SE. of junction of rd. from Santee Church with U. S. Highway 401, in yard of tenant house, 40 ft. E. of center line of rd., in root on W. side of 36-in. oak tree; copper nail and washer.....	84. 58
Parler, 6.0 mi. along highway NE. of, 90 ft. NE. of N. corner of Stukes service sta., 80 ft. S. of junction of T-rd., in 7- by 7-in. concrete post; standard tablet stamped "L T 16 MS 1934 89".....	89. 17
Reference mark 1, 300 ft. NE. of Stukes service sta., 60 ft. SE. of center of junction of T-rd., in root on S. side of 18-in. pine tree; nail and copper washer.....	87. 81
Reference mark 2, 30 ft. N. of reference mark 1, 50 ft. NE. of junction of T-rd., in top of 15-in. pine stump; nail and copper washer.....	89. 23
Parler, 5.3 mi. NE. of, 50 ft. N. of center line of highway, in root on SW. side of 15-in. pine tree; nail and copper washer.....	94. 81
Parler, 4.5 mi. NE. of, 8 ft. NW. of center line of highway, in N. end of bridge over Santee Swamp, on wheel guard; top of nut and bolt.....	91. 26
Parler, 3.5 mi. NE. of, 530 ft. S. of center of bridge over Santee River, 8 ft. NW. of center line of highway, in W. end of bridge, on guard rail; top of nut and bolt.....	92. 56

From Paxville west along road to Pinewood (by W. W. Mayes in 1934)

Paxville, 1.4 mi. W. of, 25 ft. N. of center line of rd., in root on S. side of 12-in. gum tree; nail and copper washer.....	181. 26
Paxville, 2.4 mi. W. of, 35 ft. N. of old dwelling, 65 ft. S. of center line of rd., in root on N. side of 18-in. chinaberry tree; nail and copper washer.....	178. 64

Pinewood, 2.3 mi. E. of, 35 ft. N. of center line of rd., in root on S. side of 18-in. pine tree; nail and copper washer-----	<i>Feet</i> 174. 26
Pinewood, 1.1 mi. E. of, 35 ft. N. of center line of rd., in root on S. side of 18-in. pine tree; nail and copper washer-----	178. 70
Pinewood, about 35 ft. N. and 100 ft. W. from SW. corner of Atlantic Coast Line R. R. sta., on E. side of county rd. to Sumter, in 7- by 7-in. concrete post; standard tablet stamped "T T 185 SJ 1934 192"-----	191. 562
Reference mark, 100 ft. E. of sta., at foot of signal tower; bolt-----	192. 20
U. S. C. & G. S. standard disk stamped "A 28 1934"-----	192. 539
U. S. C. & G. S. standard disk stamped "Z 26 1934"-----	195. 771

From point 5.3 miles northeast of Parler north along road to point 5.6 miles southeast of Rimini (by W. W. Mayes in 1934)

Parler, 5.9 mi. NE. of, 2.6 mi. S. of Thunder School, 35 ft. N. of center line of rd., in root on S. side of 8-in. pine tree; nail and washer-----	86. 41
Thunder School, 1.5 mi. S. of, 30 ft. SW. of tenant house, 20 ft. E. of center line of rd., in root on W. side of 60-in. oak tree; nail and copper washer-----	83. 34
Thunder School, 0.4 mi. S. of, 20 ft. E. of center line of rd., in root on E. side of 30-in. pine tree; nail and copper washer-----	84. 17
Thunder School, 1.1 mi. N. of, 1.2 mi. W. of St. Paul, 200 ft. W. of junction of T-rd., at dwelling of Morgan Hilton, 45 ft. E. of SE. corner of tenant house, in 7- by 7-in. concrete post; standard tablet stamped "L T 18 MS 1934 89"-----	89. 400
Reference mark 1, 200 ft. W. of junction of T-rd., 30 ft. E. of NE. corner of dwelling, in root on E. side of 30-in. mulberry tree; nail and copper washer-----	88. 56
Reference mark 2, 30 ft. S. of reference mark 1, 30 ft. E. of SE. corner of dwelling, in root on E. side of 24-in. mulberry tree; nail and copper washer-----	88. 52
Thunder School, 2.2 mi. N. of, 15 ft. E. of center line of rd., in root on NW. side of 12-in. oak tree; nail and copper washer-----	92. 03
Thunder School, 3.5 mi. N. of, 6.6 mi. SE. of Rimini, 20 ft. W. of center line of rd., in root on E. side of 15-in. wild-cherry tree; nail and copper washer-----	90. 87

From Rimini east along road to Silver (by W. W. Mayes in 1934)

Rimini, 1.4 mi. E. of, 25 ft. NE. of center line of rd., in root on SW. side of 15-in. pine tree; nail and copper washer-----	137. 03
Rimini, 2.1 mi. E. of, 15 ft. S. of center line of rd., in root on N. side of 8-in. oak tree; nail and copper washer-----	138. 37
Rimini, 3.1 mi. E. of, 25 ft. S. of center of junction of rd. to tenant house, in beam of NE. corner of small store; nail and copper washer-----	161. 07
Rimini, 3.5 mi. E. of, 200 ft. SE. of tenant house, 30 ft. NW. of center of crossroads, in 7- by 7-in. concrete post; standard tablet stamped "L T 19 MS 1934 180"-----	180. 234
Reference mark 1, 10 ft. NW. of center of crossroads, 200 ft. SE. of tenant house, in root on SE. side of 24-in. oak tree; nail and copper washer-----	179. 09
Reference mark 2, 60 ft. NE. of reference mark 1, 60 ft. NE. of center of crossroads, in root on SE. side of 24-in. pine tree; nail and copper washer-----	179. 29
Rimini, 4.5 mi. E. of, 75 ft. NW. of center of crossroads, in root on S. side of 12-in. oak tree; nail and copper washer-----	176. 63

Rimini, 5.7 mi. E. of, 25 ft. S. of center line of rd., in root on N. side of 8-in. gum tree; nail and washer-----	<i>Feet</i> 168. 95
Rimini, 6.9 mi. E. of, 2.6 mi. W. of Silver, on property of R. S. Decamp, 150 ft. N. of NW. corner of tenant house, 25 ft. S. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "L T 20 MS 1934 172"-----	171. 480
Reference mark 1, 150 ft. N. of NW. corner of dwelling, 25 ft. S. of center line of rd., in root on S. side of 42-in. oak tree; nail and copper washer-----	171. 11
Reference mark 2, 50 ft. E. of reference mark 1, 150 ft. N. of NE. corner of dwelling, in root on N. side of 42-in. oak tree; nail and copper washer-----	171. 11
Silver, 1.7 mi. W. of, 60 ft. E. of center of junction of Y-rd., in root on N. side of 24-in. pine tree; nail and copper washer-----	160. 52
Silver, 1,000 ft. along U. S. Highway 401 S. of, 75 ft. SE. of center of junction of T-rd., in root on W. side of 36-in. oak tree; copper nail and washer-----	156. 06

From point 1.3 miles east of Summertown northeast along State Highway 4 into Manning quadrangle (by W. W. Mayes in 1934)

Summertown, 2.5 mi. NE. of, 50 ft. S. of center line of highway, in root on N. side of 15-in. pine tree; nail and bottle cap-----	145. 56
Summertown, 3.3 mi. NE. of, 45 ft. S. of center line of highway, 45 ft. SE. of head wall of culvert, in 7- by 7-in. concrete post; standard tablet stamped "L T 21 MS 1934 147"-----	147. 917
Reference mark 1, 20 ft. S. of center line of highway, in center of concrete head wall of culvert; chiseled square-----	148. 46
Reference mark 2, 60 ft. N. of reference mark 1, 40 ft. N. of center line of highway, in root on SE. side of 24-in. pine tree; nail and bottle cap-----	147. 46
Summertown, 4.5 mi. along highway NE. of, 35 ft. NW. of center of crossroads, in root on SE. side of 8-in. oak tree; nail and bottle cap--	153. 17
Summertown, 5.3 mi. NE. of, 20 ft. N. of center line of highway, in NE. end of concrete head wall of culvert; chiseled square-----	152. 73
Manning, 4.5 mi. SW. of, 6.5 mi. NE. of Summertown, 15 ft. S. of center line of highway, in E. end of concrete head wall of culvert; chiseled square-----	149. 87
Manning, 3.5 mi. SW. of, 55 ft. N. of NW. corner of dwelling of J. K. Griffith, in yard, 60 ft. SW. of center of junction of T-rd., in 7- by 7-in. concrete post; standard tablet stamped "L T 22 MS 1934 140"---	140. 622
Reference mark 1, 95 ft. SW. of junction of T-rd., on steps of coping, on W. concrete slab; chiseled square-----	143. 21

From Besler's old commissary 5.6 miles southeast of Rimini south along road to point 2.7 miles south of St. Phillip's Church (by W. W. Mayes in 1934; double-run spur line)

St. Phillip's Church, 1.1 mi. S. of, 15 ft. SW. of center line of rd., in root on NE. side of 12-in. pine tree; nail and bottle cap-----	77. 41
St. Phillip's Church, 2.7 mi. S. of, 350 ft. E. of E. shore of lake, 500 ft. N. of N. shore of lake, 12 ft. W. of center line of rd., in root on E. side of 10-in. gum tree; nail and bottle cap-----	74. 87

ST. GEORGE QUADRANGLE

[Latitude 33°00'–33°15'; longitude 80°30'–80°45']

COLLETON, DORCHESTER, AND ORANGEBURG COUNTIES

From Walterboro quadrangle at Sidney northwest along road to point 0.5 mile southeast of Providence School, thence southwest along first- and second-class roads and back into Walterboro quadrangle (by F. L. Shalibo in 1917)

	<i>Feet</i>
Providence School, 1.0 mi. SE. of, 1.0 mi. NW. of Sidney, 5 ft. W. of center line of rd., in root of 10-in. pine tree; copper nail.....	100. 67
Providence School, 0.5 mi. SE. of, 3.4 mi. NE. of Pleasant Grove Church, in SW. angle of junction of T-rd. SW., 20 ft. from rd.; iron post stamped "106".....	105. 876
Pleasant Grove Church, 2.5 mi. NE. of, near junction of second-class rd. N., on S. side of rd., in root of 20-in. pine tree; copper nail....	85. 26
Pleasant Grove Church, 1.4 mi. NE. of, 300 ft. W. of rd. to farmhouse, in root of 18-in. pine tree at N. side of rd.; copper nail.....	84. 75
Pleasant Grove Church, in NE. angle of intersection of St. George-Walterboro rd., 4 ft. from wire fence; iron post stamped "76".....	76. 282
Pleasant Grove Church, 0.7 mi. NW. of, at three corners, 40 ft. W. of SW. corner of fence around dwelling of John Linda, in root of 24-in. pine tree; copper nail.....	84. 05
Pleasant Grove Church, 1.4 mi. W. of, 0.3 mi. W. of Allen Creek, 8 ft. N. of center line of rd. at junction of second-class rd. S., 325 ft. W. of edge of woods and another fork of rd., in root of 6-in. oak tree; copper nail.....	81. 98
Pleasant Grove Church, 2.4 mi. W. of, 1.3 mi. E. of Mount Carmel Church, 1.8 mi. along second-class rd. NE. of Mount Carmel School, 100 ft. W. of T-junction of second-class rd. N., on N. side of rd., in root of 10-in. oak tree; copper nail.....	84. 42

From Ridgeville quadrangle northwest along Southern Railway into Lodge quadrangle (by R. G. Clinite in 1919)

Byrd, near sta., 80 ft. S. of track, 10 ft. E. of rd., in root of 14-in. sycamore tree; copper nail.....	85. 05
Byrd, directly opposite sta., 80 ft. S. and 15 ft. E. from rd. crossing, 7 ft. W. of store building; iron post stamped "86 1919" (recovered by U. S. C. & G. S. in 1934).....	85. 630
Byrd, 1.1 mi. NW. of, 2.3 mi. SE. of St. George, 50 ft. N. and 5 ft. E. from rd. crossing, in root of 10-in. pine tree; copper nail.....	82. 26
St. George, 1.5 mi. SE. of, 400 ft. W. of creek, between track and rd. paralleling track on N., 80 ft. S. of rd., 50 ft. N. of track, in root of 14-in. pine tree; copper nail.....	83. 56
St. George, 0.7 mi. SE. of, 60 ft. NW. of milepost 47, in root of 10-in. pine tree growing midway between track and rd.; copper nail.....	86. 63
St. George, across track from and directly opposite W. end of sta., 52 ft. from SW. corner of building, 15 ft. E. of main street; iron post stamped "Prim Trav Sta No 4 Mac 1918 102".....	101. 331
St. George, 1.1 mi. NW. of sta., 1.4 mi. SE. of Badham, 330 ft. W. of post marked "Station 1 mile," 50 ft. S. of center line of track, in root of 12-in. pine tree; copper nail.....	91. 53
Badham, 80 ft. S. and 120 ft. W. from sta., opposite mail crane; iron post stamped "98 1919" (recovered by U. S. C. & G. S. in 1934).....	97. 497
Badham, 1.0 mi. NW. of, 1.1 mi. SE. of Reevesville, near center of S. side of trestle over Polk Swamp, in stringer; top of bolt head.....	94. 07

Reevesville, directly opposite sta., 20 ft. S. and 60 ft. W. from center of rd. crossing; iron post stamped "Prim Trav Sta No 3 Mac 1918 112" (recovered by U. S. C. & G. S. in 1934) ⁵⁴ -----	Feet 111. 768
Reevesville, 1.0 mi. NW. of sta., on N. side of small trestle over Bear Branch at post marked S. C. 53.2, in top of E. end of stringer; top of bolt head-----	116. 98
Reevesville, 2.2 mi. NW. of, 1.8 mi. SE. of Dorange, 60 ft. S. and 15 ft. W. from rd. crossing, in root of 18-in. pine tree; copper nail-----	121. 91
Dorange, in front of sta.; top of rail-----	131. 2
Dorange, 150 ft. NW. of sta., 90 ft. N. and 35 ft. W. from rd. crossing; iron post stamped "130 1919" (recovered by U. S. C. & G. S. in 1934) ⁵⁵ -----	131. 063
Dorange, 0.9 mi. NW. of, 50 ft. N. and 20 ft. E. from rd. crossing, in root of 17-in. pine tree; copper nail-----	131. 26

From St. George south and southwest along St. George-Walterboro road to Pleasant Grove Church (by R. G. Clinite in 1919)

St. George, 1.0 mi. S. of, on E. side of rd., in front of farmhouse, in root of 18-in. gum tree; copper nail-----	83. 81
St. George, 2.2 mi. S. of, 4.0 mi. NE. of Grover, 80 ft. S. and 15 ft. E. from T-junction of rd. E., in root of 22-in. pine tree; copper nail--	89. 62
Grover, 2.7 mi. NE. of, 0.6 mi. NE. of crossing of Polk Swamp, 15 ft. N. and 5 ft. E. from rd. junction; iron post stamped "83 1919" ⁵⁶ -----	82. 729
Grover, 1.6 mi. NE. of, 0.5 mi. SW. of Polk Swamp, 60 ft. S. and 5 ft. E. from junction of rd. SE., in root of 40-in. oak tree; copper nail--	89. 54
Grover, 0.8 mi. NE. of, on E. side of rd., in root of 38-in. water-oak tree; copper nail-----	75. 53
Grover, 250 ft. S. of church, 20 ft. S. and 12 ft. W. from intersection of St. George-Walterboro and Charleston-Augusta rds.; iron post stamped "86 1919"-----	85. 310
Grover, 0.8 mi. SW. of, on W. side of rd., 400 ft. S. of junction of rd. to Jerusalem Church, in root of 17-in. pine tree; copper nail-----	63. 31
Grover, 1.7 mi. SW. of, 1.2 mi. NE. of Canady Bridge over Edisto River, 2.0 mi. NE. of Canady Crossroads, on E. side of rd., 250 ft. N. of rd. junction, in root of 20-in. pine tree; copper nail-----	58. 74
Canady Crossroads (formerly Weeks post office), 25 ft. S. and 15 ft. E. from, 4 ft. N. of corner of old post office building; iron post stamped "Prim Trav Sta No 10 Mac 1917 85" (recovered by U. S. C. & G. S. in 1934)-----	83. 973
Canady Crossroads, 1.0 mi. SW. of, about 0.3 mi. SW. of Weeks, 30 ft. N. and 10 ft. W. from junction of second-class rd. W., in root of 14-in. pine tree; copper nail-----	87. 86
Pleasant Grove Church, 1.0 mi. NE. of, 3.0 mi. SW. of Canady Crossroads, on E. side of rd., 120 ft. SW. of farmhouse, in root of 12-in. pine tree; copper nail-----	85. 17

From Ridgeville quadrangle west and northwest along road south of Edisto River to point 0.7 mile northwest of Green Pond Church, thence south and southwest along roads into Lodge quadrangle (by R. G. Clinite in 1919)

Maple Cane Church, 1.4 mi. W. of, 60 ft. S. and 30 ft. W. from crossroads, opposite farmhouse, in root of 12-in. oak tree; copper nail--	82. 45
--	--------

⁵⁴ The position of this post in 1934 indicated that it had been disturbed.

⁵⁵ This post was reported in 1934 as loose.

⁵⁶ This mark was reported in 1921 as destroyed.

Maple Cane Church, 2.5 mi. W. of, 0.4 mi. E. of Skull Branch, on N. side of rd. at junction of T-rd. N., in root of 14-in. pine tree; copper nail.....	Feet 93. 48
Maple Cane Church, 3.5 mi. W. of, 4.3 mi. SE. of Canady Crossroads, on N. side of rd., at W. end of dwelling of W. E. Byrd, in S. wall of chimney; standard tablet stamped "90 1919".....	89. 865
Canady Crossroads, 3.1 mi. SE. of, 10 ft. S. and 15 ft. W. from intersection of second-class rd., opposite gate, in root of 22-in. pine tree; copper nail.....	86. 59
Canady Crossroads, 2.2 mi. SE. of, 70 ft. SE. of junction of dim T-rd. S., on N. side of rd., in root of 24-in. pine tree; copper nail.....	75. 89
Canady Crossroads, 1.1 mi. SE. of, on N. side of rd., in fence line, in root of 24-in. pine tree; nail.....	79. 89
Canady Crossroads, 0.9 mi. NW. of, 300 ft. NW. of Kenyon Church, in SW. angle of rd. junction, in root of 24-in. pine tree; copper nail.....	82. 64
Canady Crossroads, 2.3 mi. NW. of, 15 ft. S. of rd., on E. side of branch, in root of 28-in. pine tree; copper nail.....	74. 66
Canady Crossroads, 3.4 mi. NW. of, 30 ft. NE. of country store of William Smook, 15 ft. S. of rd., in root of 26-in. oak tree; copper nail.....	81. 77
Canady Crossroads, 3.8 mi. NW. of, 1.0 mi. SE. of Springtown Church, 15 ft. N. of junction of T-rd. S., 7 ft. W. of fence corner; iron post stamped "84 1919".....	83. 252
Canady Crossroads, 4.9 mi. NW. of, 200 ft. S. of Springtown Church, 15 ft. N. of rd., in root of 36-in. pine tree; copper nail.....	90. 71
Canady Crossroads, 5.7 mi. NW. of, 0.8 mi. W. of Springtown Church, 0.8 mi. SE. of Green Pond Church, 150 ft. E. of milepost reading "Bank of Smoaks 7 miles," on S. side of rd., 3 ft. inside fence, in root of 12-in. walnut tree; copper nail.....	97. 29
Green Pond Church, 0.6 mi. NW. of, opposite small cemetery, 35 ft. N. of rd., in open ground; iron post stamped "Prim Trav Sta No 6 Mac 1918 100".....	99. 190
Green Pond Church, 1.1 mi. by direct rd. SW. of, 0.5 mi. SW. of intersection of Green Pond Church-Smoaks rd. with NW.-SE. second-class rd., on S. side of rd., 250 ft. E. of dim rd. forks, in root of 12-in. pine tree; copper nail.....	102. 33
Green Pond Church, 2.2 mi. SW. of, 4.8 mi. NE. of Smoaks, 200 ft. SW. of junction of turpentine rd., on N. side of rd., in root of 15-in. pine tree; copper nail.....	100. 80

From Ridgeville quadrangle northwest along Charleston-Augusta road to Beulah Church, thence north along road west of Cattle Creek to Dorange (by R. G. Clinite in 1919)

Grover, 4.8 mi. SE. of, 0.2 mi. W. of channel of Indian Field Swamp, 40 ft. N. and 10 ft. E. from junction of rd. NW. to St. George (Texas rd.), in root of 10-in. oak tree; copper nail.....	50. 56
Grover, 4.3 mi. SE. of, 15 ft. N. and 30 ft. W. from junction of T-rd. S. to Stokes Bridge over Edisto River, on S. side of Polk Swamp; iron post stamped "51 1919".....	50. 942
Grover, 3.0 mi. SE. of, 0.2 mi. E. of church, 10 ft. N. and 50 ft. W. from junction of T-rd. N., in root of alder tree; copper nail.....	75. 98

Grover, 1.1 mi. SE. of, 10 ft. N. and 10 ft. W. from junction of T-rd. N., at SE. corner of fence around farmhouse, in root of tree; copper nail.....	Feet 86. 85
Grover, 1.1 mi. NW. of, 100 ft. S. of rd., in root of 12-in. persimmon tree; copper nail.....	88. 39
Grover, 3.0 mi. NW. of, 1.1 mi. SE. of Appleby Church, 15 ft. N. and 80 ft. E. from crossroads, 100 ft. N. of store, 5 ft. NW. of telephone pole; iron post stamped "112 1919".....	111. 904
Grover, 4.2 mi. NW. of, 400 ft. SW. of Appleby Church, 15 ft. S. and 150 ft. W. from junction of rd. NE., in root of 30-in. oak tree; copper nail.....	109. 21
Grover, 5.3 mi. NW. of, 1.1 mi. NW. of Appleby Church, 15 ft. N. and 200 ft. W. from junction of T-rd. N., 70 ft. NW. of house, in root of 30-in. pine tree; copper nail.....	107. 02
Grover, 6.4 mi. NW. of, 2.0 mi. SE. of Beulah Church, 0.3 mi. E. of Cattle Creek, 15 ft. S. and 30 ft. W. from junction of rd. S., between two rows of telephone poles; iron post stamped "107 1919".....	106. 503
Beulah Church, 0.8 mi. SE. of, 10 ft. N. of center line of rd., opposite telephone pole 2370, in root of 36-in. water-oak tree; copper nail...	115. 04
Beulah Church, 175 ft. SE. of, 10 ft. N. and 80 ft. W. from junction of rd. N. to Dorange, in root of 28-in. oak tree; copper nail.....	113. 16
Beulah Church, 1.1 mi. N. of, 10 ft. W. of center of crossroads, 25 ft. W. of mail box, 7 ft. NE. of 28-in. pine tree; iron post stamped "117 1919".....	116. 198
Beulah Church, 2.2 mi. N. of, 2.7 mi. S. of Dorange, on E. side of rd., 110 ft. NW. of commissary of J. P. Brother, in root of 18-in. white-oak tree; copper nail.....	113. 96
Dorange, 1.5 mi. S. of, on W. side of rd., 120 ft. E. of farmhouse, 2 ft. E. of board fence, in root of 26-in. pine tree; copper nail.....	121. 26
Dorange, 0.5 mi. S. of, at center of W. side of bridge over small stream; top of spike.....	110. 49

From Reevesville northeast along road about 4 miles, thence alternately south-east and northeast along winding roads near Indian Field Swamp into Ridgeville quadrangle (by R. G. Clinite in 1919)

[Line jogs into Bowman quadrangle]

Reevesville, 2.5 mi. NE. of, 1.6 mi. SW. of rd. junction near dwelling of Mrs. J. L. Wimberly, 50 ft. S. and 70 ft. W. from junction of dim rd. W., in root of 14-in. pine tree; copper nail.....	114. 87
Pine Forest School, 0.4 mi. N. of, 1.7 mi. SE. of junction of rd. NE. from Reevesville, 40 ft. W. of center of junction of rd. SW., in root of 20-in. oak stump; copper nail.....	103. 67
Pine Forest School, 2.4 mi. NE. of, 2.8 mi. by winding rd. W. of Indian Field Church, 0.8 mi. NE. of crossing of logging R. R. and junction of rd. S. to St. George, 300 ft. S. of junction of rd. N., on E. side of rd., 80 ft. NE. of cabin, in root of 22-in. pine tree; copper nail.....	93. 84
Indian Field Church, 1.5 mi. SW. of, 270 ft. SW. of farmhouse, 15 ft. E. of bridge, on S. side of rd., in root of 20-in. oak tree; copper nail....	90. 75
Indian Field Church, 0.5 mi. SW. of, 180 ft. S. of intersection of Rosinville-St. George rd., on W. side of rd., in root of 25-in. pine tree; copper nail.....	92. 04
White Pond School, about 0.5 mi. SE. of, 2.0 mi. SE. of Rosinville, 3.7 mi. NW. of Harleyville, 70 ft. SE. of junction of Orangeburg-Charleston rd. with second-class rd. SW., in top of 4-in. gum stump; copper nail.....	96. 03

ST. HELENA SOUND QUADRANGLE

[Latitude 32°15'-32°30'; longitude 80°15'-80°30']

BEAUFORT, CHARLESTON, AND COLLETON COUNTIES

From Fort Fremont quadrangle east along road to Coffins Point (by R. G. Clinite in 1918)

Coffins Point, 0.6 mi. W. of, 1.4 mi. E. of Wards store, 50 ft. E. of gate, on N. side of rd., in root of 12-in. live-oak tree; copper nail and washer-----	Feet 16. 12
Coffins Point, St. Helena Sound, at dwelling formerly owned by Thomas Coffin and now the property of Senator Don Cameron of Pennsylvania, on top of low bluff covered with trees and bushes, 1 ft. outside of fence and 6 ft. S. of gate across walk leading from dwelling to beach, in center of top of cement block 8 in. square and 22 in. long, projecting 1 in. above ground; U. S. C. & G. S. standard disk designated "Tidal benchmark 1"-----	14. 831
Coffins Point, 66 ft. SE. of dwelling owned by Senator Don Cameron, at base of large live-oak tree in garden, in center of top of cement block 8 in. square and 22 in. long, projecting 1 in. above ground; U. S. C. & G. S. standard disk designated "Tidal benchmark 2"-----	15. 250

ST. MATTHEWS QUADRANGLE

[Latitude 33°30'-33°45'; longitude 80°45'-81°00']

CALHOUN, LEXINGTON, AND ORANGEBURG COUNTIES

From Elloree quadrangle about 3 miles west of Fort Motte generally west along roads 7 miles (by F. L. Shalibo in 1919; spur line)

Fort Motte, 3.3 mi. W. of, in center of triangle at junction of T-rd. N.; iron post stamped "270"-----	270. 246
Fort Motte, 4.2 mi. W. of, 50 ft. E. of rd. forks, on N. side of rd., in root of large tree; copper nail-----	246. 14
Fort Motte, 5.2 mi. W. of, in front of farmhouse, on S. side of rd., in root of large oak tree; copper nail-----	225. 09
Fort Motte, 5.8 mi. W. of, about 7 ft. E. of old mill, at SW. corner of church; iron post stamped "132"-----	132. 17½
Fort Motte, 7.0 mi. W. of, at top of long hill, in NE. angle of junction of rd. leading to farmhouse, in root of small tree; copper nail-----	275. 65
Fort Motte, 8.2 mi. W. of, in triangle formed by junction of rds., on N. side of rd., in large tree; copper nail-----	306. 14
Fort Motte, 9.1 mi. W. of, on N. side of rd., 200 ft. E. of junction of T-rd. N., in root of small tree; copper nail-----	336. 21
Fort Motte, 9.9 mi. W. of, about 3 mi. E. of Charleston rd., at W. end of steps to public school; iron post stamped "336"-----	335. 874

From Orangeburg quadrangle at point about 5 miles northwest of Orangeburg along road northwest into Woodford quadrangle near Macedonia Church (by C. H. Semper in 1919)

Orangeburg, 5.3 mi. NW. of, 100 ft. E. of dwelling of M. J. Lee, on S. side of rd.; iron post stamped "235"-----	234. 676
Orangeburg, 5.7 mi. NW. of, in NW. angle of crossroads; top of SE. corner of stone post-----	269. 08
Orangeburg, 8.4 mi. NW. of, about 8 mi. E. of Neeses, 0.9 mi. E. of Macedonia Church, in NE. angle of crossroads; iron post stamped "Prim Trav Sta No 77 J 1919 286"-----	285. 727

From Orangeburg quadrangle northwest along U. S. Highway 178 about 5 miles, thence along Kennerly road to Jones Chapel, thence alternately northeast and northwest to store of Leon Wannamaker on U. S. Highway 21, thence northeast about 7 miles, thence generally southeast along roads by way of St. Matthews into Elloree quadrangle (by E. B. Williams in 1934)

Orangeburg post office, 1.2 mi. NW. of, on NE. side of U. S. Highway 178, 450 ft. SE. of city limits, on concrete gutter; chiseled square....	<i>Feet</i> 224. 95
Orangeburg, 2.5 mi. NW. of, 40 ft. W. of center line of highway, in root on E. side of 24-in. oak tree; wire nail.....	247. 24
Orangeburg, 3.8 mi. NW. of, 6 ft. NE. of N. corner of dwelling of T. S. Smoak, 170 ft. SW. of center line of highway, in 7- by 7-in. concrete post; standard tablet stamped "L 1 WS 1934".....	249. 636
Reference mark, 150 ft. NE. of tablet, 20 ft. SW. of center line of highway, in root on NW. side of 24-in. gum tree; wire nail.....	239. 93
Orangeburg, 4.9 mi. NW. of, 30 ft. E. of intersection of U. S. Highway 178 and Kennerly rd., 20 ft. NE. of center line of highway, 50 ft. SE. of red store, on concrete head wall; chiseled square.....	276. 73
Orangeburg, 4.9 mi. NW., thence 1.1 mi. along Kennerly rd. N. from, 30 ft. W. of center line of rd., in root on E. side of 12-in. pine tree; wire nail.....	285. 14
Orangeburg, 4.9 mi. NW., thence 2.4 mi. N. from, 25 ft. W. of center line of rd., in root on N. side of 8-in. pine tree; wire nail.....	299. 61
Orangeburg, 4.9 mi. NW., thence 2.9 mi. N. from, 1.2 mi. S. of Jones Chapel, 150 ft. W. of center line of rd., 4 ft. E. of SE. corner of dwelling of C. O. Farnum, in 7- by 7-in. concrete post; standard tablet stamped "L 2 WS 1934".....	314. 271
Reference mark, 120 ft. N. and 100 ft. E. from tablet, 45 ft. W. of center line of rd., in root on SE. side of 15-in. oak tree; wire nail....	314. 02
Jones Chapel, 85 ft. E. of, 4.9 mi. NW., thence 4.1 mi. N. from Orangeburg, 30 ft. W. of center line of rd., in root on E. side of 10-in. pine tree; wire nail.....	338. 14
Jones Chapel, 1.0 mi. N. of, on Kennerly rd., 30 ft. W. of center of junction of T-rd. NE., in 7- by 7-in. concrete post; standard tablet stamped "T T 13 SM 1934".....	342. 547
Reference mark, 25 ft. N. of tablet, 30 ft. NW. of center of junction of T-rd. NE., in root on E. side of 6-in. pine tree; wire nail.....	343. 01
Jones Chapel, 1.0 mi. N., thence 1.3 mi. NE. from, 0.8 mi. W. of wooden bridge over Caw Caw Creek, 40 ft. S. of center line of rd., in root on N. side of 10-in. oak tree; wire nail.....	281. 44
Jones Chapel, 1.0 mi. N., thence 3.1 mi. NE. from, 5.6 mi. SW. of Riley, 10.5 mi. SW. of store of Leon Wannamaker, on property of Yoeman Inabinet, 200 ft. N. of tenant house, 30 ft. W. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "T T 12 SM 1934".....	265. 377
Reference mark, 150 ft. S. and 50 ft. E. from tablet, 30 ft. E. of center line of rd., in root on W. side of 15-in. chinaberry tree; wire nail....	261. 34
Leon Wannamaker store, 9.3 mi. SW. of, 0.6 mi. SE. of concrete bridge over Caw Caw Creek, 20 ft. NE. of center line of rd., in root on NE. side of 15-in. maple tree; wire nail.....	275. 09
Leon Wannamaker store, 8.0 mi. SW. of, on Murphy Mill rd., 20 ft. N. of center line of rd., in root on S. side of 24-in. pine tree; wire nail.....	297. 56

Leon Wannamaker store, 7.2 mi. SW. of, 30 ft. N. of dwelling of Mrs. J. D. Inabinet, 300 ft. S. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "L 3 WS 1934"-----	<i>Feet</i> 348. 454
Reference mark, 10 ft. N. of tablet, 40 ft. N. of dwelling of Mrs. J. D. Inabinet, 290 ft. S. of center line of rd., in root on N. side of 15-in. oak tree; wire nail-----	348. 43
Leon Wannamaker store, 5.8 mi. S. of, 100 ft. NW. of dwelling of L. A. Robinson, 25 ft. SE. of center line of rd., in root on N. side of 8-in. persimmon tree; wire nail-----	311. 45
Leon Wannamaker store, 4.7 mi. SE. of, 8 ft. S. of center line of rd., on rail of concrete bridge over creek; chiseled square-----	265. 39
Leon Wannamaker store, 3.5 mi. SE. of, 3.3 mi. NW. of St. Matthews, 40 ft. SW. of store on estate of Howser Banks, 400 ft. SE. of intersection of U. S. Highway 21 and State Highways 2 and 45, in 7- by 7-in. concrete post; standard tablet stamped "T T 9 M 1934"-----	312. 869
Reference mark, 90 ft. N. of tablet, 45 ft. NE. of store on estate of Howser Banks, 9 ft. S. of center line of State Highway 45, on concrete pavement; chiseled square-----	311. 19
Leon Wannamaker store, 2.4 mi. SE. of, 40 ft. SW. of center line of U. S. Highway 21, in root on N. side of 12-in. pine tree; wire nail-----	345. 67
Leon Wannamaker store, 1.2 mi. SE. of, 45 ft. SW. of center line of highway, 400 ft. NE. of dwelling of J. D. Bates, in root on NE. side of 6-in. oak tree; wire nail-----	347. 11
Leon Wannamaker store, 60 ft. N. of, about 13 mi. W. of Fort Motte, 30 ft. W. of intersection of Gethsemane rd. and U. S. Highway 21, in 7- by 7-in. concrete post; standard tablet stamped "T T 3 SM 1934" (recovered by U. S. C. & G. S. in 1935)-----	373. 753
Reference mark, 45 ft. S. and 15 ft. W. from tablet, 10 ft. W. of store of Leon Wannamaker, 65 ft. SW. of center line of highway, in root on NW. side of 10-in. pine tree; wire nail-----	373. 31
Fort Motte, 12.2 mi. W. of, 120 ft. E. of dwelling of J. E. Wilson, 20 ft. NW. of center line of rd., in root on SE. side of 24-in. oak tree; wire nail-----	337. 39
Fort Motte, 10.6 mi. W. of, 450 ft. SE. of store of T. D. Wannamaker, on property of Eppie Watt, 60 ft. E. of tenant house, 30 ft. S. of center of junction of T-rd. N., in 7- by 7-in. concrete post; standard tablet stamped "T T 3 M 1934"-----	347. 375
Reference mark, 60 ft. W. of tablet, 30 ft. N. of tenant house, 20 ft. S. of center line of rd., in root on N. side of 8-in. oak tree; wire nail-----	347. 71
Fort Motte, 9.9 mi. W. of, 85 ft. S. of Bellville School, 30 ft. N. of center line of rd., in root on SE. side of 15-in. oak tree; wire nail-----	339. 93
Fort Motte, 8.4 mi. W. of, on property of Geiger Wise, 400 ft. SE. of tenant house, 20 ft. S. of center of junction of T-rd. N., in 7- by 7-in. concrete post; standard tablet stamped "T T 2 M 1934"-----	310. 026
Reference mark, 300 ft. N. of tablet, on property of Geiger Wise, 200 ft. E. of tenant house, 280 ft. N. of center line of rd., in top of 7- by 7-in. concrete post; bronze pin-----	308. 33
Fort Motte, 6.9 mi. W. of, 1.7 mi. NE., thence 4.6 mi. NW. from St. Matthews, 50 ft. SW. of dwelling of Mose Johnson, 40 ft. NE. of center line of rd., in root on SW. side of 20-in. twin chinaberry tree; wire nail-----	280. 85
St. Matthews, 1.7 mi. NE., thence 2.3 mi. NW. from, 20 ft. E. of center line of rd., in root on NW. side of 40-in. oak tree; wire nail-----	288. 46

St. Matthews, 1.7 mi. NE., thence 1.3 mi. NW. from, 20 ft. E. of abandoned store, 200 ft. N. of dwelling of Mrs. C. T. Zeigler, 25 ft. W. of center line of rd., in root on SE. side of 15-in. oak tree; wire nail-----	Feet 323. 37
St. Matthews, 1.7 mi. NE. of, on property of Frank Wannamaker, 4 ft. W. of tenant house, 90 ft. SE. of crossing of State Highway 52, in 7- by 7-in. concrete post; standard tablet stamped "L 4 WS 1934"-----	243. 593
Reference mark, 90 ft. W. of tablet, 15 ft. S. of center line of State Highway 52, on concrete head wall; chiseled square-----	241. 92
St. Matthews, 350 ft. SE. of Southern Ry. sta., 40 ft. W. of dwelling of Mrs. Ada Aiken, 15 ft. E. of center line of highway, in root on W. side of 24-in. oak tree; wire nail-----	258. 20
St. Matthews, 350 ft. NE. of grammar school, 30 ft. S. of center line of State Highway 45, in root on S. side of 10-in. oak tree; wire nail-----	285. 53
From Elloree quadrangle about 3 miles southwest of Metts Crossroads along roads alternately southwest and southeast to State Highway 69, thence southwest into Orangeburg quadrangle (by E. B. Williams in 1934)	
Metts Crossroads, 2.6 mi. SW. of, 12.7 mi. NE. of Orangeburg post office, 100 ft. SE. of SW. corner of Southern Oil Co. gin, 5 ft. N. of NE. corner of seed house, 60 ft. NW. of junction of woods rd. W., in 6- by 6-in. concrete post; standard tablet stamped "T T 4 W 1934"-----	218. 175
Reference mark, 90 ft. SE. of tablet, 30 ft. E. of junction of woods rd. W., in root on S. side of 15-in. twin gum tree; wire nail-----	217. 44
Metts Crossroads, 3.6 mi. SW. of, 750 ft. N. of dwelling of C. T. Langley, 20 ft. E. of center line of rd., in root on NW. side of 48-in. oak tree; wire nail-----	208. 02
Metts Crossroads, 4.8 mi. SW. of, 40 ft. SE. of center line of rd., on property of G. B. O'Kane, 20 ft. SW. of tenant house, in root on N. side of 15-in. chinaberry tree; wire nail-----	222. 97
Metts Crossroads, 6.2 mi. SW. of, 6.7 mi. NE., thence 2.4 mi. NW. from Orangeburg post office, 150 ft. NE. of junction of T-rd. E., 65 ft. N. of rd., 6 ft. S. of dwelling of W. E. McCraw, in 7- by 7-in. concrete post; standard tablet stamped "L 5 WS 1934"-----	239. 701
Reference mark, 45 ft. S. and 45 ft. E. from tablet, 50 ft. S. of dwelling of W. E. McCraw, 20 ft. N. of center line of rd., in root on N. side of 24-in. oak tree; wire nail-----	237. 42
Orangeburg, 6.7 mi. NE., thence 1.2 mi. NW. from, 200 ft. N. of dwelling of J. T. Bell, 20 ft. S. of center line of rd., in root on NE. side of 20-in. oak tree; wire nail-----	206. 37
Orangeburg, 6.7 mi. NE. along State Highway 69, thence 0.3 mi. NW. from, 440 ft. SE. of crossing of Atlantic Coast Line R. R., 40 ft. SW. of center line of rd., 300 ft. NW. of dwelling, 50 ft. SE. of barn, in root on NE. side of 36-in. oak tree; wire nail-----	200. 03
Orangeburg, 5.8 mi. NE. of, 65 ft. NW. of center line of highway, on property of M. W. Grambling, 25 ft. SE. of tenant house, in 7- by 7-in. concrete post; standard tablet stamped "L 6 WS 1934"-----	192. 027
Reference mark, 5 ft. W. of tablet, 70 ft. NW. of center line of highway, 20 ft. SE. of tenant house, in root on S. side of 10-in. chinaberry tree; wire nail-----	191. 82
Orangeburg, 4.3 mi. NE. of, 80 ft. NW. of center line of highway, in root on SW. side of 15-in. pine tree; wire nail-----	198. 02

Orangeburg, 3.2 mi. NE. of, 970 ft. W. of crossing of Atlantic Coast Line R. R., 45 ft. N. of center line of highway, in root on W. side of 12-in. pine tree; wire nail-----	Feet 212. 53
Orangeburg, 2.3 mi. NE. of post office, 2 ft. SW. of store of A. C. Rickenbacker, 60 ft. NW. of Y-junction of rd. NE., in 7- by 7-in. concrete post; standard tablet stamped "L 7 WS 1934"-----	234. 385
Reference mark, 45 ft. N. and 60 ft. E. from tablet, 100 ft. N. of Y-junction of rd. NE., on concrete head wall; chiseled square-----	233. 38

From point about 5.6 miles southwest of Riley along roads northeast to Riley, thence southeast to point 2.6 miles southwest of Metts Crossroads (by E. B. Williams in 1934)

Riley, 4.4 mi. SW. of, 30 ft. N. of center line of rd., in root on S. side of 15-in. oak tree; wire nail-----	266. 96
Riley, 3.2 mi. SW. of, 20 ft. SW. of dwelling of W. F. Hare, 50 ft. N. of center line of rd., in root on SW. side of 24-in. oak tree; wire nail-----	302. 06
Riley, 2.0 mi. SW. of, 100 ft. W. of dwelling of Tom Robinson, 100 ft. NE. of center line of rd., in root on SW. side of 36-in. oak tree; wire nail-----	252. 15
Riley, 1.5 mi. SW. of, 20 ft. S. of center line of rd., 60 ft. E. of junction of woods rd. SE., in 7- by 7-in. concrete post; standard tablet stamped "T T 9 SM 1934"-----	274. 445
Reference mark, 25 ft. E. of tablet, 20 ft. S. of center line of rd., in root on NW. side of 20-in. pine tree; wire nail-----	275. 11
Riley, 120 ft. E. of E. corner of Southern Ry. sta., 50 ft. E. of center line of U. S. Highway 21, 25 ft. NW. of NW. corner of store of W. V. Harmon, in root on NW. side of 10-in. twin chinaberry tree; wire nail-----	324. 61
Riley, 1.5 mi. SE. of, 325 ft. SW. of center line of rd., on property of Frank King, 2 ft. SE. of tenant house, in 7- by 7-in. concrete post; standard tablet stamped "L 8 WS 1934"-----	294. 059
Reference mark, 300 ft. NE. of tablet, 25 ft. SW. of center line of rd., in root on N. side of 50-in. oak tree; wire nail-----	292. 47
Riley, 2.5 mi. SE. of, on property of Fanny Moorer, 30 ft. E. of tenant house, 10 ft. E. of center line of rd., in root on N. side of 24-in. hickory tree; wire nail-----	289. 37

From Jones Chapel along road west to point near Limestone Church (by E. B. Williams in 1934)

Jones Chapel, 1.2 mi. W. of, 2.4 mi. NE. of Limestone Church, 70 ft. S. of center line of rd., in root on NW. side of 8-in. pine tree; wire nail-----	291. 98
Limestone Church, 1.1 mi. NE. of, 0.2 mi. NE. of dwelling of W. D. Amaker, 50 ft. NE. of Y-junction of rd. SW., in 7- by 7-in. concrete post; standard tablet stamped "T R 14 SM 1934"-----	288. 841
Reference mark, 25 ft. S. and 15 ft. E. from tablet, 60 ft. E. of rd. forks, in root on W. side of 6-in. oak tree; wire nail-----	288. 89
Limestone Church, 50 ft. NW. of NW. corner of, 25 ft. S. of center line of rd., in root on NW. side of 15-in. oak tree; wire nail-----	296. 10
Limestone Church, 0.2 mi. S. of, 1.0 mi. NE. of Wolfton, 30 ft. S. of center line of rd., in root on W. side of 10-in. oak tree; wire nail and bottle cap-----	313. 86

From store of Leon Wannamaker about 7 miles northwest of St. Matthews northwest along U. S. Highway 21 about 3 miles; thence southwest along roads into Woodford quadrangle near Andrew Chapel (by E. B. Williams in 1934)

Bethel Church, 0.6 mi. SE. of, 1.6 mi. NW. of store of Leon Wannamaker, 60 ft. NE. of center of junction of U. S. Highway 21 and woods rd. E., in root on NW. side of 8-in. pine tree; wire nail-----	Feet 313. 30
Bethel Church, 6 ft. SW. of, 90 ft. E. of center line of highway, in 7- by 7-in. concrete post; standard tablet stamped "T T 8 M 1934" (recovered by U. S. C. & G. S. in 1935)-----	327. 713
Reference mark, 45 ft. E. of tablet, 10 ft. E. of SE. corner of Bethel Church, in root on S. side of 15-in. twin oak tree; wire nail-----	327. 08
Bethel Church, 0.5 mi. NW. of, 40 ft. NE. of center line of highway, 30 ft. W. of dwelling of A. H. Zeigler, in root on SW. side of 30-in. oak tree; wire nail-----	310. 48
Bethel Church, 2.0 mi. NW. of, 2.4 mi. N. of Beaver Creek School, 20 ft. S. of center line of rd., on property of E. R. Crider, 30 ft. N. of tenant house, in root on NW. side of 10-in. oak tree; wire nail--	314. 72
Beaver Creek School, 1.2 mi. NE. of, 50 ft. S. of junction of woods rd. S., in 7- by 7-in. concrete post; standard tablet stamped "L 9 WS 1934"-----	331. 521
Reference mark, 20 ft. S. of tablet, 65 ft. S. of junction of woods rd. S., in root on N. side of 24-in. pine tree; wire nail-----	331. 34
Beaver Creek School, 120 ft. W. of, 50 ft. S. of center line of rd., in root on W. side of 10-in. oak tree; wire nail-----	351. 68
Beaver Creek School, 1.0 mi. SW. of, 0.9 mi. NE. of Andrew Chapel, 30 ft. E. of center line of rd., in root on NW. side of 8-in. wild-cherry tree; wire nail-----	362. 78
Andrew Chapel, 0.4 mi. SW. of, 20 ft. N. of center line of rd., in root on SE. side of 20-in. willow tree; wire nail-----	353. 03

From Woodford quadrangle southeast along U. S. Highway 178 to Wolfton, thence along road north to Staley Crossroads, thence northwest along Kennerly road and back into Woodford quadrangle (by W. G. Shull in 1934)

Wolfton, 1.3 mi. W. of, 6.9 mi. E. of North, in N. curb of bridge over Long Branch; standard tablet stamped "22 SL 1934 223"-----	222. 635
Reference mark, 9 ft. S. and 9 ft. E. from tablet, on N. side of bridge; chiseled square-----	222. 55
Wolfton, at W. limits of, in front yard of dwelling of J. K. Inabinet, 60 ft. W. of junction of T-rd., in root on NE. side of 30-in. oak tree; wire nail and bottle cap-----	324. 27
Wolfton, 0.8 mi. N. of, 300 ft. SE. of tenant house, 15 ft. E. of center line of third-class rd., in clump of chinaberry trees; wire nail and bottle cap-----	319. 37
Wolfton, 2.0 mi. N. of, 400 ft. W. of tenant house, 30 ft. N. and 30 ft. W. from driveway, in 7- by 7-in. concrete post; standard tablet stamped "23 SL 1934 305"-----	304. 973
Reference mark 1, 6 ft. E. of tablet, in root on N. side of 12-in. oak tree; wire nail and bottle cap-----	304. 30
Reference mark 2, 8 ft. S. and 12 ft. W. from tablet, in root on NE. side of 8-in. oak tree; wire nail and bottle cap-----	304. 34
Wolfton, 3.1 mi. N. of, 10 ft. W. of center line of third-class rd., on N. side of 18-in. oak tree; wire nail and bottle cap-----	338. 20

Wolfton, 4.1 mi. NE. of, 1.0 mi. S. of St. Peter's Church, 15 ft. E. of center line of third-class rd., in root on W. side of 30-in. oak tree; wire nail and bottle cap-----	<i>Feet</i> 368. 43
Wolfton, 5.1 mi. NE. of, 90 ft. N. and 140 ft. E. from SE. corner of St. Peter's Church, 40 ft. N. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "24 SL 1934 399"-----	398. 196
Reference mark 1, 30 ft. S. and 30 ft. W. from tablet, in root on W. side of 30-in. oak tree; wire nail and bottle cap-----	398. 08
Reference mark 2, 15 ft. S. of tablet, in root on NW. side of 12-in. hickory tree; wire nail and bottle cap-----	397. 74
Wolfton, 6.2 mi. NE. of, 800 ft. SW. of Staley Crossroads, 15 ft. E. of center line of county rd., in root on W. side of 8-in. pecan tree; wire nail and bottle cap-----	397. 73
Staley Crossroads, 1.0 mi. N. of, 0.5 mi. N. of Center Hill School, 150 ft. NE. of dwelling of Ben Staley, 15 ft. W. of center line of Kennerly rd., in root on E. side of 16-in. chinaberry tree; wire nail and bottle cap-----	386. 63
Staley Crossroads, 1.5 mi. N. of, about 10 mi. SE. of Swansea, 20 ft. S. and 50 ft. W. from S. corner of dwelling of W. H. Steadman, 20 ft. E. of center line of Kennerly rd., in 5- by 5-in. concrete post; standard tablet stamped "T T 16 SM 1934 397"-----	396. 032
Reference mark, 6 ft. E. of tablet, 70 ft. S. of dwelling, 10 ft. W. of center line of rd., in root on S. side of 14-in. locust tree; wire nail--	393. 12
Swansea, 9.0 mi. SE. of, on Kennerly rd., in SW. corner at crossroad to St. Matthews; iron post stamped "Prim Trav Sta No 79 J 1919"--	403. 304
Swansea, 9.0 mi. SE. of, on Kennerly rd., 30 ft. W. of rd. forks, in root on N. side of 6-in. oak tree; wire nail and bottle cap-----	402. 83
Swansea, 8.0 mi. E. of, 600 ft. SE. of cotton gin, 15 ft. W. of center line of Kennerly rd., in root on E. side of 14-in. oak tree; wire nail and bottle cap-----	357. 83

From Wolfton along road southwest about 2 miles into Woodford quadrangle
(by W. G. Shull in 1934)

Wolfton, 1.0 mi. S. of, on Cullers Mill rd., in front yard of dwelling of Mrs. Ed. Culler, 20 ft. W. of center line of rd., in root on N. side of 14-in. pecan tree; wire nail and bottle cap-----	294. 91
--	---------

From Woodford quadrangle about 7 miles southeast of Wolfton southeast
along third-class road 2.3 miles to crossroads about 1 mile east of Macedonia
Church (by W. G. Shull in 1934)

Wolfton, 8.2 mi. SE. of, 20 ft. W. of crossroads, in root on E. side of 18-in. hickory tree; wire nail and washer-----	284. 61
Wolfton, 8.9 mi. SE. of, 10.0 mi. E. along State Highway 4, thence 0.7 mi. N. from Neeses, 0.2 mi. S. of Jones Branch, 80 ft. E. of center line of rd., on property of Hoyt Morse, 3 ft. N. of NW. corner of tenant house, in 7- by 7-in. concrete post; standard tablet stamped "33 SL 1934 250"-----	250. 102
Reference mark, 40 ft. N. and 20 ft. W. from tablet, in root on W. side of 24-in. oak tree; wire nail and washer-----	249. 92

SANTEE QUADRANGLE

[Latitude 33°00'–33°15'; longitude 79°15'–79°30']

BERKELEY, CHARLESTON, AND GEORGETOWN COUNTIES

From McClellanville northwest about 1.5 miles along road into Awensdaw quadrangle (by J. J. Sifton, Jr., in 1934)

U. S. C. & G. S. standard reference disk stamped "McClellanville No 1 1932"-----	Feet 13. 402
McClellanville, 1.5 mi. NW. of; U. S. C. & G. S. and State Survey standard disk designated "C T 110 1934"-----	23. 039

From Awensdaw quadrangle about 5 miles in air line northeast of Honeyhill southeast along roads to point near St. James Santee Church, thence southwest along old Georgetown road and back into Awensdaw quadrangle (by J. J. Sifton, Jr., in 1934)

St. James Santee Church, 9.4 mi. NW. of, 11.2 mi. SE. of Jamestown, 1.2 mi. S. of hunting lodge of L. E. Wilson, 2 ft. W. of center line of rd., in root on E. side of 12-in. oak tree; wire nail and washer----	28. 87
St. James Santee Church, 8.6 mi. NW. of, 250 ft. E. of crossing of Put On Branch, 8 ft. S. of center line of rd., in root on N. side of 10-in. hickory tree; wire nail and washer-----	27. 21
St. James Santee Church, 7.6 mi. NW. of, 10 ft. N. of center line of rd., in root on S. side of 10-in. pine tree; wire nail and washer-----	26. 14
St. James Santee Church, 7.3 mi. NW. of, 5.0 mi. NE. of Honeyhill, at crossroads, 20 ft. N. of E.-W. rd., 10 ft. E. of NE.-SW. rd., in 7- by 7-in. concrete post; standard tablet stamped "SN 2 1935 39"-----	39. 125
Reference mark, 8 ft. E. of tablet, in NE. angle of crossroads, 15 ft. N. of E.-W. rd., in root on W. side of 10-in. oak tree; wire nail and washer-----	38. 41
St. James Santee Church, 6.2 mi. NW. of, 10 ft. E. of center line of rd., in root on W. side of 10-in. oak tree; wire nail and washer-----	30. 86
St. James Santee Church, 5.2 mi. NW. of, 20 ft. N. of center line of rd., in root on N. side of 10-in. oak tree; wire nail and washer-----	31. 88
St. James Santee Church, 4.2 mi. NW. of, 15 ft. N. of center line of rd., in root on S. side of 10-in. pine tree; wire nail and washer-----	17. 27
Water Horn triangulation sta.; U. S. C. & G. S. standard disk stamped "Water Horn 1932"-----	18. 115
St. James Santee Church, 2.5 mi. NW. of, 15 ft. E. of center line of rd., in root on SW. side of 36-in. live-oak tree; wire nail and washer ⁵⁷ ----	16. 17
St. James Santee Church, 1.5 mi. NW. of, 10 ft. E. of center line of rd., in root on S. side of 12-in. pine tree; wire nail and washer-----	17. 98
St. James Santee Church, 0.5 mi. NW. of, 10 ft. E. of center line of rd., in root on N. side of 10-in. quadruple black-gum tree; wire nail and washer-----	19. 01
St. James Santee Church, 0.4 mi. along old Georgetown rd. SW. of, 30 ft. N. and 6 ft. W. from Y-rd. junction, in 7- by 7-in. concrete post; standard tablet stamped "SN 3 1935 29"-----	28. 712
St. James Santee Church, 1.5 mi. SW. of, 40 ft. W. of center line of rd., in root on NE. side of 12-in. pine tree; wire nail-----	26. 43
St. James Santee Church, 2.5 mi. SW. of, 20 ft. W. of center line of rd., in root on NE. side of 10-in. water-oak tree; wire nail-----	20. 81

⁵⁷ In January 1936 this benchmark was replaced by a 20-penny nail set 54 ft. S.28°E. of this position, in a berm in the base of a 6-in. sweetgum tree, and at an elevation of 16.74 ft.

St. James Santee Church, 3.2 mi. SW. of, 30 ft. E. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "SN 4 1935 28"	Feet 27. 772
---	-----------------

From Santee River Bridge on U. S. Highway 701 east and north along roads into
Georgetown quadrangle about 10 miles south of Georgetown (by J. J. Sifton,
Jr., in 1934)

Burgess triangulation sta.; U. S. C. & G. S. standard disk stamped "Burgess 1932"-----	30. 476
Santee River Bridge, 1.2 mi. E. of N. end of, 20 ft. S. of center line of rd., in root on NW. side of 18-in. sweetgum tree; wire nail-----	18. 81
Santee River Bridge, 2.2 mi. E. of, 0.2 mi. E. of entrance to Rice Hope plantation, 10 ft. S. of center line of rd., in root on NW. side of 8-in. water-oak tree; wire nail-----	4. 09
Santee River Bridge, 3.2 mi. E. of, about 300 ft. W. of entrance to Kinlock plantation, 30 ft. N. of center line of rd., in 7- by 7-in. con- crete post; standard tablet stamped "SN 6 1935 16"-----	16. 084
Santee River Bridge, 4.3 mi. E. of, 0.8 mi. W. of Annandale plantation, 0.2 mi. E. of Bethel Church, 10 ft. N. of center line of rd., in root on SW. side of 12-in. pine tree; wire nail-----	20. 17
Annandale plantation, 800 ft. E. of, 20 ft. S. of center line of rd., in root on N. side of 36-in. pine tree; wire nail-----	6. 33
Annandale plantation, 1.1 mi. N. of, 25 ft. E. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "SN 7 1935 12"-----	12. 248
Annandale plantation, 2.2 mi. N. of, 0.9 mi. S. of entrance to Esther- ville plantation, 10.5 mi. S. of Georgetown, 10 ft. W. of center line of rd., in root on NE. side of 18-in. pine tree; wire nail-----	12. 48

SCRANTON QUADRANGLE

[Latitude 33°45'-34°00'; longitude 79°45'-80°00']

CLARENDON, FLORENCE, SUMTER, AND WILLIAMSBURG COUNTIES

Near Union School—a jog from Mayesville quadrangle (by H. S. Senseney in
1919)

Midway Church, 2.8 mi. NE. of, 1.1 mi. SW. of Union School, 900 ft. SW. of dwelling of B. L. DuBose, on S. side of rd., in root of pine tree; copper nail and washer-----	94. 58
Midway Church, 3.8 mi. NE. of, at Union School, 4.7 mi. SE. of New Zion, 18 ft. N. and 18 ft. W. from junction of T-rd. NW.; iron post stamped "89"-----	88. 512

About 5 miles northeast of Shiloh—a jog from Mayesville quadrangle (by
H. S. Senseney in 1919)

Shiloh, 5.0 mi. NE. of, 8 ft. S. and 15 ft. E. from crossroads, on E. edge of Douglass Swamp; iron post stamped "127"-----	126. 289
Reference mark, 25 ft. W. of tablet, at NW. angle of crossroads, in root of oak tree; copper nail and washer-----	125. 62

From Central south along road to point 0.7 mile east of Mouzon (by P. A. Wattley
in 1934)

Central, 1.1 mi. S. of, 500 ft. N. of crossroads, 15 ft. W. of center line of Central-Hebron rd., 20 ft. SE. of dwelling, in yard, in root on NW. side of 12-in. chinaberry tree; wire nail and bottle cap-----	98. 47
Central, 2.1 mi. S. of, 30 ft. W. of center line of rd., in root on N. side of 20-in. pine tree; wire nail and bottle cap-----	94. 42

Central, 3.2 mi. S. of, 10 ft. W. of center line of rd., 60 ft. NE. of dwelling, in yard, in root on E. side of 24-in. oak tree; wire nail and bottle cap-----	<i>Feet</i> 92. 38
Central, 3.9 mi. S. of, 20 ft. W. of center line of rd., 12 ft. S. and 51 ft. E. from NE. corner of dwelling of M. Thigpen, in front yard, in 7- by 7-in. concrete post; standard tablet stamped "W 21 1934 92"-----	91. 753
Reference mark, 15 ft. W. of center line of rd., 110 ft. SW. of dwelling, in root on NE. side of 12-in. water-oak tree; wire nail and bottle cap-----	91. 69
Hebron, 1.4 mi. N. of, 5.2 mi. S. of Central, 40 ft. W. of center line of rd., 40 ft. E. of dwelling, in yard, in root on E. side of 22-in. cedar tree; wire nail and bottle cap-----	86. 44
Hebron, 48 ft. N. and 78 ft. W. from NW. corner of Hebron School, 34 ft. E. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "W 22 1934 81"-----	80. 704
Reference mark, 140 ft. W. of NW. corner of school, 30 ft. E. of center line of rd., in root on W. side of 15-in. water-oak tree; wire nail and bottle cap-----	80. 38
Hebron, 1.1 mi. S. of, 20 ft. E. of center line of Hebron-Sandy Bay rd., 40 ft. W. of dwelling, in yard, in root on W. side of 22-in. water-oak tree; wire nail and bottle cap-----	79. 67
Hebron, 2.4 mi. S. of, 20 ft. N. and 42 ft. E. from junction of T-rd. E., in 7- by 7-in. concrete post; standard tablet stamped "W 23 1934 76"-----	75. 590
Reference mark, 80 ft. E. of center line of rd., in root on E. side of 18-in. pine tree; wire nail and bottle cap-----	75. 47
Hebron, 3.1 mi. S. of, 15 ft. E. of center line of rd., 130 ft. W. of dwelling, in yard, in root on SW. side of 12-in. twin-oak tree; wire nail and bottle cap-----	84. 96
Hebron, 4.0 mi. S. of, 30 ft. E. of center line of rd., 110 ft. W. of dwelling, in yard, in root on NW. side of 30-in. oak tree; wire nail and bottle cap-----	85. 46
Hebron, 5.3 mi. S. of, 20 ft. E. of center line of rd., 150 ft. W. of dwelling, in yard, in root on W. side of 20-in. twin-oak tree; wire nail and bottle cap-----	70. 63

From Central northwest along road and north along State Highway 341 into Timmons ville quadrangle (by P. A. Wattley in 1934)

Central, 1.4 mi. N. of, 10 ft. W. of center line of Central-Olanta rd., in root on W. side of 22-in. pine tree; wire nail and bottle cap-----	105. 56
Central, 1.9 mi. N. of, 2.2 mi. SE. of Olanta, at junction of T-rd., 70 ft. S. of center line of rd., 110 ft. N. of dwelling, in yard, in root on N. side of 40-in. twin-oak tree; wire nail and bottle cap-----	109. 54
Olanta, 1.0 mi. SE. of, 20 ft. E. of center line of rd., in root on W. side of 24-in. oak tree; wire nail and bottle cap-----	110. 75
Olanta, at junction of Main Street and State Highway 4, 63 ft. E. of center line of rd., 1 ft. S. and 6 ft. E. from SE. corner of service sta., in 7- by 7-in. concrete post; standard tablet stamped "W 24 1934 106"-----	105. 420
Reference mark 1, 60 ft. E. of center line of rd., 20 ft. S. of dwelling, in yard, in root on N. side of 22-in. elm tree; wire nail and bottle cap-----	107. 11
Reference mark 2, 80 ft. E. of center line of rd., 20 ft. N. of dwelling, in yard, in root on W. side of 25-in. pine tree; wire nail and bottle cap-----	105. 31

Olanta, 1.1 mi. N. of, 20 ft. W. of center line of State Highway 341, 40 ft. E. of dwelling, in yard, in root on E. side of 36-in. oak tree; wire nail and bottle cap-----	<i>Feet</i> 115. 45
Olanta, 2.1 mi. N. of, 15 ft. E. of center line of highway, 80 ft. W. of dwelling, in yard, in root on N. side of 25-in. oak tree; wire nail and bottle cap-----	120. 72
Olanta, 4.0 mi. N. of, 39 ft. W. of center line of highway, 50 ft. N. and 54 ft. E. from NE. corner of dwelling of M. E. Graham, in yard, in 7- by 7-in. concrete post; standard tablet stamped "W 25 1934 128"-----	127. 439
Reference mark, 70 ft. W. of center line of highway, 30 ft. NE. of dwelling, in root on N. side of 20-in. wild-cherry tree; wire nail and bottle cap-----	128. 57

From Hyman quadrangle about 2 miles northwest of Lake City west along Lake City-Turbeville road into Mayesville quadrangle about 1.5 miles east of Turbeville (by P. A. Wattley in 1934)

Lake City, 1.6 mi. NW. of, at Y-rd. junction, 40 ft. E. of center line of Florence-Lake City rd., on concrete base of gas pump; chiseled cross-----	79. 00
Lake City, 0.5 mi. W. of, at crossroads, on concrete base of gas pump; chiseled cross-----	78. 92
Lake City, 13 ft. N. and 19 ft. W. from NE. corner of Atlantic Coast Line R. R. sta., 69 ft. E. of E. rail of northbound track, in 7- by 7-in. concrete post; standard tablet stamped "W 8 1934 78" (recovered by U. S. C. & G. S. in 1935)-----	77. 939
Reference mark, 110 ft. S. of Lake City post office, 230 ft. W. of R. R. sta., in root on N. side of 36-in. elm tree; wire nail and bottle cap-----	77. 37
Lake City, 1.5 mi. W. of, 60 ft. S. of center line of Lake City-Turbeville rd., 40 ft. N. of dwelling, in root on N. side of 30-in. water-oak tree; wire nail and bottle cap-----	82. 17
Lake City, 3.0 mi. W. of, 84 ft. W. of center of junction of State Highways 341 and 54, 63 ft. E. of E. corner of dwelling of Carl Webster, in 7- by 7-in. concrete post; standard tablet stamped "W 9 1934 88"-----	88. 510
Reference mark 1, 40 ft. NW. of highway junction, 130 ft. E. of dwelling, in root on E. side of 12-in. water-oak tree; wire nail-----	88. 62
Reference mark 2, 60 ft. W. of highway junction, 120 ft. S. of dwelling, in root on S. side of 15-in. oak tree; wire nail and bottle cap-----	87. 18
Lake City, 4.2 mi. W. of, 20 ft. N. of center line of rd., 90 ft. S. of dwelling, in yard, in root on NE. side of 18-in. pine tree; wire nail and bottle cap-----	86. 22
Lake City, 5.4 mi. W. of, 30 ft. N. of center line of rd., 50 ft. SE. of dwelling, in yard, in root on SE. side of 22-in. pine tree; wire nail and bottle cap-----	92. 36
Lake City, 6.8 mi. W. of, 3.7 mi. E. of Central, at crossroads, 185 ft. E. of service sta., 75 ft. E. of center line of State Highway 54, in 7- by 7-in. concrete post; standard tablet stamped "10 1934 97"-----	96. 577
Reference mark 1, 150 ft. E. of service sta., 30 ft. SE. of center of crossroads, in root on NW. side of 18-in. maple tree; wire nail and bottle cap-----	96. 64
Reference mark 2, 190 ft. E. of service sta., 70 ft. SE. of center of crossroads, in root on W. side of 22-in. pine tree; wire nail and bottle cap-----	96. 26

Central, 2.6 mi. E. of, 30 ft. NE. of center line of rd., in root on S. side of 15-in. oak tree; wire nail and bottle cap-----	Feet 95. 09
Central, 1.7 mi. E. of, 50 ft. N. of center line of rd., 30 ft. S. of dwelling, in yard, in root on S. side of 12-in. twin water-oak tree; wire nail and bottle cap-----	98. 30
Central, 36 ft. S. and 20 ft. W. from SW. corner of Central School, 36 ft. N. of State Highway 54, in 7- by 7-in. concrete post; standard tablet stamped "W 11 1934 102"-----	101. 688
Reference mark 1, 80 ft. S. of Central School, 30 ft. N. of center line of rd., in root on SW. side of 10-in. oak tree; wire nail and bottle cap-----	101. 78
Reference mark 2, across rd. from Central School, 30 ft. S. of center line of rd., 30 ft. E. of service sta., in root on N. side of 10-in. sycamore tree; wire nail and bottle cap-----	101. 30
Central, 1.3 mi. W. of, 30 ft. S. of center line of rd., in root on NE. side of 12-in. oak tree; wire nail and bottle cap-----	105. 28
Central, 2.6 mi. W. of, 30 ft. NE. of center line of rd., 20 ft. SW. of dwelling, in yard, in root on S. side of 22-in. twin sycamore tree; wire nail and bottle cap-----	96. 52
Central, 3.8 mi. W. of, 3.4 mi. E. of Turbeville, 22 ft. N. of center line of rd., 65 ft. S. and 12 ft. E. from SE. corner of dwelling, in 7- by 7-in. concrete post; standard tablet stamped "W 12 1934 110"---	109, 307
Reference mark 1, 90 ft. N. of center line of rd., 40 ft. S. of dwelling, in yard, in root on S. side of 12-in. twin chinaberry tree; wire nail and bottle cap-----	109, 41
Reference mark 2, 60 ft. N. of center line of rd., 40 ft. S. of dwelling, in root on S. side of 22-in. chinaberry tree; wire nail and bottle cap--	109, 57
Turbeville, 2.0 mi. E. of, 100 ft. N. of center line of rd., 20 ft. W. of dwelling, in yard, in root on S. side of 30-in. oak tree; wire nail and bottle cap-----	110. 86

From Lake City south 4.1 miles along U. S. Highway 17, thence southeast along second-class road and Cades-Hemingway road into Hyman quadrangle (by P. A. Watley in 1934)

Lake City, 1.4 mi. S. of, at Y-rd. junction, 150 ft. S. of service sta., 9 ft. W. of center line of highway, in concrete curbing; chiseled square-----	78. 18
Lake City, 2.4 mi. S. of, 30 ft. W. of center line of highway, 60 ft. E. of dwelling, in yard, in root on W. side of 18-in. pine tree; wire nail and bottle cap-----	74. 71
Lake City, 3.6 mi. S. of, on SW. corner of 8- by 12-in. concrete box culvert; chiseled square-----	74. 82
Lake City, 4.1 mi. S. of, 0.5 mi. S. of Smith Camp, 30 ft. S. and 40 ft. E. from center of crossroads, in 7- by 7-in. concrete post; standard tablet stamped "W 13 1934 74"-----	73. 666
Reference mark 1, 110 ft. SE. of crossroads, in root on E. side of 18-in. pine tree; wire nail and bottle cap-----	73. 46
Reference mark 2, 140 ft. SE. of crossroads, in root on N. side of 6-in. oak tree; wire nail and bottle cap-----	73. 19
Lake City, 4.1 mi. S. along U. S. Highway 17, thence 1.0 mi. along second-class rd. E. from, 20 ft. N. of center line of rd., in root on SW. side of 25-in. pine tree; wire nail and bottle cap-----	69. 17
Lake City, 4.1 mi. S. along highway, thence 2.0 mi. along second-class rd. SE. from, 10 ft. W. of center line of rd., in root on E. side of 30-in. oak tree; wire nail and bottle cap-----	69. 52

Lake City, 4.1 mi. S. along highway, thence 3.0 mi. along second-class rd. SE. from, 3.4 mi. NE. of Cades, 10 ft. E. of center line of rd., in root on E. side of 22-in. oak tree; wire nail and bottle cap-----	<i>Feet</i> 67. 05
Cades, about 2 mi. along Cades-Hemingway rd. SE. of, at junction of T-rd., 111 ft. S. and 15 ft. E. from SE. corner of dwelling of G. T. McElveen, 33 ft. N. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "W 14 1934 64"-----	64. 089
Reference mark 1, 190 ft. SE. of dwelling, 30 ft. N. of center line of rd., in root on S. side of 15-in. pine tree; wire nail and bottle cap-----	63. 79
Reference mark 2, 200 ft. S. of dwelling, 20 ft. N. of center line of rd., in root on S. side of 8-in. pine tree; wire nail and bottle cap-----	63. 68
Cades, about 3 mi. SE. of, 20 ft. E. of center line of rd., 130 ft. W. of dwelling, in yard, in root on W. side of 22-in. oak tree; wire nail and bottle cap-----	67. 44

From Hyman quadrangle about 1 mile west of Coward northwest along road into Timmons ville quadrangle near bridge over Lynches River (by W. B. Sykes in 1934)

Coward, 1.0 mi. W. of, 10 ft. N. of center line of old Lynch-Coward rd., in root on S. side of 20-in. pine tree; wire nail-----	94. 94
Coward, 2.0 mi. W. of, 20 ft. N. of center line of rd., on property of W. F. McGee, on SE. side of 6-in. pine tree; wire nail-----	98. 42
Lynch Crossroads, 30 ft. N. and 18 ft. E. from center of, 4.0 mi. W. of Coward, on property of Mrs. J. C. Lynch, 2 ft. W. of SW. corner of store, in 7- by 7-in. concrete post; standard tablet stamped "SY 15 1934"-----	87. 258
Reference mark, 30 ft. SW. of tablet, in root on NE. side of 30-in. oak tree; wire nail-----	88. 39
Lynch Crossroads, 1.2 mi. N. of, 2,000 ft. N. of bridge over Lynches River, 40 ft. SE. of center line of old Lake City rd., on Lynch estate, in root on W. side of 15-in. hickory tree; wire nail-----	83. 76

From Timmons ville quadrangle about 1.5 miles southwest of Five Points south along road to point 5 miles northeast of Shiloh (by W. B. Sykes in 1934)

Five Points, 2.0 mi. SW. of, 0.8 mi. N. of St. John's School, 40 ft. N. of center line of county rd., on S. side of 24-in. pine tree; wire nail--	129. 27
St. John's School, 300 ft. N. of, at crossroads, in root on S. side of 10-in. pine tree; wire nail-----	123. 16
St. John's School, 1.2 mi. S. of, 20 ft. NE. of intersection of NW.-SE. rd. to Olanta and NE.-SW. rd. to Shiloh; iron post stamped "T T 41 J 1918"-----	122. 394

From Kingstree quadrangle at point about 2 miles northwest of Brockington northwest and southwest along Sandy Bay road and back into Kingstree quadrangle (by P. A. Wattlely in 1934)

Cades, about 3 mi. in air line SW. of, 2.3 mi. NE. of Sandy Bay School, 15 ft. S. of center line of Sandy Bay School-Cades rd., 130 ft. N. of dwelling, in yard, in root on S. side of 15-in. locust tree; wire nail and bottle cap-----	67. 56
Sandy Bay School, 2.3 mi. NE. of, 45 ft. S. of center line of Sandy Bay School-Cades rd., 87 ft. N. and 21 ft. E. from NE. corner of dwelling of W. H. Smith, in yard, in 7- by 7-in. concrete post; standard tablet stamped "W 16 1934 68"-----	67. 762

Reference mark, 130 ft. N. of dwelling, 15 ft. S. of center line of rd.,
in root on N. side of 18-in. locust tree; wire nail and bottle cap---- Feet
67. 30

SEIVERN QUADRANGLE

[Latitude 33°30'–33°45'; longitude 81°15'–81°30']

AIKEN, LEXINGTON, AND ORANGEBURG COUNTIES

From Aiken quadrangle at point about 2 miles northwest of New Holland
southeast and southwest along old Wagener road and Rocky Spring Church
road and back into Aiken quadrangle (by F. L. Shalibo in 1918)

New Holland, 1.4 mi. N. of, in SW. angle of junction of old Wagener
and Ninety-six rds., 150 ft. E. of dwelling, in root of large gum
tree; copper nail----- 534. 58
New Holland, 30 ft. W. of grocery store, near fence corner; iron post
stamped "521"----- 522. 778

From Aiken quadrangle at point about 4 miles northeast of Windsor northeast
along Windsor-Wagener road to point north of Kitchings Mills, thence west
and back into Aiken quadrangle near Livingstons Mill (by P. W. McMillen
in 1918)

Kitchings Mills post office (discontinued), 2.4 mi. SW. of, 4.1 mi.
NE. of Windsor, on W. side of rd., in root on E. side of 16-in. pine
tree; copper nail and washer----- 379. 16
Kitchings Mills, 1.4 mi. S. of, 0.7 mi. S. of pine log bridge over South
Fork of Edisto River, on W. side of rd., in root on E. side of 24-in.
pine tree; copper nail and washer----- 271. 24
Kitchings Mills, 0.2 mi. S. of, at rd. forks; iron post stamped "259"--- 259. 486
Kitchings Mills, 1.8 mi. W. of, 0.9 mi. E. of Livingstons Mill, 25 ft.
S. of rd., in root on S. side of 10-in. pine tree; spike and copper
washer----- 342. 56

From Edmund quadrangle southwest along Southern Railway to point 0.7
mile northeast of Thor, thence southeast along road into Woodford quad-
rangle (by F. L. Shalibo in 1919)

Pelion, 2.6 mi. SW. of, 1.2 mi. NE. of Thor, at rd. crossing, on W.
side of track; iron post stamped "373"----- 372. 490
Thor, 0.7 mi. NE. of, in NE. angle of junction of rd. E., in root of
12-in. oak tree; wire nail----- 386. 23

From Williston quadrangle at point about 5 miles northwest of Windsor north-
east and southeast along roads across South Fork of Edisto River and back
into Williston quadrangle near Springfield (by C. H. Semper in 1919)

Windsor, 5.4 mi. NE. of, 1.8 mi. SW. of Davis Bridge over South
Fork of Edisto River, at rd. forks, 10 ft. N. of rd., 65 ft. W. of
dwelling of R. T. Bates; iron post stamped "302"----- 301. 987
Davis Bridge, about 1 mi. SW. of, on S. side of rd., in root of pine
tree; copper nail----- 273. 40
Davis Bridge, 0.2 mi. N. of, in front of farmhouse of W. J. Walker,
in root of 42-in. oak tree; copper nail----- 236. 07
Davis Bridge, 1.3 mi. E. of, on N. side of rd., in root of 42-in. pine
tree; copper nail----- 227. 35
Davis Bridge, 1.8 mi. E. of, at junction of rd. N., in fork between
rds.; iron post stamped "237"----- 236. 449

Davis Bridge, 2.8 mi. E. of, on N. side of rd., in front of tenant house, in root of oak tree; copper nail.....	<i>Feet</i> 269. 47
Davis Bridge, 2.9 mi. E. of, 5.0 mi. NW. of Springfield, at crossroads, 10 ft. S. of E.-W. rd.; iron post stamped "Prim Trav Sta No 54 H 1918 283".....	283. 160
Springfield, 3.9 mi. NW. of, on S. side of rd., in front of tenant house, in root of oak tree; copper nail.....	300. 95
Springfield, 2.9 mi. NW. of, at curve in rd., near power house, in root of oak tree; copper nail.....	225. 05
Springfield, 2.0 mi. NW. of, 400 ft. W. of milepost 2, at junction of rd. to farmhouse of Sumter Porter, on S. side of rd.; iron post stamped "293".....	292. 764
Springfield, 0.8 mi. NW. of, in front of two chimneys remaining in ruins of farmhouse destroyed by fire, in root of oak tree; copper nail.....	325. 89

From Woodford quadrangle about 3 miles west of Scotts Crossroads generally west along State Highways 393, 39, and 215 and Coleman Bridge road into Aiken quadrangle about 1.5 miles east of Round Top School (by W. G. Shull in 1934)

Perry, 2.9 mi. E. of, 35 ft. N. of center line of State Highway 393, 400 ft. W. of intersection of third-class rd., on property of Sam Poole, in 7- by 7-in. concrete post; standard tablet stamped "4 SL 1934 345".....	347. 330
Reference mark 1, 40 ft. E. of tablet, in root on S. side of 14-in. pine tree; wire nail and bottle cap.....	349. 00
Reference mark 2, 20 ft. N. and 8 ft. E. from tablet, in root on E. side of 6-in. oak tree; wire nail and bottle cap.....	347. 82
Perry, 1.9 mi. E. of, 400 ft. SW. of Clinton Methodist Church, 40 ft. S. of center line of highway, in root on N. side of 12-in. pine tree; wire nail and bottle cap.....	390. 88
Perry, 0.9 mi. E. of, at Y-junction of rd. SW., 30 ft. S. of center line of highway, in root on NE. side of 8-in. oak tree; wire nail and bottle cap.....	435. 23
Perry, 25 ft. N. of NW. corner of Southern Ry. passenger sta., 35 ft. E. of center line of main track, in 7- by 7-in. concrete post; standard tablet stamped "5 SL 1934 439" (recovered by U. S. C. & G. S. in 1935).....	438. 992
Reference mark 1, 300 ft. N. of tablet, 50 ft. W. of center of intersection of State Highways 393 and 39, in root on E. side of 30-in. birch tree; wire nail and bottle cap.....	438. 34
Reference mark 2, 40 ft. N. and 10 ft. E. from tablet, in root on NE. side of 30-in. sycamore tree; wire nail and bottle cap.....	438. 97
Perry, 1.0 mi. W. of, 2.0 mi. SE. of Wagener, 30 ft. S. of center line of State Highway 39, in base of power line pole; rail spike.....	450. 54
Wagener, 1.0 mi. SE. of, 40 ft. W. of junction of third-class T-rd. S., on NW. corner of culvert; chiseled square.....	468. 90
Wagener, 40 ft. S. and 80 ft. W. from intersection of State Highway 215 and Railroad Avenue, 75 ft. N. of intersection of State Highways 215 and 39, in 7- by 7-in. concrete post; standard tablet stamped "6 SL 1934 468" (recovered by U. S. C. & G. S. in 1935).....	467. 742
Reference mark 1, 50 ft. W. of tablet, in root on E. side of 18-in. elm tree; wire nail and bottle cap.....	466. 84
Reference mark 2, 75 ft. N. and 33 ft. W. from tablet, in base on S. side of 24-in. oak tree; wire nail and bottle cap.....	468. 88

Wagener, 1.0 mi. SW. of, 20 ft. S. of center line of State Highway 215, 100 ft. W. of junction of driveway, in root on N. side of 8-in. oak tree; wire nail and bottle cap-----	<i>Feet</i> 452. 92
Wagener, 2.0 mi. SW. of, 40 ft. N. and 20 ft. W. from NW. corner of tenant house, 40 ft. S. of center line of highway, in crotch of triple chinaberry tree; wire nail and bottle cap-----	433. 71
Wagener, 3.2 mi. SW. of, 400 ft. NE. of Garvin Pond, 60 ft. N. of center line of highway, 20 ft. S. of S. corner of dwelling of J. P. Garvin, in 7- by 7-in. concrete post; standard tablet stamped "7 SL 1934 345"-----	344. 060
Reference mark 1, 40 ft. N. and 120 ft. E. from tablet, in root on S. side of 40-in. oak tree; wire nail and bottle cap-----	346. 56
Reference mark 2, 40 ft. E. of tablet, in root on E. side of 48-in. oak tree; wire nail and bottle cap-----	345. 62
Wagener, 4.3 mi. SW. of, 600 ft. E. of tenant house, 30 ft. S. of center line of highway, in angle of intersection of two farm rds., in root on N. side of 14-in. oak tree; wire nail and bottle cap-----	448. 54
Wagener, 5.3 mi. SW. along State Highway 215 to Goss Crossroads, thence 0.2 mi. NW. along second-class rd. from, 30 ft. N. of center line of rd., in root on S. side of 12-in. hickory tree; wire nail and bottle cap-----	454. 17
Wagener, 6.4 mi. SW. of, 4.2 mi. E. of Round Top School, on Coleman Bridge rd., 200 ft. SW. of dwelling of J. Goss, 100 ft. S. of junction of T-rd., in 7- by 7-in. concrete post; standard tablet stamped "8 SL 1934 465"-----	463. 444
Reference mark 1, 20 ft. W. of tablet, in root on E. side of 12-in. pine tree; wire nail and bottle cap-----	463. 52
Reference mark 2, 10 ft. N. and 20 ft. W. from tablet, in root on E. side of 8-in. oak tree; wire nail and bottle cap-----	462. 83
Round Top School, 3.2 mi. E. of, 60 ft. SW. of forks of Y-rd., 30 ft. S. of center line of Coleman Bridge rd., in root on W. side of 12-in. pine tree; wire nail and bottle cap-----	447. 60
Round Top School, 2.1 mi. E. of, 30 ft. N. of center line of rd., in front yard of dwelling of Bently Garvin, in root on E. side of 10-in. oak tree; wire nail and bottle cap-----	456. 43
Round Top School, 1.8 mi. E. of, 35 ft. S. and 25 ft. E. from SE. corner of tenant house, 35 ft. N. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "9 SL 1934 417"-----	416. 144
Reference mark 1, 6 ft. S. of tablet, in root on E. side of 18-in. oak tree; wire nail and bottle cap-----	416. 82
Reference mark 2, 20 ft. S. and 30 ft. W. from tablet, in root on N. side of 8-in. oak tree; wire nail and bottle cap-----	416. 68

From Woodford quadrangle near Thor southwest along Southern Railway 2.2 miles, thence southeast along Fanning road and back into Woodford quadrangle (by W. G. Shullin 1934)

Thor, 0.2 mi. along Southern Ry. SW. of, 80 ft. E. of center line of track, in root on N. side of 6-in. oak tree; wire nail and bottle cap-----	367. 96
Thor, 1.2 mi. SW. of, 0.5 mi. W. of trestle over North Edisto River, 200 ft. W. of center of grade crossing of county rd., in root on N. side of 15-in. pine tree; wire nail and bottle cap-----	319. 54
Thor, 2.2 mi. along Ry. SW., thence 0.2 mi. along county rd. S. from, on property of Ernest Fanning, 40 ft. N. and 20 ft. W. from N. corner of tenant house, in 7- by 7-in. concrete post; standard tablet stamped "12 SL 1934 371"-----	370. 463

Reference mark 1, 60 ft. N. of tablet, in root on S. side of 9-in. oak tree; wire nail and bottle cap-----	Feet 370. 72
Reference mark 2, 60 ft. S. and 10 ft. W. from tablet, in root on W. side of 30-in. chinaberry tree; wire nail and bottle cap-----	371. 13
Thor, 2.2 mi. along Ry. SW., thence 1.3 mi. SE. along Fanning rd. from, 20 ft. W. of center line of rd., in root on E. side of 6-in. oak tree; wire nail and bottle cap-----	383. 88
Thor, 2.2 mi. along Ry. SW., thence 2.3 mi. SE. along Fanning rd. from, 3.0 mi. NW. of Scotts Crossroads, 27 ft. N. and 27 ft. E. from NE. corner of dwelling of George Bailey, 15 ft. W. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "13 SL 1934 393"-----	392. 992
Reference mark 1, 40 ft. E. of tablet, in root on S. side of 24-in. sycamore tree; wire nail and bottle cap-----	391. 60
Reference mark 2, 15 ft. E. of tablet, in root on E. side of 9-in. pecan tree; wire nail and bottle cap-----	392. 70
From Lexington quadrangle south along Sand Dam road to Wagener, thence along Wagener-Tabernacle road and other roads to point on State Highway 4 about 3 miles east of Davis Bridge (by W. G. Shull in 1934)	
Wagener, 5.6 mi. N. of, 0.2 mi. N. of Sand Dam Bridge over Edisto River, 30 ft. W. of center line of Sand Dam rd., in root on E. side of 12-in. pine tree; wire nail and bottle cap-----	277. 92
Wagener, 4.4 mi. N. of, 20 ft. W. of center line of rd., in root on N. side of 9-in. gum tree; wire nail and bottle cap-----	443. 86
Wagener, 4.0 mi. N. of, 50 ft. W. of center line of rd., on property of Olin Lewis, 10 ft. S. and 65 ft. E. from SE. corner of tenant house, in 7- by 7-in. concrete post; standard tablet stamped "20 SL 1934 458"-----	457. 565
Reference mark 1, 20 ft. N. and 120 ft. E. from tablet, in root on N. side of 10-in. pine tree; wire nail and bottle cap-----	457. 26
Reference mark 2, 5 ft. N. and 20 ft. E. from tablet, in root on E. side of 8-in. oak tree; wire nail and washer-----	457. 10
Wagener, 3.0 mi. N. of, 300 ft. NE. of tenant house, 20 ft. E. of center line of rd., in root on W. side of 10-in. oak tree; wire nail and bottle cap-----	455. 49
Wagener, 1.9 mi. N. of, 20 ft. W. of center line of rd., in root on NE. side of 18-in. pine tree; wire nail and bottle cap-----	402. 30
Wagener, 0.6 mi. N. of, 20 ft. E. of center line of Sand Dam rd. and 1,000 ft. N. of intersection with State Highway 215, in clump of chinaberry trees; wire nail and bottle cap-----	466. 74
Wagener, 1.1 mi. S. of, 1,000 ft. N. of dwelling, 50 ft. W. of center line of Wagener-Tabernacle rd., in crotch of 6-in. triple chinaberry tree; wire nail and bottle cap-----	428. 44
Wagener, 2.1 mi. S. of, 200 ft. NW. of tenant house, 40 ft. S. of junction of driveway, in root on W. side of 12-in. pine tree; wire nail and bottle cap-----	368. 10
Wagener, 3.3 mi. S. of, 0.5 mi. N. of Dean Swamp bridge, 600 ft. E. of tenant house, 220 ft. S. of junction of T-rd. W., 30 ft. E. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "27 SL 1934 361"-----	361. 097
Reference mark, 10 ft. S. and 4 ft. E. from tablet, 30 ft. E. of center line of rd., in crotch of 6-in. triple cherry tree; wire nail and bottle cap-----	360. 96

Wagener, 4.4 mi. S. of, 0.4 mi. SW. of Dean Swamp bridge, 40 ft. N. and 40 ft. W. from junction of T-rd., in root on E. side of 12-in. pine tree; wire nail and bottle cap-----	Feet 401. 82
Wagener, 4.4 mi. SW., thence 1.3 mi. S. along third-class rd. from, 300 ft. NE. of dwelling, in root on W. side of 12-in. gum tree; wire nail and bottle cap-----	431. 40
Wagener, 6.5 mi. SW. of, 4.5 mi. W. along State Highway 394, thence N. 0.2 mi. along third-class rd. from Salley, 50 ft. W. of center line of rd., 40 ft. N. and 10 ft. E. from NE. corner of dwelling of J. W. Johnson, in 7- by 7-in. concrete post; standard tablet stamped "28 SL 1934 416"-----	416. 248
Reference mark, 45 ft. E. of tablet, in root on NE. side of 36-in. oak tree; wire nail and bottle cap-----	417. 05
Wagener, 7.6 mi. SW. of, 9.2 mi. NW. of Springfield, 4.5 mi. W. along State Highway 394, thence 0.8 mi. S. along third-class rd. from Salley, 100 ft. N. of crossroads, 30 ft. E. of center line of rd., in root on W. side of 12-in. oak tree; wire nail and bottle cap-----	387. 37
Springfield, 7.0 mi. W. along State Highway 4, thence 1.2 mi. N. along fourth-class rd. from, 200 ft. NE. of tenant house, 60 ft. S. of crossroads, in root on W. side of 8-in. pine tree; wire nail and bottle cap--	345. 72
Springfield, 7.0 mi. W. along State Highway 4, thence 0.8 mi. N. along fourth-class rd. from, 20 ft. W. of center line of rd., in root on E. side of 12-in. oak tree; wire nail-----	317. 07
Springfield, 7.0 mi. W. along State Highway 4, thence 0.2 mi. N. along fourth-class rd. from, 1,200 ft. N. of dwelling, 20 ft. E. of center line of rd., in root on W. side of 18-in. oak tree; wire nail and bottle cap--	307. 45
Springfield, 7.0 mi. W. of, 1.0 mi. W. of Cooks Crossroads, 30 ft. S. and 75 ft. W. from SE. corner of dwelling, 50 ft. N. of center line of State Highway 4, in 7- by 7-in. concrete post; standard tablet stamped "29 SL 1934 284"-----	281. 821
Reference mark, 200 ft. E. of tablet, in root on S. side of 30-in. oak tree; wire nail and bottle cap-----	285. 02
Cooks Crossroads, 600 ft. W. of, 2.0 mi. E. of Davis Bridge, 40 ft. N. of center line of highway, in root on W. side of 24-in. oak tree; wire nail and bottle cap-----	288. 29

SHIRLEY QUADRANGLE⁵⁸

[Latitude 32°30'-32°45'; longitude 81°15'-81°30']

ALLENDALE, HAMPTON, AND JASPER COUNTIES

From Savannah River at point about 0.6 mile southeast of Trowells landing northeast along Seaboard Air Line Railway into Pineland quadrangle (first-order leveling by C. H. Semper in 1918)⁵⁹

Myers, 0.5 mi. SW. of, 3.7 mi. N. of Clyo, Ga., at N. end of trestle over Savannah River, on top of E. end of concrete abutment; chiseled square (designated "A" by U. S. C. & G. S.)-----	45. 308
Myers, about 10 yd. N. of sta., 0.5 mi. N. of old milepost 174, about 0.2 mi. N. of new milepost 465, near center of curve in track, 12 ft. E. of E. rail; iron post stamped "Prim Trav Sta No 80 Mac 1917 44.3" (designated "B" by U. S. C. & G. S.; reported in 1934 as not found)-----	44. 498

⁵⁸ Part of this quadrangle lies in Georgia.⁵⁹ A portion of the U. S. C. & G. S. first-order level line, Savannah, Ga. to Moncure, N. C., which was run later in 1918, follows the same route.

Myers, 1.8 mi. NE. of, 2.8 mi. SW. of Garnett, 1.3 mi. along R. R. SW. of Jasper-Hamilton county line, at N. end of trestle at mile-post 176, on E. side of track, in top of timber retaining wall; copper nail-----

Feet
40.69

From Peeples quadrangle south of Long Branch southwest along second-class road to junction with Augusta road, thence southeast along Augusta road into Pineland quadrangle (by F. L. Shalibo in 1918)

Blake Church, 0.5 mi. N. of, 7.9 mi. W. of Estill, 15 ft. W. of junction of second-class rd. E. with Augusta rd., 200 ft. N. of crossing of Long Branch; iron post stamped "Prim Trav Sta No 4 S 1918 62"--- 61. 956

Blake Church, 40 ft. S. of, 15 ft. E. of rd., in root of 15-in. pine tree; copper nail----- 71. 06

Blake Church, 1.2 mi. S. of, 5.1 mi. NW. of Shirley, in triangle at junction of rd. NE., in root of large tree; copper nail----- 72. 53

Shirley, 3.9 mi. NW. of, in triangle at T-junction of rd. SW. to Martins landing on Savannah River; iron post stamped "81"----- 81. 708

Shirley, 3.0 mi. NW. of, 0.9 mi. NW. of Union Church, on W. side of rd., opposite junction of T-rd. E., near sawmill, in root of 18-in. pine tree; copper nail----- 84. 30

Shirley, 2.1 mi. NW. of, 250 ft. S. of Union Church, 130 ft. N. of crossing of logging R. R., 15 ft. W. of rd., in root of 16-in. pine tree; copper nail----- 81. 97

Shirley, 1.2 mi. NW. of, 0.9 mi. S. of Union Church, in front of dwelling, 1 ft. N. of garden fence, 15 ft. W. of rd.; iron post stamped "79"----- 79. 675

Shirley, at junction of rd. NE., in front of Edwards & McKindlies store, in root of 16-in. pine tree; copper nail----- 75. 58

Shirley, 0.9 mi. SE. of, 30 ft. E. of Augusta rd. at junction of second-class rd. SW., in root of 16-in. pine tree; copper nail----- 76. 19

Shirley, 1.9 mi. SE. of, 1.4 mi. NW. of King Branch Church, in NW. angle of intersection of second-class rd. between Huntington and Hamilton Ridge Clubs, 40 ft. W. of rd.; iron post stamped "71.9"--- 73. 282

Shirley, 3.3 mi. SE. of, 0.8 mi. NW. of Brighton, 150 ft. S. of King Branch Church, 15 ft. N. of rd. to Paugramoga Club, on E. side of rd., in root of 18-in. pine tree; copper nail----- 73. 65

Brighton, in triangle at intersection of Orangeburg rd.; U. S. Dept. Agr. drainage survey iron post stamped "72.5"----- 70. 708

Brighton, 0.6 mi. SE. of, 1.3 mi. W. of Garnett, on N. side of rd., at junction of rd. E. to Garnett, in root of 18-in. pine tree; copper nail----- 69. 56

From point on Augusta road 3.9 miles northwest of Shirley southwest along second-class road to Martins landing on Savannah River (by F. L. Shalibo in 1918; double-run spur line)

Martins landing, 4.6 mi. NE. of, 0.9 mi. SW. of Augusta rd., in front of sawmill on Jones farm, in root of 16-in. oak tree; copper nail--- 63. 25

Martins landing, 3.4 mi. NE. of, 40 ft. W. of gatepost, on NW. side of rd. at junction of rd. W. to Bull Pen Point, in root of 24-in. tree; copper nail----- 54. 13

Martins landing, 2.5 mi. NE. of, at E. margin of small swamp, on E. side of rd.; iron post stamped "51"----- 51. 816

Martins landing, 1.4 mi. NE. of, 50 ft. S. of rd. forks, in root of large tree; copper nail----- 49. 79

Martins landing, 0.6 mi. NE. of, at E. margin of large swamp, on W. side of rd., in top of cypress knee; copper nail.....	Feet 38. 82
Martins landing, on N. side of rd., 10 ft. E. of Savannah River; iron post stamped "Prim Trav Sta No 16 S 1918 41".....	41. 647
From point on Augusta road 1.9 miles southeast of Shirley and 2.1 miles northwest of Brighton southwest along road across Boggy Swamp to Hamilton Ridge Club (by F. L. Shalibo in 1918; double-run spur line)	
Hamilton Ridge Club, on grounds of, 30 ft. S. of large tree, 1 ft. W. of ice house; iron post stamped "51".....	51. 746

SUMMERVILLE QUADRANGLE

[Latitude 33°00'–33°15'; longitude 80°00'–80°15']

BERKELEY, CHARLESTON, AND DORCHESTER COUNTIES

From Cordesville quadrangle southwest along Atlantic Coast Line Railroad into Ravenels quadrangle (first-order leveling by C. H. Semper in 1918)

Moncks Corner, about 65 ft. N. of sta., at crossing of State Highway 46, 23 ft. N. of center line of highway, 12 ft. E. of E. rail of E. track, 8 ft. W. of crossing sign; iron post stamped "55 1918".....	54. 938
Moncks Corner, 1.2 mi. SW. of, between mileposts 29 and 28, on concrete base of semaphore 3661; chiseled square.....	44. 02
Moncks Corner, 2.2 mi. SW. of, on E. side of track, on SW. corner of concrete base of semaphore 3672; chiseled square.....	34. 28
Moncks Corner, 3.2 mi. SW. of, at Cottage plantation, 22 ft. S. of center of rd. crossing, about 20 ft. N. of semaphore 3682, 58 ft. E. of E. rail of E. track, at edge of woods; iron post stamped "44 1918".....	43. 980
Moncks Corner, 4.2 mi. SW. of, 0.6 mi. NE. of Oakley, on E. side of track, on SW. corner of concrete base of semaphore 3902; chiseled square.....	26. 62
Oakley, 0.4 mi. SW. of, 2.3 mi. NE. of Strawberry, on E. side of track, on SW. corner of concrete base of semaphore 3702; chiseled square.....	19. 42
Strawberry, 0.9 mi. NE. of, on E. side of track, on SW. corner of concrete base of semaphore 3712; chiseled square.....	26. 94
Strawberry, 130 ft. S. of sta., 50 ft. S. of center of rd. crossing, 8 ft. E. of SE. corner of section tool house, about 41 ft. E. of E. rail of E. track; iron post stamped "Prim Trav Sta No 17 Mac 1917 32".....	32. 520
Strawberry, in front of sta.; top of rail.....	34. 6
Strawberry, 1.2 mi. SW. of, on E. side of track, between mileposts 22 and 21, on SW. corner of concrete base of semaphore 3736; chiseled square.....	23. 70
Strawberry, 2.2 mi. SW. of, 2.0 mi. NE. of Mount Holly, 80 ft. S. of rd. crossing, on E. side of track, between mileposts 21 and 20, on SW. corner of concrete base of semaphore 3748; chiseled square....	30. 32
Mount Holly, 0.7 mi. NE. of, on E. side of track, between mileposts 20 and 19, on SW. corner of concrete base of semaphore 3760; chiseled square.....	32. 36
Mount Holly, in front of sta.; top of rail.....	45. 8
Mount Holly, about 173 ft. S. of S. end of sta., 75 ft. E. of E. rail of E. track, 25 ft. E. of center line of rd.; iron post stamped "45 1918".....	45. 105
Mount Holly, 1.1 mi. SW. of, on E. side of track, between mileposts 18 and 17, on SW. corner of concrete base of semaphore 3782; chiseled square.....	30. 34

Mount Holly, 2.1 mi. SW. of, on concrete base of semaphore 3790;
chiseled square-----Feet
47. 16.

From Ravenels quadrangle northwest along Southern Railway to Jedburg
(by H. L. Hudson in 1917; releveled by R. G. Clinite in 1919)

Summerville, at E. end of town, at corner of Gum Street, 100 ft. N.
of blacksmith shop of Charles Pointel, in root of 20-in. pine tree;
copper nail and washer-----65. 71
Summerville, directly opposite office window of Ry. sta., 100 ft.
N.25°W. from Main Street crossing; iron post stamped "Prim Trav
Sta No 57 Mac 1917 73"-----72. 198
Summerville, 200 ft. S. of sta., in NE. corner of park, 15 ft. E. of build-
ing; iron post stamped "Drainage Office Experiment Station 74.70"
(recovered by U. S. C. & G. S. in 1934)-----70. 777
Summerville, 2.0 mi. NW. of, 0.9 mi. SE. of Drainland, 200 ft. W. of
post marked "Station one mile," 100 ft. N. of track, 40 ft. S. of
public rd., in root of 12-in. pine tree; copper nail-----67. 23
Drainland, 300 ft. E. of sta., on SW. side of track, in root of 24-in.
oak tree; copper nail and washer-----68. 29
Jedburg, 3 ft. N. of sta., 1.5 mi. NW. of Drainland; iron post stamped
"Prim Trav Sta No 60 Mac 1917 63" (recovered by U. S. C. &
G. S. in 1934)-----62. 940

From Ravenels quadrangle north along roads to Summerville (by H. L. Hudson
in 1917)

Summerville, about 1.2 mi. SW. of Southern Ry. sta., at NE. corner
of five corners, in root of 20-in. pine tree; copper nail and washer--66. 07

From Moncks Corner northwest and north by way of Pinopolis into Chicora
quadrangle (by R. G. Clinite in 1918)

Moncks Corner, 600 ft. S. of Atlantic Coast Line R. R. sta., 45 ft.
W. of center line of southbound track; iron post stamped "Prim
Trav Sta No 18 Mac 1917"-----51. 368
Moncks Corner, 1.0 mi. NW. of, at junction of rd. N. to McBeth;
top of W. end of tile drain-----47. 8
Moncks Corner, 2.2 mi. NW. of, 0.7 mi. SE. of St. John's Church, on
S. side of rd., in front of cabin, in root of 22-in. pine tree; copper
nail-----80. 42
Moncks Corner, 2.9 mi. NW. of, about 1.2 mi. SW. of Pinopolis, 200
ft. NW. of St. John's Church, at rd. forks, in root of 20-in. pine
tree; copper nail-----88. 19
Pinopolis, 250 ft. NE. of school, on SW. side of rd., in root of 26-in.
pine tree; copper nail-----90. 50
Pinopolis, about 0.6 mi. N. of, 80 ft. N. of rd. fork; iron post stamped
"Prim Trav Sta No 69 Mac 1917 87"-----86. 532
Pinopolis, 1.6 mi. N. of, on NE. side of rd. at curve, in root of 28-in.
pine tree; copper nail-----49. 19

From Ridgeville quadrangle southeast along Charleston-Columbia State Road,
State Highway 31, to Long Ridge Crossroads, thence northeast to Ebenezer
Church, thence southeast to Oakley (by R. G. Clinite in 1918)

Long Ridge Crossroads, 6.0 mi. NW. of, 1.2 mi. SE. of Mudville
School, on NE. side of State Road, in swamp, in root of 32-in. pine
tree; copper nail-----71. 16

Long Ridge Crossroads, 4.8 mi. NW. of, on SW. side of rd., in root of 25-in. pine tree; copper nail.....	<i>Feet</i> 69. 55
Long Ridge Crossroads, 3.7 mi. NW. of, on SW. side of rd., in root of 20-in. pine tree; copper nail.....	65. 29
Long Ridge Crossroads, 3.4 mi. NW. of, 10 ft. N. and 30 ft. W. from center of crossroads; iron post stamped "66 1918".....	65. 813
Long Ridge Crossroads, 2.4 mi. NW. of, on SW. side of rd., in root of 8-in. pine tree; copper nail.....	66. 13
Long Ridge Crossroads, 1.7 mi. NW. of, 30 ft. N. of junction of rd. SW., 5 ft. S. of clump of two pine trees and one oak tree, opposite signboard reading "Ridgeville 10 miles," in root of tree; copper nail.....	66. 52
Long Ridge Crossroads, 40 ft. N. of, near Cooper store, in root of 27-in. pine tree; copper nail.....	66. 04
Long Ridge Crossroads, 0.5 mi. SE. of, about 10 mi. N. of Summerville, at junction of Charleston-Columbia State Road and rd. NE. to Oakley, 15 ft. W. of center line of rd., in line with rd. N.62°E.; iron post stamped "Prim Trav Sta No 58 Mac 1917 70".....	69. 263
Long Ridge Crossroads, 0.5 mi. SE., thence 1.0 mi. NE. from, 0.1 mi. NE. of Black Tom School, 130 ft. W. of junction of T-rd. N., 15 ft. NW. of gate, in root of 14-in. oak tree; copper nail.....	80. 92
Long Ridge Crossroads, 0.5 mi. SE., thence 2.0 mi. NE. from, 200 ft. E. of small bridge, on N. side of rd., in root of 18-in. pine tree; copper nail.....	85. 32
Long Ridge Crossroads, 0.5 mi. SE., thence 3.0 mi. NE. from, on N. side of rd., in semi-cleared woods, in root of 14-in. pine tree; copper nail.....	86. 05
Long Ridge Crossroads, 0.5 mi. SE., thence 4.0 mi. NE. from, 2.0 mi. NW. of Ebenezer Church, 20 ft. N. of center line of rd. at turn, at junction of long tangents, in edge of woods, 25 ft. NW. of 24-in. pine tree; iron post stamped "86 1918".....	85. 142
Ebenezer Church, 0.7 mi. NW. of, 50 ft. NW. of rd. junction, at dwelling of Max Jackson, in root of 22-in. water-oak tree; copper nail.....	90. 85
Ebenezer Church, 300 ft. SW. of, 3.0 mi. NW. of Oakley, 40 ft. W. of junction of Oakley and Pinopolis rds., in root of 20-in. pine tree; copper nail.....	89. 15
Oakley, 1.8 mi. NW. of, on N. side of rd., in root of 15-in. pine tree; copper nail.....	59. 04
Oakley, 0.7 mi. NW. of, on N. edge of small cotton patch, on S. side of rd., in root of 18-in. gum tree; copper nail.....	33. 28

From Chicora quadrangle south along Calamus Pond road to point on Charleston-Columbia State Road, State Highway 31, 1.7 miles northwest of Long Ridge Crossroads (by R. G. Clinite in 1918)

Mount Olivet Church, 2.2 mi. SW. of, on W. side of rd., in root of 20-in. pine tree; copper nail.....	65. 01
Mount Olivet Church, 3.4 mi. SW. of, 350 ft. NE. of crossing of small creek, on SE. side of rd., in root of 20-in. pine tree; copper nail.....	60. 53
Mount Olivet Church, 4.7 mi. SW. of, 200 ft. N. of small corn field, 40 ft. SE. of center of rd. junction, 25 ft. W. of 22-in. blazed pine tree; iron post stamped "59 1918".....	58. 374
Mount Olivet Church, 5.9 mi. SW. of, 70 ft. SW. of gate and rd. junction, about 1,000 ft. NE. of crossing of small creek, in root of 16-in. oak tree; copper nail.....	63. 65

Mount Olivet Church, 7.4 mi. SW. of, 1.5 mi. NW., thence 1.6 mi. N. from Long Ridge Crossroads, about 0.3 mi. SW. of crossing of Caton Creek, 15 ft. N. of junction of rd. W., in root of 18-in. pine tree; copper nail-----	<i>Feet</i> 62. 83
Long Ridge Crossroads, 1.5 mi. NW., thence 0.7 mi. N. from, in root of 10-in. oak tree; copper nail and washer-----	61. 21

From Long Ridge Crossroads southwest along road east of Cypress Swamp to crossroads 0.7 mile northeast of Berkeley-Dorchester county line, thence along road southeast to Summerville (by R. G. Clinite in 1918)

Long Ridge Crossroads, 1.0 mi. SW. of, at junction of private rd. E., 6 ft. S. of mail box, in root of tree; copper nail-----	68. 08
Long Ridge Crossroads, 2.0 mi. SW. of, 1.0 mi. NE. of New Hope Church, 20 ft. N. of Sandy Run, on W. side of rd., in root of 18-in. oak tree; copper nail-----	39. 78
Long Ridge Crossroads, 3.0 mi. SW. of, at SE. corner of yard of New Hope Church, opposite rd. fork, 3 ft. W. of fence corner; iron post stamped "69 1918"-----	68. 658
Long Ridge Crossroads, 5.3 mi. SW. of, 5.3 mi. NW. of Summerville, 2.4 mi. NE. of Jedburg, 0.7 mi. NE. of Berkeley-Dorchester county line, in N. angle of crossroads, at farmhouse, at fence corner, in root of 22-in. pine tree; copper nail-----	61. 75
Summerville, 4.3 mi. NW. of, 600 ft. SE. of junction of dim rd. W., 60 ft. NW. of junction of dim rd. E., in root of 28-in. pine tree; copper nail-----	64. 09
Summerville, 3.4 mi. NW. of, 40 ft. N. and 15 ft. W. from center of intersection of dim rd., near five mail boxes; iron post stamped "78 1918"-----	77. 078
Summerville, 2.4 mi. NW. of, 300 ft. S. of Berkeley-Dorchester county line, on E. side of rd., in root of 18-in. pine tree; copper nail-----	81. 61

From Summerville northeast along road to Carns Crossroads, thence southeast 3 miles along Charleston-Columbia State Road, thence east to Mount Holly (by R. G. Clinite in 1918)

Summerville, 1.0 mi. NE. of, 300 ft. W. of intersection of dim rd., on N. side of rd., in root of 18-in. pine tree; copper nail-----	79. 85
Summerville, 2.3 mi. NE. of, 0.4 mi. SW. of crossing of Sawmill Branch, 200 ft. E. of rd. junction, on S. side of rd., in root of 16-in. pine tree; copper nail-----	66. 06
Summerville, 3.7 mi. NE. of, 2.3 mi. SW. of Carns Crossroads, 40 ft. E. of rd. junction, on S. side of rd.; iron post stamped "81 1918"---	80. 078
Carns Crossroads, 1.4 mi. SW. of, 150 ft. E. of Pine Ridge School, 40 ft. S. of rd. fork, in root of 18-in. pine tree; copper nail-----	67. 44
Carns Crossroads, 104 ft. NE. of center of intersection, 92 ft. NE. of center line of Charleston-Columbia State Road, 82 ft. SE. of center line of Summerville-Pinopolis rd.; iron post stamped "68 1918" (as reset in March 1938)-----	67. 338
Carns Crossroads, 1.0 mi. SE. of, 3.5 mi. NW. of Mount Holly, on SW. side of rd., in root of 28-in. pine tree; copper nail-----	47. 92
Mount Holly, 1.7 mi. W. of, 60 ft. SE. of junction of rd. E., in root of 14-in. pine tree; copper nail-----	46. 41

From Strawberry southeast along Strawberry road into Cordesville quadrangle
(by E. B. Williams in 1935)

Strawberry, 1.0 mi. SE. of, 2.5 mi. W. of Promised Land Church, 250 ft. W. of intersection of U. S. Highway 17 and Strawberry rd., 20 ft. S. of center line of rd., in root on NE. side of 15-in. oak tree; wire nail and bottle cap-----	Feet 23. 08
--	----------------

SUMTER QUADRANGLE

[Latitude 33°45'–34°00'; longitude 80°15'–80°30']

CLARENDON AND SUMTER COUNTIES

From Fort Motte quadrangle east along Atlantic Coast Line Railroad to Sumter,
thence southeast into Mayesville quadrangle (first-order leveling by C. H.
Semper in 1917)

Wedgefield, 3.1 mi. E. of, 2.0 mi. W. of Cane Savannah, in milepost 36; spike (recovered in 1934)-----	176. 88
Cane Savannah, 30 ft. N. of track, 10 ft. E. of rd.; iron post stamped "183 1918" ⁶⁰ -----	183. 641
Cane Savannah, in front of sta.; top of rail-----	183. 6
Sumter, 3.2 mi. SW. of, 6 ft. NW. of milepost 40, 7 ft. S. of S. rail; iron post stamped "183 1918"-----	183. 002
Sumter, about 300 ft. W. of sta., 5 ft. E. of E. curb of Harvin Street, 6 ft. W. of W. edge of sidewalk, about 10 ft. N. of N. rail of side track; iron post stamped "Prim Trav Sta No 47 J 1918 169"-----	169. 704
Sumter, 3.8 mi. SE. of, 1.9 mi. NW. of Britton, about 0.5 mi. N. of milepost L 36, at rd. crossing, about 24 ft. E. of E. rail, 7 ft. S. of center line of rd., 3 ft. W. of crossing sign; iron post stamped "147 1918"-----	146. 791
Britton, 1.0 mi. NW. of, at crossing of second-class rd.; top of rail---	147. 0
Britton, 0.2 mi. NW. of, at crossing of second-class rd.; top of rail---	144. 4
Britton, in line with N. side of sta., 12 ft. S. of center of rd. crossing, 15 ft. E. of E. rail of main track, on S. side of rd.; iron post stamped "147 1918"-----	147. 208
Britton, in front of sta.; top of rail-----	147. 3
Britton, 2.7 mi. SE. of, 0.6 mi. NW. of Brogden sta., at rd. crossing, 7 ft. N. of center line of rd., about 19 ft. E. of E. rail, 5 ft. S. of crossing sign; iron post stamped "138 1918"-----	138. 615
Brogden, in front of sta.; top of rail-----	135. 0

From Sumter southwest along Atlantic Coast Line Railroad into Rimini quad-
rangle near Pinewood (by H. S. Senseney in 1919)

Sumter, 3.0 mi. SW. of, 4.1 mi. NE. of Privateer, 570 ft. N. of milepost S 3, 45 ft. W. of crossing of second-class rd.; iron post stamped "145" (recovered by U. S. C. & G. S. in 1934)-----	144. 987
Reference mark, 10 ft. S. of post, 580 ft. S. of milepost S 3, in root of pine tree; copper nail and washer-----	144. 98
Privateer, in front of sta.; top of E. rail-----	174. 7
Privateer, 90 ft. S. of sta., 40 ft. E. of main line track; iron post stamped "174" (recovered by U. S. C. & G. S. in 1934)-----	174. 012
Reference mark, 30 ft. E. of post, in root of oak tree; copper nail and washer-----	175. 22
Privateer, 3.8 mi. SW. of, 3.3 mi. NE. of Pinewood, at Reeds School, 15 ft. S. and 30 ft. E. from rd. crossing; iron post stamped "188"---	188. 593

⁶⁰ This mark was reported destroyed prior to 1934.

From Rimini quadrangle near Paxville north about 1 mile, thence east along roads to Hodge's cotton gin (by H. S. Senseney in 1919; leveled twice)

Paxville, 1.0 mi. N. of, in front of dwelling of J. N. Brown, on S. side of rd., in root of sycamore tree; copper nail and washer-----	<i>Feet</i> 180. 56
Paxville, 2.8 mi. NE. of, 95 ft. E. of Hodge's cotton gin, 25 ft. S. of intersection of five rds.; iron post stamped "155"-----	155. 336

From Hodge's cotton gin southeast along road into Rimini quadrangle (by H. S. Senseney in 1919)

Paxville, 3.5 mi. NE. of, 0.8 mi. SE. of Hodge's cotton gin, in NE. angle of intersection of second-class rd., in small oak tree; spike-----	139. 72
Paxville, 4.5 mi. NE. of, 1.8 mi. SE. of Hodge's cotton gin, on S. side of rd. at rd. fork; iron post stamped "143"-----	143. 061
Paxville, 5.7 mi. NE. of, 4.8 mi. NW. of Manning, in front of Lanes Chapel, on S. side of rd., in root of oak tree; copper nail and washer-----	123. 49
Manning, 4.1 mi. NW. of, in SW. angle of rd. junction; iron post stamped "123"-----	122. 870

From Brogden station southwest along road to Hodge's cotton gin (by H. S. Senseney in 1919)

Brogden, about 1 mi. W. of, at Graham Church, in NW. angle of junction of T-rd. SW., in root of oak tree; copper nail and washer-----	136. 96
Brogden, 2.2 mi. SW. of, 1.2 mi. SW. of Graham Church, 0.2 mi. W. of W. margin of Pocotaligo Swamp, on S. side of rd., in front of cabin, in root of oak tree; copper nail and washer-----	139. 10
Brogden, 2.8 mi. SW. of, 0.4 mi. N. of store of J. T. Brogdon, in SE. angle of junction of T-rd. NE.; iron post stamped "150"-----	149. 896
Hodge's cotton gin, 1.0 mi. NE. of, on W. side of rd., in front of dwelling of Howard Broadway, in root of oak tree; copper nail and washer-----	145. 68

From Sumter northeast along Atlantic Coast Line Railroad into Mayesville quadrangle (by H. S. Senseney in 1919)

Sumter, 2.3 mi. NE. of, 25 ft. S. and 30 ft. W. from intersection of second-class rd.; iron post stamped "147"-----	146. 307
Sumter, 4.5 mi. NE. of, 4.6 mi. SW. of Mayesville, 25 ft. S. and 10 ft. E. from crossing of second-class rd. at Chandler siding; iron post stamped "143"-----	142. 403

From Mayesville quadrangle about 2 miles in air line west of Mayesville west along roads into Fort Motte quadrangle about 1.5 miles south of Catchall (by H. S. Senseney in 1919)

Sumter, 5.5 mi. NE. of, about 2 mi. S. of Oswego, 0.4 mi. E. of Cow Pen Swamp, 15 ft. S. and 15 ft. E. from crossroads; iron post stamped "137"-----	136. 212
Sumter, 4.5 mi. N. of, 0.3 mi. E. of White's millpond, on N. side of rd., in root of large pine tree; copper nail and washer-----	136. 04
Sumter, 4.2 mi. N. of, 30 ft. N. and 20 ft. E. from crossroads at Shepherd Church; iron post stamped "147"-----	146. 114
Sumter, 4.8 mi. N. of, at Queen's Chapel, in SE. angle of crossroads, in root of holly tree; copper nail and washer-----	164. 49
Sumter, 4.8 mi. N. of, at dwelling of B. J. Pope, in triangle formed by junction of rds.; iron post stamped "179"-----	178. 263

Sumter, about 6 mi. N. of, 0.6 mi. E. of Dalzell rd., on N. side of rd., in root of large pine tree; copper nail and washer-----	<i>Feet</i> 182. 86
Sumter, about 6 mi. NW. of, about 2 mi. SE. of Dalzell, on W. side of rd. opposite junction of T-rd. E.; iron post stamped "Prim Trav Sta No 52-J 1918 198"-----	197. 517
Sumter, about 6 mi. NW. of, 70 ft. W. of rd. fork just W. of Green Swamp and E. of Shiloh Church, on N. side of rd., in root of pine tree; spike-----	181. 28
Sumter, 6.5 mi. NW. of, 1.0 mi. W. of Shiloh Church, on N. side of rd. at rd. fork, in root of hickory tree; copper nail and washer----	207. 20
Sumter, about 7 mi. NW. of, 2.8 mi. SE. of Catchall, 400 ft. S. of Green Swamp, in SW. angle of rd. fork; iron post stamped "215"-----	214. 771
Catchall, 2.5 mi. SE. of, at Long Branch School, 110 ft. W. of rd. forks, on S. side of rd., in root of large pine tree; spike-----	212. 52
Catchall, about 2 mi. SE. of, 1.0 mi. W. of Long Branch School, on W. side of rd. opposite junction of T-rd. E.; iron post stamped "240"-----	239. 156
Catchall, about 2 mi. S. of, 90 ft. N. of rd. fork, on W. side of rd., in root of large pine tree; copper nail and washer-----	324. 42
Catchall, 1.5 mi. S. of, 25 ft. N. and 50 ft. E. from crossroads; iron post stamped "360"-----	359. 533
Reference mark, 465 ft. SW. of post, 440 ft. S. of crossroads, on E. side of rd., in root of pine tree; copper nail and washer-----	366. 67

From Bishopville quadrangle about 3.5 miles southwest of Dalzell southwest along road into Fort Motte quadrangle about 7 miles northeast of Wedgewood (by T. T. Bobbitt in 1933)

Hill Crest High School, 3.5 mi. S. of, in churchyard, 15 ft. E. of center line of second-class rd. to Horatio, in root of 10-in. oak tree; nail-----	365. 47
Hill Crest High School, 3.5 mi. S., thence 1.0 mi. W. from, 18 ft. N. of center line of rd., in root of 14-in. hickory tree; nail-----	257. 42

From Sumter northeast along U. S. Highway 76 into Mayesville quadrangle (by J. F. Covington in 1934)

Sumter, in SE. angle of T-junction of Harvin and Calhoun Streets, in root on W. side of 20-in. elm tree; copper nail and washer----	164. 15
Sumter triangulation sta.; U. S. C. & G. S. standard disk stamped "Sumter 1934"-----	176. 658
Sumter, 1.5 mi. NE. of, on U. S. Highway 76, on W. end of S. head wall of box culvert; chiseled square-----	140. 74
Sumter, 2.8 mi. NE. of 45 ft. N. of center line of highway, in root on S. side of 30-in. pine tree; copper nail and washer-----	145. 84
Sumter, 4.0 mi. NE. of, 40 ft. N. of Imperial Hotel advertisement, 30 ft. S. of center line of highway, in concrete post; U. S. C. & G. S. and State Survey standard disk, probably stamped "ST 382"-----	145. 991
Sumter, 5.0 mi. NE. of, 30 ft. N. of center line of highway, in root on S. side of 14-in. gum tree; copper nail and washer-----	143. 39
Sumter, 5.7 mi. NE. of, 50 ft. E. of center of Shaw Crossroads, in SE. angle, in root of 12-in. oak tree; copper nail and washer-----	142. 37
Sumter, 6.8 mi. NE. of, on SW. corner of bridge No. 1 over Rock Bluff Creek, on wheel guard; chiseled square-----	122. 09
Sumter, 7.0 mi. NE. of, 0.2 mi. E. of Rock Bluff Swamp, 20 ft. N. of center line of highway, in concrete post; U. S. C. & G. S. and State Survey standard disk, probably stamped "ST 376"-----	125. 119

From Fort Motte quadrangle near Thomas Chapel east and north along road to Cane Savannah station on Atlantic Coast Line Railroad (by W. W. Mayes in 1934)

Thomas Chapel, 0.6 mi. E. of, 3.3 mi. W. of Manchester Crossroads, 10 ft. N. of center line of rd., in root on S. side of 8-in. oak tree; nail and copper washer.....	<i>Feet</i> 201. 23
Manchester Crossroads, 2.3 mi. W. of, on N. side of Manchester-Privateer rd., in 7- by 7-in. concrete post; standard tablet stamped "T T 180 SJ 1934 188".....	187. 796
Reference mark 1, 12 ft. E. of tablet, 15 ft. N. of center line of rd., in root of 15-in. pine tree; nail and copper washer.....	187. 30
Reference mark 2, 50 ft. SW. of reference mark 1, in root on N. side of 8-in. oak tree; nail and copper washer.....	186. 37
Manchester Crossroads, 1.2 mi. W. of, 25 ft. N. of center line of rd., in root on S. side of 30-in. pine tree; nail and copper washer.....	175. 39
Harvin triangulation sta.; U. S. C. & G. S. standard disk stamped "Harvin 1934".....	193. 675
Manchester Crossroads, 2.0 mi. S. of Toumey, 24 ft. N. and 20 ft. E. from NE. corner of Enon Baptist Church, in churchyard, in 7- by 7-in. concrete post; standard tablet stamped "T T 181 SJ 1934 193".....	192. 685
Reference mark, 70 ft. NE. of tablet, in root on E. side of 20-in. oak tree; nail and copper washer.....	192. 72
Toumey, 1.0 mi. S. of, 40 ft. E. of center line of Sumter-Pinewood rd., in root on W. side of 30-in. cedar tree; nail and copper washer.....	184. 76
Toumey, 15 ft. E. of NW. corner of Southern Ry. sta., 60 ft. from center line of rd., in platform guider; nail and copper washer.....	181. 79
Toumey, 1.1 mi. N. of, 1.8 mi. S. of Cane Savannah, 80 ft. NE. of flagpole at Camp W. S. Miller (Civilian Conservation Corps P-63), 25 ft. W. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "LT 1 MS 1934 176".....	175. 853
Reference mark 1, 100 ft. E. of flagpole, 15 ft. W. of rd., in root on E. side of 18-in. pine tree; copper nail and washer.....	174. 55
Reference mark 2, 100 ft. NW. of reference mark 1, 50 ft. from center line of rd., in root of 15-in. pine tree; nail and copper washer.....	175. 67
Cane Savannah, 0.7 mi. S. of, 1.1 mi. N. of Camp W. S. Miller, 30 ft. W. of center line of rd., in root on E. side of 12-in. oak tree; copper nail and washer.....	179. 45
Cane Savannah, 50 ft. NW. of sta., 5 ft. E. of center of rd. crossing, in guard rail; copper nail and washer.....	183. 76

From Manchester Crossroads south along Pinewood-Sumter highway into Rimini quadrangle about 1 mile northwest of Pinewood (by W. W. Mayes in 1934)

Manchester Crossroads, 1.0 mi. S. of, 3.0 mi. S. of Toumey, 20 ft. E. of center line of highway, in root on W. side of 30-in. oak tree; copper nail and washer.....	195. 68
Manchester Crossroads, 1.5 mi. S. of, 21 ft. S. and 50 ft. W. from center of junction of rd. SW., on property of Lamar Culp, 30 ft. N. and 25 ft. E. from NE. corner of tenant house, in 7- by 7-in. concrete post; standard tablet stamped "T T 184 SJ 1934 197".....	196. 610
Reference mark 1, 70 ft. W. of center line of highway, in root on N. side of 24-in. hickory tree; copper nail and washer.....	196. 27
Reference mark 2, 20 ft. S. of reference mark 1, in root of 24-in. oak tree; copper nail and washer.....	196. 75

Manchester Crossroads, 2.5 mi. S. of, 150 ft. W. of center line of highway, in root on E. side of 18-in. oak tree; copper nail and washer.....	<i>Feet</i> 199. 04
Manchester Crossroads, 3.0 mi. S. of, 3.6 mi. N. of Pinewood, 20 ft. N. of NW. corner of store of J. W. Griffin, in root of 8-in. twin china-berry tree; copper nail and washer.....	195. 55
Pinewood, 3.1 mi. N. of, on property of L. E. Avin, 5 ft. S. and 150 ft. E. from dwelling, on W. side of highway, in 7- by 7-in. concrete post; standard tablet stamped "T T 186 SJ 1934 196".....	195. 412
Reference mark 1, 20 ft. W. of center line of highway, in root on E. side of 36-in. pine tree; copper nail and washer.....	195. 52
Reference mark 2, 80 ft. S. of reference mark 1, in root of 8-in. pine tree; copper nail and washer.....	195. 42
Pinewood, 2.1 mi. N. of, 20 ft. W. of center line of highway, on head wall of culvert; chiseled square.....	187. 76
Pinewood, 1.1 mi. N. of, 50 ft. W. of highway, in root on E. side of 32-in. gum tree; copper nail and washer.....	196. 10

From Privateer west along road to Manchester Crossroads (by W. W. Mayes in 1934)

Privateer, 1.2 mi. W. of, 0.8 mi. E. of Manchester Crossroads, 25 ft. S. of center line of rd., just beyond turn to left, in root on N. side of 15-in. gum tree; copper nail and washer.....	177. 60
--	---------

From Fort Motte quadrangle near Rose Mary Tower southeast along road into Rimini quadrangle (by W. W. Mayes in 1934)

Rose Mary Tower (U. S. Forest Service fire tower), 3.3 mi. SE. of, 20 ft. W. of center line of rd., in root on E. side of 8-in. oak tree; copper nail and washer.....	221. 59
Rose Mary Tower, 4.3 mi. SE. of, 40 ft. W. of center line of rd., in root on E. side of 12-in. pine tree; copper nail and washer.....	212. 91

From Fort Motte quadrangle near Rose Mary Tower east along road to Griffin store (by W. W. Mayes in 1934)

Rose Mary Tower, 1.0 mi. E. of, 10 ft. N. of center line of rd., in root between 8-in. twin oak trees; copper nail and washer.....	214. 05
Rose Mary Tower, 2.0 mi. E. of, 10 ft. N. of center line of rd., in root on S. side of 12-in. pine tree; copper nail and washer.....	198. 38
Rose Mary Tower, 3.0 mi. E. of, 40 ft. N. of center line of rd., in root on S. side of 8-in. dogwood tree; copper nail and washer.....	198. 33

From Bishopville quadrangle south along U. S. Highway 401 to point 6 miles northeast of Sumter (by W. B. Sykes in 1934)

Sumter, 5.3 mi. along highway N. of, 300 ft. N. of White's mill, 15 ft. NW. of Y-rd. junction, on top of E. end of N. rail of concrete bridge; chiseled mark.....	145. 13
Sumter, 6.0 mi. NE. of, 1.0 mi. E. of White's pond, 110 ft. S. of rd. W. to Sumter and White's mill and E. to Mayesville, 3 ft. N. and 3 ft. W. from NE. corner of porch of Scarborough farmhouse, in yard; standard tablet stamped "T T 53 DS 1934".....	147. 025
U. S. C. & G. S. standard disk stamped "M 28 1934".....	136. 309

TALATHA QUADRANGLE

[Latitude 33°15'-33°30'; longitude 81°30'-81°45']

AIKEN AND BARNWELL COUNTIES

From Aiken quadrangle southeast along Southern Railway to Windsor, thence generally north along roads and back into Aiken quadrangle (by P. W. McMillen in 1918)

Windsor, 400 ft. E. of Ry. sta., 25 ft. S. of track; iron post stamped "Prim Trav Sta No 94 Mac 1918 391" (recovered by U. S. C. & G. S. in 1935)-----	Feet 391. 115
Windsor, 1.2 mi. NE. of, 5.2 mi. SW. of Kitchings Mills, 30 ft. W. of rd., in root on N. side of 30-in. gum tree; copper nail and washer---	381. 42

From Aiken quadrangle generally south along Whisky road into Ellenton quadrangle (by H. L. Hudson in 1918)

Aiken, 5.9 mi. S. of, 0.5 mi. N. of Fairview School, 150 ft. E. of dwelling of W. M. Redd, on W. side of rd., in root of oak tree; nail----	473. 15
Fairview School, 0.3 mi. N. of, in NE. angle of rd. forks, 860 ft. S. of dwelling of W. M. Redd; iron post stamped "458"-----	458. 043
Fairview School, 0.6 mi. S. of, on E. side of rd., 100 ft. S. of large white dwelling, in root of large oak tree; nail-----	485. 90
Fairview School, 2.6 mi. S. of, 120 ft. S. of crossroads, in root of elm tree; nail-----	435. 03
Fairview School, 2.9 mi. S. of, 0.2 mi. N. of intersection of Augusta-Williston rd., on W. side of rd. at junction of rd. NE. to Gum Ford School, 200 ft. W. of dwelling; iron post stamped "454"-----	453. 879
Fairview School, 3.7 mi. S. of, 0.6 mi. S. of intersection of Augusta-Williston rd., on W. side of rd., 400 ft. E. of dwelling of J. E. Key, in root of pine tree; nail-----	437. 15
Fairview School, 4.7 mi. S. of, on E. side of rd., in root of 24-in. pine tree; nail-----	374. 30
Fairview School, 5.8 mi. S. of, 5.3 mi. N. of Hawthorne, on W. side of rd., 300 ft. W. of dwelling of B. B. Boyd, in root of pine tree; nail--	406. 07
Hawthorne, 4.7 mi. N. of, 1.2 mi. E. of Talatha, in SE. angle of intersection of Augusta-Barnwell rd., 150 ft. S. of store of A. T. Johnson; iron post stamped "Prim Trav Sta No 15 Y 1918 414"-----	414. 281
Hawthorne, 3.5 mi. N. of, at foot of hill, on E. side of rd., 250 ft. W. of dwelling; top of iron post-----	357. 41
Hawthorne, 2.1 mi. N. of, in SE. angle of crossroads, 150 ft. N. of dwelling, in root of pine tree; nail-----	391. 04
Hawthorne, 1.4 mi. N. of, near junction of rd. NW., on W. side of rd., 75 ft. N. of Holly store; iron post stamped "394"-----	393. 770
Hawthorne, 0.4 mi. N. of, on E. side of rd., 10 ft. S. of dwelling, in root of oak tree; nail-----	318. 00
Hawthorne, 0.9 mi. SW. of, near junction of rd. NW., on E. side of rd., 400 ft. N. of red store building, 150 ft. W. of dwelling, in root of oak tree; nail-----	283. 83
Hawthorne, 1.3 mi. SW. of, on E. side of rd., 250 ft. W. of dwelling, in root of pine tree; nail-----	192. 08
Hawthorne, 1.6 mi. SW. of, on top of hill, on E. side of rd., 250 ft. N. of dwelling, in root of pine tree; nail-----	279. 36
Hawthorne, 2.3 mi. SW. of, 0.8 mi. N. of intersection of Augusta-Charleston rd., in NW. angle of junction of private rd. NW., on top of hill, on W. side of rd., in root of pine tree; nail-----	292. 12

Hawthorne, 3.1 mi. SW. of, 5.8 mi. N. of Ellenton, 6.7 mi. W. of Greenland, at intersection of old Augusta-Charleston rd., in SW. angle of crossroads; iron post stamped "260"-----	<i>Feet</i> 259. 281
Ellenton, 4.9 mi. N. of, on E. side of rd., 200 ft. W. of dwelling of D. W. Crosland, in root of oak tree; copper nail-----	303. 42

From point 3.1 miles southwest of Hawthorne, at intersection of Whisky road and old Augusta-Charleston road, southeast by way of Greenland to Joyce Branch Church, thence southwest into Ellenton quadrangle (by H. L. Hudson in 1918)

Hawthorne, 3.1 mi. SW., thence 1.1 mi. SE. from, 5.6 mi. W. of Greenland, on N. side of rd., in root of forked oak tree; nail-----	178. 10
Greenland, 4.8 mi. W. of, about 0.2 mi. SE. of Zion Fair Church, on N. side of bridge over Upper Three Runs, in support; nail and washer-----	129. 05
Greenland, 3.7 mi. W. of, 150 ft. S. of dwelling of N. B. Beard, in SE. angle of crossroads; iron post stamped "290"-----	290. 128
Greenland, 2.9 mi. W. of, on N. side of rd., 150 ft. N. of dwelling, in root of mulberry tree; nail-----	282. 25
Greenland, 1.9 mi. W. of, 0.5 mi. W. of Aiken-Barnwell county line, on N. side of rd., 200 ft. N. of sawmill, 150 ft. S. of dwelling, in root of oak tree; nail-----	286. 56
Greenland, 1.1 mi. W. of, 0.3 mi. E. of Aiken-Barnwell county line, on N. side of rd., 200 ft. E. of ruins of old dwelling, in root of large oak tree; nail-----	301. 16
Greenland, on N. side of rd., 20 ft. S. of store of Mrs. Lizzie Dick; iron post stamped "Prim Trav Sta No 17 Y 1918 302"-----	301. 529
Greenland, 1.1 mi. E. of, about 0.4 mi. SE. of Greenland School, in SW. angle of junction of rd. S.; 200 ft. N. of dwelling, in root of oak tree; nail-----	314. 36
Greenland, 2.1 mi. SE. of, 2.9 mi. NW. of Joyce Branch Church, on N. side of rd. at junction of rd. S., 10 ft. S. of log crib, in root of gum tree; nail-----	283. 57
Joyce Branch Church, 2.0 mi. NW. of, in SE. angle of crossroads, 600 ft. E. of dwelling; iron post stamped "288"-----	287. 724
Joyce Branch Church, 0.9 mi. W. of, 200 ft. N. of church, on N. side of rd., in root of small pine tree; nail-----	246. 89
Joyce Branch Church, 200 ft. E. of, 300 ft. W. of junction of rd. SW. to Dunbarton, on S. side of rd.; iron post stamped "194"-----	193. 459

From Joyce Branch Church on old Augusta-Charleston road along roads generally north to Windsor (by H. L. Hudson in 1918)

Joyce Branch Church, 0.6 mi. SE. of, in NW. angle of junction of rd. N., in root of small oak tree; nail-----	214. 13
Joyce Branch Church, 1.5 mi. NE. of, 1.3 mi. SW. of Thalmans Mill on Lower Three Runs, in SW. angle of junction of rd. W., in root of pine tree; nail-----	258. 97
Joyce Branch Church, 3.3 mi. NE. of, on W. side of rd., 800 ft. S. of dwelling, in root of small oak tree; nail-----	233. 88
Joyce Branch Church, 3.9 mi. N. of, on E. side of rd. at junction of Augusta-Barnwell rd., in root of oak tree; nail-----	208. 16
Joyce Branch Church, 3.9 mi. NE., thence 0.8 mi. SE. from, on Augusta-Barnwell rd., 0.8 mi. SE. of junction of rd. S. to Dunbarton, in NW. angle of crossroads, 150 ft. W. of dwelling; iron post stamped "Prim Trav Sta No 18 Y 1918 260"-----	260. 018

Joyce Branch Church, 3.9 mi. NE., thence 1.1 mi. NW. from, on NE. side of rd., in root of pecan tree; nail-----	Feet 315. 23
Joyce Branch Church, 3.9 mi. NE., thence 2.0 mi. NW. from, in SW. angle of crossroads, in root of oak tree; nail-----	315. 98
Joyce Branch Church, 3.9 mi. NE., thence 3.0 mi. NW. from, 0.4 mi. SE. of Reedy Branch, in NW. angle of crossroads, in root of oak tree; nail-----	304. 50
Joyce Branch Church, 3.9 mi. NE., thence 3.7 mi. NW. from, 0.4 mi. NW. of Reedy Branch, 0.5 mi. SE. of Aiken-Barnwell county line, on SW. side of rd., in root of oak tree; nail-----	276. 22
Joyce Branch Church, 3.9 mi. NE., thence 4.4 mi. NW. from, 0.3 mi. NW. of Aiken-Barnwell county line, 1.0 mi. SE. of crossing of Tinker Creek, in NW. angle of crossroads; iron post stamped "308"-----	306. 424
Joyce Branch Church, 3.9 mi. NE., thence 5.4 mi. NW. from, on W. side of bridge over Tinker Creek, in support; nail-----	185. 08
Joyce Branch Church, 3.9 mi. NE., thence 6.5 mi. NW. from, 10.0 mi. SW. of Windsor, in SW. angle of intersection of NE.-SW. rd.; iron post stamped "279"-----	278. 697
Windsor, 9.3 mi. SW. of, in NW. angle of crossroads, 300 ft. N. of dwelling, in root of small oak tree; nail-----	304. 75.
Windsor, 8.2 mi. SW. of, on E. side of rd., in root of large pine tree; nail-----	305. 45.
Windsor, 7.1 mi. SW. of, in SW. angle of crossroads; iron post stamped "340"-----	339. 990
Windsor, 6.0 mi. SW. of, in SE. angle of crossroads, in root of pine tree; nail-----	356. 99
Windsor, 5.3 mi. SW. of, on top of hill, on E. side of rd., 600 ft. N. of dwelling, in root of oak tree; nail-----	385. 21
Windsor, 4.4 mi. SW. of, in NE. angle of crossroads, 40 ft. W. of dwelling, in root of oak tree; nail-----	356. 53
Windsor, 3.5 mi. SW. of, 0.6 mi. SW. of Mount Beulah School, in SW. angle of crossroads, 300 ft. E. of dwelling; iron post stamped "406"-----	406. 095.
Windsor, 1.3 mi. SW. of, in NE. angle of crossroads, 300 ft. W. of dwelling, in root of small oak tree; nail-----	396. 22.

From point 3.5 miles southwest of Windsor west along Windsor-Augusta road to intersection of Whisky road (by H. L. Hudson in 1918)

Windsor, 4.6 mi. SW. of, 1.8 mi. SW. of Mount Beulah School, 100 ft. W. of junction of rd. N., on N. side of rd., in root of pine tree; nail-----	399. 34.
Mount Beulah School, 2.7 mi. SW. of, on S. side of rd., in root of 18-in. pine tree; nail-----	413. 34
Mount Beulah School, 3.6 mi. SW. of, 0.9 mi. E. of Upper Three Runs, in SW. angle of crossroads; iron post stamped "335"-----	335. 094
Mount Beulah School, 3.4 mi. SW. of, 150 ft. W. of bridge over Upper Three Runs, on S. side of rd., in root of 20-in. oak tree; nail-----	217. 98
Mount Beulah School, 4.3 mi. W. of, 1.2 mi. SE. of Hitchcock Pond, in NE. angle of junction of rd. NW., in root of small oak tree; nail-----	335. 44
Hitchcock Pond, at outlet of, in NW. angle of rd. junction, 200 ft. E. of sawmill, in root of pine tree; nail-----	243. 23
Hitchcock Pond, 0.2 mi. W. of, in NW. angle of crossroads, 200 ft. W. of dwelling; iron post stamped "262"-----	261. 464
Hitchcock Pond, 2.3 mi. W. of, 0.9 mi. E. of intersection of Whisky rd., on S. side of rd., in root of pine tree; nail-----	375. 38.

TRIO QUADRANGLE

[Latitude 33°15'–33°30'; longitude 79°30'–79°45']

BERKELEY, GEORGETOWN, AND WILLIAMSBURG COUNTIES

From Awensdaw quadrangle northeast along Seaboard Air Line Railway to Andrews (by C. H. Semper in 1917)

	<i>Feet</i>
Bethera, 6.6 mi. NE. of, at Clifford switch, 30 ft. S. of switch frog, 40 ft. W. of rail; iron post stamped "37"-----	37. 052
Jamestown, 55 ft. S. and 100 ft. W. from crossing of State Highway 179 near sta., 50 ft. NW. of center of track; iron post stamped "Prim Trav Sta No 25 Mac 1917 40"-----	39. 856
Jamestown, in front of sta.; top of rail-----	39. 3
Jamestown, 2.7 mi. NE. of, at bridge over Santee River; top of rail--	39. 2
Jamestown, 3.0 mi. NE. of, directly opposite milepost 122, 35 ft. W. of rail; iron post stamped "30"-----	29. 917
Oceda, 180 ft. S. of rd. crossing near flag sta., 25 ft. NW. of center of track, on bank, 3 ft. E. of telephone pole; iron post stamped "Prim Trav Sta No 24 Mac 1917 33"-----	32. 820
Oceda, 2.8 mi. NE. of, directly opposite milepost 117, 35 ft. W. of rail; iron post stamped "35"-----	35. 119
Andrews, 1.5 mi. SW. of, 3 ft. from fence line between milepost 113 and fence; iron post stamped "26"-----	25. 335
Andrews, 1.0 mi. SW. of, at rd. crossing; top of rail-----	32. 2
Andrews, 600 ft. N. of sta., 420 ft. N. of junction of Georgetown Branch of Seaboard Air Line Railway, 30 ft. W. of main track, 10 ft. SW. of sidewalk, 8 ft. W. of telephone pole; iron post stamped "Prim Trav Sta No 23 Mac 1917 37"-----	37. 211
Andrews, in front of sta.; top of rail-----	36. 8

From Andrews northwest along Seaboard Air Line Railway into Bonneau quadrangle (by C. H. Semper in 1917)

Andrews, 1.2 mi. NW. of, at rd. crossing; top of rail-----	36. 9
Andrews, 3.3 mi. NW. of, 60 ft. W. of milepost 20, 35 ft. N. of track; iron post stamped "27" (recovered by U. S. C. & G. S. in 1935)---	26. 877
Andrews, 5.8 mi. NW. of, at rd. crossing; top of rail-----	46. 6
Andrews, 6.3 mi. NW. of, 3.0 mi. SE. of Trio, 4 ft. W. of milepost 23, 20 ft. N. of track; iron post stamped "47" ⁶¹ (recovered by U. S. C. & G. S. in 1935)-----	47. 470
Trio, directly opposite sta., 30 ft. S. of center of track, S. of line of telephone poles; iron post stamped "Prim Trav Sta No 22 Mac 1917 57" (recovered by U. S. C. & G. S. in 1935)-----	56. 824
Trio, in front of sta.; top of rail-----	58. 0

From Bonneau quadrangle near west end of Camp Pond Bay south and southwest along road and back into Bonneau quadrangle (by P. A. Wattley in 1934)

Blakely, 3.7 mi. SE. of, 21 ft. E. of center line of Blakely-Sutton School rd., 30 ft. N. and 67 ft. E. from NE. corner of dwelling of R. E. Blakely, in 7- by 7-in. concrete post; standard tablet stamped "W 61 1934 65"-----	64. 861
---	---------

⁶¹ Recovery of this post disclosed that it was covered by 17 inches of soil and that the figures of elevation previously determined for it were not in accord with those determined for adjacent benchmarks. It is therefore presumed that this post has been disturbed.

Reference mark, 40 ft. NE. of dwelling, in yard, 50 ft. W. of center line of rd., in root on E. side of 18-in. cottonwood tree; wire nail and bottle cap.....	Feet 65. 06
Blakely, 4.8 mi. SE. of, 30 ft. E. of center line of rd., in root on W. side of 10-in. oak tree; wire nail and bottle cap.....	55. 56
Blakely, 5.9 mi. SE. of, 0.6 mi. NE. of Sutton School, 200 ft. W. of dwelling, in yard, 20 ft. E. of center line of rd., in root on W. side of 14-in. chinaberry tree; wire nail and bottle cap.....	53. 24

From Bonneau quadrangle along road southeast to Trio, thence north into Indiantown quadrangle (by P. A. Wattlely in 1934)

Blakely, 1.0 mi. E. of, 70 ft. N. of center line of Blakely-Trio rd., 150 ft. S. of dwelling, in yard, in root on SE. side of 18-in. pine tree; wire nail and bottle cap.....	59. 06
Trio, 0.4 mi. W. of, 40 ft. E. of Trio School, in yard, 70 ft. S. of center line of rd., in root on N. side of 15-in. oak tree; wire nail and bottle cap.....	58. 10
Trio, 1.0 mi. N. of, 30 ft. W. of center line of rd. to Boyd's store, 50 ft. E. of dwelling, in yard, in root on NE. side of 15-in. oak tree; wire nail and bottle cap.....	57. 03

From Indiantown quadrangle southeast along U. S. Highway 521 to road junction 0.6 mile northwest of Harmony Church, thence northeast along road 0.5 mile and back into Indiantown quadrangle (by P. A. Wattlely in 1934)

Spring Gully Church, 1.6 mi. SE. of, 0.6 mi. NW. of Harmony Church, 38 ft. S. of center line of highway, 63 ft. N. and 12 ft. E. from NE. corner of dwelling, in yard, in 7- by 7-in. concrete post; standard tablet stamped "W 46 1934 36".....	35. 490
Reference mark, 90 ft. S. of center line of highway, 20 ft. N. of above-mentioned dwelling, in yard, in root on W. side of 20-in. oak tree; wire nail and bottle cap.....	36. 38

From Bonneau quadrangle about 3.5 miles northwest of Jamestown along State Highway 179 to Jamestown (by P. A. Wattlely in 1934)

Jamestown, 3.3 mi. NW. of, 120 ft. S. of Liberty Church, in yard, 30 ft. N. of center line of highway, in root on E. side of 10-in. oak tree; wire nail and bottle cap.....	33. 86
Jamestown, 2.3 mi. NW. of, 50 ft. N. and 6 ft. E. from NW. corner of dwelling of B. B. Bishop, 25 ft. S. of center line of highway, in 7- by 7-in. concrete post; standard tablet stamped "W 73 1934 46".....	45. 528
Reference mark, 110 ft. N. of dwelling, in yard, in root on N. side of 38-in. oak tree; wire nail and bottle cap.....	45. 46
Jamestown, 0.9 mi. NW. of, 30 ft. N. of center line of highway, in root on SW. side of 17-in. pine tree; wire nail and bottle cap.....	35. 28

From Jamestown southeast along road 6.5 miles into Awensdaw quadrangle (by J. J. Sitton, Jr., in 1934)

[Line jogs into Awensdaw quadrangle]

Jamestown; U. S. C. & G. S. and State Survey standard disk designated "No BK 17".....	39. 528
Jamestown, 1.0 mi. SE. of; U. S. C. & G. S. and State Survey standard disk designated "No BK 20".....	37. 337
Jamestown, 2.1 mi. SE. of; U. S. C. & G. S. and State Survey standard disk designated "No BK 23".....	33. 663

Jamestown, 4.3 mi. SE. of, 50 ft. NE. of corner of wire fence, 20 ft. E. of center line of rd., in root on SW. side of 18-in. water-oak tree; wire nail and washer-----	Feet 25. 43
Jamestown, 5.3 mi. SE. of, 30 ft. E. of center line of rd., in root on W. side of 12-in. water-oak tree; wire nail and washer-----	28. 28
Jamestown, 6.3 mi. SE. of, 20 ft. W. of center line of rd., in root on E. side of 24-in. pine tree; wire nail and washer-----	22. 19

From Bonneau quadrangle near Nazareth Church southeast along Santee River road to junction of State Highway 511, thence southwest along highway to Jamestown (by E. B. Williams in 1934)

Sutton School, 0.7 mi. SW., thence 1.0 mi. SE. from, 100 ft. E. of Nazareth Church, 20 ft. SW. of Santee River rd., in root on NW. side of 18-in. pine tree; wire nail and bottle cap-----	39. 20
Nazareth Church, 0.7 mi. SE. of, 60 ft. SE. of center of junction of T-rd. NE., in 7- by 7-in. concrete post; standard tablet stamped "L 37 WS 1934"-----	48. 088
Reference mark, 5 ft. N. and 5 ft. E. from tablet, 40 ft. NE. of center line of rd., at junction of T-rd. NE., in root on SW. side of 28-in. oak tree; wire nail and bottle cap-----	47. 85
Nazareth Church, 2.0 mi. SE. of, 20 ft. SW. of center line of rd., in root on NE. side of 18-in. oak tree; wire nail and bottle cap-----	34. 45
Nazareth Church, 2.6 mi. SE. of, 125 ft. SE. of junction of Y-rd., in 7- by 7-in. concrete post; standard tablet stamped "L 1 WS 1935"-----	35. 922
Reference mark, 40 ft. W. of tablet, in triangle of rd. forks, in root on S. side of 10-in. pine tree; wire nail and bottle cap-----	36. 46
Nazareth Church, 3.3 mi. SE. of, 20 ft. NE. of center line of rd., in root on SW. side of 30-in. pine tree; wire nail and bottle cap-----	32. 16
Nazareth Church, 4.8 mi. SE. of, 3.8 mi. NE. of Jamestown, 50 ft. W. of center line of State Highway 511, in root on NE. side of 10-in. gum tree; wire nail and bottle cap-----	28. 97
Jamestown, 2.7 mi. NE. of, 70 ft. SW. of center line of highway, in 7- by 7-in. concrete post; standard tablet stamped "L 2 WS 1935"-----	17. 441
Reference mark, 50 ft. N. of tablet, 50 ft. SW. of center line of highway, in base of 36-in. pine tree; spike-----	15. 09
Jamestown, 1.7 mi. NE. of, at Leneuds Ferry, 10 ft. NW. of center line of bridge at ferry landing, on guard rail; top of bolt-----	13. 66
Jamestown, 0.8 mi. NE. of, 50 ft. NW. of center line of highway, in root on NE. side of 18-in. pine tree; wire nail and bottle cap-----	32. 19

From Oceda north along road alternately northwest and northeast by way of Oak Ridge into Indiantown quadrangle near Harmony Church on State Highway 521 (by E. B. Williams in 1935)

Oceda, 1.1 mi. NW. of, 240 ft. SW. of Gourdin Chapel, 30 ft. SE. of center line of State Highway 511, in root on W. side of 20-in. hickory tree; wire nail and bottle cap-----	25. 73
Oceda, 2.2 mi. NW. of, 2 ft. NE. of tenant house owned by Mr. Atkins, 40 ft. W. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "L 3 WS 1935"-----	39. 994
Reference mark, 40 ft. NE. of tablet, 10 ft. W. of center line of rd., in root on E. side of 10-in. oak tree; wire nail and bottle cap-----	40. 25
Oceda, 3.3 mi. NW. of, 30 ft. W. of center line of rd., in root on SE. side of 12-in. pine tree; wire nail and bottle cap-----	44. 28

Oceda, 4.3 mi. NW. of, 3.6 mi. SW. of Oak Ridge, 10 ft. E. of center line of rd., in root on E. side of 20-in. pine tree; wire nail and bottle cap-----	43. 68
Oak Ridge, 2.5 mi. SW. of, 80 ft. W. of center line of rd., in root on SE. side of 12-in. pine tree; wire nail and bottle cap-----	42. 96
Oak Ridge, 1.6 mi. W. of, 55 ft. W. of junction of T-rd. and county rd. to Oak Ridge, in 7- by 7-in. concrete post; standard tablet stamped "L 4 WS 1935"-----	43. 507
Reference mark, 15 ft. S. of tablet, 55 ft. W. of rd. junction, in root on N. side of 18-in. twin pine tree; wire nail and bottle cap-----	43. 33
Oak Ridge, 0.5 mi. W. of, 30 ft. N. of center line of rd., in root on S. side of 12-in. pine tree; wire nail and bottle cap-----	39. 20
Oak Ridge, 0.6 mi. along county rd. N. of, 40 ft. W. of center line of rd., in root on E. side of 20-in. pine tree; wire nail and bottle cap---	40. 39
Oak Ridge, 1.4 mi. N. of, 1.8 mi. S. of Earle, 40 ft. S. of junction of county rd. and woods rd. E., in 7- by 7-in. concrete post; standard tablet stamped "L 5 WS 1935"-----	39. 209
Reference mark, 10 ft. W. of tablet, 15 ft. E. of center line of rd., in root on NW. side of 15-in. oak tree; wire nail and bottle cap-----	39. 44
Earle, 0.6 mi. S. of, 20 ft. W. of center line of rd., in root on E. side of 10-in. twin chinaberry tree; wire nail and bottle cap-----	41. 97
Earle, 50 ft. SW. of store of J. S. Wheeler, 100 ft. SE. of intersection of county rd. and old roadbed of Seaboard Air Line Ry., in root on E. side of 10-in. pine tree; wire nail and bottle cap-----	41. 70
Earle, 0.9 mi. NE. of, 50 ft. S. of tenant house owned by G. W. Gamlin, 30 ft. NW. of center line of rd., in root on E. side of 12-in. persimmon tree; wire nail and bottle cap-----	37. 03
Earle, 1.3 mi. NE. of, 1.2 mi. SW. of Harmony Church, 3 ft. N. of barn, 100 ft. W. of dwelling of G. W. Gamlin, 30 ft. SE. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "L 6 WS 1935"-----	42. 550
Reference mark, 80 ft. S. of tablet, 40 ft. SE. of center line of rd., in root on NW. side of 30-in. oak tree; wire nail and bottle cap-----	41. 88
Harmony Church, 60 ft. NW. of, 60 ft. S. of junction of county rd. and State Highway 521, in root on N. side of 10-in. oak tree; wire nail and bottle cap-----	38. 65

From Oceda southeast 4 miles along Sampit road, thence northeast into Georgetown quadrangle near Summons Creek (by E. B. Williams in 1935)

Oceda, 1.2 mi. SE. of, 60 ft. S. of dwelling of Vernell Lambert, 30 ft. NE. of center line of rd., in root on W. side of 8-in. oak tree; wire nail and bottle cap-----	35. 61
Oceda, 2.0 mi. SE. of, 50 ft. NE. of center line of rd., in root on NW. side of 18-in. pine tree; wire nail and bottle cap-----	36. 25
Oceda, 3.0 mi. SE. of, 60 ft. SW. of dwelling of George Enter, 65 ft. N. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "L 7 WS 1935"-----	36. 965
Reference mark, 20 ft. S. of tablet, 45 ft. N. of center line of rd., in root on NE. side of 6-in. oak tree; wire nail and bottle cap-----	37. 35
Oceda, 4.0 mi. SE. of, 60 ft. NE. of center line of rd., in root on SE. side of 24-in. pine tree; wire nail and bottle cap-----	33. 93
Oceda, 4.0 mi. SE., thence 1.0 mi. NE. from, along Sampit rd., 15 ft. NW. of center line of rd., in root on SE. side of 30-in. cypress tree; wire nail and bottle cap-----	32. 65

Oceda, 4.0 mi. SE., thence 2.0 mi. NE. from, 50 ft. SE. of center line of rd., in root on N. side of 6-in. pine tree; wire nail and bottle cap..	Feet 30. 48
Oceda, 4.0 mi. SE., thence 2.5 mi. NE. from, 50 ft. NW. of dwelling of J. D. Cox, 35 ft. S. of center line of Sampit rd., in 7- by 7-in. concrete post; standard tablet stamped "L 8 WS 1935"-----	30. 673
Reference mark, 40 ft. NE. of tablet, 30 ft. S. of center line of rd., in root on S. side of 8-in. oak tree; wire nail and bottle cap-----	30. 06
Oceda, 4.0 mi. SE., thence 3.6 mi. NE. from, 130 ft. SE. of dwelling of G. D. Gladson, 25 ft. N. of center line of rd., in root on SE. side of 30-in. pine tree; wire nail and bottle cap-----	30. 00
Oceda, 4.0 mi. SE., thence 4.6 mi. NE. from, 50 ft. NW. of dwelling of Jerry Lambert, 20 ft. SE. of center line of rd., in root on E. side of 30-in. oak tree; wire nail and bottle cap-----	30. 28
Oceda, 4.0 mi. SE., thence 5.0 mi. NE. from, 800 ft. E. of bridge over Summons Creek, 15 ft. N. of center line of Sampit rd., in root on E. side of 24-in. oak tree; wire staple (set by W. B. Sykes in January 1935)-----	26. 87

VARNVILLE QUADRANGLE

[Latitude 32°45'-33°00'; longitude 81°00'-81°15']

ALLENDALE, COLLETON, HAMPTON, AND JASPER COUNTIES

From Pineland quadrangle north along Seaboard Air Line Railway to Fairfax, thence northwest along Charleston & Western Carolina Railway into Peebles quadrangle (first-order leveling by C. H. Semper in 1918)⁶²

Estill, 0.2 mi. S. of sta., at street crossing; top of rail-----	113. 2
Estill, directly opposite sta., about 150 ft. S. of city water tank in NE. corner of sta. yard, about 78 ft. E. of telegraph operator's window, 38 ft. E. of E. rail of main track; iron post stamped "Prim Trav Sta No 78 Mac 1917 113" (designated "J" by U. S. C. & G. S.)-----	113. 382
Estill, 0.2 mi. N. of, at rd. crossing; top of rail-----	109. 4
Estill, 0.6 mi. N. of, at rd. crossing; top of rail-----	104. 9
Estill, 1.7 mi. N. of, at rd. crossing; top of rail-----	132. 7
Estill, 1.9 mi. N. of, 2.1 mi. S. of Luray, at overhead crossing of Southern Ry., at S. end of first bent W. of Seaboard Air line Ry. track, in base of bent; spike-----	137. 25
Luray, 1.5 mi. S. of, at rd. crossing; top of rail-----	140. 6
Luray, 0.7 mi. S. of, 20 ft. S. and 20 ft. E. from rd. crossing; iron post stamped "140"-----	139. 891
Luray, in front of sta.; top of rail-----	138. 9
Luray, 0.2 mi. N. of, at rd. crossing; top of rail-----	140. 2
Luray, 0.9 mi. N. of, about 2.2 mi. S. of Gifford, at rd. crossing; top of rail-----	140. 5
Gifford, 180 ft. S. of sta., 20 ft. W. of rail; iron post stamped "Prim Trav Sta No 77 Mac 1917 138" (designated "P" by U. S. C. & G. S.)-----	138. 451
Gifford, 0.2 mi. N. of, 0.5 mi. S. of Genn, at rd. crossing; top of rail--	132. 3
Genn, 1.9 mi. S. of Dukes, at rd. crossing; top of rail-----	129. 4
Dukes, 1.1 mi. S. of, 20 ft. N. of milepost 198, in top of S. rail-rest post; copper nail-----	131. 88
Dukes, 330 ft. N. of milepost 199, 50 ft. N. of rd. crossing, 25 ft. E. of track; iron post stamped "104" (designated "R" by U. S. C. & G. S.)-----	103. 812

⁶² A portion of the U. S. C. & G. S. first-order level line, Savannah, Ga., to Moncure, N. C., which was run later in 1918, follows the same route.

Dukes, 1.7 mi. N. of, 2.6 mi. S. of Fairfax, 30 ft. N. of crossing of Pocatigo rd., 20 ft. W. of rail; iron post stamped "115" (designated "S" by U. S. C. & G. S.)	Feet 114. 777
Fairfax, at intersection of Seaboard Air Line and Charleston & Western Carolina Rys.; top of rail	136. 0
Fairfax sta., in SW. angle of Ry. intersection, 30 ft. W. of Seaboard Air Line track, 20 ft. S. of Charleston & Western Carolina track; iron post stamped "Prim Trav Sta No 76 Mac 1917 136" (designated "T" by U. S. C. & G. S.) ⁶³	135. 830
Fairfax, 0.4 mi. NW. of sta., at crossing of Savannah-Orangeburg rd.; top of rail	130. 2
Fairfax, 0.7 mi. NW. of, at rd. crossing; top of rail	128. 0
Fairfax, about 0.8 mi. NW. of, at crossing of Revolutionary Trail; top of rail	131. 9

From Cummings quadrangle northwest along Charleston & Western Carolina
Railway to Fairfax (by D. S. Birkett in 1918)

Camp Branch, about 500 ft. SE. of old sawmill, 70 ft. SW. of rd. crossing, in corner of garden; iron post stamped "62 1918" (recovered by U. S. C. & G. S. in 1934)	60. 489
Varnville, 0.4 mi. SE. of sta., 35 ft. NE. of track, on S. side of Varnville-Yemassee rd., on NW. side of street NE. to school; iron post stamped "110 1918" (recovered by U. S. C. & G. S. in 1934)	110. 485
Varnville, opposite semaphore staff at sta.; top of rail	107. 1
Varnville, 1.0 mi. NW. of, 1.0 mi. SE. of Hampton, at crossing of NE.-SW. rd., at W. end of small trestle, on S. side of track, in top of wooden abutment; 20-penny nail	85. 06
Hampton, 750 ft. NW. of Charleston & Western Carolina Ry. sta., 50 ft. S. of track, on W. side of street, near crossing; iron post stamped "Prim Trav Sta No 75 Mac 1917 95"	95. 315
Hampton, 0.6 mi. NW. of Charleston & Western Carolina Ry. sta., opposite bottling works, at Hampton & Branchville R. R. sta., in SE. corner of sta. platform; nail	110. 97
Hampton, 2.1 mi. NW. of, 4.1 mi. SE. of Brunson, 350 ft. NW. of milepost 66, 60 ft. NW. of end of switch, 30 ft. S. of track; iron post stamped "115" (recovered by U. S. C. & G. S. in 1934)	115. 348
Brunson, at schoolhouse, 3 ft. E. of front steps; iron post stamped "138 1918" (recovered by U. S. C. & G. S. in 1934)	137. 861
Brunson, at sta., opposite telegraph operator's window; top of rail	137. 5
Brunson, 1.8 mi. NW. of, 1.8 mi. SE. of Fairfax, 100 ft. W. of milepost 60, at crossing of private rd., on NE. side of Fairfax-Hampton rd., in line of telegraph poles; iron post stamped "132 1918"	131. 901

From Hampton northeast along Hampton & Branchville Railroad into Cum-
mings quadrangle (by D. S. Birkett in 1918; leveled twice)

Crocketville, 48 ft. SE. of SE. corner of sta., 42 ft. SW. and 15 ft. SE. from center of rd. crossing, at fence corner; iron post stamped "111 1918" (recovered by U. S. C. & G. S. in 1934) ⁶⁴	110. 292
--	----------

⁶³ It was reported in 1931 that this benchmark had been moved from its original position. Its elevation at its present location was not determined.

⁶⁴ It was reported in 1935 that the cap of this post had been battered.

Miley, about 100 ft. SW. of sta. platform, 45 ft. SW. of SW. corner of office of Lightsey Bros. Mill Co., 53 ft. SW. and 24 ft. NW. of center of rd. crossing; iron post stamped "83 1918" (recovered by U. S. C. & G. S. in 1934) ⁶⁵ -----	Feet -- 81. 266
Moselle, 95 ft. SW. of SW. corner of sta., 66 ft. SW. of crossing of county rd., 27 ft. SE. of track; iron post stamped "Prim Trav Sta No 1 S 1917 82" (recovered by U. S. C. & G. S. in 1934)-----	81. 394
From Moselle southeast along road east of Salkehatchie River into Cummings quadrangle (by D. S. Birkett in 1918)	
Moselle, 0.8 mi. SE. of, on W. side of rd., in root of gum tree; copper nail-----	77. 62
At south end of Whippy Swamp—a jog from Cummings quadrangle (by D. S. Birkett in 1918)	
Miley, 4.0 mi. SE. of, about 6 mi. NE. of Varnville, 1.3 mi. SW. across Salkehatchie River and swamp from Tobys Bluff, 50 ft. SE. of intersection of Miley-Yemassee and Varnville-Tobys Bluff rds.; iron post stamped "78 1918"-----	78. 098
From Hampton along roads generally southwest to Lena (by D. S. Birkett in 1918)	
Hampton, 2.2 mi. SW. of, 100 ft. SE. of Mount Olive Church, 50 ft. SE. of intersection of Pocotaligo rd., at fence corner; iron post stamped "79 1918"-----	79. 276
Hampton, 5.0 mi. SW. of, 5.8 mi. NE., thence 1.5 mi. SE. from Lena, about 0.5 mi. W. of Horse Pond, 0.7 mi. SE. of Black Creek Church, near Silver Hill Church, 30 ft. N. of junction of NW.-SE. rd.; iron post stamped "115 1918"-----	115. 015
Lena, 5.8 mi. NE. of, 0.8 mi. NW. of Black Creek Church, about 0.2 mi. SE. of Black Creek and 0.1 mi. W. of Brier Creek, 60 ft. W. of junction of Grass Hill rd., in root of pine tree; copper nail-----	69. 35
Lena, 3.4 mi. NE. of, 0.9 mi. N. of Sweet Rose Church, 0.2 mi. N. of intersection of dim rd., on E. side of rd., opposite white dwelling; iron post stamped "115 1918"-----	114. 516
Lena, 2.3 mi. NE. of, 0.3 mi. SW. of Sweet Rose Church, about 0.3 mi. N. of junction of rd. NE., on W. side of rd., 20 ft. S. of mail box of Calvin Austin (No. 80), in root of large pine tree; copper nail---	118. 32
Lena, 1.5 mi. NE. of, at intersection of dim NW.-SE. rd., opposite row of red tenant houses, in root of sweetgum tree; copper nail---	111. 82
From Cummings quadrangle north of Moselle Swamp along roads generally west to Fairfax (by D. S. Birkett in 1918)	
Wymans Crossroads, 40 ft. E. of, near Wyman School, in root of sweetgum tree; copper nail-----	107. 02
Wymans Crossroads, 1.0 mi. W. of, 1.3 mi. E. of Broxton Bridge over Salkehatchie River, on S. side of rd., in front of dwelling on property of W. G. Muller, in root of large tree; copper nail-----	87. 58
Broxton Bridge, 0.4 mi. NE. of, on N. side of rd., in front of white dwelling, in root of 72-in. live-oak tree; copper nail-----	87. 52
Broxton Bridge, 0.4 mi. W. of, 0.5 mi. NE. of Lone Star School, on E. side of T-rd. S. to Miley; iron post stamped "112 1918"-----	111. 884

⁶⁵ According to a report received in 1935 this post is now in a driveway and therefore subject to frequent disturbance.

Broxton Bridge, 1.2 mi. SW. of, 0.3 mi. SW. of Lone Star School, 1.0 mi. NE. of logging R. R. of Lightsey Bros. Lumber Co., in front of dwelling of J. Williams, in root of large pine tree; copper nail.....	Feet 118. 22
Broxton Bridge, 3.0 mi. SW. of, 1.4 mi. SE. of Hickory Grove Church, 0.6 mi. W. of logging R. R., about 0.2 mi. W. of Calico Branch, at intersection of N.-S. second-class rd., 60 ft. W. of mail box of B. H. Priester, in root of oak tree; copper nail.....	98. 51
Hickory Grove Church, 0.7 mi. NW. of, about 3 mi. NE. of Jackson Branch Church, 3.4 mi. S. of Jennys, 30 ft. SE. of crossroads, 400 ft. N. of gin and sawmill; iron post stamped "Prim Trav Sta No 4 S 1918 125".....	124. 884
Jackson Branch Church, 1.5 mi. NE. of, at junction of T-rd. N., 50 ft. W. of Platt store, in root of large oak tree; copper nail.....	128. 33
Jackson Branch Church, 0.3 mi. S. of, 6.0 mi. NE. of Fairfax, 30 ft. E. of crossroads; iron post stamped "113 1918".....	112. 411
Fairfax, 3.1 mi. NE. of, 1.2 mi. NE. of Googe mill, 30 ft. N. of intersection of dim N.-S. rd.; iron post stamped "131 1918".....	130. 987
Fairfax, 1.8 mi. NE. of, in front of Googe mill, 3 ft. S. of mail box, in root of oak tree; copper nail.....	127. 92
Fairfax, 0.8 mi. NE. of sta. of Seaboard Air Line Ry., at crossroads, in root of tree; copper nail.....	133. 98

From Estill southeast along road into Pineland quadrangle (by F. L. Shalibo in 1918)

Lena, 80 ft. SW. of Southern Ry. sta., at NE. corner of grocery store, in root of 20-in. pine tree; copper nail.....	110. 41
--	---------

From Cummings quadrangle near Cummings southwest along road into Pineland quadrangle (by F. L. Shalibo in 1918)

Cummings, 1.2 mi. SW. of, in NE. angle of intersection of second-class E.-W. rd., in root of 14-in. pine tree; copper nail.....	68. 54
Cummings, 1.8 mi. SW. of, in NE. angle of intersection of Pocotaligo rd. (Andersons Crossroads); iron post stamped "84".....	83. 853
Cummings, 2.4 mi. SW. of, at E. margin of swamp bordering Cooswhatchie River, 0.4 mi. NE. of Lowndes Lake, on N. side of rd., in root of 12-in. oak tree; copper nail.....	41. 18

From Genn on Seaboard Air Line Railway southwest along road into Peebles quadrangle (by H. L. Hudson in 1918)

Genn, 0.8 mi. SW. of, 0.8 mi. NW. of Gifford, in SW. angle of crossroads, in root of oak tree; nail.....	133. 21
--	---------

WADMALAW ISLAND QUADRANGLE

[Latitude 32°30'-32°45'; longitude 80°00'-80°15']

CHARLESTON COUNTY

From Edisto Island quadrangle northeast along Seaboard Air Line Railway to railway crossing 0.4 mile northeast of Meggett station, thence north along Atlantic Coast Line Railroad into Ravenels quadrangle (by R. G. Clinite and C. H. Semper in 1917)

Meggett, 400 ft. NE. of crossing of Ry. and Charleston rd., 40 ft. SW. of center of crossroads, 100 ft. E. of dwelling; iron post stamped "17 1917".....	16. 885
Meggett, in SE. angle of crossroads, in root of 12-in. oak tree; copper nail.....	16. 70

Meggett, 0.4 mi. NE., thence 0.8 mi. N. from Seaboard Air Line Ry. sta., 2.2 mi. S. of Ravenels, at grade crossing of Charleston rd., on W. side of track, in guardpost; rail spike-----	Feet 28. 47
--	----------------

From Ravenels quadrangle southeast along Inland road to road junction near Johns Island Church, thence northeast along Fenwick road to its junction with River road (by H. L. Hudson in 1919)

Johns Island Church, 2.2 mi. NW. of, 4.1 mi. S. of Johns Island sta. on Atlantic Coast Line R. R., 75 ft. N. of milepost C 16, on W. side of rd., on N. end of brick abutment; chiseled square-----	11. 73
Johns Island Church, 1.2 mi. NW. of, 150 ft. N. of milepost C 17, 25 ft. SE. of junction of second-class rd. SW., on SW. side of rd., in root of 30-in. oak tree; nail-----	21. 92
Johns Island Church, 0.2 mi. NW. of, on SW. side of rd. at junction of Fenwick rd.; iron post stamped "24"-----	24. 141
Johns Island Church, 1.1 mi. by rd. NE. of, on NW. side of Fenwick rd., 200 ft. E. of rd. fork, in root of 8-in. pine tree; nail-----	27. 70
Johns Island Church, 2.1 mi. NE. of, 1.0 mi. SW. of junction of River rd., on SE. side of rd., in root of 24-in. pine tree; nail-----	24. 78
Johns Island Church, 3.2 mi. NE. of, 2.0 mi. NW. of Miller Hill, on NE. side of River rd. and SE. of junction, 600 ft. NE. of church; iron post stamped "23"-----	22. 701

From Ravenels quadrangle southeast and southwest along River road and third-class road to point about 2.5 miles southwest of Mount Zion Church, thence northeast and northwest along Inland road to Fenwick road (by H. L. Hudson in 1919)

Miller Hill, 0.8 mi. NW. of, 1.1 mi. SE. of junction of Fenwick rd., on SW. side of rd., in root of 40-in. oak tree; copper nail-----	19. 26
Miller Hill, in NE. angle of intersection of Plowed Ground rd., 150 ft. N. of dwelling, on S. end of culvert; chiseled square-----	13. 36
Miller Hill, 1.0 mi. SE. of, on E. side of rd., on culvert; chiseled square-----	16. 11
Miller Hill, 2.0 mi. S. of, on W. side of rd., 100 ft. N. of dwelling, in root of 30-in. oak tree; nail-----	15. 00
Miller Hill, 2.9 mi. SW. of, 0.8 mi. NE. of Stono School, on SE. side of rd., on top of culvert; chiseled square-----	6. 58
Miller Hill, 3.7 mi. SW. of, 4.0 mi. NE. of Mount Zion Church, 0.6 mi. E. of Zion Church, 150 ft. W. of Stono School, on S. side of rd.; iron post stamped "18"-----	17. 609
Mount Zion Church, 3.0 mi. NE. of, 0.5 mi. S. of Zion Church, on E. side of culvert, in center of E. abutment; chiseled square-----	5. 55
Mount Zion Church, 2.0 mi. NE. of, 150 ft. W. of junction of T-rd. S., on S. side of rd., on top of abutment of culvert; chiseled square-----	5. 04
Mount Zion Church, 1.1 mi. NE. of, 100 ft. W. of junction of rd. S., 100 ft. S. of dwelling, on S. side of rd., in root of 30-in. oak tree; nail-----	11. 03
Mount Zion Church, 0.9 mi. NE. of, 0.6 mi. W. of store of M. Barshay, 150 ft. N. of dwelling, 10 ft. N. of rd., opposite large live-oak tree; iron post stamped "Prim Trav Sta No 51 Mac 1917 12"-----	11. 577
Mount Zion Church, 0.2 mi. SW. of, 1,000 ft. W. of school, on N. side of rd., in root of 30-in. oak tree; copper nail-----	13. 21
Mount Zion Church, 1.0 mi. SW. of, 1.1 mi. N., thence 0.6 mi. E. from Mullet Hall, on N. side of rd. at junction of private rd. SE., 200 ft. N. of dwelling, in root of small oak tree; nail-----	13. 94

Mount Zion Church, 2.0 mi. SW. of, 1.1 mi. N., thence 0.4 mi. W. from Mullet Hall, on S. side of rd. at small swamp, in root of 36-in. gum tree; nail-----	14. 33
Mount Zion Church, 2.5 mi. SW. of, 3.3 mi. SW. of Sandhill School, on W. side of Inland rd., in root of 30-in. pine tree; nail-----	15. 12
Sandhill School, 1.7 mi. SW. of, on E. side of rd., on culvert; chiseled square-----	11. 19
Sandhill School, 0.4 mi. SW. of, on NW. side of rd., on culvert; chiseled square-----	15. 96
Sandhill School, 0.1 mi. SW. of, on NW. side of rd., 200 ft. S. of dwelling, on culvert; chiseled square-----	16. 94
Sandhill School, 0.4 mi. NE. of, in NW. angle of junction of rd. N., in fence corner; iron post stamped "15"-----	15. 475
Sandhill School, 1.7 mi. NW. of, 1.7 mi. SE. of Johns Island Church, on W. side of rd., in abutment of wooden culvert; nail-----	6. 38
Johns Island Church, 0.9 mi. SE. of, on W. side of rd., 200 ft. NW. of junction of Plowed Ground rd., on culvert; chiseled square-----	5. 73

From point on Inland road 0.4 mile northeast of Sandhill School northwest along road to Rockville road, thence alternately southwest and northwest along roads by way of Brickhouse School and Enterprise Church to Yonges Island, thence northwest along Atlantic Coast Line Railroad to Meggett (by H. L. Hudson in 1918)

Sandhill School, 0.4 mi. NE., thence 1.1 mi. NW. from, 1.0 mi. SE. of junction of Rockville rd., on SW. side of rd., in root of 30-in. live-oak tree; copper nail-----	15. 13
Sandhill School, 0.4 mi. NE., thence 2.1 mi. NW. from, 1.8 mi. NE. of Brickhouse School, on N. side of Rockville rd. at junction, in root of 24-in. pine tree; copper nail-----	25. 80
Brickhouse School, 0.9 mi. NE. of, 1.8 mi. E. of Ravens Point, 200 ft. S. of school, in SW. angle of junction of rd. SW.; iron post stamped "24"-----	24. 543
Brickhouse School, 0.3 mi. SW. of, on NW. side of rd., 500 ft. SW. of mileposts R 7 and C 22, in root of hickory tree; copper nail-----	27. 90
Brickhouse School, 1.2 mi. SW. of, 500 ft. NE. of crossing of old tramway, on SE. side of rd., in root of 30-in. oak tree; copper nail-----	24. 17
Brickhouse School, 1.7 mi. SW. of, 200 ft. SW. of church, on SE. side of rd. at junction of second-class rd. NW., in root of 30-in. oak tree; copper nail-----	26. 29
Brickhouse School, 1.7 mi. SW., thence 1.0 mi. NW. from, 4.6 mi. E. of Yonges Island, 1.6 mi. SW. of Ravens Point, in S. angle of crossroads; iron post stamped "26"-----	26. 513
Yonges Island, 3.6 mi. E. of, 0.4 mi. NE. of Enterprise Church, about 550 ft. SW. of crossroads, on NW. side of rd., in root of 12-in. pine tree; nail-----	23. 28
Yonges Island, 1.5 mi. E. of, 1.7 mi. NW. of Enterprise Church, 100 ft. E. of La Roach dwelling, on S. bank of Wadmalaw River, in root of sycamore tree; copper nail-----	12. 16
Yonges Island, 100 ft. S. and 50 ft. E. from post office, about 150 ft. NW. of Atlantic Coast Line R. R. sta., 60 ft. W. of main tracks, 15 ft. N. of center line of rd.; iron post stamped "Prim Trav Sta No 13 Mac 1917 9"-----	8. 804
Yonges Island, 1.0 mi. NW. of, 1.2 mi. S. of Meggett, on W. side of track, on E. end of trestle over marsh; top of bolt head-----	7. 71
Meggett, 200 ft. E. of sta., on switch; spike-----	9. 43

WALTERBORO QUADRANGLE

[Latitude 32°45'-33°00'; longitude 80°30'-80°45']

COLLETON COUNTY

From Green Pond quadrangle northwest along Atlantic Coast Line Railroad to
Waterboro (by R. G. Clinite in 1917)

Green Pond, 3.0 mi. NW. of, 1.1 mi. NW. of Ashepoo Crossing, 1.1 mi. S. of Ritter, 50 ft. SW. of rd. crossing, 6 ft. E. of gate; iron post stamped "8 1917"-----	Feet 7. 687
Ritter, at tramway crossing; top of rail-----	28. 6
Ritter, 40 ft. S. and 50 ft. E. from tramway crossing, in root of 12-in. oak tree; wire nail and copper washer-----	26. 93
Ritter, 200 ft. S. of sta., in triangle of rd. forks, 15 ft. SW. of gasoline house; iron post stamped "28" (recovered by U. S. C. & G. S. in 1934)-----	28. 330
Ritter, 2.0 mi. NW. of, 1.2 mi. SE. of Drawdy, 50 ft. S. and 30 ft. E. from crossing of private rd.; iron post stamped "49 1917"-----	48. 801
Drawdy, 0.4 mi. SE. of, 60 ft. N. and 25 ft. E. from crossing of private rd., in root of 32-in. oak tree; nail-----	47. 00
Drawdy, 20 ft. S. of sta., at rd. crossing; top of rail-----	47. 1
Drawdy, 1.2 mi. NW. of, 1.4 mi. SE. of Thayer, 10 ft. S. and 36 ft. E. from rd. crossing; iron post stamped "52 1917"-----	52. 280
Walterboro, 0.9 mi. S. of, 1.0 mi. NW. of Thayer, in SW. angle of rd. crossing, at fence corner; top of iron peg-----	61. 32
Walterboro, 430 ft. N. of sta., 120 ft. S. of milepost 12, 29 ft. NE. of center line of track, near corner of fence of cotton factory, 27 in. from fence line; iron post stamped "Prim Trav Sta No 11 Mac 1917 68" ⁶⁶ -----	68. 331

From Cottageville quadrangle southwest along Atlantic Coast Line Railroad into
Green Pond quadrangle near Ashepoo (by R. G. Clinite in 1917)

Ashepoo, 2.5 mi. NE. of sta., 0.7 mi. W. of Edash sawmill, 150 ft. N. of 30-in. oak tree on S. side of track, on N. edge of right-of-way; iron post stamped "7 1917"-----	6. 829
---	--------

From Walterboro northwest along Atlantic Coast Line Railroad to Stokes (by F.
L. Shalibo in 1917)

Walterboro, 1.3 mi. NW. of, 500 ft. N. of milepost 13, at crossing of public rd., 30 ft. W. of track, on S. side of rd., in root of 14-in. maple tree; copper nail-----	72. 19
Walterboro, 1.9 mi. NW. of, 660 ft. S. of milepost 14, at NW. end of culvert, in 6- by 12-in. support; copper nail-----	80. 69
Walterboro, 3.0 mi. NW. of, 0.4 mi. NW. of Evergreen Church, at crossing of Bell rd., 25 ft. E. of track, 15 ft. N. of rd.; iron post stamped "84"-----	83. 749.
Stokes, 2.0 mi. SE. of, 1.2 mi. NW. of Evergreen Church, 1,000 ft. S. of milepost 16, at head of Great Swamp, at SE. corner of bridge over stream, in 7- by 14-in. wooden abutment; copper nail-----	54. 47
Stokes, 130 ft. N.15°W. from NE. corner of sta., 35 ft. NE. of center line of track, in line with fence, on E. side of rd. N.; iron post stamped "Prim Trav Sta No 9 Mac 1917 87"-----	86. 912

⁶⁶ This description was furnished in December 1920 by S. E. Orton, Savannah, Ga., after the post had been moved from its original position.

From St. George quadrangle near Mount Carmel Church along roads generally south by way of Stokes and Hendersonville to Piney Grove Church, thence northeast along old Savannah-Charleston road to Ritter (by F. L. Shalibo in 1917)

[Line jogs into Cummings quadrangle]

Mount Carmel Church, 0.5 mi. in air line SE. of, 0.6 mi. NE. of Mount Carmel School, on S. side of second-class rd., in root of 18-in. pine tree; copper nail	<i>Feet</i> 83. 63
Mount Carmel School, 4 ft. from NW. corner of, at junction of rd. S.; iron post stamped "79"	79. 028
Mount Carmel School, 0.8 mi. SW. of, 2.6 mi. NE. of Stokes, in front of dwelling of L. N. Hiott, on E. side of rd., in root of 8-in. oak tree; nail	77. 71
Stokes, 1.4 mi. NE. of, on S. side of rd., at junction of rd. S., in root of 10-in. oak tree; copper nail	70. 42
Stokes, 1.4 mi. S. of, 0.3 mi. NE. of Doctors Creek Church, at three corners, 25 ft. S. of Bell rd., 15 ft. W. of Scotland Lumber Co. narrow gage R. R., in root of 18-in. oak tree; copper nail	67. 51
Doctors Creek Church, 400 ft. E. of, 1.8 mi. SW. of Stokes, 5 ft. N. of rd. at junction of T-rd. NW., in root of 14-in. tree; copper nail	67. 46
Doctors Creek Church, about 1 mi. SW. of, 1.4 mi. E. of Omega School, 15 ft. E. of crossroads, in root of 8-in. tree; copper nail	67. 73
Doctors Creek Church, 1.4 mi. SW. of, about 2 mi. NW. of Oak Grove School, 20 ft. NW. of crossroads, 250 ft. S. of dwelling; iron post stamped "86"	85. 713
Oak Grove School, 0.7 mi. NW. of, at three corners, 10 ft. NE. of rd., in front of dwelling of N. Wright; copper nail	77. 56
Oak Grove School, 0.1 mi. SE. of, 1,800 ft. E. of Fennel sawmill, at junction of rd. S., in root of 10-in. pine tree; copper nail	96. 62
Oak Grove School, 1.5 mi. S. of, 4.0 mi. along Sniders Crossroads-Walterboro rd. SW. of Walterboro, in NW. angle of rd. junction; iron post stamped "100"	100. 454
Walterboro, 3.2 mi. SW. of, 25 ft. W. of three corners, 12 ft. S. of center line of rd., in front of farmhouse, in root of 12-in. pine tree; copper nail	98. 90
Walterboro, 4.2 mi. SW. of, 15 ft. S. of rd., in root of 14-in. pine tree; copper nail	97. 47
Walterboro, 5.4 mi. SW. of, 1.0 mi. along second-class rd. S. of Cypress Pond Church, 1.3 mi. along rd. NE. of sawmill and dwelling of Frank Thompson, 1,200 ft. E. of dwelling of J. F. O'Quinn, 20 ft. N. of rd., at bend, 300 ft. E. of junction with rd. N., in root of 10-in. pine tree; copper nail	93. 78
Hendersonville Public School, 4.2 mi. by rds. NW. of, 1.9 mi. SE. of sawmill and dwelling of Frank Thompson, 25 ft. N. of junction of second-class rd. S., 6 in. SW. of fence around dwelling of Jonas O'Quinn, in root of tree; copper nail	82. 18
Hendersonville Public School, 3.3 mi. N. of, 1.2 mi. SW. of Peniel School, 50 ft. N. of blacksmith shop of C. E. O'Quinn, in triangle of rd. forks at three corners; iron post stamped "75"	75. 413
Hendersonville Public School, 2.3 mi. NW. of, 330 ft. SW. of junction of rd. SW., on NW. side of rd., in root of small oak tree; copper nail	74. 26
Hendersonville Public School, 1.4 mi. NW. of, at NW. margin of Remick Swamp, 6 ft. E. of center line of rd., in root of oak tree; copper nail	30. 51

Hendersonville Public School, 0.9 mi. N. of, about 500 ft. NW. of Bachelor Hill Church, at junction of rd. S., in front of Robertson dwelling, in root of large oak tree; copper nail-----	Feet 53. 72
Hendersonville Public School, at NW. corner of building, 2 ft. from brick foundation, 138 ft. N. of rd. forks at McMillan store; iron post stamped "Prim Trav Sta No 38 Mac 1917 49"-----	48. 655
Hendersonville Public School, 0.6 mi. SE. of, 250 ft. N. of cotton gin, 12 ft. N. of center line of rd., near vacant store, in root of large tree; copper nail-----	43. 92
Hendersonville Public School, 1.6 mi. SE. of, 0.6 mi. NW. of Piney Grove Church, 115 ft. SE. of junction of second-class rd. E., 12 ft. E. of center line of rd., at margin of swamp, in root of 20-in. oak tree; copper nail-----	17. 46
Piney Grove Church, 80 ft. W. of, 0.8 mi. W. of Bluehouse Corners, in root of 24-in. oak tree; copper nail-----	20. 90
Bluehouse Corners, in SW. angle of junction of rd. S. to Whitehall, 2 ft. from porch of vacant store; iron post stamped "16"-----	15. 867
Bluehouse Corners, 0.9 mi. E. of, 3.5 mi. SW. of Ritter, 1.4 mi. W. of Catholic Hill, 10 ft. S. of center line of rd., in root of 24-in. oak tree; copper nail-----	18. 67
Ritter, 2.1 mi. SW. of, at Catholic Hill, 120 ft. N. of crossroads, E. of church, in root of tree; copper nail-----	40. 45
Ritter, 1.3 mi. SW. of, 40 ft. E. of crossing of logging R. R., 15 ft. N. of rd., in root of 12-in. oak tree; copper nail-----	9. 59

From Ritter along roads northeast to Neyles, thence 2.5 mi. N. along Featherbed road, thence northeast to Mount Sinai Church, thence northwest by way of Round O into St. George quadrangle (by F. L. Shalibo in 1917 and 1918; leveled twice)

Ritter, 1.0 mi. along rd. NE. of, 0.4 mi. NE. of Cumberland Church, 175 ft. E. of second small bridge from Ritter, 12 ft. SE. of center line of rd., in root of 24-in. oak tree; copper nail-----	8. 35
Ritter, 1.9 mi. NE. of, 0.8 mi. SW. of St. Paul's Church, 12 ft. S. of center line of rd., in root of 8-in. oak tree; copper nail-----	26. 81
Ritter, 3.1 mi. NE. of, about 600 ft. SE. of Isaiah Church, in SW. angle of junction of Cooks Hill rd., 20 ft. NW. of rd.; iron post stamped "42"-----	42. 356
Ritter, 4.1 mi. NE. of, 2.0 mi. NW. of Neyles, 270 ft. E. of tramway crossing, at junction of Sandy Dam rd., 10 ft. S. of center line of rd., in root of 18-in. pine tree; copper nail-----	24. 90
Neyles, 1.0 mi. NW. of, on E. side of Chessey Creek Swamp, 200 ft. NE. of center line of rd. near sharp bend, in root of large oak tree; copper nail-----	17. 91
Neyles, in NE. angle of junction of Charleston and Featherbed rds., 3 ft. E. of stone post; iron post stamped "24"-----	24. 154
Neyles, 1.0 mi. N. of, 12 ft. E. of center line of Featherbed rd., opposite small store, in root of 20-in. oak tree; copper nail-----	25. 14
Neyles, 1.7 mi. N. of, 10 ft. from center line of rd., in front of vacant house, in root of 20-in. oak tree; copper nail-----	18. 43
Neyles, 2.3 mi. N. of, 15 ft. W. of rd., at junction of second-class rd. E., 2 ft. E. of rail fence; iron post stamped "24"-----	23. 411
Neyles, 2.3 mi. along Featherbed rd. N., thence 0.6 mi. NE. from, along second-class rd. to Preston estate at dam around swamp, 15 ft. W. of rd., in root of large tree; copper nail-----	10. 83

Snipe School, 2.5 mi. by rd. SW. of, on Fishburn estate, 800 ft. S. of dwelling of Charles Mott, at old gate, in root of 20-in. oak tree; copper nail.....	<i>Feet</i> 22.50
Snipe School, 1.2 mi. W. of, 8 ft. W. of rd. at junction of T-rd. E., at dwelling of Ben Johnson, in block of wood forming part of foundation; copper nail.....	27. 92
Snipe School, 4.0 mi. SE. of Round O post office, at junction of T-rd. N., at Blue House Lodge, in root of 10-in. pine tree; copper nail....	18. 75
Round O post office, 3.2 mi. SE. of, 1,500 ft. NE. of Calvary Church, 0.4 mi. SE. of Mount Sinai Church, on E. side of angle in Jacksonboro rd., in line with straight stretch of rd. SW., about 20 ft. N. of large gate to field, 15 ft. E. of rd.; iron post stamped "Prim Trav Sta No 42 Mac 1917 44".....	43. 209
Round O, 2.7 mi. SE. of, 200 ft. N. of Mount Sinai Church, 80 ft. S. of junction of rd. NE., 10 ft. W. of center line of rd., in root of 16-in. oak tree; copper nail.....	32. 18
Round O, 1.8 mi. SE. of, 1.0 mi. NW. of Mount Sinai Church, in SE. corner of bridge over Chessey Creek; copper nail.....	15. 56
Round O, 0.9 mi. S. of, 0.4 mi. S. of Canaan Church, at S. margin of swamp, 10 ft. E. of center line of rd., in root of 24-in. tree; copper nail.....	20. 31
Round O, on W. side of rd., 90 ft. S. of junction of rd. SW. to Walterboro, 1 ft. E. of old building; iron post stamped "41".....	41. 497
Round O, 0.8 mi. N. of, 1.0 mi. S. of Bethlehem School, in NE. angle of junction of T-rd. E., in root of 8-in. oak tree; copper nail.....	47. 31
Round O, 1.8 mi. N. of, 135 ft. NW. of Bethlehem School, 10 ft. E. of center line of rd., in root of 24-in. pine tree; copper nail.....	52. 35
Round O, 2.3 mi. N. of, 0.5 mi. N. of Bethlehem School, on W. side of rd. at junction of rd. W., in root of 16-in. pine tree; copper nail..	58. 74
Round O, 2.9 mi. N. of, 2.0 mi. SE. of Sidney, 1.0 mi. SE. of Hall School, 30 ft. E. of center line of rd., 30 ft. W. of porch of Rickenbaker dwelling, 10 ft. N. of corner of picket fence around yard; iron post stamped "Prim Trav Sta No 43 Mac 1917 75".....	75. 098
Sidney, 1.2 mi. SE. of, 0.2 mi. SE. of Hall School, 70 ft. N. of cemetery, on W. side of rd., in root of 36-in. oak tree; copper nail.....	63. 28
Sidney, at four corners, opposite store of Charles Adams, in lawn at SE. corner of picket fence around Bishop dwelling; iron post stamped "104".....	104. 351

From Walterboro northeast along Cottageville road to Round O (by F. L. Shalibo in 1917)

Walterboro, 0.6 mi. E. of Atlantic Coast Line R. R. sta., in front of Farmers and Merchants Bank, on street corner; top surface of sidewalk.....	83. 1
Walterboro, at E. limits of, 1.5 mi. NE. of sta., 30 ft. W. of vacant store, at side of rd., in root of 12-in. oak tree; copper nail.....	81. 74
Walterboro, 2.7 mi. NE. of, 30 ft. S. of rd. at junction of rd. N. connecting with Sidney-Walterboro rd.; iron post stamped "83".....	83. 123
Walterboro, 3.7 mi. NE. of, 0.3 mi. SW. of Bedons School, at concrete culvert over small stream; top of S. end of culvert.....	40. 4
Walterboro, 4.8 mi. NE. of, 3.6 mi. SW. of Round O, on N. side of rd., in front of dwelling of E. Eastlin, in root of small oak tree; copper nail.....	47. 39
Round O, 2.4 mi. SW. of, at junction of Featherbed rd., 20 ft. E. of store of A. Drigger, 2 ft. from wire fence; iron post stamped "45"...	44. 508

Round O, 1.5 mi. W. of, at E. margin of swamp, on N. side of rd., in root of oak tree; copper nail-----	<i>Feet</i> 25. 04
Round O, 0.6 mi. W. of, in front of dwelling of H. Craven, on S. side of rd., in root of large sycamore tree; copper nail-----	49. 18

From Round O east along Cottageville road into Cottageville quadrangle (by F. L. Shalibo in 1917)

Round O, 0.9 mi. E. of post office, on E. side of rd. at junction with private rd. to farmhouse, near gate, in fence corner, in root of 10-in. tree; copper nail-----	41. 60
Round O, 1.9 mi. E. of, about 2.5 mi. W. of Cottageville, on E. side of rd., at junction of second-class rd. to Burr Hill, in root of 20-in. tree; copper nail-----	18. 27

Along Cottageville-Jacksonboro road—a jog from Cottageville quadrangle (by F. L. Shalibo in 1917)

Mount Sinai Church, 1.1 mi. NE. of, 2.5 mi. SW. of Cottageville, on E. side of rd. at junction of rd. SW. to Mount Sinai Church, near old building; iron post stamped "29"-----	28. 966
---	---------

From Cottageville quadrangle southwest along Rehoboth School-Wesley Church road to point on Sidney-Round O road 2 miles southeast of Sidney (by F. L. Shalibo in 1918)

Wesley Church, 0.9 mi. NE. of, 2.0 mi. SW. of Rehoboth School, in NE. angle of junction of second-class rd. W., in root of small pine tree; copper nail-----	73. 64
Wesley Church, 600 ft. E. of, on rd. to Rehoboth School, 0.9 mi. NE. of junction with Sidney-Round O rd., at E. edge of cemetery, in root of large pine tree; copper nail-----	73. 04

From road forks near Hendersonville Public School northwest along road into Cummings quadrangle (by D. S. Birkett in 1918)

Hendersonville Public School, 1.1 mi. NW. of, 2.7 mi. E. of crossing of Black Creek, on S. side of rd., at junction of private rd. N., inside fence, in root of pine tree; copper nail-----	58. 86
---	--------

From Cummings quadrangle near Perry Creek southeast along road to Doctors Creek Church (by D. S. Birkett in 1918)

Doctors Creek Church, about 0.7 mi. NW. of, 2.8 mi. SE. of Tabor School, at junction of private rd. N., 50 ft. E. of mail box of J. W. Saunders, in fence corner, in root of large oak tree; copper nail----	75. 04
--	--------

WAMPEE QUADRANGLE ⁶⁷

[Latitude 33°45'-34°00'; longitude 78°30'-78°45']

HORRY COUNTY

From Nixonville quadrangle east along State Highway 90 to Wampee, thence along county roads by way of Brooksville to Little River (by C. T. Duke in 1934)

Wampee, 0.3 mi. SW. of, 400 ft. SW. of Wampee High School, 20 ft. N. of center line of highway, in front yard of dwelling, in root on E. side of 36-in. oak tree; wire nail-----	36. 43
Wampee, 0.6 mi. NE. of, 150 ft. S. of dwelling of T. S. Clardy, 30 ft. SE. of center line of county rd., in root on E. side of 16-in. pine tree; wire nail-----	31. 52

⁶⁷ Part of this quadrangle lies in North Carolina.

Wampee, 1.7 mi. NE. of, 3.5 mi. SW. of Brooksville, 30 ft. S. and 55 ft. E. from SE. corner of dwelling of Orrin Thompson, 35 ft. W. of center line of rd., in concrete post; standard tablet stamped "44 DE 1934 34"	Feet 33. 884
Reference mark, 250 ft. NE. of tablet, 30 ft. E. of center line of rd., in root on NW. side of 8-in. pine tree; wire nail	31. 37
Brooksville, 2.7 mi. SW. of, 0.4 mi. SW. of junction of State Highway 9, 20 ft. E. of center line of rd., in root on W. side of 14-in. pine tree; wire nail	38. 75
Brooksville, 1.7 mi. SW. of, 0.6 mi. E. of junction of State Highway 9, in front yard of tenant house, 15 ft. N. of center line of rd., in root on S. side of 12-in. oak tree; wire nail	36. 21
Brooksville, 0.5 mi. SW. of, 20 ft. SE. of center line of rd., at tobacco barn, in root on NW. side of 10-in. gum tree; wire nail	39. 84
Brooksville, 2 ft. NW. of NE. corner of Brooksville School, in concrete post; standard tablet stamped "DE 4 S 1934 42"	41. 771
Reference mark, 27 ft. S. and 95 ft. W. from tablet, 75 ft. SE. of rd., in root on N. side of 18-in. pine tree; wire nail	40. 49
Brooksville, 0.9 mi. S. of, 20 ft. W. of center line of rd., in root on NE. side of 20-in. cypress tree; wire nail	42. 22
Brooksville, 1.9 mi. SE. of, 1.6 mi. NW. of Little River, 80 ft. N. of small stream, 25 ft. E. of center line of rd., in root on S. side of 18-in. pine tree; wire nail	35. 07
Little River, 0.6 mi. N. of, 130 ft. NW. of Y-junction of rd., 20 ft. N. of center line of rd., in root on W. side of 10-in. pine tree; wire nail	51. 13
U. S. C. & G. S. standard disk stamped "V 34 1934"	50. 672

From Brooksville northeast along county road to point on South Carolina-North Carolina State line near Live Oak Church (by C. T. Duke in 1934; double-run spur line)

Brooksville, 1.1 mi. NE. of, 20 ft. S. of center line of rd., in root on N. side of 16-in. pine tree; wire nail	39. 68
Brooksville, 2.0 mi. NE. of, 0.5 mi. SW. of Live Oak Church, 100 ft. SE. of dwelling of Mrs. Olivia Bellamy, 15 ft. SE. of center line of rd., in root on E. side of 16-in. oak tree; wire nail	38. 41
Live Oak Church, 33 ft. N. and 90 ft. W. from NW. corner of, at South Carolina-North Carolina State line, 25 ft. S. of center line of rd., in concrete post; U. S. C. & G. S. standard disk stamped "State Line Monument No 1 1934" (triangulation sta.)	37. 794

From Brooksville northwest along roads into Guide quadrangle at point about 2.6 miles northwest of Deep Branch School (by C. T. Duke in 1934-35)

Brooksville, 1.0 mi. NW. of, 0.7 mi. SE. of Worthams Ferry on Waccamaw River, at Pleasant Plain Church, 20 ft. W. of center line of county rd., in root on NE. side of 14-in. pine tree; wire nail	34. 16
Worthams Ferry, 0.4 mi. NW. of, 7 ft. NW. of abandoned fourth-class rd., in root on E. side of 16-in. pine tree; wire nail	18. 04
Worthams Ferry, 1.4 mi. N. of, 6 ft. W. of center line of fourth-class rd., in root on E. side of 16-in. pine tree; wire nail	18. 15
Worthams Ferry, 2.4 mi. NW. of, 8 ft. E. of center line of fourth-class rd., in root on W. side of 14-in. pine tree; wire nail	21. 21

Worthams Ferry, 3.1 mi. NW. of, 1.8 mi. E. of Buck Creek Church, 10 ft. N. and 30 ft. E. from dwelling of W. R. Dutton, in concrete post; standard tablet stamped "46 DE 1934"-----	Feet 35. 350
Reference mark, 40 ft. N. and 35 ft. E. from tablet, 50 ft. N. and 65 ft. E. from NE. corner of dwelling, in root on SE. side of 20-in. mulberry tree; wire nail-----	33. 04
Buck Creek Church, 0.7 mi. E. of, about 2.0 mi. NE. of Langs, 1.0 mi. S. of Deep Branch School, 50 ft. NW. of Y-junction of rd. NW., in root on N. side of 14-in. oak tree; wire nail-----	31. 89
Buck Creek Church, 0.7 mi. E., thence 1.0 mi. N. from, 2 ft. S. and 5 ft. E. from SE. corner of Deep Branch School, 95 ft. E. of center line of county rd., in concrete post; standard tablet stamped "47 DE 1934"-----	39. 169
Reference mark, 3 ft. N. and 25 ft. E. from tablet, 75 ft. W. of center line of county rd., in root on N. side of 8-in. oak tree; wire nail----	39. 02
Buck Creek Church, 0.7 mi. E., thence 2.2 mi. NW. from, in front yard of dwelling of George Smalls, in root on NW. side of 30-in. oak tree; wire nail-----	30. 92
Buck Creek Church, 0.7 mi. E., thence 3.1 mi. NW. from, 1.0 mi. E., thence 1.2 mi. SE. from Sweet Home Church and School, 60 ft. SE. of junction of rd. SE., in root on N. side of 10-in. twin oak tree; wire nail-----	41. 50

From point 1.8 miles east of Buck Creek Church northeast along county road to South Carolina-North Carolina State line (by C. T. Duke in 1935; double-run spur line)

Buck Creek Church, 2.9 mi. NE. of, 30 ft. NW. of center line of rd., in root on S. side of 16-in. pine tree; wire nail-----	22. 97
Buck Creek Church, 3.1 mi. NE. of, at South Carolina-North Carolina State line, 18 ft. SE. of center line of rd., in concrete post; standard tablet stamped "48 DE 1934"-----	36. 011
Reference mark, 45 ft. N. and 25 ft. W. from tablet, 40 ft. NW. of center line of rd., on SW. corner of stone marking State line; square--	39. 40

From Nixonville quadrangle near Star Bluff Ferry Crossroads on State Highway 90 south along road to point on U. S. Highway 117, 0.8 mile east of Windy Hill (by C. T. Duke in 1934)

Star Bluff Ferry Crossroads, 1.0 mi. SE. of, 15 ft. E. of center line of county rd., in root on E. side of 16-in. pine tree; wire nail-----	40. 12
Star Bluff Ferry Crossroads, 2.0 mi. SE. of, 2.5 mi. N. of Windy Hill, 20 ft. E. of center line of county rd., in root on S. side of 16-in. pine tree; wire nail-----	42. 80
Windy Hill, 2.0 mi. N. of, 30 ft. S. and 130 ft. W. from rd. junction, in concrete post; standard tablet stamped "43 DE 1934 44"-----	43. 830
Reference mark, 30 ft. E. of tablet, 30 ft. S. and 100 ft. W. from rd. junction, in root on E. side of 16-in. pine tree; wire nail-----	43. 86
Windy Hill, 1.1 mi. N. of, 10 ft. W. of center line of fourth-class rd., in root on E. side of 16-in. pine tree; wire nail-----	28. 37
Windy Hill, 40 ft. N. of center line of U. S. Highway 117, in root on S. side of 18-in. pine tree; wire nail-----	27. 16
U. S. C. & G. S. standard disk stamped "K 34 1934"-----	31. 201

WARRENVILLE QUADRANGLE ⁶⁵

[Latitude 33°30'–33°45'; longitude 81°45'–82°00']

AIKEN AND EDGEFIELD COUNTIES

From Augusta quadrangle generally north along Southern Railway into Edgefield quadrangle (first-order leveling by C. H. Semper in 1918)

	<i>Feet</i>
Bath, 0.5 mi. SW. of, at crossing of Augusta-Aiken Electric R. R., on N. side of track, in bridge support; rail spike.....	152. 82
Bath, in front of sta.; top of rail.....	161. 6
Bath, at rd. crossing just E. of; top of rail.....	167. 5
Langley, 400 ft. SW. of sta., at N. corner of Langley Park, 100 ft. N. of post office, 25 ft. SE. of forks of public rd., 10 ft. SE. of tracks of Augusta-Aiken Electric R. R.; iron post stamped "Prim Trav Sta No 1 Y 1918 172".....	171. 971
Warrenville, in front of sta.; top of rail (Charleston line).....	220. 0
Warrenville, 80 ft. SE. of sta., 40 ft. SW. of R. R. crossing, on N. side of Augusta-Aiken highway; iron post stamped "222 1918".....	221. 715
Graniteville, 200 ft. S. of sta., 10 ft. E. of track, in root of large oak tree; copper nail.....	231. 04
Graniteville, 0.6 mi. N. of, 200 ft. S. of rd. crossing, 70 ft. E. of track, on top of concrete base of power line support over track; chiseled square.....	229. 23
Vaocluse, 70 ft. SE. of sta., in SW. corner of Curry Park; iron post stamped "Prim Trav Sta No 2 Y 1918 290".....	289. 458
Vaocluse, 1.0 mi. N. of, 600 ft. SW. of crossing of Horse Creek, 80 ft. W. of track, near N. end of lake, in root of 10-in. pine tree; copper nail.....	291. 25
Vaocluse, 2.0 mi. N. of, 2.5 mi. S. of Sunny Brook, in top of abutment at NW. corner of trestle 172.5; copper nail.....	324. 10
Sunny Brook, 1.9 mi. S. of, 5 ft. S. of milepost 172, 7 ft. W. of rail; iron post stamped "336 1918".....	335. 793
Sunny Brook, 70 ft. S. of sta., 60 ft. S. of rd., 30 ft. E. of track; iron post stamped "437 1918".....	436. 495
Sunny Brook, 2.1 mi. NW. of, 75 ft. S. of milepost 168, on W. side of track, in top of S. bent of trestle; copper nail.....	519. 02
Sunny Brook, 2.4 mi. NW. of, 3.2 mi. SE. of Trenton, 0.3 mi. N. of milepost 168, 60 ft. W. of track, 5 ft. N. of crossing of private rd.; iron post stamped "532 1918".....	532. 505
Trenton, in front of sta.; top of rail.....	621. 8
Trenton, 700 ft. N. 28° E. of, 100 ft. SE. of crossing of Augusta-Columbia and Edgefield-Aiken branches of Southern Ry., 20 ft. S. of wagon rd., in triangle formed by wye of Ry.; iron post stamped "Prim Trav Sta No 3 Y 1918 621".....	621. 469
Trenton, 0.4-mi. NE. of, at rd. crossing; top of rail.....	612. 7

From Trenton northwest along Edgefield-Aiken branch of Southern Railway into Edgefield quadrangle (by D. S. Birkett in 1918)

Trenton, 1.1 mi. NW. of, 120 ft. N. of rd. crossing, on W. side of rd., in root of mulberry tree; copper nail.....	651. 47
--	---------

⁶⁵ A small area in the southwest corner of this quadrangle, west of the Savannah River, lies in Georgia.

From Edgefield quadrangle southwest along roads to point near junction of Cedar and Horn Creeks, thence southeast along Five Notch road to junction of road to Curryton Crossroads, thence southwest and west into Clarks Hill quadrangle (by D. S. Birkett in 1918)

[Line jogs into Clarks Hill quadrangle]

Edgefield, 4.6 mi. SW. of, 4.2 mi. by direct rd. NE. of Ropers Crossroads, at foot of hill, on N. side of rd., in root of large oak tree; copper nail.....	<i>Feet</i> 437. 20
Edgefield, 4.7 mi. SW. of, 4.1 mi. N. of Ropers Crossroads, 0.3 mi. E. of property of J. W. K. Smith, 40 ft. SW. of junction of rd. SW.; iron post stamped "452 1918".....	451. 924
Edgefield, 5.0 mi. SW. of, on N. side of rd., in front of property of J. W. K. Smith, in root of oak tree; copper nail.....	488. 96
Edgefield, 6.2 mi. SW. of, 1.4 mi. NE. of crossing of Horn Creek, 1.2 mi. E. of old Devore mill, on N. side of rd., 250 ft. E. of dwelling, in root of oak tree; copper nail.....	478. 71
Edgefield, 8.8 mi. SW. of, 2.8 mi. NW. of Ropers Crossroads, 1.3 mi. SE. of point where Horn Creek crosses Five Notch rd., 40 ft. SE. of crossroads, in root of 10-in. pine tree; copper nail.....	429. 31
Ropers Crossroads, 2.4 mi. NW. of, 50 ft. E. of junction of T-rd. W., in root of short-leaved pine tree; copper nail.....	427. 63
Ropers Crossroads, about 50 ft. SW. of, 60 ft. SE. of store building; iron post stamped "438 1918".....	437. 904
Ropers Crossroads, 1.0 mi. S. of, 150 ft. S. of crossroads, in root of 20-in. oak tree; copper nail.....	374. 18
Ropers Crossroads, 2.2 mi. SE. of, 300 ft. NE. of dwelling on property of H. H. Shaw, 70 ft. NE. of junction of T-rd. E. to Trenton, in root of large oak tree; copper nail.....	399. 97
Ropers Crossroads, 3.4 mi. SE. of, 0.8 mi. NW. of Gardnerville School, about 3 mi. N. of Sweetwater Church, 0.2 mi. S. of crossroads, 250 ft. S. of rd. forks, in front of tenant house on Gardner property, in root of large oak tree; copper nail.....	423. 56
Gardnerville School, 350 ft. SE. of, at junction of T-rd. E., near group of mail boxes, in root of oak tree; copper nail.....	478. 56
Gardnerville School, 1.1 mi. SE. of, 1.3 mi. N. of Sweetwater Church, 1.0 mi. NE. of Curryton Crossroads, at junction of rd. SW., in corner of fenced field; iron post stamped "541 1918".....	540. 750
Curryton Crossroads, 40 ft. NW. of, about 400 ft. SE. of dwelling on Barker property, in root of oak tree; copper nail.....	535. 23
Curryton Crossroads, 1.2 mi. W. of, on rd. to Stevens Creek, 15 ft. S. of rd., in top of large pine stump; copper nail.....	386. 67

From Clarks Hill quadrangle near Edgefield-Aiken county line southeast along Martintown road into Augusta quadrangle (by D. S. Birkett in 1918)

North Augusta, 2.5 mi. NW. of site of Hampton Terrace Hotel, 40 ft. NW. of junction of cut-off rd. W., on W. side of rd.; iron post stamped "349 1918".....	348. 766
North Augusta, 100 ft. NE. of steel water tower, at top of hill, on E. side of rd., at driveway to square frame dwelling, on top of concrete and brick culvert; chiseled square.....	441. 86

From Vacluse northwest along roads to Ropers Crossroads (by D. S. Birkett in 1918)

Vacluse, 1.0 mi. W. of, in rd. forks, 5 ft. N. of rd., in root of 8-in. oak tree; nail.....	<i>Feet</i> 428. 18
Vacluse, 1.7 mi. NW. of, 5 ft. S. of rd., in root of 6-in. oak tree; nail.....	442. 90
Vacluse, 2.7 mi. NW. of, 10 ft. S. of rd., in root of 10-in. oak tree; spike.....	459. 39
Vacluse, 3.7 mi. NW. of, 30 ft. N. of rd., at cabin, in 3-in. oak tree; nail.....	563. 97
Vacluse, 4.8 mi. NW. of, in NE. angle of crossroads, 15 ft. N. of rd., in 10-in. pine tree; nail.....	554. 30
Vacluse, 6.0 mi. NW. of, 6.3 mi. SW. of Trenton, 30 ft. NW. of intersection of Plank rd.; iron post stamped "Prim Trav Sta No 6 Y 1918 606".....	606. 150
Vacluse, 8.2 mi. NW. of, 5.5 mi. E. of Ropers Crossroads, 1,000 ft. NW. of cabin on NE. side of rd., 10 ft. E. of rd., in 12-in. pine tree; spike.....	506. 92
Ropers Crossroads, 4.8 mi. E. of, 200 ft. W. of junction of rd. S., 10 ft. N. of rd., in yard in front of farmhouse, in tree; nail.....	585. 02
Ropers Crossroads, 4.2 mi. E. of, 30 ft. E. of mail box at bend in rd., 5 ft. S. of rd., in 12-in. gum tree; spike.....	523. 69
Ropers Crossroads, 3.1 mi. NE. of, 100 ft. E. of cabin, 30 ft. S. of junction of rd. N., in 2-in. oak tree; nail.....	480. 52
Ropers Crossroads, 2.0 mi. NE. of, opposite cabin on hill, 10 ft. N. of junction of rd. SE., in 10-in. gum tree; nail.....	453. 02

From point on Ropers Crossroads-Vacluse road 6 miles northwest of Vacluse southwest along Plank road into Augusta quadrangle (by D. S. Birkett in 1918)

Trenton, 7.4 mi. SW. of, 9.6 mi. NE. of Belvedere, 1.1 mi. SW. of intersection of Ropers Crossroads-Vacluse rd. and Plank rd., about 70 ft. SW. of mail box of T. C. Strom, in root of chinaberry tree; copper nail.....	577. 07
Belvedere, 8.8 mi. NE. of, 0.6 mi. W. of Mount Zion Church, 25 ft. N. of crossing of dim rd.; iron post stamped "560 1918".....	559. 550
Belvedere, 7.7 mi. NE. of, on N. side of rd., in root of oak tree; copper nail.....	535. 80
Belvedere, 6.4 mi. NE. of, 0.3 mi. SE. of milepost 11, on E. side of rd., in root of oak tree; copper nail.....	539. 18
Belvedere, 5.8 mi. NE. of, at top of hill, on S. side of rd., in base of pine tree; rail spike.....	529. 73
Belvedere, 5.3 mi. NE. of, 150 ft. E. of rd. forks, on top of hill, in root of large oak tree; copper nail.....	560. 99
Belvedere, 4.0 mi. N. of, on SE. side of rd. at junction of Five Notch rd.; iron post stamped "544 1918".....	543. 782
Belvedere, 3.0 mi. N. of, 100 ft. N. of junction of T-rd. E., on N. side of rd., in root of large oak tree; copper nail.....	510. 01
Belvedere, 2.0 mi. N. of, 50 ft. S. of junction of boulevard rd. to Clearwater, in root of large hackberry tree; copper nail.....	490. 70
Belvedere, 1.1 mi. N. of, 100 ft. NE. of wooden milepost 5, on N. side of rd., in root of pine tree; copper nail.....	489. 34
Belvedere, 50 ft. E. of sta. of Augusta-Aiken Electric R. R., on N. side of tracks; iron post stamped "490 1918".....	489. 925

North Augusta, 0.4 mi. NE. of site of Hampton Terrace Hotel, at intersection of La Comte and Georgia Avenues, 15 ft. S. of inter-urban track, in root of oak tree; copper nail.....	<i>Feet</i> 474. 51
From Langley south along road into Augusta quadrangle (by D. S. Birkett in 1918)	
Langley, 1.2 mi. S. of, 120 ft. S. of St. John's Church, on W. side of rd., in root of oak tree; copper nail.....	304. 63
From Augusta quadrangle northeast along Pinelog road to Pentecost Church, thence southeast along road and back into Augusta quadrangle near Craig sawmill (by D. S. Birkett in 1918)	
Pine Grove Church, 0.5 mi. NE. of, 1.1 mi. SW. of Pentecost Church, on N. side of rd., in front of cabin of Martha Coleman, in root of oak tree; copper nail.....	467. 10
Pentecost Church, in front of, on S. side of rd.; iron post stamped "476 1918".....	476. 141
Pentecost Church, 0.6 mi. SE. of, at rd. fork 1.3 mi. NW. of Craig sawmill, 50 ft. W. of group of mail boxes, in base of pine tree; rail spike.....	438. 63
From Eureka northeast along road into Aiken quadrangle near Mount Zion Church (by F. L. Shalibo in 1918)	
Eureka, 0.9 mi. NE. of, at NE. corner of bridge over Shaw Creek, in 2-by 6-in. support; copper nail.....	411. 43
From Warrenville east along Southern Railway into Aiken quadrangle (by P. W. McMillen in 1918)	
Warrenville, 0.9 mi. E. of Southern Ry. sta., 150 ft. W. of signpost reading "Station 1 mile," 100 ft. N. of track, in root on S. side of 18-in. pine tree; copper nail and washer.....	257. 75
Warrenville, 2.2 mi. E. of, at E. end of long fill, 300 ft. W. of milepost 61, 75 ft. S. of track, in root on N. side of 24-in. pine tree; copper nail and washer.....	317. 84
Warrenville, 3.2 mi. E. of, 2.9 mi. W. of Southern Ry. freight sta. at Aiken, at W. end of long fill, 600 ft. W. of milepost 60, 70 ft. S. of track, in root on N. side of 20-in. pine tree; copper nail and washer..	369. 05
From Aiken quadrangle near Milledgeville northwest along Edgefield-Aiken branch of Southern Railway to crossing of Paces Branch of Shaw Creek, thence south and west along roads to point on Augusta-Columbia branch of Southern Railway 3.2 miles southeast of Trenton (by P. W. McMillen in 1918)	
Milledgeville flag sta., 50 ft. SW. of rd. crossing, in root on E. side of 16-in. oak tree; spike and copper washer.....	507. 39
Milledgeville, 0.8 mi. NW. of, 1.1 mi. SE. of Eureka, 100 ft. S. of Ry. signboard reading "Station 1 mile," 70 ft. W. of track, in root on E. side of 20-in. pine tree; spike and copper washer.....	490. 28
Eureka, 60 ft. SW. of highway crossing over track; iron post stamped "Prim Trav Sta No 4 Y 1918 521".....	521. 046
Eureka, 1.1 mi. NW. of sta., 0.7 mi. SE. of Baynham, 450 ft. N. of signboard reading "Station 1 mile," 60 ft. N. of track, in root on S. side of 12-in. double oak tree; spike and copper washer.....	548. 09
Baynham, 0.3 mi. NW. of, 0.2 mi. S. of Aiken-Edgefield county line, 40 ft. E. of tracks, in root on W. side of 16-in. pine tree; spike and copper washer.....	534. 16

Baynham, 1.1 mi. N. of, 500 ft. NW. of signboard reading "Station 1 mile," 200 ft. W. of track, in root on NW. side of 16-in. persimmon tree; spike and copper washer-----	Feet 563. 71
Rotalata, 2.5 mi. along Aiken-Edgefield highway SE. of, 1.3 mi. by direct rd. W. of Baynham, 0.3 mi. NW. of Aiken-Edgefield county line, 30 ft. W. of rd., in root on N. side of 16-in. oak tree; copper nail and washer-----	586. 42

From Clarks Hill quadrangle northeast along ridge road between Cedar and Horn Creeks to point 4.1 miles north of Ropers Crossroads (by J. J. Sitton, Jr., in 1934)

Edgefield, 7.0 mi. SW. of, 4.5 mi. SE. of Antioch Church, 10 ft. S. of center line of rd., in root on N. side of 30-in. oak tree; wire nail-----	459. 86
Edgefield, 5.8 mi. SW. of, 20 ft. N. of center line of rd., in root on S. side of 48-in. oak tree; wire nail and washer-----	461. 41

From Edgefield quadrangle near Central School southeast along road into Aiken quadrangle (by J. J. Sitton, Jr., in 1934)

Central School, 2.1 mi. SE. of, 30 ft. SW. of center line of rd., 40 ft. N. of N. corner of dwelling on property of Mrs. Ernest Jackson, in root on NE. side of 36-in. water-oak tree; copper nail and washer--	588. 05
---	---------

WAVERLY MILLS QUADRANGLE

[Latitude 33°15'-33°30'; longitude 79°00'-79°15']

GEORGETOWN COUNTY

From Georgetown quadrangle about 1 mile northeast of Campfield along old River road into Yauhannah quadrangle near Prince Frederick Chapel (by W. B. Sykes in 1935)

Campfield, 1.2 mi. NE. of, 30 ft. SE. of center line of rd., in root on NW. side of 8-in. pine tree; wire nail-----	20. 23
Campfield, 2.0 mi. NE. of, 20 ft. SE. of center line of rd., on property of S. P. Brinner, in root on SW. side of live-oak tree; wire nail-----	26. 98
Campfield, 3.0 mi. NE. of, 20 ft. S. of center line of rd., on tangent of rd. due E-W., in grove of pine trees tapped for turpentine, in root on N. side of 14-in. pine tree; wire nail-----	19. 85
Prince Frederick Chapel, 3.3 mi. SW. of, 4.0 mi. E. of Campfield, 0.5 mi. NW. of junction of Y-rd., 35 ft. NE. of center line of rd., on SE. margin of small swamp, in 7- by 7-in. concrete post; standard tablet stamped "SY 63 1935"-----	16. 034
Reference mark, 10 ft. W. of tablet, in root on W. side of 18-in. pine tree; wire nail-----	15. 70
Prince Frederick Chapel, 2.3 mi. S. of, 0.6 mi. S. of entrance to Arundel plantation, 15 ft. W. of center line of rd., in root on E. side of 24-in. twin sweetgum tree; wire nail-----	15. 91
Prince Frederick Chapel, 1.2 mi. S. of, 120 ft. S. of center of cross-roads, 170 ft. SE. of church, 15 ft. E. of center line of rd., in root on W. side of 30-in. pine tree; nail-----	13. 68

WILLISTON QUADRANGLE

[Latitude 33°15'-33°30'; longitude 81°15'-81°30']

AIKEN, BARNWELL, AND ORANGEBURG COUNTIES

From Allendale quadrangle northeast along Atlantic Coast Line Railroad into
Bamberg quadrangle (by D. S. Birkett in 1918)

Barnwell, 2.9 mi. NE. of sta., 4.4 mi. SW. of Hilda, 30 ft. S. of track, 30 ft. E. of rd.; iron post stamped "217 1918"-----	Feet 217. 075
Hilda, 1.0 mi. SW. of, 20 ft. N. of track, on top at end of concrete culvert; chiseled square-----	240. 37

From Allendale quadrangle northeast along Hilda-Friendship Church road
into Bamberg quadrangle (by D. S. Birkett in 1918)

Hilda, 1.7 mi. SW. of, 20 ft. SW. of crossroads; iron post stamped "Prim Trav Sta No 13 S 1918 233"-----	233. 287
Hilda, 0.9 mi. SW. of, 100 ft. S. of junction of private T-rd. E., on E. side of rd., in root of sassafras tree; rail spike-----	245. 71

From Bamberg quadrangle along roads northwest to Blackville, thence no. th
to Springfield (by C. H. Semper in 1919)

Blackville, 1.3 mi. SE. of Southern Ry. sta., 20 ft. W. of milepost 1, on N. side of rd., in root of chinaberry tree; copper nail-----	269. 84
Blackville, in front of sta.; top of rail-----	292. 7
Blackville, 150 ft. W. of R. R. crossing near sta.; iron post stamped "Prim Trav Sta No 92 Mac 1918 293" (recovered by U. S. C. & G. S. in 1935)-----	292. 014
Blackville, 3.2 mi. N. of, in SE. angle of junction of rd. E. to Healing Springs; iron post stamped "285"-----	283. 767
Blackville, 4.2 mi. N. of, 150 ft. N. of milepost 4, on W. side of rd., in root of oak tree; copper nail-----	298. 53
Blackville, 5.4 mi. N. of, 1.4 mi. SE. of Whaley, on E. side of rd. near N. foot of long hill, in root of pine tree; copper nail-----	263. 47
Blackville, 6.7 mi. N. of, 1.0 mi. E., thence 3.7 mi. S. from Spring- field, in NE. angle of crossroads; iron post stamped "234"-----	232. 979
Springfield, 1.0 mi. E., thence 2.8 mi. S. from, 0.5 mi. by rd. SW. of South Fork of Edisto River, in big swamp, 60 ft. N. of bridge over Whaley Creek, on W. side of rd., in root of pine tree; copper nail-----	198. 27
Springfield, 1.0 mi. E., thence 1.9 mi. S. from, 0.5 mi. NE. of South Fork of Edisto River, in swamp, at sharp bend in rd., in root of sweetgum tree with large white sign advertising National Bank; copper nail-----	196. 58
Springfield, 1.0 mi. E., thence 1.0 mi. S. from, 75 ft. N. of junction of rd. NW., in root of oak tree; copper nail-----	233. 13
Springfield, 1.0 mi. E. of, 50 ft. S. of four corners, at farm of B. R. Williams, on W. side of rd., in root of oak tree; copper nail-----	279. 01
Springfield, 600 ft. N. of Southern Ry. sta., at rd. crossing, 15 ft. W. of track, on S. side of rd.; iron post stamped "300" (recovered by U. S. C. & G. S. in 1935)-----	299. 530

From Talatha quadrangle near Windsor southeast along roads to Blackville
(by C. H. Semper in 1919)

Windsor, 2.2 mi. SE. of, on E. side of rd. at intersection of second- class rd., 80 ft. E. of milepost 6, in root of large pine tree; copper nail-----	388. 62
--	---------

Windsor, 3.0 mi. SE. of, on W. side of rd. at junction of private rd. W., 5 ft. N. of head wall of culvert; iron post stamped "386" (recovered by U. S. C. & G. S. in 1935)	<i>Feet</i> 385. 265
Windsor, 4.2 mi. SE. of, at crossroads 0.6 mi. W. of White Pond sta. on Southern Ry., at NW. corner of old dwelling, in root of china-berry tree; copper nail	384. 81
Windsor, 4.7 mi. SE. of, 3.4 mi. NW. of Williston, 0.4 mi. NW. of Aiken-Barnwell county line, in SW. corner of five corners; iron post stamped "372"	371. 956
Williston, 2.0 mi. NW. of, on W. side of rd., in root of 36-in. pine tree; copper nail	379. 24
Williston, 1.0 mi. NW. of, on S. side of rd., 20 ft. E. of small shop, in root of oak tree; copper nail	374. 33
Williston, 440 ft. W. of Southern Ry. sta., at rd. crossing, 10 ft. S. of track; iron post stamped "347" (recovered by U. S. C. & G. S. in 1935)	347. 138 349. 6
Williston, in front of sta.; top of rail	
Williston, 0.7 mi. E. of sta., at three corners, on S. side of rd., in root of oak tree; copper nail	350. 23
Williston, 1.9 mi. SE. of, 1.4 mi. NW. of Elko, 100 ft. S. of junction of rd. NE., in root of 36-in. pine tree; copper nail	312. 32
Elko, 0.3 mi. N. of sta., 200 ft. S. of double row of holly trees, in root of 48-in. oak tree; copper nail	345. 69
Elko, opposite and across tracks from E. end of sta., 27 ft. N. of center line of track; iron post stamped "Prim Trav Sta No 93 Mac 1918 338"	337. 744 337. 7
Elko, in front of sta.; top of rail	
Elko, 1.8 mi. SE. of, 1.2 mi. NW. of Reynold, at grade crossing, 100 ft. E. of track, at milepost 5, in root of pine tree; copper nail	342. 53
Reynold, 90 ft. S. of grade crossing, 12 ft. W. of rail; iron post stamped "325" (recovered by U. S. C. & G. S. in 1935)	324. 396
From Williston northeast along roads to Springfield (by C. H. Semper in 1919)	
Williston, 1.1 mi. NE. of, 700 ft. E. of milepost 1, on S. side of rd. near junction of rd. N., in root of 17-in. oak tree; copper nail	379. 98
Williston, 2.1 mi. NE. of, 475 ft. E. of milepost 2, in front of farmhouse of A. F. Green, in root of 15-in. oak tree; copper nail	360. 84
Williston, 3.0 mi. NE. of, 400 ft. N. of milepost 3, directly in front of farmhouse of William Matthews, 5 ft. N. of driveway to house; iron post stamped "340"	339. 533
Williston, 3.9 mi. NE. of, 125 ft. S. of milepost 4, 20 ft. W. of rd. at junction of rd. N., in front of farmhouse of U. R. Lott, in root of hickory tree; copper nail	332. 42
Williston, 4.9 mi. NE. of, 0.4 mi. SW. of Yarrow Branch School, on W. side of rd., 7 ft. S. of milepost 5, in root of 30-in. oak tree; copper nail	320. 70
Williston, 5.9 mi. NE. of, 5.3 mi. SW. of Springfield, 0.6 mi. NE. of Yarrow Branch School, 45 ft. E. of milepost 6, on S. side of rd. at junction of rd. to dwelling; iron post stamped "298 1919"	297. 664
Springfield, 4.3 mi. SW. of, directly opposite milepost 7, on S. side of rd. at junction of second-class rd. SW., in root of walnut tree; copper nail	285. 45
Springfield, 3.1 mi. SW. of, 0.8 mi. S. of South Fork of Edisto River, 320 ft. S. of Springfield milepost 3, at SW. margin of swamp, on W. side of rd.; iron post stamped "218 1919"	217. 593

From Williston southwest and south along Williston-Snellings road into Allendale quadrangle (by C. H. Semper in 1919)

Williston, 0.7 mi. S. of, on E. side of rd., in yard in front of dwelling, in root of oak tree; copper nail-----	<i>Feet</i> 336. 93
Williston, 1.8 mi. S. of, on W. side of rd., in front of dwelling, in root of 30-in. oak tree; copper nail-----	336. 64
Williston, 2.7 mi. S. of, in NE. angle of intersection of rd. to Bells mill; iron post stamped "262"-----	261. 690
Williston, 3.6 mi. S. of, on E. side of rd., in root of pine tree; copper nail-----	284. 91
Williston, 4.6 mi. S. of, on E. side of rd., in root of pine tree; copper nail-----	295. 31
Williston, 5.6 mi. S. of, in SE. angle of intersection of Pleasant Hill rd.; iron post stamped "283"-----	282. 952
Williston, 6.2 mi. S. of, 6.4 mi. N. of Atlantic Coast Line R. R. sta. at Snellings, 40 ft. S. of bridge over tributary to Rosemary Creek, on W. side of rd., in root of pine tree; copper nail-----	219. 71
Snellings, 5.3 mi. N. of, on W. side of rd., in root of pine tree; copper nail-----	257. 98
Snellings, 4.6 mi. N. of, on E. side of rd., in root of oak tree; copper nail-----	262. 45
Snellings, 4.1 mi. N. of, at junction of rd. NE., on W. side of rd.; iron post stamped "256"-----	255. 731
Snellings, 3.3 mi. N. of, in front of farmhouse of J. M. Weatherby, in root of oak tree; copper nail-----	246. 61
Snellings, 2.3 mi. N. of, at right-angle turn in rd., in front of dwelling, in root of oak tree; copper nail-----	250. 11
Snellings, 1.1 mi. N. of sta., in yard of Seven Pine Church, in root of oak tree; copper nail-----	240. 65

From Elko south along Elko-Barnwell road into Allendale quadrangle (by C. H. Semper in 1919)

Elko, 1.2 mi. S. of, on W. side of rd., halfway between two dwellings on opposite sides of rd., in root of oak tree; copper nail-----	314. 09
Elko, 2.4 mi. S. of, 40 ft. N. of junction of rd. NW. to Williston, on E. side of rd., in root of pine tree; copper nail-----	292. 00
Elko, 3.5 mi. S. of, 0.9 mi. N. of Long Branch Church, in front of farmhouse owned by Mary E. Hair, on E. side of rd., at corner of wire fence; iron post stamped "308"-----	307. 283
Elko, 4.5 mi. S. of, about 1,000 ft. S. of Long Branch Church, on W. side of rd., directly in front of dwelling, in root of oak tree; copper nail-----	280. 35
Elko, 5.8 mi. S. of, 4.4 mi. N. of Barnwell, in front of church, on E. side of rd., in root of oak tree; copper nail-----	269. 76
Barnwell, 3.1 mi. N. of, on E. side of rd., 2 ft. E. of milepost 9; iron post stamped "260"-----	259. 763
Barnwell, 2.2 mi. N. of, 0.2 mi. SE. of junction of Pleasant Hill rd., 100 ft. N. of milepost 10, on W. side of rd. near junction of second-class rd. NE., in root of pine tree; copper nail-----	257. 69

From Blackville south and southeast along roads into Bamberg quadrangle (by C. H. Semper in 1919)

Blackville, 1.2 mi. S. of Southern Ry. sta., 200 ft. S. of milepost 1, on E. side of rd., in root of sweetgum tree; copper nail-----	275. 38
--	---------

Blackville, 2.3 mi. S. of, 600 ft. S. of milepost 2, in front of tenant farmhouse of W. H. Stills, in root of chinaberry tree; copper nail.....	<i>Feet</i> 285. 87
Blackville, 3.3 mi. S. of, 3.3 mi. NW. of Hilda, 10 ft. NW. of crossroads; iron post stamped "269 1919".....	268. 187
Hilda, 2.1 mi. NW. of, in front of Double Pond Church, on N. side of rd., in root of 26-in. oak tree; copper nail.....	264. 64
Hilda, 1.0 mi. NW. of, 100 ft. S. of intersection of second-class rd., in root of pine tree; copper nail.....	262. 66

From Talatha quadrangle near Windsor northeast along road into Seivern quadrangle (by C. H. Semper in 1919)

Windsor, 1.0 mi. E. of, on N. side of rd., 150 ft. E. of dwelling, in root of pine tree; rail spike.....	369. 34
Windsor, 1.8 mi. E. of, on S. side of rd., in root of 18-in. pine tree; copper nail.....	375. 41
Windsor, 2.6 mi. NE. of, in NE. angle of crossroads, 5 ft. from N.-S. wagon track; iron post stamped "369".....	368. 543
Windsor, 4.6 mi. NE. of, about 2.6 mi. SW. of Davis Bridge over South Fork of Edisto River, on S. side of rd., in root of pine tree; copper nail.....	331. 73

WOODFORD QUADRANGLE

[Latitude 33°30'-33°45'; longitude 81°00'-81°15']

AIKEN, CALHOUN, LEXINGTON, AND ORANGEBURG COUNTIES

From St. Matthews quadrangle near Macedonia Church west and southwest along roads by way of Neeses into Bamberg quadrangle about 4 miles east of Springfield (by C. H. Semper in 1919)

Pine Hill Church, 1.2 mi. E. of, 10.3 mi. W. of Orangeburg, 25 ft. W. of Double Branch Church, on S. side of rd., in root of oak tree; copper nail.....	314. 20
Pine Hill Church, at crossroads, in root of 24-in. pine tree; copper nail.....	332. 93
Pine Hill Church, 1.0 mi. W. of, on S. side of rd., farmhouse on each side of rd., in root of 48-in. pine tree; copper nail.....	347. 79
Pine Hill Church, 1.2 mi. W. of, at junction of rd. S., on N. side of main rd.; iron post stamped "333 1919".....	331. 934
Pine Hill Church, 2.8 mi. W. of, 1.9 mi. E. of Neeses, on S. side of rd., in root of 15-in. pine tree; copper nail.....	321. 20
Neeses, 1.1 mi. E. of, at junction of T-rd. S., on N. side of rd., in root of pine tree; copper nail.....	317. 27
Neeses, at Baptist Church corner, in root of oak tree; copper nail.....	340. 24
U. S. C. & G. S. standard disk stamped "V 1 1918" ⁶⁹	342. 283
Neeses, 0.9 mi. W. of, on N. side of rd., in root of locust tree; copper nail.....	335. 26
Neeses, 1.4 mi. W. of, at junction of rds. to Denmark and Springfield, in root of pine tree; copper nail.....	330. 27
Neeses, 2.5 mi. W. of, 500 ft. E. of Jutes sawmill, on S. side of rd., in front of cabin, in root of oak tree; copper nail.....	302. 08
Neeses, 3.3 mi. W. of, in NE. angle of crossroads; iron post stamped "302".....	301. 363

⁶⁹ This mark was reported destroyed prior to 1934.

Neeses, 4.0 mi. W. of, at junction of T-rd. N., on S. side of main rd., in root of chinaberry tree; copper nail.....	<i>Fect</i> 296. 00
Neeses, 4.8 mi. W. of, at top of hill, at junction of rd. to farmhouse, in root of oak tree; copper nail.....	308. 16
Neeses, 5.8 mi. W. of, 100 ft. E. of milepost 4, on S. side of rd., in front of dwelling, in root of chinaberry tree; copper nail.....	290. 75

From Bamberg quadrangle about 3 miles northwest of Bolen along road to point near Pine Hill Church (by C. H. Semper in 1919)

Bolen, 2.6 mi. NW. of, in front yard of dwelling of J. W. Douglas, in root of oak tree; copper nail.....	323. 21
Bolen, 3.0 mi. NW. of, in SW. angle of junction of T-rd. S.; iron post stamped "313 1919".....	312. 264
Bolen, 3.7 mi. NW. of, 0.4 mi. E. of Pine Hill Church, on N. side of rd., in yard of farmhouse, in root of oak tree; copper nail.....	324. 78

From Seivern quadrangle at point about 1.6 miles northeast of Thor along roads northeast into Edmund quadrangle at point about 1 mile north of Swansea (by F. L. Shalibo in 1919)

Thor, 1.7 mi. NE. of, 4.2 mi. SE. of Pelion, 500 ft. S. of E. end of Shumpert Pond, at three corners, in root of small oak tree; wire nail.....	319. 10
Thor, 2.9 mi. NE. of, 1.0 mi. E. of Shumpert Pond, at top of hill, in NE. angle of crossroads; iron post stamped "454".....	453. 639
Swansea, about 4 mi. W. of, 6.4 mi. NE. of Thor, on old Swansea-Wagener rd. at its intersection with Columbia-Blackville rd.; iron post stamped "Prim Trav Sta No 57 H 1918 397".....	396. 415
Swansea, about 3 mi. W. of, on old Swansea-Wagener rd., in SW. angle of crossroads, in root of 6-in. tree; wire nail.....	433. 62

From North along U. S. Highway 178 east into St. Matthews quadrangle (by W. G. Shull in 1934)

U. S. C. & G. S. standard disk stamped "Y 1 1918".....	283. 113
North, 1.0 mi. E. of, in front yard of tenant house, 30 ft. S. of center line of highway, in root on N. side of 8-in. chinaberry tree; wire nail and bottle cap.....	310. 09
North, 2.0 mi. E. of, 650 ft. E. of junction of T-rd. S., 30 ft. N. of center line of highway, in root on S. side of 14-in. hickory tree; wire nail and bottle cap.....	324. 38
North, 3.0 mi. E. of, 0.3 mi. W. of Etheredge mill, 15 ft. S. of center line of highway, in root on W. side of 30-in. oak tree; wire nail and bottle cap.....	242. 11
North, 3.4 mi. E. of, 400 ft. E. of bridge over Bull Swamp, 100 ft. S. of SE. corner of Etheredge Mill store, 50 ft. S. of junction of rd. NE., in 7- by 7-in. concrete post; standard tablet stamped "21 SL 1934 237".....	236. 664
Reference mark 1, 130 ft. N. and 180 ft. W. from tablet, in crotch of 12-in. twin chinaberry tree; wire nail and bottle cap.....	230. 59
Reference mark 2, 40 ft. N. of tablet, on S. side of pavement at expansion joint; chiseled square.....	230. 98
North, 4.5 mi. E. of, 300 ft. W. of tenant house, 20 ft. N. of center line of highway, in root on S. side of 30-in. oak tree; wire nail and bottle cap.....	293. 23
North, 5.6 mi. E. of, about 2 mi. W. of Wolfton, at Amaker's store, 100 ft. E. of crossroads, in root on W. side of 9-in. elm tree; wire nail and bottle cap.....	339. 95

From St. Matthews quadrangle near Prodigal Church north and west along
Kennerly road to Swansea (by W. G. Shull in 1934)

Swansea, 7.3 mi. E. of, 7 ft. E. of SW. corner of Prodigal Church, 80 ft. E. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "25 SL 1934 395"-----	<i>Feet</i> 394. 322
Reference mark, 25 ft. S. and 42 ft. W. from tablet, in root on N. side of 12-in. chinaberry tree; wire nail and bottle cap-----	394. 34
Swansea, 6.0 mi. E. of, 100 ft. N. of tenant house, 15 ft. S. of center line of rd., in root on E. side of 36-in. oak tree; wire nail and bottle cap-----	402. 30
Swansea, about 5 mi. E. of, 1,000 ft. E. of Calvary Church, in front yard of tenant house, 20 ft. E. of center line of rd., in crotch of twin chinaberry tree; wire nail and bottle cap-----	408. 98
Swansea, 4.3 mi. E. of, 0.5 mi. W. of Calvary Church, 20 ft. S. of center line of rd., in root on NW. side of 10-in. pine tree; wire nail and bottle cap-----	390. 59
Swansea, 3.2 mi. E. of, 800 ft. S. of Sardis Church, in triangle formed by junction of rds. N. and NE., 40 ft. N. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "26 SL 1934 409"-----	408. 263
Reference mark 1, 40 ft. E. of tablet, in root on E. side of 6-in. pine tree; wire nail and bottle cap-----	408. 58
Reference mark 2, 80 ft. N. and 90 ft. E. from tablet, in crotch of 6-in. twin gum tree; wire nail and bottle cap-----	410. 81
Swansea, 2.7 mi. E. of, 1.0 mi. W. of Sardis Church, 35 ft. N. of junc- tion of Y-rd., in root on W. side of 36-in. oak tree; wire nail and bottle cap-----	382. 48
Swansea, 1.7 mi. E. of, 400 ft. W. of tenant house, 25 ft. N. of center line of rd., in root on W. side of 16-in. hickory tree; wire nail and bottle cap-----	387. 28
Swansea, 350 ft. S. of S. steps of Swansea Grammar School, 20 ft. S. of center line of rd., in root on S. side of 10-in. oak tree; wire nail and bottle cap-----	352. 86
U. S. C. & G. S. standard disk stamped "E 2 1918"-----	321. 581

From St. Matthews quadrangle about 2 miles southwest of Wolfton along roads
southwest and southeast and back into St. Matthews quadrangle (by W. G.
Shull in 1934)

Wolfton, 1.8 mi. S. of, 0.1 mi. E. of Long Branch, 60 ft. S. of center line of Cullers Mill rd., 4 ft. N. of NE. corner of tenant house, in 7- by 7-in. concrete post; standard tablet stamped "30 SL 1934 245"-----	244. 753
Reference mark, 20 ft. N. and 15 ft. E. from tablet, in root on E. side of 40-in. oak tree; wire nail and bottle cap-----	245. 15
Wolfton, 2.6 mi. SW. of, 200 ft. NE. of tenant house, 25 ft. W. of center line of Cullers Mill rd., in root on N. side of 48-in. oak tree; wire nail and bottle cap-----	267. 90
Wolfton, 2.0 mi. SW. of, on Slab Landing rd., 120 ft. W. of junction of T-rd., 50 ft. E. of well, in root on S. side of 48-in. sycamore tree; wire nail and bottle cap-----	279. 42
Wolfton, 3.0 mi. SW. of, 0.6 mi. N. of bridge over North Edisto River, on Slab Landing rd., 65 ft. N. and 35 ft. E. from Y-rd. forks, in 7- by 7-in. concrete post; standard tablet stamped "31 SL 1934 207"-----	206. 769
Reference mark, 60 ft. E. of tablet, in root on N. side of 12-in. gum tree; wire nail and washer-----	207. 98

Wolfton, 3.7 mi. SW. of, 200 ft. S. of S. end of bridge over North Edisto River, 15 ft. E. of center line of Slab Landing rd., in root on W. side of 30-in. oak tree; wire nail and washer-----	<i>Feet</i> 195. 02
Wolfton, 4.7 mi. S. of, 1.0 mi. S. of bridge over North Edisto River, on Slab Landing rd., 700 ft. N. of tenant house, 20 ft. W. of junction of Y-rd., in root on W. side of 8-in. cherry tree; wire nail and washer-----	262. 72
Wolfton, 5.7 mi. S. of, 6.0 mi. in air line E. of Livingston, 300 ft. E. of dwelling, 50 ft. S. of center line of River rd., in root on W. side of 14-in. oak tree; wire nail and washer-----	285. 59
North, 4.0 mi. S. along State Highway 6, thence 5.6 mi. E. along second-class county rd. from, 6.1 mi. S. of Wolfton, on property of W. W. Watson, 40 ft. S. of SW. corner of tenant house, 200 ft. N. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "32 SL 1934 252"-----	251. 745
Reference mark, 200 ft. S. and 50 ft. W. from tablet, in root on W. side of 24-in. chinaberry tree; wire nail and washer-----	254. 57
Neeses, 10.0 mi. E. along State Highway 4, thence 2.5 mi. N. along third-class rd. from, 7.1 mi. SE. of Wolfton, 20 ft. W. of junction of driveway, in root on E. side of 30-in. oak tree; wire nail and washer-----	242. 04
From North along U. S. Highway 178 northwest 6 miles to State Highway 3, thence southwest along latter highway to State Highway 393, thence west into Seivern quadrangle (by W. G. Shull in 1934)	
North, 1.0 mi. W. of, at intersection of third-class rd., on S. side of pavement; chiseled square-----	268. 48
North, 2.0 mi. W. of, 600 ft. E. of crossing of telephone line, on S. side of pavement; chiseled square-----	281. 45
North, 3.0 mi. W. of, 1.0 mi. E. of Salem Baptist Church, on property of Bertha Robinson, 35 ft. E. of N. corner of tenant house, 45 ft. W. of center line of highway, in 7- by 7-in. concrete post; standard tablet stamped "1 SL 1934 327"-----	326. 666
Reference mark 1, 50 ft. N. of tablet, at first expansion joint on W. side of pavement; chiseled square-----	325. 92
Reference mark 2, 40 ft. N. and 40 ft. W. from tablet, 50 ft. W. of center line of highway, in root on N. side of 30-in. oak tree; wire nail and bottle cap-----	327. 50
North, 4.0 mi. W. of, 500 ft. W. of Salem Baptist Church, on S. side of highway, on E. end of culvert over Salem Creek; chiseled square--	266. 13
North, 5.0 mi. W. of, 30 ft. N. of center line of highway, in front yard of dwelling of Mack River, in root on S. side of 24-in. oak tree; wire nail and bottle cap-----	285. 33
North, 6.0 mi. W. of, 190 ft. S. of SW. corner of Ebenezer Methodist Church, 150 ft. E. of center of intersection of U. S. Highway 178 and State Highway 3, in 7- by 7-in. concrete post; standard tablet stamped "2 SL 1934 265"-----	264. 842
Reference mark 1, 40 ft. S. of tablet, 30 ft. N. of center line of State Highway 178, in root on S. side of 24-in. pine tree; wire nail and bottle cap-----	262. 56
Reference mark 2, 8 ft. S. and 12 ft. E. from tablet, in root on W. side of 24-in. pine tree; wire nail and bottle cap-----	264. 86
North, 7.1 mi. W. of, 8.0 mi. E. of Perry, 400 ft. W. of junction of State Highways 3 and 393, 40 ft. N. of center line of State Highway 393, in root on W. side of 10-in. pine tree; wire nail and bottle cap-----	275. 53

Perry, 6.8 mi. E. of, on N. side of E. end of timber bridge over Hollow Creek; bolt-----	Feet 251. 46
Perry, 6.0 mi. E. of, 50 ft. W. of center of Scotts Crossroads, in 7- by 7-in. concrete post; standard tablet stamped "3 SL 1934 293"-----	292. 621
Reference mark 1, 40 ft. N. and 40 ft. E. from tablet, in root on W. side of 9-in. oak tree; wire nail and bottle cap-----	293. 42
Reference mark 2, 8 ft. N. and 100 ft. E. from tablet, on head wall; chiseled square-----	288. 32
Perry, 4.9 mi. E. of, on N. wing wall of culvert; chiseled square-----	357. 27
Perry, 3.9 mi. E. of, 30 ft. N. of center of Y-junction of rd. NW., in root on W. side of 9-in. pine tree; wire nail and bottle cap-----	398. 04
From Bamberg quadrangle about 4 miles northeast of Springfield generally north and northwest along highways and roads to Scotts Crossroads about 6 miles east of Perry (by W. G. Shull in 1934)	
Springfield, 4.0 mi. E. of, on State Highway 4, at filling sta. of F. H. White, 80 ft. N. of center line of highway, in root on S. side of 24-in. pine tree; wire nail and bottle cap-----	293. 45
Springfield, 5.0 mi. E. of, 20 ft. N. of center line of highway, in front yard of tenant house, in root on S. side of 24-in. oak tree; wire nail and bottle cap-----	305. 58
Neeses, 4.0 mi. W. of, 6.0 mi. E. of Springfield, 35 ft. S. and 35 ft. W. from T-junction of State Highway 4 and third-class rd. N., 30 ft. N. and 15 ft. W. from NW. corner of dwelling of J. F. Banks, in front yard, in 7- by 7-in. concrete post; standard tablet stamped "14 SL 1934 289"-----	288. 430
Reference mark 1, 300 ft. N. of tablet, in root on E. side of 30-in. chinaberry tree; wire nail and bottle cap-----	291. 61
Reference mark 2, 6 ft. S. and 15 ft. E. from tablet, in crotch of 6-in. twin chinaberry tree; wire nail and bottle cap-----	288. 99
Neeses, 4.0 mi. W. along State Highway 4, thence 1.0 mi. N. along third-class rd. from, 60 ft. E. of center line of rd., near old water tank, in root on W. side of 36-in. oak tree; wire nail and bottle cap-----	322. 60
Neeses, 4.0 mi. W. along State Highway 4, thence 2.0 mi. N. along third-class rd. from, 200 ft. N. of tenant house, 6 ft. W. of center line of rd., in root on E. side of 12-in. pine tree; wire nail and bottle cap-----	322. 79
Neeses, 4.0 mi. W. along State Highway 4, thence 3.0 mi. N. along third-class rd. from, 70 ft. N. and 15 ft. W. from junction of T-rd. E., in front yard of dwelling of A. L. Hallman, in 7- by 7-in. concrete post; standard tablet stamped "15 SL 1934 368"-----	367. 934
Reference mark 1, 50 ft. S. and 15 ft. E. from tablet, in root on E. side of 36-in. oak tree; wire nail and bottle cap-----	367. 58
Reference mark 2, 25 ft. S. and 15 ft. E. from tablet, in root on E. side of 36-in. oak tree; wire nail and bottle cap-----	367. 88
Neeses, about 5 mi. NW. of, on Salley-Neeses rd., 50 ft. S. and 20 ft. W. from intersection of third-class rd., in root on NW. side of 30-in. hickory tree; wire nail and bottle cap-----	352. 16
Neeses, about 6 mi. NW. along Salley-Neeses rd., thence 0.2 mi. N. along third-class rd. from, 10 ft. W. of center line of rd., in root on S. side of 12-in. gum tree; wire nail and bottle cap-----	358. 92
Neeses, 6.0 mi. NW. of, on old Ninety Six rd., 40 ft. N. and 50 ft. E. from E. corner of dwelling of C. W. Fogle, 30 ft. from center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "16 SL 1934 382"-----	381. 093

Reference mark 1, 30 ft. N. and 12 ft. W. from tablet, in root on N. side of 36-in. oak tree; wire nail and bottle cap-----	<i>Feet</i> 380. 48
Reference mark 2, 55 ft. W. of tablet, in root on E. side of 30-in. hickory tree; wire nail and bottle cap-----	380. 50
Neeses, about 7 mi. NW. of, 300 ft. W. of crossing of third-class rd., in front yard of dwelling of J. R. Tindall, in root on N. side of 24-in. evergreen tree; wire nail and bottle cap-----	391. 85
Neeses, 8.1 mi. NW. of, 9.0 mi. N. along State Highway 3 from Springfield, 0.5 mi. N. of Sawerdale School, 80 ft. W. of center line of highway, in root on E. side of 12-in. oak tree; wire nail and bottle cap-----	367. 96
Springfield, 10.0 mi. N. of, 100 ft. W. of center line of State Highway 3, in front yard of dwelling of Wiley Jackson, in 7- by 7-in. concrete post; standard tablet stamped "17 SL 1934 396"-----	395. 421
Reference mark 1, 10 ft. S. and 25 ft. E. from tablet, in root on E. side of 30-in. hickory tree; wire nail and bottle cap-----	395. 06
Reference mark 2, 20 ft. N. and 60 ft. E. from tablet, in root on E. side of 36-in. oak tree; wire nail and bottle cap-----	393. 69
Springfield, about 11 mi. along State Highway 3 N. of, 3.0 mi. S. of Ebenezer Methodist Church, 150 ft. N. of crossroads, in root on W. side of 24-in. oak tree; wire nail and bottle cap-----	367. 05
Springfield, 12.2 mi. N. of, 0.5 mi. S. of Scotts Crossroads, 0.5 mi. N. of Corinth Baptist Church, 20 ft. W. of center line of rd., in root on N. side of 8-in. twin oak tree; wire nail and bottle cap-----	267. 55
From Seivern quadrangle about 4 miles southeast along State Highway 393 to Scotts Crossroads (by W. G. Shull in 1934)	
Scotts Crossroads, 1.9 mi. along Fanning rd. N. of, 15 ft. E. of center line of rd., in root on E. side of 12-in. oak tree; wire nail and bottle cap-----	382. 46
Scotts Crossroads, 0.8 mi. along Fanning rd. N. of, 30 ft. W. of center line of rd., in root on W. side of 12-in. gum tree; wire nail and bottle cap-----	361. 69
From Edmund quadrangle southeast along U. S. Highway 178 and southwest along roads into Seivern quadrangle about 1 mile northeast of Thor (by W. G. Shull in 1934)	
Pelion, 1.0 mi. SE. of, 150 ft. SE. of Y-junction of third-class rd. S., 50 ft. E. of center line of highway, in root on S. side of 6-in. pine tree; wire nail and bottle cap-----	438. 85
Pelion, 2.0 mi. SE. of, 800 ft. S. of tenant house, 20 ft. E. of center line of highway, on S. end of head wall; chiseled square-----	409. 09
Pelion, 2.6 mi. SE. of, 90 ft. N. of N. corner of dwelling of Arthur Slices, in front yard, 40 ft. S. of center line of highway, in 7- by 7-in. concrete post; standard tablet stamped "10 SL 1934 489"-----	488. 933
Reference mark 1, 10 ft. N. and 50 ft. W. from tablet, in root on S. side of 4-in. oak tree; wire nail and bottle cap-----	487. 88
Reference mark 2, 20 ft. N. and 10 ft. E. from tablet, on S. edge of concrete pavement; chiseled square-----	489. 55
Pelion, 3.2 mi. SE. along U. S. Highway 178, thence 0.5 mi. S. along second-class rd. from, 600 ft. N. of tenant house, 10 ft. W. of center line of rd., in root on E. side of 8-in. pine tree; wire nail and bottle cap-----	447. 92

Pelion, 3.2 mi. SE. along U. S. Highway 178, thence 1.5 mi. S. along second-class rd. from, 1.2 mi. W. of Ben Poole's pond, 20 ft. E. of center line of rd., in root on N. side of 18-in. pine tree; wire nail and bottle cap-----	Feet 344. 15
Thor, 0.8 mi. E. of, 5.0 mi. S. of Pelion, 50 ft. N. of center line of Thor-Swansea rd., near pond, 30 ft. S. and 40 ft. W. from SW. corner of dwelling of Ben Poole, in front yard, in 7- by 7-in. concrete post; standard tablet stamped "11 SL 1934 294"-----	293. 452
Reference mark 1, 7 ft. S. and 12 ft. E. from tablet, in root on N. side of 8-in. hickory tree; wire nail and bottle cap-----	294. 35
Reference mark 2, 30 ft. N. and 30 ft. W. from tablet, on old mill stone; chiseled square-----	290. 74

YAUHANNAH QUADRANGLE

[Latitude 33°30'-33°45'; longitude 79°00'-79°15']

GEORGETOWN, HORRY, AND MARION COUNTIES

From Rhems quadrangle near Pitch landing on Pee Dee River southeast along old Pee Dee road and U. S. Highway 701 to point 0.5 mile south of Youngs Crossroads (by W. B. Sykes in 1934)

Pitch landing, 0.5 mi. SW., thence 1.0 mi. SE. from, 0.2 mi. NW. of Petersfield, 80 ft. W. of branch, 18 ft. SW. of center line of rd., on NE. side of 4-in. oak tree; wire nail-----	29. 91
Petersfield, 0.8 mi. SE. of, 15 ft. SW. of center line of rd., in root on NE. side of 10-in. oak tree; wire nail-----	58. 64
Petersfield, 1.8 mi. SE. of, 1.0 mi. NE., thence 2.0 mi. NW. from Youngs Crossroads, 20 ft. NW. of old store building, 18 ft. NE. of center line of rd., on property of D. V. Richardson, in 7- by 7-in. concrete post; standard tablet stamped "SY 43 1934"-----	37. 479
Reference mark, 6 ft. W. of tablet, in root on SW. side of 20-in. hickory tree; wire nail-----	36. 97
Youngs Crossroads, 1.0 mi. NE., thence 1.0 mi. NW. from, 30 ft. NE. of center line of rd., in root on SW. side of 10-in. pine tree; wire nail-----	37. 29
Youngs Crossroads, 1.0 mi. NE. of, 0.6 mi. SE. of church, 25 ft. SW. of center line of old Pee Dee rd., in root on NE. side of 10-in. sweet-gum tree; wire nail-----	34. 08
U. S. C. & G. S. standard disk stamped "G 304 1934"-----	31. 759
U. S. C. & G. S. standard disk stamped "P 15 1933"-----	21. 982

From Rhems quadrangle southeast along Britton Ferry road to Britton Ferry landing on Pee Dee River (by W. B. Sykes in 1934; double-run spur line)

Britton Ferry landing, 4.2 mi. NW. of, on property of Atlantic Coast Lumber Corp., 10 ft. SW. of center line of rd., in root on N. side of 24-in. pine tree; wire nail-----	18. 43
Britton Ferry landing, 3.2 mi. NW. of, 400 ft. SE. of old mill site, on property of Atlantic Coast Lumber Corp., 15 ft. E. of center line of rd., in 7- by 7-in. concrete post; standard tablet stamped "SY 39 1934 9"-----	8. 849
Reference mark, 6 ft. N. of tablet, in root on W. side of 20-in. pine tree; wire nail-----	8. 48
Britton Ferry landing, 2.2 mi. NW. of, 6 ft. N. of center line of rd., on property of Atlantic Coast Lumber Corp., in root on S. side of 20-in. pine tree; wire nail-----	14. 01

Britton Ferry landing, 1.0 mi. N. of, on property of Atlantic Coast Lumber Corp., 15 ft. E. of center line of rd., in root on W. side of 30-in. pine tree; wire nail.....	Feet 10. 16
Britton Ferry landing on N. bank of Pee Dee River, 1.0 mi. W. of mouth of Little Pee Dee River, on outside of horseshoe bend, 30 ft. N. of bank, at end of old Britton Ferry rd. (section known as the Tanyard), in 7- by 7-in. concrete post; standard tablet stamped "SY 40 1934 8".....	7. 164
Reference mark, 15 ft. SE. of tablet, in root on NW. side of 30-in. oak tree; wire nail.....	6. 04
<p>From Conway quadrangle about 5 miles northwest of Socastee along U. S. Highway 117 ⁷⁰ southeast to Socastee, thence west and north along roads to point 2.7 miles northwest of Bucksville landing on Waccamaw River (by C. T. Duke in 1934)</p>	
Socastee, 4.3 mi. NW. of, 7.4 mi. SE. of Conway, 1.5 mi. S. of Centenary Church, 35 ft. E. of center line of highway, 12 ft. S. and 20 ft. W. from SW. corner of dwelling of J. S. Lee, in root on W. side of 36-in. oak tree; wire nail.....	33. 45
Socastee, 3.3 mi. NW. of, 80 ft. E. of crossing of fourth-class rd. from Lewark landing, in root on W. side of 10-in. oak tree; wire nail.....	23. 66
Socastee, 2.7 mi. NW. of, 40 ft. E. of highway, 17 ft. N. and 3 ft. E. from NW. corner of dwelling of Bossy Duncan, in concrete post; standard tablet stamped "7 DE 1934".....	28. 494
Reference mark 1, 25 ft. S. and 15 ft. W. from tablet, 25 ft. E. of center line of highway, in root on N. side of 14-in. pecan tree; wire nail.....	27. 82
Reference mark 2, 15 ft. S. and 22 ft. E. from tablet, 62 ft. E. of highway, in root on N. side of 8-in. apple tree; wire nail.....	28. 07
Socastee, 1.5 mi. NW. of, 30 ft. E. of center line of highway, in root on NE. side of 12-in. pine tree; wire nail.....	32. 77
Socastee, 0.4 mi. NW. of, 30 ft. W. of center line of highway, in root on E. side of 16-in. pine tree; wire nail.....	21. 06
Socastee, at, 0.5 mi. NW. of junction of highway and rd. to Murrells Inlet, 52 ft. W. of center line of highway, 18 ft. S. and 28 ft. E. from SE. corner of dwelling of Miss Hannah Sarris, in concrete post; standard tablet stamped "8 DE 1934 20".....	19. 641
Reference mark 1, 15 ft. S. and 10 ft. W. from tablet, 62 ft. W. of center line of highway, in root on E. side of 18-in. magnolia tree; wire nail.....	19. 80
Reference mark 2, 8 ft. S. and 15 ft. E. from tablet, 37 ft. W. of center line of highway, in root on N. side of 16-in. magnolia tree; wire nail.....	19. 79
Socastee, 1.0 mi. W. of, 1.7 mi. E. of Peach Tree Ferry on Waccamaw River, 15 ft. S. of center line of county rd., in root on N. side of 12-in. pine tree; wire nail.....	19. 79
Peach Tree Ferry, 0.6 mi. E. of, 15 ft. S. of center line of county rd., in front of dwelling of Courtney Dusenberry, in root on N. side of 18-in. hickory tree; wire nail.....	19. 22
Peach Tree Ferry on Waccamaw River, at, 2.0 mi. SE. of Bucksville, in front yard of dwelling of Charlie Dusenberry, 100 ft. N. and 35 ft. W. from extreme NW. corner of dwelling, in concrete post; standard tablet stamped "9 DE 1934 13".....	13. 753

⁷⁰ Later numbering designates this as U. S. Highway 501.

Reference mark, 70 ft. W. of tablet, 135 ft. NW. of dwelling, in root on E. side of 20-in. gum tree; wire nail.....	Feet 3. 44
Peach Tree Ferry, 0.5 mi. N. of, 10 ft. W. of W. bank of river, 5 ft. E. of center line of fourth-class rd., in root on W. side of 20-in. gum tree; wire nail.....	4. 07
Peach Tree Ferry, 1.4 mi. NW. of, 20 ft. W. of W. bank of river, 10 ft. W. of center line of fourth-class rd. to Bucksville, in root on NE. side of 20-in. gum tree; wire nail.....	5. 16
Peach Tree Ferry, 2.5 mi. NW. of, 0.6 mi. W. of Bucksville landing, 15 ft. N. of center line of county rd., in front yard of dwelling of W. L. Graham, in root on SW. side of 20-in. oak tree; wire nail.....	21. 85
Peach Tree Ferry, 3.6 mi. NW. of, 1.3 mi. SW. of junction of U. S. Highway 701 and county rd., 50 ft. E. of center line of rd., on property of Harold Buck, 6 ft. S. and 3 ft. W. from SW. corner of tenant house, in concrete post; standard tablet stamped "10 DE 1934 22".....	21. 452
Reference mark 1, 27 ft. S. and 21 ft. W. from tablet, 12 ft. E. of center line of rd., 27 ft. S. and 30 ft. W. from SW. corner of tenant house, in root on W. side of 20-in. gum tree; wire nail.....	21. 39
Reference mark 2, 39 ft. W. of tablet, 10 ft. E. of center line of rd., 42 ft. W. of SW. corner of tenant house, in root on W. side of 44-in. pine tree; wire nail.....	21. 01
U. S. C. & G. S. standard disk stamped "J 15 1933".....	22. 444

From point 0.5 mile northwest of Plantersville southeast along road to Prince Frederick Chapel (by J. H. Goddard in 1934)

U. S. C. & G. S. standard disk stamped "R 15 1933".....	17. 854
Plantersville, 0.6 mi. SE. of, 20 ft. NE. of center line of rd., in root on N. side of 20-in. water-oak tree; wire nail.....	18. 74
Plantersville, 1.5 mi. SE. of, 150 ft. SE. of center of crossroads, 20 ft. NE. of center line of rd., in root on SW. side of 12-in. pine tree; wire nail.....	19. 48
Plantersville, 2.5 mi. SE. of, 1.8 mi. NW. of Prince Frederick Chapel, 25 ft. N. and 50 ft. E. from center of junction of driveway to La-Bruce Springs, in 7- by 7-in. concrete post; standard tablet stamped "L 12 G 1934 20".....	20. 130
Reference mark, 30 ft. S. and 75 ft. W. from tablet, 30 ft. SW. of center line of rd., in root on E. side of 10-in. oak tree; wire nail.....	19. 34
Prince Frederick Chapel, 60 ft. SW. of SW. corner of, 20 ft. E. of center line of rd., in root on W. side of 36-in. pine tree; wire nail.....	9. 77

From Myrtle Beach quadrangle near Socastee southwest 1 mile along road (by J. H. Goddard in 1934)

U. S. C. & G. S. and State Survey standard disk stamped "H 30".....	6. 509
Socastee triangulation sta.; U. S. C. & G. S. standard disk stamped "Socastee 1934".....	15. 770
Socastee, 0.5 mi. S. of, 7.3 mi. W., thence 0.5 mi. S. from Myrtle Beach, 30 ft. S. and 40 ft. W. from center of junction of T-rd. to Enterprise, in root on E. side of 20-in. pine tree; wire nail.....	19. 95
U. S. C. & G. S. and State Survey standard disk stamped "H 34".....	19. 137

From Klondyke southeast along road to Bucksport, thence southwest along roads 3.1 miles to Tip Top landing on Waccamaw River (by J. H. Goddard in 1934; double-run spur line)

	<i>Feet</i>
U. S. C. & G. S. standard disk stamped "L 15 1933"-----	18. 087
Klondyke, 1.1 mi. SE. of, 0.2 mi. SE. of frame dwelling of J. M. McCormack, 30 ft. W. of center line of rd., in root on N. side of 18-in. pine tree; wire nail-----	12. 69
Klondyke, 2.1 mi. S. of, 1.0 mi. NW. of Bucksport, 30 ft. NE. of center line of rd., 40 ft. S. of frame dwelling of Sadie Hunt, in root on E. side of 12-in. sweetgum tree; wire nail-----	18. 69
Bucksport, 0.2 mi. N. of post office, 30 ft. E. of center line of rd., on property of E. V. Richardson, 60 ft. W. of tenant house, in 7- by 7-in. concrete post; standard tablet stamped "L 13 G 1934"-----	18. 012
Reference mark, 75 ft. S. and 50 ft. W. from tablet, 30 ft. SW. of center line of rd., in root on N. side of 36-in. oak tree; wire nail-----	17. 30
Bucksport, 1.0 mi. SW. of, 20 ft. W. of center line of rd., in root on E. side of 15-in. sweetgum tree; wire nail-----	16. 61
Bucksport, 2.2 mi. SW. of, 0.9 mi. NW. of Tip Top landing, 40 ft. NE. of center line of rd., in root on S. side of 8-in. juniper tree; wire nail-----	4. 44
Tip Top landing on Waccamaw River, at, 0.2 mi. S. of U. S. C. & G. S. triangulation sta. "Top 1934," in 7- by 7-in. concrete post; standard tablet stamped "L 14 G 1934 19"-----	19. 503
Reference mark, 4 ft. S. and 15 ft. W. from tablet, in root on N. side of 6-in. water-oak tree; nail and washer-----	18. 86

From Port Harrelson on Pee Dee River northwest along road into Conway quadrangle about 0.7 mile southeast of Pawley Swamp School (by J. H. Goddard in 1934)

U. S. C. & G. S. standard disk stamped "M 15 1933"-----	20. 075
Port Harrelson, 1.0 mi. NW. of, 1.5 mi. NW. of Yauhannah Bridge over Pee Dee River, 15 ft. NE. of center line of rd., in root on S. side of 10-in. pine tree; wire nail-----	35. 03
Port Harrelson, 2.1 mi. NW. of, 20 ft. SW. of center line of rd., in root on N. side of 10-in. pine tree; wire nail-----	33. 65
Port Harrelson, 3.3 mi. NW. of, 25 ft. W. of center line of rd., 60 ft. E. of tenant house, in 7- by 7-in. concrete post; standard tablet stamped "L 15 G 1934 25"-----	25. 592
Reference mark, 15 ft. E. of tablet, in root on S. side of 6-in. oak tree; wire nail-----	24. 77
Port Harrelson, 4.4 mi. NW. of, 2.4 mi. S. of Pawley Swamp School, 50 ft. S. of NW. corner of frame dwelling of S. H. Long, 15 ft. NE. of center line of rd., in root on N. side of 60-in. oak tree; wire nail--	20. 86
Pawley Swamp School, 0.9 mi. S. of, 15 ft. W. of center line of rd., in root on E. side of 18-in. pine tree; wire nail-----	12. 45

From Conway quadrangle about 2 miles southeast of Pawley Swamp School southeast, east, and northeast along county road and U. S. Highway 701 and back into Conway quadrangle near Toddville (by C. T. Duke in 1934)

Pawley Swamp School, 2.6 mi. SE. of, 27 ft. S. and 8 ft. W. from SW. corner of dwelling of Sidney Brown, in concrete post; standard tablet stamped "25 DE 1934 42"-----	41. 944
---	---------

Reference mark 1, 30 ft. S. and 12 ft. W. from tablet, 25 ft. N. of center line of rd., in root on E. side of 16-in. oak tree, 3 ft. from trunk; wire nail.....	Feet 40. 14
Reference mark 2, 65 ft. S. and 44 ft. E. from tablet, 15 ft. N. of center line of county rd., in root on E. side of 10-in. oak tree; wire nail....	39. 82
Pawley Swamp School, 3.7 mi. SE. of, 4.2 mi. SW. of Toddville School, 12 ft. S. of center line of county rd., in root on N. side of 16-in. oak tree; wire nail.....	32. 25
Toddville School, 3.1 mi. SW. of, 1.6 mi. W. of Ebenezer School, 20 ft. S. of center line of county rd., in root on N. side of 18-in. pine tree; wire nail.....	29. 25
Toddville School, 2.0 mi. SW. of, 0.5 mi. W. of Ebenezer School, 28 ft. N. and 42 ft. E. from intersection of U. S. Highway 701, in concrete post; standard tablet stamped "26 DE 1934 26".....	25. 623
Reference mark 1, 48 ft. S. and 40 ft. W. from tablet, 20 ft. S. of cross-roads, in root on N. side of 14-in. pine tree; wire nail.....	25. 68
Reference mark 2, 53 ft. S. of tablet, 25 ft. S. and 42 ft. E. from cross-roads, in root on E. side of 14-in. pine tree; wire nail.....	25. 30
Toddville School, 1.1 mi. S. of, 8.0 mi. S. of Conway, 40 ft. E. of center line of U. S. Highway 701, in root on W. side of 12-in. pine tree; wire nail.....	23. 11

From Myrtle Beach quadrangle along Pine Island-Socastee road southwest and southeast to Socastee (by C. T. Duke in 1934)

Socastee, 0.6 mi. NW. of, 5.2 mi. SW. of Pine Island, 15 ft. S. of center line of county rd., 150 ft. W. of dwelling, in root on S. side of 14-in. pine tree; wire nail.....	19. 63
--	--------

YEMASSEE QUADRANGLE

[Latitude 32°30'-32°45'; longitude 80°45'-81°00']

BEAUFORT, COLLETON, HAMPTON, AND JASPER COUNTIES

From Green Pond quadrangle southwest along Atlantic Coast Line Railroad to Yemassee, thence southeast along Charleston & Western Carolina Railway into Okatie quadrangle (by R. G. Clinite in 1917)

Salkehatchie, 2.4 mi. E. of, 4.8 mi. W. of Whitehall, 15 ft. N. and 75 ft. E. from abandoned sta. at Blake siding; iron post stamped "17 1917".....	17. 079
Salkehatchie, 2.4 mi. E. of, in front of abandoned sta. at Blake siding; top of rail.....	18. 2
Salkehatchie, 1.6 mi. E. of, 0.8 mi. W. of Blake siding, in S. side of W. end of trestle; top of bolt.....	14. 25
Salkehatchie, in front of sta.; top of rail.....	18. 1
Salkehatchie, 85 ft. NW. of sta., 45 ft. W. of rd.; iron post stamped "18 1917" (recovered by U. S. C. & G. S. in 1933).....	17. 733
Salkehatchie, 1.0 mi. SW. of, 1.5 mi. NE. of Yemassee, on S. side of W. abutment of trestle, in end of cross-beam; nail.....	15. 37
Yemassee, at intersection of Atlantic Coast Line R. R. and Charleston & Western Carolina Ry.; top of rail.....	25. 6
Yemassee, 220 ft. NE. of intersection of Atlantic Coast Line R. R. and Charleston & Western Carolina Ry., at rear of car and tool house; iron post stamped "Prim Trav Sta No 4 Mac 1917 25".....	24. 217
Yemassee, 0.9 mi. SE. of, 60 ft. S. of crossing of Charleston-Savannah rd., in root of 14-in. oak tree; copper nail.....	10. 14

Yemassee, 2.2 mi. SE. of, 2.6 mi. NW. of Tomotley, 55 ft. NE. of crossing of Union rd., in root of 12-in. oak tree; copper nail-----	<i>Feet</i> 19. 32
Tomotley, 1.5 mi. NW. of, 250 ft. SE. of sawmill siding, in root of 26-in. oak tree; copper nail-----	11. 34
Tomotley, at crossing of Pocotaligo rd.; top of rail-----	23. 3
Tomotley, 25 ft. N. and 40 ft. W. from crossing of Pocotaligo rd.; iron post stamped "25 1917"-----	25. 032
Tomotley, 1.1 mi. SE. of, 1.4 mi. NW. of Sheldon, 250 ft. N. of milepost 93, on E. side of small trestle; top of bolt head-----	6. 11
Sheldon, in front of sta.; top of rail-----	27. 4
Sheldon, 550 ft. S. of sta., 80 ft. NE. of rd. crossing, 37 ft. E. of track; iron post stamped "28 1917"-----	27. 427
Sheldon, 1.2 mi. SE. of, in hamlet of Fairview, 120 ft. SE. of rd. crossing, near siding, in root of 28-in. pine tree; copper nail-----	28. 73
Sheldon, 2.4 mi. SE. of, 240 ft. S. of rd. crossing, on E. side of S. end of small trestle; top of bolt head-----	16. 47
Coosaw, at intersection of Charleston & Western Carolina and Seaboard Air Line Rys.; top of rail-----	13. 8
Coosaw, 53 ft. NE. of center of Ry. intersection; iron post stamped "12 1917"-----	11. 654
Coosaw, 0.9 mi. SE. of, on Ry. bridge over Coosaw River, at center of drawspan; top of rail-----	12. 9
Coosaw River; surface of water at 4:40 p. m. Sept. 19, 1917 (tide-water)-----	-1. 1
Seabrook, S. of sta., at crossing of rd. NE.; top of rail-----	13. 2
Seabrook, 75 ft. E. of rd. crossing, in front of store, in root of 20-in. oak tree; top of iron bolt-----	11. 02
Seabrook, 1.8 mi. SE. of, 300 ft. NW. of milepost 101, 5 ft. S. of S. end of trestle, on E. side of track, in top of pine piling; nail-----	11. 03

From Blake siding on Atlantic Coast Line Railroad southeast along Blake-Combahee Ferry road into Green Pond quadrangle (by R. G. Clinite in 1917)

Cherokee village (formerly Blake), 0.6 mi. NW. of Blake store at, 1.0 mi. SE. of Blake siding, at junction of dim rd. W., in root of forked maple tree; copper nail-----	7. 31
Cherokee village, 0.5 mi. SE. of Blake store at, 1.3 mi. W. of N. entrance to Bluff Farm, on S. side of rd., near ditch, in root of 20-in. maple tree; copper nail-----	24. 39

From Green Pond quadrangle southwest along Seaboard Air Line Railway into Okatie quadrangle (by R. G. Clinite in 1917)

Coosaw, 1.1 mi. NE. of, at Ry. bridge over Coosaw River, on NW. side of track, 65 ft. SW. of central barrel, in ballast plank; copper nail-----	21. 32
Coosaw River; surface of water under Ry. bridge at 10:15 a. m. Oct. 22, 1917 (tidewater)-----	-0. 8
Coosaw, 2.1 mi. SW. of, on Halls Island, at Ry. water tank, on top of southernmost one (nearest track) of concrete bases supporting tank; chiseled square-----	15. 05
Coosaw, 3.1 mi. SW. of, on Halls Island at point 1.0 mi. SW. of Ry. water tank and 1.1 mi. NE. of center of drawspan of Ry. bridge over Broad River, 250 ft. N. of marsh, 180 ft. N. of dwelling of bridge-tender, 58 ft. SE. of center line of track; iron post stamped "8 1917"-----	8. 072

Coosaw, 4.2 mi. SW. of, at Ry. bridge over Broad River, at center of drawspan, at downstream one of two capstans; top of 1½-in. steel shaft-----	Feet 18. 79
Broad River; surface of water at 9:45 a. m. Sept. 28, 1917 (tidewater)-----	1. 4
Fairlawn, 1.5 mi. NE. of, 6.3 mi. SW. of Coosaw, on Deloss Point, about 0.5 mi. E. of dwelling of Caesar Huguenins, 1,100 ft. SW. of bridge over Boyds Creek, 30 ft. NW. of center line of track, in fence line; iron post stamped "Prim Trav Sta No 32 Mac 1917 15"-----	14. 414

From Tomotley along roads northwest to Pocotaligo, thence southwest along Charleston-Savannah road to Coosawhatchie, thence west and northwest into Pineland quadrangle at point 1.5 miles north of Gillisonville (by R. G. Clinite in 1917)

[Line jogs into Pineland quadrangle]

Tomotley, 1.1 mi. NW. of, 350 ft. W. of swamp, on N. side of rd., in root of 22-in. oak tree; copper nail-----	10. 31
Tomotley, 2.2 mi. NW. of, 1.2 mi. E. of Pocotaligo, on S. side of rd., in front of farmhouse of Max Barry, in front of 48-in. oak tree; copper nail-----	21. 92
Pocotaligo, about 0.8 mi. SW. of, 200 ft. E. of Frampton mill, 60 ft. SE. of rd. fork, on S. side of Charleston-Savannah rd.; iron post stamped "35 1917"-----	35. 130
Pocotaligo, about 2 mi. SW. of, 60 ft. S. of St. Phillip's Church, in root of 30-in. pine tree; copper nail-----	33. 99
Pocotaligo, 3.4 mi. SW. of, 2.1 mi. NE. of Coosawhatchie, 60 ft. W. of junction of rd. E., in root of 40-in. pine tree; copper nail-----	44. 90
Coosawhatchie, 1.1 mi. NE. of, in SW. angle of crossroads, 120 ft. S. of store, in root of 22-in. oak tree; copper nail-----	13. 70
Coosawhatchie, 63 ft. W. of platform at S. end of Atlantic Coast Line R. R. sta., 20 ft. N. and 15 ft. W. from rd. crossing, 8 ft. NE. of crossing signpost, on bank, about 4 ft. above track; iron post stamped "Prim Trav Sta No 3 Mac 1917 21" (recovered by U. S. C. & G. S. in 1933)-----	21. 394
Coosawhatchie, 1.5 mi. W. of, 3.0 mi. SE. of Gillisonville, 50 ft. SE. of junction of rd. NW., on S. side of rd., in root of 28-in. pine tree; copper nail-----	47. 51
Gillisonville, 1.9 mi. SE. of, 1,000 ft. NW. of sawmill, on N. side of rd., in fence line, in root of 14-in. hickory tree; nail-----	73. 96
Gillisonville, 0.8 mi. SE. of, in center of triangle at junction of rd. SW. to Ridgeland, in root of 38-in. oak tree; wire nail-----	84. 40
Gillisonville, 0.7 mi. NE. of public school, 4.3 mi. SE. of Grays, 50 ft. NW. of junction of Grays-Coosawhatchie rd. with rd. SW. to Gillisonville, in root of 12-in. oak tree; wire nail-----	60. 31

From Pineland quadrangle near Grays east and northeast along roads to Early Branch, thence east and southeast to Yemassee (by R. G. Clinite in 1917)

Grays, 2.1 mi. E. of, 2.7 mi. SW. of Possum Corner Bridge over Coosawhatchie River, on N. side of rd., opposite small swamp, in edge of woods, in root of 14-in. gum tree; wire nail-----	86. 15
Possum Corner Bridge, 1.2 mi. SW. of, at Possum Corner, 25 ft. S. and 25 ft. E. from center of junction of rd. NW., at edge of small grove; iron post stamped "79 1917"-----	79. 342
Possum Corner Bridge, near center of NW. side, in floor; head of nail--	24. 70

Possum Corner Bridge, 1.7 mi. NE. of, 2.4 mi. SW. of Early Branch, on SW. side of old Augusta rd. and in line with center of rd. NE. to Early Branch, 14 in. E. of fence; iron post stamped "74 1917"-----	<i>Feet</i> 73. 454
Early Branch, 1.3 mi. SW. of, on S. side of rd. at curve, in root of 14-in. pine tree; nail-----	75. 59
Early Branch, 150 ft. W. of Charleston & Western Carolina Ry. sta., in root of 22-in. pine tree; nail-----	78. 04
Early Branch, 1.0 mi. E. of sta., on N. side of rd., opposite gate to field, in root of 11-in. pine tree; nail-----	73. 98
Early Branch, 2.6 mi. E. of, 2.2 mi. SE. of Mount Olive Church, 4.8 mi. NW. of Yemassee, 15 ft. E. of center of junction of Beaufort-Barnwell rd.; iron post stamped "Prim Trav Sta No 31 Mac 1917 78"-----	77. 833
Yemassee, 3.5 mi. NW. of, on SW. side of rd., at SE. corner of fence around farmhouse of C. F. Gotch, in root of 14-in. hickory tree; nail-----	61. 46
Yemassee, 2.5 mi. NW. of, 400 ft. S. of small bridge, on SW. side of rd., in root of 26-in. oak tree; copper nail-----	18. 05
Yemassee, 1.5 mi. NW. of, 75 ft. E. of Jones Chapel, in root of 15-in. oak tree; copper nail and washer-----	44. 27

From Okatie quadrangle near Ridgeland northwest along Ridgeland-Gillisonville road into Pineland quadrangle (by R. G. Clinite in 1917)

Ridgeland, 2.1 mi. NW. of, 0.7 mi. SE. of Liveoak School, in E. angle of junction of second-class rd. N., in root of 20-in. pine tree; nail--	83. 19
---	--------

From Cummings quadrangle southeast along Columbia-Savannah road to Charleston-Savannah road, thence south along second-class road to Salkehatchie (by D. S. Birkett in 1918)

Salkehatchie, 3.0 mi. NW. of Atlantic Coast Line R. R. sta., NW. of village of Jonesville, 200 ft. W. of school, at intersection of second-class rd., 30 ft. W. of rd., on top of iron rail marking land corner; chiseled cross-----	66. 07
Salkehatchie, 2.0 mi. N. of, 0.5 mi. N. of Ritter Mill, S. of village of Jonesville, on W. side of rd. at T-junction of second-class rd. NE., in root of large oak tree; copper nail-----	44. 15
Salkehatchie, 0.6 mi. N. of, 1.0 mi. SW. of Ritter Mill, 50 ft. NW. of intersection of Charleston-Savannah rd., in root of large pine tree; copper nail-----	12. 96

SUPPLEMENTAL ELEVATIONS

The table below shows altitudes of well-known features in South Carolina, such as summits, water surfaces, and tops of rails at railroad stations, as assembled from the topographic maps of the Geological Survey and from other sources.⁷¹ These altitudes with the exception of a few which were determined by spirit leveling along railroads were obtained by barometric and vertical-angle measurements. The figures given are in accord with the latest information, but they are only approximate and should not be used for accurate work

Supplemental elevations in South Carolina

Location	County	Elevation (feet)
Abbeville, Southern Ry	Abbeville	535
Abbeville, S. A. L. Ry	Abbeville	520
Acton, A. C. L. R. R.	Richland	180
Adams Run, A. C. L. R. R.	Charleston	24
Aiken, Southern Ry	Aiken	490
Airlee, C. & N.W. Ry	Chester	599
Alcolu, A. C. L. R. R.	Clarendon	113
Allendale, C. & W. C. Ry	Allendale	186
Allendale, Southern Ry	Allendale	191
Alston, Southern Ry	Fairfield	259
Andrews, S. A. L. Ry	Georgetown-Wil- liamsburg.	37
Apia, Southern Ry	Aiken	418
Appleton, C. & W. C. Ry	Allendale	256
Ariel Mountain	Pickens	1,400
Arthur, Southern Ry	Lexington	346
Ashepoo, A. C. L. R. R.	Colleton	9
Ashleigh, Southern Ry	Barnwell	282
Ashley Junction, A. C. L. R. R.	Charleston	24
Ashley Phosphate, Southern Ry	Charleston	30
Atkins, A. C. L. R. R.	Lee	102
Bamberg, Southern Ry	Bamberg	172
Barksdale, C. & W. C. Ry	Laurens	766
Barnwell, A. C. L. R. R.	Barnwell	187
Barnwell, Southern Ry	Barnwell	220
Barr, Southern Ry	Lexington	458
Batesburg, Southern Ry	Lexington	656
Bath, Southern Ry	Aiken	179
Beaufort, C. & W. C. Ry	Beaufort	15
Beldoc, C. & W. C. Ry	Allendale	111
Belton, Southern Ry	Anderson	896
Bennetts, Southern Ry	Spartanburg	945
Bennettsville, A. C. L. R. R.	Marlboro	151
Berry Pond, water surface	Spartanburg	706
Bethune, S. A. L. Ry	Kershaw	269
Big Rock Mountain	Pickens	2,000
Blacks Mound	Kershaw	320
Blacksburg, Southern Ry	Cherokee	750
Blackstock, Southern Ry	Fairfield	615
Blackville, Southern Ry	Barnwell	295

⁷¹ Gannett, Henry, A dictionary of altitudes in the United States (fourth edition): U. S. Geol. Survey Bull. 274, pp. 908-915, 1906.

Location	County	Elevation (feet)
Blair, Southern Ry	Fairfield	293
Blaney, S. A. L. Ry	Kershaw	420
Blythewood, Southern Ry	Richland	498
Bogg Mountain	Pickens	1, 300
Bonneau, A. C. L. R. R.	Berkeley	60
Bowlin, C. & NW. Ry	York	762
Bowyer, A. C. L. R. R.	Orangeburg	93
Boyden Arbor Pond, water surface	Richland	194
Boykin, Southern Ry	Kershaw	171
Boykin Millpond, water surface	Kershaw	147
Bradley, C. & W. C. Ry	Greenwood	578
Branchville, Southern Ry	Orangeburg	125
Brissey Ridge	Greenville	1, 722
Brogdon, A. C. L. R. R.	Sumter	131
Brown Mountain	Pickens	2, 100
Browns Mountain	Cherokee	1, 020
Brunson, C. & W. C. Ry	Hampton	133
Bryant Mountain	Greenville	3, 002
Buck Hill	Kershaw	470
Bushy Ridge	York	1, 040
Butler Hill	Greenville	1, 180
Buzzard Mountain	Greenville	2, 100
Buzzard Roost Mountain	Oconee	1, 700
Byrd, Southern Ry	Dorchester	84
Cades, A. C. L. R. R.	Williamsburg	69
Calhoun, Southern Ry	Pickens	727
Calhoun Falls, S. A. L. Ry	Abbeville	506
Calton Mountain	Pickens	1, 700
Camden, Southern Ry	Kershaw	175
Camden, S. A. L. Ry	Kershaw	205
Camden Crossing, A. C. L. R. R.	Sumter	132
Camden Junction, Southern Ry	Sumter	140
Cameron, A. C. L. R. R.	Calhoun	177
Campbell Mountain	Greenville	2, 500
Campobello, Southern Ry	Spartanburg	968
Campton, Southern Ry	Spartanburg	875
Canas, S. A. L. Ry	Abbeville	420
Canadys, crossing of logging R. R. and U. S. Highway 401.	Colleton	84
Cannon Mountain	Pickens	1, 400
Carlisle, S. A. L. Ry	Union	448
Carlisle, Southern Ry	Union	492
Cartersville, A. C. L. R. R.	Florence	98
Carys Lake, water surface	Richland	188
Cash, A. C. L. R. R.	Chesterfield	135
Cassatt, S. A. L. Ry	Kershaw	399
Catawba, S. A. L. Ry	York	565
Catawba Junction, Southern Ry	York	587
Cave, Southern Ry	Allendale	270
Cayce, S. A. L. Ry	Lexington	196
Cayce, Southern Ry	Lexington	198
Cedar Creek Mountain	Pickens	1, 900
Cedar Rock Mountain	Pickens	1, 600
Central, Southern Ry	Pickens	910
Chappell, Southern Ry	Newberry	389
Charleston, A. C. L. R. R.	Charleston	8
Cheraw, S. A. L. Ry	Chesterfield	150
Chester, Southern Ry	Chester	537
Childs, Southern Ry	Richland	170
Claremont, Southern Ry	Sumter	138
Clarks Hill, C. & W. C. Ry	McCormick	453

Location	County	Elevation (feet)
Clifton, Southern Ry	Spartanburg	720
Clinton, S. A. L. Ry	Laurens	656
Clover, C. & NW. Ry	York	809
Cobbs Pond, water surface	Richland	253
Cold Branch Mountain	Greenville	3,424
Coleman Pond, water surface	Aiken	299
Colonial Lake, water surface	Kershaw	232
Columbia, S. A. L. Ry	Richland	258
Columbia, Southern Ry	Richland	206
Conestee Lake, water surface	Greenville	795
Congaree, A. C. L. R. R.	Richland	236
Converse, Southern Ry	Spartanburg	737
Conway, crossing of A. C. L. R. R. and U. S. Highway 117.	Horry	12
Coosawhatchie, A. C. L. R. R.	Jasper	14
Cope, A. C. L. R. R.	Orangeburg	197
Cordova, A. C. L. R. R.	Orangeburg	245
Cornwell, Southern Ry	Chester	630
Coward, A. C. L. R. R.	Florence	84
Cowpens, Southern Ry	Spartanburg	830
Creston, A. C. L. R. R.	Calhoun	161
Cross Hill, S. A. L. Ry	Laurens	583
Darlington, A. C. L. R. R.	Darlington	155
Darraugh, Southern Ry	Abbeville	607
Davis Mountain	Pickens	1,610
Dawkins, Southern Ry	Fairfield	284
De Kalb, Southern Ry	Kershaw	410
Delphia, C. & NW. Ry	York	733
Delta, S. A. L. Ry	Union	375
Denmark, A. C. L. R. R.	Bamberg	244
Dillon, A. C. L. R. R.	Dillon	114
Dinber, C. & NW. Ry	Chester	635
Dixiana, S. A. L. Ry	Lexington	186
Dorchester, Southern Ry	Dorchester	108
Double Spring Mountain	Pickens	2,200
Dover, S. A. L. Ry	Laurens	620
Dovesville, A. C. L. R. R.	Darlington	177
Drawdy, A. C. L. R. R.	Colleton	47
Drayton Hall, A. C. L. R. R.	Spartanburg	8
Draytonville Mountain	Cherokee	1,002
Dukes, S. A. L. Ry	Hampton	107
Dunbarton, A. C. L. R. R.	Barnwell	248
Duncan, Southern Ry	Spartanburg	850
Early Branch, C. & W. C. Ry	Hampton	73
Easley, Southern Ry	Pickens	1,094
Eastover, A. C. L. R. R.	Richland	193
Ebenezer, A. C. L. R. R.	Florence	79
Edgemoor, S. A. L. Ry	Chester	535
Edisto, Southern Ry	Charleston	115
Effingham, A. C. L. R. R.	Florence	108
Elko, Southern Ry	Barnwell	340
Ellenton, C. & W. C. Ry	Aiken	155
Elloree, A. C. L. R. R.	Orangeburg	169
Elliott, A. C. L. R. R.	Lee	175
Estill, S. A. L. Ry	Hampton	114
Eutawville, A. C. L. R. R.	Orangeburg	115
Fairfax, S. A. L. Ry	Allendale	139
Fair Forest, Southern Ry	Spartanburg	851
Felder, Southern Ry	Orangeburg	191

Location	County	Elevation (feet)
Ferebee, Southern Ry	Jasper	20
Fifty-Eight, Southern Ry	Orangeburg	141
Florence, A. C. L. R. R.	Florence	142
Floyd, A. C. L. R. R.	Darlington	168
Fogle Pond, water surface	Orangeburg	195
Forest Lake, water surface	Richland	168
Foreston, A. C. L. R. R.	Clarendon	89
Fork, R. & C. R. R.	Dillon	96
Fort Mill, Southern Ry	York	626
Fort Motte, Southern Ry	Calhoun	125
Fountain Inn, C. & W. C. Ry	Greenville	864
Fox Squirrel Ridge	Pickens	1,500
Francis Marion Tomb	Berkeley	60
Fredonia, Southern Ry	Lexington	605
Frost, Southern Ry	Richland	187
Gadsden, Southern Ry	Richland	151
Gaffney, Southern Ry	Cherokee	773
Garlington, S. A. L. Ry	Laurens	382
Garnett, S. A. L. Ry	Hampton	78
Gary, C., N. & L. R. R.	Newberry	589
Gaston, S. A. L. Ry	Lexington	509
Gifford, S. A. L. Ry	Hampton	138
Glassy Mountain	Pickens	1,715
Golden Grove, Southern Ry	Greenville	900
Goldville, C., N. & L. R. R.	Laurens	607
Gourdin, A. C. L. R. R.	Williamsburg	65
Govan, S. A. L. Ry	Bamberg	245
Gramling, Southern Ry	Spartanburg	987
Graniteville, Southern Ry	Aiken	244
Gravel Hill	Barnwell	230
Gray Court, C. & W. C. Ry	Laurens	799
Greeleyville, A. C. L. R. R.	Williamsburg	75
Green Mountain	Greenville	2,040
Green Pond, A. C. L. R. R.	Colleton	25
Greenville, Southern Ry	Greenville	989
Greenwood, S. A. L. Ry	Greenwood	625
Hagood, Southern Ry	Sumter	160
Hancock, S. A. L. Ry	Lancaster	478
Hardeeville, A. C. L. R. R.	Beaufort-Jasper	21
Harmony, S. A. L. Ry	York	584
Hartsville, S. A. L. Ry	Darlington	219
Heath Springs, Southern Ry	Lancaster	688
Helena, Southern Ry	Newberry	532
Henry Knob	York	1,200
Hibernia, Southern Ry	Saluda	638
Hibernian Park, Southern Ry	Charleston	13
Hicklin, S. A. L. Ry	Chester	522
Hickory Nut Mountain	Pickens	1,520
Hickson, S. A. L. Ry	Darlington	225
Hightower Pond, water surface	Bamberg	178
Hilda, A. C. L. R. R.	Barnwell	261
Hodges, Southern Ry	Greenwood	714
Hogback Mountain, Hogback Δ (U. S. C. & G. S.)	Greenville	3,226
Hoghead Mountain	Greenville	3,000
Honea Path, Southern Ry	Anderson	810
Hope, Southern Ry	Newberry	297
Hopkins, Southern Ry	Richland	167
Horse Mountain	Pickens	2,919

Location	County	Elevation (feet)
Jackson Δ (U. S. C. & G. S.)	Richland	412
Jacksonboro, A. C. L. R. R.	Colleton	13
Jalapa, C. N. & L. R. R.	Newberry	576
Jamison, Southern Ry	Orangeburg	331
Jedburg, Southern Ry	Dorchester	64
Jefferson Mountain	Cherokee	840
Joes Mountain	York	1,020
Johnston, Southern Ry	Edgefield	669
Jonesville, Southern Ry	Union	674
Jordans Pond, water surface	Aiken	322
Kemper, R. & C. R. R.	Dillon	108
Killian, Southern Ry	Richland	322
Kimberly, S. A. L. Ry	Chesterfield	128
Kinards, C. N. & L. R. R.	Newberry	589
Kingstree, A. C. L. R. R.	Williamsburg	55
Kingsville, Southern Ry	Richland	103
Kline, Southern Ry	Barnwell	254
Kollocks, S. A. L. Ry	Marlboro	132
Ladson, Southern Ry	Charleston	47
Lake City, A. C. L. R. R.	Florence	73
Lake Echee, water surface	Barnwell	135
Lamar, A. C. L. R. R.	Darlington	175
Lanes, A. C. L. R. R.	Williamsburg	68
Langley, Southern Ry	Aiken	175
Latta, A. C. L. R. R.	Dillon	108
Laughlin, A. C. L. R. R.	Marion	66
Laurel Branch Mountain	Pickens	2,400
Laurens, C. N. & L. R. R.	Laurens	589
Leeds, S. A. L. Ry	Chester	366
Lees, Southern Ry	Bamberg	270
Leesville, Southern Ry	Lexington	664
Lewis, Southern Ry	Chester	561
Lexington, Southern Ry	Lexington	367
Liberty, Southern Ry	Pickens	1,006
Lincolnvile, Southern Ry	Charleston	71
Little Mountain	Greenville	1,600
Little Mountain	Lexington	800
Little Pinnacle	Greenville	2,700
Little Rich Mountain	Greenville	3,100
Livingston, S. A. L. Ry	Orangeburg	356
Lone Star, A. C. L. R. R.	Calhoun	170
Long Mountain	Oconee	2,320
Longnose Mountain	Oconee	1,765
Lota, S. A. L. Ry	Greenwood	488
Lugoff, S. A. L. Ry	Kershaw	218
Luray, S. A. L. Ry	Hampton	141
Lylesford, Southern Ry	Fairfield	299
Lynchburg, A. C. L. R. R.	Lee	99
McBee, S. A. L. Ry	Chesterfield	473
McColl, A. C. L. R. R.	Marlboro	189
McCormick, C. & W. C. Ry	McCormick	523
McGowan Mountain	Cherokee	820
Madison, Southern Ry	Oconee	778
Magnolia, Southern Ry	Charleston	13
Manchester, Southern Ry	Sumter	204
Manning, A. C. L. R. R.	Clarendon	91
Marion, A. C. L. R. R.	Marion	68
Mars Bluff, A. C. L. R. R.	Florence	101
Martin, C. & W. C. Ry	Allendale	619

Location	County	Elevation (feet)
Mascot, Southern Ry	Spartanburg	1, 042
Mauldin, C. & W. C. Ry	Greenville	934
Mauldin Mountain	Pickens	1, 320
Mayesville, A. C. L. R. R.	Sumter	145
Meriwether, C. & W. C. Ry	McCormick	332
Middendorf, S. A. L. Ry	Chesterfield	315
Middleton, Southern Ry	Sumter	134
Midland Park, Southern Ry	Charleston	35
Midway, Southern Ry	Bamberg	150
Millet, C. & W. C. Ry	Allendale	129
Moncks Corner, A. C. L. R. R.	Berkeley	53
Monetta, Southern Ry	Aiken-Saluda	642
Montgomery, Southern Ry	Richland	198
Montmorenci, Southern Ry	Aiken	494
Moore's Pond, water surface	Richland	237
Mount Holly, A. C. L. R. R.	Berkeley	42
Mount Pleasant△(U. S. C. & G. S.)	Richland	505
Mountville, S. A. L. Ry	Laurens	626
Mullins, A. C. L. R. R.	Marion	103
Musterground Mountain	Pickens	2, 200
Myrtle Beach, A. C. L. R. R.	Horry	29
Neece, S. A. L. Ry	Orangeburg	284
Newberry, Southern Ry	Newberry	492
Newmarket, Southern Ry	Greenwood	636
Nichols, A. C. L. R. R.	Marion	58
Ninety Six, Southern Ry	Greenwood	571
Nob△(U. S. C. & G. S.)	Richland	420
North, S. A. L. Ry	Orangeburg	291
Oakley, A. C. L. R. R.	Berkeley	22
Oakwood, Southern Ry	Aiken	454
Olar, S. A. L. Ry	Bamberg	201
Old Town, Southern Ry	Newberry	386
Orangeburg, A. C. L. R. R.	Orangeburg	195
Orangeburg, Southern Ry	Orangeburg	247
Osborn Mountain	Greenville	2, 000
Osceola, S. A. L. Ry	Lancaster	475
Oswego, A. C. L. R. R.	Sumter	157
Otranto, A. C. L. R. R.	Berkeley	25
Otside, S. A. L. Ry	Bamberg	169
Owings, C. & W. C. Ry	Laurens	835
Pacolet, Southern Ry	Spartanburg	718
Pages Mill, R. & C. R. R.	Dillon	87
Palmetto, A. C. L. R. R.	Darlington	135
Paris Mountain, Paris△(U. S. C. & G. S.)	Greenville	2, 047
Parksville, C. & W. C. Ry	McCormick	348
Parlers, A. C. L. R. R.	Orangeburg	151
Parr, Southern Ry	Fairfield	291
Parson Mountain	Abbeville	705
Patrick, S. A. L. Ry	Chesterfield	236
Peak, Southern Ry	Newberry	252
Pee Dee, A. C. L. R. R.	Marion	63
Pelzer, Southern Ry	Anderson	828
Pendleton, Blue Ridge Ry	Anderson	817
Perry, Southern Ry	Aiken	653
Persimmon Mountain	Oconee	2, 820
Pickens, Pickens R. R.	Pickens	1, 085
Piedmont, Southern Ry	Greenville	821
Pine Island, A. C. L. R. R.	Horry	27
Pine Mountain	Oconee	1, 540

Location	County	Elevation (feet)
Pinewood, A. C. L. R. R.	Sumter	193
Piney Mountain	Greenville	1, 371
Pink Mountain	Pickens	1, 800
Pinnacle Mountain, Pinnacle Δ (U. S. C. & G. S.).	Pickens	3, 413
Pleasant Hill, Southern Ry.	Lancaster	732
Plum Branch, C. & W. C. Ry.	McCormick	460
Pomaria, Southern Ry.	Newberry	333
Ponpon, A. C. L. R. R.	Charleston	8
Poor Mountain	Oconee	1, 824
Port Royal, C. & W. C. Ry.	Beaufort	5
Potato Hill Mountain	Pickens	1, 700
Potato Top	Oconee	1, 500
Pregnall, Southern Ry.	Dorchester	88
Pride, S. A. L. Ry.	Union	347
Privateer, A. C. L. R. R.	Sumter	175
Prosperity, Southern Ry.	Newberry	550
Quartemas Hill	Bamberg	220
Quinine Hill	Richland	350
Rantowles, A. C. L. R. R.	Charleston	13
Raven Cliff	Greenville	3, 100
Ravenel, A. C. L. R. R.	Charleston	31
Reeces Mountain	Pickens	1, 600
Reedy Mountain	Greenville	3, 000
Reevesville, Southern Ry.	Dorchester	113
Remini, A. C. L. R. R.	Clarendon	128
Renno, S. A. L. Ry.	Laurens	503
Rhett, Southern Ry.	Barnwell	473
Rich Mountain	Greenville	3, 000
Rich Mountain	Oconee	1, 620
Richland, Southern Ry.	Oconee	829
Ridge Spring, Southern Ry.	Saluda	640
Ridgeland, A. C. L. R. R.	Jasper	57
Ridgeville, Southern Ry.	Dorchester	76
Ridgeway, Southern Ry.	Fairfield	619
Riley, Southern Ry.	Calhoun	325
Robbins, C. & W. C. Ry.	Barnwell	118
Rocky Bald Mountain	Pickens	2, 120
Rocky Mountain	Greenville	2, 300
Rocky Mountain	Pickens	3, 300
Rodman, S. A. L. Ry.	Chester	566
Rogers, R. & C. R. R.	Marion	104
Roper Mountain	Greenville	1, 197
Rosom Hill	Dorchester	52
Rowesville, Southern Ry.	Orangeburg	168
St. Charles, A. C. L. R. R.	Lee	173
St. George, crossing of Southern Ry. and U. S. Highway 401.	Dorchester	103
St. Matthews, Southern Ry.	Calhoun	252
St. Stephens, A. C. L. R. R.	Berkeley	76
Salak, S. A. L. Ry.	Greenwood	612
Salkehatchie, A. C. L. R. R.	Colleton	14
Salley, Southern Ry.	Aiken	377
Salters, A. C. L. R. R.	Williamsburg	71
Saluca, S. A. L. Ry.	Greenwood	533
Saluda, Augusta Northern Ry.	Saluda	450
Saluda Lake, water surface	Greenville-Pickens	847
Sandy River, S. A. L. Ry.	Chester	355
Sandy Springs, Blue Ridge Ry.	Anderson	787

Location	County	Elevation (feet)
Santuc, Southern Ry	Union	513
Sassafras Mountain, S. C.-N. C. State line (highest point thus far determined).	Pickens - Transylvania.	3, 548
Scotia, S. A. L. Ry	Hampton	95
Scranton, A. C. L. R. R.	Florence	87
Seigling, Southern Ry	Allendale	219
Sellers, A. C. L. R. R.	Dillon-Marion	83
Seneca, Southern Ry	Oconee	945
Sevenmile, Southern Ry	Charleston	24
Sheldon, C. & W. C. Ry	Beaufort	21
Shelton, Southern Ry	Fairfield	315
Shepard, S. A. L. Ry	Kershaw	368
Sigsbee, Southern Ry	Spartanburg	913
Silver Mine Ridge	Cherokee	845
Silverstreet, Southern Ry	Newberry	466
Simpson, Southern Ry	Fairfield	606
Simpsonville, C. & W. C. Ry	Greenville	871
Singleton, Southern Ry	Calhoun	265
Six Mile Mountain	Pickens	1, 610
Sixty-Six, Southern Ry	Orangeburg	149
Smith, Southern Ry	York	534
Smitten Rock	Greenville	3, 100
Snelling, A. C. L. R. R.	Barnwell	233
Society Hill, A. C. L. R. R.	Darlington	91
Spalding, S. A. L. Ry	Kershaw	241
Spartanburg, Southern Ry	Spartanburg	775
Spence, S. A. L. Ry	York	616
Springdell, Southern Ry	Lancaster	556
Springfield, Southern Ry	Orangeburg	304
Squires, R. & C. R. R.	Dillon	82
Standingstone Mountain, S. C.-N. C. State line.	Greenville-Henderson.	3, 200
State Farm, Southern Ry	Sumter	167
Stilton, Southern Ry	Orangeburg	295
Stockton, Southern Ry	Kershaw	153
Stool, The	Pickens	2, 500
Strawberry, A. C. L. R. R.	Berkeley	33
Strother, Southern Ry	Fairfield	292
Stumphouse Mountain	Oconee	1, 510
Summerville, Southern Ry	Dorchester	70
Summit, Southern Ry	Lexington	613
Sumter, A. C. L. R. R.	Sumter	169
Sumter Junction, Southern Ry	Sumter	103
Swansea, S. A. L. Ry	Lexington	330
Sycamore, S. A. L. Ry	Allendale	151
Table Rock	Pickens	3, 157
Tamassee Knob	Oconee	1, 797
Tatum, A. C. L. R. R.	Marlboro	195
Taylor, Southern Ry	Greenville	937
Tenmile, Southern Ry	Charleston	44
Thicketty, Southern Ry	Cherokee	614
Timmonsville, A. C. L. R. R.	Florence	91
Trenton, Southern Ry	Edgefield	631
Troy, C. & W. C. Ry	Greenwood	516
Turkey Cock Mountain	Pickens	1, 900
Ulmers, S. A. L. Ry	Allendale	162
Union, Southern Ry	Union	627
Vance, A. C. L. R. R.	Orangeburg	131
Van Wyck, S. A. L. Ry	Lancaster	472

Location	County	Elevation (feet)
Varnville, C. & W. C. Ry	Hampton	101
Vaocluse, Southern Ry	Aiken	307
Vaughn Pond, water surface	Kershaw	212
Walhalla, Blue Ridge Ry	Oconee	1,030
Walker, Southern Ry	Barnwell	300
Walnut Mountain	Greenville	2,765
Walterboro, A. C. L. R. R.	Colleton	71
Ward, Southern Ry	Saluda	672
Warrens, C. & W. C. Ry	Allendale	528
Warrenville, Southern Ry	Aiken	225
Wateree, Southern Ry	Richland	113
Wateree Pond, water surface	Kershaw	226
Watts, S. A. L. Ry	Abbeville	505
Waynor, S. A. L. Ry	Orangeburg	239
Weddell, S. A. L. Ry	Richland	330
Weddell Δ (U. S. C. & G. S.)	Richland	445
Wedgefield, A. C. L. R. R.	Sumter	249
Wellford, Southern Ry	Spartanburg	844
West, Southern Ry	Charleston	17
Westminster, Southern Ry	Oconee	930
Weston, Southern Ry	Richland	171
Whaley, Southern Ry	Barnwell	233
Whitaker Mountain	Cherokee	1,160
White Hall, A. C. L. R. R.	Colleton	12
White Oak, Southern Ry	Fairfield	543
White Pond, Southern Ry	Aiken	363
White Pond, water surface	Kershaw	298
Whitmire, S. A. L. Ry	Newberry	415
Williamston, Southern Ry	Anderson	817
Williston, Southern Ry	Barnwell	352
Wilsons Mill, A. C. L. R. R.	Clarendon	119
Windsor, Southern Ry	Aiken	394
Windsor Hills	Berkeley	40
Winona, A. C. L. R. R.	Florence	99
Woodall Mountain	Pickens	1,600
Woodford, S. A. L. Ry	Orangeburg	395
Woodstock, Southern Ry	Charleston	22
Worth Mountain	York	680
Yale, Southern Ry	Barnwell	229
Yemassee, A. C. L. R. R.	Beaufort-Hampton	26
Zion, R. & C. R. R.	Marion	104

INDEX

	A	Page
Action	557, 559, 560	
Adams Run		524
Adrian		512
Aiken	464-465, 468, 474, 706	
Aiken quadrangle	464-468	
Aicou		607, 609
Allen		512
Allen Chapel (Olar quadrangle)		628
Allen's Chapel (Allendale quadrangle)		470
Allendale	468, 469, 472, 645, 646	
Allendale quadrangle	468-472	
Andrew Chapel		683
Andrews		564, 709
Annandale plantation		686
Antioch		509, 637
Antioch Church (Kingstree quadrangle)		590
Antioch Church (Parksville quadrangle)		511, 643
Apa		464
Appleton		468
Aral Crossroads		578
Arthur	540, 542, 543	
Ashepool		569, 719
Ashepool siding		538
Ashepool Terminal		540
Ashley Church		654-655
Ashley Junction		500, 652
Ashley River		652
Ashley River, bridge over		652
Attaway Crossing		533
Augusta		473
Augusta quadrangle	472-475	
Awendaw		475
Awensdaw quadrangle	475-478	
Aynor		514

B

Badham	674
Baldock (Beldoc)	468-469, 472
Bamberg	478-479, 481, 630
Bamberg quadrangle	478-482
Barnwell	469, 470, 472, 731, 733
Barr	595-596
Bartells Crossroads	582-583
Barwick's store	563-564
Batesburg	482, 484, 487, 488
Batesburg quadrangle	482-488
Bath	726
Bayboro	511, 513
Baynham	729-730
Bear Bluff landing on Waccamaw River	616
Beards Island	539
Beaufort	555
Beautiful Gate Church	472
Beaver Creek School	683

	Page
Beaverdam Creek, bridge over	648
Beech Island	473
Beldoe	468-469, 472
Bells Crossing	485, 533
Bells Crossroads	520
Bellville School	680
Belser Crossroads	590-591, 593
Belt Branch, bridge over	609
Belvedere	728
Benchmarks, classes of	459
forms of	459-462, pl. 1
how set	461
preservation and restoration of	462
Bennett	652, 655
Bereah Church	536
Berry Hill	653
Bethany Church	477
Bethel Church (Kingstree quadrangle)	594
Bethel Church (Orangeburg quadrangle)	636
Bethel Church (Parksville quadrangle)	641, 642
Bethel Church (Pineland quadrangle)	650
Bethel Church (Ridgeville quadrangle)	665
Bethel Church (St. Matthews quadrangle)	683
Bethera	475, 519, 520, 709
Bethesda Methodist Episcopal Church	581
Bethlehem Church (Rimini quadrangle)	553, 667
Beulah Church	677
Big Forks School	470, 471
Diggs, L. F., leveling by	508-510, 557, 572-573, 637
Birkett, D. S., leveling by	469-472, 473-475,
510-511, 528-531, 532, 628, 631, 646,	
714-716, 723, 726-729, 731, 747.	
Black Creek, bridge over	600
Black Creek Church (Cummings quadrangle)	530
Black Creek Church (Eutawville quadrangle)	561
Black Mingo Church	658
Black Mingo Creek, bridge over	658
Black River	583
Black River, bridge over	594
Blackoak Church (Chicora quadrangle)	491, 505,
	506, 507
Blackville	481, 731, 733-734
Blairs Ford across Stevens Creek	638, 639
Blake (Cherokee village)	745
Blake Church	696
Blako siding	744, 745
Blakely	490, 491, 586, 589, 709-710
Blands Bridge over Ashley River	527
Bloomington School	483-484
Bloomville	608
Blossom School	580
Bluehouse Corners	721
Bluff Farm (Combahee Corporation)	570
Bluffton	489, 627,
Bluffton quadrangle	486

	Page		Page
Bobbitt, T. T., leveling by.....	558, 703	Carvers Bay store.....	657, 658
Boiling Springs School.....	598	Cary Hill Church.....	509
Bolen.....	479-480, 735	Catchall.....	557, 703
Bonneau.....	490, 491, 493, 494	Cave (Thomas).....	469
Bonneau quadrangle.....	489-494	Cayce.....	540, 541-542, 574
Bordeaux.....	601	Cedar Grove Church (Indiantown quad- rangle).....	584, 586
Borough School.....	539	Cedar Grove Church (Parksville quadrangle).....	637
Bostie Crossroads.....	620	Cedar Grove Lutheran Church (Lexington quadrangle).....	596-597
Bouknight.....	532	Cedar Grove School (Conway quadrangle).....	517
Bowman.....	497-498, 636	Cedar Grove School (Elloree quadrangle).....	496,
Bowman quadrangle.....	495-499		547, 548, 549
Bowyer.....	552	Cedar Swamp School.....	584
Bradley.....	603	Central.....	686-687, 688, 689
Branchville.....	606, 631, 634, 635	Central Church.....	624
Brickhouse School.....	718	Central School.....	468, 538, 730
Brighton.....	696	Chandler.....	702
Briner Church.....	551	Charity Church.....	503
Britton.....	701	Charleston.....	500, 503
Britton Ferry landing on Pee Dee River.....	661,	Charleston quadrangle.....	500-504
	740-741	Cherokee village (Blake).....	745
Broad River.....	746	Chestnut Crossroads.....	618
Brockington.....	591	Chicora.....	504
Brogden.....	610, 701, 702	Chicora quadrangle.....	504-508
Brooks Crossroads.....	578	Christ Church.....	501
Brooksville.....	724	Christ Church Academy.....	501
Brown triangulation station.....	614	Clarks Hill.....	508
Browns Chapel School.....	572-573, 574-575, 576	Clarks Hill quadrangle.....	508-511
Browns Crossroads.....	587, 591	Classification of leveling.....	458-459
Browns Ferry across Black River.....	659	Clinite, R. G., leveling by.....	489,
Browns store.....	622, 624		495, 504-505, 518-519, 524, 538-540, 550,
Broxton Bridge over Salkehatchie River.....	715-716		554-556, 569-571, 571-572, 606, 625-627,
Bruner (James Crossing).....	572, 576		631, 648, 652, 662-665, 674-678, 698-700,
Brunson.....	714		716-717, 719, 744-747.
Brunson Crossroads.....	536, 621, 640, 641, 643	Coachmans Corners.....	527
Brunson store.....	610, 611	Cochran (Moultrie Mill).....	639-640
Bryan Crossroads.....	589, 590, 591	Coffins Point.....	678
Buck Creek Church.....	725	Cohens Bluff landing on Savannah River.....	646
Bucksport.....	743	Cold Spring (Red Hill).....	638, 639
Bucksville.....	741, 742	Columbia.....	540-541, 542, 544, 572, 573, 576
Bulls Chapel.....	655	Combahee Ferry across Combahee River.....	570
Bulls Island quadrangle.....	499-500	Combahee River.....	570
Burgess triangulation station.....	686	Concord Church.....	472
Burnt Church Crossroads.....	525	Congaree.....	556, 572, 574
Burton.....	554-555	Congaree B triangulation station.....	544
Bush.....	472	Connors.....	552
Byrd.....	674	Conway.....	512-513, 515, 518, 741
C			
Cades.....	577, 581, 587, 690	Conway quadrangle.....	511-518
Cades Mill.....	602	Cooke Crossroads.....	653, 655
Cainhoy (Wando).....	477-478, 501-502, 503-504, 519	Cooks Crossroads.....	695
Callehans Crossroads.....	584	Cool Springs (village).....	513-514, 518
Calvary Church.....	736	Coosaw.....	745-746
Camden Junction (now Foxville).....	557	Coosaw River.....	745
Cameron Church.....	579	Coosawhatchie.....	746
Camp Branch.....	714	Cope.....	479, 480, 632, 635-636
Camp W. S. Miller.....	704	Cordesville.....	519, 520, 521-522, 523
Campbell's grist mill.....	559	Cordesville quadrangle.....	518-524
Campfield.....	567, 569, 659, 730	Cosby.....	647
Canaan Church.....	635	Cottage plantation.....	697
Canady Crossroads (Weeks).....	675, 676	Cottageville.....	524-525, 526, 662, 723
Cane Savannah.....	701, 704	Cottageville quadrangle.....	524-528
Caney Branch School.....	523	Covington, J. F., leveling by.....	482, 485-486, 540-
Carns Crossroads.....	700		541, 544-545, 595-596, 596-597, 614, 703
Carson School.....	495, 552, 553	Coward.....	577, 578, 600
Carters Crossroads.....	657	Cox Crossroads.....	621

	Page		Page
Craig sawmill.....	474	Edmund.....	544
Crawl School.....	507	Edmund quadrangle.....	540-545
Creeds Mill.....	483	Edwards.....	588
Creston.....	548-549	Ehrhardt.....	604, 630
Crocketville.....	714	Eighteen Mile School.....	499
Croft.....	465	Elko.....	732, 733
Crosson Crossroads.....	528	Ellenton.....	546, 571, 707
Crossroads School.....	559-560, 561	Ellenton quadrangle.....	545-546
Cummings.....	531, 649, 716	Ellore.....	497, 547, 549
Cummings quadrangle.....	528-531	Ellore quadrangle.....	546-550
Curryton Crossroads.....	727	Elsie.....	595
Cypress Creek Church.....	646	Emanuel Church (Pineland quadrangle).....	647
Cypress Forks Church.....	609	Embree.....	631-632
D		Emmanuel Church (Chicora quadrangle).....	505
Daisy.....	615-616	Emmanuel Church (Orangeburg quadrangle).....	636
Dale.....	569, 570	Ergle Bridge over South Fork of Edisto River.....	467
Danburg quadrangle.....	531-532	Estill.....	644, 648, 713
Daniel Island.....	502	Ethon.....	595
Daniels School.....	577, 620	Eulonia.....	622, 625
Datum of elevations.....	462	Eureka.....	466, 468, 483, 729
Davis.....	608, 609, 667, 670	Eutaw Springs.....	553
Davis Bridge over South Fork of Edisto River.....	691-692	Eutawville.....	550-551, 553
Deep Branch School.....	725	Eutawville quadrangle.....	550-554
Deleamar Crossroads.....	528	Evans Crossroads.....	581, 625
Deloss Point.....	746	Evergreen School.....	517
Denmark.....	481	F	
DeWitts Bluff.....	580	Fairfax.....	644, 714, 716
Doctors Creek Church.....	529, 720, 723	Fairlawn.....	625-626, 746
Donora (Kendall).....	546	Fairraid.....	518, 617-618
Dorange.....	606, 675, 677	Fairview.....	600, 745
Dorchee.....	553	Fairview School (Lexington quadrangle).....	597-598
Dorchester.....	662-663, 665	Fairview School (Prosperity quadrangle).....	483, 484, 488
Dorham Crossroads.....	528	Fairview School (Talatha quadrangle).....	468, 706
Dorn School.....	509	Farms, The.....	651-652
Double Pond Church.....	734	Faulkners Corner.....	534
Drainland.....	698	Fechtig.....	531
Drawdy.....	719	Felderville School.....	496
Drayton.....	652, 655	Fellowship Branch, bridge over.....	607
Duke, C. T., leveling by.....	511-518,	Fenwick.....	538, 539
615-620, 625, 723-725, 741-742, 743-744		Fenwick Island.....	539-540
Dukes.....	713-714	Ferebee siding.....	571
Dunbarton.....	546	Ferguson.....	553
Dupont.....	654	Fifty Eight.....	606
Durant.....	612	Fish Pond Church.....	605
E		Fishburn landing on Edisto River.....	526
Eadytown.....	506, 508	Five Points.....	690
Earle.....	466, 712	Florence Church.....	596
Early Branch.....	747	Forest Service observation tower.....	623, 624
Eastover.....	556, 557, 559, 574	Foreston.....	607
Ebenezer Church (Bowman quadrangle).....	498	Fork Bridge over North Fork of Edisto River.....	636
Ebenezer Church (Summerville quadrangle).....	699	Forney.....	516, 517
Ebenezer Methodist Church (Woodford quadrangle).....	737	Fort Fremont.....	556
Ebenezer Pentecostal Church (Edmund quadrangle).....	543	Fort Fremont quadrangle.....	554-556
Eccles Church.....	476, 520, 522	Fort Motte.....	547, 550, 558, 562, 678, 680
Echaw triangulation station.....	476	Fort Motte quadrangle.....	556-564
Edgefield.....	532, 535-536, 727, 730	Foster Creek, bridge over.....	652
Edgefield quadrangle.....	532-538	Four Hole Church.....	636
Edisto Island.....	539	Four Hole School.....	496-497
Edisto Island quadrangle.....	538-540	Fowler.....	595
Edisto Kaolin Mines.....	599	Foxville (formerly Camden Junction).....	557
Edisto River.....	524	Fredonia.....	595
		Freeman.....	475
		Freeman plantation.....	499-500
		Frend Windham Place.....	491, 519, 520
		Friendship Church (Bowman quadrangle).....	495

J	Page		Page
Jackson	472-473	Leo School	582
Jackson Branch Church	716	Leveling, adjustment of net of	459
Jackson School	475	classification of	458-459
Jacksonboro	524, 525, 540	in South Carolina, earlier publications on	457
James Crossing (Bruner)	572, 576	Lexington	540, 541, 545, 595
James Island	503, 588	Lexington quadrangle	595-600
James Island quadrangle	588	Liberty Church	579, 710
Jamestown	475, 477, 494, 709, 710-711	Liberty Springs Church	643
Jedburg	662, 698	Limestone Church	582
Jennys	629	Limp	534
Jerusalem Church (Batesburg quadrangle)	487	Lincolnton quadrangle	600-604
Jerusalem Church (Bonneau quadrangle)	492	Little Edisto	539
Jerusalem Church (Chicora quadrangle)	505-506	Little River	601, 724
Jerusalem Church (Elloree quadrangle)	546	Little Rock Church	648
Jerusalem Church (Rhems quadrangle)	623, 661	Little Swamp Church	604
Johns Island	652, 654, 655, 656	Live Oak Church (Wampec quadrangle)	724
Johns Island Church	717, 718	Liveoak Church (Eutawville quadrangle)	552
Johnson Ferry across Little Pee Dee River	622	Liveoak School (Pineland quadrangle)	648
Johnsons landing on Savannah River	472	Livingstons Mill	465
Johnsonville	620	Lobeco	569
Johnston	532, 533, 538	Loblolly triangulation station	619
Jones Chapel	679, 682	Lodge	604, 605
Jones Crossroads	484	Lodge quadrangle	604-606
Jonesville	530, 747	Lone Star	549
Jordan	608, 609	Long Branch School	703
Jordans Pond	467	Long Cane Bridge	602-603, 604
Jordanville	514-515, 515-516, 625	Long Ridge Crossroads	698-699, 700
Jordanville Church	511	Luray	646, 713
Joyce Branch Church	546, 707-708	Lykes	572
Juniper Bay School	516-517	Lynch Crossroads	690
K		M	
Kathwood	473, 474	McBeth	490, 494, 506, 518
Kearse Chapel	628-629	McBride Corners	610-611
Kendall (Donora)	546	McClellanville	475-476, 685
Kent	564, 565, 566-567	McCormick	601
Keys Bridge over Turkey Creek	638	Macedon	543-544, 596
Kilby, H. P., leveling by	495, 505, 550-553, 665-666	Macedonia Church	629
Kings Crossroads	593, 594	McLauren School	466, 467
Kingsburg	621	McMaugh, F. J., leveling by	491,
Kingstree	587, 589-590, 591, 592-593	496-498, 508, 519-520, 546-547, 553, 589,	
Kingstree quadrangle	588-595	608-609, 636, 667.	
Kingville	557, 558, 561	McMillen, P. W., leveling by	464-
Kirksey	641	466, 490-491, 505-507, 691, 706, 729-730	
Kitchings Mills	464, 465, 691, 706	McNeil station	531
Kittredge	518-519	McNolans Church	466
Kline	469, 470, 471	Magnolia	500
Klondyke	743	Malta	557
L		Manchester	558
Ladies Island	555	Manchester Crossroads	704-705
Ladson	653	Manning	607, 609, 673, 702
Lake City	577, 578-579, 688, 689-690	Manning quadrangle	607-610
Lanes	588-589, 590, 594	Maple Cane Church	664, 675-676
Lanes Chapel	702	Maple Church	512
Langley	474, 726, 729	Martin	469, 470, 471, 545
Langs	725	Martins Crossroads	593-594
Laurel Hill Church	492	Martins landing on Savannah River	696-697
Leech, W. D., leveling by	534, 602-603, 637-641	Mary	515
Lees Crossroads	579	Mary Ann Church	502
Leesburg	557	Marys Church	529-530
Leesville	482, 485-486, 488, 595	Mathews Crossroads	536-537
Legaro Church	504-505	Matthews Church	501
Lena	649, 715, 716	Mayes, W. W., leveling by	499,
Lenouds Ferry	711	554, 562-564, 609, 668-673, 704-705	
		Mayesville	610, 611, 614, 702
		Mayesville quadrangle	610-614

	Page		Page
Mayson Crossroads.....	642	Murray store.....	474
Mean sea level, definition of.....	462	Murrays Corner.....	539
Meeting Street Crossroads.....	534	Musseboro Island.....	539
Meggett.....	538, 716-717, 718	Myers.....	605-696
Memorial Church.....	629	Myrtle Beach.....	614, 615
Meriwether.....	508, 510	Myrtle Beach quadrangle.....	614-615
Meriwether Agricultural Hall.....	510		
Merritts Bridge over South Fork of Edisto River.....	466	N	
Metts Crossroads.....	548, 681	Nazareth Church.....	494, 711
Meyers Mill.....	546	Neeses.....	480, 734-735, 737, 738-739
Middleton's gin.....	472	Nesmith.....	585, 586, 656
Midway.....	605, 632	New Bethel Church.....	575-576
Midway Church.....	611, 686	New Brookland.....	544
Midway Crossing over Black River Swamp.....	611	New Holland.....	467, 483, 691
Midway School.....	549	New Hope.....	578
Milbury.....	645	New Hope School (Awensdaw quadrangle)....	477
Miley.....	715	New Hope School (Cummings quadrangle)....	530
Milledgeville.....	465, 729	New Nazareth Church.....	659
Miller Hill.....	656, 717	New Zion.....	612
Millers Crossroads.....	503, 637	Nexson.....	587, 590
Millett (Millettville post office).....	545	Neyles.....	721
Milligans Cemetery.....	552	Nixonville.....	616-617, 619
Mims Crossroads.....	488, 598	Nixonville quadrangle.....	615-620
Mission School.....	504	Nixville School.....	649
Modoc.....	508-509, 511, 637	North.....	735, 737
Moncks Corner.....	518, 519, 697, 698	North Augusta.....	473, 511, 727, 729
Monetta.....	482, 486-487	Northampton School.....	523
Montmorenci.....	464	Norway.....	480, 481
Mooreland landing on Cooper River.....	524		
Moores Crossroads.....	646	O	
Moselle.....	528, 530, 715	Oak Grove Church (Lexington quadrangle)....	597
Moultrie Mill (Cochran).....	639-640	Oak Grove Holiness Church (Edgefield quadrangle).....	537
Mount Beulah School.....	708	Oak Grove School (Allendale quadrangle)....	470
Mount Calvary Church.....	469-470, 631	Oak Grove School (Futawville quadrangle)....	495
Mount Carmel.....	531-532, 602, 604	Oak Grove School (Lodge quadrangle).....	605
Mount Carmel Church (Pineland quadrangle)....	649	Oak Grove School (Olar quadrangle).....	631
Mount Carmel Church (Rhems quadrangle).....	566, 659	Oak Grove School (Walterboro quadrangle)....	720
Mount Carmel Church (Walterboro quadrangle).....	720	Oak Ridge.....	712
Mount Carmel School (Pineland quadrangle)....	649	Oakley.....	697, 699
Mount Ebal Church.....	487, 598	Oaks.....	658
Mount Harmony Crossroads (Winterseat).....	642	Oakton quadrangle.....	620-625
Mount Hebron Church.....	544	Oakwood.....	464
Mount Holly.....	651, 697-698, 700	Ocean Forest Hotel.....	615, 620
Mount Leon Church.....	618	Oceda.....	709, 711-712, 712-713
Mount Leon School.....	618	Okatie.....	626-627
Mount Moses Church.....	486	Okatie quadrangle.....	625-627
Mount Olive Church (Lodge quadrangle).....	606	Okeetee (Switzerland).....	571-572
Mount Olive Church (Varnville quadrangle)....	715	Olanta.....	687-688
Mount Olive School (Bowman quadrangle)....	496	Olar.....	628
Mount Olivet Church (Chicora quadrangle)....	699-700	Olar quadrangle.....	627-631
Mount Pisgah Church.....	665	Old Dorchester.....	654
Mount Pleasant.....	499, 500-501	Old Ransey Mill.....	474
Mount Sinai Church.....	722, 723	Oldhouse.....	626
Mount Willing.....	486	Olin.....	564
Mount Zion Church (Augusta quadrangle)....	475	Opossum College.....	482
Mount Zion Church (Indiantown quadrangle)....	583	Orange Grove Church.....	630
Mount Zion Church (Rhems quadrangle).....	657	Orange Hill Church.....	562
Mount Zion Church (Wadmalaw Island quadrangle).....	717-718	Orangeburg.....	548
Mouzon.....	502, 609, 686	632-633, 634, 636, 637, 678-679, 681-682	
Moy.....	558	Orangeburg quadrangle.....	631-637
Mudville School.....	662	Otranto.....	651, 652, 653
Munnerlyns Ferry across Black River.....	567,	Outland Crossroads.....	660-661
	658-659, 661	Owdoms.....	534-535
		Owens Crossroads.....	471
		Ox Swamp Church.....	589

P	Page	P	Page
Padgett gin.....	531	Poston.....	621
Palmetto Farms.....	465, 466	Poverty Hill.....	510-511
Pamplico.....	580-581	Pregnall.....	663
Park Hill.....	532	Priester Crossroads.....	469
Parker, S. L., leveling by.....	483-486, 533-534	Prince Frederick Chapel.....	730, 742
Parkers Ferry Station.....	524, 526	Prisleau.....	505, 506, 508
Parksville.....	511, 600, 637, 638, 639	Pritchard.....	627
Parksville quadrangle.....	627-644	Pritchardville.....	489
Parler.....	495, 497, 499, 546, 552, 554, 671, 672	Privater.....	701, 705
Parler Crossroads.....	554	Prodigal Church.....	736
Parris Island.....	556	Promised Land Church.....	52
Patterson Mill School.....	470, 471	Providence Baptist Church (Lexington quad- rangle).....	598
Pawley Swamp School.....	516, 743-744	Providence Church (Bonneau quadrangle).....	491, 494
Paxville.....	666-667, 669, 671, 702	Providence School (Bowman quadrangle).....	496, 498
Pea House Ferry landing on Black River.....	566	Providence School (St. George quadrangle).....	674
Peach Tree Ferry across Waccamaw River.....	741-742	Punch Pole landing on Little Pee Dee River.....	516
Peoples quadrangle.....	644-647		
Pellon.....	541, 596, 600, 691, 735, 739-740	Q	
Pennyroyal School.....	565, 569	Quadrangles in South Carolina, index map showing.....	pl. 2
Pentecost Church.....	729	maps of, how to obtain.....	463
Perkinson, E. V., leveling by.....	607-608, 667	Queen's Chapel.....	702
Perry.....	692, 738		
Personnel.....	463	R	
Peru Plantation.....	490	Rantowles.....	653
Petersfield.....	660, 740	Rantowles Creek, bridge over.....	652
Petigru.....	601, 602, 603	Ravenels.....	527, 653
Pineckney Church.....	555	Ravenels quadrangle.....	651-656
Pine Bluff Church.....	660	Rayfin.....	599-600
Pine Forest School.....	677	Red.....	465
Pine Grove.....	518, 521	Red Bank.....	541, 596, 598
Pine Grove Church (Augusta quadrangle).....	474, 729	Red Hill (Cold Spring).....	638-639
Pine Grove Church (Ellorree quadrangle).....	549-550	Red Store.....	576
Pine Grove Church (Lexington quadrangle).....	599	Redoak Corners.....	525, 662
Pine Grove Church (Nixonville quadrangle).....	618	Reeds School.....	701
Pine Hill Church.....	734	Reedy Branch Church.....	537
Pine Island.....	615, 617, 619	Reeves Ferry across Waccamaw River.....	618
Pine Savannah School.....	649-650	Reeves Landing on Waccamaw River.....	616
Pineland.....	650-651	Reevesville.....	495, 675, 677
Pineland quadrangle.....	647-651	Réhoboth School.....	526, 662
Pineville.....	490, 507	Reick, C. E., leveling by.....	511, 531-532, 600-602, 637
Pinewood.....	547, 666, 668, 672, 705	Reynold.....	732
Piney Grove Church.....	510, 721	Rhems quadrangle.....	656-661
Pinopolis.....	504, 698	Rickenbocker.....	526, 662
Pitch landing on Pee Dee River.....	660, 740	Ridge Spring (village).....	482, 484, 485, 487
Pittsburgh.....	535, 643-644	Ridgeland.....	572, 626, 627, 648, 651, 747
Plantersville.....	742	Ridgeville.....	662, 664, 665-666
Pleasant Grove Church.....	674, 675	Ridgeville quadrangle.....	661-666
Pleasant Lane post office.....	535, 536, 641, 644	Riley.....	682
Pleasant Lane station.....	534, 641	Rimini.....	668, 672-673
Plum Branch.....	600-601, 637-638	Rimini quadrangle.....	666-673
Plum Branch School.....	534	Ritter.....	719, 721
Pocotaligo.....	746	Robbins.....	545-546
Polly Bottom School.....	530	Robertville.....	650
Pon Pon.....	524	Rockaway Church.....	505
Pond Branch Church.....	597, 598	Rocky Spring Church.....	465-466
Poplar Spring School (Orangeburg quad- rangle).....	633	Ropers Crossroads.....	511, 727, 728
Poplar Springs School (Lexington quad- rangle).....	598	Rose Mary Tower.....	705
Poppenheim Crossing.....	518, 652, 656	Rosemary Church (Fort Motte quadrangle).....	558, 563
Port Harrelson.....	743	Rosemary Church (Olar quadrangle).....	628
Port Royal.....	555	Rosinville.....	495, 497, 677
Possum Corner.....	746	Rotalata.....	730
Possum Corner Bridge over Coosawhatchie River.....	746-747	Rough Branch Church.....	581
		Round O.....	524, 722-723
		Round Top School.....	468, 693

	Page		Page
Rowesville.....	633-634, 634-635	Scotia.....	648
Ruddell.....	645, 646, 647	Scotts Crossroads.....	604, 739
Ruff, D. G., leveling by.....	580-581, 624-625	Scottsville.....	611, 613
Rushes old mill.....	631	Scranton.....	577
S		Scranton quadrangle.....	686-691
St. Andrews.....	503	Seabrook.....	540, 745
St. George.....	674, 675	Seigling.....	469
St. George quadrangle.....	674-677	Seivern quadrangle.....	691-695
St. George School.....	479, 633	Semper, C. H., leveling by.....	468-469,
St. Helena Island.....	556	472-473, 475, 478-482, 489-490, 500, 518-	
St. Helena Sound quadrangle.....	678	519, 532, 540, 545-546, 556-557, 564, 571,	
St. James Santee Church.....	685-686	572, 588-589, 595-596, 604-606, 607, 610,	
St. John's Church (Batesburg quadrangle)....	485	631-636, 644, 647-648, 651-652, 678, 691-	
St. John's Church (Cummings quadrangle)....	531	692, 695-696, 697-698, 701, 709, 713-714	
St. John's Church (Summerville quadrangle)....	698	716-717, 726, 731-735.	
St. Johns Crossroads.....	621	Senseney, H. S., leveling by.....	500,
St. John's School.....	690	524, 547, 557-558, 574, 609, 610-613, 652-	
St. Joseph's Church.....	670	653, 666-667, 686, 701-703.	
St. Luke's Church.....	506-507	Seven Mile.....	500
St. Mark's Chapel (Elloree quadrangle).....	547	Seven Pine Church.....	733
St. Mark's Chapel (Fort Motte quadrangle)....	563, 564	Shady Grove Church.....	497
St. Mark's Church (Manning quadrangle).....	609	Shalibo, F. L., leveling by.....	466-467,
St. Mary's Church (Kingsree quadrangle)....	591-592	483, 518-519, 524-527, 528, 541-544, 547,	
St. Mary's Church (Ravenels quadrangle)....	654	558, 572, 573-574, 596, 627, 644-646, 649-	
St. Mathew's Church (Bonneau quadrangle)....	491	651, 652, 654, 661-662, 674, 678, 691, 696-	
St. Matthew's Church (Fort Motte quad- rangle).....	559, 576-577	697, 716, 719-723, 729, 735.	
St. Matthew's Church (Peoples quadrangle)....	645	Sharon Church.....	619
St. Matthews.....	547-548, 576, 680-681	Shaver Creek.....	510
St. Matthews quadrangle.....	678-684	Shaw and McKie Ferry across Stevens Creek..	510
St. Paul's Church (Chicora quadrangle).....	505	Shaw Creek.....	465
St. Paul's Church (Peoples quadrangle)....	645, 646	Shaw Creek, bridge over.....	729
St. Peter's Baptist Church (Georgetown quad- rangle).....	564-565	Shaw Crossroads.....	703
St. Peter's Church (St. Matthews quadrangle)...	684	Shecleys's Mill.....	596
St. Phillip's Church (Rimini quadrangle)....	673	Sheldon.....	745
St. Phillip's Church (Yemassee quadrangle)....	746	Shell Crossroads.....	616
St. Phillip's Methodist Church (Rimini quad- rangle).....	668	Shiloh.....	613, 686
St. Stephens.....	489-490, 490-491, 492-493	Shiloh Church.....	529
Salem.....	577, 580	Shirley.....	696
Salem Baptist Church (Woodford quadrangle)...	737	Shirley quadrangle.....	695-697
Salem Church (Allendale quadrangle).....	470-471	Shull, W. G., leveling by.....	468,
Salem Crossroads.....	620, 621	600, 683-684, 692-695, 735-740.	
Salkehatchie.....	744, 747	Sidney.....	674, 722
Salters.....	589, 591	Silver.....	669-670, 673
Saluda.....	483-484, 486, 533, 534, 535	Silverton.....	475
Samaria.....	598, 599	Sims.....	573
Sampit River bridge.....	565-566, 568	Sitton, J. J., Jr., leveling by.....	468,
Sampit triangulation station.....	566	475-477, 486-488, 511, 520, 534-538, 568,	
Sand Ridge Church.....	663	597-600, 603-604, 641-644, 685-686, 710-	
Sandhill School.....	718	711, 730.	
Sandridge.....	550, 551, 662	Six Mile House.....	565
Sandy Bay School.....	591, 690	Slanns Island.....	539
Santee Church (Bonneau quadrangle).....	492	Smith Camp.....	689
Santee Church (Rimini quadrangle).....	671	Smiths Crossroads.....	568, 569
Santee quadrangle.....	685-686	Smiths Mills.....	623, 660, 661
Santee River, bridge over.....	686, 709	Smoaks.....	604-605, 605-606, 676
Sardis Church.....	736	Smyrna Church.....	646
Savannah Bluff Church.....	513	Snellings.....	470, 733
Saxon.....	651, 652	Sniders Crossroads.....	529, 530
Schofield.....	628	Snipe School.....	722
Schuler triangulation station.....	476	Socastee.....	513, 615, 741, 742, 744
Scope of report.....	457	Socastee triangulation station.....	742
		Solomons Crossroads.....	646-647
		South Carolina, history of leveling in.....	457-458
		South Carolina Emergency Relief Adminis- tration, cooperation with.....	458

Page	Page
Spigener Crossing..... 485, 488	Tomotley..... 745, 746
Spring Grove Church (Clarks Hill quadrangle)..... 510	Tompkins Crossroads..... 536
Spring Grove Church (Danburg quadrangle)..... 532	Toumey..... 704
Spring Grove Church (Manning quadrangle)..... 608	Tranquil Church..... 642
Spring Gully Church..... 583, 710	Trenton..... 532, 726, 728
Spring Hill Church..... 666	Trinity Crossroads..... 613
Springfield..... 480, 692, 695, 731, 732, 738, 739	Trio..... 583, 709, 710
Springfield Church..... 553, 645	Trio quadrangle..... 709-713
Springtown Church..... 630	Troy..... 603-604
Staley Crossroads..... 684	True Vine Church..... 617
Stallsville..... 653, 654	Turbeville..... 612-613, 689
Star Bluff Crossroads..... 619	Turkey Creek Bridge..... 640
Star Bluff Ferry across Waccamaw River..... 619	Twiggs..... 473
Star Bluff Ferry Crossroads..... 725	
Statesburg..... 557-558, 561	U
Steedham Crossroads..... 533	Ulmers..... 469, 628, 631
Stevens Creek, bridge over..... 637	Union Church (Shirley quadrangle)..... 696
Stevens Crossroads..... 528-529	Union School (Hopkins quadrangle)..... 572
Stokes..... 719, 720	Union School (Scranton quadrangle)..... 686
Stokes Mill..... 504, 518, 521, 656	
Stono Church..... 527	V
Strawberry..... 521, 697, 701	Vance..... 552
Stump, C. W., leveling by..... 501	Varnville..... 714
Styx..... 543	Varnville quadrangle..... 713-716
Sullivan School..... 642	Vaocluse..... 726, 728
Sullivans Ferry across Edisto River..... 526	
Sullivans Ferry Crossroads..... 526-527, 661	W
Summerland..... 482	Wadboo Bridge over West Branch of Cooper River..... 519
Summerton..... 669, 670-671, 673	Wadmalaw Island quadrangle..... 716-718
Summerville..... 653, 698, 700	Wagener..... 468, 600, 692-693, 694-695
Summerville quadrangle..... 697-701	Walterboro..... 719, 720, 722
Summit..... 595	Walterboro quadrangle..... 719-723
Sumter..... 701, 702-703, 705	Wampee..... 723-724
Sumter Junction..... 562	Wampee quadrangle..... 723-725
Sumter quadrangle..... 701-705	Wando (Cainhoy)..... 477-478, 501-502, 503-504, 519
Sunny Brook..... 726	Waner Grove School..... 505, 553
Sutton Church..... 492	Wannamaker store..... 679-680
Sutton School..... 491, 492, 494, 711	War Department, cooperation with..... 458
Swansea..... 541, 542, 574, 684, 735, 736	Ward..... 482, 485, 488, 637
Sweet Gum School..... 629	Warren Crossroads..... 527
Sweet Home Church..... 618	Warrenville..... 726, 729
Switzerland (Okeetee)..... 571-572	Warrenville quadrangle..... 726-730
Sycamore..... 469, 627-628	Warsaw..... 583, 585, 656
Sykes, W. B., leveling by..... 511,	Water Horn triangulation station..... 685
564-567, 568-569, 577-582, 587-588, 614,	Wateree..... 560, 561-562
620-624, 657-661, 690, 705, 730, 740-741.	Wateree River, bridge over..... 561
	Wattley, P. A., leveling by..... 491-494,
T	577, 583-587, 589-595, 609-610, 613-614, 656-657, 686-690, 690-691, 709-710.
Tabor School..... 520	Waverly Mills quadrangle..... 730
Taft..... 490, 494, 589, 594, 595	Wedgefield..... 557, 558, 561, 562-563, 701
Talatha..... 706	Weeks (Canady Crossroads)..... 675, 676
Talatha quadrangle..... 706-708	Wesley Church..... 723
Tarboro..... 651	West Middle School..... 498
Thayer..... 719	Westminster Church..... 612
Thomas (Cave)..... 469	Whaley..... 731
Thomas Chapel (Fort Motte quadrangle)..... 563, 704	Whetsell..... 498
Thomas Chapel (Rimini quadrangle)..... 668	Whetstone..... 630
Thomas Island..... 502	White Oak Ford across Cypress Creek..... 649
Thompson Chapel..... 644	White Point Crossing..... 538-539
Thor..... 691, 693-694, 735, 740	White Pond School..... 677
Thunder School..... 672	White Pond station..... 732
Tip Top landing on Waccamaw River..... 743	White Womens Point on Savannah River..... 471, 472
Tobys Bluff on Salkehatchie River..... 531	White's mill..... 705
Toddville School..... 744	

