


# Geophysical Abstracts 151 October-December 1952

(Numbers 14004-14183)

---

GEOLOGICAL SURVEY BULLETIN 991-D





# GEOPHYSICAL ABSTRACTS 151, OCTOBER-DECEMBER 1952

---

By MARY C. RABBITT and S. T. VESSELOWSKY

---

## INTRODUCTION

Geophysical Abstracts are issued quarterly by the Geological Survey, U. S. Department of the Interior, to aid those engaged in geophysical research and exploration by providing informative abstracts of current literature dealing with geophysical exploration and the physics of the solid earth.

Abstracts are grouped in three sections dealing with earth physics, exploration geophysics, and patents. The first section has been further divided into sections on gravity, magnetism and electricity, seismology, radioactivity, heat, volcanology, and tectonophysics. The section on exploration geophysics covers gravimetric, magnetic, seismic, electrical and electromagnetic, radioactive methods and well logging. Within each group the order of abstracts is as follows: general papers, bibliographies and reviews; theory; instruments; methods and techniques; observations.

J. R. Balsley, D. F. Barnes, L. E. Birdsall, R. G. Henderson, H. R. Joesting, Elizabeth King, J. L. Meuschke, L. C. Pakiser, and Isidore Zietz have prepared the abstracts signed with their initials.

Geographic names used are those approved by the U. S. Board on Geographic Names. Where names in the original material differ from their official usage, both names are given, the latter in brackets.

The system of transliteration used for Russian names and titles is that of the Board on Geographic Names. A table showing this system was printed in Geophysical Abstracts 148 (Bulletin 991-A).

## EARTH PHYSICS

## GRAVITY

14004. Saxov, S. E. The variation of gravity within the earth: *Tellus*, v. 4, no. 2, pp. 138-140, 1952.

Following the hypothesis advanced by Olczak, the earth can be considered as a sphere built of concentric layers with gravity varying in accordance with the relation  $g = g_0(r_0/r)^2 - 4/3\pi G\rho(r_0^3 - r^3)/r^2$  where  $\rho$  is the density in the concentric layer between the radii  $r$  and  $r_0$  and  $G$  is the constant of gravitation. For the density Ramsey has given numerical values ranging from 2.72 g per  $\text{cm}^3$  at the earth's surface to 18.5 g per  $\text{cm}^3$  in the center with three discontinuities caused by phase transitions under increasing pressure. Corresponding gravity values range from 982 gal at the surface to 999 at the depth of 700 km, decrease to 986 gal at 1900 km, and rise again to absolute maximum of 1017 gal at 2898 km and then drop to zero at the center of the earth.—*S. T. V.*

14005. Schaffhauser, Edith. Influence de variations rapides de l'accélération de la pesanteur sur l'atmosphère terrestre [Influence of rapid variations of the acceleration of gravity on the earth's atmosphere]: *Archives sci. phys. nat.*, v. 5, fasc. 2, pp. 97-101, 1952.

Possible correlations between microseismic disturbances of the periods of 10 sec to 1 min and barometric variations of the order of  $g_0 \times 10^{-6}$  to  $g_s \times 10^{-7}$  are studied.

Such microseismic disturbances were discovered independently by Gutenberg and Benioff in St. Louis and Saxer in Fribourg, Switzerland. Variations of  $g$  accompanying these microseisms produce impulses in the atmosphere. Assuming that the values of  $g$  can be represented by a relation  $g(t) = g_0 + a \sin \omega t$  and that the resulting compressions are adiabatic, the author derives for the barometric pressure an expression similar in form to that for  $g(t)$ , but with a phase difference varying with the amplitudes of barometric oscillations. Thus both phenomena are synchronous and similar.—*S. T. V.*

14006. Hirvonen, R. A. Gravity anomalies and deflections of the vertical above sea level: *Am. Geophys. Union Trans.*, v. 33, no. 6, pp. 801-809, 1952.

By the aid of Poisson's integral formula, the gravity anomalies, the potential of the disturbing masses, and the deflections of the vertical above sea level are known. This means a generalization of the well-known formulas of Stokes and Vening Meinesz. Some practical applications on the basis of presently available gravity observations are given.—*Author's Abstract*

14007. Monin, I. F. K voprosu issledovaniya figury geoida gravimetricheskim sposobom [On studying the shape of the geoid by the gravimetric method]: *Akad. Nauk SSSR Izv. Ser. geofiz.* no. 2, pp. 38-45, 1952.

Stokes formula is not very convenient for the determination of the geoid because in evaluating  $\Delta g$ , the gravitational anomaly, errors and arbitrariness are unavoidably involved. N. K. Migal derived another formula in which the gravitational anomaly does not enter.

Extensive calculations are presented to prove that with the latter formula an accuracy of 0.5-1.0 percent can be achieved, even admitting certain simplifications in the procedure.—*S. T. V.*

14008. García Siferiz, José. La corrección topográfica en la investigación gravimétrica [The topographic correction in gravimetric investigations]: *Rev. Geofís.*, v. 11, no. 41, pp. 1-17, 1952.

A method of computing the topographic correction of gravity determinations is discussed. The procedure consists of determining the gravitational effect of annular masses of increasing radii around the station divided into sectors of different angular openings, and summing up these effects. The attainable accuracy of the computations is influenced by the differences in elevation, and the precision and scale of available maps of the region.

Convenient forms and practical rules for necessary computations are worked out, and recommendations are given for the selection of appropriate station sites.—*S. T. V.*

14009. Morelli, Carlo. Primo contributo per una rete gravimetrica fondamentale in Italia [First contribution to fundamental gravimetric network of Italy]: *Annali Geofis.*, v. 5, no. 1, pp. 97-123, 1952.

A regional gravitational survey of Italy, including the islands of Sardinia and Sicily was made using two Worden gravimeters. The astronomical observatory of Padova [ $g=980.658\pm 0.37$  gals in the Potsdam system] was used as the base station and 41 stations were occupied. The error in final determination of  $g$  at individual stations was about  $\pm 0.01$  mgal., and closing errors of individual loops were never greater than  $\pm 0.12$  mgal.

Several tables and a map of the surveyed area are given.—*S. T. V.*

14010. Littlewood, C. A. Gravity measurements on the Barnes Icecap, Baffin Island: *Arctic*, v. 5, no. 2, pp. 118-124, 1952.

About 20 gravity-meter stations were occupied along seven traverses totaling 45 miles on the southeast lobe of the Barnes Icecap, to determine the thickness of the ice and the topography of the underlying rock. The greatest ice thickness was computed to be 1,533 feet using the values 0.91 and 2.67 for the densities of ice and underlying rock.—*H. R. J.*

14011. Hospers, J. Reinterpretation of a gravity survey in central northern Iceland: *Geologie en Mijnb.*, jaarg. 14, no. 7, pp. 239-247, 1952.

In the summer of 1950, the author carried out geologic field work in part of the region in which Schleusener had made a gravity survey in 1943.

Numerous laboratory determinations of density of rock samples were made with the results substantially deviating from the assumptions made by Schleusener in interpreting the results of his survey. Bouguer anomalies were recalculated using the new data on density and some new tectonic properties obtained in recent geologic studies, and a quite different geologic profile was obtained. Isostatic compensation on the east-west profile was found to be far from complete. It was also found that the Bouguer anomalies decrease by 0.30 mgal for every kilometer in the southern direction, presumably as a result of the combined effect of the dipping of the basalt substratum and isostatic compensation of the higher topography in the south.—*S. T. V.*

14012. Gloden, Albert. Détermination des anomalies de la pesanteur au Grand-Duché de Luxembourg [Determination of gravity anomalies in the Grand Duchy of Luxembourg]: *Soc. naturalistes Luxembourgeois Bull.*, 45 année, pp. 15-19, 1951.

From data obtained by the gravimetric survey of the Grand Duchy (see Geophys. abstracts 11012 and 11453) gravity anomalies were computed for 96 stations of the network using the Cassinis international formula for the determination of standard gravity.—*S. T. V.*

14013. Gloden, Albert. Une campagne altimétrique effectuée au Grand-Duché de Luxembourg en 1949 [An altimetric survey in the Grand Duchy of Luxembourg in 1949]: Soc. naturalistes Luxembourgeois Bull., 44 année, pp. 99-106, 1950.

As part of the gravimetric survey of the Grand Duchy of Luxembourg (see Geophys. abstracts 11012 and 11453) relative altitude determinations were made at about one hundred stations with a compensated Morin barometer. A description of the procedure used and the results obtained are given.—*S. T. V.*

14014. Glangeaud, Louis, and Lagrula, Jean. Corrélations entre les données gravimétriques et structurales dans le Nord de la province d'Alger [Correlations between gravimetric and structural data in the northern part of the province of Alger]: Acad. sci. Paris Comptes rendus, tome 235, no. 2, pp. 193-196, 1952.

Gravity anomalies here seem to vary with the thickness of the overburden which consists of secondary Tertiary and Quaternary formations. The density decreases with decreasing age, a fact which explains the negative anomalies found in several places. Positive anomalies are attributed to deep anticlines, whose presence and size have been previously established. A still better agreement between the gravitational pattern of the province and geologic details may be obtained if, instead of an average density of 2.67, values corresponding to individual formations are taken.—*S. T. V.*

#### MAGNETISM AND ELECTRICITY

14015. Bullard, E. C. The origin of the earth's magnetic field: *Géologie en Mijnb.*, jaarg. 14, no. 10, pp. 355-359, 1952.

This is a review of the theories of the origin of the geomagnetic field.—*S. T. V.*

14016. Luchak, George. A fundamental theory of the magnetism of massive rotating bodies: *Canadian Jour. Physics*, v. 29, no. 6, pp. 470-479, 1951.

A theory is developed to account for the empirical relation,  $\vec{P} = -(\beta G/2c) \vec{U}$ , between magnetic moment  $\vec{P}$  and angular momentum  $\vec{U}$  which Blackett found to be approximately valid for the earth, sun, and five stars. Maxwell's equations are extended in a relativistically covariant way to incorporate a gravitational field and a proper interaction between the electromagnetic and gravitational fields. For the earth and sun, the parameter appearing in the interaction term is approximately numerically equal to the density for materials at high temperatures and pressures. The equations indicate no magnetic field for mass bodies moving without rotation in their own gravitational fields. Also the nonrotational components of the earth's field due to interaction with the sun's gravitational field are negligibly small compared to the rotational component.—*R. G. H.*

14017. Stoyko, Nicolas. Sur le champ magnétique variable des étoiles [Variable magnetic field of stars]: Acad. sci. Paris Compte rendus, tome 235, no. 2, pp. 122-124, 1952.

In previous studies the author has established a relation between the variations of the geomagnetic field and variations of the rotational velocity of the earth. This relation can be put in the form  $dHp = -0.3255\sqrt{M/R} dT/T^2 = 0.106R\delta^{1/2}W$  (where  $H_p$  is the intensity of magnetic field at the pole,  $M$  = the mass of the earth,  $R$  its radius,  $T$  the period of revolution,  $\delta$  the density, and  $W$  the angular velocity). Similar equations are derived for several stars, with, of course, different constants in each.—*S. T. V.*

14018. Pramanik, S. K., and Narayanan, S. Y. Diurnal magnetic variation in equatorial regions: Indian Jour. Meteorology and Geophysics, v. 3, no. 3, pp. 212-216, 1952.

Observations of  $H$  and  $Z$  were made at Cape Comorin, Palamcottah, and Sankaranainarkoil [Sankaranāyinarkovil], all three stations approximately on the same meridian as Kodaikānal during March 1951 to supplement existing data. The diurnal range of  $H$  in south India was found to be large in the region between the magnetic and geographic equators. Diurnal ranges of  $H$  at Batavia [Djakarta] and Singapore are small, and those at Indian and Ceylon stations quite large, though all are far away from the crossing of the geographic and magnetic equators. The maximum range of  $H$  in south India and Ceylon is not, as found by Martyn, between the magnetic and geomagnetic equators but to the south of both, as expected by Price and Wilkins. The magnetic equator in this region crosses longitude  $77^{\circ}30'$  E. close to Palamcottah.—*M. C. R.*

14019. Walker, G. B., and O'Dea, P. L. Geomagnetic secular-change impulses: Am. Geophys. Union Trans., v. 33, no. 6, pp. 797-800, 1952.

Secular-change impulses in magnetic declination, dip, and horizontal intensity, derived from world-wide observatory data, tend to congregate around certain years (epochs). This tendency is examined statistically. As indications of the character of secular change, the impulses are well suited for use in the development of isoporic charts. Using a selected group of observatories, precise impulses were determined. These promise to be of value in investigations of the nature of secular change.—*Authors' Abstract*

14020. Lazarenko, G. P. Magnitnyye pulsatii v Kelese (Magnetic pulsations in Keles): Tashkent Geofiz. Observatoriya, Trudy, vypusk 4(5), pp. 18-24, 1950.

Magnetic pulsations recorded at the Keles observatory for the 12 years from 1937 to 1948 were analyzed. Variations of the  $H$ -component were taken to be indicators of magnetic pulsations and the duration of the pulsation as the measure. The curves for winter and summer months thus obtained were found to be almost identical.

The magnetic pulsation curves were compared with similarly constructed curves for Pavlovsk (near Leningrad), Zi-Ka-Wei (China), and Uellen [Uelen] (near Bering Strait). Those of Keles and Zi-Ka-Wei were found to be similar; the Uelen and Pavlovsk curves were similar to each other, and mirror images of the first two.—*S. T. V.*

14021. Beagley, J. W. Geomagnetic sudden commencement analysis—Amberley: New Zealand Jour. Sci. Technology, v. 33, sec. B, no. 6, pp. 460-470, 1952.

Detailed analysis of sudden commencements recorded on Amberley magnetograms from 1939 to 1949 shows that Amberley data do not support Parkinson and Ferraro's suggestion that the frequency of occurrence of their "type-II sudden commencements" depends on geomagnetic latitude. Diurnal distribution of sudden commencements shows a local-time postnoon maximum, in agreement with results obtained by Rodés, McNish, and Newton. The monthly frequency has a marked maximum in March and a lesser maximum in August. In the one cycle covered by this investigation, the decrease in sudden commencement occurrence with sunspot numbers is striking.—*M. C. R.*

14022. Grabovskiy, M. A. Magnitnyye svoystva ferritox i ikh znachenije dlya geofiziki [Magnetic properties of ferrites and their significance in geophysics]: Akad. Nauk SSSR Izv., Ser. geofiz., no. 5, pp. 41-46, 1952.

Tectonic activity, both slow oscillations of the earth's crust and intrusive and volcanic activity, causes appreciable changes in subsurface temperature which in turn lead to local variations of the geomagnetic field. The causes of these geomagnetic disturbances are the extensive physicochemical changes in the mineral composition of rocks as a result of the temperature variation. Ferrites, combinations of  $\text{Fe}_2\text{O}_3$  with an oxide of a bivalent metal, such as  $\text{NiO}$ ,  $\text{ZnO}$ , or  $\text{FeO}$  are used to illustrate this. Such combinations as  $\text{NiOFe}_2\text{O}_3$ , or  $\text{MgOFe}_2\text{O}_3$ , or  $\text{FeOFe}_2\text{O}_3$  (magnetite) are split into individual oxides with significant changes in magnetic properties, especially in the position of Curie point and in the magnetic permeability, and are finally magnetized, sometimes with same direction as the local geomagnetic field, and sometimes in the opposite direction. This phenomenon, in the opinion of the author, offers an explanation of many local positive or negative anomalies.—*S. T. V.*

14023. Kondorskiy, Ye. I. K feorii magnitnykh svoystv gornykh porod i poroshkov [The theory of the magnetic properties of rocks and powdered substances]: Akad. Nauk SSSR Izv., Ser. geofiz., no. 5, pp. 47-54, 1952.

In a previous study (Geophys. abstract 12358) a formula was derived for magnetic susceptibility of conglomerates consisting of magnetic and nonmagnetic substances by assuming spherical magnetic particles.

Similar formulas for magnetic susceptibility and interior demagnetizing factor are now derived for conglomerates with magnetic particles of flattened or oblong to needle shape.—*S. T. V.*

14024. Kalashnikov, A. G., and Kapitsa, S. P. Magnitnaya vosprimchivost' gornykh porod pri uprugikh napryazheniyakh [Magnetic susceptibility of rocks under elastic stresses]: Akad. Nauk SSSR Doklady, tom 86, no. 3, pp. 521-523, 1952.

Tectonic processes cause changes in elastic stresses in rocks, thus producing variations in the geomagnetic field near the surface of the earth. The physical basis of this "tectonomagnetic" effect was studied in laboratory on samples of diabase, basalt, andesite, hornblendite, diorite porphyry, gabbro, porphyry, scarn, and diorite.

Samples 30 mm in diameter and 110 mm long were placed in the field of a magnetizing coil inside another induction coil. Both coils were connected in

series with a pair of compensating coils. Changes in the magnetic susceptibility of the sample, when compressed, produced changes in the mutual induction effect of the first two coils whose core was formed by the sample being investigated. Changes of the magnetic field induced an electromotive force in the exterior coil, and this was measured by the compensation method.

The frequency of the current feeding the coils was 130 cycles per second. The mechanical stress were as much as 1200 to 1600 kg per cm<sup>2</sup>.

Results of these measurements are presented in curves. As a general rule, compression of specimens produced a decrease of the magnetic susceptibility measured parallel to stress, down to 50 percent (in basalt) of the initial value. Changes in susceptibility measured perpendicularly to stress were of less consistent character. The presence of magnetite in the specimen made the variation of susceptibility always negative. On the basis of the results obtained the authors conclude that seismotectonic phenomena are producing variations in geomagnetic field and that the magnetic susceptibility of a core sample obtained from a drill hole, when measured in laboratory, is not the same as that of the formation underground because of changes in mechanical conditions of the surrounding medium.—*S. T. V.*

14025. Hospers, J. Remanent magnetism of rocks and the history of the geomagnetic field: *Nature*, v. 168, no. 4287, pp. 1111-1112, 1951

Measurements of the remanent magnetization of 22 samples from two series of lava flows in northern Iceland were normal in the Quarternary and older Tertiary rocks but inverse in the middle Tertiary rocks. As an inversion resulting from tectonic activity is unlikely, it is concluded that an inverted geomagnetic field existed in Iceland for at least 25,000 years during the Tertiary.—*M. C. R.*

14026. Nagata, Takeshi. Reverse thermo-remanent magnetism: *Nature*, v. 169, no. 4304, pp. 704-705, 1952.

Experiments on hypersthene hornblende dacitic pumices containing magnetite grains are described. The thermoremanent magnetization induced by cooling in a low magnetic field was found to be opposite in direction to the field direction, as in some igneous rocks in the earth's field. The magnetic and thermal conditions for the effect were investigated but the reason for its occurrence is not clear.—*M. C. R.*

14027. Néel, Louis. Confirmation expérimentale d'une mécanisme d'inversion de l'aimantation thermoremanent [Experimental confirmation of a mechanism of the reversal of thermoremanent magnetization]: *Acad. Sci. Paris Comptes rendus*, tome 234, no. 20, pp. 1991-1993, 1952.

The results obtained by Nagata (see preceding abstract) are discussed on the basis of Néel's previous work. It is easy to understand the process of reversal for a material containing two types of finely divided ferromagnetic constituents with different Curie points, the one with the higher temperature being capable of exerting a demagnetizing field on the one with the lower Curie point.—*M. C. R.*

14028. Nagata, Takeshi, Akimoto, Syun-iti, and Uyeda, Seiya. Reverse thermo-remanent magnetism: *Acad. Japan Proc.*, v. 27, no. 10, pp. 643-645, 1951.

A rock cooled from high temperature in a weak magnetic field has a residual permanent magnetization, called thermoremanent magnetization, the direction

of which coincides with that of the applied magnetic field. A hypersthene hornblende dacitic pumice from Volcano Haruna in Japan exhibits thermoremanent magnetization in the direction opposite to that of the applied field. This "reverse thermoremanent magnetization" is produced only when the magnetic field is applied during the period when the specimen is cooled from 45 C to 250 O but is of sufficient magnitude to mask the normal thermoremanent magnetization produced in cooling from 250 C to room temperature. The intensity of reverse thermoremanent magnetization depends upon the intensity of the applied magnetic field, ranging from zero at zero applied field through a maximum at an applied field of 2 oersteds to zero at an applied field of 7 oersteds. Above this value the thermoremanent magnetization is not reversed.—*J. R. B.*

14029. Turlygin, S. Ya., and Karelina, N. A. Vliyaniye sushi i morya na raspredeleniye prirodnykh elektricheskikh tokov po poverkhnosti zemli [The influence of dry land and sea on the distribution of telluric currents over the surface of the earth]: *Akad. Nauk SSSR Izv., Ser. geofiz.* no. 4, pp. 55-75, 1952.

The propagation of telluric current of cosmic origin over the surface of the earth is analyzed, and the reliability of the measurements of these currents as they are now made at several observatories is questioned. It is known that the electrical resistivity of rocks is always some thousands of even hundreds of thousands of times greater than that of the ocean. This certainly produces inequality in the distribution of telluric currents in maritime regions. Computations of the current density over the ocean and over adjoining part of the continent assuming a shore line of simple geometric shape, confirm this. Analytical determination of the distribution of current over the surface of the earth would be too complicated, so the solution of the problem was tried on a model. Telluric currents were imitated by a stream of glycerin flowing through narrow slots of different thickness, representing the ocean or continental masses. To make the stream visible the threads of glycerin were dyed with methylene blue injected through small openings distributed along the slot.

Current distributions in models of the Black Sea, Mediterranean Sea, and other water masses, were obtained, and always strongly deviated from homogeneous flow.

The authors conclude that telluric currents of cosmic origin can be measured either in open spaces of ocean or at points far removed from ocean in the middle of continents, but that otherwise the measurements are too much influenced by local inhomogeneities of the surface of the earth.—*S. T. V.*

14030. Beaufrils, Yvonne, Gibault, Gaston, and Kunetz, Géza. Variations rapides dans les courants telluriques et le champ magnétique terrestre [Rapid variations of telluric currents and the geomagnetic field]: *Acad. sci. Paris Comptes rendus*, tome 235, no. 2, pp. 198-200, 1952.

In March 1952, during the period of the equinox, regular observations of telluric currents were made at a provisional station in the Champagne region of France. Simultaneously observations were made at the observatory of Chambon-la-Forêt of the horizontal component  $H$  of geomagnetic vector as well as of its derivative  $dH/dt$ . At close correlation was established between the variation of the east-west component of telluric current and the variations in  $H$ . (*See also Geophys. abstract 13831*).—*S. T. V.*

## SEISMOLOGY

14031. Sretenskiy, L. N. Rasprostraneniye uprugikh voln. voznikagushchikh pri dvizhenii sistemy normalnykh napryazheniy po poverkhnosti polnoprostranstva [Propagation of elastic waves produced by a system of normal stresses over the surface of semispace]: Trudy Moskovskogo Mat. Obshchestna, tom 1, pp. 167-186, 1952.

An analysis is made of vibrations generated in an elastic semispace by a system of stresses moving with constant velocity on a rectilinear trajectory over its boundary surface. The problem is of interest in the theory of the origin of microseisms.

The system of five differential equations for the generation of elastic waves in a homogeneous isotropic medium is derived and the particular solution is obtained, assuming the displacements of every point to be exponential functions of its coordinates and of time, multiplied by certain functions of the depth of the point below the free surface of the earth. These displacement functions are found in a general form and later evaluated for large  $R$ , so that the behavior of the crust is determined far enough from the source of disturbance.

In general, the points on the boundary surface describe plane curves, or surface waves; the planes of these curves make with the horizon a constant angle. At a sufficiently great distance from the source of the disturbance, points of the boundary plane describe ellipses.—*S. T. V.*

14032. Keylis-Borok, V. I. Ob uravnenii chastot mnogosloynoy upreugoy sredy [Frequency equation of a multilayer elastic medium]: Akad. Nauk SSSR Doklady, tom 87, no. 1, pp. 25-28-, 1952.

The equation is analyzed to determine the frequencies of seismic waves possible in a semispace formed of  $n$  plane-parallel layers bounded by a homogeneous isotropic medium. Normal stresses over the boundary surface are assumed everywhere equal to zero.

The wave equations can be expressed with the aid of Fourier-Bessel integrals. The system being axially symmetric, the equation for the frequency of waves can be represented in the form of a matrix.

For a sufficiently thin layer the frequency equation has one and only one real root; if  $Z=0$ , that is, the boundary at the surface, the problem reduces to that of Rayleigh waves.—*S. T. V.*

14033. Satō, Yasuo. Generation of Love and other *SH*-waves in Study on surface waves, pt. 6: Tokyo Univ. Earthquake Research Inst. Bull., v. 30, pt. 2, pp. 101-119, 1952.

It is shown that for *SH* waves the strength of a source at a point and the displacement at another point are connected by a reciprocal formula when both points are in a superficial layer or when one point is in the lower semi-infinite medium. When a periodic source is located in the superficial layer the refracted *SH* waves propagated in the lower medium ordinarily decrease in amplitude as the inverse  $3/2$  power of the horizontal distance from the source; however, predominant *SH* waves decrease in amplitude as the inverse  $1/2$  power of the distance. There are no reflected *SH* waves from a harmonic source. The amplitude function for Love waves is evaluated for certain elastic parameter values and plotted against velocity and period. It is concluded that large displacements belonging to the branch of Love waves with nodes in the layer cannot be expected.—*R. G. H.*

14034. Satō, Yasuo. Distribution of surface stress generating no Rayleigh waves: Tokyo Univ. Earthquake Research Inst. Bull., v. 29, pt. 3, pp. 445-453, 1951.

This paper demonstrates the manner in which surface stress can be applied to a semi-infinite elastic medium without generating Rayleigh waves. The problem is of practical importance in seismic prospecting where surface waves often obliterate later useful phases of the *P* group. The condition for nongeneration of Rayleigh waves is set up in terms of a function which depends upon the Poisson ratio. An example of a simple harmonic surface-stress distribution satisfying the condition is given. If the origin is of an aperiodic type, examples can be found in which the condition is only approximately satisfied.—*R. G. H.*

14035. Keylis-Borok, V. I. K voprosu ob issledovanii istochnikov ekvivalentnykh ochagam zemletryasenii [On the question of studying (seismic) sources equivalent to the foci of earthquakes]: Akad. Nauk. SSSR Geofiz. Inst. Trudy, no. 9 (136), pp. 20-42, 1950.

According to Japanese seismologists the foci of strong earthquakes can be divided on the basis of their dynamic characteristics into two groups: one in which the focus is a center of spherical dilation to which a simple force is added, and the other, a dipole with a moment. The first kind represents the foci of volcanic earthquakes; foci in the second group are typical of tectonic earthquakes.

In the present article, a study is made of the correlations of the dynamic parameters of this latter type of foci such as the length, direction, and lateral extension of the dislocation and resulting seismic effects observed on seismograms. The ground is assumed to be perfectly elastic and homogenous and the source of seismic shock to be a dipole with a moment. Assuming different values of the moment and the dipole acting in the focus and following the procedure suggested by A. E. H. Love, it is possible to compute resulting seismic waves and their effect at the arrival at the earth's surface. It is also possible to determine the form of isoseismal lines on the surface of the earth. Comparing the computed isoseismal lines with those observed, it is possible to evaluate the correctness of the assumptions made about dynamic characteristics of the focus and by varying these assumptions, to obtain satisfactory agreement.

In the computations the effect of dispersion, and influence of anisotropy and of incomplete elasticity of the ground are neglected, which is permissible for hypocentral distances exceeding 200 km. At these distances the focus can be assumed to be a point source when the linear dimensions of focus are small compared to the length of the waves.—*S. T. V.*

14036. Savarenskiy, Ye. G. Ob uglakh vykhoda seysmicheskoy radiatsii i nekotorykh smezhnykh voprosakh [On the angle of emergence of seismic rays and certain related questions]: Akad. Nauk SSSR Geofiz. Inst. Trudy, no. 15 (142), 111 pp., 1952.

Seismic waves from the focus of an earthquake generate at every refraction new waves, both longitudinal and transverse, so that at the point of observation many different waves arrive, each of them bearing traces, not always understood but indelible, of the geologic structures through which they have passed. Travel times of these waves are used for the determination of hypocentral distances and for the interpretation of the structure of the earth.

A new seismological method which effectively complements the existing method based on an analysis of travel times is presented.

By applying the theory of elasticity and assuming the earth to be composed of homogeneous layers with discontinuities at known depths, it is possible to compute analytically the path of direct, refracted, and reflected waves, both longitudinal and transverse, from a distant earthquake. Differences between computed and observed angles of emergence of different waves may be caused by geologic irregularities near the point of observation or by different structures from those assumed in deep layers of the earth. In either case these differences are important indications of local geology and the internal constitution of the earth.

The study contains numerous examples illustrating the possibilities of this method of interpretation, first suggested by Galitzin. Methods of measuring the apparent and the true angles of emergence, the influence of stratification on this angle, and the methods of interpretation of the results obtained are also discussed.—*S. T. V.*

14037. Byerly, Perry. Theory of the hinged seismometer with support in general motion; *Seismol. Soc. America Bull.*, v. 42, no. 3, pp. 251-261, 1952.

The purpose of this investigation was to ascertain the relative magnitude of terms normally neglected in writing the equation of the seismograph. These involve rotations of the support and accelerations at right angles to the principal forcing acceleration. The discussion is mathematical. Seven conditions under which these terms may be neglected are given.—*M. C. R.*

14038. Benioff, Hugo, and Gutenberg, Beno. The response of strain and pendulum seismographs to surface waves: *Seismol. Soc. America Bull.*, v. 42, no. 3, pp. 229-237, 1952.

Investigations at Pasadena show certain advantages gained from the use of strain seismographs and vectorial recorders. The relationship between the response of strain and pendulum seismographs is well adapted to demonstrate the characteristic elliptical motion of the ground particles in Rayleigh waves. More detailed investigations of the effect of crustal inhomogeneities on surface waves are needed. It should be possible to use the vectorial recorder with vertical and horizontal-pendulum seismometers or with vertical-pendulum and horizontal-strain seismometers to determine the actual shape of the Rayleigh-wave ellipses and the inclination of their major axes. Preliminary investigations suggest that the major axis may be inclined slightly to the vertical.—*M. C. R.*

14039. Mintrop, Lüdger. Die Gliederung der Erdrinde und des Erdmantels nach seismischen Beobachtungen [The stratification of the crust and mantle of the earth from seismic observations]: *Akad. Wiss. Göttingen, Math-Phys. Kl., Nachr. Heft 2*, pp. 46-48, 1947.

This paper is essentially the same as that abstracted in *Geophys. abstract* 11531.—*S. T. V.*

14040. Stechschulte, V. C. A method of obtaining *P* and *S* travel-time curves within a "stripped earth": *Seismol. Soc. America Bull.*, v. 42, no. 4, pp. 313-314, 1952.

A simple method is outlined for obtaining from a time-distance curve of a deep-focus earthquake a table of travel times within an earth "stripped" to the depth *h*, the depth of focus. The method depends on the fact that such a curve for a deep-focus earthquake has a point of inflection and therefore has the same

slope at two different values of epicentral distance. The Herglotz-Wiechert method may then be applied to these travel times to obtain a velocity-depth distribution.—*Author's Abstract*

14041. Knopoff, L. On Rayleigh wave velocities: *Seismol. Soc. America Bull.*, v. 42, no. 4, pp. 307-308, 1952.

The values of Rayleigh-wave velocities for materials which do not meet the condition  $\sigma=1/4$  have been determined. Deviations from  $.9194 V_s$ , obtained when  $\sigma=1/4$ , are not great but are significant in the problem of the identification of seismic wave components at positions close to a source.—*M. C. R.*

14042. Ergin, Kazim. Observations on recorded ground motion due to *P*, *PcP*, *S*, and *ScS*: *Seismol. Soc. America Bull.*, v. 42, no. 3, pp. 263-270, 1952.

The recorded motion of a point at the surface of the earth, in the vertical plane of propagation, upon the arrival of *PcP* and *ScS*, as well as of the direct *P* and *S* waves, is reproduced from the seismograms of the vertical, N-S and E-W component, long-period Benioff seismographs. It is found that *P* and *PcP* produce a back-and-forth vibration in the general direction of the incoming ray, and that *S* and *ScS* produce a motion the largest displacement of which is approximately perpendicular to the ray. *PcP* motion starts close to the vertical, but its horizontal component later increases. A minor *S* phase arriving close to and after *PcP* and a minor *P* phase arriving close to and before *ScS* are observed. The effect of these minor phases on the smaller component of the ground vibration caused by the waves reflected from the mantle-core boundary is discussed.—*Author's Abstract*

14043. Press, Frank, and Ewing, Maurice. Two slow surface waves across North America: *Seismol. Soc. America Bull.*, v. 42, no. 3, pp. 219-228, 1952.

Surface shear wave (*Lg*) with initial period about  $1/2$  to 6 sec. with sharp commencements and amplitudes larger than any conventional phase have been recorded for continental paths at distances up to 6,000 km. These waves have a group velocity of  $3.51 \pm .07$  km/sec. and for distances greater than  $20^\circ$  they have reverse dispersion. For distances less than about  $10^\circ$  the periods shorten and *Lg* merges into the recognized near-earthquake phase *Sg*.

An additional large amplitude phase in which the orbital motion of the particle is retrograde elliptical and the velocity is  $3.05 \pm .07$  km/sec. has also been observed for continental paths.

It is believed that these phases are propagated through a wave guide formed by a superficial sialic layer. The problem of explaining the propagation of these surface waves is that of finding a crustal structure which is consistent with the other data of geology and geophysics and which will provide a suitable wave guide for the new phases. A possible nature of the wave guide is described.—*Author's Abstract*

14044. Ewing, Maurice, and Press, Frank. Crustal structure and surface-wave dispersion. Pt. 2: Solomon Islands earthquake of July 29, 1950: *Seismol. Soc. America Bull.*, v. 42, no. 4, pp. 315-325, 1952.

Rayleigh waves from the Solomon Islands earthquake of July 29, 1950, recorded at Honolulu, Berkeley, Tucson, and Palisades are analyzed. Both the direct waves and those propagated through the Antipodes were observed for all stations except Honolulu. Application of a correction for land travel results in a

dispersion curve for the oceanic portion of the path. It is found that the observed dispersion could be accounted for by propagation through a layer of water 5.57 km. thick overlying simatic rocks having shear velocity 4.56 km/sec. and density 3.0 gm/cc. Basement structure in the Pacific, Indian, South Atlantic, and North Atlantic Oceans is identical within the limits of accuracy of the method.

The sinusoidal nature and duration of the coda is explained by the effect of the oceans on the propagation of Rayleigh waves.

The results are compatible with seismic refraction measurements in the Atlantic and Pacific Oceans.—*Authors' Abstract*

14045. Ergin, Kazim. Energy ratio of the seismic waves reflected and refracted at a rock-water boundary: *Seismol. Soc. America Bull.*, v. 42, no. 4, pp. 349-372, 1952.

Energy ratios of seismic waves reflected and refracted at a rock-water boundary have been computed and are shown in graphs and tables. Poisson's ratios in the solid medium is a dominant factor in the behavior of reflected and refracted waves in the solid medium. Density has little effect. Peculiar effects are observed near the critical angles of incidence. At the critical angle all energy goes into the reflected wave of the same kind as the incident wave. In all cases, most energy goes into reflected *P* and *S* waves because of the contrast in densities and velocities in the two media.—*M. C. R.*

14046. Coulomb, Jean. Sur la nature des ondes *T* engendrées par les séismes sous-marins [On the nature of *T* waves produced by submarine earthquakes]: *Acad. royale Belgique Bull.*, Cl. sci., 5th ser., tome 88, no. 13, pp. 393-395, 1952.

The author expresses the opinion that *T* waves cannot be Rayleigh waves spreading over the bottom of the ocean and modified by the pressure of the layer of water.—*S. I. V.*

14047. Gane, P. G., Seligman, P. and Stephen, J. H. Focal depths of Witwatersrand tremors: *Seismol. Soc. America Bull.*, v. 42, no. 3, pp. 239-250, 1952.

Earth tremors originating at a single Witwatersrand mine were recorded by six vertical seismometer stations all within about 10,000 ft (3.0 km) of the foci. A triggered system of recording permitted the first arrivals to be timed to 5 milliseconds, giving a location accuracy of about 250 ft (75 m). All the 100 foci determined were in close proximity to the position of active mining, or slightly above it, and had a mean depth of 7,500 ft (2.3 km). Eighty per cent of the first movements observed were downward, that is, cataseismic.

It may be concluded from the predominantly cataseismic nature of the first motion that the initial movements at the focus are into the mined-out cavities. However, failure in simple tension is not a common form of initial fracture. Two possible types of shear failure which could produce the cataseismic motions are: the hanging wall shears through its supporting pillars, moving down-dip; or the hanging wall shears, at a face being worked down dip, so as to tend to close the stope.—*M. C. R.*

14048. Hersey, J. B., Officer, C. B., Johnson, H. R., and Bergstrom, S. Seismic refraction observations north of the Brownson Deep: *Seismol. Soc. America Bull.*, v. 42, no. 4, pp. 291-306, 1952.

Results of several refraction profiles made on the rise to the north of the Brownson Deep are presented. Good evidence for a high-speed layer with

travel-time curves showing a compressional velocity of 7.94 km/sec. and an intercept of 8.4 sec. is presented, and the presence of an overlying lower-speed layer (6.64 km/sec., intercept 8.1 sec.) is demonstrated on less complete evidence. Neither layer correlates with existing reflection data in the area. Two sets of secondary low-frequency arrivals are tentatively interpreted as a refracted shear wave and a wave that has taken a bottom and surface reflection and then a basement refraction. Evidence is presented for a newly observed forerunner of the refracted-surface reflected waves of the permanent sound channel (*RSR* waves) consisting of a train of nearly constant frequency waves which appear to travel between surface and bottom via the *RSR* path and along the bottom at the speed of sound in water at the bottom.—*Author's Abstract*

14049. Hill, M. N. Seismic refraction shooting in an area of the eastern Atlantic: Royal Soc. London Philos. Trans., ser. A., v. 244, no. 890, pp. 561-596, 1952.

For the experiments described in this paper a new method of seismic refraction shooting was developed. With this method hydrophones suspended at a depth of about 100 feet below the surface of the sea acted as receivers for compressional waves developed by depth charges exploding at a depth of approximately 900 feet.—*Physics Abstracts*

14050. Crary, A. P., and Cotell, R. D. Ice islands in Arctic research: Sci. Monthly, v. 75, no. 5, pp. 298-302, 1952.

Scientific investigations of floating ice islands in the Arctic included a seismic profile of 11,000 ft and observation of gravity. An increase of longitudinal velocity from 10,500 fps to 12,000 fps was observed at a depth of 50 ft. Long-distance shots produced flexural waves, from the frequency of which an ice depth of about 150 ft was computed. Gravimeter observations were made twice daily for a two-month period.—*M. C. R.*

14051. Imamura, Gakuro. Maximum gradients of crustal deformations at the time of a destructive earthquake: Seismol. Soc. America Bull., v. 42, no. 4, pp. 309-311, 1952.

By the destructive earthquake of July 10, 1804, the entire Kisagata area (Akita-ken) was uplifted. In October 1941 the present altitudes of former shore lines were measured and lines of equal upheaval determined. The maximum gradient is of the order of  $10^{-3}$  and directed almost perpendicularly to the general trend, and it is concluded that the crust can deform itself without faulting when the gradient attains the order of  $10^{-3}$ .—*M. C. R.*

14052. Roberts, E. B., and Ulrich, F. P. Seismological activities of the U. S. Coast and Geodetic Survey in 1950: Seismol. Soc. America Bull., v. 42, no. 3, pp. 207-217, 1952.

Seismological activities of the U. S. Coast and Geodetic Survey, including geodetic work of seismological significance, are summarized. These reports include the teleseismic program, principal earthquakes in the United States during 1950, vibration work of the Seismological Field Survey, and instrumental development. Geodetic work includes triangulation in Riverside County.

Indio, and Long Beach, Calif. and leveling surveys at Lake Mead and between Galveston and Port Isabel, Tex.—*M. C. R.*

14053. Gubin, I. Ye. Seismo-tectonicheskiy metod seismicheskogo rayonirovaniya [Seismotectonic method of seismic zoning]: Akad. Nauk SSSR Geofiz. Inst. Trudy, no. 13 (140), 62 pp., 1950.

Seismic zoning, defined as the evaluation of the danger from earthquakes in an area, is a factor of great importance in determining sites for dams, metallurgical works, and power houses. Up to now the seismicity of a region has been determined on the basis of statistical data of the approximate intensity and frequency of past earthquakes. As precise observations and recording of earthquakes were begun only very recently, and in sparsely populated regions of the U. S. S. R. even noninstrumental data on earthquakes are very scarce, the evaluation of seismicity is extremely uncertain. The author indicates several examples when such evaluations concerning regions of Turkistan were proved to be completely wrong, and he insists on the necessity of completing statistical data by thorough studies of geology, especially of tectonics.

The study contains a detailed discussion of the geology and seismology of Turkistan. (See also Geophys. abstract 13849).—*S. T. V.*

14054. Koning, L. P. G. Earthquakes in relation to their geographical distribution, depth and magnitude, pt. 4, South America: K. Nederland. Akad. Wetensch. Proc., Ser. B., v. 55, no. 3, pp. 263-279, 1952.

The isomagnitude line method (see Geophys. Abstract 13861) has been applied to earthquakes in South America. A single long seismic belt containing both shallow and intermediate shocks is found. Below this belt and separated from it by a gap are three areas of deep seismic disturbances. The geographical distribution of epicenters suggests that the foci can be arranged in a surface dipping toward the American continent, but this investigation indicates that the foci cannot be arranged on a single surface. There seems to be a more or less regular distribution, both horizontally and vertically, of relatively strong shocks.—*M. C. R.*

14055. Koning, L. P. G. Earthquakes in relation to their geographical distribution, depth, and magnitude, pt. 5, Central America and the Caribbean area, and pt. 6, The Southern Antilles: K. Nederland. Akad. Wetensch. Proc. v. 55, no. 3, pp. 272-279, 1952.

Isomagnitude studies of earthquakes in Central America and the Caribbean region indicate existence of two seismic belts. One zone along the Pacific coast of Central America is the northern continuation of the South American belt. In the surface layer this Central American belt is continued northward along the Pacific coast of North America and over the Aleutian arc. The Caribbean belt extends over the islands of Cuba, Haiti, Puerto Rico, and the Lesser Antilles to the coast of South America. The seismic areas in the Southern Antilles (islands in the south Atlantic Ocean off the coast of South America) do not form an uninterrupted belt. Only shallow and intermediate shocks occur, the maximum depth being 300 km. in Central America and 200 in the Caribbean and south Atlantic areas. There is a more or less regular distribution of centers of relatively strong seismic intensity.—*M. C. R.*

14056. Koning, L. P. G. Earthquakes in relation to their geographical distribution, depth, and magnitude, pt. 7, The Pacific coast of North America and the Aleutian arc, and pt. 8, The Mediterranean region: K. Nederland. Akad. Wetensch. Proc., v. 55, no. 3, pp. 280-292, 1952.

Isomagnitude studies indicate that the seismic belt in the Pacific region of North America extends from Central America along the coast of the United States and Canada, curves into Alaska, and continues over the Aleutian arc to end east of Kamchatka. In Oregon and Washington the belt bifurcates into two branches surrounding an aseismic region. Shocks of intermediate depths to a maximum of 170 km occur only in the Aleutians. Large magnitude shocks occur chiefly in the Aleutian arc.

In southern Europe and Asia, one belt of shallow shocks extends from western Spain to southeastern Asia where it joins the East Indian belt. At greater depths seismicity seems to be restricted to several areas of different size. The deepest shocks (250-300 km) occur in southern Italy, and in the Hindu Kush there is a more or less regular horizontal and vertical distribution of the centers of relatively strong seismic intensity.—*M. C. R.*

14057. Gubin, I. Ye. Zemletryasemiya v Garmskoy oblasti [Earthquakes in the Garmskaya Oblast']: Akad. Nauk SSSR Geofiz. Inst. Trudy, no. 8 (135), 96 pp., 1949.

In further discussion of the "seismo-tectonic" method of seismic zoning (see Geophys. abstract 13849), the author emphasizes the necessity of studying not only the purely seismic characteristics of past earthquakes but also related tectonic features. Garmskaya Oblast' is a very fertile ground for such investigations.

A detailed geologic description of the province is given, including a tectonic history. All available statistical data on the seismicity of the region are also given. It is said that by application of this seismotectonic analysis, the author was able to predict earthquakes in several parts of the province.—*S. T. V.*

14058. Belousov, V. V., Kirillova, I. V., and Sorskiy, A. A. Kratkiy obsor seysmichnosti Kavkaza v sopostavlenii s ego tectonicheskim stroeniyem [Brief review of the seismicity of the Caucasus in relation to its tectonics]: Akad. Nauk SSSR Izv., Ser. geofiz., no. 5, pp 3-9, 1952.

The Caucasus is a region of high seismicity. During only nine months of 1951, more than one hundred earthquakes were recorded. From statistical data a map has been constructed, indicating areas of maximum intensity and epicenters of earthquakes since 1933. The epicenters are concentrated along the ridge of extinct volcanoes across the Akhalkalaki plateau. Traces of Quaternary lava flows are found in the same area. Neither the seismicity of Caucasus nor its tectonics are yet sufficiently known.—*S. T. V.*

14059. Kirillova, I. V. Seysmichnost Akhalkalaksckogo nagor'ya [Seismicity of the Akhalkalaki plateau]: Akad. Nauk SSSR Izv., Ser. geofiz., no. 5, pp. 10-24, 1952.

Akhalkalaki plateau has the average elevation above sea level of 1,500-2,000 m, with several ridges rising above this to a maximum of 3,400 m. Its most important tectonic feature is a line of volcanoes, inactive since the Tertiary or Quaternary, the so-called Abul-Samsar ridge [Samsarskiy Khrebet], which coincide with the principal line of epicenters.

The whole area is one of high seismicity. The city of Akhalkalaki has experienced more than 15 destructive earthquakes since 1868. The tectonic relations of the plateau are very complicated, but their relation to the seismicity has not yet been sufficiently investigated.—*S. T. V.*

14060. Mihailovič, Jelenko. Seizmološka karta Jugoslavije [Seismologic map of Yugoslavia]: Radovi seizmološkog zavoda F. N. R. J. u Beogradu., 110 pp., 1950.

Available data, mostly noninstrumental, on earthquakes in different parts of the present Yugoslavia between 360 and 1949 are summarized. For each earthquake the intensity, geographic position of the epicenter, and the data of occurrence are given. A map (scale 1:1,000,000) shows regions of different seismicity.—*S. T. V.*

14061. Due Rojo, Antonio. Notas sismologicas de 1951 [Seismological notes for 1951]: Rev. Geofis., v. 11, no. 41, pp. 105-108, 1952.

International collaboration was very much in evidence during 1951. After each earthquake which occurred anywhere in the world, pertinent information was directed to United States Coast and Geodetic Survey in Washington, using if necessary facilities of the U. S. State Department or of the Office of International Foreign Trade of the Department of Commerce. On the basis of this information, about 800 epicenters were located, and in addition about 200 hypocenters were determined. The geographic distribution of these earthquakes is shown on a special map of the world, and statistical data on the magnitudes of individual earthquakes are given.—*S. T. V.*

#### RADIOACTIVITY

14062. Hess, V. F., Burns, W. F., and Parkinson, W. D. Gamma radiation from uranium  $X_2$ : Am. Geophys. Union. Trans., v. 33, no. 5, pp. 657-660, 1952.

The amount of ionization due to hard gamma rays from  $UX_2$  ( $Pa^{234}$ ) in equilibrium within a known amount of uranium was found, using a specimen of thorium-free Joachimstal ore, by subtracting the calculated radiation due to RaC from the measured total hard-gamma radiation. Corrections for self-absorption, geometry, and differential absorption in the lead filter were applied. Ionization was measured in terms of Ra standards. It was found that 5.2 percent of the hard-gamma radiation is due to  $UX_2$ , the rest from RaC. Although the 5.2 is twice the figure given by Suddy and Russell, it nevertheless shows that the contribution of the gamma radiation of  $UX_2$  to the total radiation of all radioactive products in rocks is insignificant.—*M. C. R.*

14063. Hurley, P. M., and Shorey, R. R. Discrimination of thoron alpha activity in presence of radon: Am. Geophys. Union Trans., v. 33, no. 5, pp. 722-724, 1952.

The short life of ThA is used as a means of discriminating between thoron and radon alpha activity. At low counting rate the count of double alpha pulses due to the rapid decay from Th to ThB indicates the ratio of radium to thorium X in the source solution.—*Authors' abstract*

14064. Vinogradov, A. P., Zadorozhnyy, I. K., and Zhukov, S. I. Izotopnyy sostav svintsov i vozrast zemli [Isotopic composition of lead and the age of the earth]: Akad. Nauk SSSR Doklady, tom, 85, no. 5, pp. 1107-1110, 1952.

Thirty-two samples of galena of different geologic ages were analyzed in a mass spectrograph, and on the basis of the relations among the different isotopes present the authors find that the age of the earth is between  $2.1 \times 10^9$  years and  $(5.0 \pm 0.5) \times 10^9$  years.—S. T. V.

14065. Kulp, J. L. The carbon 14 method of age determination: Sci. Monthly, v. 75, no. 5, pp. 259-267, 1952.

This is an account of the development of the carbon-14 method of age determination, the techniques of measurement and calculation, and the uses of the method for dating archeological and geological materials. Among the examples cited are the dating of the Mayan and other prehistoric cultures, and the use of the method in dating Wisconsin glaciation, volcanic eruptions in La Soufrière, hydrocarbons in recent marine sediments, and the circulation of the ocean.—M. C. R.

14066. Kulp, J. L., Volchok, H. L., Holland, H. D., and Ericson, D. B. Thick source alpha activity of some North Atlantic cores: Jour. Marine Research, v. 11, no. 1, pp. 19-28, 1952.

The alpha activity of samples from six representative deep-sea cores has been determined by the scintillation method. Relative alpha activity ranges from 2-3 counts per  $\text{cm}^2$  per hr for sand, 2-4 for globigerina ooze, 4-6 for foraminiferal green clay, to 5-10 for fine white to red clay with low Foraminifera content. Actual alpha activity measured is determined to a large extent by percent of foraminiferal shells, the concentration and radioactivity of sand grains, and the composition of the clay. The greatest determinant seems to be the mineral composition of the particles. Some correlation between total alpha activity and  $\text{CaCO}_3$  content or sand content is possible. Total thick-source alpha counting is apparently inadequate for age determinations by the ionium method.—M. C. R.

14067. Slack, H. A. Field measurement of the radioactivity of rocks in The application of recent counting techniques to geophysical research: Am. Geophys. Union Trans., v. 33, no. 6, pp. 897-901, 1952.

Further development of a field gamma-ray counter suitable for measuring the radioactivity of ordinary rocks in place (see Geophys. Abstract 12584) has resulted in greater sensitivity and portability. The instrument was calibrated against prepared standard radioactive concrete blocks and used to investigate the radioactivity of the Kirkland Lake area in northern Ontario. Additional observations over the Round Lake batholith do not alter previous results. An area of higher radioactivity to the north is believed to be a separate geologic structure.—M. C. R.

14068. Whitham, Kenneth. Laboratory scintillation counters applied to some geophysical problems, in The application of recent counting techniques to geophysical research: Am. Geophys. Union Trans., v. 33, no. 6, pp. 902-911, 1952.

The development and operation of a laboratory scintillation counter capable of analyzing the separate uranium and thorium contents of radioactive minerals

are described. A gamma-gamma analysis, that is, a method depending on two measurements giving the relative proportion of high- and low-energy gamma rays, was used. The advantages of this technique have been proved for the analysis of nonequilibrium samples, and some comparisons with the results given by conventional radiometric methods have been made for a number of samples. The counter finally developed is capable of analyzing samples with concentrations of only 0.05 per cent  $U_3O_8$  equivalent and distinguishing between the two radioactive families when  $r=U_3O_8/ThO_2$  is as low as 0.01.

An analysis of laboratory experimental data has shown that in measuring the distribution of radioactivity in geologic formations, and in estimating the radioactive heat production in rocks from field observations, scintillation counters using the gamma-gamma counting technique could be used to eliminate the uncertainties due to the presence of potassium, and that such a counter would be at least 20 times more sensitive than that described by Slack. (*See preceding abstract*)—*M. C. R.*

14069. Binggeli, Edmond, and Haenny, Charles. *Mésure de la radioactivité des eaux de Lavey* [Measurement of radioactivity of the water from Lavey spring]: *Soc. vaudoise sci. nat. Bull.*, v. 65, no. 280, pp. 253-264, 1952.

The radioactive contents of samples of water from Lavey-les-Bains springs (Canton de Vaud, Switzerland) were determined using the method devised by Professor Lepape. A detailed description of apparatus and procedure is given. Corrections to be applied to these results are discussed, the most important among them being the reduction to the exact time when the sample was taken because of the rapid disintegration of some radioactive substances. Final precision of the determinations is estimated equal to 3 per mille. The average content was found to be 6.1 millimicrocuries per liter. Only one other spring in Switzerland is more radioactive than that investigated here.—*S. T. V.*

#### HEAT

14070. Uffen, R. J. A method of estimating the melting-point gradient in the earth's mantle: *Am. Geophys. Union Trans.*, v. 33, no. 6, pp. 893-896, 1952.

Using the Einstein-Debye theory of solids and Lindemann's theory of fusion, the ratio of the melting point at various depths in the mantle to that at depth 100 km is computed from seismic data. Using data for solid olivine, a value of 5,300° K is found for the melting point at the core boundary, which gives an upper limit for the actual temperature there.—*Author's Abstract*

14071. Kashpur, Ya. N. *Geotermicheskiye usloviya kamennougol'nykh otlozheniy yugo-zapadnoy chasti Donetskogo basseyna* [Geothermal features of the Carboniferous deposits of the southwestern part of the Donets Basin]: *Akad. Nauk SSSR Doklady*, tom 86, no. 4, pp. 809-812, 1952.

During the 1949-51 temperature measurements were made in 203 drill holes at different points of southwestern part of the Donets Basin [Donbass] at depths ranging from 400 to 1500 m. The geothermal gradient was found to vary from 14.2 C to 36.8 C per kilometer. The highest temperature at a depth of 1000 m was 52.5 C over the apex of the central part of the principal anticline. Over the limbs of the anticline this temperature was only 35 C.

On the basis of his measurements the author concludes that the temperature of formations increases from synclines to anticlines and that the temperature also increases from the upper Carboniferous formations toward those stratigraphically lower.—*S. T. V.*

### VOLCANOLOGY

14072. Kizawa, T. Geophysical phenomena accompanied by volcanic actions: *Geophys. Mag.*, v. 23, no. 4, pp. 388-398, 1952.

Tremors and other types of geophysical activity accompanying eruptions of Mihara [Mihara-yama] in 1950 and 1951 and Aso in 1947 are described. No premonitory shocks were observed at Mihara-yama. There is a relationship, however, between the activity of the volcano and the direction of the maximum horizontal component of tremors. Studies of magnetic declination, deviation of radio waves and volcanic noise were also made.—*M. C. R.*

14073. Fries, Carl Jr., and Gutiérrez, Caledonio. Activity of Parícutin Volcano from July 1 to December 31, 1951: *Am. Geophys. Union Trans.*, v. 33, no. 5, pp. 725-733, 1952.

The volume of pyroclastic material and new lava increased appreciably over that of the preceding 6-month period. The period was notable also for the great increase in frequency and intensity of violent explosions or detonations in the crater.—*M. C. R.*

### TECTONOPHYSICS

14074. Jeffreys, Harold. *The earth* (3rd ed.), 392 pp., Cambridge, England, the University Press, 1952.

The four chapters relating to the origin of the solar system have been omitted, and instead a general description of recent theories is given. The remaining chapters have been extended and almost completely rewritten to include recent developments. Discussions include those on the mechanical properties of rocks, the theory of elastic waves, observational seismology, the figures of the earth and the moon, stress-differences in the earth, the variation of latitude and the bodily tide, tidal friction, the age of the earth, the thermal history of the earth, the origin of the earth's surface features, and special problems.—*M. C. R.*

14075. Birch, Francis. Elasticity and constitution of the earth's interior: *Jour. Geophys. Research*, v. 57, no. 2, pp. 227-286, 1952.

The observed variation of the seismic velocities with depth, below the crust, is examined with reference to the variation to be expected in a homogeneous medium. A general equation is derived for the variation of the quantity,  $\phi = V_P^2 - 4/3V_S^2$ , in a homogeneous gravitating layer with an arbitrary gradient of temperature. The parameters of this equation are then discussed in terms of the experimental and theoretical relations for solids. The principal parameter is  $(\partial K_T / \partial P)_T$ , the rate of change of isothermal incompressibility with pressure, which can be found for large compressions from Bridgeman's measurements. Comparison of observed and expected rates of variation of  $\phi$  throughout the Earth's interior leads to conclusions regarding homogeneity and, with a larger uncertainty, to estimates of temperature.

A shadow zone at a depth of about 100 km, as suggested by Gutenberg, may be accounted for by a gradient of temperature of about  $6^{\circ}/\text{km}$  in a homogeneous layer of ultrabasic rock. Between depths of about 900 and 2,900 km, the mantle appears to be substantially uniform, and at a relatively uniform temperature of the order of several thousand degrees. Between about 200 and 900 km, the rate of rise of velocity is too great for a homogeneous layer, and indicates a gradual change of composition, or of phase, or both. New phases are required to account for the high elasticity of the deeper part of the mantle (below 900 km), and it is suggested that, beginning at about 200 to 300 km, there is a gradual shift toward high-pressure modifications of the ferro-magnesian silicates, probably close-packed oxides, with the transition complete at about 800 to 900 km. There may also be a concentration of alumina, lime, and alkalis toward the upper part of the mantle, in and above the transitional layer but below the crust, existing in minerals of high elasticity such as garnets and jadeites. The transitional layer appears to hold the key to a number of major geophysical problems.

The velocities in the core and inner core are also reviewed. The inner core is most simply interpreted as crystalline iron, the outer part as liquid iron, perhaps alloyed with a small fraction of lighter elements. The density and compressibility of iron at high pressures are estimated with the aid of the experimental compressions of the alkali metals; the central density is found to be about 15. Several other recent proposals regarding the crust are discussed.—*Author's Abstract.*

14076. Vening Meinesz, F. A. The origin of continents and oceans: *Géologie Mijnb.*, jaarg. 14, no. 11, pp. 373-384, 1952.

The analysis of the earth's topography in terms of spherical harmonics leads to a hypothesis of a two-stage development of the continents by convection currents. The first current system causes the sial to form a single continent in the region where it converges, comprising one third of the earth's surface. In the second stage a new current system partially disrupts this mass into the present continents.—*E. K.*

14077. Scheidegger, A. E., and Wilson, J. Tuzo. An investigation into possible methods of failure of the earth: *Geol. Assoc. Canada Proc.*, v. 3, pp. 167-190, 1950.

Many mountain and island chains have a shape which approximates a circular or spiral arc. Analyses of different mechanisms of yielding of the earth's crust lead the authors to conclude that the arc pattern can best be explained by a sliding fracture produced by the internal tension in an asthenosphere contracting around a nonshrinking core.—*J. R. B.*

14078. Scheidegger, A. E. Physical aspects of the contraction hypothesis of orogenesis: *Canadian Jour. Physics*, v. 30, no. 1, pp. 14-26, 1952.

If a cooling, contracting earth is assumed, the size of folds should become greater as the crust thickens. The equations for cooling of the earth as a function of movement or radioactive material are derived, and it is shown that the rate of cooling increases if such material is moved toward the surface. The equation relating stress and temperature in the earth is derived, and it is found that the position of the level of no strain is independent of the coefficients of heat conduction and is located at a place where the rate of change of thermal gradient is low. (See previous abstract)—*J. R. B.*

14079. Havemann, Hans. The earth's face determined by the core: *Am. Geophys. Union Trans.*, v. 33, no. 5, pt. 1, pp. 749-754, 1952.

The author refers to the old theory of a periodic change in expansion and contraction of the Earth, caused by thermal conditions, especially by periodic accumulation and escape of radioactive heat. To this theory is joined: the hypothesis of rotational differences of core and mantle, the core not being warmed and cooled in the same way as the mantle; the hypothesis of a uniform crystalline (if solid) or semicrystalline (if nearly fluid) parallel structure of the core, which effects deformations of its spheroid boundary during tangential movements of the mantle. These deformations, in regionally accelerating or retarding the mantle's movement, also produce movements within the crust.

By means of this theory of the Earth's mechanism an explanation is attempted for a geological assemblage of facts, such as the origin of the Mediterranean or Alpidic ring of structures, which in general is supposed to have been equatorial in the Tertiary; dislocations of the Earth's axis during Tertiary and other active phases of the Earth's history; and the origin of the Atlantic and Indian Oceans and of the crustal massifs of central Asia.

In the second part of this paper, entitled *An Actual Phase?* there is an attempt to demonstrate that seismic observations of actual movements in the crust probably in the future will confirm or deny the probability of this theory.—*Author's Abstract*

14080. Oppenheim, Victor. The structure of Colombia: *Am. Geophys. Union Trans.*, v. 33, no. 5, pp. 739-748, 1952.

The Colombian Andes consist of five distinct and physiographically independent ranges: the Coastal Range (also known as Cordillera de Baudó), Cordillera Occidental, Cordillera Central, Cordillera Oriental with its continuation, the Cordillera de Perijá [Sierra de Perijá], and the Sierra Nevada de Santa Marta. Each of these shows marked structural characteristics and is of different age of uplift. The Guiana shield and its outliers in the eastern part of the country represent the old continental basement complex. The growth of the rest of Colombia took place north and west of this shield. The predominant tectonic pattern is one of block faulting rather than overthrusting. The rise of the Cordilleras seems to be due to vertical stresses or their components.

Despite the complex tectonic history, destructive earthquakes in modern times have not been numerous. About 50 percent of recorded shocks occurred in the Cordilleras Central and Occidental and 25 percent in the Cordillera Oriental. Almost all volcanoes are in the Cordillera Central. Only two are found in the Cordillera Occidental and none in the Cordillera Oriental.

Geologic and geophysical data suggest that the island arcs of the Antilles can be considered as continuations of the Colombian ranges.—*M. C. R.*

14081. Brodie, J. W. Features of the sea-floor west of New Zealand: *New Zealand Jour. Sci. Technology*, v. 33, sec. B, no. 5, pp. 373-384, 1952.

From data on Admiralty charts and additional soundings, submarine contours have been drawn at 500-fathom intervals of the Tasman sea floor between Australia and New Zealand between latitudes 27 and 47 S. To the west the major feature is the Tasman Basin [Southeast Australian Basin], the floor of which is generally deeper than 2500 fathoms. The basin is bounded on the west by the Australian coast and on the east by the Lord Howe Rise. The New Caledonia Trough [New Caledonia Basin], Norfolk Rise, Norfolk Basin, and

the Fiji Basin [North Fiji Basin and South Fiji Basin] follow successively to the east. All exhibit a slightly arcuate northwesterly trend, a trend which is similar to the pre-Tertiary fold axes in Australia and areas of older rocks in New Zealand.

Seismological evidence shows the Tasman Sea to be part of the Australian continental stable mass. The active circum-Pacific belt passes through southern and central New Zealand and broadens to the northwest along the margin of the Fiji basins.

The scale and dominance of north- to northwest-trending arcuate fold indicate that yielding to a west-southwesterly directed thrust has been the latest major movement in the area. The phase of compression which produced these folds was interrupted by the commencement of yielding along the Pacific margin. Under influence of the south-southwest component of the thrust, the eastern end of the old arc system has yielded to shearing and been displaced to the south a total of 300-400 miles.

This dislocation initiated a still continuing phase dominated by a component of compression directed to the west-northwest. According to E. I. Robertson the distribution of mass deficiencies revealed by the recent gravity surveys in the North Island, New Zealand, is not inconsistent with the effects of such compression.—*M. C. R.*

14082. Carnera, Luigi. Le variazioni della latitudine ed il movimento del polo di rotazione terrestre negli anni 1946-1948 [Variation of latitude and movement of the pole of the earth's rotation during 1946-1948]: *Accad. sci. fis. e mat. Napoli Rend., Ser. 4, v. 16, pp. 126-133, 1949.*

On the basis of data from the Misuzawa, Kitab, Carloforte, Gaithersburg, and Ukiah observatories, the extreme displacements of the earth's axis, in seconds of arc, were computed as follows: 1946,  $-0.193$ ,  $+0.242$  in the  $x$  direction,  $-0.176$ ,  $+0.276$  in the  $y$  direction; 1947,  $-0.194$ ,  $+0.256$  in the  $x$  direction,  $-0.160$ ,  $+0.218$  in the  $y$  direction; 1948,  $-0.104$ ,  $+0.251$  in the  $x$  direction,  $-0.113$ ,  $+0.252$  in the  $y$  direction.—*S. T. V.*

14083. Gerrard, J. A. F., Perutz, M. F., and Roch, A. Measurement of the velocity distribution along a vertical line through a glacier: *Royal Soc. London Proc., Ser. A. v. 213, pp. 546-558, 1952.*

Using an electric heating element, a vertical hole 137 m long was melted from the glacier surface to the rock bed. The hole was lined with a 3 inch steel tube which froze into the glacier and became tilted and bent according to the velocities prevailing at different depths. Using electrically recording pendulum instruments, the inclination of the tube at different depths was measured at the start of the experiment and again after one and two years. The rate of surface flow was found to be 35 m per year. Of this amount, roughly half seemed to be due to flow within the ice and the other half to sliding of the glacier over its bed. The velocity decreased regularly from the glacier surface downwards, and there was no indication of a yield stress below which ice was completely rigid. If the assumption is made that the deformation of the ice in the glacier is due to simple shear stress, a tentative relationship between this stress and the rate of shear strain can be derived from the results. This shows that flow is not Newtonian, but approximates to a relation where  $\dot{\gamma} = 10^{-8} \tau^{1.5}$  ( $\dot{\gamma}$ =rate of strain per second,  $\tau$ =shear stress in bars) over a range of  $\tau$  between 0.1 and 0.75 bars. Comparison with laboratory compression tests by Glen (1952) indi-

cates that the exponent of  $\tau$  increases at shear stresses above 1 bar.—*Physics Abstracts*.

## EXPLORATION GEOPHYSICS

### GENERAL

14084. Reich, Hermann. Über den Beitrag der Geophysik zur geologischen Forschung [Contribution of geophysics to geologic exploration]: Deutsche geol. Gesell. Zeitschr., Band 100, pp. 198-203, 1950.

This is a review of the application of geophysical methods to geologic investigations and in prospecting for minerals.—*S. T. V.*

14085. Rothé, Edmond, and Rothé, J. P. Prospection géophysique (Geophysical prospecting), tome 1, 438 pp, and tome 2, 714 pp., Paris, Gauthier Villars, 1950 and 1952.

The first volume of this two-volume treatise contains a discussion of the seismic and radioactivity methods of exploration. The second volume covers the gravimetric, electrical, magnetic, and geothermal methods. The physical bases of all methods, instruments, and practical applications are described.—*S. T. V.*

14086. Sharpe, J. A., and Fullerton, P. W. An application of punched card methods in geophysical interpretation: *Geophysics*, v. 17, no. 4, pp. 707-719, 1952.

The evaluation of a surface integral occurring often in geophysical interpretation is effected through the use of an I. B. M. punched card machine. This is made possible by replacing the integral by a double sum and by using a trigonal coordinate system. An illustration of the method is given by computing the second vertical derivative of a magnetic total-intensity field.—*I. Z.*

14087. Clayton, Neal. Geophysical exploration in the San Juan Basin: *Geophysics*, v. 17, no. 4, pp. 900-906, 1952.

This is a review of some of the problems involved in the geophysical exploration of the San Juan basin in the so-called Four Corners area of Utah, Colorado, New Mexico, and Arizona.—*M. C. R.*

14088. Wantland, Dart. Geophysical measurements of the depth of the weathered rock mantle, in *Symposium on surface and subsurface reconnaissance*; Am. Soc. for Testing Materials, Special Tech. Pub. 122, 115-135, 1952.

Geophysical field studies are described which were made to ascertain the depth of weathered overburden mantle rock at the proposed site of a dam, on the American River in California. The applications of the electrical resistivity, the seismic refraction, and the magnetic methods in attacking this problem are discussed. The interpretation procedures employed are explained. Examples of results are presented which show that the geophysical and core drill determination of the depth to sound rock agreed within less than 4 ft. It is brought out that geophysics is a useful exploration tool at sites where the amount of rock that would have to be stripped is a factor.—*Author's Abstract*

14089. Bird, P. H. Experience with geophysics in New York State, in Symposium on surface and subsurface reconnaissance: Am. Soc. for Testing Materials, Special Tech. Pub. 122, pp. 151-155, 1952

This is a discussion of the use of the seismic and the electrical resistivity methods by the New York State Bureau of Soil Mechanics. The applications and limitations of each method are discussed. On the whole, the New York Bureau has emphasized use of the seismic method.—*M. C. R.*

14090. Nettleton, L. L. Sedimentary volumes in Gulf Coastal Plain of United States and Mexico, pt. 6, Geophysical aspects: Geol. Soc. American Bull., v. 63, no. 12, pt. 1, pp. 1221-1228, 1952.

At a session on "Sedimentary Volumes" at the annual meeting of the Geological Society in 1950, a series of papers were presented, the objective of which were studies of the distribution, thickness, volume, and general character of Mesozoic and Cenozoic sedimentary rocks of the Gulf Coastal Plain province rimming the western and northern shores of the Gulf of Mexico. On the basis of all geophysical data in an area which has probably been geophysically explored more intensively than any comparable large area in the world it is concluded that: the regional dip toward the Gulf of Mexico extends to the coast line without any indications of a synclinal axis at or immediately beyond the coast; that the thickness of sediments at the coast line is about 40,000 feet; and that Pre-salt sediments are thin, absent, or metamorphosed.—*M. C. R.*

#### GRAVITY METHODS

14091. Grant, F. S. Three dimensional interpretation of gravitational anomalies, pt. 2: Geophysics, v. 17, no. 4, pp. 756-789, 1952.

This is the second of two papers describing a method of interpreting residual gravitational anomalies in terms of three-dimensional geological structures. This paper describes an analytical method for smoothing the data, and for constructing charts and templates for computing derivatives and other quantities required in the interpretation formulae already given in Part I. Tables of all quantities required for the practical utilization of this procedure are provided. Two examples of the application of these methods are given: the first, an artificial problem, and the second, an actual survey conducted over a sulphide body that has been outlined by extensive drilling.—*Author's Abstract*

14092. Gel'fand, I. S. Pryamye metody interpretatsii gravitatsionnykh i magnitnykh anomalii ot trekhmernykh tel [Direct methods of interpretation of gravitational and magnetic anomalies produced by three dimensional bodies]: Akad. Nauk SSSR, Ural'skiy filial, Trudy Gorno-Geol. Inst., vyp. 19, Geofiz. sbornik 1, pp. 64-80, 1950.

The total mass and the center of gravity of a buried body can be found from observed gravity anomalies and gravity gradients; similar parameters of a magnetic mass can be determined from the observed components of magnetic vector. This, however, necessitates lengthy evaluation of double integrals in the formulas and is therefore seldom used.

In the present paper more convenient formulas for the computations of these integrals are derived, and the limits of errors which would effect the results if certain approximations are admitted were determined.—*S. T. V.*

14093. Steenland, N. C., and Woollard, G. P. Gravity and magnetic investigations of the structure of the Cortlandt Complex, New York: Geol. Soc. America Bull., v. 63, no. 11, pp. 1075-1104, 1952.

During 1946 and 1947, gravity and magnetic surveys were made to determine whether the complex represents one or more distinct lithologic units and what their shapes are beneath the surface. Both gravity and magnetic measurements were made at 185 stations, an average of 3 per sq. mi. Bulk density and magnetic susceptibility of samples of Cortlandt rock and surrounding country rock were also determined and contoured on separate maps.

The gravity data, in conjunction with known geology, suggest that the Cortlandt complex consists of a relatively thin sheet of igneous material derived largely from two vertical feeder pipes that extend to a depth of at least 5 miles. The main pipes lie near the eastern and southwestern margins of the main pluton. Two and possibly three subsidiary pipes lie at or near the western margin.

The magnetic map shows no general anomaly associated with the complex as a whole or with the gravity anomalies. A broad anomaly of 1,200 gammas in the center of the complex is attributed to an anomalous concentration of magnetite within the rock. Four local anomalies of about 1,000 gammas lie at or near the margin of the complex. Three of these can be correlated with bodies of magnetite-bearing emery.—*M. C. R.*

14094. Glenn, A. H., and James, R. W. Use of the wave height operational index in planning offshore gravity meter surveys: Geophysics, v. 17, No. 4, pp. 924-35, 1952.

The efficiency of offshore gravity-meter explorations (stations occupied per day) decreases from an average of 31.6 when waves are less than 2-ft high to 0.3 stations when waves are over 6 ft high. Statistical analysis of operating wave-height records provides a "wave-height operational index" which can be applied to both long-term and 48-hour wave forecasts to effect savings as large as 50 percent in the results of survey planning.—*D. F. B.*

#### MAGNETIC METHODS

14095. Wait, J. R. The magnetic dipole over the horizontally stratified earth: Canadian Jour. Physics, v. 29, no. 6, pp. 577-592, 1951.

The behavior of a current-carrying loop of small radius located over a horizontally stratified earth is investigated. The medium is considered to have homogeneous and isotropic properties within each layer and only conductivity and dielectric contrasts between layers. Solutions to the wave equation are found in terms of a vector potential from which the electric and magnetic field vectors can be determined by appropriate differentiation. Expressions for mutual impedance between current loops and between loops and wire elements are given for various special forms of a two-layered earth. Both harmonic steady-state and step-function current sources are considered.—*R. G. H.*

14096. Mooney, H. M. Magnetic susceptibility measurements in Minnesota. Part I: Technique of measurement: Geophysics, v. 17, no. 3, pp. 531-543, 1952.

Susceptibility determinations have been made on 200 outcrops of 11 rock types, using a three-coil induction instrument. Measurement is effective over a hemisphere of 50 cm radius. Data are given to show that the instrument is much

less sensitive to rock surface irregularities than any previously described. Measuring circuits consist of 975 cycle oscillator, mutual inductance bridge, and two-stage amplifier. Investigation of errors shows that surface irregularities remain most important. Calibration by calculation is checked against ferric chloride standards through small samples taken at each outcrop. Data are given to show: 1) rock variability makes the check inconclusive, 2) variation of susceptibility within outcrops for gabbro and basalt is of the same order as variation between outcrops, 3) small-sample measurements show greater variation than large-sample measurements.—*Author's Abstract*

14097. Nodya, M. F. Novyy vid platform dlya izmereniya vertikal'nogo gradienta anomal'nogo magnitnogo polya s pomoshchyu polevykh magnitnykh vesov [a new kind of platform for measuring the vertical gradient of anomalous magnetic fields with a magnetic field balance]: Akad. Nauk Gruzinsk. SSR Soobshcheniya, tom 12, no. 3, pp. 135-138, 1951.

The vertical gradient of the magnetic field is usually determined by measuring vertical magnetic component at different heights. In practice this height is seldom greater than 2 or 3 m and the measurements are made by using a special portable trestle. The author designed two easily portable trestles, one for the instrument, another for the observer. The latter can be made very light and not necessarily rigid. The use of two separate platforms greatly reduced the weight of the trestles, bringing them down to only 26 kg, a weight which can be easily transported even in the mountainous country.—*S. T. V.*

14098. Tucker, P. M. High magnetic effect of lateritic soil in Cuba: Geophysics, vol. 17, no. 4, pp. 753-755, 1952.

A susceptibility above average for soils, of  $2,800 \times 10^{-6}$  cgs, was found in the lateritic soil of Cuba. A vertical-intensity magnetic survey showed that repeat readings of several stations gave erratic values that are attributed to local variations at the station.—*J. L. M.*

14099. Roze, T. N. Opredeleniye glubin istochnikov nekotorykh magnitnykh anomalii na territorii evropeiskoy chasti SSSR [Determination of the depth of some sources of magnetic anomalies within the European part of the U. S. S. R.]: Akad. Nauk SSSR Izv., Ser. geofiz, no. 3, pp. 78-92, 1952.

For a given surface or volume distribution of underground magnetic masses there is a unique pattern of the potential field, but for every field pattern there is an infinity of different possible underground distribution of magnetic masses, all equivalent in their effect.

There are several methods of solving this "inverse problem of geophysics"; one of them here discussed consists of comparison of the given field pattern with patterns produced by disturbing bodies of known magnetic properties and given shape. For this purpose graphs of the vertical ( $Za$ ) and horizontal ( $H$ ) components are first constructed, the vertical maximum  $Za_{max}$  is found, and new graphs of  $Za/Za_{max}$  and  $H/Za_{max}$  are constructed, taking for the unit on the axis of abscissae the length equal to the distance between the abscissae of  $Za/Za_{max}$  and  $Za/0.5 Za_{max}$ .

By trying several assumptions about the form, depth and magnetic properties, the very good agreement between the observed and computed graphs of several magnetic anomalies in European U. S. S. R. was obtained.

In several instances calculations were made not only for the horizontal position of the disturbing body, but also for different angles of inclination.

A total of 62 magnetic deposits, located in different part of European U. S. S. R., were interpreted in this manner. In several places, control drilling confirmed the conclusions of the author.—*S. T. V.*

14100. Canada Geological Survey. Aeromagnetic maps of the Province of Quebec: Dept. of Mines and Tech. Surveys, Geophysics Papers 88, 90, 92, 93, 94, and 98, 1952.

This is a continuation of the series listed in Geophysical Abstracts 13004, 13006, 13454, 13706, and 13930. The following quadrangles have been published as blue line aeromagnetic maps, which show by contour lines the total magnetic intensity at about 1,000 ft above ground level: G. P. 88, Doucet, Abitibi County; G. P. 90, Riviere Delestre, Abitibi County; G. P. 92, Villebon, Témiscaminque and Abitibi Counties; G. P. 93, Despinassy, Abitibi County; G. P. 94, Ducras, Abitibi County; and G. P. 98, Cuvillier, Abitibi County. The maps were prepared on a scale of 1 in=1 mile, and the contour interval of 10 to 500 gammas, depending on the intensity of the anomaly.—*L. E. B.*

140101. Canada Geological Survey. Aeromagnetic maps of Northwest Territories: Dept. of Mines and Tech. Surveys, Geophysics Papers 74, 75, 82, 83, and 87, 1952.

This is a continuation of the series listed in Geophysical Abstracts 13001, 13212, 13452, 13705, and 13929. The following quadrangles in the District of Mackenzie have been published as blue line aeromagnetic maps which show by contour lines the total magnetic intensity at about 1,000 ft above ground level: G. P. 74, Bear Creek; G. P. 75, Salt Lake; G. P. 82, Nyarling; G. P. 83, Sulphur Springs; and G. P. 87, Long Island. The maps were prepared on a scale of 1 in=1 mile, and the contour interval of 10 to 500 gammas, depending on the intensity of the anomaly.—*L. E. B.*

### SEISMIC METHODS

14102. Dix, C. H. Seismic prospecting for oil, 414 pp., New York, Harper and Brothers, 1952.

This is the first text devoted exclusively to seismic exploration for oil. Topics covered include summary of exploration methods, seismic crew operation, basic technical tools, velocity measurements, depth and dip computations, presentation of results, interpretations and the physical processes involved. An extensive bibliography is appended.—*M. C. R.*

14103. Johnson, A. M., and Wesley, R. H. Applications of seismic methods to foundation exploration, in Symposium on surface and subsurface reconnaissance: Am. Soc. for Testing Materials, Special Tech. Pub. 122, pp. 142-150, 1952.

The success of the use of geophysical exploration methods in oil and mining prospecting has logically led to the application of the techniques to other engineering fields. The increasing stress on careful foundation design and the consequent importance of thorough subsurface information, coupled with the necessity of accomplishing the subsurface exploration with the least possible expenditure of time and money, has opened a field in which geophysical explora-

tion can render a unique service. This paper discusses the development of one of the seismic techniques—seismic refraction—describes the methods of field operation and interpretation of results, and relates its use to several foundation or subsurface exploration problems.

Applications described include a carefully controlled trial profile study in the city of Detroit, the determination of depth to bedrock for piles under a high office building, a study of the foundation material at a plant site in South Carolina, and others. In all instances it was found that the geophysical technique supplied the required information about subsurface conditions in a comparatively short period of time and with an accuracy as shown by several drilling checks. The paper concludes that seismic work has proved itself in highway and foundation work as a supplement to other proven methods.—*Authors' Abstract*

14104. Towles, H. C. Jr. A study in integration of geology and geophysics: Geophysics, v. 17, no. 4, pp. 876–899, 1952.

The need for cooperation between the integration of geology and geophysics in the search for petroleum is illustrated by application and analysis in the Kilgore Area, Gregg and Rusk Counties, Texas. Independent interpretations of geologic structure from regional geology and reflection seismograph survey are presented and evaluated. The geologic interpretation is revealed to be based on accurate data of insufficient density and distribution to reveal even sizable structural features. The reflection seismograph interpretation of structure reveals both small and large features which are of doubtful validity due to questionable time-depth relationships over the area. An integrated interpretation utilizing the geological data to define velocity limitations for the seismic time-depth relationship is attempted and a theoretical corrected structural interpretation is presented. The following conclusions are reached: (1) Standard methods of exploration for petroleum often produce incorrect results; the limitations of geologic and reflection seismograph methods do not overlap; therefore, it is possible to utilize the maximum interpretation of geological data as a guide to the velocity variations which affect the seismic interpretation. (2) Lack of sufficient velocity information can be a serious handicap to utilization of the reflection seismograph method; therefore, every opportunity to obtain additional velocity information should be utilized. (3) The Kilgore Area illustrates that existing seismic interpretations of structure that are in disagreement with known geologic data may often be recomputed for a correct interpretation at a small extra cost.—*Author's abstract*

14105. Pasechnik, I. P. Resultaty eksperimental'nogo izucheniya rezonansnykh yavleniy v kolebatel'noy sisteme pochva-seismograf [Results of experimental investigations of resonance phenomena in the vibrating system ground-seismograph]: Akad. Nauk SSSR Izv., Ser. geofiz., no. 3, pp. 34–57, 1952.

In a continuation of previous studies (*see* Geophys. abstract 13934) the effect of the placing of the seismograph on the ground has been investigated. Field tests were made consisting of the determination of natural frequency and damping coefficient of vibrating ground-seismograph system as influenced by the properties of the ground, and by the placement of the instrument (as on the ground, or in a hole), and details of instrument construction, such as the shape

of the bottom, ratio between immovable and movable masses, and similar factors. Results are presented in graphical form.—*S. T. V.*

14106. Pasechnik, I. P. Sravnenie rezul'tatov teoreticheskogo i eksperimental'nogo issledovaniya rezonansnykh yavlenii v sisteme pochva-seismograph [Comparison of the results of a theoretical study of resonance phenomena in the system ground seismograph with experimental data]: Akad. Nauk SSSR Izv., Ser. geofiz., no. 5, pp. 25-40, 1952.

A theoretical study is presented of resonant properties inherent in the elastic system ground seismograph. This is done first using the precise method, the ground being treated as elastic continuum with continuously distributed elastic properties, then an approximate solution of the same problem is given, as done by Wolf (*see* Geophys. abstract 7558). Comparison of these solutions shows that over the range of frequencies of interest in exploration geophysics the approximate solution differs very little from the accurate one and is much more convenient to use.

For this approximate solution an alignment chart is constructed giving the frequency of natural oscillations of the ground-seismograph system as a function of the seismic velocity of the ground, its density, the mass of the instrument, and the dimensions of its bottom area. In starting seismic measurements in an area it is important to adjust the mass of the instrument and its bottom area so that the resulting natural frequency becomes sufficiently different from the frequencies of observed waves. (*See also* Geophys. abstracts 13934 and 14105).—*S. T. V.*

14107. Hayakawa, Masami. Some problems of seismic exploration [In Japanese with English summary]: Geol. Survey of Japan Report 137, 68 pp., 1951.

The value of seismic prospecting techniques can be increased by considering the amplitude and frequency of the recorded waves in addition to their arrival times. After considering the frequency, damping, and sensitivity characteristics of the Haeno seismograph, the author uses this instrument in demonstrating the following facts: Transverse waves occur on refraction records when the media around the shot point is very hard, the shot point is not far from the surface, and the shape of the charge is not spherical; and the depth of the surface layer may be determined by calculations based on the period of "stationary" waves received at that point. Discontinuities in the graph of distance versus amplitude of the initial peak seem to correspond to inflection points in the time-distance curve, and can also be correlated with geologic structures such as faults.

Theoretical considerations are used to show that the amplitude of reflected waves increases when the velocity contrast increases but is greater for a water bottom surface than for a land surface; and that the reflected wave is in phase with the incident wave for a soft-to-hard interface but is 180° out of phase for a hard-to-soft interface.

In addition the author proposes an improved "contour method" of plotting the results of fan shooting. He also considers briefly the concentration of explosive energy in certain directions, the effect of low velocity layers, the anisotropy of rock formations, and the possible detection of very thin layers.—*D. F. B.*

14108. Yepinat'yeva, A. M. Sposob opredeleniya ranosti koeffitsiyentov pogloshcheniya seysmicheskikh voln [A method of determining the difference between the coefficients of absorption of seismic waves]: Akad. Nauk SSSR Izv., Ser. geofiz., no. 3, pp. 70-77, 1952.

The coefficient of absorption of seismic waves propagating through a formation can be an indicative characteristic of the formation, but its determination is not always possible. In this article the use of differences between these coefficients as an indicative property of adjacent formations is discussed. The procedure is as follows: One of the waves registered on seismograms is selected as the fundamental one and the ratio of the amplitudes of other waves to this one are determined and traced on semi-logarithmic paper. A variation of these ratios is a reliable indicator in identifying and tracing different waves, and at the same time an additional characteristic of the formation. It is especially useful when the velocity contrasts is small but the absorption coefficients in adjoining media are very different.—S. T. V.

14109. Cantos Figuerola, José. Una modalidad de aplicación e interpretación del método sísmico [A procedure of application and interpretation of the seismic method]: Rev. Geofis., v. 11, no. 42, pp. 129-145, 1952.

This article is similar to that abstracted in Geophys. Abstract 13713.—S. T. V.

14110. Berson, I. S. O seysmicheskikh volnakh, vosnikanyushchyykh v vertikal'no-sloystoy srede [Seismic waves in vertically stratified medium]: Akad. Nauk SSSR Izv., Ser. geofiz., no. 3, pp. 3-33, 1952.

An analysis is made of kinematic conditions which control seismic waves produced in a vertically stratified medium, both overlain by a horizontal layer or extending to the surface of the earth. Travel time curves are constructed for a number of waves corresponding to profiles in different directions. The computed travel time curves are compared with those actually observed over areas of known geology, and good agreement is found between them. In a vertically stratified area, additional types of waves can be generated, for instance, laterally refracted waves.

Instrumental arrangements necessary for obtaining clear structural details are described. It is always important to have a network of profiles parallel and perpendicular to the plane of stratification. In preliminary reconnaissance it is desirable to have at least the system of profiles perpendicular to stratification.

When the distance from the shot point to the line of geophones is short and the distance from the vertical boundary is much greater, no lateral refracted waves can be observed. Then the analysis of dynamic characteristics of seismograms, especially those of refracted waves, can be very useful in interpreting the results. It is important to have the sensitivity of different seismographs adjusted to the same degree, thus making possible direct comparison of amplitudes and their changes.

The article contains numerous graphs and three plates with facsimiles of observed seismograms.—S. T. V.

14111. Bugaylo, V. A. Uraveniye  $(n-1)$  oy vetvi godografa prelomlennykh voln [Equation of the  $(n-1)$  segment of the travel-time curve of refracted waves]: Akad. Nauk SSSR, Ural'skiy filial, Trudy Gorno-Geol. Inst., no 19, Geofiz. sbornik no. 1, pp. 14-21, 1950.

In a stratified medium with different velocities in each layer, the travel-time curve becomes a sequence of segments, differently inclined to the  $x$ -axis. Follow-

ing the method of G. A. Gamburtsev, the author derives equations first for the fourth and fifth segments, and then presents a generalization of formulas for the  $n$ th segment. The assumption is that seismic velocity increases monotonically with depth and that boundaries between layers are plane, though differently inclined to the horizontal and with the angle of inclination increasing with depth.—S. T. V.

14112. Berson, I. S., and Yepinat'yeva, A. M. O mnogokhatnykh prelomlennykh volnakh [On multiple refracted waves]: Akad. Nauk SSSR Izv., Ser. geofiz., no. 4, pp. 9-32, 1952.

One difficulty in the interpretation of seismic exploration records is the presence of waves which have undergone multiple refractions and reflections. A theoretical study has been made of various kinds of multiple reflection and refraction on the basis of kinematic and dynamic relations determined by the angle of incidence, the ratios of velocities, and similar factors. Two criteria are established which can aid in the recognition of multiple refracted waves when the refracting and reflecting surfaces are planes parallel to the surface: the travel time curves are parallel to the simple refracted waves, and the form of the simple and multiple refracted waves are similar, though sometimes of opposite phase. Comparison of amplitudes does not give reliable information.—S. T. V.

14113. Bugaylo, V. A. Uskorennyy raschet svodnykh godografov otrazhenii dlya gorizontalnykh struktur [Rapid determination of total travel time for waves reflected from horizontal structures]: Akad. Nauk SSSR, Ural'skiy filial, Trudy Gorno-Geol. Inst., vyp. 19, Geofiz. sbornik 1, pp. 22-25, 1950.

Construction of a master chart is proposed to be used in the determination of the total travel time of multiple reflected waves where the medium is horizontally stratified. The travel time  $T$  of reflected wave is given by the relation  $T=1\sqrt{x^2+4h^2}$  where  $v$  is the velocity of propagation,  $x$  the distance from shot point to seismograph, and  $h$  the depth of reflecting boundary. This equation can be transformed into  $(T/2h)^2-(x/2h)^2=1$  which is the equation of hyperbola. It can be proved that the angular coefficient  $-dT/dx$  which determines the trajectory is independent of  $h$ . Thus two families of theoretical travel time curves can be constructed, one being functions of the two variables  $x$  and  $h$ , the other characterized by constancy of angular coefficient. The same master chart can be transformed to bilogarithmic coordinates, which is sometimes more convenient.—S. T. V.

14114. Contini, Camillo. Il calcolo delle superfici riflettenti nei rilievi sismici a riflessione [The calculations of reflecting surfaces in reflection seismic surveying]: Annali Geofis., v. 5, no. 1, pp. 77-95, 1952.

On the basis of seismic exploration and geological data, formulas for the variation of the velocity of longitudinal waves with depth are analyzed, and it is concluded that the best agreement with seismic evidence is given by the formula  $V=V_0\sqrt{1+nZ}$ , where  $V_0$  is the velocity near the surface of the earth (1,500 m per sec),  $Z$  is the depth in meters, and the coefficient  $n$  equals 0.0016.

The influence on seismic velocity of heterogeneity and anisotropy of formations, especially noticeable in areas of folding or steep dips, is also discussed, and the problem of determining the reflecting boundary from seismic data is analyzed.—S. T. V.

14115. Krouskij, L. Eine Anwendung der "regula Falsi" in der praktischen Seismik [An application of the method of approximations in seismic prospecting]: Erdöl u. Kohle, Jahrg. 5, Heft 10, pp. 623-624, 1952.

An iteration procedure which can be applied graphically, is suggested for improving the assumed value of seismic velocity constructions. It can be applied when shooting from one point in two diametrically opposite directions. In the proposed geometric figure three points lie on a straight line only with the correct value of seismic velocity. By making intentionally this value too high or too low, deviations from this line are obtained, making it possible by interpolation to obtain more accurate value of seismic velocity.—*S. T. V.*

14116. Jakosky, J. Jay, and Jakosky, John J., Jr. Frequency analysis of seismic waves: Geophysics, v. 17, no. 4, pp. 721-738, 1952.

A single broad-band recording of seismic waves is made in the field on motion picture films in a method developed by International Geophysics, Inc. The film is developed in the office and cut into sections for each shot. Each section is spliced into a closed loop and analyzed by photocell, with the photocell output amplified and passed through a heterodyne-type wave analyzer. Different filter settings are used and observed visually on a cathode-ray tube. When the desired result is obtained a conventional photographic reflection seismogram is taken and interpreted by standard methods.

This method of seismic-reflection surveying has its chief application in marginal or difficult areas where interference is a serious problem. It reduces the need for multiple shots at different filter settings.—*L. C. P.*

14117. Hughes, D. S., and Kelly, J. L. Variation of elastic wave velocity with saturation in sandstone: Geophysics, v. 17, no. 4, pp. 739-752, 1952.

The velocity of dilational waves in four sandstones has been measured as a function of pressure in the range 50 to 1,000 bars at room temperature and at 100° C. At least two cores from each sample were run, one dry and one saturated with water. In addition two cores from one sample were run at several partial saturations. The porosities of the samples varied from about 8 to 20 percent. The effect of water content is dependent on pressure. At low pressures (50 bars) the velocity rises sharply at small saturations (0-10 percent), remains constant with saturation 10 to 90 percent and then decreases as the saturation approaches 100 percent. At 50 bars the velocity at 100 percent saturation is generally higher than at 00 percent saturation. Even for the one exception an extrapolation would indicate this to be true at atmospheric pressure. As the pressure is increased the rise at low saturations decreases; at 500 bars it disappears. The velocity is almost constant with saturation until about 90 percent saturation is reached. It then decreases rapidly as 100 percent saturation is approached.

A qualitative explanation of these results is given.—*Authors' abstract.*

14118. Evison, F. F. The inadequacy of the standard seismic techniques for shallow surveying: Geophysics, v. 17, no. 4, pp. 867-875, 1952.

Seismic methods in geophysics are not well adapted to shallow exploration because of certain practical and fundamental limitations. The most important of these limitations is that "the explosive impulse is inherently unsuitable for detailed shallow surveying" because of its frequency characteristics and duration. A typical shallow seismic-refraction survey illustrates the limitations of the

standard field and interpretation techniques. Use of an electromechanical rather than an explosive source of energy offers some promise in overcoming this difficulty.—*L. C. P.*

14119. Allen, C. F., Lombardi, L. V., and Wells, W. M. The application of the reflection seismograph to near-surface exploration: *Geophysics*, v. 17, no. 4, pp. 859-866, 1952.

Thickness of glacial drift in a large area of western Minnesota was determined during the fall of 1951 by the Stanford Research Institute using a special shallow-reflection seismograph technique. Air shots were used, offset 350 ft in each direction from a spread of five seismometers placed at intervals of 25 ft. The A. V. C. system was removed and a filter peaked at 100 cycles per second was used, along with a high speed camera and high frequency galvanometers. Bedrock depths from a few hundred to several hundred feet were accurately determined.

This method should be useful in a number of shallow-mining, engineering, and ground-water problems.—*L. C. P.*

14120. Krey, Theodor. The significance of diffraction in the investigation of faults: *Geophysics*, v. 17, no. 4, pp. 843-858, 1952.

Overlapping of reflections on a record taken across a fault is to be expected for thrust faults, or for normal faults if there are differences of dip on both sides of the fault. However, this overlapping is observed much more frequently than is accountable for by these reasons and is demonstrated to be caused by diffraction of seismic waves. Overlapping caused by diffraction is increased if the profile crosses the fault at an acute angle. Diffraction also causes apparent changes in dip near the fault trace. Several practical examples illustrate the effect of diffraction and point out the inherent approximations involved in locating faults by the reflection seismograph. Diffraction will also occur at any sudden termination of a reflecting horizon.—*L. C. P.*

14121. Romberg, Frederick. Limitations of the seismic method of mapping faults: *Geophysics*, v. 17, no. 4, pp. 827-842, 1952.

The seismic-reflection method of mapping faults and other complex structural features is seriously hampered by certain limitations, such as lateral-velocity variations, curved reflecting surfaces, inaccuracy of seismic data, shot-hole filtering, broken reflecting surfaces, instrumental and spread configuration limitations. Improved interpretation, instrumental and field techniques may overcome some of these difficulties; others cannot be eliminated but merely recognized in order to avoid false interpretations.—*L. C. P.*

14122. Schriever, William. Sound ranging in a medium having an unknown constant phase velocity: *Geophysics*, v. 17, no. 4, pp. 915-923, 1952.

The differences in arrival times at four sound detectors arranged on the corners of a square can easily be used to determine the direction of an explosion without knowing the velocity in the medium. Calculations show that an array having a 2,000 ft diagonal can determine the direction of an explosion 10,000 ft distant within 5 minutes of one and that if the wave front is essentially plane the result is independent of the motion of the medium. The use of two such arrays for locating practice bomb drops is proposed.—*D. F. B.*

14123. Reich, Hermann. Ergebnisse seismischer Untersuchungen in Kohlenbergwerk Peissenberg [Results of seismic investigations in the Peissenberg coal mine]: Erdöl u, Kohle, Jahrg. 4, Heft 9, pp. 538-542, 1951.

In the winter of 1951 the Institut für angewandte Geophysik at München made investigations of the elastic properties of Molasse sedimentary rocks in the Peissenberg coal mine. Velocities of propagation of seismic waves were determined at a depth of 650 m below ground, using electric microphones and mechanical seismographs.

The velocity of longitudinal waves in variegated Molasse was found to be 3,200 m per sec, in adjoining sandstone formations 3,600 m per sec. The velocities of transverse waves were found to be 1,800 and 2,150 m per sec respectively. Clearly observable phenomena of refraction of seismic waves were observed along an inclined folded formation of rock having high seismic velocity, about 4,600-5,200 m per sec.—*S. T. V.*

14124. Tateishi, Tetsuo. Seismic prospecting at Toyosuto Coalfield, Hokkaido [In Japanese with English resume]: Geol. Survey Japan Bull., v. 2, no. 9, pp. 29-34, 1951.

A seismic refraction survey in 1950 indicated presence of layers with velocities of 1.5, 1.8, 2.1, 2.4, 2.8, and 3.5 km/s. Geologic data suggest these are the Quaternary (1.5), Takikawa (1.8-2.1), and Ishikari (2.4-3.5) formations.—*M. C. R.*

14125. Iida, Kumizi, and Kurihara, Shigetoshi. Offshore seismic exploration in Ube coal field [In Japanese with English summary]: Geol. Survey Japan, Report no. 146, 61 pp., 1952.

Offshore refraction surveys of the coal field were made between 1947 and 1950. Sled-mounted detectors dragged across the fairly flat sea bottom proved more efficient than detectors suspended from floats, which though handled very rapidly were disturbed by water motion. Thicknesses of Quaternary sediments, Tertiary sediments, and basement rock were mapped to depths of 300 meters.—*D. F. B.*

#### ELECTRICAL AND ELECTROMAGNETIC METHODS

14126. Abercrombie, W. F. The practical value of an earth resistivity method in making subsurface explorations, in Symposium on surface and subsurface reconnaissance: Am. Soc. for Testing Materials, Special Tech. Pub. 122, pp. 136-141, 1952.

This is a discussion of the resistivity method as used by the Georgia Highway Department. Ten examples are given of tests made in the state.—*M. C. R.*

14127. Moore, R. W. Earth-resistivity tests applied to subsurface reconnaissance surveys, in Symposium on surface and subsurface reconnaissance: Am. Soc. for Testing Materials, Special Tech. Pub. 122, pp. 89-103, 1952.

This is a review of the use of the resistivity surveys as a reconnaissance method in problems of highway engineering, location of construction materials, bridge- and tunnel-construction sites, and similar engineering problems. Examples are quoted largely from the work done by the Bureau of Public Roads.—*M. C. R.*

14128. Scharon, H. L. Electrical resistivity geophysical method as applied to engineering problems, in Symposium on surface and subsurface reconnaissance: Am. Soc. for Testing Materials, Special Tech. Pub. 122, pp. 104-114, 1952.

The electrical-resistivity geophysical method has been used with success in solving problems of the location of subsurface waters, thickness of unconsolidated sediments or overburden, buried channels, and other geological conditions directly related to construction-engineering problems. This paper presents a brief account of the electrical-resistivity method and gives several examples to demonstrate its application.—*Author's Abstract*

14129. Seigel, H. O. Ore body size determination in electrical prospecting: Geophysics, v. 17, no. 4, pp. 907-914, 1952.

Metallic sulfide-bearing rock has a much higher electrical conductivity than the usual country rock. This contrast may be used to gain an estimate of the size of the body associated with a mineralized intersection in a drill hole. The method depends on the primary voltage disturbance created by the body and the variation of the disturbance with electrode spacing. Theoretical curves for the effect of an oblate spheroid are given for use in interpretation.—*M. C. R.*

14130. Yost, W. J., Caldwell, R. L., Beard, C. I., McClure, C. D., and Skomal, E. N. The interpretation of electromagnetic reflection data in geophysical exploration. Pt. 2: Metallic model experiments: Geophysics, v. 17, no. 4, pp. 806-826, 1952.

A metallic model of a horizontally stratified section of the earth's crust has been constructed to provide information of considerable value in the interpretation of geophysical data. Modeling considerations and experimental arrangements are discussed in detail for a system employing loops of wire as transmitter and receiver for the study of propagation of electromagnetic energy in and on a semi-infinite conductor. An experimental check of the theory given in Part I (Yost, 1952) has been made for the case of a semi-infinite conducting medium underlying a semi-infinite insulator. Discontinuities in electrical conductivity within such a medium have been shown to reflect electromagnetic pulses back to the surface. A detailed study of the shape of these pulses from single reflectors has been made showing that certain characteristics of the pulse shape can be correlated with the depth and nature of the reflecting horizon. The reflected signals can be approximately described by considering the discontinuities as reflectors which, in turn, can be replaced by virtual "image" oscillators in a homogeneous structure. The extent to which this approximation holds is discussed in the light of experiments with the model. An example is given of the use of a nonconcentric loop arrangement for geophysical profiling of a limited reflector, such as a salt dome. Finally, data are given to show the agreement between model signals and field results obtained from a known resistivity contrast in the earth.—*Authors' Abstract*

14131. Clark, A. R., and Mungal, A. G. Scale model experiments in electromagnetic methods of geophysical exploration: Canadian Jour. Physics., v. 29, no. 4, pp. 285-295, 1951.

Model experiments employing electromagnetic-inductive methods are described. A plane circular horizontal loop 10 feet in diameter was used as the energizer, and brass conductors of various shapes and dimensions were placed at prescribed

depths below the loop. An exciting frequency of 50,000 cycles was utilized corresponding to a scale factor of 100 to 1 on the basis of 500-cycle field work. Phase and amplitude measurements were made by using a vertical search coil of 1-cm radius which was placed at any point on a diameter of the loop.

Cylinders, discs, rings, plates, boxes, and solid bars were used as models. Profiles of amplitude and phase are plotted as a function of horizontal distance. Characteristic features of the curves are noted for various type models as an aid to geophysical interpretation. Boundaries of a steep-dipping conductor occur at maximum amplitude response. As the ratio of the maxima on either side of a conductor of short depth extent is not altered by its position relative to the loop, short conductors may be differentiated from those with considerable depth extent. When the horizontal length of the conductor is large compared to its width, the current near the long edges may be considered as an infinite line current. The half width of the amplitude-response curve at the half maximum value is equal to the depth to the line current. This also holds approximately for conductors whose horizontal length and breadth are the same. For conductors of large depth extent, the dip may be estimated from the ratio of the two maxima.—*I. Z.*

14132. Gel'fand, I. S. Priblizhenny uchet granitsy zazdela v metode zaryazhennogo tela [Approximate method of determining the boundary effect due to the buried charged body]: Akad. Nauk SSSR Ural'skiy filial, Trudy Gorno-Geol. Inst., vyp. 19, Geofiz. sbornik 1, pp. 43-50, 1950.

The influence of the earth's surface on the potential produced at a point on it by a buried charged body is ordinarily accounted for by simply doubling the computed value. This is admissible when the depth of the body is sufficiently great, but can otherwise result in error. Formulas are derived which give better approximation if the charged body is a sphere, a vertical or horizontal disk, or a horizontal circular cylinder of finite dimensions. The accuracy of the derived formulas is determined by the depth of the buried body, but is much greater than the usual doubling of the value of potential.—*S. T. V.*

14133. Bulashevich, Iu. P. Sviaz' mezhdu elektricheskimi i gravitatsionnymi anomaliiami [Relations between electrical and gravity anomalies]: Akad. Nauk SSSR, Ural'skiy filial, Trudy Gorno-Geol. Inst., vyp. 19, Geofiz. sbornik no. 1, pp. 3-13, 1950.

Certain relations between gravity and magnetic anomalies have been long established. In the present study approximate correlations are established between electrical anomalies in a homogeneous field and corresponding magnetic anomalies and through them with gravity anomalies. This correlation is valid, however, only under certain conditions as to the shape and density of distributing body and the constancy of magnetizing field. The derivation is made by replacement in the potential equation of magnetic susceptibility by dielectric constant and of the intensity of magnetic field by that of electrostatic field. The effect of the boundary surface ground air on data characterizing the electric field and the necessary corrections are also discussed.—*S. T. V.*

14134. Spicer, H. C. Electrical resistivity studies of subsurface conditions near Antigo, Wis.: U. S. Geol. Survey Circ. 181, 19 pp., 152.

Resistivity measurements were made in a glaciated area near Antigo to locate buried sand and gravel deposits which might be developed as aquifers and to

determine depth of bedrock. Results are presented as cross section and contour maps. It was found possible to differentiate glacial deposits by means of these resistivity measurements and to determine the depths to and thicknesses of materials, as well as depth to the pre-Cambrian bedrock. It was also possible to evaluate the character of the glacial material from their electrical resistivities and to recommend the most suitable sites for drilling water-supply wells.—*M. C. R.*

14135. Kaneko, Jun. Electrical and magnetic prospecting on the Sankyo iron mine, Niigata Prefecture [In Japanese with English resumé]: *Geol. Survey Japan Bull.*, v. 2, no. 7, pp. 38-43, 1951.

On the basis of negative self-potential and magnetic anomalies, sites for drilling are recommended.—*M. C. R.*

14136. Murozumi, Masayoshi. Contribution to the electrical prospecting in Shōjingawa sulphur mine and Amemasugawa sulphur mine, Hokkaido. [In Japanese with English resumé]: *Geol. Survey Japan Bull.*, v. 2, no. 7, pp. 21-29, 1951.

Resistivity and self-potential surveys to determine the size of deposits and locate new deposits are described. Recommendations for further prospecting and drilling are made.—*M. C. R.*

14137. Schneider, Hans, Truelsen, Christian, and Thiele, Heinrich. *Die Wassererschliessung* [Procurement of water], 420 pp., Vulkan Verlag, Essen (Germany), 1952.

This book, the collective work of several authors, deals with all phases of finding and recovering underground water. The second part, of about 90 pages by Thiele, has the subtitle—*Die Geolektrik in der Wassererschliessung* (Electric methods in finding water). The physical foundations of geoelectric measurements, the more commonly used instruments, and different procedures for measurements of resistivity methods are discussed. This is followed by a discussion of electric specific resistivity, a basic property determined primarily by the structure, water content, and chemical composition of underground material.

About 170 references are included.—*S. T. V.*

#### RADIOACTIVITY METHODS

14138. Cook, J. C. An analysis of airborne surveying for surface radioactivity: *Geophysics*, v. 17, no. 4, pp. 687-706, 1952.

Quantitative estimates for the gamma radiation field intensities expected to be encountered in flight over various geologic bodies are presented. Scattering effects are included in the calculations, but several simplifying assumptions were necessary, such as assigning equal energies to all photons. Results are compared with geiger counter measurements of three kinds: near a small natural carnotite deposit, near a tenth-curie of radium, and soundings made over normal terrain at various times. It appears that anomalies from most outcrops of radioactive ores will exceed the normal fluctuations of background radiation due to topography, variations of composition of the surface, etc., only at flying altitudes of less than about 35 feet. However, such anomalies can probably be detected

under favorable conditions by their characteristically pointed shape, allowing flight at higher elevations. Requirements on flight plan and instrumentation are discussed.—*Author's Abstract*

## WELL LOGGING

14139. Wyllie, M. R. J. Procedures for the direct employment of neutron log data in electric log interpretation: *Geophysics*, v. 17, no. 4, pp. 790-805, 1952.

It is well-known that under suitable borehole conditions there is a relationship between porosity and the deflection of a neutron log curve. This relationship finds practical use, calibration of the neutron deflections being made by reference to porosities measured on cores. It is shown that theoretically core analysis is not mandatory for neutron log calibration and that the calibration may be achieved by direct plotting of suitable neutron and electric log data. For this purpose the concept of the neutron deflection corresponding to a formation factor of unity is introduced. It is shown that this concept makes it possible to use a combination of electrical and radioactivity log data to locate zones of oil saturation in carbonate rock formations and even to estimate the oil saturation. Application of the method to sandstones is also considered. In oil-base mud logging, neutron-log data may be conveniently combined with resistivities read off induction logs to give information bearing on the location of saturated zones and the estimation of connate water salinities. Finally a combination of electrical and radioactivity log data is theoretically capable of contributing to the quantitative elucidation of the "dirty sand" problem.—*Author's Abstract*

14140. Burtin, Jean. Die neue Schlumberger-Technik und ihre Anwendung in Aufschlussbohrungen für Braunkohle, Steinkohle und Wasser [The new Schlumberger procedure and its use in exploratory drill holes for lignite, coal, and water]: *Braunkohle, Wärme und Energie*, Band 4, Heft 13/14, pp. 260-265, 1952.

Recent improvements in drill hole logging in exploring for oil, coal or lignite are reviewed with special attention to determinations of the resistivity of the formation beyond the infiltration depth, using the microlog. Another improvement discussed is gamma-ray logging. Electrode arrangements for measuring dip and strike in wells are briefly described.

Examples of the interpretation of the curves obtained by different methods are given. The great value of using several methods of logging simultaneously is emphasized.—*S. T. V.*

14141. Hée, Arlette, and Lecolazet, René. Utilization de trous forés dans les roches pour l'étude de leur rayonnement pénétrant [Use of drill holes in rocks for the study of penetrating radiation]: *Acad. sci. Paris Comptes rendus*, tome 235, no. 2, pp. 201-203, 1952.

The importance is emphasized of certain corrections to be applied when measuring gamma-ray radiation in a drill hole or on the surface of the earth. These corrections are: topographic correction, correction for cosmic radiation, and for the emanation from the mountain if the point of observation is at its foot. Examples of the evaluation of these corrections are given (*See also Geophys. Abstract 13886*).—*S. T. V.*

## PATENTS

## GRAVITY METHODS

14142. Jakosky, J. J. Gravity meter, U. S. patent 2,613,536, granted Oct. 14, 1952. 9 claims.
14143. Cloud, R. T. Gravity meter, U. S. patent 2,614,432, granted Oct. 21, 1952. 21 claims. Assigned to North American Geophysical Co.
14144. Boucher, F. G. Gravity and density gradiometer for boreholes, U. S. patent 2,618,156, granted Nov. 18, 1952. 10 claims. Assigned to Standard Oil Development Co.

## MAGNETIC METHODS

14145. Lee, F. W. Temperature compensation magnetometer indicator, U. S. patent 2,615,957, granted Oct. 28, 1952. 8 claims.
14146. Means, W. J. Magnetic testing system, U. S. patent 2,615,961, granted Oct. 28, 1952. 9 claims. Assigned to Bell Telephone Laboratories, Inc.

An electromagnetic system for indicating magnetic field strength.

14147. Mayes, F. M. and Tickner, A. J. Magnetometer gradiometer apparatus and method, U. S. patent 2,620,381, granted Dec. 2, 1952. 25 claims.

## SEISMIC METHODS

14148. Doolittle, W. W. Marine seismic surveying, U. S. patent 2,614,165, granted Oct. 14, 1952. 4 claims. Assigned to Stanolind Oil and Gas Co.

A detector spread for marine seismic surveying.

14149. Piety, R. G. Method for determining the direction of arrival of waves, U. S. patent 2,614,166, granted Oct. 14, 1952. 12 claims. Assigned to Phillips Petroleum Co.

14150. Volk, J. A. System of seismographic visual recording, U. S. patent 2,614,228, granted Oct. 14, 1952. 1 claim.

14151. Poulter, T. C. Apparatus for seismic exploration, U. S. patent 2,615,521, granted Oct. 28, 1952. 2 claims. Assigned to Institute of Inventive Research.

Multiple flat explosive plates for firing in air.

14152. Poulter, T. C. Seismic exploration employing elevated charges, U. S. patent 2,615,522, granted Oct. 28, 1952. 8 claims. Assigned to Institute of Inventive Research.

Employs 7 equispaced air shots.

14153. Poulter, T. C. Seismic exploration, U. S. patent 2,615,523, granted Oct. 28, 1952. 20 claims. Assigned to Institute of Inventive Research.

A system of firing in air two successive seismic impulses separated by three-fourths of the natural period of earth vibration in the region under study.

14154. Poulter, T. C. Seismic exploration employing elevated charges, U. S. patent 2,615,524, granted Oct. 28, 1952. 12 claims. Assigned to Institute of Inventive Research.

Employs 13 equispaced air shots.

14155. Carlisle, C. H. Seismic exploration method, U. S. patent 2,619,186, granted Nov. 25, 1952. 3 claims. Assigned to Standard Oil Development Co.

A method of seismic prospecting employing multiple shots fired below the surface of a body of water.

14156. Seavey, G. C. Generation and transmission of sound pulses, U. S. patent 2,620,766, granted Dec. 9, 1952. 11 claims. Assigned to Sonic Research Corp.

Apparatus for transmitting a train of sound waves of controlled frequency into the earth.

14157. Lee, B. D., and Herzog, Gerhard. Seismic prospecting, U. S. patent 2,620,890, granted Dec. 9, 1952. 6 claims. Assigned to The Texas Co.

A method of recording modulated seismic waves on a magnetic tape and demodulated waves of selected frequency on a conventional oscillograph.

14158. Ording, J. R. Seismic exploration method, U. S. patent 2,622,691, granted Dec. 23, 1952. 3 claims. Assigned to Standard Oil Development Co.

A method of seismic exploration of water-covered areas.

14159. Bayhi, J. F., and Baker, J. T. Seismic prospecting with optimum geophone coverage, U. S. patent 2,623,113, granted Dec. 23, 1952. 3 claims. Assigned to Standard Oil Development Co.

A system of mixing seismic impulses of adjacent detectors.

14160. Thomas, M. E. Seismometer, U. S. patent 2,623,938, granted Dec. 30, 1952. 4 claims. Assigned to Phillips Petroleum Co.

#### ELECTRICAL METHODS

14161. Lee, F. W. Method of geophysical prospecting, U. S. patent 2,613,247, granted Oct. 7, 1952. 8 claims.

A modification of the Lee-partitioning resistivity method.

14162. Bilhartz, H. L. Method for measuring resistivity of earth samples, U. S. patent 2,613,250, granted Oct. 7, 1952. 7 claims. Assigned to The Atlantic Refining Co.

14163. Nichols, C. R. Electrical prospecting, U. S. patent 2,619,520, granted Nov. 25, 1952. 15 claims.

An electrical prospecting method for determining physical characteristics of a subsurface portion of the earth by measuring and integrating the potential difference between a base potential and the potential of a moving point.

14164. Kunetz, Géza. Method for the electric prospection of the subsoil, U. S. patent 2,623,097, granted Dec. 23, 1952. 6 claims. Assigned to Compagnie Générale de Géophysique.

A method of measuring time variations of potential differences associated with telluric currents.

14165. Cartier, W. O., McLaughlin, G. H., and Robinson, W. A. System of airborne conductor measurements, U. S. patent 2,623,924, granted Dec. 30, 1952. 11 claims. Assigned to The International Nickel Co. of Canada, Ltd.

An airborne electromagnetic device for mapping ore bodies.

#### RADIOACTIVITY METHODS

14166. Lord, A. H., Jr. Prospecting using gamma ray detection, U. S. patent 2,617,945, granted Nov. 11, 1952. 3 claims. Assigned to The Texas Co.

14167. Weller, B. L. Radiation detector circuit, U. S. patent 2,617,946, granted Nov. 11, 1952. 7 claims. Assigned to the United States of America as represented by the U. S. Atomic Energy Commission.

14168. Zollers, S. M. Radioactivity survey apparatus, U. S. patent 2,619,601, granted Nov. 25, 1952. 7 claims. Assigned to the United States of America as represented by the U. S. Atomic Energy Commission.

14169. LeVine, H. D., and Di Giovanni, H. J. Radiation detection and measuring means, U. S. patent 2,620,446, granted Dec. 2, 1952. 1 claim. Assigned to United States of America as represented by the U. S. Atomic Energy Commission.

14170. Bernstein, William, and Ballentine, Robert. Radioactive particle counting, U. S. patent 2,622,208, granted Dec. 16, 1952. 6 claims. Assigned to the United States of America as represented by the U. S. Atomic Energy Commission.

14171. Beckman, A. O., Herd, H. H., and Robinson, A. D. Dosimeter, U. S. patent 2,613,327, granted Oct. 7, 1952. 10 claims. Assigned to the United States of America as represented by the U. S. Atomic Energy Commission.

A radiation dosimeter.

## WELL LOGGING

14172. Ring, Roland. Well surveying instrument, U. S. patent 2,613,448, granted Oct. 14, 1952. 2 claims. Assigned to Sperry-Sun Well Surveying Co.

An instrument for recording positions in a well.

14173. West, T. S. Well tester, U. S. patent 2,613,747, granted Oct. 14, 1952. 7 claims.

An apparatus for obtaining samples of the fluid content of the earth formations traversed by a well bore.

14174. Hildebrandt, A. B. Inclinator for boreholes, U. S. patent 2,614,334, granted Oct. 21, 1952. 12 claims. Assigned to Standard Oil Development Co.

14175. Mathews, H. A., Riordan, M. B., and Scott, L. B. Sound indicator and fluid level indicator for wells, U. S. patent 2,615,080, granted Oct. 21, 1952. 3 claims. Assigned to Byron Jackson Co.

14176. Young, E. T. Well surveying instrument, U. S. patent 2,616,187, granted Nov. 4, 1952. 12 claims. Assigned to Sperry-Sun Well Surveying Co.

An inclination and direction indicator.

14177. Waters, H. C. Electrical well logging system, U. S. patent 2,617,852, granted Nov. 11, 1952. 12 claims. Assigned to Perforating Guns Atlas Corp.

14178. Craggs, D. E. Measurement of fluid flow in boreholes by radioactivity, U. S. patent 2,617,941, granted Nov. 11, 1952. 3 claims. Assigned to Union Oil Co. of California.

14179. Homer, T. R. Electrical logging in well bores, U. S. patent 2,622,124, granted Dec. 16, 1952. 15 claims. Assigned to Lane-Wells Co.

An electrical logging apparatus for measuring the natural potential difference between remote ground and pick-up electrode.

14180. Sewell, B. W. Well logging apparatus, U. S. patent 2,623,805, granted Dec. 30, 1952. 2 claims. Assigned to Standard Oil Development Co.

An apparatus for recording physical properties on a magnetizable wire.

14181. Zimmerman, C. W. Electrostatically shielded magnetic well logging system, U. S. patent 2,623,923, granted Dec. 30, 1952. 10 claims. Assigned to Schlumberger Well Surveying Corp.

## TECHNICAL AIDS

14182. Eisler, J. D. Pendulum damping device for elevation meters, U. S. patent 2,613,449, granted Oct. 14, 1952. 5 claims. Assigned to Stanolind Oil and Gas Co.

14183. Hendricks, C. E. Galvanometer with adjustable damping, U. S. patent 2,622,118, granted Dec. 16, 1952. 6 claims. Assigned to Century Geophysical Corp.

1770-1775  
1776-1780

## INDEX

	<i>Abstract</i>		<i>Abstract</i>
Abercrombie, W. F.....	14126	Gane, P. G.....	14047
Akimoto, Syun-iti.....	14028	García Sifieriz, José.....	14008
Allen, C. F.....	14119	Gelfand, I. S.....	14092, 14132
Baker, J. T.....	14159	Gerrard, J. A. F.....	14083
Ballentine, Robert.....	14170	Gibault, Gaston.....	14030
Bayhi, J. F.....	14159	Glangeaud, Louis.....	14014
Beagley, J. W.....	14021	Glenn, A. H.....	14094
Beard, C. I.....	14130	Golden, Albert.....	14012, 14013
Beaufils, Yvonne.....	14030	Grabovskii. <i>See</i> Grabovskiy.	
Beckman, A. O.....	14171	Grabovskiy, M. A.....	14022
Belousov, V. V.....	14058	Grant, F. S.....	14091
Benioff, Hugo.....	14038	Gubin, I. Ye.....	14053, 14057
Bergstrom, S.....	14048	Gutenberg, Beno.....	14038
Bernstein, William.....	14170	Gutiérrez, Celedonio.....	14073
Berson, I. S.....	14110, 14112	Haenny, Charles.....	14069
Bilhartz, H. L.....	14162	Havemann, Hans.....	14079
Binggeli, Edmond.....	14069	Hayakawa, Masami.....	14107
Birch, Francis.....	14075	Hée, Arlette.....	14141
Bird, P. H.....	14089	Hendrick, C. E.....	14183
Boucher, F. G.....	14144	Herd, H. H.....	14171
Brodie, J. W.....	14081	Hersey, J. B.....	14048
Bugaylo, V. A.....	14111, 14113	Herzog, Gerhard.....	14157
Bulashovich, Yu. P.....	14133	Hess, V. F.....	14062
Bullard, E. C.....	14015	Hildebrandt, A. B.....	14174
Burns, W. F.....	14062	Hill, M. N.....	14049
Burtin, Jean.....	14140	Hirvonen, R. A.....	14006
Byerly, Perry.....	14037	Holland, H. D.....	14066
Caldwell, R. L.....	14130	Homer, T. R.....	14179
Canada Geological Survey.....	14100, 14101	Hospers, J.....	14011, 14025
Cantos Figuerola, José.....	14109	Hughes, D. S.....	14117
Carlisle, C. H.....	14155	Hurley, P. M.....	14063
Carnera, Luigi.....	14082	Iida, Kumizi.....	14125
Cartier, W. O.....	14165	Imamura, Gakuro.....	14051
Clark, A. N.....	14131	Jakosky, J. J.....	14116, 14142
Clayton, Neal.....	14087	Jakosky, John J. Jr.....	14116
Cloud, R. T.....	14143	James, R. W.....	14094
Contini, Camillo.....	14114	Jeffreys, Harold.....	14074
Cook, J. C.....	14138	Johnson, A. M.....	14103
Cotell, R. D.....	14050	Johnson, H. R.....	14048
Coulomb, Jean.....	14046	Kalashnikov, A. G.....	14024
Craggs, D. E.....	14178	Kaneko, Jun.....	14135
Crary, A. P.....	14050	Kapitsa, S. P.....	14024
Di Giovanni, H. J.....	14169	Karelina, N. A.....	14029
Dix, C. H.....	14102	Kashpur, Ya. N.....	14071
Doolittle, W. W.....	14148	Kelly, J. L.....	14117
Due Rojo, Antonio.....	14061	Keylis-Borok, V. I.....	14032, 14035
Eisler, J. D.....	14182	Kirillova, I. V.....	14058, 14059
Epinat'eva. <i>See</i> Yepinat' yeva.		Kizawa, T.....	14072
Ergin, Kazim.....	14042, 14045	Knopoff, L.....	14041
Ericson, D. B.....	14066	Kondorskiy, Ye. I.....	14023
Evison, F. F.....	14118	Koning, L. P. G.....	14054-14056
Ewing, Maurice.....	14043, 14044	Krey, Theodor.....	14120
Fries, Carl Jr.....	14073	Krouskij, L.....	14115
Fullerton, P. W.....	14086	Kulp, J. L.....	14065, 14066

	Abstract		Abstract
Kunetz, Géza	14030, 14164	Saxov, S. E.	14004
Kurihara, Shigetoshi	14125	Schaffhauser, Edith	14005
Lagrula, Jean	14014	Scharon, H. L.	14128
Lazarenko, G. P.	14020	Scheidegger, A. E.	14077, 14078
Lecolazet, René	14141	Schneider, Hans	14137
Lee, B. D.	14157	Schriever, William	14122
Lee, F. W.	14145, 14161	Scott, L. B.	14175
LeVine, H. D.	14169	Seavey, G. C.	14156
Littlewood, C. A.	14010	Seigel, H. O.	14129
Lombardi, L. V.	14119	Seligman, P.	14047
Lord, A. H. Jr.	14166	Sewell, B. W.	14130
Luchak, George	14016	Sharpe, J. A.	14086
McClure, C. D.	14130	Shorey, R. R.	14063
McLaughlin, G. H.	14165	Skomal, E. N.	14130
Mathews, H. A.	14175	Slack, H. A.	14067
Mayes, F. M.	14147	Sorskii. See Sorskiy.	
Means, J. W.	14146	Sorskiy, A. A.	14058
Mihalovič, Jelenko	14060	Spicer, H. C.	14134
Mintrop, Lüdger	14039	Sretenskiĭ. See Sretenskiy.	
Monin, I. F.	14007	Sretenskiy, L. N.	14031
Mooney, H. M.	14096	Stechschulte, V. C.	14040
Moore, R. W.	14127	Steenland, N. C.	14093
Morelli, Carlo	14009	Stephen, J. H.	14047
Mungal, A. G.	14131	Stoyko, Nicolas	14017
Murozumi, Masayoshi	14136	Tatelshi, Tetsuo	14124
Nagata, Takeshi	14026, 14028	Thiele, Heinrich	14137
Narayanan, S. Y.	14018	Thomas, M. E.	14160
Néel, L.	14027	Tickner, A. J.	14147
Nettleton, L. L.	14090	Towles, H. C., Jr.	14104
Nichols, C. R.	14163	Truelsen, Christian	14137
Nodya, M. F.	14097	Tucker, P. M.	14098
O'Dea, P. L.	14019	Turlygin, S. Ya	14029
Officer, C. B.	14048	Uffen, R. J.	14070
Oppenheim, Victor	14080	Ulrich, F. P.	14052
Ordng, J. R.	14158	Uyeda, Selya	14028
Parkinson, W. D.	14062	Vening, Meinesz, F. A.	14076
Pasechnik, I. P.	14105, 14106	Vinogradov, A. P.	14064
Perutz, M. F.	14083	Volchok, H. L.	14066
Piety, R. G.	14149	Volk, J. A.	14150
Poulter, T. C.	14151, 15154	Wait, J. R.	14095
Pramanik, S. K.	14018	Walker, G. B.	14019
Press, Frank	14043, 14044	Wantland, Dart	14088
Reich, Hermann	14084, 14123	Waters, H. C.	14177
King, Roland	14172	Weller, B. L.	14167
Riordan, M. B.	14175	Wells, W. M.	14119
Roberts, E. B.	14052	Wesley, R. H.	14103
Robinson, A. D.	14171	West, T. S.	14173
Robinson, W. A.	14165	Whitham, Kenneth	14068
Roch, A.	14083	Wilson, J. Tuzo	14077
Romberg, F. E.	14121	Woollard, G. P.	14093
Rothé, Edmond	14085	Wyllie, M. R. J.	14139
Rothé, J. P.	14085	Yepinat'yeva, A. M.	14108, 14112
Roze, T. N.	14099	Yost, W. J.	14130
Satō, Yasuo	14033, 14034	Young, E. T.	14176
Savarenskiĭ, E. G. See Savarenskiy, Ye. G.		Zadorozhnyy, I. K.	14064
Savarenskiy, Ye. G.	14036	Zhukov, S. I.	14064
		Zimmerman, C. W.	14181
		Zollers, S. M.	14168

# INDEX TO GEOPHYSICAL ABSTRACTS 148-151, 1952

## AUTHORS INDEX

	No. Abstract
Abercrombie, W. F. The practical value of an earth resistivity method in making subsurface explorations.....	151 14126
Afanasyeva, V. I., and Kallnin, Yu. D. A peculiarity in the geographic distribution of magnetic storms.....	149 13572
Aiken, R. W. <i>See</i> Howell, B. F., Jr.	
Akademiya Nauk SSSR Izvestiya. Geological facts of cosmogonic significance.....	148 13417
Akademiya Nauk SSSR Vestnik. The new seismotectonic method of seismic zoning.....	148 13346
Akima, Tetuo. <i>See</i> Miyamura, Setumi.	
Akimoto, Syun-iti. <i>See</i> Nagata, Takeshi.	
Alexander, W. A. Geophone, U. S. patent.....	148 13517
Alfano, Luigi. Studies on the interpretation of vertical electrical sounding.....	149 13731
Allen, C. F., Lombardi, L. V., and Wells, W. M. The application of the reflection seismograph to near-surface exploration.....	151 14119
Alpher, R. A., and Herman, R. C. The primeval lead isotopic abundance and the age of the earth's crust.....	148 13375
Altenburg, Kurt. Dispersion of longitudinal body waves.....	150 13839
Anderson, Johannes, and Nerenst, Poul. Wave velocity in concrete.....	149 13602
Angona, F. A. Apparatus for measuring interstitial water content of well cores, U. S. patent.....	150 14003
Archie, G. E. Classification of carbonate reservoir rocks and petrophysical considerations.....	149 13761
Arnold, J. R., and Libby, W. F. Radiocarbon dates.....	148 13379
Arps, J. J. Well or borehole logging, U. S. patent.....	148 13539
Arrhenius, G., Kjellberg, G., and Libby, W. F. Age determination of Pacific chalk ooze by radiocarbon and titanium content.....	150 13888
Arvela, A. J. Magnetic variometer, U. S. patent.....	149 13775
Asada, Toshi, Suzuki, Ziro, and Tomoda, Yoshikumi. Notes on the energy and frequency of earthquakes.....	150 13862
Avershin, S. G. Rock burst in the mines of Kizel basin.....	150 13879

## B

Baker, J. T. <i>See</i> Bayhi, J. F.	
Ballentine, Robert. <i>See</i> Bernstein, William.	
Balsley, J. R., Jr. <i>See</i> Rumbaugh, L. H.	
Bankovskiy, V. A. Geothermal conditions in the Nesvetayev-shakhta syncline.....	149 13645
Baranov, V. Quantitative interpretation of the data of exploration by telluric currents.....	149 13734
Barret, W. M. Method of electrical prospecting, U. S. patent.....	148 13531
——— Note on the radio transmission demonstration at Grand Saline, Tex.....	150 13957
——— Transmitting and receiving apparatus for electromagnetic prospecting U. S. patent.....	148 13532
Barthelmes, A. J. Method for determining subsurface geological structure by seismic surveying employing refraction shooting, U. S. patent.....	149 13783
Bartlett, H. H. Radiocarbon datability of peat, marl, caliche, and archaeological materials.....	148 13380
Basham, R. B., and Macune, C. W. Apparatus for locating binding areas around well casing, U. S. patent.....	150 14000
——— The delta log, a differential temperature surveying method.....	150 13977

	No. Abstract:
Båth, Markus. Earthquake magnitude determination from the vertical component of surface waves-----	148 13342
----- Initial motion of the first longitudinal earthquake wave recorded at Pasadena and Huancayo-----	150 13854
----- The distribution of microseismic energy with special reference to Scandinavia-----	148 13370
----- The microseismic importance of cold fronts in Scandinavia-----	148 13369
Battey, M. H. Recent eruption of Ngauruhoe-----	148 13414
Baule, Heinrich. Seismic velocity measurements in carbonaceous rocks underground-----	148 13339
Baxter, A. J. Continued research improves new exploration tool-----	150 13936
Bayhi, J. F., and Baker, J. T. Seismic prospecting with optimum geophone coverage, U. S. patent-----	151 14159
Beagley, J. W. Geomagnetic sudden commencement analysis—Amberley-----	151 14021
Beard, C. I. <i>See</i> Yost, W. J.	
Beaufils, Yvonne. Spectral analysis of rapid variations in telluric currents--	150 13838
Beaufils, Yvonne, Gibault, Gaston, and Kunetz, Géza. Rapid variations of telluric currents and the geomagnetic field-----	151 14030
Becker, Adrian. <i>See</i> Swan, B. G.	
Beckman, A. O., Herd, H. H., and Robinson, A. D. Dosimeter, U. S. patent--	151 14171
Belâkov. <i>See</i> Belyakov.	
Belluigi, Arnaldo. A new geoelectric inductive apparatus for exploration for subsurface conductors, especially in mine galleries-----	149 13737
Belousov, V. V. The problem of the interior structure of the earth and its evolution-----	148 13425
Belousov, V. V., Kirillova, I. V., and Sorskiy, A. A. A brief review of the seismicity of the Caucasus in relation to its tectonics-----	151 14058
Belyakov, M. F. Geothermal anomalies in the Dnieper-Donets depression----	148 13394
Benioff, Hugo, and Gutenberg, Beno. The response of strain and pendulum seismographs to surface waves-----	151 14038
Benioff, Hugo, Ewing, Maurice, and Press, Frank. Sound waves in the atmosphere generated by a small earthquake-----	148 13334
Berel'kovskiy, Ts. Ya., and Zubanov, B. G. The determination of an inclined contact by the electrical method-----	150 13950
Berg, Helmut. The earthquake near Euskirchen in the Rhineland on March 8, 1950-----	149 13612
Berg, J. W., Jr. Conductivity study of aqueous kaolin-NaCl mixtures-----	148 13496
Bergstrom, S. <i>See</i> Hersey, J. B.	
Berlage, H. P. Some remarks on the internal constitution of the bodies of the solar system-----	149 13683
Bernard Pierre. Interpretation of the 11-year variation of the horizontal component of the geomagnetic field-----	150 13833
----- The ségregation of the 11-year variation of the horizontal component of the geomagnetic field by linear combinations of ordinates-----	150 13834
Bernert, Traude. Determinations of the radium content of deep-sea sediments-----	150 13887
Bernstein, William, and Ballentine, Robert. Radioactive particle counting, U. S. patent-----	151 14170
Berson, L. S. Seismic waves in a vertically stratified medium-----	151 14170
----- The revealing of dynamic properties of seismic records as influenced by differences in the sensitivity of individual receiving channels-----	148 13459
Berson, I. S., and Yepinatyeva, A. M. On multiple refracted waves-----	151 14112
Bilbartz, H. L. Method for measuring resistivity of earth samples, U. S. patent-----	151 14162
Binggeli, Edmond, and Haenny, Charles. Measurement of the radioactivity of the water from Lavey spring-----	151 14069
Biot, M. A. The interaction of Rayleigh and Stoneley waves in the ocean bottom-----	149 13592
	149 13682
Birch, Francis. Elasticity and constitution of the earth's interior-----	151 14075
Bird, P. H. Experience with geophysics in New York state-----	151 14089
Bliss, W. L. Radiocarbon contamination-----	149 13642
Boaga, Giovanni and Tribalto, G. Western G. C. gravimeter No. 49 of the Servizio Geologico d'Italia-----	150 13815

	No.	Abstract
Boaga, Giovanni, Tribalto, G., and Zaccara, Gaetano. Contribution to the construction of the gravimetric map of Italy, 1st loop.....	150	13820
——— Contribution to the construction of the gravimetric map of Italy, 2nd loop.....	150	13821
——— Geogravimetric surveys in the region of Castellana caverns, Bari province.....	150	132924
Bödvarsson, Gunnar. <i>See</i> Einarsson, Traustl.		
Bollo, Robert, and Gougenheim, A. Periodic variation of gravity at a point.....	149	13555
Bonelli Rubio, J. M. Contribution to the study of the eruption of the Nambroque or San Juan volcano (Palma Island) of June 24–August 4, 1949.....	148	13404
Borchert, H., and Trögen, E. On the layering of the Earth's crust from geophysical and petrologic points of view.....	149	13680
Borkowski, C. J., and Fairstein, Edward. Proportional counter, U. S. patent.....	149	13791
Börner, Rudolf. Geophysical investigations of the ground with the "Geoskop", "Geostatimeter" and some additional measuring procedures.....	150	13951
Borrego Gonzalez, Joaquin. A new precise two-way switch for compensation in the direct-current electrical method with an opposing potentiometer.....	149	13733
Boucher, F. G. Gravity and density gradiometer, U. S. patent.....	151	14144
——— Gravity meter, U. S. patent.....	150	13978
Boulanger. <i>See</i> Bulanzhe.		
Bouwer, R. F. <i>See</i> Simpson, D. J.		
Bowen, W. A., Jr. <i>See</i> Singer, S. F.		
Brajnikov, Boris. On a possible source of error in the determination of geologic age from uranium minerals.....	148	13377
Braht, A. A. Drill hole magnetometer apparatus, U. S. patent.....	149	13801
——— Geophysical exploration, U. S. patent.....	150	13991
——— Resistivity method for determining ore continuity, U. S. patent.....	149	13790
Brasil Conselho nacional do petróleo. Annual report of 1950.....	149	13688
Brattain, W. H., Klein, N. E., and Richardson, M. S. Magnetometer head, U. S. patent.....	150	13979
Breger, I. A., and Whitehead, W. L. Radioactivity and the origin of petroleum.....	149	13637
Breusse, J. J. <i>See</i> Castany, Gilbert.		
Brewer, A. W., and Jarman, C. A. Apparatus for the measurement of magnetic fields, U. S. patent.....	150	13980
Brinckmeier, G., and Helms, Hans von. Determination of the rim and flanks of salt domes by seismic refraction methods.....	148	13469
Brodie, J. W. Features of the sea-floor west of New Zealand.....	151	14081
Brodning, R. A., Zimmerman, C. W., Somers, E. V., Wilhelm, E. S., and Stripling, A. A. Magnetic well logging.....	148	13490
<i>See also</i> Summers, G. C.		
Brouwer, H. A. The movement of island arcs.....	149	13674
Brown, Harrison. <i>See</i> Suess, H. E.		
Brownwell, G. M. <i>See</i> Lundberg, Hans.		
Brownlow, C. L. Line fault detector, U. S. patent.....	148	13547
Bruckshaw, J. M. The age of the earth.....	149	13630
Buck, W. K. Geological mapping, structural problems, and the magnetometer.....	148	13438
Bugaylo, V. A. Equation of the (n-1) segment of the travel time curve of refracted waves.....	151	14111
——— Rapid determination of total travel times for reflected waves from horizontal structures.....	151	14113
Bulanzhe, Yu. D. On some systematic errors of gravimeters with horizontally stretched quartz fiber.....	150	13813
Bulashevich, Yu. P. Relations between electrical and gravity anomalies.....	151	14133
Bullard, E. C. The origin of the earth's magnetic field.....	151	14015
Bullard, E. C., and Niblett, E. R. Terrestrial heat flow in England.....	148	13392
Bullard, F. M. Parícutin, Mexico's newest volcano.....	149	13654
Bullerwell, W. Gravimeter observations comparing pendulum stations at Cambridge, York, Newcastle upon Tyne, Edinburgh and Aberdeen.....	150	13816
Burg, K. E. Exploration problems of the Williston basin.....	150	13940
Burke, W. E. Air drilling in seismic surveys.....	150	13944
Burling, R. L. Determination of geologic time.....	150	13881
——— The age of the elements.....	148	13376
Burns, W. F. <i>See</i> Hess, V. F.		

	No. Abstract
Burtin, Jean. The new Schlumberger procedure and its use in exploratory drill holes for lignite, coal, and water.....	151 14140
Bush, R. E. Interpretation of radioactivity logs in reef limestone.....	149 13770
Bush, R. E., and Mardock, E. S. The quantitative application of radioactivity logs.....	150 13975
Butterworth, G. J. Circuit control for well-surveying instruments, U. S. patent.....	149 13797
Byerly, Perry. Pacific Coast earthquakes.....	150 13864
—— Theory of the hinged seismometer with support in general motion.....	151 14037

## C

Cabrera Kabana, Manuel. On the origin of the Canary Islands.....	149 13662
Caldwell, R. L. See Yost, W. J.	
Caloi, Pietro. Geophysical interpretation of geodetic measurements.....	149 13553
—— On the origin of microseisms, with particular reference to the upper Adriatic.....	149 13625
—— The effect of the inner friction on the velocity of very short period surface waves.....	149 13593
Campbell, J. L. P. Radioactivity well logging anomalies.....	148 13504
Canada Geological Survey. Aeromagnetic maps of the Province of Alberta.....	148 13450
—— Aeromagnetic maps of the Province of New Brunswick.....	148 13451
—— Aeromagnetic maps of Northwest Territories.....	148 13452
	149 13705
	150 13929
	151 14101
—— Aeromagnetic maps of the Province of Ontario.....	148 13453
	150 13931
—— Aeromagnetic maps of the Province of Quebec.....	148 13454
	149 13706
	150 13930
	151 14100
Cantos Figuerola, José. An excursion to the oil fields of Schoonebeck in Netherlands.....	148 13429
—— A procedure of application and interpretation of the seismic method.....	149 13713
	151 14109
—— Geophysical well testing.....	149 13743
Carlisle, C. H. Seismic exploration method, U. S. patent.....	151 14155
Carnera, Luigi. Variations of latitude and the movement of the pole of the earth's rotation during 1946-48.....	151 14082
Carpenter, J. F. See Purbrick, R. L.	
Cartier, W. O., McLaughlin, G. H., and Robinson, W. A. System of airborne conductor measurements, U. S. patent.....	151 14165
Casertano, Lorenzo. See Imbò, G.	
Castany, Gilbert, and Breusse, J. J. The sill of Gafsa.....	148 13481
Cattala, Louis. On the distribution of gravity anomalies on the island of Madagascar.....	149 13564
Chapman, Sydney. The normality of geomagnetic disturbances at Huancayo.....	149 13576
Charlier, Charles. Screening effect of a coal layer on the propagation of seismic waves and on the form of isoseismal lines.....	148 13343
Charlier, Charles, and Jones, L. Contributions of seismology, gravimetry, and geodesy to the present knowledge of the earth's crust in Belgium. Remarkable agreement of results.....	148 13300
Chebotarev, I. I. Hydrological and thermal aspects of petroleum occurrence.....	150 13962
See also Fourmarier, Paul.	
Cheney, Richard. The flying prospectors.....	148 13443
Cherry, L. T. See Purbrick, R. L.	
Clark, A. N., and Mungai, A. G. Scale model experiments in electromagnetic methods of geophysical exploration.....	151 14131
Claude, Georges. On the Pechelbronn anomalies.....	150 13893
—— The thermal anomalies of Pechelbronn.....	149 13646
Chayton, Neal. Geophysical exploration in the San Juan basin.....	151 14087
—— Weathering and other surface shooting problems.....	148 13466
—— Western Anadarko basin geophysical problems.....	148 13457

	No. Abstract
Cloud, R. T. Gravity meter, U. S. patent.....	151 14143
Collins, B. W. See McKellar, I. C.	
Colton, F. B. Our home-town planet, Earth.....	148 13424
Conforto, B. See Penta, F.	
Congdon, R. L. Seismometer, U. S. patent.....	148 13520
Constable, J. M. Geiger tube radiation meter, U. S. patent.....	148 13535
Contini, Camillo. The calculation of reflecting surfaces in reflection seismic surveying.....	151 14114
Cook, A. H. A measurement of the difference of gravity between the National Physical Laboratory, Teddington and the Ordnance Survey Office, Southampton.....	150 13817
— An investigation of the errors of some recent gravimeter observations.....	148 13293
— The gravitational attraction of a deposit of clay.....	150 13825
Cook, J. C. An analysis of airborne surveying for surface radioactivity.....	151 14138
Cooper, R. I. B. The distribution of radioactivity.....	149 13634
Coron, Suzanne. Attempt at the interpretation of the isostatic anomalies of the Paris Basin.....	150 13824
— Isostatic compensation of light masses situated beneath the geoid. Application to the interpretation of the isostatic anomalies of the Paris Basin.....	150 13823
Cotell, R. D. See Crary, A. P.	
Coulomb, Jean. Love waves of the Queen Charlotte Islands earthquake of August 22, 1949.....	148 13336
— On the nature of <i>T</i> -waves produced by submarine earthquakes.....	151 14046
Coulomb, Jean, and Molard, Pierre. Propagation of <i>T</i> phase waves in the Caribbean Sea.....	150 13859
Craggs, D. E. Measurement of fluid flow in boreholes by radioactivity, U. S. patent.....	151 14178
Cram, I. H. Exploratory bottlenecks.....	149 13693
Crary, A. P., and Cotell, R. D. Ice islands in Arctic research.....	151 14050
Crary, A. P., Cotell, R. D., and Oliver, Jack. Geophysical studies in the Beaufort Sea, 1951.....	149 13556
Crede, C. E. Seismic frame structure, U. S. Patent.....	148 13524
Cucuzza Silvestri, Salvatore. On the various types of volcanic explosions observed on Etna during the year 1947.....	148 13405
— The eruption of Mount Etna of 1947.....	149 13656
	150 13897
Cullington, A. L. The magnetic secular variation in New Zealand.....	150 13830
Cunningham, B. B. See Fleming, E. H. Jr.	
Curtiss, L. F. See Krasnow, Shelley.	

## D

Daly, J. W., and Page, C. N. Seismograph interpretation as related to changes in sedimentary section in west Texas and New Mexico.....	149 13721
Danilevich, S. I. The part of potassium in radioactivity of the earth according to recent data.....	149 13631
Danilov, V. V. Horizontal deformations of the earth's crust caused by the earthquake of September 1, 1923, in the Kanto district, Japan.....	148 13366
de Bruyn, J. W. Isogam maps of Caribbean Sea and surroundings and off southeast Asia.....	149 13557
Decker, G. J., and Martin, Maurice. The Laterolog and salt-mud well logging in Kansas.....	149 13764
De Geer, E. H. Conclusions from $C^{14}$ and De Geer's Chronology. Dani-Gotiglacial, with datings.....	148 13383
— D Geer's chronology confirmed by radioactive carbon, $C^{14}$ .....	148 13382
Dehlinger, Peter. Shear-wave vibrational directions and related fault movements in Southern California earthquakes.....	150 13857
Denisse, J. F. The relation between geomagnetic activity and radioelectric solar activity.....	150 13832
Denisse, J. F., Steinberg, J. L., and Zisler, Siegfried. Influence on geomagnetic activity of sunspots distinguished by their radioelectric properties.....	149 13571
Denson, M. E., Jr. Longitudinal waves through the earth's core.....	150 13855
Dessauer, F. Microvariations of barometric pressure.....	149 13626

	No. Abstract	
de Terra, Helmut. Radiocarbon age measurements and fossil man in Mexico.....	148	13381
Deutscher Verein von Gas- und Wasserfachmannern. Exploration for water.....	150	13949
de Witte, Leendert. Relations between resistivities and fluid contents of porous rocks.....	149	13755
—— Simplified departure curves in resistivity logging.....	149	13756
Di Filippo, Domenico, and Marcelli, L. Travel times of $P^*$ waves and the thickness of granitic layer in central Italy.....	149	13607
DiGiovanni, H. J. See LeVine, H. D.		
Dix, C. H. Seismic prospecting for oil.....	151	14102
Dixey, Frank. A practical handbook of water supply.....	150	13919
Doll, H. G. Differential coil system for induction logging, U. S. patent.....	148	13538
—— Electromagnetic well logging system, U. S. patent.....	148	13537
—— The Laterolog: A new resistivity logging method with electrodes using an automatic focusing system.....	149	13750
—— The MicroLog—A new electrical logging method for detailed determination of permeable beds.....	150	13968
—— The SP log in shaly sand.....	150	13971
Doll, H. G., and Martin, Maurice. Electrical logging in limestone fields.....	149	13759
Donn, W. L. An investigation of swell and microseisms from the hurricane of September 13-16, 1946.....	150	13877
Doolittle, W. W. Marine seismic surveying, U. S. patent.....	151	14148
Douglass, G. V. Recent ideas on mountain-building.....	148	13415
Dozy, J. J. Some notes on the volcanoes of Guatemala.....	148	13398
Duclaux, Françoise, and Martin, Jean. Contribution to the establishment of the bases of an African gravimetric network.....	148	13304
Due Rojo, Antonio. Seismological notes for 1951.....	151	14061
Duvall, W. I. See Obert, Leonard.		

## E

Eardley, A. J. Tectonic divisions of North America.....	149	13678
Eckhardt, E. A. Geophysical activity in 1951.....	150	13908
Egyed, László. Some remarks concerning isostasy.....	149	13549
Einarsson, Trausti. A study of the earliest photographs of the eruption.....	149	13648
—— Studies of the mechanism of explosive activity in the Hekla eruption.....	149	13653
—— The basic mechanism of volcanic eruptions and the ultimate causes of volcanism.....	149	13652
—— The flowing lava. Studies of its main physical and chemical properties.....	149	13651
—— The rate of production of material during the eruption.....	149	13650
Einarsson, Trausti, Sigurgeirsson, Thorbjörn, and Bödvarsson, Gunnar. A report on the French-Icelandic gravity measurements in southern Iceland in 1950.....	148	13297
Eisler, J. D. Pendulum damping device for elevation meters, U. S. patent.....	151	14182
—— Studies of a surface seismic disturbance.....	150	13939
—— Vibrator detector, U. S. patent.....	149	13779
Elkins, T. A. The effect of random errors in gravity data on second derivative values.....	148	13432
Enslin, J. F. Geophysical methods of tracing and determining contacts of dolerite dykes in Karroo sediments in connection with the siting of boreholes for water.....	149	13739
Epinat'eva. See Yepinat'yeva.		
Ergin, Kazim. Energy ratio of the seismic waves reflected and refracted at a rock-water boundary.....	151	14045
—— Observations on recorded ground motion due to $P$ , $PcP$ , $S$ , and $ScS$ .....	151	14042
Ericson, D. B. See Kulp, J. L.		
Escher, B. G. Relation between the mechanism of the formation of fault troughs and volcanic activity.....	150	13904
Espinosa de los Monteros, J. M., and Lozano Calvo, Luis. The network of gravimetric observations in the Provincia de Huelva.....	148	13301
Evison, F. F. An electromechanical source of elastic waves in the ground.....	148	13462
—— A new approach to the study of elastic propagation in rocks.....	148	13463
—— The inadequacy of the standard seismic techniques for shallow surveying.....	151	14118

	No.	Abstract
Ewing, Maurice, and Press, Frank. Crustal structure and surface wave dispersion. Pt. 2: Solomon Islands earthquake of July 29, 1950-----	151	14044
Ewing, Maurice, Press, Frank, and Worzel, J. L. Further study of the T-phase -----	148	13333
<i>See also</i> Benioff, Hugo, Officer, C. B., Jr., Press, Frank and Worzel, J. L.		

## F

Fairstein, Edward. <i>See</i> Borkowski, C. J.		
Favre, B. Geophysical methods of exploration for petroleum-----	149	13684
Fay, C. H., and Tvedt, T. J. Seismograph amplifier control, U. S. patent----	149	13787
Fearon, R. E., and Mardock, E. S. The quantitative interpretation of radioactivity logs-----	149	13768
<i>See also</i> Thayer, J. M.		
Feely, H. W. <i>See</i> Kulp, J. L.		
Ferraro, V. C. A., and Unthank, H. W. Sudden commencements and sudden impulses in geomagnetism-----	149	13573
Ferraro, V. C. A., Parkinson, W. C., and Unthank, H. W. Sudden commencements and sudden impulses in geomagnetism; their hourly frequency at Cheltenham (Md.), Tucson, San Juan, Honolulu, Huancayo, and Watheroo -----	148	13313
Ferrer, Arturo, Serra, Nicolas, Holmer, Ralph, and Taylor, E. F. History and status of petroleum exploration in Uruguay-----	149	13687
Finch, R. H. The December 1950 subsidence at Kilauea-----	148	13402
Finn, R. S. Method and apparatus for seismic prospecting, U. S. patent----	149	13785
Fisher, J. L. Liquid damped galvanometer, U. S. patent-----	149	13802
Fitch, A. A., and Lloyd, E. H. The precision of travel-time curves in the seismic method of geophysical surveying-----	149	13716
Fleming, C. A., and Reed, J. J. Mernoo Bank, East of Canterbury, New Zealand -----	149	13707
Fleming, E. H., Jr., Ghiorso, A., and Cunningham, B. B. The specific alpha-activity of U <sup>235</sup> -----	148	13371
Flesch, L. <i>See</i> Hée, Arlette.		
Fontseré, Eduardo. The earthquakes of Catalonia, 1948-1949-----	148	13353
Ford, R. D. Micrologging-----	149	13747
Forsythe, R. L. <i>See</i> Tixler, M. P.		
Förtsch, Otto. <i>See</i> Reich, Hermann.		
Foster, P. H. Continuous line seismometer, U. S. patent-----	148	13518
Fourmarier, Paul. Vertical and tangential forces in the development of the crust of the earth-----	150	13900
Fourmarier, Paul, and Charlier, Charles. Earthquakes in Hainaut from 1900 to 1949-----	148	13350
Fournier d'Albe, E. M. and Lafargue, C. An ancient volcanic crater as a laboratory for the study of thermal radiation-----	150	13898
Franklin, E., and Loosemore, W. R. A survey equipment using low-voltage halogen-quenched Geiger-Müller counters-----	148	13484
<i>See also</i> Peirson, D. H.		
Fries, Carl, Jr., and Gutiérrez, Celedonio. Activity of Parícutin volcano from January 1 to June 30, 1951-----	148	13400
----- Activity of Parícutin volcano from July 1 to December 31, 1951-----	151	14073
Frowe, E. W. Magnetometer, U. S. patent-----	148	13514
Fryer, G. <i>See</i> Pringle, R. W.		
Fuchida, Takato. <i>See</i> Iida, Kumizi.		
Fullerton, P. W. <i>See</i> Sharpe, J. A.		

## G

Gaibar Puertas, C. Remagnetization of the earth-----	149	13568
Galanopulos, A. G. The two destructive earthquakes of Larissa in the years 1892 and 1941-----	148	13358
Gallwitz, Hans. Geotectonic research and geotectonic hypotheses-----	150	13899
Gamburtsev, G. A. Deep seismic sounding of the earth's crust-----	150	13843
----- Zones where the arrival of refracted waves is kinematically possible in the case of the inversion of velocities in strata-----	148	13461

	No. Abstract
Gane, P. G., Seligman, P., and Stephen, J. H. Focal depths of Witwatersrand tremors -----	151 14047
<i>See also</i> Willmore, P. L.	
García Gutiérrez, Luis. Geologic exploration in the mining industry -----	149 13685
García Sifleriz, José. Memoria General 1950 -----	148 13430
----- The topographic correction in gravimetric investigations -----	151 14008
Garland, G. D. Comparison of gravitational and magnetic anomalies over certain structures in southwestern Ontario -----	148 13296
Garrigue, Hubert. Research on radioactivity at the summit of Puy de Dôme -----	148 13388
----- Research on the radioactivity of free air -----	149 13638
Gaskell, T. F., and Swallow, J. C. Seismic refraction experiments in the North Atlantic -----	148 13338
Gassmann, Fritz. Attenuation of elastic waves by reflected radiation and damped oscillations of bars -----	148 13421
----- Elastic waves in a spherical packing -----	149 13595
----- Graphical evaluation of the anomalies of gravity and of the magnetic field, caused by three-dimensional bodies -----	149 13695
----- On mechanical receivers of seismographs and vibrometers -----	149 13597
----- On the elasticity of porous media -----	150 13846
Gassmann, Fritz, and Weber, Max. Vibrometer with electronically adjustable constants -----	149 13596
Gayskiy, V. N. Determination of the thickness of the earth's crust in the vicinity of the observatory from seismograms of distant earthquakes -----	149 13603
Gees, R. H. Recent investigations by the seismic refraction method of salt domes of flat and steep shapes in northwestern Germany -----	149 13725
----- The development of geophysical methods of exploration in Germany since 1945 -----	149 13689
Gelfand, I. S. Approximate method of determining the boundary effect due to a buried charged body -----	151 14132
----- Direct methods of interpretation of gravitational and magnetic anomalies produced by three-dimensional bodies -----	151 14092
Germain-Jones, D. T. Seismic surveys over asymmetrical structures in southwest Persia -----	149 13727
Gerrard, J. A. F., Perutz, M. F., and Roch, A. Measurement of the velocity distribution along a vertical line through a glacier -----	151 14083
Gerth, H. Antilles-Moluccas, two island arcs; a comparison of their geologic structure and gravity anomalies -----	149 13558
Ghiorso, A. <i>See</i> Fleming, E. H., Jr.	
Giacomo, P. On the rapid oscillations of the geomagnetic field -----	149 13569
Gibault, G. Rapid variations of the earth's magnetic field -----	150 13831
<i>See also</i> Beauflis, Yvonne.	
Giorgi, Maurizio, and Rosini, E. On the origin of microseisms in the Mediterranean -----	149 13624
Glangeaud, Louis, and Lagrula, Jean. Correlations between gravimetric and structural data in the northern part of the province of Alger -----	151 14014
Glenn, A. H., and James R. W. Use of the wave height operational index in planning offshore gravity meter surveys -----	151 14094
Glennie, E. A. Density and geological corrections to gravity anomalies for the Deccan trap area in India -----	148 13306
Gloden, Albert. An altimetric survey in the Grand Duchy of Luxembourg in 1949 -----	151 14013
----- Determination of gravity anomalies in the Grand Duchy of Luxembourg -----	151 14012
Goble, R. W. Method and apparatus for measuring the cross sectional area of well bores by supersonic waves, U. S. patent -----	149 13799
Godwin, Harry. Comments on radiocarbon dating for samples from the British Isles -----	149 13643
Goguel, Jean. The structure of the African rifts and gravimetry -----	149 13562
Gold Coast Geological Survey Department. Report for the financial year 1950-51 -----	150 13914
Gougenheim, A. <i>See</i> Bollo, Robert.	
Gough, D. I. A new instrument for seismic exploration at very short ranges -----	149 13710
<i>See also</i> Hales, A. L.	

	No.	Abstract
Grabovskii. <i>See</i> Grabovskiy.		
Grabovskiy, M. A. Magnetic properties of ferrites and their significance in geophysics .....	151	14022
Grant, F. S. Three dimensional interpretation of gravitational anomalies.....	149	13694
	151	14091
Green, R. P. Method of seismic surveying, U. S. patent.....	149	13782
Greer, W. J. <i>See</i> Owen, J. E., and Topper, Wilfred.		
Griffiths, J. C. Directional permeability and dimensional orientation in Bradford sand.....	148	13497
—— Grain-size distribution and reservoir rock characteristics.....	149	13763
Grigor'yev, S. Ye. Rock bursts in the mines of Kizel basin.....	150	13880
Groenendyke, G. M. Seismic prospecting system. U. S. patent.....	148	13528
Grütjen, Karl. Geostatimeter measurements in the Rhine lignite and the significance of the impulses of the Geostatimeter for potential new fields.....	150	13952
Gubin, I. E. <i>See</i> Gubin, I. Ye.		
Gubin, I. Ye. Earthquakes in Garm'skaya Oblast'.....	151	14057
—— Predicting of the sites of occurrence of earthquakes from seismic and geologic data.....	150	13849
—— Seismotectonic method of seismic zoning.....	151	14053
Gulatee, B. L. Survey of India.....	149	13565
Gutenberg, Beno. Observations and theory of microseisms.....	148	13367
—— SV and SH.....	150	13856
—— Waves from blasts recorded in Southern California.....	150	13851
<i>See also</i> Benioff, Hugo.		
Gutiérrez, Celedonio. <i>See</i> Fries, Carl, Jr.		
Guyod, Hubert. Principles of MicroLog interpretation.....	148	13493
—— The shielded-electrode method.....	148	13492

## H

Haalck, Hans. Complete determination of local gravitational disturbing fields by measurements with torsion balance, with numerical example.....	150	13806
—— Concerning the explanation of the magnetic field of the earth's core and the universal magnetism of celestial bodies.....	148	13307
—— On the causes of the magnetic field of the crust of the earth.....	150	13829
—— On the most advantageous use of the Eötvös torsion balance and of the analysis of its measurements.....	148	13431
—— The physical law of the development of the figure of the earth.....	150	13803
Habberjam, G. M., and Whetton, J. T. On the relationship between seismic amplitude and charge of explosive fired in routine blasting operations.....	148	13465
Haenny, Charles. <i>See</i> Binggeli, Edmond.		
Hagiwara, Takahiro; Rikitake, Tsuneji; and Yamada, Juhel. Observations of the deformation of the Earth's surface at Aburatsubo, Miura Peninsula.....	149	13670
Hagiwara, Takahiro; Rikitake, Tsuneji; Kasahara, Keichi; and Yamada, Juhel. Observations of the deformation of the Earth's surface at Aburatsubo, Miura Peninsula, Pt. 2.....	149	13671
—— Observations of the deformation of the Earth's surface at Aburatsubo, Miura Peninsula, Pt. 3.....	149	13672
Hagiwara, Takahiro; Kasahara, Keichi; Yamada, Juhel; and Saito, Sadao. Observation of the deformation of the Earth's surface at Aburatsubo, Miura Peninsula, Pt. 4.....	149	13673
Hall, H. K. <i>See</i> Heinrich, R. R.		
Hales, A. L., and Gough, D. I. Measurements of gravity in Southern Africa.....	149	13563
<i>See also</i> Willmore, P. L.		
Hamilton, R. G. Common fallacies in electric log interpretation.....	149	13751
—— Log analyzer simplifies electric log quantitative calculations.....	148	13501
Hammer, Sigmund. Geophysical exploration comes of age.....	150	13907
Handley, E. J. Control of variables in the observation of seismic echoes.....	150	13935
—— Geophysical exploration in Williston basin.....	148	13458
Harper, J. L. Magnetometer surveys in New Mexico areas.....	150	13928
Harris, Sidon. Current trends in seismic exploration.....	148	13455
Haskell, N. A. A note on air-coupled surface waves.....	149	13594

Hastings, J. M. <i>See</i> Katcoff, S.		
Hattori, Yasumasa. Continuous variation of velocity with depth and distance	149	13609
<i>See also</i> Iida, Kumizi.		
Havemann, Hans. The earth's face determined by the core	151	14079
Hawes, Julian. A magnetic study of the Spavinaw granite area, Oklahoma	148	13447
Hawkins, J. E. Seismic signal amplifying system, U. S. patent	150	13990
— System for analyzing seismographic records, U. S. patent	150	13985
Hayakawa, Masami. Investigation of the time variation of seismic wave velocity	149	13608
— Magnetic survey in Tenmabayashi District, Aomori Prefecture	148	13441
— Some problem of seismic exploration	151	14107
<i>See also</i> Iida, Kumizi.		
Hayes, R. C. Earthquake origins in New Zealand during the year 1949	150	13868
— Earthquake origins in New Zealand during the year 1950	150	13869
— The Cook Strait earthquakes: 1950 Jan.-Feb.	150	13870
— Wave period in New Zealand local earthquakes	150	13860
Heaps, S. N. <i>See</i> Simon, R. F.		
Heck, N. H. <i>See</i> Wood, H. O.		
Hée, Arlette, and Lecolazet, René. Use of drill holes in rocks for the study of penetrating radiation	151	14141
Hée, Arlette, Kleiber, J., Flesch, L., and Jarovoy, Michel. Radioactive centers and magnetization of two rocks	150	13886
Helland, C. A., and Murray, M. T. Method for geophysical exploration, U. S. patent	149	13788
Heinrich, R. R., and Hall, H. K. On the recorded motion of the S phase at Florissant	150	13858
Heiskanen, W. On Seattle earthquakes and gravity anomalies	148	13348
Helms, Hans von. Recent seismic refraction investigations of flat and steep salt domes in northwestern Germany	148	13470
— Refraction seismic surveys of salt domes in the Hamburger Loch	150	13943
<i>See also</i> Brinckmeier, G.		
Helwich, B. <i>See</i> Krey, Theodor.		
Hendricks, C. E. Galvanometer with adjustable damping, U. S. patent	151	14183
Herd, H. H. <i>See</i> Beckman, A. O.		
Herman, R. C. <i>See</i> Alpher, R. A.		
Herndon, H. V., and Hoff, R. G. Portable radiation survey instrument, U. S. patent	150	13995
Hersey, J. B., Officer, C. B., Jr., Johnson, H. R., and Bergstrom, S. Seismic refraction observations north of the Brownson Deep	151	14048
Herzog, Gerhard. Geophysical exploration, U. S. patent	148	13533
— Locating casing collars in a well, U. S. patent	148	13536
<i>See also</i> Lee, B. D.		
Hess, V. F., and O'Donnell, G. A. On the rate of ion formation at ground level and at one meter above ground	148	13387
Hess, V. F., Burns, W. F., and Parkinson, W. D. Gamma radiation from uranium X <sub>2</sub>	151	14062
Heyll, Hellmuth. Exploration with the Geoskop and Geostatimeter in the lignite basin of the Rhine	150	13953
Higasinaka, Hideo. A new gravity formula for the Far East	149	13566
Hildebrandt, A. B. Inclinator for boreholes, U. S. patent	151	14174
Hill, M. N. Seismic refraction shooting in an area of the eastern Atlantic	151	14049
Hiller, Wilhelm. The results of geophysical investigations in southwestern Germany with special consideration of earthquakes	148	13349
Hinspater, E. W. <i>See</i> Rose, J. E.		
Hirayama, Misao. External field of geomagnetism	148	13308
Hirvonen, R. A. Gravity anomalies and deflection of the vertical above sea level	151	14006
Hoff, R. G. <i>See</i> Herndon, H. V.		
Hogg, G. A. <i>See</i> Wyllie, M. R. J.		
Holland, H. D. <i>See</i> Kulp, J. L.		
Holmer, Ralph. <i>See</i> Ferrer, Arturo.		
Homer, T. R. Electrical logging in well bores, U. S. patent	151	14179

	No. Abstract
Homma, S. Initial value problem in the theory of elastic waves.....	150 13842
—— On boundary shear waves at an inner zone with continuously varying properties and related problems for surface waves.....	150 13841
Homma, S., and Seki, A. A relation between the area of after shock region and the radius of sensibility circle (continued).....	148 13345
Horsley, C. B. <i>See</i> Seavey, G. C.	
Hospers, J. Reinterpretation of a gravity survey in central northern Iceland..	151 14011
—— Remanent magnetism of rocks and the history of geomagnetic field..	151 14025
Houghton, H. M. Five years of geophysics in western Canada.....	149 13686
—— Geophysical exploration in western Canada.....	150 13909
Howard, R. C., and Winn, R. H. Guarded electrode system improved log interpretation of Lower Wilcox.....	150 13969
Howell, B. F., Jr., and Aiken, R. W. Determination of radial permeability variations by electrical measurements.....	148 13498
Howell, B. F., Jr., Licastro, P. H., and Schwendinger, W. W. An empirical correlation between rock resistivity and porosity for the Bradford sand..	148 13495
Holyman, H. W. Evaluation of magnetics in the Delaware Basin.....	148 13445
Huber, A. Geoelectric deep sounding in valleys.....	149 13732
Hudson, B. E., Jr. <i>See</i> Smith, P. V., Jr.	
Hughes, D. S., and Kelly, J. L. Variation of elastic wave velocity with saturation in sandstone.....	151 14117
Hughes, D. S., and Stanbrough, J. H. Transmission of elastic pulses in rods..	148 13422
Hultqvist, Bengt. Calculation of the ionization due to radioactive substances in the ground.....	150 13882
Hurley, P. M. Alpha ionization damage as a cause of low helium ratios.....	149 13632
Hurley, P. M., and Shorey, R. R. Discrimination of thoron activity in presence of radon.....	151 14063

## I

Ichimura, Takeshi; Morimoto, Ryōhei; and Tsuya, Hiromichi. A brief note on the recent explosive activity of Volcano Yaakeyama.....	149 13658
Ichinohe, Tokio. Highly sensitive double bifilar gravimeter.....	148 13292
Iida, Kumizi, and Kurihara, Shigetoshi. Offshore seismic exploration in Ube coal field.....	151 14125
Iida, Kumizi; Fuchida, Takato; Hayakawa, Masami; Hattori, Yasumasa; Kaneko, Tetsuichi; and Omote, Syun'itiro. Compilation of coal seismic exploration data in Japan.....	148 13471
Imamura, Gakuro. Maximum gradients of crustal deformations at the time of a destructive earthquake.....	151 14051
Imbò, G. Considerations of the present activity of Vesuvius.....	148 13409
—— Fundamental feature of the annual variations of the inclination of the ground around the Vesuvian observatory.....	148 13408
—— Importance of the determinations of the temperatures of solidification of lava.....	148 13406
—— Recent manifestations of eruptive activity of Vesuvius.....	148 13407
Imbò, G., and Casertano, Lorenzo. Evaluation of the uranium and thorium content of radioactive substances by the photographic method.....	150 13885
—— Statistical distribution of alpha particles recorded on a photographic plate as a function of the projection of the depth of penetration into the emulsion.....	150 13884
Ingalls, P. C. Sand bar located by seismograph.....	149 13722
Ippolito, Felice. On the radioactivity of the lava from the summit of Vesuvius.....	150 13883
Ivanov, A. G. Impulsive perturbations of telluric currents.....	148 13325
Юн'ков. <i>See</i> Yun'kov.	

## J

Jackson, J. S. Density of Irish rocks.....	149 13567
Jakosky, J. J. Gravity meter, U. S. patent.....	151 14142
Jakosky, J. Jay, and Jakosky, John J., Jr. Frequency analysis of seismic waves.....	151 14116
Jakosky, John J., Jr. <i>See</i> Jakosky, J. Jay.	
James, R. W. <i>See</i> Glenn, A. H.	

	No. Abstract
Jankovič, Slobodan. The magnetite deposit at Suvo Rudiste, Kopaonik-----	149 13702
Jardetzky, W. S., and Press, Frank. Rayleigh-wave coupling to atmospheric compression waves-----	150 13844
Jarman, C. A. See Brewer, A. W.	
Jarovoy, Michel. See Hée, Arlette.	
Jeffreys, Harold. Origin of the earth-----	149 13679
----- Problems of thermal instability in a sphere-----	150 13889
----- The earth (3d ed)-----	151 14074
----- The free-air reduction of gravity to the second order-----	150 13807
Jenny, W. P. Aerial magnetic oil discoveries-----	148 13446
----- Structural correlation of micromagnetic and reflection surveys-----	150 13925
Jensen, Homer. Aeromagnetic survey helps find new Pennsylvania iron ore body-----	149 13704
----- Method and apparatus for magnetic explorations, U. S. patent-----	149 13776
	150 13982
<i>See also</i> Klaasse, J. M., and Rumbaugh, L. H.	
Jobert, G. Terrestrial tides in a heterogeneous fluid globe-----	150 13808
Johnson, A. M. and Wesley, R. H. Applications of seismic methods to foundation exploration-----	151 14103
Johnson, Frederick, ed. Radiocarbon dating-----	140 13378
Johnson, H. R. See Hersey, J. B.	
Johnston, H. F. List of geomagnetic observatories and thesaurus of values-----	148 13314
Jones, L. First results of the comparison of the Second General Leveling Survey (1948) with previous surveys-----	149 13559
<i>See also</i> Charlier, Charles.	
Jones, P. J. Electric log resistivity, porosity and water saturation for clean and shaly sandstones-----	149 13762
Júdice, António. On the use of anomalies of Prey for the determination of the figure of the earth-----	150 13804
Jung, Karl. Numerical treatment of isostasy according to Airy developing the square of the altitudes into spherical functions-----	148 13289

## K

Kalashnikov, A. G., and Kapitsa, S. P. Magnetic susceptibility of rocks under elastic stresses-----	151 14024
Kalinin, Yu. D. See Afanas'yeva, V. I.	
Kanai, Kiyoshi. The effect of solid viscosity of surface layer on the earthquake movements-----	150 13845
----- The result of observation of wave-velocity in the ground-----	150 13853
Kaneko, Jun. Electrical and magnetic prospecting on the Sankyo iron mine, Niigata Prefecture-----	151 14135
Kaneko, Tetsuichi. See Iida, Kumizi.	
Kántás, Karl See Scheffer, Viktor.	
Kapitsa, S. P. See Kalashnikov, A. G.	
Karelina, N. A. See Turlygin, S. Ya.	
Kasahara, Keichi. See Hagiwara, Takahiro.	
Kashpur, Ya. N. Geothermal features of the Carboniferous deposits of the southwestern part of the Donets Basin-----	151 14071
Katcoff, S., Schaeffer, O. A., and Hastings, J. M. Half-life of $I^{129}$ and the age of the elements-----	148 13373
Kaufman, Sidney, and Roever, W. C. Laboratory studies of transient elastic waves-----	149 13600
Kawasumi, Hirosi. Measures of earthquake danger and expectancy of maximum intensity throughout Japan as inferred from the seismic activity in historical times-----	149 13622
Kellis-Borok. See Keylis-Borok.	
Keller, G. V. Modified mono-electrodes for improved resistivity logging-----	148 13491
Keller, G. V., and Licastro, P. H. A progress report on the interpretation of differential resistivity logs-----	148 13494
Kelly, J. L. See Hughes, D. S.	
Kelly, S. F. Geological and geophysical approach to mining problems-----	150 13917
Kendall, J. M. Underwater microphone. U. S. patent-----	148 13522

	No. Abstract
Keylis-Borok, V. I. Frequency equation of a multilayer elastic medium-----	151 14032
—— Graphic methods of determination of the dynamic parameters of the focus of an earthquake-----	148 13330
—— On the question of studying (seismic) sources equivalent to the foci of earthquakes-----	151 14035
Surface waves generated in a layer spread over an elastic semispace-----	148 13329
Kingdon-Ward, F. Caught in the Assam-Tibet earthquake-----	148 13364
Kirilova, I. V. Seismicity of the Akhalkalaki plateau-----	151 14059
<i>See also</i> Belousov, V. V.	
Kishinouye, Fuyuhiko. On the period and the amplitude of microseismic movement-----	150 13876
—— Time distribution of felt aftershocks of the Imaichi earthquake of December 26, 1949-----	150 13872
<i>See also</i> Rikitake, Tsuneji.	
Kiyono, Takeshi. The apparent resistivity in a drift-----	148 13480
Kizawa, T. Geophysical phenomena accompanied by volcanic actions-----	151 14072
Kjartansson, Gudmundur. Water and mud flows-----	149 13649
Kjellberg, G. <i>See</i> Arrhenius, G.	
Klaasse, J. M., and Jensen, Homer. Method and apparatus for conducting geophysical surveys from an aircraft, U. S. patent-----	150 13981
Kleber, J. <i>See</i> Hée, Arette.	
Klein, N. E. <i>See</i> Brattain, W. H.	
Klotz, J. A. Geophysical exploration methods-----	150 13918
Knopoff, L. On Rayleigh wave velocities-----	151 14041
Knowles, R. S. Cuba a challenge to wildcatters-----	150 13912
Kogbetliantz, E. G. System for measuring magnetic fields, U. S. patent-----	149 13774
Kohanowski, N. N. Geomagnetic survey of Rolette and Towner Counties, N. Dak.-----	149 13701
Kohl, E. On the radioactivity of marine horizons in carbon-----	148 13385
Kokesh, F. P. The development of a new method of seismic velocity determination-----	150 13937
Kolbenheyer, T. Report on gravity investigations with the Nørgaard gravimeter TNK 379 in 1948-49-----	148 13294
Kondorskiy, Ye. I. The theory of the magnetic properties of rocks and powdered substances-----	151 14023
Koning, L. P. G. Earthquakes in relation to their geographical distribution, depth and magnitude-----	150 13861
—— Earthquakes in relation to their geographical distribution, depth, and magnitude, pt. 4, South America-----	151 14054
—— Earthquakes in relation to their geographical distribution, depth, and magnitude, pt. 5, Central America and the Caribbean area, and pt. 6, The Southern Antilles-----	151 14055
—— Earthquakes in relation to their geographical distribution, depth, and magnitude, pt. 7, The Pacific coast of North America and the Aleutian arc, and pt. 8, The Mediterranean region-----	151 14056
Korn, H., and Martin, Hans. The seismicity of South-West Africa-----	149 13618
Korneva, L. A. The east component of the geomagnetic field-----	148 13309
Koshikawa, Yoshiaki. Seismometrical study of the Imaichi earthquake on Dec. 26, 1949-----	150 13871
Krasnow, Shelley, and Curtiss, L. F. Method and apparatus for measuring radioactivity, U. S. patent-----	149 13795
—— Multiple element radioactive ray recording, U. S. patent-----	149 13796
Krasnow, Shelley, and Test, M. J. Construction of Geiger-Müller tube, U. S. patent-----	150 13996
Krayev, A. P. Principles of geoelectric methods of prospecting-----	149 13728
Krey, Theodor. Evaluation of interlocking recording in their application to seismic methods of prospecting-----	149 13712
—— The significance of diffraction in the investigation of faults-----	151 14120
Krey, Theodor, and Helwich, B. Reflections in the interior of salt domes and their importance in petroleum exploration-----	149 13719
Krouskij, L. An application of the "regula falsi" in seismic prospecting-----	151 14115
Krousky, L. The effect of errors in measurements on the determination of the dip and depth of a reflecting boundary-----	149 13718

	No. Abstract
Krueger, W. F. Apparatus for determining the time of descent of instruments within boreholes, U. S. patent-----	149 13800
Kulikoff, K. A. The displacement of the poles and the variation of latitudes--	149 13606
Kulp, J. L. Age measurement in marine cores by Carbon 14-----	149 13640
The carbon-14 method of age determination-----	151 14065
Kulp, J. L., Holland, H. D., and Volchok, H. L. Scintillation alpha counting of rocks and minerals-----	148 13486
Kulp, J. L., Tyron, L. E., and Feely, H. W. Techniques of natural carbon-14 determination-----	149 13639
Kulp, J. L., Volchok, H. L., Holland, H. D., and Ericson, D. B. Thick source alpha activity of some North Atlantic cores-----	151 14066
Kunetz, Géza. Method for the electric prospecting of the subsoil, U. S. patent-----	151 14164
<i>See also</i> Beauflis, Yvonne.	
Kurihara, Shigetoshi. <i>See</i> Iida, Kumizl.	
L	
Lafargue, C. <i>See</i> Fournier d'Albe, E. M.	
Lagrula, Jean. <i>See</i> Glangeaud, Louis.	
Lahn, E. Seismic activity in Turkey from 1947 to 1949-----	150 13866
Lamoglie, Carlo. On the compensation of primary electromagnetic fields in induction measurements-----	148 13478
Lang, A. H. Uranium ore bodies. How can more be found in Canada-----	150 13953
Lazarenko, G. P. Magnetic pulsations in Keles-----	151 14020
Lecolazet, René. <i>See</i> Héé, Arlette.	
Lee, B. D., and Herzog, Gerhard. Seismic prospecting, U. S. patent-----	151 14157
Lee, C. S. Geophysical surveys on the Bahama Banks-----	148 13293
Lee, Frank W., and Tinder, B. M. Helicopters a versatile oil-field tool-----	148 13511
Lee, F. W. Method of geophysical prospecting, U. S. patent-----	151 14161
Temperature compensation magnetometer indicator, U. S. patent-----	151 14145
Leith, T. H. Heat flow at Kirland Lake-----	150 13892
LeVine, H. D., and Di Giovanni, H. J. Radiation detector and measuring means, U. S. patent-----	151 14169
Libby, W. F. <i>See</i> Arnold, J. R., and Arrhenius, G.	
Licastro, P. H. <i>See</i> Howell, B. F., Jr., and Keller, G. V.	
Lichtman, S. W. Radioactivity detector and discriminator, U. S. patent---	148 13534
Linehan, Daniel. Seismology applied to shallow zone research-----	150 13942
Littlewood, C. A. Gravity measurements on the Barnes Icecap, Baffin Island--	151 14010
Lloyd, E. H. <i>See</i> Fitch, A. A.	
Lombardi, L. V. <i>See</i> Allen, C. F., and Poulter, T. C.	
Long, A. B. Well logging apparatus, U. S. patent-----	149 13798
Longacre, W. A. The Hotchkiss Superdip as a vertical intensity magnetometer-----	149 13700
Loosemore, W. R. <i>See</i> Franklin, E.	
Lopez de Azcona, J. M. The problem of microseisms-----	149 13623
The problem of microseisms-----	150 13875
Lord, A. H., Jr. Prospecting using gamma ray detection, U. S. patent-----	151 14166
Love, S. K. Natural radioactivity of water-----	148 13386
Low, J. H. Magnetic prospecting methods in asbestos exploration-----	148 13439
Lozano Calvo, Luis. A method of correcting the national gravimetric network and its international ties by observations with a gravimeter-----	149 13551
The network of gravimetric observations in the province of Avila-----	148 13302
<i>See also</i> Espinosa de los Monteros, J. M.	
Luchak, George. A fundamental theory of the magnetism of massive rotating bodies-----	151 14016
Lundbak, Asger. Calculation of magnetic declination and horizontal intensity on the basis of the vertical intensity-----	148 13315
Lundberg, Hans. Airborne radioactivity surveys-----	149 13742
Radioactivity surveys aid prospecting for oil and gas-----	150 13961
Lundberg, Hans, Roulston, K. L., Pringle, R. W., and Brownell, G. M. Oil exploration with airborne scintillation counters-----	150 13960
Lynch, J. J. The Great Lakes, a source of two-second frontal microseisms--	150 13878
Lytle, N. J., and Riecke, R. B. Well logging in the Spraberry-----	148 13505

M

	No. Abstract
MacCarthy, G. R. Geothermal investigations on the Arctic slope of Alaska.....	150 13891
McClure, C. D. <i>See</i> Yost, W. J.	
McCollum, E. V. Quality of geophysical measurements.....	148 13433
McCraday, Edward. The use of lead isotope ratios in estimating the age of the earth.....	149 13633
MacDonald, G. A. Beginning of geomagnetic observations at Hawaiian Volcano Observatory.....	148 13401
——— The Kilauea earthquake of April 22, 1951, and its aftershocks.....	149 13610
Macdonald, G. A., and Wentworth, C. K. The Kona earthquake of August 21, 1951.....	149 13611
Macelwane, J. B. Practical application of microseisms to forecasting.....	148 13368
McGaha, S. W., and Terry, J. M. Lane-Wells correlation study; central Kansas area.....	149 13771
McKellar, I. C., and Collins, B. W. Self-potential logs of two Canterbury water wells.....	149 13766
McLaughlin, G. H. <i>See</i> Cartier, W. O.	
McLoad, K. W. Selector arrangement for seismic prospecting system, U. S. patent.....	148 13529
MacMillan, J. K. Geophysical operations in the Canadian bush.....	148 13428
Macune, C. W. <i>See</i> Basham, R. B.	
Malno, Armando. The calibration of the Kew No. 177 magnetometer.....	150 13828
Matkowski, Zdzislaw. Electric resistivity method with direct current in geophysical explorations.....	150 13947
Malone, A. B. A nomogram for the computation of tidal deviations of the vertical.....	150 13811
Malovichko, A. K. Method of analytic continuation of gravitational anomalies.....	150 13812
——— On the averaging of anomalous fields.....	148 13290
Manfredini, Antonio. Hydrological research with geophysical methods in Guidonia.....	149 13740
<i>See also</i> Zaccara, Gaetano.	
Mann, R. W. Seismic exploration method, U. S. patent.....	150 13984
Maple, E. <i>See</i> Singer, S. F.	
Marcelli, L. <i>See</i> Di Filippo, Domenico.	
Mardock, E. S., and Myers, J. P. Radioactivity logs define lithology in the Spraberry formation.....	148 13506
<i>See also</i> Bush, R. E., and Fearon, R. E.	
Marin y Bertran de Lis, Agustin. A visit to oil fields of western Germany..	149 13690
Marliere, René. The earthquake of April-May 1949 in the vicinity of Mons..	148 13351
Martel Sangil, Manuel. The genesis of the Canary Islands.....	149 13661
Martin, G. P. M. Volcanic activity is not a climate forming factor.....	150 13894
Martin, Hans. <i>See</i> Korn, H.	
Martin, Jean. <i>See</i> Duclaux, Françoise.	
Martin, Maurice. <i>See</i> Decker, G. J., and Doll, H. G.	
Masson, P. H. <i>See</i> Winsauer, W. O.	
Mathews, H. A., Riordan, M. B., and Scott L. B. Sound indicator and fluid level indicator for wells, U. S. patent.....	151 14175
Matschinski, Mathias. Average elevation of continents and geodynamic forces.....	148 13419
——— Linear density of volcanoes in the volcanic arc and the curvature of that arc.....	148 13396
——— Numerical data on the distribution of volcanoes bordering the Pacific Ocean.....	148 13395
Matsumae, Shigeo. Magnetostriction in weak magnetic field.....	148 13316
Mayes, F. M., and Tickner, A. J. Magnetometer gradiometer apparatus and method, U. S. patent.....	151 14147
Mayne, W. H. Seismic surveying, U. S. patent.....	149 13777
Meen, V. Ben. Solving the riddle of Chubb Crater.....	148 13440
Mendez de Vigo, Alfonso. <i>See</i> Yrizar, Pedro de	
Menton, J. P. Filter for seismic prospecting, U. S. patent.....	148 13530
Menzel, Heinz. On the spectrum of seismic waves produced by explosions.....	149 13715
	150 13933

	No. Abstract
Mercier, V. J. Simultaneous radiation logging in Kansas.....	148 13507
Merritt, J. W. Radioactive oil survey technique.....	150 13959
Surface mapping by gamma ray.....	149 13741
Migaux, Léon. Ten years of use of the telluric method.....	149 13733
Mihailović, D. J. Seismic characteristics of the Litija region.....	148 13617
Mihailović, Jelenko. Seismic activity of the Morava river valley.....	149 13360
Seismicity of the region of Lake Scutari.....	148 13361
Seismic regions of Macedonia.....	148 13359
Seismologic map of Yugoslavia.....	151 14060
Milne, W. G. Bibliography of seismology.....	148 13326
Bibliography of seismology.....	148 13327
Bibliography of seismology.....	148 13328
Minakami, Takeshi. Earthquakes at the state of paroxysmal eruption.....	149 13614
Earthquakes followed by the birth and development of the lava dome.....	149 13615
On the temperature and viscosity of the fresh lava extruded in the 1951 Oo-sima eruption.....	149 13659
<i>See also Sakuma, Shūzō.</i>	
Minton, J. P. Seismic prospecting, U. S. patent.....	149 13784
Means, J. W. Magnetic testing system, U. S. patent.....	151 14146
Mintrop, Lüdger. Economic and scientific significance of geophysical methods for the investigation of mountain structures and mineral deposits.....	150 13916
The stratification of the crust and mantle of the earth from seismic observations.....	151 14039
Miyabe, Naomi. Vertical earth movements in Japan as deduced from the re- sults of rerunning the precise levels.....	150 13905
Miyamura, Setumi, and Akima, Tetuo. On the observation of aftershocks of the Imaichi earthquake near the village of Hunyu, Totigi-ken.....	150 13873
Modriniak, N. Magnetic studies of the proposed dam site at Atiamuri.....	148 13442
Molard, Pierre. <i>See Coulomb, Jean.</i>	
Monakhov, F. I. Some results of the analysis of earthquakes which oc- curred in the Garm region.....	150 13867
Monin, I. F. On studying the shape of the geoid by the gravimetric method.....	151 14007
Mooney, H. M. Magnetic susceptibility measurements in Minnesota. Pt. 1: Technique of measurement.....	151 14096
Moore, R. W. Earth-resistivity tests applied to subsurface reconnaissance surveys.....	151 14127
Geophysical methods adapted to highway engineering problems.....	150 13922
Morell, Carlo. Calibration of two Worden gravimeters and the tying of European gravimetric networks.....	149 13552
Experimental gravimetric and magnetic exploration of the foreland of Colli Euganei.....	148 13435
First contribution to the fundamental gravimetric network of Italy.....	151 14009
Fundamental formulas of geodesy based on isogravitational surfaces.....	150 13805
Morgan, Frank. <i>See Wyllie, M. R. J.</i>	
Morgan, J. V. Correlation of radioactive logs of the Lansing and Kansas City groups in central Kansas.....	149 13772
Morimoto, Ryōhei. <i>See Ichimura, Takeshi.</i>	
Morris, George. Vibrations due to blasting and their effects on building structures.....	148 13472
Morris, T. S. Investigating ground water supplies with electric well logs.....	150 13967
Mossman, R. W. <i>See Thralls, H. M.</i>	
Mounce, W. D. Method and apparatus for underwater gravity surveying, U. S. patent.....	149 13773
Muffy, Gary. Detecting device, U. S. patent.....	150 13992
Mungal, A. G. <i>See Clark, A. R.</i>	
Munuera, J. M. <i>See Yrizar, Pedro de.</i>	
Murozumi, Masayoshi. Contribution to the electrical prospecting in Shojing- awa sulphur mine and Amemasugawa sulphur mine, Hokkaido.....	151 14136
Murphy, L. M., and Ulrich, F. P. United States earthquakes 1950.....	150 13863
Murphy, Thomas. Provisional values for magnetic declination in Ireland for the epoch 1950.5.....	150 13836
Murray, M. T. <i>See Helland, C. A.</i>	
Myers, J. P. <i>See Mardock, E. S., and Whetton, J. T.</i>	

## N

	No. Abstract
Nadai, A. L. Stress and strain in the outer solid shell of the earth.....	149 13665
Nagata, Takeshi. Reverse thermo-remanent magnetism.....	151 14026
—— Sudden commencements preceded by the preliminary reverse impulse in a geomagnetic field.....	149 13574
Nagata, Takeshi, Akimoto, Syuniti, and Uyeda, Selya. Reverse thermo- remanent magnetism.....	151 14028
Nakamura, S. T., and Sima, Hiromu. A method of deduction of pressure distribution on an internal plane surface from the observed topographical change (Pt. I).....	148 13285
Nakano, T. Relation between damages by earthquakes and topography.....	149 13620
Narayanan, S. Y. <i>See</i> Pramanik, S. K.	
Nasu, Nobuji. Block movement along the seismic fault.....	150 13906
Nawijn, A. The heat balance of the earth's crust.....	148 13390
Nedeljkovič, R. L. Seismic characteristics of the region of Knin.....	148 13363
Néel, Louis. Experimental confirmation of a mechanism of the reversal of thermo-remanent magnetization.....	151 14027
—— The inversion of the permanent magnetization of rocks.....	148 13319
—— Theory of magnetic creep of fine-grained magnetic substances with applications to terra cotta.....	148 13318
Nepomnyashchikh, A. A. Logarithmic master charts for gravitational surveys.....	149 13696
Nerenst, Poul. <i>See</i> Anderson, Johannes.	
Nettleton, L. L. Gravity operations in water covered areas.....	148 13434
—— Sedimentary volumes in Gulf Coastal Plain of United States and Mexico, pt. 6, Geophysical aspects.....	151 14090
Neufeld, Jacob. Radiation detector, U. S. patent.....	150 13994
Neumann, Frank. Principles underlying the interpretation of seismograms.....	150 13850
Niblett, E. R. <i>See</i> Bullard, E. C.	
Nichols, C. R. Electrical prospecting, U. S. patent.....	151 14163
Niles, J. A., Simpson, N. B., Sturgis, H. F., Vincent, R. P., and Ziemer, C. W. Apparatus for measuring well characteristics, U. S. patent.....	148 13544
Nishitake, Teruo. On the discontinuities of the earth mantle.....	148 13427
Niskanen, Erkki. <i>See</i> Tanni, L. I.	
Nodya, M. F. A new kind of platform for measuring the vertical gradient of anomalous magnetic fields with a magnetic field balance.....	151 14097
Nomura, Yūkichi. On the diffraction of electric waves by a perfectly reflecting wedge.....	149 13729
Nordquist, J. M. <i>See</i> Richter, C. F.	
Norin, Rolf. Radioactivity and rhythm of sedimentation.....	149 13636
Normandin, A. The Assam earthquakes in 1950 and their hydrologic effects.....	150 13874
Nuttli, O. W. The western Washington earthquake of April 13, 1949.....	148 13335
Nye, J. F. The flow of glaciers and ice-sheets as a problem in plasticity.....	148 13418

## O

Obert, Leonard, and Duvall, W. I. Generation and propagation of strain waves in rock.....	149 13599
Ochiai, Toshiro. Radioactive exploration on the faults.....	148 13487
O'Dea, P. L. <i>See</i> Walker, G. B.	
O'Donnell, G. A. <i>See</i> Hess, V. F.	
Officer, C. B., Jr. On the existence of Uller's waves.....	148 13331
Officer, C. B., Jr., Ewing, Maurice, and Wuenschel, P. C. Seismic refraction measurements in the Atlantic Ocean, Pt. IV; Bermuda, Bermuda Rise, and Nares Basin.....	150 13852
<i>See also</i> Hersey, J. B.	
Oil Progress. "Full Fathom Five".....	148 13512
Okuda, Toyozo. On the change of local geoid in the southwestern part of Japan.....	149 13554
Olczak, Tadeusz. Gravimetric map of Poland.....	149 13561
—— Gravity force in Poland.....	148 13303
Oliver, Jack. <i>See</i> Crary, A. P.	
Omote, Syun' itiro. <i>See</i> Iida, Kumizi.	
Oppenheim, Victor. The structure of Colombia.....	151 14080
—— The structure of Ecuador.....	148 13423

	No.	Abstract
Ording, J. R. Seismic exploration method, U. S. patent.....	151	14158
Ortiz de Villacian, J. R. Physicomathematical theory of the earth (contribution to geophysics).....	150	13901
Oulianoff, Nicolas. Gravimetry in relation to geologic structures.....	150	13822
Owen, David. An apparatus for studying the laws of the magnetic field due to an electric current in a long straight conductor.....	149	13570
Owen, J. E. Electrical well logging apparatus, U. S. patent.....	150	14002
—— The resistivity of a fluid-filled porous body.....	150	13974
Owen, J. E., and Greer, W. J. The guard electrode logging system.....	149	13749
P		
Page, C. N. <i>See</i> Daly, J. W.		
Parasnis, D. S. A study of rock densities in the English Midlands.....	150	13826
Pariyskiy, N. N. The effect of microseisms on the determination of gravity force by the pendulum method.....	148	13295
—— The vertical component of the attraction exercised by a hyperbolic dome.....	148	13288
Parkinson, W. C. <i>See</i> Ferraro, V. C. A.		
Parkinson, W. D. <i>See</i> Hess, V. F.		
Parr, J. O., Jr. Seismic surveying U. S. patent.....	148	13525
—— Seismic surveying, U. S. patent.....	149	13778
Pasechnik, I. P. Comparison of the results of a theoretical study of resonance phenomena in the system ground-seismograph with experimental data.....	151	14106
—— Experimental methods studying resonance phenomena in the system ground-seismograph.....	150	13934
—— Results of experimental investigation of resonance phenomena in the vibrating system ground-seismograph.....	151	14105
Patnode, H. W. Method of determining formation factor of irregular rock samples. U. S. patent.....	148	13545
Pearson, J. M. Electrical logging method and apparatus. U. S. patent.....	148	13543
Peirson, D. H., and Franklin, E. Aerial prospecting for radioactive minerals.....	148	13489
Peltz, Walter. The fourth geophysical conference of the German Coal Mining Board, Brown coal group.....	150	13923
Pefia, Vicente. <i>See</i> Yrizar, Pedro de		
Penta, F., and Conforto, B. The results of exploratory drilling in Campi Flegrei region and of prospecting for vapor, thermal water, and endogenous forces.....	148	13393
Perry, E. G., Jr. Method and apparatus for recording vibrational data. U. S. patent.....	148	13521
Persch, Fritz. The determination of the water table from the Schlumberger diagram.....	149	13765
Perutz, M. F. <i>See</i> Gerrard, J. A. F.		
Peterson, Glen. Electrostatic seismometer, U. S. patent.....	149	13786
Picciotto, E. E. Distribution of radioactivity in eruptive rocks.....	149	13635
—— Radioactive phenomena in geology.....	149	13629
Piety, R. G. Method for determining the direction of arrival of waves, U. S. patent.....	151	14149
Piety, R. G., and Thomas, M. E. Seismometer, U. S. patent.....	149	13781
Pirson, S. J. Review of quantitative methods of electrical-log interpretation.....	150	13966
<i>See also</i> Wright, T. R.		
Pletta, D. H. <i>See</i> Szebehely, V. G.		
Pollard, T. A., and Reichertz, P. P. Core analyses practices—Basic methods and new developments.....	149	13746
Ponte, Gaetano. Summary of the principal observations and research on Mount Etna.....	149	13657
Pottorf, Newell. Marine seismometer spread, U. S. patent.....	150	13989
Poulter, T. C. Apparatus for seismic exploration, U. S. patent.....	151	14151
—— Seismic exploration, U. S. patent.....	151	14153
—— Seismic exploration employing elevated charges, U. S. patent.....	151	14152
	151	14154

	No. Abstract	
Poulter, T. C., and Lombardi, L. V. Multiple reflection on the Edwards Plateau-----	148	13487
Pramanik, S. K., and Narayanan, S. Y. Diurnal magnetic variation in equatorial regions-----	151	14018
Press, Frank and Ewing, Maurice. Magnetic anomalies over oceanic structures-----	150	13837
----- Two slow surface waves across North America-----	151	14043
<i>See also</i> Benioff, Hugo, Ewing, Maurice, and Jardetzky, W. S.		
Price, A. T., and Wilkins, G. A. The daily magnetic variations in equatorial regions-----	148	13312
Pringle, R. W., Standil, S., Taylor, H. W., and Fryer, G. A further study of the natural activity of lanthanum-----	148	13372
<i>See also</i> Lundberg, Hans.		
Pritchett, W. C. Attenuation of radio-frequency waves through the earth-----	149	13735
Purbrick, R. L., Cherry, L. T., and Carpenter, J. F. The design of thin-windowed Geiger-Müller counters-----	148	13485
Purcell, W. R. Method and apparatus for measuring capillary pressure, U. S. patent-----	150	14001
Puzin, L. A. Connate water resistivity in Oklahoma—Its application to electric log interpretation-----	150	13973

## Q

Quiring, H. L. Ejection and the 3rd law of Kepler. Kinematics and energetics of the ejection of the moon-----	149	13664
---	-----	-------

## R

Reed, J. J. <i>See</i> Fleming, C. A.		
Reich, Herman. Contribution of geophysics to geologic exploration-----	151	14084
----- Results of seismic investigations in the Peissenberg coal mine-----	151	14123
Reich, Hermann, Förtsch, Otto, and Schulze, G. A. Results of seismic observations in Germany on the Heligoland explosion of April 18, 1947-----	148	13341
Reichertz, P. P. <i>See</i> Pollard, T. A.		
Reid, A. C. Marine seismometer spread, U. S. patent-----	150	13986
Rey Pastor, Alfonso. Note on the Alicante submarine earthquake of June 9, 1947-----	148	13355
----- Seismic phenomena in Elche from August to November 1947-----	148	13354
----- The earthquake of Confrides (Alicante) of February 9, 1949-----	148	13357
----- The earthquake of June 23, 1948-----	148	13356
----- The seismic province of Caravaca-----	148	13352
Richardson, M. S. <i>See</i> Brattain, W. H.		
Richter, C. F., and Nordquist, J. M. Instrumental study of the Manix earthquakes-----	149	13606
Richter, N. Formation of moon craters on the earth-----	149	13660
Ricker, N. H. Distortionless seismic wave filter, U. S. patent-----	148	13527
----- The form and laws of propagation of seismic wavelets-----	149	13586
Rieke, R. R. <i>See</i> Lytle, N. J.		
Rikitake, Tsuneji. A method of studying the distribution of electrical currents in a spherical shell having non-uniform conductivity-----	148	13324
----- A miniature earth-inductor-----	148	13437
----- Changes in earth current and their relation to the electrical state of the earth's crust-----	148	13323
----- Changes in magnetic dip that accompanied the activities of Volcano Mihara (second report)-----	148	13412
----- Diffraction of electromagnetic waves around the crater of Volcano Mihara-----	148	13411
----- Electromagnetic shielding within the earth and geomagnetic secular variation-----	148	13310
----- On magnetization of volcanoes-----	149	13577
----- The distribution of magnetic dip in Ooshima (Oo-Sima) Island and its change that accompanied the eruption of Volcano Mihara-----	148	13413
Rikitake, Tsuneji, and Kishinouye, Fuyuhiko. Electrical properties of soil at radio frequencies-----	149	13736
----- Electrical properties of soil at radio frequencies-----	150	13956

	No. Abstract
Rikitake, Tsuneji. <i>See also</i> Hagiwara, Takahiro.	
Ring, Roland. Well surveying instrument, U. S. patent.....	151 14172
Riordan, M. B. <i>See</i> Mathews, H. A.	
Riznichenko, IŪ, V. <i>See</i> Riznichenko, Yu. V.	
Riznichenko, Yu. V. A joint treatment of observations of seismic frontal waves.....	149 13714
—— The determination of the position of the refracting boundary under the assumption that it is plane in the region of the arrival of seismic waves....	148 13460
Roberts, E. B., and Ulrich, F. P. Seismological activities of the U. S. Coast and Geodetic Survey in 1950.....	151 14052
Roberts, F. H. H., Jr. Carbon-14 dates and archeology.....	149 13641
Robinson, A. D. <i>See</i> Beckman, A. O.	
Robinson, W. A. <i>See</i> Cartier, W. O.	
Roch, A. <i>See</i> Gerrard, J. A. F.	
Roche, Alexandre. On inverse remanent magnetization in the volcanic rocks of the mountains of Auvergne.....	148 13320
Roever, W. C. <i>See</i> Kaufman, Sidney	
Rogers, G. R. Subsurface gravity measurements.....	149 13697
Roman, Irwin. Resistivity reconnaissance in Symposium on surface and subsurface reconnaissance.....	150 13945
Romberg, Frederick. Limitations of the seismic method of mapping faults....	151 14121
Rosaire, E. E. Studies in nonstructural petroleum prospecting II. The comparative resolution of pertinent Gulf Coast refraction anomalies.....	149 13709
Rose, J. E., and Hinspater, E. W. Pocket ionization chamber, U. S. patent....	149 13794
Rose, W. D. <i>See</i> Wyllie, M. R. J.	
Rosini, E. <i>See</i> Giorgi, Maurizio.	
Rothé, Edmond, and Rothé, J. P. Geophysical prospecting.....	151 14085
Rothé, J. P. <i>See</i> Rothé, Edmond.	
Roulston, K. L. <i>See</i> Lundberg, Hans.	
Roze, T. N. Determination of the depth of some sources of magnetic anomalies within the European part of the U. S. S. R.....	151 14099
—— Magnetic properties of certain rocks at different temperatures.....	148 13322
Rozova, Ye. A. Positions of epicenters and hypocenters of earthquakes in Central Asia.....	149 13604
Rühmkorf, H. A. Contribution to the question concerning the velocity of propagation in Tertiary sediments of the upper Rhine graben.....	148 13468
Rumbaugh, L. H., Jensen, Homer, and Balsley, J. R., Jr. Method and apparatus for conducting geophysical surveys, U. S. patent.....	150 13983
Rummerfeld, B. F. Seismic exploration of the Denver-Julesburg basin.....	149 13720
Russell, W. L. Interpretation of neutron well logs.....	150 13976
Ryskina, Z. V. Diurnal variation of magnetic activity according to <i>K</i> -index in Keles.....	150 13335

## S

Sadahiro, Taro. Measurements of underground radioactivity (first report)....	148 13488
Saito, Sadao. <i>See</i> Hagiwara, Takahiro.	
Sakuma, Shūzō, and Minakami, Takeshi. Minor activity of volcano Yake-yama in 1949.....	149 13613
Sandoval, R. O. Geomagnetic Services. Basic magnetic data in the Republic of Mexico.....	149 13580
Sans Huelin, Guillermo. Airborne magnetic prospecting.....	148 13444
—— Geodetic tying of the American continent with Europe and Africa.....	148 13305
Satō, Mitsunosuke, and Suyama, Junji. Geophysical prospecting in Takanokura Mine, Soma County, Fukushima Prefecture.....	149 13703
Satō, Yasuo. Distribution of surface stress generating no Rayleigh waves....	151 14034
—— Equivalent single layer to double superficial layer.....	149 13590
—— Generation of Love and other type <i>SH</i> -waves.....	151 14033
—— Love waves propagated upon heterogeneous medium.....	149 13591
—— Love waves with double superficial layer.....	149 13589
—— Mathematical study of the propagation of waves upon stratified medium.....	149 13584
	149 13585

	No.	Abstract
Sato, Yasu. Rayleigh waves propagated along the plane surface of horizontally isotropic and vertically anisotropic elastic body.....	150	13843
—— Transformations of wave functions related to the transformations of coordinate systems.....	149	13581
—— Velocity of Love waves.....	149	13582
—— Velocity of surface waves propagated in elastic plates.....	149	13587
<i>See also</i> Takahashi, Takehito.		
Savarenskiĭ, E. G. <i>See</i> Savarenskiy, Ye. G.		
Savarenskiy, Ye. G. On the angle of emergence of seismic rays and certain related questions.....	151	14036
Saxov, S. E. The Danish gravity reference stations.....	150	13818
—— The variation of gravity within the earth.....	151	14004
Schaeffer, O. A. <i>See</i> Katcoff, S.		
Schaffhauser, Edith. Influence of rapid variations of the acceleration of gravity on the earth's surface.....	151	14005
Schaffhauser, J. Piezoelectric method of measuring the variations of atmospheric pressure.....	149	13627
Scharon, H. L. Electrical resistivity geophysical method as applied to engineering problems.....	151	14128
Scheffer, Viktor, and Kántás, Karl. The regional geophysics of Transdanubia.....	149	13560
Scheldegger, A. E. Physical aspects of the contraction hypothesis of orogenesis.....	151	14078
—— Physical aspects of the convection-current hypothesis of orogenesis.....	150	13903
Scheldegger, A. E., and Wilson J. Tuzo. An investigation into possible methods of failure of the earth.....	151	14077
Scherbatskoy, S. A. High-efficiency ionization chamber, U. S. patent.....	150	13997
Schneider, B. B. Radiation detector, U. S. patent.....	149	13792
Schneider, Hans, Truelsen, Christian, and Thiele, Heinrich. Procurement of water.....	151	14137
Schonstedt, E. O. Anchoring and connecting means for strain-cord electrical cables. U. S. patent.....	148	13515
Schriever, William. Sound ranging in a medium having an unknown constant phase velocity.....	151	14122
Schulze, G. A. <i>See</i> Reich, Hermann.		
Schütte, H. The determination of earth's flattening from the catalog of gravity data compiled by N. F. Zhuravlev.....	148	13286
Schwarzbach, M. The earthquakes of the Rhineland.....	150	13865
Schwendinger, W. W. <i>See</i> Howell, B. F., Jr.		
Scott, H. S. The significance of aeromagnetic data.....	150	13927
Scott, L. B. <i>See</i> Mathews, H. A.		
Scotty, C. B. Quantitative log interpretation of the San Andres dolomite.....	148	13502
Seavey, G. C. Generation and transmission of sound pulses, U. S. patent.....	151	14156
Seavey, G. C., and Horsley, C. B. Means for application of alternating shear at sonic frequencies to the treatment of material. U. S. patent.....	148	13523
Seigel, H. O. Ore body size determination in electrical prospecting.....	151	14129
Seki, A. <i>See</i> Homma, S.		
Seligman, P. <i>See</i> Gane, P. G.		
Serra, Nicolas. <i>See</i> Ferrer, Arturo		
Sewell, B. W. Well logging apparatus, U. S. patent.....	151	14180
Sharpe, J. A., and Fullerton, P. W. An application of punched card methods in geophysical interpretation.....	151	14086
Shearin, H. M., Jr. <i>See</i> Winsauer, W. O.		
Shepard, E. R. Subsurface explorations by geophysical methods.....	150	13920
Shimazu, Yasuo. Density distribution and concentration of heavy materials within the earth.....	148	13426
—— The density distribution within the earth after Bullen and the coefficient of $\sin^2 2\phi$ in the gravity formula.....	149	13548
Shimazu, Yasuo, and Takeuchi, Hitoshi. Effect of tension upon the elastic parameters of isotropic solids.....	149	13677
—— Propagation of elastic waves in a medium under finite initial tensions.....	149	13583
Shimozuru, Daisuke. Dynamical measurement of the elastic constants of rocks subjected to initial stresses.....	149	13676

Shorey, R. R., <i>See</i> Hurley, P. M.		
Siegert, A. J. F. Process for detecting gamma rays, U. S. patent.....	149	13793
Sigurgeirsson, Thorbjörn. <i>See</i> Einarsson, Trausti.		
Silverman, Daniel. Seismic-wave generator, U. S. patent.....	150	13988
Sima, Hiromu. <i>See</i> Nakamura, S. T.		
Simon, R. F., and Heaps, S. N. Surface generation of seismic waves, U. S. patent.....	148	13526
Simpson, D. J. Some results of radiometric logging in the boreholes of the Orange Free State gold fields and neighboring areas.....	149	13769
Simpson, D. J., and Bouwer, R. F. Radioactivity logging.....	148	13503
Simpson, J. A., Jr. Radiation counter U. S. patent.....	150	13998
——— Radiation device and method of construction, U. S. patent.....	150	13993
Simpson, N. B. <i>See</i> Niles, J. A.		
Singer, S. F., Maple, E., and Bowen, W. A., Jr. Evidence for ionosphere currents from rocket experiments near the geomagnetic equator.....	148	13311
Sivaramakrishnan, M. V. Geomagnetic field variations at Kodaikanal.....	149	13575
Skomal, E. N. <i>See</i> Yost, W. J.		
Skugarevskaya, O. A. Spreading of electrical current along an infinite circular cylinder.....	148	13477
——— The final stage of the transient of the current in a layer spread over a perfectly conductive foundation.....	148	13475
——— The initial stage of the transient of electrical current in a layer spread over a perfectly conductive foundation.....	148	13474
Skugarevskaya, O. A. <i>See</i> Tikhonov, A. N.		
Slack, H. A. Field measurement of the radioactivity of rocks.....	151	14067
Smith, P. V., Jr., and Hudson, B. E., Jr. Abundance of N <sup>15</sup> in the nitrogen present in crude oil and coal.....	148	13384
Sobieski, Zenon. <i>See</i> Uchman, Jan.		
Solaini, Luigi. An example of seismic exploration of a rocky foundation.....	149	13723
——— Principal characteristics and results of the gravimetric surveys made in Italy for oil and gas exploration.....	149	13698
Somers, E. V. <i>See</i> Broding, R. A.		
Sorge, B. W. Safety and geophysical exploration.....	149	13692
Sorskiĭ. <i>See</i> Sorskiy.		
Sorskiy, A. A. <i>See</i> Belousov, V. V.		
Spangler, M. B. <i>See</i> Wyllie, M. R. J.		
Spicer, H. C. Electrical resistivity studies of subsurface conditions near Antigo, Wisconsin.....	151	14134
Sretenskiĭ. <i>See</i> Sretenskiy.		
Sretenskiy, L. N. Propagation of lastic waves produced by a system of normal stresses over the surface of semi-space.....	151	14031
Stanbrough, J. H. <i>See</i> Hughes, D. S.		
Standil, S. <i>See</i> Pringle, R. W.		
Stechschulte, V. C. A method of obtaining <i>P</i> and <i>S</i> travel time curves within a "stripped earth".....	151	14040
Steenland, N. C., and Woollard, G. P. Gravity and magnetic investigations of the structure of the Cortlandt Complex, New York.....	151	14093
Stein, Paul. Nuclear counters.....	148	13483
Steinberg, J. L. <i>See</i> Denisse, J. F.		
Stephen, J. H. <i>See</i> Gane, P. G.		
Stoyko, Nicolas. On the seasonal variation of the rotation of the earth during the years 1945-46.....	148	13291
——— Variable magnetic field of stars.....	151	14017
Stripling, A. A. Well logging instrumentation.....	150	13963
<i>See also</i> Broding, R. A.		
Sturgis, H. F. <i>See</i> Niles, J. A.		
Suess, H. E., and Brown, Harrison. I <sup>220</sup> and the age of the elements.....	148	13374
Summers, G. C., and Broding, R. A. Continuous velocity logging.....	150	13964
Suyama, Junji. <i>See</i> Satō, Mitsunosuke.		
Suzuki, Ziro. On <i>S'</i> waves.....	148	13332
<i>See also</i> Asada, Toshi.		
Swallow, J. C. <i>See</i> Gaskell, T. F.		
Swan, B. G., and Becker, Adrian. Comparison of velocities obtained by delta-time analysis and well velocity surveys.....	150	13938

	No. Abstract
Swift, Gilbert. Simultaneous gamma-ray and neutron logging-----	149 13767
Swift, L. M. Casing collar locator, U. S. patent-----	150 13999
Swords, H. L. Exploratory activity in the Permian Basin-----	150 13910
Szebehely, V. G., and Pletta, D. H. The analogy between elastic solids and viscous liquids-----	148 13420
T	
Tajime, Kyoji. A simple method for measuring the voltage-sensitivity of an electromagnetic transducer-----	148 13509
----- Improvements of the equipment for acquiring the uniform rotation by self-maintained vibration-----	148 13508
----- On the illuminating lamp of an oscillograph used for the seismic prospecting -----	148 13510
Takagi, S. Distribution of initial motions of the Great Kwanto Earthquake--	148 13365
Takahashi, Takehito, and Satō, Yasuo. On the theory of elastic waves in granular substances pt. 2-----	150 13840
Takeuchi, Hitoshi. Equations of motion of self-gravitating elastic sphere of variable density and elasticity-----	149 13668
----- On the earth tide in the compressible earth of varying density and elasticity-----	149 13667
See also Shimazu, Yasuo.	
Tamayo, J. L. General geography of Mexico. Physical geography-----	148 13299
Tandon, A. N. A simplified model of Wood-Anderson seismograph-----	149 13598
----- Earthquakes-----	149 13605
Tanni, L. I., and Niskanen, Erkki. The geoidal undulations and disturbing masses-----	148 13284
Tarrant, L. H. Tidal gravity experiments at Peebles and Kirklington-----	150 13809
Tateishi, Tetsuo. Seismic prospecting at Toyosuto coalfield, Hokkaido-----	151 14124
Taylor, E. F. See Ferrer, Arturo.	
Taylor, H. W. See Pringle, R. W.	
Tazieff, H. Etna and its recent eruption-----	150 13896
Teisseyre, Roman. Methods of apparent resistivity and of potential-drop-ratio in geoelectric prospecting-----	150 13946
Tercedor, Mariano. The tectonics of the Granada basin in relation to its high seismicity-----	149 13616
Termier, Franz. Activity of Parícutin Volcano in November 1949-----	149 13655
Terry, J. M. See McGaha, S. W.	
Test, M. J. See Krasnow, Shelley.	
Thayer, J. M., and Fearon, R. E. Method for neutron well logging. U. S. patent-----	148 13540
----- Method for neutron well logging. U. S. patent-----	148 13541
Thellier, Émile. Magnetic properties of terra cotta and of rocks-----	148 13317
Thellier, Émile, and Thellier, Odette. On the direction of the earth's magnetic field rediscovered on kiln walls of Punic and Roman times at Carthage--	148 13321
----- On the direction of the geomagnetic field in the region of Treves, about 380 A. D.-----	149 13579
Thellier, Odette. See Thellier, Émile.	
Thiele, Heinrich. See Schneider, Hans.	
Thomas, M. E. Seismometer, U. S. patent-----	151 14160
See also Piety, R. G.	
Thompson, W. B. Thermal convection in a magnetic field-----	148 13389
Thorarinson, Sigurdur. The approach and beginning of the Hekla eruption. Eye witness accounts-----	149 13647
----- The eruption of Mt. Hekla-----	148 13403
Thralls, H. M., and Mossman, R. W. Relation of seismic corrections to surface geology-----	149 13717
Tickner, A. J. See Mayes, F. M.	
Tikhonov, A. N., and Skugarevskaya, O. A. The transient of electrical currents in a heterogeneous stratified formation-----	148 13746
----- The transient of electric current in a heterogeneous stratified medium-----	148 13473
Tinder, B. M. See Lee, Frank W.	
Tixier, M. P. Porosity index in limestone from electrical logs-----	149 13760

	No. Abstract	
Tixier, M. P., and Forsythe, R. L. Application of electrical logging in Canada-----	148	13499
Tomaschek, R. Harmonic analysis of tidal gravity experiments at Peebles and Kirklington-----	150	13810
Tomkeeff, S. I. The volcanoes of Kamchatka-----	148	13397
Tomoda, Yoshikumi. <i>See</i> Asada, Toshi		
Topper, Wilfred, and Greer, W. J. A new system of electric logging-----	149	13748
Towles, H. C., Jr. A study in integration of geology and geophysics-----	151	14104
Tribalto, G. <i>See</i> Boaga, Giovanni.		
Trögen, E. <i>See</i> Borchert, H.		
Truelsen, Christian. <i>See</i> Schneider, Hans.		
Tryon, L. E. <i>See</i> Kulp, J. L.		
Tsuboi, Chuji. Apparent change in inclination of the base line rhombus at Mitaka-----	149	13669
----- Determination of the Richter-Gutenberg's instrumental magnitudes of earthquakes occurring in and near Japan-----	148	13344
----- Passive seismicity index number for destructive earthquakes in Japan-----	149	13621
----- The direct and indirect methods for determining the thickness of the isostatic earth's crust-----	149	13550
Tsubokawa, Ietsune. General description of a new type magnetometer-----	148	13436
Tsuya, Hiromichi. <i>See</i> Ichimura, Takeshi		
Tucker, P. M. High magnetic effect of lateritic soil in Cuba-----	151	14098
Tullis, F. R. Acoustic well logging. U. S. patent-----	148	13542
Turlygin, S. Ya. and Karelina, N. A. The influence of dry land and sea on the distribution of telluric currents over the surface of the earth-----	151	14029
Tvedt, T. J. <i>See</i> Fay, C. H.		

## U

Uchman, Jan and Sobieski, Zenon. Description of instruments employed in geophysical exploration by resistivity method-----	150	13948
Uffen, R. J. A method of estimating the melting-point gradient in the earth's mantle-----	151	14070
Uganda Protectorate Geological Survey. Department Records: year ending 31st December 1950-----	150	13915
Ulrich, F. P. <i>See</i> Murphy, L. M., and Roberts, E. B.		
Umbach, P. H. Exploration expands in the Four Corners region-----	150	13911
Umbroge, J. H. F. A model of the earth's crust-----	149	13681
----- Rhythm and synchronism of tectonic movements-----	148	13416
Unthank, H. W. <i>See</i> Ferraro, V. C. A.		
U. S. Geological Survey. Total-intensity aeromagnetic maps of Indiana. Maps GP 103-114-----	148	13448
----- Total-intensity aeromagnetic and geologic maps of Minnesota. Maps GP 91-96-----	148	13449
Uyeda, Selya. <i>See</i> Nagata, Takeshi		
Uzelac, M. D. Seismic characteristics of the Bäckå and Baranja regions----	148	13362

## V

Vajk, Raoul. Geophysical exploration of southwest Hungary-----	149	13691
Valle, P. E. On the increase of the temperature in the mantle of the earth due to adiabatic compression-----	149	13644
----- The adiabatic temperature gradient in the interior of the earth-----	150	13890
Van Bemmelen, R. W. Report on the volcanic activity and volcanological research in Indonesia during the period 1936-1948-----	148	13410
----- The endogenic energy of the earth-----	149	13663
Vance, Harold. Petroleum subsurface engineering-----	150	13921
Vander Elst, N. Meteorological and geophysical installations at Binza-----	149	13628
Vellinger, E. Surveying of the drill holes by mud logging-----	149	13744
Vening Meinesz, F. A. A third arc in many island arc areas-----	149	13675
----- The origin of continents and oceans-----	151	14076
Vincent, R. P. <i>See</i> Niles, J. A.		

	No. Abstract
Vinogradov, A. P., Zadorozhnyy, I. K., and Zhukov, S. I. Isotopic composition of lead and the age of the earth.....	151 14064
Vogel, C. B. A seismic velocity logging method.....	150 13965
Volchok, H. L. <i>See</i> Kulp, J. L.	
Volk, J. A. System of seismographic visual recording, U. S. patent.....	151 14150
Vvedenskaya, A. V. The determination of dynamic parameters of the foci of earthquakes from the records of remote stations.....	150 13847
W	
Wait, J. R. The cylindrical ore body in the presence of a cable carrying an oscillating current.....	149 13730
—— The magnetic dipole over the horizontally stratified earth.....	151 14095
Walker, G. B., and O'Dea, P. L. Geomagnetic secular-change impulses.....	151 14019
Walsh, P. J. Gravity meter. U. S. patent.....	148 13513
Walstrom, J. E. Coring, electric logging, and other testing methods in exploratory wells.....	149 13745
—— The quantitative aspects of electric log interpretation.....	149 13752
Wantland, Dart. Geophysical measurements of the depth of weathered mantle rock.....	151 14088
Watanabe, Akira. Geomorphology of the coastal districts of the southern part of Sikoku Island and its bearing on the crustal deformation accompanying great Naki Earthquakes.....	149 13619
Watanabe, Takeshi. Dynamical studies of the surface structure of the ground.....	148 13464
Waters, H. C. Electrical well logging system, U. S. patent.....	151 14177
Weatherby, B. B. Some aspects of seismic surveys.....	150 13932
—— Some uses and abuses of the seismic method.....	148 13456
—— Uses and abuses of the seismic method.....	149 13708
Weber, Max. <i>See</i> Gassmann, Fritz.	
Weiss, Oscar. Contribution of geophysical surveys to the discovery of Stilfontein Gold Mine in South Africa.....	149 13699
Weller, B. L. Radiation detector circuit, U. S. patent.....	151 14167
Wells, W. M. <i>See</i> Allen, C. F.	
Wentworth, C. K. <i>See</i> Macdonald, G. A.	
Wesley, R. H. Geophysical exploration in Michigan.....	149 13724
<i>See also</i> Johnson, A. M.	
West, T. S. Well tester, U. S. patent.....	151 14173
Whetton, J. T., and Myers, J. O. Geophysical surveys of magnetite deposits in Strath, Island of Skye.....	150 13926
<i>See also</i> Habberjam, G. M.	
Whitehead, W. L. <i>See</i> Breger, I. A.	
Whitham, Kenneth. Laboratory scintillation counters applied to some geophysical problems.....	151 14068
Widess, M. B. Salt solution, a seismic velocity problem in Western Anadarko Basin.....	150 13941
Wieladek, Romuald. Gravimetric base measurements in northeastern Poland.....	150 13819
Wilhelm, E. S. <i>See</i> Broding, R. A.	
Wilkins, G. A. <i>See</i> Price, A. T.	
Williams, M. <i>See</i> Winsauer, W. O.	
Willmore, P. L., Hales, A. L., and Gane, P. G. A seismic investigation on crustal structure in the western Transvaal.....	148 13340
Wilson, J. Tuzo. Orogenesis as the fundamental geological process.....	150 13902
<i>See also</i> Scheidegger, A. E.	
Winn, R. H. <i>See</i> Howard, R. C.	
Winsauer, W. O., Shearin, H. M., Jr., Massom, P. H., and Williams, M. Resistivity of brine-saturated sands in relation to pore geometry.....	149 13757
Winterhalter, A. C. Cable provided with polarized outlets for seismic prospecting. U. S. patent.....	148 13519
—— Seismic exploration apparatus, U. S. patent.....	150 13987
Wolf, Alexander. Reflection seismic exploration. U. S. patent.....	148 13516
Wood, F. W. A new type of surface wave from earthquakes.....	149 13601
Wood, H. O., and Heck, N. H. Earthquake history of the United States, Pt. 2—Stronger earthquakes of California and western Nevada.....	148 13347

	No. Abstract	
Woods, J. P. Seismic method and apparatus, U. S. patent.....	149	13780
Up-hole times.....	149	13711
Woollard, G. P. <i>See</i> Steenland, N. C.		
World Petroleum. Oil explorations in North Africa.....	150	13913
Worzel, J. L., and Ewing, Maurice. Gravity measurements at sea, 1948 and 1949.....	150	13814
<i>See also</i> Ewing, Maurice.		
Wright, T. R., and Pirson, S. J. Porosity-profile determination from electric logs.....	149	13758
Wuenschel, P. C. <i>See</i> Officer, C. B., Jr.		
Wyllie, M. R. J. An investigation of the electrokinetic component of the self-potential curve.....	150	13970
Procedures for the direct employment of neutron log data in electric log interpretation.....	151	14139
Theoretical considerations involved in the determination of petroleum reservoir parameters from electric log data.....	149	13753
Wyllie, M. R. J., and Hogg, G. A. Method for determining a parameter of earth formations penetrated by a borehole. U. S. patent.....	148	13546
Wyllie, M. R. J., and Morgan, Frank. Comparison of electric log and core analysis data for Gulf's Frank No. 1, Velma pool, Stephens County, Okla.....	148	13500
Wyllie, M. R. J., and Rose, W. D. Some theoretical considerations related to the quantitative evaluation of the physical characteristics of reservoir rock from electrical log data.....	150	13972
Wyllie, M. R. J., and Spangler, M. B. Application of electrical resistivity measurements to problem of fluid flow in porous media.....	149	13754

## Y

Yamada, Juhel. <i>See</i> Hagiwara, Takahiro.		
Yamaguchi, Hisanosuke, Yamaguchi, Ryuichi, and Yanase, Akira. On pros- pecting for leakage water at the Hamura-Weir.....	148	13482
Yamaguchi, Ryuichi. <i>See</i> Yamaguchi, Hisanosuke.		
Yanase, Akira. <i>See</i> Yamaguchi, Hisanosuke.		
Yepinat'yeva, A. M. A method of determining the difference between the coefficients of absorption of seismic waves.....	151	14108
<i>See also</i> Berson, I. S.		
Yokoyama, Izumi. Magnetization of the gabbro from Mt. Tsukuba with special relation to the geomagnetic anomalies.....	149	13578
Yoshiyama, Ryoichi. On the travel of seismic waves from the Fukui earth- quake of 1948 and the crustal structure in Japan.....	148	13337
Yost, W. J. The interpretation of electromagnetic reflection data in geo- physical exploration—Part I, General theory.....	148	13479
Yost, W. J., Caldwell, R. L., Beard, C. I., McClure, C. D., and Skomal, E. N. The interpretation of electromagnetic reflection data in geophysical ex- ploration. Pt. 2, Metallic model experiments.....	151	14130
Young, E. T. Well surveying instrument, U. S. patent.....	151	14176
Yrizar, Pedro de, Mendez de Vigo, Alfonso, Peña, Vicente, and Munuera, J. M. Investigation of magnetic instruments for determinations of absolute values.....	150	13827
Yüngül, Sulhi. Correlation and some geological interpretation of the seismic and gravimetric surveys in Çukurova.....	149	13726
Yun'kov, A. A. Determination of the position and dimensions of a homo- geneous ellipsoid of revolution with vertical axis from the observational data obtained with static gravimeter and the torsion balance.....	148	13287

## Z

Zaccara, Gaetano. The application of the geoelectric method in prospecting for water.....	150	13955
<i>See also</i> Boaga, Giovanni.		
Zaccara, Gaetano, and Manfredini, Antonio. Geoelectric investigation of a foundation site.....	150	13954
Zadorozhnyy, I. K. <i>See</i> Vinogradov, A. P.		

	No.	Abstract
Zavala, Joaquin. Vulcan's land.....	148	13399
Zavaritskiy, A. N. The eruption of Hekla volcano.....	150	13895
Zhukov, S. I. <i>See</i> Vinogradov, A. P.		
Ziemer, C. W. <i>See</i> Niles, J. A.		
Zimmerman, C. W. Electrostatically shielded magnetic well logging system U. S. patent.....	151	14181
<i>See also</i> Broding, R. A.		
Zisler, Siegfried. <i>See</i> Denisse, J. F.		
Zollers, S. M. Radioactivity survey apparatus, U. S. patent.....	151	14168
Zubanov, B. G. <i>See</i> Berel'kovskiy, Ts. Ya.		
Zvyagintsev, O. Ye. Radioactivity and the thermal balance of the earth....	148	13391

## SUBJECT INDEX

	Author	Abstract		Author	Abstract
Acoustic logging.....	Stripling	13963	Alpha activity, North Atlantic cores.....	Kulp	14066
Adriatic Sea, microseism origin in.....	Caloi	13625	thoron and radon.....	Hurley	14063
Africa, exploration for petroleum.....	World Petroleum	13913	Alpha ionization damage in minerals.....	Hurley	13632
gravity measurements.....	Duclaux	13304	Alpha particles, statistical distribution on photographic plate.....	Imbò	13884
Age determinations carbon-14 method of.....	Kulp	14065	Altimetric survey, Luxembourg.....	Gloden	14013
by radiocarbon and titanium content.....	Arrhenius	13888	Altitude of continents, relation to area.....	Matschinski	13419
Pacific chalk ooze.....	Arrhenius	13888	Anorthosite, radioactivity in.....	Picciotto	13635
radioactive methods of.....	Burling	13881	Antilles, geologic structure and gravity anomalies.....	Gerth	13558
Age of the crust.....	Alpher	13375	Arctic ice islands, seismic surveys on.....	Crary	14050
Age of the earth.....	Burling	13376	Arctic Ocean, geophysical studies in.....	Crary	13556
Age of the earth, lead isotope ratios and.....	Jeffreys	14074	Arizona, exploration in San Juan basin.....	Clayton	14087
methods of determining.....	Vinogradov	14064	geophysical activity and drilling in Four Corners region.....	Umbach	13911
Age of the elements.....	McCrary	13633	Asbestos, magnetic exploration for.....	Low	13439
Airborne magnetic exploration.....	Bruckshaw	13630	Asia, central, earthquakes in.....	Rozova	13604
Airborne magnetic surveys, Delaware basin, Tex.-N. Mex.....	Burling	13376	Assam, earthquake Aug 15, 1950.....	Kingdon-Ward	13364
eastern Pennsylvania.....	Katcoff	13373	Atlantic Ocean, gravity measurements in.....	Normandin	13874
New Zealand, Mernoo Bank.....	Suess	13374	radioactivity of deep sea cores.....	Worzel	13814
South Africa, Stilfontein gold mine.....	Cheney	13443	radium content of deep-sea sediments in.....	Kulp	14066
Airborne radioactivity surveying.....	Jenny	13446	seismic refraction surveys in.....	Bernert	13887
Airborne radioactivity surveys, in petroleum exploration.....	Sans Huelin	13444	in.....	Gaskell	13338
by earthquake.....	Scott	13927	Autoradiography, evaluation of uranium and thorium by.....	Hersey	14048
theory of.....	Hoylman	13445	statistical distribution of alpha particles in.....	Hill	14049
Air-coupled surface waves.....	Jensen	13704	Baffin Island, gravity measurements on Barnes Ice cap.....	Officer	13852
Air drilling in seismic surveys.....	Fleming	13707	Bahama Islands, gravity measurements near.....	Imbò	13885
Alaska, geothermal investigations on Arctic slope.....	Welss	13699	gravity surveys.....	Imbò	13884
gravity measurements along coast.....	Cook	14138	Barometric pressure, micro-variations of.....	Littlewood	14010
Alberta, aeromagnetic maps of quadrangles in.....	Lundberg	13742	Barometric pressure, piezoelectric method of measuring.....	Worzel	13814
Canada Geological Survey.....	Peirson	13489	Beaufort Sea, geophysical studies in.....	Lee	13298
exploration problems in.....	Lundberg	13960, 13961	Belgian Congo, observatory near Binza.....	Dessauer	13628
Aleutian Islands, earthquake distribution, depth, and magnitude.....	Benioff	13334		Schaffhauser	13627
gravity measurements in.....	Jardetzky	13844		Crary	13556
Algeria, gravity anomalies, Alger province.....	Haskell	13594		Vander Elst	13628
	Burke	13944			
	MacCarthy	13891			
	Worzel	13814			
	Canada Geological Survey	13450			
	Houghton	13686			
	Koning	14056			
	Worzel	13814			
	Glangeaud	14014			

	Author Abstract		Author Abstract
Belgium, earthquakes, Ha-		Carthage, remanent magnet-	
inaut.....	Fourmarier 13350	ization.....	Thellier 13321
earthquakes, Mons region		Central America, earthquake	
Apr.-May 1949.....	Marliere 13351	distribution, depth, and	
earth's crust in.....	Charlier 13300	magnitude.....	Koning 14055
gravity surveys.....	Jones 13559	Chubb crater. See Ungava	
precise leveling in.....	Jones 13559	Crater.	
seismic activity in.....	Charlier 13343	Chukchi Sea, gravity meas-	
Bering Sea, gravity measure-		urements in.....	Worzel 13814
ments in.....	Worzel 13814	Clay, electrical conductivity..	Berg 13496
Bermuda, seismic refraction		Coal, geophysical methods of	
surveys in.....	Officer 13852	exploration.....	Peltz 13923
Bibliography of seismology,		N <sup>15</sup> abundance in.....	Smith 13384
Jan.-June 1950.....	Milne 13326	seismic surveys, Japan.....	Iida 13471
July-Dec. 1950.....	Milne 13327		Iida 14125
Jan.-June 1951.....	Milne 13328	Colombia, structure of.....	Tateishi 14124
Blasting, vibrations from....	Morris 13472	Colorado, geophysical activity	Oppenheim 14080
Boundary effect, buried		and drilling in Four Corn-	
charged body.....	Gel'fand 14132	ers region.....	Umbach 13911
Boundary shear waves.....	Homma 13841	exploration in San Juan	
Bradford sand, dimensional		basin.....	Clayton 14087
orientation in.....	Griffiths 13497	seismic exploration in Den-	
directional permeability in..	Griffiths 13497	ver-Julesberg basin.....	Rummerfeld 13720
permeability.....	Howell 13498	Composition of the earth.....	Colton 13424
porosity.....	Howell 13495	Compression, effect of internal	
Brazil, Conselho nacional do		temperature.....	Valle 13644
petroleo report.....	----- 13688	Concrete, testing by seismic	
California, earthquakes.....	Wood 13347	wave velocity.....	Andersen 13602
earthquakes near Manix....	Richter 13606	Connate-water resistivity,	
fault movements related to		chart, Oklahoma.....	Puzin 13973
earthquakes.....	Dehlinger 13857	Constriction, effect on flow of	
seismic wave velocities in....	Gutenberg 13851	electric current in porous	
Canada, electrical logging in..	Tixier 13499	body.....	Owen 13974
geophysical exploration in		Continents, average elevation	
western.....	Houghton 13909	and geodynamic forces....	Matschinski 13419
geophysical exploration		origin of.....	Vening Meinesz 14076
problems in.....	MacMillan 13428	Continents and oceans, effect	
gravity measurements along		of core on distribution.....	Havemann 14079
coast.....	Worzel 13814	Convection-currents hypothe-	
heat flow, Kirland Lake re-		sis physical aspects of....	Scheidegger 13903
gion.....	Leith 13892	Core, composition of.....	Birch 13682, 14075
Canary Islands, genesis of		effect on earth's surface....	Havemann 14079
	Cabrera Kabana 13662	longitudinal waves through.	Denson 1385
	Martel Sangil 13661	rigidity of.....	Suzuki 13332
volcanic eruption.....	Bonelli Rubio 13404	temperature in.....	Valle 13644, 13890
Carbon-14, in deep sea sedi-		Core analysis, methods of....	Pollard 13746
ments.....	Kulp 13640	Cortlandt complex, gravity	
method of age determina-	Kulp 14065	and magnetic investiga-	Steenland 14093
tion.....	Bliss 13642	tion of.....	
Carbon-14 contamination.....	Arnold 13379	Cosmogony, theories of.....	Ortiz de Villacian 13901
Carbon-14 dates.....	De Geer 13382, 13383	U. S. S. R. conference on...	
	Johnson 13378	Akademiya Nauk 13417	
	Bartlett 13380	Crust, age of the.....	Alpher 13375
Carbon-14 dating, errors in...	Godwin 13643	constitution of.....	Burling 13376
for British Isles samples....	de Terra 13381		Borchert 13680
in Mexico.....	Roberts 13641	deformation of, by earth-	Umbgrove 13681
of archeological material..		quake at Kanto, Japan.	Danilov 13366
Carbon-14 determinations,		from geodetic data.....	Caloi 13553
techniques of.....	Kulp 13639	electrical state of.....	Rikitake 13323
Caribbean Sea, earthquake		heat balance of.....	Nawijn 13390
distribution, depth, and	Koning 14055	in Belgium.....	Charlier 13300
magnitude.....	de Bruyn 13557		
gravity map of.....			

	Author	Abstract		Author	Abstract
Crust—Continued			Earthquake damage, relation		
magnetic field of.....	Haalck	13829	to topography.....	Nakano	13620
mechanism of yielding.....	Scheidegger	14077	Earthquake danger, seismo-		
stress and strain in.....	Nadai	13665	tectonic method of deter-		
structure of.....	Ewing	14004	mining.....		
	Mintrop	14039			
Atlantic Ocean.....	Officer	13852	Akademiya Nauk SSSR Vestnik	13346	
central Italy.....	Di Filippo	13607	Earthquake distribution,		
determination from tele-			depth, and magnitude,		
seismic records.....	Gayskiy	13603	Aleutian Islands.....	Koning	14056
from Helgoland explosion			Caribbean area.....	Koning	14055
observations.....	Reich	13341	Central America.....	Koning	14055
Kirghiz S. S. R.....	Gamburtsev	13848	Malay Archipelago.....	Koning	13861
southern California.....	Gutenberg	13851	Mediterranean region.....	Koning	14056
thickness of, central Siberia..	Gayskiy	13603	Pacific coast of North		
thickness of isostatic.....	Tsuboi	13550	America.....	Koning	14056
vertical and tangential forc-			South America.....	Koning	14054
es in development of...	Fourmarier	13900	southern Antilles.....	Koning	14055
Crustal structure, Japan.....	Yoshiyama	13337	Earthquake effects, Assam		
western Transvaal.....	Willmore	13340	1950.....	Normandin	13874
Cuba, geophysical exploration			Earthquake frequency, Japan.	Kawasumi	13622
in.....	Knowles	13912	Earthquake frequency and		
magnetic survey.....	Tucker	14098	energy.....	Asada	13862
Cylindrical ore body in pres-			Earthquake intensity, Japan.	Kawasumi	13622
ence of cable carrying os-			effect of coal layer on.....	Charlier	13343
illating current.....	Wait	13730	Earthquake magnitude, deter-		
Decca navigator system.....	Oil Progress	13512	mination from vertical		
Deccan trap, gravity anoma-			component of surface		
lies in.....	Glennie	13306	waves.....	Bath	13342
Deep sea sediments, C <sup>14</sup> mea-			Earthquake motions, effect of		
surements in.....	Kulp	13640	solid viscosity of surface		
Deformation, associated with			layers on.....	Kanai	13845
earthquakes.....	Tsuboi	13669	Earthquakes, Assam, Aug. 15,		
accompanying earthquakes,			1950.....	Normandin	13874
maximum gradients of..	Imamura	14051	Assam-Tibet, 1950.....	Kingdon-Ward	13364
secular, Miura-hanto, Japan.			associated with volcanic		
	Hagiwara	13670-13673	eruptions.....	Kizawa	14072
Denmark, gravity reference				Minakami	13614, 13615
stations.....	Saxov	13818	Belgium, Hainaut.....	Sakuma	13613
Density, distribution within			Mons region, Apr.-May	Fourmarier	13350
earth.....	Shimazu	13426, 13548	1949.....	Marliere	13351
gravimetric determination			California.....	Wood	13347
of.....	Parasnis	13826	Manix.....	Richter	13606
rock in English Midlands..	Parasnis	13826	central Asia.....	Rozova	13604
rocks of Ireland.....	Jackson	12567	Greece, Larissa region 1892		
Deviations of the vertical,			and 1941.....	Galanopoulos	13358
tidal nomogram.....	Malone	13811	Hawaii, Kilauea, April 22,		
Dielectric constant log.....	Stripling	13963	1951.....	Macdonald	13610
Dynamic studies of surface			Kona, Aug. 21, 1951.....	Macdonald	13611
structure.....	Watanabe	13464	Hungary, western.....	Scheffer	13560
Earth, composition of.....	Colton	13424	international cooperation in		
origin of.....	Colton	13424	locating, during 1951....	Due Rojo	14061
	Jeffreys	13679	Japan.....	Tsuboi	13621
Earth currents, influence of			aftershocks of Imaichi....	Miyamura	13873
land and sea on distribu-			Imaichi aftershocks.....	Kishinouye	13872
tion.....	Turlygin	14029	Imaichi Dec. 26, 1949....	Koshikawa	13871
magnetic field of earth's			Kanto, initial motions in.	Takagi	13365
crust and.....	Haalck	13829	Nankaido, deformation		
perturbations at Garm.....	Ivanov	13325	following.....	Okuda	13554
rapid variations of.....	Beaufils	14030		Watanabe	13619
relation to electrical state of			Sept. 1, 1923, deformation		
crust.....	Rikitake	13323	following.....	Danilov	13366
spectral analysis.....	Beaufils	13838	Macedonia.....	Mihailovič	13359
Earth inductor, miniature....	Rikitake	13437	magnitudes in Japan.....	Tsuboi	13344
Earthquake aftershocks, rela-			Malay Archipelago.....	Koning	13861
tion of area to radius of			maximum gradients of de-		
sensibility circle.....	Homma	13345	formation of crust in....	Imamura	14051

	Author	Abstract		Author	Abstract
Earthquakes—Continued			Elasticity, theory of.....	Takeuchi	13668
Mexico.....	Tamayo	13299	internal constitution of earth		
motion at focus.....	Keylis-Borok	14035	and.....	Birch	13682
from teleseismic records..	Vvedenskaya	13847	Elastic properties of porous		
graphic method of deter-			media.....	Gassmann	13846
mining.....	Keylis-Borok	13330	Elastic solids, analogy with		
Nevada.....	Wood	13347	viscous liquid.....	Szebehely	13420
New Zealand, Cook Strait,			Elastic waves, attenuations		
Jan.-Feb. 1950.....	Hayes	13870	by reflected radiation and		
in 1949.....	Hayes	13868	damped oscillations.....	Gassmann	13421
in 1950.....	Hayes	13869	boundary value problem of		
wave periods in.....	Hayes	13860	generation.....	Homma	13842
Queen Charlotte Islands....	Coulomb	13336	electromechanical source....	Evison	13462
Rhineland, Mar. 8, 1950....	Berg	13612	equation of frequency of....	Keylis-Borok	14032
Rhine valley.....	Schwarzbach	13865	generation of.....	Evison	13462
Seattle, Wash., and gravity			generation by moving stress-		
anomalies.....	Heiskanen	13348	es.....	Sretenskiy	14031
Solomon Islands, July 29,			in granular substances, theo-		
1950.....	Ewing	14014	ory.....	Takahashi	13840
South West Africa.....	Korn	13618	in medium of continuously		
Spain, Alicante June 9, 1947.	Rey Pastor	13355	varying properties.....	Homma	13841
Caravaca region, Murcia.	Rey Pastor	13352,	model studies of.....	Kaufman	13600
		13356	propagation, in medium		
Catalonia 1948-49.....	Fontseré	13353	under finite tensions....	Shimazu	13583
Confrides (Alicante) Feb.			in spherical packing.....	Gassmann	13595
9, 1949.....	Rey Pastor	13357	in stratified media.....	Satō	13584
Granada basin.....	Tercedor	13616		Satō	13585
near Elche, 1947.....	Rey Pastor	13354	Rayleigh, in vertically aeo-		
Tadzhik S. S. R. 1949-50....	Monakhov	13867	tropic medium.....	Satō	13843
Turkey, 1947 to 1949.....	Lahn	13866	theory of.....	Jeffreys	14074
Earthquakes, United States,			Uller.....	Officer	13331
1950.....	Murphy	13863	velocity, relation to pressure		
	Roberts	14052	and temperature.....	Hughes	13422
Pacific coast.....	Byerly	13864	Electrical anomalies, relation		
western Washington.....	Nuttli	13335	to gravity anomalies.....	Bulashevich	14133
U. S. S. R., Akhalkalaki			Electrical conductivity in		
plateau.....	Kirillova	14059	clay.....	Berg	13496
Caucasus region.....	Belousov	14058	Electrical current, in infinite		
Garmuskaya Oblast'.....	Gubin	14057	circular cylinder.....	Skugarevskaya	13477
Turkistan.....	Gubin	14053	in spherical shell.....	Rikitake	13324
Witwatersrand, focal depths			transient in heterogeneous		
of.....	Gane	14047	stratified medium.....	Tikhonov	13473, 13476
Yugoslavia, Bačka and Bar-			transient in layer over per-		
anja regions.....	Uzelač	13362	fect conductor, initial		
Knin region.....	Nedeljković	13363	stage.....	Skugaravskaya	13474
Lake Scutari region.....	Mihailović	13361	final stage.....	Skugarevskaya	13475
Litija region.....	Mihailović	13360	Electrical exploration, double		
Mcrava valley.....	Mihailović	13617	commutator for.....	Borrego Gonzalez	13738
Earth tides, experimental ob-			induction device for.....	Belluigi	13737
servations.....	Tarrant	13809	for water resources		
general principles.....	Jeffreys	14074		Deutscher Ver. Gas-u	
in compressible earth of				Wasserfachmannern	13949
varying density, and				Schneider	14137
elasticity.....	Takeuchi	13667	for water, Italy.....	Manfredini	13740
in heterogeneous fluid globe.	Jobert	13808	ore body size, determina-		
East Indies, earthquake dis-			tion.....	Seigel	14129
tribution.....	Koning	13861	Electrical field, pattern around		
gravity map of.....	de Bruyn	13557	borehole.....	Skugarevskaya	13477
Ecuador, geologic structure			Electrical log analysis, and		
of.....	Oppenheim	13423	core analysis compared...	Wyllie	13500
gravity observations in....	Oppenheim	13423	slide rule calculator for....	Hamilton	13501
Elastic constants, effect of ten-			Electrical logging, applications		
sion on.....	Shimazu	13667	of.....	Tixier	13499
of rocks under stress.....	Shimozuru	13676	determination of ore-body		
Elastic energy, propagation in			size by.....	Seigel	14129
rocks.....	Evison	13463	electrokinetic component of		
			self-potential curve.....	Wyllie	13970

	Author	Abstract		Author	Abstract
Electrical logging—Continued			Electrical resistivity method,		
German lignite deposits....	Persch	13765	determination of inclined	Berel'kovskiy	13950
guard electrode system....	Owen	13749	boundary by.....	Malkowski	13947
in lower Wilcox.....	Howard	13969	physical basis of.....		
in Kansas.....	Decker	13764	Electrical resistivity sound-		
in limestone.....	Archie	13761	ing, three-layer problem		
	Decker	13764	in.....	Alfano	13731
	Doll	13759	in valleys.....	Huber	13732
	Tixier	13760	Electrical resistivity surveys,		
in sandstone.....	Jones	13762	airport site near Rome....	Zaccara	13954
instruments for.....	Uchman	13948	American River dam site...	Wantland	14088
interpretation.....	Keller	13494	Antigo, Wis.....	Spicer	14134
Laterolog method.....	Doll	13750	Castel di Decima, Italy.....	Zaccara	13955
MicroLog method of.....	Doll	13869	discussion of.....	Teisseyre	13946
	Guyod	13493	in engineering problems....	Bird	14089
MicroLogging technique....	Ford	13747		Moore	14127
New Zealand water wells...	McKellar	13766		Roman	13945
porosity determination from	Howell	13495		Scharon	14128
resistivity, interpretation of	de Witte	13756	in highway engineering		
self-potential, electrokinetic			problems.....	Abercrombie	14126
component of.....	Wyllie	13970	instruments for.....	Uchman	13948
shielded electrode method...	Guyod	13492	Japan, Tama-gawa aque-		
shielded mono-electrodes for.	Keller	13491	duct.....	Yamaguichi	13482
Electrical logs, porosity-profile			review of method.....	Roman	13945
determination from.....	Wright	13758	South Africa.....	Enslin	13739
compared to mud analysis			Tunis hydraulic sills.....	Castany	13481
logs.....	Vellinger	13744	Electrical state of crust...	Rikitake	13323
determination of petroleum			Electrical survey, Gold Coast		
reservoir parameters			Gold Coast Geol. Survey Dept.		13914
from.....	Wyllie	13753	in coal exploration.....	Peltz	13923
fallacies in interpretation...	Hamilton	13751	in highway engineering....	Moore	13922
in water-supply investiga-			Japan, Shojingawa, and		
tions.....	Morris	13967	Amemasugawa mines...	Murozumi	14136
quantitative evaluation of			Sankyo mine.....	Kaneko	14135
physical properties from...	Wyllie	13972	Takanokura mine.....	Satō	13703
quantitative interpretation			Uganda..... Uganda	Geol. Survey	13915
of.....	Pirson	13966	Electric waves, diffraction by		
self-potential, in shaly sands.	Walstrom	13752	perfectly reflecting wedge.	Nomura	13729
use of neutron log data in	Doll	13971	Electrokinetic component of		
interpretation.....	Wyllie	14139	self-potential curve.....	Wyllie	13970
Electrical methods of pros-			Electromagnetic exploration,		
pecting, textbook.....	Krayev	13728	Geoskop and Geostrati-		
Electrical mineralization in-			meter.....	Börner	13951
dicator.....	Belluigi	13737	scale model experiments in.	Clark	14131
Electrical potential from bur-			Electromagnetic field, effect		
ied body.....	Gel'fand	14132	of conducting on.....	Wait	13730
Electrical potential-drop-ratio			Electromagnetic fields com-		
surveys, discussion of.....	Teisseyre	13946	ensation of, in induction		
Electrical properties of soils...	Rikitake	13736	measurements.....	Lamogle	13478
Electrical properties of soil at			Electromagnetic reflection		
radio frequencies.....	Rikitake	13956	data, interpretation.....	Yost	13479,
Electrical resistivity, appar-			Electromagnetic shielding		14130
ent, calculation of in drift.	Kiyono	13480	within earth.....	Rikitake	13310
brine-saturated sands.....	Winsauer	13757	Electromagnetic surveys, Geo-		
correlation with porosity....	Howell	13495	skop and Geostatrometer.	Grutjen	13952
fluid-filled porous body....	Owen	13974		Heyll	13953
measurements and fluid			Electromagnetic waves, radio,		
flow in porous media....	Wyllie	13754	diffraction around crater of		
of porous rocks.....	de Witte	13755	Mihara-yama.....	Rikitake	13411
Oklahoma formations	Puzin	13973	Electromechanical vibrator as		
permeability determinations			energy source.....	Evson	13463
from.....	Howell	13498	Electrotelluric exploration,		
relation to fluid in rocks....	de Witte	13755	method.....	Migaux	13733
relation to pore geometry....	Winsauer	13757	quantitative interpretation.	Baranov	13734
relation to temperature....	MacCarthy	13891			

	Author	Abstract		Author	Abstract
Elements, age of.....	Burling	13376	Explosions, determination of		
	Katoff	13373	direction of.....	Schriever	14122
	Suess	13374	seismic studies of.....	Gutenberg	13851
Ellipticity of the earth.....	Schütte	13286		Reich	13341
Ellipsoid, determination from			spectrum of waves from....	Menzel	13933
gravity data.....	Yun'kov	13287	Faulting, direction of, western		
Energy, endogenic, in earth..	Van Bemmelen	13663	Washington earthquakes..	Nuttli	13335
Engineering, use of geophysical			direction of movement in,		
methods in.....	Shepard	13920	Manix earthquakes.....	Richter	13606
Engineering problems, use of			Fault movements and shear-		
seismic methods in.....	Linehan	13942	wave vibrational direc-		
	Wesley	13724	tions.....	Dehlinger	13857
England, gravity measure-			Faults, seismic investigations		
ments, Cambridge.....	Bullerwell	13816	of, significance of diffraction		
gravity measurements, New-			tion.....	Krey	14120
castle upon Tyne.....	Bullerwell	13816	seismic reflection method of		
Southampton.....	Cook	13817	mapping.....	Romberg	14121
Teddington.....	Cook	13817	radioactivity near.....	Ochiai	13487
Westminster Cathedral...	Bullerwell	13816	Fault troughs, formation of		
York.....	Bullerwell	13816	and volcanic activity.....	Escher	13904
gravity surveys.....	Cook	13293	Ferrites, magnetic properties		
heat flow measurements....	Bullard	13392	of.....	Grabovskiy	14022
tidal gravity experiments in.	Tarrant	13809	Figure of the earth, determi-		
	Tomaschek	13810	nation by use of Prey's		
Equations of motion in elastic			anomalies.....	Júdice	13804
sphere.....	Takeuchi	13668	development of.....	Haalck	13803
Errors, in geophysical analy-			general discussion of.....	Jeffries	14074
ses.....	McCollum	13422	Fluid flow in porous media...	Wyllie	13754
random, effect in gravity			FM logging system.....	Topper	13748
data.....	Elkins	13432	Formation factor, effect of		
Etna, current investigations			constriction on.....	Owen	13974
at.....	Ponte	13657	France, earth current measure-		
eruption in 1947			ments.....	Beaufils	13838
	Cucuzza Silvestri	13656, 13405	gravity observations, Cham-		
types of eruptions.....	Ponte	13657	bon-la-Forêt.....	Bollo	13555
Exploration, Brazil			isostatic anomalies in Paris		
	Brasil Conselho nacional	13688	Basin.....	Coron	13823, 13824
geophysical, activity in 1951.	Eckhardt	13908	Pechelbronn region, geother-		
Cuba.....	Knowles	13912	mal anomalies.....	Claude	13646
Four Corners region.....	Umbach	13911	Puy de Dome, radioactivity		
Germany since 1945.....	Gees	13689	of.....	Garrigue	13388
history of.....	Hammer	13907	thermal anomalies Pechel-		
in mining.....	García Gutiérrez	13685	bronn region.....	Claude	13893
in New York State.....	Bird	14089	Fukui, Japan, earthquake....	Yoshiyama	13337
in western Canada.....	Houghton	13909	Gamma radiation, field of the		
Netherlands, Schoonebeck			earth.....	Cook	14138
oil fields.....	Cantos Figuerola	13429	from uranium X <sub>2</sub> .....	Hess	14062
North Africa.....	World Petroleum	13913	Gamma-ray counter, field....	Slack	14067
operational problems of,			Geiger-Müller counter, for C <sup>14</sup>		
in Alberta.....	Houghton	13686	measurements.....	Purbrick	13485
Permian basin, Texas-			Geodesy, formulas based on		
New Mexico.....	Swords	13910	isogravitational surfaces..	Morelli	13805
problems in Andadarkö			Geodetic constants.....	Schütte	13286
basin.....	Clayton	13457	Geodetic measurements, inter-		
safety in.....	Sorge	13692	pretation of.....	Caloi	13553
San Juan basin.....	Clayton	14087	Geodetic tying, North Amer-		
Spain 1950.....	García Sifñeriz	13430	ica-Europe.....	Sans Huelin	13305
Williston basin.....	Burg	13940	Geold, southwestern Japan...	Okuda	13554
geophysical methods.....	Favre	13684	Migal formula for.....	Monin	14007
in engineering problems..	Shepard	13920	undulations of.....	Tanni	13284
in mineral prospecting....	Reich	14084	from torsion balance mea-		
review of.....	Klotz	13918	surements.....	Haalck	13806
Exploration for petroleum in			Geologic age, radioactive		
Uruguay.....	Ferrer	13687	methods of determining..	Brajnikov	13377
Explosion waves, generation			Geology and geophysics, study		
and propagation in rock..	Obert	13599	in integration.....	Towles	14104
spectrum of.....	Menzel	13715			
wavelet theory of.....	Ricker	13586			

	Author	Abstract		Author	Abstract
Geophysical exploration methods, use of.....	Mintrop	13916	Gravity, variation with earth.	Saxov	14004
textbook.....	Rothé	14085	rapid variations, effect on atmosphere.....	Schaffhauser	14005
Geophysical measurements, quality in.....	McCollum	13433	Gravity anomalies, analytic continuation of.....	Malovichko	13812
Geoskop investigations.....	Börner	13951	Antilles.....	Gerth	13558
Geoskop surveys.....	Grütjen	13952	averaging of.....	Malovichko	13290
	Heyll	13953	compared with magnetic....	Garland	13296
Geostatimeter investigations.....	Börner	13951	Deccan trap area.....	Glennie	13306
Geostatimeter surveys.....	Grütjen	13952	deflections of the vertical above sea level and.....	Hirvonen	14006
	Heyll	13953	effect of consolidation.....	Cook	13825
Geothermal anomalies, Pechelbronn region, France....	Claude	13646	from torsion balance measurements.....	Haalck	13806
Geothermal conditions, Nesvetayev-Shakhta syncline....	Bankovskiy	13645	graphical evaluation of.....	Gassmann	13695
Geothermal gradient, related to petroleum occurrence....	Chebotarov	13962	interpretation of torsion balance measurements.....	Haalck	13431
Germany, earthquakes in Rhine valley.....	Schwarzbach	13865	Luxembourg.....	Gloden	14012
earthquake of Mar. 8, 1950..	Berg	13612	Madagascar.....	Cattala	13564
electrical logging lignite deposits.....	Persch	13765	mastercharts for interpretation.....	Nepomnyaschikh	13696
electromagnetic surveys for lignite.....	Grütjen	13952	Moluccas.....	Gerth	13558
	Heyll	13953	Poland.....	Olczak	13561
gravity pattern, southwestern.....	Hiller	13349	relation to electrical anomalies.....	Bulashevich	14133
magnetic pattern, southwestern.....	Hiller	13349	rift valleys.....	Goguel	13562
geophysical exploration, northwestern oil fields			structure and.....	Glangeaud	14014
Marin y Bertran de Lis	13690	three-dimensional, interpretation.....		Gel'fand	14092
geophysical exploration since 1945.....	Gees	13689	Gravity corrections, topographic, method of computing.....	Grant	13694, 14091
seismic phenomena, southwestern.....	Hiller	13349	free air, 2d order analysis....	García Siferiz	14008
seismic surveys, Hamburger Loch salt domes.....	Helms	13943	Gravity data, determination of ellipsoid from.....	Jeffreys	13807
salt domes.....	Brinckmeier	13469	ellipticity of earth from.....	Yun'kov	13287
	Gees	13725	in determining geoid.....	Schütte	13286
	Helms	13470	2d derivative values, effect of random errors.....	Monin	14007
Glaciers, flow of.....	Nye	13418	Gravity effect, hyperboloid of revolution.....	Elkins	13432
vertical velocity distribution.....	Gerrard	14083	Gravity formula, coefficient of $\sin^2 2\phi$ in.....	Pariyskiy	13288
Gold Coast, Survey Dept. report for 1950-51			for the Far East.....	Shimazu	13548
Gold Coast Geol. Survey Dept.	13914	Gravity map, Caribbean sea-southeast Asia.....	de Bruyn	Higasinaka	13566
Grabens, origin of.....	Escher	13904	Gravity measurements, Aberdeen, Scotland.....	de Bruyn	13557
Granite, radioactivity in.....	Piccioletto	13635	Africa.....	Bullerwell	13816
Gravimeter, bifilar, ultrasensitive.....	Ichinohe	13292	at sea.....	Duclaux	13304
Nørgaard	Kolbenhayer	13294	Cambridge, England.....	Worzel	13814
accuracy of.....	Bulanzhe	13813	Denmark.....	Bullerwell	13816
description.....	Wieladek	13819	Edinburgh, Scotland.....	Saxov	13818
North American, drift of.....	Bollo	13555	India.....	Bullerwell	13816
Western 49, calibration of.....	Boaga	13815	in Iceland.....	Gulatee	13565
for relative measurements....	Boaga	13820	in mines.....	Einarsson	13297
Gravimetric network, correction by gravimeter observations.....	Lozano Calvo	13551	Italy, Bari province.....	Rogers	13697
Spain.....	Lozano Calvo	13551	Italy, Rome-Bologna.....	Boaga	13821
Gravity, periodic variation of.	Bollo	13555	Mexico.....	Boaga	13820
Gravimetry, relation to geology.....	Oullanoff	13822	Newcastle upon Tyne, England.....	Tamayo	13299
Gravitational attraction, clay deposit.....	Cook	13825	Poland.....	Bullerwell	13816
			Southampton, England....	Wieladek	13819
			Teddington, England.....	Cook	13817
			Westminster Cathedral.....	Cook	13817
			York, England.....	Bullerwell	13816
				Bullerwell	13816

	Author Abstract		Author Abstract
Gravity meter, Western, for relative measurements....	Boaga 13820	Iceland, eruption of Hekla, 1947-48.....	Einarsson 13648, 13650-13653
Gravity observations, Ecuador.	Oppenheim 13423		Kjantansson 13640
Gravity surveys, Bahama Islands.....	Lee 13298	eruptions of Hekla.....	Thorarinsson 13647
Barnes Icecap, Baffin Island.	Littlewood 14010	gravity measurements in...	Zavaritskiy 13895
Belgium.....	Jones 13559	gravity survey, central-northern part.....	Einarsson 13297
England, statistical analysis.	Cook 13293	magnetization of lava flows in.....	Hospers 14011
Hungary, southwest.....	Vajk 13691	volcanic activity.....	Hospers 14025
Iceland.....	Hospers 14011	Ice movement, gravimeter observations of.....	Thorarinsson 13403
in water covered areas.....	Nettleton 13434		Crary 13556
Italy.....	Morelli 14009	India, Deccan trap area, gravity anomalies.....	Glennie 13306
Castellana caverns.....	Solaini 13698	gravity and magnetic surveys in.....	Gulatee 13565
offshore, wave height operational index in planning.	Boaga 13924	magnetic diurnal variations in.....	Pramanik 14018
Poland.....	Glenn 14094	Indiana, aeromagnetic maps of counties in.....	U. S. Geological Survey 13448
Slovakia, southern.....	Olczak 13303	Indonesia, volcanic activity 1936-38.....	Van Bemmelen 13410
South Africa, Stillfontein gold mine.....	Kolbeneyer 13294	Internal constitution, of the earth.....	Belousov 13425
Spain, Avila province.....	Weiss 13699		Birch 13682, 14075
Huelva province	Lozano Calvo 13302	of planets.....	Mintrop 14039
Espinosa de los Monteros		Internal pressure distribution.	Nishitake 13427
Turkey, Cukurova.....	Yüngül 13726	Iodine <sup>132</sup> , half life of.....	Shimazu 13426
Uganda.....	Uganda Geol. Survey 13915	Ion formation at ground level.	Berlage 13683
Great Britain, C <sup>14</sup> dating in...	Godwin 13643	Ionization, from radioactive material in the ground....	Nakamura 13285
Greece, earthquakes, Larissa region 1892 and 1941.....	Galanopoulos 13358	of atmosphere.....	Katcoff 13373
Guatemala, volcanoes of.....	Dozy 13398	Ireland, density of rocks.....	Hess 13387
Gulf coast sedimentary volumes, geophysical data on	Nettleton 14090	magnetic declination.....	Murphy 13836
Hawaii, earthquake at Kilauea, April 22, 1951.....	Macdonald 13610	Island arcs, origin of.....	Scheidegger 14077
earthquake at Kona, Aug. 21, 1951.....	Macdonald 13611	origin and movement.....	Brouwer 13674
magnetic observations.....	Macdonald 13401	third arc in.....	Vening Meinesz 13675
volcanic activity.....	Finch 13402	Isostatic anomalies, interpretation of.....	Coron 13823, 13824
Heat, produced by radioactivity.....	Danilevich 13631	Isostatic earth's crust, determination of.....	Tsuboi 13550
Heat balance, of crust.....	Nawijn 13390	Isostasy, Airy-Heiskanen hypothesis.....	Egyed 13549
radioactivity and.....	Zvyagintsev 13391	Isotopic abundances, primeval lead.....	Alpher 13375
Heat flow, Dnieper-Donets basin.	Belyakov 13394	Italy, earth current measurements.....	Beaufils 13838
Kirkland Lake region, Canada.....	Leith 13892	electrical exploration near Guidonia.....	Manfredini 13740
Nottinghamshire, England.	Bullard 13392	electrical resistivity surveys	
Yorkshire, England.....	Bullard 13392	airport site near Rome.	Zaccara 13954
Hekla, eruption of, 1947.	Thorarinsson 13403	Castel di Decima.....	Zaccara 13955
eruption of 1947-48	Einarsson 13648, 13650	eruptions of Etna.....	Ponte 13657
	13653	eruption of Etna, 1947..	Cucuzza Silvestri 13656, 13897
	Kjantansson 13649	eruptions of Etna, 1949-50..	Tazieff 13896
	Thorarinsson 13647	exploratory drilling Campi Flegrei.....	Penta 13393
Helgoland explosion, seismic studies of.....	Reich 13341	gravity measurements in...	Boaga 13820
Helicopters, use in exploration.....	Lee 13511	Bari province.....	Boaga 13821
Helium, loss of by alpha bombardment.....	Hurley 13632	gravity surveys, Castellana caverns.....	Boago 13924
Highway engineering, electrical and seismic methods in.	Moore 13922		
Hotchkiss Superdip.....	Longacre 13700		
Huancayo, magnetic disturbances at.....	Chapman 13576		
Hungary, geophysical exploration in.....	Vajk 13691		
regional geophysics of.....	Scheffer 13560		

	Author	Abstract		Author	Abstract
Italy—Continued			Kamachafka, volcanoes.....	Tomkeleff	13397
northern Italy.....	Solaini	13698	Kansas, electrical logging in..	Decker	13764
regional gravity survey.....	Morelli	14009	radioactivity logging.....	McGaha	13771
magnetic exploration of Colli			radioactivity logs.....	Morgan	13772
Euganei.....	Morelli	13435	seismic velocity problem in		
activity of Vesuvius, 1949....	Imbò	13409	western Anadarko basin	Widess	13941
tilting of ground near Vesu-			Kilauea, magnetic observa-		
vius.....	Imbò	13408	tions.....	Macdonald	13401
volcanic eruptions.....	Cucuzza Silvestri	13405	December 1950, subsidence..	Finch	13402
volcanic eruptions, Vesu-			Lanthanum, radioactivity of..	Pringle	13372
vius.....	Imbò	13407	Laterolog.....	Doll	13750
Japan, block movement in			Lava, temperature and viscos-		
Nobi plain.....	Nasu	13906	ity, O-shima 1951.....	Minakami	13659
changes in form of geoid in..	Okuda	13554	temperature of consolidation	Imbò	13406
crustal deformation following			Lead isotopes and age of the		
Nankaido earthquake.....	Watanabe	13619	earth.....	McCrary	13633
crustal structure.....	Yoshiyama	13337	primeval abundance.....	Vinogradov	14064
deformation at Miura-hanto..	Hagiwara	1367, 13671, 13672, 13673	Leveling, precise, Belgium....	Alpher	13375
deformation following Kanto			Limestone, electrical logging		
earthquake.....	Danilov	13366	in.....	Doll	13759
earthquake frequency and			pore structure in.....	Archie	13761
and intensity.....	Kawasumi	13622	porosity of, from electrical		
earthquakes, Imaichi Dec.			logs.....	Tixier	13760
26, 1949.....	Koshikawa	13871	Logging, differential tempera-	Wright	13758
aftershocks of Imaichi.....	Kishinouye	13872	ture.....	Basham	13977
accompanying volcanic	Miyamura	13873	frequency modulation in.....	Topper	13748
activity.....	Sakuma	13613	methods reviewed.....	Cantos Figueroa	13743
near Usu.....	Minakami	13614, 13615	recent improvements in.....	Walstrom	13745
electrical surveys, Amemasu-			Love waves, Pacific paths....	Burtin	14140
gawa mine.....	Murozomi	14136	Luxembourg, altimetric sur-	Coulomb	13336
Sankyo mine.....	Kaneko	14135	vey in.....	Gloden	14013
Shojingawa mine.....	Murozumi	14136	gravity anomalies in.....	Gloden	14012
Takanokura mine.....	Satò	13703	seismic regions of.....	Mihailovič	13359
eruption of O-shima, 1951....	Minakami	13659	Madagascar, gravity anom-		
eruption of Yakeyama, 1949..	Ichimura	13658	alies.....	Cattala	13564
Fukui earthquake.....	Yoshiyama	13337	Magnetic activity, influence of		
Kanto earthquake, initial			sunspots.....	Denisse	13571
motion.....	Takagi	13365	diurnal variation, Keles....	Ryskina	13835
magnetic exploration.....	Hayakawa	13441	relation to radiosolar noise..	Denisse	13832
magnetic surveys, Sankyo	Modriniak	13442	Magnetic anomalies, com-		
mine.....	Kaneko	14135	pared with gravity.....	Garland	13296
Takanokura mine.....	Satò	13703	graphical evaluation of.....	Gassmann	13695
magnetization of volcanoes			over oceanic structures.....	Press	13837
in.....	Rikitake	13577	three-dimensional, interpre-		
magnitude of earthquakes			tation.....	Gel'fand	14092
in.....	Tsuboi	13344	U. S. S. R.....	Roze	14099
Mitaka base-line rhombus,			Magnetic bays.....	Giacomio	13569
change in.....	Tsuboi	13669	Magnetic creep, theory of....	Néel	13318
resistivity surveys, Tama-			Magnetic declination, calcula-		
gawa aqueduct.....	Yamaguchi	13482	tion.....	Lundbak	13315
seismicity index.....	Tsuboi	13621	Ireland.....	Murphy	13836
seismic surveys, Toyosuto			Magnetic dip, changes accom-		
coalfield.....	Tateishi	14124	panying activity of Mi-	Rikitake	13412, 13413
coal fields.....	Iida	13471	harayama volcano.....		
Ube coal field.....	Iida	14125	Magnetic dipole over horizon-	Wait	14095
vertical earth movements in	Miyabe	13905	tally stratified earth.....		
volcanic action, geophysical			Magnetic disturbances, nor-	Chapman	13576
phenomena accompany-			mality of at Huancayo....		
ing.....	Kizawa	14072	sudden commencements and		
volcano Mihara-Yama, dif-			impulses.....	Ferraro	13313
fraction of radio waves			sudden commencements at		
around.....	Rikitake	13411	Amberley, New Zealand	Beagley	14021
magnetic surveys.....	Rikitake	13412, 13413	Magnetic elements, Mexico...	Sandoval	13580
			secular change impulses....	Tamayo	13299
				Walker	14019

	Author	Abstract		Author	Abstract
Magnetic exploration, Atiamuri dam site.....	Modriniak	13442	Magnetic surveys—Continued		
Colli Euganei, Italy.....	Morelli	13435	airborne and ground—		
Temiscamingue County, Quebec.....	Buck	13438	Continued		
Magnetic exploration for asbestos.....	Low	13439	Spavinaw granite, Oklahoma.....	Hawes	13447
Magnetic field of crust, origin.....	Haalek	13829	American River dam site... Gold Coast	Wantland	14088
Magnetic field of the earth, east component.....	Korneva	13309	Gold Coast Geol. Survey Dept.		13914
external.....	Hirayama	13308	Hungary, southwest.....	Vajk	13691
measurements at high altitudes.....	Singer	13311	India.....	Gulatee	13565
origin.....	Bullard	14015	Ireland.....	Murphy	13836
rapid oscillations in.....	Haalek	13307	Island of Skye.....	Whetton	13926
secular variations, shielding.	Giacomo	13569	Japan, Ōshima.....	Rikitake	13412, 13413
Trèves 380 A. D.....	Rikitake	13310	Sankyo mine.....	Kaneko	14135
variations at Kodaikanal.	Thellier	13579	Takanokura mine.....	Satō	13703
	Sivaramakrishnan	13575	Tenmabayashi mine.....	Hayakawa	13441
variations, 11-year.....	Bernard	13833, 13834	North Dakota, Rolette and Tower Counties.....	Kohanowski	13701
rapid.....	Gibault	13831	South Africa.....	Enslin	13739
secular, in New Zealand..	Cullington	13830	Stilfontein gold mine....	Weiss	13699
Magnetic field, effect on thermal convection.....	Thompson	13389	Yugoslavia, Suvo Rudiste region.....	Jankovič	13702
long current-carrying wire..	Oweh	13570	Magnetic susceptibility, lateritic soil.....	Tucker	14098
of stars.....	Stoyko	14017	measurements.....	Modriniak	13442
Magnetic horizontal intensity, calculation.....	Lundbak	13315	of rocks under stress.....	Kalashnikov	14024
Magnetic diurnal variations, Konogo district.....	Gold Coast Geol. Survey Dept	13914	technique of measurement in place.....	Mooney	14096
Magnetic logging.....	Stripling	13963	Magnetic variations, diurnal, in equatorial regions.....	Pramanik	14018
Magnetic observations, Chambon-la-Forêt.....	Gibault	13831	in equatorial regions.....	Pricó	13312
of Hawaiian volcanoes.....	Macdonald	13401	Magnetic well logging.....	Broding	13490
Magnetic observatories, thesaurus of values.....	Johnston	13314	Magnetism of massive rotating bodies.....	Luchak	14016
Magnetic properties, effect of temperature.....	Roze	13322	Magnetization, inverse remanent, in Auvergne.....	Roche	13320
of ferrites.....	Grabovskiy	14022	theory of.....	Néel	13319
of rocks and powdered substances.....	Kondorskiy	14023	of earth, increase in Gaibar Puertas		13568
of Spavinaw granite.....	Hawes	13447	of volcanoes.....	Rikitake	13577
of terra cotta and rocks.....	Thellier	13317	radioactivity of rocks and remanent, Carthage kilns... Iceland lava flows.....	Héé	13886
Magnetic pulsations in Keles.	Lazarenko	14020	Roman kiln near Tréyes..	Thellier	13321
Magnetic storms, relation to radio-solar noise.....	Denisse	13832	reverse thermoremanent... Nagata	Hospers	14025
sudden commencements....	Nagata	13574	Néel	Thellier	13579
sudden commencements and impulses.....	Sivaramakrishnan	13575	Tsukuba-san gabbro.....	Nagata	14026, 14028
geographic distribution of..	Ferraro	13573	Tsukuba-san gabbro.....	Néel	14027
Magnetic surveys, airborne, Delaware basin, Texas-New Mexico.....	Afanasyeva	13572	Magnetometers, airborne... calibration and adjustment.. earth-inductor type.....	Yokoyama	13578
airborne, eastern Pennsylvania.....	Hoyleman	13445	Hotchkiss Superdip.....	Cheney	13443
New Zealand, Mernoo Bank.....	Jensen	13704	Kew no. 177, calibration....	Yrizar	13827
airborne and ground, compared.....	Fleming	13707	platform for use with.....	Rikitake	13437
New Mexico.....	Harper	13928	Schmidt.....	Longacre	13700
south-central Texas.....	Harper	13928	Tsubokawa.....	Maino	13027
	Jenny	13446	Tsubokawa.....	Nodya	14898
			Tsubokawa.....	Buck	13438
			Magnetostriction in weak magnetic field.....	Tsubokawa	13436
			Magnitude of earthquakes, Japan.....	Matsumae	13316
			Malay Archipelago, earthquake distribution.....	Tsuboi	13344
			Manitoba, exploration problems in Williston basin..	Koning	13861
			Maps, aeromagnetic, Alberta quadrangles.. Canada Geological Survey	Burg	13940
			aeromagnetic, Indiana counties..... U. S. Geological Survey		13448

Author Abstract		Author Abstract	
Maps—Continued		Mexico—Continued	
aeromagnetic—Continued		magnetic data in.....	Sandoval 13580
Minnesota, St. Louis		magnetic elements.....	Tamayo 13299
county..... U. S. Geological Survey	13449	volcanic activity.....	Fries 13400
New Brunswick quadrangles.....	Canada Geological Survey 13451	volcanoes.....	Tamayo 13299
Northwest Territories		Michigan, seismic surveys.....	Wesley 13724
quadrangles		Microbarograph, piezoelectric.....	Schaffhauser 13627
Canada Geological Survey	13452,	MicroLog, description.....	Doll 13968
	13705,	principles of interpretation.....	Guyod 13493
	13929	MicroLogging, review of.....	Ford 13747
Ontario.... Canada Geological Survey	13453,	Micromagnetic surveys.....	Jenny 13446
	13931	correlation with seismic reflection.....	Jenny 13925
Quebec quadrangles		Microseisms, barometric microvariations related to... compared with sea swell.....	Dessauer 13626
Canada Geological Survey	13453,		Donn 13877
	13706, 13930	effect of cold fronts.....	Bath 13369
gravity, Asia, southeast.... de Bruyn	13557	effect on pendulum.....	Pariyskiy 13295
Brazil..... Brasil Conselho nacional	13688	energy distribution in.....	Bath 13370
Burma..... Gulatee	13565	from hurricane of Sept. 13-16, 1946.....	Donn 13877
Caribbean Sea..... de Bruyn	13557	international conference on.....	Lopez de Azcona 13623
Hungary, southwest..... Vajk	13691	in weather forecasting.....	Macelwane 13368
Hungary western..... Scheffer	13560	origin of, in Mediterranean.....	Giorgi 13624
Iceland..... Einarsson	13297	upper Adriatic.....	Caloi 13625
India..... Gulatee	13565	period and amplitude.....	Kishinouye 13876
Madagascar..... Cattala	13564	Pontifical Academy conference on.....	Lopez de Azcona 13875
Pakistan..... Gulatee	13565	2-second, from Great Lakes sources.....	Lynch 13878
Poland..... Olczak 13303, 13561		types of.....	Gutenberg 13367
Poland northeastern..... Wieladek	13819	Mines, electrical exploration in.....	Belluigi 13737
Spain, Avila province.... Lozano Calvo	13302	Mining problems, use of geophysics in.....	Kelley 13917
Spain, Huelva province		Minnesota, aeromagnetic maps, St. Louis county	
Espinosa de los Monteros	13301	U. S. Geological Survey	13449
isostatic anomaly, Paris Basin.....	Coron 13823, 13824	seismic surveys.....	Allen 14119
Hungary, southwest..... Vajk	13691	Moluccas, geologic structure and gravity anomalies.....	Gerth 13558
Hungary, western..... Scheffer	13560	Montana, exploration in Williston basin.....	Handley 13458
magnetic, Ireland..... Murphy	13836	exploration problems in Williston basin.....	Burg 13940
seismic, southwest Hungary..... Vajk	13691	Moon, ejection of, and 3rd law of Kepler.....	Quiring 13664
Yugoslavia..... Mihailović	14060	Morocco, earth current measurements.....	Beufils 13838
seismotectonic, Spain..... Rey Pastor	13357	Mountain arcs, origin of.....	Scheidegger 14077
tectonic, southwest Hungary..... Vajk	13691	Mud logging.....	Vellinger 13744
Marine sediments, radioactivity of.....	Kohl 13385	Nbraska, seismic exploration in Denver-Julesburg basin	
Marine seismic surveying, navigation system.....	Oil Progress 13512	Netherlands, Schoonebeck oil fields.....	Cantos Figuerola 13429
Mechanical properties of rocks.....	Jeffreys 14074	Nevada, earthquakes.....	Wood 13347
Mediterranean region, earthquake distribution, depth, and magnitude.....	Koning 14056	New Guinea, gravity map of.....	de Bruyn 13557
Mediterranean Sea, microseisms in.....	Giorgi 13624	New Brunswick, aeromagnetic maps of quadrangles	
Melting-point gradient in earth's mantle.....	Uffen 14070	Canada Geological Survey	13451
Metallic model experiments in electromagnetic exploration.....	Yost 14130	New Mexico, aeromagnetic surveys, Delaware basin..	Hoylman 13445
Meteorites, radioactivity in.....	Cooper 13634		
Mexico, activity at Parícutin			
November 1949.....	Termer 13655		
earthquakes.....	Tamayo 13299		
eruption of Parícutin.....	Bullard 13654		
gravity measurements.....	Tamayo 13299		

	Author	Abstract		Author	Abstract
New Mexico—Continued			Ontario—Continued		
exploration in San Juan basin.....	Clayton	14087	radioactivity Round Lake batholith.....	Slack	14067
geophysical activity and drilling in Four Corners region.....	Umbach	13911	southwestern, gravity and magnetic anomalies.....	Garland	13296
geophysical exploration.....	Swords	13910	Oregon, earthquakes in.....	Byerly	13864
magnetic surveys, ground and airborne compared..	Harper	13928	Origin of the earth.....	Colton	13424
seismic velocities in Permian basin sediments.....	Daly	13721	Orogenesis, as fundamental geologic process.....	Wilson	13902
New York, gravity and magnetic investigation of Cortlandt complex.....	Steenland	14093	contraction hypothesis of... convection-current hypothesis.....	Scheidegger	14078
New Zealand, aeromagnetic survey, Mernoo Bank.....	Fleming	13707	experiments at Dalhousie University.....	Douglas	13415
earthquake wave periods... earthquakes, in Cook Strait, Jan-Feb. 1950.....	Hayes	13860	rhythm and synchronism..	Umbgrove	13416
in 1949.....	Hayes	13780	Oscillographs, lamps for.....	Tajime	13510
in 1950.....	Hayes	13869	$P^s$ , velocity, Fukui earthquakes.....	Yoshiyama	13337
electrical logging, water wells.....	McKellar	13766	$P$ , velocity, Fukui earthquakes.....	Yoshiyama	13337
magnetic secular variation..	Cullington	13830	$P^s$ , velocity, Fukui earthquake.....	Yoshiyama	13337
magnetic sudden commencements at Amberley....	Beagley	14012	Pacific coast earthquake.....	Byerly	13864
sea floor west of.....	Brodie	14081	Pacific Ocean, gravity measurements in.....	Worzel	13814
volcanic eruption, Ngauruhoe.....	Battley	13414	tectonics of Tasman Sea area.....	Brodie	14081
Ngauruhoe, eruption of 1949..	Battley	13414	volcanic arcs of.....	Matschinski	13395
Nicaragua, volcanoes in.....	Zavala	13399	Paricutin, activity of.....	Bullard	13654
Nitrogen <sup>14</sup> , abundance in oil and coal.....	Smith	13384	activity in November 1949..	Termer	13655
Nomogram, tidal deviations of vertical.....	Malone	13811	activity January-June 30, 1951.....	Fries	13400
Norite, radioactivity in.....	Picciotto	13635	activity July 1-Dec. 31, 1951..	Fries	14073
North America, Pacific coast, earthquake distribution, depth, and magnitude....	Koning	14056	Paris Basin, isostatic anomalies in.....	Coron	13823, 13824
tectonic divisions of.....	Eardley	13678	Pendulum, effect of microseisms on.....	Pariyskiy	13295
North Dakota, exploration in Williston basin.....	Handley	13458	Pendulum-driven motor, accuracy of.....	Tajime	13508
exploration problems in Williston basin.....	Burg	13940	Pennsylvania, airborne magnetic survey.....	Jensen	13704
magnetic surveys, Rolette and Towner Counties..	Kohanowski	13701	Permafrost, geothermal investigations in.....	MacCarthy	13891
Northwest territories, aeromagnetic maps of quadrangles in			Permeability, determination by electrical measurements.....	Howell	13498
Canada Geological Survey		13452, 13705, 13929	directional in Bradford sand..	Griffiths	13497
Oil, N <sup>14</sup> abundance in.....	Smith	13384	Persia, seismic surveys, asymmetrical structures.....	Germain-Jones	13727
Oklahoma, connate-water resistivity.....	Puzin	13973	Petroleum, radioactivity and origin of.....	Breger	13637
exploration problems in Anadarko basin.....	Clayton	13457	Philippine Islands, gravity map.....	de Bruyn	13557
magnetic surveys, Spavinaw granite area.....	Hawes	13477	Plasticity, flow of glaciers as problem in.....	Nye	13418
seismic velocity problem in western Anadarko basin..	Widess	13941	Poland, gravity investigations.....	Olezak	13303
Velma pool, electrical log analysis.....	Wyllie	13500	gravity map of.....	Olezak	13561
Ontario, aeromagnetic maps			gravity measurements in.....	Weiladek	13819
Canada Geological Survey		13453, 13631	Poles, displacement of... movement of 1946-48.....	Kulikov	13666
			Porosity, correlation with resistivity.....	Carnera	14082
			Porosity index in limestone..	Howell	13495
			Porosity-profile determination from electrical logs.....	Tixier	13760
			Potassium, radioactivity of...	Wright	13758
				Danilevich	13631

	Author	Abstract		Author	Abstract
Poulter method, description..	Baxter	13936	Radioactivity logs, in reef lime-	Bush	13770
Poulter method of surface			stone.....	Russell	13976
shooting, objection to.....	Clayton	13466	neutron, interpretation of...		
Punched-card methods, use of			use in electric log interpre-	Wyllie	14139
in geophysical interpreta-			tation.....	Bush	13975
tion.....	Sharpe	14036	quantitative interpretation.	Fearon	13768
Quebec, aeromagnetic maps			Radioactivity surveying, air-		
Canada Geological Survey		13454,	borne.....	Cook	14138
		13706,		Lundberg	13742
		13930	for petroleum.....	Peirson	13489
magnetic exploration, in	Buck	13438	near faults.....	Merritt	13741
Temiskamingue County	Low	13439	Radioactivity surveys, in pe-	Ochial	13487
Thetford area.....			troleum exploration.....		
magnetic survey of Ungava	Meen	13440		Lundberg	13960, 13961
Crater.....			Radiocarbon dates.....	Arnold	13379
Queen Charlotte Islands,	Coulomb	13336		De Geer	13382, 13383
earthquake.....	Lang	14958	Radiocarbon dates in Mexico.	Johnson	13378
Radiation detectors, use of...			Radiocarbon dating, errors in.	de Terra	13381
Radiation intensity surveys,	Merritt	13959	Pacific chalk ooze.....	Bartlett	13380
in petroleum exploration..			Radio electromagnetic waves,	Arrhenius	13888
Radioactive minerals, ioniza-	Hultqvist	13282	diffraction around crater		
tion from.....			of Mihara-yama.....	Rikitake	13411
Radioactivity, air at Puy-de-	Garrigue	13638	Radio wave transmission dem-		
Dôme.....	Cook	14138	onstration Grand Saline,	Barret	13957
airborne surveying for.....	Zvyaginsev	13391	Tex.....	Börner	13951
heat balance and.....	Sadahiro	13488	methods of exploration.....	Pritchett	13745
Ikuno copper mine.....	Picciotto	13635	attenuation through earth..		
in eruptive rocks.....	Picciotto	13629	Radium content, deep-sea sed-	Bernert	13887
in geologic problems.....	Picciotto	13629	iments.....		
in rocks and meteorites	Cooper	13634	Rayleigh-wave coupling to at-	Jardetzky	13844
magnetization of rocks and...	Hée	13886	mospheric compression		
North Atlantic deep sea			waves.....	Bush	13770
cores.....	Kulp	14066	Reef limestone, radioactivity		
of earth, part of potassium			logs in.....	Archie	13761
in.....	Danilevich	13631	Reservoir rocks, carbonate,	Griffiths	13763
of lava from summit of Vesu-			classification of.....		
vius.....	Ippolito	13883	characteristics of.....	Wyllie	13753
of Lavey spring water.....	Binggeli	14069	electric log data to determine	Griffiths	13763
of marine sediments.....	Kohl	13385	properties of.....		
of surface and ground water.	Love	13386	grain-size distribution in....	Keller	13494
origin of petroleum and.....	Breger	13637	Resistivity logs, differential,		
Puy de Dôme.....	Garrigue	13388	interpretation of.....	Pasechnik	13934,
rhythm of sedimentation			Resonance phenomena in	14105,	
and.....	Norin	13636	ground-seismograph sys-	14106	
Round Lake batholith, Ont-			tem.....	Schwarzbach	13865
ario.....	Slack	14067	Rhineland, earthquakes in....		
Skane drill cores.....	Norin	13636	Rift valleys, gravity anomalies	Goguel	13562
Radioactivity anomalies, near			in.....	Grigor'yev	13880
oil fields.....	Lundberg	13742	Rock bursts, origin of.....	Avershin	13879
	Merritt	13741	region of.....	Avershin	13870
Radioactivity detector, port-			in Kisel basin coal mines...		
able.....	Franklin	13484	Rotation of the earth, seasonal	Stoyko	13291
uses of.....	Stein	13483	variation of.....		
Radioactivity logging, correc-			S wave, recorded motion at	Heinrich	13858
tions in.....	Hée	14141	Florissant.....		
in limestone.....	Archib	13704	Safety and geophysical explo-	Sorge	13692
instrumentation for.....	Swift	13767	ration.....		
Kansas.....	McGaha	13771	Salt domes, internal reflections	Kroy	13719
	Morgan	13772	in.....	Brinckmeier	13469
simultaneous gamma-ray			seismic investigations of....	Gees	13725
and neutron.....	Swift	13767	seismic refraction surveys of.	Helms	13470
simultaneous recording.....	Mercier	13507			
Spraberry formation.....	Mardock	13506			
well logging in.....	Lytle	13505			
uses of.....	Camobell	13504			
Witwatersand system.....	Simpson	13503			
Witwatersand.....	Simpson	13769			

	Author	Abstract		Author	Abstract
Salt domes—Continued			Seismic exploration methods, for engineering problems..	Linehan	13942
seismic surveys, Hamburger Loch.....	Helms	13943	Seismic exploration records, using equal sensitivity....	Berson	13459
Salt solution, a seismic velocity problem.....	Widess	13941	effect of different receiver sensitivity in.....	Berson	13459
San Andres dolomite, quantitative log interpretation...	Scotty	13502	Seismicity index number, Japan.....	Tsuboi	13621
Sand lens, location by seismic surveys.....	Ingalls	13722	Seismic reflections, location of sand bars by.....	Ingalls	13722
Sandstone, elastic wave velocity in.....	Hughes	14117	multiple, Edwards Plateau. travel times of.....	Poulter	13467
porosity and saturation from electric logs.....	Jones	13762	within salt domes.....	Bugaylo	14113
seismic velocities in.....	Baule	13339	Seismic reflections, surveys, across faults, significance of diffraction.....	Krey	13719
San Juan basin, geophysical exploration in.....	Clayton	14087	correlation with micromagnetic surveys.....	Krey	14120
Saskatchewan, exploration problems in Williston basin.....	Burg	13940	determination of reflecting boundaries.....	Jenny	13925
Saturation, effect on elastic wave velocity.....	Hughes	14117	for mapping faults.....	Contini	14114
Scale model experiments in electro magnetic exploration.....	Clark	14131	in near-surface exploration.....	Romberg	14121
Scandinavia, microseismic effects of cold fronts.....	Bath	13369	Seismic refraction investigations of salt domes.....	Allen	14119
microseisms in.....	Bath	13370	Seismic refraction surveys, eastern Atlantic.....	Helms	13470
Schmidt magnetometer, theory and operation.....	Buck	13438	in engineering problems....	Hill	14049
Scintillation counters, applied to geophysical problems..	Whitham	14068	in foundation engineering... limitation of.....	Bird	14089
for low-level alpha counting.	Kulp	13486	new instrument for.....	Johnson	14103
Scotland, gravity measurements at Aberdeen.....	Bullerwell	13816	North Atlantic.....	Evison	14118
gravity measurements at Edinburgh.....	Bullerwell	13816	north of Brownson Deep... procedure in.....	Gough	13710
magnetic surveys Skye Island.....	Whetton	13926	Cantos Figuerola	Gaskell	13338
Second derivative values, effect of random errors on...	Elkins	13432	14048	Hersey	14048
Sedimentation rates by C <sup>14</sup> measurements.....	Kulp	13640	13713, 14109	Gees	13725
Sediments, deep-sea, radium content.....	Bernert	13887	salt domes, northwestern Germany.....	Brinckmeier	13469
Tertiary, seismic velocities in.....	Rühmkorf	13468	of salt domes.....	Gough	13710
Seismic amplitude, relation to charge size.....	Habberjam	13465	using sledge hammer as energy source.....	Solaini	13723
Seismic exploration, amplitude and frequency in....	Hayakawa	14107	V-shaped valley.....	Gamburtsev	13848
control of variables in.....	Handley	13935	Seismic sounding of the earth's crust.....	Haskell	13594
current trends in.....	Harris	13455	Seismic surface waves, air coupled.....	Eisler	13939
determination of refracting boundary in.....	Riznichenko	13460	caliche-covered area in New Mexico.....	Ewing	14044
effects of errors in measurements.....	Krousky	13718	dispersion.....	Caloi	13593
interlocking recording in....	Krey	13712	effect of internal friction on. in the ocean bottom.....	Biot	13592
nonstructural hypothesis... precision of travel-time curves in.....	Rosaire	13709	Love, dispersion curves ... generation of.....	Satō	13589, 14033
problems in.....	Fitch	13716	in double surface layer... in heterogeneous medium. Queen Charlotte Is. earthquake.....	Satō	13591
surface shooting in.....	Hayakawa	14107	velocity.....	Coulomb	13336
textbook.....	Baxter	13936	new type.....	Satō	13587
use of Poulter method in... uses and abuses.....	Dix	14102	plane-parallel layer over elastic semispace.....	Wood	13601
Seismic exploration corrections, relation to surface geology.....	Clayton	13466	Rayleigh, condition of non-generation.....	Keylis-Borok	13320
	Weatherby	13456	in ocean bottom.....	Satō	14034
	Thralls	13717	in ocean bottom.....	Biot	13592
			velocities.....	Knopoff	14041
			slow, across North America. Stoneley, in ocean bottom... vertical component of for magnitude determinations.....	Press	14043
				Biot	13592
				Bath	13342

	Author	Abstract		Author	Abstract
Seismic surface waves—Continued			Seismic waves—Continued		
very short period.....	Caloi	13593	refraction with lower velocity layer.....	Gamburtsev	13461
velocity in elastic plates.....	Satō	13588	$S'$ , identification of.....	Suzuki	13332
Seismic surveys, marine, navigation system.....	Oil Progress	13512	$SV$ and $SH$ .....	Gutenberg	13856
air drilling in.....	Burke	13944	shear, motion in.....	Heinrich	13858
American River dam site.....	Wantland	14088	shear, vibration directions.....	Dehlinger	13857
Arctic ice islands.....	Crary	14050	$T$ -phase.....	Ewing	13333
Atlantic Ocean.....	Officer	13852	$T$ -phase, nature of.....	Coulomb	14046
Denver - Julesburg basin, Colo.-Neb.....	Rummerfeld	17320	$T$ , propagation.....	Coulomb	13859
Edwards Plateau, Poulter method in.....	Poulter	13467	travel time curves of in stripped earth.....	Stechschulte	14040
effects of salt solution on velocities in.....	Widess	13941	travel time curve, (n-1) segment of.....	Bugaylo	14111
Hamburger Loch salt domes.....	Helms	13943	up-hole travel times.....	Woods	13711
inadequacy of for shallow exploration.....	Evison	14118	velocity, as method of prediction.....	Gamburtsev	13848
in highway engineering.....	Moore	13922	in concrete.....	Andersen	13602
Japan, coal fields of.....	Iida	13471, 14125	Manix earthquakes.....	Richter	13606
New Mexico, caliche area.....	Eisler	13939	by delta-time analysis and well surveys.....	Swan	13938
Michigan.....	Wesley	13724	from Helgoland explosion.....	Reich	13341
Persia, asymmetrical anticlines.....	Germain-Jones	13727	in interior of earth.....	Birch	14075
southwest Hungary.....	Vajk	13691	in sediments.....	Rühmkorf	13468
Texas, Kilgore area.....	Towles	14104	iteration procedure for determining.....	Krouskij	14115
Turkey, Çukurova.....	Yüngül	13726	Japan.....	Kanai	13853
Seismic velocity-depth relation, method of determining.....	Kokesh	13937	Peissenberg coal mine.....	Reich	14123
Seismic velocity logging.....	Summers	13964	Permian basin sediments, Tex.-N. Mex.....	Daly	13721
Seismic velocity logging method.....	Vogel	13965	southern California.....	Gutenberg	13851
Seismic well velocity surveys, compared with delta-time analyses.....	Swan	13938	variation with depth.....	Contini	14114
new method.....	Kokesh	13937	variation with depth and distance.....	Hattori	13609
Seismic wavelets, propagation of.....	Ricker	13586	variation with saturation.....	Hughes	14117
Seismic waves, absorption coefficient of.....	Yepinat'eva	14108	variation with time.....	Hayakawa	13608
air-coupled.....	Benioff	13334	Seismicity, evaluation of.....	Gubin	13849
angles of emergence of.....	Savarenskiy	14036	Seismograms, interpretation of.....	Neumann	13850
attenuation of.....	Evison	13463	Seismograph, Haeno.....	Hayakawa	14107
energy relationships at rock-water boundary.....	Erzin	14045	strain, response to surface waves.....	Benioff	14038
equation of frequency of.....	Keylis-Borok	14032	vectorial, response to surface waves.....	Benioff	14038
first motions in, Pasadena and Huancayo.....	Báth	13854	with electronically adjustable constants.....	Gassmann	13596
frequency analysis.....	Jakosky	14116	with one degree of freedom.....	Gassmann	13597
frequency of.....	Menzel	13715	Wood-Anderson, simplified model.....	Tandon	13598
from explosions.....	Menzel	13933	Seismograph-ground system, natural vibrations in.....	Pasechnik	13934
frontal, wave path near receiving station.....	Riznichenko	13714	resonance phenomena in.....	Pasechnik	14105, 14106
Fukui earthquake.....	Yoshiyama	13337	Seismology, bibliography of.....	Milne	13326, 13327, 13328
in vertically stratified medium.....	Berson	14110	Seismology, observational.....	Jeffreys	14074
laboratory model studies of longitudinal, dispersion of.....	Kaufman	13600	review.....	Tandon	13605
longitudinal, through core.....	Altenburg	13839	Seismometer, hinged, theory of.....	Byerly	14037
multiply refracted.....	Denson	13855	Seismotectonic zoning.....	Gubin	13849, 14053
$P^*$ , velocity in central Italy.....	Berson	14112	Selp-potential log in shaly sands.....	Doll	13971
periods.....	Di Filippo	13607	Shales, marine organic, radioactive elements in.....	Breger	13637
recorded ground motion of $P$ , $PcP$ , $S$ , and $ScS$ .....	Hayes	13860	Siberia, thickness of crust in.....	Gayskiy	13603
	Erzin	14042	Slovakia, gravity surveys.....	Kolbenheyer	13294
			Snow, radioactive.....	Garrigue	13388

	Author	Abstract		Author	Abstract
Sound ranging in medium of unknown constant phase velocity.....	Schriever	14122	Temperature—Continued		
South Africa, geophysical surveys for water.....	Enslin	13739	fresh lava, Ōshima.....	Minakami	13659
radioactivity logging in Witwatersrand.....	Simpson	13769	increase of by adiabatic compression.....	Valle	13644
Stilfontein gold mine, geophysical surveys.....	Weiss	13699	of consolidation of lava.....	Imbò	13406
Witwatersrand earthquake quakes, focal depth.....	Gane	14047	Temperature gradient, adiabatic, in earth's interior...	Valle	13890
South America, earthquake distribution, depth, and magnitude.....	Koning	14054	Temperature logging.....	Basham	13977
South Dakota, exploration problems in Williston basin.....	Burg	13940	Texas, airborne magnetic surveys, Delaware basin.....	Hoylman	13445
Southern Antilles, earthquake distribution, depth, and magnitude.....	Koning	14055	airborne magnetic survey, serpentine district.....	Jenny	13446
South West Africa, seismicity of.....	Korn	13618	Edwards Plateau, seismic exploration in.....	Poulter	13467
Spain, Avila province, gravity survey.....	Lozano Calvo	13302	exploration problems in Andarko basin.....	Clayton	13457
earthquakes, Caravaca region, Murcia.....	Rey Pastor	13352	geologic and geophysical interpretation of structure in Kilgore area.....	Towles	14104
Caravaca region, Murcia, June 23, 1948.....	Rey Pastor	13356	geophysical exploration in Permian basin.....	Swords	13910
Confrides (Alicante) Feb. 9, 1949.....	Rey Pastor	13357	radiowave transmission demonstration Grand Saline.....	Barret	13957
in Alicante June 9, 1947.....	Rey Pastor	13355	San Andres dolomite, log interpretation in.....	Scotty	13502
in Catalonia 1948-49.....	Fontseré	13353	seismic velocities, Permian basin sediments.....	Daly	13721
near Elche, 1947.....	Rey Pastor	13354	seismic velocity problem in western Andarko basin...	Widess	13941
geophysical investigations 1950.....	García Sifneriz	13430	Thermal anomalies, Pechelbronn region, France.....	Claude	13893
gravimetric network in Lozano.....	Calvo	13551	Thermal convection in magnetic field.....	Thompson	13389
Huelva province, gravity survey.....	Espinosa de los Monteros	13301	Thermal gradients, Arctic slope, Alaska.....	MacCarthy	13891
seismicity of Granada Basin	Tercedor	13616	Dnieper-Donets basin.....	Belyakov	13394
Spraberry formation, induction logs.....	Lytle	13505	Donbass, U. S. S. R.....	Kashpur	14071
radioactivity logs.....	Lytle	13505	Nottinghamshire, England.....	Bullard	13392
Strain waves in rock.....	Mardock	13506	Thermal history of the earth.....	Jeffreys	14074
Stress-differences in the earth.....	Obert	13599	Thermal instability in a sphere.....	Jeffreys	13889
Stress generating no Rayleigh waves.....	Jeffreys	14074	Thermal investigations, western Hungary.....	Scheffer	13560
Tadzik S. S. R., earthquakes, Garmaskaya Oblast' 1949-1950.....	Satò	14034	Thermal radiation in volcanic crater.....	Fournier d'Albe	13898
Tasman Sea, tectonic movements in.....	Monakhov	13867	Thorium, evaluation of by autoradiography.....	Imbò	13885
Tectonic divisions of North America.....	Brodie	14081	Thorium-uranium analysis by scintillation counting.....	Whitham	14068
Tectonic theories, review.....	Eardley	13678	Thoron alpha activity, discrimination of.....	Hurley	14063
Telluric currents, prospecting by.....	Fourmarier	13600	Tibet, earthquake Aug. 1950.....	Kingdon-Ward	13364
Telluric exploration method, quantitative interpretation in.....	Gallwitz	13899	Tidal deviations of the vertical.....	Malone	13811
Temperature, Campi Flegrei, Naples.....	Migaux	13733	Tidal gravity experiments.....	Tarrant	13809
distribution within earth.....	Baranov	13734	Tomaschek		13810
effect on magnetic properties of rocks.....	Penta	13393	Tilt, relation to volcanic activity, Vesuvius.....	Imbò	13408
	Uffen	14070	Titanium content, as method of age determination.....	Arrhenius	13888
	Roze	13322	Topography, mathematical expression of.....	Jung	13289
			relation to earthquake damage.....	Nakano	13620

	Author	Abstract		Author	Abstract
Torsion balance, best use of... determination of local gravi- tational field by.....	Haalck	13431	Volcanic activity—Continued		
T phase, circum-Pacific shocks. nature of.....	Haalck	13806	Indonesia, 1936-48.....	Van Bemmelen	13410
propagation in Caribbean.....	Ewing	13333	origin of fault troughs and.....	Escher	13904
Transducer, voltage-sensitiv- ity of.....	Coulomb	14046	Paricutin, 1951.....	Fries	13400, 14073
Tunis, resistivity surveys, hydraulic sills.....	Coulomb	13859	Vesuvius 1949.....	Imbò	13409
Turkistan, earthquakes.....	Tajime	13509	Volcanic arcs, cartographic radius of.....	Matschinski	13395
Turkey, earthquakes, 1947 to 1949.....	Castany	13481	curvature.....	Matschinski	13396
gravity and seismic surveys, Cukurova.....	Gubin	14053	linear density.....	Matschinski	13396
Uganda, Geological report 1950.....	Lahn	13866	Volcanic craters, of moon- form.....	Richter	13660
Uller's waves.....	Yüngül	13726	Volcanic earthquakes, Usu- dake, Japan.....	Minakami	13614, 13615
Ungava Crater, magnetic sur- veys.....	Uganda Geol. Survey	13915	Volcanic eruptions, earth- quakes associated with, Yakeyama, Japan.....	Sakuma	13613
United States, earthquake his- tory.....	Officer	13331	effect on climate.....	Martin	13894
earthquakes in 1950.....	Meen	13440	Etna, 1947.....	Cucuzza Silvestri	13656, 13897
U. S. Coast and Geodetic Sur- vey, seismological activi- ties, 1950.....	Wood	13347	Etna, 1949-50.....	Tazieff	13896
U. S. S. R., earthquakes in Caucasus region.....	Murphy	13863	geophysical phenomena ac- companying.....	Kizawa	14072
earthquakes in Garmskaya Oblast.....	Roberts	14052	Hekla, Iceland, 1947-48....	Einarsson	13648, 13650- 13653
magnetic anomalies.....	Belousov	14058	Kjartansson	13649	
rock bursts, Kizel basin.....	Gubin	14057	Thorarinsson	13647	
seismicity of Akhalkalaki plateau.....	Roze	14099	Zavaritskiy	13895	
seismic sounding of crust in thermal measurements, Dniiper-Donets basin.....	Avershin	13879	Hekla, Iceland.....	Rikitake	13411
thermal gradients, Donbass.....	Kirillova	14059	Mihara-yama 1950, diffrac- tion of radio waves fol- lowing.....	Batthey	13414
Uranium, evaluation of by autoradiography.....	Gamburtsev	13848	New Zealand, Ngauruhoe... Ō-shima, 1951.....	Minakami	13659
Uranium <sup>235</sup> , half life of.....	Belyakov	13394	Palmas, 1949.....	Bonelli Rubio	13404
Uranium X <sub>1</sub> , gamma radia- tion from.....	Kashpur	14071	Paricutin.....	Bullard	13654
Uruguay, petroleum explora- tion in.....	Imbò	13885	November 1949.....	Termer	13655
Utah, exploration in San Juan basin.....	Fleming	13371	relation of tilting to, Vesuvius.....	Imbò	13408
geophysical activity and drilling in Four Corners region.....	Hess	14062	Vesuvius.....	Imbò	13407
Variation of latitude.....	Ferrer	13687	Yakeyama, 1949.....	Ichimura	13658
Vesuvius, activity in 1949.... eruptive activity of.....	Clayton	14087	Volcanic investigations, Etna..	Ponte	13657
radioactivity of lava from summit.....	Umbach	13911	Volcanoes, Guatemala.....	Dozy	13398
tilting of ground.....	Carnera	14082	Kamchatka.....	Tomkeieff	13397
Vibrations from blasting.....	Kalikov	13666	Kilauea subsidence.....	Finch	13402
Viscous liquids, compared with elastic solids.....	Jeffreys	14074	magnetic observations on.....	Macdonald	13401
Viscosity, fresh lava, Ō-shima. of surface layer, effect on earthquake movements.....	Imbò	13409	magnetization of.....	Rikitake	13577
Volcanic activity, Etna 1947.....	Imbò	13407	Mexico.....	Tamayo	13299
Hekla.....	Ippolito	13883	Nicaragua.....	Zavala	13399
	Imbò	13408	Volcanic material, radioactiv- ity in.....	Ippolito	13883
	Morris	13472	Washington, earthquakes and gravity anomalies near Seattle.....	Heiskanen	13348
	Szebehely	13420	earthquake of April 13, 1949..	Nuttli	13335
	Minakami	13659	Water, ground, radioactivity of.....	Love	13386
	Kanai	13845	surface, radioactivity of.....	Love	13386
	Cucuzza Silvestri	13405	Water resources, electrical ex- ploration for, Italy.....	Manfredini	13740
	Thorarinsson	13403	electric logs in search for....	Morris	13967
			electrical methods of explora- tions.....	Deutsch Verein von Gas- und Wasserfach- mannern	13949

	Author	Abstract		Author	Abstract
Water resources—Continued			Witwatersrand, seismic in-		
geophysical exploration for,			vestigations in.....	Willmore	13340
South Africa.....	Enslin	13739	Witwatersrand system, radio-		
geophysical methods of ex-			activity logging.....	Simpson	13503
ploration for.....	Dixey	13919	Young's Modulus, measure-		
Water wells, electrical logs in,	Schneider	14137	ment under uniaxial com-		
New Zealand.....			pression.....	Shimozuru	13676
Wave functions, transforma-	McKellar	13766	Yugoslavia, earthquakes in...	Mihailovič	14060
tion of.....			earthquakes, Bačka and		
Wave height operational index.	Satō	13581, 13582	Baranja regions.....	Uzelac	13362
Well logging, in petroleum	Glenn	14094	Knin region.....	Nedeljković	13363
engineering.....			Lake Scutari region.....	Mihailovič	13361
Well logging instrumentation.	Vance	13921	Litija region.....	Mihailovič	13360
Williston basin, geophysical	Stripling	13963	magnetic surveys, Suvo		
exploration in.....			Rudiste region.....	Jankovič	13702
Wisconsin, electrical resistiv-	Handley	13458	seismicity of Morava valley.	Mihailovič	1361
ity surveys near Antigo...	Spicer	14134			

## INDEX OF PATENTS

	Inventor	Abstract		Inventor	Abstract
Acoustic logging.....	Tullos	13542	Inclinometer.....	Hildebrandt	14174
Acoustic measurements in boreholes.....	Goble	13799	Induction logging, coil system.....	Young	14176
Airborne electromagnetic exploration.....	Cartier	14165	Ionization chamber.....	Doll	13538
Airborne magnetic surveying.....	Jensen	13776, 13982	Gravity meter.....	Rose	13794
	Klaasse	13981		Scherbatskoy	13997
	Rumbaugh	13983		Boucher	13978
	Schonstedt	13515		Cloud	14143
Airborne magnetometer cable.....	Boucher	14144	Line fault detector.....	Jakosky	14142
Borehole gravity gradiometer.....			Magnetic logging system.....	Walsh	13513
Capillary pressure measurements.....	Purcell	14001	Magnetic testing system.....	Brownlow	13547
Casing collar locator.....	Basham	14000	Magnetometer.....	Zimmerman	14181
	Herzog	13536		Means	14146
	Swift	13999		Arvela	13775
Core analysis.....	Angona	14003		Brewer	13980
Drill hole magnetometer.....	Brant	13801	Magnetometer, drill-hole temperature compensation indicator.....	Frowe	13514
Electrical exploration method.....	Bilhartz	14162		Kogbetliantz	13774
	Brant	13790, 13991	Magnetometer gradiometer.....	Brant	13801
	Kunetz	14164	Magnetometer head.....	Lee	14145
	Lee	14161	Neutron logging.....	Mayes	14147
	Nichols	14163		Brattain	13979
Electrical logging apparatus.....	Homer	14179	Pressure measurements in wells.....	Arps	13539
	Owen	14002	Proportional counter.....	Thayer	13540, 13541
	Pearson	13543	Radioactivity exploration method.....	Long	13798
Electrical logging instrument.....	Niles	13544	Radioactivity logging.....	Borkowski	13791
Electrical logging method.....	Waters	14177		Herzog	13533
Electromagnetic detecting device.....	Muffley	13992	Radiation counter.....	Lord	14166
Electromagnetic exploration, airborne.....	Cartier	14165	Radiation detector.....	Krasnow	13795, 13796
Electromagnetic exploration apparatus.....	Barret	13532		Bernstein	14170
Electromagnetic exploration method.....	Barret	13531		Simpson	13998
Electromagnetic logging system.....	Doll	13537		Beckman	14171
Elevation meter, damping device for.....	Eisler	14182		LeVine	14169
Fluid flow in boreholes, measurement.....	Craggs	14178		Neufeld	13994
Formation factor, method of determining.....	Patnode	13545		Schneider	13792
	Wyllie	13546		Siegert	13793
Galvanometer.....	Fisher	13802		Simpson	13993
	Hendricks	14183		Weller	14167
Geiger-Müller tube construction.....	Krasnow	13996	Radiation detector circuit.....	Lichtman	13534
Geophone.....	Alexander	13517	Radiation detector and discriminator.....	Constable	13535
Gravity exploration, underwater.....	Mounce	13773	Radiation meter.....	Herndon	13995
Gravity gradiometer.....	Boucher	14144	Radiation survey instrument.....	Zollers	14168
			Seismic amplifier control.....	Fay	13787
			Seismic exploration, elevated charges in.....	Poulter	14152, 14154
			method of firing.....	Poulter	14153, 14151
			Seismic exploration apparatus.....	Groenendyke	13528
			Seismic exploration cable, with polarized outlets.....	Winterhalter	13987
				Winterhalter	13519

	Inventor	Abstract		Inventor	Abstract
Seismic exploration method....	Barthelmes	13783	Seismometer, continuous line.	Foster	13518
	Green	13782	electromagnetic.....	Congdon	13520
	Mann	13984	underwater.....	Woods	13780
	Minton	13784	Seismometer coupling, testing.	Mayne	13777
	Ording	14158		Parr	13778
Seismic exploration method, marine.....	Carlisle	14155	Seismometer spread, marine..	Doolittle	14148
	Doolittle	14148		Pottorf	13989
	Parr	13525		Reid	13986
selector arrangement.....	McLoad	13529	Sonic shear waves, method of		
underwater.....	Finn	13785	application.....	Seavey	13523
Seismic mixing.....	Bayhi	14195	Sound waves, generation and		
Seismic recording method.....	Lee	14175	transmission.....	Seavey	14156
Seismic recording system.....	Volk	14150	Temperature measurements in		
Seismic-reflection exploration			wells.....	Long	13798
method.....	Wolf	13516	Underwater detector.....	Kendall	13522
Seismic-wave amplifier.....	Hawkins	13990	Vibration data, method of re-		
Seismic-wave direction deter-			cording.....	Perry	13521
mination.....	Piety	14149	Vibration detector.....	Eisler	13779
Seismic-wave filter.....	Menton	13530	Viscosity measurements in		
	Ricker	13527	wells.....	Long	13798
	Heiland	17388	Well fluid-level indicator....	Mathews	14175
	Simon	13526	Well-logging apparatus.....	Long	13798
Seismic-wave generator.....	Silverman	13988	Well-logging recording system.	Sewell	14180
Seismograph frame structure..	Crede	13524	Well-surveying apparatus....	Kruoger	13800
Seismograph record analysis..	Hawkins	13985	Well-surveying instrument...	Ring	14172
Seismometer.....	Eisler	13779	Well-surveying instruments,		
	Petersen	13786	circuit control.....	Butterworth	13798
	Piety	13781	Well tester.....	West	14173
	Thomas	14160			