Index to Geophysical Abstracts 176-179 1959

DOROTHY B. VITALIANO *and others*

EOLOGICAL SURVEY BULLETIN 1106-E

Abstracts of current literature ertaining to the physics of he solid earth and to eophysical exploration

ITED STATES GOVERNMENT PRINTING OFFICE, WASHINGTON : 1960

UNITED STATES DEPARTMENT OF THE INTERIOR

FRED A. SEATON, *Secretary*

GEOLOGICAL SURVEY

Thomas B. Nolan, *Director*

For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington 25, D.C.—Price 35 cents. The printing of this publication has been approved by the Director of the Bureau of the Budget (December 5, 1957).

INDEX TO GEOPHYSICAL ABSTRACTS 176–179, 1959

By Dorothy B. Vitaliano and others

AUTHOR INDEX

A

Abstract

Abakeliya, M. S. The problem of geological interpretation of the regional gravity field of the Transcaucasian depression 177–217
Abe, Siro. Morphology of SSC and SSC* 179–298
Abel'skiy, M. Ye. The determination of the moment of inertia and centrifugal moment of the torsion weight of the gravitational variometer S–20 176–187
Acheson, C. H. The correction of seismic time maps for lateral variation in velocity beneath the low velocity layer 179–360
Aćimović, Ljubomir. See Ivković, Dragiša
Adachi, Ryuzo. A method of analysis of seismic refraction exploration 176–319
——— A solution of separation surface on the seismic reflection method (General case in three dimensional space) 176–318
——— On the singular point of time-distance curve 176–315
Ádám, Antal. On a modified telluric prospecting apparatus and its application to large-scale telluric investigations 176–25
Adamczewski, Ignacy. On natural and artificial radioactive contamination of the air and water 176–297
Adem, Julián. Dynamic study of the seismic effects in reticular structures 176–46
Adler, H. H. Application of isotopic data to problems of uranium geology 178–277
Aero Service Corporation. Radan—A new radar Doppler aid to aerial navigation 177–168
Afanas'yev, G. D. Development of magmatism in the Caucasus in the light of absolute age determinations 178–16
——— New data on determination of the absolute age of rocks and minerals of the North Caucasus 179–12
Afanas'yeva, L. I. *See* Gerling, E. K.
Affleck, James. Interrelationships between magnetic anomaly components 178–299
Afonin, V. I., Koposov, I. A., Romanov, Yu. A., and Chernyayeva, V. G. Experience in the use of ground radiometric survey in the Lower Volga area and the Ciscaucasus 178–341
Agamaliyev, G. M. *See* Arkharov, L. V.
Agarwal, R. G. *See* Sawatzky, H. B.
Agocs, W. B. Airborne magnetometer profiles, Morris and Wabounsee Counties, Kansas 178–304
——— Comparison of basement depths from aeromagnetics and wells along the northern border of Kansas 178–303
——— Depth and structure of the igneous horizon between Catania and Tunis deduced from an aeromagnetic profile 179–342
Agocs, W. B., Paton, J. R., and Alexander, J. B. Airborne magnetometer and scintillation counter survey over parts of Kedah and Perlis (area 6) 178–315
Ahmad, Mioduddin, and Thirlaway, H. I. S. The application of integrated geophysical surveys for estimating ground water resources in the mountain valleys of West Pakistan 177–154
Ahrens, L. H. *See* Taylor, S. R.
Airinei, Ştefan. Gravimetric and magnetic research in the region of Singeorgiul de Padure-Miercurea Nirajului 179–225
——— Regional magnetic anomalies in the center of the Transylvanian basin 179–343
——— Regional magnetic measurements in Transylvania (Arahida-Dej-Beclean-Teaca) 179–345
——— Regional magnetic studies in Dobrogea, southern Moldavia and eastern Rumanian Plain (Regional geology in the light of terrestrial magnetism) 178–312

Abstract

Aki, Keiiti, and Tsujiura, Masaru. Correlational study of near earthquake waves ---- 179–90
Akimoto, Syun-iti, Horai, K., and Boku, T. Magnetic susceptibility of orthopyroxenes ---- 178–290
Akimoto, Syun-iti, and Katsura, Takashi. Magneto-chemical study of the generalized titanomagnetite in volcanic rocks ---- 178–288
Akopyan, Ts. G. On the magnetic properties of rocks of Armenia ---- 177–301
——— On the paleomagnetism of igneous rocks of Armenia ---- 177–302
Aksel'rod, S. M., and Chernyak, G. Ya. The dielectric logging of drill holes ---- 177–134
Aksin, Vladimir, and Nedeljković, Vlastimir. Examples of the application of electrical logging in exploration for oil and gas in Vojvodina ---- 177–138
Alekseyev, F. A. Use of radioactive emanations and isotopes in the geology of oil ---- 178–345
Alexander, J. B. *See* Agocs, W. B.
Alfano, Luigi. Introduction to the interpretation of resistivity measurements for complicated structural conditions ---- 179–133
Alger, R. P. *See* Tixier, M. P.
Allais, G., and Curien, H. Measurement of the boron-10 content of minerals ---- 179–270
Allan, D. W. The moon as clue to the earth's early history ---- 179–24
Al'pin, L. M. Effect of the marginal layer on the results of a collar log ---- 178–147
——— On the theory of three-electrode logging probes ---- 178–151
——— Transformation of the curves of profiling ---- 176–124
Alter, Dinsmore. The Alphonsus story ---- 179–29
Alvarez, M. G. de. *See* Chargoy, A.
Ambraseys, N. N. A note on the response of an elastic overburden of varying rigidity to an arbitrary ground motion ---- 178–100
Amirkhanov, Kh. I., Bartnitskiy, Ye. N., Brandt, S. B., and Voytkevich, G. V. On the migration of argon and helium in some rocks and minerals ---- 177–14
Amirkhanov, Kh. I., and Brandt, S. B. Determination of absolute age of rocks by transmutation of potassium-40 into argon-40 ---- 178–14
Amirkhanov, Kh. I., Brandt, S. B., and Bartnitskiy, Ye. N. Determination of the absolute age of potash feldspars by the argon method ---- 176–10
Amirkhanov, Kh. I., Brandt, S. B., Bartnitskiy, Ye. N., and Gasanov, S. A. On the mechanism of loss of radiogenic argons in micas ---- 177–15
Amirkhanov, Kh. I., Magatayev, K. S., and Timofeyeva, G. I. Results of determination of the absolute age of sedimentary rocks of the oil-bearing provinces of Dagestan ---- 179–13
Amstutz, G. C. New sulfur isotope ratios from South American volcanoes ---- 177–266
Ananyan, A. A. Dependence of the electrical conductivity of frozen rocks on saturation ---- 177–142
Anders, Edward, and Limber, D. N. Origin of the Worzel deep-sea ash ---- 178–416
Anderson, A. E. *See* Hill, H. J.
Anderson, G. E. Three-dimensional control ---- 179–379
Andres, Jakob, and Schab, Albert. Seismic mapping of fault zones in the central and northern part of the Upper Rhine Valley graben and their importance for oil accumulation ---- 177–358
Andrews, A. B. *See* Howell, B. F., Jr.
Andreyev, B. A. A correlation between structural relief and gravity anomalies in case of several density discontinuities ---- 177–191
——— Structural-metallogenic zones and gravity anomalies ---- 176–183
Andreyev, N. S., and Andreyeva, K. S. Seismic exploration of bauxite deposits ---- 179–401
Andreyeva, K. S. *See* Andreyev, N. S.
Andryeyev, R. Y. Magnetic anomalies of the Dnepr-Donets basin and their geologic interpretation ---- 177–312
Andryeyeva, P. I. *See* Gurevich, B. L.
Angino, E. E. Pressure effects on thermoluminescence of limestone relative to geologic age ---- 177–22
——— Some effects of pressure on the thermoluminescence of limestone ---- 179–247
Angino, E. E., and Siegel, F. R. The effects of trace elements on natural thermoluminescence ---- 179–248
Angona, F. A. *See* McDonal, F. J.
Anstey, N. A. A note on the seismic pulse recorded from a mine explosion ---- 176–323
——— Why all this interest in the shape of the pulse ---- 176–73
Antsyferov, M. S. Laboratory reproduction of the electro seismic effect of the second type ---- 177–346

Abstract

Aoki, Harumi. *See* Iida, Kumizi
Aranđelović, Dušan. Review of geophysical investigations up to the present in Banat ---- 177–150
Arbolishvili, D. Z. Geothermal regime of some regions of the Georgian S.S.R. ---- 179–244
Arkharov, L. V., and Agamaliyev, G. M. On the relation between the coefficient of porosity and the oil saturation of a stratum and its specific electrical resistance ---- 177–131
Arnold, J. R. *See* Merrill, J. R.
Arnold, Kurt. Comparison between different definitions of the mean earth ellipsoid ---- 178–205
——— On the determination of the gravimetric geoid undulations including the terms of the order of magnitude N_a ---- 176–156
As, J. A., and Zijderveld, J. D. A. Magnetic cleaning of rocks in palaeomagnetic research ---- 176–265
Asada, Toshi. *See* Usami, Tatsuo
Asano, Shuzo. *See* Usami, Tatsuo
Astier, J. L. *See* Mathiez, J. P.
Aswathanarayana, U. Age of the samarskite of Kishengarh, Rajasthan, India ---- 176–16
Aubouin, Jean. Apropos of a centenary: the adventures of the geosyncline concept ---- 179–190
Ault, W. U., and Kulp, J. L. Isotopic geochemistry of sulphur ---- 178–278
Avchyan, G. M. On the determination of the magnetic susceptibility with the astatic magnetometer of Dolginov ---- 176–262
Ayvazov, I. V. *See* Savarenskiy, Ye. F.
Ayzenberg, M. A. Attempt at interpretation of the regional gravity map of the Georgian S.S.R. ---- 177–216

B

Baadsgaard, H. *See* Folinsbee, R. E. and Goldich, S. S.
Babynets', A. Ye. Geothermal features of different regions of the Ukrainian S.S.R. ---- 176–209
Backus, M. M. Water reverberations—their nature and elimination ---- 177–344
Bacon, L. O. Relationship of gravity of geological structure in Michigan's Upper Peninsula ---- 177–207
Bader, Henri. United States polar ice and snow studies in the International Geophysical Year ---- 176–173
Badgley, W. A. *See* Crumpton, C. F.
Bakkelid, Sivert. Gravity observation in a submarine along the Norwegian coast ---- 179–218
Bakker, W. T. *See* Koefoed, O.
Balabushevich, I. A. Solution of the direct and inverse gravimetric problems of vertical gradient for simple form disturbing bodies (part 1) ---- 179–200
Balakrishna, S. Effect of dimensional orientation on ultrasonic velocities in some rocks ---- 179–130
——— Elastic wave velocities in Makrana marbles ---- 179–131
Balandin, P. S. *See* Shreiner, L. A.
Balashov, D. B. *See* Volarovich, M. P.
Balavadze, B. K. On the problem of application of the gravity variometer to underground prospecting ---- 177–218
——— Variometric observations in the southwestern part of Kolkhida, and the results of their interpretation ---- 176–196
Balavadze, B. K., and Tvaltvadze, G. K. The structure of the earth's crust in the Georgian S.S.R. from geophysical data ---- 176–235
Baldwin, R. W. A decade of development in overvoltage surveying ---- 178–117
Ballakh, I. Ya., and Mirchink, M. F. On the possibility of application of seismic surveying for direct prospecting for deposits of oil and gas ---- 178–355
Balsley, J. R., Budding, A. F., and others. Aeromagnetic and geologic maps of New York ---- 179–332
Balsley, J. R., Postel, A. W., and others. Aeromagnetic and geologic map of the Loon Lake quadrangle and part of the Chateaugay quadrangle, Franklin County, New York ---- 179–331
See also Graham, J. W.
Baranov, V. I. Recent data on the determination of the absolute age of the earth ---- 179–3
——— The calculation of magnetic fields by means of gravimetry ---- 176–281

Abstract

Baranov, V. I., and Kunetz, Geza. Calculation of synthetic seismograms with multiple reflections 176–316
——— Distribution of potential in a stratified medium 176–94
Baranov, V. I., and Serdyukova, Z. S. Radiogenic heat 178–248
Baranov, V. I., Surkov, Yu. A., and Vilenskiy, V. D. On displacement in isotopic composition of natural uranium compounds 176–244
Baranovskaya, N. V. *See* Zhirov, K. K.
Barker, Harold. Radiocarbon dating 179–19
Barker, Harold, and Mackey, D. J. British Museum natural radiocarbon measurements I 178–7
Barker, R. A. *See* Ward, S. H.
Barnes, V. E., and Bruce, G. A. Tektites in Georgia 179–42
Barnett, R. H. *See* Vaughn, W. W.
Barrabé, Louis, and Jolivet, J. The recent manifestations of activity on Guadeloupe (Lesser Antilles) 177–386
Barret, W. M. Radoil's approach to porosity-trend mapping 179–149
Barsukov, O. A., Blinova, N. M., Vybornykh, S. F., Gulin, Yu. A., Dakhnov, V. N., Larionov, V. V., and Kholin, A. I. Radioactive methods of investigation of oil and gas wells 178–344
Barsukov, O. M. Changes in preferred direction and average amplitude of short-period variations of telluric currents 176–24
Barta, György. On the secular variation of the level surface of gravity 179–197
——— The wandering of the geomagnetic poles and of the middle point of the earth 179–287
Bartnitskiy, Ye. N. *See* Amirkhanov, Kh. I.
Bascom, Willard. *See* Till, Gordon
Bass, B. L., and Lukert, L. H. Geophysical history of the Fall Creek pool, Sumner County, Kansas 178–383
Båth, Markus. Development of instrumental seismology in Sweden in 1949–1958 179–99
——— Seismic exploration of the earth's crust. Recent developments 176–228
——— Seismic surface-wave dispersion—a world-wide survey 179–258
——— The energies of seismic body waves and surface waves 177–57
——— Ultra-long-period motions from the Alaska earthquake of July 10, 1958 177–69
Bayembitov, F. G., Gulin, Yu. A., and Dyad'kin, I. G. Test of the application of gamma-gamma-logging in Bashkiria 177–337
Bayne, C. K. *See* O'Connor, R. E.
Bayuk, Ye. I. Methods of determining the elastic parameters of specimens of rocks 178–104
Beckmann, W. C., Roberts, A. C., and Luskin, Bernard. Subbottom Depth Recorder 179–384
Beebe, B. W. A case history of the Koelsch Southeast pool, Stafford County, Kansas, a study in microseismics 178–379
Begemann, Friedrich. New determination of the natural terrestrial decay rate of tritium and the question of the origin of "natural" tritium 177–259
Begemann, Friedrich, Eberhardt, Peter, and Hess, D. C. He^3-H^3 radiation age of a stone meteorite 179–272
Behrendt, J. C. *See* Thiel, Edward
Belin, R. E. Radon in the New Zealand geothermal regions 177–322
Belin, R. E., and Steiner, A. Some observations on the radioactivity of Ngauruhoe and White Island lavas 177–321
Belotelov, V. L., Veshnyakov, N. V., and Zhilyayev, I. I. A seismic energometer 179–108
Belousov, V. V. Geological consideration of certain modern geophysical ideas 178–193
——— Some results and prospects of tectonophysical investigations 176–163
——— Tectophysics—a new prospective outlook in geology 179–194
Belyayev, V. S. *See* Polevaya, N. I.
Bencze, Pál. On the further development of the induction logging method 179–168
Bendefy, László. Crustal deformations caused by earthquakes 177–43
Benioff, Hugo. Circum-Pacific tectonics 178–73
——— Fused-quartz extensometer for secular, tidal, and seismic strains 178–87
Benioff, Hugo, Harrison, J. C., La Coste, L., Munk, W. H., and Slichter, L. B. Searching for the earth's free oscillations 178–85
Bennett, B. L. *See* Bromery, R. W.
Benseman, R. F. Estimating the total heat output of natural thermal regions 178–251
——— Subsurface discharge from thermal springs 178–252
——— The calorimetry of steaming ground in thermal areas 176–205

Abstract

Benthaus, Fritz. The rock temperature in the mine workings of the Auguste Victoria Mining Company, Marl ---- 178–257
Bentley, C. R., and Ostenso, N. A. Seismic program on the Marie Byrd Land traverses, 1957–1958 ---- 179–406
See also Ostenso, N. A.
Berbezier, J., Blangy, B., Guitton, J., and Lallemant, C. Methods of car-borne and air-borne prospecting: The technique of radiation prospecting by energy discrimination ---- 178–332
Berdichevskiy, M. N., and Bryunelli, B. Ye. The theoretical prerequisites of magneto-telluric profiling ---- 179–153
Berdichevskiy, M. N., and Zagarmistr, A. M. Problems of interpretation of bilateral electric profiling by dipole arrangements ---- 177–107
Bereza, G. V. *See* Polshkov, M. K.
Berg, E. Volcanic eruption in the Belgian Congo ---- 177–387
Berg, J. W., Jr., and Resler, R. C. Investigation of local earthquakes February 13, 1958, near Wallsburg, Utah ---- 176–29
Berg, J. W., Jr. *See also* McEuen, R. B.
Berishvili, G. P. A study of basic features of geomagnetic storms of sudden commencement ---- 176–254
——— On the question of the study of recurrence of geomagnetic storms ---- 176–255
Berkman, R. Ya. On increasing the precision of geomagnetic measurements by means of saturated core probes ---- 177–275
Berlage, H. P. The basic scheme of any planetary or satellite system corrected and reanalyzed ---- 177–231
Bernasconi, Carlo. On the density variation in the interior of the earth ---- 177–233
Berzon, I. S., Vasil'yev, Yu. P., and Starodubrovskaya, S. P. On refracted waves corresponding to water-bearing sands ---- 177–349
Besrukov, P. L., Zenkevich, N. L., Kanayev, V. F., and Udintsev, G. B. Submarine mountains and volcanoes of the Kurile island ridge ---- 176–356
Bhargava, B. N., and Gopala Rao, U. V. Ionospheric disturbances associated with magnetic storms at Kodaikanal ---- 179–292
Bhattacharji, J. C. An earth model and the reduction of gravity observations for use in Stokes' integral ---- 178–203
Bhattacharyya, B. K. Electromagnetic fields of a transient magnetic dipole on the earth's surface ---- 176–103
Bhattacharyya, T. K. *See* Ganguli, D. K.
Bichan, W. J. Correlation of aeromagnetic data with source mineralogy ---- 178–291
Biggs, W. P. Sonic logging in South Texas ---- 178–387
Bigotte, G. *See* Lecoq, J. J.
Birch, Francis. Interpretation of the seismic structure of the crust in the light of experimental studies of wave velocities in rocks ---- 177–245
Bird, Junius. *See* Broecker, W. S.
Birkenmajer, K. Remarks on the pumice drift, land-uplift and the recent volcanic activity in the Arctic basin ---- 176–172
Birot, Pierre. Structural morphology ---- 178–211
Bişir, D. *See* Socolescu, M. M.
Bisztricsány, Ede. On the determination of earthquake magnitudes ---- 179–65
Bisztricsány, Ede, and Csomor, Dezső. Microseismical evaluation of the earthquake of January 12, 1956, and the crustal structure of the Hungarian Basin ---- 177–45
Blaik, Maurice, Northrop, J., and Clay, C. S. Some seismic profiles onshore and offshore Long Island, New York ---- 176–335
See also Northrop, John
Blangy, B. *See* Berbezier, J.
Blinova, N. M. *See* Barsukov, O. A.
Blitzer, Leon. Earth oblateness in terms of satellite orbital periods ---- 176–158
Blizard, R. B. *See* Kokesh, F. P.
Blokh, I. M. Dipole electric profiling ---- 178–112
Blokh, I. M., and Shemyakin, Ye. A. The construction of graphs of dipole and three-electrode electric profiling in investigations using a rectilinear asymmetrical arrangement of electrodes, BAMN ---- 178–111
Blokh, I. M., Zagarmistr, A. M., and Faradzhev, A. S. The screened electrode method and test of its application in the mapping of coal seams ---- 177–110
Blum, Pierre-Antoine, Jobert, Georges, and Jobert, Nelly. First results obtained by means of inclinometers ---- 177–78
Blundell, D. J., and Read, H. H. Palaeomagnetism of the Younger Gabbros of Aberdeenshire and its bearing on their deformation ---- 177–298

Abstract
Blundun, G. J. Reflection seismograph and Mississippian in Alberta 178–391
——— The Mississippian in the Alberta plains and the reflection seismograph 178–389
Boaga, Giovanni. Comparison between the different types of geometric precise levelling obtained with the gravity values observed at individual points 178–210
Bogdanoff, J. L. *See* Goldberg, J. E.
Bogdanov, A. I., Komarov, S. G., and Fedynskiy, V. V. Geophysical methods of prospecting for oil and gas in the USSR 178–177
Boku, T. *See* Akimoto, Syun-iti.
Boldizsár, Tibor. Geothermal temperature field and the heating up of mine damp 179–240
——— Geothermic investigations in the Hungarian Plain 177–224
——— Results of terrestrial heat flow measurements in Hungary 176–208
Boletin Sismológico del Servicio Geológico Nacional de El Salvador. Report on the installation of a long-period seismograph in the San Salvador Seismological Station 177–75
Bolt, B. A. Seismic travel-times in Australia 178–80
——— Travel-times of PKP up to 145° 179–88
Bonchkovskiy, V. F. Deformations of the earth's surface, heralding and accompanying catastrophic earthquakes 176–57
Bonini, W. E. *See* Thiel, Edward and Woollard, G. P.
Borisov, A. A. Gravity anomalies and the genesis of structures of the Russian platform 179–228
Bornmann, Günther. Principles and evaluation procedures of dynamic foundation seismics 179–388
Borovinskiy, B. A. Experience with application of geophysical methods in the investigation of the structure of Tuyuksu glacier 176–176
Borrego González, Joaquin. *See* Cantos Figuerola, José.
Bosschart, R. A. *See* Törnqvist, Gösta.
Botezatu, Radu. Gravimetric investigations in the region of Fringhieşti-Valea Gardurilor-Pieptănari 179–221
——— Gravity investigations along the valley of the Carierii (Constanta region) 179–226
———Gravity research in the region of North Vrancea 179–223
Bott, M. H. P. The use of electronic digital computors for the evaluation of gravimetric terrain corrections 177–201
Bower, M. E. *See* Garland, G. D.
Bowie, S. H. U., Miller, J. M., Pickup, J., and Williams, D. Airborne radiometric survey of Cornwall 178–339
Boyle, R. W. Some geochemical considerations on lead-isotope dating of lead deposits 178–274
Bragard, Lucien. Methods of determination of the geoid 178–200
——— Research on the geoid 176–154
Bragg, J. G. Saturation geophysical exploration 176–110
Brandt, S. B. *See* Amirkhanov, Kh. I., and Tabulevich, V. N.
Brauch, Wolfgang. On reflected refraction waves 176–320
Brazee, R. J., and Jordan, J. N. Preliminary notes on southeastern Alaska earthquakes 168–33
Breck, H. R. Continuous velocity logging method 178–362
Breusse, J. J., and Huot, G. Hydrological surveys in the Catania area by means of electrical soundings 178–139
Breusse, J. J. and LeMasne, G. Application of geophysics to the Rhone valley hydroelectric development 178–137
Brewer, J. E. Geophysical problems on Pratt Anticline, Pratt County, Kansas 178–380
Brewer, M. C. *See* Lachenbruch, A. H.
Brewer, R. R., Jr. A geophysical case history of the Lindsborg pool, McPherson County, Kansas 178–377
Breyer, Friedrich. Attempts at the geological interpretation of the seismic reflection measurements in the Folded Molasse of Bavaria 176–337
Brinkmann, R., Münnich, K. O., and Vogel, J. C. C^{14} age determination of groundwater 176–8
Brisbin, W. C. *See* Harrison, J. C.
Brockie, D. C. *See* Hambleton, W. W.
Brodie, J. W. Structural significance of sea-floor features around New Zealand 178–422
Broding, R. A. How to cross-check accuracy of velocity and seismic data 179–370
——— Possible causes of velocity mis-ties 178–362
Brodskaya, S. Yu. *See* Grabovskiy, M. A.

Abstract
Broecker, W. S., and Olson, E. A. Lamont radiocarbon measurements VI 178–7
Broecker, W. S., Olson, E. A., and Bird, Junius. Radiocarbon measurements on samples of known age 177–4
Broecker, W. S., and Walton, A. The geochemistry of C^{14} in fresh-water systems 177–254
Broecker, W. S. *See also* Flint, R. F., and Olson, E. A.
Bromery, R. W., Bennett, B. L., and others. Aeromagnetic maps of Pennsylvania 179–335
Bromery, R. W., Henderson, J. R., Jr., Zandle, G. L., and others. Aeromagnetic maps of Pennsylvania 179–336
Bromery, R. W., Henderson, J. R., Jr., Bennett, B. L., and others. Aeromagnetic map of Pennsylvania and New Jersey 179–334
Bromery, R. W., Zandle, G. L., and others. Aeromagnetic maps of Pennsylvania 179–333
Brooks, Lee. *See* Care, J. L.
Brown, A. A. Improved accuracy in porosity determination from the Microlaterlog 178–163
Brown, J. S., and Kulp, J. L. Lead isotopes from Balmat area, New York 178–12
Bruce, G. A. *See* Barnes, V. E.
Bruckshaw, J. M. Prospects of geophysical prospecting 179–176
Brune, J. N., and Oliver, Jack. The seismic noise of the earth's surface 179–81
Brunnschweiler, R. O. Indo-Pacific faunal relations during the Mesozoic 178–217
Bryunelli, B. Ye., Nizyayev, D. A., and Kanonidi, Kh. D. A magnetic field stabilizer 176–252
See also Berdichevskiy, M. N.
Bubleynikov, F. Riddles of the earth 178–198
Bubnoff, S. N. Tectonic phases and the nature of deformation processes of the earth related to its internal dynamics 179–189
Buckens, F. The velocity of Rayleigh waves along a prestressed semi-infinite medium assuming a two-dimensional anisotropy 176–80
Buddington, A. F. *See* Balsley, J. R., and Graham, J. W.
Buhle, M. B. Six case histories of resistivity prospecting in Illinois 178–127
Bukhnikashvili, A. V. Earth currents and their study 177–26
——— Some results of using short-period variations of currents for solution of structural geology problems 177–31
Bulanzhe, Yu. D. Co-vibration of the support in quartz gravimeters with horizontal torsion fibers 177–206
Bulashevich, Yu. P. Magnetic field of a horizontal layer with uneven distribution of magnetic minerals 176–279
——— The equivalence of volumetric and surface radiation 176–304
——— The principle of similarity in model studies of polarization of ore bodies produced by a current 176–99
Bull, C. A gravity survey of a glacier-dammed lake in North Greenland 176–192
Bullard, E. C., Maxwell, A. E., and Revelle, Roger. Heat flow through the deep sea floor 176–207
Bullen, K. E. Aspects of research on the earth's interior, with special reference to seismology 176–218
——— Geophysics in Russia and China 178–194
——— Solidity of the inner core 177–235
See also Burke-Gaffney, T. N.
Bülow, Kurd von. Meteorite or volcanic origin of the moon craters? 179–27
Bunce, E. T. *See* Hersey, J. B.
Bune, V. I. On the use of the method of Golitsyn for the approximate estimation of the energy of near earthquakes 178–65
Bune, V.I., and Konkov, A. A. Experience with the use of mechanical seismographs SMR–II for the purpose of estimating the size of seismic danger zones in large-scale explosions 177–103
See also Kukhtikova, T. I.
Bunker, C. M., and Hamontre, H. C. A comparison among caliper-log, gamma-ray-log, and other diamond-drill-hole data 177–331
See also Roberts, A. E.
Bureau, J. L. Diurnal and annual variations of standardized amplitudes of sudden commencements of magnetic storms at Tamanrasset 179–297
Burger, A. J. *See* de Villiers, J. W. L.
Burke-Gaffney, T. N., and Bullen, K. E. On the seismological aspects of the 1954 hydrogen bomb explosions 176–93
Burkser, E. S. How the age of rocks and of the earth are determined 178–2
Burov, B. M., Darvoyd, G. N., and Kron, F. Ts. Method of neutron-neutron logging for study of the geologic section of wells 178–350

Abstract

Burwash, R. A. Age of the Alberta Precambrian basement 176–12
See also Garland, G. D.
Butakov, G. P. Electrical logging in the prospecting and exploration of drill holes in the Irkutsk coal basin 176–129
Byerly, Perry. Subcontinental structure in the light of seismological evidence 176–229
Byerly, Perry, and De Noyer, John. Energy in earthquakes as computed from geodetic observations 177–56
Byerly, Perry, and Stauder, W. V. Motion at the source of an earthquake 178–67
———The mechanism at the focus of an earthquake 177–59
Byerly, Perry. *See also* Stauder, W. V.
Byerly, P. E. *See* Joesting, H. R.
Bykov, R. I. *See* Kazakov, M. P.
Bystritskiy, A. A., and Kukovyakin, A. A. Experience in the use of geophysical methods in exploration of deposits of limestone 179–159

C

Caloi, Pietro. About some phenomena preceding and following the seismic movements in the zone characterized by high seismicity 177–63
Caloi, Pietro. The earth's crust, from the Apennines to the Atlantic, reconstructed on the basis of seismic surveys 177–251
Campbell, J. H. *See* Hapgood, C. H.
Campbell, J. L. P., and Wilson, J. C. Density logging in the Gulf Coast area 176–310
Campbell, W. H. Studies of magnetic field micropulsations with periods of 5–30 seconds 179–310
Campbell, W. H., and Nebel, B. Micropulsation measurements in California and Alaska 179–309
Canada Geological Survey. Aeromagnetic maps of Manitoba 179–338
——— Aeromagnetic maps of Northwest Territory 179–339
——— Aeromagnetic maps of the Province of New Brunswick 179–337
Canadian Geophysical Bulletin. Annual report of the Associate Committee on Geodesy and Geophysics, National Research Council of Canada 178–169
Canadian Oil and Gas Industries. New for the explorer 176–152
Canadian Well Logging Society. Logging techniques 179–181
Cantone, B., Pappalardo, G., and Ricamo, R. Air radioactivity in Catania 177–325
Cantos Figuerola, José. Geophysics and petroleum 177–149
Cantos Figuerola, José, Borrego González, Jaoquin, and Gea, Rufino. Electrical and magnetic investigation on the Valduengo dam, at Jerez de los Caballeros (Badajoz) 176–111
Capron, P. *See* Pée, W. Van.
Carder, D. S., and Eppley, R. A. The microseismic program of the U.S. Navy—A terminal report 179–349
Care, J. L., Brooks, Lee, and Wallace, C. H. Geophysical case history of the Engel pool 178–378
Carey, S. W. Continental drift. A symposium 178–217
———The tectonic approach to continental drift 178–217
Carmichael, C. M. Remanent magnetism of the Allard Lake ilmenites 177–295
Carroll, Dorothy. Zircon from a bentonite bed in Martinsburg shale (Ordovician) at Fisher's Hill, Virginia 176–17
Carstoiu, John. Induced electromagnetic fields in the earth 176–21
Cartier, W. O. *See* Ward, S. H.
Cashion, Kendall. *See* Jopling, D. W.
Cassinis, Roberto. A practical criterion for converting between apparent resistivity diagrams obtained with different arrangements 177–111
——— Geophysical exploration of sulphur limestone in Sicily (Italy) 178–394
——— Geophysical studies in the Straits of Messina 179–398
Caterpillar Tractor Company News Service Staff. How exploration can collaborate with pipe line construction 179–389
Cattala, Louis. *See* Roche, Alexandre.
Celmiņš, Aivars. Comments on "Interrelations between magnetic anomaly components" 178–300
Chakraborty, S. K. On disturbances produced by a time-periodic twist on the surface of a spheroidal cavity 176–68
Chalov, P. I. The U^{234}/U^{238} isotope ratio in some secondary minerals 179–283
Chang, Y. H. *See* Kim, C. S.

Abstract

Chanturishvili, L. S. The quantitative evaluation of the terrain effect for some cases of electric prospecting 176–96
Chanturishvili, L. S., and Varazashvili, G. S. Use of electrical prospecting in the studies of the causes of swamping 176–112
Chargoy, A., and Alvarez, M. G. de. Analysis of models which describe the geomagnetic field to 1955 176–253
Charles, W. W. *See* White, R. J.
Charygin, M. M. *See* Kazakov, M. P.
Chekin, B. S. The reflection and refraction of siesmic waves on a weak discontinuity 177–83
Chereau, J. Y., and Ledoux, Y. Theoretical and practical aspects of the determination of interval velocities in seismic reflection 177–339
Chernyak, G. Ya. *See* Aksel'rod, S. M.
Chernyayeva, V. G. *See* Afonin, V. I.
Cherry, R. D., and Taylor, S. R. Origin of Be^{10} and Al^{26} in tektites 179–39
Chetayev, D. N. The inverse problem of the theory of electrical prospecting of nonconducting strata cropping out at the surface 177–106
Chkhenkeli, Sh. M. Interpretation of certain types of emanation anomalies 176–306
Chkhenkeli, Sh. M., and Tsitsishvili, D. A. Application of electric prospecting to the solution of some problems in engineering geology 176–113
See also Chkhetiya, M. A.
Chkhetiya, M. A., and Chkhenkeli, Sh. M. Radioactivity of mineral waters at Tbilisi 176–299
Chow, T. J., and Patterson, C. C. Lead isotopes in manganese nodules 179–276
Chowdhury, D. E. *See* Roy, A.
Christie, J. M. *See* McIntyre, D. B.
Chupakhin, M. S. *See* Komlev, L. V., and Petrovskaya, N. V.
Churayan, A. L. *See* Dzhabna, Sh. A.
Churchill, D. M. Late Quaternary eustatic changes in the Swan River district 179–21
Clay, C. S. *See* Blaik, Maurice.
Clayton, R. N. Oxygen isotope fractionation in the system calcium carbonate-water 177–261
Clayton, R. N., and Degens, E. T. Use of carbon isostope analyses of carbonates for differentiating fresh-water and marine sediments 177–255
Clifford, O. C., Jr. A hard look at our profession: oil finding 176–145
——— The revolution in petroleum exploration, 1955 176–144
Coats, R. R. A geologic reconnaissance of Gareloi Island, Aleutian Islands, Alaska 178–426
Cobb, J. C. *See* Kulp, J. L.
Cohen, A. J. Moldavites and similar tektites from Georgia, U.S.A. 179–43
——— Origin of Libyan Desert silica-glass 179–45
Collin, C. R., Sanselme, H., and Huot, G. An example of the use of geophysical methods in metalliferous mining—the Ésarpière uranium mine (Vendée-France) 178–172
Collinson, D. W. Rock magnetism 177–288
Coloma Pérez, Antonio. Analytical questions relative to seismic prospecting 176–313
——— On the reflected wave relative to three media 177–82
Colombo, U., Salinbeni, G., Sironi, G., and Veneziani, I. Differential electric log 177–133
Comité del Año Geofísico International del Ecuador. Brief history of the principal earthquakes in the Republic of Ecuador 179–50
Constantinescu, Liviu. Comparability of the normal values of the geomagnetic elements furnished for the Carpathian Basin by the Hungarian and Rumanian formulas 177–277
Cook, J. C. Some unorthodox petroleum exploration methods 176–146
Cook, K. L. *See* McEuen, R. B.
Coombs, D. S., and Hatherton, T. Palaeomagnetic studies of Cenozoic volcanic rocks in New Zealand 179–323
Cooper, L. R., and Jones, C. The determination of virgin strata temperatures from observations in deep survey boreholes 178–259
Coppens, René. *See* Roubault, Marcel.
Coron, Suzanne. Large variations of gravity in the region of the western Alps 178–242
See also Lejay, Pierre.
Corvin-Papiu, V., Savu, H., Romanescu, D., and Pîrvu, Livia. Correlation between the geologic structure and the magnetic anomalies of the axial zone of the Drocea massiv (Apuseni Mountain) 179–344

Abstract

Corwin, Gilbert, and Foster, H. L. The 1957 explosive eruption on Iwo Jima, Volcano Islands ---- 177–389
Couteight, H. *See* Guizonnier, R.
Craig, B. G. Pingo in the Thelon valley, northwest Territories; radiocarbon age and historical significance of the contained organic material ---- 177–7
Craig, Harmon. Distribution, production rate, and possible solar origin of natural tritium ---- 177–258
Crane, H. R., and Griffin, J. B. University of Michigan radiocarbon dates IV ---- 178–7
Creager, J. S. A canyon-like feature in the Bay of Campeche ---- 176–354
Creer, K. M. Preliminary palaeomagnetic measurements from South America ---- 179–321
Creer, K. M., Irving, E., Nairn, A. E. M., and Runcorn, S. K. Palaeomagnetic results from different continents and their relation to the problem of continental drift ---- 176–273
Crenn, Yvonne, Metzger, Joseph, and Richenmann, Julien. Relationships of the gravimetric map of the center of French West Africa with the major geologic units ---- 176–193
Crèvecoeur, E. *See* Pée, W. Van.
Crumpton, C. F., and Badgley, W. A. Utilization of earth-resistivity measurements by the State Highway Commission of Kansas ---- 178–128
Csomor, Dezsö, and Kiss, Zoltán. The seismicity of Hungary ---- 177–44
See also Bisztriczány, E.
Cunietti, Mariana, and Inghilleri, Giuseppe. Experimental study of the effect of temperature on the drift of Worden gravimeters ---- 176–186
Curien, H. *See* Allais, G.
Curtis, G. H. *See* Evernden, J. F.
Cuttitta, Frank. *See* Walker, E. C.
Czubek, J., and Juber, A. Remarks on the subject of quantitative interpretation of gamma logging curves ---- 178–347

D

Dąbrowski, Adam. The structure of the deep underground of western Poland according to data of geophysical investigations ---- 179–341
Dakhnov, V. N. Forthcoming problems of geophysical methods of investigation of sections of wells ---- 178–197
Dakhnov, V. N. Geophysical well logging ---- 178–145
——— Some problems of the study of the lithology of rocks constituting the sections of wells according to data of the potentials of self-polarization ---- 178–157
See also Barsukov, O. A.
Daly, Lucien. On magnetic anisotropy in deformed rocks, and the nature of their natural remanent magnetization ---- 177–293
Damnjanović, Konstantin. *See* Grujić, Nikola, and Milanović, Božidar.
Damon, P. E. *See* Flint, R. F.
Danilevich, S. I. *See* Komlev, L. V.
Darvoyd, G. N. *See* Burov, B. M.
Das, S. C. On the general plane problem of plasticity and its geophysical significance ---- 176–345
Das Gupta, S. C. On coda waves of earthquakes ---- 179–112
——— On microseisms produced on the surface of the earth due to passage of storm over the deep sea ---- 179–347
Dauvillier, Aléxandre. Lunar and terrestrial volcanism, origin of the continents, oceans and atmospheres, geothermal energy ---- 176–357
Davidson, C. F. How old is the Cambrian system? ---- 179–1
Davydova, N. I. On the dependence of the dynamic characteristics of longitudinal head waves, produced in thin layers, on the velocity contrast between the layers ---- 176–76
Dawson, E. *See* Whitham, Kenneth.
Day, A. A. Gravity anomalies in the Channel Islands ---- 177–209
——— The continental margin between Brittany and Ireland ---- 178–419
Dayev, D. S. Modeling of some problems of high frequency electrical exploration ---- 176–107
——— Processing and interpretation of data of radiowave transmission ---- 179–150
de Bremaecker, J. Cl. Seismicity of the West African Rift Valley ---- 179–53
Deevey, E. S., Gralenski, L. J., and Hoffren, Väinö. Yale natural radiocarbon measurements IV ---- 178–7
See also Flint, R. F.

Abstract

Degens, E. T. The O^{18}/O^{16} ratio in the primordial ocean and the geochemical exchange of matter ---- 177–262
See also Clayton, R. N.
de Graaff-Hunter, James. Report of Study Group No. 8 ---- 178–202
——— Tactics of progressive geodesy ---- 176–153
Delitsin, I. S., and Rozanov, Yu. A. Experimental data on the obtaining of plastic deformation in quartzite ---- 178–414
Demetrescu, Gheorghe. On determination of thicknesses of the earth's crustal strata ---- 178–265
De Noyer, John. Crustal structure of the North Pacific from Love-wave dispersion ---- 179–264
——— Determination of the energy in body and surface waves (Part 2) ---- 176–50
See also Byerly, Perry
Desbrandes, R., Reverdy, X., and Lagarde, A. Contribution to the study of the velocity of seismic waves ---- 177–96
Deutsch, E. R. Recent paleomagnetic evidence for the northward movement of India ---- 176–277
——— The value of rock magnetism to the earth sciences ---- 176–272
Deutsch, E. R., Radakrishnamurty, C., and Sahasrabudhe, P. W. Paleomagnetism of the Deccan Traps ---- 177–303
Deutsch, Sarah Application of the quantitative study of pleochroic haloes to estimation of the age of rocks ---- 179–23
Deutsch, Sarah, and Longinelli, A. Age of the pleochroic haloes of some Tertiary granites from Tuscany ---- 176–19
Deutsch, Sarah, Niggli, Ernst, and Picciotto, E. E. Preliminary study of the pleochroic haloes of some metamorphic and igneous rocks of the St. Gotthard ---- 178–23
Deutsch, Sarah, Picciotto, E. E., and Houtermans, F. G. Alpha radioactivity of iron meteorites (second letter) ---- 178–321
de Villiers, J. W. L., Burger, A. J., and Nicolaysen, L. O. The interpretation of age measurements on the Witwatersrand uraninite ---- 178–13
de Vries, A. E., and Haring, A. An improvement on age determination by the carbon-14 method ---- 178–5
de Vries, H. *See* Tauber, Henrik.
de Witte, Leendert, and Gould R. W. Potential distribution due to a cylindrical electrode mounted on an insulating probe ---- 178–146
Deynega, S. A. *See* Melamud, A. Ya.
Dicke, R. H. Dirac's cosmology and the dating of meteorites ---- 176–4
——— Gravitation—an enigma ---- 176–179
——— New research on old gravitation ---- 176–180
Die Umschau. Volcanic eruptions on the moon ---- 177–372
Dietz, F. T. *See* Hersey, J. B.
Dietz, R. S. Shatter cones in cryptoexplosion structures (Meteorite impact?) ---- 179–34
Dimitrov, L. V. A graphic method of the evaluation of the second vertical derivative of the gravity potential ---- 179–203
Djordjović, V. *See* Ristić, V.
Diabac, Mikuláš. Positive kicks in the self-potential (SP) curve of electrical logging corresponding to stratigraphic hiatuses in the Miocene of the Inner Alpine Vienna Basin ---- 176–128
Dmitriyev, V. I. The effect of heterogeneities of the ground on the field of a rectilinear cable of infinite length ---- 179–145
Dobrin, M. B. Seismic prospecting ---- 176–330
Dobrynin, V. M. Elements of the theory of the potential field of induced polarization in wells ---- 178–154
See also Latyshova, M. G.
Doh, C. A., and Tixier, M. P. A new log: the induction-electrical log combination ---- 176–122
See also Tixier, M. P.
Dolbear, D. W. N. Design considerations of a bore-hole gravimeter ---- 178–228
Dolbikina, N. A. *See* Monakhov, F. I.
Dolezal, Erich. An active moon volcano? ---- 177–371
Donaldson, I. G. Temperature errors introduced by temperature-measuring probes ---- 178–253
Dorman, F. H., and Gill, E. D. Oxygen isotope paleotemperature determinations of Australian Cainozoic fossils ---- 179–280

Abstract

Dorman, James. Numerical solutions for Love wave dispersion on a half-space with double surface layer ---- 176–79
See also Oliver, Jack.
Droste, Zofia, Gibowicz, Sławomir, and Hordejuk, Jósef. Analysis of first motions of seismic waves on seismograms ---- 179–100
Droste, Zofia, and Gibowicz, Sławomir. Determination of the magnitude of distant earthquakes at the Silesian geophysical station in Racibórz ---- 176–51
DuBois, P. M. Late Tertiary geomagnetic field in northwestern Canada ---- 177–291
——— Palaeomagnetism and continental drift ---- 178–293
——— Palaeomagnetism and geological correlation ---- 176–274
——— Palaeomagnetism and rotation of Newfoundland ---- 179–320
Ducrot, Marcel. The volcano of Réunion (period 1952–1957) ---- 176–368
Dué Rojo, Antonio. Seismic notes of 1957 ---- 179–47
Duffus, H. J., Shand, J. A., Wright, C. S., and Nasmyth, P. W. Geographical variations in geomagnetic micropulsations ---- 177–286
Duffus, H. J., Shand, J. A., and Wright, C. S. Possible causes of geomagnetic fluctuations having a 6-sec period ---- 177–285
Duke, C. M., and Leeds, D. J. Soil conditions and damage in the Mexico earthquake of July 28, 1957 ---- 177–40
Dunoyer de Segonzac, P., and Laherrere, J. Application of the continuous velocity log to anisotropy measurements in northern Sahara; results and consequences ---- 178–393
Dutra, C. V. *See* Herz, Norman.
Duwalo, George, and Jacobs, J. A. Effects of a liquid core on the propagation of seismic waves ---- 176–69
Dyad'kin, I. G. *See* Bayembitov, F. G.
D'yakonov, D. I. Geothermal measurements in petroleum geology ---- 176–203
D'yakov, B. F. Outline of the tectonic structure and the oil prospects of the Mangyshlak Peninsula ---- 178–404
Dzhabna, Sh. A., Kats, A. Z., Safaryan, A. N., Tskhakaya, A. D., and Churayan, A. L. The earthquake of Dec. 21–27, 1955 in Krasnaya Polyana and its consequences ---- 176–37
Dzhibladze, E. A. Earthquakes of the Greater Caucasus ---- 176–34

E

Eaton, J. P. A portable water-tube tiltmeter ---- 179–412
Eaton, J. P., and Fraser, G. D. Hawaiian Volcano Observatory Summary 10 ---- 176–361
Eaton, J. P., and Krivoy, H. L. Hawaiian Volcano Observatory Summary 11, July–September 1958 ---- 179–413
Eaton, J. P., and Takasaki, K. J. Seismological interpretation of earthquake-induced water-level fluctuations in wells ---- 178–50
Eberhardt, P. *See* Begemann, F.
Eckelmann, F. D. *See* Long, L. E.
Eckels, Ann. *See* Lecar, Myron, and O'Keefe, J. A.
Edwards, G. *See* Goldich, S. S.
Egyed, László. On the origin of terrestrial heat flow ---- 179–238
——— Shrinking, expansion, or magmatic currents? ---- 178–215
——— The change in the dimensions of the earth on the basis of paleogeographic data and its geodetic consequences ---- 177–178
Ehara, Shingo. Geotectonics of the Pacific concerning the Japanese Islands, Part 1: The Fossa Magna, the Shichito and the Ogasawara salients. Part 2: Geotectonics of Shikoku in reference to the Nankai Trench and the Nankaido earthquake. Part 3: Geotectonics of the Kurile Islands with reference to Hokkaido. Part 4: Geotectonics of Kitakami Mountain land in reference to the Japan Sea movement. Part 5: Geotectonics of northeastern Honshu, Hokkaido, and the Chisima Islands with reference to the Nippon Trench and the Chisima deep-earthquake zone ---- 176–169
Ehara, Shingo. Geotectonics of the Pacific with reference to southwestern Japan, Part 2: Geotectonics of the Kii Peninsula in connection with the subjacent igneous mass, occupying the greater part of it. Part 3: Geotectonics of central Honshu, the Transverse Rift (Itiogawa-Nirazaki-Sagaminada-Shichito deep line) and the principal deep earthquake zone. Geotectonics of the Pacific concerning the Asiatic-Austral continental islands. Geotectonics of the Yap-Palau echelon brought about by the Pacific movement. Geotectonic movements in the Pacific, under way since the beginning of the Miocene. Geotectonics of the Pacific concerning southern China ---- 176–169

Abstract

Ehara, Shingo, and Sawara, Shuniji. Geotectonics of the Pacific with reference to southwestern Japan, Part 1: Distribution of the two tectonic regions in Shikoku, manifesting the Pacific and the Japan Sea movement 176–169
Ehmann, W. D., and Huizenga, J. R. Bismuth, thallium and mercury in stone meteorites by activation analysis 179–33
Ehrenberg, H., Horlitz, G., and Geiss, Johannes. Relationships between the model age of the lead, the trace element content of the galena, and the geologic history of some lead ore deposits of West Germany 177–260
Eiby, G. A. A survey of the tektite problem 179–37
——— The structure of New Zealand from seismic evidence 178–268
Elmendorf, C. H., and Heezen, B. C. Oceanography and submarine cable networks 177–379
Elsasser, W. M., and Munk, Walter. Geomagnetic drift and the rotation of the earth 177–271
See also Urey, H. C.
Enescu, Dumitru. A contribution to the problem of the mechanism and energy of compound seismic sources 179–76
——— The solution of the Wiechert-Hergoltz problem for the case of plane earth and horizontal stratification 178–94
Enescu, Dumitru, and Radu, C. Structure of the earth's crust in the region of Bucharest 178–266
Engineering and Mining Journal. Two planes speed aerial EM work 178–126
Eppley, R. A. *See* Carder, D. S., and Heck, N. H.
Epstein, Samuel. *See* Sharp, R. P.
Eric, J. H. *See* Klemic, Harry.
Ericson, D. B. *See* Ewing, Maurice.
Esteban Carrasco, Luis. On the determination of the focus of a near earthquake by the method of Martin Romero 178–57
——— Perfection of Caloi's method for the location of near earthquakes 178–56
Evans, J. F. Seismic model experiments with shear waves 176–86
Evans, J. W. Insect distribution and continental drift 178–217
Evans, P. R., and Freeman, N. J. The branching ratio of thorium C 177–315
Evernden, J. F., Curtis, G. H., and Kistler, R. Potassium-argon dating pleistocene volcanics 176–11
Evison, F. F., Ingham, C. E., and Orr, R. H. Thickness of the earth's crust in Antarctica 176–238
Ewijk, J. G. van. *See* Koefoed, O.
Ewing, John, and Ewing, Maurice. Seismic-refraction measurements in the Atlantic Ocean basins, in the Mediterranean Sea, on the Mid-Atlantic Ridge, and in the Norwegian Sea 176–234
Ewing, Maurice. The crust and mantle of the earth 176–227
Ewing, Maurice, Heezen, B. C., and Ericson, D. B. Significance of the Worzel deep sea ash 177–376
Ewing, Maurice, and Press, Frank. Determination of crustal structure from phase velocity of Rayleigh waves. Part 3: The United States 176–230
See also Ewing, John, Heezen, B. C., and Landisman, M.
Eygenson, M. S. Solar activity, geodynamics, and geotectonics 179–191
Ezdrin, M. B. *See* Yengurazov, I. I.
Ezoe, T. *See* Kiyono, Takeshi.

F

Fajklewicz, Zbigniew. On a Cracovian method of determining the regional gravity field 176–181
——— The use of Cracovian computation in estimating the regional gravity 178–224
Fakidov, I. G. *See* Verbovenko, P. K.
Fanselau, Gerhard, and Kautzleben, H. The analytical representation of the geomagnetic field 177–276
Faradzhev, A. S. *See* Blokh, I. M.
Fatt, I. Pore volume compressibilities of sandstone reservoir rocks 176–87
Faul, Henry. *See* Vaughn, W. W.
Favre, B. Course in geophysics 176–141
Fedoseyenko, N. Ye. *See* Pasechnik, I. P.
Fedynskiy, V. V. Geophysical investigations in marine geology 178–415
——— Geophysical methods of exploration and prospecting of oil and gas fields in the sixth five-year plan 178–178
——— On the development of instruments for gravimetric measurements in motion 177–203
See also Bogdanov, A. I.

Abstract

Fenton, H. J. Projected sections for areas of steep dip 179–379
Fergusson, G. J., and Rafter, T. A. New Zealand C^{14} age measurements-4 177–3
Ferrara, G., Reinharz, M., and Tongiorgi, E. Carbon-14 dating in Pisa 178–7
Figueroa Abarca, Jesús. The macro-earthquake of July 28, 1957 176–31
Filippov, M. S. *See* Komlev, L. V.
Filippov, Ye. M. An investigation of the spectrum of scattered γ-radiation of rocks of different mineralogical composition and different density 178–346
——— On the theory of gamma-gamma logging (GGK) 177–332
Fireman, E. L. *See* Whipple, F. L.
Fischer, A. G. *See* Hargraves, R. B.
Fischer, Irene. A tentative World Datum from geoidal heights based on the Hough ellipsoid and the Columbus Geoid 176–157
——— The impact of the ice age on the present form of the geoid 176–161
Fisher, N. H. Report of the sub-committee on vulcanology 1954–56 179–419
Flathe, H. Geoelectrical investigations on clay deposits in western Germany 178–135
——— Possibilities and limitations in applying geoelectrical methods to hydrogeological problems in the coastal areas of northwest Germany 178–136
Fleischer, Ulrich. Characteristic magnetic bay disturbances in central Europe and their internal part 176–22
Flint, R. F., and Deevey, E. S. Radiocarbon supplement 178–7
Flint, R. F., and Gale, W. A. Stratigraphy and radiocarbon dates at Searles Lake, California 176–6
Flock, D. L., and Kennedy, H. T. Drilling mud filtration and its effects on the electrical resistivity of porous media 179–162
Florensov, N. A. A catastrophic earthquake in the Gobi-Altay 177–52
See also Puchkov, S. V., and Solonenko, V. P.
Florinescu, A. Regions of Rumania having earthquake foci 179–52
Folinsbee, R. E., and Baadsgaard, H. An absolute age for the Exshaw shale 178–17
Fonselius, Stig, and Östlund, Göte. Natural radiocarbon measurements on surface water from the North Atlantic and the Arctic Sea 177–256
Förtsch, Otto, and Vidal, H. Seismoglaciologic studies on a glacier spot (Brandner glacier in the Rätikon) 176–175
Foster, H. L. *See* Corwin, Gilbert.
Fotiadi, E. E. Geology of the Russian platform from the data of regional geophysical investigations and basic drilling 178–179
——— The geologic structure of the Russian platform according to the results of regional geophysical investigations as well as the data of exploratory drilling 177–152
Franks, Curtis, and White, Bill. More from your dip-log surveys 179–184
Fraser, G. D. *See* Eaton, J. P.
Frasseto, Roberto. *See* Northrop, John.
Fredricks, R. W. Solution of a pair of integral equations from elastostatics 176–70
Freeman, N. J. *See* Evans, P. R.
Fremlin, J. H. Sub-surface temperature on the moon 177–370
——— Volcanoes on the moon 177–369
Frenkel, V. S. *See* Nazarenko, O. V.
Friedl, Karl, and Kántás, Karl. Geophysical results in Austria with special regard to telluric measurements 179–152
Friedman, Irving, and Smith, R. L. The deuterium content of water in some volcanic glasses 176–241
Fritsch, Volker. On the problem of the geoelectric lightning risk 176–134
——— The effect of geoelectric inhomogeneity of the ground on lightning risk 177–143
Frøshaug, J. Two experimental investigations on the reliability of the QHM magnetometer for measuring the geomagnetic horizontal force 177–274
Frost, D. V. *See* Nairn, A. E. M.
Fursov, V. Z. *See* Solovov, A. P.

G

Gagel'gants, A. A., Gal'perin, Ye. I., and Kosminskaya, I. P., and Krakshina, P. M. Structure of the earth's crust in the central part of the Caspian Sea according to the data of deep seismic sounding 179–262
Gaither, V. U. Index of wells shot for velocity (seventh supplement) 176–327
Gakkel', Ya. Ya. Signs of contemporary underwater volcanism on Lomonosov's Ridge 176–362
Galaktionov, A. B. *See* Nevolin, N. V.
Galanopoulos, A. G. Macroseismic evidence for the fault plane 179–77
——— Macroseismic propagation along the strike of folds and its significance for the determination of the shear plane 176–55

Abstract

Gale, W. A. *See* Flint, R. F.
Gal'perin, Ye. I., and Kosminskaya, I. P. Features of the methods of deep seismic profiling at sea ---- 176–341
See also Gagel'gants, A. A.
Gamburtsev, G. A. The principles of seismic exploration ---- 178–354
Gamkrelidze, P. D. Geology of the Georgia S.S.R. and application of methods for determination of absolute age ---- 179–8
Gangi, A. F. *See* Knopoff, Leon.
Ganguli, D. K., and Bhattacharyya, T. K. Some studies on susceptibility of ilmenite ---- 179–314
García Siñeriz, José. Modern methods for the investigation of petroleum ---- 177–157
Garkalenko, I. O. On the use of gamma-gamma logging in the western sector of the Donets basin ---- 177–336
Garland, G. D. Current research in geophysics in Canada ---- 177–145
Garland, G. D., and Bower, M. E. Aeromagnetic anomalies in northeastern Alberta ---- 178–308
Garland, G. D., and Burwash, R. A. Geophysical and petrological study of Precambrian of central Alberta, Canada ---- 177–208
Garland, G. D., and Tanner, J. G. Investigations of gravity and isostasy in the southern Canadian Cordillera ---- 178–239
See also Thompson, L. G. D.
Gasanov, S. A. *See* Amirkhanov, Kh. I.
Gassmann, Fritz. Elastic multiplet waves in a medium consisting of homogeneous isotropic plane parallel layers ---- 179–111
Gayskiy, V. N. *See* Kukhtikova, T. I.
Gdalevskaya, Ts. M. *See* Gurevich, B. L.
Gea, Rufino. *See* Cantos Figuerola, *José*
Geiss, Johannes. See Ehrenberg, H.
Gel'bukh, L. A. Computation of the equilibrium field produced by the induced polarization of bodies having the shape of an elongated and an oblate spheroid ---- 177–116
Gentner, W., and Zähringer, J. Potassium-argon age of some tektites ---- 179–17
Geophysical Prospecting. Changes of shape of seismic pulses ---- 177–92
Georgalas, G. C. The eruption of the Santorin volcano in 1939–1941. The eruptions of the Smith and Reck domes and of the Twin Crater (Fourth preliminary communication) ---- 179–417
Georgescu, M. *See* Socolescu, M. M.
Gerard, V. B. The propagation of world-wide sudden commencements of magnetic storms ---- 177–279
Gerling, E. K. The effect of metamorphism on the results of age determination by the lead method ---- 177–9
Gerling, E. K., Levskiy, L. K., and Afanas'yeva, L. I. On the discovery of A^{38} in minerals containing potassium ---- 177–253
Gerling, E. K., and Levskiy, L. K. Products of cosmic radiation in the Sikhote-Alin meteorite ---- 179–269
Gerling, E. K., and Polkanov, A. A. The problem of the absolute age of the Precambrian of the Baltic Shield ---- 177–12
German, Rüdiger. The significance of the carbon-14 method in glacial period research ---- 177–6
Gèze, Bernard. Geologic excursion to Martinique and Guadeloupe ---- 177–385
——— The active volcanoes of Tibesti: annex to the active volcanoes of Africa and the Red Sea ---- 176–367
Gfeller, C. *See* Flint, R. F.
Gianella, V. P. *See* Slemmons, D. B.
Gibowicz, Sławomir. *See* Droste, Zofia.
Gik, L. D. *See* Karandyeyev, K. B.
Gilbert, Freeman. *See* Knopoff, Leon.
Gilbert, R. E. Notes on geophysical work at Marysvale, Utah ---- 179–155
Gilić, Andro. The geographical location of a distant earthquake ---- 178–59
Gill, E. D. Australian Lower Devonian palaeobiology in relation to the concept of continental drift ---- 178–217
See also Dorman, F. H.
Girdler, R. W. Possible reversals of the earth's magnetic field in the Jurassic period ---- 179–319
Gladkiy, K. V. Calculation of the correction for zero point drift in observations with a gravimeter ---- 179–209

Abstract

Glanville, C. R. Laboratory study indicates significant effect of pressure on resistivity of reservoir rock ---- 177–129
Glivenko, Ye. V. The determination of a measured value in seismic problems by excess observations ---- 179–64
——— The evaluation of the precision of the determination of foci of earthquakes ---- 178–62
Glover, R. H. Techniques used in interpreting seismic data in Kansas ---- 178–376
Godin, Yu. N. Regional geophysical investigations ---- 178–190
Godwin, H., and Willis, E. H. Cambridge University natural radiocarbon measurements I ---- 178–7
Goel, P. S., Narasappaya, N., Prabhakara, C., Thor, Rama, and Zutshi, P.K. Study of cosmic ray produced short-lived P^{32}, P^{33}, Be^{7}, and S^{35} in tropical latitudes ---- 177–264
Goguel, Jean. Isostasy and geology ---- 177–188
Gold, L. W. *See* Pearce, D. C.
Goldberg, E. D. *See* Tatsumoto, Mitsunobu
Goldberg, J. E., Bogdanoff, J. L., and Moh, Z. L. Forced vibration and natural frequencies of tall building frames ---- 176–45
Goldich, S. S., Baadsgaard, H., Edwards, G., and Weaver, C. E. Investigations in radioactivity-dating of sediments ---- 177–17
Gondouin, M., and Scala, C. Streaming potential and the SP log ---- 176–121
Goodier, J. N. The mathematical theory of elasticity ---- 178–89
Goodspeed, M. J. *See* Mather, K. B.
Gopala Rao, U. V. *See* Bhargava, B. N.
Gorshkov, G. P. Concerning a map of seismic regionalization of the territory of China ---- 177–53
——— On seismic regionalization ---- 177–47
Gorshkov, G. P., and Shenkareva, G. A. The correlation of seismic scales ---- 179–63
Gorshkov, G. S. Active volcanoes of the Kurile island arc ---- 176–373
——— An unusual eruption in Kamchatka ---- 176–372
——— Catalogue of the active volcanoes of the world including solfatara fields: Part 7, Kurile Islands ---- 178–437
——— Gigantic eruption of the Volcano Bezymyanny ---- 178–434
——— On some theoretical problems of volcanology ---- 177–380
——— Some questions of the theory of volcanology ---- 176–359
Gorskiy, Ya. Ya. Portable γ-logging radiometer PGKR–57 ---- 178–352
Gottfried, David. *See* Larsen, E. S.
Gough, D. I., and Niekerk, C. B. van. A study of the plaeomagnetism of the Bushveld gabbro ---- 176–276
Gouin, Pierre. An electronic seismic tranducer for visual recording ---- 177–72
Gould, R. W. *See* de Witte, Leendert.
Grabovskiy, M. A., and Brodskaya, S. Yu. Normal magnetization and thermomagnetization of anisotropic rocks ---- 176–267
Graham, J. W. Reverse-wetting logging ---- 177–132
Graham, J. W., Buddington, A. F., and Balsley, J. R. Magnetostriction and paleomagnetism of igneous rocks ---- 177–294
Gralenski, L. J. *See* Flint, R. F.
Grammakov, A. G., Kvashnevskaya, N. V., Nikonov, A. I., Sokolov, M. M., Sochevanov, N. N., Suppe, S. A., and Tafeyev, G. P. Some theoretical and methodical problems of radiometric prospecting and survey ---- 178–333
Granar, Lars. Magnetic measurements on Swedish sediments ---- 176–270
Grannemann, W. W. Field testing seismic instruments ---- 179–381
Gray, D. A. Correlation of strata in water-filled boreholes by electrical resistivity methods ---- 177–130
——— Electrical resistivity marker bands in the Lower and Middle Chalk of the London Basin ---- 176–126
Green, Jack. Geochemical table of the elements for 1959 ---- 179–266
——— Lunar and terrestrial features ---- 179–26
Green, Ronald. *See* McDougall, Ian.
Greenhalgh, D., and Jeffery, P. M. A contribution to the Precambrian chronology of Australia ---- 177–10
Greenwood, Robert, and Lynch, V. M. Geology and gravimetry of the Mustang Hill laccolith, Uvalde County, Texas ---- 178–234
Gregg, D. R. Reports of a submarine eruption off New Zealand in 1877 ---- 176–43
Grenet, Gaston. Earth-current and magnetic pulsations produced by electrical currents maintaining the negative charge of the earth ---- 177–27

Abstract

Grenet, Gaston. On the effect of self-induction coils with magnetic core used for recording of the rapid variations of the earth's magnetic field ---- 177–272
Griffin, J. B. Bibliography of radiocarbon dates ---- 177–1
See also Flint, R. F.
Griffiths, D. H., King, R. F., and Wright, A. E. An assessment of the difficulties involved in using Quaternary varved sediments for paleomagnetic studies of the secular variation ---- 176–264
Grin, V. P. On the problem of epicentral zones ---- 178–53
——— On the seismicity of Kok-Shaal ---- 178–39
Grinenko, L. N. *See* Petrovskaya, N. V.
Gromov, S. V. A joint determination of the mass and the figure of the earth using astronomical-geodetical and gravimetric data ---- 178–201
Gromova, T. S. *See* Teys, R. V.
Gross, Hugh. The results to date of carbon-14 measurements and paleontological investigations for the subdivision and chronology of the Late Pleistocene in central Europe and neighboring region ---- 178–9
Grossling, B. F. Seismic waves from the underground atomic explosion in Nevada ---- 176–90
——— Temperature variations due to the formation of a geosyncline ---- 179–237
Grover, J. C. The Solomon Islands—geological exploration and research 1953–56: Part 2, Structure of the region ---- 176–44
Grujić, Nikola, and Damnjanović, Konstantin. Possibility of determining PDR logging curves from apparent resistivity curves ---- 176–136
Grushinskiy, N. P. The fundamental gravimetric station GAISh ---- 177–220
Grylgewicz, Zofia. Investigation of radioactivity of granites from Strzelin and Kudowa ---- 178–325
——— Seismic activity in 1957 ---- 177–35
Guitton, J. *See* Berbezier, J.
Guizonnier, R., and Couteight, H. Electrical conductivity of calcareous rocks -- 178–159
Gulin, Yu. A. *See* Barsukov, O. A., and Bayembitov, F. G.
Gurevich, B. L., Andryeyeva, P. Y. I., and Gdalevskaya, Ts. M. On the question of the velocity characteristics of the sedimentary deposits of the Crimean peninsula ---- 177–362
Gurvich, I. I. On the frequency selection of seismic oscillations ---- 178–372
Gushkovich, S. N. *See* Vasil'yev, V. G.
Gus'kova, Ye. G. Paleomagnetic investigations of sedimentary formations of southeastern Turkmenia ---- 178–296
Gussow, W. C. Metastasy of crustal shift ---- 177–176
Gutenberg, Geno. Earthquake waves reflected at the inside of the core boundary- 179–89
——— The structure of the earth as viewed in 1957 ---- 176–219
Gutierrez Díez, J. L. Method of absolute measurements of gravity ---- 177–186
Gynkina, N. M., and Masarskiy, S. I. Microseisms of Lake Issyk-Kul ---- 178–317
Gzovskiy, M. V., Krestnikov, V. N., Nersesov, I. L., and Reysner, G. I. Comparison of the tectonics and seismicity of the Garm region of the Tadzhik SSR part 1 ---- 176–40

H

Haalck, Hans. Textbook of applied geophysics, Part 2 ---- 176–142
Hagedoorn, J. G. The plus-minus method of interpreting seismic refraction sections ---- 178–358
Hager, R. V., Jr. *See* Handin, John.
Hagihara, Yukio. A rotation seismometer ---- 179–103
Haites, T. B. Banff thermal springs, a fascinating problem ---- 178–256
Hales, A. L., and Sacks, I. S. Evidence for an intermediate layer from crustal studies in the Eastern Transvaal ---- 177–249
Hall, D. H. Direction of polarization determined from magnetic anomalies ---- 179–327
Hall, T. O. Use of portable playback system effects a saving ---- 179–380
Hall, T. O., and Martin, Jack. Ammonium nitrate: economy blasting agent for oil exploration ---- 177–357
See also Martin, Jack.
Hambleton, W. W., Lyden, J. P., and Brockie, D. C. Geophysical investigations in the Tri-State zinc and lead mining district ---- 178–165
See also Merriam, D. F.

Abstract

Hamilton, R. G. New slide rule simplifies electric log quantitative analysis ---- 176–125
——— Supplemental geologic tools ---- 179–183
Hammond, J. W., and Hawkins, J. E. Getting the most out of present seismic instruments ---- 178–371
Hammond, Rolt. Tunnel engineering ---- 179–185
Hamontre, H. C. *See* Bunker, C. M.
Handin, John, and Hager, R. V., Jr. Experimental deformation of sedimentary rocks under confining pressure: tests at high temperature ---- 176–350
See also Higgs, D. V.
Hantke, Gustav. Review of volcanic activity, 1954–1956 ---- 178–425
Hapgood, C. H., with collaboration of Campbell, J. H. Earth's shifting crust ---- 177–175
Harada, Yoshimichi; Suzuki, Hiromiti; and Ohashi, Shin-ichi. Report on the gravity measurements by the Japanese Antarctic Research Expedition ---- 177–219
Hargraves, R. B. Magnetic anistrophy and remanent magnetism in hemo-ilmenite from ore deposits at Allard Lake, Quebec ---- 179–313
Hargraves, R. B., and Fischer, A. C. Remanent magnetism in Jurassic red limestones and radiolarities from the Alps ---- 177–300
Haring,, A. *See* de Vries, A. E.
Harkalenko, I. O. *See* Garkalenko, I. O.
Harrington, H. J., and McKellar, I. C. A radiocarbon date for penguin colonization of Cape Hallett, Antarctica ---- 176–9
Harris, H. I. Deep seismic results mean new exploration in Israel ---- 176–336
Harrison, J. C. Tests of the LaCoste-Romberg surface-ship gravity meter I ---- 179–211
Harrison, J. C., and Brisbin, W. C. Gravity anomalies off the west coast of North America. I. Seamount Jasper ---- 178–240
See also Benioff, Hugo.
Harrison, J. E., and Wells, J. D. Geology and ore deposits of the Chicago Creek area, Clear Creek County, Colorado ---- 178–338
Hartenberger, R. A. A radioactivity survey over Rose Dome, Woodson County, Kansas ---- 178–337
Harvey, H. A. *See* Ward, S. H.
Hatase, Yasuhiko. *See* Sano, Shun'ichi.
Hatherton, T., and Midwinter, G. G. Diurnal variation of aurora and geomagnetic disturbance at New Zealand Antarctic stations ---- 179–295
Hatherton, T., and Orr, R. H. Microseisms at Scott Base ---- 178–318
See also Coombs, D. S.
Hatuda, Zin'itiro, and Nishimura, Susumu. Variation in radioactivity across igneous contacts (the second report) ---- 178–324
Hawes, W. S. The SDP dip plotter ---- 179–379
Hawkins, J. E. *See* Hammond, J. W.
Hayakawa, Masami; Matsuda, Takeo; Sugiyama, Tomonori; and Suda, Yoshiro. Model UW–2R marine gravimeter, manufactured by North American Geophysical Co., and submarine gravity survey in the northern part of Ariakekai, Kyushu District, with this gravimeter ---- 176–197
Hayase, Ichikazu. Radioactivity of the Japanese granitic rocks ---- 176–301
——— Radioactivity of rocks and minerals studied with nuclear emulsion VI—Radioactivity of some Japanese liparites ---- 178–322
Hayes, R. C. Earthquakes in New Zealand during the year 1954 ---- 179–62
Hayes, W. C. *See* Meidav, Tsvi.
Hdalevs'ka, Ts. M. *See* Gdalevskaya, Ts. M.
Healy, J. H., and Press, Frank. Further model study of the radiation of elastic waves from a dipole source ---- 178–87
Heck, N. H., and Eppley, R. A. Earthquake history of the United States, Part I: Continental United States and Alaska (exclusive of California and western Nevada) ---- 178–30
Heezen, B. C. Dynamic processes of abyssal sedimentation: erosion, transportation, and redeposition on the deep-sea floor ---- 178–417
Heezen, B. C., and Ewing, Maurice. Orléansville earthquake and turbidity currents ---- 177–41
See also Elmendorf, C. H., and Ewing, Maurice.
Heide, F., and Proft, G. The uranium content of the water of the Saale ---- 178–326
Heim, G. E. *See* Meidav, Tsvi.
Heinitz, Karlheinz. The problem of grouping of geophones ---- 179–373
Heiskanen, W. A. On the gravimetric undulations of the geoid and the deflections of the vertical ---- 177–169

Abstract
Heiskanen, W. A., and Uotila, U. A. Some recent studies on gravity formulas 178–219
Helbig, Klaus. Elastic waves in anisotropic media, part 2 176–84
Henderson, J. R., Jr., and Zeitz, Isidore. Interpretation of an aeromagnetic survey of Indiana 176–284
See also Bromery, R. W.
Hennequin, Jacques. On a carrying out of the experiment of Packard and Varian 176–251
Henrichs, W. E. Jr. Trends in the application of geophysics 178–185
Herrinck, P. On perturbations of the earth's magnetic field considered as variations of relaxation 177–281
——— Seismicity of the Belgian Congo. Compilation of earthquakes observed at the climatological stations between 1909 and 1954 179–54
Hersey, J. B., Bunce, E. T., Wyrick, B. F., and Dietz, F. T. Geophysical investigations of the continental margin between Cape Henry, Virginia, and Jacksonville, Florida 177–247
Herz, Norman. Igneous rocks as old as two and more billions of years in the Quadrilátero Ferrifero of Minas Gerais 178–18
Herz, Norman, and Dutra, C.V. Preliminary spectrochemical and age determination results on some granitic rocks of the Quadrilátero Ferrífero, Minas Geraes, Brazil 176–13
Herzenberg, A. Geomagnetic dynamos 176–245
Herzenberg, A., and Lowes, F. J. The "eddy model" of the non-dipole field and the secular variation 176–246
Hess, D. C. *See* Begemann, F.
Heusser, C. J. Radiocarbon dates of peats from North Pacific North America 178–7
Heynig, Rolf. *See* Nosske, Gerhard.
Hicks, W. G. Adjustment of velocity logs to tie geophone surveys 178–362
——— Lateral velocity variations near boreholes 178–365
Hiersemann, Lothar. The rheological properties of the earth's crust from the standpoint of recent knowledge of the focal process in large earthquakes 176–346
Higgins, G. E. Seismic velocity data from Trinidad, B.W.I., and comparison with the Caribbean area 178–391
Higgs, D. V., and Handin, John. Experimental deformation of dolomite single crystals 176–351
Hilgenberg, O. C. The fault structure of Hungary and its neighboring countries, compared with the fault structure of the rest of the sialic crust and related to the earlier pole positions of the earth 177–179
Hill, H. J., and Anderson, A. E. Streaming potential phenomena in SP log interpretation 179–169
Hiller, Wilhelm. On the mechanics and dynamics of earthquakes 177–58
Hinault, J. *See* Lecoq, J. J.
Hinde, B. J. *See* Iyer, H. M.
Hinterberger, H. *See* Voshage, H.
Hinze, W. J. A gravity investigation of the Baraboo syncline region 179–217
Hiramatsu, Yoshio, and Oka, Yukitoshi. The fracture of rock around underground openings 178–102
Hirasawa, Kiyoshi. *See* Shinada, Yoshijiro.
Hisamoto, S. On the shallow earthquakes in western Japan 178–48
Hodge, P. G., Jr. The mathematical theory of plasticity 178–410
Hodgson, E. A. Dominion Observatory rockburst research 1938–1945 177–100
Hodgson, J. H. Current status of fault-plane studies—A summing up 178–75
——— Direction of displacement in western Pacific earthquakes 177–61
——— The null vector as a guide to regional tectonic patterns 178–71
Hoffman, J. H., and Nier, A. O. The cosmogenic He^3 and He^4 distribution in the meteorite Carbo 179–271
Hoffren, Väinö. *See* Flint, R. F.
Holly, L. M. *See* Pickhardt, H. E.
Holste, W. Problems and results with refraction seismic in boreholes (determination of salt-flanks and other interfaces) 178–366
Homilius, J., and Lorch, S. On the theory of gamma ray scattering in boreholes 176–307
Homma, Ichiro, and Odani, Yoshitaka. Electrical prospecting for underground water at the southern part of Ogaki City, Gifu Prefecture 178–144
Homma, Ichiro, and Ono, Yoshihiko. Electrical prospecting for the ground water in the western part of Saitama Prefecture 178–143
See also Ono, Yoshihiko.

Abstract

Honda, Hirokichi. The mechanism of earthquakes ---- 178–69
Honda, Masatake. Cosmogenic potassium–40 in iron meteorites ---- 179–32
See also Merrill, J. R.
Hope, E. R. Geotectonics of the Arctic Ocean and the Great Arctic Magnetic Anomaly ---- 177–378
Horai, K. *See* Akimoto, Syun-iti.
Hordejuk, Józef, Uchman, Jan, and Wojtczak, B. A new type of short-period seismograph SK–58 ---- 179–102
See also Droste, Zofia.
Horlitz, G. *See* Ehrenberg, H.
Horton, C. W. A loss mechanism for the Pierre shale ---- 179–117
Houtermans, F. G. *See* Deutsch, Sarah.
Howell, B. F., Jr. Ground vibrations near explosions II ---- 178–368
——— Introduction to geophysics ---- 179–175
Howell, B. F., Jr., Andrews, A. B., and Huber, R. E. Photomechanical method of frequency analysis of seismic pulses ---- 179–371
Hrdlička, Ladislav, and Pouba, Zdaněk. Geophysical control of geological profiles by the frequency resistivity method ---- 177–109
Huber, R. E. *See* Howell, B. F., Jr.
Huizenga, J. R. *See* Ehmann, W. D.
Hulbe, C. W. *See* Roy, Rustum.
Huot, G. Electrical survey on a copper ore-body near Akjoujt, Mauritania ---- 178–131
See also Breusse, J. J., and Collin, C. R.
Hurevīch, B. L. *See* Gurevich, B. L.
Hussein, H. A. M. Study on some Egyptian phosphates. Phosphate content and radioactivity ---- 176–302
Hwang, I. J. *See* Kim, C. S.
Hyneck, J. A. *See* Markowitz, William.

I

Ichikawa, M. A study of occurrence mechanism of an earthquake on Oct. 26, 1958 using *P* and *S* waves ---- 178–76
Iida, Kumizi. Magnitude and energy of earthquakes accompanied by tsunami, and tsunami energy ---- 178–66
Iida, Kumizi, and Aoki, Harumi. Gravity anomalies and the corresponding subterranean mass distribution, with special reference to the Nobi plain and its vicinity, Japan ---- 178–246
——— Phases in the preliminary tremors of seismograms and crustal structure in Nagoya District ---- 179–85
Iida, Kumizi, and Kumazawa, Mineo. Measurements of elastic wave velocities in rocks at high temperatures ---- 179–129
——— Measurements of elastic wave velocities in volcanic rocks at high temperatures by means of ultrasonic impulse transmission. Part I ---- 178–103
Iliyev, I. D. *See* Nedyalkov, I. P.
Imbert, Bertrand. Determination of the thickness of ice in Adélie Land ---- 176–177
Ingham, C. E. *See* Evison, F. F.
Inghilleri, Giuseppe. Completion of the gravimetric survey of northwestern Italy ---- 179–219
——— Time variations of the calibration of the Worden gravity meter ---- 178–229
See also Cunietti, Mariana.
Innes, M. J. S. Gravity measurements in Canada, January 1, 1954 to December 31, 1956 ---- 178–236
——— The establishment of a calibration standard for gravimeters in eastern Canada and the United States ---- 179–213
International Geophysical Year Bulletin. Antarctic traverse reports ---- 179–404
——— Oxygen isotope studies ---- 177–263
——— Oversnow traverses from IGY Little America Station ---- 179–405
——— Seismic studies in the Western Caribbean ---- 177–248
——— Trans-Antarctic trough ---- 177–364
Iokhel'son, S. V. On the liberation of radon from rocks at high temperatures ---- 177–316
Iokhel'son, S. V., and Shitov, Ye. V. Radiometric analysis of rocks using the spectrum of gamma-radiation ---- 177–317
Ioseliani, M. S., and Murusidze, G. Ya. On the question of application of seismic methods of prospecting to the solution of some problems in engineering geology ---- 176–339

Abstract
Irving, E. Magnetic "cleaning" 178–292
——— Palaeomagnetic pole positions: a survey and analysis 177–290
——— Rock magnetism: a new approach to the problems of polar wandering and continental drift 178–217
See also Creer, K. M.
Ishmametov, K. K. Experience with the application of radiometric methods to geologic mapping and to exploration and investigation of some useful minerals 176–305
Ismet, A. R. Method of refinement of the determination of the apparent thickness of strata according to micrologs 179–166
——— The importance of the problem of determination of the depth of a layer with respect to the axis of a borehole for solution of a number of geologic problems 179–167
Ivakin, B. N. The modeling of the absorption of seismic waves 176–82
Ivanov, S. A. Electric exploration for water 178–142
Ivanov, V. V. Present-day hydrothermal activity within the Kurile-Kamchatka island arc and its relation to volcanicity 178–436
Ivanova, K. S. *See* Komlev, L. V.
Ivanova, L. A. *See* Yepinat'yeva, A. M.
Ivković, Dragiša; Acimović, Ljubomir; and Roksandić, Miodrag. Gravimetric investigation of the Čačak-Kraljevo Tertiary basin 177–212
Iyer, H. M., and Hinde, B. J. Microseismic research at the National Institute of Oceanography 178–316

J

Jacobs, J. A. Magnetic storms 179–291
——— The interior of the earth 176–217
See also Duwalo, George.
Jaeger, J. C. Sub-surface temperature on the moon 177–370
——— The analysis of aquifer test data or thermal conductivity measurements which use a line source 177–222
Jaffe, H. W. *See* Larsen, E. S. Jr.
Jančić, Toplica, and Jovanović, Vlastimir. Geomagnetic exploration of titanomagnetite occurrences southwest of the village of Mitrašinci in Macedonia 177–310
——— Results of geophysical reconnaissance on the occurrence of oolitic iron ore with Ni and Co near the village of Ržanovo (Macedonia) 177–311
Jankowski, Jerzy. The diffraction problem on the conducting half-plane in geophysical research 178–122
Jardetzky, W. S. Polar wandering, shifting of the earth's axis and dipole variations 176–247
Jarosch, H. *See* Pekeris, C. L.
Jaszczewski, Z. Specific resistivity of core samples 176–133
Jęczmyk, Barbara. Preliminary report on geological research carried on in 1954 in the Głucholazy area for the purpose of investigating the causes of the magnetic anomalies 176–286
Jeffery, P. M. *See* Greenhalgh, D.
Jeffreys, Harold. The earth—its origin, history and physical constitution (4th edition) 179–250
——— The reduction of gravity observations 177–174
Jensen, M. L. Sulfur isotopes and hydrothermal mineral deposits 178–279
Jewett, J. M., and Merriam, D. F. Geologic framework of Kansas—A review for geophysicists 178–166
Jobert, Georges. Study of the ground movement in the vicinity of a fault 179–74
See also Blum, P. A.
Jobert, Nelly. Calculation of the dispersion of long-period Love waves at the surface of the earth 179–126
See also Blum, P. A.
Joesting, H. R., and Byerly, P. E. Regional geophysical investigations of the Uravan Area, Colorado 178–306
Joesting, H. R., and Plouff, Donald. Geophysical studies of the Upheaval Dome area, San Juan County, Utah 178–307
Johansson, S. A. E. On the influence of cosmic radiation on the isotopic composition of the elements 177–252

Abstract

Johnson, Frederick. A bibliography of radiocarbon dating 178–7
Johnson, H. M. Geologist's interpretation of drilling mud requirements 179–161
Jolivet, J. The volcanic crisis of 1956 at the Soufrière of Guadeloupe 179–415
See also Barrabé, Louis.
Jones, C. *See* Cooper, L. R.
Jones, P. H., and Skibitzke, H. E. Subsurface geophysical methods in ground-water hydrology 176–150
Jones, Ronald. In-situ measurement of the dynamic properties of soil by vibration methods 177–99
Jones, W. S. Logging techniques 176–149
Jopling, D. W., and Cashion, Kendall. Regional gravity of Kansas 178–232
Jordan, J. N. *See* Brazee, R. J.
Jovanović, Vlastimir. *See* Jančić, Toplica.
Juber, A. *See* Czubek, J.
Jurain, Georges. Geochemical significance of anomalies in radon content of the waters of granitoid and foliated massifs 177–323
See also Roubault, Marcel.

K

Kaboki, Tadao, and Kurusu, Kibuo. Supplementary report on intercomparison observation at Kakioka and Memambetsu by means of QHM magnetometers during 1952–1953 178–284
Kagoshima Local Meteorological Observatory. Velocities of propagation of earth tremors and seismic waves near Volcano Sakurajima 178–79
Kahma, A. A., and Puranen, Maunu. Geophysical case history of the Vihanti zinc ore deposit in western Finland 178–175
Kailasam, L. N. Application of geophysical methods to ground water problems in the Purna and Narmada Basins 177–153
——— Geophysical exploration of the coastal sedimentary belt of Madras State 176–139
——— Seismic exploration for oil in the Cambay and neighbouring areas, Bombay State 176–342
Kakinuma, Seiichi. *See* Oguti, Takasi.
Kalashnikov, A. G. Magnetic properties of rocks and geological bodies as a basis for the interpretation of magnetic anomalies 176–259
——— Observation of rapid pulsation of the geomagnetic field and earth currents 177–284
Kalinin, V. A. *See* Magnitskiy, V. A.
Kalinina, P. V. Some experimental data on the effect of moisture on the velocity of propagation of ultrasonic waves in rock specimens 178–105
Kalinina, R. V. The relationship between the velocity of propagation of elastic waves and the relative elastic characteristic of rocks 176–88
Kamitsuki, Akira. On the seismic waves reflected at the Mohorovičić discontinuity 177–65
Kanai, Kiyoshi. A study of strong earthquake motions 176–62
——— The amplitude and the period of earthquake motions. II 176–61
Kanai, Kiyoshi, and Tanaka, Teiji. Self-leveling vibrograph 176–64
Kanai, Kiyoshi; Tanaka, Teiji; and Suzuki, Tomisaburo. Rocking and elastic vibrations of actual building 176–47
Kanai, Kiyoshi, Tanaka, Teiji, and Yoshizawa, Shizuyo. Comparative studies of earthquake motions on the ground and underground 179–83
Kanai, Kiyoshi; Kishinouye, Fuyuhiko; Nasu, Nobuji; and Kawasumi, Hirosi. Vibration of a reinforced concrete building moved with vibration generators 176–48
Kanayev, V. F. *See* Besrukov, P. L.
Kaneko, Tetsuichi. Some aspects of multiple geophone setting and pattern shooting in seismic reflection prospecting 179–374
Kanonidi, Kh. D. *See* Bryunelli, B. Ye.
Kántás, Karl. *See* Friedl, Karl.
Kantor, Ján. Age of some granites and pegmatites of the Zlutice-Teplá crystalline complex by the argon-potassium method 178–19
——— Age of some granitic and crystalline rocks of the High Tatra according to the radioactive disintegration of K^{40} 179–14
Kaplan, B. L., and Mayorov, V. V. A study of certain parameters of an air explosion as applied to seismic prospecting 179–372
Kapustinskiy, A. F. On the internal constitution of the earth 178–260

Abstract
Kapustinskiy, A. F. On the theory of the earth ---- 176–221
——— To a new conception of the internal constitution of the earth ---- 179–251
Karandyeyev, K. B., and Gik, L. D. The damping of inertia-type vibrometric instruments ---- 179–387
Karandeyev, K. B., and Mizyuk, L. Ya. Electronic measuring apparatus for geophysical prospecting by the direct current method ---- 179–137
Karasev, I. P. *See* Vasil'yev, V. G.
Kárník, Vít. The blast near Eschenlohe, Bavaria, recorded at Průhonice ---- 176–91
Kartsivadze, G. E. *See* Tvaltvadze, G. K.
Karus, Ye. V. Absorption of stationary elastic vibrations in rocks ---- 176–89
Kasahara, Keichi. Physical conditions of earthquake faults as deduced from geodetic data ---- 176–56
——— Physical conditions of earthquake faults II, (A model of strike-slip faults with various dip angles) ---- 179–75
Kashkay, M. A. Intrusive rocks of Azerbaijan and their age correlation ---- 179–11
Kato, Yoshio. Investigation on the geomagnetic rapid pulsation ---- 179–305
Kato, Yoshio, and Saito, Takao. Preliminary studies on the daily behavior of rapid pulsation ---- 179–299
Kato, Yoshio, and Watanabe, Tomiya. Particles of aurorae and geomagnetic pulsations ---- 179–296
Kats, A. Z. Some results of seismometric investigations in the zone of the Krasnaya Polyana earthquakes in their relation to seismic microzoning ---- 176–38
See also Dzhabna, Sh. A.
Katsura, Takashi. *See* Akimoto, Syun-iti.
Katsyashvili, N. A. Certain features of S_q-variations in H at Tbilisi ---- 176–257
Kaula, W. M. Reconciliation of Stokes' function and astro-geodetic geoid determinations ---- 176–155
Kautzleben, H. *See* Fanselau, G.
Kauw, G. *See* Riezler, W.
Kawai, Naoto; Kume, Shoichi; and Yasukawa, K. Exsolution of titanomagnetite and its time effect on rock-magnetism ---- 178–287
Kawai, Naoto, and Kume, Shoichi. Observations of magnetic chronic drag over geologic time ---- 177–292
Kawano, M., and Nakatani, S. The absolute measurement of the concentrations of radioactive substances in the atmosphere, in Tokyo ---- 177–326
Kawasumi, Hirosi; Shima, Etsuzo; Sibano, Muturo; and Yanagisawa, Masumi. A seismographic starter using a phototransistor ---- 176–65
See also Kanai, Kiyoshi.
Kazakov, G. A., and Polevaya, N. I. Some preliminary data on the development of a post-Precambrian scale of the absolute geochronology based on glauconites ---- 177–18
Kazakov, M. P., Charygin, M. M., Bykov, R. I., Vasil'yev, Yu. M., Znamenskiy, V. V., and Seyful'-Mulyukov, R. B. Tectonic structure and history of development of the Pri-Caspian depression and adjacent districts in connection with problems of oil- and gas-bearing capability ---- 177–151
Kazanli, D. N. The geology of the northern Tyan'Shan in relation to its seismicity ---- 177–51
Kazinskiy, V. A. Interpolation polynomials applied to the investigation of the figure of the earth ---- 177–171
Kebuladze, V. V. On the relationship between regional telluric currents and the geomagnetic field ---- 177–30
——— Some data on the interrelation between telluric currents and the geomagnetic field ---- 177–30
Kebuladze, V. V., and Lashkhi, A. S. On diurnal variations of telluric currents according to data of the Dusheti geophysical station ---- 177–30
Kebuladze, V. V., and Torozova, L. I. Radioactivity of Borzhomi and Surami mineral waters ---- 176–300
Kejlsø, Elvin. The European gravimetric calibration line, Danish part ---- 177–210
Keller, G. V., and Licastro, P. H. Dielectric constant and electrical resistivity of natural-state cores ---- 178–160
Kelly, S. F. Geological studies of uranium-vanadium deposits by geophysical exploration methods ---- 178–130
Kennedy, George C. The origin of continents, mountain ranges, and ocean basins ---- 179–187
Kennedy, H. T. *See* Flock, D. L.

Abstract

Kerver, J. K. *See* Southwick, S. H.
Keunecke, Otto. Results of recent geophysical investigations in coal fields of the Rhine District for the purpose of determination of tectonic dislocations 179–156
Keylis-Borok, V. I. On estimation of the displacement in an earthquake source and of source dimensions 179–73
——— The study of earthquake mechanism 178–68
Keylis-Borok, V. I., and Stesin, I. M. The dispersion of Rayleigh waves in a two-layer model of the earth's crust 177–90
Keyvsar, E. I. *See* Komarov, S. G.
Keyvsar, Z. I. On the relationship of the specific resistivity of a rock to its porosity, specific surface and permeability 176–130
Khain, V. Ye. On the block-wave (fold-block) structure of the earth's crust 178–214
——— Some fundamental problems of modern geotectonics 178–212
Khalfin, L. A. Information theory of interpretation of geophysical investigations 177–165
Kharin, D. A. Development of seismology in the People's Republic of China 179–58
Kholin, A. I. *See* Barsukov, O. A.
Khovanova, R. I. *See* Puchkov, S. V.
Khudzinskiy, L. L. *See* Melamud, A. Ya.
Khvedelidze, N. S. On a characteristic of irregular variations 176–256
Kim, Chong Whan, and Yun, Sang Kyu. Uranium-bearing crystalline graphite deposit, south-eastern area of Kongju-up, Chungchong-namdo 177–330
Kimura, Koichi. Theoretical study on the electromagnetic induction method (VI) 176–106
King, A. J. Geophysical investigation of auriferous reefs in southern Tanganyika 177–148
——— Geophysical surveys on the Lupa goldfields in 1955 and 1956 178–392
King, E. R. Two aeromagnetic profiles across western Kansas 178–305
King, L. C. A new reconstruction of Laurasia 178–217
——— The origin and significance of the great suboceanic ridges 178–217
King, R. F. *See* Griffiths, D. H.
King-Hele, D. G., and Merson, R. H. A new value for the earth's flattening derived from measurements of satellite orbits 177–173
Kirby, Calvin. Exact true dip for a single constant-velocity reflector 178–356
Kirnos, D. P., and Kondorskaya, N. V. On the evaluation of the true value of the initial amplitude of the displacement of the ground on the arrival of a seismic wave 177–62
Kishimoto, Yoshimichi. *See* Nishimura, Eiichi.
Kishinouye, Fuyuhiko, and Kotaka, Mieko. Microseisms and typhoons 179–348
Kishinouye, Fuyuhiko, and Shida, Isamu. Tripartite observations of microseisms at Sakata (second paper) 179–353
——— Tripartite observations of microseisms in Shonai Plain, Yamagata Prefecture 179–354
——— Tripartite observations of microseisms in Yamagata City 179–352
Kishinouye, Fuyuhiko, and Watanabe, Yoshio. An electromagnetic horizontal seismograph for recording microseisms 179–355
See also Kanai, Kiyoshi.
Kiss, Zoltán. *See* Csomor, Dezsö
Kisslinger, Carl. A note on Benndorf's formula for the dynamic magnification of a mechanical seismograph 178–83
——— Observations of the development of Rayleigh-type waves in the vicinity of small explosions 177–347
Kistler, R. *See* Evernden, J. F.
Kiyono, Takeshi. On the electric field due to tides. II 178–27
——— On the electric field due to tides. III 178–27
Kiyono, Takeshi, and Ezoe, T. On the electric field due to tides. I 178–27
See also Yoshizumi, Eizaburo
Klemic, Harry, Eric, J. H., McNitt, J. R., and McKeown, F. A. Uranium in Phillips Mine-Camp Smith Area, Putnam and Westchester Counties, New York 178–164
Klíma, Karel. *See* Waniek, Ludvik.
Klochko, N. A. *See* Shreiner, L. A.
Klubov, V. A. Effectiveness of seismic prospecting in western Bashkiria and eastern Tatary 178–403
Klushin, I. G. On the question of the geologic interpretation of anomalies of the vertical gravity gradient 177–189

Abstract

Klushin, I. G. The distinguishing of geophysical anomalies smaller than the root mean square of errors of measurement ---- 178–192
Klushin, I. G., and Nikol'skiy, Yu. I. Subdivision of the gravity field into regional and local components by means of computers ---- 178–223
Kneissl, Max. Report on the gravimetric calibration bases in Europe ---- 179–214
Knopoff, Leon. Scattering of compression waves by spherical obstacles ---- 176–74
——— Scattering of shear waves by spherical obstacles ---- 177–86
——— The seismic pulse in materials possessing solid friction, II: Lamb's problem ---- 179–115
Knopoff, Leon, and Gangi, A. F. Seismic reciprocity ---- 179–359
Knopoff, Leon, and Gilbert, Freeman. Radiation from a strike-slip fault ---- 177–88
See also MacDonald, G. J. F., and Slichter, L. B.
Knutson, Gert, and Ljunggren, Knut. Studies of ground-water flow using radioactive isotopes, preliminary report ---- 178–281
Kobayashi, Kazuo. Chemical remanent magnetization of ferromagnetic minerals and its application to rock magnetism ---- 178–289
See also Nagata, Takesi
Kobayashi, Naota. A method of determining of the underground structure by means of SH waves ---- 179–367
——— Wave generation from a line source within the ground ---- 179–110
See also Takeuchi, Hitoshi
Kochetkova, S. N. *See* Teyes, R. V.
Kodama, R. Distribution of earthquake foci in and near Kinki and Chubu districts ---- 179–59
Koefoed, O., Ewijk, J. G., van, and Bakker, W. T. Seismic model experiments concerning reflected refractions ---- 176–321
See also Kuiper, J.
Koester, E. A. A successful seismic program on the Central Kansas Uplift ---- 178–385
Kokesh, F. P. Limits of accuracy of present sonic logging equipment ---- 178–362
Kokesh, F. P., and Blizard, R. B. Geometrical factors in sonic logging ---- 176–329
Komaki, Shauzow. *See* Omote, Syun'itiro
Komarov, S. G. The technique of logging geophysics ---- 179–182
Komarov, S. G., and Keyvsar, E. I. Determination of the permeability of oil-bearing strata according to specific specific resistance ---- 178–114
See also Bogdanov, A. I.
Komarov, V. A., and Ryss, Yu. S. Some results of the application of the method of induced polarization on polymetallic deposits of the Rudnyy Altay ---- 177–117
Komlev, L. V. Some questions of the absolute geochronology of the Precambrian of Ukraine ---- 178–4
Komlev, L. V., Filippov, M. S., Danilevich, S. I., Ivanova, K. S., Kryukova, N. F., Kuchina, G. N., and Mikhalevskaya, A. D. Age data of the argon and lead isotope method for some granites and pegmatites of the central Dneiper region ---- 179–15
Komlev, L. V., Danilevich, S. I., Ivanova, K. S., Mikhalevskaya, A. D., Filippov, M. S., and Chupakhin, M. S. On the age of charnockites and the Chudnovo-Berdichev granites of the Ukraine ---- 179–7
Komlev, L. V., Danilevich, S. I., Ivanova, K. S., Kuchina, G. N., Savonenkov, V. G., Filippov, M. S., and Chupakhin, M. S. On the age of granites of the Krivograd-Zhitomir magmatic complex of the Ukraine ---- 179–6
Kompanets, M. V. *See* Savarenskiy, Ye. F.
Kondo, Chuzo. Results of electrical prospecting and well-boring at the Oshuku Hot Springs in Iwate Prefecture ---- 177–127
Kondorskaya, N. V., and Postolenko, G. A. Seismic activity of the Kurile-Kamchatka region during the years 1954–1956 ---- 176–42
See also Kirnos, D. P.
Koning, L. P. G. A simple graph for the determination of the approximate values of epicentral distances ---- 177–54
Konkov, A. A. *See* Bune, V. I.
Kononov, A. I. New data on the structure of the southeast part of the Siberian platform ---- 178–244
Konstantinova, A. G. On the dynamics of sudden bursts of coal and gas in mines, according to the results of seismoacoustic observations ---- 177–348
Kopal, Zdeněk. Origin of the lunar craters and maria ---- 177–373

Abstract

Kopal, Zdeněk. Origin of the lunar craters and maria ---- 177–374
Kopayev, V. V., and Pavlovskiy, V. I. A test of the application of gravimetry to the study of the geologic structure of the crystalline basement in the central portion of the Kursk magnetic anomaly ---- 176–195
Kopelev, Yu. S. Winter work by the telluric current method ---- 179–154
Koposov, I. A. *See* Afonin, V. I.
Koroleva, V. A. *See* Petrova, G. N.
Korshikov, V. N. *See* Per'kov, N. A.
Koryakin, E. D. The deep structure of the earth's crust in the region of the Atlantic Ocean ---- 176–233
Kosminskaya, I. P. Structure of the earth crust by seismic data ---- 178–262
Kosminskaya, I. P., Mikhota, G. G., and Tulina, Yu. V. The structure of the earth's crust in the Pamir-Alay zone according to the results of deep seismic profiling ---- 176–236
——— *See also* Gagel'gants, A. A. and Gal'perin, E. I.
Kostina, A. F. The correlation between microseismic vibrations, observed in the Crimea, and meteorologic conditions over the Black Sea ---- 176–292
Kosygin, Yu. A. An important method of the study of the earth's interior ---- 176–231
Kotaka, Mieko. *See* Kishinouye, Fuyuhiko.
Kotov, P. T. *See* Kudymov, B. Ya.
Kouvo, Olavi. Radioactive age of some Finnish Pre-Cambrian minerals ---- 177–11
Kovalev, O. I. A low-frequency exploratory seismograph ---- 176–332
Kozina, E. K., and Shmarova, V. P. Relationship of the amplitude of deflection of the *SP* curve to the specific resistivity of the formation water and to the mud filtrate ---- 178–156
Kozlov, P. T. Question of the economic effect of development of gravity exploration apparatus ---- 179–227
Kozyrev, N. A. Volcanic activity on the moon ---- 177–368
Krakshina, P. M. *See* Gagel'gants, A. S.
Kravchenko, Ye. V. *See* Vasil'yev, V. G.
Krestnikov, V. N. *See* Gzovskiy, M. V.
Krivoy, H. L. *See* Eaton, J. P.
Kroebel, Werner. Age determination with radioactive elements ---- 178–1
Kron, F. Ts., Odinokov, V. P., Ovanesov, M. G., and Shcherbinskiy, V. G. Determination of porosity of rocks by the method of neutron-neutron logging with epithermal neutrons (NNK–N) ---- 178–349
——— *See also* Burov, B. M.
Kropotkin, P. N. The significance of paleomagnetism in stratigraphy and geotectonics ---- 178–294
Krylov, A. Ya., Silin, Yu. I., and Lobtsyus, A. V. Age of the granitoids of the northern zone of the Tien-Shan ---- 176–14
——— *See also* Starik, I. Ye.
Kryukova, N. F. *See* Komlev, L. V.
Kudymov, B. Ya., and Kotov, P. T. On the nature of the induced polarization of sedimentary rocks ---- 178–119
Kuchina, G. N. *See* Komlev, L. V.
Kuiper, G. P. The moon ---- 179–25
Kuiper, J., Ryen, W. M. L. van, and Koefoed, O. Laboratory determinations of elastic properties of some limestones ---- 177–95
Kukhtikova, T. I., Gayskiy, V. N., and Bune, V. I. On the seismic activity of Tadzhikistan in 1955 ---- 177–50
Kukovyakin, A. A. *See* Bystritskiy, A. A.
Kulinkovich, A. Ye. Theory of logging of electrically anisotropic strata ---- 179–160
Kulp, J. L., Cobb, J. C., Long, L. E., and Miller, D. S. The geological time-scale ---- 179–2
——— *See also* Ault, W. U., Brown, J. S., Long, L. E., and Miller, D. S.
Kumazawa, Mineo. *See* Iida, Kumizi.
Kume, Shoichi. *See* Kawai, Naoto.
Kunetz, Geza. *See* Baranov, Vladimir.
Kupalov-Yaropolk, I. K. Explosion work in seismic exploration ---- 178–370
Kurimoto, Hiroshi. A statistical study of some aftershock problems ---- 179–69
Kürsten, M. *See* Nairn, A. E. M.
Kurusu, Kibuo. *See* Kaboki, Tadao.
Kutscher, Fritz. Applied geomagnetic measurements in Hesse. 5. Tracing a basalt dike near Dietges-in-the-Rhön (Kleinassen quadrangle, no. 5425) ---- 177–309
Kvashnevskaya, N. V. *See* Gammakov, A. G.

L

Lachenbruch, A. H. Periodic heat flow in a stratified medium with application to permafrost problems ---- 179–241
Lachenbruch, A. H., and Brewer, M. C. Dissipation of the temperature effect of drilling a well in Arctic Alaska ---- 179–242
LaCoste, Lucien. Surface ship gravity measurements on the Texas A. and M. College ship, the "Hidalgo" ---- 177–205
See also Benioff, Hugo.
Lagarde, A. *See* Desbrandes, R.
Laherrere, J. *See* Dunoyer de Segonzac, P.
Lal, D. Cosmic ray produced radioisotopes for studying the general circulation in the atmosphere ---- 178–270
Lallemant, C. *See* Berbezier, J.
Lambert, R. St. J. *See* Davidson, C. F., and Mayne, K. I.
Laming, D. J. C. Fossil winds ---- 176–166
Landisman, Mark, Sato, Yasuo, and Ewing, Maurice. The distortion of pulse-like earthquake signals by seismographs ---- 178–81
See also Talwani, Manik.
Landsberg, H. E. Data processing in geophysics ---- 178–191
Lang, W. B. The origin of some natural carbon dioxide gases ---- 176–239
Lange, Heinz. On corpuscular disturbances of the F_2 layer and the southward movement of the onset of the disturbance in the northern hemisphere of the earth ---- 179–293
Larionov, V. V. Effect of adsorption properties of reservoirs on the determination of their porosity by the neutron gamma-method ---- 178–348
See also Barsukov, O. A.
Larsen, E. S., Jr., Gottfried, David, Jaffe, H. W., and Waring, C. L. Lead-alpha ages of the Mesozoic batholiths of western North America ---- 176–18
La Rüe, E. A. de. Man and volcanoes ---- 179–410
Lashkhi, A. S. Effects of temperature, precipitation, and thunderstorms on terrestrial electric currents ---- 177–28
See also Kebuladze, V. V.
László, Sajti. *See* Sebestyén, Károly.
Latter, A. L., Martinelli, E. A., and Teller, E. Seismic scaling law for underground explosions ---- 178–369
Latynina, L. A. Heat convection in the earth's mantle ---- 176–201
Latyshova, M. G., and Dobrynin, V. M. Interpretation of diagrams of potentials of induced polarization in oil wells ---- 178–152
Lazarev, G. Ye., and Ushakov, S. A. Attempt at determination of ice thickness in the Antarctic according to gravimetric data ---- 178–247
Lebedev, T. S. On the causes of the Chernigov gravity anomaly ---- 177–215
Lebedeva, T. M., and Papalashvili, V. G. The earthquake of February, 12, 1953 in the Gori region ---- 176–36
Lecar, Myron, Sorenson, John, and Eckels, Ann. A determination of the coefficient J of the second harmonic in the earth's gravitational potential from the orbit of satellite 1958 β_2 ---- 176–160
Lecolazet, Robert. Recording and harmonic analysis of the gravimetric tide at Strasbourg (8 months of observation) ---- 177–79
Leconte, J. R. *See* Lecoq, J. J.
Lecoq, J. J., Bigotte, G., Hinault, J., and Leconte, J. R. Prospecting for uranium and thorium minerals in the desert countries and in the equatorial forest regions of the French Union ---- 178–340
Ledersteger, Karl. Opinions on a hypothesis-free derivation of the mean earth ellipsoid and of the undulations of the geoid ---- 178–204
Ledoux, Y. *See* Chereau, J. Y.
Leeds, D. J. *See* Duke, C. M.
Lehmann, Inge. On amplitudes of P near the shadow zone ---- 177–67
Lehmann, Inge. On phases in earthquake records at epicentral distances of 105° to 115° ---- 178–77
——— The interior of the earth as revealed by earthquakes ---- 177–234
Lehmann, Martin. The geomagnetic survey of northwest Saxony ---- 178–309
Lehner, F. E. An ultra-long-period seismograph galvanometer ---- 179–98
Leible, Otto. The distribution of radioactivity, thorium and uranium contents in the Malsburg granite (Southern Black Forest) ---- 177–319

Abstract

Lejay, Pierre. Report on the activity of the International Gravimetric Bureau. The establishment of a uniform worldwide network 179–212
Lejay, Pierre, and Coron, Suzanne. Absolute deflection of the vertical: method and results at Paris, Nice, and Guelt-es-Stel 178–208
LeMasne, G. *See* Breusse, J. J.
Lensen, G. J. Measurement of compression and tension: some applications 176–54
——— Note on the compressional angle between intersecting transcurrent clockwise and anti-clockwise faults 176–53
Levallois, J. J. On a very general integral equation of gravimetry 178–209
Levanto, A. E. A three-component magnetometer for small drill-holes and its use in ore prospecting 178–301
Levchenko, S. V. Volcanism and magmatic rocks 176–358
Levin, B. Yu. Origin and composition of the earth 176–216
Levitskaya, A. Ya., and Muratov, M. N. On the relation of seismicity to structure of the Black Sea depression and surrounding regions 179–56
Levskiy, L. K. *See* Gerling, E. K.
Licastro, P. H. *See* Keller, G. V.
Lifson, H. *See* Pekeris, C. L.
Light, B. G. *See* Nairn, A. E. M.
Lill, G. G., and Bascom, Willard. A bore-hole to the earth's mantle 179–256
Lill, G. G., and Maxwell, A. E. The earth's mantle 177–236
Limber, D. N. *See* Anders, Edward.
Lipilin, V. A. *See* Nazarenko, O. V.
Lippmann, H. J. Geomagnetic induction in conducting bodies in the ground 176–23
Lishnevskiy, E. N. *See* Vasil'yev, V. G.
Little, E. M. *See* Pounder, E. R.
Litvina, L. A. *See* Starik, I. Ye., and Zhirov, K. K.
Liu, D. T. Wave propagation in a liquid layer 179–114
See also Werth, G. C.
Ljunggren, Knut. *See* Knutson, Gert.
Lloyd, E. F. The hot springs and hydrothermal eruptions of Waiotapu 177–391
Lobtsyus, A. V. *See* Krylov, A. Ya.
Loeb, J. Characteristic impedances and matrices in electromagnetic prospecting 177–120
Logachev, A. A. Calculation of position of elements of magnetized bodies from the data of a magnetic survey in mountainous terrain 179–328
——— Manual of aeromagnetic survey methods 179–325
Lomnitz, Cinna. Gravimetric investigations in the Chillán region 178–241
——— Linear dissipation in solids 178–98
Long, L. E., Kulp, J. L., and Eckelman, F. D. Chronology of major metamorphic events in the southeastern United States 179–5
See also Kulp, J. L.
Longinelli, A. *See* Deutsch, Sarah.
Longman, I. M. *See* Pekeris, C. L.
Longwell, C. R. My estimate of the continental drift concept 178–217
Loomer, E. I. *See* Whitham, Kenneth.
Lorch, S. *See* Homilius, J.
Lotze, Franz. Actuo-geological characteristics of the year 1957 176–28
Lovering, J. F. Frequence of meteorite falls throughout the ages 178–261
See also Stacey, F. D.
Lowes, F. J. *See* Herzenberg, A.
Lukavchenko, P. I. Gravimetric exploration for oil and gas 178–220
Lukert, L. H. *See* Bass, B. L.
Lundberg. H. T., and Ratcliffe, J. H. Airborne gravity meter—Description and preliminary results 178–226
Luskin, Bernard. *See* Beckmann, W. C.
Lyakhovitskiy, F. M. The utilization of layer velocities for the construction of geologic profiles 176–312
Lyden, J. P. *See* Hambleton, W. W.
Lynch, V. M. *See* Greenwood, Robert.
Lyons, P. L. Geology and geophysics of the Gulf of Mexico 176–137
——— The Greenleaf anomaly, a significant gravity feature 178–233
Lysenko, L. N. *See* Savarenskiy, Ye. F.
Lyubimova, Ye. A. Thermal history and temperature of the earth 178–249

M

Abstract

Ma, T. Y. H., and Pan, C. L. Development of volcanic belts together with zones of deficient gravity along the margin of shifted crustal masses 179–195
McBirney, A. R. *See* Mooser, F.
MacCarthy, G. R. Some first motions as recorded at Chapel Hill, N.C. 178–31
McCollum, E. V. Geology, a geophysical tool 178–189, 179–178
McDonal, F. J., Angona, F. A., Mills, R. L., Sengbush, R. L., Von Nostrand, R. G., and White, J. E. Attenuation of shear and compressional waves in Pierre shale 176–324
MacDonald, G. J. F. Calculations on the thermal history of the earth 179–236
MacDonald, G. J. F., and Knopoff, Leon. On the chemical composition of the outer core 176–222
Macdonald, J. R. Rayleigh-wave dissipation function in low-loss media 178–97
McDougall, Ian, and Green, Ronald. The use of magnetic measurements for the study of the structure of talus slopes 176–263
McEuen, R. B., Berg, J. W., Jr., and Cook, K. L. Electrical properties of synthetic metalliferous ore 178–161
McGuckin, G. M. The McGuckin section plotter 179–379
Machado, Frederico. Submarine pits of the Azores plateau 179–416
McIntyre, D. B., and Christie, J. M. The kinematics of faulting from seismic data 178–72
McKellar, I. C. *See* Harrington, H. J.
McKeown, F. A. *See* Klemic, Harry.
McLaughlin, G. H. *See* Ward, S. H.
McLendon, D. H. Radioactivity loges for gas location 176–308
McNitt, J. R. *See* Klemic, Harry.
McNutt, Charles, and Wheeler, R. P. Bibliography of primary sources for radiocarbon dates 177–2
Mackey, D. J. *See* Flint, R. F.
Madden, T. R. *See* Marshall, D. J.
Maeda, Hiroshi. On the geomagnetic *Sa* field 177–282
Maeda, Ken-ichi. Distortion of the magnetic field in the outer atmosphere due to the rotation of the earth 179–285
Maeda, Kenjiro. *See* Nakamura Hisayoshi.
Magatayev, K. S. *See* Amirkhanov, Kh. I.
Magnée, Ivan de. First geophysical exploration of the volcano Nyiragongo (Kivu). (Preliminary note) 178–430
Magnitskiy, V. A. On the problem of the origin and course of evolution of the continents and oceans 179–188
——— On wage guides on the earth's crust and the subcrustal layer 178–263
Magnitskiy, V. A., and Kalinin, V. A. The properties of the earth's mantle and the physical nature of the transition layer 177–238
Maher, J. C. *See* Roberts, A. E.
Majumdar, A. J. *See* Roy, Rustum.
Makarenko, F. A. Ground water-source of thermal energy 177–226
——— Underground waters are source of heat energy 177–227
Maksimova, S. V. Continental drift hypothesis and zoogeography 176–168
Maldonado-Koerdell, M. Bárcena Volcano on San Benedicto Island, Archipelago of the Revillagigedos, Mexico 176–364
——— Recent advances in submarine geophysics and geology in the areas of the Pacific Ocean near Mexico 176–353
See also Mooser, F.
Malinovskiy, F. M. Isotopic composition of lead from the sulfide-bearing phosphorites of Podolia 179–274
Malmqvist, David. The geophysical case history of the Kankberg ore deposit in the Skellefte District, north Sweden 178–174
Małoszewski, Stanisław. Magnetic anomalies in the Pieniny Mountains 178–311
Malyshev, V. I. Determination of radioactive equilibrium coefficients as a method of study of uranium, ionium, and radium migration 176–295
Malyuga, V. P. An improved electric thermometer for deep measurements 179–249
Manchee, E. B. Direct integration of continuous velocity logs 177–351
Mandel'baum, M. M. *See* Vasil'yev, V. G.
Mann, F. H. More precise resistivity log analysis 177–128
Manoilov, A. G. *See* Nikiforov, N. N.
Mansfield, R. H. Slide rule seismic computations 179–379

Abstract

Mapper, D. *See* Smales, A. A.
Mark, J. C. The detection of nuclear explosions ---- 178–108
Markhinin, E. K. On the amount of juvenile water involved in volcanic explosions ---- 176–360
Markowitz, William. Geocentric coordinates from lunar and satellite observations ---- 177–172
——— Use in geodesy of the results of lunar observations and eventual observations of artificial satellites ---- 177–172
Marshall, D. J., and Madden, T. R. Induced polarization, a study of its causes ---- 179–139
Marshall, R. R. Calculation of a "cosmic ray age" for the iron meteorite "Carbo" ---- 178–24
Martelly, Julian. Determination of accelerations in the Pelileo earthquake (Ecuador, 1949)—Acceleration and grades of intensity according to the Mercalli-Wood-Neumann scale—A method of calculating focal depth. Applications to the Pelileo earthquake (Ecuador, 1949) ---- 176–33
Märtenson, Carl. Prospecting instrument for uranium and thorium ---- 178–336
Martin, Jack, and Hall, T. O. Ammonium nitrate: economy blasting agent for oil exploration ---- 176–334
See also Hall, T. O.
Martin, Walter. Seismic refraction operations in the Egelner Süd basin ---- 179–396
Martinelli, E. A. *See* Latter, A. L.
Martner, S. T., and Sparks, N. R. The electroseismic effect ---- 177–345
Marzahn, Kurt. Adjustment of the German gravity base network (gravimeter and pendulum measurements) ---- 179–216
——— Results of the pendulum measurements of the German Geodetic Research Institute at the stations of the European gravimeter calibration lines ---- 179–215
Masarskiy, S. I. *See* Gynkins, N.M.
Mason, Brian. Chemical composition of tektites ---- 179–36
Mason, R. G. A magnetic survey off the west coast of the United States between latitudes 32° and 36° N. longitudes 121° and 128° W ---- 176–285
Mather, K. B., and Goodspeed, M. J. Australian Antarctic ice thickness measurements and sastrugi observations, Mac-Robertson Land, 1957–58 ---- 178–409
Mathey, Raymond, and Rocard, Yves. Performance of certain short-period seismographs ---- 178–82
Mathiez, J. P. Vogelgrun civil engineering problem solved by electrical, magnetic and seismic methods ---- 178–173
Mathiez, J. P., and Astier, J. L. Sault-Brenaz damsite refraction seismic survey ---- 178–396
Matsaberidze, V. S. A method of an approximate calculation of the magnetic field of obliquely magnetized bodies of arbitrary form ---- 176–280
——— Magnetic field of Kolkhida depression ---- 177–313
Matschinski, Matthias. Chemical characteristics of volcanic arcs, Sapper "densities" and corresponding mean pressures ---- 177–382
Matsuda, Takeo. *See* Hayakawa, Masami.
Matumoto, Hideteru. Logarithmic wide amplitude range electronic seismograph ---- 179–105
——— Simple electronic seismographs supplied only with commercial A. C. source ---- 179–104
Matumoto, Tosimatu. On the spectral structure of earthquake waves—its influence on magnitude scale ---- 179–66
——— *See also* Murauchi, Sadanori.
Matuzawa, Takeo. Movements of a galvanometer directly coupled to an electromagnetic seismographic pendulum ---- 179–107
——— On the crustal structure in north-east Japan by explosion seismic observations ---- 179–263
See also Usami, Tatsuo.
Maxwell, A. E. *See* Bullard, E. C., Lill, G. G., and Von Herzen, R.
Mayeda, Toshiko. *See* Urey, H. C.
Mayne, K. I., Lambert, R. St. J., and York, D. How old is the Cambrian system? ---- 179–1
——— The geological time-scale ---- 176–1
Mayo, H. B. A comparison of the various methods of dip migration ---- 179–379
Mayorov, V. V. *See* Kaplan, B. L.
Meidav, Tsvi, Hayes, W. C., and Heim, G. E. Resistivity surveys of Missouri limonite deposits ---- 176–109
Meijering, J. L., and Rooymans, C. J. M. On the olivine-spinel transition in the earth's mantle ---- 176–225
Meisser, Otto. *See* Šumi, Franć.

Abstract
Mekhtiyev, Sh. F. Geothermal observations on the Apsheron Peninsula 179–243
Melamud, A. Ya., Khudzinskiy, L. L., and Deynega, S. A. A station for intermediate magnetic recording of seismic vibrations 177–356
Melchior, P. J. Earth tides 177–76
——— On the effect of earth tides on variations of level observed in wells, in particular in the Turnhout borehole (Belgium) 178–86
Meldau, R. F. *See* Worthington, A. E.
Melkov, V. G., and Pukhal'skiy, L. Ch. Prospecting for uranium deposits 178–330
Mel'nichuk, M. I. The experience in making measurements of second derivatives of the magnetic potential of bodies 176–287
Mel'nikova, N. V. *See* Troiskaya, V. A.
Menard, H. W. Geology of the Pacific sea floor 178–421
——— Minor lineations in the Pacific Basin 179–193
Menzel, Heinz and Rosenbach, Otto 176–72
Merino y Coronado, J. The earthquake of July 28, 1957 176–32
Merriam, I. F., and Hambleton, W. W. Exploration geophysics in Kansas 178–167
——— Relation of magnetic and aeromagnetic profiles to geology in Kansas 178–302
See also Jewett, J. M.
Merrill, J. R., Honda, M., and Arnold, J. R. Beryllium geochemistry and beryllium-10 age determination 178–22
Merson, R. H. *See* King-Hele, D. G.
Meshcheryakov, Yu. A. Contemporary movements of the earth's crust 177–180
Metzger, Joseph. *See* Crenn, Yvonne.
Meyer, R. P. *See* Woollard, G. P.
Meyer-Abich, Helmut. *See* Mooser, F.
Midwinter, G. G. *See* Hatherton, T.
Mihailović, M. A. Sonde for radioactivity logging of exploratory boreholes 177–334
Mikhalevskaya, A. D. *See* Komlev, L. V.
Mikhaylov, B. A. *See* Starik, I. Y.
Mikhaylova, N. G. *See* Yepinat'yeva, A. M.
Mikhota, G. G. *See* Kosminskaya, I. P.
Mikumo, Takeshi. On the periods of seismic waves observed in local earthquakes 177–66
See also Usami, Tatsuo.
Milanović, Božidar, and Damnjanović, Konstantin. Use of geophysical investigations on silicate iron ore deposits in southwestern Macedonia 177–125
Miller, A. H. *See* Thompson, L. G. D.
Miller, D. J. The surface velocity of the Yakataga Glacier, Alaska 176–174
See also Tocher, Don.
Miller, D. S., and Kulp, J. L. Isotopic study of some Colorado Plateau ores 176–242
See also Kulp, J. L.
Miller, J. M. *See* Bowie, S. H. U.
Mills, R. L. *See* McDonal, F. J.
Milne, A. R. Comparison of spectra of an earthquake *T*-phase with similar signals from nuclear explosions 179–95
Milne, W. G., and White, W. R. H. A seismic investigation of mine "bumps" in the Crowsnest Pass Coal field 177–39
Milošević, Ljubomir. Determination of ground water flows and caverns by geoelectrical methods in the karst in the vicinity of Trebinje 177–123
Minakami, Takeshi, and Mogi, Kiyoo. Report on volcanic activities in Japan for the period from 1954 to 1957 179–418
Mining Engineering. Seismic analysis aids in overburden removal 178–359
Ministerstvo Geologii i Okhrany Nedr. Radiometric methods of prospecting and exploration for uranium ore 178–331
Mirchink, M. F. *See* Ballakh, I. Ya.
Miroshnikov, L. D. Underground water as a source of thermal energy 176–215
Miroshnikov, M. V. Geothermal nature of the section of the Meso-Cenozoic sediments of the Stavropol uplift 177–228
Mitra, M. The disturbance due to periodic surface traction in a semi-infinite medium of varying elasticity and density 177–85
Miyamura, Setumi. Local earthquakes in Kii Peninsula, central Japan. Part 1. Reconnaissance observation of minor shocks at Gobo, Wakayama Prefecture 179–60

Abstract

Miyamura, Setumi, and Tsujiura, Masaru. Direction of approach and apparent velocity of near earthquake initial motion 179–84
See also Tsujiura, Masaru.
Mizyuk, L. Ya. *See* Karandeyev, K. B.
Mladenović, M. M. Surface geothermal exploration in the Kuršumliska Banja area 177–225
Mogi, Kiyoo. *See* Minakami, Takeshi.
Moh, Z. L. *See* Goldberg, J. E.
Moiseyenko, F. S. On the significance of small gravity anomalies for the prospecting of rare metal deposits in central Kazakhstan 179–230
Mollard, J. D. Photogeophysics—Its application in petroleum exploration over the glaciated plains of western Canada 179–177
Molochnov, G. V. Dipole electromagnetic method of determination of depth of occurrence of a conducting layer 178–123
Molochnov, G. V. Experimental investigation of electromagnetic field in inhomogeneous media 179–148
Molodenskiy, M. S. New methods of studying the figure of the earth 178–199
Momose, Kan-ichi. Palaeomagnetic researches for the Pliocene volcanic rocks in Central Japan (1) 178–298
Monakhov, F. I., and Dolbikina, N. A. The structure of microseisms 176–291
See also Stolypina, N. V.
Moorbath, S. Isotopic composition of lead from British mineral deposits 177–8
Moore, D. G., and Shumway, George. Sediment thickness and physical properties 176–352
Moore, W. L. Geophysics along the Edwards Trend 176–138
Mooser, F., and Maldonado-Koerdell, M. Mexican national report on volcanology 179–414
Mooser, F., Meyer-Abich, Helmut, and McBirney, A. R. Catalogue of the active volcanoes of the world including solfatara fields: Part 6, Central America 176–363
Morelli, Carlo. The experimental geophysical observatory of Trieste 178–195
Morelli, Carlo, and Rice, D. A. Gravimetric ties, Europe-America 176–189
Morgan, J. W. *See* Smales, A. A.
Morinaga, Hiroshi. Radioactive springs in Japan 178–328
Moxham, R. M. Geologic evaulation of airborne radioactivity survey data 178–335
Mozzhenko, A. N. An instrument for seismic well logging 179–386
Mudaliar, S. K. S. The Indian program for the International Geophysical Year: Part II—Survey of India's contribution 179–231
Mulford, J. W. *See* Pough, F. H.
Munk, W. H. *See* Beinoff, Hugo, and Elsasser, W. M.
Münnich, K. O., and Vogel, J. C. Carbon-14 age determination of fresh-water lime deposits 178–6
See also Brinkmann, R.
Muratov, M. V. *See* Levitskaya, A. Ya.
Murauchi, Sadanori; Tateishi, Tetsuo; and Matumoto, Tosimatu. Seismic prospecting of the Antarctic iceberg and fast ice near the Syowa Base 176–178
Murayama, Sakuro, and Shibata, Toru. On the rheological characters of clay, Part I 176–349
Murina, G. A. *See* Polevaya, N. I.
Murozumi, Masayoshi. Geochemical investigation of the self-destruction of Gongensawa geyser 178–431
See also Ono, Yoshihiko.
Murphy, Thomas. The changes of sensitivity and drift rate of a Worden gravimeter with time and temperature 179–206
Murusidze, G. Ya. Application of the overtaking traveltime curves of reflected waves in seismic prospecting 176–317
See also Ioseliani, M. S., and Traltvadze, G. K.
Mužijević, R. S. Contribution to the computation of topographic corrections to gravity measurements 177–202

N

Naar, K. J. Carbon-14 dates and the subdivision of the Late Pleistocene 178–10
Naboko, S. I. Volcanoes 178–423
Nagamune, Tomeo. On the azimuthal deviation of earthquake magnitudes 179–70

Abstract

Nagata, Takesi, and Kobayashi, Kazuo. Experimental studies on the generation of remanent magnetization of ferromagnetic minerals by chemical reactions--- 176–266
Nagata, Takesi, and Uyeda, Seiya. Exchange interaction as a cause of reverse thermoremanent magnetism--- 179–312
Nairn, A. E. M., Frost, D. V., and Light, B. G. Paleomagnetism of certain rocks from Newfoundland--- 177–296
Nairn, A. E. M., and Kürsten, M. Report on paleomagnetic investigations on basalts of the Siebengebirg and its vicinity--- 178–295
See also Creer, K. M., and Wen-you, Chang.
Nakagawa, Eiko. *See* Rikitake, Tsuneji.
Nakajima, Naoyoshi. *See* Omote, Syun'itiro.
Nakamura, Hisayoshi. Geothermal conditions in the Onikobe basin, Miyagi Prefecture, Japan--- 178–258
——— On regional properties of hot springs in Japan. 1. Hot springs distributed in younger volcanic areas--- 176–375
Nakamura, Hisayoshi, and Maeda, Kenjiro. Thermal saline waters in Japan--- 176–376
Nakamura, Hisayoshi, Maeda, Kenjiro, and Suzuki, Takashi. On the hot springs in the southern and central parts of the Kii Peninsula--- 176–374
Nakatani, S. *See* Kawano, M.
Naldrett, S. N. Half life of rhenium and ages of minerals--- 178–21
Namba, Munetoshi, and Sugimoto, Yasuhiro. Some studies on Volcano Aso and Kuju (Part 14). On volcanic sounding--- 177–390
Napalkov, Yu. V. Construction of directional characteristics for complex grouping in seismic exploration--- 179–375
Narasappaya, N. *See* Goel, P. S.
Nasmyth, P. W. *See* Duffus, H. J.
Nasu, Nobuji. *See* Kanai, Kiyoshi.
Nazarenko, O. V. Method of continuous marine electrical profiling--- 178–113
Nazarenko, O. V., Lipilin, V. A., and Frenkel, V. S. On interpretation of the results of dipole soundings--- 179–136
Nazarov, A. G. Method of engineering analysis of seismic forces--- 178–51
Nebel, B. *See* Cambell, W. H.
Nedeljković, Vlastimir. *See* Aksin, Vladimir.
Nedyalkov, I. P. Analytical method of gravimetric interpretation--- 177–192
Nedyalkov, I. P. Analytical method of interpreting electric anomalies of homogeneous ore bodies--- 176–95
——— Device for interpretation of the structure of layered media from electrical survey data--- 177–115
——— Method for interpretation of electrical anomalies of conducting ore bodies--- 177–114
——— On the interpretation of gravity anomalies with unknown body density--- 177–193
——— Quick-acting models for interpretation of gravity anomalies--- 177–195
——— Radioactive model of gravimetric interpretation--- 177–194
Nedyalkov, I. P., Staynov, G. L., Ormandzhiyev, S. I., and Iliyev, I. D. High speed computing device for interpretation of gravity anomalies--- 179–202
Nepomnyashchikh, A. A. Interpretation of a charged-body field by the method of comparison of logarithmic curves--- 177–113
——— On the possibility of using the methods of interpretation of the anomalies of two-dimensional bodies for an interpretation of the anomalous fields of geological objects--- 177–160
——— The direct problem of geophysics in the case of three-dimensional bodies with plane sides--- 177–161
Neprochnov, Yu. P. The results of seismic explorations at Black Sea in the region of the city of Anapa--- 177–363
Nersesov, I. L. *See* Gzovskiy, M. V.
Nesterenko, G. N. and Neyman, Ye. A. Use of microsondes for distinguishing porous beds in carbonate sediments of the oil fields of western Bashkiria--- 178–149
Netunakhin, V. I. Determination of rock dislocation by electric prospecting methods --- 177–121
Neumann van Padang, M. Changes in the top of Mount Ruang (Indonesia)--- 177–388
See also Richard, J. J.
Nevolin, N. V. Geologic significance of gravitational and magnetic anomalies of the central and eastern regions of the Russian platform--- 178–314
Nevolin, N. V., Galaktionov, A. B., and Serova, A. D. Geology of the Aktyubin area adjacent to the Urals--- 178–313

Abstract

Neyman, Ye. A. Construction of a nomogram for microsondes according to data of electrical modeling ---- 179–165
See also Nesterenko, G. N.
Nicolaysen, L. O. *See* de Villiers, J. W. L.
Niekerk, C. B. van. *See* Gough, D. I.
Nier, A. O. *See* Hoffman, J. H., and Signer, P.
Niggli, Ernst. *See* Deutsch, Sarah
Nikiforov, N. N., and Manoilov, A. G. First Bulgarian automatic station for radioactivity logging ---- 177–335
Nikol'skiy, Yu. I. *See* Klushin, I. G.
Nikonov, A. I. *See* Gammakov, A. G.
Ninagawa, Shinji, and Tanaka, Akiyoshi. Seismic prospecting of Takakawa district, Hokkaido ---- 178–408
Nishihara, Masao. A method for predicting creep characteristics ---- 176–347
——— Stress-strain relation of rocks (Rheological properties of rocks I) ---- 178–101
——— Stress-strain-time relation of rocks (Rheological properties of rocks II) ---- 176–348
Nishimura, Eiichi, Kishimoto, Yoshimichi, and Tanaka, Yutaka. Observed secular tilting motion of the ground which preceded the occurrence of several destructive earthquakes ---- 177–64
Nishimura, Susumu. *See* Hatuda, Zin'itiro
Nishitake, Teruo. Elasticity of solids at high pressure and the earth's mantle ---- 177–242
——— On the materials in the earth's mantle ---- 177–241
Nizyayev, D. A. *See* Bryunelli, B. Ye.
Nodia, M. Z. On the methods of study of microterritorial and microtemporal secular variation of the earth's magnetic field ---- 176–248
Noi, Alfonso di. On the significance of the presence of methane in exhalative and hydrothermal manifestations ---- 177–392
Nolting, R. P. Areas where mis-tie occurs between two-received velocity log data and check shot data ---- 178–362
Noma, Yasuji. On the electrical prospecting in the Gongen mineral spring, Horie, Matsuyama City ---- 176–114
Noritomi, Kazuo. *See* Yamashita, Shiro.
Norris, S. E., and Spicer, H. C. Geological and geophysical study of preglacial Teays Valley in west-central Ohio ---- 177–122
Northrop, John, Blaik, Maurice, and Frasseto, Roberto. Bathymetry of the Gibbs Hill area, Bermuda ---- 177–418
See also Blaik, Maurice.
Nosske, Gerhard, and Heynig, Rolf. Geophysical investigations in the Erdeborn region ---- 176–194
Nuttli, O. W. A note on the refraction and reflection of plane elastic waves at an interface with a large velocity contrast ---- 178–96
——— The particle motion of the S wave ---- 176–59
Nydal, R. Trondheim natural radiocarbon measurements I ---- 178–7
Nye, J. F. A method of determining the strain-rate tensor at the surface of a glacier ---- 177–182
——— The deformation of a glacier below an ice fall ---- 177–183

O

Oakeshott, G. B. *See* Slemmons, D. B.
Oakley, K. P., and Rixon, A. E. The radioactivity of materials from the Scharbauer site, near Midland, Texas ---- 176–20
Oblogina, T. I. On diffracted seismic waves ---- 179–369
O'Connor, R. E., and Bayne, C. K. Electrical resistivity studies in brine pollution problems ---- 178–129
Odani, Yoshitaka. *See* Homma, Ichiro
Oden, A. J. Constant velocity case ---- 179–379
Ödhner, N. H. Fundamental argument in Cenozoic geology dynamic factors: crustal undulations, thermal dilatation and constriction ---- 177–177
Odinokov, V. P. *See* Kron, F. Ts.
Odishaw, Hugh. International Geophysical Year ---- 176–136
Oeschger, H., Schwarz, U., and Gfeller, C. Bern radiocarbon dates I ---- 178–7

Abstract

Officer, C. B. On some offshore seismic refraction profiles in the Cook Strait, Tasman Bay, and Golden Bay areas of New Zealand 179–403
Oganisyan, S. S. Correlation between gravity anomalies and seismicity 178–54
Oguchi, Yuko. On refracted waves (1) 179–124
——— Reflection of elastic waves at a solid-fluid boundary (1)—On the case of SH-waves 179–122
Oguti, Takasi, and Kakinuma, Seiichi. Preliminary report of geomagnetic survey during JARE the second 179–290
Ohashi, Shin-ichi. *See* Harada, Yoshimichi
Oil and Gas Journal. Exploration 177–156
Oil in Canada. Exploration continues slow but steady decline 178–170
Oilweek. New nuclear log detects chlorine content in oil wells 178–351
——— "Sparker" powerful tool in seismic exploration 178–374
Oka, Yukitoshi. *See* Hiramatsu, Yoshio.
Okada, Hiroshi. *See* Tazime, Kyoji.
O'Keefe, J. A. Origin of tektites 179–35
O'Keefe, J. A., Eckels, Ann, and Squires, R. K. Vanguard measurements give pear-shaped component of earth's figure 176–159
Oklahoma Geophysical Society. Symposium on continuous velocity logging 176–362
Okura, T. The zone of abnormal seismic intensity 178–78
Olenin, V. B. Exploration of oil in marine areas in foreign countries 178–163
——— Oil exploration in India 178–184
Oliver, Jack, Dorman, James, and Sutton, George. The second shear mode of continental Rayleigh waves 179–93
See also Brune, J. N.
Oliver, J. E. Seismology and the IGY 176–27
See also Press, Frank.
Olson, E. A., and Broecker, W. S. Lamont natural radiocarbon measurements V 178–7
——— Sample contamination and reliability of radiocarbon dates 176–5
See also Broecker, W. S., and Flint, R. F.
Olsson, Ingrid. Uppsala natural radiocarbon measurements I 178–7
Omote, Syun'itiro; Komaki, Shauzow; and Nakajima, Naoyoshi. Seismic wave types in a sand layer near a small explosion 176–326
Ono, Yoshihiko, Murozumi, Masayoshi, and Homma, Ichiro. On the application of resistivity method for horizontally stratified layer problems (some notes on geo-electrical measurements at Tanashi and Tako) 176–115
See also Homma, Ichiro
Opdyke, N. D., and Runcorn, S. K. Palaeomagnetism and ancient wind directions 176–275
Opitz, Dietrich. On seismic reflection velocity measurements 178–357
Orellana Silva, Ernesto. A geophysical unit of apparent resistivity 177–104
Oreshkin, P. T. Experimental variants of a high temperature thermistor 176–206
Orlov, G. G. A nomograph for the determination of the depth of occurrence of deposits from the points of intersection of the curves of potential derivatives, measured at different heights 176–282
Orlov, V. P. Magnetic anomalies of secular variation in Central Asia 177–278
Ormandzhiyev, S. I. *See* Nedyalkov, I. P.
Orr, R. H. *See* Evison, F. F., and Hatherton, T.
Oshiro, Seiki. *See* Stieff, L. R.
Ostenso, N. A., and Bentley, C. R. Gravity and magnetic studies on the Marie Byrd Land traverses, 1957–1958 179–235
——— The problem of elevation control in Antartica, and elevations on the Marie Byrd Land traverses, 1957–1958 179–408
See also Bentley, C. R., and Thiel, Edward
Östlund, H. G. Stockholm natural radiocarbon measurements II 178–7
See also Föuselius, Stig.
Ovanesov, M. G. *See* Kron, F. Ts.
Overholt, K. J. The field of a D.C. element, applied to conductivity energized pencilformed ore bodies 177–119
Ozertsova, V. A., Polyakova, L. V., and Spizharskiy, T. N. Relief of the crystalline basement of the southeastern part of the Siberian platform according to aeromagnetic survey data 179–346
Ozima, Minoru. Some experiments in potassium-argon dating 179–9

P

Abstract

Page, L. R. Some new mineralogical, geochemical and geologic aids in uranium exploration ---- 179–334
Pakiser, L. C. Geophysical exploration (Petroleum exploration in the United States, Chapter 3) ---- 177–158
Pallister, A. E. MWT survey proves value of new seismic methods ---- 179–392
Pan, Chia-Lin. *See* Ma, T. Y. H.
Panfilis, M. de. Notes on a brief seismic period occurring in the Montespertoli area during the month of June 1958 ---- 177–42
——— Seismic activity in Italy from 1953 to 1957 ---- 178–35
Panteleyev, V. L. *See* Veselov, K. E.
Papalashvili, V. G. An evaluation of the accuracy of determination of the location of epicenters and foci of Caucasus earthquakes by the intersection method ---- 178–63
See also Lebedva, T. M.
Pappalardo, G. *See* Cantone, B.
Parkhomenko, E. I. *See* Volarovich, M. P.
Parkhomenko, I. S. The intensity of a wave that traverses a series of layers with higher velocity ---- 179–119
Parkinson, W. D. Directions of rapid geomagnetic fluctuations ---- 177–283
Parsons, W. H. The Puna eruption of Kilauea Volcano ---- 178–427
Pasechnik, I. P. Seismic and atmospheric waves, originating during the eruption of Bezymyannyy volcano on March 30, 1956 ---- 176–371
Pasechnik, I. P., and Fedoseyenko, N. Ye. An electrodynamic microbarograph with galvanometric recording ---- 176–290
Paton, J. R. *See* Agocs, W. B.
Patrick, H. G. Geophysical activity in 1957 ---- 176–135
Patterson, C. C. *See* Chow, T. J.
Patterson, J. R. Address by Professor S. K. Runcorn on palaeomagnetism ---- 176–271
Pavlova, N. N. *See* Shreiner, L. A.
Pavlovskiy, V. I. *See* Kopayev, V. V.
Pawłowski, Stanisław. Value of gravity for the base point of Warsaw ---- 179–198
Pearce, D. C., and Gold, L. W. Observations of ground temperature and heat flow at Ottawa, Canada ---- 178–255
Pée, W. Van, Crèvecoeur, E., and Capron, P. Determination of ages by radiocarbon ---- 177–5
Pekeris, C. L., and Jarosch, H. The free oscillations of the earth ---- 177–80
Pekeris, C. L., Longman, I. M., and Lifson, H. Application of ray theory to the problem of long-range propagation of explosive sound in a layered liquid ---- 178–99
Per'kov, N. A. Determination of productive reservoirs in carbonate sections ---- 178–180
——— Interpretation of the results of logging of wells oil ---- 176–143
Per'kov, N. A., and Korshikov, V. N. Interpretation of diagrams from radioactive logging of drill holes ---- 176–309
Pernikov, M. Sh. The determination of porosity of continental deposits in sections in Bashkiria from *SP* diagrams ---- 177–140
Peronaci, Francesco. Seismicity of Iran ---- 178–45
Perrin, René. Reflections on the observations of G. S. Gorshkov and theories of volcanism and orogenesis ---- 179–411
Perrin, René, and Roubault, Marcel. Remarks on the age determinations of minerals and rocks by means of radiogenic minerals ---- 176–3
Pertsev, B. P. Harmonic analysis of elastic tides ---- 177–77
Peselnick, Louis, and Zietz, Isidore. Internal friction of fine-grained limestones at ultrasonic frequencies ---- 177–94
See also Treitel, Sven.
Peterschmitt, Élie. Seismitic waves generated by cave-ins in the mining basin of Briey ---- 178–107
Petkevich, G. I. Contributions to the study of elastic properties of rocks in Cis-Carpathia ---- 177–98
——— On determination of seismic boundaries in well velocity surveys ---- 176–328
——— Some results of seismic logging in the Fore-Carpathian depression ---- 179–402
Petkov, I. N. On seismic investigation with the unilateral combined traveltime curve ---- 176–314
Petrashen', G. I. [Editor]. Data on quantitative studies of the dynamics of seismic waves ---- 179–357

Abstract

Petrosyan, L. G. On the distortion of the field in connection with laterolog on a single-strand cable ---- 178–150
Petrova, G. N., and Koroleva, V. A. The determination of magnetic stability of rocks in laboratory conditions ---- 179–318
Petrova, O. P. *See* Shreiner, L. A.
Petrova, Ye. M. Experience in application of gravimeters GAK–3M ---- 179–207
Petrović, J. N. *See* Popović, Špiro.
Petrovskaya, N. V., Grinenko, L. N., and Chupakhin, M. S. Attempt at the use of sulfur isotope analysis in studying the Uchala copper-pyrite deposit (southern Urals) ---- 177–267
Petrucci, Giuseppe. Electrical soundings with the direct method of measurement of electrical resistivity of the terrane. Theory. Practical applications ---- 179–134
——— On some practical examples of application of the Petrucci method for executing electrical soundings ---- 179–135
Pettersson, Hans. Frequency of meteorite falls throughout the ages ---- 177–24
Pflug, H. D. On the interpretation of Schlumberger diagrams in the Rhenish lignite ---- 176–127
Picciotto, E. E. Measurement of the radioactivity of the air in the Antarctic ---- 176–296
See also Deutsch, Sarah.
Pick, Miloš. A new method of preparing maps of topographic corrections ---- 176–182
Pickhardt, H. E., and Holly, L. M. Sonic log proves valuable porosity tool ---- 178–367
Pickup, J. *See* Bowie, S. H. U.
Piddington, J. H. The transmission of geomagnetic disturbances through the atmosphere and interplanetary space ---- 179–294
Pîrvu, Livia. *See* Corvin-Papiu, V.
Piskunov, L. I. On the quantitative relation between the dielectric constant and the specific electric resistivity of rocks ---- 176–131
Piyp, B. I. Features of the eruptions of Klyuchevskaya Peak ---- 176–370
——— Young volcanism of the USSR ---- 176–369
Plewa, S. Methods of geophysical interpretation and mine surveys including neutron-gamma logging in prospecting for coal ---- 176–118
Plouff, Donald. *See* Joesting, H. R.
Plyusnin, M. I. New methods of electrical investigations in wells in deposits of polymetallic ores ---- 178–153
Plyusnin, M. I., and Postel'nikov, A. F. Logging of exploratory wells in polymetallic deposits of southern Kazakhstan ---- 178–155
Pobul, E. A. Magnetometric investigations of Kaalijärv meteor crater no. 3 ---- 179–340
Poisson, Charles. Madagascan earthquakes in 1955 ---- 178–34
Polak, L. S. Certain regularities in the natural radioactivity of the Mesozoic and Tertiary deposits of the Pre-Caspian basin ---- 177–320
Polański, Antoni. The problem of atmospheric argon ---- 179–267
Poldini, E. Electrical geophysical study of the Montfleury region (Canton of Geneva) ---- 178–138
Polevaya, N. I., and Murina, G. A. Effect of some superimposed processes on the results of age determination by the argon method ---- 179–10
Polevaya, N. I., Titov, N. Ye., Belyayev, V. S., and Sprintsson, V. D. Test of the use of the calcium method for the determination of the absolute age of sylvites ---- 177–21
See also Kazakov, G. A.
Polkanov, A. A. *See* Gerling, E. K.
Polshkov, M. K., and Bereza, G. V. Application of broadband apparatus in seismic exploration ---- 179–378
Polyakova, L. V. *See* Ozertsova, V. A.
Ponomarev, V. N., and Zakharchenko, V. F. The use of measurements of the magnetic field in prospect pits for determination of the magnetization of rocks in their natural occurrence ---- 176–261
Popov, V. I. On the centrifugal and step-by-step development of the layers of the lithosphere ---- 179–252
Popović, Špiro, and Petrović, J. N. Application of the seismic reflection method in the Boka region ---- 177–359
Popovici, Dorin. Gravity exploration in the region of Ocnele Mari (Vîlcea) ---- 179–222
See also Socolescu, M. M.
Porkka, M. T., and Vesanen, E. E. Earthquake in Ranua and Pudasjärvi 1956 ---- 177–46
Portnova, A. T. *See* Shreiner, L. A.

Abstract

Posgay, Károly. Setting out of a seismic testing area ---- 179–382
Pospelov, G. L. On the "hearth zone" of the earth's crust, the "magmatogene corona" of the earth, "areas of magmatism" and "structural associations of intrusives" ---- 177–244
Postel, A. W. *See* Balsley, J. R.
Postel'nikov, A. F. On the problem of the nature of induced polarization in sedimentary rocks ---- 179–141
See also Plyusnin, M. I.
Postma, G. W. Changes of shape of seismic impulses in homogeneous visco-elastic media ---- 176–71
Postnikov, V. G. Some features of the modern methods of exploration of oil and gas abroad ---- 178–162
Postolenko, G. A. *See* Kondorskaya, N. V.
Pouba, Zdaněk. *See* Hrdlička, Ladislav.
Pough, F. H., and Mulford, J. W. The Cranbrook Central America volcano expedition ---- 178–428
Pounder, E. R., and Little, E. M. Some physical properties of sea ice. 1 ---- 177–184
Prabhakara, C. *See* Goel, P. S.
Prangishvili, G. M. The state of seismic knowledge of the Kolkhida depression ---- 176–340
Press, Frank. Seismic exploration of the earth's crust ---- 177–101
——— Some implications on mantle and structural structure from G waves and Love waves ---- 177–240
——— The geological aspects of the interior of the moon ---- 179–28
Press, Frank, Oliver, Jack, and Romney, Carl. The need for fundamental research in seismology ---- 179–46
See also Ewing, Maurice, Healy, J. H., and Takeuchi, Hitoshi
Price, C. E. Magnetic dipole nomograms ---- 177–306
Priyma, V. I. A combined mixing arrangement ---- 179–376
——— On corrections of traveltime curves of reflected waves ---- 179–362
Proft, G. *See* Heide, F.
Pronicheva, M. V. On the manifestation of recent tectonics in the North Caspian area ---- 178–218
Prosvirnin, V. M., and Rykunov, L. N. On the mode of the free vibrations of piezoelectric emitters used in the modeling of seismic phenomena ---- 179–101
Prosvirin, N. M. *See* Rykunov, L. N.
Puchkov, S. V., and Khovanova, R. I. The Kyren earthquake of August 10, 1958 ---- 178–38
Puchkov, S. V., Solonenko, V. P., Treskov, A. A., and Florensov, N. A. A new strong earthquake in East Siberia ---- 178–42
See also Solonenko, V. P.
Pukhal'skiy, L. Ch. *See* Melkov, V. G.
Puranen, Maunu. *See* Kahma, A. A.
Puzyrev, N. N. Measurement of seismic velocities in boreholes ---- 178–363
——— The measurement of seismic velocities in drill holes ---- 177–350
Przypkowski, Tadeusz. On the magnetic declination obtained from observation by Martin Bylica of Olkucz around 1485 ---- 179–289

R

Raasch, G. O. The Baraboo (Wis.) Monadnock and palaeo-wind direction ---- 176–167
Radakrishnamurty, C. *See* Deutsch, E. R.
Radu, C. *See* Enescu, D.
Radzhabov, M. M. Certain problems of interpretation of single longitudinal traveltime curves of refracted waves ---- 177–341
——— The determination of the boundary velocities from transverse traveltime curves of refracted waves, part 1 ---- 177–340
Radzīyevs'kyy, V. A. Some resonance phenomena observed on vibrometers of seismic type with fluid damping ---- 177–355
——— The frequency and the damping of natural oscillations in linear vibrometers of inertia type with fluid damping ---- 177–354
Rafter, T. A. *See* Fergusson, G. J.
Ragimov, Sh. S. *See* Savarenskiy, Ye. F.
Rainey, Froelich, and Ralph, E. K. Radiocarbon dating in the Arctic ---- 178–8
Ralph, E. K. University of Pennsylvania radiocarbon dates III ---- 178–7
See also Rainey, Froelich.

Abstract

Ramazanzade, M. G., and Rostomyan, P. M. Energy method of determination of the age of petroleum 177–23
Rankama, Kalervo. Geologic applications of radioactivity and the stable nuclides 179–265
Rantsman, Ye. Ya. Geomorphology and seismicity of the Surkhov river valley 176–41
Rao, M. B. R., and Rao, M. N. S. Geophysical exploration for ground water in crystalline rocks 177–126
Rao, M. K. *See* Singh, Jagdeo
Rao, M. N. S. *See* Rao, M. B. R.
Raspopov, O. M. Application of Numerov's formula in gravity exploration 178–222
——— The behavior of the vertical gradient of gravity in a mountainous region 179–205
Ratcliffe, J. H. *See* Lundberg, H. T.
Ravich, M. G. *See* Starik, I. Ye.
Rawer, Karl. Correlation in geophysics 179–179
Read, H. H. *See* Blundell, D. J.
Reber, Grote. Age of lava flows on Haleakala, Hawaii 179–20
Reich, Hermann. Magnetic secrets of German basalt summits 177–299
Reichenbach, R., and Schmidt, Gerhard. Results of surface reflection seismic measurements in the siderite district of the Siegerland 179–395
Reichender, K. On the redetermination of absolute gravity in Potsdam 177–187
Reilly, W. I. *See* Robertson, E. I.
Reinharz, M. *See* Flint, R. F.
Reitan, P. H. A hypothesis accounting for a two-phase orogenic cycle 178–213
Renner, J. Gravity investigations in Hungary since Roland Eötvös' activity (with discussion) 177–213
Research Group for Explosion Seismology (Japan). Crustal structure in northern Kwanto District by explosion-seismic observations. Part 1. Description of explosions and observations 176–92
Research Group for Proton Magnetometer (Japan). A proton magnetometer 176–283
Research Group for Spontaneous-Polarization Method (Japan). Study of the spontaneous-polarization method at the Hosokura Copper mine, Miyagi Prefecture 176–116
Resler, R. C. *See* Berg, J. W., Jr.
Revelle, Roger. *See* Bullard, E. C.
Reverdy, X. *See* Desbrandes, R.
Reysner, G. I. *See* Gzovskiy, M. V.
Rhoden, V. C. *See* Vaughn, W. W.
Ricamo, R. *See* Cantone, B.
Rice, D. A. *See* Morelli, Carlo.
Richard, J. J., and Neumann van Padang, M. Catalogue of active volcanoes of the world including solfatara fields. Part 4, Africa and the Red Sea 176–366
Richards, T. C. Broadside refraction shooting 179–368
——— Measurement of the thickness of the earth's crust in the Albertan Plains area of western Canada 176–232
Richards, T. C., and Walker, D. J. Measurement of the thickness of the earth's crust in the Albertan Plains of western Canada 177–246
Richenmann, Julien. *See* Crenn, Yvonne.
Richter, C. F. Elementary seismology 176–26
——— Seismic regionalization 177–36
Riel, W. J. van. The exploration of a Dutch coal basin, a historical review 178–397
Riezler, W., and Kauw, G. Natural radioactivity of gadolinium-152 and hafnium-174 176–294
Rikitake, Tsuneji. Forced oscillations of the earth's dynamo 179–284
——— Studies of the thermal state of the earth. The second paper. Heat flow associated with magma intrusion 179–239
Rikitake, Tsuneji; Uyeda, Seiya; Yukutake, Takesi; Tanaoka, Iwao; and Nakagawa, Eiko. The anomalous behavior of geomagnetic variations of short period in Japan and its relation to the subterranean structure. The 8th report 179–308
Ringwood, A. E. Constitution of the mantle III. Consequences of the Olivine-spinel transition 176–224
——— Constitution of the mantle—a revision 177–237
——— On the chemical evolution and densities of the planets 177–232
Ristić, V., and Djordjović, V. Geophysical investigation on the Goleš magnesite 177–124
Ritchie, G. S. Sounding profiles between Fiji, Christmas and Tahiti Islands 176–355
Ritsema, A. R. Note on the azimuth deviations of P-waves recorded at Djakarta station 179–86
——— On the focal mechanism of Southeast Asian earthquakes 178–70

Abstract

Rittmann, Alfred. On the mechanism of persistent volcanic activity 177–383
——— On the origin of magmas 177–381
——— Physico-chemical interpretation of the terms magma, migma, crust and substratum 177–243
Rixon, A. E. *See* Oakley, K. P.
Riznichenko, Yu. V. On quantitative determination and mapping of seismic activity 179–57
——— On study of the seismic regime 176–49
Robel, Franz. The Bensberg seismic station near Cologne 179–97
Roberts, A. C. *See* Beckmann, W. C.
Roberts, A. E., Maher, J. C., and Bunker, C. M. Subsurface stratigraphic tools and techniques (Petroleum exploration in the United States, Chapter 5) 177–159
Roberts, F. A. Chart migrations 179–379
Robertson, E. I., and Reilly, W. I. Bouguer anomaly map of New Zealand 176–199
Robin, G. de Q. Seismic shooting and related investigations 177–365
Robinson, W. A. *See* Ward, S. H.
Robinson, W. B. Presentation of a velocity mis-tie 178–362
——— (editor) Seismograph dip migration. A symposium 179–379
——— The need for seismic dip migration 179–379
Rocard, Yves. On the absorption of longitudinal seismic waves 179–118
See also Mathey, Raymond
Rocha Gomes, A. A. The discovery of a new orebody within the pyrite belt of Portugal by electromagnetic prospecting 178–132
Roche, Alexandre, and Cattala, Louis. Remanent magnetism of the Cretaceous basalts of Madagascar 177–297
Rochester, M. G. Geomagnetic westward drift and irregularities in the earth's rotation 179–286
See also Urey, H. C.
Roe, F. W. Tektites in Brunei 179–44
Roksandić, Miodrag. *See* Ivković, Dragiša.
Roman, Irwin. An image analysis of multiple-layer resistivity problems 178–109
Romaña, Antonio. The study of the rapid variations of the earth's magnetic field 176–250
Romanescu, D. *See* Corvin-Papiu, V.
Romanov, Yu. A. *See* Afonin, V. I.
Romanyuk, V. A. On disturbances of the gravity force by atmosphere 177–198
Romney, Carl. *See* Press, Frank
Rooymans, C. J. M. *See* Meijering, J. L.
Rosa, Klement. Contribution to the methods of solution of the direct problem of magnetic prospecting 176–278
Rosenbach, Otto. *See* Menzel, Heinz.
Rosenbaum, J. H. A note on the propagation of a sound pulse in a two-layer liquid medium 176–77
Rosholt, J. N. Radioactive disequilibrium studies as an aid in understanding the natural migration of uranium and its decay products 178–319
Rostomyan, P. M. *See* Ramazanzade, M. G.
Rothé, J. P. Some experiments on crustal structure in western Europe 177–250
Rotshteyn, A. Ya., and Tsirel, V. S. Some results of work with a nuclear magnetometer 179–329
Roubault, Marcel, Coppens, Réné, and Jurain, Georges. On the radon content of the cold waters of certain parts of France 176–298
Roubault, Marcel, and Coppens, Réné. Study of the radioactivity of the Carnac granitic massif (Morbihan) 177–318
See also Perrin, René
Routledge, N. O. Russian contribution to the International Geophysical Year 177–144
Roux, Jean. Details of volcanism: the pit craters 177–384
Roy, A., and Chowdhury, D. K. Interpretation of self potential data for tabular bodies 179–142
Roy, Rustum, Majumdar, A. J., and Hulbe, C. W. The Ag_2S and Ag_2Se transitions as geologic thermometers 179–246
Rozanov, Yu. A. *See* Delitsin, I. S.
Ruehmkorf, N. A. Seismic prospecting in Belgian Campine 178–400
Runcorn, S. K. Rock magnetism 177–289
See also Creer, K. M., and Opdyke, N. D.
Rupnik, J. J. Case history of the Dunes pool, Pawnee County, Kansas 178–381

Abstract
Ruppeneyt, K. V. Mechanical properties of rocks 178–411
Ruprechtová, Libuše. Dependence of amplitudes of seismic body waves on the distance 176–58
Russell, R. D. Some geochemical considerations on lead-isotope dating of lead deposits 178–275
See also Stanton, R. L.
Rustanovich, D. N. Preliminary results of the instrumental study of the seismicity of the zone of the earthquakes of Krasnaya Polyana 176–39
Rutten, M. G. Paleomagnetic reconnaissance of mid-Italian volcanoes 179–322
Ryazanova, Ye. V. A simplified method of calculating effective velocity according to the conjugate points of the reflected wave traveltime curves 179–361
Rybakova, Ye. V. *See* Tikhonov, A. N.
Ryen, W. M. L. van. *See* Kuiper, J.
Rykov, A. V. A photoelectric device for recording the energy flux of seismic waves 177–73
Rykunov, L. N., and Prosvirin, N. M. The distortion of the azimuths toward the source of microseisms produced by the conditions of their propagation 176–289
See also Prosvirnin, V. M.
Ryss, Yu. S. *See* Komarov, V. A.

S

Sacks, I. S. *See* Hales, A. L.
Sadilenko, K. M. *See* Shreiner, L. A.
Safaryan, A. N. *See* Dzhabna, Sh. A.
Safronov, V. S. The primordial temperature of the earth 177–221
Sahasrabudhe, P. W. *See* Deutsch, E. R.
St. Amand, Pierre. Circum-Pacific orogeny 178–74
Saito, Takao. *See* Kato, Yoshio
Saito, Tomosaburo. *See* Sano, Shun'ichi
Sakalian, K. *See* Zidarov, D.
Sakovtsev, G. P. Experience of geophysical investigations with exploration of deep-seated pyrite deposits in the Urals 178–141
Salaruddin, M. A portable instrument for determining soil temperatures at various depths 178–254
Salazar, Pedro. *See* Comité del Año Geofísico Internacional de Ecuador
Salimbeni, G. *See* Colombo, U.
Sałustowicz, Antoni. Rocks as an elastic-viscous medium 177–93
Samuel David, and Steckel, Fritz. Bibliography of the stable isotopes of oxygen (O^{17} and O^{18}) 179–277
Sandberg, C. H. Terrain correction charts or transition from Hammer charts to Hayford-Bowie charts 177–199
——— Terrain corrections for an inclined plane in gravity computations 178–225
Sang, K. N. *See* Kim, C. S.
Sano, Shun'ichi; Saito, Tomosaburo; and Hatase, Yasuhiko. Geophysical prospecting at placer deposits in Naegi region, Gifu Prefecture 178–343
Sanselme, H. *See* Collin, C. R.
Santo, T. A. Investigations into microseisms using the observational data of many stations in Japan (Part 1). On the origin of microseisms 179–351
Sarkisov, I. K. Multi-electrode gradient sonde for integrated investigation of wells 177–137
Sato, Ryosuke. On the determination of crustal structure by the dispersion curves of surface waves (II) 179–91
——— Reflection and transmission of elastic waves at a discontinuity with an intervenient transient layer 179–121
Sato, Yasuo. Numerical integration of the equation of motion for surface waves in a medium with arbitrary variation of material constants 176–78
Sato, Yasuo, and Yamaguchi, Rinzo. Velocity equation of Love waves propagated in multi-layered media 179–127
See also Landisman, M.
Saukov, A. A. The evolution of geochemical conditions during the earth's history 176–220
Savarenskiy, Ye. F., and Ayvazov, I. V. The determination of the azimuths and of the angles of emergence of seismic radiation 178–61
Savarenskiy, Ye. F., Lysenko, L. N., and Kompanets, M. V. On the microseisms of the Lake Issyk-Kul according to the observations of the seismic station at Rybache 176–293

Abstract

Savarenskiy, Ye. F., and Ragimov, Sh. S. Determination of the velocity of Rayleigh waves and of the azimuth toward the epicenter according to three neighboring stations 177–68
Savarenskiy, Ye. F., and Sikharulidze, D. I. The determination of the thickness of the crust from the observed dispersion of Love waves 178–264
Savarenskiy, Ye. F., Solov'yeva, O. N., and Shechkov, B. N. On the observations of Love waves at the Moscow seismic station and the structure of the earth's crust 179–261
Savonenkov, V. G. *See* Komlev, L. V.
Savu, H. *See* Corvin-Papiu, V.
Sawata, Shuniji. *See* Ehara, Shingo
Sawatzky, H. B., Agarwal, R. G., and Wilson, W. Structure test holes confirm post-Paleozoic relief as indicated by the seismograph in the Avonlea area, Saskatchewan 179–390
Saxov, Svend E. The uplift of Western Greenland: A preliminary note 177–181
——— Gravity in western Greenland from 66° N to 69° N 176–191
——— The Cretaceous subsurface near Taastrup 177–211
——— Variation of the Worden gravimeter small dial scale factor with time (with discussion) 178–230
Scala, C. *See* Gondouin, M.
Schad, Albert. *See* Andres, Jakob
Schäffner, H. J. The principles and evaluation procedures for seismic determination of earthquake mechanisms 179–72
Scheffer, Viktor. The problem of the ancient Transylvanian massif 177–214
Scheidegger, A. E. Note on the tectonics of Kern County, California, as evidenced by the 1952 earthquakes 179–78
——— On the possible causes of continental drift 176–164
——— Physics of marine orogenesis 177–377
——— Seismic evidence for the tectonics of central and western Asia 179–80
——— Statistical analysis of recent fault-plane solutions of earthquakes 179–71
Scheube, H. G. The solution of the Dirichlet and Neumann boundary value problems as an aid in treating problems of geomagnetism 178–283
Schlumberger Well Surveying Corporation. Introduction to Schlumberger well logging—Schlumberger document no. 8 178–196
Schmidt, Gerhard. Results of underground-seismic reflection investigations in the siderite district of the Siegerland 179–394
See also Reichenbach, R.
Schufle, J. A. Cation exchange and induced electrical polarization 176–98
Schuster, Klaus. Geophysical investigation in the Sudan 179–399
Schwarz, U. *See* Flint, R. F.
Sebestyén, Károly, and László, Sajti. Investigation of water wells by means of geophysical logging 179–173
Seigel, H. O. Mathematical formulation and type curves for induced polarization 178–118
Sekiya, H. An analysis of volcanic activity of Mt. Asama—1st paper 178–433
Semenenko, N. P. Geochronology of the Precambrian in absolute age calculation 178–3
Semenov, P. G., and Semenova, V. A. Catalog of earthquakes recorded in the territory of Tadzhikistan for the periods 1865–1940 and 1941–1952 177–49
Semenova, V. A. *See* Semenov, P. G.
Senftle, F. E., and Thorpe, A. Magnetic susceptibility of tektites and some other glasses 179–41
See also Stieff, L. R., Thrope, Arthur, and Walker, E. C.
Sengbush, R. L. *See* McDonal, F. J.
Sen'ko, P. K. Geophysical studies in the Antarctic 176–140
Serdyukova, Z. S. *See* Baranov, V. I.
Sergeyev, L. A. Ultrasonic echo sounding for geophysical purposes 178–361
Seriff, A. J. The response of seismometers in series and parallel connections 176–331
Serova, A. D. *See* Nevolin, N. V.
Serrano, C. M. *See* Comité del Año Geofísico Internacional del Ecuador
Servicio Geológico Nacional de Nicaragua. Observations on the activity of the volcano Cerro Negro de Léon 176–365
Seyful'-Mulyukov, R. B. *See* Kazakov, M. P.
Shablinskaya, N. V. Tectonic structure of the second structural stage of the Vagay-Ishim interfluve according to seismic data 178–407
Shakhsuvarov, D. N. *See* Tikhonov, A. N.

Abstract

Shakurov, P. F. Highly sensitive apparatus for determination of the inclination of the earth's surface and for the recording of seismic waves 177–74
Shand, J. A. *See* Duffus, H. J.
Shapiro, D. A. Certain questions on the theory of diffusion-adsorption (membrane) potentials in drill holes 177–135
Sharp, R. P., and Epstein, Samuel. Oxygen-isotope ratios and glacier movement 179–281
Shats, M. M. *See* Starik, I. Ye.
Shatsov, A. N. *See* Yermakov, V. I.
Shaub, Yu. B. The field of a spherical ore body of disseminated type, polarized by a uniform alternating current 176–100
Shcherbinskiy, V. G. *See* Kron, F. Ts.
Shechkov, B. N. *See* Savarenskiy, Ye. F.
Shemyakin, Ye. A. *See* Blokh, I. M.
Shenkareva, G. A. *See* Gorshkov, G. P.
Shevchenko, N. F. On the problem of variation in emanation content in soil air 178–329
Shevkunov, Ye. N. Determination of porosity of rocks according to microsonde data 179–164
——— Experimental investigation of the method of the micro-shielded sonde 178–148
Shibakov, M. A. The application of geophysical methods in prospecting for and exploring deposits of building materials 178–115
Shibata, Toru. *See* Murayama, Sakuro.
Shida, Isamu. *See* Kishinouye, Fuyuhiko
Shima, Etsuzo. *See* Kawasumi, Hirosi and Usami, Tatsuo
Shima, Michiyasu. On the thermoelasticity in the semi-infinite elastic solid 176–83
Shimazu, Yasuo. A chemical phase transition hypothesis of the origin of the *C*-layer within the mantle of the earth 176–226
Shinada, Yoshijiro, and Hirasawa, Kiyoshi. Geological interpretation for the result of the seismic exploration in the northeastern part of Chiba Prefecture 176–343
Shinogi, M. *See* Yamaguchi, T.
Shirokova, Ye. I. Certain data on the character of the change of velocities in the upper layers of the earth's mantle 179–255
Shitov, Ye. V. *See* Iokhel'son, S. V.
Shlanger (Ben-Menahem), Ari. Free non-radial vibrations of the earth 179–92
Shmarova, V. P. *See* Kozina, E. K.
Shmidt, O. Yu. A theory of the earth's origin—Four lectures 177–230
Shneyerson, M. B. Evaluation of the accuracy of a differential method of interpretation of data of KMPV under the conditions of the Russian Platform 178–402
Shor, G. G., Jr. Reflexion studies in the eastern equatorial Pacific 178–420
Shreiner, L. A., Petrova, O. P., Yakushev, V. P., Portnova, A. T., Sadilenko, K. M., Klochko, N. A., Pavlova, N. N., Balandin, P. S., and Spivak, A. I. Mechanical and abrasive properties of rocks 178–412
Shuleshko, P. A new method of solving boundary value problems of mathematical physics 177–166
——— Generalization of previous methods of solving boundary value problems of mathematical physics 177–167
Shumway, George. *See* Moore, D. G.
Shur, A. S. On the argon method of determination of absolute age of rocks and minerals 178–15
Shushakov, S. D. Multiply reflected waves 179–363
Shutler, Dick, Jr., and Damon, P. E. University of Arizona radiocarbon dates II 178–7
Shuval-Sergeyev, N. M. The effect of a vertical boundary between two media on the results of ρ_k measurements in dipole depth profiling 177–108
Sibano, Maturo. *See* Kawasumi, Hirosi
Siebert, Manfred. The separation of a local geomagnetic field into outer and inner part with the aid of the two-dimensional Fourier theorem 178–282
Siegel, F. R. *See* Angino, E. E.
Sigal, L. A. On the application of the data of electrical well-logging to the study of some tectonic problems in the West Siberian Lowland 179–174
Signer, P., and Nier, A. O. An upper limit for radiogenic A^{38} in potassium minerals 178–272
Sikharulidze, D. I. The study of the dispersion of Love waves in the case of near earthquakes 179–94
See also Savarenskiy, Ye. F.
Silayeva, O. I. The methods of studying the elastic properties of specimens of rocks under pressure 177–97

Abstract

Silin, Yu. I. *See* Krylov, A. Ya. and Starik, I. Ye.
Singer, S. F. Crucial experiment concerning the origin of meteorites ---- 177–257
——— Geophysical effects of solar corpuscular radiation ---- 176–249
Singh, Jagdeo, and Rao, M. K. Magnetization of a metadolerite dyke in relation to its petrography ---- 178–297
Sironi, G. *See* Colombo, U.
Sivaramakrishnan, V. *See* Venkatasubrananian, V. S.
Skibitzke, H. E. *See* Jones, P. H.
Skugarevskaya, O. A. The computation of the final stage of the transient process of the electrical field in a three-layer medium ---- 178–125
See also Tikhonov, A. N.
Skuridin, G. A. An approximate solution of the problem of diffraction of a plane elastic longitudinal wave on a horizontal fault ---- 176–75
——— Duhamel's principle and asymptotic solutions of dynamic equations of the theory of elasticity, part 1 ---- 178–90
——— Duhamel's principle and asymptotic solutions of dynamic equations of the theory of elasticity, part 2 ---- 178–91
Slaucitajs, Leonidas. Geomagnetic knowledge of the South American Antarctic ---- 176–258
Slemmons, D. B., Steinbrugge, K. V., Tocher, Don, Oakeshott, G. B., and Gianella, V. P. Wonder, Nevada, earthquake of 1903 ---- 178–32
Slichter, L. B., and Knopoff, Leon. Field of an alternating magnetic dipole on the surface of a layered earth ---- 176–102
See also Benioff, Hugo.
Slotnick, M. M. Lessons in seismic computing ---- 179–358
Slutskovskiy, A. I. About the new scheme of mixing proposed by V. I. Primya ---- 179–377
——— Amplifiers of marine seismic stations ---- 179–385
See also Voyutskiy, V. S.
Smales, A. A., Mapper, D., Morgan, J. W., Webster, R. K., and Wood, A. J. Some geochemical determinations using radioactive and stable isotopes ---- 178–20
Smellie, D. W. Geophysics in saturation prospecting ---- 176–147
——— Mining exploration ---- 177–147
Smirnov, A. A. Method of study of filtration potentials in beds of rivers ---- 179–143
Smirnov, L. P. Experience of regional surveying with GAK–3M gravimeters in helicopters ---- 179–208
Smith, M. W. History of the Windom pool, McPherson and Rice Counties, Kansas ---- 178–382
Smith, R. A. Some depth formulae for local magnetic and gravity anomalies ---- 177–305
Smith, R. L. *See* Friedman, Irving
Smith, W. E. T. Bibliography of seismology ---- 177–33
——— Bibliography of seismology—Author Index ---- 177–34
Smolin, P. P. Mica-bearing pegmatites and absolute age of post-Jurassic intrusions of Aldan ---- 176–15
Sobotovich, E. V. *See* Starik, I. Ye.
Sochevanov, N. N. *See* Gammakov, A. G.
Socolescu, M. M., Bişir, D., Georgescu, M., Popovici, Dorin, and Visarion, Marius. Determination of residual anomalies from gravimetric survey data ---- 179–220
Sokolov, M. M. *See* Gammakov, A. G.
Sollogub, V. B. The physical properties of rocks of the southwestern and southern regions of the European part of the USSR ---- 177–360
Solonenko, V. P. On the seismic regionalization of the territory of the Mongolian People's Republic ---- 178–44
——— The earthquake in the Gobi Altay, December 4, 1957 ---- 178–43
Solonenko, V. P., Treskov, A. A., Florensov, N. A., and Puchkov, S. V. The Muya earthquake of June 27, 1957 ---- 178–41
See also Puchkov, S. V.
Solovov, A. P., and Fursov, V. Z. The prospecting of non-outcropping ore bodies of the Achisay deposit ---- 178–181
Solov'yeva, O. N. *See* Savarenskiy, Ye. F.
Soma, Tokuzo. On the underground temperatures and radioactivities at one meter depth in the Misasa Hot Spring area ---- 176–213
Somerton, W. H. Some thermal characteristics of porous rocks ---- 176–204
Sorenson, John. *See* Lecar, Myron
Soske, J. L. The blind zone problems in engineering geophysics ---- 177–342
Southwick, S. H., Kerver, J. K., and Winsauer, W. O. Electric-log interpretation ---- 176–117
Sparks, N. R. *See* Martner, S. T.
Spicer, H. C. *See* Norris, S. E.

Abstract

Spivak, A. I. *See* Shreiner, L. A.
Spizharskiy, T. N. *See* Ozertsova, V. A.
Sponheuer, W. The depths of earthquake foci in Germany on the basis of macroseismic calculations ---- 177–55
Sprintsson, V. D. *See* Polevaya, N. I.
Squires, R. K. *See* O'Keefe, J. A.
Srinivasamurthy, B. Sudden commencements and impulses in Kodaikanal magnetograms—their hourly frequency ---- 179–300
Stacey, F. D. A domain theory of magnetic grains in rocks ---- 177–287
Stacey, F. D., and Lovering, J. F. Natural magnetic moments of two chondritic meteorites ---- 176–269
See also Stott, P. M.
Stakhovskaya, Z. I. *See* Volarovich, M. P.
Stanton, R. L., and Russell, R. D. Anomalous leads and the emplacement of lead sulfide ores ---- 178–276
Starik, F. Ye. *See* Starik, I. Ye.
Starik, I. Ye., and Litvina, L. A. Use of the method of leaching for determination of the suitability of samples for age determinations by the argon method ---- 177–16
Starik, I. Ye., Ravich, M. G., Krylov, A. Ya., and Silin, Yu. I. On the absolute age of rocks of the East-Antarctic platform ---- 177–20
Starik, I. Ye., Shats, M. M., and Sobotovich, E. V. On the age of meteorites ---- 179–16
Starik, I. Ye., Sobotovich, E. V., and Shats, M. M. On the question of the age of tektites ---- 179–40
Starik, I. Ye., Starik, F. Ye., and Mikhaylov, B. A. On the question of shift of isotopic ratios in natural formations ---- 176–243
Starodubrovskaya, S. P. *See* Berzon, I. S.
Stauder, W. V., and Byerly, Perry. Nodal lines for S waves ---- 177–60
See also Byerly, Perry
Staynov, G. L. *See* Nedyalkov, I. P.
Steckel, Fritz. *See* Samuel, David
Stefănescu, S. S. The development of geophysical prospecting in the territory of the Rumanian People's Republic ---- 178–176
Stegena, Lajos. The geothermal relationships of the Great Hungarian Plain ---- 177–223
Steinbrugge, K. V. *See* Slemmons, D. B.
Steiner, A. *See* Belin, R. E.
Steiner, Franz. On determination of the coefficient of the gravimetric altitude reduction ---- 177–200
Stelzner, Johannes. *See* Vaněk, Jiří
Stern, T. W. *See* Stieff, L. R.
Stesin, I. M. *See* Keylis-Borok, V. I.
Stewart, J. W. Earthquake history of Georgia ---- 177–37
——— The effects of earthquakes on water levels in wells in Georgia ---- 177–38
Stieff, L. R., Stern, T. W., Oshiro, Seiki, and Senftle, F. E. Tables for the calculation of lead isotope ages ---- 178–11
Stilke, G. On elastic surface waves at a cylindrical hole in the infinite solid ---- 179–109
Stirton, R. A. The relationships and origin of Australian monotremes and marsupials ---- 178–217
Stolypina, N. V., and Monakhov, F. I. The synoptic conditions exciting microseisms in the Black Sea ---- 179–350
Stoneley, R. S. The variation of amplitude and energy with depth in Love waves ---- 177–91
Stones, J. E. The application of a linear increase of velocity with depth to seismic dip migration ---- 179–379
Stott, P. M., and Stacey, F. D. Magnetostriction and palaeomagnetism of igneous rocks ---- 176–268
Stovas, M. V. Deformation of the parameters of an ellipsoid of variable compression ---- 178–207
——— On the problem of latitudinal zonality of the earth's seismicity ---- 178–52
——— The potential of deformation forces and its variation with variation in the rate of rotation of an ellipsoid ---- 178–206
——— Variation of the earth's rotation as a geotectonic factor ---- 179–192
Strakhov, V. N. On the analytical extension of two-dimensional magnetic fields ---- 179–326
——— On the theory of the two-dimensional problem of magnetic exploration ---- 177–307
Stride, A. H. On the origin of the Dogger Bank, in the North Sea ---- 179–393
Struk, Ye. V. *See* Tabulevich, V. N.
Studt, F. E. The Wairakei hydrothermal field under exploitation ---- 176–214

Abstract

Stupak. M. N. K., and Tyapkin, K. F. The interpretation of certain magnetic and gravitational anomalies of the Krivoy Rog type 177–308
Stupnikova, N. I. *See* Zykov, S. I.
Subcommittee on Nuclear Geophysics. Cosmological and geological implications of isotope ratio variations 178–269
Suda, Yoshiro. *See* Hayakawa, Masami
Sugimoto, Yasuhiro. *See* Namba, Munetoshi
Sugiyama, Tomonori. *See* Hayakawa, Masami
Sultanova, Z. Z. The method of isolines 178–60
Šumi, Franć. Electrical and elastic anisotropy 177–105
——— Geophysical exploration in mining by induced polarization 179–140
Šumi, Franć, and Meisser, Otto. Geophysical exploration in the Kižnica and Majdanpek mining district of Yugoslavia 178–140
Suppe, S. Á. *See* Gammakov, A. G.
Surkov, Yu. A. *See* Baranov, V. I.
Sutton, G. H. *See* Oliver, Jack and Talwani, Manik.
Suzuki, Hiromiti. *See* Harada, Yoshimichi.
Suzuki, Takashi. *See* Nakamura, Hisayoshi.
Suzuki, Tomisaburo. *See* Kanai, Kiyoshi.
Suzuki, Ziro. A statistical study on the occurrence of small earthquakes (fourth paper) 179–68
Sveshnikov, A. G. *See* Tikhonov, A. N.
Svoboda, Karol. Geophysical methods of engineering and raw material prospecting 178–186
Svyatlovskiy, A. Ye. Very recent movements of the earth's shell and volcanism in the region of the Kurile-Kamchatka island arc 176–170
Sytinskiy, A. D. Seismic observations at Mirnyy Observatory 179–356
Szabó, Árpád. Concentration of radon and metallic radium in mineral springs and their mineral deposits at Băile Borsec and Toplitsa (Transylvania) part 8 178–327
Szemerédy, P. On the magnetoelastic property of the earth's crust 179–311
Szendrei, M. E. An experimental investigation of the propagation of a sonic pulse along the surface of a semi-infinite medium 179–116

T

Tabulevich, V. N., Struk, Ye. V., and Brandt, S. B. Automatic signal device of the "Makhachkala" seismic station 176–67
Tafeyev, G. P. *See* Gammakov, A. G.
Tajima, Hirokazu. *See* Yokoyama, Izumi
Takada, Michio. On the crustal strain accompanied by a great earthquake 178–49
——— On the observing instruments and telemetrical devices of extensometers and tiltmeters at Ide Observatory 178–88
Takasaki, K. J. *See* Eaton, J. P.
Takeuchi, Hitoshi. A comment on the flattening of the group velocity curve of mantle Rayleigh waves with periods about 500 sec 179–253
——— General solutions of equations of some geophysical importance 178–92
——— Torsional oscillations of the earth and some related problems 178–93
Takeuchi, Hitoshi, Press, Frank, and Kobayashi, Hatoa. Rayleigh-wave evidence for the low-velocity zone in the mantle 179–254
Tal'virskiy, D. B. Seismic prospecting of the basement in the southern part of the Tobol zone of the West Siberian Lowland 178–406
Talwani, Manik, Sutton, G. H., and Worzel, J. L. A crustal section across the Puerto Rico Trench 179–259
Talwani, Manik, Worzel, J. L., and Landisman, Mark. Rapid gravity computations for two-dimensional bodies with application to the Mendocino submarine fracture zone 176–184
Tamaki, Ituo. *See* Usami, Tatsuo
Tamao, Tsutomu. Hydromagnetic disturbances in the earth's core 177–268
Tamrazyan, G. P. Certain particular features of earthquakes in Tadzhikistan 178–40
——— Intermediate and deep focus earthquakes in their relation to the cosmic conditions of the earth 178–55
Tanaka, Akiyoshi. *See* Ninagawa, Shinji
Tanaka, Teiji. A starter for observation of earthquakes 176–66
See also Kanai, Kiyoshi.

Abstract

Tanaka, Yutaka. Investigation of volcanic activity of Torishima (I). On the volcanic activities during the period from 1947 to 1957 178–435
See also Nishimura, Eiichi
Tanaoka, Iwao. *See* Rikitake, Tsuneji and Uyeda, Seiya
Tandon, A. N. The Rann of Cutch earthquake of 21 July 1956 178–46
Taniguchi, Keiichiro. *See* Yoshizumi, Eizaburo
Tanner, J. G. *See* Garland, G. D.
Tarasov, G. A. The effect of alluvia on the method of natural electric field 177–118
Tarasov, Yu. A. On the selection of parameters of the group in connection with grouping of seismic receivers 177–353
——— On the significance of the curvature of the traveltime curve of a reflected wave in the grouping of geophones 179–366
Tardi, Pierre. Seismic records of the large explosions in the western Alps in September 1958 177–102
Tarkhov, A. G. On a method of determination of the thickness of alluvial deposit 176–97
——— On subsurface observations of the natural electric field in ore regions 179–171
——— Underground geophysical prospecting 178–188
Tateishi, Tetsuo. *See* Murauchi, Sadanori
Tatel, H. E., and Tuve, M. A. Seismic observations at one kilometer depth 177–338
Tatevosyan, L. K. Use of a detailed gravimetric survey in the study of the deep structure of the earth's crust in Armenia 178–245
Tatsumoto, Mitsunobu, and Goldberg, E. D. Some aspects of the marine geochemistry of uranium 179–22
Taubenheim, Jens. A simple correlation measure 176–151
Tauber, Henrik, and de Vries, H. Radiocarbon measurements of Würm-interstadial samples from Jutland 176–7
Taychinov, R. S. An investigation of the temperature of ferromagnetic transformation of rocks with a small content of ferromagnetic component 178–286
Taylor, G. L. *See* Widess, M. B.
Taylor, S. R., and Ahrens, L. H. The significance of K/Rb ratios for theories of tektite origin 179–38
See also Cherry, R. D.
Tazieff, H. The eruption of 1957–1958 and the structure of Fayal (Azores) 178–429
Tazime, Kyozi. Ray-theoretical construction of dispersive Rayleigh waves 179–125
——— Transition from solid to liquid superficial waves in a plate 179–113
Tazime, Kyoji, and Okada, Hiroshi. Observation of the velocity of S-waves near the surface of the earth 176–325
Teisseyre, R. K. Note on relationship between focus dimensions and earthquake magnitude 176–52
——— Seismic waves in an ideal guide with an arbitrary point source 178–95
——— The general problem of a conducting wedge 176–104
Teller, E. *See* Latter, A. L.
Terashima, Tsutomu. A study of the relation between predominant period and maximum amplitude of earthquake-motions by means of a magnetic tape recorder 179–82
Teupser, Christian. A method of determining the reaction factor in seismometers of the Galitzin type 177–71
——— Sensitivity regulator for electrodynamic seismographs 178–84
——— The reaction factor in electrodynamic vibration meters 177–70
Teys, R. V. Isotopic composition of oxygen of natural sulfates 179–278
Teys, R. V., Gromova, T. S., and Kochetkova, S. N. Isotopic composition of natural phosphates 179–279
Thiel, Edward. Gravity base stations, Antarctica 179–234
Thiel, Edward, and Behrendt, J. C. Gravity and magnetic measurements on the Ellsworth oversnow traverse, 1957–1958 179–233
——— Seismic studies on the Filchner Ice Shelf, Antarctica, 1957–1958 179–407
——— Seismic studies at the Ellsworth snow pit 179–409
Thiel, Edward, Ostenso, N. A., Bonini, W. E., and Woollard, G. P. Gravity measurements in Alaska 178–235
Thiesen, K. About the influence of magnetic disturbances on geomagnetic variometers 177–273
Thirlaway, H. I. S. Geophysics in Pakistan 179–180
See also Ahmad, Mioduddin
Thompson, G. A. Gravity measurements between Hazen and Austin, Nevada: a study of Basin Range structure 176–190

Abstract

Thompson, L. G. D. Airborne gravity meter test ---- 177–204
Thompson, L. G. D., and Garland, G. D. Gravity measurements in Quebec (south of latitude 52° N.) ---- 178–237
Thompson, L. G. D., and Miller, A. H. Gravity measurements in southern Ontario ---- 178–238
Thomson, W. T. Spectral aspect of earthquakes ---- 176–60
Thor, Rama. *See* Goel, P. S.
Thorarinsson, Sigurdur. *See* Tryggvason, Eysteinn.
Thoroddsen, Sigurdur. *See* Tryggvason, Eysteinn.
Thorpe, Arthur, and Senftle, F. E. Absolute method of measuring magnetic susceptibility ---- 179–317
See also Senftle, F. E.
Tikhonov, A. N., Shakhsuvarov, D. N., and Rybakova, Ye. V. On the possibility of distinguishing between equivalent profiles, using alternating electromagnetic fields ---- 179–146
Tikhonov, A. N., and Shakhsuvarov, D. N. The electromagnetic field produced by a dipole in a distant zone ---- 179–147
Tikhonov, A. N., and Skugarevskaya, O. A. Asymptotic behavior of the process of building up an electromagnetic field ---- 178–124
——— On the asymptotic character of the process of buildingup of the electromagnetic field in stratified media ---- 179–144
Tikhonov, A. N., and Sveshnikov, A. G. The slow movement of a conductive medium in a stationary magnetic field ---- 177–32
Tillotson, Ernest. Yellowstone Park earthquake ---- 179–49
Timofeyeva, G. I. *See* Amirkhanov, Kh. I.
Titov, N. Ye. *See* Polevaya, N. I.
Tixier, M. P., Alger, R. P., and Doh, C. A. Sonic logging ---- 177–352
See also Doh, C. A.
Toba, Takefumi. Seismic apparatus for prospecting in the drifts ---- 176–333
Tocher, Don, and Miller, Don J. Field observations on effects of Alaska earthquake of 10 July 1958 ---- 176–30
See also Slemmons, D. B.
Tokarev, A. K. Electric exploration of grounds in preliminary surveys for roads ---- 178–138
Tokmulin, M. Kh. Determination of local earthquake epicenter having its focus in the earth's crust ---- 178–58
Tomaschek, Rudolf. Great earthquakes and the astronomical position of Uranus ---- 179–96
Tongiorgi, E. *See* Flint, R. F.
Toporets, S. A. Influence of mineralogical composition of mineral impurities on the electrical conductivity of coals ---- 176–132
Törnqvist, Gösta. Geophysical history of the iron mine at Forsbo, Sweden ---- 178–310
Törnqvist, Gösta and Bosschart, R. A. Some recent results of geoelectrical prospecting in Sweden ---- 178–134
Torozova, L. I. *See* Kebuladze, V. V.
Treitel, Sven. Discussion of internal friction of fine grained limestones ---- 179–132
——— On the attenuation of small-amplitude plane stress waves in a thermoelastic solid ---- 177–84
Treskov, A. A. *See* Puchkov, S. V. and Solonenko, V. P.
Triglavčanin, Ante. Geoelectric studies for solution of numerous problems ---- 179–157
Troiskaya, V. A., and Mel'nikova, N. V. On characteristic intervals of pulsations of diminishing period (10–1) sec) in the electromagnetic field of the earth and their relation to phenomena in the upper atmosphere ---- 179–301
Trorey, A. W. *See* Werth, G. C.
Troyanskiy, V. T. On the possibility of the investigation of intrusive rocks by seismic methods of exploration ---- 178–322
True, H. W. Induction-electrical logging in Oklahoma ---- 176–123
——— Induction-electrical logging in Oklahoma ---- 179–172
Tryggvason, Eysteinn. Earthquakes in Iceland during 1956, 1957, and 1958 ---- 179–51
——— Velocity of earthquake waves and the earth's crust under Iceland ---- 179–260
Tryggvason, Eysteinn, Thoroddsen, Sigurdur, and Thorarinsson, Sigurdur. Report of the Earthquake Committee on earthquake risk in Iceland ---- 178–36
Tsekhov, G. D. Methods of calculation of multi-layer curves in electric profiling ---- 178–110
Tsepelev, N. V. On the reflection of elastic waves in a heterogeneous medium ---- 177–81
Tsimel'zon, I. O. Relationship between local gravity anomalies and the structure of oil and gas districts ---- 179–229
Tsirel, V. S. *See* Rotshteyn, A. Ya.
Tsitsishvili, D. A. *See* Chkhenkeli, Sh. M.

Abstract
Tskhakaya, A. D. A review of earthquakes in the Caucasus for the year 1951 177–48
See also Dzhabna, Sh. A.
Tsuboi, Chuji. A new formula connecting magnitude and number of earthquakes 179–67
——— On seismic activities in and near Japan 178–47
Tsujiura, Masaru, and Miyamura, Setumi. UHF multi-channel radio tele-recording seismograph, Part II 179–106
Tsujiura, Masaru. See Aki, Keiiti and Miyamura, Setumi
Tsutsumi, Tokudo. Distribution of radioactive minerals in the granite of Gyojayama, Kyoto Prefecture, Japan 178–323
Tuchel, Georg. On acoustic logging in Germany 179–397
Tugarinov, A. I., Zykov, S. I., and Zmeyenkova, A. V. On the age of certain lead deposits of the Caucasus 179–275
Tulina, Yu. V. *See* Kosminskaya, I. P.
Turekian, K. K. The terrestrial economy of helium and argon 179–268
Turnbull, G. Some palaeomagnetic measurements in Antarctica 179–324
Tuve, M. A. *See* Tatel, H. E.
Tuyezov, I. K. Use of the method of reflected waves for prospecting the second structural-tectonic stage in the southern part of the West Siberian Lowland (Central Pri-Irtysh) 178–405
Tvaltvadze, G. K. On the problem of construction of traveltime curves for earthquakes in the Caucasus 179–55
Tvaltvadze, G. K., and Kartsivadze, G. E. New data on distribution of epicenters and foci of earthquakes in the Caucasus 176–35
Tvaltvadze, G. K., and Murusidze, G. Ya. Experience with application of the refraction correlation method to the solution of certain geological problems 176–338
See also Balavadze, B. K.
Tyapkin, K. F. Interpretation of gravity anomalies produced by finite cylindrical bodies 177–190
See also Stupak, M. K.

U

Uchman, Jan. *See* Hordejuk, Józef
Udintsev, G. B. *See* Besrukov, P. L.
Ueji, Torajiro. Study of the underground temperature gradients of several wells at Arima spar district, near Kobe, Japan 176–211
Uffen, R. J. On the origin of rock magma 176–202
United States Coast and Geodetic Survey. Hebgen Lake, Montana earthquake, August 1959 179–48
——— Magnetograms and hourly values. Cheltenham, Maryland 1955 178–285
Unz, M. Interpretation methods for geophysical exploration of reservoirs 176–148
Uotila, U. A. *See* Heiskanen, W. A.
Urey, H. C. Chemical composition of tektites 179–36
——— Primary and secondary objects 179–30
Urey, H. C., Elsasser, W. M., and Rochester, M. G. Note on the internal structure of the moon 177–367
Urey, H. C., and Mayeda, Toshiko. The metallic particles of some chondrites 179–31
Usami, Tatsuo; Mikumo, Takeshi; Shima, Etsuzo; Tamaki, Ituo; Asano, Shuzo; Asada, Toshi; and Matsuzawa, Takeo. Crustal structure in the northern Kwanto District by explosion-seismic observations. Part 2. Models of crustal structure 176–237
Usdin, E. Machine calculation of migration data 179–379
Ushakov, S. A. *See* Lazarev, G. Ye.
Ustinova, T. I. Kamchatka geysers 178–438
Uyeda, Seiya, Yukutake, Takesi, and Tanaoka, Iwao. Studies of the thermal state of the earth. The first paper. Preliminary report of terrestrial heat flow in Japan 176–210
Uyeda, Seiya. *See* Nagata, Takesi and Rikitake, Tsuenji.

V

Vacquier, Victor. Measurement of horizontal displacement along faults in the ocean floor 176–171
Vajk, Raoul. How to correct and interpret gravity data 179–199
Vajk, Raoul, and van der Sleen, V. Standardization of gravity procedures 178–221

Abstract

Valastro, S. Jr. *See* Whitaker, W. W.
Valle, P. E. On the variation of the melting point with pressure 176–200
van der Sleen, N. *See* Vajk, Raoul.
van Dorn, W. G. Origin of the lunar craters and maria 177–374
Vaněk, Jiri. The amplitudes of PP- and SS- waves in the vicinity of 40° and the structure of the outer mantle of the earth 179–87
Vaněk, Jiri, and Stelzner, Johannes. Determination of the magnitude equations for Jena 178–64
Van Nostrand, R. G. *See* McDonal, F. J.
Varazashvili, G. S. *See* Chanturishvili, L. S.
Vasil'yev, V. G., Gushkovich, S. N., and Lishnevskiy, E. N. On the problem of interpretation of gravity and magnetic data in the south of the East Siberian platform 178–243
Vasil'yev, V. G., Karasev, I. P., and Kravchenko, Ye. V. Principal direction of exploration-prospecting operations in oil and gas within the Siberian platform 178–183
Vasil'yev, V. G., Veber, V. T., and Mandel'baum, M. M. New data on the geology and the prospects of oil and gas of the Zeya-Amur interstream area 178–182
Vasil'yev, Yu. P. *See* Berzon, I. S.
Vasil'yev, Yu. M. *See* Kazakov, M. P.
Vaughn, W. W., Barnett, R. H., and Wilson, E. E. Drill core scanner proved in field 178–353
Vaughn, W. W., Rhoden, V. C., Wilson, E. E., and Faul, Henry. Scintillation counters for geologic use 177–327
Veber, V. T. *See* Vasil'yev, V. G.
Vecchia, Orlando. Geophysical surveys for a dam at the Lake of Molveno (Venetian Alps, Italy) 178–395
Veldkamp, J. Some Sumatra earthquakes 179–79
Veneziani, I. *See* Colombo, U.
Vening Meinesz, F. A. The geophysical history of a geosyncline 178–216
Venkatasubramanian, V. S., and Sivaramakrishnan, V. Studies on the lead alpha method of geochronology 179–18
Verbovenko, P. K., and Fakidov, I. G. Contribution to the question of gamma-gamma-well logging 177–333
Vesanen, E. E. *See* Porkka, M. T.
Veselov, K. E., and Panteleyev, V. L. On the effect of disturbing accelerations in gravity measurements with a static gravimeter at sea 179–210
Veshnyakov, N. V. On some errors in the determination of the azimuth of microseisms by the method of tripartite stations 176–288
See also Belotelov, V. L.
Vidal, H. *See* Förtsch, Otto
Vilenskiy, V. D. *See* Baranov, V. I.
Vilkov, N. V. Experience in the determination of porosity of strata according to the SP parameters 179–170
Vinogradov, A. P. Meteorites and the earth's crust (Geochemistry of isotopes) 178–271
——— On anomalies of the electrotelluric field in the region of the Ushkan Islands (Lake Baikal) 178–28
Vinogradov, P. A. The determination of the vertical component of the electrotelluric field in Lake Baikal 177–29
Vinokurov, V. M. Magnetic properties of the minerals of the wolframite group 179–315
Visarion, Marius. Gravimetric measurements in the NNE part of Transylvania with a special survey of the Bistriţa region 179–224
See also Socolescu, M. M.
Vishnyakov, Ye. P. *See* Voyutskiy, V. S.
Vistelius, A. B. On the question of the origin of the red beds of the Cheleken peninsula. Attempt at the use of the absolute age of clastic minerals for the solution of problems of lithology and paleogeography 177–19
Vitásek, František. Physical geography 179–186
Vogel, J. C. On the isotope content of the carbon in fresh water lime deposits 178–273
See also Brinkmann, R. and Münnich, K. O.
Voisey, A. H. Some comments on the hypothesis of continental drift 178–217
Voitkevich, G. V. Unified geochronology of the Precambrian 176–2
Volarovich, M. P., Balashov, D. B., and Stakhovskaya, Z. I. A study of the elastic properties of rocks under high pressure 178–106

Abstract

Volarovich, M. P., and Parkhomenko, E. I. Modeling of the relationship of the disturbance of the electric field in rocks, in connection with the piezoelectric effect, with seismic phenomena ---- 178–158
Volland, Hans. Electromagnetic induction in planes with locally variable conductivity, part 1 ---- 178–25
——— Electromagnetic induction in planes with locally variable conductivity, part 2 ---- 178–26
——— On a shell model of the earth, equivalent to the electrical conductivity of its interior ---- 177–141
von Buttlar, Haro. Ground water studies in New Mexico using tritium as a tracer, 2 ---- 178–280
Von Herzen, R. Heat-flow values from the southeastern Pacific ---- 177–229
Von Herzen, R., and Maxwell, A. E. The measurement of thermal conductivity of deep-sea sediments by a needle-probe method ---- 179–245
Voropinov, V. S. Volcanoes and earthquakes ---- 178–424
Vosahlo, Hans. Progress in the impulse-schlieren method, an aid in geophysical research and practice ---- 176–85
Voshage, H., and Hinterberger, H. The potassium isotopes as reaction products of cosmic radiation in the Carbo iron meteorite ---- 177–265
——— Potassium as a cosmic radiation reaction product in iron meteorites ---- 179–282
Voskoboynikov, G. M. The intensity of γ-radiation in a homogeneous radiating medium ---- 176–303
Voytkevich, G. V. Tectonic cycles of the Precambrian ---- 179–4
See also Amirkanov, Kh. I.
Voyutskiy, V. S., Slutskovskiy, A. I., and Vishnyakov, Ye. P. Field tests of seismic stations with velocity filters ---- 179–383
Vybornykh, S. F. Geophysical logging equipment and apparatus ---- 178–187
See also Barsukov, O. A.
Vyskočil, Vincenc. Effect of the vertical density gradient on the second derivatives of the gravitational potential ---- 176–185

W

Wager, L. P. Beneath the earth's crust ---- 176–223
Wait, J. R. On the electromagnetic response of an imperfectly conducting thin dyke ---- 176–105
Walker, D. J. *See* Richards, T. C.
Walker, E. C., Cuttitta, Frank, and Senftle, F. E. Some natural variations in the relative abundance of copper isotopes ---- 176–240
Wallace, C. H. *See* Care, J. L.
Walton, A. *See* Broecker, W. S.
Waniek, Ludvik, and Klima, Karel. On the measurement of pressure-wave amplitudes ---- 179–128
Wantland, Dart. Geophysical investigations on projects of the United States Bureau of Reclamation in Kansas ---- 178–168
Ward, S. H. AFMAG—airborne and ground ---- 179–151
——— Unique determination of conductivity, susceptibility, size, and depth in multifrequency electromagnetic exploration ---- 178–121
Ward, S. H., and Barker, R. A. Case history of the Juniper Prospect ---- 178–171
Ward, S. H., Cartier, W. O., Harvey, H. A., McLaughlin, G. H., and Robinson, W. A. Prospecting by use of natural alternating magnetic fields of audio and sub-audio frequencies ---- 176–101
Waring, C. L. *See* Larsen, E. S., Jr.
Warwick, J. W. Some remarks on the interaction of solar plasma and the geomagnetic field ---- 177–269
Watanabe, Kazue. Contribution to the thermodynamic analysis on the heat source of Obama hot springs in the vicinity of Unzen volcano district ---- 176–212
Watanabe, Tomiya. Hydromagnetic oscillation of the outer ionosphere and geomagnetic pulsation ---- 179–302
——— Morphology of the geomagnetic pulsation ---- 179–303
See also Kato, Yoshio
Watanabe, Yoshio. *See* Kishinouye, Fuyuhiko
Weaver, C. E. *See* Goldich, S. S.

Abstract

Weber, Max. The plane *n*-layer seismic reflection problem with constant front velocities, arbitrary dips and arbitrary position of the source 179–120
——— The travel time function and its interpretation in seismic refraction surveying of the uniaxial inhomogeneous body 179–123
Webster, R. K. *See* Smales, A. A.
Welin, E. Seismic refraction survey of a hydro-electric plant site in northern Sweden 178–401
Wellman, H. W. Geological interpretation of airborne magnetometer observations from Nelson to Waikato River, New Zealand 177–314
Wells, J. D. *See* Harrison, J. E.
Wen-you, Chang, and Nairn, A. E. M. Some palaeomagnetic investigations on Chinese rocks 177–304
Werner, Sture. Geophysical history of a deep-seated pyritic ore body in northern Sweden 178–133
Werth, G. C., Liu, D. T., and Trorey, A. W. Offshore singing—field experiments and theoretical interpretation 177–343
Westphal, J. A. An electronic seismic dip plotter 179–379
Wexler, H. Geothermal heat and glacial growth 177–185
Wheeler, R. P. *See* McNutt, Charles
Whipple, F. L., and Fireman, E. L. Calculation of erosion in space from the cosmic-ray exposure ages of meteorites 177–25
Whipple, F. L., and Hynek, J. A. The IGY optical satellite tracking program as a source of geodetic information 177–172
Whitaker, W. W., Valastro, S. Jr., and Williams, Milton. The climatic factor in the radiocarbon content of woods 178–320
White, Bill. *See* Franks, Curtis.
White, J. E. *See* McDonal, F. J.
White, R. J., and Charles, W. W. Innisfail oil field—a case history 178–390
White, W. R. H. *See* Milne, W. G.
Whitham, Kenneth, Loomer, E. I., and Dawson, E. Recent studies of the north magnetic dip pole 177–270
Widess, M. B., and Taylor, G. L. Seismic reflections from layering within the Precambrian basement complex, Oklahoma 178–386
Widmyer, R. H., and Wood, G. M. Evaluation of porosity determination from neutron logs 176–311
Wiebenga, W. A. Exploration geophysics applied to the dolerites of Tasmania 177–155
Wilkening, M. H. Daily and annual courses of natural atmospheric radioactivity 177–324
Williams, D. *See* Bowie, S. H. U.
Williams, Milton. *See* Whitaker, W. W.
Williams, M. L. The stresses around a fault or crack in dissimilar media 177–89
Willis, E. H. *See* Flint, R. F.
Willmore, P. L. The application of the Maxwell Impedance Bridge to the calibration of electromagnetic seismographs 176–63
Wilson, C. D. V. Geophysical investigations in the Vale of Clwyd 178–399
Wilson, D. W. R. The orocline concept and continental drift—a commentary 176–165
Wilson, E. E. *See* Vaughn, W. W.
Wilson, J. C. *See* Campbell, J. L. P.
Wilson, J. T. Geophysical institutes of the U.S.S.R. and of the People's Republic of China 177–146
——— Geophysics and continental growth 176–162
Wilson, W. *See* Sawatzky, H. B.
Winchell, R. L. Law Southeast pool—a successful seismic discovery in Graham County, Kansas 178–384
Wing, L. A. An aeromagnetic and geologic reconnaissance survey of the Sidney-Augusta and Gardiner areas, Kennebec County, Maine 179–330
Winn, R. H. A report on the displacement log 176–119
Winsauer, W. O. *See* Southwick, S. H.
Wojtczak, B. *See* Hordejuk, Józef
Wood, A. B. A comparison of well velocity methods in South Texas 178–388
Wood, A. J. *See* Smales, A. A.
Wood, G. M. *See* Widmyer, R. H.
Woollard, G. P. Crustal structure from gravity and seismic measurements 179–257
——— Gravity observations during the IGY 176–188
——— The relation of gravity to geology in Kansas 178–231

Abstract

Woollard, G. P., Bonini, W. E., and Meyer, R. P. A seismic refraction study of the sub-surface geology of the Atlantic Coastal Plain and Continental Shelf between Virginia and Florida ---- 178–375
See also Thiel, Edward
World Oil. Oil discovery techniques ---- 177–156
Worthington, A. E., and Meldau, R. F. Departure curves for the self-potential log ---- 176–120
Worzel, J. L. Continuous gravity measurements on a surface ship with the Graf Sea Gravimeter ---- 178–227
——— Extensive deep sea sub-bottom reflections identified as white ash ---- 177–375
See also Talwani, Manik
Wright, A. E. *See* Griffiths, D. H.
Wright, C. S. *See* Duffus, H. J.
Wyrick, B. F. *See* Hersey, J. B.
Wyrobek, S. M. Well velocity determinations in the English Trias, Permian, and Carboniferous ---- 178–398

Y

Yakushev, V. P. *See* Shreiner, L. A.
Yamaguchi, Rinzo. *See* Sato, Yasuo
Yamaguchi, T., and Shinogi, M. On the field test of the fault interpretation by the refraction method at Nittetsu Futase coal mine ---- 176–344
Yamaguti, Seiti. On the change in the heights of bench marks between Tokyo and Misaki at Kanagawa Prefecture. Change in the heights of fixed plane inside the mareographic station at Aburatubo ---- 179–196
Yamashita, Shiro, and Noritomi, Kazuo. On the survey of underground structure by using E. T. L. seismic equipment ---- 177–366
Yanagihara, Kazuo. Induced polarization and earth-current ---- 178–120
——— Some characters of geomagnetic pulsation pt and accompanied oscillation spt ---- 179–306
Yanagisawa, Masumi. *See* Kawasumi, Hirosi
Yanovskaya, T. B. On the dispersion of Rayleigh waves in a spherical layer ---- 176–81
Yaranov, D. Seismic regionalization in Bulgaria ---- 178–37
Yashchenko, Z. G. Experience in the use of electrical exploration for investigation of the karst manifestations in the valleys of the Angara and West Dvina Rivers ---- 179–158
Yasukawa, K. *See* Kawai, Naoto
Yefimov, F. N. Magneto-fractionation-mineralogical analysis ---- 179–316
Yengurazov, I. I., and Ezdrin, M. B. On the problem of exploration of structures in the Saratov Trans-Volga region ---- 179–400
Yepinat'yeva, A. M. On summary multiple reflections ---- 179–365
Yepinat'yeva, A. M., and Ivanova, L. A. The use of high-frequency filters for the suppression of multiple reflections ---- 178–373
Yepinat'yeva, A. M., and Mikhaylova, N. G. The determination of types of multiply reflected waves from their kinematic and dynamic characteristics ---- 179–364
Yermakov, V. I., and Shatsov, A. N. Radiometric survey in oil-bearing regions of West Turkmenia ---- 178–342
Yevseyev, S. V. On the seismic traveltime curve and structure of the earth's crust in the Carpathian region based on the data of two earthquakes ---- 178–267
Yokouchi, Yukio. Earth-current observation at Kanoya ---- 178–29
Yokoyama, Izumi. Gravity survey on Kuttyaro caldera lake ---- 179–232
Yokoyama, Izumi, and Tajima, Hirokazu. Gravity survey on the Kuttyaro caldera by means of a Worden gravimeter ---- 176–198
York, D. *See* Davidson, C. F. and Mayne, K. I.
Yoshimatsu, Takasaburo. Changes of earth-current potentials at Kanoya and activities of the volcano Sakurajima ---- 178–432
——— On the frequency of geomagnetic pulsation pc ---- 179–304
——— On the frequency of geomagnetic pulsations observed in Japan during the IGY (1) ---- 179–307
Yoshimura, J. Seismicity in Kyushu district ---- 179–61
Yoshizawa, Shizuyo. *See* Kanai, Kiyoshi
Yoshizumi, Eizaburo, and Taniguchi, Keiichiro. On the measurement of small phase difference ---- 176–108
Yoshizumi, Eizaburo; Taniguchi, Kiichiro; and Kiyono, Takeshi. Vertical sounding by central induction method ---- 178–116

Abstract

Yukutake, Takesi. Attenuation of geomagnetic secular variation through the conducting mantale of the earth 179–288
See also Rikitake, Tsuneji and Uyeda, Seiya
Yun, S. K. *See* Kim, C. W.
Yunusov, N. K. On the introduction of corrections for the upper layer into the traveltime curves of reflected waves at the eastern border of the Russian platform 177–361

Z

Zagarmistr, A. M. *See* Berdichevskiy, M. N. and Blokh, I. M.
Zagonov, A. V. Logarithmic nomograms of Δg for a hemisphere and an infinite half-cylinder 179–204
Zähringer, J. *See* Gentner, W.
Zakharchenko, V. F. *See* Ponomarev, V. N.
Zalesskiy, B. V. Methods of study of physical-mechanical properties of rocks 178–413
Zandle, G. L. *See* Bromery, R. W.
Zavadskaya, T. N. On the transformation of curves obtained in electric profiling 177–112
Zav'yalov, V. A. On the relationship of the electrical characteristics of a section of the Domanik sediments and the lithogeochemical features of the series 177–139
Zenkevich, N. L. *See* Besrukov, P. L.
Zevakina, R. A. Bay disturbances of the geomagnetic field and changes in the ionosphere related to them according to observations in Murmansk 177–280
Zharkov, V. N. On the physical nature of wave guides (low velocity layers in the upper parts of the mantle at depths of 50–200 km) 177–239
——— The melting temperature of the earth's mantle and of iron under high pressure 178–250
Zhbanov, G. I. Seismic logging of shot wells by means of a hammer 178–364
Zhilyayev, I. I. *See* Belotelov, V. L.
Zhirov, K. K., Baranovskaya, N. V., and Litvina, L. A. Determination of absolute geologic age by the helium method on monazite 177–13
Zhongolovich, I. D. On the determination of the dimensions of the earth's general ellipsoid 177–170
Zidarov, D. Determination of the magnetic moment of iron ore deposits 176–260
——— Experimental extension of harmonic functions and its application in geophysics 177–162
——— Experimental solution of Dirichlet's problem for the half-space $z>0$ 177–163
——— Experimental solution of the inverse gravimetric and magnetometric problem 177–196
——— Experimental solution of Neumann's problem for the half-space $z>0$ 177–164
——— On gravimetric and magnetometric corrections 177–197
Zidarov, D., and Sakalian, K. Experimental-model solution of the inverse gravimetric and magnetometric problems 179–201
Zietz, Isidore. *See* Henderson, J. R. Jr., Peselnick, Louis, and Treitel, Sven.
Zijderveld, J. D. A. *See* As, J. A.
Zmeyenkova, A. V. *See* Tugarinov, A. I.
Znamenskiy, V. V. *See* Kazakov, M. P.
Zutshi, P. K. *See* Goel, P. S.
Zverev, S. M. The utilization of a sound recording for the determination of distances in deep seismic sounding operations at sea 178–360
Zykov, S. I., and Stupnikova, N. I. On determination of the isotopic composition of lead 179–273
See also Tugarinov, A. I.

SUBJECT INDEX

A

Acoustic logging, accuracy: Hicks 178–365
  description: Tixier 177–352
  direct integration: Manchee 177–351
  geometric factors: Kokesh 176–329
  Germany: Tuchel 179–397
  porosity determination: Pickhardt 178–367
  Sahara: Dunoyer de Segonzac: 178–393
  short-interval: Wood 178–388
  south Texas: Biggs 178–387
  symposium: Oklahoma Geophysical Society 178–362
Acoustic waves, absorption in rock: Karus 176–89
  propagation in layered liquid: Pekeris 178–99; Rosenbaum 176–77
  velocities, measuring apparatus: Desbrandes 177–96
    rock: Desbrandes 177–96
Aeromagnetic maps, Manitoba: Canada Geological Survey 179–338
  New Brunswick: Canada Geological Survey 179–337
  New Jersey: Bromery 179–334
  New York: Balsley 179–331, 332
  Northwest Territories: Canada Geological Survey 179–339
  Pennsylvania: Bromery 179–333, 334, 335, 336
Africa, carbon-14 dates: Flint 178–7
  rift valley, seismicity: de Bremaecker 179–53
  volcanoes, catalog: Gèze 176–367; Richard 176–366
    Tchad: Gèze 176–367
Age, Arctic materials: Rainey 178–8
  bentonite, Alberta and Minnesota: Folinsbee 178–17
  biotite, Brazil: Herz 178–18
  bones, from β-radioactivity: Oakley 176–20
  charnockites, Ukraine: Komlev 179–7
  clastic minerals, U.S.S.R.: Vistelius 177–19
  cyrtolite, India: Venkatasubramanian: 179–18
  earth: Baranov 179–3
  feldspar, Brazil: Herz 178–18
    India: Aswathanarayana 176–16
    Karelia: Amirkhanov 176–10
    rubidium-strontium method: Smales 178–20
  fresh-water lime: Münnich 178–6
  galena, Australia: Greenhalgh 177–10
    Witwatersrand: de Villiers 178–13
  glacial stages, Europe: Gross 178–9
  glauconite, Czechoslovakia: Kazakov 177–18
    Minnesota: Goldich 177–17
    U.S.S.R.: Kazakov 177–18
Age—Continued
  gneiss, Czechoslovakia: Kantor 179–14
  granite, Brazil: Herz 176–13, 178–18
    Czechoslovakia: Kantor 178–19, 179–14
    Italy: Deutsch 176–19
    North American, batholiths: Larsen 176–18
    Ukrainian S.S.R.: Komlev 179–6, 7
    U.S.S.R.: Komlev 179–15; Krylov 176–14
  ground water, Germany: Brinkmann 176–8
  igneous rocks, Azerbaijan S.S.R.: Kashkay 179–11
    North Caucasus: Afanassiev 178–16
  illite, Belt Series: Goldich 177–17
  lake deposits, California: Flint 176–6
  lavas, Hawaii: Reber 179–20
  lead model, relation to trace elements: Ehrenberg 177–260
  lead ore, Great Britain: Moorbath 177–8
    New York: Brown 178–12
  marine oolites, ionium method: Tatsumoto 179–22
  metamorphic events, southeastern U.S.: Long 179–5
  metamorphic rocks, Alps: Deutsch 178–23
  meteorites: Begemann 179–272; Dicke 176–4; Marshall 178–24; Starik 179–16; Whipple 177–25
  mica, Baltic: Gerling 177–12
    Brazil: Herz 178–18
  peat, Australia: Churchill 179–21
    British Isles: Flint 178–7
    North America: Flint 178–7
  pegmatite, Czechoslovakia: Kantor 178–19
    U.S.S.R.: Komlev 179–15; Smolin 176–15
  penguin colony, Antarctica: Harrington 176–9
  petroleum, determination by energy method: Ramazanzade 177–23
  pingo, Northwest Territories: Craig 177–7
  pipestone, Minnesota: Goldich 177–17
  Pleistocene volcanics: Evernden 176–11
  Precambrian, Alberta: Burwash 176–12
    Baltic: Gerling 177–12
    Finland: Kouvo 177–11
    Ukraine: Komlev 178–4; 179–6, 7
  Precambrian cycles: Semenenko 178–3; Voytkevich 176–2, 179–4
  rocks, Antarctic: Starik 177–20
    Georgian S.S.R.: Gamkrelidze 179–8
    North Caucasus: Afanas'yev 179–12
  samarskite, India: Aswathanarayana 176–16
  sea water, North Atlantic and Arctic: Fonselius 177–256

Age—Continued
sedimentary rocks, Dagestan: Amirkhanov 179–13
sylvites: Polevaya 179–21
tektites: Gentner 179–17; Starik 179–40
uraninite, New York: Klemic 178–164
U.S.S.R.: Gerling 177–9
Witwatersrand: de Villiers 178–13
uranium minerals, Australia: Greenhalgh 177–10
wood, Belgium: Pée 177–5
Würm interstadial, Denmark: Tauber 176–7
zircon, India: Venkatasubramanian 179–18
New York: Klemic 178–164
Virginia: Carroll 176–17
Age determinations, argon method, apparatus: Shur 178–15
argon method, argon retention: Amirkhanov 177–14, 15
cause of divergences: Polevaya 179–10
description: Amirkhanov 178–14
improvements: Ozima 179–9
reliability: Afanas'yev 178–16
suitability of biotite: Starik 177–16
β-radioactivity method for fossil bones: Oakley 176–20
beryllium-10 as basis: Merrill 178–22
calcium method, sylvites: Polevaya 177–21
Canada: Canadian Geophysical Bulletin 178–169
carbon-14, Bern laboratory: Flint 178–7
bibliography: Flint 178–7; Griffin 177–1; McNutt 177–2
British Museum: Flint 178–7
Cambridge University: Flint 178–7
Lamont laboratory: Flint 178–7
New Zealand laboratory: Fergusson 177–3
Pisa laboratory: Flint 178–7
samples of known age: Broecker 177–4
Stockholm laboratory: Flint 178–7
Trondheim laboratory: Flint 178–7
University of Arizona: Flint 178–7
University of Michigan: Flint 178–7
University of Pennsylvania: Flint 178–7; Rainey 178–8
Uppsala laboratory: Flint 178–7
Yale University: Flint 178–7
carbon-14 method, description: Pée 177–5
description and perspectives: Barker 179–19
enrichment: de Vries 178–5
error: Olson 176–5
principles: Kroebel 178–1
significance: German 177–6
cosmic spherule method: Pettersson 177–24
helium method, helium retention: Amirkhanov 177–14
suitability of monazite: Zhirov 177–13
ionium method, on oolites: Tatsumoto 179–22
Age determinations—Continued
lead isotope method, calculation tables: Stieff 178–11
metamorphism: Gerling 177–9
validity: Boyle 178–274; Russell 178–275
pleochroic halo method: Deutsch 179–23
radioactive methods: Burkser 178–2; Kroebel 178–1
rhenium-osimium method: Naldrett: 178–21
thermoluminescence method: Angino 177–22; 179–12, 13
Air, radioactivity, Antarctica: Picciotto 176–296
radioactivity, daily and annual courses: Wilkening 177–324
natural and artificial: Adamczewski 176–297
Sicily: Cantone 177–325
Tokyo: Kawano 177–326
Airborne electromagnetic surveying, two-plane method: Engineering and Mining Journal 178–126
Airborne geophysical surveying, Radan navigation: Aero Service Corporation 177–168
Airborne gravity surveying, instruments: Fedynskiy 177–203; Lundberg 178–226
Siberia: Smirnov 179–208
Airborne magnetic maps: *See* Aeromagnetic maps
Airborne magnetic surveying, interrelations between anomaly components: Celminš 178–300
Russian manual: Logachev 179–325
Airborne magnetic surveys, Alberta: Garland 178–308
Colorado: Joesting 178–306
Indiana: Henderson 176–284
Kansas: Agocs 178–303, 304; King 178–305; Merriam 178–302
Maine: Wing 179–330
Malaya: Agocs 178–315
Mediterranean (Sicily-Tunisia): Agocs 179–342
Newfoundland: Bichan 178–291; Canadian Geophysical Bulletin 178–169
New Zealand: Wellman 177–314
Siberian Platform: Ozertsova 179–346; Vasil'yev 178–243
Utah: Joesting 178–307
Airborne radioactivity surveying, Cornwall: Bowie 178–339
geologic interpretation: Moxham 178–335
Malaya: Agocs 178–315
Alaska, earthquake, July 1958: Båth 177–69; Brazee 178–33; Tocher 176–30
geomagnetic micropulsations: Campbell 179–309
regional gravity survey: Thiel 178–235
volcanic activity, Gareloi Island: Coats 178–426
well temperatures: Lachenbruch 179–242
Yakataga glacier velocity: Miller 176–174

Alberta, age, bentonite: Folinsbee 178–17
age, Precambrian basement: Burwash 176–12
crustal thickness: Canadian Geophysical Bulletin 178–169; Richards 176–232, 177–246
geophysical case history, Innisfail field: White 178–390
gravity survey, central; Garland 177–208
southwestern: Garland 178–239
magnetic survey, northeastern: Garland 178–308
seismic surveys, Mississippian surface: Blundun 178–389, 179–391
Algeria, Orléansville earthquake, cause of turbidity currents: Heezen 177–41
Alluvium, effect on SP anomalies: Tarasov 177–118
Alps, age, St. Gotthard crystallines: Deutsch 178–23
explosion seismology, western: Tardi 177–102
gravity survey, western: Caron 178–242
magnetization, Jurassic sediments: Hargraves 177–300
Aluminum-26, tektites: Cherry 179–39
Antarctica, age, penguin colony: Harrington 176–9
age, rocks of eastern: Starik 177–20
crustal thickness: Evison 176–238
earthquakes registered: Sytinskiy 179–356
geothermal heat and glacier growth: Wexler 177–185
gravity base station: Thiel 179–234
gravity surveys: I.G.Y. Bulletin 179–404; Lazarev 178–247; Ostenso 179–235; Thiel 179–233
gravity value: Harada 177–219
magnetic observations: Hatherton 179–295; Oguti 179–290; Slaucitajs 176–258
magnetic surveys: Ostenso 179–235; Thiel 179–233
microseisms: Hatherton 178–318; Sytinskiy 179–356
paleomagnetic measurements: Turnbull 179–324
radioactivity of air: Picciotto 176–296
Russian geophysical studies: Sen'ko 176–140
seismic exploration, elevation control: Ostenso 179–408
seismic surveys: Bentley 179–406; Imbert 176–177; I.G.Y. Bulletin 177–364, 179–404, 405; Mather 178–409; Murauchi 176–178; Robin 177–365; Thiel 179–407, 409
trans-continental trough: I.G.Y. Bulletin 177–364
Arctic, carbon-14 dates: Rainey 178–8
submarine volcanism: Gakkel' 176–362
uplift of Svalbard archipelago: Birkenmajer 176–172
Arctic Ocean, geotectonics and magnetic anomaly: Hope 177–378
Argon, loss mechanism: Amirkhanov 177–15
retention in rocks and minerals: Amirkhanov 177–14
terrestrial economy: Polanski 179–267; Turekian 179–268
Argon-38, potassium minerals: Gerling 177–253; Signer 178–272
Arizona, carbon-14 dates: Flint 178–7
Armenian S.S.R., gravity anomaly, relation to seismicity: Oganisyan 178–54
gravity surveys: Tatevosyan 178–245
magnetization, volcanic rocks: Akopyan 177–301, 302
Asia, crustal structure: Savarenskiy 178–264; 179–261
fault-plane solutions: Scheidegger 179–80
Atlantic Coastal Plain, seismic survey, Virginia - Florida: Woollard 178–375
Atlantic Ocean, crustal structure: Ewing 176–234; Koryakin 176–233
seismic surveys: Ewing 176–234
Atmosphere: *See* Air
Aurora, diurnal variation, Antarctica: Hatherton 179–295
Aurora and magnetic pulsations: Kato 179–296
Australia, age, Broken Hill lead: Greenhalgh 177–10
age, peat: Churchill 179–21
uranium mineralization: Greenhalgh 177–10
carbon-14 dates: Flint 178–7
geophysical exploration, Tasmanian dolerites: Wiebenga 177–155
paleotemperatures: Dorman 179–280
seismic travel times: Bolt 178–80
volcanologic research 1954–57: Fisher 179–419
Austria, seismic survey, Brandner glacier: Förtsch 176–175
telluric surveys: Friedl 179–152
Azerbaijan S.S.R., age of intrusives: Kashkay 179–11
geothermal gradients: Mekhtiyev 179–243
SP-logging, pyrite: Tarkhov 179–171
underground gravity survey: Balavadze 177–218
Azores, Capelinhos eruption: Tazieff 178–429
submarine pits, relation to magma chambers: Machado 179–416

B

Baltic shield, age of Precambrian cycles: Gerling 177–12
Basalts, magnetization, Canada: DuBois 177–291
magnetization, Germany: Nairn 178–295
India: Deutsch 177–303
Bashkir A.S.S.R., electrical logging: Nesterenko 178–149; Pernikov 177–140; Zav'yalov 177–139
Basin-range structure from gravity survey: Thompson 176–190

Batholiths, age of North American: Larsen 176–18
Bauxite, seismic surveys, U.S.S.R.: Andreyev 179–401
Bavaria, explosions, recorded at Průhonice: Kárník 176–91
Belgian Congo, earthquakes 1909–54: Herrinck 179–54
geophysical surveys, Nyiragongo volcano: Magnée 178–430
volcanic eruption, 1958: Berg 177–387
Belgium, age of Bölling wood: Pée 177–5
seismic survey, Campine coal: Ruehmkorf 178–400
Bentonites, age, North America: Folinsbee 178–17
Bermuda, submarine topography: Northrop 178–418
Beryllium-7, meteorological use: Lal 178–270
tropical atmosphere: Goel 177–264
Beryllium-10, dating basis: Merrill 178–22
tektites: Cherry 179–39
Biotite, age, Brazil: Herz 178–18
age, Ukraine: Komlev 179–7
suitability for argon dating: Starik 177–16
Bismuth, meteorites: Ehmann 179–33
Bismuth-212, branching ratio: Evans 177–315
Black Sea, microseisms: Kostina 176–292; Monakhov 176–291; Stolypina 179–350
Black Sea basin, seismicity: Levitskaya 179–56
Bones, dating by β-radioactivity: Oakley 176–20
Borneo, tektite from: Roe 179–44
Boron-10, minerals, measurement: Allais 179–270
Boundary value problems, generalization of previous methods of solving: Shuleshko 177–167
new method of solving: Shuleshko 177–166
Brazil, age of granites: Herz 176–13, 178–18
British Columbia, gravity survey, southern: Garland 178–239
seismic survey, Vancouver Island: Canadian Geophysical Bulletin 178–169
Building material, electrical exploration: Shibakov 178–115
Bulgaria, radioactivity logging apparatus: Nikiforov 177–335
seismic regionalization: Yaranov 178–37
Bushveld Complex, magnetization: Gough 176–276

C

Calderas, origin, gravity evidence: Yokoyama 176–198, 179–232
California, age of Searles Lake deposits: Flint 176–6
continental shelf: Moore 176–352
earthquakes, 1906 and 1940, energy: Byerly 177–56
1952, Kern County: Scheidegger 179–78
geomagnetic micropulsations: Campbell 179–309
seismicity maps: Richter 177–36
Caliper log data, comparison with gamma-ray: Bunker 177–331
Calorimeter, portable, for thermal areas: Benseman 176–205
Canada, aeromagnetic maps, Manitoba: Canada Geological Survey 179–338
aeromagnetic maps, New Brunswick: Canada Geological Survey 179–337
Northwest Territories: Canada Geological Survey 179–339
age determinations: Canadian Geophysical Bulletin 178–169
carbon-14 dates: Flint 178–7
crustal thickness: Richards 177–246
electromagnetic surveys, sulfides: Bragg 176–110
exploration activity 1959: Oil in Canada 178–170
geophysical research: Canadian Geophysical Bulletin 178–169; Garland 177–145
gravimeter calibration line: Innes 179–213
gravity measurements, absolute: Innes 178–236
logging techniques: Canadian Well Logging Society 179–181
magnetization, Tertiary basalts: DuBois 177–291
mine bumps and earthquakes, Crowsnest Pass: Milne 177–39
mineral exploration, 1958: Smellie 177–147
Carbon dioxide, natural, origin: Lang 176–239
Carbon-14, geochemistry, fresh water: Broecker 177–254
Carbon-14 content, sea water: Fönselius 177–256
wood, effect of climate: Whitaker 178–320
Carbon-14 dating: *See* Age determinations, carbon-14
Carbon isotopes, fresh water carbonates: Clayton 177–255; Vogel 178–273
igneous rocks: Vinogradov 178–271
marine carbonates: Clayton 177–255
meteorites: Vinogradov 178–271
natural CO_2: Lang 176–239
sea water, North Atlantic and Arctic: Fönselius 177–256
Carbonate rocks, logging: Nesterenko 178–149; Per'kov 178–180

Carbonates, fresh water, carbon isotope ratios: Vogel 178–273
marine and freshwater, distinguished by isotopes: Clayton 177–255
Caribbean Sea, crustal structure: I.G.Y. Bulletin 177–248
Carpathian foreland, seismic surveys: Petkevich 179–402
Carpathians, crustal structure: Yevseyev 178–267
Caspian Sea, crustal structure: Gagel'gants 179–262
Caucasus, earthquakes, distribution: Dzhibladze 176–34
earthquakes, location: Papalashvili 178–63; Tvaltvadze 176–35
igneous cycles: Afanassiev 178–16
lead-isotope composition: Tugarinov 179–275
Central America, carbon-14 dates: Flint 178–7
volcanoes, 1957 state: Pough 178–428
catalog: Mooser 176–363
Charnockites, age, Ukrainian, S.S.R.: Komlev 179–7
Chile, gravity survey, Chillan: Lomnitz 178–241
China, geophysical institutes: Wilson 177–146
geophysical research: Bullen 178–194
magnetization, Silurian siltstone: Wenyou 177–304
seismicity map: Gorshkov 177–53
seismological developments: Kharin 179–58
Clastic minerals, age, paleogeographic value: Visteliuś 177–19
Clay, rheological properties: Murayama 176–349
Clay content, sandstones, from gamma log: Polak 177–320
Clay deposits, electrical surveys, Germany: Flathe 178–135
Coal, electrical conductivity, effect of impurities: Toporets 176–132
electrical logging, U.S.S.R.: Butakov 176–129
gamma-gamma logging, Donets basin: Garkalenko 177–336
logging methods: Plewa 176–118
seismic surveys, Netherlands: Riel 178–397
Coal mine, geothermal measurements, Germany: Benthaus 178–257
Colorado, gravity and magnetic surveys, Uravan Area: Joesting 178–306;
radioactivity surveys, Chicago Creek: Harrison 178–338
Colorado Plateau, electrical properties of cores: Keller 178–160
electrical surveys, uranium-vanadium ores: Kelly 178–130
isotopic study of uranium ores: Miller 176–242
radioactivity surveys, carnotite: Kelly 178–130
Comet impacts on moon, seismic energy: van Dorn 177–374
Compressibility, sandstone reservoirs: Fatt 176–87
Computer for gravity data: Klushin 178–223
Continental drift, causes: Gussow 177–176; Hapgood 177–175; Scheidegger 176–164
India: Deutsch 176–277
orocline concept: Wilson 176–165
paleobiological evidence: Carey 178–217
paleomagnetic evidence: Carey 178–217; DuBois 178–293; Patterson 176–271; Runcorn 177–289
paleowind evidence: Laming 176–166; Raasch 176–167
relation to polar wandering: Creer 176–273
symposium: Carey 178–217
tectonic approach: Carey 178–217
zoogeographic evidence against: Maksimova 176–168
Continental shelf, California: Moore 176–352
Continents, evolution: Magnitskiy 179–188; Wilson 176–162
origin: Hilsenberg 177–179; Kennedy 179–187
Convection in mantle: Latynina 176–201
Copper isotopes, abundance variations: Walker 176–240
Copper ore, electrical surveys, Mauritania: Huot 178–131
Core, chemical composition: MacDonald 176–222
fluid motion: Elsasser 177–271
hydromagnetic disturbances: Tamao 177–268
reflection at inside boundary: Gutenberg 179–89
seismic wave propagation: Duwalo 176–69
solidity of inner: Bullen 177–235
Correlation, evaluation measures: Taubenheim 176–151; Rawer 179–179
Cosmic rays, isotopic compositions: Johansson 177–252
meteorites: Subcommittee on Nuclear Geophysics 178–269
Creep, internal friction and wave dispersion: Lomnitz 178–98
prediction: Nishihara 176–347
Crust, constitution: Rittmann 177–243
development: Popov 179–252
earthquake deformation: Bendefy 177–43
electrical conductivity, Europe: Fleischer 176–22
exploratory drilling: Kosygin 176–231
I.G.Y. research: Ewing 176–227
magnetoelasticity: Szemeredy 179–311
recent deformation: Birkenmajer 176–172; Meshcheryakov 177–180; Pronicheva 178–218; Saxov 177–181
See also Crustal tilt

Crust—Continued
rheological properties: Hiersemann 176–346
source of volcanism in: Pospelov 177–244
wave guides: Magnitskiy 178–263
Crustal strain, accompanied by earthquake: Takada 178–49
Crustal structure, Alberta: Canadian Geophysical Bulletin 178–169; Richards 176–232, 177–246
Antarctica: Evison 176–238
Asia: Savarenskiy 178–264, 179–261
Atlantic Coast: Hersey 177–247
Atlantic Ocean: Ewing 176–234; Koryakin 176–233
Caribbean: I.G.Y. Bulletin 177–248
Carpathians: Yevseyev 178–267
Caspian Sea: Gagel'gants 179–262
continents and oceans: Kosminskaya 178–262
Europe: Caloi 177–251; Rothé 177–250
explosion data: Press 177–101
Finland: Porkka 177–46
Georgian S.S.R.: Balavadze 176–235
gravity and seismic measurements: Woollard 179–257
Iceland: Tryggvason 179–260
Japan: Hisamoto 178–48; Iida 179–85; Matuzawa 179–263; Usami 176–237
Love waves: Press 177–240
Mediterranean: Ewing 176–234
Mendocino fracture zone: Talwani 176–184
Mid-Atlantic ridge: Ewing 176–234
New Zealand: Eiby 178–268
North Pacific: De Noyer 179–264
Norwegian Sea: Ewing 176–234
Puerto Rico Trench: Talwani 179–259
Rumania: Demetrescu 178–265; Enescu 178–266
seismic evidence: Båth 176–228; Byerly 176–229
South Africa: Hales 177–249
surface wave dispersion: Sato 179–91
U.S.S.R.: Kosminskaya 176–236, 178–262
United States: Ewing 176–230; Hersey 177–247
velocity experiments: Birch 177–245
worldwide: Båth 179–258
Crustal tilt, Hawaii: Eaton 179–412
Japan: Yamaguti 179–196
relation to earthquakes: Bonchkovskiy 176–57; Caloi 177–63; Nishimura 177–64
Cryptoexplosion structures, meteorite impact origin: Dietz 179–34
Cyrtolite, age, India: Venkatasubramanian 179–18
Czechoslovakia, age, glauconites: Kazakov 177–18
age, granites: Kantor 178–19, 179–14
pegmatite: Kantor 178–19
electrical logging, disconformities shown by SP: Dlabac 176–128
Czechoslovakia—Continued
seismic waves from Bavarian blasts: Kárník 176–91

D

Damsites, electrical surveys, Italy: Vecchia 178–395
geophysical surveys, France: Mathiez 178–173
seismic surveys, France: Mathiez 178–396
Italy: Vecchia 178–395
Sweden: Welin 178–401
Data processing in geophysics: Landsberg 178–191
Deep sea ash, Worzel layer: Anders 178–416; Ewing 177–376; Worzel 177–375
Deep sea sediments, dating by cosmic spherules: Pettersson 177–24
heat conductivity: Von Herzen 179–245
Deflection of vertical, absolute, France and North Africa: Lejay 178–208
Deformation, dolomite, experimental: Higgs 176–351
earthquake: Bendefy 177–43
near mines: Hiramatsu 178–102; Netunakhin 177–121; Sałustowicz 177–93
recent, Arctic: Birkenmajer 176–172
North Caspian: Pronicheva 178–218
sedimentary rocks at high temperature: Handin 176–350
Denmark, age, Würm interstadial: Tauber 176–7
gravimetric calibration line: Kejlsø 177–210
gravity survey: Saxov 177–211
Density, earth's interior: Bernasconi 177–233
variation with depth, effect on gravity derivatives: Vyskočil 176–185
Deuterium-hydrogen ratios, water in volcanic glasses: Friedman 176–241
Dielectric constant, relation to resistivity: Piskunov 176–131
Diffusion-absorption potentials, drill holes: Shapiro 177–135
Dip logging: Franks 179–184
Dolerite, geophysical exploration, Tasmania; Wiebenga 177–155
magnetization, Antarctica: Turnbull, 179–324
Dolomite; deformation: Higgs 176–351
Dunite, elasticity: Nishitake 177–242

E

Earth, age: Baranov 179–3
axis, shift: Jardetzky 176–247
composition: Levin 176–216
evolution, geochemical: Saukov 176–220
orocline concept: Carey 178–217
physicochemical: Popov 179–252
expansion: Egyed 177–178, 178–215; Hilgenberg 177–179

Earth—Continued
figure, astronomic-geodetic and gravity data: Gromov 178–201
glaciation: Fischer 176–161
gravity data: Arnold 176–156; Heiskanen 177–169; Jeffreys 177–174; Levallois 178–209
hypothesis-free determination: Ledersteger 178–204
lunar observations: Markowitz 177–172
methods of calculating: Bragard 176–154; 178–200; Kazinskiy 177–171; Molodenskiy 178–199
northern and southern Europe: Heiskanen 177–169
rotation: Stovas 178–206, 207
satellite data: Blitzer 176–158; King-Heles 177–173; Lecar 176–160; Markowitz 177–172; O'Keefe 176–159
smoothed model: de Graaff-Hunter 178–202
free oscillations: Benioff 178–85; Pekeris 177–80; Shlanger 179–92; Takeuchi 178–93
geochemical evolution: MacDonald 179–236; Saukov 176–220
heat balances: Subcommittee on Nuclear Geophysics 178–269
melting temperature in: Uffen 176–202
origin: Levin 176–216
history and constitution: Jeffreys 179–250
primordial temperature: Safronov 177–221
rotation, core motion: Elsasser 177–271
figure: Stovas 178–206, 207
geotectonic effect: Stovas 178–52, 179–192
thermal history: Lyubimova 178–249
Earth currents, conducting interior: Volland 178–26
Europe: Fleischer 176–22
geomagnetic activity: Carstoiu 176–21; Grenet 177–27
Georgian S.S.R.: Bukhnikashvili 177–31; Kebuladze 177–30
Japan: Yokouchi 178–29
Lake Baikal: Vinogradov 177–29, 178–28
mantle: Parkinson 177–283
measuring apparatus, Hungary: Ádám 176–25
meteorological conditions: Lashkhi 177–28
micropulsations, U.S.S.R.: Kalashnikov 177–284
monograph: Bukhnikashvili 177–26
short-period variations: Barsukov 176–24
volcanic activity, Sakurajima: Yoshimatsu 178–432
Earth shell, displacement: Ma 179–195
Earth tides, harmonic analysis: Lecolazet 177–79, Pertsev 177–77
observations, France: Blum 177–78; Lecolazet 177–79
Earth tides—Continued
review: Melchior 177–76
well levels: Melchior 178–86
Earth's dynamo, forced oscillations: Rikitake 179–284
Earthquake faults, physical conditions from geodetic data: Kasahara 176–56
Earthquake motion, amplitude-period relationship: Kanai 176–61, 62
initial amplitude: Kirnos 177–62
surface and underground: Kanai 179–83
Earthquake wave guides, crust and mantle: Magnitskiy 178–263
Earthquake waves, abnormal intensity zone: Okura 178–78
angles of emergence: Savarenskiy 178–61
body, amplitude as function of distance: Ruprechtová 176–58
coda, explanation: Das Gupta 179–112
crustal structure: Båth 176–370; Kosminskaya 178–262
energy: Båth 177–57; Bune 178–65; De Noyer 176–50; Rykov 177–73; van Dorn 177–374
energy recorder: Rykov 177–73
G, mantle structure from: Press 177–240
tiltmeter observations: Blum 177–78
Love, crustal structure: Press 177–240
dispersion: Sikharadze 179–94
lunar impact: van Dorn 177–374
magma-chamber location: Gorshkov 176–359
near earthquakes, correlational study: Aki 179–90
P, amplitudes near shadow zone: Lehmann 177–67
azimuth deviations, Djakarta: Ritsema 179–86
velocities, Iceland: Tryggvason 179–260
PKP, traveltimes to 145°: Bolt 179–88
PP and *SS*, amplitudes near 40°: Vaněk 179–87
period-amplitude relationship: Terashima 179–82
period, local earthquakes: Mikumo 177–66
phases at 105°–115°: Lehmann 178–77
preliminary tremor, Japan: Iida 179–85
propagation, effect of core: Duwalo 176–69
Rayleigh, crustal structure: Ewing 176–230
in mantle: Båth 177–69; Blum 177–78; Takeuchi 179–253, 254
second shear mode: Oliver 179–93
velocity determination: Savarenskiy 177–68
reflected at core boundary: Gutenberg 179–89
reflected at Mohorovičić: Kamitsuki 177–65
S, long-period: Shlanger 179–92
particle motion: Nuttli 176–59
spectral structure, effect on magnitude scale: Matumoto 179–66

Earthquake waves—Continued
surface, dispersion: Båth 179–258; Sato 179–91
energy: Båth 177–57
T-phase: Milne 179–95
traveltimes, Australia: Bolt 176–324
velocities, Sakurajima Volcano: Kagoshima Local Meteorological Observatory 178–79
Earthquakes, 1957: Due Rojo 179–47; Grylgewicz 177–35; Lotze 176–28
acceleration, intensity scale: Martelly 176–33
aftershocks, statistical study: Kurimoto 179–69
Alaska, July 1958: Båth 177–69; Brazee 178–33; Tocher 176–30
Algeria, 1954, turbidity currents: Heezen 177–41
Antarctica (recorded at Mirnyy): Sytinskiy 179–356
Belgian Congo, 1909–54: Herrinck 179–54
Black Sea basin: Levitskaya 179–56
Bulgaria: Yaranov 178–37
California, Kern County, focal mechanism: Scheidegger 179–78
San Francisco and Imperial Valley: Byerly 177–56
seismicity map: Richter 177–36
Caucasus, 1912–53: Dzhibladze 176–34
1951: Tskhakaya 177–48
location: Papalashvili 178–63; Tvaltvadze 176–35
China, seismicity map: Gorshkov 177–47, 53
cosmic origin: Tamrazyan 178–40, 55; Tomaschek 179–96
crustal deformation caused: Bendefy 177–43
crustal strain, accompanied: Takada 178–49
crustal tilt: Caloi 177–63; Nishimura 177–64
crustal tilt before and during: Bonchkovskiy 176–57
distinguishing from nuclear explosions: Mark 178–108
distortion of pulselike signals: Landisman 178–81
distribution of foci: Grin 178–53
earth's rotation: Stovas 178–52
Ecuador, 1534–1958: Comité del Año Geofísico Internacional del Ecuador 179–50
Aug. 1949: Martelly 176–33
effect on buildings: Adem 176–46; Goldberg 176–45; Kanai 176–47, 48; Nazarov 178–51
effect on well levels, Georgia: Stewart 177–38
electric effects accompanying: Volarovich 178–158
Earthquakes—Continued
energy, computations: Båth 177–57; Byerly 177–56; Glivenko 179–64
measuring instrument: Belotelov 179–108
epicentral azumith, determination: Savarenskiy 177–68, 178–61
epicentral determination: Esteban Carrasco 178–56, 57; Gilić 178–59 Koning 177–54; Papalashvili 178–63; Sultanova 178–60; Tokmulin 178–58; Tvaltvadze 176–35
fault plane solutions, statistical analysis: Scheidegger 179–71
tabulations: Hodgson 178–71; Keylis-Borok 178–68; Schäffner 179–72
See also Earthquakes, focal mechanism
Finland, 1956: Porkka 177–46
first motions, Chapel Hill, N.C.: MacCarthy 178–31
focal determination, Caucasus: Tvaltvadze 176–35
macroseismic data: Martelly 176–33; Sponheuer 177–55
statistical: Glivenko 178–62, 179–64
focal mechanism, Asia: Scheidegger 179–80
calculation: Byerly 178–67; Das 176–345; Enescu 179–76; Healy 177–87; Jobert 179–74; Kasahara 179–75; Keylis-Borok 179–73; Knopoff 177–88; McIntyre 178–72; Schäffner 179–72; Stauder 177–60; Teisseyre 176–52
California: Byerly 177–59; Scheidegger 179–78
geodetic data: Galanopoulos 176–55
Indonesia: Veldkamp 179–79
Japan: Ichikawa 178–76
Kamchatka: Benioff 178–73
macroseismic evidence: Galanopoulos 179–77
Nevada: Byerly 177–59
Pacific: Hodgson 177–61; St. Amand 178–74
review: Hodgson 178–75; Honda 178–69
rheological properties of crust from: Hiersemann 176–346
Russian research: Keylis-Borok 178–68
southeast Asia: Ritsema 178–70
structure: Hiller 177–58
See also Earthquakes, fault plane solutions
frequency, statistical study: Riznichenko 176–49
Georgia, 1811–1947: Stewart 177–37
Georgian S.S.R., Feb. 1953: Lebedeva 176–36
Germany, focal depth: Sponheuer 177–55
ground motion, spectral aspect: Thomson 176–60

Earthquakes—Continued
Hawaii, Apr.–June 1958 : Eaton 176–361
Hindu-Kush, deep : Shirokova 179–255
Hungary, 1880–1956 ; Csomor 177–44
Jan. 1956 : Bendefy 177–43 ; Bisztriczány 177–45
Iceland, 1956–58 : Tryggvason 179–51
seismicity : Tryggvason 178–36
India, July 1956 : Tandon 178–46
intensity scales, acceleration : Martelly 176–33
comparison : Gorshkov 179–63
Iran, 1909–57 : Peronaci 178–45
Dec. 1957 : Peronaci 178–45
Italy, 1953–57 : Panfilis 178–35
Montespertoli 1958 : Panfilis 177–42
Japan, crustal structure : Hisamoto 178–48
epicenters : Kodama 179–59
July 1952 : Takada 178–49
Kii Peninsula : Miyamura 179–60
Kyushu district : Yoshimura 179–61
magnitude formula : Tsuboi 178–47
tripartite observations : Miyamura 179–84
Kirgiz S.S.R., Kok-Shaal region : Grin 178–39
Kurile Islands, June 1952 : De Noyer 179–264
Kurile-Kamchatka, 1954–56 : Kondorskaya 176–42
Los Angeles Basin, seismicity map : Richter 177–36
Madagascar, 1955 and 1956 : Poisson 178–34
magnetic secular variation : Orlov 177–278
magnetoelastic effects : Szemeredy 179–311
magnitude, determination : Bisztricsány 179–65 ; Droste 176–51 ; Vaněk 178–64
distribution : Suzuki 179–68
focal dimensions from : Teisseyre 176–52
relation to number : Tsuboi 179–67
variation with azimuth : Nagamune 179–70
well-level fluctuations : Eaton 178–50
magnitude and energy : Iida 178–66
magnitude scale, spectral structure of waves : Matumoto 179–66
Mexico, July 1957 : Duke 177–40 ; Figueroa Abarca 176–31 ; Merino y Coronado 176–32
mine bumps : Milne 177–39
Mongolia, Dec. 1957 : Florensov 177–52 ; Solonenko 178–43
seismicity map : Solonenko 178–44
Montana, Aug. 1959 : Tillotson 179–49 ; U.S. Coast and Geodetic Survey 179–48
moon as trigger : Tamrazyan 178–40, 55
near, azimuth and apparent velocity : Miyamura 179–84
energy : Bune 178–65
Love wave dispersion : Sikhuradze 179–94
Earthquakes—Continued
Nevada, Fairview Peak 1954 : Byerly 177–56
Wonder, 1903 : Slemmons 178–32
New Zealand, 1877, tsunami from : Gregg 176–43
1954 : Hayes 179–62
Pacific, mechanism : Hodgson 177–61 ; St. Amand 178–74
prediction : Bonchkovskiy 176–57 ; Nishimura 177–64 ; Takada 178–49 ; Tamrazyan 178–40, 55
Rumania, distribution : Florinescu 179–52
Russian popular work : Voropinov 178–424
Siberia, June 1957 : Puchkov 178–42
Solomon Islands, 1952–56 : Grover 176–44
Southeast Asia, focal mechanism : Ritsema 178–70
Tadzhik S.S.R., 1865–1952 : Semenov 177–49
1955 : Kukhtikova 177–50
Garm region : Gzovskiy 176–40 ; Riznichenko 179–57
U.S.S.R., Caucasus, traveltimes : Tvaltvadze 179–55
Krasnaya Polyana 1955–56 : Dzhabna 176–37 ; Kats 176–38 ; Rustanovich 176–39
Kyren, Aug. 1958 : Puchkov 178–38
Muya, June 1957 : Puchkov 178–42 ; Solonenko 178–41
seismicity map : Gorshkov 177–47
Tien Shan : Kazanli 177–51
United States, history : Heck 178–30
seismicity map : Richter 177–36
Uranus position : Tomaschek 179–96
Utah, Feb. 1958 : Berg 176–29
West African Rift Valley : de Bremaecker 179–53
Yellowstone, 1959 : Tillotson 179–49 ; U.S. Coast and Geodetic Survey 179–48
Echo sounding, improved method : Sergeyev 178–361
Ecuador, earthquakes, 1534–1958 : Comité del Año Geofísico Internacional del Ecuador 179–50
earthquakes, Aug. 1949 : Martelly 176–33
Egypt, carbon-14 dates : Flint 178–7
radioactivity of phosphates : Hussein 176–302
El Salvador, seismographs at San Salvador station : Boletin Sismológico del Servicio Geológico Nacional de El Salvador 177–75
Elastic disturbances, from time-periodic twist on spheroidal cavity : Chakraborty 176–68
Elastic overburden, ground motion : Ambraseys 178–100
Elastic solid, thermoelasticity : Shima 176–83

Elastic waves, absorption: Ivakin 176–82; Karus 176–89
amplitude: Davydova 176–76
attenuation: Treitel 177–84
dispersion Dorman 176–79; Jobert 179–126; Keylis-Borok 177–90; Lomnitz 178–98; Tazime 179–25; Yanovskaya 176–81
ideal guide, arbitrary point source: Teisseyre 178–95
line source in ground: Kobayashi 179–110
longitudinal, amplitude: Davydova 176–76
scattering: Knopoff 176–74
Love, amplitude: Stoneley 177–91
disperson: Dorman 176–79; Jobert 179–126
energy: Stoneley 177–91
multilayered mediums: Sato 179–127
torsional oscillation of earth: Takeuchi 178–93
multiplet: Gassmann 179–111
propagation, anisotropic media: Helbig 176–84
higher velocity layers: Parkhomenko 179–119
liquid layer: Liu 179–114
mediums with solid friction: Knopoff 179–115
plane horizontally layered earth: Enescu 178–94
propagation, visual study: Vosahlo 176–85
Rayleigh, dispersion: Keylis-Borok 177–90; Tazime 179–125; Yanovskaya 176–81
dissipation: Macdonald 178–97
propagation: Buckens 176–80
reflection, boundary with intervenient layer: Sato 179–121
heterogeneous medium: Tsepelev 177–81
plane n-layer case: Weber 179–123
three-layer case: Coloma Perez 177–82
weak boundary: Chekin 177–83
refracted, character: Oguchi 179–124
refraction, at weak boundary: Chekin 177–83
in uniaxial inhomogeneous medium: Weber 179–120
refraction and reflection, interface with large velocity contrast: Nuttli 178–96
SH, reflection at solid-fluid boundary. Oguchi 179–122
shear, anomalous: Healy 177–87
model experiments: Evans 176–86
scattering: Knopoff 177–86
surface, dispersion: Sato 176–78
propagation at cylindrical hole in solid: Stilke 179–109
propagation from solid to liquid: Tazime 179–113
Elastic waves—Continued
velocity, crustal structure from experiments: Birch 177–245
"elastic characteristics": Kalinina 176–88
laboratory measurements: Balakrishna 179–130, 131; Bayuk 178–104; Desbrandes 177–96; Iida 178–103, 179–129; Kalinina 178–105
moisture: Kalinia 178–105
See also Seismic waves
Elasticity, aluminum alloys: Bayuk 178–104
dunite and periclase: Nishitake 177–242
homogeneous isotropic body: Takeuchi 178–92
limestones: Kuiper 177–95; Peselnick 177–94
rocks under pressure: Silayeva 177–97; Volarovich 178–106
sandstone: Bayuk 178–104
soil: Jones 177–99
syenite: Bayuk 178–104
theory, asymptotic solutions: Skuridin 178–90, 91
review: Goodier 178–89
Elastostatics, solution of integral equations: Fredricks 176–70
Electrical anisotropy, determination: Šumi 177–105
Electrical conductivity, coals, effect of impurities: Toporets 176–132
crust, central Europe: Fleischer 176–22
earth's interior, shell model: Volland 177–141
frozen rocks: Ananyan 177–142
limestone: Guizonnier 178–159
Electrical exploration, alluvium thickness: Tarkhov 176–97
building materials: Shibakov 178–115
central induction method: Yoshizumi 178–116
charged body method: Nepomnyashchikh 177–113
continuous vertical profiling, offshore: Nazarenko 178–113
dipole profiling: Blokh 178–111, 112; Nazarenko 179–136
direct resistivity method: Petrucci 179–134, 135
disseminated ores: Shaub 176–100
frequency resistivity method: Hrdlicka 177–109
ground-water flow: Smirnov 179–143
high frequency: Dayev 176–107
induced polarization: Bulashevich 176–99; Kudymov 178–119; Marshall 179–139; Postel'nikov–179–141; Schufle 176–98; Seigel 178–118; Yunagihara 178–120
induced polarization method: Baldwin 178–117; Gel'bukh 177–116; Komarov 177–117; Šumi 179–140

Electrical exploration—Continued
instruments, electronic: Karandeyev 179–137
interpretation models: Nedyalkov 177–114, 115
inverse problem: Nedyalkov 176–95
karst: Bystritskiy 179–159
magnetotelluric method: Berdichevskiy 179–153
mine dislocations: Netunakhin 177–121
multilayer problems: Roman 178–109; Tsekhov 178–110
outcropping layers: Chetayev 177–106
phase difference meter: Yoshizumi 176–108
resistivity, asymmetrical set-up: Blokh 178–111
complex structure: Alfano 179–133
conversion of diagrams: Cassinis 177–111; Zavadskaya 177–112
"geohm" unit: Orellana 177–104
permeability determination: Komarov 178–114
profiling: Berdichevskiy 177–107; Ono 176–115; Shuval-Sergeyev 177–108; Tikhonov 179–146
roadbeds, U.S.S.R.: Tokarev 179–138
self-potential, alluvium: Tarasov 177–118
tabular bodies: Roy 179–142
tellurie method: Berdichevskiy 179–153; Friedl 179–152; Kopelev 179–154
terrain effect: Chanturishvili 176–96
three-electrode profiling: Blokh 178–111
three-layer case: Skugarevskaya 178–125
See also Electromagnetic exploration
Electrical field, cylindrical electrode on insulating probe: de Witte 178–146
elongated and oblate spheroids: Gel'bukh 177–116
induced by ocean currents: Tikhonov 177–32
induced by tides: Kiyono 178–27
stratified medium, analogy with seismic propagation: Baranov 176–94
Electrical logging, anisotropic strata: Kulinkovich 179–160
application to water wells, Hungary: Sebestyén 179–173
Azerbaijan, pyrite: Tarkhov 179–171
Bashkir A.S.S.R. correlation with lithology; Zav'yalov 177–139
collar effect: Al'pin 178–147
Czechoslovakia: Dlabac 176–128
dielectric method: Aksel'rod 177–134
diffusion-absorption potentials: Shapiro 177–135
differential: Colombo 177–133
dipole profiling: Al'pin 176–124
displacement: Winn 176–119
induction: Bencze 179–168; Doh 176–122; Dobrynin 178–154; Latyshova 178–152; Plyusnin 178–153; True 176–123, 179–172
Electrical logging—Continued
integrated sonde: Sarkisov 177–137
Japan, comparison with electrical profiling: Ono 176–115
Kazakh S.S.R., sulfides: Plyusnin 178–155
laterolog: Blokh 177–110; Petrosyan 178–150
lignite: Pflug 176–127
London basin: Gray 176–126, 177–130
microlaterolog: Brown 179–163; Ismet 179–166, 167; Nesterenko 178–149; Neyman 179–165; Shevkunov 178–148, 179–164
monographs: Dakhnov 178–145; Schlumberger Well Surveying Corporation 178–196
qualitative interpretation: Southwick 176–117
resistivity, mud filtration: Flock 179–162; Johnson 179–161
PDR curves from apparent resistivity; Grujić 177–136
precise analysis: Mann 177–128
pressure: Glanville 177–129
reverse-wetting: Graham 177–132
slide rule for computations: Hamilton 176–125
SP, Bashkir A.S.S.R.: Pernikov 177–140
clay content: Dakhnov 178–157
departure curves: Worthington 176–120
disconformities: Dlabac 176–128
porosity: Pernikov 177–140;
pyrite: Tarkhov 179–171
streaming potential: Gondouin 176–121; Hill 179–169
tectonic interpretation from: Sigal 179–174
water: Kozina 178–156
sulfides: Tarkhov 179–171
three-electrode probes, theory: Al'pin 178–151
U.S.S.R., Irkutsk coal basin: Butakov 176–129
Yugoslavia: Aksin 177–138
Electrical properties, ground, relation to lightning risk: Fritsch 176–134
synthetic ore: McEuen 178–161
uranium province cores: Keller 178–160
Electrical resistivity, core samples: Jaszczewski 176–133
overburden and fluid pressure: Glanville 177–129
porosity and saturation: Arkharov 177–131
reservoir properties: Keyvsar 176–130
rocks, dielectric constant: Piskunov 176–131
Electrical surveys, Austria: Friedl 179–152
Colorado Plateau: Kelly 178–130
France: Breusse 178–137
Georgian S.S.R.: Chkhenkeli 176–113; Chanturishvili 176–112

Electrical surveys—Continued
Germany: Flathe 178–135, 136; Keunecke 179–156; Nosske 176–194
Illinois: Buhle 178–127
India: Rao 177–126
Italy: Breusse 178–139; Cassinis 178–394, 179–398; Vecchia 178–395
Japan: Homma 178–143, 144; Kondo 177–127; Noma 176–114; Ono 176–115; Research Group for Spontaneous-Polarization Method 176–116
Kansas: Crumpton 178–128; O'Connor 178–129
Kazakh S.S.R.: Borovinskiy 176–176; Ivanov 178–142
Mauritania: Huot 178–131
Missouri: Meidav 176–109
Ohio: Norris 177–122
Serbia: Milošević 177–123; Ristić 177–124
Spain: Cantos Figuerola 176–111
Sweden: Törnqvist 178–134; Werner 178–133
Switzerland: Poldini 178–138
Tanganyika: King 178–392
Texas: Barret 179–149
U.S.S.R.: Komarov 177–117; Sakovtsev 178–141; Yashchenko 179–158
Utah: Gilbert 179–155
Yugoslavia: Milanović 177–125; Mladenović 177–225; Šumi 178–140; Triglavčanin 179–157
See also Electromagnetic surveys
Electromagnetic exploration, AFMAG method: Ward 176–101; 179–151
a-c method: Tikhonov 179–146
characteristic impedances and matrices: Loeb 177–120
crossed coil method: Kimura 176–106
diffraction on conducting half-plane: Jankowski 178–122
dipole method: Molochnov 178–123
multifrequency method: Ward 178–121
radiowave method: Barret 179–149; Dayev 179–150
Electromagnetic field, asymptotic build-up: Tikhonov 178–124, 179–144
conducting wedge: Teisseyre 176–104
dipole over layered medium: Molochnov 179–148
distant dipole: Tikhonov 179–147
pencil-shaped body: Overholt 177–119
spherical ore body: Shaub 176–100
thin dike: Wait 176–105
transient dipole: Bhattacharyya 176–103
vertical dipole: Slichter 176–102
vertical vein: Dmitriyev 179–203
Electromagnetic induction, planes with variable conductivity: Vollard 178–25
Electromagnetic surveys, Canada: Bragg 176–110
Portugal: Rocha Gomes 178–132
Electroseismic effect: Antsyferov 177–346; Martner 177–345; Prosvirnin 179–101; Volarovich 178–158
Elements, geochemical table: Green 179–266
Ellipsoid, earth's, definitions: Arnold 178–205
earth's, deformation by rotational variation: Stovas 178–206, 207
dimensions: Zhongolovich 177–170
See also Earth, figure
Engineering seismology, methods of analysis: Nazarov 178–51
England, borehole temperatures, Hopton Pool: Cooper 178–259
magnetization, Jurassic sands: Girdler 179–319
radioactivity surveys, airborne, Cornwall: Bowie 178–339
seismic velocities, eastern: Wyrobek 178–398
Estonia, magnetic survey of meteor crater: Pobul 179–340
Europe, carbon-14 dating, glacial stages: Gross 178–9; Naar 178–10
crustal structure, Apennines to Atlantic: Caloi 177–251
western: Rothé 177–250
electrical conductivity of crust: Fleischer 176–22
geoid in northern and southern: Heiskanen 177–169
gravimeter calibration lines: Kneissl 179–214
gravity pendulum measurements: Marazhn 179–215
magnetic declination in central, 1485: Przypkowski 179–289
Explosion seismology, Alps: Tardi 177–102
Canada, Ripple Rock: Richards 177–246
crustal structure from: Press 177–101
Europe: Karnik 176–91; Rothé 177–250
Japan: Research Group for Explosion Seismology (Japan) 176–92; Usami 176–237
Explosions, danger zones, from seismic records: Bune 177–103
energy: Bune 178–65
ground disturbance: Bune 177–103
nuclear, detection: Mark 178–108; Press 179–46
Explosives, seismic exploration: Kupalov-Yaropolk 178–370
Extensometers: Benioff 178–87; Takada 178–88

F

Faults, displacement, Pacific Ocean floor: Vacquier 176–171
displacement, stress equated to: Lensen 176–54
stress distribution: Williams 177–89
transcurrent, compressional angle between intersecting: Lensen 176–53
See also Earthquakes, fault plane solutions, and Earthquakes, focal mechanism

Feldspar, age, Brazil granites: Herz 178–18
age, argon method: Amirkhanov 176–10
Finnish Precambrian: Kouvo 177–11
India: Aswathanarayana 176–16
rubidium-strontium method: Smales 178–20
Figure of the earth: *See* Earth, figure; Ellipsoid
Finland, age, Precambrian minerals: Kouvo 177–11
crustal thickness: Porkka 177–46
earthquake, Dec. 1956: Porkka 177–46
geophysical surveys, Vihanti zinc: Kahma 178–175
Foundations, seismic exploration methods: Bornmann 179–388
France, carbon-14 dates: Flint 178–7
deflection of vertical: Lejay 178–208
earth tides: Blum 177–78
electrical surveys, Rhône valley damsites: Breusse 178–137
geophysical surveys, Écarpière uranium: Collin 178–172
Vogelgrun damsite: Mathiez 178–173
radioactivity, granite: Roubault 177–318
natural waters: Jurain 177–323; Roubault 176–298
siesmic surveys, Sault-Brenaz damsite: Mathiez 178–396
seismic waves from mine caveins: Peterschmitt 178–107
French Union, radioactivity surveys: Lecoq 178–340
French West Africa, electrical survey, Mauritania: Huot 178–131
gravity surveys, interpretation: Crenn 176–193
Friction, internal, relation to creep and dispersion in solids: Lomnitz 178–98

G

Gabbros, magnetization, Bushveld Complex: Gough 176–276
magnetization, Scotland: Blundell 177–298
Gadolinium-152, natural radioactivity: Riezler 176–294
Galena. *See* Lead ore
Gamma-rays, intensity, homogeneous medium: Voskoboynikov 176–303
scattering: Homilius 176–307
spectrum, relation to density and mineralogy: Filippov 178–346
surface, equivalence with volumetric: Bulashevich 176–304
See also Radioactivity
Geochemical table of elements: Green 179–266
Geochronologic scale, absolute: Davidson 179–1; Kulp 179–2; Mayne 176–1, 179–1
Geodesy, recent progress: de Graaff-Hunter 176–153
world datum: Fischer 176–157
Geoid: *See* Earth, figure
Geologic thermometer, argentite-naumannite transition: Roy 179–246
oxygen isotopes: Clayton 177–261
Geology and geophysics, Russian popular work: Bubleynikov 178–198
Geophysical concepts, evaluation: Belousov 178–193
Geophysical data, statistical interpretation: Khalfin 177–165
Geophysical exploration, 1956 (outside U.S.S.R.): Postnikov 178–162
1957 (worldwide): Patrick 176–135
Canada, 1959: Oil in Canada 178–170
decreasing success: Clifford 176–145
distinguishing small anomalies: Klushin 178–192
geology as tool: McCollum 178–189; 179–178
ground water, choice of methods: Unz 176–148
methods, Canada, 1958 developments: Smellie 177–147
mining application: Henrichs 178–185
modern: Smellie 176–147
progress: Clifford 176–144; Oil and Gas Journal 177–156; Pakiser 177–158
prospects: Bruckshaw 179–176
review: García Siñeriz 177–157
textbook: Favre 176–141; Haalck 176–142; Howell 179–175; Svoboda 178–186
tunnel engineering application: Hammond 179–185
underground: Tarkhov 178–188
U.S.S.R.: Bogdanov 178–177
Rumania, development: Stefanescu 178–176
U.S.S.R., program: Fedynskiy 178–178
regional: Godin 178–190
Geophysical history of geosyncline: Vening Meinesz 178–216
Geophysical institutes, U.S.S.R. and China: Wilson 177–146
Geophysical instruments, Russian: Vybornykh 178–187
Geophysical logging (general): *See* Well logging
Geophysical observatory, Trieste: Morelli 178–195
Geophysical research, Canada: Garland 177–145
Pakistan: Thirlaway 179–180
Geophysical surveys, Alberta: White 178–390
Antarctica: Senko 176–140
Australia: Wiebenga 177–155
Belgian Congo: Magnée 178–430
Finland: Kahma 178–175
France: Collin 178–172; Mathiez 178–173
Georgian S.S.R.: Prangishvili 176–340
Illinois: Buhle 178–127
India: Kailasam 176–139, 342; 177–153; Olenin 178–184

Geophysical surveys—Continued
Kansas: Beebe 178–379; Brewer 178–377; Care 178–378; Merriam 178–167; Rupnik 178–381; Smith 178–382; Wantland 178–167; Winchell 178–384
Kazakh S.S.R.: Solovov 178–181
New Brunswick: Ward 178–171
New York: Klemic 178–164
Pakistan: Ahmad 177–154
Siberia: Vasil'yev 178–182, 183
Spain: Cantos Figuerola 177–149
submarine geology: Fedynskiy 178–415
Sweden: Malmqvist 178–174; Törnqvist 178–134, 310; Werner 178–133
Tanganyika: King 177–148
Texas, Edwards Trend: Moore 176–138
Tri-State district: Hambleton 178–165
U.S.S.R.: Fotiadi 177–152; 178–179
Yugoslavia: Aranđelović 177–150
Geophysical tools, 1958 developments: Canadian Oil and Gas Industries 176–152
Georgia, earthquakes, 1811–1947: Stewart 177–37
earthquakes, well-level fluctuations: Stewart 177–38
tektites: Barnes 179–42; Cohen 179–43
Georgian S.S.R., age determinations: Gamkrelidze 179–8
crustal structure: Balavadze 176–235
earth current variations: Bukhnikashvili 177–31
earthquake, Feb. 1953: Lebedeva 176–36
electrical surveys: Chkhenkeli 176–113
geophysical surveys, Kolkhida depression: Prangishvili 176–340
geothermal gradient: Arbolishvili 179–244
gravity surveys, interpretation: Ayzenberg 177–216
Kolkhida area: Balavadze 176–196
magnetic S_q variations: Katsiashvili 176–257
magnetic surveys, Kolkhida depression: Matsaberidze 177–313
radioactivity, mineral waters: Chkhetiya 176–299; Kebuladze 176–300
seismic surveys, general: Tvaltvadze 176–338
Terek valley: Ioseliani 176–339
Geosynclines, geophysical history: Vening Meinesz 178–216
review of concept: Aubouin 179–190
temperature variations in: Grossling 179–237
Geotectonic phases, nature and duration: Bubnoff 179–189
Geotectonics, block-and-fold hypothesis: Khain 178–214
constriction theory: Odhner 177–177
fundamental problems: Khain 178–212
Kamchatka-Kurile island arc: Svyatlovskiy 176–170
model research: Belousov 176–163
Pacific area: Ehara 176–169
Russian research: Belousov 179–194
solar activity: Eygenson 179–191
Geothermal: *See* Heat; Temperature
Geothermal gradient, Azerbaijan S.S.R.: Mekhtiyev 179–243
Georgian S.S.R.: Arbolishvili 179–244
Hungarian Plain: Boldizsár 177–224; Stegena 177–223
Japan: Ueji 176–211
mining application: Boldizsár 179–240
Ukrainian S.S.R.: Babynets' 176–209
U.S.S.R.: Miroshnikov 177–228
Geothermal heat and ice accumulation, Antarctica: Wexler 177–185
Geothermal history of earth, model study: MacDonald 179–236
theoretical: Lyubimova 178–249
Geothermal measurements, application to petroleum geology: D'yakonov 176–203
Canada, Ottawa: Pearce 178–255
Germany, coal mine: Benthaus 178–257
Serbia, Kuršumliska Banja area: Mladenović 177–225
Geothermal power, Japan, Onikobe basin possibilities: Nakamura 178–258
New Zealand, heat flow increase: Studt 176–214
sources: Miroshnikov 176–215
U.S.S.R., resources: Makarenko 177–226, 227
Geothermal relationships, Hungarian Plain: Stegena 177–223
Geothermal "step", definition: Boldizsár 179—240
Germany, age, ground water: Brinkmann 176–8
Bensberg seismological station: Robel 179–97
earthquakes, focal depth Sponheuer 177–55
electrical logging, Rhine lignite: Pflug 176–127
electrical surveys, clay deposits: Flathe 178–135
East Frisia: Flathe 178–136
Rhine coal fields: Keunecke 179–156
geophysical surveys, Erdeborn area: Nosske 176–194
geothermal measurements, coal mine: Benthaus 178–257
gravity base network, adjustment: Marzahn 179–216
magnetic surveys, basalt near Dietges: Kutscher 177–309
northwest Saxony: Lehmann 178–309
magnetization, basalts: Nairn 178–295 Reich 177–299
paleomagnetic research: Reich 177–299
radioactivity, Malsburg granite: Leible 177–319
seismic surveys, Egelner Süd lignite: Martin 179–396
folded Molasse: Brewer 176–337
Siegerland siderite: Schmidt 179–394, 395
Upper Rhine graben: Andres 177–358
seismic velocities: Holste 178–366

Germany—Continued
uranium in Saale River water: Heide 178–326
Geysers,
Kamchatka: Ustinova 178–438
volcanic activity, Japan: Murozumi 178–431
Glacial chronology, carbon-14 dating, Europe: Gross 178–9; Naar 178–10
Glaciers, deformation: Nye 177–182, 183
electrical survey, Kazakh S.S.R.: Borovinskiy 176–176
geoid: Fischer 176–161
IGY polar ice and snow studies: Bader 176–173
magnetic survey, Kazakh S.S.R.: Borovinskiy 176–176
oxygen isotope studies: IGY Bulletin 177–263; Sharp 179–281
seismic surveys, Brandner, Austria: Förtsch 176–175
velocity, Yakataga, Alaska: Miller 176–174
See also Ice
Glauconites, age, European U.S.S.R. and Czechoslovakia: Kazakov 177–18
Glowing avalances, mechanism: Pough 178–428
Gneiss, age, Czechoslovakia: Kantor 179–14
Granites, age, Brazil: Herz 176–13
age, Czechoslovakia: Kantor 179–14
Italy: Deutsch 176–19
Ukrainian S.S.R.: Komlev 179–6, 7
U.S.S.R.: Komlev 179–15; Krylov 176–14
radioactivity, France: Roubault 177–318
Germany: Leible 177–319
Japan: Hayase 176–301; Tsutsumi 178–323
Poland: Grylgewicz 178–325
Gravimeters, airborne: Lundberg 178–226; Smirnov 179–208
borehole: Dolbear 178–228
calibration lines, eastern North America: Innes 179–213
Europe: Kneissl 179–214; Marzahn 179–215
marine: Hayakawa 176–197
quartz, support vibration: Boulanger 177–206
Russian GAK-3M: Petrova 179–207; Smirnov 179–208
sea: Harrison 179–211; Hayakama 176–197; Veselov 179–210; Worzel 178–227
Worden: Cunietti 176–186; Inghilleri 178–229; Murphy 179–206; Saxov 178–230
Gravitational constant, variation with time: Dicke 176–179, 180
Gravity, absolute value, Potsdam: Reichender 177–187
absolute value, Warsaw: Pawłowski 179–198
secular variation: Barta, 179–197
Gravity anomalies, calculation of magnetic from: Baranov 176–281
crustal structure, Central Asia: Kosminskaya 176–236
fault stress: Lensen 176–54
interpretation, analytical: Balabushevich 179–200; Dimitrov 179–203; Iida 178–246; Klushin 177–189; Nedyalkov 177–192, 193; Nepomnyashchikh 177–160, 161; Raspopov 178–222, 179–205; Smith 177–305; Socolescu 179–220; Stupak 177–305; Talwani 176–201; Tyapkin 177–190; Vyskocie 176–185
computing device: Nedyalkov 179–202
models: Nedyalkov 177–194, 195; 179–202; Zidarov 177–162, 163, 164, 196, 179–201
isostatic, British Columbia and Alberta: Garland 178–239
metallogenic zones: Andreyev 176–183
negative over uplifts, U.S.S.R.: Tsimel'zon 179–229
regional, correlation with deep relief: Andreyev, 177–191
Cracovian calculation: Fajklweicz 176–181
regional correction: Socolescu 179–220
seismicity, Armenian S.S.R.: Oganisyan 178–54
smoothed earth model, geodetic limitations: Bhattacharji 178–203
volcanic and seismic belts: Ma 179–195
Gravity base station, Antarctica: Thiel 179–234
Gravity formulas, recent studies: Heiskanen 178–219
Gravity map, New Zealand (Bouguer): Roberston 176–199
Gravity measurements, absolute, rotating liquid method: Gutiérrez Díez 177–186
crustal structure from: Woollard 179–257
pendulum, Canada: Innes 178–236
Capetown: Harada 177–219
Europe: Marazhn 179–215
Singapore: Harada 177–219
U.S.S.R.: Grushinskiy 177–220
reduction to geoid: Arnold 176–156; de Graaf-Hunter 176–153; Heiskanen 177–169; Jeffreys 177–174
Gravity network, Germany, adjustment: Marzahn 179–216
world, progress report: Lejay 179–212
Gravity program, IGY, India: Mudaliar 179–231
IGY, U.S.: Woollard 176–188
Gravity research, Canada: Canadian Geophysical Bulletin 178–169
Hungary: Renner 177–213

Gravity surveying, airborne: Thompson 177–204
altitude corrections: Steiner 177–200
atmospheric effect correction: Romanyuk 177–198
computer for data processing: Klushin 178–223
drift correction: Gladkiy 179–209
Russian manual: Lukavchenko 178–220
standardization of procedures: Vajk 178–221
topographic corrections: Bott 177–201; Mužijević 177–202; Pick 176–182; Sandberg 177–199, 178–225

Gravity surveys, Alaska: Thiel 178–235
Alberta: Garland 177–208, 178–239
Alps (western): Coron 178–242
Antarctica: IGY Bulletin 179–404; Lazarev 178–247; Ostenso 179–235; Thiel 179–233
Armenian S.S.R.: Tatevosyan 178–245
Azerbaijan S.S.R.: Balavadze 177–218
British Columbia: Garland 178–239
Chile: Lomnitz 178–241
Colorado: Joesting 178–306
Denmark: Kejlsø 177–210; Saxov 177–211
French West Africa: Crenn 176–193
Georgian S.S.R.: Ayzenberg 177–216; Balavadze 176–196
Germany: Nosske 176–194
Great Britain: Day 177–209
Greenland: Bull 176–192; Saxov 176–191
Gulf of Mexico: Lyons 176–137
Italy: Inghilleri 179–219
Japan: Hayakawa 176–197; Iida 178–246; Yokoyama 176–198, 179–232
Kansas: Jopling 178–232; Lyons 178–233; Woollard 178–231
Kazakh S.S.R.: Moiseyenko 179–230
Michigan: Bacon 177–207
Nevada: Thompson 176–190
New Zealand: Robertson 176–199
Norway coast: Bakkelid 178–218
Ontario (southern): Thompson 178–238
Pacific Ocean: Harrison 178–240
Poland: Dąbrowski 179–341
Quebec: Thompson 178–237
Rumania: Airinei 179–225; Botezatu 179–221, 223, 226; Popovici 179–222; Scheffer 177–214; Socolescu 179–220; Visarion 179–224
Serbia: Ivković 177–212
Texas: Greenwood 178–234
U.S.S.R.: Abakeliya 177–217; Borisov 179–228; Kononov 178–244; Kozlov 179–227; Kopayev 176–195; Lebedev 177–215; Nevolin 178–313, 314; Vasil'yev 178–243
Utah: Joesting 178–307
Wisconsin: Hinze 179–217

Gravity ties, Rome-Washington: Morelli 176–189
Gravity variometer, S–20 constants: Abel'skiy 176–187
Great Britain, age, lead ores: Moorbath 177–8
carbon-14 dates: Flint 178–7
electrical logging, London Basin: Gray 176–126; 177–130
gravity survey, Channel Islands: Day 177–209
Wormley microseism station: Iyer 177–316
See also England, Scotland
Greece, Santorin eruption, 1939–41: Georgalas 179–417
Greenland, carbon-14 dates: Flint 178–7
gravity survey, ice-dammed lake: Bull 176–192
western: Saxov 176–191
uplift of western: Saxov 177–181
Ground water, carbon-14 dating: Brinkmann 176–8
electrical surveys, Germany: Flathe 178–136
India: Rao 177–126
Japan: Homma 178–144
Ohio: Norris 177–122
Serbia: Milošević 177–123
Sicily: Breusse 178–139
geophysical logging, Hungary: Sebestyén 179–173
geophysical surveys, India: Ahmad 177–154; Kailasam 177–153
seismic surveys, Sudan: Schuster 179–399
Ground water flow, electrical determination: Smirnov 179–143
radioactive tracing: Knutson 178–281
Ground water hydrology, logging techniques in: Jones 176–150
Gulf of Mexico, gravity and magnetic anomalies: Lyons 176–137

H

Hafnium-174, natural radioactivity: Riezler 176–294
Hawaii, age, Haleakala lava: Reber 179–20
earthquakes, April–June 1958: Eaton 176–361
ground tilt, Kilauea: Eaton 179–412
Kilauea eruption, 1955: Parsons 178–427
volcanic activity, 1958: Eaton 176–361, 179–413
Heat, radiogenic: Baranov 178–248
See also Temperature
Heat balances of earth: Subcommittee on Nuclear Geophysics 178–269
Heat conductivity, analysis of observations: Jaeger 177–222
deep sea sediments: Von Herzen 179–245
Heat flow, associated with magma intrusion: Rikitake 179–239
Hungary: Boldizsár 176–208; Stegena 177–223
Japan, Uyeda 176–210
layered medium: Lachenbruch 179–241

Heat flow—Continued
measurement by probes, error: Donaldson 178–253
New Zealand geothermal area: Studt 176–214
Ottawa, Canada: Pearce 178–255
southeastern Pacific: Von Herzen 177–229
terrestrial, origin: Egyed 179–238
thermal areas, calorimeter for: Benseman 176–205
under oceans: Bullard 176–207
Heat source, thermal springs: Haites 178–256; Watanabe 176–212
Helium, retention in rocks and minerals: Amirkhanov 177–14
terrestrial economy: Turekian 179–268
Helium isotopes, meteorites: Begemann 179–272; Hoffman 179–271; Singer 177–257
Hemoilmenite, magnetization, Allard Lake ore: Hargraves 179–313
Hot springs: *See* Thermal springs
Hungary, earth current apparatus, Sopron: Ádám 176–25
earthquakes, 1880–1956; Csomor 177–44
Jan. 1956: Bendefy 177–43; Bisztriczány 177–45
geomagnetic elements: Constantinescu 177–277
geothermal gradients: Boldizsár 177–224
geothermal relationships: Stegena 177–223
gravity research: Renner 177–213
heat flow: Boldizsár 176–208; 177–24
logging of water wells: Sebestyén 179–173
Hydromagnetic disturbances in core: Tamao 177–268
Hydrothermal eruptions, New Zealand: Lloyd 177–391
Hydrothermal ores, sulfur isotopes: Jensen 178–279

I

Ice, physical properties: Pounder 177–184; Thiel 179–409
See also Glaciers
Ice accumulation and geothermal heat, Antarctica: Wexler 177–185
Iceland, crustal structure: Tryggvason 179–260
earthquake risk: Tryggvason 178–36
earthquakes 1956–58: Tryggvason 179–51
Idaho, earthquakes, Yellowstone 1959: Tillotson 179–49
Igneous bodies, seismic exploration: Troyanskiy 176–322
Igneous contacts, radioactivity variation across: Hatuda 178–324
Igneous cyles, age, North Caucasus: Afanas'yev 178–16
Igneous rocks, magnetization, magnetostriction: Graham 177–294; Stott 176–268
source: Pospelov 177–244
Illinois, carbon-14 dates: Flint 178–7
electrical surveys for ground water: Buhle 178–127
Illite, age, Belt Series, Montana: Goldich 177–17
Ilmenite, magnetic susceptibility: Ganguli 179–314
magnetization, Quebec: Carmichael 177–295; Hargraves 179–313
India, age, cyrtolite: Venkatasubramanian 179–18
age, feldspar: Aswathanarayana 176–16
samarskite: Aswathanarayana 176–16
zircon: Venkatasubramanian 179–18
carbon-14 dates: Flint 178–7
earthquake, July 1956: Tandon 178–46
electrical surveys, ground water: Rao 177–126
geophysical surveys, Cambay: Kailasam 176–342
ground water: Kailasam 177–153
Madras coast: Kailasam 176–139
gravity and magnetic program, IGY: Mudaliar 179–231
magnetic storms, Kodaikanal: Bhargava 179–292
magnetization, Deccan Traps: Deutsch 177–303
metadolerite dike: Singh 178–297
northward drift: Deutsch 176–277
petroleum exploration: Olenin 178–184
Indiana, airborne magnetic survey: Henderson 176–284
Indonesia, fault plane solutions: Veldkamp 179–79
Mount Ruang eruptions, 1808–1949; Neumann van Padang 177–388
P–Wave azimuth deviations, Djakarta: Ritsema 179–86
Induced polarization: *See* Electrical exploration, induced polarization
Interior of earth, 1957 concepts: Gutenberg 176–219
chemical state: Kapustinskiy 176–221
density variations: Bernasconi 177–233
electrical conductivity model: Volland 177–141
nature: Jacobs 176–217; Kapustinskiy 176–221, 178–260; Lehmann 177–234
new concepts: Kapustinskiy 179–251
research on: Bullen 176–218
sesmologic data: Lehmann 177–234
Internal constitution, moon: Urey 177–367
Internal friction in limestones: Treitel 179–132
International Geophysical Year, Russian contribution: Routledge 177–144
summary of activity: Odishaw 176–136
Iran, earthquake, Dec. 1957 and seismicity: Peronaci 178–45

Iron deposits, magnetic moment: Zidarov 176–260
Iron ore, electrical surveys, Macedonia: Milanović 177–125
magnetic surveys, Yugoslavia: Jančić 177–310, 311; Milanović 177–125
Island arc, tectonic development: Svyatlovskiy 176–170
Isostasy, Canadian studies: Canadian Geophysical Bulletin 178–169
new concept: Goguel 177–188
Isotope abundances, light elements: Subcommittee on Nuclear Geophysics 178–269
Isotope dilution technique, description: Zykov 179–273
Isotope ratios, igneous rocks: Vinogradov 178–271
meteorites: Vinogradov 178–271
terrestrial, variations: Subcommittee on Nuclear Geophysics 178–269
Isotopes, argon-38, potassium minerals: Gerling 177–253; Signer 178–272
argon-40, terrestrial economy: Turekian 179–268
beryllium-7, meteorological studies: Lal 178–270
tropical atmosphere: Goel 177–264
boron, minerals: Allais 179–270
carbon, fresh-water carbonates: Clayton 177–255; Vogel 178-273
fresh-water systems: Broecker 177–254
marine carbonates: Clayton 177–255
natural CO_2: Lang 176–239
sea water: Fönselius 177–256
copper, abundance variations: Walker 176–240
cosmogenic, Sikhote-Alin meteorite: Gerling 179–269
helium, meteorites: Begemann 179–272; Hoffman 179–271; Singer 177–257
terrestrial economy: Turekian 179–268
hydrogen, in volcanic glasses: Friedman 176–241
See also Isotopes, tritium
lead, British ores: Moorbath 177–8
Caucasus ores: Tugarinov 179–275
manganese nodules: Chow 179–276
ores: Boyle 178–274; Russell 178–275; Stanton 178–276
phosphorites: Malinovskiy 179–274
relation to trace elements in ores: Ehrenberg 177–260
use in uranium prospecting: Adler 178–277
nitrogen, geochemistry of stable: Subcommittee on Nuclear Geophysics 178–269
oxygen, bibliography: Samuel 179–277
calcium carbonate-water system: Clayton 177–261
fresh-water carbonates: Clayton 177–255
glaciers: IGY Bulletin 177–263; Sharp 179–281
Isotopes—Continued
oxygen—continued.
marine carbonates: Clayton 177–255
marine shells, Australia: Dorman 179–280
marine sulfates: Teys 179–278
phosphates: Teys 179–279
primordial ocean: Degens 177–262
phosphorus-32 and -33, in meteorology: Lal 178–270
tropical atmosphere: Goel 177–264
potassium, meteorite: Voshage 177–265, 179–282
potassium-38, existence questioned: Voshage 177–265
stable, geologic application: Rankama 179–265
sulfur, geochemistry: Ault 178–278
hydrothermal ores: Jensen 178–279; Petrovskaya 177–267
origin of sulfides: Subcommittee on Nuclear Geophysics 178–269
South American volcanoes: Amstutz 177–266
sulfur-35, meteorological studies: Lal 178–270
tritium, atmosphere, origin: Begemann 177–259; Craig 177–258
decay rate: Begemann 177–259
ground-water tracer: von Buttlar 178–280
meteorite: Begemann 179–272
production rate: Craig 177–258
uranium, alteration: Chalov 179–283
Colorado Plateau: Miller 176–242
leaching: Baranov 176–244; Starik 176–243
Isotopic composition, elements, effect of cosmic rays on: Johansson 177–252
Israel, seismic surveys: Harris 176–336
Italy, age, granites: Deutsch 176–19
carbon-14 dates: Flint 178–7
earthquakes, 1953–57: Panfilis 178–35
Montespertoli, June 1958: Panfilis 177–42
electrical surveys, ground water, Sicily: Breusse 178–139
Lake of Molveno damsite: Vecchia 178–395
Straits of Messina: Cassinis 179–398
sulfur, Sicily: Cassinis 178–394
gravity surveys, northwestern: Inghilleri 179–219
magnetization, Quaternary volcanoes: Rutten 179–322
radioactivity of air: Cantone 177–325
seismic surveys, Lake of Molveno damsite: Vecchia 178–295
Sicily: Cassinis 178–394
Straits of Messina: Cassinis 179–398
Trieste geophysical observatory: Morelli 178–195

J

Japan, crustal structure: Hisamoto 178–48; Iida 179–85; Matuzawa 179–263; Research Group for Explosion Seismology 176–92; Usami 176–237
crustal tilt, Tokyo-Misaki: Yamaguti 179–196
earth currents, Kanoya: Yokouchi 178–29
earthquakes, July 1952: Takada 178–49
Oct. 1958: Ichikawa 178–76
epicenters: Kodama 179–59
Kii Peninsula: Miyamura 179–60
Kyushu district, since 1885; Yoshimura 179–61
magnitude formula: Tsuboi 178–47
tripartite observations: Miyamura 179–84
electrical surveys, comparison with vertical profiling: Ono 176–115
ground water: Homma 178–143, 144
Hosokura copper mine: Research Group for Spontaneous-Polarization Method 176–116
thermal water: Kondo 177–127
geothermal conditions, Misasa Hot Springs: Soma 176–213
Onikōbe basin: Nakamura 178–258
geothermal gradient, Arima district: Ueji 176–211
gravity surveys, Kuttyaro caldera: Yokoyama 176–198, 179–232
Nobi plain: Iida 178–246
submarine, Ariake Bay: Hayakawa 176–197
heat flow: Uyeda 176–210
heat source, Obama hot springs: Watanabe 176–212
Ide Observatory instrumentation: Takada 178–88
magnetic intercomparisons: Kaboki 178–284
magnetic pulsations: Yoshimatsu 179–307
magnetic surveys, Naegi region: Sano 178–343
magnetic variations, anomalous short period: Rikitake 179–308
magnetization, Pliocene volcanics: Momose 178–298
microseisms: Kishinouye 179–352, 353, 354; Santo 179–351
radioactivity, atmosphere, Tokyo: Kawano 177–326
granites: Hayase 176–301; Tsutsumi 178–323
liparites: Hayase 178–322
springs: Morinaga 178–328
radioactivity surveys, Misasa hot springs: Soma 176–213
Naegi region: Sano 178–343
Japan—Continued
seismic surveys, Nittetsu Futase coal mine: Yamaguchi 176–344
northeastern Chiba: Shinada 176–343
Takikawa district: Ninagawa 178–408
terrace at Ochiai: Yamashita 177–366
seismic-wave velocities, Sakurajima volcano: Kagoshima Local Meteorological Observatory 178–79
seismicity: Tsuboi 178–47
thermal waters: Nakamura 176–374, 375, 376
volcanic activity, 1954–57: Minakami 179–418
earth-currents: Yoshimatsu 178–432
geyser: Morozumi 178–431
Torishima, 1947–57: Tanaka 178–435
volcanic eruptions, Asama: Sekiya 178–433
Aso: Namba 177–390
Iwo Jima 1959: Corwin 177–389
volcano Aso, magmachamber dimensions: Shima 176–83

K

Kansas, electrical surveys, brine pollution: O'Connor 178–129
electrical surveys, highways: Crumpton 178–128
geologic framework: Jewett 178–166
geophysical exploration, damsites: Wantland 178–168
since 1930: Merriam 178–167
gravity surveys, Greenleaf anomaly: Lyons 178–233
interpretation: Woollard 178–231
regional map: Jopling 178–232
magnetic surveys, airborne, comparison with well logs: Agocs 178–303
airborne, interpretation: Merriam 178–302
Morris and Wabounsee Counties: Agocs 178–304
western: King 178–305
radioactivity surveys, Rose Dome: Hartenberger 178–337
seismic exploration, interpretation techniques: Glover 178–376
seismic surveys, Central Kansas Uplift: Koester 178–385
Dunes pool: Rupnik 178–381
Engel pool: Care 178–378
Fall Creek pool: Bass 178–383
Koelsch Southeast pool: Beebe 178–379
Law Southeast pool: Winchell 178–384
Lindsborg pool: Brewer 178–377
Pratt Anticline problems: Brewer 178–380
Windom pool: Smith 178–382
Karelo-Finnish S.S.R., age, feldspar: Amirkhanov 176–10
Karst, electrical surveys: Bystritskiy 179–159: Yashchenko 179–158

Kazakh S.S.R., electrical logging, sulfide ore: Plyusnin 178–155
electrical surveys, ground water: Ivanov 178–142
geophysical surveys, Achisay lead-zinc: Solovov 178–181
Tuyuksu glacier: Borovinskiy 176–176
gravity surveys, tungsten and molybdenum: Moiseyenko 179–230
microseisms: Gynkina 178–317
Kirgiz S.S.R., seismicity, Kok-Shaal region: Grin 178–39
Korea, radioactivity surveys: Kim, C. S. 177–328, 329; Kim, C. W. 177–330

L

Lavas: *See* Volcanic rocks
Lead, isotopic composition, anomalous: *See* Lead ore, model age
isotopic composition, isotope dilution technique: Zykov 179–273
manganese nodules: Chow 179–276
Podolsk phosphorites: Malinovskiy 179–274
terrestrial: Subcommittee on Nuclear Geophysics 178–269
uranium prospecting use: Adler 178–277
Lead ore, model age, Broken Hill (Australia): Greenhalgh 177–10
model age, calculation tables: Stieff 178–11
Caucasus: Tugarinov 179–275
Finnish Precambrian: Kouvo 177–11
geochemical history: Stanton 178–276; Subcommittee on Nuclear Geophysics 178–269
Great Britain: Moorbath 177–8
New York: Brown 178–12
relation to trace elements: Ehrenberg 177–260
reliability: Boyle 178–274; Russell 178–275
Witwatersrand: de Villiers 178–13
Lead-zinc sulfides, geophysical exploration, Tri-State district: Hambleton 178–165
Lightning risk, relation to electrical properties of ground: Fritsch 176–134; 177–143
Lignite, electrical logging: Pflug 176–127
Lime deposits, fresh water, age: Münnich 178–6
Limestones, elastic properties: Kuiper 177–95; Peselnick 177–94
electrical conductivity: Guizonnier 178–159
internal friction: Treitel 179–132
magnetization, Alps: Hargraves 177–300
thermoluminescence: Angino 177–22, 179–247, 248
Limonite, electrical resistivity surveys, Missouri: Meidav 176–109
Lineations, Pacific Basin: Menard 179–193
Liparites, radioactivity, Japan: Hayase 178–322
Louisiana, radiowave surveys, porosity trends: Barret 179–149

M

Madagascar, earthquakes, 1955 and 1956: Poisson 178–34
magnetization, Cretaceous volcanics: Roche 177–297
Magma, origin: Rittmann 177–381; Uffen 176–202
Magma chambers, Azores, relation to submarine pits: Machado 179–416
depth: Gorshkov 176–359; Perrin 179–411
dimensions, Aso, Japan: Shima 176–83
Magma intrusion, heat flow associated with: Rikitake 179–239
Magnesite, potential-drop-ratio survey, Serbia: Ristić 177–124
Magnetic anisotropy, hemo-ilmenite from Allard Lake: Hargraves 179–313
Magnetic anomalies, Arctic Ocean: Hope 177–378
calculation from "pseudo-gravimetric": Baranov 176–281
interpretation, analytic: Bulashevich 176–279; Matsaberidze 176–280; Orlov 176–282; Price 177–306; Rosa 176–278; Smith 177–305; Strakhov 177–307, 179–326; Stupak 177–308
models: Zidarov 177–162, 163, 179–201
second derivatives: Mel'nichuk 176–287
interrelation between components: Affleck 178–299
polarization direction from: Hall 179–327
Magnetic bay disturbances, earth currents induced by, calculation: Lippmann 176–23
earth currents induced by, central Europe: Fleischer 176–22
Murmansk: Zevakina 177–280
Magnetic "cleaning": Irving 178–292
Magnetic declination, central Europe, 1485: Przypkowski 179–289
Magnetic disturbances, F_2 layer: Bhargava 179–292; Lange 179–293
relaxation phenomena: Herrinck 177–281
transmission through atmosphere and space: Piddington 179–294
See also Magnetic pulsations; Magnetic storms; Magnetic variations
Magnetic elements, 1955, Cheltenham, Maryland: U.S. Coast and Geodetic Survey 178–285
Magnetic field of earth, Antarctica, 1839–1956, observations: Slaucitajs 176–258
dipole, secular motion: Whitham 177–270

Magnetic field of earth—Continued
dipole variation and polar wandering: Jardetzky 176–247
distortion due to rotation: Maeda 179–285
drift, relation to rotation: Elsasser 177–271
dynamo theory: Herzenberg 176–245
epoch 1945, harmonic analysis: Fanselau 177–276
Hungary, comparison with Rumanian values: Constantinescu 177–277
nondipole, eddy model: Herzenberg 176–246
origin of internal time-dependent parts: Tamao 177–268
past: Irving 177–290; Opdyke 176–275
See also Magnetization, Jurassic *and other ages*
Rumania, comparison with Hungarian values: Constantinescu 177–277
separation of inner and outer components: Scheube 178–283; Siebert 178–282
source: Fanselau 177–276
total intensity, Japan-Antarctica expedition: Oguti 179–290
westward drift and rotation: Rochester 179–286
Magnetic instruments, effect of self-induction of coils: Grenet 177–272
magnetic field stabilizer: Bryunelli 176–252
saturated core, improved: Berkman 177–275
Magnetic micropulsations, California and Alaska: Campbell 179–309
5–30 sec period: Campbell 179–310
geographic variations: Duffus 177–286
U.S.S.R.: Kalashnikov 177–284
Magnetic moment, chondrite meteorites: Stacey 176–269
iron deposits, calculation: Zidarov 176–260
Magnetic observations, QHM intercomparison, Kakioka and Memambetsu, Japan: Kaboki 178–284
Magnetic program, India, IGY: Mudaliar 179–231
Magnetic properties, asbestos host rock: Bichan 178–291
basis of interpretation of anomalies: Kalashnikov 176–259
mineralogy: Yefimov 179–316
rocks: Ruppeneyt 178–411; Shreiner 178–412; Taychinov 178–286
titanomagnetite from volcanic rocks: Akimoto 178–288
varved sediments, Sweden: Granar 176–270
Magnetic pulsations, Aurora: Kato 179–296
cause: Watanabe 179–302
character and causes: Kato 179–305
Magnetic pulsations—Continued
diminishing period: Troiskaya 179–301
equatorial storms: Grenet 177–27
frequency: Yoshimatsu 179–304, 307
morphology: Abe 179–298; Watanabe 179–303
pt and *spt*: Yanagihara 179–306
rapid, daily behavior: Kato 179–299
directions: Parkinson 177–283
review: Romaña 176–250
six-second, causes: Duffus 177–285
See also Magnetic variations
Magnetic stability, measurement: Petrova 179–318
Magnetic storms, D_1 component, cause: Khoedelidze 176–256
earth currents: Kebuladze 177–30
Kodaikanal, India: Bhargava 179–292
origin: Jacobs 179–291; Singer 176–249; Warwick 177–269
solar activity, 1933–45: Berishvili 176–255
sudden commencements: Abe 179–298; Berishvili 176–254; Bureau 179–297; Gerard 177–279; Srinivasamurthy 179–300
Magnetic surveying, rough terrain, reduction of data: Logarchev 179–328
Magnetic surveys, airborne: *See* Airborne magnetic surveys
Magnetic surveys, Anarctica: Ostenso 179–235; Thiel 179–233
Estonia: Pobul 179–340
Georgian S.S.R.: Matsaberidze 177–313
Germany: Kutscher 177–309; Lehmann 178–309
Gulf of Mexico: Lyons 176–137
Japan: Sano 178–343
Kansas: Merriam 178–302
Kazakh S.S.R.: Borovinskiy 176–176
Pacific Ocean: Mason 176–285; Vacquier 176–171
Poland: Dąbrowski 179–341; Jęczmyk 176–286; Małoszewski 178–311
Rumania: Airinei 178–312; 179–225, 343, 345; Corvin-Papiu 179–344; Scheffer 177–214
Spain: Cantos Figuerola 176–111
Sweden: Törnqvist 178–310
Ukrainian S.S.R.: Andryeyev 177–312
U.S.S.R.: Kononov 178–244; Nevolin 178–313, 314; Vasil'yev 178–243
Yugoslavia: Jančić 177–310, 311; Milanović 177–125; Sumi 178–140
Magnetic susceptibility, ilmenite: Ghanguli 179–314
measurement: Avchyan 176–262; Thorpe 179–317
orthopyroxenes: Akimoto 178–290
tektites: Senftle 179–41
wolframite: Vinokurov 179–315

Magnetic variations, anomalous short-period, Japan: Rikitake 179–308
diurnal, Antarctica: Hatherton 179–295
earth currents: Kebuladze 177–30
origin: Maeda 177–282
secular: Chargoy 176–253; Nodia 176–248; Orlov 177–278; Rikitake 179–284; Yukutake 179–288
Sq. Tbilisi: Katsyashvili 176–257
Magnetization, anisotropic rocks, experiments: Grabovskiy 176–267
basalts, Canada: DuBois 177–291
Deccan traps: Deutsch 177–203
Germany: Nairn 178–295; Reich 177–299
South America: Creer 179–321
Carboniferous rocks, Gaspé and New Brunswick: DuBois 179–320
Cenozoic igneous rocks, New Zealand: Coombs 179–323
Cretaceous volcanics, Madagascar: Roche 177–297
dolerite, Antarctica: Turnbull 179–324
gabbro, Bushveld Complex: Gough 176–276
Scotland: Blundell 177–298
igneous rocks, New Zealand: Coombs 179–323
ilmenite, Quebec: Carmichael 177–295; Hargraves 179–313
Jurassic rocks, England: Girdler 179–219
South America: Creer 179–321
Mesozoic dolerite, Antarctica: Turnbull 179–324
metadolerite dike, India: Singh 178–297
metamorphic rocks, origin: Daly 177–293
Mississippian rocks, Newfoundland: Nairn 177–296
Pliocene volcanics, Japan: Momose 178–298
Precambrian rocks, correlation: DuBois 176–274
Newfoundland: Nairn 177–296
Quaternary volcanics, Italy: Rutten 179–322
radiolarites and red limestones, Alps: Hargraves 177–322
relation to petrography: Singh 178–297
reverse thermoremanent, cause: Nagata 179–312
rocks, Antarctica: Turnbull 179–324
continental drift and polar-wandering evidence: Creer 176–273; Patterson 176–271; Runcorn 177–289
determination in place: Ponomarev 176–261
direction, interpretation: Collinson 177–288
domain theory: Stacey 177–287
effect of titanomagnetite exsolution. Kawai 178–287
See also Paleomagnetism
Magnetization, sedimentary rocks, decay with time: Kawai 178–292
sedimentary rocks, Turkmen S.S.R.: Gus'kova 178–296
Silurian siltstone, China: Wen You 177–304
talus distinguished by: McDougall 179–291
Tertiary basalts, Canada: DuBois 177–291
varved sediments, measurement error: Griffiths 176–264
Sweden: Granar 176–270
volcanic rocks, Antarctica: Turnbull 179–324
Armenian S.S.R.: Akopyan 177–301, 302
Italy: Rutten 179–322
Japan: Momose 178–298
Madagascar: Roche 177–297
Magnetometer, borehole: Levanto 178–301
Dolginov astatic, susceptibility determination with: Avchyan 176–262
La Cour type, effect of disturbances: Thiesen 177–273
nuclear precession: Hennequin 176–251; Research Group for Proton Magnetometer (Japan) 176–283; Rotshteyn 179–329
QHM, accuracy: Frøshaug 177–274
Magnetoelasticity of crust: Szemeredy 179–311
Magnetofractionation-mineralogical analysis: Yefimov 179–316
Magnetostriction, igneous rocks, effect on remanent magnetization: Stott 176–268; Graham 177–294
Maine, airborne magnetic survey, Kennebec County: Wing 179–330
Malaya, airborne magnetic and radioactivity surveys, Kedah and Perlis: Agocs 178–315
gravity value, Singapore: Harada 177–219
Manganese nodules, lead isotopes: Chow 179–276
Manitoba, aeromagnetic maps: Canada Geological Survey 179–338
Mantle, composition: Nishitake 177–241; Ringwood 176–224, 177–237; Rittmann 177–243; Wager 176–223
drill hole: Lill 177–236, 179–256
elasticity: Nishitake 177–241
electrical conductivity: Yukutake 179–288
electromagnetic currents: Parkinson 177–283
heat convection: Latynina 176–201
IGY research: Ewing 176–227
low-velocity layer: Magnitskiy 178–263; Shirokova 179–255; Takeuchi 179–254; Zharkov 177–239
melting temperature: Zharkov 178–250
Rayleigh waves: Takeuchi 179–253
structure: Press 177–240

Mantle—Continued
transition layer: Magnitskiy 177–238; Meijering 176–225; Ringwood 176–224; 177–237; Shimazu 176–226
Marble, ultrasonic velocities: Balakrishna 179–131
Maryland, magnetic elements, 1955, Cheltenham: U.S. Coast and Geodetic Survey 178–285
Mediterranean area, carbon-14 dates: Flint 178–7
Mediterranean Sea, airborne magnetic survey, Sicily-Tunisia: Agocs 179–342
crustal structure: Ewing 176–234
seismic surveys: Ewing 176–234
Melting point, change with pressure: Valle 176–200
Mercury, stone meteorites: Ehmann 179–33
Metadolerite dike, magnetization, India: Singh 178–297
Metallogenic zones, gravity anomalies: Andreyev 176–183
Metamorphic cycles, southeast U.S., age: Long 179–5
Metamorphic rocks, magnetization, origin: Daly 177–293
Metastasy: Gussow 177–176
Meteor crater, magnetic survey, Estonia: Pobul 179–340
Meteorite impact, origin of cryptoexplosion structures: Dietz 179–34
Meteorites, age: Begemann 179–272; Dicke 176–4; Marshall 178–24; Starik 179–16; Voshage 179–282; Whipple 177–25
cosmic-ray effects: Subcommittee on Nuclear Geophysics 178–269
cosmogenic isotopes: Gerling 179–269; Honda 179–32; Voshage 179–282
elastic properties: Nishitake 177–241
fossil, dating deep-sea sediments by: Pettersson 177–24
frequency of falls: Lovering 178–261
heavy elements in: Ehmann 179–33
helium: Begemann 179–272; Hoffman 179–271; Singer 177–257
isotope ratios: Vinogradov 178–271
magnetic moments: Stacey 176–269
metallic particles, origin: Urey 179–31
origin: Singer 177–257; Urey 179–30; Vinogradov 178–271
potassium in: Honda 179–32; Voshage 177–265, 179–282
radioactivity: Deutsch 178–321
tritium: Begemann 179–272
uranium: Subcommittee on Nuclear Geophysics 178–269
Meteorology, radioisotopes: Lal 178–270
Methane, volcanic manifestations: Noi 177–392
Mexico, earthquake, July 1957: Duke 177–40; Figueroa Abarco 176–31; Merino y Coronado 176–32
submarine geology off: Maldonado-Koerdell 176–353
volcanic activity 1954–57: Mooser 179–414
volcanic eruption, Bárcena: Maldonado-Koerdell 176–364
Mica, age, Baltic Precambrian: Gerling 177–12; Kouvo 177–11
age, Brazil: Herz 178–18
argon loss mechanism: Amirkhanov 177–15
See also Biotite
Michigan, gravity survey, Upper Peninsula: Bacon 177–207
Microbarograph, electrodynamic: Pasechnik 176–290
Microseisms, Antarctica: Hatherton 178–318; Sytinskiy 179–356
Black Sea: Stolypina 179–350
Crimea: Kostina 176–292; Monakhov 176–291
direction of approach: Rykunov 176–289; Veshnyakov 176–288
electromagnetic seismograph for: Kishinouye 179–355
Great Britain: Iyer 178–316
Japan: Kishinouye 179–352, 353, 354; Santo 179–351
Kirgiz S.S.R.: Gynkina 178–317; Savarenskiy 176–293
origin: Das Gupta 179–347; Kishinouye 179–348; Santo 179–351
tripartite observations, errors: Veshnyakov 176–288
U.S. Navy report: Carder 179–349
Mid-Atlantic Ridge, crustal structure: Ewing 176–234
seismic survey: Ewing 176–234
Mine bumps, earthquakes, Canada: Milne 177–39
Mineral waters, radioactivity, Georgian S.S.R.: Chkhetiya 176–299; Kebuladze 176–300
Minnesota, age, bentonite: Folinsbee 178–17
age, Cambrian glauconites: Goldich 177–17
Precambrian pipestone: Goldich 177–17
Missouri, electrical surveys for limonite: Meidav 176–109
Molybdenum, gravity exploration: Moiseyenko 179–230
Monazite, age, Finnish Precambrian: Kouvo 177–11
age, Ukrainian S.S.R.: Komlev 179–7
helium dating: Zhirov 177–13
Mongolia, earthquake of Dec. 1957: Florensov 177–52; Solonenko 178–43
seismicity map: Solonenko 178–44
Montana, age, Belt Series illite: Goldich 177–17
Yellowstone earthquake 1959: Tillotson 179–49; U.S. Coast and Geodetic Survey 179–48

Moon, development: Kuiper 179–25
earthquake trigger: Tamrazyan 178–55
earth's early history, clue to: Allan 179–24
energy from comet impact: van Dorn 177–374
internal constitution: Press 179–28; Urey 177–367
subsurface temperature: Fremlin 177–369; Jaeger 177–370
surface features, origin: Bülow 179–27; Green 179–26; Kopal 177–373
volcanic activity: Alter 179–29; Die Umschau 177–372; Dolezal 177–371; Fremlin 177–369; Jaeger 177–370; Kozyrev 177–368

N

Netherlands, seismic surveys, Peel coal basin: Riel 178–397
Nevada, earthquake, 1954, energy: Byerly 177–56
earthquake, Wonder, 1903: Slemmons 178–32
gravity survey, Hazen-Austin: Thompson 176–190
New Brunswick, aeromagnetic maps: Canada Geological Survey 179–337
geophysical surveys, sulfide ore: Ward 178–171
paleomagnetism of Carboniferous rocks: DuBois 179–320
New Guinea, volcanic activity, 1954–57: Fisher 179–419
New Jersey, aeromagnetic map: Bromery 179–334
New Mexico, tritium in ground water: von Buttlar 178–280
New York, aeromagnetic and geologic map: Balsley 179–331, 332
age, Balmat lead ore: Brown 178–12
uraninite and zircon: Klemic 178–164
geophysical surveys, uraniferous areas: Klemic 178–164
seismic refraction surveys, Atlantic Coast: Blaik 176–335
New Zealand, airborne magnetic survey, Nelson-Waikato River: Wellman 177–314
carbon-14 dates: Fergusson 177–3
crustal structure: Eiby 178–268
earthquakes, 1954: Hayes 179–62
gravity anomalies, interpretation: Robertson 176–199
stress: Lensen 176–54
hydrothermal eruption, Waiotapu: Lloyd 177–391
paleomagnetism, Cenozoic rocks: Coombs 179–323
radioactivity, lavas: Belin 177–321
radon in fumaroles and thermal pools: Belin 177–322
refraction profiles off South Island: Officer 179–403
sea-floor features, structural significance: Brodie 178–422
New Zealand—Continued
submarine eruption, 1877: Gregg 176–43
Wairakei hydrothermal area, source of increased heat flow: Studt 176–214
Newfoundland, airborne magnetic surveys: Bichan 178–291; Canadian Geophysical Bulletin 178–169
paleomagnetism, Precambrian and Mississippian rocks: Nairn 177–296
rotation since Carboniferous: DuBois 179–320
Nicaragua, Cerro Negro eruption, 1957: Servico Geológico Nacional de Nicaragua 176–365
Nitrogen, stable isotopes: Subcommittee on Nuclear Geophysics 178–269
North Africa, deflection of vertical: Lejay 178–208
North America, age of Mesozoic batholiths: Larsen 176–18
North Carolina, earthquake first motions, Chapel Hill: MacCarthy 178–31
North Sea, seismic surveys, Dogger Bank: Stride 179–393
Northwest Territories, aeromagnetic maps: Canada Geological Survey 179–339
age of organic matter from pingo: Craig 177–7
seismic surveys, Mackenzie River: Pallister 179–392
Norway coast, submarine gravity measurements: Bakkelid 179–218
Norwegian Sea, seismic survey: Ewing 176–234
Nuclear explosions: *See* Explosions, nuclear

O

Ocean water: *See* Sea water
Oceanic ridges, origin and significance: Carey 178–217
Oceans, evolution: Magnitskiy 179–188
heat flow under: Bullard 176–207
origin: Hilgenberg 177–179; Kennedy 179–187
oxygen isotopes in primordial: Degens 177–262
Offshore petroleum, world distribution: Olenin 178–163
Ohio, resistivity survey, Teays valley: Norris 177–122
Oklahoma, induction logging in: True 176–123, 179–172
seismic surveys, basement near Wichita Mountains: Widess 178–386
Ontario, geothermal measurements, Ottawa: Pearce 178–255
gravity surveys in southern: Thompson 178–238
rockburst research: Hodgson 177–100
Oolites, ionium ages: Tatsumoto 179–22

Orocline concept, corroboration of continental drift: Wilson 176–165
earth's evolution in: Carey 178–217
Orogenesis, phase change as cause: Kennedy 179–187
submarine, origin: Scheidegger 177–377
theories: Birot 178–211
two-phase convection hypothesis: Reitan 178–213
Orthopyroxenes, magnetic susceptibility: Akimoto 178–290
Oscillatory circuit: Aksel'rod 177–134
Oxygen isotopes, fractionation, calcium carbonate-water system: Clayton 177–261
fresh-water carbonates: Clayton 177–255
glacier ice: IGY Bulletin 177–263
glacier movement from ratios: Sharp 179–281
marine carbonates: Clayton 177–255
marine sulfates: Teys 179–278
marine Tertiary shells, Australia: Dorman 179–280
meteorites and igneous rocks: Vinogradov 178–271
natural phosphates: Teys 179–279
primordial ocean: Degens 177–262
sea water, relation to sedimentation: Degens 177–262

P

Pacific Ocean, carbon-14 dates: Flint 178–7
earthquake mechanism, western: Hodgson 177–61
fault displacement: Vacquier 176–71
geotectonics: Ehara 176–169
gravity survey, Seamount Jasper: Harrisson 178–240
heat flow, southeastern: Von Herzen 177–229
magnetic survey off California: Mason 176–285
major and minor lineations: Menard 179–193
seismic survey, eastern equatorial: Shor 178–420
submarine geology: Menard 178–421
submarine profiles, Fiji-Christmas Island-Tahiti: Ritchie 176–355
tectonic pattern of margins: Benioff 178–73; St. Amand 178–74
Pakistan, geophysical institute: Thirlaway 179–180
geophysical surveys, ground water, western: Ahmad 177–154
Paleomagnetism, Canadian studies: Canadian Geophysical Bulletin 178–169
continental drift: DuBois 178–293; Carey 178–217
data, India: Deutsch 176–277
research, Germany: Reich 177–299
stratigraphic and geotectonic significance: Kropotkin 178–294
value to earth sciences: Deutsch 176–272
See also Magnetization
Paleotemperatures, southern Australia: Dorman 179–280
Paleowind directions: Opdyke 176–275
Peat, age, Australia: Churchill 179–21
age, British Isles: Flint 178–7
North America: Flint 178–7
Pegmatites, age, Aldan area, U.S.S.R.: Smolin 176–15
age, central Dneiper region, U.S.S.R.: Komlev 179–15
Pennsylvania, aeromagnetic maps: Bromery 179–333, 334, 335, 336
Periclase, elasticity: Nishitake 177–242
Permafrost, electrical conductivity: Ananyan 177–142
heat flow: Lachenbruch 179–241
Petroleum, age, determination by energy method: Ramazanzade 177–23
Petroleum exploration, unorthodox methods: Cook 176–146
Phosphates, oxygen isotopic composition: Teys 179–279
radioactivity, Egypt: Hussein 176–302
Phosphorus isotopes, meteorological use: Lal 178–270
tropical atmosphere: Goel 177–264
Photogeophysics, application in western Canada: Mollard 179–177
Physical geography, textbook: Vitásek 179–186
Physical properties, rocks, methods of study: Zalesskiy 178–413
sea ice: Pounder 177–184
Pierre shale, seismic-wave attenuation: McDonal 176–324
Planets, chemical evolution and densities: Ringwood 177–232
See also Solar system
Plastic deformation, quartzite; Delitsin 178–414
Plasticity, general plane problem: Das 176–345
theory: Hodge 178–410
Poland, earthquake magnitudes, Racibórz: Droste 176–51
gravity surveys, western: Dąbrowski 179–341
gravity value, Warsaw: Pawłowski 179–198
magnetic surveys, Głuchołazy area: Jęczmyk 176–286
Pieniny Mountains: Maloszewski 178–311
western: Dąbrowski 179–341
radioactivity of granites: Grylgewicz 178–325
Polar wandering, to 1550: Barta 179–287
continental drift: Creer 176–273
India: Deutsch 176–277
paleomagnetic measurement: Creer 176–273
shifting of axis and dipole variations: Jardetzky 176–247
Pole positions, past: *See* Magnetic field of earth, past

Porosity, neutron logs: Widmyer 176–311
SP-log, Bashkir A.S.S.R.: Pernikov 177–140; Vilkov 179–170
Portugal, electromagnetic surveys, pyritic belt: Rocha Gomes 178–132
Potassium isotopes, meteorites: Honda 179–32; Voshage 177–265, 179–282
Potassium minerals, argon–38 in: Gerling 177–253
Potassium–38, existence questioned: Voshage 177–265
Potassium–40, *K*-capture constant: Gerling 177–9
Precambrian, absolute chronology: Semenenko 178–3; Voitkevich 176–2, 179–4
age, Alberta: Burwash 176–12
Baltic shield: Gerling 177–12
Finland: Kouvo 177–11
southeast United States: Long 179–5
Ukrainian S.S.R.: Komlev 178–4, 179–6, 7
paleomagnetic correlation: DuBois 176–274
Precise leveling, geopotential, dynamic, and orthometric heights: Boaga 178–210
Pressure waves, absorption in rocks: Waniek 179–128
amplitude measurement: Waniek 179–128
Puerto Rico Trench, crustal structure: Talwani 179–259
Pyrite: *See* Sulfide ore

Q

Quartzite, plastic deformation: Delitsin 178–414
Quebec, gravity surveys: Thompson 178–237
magnetization, Allard Lake ilmenite: Carmichael 177–295; Hargraves 179–313
Gaspé Carboniferous: DuBois 179–320

R

Radioactive elements, migration: Malyshev 176–295
Radioactive equilibrium, natural U and Th series: Rosholt 178–319
uranium ores: Malyshev 176–295
Radioactive isotopes, ground-water tracers: Knutson 178–281; von Buttlar 178–250
Radioactivity, air, Antarctic: Picciotto 176–296
air, Catania, Sicily: Cantone 177–325
daily and annual courses: Wilkening 177–324
natural and artificial: Adamczewski 176–297
Tokyo: Kawano 177–326
beta, dating bones: Oakley 176–20
Radioactivity—Continued
beta decay, variation with time: Dicke 176–4
bismuth–212 (thorium C) branching ratio: Evans 177–315
fumaroles and pools, New Zealand: Berlin 177–322
gadolinium–152: Riezler 176–294
gamma-ray spectrum of rocks: Filippov 178–346; Iokhel'son 177–317
geologic application: Rankama 179–265
granite, France: Roubault 177–318
Germany: Leible 177–319
Japan: Hayase 176–301; Tsutsumi 178–323
Poland: Grylgewicz 178–325
ground water, France: Jurain 177–323; Roubault 176–298
New Mexico: von Buttlar 178–280
hafnium–174: Riezler 176–294
lavas, New Zealand: Belin 177–321
liparites, Japan: Hayase 178–322
meteorites: Deutsch 178–321, Honda 179–32
mineral waters, Georgian S.S.R.: Chkhetiya 176–299; Kebuladze 176–300
Rumania: Szabó 178–327
phosphates, Egypt: Hussein 176–302
Saale River water, Germany: Heide 178–326
sandstones, clay content: Polak 177–320
soil air, central Asia: Shevchenko 178–329
springs, Japan: Morinaga 178–328
surface and volumetric equivalence: Bulashevich 176–304
variation across igneous contacts: Hatuda 178–324
waters, natural and artificial: Adamczewski 176–297
Radioactivity logging, clay content of sandstones from: Polak 177-320
Densilog, description: Campbell 176–310
gamma, Bulgarian apparatus: Nikiforov 177–335
caliper log, comparison with: Bunker 177–331
drilling mud: Czubek 178–347
instruments: Vaughn 177–327
quantitative interpretation: Czubek 178–347
Russian apparatus: Gorskiy 178–352
scattering theory: Homilius 176–307
gamma-gamma, Bashkiria A.S.S.R.: Bayembitov 177–337
Donets coal basin: Garkalenko 177–336
theory: Fillippov 177–332; Verbovenko 177–333
interpretation: Per'kov 176–309
neutron, porosity from: Widmyer 176–311
neutron-gamma, effect of absorption: Larionov 178–348

Radioactivity logging—Continued
neutron-neutron: Burov 178–350; Kron 178–349
Russian textbook: Barsukov 178–344
spectral log, description: Oilweek 178–351
transistorized sonde: Mihailović 177–334
uses: Alekseyev 178–345; McLendon 176–308
Radioactivity surveying, disequilibrium relationships as aid in: Page 178–334
geologic mapping: Ishmametov 176–305
instruments: Mårtenson 178–336; Vaughn 177–327, 178–353
interpretation: Chkhenkeli 176–306
methods: Berbezier 178–332; Ministerstvo Geologii i Okhrany Nedr 178–331
problems: Grammakov 178–333
Russian handbook: Melkov 178–330
Radioactivity surveys, Colorado: Harrison 178–338
Colorado Plateau: Kelly 178–130
French Union: Lecoq 178–340
Japan: Sano 178–343; Soma 176–213
Kansas: Hartenberger 178–337
Korea: Kim 177–83, 328, 329
Turkmen S.S.R.: Yermakov 178–342
U.S.S.R.: Afonin 178–341; Ishmametov 176–305
Radiogenic heat: Baranov 178–248
Radiolarites, magnetization, Alps: Hargraves 177–300
Radiowave exploration: *See* Electromagnetic exploration, radiowave method
Radon, liberation from rocks at high temperatures: Iokhel'son 177–316
Réunion Island, volcanic eruption 1952–57: Ducrot 176–368
Rhenium-187, decay rate: Naldrett 178–21
Rhenium-osmium dating method: Naldrett 178–21
Rheological properties, clay: Murayama 176–349
crust: Hiersemann 176–346
rocks: Nishihara 176–348
Rockburst observations, U.S.S.R.: Konstantinova 177–348
Rockburst research, Ontario: Hodgson 177–100
Rocks, elastic properties, high pressure: Iida 179–129; Volarovich 178–106
electrical properties: Piskunov 176–131
fracture around underground openings: Hiramatsu 178–102
magnetization: *See rock type by name under* Magnetization
mechanical properties: Ruppeneyt 178–411; Schreiner 178–412
physical properties, methods of study: Zalesskiy 178–413
Rocks—Continued
rheological properties: Nishihara 176–348
stress-strain relationship: Nishihara 178–101
viscoelastic medium: Sałustowicz 177–93
Rotation: *See* Earth, rotation
Rumania, crustal structure: Demetrescu 178–265; Enescu 178–266
geomagnetic elements, Carpathian Basin: Constantinescu 177–277
geophysical prospecting, development: Stefanescu 178–176
geophysical surveys, interpretation: Scheffer 177–214
gravity surveys, Constanta area: Botezatu 179–226
regional: Socolescu 179–220
salt deposits: Botezatu 179–223
salt domes: Botezatu 179–221
Transylvania: Visarion 179–224
Transylvanian Basin: Airinei 179–225
Vilcea: Popovici 179–222
magnetic surveys, Drocea massif: Corvin-Papiu 179–344
regional: Airinei 178–312
Transylvania: Airinei 179–343, 345
Transylvanian Basin: Airinei 179–225
radioactivity, mineral springs: Szabó 178–327
seismicity: Florinescu 179–52
Russian platform: *See* U.S.S.R.

S

Sahara, acoustic logging and seismic surveys: Dunoyer de Segonzac 178–393
Samarskite, age, India: Aswathanarayana 176–16
Sandstone, compressibility: Fatt 176–87
Sandstones, magnetization, English Jurassic: Girdler 179–319
Saskatchewan, seismic surveys, Avonlea: Sawatzky 179–390
Scandinavia, carbon-14 dates: Flint 178–7
Scotland, magnetization, Aberdeenshire gabbros: Blundell 177–298
Sea water, carbon isotopes: Fönselius 177–256
oxygen isotopes in primordial: Degens 177–262
Sedimentary rocks, age, Dagestan: Amirkhanov 179–13
deformation at high temperature: Handin 176–350
induced polarization: Kudymov 178–119
magnetization, Turkmen S.S.R.: Gus'kova 178–296
Seismic energometer: Belotelov 179–108
Seismic exploration, air shooting: Kaplan 179–372
ammonium nitrate tool: Hall 177–357; Martin 176–334
anisotropy of layers: Šumi 177–105

Seismic exploration—Continued
Antarctica, elevation control: Ostenso 179–408
compound wave analysis: Coloma Pérez 176–313
computing theory and practice: Slotnick 179–358
correction for surface layer: Priyma 179–362; Yunusov 177–361
cross-check of data: Broding 179–370
deep profiling at sea: Gal'perin 176–341
determination of effective velocities: Petkov 176–314
diffraction on horizontal fault: Skuridin 176–75
dip migration: Robinson 179–379
direct detection of oil and gas: Ballakh 178–355
electroseismic effect: Antsyferov 177–346; Martner 177–345; Prosvirnin 179–101; Volarovich 178–158
engineering: Ioseliani 176–339
explosives in: Hall 177–357; Kupalov-Yarapolk 178–370; Martin 176–334
foundation engineering: Bornmann 179–388
frequency selection: Gurvich 178–372
geophone grouping: Heinitz 179–373; Napalkov 179–375; Tarasov 177–353, 179–366
instruments, amplifier for marine: Slutskovskiy 179–385
combined mixing: Priyma 179–376; Slutskovskiy 179–377
difficult conditions: Hammond 178–371
field playback system: Hall 179–380
field-testing: Grannemann 179–381
intermediate magnetic recording station: Melamud 177–356
mine use: Toba 176–333
seismometers, in series and in parallel: Seriff 176–331
subbottom depth recorder: Beckmann 179–384
testing area selection: Posgay 179–382
Velocity filters, tests: Voyutskiy 179–383
interpretation techniques, Kansas: Glover 178–376
intrusive rock bodies: Troyanskiy 176–322
layer velocities in profile construction: Lyakhovitskiy 176–312
marine, distance measurement in: Zverev 178–360
methods, progress in 1949–59: Dobrin 176–330
offshore "singing": Backus 177–344; Werth 177–343
pipeline construction: Caterpillar Tractor Company News Service Staff 179–389
principles (Russian text): Gamburtsev 178–354

Seismic exploration—Continued
reciprocity: Knopoff 179–359
reflection, correction for surface layer: Priyma 179–362
curvature of traveltime curves: Tarasov 179–366
geophone spreads and pattern shooting: Kaneko 179–374
interpretation: Adachi 176–318
multiple: See Seismic waves, multiply reflected
"overtaking" traveltime curves: Murusidze 176–317
true dip calculation: Kirby 178–356
underground: Schmidt 179–394
velocity calculation: Ryazanova 179–361
refraction, "blind zone": Soske 177–343
boundary velocities: Radzhabov 177–340
broadside shooting: Richards 179–368
fault interpretation: Yamaguchi 176–344
interpretation: Adachi 176–319; Hagedoorn 178–358; Radzhabov 177–341; Shneyerson 178–402
reflected waves in: Brauch 176–320; Koefoed 176–321
"Sparker" tool: Oilweek 178–374
surface mining: Mining Engineering 178–359
time maps, correction for lateral velocity variation: Acheson 179–360
traveltime curve, singular point: Adachi 176–315
velocity determination: Opitz 178–357
Seismic logging, Carpathians: Petkevich 177–98, 179–402
England: Wyrobek 178–398
geophone for: Mozzhenko 179–386
Germany: Holste 178–366
methods: Petkevych 176–328; Puzyrev 177–350, 178–363: Wood 178–388
shot wells: Zhbanov 178–364
Seismic noise of earth's surface: Brune 179–81
Seismic observations, explosion danger inferred: Bune 177–103
rockburst, Donets basin: Konstantinova 177–348
Seismic sea waves, energy and origin: Iida 178–66
Seismic stations, Germany (Bensberg): Robel 179–97
Sweden: Båth 177–99
Seismic surveys, Alberta: Blundun 178–389, 179–391; White 178–390
Antarctica: Bentley 179–406; Imbert 176–177; IGY Bulletin 177–364, 179–404, 405; Mather 178–409; Murauchi 176–178; Robin 177–365; Thiel 179–407, 409
Atlantic coastal plain: Woollard 178–375
Atlantic Ocean: Ewing 176–234

Seismic surveys—Continued
Austria: Förtsch 176–175
Belgium: Ruehmkorf 178–400
Bermuda: Northrop 178–418
Black Sea: Neprochnov 177–363
Caspian Sea: Gagel'gants 179–262
France: Mathiez 178–396
Georgian S.S.R.: Tvaltvadze 176–338; Prangishvili 176–340; Ioseliani 176–339
Germany: Andres 177–358; Martin 179–396; Reichenbach 179–395; Schmidt 179–394
index of shot wells: Gaither 176–327
India: Kailasam 176–342
Israel: Harris 176–336
Italy: Cassinis 178–394, 179–398; Vecchia 178–395
Japan: Ninagawa 178–408; Shinada 176–343; Yamaguchi 176–344; Yamashita 177–366
Kansas: Bass 178–383 Beebe 178–379; Brewer 178–377, 380; Care 178–378; Koester 178–385; Rupnik 178–381; Smith 178–382; Winchell 178–384
Mediterranean Sea: Ewing 176–234
moon, feasibility: Press 179–28
Netherlands: Riel 178–397
New York: Blaik 176–335
New Zealand: 179–403
North Sea: Stride 179–393
Northwest Territories: Pallister 179–392
Norwegian Sea: Ewing 176–234
Oklahoma: Widess 178–386
Pacific Ocean: Shor 178–420
Sahara: Dunoyer de Segonzac 178–393
Saskatchewan: Sawatzky 179–390
Sudan: Schuster 179–399
Sweden: Welin 178–401
Tanganyika: King 178–392
Trinidad: Higgins 178–391
Ukrainian S.S.R.: Gurevich 177–362; Petdevich 179–402
U.S.S.R.: Andreyev 179–401; D'yakov 178–404; Klubov 178–404; Kosminskaya 176–236; Shablinskaya 178–407; Sollogub 177–360; Tal'virskiy 178–406; Tuyezov 178–405; Yengurazov 179–400; Zverev 178–360
Wales: Wilson 178–399
Yugoslavia: Popović 177–359
Seismic waves, attenuation: Horton 179–117; McDonal 176–324
crustal structure from: Woollard 179–257
diffracted: Oblogina 179–369
dynamics, quantitative study: Petrachen 179–357
explosions, Bavaria: Kárník 176–91
crustal studies: Press 177–101
energy: Bune 178–65
free oscillations of earth: Benioff 178–85; Pekeris 177–80
interval velocities, theoretical and practical aspects: Chereau 177–339
Seismic waves—Continued
Love, dispersion across North Pacific: De Noyer 179–264
mine cave-ins: Peterschmitt 178–107
multiply reflected: Baranov 176–316; Shushakov 179–363; Yepinat'yeva 178–373, 179–364, 365
nuclear explosions: Burke-Gaffney 176–93; Grossling 176–90; Latter 178–369; Milne 179–95
observations at 1 km depth: Tatel 177–338
P, absorption: Rocard 179–118
pulse shape: Anstey 176–73, 323; Geophysical Prospecting 177–92; Howell 178–368, 179–371; McDonal 176–324; Menzel 176–72; Postma 176–71; Szendrei 179–116
Rayleigh, from small explosions: Kisslinger 177–347
reflected-refracted: Brauch 176–320; Koefoed 176–321
refraction from water-bearing sands: Berzon 177–349
SH, underground structure from: Kobayashi 179–367
small explosions: Omote 167–326
transverse, low phase velocities: Tazime 176–325
Seismicity, areas: *See areas under* Earthquakes
gravity anomalies: Oganisyan 178–54
mapping criteria: Riznichenko 179–59
statistical study: Riznichenko 176–49
Seismographs, a-c source, commercial: Matumoto 179–104
automatic time recording device for: Tabulevich 176–67
broadband amplifier: Polshkov 179–378
damped vibrations of coupled galvanometer: Matuzawa 179–107
distortion of first motions: Droste 179–100
dynamic magnification of mechanical: Kisslinger 178–83
electrodynamic, sensitivity control: Teupser 178–84
electromagnetic, calibration: Willmore 176–63
microseisms: Kishinouye 179–355
galvanometer, ultra-long-period: Lehner 179–98
logarithmic wide amplitude range: Matumoto 179–105
long-period, San Salvador: Boletin Sismológico del Servicio Geológico Nacional de El Salvador 177–75
low frequency field: Kovalev 176–332
short-period, Polish: Hordejuk 179–102
range: Mathey 178–82
sensitivity: Mathey 178–82
starter for: Tanaka 176–66
transducer for visual recording: Gouin 177–72
transistor: Kawasumi 176–65

Seismographs—Continued
UHF multichannel telerecording: Tsujiura 179–106
Seismologic stations: *See* Seismic stations
Seismology, bibliography, 1957: Smith 177–33
bibliography, index: Smith 177–34
Canadian research: Canadian Geophysical Bulletin 178–169
developments in China: Kharin 179–58
elementary: Richter 176–26
fundamental research need: Press 179–46
IGY research: Oliver 176–27
Seismometers, engineering: Nazarov 178–51
reaction factor: Teupser 177–70, 71
rotation: Hagihara 179–103
Shear displacement, periodic surface traction: Mitra 177–85
Siberia, earthquake, June 1957; Puchkov 178–42
geophysical surveys, platform: Vasil'yev 178–183
Zeya-Amur area: Vasil'yev 178–182
gravity surveys, eastern: Vasil'yev 178–243
southeastern: Kononov 178–244
magnetic surveys, eastern: Vasil'yev 178–243
southeastern: Kononov 178–244; Ozertsova 179–346
seismic surveys, western lowland: Shablinskaya 178–407; Tuyezov 178–405
Siderite, seismic surveys, Germany: Schmidt 179–394, 395
Soil, dynamic properties, measurement in place: Jones 177–99
temperature, measuring instrument: Salaruddin 178–254
Solar activity, geotectonics: Eygenson 179–191
magnetic storms, 1933–45: Berishvili 176–255
Solar system, origin: Berlage 177–231; Shmidt 177–230
Solomon Islands, earthquakes and volcanism, 1952–56: Grover 176–44
South America, carbon-14 dates: Flint 178–7
isotope ratios, volcanic sulfur: Amstutz 177–266
magnetization, Quaternary and Jurassic rocks: Creer 179–321
Southeast Asia, earthquake mechanism: Ritsema 178–70
Spain, electrical and magnetic surveys, Valduengo dam: Cantos Figuerola 176–111
geophysical surveys, present status: Cantos Figuerola 177–149
Stress, distribution around fault: Williams 177–89
faulting, relation to gravity anomalies: Lensen 176–54
Stress-strain relationship, in rocks: Nishihara 178–101
Structural morphology: Birot 178–211
Submarine geology, abyssal sedimentation: Heezen 178–417
Arctic: Gakkel' 176–362
Arctic Ocean: Hope 177–378
Atlantic Ocean: Elmendorf 177–379
eastern equatorial Pacific: Shor 178–420
geophysical methods: Fedynskiy 178–415
New Zealand: Brodie 178–422
Pacific Ocean: Maldonado-Koerdell 176–353; Menard 178–421
Submarine orogenesis, origin: Scheidegger 177–377
pits, Azores, relation to magma chambers: Machado 179–416
Submarine topography, Bay of Campeche: Creager 176–354
Bermuda: Northrop 178–418
continental margin, Brittany-Ireland: Day 178–419
Fiji - Christmas Island - Tahiti: Ritchie 176–355
Kurile Islands: Besrukov 176–356
Sudan, seismic surveys, ground water: Schuster 179–399
Sulfates, oxygen isotopes in, indicator of sea-water composition: Teys 179–278
Sulfide ore, electrical logging, Azerbaijan S.S.R.: Tarkhov 179–171
electrical logging, Kazakh S.S.R.: Plyusnin 178–153
electrical surveys, Sweden: Werner 178–133
U.S.S.R.: Komarov 177–117; Sakovtsev 178–141
Yugoslavia: Šumi 178–140
electromagnetic surveys, Portugal: Rocha Gomes 178–132
geophysical surveys, Sweden: Törnqvist 178–132
induced polarization: Bulashevich 176–99; Plyusnin 178–153
magnetic surveys, Yugoslavia: Šumi 178–140
sulfur isotope ratios, Urals: Petrovskaya 177–267
Sulfur, geophysical exploration, Sicily: Cassinis 178–394
isotopes, geochemistry: Ault 178–278
hydrothermal ores: Jensen 178–279; Petrovskaya 177–267
meteorites and igneous rocks: Vinogradov 178–271
stable: Subcommittee on Nuclear Geophysics 178–269
Sulfur-35, meteorology: Lal 178–270
tropical atmosphere: Goel 177–264
Sweden, electrical surveys, sulfides: Törnqvist 178–134; Werner 178–133
geophysical surveys, combined methods: Törnqvist 178–134
Kankberg deposit: Malmqvist 178–174

Sweden—Continued
magnetic surveys, Forsbo iron: Törnqvist 178–310
magnetization, varved sediments: Granar 176–270
seismic stations, description: Båth 179–99
seismic survey, hydroelectric plant site: Welin 178–401
Switzerland, carbon–14 dates: Flint 178–7
electrical surveys, Meyrin region: Poldini 178–138
Sylvites, age, calcium method: Polevaya 177–21

T

Tadzhik S.S.R., earthquakes, 1865–1952: Semenov 177–49
earthquakes, 1955: Kukhtikova 177–50
Surkhov River valley: Rantsman 176–41
seismicity, Garm-Stalinabad area: Gzovskiy 176–40; Riznichenko 179–57
Talus, fossil, recognition by magnetization: McDougall 176–263
Tanganyika, geophysical surveys, Lupa gold field: King 177–148, 178–392
Tectonic patterns, circumpacific: Benioff 178–73; St. Amand 178–74
regional, from fault-plane solutions: Hodgson 178–71
Tektites, age: Gentner 179–17; Starik 179–40
beryllium–10 and aluminum–26 in: Cherry 179–39
Borneo: Roe 179–44
Georgia: Barnes 179–42; Cohen 179–43
magnetic susceptibility: Senftle 179–41
origin: Berlage 177–231; Cherry 179–39; Cohen 179–45; Eiby 179–37; Mason 179–36; O'Keefe 179–35; Taylor 179–38
Temperature, borehole, Alaska: Lachenbruch 170–242
borehole, apparatus: Cooper 178–259; Malyuga 179–249; Oreshkin 176–206
Hopton Pool, England: Cooper 178–259
disequilibrium due to drilling: Lachenbruch 179–242
gradient in low-velocity layer: Zharkov 177–239
ground, Ottawa, Canada: Pearce 178–255
Japan, Misasa Hot Spring area: Soma 176–213; Zharkov 178–250
melting, earth: Uffen 176–202
mantle: Zharkov 178–250
primordial earth: Safronov 177–221
soil, measuring instrument: Salaruddin 178–254
variation in geosynclines: Grossling 179–237
See also Heat
Texas, acoustic logging in south: Biggs 178–387
geophysical surveys, Edwards Trend: Moore 176–138
gravity surveys, Mustang Hill laccolith: Greenwood 178–234
Thallium, in stone meteorites: Ehmann 179–33
Thermal: *See* Heat, Temperature
Thermal activity, Kurile-Kamchatka arc: Ivanov 178–436
Thermal properties, porous rocks: Somerton 176–204
Thermal regions, heat-flow estimation methods: Benseman 178–251
portable calorimeter for: Benseman 176–205
Thermal springs, heat source, Banff: Haites 178–256
heat source, Japan: Watanabe 176–212
regional properties, Japan: Nakamura 176–275
subsurface discharge: Benseman 178–252
temperature and resistivity measurements, Kuršumliska Banja area, Serbia: Maldenović 177–225
Thermal waters, Japan, classification: Nakamura 176–376
Japan, electrical exploration: Kondo 177–127
origin: Nakamura 176–374
Thermistors: Cooper 178–259; Oreshkin 176–206
Thermoelasticity, solid: Shima 176–83; Treitel 177–84
Thermoluminescence, dating limestones by: Angino 177–22
pressure-induced: Angino 179–247
silicate meteorites: Subcommittee on Nuclear Geophysics 178–269
trace elements: Angino 179–248
Thermometer, borehole, Russian: Malyuga 179–249
Thorium series, equilibrium: Rosholt 178–319
Tiltmeter, Ide Observatory, Japan: Takada 178–88
portable water-tube: Eaton 179–412
results, France: Blum 177–78
sensitive, description: Shakurov 177–74
Time scale: *See* Geochronologic scale
Titanomagnetite, exsolution, magnetism: Kawai 178–287
magnetic properties: Akimoto 178–288
Tri-State district, geophysical exploration: Hambleton 178–165
Tritium: *See* Isotopes, tritium
Tsunami: *See* Seismic sea waves
Tungsten, gravity exploration: Moiseyenko 179–230
Tunnel engineering, geophysical methods: Hammond 179–185
Turkmen S.S.R., magnetization of sedimentary rocks: Gus'kova 178–296
radioactivity surveys in western: Yermakov 178–342

U

Ukrainian S.S.R., age, charnockites: Komlev 179–7
age, granites: Komlev 179–6, 7
geothermal gradients: Babynets' 176–209
lead isotopes in Podolsk phosphorites: Malinovskiy 179–274
magnetic surveys: Andreyev 177–312
microseisms: Kostina 176–292; Monakhov 176–291
Precambrian chronology: Komlev 178–4
seismic surveys: Kurevich 177–362; Petkevich 179–402
Union of South Africa, age, galena and uraninite: de Villiers 178–13
crustal structure: Hales 177–249
gravity value, Capetown: Harada 177–219
magnetization, Bushveld complex: Gough 176–276
United States, carbon-14 dates: Flint 178–7
crustal structure: Ewing 176–230; Hersey 177–247
earthquake history: Heck 178–30
geochronology, metamorphic events in southeastern: Long 179–5
gravimeter calibration line, eastern: Innes 179–213
seismicity map: Richter 177–36
Universal constants, time dependence: Subcommittee on Nuclear Geophysics 178–269
Uraninite, age, New York: Klemic 178–164
age, U.S.S.R.: Gerling 177–9
Uranium, electrical surveys, Utah: Gilbert 179–155
geophysical surveys, France: Collin 178–172
isotope ratios, alteration: Chalov 179–283
leaching: Baranov 176–244; Starik 176–243
natural migration: Rosholt 178–319
Uranium content, meteorites: Subcommittee on Nuclear Geophysics: 178–269
Saale River water, Germany: Heide 178–326
Uranium ores, age, Australia: Greenhalgh 177–10
isotopic study: Miller 176–242
prospecting methods: Melkov 178–330; Ministerstvo Geologii i Okhrany Nedr 178–331
radioactive equilibrium in: Malyshev 176–295
Uranium series, equilibrium in: Rosholt 178–319
Uranus, earthquakes: Tomaschek 179–96
U.S.S.R., age, clastic minerals, Vistelius 177–19
age, glauconites: Kazakov 177–18
granites: Komlev 179–15; Krylov 176–14
North Caucasus rocks: Afanas'yev 179–12
U.S.S.R.—Continued
age—continued
pegmatites: Komlev 179–15; Smolin 176–15
sedimentary rocks: Amirkhanov 179–13
uraninites: Gerling 177–9
crustal structure: Kosminskaya 176–236
earth currents, Lake Baikal: Vinogradov 177–29, 178–28
earthquakes, Black Sea basin: Levitskaya 179–56
Caucasus: Tskhakaya 177–48; Tvaltvadze 179–55
Gobi-Altay, Dec. 1957: Solonenko 178–43
Krasnaya Polyana, Dec. 1955: Dzhabna 176–37; Kats 176–38
1955–56: Rustanovich 176–39
Kurile-Kamchatka, 1954–56: Kondorskaya 176–42
Kyren, Aug. 1958: Puchkov 178–38
Muya, June 1957: Solonenka 178–41
northern Tien Shan, relation to geology: Kazanli 177–51
seismicity map: Gorshkov 177–47
Siberia, June 1957: Puchkov 178–42
electrical exploration, highways: Tokarev 179–138
electrical logging, Irkutsk coal basin: Butakov 176–129
electrical surveys, karst: Yashchenko 179–158
sulfide ores: Komarov 177–117; Sakovtsev 178–141
geophysical exploration methods: Bogdanov 178–177
geophysical exploration program: Fedynskiy 178–178
geophysical institutes: Wilson 177–146
geophysical research: Bullen 178–194
geophysical surveys, Caspian basin: Kazakov 177–151
Russian platform: Fotiadi 177–152, 178–179
Siberian platform: Vasil'yev 178–183
geothermal gradient, Stavropol uplift: Miroshnikov 177–228
geothermal resources: Makarenko 177–226, 227
gravity lows over uplifts: Tsimel'zon 179–229
gravity surveying, 1955 and earlier: Kozlov 179–227
gravity surveys, Aktyubin area: Nevolin 178–313
Chernigov anomaly: Lebedev 177–215
Kursk magnetic anomaly: Kopayev 176–195
Russian platform: Borisov 179–228; Nevolin 178–314
Transcaucasian depression: Abakeliya 177–217
gravity value, Sternberg Institute: Grushinskiy 177–220
IGY contributions: Routledge 177–144

U.S.S.R.—Continued
Kamchatka geysers: Ustinova 178–438
Kurile-Kamchatka arc, tectonic development: Svyatlovskiy 176–170
thermal activity: Ivanov 178–436
Kurile Islands, volcanoes: Besrukov 176–356; Gorshkov 176–373; 178–437
magnetic bays, Murmansk: Zevakina 177–280
magnetic micropulsations: Kalashnikov 177–284
magnetic secular variation: Orlov 177–278
magnetic surveys, Aktyubin area: Nevolin 178–313
Russian platform: Nevolin 178–314
radioactivity, Caspian basin rocks: Polak 177–320
soil air: Shevchenko 178–329
radioactivity logging, Bashkir A.S.S.R.: Bayembitov 177–337
Donets basin: Garkalenko 177–336
radioactivity surveys, geologic mapping: Ishmametov 176–305
Lower Volga and Ciscaucasus: Afonin 178–341
southern Urals: Ishmametov 176–305
recent deformation, North Caspian area: Pronicheva 178–218
rockburst, Donets basin: Konstantinova 177–348
seismic exploration methods: Shneyerson 178–402
seismic surveys, Bashkir A.S.S.R.: Klubov 178–403
bauxite: Andreyev 179–401
Black Sea: Neprochnov 177–363
Mangyshlak Peninsula: D'yakov 178–404
Russian platform border: Yunusov 177–361
Sea of Okhotsk: Zverev 178–360
Tatar A.S.S.R.: Klubov 178–403
Tobol zone: Tal'virskiy 178–406
seismic velocities, Ciscarpathia: Petkevich 177–98
southern European: Sollogub 177–360
sulfur isotopes, Uchala ores: Petrovskaya 177–267
volcanic eruptions, Bezymyannyy 1955–56: Gorshkov 176–372, 178–434; Pasechnik 176–371
Klyuchevskaya, character: Piyp 176–370
volcanism, recent and Cenozoic: Piyp 176–369
volcanoes, Klyuchevskaya magma chamber location: Gorshkov 176–359
Kurile Islands: Besrukov 176–356; Gorshkov 176–373, 178–437
See also Caucasus, Siberia, *and individual republics by name*

Utah, aeromagnetic and gravity surveys, Upheaval Dome area: Joesting 178–307
earthquake of Feb. 1958: Berg 176–29
electrical surveys, Marysvale: Gilbert 179–155

V

Varved sediments, magnetization, Sweden: Granar 176–270
magnetization, errors in measurement: Griffiths 176–264
Vibrograph, self-leveling: Kanai 176–64
Vibrometers, inertia type: Karandeyev 179–387; Radziyevskyy 177–354, 355
Virginia, age of zircon in Martinsburg shale: Carroll 176–17
Viscoelastic medium, rocks as: Sałustowicz 177–93
Volcanic activity, 1954–56: Hantke 178–425
1957: Lotze 176–28
Alaska, Gareloi Island: Coats 178–426
associated manifestations: Naboko 178–423
French Antilles: Gèze 177–385
Hawaii, Apr.–June 1958: Eaton 176–361
July–Sept. 1958: Eaton 179–413
Japan, 1954–57: Minakami 179–418
Asama, analysis: Sekiya 178–433
Sakurajima, relation to earth-current variations: Yoshimatsu 178–432
Torishima, 1947–57: Tanaka 178–435
Mexico, 1954–57; Mooser 179–414
moon: Alter 179–29; Die Umschau 177–372; Dolezal 177–371; Fremlin 177–369; Kozyrev 177–368
New Guinea, 1954–57: Fisher 179–419
persistent, mechanism: Rittman 177–383
Solomon Islands, 1952–56: Grover 176–44
Volcanic arcs, chemical properties: Matschinski 177–382
Volcanic ash, Worzel deep sea layer: Anders 178–416; Ewing 177–376; Worzel 177–375
Volcanic belts, gravity anomalies: Ma 179–195
Volcanic eruptions: Arctic, submarine: Gakkel' 176–362
Azores, Capelinhos 1957–58; Tazieff 178–429
Belgian Congo, 1958: Berg 177–387
Greece, Santorin, 1939–41: Georgalas 179–417
Hawaii, Kilauea, 1955: Parsons 178–427
Indonesia, Mount Ruang, 1808–1949: Neumann van Padang 177–388
Japan, Aso: Namba 177–390
Iwo Jima 1959: Corwin 177–389
Mexico, Bárcena: Maldonado-Koerdell 176–364
Nicaragua, Cerro Negro, 1957: Servicio Geológico Nacional de Nicaragua 176–365

Volcanic eruptions—Continued
Réunion Island, 1952–57: Ducrot 176–368
sound effects: Namba 177–390
supposed submarine, off New Zealand, 1877: Gregg 176–43
U.S.S.R., Bezymyannyy, 1956: Gorskov 176–372, 178–434; Pasechnik 176–371
Klyuchevskaya, character: Piyp 176–370
West Indies, Soufrière de Guadeloupe, 1956: Barrabé 177–386; Jolivet 179–415
Volcanic explosions, juvenile water in: Markhinin 176–360
Volcanic glasses, deuterium-hydrogen ratio of water in: Friedman 176–241
Volcanic manifestations, significance of methane in: Noi 177–392
Volcanic pit craters, origin: Roux 177–384
Volcanic rocks, age, Hawaii: Reber 179–20
age, Pleistocene: Evernden 176–11
magnetization, Armenia: Akopyan 177–301, 302
Italy: Rutten 179–322
Japan: Momose 178–298
Madagascar: Roche 177–297
New Zealand: Coombs 179–323
radioactivity, New Zealand: Berlin 177–321
Volcanism, crust: Pospelov 177–244
human geographic aspects: La Rüe 179–410
lunar: *See* Volcanic activity, moon
lunar and terrestrial: Dauvillier 176–357
popular work (Russian): Levchenko 176–358; Voropinov 178–424
tectonics, Azores: Machado 179–416
Kamchatka-Kurile arc: Svyatlovskiy 176–170
U.S.S.R.: Piyp 176–369
theoretical problems: Gorshkov 177–380
Volcanoes, Africa and Red Sea, catalog: Gèze 176–367; Richards 176–366
Belgian Congo, geophysical survey: Magnée 178–430
Central America, 1957 state: Pough 178–428
catalog: Mooser 176–363
Japan, Aso magma chamber radius: Shima 176–83
Kuttyaro caldera, gravity survey: Yokoyama 176–198
Tchad: Gèze 176–367
U.S.S.R., Klyuchevskaya, location of magma chamber: Gorshkov 176–359
Kurile Islands, catalog: Gorshkov 176–373, 178–437
See also Volcanic activity, Volcanic eruptions
Volcanologic research, Australia, 1954–57: Fisher 179–419

W

Wales, seismic-refraction survey, Vale of Clwyd: Wilson 178–399
Waters, natural and artificial radioactivity: Adamczewski 176–297
Well-level fluctuations, seismological interpretation: Eaton 178–50
Well logging, carbonate reservoirs, methods: Per'kov 178–180
coal fields, methods: Plewa 176–118
ground water hydrology: Jones 176–150
monograph: Schlumberger Well Surveying Corporation 178–196
problems: Dakhnov 178–197
recent developments: Jones 176–149; Roberts 177–159
Russian works: Komarov 179–182; Per'kov 176–143
techniques in Canada: Canadian Well Logging Society 179–181
tools: Hamilton 179–183
See also Electrical logging, *and other logging*
West Indies, seismic surveys, Trinidad: Higgins 178–391
volcanic eruptions, Soufrière de Guadeloupe, 1956: Barrabé 177–386; Jolivet 179–415
volcanism of French Antilles: Gèze 177–385
Wisconsin, gravity survey, Baraboo syncline: Hinze 179–217
Wolframite, magnetic anisotropy: Vinokurov 179–315
Wood, carbon–14 content: Whitaker 178–320

Y

Yugoslavia, electrical logging: Aksin 177–138
electrical surveys, Goleš magnesite: Ristić 177–124
Kuršumliska Banja area: Mladenović 177–225
southwest Macedonia: Milanović 177–125
Trebinje area: Milošević 177–123
geophysical surveys, Banat: Arandelović 177–150
geothermal measurements, Kuršumliska Banja area: Mladenović 177–225
gravity survey, Čačak-Kraljevo basin: Ivković 177–212
magnetic surveys, Macedonia, oolitic iron: Jančić 177–311
Macedonia, southwestern: Milanovic 177–125
titanomagnetite: Jančić 177–310
sulfide ores: Šumi 178–140
seismic survey, Boka area: Popović 177–359