

EXPLANATION

Area underlain by <10 feet of overburden

Isopach contours
Dashed where inferred. Contour interval 10 feet

Note: The overburden includes sand of Pleistocene and Recent age, clayey sand of Pliocene age, and the aluminum phosphate zone



Base by Topographic Division
U. S. Geological Survey

TRUE NORTH
MAGNETIC NORTH
APPROXIMATE MEAN
DECLINATION, 1967

INTERIOR—GEOLOGICAL SURVEY, WASHINGTON, D. C.—10394

Compiled by J. B. Cathcart, 1957, from maps drawn by Charlotte Axsell, J. B. Cathcart, Alice M. Coleman, H. B. Dutro, Shirley L. Houser, H. M. Icke, L. J. McGreevy, S. W. Maher, Louis Pavlides, R. G. Petersen, Emily L. M. Ward, and T. E. Wayland. Information from mine maps and company drilling data furnished by American Agricultural Chemical Co., American Cyanamid Co., Coronet Phosphate Co., International Minerals & Chemical Corp., Swift & Co., Wayne Thomas, and Virginia-Carolina Chemical Corp.

ISOPACH MAP OF THE OVERBURDEN, KEYSVILLE QUADRANGLE, FLORIDA

SCALE 1:48 000

