




U.S. DEPARTMENT OF THE INTERIOR
 U.S. GEOLOGICAL SURVEY




G. COPPER IN SEDIMENTS. Range: $\leq 3-981$ ppm [Oak Ridge National Laboratory (ORNL)], <math>< 10-143</math> ppm [Los Alamos National Laboratory (LANL)]; median: 16 ppm (ORNL), 21 ppm (LANL); detection ratio: 2,003/2,004 (ORNL), 380/387 (LANL); baseline average: 21 ppm (Shacklette and Boergen, 1984).




H. ZINC IN SEDIMENTS. Range: $\leq 6-1,639$ ppm [Oak Ridge National Laboratory (ORNL)], $\leq 44-1,290$ ppm [Los Alamos National Laboratory (LANL)]; median: 48 ppm (ORNL), ≤ 44 ppm (LANL); detection ratio: 2,003/2,004 (ORNL), 167/345 (LANL); baseline average: 55 ppm (Shacklette and Boergen, 1984).



I. THORIUM IN SEDIMENTS. Range: $\leq 2-48$ ppm [Oak Ridge National Laboratory (ORNL)], 2.5-83 ppm [Los Alamos National Laboratory (LANL)]; median: 6 ppm (ORNL), 8.5 ppm (LANL); detection ratio: 1,730/2,004 (ORNL), 387/387 (LANL); baseline average: 9.1 ppm (Shacklette and Boergen, 1984).



J. CERIUM IN SEDIMENTS. Range: $\leq 10-229$ ppm [Oak Ridge National Laboratory (ORNL)], 17-168 ppm [Los Alamos National Laboratory (LANL)]; median: 48 ppm (ORNL), 54 ppm (LANL); detection ratio: 1,989/2,004 (ORNL), 387/387 (LANL); baseline average: 65 ppm (Shacklette and Boergen, 1984).



K. VANADIUM IN SEDIMENTS. Range: $\leq 8-250$ ppm [Oak Ridge National Laboratory (ORNL)], 12-296 ppm [Los Alamos National Laboratory (LANL)]; median: 50 ppm (ORNL), 56 ppm (LANL); detection ratio: 2,003/2,004 (ORNL), 387/387 (LANL); baseline average: 70 ppm (Shacklette and Boergen, 1984).

MAPS SHOWING DISTRIBUTION OF URANIUM IN GROUNDWATER
 AND OF SELECTED ELEMENTS IN SEDIMENTS,
 ROSWELL RESOURCE AREA, NEW MEXICO

By
 James A. Erdman, Ronald R. Tidball, and Richard B. Tripp
 1995