## UNITED STATES DEPARTMENT OF THE INTERIOR Harold L. Ickes, Secretary

GEOLOGICAL SURVEY W. C. Mendenhall, Director

#### **Bulletin 860**

### GEOLOGY AND FUEL RESOURCES

OF THE

# SOUTHERN PART OF THE SAN JUAN BASIN NEW MEXICO

BY

JULIAN D. SEARS, CHARLES B. HUNT, AND CARLE H. DANE



UNITED STATES
GOVERNMENT PRINTING OFFICE
WASHINGTON: 1936



### CONTENTS

	field from Gallup eastward toward Mount Taylor, by Julian D.
The Mou The La V	nt Taylor coal field, by Charles B. Hunt 31 entana-Chacra Mesa coal field, by Carle H. Dane 81 163
	ILLUSTRATIONS
	Geologic map of the coal field eastward from Gallup, in the southern part of the San Juan Basin, N. Mex In pocket
2.	Index map showing location of the areas described in this and related reports4
3-6.	Views of the measured section of pre-Dakota(?) rocks near Navajo Church
	Lower members of the Mesaverde formation in the eastern part of the Gallup coal district as named in Bulletin 767 12
8.	A, Fault in sec. 35, T. 16 N., R. 12 W.; B, Gibson coal member of Mesaverde formation in T. 17 N., R. 17 W
9.	A, West side of south end of Dalton Pass; B, West side of north end of Satan Pass 12
10.	Map showing structure of the New Mexico portion of the San Juan Basin 20
11–17.	Columnar sections showing coal beds of the Mesaverde formation in the southwestern part of the San Juan Basin In pocket
18.	Geologic map of the western part of the Mount Taylor coal field In pocket
19.	Geologic map of the eastern part of the Mount Taylor coal field In pocket
20.	Index map showing location of the areas described in this and related reports 32
21.	View showing intertonguing relations of Mancos and Mesaverde formations
22.	View on Lagunitas grant from the volcanic neck 3 miles north
23.	of Sleeping Hound Butte
24.	Mancos shale faulted down against sandstone no. 3 in lower Mancos, Sedillo grant, 2 miles northeast of Suwanee
54825-	$oldsymbol{arphi}^{ au}$

			<b>P</b> Z# <u>(T)</u>	Page
PLA'	re :	25.	View looking north along the Ojito fault, T. 11 N., R. 2 W	48
		26.	A, Typical exposure of the Dilco coal member of the Mesa-	
			verde formation, Sedillo grant; B, View looking southwest	
•			along the Ojo Escondido fault, Sedillo grant; C, Mulatto	
			tongue of Mancos shale resting directly on Gallup sandstone,	
			T. 12 N., R. 1 W	48
		27.	Generalized structure map of the New Mexico portion of the	
٠.			San Juan Basin	56
		28.	Columnar sections showing coal beds in the Dilco coal	
			memberIn po	cket
	20_	33	Columnar sections showing coal beds in the lower part of the	
		00.	Gibson coal member In po	cket
,:	34_	37	Columnar sections showing coal beds in the upper part of the	ORCE
•	OI (	<b>.</b> .	Gibson coal member In po	alrat
		20	Columnar sections showing coal beds in the Gibson coal	CKE
				1 4
		20	member In po Geologic map of the La Ventana-Chacra Mesa coal field in the	ске
	•	<b>о</b> у.		
		40	southern part of the San Juan Basin, N. Mex In po	скет
	. '	<b>4</b> 0.	Index map showing the location of the areas described in this	
			and related reports	82
	•	41.	Correlation and thickness of the formations exposed in the La	
			Ventana-Chacra Mesa coal field	90
		42.	A, Mancos shale and overlying Hosta sandstone member of	
			Mesaverde formation; B, Exposures of the Mesaverde forma-	
			tion near La Ventana	98
	•	43.	A, Banded barren shales of the Allison member of the Mesaverde	
			formation in sec. 11, T. 18 N., R. 2 W.; B, Bedded sandstones	
			of the Chacra sandstone member of the Mesaverde formation	
			resting on the more irregularly bedded shales and sandstones	
			of the Allison member in sec. 29, T. 18 N., R. 4 W	98
		44.	A, The escarpment of the south front of Chacra Mesa; B, View	
•			looking east across Torreones Arroyo from the NW1/4 sec. 15,	
			T. 18 N., R. 4 W	98
• .	4	15.	A, Erosional irregularity at the base of a sandstone near the top	00
			of the Chacra sandstone member of the Mesaverde forma-	
•			tion; B, Small fault cutting the top of the Allison member of	
			the Mesaverde formation but not disturbing the basal bed of	
			the Chacra sandstone member, in the SE¼ sec. 14, T. 18 N.,	
			R. 6 W	98
	1	6	A, Normal fault dropping Pictured Cliffs sandstone and Lewis	90
	7		shale against the top of the Chacra sandstone member of the	
			9 1	
			Mesaverde formation in the NW¼ sec. 6, T. 18 N., R. 6 W.;	
			B, Pictured Cliffs sandstone and Fruitland formation in	
		-	sec. 6, T. 21 N., R. 9 W	114
	4	7.	A, View looking southeast from Ojo Alamo sandstone escarp-	
			ment in the NW¼ sec. 16, T. 20 N., R. 6 W., toward bad-	
			lands in the Kirtland shale; B, Escarpment of Ojo Alamo	
		_	sandstone with Kirtland shale below it near Ojo Aguila	114
	4	8	A, Banded clay of the Torrejon formation in T. 21 N., R. 5 W.;	
			B, Cliff of conglomerate and sandstone of the Wasatch forma-	
			tion in the NW¼ sec. 27, T. 21 N., R. 5 W	122
	4	9.	Map showing the structure of the New Mexico portion of the	
			Son Luon Bogin	120

. Page	
50. A, Normal fault dropping sandstone beds of the Mesaverde formation to the east, as seen from the SE¼ sec. 36, T. 19 N.,	PLATE 50.
R. 2 W.; B, Mesaverde formation in the SE $\frac{1}{4}$ sec. 35, T. 21 N.,	
R. 1 W 130	
51. A, Plug of dark igneous rock in the NE¼ sec. 29, T. 18 N., R. 4 W.;  B, Xenolith of white sandstone and red shale and other	51.
smaller xenoliths in dark igneous rock 130	
52. A, Thin dike of dark igneous rock cutting sandstone and shale	<b>52</b> .
of the Allison member in the NW¼ sec. 32, T. 18 N., R. 4 W.;	
B, Tipple of the Cleary mine of the San Juan Coal & Coke	
Co., in the SW¼ sec. 31, T. 19 N., R. 1 W 130	
53. Columnar sections showing coal beds in the Fruitland and	53.
Mesaverde formations In pocket	
54. Columnar sections showing coal beds in the Mesaverde forma-	54.
tion In pocket	
55. Columnar sections showing coal beds in the Gibson coal member	55.
of the Mesaverde formation In pocket	
1. Diagrammatic section illustrating the intertonguing relations	FIGURE 1.
of the Mancos and Mesaverde formations east of Mesa	
Chivato 42	
2. View looking northeast across the San Ignacio monocline in	2.
sec. 3, T. 11 N., R. 3 W65	
3. Cross section showing relations of coal beds between localities	3.
127 and 129, in the southeastern part of T. 18 N., R. 2 W. 137	