REFERENCES CITED

Allen, G.B., 1985, Economic geology of the Big Horn Mountains of west-central Arizona: Arizona Geological Survey Open-File Report 85-17, 140 p.

Alvarez, A.A, and Noble, D.C., 1988, Sedimentary rock-hosted disseminated precious metal mineralization at Purísima Concepción, Yauricocha district, central Peru: Economic Geology, v. 83, no. 7, p. 1368-1378.

Armbustmacher, T.J., 1988, Geology and resources of thorium and associated elements in the Wet Mountains area, Fremont and Custer Counties, Colorado: U.S. Geological Survey Professional Paper 1049-F, 34 p.

Bagby, W.C., and Berger, B.R., 1986, Geologic characteristics of sediment-hosted, disseminated precious-metal deposits in the western United States, *in* Berger, B.R., and Bethke, P.M., eds., Geology and geochemistry of epithermal systems: Society of Economic Geologists Reviews in Economic Geology, v. 2, p. 169-202.

Bagby, W.C., Menzie, W.D., Mosier, D.L., and Singer, D.A., 1986, Grade and tonnage model of carbonate-hosted Au-Ag, *in* Cox, D.P., and Singer, D.A., eds., Mineral deposit models: U.S. Geological Survey Bulletin 1693, p. 175-177.

Barton, P.B., 1986a, Commodity/geochemical index, *in* Cox, D.P., and Singer, D.A., eds., Mineral deposit models: U.S. Geological Survey Bulletin 1693, p. 303-317.

———1986b, Mineralogical index, *in* Cox, D.P., and Singer, D.A., eds., Mineral deposit models: U.S. Geological Survey Bulletin 1693, p. 318-348.

Becker, G.F., 1895, Gold fields of the southern Appalachians: U.S. Geological Survey 16th Annual Report, pt. 3, p. 251-331.

Berger, B.R., 1986a, Descriptive model of carbonate-hosted Au-Ag, *in* Cox, D.P., and Singer, D.A., eds., Mineral deposit models: U.S. Geological Survey Bulletin 1693, p. 175.

———1986b, Descriptive model of hot-spring Au-Ag, *in* Cox, D.P., and Singer, D.A., eds, Mineral deposit models: U.S. Geological Survey Bulletin 1693, p. 143-144.

———1986c, Descriptive model of low-sulfide Au-quartz veins, *in* Cox, D.P., and Singer, D.A., eds, Mineral deposit models: U.S. Geological Survey Bulletin 1693, p. 239.

Berger, B.R., and Singer, D.A., 1987, Grade-tonnage model of hot-spring Au-Ag; a supplement to U.S. Geological Survey Bulletin 1693: U.S. Geological Survey Open-File Report 87-272c, 6 p.

Bliss, J.D., 1986, Grade and tonnage model of low-sulfide Au-quartz veins, *in* Cox, D.P., and Singer, D.A., eds., Mineral deposit models, U.S. Geological Survey Bulletin 1693, p. 239-243.

———1988, Predicting gold production from low-sulfide gold-quartz veins: California Geology, v. 41, no. 8, p. 178-180.

———1989, Quantitative estimates of undiscovered metal endowment for selected mineral deposit types in the Chugach National Forest, Alaska: U.S. Geological Survey Open-File Report 89-345, 26 p.

Bliss, J.D., and Jones, G.M., 1988, Mineralogic and grade-tonnage information on low-sulfide Au-quartz veins: U.S. Geological Survey Open-File Report 88-229, 99 p.

Bliss, J.D., McKelvey, G.E., and Allen, M. S., 1990, Application of grade and tonnage deposit models; the search for ore deposits possibly amenable to small-scale mining: U.S. Geological Survey Open-File Report 90-412, 24 p.

Bliss, J.D., Orris, G.J., and Menzie, W.D., 1987, Changes in the grade, volume and contained gold during the mining life-cycle of gold placer deposits: Canadian Mining and Metallurgical Bulletin, v. 80, no. 903, p. 75-80.

Bouley, B.A., 1986, Descriptive model of gold on flat faults, *in* Cox, D.P., and Singer, D.A., eds., Mineral deposit models: U.S. Geological Survey Bulletin 1693, p. 251.

Boyle, R.W., 1979, The geochemistry of gold and its deposits: Geological Survey of Canada Bulletin 280, 584 p.

———1987, Gold—history and genesis of deposits: New York, Van Nostrand Reinhold Company, 676 p.

Bradley, M.A., 1986, Vein mineralogy, paragenesis, and fluid inclusion study of the Silver District, La Paz County, Arizona: Arizona Geological Society Digest, v. 16, p. 457-459.

Cannon, W.F., 1986a, Descriptive model of Algoma Fe, *in* Cox, D.P., and Singer, D.A., eds., Mineral deposit models: U.S. Geological Survey Bulletin 1693, p. 198.

———1986b, Descriptive model of Superior Fe, *in* Cox, D.P., and Singer, D.A., eds., Mineral deposit models: U.S. Geological Survey Bulletin 1693, p. 228.

Chenoweth, W.L., 1986, The Orphan Lode, Grand Canyon, Arizona — A case history of a mineralized, collapse-breccia pipe: U.S. Geological Survey Open-File Report 86-510, 125 p. Appendix.

———1988, The production history and geology of the Hacks, Ridenour, Riverview, and Chapel breccia pipes, northwestern Arizona: U.S. Geological Survey Open-File Report 88-0648, 60 p.

Cox, D.P., and Rytuba, J.J., 1987, Lihir Island gold; a supplement to U.S. Geological Survey Bulletin 1693: U.S. Geological Survey Open-File Report 87-272a, 5 p.

Cox, D.P., and Singer, D.A., eds., 1986, Mineral deposit models: U.S. Geological Survey Bulletin 1693, 379 p.

———1988, Distribution of gold in porphyry copper deposits: U.S. Geological Survey Open-File Report 88-46, 10 p.

Cyprus Gold Co., 1989, Securities and Exchange Commision Form 10-K for 1989.

Davis, G.A., and Lister, G.S., 1988, Detachment faulting in continental extension; perspectives from the southwestern U.S. Cordillera, *in* Clark, S.P., Jr., Burchfiel, B.C., and Suppe, J., eds., Processes in continental lithosphere deformation: Geological Society of America Special Paper 218, p. 133-159.

Duda, R.O., Hart, P.E., Nilsson, N.J., Reboh, R., Slocum, J., and Sutherland, G.L., 1977, Development of a computer-based consultant for mineral exploration: Stanford Research Institute Annual Report, Project 5821 and 6415, 202 p.

Duda, R.O., 1980, The Prospector system for mineral exploration: Menlo Park, Calif., Stanford Research Institute Final Report, Project 8172, 120 p.

Feigenbaum, E., McCorduck, P., and Nii, H.P., 1988, The rise of the expert company: New York, Times Books, Inc., 322 p.

Flanigan, V.J., Tippens, C.L., Senterfit, M.R., and Mohr, P.J., 1986, Geophysical exploration criteria for collapse breccia pipes, northern Arizona [abs.]: Geological Society of America Abstracts with Programs, v. 18, no. 5, p. 355.

Goldfarb, R.J., Leach, D.L., Miller, M.L., and Pickthorn, W.J., 1986, Geology, metamorphic setting, and genetic con-

straints of epigenetic lode-gold mineralization within the Cretaceous Valdez Group, south-central Alaska, *in* Keppie, J.D., Boyle, R.W., and Haynes, S.J., eds., Turbidite-hosted gold deposits: Geological Association of Canada Special Paper 32, p. 87-105.

Gornitz, V., Wenrich, K.J., Sutphin, H.B., and Vidale-Buden, R., 1988, Origin of the Orphan mine breccia pipe uranium deposit, Grand Canyon, Arizona, *in* Vassiliou, A.H., Hausen, D.M., and Carson, D.J., eds., Process mineralogy VII - as applied to separation technology, 1988: Warrendale, Pa.,The Metallurgical Society, p. 281-301.

Graybeal, F.T., 1981, Characteristics of disseminated silver deposits in the western United States, *in* Dickinson, W.R., and Payne, W.D., eds., Relations of tectonics to ore deposits in the southern Cordillera: Arizona Geological Society Digest, v. 14, p. 271-282.

Green, M.W., 1988, Tectonic evolution, *in* Granger, H.C., Finch, W.I., and others, The Colorado Plateau Uranium Province, U.S.A., Proceedings of a technical committee meeting on recognition of uranium provinces, London, England, 18-20 September 1985: Vienna, Austria, International Atomic Energy Agency, p. 169-172.

Guerrak, S., 1987, Paleozoic oolitic ironstones of the Algerian Sahara: a review: Journal of African Earth Sciences, v. 5, p. 1-8.

Hallam, A., and Bradshaw, M.G., 1979, Bituminous shales and oolitic ironstones as indicators of transgressions and regressions: Journal of the Geological Society of London, v. 136, p. 157-164.

Hallimond, A.F., 1925, Iron ores: bedded ore of England and Wales, *in* Special reports on the mineral resources of Great Britain, v. 29: Nottingham, Geological Survey of Great Britain Memoir, 139 p.

Heald, Pamela, Foley, N.K., and Hayba, D.O., 1987, Comparative anatomy of volcanic-hosted epithermal deposits: acid-sulfate and adularia-sericite types: Economic Geology, v. 82, no. 1, p. 1-26.

Hodych, J.P., Patzold, R.R., and Buchan, K.L., 1984, Paleomagnetic dating of the transformation of oolitic goethite to hematite in iron ore: Canadian Journal of Earth Science, v. 21, p. 127-130.

Iijima, A., and Matsumoto, R., 1982, Berthierine and chamosite in coal measures of Japan: Clays and Clay Minerals, v. 30, p. 264-274.

Jansons, Uldis, Hoekzema, R.B., Kurtak, J.M., and Fechner, S.A., 1984, Mineral occurrences in the Chugach National Forest, south-central Alaska: U.S. Bureau of Mines Open-File Report MLA 5-84, unpaginated.

Jorgeson, D.K., Rankin, J.W., and Wilkins, J., Jr., 1989, The geology, alteration and mineralogy of the Bullfrog gold deposit, Nye County, Nevada: Society of Mining Engineers Preprint 89-135, 13 p.

Keith, S.B., Gest, D.E., DeWitt, E., Woode Toll, N., and Everson, B., 1983, Metallic mineral districts and production in Arizona: Arizona Bureau of Mines Bulletin 194, 58 p.

Krewedl, D.A., and Carisey, Jean-Claude, 1986, Contributions to the geology of uranium mineralized breccia pipes in northern Arizona, *in* Beatty, B., and Wilkinson, P.A.K., eds., Frontiers in geology and ore deposits of Arizona and the southwest: Arizona Geological Society Digest, v. 16, p. 179-186.

Lehman, N.E., and Spencer, J.E., 1989, Mineralization in the central part of the Planet mineral district, northwestern Buckskin Mountains, *in* Spencer, J.E., and Reynolds, S.J., 1989, Geology and mineral resources of the Buckskin and Rawhide Mountains, west-central Arizona: Arizona Geological Survey Bulletin 198, 279 p.

Leiding, V., Benjamin, 1955, Iron ore deposits of South America, *in* Survey of world iron ore reserves: occurrence, appraisal and use: New York, United Nations Department of Economic and Social Affairs, p. 209-223.

Lovering, T.G. and Heyl, A.V., 1974, Jasperoid as a guide to mineralization in the Taylor mining district and vicinity near Ely, Nevada: Economic Geology, v. 69, no. 1, p. 46-58.

Ludwig, K.R., and Simmons, K.R., 1988, Progress in U/Pb isotope studies of collapse-breccia pipes in the Grand Canyon region, northern Arizona [abs]: Geological Society of America 1988 Centennial Celebration Abstracts with Programs, v. 20, no. 7, p. A139.

Manske, S.L., Matlack, W.F., Springett, M.W., Strakele, A.E., Jr., Watowich, S.N., Yeomans, B., and Yeomans, E., 1988, Geology of the Mesquite deposit, Imperial County, California: Mining Engineering, v. 40, p. 439-444.

Mathisen, I.W., Jr., 1987, Arizona strip breccia pipe program—Exploration, development, and production [abs.]: American Association of Petroleum Geologists Bulletin, v. 71, no. 5, p. 590-591.

Maynard, J.B., 1983, Geochemistry of sedimentary ore deposits: New York, Springer-Verlag, 305 p.

———1986, Geochemistry of oolitic iron ores, an electron microprobe study: Economic Geology, v. 81, p. 1473-1483.

McCammon, R.B., 1989, Prospector II, *in* Antonisse, H.J., Benoit, J.W., and Silverman, B.G., eds., The Annual AI systems in Government Conference, Proceedings, Washington, D.C., March, 1989, p. 88-92.

McKelvey, G.E., and Bliss, J. D., 1991, Application of grade and tonnage models to the development of strategies for mineral deposit exploration [abs.], *in* Good, E.E., Slack, J.F. and Kotra, R.K., eds., USGS research on mineral resources—1990: U.S. Geological Survey Circular 1062, p. 53-54.

Menzie, W.D., and Reed, B.L., 1986a, Grade and tonnage model of Sn skarn deposits, *in* Cox, D.P., and Singer, D.A., eds., Mineral deposit models: U.S. Geological Survey Bulletin 1693, p. 58-60.

———1986b, Grade and tonnage model of replacement Sn, *in* Cox, D.P., and Singer, D.A., eds., Mineral deposit models: U.S. Geological Survey Bulletin 1693, p. 62-63.

———1986c, Grade and tonnage model of Sn veins, *in* Cox, D.P., and Singer, D.A., eds., Mineral deposit models: U.S. Geological Survey Bulletin 1693, p. 67-69.

———1986d, Grade and tonnage model of Sn greisen deposits, *in* Cox, D.P., and Singer, D.A., eds., Mineral deposit models: U.S. Geological Survey Bulletin 1693, p. 71-72.

Miller, H.G., 1983, Geophysical constraints on the size and extent of the Wabana hematite deposit: Economic Geology, v. 78, p. 1017-1021.

Moeller, S.A., 1987, Geology and mineralization in the Candelaria district, Mineral Coutny, Nevada, *in* Schafer,

R.W., Cooper, J.J., and Vickre, P.G., eds., Bulk mineable precious metal deposit of the western United States: Reno, Geological Society of Nevada, p. 135-158.

Monti, Richard, 1987, The Boddington lateritic gold deposit, Western Australia: a product of sugergene enrichment processes, *in* Ho, S.E., and Groves, D.I., eds., Recent advances in understanding Precambrian gold deposits: Nedlands, University of Western Australia Publication Number 11, p. 355-368.

Mosier, D.L., and Page, N.J, 1988, Descriptive and grade-tonnage models of volcanogenic manganese deposits in oceanic environments—a modification: U.S. Geological Survey Bulletin 1811, 28 p.

Mosier, D.L., Singer, D.A., Sato, Takeo, and Page, N.J, 1986, Relationship of grade, tonnage, and basement lithology in volcanic-hosted epithermal precious- and base-metal quartz-adularia-type districts: Tokyo, Japan, Mining Geology, v. 36, no. 4, p. 245-264.

Myers, I.A., and Smith, E.I., 1986, Control of gold mineralization at the Cyclopic mine, Gold Basin district, Mohave county, Arizona: Economic Geology, v. 81, p. 1553-1557.

Nokleberg, W.J., Bundtzen, T.K., Berg, H.C., Brew, D.A., Grybeck, Donald, Robinson, M.S., Smith, T.E., and Yeend, Warren, 1987, Significant metalliferous lode deposits and placer districts of Alaska: U.S. Geological Survey Bulletin 1786, 104 p.

Olson, J.C., and Hedlund, D.C., 1981, Alkalic rocks and resources of thorium and associated elements in the Powder district, Gunnison County, Colorado: U.S. Geological Survey Professional Paper 1049-C, 34 p.

Olson, J.C., Marvin, R.F., Park, R.L., and Mehnert, H.H., 1977, Age and tectonic setting of lower palezoic alkalic and mafic rocks, carbonatites, and thorium veins in south-central Colorado: U.S. Geological Survey Journal of Research, v. 5, no. 6, p. 673-687.

Olson, J.C., Shawe, D.R., Pray, L.C., and Sharp, W.N., 1954, Rare-earth mineral deposits of the Mountain Pass district, San Bernardino County, California: U.S. Geological Survey Professional Paper 261, 75 p.

Olson, J.C., and Wallace, S.R., 1956, Thorium and rare-earth minerals in Powderhorn district, Gunnison County, Colorado: U.S. Geological Survey Bulletin 1027-O, p. 693-721.

Orris, G.J., 1985, Bedded/stratiform barite deposits: geologic and grade-tonnage data including a partial bibliography: U.S. Geological Survey Open-File Report 85-447, 32 p.

Orris, G.J., and Bliss, J.D., 1985, Geologic and grade-volume data on 330 gold placer deposits: U.S. Geological Survey Open-File Report 85-213, 172 p.

———1989, Industrial-rock and mineral-resource-occurrence models, *in* Tooker, E.W., ed., Arizona's industrial rock and mineral resources of Arizona—workshop proceedings: U.S. Geological Survey Bulletin 1905, p 39-44.

———1991, Some industrial mineral deposit models; descriptive deposits models: U.S. Geological Survey Open-File Report 91-11A, 73 p.

Orris, G.J., Bliss, J.D., Hammarstrom, J.M., and Theodore, T.G., 1987, Description and grade and tonnages of gold-bearing skarns: U.S. Geological Survey Open-File Report 87-273, 50 p.

Page, N.J, Singer, D.A., Moring, B.C., Carlson, C.A., McDade, J.M., and Wilson, S.A., 1986, Platinum-group element resources in podiform chromitites from California and Oregon: Economic Geology, v. 81, p. 1261-1271.

Patterson, S.H., 1986, Descriptive model of laterite type bauxite deposits, *in* Cox, D.P., and Singer, D.A., eds., Mineral deposit models: U.S. Geological Survey Bulletin 1693, p. 255.

Peltier, Louis Cook, 1950, The geographic cycle periglacial region as it is related to climatic geomorphology: Annuals of the Association of American Geographers, v. 40, no. 3, p. 214-236.

Ranger, M.J., Pickerill, R.K., and Fillion, P., 1984, Lithostratigraphy of the Cambrian - Ordovician Bell Island and Wabana Groups of Bell, Little Bell, and Kelly's Island, Conception Bay, eastern Newfoundland: Canadian Journal of Earth Sciences, v. 21, p. 1245-1261.

Reed, B.L., Menzie, W.D., McDermott, M., Root, D.H., Scott, W., and Drew, L.J., 1989, Undiscovered lode tin resources of the Seward Peninsula, Alaska: Economic Geology, v. 84, no. 7, p. 1936-1947.

Reynolds, S.J., and Lister, G.S., 1987, Structural aspects of fluid-rock interactions in detachment zones: Geology, v. 15, p. 362-366.

Roddy, M.S., Reynolds, S.J., Smith, B.M., and Ruiz, J., 1988, K-metasomatism and detachment-related mineralization, Harcuvar Mountains, Arizona: Geological Society of America Bulletin, v. 100, p. 1627-1639.

Schafer, R.N., 1988, An example of a northern Arizona solution-collapse breccia pipe - geology of the Pigeon pipe [abs.]: Geological Society of America 1988 Centennial Celebration, Abstracts with Programs, v. 20, no. 7, p. A139.

Shawe, D.R., compiler, 1981, U.S. Geological Survey workshop on nonfuel mineral-resource appraisal of wilderness and CUSMAP areas: U.S. Geological Survey Circular 845, 18 p.

Simpson, T.A., and Gray, T.R., 1968, The Birmingham red-ore district, Alabama, *in* Ridge, John, ed., Ore deposits of the United States,1933-1967: New York, American Institute of Mining, Metallurgical, and Petroleum Engineers, v. 1, p. 187-206.

Singer, D. A. 1986, Descriptive model of kuroko massive sulfide, *in* Cox, D. P. and Singer, D.A., eds., Mineral deposit models: U.S. Geological Survey Bulletin 1693, p. 189-190.

Singer, D.A., and Cox, D.P., 1988, Applications of mineral deposit models to resource assessments: U.S. Geological Survey Yearbook Fiscal Year 1987, p. 55-57.

Singer, D.A., and Mosier, D.L., 1986, Grade and tonnage model of kuroko massive sulfide, *in* Cox, D.P., and Singer, D.A., eds., Mineral deposit models: U.S. Geological Survey Bulletin 1693, p. 190-197.

Singer, D.A., and Ovenshine, A.T., 1979, Assessing metallic resources in Alaska: American Scientist, v. 67, no. 5, p. 582-589.

Spencer, J.E., Duncan, J.T., and Burton, W.D., 1988, The Copperstone mine: Arizona's new gold producer: Arizona Bureau of Geology and Mineral Technology Fieldnotes, v. 18, no. 2, p. 1-3.

Spencer, J.E., and Reynolds, S.J., eds., 1989, Geology and mineral resources of the Buckskin and Rawhide mountains, west-central Arizona: Arizona Geological Survey Bulletin 198 (Shackelford Volume), 279 p.

Spencer, J.E., and Welty, J.W., 1986, Possible controls of base- and precious-metal mineralization associated with Tertiary detachment faults in the lower Colorado River trough, Arizona and California: Geology, v. 14, p.195-198.

———1989, Geology of mineral deposits in the Buckskin and Rawhide Mountains, *in* Spencer, J.E., and Reynolds, S.J., eds., Geology and mineral resources of the Buckskin and Rawhide Mountains, west-central Arziona: Arizona Geological Survey Bulletin 223-254.

Staatz, M.H., 1972, Geology and description of the thorium-bearing veins, Lemhi Pass quadrangle, Idaho and Montana: U.S. Geological Survey Bulletin 1351, 94 p.

———1974, Thorium veins in the United States: Economic Geology, v. 69, p. 494-507.

———1979, Geology and mineral resources of the Lemhi Pass thorium district, Idaho and Montana: U.S. Geological Survey Professional Paper 1049-A, 90 p.

———1983, Geology and description of thorium and rare-earth deposits in the southern Bear Lodge Mountains, northern Wyoming: U.S. Geological Survey Professional Paper 1049-D, 52 p.

———1985, Geology and description of the thorium and rare-earth veins in the Laughlin Peak area, Colfax County, New Mexico: U.S. Geological Survey Professional Paper 1049-E, 32 p.

Staatz, M.H., and Armbrustmacher, T.J., 1982, Preliminary map of the thorium provinces in the conterminous United States: U.S. Geological Survey Open-File Report 79-576U, scale 1:5,000,000.

Staatz, M.H., Armbrustmacher, T.J., Olson, J.C., Brownfield, I.K., Brock, M.R., Lemons, J.F., Coppa, L.V., and Clingan, B.V., 1979, Principal thorium resources in the United States: U.S. Geological Survey Circular 805, 42 p.

Staatz, M.H., Bunker, C.M., and Bush, C.A., 1971, Geochemical prospecting for thorium veins by stream-sediment sampling, Lemhi Pass quadrangle, Idaho and Montana: U.S. Geological Survey Professional Paper 750-C, p. C136-C140.

Sutphin, D.M., and Bliss, J.D., 1990, Disseminated flake graphite and amorphous graphite deposit types: an analysis using grade and tonnage models: Canadian Mining and Metallurgical Bulletin, v. 83, no. 940, p. 85-89.

Symons, P.M., Anderson, G., Beard, T.J., Hamilton, L.M., Reynolds, G.D., Robinson, J.M., and Staley, R.W., 1988, The Boddington gold deposits [extended abs.], *in* Goode, A.D.T., and Bosma, L.T., compilers, Bicentennial gold 88: Geological Society of Australia Abstract Series Number 22, p. 56-61.

Taylor, J.H., 1949, The Mesozoic ironstones of England, petrology of the Northampton sand ironstone formation: Nottingham, Geological Survey of Great Britain Memoir, 111 p.

Teyssen, T.A.L., 1984, Sedimentology of the Minette oolitic ironstones of Luxembourg and Lorraine: a Jurassic subtidal sandwave complex: Sedimentology, v. 31, p. 195-211.

Theodore, T.G., Orris, G.J., Hammarstrom, J.M., and Bliss, J.D., 1991, Gold-bearing skarns: U.S. Geological Survey Bulletin 1930, 90 p.

Thomas, M.F.,1965, Some aspects of the geomorphology of tors and domes in Nigeria: Zeitung für Geomorphologie, v. 9, p. 63-81.

Tosdal, R.M., and Smith, D.B., 1987, Gneiss-hosted kyanite gold and gneiss-hosted epithermal gold; a supplement to U.S. Geological Survey Bulletin 1693: U.S. Geological Survey Open-File Report 87-272b, 8 p.

Van Gosen, B.S., and Wenrich, K.J., 1989, Ground magnetometer surveys over known and suspected breccia pipes on the Coconino Plateau, northwestern Arizona: U.S. Geological Survey Bulletin 1683-C, 31 p.

Van Houten, F.B., and Arthur, M.A., 1989, Temporal patterns among Phanerozoic oolitic ironstones and oceanic anoxia, *in* T.P. Young and W.E.F. Taylor, eds., Phanerozoic ironstones: London, Geological Society Special Publication 46, p. 33-49.

Van Houten, F.B., and Bhattacharyya, D.P., 1982, Phanerozoic oolitic ironstones - geologic record and facies model: Annual Review of Earth and Planetary Sciences, v. 10, p. 441-457.

Van Nort, S.D., and Harris, M., 1984, Geology and mineralization of the Picacho Gold prospect, Imperial County, California: Arizona Geological Society Digest, v. 15, p. 175-183.

Weber, F.R., McCammon, R.B., Rinehart, C.D., Light, T.D., and Wheeler, K.L., 1988, Geology and mineral resources of the White Mountains National Recreation Area, east-central Alaska: U.S. Geological Survey Open-File Report 88-284, 120 p.

Wenrich, K.J., 1985, Mineralization of breccia pipes in northern Arizona: Economic Geology, v. 80, p. 1722-1735.

Wenrich, K.J., and Sutphin, H.B., 1988, Recognition of breccia pipes in northern Arizona: Arizona Bureau of Geology and Mineral Technology Fieldnotes, v. 18, no. 1, p. 1-8, 11.

———1989, Lithotectonic setting necessary for formation of a uranium-rich solution-collapse breccia-pipe province, Grand Canyon region, Arizona: U.S. Geological Survey Open-File Report 89-0173, 33 p.

Wenrich, K.J., Verbeek, E.R., Sutphin, H.B., Van Gosen, B.S., and Modreski P.J., 1987, The Apex mine, Utah—A Colorado Plateau-type solution-collapse breccia pipe [abs.], *in* USGS research on mineral resources—1987 program and abstracts: U.S. Geological Survey Circular 995, p. 73-74.

Wilkins, Joe, Jr., Beane, R.E., and Heidrick, T.L., 1986, Mineralization related to detachment faults: A model, *in* Beatty, Barbara, and Wilkinson, P.A.K. eds., Frontiers in geology and ore deposits of Arizona and the Southwest: Arizona Geological Society Digest, v. 16, p. 108–117.