

U.S. GEOLOGICAL SURVEY CIRCULAR 1121



**Catalogue of U.S. Geological Survey
Strong-Motion Records, 1993**

AVAILABILITY OF BOOKS AND MAPS OF THE U.S. GEOLOGICAL SURVEY

Instructions on ordering publications of the U.S. Geological Survey, along with prices of the last offerings, are given in the current-year issues of the monthly catalog "New Publications of the U.S. Geological Survey." Prices of available U.S. Geological Survey publications released prior to the current year are listed in the most recent annual "Price and Availability List." Publications that are listed in various U.S. Geological Survey catalogs (see **back inside cover**) but not listed in the most recent annual "Price and Availability List" are no longer available.

Reports released through the NTIS may be obtained by writing to the National Technical Information Service, U.S. Department of Commerce, Springfield, VA 22161; please include NTIS report number with inquiry.

Order U.S. Geological Survey publications **by mail** or **over the counter** from the offices given below.

BY MAIL

Books

Professional Papers, Bulletins, Water-Supply Papers, Techniques of Water-Resources Investigations, Circulars, publications of general interest (such as leaflets, pamphlets, booklets), single copies of Earthquakes & Volcanoes, Preliminary Determination of Epicenters, and some miscellaneous reports, including some of the foregoing series that have gone out of print at the Superintendent of Documents, are obtainable by mail from

**U.S. Geological Survey, Information Services
Box 25286, Federal Center
Denver, CO 80225**

Subscriptions to periodicals (Earthquakes & Volcanoes and Preliminary Determination of Epicenters) can be obtained **ONLY** from the

**Superintendent of Documents
Government Printing Office
Washington, DC 20402**

(Check or money order must be payable to Superintendent of Documents.)

Maps

For maps, address mail orders to

**U.S. Geological Survey, Map Distribution
Box 25286, Bldg. 810, Federal Center
Denver, CO 80225**

Residents of Alaska may order maps from

**U.S. Geological Survey, Earth Science Information Center
101 Twelfth Ave., Box 12
Fairbanks, AK 99701**

OVER THE COUNTER

Books and Maps

Books and maps of the U.S. Geological Survey are available over the counter at the following U.S. Geological Survey offices, all of which are authorized agents of the Superintendent of Documents.

- **ANCHORAGE, Alaska**—4230 University Dr., Rm. 101
- **LAKEWOOD, Colorado**—Federal Center, Bldg. 810
- **MENLO PARK, California**—Bldg. 3, Rm. 3128, 345 Middlefield Rd.
- **RESTON, Virginia**—National Center, Rm. 1C402, 12201 Sunrise Valley Dr.
- **SALT LAKE CITY, Utah**—Federal Bldg., Rm. 8105, 125 South State St.
- **SPOKANE, Washington**—U.S. Post Office Bldg., Rm. 135, W. 904 Riverside Ave.
- **WASHINGTON, D.C.**—Main Interior Bldg., Rm. 2650, 18th and C Sts., NW.

Maps Only

Maps may be purchased over the counter at the U.S. Geological Survey offices:

- **FAIRBANKS, Alaska**—New Federal Building, 101 Twelfth Ave.
- **ROLLA, Missouri**—1400 Independence Rd.
- **STENNIS SPACE CENTER, Mississippi**—Bldg. 3101

Catalogue of U.S. Geological Survey Strong-Motion Records, 1993

Compiled by JOSEPHINE C. SWITZER *and*
RONALD L. PORCELLA

U.S. GEOLOGICAL SURVEY CIRCULAR 1121

U.S. DEPARTMENT OF THE INTERIOR
BRUCE BABBITT, Secretary

U.S. GEOLOGICAL SURVEY
Gordon P. Eaton, Director

For sale by
U.S. Geological Survey, Map Distribution
Box 25286, MS 306, Federal Center
Denver, CO 80225

Any use of trade, product, or firm names in this publication is for descriptive purposes only and does not imply endorsement by the U.S. Government.

Library of Congress Cataloging Card No. 83-600616

PREFACE

The first seismic engineering program in the United States was administered by the Seismological Field Survey (SFS) of the U.S. Coast and Geodetic Survey. This program was begun in 1931 and essentially remained the responsibility of the SFS until 1973, when the U.S. Geological Survey (USGS) assimilated the program into its Earthquake Hazards Reduction Program. Currently, the National Strong-Motion Program (NSMP) operates a cooperative network containing nearly 1000 accelerographs in 39 states and Puerto Rico. This network is administered by the USGS in cooperation with both private industry and numerous Federal, State, and local agencies and organizations. Major contributors include the Army Corps of Engineers, the Department of Veterans Affairs, and the Metropolitan Water District of Southern California. Primary objectives of the program are to record strong ground motions and the response of representative engineered structures during moderate to large earthquakes, and to disseminate the resultant data and information about the records, sites, and structures to the earthquake engineering research and design community.

This catalogue continues in a revised format the yearly publication "Strong-Motion Program Report, January-December [year]"; it is a continuation of the table 1 summary of accelerographs recovered at NSMP stations that had been published in that format since 1974. This report includes all strong-motion recordings recovered during 1993. Unless otherwise referenced, earthquake data and information are taken from the "Preliminary Determination of Epicenters," published weekly by the U.S. Geological Survey.

CONTENTS

Preface **III**

Introduction **1**

TABLE

1. U.S. Geological Survey accelerograph records recovered during 1993 **2**

Catalogue of U.S. Geological Survey

Strong-Motion Records, 1993

Compiled by Josephine C. Switzer and Ronald L. Porcella

INTRODUCTION

During the period January-December 1993, only 83 accelerograph records were recovered from permanent National Strong-Motion Program (NSMP) stations operated by the U.S. Geological Survey; this compares with an annual average of more than 300 recordings for the period 1974 through 1992. Accelerograms were recovered from NSMP instrumentation triggered by 12 California earthquakes in the magnitude 3 to 6.2 range; 4 Hawaii earthquakes, including magnitude 4.8 and 4.9 events on January 26 and June 8, respectively; magnitude 5.7 and 5.9 earthquakes in northern Oregon on March 5 and southern Oregon on September 21, respectively; and by a 5.2 earthquake in southern Alaska on May 18. Also included are recordings from 14 stations in the greater Anchorage region (see table 1.)

Peak ground acceleration exceeded 0.10 g at NSMP sites only twice during 1993: 0.11 g during an unidentified southern California event near San Bernardino, and 0.28 g at Kau Hospital in Pahala, Hawaii, during the M_D=4.8 earthquake on January 26.

Table 1. U. S. Geological Survey Accelerograph Records Recovered During 1993

[Station owners: ACOE, U.S. Army Corps of Engineers; MANC, Municipality of Anchorage; USGS, U.S. Geological Survey; VA, U.S. Department of Veterans Affairs. Instrument trigger time in seconds after the minute or the following minute listed in earthquake column. S-minus trigger denotes \underline{S} -wave-arrival-minus-trigger-time ($\underline{S-t}$) or \underline{S} -wave-minus- \underline{P} -wave-arrival time ($\underline{S-P}$, in brackets) interval. Direction is of case acceleration for upward trace deflection on accelerogram; horizontal directions are listed as azimuth, and vertical directions as "up" or "down." Maximum amplitude is peak acceleration recorded at ground level on one vertical and two horizontal orthogonal components unless otherwise noted. Numbers in parentheses refer to footnotes at end of table.]

Earthquake	Station Name (Owner)	Coordinates (Lat. deg. N Long. deg. W)	Trigger time (Gmt)	S-minus trigger (s)	Direction (az)	Maximum amplitude (g)
16 January 1993 0629:34.9 G.m.t. Central Calif. 37.025N, 121.458W Magnitude 5.3 ML	Anderson Dam (USGS) Crest Downstream Structure Array: Channel 1- Mid-dam, Center Channel 2- Mid-dam, Center Channel 3- Mid-dam, Right Channel 4- Toe Channel 5- Toe Channel 6- Toe Channel 7- Right Crest Channel 8- Right Crest Channel 9- Right Crest Channel 10- Center Crest Channel 11- Center Crest Channel 12- Center Crest	37.166 121.628	(3)	(2)	 340 Up 250 340 Up 250 153 243 063 333 Up 063 333 Up 063 333 Up 063	 .05 .03 .09 .05 .02 .05 .04 .05 .06 .03 .02 .03 .05 .06 .05 .04 .06 .09
24 January 1993 2109:26.2 G.m.t. Central Calif. 35.636N, 118.455W Magnitude 3.3 ML	Isabella Main Dam (ACOE) Mid-dam Right Crest	36.645 118.480	(4)	 1.2 (2)	 285 Up 195 360 Up 270	 .04 .02 .06 (1)
25 January 1993 0814:53.7 G.m.t. Hawaii 19.417N, 155.320W Magnitude 4.4 MD	Hawaii National Park Volcano Observatory (USGS)	19.423 155.291	(4)	1.1	360 Up 270	.08 .05 .10

Table 1. U. S. Geological Survey Accelerograph Records Recovered During 1993-Continued

Earthquake	Station Name (Owner)	Coordinates (Lat. deg. N Long. deg. W)	Trigger time (Gmt)	S-minus trigger (s)	Direction (az)	Maximum amplitude (g)
25 January 1993 0853 G.m.t. Hawaii Epicenter and magnitude unknown	Hawaii National Park Volcano Observatory (USGS)	19.423 155.291	(4)	(2)		(1)
26 January 1993 1524:08.8 G.m.t. Hawaii 19.219N, 155.482W Magnitude 4.8 MD	Honokaa, Hawaii Police Station (USGS)	20.080 155.465	(4)	(2)		(1)
	Honomalino, Hawaii Mac Farms (USGS)	19.169 155.868	(4)	1.2	360 Up 270	.08 .03 .06
	Kealahou, Hawaii Kona Hospital (USGS)	19.523 155.879	(4)	(2)		(1)
	Pahala, Hawaii Kau Hospital (USGS)	19.20 155.47	(4)	1.0	360 Up 270	.11 .12 .28
	Waiohinu, Hawaii Kau Baseyard (USGS)	19.070 155.615	(4)	(2)		(1)
1 February 1993 2043 G.m.t. Central Calif. Epicenter and Magnitude unknown	McGee Creek Mammoth Lakes (USGS) (Multi-channel)	37.550 118.811	(4)			
	166-m Downhole			(2)		(1)
	35-m Downhole			(2)		(1)
	1-m Downhole			(2)		(1)
	Surface			(2)		(1)
25 March 1993 1334:35.4 G.m.t. Northern Oregon 45.035N, 122.607W Magnitude 5.7 ML	Detroit Dam, Oregon (ACOE)	44.72 122.25	(3)			
	Downstream			2.3	198 Up 108	.06 .05 .06
	Gallery Level #7			4.8	198 Up 108	.15 .07 .18
	Gallery Level #1			4.6		(1)

Table 1. U. S. Geological Survey Accelerograph Records Recovered During 1993-Continued

Earthquake	Station Name (Owner)	Coordinates (Lat. deg. N Long. deg. W)	Trigger time (Gmt)	S-minus trigger (s)	Direction (az)	Maximum amplitude (g)
3 November 1992- 6 April 1993 Central Calif. Epicenter and magnitude unknown	Portland State U., Oregon Cramer Hall, Basement (USGS)	45.513 122.683	(3)	(2)		(1)
	Vancouver, Washington VA Hospital (VA)	45.64 122.66	(3)	7.2		(1)
	Green Peter Dam, Oregon (ACOE)	44.48 122.53	(4)	0.9		
	Upper Gallery				042 Up 312	.11 .03 .08
	Lower Gallery					(1)
	Blue River Dam, Oregon (ACOE)	44.17 122.33	(3)	(2)		
	Toe					(1)
	Cougar Dam, Oregon (ACOE)	44.13 122.24	(3)	(2)		
	Center Crest					(1)
	Parkfield Liquefaction Array (USGS)	35.797 120.337	(3)	(2)		
	Array 1:					
	1. AC-1, 38'				315	(1)
	2. AC-1, 38'				Up	(1)
	3. AC-1, 38'				045	(1)
	4. AC-4, 9'				315	(1)
	5. AC-4, 9'				Up	(1)
	6. AC-4, 9'				045	(1)
	7. Pressure Transducer, A-1, 16.7'				-	
	8. Pressure Transducer, A-3, 16.9'				-	
	9. Pressure Transducer, A-4, 13.1'				-	
	10. Pressure Transducer, B-2, 17'				-	
	11. Pressure Transducer, B-4, 31.1'				-	
	12. Pressure Transducer, C-3, 20.7'				-	

Table 1. U. S. Geological Survey Accelerograph Records Recovered During 1993-Continued

Earthquake	Station Name (Owner)	Coordinates (Lat. deg. N Long. deg. W)	Trigger time (Gmt)	S-minus trigger (s)	Direction (az)	Maximum amplitude (g)
<i>Parkfield Liquefaction Array-continued</i>						
Array 2:						
	1. AC-3, 96'				315	(I)
	2. AC-3, 96'				Up	(I)
	3. AC-3, 96'				045	(I)
	4. AC-2, 13'				315	(I)
	5. AC-2, 13'				Up	(I)
	6. AC-2, 13'				045	(I)
	7. Surface				315	Inop.
	8. Surface				Up	Inop.
	9. Surface				045	Inop.
	10. Pressure Transducer, D-1, 30.6'				-	
	11. Pressure Transducer, D-3, 41.2'				-	
	12. Pressure Transducer, C-1, 20'				-	
17 May 1993 2320:49.2 G.m.t. Central Calif. 37.171N, 117.775W Magnitude 6.2 ML	Lake Success Dam (ACOE)	36.061 118.920				
	Left Crest			(2)		(I)
	Right Crest			(2)		(I)
	Terminus Auxiliary Dam (ACOE)	36.405 119.001				
	Center Crest			(2)		(I)
	White Mountain Array	37.291	20:55.8	3.1	360	.C ²
	Deep Springs College (USGS)	117.979			Up 270	.C ⁵ .C ⁶
18 May 1993 0804:18.9 G.m.t. Southern Alaska 61.031N, 149.953W Magnitude 5.2 ML	Anchorage, Alaska Fire Station #4 (MANC)	61.182 149.848	(3)	6.1		(I)
	Anchorage, Alaska Old Federal Bldg (USGS)	61.219 149.892	(3)	7.1		(I)
	Anchorage, Alaska Anchorage Lutheran Church (USGS) Ground	61.209 149.891	(4)	7.0		(I)
	Anchorage, Alaska Fire Station #7 (MANC)	61.146 149.950	(3)	6.4		(I)

Table 1. U. S. Geological Survey Accelerograph Records Recovered During 1993-Continued

Earthquake	Station Name (Owner)	Coordinates (Lat. deg. N Long. deg. W)	Trigger time (Gmt)	S-minus trigger (s)	Direction (az)	Maximum amplitude (g)
	Anchorage, Alaska Fire Station #8 (MANC)	61.124 149.766	(3)	4.9		(1)
	Anchorage, Alaska Municipal Light and Power (MANC)	61.214 149.864	(3)	6.8		(1)
	Anchorage, Alaska Alaska Pacific University (USGS)	61.189 149.801	(3)	6.0		(1)
	Anchorage, Alaska Fire Dept., Maint. Facility (MANC)	61.214 149.824	(3)	6.4		(1)
	Anchorage, Alaska Anchorage Records Center (MANC)	61.216 149.885	(3)	6.6		(1)
	Anchorage, Alaska International Airport (USGS)	61.174 149.973	(3)	6.2		(1)
	Anchorage, Alaska Humana Hospital (USGS)	61.210 149.820	(3)	6.0		
	Ground level					(1)
	4th floor				225 Up 135	.03 .04 .06
	7th floor				225 Up 135	.05 .05 .07
	Anchorage, Alaska Hilton Hotel (USGS)	61.220 149.892	(3)	6.4		
	Basement					(1)
	6th floor					(1)
	14th floor					(1)

Table 1. U. S. Geological Survey Accelerograph Records Recovered During 1993-*Continued*

Earthquake	Station Name (Owner)	Coordinates (Lat. deg. N Long. deg. W)	Trigger time (Gmt)	S-minus trigger (s)	Direction (az)	Maximum amplitude (g)
<i>Anchorage Hilton Hotel-continued</i>						
	20th floor				315 Up 225	.02 .06 .04
	22nd floor (Penthouse)				315 Up 225	.04 .07 .04
	Anchorage, Alaska BP Building (USGS)	61.19 149.86	(3)	6.2		
	7th floor				360 Up 270	.05 .02 .03
	Structure Array					
	Channel 1 - 14th floor northeast corner				270	(1)
	Channel 2 - 14th floor southwest corner				270	(1)
	Channel 3 - 8th level northeast corner				270	(1)
	Channel 4 - 8th level southwest corner				270	(1)
	Channel 5 - 14th floor center				360	(1)
	Channel 6 - 8th level center				Up	(1)
	Channel 7 - Basement northwest corner				Up	(1)
	Channel 8 - Basement southeast corner				Up	(1)
	Channel 9 - Basement southeast corner				270	(1)
	Channel 10 - Freefield, 2 ft downhole				090	.06
	Channel 11 - Freefield, 2 ft downhole				360	.06
	Channel 12 - Freefield, 2 ft downhole				Up	(1)
	Eagle River, Alaska Alaska Geological Survey (USGS) Basement	61.350 149.540	(3)	(2)		(1)
18 May 1993 2348:53.9 G.m.t. Central Calif. 37.064N, 117.777W Magnitude 5.2 ML	White Mountain Array Deep Springs College (USGS)	37.291 117.979	(3)	(2)		(1)
31 May 1993 0855:29.9 G.m.t. Southern Calif. 34.120N, 116.995W Magnitude 3.9 ML	Forest Falls Post Office (USGS)	34.088 116.919	55:34.1	(2)		(1)

Table 1. U. S. Geological Survey Accelerograph Records Recovered During 1993-*Continued*

Earthquake	Station Name (Owner)	Coordinates (Lat. deg. N Long. deg. W)	Trigger time (Gmt)	S-minus trigger (s)	Direction (az)	Maximum amplitude (g)
8 June 1993 1257:49.4 G.m.t. Hawaii 19.328N, 155.217W Magnitude 4.9 MD	Pahala, Hawaii	19.20	(4)	(2)	360	.04
	Kau Hospital (USGS)	155.47			Up 270	.03 .06
	Kealahou, Hawaii	19.523	(4)	(2)		(1)
	Kona Hospital (USGS)	155.879				
	Hilo, Hawaii	19.731	(4)	(2)	360	.08
	U.S.D.A. Laboratory (USGS)	155.100			Up 270	.02 .08
	Hawaii National Park Volcano Observ., Basement (USGS)	19.423 155.291	(4)	(2)		(1)
	Hawaii National Park Volcano Observ., Warehouse (USGS)	19.434 155.264	(4)	(2)		(1)
	Mauna Kea, Hawaii State Park (USGS)	19.752 155.530	(4)	7.4	360 Up 270	.06 .03 .02
	Mauna Kea Summit, Hawaii U.K. Observatory (USGS)	19.826 155.473	(4)	(2)		(1)
	Hilo, Hawaii Hilo Hospital (USGS)	19.72 155.12	(3)	6.1	352 Up 262	.10 Inop. .04
	Mauna Loa, Hawaii Observatory (USGS)	19.539 155.580	(3)	5.8		(1)
16 December 1992- 20 July 1993 Southern Calif. Epicenter and magnitude unknown	Fun Valley Reservoir 361 (USGS)	33.925 116.389	(3)	(2)		(1)
17 December 1992- 21 July 1993 Southern Calif. Epicenter and magnitude unknown	San Bernardino Array Mill Creek Ranger Station (USGS)	34.080 117.114	(3)	1.4	360 Up 270	.09 .05 .11

Table 1. U. S. Geological Survey Accelerograph Records Recovered During 1993-*Continued*

Earthquake	Station Name (Owner)	Coordinates (Lat. deg. N Long. deg. W)	Trigger time (Gmt)	S-minus trigger (s)	Direction (az)	Maximum amp'litude (g)
29 June 1992- 26 July 1993 Southern Calif. Epicenter and magnitude unknown	Wrightwood Post Office (USGS)	34.360 117.629	(3)	2.5		(1)
	Leona Valley Fire Station (USGS)	34.62 118.29	(3)	(2)		(1)
18 December 1992- 27 July 1993 Southern Calif. Epicenter and magnitude unknown	Loma Linda VA Hospital (VA)	34.049 117.250	(3)	1.6		
	South Ground Site					(1)
11 August 1993 2233:04.0 G.m.t. Central Calif. 37.313N, 121.675W Magnitude 4.8 ML	Anderson Dam (USGS)	37.166 121.628	(4)	(2)		
	Crest					(1)
	Downstream					(1)
	Structure Array, Ch. 1-12					(1)
12 August 1993 1028:48.6 G.m.t. Hawaii 20.091N, 156.041W Magnitude 3.7 MD	Waimea, Hawaii Fire Station (USGS)	20.026 155.664	(4)	(2)		(1)
	Honokaa, Hawaii Police Station (USGS)	20.080 155.465	(4)	(2)		(1)
21 September 1993 0328:55.4 G.m.t. Southern Oregon 42.314N, 122.012W Magnitude 5.9ML	Applegate Dam, Oregon (ACOE)	42.008 123.119	(3)	(2)		
	Right Abutment					(1)
	Crest					(1)
	Upper Tower					(1)
	Lower Tower					(1)

Note: One each additional record¹ recovered at Applegate Dam crest, upper and lower towers.

Table 1. U. S. Geological Survey Accelerograph Records Recovered During 1993-*Continued*¹

Earthquake	Station Name (Owner)	Coordinates (Lat. deg. N Long. deg. W)	Trigger time (Gmt)	S-minus trigger (s)	Direction (az)	Maximum amplitude (g)
	Lost Creek Dam, Oregon (ACOE)	42.671 122.672	(3)	(2)		
	Upper Tower					(1)
	Left Crest					(1)

Note: One additional record¹ recovered at Lost Creek Dam left crest.

¹ Less than 0.05 g.

² Questionable or indeterminable.

³ WWVB time code illegible, or instrument not equipped with a radio receiver; correlation of accelerogram with event may be questionable or identity of event unknown.

⁴ Contains internal clock for event correlation only; accuracy is widely variable.

SELECTED SERIES OF U.S. GEOLOGICAL SURVEY PUBLICATIONS

Periodicals

Earthquakes & Volcanoes (issued bimonthly).

Preliminary Determination of Epicenters (issued monthly).

Technical Books and Reports

Professional Papers are mainly comprehensive scientific reports of wide and lasting interest and importance to professional scientists and engineers. Included are reports on the results of resource studies and of topographic, hydrologic, and geologic investigations. They also include collections of related papers addressing different aspects of a single scientific topic.

Bulletins contain significant data and interpretations that are of lasting scientific interest but are generally more limited in scope or geographic coverage than Professional Papers. They include the results of resource studies and of geologic and topographic investigations, as well as collections of short papers related to a specific topic.

Water-Supply Papers are comprehensive reports that present significant interpretive results of hydrologic investigations of wide interest to professional geologists, hydrologists, and engineers. The series covers investigations in all phases of hydrology, including hydrogeology, availability of water, quality of water, and use of water.

Circulars present administrative information or important scientific information of wide popular interest in a format designed for distribution at no cost to the public. Information is usually of short-term interest.

Water-Resource Investigations Reports are papers of an interpretive nature made available to the public outside the formal USGS publications series. Copies are reproduced on request unlike formal USGS publications, and they are also available for public inspection at depositories indicated in USGS catalogs.

Open-File Reports include unpublished manuscript reports, maps, and other material that are made available for public consultation at depositories. They are a nonpermanent form of publication that may be cited in other publications as sources of information.

Maps

Geologic Quadrangle Maps are multicolor geologic maps on topographic bases in 7 1/2- or 15-minute quadrangle formats (scales mainly 1:24,000 or 1:62,500) showing bedrock, surficial, or engineering geology. Maps generally include brief texts; some maps include structure and columnar sections only.

Geophysical Investigations Maps are on topographic or planimetric bases at various scales; they show results of surveys using geophysical techniques, such as gravity, magnetic, seismic, or radioactivity, which reflect subsurface structures that are of economic or geologic significance. Many maps include correlations with the geology.

Miscellaneous Investigations Series Maps are on planimetric or topographic bases of regular and irregular areas at various scales; they present a wide variety of format and subject matter. The series also includes 7 1/2-minute quadrangle photogeologic maps on planimetric bases that show geology as interpreted from aerial photographs. Series also includes maps of Mars and the Moon.

Coal Investigations Maps are geologic maps on topographic or planimetric bases at various scales showing bedrock or surficial geology, stratigraphy, and structural relations in certain coal-resource areas.

Oil and Gas Investigations Charts show stratigraphic information for certain oil and gas fields and other areas having petroleum potential.

Miscellaneous Field Studies Maps are multicolor or black-and-white maps on topographic or planimetric bases on quadrangle or irregular areas at various scales. Pre-1971 maps show bedrock geology in relation to specific mining or mineral-deposit problems; post-1971 maps are primarily black-and-white maps on various subjects, such as environmental studies or wilderness mineral investigations.

Hydrologic Investigations Atlases are multicolor or black-and-white maps on topographic or planimetric bases presenting a wide range of geohydrologic data of both regular and irregular areas; principal scale is 1:24,000, and regional studies are at 1:250,000 scale or smaller.

Catalogs

Permanent catalogs, as well as some others, giving comprehensive listings of U.S. Geological Survey publications are available under the conditions indicated below from the U.S. Geological Survey, Books and Open-File Reports Sales, Federal Center, Box 25286, Denver, CO 80225. (See latest Price and Availability List.)

"Publications of the Geological Survey, 1879-1961" may be purchased by mail and over the counter in paperback book form and as a set of microfiche.

"Publications of the Geological Survey, 1962-1970" may be purchased by mail and over the counter in paperback book form and as a set of microfiche.

"Publications of the Geological Survey, 1971-1981" may be purchased by mail and over the counter in paperback book form (two volumes, publications listing and index) and as a set of microfiche.

Supplements for 1982, 1983, 1984, 1985, 1986, and for subsequent years since the last permanent catalog may be purchased by mail and over the counter in paperback book form.

State catalogs, "List of U.S. Geological Survey Geologic and Water-Supply Reports and Maps For (State)," may be purchased by mail and over the counter in paperback booklet form only.

"Price and Availability List of U.S. Geological Survey Publications," issued annually, is available free of charge in paperback booklet form only.

Selected copies of a monthly catalog "New Publications of the U.S. Geological Survey" are available free of charge by mail or may be obtained over the counter in paperback booklet form only. Those wishing a free subscription to the monthly catalog "New Publications of the U.S. Geological Survey" should write to the U.S. Geological Survey, 582 National Center, Reston, VA 22092.

Note.—Prices of Government publications listed in older catalogs, announcements, and publications may be incorrect. Therefore, the prices charged may differ from the prices in catalogs, announcements, and publications.

