

## Appendix: Supplemental Bibliography

This bibliography is a complete list of works published between 1989 and 2006 that resulted from studies carried out as part of the MWRA-USGS cooperative program in Massachusetts Bay and from other USGS Coastal and Marine Geology studies carried out in Massachusetts coastal waters. This list repeats some publications in Section 12.

- Anderson, D.M., Keafer, B.A., Geyer, W.R., Signell, R.P., and Loder, T.C., 2005, Toxic *Alexandrium* blooms in the western Gulf of Maine—The plume advection hypothesis revisited: *Limnology and Oceanography*, v. 50, no. 1, p. 328–345.
- Blumberg, A.F., Signell, R.P., and Jenter, H.L., 1993, Modeling transport processes in the coastal ocean: *Journal of Environmental Engineering*, v. 1, p. 31–52.
- Bogden, P.S., Rizzoli, P., and Signell, R.P., 1996, Open-ocean boundary conditions from interior data—Local and remote forcing of Massachusetts Bay: *Journal of Geophysical Research*, v. 101, no. C3, p. 6487–6501.
- Bothner, M.H., 1997, Metal concentrations in sediments of Boston Harbor and Massachusetts Bay document environmental change: U.S. Geological Survey Fact Sheet 150–97, 2 p.
- Bothner, M.H., 2001, Concentrations of metals and bacterial spores in sediments near the Massachusetts Bay outfall before and after discharge began: U.S. Geological Survey Open-File Report 01–356, 2 p.
- Bothner, M.H., 2003, Optimizing the quality of sediment samples collected for geochemical measurements in coastal marine environments, in *International Atomic Energy Agency, Vienna, 2003: Collection and preparation of bottom sediment samples for analysis of radionuclides and trace elements, IAEA-TECDOC-1360*, p. 83–93.
- Bothner, M.H., 2003, Evaluating the impact of a high total suspended solids pulse from Boston's Deer Island Sewage Treatment Plant through the Massachusetts Bay outfall—Results from time-series sediment trap samples: Administrative report submitted to MWRA, October 15, 2003, 7 p.
- Bothner, M.H., and Buchholtz ten Brink, M.R., 1994, The distribution of silver in sediments from Massachusetts and Cape Cod Bays, and the changes in concentration with time—Preliminary analysis: *Proceedings of a meeting, MWRA Benthic and Sediment Science Review, Battelle Ocean Sciences, Duxbury, Mass., April 28, 1994*, 22 p.
- Bothner, M.H., Buchholtz ten Brink, M.R., Butman, Bradford, Knebel, H.J., Manheim, F.T., and Signell, R.P., 1994, Circulation and contaminant transport in Massachusetts coastal waters—Achievements and future plans: U.S. Geological Survey Open-File Report 94–649, 43 p.
- Bothner, M.H., Buchholtz ten Brink, M.R., and Manheim, F.T., 1998, Metal concentrations in surface sediments of Boston Harbor—Changes with time: *Marine Environmental Research*, v. 45, no. 2, p. 127–155.
- Bothner, M.H., Buchholtz ten Brink, M.R., Parmenter, C.M., d'Angelo, W.M., and Doughten, M.W., 1993, The distribution of silver and other metals in sediments from Massachusetts and Cape Cod Bays: U.S. Geological Survey Open-File Report 93–725, 31 p.
- Bothner, M.H., Buchholtz ten Brink, M.R., and Ravizza, G.E., 1995, Silver and other tracers of sewage particles in coastal and deep sea sediments off the east coast, USA: *Proceedings of the Second International Conference on Transport, Fate and Effects of Silver in the Environment, University of Wisconsin-Madison, September 11–14, 1994*, p. 61–68.
- Bothner, M.H., Casso, M.A., Rendigs, R.R., and Lamothe, P.J., 2002, The effect of the new Massachusetts Bay sewage outfall on the concentrations of metals and bacterial spores in nearby bottom and suspended sediments: *Marine Pollution Bulletin*, v. 44, p. 1063–1070.
- Bothner, M.H., Parmenter, C.M., Twichell, D.C., Polloni, C.F., and Knebel, H.J., 1992, A geologic map of the sea floor in western Massachusetts Bay, constructed from digital sidescan sonar images, photography, and sediment samples: U.S. Geological Survey Digital Data Series, DDS-3.
- Bothner, M.H., Signell, R.P., and Butman, Bradford, 1993, Boston Harbor and Massachusetts Bay: U.S. Geological Survey Yearbook, Fiscal Year 1993, p. 17–19.
- Buchholtz ten Brink, M.R., Manheim, F.T., and Bothner, M.H., 1996, Contaminants in the Gulf of Maine—What's here and should we worry?, p. 1–115, in D. Dow and G. Braasch, eds., *The health of the Gulf of Maine ecosystem—Cumulative impacts and multiple stressors*: published by the Regional Association for Research in the Gulf of Maine, Hanover, N.H., RARGOM Report 96-1, 180 p., and appendices.

- Buchholtz ten Brink, M.R., Manheim, F.T., and Hathaway, J.C., 1993, Report to the U.S. Army Corps of Engineers, New England District, on incorporation of COE data into the contaminated sediment database, February 1993: Administrative Report.
- Buchholtz ten Brink, M.R., Manheim, F.T., Mecray, E.L., Hastings, M.E., and Currence, J.M., 2002, in collaboration with Farrington, J.W., Jones, S.H., Larsen, P.F., Tripp, B.W., Wallace, G.T., Jr., Ward, L.G., and with participation from Fredette, T.J., Liebman, M.L., and Smith Leo, W., Contaminated sediments database for the Gulf of Maine: U.S. Geological Survey Open-File Report 02-403. (Also available online at <http://pubs.usgs.gov/of/2002/of02-403/>).
- Buchholtz ten Brink, M.R., Manheim, F.T., Soderberg, N.K., and Hathaway, J.C., 1993, Data and information management at the Branch of Atlantic Marine Geology and the Contaminated-Sediment Database: Workshop proceedings, Gulf of Maine Data and Information Management, Durham, N.H., November 2-3, 1993, p. 80-106.
- Butman, Bradford, Alexander, P.S., Anderson, S.P., Lightsom, F.L., Scotti, Alberto, and Beardsley, R.C., 2006, The Massachusetts Bay internal wave experiment, August 1998, Data Report: U.S. Geological Survey Data Series 85, version 7.0, 1 DVD-ROM. (Also available online at <http://pubs.usgs.gov/ds/2006/85/>).
- Butman, Bradford, Alexander, P.S., and Bothner, M.H., 2004, Time-series photographs of the sea floor in western Massachusetts Bay, June 1997-June 1998: U.S. Geological Survey Data Series 87, DVD-ROM.
- Butman, Bradford, Alexander, P.S., and Bothner, M.H., 2004, Time-series photographs of the sea floor in western Massachusetts Bay, June 1998-June 1999: U.S. Geological Survey Data Series 96, DVD-ROM.
- Butman, Bradford, Alexander, P.S., and Bothner, M.H., 2004, Time-series photographs of the sea floor in western Massachusetts Bay, May 1999 to September 1999—May 2000 to September 2000—and October 2001 to February 2002: U.S. Geological Survey Data Series 97, DVD-ROM.
- Butman, Bradford, Alexander, P.S., Scotti, A., Beardsley, R.C., and Anderson, S.P., 2006, Large internal waves in Massachusetts Bay transport sediments offshore: Continental Shelf Research, v. 26/17-18, p. 2029-2049, doi:10.1016/j.csr.2006.07.022.
- Butman, Bradford, and Bothner, M.H., 1997, Predicting the long-term fate of sediments and contaminants in Massachusetts Bay: U.S. Geological Survey Fact Sheet 172-97, 6 p. (Also available online at <http://pubs.usgs.gov/fs/fs172-97/fs172-97.pdf>).
- Butman, Bradford, Bothner, M.H., Alexander, P.S., Lightsom, F.L., Martini, M.A., Gutierrez, B.T., and Strahle, W.S., 2004, Long-term observations in western Massachusetts Bay offshore of Boston, Massachusetts: Data Report for 1989-2002, USGS Digital Data Series DDS-74, version 2, DVD-ROM. (Also available online at <http://pubs.usgs.gov/dds/dds74/>).
- Butman, Bradford, Bothner, M.H., Hathaway, J.C., Jenter, H.L., Knebel, H.J., Manheim, F.T., and Signell, R.P., 1992, Contaminant transport and accumulation in Massachusetts Bay and Boston Harbor—A summary of U.S. Geological Survey studies: U.S. Geological Survey Open-File Report 92-202, 42 p.
- Butman, Bradford, Bothner, M.H., Knebel, H.J., Manheim, F.T., Buchholtz ten Brink, M.R., and Signell, R.P., 1999, Predicting the fate of sediments and associated contaminants in Massachusetts Coastal Waters—Massachusetts Water Resources Authority Harbor and Outfall Monitoring Program, in Trulli, H.K., Coniaris, C., Carroll, S.R., eds., Outfall Monitoring Science Advisory Panel Technical Workshop, 1999 [CD-ROM]: Massachusetts Water Resources Authority, Report ENQUAD ms-57, p. 6-9, and 23 pages of figures, in 2000.
- Butman, Bradford, Evans, John, Lange, W.N., and Polloni, C.F., 1999, Time-series photographs of the seafloor in western Massachusetts Bay, June-October 1996: U.S. Geological Survey Open-File Report 98-797, CD-ROM. (Also available online at <http://pubs.usgs.gov/of/of98-797/>).

- Butman, Bradford, Hayes, Laura, Danforth, W.W., and Valentine, P.C., 2003a, Backscatter intensity, shaded relief, and sea floor topography of Quadrangle 1 in western Massachusetts Bay offshore of Boston, Massachusetts: U.S. Geological Survey Investigations Series Map I-2731-C, scale 1:25,000.
- Butman, Bradford, Hayes, Laura, Danforth, W.W., and Valentine, P.C., 2003b, Backscatter intensity and shaded relief of Quadrangle 2 in western Massachusetts Bay offshore of Boston, Massachusetts: U.S. Geological Survey Geologic Investigations Series Map I-2732-C, scale 1:25,000.
- Butman, Bradford, Hayes, Laura, Danforth, W.W., and Valentine, P.C., 2003c, Sea floor topography of Quadrangle 1 in western Massachusetts Bay offshore of Boston, Massachusetts: U.S. Geological Survey Investigations Series Map I-2731-A, scale 1:25,000.
- Butman, Bradford, Hayes, Laura, Danforth, W.W., and Valentine, P.C., 2003d, Sea floor topography of Quadrangle 2 in western Massachusetts Bay offshore of Boston, Massachusetts: U.S. Geological Survey Investigations Series Map I-2732-A, scale 1:25,000.
- Butman, Bradford, Hayes, Laura, Danforth, W.W., and Valentine, P.C., 2003e, Shaded relief and sea floor topography of Quadrangle 1 in western Massachusetts Bay offshore of Boston, Massachusetts: U.S. Geological Survey Investigations Series Map I-2731-B, scale 1:25,000.
- Butman, Bradford, Hayes, Laura, Danforth, W.W., and Valentine, P.C., 2003f, Shaded relief and sea floor topography of Quadrangle 2 in western Massachusetts Bay offshore of Boston, Massachusetts: U.S. Geological Survey Geologic Investigations Series Map I-2732-B, scale 1:25,000.
- Butman, Bradford, and Lindsay, J.A., 2000, A marine GIS library for Massachusetts Bay with a focus on disposal sites, contaminated sediments, and sea floor mapping: U.S. Geological Survey Open-File Report 99-439, CD-ROM.
- Butman, Bradford, and Signell, R.P., 1993, Modeling the dilution of the effluent introduced into Massachusetts Bay by the new Boston outfall: Report prepared for Hearing on the Results of the Endangered Species Act Consultation on the Boston Harbor Outfall, Boston, 16 p.
- Butman, Bradford, Signell, R.P., and Geyer, W.R., 1992, Examples of major transport events in the Massachusetts Bays during 1990 Part II, *in* Stern, R., ed., Wind-driven currents: Proceedings of the Seventh Annual Boston Harbor/Massachusetts Bay Symposium, Mass Bay Marine Studies Consortium, P.O. Box 660, Boston, MA 02125-0005, February 10–11, 1992.
- Butman, Bradford, Valentine, P.C., Danforth, W.W., Hayes, Laura, Serrett, L.A., and Middleton, T.J., 2004, Shaded relief, backscatter intensity and sea floor topography of Massachusetts Bay and the Stellwagen Bank region, offshore of Boston, Massachusetts: U.S. Geological Survey Geologic Investigations Series Map I-2734, scale 1:125,000, 2 sheets.
- Churchill, J.H., Pettigrew, N.R., and Signell, R.P., 2005, Structure and variability of the western Maine coastal current: *Deep Sea Research II*, v. 52, p. 2392–2410.
- Coté, J.M., Hotchkiss, F.S., Martini, M.A., Denham, C.R., and Ramsey, A.L., 2003, Acoustic doppler current profiler data processing system manual: U.S. Geological Survey Open-File Report 00-458, version 2, 74 p. (Available online at <http://pubs.usgs.gov/of/of00-458/>).
- Crusius, John, Bothner, M.H., Sommerfield, C.K., 2004, Bioturbation depths, rates and processes in Massachusetts Bay sediments inferred from modeling of <sup>210</sup>Pb and <sup>239+240</sup>Pu profiles: *Estuarine Coastal and Shelf Science*, v. 61, p. 643–655.
- Fong, D.A., Geyer, W.R., and Signell, R.P., 1997, The wind-forced response of a buoyant coastal current—Observations of the western Gulf of Maine plume: *Journal of Marine Systems*, v. 12, p. 69–81.
- Franks, P.S.J., and Signell, R.P., 1997, Coupled physical-biological models for the study of harmful algal blooms: U.S. Geological Survey Open-File Report 97-498, 21 p.
- Frye, Dan, Butman, Bradford, Johnson, Mark, von der Heydt, Keith, and Lerner, S., 2000, Portable coastal observatories: *Oceanography*, v. 13, no. 2/2000, p. 24–31.
- Frye, Dan, Von der Heydt, Keith, Johnson, Mark, Mafferi, A., Lerner, S., and Butman, Bradford, 1999, New technologies for coastal observatories: *Sea Technology*, v. 40, no. 10, p. 29–35.
- Geyer, W.R., Gardner, G.B., Brown, W.S., Irish, J.D., Butman, Bradford, Loder, T.C., and Signell, R.P., 1992, Final report—Physical oceanographic investigation of Massachusetts and Cape Cod Bays: Boston, Massachusetts Bays Program, 497 p.

- Geyer, W.R., and Signell, R.P., 1992, A reassessment of the role of tidal dispersion in estuaries: *Estuaries*, v. 15, no. 2, p. 97–108.
- Geyer, W.R., Signell, R.P., Fong, D.A., Wang, J., Anderson, D.M., and Keafer, B.A., 2004, The fresh-water transport and dynamics of the western Maine coastal current: *Continental Shelf Research*, v. 24/12, p. 1339–1357.
- Gutierrez, B.T., Butman, Bradford, Blackwood, D.S., 2000, Photographs of the sea floor of western Massachusetts Bay: U.S. Geological Survey Open-File Report 00–427, CD-ROM.
- Hathaway, J.C., 1992, List of references and parameter codes Boston Harbor data management file: U.S. Geological Survey Open-File Report 92–304, 70 p.
- Hetland, R.D., McGillicuddy, D.J., Signell, R.P., 2002, Cross-frontal entrainment of plankton into a buoyant plume—The frog tongue mechanism: *Journal of Marine Research*, v. 60, no. 6, p. 763–777.
- Hetland, R.D., and Signell, R.P., 2005, Modeling coastal current transport in the Gulf of Maine: *Deep Sea Research II*, v. 52, p. 2430–2449.
- Hotchkiss, F.S., and Signell, R.P., 1991, Average near-bottom currents in Massachusetts Bay and Cape Cod Bay measured with Woodhead drifters—Progress report for drifters released September 1990 through May 1991: U.S. Geological Survey Open-File Report 91–361, 14 p.
- Hotchkiss, F.S., Strahle, William, Martini, M.A., and Butman, Bradford, 1993, Long-term oceanographic observations in western Massachusetts Bay—Data report for December 1989 to February 1992: U.S. Geological Survey Open-File Report 93–710, 115 p.
- Irish, J.D., and Signell, R.P., 1992, Tides of Massachusetts and Cape Cod Bays: Woods Hole Oceanographic Institution Technical Report WHOI-92-35, 62 p.
- Jenter, H.L., and Signell, R.P., 1992, Unidata's NetCDF—A public-domain solution to data-access problems for numerical modelers in estuarine and coastal modeling, *in* Spaulding, M.L., ed., *Proceedings of the 2nd International Conference*: New York, American Society of Civil Engineers, p. 72–82.
- Jenter, H.L., Signell, R.P., and Blumberg, A.F., 1993, Modeling the tides of Massachusetts and Cape Cod Bays, *in* *Proceedings of the 1993 ASCE Hydraulic Engineering Conference*, San Francisco, Calif., p. 2, 323-2, 332.
- Kalnejais, L.H., 2005, Mechanisms of metal release from contaminated coastal sediments: Woods Hole, Mass., MIT/WHOI Joint Program in Oceanography, Ph.D. Dissertation, 214 p.
- Kalnejais, L.H., Martin, W.R., Signell, R.P., and Bothner, M.H., in press, The role of sediment resuspension in the remobilization of particulate-phase metals from coastal sediments: *Environmental Science and Technology*, in press.
- Knebel, H.J., 1993, Sedimentary environments within a glaciated estuarine-inner shelf system—Boston Harbor and Massachusetts Bay: *Marine Geology*, v. 100, p. 7–30.
- Knebel, H.J., and Circé, R.C., 1995, Maps and diagrams showing the acoustic and textural characteristics and distribution of bottom sedimentary environments, Boston Harbor and Massachusetts Bay: U.S. Geological Survey Miscellaneous Field Studies Map, MF-2280, 2 sheets.
- Knebel, H.J., and Circé, R.C., 1995, Seafloor environments within the Boston Harbor-Massachusetts Bay sedimentary system—A regional synthesis: *Journal of Coastal Research*, v. 11, p. 230–251.
- Knebel, H.J., Rendigs, R.R., and Bothner, M.H., 1991, Modern sedimentary environments in Boston Harbor, Massachusetts: *Journal of Sedimentary Petrology*, v. 61, no. 5, p. 791–804.
- Knebel, H.J., Rendigs, R.R., List, J.H., and Signell, R.P., 1996, Seafloor environments in Cape Cod Bay, a large coastal embayment: *Marine Geology*, v. 133, p. 11–33.
- Knebel, H.J., Rendigs, R.R., Oldale, R.N., and Bothner, M.H., 1993, Sedimentary framework of Boston Harbor, Massachusetts, *in* Fletcher, C.H., III, and Wehmiller, J.F., eds., *Quaternary coasts of the United States—Marine and lacustrine systems*: Society for Sedimentary Geology (SEPM) Special Publication 48, p. 35–43.
- Manheim, F.T., ed., 1993, Composition of contaminated sediments along the Atlantic margin. Report by the U.S. Geological Survey-Branch of Atlantic Marine Geology, Contaminated Sediments Project (Buchholtz ten Brink, M.R., Hathaway, J.C., and Manheim, F.T.) on Massachusetts Bay/Boston Harbor, and Chesapeake Bay, to the U.S. Environmental Protection Agency, National Contaminated Sediment Data Inventory, and Tetratex, Inc., Baltimore, Md. (Contractor), 7 chap., 5 appendices and 8 floppy disks (mainly compressed files).



- Manheim, F.T., Buchholtz ten Brink, M.R., Hastings, M.E., and Mecray, E.L., 1999, Contaminated-sediment database development and assessment in Boston Harbor: U.S. Geological Survey Fact Sheet 078-99. (Available online at <http://pubs.usgs.gov/fs/fs78-99/>).
- Manheim, F.T., Buchholtz ten Brink, M.R., and Mecray, E.L., 1998, Recovery and validation of historical sediment quality data from coastal and estuarine areas—An integrated approach: *Journal of Geochemical Exploration*, v. 64, p. 377-393.
- Manheim, F.T., and Butman, Bradford, 1994, A crisis in waste management, economic vitality, and a coastal marine environment—Boston Harbor and Massachusetts Bay: *GSA Today*, v. 4, no. 7, p. 197-199.
- Manheim, F.T., and Hathaway, J.C., 1991, Polluted sediments in Boston Harbor-Massachusetts Bay—Progress report on the Boston Harbor data management file: U.S. Geological Survey Open-File Report 91-331, 27 p.
- Manheim, F.T., Hathaway J.C., and Buchholtz ten Brink, M.R., 1992, Compiling sediment and pollutant databases from the historical record: Proceedings, EPA Contaminated Sediment Strategy Forums, USEPA Report 823-R-92-007, p. 28-33.
- Manheim, F.T., and McIntire, A.M., 1998, Digital shoreline for Boston Harbor: *Boston Society of Civil Engineers*, v. 13, no. 1, p. 35-48.
- Martini, M.A., 2003, USGS capabilities for studying sediment transport in the ocean, in Gray, J.R., ed., Proceedings of the Federal Interagency Sediment Monitoring Instrument and Analysis Research Workshop, Flagstaff, AZ, September 9-11, 2003, U.S. Geological Survey Circular 1276. (Also available online at <http://pubs.usgs.gov/circ/2005/1276/>, and <http://water.usgs.gov/osw/techniques/sediment/sedsurrogate2003workshop/martini.pdf>).
- Martini, M.A., in press, USGS capabilities for studying sediment transport in the ocean: Proceedings of a Sediment Monitoring and Analysis Workshop, Flagstaff, Ariz., September 9-11, 2003.
- Martini, M.A., Butman, Bradford, Mickelson, M.J., in press, Long-term performance of Aanderaa Optodes and Sea-Bird SBE-43 dissolved oxygen sensors bottom-mounted at 32 m in Massachusetts Bay: *Journal of Atmospheric and Oceanic Technology*, in press.
- Martini, M.A., and Clay, P., 1998, An inter-comparison test of an RD Instruments' workhorse ADCP mounted in a new trawl-resistant bottom mount, an RD instruments' broadband ADCP and Vector measuring current meter: *Oceanology International '98 The Global Ocean Exhibition and Conference*, Brighton, United Kingdom, v. 1, p. 257-267.
- Martini, M.A., Lightsom, F.L., Sherwood, C.R., Xu, J.P., Lacy, J.R., Ramsey, A.L., and Horwitz, R.M., 2005, Hydratools, A MATLAB based data processing package for Sontek Hydra data: Proceedings of the IEEE/OES Eighth Working Conference on Current Measurement Technology, ISBN 0-7803-8989-1, Southampton, UK, June 28-29, 2005, p. 147-151.
- Martini, M.A., and Strahle, William, 1993, Multi-Parameter Intelligent Data Acquisition System (MIDAS)—Hardware documentation: U.S. Geological Survey Open-File Report 93-721.
- Martini, M.A., and Williams, Albert, III, 1993, Benthic Acoustic Stress Sensor (BASS)—Electronics check-out procedures: U.S. Geological Survey Open-File Report 93-722. (Available online at <http://woodshole.er.usgs.gov/operations/stg/pubs/bass/>).
- McGillicuddy, D.J., Signell, R.P., Stock, C.A., Keafer, B.A., Keller, M.D., Hetland, R.D., Anderson, D.M., 2003, A mechanism for offshore initiation of harmful algal blooms in the coastal Gulf of Maine: *Journal of Plankton Research*, v. 25, no. 9, p. 1131-1138.
- Morford, J.L., Kalnejais, L.H., Martin, W.R., Francois, R.M., and Karle, I.M., 2003, Sampling marine pore waters for Mn, Fe, U, Re and Mo—Modifications on diffusional equilibration thin film gel probes: *Journal of Experimental Marine Biology and Ecology*, v. 285-286, p. 85-103.
- Morford, J.L., Martin, W.R., Kalnejais, L.H., Francois, R., Bothner, M.H., and Karle, Ida-Maja, in press, Insights on geochemical cycling of U, Re, and Mo from seasonal sampling in Boston Harbor, Massachusetts, U.S.A.: *Geochimica et Cosmochimica Acta*, in press. doi:10.1016/j.gca.2006.10.016.
- National Research Council, 1997, Contaminated sediments in ports and waterways, National Research Council, National Academy Press, Washington, D.C., 1997, 297 p. (Technical documentation was contributed by Manheim, F.T., and Buchholtz ten Brink, M.R., on the recovery and validation of historical data on contaminated sediments in coastal waters of Boston Harbor through the NRC Panel Report on Remediation of Contaminated Dredged Materials).

- Oldale, R.N., 1993–1994, Geologic origins of Stellwagen Bank: The Cape Naturalist, *Journal of the Cape Cod Museum of Natural History*, Brewster, Mass., p. 27–31.
- Oldale, R.N., 1994, The geology of Stellwagen Bank: U.S. Geological Survey Open-File Report 94–672, 17 p.
- Oldale, R.N., Knebel, H.J., and Bothner, M.H., 1994, Submerged and eroded drumlins off northeastern Massachusetts: *Geomorphology*, v. 9, p. 301–309.
- Parmenter, C.M., and Bothner, M.H., 1993, The distribution of *Clostridium perfringens*, a sewage indicator, in sediments of coastal Massachusetts: U.S. Geological Survey Open-File Report 93–8, 45 p.
- Pettigrew, N.R., Churchill, J.H., Janzen, C.D., Mangum, L.J., Signell, R.P., Thomas, A.C., Townsend, D.W., Wallinga, J.P., and Xue, H., 2005, The kinematic and hydrographic structure of the Gulf of Maine Coastal Current: *Deep-Sea Research II (52)* 2369–2391.
- Poppe, L.J., and Moffett, A.M., 1993, Groundwater discharge and the related nutrient and trace metal fluxes into Quincy Bay, Massachusetts: *Environmental Monitoring and Assessment*, v. 25, p. 15–27.
- Poppe, L.J., Paskevich, V.F., Williams, S.J., Hastings, M.E., Kelly, J.T., Belknap, D.F., Ward, L.G., FitzGerald, D.M., and Larsen, P.F., 2003, Surficial sediment data from the Gulf of Maine, Georges Bank, and vicinity—A GIS compilation: U.S. Geological Survey Open-File Report 03–001, CD-ROM. (Available online at <http://pubs.usgs.gov/of/2003/of03-001/>).
- Poppe, L.J., and Polloni, C.F., 2000, USGS East-Coast sediment analysis—Procedures, database, and georeferenced displays: U.S. Geological Survey Open-File Report 00–358, CD-ROM. (Available online at <http://pubs.usgs.gov/of/of00-358/>).
- Ravens, T.M., Madsen, O.S., Signell, R.P., Adams, E.E., and Gschwend, P.M., 1998, Hydrodynamic forcing and sediment character of Boston Harbor: *ASCE Journal of Waterway, Port, Coastal, and Ocean Engineering*, v. 124, no. 1, p. 40–42.
- Ravizza, G.E., and Bothner, M.H., 1996, Osmium isotopes and silver as tracers of anthropogenic metals in sediments from Massachusetts and Cape Cod Bays: *Geochimica et Cosmochimica Acta*, v. 60, no. 15, p. 2753–2763.
- Rendigs, R.R., and Bothner, M.H., 2001, Temporal changes in grain size and organic-mineral aggregates in surficial sediments near the Massachusetts Bay outfall site: U.S. Geological Survey Open-File Report 01–499, 49 p. (Also available online at <http://pubs.usgs.gov/of/of01-499/index.html>).
- Rendigs, R.R., and Bothner, M.H., 2004, An operation manual for a time-series, storm-activated suspended sediment sampler deployed in the coastal ocean—Function, maintenance, and testing procedures: U.S. Geological Survey Open-File Report 2004–1443, 56 p. (Also available at <http://pubs.usgs.gov/of/2004/1443/>).
- Rendigs, R.R., and Commeau, J.A., 1995, Description and calibration results of an in-situ suspended matter sampler—The McLane water transfer system: U.S. Geological Survey Open-File Report 95–806, 32 p.
- Rendigs, R.R., and Knebel, H.J., 2002, Distribution and structure of Holocene sediments in Cape Cod Bay, Massachusetts: U.S. Geological Survey Geologic Investigation Series Map I-2729, 1 sheet.
- Rendigs, R.R., and Oldale, R.N., 1990, Maps showing the results of a subbottom acoustic survey of Boston Harbor, Massachusetts: U.S. Geological Survey Miscellaneous Field Studies Map MF-2124, 2 sheets.
- Rendigs, R.R., and Oldale, R.N., 1993, The Quaternary stratigraphy of Boston Harbor: *Geological Society of America Guidebook*, v. 2, p. U11–U14.
- Roworth, E.T., and Signell, R.P., 1998, Construction of digital bathymetry for the Gulf of Maine: U.S. Geological Survey Open-File Report 98–801. (Available online at <http://pubs.usgs.gov/of/of98-801/index.htm>).
- Signell, R.P., 1992, Tide- and wind-driven flushing of Boston Harbor in *Estuarine and Coastal Modeling*, in Spaulding, M.L., ed., *Proceedings of the 2nd International Conference*: New York, American Society of Civil Engineers, p. 595–606.
- Signell, R.P., 1997, Predicting the impact of relocating Boston's sewage outfall—Effluent dilution simulations in Massachusetts Bay: U.S. Geological Survey Fact Sheet 185–97, 2 p. (Also available online at <http://marine.usgs.gov/fact-sheets/fs185-97/>).
- Signell, R.P., and Butman, Bradford, 1992, Modeling tidal exchange and dispersion in Boston Harbor: *Journal of Geophysical Research*, v. 97, no. C10, p. 15591–16606.

- Signell, R.P., Jenter, H.L., and Blumberg, A.F., 1994, Modeling the seasonal circulation in Massachusetts Bay in *Estuarine and Coastal Modeling*, in Spaulding, M.L., ed., *Proceedings of the 3rd International Conference*: New York, American Society of Civil Engineers, p. 578–590.
- Signell, R.P., Jenter, H.L., and Blumberg, A.F., 1996, Circulation and effluent dilution modeling in Massachusetts Bay—Model implementation, verification and results: U.S. Geological Survey Open-File Report 96–015, 121 p.
- Signell, R.P., Jenter, H.L., and Blumberg, A.F., 1999, Predicting the physical effects of relocating Boston's sewage outfall: *Estuarine, Coastal and Shelf Science*, v. 50, p. 59–72. (Also available online at [http://smig.usgs.gov/SMIG/features\\_0999/bharbor\\_inline.html](http://smig.usgs.gov/SMIG/features_0999/bharbor_inline.html)).
- Signell, R.P., and List, J.H., 1997, Effect of wave-enhanced bottom friction on storm-driven circulation in Massachusetts Bay: *ASCE Journal of Waterway, Port, Coastal and Ocean Engineering*, v. 123, no. 5, p. 233–239.
- Signell, R.P., and Wright, E.L., 1993, Circulation and plume tracking in Massachusetts Bay, in *Proceedings of the 2nd Annual International AVS Conference*, Lake Buena Vista, Fla., v. 1, paper 41, p. 74–86.
- Stolzenbach, K.D., Adams, E.E., Bothner, M.H., Buchholtz ten Brink, M.R., Farrington, J.W., Gschwend, P.M., Ladd, C.C., Madsen, O.S., and Wallace, G.T., 1998, Contaminated sediments in Boston Harbor: MIT Sea Grant, Cambridge, Mass., 170 p.
- Strahle, W.J., Perez, C.L., Martini, M.A., 1994, Antifouling, leaching technique for optical lenses: *Proceedings of OCEANS '94 conference*, Brest, France, v. II, p. 710–715.
- Tuit, C.B., Ravizza, G.E., and Bothner, M.H., 2000, Anthropogenic platinum and palladium in the sediments of Boston Harbor: *Environmental Science & Technology*, v. 34, no. 6, p. 2927–2932.
- Valentine, P.C., Baker, J.L., and Unger, T.S., 2000, Sea floor topography of the Stellwagen Bank National Marine Sanctuary off Boston, Massachusetts: U.S. Geological Survey Geologic Investigations Series Map I-2676-A, scale 1:60,000.
- Valentine, P.C., Baker, J.L., Unger, T.S., Evans, John, and Polloni, C.F., 1998, Sea floor topographic, backscatter, and interpretive maps and bottom photos of the Massachusetts Bay disposal site region off Boston, Massachusetts: U.S. Geological Survey Open-File Report 98–344, CD-ROM. (Also available online at <http://pubs.usgs.gov/of/of98-344/>).
- Valentine, P.C., Baker, J.L., Unger, T.S., Polloni, Christopher, 2001, Sea floor topographic contour maps and perspective-view imagery of quadrangles 1–18, Stellwagen Bank National Marine Sanctuary off Boston, Massachusetts: U.S. Geological Open File Report 98–138.
- Valentine, P.C., Danforth, W.W., Roworth, E.T., and Stillman, S.T., 1996, Maps showing topography, backscatter, and interpretation of seafloor features in the Massachusetts Bay Disposal Site region off Boston, Massachusetts: U.S. Geological Survey Open-File Report 96–273, scale 1:10,000 and 1:12,500, 2 sheets.
- Valentine, P.C., Unger, T.S., and Baker, J.L., 2000a, Sun-illuminated sea floor topography of the Stellwagen Bank National Marine Sanctuary off Boston, Massachusetts: U.S. Geological Survey Geological Investigations Series Map I-2676-B, scale 1:60,000.
- Valentine, P.C., Unger, T.S., and Baker, J.L., 2000b, Sun-illuminated sea floor topography and backscatter intensity of the Stellwagen Bank National Marine Sanctuary off Boston, Massachusetts: U.S. Geological Survey Geological Investigations Series Map I-2676-C, scale 1:60,000.
- Valentine, P.C., Unger, T.S., Baker, J.L., and Polloni, C.F., 2000, Sun-illuminated sea floor topography and perspective-view imagery of quadrangle 1–18, Stellwagen Bank National Marine Sanctuary off Boston, Massachusetts: U.S. Geological Survey Open-File Report 99–363, CD-ROM. (Also available online at <http://pubs.usgs.gov/of/of99-363/>).
- Wheatcroft, R.A., Olmez, Ilhan, and Pink, F.X., 1994, Particle bioturbation in Massachusetts Bay—Preliminary results using a new deliberate tracer technique: *Journal of Marine Research*, v. 52, p. 1129–1150.

## World Wide Web Sites

The Fate of Sediments and Contaminants in Massachusetts Bay: U.S. Geological Survey Web site at <http://woodshole.er.usgs.gov/project-pages/bostonharbor/>  
This is the project summary web site.

The Boston Harbor Story: U.S. Geological Survey Web site at <http://geology.wr.usgs.gov/wgmt/boston-harbor/boston.html>. Stamski, R., Jewel, E., Swinchat, J., Blackwood, D., and Bothner, M., eds., The Boston Harbor Story, applying earth science to issues of immediate public concern.

USGS Woods Hole Science Center Moored Time-Series Data Base (<http://stellwagen.er.usgs.gov/>): This site has the USGS mooring data from western Massachusetts Bay ([http://stellwagen.er.usgs.gov/mbay\\_lt.html](http://stellwagen.er.usgs.gov/mbay_lt.html)) in a format compatible with Distributed Ocean Data System (DODS).

High-resolution geologic mapping offshore of Massachusetts: U.S. Geological Survey Web site at [http://woodshole.er.usgs.gov/project-pages/coastal\\_mass/](http://woodshole.er.usgs.gov/project-pages/coastal_mass/)



**THIS PAGE INTENTIONALLY LEFT BLANK**

