

Section 12: References Cited

- Alber, M.J., and Chan, A.B., 1994, Sources of contaminants to Boston Harbor—Revised loading estimates: Massachusetts Water Resources Authority Report 1994-01, p. 93.
- Aller, R.C., 1980, Diagenetic processes near the sediment-water interface of Long Island Sound I—Decomposition and nutrient element geochemistry (S, N, P): *Advances in Geophysics*, v. 22, p. 237–350.
- Baker, E.T., Milburn, H.B., and Tennant, D.A., 1988, Field assessment of sediment trap efficiency under varying flow conditions: *Journal of Marine Research*, v. 46, p. 573–592.
- Bergeson, L., 1993, Shipbuilding and shipbuilding management, 1943–1993—One man’s perspective: *Proceedings of the Society of Naval Architects and Marine Engineers Centennial Meeting*, 16 September 1993, p. 1–3.
- Blumberg, A.F., and Mellor, G.L., 1987, A description of a three-dimensional coastal ocean circulation model, *in* Heaps, N.S., ed., *Three-dimensional coastal ocean models*: American Geophysical Union, Washington, D.C., v. 4, p. 1–16.
- Blumberg, A.F., Signell, R.P., and Jenter, H.L., 1993, Modeling transport processes in the coastal ocean: *Journal of Marine Environmental Engineering*, v. 1, p. 31–52.
- Bothner, M.H., Buchholtz ten Brink, M.R., and Manheim, F.T., 1998, Metal concentrations in surface sediments of Boston Harbor—Changes with time: *Marine Environmental Research*, v. 45, no. 2, p. 127–155.
- Bothner, M.H., Casso, M.A., Rendigs, R.R., and Lamothe, P.J., 2002, The effect of the new Massachusetts Bay sewage outfall on the concentrations of metals and bacterial spores in nearby bottom and suspended sediments: *Marine Pollution Bulletin*, v. 44, p. 1063–1070.
- Bothner, M.H., Gill, P.W., Boothman, W.S., Taylor, B.B., and Karl, H.A., 1997, Chemical and textural characteristics of sediments at an EPA reference site for dredged material on the continental slope SW of the Farallon Islands: U.S. Geological Survey Open-File Report 97–87, 46 p.
- Bothner, M.H., Parmenter, C.M., Twichell, D.C., Polloni, C.F., and Knebel, H.J., 1992, A geologic map of the sea floor in western Massachusetts Bay, constructed from digital sidescan sonar images, photography, and sediment samples: U.S. Geological Survey Digital Data Series, DDS-3.
- Bothner, M.H., Takada, H., Knight, I.T., Hill, R.T., Butman, Bradford, Farrington, J.W., Colwell, R.R., and Grassle, J.F., 1994, Indicators of sewage contamination in sediments beneath a deep ocean dump site off New York: *Marine Environmental Research*, v. 38, p. 43–59.
- Buchholtz ten Brink, M.R., Manheim, F.T., Mecray, E.L., Hastings, M.E., Currence, J.M., Farrington, J.W., Fredette, T.J., Jones, S.H., Liebman, M.L., Larsen, P.F., Leo, W.S., Tripp, B.W., Wallace, G.T., Jr., and Ward, L.G., 2003, Contaminated sediments database for the Gulf of Maine: U.S. Geological Survey Open-File Report 02–403. (Also available online at <http://pubs.usgs.gov/of/2002/of02-403/>).
- Buchholtz ten Brink, M.R., Mecray, E.L., and Galvin, E.L., 2000, *Clostridium perfringens* in Long Island Sound sediments—An urban sedimentary record: *Journal of Coastal Research*, v. 16, no. 3, p. 591–612.
- Butman, Bradford, 1976, Hydrography and low frequency currents associated with the spring runoff in Massachusetts Bay: *Memoires Societe Royale des Sciences de Liege*, v. 6, no. 10, p. 247–275.
- Butman, Bradford, Alexander, P.S., Scotti, A., Beardsley, R.C., and Anderson, S.P., 2006, Large internal waves in Massachusetts Bay transport sediments offshore: *Continental Shelf Research*, v. 26/17–18, p. 2029–2049, doi:10.1016/j.csr.2006.07.022.
- Butman, Bradford, and Bothner, M.H., 1997, Predicting the long-term fate of sediments and contaminants in Massachusetts Bay: U.S. Geological Survey Fact Sheet 172–97, 6 p.
- Butman, Bradford, Bothner, M.H., Alexander, P.S., Lightsom, F.L., Martini, M.A., Gutierrez, B.T., and Strahle, W.S., 2004a, Long-term observations in western Massachusetts Bay offshore of Boston, Massachusetts; Data Report for 1989–2002: U.S. Geological Survey Digital Data Series DDS-74, version 2, DVD-ROM. (Also available online at <http://pubs.usgs.gov/dds/dds74/>).

- Butman, Bradford, Hayes, Laura, Danforth, W.W., and Valentine, P.C., 2003a, Backscatter intensity and shaded relief of Quadrangle 2 in western Massachusetts Bay offshore of Boston, Massachusetts: U.S. Geological Survey Geologic Investigations Series Map I-2732-C, scale 1:25,000. (Available online at <http://pubs.usgs.gov/imap/i-2732c/>).
- Butman, Bradford, Hayes, Laura, Danforth, W.W., and Valentine, P.C., 2003b, Seafloor topography of Quadrangle 2 in western Massachusetts Bay offshore of Boston, Massachusetts: U.S. Geological Survey Geologic Investigations Series Map I-2732-A, scale 1:25,000. (Also available online at <http://pubs.usgs.gov/imap/i-2732a/>).
- Butman, Bradford, Hayes, Laura, Danforth, W.W., and Valentine, P.C., 2003c, Shaded relief and seafloor topography of Quadrangle 2 in western Massachusetts Bay offshore of Boston, Massachusetts: U.S. Geological Survey Geologic Investigations Series Map I-2732-B, scale 1:25,000. (Also available online at <http://pubs.usgs.gov/imap/i-2732b/>).
- Butman, Bradford, Valentine, P.C., Danforth, W.W., Hayes, Laura, Serrett, L.A., and Middleton, T.J., 2004b, Shaded relief, backscatter intensity and sea floor topography of Massachusetts Bay and the Stellwagen Bank region, offshore of Boston, Massachusetts: U.S. Geological Survey Geologic Investigation Series Map I-2734, scale 1:125,000, 2 sheets. (Available online at <http://pubs.usgs.gov/imap/i2734/>).
- Butman, C.A., 1986, Sediment trap biases in turbulent flows—Results from a laboratory flume study: *Journal of Marine Research*, v. 44, p. 645–693.
- Cai, W.J., and Sayles, F.L., 1996, Oxygen penetration depths and fluxes in marine sediments: *Marine Chemistry*, v. 52, p. 123–131.
- Canfield, D.E., Jorgensen, B.B., Fossing, H. and others, 1993, Pathways of organic carbon oxidation in three continental margin sediments: *Marine Geology*, v. 113, p. 27–40.
- Christensen, J.P., Devol, A.H., and Smethie, W.M. Jr., 1984, Biological enhancement of solute exchange between sediments and bottom water on the Washington continental shelf: *Continental Shelf Research*, v. 3, p. 9–23.
- Crusius, John, Bothner, M.H., and Sommerfield, C.K., 2004, Bioturbation depths, rates and processes in Massachusetts Bay sediments inferred from modeling of ^{210}Pb and $^{239+240}\text{Pu}$ profiles: *Estuarine Coastal and Shelf Science*, v. 61, p. 643–655.
- Dahlen, Deirdra, Hunt, Carlton, Emsbo-Mattingly, Stephen, Keay, Kenneth, 2006, Are toxic contaminants accumulating in Massachusetts coastal sediments following startup of the Massachusetts Bay outfall? A comprehensive comparison of baseline and post-diversion periods: *Marine Pollution Bulletin*, v. 52, p. 1372–1388.
- Denton, G.H., and Hughes, T.J., 1981, *The last great ice sheets*: New York, John Wiley and Sons, 484 p.
- Dolin, E.J., 2004, *Political Waters—The long, dirty, contentious, incredibly expensive but eventually triumphant history of Boston Harbor—A unique environmental success story*: Amherst and Boston, University of Massachusetts Press, 241 p.
- Forman, J., 1984, Receivership threat for harbor cleanup, *Boston Globe*, November 16, 1984, referenced in Dolin, E.J., 2004, *Political Waters—The long, dirty, contentious, incredibly expensive but eventually triumphant history of Boston Harbor—A unique environmental success story*: Amherst and Boston, University of Massachusetts Press, 241 p.
- Gardner, W.D., Richardson, M.J., Hinga, K.R., and Biscaye, P.E., 1983, Resuspension measured with sediment traps in a high-energy environment: *Earth and Planetary Science Letters*, v. 66, p. 262–278.
- Gelbspan, Ross, 1991, Pressed by Cape foes, MWRA to study sewage tunnel plan: *The Boston Globe*, September 12, 1991, p. 51.
- Geyer, W.R., Gardner, G.B., Brown, W.S., Irish, J.D., Butman, Bradford, Loder, T.C., and Signell, R.P., 1992, *Physical oceanographic investigation of Massachusetts and Cape Cod Bays*: Massachusetts Bays Program, U.S. Environmental Protection Agency Region I/Massachusetts Coastal Zone Management Office, Technical report MBP-92-03 Boston, Mass., 497 p.
- Grant, W.D., and Madsen, O.S., 1979, Combined wave and current interaction with a rough bottom: *Journal of Geophysical Research*, v. 84, p. 1797–1808.

- HydroQual and Normandeau, 1995, A water quality model for Massachusetts and Cape Cod Bays—Calibration of the Bays Eutrophication Model (BEM): Boston, Massachusetts Water Resources Authority, Report 1995-08, 402 p.
- Jahnke, R.A., and Jackson, G.A., 1992, The spatial distribution of sea floor oxygen consumption in the Atlantic and Pacific Oceans, *in* Rowe, G.T., and Parient, V., eds., Deep-sea food chains and the global carbon cycle, p. 295–307.
- Jiang, Mingshun, and Zhou, Meng, 2004, Bays Eutrophication Model (BEM)—Model verification for the period 2000–2001, Boston, Mass.: Massachusetts Water Resources Authority Report 2004-09, 71 p.
- Kalnejais, L.H., 2005, Mechanisms of metal release from contaminated coastal sediments: MIT/WHOI Joint Program in Oceanography, Woods Hole, Mass., 214 p.
- Kalnejais, L.H., Martin, W.R., Signell, R.P., and Bothner, M.H., in press, The role of sediment resuspension in the remobilization of particulate-phase metals from coastal sediments: *Environmental Science and Technology*, in press.
- Klinkenberg, L.J., 1961, Analogy between diffusion and electrical conductivity in porous rocks; *Bulletin of the Geological Society of America*, v. 62, p. 559–564.
- Krieger, Alex, Cobb, David, and Turner, Amy, 1999, *Mapping Boston*: Cambridge, Mass., MIT Press, 278 p.
- Levy, P.F., and Connor, M.S., 1992, The Boston Harbor cleanup: *New England Journal of Public Policy*, v. 8, no. 2, p. 91–104.
- Long, E.R., MacDonald, D.D., Smith, S.L., and Calder, F.D., 1995, Incidence of adverse biological effects within ranges of chemical concentrations in marine and estuarine sediments: *Environmental Management*, v. 19, no. 1, p. 81–97.
- Massachusetts Water Resources Authority, 2004, Massachusetts Water Resources Authority effluent outfall ambient monitoring plan revision 1, March 2004, Boston, Mass.: Massachusetts Water Resources Authority, Report ENQUAD ms-092, 65 p.
- McDuff, R.E., and Ellis, R.A., 1979, Determining diffusion coefficients in marine sediments—A laboratory study of the validity of resistivity techniques: *American Journal of Science*, v. 279, p. 666–675.
- McLaughlin, J.B., 1992, AUS studies whether whales endangered by harbor pipe: *The Boston Globe*, April 7, 1992, p. 21.
- Mickelson, M.J., Hunt, C.D., and Roberts, P.J.W., 2002, Indicator-based monitoring of a coastal wastewater discharge in Boston, Massachusetts: 2nd International Conference on Marine Waste Water Discharges, MWWD 2002, Istanbul, September 16–20, 2002, 8 p.
- Myers, A.C., 1977, Sediment processing in a marine subtidal sandy bottom community—I. Physical aspects: *Journal of Marine Research*, v. 35, no. 3, p. 609–635.
- National Oceanic and Atmospheric Administration, 1987, National status and trends program for marine environmental quality—Progress report and preliminary assessment of findings of the Benthic Surveillance Project, 1984, 81 p.
- Oldale, R.N., Colman, S.M., Jones, G.A., 1993, Radio-carbon ages from two submerged strandline features in the western Gulf of Maine and a sea-level curve for the northeastern Massachusetts coastal region: *Quaternary Research*, v. 40, p. 38–45.
- Oldale, R.N., Knebel, H.J., and Bothner, M.H., 1994, Submerged and eroded drumlins off northeastern Massachusetts: *Geomorphology*, v. 9, no. 4, p. 301–309.
- Perkins, Sid, 2004, Coastal surge: *Science News*, v. 165, no. 13, p. 197.
- Ravizza, G.E., and Bothner, M.H., 1996, Osmium isotopes and silver as tracers of anthropogenic metals in sediments from Massachusetts and Cape Cod Bays: *Geochimica et Cosmochimica Acta*, v. 60, p. 2753–2763.
- Revsbech, N.P., Jan Sorensen, T.H.B., and Lomholt, J.P., 1980, Distribution of oxygen in marine sediments measured with microelectrodes: *Limnology and Oceanography*, v. 25, p. 403–411.
- Rex, A.C., and Connor, M.S., 1997, The state of Boston Harbor—Questions and answers about the new outfall: Massachusetts Water Resources Authority Technical Report 1997–05. (Available online at <http://www.mwra.state.ma.us/harbor/enquad/pdf/1997-05.pdf>).
- Roworth, E.T., and Signell, R.P., 1998, Construction of digital bathymetry for the Gulf of Maine: U.S. Geological Survey Open-File Report 98–801. (Available online at <http://pubs.usgs.gov/of/of98-801/index.htm>).

- Sayles, F.L., and Dickinson, W.H., 1991, The ROLAID Lander: A benthic lander for the study of exchange across the sediment-water interface: *Deep Sea Research I*, v. 38, p. 505–529.
- Sayles, F.L., Smith, S.P., and Goudreau, J.E., 1996, Deep ocean sludge disposal, sediment oxygen consumption and sediment redox profiles in Deep Water Municipal Dump Site 106: *Journal of Marine Environmental Engineering* 3, p. 99–130.
- Shull, D.H., and Yasuda, M., 2001, Size-selective downward particle transport by cirratulid polychaetes: *Journal of Marine Research*, v. 59, no. 3, p. 453–473.
- Signell, R.P., Jenter, H.L., and Blumberg, A.F., 1996, Circulation and effluent dilution modeling in Massachusetts Bay; model implementation, verification, and results: U.S. Geological Survey Open-File Report 96–015, 121 p.
- Signell, R.P., Jenter, H.L., and Blumberg, A.F., 2000, Predicting the physical effects of relocating Boston's sewage outfall: *Journal of Estuarine Coastal and Shelf Science*, v. 50, p. 59–72.
- Signell, R.P., and List, J.H., 1997, Effect of wave-enhanced bottom friction on storm-driven circulation in Massachusetts Bay: *Journal of Waterway, Port, Coastal, and Ocean Engineering*, September/October, p. 233–239.
- Tolhurst, T.J., 2000, In situ versus laboratory analysis of sediment stability from intertidal mudflats: *Continental Shelf Research*, v. 20, p. 1317–1334.
- U.S. Environmental Protection Agency, 2005a, National Coastal Condition Report II, DPA-620/R-03/002. (Available online at <http://www.epa.gov/owow/oceans/nccr2/>).
- U.S. Environmental Protection Agency, 2005b, National Estuary Program. (Available online at <http://www.epa.gov/owow/estuaries/about1.htm>).
- Valentine, P.C., Baker, J.L., and Unger, T.S., 2003a, Sea floor topography of the Stellwagen Bank National Marine Sanctuary region off Boston, Massachusetts: U.S. Geological Survey Geologic Investigations Series Map I-2676-A, scale 1:60,000.
- Valentine, P.C., Danforth, W.W., Roworth, E.T., and Stillman, S.T., 1996, Maps showing topography, backscatter, and interpretation of seafloor features in the Massachusetts Bay Disposal Site region off Boston, Massachusetts: U.S. Geological Survey Open-File Report 96–273, scale 1:10,000 and 1:12,500, 2 sheets. (Available online at <http://pubs.usgs.gov/of/of98-344/>).
- Valentine, P.C., Middleton, Tammie, and Fuller, Sarah, 2001, Maps showing sea floor topography, sun-illuminated sea floor topography, and backscatter intensity of the Stellwagen Bank National Marine Sanctuary region off Boston, Massachusetts: USGS Open-File Report 00–410, 1 CD-ROM, scale 1:60,000. (Available online at <http://pubs.usgs.gov/of/of00-410/>).
- Valentine, P.C., Unger, T.S., and Baker, J.L., 2003a, Backscatter intensity and sun-illuminated sea floor topography of the Stellwagen Bank National Marine Sanctuary off Boston, Massachusetts: U.S. Geological Survey Geologic Investigations Series Map I-2676-C, scale 1:60,000.
- Valentine, P.C., Unger, T.S., and Baker, J.L., 2003b, Sun-illuminated sea floor topography of the Stellwagen Bank National Marine Sanctuary off Boston, Massachusetts: U.S. Geological Survey Geologic Investigations Series Map I-2676-B, scale 1:60,000.
- Warner, J.C., Butman, Bradford, and Dalyander, P.S., in press, Storm-driven sediment transport in Massachusetts Bay. *Continental Shelf Research*.
- Werme, Christine, and Hunt, C., 2004, 2003 outfall monitoring overview: Massachusetts Water Resources Authority Report ENQUAD 2004-13, 97 p.
- Wheatcroft, R.A., Olmez, Ilhan, and Pink, F.X., 1994, Particle bioturbation in Massachusetts Bay—Preliminary results using a new deliberate tracer technique: *Journal of Marine Research*, v. 52, p. 1129–1150.
- Wiberg, P.L., and Sherwood, C.R., in press, Calculating wave-generated bottom orbital velocities from surface wave parameters. *Computers in Geosciences*.