


E X P L A N A T I O N

- DRAINAGE BASIN DIVIDE
- POINTS OF PRECIPITATION OBSERVATION
  - 1499 MEASUREMENT STATION  
Selected stations of the U.S. Weather Bureau; index numbers are those used in U.S. Weather Bureau publications.
  - 2P QUALITY SITE  
Sites have been assigned an index number for use in this report.
- POINTS OF SURFACE-WATER OBSERVATION
  - ▲ 1275 CONTINUOUS-RECORD STREAM-GAGING STATION
  - △ 1272.9 PARTIAL-RECORD STREAM-GAGING STATION
  - △ 1277.91 LAKE, POND, OR RESERVOIR GAGING STATION
  - X SUPPLEMENTAL-RECORD STREAM-GAGING STATION
  - 1182.8 WATER-QUALITY SITE  
Site with one or more chemical analyses or with field specific conductance measurement.  
Ss—Turbidity or suspended sediment analyses.  
T—Daily temperature measurements made for a period of one year.  
Index numbers are those used in U.S. Geological Survey publications.
- POINTS OF GROUND-WATER OBSERVATION
  - CONTINUOUS OR PERIODIC WATER-LEVEL MEASUREMENTS AVAILABLE
  - CHEMICAL ANALYSIS AVAILABLE
  - GEOLOGIC LOG AVAILABLE
  - WATER WELL  
Logs are available for all test holes.
  - TEST HOLE  
Logs are available for all test holes.
  - CHEMICAL ANALYSIS AVAILABLE
  - SPRING  
Index numbers are those used in U.S. Geological Survey publications. Wells, test holes, and springs are each numbered serially within each town.



COLLECTION SITES FOR WATER RESOURCES DATA  
IN THE LOWER THAMES AND SOUTHEASTERN COASTAL RIVER BASINS