

CROSS-SECTION – 100,120 N

NYE METALS INC.

Looking North, showing proposed O.M.E. Exploration

Scale: 1" = 200' November, 1962

Charles Melbye
Geological Engineer

PLATE 3.



NYE METALS, INC.

UNDERGROUND GEOLOGIC MAP

10,300' Level

Gilpin County Colorado

Scale 1"=200' August, 1963

OFFICIAL COPY
O. M. E.
RECEIVED
MAR 24 1966
INITIALS | CODE

CHARLES E. MELBYE
Geological Engineer



Charles Melbye
Geological Engineer



CHARLES E. MELBYE
Geological Engineer

NYE METALS INC.

GEOLOGIC-ASSAY CROSS-SECTION

DRILL HOLE II-10

Scale 1" = 50' Elev. 10,337'
Section Looking East
June 1963

Docket No. 6231
Contract No. 2149

OFFICIAL COPY
U. V. E.
RECEIVED
APR 24 1986
INITIALS CODE



CHARLES E. MELBYE
Geological Engineer

NYE METALS INC.

GEOLOGIC-ASSAY CROSS-SECTION

DRILL HOLE II-3 & II-2

Scale 1" = 50' Elev. 10,326'
Section Looking East
May 1963 Aug. 1964

Docket No. 6231
Contract No. 2149

OFFICIAL COPY
O. M. E.
RECEIVED
MAR 24 1966
INITIALS CODE



No.	Depth	% Core Rec.	% MoS2
P-498	70- 75	100	.009
P-499	75- 80	100	.018
P-500	80- 85	96	.009
P-501	85- 90	89	.009
P-502	90- 95	96	.001
P-503	95-100	100	.006
P-504	100-105	100	.006
P-505	105-110	100	.011
P-506	110-115	100	.003
P-507	115-120	91	tr
P-508	120-125	91	.035
P-509	125-130	91	.028
P-510	130-135	91	.045
P-511	135-140	96	.057
P-512	140-145	100	.022
P-513	145-150	100	.024
P-514	150-155	100	.029
P-515	155-160	70	.026
P-516	160-165	83	.003
P-517	165-170	90	.007
P-518	170-175		.035
P-519	175-180		.037

10,600
10,500
10,400
10,300
10,200
10,100
10,000

CHARLES E. MELBYE
Geological Engineer

NYE METALS INC.

GEOLOGIC-ASSAY CROSS-SECTION
DRILL HOLE NO. II-S5

Scale 1"=50' Elev. 10,508'

N 7°W Section Looking North

October 1963

Docket No. 6231
Contract No. 2149


10,500'
10,400'
10,300'
10,200'
10,100'
10,000'
9,900'
Tdp
PCa
Tqm
PCg
MOUNTAIN CHIEF FAULT ZONE
BRECCIATED ZONE
Breccia zone
Hole II-S3
No. | Depth | % Core Rec. | % MoS2
P-212 150-155 100 .016
P-213 155-160 100 .064
P-214 160-165 100 .058
P-215 165-170 100 .023
P-216 170-175 100 .024
P-217 175-180 100 .012
P-218 180-185 100 .019
P-219 185-190 100 .017
P-220 190-195 100 .016
P-221 195-200 100 .040
P-222 200-205 100 .059
P-223 205-210 100 .012
P-224 210-215 100 .023
P-225 215-220 100 .024
P-226 220-225 100 .024
P-227 225-230 100 .040
P-228 230-235 100 .012
P-229 235-240 100 .038
P-230 240-245 100 .012
P-231 245-250 100 .010
P-232 250-255 100 .024
P-233 255-260 100 .016
P-234 260-265 100 .012
P-235 265-270 100 .010
P-236 270-275 100 .028
P-237 275-280 100 .023
P-238 280-285 100 .012
P-239 285-290 100 .016
P-240 290-295 100 .007
P-241 295-300 100 .017
P-242 300-305 100 .021
P-243 305-310 100 .005
P-244 310-315 100 .009
P-245 315-320 100 .010
P-246 320-325 100 .009
P-247 325-330 100 .010
P-248 330-335 100 .030
P-249 335-340 100 .023
P-250 340-345 100 .010
P-251 345-350 100 .012
P-252 350-355 100 .012
P-253 355-360 100 .042
P-254 360-365 100 .012
P-255 365-370 100 .016
P-256 370-375 100 .017
P-257 375-380 100 .042
P-258 380-385 100 .009
P-259 385-390 95
P-260 390-395 77
P-261 395-400 91
P-262 400-405 100
P-263 405-410 100
P-264 410-415 100
P-265 415-420 95
P-266 420-425 77
P-267 425-430 77
P-268 430-435 91
100
96
91
93
100
100
100
98
.017
.031
.023
.019
.014
.012
.023
Fault
Fault
Fault



OFFICIAL COPY
O. M. E.
RECEIVED
MAR 24 1966

Charles Melaye
Geological Engineer

UNDERGROUND GEOLOGIC MAP

NYE MINE

NORTH GILPIN COUNTY DISTRICT

COLORADO

Scale: 1" = 50' January, 1963



Charles Melbye
Geological Engineer

GEOLOGICAL LEGEND

- Tertiary Dacite porphyry
- Tertiary Aplite
- Tertiary Quartz Monzonite
- Pre-Cambrian Alaskite
- Pre-Cambrian Quartz-biotite gneiss
- Molybdenum mineralization
- Fault
- Contact
- 60° Dip and strike (faults and veins)
- 60° Dip and strike (gneiss foliation and joints)
- Quartz Vein

UNDERGROUND GEOLOGIC MAP

NYE MINE

NORTH GILPIN COUNTY DISTRICT

COLORADO

Scale: 1" = 50' March, 1962

REV.
Dec. 1962 Apr. 1963

GEOLOGICAL SURVEY COPY
U. S. D. I.
FORM 9-1000
1-57
GPO 16-35-1
GEOLOGICAL SURVEY
DENVER, COLORADO

CULTURE LEGEND

- Topographic contour
- Survey station
- Shaft
- Tunnel or adit
- Timbered and lagged drift



Charles Melaye
Geological Engineer

UNDERGROUND GEOLOGIC MAP

NYE MINE

NORTH GILPIN COUNTY DISTRICT

COLORADO

Scale: 1" = 50' January, 1963

OFFICIAL COPY G. M. E. RECEIVED
INITIAL RECORD



NYE METALS, INC.

SURFACE GEOLOGIC MAP

MOUNTAIN CHIEF AREA

Gilpin County, Colorado

Scale: 1" = 100' November 1963

Rev. August 1964

9 December 1964

Docket No. 6231

Contract No. 2149

CHARLES E. MELBYE

Geological Engineer



NYE METALS, INC.

MAGNETIC MAP

MOUNTAIN CHIEF AREA

Gilpin County, Colorado

Scale 1"=100' November, 1963

Rev. 8-64 & 2-65

Docket No. 6231

Contract No. 2149

Contour Interval = 100 Gammas

CHARLES E. MELBYE

Geological Engineer



OFFICIAL COPY
O. M. E.
RECEIVED
MAR 24 1966
INITIALS | CODE

CHARLES E. MELBYE
Geological Engineer

NYE METALS INC.

GEOLOGIC-ASSAY CROSS-SE

DRILL HOLE II-SI

Scale 1"=50' Elev. 10,420'
Section Looking East

July 1963

Docket No. 6231
Contract No. 2149



No.	Depth	% Core	% MoS2	% Cu	Oz Au	Oz Ag
P-317	35- 40	98	.035			Nil
P-318	40- 45	100	.152			Nil
P-319	45- 50	93	.095			
P-320	50- 55	91	.083			
P-321	55- 60	97	.120			
P-322	60- 65	100	.088			
P-323	65- 70	95	.100			
P-324	70- 75	91	.063			
P-325	75- 80	98	.013			
P-326	80- 85	100	.088			
P-327	85- 90	93	.025			
P-328	90- 95	91	.075			
P-329	95-100	97	.030			
P-330	100-105	100	.032			
P-331	105-110	98	.011			
P-332	110-115	89	.050			
P-333	115-120	87	.035			
P-334	120-125	83	.143			
P-335	125-130	100	.382			
P-336	130-135	96	.148			
P-337	135-140	77	.108			
P-338	140-145	91	.103			
P-339	145-150	100	.015			
P-340	150-155	100	.100			
P-341	155-160	100	.194			
P-342	160-165	100	.190			
P-343	165-170	100	.008			
P-344	170-175	100	.020			
P-345	175-180	100	.110			
P-346	180-185	100	.060			
P-347	185-190	100	.162			
P-348	190-195	100	.082			
P-349	195-200	100	.112			
P-350	200-205	100	.093			
P-351	205-210	100	.085			
P-352	210-215	100	.036			
P-353	215-220	100	.020			
P-354	220-225	100	.020			
P-355	225-230	100	.115			
P-356	230-235	100	.007			
P-357	235-240	100	.364			
P-358	240-245	100	.125			
P-359	245-250	100	.083			
P-360	250-255	100	.072			
P-361	255-260	100	.118			
P-362	260-265	100	.092			
P-363	265-270	100	.172			
P-364	270-275	100	.050			
P-365	275-280	100	.038			
P-366	280-285	100	.123			
P-367	285-290	100	.073			
P-368	290-295	100	.013			
P-369	295-300	100	.047			
P-370	300-305	100	.062			
P-371	305-310	100	.245			
P-372	310-315	100	.080			
P-373	315-320	100	.082			
P-374	320-325	100	.080			
P-375	325-330	100	.023			
P-376	330-335	100	.088			
P-377	335-340	100	.011			
P-378	340-345	100	.013			
P-379	345-350	100	.002			
P-380	350-355	100				
P-446	500-505	67	.15			
P-447	505-510	67	.085			
P-448	510-515	24	.030			
P-449	515-520	100	.033			
P-450	520-525	96	.007			
P-451	525-530	100	.010			
P-452	530-535	100	.018			
P-453	535-540	100	.015			
P-454	540-545	100	.010			
P-455	545-550	100	.005			
P-456	550-555	100	.027			
P-457	555-560	100	.010			
P-458	560-565	100	.008			
P-459	565-570	100	.003			
P-460	570-575	100	.007			
P-461	575-580	100	.023			
P-462	580-585	100	.010			
P-463	585-590	100	.023			
P-464	590-595	100	.013			
P-465	595-600	100				

No.	Depth	% Core	% MoS2
P-551	100-105	56	.013
P-552	105-110	56	.005
P-553	110-115	56	.036
P-554	115-120	56	.026
P-555	120-125	91	.001
P-556	125-130	100	
P-557	130-135	100	.050
P-558	135-140	100	.054
P-559	140-145	100	.071
P-560	145-150	100	.097
P-561	150-155	100	.068
P-562	155-160	100	.023
P-563	160-165	100	.028
P-564	165-170	100	.055
P-565	170-175	100	.011
P-566	175-180	100	.041
P-567	180-185	100	.011
P-568	185-190	100	.010
P-569	190-195	100	.010
P-570	195-200	100	.016
P-571	200-205	100	.027
P-572	205-210	100	.012
P-573	210-215	100	.049
P-574	215-220	100	.049
P-575	220-225	100	.056
P-576	225-230	100	.008
P-577	230-235	100	.023
P-578	235-240	100	.008
P-579	240-245	100	.015
P-580	245-250	100	
P-581	250-255	100	
P-582	255-260	100	
P-583	260-265	100	
P-584	265-270	100	
P-585	270-275	100	
P-586	275-280	100	
P-587	280-285	100	
P-588	285-290	100	
P-589	290-295	100	
P-590	295-300	100	
P-591	300-305	100	
P-592	305-310	100	
P-593	310-315	100	
P-594	315-320	100	
P-595	320-325	100	
P-596	325-330	100	
P-597	330-335	100	
P-598	335-340	100	
P-599	340-345	100	
P-600	345-350	100	
P-601	350-355	100	
P-602	355-360	100	
P-603	360-365	100	
P-604	365-370	100	
P-605	370-375	100	
P-606	375-380	100	
P-607	380-385	100	
P-608	385-390	100	
P-609	390-395	100	
P-610	395-400	100	
P-611	400-405	100	
P-612	405-410	100	
P-613	410-415	100	
P-614	415-420	100	
P-615	420-425	100	
P-616	425-430	100	
P-617	430-435	100	
P-618	435-440	100	
P-619	440-445	100	
P-620	445-450	100	
P-621	450-455	100	
P-622	455-460	100	
P-623	460-465	100	
P-624	465-470	100	
P-625	470-475	100	
P-626	475-480	100	
P-627	480-485	100	
P-628	485-490	100	
P-629	490-495	100	
P-630	495-500	100	
P-631	500-505	100	
P-632	505-510	100	
P-633	510-515	100	
P-634	515-520	100	
P-635	520-525	100	
P-636	525-530	100	
P-637	530-535	100	
P-638	535-540	100	
P-639	540-545	100	
P-640	545-550	100	
P-641	550-555	100	
P-642	555-560	100	
P-643	560-565	100	
P-644	565-570	100	
P-645	570-575	100	
P-646	575-580	100	
P-647	580-585	100	
P-648	585-590	100	
P-649	590-595	100	
P-650	595-600	100	
P-651	600-605	100	
P-652	605-610	100	
P-653	610-615	100	
P-654	615-620	100	
P-655	620-625	100	
P-656	625-630	100	
P-657	630-635	100	
P-658	635-640	100	
P-659	640-645	100	
P-660	645-650	100	
P-661	650-655	100	
P-662	655-660	100	
P-663	660-665	100	
P-664	665-670	100	
P-665	670-675	100	
P-666	675-680	100	
P-667	680-685	100	
P-668	685-690	100	
P-669	690-695	100	
P-670	695-700	100	
P-671	700-705	100	
P-672	705-710	100	
P-673	710-715	100	
P-674	715-720	100	
P-675	720-725	100	
P-676	725-730	100	
P-677	730-735	100	
P-678	735-740	100	
P-679	740-745	100	
P-680	745-750	100	
P-681	750-755	100	
P-682	755-760	100	
P-683	760-765	100	
P-684	765-770	100	
P-685	770-775	100	
P-686	775-780	100	
P-687	780-785	100	
P-688	785-790	100	
P-689	790-795	100	
P-690	795-800	100	
P-691	800-805	100	
P-692	805-810	100	
P-693	810-815	100	
P-694	815-820	100	
P-695	820-825	100	
P-696	825-830	100	
P-697	830-835	100	
P-698	835-840	100	
P-699	840-845	100	
P-700	845-850	100	
P-701	850-855	100	
P-702	855-860	100	
P-703	860-865	100	
P-704	865-870	100	
P-705	870-875	100	
P-706	875-880	100	
P-707	880-885	100	
P-708	885-890	100	
P-709	890-895	100	
P-710	895-900	100	
P-711	900-905	100	
P-712	905-910	100	
P-713	910-915	100	
P-714	915-920	100	
P-715	920-925	100	
P-716	925-930	100	
P-717	930-935	100	
P-718	935-940	100	
P-719	940-945	100	
P-720	945-950	100	
P-721	950-955	100	
P-722	955-960	100	
P-723	960-965	100	
P-724	965-970	100	
P-725	970-975	100	
P-726	975-980	100	
P-727	980-985	100	
P-728	985-990	100	
P-729	990-995	100	
P-730	995-1000	100	
P-731	1000-1005	100	
P-732	1005-1010	100	
P-733	1010-1015	100	
P-734	1015-1020	100	
P-735	1020-1025	100	
P-736	1025-1030	100	
P-737	1030-1035	100	
P-738	1035-1040	100	
P-739	1040-1045	100	
P-740	1045-1050	100	
P-741	1050-1055	100	
P-742	1055-1060	100	
P-743	1060-1065	100	
P-744	1065-1070	100	
P-745	1070-1075	100	
P-746	1075-1080	100	
P-747	1080-1085	100	
P-748	1085-1090	100	
P-749	1090-1095	100	
P-750	1095-1100	100	
P-751	1100-1105	100	
P-752	1105-1110	100	
P-753	1110-1115	100	
P-754	1115-1120	100	
P-755	1120-1125	100	
P-756	1125-1130	100	
P-757	1130-1135	100	
P-758	1135-1140	100	
P-759	1140-1145	100	
P-760	1145-1150	100	
P-761	1150-1155	100	
P-762	1155-1160	100	
P-763	1160-1165	100	
P-764	1165-1170	100	
P-765	1170-1175	100	
P-766	1175-1180	100	
P-767	1180-1185	100	
P-768	1185-1190	100	
P-769	1190-1195	100	
P-770	1195-1200	100	
P-771	1200-1205	100	
P-772	1205-1210	100	
P-773	1210-1215	100	
P-774	1215-1220	100	
P-775	1220-1225	100	
P-776	1225-1230	100	
P-777	1230-1235	100	
P-778	1235-1240	100	
P-779	1240-1245	100	
P-780	1245-1250	100	
P-781	1250-1255	100	
P-782	1255-1260	100	
P-783	1260-1265	100	
P-784	1265-1270	100	
P-785	1270-1275	100	
P-786	1275-1280	100	
P-787	1280-1285	100	
P-788	1285-1290	100	
P-789	1290-1295	100	
P-790	1295-1300	100	
P-791	1300-1305	100	
P-792	1305-1310	100	
P-793	1310-1315	100	
P-794	1315-1320	100	
P-795	1320-1325	100	
P-796	1325-1330	100	
P-797	1330-1335	100	
P-798	1335-1340	100	
P-799	1340-1345	100	
P-800	1345-1350	100	
P-801	1350-1355	100	
P-802	1355-1360	100	
P-803	1360-1365	100	
P-804	1365-1370	100	
P-805	1370-1375	100	
P-806	1375-1380	100	
P-807	1380-1385	100	
P-808	1385-1390	100	
P-809	1390-1395	100	
P-810	1395-1400	100	
P-811	1400-1405	100	
P-812	1405-1410	100	
P-813	1410-1415	100	
P-814	1415-1420	100	
P-815	1420-1425	100	
P-816	1425-1430	100	
P-817	1430-1435	100	
P-818	1435-1440	100	
P-819	1440-1445	100	
P-820	1445-1450	100	
P-821	1450-1455	100	
P-822	1455-1460	100	
P-823	1460-1465	100	
P-824	1465-1470	100	
P-825	1470-1475	100	
P-826	1475-1480	100	
P-827	1480-1485	100	
P-828	1485-1490	100	
P-829	1490-1495	100	
P-830	1495-1500	100	
P-831	1500-1505	100	
P-832	1505-1510	100	
P-833	1510-1515	100	
P-834	1515-1520	100	
P-835	1520-1525	100	
P-836	1525-1530	100	
P-837	1530-1535	100	
P-838	1535-1540	100	
P-839	1540-1545	100	
P-840	1545-1550	100	
P-841	1550-1555	100	
P-842	1555-1560	100	

CHARLES E. MELBYE
Geological Engineer

NYE METALS INC.

GEOLOGIC-ASSAY CROSS-SECTION

DRILL HOLE NO. II-S2 & II-S8

Scale 1" = 50' Elev. 10,527'
E-W Section Looking North
September 1963

Docket No. 6231
Contract No. 2149



No.	Depth	% Core	% MoS2
P-391	345-350	88	.022
P-392	350-355	83	.063
P-393	355-360	83	.284
P-394	360-365	77	
P-395	365-370	77	
P-396	370-375	83	
P-397	375-380	91	
P-398	380-385	88	.052
P-399	385-390	77	.055
P-400	390-395	77	.007
P-401	395-400	86	.063
P-402	400-405	91	.070
P-403	405-410	86	.023
P-404	410-415	77	.007
P-405	415-420	77	.022
P-406	420-425	58	.010
P-407	425-430	53	.040
P-408	430-435	53	.063
P-409	435-440	53	.032
P-410	440-445	91	.053
P-411	445-450	63	.007
P-412	450-455	56	.042
P-413	455-460	56	.042
P-414	460-465	77	.023
P-415	465-470	77	.072
P-416	470-475	91	.045
P-417	475-480	100	.043
P-418	480-485	95	.110
P-419	485-490	91	.087
P-420	490-495	95	.102
P-421	495-500	100	.092
P-422	500-505	90	.093
P-423	505-510	83	.090
P-424	510-515	71	.033
P-425	515-520	100	.102
P-426	520-525	100	.125
P-427	525-530	100	.145
P-428	530-535	100	.163
P-429	535-540	100	.464
P-430	540-545	100	.532
P-431	545-550	100	.087
P-432	550-555	100	.095
P-433	555-560	100	.102
P-434	560-565	100	.190
P-435	565-570	100	.157
P-436	570-575	100	.200
P-437	575-580	100	.050
P-438	580-585	100	.012
P-439	585-590	100	.018
P-440	590-595	100	.012
P-441	595-600	100	.005
P-381	600-605	100	.005
P-382	605-610	100	.008
P-383	610-615	100	.007
P-384	615-620	100	.045
P-385	620-625	100	.040
P-386	625-630	100	.055
P-387	630-635	100	.133
P-388	635-640	91	.053
P-389	640-645	91	.102
P-390	645-650	98	.122
P-391	650-655	100	.107
		100	.007
		100	.007
		100	.022

CHARLES E. MELBYE
Geological Engineer

NYE METALS INC.

GEOLOGIC-ASSAY CROSS-SECTION

DRILL HOLE II-S4

Scale: 1" = 50' Elev. 10,555'
S 22° W Section Looking West
September 1963

Docket No 6231
Contract No. 2149

OFFICIAL COPY
O. M. E.
RECEIVED
MAR 24 1966
INSPECTION CORPS


101,200 E
MAIN ADIT
INDIANAPOLIS VEIN
Stage I Hole #2
Vein?
171'
40°
20°
Significant mineralization
Significant mineralization
Significant mineralization
3' vein
Tqm
P€
DRILL HOLE II-4
DRILL HOLE II-5
10,300'
10,200'
10,100'
10,000'
9,900'
9,800'
9,700'
% MoS2
.005
.019
.166
.152
.009
.012
.017
.068
.026
.012
.024
.017
.019
.070
.017
.010
.031
.031
.014
.007
.023
.031
.019
.017
.009
.026
.010
.014
.064
.009
.031
.005
.064
.024
.005
.061
.035
.031
.024
.021
.009
.061
.012
.004
.007
.028
.024
.071
% Core Rec.
42
100
100
85
85
59
59
22
91
92
100
91
77
72
50
53
67
100
100
100



CHARLES E. MELBYE
Geological Engineer

NYE METALS INC.

GEOLOGIC-ASSAY CROSS-SECTION
DRILL HOLE NO. II-S6 & II-S7

Scale 1"=50' Elev. 10,508' & 10,376'

E-W Section Looking North

November 1963

Docket No. 6231
Contract No. 2149

OFFICIAL COPY
RECEIVED
MAR 24 1966
INITIALS



NYE METALS INC.

GEOLOGIC-ASSAY CROSS-SECTION

DRILL HOLE II-59

Scale: 1" = 50' Elev. 10,380'

N40°E Section Looking N.W

June 1964

Docket No. 6231
Contract No. 2149

OFFICIAL COPY U.S.G.S. OCT 24 1966 5052


GEOLOGICAL MAP
NYE METALS, INC. PROPERTY
NORTH GILPIN COUNTY DISTRICT
COLORADO
Scale: 1" = 1000'
November 1962
Contour Interval = 50'
LEGEND
Boundary of Nye Metals property
10750 Topographic Contour
Dacite porphyry
Quartz monzonite
Gneiss & Schist
Known molybdenum mineralization
Fault
Vein
Quartz veining & silicification (where known)
PLATE 1
Charles Melbye
Geological Engineer
MTN. CHIEF FAULT
MOUNTAIN CHIEF MINE
Fracture zone with qts. veining & MoS2
Josephine Mine
Dakota Hill
10944
DAKOTA
NYE MINE 10,313'
PATON VEIN
INDIANA VEIN
INDIANAPOLIS VEIN
No.1 VEIN
No.2 VEIN
No.3 VEIN
No.4 VEIN
No.5 VEIN
GOLDEN CHIEF VEIN
OREGON FAULT
Apex
APEX FAULT
Utah Hill
COLUMBINE VEIN
Oregon Hill
10902
Evergreen Mine
Breccia Pipe
SMITH GULCH FAULT
Michigan Hill
PINE CREEK