CLAIMS ON BROWN MOUNTAIN

OURAY COUNTY, COLORADO

SCALE 1" = 200'-0"

EXHIBIT 14

PROPERTIES OF COLUMBUS EXPLORATION COMPANY
OURAY COUNTY, COLORADO



OFFICIAL
COPY
O. M. E.
RECEIVED
JUL 14 1965
INITIALS CO

OFFICIAL COPY
O. M. B.
RECEIVED
JUL 14 1965
INITIALS | CODE

ASSAY PLAN - KENO TUNNEL
OURAY COUNTY, COLORADO
Accompanying Exhibit-16

ASSAY RESULTS FROM LEADVILLE

Sample No.	Width in feet	Oz. Au	Ozs. Ag	% Pb	% Zn	% Cu
143A	3.0	0.02	3.1	9.4	11.4	0.4
144A	3.0	0.015	1.6	3.2	3.2	0.3
145A	3.0	0.025	3.0	5.7	5.4	0.5
146A	3.0	0.02	3.6	6.6	3.5	0.6
147A	3.5	0.015	2.8	4.8	11.9	1.1
148A	4.0	0.03	4.0	4.9	3.6	1.3
149A	4.6	0.035	7.1	4.0	6.4	1.6
150A	3.5	0.025	2.6	3.4	4.5	0.7
151A	3.5	0.03	4.4	1.6	5.9	0.9
152A	4.2	0.02	4.6	7.1	8.6	0.7
153A	3.2	0.03	1.5	1.7	4.1	0.4
154A	3.0	0.035	8.8	7.4	9.3	0.9
155A	3.5	0.03	8.0	2.8	7.7	0.7
156A	3.6	0.02	5.5	4.1	5.9	0.4
157A	3.9	0.02	4.1	2.5	6.9	0.6
158A	4.2	0.03	2.6	2.7	6.7	0.4
159A	3.6	1.28	21.4	6.7	10.8	0.9
160A	3.2	0.02	3.2	3.9	7.6	0.2
161A	4.5	0.03	2.2	3.8	7.9	0.5
162A	2.6	0.02	0.6	1.8	3.4	0.4
163A	2.7	0.03	2.4	3.0	4.3	0.8
164A	2.5	0.02	5.9	6.6	10.4	1.3
165A	5.2	0.03	3.0	2.7	6.0	0.7
166A	4.0	0.02	2.0	1.6	4.2	0.5
167A	3.0	0.025	2.6	2.4	7.2	0.7
168A	3.0	0.03	4.3	4.4	8.4	1.2
169A	2.0	0.015	2.8	3.8	8.1	0.6
170A	3.2	0.02	1.6	2.2	2.5	0.4
171A	Drill hole	0.01	0.4	0.8	0.4	0.2
172A	Drill hole	0.01	0.8	0.6	0.6	0.2



NG

ASSAY RESULTS FROM TELLURIDE

	Sample No.	Width in feet	Oz. Au	Oz. Ag	% Pb	% Zn	% Cu	Comments
	143	3.1	0.005	3.22	1.9	2.6	0.50	
	144	3.5	0.005	2.32	1.5	2.9	0.35	
	145	3.7	0.005	2.46	1.5	3.2	0.25	
	146	2.5	0.03	3.16	2.0	1.6	0.20	
	147	3.5	0.02	1.64	1.3	1.7	0.15	Ore in wall of drift. Sample is hole cuttings
	148	3.0	0.04	3.16	1.7	1.9	0.30	" " " " " " " " "
Ore	149	4.4	0.03	10.22	2.2	6.4	1.85	
	150	3.5	0.06	3.12	4.5	6.1	0.60	Drill hole cuttings
	151	3.9	0.05	4.76	4.9	8.6	0.75	2.9' cut across back. 1.0' drill hole cuttings
	152	4.1	0.12	5.08	5.2	8.2	0.80	
	153	2.8	0.04	5.58	3.6	5.9	1.00	
	154	3.0	0.01	9.22	3.2	5.7	2.15	
	155	3.0	0.03	6.98	1.1	2.9	1.15	
	156	3.8	0.05	6.20	0.8	1.0	0.10	
	157	3.0	0.02	3.00	0.9	0.8	0.15	
	158	3.0	0.01	2.16	2.1	3.2	0.35	
	159	4.0	0.06	3.22	2.4	3.4	0.30	
	160	3.5	0.01	2.45	1.1	2.6	0.40	
	161	4.2	0.04	3.58	3.9	4.2	0.25	2.0' of this sample cut in face of siding
	162	3.1	0.03	0.62	1.0	1.1	0.05	
	163	2.0	0.02	2.64	1.1	0.6	0.10	Not full width of vein. No drilling possible
Ore	164	3.0	0.03	8.04	6.2	8.9	1.15	
	165	4.2	0.03	8.38	1.9	3.0	1.45	2.0' cut across back. 2.2' drill hole cuttings
	166	5.0	0.01	1.64	1.7	2.2	0.40	1.0' " " " " 4.0' " " "
	167	4.0	0.02	2.14	0.5	1.1	0.20	Drill hole cuttings.
	168	1.5	0.03	3.98	2.2	1.5	0.40	" " " "
	169	2.0	0.01	2.01	1.9	1.3	0.25	" " " "
	170	3.0	0.005	3.26	2.9	2.1	0.80	
	171	4.0	0.02	1.24	2.2	1.7	0.35	Drill hole cuttings.
	172	2.0	0.02	0.18	0.5	0.8	0.05	" " " "
	173	3.0	0.005	0.16	0.2	0.6	0.05	" " " "
	174	5.0	0.005	1.06	0.2	0.2	0.05	" " " "
	175	1.0	0.005	1.18	0.1	0.2	0.05	" " " "

ASSAYS

Sample No.	Oz Au	Oz Ag	% Pb	% Zn	% Cu	% CaF_2	Comments
100	0.04	4.42	3.70	4.20	1.05		Swell in Keno Vein at intersect
101	0.03	2.58	0.60	1.10	0.10		
102	0.03	0.62	0.30	0.80	0.10		
103	0.03	1.44	0.20	1.10	0.15		
104	0.04	5.22	6.30	7.70	1.10		Swell in Keno Vein at intersecti
105	0.02	3.40	1.80	4.60	0.50		Diminishing from intersecti
106	0.02	1.58	0.10	1.00	0.15		
107	0.01	0.36	0.05	0.70	0.04		
108	0.02	3.46	3.50	3.50	0.70		N-S fractures intersecting
109	0.005	1.62	0.04	0.10	0.15		
110	0.01	0.38	0.05	0.60	0.10		
111	0.02	0.34	0.05	0.80	0.05		
112	0.03	0.32	0.06	1.00	0.06	1.10	N-S fracture intersecting
113	0.02	0.32	0.05	0.90	0.07	1.40	
114	0.02	0.32	0.03	0.90	0.04	2.20	
119	0.01	0.50	0.10	0.20	0.10		
120	0.01	0.56	0.10	0.20	0.10		
121	0.01	0.62	0.05	0.10	0.04		
122	0.01	0.56	0.15	0.20	0.10		
123	0.01	0.66	0.05	0.35	0.10		
124	0.01	0.74	0.05	0.10	0.05		
125	0.01	1.22	0.10	0.20	0.05		
126	0.01	1.18	0.10	0.20	0.10		
127	0.005	2.68	1.80	2.10	0.25		Feather of Keno Vein
128	0.005	1.02	0.10	0.30	0.10		Quartz and rhodonite gan
129	0.005	0.62	0.15	0.30	0.10		Floor. Some pyrite. Minor
130	0.005	0.78	0.10	0.20	0.05		Split of Keno Vein.
131	0.01	0.92	0.05	0.20	0.10		
132	0.02	0.74	0.05	0.20	0.10		N-S fracture lines at top. Qtz.
133	0.005	0.84	0.05	0.10	0.10		Same description as 132
134	0.01	0.68	0.10	0.20	0.05	2.50	Barren. N-S fracture at top
135	0.05	1.06	0.10	0.20	0.10	2.50	drift. Hole floor well min
136	0.015	0.82	0.05	0.10	0.10	3.10	alized. Patsie vein.
137	0.005	1.04	0.10	0.10	0.15		All chlorite filled fractu
138	0.01	0.82	0.10	0.20	0.05		Same description as 132
139	0.01	0.82	0.10	0.20	0.05		Still feather of Keno Vein
		Long Hole Samples				Hole No.	
140	0.01	1.02	2.70	5.50	0.75	Hole No.	from 0.5' to 4.5'. Intersect
141	0.005	2.84	2.70	7.80	1.20	Hole No. 4	0.5' to 5.0'. Swell along N-S
142	0.01	2.78	0.10	0.50	0.35	Hole No. 4	from 15' to 19'. NE. fracture
143	0.005	1.22	0.05	0.30	1.15	Hole No. 5	from 9' to 13'. N-S vein. Sample
144	0.02	1.06	0.15	0.20	0.15	Hole No. 6	from 4' to 6'. N-S vein. Sample
145	0.01	3.44	0.20	0.45	0.30	Hole No. 8	from 1' to 8'. Intersection
146	0.005	0.80	0.15	0.05	0.05	Hole No. 9	from 3' to 4'. Accessory vein
147	0.01	0.92	0.10	0.10	0.25	Hole No. 10	from 0' to 3'. Talc. 4' Long hole
148	0.01	0.74	0.05	0.10	0.30	Hole No. 11	from 0.5' to 4.0'. Talc. 3' 4" Long
							hole. 3' 6"

OFFICIAL COPY
JUL 14 1965
RECEIVED
SECTION
OFFICE


EXHIBIT 13
CLAIMS ON BROWN MOUNTAIN
OURAY COUNTY, COLORADO
SCALE 1" 200'-0"
OFFICIAL COPY
O. M. R.
RECEIVED
JUL 14 1965
INITIALS CODE
Sec. 36 Sec. 31 T. 43 N.
T. 42 N.
7736
MIKE 3
MIKE 2
MIKE 4
BIG 4
NETTIE B. 5580
Drift Driven April, May, 1965 proves that fractures seen from McGee Bearing Northeasting to Pistol and Cost Day are-bodies
KENO 2216
KENO SHIFT
5580
FORD
FOUNTAIN
JIM
HELEN NO. 2
COLUMBINE 3
COLUMBINE 2
STEEL GALENA
Proposed Patsie Drift
Proposed Patsie Fault
INDIANA
TOPEKA
7245
7245 DELAWARE
7245 OLD LOG CABIN
7245 MOLLY MECARY
7245 ON CAVE
7245 ATLANTIC
5125 POLAR BEAR
COLUMBINE
KREMLIN 2570
PATSIE OPEN CUT
crosscut
crosscut
EISTAR
HELEN
4455
KENTUCKY GIANT
7245 TRIANGLE
7245 ILLINOIS
7245 RED MTN PARK
7245 ARCADE
5401 LONE STAR
5401 FLAG STAFF
UNCOMPAHGRE
MOLLY BELL 7245
STANLEY 2571
LOST DAY TRENCH
LOST DAY 1
LOST DAY 2
6185 CHIMNEY CORNER
COLUMBINE 1
LUCKY JONES
NOTE: LUCKY JONES NO. 1 Lies east of LUCKY JONES
IRIS 2
PIONEER 2
OZARK 7053
OURAY COUNTY
SAN JUAN COUNTY
NATIONAL FOREST
MARION
MARION NO. 1
MARION NO. 2
N
R 8 W R 7 W
Sec. 25 Sec. 30
Sec. 36 Sec. 31
MONO
JAY EYE SEE
CONTACT
CARBONATE
SUNNYSIDE
AJAX