Exhibit 12

Charles Butler
Box 435
Durango, Colo.

OFFICIAL COPY
O. M. E.
RECEIVED
MAR 3 1966
INITIALS | CODE



Cross Section

Breece Hill Area



Claim Map

Showing Butler Leases

1" = 300'

Leadville Mining District

Lake County, Colorado

- - - - project area

OFFICIAL COPY
O. M. E.
RECEIVED
MAR 3 1986
INITIALS | CODE

Exhibit 7

charles Butler
Box 435
Durango, Co.



OFFICIAL COPY O. M. E. RECEIVED 3 1966

LITTLE PRINCE MINE

Portion Available for
Sampling on 234' Level
Scale 1" = 20'

June 3/17
H.C. Klaus
Traced 6-28-1966

OFFICIAL COPY
O. M. B.
RECEIVED
MAR 3 1966
INITIALS | CODE



339 - A - 2.7' - 0.0 - 3.1 - 0.1 - 0.0
340 - B - 2.0' - 0.2 - 1.0 - 0.9 - 0.20
341 - 4.0' - 0.02 - 29.6 - 0.4 - 0.80
256 - A 3.5' - 0.0 - 3.5 - 0.3 - 0.14
257 - B 1.0' - 0.0 - 2.7 - 0.8 - 0.28
337 - 2.0' - 0.0 - 3.5 - 0.4 - 0.22 (Top of raise)
162 - 3.0' - 0.0 - 1.4 - 0.0 - 0.83
258 - 2.0' - 0.0 - 1.2 - 0.1 - 0.84
334 - 4.8' - 0.0 - 4.3 - 0.1 - 2.88
147 - 3.5' - 0.0 - 2.8 - 0.0 - 0.14
357 - A - 1.0' - 0.0 - 1.4 - 0.1 - 0.10
358 - B - 2.9' - 0.1 - 3.8 - 0.1 - 0.82
234 - A - 2.5' - 0.0 - 3.2 - 1.5 - 0.15
235 - B - 1.5' - 0.0 - 3.0 - 0.0 - 0.22
150 - 4.5' - 0.24 - 11.0 - 0.0 - 2.60
236 - A - 1.5' - 0.03 - 3.2 - 1.5 - 3.06
237 - B - 1.3' - 0.01 - 7.3 - 2.0 - 3.15
238 - C - 2.5' - 0.0 - 3.1 - 0.0 - 0.94
239 - A - 2.5' - 0.3 - 12.3 - 1.7 - 2.67
240 - B - 4.0' - 0.02 - 8.9 - 0.0 - 0.62
241 - C - 3.0' - 0.0 - 6.3 - 0.15 - 0.0
347 - A - 2.4' - 0.0 - 5.2 - 0.3 - 0.52
348 - B - 2.0' - 0.0 - 6.7 - 0.4 - 0.40
351 - B - 1.5' - 0.0 - 1.6 - 0.4 - 0.71
352 - A - 1.8' - 0.1 - 4.4 - 0.4 - 1.02
262 - B - 2.4' - 0.2 - 7.7 - 0.2 - 0.10
263 - C - 2.0 - 0.0 - 9.0 - 0.2 - 0.20
242 - 2.0' - 0.01 - 11.3 - 0.5 - 0.619
273 - 1.0' - 0.1 - 5.9 - 0.0 - 0.10
243 - 1.5' - 0.0 - 7.0 - 0.5 - 0.82
244 - A - 3.0' - 0.0 - 0.6 - 0.0 - 0.92
245 - B - 2.0 - 0.01 - 10.2 - 0.0 - 1.04
271 - Grab 0.0 - 0.8 - 0.0 - 0.27
197 - 4.0' - 0.0 - 3.9 - 0.0 - 0.04
198 - 3.5' - 0.0 - 6.4 - 0.0 - 0.417
199 - 4.5' - 0.05 - 4.2 - 0.0 - 1.78
266 - 1.0' - 0.0 - 1.5 - 0.9 - 0.06
267 - 1.5' - 0.0 - 3.3 - 0.1 - 0.35
302 - A - 4.0' - 0.0 - 5.0 - 0.4 - 0.10

463 - A - 3.0'
463 - B - 2.7'
452 - A - 3.8' - 0.0 - 4.2 - 0.6 - 0.44
452 - B - 2.0' - 0.0 - 1.0 - 0.2 - 0.26
447 - A - 2.5' - 0.0 - 2.4 - 0.6 - 0.36
447 - B - 3.0' - 0.0 - 1.5 - 0.0 - 0.14
444 6.0' - 0.0 - 3.0 - 0.6 - 1.02
441 - A - 4.0' - 0.0 - 5.2 - 0.6 - 0.30
441 - B - 2.0' - 0.0 - 3.6 - 0.9 - 0.40
456 - A - 3.0' -
456 - B - 2.3' -
430 - A - 3.4' - 0.02 - 13.7 - 2.3 - 1.94
430 - B - 1.3' - 0.0 - 3.5 - 0.5 - 0.30
430 - C - 1.6' - 0.0 - 5.0 - 0.3 - 0.36
431 - 4.5' - 0.0 - 1.7 - 0.1 - 0.20
427 - A - 2.3' - 0.0 - 5.2 - 0.4 - 0.40
427 - B - 2.0 - 0.0 - 4.1 - 0.6 - 0.18
423 - 5.0' - 0.0 - 4.1 - 0.4 - 0.58
419 - 4.7' - 0.0 - 4.3 - 0.5 - 0.38
412 - 2.7' - 0.0 - 5.6 - 0.4 - 0.64
408 - 2.5' - 0.0 - 3.2 - 0.4 - 0.28
404 - 4.2' - 0.0 - 4.0 - 0.4 - 0.54
401 - 5.0' - 0.0 - 3.0 - 0.5 - 0.32
360 - A - 1.5' - 0.0 - 0.7 - 0.1 - 0.10
360 - B - 2.1' - 0.0 - 3.2 - 0.4 - 0.85
360 - C - 2.0 - 0.0 - 3.5 - 0.5 - 0.20
215 - 4.0 - 0.0 - 2.7 - 0.0 - 0.32
247 - 4.0 - 0.05 - 6.8 - 0.2 - 0.36
200 - 3.0 - 0.1 - 3.7 - 0.0 - 0.92
246 - 2.5 - 0.0 - 3.6 - 0.1 - 0.56
202 - 3.5' - 0.4 - 5.5 - 0.0 - 0.27
216 - 3.5' - 0.0 - 3.4 - 0.0 - 0.55

217 - 2.5' - 0.0 - 1.0 - 0.0 - 0.36
218 - 3.0' - 0.0 - 4.1 - 0.0 - 0.58
324 - 5.0' - 0.0 - 3.4 - 0.4 - 0.11
313 - 5.5' - 0.0 - 5.3 - 0.7 - 0.68
307 - pile - 0.0 - 6.0 - 0.4 - 0.70
304 - pile - 0.0 - 4.6 - 0.7 - 1.38
296 - pile - 0.0 - 3.3 - 0.4 - 0.88
282 - A - 1.9' - 0.0 - 6.1 - 0.4 - 0.69
283 - B - 0.7' - 0.0 - 2.0 - 0.0 - 0.26
284 - C - 2.6' - 0.0 - 3.7 - 0.5 - 0.58
274 - Grab - 0.0 - 3.0 - 0.8 - 1.54
250 - 4.0' - 0.0 - 2.7 - 0.8 - 1.44
251 - 2.0' - 0.0 - 2.1 - 1.9 - 0.35
140 - 6.0' - 0.06 - 2.6 - 0.0 - 0.70
224 - 3.0' - 0.01 - 3.0 - 0.0 - 2.68
211 - 3.0' - 0.0 - 3.0 - 0.0 - 0.38
212 - 3.0' - 0.0 - 5.3 - 0.0 - 1.40
142 - 4.0' - 0.05 - 1.6 - 0.0 - 0.21
252 - 2.5' - 0.0 - 2.4 - 0.3 - 2.58
253 - Grab - 0.05 - 8.4 - 0.3 - 2.46
213 - 3.0' - 0.0 - 5.1 - 0.0 - 0.34
214 - 1.0' - 0.0 - 3.3 - 0.0 - 0.31
139 - 6.5' - 0.0 - 0.5 - 0.0 - 0.06
275 - pile - 0.0 - 2.3 - 0.6 - 2.16
285 - 5.0' - 0.0 - 2.3 - 1.0 - 1.58
298 - pile - 0.0 - 1.8 - 0.7 - 0.52
297 - pile - 0.0 - 3.1 - 0.5 - 0.74
305 - pile - 0.0 - 2.3 - 0.8 - 0.22
309 - pile - 0.0 - 2.1 - 0.4 - 0.44
314 - 6.0' - 0.0 - 1.6 - 0.0 - 1.35
323 - 6.0' - 0.0 - 1.7 - 0.5 - 1.18
248 - 3.0' - 0.0 - 1.4 - 0.7 - 0.72
249 - 2.0 - 0.0 - 2.0 - 1.6 - 1.08

354 - 4.0' - 0.0 - 1.8 - 0.3 - 0.78
349 - 3.7' -
329 - 6.0' - 0.0 - 1.2 - 0.2 - 0.72
346 - 4.5' - 0.0 - 1.2 - 0.5 - 0.30
398 - 4.5' - 0.0 - 1.8 - 0.1 - 0.36
399 - 5.0 - 0.0 - 1.6 - 0.0 - 0.36
406 - 3.7 - 0.0 - 1.8 - 0.2 - 0.66
409 - 4.5' - 0.0 - 1.0 - 0.2 - 0.44
414 - 3.3' - 0.0 - 1.6 - 0.1 - 0.38
421 - 3.8' - 0.0 - 2.0 - 0.2 - 0.30
425 - 2.9' - 0.0 - 1.2 - 0.4 - 0.26
428 - 3.3' - 0.0 - 0.8 - 0.4 - 0.10
435 - 6.0' - 0.0 - 1.2 - 0.4 - 0.24
438 - 7.2' - 0.0 - 0.9 - 0.4 - 0.36
442 - 4.1' - 0.0 - 0.8 - 0.4 - 0.30
445 - 4.8' - 0.0 - 0.5 - 0.0 - 0.32
448 - 3.3' - 0.0 - 0.8 - 0.0 - 0.16
459 - 4.5' - 0.0 - 1.2 - 0.5 - 0.20
474 - 4.6' - 0.0 - 0.6 - 0.7 - 0.31
471 - 2.0 - 0.36 - 5.8 - 0.2 - 0.30
481 - 2.7 - 0.0 - 3.2 - 1.4 - 0.42