



INDEX TO GEOLOGIC MAPPING OF BEDROCK AREAS, BLYTHE 30' BY 60' QUADRANGLE,
CALIFORNIA AND ARIZONA

1. Ballard, 1990
2. Crowl, 1979; this study
3. Hamilton, 1964, 1984; Hamilton, Warren, unpublished
4. Knapp, 1989
5. Knapp, 1989; Spencer and others, 1988; this study
6. Miller, 1970; Lerch, M.F., unpublished; Richard, S.M., unpublished; this study
7. Powell, R.E., unpublished
8. Scarborough and Meader, 1983, 1989
9. Stone and Pelka, 1989
10. Stoneman, 1985a, 1985b; this study
11. Tosdal, 1988; this study
12. Tosdal, R.M., unpublished; this study
13. Yeats, 1985a, 1985b; this study
14. This study

Notes: Surficial deposits were mapped primarily by the author through air photo interpretation and local field study. Outcrops of the fine-grained sedimentary rocks unit of the Bouse Formation (Tbs) are from Metzger and others (1973) and A.V. Buising (unpublished mapping).

(Diagram reproduced from U.S. Geological Survey Open-File Report 90-497,
"Preliminary Geologic Map of the Blythe 30' by 60' Quadrangle, California and Arizona")