

DAVID NEW DRILLING COMPANY, INC.
 NO. 1 BUCKEYE CELLULOSE 20-3
 WILDCAT
 FRANKLIN COUNTY, FLORIDA

DATE: 11-17-87
 FORMATION: WATER BASE MUD
 DRLG FLUID: SECTION 20-6S-5W
 LOCATION: SECTION 20-6S-5W


FILE NO.: 42106-1370C
 LABORATORY: MOBILE, AL
 ANALYSTS: DH/PD
 ELEVATION:

CONVENTIONAL CORE ANALYSIS

SMP NO	DEPTH FEET	PERM MD#	POR %	OIL% PORE	WTR% PORE	PROB PROD	GAS% BULK	DESCRIPTION	ODOR	FLU
CORE NUMBER 1 11716 - 11776 CUT 60 FEET - RECOVERED 26 FEET										
1	11716.0	14	11.2	0.0	74.6	WTR.	2.8	GRY M-CG SLTY W/LG PEBBLES	NO	NO
2	11717.0	0.17	8.3	0.0	77.8	WTR6	1.8	GRY M-CG SLTY W/LG PEBBLES	NO	NO
3	11718.0	70	14.3	0.0	82.8	WTR.	2.5	GRY M-CG SLTY W/LG PEBBLES	NO	NO
4	11719.0	62	11.7	0.0	79.8	WTR.	2.4	GRY M-CG SLTY W/LG PEBBLES	NO	NO
5	11720.0	2.76	7.2	0.0	73.4	WTR.	1.9	GRY M-CG SLTY W/LG PEBBLES	NO	NO
	11721.0					(*)		SHALE RD BRN		
6	11740.0	1.94	14.6	0.0	86.9	WTR.	1.9	SD RD BRN FG SLTY	NO	NO
7	11741.0	0.01	6.6	0.0	86.8	(6)	0.9	SD RD BRN FG SHY	NO	NO
	11742.0					LOST CORE				

(6) LOW PERMEABILITY

(*) NO ANALYSIS



These analyses, opinions or interpretations are based on observations and materials supplied by the client to whom, and for whose exclusive and confidential use, this report is made. The interpretations or opinions expressed represent the best judgment of Core Laboratories, Inc. (all errors and omissions excepted), but Core Laboratories, Inc. and its officers and employees, assume no responsibility and make no warranty or representations, as to the productivity, proper operations, or profitability of any oil, gas or other mineral well or sand in connection with which such report is used or relied upon.

PAGE NO. 2
 Permit 1227

DAVID NEW DRILLING COMPANY, INC.
 NO. 1 BUCKEYE CELLULOSE 20-3
 WILDCAT
 FRANKLIN COUNTY, FLORIDA

DATE: 11-19-87
 FORMATION: NORPHLET
 DRUG FLUID: WATER-BASE MUD
 LOCATION: SECTION 20-6S-5W

FILE NO.: 42106-1370C
 LABORATORY: MOBILE, AL
 ANALYSTS: DH/PD
 ELEVATION:

CONVENTIONAL CORE ANALYSIS

SMP NO	DEPTH FEET	PERM MD#	POR %	OIL% PORE	WTR% PORE	PROB PROD	GAS% BULK	DESCRIPTION	ODOR	FLU
CORE NUMBER 2 12074 - 12134 CUT 60 FEET - RECOVERED 24 FEET										
8	12074.0	198	21.8	0.0	74.4	WTR.	5.6	SD RD BRN MG SLTY	NO	NO
9	12075.0	391	22.5	0.0	76.7	WTR.	5.2	SD RD BRN MG SLTY	NO	NO
10	12076.0	380	22.8	0.0	81.5	WTR.	4.2	SD RD BRN MG SLTY	NO	NO
11	12077.0	625	23.9	0.0	80.9	WTR.	4.6	SD RD BRN MG SLTY	NO	NO
12	12078.0	583	23.9	0.0	84.5	WTR.	3.7	SD RD BRN MG SLTY	NO	NO
13	12079.0	620	24.1	0.0	79.4	WTR.	5.0	SD RD BRN MG SLTY	NO	NO
14	12080.0	688	24.5	0.0	77.1	WTR.	5.6	SD RD BRN MG SLTY	NO	NO
15	12081.0	677	24.4	0.0	79.5	WTR.	5.0	SD RD BRN MG SLTY	NO	NO
16	12082.0	700	24.1	0.0	69.6	WTR.	7.3	SD RD BRN MG SLTY	NO	NO
17	12083.0	851	25.1	0.0	74.7	WTR.	6.4	SD RD BRN MG SLTY	NO	NO
18	12084.0	428	22.6	0.0	76.9	WTR.	5.2	SD RD BRN MG SLTY	NO	NO
19	12085.0	638	24.3	0.0	80.1	WTR.	4.8	SD RD BRN MG SLTY	NO	NO
20	12086.0	666	20.6	0.0	81.0	WTR.	3.9	SD RD BRN MG SLTY	NO	NO
21	12087.0	612	22.7	0.0	76.2	WTR.	5.4	SD RD BRN MG SLTY	NO	NO
22	12088.0	1500	23.8	0.0	79.0	WTR.	5.0	SD RD BRN MG SLTY	NO	NO
23	12089.0	459	21.3	0.0	74.5	WTR.	5.4	SD RD BRN MG SLTY	NO	NO
24	12090.0	610	25.7	0.0	79.4	WTR.	5.3	SD RD BRN MG SLTY	NO	NO
25	12091.0	397	24.6	0.0	77.3	WTR.	5.6	SD RD BRN MG SLTY	NO	NO
26	12092.0	330	26.1	0.0	76.4	WTR.	6.2	SD RD BRN MG SLTY	NO	NO
27	12093.0	380	25.2	0.0	80.7	WTR.	4.9	SD RD BRN MG SLTY	NO	NO
28	12094.0	443	26.4	0.0	83.0	WTR.	4.5	SD RD BRN MG SLTY	NO	NO
29	12095.0	620	26.5	0.0	76.3	WTR.	6.3	SD RD BRN MG SLTY	NO	NO
30	12096.0	2308	28.2	0.0	72.3	WTR.	7.8	SD RD BRN MG SLTY	NO	NO
31	12097.0	774	27.1	0.0	74.0	WTR.	7.0	SD RD BRN MG SLTY	NO	NO
	12098.0	-12134.0	LOST CORE							

These analyses, opinions or interpretations are based on observations and materials supplied by the client to whom, and for whose exclusive and confidential use, this report is made. The interpretations or opinions expressed represent the best judgment of Core Laboratories, Inc. (all errors and omissions excepted); but Core Laboratories, Inc. and its officers and employees, assume no responsibility and make no warranty or representations, as to the productivity, proper operations, or profitability of any oil, gas or other mineral well or sand in connection with which such report is used or relied upon.

Permit 1227
David New Drilling Co., Inc. - #1 Buckeye Cellulose 20-3

CORE and RESISTIVITY EVALUATION

