

30-60 | wh, C-M qtz, poorly sorted, SA 2+ sd w/ no's lt brick rd, ind, blocky, clay matrix

60-90 | wh, M-f qtz, fairly well sorted, SA 2+ sd

90-120 | As(30-60)

120-50 | As(60-90)

150-80 | do

180-10 | N.S.

210-40 | tan, fqz, ind, tyrt, calc ss

240-70 | do

270-00 | do

300-30 | lt qtz, mung, hard, tight, dense sdy ls, Sd is clean, M-f qtz, SA Tr. forams

330-60 | do

360-90 | do Tr. s.f.

390-70 | do

420-50 | do

450-80 | do

480-10 | lt qtz, mung, hard, porous, sdy ls, Sd. is clean, C-f qtz, SA Tr. forams & abund. s.f. ^{Pym}

510-40 | do

540-70 | yel, fqz, ind, tyrt, calc ss Tr. glauc, forams, s.f.

570-00 | lt qtz, mung, hard, porous-tyrt, sdy ls, Sd is clean, C-f qtz, S.R. Tr. s.f., forams, gn glauc

600-20 | clean, fqz, w/s SA 2+ sd + 5% gn glauc Pym

620-50 | off wh, mung, ind, porous ls Tr. gn glauc

650-80 | do

740-70 | tiny, mucro hard, porous-tight, sely ls. Sd is clear, fr. M₁, M₂, SA. Trigh glauc s.c.

770-00 | do
funams

800-30 | M.S.

830-60 | do

860-90 | do

890-20 | do Tripyn

920-50 | do

950-80 | do

980-10 | do

1010-40 | do

1040-70 | do

1070-00 | do

1100-30 | do

1130-60 | do

1160-90 | do

1190-20 | do

1220-50 | do

1250-80 | do

1280-10 | do

1310-40 | do no ryr

1340-70 | do Tripyn

1370-00 | off wj, mucro hard, tight, slightly facs, slightly glauc ls

1400-30 | do faintly porous

1490-70	Crmy, micro, ind, porous, foss ls	
1520-50	do	Tr. musca & gn glauc
1550-80	do	Fairly tight
1580-10	do	
1610-40	buff, micro, ind, porous, sdy, ls	Tr. gn glauc
1640-70	do	Tr. forams, pyr
1670-00	do	
1700-30	do	Sd is now C-M, my, ltr, clean, SR
1730-60	do	
1760-90	buff, ^{ltry} micro, porous, ind, highly foss ls	← Could be logged as ch on sh Tr. glauc
1790-20	do	↳ log AS Arg ch, low down
1820-50	do	
1850-80	do	
1880-10	do	
1910-40	do	
1940-70	do	
1970-00	do	
2000-30	do	
2030-60	do	
2060-90	do	
2090-20	do	
2120-50	do	Tr. pyr
2150-80	do	

2240-70 | do

2270-00 | do

2300-30 | do

2330-60 | do

2360-90 | do

2390-20 | do

2420-50 | do

2450-80 | do

2480-10 | do

2510-40 | do

2540-70 | do

2570-00 | do

2600-30 | do

2630-60 | do

2660-90 | do

2690-20 | do

2720-50 | do

2750-62 | N.S.

2762-92 | do

2780-10 | do

2810-40 | do

2840-70 | do

2870-00 | do

2960-90 | do

2990-20 | do

3005-35 | do

3035-45 | do

3050-80 | do

3080-10 | do

3110-40 | do

3140-70 | do

3170-00 | do

3200-30 | do

3230-60 | do

3260-90 | do + 20% ls. ^{-tan} s.f. (finely sdly) w/ wh fgnz calc and glauc ss

3290-20 | do

3320-50 | do + 40% ls. ^{-tan} s.f.

3350-80 | s.f. + ss In. pyr

3380-10 | do

3410-40 | do

3440-70 | do

3470-00 | do

3500-30 | do

3530-60 | do

3560-90 | do

3590-20 | do

← hog AS mb. ss & gys

- 3680-10 | do
- 3695-25 | do
- 3725-55 | do
- 3740-70 | do
- 3770-00 | do ss vfgn + mic
- 3800-30 | lg s.f. + lt qry, vfgn, ind, mic, calc ss Tr. pyr. & forams
- 3830-60 | do
- 3860-90 | do no pyr
- 3890-20 | lt qry, vfgn, ind, calc, mic ss
- 3920-50 | do fgn
- 3950-80 | do Tr. forams
- 3980-10 | lt qry, fgn, ind, calc, glauc ss & sh
- 4010-40 | lt qry, fossil, soft, calc sh
- 4040-70 | N.S.
- 4070-00 | ss & sh + abund pyr
- 4100-30 | ss & sh
- 4130-60 | wh - lt qry, C-fgn, SA, poorly sorted gr & sd
- 4160-90 | do
- 4190-20 | wh, C-fgn, SA, ws, gr & sd + gr sh
- 4220-50 | sd
- 4250-80 | sd
- 4280-10 | sd
- 4310-40 | wh, C-fgn, SA, ws gr & sd

- 4400-30 | wh, VC qtz, WS, SR qtz sd & gry sh Tr. pyr
- 4430-40 | do Cqm sd
- 4440-40 | do
- 4490-70 | wh, Cqm, WS, SR qtz sd Tr. pyr
- 4520-50 | do
- 4550-80 | do w/ gry sh
- 4580-10 | do Tr. gn glauc
- 4610-40 | N.S.
- 4640-70 | do
- 4670-00 | wh, Mqm, WS, SR qtz sd w/ some ltgn & yel pieces Tr. gn glauc, pyr
- 4700-30 | gry sh
- 4730-60 | AC(4670-00)
- 4760-90 | wh, Cqm, poorly sorted, SR qtz sd w/ scars, orange, yel & pale gn pieces Tr. pyr
- 4790-20 | wh, Mqm, WS, SR qtz sd Tr. pyr w/ gry sh
- 4820-50 | wh, f-Mqm, ind, porous, glauc, calc ss w/ brick red, soft, black, sh 1 piece of sphalerite
- 4850-80 | wh, Mqm, WS, SR qtz sd w/ a few yel & gn pieces Tr. pyr
- 4880-10 | N.S.
- 4910-40 | wh, Mqm, fairly well sorted, SR qtz sd. Tr. gn glauc & brick red, soft, black, sh
- 4940-70 | wh, Mqm, ind, porous, calc. ss Tr. pyr
- 4970-00 | do
- 5000-30 | do
- 5030-60 | do w/ red sh AC(4910-40)
- 5060-90 | wh, Mqm, WS, SR qtz sd Tr. pyr, gn glauc, red sh

- 5150-80 | do no pyr
- 5180-10 | wh, Mqny, ws, SR & t₂ sd Tr, gn glauc, fsp
- 5210-40 | do
- 5240-70 | do plus brick rd, blocky, soft sh
- 5270-00 | do
- 5300-30 | wh, Cqny, fairly ws, SR & t₂ sd
- 5330-60 | U, Mqny, fairly ws, SR & t₂ sd w/ brick red, blocky, soft sh Tr, fsp
- 5360-90 | do + Tr, gn glauc, pyr
- 5390-20 | off wh, C-Mqny, ind, porous, dolom ss Tr, fsp, pyr
- 5420-50 | wh-yel, Mqny, ws, SR & t₂ sd Tr, fsp, pyr, glauc, rd sh
- 5450-80 | wh-yel, UCqny, fairly ws, SR & t₂ sd w/ abund fsp & rd sh
- 5480-10 | do
- 5510-40 | wh, Cqny, ws, SR & t₂ sd w/ rd sh
- 5540-70 | do Tr, pyr
- 5570-00 | do no sh
- 5600-30 | do
- 5630-60 | wh-yel, Cqny, ws, SR & t₂ sd Tr, gn glauc w/ rd sh
- 5660-90 | wh, UC, ws, SR & t₂ sd w/ rd sh Tr, fsp
- 5690-20 | wh, Cqny, ws, SR & t₂ sd Tr, fsp
- 5720-50 | wh, UC qny, ws, SR & t₂ sd Tr, fsp, pyr, rd sh
- 5750-80 | do
- 5780-10 | do no pyr
- 5810-40 | do

5900-30 | do poorly sorted

5930-60 | do

5940-80 | wh, VC qnz, WS, SR qtz sd Tr. fsp, red sh

5990-20 | lt qnz, v f qnz, ind, porous, mic, calc ss Tr. red sh

6020-50 | wh, VC qnz, WS, SR qtz sd w/ brack red, fissile, highly mic, soft sh

6050-80 | do

6080-10 | wh-yel, M qnz, WS, SR qtz sd w/ red sh Tr. rose qtz, fsp

6110-40 | do

6140-70 | wh-yel, VC-C qnz, fairly WS, SR qtz sd Tr. fsp, ganglanc

6170-00 | do w/ red sh no glauc

6200-30 | do

6230-60 | wh, C qnz, WS, SR qtz sd w/ red sh Tr. fsp

6260-90 | do VC qnz sd

6290-20 | wh, VC qnz, WS, SR qtz sd w/ red sh Tr. fsp

6320-50 | do C qnz sd

6350-80 | do

6380-10 | do

6410-40 | wh, VC qnz, fairly WS, SR qtz sd w/ red sh Tr. fsp

6440-70 | do C qnz sd

6470-00 | do

6500-30 | do WS

6530-60 | do

6560-90 | do

6650-80 | wh, Cqny, WS, SR gtz sd w/ red sh Tr. gnglanc, pyr, fsp

6680-10 | do

6710-40 | do Mgny sd

6740-70 | do Cqny sd

6770-00 | do

6800-30 | do

6830-40 | do Mgny sd

6860-90 | wh-pink-yel, Mgny^f, ind, porous ss w/ red sh Tr. pyr, gnglanc

6890-20 | do

6920-50 | do

6950-80 | do no glauc

6980-10 | do

7010-40 | wh, Cqny, WS, SR gtz sd

7040-70 | N.S.

7070-00 | wh, C-Mgny, fairly, WS, SR gtz sd w/ red sh Tr. fsp, gnglanc

7100-30 | N.S.

7130-40 | do

7160-7340 | N.S.

7340-70 | do

7370-00 | Itqny, Cqny, ind, porous, slightly mic ss w/ red sh

7400-7550 | N.S.

7550-80 | wh, Mgny, WS, SR gtz sd w/ red sh Tr. gnglanc

7580-10 | do f-Mgny sd but w/ Itqny fossils, soft sh

- 7670-00 wh, M qny, WS, SR qtz sd w/ qny sh
- 7700-30 do Tr. glauc, pyr
- 7730-60 wh-lt qny, C qny, WS, SR qtz sd w/ qny sh Tr. glauc
- 7760-90 do
- 7790-20 do w/ multicol, many hard, porous dol
- 7820-50 do
- 7850-80 do
- 7880-10 qtz sh
- 7910-40 wh, M qny, WS, SR qtz sd w/ brick red, ind, blocky sh
- 7940-70 do C-M sd
- 8170-00 do Tr. glauc
- 8000-30 do M-f qny sd
- 8030-60 do
- 8060-90 wh-pink, f^M qny, ind, porous, dolc ss w/ red sh Tr. glauc
- 8090-20 do
- 8120-50 do
- 8150-80 do
- 8180-10 do
- 8210-40 do no glauc
- 8240-70 do
- 8270-00 do
- 8300-30 wh, M-f qny, WS, SR qtz sd w/ red sh
- 8330-60 do

8420-50 do

8450-80 do

8480-00 do