


EXPLANATION




Magnetic contours showing total intensity magnetic field of the earth in gammas relative to arbitrary datum
Hachured to indicate closed areas of lower magnetic intensity; dashed where data are incomplete

Measured maximum or minimum intensity within closed high or closed low

Flight path
Showing location and spacing of data

NOTE

Aeromagnetic data are obtained and compiled along a continuous line, whereas ground magnetic surveys are made at separate points. Errors within the normal limits of any magnetic measurement may cause slight discrepancies between flight lines in an aeromagnetic map, which would be more obvious than similar discrepancies between points in a ground magnetic map. For this reason as much care should be exercised in evaluating magnetic features that appear as elongations along a single aeromagnetic traverse as in interpreting an anomaly indicated by a single ground station



INDEX MAP OF OKLAHOMA SHOWING AEROMAGNETIC MAPS PUBLISHED BY THE U.S. GEOLOGIC SURVEY. AREA OF GP-469 SHADED


Base from U.S. Geological Survey topographic quadrangles: Ripley, 1929 and Agra, 1906, and from Payne County road map

Aeromagnetic survey flown at 2100 feet above ground, 1957

AEROMAGNETIC MAP OF THE GLENCOE-RIPLEY AREA PAYNE COUNTY, OKLAHOMA

By
G.E. Andreasen, R.W. Bromery, and F.P. Gilbert

SCALE 1:62 500



CONTOUR INTERVAL 10 GAMMAS
1964

