




EXPLANATION




Magnetic contours showing total intensity magnetic field of the earth in gammas relative to arbitrary datum
Hachured to indicate closed areas of lower magnetic intensity; dashed where data are incomplete. Contour intervals 10 and 50 gammas

Location of maximum or minimum intensity, within closed high or closed low

Flight path
Showing location and spacing of data

NOTE

Aeromagnetic data are obtained and compiled along a continuous line, whereas ground magnetic surveys are made at separate points. Errors within the normal limits of any magnetic measurement may cause slight discrepancies between flight lines in an aeromagnetic map, which would be more obvious than similar discrepancies between points in a ground magnetic map. For this reason as much care should be exercised in evaluating magnetic features that appear as elongations along a single aeromagnetic traverse as in interpreting an anomaly indicated by a single ground station



INDEX MAP OF OHIO SHOWING AEROMAGNETIC MAPS PUBLISHED BY THE U.S. GEOLOGICAL SURVEY. GP-500 SHADED



Base from U.S. Geological Survey 250,000 series quadrangles: Muncie, 1953; Marian, 1944; and Toledo, 1956



AEROMAGNETIC MAP OF FINDLAY, OHIO, AND VICINITY

By
Randolph W. Bromery and William E. McCaslin

SCALE 1:125 000



DATUM IS MEAN SEA LEVEL

1965

Aeromagnetic survey flown at 500 feet above ground, 1955

INTERIOR—GEOLOGICAL SURVEY, WASHINGTON, D. C.—1965—G65064