

DEPARTMENT OF THE INTERIOR
U.S. GEOLOGICAL SURVEY

COMPOSITE MAGNETIC ANOMALY MAP OF
THE CONTERMINOUS UNITED STATES WEST OF 96° LONGITUDE

By Kevin R. Bond and Isidore Z.

GEOPHYSICAL INVESTIGATION MAP
Published by the U.S. Geological Survey, 1987

BOND AND ZIETZ—COMPOSITE MAGNETIC ANOMALY MAP, WESTERN U.S.

1:2,500,000 MAP GP-977

COMPOSITE MAGNETIC ANOMALY MAP OF
THE CONTERMINOUS UNITED STATES WEST OF 96° LONGITUDE

By

Kevin R. Bond and Isidore Zietz

Assisted by

Frederic E. Riggle and Stephen L. Snyder

The accompanying magnetic-anomaly map of the conterminous United States west of 96° longitude and adjacent offshore areas is intended to provide a synoptic view of magnetic anomalies and is not meant to represent the best data currently available. The map is consistent in scale and projection with that of the tectonic map (U.S. Geological Survey and American Association of Petroleum Geologists, 1961), gravity anomaly map (Society of Exploration Geophysicists, 1982), Bouguer gravity anomaly map (American Geophysical Union, 1964), basement rock map (Bayley and Muehlberger, 1968), geologic map (King and Beikman, 1974), and magnetic anomaly map (Zietz, 1982) of the conterminous United States. This map differs from the previously published composite magnetic-anomaly map of the conterminous United States in two ways: (1) the contour interval is 100 gammas, and (2) large areas of older data have been replaced with more recent surveys, most often with data from the National Uranium Resource Evaluation (NURE) program of the U.S. Department of Energy.

The NURE data, acquired for each 1° by 2° quadrangle in the conterminous United States and referenced to the 1975 International Geomagnetic Reference Field (1975 IGRF), were obtained at an altitude of 400 feet mean terrain clearance generally in an east-west direction and with flightline spacings ranging from 0.5 to 6 miles, but most commonly 3 miles. Consequently, this data set provided a consistent base net for the compilation of magnetic-anomaly data for areas of large regional extent. The NURE data were available on magnetic tape and in the form of analog aeromagnetic profiles at a scale of 1:500,000. Since the compilation was a purely analog effort all profile data were reduced to a planimetric base at this scale and contoured by hand, this process served as a low-pass filter.

Generally, the NURE data were used for compilation except where large areas of data with closer flightline spacings existed; approximately 70% of this map consists of data from the NURE program. However, in some cases (such as in the states of Nevada and Minnesota) the disparity between the existing closer-spaced data and the NURE data was so great that a satisfactory merge could not be effected. Consequently, the NURE data were used. Flight altitudes, directions, and spacings of the non-NURE data sources varied widely; no attempt was made to analytically continue magnetic-anomaly data to a common level. These data were also referenced to various geomagnetic reference fields (mainly the 1965 IGRF and 1975 IGRF) which approximate the earth's main magnetic field. The removal of a geomagnetic reference field enhances the crustal-field information and makes the results of surveys made at different times or in different regions more comparable. All merging of data was accomplished visually through arbitrary datum level shifts.

On the basis of comparisons with aeromagnetic anomaly data of the U.S. Naval Oceanographic Office and the NURE program, it is inferred that the relative zero level of the compiled map is

approximately 1,000 gammas higher than the absolute zero level of these data based on the 1975 IGRF. Because the quality of the map is limited by the diversity of the data types incorporated herein, data-acquisition specifications, and compilation techniques, it is strongly recommended that the map be used only at the 1:2,500,000 publication scale or smaller scales of interest in broad regional qualitative investigations. For more detailed work at scales larger than the 1:2,500,000 publication scale, original data sources should be used.

Compilation involved the following steps: (1) Magnetic-anomaly data of a given survey were studied to ensure that a geomagnetic reference field at the time of the survey was subtracted (Fabiano and Peddie, 1969; Barraclough and Fabiano, 1978; Fabiano and others, 1982). (The few surveys used in the compilation of the map which were flown before 1965 were limited in extent and did not contain a correction for the earth's magnetic field at this step); (2) data at a very large scale and/or containing too much detail to be shown at a scale of 1:2,500,000 were generalized, and only the main magnetic trends were drawn, in effect, filtering out the finer details; (3) contour lines at an interval of 100 gammas were then selected; (4) the map of the selected contour lines was reduced to the compilation scale of 1:1,000,000; (5) the reduced map was placed on an Albers equal-area base map of the western United States; (6) minor level shifts were introduced as each survey was added to the composite to bring all data to a common base level; (7) near the boundaries of adjacent surveys, contour lines were visually joined as smoothly as possible; and (8) the completed map at the 1:1,000,000 compilation scale was photographically reduced to the 1:2,500,000 publication scale.

As an independent check on the general anomalies and gradients of the compilation, profiles from the completed map were compared with a series of north-south aeromagnetic traverses flown by the U.S. Naval Oceanographic Office (NOO). These traverses were flown in 1976 and 1977 and were spaced approximately one degree of longitude apart over the conterminous United States and referenced to the 1975 IGRF. After bringing both data sets to a common datum level, this comparison showed that the two data sets agreed within 100 gammas. However, since the completion of the compilation of this map, it has been determined that the 1975 IGRF, upon which this map is based, is slightly in error compared to the most recent 1980 IGRF (Peddie, 1983). The usage of this IGRF has produced an artificial northwest-southeast gradient across the map, with anomaly values higher in the northwest and lower in the southeast.

The authors would like to express their utmost appreciation to Frederic Riggle and Stephen Snyder for their efforts in the tremendous task of compiling and generalizing the many hundreds of surveys that make up this map.

References Cited

American Geophysical Union, Special Committee for the Geophysical and Geological Study of the Continents, 1964, Bouguer gravity anomaly map of the United States (exclusive of Alaska and Hawaii): Washington, D.C., U.S. Geological Survey, 2 sheets, scale 1:2,500,000.

Barraclough, D. R., and Fabiano, E. B., 1978, Grid values and charts for the International Geomagnetic Reference Field-1975: U.S. Department of Commerce, National Technical Information Service PB-276630, 139 p.

Bayley, R. W., and Muehlberger, W. R., compilers, 1968, Basement rock map of the United States (exclusive of Alaska and Hawaii): Washington, D.C., U.S. Geological Survey, 2 sheets, scale 1:2,500,000.

Fabiano, E. B., and Peddie, N. W., 1969, Grid values of total magnetic intensity, IGRF-1965: U.S. Environmental Sciences Service Administration Technical Report C and GS 38, 55 p.

Fabiano, E. B., Peddie, N. W., Barraclough, D. R., and Zunde, A., 1982, International Geomagnetic Reference Field 1980: charts and grid values: U.S. Geological Survey Open-File Report 82-377.

King, P. B., and Beikman, H. M., compilers, 1974, Geologic map of the United States (exclusive of Alaska and Hawaii): Reston, Va., U.S. Geological Survey, 3 sheets, scale 1:2,500,000.

Peddie, N. W., 1983, International geomagnetic reference field—Its evolution and the difference in total field intensity between new and old models for 1965–1980: *Geophysics*, v. 48, no. 12, pp. 1691–1696.

Society of Exploration Geophysicists, 1982, Gravity anomaly map of the United States exclusive of Alaska and Hawaii: Tulsa, Oklahoma, 2 sheets, scale 1:2,500,000.

U.S. Geological Survey and American Association of Petroleum Geologists, 1961, Tectonic map of the United States (exclusive of Alaska and Hawaii): Washington, D.C., U.S. Geological Survey, 2 sheets, scale 1:2,500,000.

Zietz, Isidore, compiler, 1982, Composite magnetic anomaly map of the United States, part A: conterminous United States: U.S. Geological Survey Geophysical Investigations Map GP-954-A, 2 sheets, scale 1:2,500,000, 59 p. text.

SOURCES OF DATA

The direction, altitude, and spacing of traverses are shown below. All flight directions are East-West unless otherwise noted.

- 1 Unknown, sea level, 5-10 kilometers (Tiffin and Currie, 1976)
- 2 Sea level, 10 nautical mile (Couch and others, 1978)
- 3 500 feet above sea level, 2 mile (USGS, 1980h)
- 4 North-South, 4200 feet above sea level, 2 mile (USGS, 1980g)
- 5 Sea level, 5 nautical mile (Raff and Mason, 1961)
- 6 15,000 feet barometric, 5 mile (Zietz and others, 1971)
- 7 2500 feet above sea level, 2 mile (USGS, 1980i)
- 8 7000 feet barometric, 3 mile (USGS, 1984c)
- 9 2500 feet above sea level, 2 mile (USGS, 1980f)
- 10 400 feet above ground, 6 mile (High Life/QEB, 1981b)
- 11 North-South, 3000 feet barometric, 1 mile (USGS, 1974f)
- 12 North-South, 3000 feet barometric, 2 mile (USGS, 1977a)
- 13 3000 feet barometric, 2 mile (USGS, 1978a)
- 14 7000 feet barometric, 1 mile (Thompson, 1973)
- 15 400 feet above ground, 6 mile (High Life/QEB, 1981c)
- 16 7000 feet barometric, 3 mile (USGS, 1984d)
- 17 500 feet above sea level (offshore), 3500 feet above sea level (onshore), 2 mile (USGS, 1970)
- 18 3000 feet barometric, 2 mile, (USGS, 1984a)
- 19 1000 feet above ground, 0.5 mile (Henderson and others, 1958a)
- 20 1000 feet above ground, 0.5 mile (Henderson and others, 1958g)
- 21 1000 feet above ground, 0.5 mile (Henderson and others, 1958b)
- 22 1000 feet above ground, 0.5 mile (Henderson and others, 1958h)
- 23 1000 feet above ground, 0.5 mile (Henderson and others, 1958c)
- 24 1000 feet above ground, 0.5 mile (Henderson and others, 1958i)
- 25 1000 feet above ground, 0.5 mile (Henderson and others, 1958d)
- 26 1000 feet above ground, 0.5 mile (Henderson and others, 1958j)
- 27 1000 feet above ground, 0.5 mile (Henderson and others, 1958e)
- 28 1000 feet above ground, 0.5 mile (Henderson and others, 1958k)
- 29 1000 feet above ground, 0.5 mile (Henderson and others, 1958f)
- 30 1000 feet above ground, 0.5 mile (Henderson and others, 1958l)
- 31 1000 feet above ground, 0.5 mile (Henderson and others, 1958m)
- 32 1000 feet above ground, 0.5 mile (Henderson and others, 1958n)
- 33 400 feet above ground, 6 mile (Geo-Life, 1981b)
- 34 Northeast-Southwest, 1000 feet above mean terrain, 0.5 mile (United Engineers and Constructors, 1978)
- 35 1000 feet above ground, 0.5 mile (USGS, 1982a)
- 36 9500 feet barometric, 1 mile (USGS, 1977c)
- 37 10,000 feet barometric, 1 mile (Staatz and others, 1971)
- 38 10,000 feet barometric, 1 mile (USGS, 1976a)
- 39 500 feet above ground, 0.25 mile (Hunting Geophysical Services, 1960)
- 40 7000 feet barometric, 2 mile (USGS, 1973d)
- 41 500 feet barometric, 1 kilometer (USGS, 1982b)
- 42 8000 feet barometric, 1 mile (USGS, 1975g)
- 43 North-South, 500 feet above ground, 1 mile (Robbins and others, 1975)
- 44 400 feet above ground, 3 mile (Texas Instruments, 1979c)
- 45 400 feet above ground, 6 mile (Texas Instruments, 1979c)
- 46 7000 feet barometric, 1 mile (USGS, 1974e)
- 47 400 feet above ground, 1 mile (LKB Resources, 1979b)
- 48 400 feet above ground, 3 mile (LKB Resources, 1979b)
- 49 400 feet barometric, 5 to 14 mile (Bromery and Snavely, 1964)
- 50 1000 feet above ground, 0.5 mile (Bromery, 1965)
- 51 750 feet above ground, 0.5 mile (Bromery, 1962)
- 52 400 feet above ground, 6 mile (Geo-Life, 1981a)
- 53 400 feet above ground, 3 mile (Geo-Life, 1981a)
- 54 400 feet above ground, 3 mile (LKB Resources, 1978)
- 55 7000 feet barometric, 2 mile (USGS, 1973e)
- 56 7000 feet barometric, 2 mile (USGS, 1973c)
- 57 11,000 feet barometric, 2 mile (USGS, 1973c)
- 58 7000 feet barometric, 1 mile (Kleinkopf and others, 1972)
- 59 400 feet above ground, 3 mile (Geodata, 1981r)
- 60 6000 feet barometric, 3 mile (USGS, 1984b)
- 61 400 feet above ground, 6 mile (Western Geophysical, 1981f)
- 62 Northeast-Southwest, 6500 feet barometric, 1 mile (USGS, unpublished)
- 63 10,000 feet above sea level, 1 mile (Couch and others, 1978a)
- 64 7500 feet barometric, 3 mile (USGS, 1984e)
- 65 North-South, 9500 feet barometric, 1 mile (USGS, 1978e)
- 66 7000 feet barometric, 1 mile (Couch and others, 1978a)
- 67 400 feet above ground, 3 mile (Geo-Life, 1978a)
- 68 400 feet above ground, 6 mile (Geodata, 1981q)
- 69 400 feet above ground, 6 mile (Geodata, 1981t)
- 70 400 feet above ground, 6 mile (Geo-Life, 1979k)
- 71 400 feet above ground, 3 mile (Geo-Life, 1979k)
- 72 400 feet above ground, 3 mile (GeoMetrics, 1980b)
- 73 4500 feet barometric, 0.5 mile (Balsey and others, 1960)
- 74 4500 and 6500 feet barometric, 1 mile (USGS, 1979a)
- 75 9000 feet above sea level, 2 mile (USGS, 1973b)
- 76 9000 feet above sea level, 2 mile (USGS, 1972d)
- 77 9000 feet barometric, 2 mile (USGS, 1972b)
- 78 400 feet above ground, 3 mile (Geodata, 1980f)
- 79 400 feet above ground, 3 mile (Geo-Life, 1979p)
- 80 400 feet above ground, 6 mile (Geo-Life, 1979p)
- 81 400 feet above ground, 3 mile (Western Geophysical, 1979f)
- 82 400 feet above ground, 3 mile (Geo-Life, 1979g)
- 83 North-South, 7500 feet barometric, 1 mile (Douglas, 1971)
- 84 9000 feet barometric, 1 mile (Kleinkopf and Mudge, 1972)
- 85 Northeast-Southwest, 9000 feet barometric, 2 mile (Kleinkopf and Mudge, 1972)
- 86 9000 feet barometric, 2 mile (USGS, 1969a)
- 87 Variable, sea level, variable (Emilia and others, 1968)
- 88 Northeast-Southwest, 2900 meters barometric, 8 kilometer (unpublished data)
- 89 400 feet above ground, 6 mile (Western Geophysical, 1981l)
- 90 400 feet above ground, 6 mile (Western Geophysical, 1981i)
- 91 8500 feet barometric, 1 mile (Hotz and others, 1972)
- 92 400 feet above ground, 6 mile (Western Geophysical, 1981n)
- 93 9000 feet barometric, 1 mile (Couch, 1982)
- 94 Unknown, 7000 to 9000 feet barometric, unknown (Calif. Div. of Mines and Geology, 1979)
- 95 400 feet above ground, 3 mile (Geo-Life, 1979m)
- 96 400 feet above ground, 3 mile (Geo-Life, 1979u)
- 97 400 feet above ground, 3 mile (Geo-Life, 1979n)
- 98 400 feet above ground, 6 mile (Geodata, 1981i)
- 99 400 feet above ground, 3 mile (Geodata, 1981p)
- 100 400 feet above ground, 6 mile (Western Geophysical, 1979c)
- 101 400 feet above ground, 3 mile (Geo-Life, 1979e)
- 102 400 feet above ground, 3 mile (Geodata, 1979c)
- 103 Unknown (Affleck, 1962)
- 104 400 feet above ground, 6 mile (Western Geophysical, 1981h)
- 105 Unknown (Calif. Div. of Mines and Geology, 1978)

106 4500 feet barometric, 1 mile (USGS, 1973f)
 107 7000 feet barometric, 1 mile (Brown and others, 1978)
 108 400 feet above ground, 6 mile (High Life/QEB, 1981a)
 109 400 feet above ground, 3 mile (High Life/QEB, 1981a)
 110 Northeast-Southwest, 500 feet above ground, 1 mile (Meuschke and others, 1966)
 111 400 feet above ground, 3 mile (Western Geophysical, 1981k)
 112 400 feet above ground, 6 mile (Western Geophysical, 1981m)
 113 400 feet above ground, 3 mile (Geo-Life, 1978d)
 114 400 feet above ground, 3 mile (Geo-Life, 1978b)
 115 9000 feet barometric, 2 mile (USGS, 1972a)
 116 400 feet above ground, 3 mile (Geo-Life, 1978c)
 117 400 feet above ground, 3 mile (Geo-Life, 1979f)
 118 400 feet above ground, 3 mile (Geo-Life, 1979o)
 119 400 feet above ground, 3 mile (Geo-Life, 1979a)
 120 400 feet above ground, 3 mile (High Life, 1980)
 121 400 feet above ground, 3 mile (Geo-Life, 1979q)
 122 400 feet above ground, 3 mile (Texas Instruments, 1979b)
 123 North-South, 400 feet above ground, 6 mile (Texas Instruments, 1979b)
 124 400 feet above ground, 2 mile (Texas Instruments, 1979b)
 125 400 feet above ground, 6 mile (Geo-Life, 1979j)
 126 400 feet above ground, 3 mile (Geo-Life, 1979j)
 127 400 feet above ground, 6 mile (Geo-Life, 1979l)
 128 400 feet above ground, 3 mile (Geo-Life, 1979l)
 129 400 feet above ground, 3 mile (Geo-Life, 1979i)
 130 400 feet above ground, 3 mile (GeoMetrics, 1980f)
 131 400 feet above ground, 3 mile (GeoMetrics, 1980f)
 132 400 feet above ground, 3 mile (Geodata, 1981s)
 133 400 feet above ground, 3 mile (Geo-Life, 1979t)
 134 400 feet above ground, 3 mile (GeoMetrics, 1979a)
 135 400 feet above ground, 1 mile (GeoMetrics, 1979a)
 136 400 feet above ground, 3 mile (Geodata, 1980b)
 137 400 feet above ground, 3 mile (Geodata, 1980d)
 138 400 feet above ground, 6 mile (Geodata, 1980d)
 139 12,000 feet barometric, 1 mile (USGS, 1973g)
 140 400 feet above ground, 3 mile (Western Geophysical, 1979b)
 141 400 feet above ground, 3 mile (High Life and Geodata, 1979)
 142 400 feet above ground, 6 mile (High Life/QEB, 1981d)
 143 400 feet above ground, 3 mile (GeoMetrics, 1979e)
 144 400 feet above ground, 2 mile (GeoMetrics, 1979e)
 145 400 feet above ground, 3 mile (LKB Resources, 1979c)
 146 400 feet above ground, 2 mile (GeoMetrics, 1979h)
 147 400 feet above ground, 6 mile (GeoMetrics, 1980c)
 148 400 feet above ground, 3 mile (Geodata, 1980c)
 149 400 feet above ground, 3 mile (GeoMetrics, 1979f)
 150 400 feet above ground, 6 mile (High Life/QEB, 1981e)
 151 400 feet above ground, 3 mile (High Life/QEB, 1981e)
 152 400 feet above ground, 6 mile (Geodata, 1981j)
 153 4000 feet barometric, 3 mile (USGS, 1981b)
 154 400 feet above ground, 1 mile (GeoMetrics, 1979b)
 155 400 feet above ground, 3 mile (GeoMetrics, 1979b)
 156 400 feet above ground, 3 mile (GeoMetrics, 1979h)
 157 400 feet above ground, 3 mile (GeoMetrics, 1979c)
 158 400 feet above ground, 6 mile (Geodata, 1981h)
 159 400 feet above ground, 6 mile (Geodata, 1981f)
 160 400 feet above ground, 6 mile (Geodata, 1981o)
 161 400 feet above ground, 6 mile (GeoMetrics, 1980d)
 162 400 feet above ground, 3 mile (GeoMetrics, 1979d)
 163 400 feet above ground, 3 mile (Geodata, 1979g)
 164 400 feet above ground, 3 mile (Geodata, 1979h)
 165 400 feet above ground, 6 mile (Geodata, 1981k)
 166 4500 feet above sea level, 2 mile (Yarger and others, 1980)
 167 400 feet above ground, 6 mile (Geodata, 1981e)
 168 400 feet above ground, 6 mile (Geodata, 1981c)
 169 400 feet above ground, 6 mile (Geodata, 1981a)
 170 400 feet above ground, 6 mile (Geodata, 1981b)
 171 400 feet above ground, 6 mile (Geodata, 1981d)
 172 400 feet above ground, 6 mile (Geodata, 1981n)
 173 3500 feet barometric, 3 mile (USGS, 1981a)
 174 400 feet above ground, 6 mile (Geodata, 1981m)
 175 400 feet above ground, 6 mile (Geodata, 1981l)
 176 400 feet above ground, 6 mile (Geodata, 1981g)
 177 3000 feet above sea level, 2 mile (Yarger and others, 1980)
 178 400 feet above ground, 5 mile (Texas Instruments, 1978a)
 179 400 feet above ground, 6 mile (Western Geophysical, 1981d)
 180 400 feet above ground, 6 mile (Western Geophysical, 1981j)
 181 400 feet above ground, 6 mile (Western Geophysical, 1981c)
 182 400 feet above ground, 6 mile (Western Geophysical, 1981a)
 183 400 feet above ground, 6 mile (Western Geophysical, 1981e)
 184 400 feet above ground, 6 mile (Western Geophysical, 1981b)
 185 400 feet above ground, 3 mile (GeoMetrics, 1978b)
 186 400 feet above ground, 6 mile (Western Geophysical, 1981g)
 187 400 feet above ground, 6 mile (GeoMetrics, 1980c)
 188 400 feet above ground, 3 mile (Geo-Life, 1979v)
 189 400 feet above ground, 5 mile (Texas Instruments, 1978a)
 190 Unknown (unpublished data)
 191 Northeast-Southwest, 3000 feet above sea level, 1 mile (USGS, 1974c)
 192 1000 feet above ground, 0.5 mile (USGS, 1969c)
 193 1000 feet above ground, 0.5 mile (Henderson and others, 1966)
 194 400 feet above ground, 3 mile (High Life, 1981b)
 195 11,500 feet above sea level, 1 mile (Tooker and others, 1970)
 196 400 feet above ground, 3 mile (High Life/QEB, 1980b)
 197 13,500 feet above sea level, 1 mile (USGS, 1974d)
 198 400 feet above ground, 3 mile (Geo-Life, 1979c)
 199 7000 feet barometric (south half), 8000 feet barometric (north half) 1 mile (Bath and others, 1983)
 200 400 feet above ground, 3 mile (Geo-Life, 1980b)
 201 400 feet above ground, 6 mile (High Life/QEB, 1980b)
 202 400 feet above ground, 3 mile (Geodata, 1980e)
 203 400 feet above ground, 3 mile (Geo-Life, 1980a)
 204 400 feet above ground, 3 mile (Western Geophysical, 1979c)
 205 400 feet above ground, 2 mile (Western Geophysical, 1979d)
 206 400 feet above ground, 3 mile (Texas Instruments, 1980b)
 207 400 feet above ground, 5 mile (Texas Instruments, 1978a)
 208 Northeast-Southwest, 3000 feet above sea level, 1 mile (USGS, 1974b)
 209 2500 feet barometric, 1 mile (USGS, 1969b)
 210 8000 feet barometric, 1 mile (USGS, 1969b)
 211 13,500 feet barometric, 1 mile (USGS, 1969b)
 212 Northeast-Southwest, 2000 feet above sea level, 1 mile (USGS, 1977b)
 213 Unknown (unpublished data)
 214 Northeast-Southwest, 6500 feet barometric, 1 mile (Hanna, 1970)
 215 Northeast-Southwest, 6500 feet above sea level, 1 mile (USGS, 1974a)
 216 400 feet above ground, 3 mile (High Life, 1981a)
 217 Unknown (Blake and others, 1978)
 218 North-South, 400 feet above ground, 1 mile (Geo-Life, 1979s)
 219 400 feet above ground, 3 mile (Western Geophysical, 1979a)

220 400 feet above ground, 1 mile (Western Geophysical, 1979a)
 221 400 feet above ground, 6 mile (Western Geophysical, 1979a)
 222 400 feet above ground, 3 mile (LKB Resources, 1980c)
 223 400 feet above ground, 3 mile (LKB Resources, 1980b)
 224 North-South, 1000 feet above ground, 1 mile (USGS, 1980d)
 225 400 feet above ground, 3 mile (GeoMetrics, 1979f)
 226 8000 feet barometric, 1 mile (USGS, 1975f)
 227 11,000 feet barometric, 1 mile (USGS, 1972c)
 228 11,000 feet barometric, 1 mile (USGS, 1976b)
 229 9000 and 11,000 feet barometric, 1 mile (USGS, 1976d)
 230 13,000 feet barometric, 1 mile (USGS, 1976c)
 231 11,000 feet barometric, 1 mile (USGS, 1975c)
 232 7500 to 12,000 feet barometric, 1 mile (USGS, 1980e)
 233 13,500 feet barometric, 1 mile (USGS, 1973a)
 234 1000 feet above ground, 1 mile (Dempsey and others, 1963)
 235 1000 feet above ground, 1 mile (Dempsey and others, 1950)
 236 400 feet above ground, 6 mile (GeoMetrics, 1980a)
 237 400 feet above ground, 3 mile (GeoMetrics, 1980a)
 238 400 feet above ground, 3 mile (Texas Instruments, 1980a)
 239 400 feet above ground, 6 mile (Geodata, 1980m)
 240 400 feet above ground, 6 mile (Geodata, 1980o)
 241 400 feet above ground, 3 mile (Texas Instruments, 1978b)
 242 400 feet above ground, 3 mile (Geodata, 1976a)
 243 400 feet above ground, 3 mile (Geodata, 1976b)
 244 400 feet above ground, 3 mile (Geo-Life, 1979b)
 245 400 feet above ground, 3 mile (GeoMetrics, 1979g)
 246 Northeast-Southwest, 1000 feet above ground, 0.5 mile (USGS, 1980j)
 247 400 feet above ground, 3 mile (High Life/QEB, 1980a)
 248 North-South, 9000 feet barometric, 1 mile (USGS, 1975a)
 249 North-South, 1000 feet above ground, 2 mile (USGS, 1980b)
 250 North-South, 500 feet above ground, 1 mile (Andreasen and others, 1964c)
 251 North-South, 500 feet above ground, 1 mile (Andreasen and others, 1964b)
 252 North-South, 500 feet above ground, 1 mile (Andreasen and others, 1964a)
 253 400 feet above ground, 2 mile (Geo-Life, 1979h)
 254 400 feet above ground, 6 mile (Carson Helicopters, 1981)
 255 400 feet above ground, 3 mile (Carson Helicopters, 1981)
 256 8500 feet above ground, 1 mile (USGS, 1979d)
 257 8000 feet barometric, 1 mile (USGS, 1975e)
 258 10,000 feet barometric, 1 mile (USGS, 1975b)
 259 400 feet above ground, 3 mile (Geo-Life, 1979r)
 260 10,000 feet above sea level, 1 mile (USGS, 1974h)
 261 8000 feet barometric, 1 mile (USGS, 1975d)
 262 7000 feet barometric, 1 mile (USGS, 1976e)
 263 400 feet above ground, 3 mile (Bendix, 1983b)
 264 400 feet above ground, 3 mile (Texas Instruments, 1977)
 265 North-South, 400 feet above ground, 3 mile (LKB Resources, 1980a)
 266 400 feet above ground, 6 mile (LKB Resources, 1980a)
 267 400 feet above ground, 3 mile (Texas Instruments, 1979a)
 268 North-South, 400 feet above ground, 3 mile (Texas Instruments, 1979a)
 269 North-South, 9000 feet above sea level, 3 mile (Sauck and Sumner, 1970)
 270 10,500 feet above sea level, 1 mile (USGS, 1972e)
 271 400 feet above ground, 6 mile (Geo-Life, 1979d)
 272 400 feet above ground, 3 mile (Geo-Life, 1979d)
 273 400 feet above ground, 3 mile (Bendix, 1983c)
 274 4000 feet barometric, 1 mile (USGS, 1980k)
 275 4000 feet above ground, 1 mile (USGS, 1979b)
 276 4000 feet barometric, 1 mile (USGS, 1980c)
 277 North-South, 2400 feet barometric, 1 mile (Mitchell and Zandle, 1965)
 278 4000 feet barometric, 1 mile (USGS, 1980a)
 279 1500 feet above ground, 0.6 mile (USGS, 1979c)
 280 North-South, 1500 feet above ground, 0.6 mile (USGS, 1979c)
 281 1500 feet above ground, 1 km (USGS, 1980l)
 282 10,000 feet above sea level, 1 mile (USGS, 1974g)
 283 8000 feet barometric, 2.6 nautical mile (unpublished data)
 284 Northwest-Southeast, 1737 meters barometric, 2 km (Bath, 1977)
 285 400 feet above ground, 3 mile (Geodata, 1980l)
 286 400 feet above ground, 3 mile (Geodata, 1980k)
 287 400 feet above ground, 3 mile (GeoMetrics, 1978a)
 288 400 feet above ground, 3 mile (Geodata, 1980j)
 289 400 feet above ground, 3 mile (Geodata, 1979a)
 290 400 feet above ground, 6 mile (GeoMetrics, 1980e)
 291 400 feet above ground, 3 mile (GeoMetrics, 1980e)
 292 400 feet above ground, 3 mile (LKB Resources, 1979a)
 293 400 feet above ground, 3 mile (Geodata, 1980n)
 294 400 feet above ground, 3 mile (Geodata, 1980a)
 295 400 feet above ground, 3 mile (Geodata, 1979i)
 296 400 feet above ground, 3 mile (Geodata, 1980g)
 297 400 feet above ground, 3 mile (Geodata, 1980i)
 298 400 feet above ground, 3 mile (Bendix, 1983a)
 299 Northwest-Southeast, 400 feet above ground, 6 mile (Bendix, 1983a)
 300 400 feet above ground, 3 mile (Geodata, 1980h)
 301 400 feet above ground, 3 mile (Geodata, 1979d)
 302 400 feet above ground, 1.5 mile (Geodata, 1979d)
 303 400 feet above ground, 3 mile (Geodata, 1979b)
 304 400 feet above ground, 3 mile (Geodata, 1979e)
 305 West Northwest-South Southeast, 400 feet above ground, 3 mile (Geodata, 1979e)
 306 Unknown
 307 2500 feet above sea level, 2 mile (Yarger and others, 1980)
 308 Sea level, 5 to 15 mile (Theberge, 1971)

REFERENCES CITED

Affleck, James, 1962, exploration for petroleum by the magnetic method, in Nagata, Takesi, ed., Benedum earth magnetism symposium: Pittsburgh, Pennsylvania, University of Pittsburgh Press, p. 159-175.

Andreasen, G. E., Pitkin, J. A., and Petrafeso, F. A., 1964a, Aeromagnetic map of the Long Beach-Santa Ana area, Los Angeles and Orange counties, California: U.S. Geological Survey Geophysical Investigations Map GP-464, scale 1:48,000.

_____, 1964b, Aeromagnetic map of eastern Los Angeles and vicinity, California: U.S. Geological Survey Geophysical Investigations Map GP-465, scale 1:48,000.

_____, 1964c, Aeromagnetic map of western Los Angeles and vicinity, California: U.S. Geological Survey Geophysical Investigations Map GP-466, scale 1:48,000.

Balsley, J. R., Bromery, R. W., Remington, E. W., and others, 1960, Aeromagnetic map of the Kerby and part of the Grants Pass quadrangle, Josephine and Curry counties, Oregon: U.S. Geological Survey Geophysical Investigations Map GP-197, scale 1:96,000.

Bath, G. D., 1977, Aeromagnetic maps with geologic interpretations for the Tularosa Valley, south-central New Mexico: U.S. Geological Survey Open-File Report 77-258, 16 p., 12 pls., 9 figs., scale 1:62,500.

Bath, G. D., Jahren, C. E., Rosenbaum, J. G., and Baldwin, M. J., 1983, Magnetic investigations, in Geologic and geophysical investigations of Climax stock intrusive, Nevada: U.S. Geological Survey Open-File Report 83-377, 82 p.

Bendix Field Engineering Corp., 1983a, National Uranium Resource Evaluation Seguin [Texas] quadrangle - residual intensity magnetic anomaly contour map: U.S. Department of Energy Grand Junction Office Open-File Map GJM-335, scale 1:250,000.

_____, 1983b, National Uranium Resource Evaluation Plainview [Texas] quadrangle - residual intensity magnetic anomaly contour map: U.S. Department of Energy Grand Junction Office Map GJM-358, scale 1:250,000.

_____, 1983c, National Uranium Resource Evaluation Lubbock [Texas] quadrangle - residual intensity magnetic anomaly contour map: U.S. Department of Energy Grand Junction Office Map GJM-359, scale 1:250,000.

Blake, M. C., Jr., Zietz, Isidore, and Daniels, David L., 1978, aeromagnetic and generalized geologic map of parts of central California: U.S. Geological Survey Geophysical Investigations Map GP-918, scale 1:1,000,000.

Bromery, R. W., 1962, Geologic interpretation of the aeromagnetic map of the Lebanon quadrangle, Linn and Marion counties, Oregon: U.S. Geological Survey Geophysical Investigations Map GP-212, scale 1:62,500.

_____, 1965, Aeromagnetic map of the Albany-Newport area, Oregon and its geologic interpretation: U.S. Geological Survey Geophysical Investigations Map GP-481, scale 1:62,500.

Bromery, R. W., and Snavely, P. D., Jr., 1964, Geologic interpretation of reconnaissance gravity and aeromagnetic surveys in northwestern Oregon: U.S. Geological Survey Bulletin 1181-N, 13 p., 3 pls.

Brown, R. D., Grimes, D. J., and Reinhardt, Leinz, 1978, Mineral Resources of the Snow Mountain Wilderness study area, California, with a section on magnetic data by Andrew Griscom and R. D. Brown, Jr.: U.S. Geological Survey Open-File Report 78-296, 81 p., 4 pls.

California Division of Mines and Geology, 1978, Aeromagnetic map of the north half of the Great Valley, California: California Division of Mines and Geology Open-File Report 78-13D SAC, scale 1:250,000.

_____, 1979, Aeromagnetic map of the Modoc area, California: California Division of Mines and Geology Open-File Report 78-13A SAC, scale 1:250,000.

Carson Helicopters, Inc., 1981, National Uranium Resource Evaluation aerial reconnaissance survey of portions of New Mexico, Arizona, and Texas [Fort Sumner, Roswell, Carlsbad, Las Cruces, El Paso, and Holbrook quadrangles] - Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 412-81, v. 2, np., scale 1:500,000.

Couch, R. W., 1982, Maps showing total-field aeromagnetic anomalies and topography of the Cascades mountain range, northern California: U.S. Geological Survey Open-File Report 82-198, 2 sheets, scale 1:250,000.

Couch, R. W., Gemperle, M., and Connard, G., 1978a, Total field aeromagnetic anomaly map, Cascade mountain range, central Oregon: Oregon Survey Geological Map Series GMS-9, 2 sheets, scale 1:125,000.

_____, 1978b, Geophysical investigations of the Vale-Owyhee geothermal region, Malheur county, Oregon: Corvallis, Oregon, Oregon State University Geophysics Group Technical Report 4, 133 p., 3 pls.

Couch, R. W., Kienle, C., and Connard, G., 1978, The continental margin of the Pacific Northwest: A summary of the geological and geophysical data: Corvallis, Oregon, Oregon State University Report GTR 780816 to the U.S. Department of State, 1978, plate III.

Dempsey, W. J., and Hill, M. E., 1950, Total-intensity Aeromagnetic map of parts of San Miguel and Guadalupe counties, New Mexico (R. 16 E.-R. 21 E. and T. 6 N. - T. 10 N., and part of Anton Chico Grant): U.S. Geological Survey Geophysical Investigations Map GP-18, scale 1:63,360.

Dempsey, W. J., Petrafeso, F. A., and others, 1963, Aeromagnetic map of the central part of San Miguel county, New Mexico: U.S. Geological Survey Geophysical Investigations Map GP-357, scale 1:62,500.

Douglas, J. K., 1971, Total-intensity aeromagnetic map of a portion of the Montana lineament: Billings, Montana, University of Montana.

EG & G GeoMetrics, Inc., 1978a, National Uranium Resource Evaluation aerial gamma-ray and magnetic survey, Big Bend area [Van Horn and Pecos quadrangles] - Final Report: U.S. Department of Energy Grand Junction [Report] GJBX 2-78, v. 2, n.p., scale 1:500,000.

_____, 1978b, National Uranium Resource Evaluation aerial gamma-ray and magnetic survey, Fremont quadrangle, Nebraska, Iowa: Lincoln quadrangle, Nebraska: Manhattan and Hutchinson quadrangles, Kansas - Final Report: U.S. Department of Energy Grand Junction [Report] GJBX 20-78, v. 2, n.p., scale 1:500,000.

_____, 1979a, National Uranium Resource Evaluation aerial gamma-ray and magnetic survey, Rock Springs, Rawlins, and Cheyenne quadrangles, Wyoming, and Greeley quadrangle, Colorado - Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 17-79, v. 2, n.p., scale 1:500,000.

_____, 1979b, National Uranium Resource Evaluation, aerial gamma-ray and magnetic survey, Rockies/Laramie range project, Denver and Pueblo quadrangles, Colorado - Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 49-79, v. 2, n.p., scale 1:500,000.

_____, 1979c, National Uranium Resource Evaluation aerial gamma-ray and magnetic survey, Powder River II Project, Newcastle and Gillette [quadrangles] Wyoming and South Dakota and Ekalaka [quadrangle], Montana, South and North Dakota - Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 82-79, v. 2, n.p., scale 1:500,000.

_____, 1979d, National Uranium Resource Evaluation aerial gamma-ray and magnetic survey, Idaho project, Rapid City quadrangle, South Dakota - Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 83-80, v. 2, n.p., scale 1:500,000.

_____, 1979e, National Uranium Resource Evaluation aerial gamma-ray and magnetic survey, Uncompaghre Uplift project, Salina, Utah, Moab, Utah and Colorado, Montrose and Leadville, Colorado quadrangles - Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 95-79, v. 2, n.p., scale 1:500,000.

_____, 1979f, National Uranium Resource Evaluation aerial gamma-ray and magnetic survey, Raton Basin project, Shiprock and Gallup quadrangles, Arizona/New Mexico and Albuquerque quadrangle, New Mexico - Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 116-79, v. 2, n.p., scale 1:500,000.

_____, 1979g, National Uranium Resource Evaluation aerial gamma-ray and magnetic survey, Raton Basin project, Flagstaff quadrangle, Arizona - Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 157-79, v. 2, n.p., scale 1:500,000.

_____, 1979h, National Uranium Resource Evaluation aerial gamma-ray and magnetic survey, Powder River II project, Torrington and Casper quadrangles, Wyoming and Nebraska - Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 158-79, v. 2, n.p., scale 1:500,000.

1980a, National Uranium Resource Evaluation aerial gamma-ray and magnetic survey, Raton Basin project, Raton and Santa Fe quadrangles of New Mexico – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 9–80, v. 2, n.p., scale 1:500,000.

1980b, National Uranium Resource Evaluation aerial gamma-ray and magnetic survey, Idaho project, Hailey, Idaho Falls, and Elk City quadrangles, Idaho/Montana, and Boise quadrangle, Oregon/Idaho – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 10–80, v. 2, n.p., scale 1:500,000.

1980c, National Uranium Resource Evaluation aerial gamma-ray and magnetic survey, Minnesota project, Thief River Falls, Grand Forks, Fargo, Milbank, Watertown, New Ulm, and Saint Cloud quadrangles of North Dakota, South Dakota, and Minnesota – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 13–80, v. 2, n.p., scale 1:500,000.

1980d, National Uranium Resource Evaluation aerial gamma-ray and magnetic survey, Nebraska-Texas project, Alliance and Scottsbluff quadrangles, Nebraska – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 25–80, v. 2, n.p., scale 1:500,000.

1980e, National Uranium Resource Evaluation aerial gamma-ray and magnetic survey, Nebraska-Texas project, Tyler, Texarkana, and Waco quadrangles of Texas, Oklahoma, Arkansas, and Louisiana – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 69–80, v. 2, n.p., scale 1:500,000.

1980f, National Uranium Resource Evaluation aerial gamma-ray and magnetic survey, Idaho project, Ogden and Salt Lake City quadrangles of Utah and Wyoming – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 71–80, v. 2, n.p., scale 1:500,000.

Emilia, D. A., Berg, J. W., Jr., and Bales, W. E., 1968, Magnetic anomalies off the northwest coast of the United States: Geological Society of America Bulletin, v. 79, pp. 1053–1062.

Geo-Life (a joint venture between High-Life Helicopters, Inc. and Geodata International, Inc.), 1978a, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Baker National Topographic Map, Idaho and Oregon – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 101–78, v. 2, n.p., scale 1:500,000.

1978b, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Reno National Topographic Map, Nevada – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 117–78, v. 2, n.p., scale 1:500,000.

1978c, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Lovelock National Topographic Map, Nevada – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 125–78, v. 2, n.p., scale 1:500,000.

1978d, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Walker Lake National Topographic Map, California and Nevada – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 126–78, v. 2, n.p., scale 1:500,000.

1979a, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Winnemucca National Topographic Map, Nevada – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 21–79, v. 2, n.p., scale 1:500,000.

1979b, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Trona National Topographic Map, California – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 65–79, v. 2, n.p., scale 1:500,000.

1979c, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Goldfield National Topographic Map, California and Nevada – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 66–79, v. 2, n.p., scale 1:500,000.

1979d, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Tularosa National Topographic Map, New Mexico – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 67–79, v. 2, n.p., scale 1:500,000.

1979e, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Bozeman National Topographic Map, Montana – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 81–79, v. 2, n.p., scale 1:500,000.

1979f, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Tonopah National Topographic Map, Nevada – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 104–79, v. 2, n.p., scale 1:500,000.

1979g, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Dillon National Topographic Map, Montana and Idaho – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 107–79, v. 2, n.p., scale 1:500,000.

1979h, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Needles National Topographic Map, California and Nevada – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 114–79, v. 2, n.p., scale 1:500,000.

1979i, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Price National Topographic Map, Utah – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 117–79, v. 2, n.p., scale 1:500,000.

1979j, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Tooele National Topographic Map, Utah – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 118–79, v. 2, n.p., scale 1:500,000.

1979k, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Hamilton National Topographic Map, Idaho and Montana – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 119–79, v. 2, n.p., scale 1:500,000.

1979l, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Brigham City National Topographic Map, Utah – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 124–79, v. 2, n.p., scale 1:500,000.

1979m, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Vya National Topographic Map, Nevada – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 136–79, v. 2, n.p., scale 1:500,000.

1979n, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Wells National Topographic Map, Nevada – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 137–79, v. 2, n.p., scale 1:500,000.

1979o, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Millet National Topographic Map, Nevada – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 154–79, v. 2, n.p., scale 1:500,000.

1979p, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Challis National Topographic Map, Idaho – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 156–79, v. 2, n.p., scale 1:500,000.

1979q, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Elko National Topographic Map, Nevada and Utah – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 159–79, v. 2, n.p., scale 1:500,000.

1979r, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Socorro National Topographic Map, New Mexico – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 163–79, v. 2, n.p., scale 1:500,000.

1979s, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Death Valley National Topographic Map, California and Nevada – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 164–79, v. 2, n.p., scale 1:500,000.

1979t, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Vernal National Topographic Map, Colorado and Utah – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 167–79, v. 2, n.p., scale 1:500,000.

1979u, National Uranium Resource Evaluation aerial radiometric and magnetic survey, McDermitt National Topographic Map, Nevada, Oregon, and Idaho – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 168–79, v. 2, n.p., scale 1:500,000.

1979v, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Richfield National Topographic Map, Utah – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 172–79, v. 2, n.p., scale 1:500,000.

1980a, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Escalante National Topographic Map, Utah and Arizona – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 15–80, v. 2, n.p., scale 1:500,000.

1980b, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Caliente National Topographic Map, Nevada and Utah – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 52–80, v. 2, n.p., scale 1:500,000.

1981a, National Uranium Resource Evaluation airborne gamma-ray spectrometer and magnetometer survey, Crescent, Burns, Canyon City, Bend, and Salem quadrangles, Oregon – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 240–81, v. 2, n.p., scale 1:500,000.

1981b, National Uranium Resource Evaluation airborne gamma-ray spectrometer and magnetometer survey, Vancouver, The Dalles, Pendleton, Walla Walla, Yakima, and Hoquiam quadrangles, Washington and Oregon – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 291–81, v. 2, n.p., scale 1:500,000.

Geodata International, Inc., 1976a, National Uranium Resource Evaluation aerial radiometric and magnetic survey [Tucumcari, Clovis, Brownfield, and Amarillo quadrangles] – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 33–76, v. 2, n.p., scale 1:500,000.

1976b, National Uranium Resource Evaluation aerial radiometric and magnetic survey [Clinton, Lawton, Wichita Falls, and Oklahoma City quadrangles, Oklahoma and Texas] – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 34–76, v. 2, n.p., scale 1:500,000.

1979a, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Brownwood National Topographic Map, Texas – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 68–79, v. 2, n.p., scale 1:500,000.

1979b, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Beeville/Bay City National Topographic Map, Texas – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 69–79, v. 2, n.p., scale 1:500,000.

1979c, National Uranium Resource Evaluation aerial radiometric and magnetic survey, White Sulphur Springs National Topographic Map, Montana – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 96–79, v. 2, n.p., scale 1:500,000.

1979d, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Crystal City National Topographic Map, Texas – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 98–79, v. 2, n.p., scale 1:500,000.

1979e, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Corpus Christi/Laredo National Topographic Map, Texas – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 99–79, v. 2, n.p., scale 1:500,000.

1979f, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Powder River R and D [Sheridan quadrangle, Wyoming] – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 113–79, v. 2, n.p., scale 1:500,000.

1979g, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Lemmon National Topographic Map, South Dakota – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 138–79, v. 2, n.p., scale 1:500,000.

1979h, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Dickinson National Topographic Map, North Dakota – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 139–79, v. 2, n.p., scale 1:500,000.

1979i, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Austin National Topographic Map, Texas – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 148–79, v. 2, n.p., scale 1:500,000.

1980a, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Llano National Topographic Map, Texas – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 24–80, v. 2, n.p., scale 1:500,000.

1980b, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Lander National Topographic Map, Wyoming – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 62–80, v. 2, n.p., scale 1:500,000.

1980c, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Armito National Topographic Map, Wyoming – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 63–80, v. 2, n.p., scale 1:500,000.

1980d, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Thermopolis National Topographic Map, Wyoming – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 64–80, v. 2, n.p., scale 1:500,000.

1980e, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Cedar City National Topographic Map, Utah – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 93–80, v. 2, n.p., scale 1:500,000.

1980f, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Jordan Valley National Topographic Map, Oregon and Idaho – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 95–80, v. 2, n.p., scale 1:500,000.

1980g, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Del Rio National Topographic Map, Texas – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 156–80, v. 2, n.p., scale 1:500,000.

1980h, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Eagle Pass National Topographic Map, Texas – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 157–80, v. 2, n.p., scale 1:500,000.

1980i, National Uranium Resource Evaluation aerial radiometric and magnetic survey, San Antonio National Topographic Map, Texas – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 160–80, v. 2, n.p., scale 1:500,000.

1980j, National Uranium Resource Evaluation aerial radiometric and magnetic survey, San Angelo National Topographic Map, Texas – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 168–80, v. 2, n.p., scale 1:500,000.

1980k, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Big Spring National Topographic Map, Texas – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 196–80, v. 2, n.p., scale 1:500,000.

1980l, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Hobbs National Topographic Map, Texas and New Mexico – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 228–80, v. 2, n.p., scale 1:500,000.

1980m, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Perryton National Topographic Map, Texas and Oklahoma – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 229–80, v. 2, n.p., scale 1:500,000.

1980n, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Sonora National Topographic Map, Texas – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 245–80, v. 2, n.p., scale 1:500,000.

1980o, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Woodward National Topographic Map, Oklahoma – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 251–80, v. 2, n.p., scale 1:500,000.

1981a, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Valentine National Topographic Map, Nebraska and South Dakota – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 41–81, v. 2, n.p., scale 1:500,000.

1981b, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Martin National Topographic Map, South Dakota and Nebraska—Dakotas project—Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 42–81, v. 2, n.p., scale 1:500,000.

1981c, National Uranium Resource Evaluation aerial radiometric and magnetic survey, North Platte National Topographic Map, Nebraska—Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 563–81, v. 2, n.p., scale 1:500,000.

1981d, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Pierre National Topographic Map, South Dakota, Nebraska—Dakotas project—Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 54–81, v. 2, n.p., scale 1:500,000.

1981e, National Uranium Resource Evaluation aerial radiometric and magnetic survey, McCook National Topographic Map, Nebraska and Kansas, Nebraska—Dakotas project—Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 55–81, v. 2, n.p., scale 1:500,000.

1981f, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Limon National Topographic Map, Colorado, Nebraska—Dakotas project—Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 56–81, v. 2, n.p., scale 1:500,000.

1981g, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Minot National Topographic Map, North Dakota and Nebraska, Nebraska—Dakotas project—Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 67–81, v. 2, n.p., scale 1:500,000.

1981h, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Wolf Point National Topographic Map, Montana and North Dakota, Nebraska—Dakotas project—Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 68–81, v. 2, n.p., scale 1:500,000.

1981i, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Rockies Wrap-Up project: Preston quadrangle [Idaho and Wyoming]—Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 74–81, v. 2, n.p., scale 1:500,000.

1981j, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Glasgow National Topographic Map, Montana, Nebraska—Dakotas project—Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 82–81, v. 2, n.p., scale 1:500,000.

1981k, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Williston National Topographic Map, North Dakota, Nebraska—Dakotas project—Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 83–81, v. 2, n.p., scale 1:500,000.

1981l, National Uranium Resource Evaluation aerial radiometric and magnetic survey, McClusky National Topographic Map, North Dakota, Nebraska—Dakotas project—Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 84–81, v. 2, n.p., scale 1:500,000.

1981m, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Bismarck National Topographic Map, North Dakota, Nebraska—Dakotas project—Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 85–81, v. 2, n.p., scale 1:500,000.

1981n, National Uranium Resource Evaluation aerial radiometric and magnetic survey, McIntosh National Topographic Map, North Dakota and South Dakota, Nebraska—Dakotas project—Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 86–81, v. 2, n.p., scale 1:500,000.

1981o, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Sterling National Topographic Map, Colorado, Nebraska, and Kansas, Nebraska—Dakotas project—Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 87–81, v. 2, n.p., scale 1:500,000.

1981p, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Driggs National Topographic Map, Idaho and Wyoming, Rockies Wrap-Up project—Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 93–81, v. 2, n.p., scale 1:500,000.

1981q, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Grangeville National Topographic Map, Idaho, Oregon, and Washington, Rockies Wrap-Up project—Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 98–81, v. 2, n.p., scale 1:500,000.

1981r, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Wallace National Topographic Map, Idaho and Montana, Rockies Wrap-Up project—Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 111–81, v. 2, n.p., scale 1:500,000.

1981s, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Grand Junction National Topographic Map, Colorado, Rockies Wrap-Up project—Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 112–81, v. 2, n.p., scale 1:500,000.

1981t, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Pullman National Topographic Map, Idaho and Washington, Rockies Wrap-Up project—Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 117–81, v. 2, n.p., scale 1:500,000.

Hanna, W. F., 1970, Aeromagnetic and gravity features of the western Franciscan and Salinian basement terranes between Cape San Martin and San Luis Obispo, California: U.S. Geological Survey Professional Paper 700-B, p. B66–B77.

Henderson, J. R., Tyson, N. S., McGowan, E. F., and others, 1958a, Aeromagnetic map of the Grayland quadrangle, Grays Harbor and Pacific counties, Washington: GP-176, scale 1:62,500.

1958b, Aeromagnetic map of the Aberdeen quadrangle, Grays Harbor and Pacific counties, Washington: U.S. Geological Survey Geophysical Investigations Map GP-177, scale 1:62,500.

1958c, Aeromagnetic map of the Montesano quadrangle, Grays Harbor and Pacific counties, Washington: U.S. Geological Survey Geophysical Investigations Map GP-178, scale 1:62,500.

1958d, Aeromagnetic map of the Malone quadrangle, Grays Harbor, Pacific, and Lewis counties, Washington: U.S. Geological Survey Geophysical Investigations Map GP-179, scale 1:62,500.

1958e, Aeromagnetic map of the Rochester quadrangle, Thurston, Grays Harbor, and Lewis counties, Washington: U.S. Geological Survey Geophysical Investigations Map GP-180, scale 1:62,500.

1958f, Aeromagnetic map of the Tenino quadrangle, Thurston and Lewis counties, Washington: U.S. Geological Survey Geophysical Investigations Map GP-181, scale 1:62,500.

1958g, Aeromagnetic map of the Cape Shoalwater quadrangle, Pacific county, Washington: U.S. Geological Survey Geophysical Investigations Map GP-183, scale 1:62,500.

1958h, Aeromagnetic map of the South Bend quadrangle, Pacific county, Washington: U.S. Geological Survey Geophysical Investigations Map GP-184, scale 1:62,500.

1958i, Aeromagnetic map of the Willapa quadrangle, Pacific county, Washington: U.S. Geological Survey Geophysical Investigations Map GP-185, scale 1:62,500.

1958j, Aeromagnetic map of the Pe Ell quadrangle, Pacific county, Washington: U.S. Geological Survey Geophysical Investigations Map GP-186, scale 1:62,500.

1958k, Aeromagnetic map of the Adna quadrangle, Lewis county, Washington: U.S. Geological Survey Geophysical Investigations Map GP-187, scale 1:62,500.

1958l, Aeromagnetic map of the Centralia quadrangle, Lewis county, Washington: U.S. Geological Survey Geophysical Investigations Map GP-188, scale 1:62,500.

Henderson, J. R., Jr., Stromquist, A. A., and Jespersen, Anna, 1966, Aeromagnetic map of the parts of the Mother Lode gold and Sierra Foothills copper mining districts, California, and its geologic interpretation: U.S. Geological Survey Geophysical Investigations Map GP-561, scale 1:62,500.

Henderson, J. R., Jr., Tyson, N. S., Gilchrist, S. A., and others, 1958a, Aeromagnetic map of part of the Yelm quadrangle, Thurston and Lewis counties, Washington: U.S. Geological Survey Geophysical Investigations Map GP-182, scale 1:62,500.

_____, 1958b, Aeromagnetic map of the Onalaska quadrangle, Lewis county, Washington: U.S. Geological Survey Geophysical Investigations Map GP-189, scale 1:62,500.

High Life Helicopters, Inc., and Geodata International, Inc., 1979, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Billings National Topographic Map, Montana—Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 87-79, v. 2, n.p., scale 1:500,000.

High Life Helicopters, Inc., 1980, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Lund and Ely quadrangles, Nevada—Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 244-80, v. 2, n.p., scale 1:500,000.

_____, 1981a, National Uranium Resource Evaluation aerial radiometric and magnetic survey, San Luis Obispo and Santa Maria quadrangles, California—Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 20-81, v. 2, n.p., scale 1:500,000.

_____, 1981b, National Uranium Resource Evaluation aerial radiometric and magnetic survey, San Francisco, San Jose, and Santa Cruz quadrangles, California—Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 50-81, v. 2, n.p., scale 1:500,000.

High Life Helicopters, Inc./QEB, Inc., 1980a, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Los Angeles, San Bernardino, Santa Ana, and San Diego quadrangles, California—Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 214-80, v. 2, n.p., scale 1:500,000.

_____, 1980b, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Mariposa quadrangle (California and Nevada), Fresno quadrangle (California), and Bakersfield quadrangle (California)—Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 231-80, v. 2, n.p., scale 1:500,000.

_____, 1981a, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Santa Rosa and Sacramento quadrangles, California—Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 51-81, v. 2, n.p., scale 1:500,000.

_____, 1981b, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Copalis Beach, Seattle, Cape Flattery, and Victoria quadrangles, Washington—Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 135-81, v. 2, n.p., scale 1:500,000.

_____, 1981c, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Wenatchee and Concrete quadrangles, Washington—Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 136-81, v. 2, n.p., scale 1:500,000.

_____, 1981d, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Forsyth, Roundup, and Hardin quadrangles, (Montana), and Sheridan quadrangle (Wyoming)—Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 179-81, v. 2, n.p., scale 1:500,000.

_____, 1981e, National Uranium Resource Evaluation aerial radiometric and magnetic survey, Jordan, Miles City, and Glendive quadrangles (Montana) and Watford City quadrangle (North Dakota)—Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 180-81, v. 2, n.p., scale 1:500,000.

Hotz, P. E., Thurber, H. K., Marks, L. Y., and Evans, R. K., 1972, Mineral resources of the Salmon-Trinity Alps primitive area, California, with a section on an aeromagnetic survey interpretation by Andrew Griscom: U.S. Geological Survey Bulletin 1371-B, 267 p.

Hunting Geophysical Services, Inc. 1960, Geological interpretation of airborne magnetometer and scintillometer survey, Mt. Bonaparte, Bodie Mountain, Curlew, Aeneas, and Republic quadrangles, Okanogan and Ferry counties, Washington: Washington Division of Mines and Geology Report of Investigations No. 20, 34 p., 5 pls.

Kleinkopf, M. D., Harrison, J. E., and Zartman, R. E., 1972, Aeromagnetic and geologic map of part of northwestern Montana and northern Idaho: U.S. Geological Survey Geophysical Investigations Map GP-830, scale 1:250,000.

Kleinkopf, M. D., and Mudge, M. R., 1972, Aeromagnetic, Bouguer gravity, and generalized geologic studies of the Great Falls-Mission Range area, northwestern Montana: U.S. Geological Survey Professional Paper 726A, 19 p.

LKB Resources, Inc., 1978, National Uranium Resource Evaluation aerial gamma-ray and magnetic reconnaissance survey, NE Washington area, Spokane NL 11-2 quadrangle—Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 121-78, v. 2, n.p., scale 1:500,000.

_____, 1979a, National Uranium Resource Evaluation aerial gamma-ray and magnetic reconnaissance survey, Big Bend area, Marfa, Presidio, Fort Stockton, and Emory Peak quadrangle—Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 88-79, v. 2, n.p., scale 1:500,000.

_____, 1979b, National Uranium Resource Evaluation aerial gamma-ray and magnetic reconnaissance survey, NE Washington area, Okanogan NM 11-10 and Sandpoint NM 11-11 quadrangles—Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 142-79, v. 2, n.p., scale 1:500,000.

_____, 1979c, National Uranium Resource Evaluation aerial gamma-ray and magnetic reconnaissance survey, Colorado/Arizona area, Craig quadrangle—Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 153-79, v. 2, n.p., scale 1:500,000.

_____, 1980a, National Uranium Resource Evaluation aerial gamma-ray and magnetic reconnaissance survey, Colorado/Arizona area, Salton Sea, El Centro, Phoenix, Ajo, and Lukeville quadrangles—Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 12-80, v. 2, n.p., scale 1:500,000.

_____, 1980b, National Uranium Resource Evaluation aerial gamma-ray and magnetic reconnaissance survey, Colorado/Arizona area, Marble Canyon NJ 12-11 quadrangle—Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 88-79, v. 2, n.p., scale 1:500,000.

_____, 1980c, National Uranium Resource Evaluation aerial gamma-ray and magnetic reconnaissance survey, Colorado/Arizona area, Grand Canyon NJ 12-10 quadrangle—Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 35-80, v. 2, n.p., scale 1:500,000.

Meuschke, J. L., Pitkin, J. A., and Smith, C. W., 1966, Aeromagnetic map of Sacramento and vicinity, California: U.S. Geological Survey Geophysical Investigations Map GP-574, scale 1:250,000.

Mitchell, C. M., and Zandle, G. L., 1965, Aeromagnetic map of the Casa Grande area, Maricopa and Pinal counties, Arizona: U.S. Geological Survey Geophysical Investigations Map GP-548, scale 1:62 500.

Raff, A. D., and Mason, R. G., 1961, Magnetic survey off the west coast of North America, 40° N. latitude to 52° N. latitude: Geological Society of America Bulletin, v. 72, p. 1267-1270, 1 fig., 1 pl.

Robbins, S. L., Burt, R. J., and Gregg, D. O., 1975, Gravity and aeromagnetic study of part of the Yakima basin, Washington: U.S. Geological Survey Professional Paper 726-E, 6 p., scale 1:250,000.

Sauck, W. A., and Sumner, J. S., 1970, Residual aeromagnetic map of Arizona: Tucson, Arizona, University of Arizona Department of Geosciences, The Laboratory of Geophysics, scale 1:500,000.

Staatz, M. H., Weis, P. L., Tabor, R. W., Robertson, J. F., Van Noy, R. M., Pattee, E. C., and Holt, D. C., 1971, Mineral resources of the Pasayten Wilderness area, Washington, with a section on aeromagnetic interpretation by Gordon P. Eaton and Mortimer H. Staatz: U.S. Geological Survey Bulletin 1325, 255 p., 3 pls.

Texas Instruments, Inc., 1977, National Uranium Resource Evaluation aerial gamma-ray and magnetic reconnaissance survey, Red River area, block C [Abilene, v. 2a; Ardmore, v. 2b; Dallas, v. 2c; and Sherman, v. 2d, quadrangles]—Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 17-77, v. 2, n.p., scale 1:500,000.

1978, National Uranium Resource Evaluation aerial gamma-ray and magnetic reconnaissance survey of portions of the Great Plains and Central Lowlands [Sioux City, v. 2a; O'Neill, v. 2b; Broken Bow, v. 2c; Grand Island, v. 2d; Beloit, v. 2e; Great Bend, v. 2f; Pratt, v. 2g; Dodge City, v. 2h; La Junta, v. 2i; Lamar, v. 2j; Wichita, v. 2k; Joplin, v. 2l; Enid, v. 2m; and Tulsa, v. 2n quadrangles]—Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 100-78, v. 2, n.p., scale 1:500,000.

1979a, National Uranium Resource Evaluation aerial gamma-ray and magnetic reconnaissance survey of portions of Arizona—New Mexico, [Mesa, v. 2a; Clifton, v. 2b; Tuscon, v. 2c; Silver City, v. 2d; Nogales, v. 2e; and Douglas, v. 2f quadrangles]—Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 23-79, v. 2, n.p., scale 1:500,000.

1979b, National Uranium Resource Evaluation aerial gamma-ray and magnetic reconnaissance survey of the Delta quadrangle of Utah—Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 24-79, v. 2, n.p., scale 1:500,000.

1979c, National Uranium Resource Evaluation aerial gamma-ray and magnetic reconnaissance survey of portions of Arizona, Idaho, Montana, New Mexico, South Dakota, and Washington [Cut Bank, v. 2a; Shelby, v. 2b; Havre, v. 2c; Choteau, v. 2d; Great Falls, v. 2e; Lewiston, v. 2f; Butte, v. 2g; Pocatello, v. 2h; Twin Falls, v. 2i; Ritzville, v. 2j; Hot Springs, v. 2k; and St. Johns, v. 2l quadrangles]—Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 126-79, v. 2, n.p., scale 1:500,000.

1980a, National Uranium Resource Evaluation aerial gamma-ray and magnetic reconnaissance survey of portions of New Mexico, Oklahoma, and Texas—Dahlart quadrangle—Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 46-80, v. 2, n.p., scale 1:500,000.

1980b, National Uranium Resource Evaluation aerial gamma-ray and magnetic reconnaissance survey of south-central Colorado, Trinidad quadrangle—Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 59-80, v. 2, n.p., scale 1:500,000.

Theberge, A. E., Jr., 1971, Magnetic survey off southern California and Baja California: U.S. National Ocean Survey Operational Data Report NOS DR-12, 11 p.

Thompson, G. A., 1973, Aeromagnetic and Bouguer gravity map of Twin Sisters Dunite, northwestern Washington: U.S. Geological Survey Geophysical Investigations Map GP-901, scale 1:125,000.

Tiffin, D. L., and Currie, R. G., 1976, Magnetic anomaly map, west coast of Vancouver Island (NTS 92C, D, E; 102A, H, I): Geological Survey of Canada Open-File Report 392, scale 1:500,000.

Tooker, E. W., Morris, H. T., and Fillo, P. V., 1970, Mineral resources of the Emigrant basin primitive area, California, with a section of geophysical studies by H. W. Oliver: U.S. Geological Survey Bulletin 1261-G, 70 p.

United Engineers and Constructors, Inc., 1978, Qualitative aeromagnetic evaluation of structures in the Columbia Plateau and adjacent Cascade mountain area: Westboro, Massachusetts, Weston Geophysical Research, Inc., 32 p., 31 figs., 2 pls.

U.S. Geological Survey, 1969a, Aeromagnetic map of the Cut Bank—Hungry Horse reservoir area, northwestern Montana: U.S. Geological Survey Open-File Report 69-289, scale 1:250,000.

1969b, Aeromagnetic strip across the central Sierra Nevada, California: U.S. Geological Survey Geophysical Investigations Map GP-657, scale 1:125,000.

1969c, Aeromagnetic map of northern Mother Lode area, California: U.S. Geological Survey Geophysical Investigations Map GP-671, scale 1:62,500.

1970, Aeromagnetic survey composite map, Oregon coast: U.S. Geological Survey Open-File Report 70-341, scale 1:500,000.

1972a, Aeromagnetic map of parts of the Lovelock, Reno, and Millet 1 degree by 2 degree quadrangles, Nevada: U.S. Geological Survey Open-File Report 72-386, scale 1:250,000.

1972b, Aeromagnetic map of the Klamath Falls and part of the Burns, Boise, and Jordan Valley 1 degree by 2 degree quadrangles, Oregon: U.S. Geological Survey Open-File Report 72-390, scale 1:250,000.

1972c, Aeromagnetic map of the Jemez area, New Mexico Open-File Report 72-391, scale 1:250,000.

1972d, Aeromagnetic map of the Klamath Falls and part of the Crescent 1 degree by 2 degree quadrangles, Oregon: U.S. Geological Survey Open-File Report 72-392, scale 1:250,000.

1972e, Aeromagnetic map of the Morenci—Monticello area, southeastern Arizona and southwestern New Mexico: U.S. Geological Survey Geophysical Investigations Map GP-838, scale 1:250,000.

1973a, Aeromagnetic map of an area northeast of Santa Fe, New Mexico: U.S. Geological Survey Open-File Report 73-290, scale 1:62,500.

1973b, Aeromagnetic map of parts of the Coos Bay and Medford 1 degree by 2 degree quadrangles, southwestern Oregon: U.S. Geological Survey Open-File Report 72-292, scale 1:250,000.

1973c, Aeromagnetic map of parts of the Kalispell and Cutbank 1 degree by 2 degree quadrangles, Montana: U.S. Geological Survey Open-File Report 73-293, scale 1:250,000.

1973d, Aeromagnetic map of parts of the Okanogan and Sandpoint 1 degree by 2 degree quadrangles, Washington—Idaho—Montana: U.S. Geological Survey Open-File Report 73-294, scale 1:250,000.

1973e, Aeromagnetic map of parts of the Spokane and Wallace 1 degree by 2 degree quadrangles, Idaho: U.S. Geological Survey Open-File Report 73-295, scale 1:250,000.

1973f, Aeromagnetic map of the Clear Lake area, Lake Sonoma, Napa, and Mendocino counties, California: U.S. Geological Survey Open-File Report 73-299, scale 1:62,500.

1973g, Aeromagnetic map of Yellowstone National Park and vicinity, Wyoming—Montana—Idaho: U.S. Geological Survey Open-File Report 73-304, scale 1:250,000.

1974a, Aeromagnetic map of the Cholame—Taft area, southwestern California: U.S. Geological Survey Open-File Report 74-8, scale 1:250,000.

1974b, Aeromagnetic map of parts of the San Jose, Santa Cruz, and San Francisco 1 degree by 2 degree quadrangles, California: U.S. Geological Survey Open-File Report 74-79, scale 1:125,000.

1974c, Aeromagnetic map of parts of the San Jose, Santa Rosa, and Sacramento 1 degree by 2 degree quadrangles, California: U.S. Geological Survey Open-File Report 74-80, scale 1:125,000.

1974d, Aeromagnetic map of parts of the Walker Lake and Mariposa 1 degree by 2 degree quadrangles, California: U.S. Geological Survey Open-File Report 74-109, scale 1:250,000.

1974e, Aeromagnetic map of parts of the Okanogan, Sandpoint, Ritzville, and Spokane 1 degree by 2 degree quadrangles, northeastern Washington: U.S. Geological Survey Open-File Report 74-1105, scale 1:250,000.

1974f, Aeromagnetic map of parts of the Puget Sound area, Washington: U.S. Geological Survey Open-File Report 74-1106, scale 1:125,000.

1974g, Aeromagnetic map of parts of the Silver City and Las Cruces 1 degree by 2 degree quadrangles, southwestern New Mexico: U.S. Geological Survey Open-File Report 74-1107, scale 1:250,000.

1974h, Aeromagnetic map of parts of the Socorro and Tularosa 1 degree by 2 degree quadrangles, southwestern New Mexico: U.S. Geological Survey Open-File Report 74-1108, scale 1:250,000.

1975a, Aeromagnetic map of Santa Barbara and vicinity, California: U.S. Geological Survey Open-File Report 75-132, scale 1:125,000.

1975b, Aeromagnetic map of an area east of Albuquerque, New Mexico: U.S. Geological Survey Open-File Report 75-183, scale 1:125,000.

1975c, Aeromagnetic map of Carson and vicinity, New Mexico: U.S. Geological Survey Open-File Report 75-184, scale 1:125,000.

1975d, Aeromagnetic map of an area north and east of Socorro, New Mexico: U.S. Geological Survey Open-File Report 75-185, scale 1:125,000.

1975e, Aeromagnetic map of Albuquerque and vicinity, New Mexico: U.S. Geological Survey Open-File Report 75-186, scale 1:125,000.

1975f, Aeromagnetic map of an area north of Albuquerque, New Mexico: U.S. Geological Survey Open-File Report 75-187, scale 1:125,000.

1975g, Aeromagnetic maps for parts of southwest Washington: U.S. Geological Survey Open-File Report 75-648, scale 1:62,500.

1976a, Aeromagnetic map of the Horseshoe Basin quadrangle, Okanogan county, Washington: U.S. Geological Survey Open-File Report 76-359, scale 1:62,500.

1976b, Aeromagnetic map of an area north of Abiquiu, New Mexico: U.S. Geological Survey Open-File Report 76-503, scale 1:125,000.

1976c, Aeromagnetic map of Wheeler Peak and vicinity, New Mexico: U.S. Geological Survey Open-File Report 76-504, scale 1:62,500.

1976d, Aeromagnetic map of Carson and vicinity, New Mexico: U.S. Geological Survey Open-File Report 76-686, scale 1:62,500.

1976e, Residual magnetic intensity map of central New Mexico: U.S. Geological Survey Open-File Report 76-806, scale 1:250,000.

1977a, Aeromagnetic map of northern and eastern parts of the Puget Sound area, Washington: U.S. Geological Survey Open-File Report 77-34, scale 1:125,000.

1977b, Map showing residual magnetic intensity along the California coast, latitude 34°30'N to latitude 37°30'N: U.S. Geological Survey Open-File Report 77-79, 14 sheets, scale 1:125,000.

1977c, Aeromagnetic map of part of northern Washington: U.S. Geological Survey Open-File Report 77-254, scale 1:62,500.

1978a, Aeromagnetic map of the Bellingham area, Washington: U.S. Geological Survey Open-File Report 78-354, scale 1:250,000.

1978b, Aeromagnetic map of Strawberry Mountain and vicinity, Oregon: U.S. Geological Survey Open-File Report 78-580, scale 1:62,500.

1979a, Aeromagnetic map of the Medford area, Oregon: U.S. Geological Survey Open-File Report 79-1195, scale 1:250,000.

1979b, Aeromagnetic map of the Aguila Mountains and vicinity, Arizona: U.S. Geological Survey Open-File Report 79-1446, scale 1:250,000.

1979c, Aeromagnetic map of the north and west parts of the Silver City 1 degree by 2 degree quadrangle, New Mexico and Arizona: U.S. Geological Survey Open-File Report 79-1452, 5 sheets, scale 1:62,500.

1979d, Aeromagnetic map of the Malpais area, New Mexico: U.S. Geological Survey Open-File Report 74-1644, scale 1:250,000.

1980a, Residual aeromagnetic map, Papago Indian Reservation, southern Arizona: U.S. Geological Survey Open-File Report 80-56, scale 1:250,000.

1980b, Aeromagnetic map of the Ventura basin, Ventura and Los Angeles counties, California: U.S. Geological Survey Open-File Report 80-64, scale 1:62,500.

1980c, Residual aeromagnetic map, Cabeza Prieta area, southern Arizona: U.S. Geological Survey Open-File Report 80-97, 2 sheets, scale 1:62,500.

1980d, Aeromagnetic map of northeast Arizona and northwest New Mexico: U.S. Geological Survey Open-File Report 80-614, 4 sheets, scale 1:250,000.

1980e, Aeromagnetic map of the Pecos area, New Mexico: U.S. Geological Survey Open-File Report 80-671, 4 sheets, scale 1:250,000.

1980f, Aeromagnetic map of the central Grays Harbor area, Washington: U.S. Geological Survey Open-File Report 80-948, scale 1:125,000.

1980g, Aeromagnetic map of the northwest part of the Olympic National Forest, Washington: U.S. Geological Survey Open-File Report 80-950, scale 1:125,000.

1980h, Aeromagnetic map of offshore northwest Washington: U.S. Geological Survey Open-File Report 80-976, scale 1:125,000.

1980i, Aeromagnetic map of the north-central Washington coast: U.S. Geological Survey Open-File Report 80-977, scale 1:125,000.

1980j, Aeromagnetic map of the Los Padres area, California: U.S. Geological Survey Open-File Report 80-986, 8 sheets, scale 1:62,500.

1980k, Aeromagnetic maps of the northern part of the Ajo 1 degree by 2 degree quadrangle, Arizona: U.S. Geological Survey Open-File Report 80-1126, scale 1:250,000.

1980l, Aeromagnetic map of the southern part of the Silver City 1 degree by 2 degree quadrangle, Arizona and New Mexico: U.S. Geological Survey Open-File Report 80-1128, scale 1:62,500.

1981a, Aeromagnetic map of part of the Bismarck 1 degree by 2 degree quadrangle, North Dakota: U.S. Geological Survey Open-File Report 81-433, scale 1:250,000.

1981b, Aeromagnetic map of northeastern Montana and western North Dakota: U.S. Geological Survey Open-File Report 81-434, 2 sheets, scale 1:250,000.

1982a, Aeromagnetic map of parts of the Okanogan and Ritzville 1 degree by 2 degree quadrangle, Washington: U.S. Geological Survey Open-File Report 82-661, scale 1:250,000.

1982b, Aeromagnetic map of part of the Cascade Range, southwest Washington and northern Oregon: U.S. Geological Survey Open-File Report 82-663, scale 1:250,000.

1984a, Aeromagnetic map of southwest Washington and northwest Oregon: U.S. Geological Survey Open-File Report 84-205, scale 1:250,000.

1984b, Aeromagnetic map of west-central Oregon: U.S. Geological Survey Open-File Report 84-391, scale 1:250,000.

1984c, Aeromagnetic map of the Olympic mountains area, Washington: U.S. Geological Survey Open-File Report 84-510, scale 1:250,000.

1984d, Aeromagnetic map of part of the North Cascades National Park, Washington: U.S. Geological Survey Open-File Report 84-511, scale 1:250,000.

1984e, Aeromagnetic map of east central Oregon: U.S. Geological Survey Open-File Report 84-512, scale 1:250,000.

Western Geophysical Company of America, 1979a, National Uranium Resource Evaluation airborne gamma-ray spectrometer and magnetometer survey of Las Vegas, Kingman, and Prescott quadrangles, Nevada, California, and Arizona—Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 59-79, v. 2, n.p., scale 1:500,000.

1979b, National Uranium Resource Evaluation airborne gamma-ray spectrometer and magnetometer survey, Cody quadrangle (Wyoming)—Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 105-79, v. 2, n.p., scale 1:500,000.

1979c, National Uranium Resource Evaluation airborne gamma-ray spectrometer and magnetometer survey, Ashton quadrangle (Idaho, Montana, and Wyoming)—Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 106-79, v. 2, n.p., scale 1:500,000.

1979d, National Uranium Resource Evaluation airborne gamma-ray spectrometer and magnetometer survey, Durango quadrangle (Colorado)—Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 143-79, v. 2, n.p., scale 1:500,000.

1979e, National Uranium Resource Evaluation airborne gamma-ray spectrometer and magnetometer survey, Cortez quadrangle (Colorado and Utah) – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 144-79, v. 2, n.p., scale 1:500,000.

1979f, National Uranium Resource Evaluation airborne gamma-ray spectrometer and magnetometer survey, Du Bois quadrangle (Idaho and Montana) – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 155-79, v. 2, n.p., scale 1:500,000.

1981a, National Uranium Resource Evaluation airborne gamma-ray spectrometer and magnetometer survey, Jamestown quadrangle, North Dakota – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 353-81, v. 2, n.p., scale 1:500,000.

1981b, National Uranium Resource Evaluation airborne gamma-ray spectrometer and magnetometer survey, Devils Lake quadrangle, North Dakota – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 354-81, v. 2, n.p., scale 1:500,000.

1981c, National Uranium Resource Evaluation airborne gamma-ray spectrometer and magnetometer survey, Aberdeen quadrangle, South Dakota – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 357-81, v. 2, n.p., scale 1:500,000.

1981d, National Uranium Resource Evaluation airborne gamma-ray spectrometer and magnetometer survey, Mitchell quadrangle, South Dakota – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 385-81, v. 2, n.p., scale 1:500,000.

1981e, National Uranium Resource Evaluation airborne gamma-ray spectrometer and magnetometer survey, New Rockford quadrangle, North Dakota – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 387-81, v. 2, n.p., scale 1:500,000.

1981f, National Uranium Resource Evaluation airborne gamma-ray spectrometer and magnetometer survey, Roseburg quadrangle, Oregon – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 388-81, v. 2, n.p., scale 1:500,000.

1981g, National Uranium Resource Evaluation airborne gamma-ray spectrometer and magnetometer survey, Sioux Falls quadrangle, South Dakota – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 389-81, v. 2, n.p., scale 1:500,000.

1981h, National Uranium Resource Evaluation airborne gamma-ray spectrometer and magnetometer survey, Ukiah quadrangle, California – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 390-81, v. 2, n.p., scale 1:500,000.

1981i, National Uranium Resource Evaluation airborne gamma-ray spectrometer and magnetometer survey, Weed quadrangle, California – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 391-81, v. 2, n.p., scale 1:500,000.

1981j, National Uranium Resource Evaluation airborne gamma-ray spectrometer and magnetometer survey, Huron quadrangle, South Dakota – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 405-81, v. 2, n.p., scale 1:500,000.

1981k, National Uranium Resource Evaluation airborne gamma-ray spectrometer and magnetometer survey, Chico quadrangle, California – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 407-81, v. 2, n.p., scale 1:500,000.

1981l, National Uranium Resource Evaluation airborne gamma-ray spectrometer and magnetometer survey, Eureka quadrangle, California – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 409-81, v. 2, n.p., scale 1:500,000.

1981m, National Uranium Resource Evaluation airborne gamma-ray spectrometer and magnetometer survey, Susanville quadrangle, California – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 410-81, v. 2, n.p., scale 1:500,000.

1981n, National Uranium Resource Evaluation airborne gamma-ray spectrometer and magnetometer survey, Redding quadrangle, California – Final Report: U.S. Department of Energy Grand Junction Office [Report] GJBX 411-81, v. 2, n.p., scale 1:500,000.

Yarger, H., Robertson, R., Martin, J., Sooby, R., and Wentland, R., 1980, Aeromagnetic map of Kansas: Kansas Geological Survey Open-File Map, scale 1:500,000.

Zietz, Isidore, and others, 1971, Interpretation of an aeromagnetic strip across the northwestern United States: Geological Society of America Bulletin, v. 82, no. 12, pp. 3347-3372.