



SELECTED WELL RECORDS AND PARTIAL CHEMICAL ANALYSES																	
			Casing		Water level				Partial chemical analyses								
Well number	Owner	Use*	Depth and use of (ft)		Diameter (in)	Altitude of well (ft)		Feet below land surface	Date	Yard(s)	Milligrams per liter				Temperature (°C)	Notes	
			Depth used	Depth of hole		Static	Flow				Silica (SiO ₂)	Sulfate (SO ₄)	Chloride (Cl)	Specific gravity at 60°F			
2-18-2793	L. C. Tideman	I	290	20	10	1680	200	86	1963	1000	1204	1024	20	626	1,810	15	3-22-66
2831	Almira Ogden	I	169	60	8	1920	190	65.25	3-22-66	85	—	—	—	12	234	40	3-22-66
2832	Almira Ogden	I	169	60	8	1920	190	65.25	3-22-66	85	—	—	—	12	234	40	3-22-66
3331	Spokane, Portland, & Seattle Railway	I	148	8	6	1960	170	66.25	4-21-66	85	<1	0.1	4.0	84	16	7-28-80	
3431	C. T. Dams	P	200	12	121	1980	220	188.92	3-28-66	—	—	—	44	54	121	236	6-23-66
3432	The Dallas, Irving & Co. Co.	N	541	45	8	1902	235	108.25	3-28-66	85	<1	—	—	—	—	—	
3433	A. C. Co. of Engineers	I	172	—	—	1960	172	172	10-16-65	1200	54	—	—	—	—	14	
3612	U. S. Coast & Geodetic Survey	I	300	10	184	1967	111	187	11-11-65	—	—	—	44	11	246	16	3-22-66
2-15-1973	Spokane, Portland, & Seattle Railway	N	386	88	6	1961	120	23	1961	800	5	—	—	—	—	12	
3731	Spokane, Portland, & Seattle Railway	N	399	154	10	1960	221	96	5-26-50	885	19	—	—	—	—	12	
3732	Spokane, Portland, & Seattle Railway	N	470	39	12	1980	149	49.5	5-23-50	780	18	53	22	187	408	—	3-22-66
3-16-1483	A. Thoburn	I	41	41	60	1881	171	170	10-16-65	1200	1	—	—	—	—	14	
1490	Harold Hickla	H	72	—	—	1960	170	9.26	10-16-65	25	—	—	—	—	—	14	
1491	Harold Hickla	H	72	—	—	1960	170	9.26	10-16-65	25	—	—	—	—	—	14	
1492	Harold Hickla	H	72	—	—	1960	170	9.26	10-16-65	25	—	—	—	—	—	14	
1493	Harold Hickla	H	72	—	—	1960	170	9.26	10-16-65	25	—	—	—	—	—	14	
2471	L. D. Havertick	H	90	16	—	1960	200	—	10-16-65	—	—	—	53	18	118	256	13-19-65
3-15-4143	Ray Beyer	H	70	8	—	1960	170	14.74	10-16-65	—	—	—	37	9.3	102	13	10-16-65
521	Peter Anderson	H	115	8	—	1942	1860	9.55	10-16-65	—	—	—	50	8.3	88	174	13-10-65
522	Harold Isaacson	H	85	8	—	1960	170	17.77	10-16-65	—	—	—	44	18	87	201	13-19-65
523	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
524	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
525	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
526	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
527	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
528	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
529	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
530	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
531	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
532	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
533	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
534	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
535	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
536	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
537	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
538	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
539	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
540	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
541	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
542	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
543	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
544	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
545	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
546	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
547	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
548	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
549	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
550	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
551	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
552	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
553	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
554	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
555	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
556	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
557	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
558	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
559	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
560	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
561	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
562	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
563	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
564	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
565	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
566	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
567	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
568	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
569	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
570	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
571	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
572	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
573	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
574	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
575	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
576	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
577	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
578	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
579	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
580	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
581	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
582	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
583	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
584	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
585	Clavin Lindan	H	170	41	10	1960	1600	11.35	10-16-65	60	68	57	114	266	12	10-12-65	
5																	

